

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	7
Panels	Monolithic panels 34" H	10
	Monolithic panels 42" H	16
	Monolithic panels 49" H	23
	Monolithic panels 64" H	30
	Monolithic panels 79" H	37
	Tiled panels 34" H	44
	Tiled panels 42" H	49
	Tiled panels 49" H	56
	Tiled panels 64" H	63
	Tiled panels 79" H	70
	Aluminum Reveal kits	77
	Beltway one side, window panel 49" H	84
	Beltway two sides, window panel 49" H	98
	Stacking modules	100
	Panel connection posts	105
	Panel trims and post covers	110
	Ceiling cable entry posts, poles and cable infeed	112
	Ceiling cable entry post covers	114
	Rolling door and hinged door	116
	Attachment kits	117
	Floor to ceiling modules	118
	Required components	125
	Power distribution components	126
Beltway electrical components	131	
Data and Communications	133	
Reff Ported Panel Components	134	
Worksurfaces	Worksurface 1 1/4"	137
	Conference 1 1/4"	151
	Optional edge details 1 1/4"	153
	Optional edge 1 1/4"	154
	Waterfall Edge 1 1/4"	169
	Cascade Edge 1 1/4"	188
	Worksurface 1 1/2"	194
	Worksurface Credenza	197
	Peninsula 1 1/2"	200
	Tables, 1 1/2"	226
Support components	Tables, 1"	233
	Top support components	236
Cabinetry	Modesty	250
	Pedestals, 26 1/2" planning	256
	Pedestals, 28 3/8" planning	268
	Pedestals, Mobile	281
	Credenzas, 28 3/8" planning	282
	Cabinets, 26 1/2" planning	287
	Cabinets, 28 3/8" planning	312
	Cabinets Progressive	334
Desktop towers	Desktop Towers	346

Overhead storage	Overhead, 26 ¹ / ₂ " planning	353
	Overhead, 28 ³ / ₈ " planning	362
	Reuter overhead cabinet	391
	Reuter open shelf	394
	Reuter open overhead	395
	Reuter overhead storage	396
	Task Lights for Reuter Overhead Storage	398
	Progressive Overheads	399
Transaction tops, regular and waterfall edge	Transaction tops	408
Gallery desk surrounds	Gallery desk surrounds	410
Preconfigured Reff Desking	Single pedestal desks	414
	Double pedestal desks	415
	Desk returns	416
	Single pedestal credenzas	417
	Bridge assemblies	418
	Double pedestal credenzas	419
Accessories and Client Samples	Accessories	420
	Task Panels	435
	Tackboards	479
	Desk Screens	484
	Cubbies	493
Reff Original finish options	Reff Original finish options	495
Wall Mounting of Knoll Products		496
Horizons Planning	Horizons - 28 ³ / ₈ " Planning	498
Alpha-Numeric Index		501
Selling Policy		523
KnollKey Lock Program		525
General Ordering Information		526

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level™ certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level™ sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 5/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. PolyurTM provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes:

V1 Techwood Closed Pore

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

*Not available on Reff optional Edges and Waterfall Edge.

V1 - Techwood Closed Pore

Surface with matching synthetic edge:

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Natural Veneers/Premium

Techwood Veneers

Closed Pore

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)
Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are rift cut)

V439	Straight Anigre
------	-----------------

V2 Natural Veneer with synthetic edge

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

Flat Cut:

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

V3 Exotic Veneer

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

(all above are quarter cut)

Glass Options:

TEMP	Clear Tempered (G1)
------	---------------------

Architectural Glass Options: (G2)

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Back Painted Glass (G3)

GL11	Back Painted Black
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass (G3)

GL35	Grey
GL85	Star Clear

Locks

Black and Silver

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Chery
125	Natural Maple
126	Natural Cherry
127	Walnut
128	Fog
129	Micro Sand with 119 Pumice edge band

Paint Classifications:

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver
PD	Polish Chrome
PT	Brushed Pewter
PN	Black Nickel
PU	Satin Nickel
AN	Anodized Black
AP	Anodized Polished
AU	Anodized Satin
AA	Anodized Aluminum

See matrix next page for finishes applicable by component

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V449
52	for V512
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427
85	for Y851
Y1	for Y341
62	for Y342
44	for Y344

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options

Grade 10

Bailey II (W359) ø
 Broadcloth (W288)
 Foundation (W351)
 Growth Spurt (W692)
 Newbury (W812) ø
 Solid Crepe (W257) ø
 Symbolic Detail (W693)
 Tailor Made (W133)
 Versatility (W432)

Grade 15

Regency (W210)

Grade 20

Banyan (W443)
 Bauhaus Block (W296A)
 Circle Line (W1146)
 Clarity (W281)
 Criss Cross (W305)
 Devon (W809) ø
 Labyrinth (W352)
 Melbourne (W228)
 Outback (W229)
 Reflect (W884) ø
 Resolution (W280)
 Walkabout (W230)
 Weave Three (W298)

Grade 30

Basket Draft (W249)
 Flow (W565)
 Harmony (W232)
 Interknit (W1090)
 Match Point (W1145)
 Micro (W465)*
 Progression (W403)
 Raku Cloth (W566) ø
 Relay (W1020) ▲

Grade 40

Clarkson (W1218)
 Ornament (W1078)
 Palladium (W1030)
 Sennit (W337)
 Spinoff Nuance (W319)

Grade 45

Casual Elegance (W920)
 Dristi (K872)* ø

**with backing only*

▲ Monolithic panels and tackboards only

ø May not be available in all colors.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50

Knoll Hopsack (K1206)
 Ricochet (W498)

Grade 55

Knoll Felt (K1207)
 Transition (W816)

Customers Own Material

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Non-Wood Finishes


26 1/2" h planning Finishes	<i>Panel Tiles, Worksurfaces & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Pulls</i>	<i>Grommets</i>
	Jet Black	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	n/a	113
Medium grey	115	115	115	115	115	115	115	115
Soft grey	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ●	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT●	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD

n/a = not available


* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only

● PZ and PT Pulls only for 'D' Pulls.


Panel Trim Profiles




Flat (Option A)



Square (Option B)



Bullnose (Option C)




Extruded Aluminum (Option E)


Worksurface Profiles



1 1/2" and 1 1/4" Thick Standard




1 1/4" Thick Waterfall




1 1/4" Thick Cascade

NOTE: See page 153 for 7 Optional Edges which are also available.


Pull Options




Integral Wood J-Pull




C-Pull (Nickle Plated Finish Only)
7³/₈"W x 1⁵/₃₂"D



S-Pull (Stainless Steel Finish Only)
6⁵/₃₂"W x 1¹/₁₆"D




D-Pull (Painted and Plated Finishes)
7³/₄"W x 1¹³/₃₂"D




R-Cylinder

1" diameter
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center position for 16" & 19" drawers
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from end, 1 1/2" down from top of drawers




H-Out Line

4" wide x 1" deep
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center, 1 1/2" down from the top of drawer
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from left/right, 1 1/2" down from top of drawers




T-Tab

short Tab: 2" wide x 1 3/4" deep
 Long Tab: 10" wide x 1 3/4" deep
 Protrudes 3/4" from drawer front
 Available in painted or plated finishes
 Position: Center line position on drawers



G-Grommet Pull

1 3/32" diameter
 Flush with the drawer front
 Available in painted and plated finishes
 1 pull per 60" & 72" sliding doors
 Position: 1.656" from left or right, center line vertical
 2 pulls per 90" & 108" sliding doors
 Position: 1.656" from left and right, center line vertical




F-Bar Pull

Short bar pull: 3 3/8" wide x .3" thick
 Long bar pull: 10 1/2" wide x .3" thick
 Protrudes 1" from drawer front
 Available in painted and plated finishes
 Position: Center line position on drawers

Monolithic panels 34" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	R3B0PFF3418-()()	\$606.	\$622.	\$664.	\$750.	\$802.	\$880.	\$934.
Regular acoustics	20"	34"	R3B0PFF3420-()()	606.	622.	664.	750.	802.	882.	934.
	24"	34"	R3B0PFF3424-()()	654.	670.	712.	798.	850.	928.	982.
	30"	34"	R3B0PFF3430-()()	698.	714.	756.	842.	894.	972.	1,026.
	36"	34"	R3B0PFF3436-()()	742.	758.	800.	886.	938.	1,016.	1,070.
	42"	34"	R3B0PFF3442-()()	852.	868.	910.	996.	1,048.	1,126.	1,180.
	48"	34"	R3B0PFF3448-()()	884.	900.	942.	1,028.	1,080.	1,180.	1,212.



Order Code

Example:	R3B0PFF3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
34	34" high
18	18" wide
(A)	Flat style top trim profile
(4)	4" base height
(K)	Include knockouts in base
W281	Fabric Side 1
W281	Fabric Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum
2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	R3B0PFL3418-()()	\$580.	\$588.	\$607.	\$645.	\$669.	\$702.	\$726.
	20"	34"	R3B0PFL3420-()()	580.	588.	607.	645.	669.	702.	726.
	24"	34"	R3B0PFL3424-()()	617.	625.	644.	682.	706.	739.	763.
	30"	34"	R3B0PFL3430-()()	658.	666.	685.	723.	747.	780.	804.
	36"	34"	R3B0PFL3436-()()	694.	702.	721.	759.	783.	816.	840.
	42"	34"	R3B0PFL3442-()()	790.	798.	817.	855.	879.	912.	936.
	48"	34"	R3B0PFL3448-()()	814.	822.	840.	879.	903.	936.	960.

Order Code

Example:	R3B0PFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option).

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF13418-()()	\$681.	\$688.	\$710.	\$753.	\$780.	\$819.	\$848.
Regular acoustics	20"	34"	R3B0PF13420-()()	684.	691.	713.	756.	783.	822.	851.
	24"	34"	R3B0PF13424-()()	728.	735.	757.	800.	827.	866.	895.
	30"	34"	R3B0PF13430-()()	774.	781.	803.	846.	873.	912.	941.
	36"	34"	R3B0PF13436-()()	821.	828.	850.	893.	920.	959.	988.
	42"	34"	R3B0PF13442-()()	931.	938.	960.	1,003.	1,030.	1,069.	1,098.
	48"	34"	R3B0PF13448-()()	962.	969.	991.	1,034.	1,061.	1,100.	1,129.



Order Code

Example:	R3B0PF13418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum
2. *Base height:*
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF234 18-() ()	\$694.	\$701.	\$723.	\$766.	\$793.	\$832.	\$861.
Regular acoustics	20"	34"	R3B0PF234 20-() ()	697.	704.	726.	769.	796.	835.	864.
	24"	34"	R3B0PF234 24-() ()	740.	747.	769.	812.	839.	878.	907.
	30"	34"	R3B0PF234 30-() ()	790.	797.	819.	862.	889.	928.	957.
	36"	34"	R3B0PF234 36-() ()	835.	842.	864.	907.	934.	973.	1,002.
	42"	34"	R3B0PF234 42-() ()	952.	959.	981.	1,024.	1,051.	1,090.	1,119.
	48"	34"	R3B0PF234 48-() ()	980.	987.	1,009.	1,052.	1,079.	1,118.	1,147.



Order Code

Example:	R3B0PF23418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded aluminum

2. Base height:
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H


fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF334 18-() ()	\$923.	\$930.	\$952.	\$995.	\$1,022.	\$1,061.	\$1,090.
Regular acoustics	20"	34"	R3B0PF334 20-() ()	927.	934.	956.	999.	1,026.	1,065.	1,094.
	24"	34"	R3B0PF334 24-() ()	986.	993.	1,015.	1,058.	1,085.	1,124.	1,153.
	30"	34"	R3B0PF334 30-() ()	1,054.	1,061.	1,083.	1,126.	1,153.	1,192.	1,221.
	36"	34"	R3B0PF334 36-() ()	1,113.	1,120.	1,142.	1,185.	1,212.	1,251.	1,280.
	42"	34"	R3B0PF334 42-() ()	1,270.	1,277.	1,299.	1,342.	1,369.	1,408.	1,437.
	48"	34"	R3B0PF334 48-() ()	1,308.	1,315.	1,337.	1,380.	1,407.	1,446.	1,475.

Order Code	Specification Information	Application Notes
Example: R3B0PF33418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 one side	(K = with knockouts, N = without knockouts)	E = Extruded aluminum
34 34" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric Side 1	ii) Top trim profile E options:	
V512 Figured Anigre surface - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V512 Figured Anigre (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
M Optional milled frame		

Monolithic panels 34" H



Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	34"	R3B0PLL3418 () ()	\$595.
	20"	34"	R3B0PLL3420 () ()	595.
	24"	34"	R3B0PLL3424 () ()	649.
	30"	34"	R3B0PLL3430 () ()	727.
	36"	34"	R3B0PLL3436 () ()	786.
	42"	34"	R3B0PLL3442 () ()	810.
	48"	34"	R3B0PLL3448 () ()	848.

Order Code	Specification Information	Application Notes	
Example: R3B0PLL3418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 34 34" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 laminate inside 5. Panel side 2 laminate outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum 2. <i>Base height:</i> 4 = 4" base height Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Ported panel components to be installed below worksurface if panel 34"h.


Monolithic panels 42" H fabric both sides

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B0PFF42 18-() ()	\$552.	\$570.	\$614.	\$706.	\$776.	\$856.	\$912.
Regular acoustics	20"	42"	R3B0PFF42 20-() ()	552.	570.	614.	706.	776.	856.	912.
	24"	42"	R3B0PFF42 24-() ()	589.	607.	651.	743.	813.	893.	949.
	30"	42"	R3B0PFF42 30-() ()	642.	660.	704.	796.	886.	946.	1,002.
	36"	42"	R3B0PFF42 36-() ()	691.	709.	753.	845.	915.	995.	1,051.
	42"	42"	R3B0PFF42 42-() ()	742.	760.	804.	896.	966.	1,046.	1,102.
	48"	42"	R3B0PFF42 48-() ()	797.	815.	859.	951.	1,021.	1,101.	1,157.
	60"	42"	R3B0PFF42 60-() () *	901.	949.	1,041.	1,217.	1,347.	1,515.	1,619.
	66"	42"	R3B0PFF42 66-() () *	933.	981.	1,073.	1,249.	1,379.	1,547.	1,651.
	72"	42"	R3B0PFF42 72-() () *	963.	1,011.	1,103.	1,279.	1,409.	1,577.	1,681.
Monolithic, fabric both sides	18"	42"	R3B0PAA42 18-() ()	606.	624.	668.	760.	830.	910.	966.
High acoustics	20"	42"	R3B0PAA42 20-() ()	606.	624.	668.	760.	830.	910.	966.
	24"	42"	R3B0PAA42 24-() ()	645.	663.	707.	799.	869.	949.	1,005.
	30"	42"	R3B0PAA42 30-() ()	700.	718.	762.	854.	924.	1,004.	1,060.
	36"	42"	R3B0PAA42 36-() ()	757.	775.	819.	911.	981.	1,061.	1,117.
	42"	42"	R3B0PAA42 42-() ()	816.	834.	878.	970.	1,040.	1,120.	1,176.
	48"	42"	R3B0PAA42 48-() ()	875.	893.	937.	1,029.	1,099.	1,179.	1,235.
	60"	42"	R3B0PAA42 60-() () *	984.	1,032.	1,124.	1,300.	1,430.	1,598.	1,702.
	66"	42"	R3B0PAA42 66-() () *	1,017.	1,065.	1,157.	1,333.	1,463.	1,631.	1,735.
	72"	42"	R3B0PAA42 72-() () *	1,050.	1,098.	1,190.	1,366.	1,496.	1,664.	1,768.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 408).
R3 Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B0 No Beltway	2. Base height	Applicable finishes are listed on page 5 and 6.
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.
42 42" high	5. Panel side 2 finish(s) outside	Remember to specify Beltway paint finish when applicable.
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
(A) Flat style top trim profile	7. Base finish	*Fabric inserts of these panels are two pieces, split vertically.
(4) 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
(K) Include knockouts in base		
W281 Fabric - Side 1		
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	



Monolithic panels 42" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-()()	\$1,088.	\$1,114.	\$1,176.	\$1,292.	\$1,362.	\$1,460.	\$1,528.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-()()	1,088.	1,114.	1,176.	1,292.	1,362.	1,460.	1,528.
	24"	42"	R3B2PFF42 24-()()	1,111.	1,137.	1,199.	1,315.	1,385.	1,483.	1,551.
	30"	42"	R3B2PFF42 30-()()	1,165.	1,191.	1,253.	1,369.	1,439.	1,537.	1,605.
	36"	42"	R3B2PFF42 36-()()	1,363.	1,389.	1,451.	1,567.	1,637.	1,735.	1,803.
	42"	42"	R3B2PFF42 42-()()	1,466.	1,492.	1,554.	1,670.	1,740.	1,838.	1,906.
	48"	42"	R3B2PFF42 48-()()	1,519.	1,545.	1,607.	1,723.	1,793.	1,891.	1,959.
	Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-()()	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.
Beltway one side	20"	42"	R3B1PFF42 20-()()	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.	1,472.
	24"	42"	R3B1PFF42 24-()()	1,090.	1,112.	1,165.	1,269.	1,339.	1,428.	1,490.
	30"	42"	R3B1PFF42 30-()()	1,145.	1,167.	1,220.	1,324.	1,394.	1,483.	1,545.
	36"	42"	R3B1PFF42 36-()()	1,338.	1,360.	1,413.	1,517.	1,587.	1,676.	1,738.
	42"	42"	R3B1PFF42 42-()()	1,439.	1,461.	1,514.	1,618.	1,688.	1,777.	1,839.
	48"	42"	R3B1PFF42 48-()()	1,485.	1,507.	1,560.	1,664.	1,734.	1,823.	1,885.

Order Code	Specification Information	Application Notes
Example: R3B2PFF4218	<i>To order please specify pattern number including:</i>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 408).</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>*Fabric inserts of these panels are two pieces, split vertically.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R3 Reff Generation 3	1. Top trim profile	
B2 Beltway two sides	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside below belt	
42 42" high	5. Panel side 1 finish(s) inside above belt	
18 18" wide	6. Panel side 2 finish(s) outside below belt	
(A) Flat style top trim profile	7. Panel side 2 finish(s) outside above belt	
(4) 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
(K) Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric - Side 1 below belt	9. Base finish	
W281 Fabric - Side 1 above belt	10. Beltway finish	
W281 Fabric - Side 2 below belt	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
W281 Fabric - Side 2 above belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black Beltway finish		

Monolithic panels 42" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PFL42 18-()()	\$475.	\$483.	\$504.	\$542.	\$574.	\$609.	\$635.
	20"	42"	R3B0PFL42 20-()()	475.	483.	504.	542.	574.	609.	635.
	24"	42"	R3B0PFL42 24-()()	481.	489.	510.	548.	580.	615.	641.
	30"	42"	R3B0PFL42 30-()()	577.	585.	606.	644.	676.	711.	737.
	36"	42"	R3B0PFL42 36-()()	624.	632.	653.	691.	723.	758.	784.
	42"	42"	R3B0PFL42 42-()()	701.	709.	730.	768.	800.	835.	861.
	48"	42"	R3B0PFL42 48-()()	763.	771.	792.	830.	862.	897.	923.
	60"	42"	R3B0PFL42 60-()()	829.	850.	889.	968.	1,026.	1,101.	1,146.
	66"	42"	R3B0PFL42 66-()()	859.	880.	919.	998.	1,056.	1,131.	1,176.
	72"	42"	R3B0PFL42 72-()()	891.	912.	951.	1,030.	1,088.	1,163.	1,208.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PFL42 18-()()	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
	20"	42"	R3B1PFL42 20-()()	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
	24"	42"	R3B1PFL42 24-()()	958.	970.	997.	1,048.	1,078.	1,121.	1,153.
	30"	42"	R3B1PFL42 30-()()	1,030.	1,042.	1,069.	1,120.	1,150.	1,193.	1,225.
	36"	42"	R3B1PFL42 36-()()	1,202.	1,214.	1,241.	1,292.	1,322.	1,365.	1,397.
	42"	42"	R3B1PFL42 42-()()	1,230.	1,242.	1,269.	1,320.	1,350.	1,393.	1,425.
	48"	42"	R3B1PFL42 48-()()	1,383.	1,395.	1,422.	1,473.	1,503.	1,546.	1,578.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	BO=No Beltway	A = Flat
B0 No Beltway	B1=Beltway one side	B = Square
P Monolithic panel		C = Bullnose
FL Fabric one side, laminate other		E = Extruded Aluminum
42 42" high	1. Top trim profile	<i>2. Base height:</i>
18 18" wide	2. Base height	4 = 4" base height
A Flat style top trim profile	3. Knockout option (K = with knockouts, N = without knockouts)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	4. Panel side 1 finish(s) inside (for panel with beltway specify: Side 1-below belt Side 2-above belt)	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
114 Folkstone grey - side 2	<i>i</i>)Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Product on this page will accept wood grain laminate where laminate is currently an option.
111 Jet Black (base finish)	<i>ii</i>)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
M Optional milled frame	7. Base finish	
	8. Beltway finish-only for panel with beltway option	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.)
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
		Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF142 18-() ()	\$558.	\$568.	\$590.	\$637.	\$673.	\$713.	\$742.
	20"	42"	R3B0PF142 20-() ()	558.	568.	590.	637.	673.	713.	742.
	24"	42"	R3B0PF142 24-() ()	563.	573.	595.	642.	678.	718.	747.
	30"	42"	R3B0PF142 30-() ()	678.	688.	710.	757.	793.	833.	862.
	36"	42"	R3B0PF142 36-() ()	734.	744.	766.	813.	849.	889.	918.
	42"	42"	R3B0PF142 42-() ()	827.	837.	859.	906.	942.	982.	1,011.
	48"	42"	R3B0PF142 48-() ()	898.	908.	930.	977.	1,013.	1,053.	1,082.
	60"	42"	R3B0PF142 60-() (*)	977.	1,000.	1,047.	1,138.	1,203.	1,292.	1,344.
	66"	42"	R3B0PF142 66-() (*)	1,015.	1,038.	1,085.	1,176.	1,241.	1,330.	1,382.
	72"	42"	R3B0PF142 72-() (*)	1,050.	1,073.	1,120.	1,211.	1,276.	1,365.	1,417.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF142 18-() ()	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
	20"	42"	R3B1PF142 20-() ()	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
	24"	42"	R3B1PF142 24-() ()	1,127.	1,140.	1,171.	1,231.	1,264.	1,315.	1,351.
	30"	42"	R3B1PF142 30-() ()	1,211.	1,224.	1,255.	1,315.	1,348.	1,399.	1,435.
	36"	42"	R3B1PF142 36-() ()	1,409.	1,422.	1,453.	1,513.	1,546.	1,597.	1,633.
	42"	42"	R3B1PF142 42-() ()	1,447.	1,460.	1,490.	1,551.	1,584.	1,635.	1,671.
	48"	42"	R3B1PF142 48-() ()	1,628.	1,641.	1,672.	1,732.	1,765.	1,816.	1,852.

Order Code	Specification Information	Application Notes
Example: R3B0PF14218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway specify: Side 1, Below belt Side 2, Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF242 18-() ()	\$566.	\$576.	\$598.	\$645.	\$681.	\$721.	\$750.
	20"	42"	R3B0PF242 20-() ()	566.	576.	598.	645.	681.	721.	750.
	24"	42"	R3B0PF242 24-() ()	575.	585.	607.	654.	690.	730.	759.
	30"	42"	R3B0PF242 30-() ()	691.	701.	723.	770.	806.	846.	875.
	36"	42"	R3B0PF242 36-() ()	746.	756.	778.	825.	861.	901.	930.
	42"	42"	R3B0PF242 42-() ()	841.	851.	873.	920.	956.	996.	1,025.
	48"	42"	R3B0PF242 48-() ()	916.	926.	948.	995.	1,031.	1,071.	1,100.
	60"	42"	R3B0PF242 60-() (*)	990.	1,013.	1,060.	1,151.	1,216.	1,305.	1,357.
	66"	42"	R3B0PF242 66-() (*)	1,031.	1,054.	1,101.	1,192.	1,257.	1,346.	1,398.
	72"	42"	R3B0PF242 72-() (*)	1,065.	1,088.	1,135.	1,226.	1,291.	1,380.	1,432.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF242 18-() ()	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	20"	42"	R3B1PF242 20-() ()	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	24"	42"	R3B1PF242 24-() ()	1,144.	1,157.	1,188.	1,248.	1,281.	1,332.	1,368.
	30"	42"	R3B1PF242 30-() ()	1,236.	1,249.	1,280.	1,340.	1,373.	1,424.	1,460.
	36"	42"	R3B1PF242 36-() ()	1,437.	1,450.	1,481.	1,541.	1,574.	1,625.	1,661.
	42"	42"	R3B1PF242 42-() ()	1,475.	1,488.	1,519.	1,579.	1,612.	1,663.	1,699.
	48"	42"	R3B1PF242 48-() ()	1,656.	1,669.	1,700.	1,760.	1,793.	1,844.	1,880.

Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1- Below Beltway Side 2- Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish - (only for panels with Beltway option) 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF342 18- () ()	\$749.	\$759.	\$781.	\$828.	\$864.	\$904.	\$933.
	20"	42"	R3B0PF342 20- () ()	749.	759.	781.	828.	864.	904.	933.
	24"	42"	R3B0PF342 24- () ()	761.	771.	793.	840.	876.	916.	945.
	30"	42"	R3B0PF342 30- () ()	916.	926.	948.	995.	1,031.	1,071.	1,100.
	36"	42"	R3B0PF342 36- () ()	992.	1,002.	1,024.	1,071.	1,107.	1,147.	1,176.
	42"	42"	R3B0PF342 42- () ()	1,119.	1,129.	1,151.	1,198.	1,234.	1,274.	1,303.
	48"	42"	R3B0PF342 48- () ()	1,221.	1,231.	1,253.	1,300.	1,336.	1,376.	1,405.
	60"	42"	R3B0PF342 60- () (*)	1,306.	1,329.	1,376.	1,467.	1,532.	1,621.	1,673.
	66"	42"	R3B0PF342 66- () (*)	1,361.	1,384.	1,431.	1,522.	1,587.	1,676.	1,728.
	72"	42"	R3B0PF342 72- () (*)	1,408.	1,431.	1,478.	1,569.	1,634.	1,723.	1,775.
Monolithic, fabric one side Beltway fabric side 	18"	42"	R3B1PF342 18- () ()	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	20"	42"	R3B1PF342 20- () ()	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	24"	42"	R3B1PF342 24- () ()	1,528.	1,541.	1,572.	1,633.	1,665.	1,716.	1,752.
	30"	42"	R3B1PF342 30- () ()	1,652.	1,665.	1,696.	1,756.	1,789.	1,840.	1,876.
	36"	42"	R3B1PF342 36- () ()	1,925.	1,938.	1,969.	2,029.	2,062.	2,113.	2,149.
	42"	42"	R3B1PF342 42- () ()	1,975.	1,988.	2,019.	2,079.	2,112.	2,163.	2,199.
	48"	42"	R3B1PF342 48- () ()	2,221.	2,234.	2,265.	2,325.	2,359.	2,409.	2,445.

Order Code	Specification Information	Application Notes
Example: R3B0PF34218-A4K R3 Reff Generation 3 B0 No Beltway, B1=Beltway, one side P Monolithic panel F3 Fabric one side, V3 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1=Below Beltway Side 2=Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway option) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	R3B0PLL4218 () ()	\$630.
	20"	42"	R3B0PLL4220 () ()	630.
	24"	42"	R3B0PLL4224 () ()	687.
	30"	42"	R3B0PLL4230 () ()	769.
	36"	42"	R3B0PLL4236 () ()	831.
	42"	42"	R3B0PLL4242 () ()	914.
	48"	42"	R3B0PLL4248 () ()	1,023.
	60"	42"	R3B0PLL4260 () ()*	1,105.
	66"	42"	R3B0PLL4266 () ()*	1,139.
72"	42"	R3B0PLL4272 () ()*	1,172.	

Order Code	Specification Information	Application Notes
Example: R3B0PLL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
LL Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	<i>3. Beltway:</i>
4 4" base height	i) Top trim profile A,B or C options:	B0 = No Beltway
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	B1 = Beltway 1 side
118 Laminate - side 1	ii) Top trim profile E options:	Applicable finishes are listed on page 5 and 6.
118 Laminate - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page will accept wood grain laminate where laminate is currently an option.
V512 Figured Anigre (top trim finish)	7. Base finish	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
111 Jet Black (base finish)	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
M Optional milled frame		

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".



Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 49" H fabric both sides

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	49"	R3B0PFF49 18-() ()	\$619.	\$647.	\$699.	\$809.	\$881.	\$979.	\$1,041.	
Regular acoustics	20"	49"	R3B0PFF49 20-() ()	619.	647.	699.	809.	881.	979.	1,041.	
	24"	49"	R3B0PFF49 24-() ()	660.	688.	740.	850.	922.	1,020.	1,082.	
	30"	49"	R3B0PFF49 30-() ()	717.	745.	797.	907.	979.	1,077.	1,139.	
	36"	49"	R3B0PFF49 36-() ()	750.	778.	830.	940.	1,012.	1,110.	1,172.	
	42"	49"	R3B0PFF49 42-() ()	809.	837.	889.	999.	1,071.	1,169.	1,231.	
	48"	49"	R3B0PFF49 48-() ()	888.	916.	968.	1,078.	1,150.	1,248.	1,310.	
	60"	49"	R3B0PFF49 60-() ()*	1,026.	1,072.	1,176.	1,396.	1,546.	1,740.	1,860.	
	66"	49"	R3B0PFF49 66-() ()*	1,059.	1,105.	1,209.	1,429.	1,579.	1,773.	1,893.	
	72"	49"	R3B0PFF49 72-() ()*	1,090.	1,136.	1,240.	1,460.	1,610.	1,804.	1,924.	
	Monolithic, fabric both sides	18"	49"	R3B0PAA49 18-() ()	675.	703.	755.	865.	937.	1,035.	1,097.
	High acoustics	20"	49"	R3B0PAA49 20-() ()	675.	703.	755.	865.	937.	1,035.	1,097.
	24"	49"	R3B0PAA49 24-() ()	722.	750.	802.	912.	984.	1,082.	1,144.	
	30"	49"	R3B0PAA49 30-() ()	782.	811.	863.	973.	1,045.	1,143.	1,205.	
	36"	49"	R3B0PAA49 36-() ()	821.	849.	901.	1,011.	1,083.	1,181.	1,243.	
	42"	49"	R3B0PAA49 42-() ()	887.	915.	967.	1,077.	1,149.	1,247.	1,309.	
	48"	49"	R3B0PAA49 48-() ()	974.	1,002.	1,054.	1,164.	1,236.	1,334.	1,396.	
	60"	49"	R3B0PAA49 60-() ()*	1,114.	1,160.	1,264.	1,484.	1,634.	1,828.	1,948.	
	66"	49"	R3B0PAA49 66-() ()*	1,153.	1,199.	1,303.	1,523.	1,673.	1,867.	1,987.	
	72"	49"	R3B0PAA49 72-() ()*	1,192.	1,237.	1,342.	1,562.	1,712.	1,906.	2,026.	

Order Code

Example:	R3B0PFF4918-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

*Fabric inserts of these panels are two pieces, split vertically.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.



Monolithic panels 49" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B2PFF49 18-() ()	\$1,118.	\$1,154.	\$1,226.	\$1,344.	\$1,428.	\$1,550.	\$1,626.
Beltway two sides, regular acoustics	20"	49"	R3B2PFF49 20-() ()	1,118.	1,154.	1,226.	1,344.	1,428.	1,550.	1,626.
	24"	49"	R3B2PFF49 24-() ()	1,141.	1,177.	1,249.	1,367.	1,451.	1,573.	1,649.
	30"	49"	R3B2PFF49 30-() ()	1,199.	1,235.	1,307.	1,425.	1,509.	1,631.	1,707.
	36"	49"	R3B2PFF49 36-() ()	1,415.	1,451.	1,523.	1,641.	1,725.	1,847.	1,923.
	42"	49"	R3B2PFF49 42-() ()	1,523.	1,559.	1,631.	1,749.	1,833.	1,955.	2,031.
	48"	49"	R3B2PFF49 48-() ()	1,577.	1,613.	1,685.	1,803.	1,887.	2,009.	2,085.
	Monolithic, fabric both sides	18"	49"	R3B1PFF49 18-() ()	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.
Beltway one side	20"	49"	R3B1PFF49 20-() ()	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.	1,563.
	24"	49"	R3B1PFF49 24-() ()	1,120.	1,152.	1,214.	1,328.	1,406.	1,516.	1,585.
	30"	49"	R3B1PFF49 30-() ()	1,174.	1,206.	1,268.	1,382.	1,460.	1,570.	1,639.
	36"	49"	R3B1PFF49 36-() ()	1,388.	1,420.	1,482.	1,596.	1,674.	1,784.	1,853.
	42"	49"	R3B1PFF49 42-() ()	1,491.	1,523.	1,585.	1,699.	1,777.	1,887.	1,956.
	48"	49"	R3B1PFF49 48-() ()	1,544.	1,576.	1,638.	1,752.	1,830.	1,940.	2,009.

Order Code	Specification Information	Application Notes
Example: R3B2PFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B2 Beltway, both sides	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
FF Fabric on both sides	4. Panel 1 finish(s) Below Belt	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
49 49" high	5. Panel 2 finish(s) Above Belt	6" Raceway option increases panel height by 2 ³ / ₄ ".
18 18" wide	6. Panel 2 finish(s) Below Belt	Applicable finishes are listed on page 5 and 6.
A Flat style top trim profile	7. Panel 2 finish(s) Above Belt	*Fabric inserts of these panels are two pieces, split vertically.
4 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
K Include knockouts in base	9. Base finish	
W281 Side 1 - Below Belt	10. Beltway finish	
W281 Side 1 - Above Belt		
W281 Side 2 - Below Belt		
W281 Side 2 - Above Belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
111 Beltway finish		

Monolithic panels 49" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PFL49 18-() ()	\$525.	\$540.	\$561.	\$611.	\$643.	\$686.	\$713.
	20"	49"	R3B0PFL49 20-() ()	525.	540.	561.	611.	643.	686.	713.
	24"	49"	R3B0PFL49 24-() ()	574.	589.	610.	660.	692.	735.	762.
	30"	49"	R3B0PFL49 30-() ()	651.	666.	687.	737.	769.	812.	839.
	36"	49"	R3B0PFL49 36-() ()	702.	717.	738.	788.	820.	863.	890.
	42"	49"	R3B0PFL49 42-() ()	775.	790.	811.	861.	893.	936.	963.
	48"	49"	R3B0PFL49 48-() ()	872.	887.	908.	958.	990.	1,033.	1,060.
	60"	49"	R3B0PFL49 60-() () *	951.	971.	1,019.	1,114.	1,180.	1,268.	1,319.
	66"	49"	R3B0PFL49 66-() () *	978.	998.	1,046.	1,141.	1,207.	1,295.	1,346.
	72"	49"	R3B0PFL49 72-() () *	1,012.	1,032.	1,080.	1,175.	1,241.	1,329.	1,380.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PFL49 18-() ()	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
	20"	49"	R3B1PFL49 20-() ()	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
	24"	49"	R3B1PFL49 24-() ()	989.	1,005.	1,035.	1,089.	1,125.	1,177.	1,214.
	30"	49"	R3B1PFL49 30-() ()	1,063.	1,079.	1,109.	1,163.	1,199.	1,251.	1,288.
	36"	49"	R3B1PFL49 36-() ()	1,277.	1,293.	1,323.	1,377.	1,413.	1,465.	1,502.
	42"	49"	R3B1PFL49 42-() ()	1,394.	1,410.	1,440.	1,494.	1,530.	1,582.	1,619.
	48"	49"	R3B1PFL49 48-() ()	1,470.	1,486.	1,516.	1,570.	1,606.	1,658.	1,695.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option, please specify, Side 1 - Below Beltway Side 1 - Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF149 18-() ()	\$619.	\$635.	\$660.	\$716.	\$755.	\$802.	\$836.
	20"	49"	R3B0PF149 20-() ()	619.	635.	660.	716.	755.	802.	836.
	24"	49"	R3B0PF149 24-() ()	676.	692.	717.	772.	812.	859.	893.
	30"	49"	R3B0PF149 30-() ()	770.	786.	811.	867.	906.	953.	987.
	36"	49"	R3B0PF149 36-() ()	825.	841.	866.	922.	961.	1,008.	1,042.
	42"	49"	R3B0PF149 42-() ()	913.	929.	954.	1,010.	1,049.	1,096.	1,130.
	48"	49"	R3B0PF149 48-() ()	1,026.	1,042.	1,067.	1,123.	1,162.	1,209.	1,243.
	60"	49"	R3B0PF149 60-() * ()	1,116.	1,141.	1,196.	1,307.	1,383.	1,481.	1,543.
	66"	49"	R3B0PF149 66-() * ()	1,148.	1,173.	1,228.	1,339.	1,415.	1,513.	1,575.
	72"	49"	R3B0PF149 72-() * ()	1,188.	1,213.	1,268.	1,379.	1,455.	1,553.	1,615.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF149 18-() ()	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	20"	49"	R3B1PF149 20-() ()	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	24"	49"	R3B1PF149 24-() ()	1,161.	1,178.	1,216.	1,276.	1,317.	1,379.	1,419.
	30"	49"	R3B1PF149 30-() ()	1,248.	1,265.	1,303.	1,363.	1,404.	1,466.	1,506.
	36"	49"	R3B1PF149 36-() ()	1,500.	1,517.	1,555.	1,615.	1,656.	1,718.	1,758.
	42"	49"	R3B1PF149 42-() ()	1,641.	1,658.	1,696.	1,756.	1,797.	1,859.	1,899.
	48"	49"	R3B1PF149 48-() ()	1,726.	1,743.	1,781.	1,841.	1,882.	1,944.	1,984.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top rim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panel with Beltway, please specify:	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF249 18-() ()	\$629.	\$645.	\$670.	\$726.	\$765.	\$812.	\$846.
	20"	49"	R3B0PF249 20-() ()	629.	645.	670.	726.	765.	812.	846.
	24"	49"	R3B0PF249 24-() ()	689.	705.	730.	786.	825.	872.	906.
	30"	49"	R3B0PF249 30-() ()	781.	797.	822.	878.	917.	964.	998.
	36"	49"	R3B0PF249 36-() ()	840.	856.	881.	937.	976.	1,023.	1,057.
	42"	49"	R3B0PF249 42-() ()	929.	945.	970.	1,026.	1,065.	1,112.	1,146.
	48"	49"	R3B0PF249 48-() ()	1,048.	1,064.	1,089.	1,145.	1,184.	1,231.	1,265.
	60"	49"	R3B0PF249 60-() () *	1,136.	1,161.	1,216.	1,327.	1,403.	1,501.	1,563.
	66"	49"	R3B0PF249 66-() () *	1,173.	1,198.	1,253.	1,364.	1,440.	1,538.	1,600.
	72"	49"	R3B0PF249 72-() () *	1,209.	1,234.	1,289.	1,400.	1,476.	1,574.	1,636.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF249 18-() ()	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	20"	49"	R3B1PF249 20-() ()	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	24"	49"	R3B1PF249 24-() ()	1,182.	1,199.	1,237.	1,297.	1,338.	1,400.	1,440.
	30"	49"	R3B1PF249 30-() ()	1,275.	1,292.	1,330.	1,390.	1,431.	1,493.	1,533.
	36"	49"	R3B1PF249 36-() ()	1,531.	1,548.	1,586.	1,646.	1,687.	1,749.	1,789.
	42"	49"	R3B1PF249 42-() ()	1,669.	1,686.	1,724.	1,784.	1,825.	1,887.	1,927.
	48"	49"	R3B1PF249 48-() ()	1,755.	1,772.	1,810.	1,870.	1,911.	1,973.	2,013.

Order Code	Specification Information	Application Notes
Example: R3B0PF24918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 49 49" high 18 18" wide A Flat style top trim option 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H


fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF349 18-() ()	\$831.	\$847.	\$872.	\$928.	\$967.	\$1,014.	\$1,048.
	20"	49"	R3B0PF349 20-() ()	831.	847.	872.	928.	967.	1,014.	1,048.
	24"	49"	R3B0PF349 24-() ()	911.	927.	952.	1,008.	1,047.	1,094.	1,128.
	30"	49"	R3B0PF349 30-() ()	1,037.	1,053.	1,078.	1,134.	1,173.	1,220.	1,254.
	36"	49"	R3B0PF349 36-() ()	1,117.	1,133.	1,158.	1,214.	1,253.	1,300.	1,334.
	42"	49"	R3B0PF349 42-() ()	1,235.	1,251.	1,276.	1,332.	1,371.	1,418.	1,452.
	48"	49"	R3B0PF349 48-() ()	1,395.	1,411.	1,436.	1,492.	1,531.	1,578.	1,612.
	60"	49"	R3B0PF349 60-() ()*	1,497.	1,522.	1,577.	1,688.	1,764.	1,862.	1,924.
	66"	49"	R3B0PF349 66-() ()*	1,546.	1,571.	1,626.	1,737.	1,813.	1,911.	1,973.
	72"	49"	R3B0PF349 72-() ()*	1,593.	1,618.	1,673.	1,784.	1,860.	1,958.	2,020.
Monolithic, fabric one side Beltway fabric side 	18"	49"	R3B1PF349 18-() ()	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	20"	49"	R3B1PF349 20-() ()	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	24"	49"	R3B1PF349 24-() ()	1,578.	1,595.	1,633.	1,693.	1,734.	1,796.	1,836.
	30"	49"	R3B1PF349 30-() ()	1,701.	1,718.	1,756.	1,816.	1,857.	1,919.	1,959.
	36"	49"	R3B1PF349 36-() ()	2,049.	2,066.	2,104.	2,164.	2,205.	2,267.	2,307.
	42"	49"	R3B1PF349 42-() ()	2,235.	2,252.	2,290.	2,350.	2,391.	2,453.	2,493.
	48"	49"	R3B1PF349 48-() ()	2,352.	2,369.	2,407.	2,467.	2,508.	2,570.	2,610.

Order Code	Specification Information	Application Notes
Example: R3B0PF34918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F3 Fabric one side, V3 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt	
49 49" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
A Flat style top trim option	7. Base finish	
4 4" base height	8. Beltway finish - only for panels with Beltway	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1		
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		



Monolithic panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	49"	R3B0PLL4918() ()	\$748.
	20"	49"	R3B0PLL4920() ()	748.
	24"	49"	R3B0PLL4924() ()	816.
	30"	49"	R3B0PLL4930() ()	914.
	36"	49"	R3B0PLL4936() ()	987.
	42"	49"	R3B0PLL4942() ()	1,085.
	48"	49"	R3B0PLL4948() ()	1,215.
	60"	49"	R3B0PLL4960() ()*	1,312.
	66"	49"	R3B0PLL4966() ()*	1,351.
	72"	49"	R3B0PLL4972() ()*	1,392.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B0PFF64 18-() ()	\$713.	\$745.	\$815.	\$953.	\$1,051.	\$1,179.	\$1,261.
Regular acoustics	20"	64"	R3B0PFF64 20-() ()	713.	745.	815.	953.	1,051.	1,179.	1,261.
	24"	64"	R3B0PFF64 24-() ()	756.	788.	858.	996.	1,094.	1,222.	1,304.
	30"	64"	R3B0PFF64 30-() ()	812.	844.	914.	1,052.	1,150.	1,278.	1,360.
	36"	64"	R3B0PFF64 36-() ()	833.	865.	935.	1,073.	1,171.	1,299.	1,381.
	42"	64"	R3B0PFF64 42-() ()	969.	1,001.	1,071.	1,209.	1,307.	1,435.	1,517.
	48"	64"	R3B0PFF64 48-() ()	1,026.	1,058.	1,128.	1,266.	1,364.	1,492.	1,574.
	60"	64"	R3B0PFF64 60-() () *	1,189.	1,265.	1,395.	1,687.	1,889.	2,141.	2,307.
	66"	64"	R3B0PFF64 66-() () *	1,227.	1,303.	1,433.	1,725.	1,927.	2,179.	2,345.
	72"	64"	R3B0PFF64 72-() () *	1,267.	1,343.	1,473.	1,765.	1,967.	2,219.	2,385.
Monolithic, fabric both sides	18"	64"	R3B0PAA64 18-() ()	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
High acoustics	20"	64"	R3B0PAA64 20-() ()	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
	24"	64"	R3B0PAA64 24-() ()	828.	860.	930.	1,068.	1,166.	1,294.	1,376.
	30"	64"	R3B0PAA64 30-() ()	888.	920.	990.	1,128.	1,226.	1,354.	1,436.
	36"	64"	R3B0PAA64 36-() ()	910.	942.	1,012.	1,150.	1,248.	1,376.	1,458.
	42"	64"	R3B0PAA64 42-() ()	1,064.	1,096.	1,166.	1,304.	1,402.	1,530.	1,612.
	48"	64"	R3B0PAA64 48-() ()	1,126.	1,158.	1,228.	1,366.	1,464.	1,592.	1,674.
	60"	64"	R3B0PAA64 60-() () *	1,291.	1,367.	1,497.	1,789.	1,991.	2,243.	2,409.
	66"	64"	R3B0PAA64 66-() () *	1,334.	1,410.	1,540.	1,832.	2,034.	2,286.	2,452.
	72"	64"	R3B0PAA64 72-() () *	1,377.	1,453.	1,583.	1,875.	2,077.	2,329.	2,495.

Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside	
64 64" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
A Flat style top trim profile	7. Base finish	
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
K Include knockouts in base		
W281 Fabric - Side 1		
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 64" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-() ()	\$1,221.	\$1,257.	\$1,341.	\$1,511.	\$1,619.	\$1,775.	\$1,879.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-() ()	1,221.	1,257.	1,341.	1,511.	1,619.	1,775.	1,879.
	24"	64"	R3B2PFF64 24-() ()	1,281.	1,317.	1,401.	1,571.	1,679.	1,835.	1,939.
	30"	64"	R3B2PFF64 30-() ()	1,311.	1,347.	1,431.	1,601.	1,709.	1,865.	1,969.
	36"	64"	R3B2PFF64 36-() ()	1,586.	1,622.	1,706.	1,876.	1,984.	2,140.	2,244.
	42"	64"	R3B2PFF64 42-() ()	1,697.	1,733.	1,817.	1,987.	2,095.	2,251.	2,355.
	48"	64"	R3B2PFF64 48-() ()	1,754.	1,790.	1,874.	2,044.	2,152.	2,308.	2,412.





Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-() ()	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
Beltway one side	20"	64"	R3B1PFF64 20-() ()	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
	24"	64"	R3B1PFF64 24-() ()	1,250.	1,284.	1,361.	1,515.	1,618.	1,760.	1,853.
	30"	64"	R3B1PFF64 30-() ()	1,279.	1,313.	1,390.	1,544.	1,647.	1,789.	1,882.
	36"	64"	R3B1PFF64 36-() ()	1,553.	1,587.	1,664.	1,818.	1,921.	2,063.	2,156.
	42"	64"	R3B1PFF64 42-() ()	1,660.	1,694.	1,771.	1,925.	2,028.	2,170.	2,263.
	48"	64"	R3B1PFF64 48-() ()	1,712.	1,746.	1,823.	1,977.	2,080.	2,222.	2,315.

Order Code	Specification Information	Application Notes
Example: R3B2PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>Beltways; B1 = Beltway 1 side B2 = Beltway 2 side</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R3 Reff Generation 3	1. Top trim profile	
B2 Beltway both sides, B1=Beltway, one side	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) Below Belt	
64 64" high	5. Panel side 1 finish(s) Above Belt	
18 18" wide	6. Panel side 2 finish(s) Below Belt	
A Flat style top trim profile	7. Panel side 2 finish(s) Above Belt	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
W281 Fabric - Side 1 Below belt	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
W281 Fabric - Side 1 Above belt		
W281 Fabric - Side 2 Below belt		
W281 Fabric - Side 2 Above belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		

Monolithic panels 64" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PFL64 18-() ()	\$625.	\$640.	\$669.	\$732.	\$774.	\$831.	\$868.
	20"	64"	R3B0PFL64 20-() ()	625.	640.	669.	732.	774.	831.	868.
	24"	64"	R3B0PFL64 24-() ()	687.	702.	731.	794.	836.	893.	930.
	30"	64"	R3B0PFL64 30-() ()	776.	791.	820.	883.	925.	982.	1,019.
	36"	64"	R3B0PFL64 36-() ()	836.	851.	880.	943.	985.	1,042.	1,079.
	42"	64"	R3B0PFL64 42-() ()	927.	942.	971.	1,034.	1,076.	1,133.	1,170.
	48"	64"	R3B0PFL64 48-() ()	1,043.	1,058.	1,087.	1,150.	1,192.	1,249.	1,286.
	60"	64"	R3B0PFL64 60-() () *	1,129.	1,163.	1,221.	1,351.	1,438.	1,551.	1,624.
	66"	64"	R3B0PFL64 66-() () *	1,168.	1,201.	1,260.	1,390.	1,477.	1,590.	1,663.
	72"	64"	R3B0PFL64 72-() () *	1,206.	1,239.	1,298.	1,428.	1,515.	1,628.	1,701.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PFL64 18-() ()	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
	20"	64"	R3B1PFL64 20-() ()	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
	24"	64"	R3B1PFL64 24-() ()	1,131.	1,148.	1,185.	1,261.	1,308.	1,375.	1,423.
	30"	64"	R3B1PFL64 30-() ()	1,198.	1,215.	1,252.	1,328.	1,375.	1,442.	1,490.
	36"	64"	R3B1PFL64 36-() ()	1,489.	1,506.	1,543.	1,619.	1,666.	1,733.	1,781.
	42"	64"	R3B1PFL64 42-() ()	1,546.	1,563.	1,600.	1,676.	1,723.	1,790.	1,838.
	48"	64"	R3B1PFL64 48-() ()	1,672.	1,689.	1,726.	1,802.	1,849.	1,916.	1,964.

Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B0 No Beltway		B = Square
P Monolithic panel		C = Bullnose
FL Fabric one side, laminate other		E = Extruded Aluminum
64 64" high		<i>2. Base height:</i>
18 18" wide		4 = 4" base height
A Flat style top trim profile		6 = 6" base height (add \$47 per panel for this option)
4 4" base height		<i>3. Beltway:</i>
K Include knockouts in base		B0 = No Beltway
W281 Fabric - Side 1		B1 = Beltway 1 side
114 Folkstone grey - side 2		<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)		Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)		Product on this page will accept wood grain laminate where laminate is currently an option.
M Optional milled frame		Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
	1. Top trim profile	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.
	2. Base height	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish when applicable.
	4. Panel side 1 finish(s) inside For panels with Beltway, please specify:	*These panel widths do not accept stacking modules.
	Side 1-Below belt	
	Side 1-Above belt	
	5. Panel side 2 finish(s) outside	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
	6. Top trim finish	
	i) Top trim profile A, B or C	
	options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options:	
	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 64" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF164 18-() ()	\$734.	\$750.	\$787.	\$858.	\$906.	\$972.	\$1,015.
	20"	64"	R3B0PF164 20-() ()	734.	750.	787.	858.	906.	972.	1,015.
	24"	64"	R3B0PF164 24-() ()	805.	821.	858.	929.	977.	1,043.	1,086.
	30"	64"	R3B0PF164 30-() ()	912.	928.	965.	1,036.	1,084.	1,150.	1,193.
	36"	64"	R3B0PF164 36-() ()	985.	1,001.	1,038.	1,109.	1,157.	1,223.	1,266.
	42"	64"	R3B0PF164 42-() ()	1,090.	1,106.	1,143.	1,214.	1,262.	1,328.	1,371.
	48"	64"	R3B0PF164 48-() ()	1,228.	1,244.	1,281.	1,352.	1,400.	1,466.	1,509.
	60"	64"	R3B0PF164 60-() () *	1,328.	1,367.	1,434.	1,583.	1,684.	1,815.	1,900.
	66"	64"	R3B0PF164 66-() () *	1,374.	1,413.	1,480.	1,629.	1,730.	1,861.	1,946.
	72"	64"	R3B0PF164 72-() () *	1,419.	1,458.	1,525.	1,674.	1,775.	1,906.	1,991.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF164 18-() ()	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
	20"	64"	R3B1PF164 20-() ()	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
	24"	64"	R3B1PF164 24-() ()	1,327.	1,343.	1,387.	1,473.	1,527.	1,606.	1,662.
	30"	64"	R3B1PF164 30-() ()	1,409.	1,425.	1,469.	1,555.	1,609.	1,688.	1,744.
	36"	64"	R3B1PF164 36-() ()	1,750.	1,766.	1,810.	1,896.	1,950.	2,029.	2,085.
	42"	64"	R3B1PF164 42-() ()	1,820.	1,836.	1,880.	1,966.	2,020.	2,099.	2,155.
	48"	64"	R3B1PF164 48-() ()	1,966.	1,982.	2,026.	2,112.	2,166.	2,245.	2,301.

Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF264 18-() ()	\$749.	\$765.	\$802.	\$873.	\$921.	\$987.	\$1,030.
	20"	64"	R3B0PF264 20-() ()	749.	765.	802.	873.	921.	987.	1,030.
	24"	64"	R3B0PF264 24-() ()	820.	836.	873.	944.	992.	1,058.	1,101.
	30"	64"	R3B0PF264 30-() ()	928.	944.	981.	1,052.	1,100.	1,166.	1,209.
	36"	64"	R3B0PF264 36-() ()	1,000.	1,016.	1,053.	1,124.	1,172.	1,238.	1,281.
	42"	64"	R3B0PF264 42-() ()	1,108.	1,124.	1,161.	1,232.	1,280.	1,346.	1,389.
	48"	64"	R3B0PF264 48-() ()	1,251.	1,267.	1,304.	1,375.	1,423.	1,489.	1,532.
	60"	64"	R3B0PF264 60-() () *	1,348.	1,387.	1,454.	1,603.	1,704.	1,835.	1,920.
	66"	64"	R3B0PF264 66-() () *	1,396.	1,435.	1,502.	1,651.	1,752.	1,883.	1,968.
	72"	64"	R3B0PF264 72-() () *	1,445.	1,484.	1,551.	1,700.	1,801.	1,932.	2,017.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF264 18-() ()	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
	20"	64"	R3B1PF264 20-() ()	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
	24"	64"	R3B1PF264 24-() ()	1,353.	1,369.	1,413.	1,499.	1,553.	1,632.	1,688.
	30"	64"	R3B1PF264 30-() ()	1,435.	1,451.	1,495.	1,581.	1,635.	1,714.	1,770.
	36"	64"	R3B1PF264 36-() ()	1,779.	1,795.	1,839.	1,925.	1,979.	2,058.	2,114.
	42"	64"	R3B1PF264 42-() ()	1,853.	1,869.	1,913.	1,999.	2,053.	2,132.	2,188.
	48"	64"	R3B1PF264 48-() ()	2,002.	2,018.	2,062.	2,148.	2,202.	2,281.	2,337.

Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Top trim profile E options:	Remember to specify Beltway paint finish when applicable.
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF364 18-() ()	\$988.	\$1,004.	\$1,041.	\$1,112.	\$1,160.	\$1,226.	\$1,269.
Regular acoustics	20"	64"	R3B0PF364 20-() ()	988.	1,004.	1,041.	1,112.	1,160.	1,226.	1,269.
	24"	64"	R3B0PF364 24-() ()	1,084.	1,100.	1,137.	1,208.	1,256.	1,322.	1,365.
	30"	64"	R3B0PF364 30-() ()	1,227.	1,243.	1,280.	1,351.	1,399.	1,465.	1,508.
	36"	64"	R3B0PF364 36-() ()	1,326.	1,342.	1,379.	1,450.	1,498.	1,564.	1,607.
	42"	64"	R3B0PF364 42-() ()	1,473.	1,489.	1,526.	1,597.	1,645.	1,711.	1,754.
	48"	64"	R3B0PF364 48-() ()	1,664.	1,680.	1,717.	1,788.	1,836.	1,902.	1,945.
	60"	64"	R3B0PF364 60-() ()*	1,773.	1,812.	1,879.	2,028.	2,129.	2,260.	2,345.
	66"	64"	R3B0PF364 66-() ()*	1,838.	1,877.	1,944.	2,093.	2,194.	2,325.	2,410.
	72"	64"	R3B0PF364 72-() ()*	1,903.	1,942.	2,009.	2,158.	2,259.	2,390.	2,475.

Monolithic, fabric one side	18"	64"	R3B1PF364 18-() ()	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
Beltway fabric side	20"	64"	R3B1PF364 20-() ()	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
	24"	64"	R3B1PF364 24-() ()	1,799.	1,815.	1,859.	1,945.	1,999.	2,078.	2,134.
	30"	64"	R3B1PF364 30-() ()	1,910.	1,926.	1,970.	2,056.	2,110.	2,189.	2,245.
	36"	64"	R3B1PF364 36-() ()	2,376.	2,392.	2,436.	2,522.	2,576.	2,655.	2,711.
	42"	64"	R3B1PF364 42-() ()	2,474.	2,490.	2,534.	2,620.	2,674.	2,753.	2,809.
	48"	64"	R3B1PF364 48-() ()	2,677.	2,693.	2,737.	2,823.	2,877.	2,956.	3,012.

Order Code	Specification Information
Example: R3B0PF36418-A4K	
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside For panels with beltway, please specify: Side 1 - Below belt Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
6" Raceway option increases panel height by 2 3/4".
Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	64"	R3B0PLL6418()()	\$833.
	20"	64"	R3B0PLL6420()()	833.
	24"	64"	R3B0PLL6424()()	908.
	30"	64"	R3B0PLL6430()()	1,017.
	36"	64"	R3B0PLL6436()()	1,098.
	42"	64"	R3B0PLL6442()()	1,207.
	48"	64"	R3B0PLL6448()()	1,352.
	60"	64"	R3B0PLL6460()()*	1,461.
	66"	64"	R3B0PLL6466()()*	1,505.
	72"	64"	R3B0PLL6472()()*	1,550.

Order Code

Example:	R3B0PLL6418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 inside
5. Panel side 2 outside
6. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	79"	R3B0PFF79 18-() ()	\$889.	\$937.	\$1,019.	\$1,193.	\$1,311.	\$1,471.	\$1,565.
	20"	79"	R3B0PFF79 20-() ()	889.	937.	1,019.	1,193.	1,311.	1,471.	1,565.
	24"	79"	R3B0PFF79 24-() ()	946.	994.	1,076.	1,250.	1,368.	1,528.	1,622.
	30"	79"	R3B0PFF79 30-() ()	1,021.	1,069.	1,151.	1,325.	1,443.	1,603.	1,697.
	36"	79"	R3B0PFF79 36-() ()	1,047.	1,095.	1,177.	1,351.	1,469.	1,629.	1,723.
	42"	79"	R3B0PFF79 42-() ()	1,125.	1,173.	1,255.	1,429.	1,547.	1,707.	1,801.
	48"	79"	R3B0PFF79 48-() ()	1,247.	1,295.	1,377.	1,551.	1,669.	1,829.	1,923.
	60"	79"	R3B0PFF79 60-() ()	1,442.	1,536.	1,700.	2,048.	2,294.	2,608.	2,800.
	66"	79"	R3B0PFF79 66-() ()	1,476.	1,570.	1,773.	2,082.	2,328.	2,642.	2,834.
	72"	79"	R3B0PFF79 72-() ()	1,509.	1,603.	1,767.	2,115.	2,361.	2,675.	2,867.


Monolithic, fabric both sides High acoustics 	18"	79"	R3B0PAA79 18-() ()	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
	20"	79"	R3B0PAA79 20-() ()	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
	24"	79"	R3B0PAA79 24-() ()	1,032.	1,080.	1,162.	1,336.	1,454.	1,614.	1,708.
	30"	79"	R3B0PAA79 30-() ()	1,116.	1,164.	1,246.	1,420.	1,538.	1,698.	1,792.
	36"	79"	R3B0PAA79 36-() ()	1,150.	1,198.	1,280.	1,454.	1,572.	1,732.	1,826.
	42"	79"	R3B0PAA79 42-() ()	1,233.	1,281.	1,363.	1,537.	1,655.	1,815.	1,909.
	48"	79"	R3B0PAA79 48-() ()	1,371.	1,419.	1,501.	1,675.	1,793.	1,953.	2,047.
	60"	79"	R3B0PAA79 60-() ()	1,570.	1,664.	1,828.	2,176.	2,422.	2,736.	2,928.
	66"	79"	R3B0PAA79 66-() ()	1,606.	1,700.	1,864.	2,212.	2,458.	2,772.	2,964.
	72"	79"	R3B0PAA79 72-() ()	1,640.	1,734.	1,898.	2,246.	2,492.	2,806.	2,998.

Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FF Fabric on both sides 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 W281 Fabric - Side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled profile	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional</i> : specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile</i> : A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height</i> : 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6.
		The panels on this page are not designed to be stacked upon. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Monolithic panels 79" H

fabric both sides with Beltway

description	w	h	pattern n	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway one side	18"	79"	R3B1PFF79 18-() ()	\$1,280.	\$1,329.	\$1,421.	\$1,616.	\$1,742.	\$1,921.	\$2,033.
	20"	79"	R3B1PFF79 20-() ()	1,280.	1,329.	1,421.	1,616.	1,742.	1,921.	2,033.
	24"	79"	R3B1PFF79 24-() ()	1,339.	1,388.	1,480.	1,675.	1,801.	1,980.	2,092.
	30"	79"	R3B1PFF79 30-() ()	1,366.	1,415.	1,507.	1,702.	1,828.	2,007.	2,119.
	36"	79"	R3B1PFF79 36-() ()	1,639.	1,688.	1,780.	1,975.	2,101.	2,280.	2,392.
	42"	79"	R3B1PFF79 42-() ()	1,746.	1,795.	1,887.	2,082.	2,208.	2,387.	2,499.
	48"	79"	R3B1PFF79 48-() ()	1,798.	1,847.	1,939.	2,134.	2,260.	2,439.	2,551.



Monolithic, fabric both sides Beltway two sides	18"	79"	R3B2PFF79 18-() ()	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
	20"	79"	R3B2PFF79 20-() ()	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
	24"	79"	R3B2PFF79 24-() ()	1,405.	1,455.	1,557.	1,773.	1,907.	2,105.	2,235.
	30"	79"	R3B2PFF79 30-() ()	1,433.	1,483.	1,585.	1,801.	1,935.	2,133.	2,263.
	36"	79"	R3B2PFF79 36-() ()	1,710.	1,760.	1,862.	2,078.	2,212.	2,410.	2,540.
	42"	79"	R3B2PFF79 42-() ()	1,820.	1,870.	1,972.	2,188.	2,322.	2,520.	2,650.
	48"	79"	R3B2PFF79 48-() ()	1,876.	1,926.	2,028.	2,244.	2,378.	2,576.	2,706.



Order Code	Specification Information	Application Notes
Example: R3B1PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 below belt	<i>2. Base height:</i>
18 18" wide	5. Panel side 1 above belt	4 = 4" base height
A Flat style top trim	6. Panel side 2 below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	7. Panel side 2 above belt	<i>3. Beltway:</i>
K Include knockouts in base	8. Top trim finish	B1 = Beltway 1 side
W281 Fabric - Side 1 below belt	i)Top trim profile A,B or C options:	B2 = Beltway 2 sides
W281 Fabric - Side 1 above belt	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 2 below belt	ii)Top trim profile E options:	
W281 Fabric - Side 2 above belt	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	9. Base finish	
111 Jet Black (base finish)	10. Beltway finish	
111 Beltway finish	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".



Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PFL79 18-() ()	\$789.	\$810.	\$846.	\$923.	\$975.	\$1,046.	\$1,088.
	20"	79"	R3B0PFL79 20-() ()	789.	810.	846.	923.	975.	1,046.	1,088.
	24"	79"	R3B0PFL79 24-() ()	864.	885.	921.	998.	1,050.	1,121.	1,163.
	30"	79"	R3B0PFL79 30-() ()	972.	993.	1,029.	1,106.	1,158.	1,229.	1,271.
	36"	79"	R3B0PFL79 36-() ()	1,060.	1,081.	1,117.	1,194.	1,246.	1,317.	1,359.
	42"	79"	R3B0PFL79 42-() ()	1,173.	1,194.	1,230.	1,307.	1,359.	1,430.	1,472.
	48"	79"	R3B0PFL79 48-() ()	1,311.	1,332.	1,368.	1,445.	1,497.	1,568.	1,610.
	60"	79"	R3B0PFL79 60-() ()	1,412.	1,454.	1,526.	1,679.	1,788.	1,927.	2,011.
	66"	79"	R3B0PFL79 66-() ()	1,440.	1,482.	1,554.	1,707.	1,816.	1,955.	2,039.
	72"	79"	R3B0PFL79 72-() ()	1,469.	1,511.	1,583.	1,736.	1,845.	1,984.	2,068.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PFL79 18-() ()	1,139.	1,163.	1,208.	1,303.	1,362.	1,450.	1,508.
	20"	79"	R3B1PFL79 20-() ()	1,139.	1,163.	1,208.	1,303.	1,363.	1,450.	1,508.
	24"	79"	R3B1PFL79 24-() ()	1,218.	1,242.	1,287.	1,382.	1,441.	1,529.	1,587.
	30"	79"	R3B1PFL79 30-() ()	1,290.	1,314.	1,359.	1,454.	1,513.	1,601.	1,659.
	36"	79"	R3B1PFL79 36-() ()	1,599.	1,623.	1,668.	1,763.	1,822.	1,910.	1,968.
	42"	79"	R3B1PFL79 42-() ()	1,745.	1,769.	1,814.	1,909.	1,968.	2,056.	2,114.
	48"	79"	R3B1PFL79 48-() ()	1,825.	1,849.	1,894.	1,989.	2,048.	2,136.	2,194.

Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	Product on this page will accept wood grain laminate where laminate is currently an option.
W281 Fabric - Side 1	6. Top trim finish	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
114 Folkstone grey - side 2	i) Top trim profile A, B or C options:	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish when applicable.
111 Jet Black (base finish)	ii) Top trim profile E options:	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 79" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF179 18-() ()	\$926.	\$950.	\$992.	\$1,081.	\$1,142.	\$1,222.	\$1,273.
	20"	79"	R3B0PF179 20-() ()	926.	950.	992.	1,081.	1,142.	1,222.	1,273.
	24"	79"	R3B0PF179 24-() ()	1,012.	1,036.	1,078.	1,167.	1,228.	1,308.	1,359.
	30"	79"	R3B0PF179 30-() ()	1,145.	1,169.	1,211.	1,300.	1,361.	1,441.	1,492.
	36"	79"	R3B0PF179 36-() ()	1,247.	1,271.	1,313.	1,402.	1,463.	1,543.	1,594.
	42"	79"	R3B0PF179 42-() ()	1,377.	1,401.	1,443.	1,532.	1,593.	1,673.	1,724.
	48"	79"	R3B0PF179 48-() ()	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	60"	79"	R3B0PF179 60-() ()	1,658.	1,706.	1,790.	1,967.	2,094.	2,252.	2,350.
	66"	79"	R3B0PF179 66-() ()	1,694.	1,742.	1,826.	2,003.	2,130.	2,288.	2,386.
	72"	79"	R3B0PF179 72-() ()	1,722.	1,770.	1,854.	2,031.	2,158.	2,316.	2,414.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF179 18-() ()	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
	20"	79"	R3B1PF179 20-() ()	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
	24"	79"	R3B1PF179 24-() ()	1,430.	1,455.	1,507.	1,618.	1,686.	1,787.	1,855.
	30"	79"	R3B1PF179 30-() ()	1,519.	1,544.	1,596.	1,707.	1,775.	1,876.	1,944.
	36"	79"	R3B1PF179 36-() ()	1,882.	1,907.	1,959.	2,070.	2,138.	2,239.	2,307.
	42"	79"	R3B1PF179 42-() ()	2,050.	2,075.	2,127.	2,238.	2,306.	2,407.	2,475.
	48"	79"	R3B1PF179 48-() ()	2,143.	2,168.	2,220.	2,331.	2,399.	2,500.	2,568.

Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 2	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric - Side 1	6. Top trim finish	Remember to specify Beltway paint finish when applicable.
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 79" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF279 18-() ()	\$942.	\$966.	\$1,008.	\$1,097.	\$1,158.	\$1,238.	\$1,289.
	20"	79"	R3B0PF279 20-() ()	942.	966.	1,008.	1,097.	1,158.	1,238.	1,289.
	24"	79"	R3B0PF279 24-() ()	1,032.	1,056.	1,098.	1,187.	1,248.	1,328.	1,379.
	30"	79"	R3B0PF279 30-() ()	1,165.	1,189.	1,231.	1,320.	1,381.	1,461.	1,512.
	36"	79"	R3B0PF279 36-() ()	1,269.	1,293.	1,335.	1,424.	1,485.	1,565.	1,616.
	42"	79"	R3B0PF279 42-() ()	1,403.	1,427.	1,469.	1,558.	1,619.	1,699.	1,750.
	48"	79"	R3B0PF279 48-() ()	1,570.	1,594.	1,636.	1,725.	1,786.	1,866.	1,917.
	60"	79"	R3B0PF279 60-() ()	1,689.	1,737.	1,821.	1,998.	2,125.	2,283.	2,381.
	66"	79"	R3B0PF279 66-() ()	1,721.	1,769.	1,853.	2,030.	2,157.	2,315.	2,413.
	72"	79"	R3B0PF279 72-() ()	1,757.	1,805.	1,889.	2,066.	2,193.	2,351.	2,449.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF279 18-() ()	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
	20"	79"	R3B1PF279 20-() ()	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
	24"	79"	R3B1PF279 24-() ()	1,456.	1,481.	1,533.	1,644.	1,712.	1,813.	1,881.
	30"	79"	R3B1PF279 30-() ()	1,544.	1,569.	1,621.	1,732.	1,800.	1,901.	1,969.
	36"	79"	R3B1PF279 36-() ()	1,913.	1,938.	1,990.	2,101.	2,169.	2,270.	2,338.
	42"	79"	R3B1PF279 42-() ()	2,087.	2,112.	2,164.	2,275.	2,343.	2,444.	2,512.
	48"	79"	R3B1PF279 48-() ()	2,182.	2,207.	2,259.	2,370.	2,438.	2,539.	2,607.

Order Code	Specification Information	Application Notes
Example: R3B0PF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 = Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 = Above Belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	<i>6" Raceway option increases panel height by 2 3/4".</i>
W281 Fabric - Side 1	6. Top trim finish	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	Remember to specify Beltway paint finish when applicable.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF379 18-() ()	\$1,241.	\$1,265.	\$1,307.	\$1,396.	\$1,457.	\$1,537.	\$1,588.
	20"	79"	R3B0PF379 20-() ()	1,241.	1,265.	1,307.	1,396.	1,457.	1,537.	1,587.
	24"	79"	R3B0PF379 24-() ()	1,365.	1,389.	1,431.	1,520.	1,581.	1,661.	1,712.
	30"	79"	R3B0PF379 30-() ()	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	36"	79"	R3B0PF379 36-() ()	1,686.	1,710.	1,752.	1,841.	1,901.	1,982.	2,033.
	42"	79"	R3B0PF379 42-() ()	1,866.	1,890.	1,932.	2,021.	2,082.	2,162.	2,213.
	48"	79"	R3B0PF379 48-() ()	2,094.	2,118.	2,160.	2,249.	2,310.	2,390.	2,441.
	60"	79"	R3B0PF379 60-() ()*	2,221.	2,269.	2,353.	2,530.	2,657.	2,815.	2,913.
	66"	79"	R3B0PF379 66-() ()*	2,266.	2,314.	2,398.	2,575.	2,702.	2,860.	2,958.
	72"	79"	R3B0PF379 72-() ()*	2,315.	2,363.	2,447.	2,624.	2,751.	2,909.	3,007.

Monolithic, fabric one side Beltway fabric side 	18"	79"	R3B1PF379 18-() ()	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
	20"	79"	R3B1PF379 20-() ()	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
	24"	79"	R3B1PF379 24-() ()	1,921.	1,946.	1,998.	2,109.	2,177.	2,278.	2,346.
	30"	79"	R3B1PF379 30-() ()	2,040.	2,065.	2,117.	2,228.	2,296.	2,397.	2,465.
	36"	79"	R3B1PF379 36-() ()	2,537.	2,562.	2,614.	2,725.	2,793.	2,894.	2,962.
	42"	79"	R3B1PF379 42-() ()	2,771.	2,796.	2,848.	2,959.	3,027.	3,128.	3,196.
	48"	79"	R3B1PF379 48-() ()	2,902.	2,927.	2,979.	3,090.	3,158.	3,259.	3,327.

Order Code	Specification Information	Application Notes
Example: R3B0PF37918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Monolithic panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918()()	\$909.
	20"	79"	R3B0PLL7920()()	909.
	24"	79"	R3B0PLL7924()()	991.
	30"	79"	R3B0PLL7930()()	1,109.
	36"	79"	R3B0PLL7936()()	1,199.
	42"	79"	R3B0PLL7942()()	1,318.
	48"	79"	R3B0PLL7948()()	1,477.
	60"	79"	R3B0PLL7960()()*	1,594.
	66"	79"	R3B0PLL7966()()*	1,642.
72"	79"	R3B0PLL7972()()*	1,691.	




Order Code	Specification Information	Application Notes
Example: R3B0PLL7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
LL Laminate both sides	4. Panel side 1 inside	Product on this page will accept wood grain laminate where laminate is currently an option.
79 79" high	5. Panel side 2 outside	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page are not designed to be stacked upon.
A Flat style top trim profile	7. Base finish	Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
118 Laminate - side 1		Remember to specify Beltway paint finish when applicable.
118 Laminate - side 2		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 34" H fabric

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-()()	\$592.	\$624.	\$684.	\$752.	\$808.	\$896.	\$948.
Regular acoustics	20"	34"	R3B0TFF34 20-()()	592.	624.	684.	752.	808.	896.	948.
	24"	34"	R3B0TFF34 24-()()	640.	672.	732.	800.	856.	944.	996.
	30"	34"	R3B0TFF34 30-()()	684.	716.	776.	844.	900.	988.	1,040.
	36"	34"	R3B0TFF34 36-()()	728.	760.	820.	888.	944.	1,032.	1,084.
	42"	34"	R3B0TFF34 42-()()	838.	870.	930.	998.	1,054.	1,142.	1,194.
	48"	34"	R3B0TFF34 48-()()	870.	902.	962.	1,030.	1,086.	1,174.	1,226.

Order Code	Specification Information	Application Notes
Example: R3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel)	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.
B0 No Beltway	1. Top trim profile	
T Tiled panel	2. Base height	
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 ³ / ₄ ".
34 34" high	4. Panel side 1A	
18 18" wide	5. Panel side 1B	
A Flat style top trim profile	6. Panel side 2A	
4 4" base height	7. Panel side 2B	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	8. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric - Side 1A	9. Base finish	
W281 Fabric - Side 1B	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	

Tiled panels 34" H glass

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A) 	18"	34"	R2B0TWA34 18- () ()	\$930.	\$1,106.	\$37.	\$74.	\$93.
	20"	34"	R2B0TWA34 20- () ()	930.	1,106.	37.	74.	93.
	24"	34"	R2B0TWA34 24- () ()	973.	1,183.	37.	74.	98.
	30"	34"	R2B0TWA34 30- () ()	1,129.	1,389.	37.	74.	112.
	36"	34"	R2B0TWA34 36- () ()	1,171.	1,483.	37.	74.	114.
	42"	34"	R2B0TWA34 42- () ()	1,229.	1,600.	37.	74.	121.
	48"	34"	R2B0TWA34 48- () ()	1,273.	1,695.	37.	74.	126.
Tiled, two 15" high glass sections with center mullion (type B) 	30"	34"	R2B0TWB34 30- () ()	1,351.	1,614.	37.	74.	135.
	36"	34"	R2B0TWB34 36- () ()	1,407.	1,723.	37.	74.	139.
	42"	34"	R2B0TWB34 42- () ()	1,474.	1,840.	37.	74.	144.
	48"	34"	R2B0TWB34 48- () ()	1,529.	1,956.	37.	74.	150.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C 	18"	34"	R2B0TWC34 18- () ()	733.	956.	29.	60.	112.
	20"	34"	R2B0TWC34 20- () ()	733.	956.	29.	60.	112.
	24"	34"	R2B0TWC34 24- () ()	773.	1,007.	29.	60.	121.
	30"	34"	R2B0TWC34 30- () ()	954.	1,240.	37.	74.	152.
	36"	34"	R2B0TWC34 36- () ()	1,062.	1,378.	37.	74.	171.
	42"	34"	R2B0TWC34 42- () ()	1,123.	1,458.	37.	74.	186.
	48"	34"	R2B0TWC34 48- () ()	1,177.	1,534.	37.	74.	195.

Order Code	Specification Information
Example: R2B0TWA3418-A4K	
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
111	Tile Divider
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Divider option (applicable R2B0TWA and R2B0TWB) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
5. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
6. Base finish
7. Window frame finish (Painted or Anodized aluminum finishes) <i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>
8. Glass type

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)
4. <i>Extruded aluminum tile divider:</i> Add for: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w
3. <i>Glass type</i> Temp = Cleared tempered glass <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass
All panels on this page accept stacking modules.
6" Raceway option increases panel height by 2 3/4".
Applicable finishes are listed on page 5 and 6.

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.



The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 34" H

fabric one side, laminate or techwood opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	R3B0TFL34 18-() ()	\$646.	\$662.	\$690.	\$724.	\$752.	\$792.	\$818.
	20"	34"	R3B0TFL34 20-() ()	646.	662.	690.	724.	752.	792.	818.
	24"	34"	R3B0TFL34 24-() ()	687.	703.	731.	765.	793.	833.	859.
	30"	34"	R3B0TFL34 30-() ()	731.	747.	775.	809.	837.	877.	903.
	36"	34"	R3B0TFL34 36-() ()	774.	790.	818.	852.	880.	920.	946.
	42"	34"	R3B0TFL34 42-() ()	881.	897.	925.	959.	987.	1,027.	1,053.
	48"	34"	R3B0TFL34 48-() ()	911.	927.	955.	989.	1,017.	1,057.	1,083.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	R3B0TF134 18-() ()	693.	709.	741.	775.	803.	847.	873.
	20"	34"	R3B0TF134 20-() ()	693.	709.	741.	775.	803.	847.	873.
	24"	34"	R3B0TF134 24-() ()	740.	756.	788.	822.	850.	894.	920.
	30"	34"	R3B0TF134 30-() ()	788.	804.	836.	870.	898.	942.	968.
	36"	34"	R3B0TF134 36-() ()	831.	847.	879.	913.	941.	985.	1,011.
	42"	34"	R3B0TF134 42-() ()	950.	966.	998.	1,032.	1,060.	1,104.	1,130.
	48"	34"	R3B0TF134 48-() ()	980.	995.	1,028.	1,062.	1,090.	1,134.	1,160.

Order Code

Example:	R3B0TFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric - Side 1A
W281	Fabric - Side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel)

4. Extruded aluminum tile divider:

Optional for non fabric side only (fabric side always black)
34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.



Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 34" H


fabric one side, conventional or exotic opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	R3B0TF234 18-() ()	\$707.	\$723.	\$755.	\$789.	\$817.	\$861.	\$887.
	20"	34"	R3B0TF234 20-() ()	707.	723.	755.	789.	817.	861.	887.
	24"	34"	R3B0TF234 24-() ()	753.	769.	801.	835.	863.	907.	933.
	30"	34"	R3B0TF234 30-() ()	801.	817.	849.	883.	911.	955.	981.
	36"	34"	R3B0TF234 36-() ()	846.	862.	894.	928.	956.	1,000.	1,026.
	42"	34"	R3B0TF234 42-() ()	964.	980.	1,012.	1,046.	1,074.	1,118.	1,144.
	48"	34"	R3B0TF234 48-() ()	998.	1,014.	1,046.	1,080.	1,108.	1,152.	1,178.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	R3B0TF334 18-() ()	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	20"	34"	R3B0TF334 20-() ()	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	24"	34"	R3B0TF334 24-() ()	1,006.	1,022.	1,054.	1,088.	1,116.	1,160.	1,186.
	30"	34"	R3B0TF334 30-() ()	1,070.	1,086.	1,118.	1,152.	1,180.	1,224.	1,250.
	36"	34"	R3B0TF334 36-() ()	1,131.	1,147.	1,179.	1,213.	1,241.	1,285.	1,311.
	42"	34"	R3B0TF334 42-() ()	1,292.	1,308.	1,340.	1,374.	1,402.	1,446.	1,472.
	48"	34"	R3B0TF334 48-() ()	1,336.	1,352.	1,384.	1,418.	1,446.	1,490.	1,516.

Order Code	Specification Information	Application Notes
Example: R3B0TF23418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F2 Fabric one side, conventional other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
34 34" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)
18 18" wide	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height		Ported panel components to be installed below worksurface if panel 34" h.
K Include knockouts in base		
B Tile divider, black		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 34" H Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	34"	R3B0TLL3418()()	\$731.
with raceway both sides	20"	34"	R3B0TLL3420()()	731.
	24"	34"	R3B0TLL3424()()	796.
	30"	34"	R3B0TLL3430()()	892.
	36"	34"	R3B0TLL3436()()	964.
	42"	34"	R3B0TLL3442()()	993.
	48"	34"	R3B0TLL3448()()	1,023.



Example: **R3B0TLL3418-A4K**

R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 2A
118	Laminate - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:
4 = 4" base height

4. Extruded aluminum tile divider:

- Optional for non fabric side only**
(fabric side always black)
34"h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

All panels on this page accept stacking modules.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.


Tiled panels 42" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18"	42"	R3B0TFF42 18- () ()	\$662.	\$700.	\$780.	\$880.	\$950.	\$1,058.	\$1,128.
	20"	42"	R3B0TFF42 20- () ()	662.	700.	780.	880.	950.	1,058.	1,128.
	24"	42"	R3B0TFF42 24- () ()	711.	749.	829.	929.	999.	1,107.	1,177.
	30"	42"	R3B0TFF42 30- () ()	762.	800.	880.	980.	1,050.	1,158.	1,228.
	36"	42"	R3B0TFF42 36- () ()	811.	849.	929.	1,029.	1,099.	1,207.	1,277.
	42"	42"	R3B0TFF42 42- () ()	917.	955.	1,035.	1,135.	1,205.	1,313.	1,383.
	48"	42"	R3B0TFF42 48- () ()	964.	1,002.	1,082.	1,182.	1,252.	1,360.	1,430.




Tiled, fabric both sides High acoustics	18"	42"	R3B0TAA42 18- () ()	725.	763.	843.	943.	1,013.	1,121.	1,191.
	20"	42"	R3B0TAA42 20- () ()	725.	763.	843.	943.	1,013.	1,121.	1,191.
	24"	42"	R3B0TAA42 24- () ()	780.	818.	898.	998.	1,068.	1,176.	1,246.
	30"	42"	R3B0TAA42 30- () ()	839.	877.	957.	1,057.	1,127.	1,235.	1,305.
	36"	42"	R3B0TAA42 36- () ()	894.	932.	1,012.	1,112.	1,182.	1,290.	1,360.
	42"	42"	R3B0TAA42 42- () ()	1,012.	1,050.	1,130.	1,230.	1,300.	1,408.	1,478.
	48"	42"	R3B0TAA42 48- () ()	1,066.	1,104.	1,184.	1,284.	1,354.	1,462.	1,532.




Order Code	Specification Information	Application Notes
Example: R3B0TFF4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
42 42" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C top	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Top trim finish <i>i</i>) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
A Flat style top trim profile	7. Base finish	Remember to specify Beltway paint finish when applicable.
4 4" base height	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
W281 Fabric - Side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H

fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side 	18"	42"	R3B1TFF42 18-()()	\$1,191.	\$1,229.	\$1,306.	\$1,409.	\$1,479.	\$1,587.	\$1,657.
	20"	42"	R3B1TFF42 20-()()	1,191.	1,229.	1,306.	1,409.	1,479.	1,587.	1,657.
	24"	42"	R3B1TFF42 24-()()	1,218.	1,256.	1,333.	1,436.	1,506.	1,614.	1,684.
	30"	42"	R3B1TFF42 30-()()	1,282.	1,320.	1,397.	1,500.	1,570.	1,678.	1,748.
	36"	42"	R3B1TFF42 36-()()	1,514.	1,552.	1,629.	1,732.	1,802.	1,910.	1,980.
	42"	42"	R3B1TFF42 42-()()	1,635.	1,673.	1,750.	1,853.	1,923.	2,031.	2,101.
	48"	42"	R3B1TFF42 48-()()	1,692.	1,730.	1,807.	1,910.	1,980.	2,088.	2,158.

Tiled, fabric both sides Beltway two sides 	18"	42"	R3B2TFF42 18-()()	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	20"	42"	R3B2TFF42 20-()()	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	24"	42"	R3B2TFF42 24-()()	1,189.	1,227.	1,301.	1,407.	1,477.	1,585.	1,655.
	30"	42"	R3B2TFF42 30-()()	1,307.	1,345.	1,419.	1,525.	1,595.	1,703.	1,773.
	36"	42"	R3B2TFF42 36-()()	1,540.	1,578.	1,652.	1,758.	1,828.	1,936.	2,006.
	42"	42"	R3B2TFF42 42-()()	1,666.	1,704.	1,778.	1,884.	1,954.	2,062.	2,132.
	48"	42"	R3B2TFF42 48-()()	1,726.	1,764.	1,838.	1,944.	2,014.	2,122.	2,192.

Order Code	Specification Information	Application Notes
Example: R3B2TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TFL42 18-() ()	\$722.	\$742.	\$779.	\$828.	\$862.	\$913.	\$947.
Regular acoustics	20"	42"	R3B0TFL42 20-() ()	722.	742.	779.	828.	862.	913.	947.
	24"	42"	R3B0TFL42 24-() ()	769.	789.	826.	875.	909.	960.	994.
	30"	42"	R3B0TFL42 30-() ()	820.	840.	877.	926.	960.	1,011.	1,045.
	36"	42"	R3B0TFL42 36-() ()	867.	887.	924.	973.	1,007.	1,058.	1,092.
	42"	42"	R3B0TFL42 42-() ()	966.	986.	1,023.	1,072.	1,106.	1,157.	1,191.
	48"	42"	R3B0TFL42 48-() ()	1,016.	1,036.	1,073.	1,122.	1,156.	1,207.	1,241.


Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
	24"	42"	R3B1TFL42 24-() ()	1,259.	1,279.	1,315.	1,365.	1,399.	1,450.	1,484.
	30"	42"	R3B1TFL42 30-() ()	1,321.	1,341.	1,377.	1,427.	1,461.	1,512.	1,546.
	36"	42"	R3B1TFL42 36-() ()	1,546.	1,566.	1,602.	1,652.	1,686.	1,737.	1,771.
	42"	42"	R3B1TFL42 42-() ()	1,662.	1,682.	1,718.	1,768.	1,802.	1,853.	1,887.
	48"	42"	R3B1TFL42 48-() ()	1,716.	1,736.	1,772.	1,822.	1,856.	1,907.	1,941.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w</i>
K Include knockouts in base	ii) tile 1B middle	<i>6" Raceway option increases panel height by 2 3/4".</i>
B Tile divider, black reveal	iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1A	6. Laminate side, finish (specify selection per insert)	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
W281 Fabric - Side 1B	i) tile 2A bottom	
W281 Fabric - Side 1C	ii) tile 2B middle	
114 Folkstone grey - side 2A	iii) tile 2C top	
114 Folkstone grey - side 2B	7. Top trim finish	
114 Folkstone grey - side 2C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
111 Jet Black (base finish)	8. Base finish	
M Optional milled frame	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 42" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18- () ()	\$775.	\$795.	\$836.	\$887.	\$921.	\$976.	\$1,011.
Regular acoustics	20"	42"	R3B0TF142 20- () ()	775.	795.	836.	887.	921.	976.	1,011.
	24"	42"	R3B0TF142 24- () ()	827.	847.	888.	939.	973.	1,028.	1,063.
	30"	42"	R3B0TF142 30- () ()	882.	902.	943.	994.	1,028.	1,083.	1,118.
	36"	42"	R3B0TF142 36- () ()	932.	952.	993.	1,044.	1,078.	1,133.	1,168.
	42"	42"	R3B0TF142 42- () ()	1,042.	1,062.	1,103.	1,154.	1,188.	1,243.	1,278.
	48"	42"	R3B0TF142 48- () ()	1,090.	1,110.	1,151.	1,202.	1,236.	1,291.	1,326.

Tiled, fabric one side	18"	42"	R3B1TF142 18- () ()	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20- () ()	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
	24"	42"	R3B1TF142 24- () ()	1,353.	1,373.	1,414.	1,465.	1,499.	1,554.	1,589.
	30"	42"	R3B1TF142 30- () ()	1,418.	1,438.	1,479.	1,530.	1,564.	1,619.	1,654.
	36"	42"	R3B1TF142 36- () ()	1,657.	1,677.	1,718.	1,769.	1,803.	1,858.	1,893.
	42"	42"	R3B1TF142 42- () ()	1,786.	1,806.	1,847.	1,898.	1,932.	1,987.	2,022.
	48"	42"	R3B1TF142 48- () ()	1,847.	1,867.	1,908.	1,958.	1,993.	2,048.	2,083.

Order Code	Specification Information
Example: R3B0TF14218-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
42	42" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame


Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
6" Raceway option increases panel height by 2 3/4".
Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 408).
Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
Remember to specify Beltway paint finish when applicable.
79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18- () ()	\$789.	\$809.	\$850.	\$901.	\$935.	\$990.	\$1,025.
Regular acoustics	20"	42"	R3B0TF242 20- () ()	789.	809.	850.	901.	935.	990.	1,025.
	24"	42"	R3B0TF242 24- () ()	841.	861.	902.	953.	987.	1,042.	1,077.
	30"	42"	R3B0TF242 30- () ()	897.	917.	958.	1,009.	1,043.	1,098.	1,133.
	36"	42"	R3B0TF242 36- () ()	953.	973.	1,014.	1,065.	1,099.	1,154.	1,189.
	42"	42"	R3B0TF242 42- () ()	1,060.	1,080.	1,121.	1,172.	1,206.	1,261.	1,296.
	48"	42"	R3B0TF242 48- () ()	1,112.	1,132.	1,173.	1,224.	1,258.	1,313.	1,348.

Tiled, fabric one side	18"	42"	R3B1TF242 18- () ()	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20- () ()	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
	24"	42"	R3B1TF242 24- () ()	1,376.	1,396.	1,437.	1,488.	1,522.	1,577.	1,612.
	30"	42"	R3B1TF242 30- () ()	1,445.	1,465.	1,506.	1,557.	1,591.	1,646.	1,681.
	36"	42"	R3B1TF242 36- () ()	1,691.	1,711.	1,752.	1,803.	1,837.	1,892.	1,927.
	42"	42"	R3B1TF242 42- () ()	1,819.	1,839.	1,880.	1,931.	1,965.	2,020.	2,055.
	48"	42"	R3B1TF242 48- () ()	1,881.	1,901.	1,942.	1,993.	2,027.	2,082.	2,117.

Order Code

Example: R3B0TF24218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F2 Fabric one side, V2 other
42 42" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
V316 Maple surface - side 2 tiled
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
- Conventional veneer, finish (specify one V2 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider:*
Optional for non fabric side only (fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 408).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-() ()	\$1,052.	\$1,072.	\$1,113.	\$1,164.	\$1,198.	\$1,253.	\$1,288.
Regular acoustics	20"	42"	R3B0TF342 20-() ()	1,052.	1,072.	1,113.	1,164.	1,198.	1,253.	1,288.
	24"	42"	R3B0TF342 24-() ()	1,120.	1,140.	1,181.	1,232.	1,266.	1,321.	1,356.
	30"	42"	R3B0TF342 30-() ()	1,197.	1,217.	1,258.	1,309.	1,343.	1,398.	1,433.
	36"	42"	R3B0TF342 36-() ()	1,271.	1,291.	1,332.	1,383.	1,417.	1,472.	1,507.
	42"	42"	R3B0TF342 42-() ()	1,416.	1,436.	1,477.	1,528.	1,562.	1,617.	1,652.
	48"	42"	R3B0TF342 48-() ()	1,487.	1,507.	1,548.	1,599.	1,633.	1,688.	1,723.

Tiled, fabric one side	18"	42"	R3B1TF342 18-() ()	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
Beltway fabric side	20"	42"	R3B1TF342 20-() ()	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
	24"	42"	R3B1TF342 24-() ()	1,845.	1,865.	1,906.	1,957.	1,991.	2,046.	2,081.
	30"	42"	R3B1TF342 30-() ()	1,935.	1,955.	1,996.	2,047.	2,081.	2,136.	2,171.
	36"	42"	R3B1TF342 36-() ()	2,269.	2,289.	2,330.	2,381.	2,415.	2,470.	2,505.
	42"	42"	R3B1TF342 42-() ()	2,440.	2,460.	2,501.	2,552.	2,586.	2,641.	2,676.
	48"	42"	R3B1TF342 48-() ()	2,524.	2,544.	2,585.	2,636.	2,670.	2,725.	2,760.

Order Code	Specification Information	Application Notes
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 408).
W281 Fabric - Side 1B		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric - Side 1C		Remember to specify Beltway paint finish when applicable.
V512 Figured Anigre surface - side 2 tiled		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	42"	R3B0TLL4218() ()	\$881.
	20"	42"	R3B0TLL4220() ()	881.
	24"	42"	R3B0TLL4224() ()	961.
	30"	42"	R3B0TLL4230() ()	1,075.
	36"	42"	R3B0TLL4236() ()	1,161.
	42"	42"	R3B0TLL4242() ()	1,197.
	48"	42"	R3B0TLL4248() ()	1,232.




Order Code	Specification Information	Application Notes
Example: R3B0TLL4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Applicable finishes are listed on page 5 and 6.
42 42" high	5. Laminate side, finish (specify selection per insert)	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
18 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	
A Flat style top trim profile	6. Laminate, finish	
4 4" base height	7. Top trim finish	
K Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
B Tile divider, black reveal	8. Base finish	
118 Laminate - side 1A	9. Beltway finish	
118 Laminate - side 1B	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
118 Laminate - side 1C		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B0TFF49 18- () ()	\$742.	\$790.	\$880.	\$982.	\$1,066.	\$1,198.	\$1,276.
Regular acoustics	20"	49"	R3B0TFF49 20- () ()	742.	790.	880.	982.	1,066.	1,198.	1,276.
	24"	49"	R3B0TFF49 24- () ()	793.	841.	931.	1,033.	1,117.	1,249.	1,327.
	30"	49"	R3B0TFF49 30- () ()	853.	901.	991.	1,093.	1,177.	1,309.	1,387.
	36"	49"	R3B0TFF49 36- () ()	909.	957.	1,047.	1,149.	1,233.	1,365.	1,443.
	42"	49"	R3B0TFF49 42- () ()	1,026.	1,074.	1,164.	1,266.	1,350.	1,482.	1,560.
	48"	49"	R3B0TFF49 48- () ()	1,083.	1,131.	1,221.	1,323.	1,407.	1,539.	1,617.

Tiled, fabric both sides	18"	49"	R3B0TAA49 18- () ()	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
High acoustics	20"	49"	R3B0TAA49 20- () ()	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
	24"	49"	R3B0TAA49 24- () ()	869.	917.	1,007.	1,109.	1,193.	1,325.	1,403.
	30"	49"	R3B0TAA49 30- () ()	938.	986.	1,076.	1,178.	1,262.	1,394.	1,472.
	36"	49"	R3B0TAA49 36- () ()	998.	1,046.	1,136.	1,238.	1,322.	1,454.	1,532.
	42"	49"	R3B0TAA49 42- () ()	1,125.	1,173.	1,263.	1,365.	1,449.	1,581.	1,659.
	48"	49"	R3B0TAA49 48- () ()	1,191.	1,239.	1,329.	1,431.	1,515.	1,647.	1,725.

Order Code	Specification Information
Example: R3B0TFF4918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame


Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top
5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top
6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
6" Raceway option increases panel height by 2 ³ / ₄ ".
Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
Remember to specify Beltway paint finish when applicable.
79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B1TFF49 18-() ()	\$1,224.	\$1,272.	\$1,359.	\$1,464.	\$1,548.	\$1,680.	\$1,758.
Beltway one side	20"	49"	R3B1TFF49 20-() ()	1,224.	1,272.	1,359.	1,464.	1,548.	1,680.	1,758.
	24"	49"	R3B1TFF49 24-() ()	1,249.	1,297.	1,384.	1,489.	1,573.	1,705.	1,783.
	30"	49"	R3B1TFF49 30-() ()	1,316.	1,364.	1,451.	1,556.	1,640.	1,772.	1,850.
	36"	49"	R3B1TFF49 36-() ()	1,575.	1,623.	1,710.	1,815.	1,899.	2,031.	2,109.
	42"	49"	R3B1TFF49 42-() ()	1,701.	1,749.	1,836.	1,941.	2,025.	2,157.	2,235.
	48"	49"	R3B1TFF49 48-() ()	1,761.	1,809.	1,896.	2,001.	2,085.	2,217.	2,295.

Tiled, fabric both sides	18"	49"	R3B2TFF49 18-() ()	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
Beltway two sides	20"	49"	R3B2TFF49 20-() ()	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
	24"	49"	R3B2TFF49 24-() ()	1,270.	1,318.	1,402.	1,510.	1,594.	1,726.	1,804.
	30"	49"	R3B2TFF49 30-() ()	1,340.	1,388.	1,472.	1,580.	1,664.	1,796.	1,874.
	36"	49"	R3B2TFF49 36-() ()	1,603.	1,651.	1,735.	1,843.	1,927.	2,059.	2,137.
	42"	49"	R3B2TFF49 42-() ()	1,730.	1,778.	1,862.	1,970.	2,054.	2,186.	2,264.
	48"	49"	R3B2TFF49 48-() ()	1,796.	1,844.	1,928.	2,036.	2,120.	2,252.	2,330.

Order Code

Example: R3B2TFF4918-A4K	
R3	Reff Generation 3
B2	with Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C top
6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2³/₄".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric one side, laminate opposite side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TFL49 18-() ()	\$810.	\$834.	\$876.	\$927.	\$969.	\$1,029.	\$1,068.
Regular acoustics	20"	49"	R3B0TFL49 20-() ()	810.	834.	876.	927.	969.	1,029.	1,068.
	24"	49"	R3B0TFL49 24-() ()	857.	881.	923.	974.	1,016.	1,076.	1,115.
	30"	49"	R3B0TFL49 30-() ()	917.	941.	983.	1,034.	1,076.	1,136.	1,175.
	36"	49"	R3B0TFL49 36-() ()	968.	992.	1,034.	1,085.	1,127.	1,187.	1,226.
	42"	49"	R3B0TFL49 42-() ()	1,079.	1,103.	1,145.	1,196.	1,238.	1,298.	1,337.
	48"	49"	R3B0TFL49 48-() ()	1,137.	1,161.	1,203.	1,254.	1,296.	1,356.	1,395.


Tiled, fabric one side	18"	49"	R3B1TFL49 18-() ()	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
Beltway one side (fabric side)	20"	49"	R3B1TFL49 20-() ()	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
	24"	49"	R3B1TFL49 24-() ()	1,299.	1,323.	1,364.	1,416.	1,458.	1,518.	1,557.
	30"	49"	R3B1TFL49 30-() ()	1,364.	1,388.	1,429.	1,481.	1,523.	1,583.	1,622.
	36"	49"	R3B1TFL49 36-() ()	1,612.	1,636.	1,677.	1,729.	1,771.	1,831.	1,870.
	42"	49"	R3B1TFL49 42-() ()	1,730.	1,754.	1,795.	1,847.	1,889.	1,949.	1,988.
	48"	49"	R3B1TFL49 48-() ()	1,795.	1,819.	1,860.	1,912.	1,954.	2,014.	2,053.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
FL Fabric one side. laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
49 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
18 18" wide	6. Laminate side finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height	8. Base finish	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 5 and 6.
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
114 Folkstone grey - side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18-() ()	\$867.	\$891.	\$939.	\$990.	\$1,032.	\$1,098.	\$1,137.
Regular acoustics	20"	49"	R3B0TF149 20-() ()	867.	891.	939.	990.	1,032.	1,098.	1,137.
	24"	49"	R3B0TF149 24-() ()	921.	945.	993.	1,044.	1,086.	1,152.	1,191.
	30"	49"	R3B0TF149 30-() ()	983.	1,007.	1,055.	1,106.	1,148.	1,214.	1,253.
	36"	49"	R3B0TF149 36-() ()	1,042.	1,066.	1,114.	1,165.	1,207.	1,273.	1,312.
	42"	49"	R3B0TF149 42-() ()	1,166.	1,190.	1,238.	1,289.	1,331.	1,397.	1,436.
	48"	49"	R3B0TF149 48-() ()	1,221.	1,245.	1,293.	1,344.	1,386.	1,452.	1,491.


Tiled, fabric one side	18"	49"	R3B1TF149 18-() ()	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20-() ()	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
	24"	49"	R3B1TF149 24-() ()	1,398.	1,422.	1,470.	1,521.	1,563.	1,629.	1,668.
	30"	49"	R3B1TF149 30-() ()	1,466.	1,490.	1,538.	1,589.	1,631.	1,697.	1,736.
	36"	49"	R3B1TF149 36-() ()	1,735.	1,759.	1,807.	1,858.	1,900.	1,966.	2,005.
	42"	49"	R3B1TF149 42-() ()	1,864.	1,888.	1,936.	1,987.	2,029.	2,095.	2,134.
	48"	49"	R3B1TF149 48-() ()	1,928.	1,952.	2,000.	2,051.	2,093.	2,159.	2,198.

Order Code	Specification Information	Application Notes
Example: R3B0TF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F1 Fabric one side, V1 other	4. Tile divider (B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider))	E = Extruded Aluminum
49 49" high	5. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
K Include knockouts in base	6. Techwood side, finish (specify one V1 finish for side)	49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
B Tile divider, black reveal	7. Top trim finish	6" Raceway option increases panel height by 2 3/4".
W281 Fabric - Side 1A	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
W281 Fabric - Side 1C	8. Base finish	
Y328 Mahogany - side 2 tiled	9. Beltway finish, for panels with Beltway	
V316 Maple (top trim finish)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF249 18- () ()	\$885.	\$909.	\$957.	\$1,008.	\$1,050.	\$1,116.	\$1,155.
Regular acoustics	20"	49"	R3B0TF249 20- () ()	885.	909.	957.	1,008.	1,050.	1,116.	1,155.
	24"	49"	R3B0TF249 24- () ()	938.	962.	1,010.	1,061.	1,103.	1,169.	1,208.
	30"	49"	R3B0TF249 30- () ()	1,007.	1,031.	1,079.	1,130.	1,172.	1,238.	1,277.
	36"	49"	R3B0TF249 36- () ()	1,062.	1,086.	1,134.	1,185.	1,227.	1,293.	1,332.
	42"	49"	R3B0TF249 42- () ()	1,182.	1,206.	1,254.	1,305.	1,347.	1,413.	1,452.
	48"	49"	R3B0TF249 48- () ()	1,244.	1,268.	1,316.	1,367.	1,409.	1,475.	1,514.

Tiled, fabric one side	18"	49"	R3B1TF249 18- () ()	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
Beltway one side (fabric side)	20"	49"	R3B1TF249 20- () ()	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
	24"	49"	R3B1TF249 24- () ()	1,423.	1,447.	1,495.	1,546.	1,588.	1,654.	1,693.
	30"	49"	R3B1TF249 30- () ()	1,492.	1,516.	1,564.	1,615.	1,657.	1,723.	1,762.
	36"	49"	R3B1TF249 36- () ()	1,764.	1,788.	1,836.	1,887.	1,929.	1,995.	2,034.
	42"	49"	R3B1TF249 42- () ()	1,896.	1,920.	1,968.	2,019.	2,061.	2,127.	2,166.
	48"	49"	R3B1TF249 48- () ()	1,964.	1,988.	2,036.	2,087.	2,129.	2,195.	2,234.

Order Code	Specification Information	Application Notes
Example: R3B0TF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	i) tile 1A bottom	49"h add per panel:
W281 Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1C	6. Conventional veneer, finish (specify one V2 finish for side)	\$34 for 36w and 42w
V316 Maple surface - side 2 tiled	7. Top trim finish	\$42 for 48w
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF349 18-() ()	\$1,177.	\$1,201.	\$1,249.	\$1,300.	\$1,342.	\$1,408.	\$1,447.
Regular acoustics	20"	49"	R3B0TF349 20-() ()	1,177.	1,201.	1,249.	1,300.	1,342.	1,408.	1,447.
	24"	49"	R3B0TF349 24-() ()	1,249.	1,273.	1,321.	1,372.	1,414.	1,480.	1,519.
	30"	49"	R3B0TF349 30-() ()	1,342.	1,366.	1,414.	1,465.	1,507.	1,573.	1,612.
	36"	49"	R3B0TF349 36-() ()	1,417.	1,441.	1,489.	1,540.	1,582.	1,648.	1,687.
	42"	49"	R3B0TF349 42-() ()	1,579.	1,603.	1,651.	1,702.	1,744.	1,810.	1,849.
	48"	49"	R3B0TF349 48-() ()	1,661.	1,685.	1,733.	1,784.	1,826.	1,892.	1,931.


Tiled, fabric one side	18"	49"	R3B1TF349 18-() ()	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
Beltway fabric side	20"	49"	R3B1TF349 20-() ()	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
	24"	49"	R3B1TF349 24-() ()	1,905.	1,929.	1,977.	2,028.	2,070.	2,136.	2,175.
	30"	49"	R3B1TF349 30-() ()	1,997.	2,021.	2,069.	2,120.	2,162.	2,228.	2,267.
	36"	49"	R3B1TF349 36-() ()	2,366.	2,390.	2,438.	2,489.	2,531.	2,597.	2,636.
	42"	49"	R3B1TF349 42-() ()	2,544.	2,568.	2,616.	2,667.	2,709.	2,775.	2,814.
	48"	49"	R3B1TF349 48-() ()	2,636.	2,660.	2,708.	2,759.	2,801.	2,867.	2,906.

Order Code	Specification Information	Application Notes
Example: R3B0TF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	ii) tile 1B middle	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	iii) tile 1C top	49" h add per panel:
W281 Fabric - Side 1A	6. Exotic veneer, finish (specify one V3 finish for side)	\$25 for 18w and 20w
W281 Fabric - Side 1B	7. Top trim finish	\$28 for 24w and 30w
W281 Fabric - Side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$34 for 36w and 42w
V512 Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$42 for 48w
V512 Figured Anigre (top trim finish)	8. Base finish	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	49"	R3B0TLL4918() ()	\$921.
	20"	49"	R3B0TLL4920() ()	921.
	24"	49"	R3B0TLL4924() ()	1,003.
	30"	49"	R3B0TLL4930() ()	1,124.
	36"	49"	R3B0TLL4936() ()	1,214.
	42"	49"	R3B0TLL4942() ()	1,250.
	48"	49"	R3B0TLL4948() ()	1,288.



Order Code

Example:	R3B0TLL4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
6. Laminate, finish
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height

4. *Extruded aluminum tile divider:*
Optional for non fabric side only (fabric side always black)
49"h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 64" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B0TFF64 18-() ()	\$849.	\$913.	\$1,033.	\$1,169.	\$1,281.	\$1,457.	\$1,561.
Regular acoustics	20"	64"	R3B0TFF64 20-() ()	849.	913.	1,033.	1,169.	1,281.	1,457.	1,561.
	24"	64"	R3B0TFF64 24-() ()	610.	974.	1,094.	1,230.	1,342.	1,518.	1,622.
	30"	64"	R3B0TFF64 30-() ()	97.	1,041.	1,161.	1,297.	1,409.	1,585.	1,689.
	36"	64"	R3B0TFF64 36-() ()	1,034.	1,098.	1,218.	1,354.	1,466.	1,642.	1,746.
	42"	64"	R3B0TFF64 42-() ()	1,183.	1,247.	1,367.	1,503.	1,615.	1,791.	1,895.
	48"	64"	R3B0TFF64 48-() ()	1,242.	1,306.	1,426.	1,562.	1,674.	1,850.	1,954.



Tiled, fabric both sides	18"	64"	R3B0TAA64 18-() ()	929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
High acoustics	20"	64"	R3B0TAA64 20-() ()	929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
	24"	64"	R3B0TAA64 24-() ()	996.	1,060.	1,180.	1,316.	1,428.	1,604.	1,708.
	30"	64"	R3B0TAA64 30-() ()	1,071.	1,135.	1,255.	1,391.	1,503.	1,679.	1,783.
	36"	64"	R3B0TAA64 36-() ()	1,142.	1,206.	1,326.	1,462.	1,574.	1,750.	1,854.
	42"	64"	R3B0TAA64 42-() ()	1,300.	1,364.	1,484.	1,620.	1,732.	1,908.	2,012.
	48"	64"	R3B0TAA64 48-() ()	1,370.	1,434.	1,554.	1,690.	1,802.	1,978.	2,082.



Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C middle	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	iv) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	i) tile 2A bottom	
W281 Fabric - Side 1C	ii) tile 2B middle	
W281 Fabric - Side 2A	iii) tile 2C middle	
W281 Fabric - Side 2B	iv) tile 2D top	
W281 Fabric - Side 2C	6. Top trim finish	
V316 Maple (top trim finish)	i) Top trim profile A,B or C options:	
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 64" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B1TFF64 18-() ()	\$1,326.	\$1,390.	\$1,507.	\$1,646.	\$1,758.	\$1,934.	\$2,038.
Beltway one side	20"	64"	R3B1TFF64 20-() ()	1,326.	1,390.	1,507.	1,646.	1,758.	1,934.	2,038.
	24"	64"	R3B1TFF64 24-() ()	1,394.	1,458.	1,575.	1,714.	1,826.	2,002.	2,106.
	30"	64"	R3B1TFF64 30-() ()	1,428.	1,492.	1,609.	1,748.	1,860.	2,036.	2,140.
	36"	64"	R3B1TFF64 36-() ()	1,754.	1,818.	1,935.	2,074.	2,186.	2,362.	2,466.
	42"	64"	R3B1TFF64 42-() ()	1,884.	1,948.	2,065.	2,204.	2,316.	2,492.	2,596.
	48"	64"	R3B1TFF64 48-() ()	1,951.	2,015.	2,132.	2,271.	2,383.	2,559.	2,663.

Tiled, fabric both sides	18"	64"	R3B2TFF64 18-() ()	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
Beltway two sides	20"	64"	R3B2TFF64 20-() ()	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
	24"	64"	R3B2TFF64 24-() ()	1,416.	1,480.	1,594.	1,736.	1,848.	2,024.	2,128.
	30"	64"	R3B2TFF64 30-() ()	1,451.	1,515.	1,629.	1,771.	1,883.	2,059.	2,163.
	36"	64"	R3B2TFF64 36-() ()	1,785.	1,849.	1,963.	2,105.	2,217.	2,393.	2,497.
	42"	64"	R3B2TFF64 42-() ()	1,913.	1,977.	2,091.	2,233.	2,345.	2,521.	2,625.
	48"	64"	R3B2TFF64 48-() ()	1,985.	2,049.	2,163.	2,305.	2,417.	2,593.	2,697.

Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	6. Top trim finish
B1 Beltway one side	2. Base height	i) Top trim profile A, B or C options:
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	V1, V2, V3, P1, P2, P3 finishes
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
79 79" high	i) tile 1A bottom	7. Base finish
18 18" wide	ii) tile 1B middle	8. Beltway finish
A Flat style top trim profile	iii) tile 1C middle	1. <i>Top trim profile:</i>
4 4" base height	iv) tile 1D middle	A = Flat
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	B = Square
W281 Fabric - Side 1A	i) tile 2A bottom	C = Bullnose
W281 Fabric - Side 1B	ii) tile 2B middle	E = Extruded Aluminum
W281 Fabric - Side 1C	iii) tile 2C middle	2. <i>Base height:</i>
W281 Fabric - Side 1D	iv) tile 2D middle	4 = 4" base height
W281 Fabric - Side 2A		6 = 6" base height (add \$47 per panel for this option)
W281 Fabric - Side 2B		Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 2C		Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 2D		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 64" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-() ()	\$943.	\$975.	\$1,031.	\$1,099.	\$1,155.	\$1,235.	\$1,287.
Regular acoustics	20"	64"	R3B0TFL64 20-() ()	943.	975.	1,031.	1,099.	1,155.	1,235.	1,287.
	24"	64"	R3B0TFL64 24-() ()	999.	1,031.	1,087.	1,155.	1,211.	1,291.	1,343.
	30"	64"	R3B0TFL64 30-() ()	1,066.	1,098.	1,154.	1,222.	1,278.	1,358.	1,410.
	36"	64"	R3B0TFL64 36-() ()	1,126.	1,158.	1,214.	1,282.	1,338.	1,418.	1,470.
	42"	64"	R3B0TFL64 42-() ()	1,266.	1,298.	1,354.	1,422.	1,478.	1,558.	1,610.
	48"	64"	R3B0TFL64 48-() ()	1,326.	1,358.	1,414.	1,482.	1,538.	1,618.	1,670.




Tiled, fabric one side	18"	64"	R3B1TFL64 18-() ()	1,402.	1,434.	1,489.	1,558.	1,614.	1,694.	1,746.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-() ()	1,402.	1,434.	1,489.	1,558.	1,614.	1,692.	1,746.
	24"	64"	R3B1TFL64 24-() ()	1,470.	1,502.	1,557.	1,626.	1,682.	1,762.	1,814.
	30"	64"	R3B1TFL64 30-() ()	1,501.	1,533.	1,588.	1,567.	1,713.	1,793.	1,845.
	36"	64"	R3B1TFL64 36-() ()	1,821.	1,853.	1,908.	1,977.	2,033.	2,113.	2,165.
	42"	64"	R3B1TFL64 42-() ()	1,942.	1,974.	2,029.	2,098.	2,154.	2,234.	2,286.
	48"	64"	R3B1TFL64 48-() ()	2,007.	2,039.	2,094.	2,163.	2,219.	2,299.	2,351.




Order Code	Specification Information	Application Notes
Example: R3B0TFL6418-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
R3 Reff Generation 3	8. Base finish	
B0 No Beltway	9. Beltway finish, for panels with Beltway	
T Tiled panel	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
FL Fabric one side, laminate other		Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
64 64" high	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Remember to specify Beltway paint finish when applicable.
18 18" wide		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	
4 4" base height	i) tile 1A bottom	
K Include knockouts in base	ii) tile 1B middle	
B Tile divider, black reveal	iii) tile 1C middle	
W281 Fabric - Side 1A	iv) tile 1D top	
W281 Fabric - Side 1B	6. Laminate side, finish (specify selection per insert)	
W281 Fabric - Side 1C	i) tile 2A bottom	
114 Folkstone grey - side 2A	ii) tile 2B middle	
114 Folkstone grey - side 2B	iii) tile 2C middle	
114 Folkstone grey - side 2C	iv) tile 2D top	
V316 Maple (top trim finish)	7. Top trim finish	
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
		6" Raceway option increases panel height by 2 3/4".
		Applicable finishes are listed on page 5 and 6.
		Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Tiled panels 64" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18-() ()	\$1,013.	\$1,045.	\$1,109.	\$1,177.	\$1,233.	\$1,321.	\$1,373.
Regular acoustics	20"	64"	R3B0TF164 20-() ()	1,013.	1,045.	1,109.	1,177.	1,233.	1,321.	1,373.
	24"	64"	R3B0TF164 24-() ()	1,074.	1,106.	1,170.	1,238.	1,294.	1,382.	1,434.
	30"	64"	R3B0TF164 30-() ()	1,146.	1,178.	1,242.	1,310.	1,366.	1,454.	1,506.
	36"	64"	R3B0TF164 36-() ()	1,208.	1,240.	1,304.	1,372.	1,428.	1,516.	1,568.
	42"	64"	R3B0TF164 42-() ()	1,361.	1,393.	1,457.	1,525.	1,581.	1,669.	1,721.
	48"	64"	R3B0TF164 48-() ()	1,424.	1,456.	1,520.	1,588.	1,644.	1,732.	1,784.

Tiled, fabric one side	18"	64"	R3B1TF164 18-() ()	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20-() ()	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
	24"	64"	R3B1TF164 24-() ()	1,579.	1,611.	1,675.	1,743.	1,799.	1,887.	1,939.
	30"	64"	R3B1TF164 30-() ()	1,613.	1,645.	1,709.	1,777.	1,833.	1,921.	1,973.
	36"	64"	R3B1TF164 36-() ()	1,955.	1,987.	2,051.	2,119.	2,175.	2,263.	2,315.
	42"	64"	R3B1TF164 42-() ()	2,086.	2,118.	2,182.	2,250.	2,306.	2,294.	2,446.
	48"	64"	R3B1TF164 48-() ()	2,161.	2,193.	2,257.	2,325.	2,381.	2,469.	2,521.

Order Code

Example: R3B0TF16418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
- Techwood side, finish (specify one V1 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

- Top trim profile:**
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:**
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider: Optional for non fabric side only** (fabric side always black)
64" h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w
- 6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 64" H

fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18-() ()	\$1,032.	\$1,064.	\$1,128.	\$1,196.	\$1,252.	\$1,340.	\$1,392.
Regular acoustics	20"	64"	R3B0TF264 20-() ()	1,032.	1,064.	1,128.	1,196.	1,252.	1,340.	1,392.
	24"	64"	R3B0TF264 24-() ()	1,092.	1,124.	1,188.	1,256.	1,312.	1,400.	1,452.
	30"	64"	R3B0TF264 30-() ()	1,163.	1,195.	1,259.	1,327.	1,383.	1,471.	1,523.
	36"	64"	R3B0TF264 36-() ()	1,230.	1,262.	1,326.	1,394.	1,450.	1,538.	1,590.
	42"	64"	R3B0TF264 42-() ()	1,384.	1,416.	1,480.	1,548.	1,604.	1,692.	1,744.
	48"	64"	R3B0TF264 48-() ()	1,449.	1,481.	1,545.	1,613.	1,669.	1,757.	1,809.


Tiled, fabric one side	18"	64"	R3B1TF264 18-() ()	1,534.	1,566.	1,630.	1,696.	1,754.	1,842.	1,894.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20-() ()	1,534.	1,566.	1,630.	1,698.	1,754.	1,842.	1,894.
	24"	64"	R3B1TF264 24-() ()	1,608.	1,640.	1,704.	1,772.	1,828.	1,916.	1,968.
	30"	64"	R3B1TF264 30-() ()	1,642.	1,674.	1,738.	1,806.	1,862.	1,950.	2,002.
	36"	64"	R3B1TF264 36-() ()	1,993.	2,025.	2,089.	2,157.	2,213.	2,301.	2,353.
	42"	64"	R3B1TF264 42-() ()	2,126.	2,158.	2,222.	2,290.	2,346.	2,434.	2,486.
	48"	64"	R3B1TF264 48-() ()	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.

Order Code	Specification Information	Application Notes
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	painted option excluding silver	6" raceway option increases panel height by 2 3/4".
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 64" h add per panel:</i>
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	\$39 for 18w and 20w
W281 Fabric - Side 1A	i) tile 1A bottom	\$43 for 24w and 30w
W281 Fabric - Side 1B	ii) tile 1B middle	\$48 for 36w and 42w
W281 Fabric - Side 1C	iii) tile 1C middle	\$64 for 48w
W281 Fabric - Side 1D	iv) tile 1D top	
V316 Maple surface - side 2 tiled	6. Conventional veneer, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	7. Top trim finish	
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-() ()	\$1,371.	\$1,403.	\$1,467.	\$1,535.	\$1,591.	\$1,679.	\$1,731.
Regular acoustics	20"	64"	R3B0TF364 20-() ()	1,371.	1,403.	1,467.	1,535.	1,591.	1,679.	1,731.
	24"	64"	R3B0TF364 24-() ()	1,451.	1,483.	1,547.	1,615.	1,671.	1,759.	1,811.
	30"	64"	R3B0TF364 30-() ()	1,547.	1,579.	1,643.	1,711.	1,767.	1,855.	1,907.
	36"	64"	R3B0TF364 36-() ()	1,639.	1,671.	1,735.	1,803.	1,859.	1,947.	1,999.
	42"	64"	R3B0TF364 42-() ()	1,847.	1,879.	1,943.	2,011.	2,067.	2,155.	2,207.
	48"	64"	R3B0TF364 48-() ()	1,933.	1,965.	2,029.	2,097.	2,153.	2,241.	2,293.

Tiled, fabric one side	18"	64"	R3B1TF364 18-() ()	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
Beltway fabric side	20"	64"	R3B1TF364 20-() ()	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
	24"	64"	R3B1TF364 24-() ()	2,151.	2,183.	2,247.	2,313.	2,371.	2,459.	2,511.
	30"	64"	R3B1TF364 30-() ()	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.
	36"	64"	R3B1TF364 36-() ()	2,668.	2,700.	2,764.	2,832.	2,888.	2,976.	3,028.
	42"	64"	R3B1TF364 42-() ()	2,847.	2,879.	2,943.	3,011.	3,067.	3,155.	3,207.
	48"	64"	R3B1TF364 48-() ()	2,941.	2,973.	3,037.	3,105.	3,161.	3,249.	3,301.

Order Code

Example: R3B0TF36418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

- To order please specify pattern number including:*
- Top trim profile
 - Base height
 - Knockout option (K = with knockouts, N = without knockouts)
 - Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 - Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
 - Exotic veneer, finish (specify one V3 finish for side)
 - Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 - Base finish
 - Beltway finish, for panels with Beltway
 - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" raceway option increases panel height by 2 3/4".

- Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)*
64"h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 64" H

Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	64"	R3B0TLL6418 () ()	\$1,145.
	20"	64"	R3B0TLL6420 () ()	1,145.
	24"	64"	R3B0TLL6424 () ()	1,248.
	30"	64"	R3B0TLL6430 () ()	1,399.
	36"	64"	R3B0TLL6436 () ()	1,510.
	42"	64"	R3B0TLL6442 () ()	1,555.
	48"	64"	R3B0TLL6448 () ()	1,618.




Order Code	Specification Information	Application Notes
Example: R3B0TLL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
LL Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	<i>4. Extruded aluminum tile divider:</i>
4 4" base height	painted option excluding silver	Optional for non fabric side only
K Include knockouts in base	from page 5 for extruded	(fabric side always black)
B Tile divider, black reveal	aluminum divider (upcharge	64"h add per panel:
118 Laminate - side 1A	applicable for extruded	\$39 for 18w and 20w
118 Laminate - side 1B	aluminum divider)	\$43 for 24w and 30w
118 Laminate - side 1C	5. Laminate side, finish (specify	\$48 for 36w and 42w
118 Laminate - side 1D	selection per insert)	\$64 for 48w
118 Laminate - side 2A	i) tile 1A bottom	Applicable finishes are listed on
118 Laminate - side 2B	ii) tile 1B middle	page 5 and 6.
118 Laminate - side 2C	iii) tile 1C middle	Product on this page will accept
118 Laminate - side 2D	iv) tile 1D top	wood grain laminate where laminate
V512 Figured Anigre (top trim finish)	6. Laminate, finish	is currently an option.
111 Jet Black (base finish)	7. Top trim finish	Panel product is subject to a 10%
M Optional milled frame	i) Profile A, B or C options:	upcharge on the base panel price.
	V1, V2, V3, P1, P2, P3 finishes	Refer to panel product upcharge
	ii) Profile E options:	table.
	AA-anodized aluminum or	
	painted finish from page	
	5 excluding silver	
	8. Base finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be	
	milled for ported components,	
	\$14 list upcharge applicable	

Tiled panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18-()()	\$1,056.	\$1,136.	\$1,286.	\$1,456.	\$1,596.	\$1,816.	\$1,946.
Regular acoustics	20"	79"	R3B0TFF79 20-()()	1,056.	1,136.	1,286.	1,456.	1,596.	1,816.	1,946.
	24"	79"	R3B0TFF79 24-()()	1,123.	1,203.	1,353.	1,523.	1,663.	1,883.	2,013.
	30"	79"	R3B0TFF79 30-()()	1,188.	1,268.	1,418.	1,588.	1,728.	1,948.	2,078.
	36"	79"	R3B0TFF79 36-()()	1,256.	1,336.	1,486.	1,656.	1,796.	2,016.	2,146.
	42"	79"	R3B0TFF79 42-()()	1,427.	1,507.	1,657.	1,827.	1,967.	2,187.	2,317.
	48"	79"	R3B0TFF79 48-()()	1,499.	1,579.	1,729.	1,899.	2,039.	2,259.	2,389.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18-()()	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
High acoustics	20"	79"	R3B0TAA79 20-()()	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
	24"	79"	R3B0TAA79 24-()()	1,232.	1,312.	1,462.	1,632.	1,772.	1,992.	2,122.
	30"	79"	R3B0TAA79 30-()()	1,303.	1,383.	1,533.	1,703.	1,843.	2,063.	2,193.
	36"	79"	R3B0TAA79 36-()()	1,377.	1,457.	1,607.	1,777.	1,917.	2,137.	2,267.
	42"	79"	R3B0TAA79 42-()()	1,567.	1,647.	1,797.	1,967.	2,107.	2,327.	2,457.
	48"	79"	R3B0TAA79 48-()()	1,649.	1,729.	1,879.	2,049.	2,189.	2,409.	2,539.



Order Code

Example: R3B0TFF7918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
 - v) tile 1E top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C middle
 - iv) tile 2D middle
 - v) tile 2E top

6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
 - 1. Top trim profile: A = Flat, B = Square, C = Bullnose, E = Extruded Aluminum
 - 2. Base height: 4 = 4" base height, 6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 79" H fabric both sides, with Beltway

Reff Profiles

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side 	18"	79"	R3B1TFF79 18-()()	\$1,376.	\$1,456.	\$1,603.	\$1,776.	\$1,916.	\$2,136.	\$2,266.
	20"	79"	R3B1TFF79 20-()()	1,376.	1,456.	1,603.	1,776.	1,916.	2,136.	2,266.
	24"	79"	R3B1TFF79 24-()()	1,444.	1,524.	1,671.	1,844.	1,984.	2,204.	2,334.
	30"	79"	R3B1TFF79 30-()()	1,477.	1,557.	1,704.	1,877.	2,017.	2,237.	2,367.
	36"	79"	R3B1TFF79 36-()()	1,804.	1,884.	2,031.	2,204.	2,344.	2,564.	2,694.
	42"	79"	R3B1TFF79 42-()()	1,936.	2,016.	2,163.	2,336.	2,476.	2,696.	2,826.
	48"	79"	R3B1TFF79 48-()()	2,000.	2,080.	2,227.	2,400.	2,540.	2,760.	2,890.


Tiled, fabric both sides Beltway two sides 	18"	79"	R3B2TFF79 18-()()	1,395.	1,475.	1,619.	1,795.	1,935.	2,155.	2,285.
	20"	79"	R3B2TFF79 20-()()	1,395.	1,475.	1,619.	1,795.	1,935.	2,155.	2,285.
	24"	79"	R3B2TFF79 24-()()	1,467.	1,547.	1,691.	1,867.	2,007.	2,227.	2,357.
	30"	79"	R3B2TFF79 30-()()	1,498.	1,578.	1,722.	1,898.	2,038.	2,258.	2,388.
	36"	79"	R3B2TFF79 36-()()	1,831.	1,911.	2,055.	2,231.	2,371.	2,591.	2,721.
	42"	79"	R3B2TFF79 42-()()	1,965.	2,045.	2,189.	2,365.	2,505.	2,725.	2,855.
	48"	79"	R3B2TFF79 48-()()	2,037.	2,117.	2,261.	2,437.	2,577.	2,797.	2,927.

Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K R3 Reff Generation 3 B1 Beltway 1 side T Tiled panel FF Fabric on both sides 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1A W281 Fabric - Side 1B W281 Fabric - Side 1C W281 Fabric - Side 1D W281 Fabric - Side 1E W281 Fabric - Side 2A W281 Fabric - Side 2B W281 Fabric - Side 2C W281 Fabric - Side 2D W281 Fabric - Side 2E V316 Maple (top trim finish) 111 Jet Black (base finish) 111 Beltway finish	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D middle <i>v</i>) tile 1E top 5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C middle <i>iv</i>) tile 2D middle <i>v</i>) tile 2E top	6. Top trim finish <i>i</i>) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts. Applicable finishes are listed on page 5 and 6.
		The panels on this page will not accept stacking modules. 6" Raceway option increases panel height by 2 ³ / ₄ ". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 79" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TFL79 18-() ()	\$1,171.	\$1,211.	\$1,281.	\$1,366.	\$1,436.	\$1,536.	\$1,601.
Regular acoustics	20"	79"	R3B0TFL79 20-() ()	1,171.	1,211.	1,281.	1,366.	1,436.	1,536.	1,601.
	24"	79"	R3B0TFL79 24-() ()	1,242.	1,282.	1,352.	1,437.	1,507.	1,607.	1,672.
	30"	79"	R3B0TFL79 30-() ()	1,302.	1,342.	1,412.	1,497.	1,567.	1,667.	1,732.
	36"	79"	R3B0TFL79 36-() ()	1,367.	1,407.	1,477.	1,562.	1,632.	1,732.	1,797.
	42"	79"	R3B0TFL79 42-() ()	1,531.	1,571.	1,641.	1,726.	1,796.	1,896.	1,961.
	48"	79"	R3B0TFL79 48-() ()	1,602.	1,642.	1,712.	1,797.	1,867.	1,967.	2,032.



Tiled, fabric one side	18"	79"	R3B1TFL79 18-() ()	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
Beltway one side (fabric side)	20"	79"	R3B1TFL79 20-() ()	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
	24"	79"	R3B1TFL79 24-() ()	1,548.	1,588.	1,657.	1,743.	1,813.	1,913.	1,978.
	30"	79"	R3B1TFL79 30-() ()	1,582.	1,622.	1,691.	1,777.	1,847.	1,947.	2,012.
	36"	79"	R3B1TFL79 36-() ()	1,899.	1,939.	2,008.	2,094.	2,164.	2,264.	2,329.
	42"	79"	R3B1TFL79 42-() ()	2,022.	2,062.	2,131.	2,217.	2,287.	2,387.	2,452.
	48"	79"	R3B1TFL79 48-() ()	2,086.	2,126.	2,195.	2,281.	2,351.	2,451.	2,516.




Order Code	Specification Information	Application Notes
Example: R3B0TFL7918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B0 No Beltway	2. Base height	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish when applicable.
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
18 18" wide	6. Laminate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
W281 Fabric - Side 1B	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	
W281 Fabric - Side 1C	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79"h add per panel: \$48 for 18w and 20w \$57 for 24w and 30w \$62 for 36w and 42w \$84 for 48w	
W281 Fabric - Side 1D	Applicable finishes are listed on page 5 and 6.	
W281 Fabric - Side 1E	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
114 Folkstone grey - side 2C		
114 Folkstone grey - side 2D		
114 Folkstone grey - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Tiled panels 79" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,259.	\$1,299.	\$1,379.	\$1,464.	\$1,534.	\$1,644.	\$1,709.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,259.	1,299.	1,379.	1,464.	1,534.	1,644.	1,709.
	24"	79"	R3B0TF179 24-() ()	1,331.	1,371.	1,451.	1,536.	1,606.	1,716.	1,781.
	30"	79"	R3B0TF179 30-() ()	1,399.	1,439.	1,519.	1,604.	1,674.	1,784.	1,849.
	36"	79"	R3B0TF179 36-() ()	1,468.	1,508.	1,588.	1,673.	1,743.	1,853.	1,918.
	42"	79"	R3B0TF179 42-() ()	1,648.	1,688.	1,768.	1,853.	1,923.	2,033.	2,098.
	48"	79"	R3B0TF179 48-() ()	1,724.	1,764.	1,844.	1,929.	1,999.	2,109.	2,174.



Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
	24"	79"	R3B1TF179 24-() ()	1,664.	1,704.	1,784.	1,869.	1,939.	2,049.	2,114.
	30"	79"	R3B1TF179 30-() ()	1,695.	1,735.	1,815.	1,900.	1,970.	2,080.	2,145.
	36"	79"	R3B1TF179 36-() ()	2,040.	2,080.	2,160.	2,245.	2,315.	2,425.	2,490.
	42"	79"	R3B1TF179 42-() ()	2,173.	2,213.	2,293.	2,378.	2,448.	2,558.	2,623.
	48"	79"	R3B1TF179 48-() ()	2,241.	2,281.	2,361.	2,446.	2,516.	2,626.	2,691.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Ref Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish, for panels with beltway
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2A		
Y328 Mahogany - side 2B		
Y328 Mahogany - side 2C		
Y328 Mahogany - side 2D		
Y328 Mahogany - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optimal milled frame		


Tiled panels 79" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-() ()	\$1,281.	\$1,321.	\$1,401.	\$1,486.	\$1,556.	\$1,666.	\$1,731.
Regular acoustics	20"	79"	R3B0TF279 20-() ()	1,281.	1,321.	1,401.	1,486.	1,556.	1,666.	1,731.
	24"	79"	R3B0TF279 24-() ()	1,355.	1,395.	1,475.	1,560.	1,630.	1,740.	1,805.
	30"	79"	R3B0TF279 30-() ()	1,422.	1,462.	1,542.	1,627.	1,697.	1,807.	1,872.
	36"	79"	R3B0TF279 36-() ()	1,494.	1,534.	1,614.	1,699.	1,769.	1,879.	1,944.
	42"	79"	R3B0TF279 42-() ()	1,674.	1,714.	1,794.	1,879.	1,949.	2,059.	2,124.
	48"	79"	R3B0TF279 48-() ()	1,753.	1,793.	1,873.	1,958.	2,028.	2,138.	2,203.




Tiled, fabric one side	18"	79"	R3B1TF279 18-() ()	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-() ()	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
	24"	79"	R3B1TF279 24-() ()	1,693.	1,733.	1,813.	1,898.	1,968.	2,078.	2,143.
	30"	79"	R3B1TF279 30-() ()	1,729.	1,769.	1,849.	1,934.	2,004.	2,114.	2,179.
	36"	79"	R3B1TF279 36-() ()	2,078.	2,118.	2,198.	2,283.	2,353.	2,463.	2,528.
	42"	79"	R3B1TF279 42-() ()	2,209.	2,249.	2,329.	2,414.	2,484.	2,594.	2,659.
	48"	79"	R3B1TF279 48-() ()	2,281.	2,321.	2,401.	2,486.	2,556.	2,666.	2,731.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2 Tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-() ()	\$1,700.	\$1,740.	\$1,820.	\$1,905.	\$1,975.	\$2,085.	\$2,150.
Regular acoustics	20"	79"	R3B0TF379 20-() ()	1,700.	1,740.	1,820.	1,905.	1,975.	2,085.	2,150.
	24"	79"	R3B0TF379 24-() ()	1,801.	1,841.	1,921.	2,006.	2,076.	2,186.	2,251.
	30"	79"	R3B0TF379 30-() ()	1,894.	1,934.	2,014.	2,099.	2,169.	2,279.	2,344.
	36"	79"	R3B0TF379 36-() ()	1,991.	2,031.	2,111.	2,196.	2,266.	2,376.	2,441.
	42"	79"	R3B0TF379 42-() ()	2,234.	2,274.	2,354.	2,439.	2,509.	2,619.	2,684.
	48"	79"	R3B0TF379 48-() ()	2,339.	2,379.	2,459.	2,544.	2,614.	2,724.	2,789.

Tiled, fabric one side	18"	79"	R3B1TF379 18-() ()	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
Beltway fabric side	20"	79"	R3B1TF379 20-() ()	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
	24"	79"	R3B1TF379 24-() ()	2,258.	2,298.	2,378.	2,463.	2,533.	2,643.	2,708.
	30"	79"	R3B1TF379 30-() ()	2,307.	2,347.	2,427.	2,512.	2,582.	2,692.	2,757.
	36"	79"	R3B1TF379 36-() ()	2,778.	2,818.	2,898.	2,983.	3,053.	3,163.	3,228.
	42"	79"	R3B1TF379 42-() ()	2,957.	2,997.	3,077.	3,162.	3,232.	3,342.	3,407.
	48"	79"	R3B1TF379 48-() ()	3,054.	3,094.	3,174.	3,259.	3,329.	3,439.	3,504.

Order Code

Specification Information

Application Notes

Example: R3B0TF37918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
6. Exotic veneer, finish (specify one V3 finish for side)
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
4. *Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
79"h add per panel:
\$52 for 18w and 20w
\$60 for 24w and 30w
\$64 for 36w and 42w
\$86 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	79"	R3B0TLL7918 () ()	\$1,337.
with raceway both sides	20"	79"	R3B0TLL7920 () ()	1,337.
	24"	79"	R3B0TLL7924 () ()	1,457.
	30"	79"	R3B0TLL7930 () ()	1,633.
	36"	79"	R3B0TLL7936 () ()	1,763.
	42"	79"	R3B0TLL7942 () ()	1,816.
	48"	79"	R3B0TLL7948 () ()	1,908.



Example: **R3B0TLL7918-A4K**

R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 1D
118	Laminate - side 1E
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
118	Laminate - side 2D
118	Laminate - side 2E
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Laminate side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
- Laminate, finish
- Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height

4. Extruded aluminum tile divider:

- Optional for non fabric side only** (fabric side always black)
- 79"h add per panel:
- \$52 for 18w and 20w
- \$60 for 24w and 30w
- \$64 for 36w and 42w
- \$86 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will not accept stacking modules.

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	R2APT3418 ()	\$102.	
	20"	34"	R2APT3420 ()	102.	
	24"	34"	R2APT3424 ()	105.	
	30"	34"	R2APT3430 ()	107.	
	36"	34"	R2APT3436 ()	112.	
	42"	34"	R2APT3442 ()	114.	
	48"	34"	R2APT3448 ()	119.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	R2APT4218 ()	157.	
	20"	42"	R2APT4220 ()	157.	
	24"	42"	R2APT4224 ()	162.	
	30"	42"	R2APT4230 ()	164.	
	36"	42"	R2APT4236 ()	173.	
	42"	42"	R2APT4242 ()	178.	
	48"	42"	R2APT4248 ()	186.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes																						
<p>Example: R2APT3418 AA</p> <table border="1"> <tr> <td>R2</td> <td>Reff Generation 2</td> </tr> <tr> <td>A</td> <td>Aluminum</td> </tr> <tr> <td>PT</td> <td>Panel trim</td> </tr> <tr> <td>34</td> <td>for 34" h</td> </tr> <tr> <td>18</td> <td>for 18" w</td> </tr> <tr> <td>AA</td> <td>Anodized aluminum</td> </tr> </table>	R2	Reff Generation 2	A	Aluminum	PT	Panel trim	34	for 34" h	18	for 18" w	AA	Anodized aluminum	<p><i>To order specify pattern number including height and width as applicable.</i></p> <p>1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver</p> <p>Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.</p> <table border="1"> <tr> <td>34" h</td> <td>1:1</td> </tr> <tr> <td>42" h</td> <td>1:2</td> </tr> <tr> <td>49" h</td> <td>1:2</td> </tr> <tr> <td>64" h</td> <td>1:3</td> </tr> <tr> <td>79" h</td> <td>1:4</td> </tr> </table> <p>Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and</p>	34" h	1:1	42" h	1:2	49" h	1:2	64" h	1:3	79" h	1:4	<p>when aluminum vertical hookstrip cover installed, forfeit panel hung capability.</p> <p>When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)</p> <p>Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.</p> <p>R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.</p> <p>R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.</p> <p>Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.</p>
R2	Reff Generation 2																							
A	Aluminum																							
PT	Panel trim																							
34	for 34" h																							
18	for 18" w																							
AA	Anodized aluminum																							
34" h	1:1																							
42" h	1:2																							
49" h	1:2																							
64" h	1:3																							
79" h	1:4																							

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49" h tiled with 4" or 6" h base raceway	18"	49"	R2APT4918 ()	\$168.	
	20"	49"	R2APT4920 ()	168.	
	24"	49"	R2APT4924 ()	174.	
	30"	49"	R2APT4930 ()	176.	
	36"	49"	R2APT4936 ()	185.	
	42"	49"	R2APT4942 ()	193.	
	48"	49"	R2APT4948 ()	199.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64" h tiled with 4" or 6" h base raceway	18"	64"	R2APT6418 ()	237.	
	20"	64"	R2APT6420 ()	237.	
	24"	64"	R2APT6424 ()	246.	
	30"	64"	R2APT6430 ()	251.	
	36"	64"	R2APT6436 ()	263.	
	42"	64"	R2APT6442 ()	273.	
	48"	64"	R2APT6448 ()	283.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
R2 Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
A Aluminum												
PT Panel trim	1. Specify reveal finish	R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.										
34 for 34" h	AA-anodized aluminum or painted option from page 5 excluding silver											
18 for 18" w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.										
AA Anodized aluminum	<table border="0"> <tr><td>34" h</td><td>1:1</td></tr> <tr><td>42" h</td><td>1:2</td></tr> <tr><td>49" h</td><td>1:2</td></tr> <tr><td>64" h</td><td>1:3</td></tr> <tr><td>79" h</td><td>1:4</td></tr> </table>	34" h	1:1	42" h	1:2	49" h	1:2	64" h	1:3	79" h	1:4	<p>When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)</p> <p>Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.</p>
34" h	1:1											
42" h	1:2											
49" h	1:2											
64" h	1:3											
79" h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and											

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	R2APT7918 ()	\$307.	
	20"	79"	R2APT7920 ()	307.	
	24"	79"	R2APT7924 ()	317.	
	30"	79"	R2APT7930 ()	323.	
	36"	79"	R2APT7936 ()	341.	
	42"	79"	R2APT7942 ()	352.	
	48"	79"	R2APT7948 ()	370.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"	R2ATPK34 ()	68.
	42"	R2ATPK42 ()	85.
	49"	R2ATPK49 ()	97.
	64"	R2ATPK64 ()	134.
	79"	R2ATPK79 ()	168.

Order Code	Specification Information	Application Notes																						
<p>Example: R2APT3418 AA</p> <table border="1"> <tr> <td>R2</td> <td>Reff Generation 2</td> </tr> <tr> <td>A</td> <td>Aluminum</td> </tr> <tr> <td>PT</td> <td>Panel trim</td> </tr> <tr> <td>34</td> <td>for 34" h</td> </tr> <tr> <td>18</td> <td>for 18" w</td> </tr> <tr> <td>AA</td> <td>Anodized aluminum</td> </tr> </table>	R2	Reff Generation 2	A	Aluminum	PT	Panel trim	34	for 34" h	18	for 18" w	AA	Anodized aluminum	<p><i>To order specify pattern number including height and width as applicable.</i></p> <p>1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver</p> <p>Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.</p> <table border="1"> <tr> <td>34" h</td> <td>1:1</td> </tr> <tr> <td>42" h</td> <td>1:2</td> </tr> <tr> <td>49" h</td> <td>1:2</td> </tr> <tr> <td>64" h</td> <td>1:3</td> </tr> <tr> <td>79" h</td> <td>1:4</td> </tr> </table> <p>Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and</p>	34" h	1:1	42" h	1:2	49" h	1:2	64" h	1:3	79" h	1:4	<p>when aluminum vertical hookstrip cover installed, forfeit panel hung capability.</p> <p>When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)</p> <p>Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.</p> <p>R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.</p> <p>R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.</p> <p>Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.</p>
R2	Reff Generation 2																							
A	Aluminum																							
PT	Panel trim																							
34	for 34" h																							
18	for 18" w																							
AA	Anodized aluminum																							
34" h	1:1																							
42" h	1:2																							
49" h	1:2																							
64" h	1:3																							
79" h	1:4																							

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6"h raceway		34"	R2ALPK34 ()		\$67.
		42"	R2ALPK42 ()		93.
		49"	R2ALPK49 ()		102.
		64"	R2ALPK64 ()		141.
		79"	R2ALPK79 ()		178.
Alum vertical reveal for end trim with 4" or 6"h raceway		34"	R2AETK34 ()		66.
		42"	R2AETK42 ()		80.
		49"	R2AETK49 ()		94.
		64"	R2AETK64 ()		125.
		79"	R2AETK79 ()		158.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
R2 Reff Generation 2		
A Aluminum		
PT Panel trim		
34 for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w		R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height. 34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.) Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	R2AHCR34 ()		\$66.
		38"	R2AHCR42 ()		80.
		45"	R2AHCR49 ()		94.
		60"	R2AHCR64 ()		125.
		75"	R2AHCR79 ()		158.

for use with generation 2 or 3 installations

Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18 ()		45.
	20"		R2AHTR20 ()		45.
	24"		R2AHTR24 ()		47.
	30"		R2AHTR30 ()		52.
	36"		R2AHTR36 ()		56.
	42"		R2AHTR42 ()		58.
	48"		R2AHTR48 ()		65.

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
R2 Reff Generation 2		
A Aluminum		
PT Panel trim		
34 for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w		R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height. 34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.) Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18 ()	\$39.	
	20"		R2AHWR20 ()	39.	
	24"		R2AHWR24 ()	41.	
	30"		R2AHWR30 ()	42.	
	36"		R2AHWR36 ()	46.	
	42"		R2AHWR42 ()	48.	
	48"		R2AHWR48 ()	54.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18 ()	39.	
	20"		R2AHBW20 ()	39.	
	24"		R2AHBW24 ()	41.	
	30"		R2AHBW30 ()	42.	
	36"		R2AHBW36 ()	46.	
	42"		R2AHBW42 ()	48.	
	48"		R2AHBW48 ()	54.	
horizontal reveal only					

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
R2 Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
A Aluminum												
PT Panel trim	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)										
34 for 34" h	AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.										
18 for 18" w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.										
AA Anodized aluminum	<table border="0"> <tr><td>34" h</td><td>1:1</td></tr> <tr><td>42" h</td><td>1:2</td></tr> <tr><td>49" h</td><td>1:2</td></tr> <tr><td>64" h</td><td>1:3</td></tr> <tr><td>79" h</td><td>1:4</td></tr> </table>	34" h	1:1	42" h	1:2	49" h	1:2	64" h	1:3	79" h	1:4	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34" h	1:1											
42" h	1:2											
49" h	1:2											
64" h	1:3											
79" h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (lamine, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and											

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()	\$39.	
	20"		R2AHSR20 ()	39.	
	24"		R2AHSR24 ()	41.	
	30"		R2AHSR30 ()	42.	
	36"		R2AHSR36 ()	46.	
	42"		R2AHSR42 ()	48.	
	48"		R2AHSR48 ()	54.	

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
R2 Reff Generation 2		
A Aluminum		
PT Panel trim		
34 for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w		R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height. 34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

Beltway one side, window panel 49" H tiled panel with glass type "A" at top


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-() ()	\$1,279.	\$1,311.	\$1,368.	\$1,439.	\$1,495.	\$1,583.	\$1,635.
	20"	49"	R3B1TFFA49 20-() ()	1,279.	1,311.	1,368.	1,439.	1,495.	1,583.	1,635.
	24"	49"	R3B1TFFA49 24-() ()	1,323.	1,355.	1,412.	1,483.	1,539.	1,627.	1,679.
	30"	49"	R3B1TFFA49 30-() ()	1,414.	1,446.	1,503.	1,574.	1,630.	1,718.	1,770.
	36"	49"	R3B1TFFA49 36-() ()	1,702.	1,734.	1,791.	1,862.	1,918.	2,006.	2,058.
	42"	49"	R3B1TFFA49 42-() ()	1,854.	1,886.	1,943.	2,014.	2,070.	2,158.	2,210.
	48"	49"	R3B1TFFA49 48-() ()	1,940.	1,972.	2,029.	2,100.	2,156.	2,244.	2,296.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
A Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
49 49" high	6. Top trim finish	
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1A	9. Glass window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1B	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		



Beltway one side, window panel 49" H tiled panel with glass type "B" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,525.	\$1,557.	\$1,614.	\$1,685.	\$1,741.	\$1,829.	\$1,881.
	36"	49"	R3B1TFFB49 36-() ()	1,822.	1,854.	1,911.	1,982.	2,038.	2,126.	2,178.
	42"	49"	R3B1TFFB49 42-() ()	1,974.	2,006.	2,063.	2,134.	2,190.	2,278.	2,330.
	48"	49"	R3B1TFFB49 48-() ()	2,069.	2,101.	2,158.	2,229.	2,285.	2,373.	2,425.



Order Code	Specification Information	Application Notes
Example: R3B1TFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
FF Fabric both sides		E = Extruded Aluminum
B Type B window		2. Base height:
49 49" high		4 = 4" base height
30 30" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
Y328 Mahogany - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	R3B1PFFA49 18-() ()	\$1,156.	\$1,174.	\$1,216.	\$1,301.	\$1,355.	\$1,433.	\$1,512.
	20"	49"	R3B1PFFA49 20-() ()	1,156.	1,174.	1,216.	1,301.	1,355.	1,433.	1,512.
	24"	49"	R3B1PFFA49 24-() ()	1,197.	1,215.	1,257.	1,342.	1,396.	1,474.	1,553.
	30"	49"	R3B1PFFA49 30-() ()	1,275.	1,293.	1,335.	1,420.	1,474.	1,552.	1,631.
	36"	49"	R3B1PFFA49 36-() ()	1,518.	1,536.	1,578.	1,663.	1,717.	1,795.	1,874.
	42"	49"	R3B1PFFA49 42-() ()	1,647.	1,665.	1,707.	1,792.	1,846.	1,924.	2,003.
	48"	49"	R3B1PFFA49 48-() ()	1,726.	1,744.	1,786.	1,871.	1,925.	2,003.	2,082.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	R3B1PFFB49 30-() ()	1,386.	1,404.	1,446.	1,531.	1,585.	1,663.	1,742.
	36"	49"	R3B1PFFB49 36-() ()	1,638.	1,656.	1,698.	1,783.	1,837.	1,915.	1,994.
	42"	49"	R3B1PFFB49 42-() ()	1,767.	1,785.	1,827.	1,912.	1,966.	2,044.	2,123.
	48"	49"	R3B1PFFB49 48-() ()	1,855.	1,873.	1,915.	2,000.	2,054.	2,132.	2,211.


Order Code	Specification Information	Application Notes
Example: R3B1PFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
A Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
49 49" high	6. Top trim finish	
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. Glass window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Beltway one side, window panel 49" H
 tiled with glass type "A" at top,
 fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-() ()	\$1,417.	\$1,433.	\$1,465.	\$1,499.	\$1,527.	\$1,571.	\$1,610.
	20"	49"	R3B1TFLA49 20-() ()	1,417.	1,432.	1,465.	1,499.	1,527.	1,571.	1,610.
	24"	49"	R3B1TFLA49 24-() ()	1,462.	1,478.	1,510.	1,544.	1,572.	1,616.	1,655.
	30"	49"	R3B1TFLA49 30-() ()	1,555.	1,571.	1,603.	1,637.	1,665.	1,709.	1,748.
	36"	49"	R3B1TFLA49 36-() ()	1,847.	1,863.	1,895.	1,929.	1,957.	2,001.	2,040.
	42"	49"	R3B1TFLA49 42-() ()	2,000.	2,016.	2,048.	2,082.	2,110.	2,154.	2,193.
	48"	49"	R3B1TFLA49 48-() ()	2,091.	2,107.	2,139.	2,173.	2,201.	2,245.	2,284.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
FL Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height:
49 49" high		4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	6. Laminate side finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
114 Folkstone grey - side 2A	8. Base finish	
114 Folkstone grey - side 2B	9. Beltway finish	
V316 Maple (top trim finish)	10. Window frame finish	
111 Jet Black (base finish)	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with glass type "B" at top,
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-() ()	\$1,670.	\$1,686.	\$1,718.	\$1,752.	\$1,780.	\$1,824.	\$1,863.
	36"	49"	R3B1TFLB49 36-() ()	1,967.	1,983.	2,015.	2,049.	2,077.	2,121.	2,160.
	42"	49"	R3B1TFLB49 42-() ()	2,120.	2,136.	2,168.	2,202.	2,230.	2,274.	2,313.
	48"	49"	R3B1TFLB49 48-() ()	2,222.	2,238.	2,270.	2,304.	2,332.	2,376.	2,415.




Order Code	Specification Information	Application Notes
Example: R3B1TFLB4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
FL Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 18" \$86
49 49" high		20" \$86
18 18" wide		24" \$101
A Flat style top trim profile		30" \$121
4 4" base height		36" \$145
K Include knockouts in base		42" \$173
B Tile divider, black reveal		48" \$198
W281 Fabric selection - side 1A	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
W281 Fabric selection - side 1B	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
114 Folkstone grey - side 2A	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
114 Folkstone grey - side 2B	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
V316 Maple (top trim finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
111 Jet Black (base finish)	8. Base finish	Applicable finishes are listed on page 5 and 6.
111 Jet Black (beltway finish)	9. Beltway finish	
111 Jet Black (window frame finish)	10. Window frame finish	
TEMP Glass option	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Beltway one side, window panel 49" H
 monolithic with glass at top,
 fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PFLA49 18-() ()	\$1,171.	\$1,181.	\$1,203.	\$1,246.	\$1,273.	\$1,313.	\$1,340.
	20"	49"	R3B1PFLA49 20-() ()	1,172.	1,181.	1,203.	1,246.	1,273.	1,313.	1,340.
	24"	49"	R3B1PFLA49 24-() ()	1,232.	1,241.	1,263.	1,306.	1,333.	1,373.	1,400.
	30"	49"	R3B1PFLA49 30-() ()	1,342.	1,351.	1,373.	1,416.	1,443.	1,483.	1,510.
	36"	49"	R3B1PFLA49 36-() ()	1,620.	1,629.	1,651.	1,694.	1,721.	1,761.	1,788.
	42"	49"	R3B1PFLA49 42-() ()	1,781.	1,790.	1,812.	1,855.	1,882.	1,922.	1,949.
	48"	49"	R3B1PFLA49 48-() ()	1,894.	1,903.	1,925.	1,968.	1,995.	2,035.	2,062.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PFLB49 30-() ()	1,457.	1,466.	1,488.	1,531.	1,558.	1,598.	1,625.
	36"	49"	R3B1PFLB49 36-() ()	1,740.	1,749.	1,771.	1,814.	1,841.	1,881.	1,908.
	42"	49"	R3B1PFLB49 42-() ()	1,901.	1,910.	1,932.	1,975.	2,002.	2,042.	2,069.
	48"	49"	R3B1PFLB49 48-() ()	2,025.	2,034.	2,056.	2,099.	2,126.	2,166.	2,193.



Order Code	Specification Information	Application Notes
Example: R3B1PFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
FL Fabric BW side, laminate other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
A Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
49 49" high	6. Laminate side finish (specify selection per insert; bottom up.)	4 = 4" base height
18 18" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
114 Folkstone grey - side 2	11. Glass option	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	Temp = Clear temp	
111 Jet Black (base finish)	<i>Architectural options:</i>	
111 Jet Black (beltway finish)	GL13 = Powder glass	
111 Jet Black (window frame finish)	GL6 = Block matrix glass	
TEMP Glass option	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
 Add to all products on this page:
 upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Product on this page will accept wood grain laminate where laminate is currently an option.
 Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-() ()	\$1,440.	\$1,456.	\$1,488.	\$1,522.	\$1,550.	\$1,594.	\$1,633.
	20"	49"	R3B1TF1A49 20-() ()	1,440.	1,456.	1,488.	1,522.	1,550.	1,594.	1,633.
	24"	49"	R3B1TF1A49 24-() ()	1,489.	1,505.	1,537.	1,571.	1,599.	1,643.	1,682.
	30"	49"	R3B1TF1A49 30-() ()	1,582.	1,598.	1,630.	1,664.	1,692.	1,736.	1,775.
	36"	49"	R3B1TF1A49 36-() ()	1,881.	1,897.	1,929.	1,963.	1,991.	2,035.	2,074.
	42"	49"	R3B1TF1A49 42-() ()	2,038.	2,054.	2,086.	2,120.	2,148.	2,192.	2,231.
	48"	49"	R3B1TF1A49 48-() ()	2,127.	2,143.	2,175.	2,209.	2,237.	2,281.	2,320.




Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	6. Techwood side, finish (specify one V1 finish for side)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
W281 Fabric selection - side 1B	8. Base finish	Add upcharge for architectural glass: (as applicable by width)
Y328 Mahogany - side 2 tiled	9. Beltway finish	Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198
V316 Maple (top trim finish)	10. Window frame finish	Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
111 Jet Black (base finish)	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
111 Jet Black (beltway finish)		Width Add 18" \$14 20" \$14 24" \$15 30" \$15 36" \$16 42" \$16 48" \$21
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, techwood other side

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-()()	\$1,697.	\$1,713.	\$1,745.	\$1,779.	\$1,807.	\$1,851.	\$1,890.
	36"	49"	R3B1TF1B49 36-()()	2,001.	2,017.	2,049.	2,083.	2,111.	2,155.	2,194.
	42"	49"	R3B1TF1B49 42-()()	2,158.	2,174.	2,206.	2,240.	2,268.	2,312.	2,351.
	48"	49"	R3B1TF1B49 48-()()	2,258.	2,274.	2,306.	2,340.	2,368.	2,412.	2,451.



Order Code	Specification Information	Application Notes
Example: R3B1TF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F1 Fabric one side, V1 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
B Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
49 49" high	6. Techwood side, finish (specify one V1 finish for side)	4 = 4" base height
30 30" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B	11. Glass option	Applicable finishes are listed on page 5 and 6.
Y328 Mahogany - side 2 tiled	Temp = Clear temp	
V316 Maple (top trim finish)	Architectural options:	
111 Jet Black (base finish)	GL13 = Powder glass	
111 Jet Black (beltway finish)	GL6 = Block matrix glass	
111 Jet Black (window frame finish)	GL8 = Wafer glass	
TEMP Glass option		


Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF1A49 18-() ()	\$1,194.	\$1,203.	\$1,225.	\$1,268.	\$1,295.	\$1,335.	\$1,362.
	20"	49"	R3B1PF1A49 20-() ()	1,194.	1,203.	1,225.	1,268.	1,295.	1,335.	1,362.
	24"	49"	R3B1PF1A49 24-() ()	1,252.	1,261.	1,283.	1,326.	1,353.	1,393.	1,420.
	30"	49"	R3B1PF1A49 30-() ()	1,364.	1,373.	1,395.	1,438.	1,465.	1,505.	1,532.
	36"	49"	R3B1PF1A49 36-() ()	1,646.	1,655.	1,677.	1,720.	1,747.	1,787.	1,814.
	42"	49"	R3B1PF1A49 42-() ()	1,815.	1,824.	1,846.	1,889.	1,916.	1,956.	1,983.
	48"	49"	R3B1PF1A49 48-() ()	1,925.	1,934.	1,956.	1,999.	2,026.	2,066.	2,093.

 Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF1B49 30-() ()	1,479.	1,488.	1,510.	1,553.	1,580.	1,620.	1,647.
	36"	49"	R3B1PF1B49 36-() ()	1,766.	1,775.	1,797.	1,840.	1,867.	1,907.	1,934.
	42"	49"	R3B1PF1B49 42-() ()	1,935.	1,944.	1,966.	2,009.	2,036.	2,076.	2,103.
	48"	49"	R3B1PF1B49 48-() ()	2,056.	2,065.	2,087.	2,130.	2,157.	2,197.	2,224.

Order Code	Specification Information	Application Notes
Example: R3B1PF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
30 30" wide	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
Y328 Mahogany - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,467.	\$1,483.	\$1,515.	\$1,549.	\$1,577.	\$1,621.	\$1,660.
	20"	49"	R3B1TF2A49 20-() ()	1,467.	1,483.	1,515.	1,549.	1,577.	1,621.	1,660.
	24"	49"	R3B1TF2A49 24-() ()	1,514.	1,530.	1,562.	1,596.	1,624.	1,668.	1,707.
	30"	49"	R3B1TF2A49 30-() ()	1,608.	1,624.	1,656.	1,690.	1,718.	1,762.	1,801.
	36"	49"	R3B1TF2A49 36-() ()	1,910.	1,926.	1,958.	1,992.	2,020.	2,064.	2,103.
	42"	49"	R3B1TF2A49 42-() ()	2,070.	2,086.	2,118.	2,152.	2,180.	2,224.	2,263.
	48"	49"	R3B1TF2A49 48-() ()	2,163.	2,179.	2,211.	2,245.	2,273.	2,317.	2,356.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric selection - side 1B		
V316 Maple surface - side 2 tiled	8. Base finish	
V316 Maple (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-() ()	\$1,723.	\$1,739.	\$1,771.	\$1,805.	\$1,833.	\$1,877.	\$1,916.
	36"	49"	R3B1TF2B49 36-() ()	2,030.	2,046.	2,078.	2,112.	2,140.	2,184.	2,223.
	42"	49"	R3B1TF2B49 42-() ()	2,190.	2,206.	2,238.	2,272.	2,300.	2,344.	2,383.
	48"	49"	R3B1TF2B49 48-() ()	2,294.	2,310.	2,342.	2,376.	2,404.	2,448.	2,487.



Order Code	Specification Information	Application Notes
Example: R3B1TF2B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
30 30" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric selection - side 1B		
V316 Maple surface - side 2 tiled	8. Base finish	
V316 Maple (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
*monolithic with glass at top,
 fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF2A49 18-() ()	\$1,214.	\$1,223.	\$1,245.	\$1,288.	\$1,315.	\$1,355.	\$1,382.
	20"	49"	R3B1PF2A49 20-() ()	1,214.	1,223.	1,245.	1,288.	1,315.	1,355.	1,382.
	24"	49"	R3B1PF2A49 24-() ()	1,273.	1,282.	1,304.	1,347.	1,374.	1,414.	1,441.
	30"	49"	R3B1PF2A49 30-() ()	1,391.	1,400.	1,422.	1,465.	1,492.	1,532.	1,559.
	36"	49"	R3B1PF2A49 36-() ()	1,677.	1,686.	1,708.	1,751.	1,778.	1,818.	1,845.
	42"	49"	R3B1PF2A49 42-() ()	1,843.	1,852.	1,874.	1,917.	1,944.	1,984.	2,011.
	48"	49"	R3B1PF2A49 48-() ()	1,954.	1,963.	1,985.	2,028.	2,055.	2,095.	2,122.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF2B49 30-() ()	1,506.	1,515.	1,537.	1,580.	1,607.	1,647.	1,674.
	36"	49"	R3B1PF2B49 36-() ()	1,797.	1,806.	1,828.	1,871.	1,898.	1,938.	1,965.
	42"	49"	R3B1PF2B49 42-() ()	1,963.	1,972.	1,994.	2,037.	2,064.	2,104.	2,131.
	48"	49"	R3B1PF2B49 48-() ()	2,085.	2,094.	2,116.	2,159.	2,186.	2,226.	2,253.

Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	6. Conventional veneer side, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	8. Base finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	9. Beltway finish	
V316 Maple surface - side 2	10. Window frame finish	
V316 Maple (top trim finish)	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by widths)


Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H tiled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics 	18"	49"	R3B1TF3A49 18-()	\$1,938.	\$1,954.	\$1,986.	\$2,020.	\$2,048.	\$2,092.	\$2,131.
	20"	49"	R3B1TF3A49 20-()	1,938.	1,954.	1,986.	2,020.	2,048.	2,092.	2,131.
	24"	49"	R3B1TF3A49 24-()	1,996.	2,012.	2,044.	2,078.	2,106.	2,150.	2,189.
	30"	49"	R3B1TF3A49 30-()	2,113.	2,129.	2,161.	2,195.	2,223.	2,267.	2,306.
	36"	49"	R3B1TF3A49 36-()	2,512.	2,528.	2,560.	2,594.	2,622.	2,666.	2,705.
	42"	49"	R3B1TF3A49 42-()	2,718.	2,734.	2,766.	2,800.	2,828.	2,872.	2,911.
	48"	49"	R3B1TF3A49 48-()	2,835.	2,851.	2,883.	2,917.	2,945.	2,989.	3,028.


Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics 	30"	49"	R3B1TF3B49 30-()	2,228.	2,244.	2,276.	2,310.	2,338.	2,382.	2,421.
	36"	49"	R3B1TF3B49 36-()	2,632.	2,648.	2,680.	2,714.	2,742.	2,786.	2,825.
	42"	49"	R3B1TF3B49 42-()	2,838.	2,854.	2,886.	2,920.	2,948.	2,992.	3,031.
	48"	49"	R3B1TF3B49 48-()	2,966.	2,982.	3,014.	3,048.	3,076.	3,120.	3,159.

Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1B		
V512 Figured Anigre surface - side 2 tiled		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H

monolithic with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,593.	\$1,602.	\$1,624.	\$1,667.	\$1,694.	\$1,734.	\$1,761.
	20"	49"	R3B1PF3A49 20-() ()	1,593.	1,602.	1,624.	1,667.	1,694.	1,734.	1,761.
	24"	49"	R3B1PF3A49 24-() ()	1,669.	1,678.	1,700.	1,743.	1,770.	1,810.	1,837.
	30"	49"	R3B1PF3A49 30-() ()	1,817.	1,826.	1,848.	1,891.	1,918.	1,958.	1,985.
	36"	49"	R3B1PF3A49 36-() ()	2,195.	2,204.	2,226.	2,269.	2,296.	2,336.	2,363.
	42"	49"	R3B1PF3A49 42-() ()	2,409.	2,418.	2,440.	2,483.	2,510.	2,550.	2,577.
	48"	49"	R3B1PF3A49 48-() ()	2,551.	2,560.	2,582.	2,625.	2,652.	2,692.	2,719.




Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	1,932.	1,941.	1,963.	2,006.	2,033.	2,073.	2,100.
	36"	49"	R3B1PF3B49 36-() ()	2,315.	2,324.	2,346.	2,389.	2,416.	2,456.	2,483.
	42"	49"	R3B1PF3B49 42-() ()	2,529.	2,538.	2,560.	2,603.	2,630.	2,670.	2,697.
	48"	49"	R3B1PF3B49 48-() ()	2,682.	2,691.	2,713.	2,756.	2,783.	2,823.	2,850.




Order Code	Specification Information	Application Notes
Example: R3B1PF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 18" \$86, 20" \$86, 24" \$101, 30" \$121, 36" \$145, 42" \$173, 48" \$198
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	8. Base finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	9. Beltway finish	
V512 Figured Anigre surface - side 2	10. Window frame finish	
V512 Figured Anigre (top trim finish)	11. Glass option	
111 Jet Black (base finish)	Temp = Clear temp	
111 Jet Black (beltway finish)	Architectural options:	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway two sides, window panel 49" H tiled with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,297.	\$1,329.	\$1,383.	\$1,457.	\$1,513.	\$1,601.	\$1,653.
	20"	49"	R3B2TFFA49 20-() ()	1,297.	1,329.	1,383.	1,457.	1,513.	1,601.	1,653.
	24"	49"	R3B2TFFA49 24-() ()	1,344.	1,376.	1,430.	1,504.	1,560.	1,648.	1,700.
	30"	49"	R3B2TFFA49 30-() ()	1,438.	1,470.	1,524.	1,598.	1,654.	1,742.	1,794.
	36"	49"	R3B2TFFA49 36-() ()	1,730.	1,752.	1,816.	1,890.	1,946.	2,034.	2,086.
	42"	49"	R3B2TFFA49 42-() ()	1,883.	1,915.	1,969.	2,043.	2,099.	2,187.	2,239.
	48"	49"	R3B2TFFA49 48-() ()	1,975.	2,007.	2,061.	2,135.	2,191.	2,279.	2,331.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	1,549.	1,581.	1,635.	1,709.	1,765.	1,853.	1,905.
	36"	49"	R3B2TFFB49 36-() ()	1,850.	1,882.	1,936.	2,010.	2,066.	2,154.	2,206.
	42"	49"	R3B2TFFB49 42-() ()	2,003.	2,035.	2,089.	2,163.	2,219.	2,307.	2,359.
	48"	49"	R3B2TFFB49 48-() ()	2,104.	2,136.	2,190.	2,264.	2,320.	2,408.	2,460.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
B2 Beltway two sides	2. Base height	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 ³ / ₄ ".
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
49 49" high	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
18 18" wide	7. Base finish	
A Flat style top trim profile	8. Beltway finish	
4 4" base height	9. Window frame finish	
K Include knockouts in base	10. Glass option Temp = clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1A		
W281 Fabric selection - side 1B		
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Beltway two sides, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	R3B2PFFA49 18-() ()	\$1,173.	\$1,193.	\$1,235.	\$1,319.	\$1,375.	\$1,453.	\$1,503.
	20"	49"	R3B2PFFA49 20-() ()	1,173.	1,193.	1,235.	1,319.	1,375.	1,453.	1,503.
	24"	49"	R3B2PFFA49 24-() ()	1,215.	1,235.	1,277.	1,361.	1,417.	1,495.	1,545.
	30"	49"	R3B2PFFA49 30-() ()	1,297.	1,317.	1,359.	1,443.	1,499.	1,577.	1,627.
	36"	49"	R3B2PFFA49 36-() ()	1,542.	1,562.	1,604.	1,688.	1,744.	1,822.	1,872.
	42"	49"	R3B2PFFA49 42-() ()	1,676.	1,696.	1,738.	1,822.	1,878.	1,956.	2,006.
	48"	49"	R3B2PFFA49 48-() ()	1,756.	1,776.	1,818.	1,902.	1,958.	2,036.	2,086.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	R3B2PFFB49 30-() ()	1,408.	1,428.	1,470.	1,554.	1,610.	1,688.	1,738.
	36"	49"	R3B2PFFB49 36-() ()	1,662.	1,682.	1,724.	1,808.	1,864.	1,942.	1,992.
	42"	49"	R3B2PFFB49 42-() ()	1,796.	1,816.	1,858.	1,942.	1,998.	2,076.	2,126.
	48"	49"	R3B2PFFB49 48-() ()	1,885.	1,905.	1,947.	2,031.	2,087.	2,165.	2,215.

Order Code	Specification Information	Application Notes
Example: R3B2PFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
30 30" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric selection - side 1	8. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	9. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V316 Maple (top trim finish)	10. Glass option	
111 Jet Black (base finish)	Temp = clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Stacking modules *fabric*

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	R3SFF08 18	\$210.	\$216.	\$236.	\$268.	\$280.	\$302.	\$316.
	20"	8"	R3SFF08 20	210.	216.	236.	268.	280.	302.	316.
	24"	8"	R3SFF08 24	220.	226.	246.	278.	290.	312.	326.
	30"	8"	R3SFF08 30	245.	251.	271.	303.	315.	337.	351.
	36"	8"	R3SFF08 36	267.	273.	293.	325.	337.	358.	373.
	42"	8"	R3SFF08 42	291.	297.	317.	349.	361.	383.	397.
	48"	8"	R3SFF08 48	313.	319.	339.	371.	383.	405.	419.
Stacking modules* Fabric both sides	18"	15"	R3SFF15 18	283.	299.	329.	363.	391.	435.	459.
	20"	15"	R3SFF15 20	283.	299.	329.	363.	391.	435.	459.
	24"	15"	R3SFF15 24	299.	315.	345.	379.	407.	451.	475.
	30"	15"	R3SFF15 30	329.	345.	375.	409.	437.	481.	505.
	36"	15"	R3SFF15 36	363.	379.	409.	443.	471.	515.	539.
	42"	15"	R3SFF15 42	391.	407.	437.	471.	499.	543.	567.
	48"	15"	R3SFF15 48	423.	439.	469.	503.	531.	575.	599.

Order Code

Example: R3SFF0818	
R3	Reff Generation 3
S	Stacking module
FF	Fabric/fabric
08	8" high
18	18" wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2

Specification Information

To order please specify:

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

Application Notes

* Not for use on 79"H panels.


* * Suitable only for top of any panel. Cannot be stacked upon.


8" module will not accept additional modules on top.



Use of 8" module on panel heights other than 34"h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A"	18"	15"	RSWA15 18	\$462.	\$555.	\$15.	\$29.	\$47.
	20"	15"	RSWA15 20	462.	555.	15.	29.	47.
	24"	15"	RSWA15 24	487.	592.	15.	29.	50.
	30"	15"	RSWA15 30	564.	660.	15.	29.	56.
	36"	15"	RSWA15 36	585.	744.	15.	29.	57.
	42"	15"	RSWA15 42	616.	797.	15.	29.	60.
	48"	15"	RSWA15 48	638.	849.	15.	29.	63.

Stacking window module* Center mullion, type "B"	30"	15"	RSWB15 30	675.	808.	15.	29.	67.
	36"	15"	RSWB15 36	707.	862.	15.	29.	70.
	42"	15"	RSWB15 42	736.	919.	15.	29.	73.
	48"	15"	RSWB15 48	765.	974.	15.	29.	75.

Stacking window module*	18"	30"	RSWC30 18	557.	646.	24.	37.	56.
	20"	30"	RSWC30 20	557.	646.	24.	37.	56.
	24"	30"	RSWC30 24	594.	703.	24.	37.	60.
	30"	30"	RSWC30 30	774.	905.	24.	37.	77.
	36"	30"	RSWC30 36	881.	1,041.	24.	37.	85.
	42"	30"	RSWC30 42	945.	1,129.	24.	37.	93.
	48"	30"	RSWC30 48	1,000.	1,214.	24.	37.	97.

Order Code	Specification Information	Application Notes
Example: RSWA1518 111 TEMP	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes) <i>If P2 or P3 paint finish upcharge applicable</i> <i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	All window modules incorporate tempered glass (3/16" thick).
A Type A		30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high		For window panels specify the finish for frames from paint selection on page 5.
18 18" wide		
111 Jet Black, window frame finish	3. Glass type Temp = Clear tempered glass <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
TEMP Clear tempered glass option		

Stacking modules

Double Window

description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA
Stacking window module* Single glass, type "A"	15"	60"	RSWAD1560 () ()	\$723.	\$827.					
		72"	RSWAD1572 () ()	805.	965.					
		84"	RSWAD1584 () ()	815.	1,006.					
		96"	RSWAD1596 () ()	829.	1,050.					
	22"	60"	RSWAD2260 () ()	902.	1,103.					
		72"	RSWAD2272 () ()	1,015.	1,256.					
		84"	RSWAD2284 () ()	1,034.	1,315.					
		96"	RSWAD2296 () ()	1,055.	1,377.					
Top trim for double wide stacking window modules	60"	R3CRTT60 () ()				78.	160.	177.	229.	131.
	72"	R3CRTT72 () ()				83.	171.	187.	241.	177.
	84"	R3CRTT84 () ()				101.	193.	210.	267.	194.
	96"	R3CRTT96 () ()				106.	203.	221.	281.	199.








Order Code	Specification Information	Application Notes
<i>Example:</i> RSWAD1560	<i>To order please specify:</i>	Panel glass is mounted flush to one side of the window module. All window modules incorporate tempered glass 4mm thick. Stabilizing kit is included with the window and is required with all double wide window installation.
R Reff	1. Pattern number	
SW Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	Full length top trim is optional and can be ordered separately. Not for use on 79" h panels. Applicable finishes are listed on page 5
A Type A	<i>If P2 or P3 paint finish upcharge add \$25</i>	
D Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$45</i>	
15 15" high	3. Glass type	
60 60" wide	Temp = Clear tempered glass	
111 Jet Black, windowframe finish	<i>Architectural options:</i>	
TEMP Clear tempered glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

Panels






description	w	h	pattern no.	grade	10	15	20	30	35	40	45	Lam.
Stacking modules **, ** Fabric and laminate 	18"	8"	R3SFL0818	\$239.	\$244.	\$262.	\$295.	\$310.	\$330.	\$349.		
	20"	8"	R3SFL0820	239.	244.	262.	295.	310.	330.	349.		
	24"	8"	R3SFL0824	259.	264.	282.	315.	330.	350.	369.		
	30"	8"	R3SFL0830	291.	296.	314.	347.	362.	382.	401.		
	36"	8"	R3SFL0836	319.	324.	342.	375.	390.	410.	429.		
	42"	8"	R3SFL0842	345.	350.	368.	401.	416.	436.	455.		
	48"	8"	R3SFL0848	375.	380.	398.	431.	446.	466.	485.		
Stacking modules **, ** Fabric and techwood 	18"	8"	R3SF10818	246.	251.	269.	302.	317.	337.	356.		
	20"	8"	R3SF10820	246.	251.	269.	302.	317.	337.	356.		
	24"	8"	R3SF10824	263.	268.	286.	319.	334.	354.	373.		
	30"	8"	R3SF10830	295.	300.	318.	351.	366.	386.	405.		
	36"	8"	R3SF10836	323.	328.	346.	379.	394.	414.	433.		
	42"	8"	R3SF10842	353.	359.	377.	410.	424.	445.	464.		
	48"	8"	R3SF10848	380.	385.	403.	436.	451.	471.	490.		
Stacking modules **, ** Fabric and conventional veneer 	18"	8"	R3SF20818	249.	254.	272.	305.	320.	340.	359.		
	20"	8"	R3SF20820	249.	254.	272.	305.	320.	340.	359.		
	24"	8"	R3SF20824	269.	274.	292.	325.	340.	360.	379.		
	30"	8"	R3SF20830	300.	305.	323.	356.	371.	391.	410.		
	36"	8"	R3SF20836	330.	335.	353.	386.	401.	421.	440.		
	42"	8"	R3SF20842	360.	365.	383.	416.	431.	451.	470.		
	48"	8"	R3SF20848	386.	391.	409.	442.	456.	477.	496.		
Stacking modules **, ** Fabric and exotic veneer 	18"	8"	R3SF30818	327.	332.	350.	383.	398.	418.	437.		
	20"	8"	R3SF30820	327.	332.	350.	383.	398.	418.	437.		
	24"	8"	R3SF30824	357.	362.	380.	413.	428.	448.	467.		
	30"	8"	R3SF30830	396.	401.	419.	452.	467.	487.	506.		
	36"	8"	R3SF30836	438.	443.	461.	494.	509.	529.	548.		
	42"	8"	R3SF30842	478.	483.	501.	534.	549.	569.	588.		
	48"	8"	R3SF30848	514.	519.	538.	570.	585.	605.	624.		
Stacking modules **, ** Laminate both sides 	18"	8"	R3SLL0818									231.
	20"	8"	R3SLL0820									231.
	24"	8"	R3SLL0824									251.
	30"	8"	R3SLL0830									281.
	36"	8"	R3SLL0836									304.
	42"	8"	R3SLL0842									313.
	48"	8"	R3SLL0848									323.

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	* * Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.
S Stacking module	2. Panel side 1 finish(s)	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
FL Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
08 8" high	Product on this page will accept wood grain laminate where laminate is currently an option.	Stacking modules on this page are high acoustic with a hard board septum and fiberglass.
18 18" wide	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1		Frameless glass add-ups cannot be installed on these modules.
114 Folkstone Grey - side 2		

Stacking modules

Reff Profiles

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.
				10	15	20	30	35	40	
Stacking modules* Fabric and laminate 	18"	15"	R3SFL1518	\$342.	\$357.	\$387.	\$422.	\$454.	\$498.	\$523.
	20"	15"	R3SFL1520	342.	357.	387.	422.	454.	498.	523.
	24"	15"	R3SFL1524	356.	371.	401.	436.	468.	512.	537.
	30"	15"	R3SFL1530	390.	405.	435.	470.	502.	546.	571.
	36"	15"	R3SFL1536	423.	438.	468.	503.	535.	579.	604.
	42"	15"	R3SFL1542	456.	471.	501.	539.	568.	612.	637.
	48"	15"	R3SFL1548	488.	503.	533.	568.	600.	644.	669.
Stacking modules* Fabric and techwood 	18"	15"	R3SF11518	350.	365.	395.	430.	462.	506.	531.
	20"	15"	R3SF11520	350.	365.	395.	430.	462.	506.	531.
	24"	15"	R3SF11524	365.	380.	410.	445.	477.	521.	546.
	30"	15"	R3SF11530	396.	411.	441.	476.	508.	552.	577.
	36"	15"	R3SF11536	431.	446.	476.	511.	543.	587.	612.
	42"	15"	R3SF11542	464.	479.	509.	544.	576.	620.	645.
	48"	15"	R3SF11548	495.	511.	541.	576.	608.	652.	677.
Stacking modules* Fabric and conventional veneer 	18"	15"	R3SF21518	354.	369.	399.	434.	466.	510.	535.
	20"	15"	R3SF21520	354.	369.	399.	434.	466.	510.	535.
	24"	15"	R3SF21524	371.	386.	416.	451.	483.	527.	552.
	30"	15"	R3SF21530	406.	421.	451.	486.	518.	562.	587.
	36"	15"	R3SF21536	440.	455.	485.	520.	552.	596.	621.
	42"	15"	R3SF21542	474.	489.	519.	554.	586.	630.	655.
	48"	15"	R3SF21548	503.	518.	548.	583.	615.	659.	684.
Stacking modules* Fabric and exotic veneer 	18"	15"	R3SF315 18	467.	482.	512.	547.	579.	623.	648.
	20"	15"	R3SF315 20	467.	482.	512.	547.	579.	623.	648.
	24"	15"	R3SF315 24	489.	504.	534.	569.	601.	645.	670.
	30"	15"	R3SF315 30	536.	551.	581.	616.	648.	692.	717.
	36"	15"	R3SF315 36	583.	598.	628.	663.	695.	739.	764.
	42"	15"	R3SF315 42	627.	642.	672.	707.	739.	786.	808.
	48"	15"	R3SF315 48	670.	685.	715.	750.	782.	826.	851.
Stacking modules* Laminate both sides 	18"	15	R3SLL1518							327.
	20"	15	R3SLL1520							327.
	24"	15	R3SLL1524							355.
	30"	15	R3SLL1530							399.
	36"	15	R3SLL1536							431.
	42"	15	R3SLL1542							443.
	48"	15	R3SLL1548							445.

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

* Not for use on 79"H panels.

* * Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.



Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$65.	n/a
	15"	stacking module post	R3L15TT	127.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	162.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	244.	281.
	49"		R3L49(B)(F/T)(F/T)-() () ()	271.	311.
	64"		R3L64(B)(F/T)(F/T)-() () ()	300.	343.
	79"		R3L79(B)(F/T)(F/T)-() () ()	335.	384.
 T-Post	8"	stacking module post	R3T08T	81.	n/a
	15"	stacking module post	R3T15T	150.	n/a
	34"		R3T34(F/T)-() () ()	197.	n/a
	42"		R3T42(B)(F/T)-() () ()	215.	246.
	49"		R3T49(B)(F/T)-() () ()	244.	281.
	64"		R3T64(B)(F/T)-() () ()	271.	311.
	79"		R3T79(B)(F/T)-() () ()	301.	346.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 420.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.



Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	R3X08	\$72.	n/a
	15"	stacking module post	R3X15	138.	n/a
	34"		R3X34-() ()	183.	n/a
	42"		R3X42(B)-() ()	199.	230.
	49"		R3X49(B)-() ()	215.	246.
	64"		R3X64(B)-() ()	244.	281.
	79"		R3X79(B)-() ()	278.	316.
 Straight post	8"	stacking module post	R3S08TT	65.	n/a
	15"	stacking module post	R3S15TT	127.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	162.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	244.	281.
	49"		R3S49(B)(F/T)(F/T)-() () ()	271.	311.
	64"		R3S64(B)(F/T)(F/T)-() () ()	300.	343.
	79"		R3S79(B)(F/T)(F/T)-() () ()	335.	384.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 420.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:

- 1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
- 2 = Regular T or cap finish 1 side (applicable for T or X posts only)
- 3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
- 4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
- 5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:

- L = Base infeed left face
- M = Base infeed middle face
- R = Base infeed right face
- N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV	n/c



Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 420.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:

- 1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
- 2 = Regular T or cap finish 1 side (applicable for T or X posts only)
- 3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
- 4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
- 5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:

- L = Base infeed left face
- M = Base infeed middle face
- R = Base infeed right face
- N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 135°

Reff Profiles

description	h	pattern no.	Reg. post list (A/B/C profile)
 135° Tiled Post	34"	R3135V34T () () () () () ()	\$544.
	42"	R3135V42T () () () () () ()	681.
	49"	R3135V49T () () () () () ()	689.
	64"	R3135V64T () () () () () ()	844.
	79"	R3135V79T () () () () () ()	995.
 135° Mono Post	34"	R3135V34F () () () () () ()	544.
	42"	R3135V42F () () () () () ()	681.
	49"	R3135V49F () () () () () ()	689.
	64"	R3135V64F () () () () () ()	844.
	79"	R3135V79F () () () () () ()	995.

Order Code

Example:	R3135V34T
R3	Reff Generation 3
135V	135° post
34	Height
T	Tiled
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 420.

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Top cap configuration
3. If L post, cover configuration
1 = one piece
4. Base height option
5. Base infeed knock-out (optional)
6. Tile divider option/finish, if face type T
7. Finish, face covers
(*fabric, V1, V2, V3 or painted to match laminate*)
8. Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
9. Base finish

1. Face type:

(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)
3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)

5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. Base height:

4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 120°

Reff Profiles

Panels

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34 () () ()	\$379.
	42"	R3120Y42 () () ()	399.
	49"	R3120Y49 () () ()	411.
	64"	R3120Y64 () () ()	451.
	79"	R3120Y79 () () ()	492.

Order Code

Example: R3120Y34
R3 Reff Generation 3
120V 120° post
34 Height
T Tiled
(A) Top profile
(4) Base height
V316 Top cap finish, Maple
111 Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Base height option
3. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
4. Base finish

1. Top profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum
(Add \$25 list for this option)


2. Base height:


- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)

Specify AA for anodized aluminum look or painted option from page 5excluding silver.


Panel trims and post covers for all applications

Reff Profiles

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34"		R2ES34(A/B/C/E)(4/6)(E/N)	\$222.	\$134.
	–	42"		R2ES42(A/B/C/E)(4/6)(E/N)	248.	157.
	–	49"		R2ES49(A/B/C/E)(4/6)(E/N)	275.	179.
	–	64"		R2ES64(A/B/C/E)(4/6)(E/N)	291.	202.
	–	79"		R2ES79(A/B/C/E)(4/6)(E/N)	357.	229.

End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		R2HL3442ES(A/B/C/E)	116.	118.
	34"	49"		R2HL3449ES(A/B/C/E)	162.	121.
	34"	64"		R2HL3464ES(A/B/C/E)	207.	124.
	34"	79"		R2HL3479ES(A/B/C/E)	222.	136.
	42"	49"		R2HL4249ES(A/B/C/E)	116.	118.
	42"	64"		R2HL4264ES(A/B/C/E)	280.	121.
	42"	79"		R2HL4279ES(A/B/C/E)	321.	136.
	49"	64"		R2HL4964ES(A/B/C/E)	162.	124.
	49"	79"		R2HL4979ES(A/B/C/E)	207.	136.
	64"	79"		R2HL6479ES(A/B/C/E)	162.	121.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side)	–		18"	RSNTT18(A/B/C/E)	82.	23.
	–	–	20"	RSNTT20(A/B/C/E)	82.	25.
	–	–	24"	RSNTT24(A/B/C/E)	92.	28.
	–	–	30"	RSNTT30(A/B/C/E)	102.	33.
	–	–	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	106.	44.
	–	–	36"	RSNTT36(A/B/C/E)	113.	44.
	–	–	42"	RSNTT42(A/B/C/E)	129.	45.
	–	–	48"	RSNTT48(A/B/C/E)	139.	63.

Order Code

Example: R2ES34A6N	
R2	Reff Generation 2
ES	End trim
34	34" high
A	Flat profile
6	6" base height
N	Non electrical base
V311	Beech
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

- Trim profile
A = flat
B = square
C = bullnose
E = extruded aluminum
- Base height option
4 = 4"
6 = 6"
- Base type
E = electrical entry
N = standard base
- Finish, end trim
If profile A, B or C specify V1, V2, V3 or painted to match laminate
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base
painted or plated finish

Applicable finishes are listed on page 5 and 6.

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
or select P1, P2, P3 painted finish from pg. 5

Select paint or plated finish from page 5.

Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$116.	\$118.
	42"	64"		R2HL4264ETS(A/B/C/E)	280.	121.
	42"	79"		R2HL4279ETS(A/B/C/E)	321.	136.




Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		R2HL3442(F)CS ()	33.	
	34"	49"		R2HL3449(F)CS ()	48.	
	34"	64"		R2HL3464(F/T)CS ()()	96.	
	34"	79"		R2HL3479(F/T)CS ()()	142.	
	42"	49"		R2HL4249(F)CS ()	33.	
	42"	64"		R2HL4264(F/T)CS ()()	79.	
	42"	79"		R2HL4279(F/T)CS ()()	129.	
	49"	64"		R2HL4964(F)CS ()	48.	
	49"	79"		R2HL4979(F/T)CS ()()	96.	
	64"	79"		R2HL6479(F)CS ()	48.	




Application: for height changes involving a post


Order Code	Specification Information
Example: R2ES34A6N	To order please specify pattern number including:
R2 Ref Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	A = flat
A Flat profile	B = square
6 6" base height	C = bullnose
N Non electrical base	E = extruded aluminum
V311 Beech	2. Base height option
111 Jet Black (base finish)	4 = 4"
	6 = 6"
	3. Base type
	E = electrical entry
	N = standard base
	4. Finish, end trim
	If profile A, B or C specify V1, V2, V3 or painted to match laminate
	If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
	5. Finish, end trim base
	painted or plated finish
	Applicable finishes are listed on page 5 and 6.
	Post cover trim:
	1. Specify full or tiled face type
	F = full (monolithic)
	T = tiled
	2. Finish, post cover fabric, V1, V2, V3 or painted to match laminate
	3. If tiled cover set, specify reveal finish
	B = black reveal
	or select P1, P2, P3 painted finish from pg. 5
	Select paint or plated finish from page 5.
	Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

description	type	h	pattern no.	list price
 Ceiling entry L-post.		42"	R2L42C(F/T)(F/T)-(4/6)	\$244.
		49"	R2L49C(F/T)(F/T)-(4/6)	261.
		64"	R2L64C(F/T)(F/T)-(4/6)	277.
		79"	R2L79C(F/T)(F/T)-(4/6)	329.


Cable not included

 Ceiling entry T-post.		42"	R2T42C(F/T)-(4/6)	215.
		49"	R2T49C(F/T)-(4/6)	244.
		64"	R2T64C(F/T)-(4/6)	261.
		79"	R2T79C(F/T)-(4/6)	304.

Cable not included

 Ceiling entry X-post.		42"	R2X42C	199.
		49"	R2X49C	215.
		64"	R2X64C	244.
		79"	R2X79C	288.

Cable not included

 Ceiling entry straight line post.		42"	R2S42C(F/T)(F/T)-(4/6)	244.
		49"	R2S49C(F/T)(F/T)-(4/6)	261.
		64"	R2S64C(F/T)(F/T)-(4/6)	277.
		79"	R2S79C(F/T)(F/T)-(4/6)	329.

Cable not included

Order Code	Specification Information	Application Notes
Example: R2L42CTT4 R2 Reff Generation 2 L L-post 42 42" high C Ceiling power entry T Tiled style face T Tiled style face 4 Base height W230 Fabric selection 111 Jet Black (base finish)	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Post face option 2. Base height option 3. Finish type, where applicable 4. Finish, where applicable 5. Base finish 6. Canopy finish (ceiling entry pole only) <p><i>1. Face type:</i> F = Full height T = Tiled</p> <p><i>2. Base height:</i> 4 = 4" base height 6 = 6" base height</p> <p><i>3. Finish type:</i> F = Fabric L = Laminate 1 = V1 2 = V2 3 = V3</p>	<p>Data cable application requires the post and the pole only.</p> <p>*Must order post, pole and cable for electrical application.</p> <p>The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.</p> <p>To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.</p> <p>6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.</p> <p>The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).</p> <p>Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.</p> <p>Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.</p>

Applicable finishes are listed on page 5 and 6.

description	type	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet		41"	RCP41-(F/L/1/2/3)*	\$487.
		56"	RCP56-(F/L/1/2/3)*	506.
		71"	RCP71-(F/L/1/2/3)*	568.
		78"	RCP78-(F/L/1/2/3)*	586.



Cable not included

Power infeeds	Ceiling power cable infeed. Eight-wire	RR3-EPVR	284.
	Ceiling power cable infeed. Ten-wire	RR3-TPVR	344.
One size fits all post sizes (13' of cable) For use with Ceiling entry Pole and Pole combinations			





Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	
42 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
T Tiled style face	5. Base finish	6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
T Tiled style face	6. Canopy finish (ceiling entry pole only)	
4 Base height	1. <i>Face type:</i>	The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
W230 Fabric selection	F = Full height	Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
111 Jet Black (base finish)	T = Tiled	Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height	
	3. <i>Finish type:</i>	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Ceiling cable entry post covers

Alignment kits and wall starters

Reff Profiles


description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$33.
	34"	49"			RPHL3449(F/T)	48.
	34"	64"			RPHL3464(F/T)	96.
	34"	79"			RPHL3479(F/T)	142.
	42"	49"			RPHL4249(F/T)	66.
	42"	64"			RPHL4264(F/T)	92.
	42"	79"			RPHL4279(F/T)	100.
	49"	64"			RPHL4964(F/T)	92.
	49"	79"			RPHL4979(F/T)	100.
	64"	79"			RPHL6479(F/T)	72.
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	33.
	42"	64"			RPHL4264S	79.
	42"	79"			RPHL4279S	129.
	49"	64"			RPHL4964S	48.
	49"	79"			RPHL4979S	96.
	64"	79"			RPHL6479S	48.
Wall starter			7/8"	15"	R2SWS0015 () ()	61.
			7/8"	34"	R2SWS0034 () () ()	121.
			7/8"	42"	R2SWS0042 () () ()	147.
			7/8"	49"	R2SWS0049 () () ()	172.
			7/8"	64"	R2SWS0064 () () ()	226.
			7/8"	79"	R2SWS0079 () () ()	278.
			7/8"	8"	R2SWS0008 () ()	46.

*Wall starters come with extended top trim from adjoining panel.

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
42 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
49 49" high panel	F = Full	
T Tiled face type	T = Tiled	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
	Wall starter:	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	1. Pattern number including height	
	2. Adjoining panel width	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	3. Adjoining panel top trim profile (A, B, C or E)	Wall starters come with extended top trim from adjoining panel.
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

Ceiling cable entry post covers

Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
					R3SPABPT	\$7.
					R3SPABTD	7.
					R3SPABTT	7.
					R3SPABTW	7.
					RSPABPD	7.
					RSPABPP	7.
					RSPABPT	7.
					RSPABPW	7.
					RSPABTD	7.
					RSPABTT	7.
					RSPABTW	7.
					RSPABWD	7.
				RSPABWW	7.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
42 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
49 49" high panel	F = Full	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
T Tiled face type	T = Tiled	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	Wall starter:	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	1. Pattern number including height	Wall starters come with extended top trim from adjoining panel.
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64"	RRDPPL(L/R)6436()		\$2,967.	\$3,072.	\$4,108.
		36"	79"	RRD3PPL(L/R)7936()()		3,236.	3,352.	4,525.
		42"	64"	RRDPPL(L/R)6442()		3,024.	3,128.	4,159.
		42"	79"	RRD3PPL(L/R)7942()()		3,286.	3,401.	4,574.
Floor to ceiling rolling door		36"	79"	RRD3FTCPPL(L/R)7936()		3,236.	3,352.	4,525.
		42"	79"	RRD3FTCPPL(L/R)7942()		3,286.	3,401.	4,574.
Partial width threshold (full width threshold)		3"	50"	RRDTH()		343.		
		3"	96"	RRDTH(L/R)()		441.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()			3,865.
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()			4,492.
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()			3,865.
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()			4,492.



Woodgrain Laminate not available on Panel Door

Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose

2. Base height:

- 4 = 4" base
- 6 = 6" base (add \$47 for this option)

3. Lock option:

- N = Not drilled
- D = Drilled *
- L = Drilled lock set included
- D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

- GL13 = Powdered glass
- GL6 = Block matrix
- GL8 = Wafer glass
- P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 5 and 6.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 114).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			R234PKIT	\$111.	
Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	111.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c	
Generation 1 panels to Generation 3 posts			R3AK	n/c	
R3/R2 stacking post sleeve			R3R2SLV	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	10 Rolls	3/8"	79"	RHSCN70	n/c
	2 Rolls	3/8"	79"	RHSCN15	n/c
	30 Rolls	3/8"	79"	RHSCN250	n/c
	Carpet gripper(Pack of 10)			R2CG	20.

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

Application Notes




When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

Floor to ceiling modules




21" high, for 104" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	R3FTCFF2118			\$353.	\$359.	\$373.	\$437.	\$461.	\$525.	\$589.
	20"	21"	R3FTCFF2120			353.	359.	373.	437.	461.	525.	589.
	24"	21"	R3FTCFF2124			372.	378.	392.	456.	480.	544.	608.
	30"	21"	R3FTCFF2130			411.	417.	431.	495.	519.	583.	647.
	36"	21"	R3FTCFF2136			441.	447.	461.	525.	549.	613.	677.
	42"	21"	R3FTCFF2142			481.	487.	501.	565.	589.	653.	717.
	48"	21"	R3FTCFF2148			516.	522.	536.	600.	624.	688.	752.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	RFTCWA2118	495.	584.							
	20"	21"	RFTCWA2120	495.	584.							
	24"	21"	RFTCWA2124	520.	629.							
	30"	21"	RFTCWA2130	606.	737.							
	36"	21"	RFTCWA2136	633.	787.							
	42"	21"	RFTCWA2142	666.	852.							
	48"	21"	RFTCWA2148	698.	903.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	RFTCWB2130	707.	836.							
	36"	21"	RFTCWB2136	766.	922.							
	42"	21"	RFTCWB2142	810.	989.							
	48"	21"	RFTCWB2148	847.	1,057.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2118	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick). Specify the finish for frames from paint selection on page 5. Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options. Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components. Use of Reff FTC modules must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying. No additional acoustic rating occurs on FTC installations.
18 18" wide	<i>For window panel:</i>	
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	

Floor to ceiling modules


25" high, for 108" ceiling height and 79" high panels
fabric and glass


description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$394.	\$400.	\$412.	\$498.	\$516.	\$600.	\$672.
	20"	25"	R3FTCFF2520			394.	400.	412.	498.	516.	600.	672.
	24"	25"	R3FTCFF2524			417.	423.	435.	521.	539.	623.	695.
	30"	25"	R3FTCFF2530			453.	459.	471.	557.	575.	659.	731.
	36"	25"	R3FTCFF2536			494.	501.	513.	599.	617.	701.	773.
	42"	25"	R3FTCFF2542			534.	540.	552.	638.	656.	740.	812.
	48"	25"	R3FTCFF2548			573.	579.	591.	677.	695.	779.	851.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	517.	607.							
	20"	25"	RFTCWA2520	517.	607.							
	24"	25"	RFTCWA2524	553.	658.							
	30"	25"	RFTCWA2530	639.	770.							
	36"	25"	RFTCWA2536	670.	824.							
	42"	25"	RFTCWA2542	713.	892.							
	48"	25"	RFTCWA2548	743.	949.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	734.	862.							
	36"	25"	RFTCWB2536	813.	969.							
	42"	25"	RFTCWB2542	863.	1,044.							
	48"	25"	RFTCWB2548	912.	1,120.							


Order Code	Specification Information	Application Notes
Example: R3FTCFF2518	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick). Specify the finish for frames from paint selection on page 5. Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options. Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim.
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
25 25" high	4. Soffit finish (paint)	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors. Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components. Use of Reff FTC modules must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying. No additional acoustic rating occurs on FTC installations.
18 18" wide	<i>For window panel:</i>	
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	

Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	R3FTCFF3718			\$517.	\$521.	\$531.	\$659.	\$681.	\$807.	\$925.
	20"	37"	R3FTCFF3720			517.	521.	531.	659.	681.	807.	925.
	24"	37"	R3FTCFF3724			547.	551.	561.	689.	711.	837.	955.
	30"	37"	R3FTCFF3730			594.	598.	608.	736.	758.	884.	1,002.
	36"	37"	R3FTCFF3736			645.	649.	659.	787.	809.	935.	1,053.
	42"	37"	R3FTCFF3742			694.	698.	709.	836.	858.	984.	1,102.
	48"	37"	R3FTCFF3748			741.	745.	755.	883.	905.	1,031.	1,149.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	592.	680.
	20"	37"	RFTCWA3720	592.	680.
	24"	37"	RFTCWA3724	638.	742.
	30"	37"	RFTCWA3730	752.	867.
	36"	37"	RFTCWA3736	783.	936.
	42"	37"	RFTCWA3742	834.	1,014.
	48"	37"	RFTCWA3748	878.	1,090.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	811.	942.
	36"	37"	RFTCWB3736	956.	1,110.
	42"	37"	RFTCWB3742	1,030.	1,210.
	48"	37"	RFTCWB3748	1,096.	1,306.

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
37 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide	<i>For window panel:</i>	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

21" and 25" high modules, fabric one side,
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	R3FTCFL2118	\$403.	\$405.	\$410.	\$445.	\$457.	\$490.	\$525.
	20"	21"	R3FTCFL2120	403.	405.	410.	445.	456.	490.	525.
	24"	21"	R3FTCFL2124	417.	419.	424.	459.	471.	504.	539.
	30"	21"	R3FTCFL2130	468.	470.	475.	510.	522.	555.	590.
	36"	21"	R3FTCFL2136	508.	510.	515.	550.	562.	595.	630.
	42"	21"	R3FTCFL2142	553.	555.	560.	595.	607.	640.	675.
	48"	21"	R3FTCFL2148	595.	597.	602.	637.	649.	682.	717.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	R3FTCF12118	410.	412.	417.	452.	464.	497.	532.
	20"	21"	R3FTCF12120	410.	412.	417.	452.	464.	497.	532.
	24"	21"	R3FTCF12124	426.	428.	433.	468.	480.	513.	548.
	30"	21"	R3FTCF12130	475.	477.	482.	517.	529.	562.	597.
	36"	21"	R3FTCF12136	516.	518.	523.	558.	570.	603.	638.
	42"	21"	R3FTCF12142	558.	560.	565.	600.	612.	645.	680.
	48"	21"	R3FTCF12148	608.	610.	615.	650.	662.	695.	730.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	R3FTCF22118	418.	420.	425.	460.	472.	505.	540.
	20"	21"	R3FTCF22120	418.	420.	425.	460.	472.	505.	540.
	24"	21"	R3FTCF22124	431.	433.	438.	473.	485.	518.	553.
	30"	21"	R3FTCF22130	485.	487.	492.	527.	539.	572.	607.
	36"	21"	R3FTCF22136	524.	526.	531.	566.	578.	611.	646.
	42"	21"	R3FTCF22142	570.	572.	577.	612.	624.	657.	692.
	48"	21"	R3FTCF22148	616.	618.	623.	658.	670.	703.	738.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21" 	18"	21"	R3FTCF321 18	551.	553.	558.	593.	605.	638.	673.
	20"	21"	R3FTCF321 20	551.	553.	558.	593.	605.	638.	673.
	24"	21"	R3FTCF321 24	569.	571.	576.	611.	623.	656.	691.
	30"	21"	R3FTCF321 30	642.	644.	649.	684.	695.	729.	764.
	36"	21"	R3FTCF321 36	694.	696.	701.	736.	748.	781.	816.
	42"	21"	R3FTCF321 42	756.	758.	763.	798.	810.	843.	878.
	48"	21"	R3FTCF321 48	816.	818.	823.	858.	870.	903.	938.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 21 21" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.





Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

21" and 25" high modules, fabric one side,
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	R3FTCFL2518	\$432.	\$435.	\$443.	\$488.	\$497.	\$540.	\$579.
	20"	25"	R3FTCFL2520	433.	435.	443.	488.	497.	540.	579.
	24"	25"	R3FTCFL2524	448.	451.	459.	504.	513.	556.	595.
	30"	25"	R3FTCFL2530	509.	512.	520.	565.	574.	617.	656.
	36"	25"	R3FTCFL2536	552.	555.	563.	608.	617.	660.	699.
	42"	25"	R3FTCFL2542	605.	608.	616.	661.	670.	713.	752.
	48"	25"	R3FTCFL2548	654.	657.	665.	710.	719.	762.	801.
Stack-on floor to ceiling module Fabric one side, techwood other side, 25" 	18"	25"	R3FTCF12518	438.	441.	449.	494.	503.	546.	585.
	20"	25"	R3FTCF12520	438.	441.	449.	494.	503.	546.	585.
	24"	25"	R3FTCF12524	453.	456.	464.	509.	518.	561.	600.
	30"	25"	R3FTCF12530	519.	522.	530.	575.	584.	627.	666.
	36"	25"	R3FTCF12536	559.	562.	570.	615.	624.	667.	706.
	42"	25"	R3FTCF12542	616.	619.	627.	672.	681.	724.	763.
	48"	25"	R3FTCF12548	664.	667.	675.	720.	729.	772.	811.
Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25" 	18"	25"	R3FTCF22518	448.	451.	459.	504.	513.	556.	595.
	20"	25"	R3FTCF22520	448.	451.	459.	504.	513.	556.	595.
	24"	25"	R3FTCF22524	461.	464.	472.	517.	526.	569.	608.
	30"	25"	R3FTCF22530	527.	530.	538.	583.	592.	635.	674.
	36"	25"	R3FTCF22536	571.	574.	582.	627.	636.	679.	718.
	42"	25"	R3FTCF22542	626.	629.	637.	682.	691.	734.	773.
	48"	25"	R3FTCF22548	676.	679.	687.	732.	741.	784.	823.
Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25" 	18"	25"	R3FTCF325 18	586.	589.	597.	642.	651.	694.	733.
	20"	25"	R3FTCF325 20	586.	589.	597.	642.	651.	694.	733.
	24"	25"	R3FTCF325 24	608.	611.	619.	664.	673.	716.	755.
	30"	25"	R3FTCF325 30	694.	697.	705.	750.	759.	802.	841.
	36"	25"	R3FTCF325 36	756.	759.	767.	812.	821.	864.	903.
	42"	25"	R3FTCF325 42	829.	832.	840.	885.	894.	937.	976.
	48"	25"	R3FTCF325 48	897.	900.	908.	953.	962.	1,005.	1,044.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 21 21" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

37" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side 	18"	37"	R3FTCFL3718	\$527.	\$529.	\$535.	\$601.	\$612.	\$678.	\$739.
	20"	37"	R3FTCFL3720	527.	529.	535.	601.	612.	678.	739.
	24"	37"	R3FTCFL3724	537.	539.	545.	611.	622.	688.	749.
	30"	37"	R3FTCFL3730	638.	640.	646.	712.	723.	789.	850.
	36"	37"	R3FTCFL3736	690.	692.	698.	764.	775.	841.	902.
	42"	37"	R3FTCFL3742	770.	772.	778.	844.	855.	921.	982.
	48"	37"	R3FTCFL3748	840.	842.	848.	914.	925.	991.	1,052.

Stack-on floor to ceiling module Fabric one side, techwood other side 	18"	37"	R3FTCF13718	536.	538.	544.	610.	621.	687.	748.
	20"	37"	R3FTCF13720	536.	538.	544.	610.	621.	687.	748.
	24"	37"	R3FTCF13724	545.	547.	553.	619.	630.	696.	757.
	30"	37"	R3FTCF13730	648.	650.	656.	722.	733.	799.	860.
	36"	37"	R3FTCF13736	704.	706.	712.	778.	789.	855.	916.
	42"	37"	R3FTCF13742	787.	789.	795.	861.	872.	938.	999.
	48"	37"	R3FTCF13748	856.	858.	864.	930.	941.	1,007.	1,068.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side 	18"	37"	R3FTCF23718	544.	546.	552.	618.	629.	695.	756.
	20"	37"	R3FTCF23720	544.	546.	552.	618.	629.	695.	756.
	24"	37"	R3FTCF23724	556.	558.	564.	630.	641.	707.	768.
	30"	37"	R3FTCF23730	658.	660.	666.	732.	743.	809.	870.
	36"	37"	R3FTCF23736	713.	715.	721.	787.	798.	864.	925.
	42"	37"	R3FTCF23742	798.	800.	806.	872.	883.	949.	1,010.
	48"	37"	R3FTCF23748	872.	874.	880.	946.	957.	1,023.	1,084.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37" 	18"	37"	R3FTCF337 18	710.	712.	718.	784.	795.	861.	922.
	20"	37"	R3FTCF337 20	710.	712.	718.	784.	795.	861.	922.
	24"	37"	R3FTCF337 24	728.	730.	736.	802.	813.	879.	940.
	30"	37"	R3FTCF337 30	865.	867.	873.	939.	950.	1,016.	1,077.
	36"	37"	R3FTCF337 36	939.	941.	948.	1,013.	1,024.	1,090.	1,151.
	42"	37"	R3FTCF337 42	1,055.	1,057.	1,063.	1,129.	1,140.	1,206.	1,267.
	48"	37"	R3FTCF337 48	1,154.	1,156.	1,162.	1,228.	1,239.	1,305.	1,366.

Order Code	Specification Information	Application Notes
Example: R3FTCFL3718 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 37 37" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.






Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$185.
	add on	25"	R3FTCL25	206.
	add on	37"	R3FTCL37	266.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	420.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	420.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	420.
 T-Post	add on	21"	R3FTCT21	201.
	add on	25"	R3FTCT25	219.
	add on	37"	R3FTCT37	281.
	full height	104"	R3FTCT104(F/T)-() ()	378.
	full height	108"	R3FTCT108(F/T)-() ()	378.
	full height	120"	R3FTCT120(F/T)-() ()	378.
 X-Post	add on	21"	R3FTCX21	183.
	add on	25"	R3FTCX25	203.
	add on	37"	R3FTCX37	265.
	full height	104"	R3FTCX104	347.
	full height	108"	R3FTCX108	347.
	full height	120"	R3FTCX120	347.
 Straight post	add on	21"	R3FTCS21	185.
	add on	25"	R3FTCS25	206.
	add on	37"	R3FTCS37	266.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	420.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	420.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	420.
 End post	add on	21"	R3FTCE21	201.
	add on	25"	R3FTCE25	219.
	add on	37"	R3FTCE37	281.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	378.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	378.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	378.

Order Code	Specification Information	Application Notes
Example: R3FTCL104TT-6N R3FTC Reff Gen 3 Floor to ceiling L Corner post 104 104" high (one piece) TT Tiled appearance 6 6" base height N No base infeed raceway knock-out W808 Fabric selection 111 Jet Black (base finish)	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Post face option Base height option Base infeed raceway knock-out, (optional) Fabric selection Base color <p>1. Face type: F = Full height (monolithic look) T = Tiled</p> <p>2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 list for this option)</p> <p>3. Electrical infeed post: L = Base infeed left face M = Base infeed middle face R = Base infeed right face N = None</p>	<p>The posts on this page do not support the hanging of panel mount product above the 79"H panels.</p> <p>The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.</p> <p>If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.</p> <p>Left and Right hand locations are determined by facing the post in question from the outside of the station.</p> <p>Hookstrip cover reveal strips are no charge but must be ordered separately from page 117.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>





Required components for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$60.
	25"	RFTCWS25S	76.
	37"	RFTCWS37S	92.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	219.
Caddy clips (box of 100)		RFTCCLIPS	317.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSpace	100.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		RFTCSM (Pair) for G2 only	7.
		R3FTCSM (Pair) for G3 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.

*These brackets are to be used with hinge doors only.

Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> 1. Fabric/laminate/wood options 2. Paint option for metal soffit <p>All floor to ceiling posts mimic the panel system post application.</p>	<p>*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.</p> <p>Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.</p> <p>Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.</p> <p>Use of Reff FTC components must be approved by local building authorities.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>
R Reff		
FTC Floor to ceiling		
WS Wall starter		
21 21" high		

Power distribution components
 2+2 Base Raceway
 four circuit, eight-wire raceway for panels
 power rails and connector

description	type	w	d	h	pattern no.	list price	
 Power rail for panel base	24" panel	6"	2"	2"	RR3-E24	\$142.	
	30" panel	12"	2"	2"	RR3-E30NS	157.	
	36" panel	18"	2"	2"	RR3-E36NS	172.	
	42" panel	24"	2"	2"	RR3-E42NS	179.	
	48" panel	30"	2"	2"	RR3-E48NS	187.	
	60" panel	42"	2"	2"	RR3-E60-4	284.	
	66" panel	48"	2"	2"	RR3-E66-4	300.	
	72" panel	54"	2"	2"	RR3-E72-4	321.	
 Power connector*	Straight	16 1/2"	2"	2"	RR3-EPC24	82.	
		18 1/2"	2"	2"	RR3-EPCS	82.	
		20 1/4"	2"	2"	RR3-EPC	82.	
	Use RR3-EPC24 for straight 24" to 24" wide panel. Use RR3-EPCS for straight 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPC for all other straight power connection configurations.						
	Through post	19"	2"	2"	RR3-EPCP24	82.	
		21"	2"	2"	RR3-EPCPS	82.	
		22 3/4"	2"	2"	RR3-EPCP	82.	
Use RR3-EPCP24 for through post 24" to 24" wide panels. Use RR3-EPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCP for all other through post power connection configurations.							
 Duplex outlets, black	Circuit A				RR3-DA	39.	
	Circuit B				RR3-DB	39.	
	Circuit X				RR3-DX	39.	
	Circuit Y				RR3-DY	39.	
 Duplex outlets, orange	Circuit X				RR3-DXO	44.	
	Circuit Y				RR3-DYO	44.	
Data Shield	1 pair				RR3-DATSHD	27.	

Order Code

Example: RR3-E-24	
RR3	Reff raceway
E	Eight wire 2+2
24	for 24" panel

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.

*Power connectors must be specified according to the panel widths in the specified orientation.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components

2+2 Base Raceway

four circuit, eight-wire raceway for panels

jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-EJ18	\$103.
	20" panel	40"	2"	2"	RR3-EJ20	103.
	24" panel	44"	2"	2"	RR3-EJ24	111.
	30" panel	50"	2"	2"	RR3-EJ30	119.
	36" panel	56"	2"	2"	RR3-EJ36	129.
	42" panel	62"	2"	2"	RR3-EJ42	135.
	48" panel	68"	2"	2"	RR3-EJ48	142.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	149.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	157.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	165.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	172.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	179.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	187.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	196.
96" panel run	118 1/2"	2"	2"	RR3-EJ96P	203.	
 Extended jumper (through one post)	18" + post	40 1/2"	2"	2"	RR3-EJ18P	103.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	103.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	111.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	119.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	129.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	135.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	142.
 Power infeeds	Ceiling power cable infeed. Eight-wire				RR3-EPVR	284.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	208.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	312.
	Panel base end feed				RR3-REPI	247.
	Panel base side infeed				RR3-EPI	247.
	Surge suppressors				RR3-SP-(A,B,X,Y)	179.

Order Code

Example:	RR3-EPVR
RR3	Reff raceway
E	Eight wire 2+2
P	power infeed
VR	for vertical raceway

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.

For use in Canada, all circuits are CGA rated 15 amp capacity.

Note:

For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.

Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Application Notes

Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.





Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection

into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-EPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-EPNY1** includes only one power connector.

Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-T24	\$165.	
	30" panel	12"	2"	2"	RR3-T30NS	179.	
	36" panel	18"	2"	2"	RR3-T36NS	196.	
	42" panel	24"	2"	2"	RR3-T42NS	208.	
	48" panel	30"	2"	2"	RR3-T48NS	216.	
	60" panel	42"	2"	2"	RR3-T60-4	337.	
	66" panel	48"	2"	2"	RR3-T66-4	351.	
	72" panel	54"	2"	2"	RR3-T72-4	375.	
	Straight	16 1/2"	2"	2"	RR3-TPC24	103.	
		18 1/2"	2"	2"	RR3-TPCS	103.	
		20 1/4"	2"	2"	RR3-TPC	103.	
	Use RR3-TPC24 for through post 24" to 24" wide panels. Use RR3-TPCS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPC for all other through post power connection configurations.						
	Through post	19"	2"	2"	RR3-TPCP24	103.	
		21"	2"	2"	RR3-TPCPS	103.	
		22 3/4"	2"	2"	RR3-TPCP	103.	
Use RR3-TPCP24 for through post 24" to 24" wide panels. Use RR3-TPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPCP for all other through post power connection configurations.							
	Circuit A				RR3-DA	39.	
	Circuit B				RR3-DB	39.	
	Circuit C				RR3-DC	39.	
	Circuit X				RR3-DX	39.	
	Circuit Y				RR3-DY	39.	
	Circuit Z				RR3-DZ	39.	
	Circuit X				RR3-DXO	44.	
	Circuit Y				RR3-DYO	44.	
	Circuit Z				RR3-DZO	44.	
Data Shield	1 pair				RR3-DATSHD	27.	




Order Code	Specification Information	Application Notes
Example: RR3-T-24		
RR3 Reff raceway	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.	Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.
T Ten wire 3+3	A, B, X, Y outlets are identical to eight wire, 2+2 components.	Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.
24 for 24" panel	Duplex outlet circuits are designated by white letters on black background.	Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.
	In Canada, circuits carry a 15 amp load rating.	Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.
	<i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	*Power connectors must be specified according to the panel widths in the specified orientation.
		If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels

jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	RR3-TJ18	\$119.
	20" panel	40"	2"	2"	RR3-TJ20	119.
	24" panel	44"	2"	2"	RR3-TJ24	129.
	30" panel	50"	2"	2"	RR3-TJ30	135.
	36" panel	56"	2"	2"	RR3-TJ36	142.
	42" panel	62"	2"	2"	RR3-TJ42	157.
	48" panel	68"	2"	2"	RR3-TJ48	172.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	179.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	187.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	196.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	203.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	208.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	227.
90" panel run	112 1/2"	2"	2"	RR3-TJ90P	232.	
96" panel run	118 1/2"	2"	2"	RR3-TJ96P	238.	
	18" + post	40 1/2"	2"	2"	RR3-TJ18P	119.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	119.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	129.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	135.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	142.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	157.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	172.
	Ceiling power cable infeed. Ten-wire				RR3-TPVR	344.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	238.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	344.
	Panel base end feed				RR3-RTPI	284.
	Panel base side infeed				RR3-TPI	284.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	179.



* Select which circuit needs protecting and order the specified surge processor.

** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>

Power distribution components

Hardwire box

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$222.
	30" panel	RR3CHI301	258.
	36" panel	RR3CHI361	278.
	42" panel	RR3CHI421	281.
	48" panel	RR3CHI481	301.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	230.
	30" panel	RR3CHI302	275.
	36" panel	RR3CHI362	282.
	42" panel	RR3CHI422	286.
	48" panel	RR3CHI482	320.

Order Code

Example:	RR3CHI24
RR3	Reff/AutoStrada raceway G3
CHI	Chicago Hardwire Box
24	For 24" wide panel
1	One sided raceway


Specification Information

Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.


Application Notes

Certified electrician to install.
 Reff Hardwire Box
 Installation instruction sheet available. Part number 6TR45715.

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$149.
	30" panel		RR3-E30S	172.
	36" panel		RR3-E36S	187.
	42" panel		RR3-E42S	203.
	48" panel		RR3-E48S	208.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	179.
	30" panel		RR3-T30S	196.
	36" panel		RR3-T36S	208.
	42" panel		RR3-T42S	227.
	48" panel		RR3-T48S	232.



Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	103.
	Beltway post	19 1/2"	RR3-LTPC	103.
	Beltway post	21 1/2"	RR3-LTPCP	103.



Only necessary for post applications where cable will turn 90°ree.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		RR3-TBBCS	149.
	For 30" wide Beltway panels (8 Wire)		RR3-EBBCS	141.
	For 36" to 48" wide Beltway panels (10 Wire)		RR3-TBBCL	158.
	For 36" to 48" wide Beltway panels (8 Wire)		RR3-EBBCL	149.

Order Code

Example: RR3-T42S
RR3 Reff raceway
T Ten wire 3+3
42 For 42" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.


Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper

* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		RR3EJ48	\$142.
	24" wide Ten Wire		RR3TJ48	172.
	30" wide Eight Wire		RR3EJ60P	157.
	30" wide Ten Wire		RR3TJ60P	187.
	36" wide Eight Wire		RR3EJ60P	157.
	36" wide Ten Wire		RR3TJ60P	187.
	42" wide Eight Wire		RR3EJ66P	165.
	42" wide Ten Wire		RR3TJ66P	196.
	48" wide Eight Wire		RR3EJ72P	172.
48" wide Ten Wire		RR3TJ72P	203.	

Order Code

Example: RR3-T42S
RR3 Reff raceway
T Ten wire 3+3
42 For 42" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.

Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper


* **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$14.
	Faceplate extender, black	RR3-FE	34.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
Snap in module (must be used with faceplate)	BNC coupler, black	RR3-BNC	21.
	Cat 3 RJ11/14/25, black	RR3-C3C	13.
	CAT 5 RJ45 universal	RR3-C5C	21.
	CAT 6 universal	RR3-C6C	35.
	F series video coupler, black	RR3-FV	21.
	ST style coupler, black	RR3-ST	35.
Icons (sets of 10)	Data icons, 16 piece black	RR3-DICON	14.
	Mixed icons, 16 piece black	RR3-MICON	14.
	Phone icons, 16 piece black	RR3PICON	14.
Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	139.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	139.
Fiber optics	Sc style dual fiber optic side mount	RR3-FOSC	176.
	ST style dual fiber optic side mount	RR3-FOST	100.
Desktop duplex monument	2-RJ11 (telephone)	RGMD6	106.
	2-RJ45's (phone and intercom)	RGMD8	118.
	Duplex outlet (electrical)	RGMDE	128.

Order Code	Specification Information	Application Notes
Example: RR3-2PF	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
RR3 Reff raceway		
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
RR3 Reff raceway		
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in either wood or fabric inserts. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.




Vertical power port bracket kit and duplex.


Reff Ported Panel Components

port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$56.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	87.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	29.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	29.
	Vertical Duplex C (10 wire applications)	RR3VDC	29.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	29.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	29.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	29.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	29.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	29.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	29.



Same Panel Jumper, 8w	30" same Panel Jumper 50" 8w	RR3EBVC50	149.
	30" same Panel Jumper 64" 8w	RR3EBVC64	162.
	30" same Panel Jumper 78" 8w	RR3EBVC78	176.
	36" + same Panel Jumper 62" 8w	RR3EBVC62	161.
	36" + same Panel Jumper 76" 8w	RR3EBVC76	175.
	36" + same Panel Jumper 90" 8w	RR3EBVC90	191.

Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	RR3TBVC50	171.
	30" same Panel Jumper 64" 10w	RR3TBVC64	187.
	30" same Panel Jumper 78" 10w	RR3TBVC78	205.
	36" + same Panel Jumper 62" 10w	RR3TBVC62	183.
	36" + same Panel Jumper 76" 10w	RR3TBVC76	201.
	36" + same Panel Jumper 90" 10w	RR3TBVC90	216.


Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 133.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h
RR3 Reff		
VP Vertical port		
BK Bracket kit		
	36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.

Reff Ported Panel Components

port, vertical duplex and panel jumpers


Reff Profiles

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	\$234.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	202.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	219.




Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	206.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	179.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	195.

Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	150.
	Internal Panel Jumper 8 w	RR3EVJ	139.



Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 133.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
RR3 Reff		
VP Vertical port		
BK Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>


Worksurface 1 1/4"
rectilinear
20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241-() ()	\$318.	\$348.	\$401.	\$539.
		30"	RSA301-() ()	349.	382.	438.	591.
		36"	RSA361-() ()	369.	403.	462.	625.
		42"	RSA421-() ()	383.	422.	484.	654.
		48"	RSA481-() ()	403.	437.	503.	678.
		54"	RSA541-() ()	418.	454.	525.	711.
		60"	RSA601-() ()	452.	491.	565.	765.
		66"	RSA661-() ()	462.	507.	584.	788.
		72"	RSA721-() ()	489.	534.	612.	826.
		78"	RSA781-() ()	495.	539.	621.	839.
		84"	RSA841-() ()	525.	577.	661.	892.
		90"	RSA901-() ()	550.	598.	687.	929.
	96"	RSA961-() ()	570.	621.	714.	963.	
	24"	24"	RSA242-() ()	335.	365.	422.	569.
		30"	RSA302-() ()	379.	412.	477.	642.
		36"	RSA362-() ()	391.	432.	493.	666.
		42"	RSA422-() ()	408.	443.	510.	687.
		48"	RSA482-() ()	433.	477.	547.	737.
		54"	RSA542-() ()	462.	507.	584.	788.
		60"	RSA602-() ()	500.	545.	624.	844.
		66"	RSA662-() ()	512.	561.	647.	872.
		72"	RSA722-() ()	538.	586.	676.	914.
78"		RSA782-() ()	561.	614.	710.	956.	
84"		RSA842-() ()	585.	640.	735.	993.	
90"		RSA902-() ()	614.	667.	767.	1,034.	
96"	RSA962-() ()	636.	693.	798.	1,077.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	
R Reff	1. Top thickness	1 3/4" thick laminate option is double post formed front and back, all others are edgedanded.
S Straight top	2. Grommet option	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish type	Mixed finish 1 3/4" tops are not post-formed.
24 24" wide	4. Top finish	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
1 20" deep	5. Grommet finish	These worksurfaces are predrilled with pilot holes for use with wood screws.
R Recessed grommet option	1. <i>Thickness options:</i> A = 1 1/4"	
L Laminate finish	2. <i>Grommet options:</i> N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
114 Folkstone grey	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed	
111 Jet Black (grommet)	4. <i>Top finish</i> 5. <i>Grommet finish:</i> Painted or Plated	
	Applicable finishes are listed on page 5 and 6.	
	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.	
	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.	

Worksurface 1 1/4"
 rectilinear
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSA243- ()()	\$366.	\$398.	\$455.	\$615.
		30"	RSA303- ()()	411.	448.	515.	696.
		36"	RSA363- ()()	441.	483.	554.	747.
		42"	RSA423- ()()	459.	502.	578.	781.
		48"	RSA483- ()()	491.	536.	615.	831.
		54"	RSA543- ()()	531.	580.	664.	896.
		60"	RSA603- ()()	551.	599.	689.	931.
		66"	RSA663- ()()	560.	613.	709.	955.
		72"	RSA723- ()()	577.	628.	722.	974.
		78"	RSA783- ()()	603.	658.	757.	1,021.
		84"	RSA843- ()()	625.	684.	787.	1,063.
		90"	RSA903- ()()	656.	715.	824.	1,113.
		96"	RSA963- ()()	679.	742.	853.	1,152.
		36"	60"	RSA604- ()()	634.	692.	794.
66"	RSA664- ()()		656.	716.	825.	1,114.	
72"	RSA724- ()()		678.	741.	852.	1,151.	

Order Code

Example: RSA243RL
R Reff
S Straight top
A 1 1/4" thick
24 24" wide
3 30" deep
R Recessed grommet option
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. *Thickness options:*
 A = 1 1/4"

2. *Grommet options:*
 N = No grommets
 F = Flush front grommet location
 R = Recessed front (not recommended for 20"D and 24"D tops)
 A = Alternate location (for 36"D tops only)

3. *Finish type:*
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

4. *Top finish*

5. *Grommet finish:*
 Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Application Notes

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.


Products on this page are shipped without hardware which must be ordered separately from the support components section.


Mixed finish 1 3/4" tops are not post-formed.


Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface 1 1/4" rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611- () ()	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	RKA 364211- () ()	692.	782.	895.	1,208.
	20"	20"	36"	48"	RKA 364811- () ()	735.	827.	953.	1,286.
	20"	20"	42"	36"	RKA 423611- () ()	692.	782.	895.	1,208.
	20"	20"	42"	42"	RKA 424211- () ()	735.	827.	953.	1,286.
	20"	20"	42"	48"	RKA 424811- () ()	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	RKA 483611- () ()	735.	827.	953.	1,286.
	20"	20"	48"	42"	RKA 484211- () ()	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	RKA 484811- () ()	845.	953.	1,094.	1,477.

24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622- () ()	744.	834.	960.	1,296.
	24"	24"	36"	42"	RKA 364222- () ()	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	RKA 364822- () ()	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	RKA 423622- () ()	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	RKA 424222- () ()	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	RKA 424822- () ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	RKA 483622- () ()	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	RKA 484222- () ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	RKA 484822- () ()	934.	1,052.	1,207.	1,628.


20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612- () ()	682.	767.	885.	1,193.
	20"	24"	36"	42"	RKA 364212- () ()	721.	813.	932.	1,259.
	20"	24"	36"	48"	RKA 364812- () ()	765.	860.	990.	1,335.
	20"	24"	42"	36"	RKA 423612- () ()	721.	813.	932.	1,259.
	20"	24"	42"	42"	RKA 424212- () ()	765.	860.	990.	1,335.
	20"	24"	42"	48"	RKA 424812- () ()	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	RKA 483612- () ()	765.	860.	990.	1,335.
	20"	24"	48"	42"	RKA 484212- () ()	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	RKA 484812- () ()	874.	986.	1,132.	1,529.

Order Code	
Example: RKA363611N1	
R	Reff
K	Straight front corner
A	1 1/4" top thickness
36	36" wide on left back
36	36" wide on right back
1	20" deep on left side
1	20" deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information
<i>To order please specify pattern number including:</i>
1. Top thickness
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Finish type
8. Top finish
9. Grommet finish
<i>1. Top thickness:</i> A = 1 1/4"
<i>2. Grommet options:</i> N = No grommets F = Standard corner location or Flush
<i>3. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3
<i>4. Top finish</i>
<i>5. Grommet finish:</i> Painted or Plated

Application Notes
Please call Custom Product Development for special grommet locations.
Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
Mixed finish 1 3/4" tops are not post-formed.
These worksurfaces are predrilled with pilot holes for use with wood screws.
Actual widths are 1/16" less all around on corner worksurfaces.
Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4" rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKA 363621-()()	\$682.	\$767.	\$885.	\$1,193.
	24"	20"	36"	42"	RKA 364221-()()	721.	813.	932.	1,259.
	24"	20"	36"	48"	RKA 364821-()()	765.	860.	990.	1,335.
	24"	20"	42"	36"	RKA 423621-()()	721.	813.	932.	1,259.
	24"	20"	42"	42"	RKA 424221-()()	765.	860.	990.	1,335.
	24"	20"	42"	48"	RKA 424821-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	RKA 483621-()()	765.	860.	990.	1,335.
	24"	20"	48"	42"	RKA 484221-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	RKA 484821-()()	874.	986.	1,132.	1,529.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Mixed finish 1 3/4" tops are not post-formed.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	These worksurfaces are predrilled with pilot holes for use with wood screws.
Y324 Ash		

To order please specify pattern number including:

1. Top thickness
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Finish type
8. Top finish
9. Grommet finish

1. *Top thickness:*
A = 1 1/4"

2. *Grommet options:*
N = No grommets
F = Standard corner location or Flush

3. *Finish type:*
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. *Top finish*

5. *Grommet finish:*
Painted or Plated

Application Notes

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support hardware.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Mixed finish 1 3/4" tops are not post-formed.





These worksurfaces are predrilled with pilot holes for use with wood screws.

Actual widths are 1/16" less all around on corner worksurfaces.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4" transition wave tops

Reff Profiles

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	RWA4221- () ()	\$392.	\$445.	\$512.	\$692.
	24"	48"	20"	RWA4821- () ()	415.	467.	537.	724.
	24"	54"	20"	RWA5421- () ()	446.	500.	577.	779.
	24"	60"	20"	RWA6021- () ()	475.	535.	614.	829.
	24"	66"	20"	RWA6621- () ()	490.	552.	633.	854.
	24"	72"	20"	RWA7221- () ()	511.	578.	662.	894.
Wave top transition (left 24") 	24"	36"	30"	RWA3623- () ()	409.	461.	531.	716.
	24"	42"	30"	RWA4223- () ()	426.	481.	552.	743.
	24"	48"	30"	RWA4823- () ()	445.	497.	573.	774.
	24"	54"	30"	RWA5423- () ()	477.	537.	618.	834.
	24"	60"	30"	RWA6023- () ()	510.	577.	661.	892.
	24"	66"	30"	RWA6623- () ()	529.	595.	685.	927.
	24"	72"	30"	RWA7223- () ()	556.	625.	719.	969.
Wave top transition (left 20") 	20"	42"	24"	RWA4212- () ()	392.	445.	512.	692.
	20"	48"	24"	RWA4812- () ()	415.	467.	537.	724.
	20"	54"	24"	RWA5412- () ()	446.	500.	577.	779.
	20"	60"	24"	RWA6012- () ()	475.	535.	614.	829.
	20"	66"	24"	RWA6612- () ()	490.	552.	633.	854.
	20"	72"	24"	RWA7212- () ()	511.	578.	662.	894.
Wave top transition (right 24") 	30"	36"	24"	RWA3632- () ()	409.	461.	531.	716.
	30"	42"	24"	RWA4232- () ()	426.	481.	552.	743.
	30"	48"	24"	RWA4832- () ()	445.	497.	573.	774.
	30"	54"	24"	RWA5432- () ()	477.	537.	618.	834.
	30"	60"	24"	RWA6032- () ()	510.	577.	661.	892.
	30"	66"	24"	RWA6632- () ()	529.	595.	685.	927.
	30"	72"	24"	RWA7232- () ()	556.	625.	719.	969.

Order Code	Specification Information
Example: RWA4221FL	
R Reff	
W Wave top transition	
A 1 1/4" thick	
42 42" wide	
2 24" deep on left side	
1 20" deep on right side	
F Flush grommet option	
L Laminate finish	
114 Folkstone grey	
111 Jet Black (grommet)	





Specification Information
To order please specify pattern number including:
1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish
3. Grommet options: N = No grommet F = Flush front grommet location
4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3
5. Top finish
6. Grommet finish: Painted or Plated

Application Notes
32"D wave end top requires 20"D end panel for freestanding support.
36"D wave end top requires 24"D end panel for support.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
These worksurfaces are predrilled with pilot holes for use with wood screws.
Curvilinear worksurfaces only available in 1 1/4" thick.
See Planning Guide for grommet locations.
Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
Please call Custom Product Development for special grommet locations.
Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.
Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.
Applicable finishes are listed on page 5 and 6.
Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurfaces

Worksurface 1 1/4" transition wave top ends

Reff Profiles

description	depth	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	20"	36"	32"	RWEA3631-()()	\$523.	\$589.	\$679.	\$916.
	20"	42"	32"	RWEA4231-()()	545.	613.	709.	955.
	20"	48"	32"	RWEA4831-()()	574.	648.	743.	1,003.
Wave top end, (right 24") 	24"	36"	36"	RWEA3662-()()	542.	611.	701.	947.
	24"	42"	36"	RWEA4262-()()	559.	629.	724.	977.
	24"	48"	36"	RWEA4862-()()	594.	666.	766.	1,033.
Wave top end, (left 20") 	32"	36"	20"	RWEA3613-()()	523.	589.	679.	916.
	32"	42"	20"	RWEA4213-()()	545.	613.	709.	955.
	32"	48"	20"	RWEA4813-()()	574.	648.	743.	1,003.
Wave top end, (left 24") 	36"	36"	24"	RWEA3626-()()	542.	611.	701.	947.
	36"	42"	24"	RWEA4226-()()	559.	629.	724.	977.
	36"	48"	24"	RWEA4826-()()	594.	666.	766.	1,033.

Order Code

Example:	RWEA3631FL
R	Reff
E	Wave top ends
A	1 1/4" thick
36	36" wide
3	32" deep on left side
1	20" deep on right side
F	Flush grommet option
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. Grommet options:
N = No grommet
F = Flush front grommet location

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

5. Top finish

6. Grommet finish:
Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

32"D wave end top requires 20"D end panel for freestanding support.

36"D wave end top requires 24"D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.


Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.

Worksurface 1 1/4"

curvilinear corner tops - 20" Deep

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611-()()	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	RCA364211-()()	692.	782.	895.	1,208.
	20"	20"	36"	48"	RCA364811-()()	735.	827.	953.	1,286.
	20"	20"	42"	36"	RCA423611-()()	692.	782.	895.	1,208.
	20"	20"	42"	42"	RCA424211-()()	735.	827.	953.	1,286.
	20"	20"	42"	48"	RCA424811-()()	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	RCA483611-()()	735.	827.	953.	1,286.
	20"	20"	48"	42"	RCA484211-()()	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	RCA484811-()()	845.	953.	1,094.	1,477.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621-()()	682.	767.	885.	1,193.
	24"	20"	36"	42"	RCA364221-()()	721.	813.	932.	1,259.
	24"	20"	36"	48"	RCA364821-()()	765.	860.	990.	1,335.
	24"	20"	42"	36"	RCA423621-()()	721.	813.	932.	1,259.
	24"	20"	42"	42"	RCA424221-()()	765.	860.	990.	1,335.
	24"	20"	42"	48"	RCA424821-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	RCA483621-()()	765.	860.	990.	1,335.
	24"	20"	48"	42"	RCA484221-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	RCA484821-()()	874.	986.	1,132.	1,529.

Worksurfaces

Order Code

Example: RCA363611N1
R Reff
C Curved front corner
A 1 1/4" thick
36 36" wide on left back
36 36" wide on right back
1 20" deep on left side
1 20" deep on right side
N No grommet
1 V1 finish
Y324 Ash

Specification Information

To order please specify pattern number including:

1. Left hand width
2. Right hand width
3. Return left hand depth
4. Return right hand depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

5. *Grommet options:*
 N = No grommets
 F = Standard corner location

6. *Finish type:*
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

7. *Top finish*

8. *Grommet finish:*
 Painted or Plated

Application Notes

Radius of curved front changes with overall top size. See Planning Guide.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4" curvilinear corner tops - 24" Deep

Reff Profiles


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612- () ()	\$682.	\$767.	\$885.	\$1,193.
	20"	24"	36"	42"	RCA364212- () ()	721.	813.	932.	1,259.
	20"	24"	36"	48"	RCA364812- () ()	765.	860.	990.	1,335.
	20"	24"	42"	36"	RCA423612- () ()	721.	813.	932.	1,259.
	20"	24"	42"	42"	RCA424212- () ()	765.	860.	990.	1,335.
	20"	24"	42"	48"	RCA424812- () ()	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	RCA483612- () ()	765.	860.	990.	1,335.
	20"	24"	48"	42"	RCA484212- () ()	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	RCA484812- () ()	874.	986.	1,132.	1,529.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622- () ()	744.	834.	960.	1,296.
	24"	24"	36"	42"	RCA364222- () ()	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	RCA364822- () ()	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	RCA423622- () ()	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	RCA424222- () ()	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	RCA424822- () ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	RCA483622- () ()	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	RCA484222- () ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	RCA484822- () ()	934.	1,052.	1,207.	1,628.

Order Code	Specification Information	Application Notes
Example: RCA363612	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
C Curved front corner	2. Right hand width	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
A 1 1/4" thick	3. Return left hand depth	Please call Custom Product Development for special grommet locations.
36 36" wide on left back	4. Return right hand depth	Applicable finishes are listed on page 5 and 6.
36 36" wide on right back	5. Grommet option	
1 20" deep on left side	6. Top finish type	
2 24" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	5. <i>Grommet options:</i>	
Y324 Ash	N = No grommets	
	F = Standard corner location	
	6. <i>Finish type:</i>	
	L = Laminate	Product on this page will accept woodgrain laminate where laminate is currently an option.
	M = Wood/laminate mixed	List price for woodgrain laminate options will be current published laminate list price plus 10%.
	1 = V1	These worksurfaces are predrilled with pilot holes for use with wood screws.
	2 = V2	Curvilinear worksurfaces only available in 1 1/4" thick.
	3 = V3	See Planning Guide for grommet locations.
	7. <i>Top finish</i>	
	8. <i>Grommet finish:</i>	
	Painted or Plated	

Worksurface 1 1/4" extended curvilinear corner tops


Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	RCCDLA23672 () () ()	\$1,809.	\$2,400.	\$3,388.	\$4,571.
	36"	78"	RCCDLA23678 () () ()	1,881.	2,496.	3,521.	4,753.
	36"	84"	RCCDLA23684 () () ()	1,956.	2,597.	3,662.	4,943.
	36"	96"	RCCDLA23696 () () ()	2,035.	2,700.	3,809.	5,143.



Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 () () ()	1,811.	2,406.	3,396.	4,585.
	36"	78"	RCCDLA33678 () () ()	1,883.	2,503.	3,534.	4,771.
	36"	84"	RCCDLA33684 () () ()	1,959.	2,604.	3,674.	4,959.
	36"	96"	RCCDLA33696 () () ()	2,037.	2,707.	3,822.	5,158.

Extended corner worktop, RH curved front corner (return 24")	36"	72"	RCCDRA23672 () () ()	1,809.	2,400.	3,388.	4,571.
	36"	78"	RCCDRA23678 () () ()	1,881.	2,496.	3,521.	4,753.
	36"	84"	RCCDRA23684 () () ()	1,956.	2,597.	3,662.	4,943.
	36"	96"	RCCDRA23696 () () ()	2,035.	2,700.	3,809.	5,143.



Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 () () ()	1,811.	2,406.	3,396.	4,585.
	36"	78"	RCCDRA33678 () () ()	1,883.	2,503.	3,534.	4,771.
	36"	84"	RCCDRA33684 () () ()	1,959.	2,604.	3,674.	4,959.
	36"	96"	RCCDRA33696 () () ()	2,037.	2,707.	3,822.	5,158.

Worksurfaces

Order Code

Example:	RCCDLA23672N2
R	Reff
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
72	72" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Depth
2. Grommet option
N = No grommets
F = Flush front grommet location
3. Finish type:
L = Laminate
M = Mixed (laminated surface with wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4" extended straight corner tops

Reff Profiles

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24") 	36"	60"	24"	RCEAL223660 () () ()	\$670.	\$989.	\$1,338.	\$1,810.
	36"	72"	24"	RCEAL223672 () () ()	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAL224260 () () ()	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAL224272 () () ()	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAL224872 () () ()	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAL224884 () () ()	1,071.	1,619.	2,183.	2,947.
48"	96"	24"	RCEAL224896 () () ()	1,231.	1,866.	2,511.	3,391.	

Extended straight corner top, RH curved front corner (returns 24") 	36"	60"	24"	RCEAR223660 () () ()	670.	989.	1,338.	1,810.
	36"	72"	24"	RCEAR223672 () () ()	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAR224260 () () ()	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAR224272 () () ()	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAR224872 () () ()	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAR224884 () () ()	1,071.	1,619.	2,183.	2,947.
	48"	96"	24"	RCEAR224896 () () ()	1,231.	1,866.	2,511.	3,391.

Order Code

Example:	RCEAL223660N2
R	Reff
C	Corner
E	Extended
A	1 1/4" thick
L	Left Hand
22	24" returns
36	36" d at corner straight edge
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

- N = No grommets
- F = Flush front grommet location

6. Finish type:

- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4" Meeting tops 'D'

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	RMDA4230-()()	\$579.	\$627.	\$721.	\$973.
		48"	30"	RMDA4830-()()	622.	678.	781.	1,054.
		54"	30"	RMDA5430-()()	666.	726.	834.	1,127.
		60"	30"	RMDA6030-()()	714.	778.	890.	1,203.
		66"	30"	RMDA6630-()()	760.	826.	952.	1,285.
		72"	30"	RMDA7230-()()	809.	879.	1,010.	1,364.
		78"	30"	RMDA7830-()()	914.	992.	1,142.	1,540.
		84"	30"	RMDA8430-()()	1,018.	1,106.	1,274.	1,719.
		90"	30"	RMDA9030-()()	1,136.	1,236.	1,422.	1,918.
	96"	30"	RMDA9630-()()	1,255.	1,365.	1,569.	2,118.	
	36" deep	42"	36"	RMDA4236-()()	636.	691.	793.	1,071.
		48"	36"	RMDA4836-()()	696.	756.	868.	1,171.
		54"	36"	RMDA5436-()()	793.	864.	995.	1,342.
		60"	36"	RMDA6036-()()	891.	967.	1,114.	1,505.
		66"	36"	RMDA6636-()()	909.	987.	1,134.	1,533.
		72"	36"	RMDA7236-()()	921.	1,003.	1,155.	1,557.
		78"	36"	RMDA7836-()()	1,039.	1,129.	1,299.	1,754.
		84"	36"	RMDA8436-()()	1,155.	1,257.	1,445.	1,949.
		90"	36"	RMDA9036-()()	1,217.	1,323.	1,522.	2,055.
Wrap around panel top	(20" panels)	42 1/2"	21 1/4"	RMDA4221-()()	744.	809.	928.	1,252.
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-()()	813.	885.	1,017.	1,374.



No Grommets

Please specify mating trim profile

Order Code

Example: RMDA4230N1	
R	Reff
MD	Meeting D-top
A	1 1/4" thick
42	42" wide
30	30" deep
N	No grommet
1	V1
Y311	Beech

Specification Information

To order please specify pattern number including:

- Top thickness
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish
- Trim profile

1. Thickness options:
A = 1 1/4"

4. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.

8. Trim profile
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Worksurfaces

Worksurface 1 1/4"

Meeting tops P and 9


Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230- () ()	\$792.	\$862.	\$991.	\$1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836- () ()	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230- () ()	792.	862.	991.	1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836- () ()	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9A8430- () ()	1,613.	1,753.	2,017.	2,724.
		96"	30"	RM9A9630- () ()	1,680.	1,829.	2,100.	2,836.





42" diameter

Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
M9 Meeting 9-top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Depth	These worksurfaces are predrilled with pilot holes for use with wood screws.
42 42" wide	4. Grommet option	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
30 30" deep	5. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
N No grommet	6. Top finish	
1 V1	7. Grommet finish	
Y311 Beech	1. <i>Thickness options:</i> A = 1 1/4"	Refer to Planning Guide for modesty panel size requirements and all other support options.
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	7. <i>Grommet finish:</i> Painted or Plated	

Worksurface 1 1/4"

Meeting tops

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top 		84"	30"	RMPA8430- () ()	\$1,613.	\$1,753.	\$2,017.	\$2,724.
		96"	30"	RMPA9630- () ()	1,680.	1,829.	2,100.	2,836.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
42" diameter								
Elliptical tops 		60"	30"	REBA6030- () *	1,109.	1,229.	1,410.	1,906.
		72"	42"	REBA7242- () *	1,580.	1,747.	2,011.	2,713.
		78"	48"	REBA7848- () *	1,730.	1,917.	2,204.	2,976.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDA4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Applicable finishes are listed on page 5 and 6.
MD Meeting D-top	2. Width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Depth	List price for woodgrain laminate location will be current published laminate list price plus 10%.
42 42" wide	4. Grommet option	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
30 30" deep	5. Top finish type	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
N No grommet	6. Top finish	Refer to Planning Guide for modesty panel size requirements and all other support options.
1 V1	7. Grommet finish	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
Y311 Beech	8. Trim profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
	<i>1. Thickness options:</i> A = 1 1/4"	
	<i>4. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	
	<i>5. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	<i>7. Grommet finish:</i> Painted or Plated	

Worksurface 1 1/4" Bow front and support


Reff Profiles

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top	72"	30"		RMB(A)7230-() ()	\$926.	\$1,045.	\$1,203.	\$1,623.
	84"	30"		RMB(A)8430-() ()	1,020.	1,154.	1,325.	1,788.
	96"	30"		RMB(A)9630-() ()	1,133.	1,278.	1,467.	1,983.



Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

Bow shaped top - 36"D	72"	36"		RMB(A)7236-() ()	985.	1,109.	1,277.	1,723.
	84"	36"		RMB(A)8436-() ()	1,079.	1,218.	1,401.	1,890.
	96"	36"		RMB(A)9636-() ()	1,196.	1,350.	1,550.	2,093.



Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
Can also be used with 36" deep end panel and recessed modesty.

Order Code	Specification Information	Application Notes
Example: RMBA7230R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet option	6. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
V319 Medium cherry	<i>1. Thickness options:</i> A = 1 1/4"	List price for woodgrain laminate options will be current published laminate list price plus 10%.
111 Jet Black (grommet)	<i>4. Grommet options:</i> N = No grommet F = Flush front grommet R = Recessed grommet A = Alternate location (only for 36" deep bow front tops)	These worksurfaces are predrilled with pilot holes for use with wood screws. See Planning Guide for grommet locations. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.






Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference 1 1/4" Square and rectangular

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RRR7230(-)	\$597.	\$650.	\$747.	\$1,008.
	72"	36"	RRR7236(-)	649.	707.	812.	1,096.
	84"	30"	RRR8430(-)	661.	717.	826.	1,115.
	84"	36"	RRR8436(-)	711.	771.	886.	1,197.
	84"	42"	RRR8442(-)	1,050.	1,142.	1,310.	1,769.
	96"	30"	RRR9630(-)	742.	808.	927.	1,251.
	96"	36"	RRR9636(-)	818.	889.	1,024.	1,382.
	96"	42"	RRR9642(-)	1,205.	1,308.	1,505.	2,032.
Rectangular top 2 piece 	120"	36"	RRR12036(-)	1,313.	1,427.	1,642.	2,217.
	120"	42"	RRR12042(-)	1,811.	1,969.	2,265.	3,058.
	120"	48"	RRR12048(-)	1,968.	2,141.	2,461.	3,323.
	144"	42"	RRR14442(-)	2,035.	2,212.	2,544.	3,434.
	144"	48"	RRR14448(-)	2,179.	2,372.	2,727.	3,681.
Rectangular top 3 piece 	168"	42"	RRR16842(-)	2,667.	2,899.	3,337.	4,505.
	168"	48"	RRR16848(-)	2,898.	3,151.	3,624.	4,890.
	192"	42"	RRR19242(-)	2,892.	3,144.	3,613.	4,878.
	192"	48"	RRR19248(-)	3,114.	3,383.	3,888.	5,248.
Square tops  	*	60"	RRR6060(-)	1,224.	1,329.	1,532.	2,066.
	*	72"	RRR7272(-)	1,442.	1,569.	1,804.	2,436.
	-	36"	RRR3636(-)	460.	502.	578.	781.
	-	42"	RRR4242(-)	597.	650.	747.	1,008.
	-	48"	RRR4848(-)	786.	852.	981.	1,323.

Worksurfaces

Order Code	
Example: RRAG72302	
R	Reff
R	Rectangular
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1 1/4"

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Square tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.






Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Conference 1 1/4"
Round and racetrack

Reff Profiles

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece 	72"	30"	RTA7230-()	\$1,131.	\$1,229.	\$1,410.	\$1,906.
	84"	30"	RTA8430-()	1,258.	1,368.	1,573.	2,122.
	96"	30"	RTA9630-()	1,398.	1,522.	1,751.	2,363.
	72"	36"	RTA7236-()	1,290.	1,401.	1,610.	2,173.
	84"	36"	RTA8436-()	1,448.	1,576.	1,811.	2,443.
	96"	36"	RTA9636-()	1,607.	1,747.	2,011.	2,713.
	84"	42"	RTA8442-()	1,761.	1,917.	2,204.	2,976.
	96"	42"	RTA9642-()	1,975.	2,147.	2,467.	3,331.
	96"	48"	RTA9648-()	2,166.	2,351.	2,705.	3,650.
Racetrack top 2 piece 	120"	36"	RTA12036-()	2,074.	2,257.	2,597.	3,504.
	120"	42"	RTA12042-()	2,240.	2,432.	2,800.	3,779.
	144"	42"	RTA14442-()	2,470.	2,683.	3,086.	4,164.
	120"	48"	RTA12048-()	2,380.	2,587.	2,976.	4,017.
	144"	48"	RTA14448-()	2,531.	2,753.	3,163.	4,269.
Racetrack top 3 piece 	168"	42"	RTA16842-()	3,096.	3,364.	3,870.	5,224.
	192"	42"	RTA19242-()	3,325.	3,614.	4,159.	5,615.
	168"	48"	RTA16848-()	3,314.	3,599.	4,138.	5,588.
	192"	48"	RTA19248-()	3,462.	3,765.	4,327.	5,842.
Round tops  	-	36"	RTA3636-()	636.	691.	793.	1,071.
	-	42"	RTA4242-()	739.	799.	920.	1,241.
	-	48"	RTA4848-()	1,215.	1,319.	1,516.	2,047.
	*	60"	RTA6060-()	1,902.	2,068.	2,378.	3,211.
	*	72"	RTA7272-()	2,353.	2,557.	2,945.	3,976.

Order Code

Example:	RTA72302
R	Reff
R	Round
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:

A = 1 1/4"

4. Finish type:

- L = Laminate
- M = Wood/laminate mixed
- 1 = V1
- 2 = V2
- 3 = V3

*Round tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Top to top brackets included.

See table base matrix in Planning Guide pages 140 and 141.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 0 through 0.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma




Alpha



Beta



Chi




Delta



Epsilon




Phi




Gamma

Optional edge 1 1/4"
front only, 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2/3)	\$401.	\$457.	\$618.	
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2/3)	439.	505.	681.	
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2/3)	462.	533.	719.	
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2/3)	484.	556.	751.	
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2/3)	504.	578.	781.	
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2/3)	522.	606.	817.	
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2/3)	565.	651.	879.	
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2/3)	582.	671.	904.	
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2/3)	613.	706.	951.	
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2/3)	621.	714.	963.	
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2/3)	661.	759.	1,025.	
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2/3)	687.	791.	1,068.	
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2/3)	714.	822.	1,109.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-()(1/2/3)	422.	484.	654.
			30"	RSA(A/B/C/D/E/F/G)F302-()(1/2/3)	477.	548.	739.
			36"	RSA(A/B/C/D/E/F/G)F362-()(1/2/3)	494.	569.	769.
			42"	RSA(A/B/C/D/E/F/G)F422-()(1/2/3)	510.	585.	789.
			48"	RSA(A/B/C/D/E/F/G)F482-()(1/2/3)	548.	627.	846.
54"	RSA(A/B/C/D/E/F/G)F542-()(1/2/3)		582.	671.	904.		
60"	RSA(A/B/C/D/E/F/G)F602-()(1/2/3)		624.	717.	968.		
66"	RSA(A/B/C/D/E/F/G)F662-()(1/2/3)		648.	742.	1,002.		
72"	RSA(A/B/C/D/E/F/G)F722-()(1/2/3)		675.	779.	1,050.		
78"	RSA(A/B/C/D/E/F/G)F782-()(1/2/3)		709.	815.	1,100.		
84"	RSA(A/B/C/D/E/F/G)F842-()(1/2/3)		735.	845.	1,142.		
90"	RSA(A/B/C/D/E/F/G)F902-()(1/2/3)		767.	885.	1,193.		
96"	RSA(A/B/C/D/E/F/G)F962-()(1/2/3)	797.	920.	1,241.			


Order Code	Specification Information	Application Notes
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge 1 1/4"
front only, 30" and 36" deep

description	d	width	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$455.	\$525.	\$711.	
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	515.	591.	797.	
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	555.	636.	858.	
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	577.	662.	894.	
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	615.	711.	959.	
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	666.	765.	1,031.	
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	689.	792.	1,069.	
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	707.	813.	1,097.	
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	723.	829.	1,121.	
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	757.	873.	1,178.	
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	787.	906.	1,225.	
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	823.	949.	1,281.	
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	853.	983.	1,326.	
		36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	796.	916.	1,235.
			66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	824.	951.	1,284.
			72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	852.	982.	1,324.


Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	(not recommended on 20"D and 24"D tops)	
	6. Finish type:	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4"
front and back edge, 20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	504.	578.	781.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	522.	606.	817.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	565.	651.	879.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	582.	671.	904.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	613.	706.	951.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	621.	714.	963.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	661.	759.	1,025.
		90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	687.	791.	1,068.
96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	714.	822.	1,109.		
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	548.	627.	846.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	582.	671.	904.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	624.	717.	968.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	648.	742.	1,002.
		72"	RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	675.	779.	1,050.
		78"	RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	709.	815.	1,100.
		84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	735.	845.	1,142.
		90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	767.	885.	1,193.
96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	797.	920.	1,241.		



Order Code	Specification Information	Application Notes
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position A = Edge front and back	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Width	List price for woodgrain laminate options will be current published laminate list price plus 10%.
G Gamma	4. Depth	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A Edge front and back	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	(not recommended on 20"D and 24"D tops)	
	6. Finish type:	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4"
front and back edge, 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$455.	\$525.	\$711.
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	515.	591.	797.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	555.	636.	858.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	577.	662.	894.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	615.	711.	959.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	666.	765.	1,031.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	689.	792.	1,069.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	707.	813.	1,097.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	723.	829.	1,121.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	757.	873.	1,178.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	787.	906.	1,225.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	823.	949.	1,281.
96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	853.	983.	1,326.		
	36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	796.	916.	1,235.
		66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)	824.	951.	1,284.
		72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)	852.	982.	1,324.


Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<i>)}To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
S Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	2. 5th position A = Edge front and back	
G Gamma	3. Width	
A Edge front and back	4. Depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
24 24" wide	5. Grommet option	
3 30" deep	6. Top finish type	
F Flush grommet	7. Top finish	
2 V2 finish	8. Grommet finish	
V319 Medium cherry	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Applicable finishes are listed on page 5 and 6.
111 Jet Black (grommet)		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Optional edge 1 1/4" front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	548.	627.	846.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	401.	457.	618.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	548.	627.	846.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p> <p>Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position indicates how and which edges profiled	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
B Both ends accept edge	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	


Optional edge 1 1/4" front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	548.	627.	846.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	<i>1. Edge profile</i>	
S Straight top	<i>2. 5th position indicates how and which edges profiled</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	<i>3. Width</i>	
G Gamma	<i>4. Depth</i>	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
B Both ends accept edge	<i>5. Grommet option</i>	
24 24" wide	<i>6. Top finish type</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
1 20" deep	<i>7. Top finish</i>	
F Flush grommet	<i>8. Grommet finish</i>	Applicable finishes are listed on page 5 and 6.
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	B = Beta	
	C = Chi	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge 1 1/4" curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$847.	\$973.	\$1,314.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	895.	1,030.	1,391.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	953.	1,094.	1,477.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	895.	1,030.	1,391.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	953.	1,094.	1,477.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	1,040.	1,195.	1,613.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	953.	1,094.	1,477.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	1,040.	1,195.	1,613.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,094.	1,259.	1,698.
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	885.	1,017.	1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	991.	1,136.	1,536.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	1,078.	1,238.	1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,132.	1,303.	1,759.
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	885.	1,017.	1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	991.	1,136.	1,536.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	1,078.	1,238.	1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,132.	1,303.	1,759.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	960.	1,104.	1,491.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	1,011.	1,160.	1,566.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	1,065.	1,224.	1,653.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	1,011.	1,160.	1,566.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	1,065.	1,224.	1,653.






Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
R Reff	1. Edge profile	
C Corner top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge 1 1/4" curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 24"	42"	48"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	\$1,155.	\$1,328.	\$1,792.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	1,065.	1,224.	1,653.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,155.	1,328.	1,792.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,209.	1,388.	1,875.




Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	
R Reff	1. Edge profile	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
C Corner top	2. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Right hand width	Product on this page will accept woodgrain laminate where laminate is currently an option.
G Gamma	4. Return left hand depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
F Edge Front only	5. Return right hand depth	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>6. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	<i>7. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4"
 wave end tops
 front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-() (1/2/3)	\$511.	\$588.	\$793.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-() (1/2/3)	537.	618.	834.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-() (1/2/3)	574.	661.	892.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-() (1/2/3)	614.	709.	955.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-() (1/2/3)	633.	727.	985.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-() (1/2/3)	662.	763.	1,029.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-() (1/2/3)	553.	633.	854.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-() (1/2/3)	573.	658.	888.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-() (1/2/3)	618.	712.	960.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-() (1/2/3)	661.	759.	1,025.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-() (1/2/3)	684.	788.	1,064.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-() (1/2/3)	721.	827.	1,118.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-() (1/2/3)	511.	588.	793.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-() (1/2/3)	537.	618.	834.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-() (1/2/3)	574.	661.	892.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-() (1/2/3)	614.	709.	955.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-() (1/2/3)	633.	727.	985.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-() (1/2/3)	662.	763.	1,029.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-() (1/2/3)	553.	633.	854.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-() (1/2/3)	573.	658.	888.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-() (1/2/3)	618.	712.	960.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-() (1/2/3)	661.	759.	1,025.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-() (1/2/3)	684.	788.	1,064.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-() (1/2/3)	721.	827.	1,118.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-() (1/2/3)	679.	782.	1,055.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-() (1/2/3)	707.	813.	1,097.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-() (1/2/3)	743.	854.	1,155.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>6. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	<i>7. Finish type:</i>	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	


Optional edge 1 1/4"
wave end tops
front edge only

description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$703.	\$809.	\$1,091.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	724.	832.	1,124.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	766.	884.	1,192.
Wave end top with profile edge front only (20" left) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	679.	782.	1,055.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	707.	813.	1,097.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	743.	854.	1,155.
Wave end top with profile edge front only (24" left) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	703.	809.	1,091.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	724.	832.	1,124.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	766.	884.	1,192.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>M = Mixed (laminated surface / wood edge)</p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4" meeting tops





description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$722.	\$828.	\$1,119.
	30"	48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	781.	894.	1,207.
	30"	54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	834.	960.	1,296.
	30"	60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	892.	1,025.	1,383.
	30"	66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	952.	1,093.	1,476.
	30"	72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	1,010.	1,159.	1,565.
	30"	78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,141.	1,311.	1,771.
	30"	84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,274.	1,464.	1,977.
	30"	90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,423.	1,636.	2,207.
	30"	96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,569.	1,804.	2,436.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	794.	914.	1,233.
	36"	48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	868.	999.	1,349.
	36"	54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	993.	1,144.	1,543.
	36"	60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,114.	1,282.	1,731.
	36"	66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,134.	1,306.	1,763.
	36"	72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,155.	1,328.	1,792.
	36"	78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,299.	1,492.	2,015.
	36"	84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,445.	1,663.	2,245.
	36"	90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,522.	1,751.	2,363.
	36"	96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,668.	1,915.	2,586.
Wrap-around panel top	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	928.	1,067.	1,439.
*No Grommet option	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	1,017.	1,170.	1,579.



Please specify mating end trim profile option.

Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	<ol style="list-style-type: none"> Edge profile Width Depth Grommet option Top finish type Top finish Grommet finish Applicable "wrap around panel tops" only specify mating panel end trim profile 	
MD Peninsula D-shaped top	<ol style="list-style-type: none"> Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma 	
A 1 1/4" thick		
G Gamma		
F Edge front only		
42 42" wide		
30 30" deep		
C Centered grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		
	<ol style="list-style-type: none"> 4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops) 5. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3 8. Additional specification option required for wrap around panel tops only, specify mating trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum 	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	


Optional edge 1 1/4" meeting tops P and 9


description	d	w	pattern no.	V1	V2	V3
Worksurface P-top 	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	\$2,016.	\$2,322.	\$3,133.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,102.	2,417.	3,263.
Worksurface 9-top 	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	2,016.	2,322.	3,133.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,102.	2,417.	3,263.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet option 	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	992.	1,140.	1,537.
	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,102.	1,267.	1,712.
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet option 	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	992.	1,140.	1,537.
	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,102.	1,267.	1,712.


Order Code	Specification Information	Application Notes
Example: RMPAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	<i>1. Edge profile</i>	
MP Peninsula P-shaped top	<i>2. Width</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	<i>3. Depth</i>	
G Gamma	<i>4. Grommet option</i>	
F Edge front only	<i>5. Top finish type</i>	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
42 42" wide	<i>6. Top finish</i>	
30 30" deep	<i>7. Grommet finish</i>	Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.
C Centered grommet	<i>8. Applicable "wrap around panel tops" only specify mating panel end trim profile</i>	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Grommet options:</i>	
	N = No grommet	
	C = Centered grommet (applicable RMDA product only)	
	F = Flush front grommet location (for worksurfaces 9 or P tops)	
	R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)	
	<i>5. Finish type:</i>	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4"

Bow front tops

description	w	d	pattern no.	V1	V2	V3
 Profile edge on front and back (30"d)	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)	\$1,203.	\$1,381.	\$1,866.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430()(1/2/3)	1,325.	1,524.	2,058.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630()(1/2/3)	1,468.	1,686.	2,277.





 Profile edge on front and back (36"d)	72"	36"	RMBA(A/B/C/D/E/F/G)A7236()(1/2/3)	1,277.	1,467.	1,983.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436()(1/2/3)	1,400.	1,611.	2,175.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)	1,551.	1,785.	2,408.

 Profile elliptical tops	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,411.	1,623.	2,191.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	2,012.	2,310.	3,119.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	2,204.	2,535.	3,422.

grommet options for elliptical tops, N or R

Order Code	Specification Information	Application Notes
Example: RMBAGA7230F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
MB Bow front top	2. Width	
A 1 1/4" thick	3. Depth	
G Gamma	4. Grommet option	
A Edge front and back	5. Top finish type	
72 72" wide	6. Top finish	
30 30" deep	7. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	4. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	A = Alternate location (only for 36" deep bow front tops)	
	5. Finish type:	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4" round and racetrack conference tops

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,411.	\$1,623.	\$2,191.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,611.	1,849.	2,497.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,571.	1,810.	2,442.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,813.	2,079.	2,809.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,204.	2,535.	3,422.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,751.	2,014.	2,717.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	2,012.	2,310.	3,119.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,467.	2,837.	3,830.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,597.	2,985.	4,029.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,800.	3,218.	4,345.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	2,976.	3,421.	4,617.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	3,085.	3,549.	4,790.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	3,164.	3,636.	4,910.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,869.	4,450.	6,007.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	4,138.	4,759.	6,423.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	4,159.	4,781.	6,455.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,327.	4,977.	6,717.
Round tops Profile edge on all sides except on parting lines. 	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,378.	2,735.	3,690.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	2,943.	3,385.	4,570.
	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	794.	914.	1,233.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	921.	1,058.	1,430.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,516.	1,743.	2,353.

Order Code	Specification Information
Example: RTAG72302	
R Reff	
T Racetrack top	
A 1 1/4" thick	
G Gamma	
72 22" wide	
30 30" deep	
2 V2 finish	
V319 Medium cherry	





Specification Information	Application Notes
To order please specify pattern number including: 1. Edge profile 2. Width 3. Depth 4. Finish type 5. Finish 1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	4. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3 *Round tops in two pieces. Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4" square and rectangular conference tops

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	\$747.	\$858.	\$1,159.
	72"	36"	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	812.	931.	1,258.
	84"	30"	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	825.	952.	1,285.
	84"	36"	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	886.	1,018.	1,375.
	84"	42"	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	1,311.	1,507.	2,034.
	96"	30"	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	927.	1,065.	1,438.
	96"	36"	RRA(A/B/C/D/E/F/G)9636-(1/2/3)	1,024.	1,177.	1,591.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	1,642.	1,888.	2,549.
	120"	42"	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	2,265.	2,604.	3,512.
	120"	48"	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	2,461.	2,830.	3,822.
	144"	42"	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	2,542.	2,928.	3,953.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	3,336.	3,837.	5,179.
	168"	48"	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	3,623.	4,169.	5,629.
	192"	42"	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	3,613.	4,158.	5,612.
	192"	48"	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	3,890.	4,474.	6,038.
Square top Profile edge on all sides except on parting lines 	*	60"	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	1,530.	1,759.	2,376.
	*	72"	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	1,804.	2,074.	2,801.
	-	36"	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	577.	662.	894.
	-	42"	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	747.	858.	1,159.
	-	48"	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	982.	1,127.	1,521.

Order Code

Example: RRAG72302	
R	Reff
R	Conference Room top
A	1 1/4" thick
G	Gamma
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- M = Mixed (laminate surface / wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

* Square tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Application Notes


Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4" with 2" Waterfall edge front only 20" and 24" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-()(1/2/3)	\$758.	\$873.	\$1,178.	
		30"	RSAWF301-()(1/2/3)	834.	961.	1,299.	
		36"	RSAWF361-()(1/2/3)	883.	1,012.	1,366.	
		42"	RSAWF421-()(1/2/3)	921.	1,056.	1,426.	
		48"	RSAWF481-()(1/2/3)	957.	1,101.	1,486.	
		54"	RSAWF541-()(1/2/3)	999.	1,151.	1,553.	
		60"	RSAWF601-()(1/2/3)	1,076.	1,236.	1,670.	
		66"	RSAWF661-()(1/2/3)	1,109.	1,277.	1,723.	
		72"	RSAWF721-()(1/2/3)	1,164.	1,338.	1,810.	
		78"	RSAWF781-()(1/2/3)	1,183.	1,359.	1,833.	
		84"	RSAWF841-()(1/2/3)	1,259.	1,447.	1,953.	
		90"	RSAWF901-()(1/2/3)	1,308.	1,505.	2,032.	
		96"	RSAWF961-()(1/2/3)	1,359.	1,559.	2,105.	
		24"	24"	RSAWF242-()(1/2/3)	798.	921.	1,243.
			30"	RSAWF302-()(1/2/3)	903.	1,040.	1,403.
			36"	RSAWF362-()(1/2/3)	940.	1,078.	1,457.
42"	RSAWF422-()(1/2/3)		968.	1,112.	1,502.		
48"	RSAWF482-()(1/2/3)		1,040.	1,195.	1,613.		
54"	RSAWF542-()(1/2/3)		1,109.	1,277.	1,723.		
60"	RSAWF602-()(1/2/3)		1,188.	1,365.	1,842.		
66"	RSAWF662-()(1/2/3)		1,229.	1,410.	1,906.		
72"	RSAWF722-()(1/2/3)		1,284.	1,477.	1,992.		
78"	RSAWF782-()(1/2/3)		1,346.	1,547.	2,089.		
84"	RSAWF842-()(1/2/3)		1,398.	1,607.	2,169.		
90"	RSAWF902-()(1/2/3)		1,464.	1,683.	2,273.		
96"	RSAWF962-()(1/2/3)	1,521.	1,748.	2,362.			

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	Applicable finishes are listed on page 5 and 6.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
V319 Medium cherry		
111 Jet Black (grommet)	2. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front only
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243- ()(1/2/3)	\$869.	\$1,002.	\$1,353.
		30"	RSAWF303- ()(1/2/3)	976.	1,125.	1,518.
		36"	RSAWF363- ()(1/2/3)	1,054.	1,210.	1,635.
		42"	RSAWF423- ()(1/2/3)	1,098.	1,261.	1,703.
		48"	RSAWF483- ()(1/2/3)	1,171.	1,349.	1,821.
		54"	RSAWF543- ()(1/2/3)	1,266.	1,458.	1,968.
		60"	RSAWF603- ()(1/2/3)	1,314.	1,510.	2,039.
		66"	RSAWF663- ()(1/2/3)	1,343.	1,543.	2,086.
		72"	RSAWF723- ()(1/2/3)	1,376.	1,581.	2,133.
		78"	RSAWF783- ()(1/2/3)	1,440.	1,655.	2,233.
		84"	RSAWF843- ()(1/2/3)	1,497.	1,723.	2,326.
		90"	RSAWF903- ()(1/2/3)	1,568.	1,798.	2,428.
		96"	RSAWF963- ()(1/2/3)	1,624.	1,867.	2,520.
		36"	60"	RSAWF604- ()(1/2/3)	1,517.	1,741.
66"	RSAWF664- ()(1/2/3)		1,570.	1,804.	2,436.	
72"	RSAWF724- ()(1/2/3)		1,621.	1,863.	2,514.	

Order Code	Specification Information	Application Notes
Example: RSAWF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WF Waterfall front	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	2. <i>Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4" with 2" Waterfall edge front and back 20" and 24" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241- ()(1/2/3)	\$948.	\$1,094.	\$1,477.	
		30"	RSAWA301- ()(1/2/3)	1,045.	1,201.	1,619.	
		36"	RSAWA361- ()(1/2/3)	1,102.	1,264.	1,709.	
		42"	RSAWA421- ()(1/2/3)	1,152.	1,323.	1,786.	
		48"	RSAWA481- ()(1/2/3)	1,195.	1,376.	1,857.	
		54"	RSAWA541- ()(1/2/3)	1,248.	1,437.	1,941.	
		60"	RSAWA601- ()(1/2/3)	1,347.	1,545.	2,087.	
		66"	RSAWA661- ()(1/2/3)	1,387.	1,595.	2,155.	
		72"	RSAWA721- ()(1/2/3)	1,458.	1,678.	2,265.	
		78"	RSAWA781- ()(1/2/3)	1,480.	1,696.	2,292.	
		84"	RSAWA841- ()(1/2/3)	1,573.	1,809.	2,441.	
		90"	RSAWA901- ()(1/2/3)	1,638.	1,883.	2,540.	
		96"	RSAWA961- ()(1/2/3)	1,696.	1,953.	2,636.	
		24"	24"	RSAWA242- ()(1/2/3)	999.	1,152.	1,554.
		30"	RSAWA302- ()(1/2/3)	1,129.	1,300.	1,755.	
		36"	RSAWA362- ()(1/2/3)	1,175.	1,352.	1,825.	
		42"	RSAWA422- ()(1/2/3)	1,210.	1,391.	1,880.	
		48"	RSAWA482- ()(1/2/3)	1,300.	1,496.	2,018.	
		54"	RSAWA542- ()(1/2/3)	1,387.	1,595.	2,155.	
60"	RSAWA602- ()(1/2/3)	1,486.	1,710.	2,307.			
66"	RSAWA662- ()(1/2/3)	1,537.	1,764.	2,381.			
72"	RSAWA722- ()(1/2/3)	1,604.	1,845.	2,493.			
78"	RSAWA782- ()(1/2/3)	1,683.	1,937.	2,613.			
84"	RSAWA842- ()(1/2/3)	1,748.	2,013.	2,715.			
90"	RSAWA902- ()(1/2/3)	1,831.	2,104.	2,841.			
96"	RSAWA962- ()(1/2/3)	1,900.	2,184.	2,948.			

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall tops cannot be specified with open pore finish.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry		
111 Jet Black (grommet)	<i>2. Finish type:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	1 = V1	Applicable finishes are listed on page 5 and 6.
	2 = V2	Products on this page do not accept the following finishes:
	3 = V3	Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-() (1/2/3)	\$1,090.	\$1,252.	\$1,690.	
		30"	RSAWA303-() (1/2/3)	1,223.	1,408.	1,901.	
		36"	RSAWA363-() (1/2/3)	1,318.	1,516.	2,047.	
		42"	RSAWA423-() (1/2/3)	1,374.	1,578.	2,129.	
		48"	RSAWA483-() (1/2/3)	1,465.	1,685.	2,275.	
		54"	RSAWA543-() (1/2/3)	1,584.	1,822.	2,460.	
		60"	RSAWA603-() (1/2/3)	1,642.	1,889.	2,551.	
		66"	RSAWA663-() (1/2/3)	1,680.	1,932.	2,608.	
		72"	RSAWA723-() (1/2/3)	1,720.	1,977.	2,669.	
		78"	RSAWA783-() (1/2/3)	1,798.	2,071.	2,794.	
		84"	RSAWA843-() (1/2/3)	1,872.	2,155.	2,909.	
		90"	RSAWA903-() (1/2/3)	1,957.	2,251.	3,040.	
		96"	RSAWA963-() (1/2/3)	2,028.	2,333.	3,150.	
		36"	60"	RSAWA604-() (1/2/3)	1,896.	2,176.	2,939.
			66"	RSAWA664-() (1/2/3)	1,961.	2,257.	3,046.
			72"	RSAWA724-() (1/2/3)	2,025.	2,329.	3,144.

Order Code	Specification Information	Application Notes
Example: RSAWA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-()(1/2/3)	\$1,142.	\$1,310.	\$1,769.
		30"	RSAWB301-()(1/2/3)	1,252.	1,438.	1,942.
		36"	RSAWB361-()(1/2/3)	1,320.	1,518.	2,050.
		42"	RSAWB421-()(1/2/3)	1,380.	1,585.	2,140.
		48"	RSAWB481-()(1/2/3)	1,434.	1,651.	2,228.
		54"	RSAWB541-()(1/2/3)	1,498.	1,724.	2,329.
		60"	RSAWB601-()(1/2/3)	1,618.	1,858.	2,508.
		66"	RSAWB661-()(1/2/3)	1,666.	1,914.	2,585.
		72"	RSAWB721-()(1/2/3)	1,748.	2,012.	2,714.
		78"	RSAWB781-()(1/2/3)	1,770.	2,036.	2,749.
	84"	RSAWB841-()(1/2/3)	1,886.	2,171.	2,930.	
	90"	RSAWB901-()(1/2/3)	1,965.	2,259.	3,049.	
	96"	RSAWB961-()(1/2/3)	2,036.	2,343.	3,163.	
	24"	24"	RSAWB242-()(1/2/3)	1,200.	1,380.	1,863.
		30"	RSAWB302-()(1/2/3)	1,357.	1,555.	2,101.
		36"	RSAWB362-()(1/2/3)	1,409.	1,621.	2,190.
		42"	RSAWB422-()(1/2/3)	1,453.	1,672.	2,259.
		48"	RSAWB482-()(1/2/3)	1,555.	1,793.	2,422.
		54"	RSAWB542-()(1/2/3)	1,666.	1,914.	2,585.
		60"	RSAWB602-()(1/2/3)	1,785.	2,049.	2,767.
66"		RSAWB662-()(1/2/3)	1,842.	2,118.	2,858.	
72"		RSAWB722-()(1/2/3)	1,925.	2,217.	2,990.	
78"		RSAWB782-()(1/2/3)	2,018.	2,324.	3,136.	
84"	RSAWB842-()(1/2/3)	2,098.	2,410.	3,256.		
90"	RSAWB902-()(1/2/3)	2,195.	2,525.	3,407.		
96"	RSAWB962-()(1/2/3)	2,277.	2,623.	3,542.		

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Waterfall tops cannot be specified with semi-open pore finish.</p>
R Reff	1. Grommet option	
S Straight top	2. Top finish type	<p>Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.</p> <p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p>
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	<p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-()(1/2/3)	\$1,306.	\$1,503.	\$2,028.	
		30"	RSAWB303-()(1/2/3)	1,468.	1,689.	2,279.	
		36"	RSAWB363-()(1/2/3)	1,581.	1,818.	2,454.	
		42"	RSAWB423-()(1/2/3)	1,647.	1,891.	2,553.	
		48"	RSAWB483-()(1/2/3)	1,759.	2,021.	2,730.	
		54"	RSAWB543-()(1/2/3)	1,901.	2,184.	2,948.	
		60"	RSAWB603-()(1/2/3)	1,969.	2,265.	3,058.	
		66"	RSAWB663-()(1/2/3)	2,015.	2,318.	3,127.	
		72"	RSAWB723-()(1/2/3)	2,062.	2,372.	3,201.	
		78"	RSAWB783-()(1/2/3)	2,162.	2,487.	3,357.	
		84"	RSAWB843-()(1/2/3)	2,243.	2,582.	3,486.	
		90"	RSAWB903-()(1/2/3)	2,347.	2,702.	3,648.	
		96"	RSAWB963-()(1/2/3)	2,437.	2,800.	3,779.	
		36"	60"	RSAWB604-()(1/2/3)	2,273.	2,613.	3,529.
			66"	RSAWB664-()(1/2/3)	2,350.	2,706.	3,652.
			72"	RSAWB724-()(1/2/3)	2,434.	2,794.	3,774.

Order Code	Specification Information	Application Notes
Example: RSAWB243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4" with 2" Waterfall edge front and left side 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-()(1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWL301-()(1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWL361-()(1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWL421-()(1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWL481-()(1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWL541-()(1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWL601-()(1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWL661-()(1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWL721-()(1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWL781-()(1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWL841-()(1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWL901-()(1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWL961-()(1/2/3)	1,868.	2,149.	2,899.
			24"	24"	RSAWL242-()(1/2/3)	1,099.
		30"	RSAWL302-()(1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWL362-()(1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWL422-()(1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWL482-()(1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWL542-()(1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWL602-()(1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWL662-()(1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWL722-()(1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWL782-()(1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWL842-()(1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWL902-()(1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWL962-()(1/2/3)	2,089.	2,404.	3,246.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWL241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-()(1/2/3)	\$1,200.	\$1,378.	\$1,860.
		30"	RSAWL303-()(1/2/3)	1,346.	1,547.	2,089.
		36"	RSAWL363-()(1/2/3)	1,449.	1,667.	2,251.
		42"	RSAWL423-()(1/2/3)	1,508.	1,735.	2,340.
		48"	RSAWL483-()(1/2/3)	1,612.	1,857.	2,507.
		54"	RSAWL543-()(1/2/3)	1,741.	2,005.	2,708.
		60"	RSAWL603-()(1/2/3)	1,807.	2,075.	2,803.
		66"	RSAWL663-()(1/2/3)	1,844.	2,125.	2,870.
		72"	RSAWL723-()(1/2/3)	1,891.	2,173.	2,933.
		78"	RSAWL783-()(1/2/3)	1,980.	2,277.	3,075.
		84"	RSAWL843-()(1/2/3)	2,058.	2,369.	3,198.
		90"	RSAWL903-()(1/2/3)	2,155.	2,478.	3,345.
		96"	RSAWL963-()(1/2/3)	2,232.	2,565.	3,464.
			36"	60"	RSAWL604-()(1/2/3)	2,085.
		66"	RSAWL664-()(1/2/3)	2,158.	2,480.	3,348.
		72"	RSAWL724-()(1/2/3)	2,229.	2,562.	3,459.

Order Code	Specification Information	Application Notes
Example: RSAWL243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4" with 2" Waterfall edge front and right side 20" and 24" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-()(1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWR301-()(1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWR361-()(1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWR421-()(1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWR481-()(1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWR541-()(1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWR601-()(1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWR661-()(1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWR721-()(1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWR781-()(1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWR841-()(1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWR901-()(1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWR961-()(1/2/3)	1,868.	2,149.	2,899.
	24"	24"	RSAWR242-()(1/2/3)	1,099.	1,264.	1,709.
		30"	RSAWR302-()(1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWR362-()(1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWR422-()(1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWR482-()(1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWR542-()(1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWR602-()(1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWR662-()(1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWR722-()(1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWR782-()(1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWR842-()(1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWR902-()(1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWR962-()(1/2/3)	2,089.	2,404.	3,246.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWR241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WR Waterfall front and right	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
30" and 36" deep






description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-()(1/2/3)	\$1,200.	\$1,378.	\$1,860.	
		30"	RSAWR303-()(1/2/3)	1,346.	1,547.	2,089.	
		36"	RSAWR363-()(1/2/3)	1,449.	1,667.	2,251.	
		42"	RSAWR423-()(1/2/3)	1,508.	1,735.	2,340.	
		48"	RSAWR483-()(1/2/3)	1,612.	1,857.	2,507.	
		54"	RSAWR543-()(1/2/3)	1,741.	2,005.	2,708.	
		60"	RSAWR603-()(1/2/3)	1,807.	2,075.	2,803.	
		66"	RSAWR663-()(1/2/3)	1,844.	2,125.	2,870.	
		72"	RSAWR723-()(1/2/3)	1,891.	2,173.	2,933.	
		78"	RSAWR783-()(1/2/3)	1,980.	2,277.	3,075.	
		84"	RSAWR843-()(1/2/3)	2,058.	2,369.	3,198.	
		90"	RSAWR903-()(1/2/3)	2,155.	2,478.	3,345.	
		96"	RSAWR963-()(1/2/3)	2,232.	2,565.	3,464.	
		36"	60"	RSAWR604-()(1/2/3)	2,085.	2,396.	3,235.
			66"	RSAWR664-()(1/2/3)	2,158.	2,480.	3,348.
			72"	RSAWR724-()(1/2/3)	2,229.	2,562.	3,459.

Order Code	Specification Information	Application Notes
Example: RSAWR243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WR Waterfall front and right	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"

Reff Profiles

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	RWAWF4223- ()(1/2/3)	\$1,101.	\$1,264.	\$1,709.
	24"	48"	30"	RWAWF4823- ()(1/2/3)	1,146.	1,317.	1,778.
	24"	54"	30"	RWAWF5423- ()(1/2/3)	1,234.	1,423.	1,920.
	24"	60"	30"	RWAWF6023- ()(1/2/3)	1,320.	1,522.	2,055.
	24"	66"	30"	RWAWF6623- ()(1/2/3)	1,370.	1,575.	2,125.
	24"	72"	30"	RWAWF7223- ()(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232- ()(1/2/3)	1,101.	1,264.	1,709.
	30"	48"	24"	RWAWF4832- ()(1/2/3)	1,146.	1,317.	1,778.
	30"	54"	24"	RWAWF5432- ()(1/2/3)	1,234.	1,423.	1,920.
	30"	60"	24"	RWAWF6032- ()(1/2/3)	1,320.	1,522.	2,055.
	30"	66"	24"	RWAWF6632- ()(1/2/3)	1,370.	1,575.	2,125.
	30"	72"	24"	RWAWF7232- ()(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212- ()(1/2/3)	1,020.	1,175.	1,587.
	20"	48"	24"	RWAWF4812- ()(1/2/3)	1,073.	1,234.	1,667.
	20"	54"	24"	RWAWF5412- ()(1/2/3)	1,149.	1,320.	1,783.
	20"	60"	24"	RWAWF6012- ()(1/2/3)	1,228.	1,411.	1,908.
	20"	66"	24"	RWAWF6612- ()(1/2/3)	1,264.	1,453.	1,962.
	20"	72"	24"	RWAWF7212- ()(1/2/3)	1,325.	1,524.	2,058.
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	RWAWF4221- ()(1/2/3)	1,020.	1,175.	1,587.
	24"	48"	20"	RWAWF4821- ()(1/2/3)	1,073.	1,234.	1,667.
	24"	54"	20"	RWAWF5421- ()(1/2/3)	1,149.	1,320.	1,783.
	24"	60"	20"	RWAWF6021- ()(1/2/3)	1,228.	1,411.	1,908.
	24"	66"	20"	RWAWF6621- ()(1/2/3)	1,264.	1,453.	1,962.
	24"	72"	20"	RWAWF7221- ()(1/2/3)	1,325.	1,524.	2,058.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631- ()(1/2/3)	1,357.	1,555.	2,101.
	32"	42"	20"	RWEAWF4231- ()(1/2/3)	1,409.	1,623.	2,191.
	32"	48"	20"	RWEAWF4831- ()(1/2/3)	1,486.	1,711.	2,308.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	2. <i>Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.




Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"


2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
 Wave end top with waterfall edge front (right 24")	36"	36"	24"	RWEAWF3662- ()(1/2/3)	\$1,401.	\$1,611.	\$2,175.
	36"	42"	24"	RWEAWF4262- ()(1/2/3)	1,446.	1,664.	2,246.
	36"	48"	24"	RWEAWF4862- ()(1/2/3)	1,536.	1,764.	2,381.
 Wave end top with waterfall edge front (left 20")	20"	36"	32"	RWEAWF3613- ()(1/2/3)	1,357.	1,555.	2,101.
	20"	42"	32"	RWEAWF4213- ()(1/2/3)	1,409.	1,623.	2,191.
	20"	48"	32"	RWEAWF4813- ()(1/2/3)	1,486.	1,711.	2,308.
 Wave end top with waterfall edge front (left 24")	24"	36"	36"	RWEAWF3626- ()(1/2/3)	1,401.	1,611.	2,175.
	24"	42"	36"	RWEAWF4226- ()(1/2/3)	1,446.	1,664.	2,246.
	24"	48"	36"	RWEAWF4826- ()(1/2/3)	1,536.	1,764.	2,381.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Curvilinear worksurfaces only available in 1 1/4" thick.
42 42" wide	<i>1. Grommet options:</i>	
2 24" deep on left side	N = No grommet	See Planning Guide for grommet locations.
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	<i>2. Finish type:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear corner tops

description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	RCAWF363611-()(1/2/3)	\$1,611.	\$1,855.	\$2,503.
	36"	42"	RCAWF364211-()(1/2/3)	1,706.	1,961.	2,649.
	36"	48"	RCAWF364811-()(1/2/3)	1,810.	2,082.	2,812.
	42"	36"	RCAWF423611-()(1/2/3)	1,706.	1,961.	2,649.
	42"	42"	RCAWF424211-()(1/2/3)	1,810.	2,082.	2,812.
	42"	48"	RCAWF424811-()(1/2/3)	1,977.	2,274.	3,070.
	48"	36"	RCAWF483611-()(1/2/3)	1,810.	2,082.	2,812.
	48"	42"	RCAWF484211-()(1/2/3)	1,977.	2,274.	3,070.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	RCAWF363622-()(1/2/3)	1,825.	2,103.	2,840.
	36"	42"	RCAWF364222-()(1/2/3)	1,919.	2,212.	2,986.
	36"	48"	RCAWF364822-()(1/2/3)	2,025.	2,331.	3,147.
	42"	36"	RCAWF423622-()(1/2/3)	1,919.	2,212.	2,986.
	42"	42"	RCAWF424222-()(1/2/3)	2,025.	2,331.	3,147.
	42"	48"	RCAWF424822-()(1/2/3)	2,193.	2,525.	3,407.
	48"	36"	RCAWF483622-()(1/2/3)	2,025.	2,331.	3,147.
	48"	42"	RCAWF484222-()(1/2/3)	2,193.	2,525.	3,407.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	RCAWF363612-()(1/2/3)	1,683.	1,935.	2,612.
	36"	42"	RCAWF364212-()(1/2/3)	1,781.	2,045.	2,760.
	36"	48"	RCAWF364812-()(1/2/3)	1,883.	2,165.	2,923.
	42"	36"	RCAWF423612-()(1/2/3)	1,781.	2,045.	2,760.
	42"	42"	RCAWF424212-()(1/2/3)	1,883.	2,165.	2,923.
	42"	48"	RCAWF424812-()(1/2/3)	2,050.	2,356.	3,180.
	48"	36"	RCAWF483612-()(1/2/3)	1,883.	2,165.	2,923.
	48"	42"	RCAWF484212-()(1/2/3)	2,050.	2,356.	3,180.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	RCAWF363621-()(1/2/3)	1,683.	1,935.	2,612.
	36"	42"	RCAWF364221-()(1/2/3)	1,781.	2,045.	2,760.
	36"	48"	RCAWF364821-()(1/2/3)	1,883.	2,165.	2,923.
	42"	36"	RCAWF423621-()(1/2/3)	1,781.	2,045.	2,760.
	42"	42"	RCAWF424221-()(1/2/3)	1,883.	2,165.	2,923.
	42"	48"	RCAWF424821-()(1/2/3)	2,050.	2,356.	3,180.
	48"	36"	RCAWF483621-()(1/2/3)	1,883.	2,165.	2,923.
	48"	42"	RCAWF484221-()(1/2/3)	2,050.	2,356.	3,180.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCAWF363611F2 R Reff C Curved front corner A 1 1/4" thick WF Waterfall front 36 36" wide on left back 36 36" wide on right back 1 20" deep on left side 1 20" deep on right side F Standard grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	To order please specify pattern number including: 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish 1. Grommet options: N = No grommet F = Standard corner location or Flush 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Radius of curved front changes with overall top size. See Planning Guide. Products on this page are shipped without hardware which must be ordered separately from the support components section. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Waterfall tops cannot be specified with semi-open pore finish. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230-()(1/2/3)	\$2,058.	\$2,368.	\$3,195.
		48"	RMDAWF4830-()(1/2/3)	2,220.	2,552.	3,445.
		54"	RMDAWF5430-()(1/2/3)	2,382.	2,740.	3,700.
		60"	RMDAWF6030-()(1/2/3)	2,546.	2,927.	3,950.
		66"	RMDAWF6630-()(1/2/3)	2,711.	3,119.	4,211.
		72"	RMDAWF7230-()(1/2/3)	2,878.	3,311.	4,469.
		78"	RMDAWF7830-()(1/2/3)	3,259.	3,742.	5,054.
		84"	RMDAWF8430-()(1/2/3)	3,636.	4,180.	5,643.
		90"	RMDAWF9030-()(1/2/3)	4,058.	4,667.	6,301.
	96"	RMDAWF9630-()(1/2/3)	4,481.	5,151.	6,954.	
	36"	42"	RMDAWF4236-()(1/2/3)	2,270.	2,608.	3,520.
		48"	RMDAWF4836-()(1/2/3)	2,480.	2,852.	3,851.
		54"	RMDAWF5436-()(1/2/3)	2,834.	3,263.	4,404.
		60"	RMDAWF6036-()(1/2/3)	3,181.	3,658.	4,939.
		66"	RMDAWF6636-()(1/2/3)	3,236.	3,723.	5,026.
		72"	RMDAWF7236-()(1/2/3)	3,290.	3,784.	5,109.
		78"	RMDAWF7836-()(1/2/3)	3,703.	4,259.	5,746.
		84"	RMDAWF8436-()(1/2/3)	4,121.	4,738.	6,396.
		90"	RMDAWF9036-()(1/2/3)	4,341.	4,998.	6,744.
96"	RMDAWF9636-()(1/2/3)	4,759.	5,469.	7,385.		
Wrap around panel top 	21 1/2"	42 1/2"	RMDAWF4221-()(1/2/3)()	2,649.	3,044.	4,109.
	25 1/2"	50 1/2"	RMDAWF5025-()(1/2/3)()	2,903.	3,338.	4,506.





*specify mating end trim profile

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	Refer to Planning Guide for modesty panel size requirements and all other support options.
WF Waterfall all except flat side	4. Top finish	
42 42" wide	5. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
N No grommet	2. <i>Grommet options:</i> N = No grommet	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
2 V2 finish	F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
V319 Medium cherry	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	Note wrap around panel tops only, require specification of mating trim profile.	
	A = Flat B = Square C = Bullnose E = Extruded Aluminum	Applicable finishes are listed on page 5 and 6.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops P and 9

Reff Profiles


description	d	w	pattern no.	V1	V2	V3
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230-()(1/2/3)	\$2,829.	\$3,252.	\$4,390.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230-()(1/2/3)	2,829.	3,252.	4,390.
						
Worksurface 9-top	30"	84"	RM9AWF8430-()(1/2/3)	5,756.	6,620.	8,936.
	30"	96"	RM9AWF9630-()(1/2/3)	5,998.	6,893.	9,306.
Worksurface P-top	30"	84"	RMPAWF8430-()(1/2/3)	5,756.	6,620.	8,936.
	30"	96"	RMPAWF9630-()(1/2/3)	5,998.	6,893.	9,306.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RM9AWF8430N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
M9 Meeting 9-shaped top	2. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
WF Waterfall all except flat side	4. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
84 84" wide	5. Grommet finish	Applicable finishes are listed on page 5 and 6.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
N No grommet	2. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
2 V2 finish	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	
V319 Medium cherry	Note wrap around panel tops only, require specification of mating trim profile.	

Waterfall Edge 1 1/4"


2" Waterfall edge bow front tops

description	w	d	h	pattern no.	L	V1	V2	V3
 30"D	72"	30"		RMBAWA7230-()(1/2/3)		\$2,854.	\$3,287.	\$4,437.
	84"	30"		RMBAWA8430-()(1/2/3)		3,151.	3,625.	4,891.
	96"	30"		RMBAWA9630-()(1/2/3)		3,496.	4,019.	5,427.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

 36"D	72"	36"		RMBAWA7236-()(1/2/3)		3,036.	3,492.	4,712.
	84"	36"		RMBAWA8436-()(1/2/3)		3,332.	3,832.	5,172.
	96"	36"		RMBAWA9636-()(1/2/3)		3,696.	4,245.	5,731.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

	40"	1"	26 1/2"	RB40MR-()	332.	427.	489.	661.
	52"	1"	26 1/2"	RB52MR-()	390.	503.	578.	781.
	64"	1"	26 1/2"	RB64MR-()	422.	541.	625.	845.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.



Order Code	Specification Information	Application Notes
Example: RMBAWA7230(F)2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	Shipped with hardware. Refer to page 0 of planning guide for application details.
MB Bow front with Waterfall edge	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	3. Top finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
WA Waterfall front/back	4. Grommet finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
72 72" wide	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 0 of planning guide for application details.
30 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

Waterfall elliptical tops and bulkhead

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall elliptical tops 	60"	30"		REBAWA6030()		\$4,033.	\$4,636.	\$6,260.
	72"	42"		REBAWA7242()		5,733.	6,597.	8,906.
	78"	48"		REBAWA7848()		6,291.	7,237.	9,771.
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	468.	707.	819.	1,105.
	16"	30"	26 1/2"	REBH30	484.	720.	839.	1,132.

Order Code	Specification Information	Application Notes
Example: REBAWA6030	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff		
EB Elliptical Waterfall	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	2. Top finish type	
WA Waterfall front/back	3. Top finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
60 60" wide	4. Grommet finish	
30 30" deep	<i>1. Grommet options:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
F Flush front grommet position	N = No grommet	
2 V2 finish	F = Flush front grommet location	
V319 Medium cherry	R = Recessed front	
111 Jet Black (grommet)	A = Alternate location (for 36"D tops only)	
	<i>2. Finish type:</i>	
	1 = V1	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
	2 = V2	
	3 = V3	





Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge conference room tops round and racetrack






Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	RTAW7230-(1/2/3)	\$4,033.	\$4,636.	\$6,260.
	72"	36"	RTAW7236-(1/2/3)	4,597.	5,284.	7,133.
	84"	30"	RTAW8430-(1/2/3)	4,489.	5,162.	6,970.
	84"	36"	RTAW8436-(1/2/3)	5,168.	5,943.	8,021.
	84"	42"	RTAW8442-(1/2/3)	6,291.	7,237.	9,771.
	96"	30"	RTAW9630-(1/2/3)	4,998.	5,745.	7,758.
	96"	42"	RTAW9642-(1/2/3)	7,044.	8,099.	10,932.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RTAW12036-(1/2/3)	7,407.	8,515.	11,497.
	120"	42"	RTAW12042-(1/2/3)	7,987.	9,182.	12,398.
	144"	42"	RTAW14442-(1/2/3)	8,807.	10,127.	13,672.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RTAW16842-(1/2/3)	11,043.	12,701.	17,146.
	192"	42"	RTAW19242-(1/2/3)	11,864.	13,645.	18,423.
			RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center			
Round tops, Waterfall edge on all sides except on parting lines 	*	60"	RTAW6060-(1/2/3)	6,788.	7,801.	10,533.
	*	72"	RTAW7272-(1/2/3)	8,401.	9,659.	13,040.
	-	36"	RTAW3636-(1/2/3)	2,270.	3,043.	4,108.
	-	42"	RTAW4242-(1/2/3)	2,628.	3,526.	4,761.

Order Code	Specification Information	Application Notes
Example: RTAW72302 R Reff T Rounded top A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 *Round tops in two pieces.	Top to top brackets included. See table base matrix in Planning Guide for base supports recommended. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w. Tops have no radius on edges that adjoin. All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Waterfall tops cannot be specified with semi-open pore finish.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge conference room tops square and rectangular



description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	RRAW7230-(1/2/3)	\$2,129.	\$2,451.	\$3,310.
	72"	36"	RRAW7236-(1/2/3)	2,314.	2,662.	3,593.
	84"	30"	RRAW8430-(1/2/3)	2,356.	2,711.	3,660.
	84"	36"	RRAW8436-(1/2/3)	2,532.	2,908.	3,926.
	84"	42"	RRAW8442-(1/2/3)	3,742.	4,301.	5,808.
	96"	30"	RRAW9630-(1/2/3)	2,643.	3,041.	4,105.
	96"	42"	RRAW9642-(1/2/3)	4,291.	4,935.	6,662.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RRAW12036-(1/2/3)	4,681.	5,389.	7,275.
	120"	42"	RRAW12042-(1/2/3)	6,462.	7,432.	10,034.
	144"	42"	RRAW14442-(1/2/3)	7,259.	8,349.	11,270.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RRAW16842-(1/2/3)	9,518.	10,949.	14,784.
	192"	42"	RRAW19242-(1/2/3)	10,314.	11,859.	16,011.
	RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Square top - one piece 	-	36"	RRAW3636-(1/2/3)	1,647.	2,206.	2,981.
	-	42"	RRAW4242-(1/2/3)	2,129.	2,857.	3,857.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	RRAW6060-(1/2/3)	4,362.	5,014.	6,769.
	-	72"	RRAW7272-(1/2/3)	5,151.	5,925.	7,997.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RRAW72302 R Reff R Rectangular A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Top to top brackets included. Tops have no radius on edges that adjoin. See table base matrix in Planning Guide for base supports recommended. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w. Waterfall tops cannot be specified with semi-open pore finish.


Cascade Edge 1 1/4" Rectilinear 24" and 30" deep

Reff Profiles

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  shown with grommet	24"	24"	RCE1R2424N	\$245.	\$213.
	24"	30"	RCE1R3024N	282.	245.
	24"	36"	RCE1R3624N	312.	270.
	24"	42"	RCE1R4224N	359.	312.
	24"	48"	RCE1R4824N	403.	350.
	24"	54"	RCE1R5424N	432.	376.
	24"	60"	RCE1R6024N	469.	408.
	24"	66"	RCE1R6624N	506.	441.
	24"	72"	RCE1R7224N	530.	461.
	24"	78"	RCE1R7824N	568.	495.
	24"	84"	RCE1R8424N	601.	523.
	24"	90"	RCE1R9024N	677.	590.
24"	96"	RCE1R9624N	740.	644.	
30"D Rectangular  shown with grommet	30"	24"	RCE1R2430N	313.	271.
	30"	30"	RCE1R3030N	350.	305.
	30"	36"	RCE1R3630N	390.	339.
	30"	42"	RCE1R4230N	422.	368.
	30"	48"	RCE1R4830N	469.	408.
	30"	54"	RCE1R5430N	531.	462.
	30"	60"	RCE1R6030N	583.	508.
	30"	66"	RCE1R6630N	651.	566.
	30"	72"	RCE1R7230N	677.	590.
	30"	78"	RCE1R7830N	723.	629.
	30"	84"	RCE1R8430N	769.	669.
	30"	90"	RCE1R9030N	827.	719.
30"	96"	RCE1R9630N	884.	769.	


Order Code	Specification Information	Application Notes
Example: RCE1R3024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
R Reff	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
CE1 Cascade edge	<i>Solid:</i>	All support hardware ordered separately.
R Rectangular	114 Folkstone Grey	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
30 Width	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Finish	Woodgrain:	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade Edge 1 1/4" Blended "D"

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	48"	24"	66"	RCE1BD6648S(L/R)	\$992.	\$863.
	48"	24"	72"	RCE1BD7248S(L/R)	1,016.	882.
	48"	24"	78"	RCE1BD7848S(L/R)	1,172.	1,019.
	48"	24"	84"	RCE1BD8448S(L/R)	1,204.	1,047.
	48"	30"	66"	RCE1BD6648D(L/R)	1,044.	907.
	48"	30"	72"	RCE1BD7248D(L/R)	1,082.	940.
	48"	30"	78"	RCE1BD7848D(L/R)	1,211.	1,054.
	48"	30"	84"	RCE1BD8448D(L/R)	1,279.	1,113.

Order Code	Specification Information	Application Notes
Example: RCE1BD6648SR 118	<i>To order please specify pattern number including:</i>	All support hardware ordered separately.
R Reff		
CE1 Cascade edge	1. Return depth (dimension C on line art, hard coded in pattern number)	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
BD Blended "D"	S = 24" return	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
66 Width	D = 30" return	
48 Depth	2. Hand (left or right)	Cascade edge worksurfaces are not recommended for free-standing applications.
S 24" return	3. Finish	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
R right hand	<i>Solid:</i>	
118 Finish	114 Folkstone Grey	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade Edge 1 1/4" Curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	24"	24"	36"	RCE1L3636SSN	\$614.	\$533.
	24"	24"	42"	RCE1L4242SSN	740.	644.
	24"	24"	48"	RCE1L4848SSN	832.	723.
	24"	30"	42"	RCE1L4242DSN	878.	765.
	24"	30"	48"	RCE1L4848DSN	996.	866.
	30"	24"	42"	RCE1L4242SDN	878.	765.
	30"	24"	48"	RCE1L4848SDN	996.	866.
	30"	30"	48"	RCE1L4848DDN	894.	777.

Order Code

Example:	RCE1L3636SSN 114
RCE1	Reff Cascade Edge worksurface
L	Curvilinear Corner top
36	Width
36	Depth
S	24" d, left side
S	24" d, right side
N	No grommet
114	Folkstone Grey finish
	Grain Direction

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.

Specification Information

To order please specify pattern number including:

1. Return depths (hard coded in pattern number)
 SS = 24" d left and right
 SD = 24" d left, 30" d right
 DS = 30" d left, 24" d right
 DD = 30" d left and right

2. Grommets (hard coded in pattern number)
 N= no grommets
 G= grommets

To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.

3. Finish
Solid:
 114 Folkstone Grey
 117 Soft Grey
 118 Bright White
 119 Pumice

Woodgrain:
 124 Medium Cherry
 125 Natural Maple
 126 Natural Cherry
 127 Walnut

Graing Direction:
 D = Diagonal
 L = Left hand
 N = Not required
 R = Right hand

Application Notes

Center-located edge grommets, located on center of sides marked A.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
 Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4" Blended "L"





description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	RCE1L4260SSN	\$1,017.	\$884.
	42"	66"	24"	24"	RCE1L4266SSN	1,044.	907.
	42"	72"	24"	24"	RCE1L4272SSN	1,084.	941.
	42"	78"	24"	24"	RCE1L4278SSN	1,094.	953.
	48"	60"	24"	24"	RCE1L4860SSN	1,029.	896.
	48"	60"	24"	30"	RCE1L4860SDN	1,012.	878.
	48"	60"	30"	24"	RCE1L4860DSN	1,012.	878.
	48"	66"	24"	24"	RCE1L4866SSN	1,066.	928.
	48"	66"	24"	30"	RCE1L4866SDN	1,063.	924.
	48"	66"	30"	24"	RCE1L4866DSN	1,063.	924.
	48"	72"	24"	24"	RCE1L4872SSN	1,106.	962.
	48"	72"	24"	30"	RCE1L4872SDN	1,113.	967.
	48"	72"	30"	24"	RCE1L4872DSN	1,113.	967.
	48"	78"	24"	24"	RCE1L4878SSN	1,219.	1,060.
	48"	84"	24"	24"	RCE1L4884SSN	1,371.	1,191.
	60"	42"	24"	24"	RCE1L6042SSN	1,017.	884.
	60"	48"	24"	24"	RCE1L6048SSN	1,029.	896.
	60"	48"	24"	30"	RCE1L6048SDN	1,012.	878.
	60"	48"	30"	24"	RCE1L6048DSN	1,012.	878.
	66"	42"	24"	24"	RCE1L6642SSN	1,044.	907.
	66"	48"	24"	24"	RCE1L6648SSN	1,066.	928.
	66"	48"	24"	30"	RCE1L6648SDN	1,063.	924.
	66"	48"	30"	24"	RCE1L6648DSN	1,063.	924.
	72"	42"	24"	24"	RCE1L7242SSN	1,084.	941.
	72"	48"	24"	24"	RCE1L7248SSN	1,106.	962.
	72"	48"	24"	30"	RCE1L7248SDN	1,113.	967.
	72"	48"	30"	24"	RCE1L7248DSN	1,113.	967.
	78"	42"	24"	24"	RCE1L7842SSN	1,094.	953.
	78"	48"	24"	24"	RCE1L7848SSN	1,219.	1,060.
	84"	48"	24"	24"	RCE1L8448SSN	1,371.	1,191.

Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: RCE1L4260SSG 114</p> <p>RCE1 Cascade edge worksurface</p> <p>L Blended "L" top</p> <p>42 Width</p> <p>60 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>G Grommets</p> <p>114 Top finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number): SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right</p> <p>2. Grommets (hard coded in pattern number): N= no grommets G= grommets</p> <p>3. Finishes: Solid: 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p>
<p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p>	<p>Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p>	

Cascade Edge 1 1/4"

Half round and corner round

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	RCE1H4818	\$530.	\$461.
	50 1/2"	18"	RCE1H4818P	530.	461.
	60"	24"	RCE1H6024	731.	634.
	62 1/2"	24"	RCE1H6024P	731.	634.
 LH Corner Round	24"	24"	RCE1CR24L	282.	245.
 RH Corner Round	24"	24"	RCE1CR24R	282.	245.
 Notched Corner Round	24"	24"	RCE1CR24N	282.	245.

Order Code

Example:	RCE1H4818P 118
R	Reff
CE1	Cascade edge
H	Half round
48	Width
18	Depth
P	Notch for panel trim
118	Finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Specify cantilever bracket from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Half round tops with suffix P, notched for panel end trim profile B square only.

Cascade edge worksurfaces are not recommended for free-standing applications.


Actual width 1/16" less nominal.
Actual depth 3/8" less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4" Wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	3"	15"	RCE1W363024N	\$659.	\$573.
	42"	24"	30"	9"	15"	RCE1W423024N	693.	602.
	48"	24"	30"	15"	15"	RCE1W483024N	742.	645.
	72"	24"	30"	30 1/2"	23 1/2"	RCE1W723024N	942.	821.

shown with grommet

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, RH 	36"	30"	24"	15"	3"	RCE1W362430N	659.	573.
	42"	30"	24"	15"	9"	RCE1W422430N	693.	602.
	48"	30"	24"	15"	15"	RCE1W482430N	742.	645.
	72"	30"	24"	23 1/2"	30 1/2"	RCE1W722430N	942.	821.

shown with grommet


Worksurfaces

Order Code	Specification Information
Example: RCE1W483024N 118	<i>To order please specify pattern number including finish:</i>
RCE1 Cascade edge worksurface	Available finishes:
W Wave end	<i>Solid:</i>
48 Width	114 Folkstone Grey
30 Depth, left side	117 Soft Grey
24 Depth, right side	118 Bright White
N No grommet	119 Pumice
118 Top finish	<i>Woodgrain:</i>
	124 Medium Cherry
	125 Natural Maple
	126 Natural Cherry
	127 Walnut

Order Code	Specification Information
	<i>To order please specify pattern number including finish:</i>
	Available finishes:
	<i>Solid:</i>
	114 Folkstone Grey
	117 Soft Grey
	118 Bright White
	119 Pumice
	<i>Woodgrain:</i>
	124 Medium Cherry
	125 Natural Maple
	126 Natural Cherry
	127 Walnut

Application Notes
Center-located edge grommet.
To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
All support hardware ordered separately.
Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
Cascade edge worksurfaces are not recommended for free-standing applications.
Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Worksurface 1 1/2"
 rectilinear
 20" and 24" deep


description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSD241-()()()	\$346.	\$377.	\$434.	\$584.
		30"	RSD301-()()()	378.	414.	475.	642.
		36"	RSD361-()()()	401.	437.	502.	679.
		42"	RSD421-()()()	415.	457.	525.	709.
		48"	RSD481-()()()	437.	474.	545.	734.
		54"	RSD541-()()()	454.	492.	570.	770.
		60"	RSD601-()()()	513.	534.	614.	830.
		66"	RSD661-()()()	502.	549.	633.	854.
		72"	RSD721-()()()	530.	579.	663.	896.
		78"	RSD781-()()()	538.	584.	674.	911.
		84"	RSD841-()()()	570.	625.	717.	967.
		90"	RSD901-()()()	596.	650.	745.	1,008.
		96"	RSD961-()()()	618.	674.	774.	1,044.
		102"	RSD1021-()()()	680.	742.	852.	1,148.
	108"	RSD1081-()()()	748.	816.	936.	1,263.	
	24"	24"	RSD242-()()()	364.	396.	457.	617.
		30"	RSD302-()()()	411.	447.	517.	696.
		36"	RSD362-()()()	424.	468.	536.	723.
		42"	RSD422-()()()	442.	481.	553.	745.
		48"	RSD482-()()()	469.	517.	593.	799.
		54"	RSD542-()()()	502.	549.	633.	854.
		60"	RSD602-()()()	541.	591.	678.	915.
		66"	RSD662-()()()	555.	619.	701.	947.
		72"	RSD722-()()()	583.	636.	733.	991.
78"		RSD782-()()()	612.	665.	769.	1,037.	
84"		RSD842-()()()	634.	693.	797.	1,076.	
90"		RSD902-()()()	665.	724.	832.	1,122.	
96"		RSD962-()()()	689.	752.	866.	1,169.	
102"		RSD1022-()()()	758.	827.	953.	1,285.	
108"	RSD1082-()()()	833.	909.	1,048.	1,414.		

Order Code	Specification Information	Application Notes
Example: RSD241RL	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. Grommet option: F=Flush front grommet location N=No grommet R=Recessed front (not recommended for 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. Grommet finish: Painted, Plated	These worksurfaces are predrilled with pilot holes for use with wood screws.
D 1 1/2" thick	3. Top finish: L, V1, V2, V3	Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.
24 24" wide		
1 20" deep		
R Recessed grommet location		
111 Jet Black (grommet)		
V316 Top finish		

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Worksurface 1 1/2"
rectilinear
30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSD243-()()()	\$397.	\$431.	\$493.	\$666.
		30"	RSD303-()()()	446.	485.	558.	755.
		36"	RSD363-()()()	478.	524.	600.	810.
		42"	RSD423-()()()	499.	544.	626.	847.
		48"	RSD483-()()()	534.	581.	666.	901.
		54"	RSD543-()()()	576.	628.	720.	972.
		60"	RSD603-()()()	597.	651.	747.	1,010.
		66"	RSD663-()()()	608.	664.	768.	1,036.
		72"	RSD723-()()()	625.	681.	783.	1,057.
		78"	RSD783-()()()	653.	714.	821.	1,107.
		84"	RSD843-()()()	679.	742.	853.	1,153.
		90"	RSD903-()()()	711.	776.	894.	1,207.
		96"	RSD963-()()()	735.	804.	925.	1,248.
	102"	RSD1023-()()()	810.	885.	1,018.	1,374.	
	108"	RSD1083-()()()	890.	973.	1,120.	1,511.	
	36"	60"	RSD604-()()()	688.	751.	861.	1,153.
		66"	RSD664-()()()	711.	777.	895.	1,208.
		72"	RSD724-()()()	734.	803.	924.	1,247.

Order Code

Example: RSD243RL
R Reff
S Straight top
D 1 1/2" thick
36 36" wide
3 30" deep
R Recessed grommet location
111 Jet Black (grommet)
V316 Top finish

Specification Information

To order please specify pattern number including:

- Grommet options:
N = No grommets
F = Flush front grommet location
R = Recessed front (not recommended for 20"D and 24"D tops)
A = Alternate location (for 36"D tops only)
- Grommet finish:
Painted, Plated
- Finish:
L, V1, V2, V3

Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.


Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.

Worksurface 1 1/2" Bridge rectilinear

description	d	w	pattern no.	L	V1	V2	V3
Worksurface, bridge rectilinear 	20"	36"	RBD361H () () ()	\$401.	\$437.	\$502.	\$679.
		36"	RBD361V () () ()	401.	437.	502.	679.
		42"	RBD421H () () ()	415.	457.	525.	709.
		42"	RBD421V () () ()	415.	457.	525.	709.
		48"	RBD481H () () ()	437.	474.	545.	734.
		48"	RBD481V () () ()	437.	474.	545.	734.
		54"	RBD541V () () ()	454.	492.	570.	770.
		54"	RBD541H () () ()	454.	492.	570.	770.
	24"	36"	RBD362V () () ()	424.	468.	536.	723.
		36"	RBD362H () () ()	424.	468.	536.	723.
		42"	RBD422H () () ()	442.	481.	553.	745.
		42"	RBD422V () () ()	442.	481.	553.	745.
		48"	RBD482H () () ()	469.	517.	593.	799.
		48"	RBD482V () () ()	469.	517.	593.	799.
54"		RBD542V () () ()	502.	549.	633.	854.	
54"		RBD542H () () ()	502.	549.	633.	854.	

Order Code

Example: RBD361H	
R	Reff
B	Bridge
D	1 1/2"
36	36" wide
H/V	
F	Grommet type
115	Grommet finish
114	Laminate

Specification Information

- To order please specify pattern number including:*
- Options for grain direction
H=Horizontal grain direction
V=Vertical grain direction
 - Grommet type:
N=No grommet
F=Flush front grommet locaton
 - Grommet finish:
Painted, Plated
 - Finish
L, V1, V2, V3


Application Notes

- Modesty sold separately
 - Stiffener sold separately
 - Assembly required.
 - Worksurface stiffeners recommended to provide additional support for open spans greater than 54" w.
 - Hardware not included.
- J-Bracket sold separately.
Above dimensions are all nominal.

Worksurface Credenza

1" No grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCE601()	\$472.	\$472.	\$543.	\$734.
		66"	RCE661()	486.	486.	560.	756.
		72"	RCE721()	512.	512.	587.	793.
		78"	RCE781()	517.	517.	596.	805.
		84"	RCE841()	553.	553.	634.	856.
		90"	RCE901()	575.	575.	659.	892.
		96"	RCE961()	596.	596.	685.	924.
		102"	RCE1021()	656.	656.	754.	1,017.
	108"	RCE1081()	722.	722.	829.	1,118.	
	24"	60"	RCE602()	523.	523.	599.	810.
		66"	RCE662()	539.	539.	621.	837.
		72"	RCE722()	562.	562.	649.	877.
		78"	RCE782()	589.	589.	681.	918.
		84"	RCE842()	614.	614.	706.	953.
		90"	RCE902()	641.	641.	736.	993.
		96"	RCE962()	665.	665.	766.	1,034.
102"		RCE1022()	732.	732.	843.	1,137.	
108"	RCE1082()	805.	805.	927.	1,251.		


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCE601	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	No grommet options Credenza tops are drilled to accept pedestals and end panels. Credenza tops are predrilled with pilot holes for use with wood screws. 1" Credenza tops are recommended to work with the Task Panel application. Credenza tops are intended to be supported by full lower storage.
R Reff		
C Credenza Top		
E 1"		
60 width		
1 20"		
V316 Finish		

Worksurface Credenza

1" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20"	60"	RCEEG601()	\$660.	\$660.	\$760.	\$1,028.
		66"	RCEEG661()	681.	681.	785.	1,059.
		72"	RCEEG721()	717.	717.	822.	1,110.
		78"	RCEEG781()	724.	724.	835.	1,128.
		84"	RCEEG841()	775.	775.	888.	1,198.
		90"	RCEEG901()	804.	804.	923.	1,248.
		96"	RCEEG961()	835.	835.	959.	1,294.
		102"	RCEEG1021()	919.	919.	1,055.	1,422.
	108"	RCEEG1081()	1,010.	1,010.	1,161.	1,566.	
	24"	60"	RCEEG602()	732.	732.	839.	1,133.
		66"	RCEEG662()	754.	754.	869.	1,172.
		72"	RCEEG722()	787.	787.	908.	1,227.
		78"	RCEEG782()	825.	825.	953.	1,284.
		84"	RCEEG842()	859.	859.	988.	1,334.
		90"	RCEEG902()	897.	897.	1,031.	1,391.
		96"	RCEEG962()	931.	931.	1,073.	1,448.
102"		RCEEG1022()	1,025.	1,025.	1,180.	1,592.	
108"	RCEEG1082()	1,127.	1,127.	1,298.	1,752.		

Order Code

Example: RCEEG601
R Reff
C Credenza Top
E 1"
EG Edge Grommet
60 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:
 1. Top finish
 L,V1,V2,V3

Application Notes


These tops will always come with a cut out (notch) at the back of top.
 No grommet option.

Credenza tops are drilled to accept pedestals.
 Credenza tops are predrilled with pilot holes for use with wood screws.
 1" Credenza tops are recommended to work with the Task Panel application.
 Credenza tops are intended to be supported by full lower storage.
 Edge grommet: 35mm deep, 6" in from back corner.

Worksurface Credenza

1 1/2" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCD601()	\$726.	\$726.	\$836.	\$1,131.
		66"	RCD661()	749.	749.	863.	1,164.
		72"	RCD721()	788.	579.	904.	1,222.
		78"	RCD781()	796.	796.	919.	1,240.
		84"	RCD841()	852.	852.	977.	1,318.
		90"	RCD901()	885.	885.	1,016.	1,374.
		96"	RCD961()	919.	919.	1,055.	1,422.
		102"	RCD1021()	1,010.	1,010.	1,161.	1,566.
		108"	RCD1081()	1,111.	1,111.	1,276.	1,721.
	24"	60"	RCD602()	805.	805.	923.	1,246.
		66"	RCD662()	829.	829.	957.	1,290.
		72"	RCD722()	866.	866.	999.	1,350.
		78"	RCD782()	907.	907.	1,049.	1,413.
		84"	RCD842()	946.	946.	1,087.	1,468.
		90"	RCD902()	987.	987.	1,134.	1,530.
		96"	RCD962()	1,025.	1,025.	1,180.	1,592.
		102"	RCD1022()	1,127.	1,127.	1,298.	1,752.
108"		RCD1082()	1,240.	1,240.	1,428.	1,927.	

Worksurfaces

Order Code

Example: RCEEG601
R Reff
C Credenza
D 1 1/2" top
60 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:
 1. Finish
 L, V1, V2, V3

Application Notes

These tops will always come with a cut out (notch) at the back of top.
 No grommet option.

Credenza tops are drilled to accept pedestals.
 Credenza tops are predrilled with pilot holes for use with wood screws.
 1" Credenza tops are recommended to work with the Task Panel application.
 Credenza tops are intended to be supported by full lower storage.
 Edge grommet: 35mm deep, 6" in from back corner.

Peninsula 1 1/2"


Planning Guidelines and Specifications

Peninsulas

Peninsulas for Reff Profiles are a central element in private office planning. Peninsulas are available in two styles; flush mounted and over-sailing. The flush mounted style is intended to connect tops which use full height pedestals for support, creating a flush transition

between the peninsula and the adjoining top. The over-sailing style of peninsula is designed to overlap low storage made up of 3/4 height cabinets with 1" credenza tops or Progressive low credenzas by using a stand-off to support the peninsula top and create a space between the top and the low storage element.

See diagrams below and page following for descriptions. Peninsulas are offered as complete assemblies including worksurface, leg(s), credenza support, and grommet options.



Peninsula 1 1/2"

Planning Guidelines and Specifications

Specification Options

Peninsulas are available with a variety of worksurface shapes including rectilinear, asymmetrical and symmetrical bullet, P, 9 and D shapes.

Peninsula tops are available in any Reff Profiles core laminate or veneer finish; see Reff Profiles finish options pages for further information.

Laminate tops are offered with color-matched edges or wood veneer edges as a mixed finish option. Edge material for veneer tops is wood.


Flush mounted peninsulas, previous page below right, come with Flush Mounting kit including two flush plates and connection hardware.

Over-sailing peninsulas are offered with two stand-off options; Power Center, previous page middle, and Simple stand-off, previous page left.


The Power Center kit is supplied with power center grommet, stand-off, round cable grommet and connection hardware. When specified with a Power Center, the peninsula

top is pre-drilled to accept the Power Center grommet. The Power Center stand-off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.


In the recommended mounting location, the peninsula top will be 2 1/2" from the wall or the back edge of the 1" credenza top (over 3/4 height pedestals). Refer to elevation diagrams below for details.



Over-Sailing Style
Peninsula with Power Center



Flush Mounted Style
Peninsula with Flush Mount



Over-Sailing Style
Peninsula with Simple Stand-Off

Peninsula 1 1/2"


Planning Guidelines and Specifications

The Simple Stand-Off kit is supplied with a simple stand-off, stand-off mount, round cable grommet and connection hardware. When specified, the peninsula top is pre-drilled to accept the 2 x 3 grommet. The Simple Stand-Off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.

Power center and 2 x 3 grommets are offered in three plated finishes; Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU) and all core paint finishes.

Stand-Off's are offered in all Reff Profiles core paint finishes.

Rectilinear Tops Right Hand Shown



Peninsula 1 1/2"

Planning Guidelines and Specifications

Leg options for Peninsulas include L-leg, reverse L-leg, soft rectangular leg, open frame leg and cylindrical column leg. L, reverse L, soft rectangular and open frame legs are offered with anodized finishes: Black (AN), Polished (AP) and Satin (AU).








Cylindrical column leg is offered with plated finishes: Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU).

All legs are available in all Reff Profiles core paint finishes.

Rectilinear peninsula tops are offered with L, reverse L, soft rectangular, and open frame leg options. All other peninsula tops are offered with cylindrical column leg.

Refer to figures on previous page and following for grommet locations and order codes.

Asymmetric Bullet Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>N</p>		<p>Flush Plates</p>  <p>N</p>
<p>Grommet</p>  <p>S</p>	<p>Power Center</p>  <p>P</p>	
 <p>E</p>		 <p>E</p>
 <p>SE</p>		

Peninsula 1 1/2"

Planning Guidelines and Specifications

Construction

Reff Profiles peninsula tops are nominal 1 1/2" thick, consisting of 1 7/16" thick substrate with a laminate or veneer surface finish.

Laminate tops have a laminate top surface with an FSC-certified particle board core and a paper backer sheet for balanced construction. Edges can match the top or are available in a selection

of veneers. Matching edges are in 2.0mm ABS with 2.0mm radius top and bottom edges. End edges overlap the front and back edges with the outside corners minimally radiused.


Edges on veneer tops are 2.4mm thick wood with 2.4mm radius top and bottom edges. Ends overlap front and back edges

with 2.4mm radius on outside corners.

All tops are supplied with pilot holes for hardware inserts for attachment of specified leg options.

Legs are shipped separately, fully assembled with connection hardware included.

Symmetric Bullet Tops Right Hand Shown



Peninsula 1 1/2"

Planning Guidelines and Specifications

Planning Notes

1. Partial height modesty is available, sold separately and field installed.
2. J-wire manager is available, sold separately and field installed.
3. Peninsula tops require additional stiffening for spans greater than 54".
4. Peninsula top is right handed when the leg is on the right hand side (from the users perspective) and vice versa.
5. Power center electrical components are not included with the Peninsula and are ordered separately.

P and 9 Tops

Flush Mount Options:

P-Shaped









9-Shaped

<p>No Grommet</p>		
<p>Single Grommet</p>		
<p>Double Grommet</p>		


Peninsula 1 1/2"

Planning Guidelines and Specifications

D Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>Diagram showing a peninsula profile with a vertical line representing a stand-off on the left side and a dashed circle representing a leg on the right side. The label 'N' is centered below the diagram.</p>		<p>Flush Plates</p>  <p>Diagram showing a peninsula profile with two dashed rectangles representing flush plates on the left side and a dashed circle representing a leg on the right side. The label 'N' is centered below the diagram.</p>
 <p>Diagram showing a peninsula profile with a vertical line representing a stand-off on the left side. Dimensions include '9 1/2"' for the stand-off height, 'Depth / 2' for the stand-off width, and 'Depth' for the total depth. A hatched rectangle represents a grommet. The label 'S' is centered below the diagram.</p>	<p>Power Center</p>  <p>Diagram showing a peninsula profile with a dashed rectangle representing a power center on the left side and a dashed circle representing a leg on the right side. The label 'P' is centered below the diagram.</p>	
 <p>Diagram showing a peninsula profile with a vertical line representing a stand-off on the left side. Dimensions include 'Straight / 2' for the stand-off width, '9 1/2"' for the stand-off height, and 'Straight' for the total straight length. The label 'M' is centered below the diagram.</p>		 <p>Diagram showing a peninsula profile with two dashed rectangles representing flush plates on the left side. Dimensions include 'Straight / 2' for the flush plate width, '9 1/2"' for the flush plate height, and 'Straight' for the total straight length. The label 'M' is centered below the diagram.</p>
 <p>Diagram showing a peninsula profile with a vertical line representing a stand-off on the left side. Dimensions include '9 1/2"' for the stand-off height, 'Depth / 2' for the stand-off width, '9 1/2"' for the stand-off offset from the right edge, and 'Depth' for the total depth. A hatched rectangle represents a grommet. The label 'SM' is centered below the diagram.</p>	 <p>Diagram showing a peninsula profile with a dashed rectangle representing a power center on the left side. Dimensions include 'Straight / 2' for the power center width, '9 1/2"' for the power center height, and 'Straight' for the total straight length. The label 'PM' is centered below the diagram.</p>	


Peninsula 1 1/2"
 Worksurface with L-leg
 Stand-Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	20"	60"	1 1/2"	RPTDLPC(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDLPC(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDLPC(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDLPC(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDLPC(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDLPC(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDLPC(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDLPC(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDLPC(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDLPC(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDLPC(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDLPC(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDLPC(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDLPC(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDLPC(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDLPC(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDLPC(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDLPC(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDLPC(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDLPC(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDLPC(L/R)6030() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center, PE= Power center grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet option Painted or plated	Refer to grommet page for location option.
L L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2"
 Worksurface with L-leg
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	20"	60"	1 1/2"	RPTDLST(L/R)6020() () () ()	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDLST(L/R)6620() () () ()	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDLST(L/R)7220() () () ()	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDLST(L/R)7820() () () ()	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDLST(L/R)8420() () () ()	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDLST(L/R)6024() () () ()	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDLST(L/R)6624() () () ()	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDLST(L/R)7224() () () ()	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDLST(L/R)7824() () () ()	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDLST(L/R)8424() () () ()	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDLST(L/R)6030() () () ()	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDLST(L/R)6630() () () ()	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDLST(L/R)7230() () () ()	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDLST(L/R)7830() () () ()	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDLST(L/R)8430() () () ()	1,580.	1,643.	1,754.	2,054.
	36"	60"	1 1/2"	RPTDLST(L/R)6036() () () ()	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDLST(L/R)6636() () () ()	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDLST(L/R)7236() () () ()	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDLST(L/R)7836() () () ()	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDLST(L/R)8436() () () ()	1,682.	1,751.	1,884.	2,230.

Order Code	Specification Information	Application Notes
Example: RPTDLST(L/R) 6030() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option S=Stand-off N=No grommet E=End grommet SE=Stand-off grommet with end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet option Painted or plated	Refer to grommet page for location option.
L L-Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
E Grommet Type		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		


Peninsula 1 1/2"
 Worksurface with L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top <i>Left hand shown</i>	20"	48"	1 1/2"	RPTDLFM(L/R)4820() () () ()	\$1,173.	\$1,210.	\$1,281.	\$1,471.
		54"	1 1/2"	RPTDLFM(L/R)5420() () () ()	1,191.	1,229.	1,306.	1,507.
		60"	1 1/2"	RPTDLFM(L/R)6020() () () ()	1,227.	1,270.	1,350.	1,567.
		66"	1 1/2"	RPTDLFM(L/R)6620() () () ()	1,238.	1,285.	1,370.	1,590.
		72"	1 1/2"	RPTDLFM(L/R)7220() () () ()	1,267.	1,315.	1,400.	1,633.
		78"	1 1/2"	RPTDLFM(L/R)7820() () () ()	1,274.	1,320.	1,410.	1,647.
		84"	1 1/2"	RPTDLFM(L/R)8420() () () ()	1,306.	1,362.	1,453.	1,704.
		24"	48"	1 1/2"	RPTDLFM(L/R)4824() () () ()	1,205.	1,254.	1,330.
	54"		1 1/2"	RPTDLFM(L/R)5424() () () ()	1,238.	1,285.	1,370.	1,590.
	60"		1 1/2"	RPTDLFM(L/R)6024() () () ()	1,277.	1,328.	1,414.	1,651.
	66"		1 1/2"	RPTDLFM(L/R)6624() () () ()	1,292.	1,345.	1,438.	1,683.
	72"		1 1/2"	RPTDLFM(L/R)7224() () () ()	1,319.	1,372.	1,470.	1,727.
	78"		1 1/2"	RPTDLFM(L/R)7824() () () ()	1,345.	1,402.	1,506.	1,774.
	84"		1 1/2"	RPTDLFM(L/R)8424() () () ()	1,371.	1,430.	1,534.	1,813.
	36"		48"	1 1/2"	RPTDLFM(L/R)4836() () () ()	1,378.	1,441.	1,540.
		54"	1 1/2"	RPTDLFM(L/R)5436() () () ()	1,401.	1,464.	1,569.	1,848.
		60"	1 1/2"	RPTDLFM(L/R)6036() () () ()	1,424.	1,487.	1,598.	1,889.
		66"	1 1/2"	RPTDLFM(L/R)6636() () () ()	1,447.	1,513.	1,632.	1,945.
		72"	1 1/2"	RPTDLFM(L/R)7236() () () ()	1,471.	1,540.	1,660.	1,984.
		78"	1 1/2"	RPTDLFM(L/R)7836() () () ()	1,495.	1,563.	1,689.	2,025.
		84"	1 1/2"	RPTDLFM(L/R)8436() () () ()	1,517.	1,586.	1,719.	2,065.
		30"	48"	1 1/2"	RPTDLFM(L/R)4830() () () ()	1,286.	1,340.	1,426.
	54"		1 1/2"	RPTDLFM(L/R)5430() () () ()	1,310.	1,364.	1,454.	1,706.
	60"		1 1/2"	RPTDLFM(L/R)6030() () () ()	1,334.	1,387.	1,483.	1,747.
66"	1 1/2"		RPTDLFM(L/R)6630() () () ()	1,344.	1,401.	1,505.	1,773.	
72"	1 1/2"		RPTDLFM(L/R)7230() () () ()	1,362.	1,417.	1,519.	1,793.	
78"	1 1/2"		RPTDLFM(L/R)7830() () () ()	1,389.	1,450.	1,557.	1,844.	
84"	1 1/2"		RPTDLFM(L/R)8430() () () ()	1,415.	1,478.	1,589.	1,889.	

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDLFM(L/R)4830() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
IL L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
48 Width		
30 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2"
 Worksurface with Reverse L-leg
 Stand Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRPC(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDRPC(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDRPC(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDRPC(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDRPC(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDRPC(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDRPC(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDRPC(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDRPC(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDRPC(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDRPC(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDRPC(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDRPC(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDRPC(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDRPC(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDRPC(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDRPC(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDRPC(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDRPC(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDRPC(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Order Code	Specification Information	Application Notes
Example: RPTDRPC(L/R)6030() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center, PE=Power center plus end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
30 Depth		
40 Width		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-off finish		

Peninsula 1 1/2"
 Worksurface with Reverse L-leg
 Simple Stand Off, Rectilinear top


description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRST(L/R)6020()()()	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDRST(L/R)6620()()()	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDRST(L/R)7220()()()	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDRST(L/R)7820()()()	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDRST(L/R)8420()()()	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDRST(L/R)6024()()()	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDRST(L/R)6624()()()	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDRST(L/R)7224()()()	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDRST(L/R)7824()()()	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDRST(L/R)8424()()()	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDRST(L/R)6030()()()	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDRST(L/R)6630()()()	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDRST(L/R)7230()()()	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDRST(L/R)7830()()()	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDRST(L/R)8430()()()	1,580.	1,643.	1,105.	2,054.
	36"	60"	1 1/2"	RPTDRST(L/R)6036()()()	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDRST(L/R)6636()()()	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDRST(L/R)7236()()()	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDRST(L/R)7836()()()	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDRST(L/R)8436()()()	1,682.	1,751.	1,884.	2,230.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDRST(L/R) 6030()()()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
R Reverse L-leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off and end grommet	
60 Width	3. Grommet finish	
30 Depth	Painted or plated	
SE Grommet Option	4. Worksurface finish	
115 Grommet Finish	L, V1, V2, V3	
114 Worksurface Finish	5. Leg finish	
115 Leg Finish	Painted or Anodized	
115 Stand-Off Finish	6. Stand-off finish	
	Painted	

Peninsula 1 1/2"

Worksurface with Reverse L-leg Flush Mount Attachment, Rectilinear top


description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	48"	1 1/2"	RPTDRFM(L/R)4820() () () ()	\$1,173.	\$1,210.	\$1,281.	\$1,471.
		54"	1 1/2"	RPTDRFM(L/R)5420() () () ()	1,191.	1,229.	1,306.	1,507.
		60"	1 1/2"	RPTDRFM(L/R)6020() () () ()	1,227.	1,270.	1,350.	1,567.
		66"	1 1/2"	RPTDRFM(L/R)6620() () () ()	1,238.	1,285.	1,370.	1,590.
		72"	1 1/2"	RPTDRFM(L/R)7220() () () ()	1,267.	1,315.	1,400.	1,633.
		78"	1 1/2"	RPTDRFM(L/R)7820() () () ()	1,274.	1,320.	1,410.	1,647.
		84"	1 1/2"	RPTDRFM(L/R)8420() () () ()	1,306.	1,362.	1,453.	1,704.
		<hr/>						
	24"	48"	1 1/2"	RPTDRFM(L/R)4824() () () ()	1,205.	1,254.	1,330.	1,536.
		54"	1 1/2"	RPTDRFM(L/R)5424() () () ()	1,238.	1,285.	1,370.	1,590.
		60"	1 1/2"	RPTDRFM(L/R)6024() () () ()	1,277.	1,328.	1,414.	1,651.
		66"	1 1/2"	RPTDRFM(L/R)6624() () () ()	1,292.	1,345.	1,438.	1,683.
		72"	1 1/2"	RPTDRFM(L/R)7224() () () ()	1,319.	1,372.	1,470.	1,727.
		78"	1 1/2"	RPTDRFM(L/R)7824() () () ()	1,345.	1,402.	1,506.	1,774.
		84"	1 1/2"	RPTDRFM(L/R)8424() () () ()	1,371.	1,430.	1,534.	1,813.
		<hr/>						
	30"	48"	1 1/2"	RPTDRFM(L/R)4830() () () ()	1,286.	1,340.	1,426.	1,666.
		54"	1 1/2"	RPTDRFM(L/R)5430() () () ()	1,310.	1,364.	1,454.	1,706.
		60"	1 1/2"	RPTDRFM(L/R)6030() () () ()	1,334.	1,387.	1,483.	1,747.
		66"	1 1/2"	RPTDRFM(L/R)6630() () () ()	1,344.	1,401.	1,505.	1,773.
		72"	1 1/2"	RPTDRFM(L/R)7230() () () ()	1,362.	1,417.	1,519.	1,793.
		78"	1 1/2"	RPTDRFM(L/R)7830() () () ()	1,389.	1,450.	1,557.	1,844.
		84"	1 1/2"	RPTDRFM(L/R)8430() () () ()	1,415.	1,478.	1,589.	1,889.
		<hr/>						
	36"	48"	1 1/2"	RPTDRFM(L/R)4836() () () ()	1,378.	1,441.	1,540.	1,808.
		54"	1 1/2"	RPTDRFM(L/R)5436() () () ()	1,401.	1,464.	1,569.	1,848.
		60"	1 1/2"	RPTDRFM(L/R)6036() () () ()	1,424.	1,487.	1,598.	1,889.
		66"	1 1/2"	RPTDRFM(L/R)6636() () () ()	1,447.	1,513.	1,632.	1,945.
		72"	1 1/2"	RPTDRFM(L/R)7236() () () ()	1,471.	1,540.	1,660.	1,984.
		78"	1 1/2"	RPTDRFM(L/R)7836() () () ()	1,495.	1,563.	1,689.	2,025.
		84"	1 1/2"	RPTDRFM(L/R)8436() () () ()	1,517.	1,586.	1,719.	2,065.

Order Code	Specification Information	Application Notes
Example: RPTDRFM(L/R)4830() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Peninsula worksurfaces with power center do not come with Electrical Components.
PT Peninsula	2. Grommet option	Wire chase sold separately.
D 1 1/2"	E=End, N=No grommet, M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
R Reverse L-leg	3. Grommet finish	Refer to grommet page for location option.
FM Flush Mount Attachment Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L Left hand/ Right hand	5. Leg finish Painted or Anodized	
48 Width		
30 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2"

Reff Profiles


Worksurface with Soft Rectangular Leg Stand Off with Power Center, Rectilinear top

description	d	w	th	pattern number	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDSPC(L/R)6020() () () ()	\$1,510.	\$1,553.	\$1,634.	\$1,850.
		66"	1 1/2"	RPTDSPC(L/R)6620() () () ()	1,521.	1,569.	1,653.	1,874.
		72"	1 1/2"	RPTDSPC(L/R)7220() () () ()	1,550.	1,599.	1,683.	1,916.
		78"	1 1/2"	RPTDSPC(L/R)7820() () () ()	1,557.	1,604.	1,693.	1,930.
		84"	1 1/2"	RPTDSPC(L/R)8420() () () ()	1,589.	1,645.	1,737.	1,987.
	24"	60"	1 1/2"	RPTDSPC(L/R)6024() () () ()	1,560.	1,611.	1,697.	1,934.
		66"	1 1/2"	RPTDSPC(L/R)6624() () () ()	1,575.	1,628.	1,721.	1,966.
		72"	1 1/2"	RPTDSPC(L/R)7224() () () ()	1,603.	1,655.	1,753.	2,011.
		78"	1 1/2"	RPTDSPC(L/R)7824() () () ()	1,628.	1,685.	1,789.	2,057.
		84"	1 1/2"	RPTDSPC(L/R)8424() () () ()	1,654.	1,713.	1,817.	2,096.
	30"	60"	1 1/2"	RPTDSPC(L/R)6030() () () ()	1,617.	1,671.	1,766.	2,030.
		66"	1 1/2"	RPTDSPC(L/R)6630() () () ()	1,627.	1,684.	1,788.	2,056.
		72"	1 1/2"	RPTDSPC(L/R)7230() () () ()	1,645.	1,701.	1,803.	2,076.
		78"	1 1/2"	RPTDSPC(L/R)7830() () () ()	1,673.	1,733.	1,841.	2,127.
		84"	1 1/2"	RPTDSPC(L/R)8430() () () ()	1,698.	1,761.	1,873.	2,172.
	36"	60"	1 1/2"	RPTDSPC(L/R)6036() () () ()	1,708.	1,771.	1,881.	2,172.
		66"	1 1/2"	RPTDSPC(L/R)6636() () () ()	1,730.	1,796.	1,915.	2,228.
		72"	1 1/2"	RPTDSPC(L/R)7236() () () ()	1,754.	1,823.	1,944.	2,267.
		78"	1 1/2"	RPTDSPC(L/R)7836() () () ()	1,778.	1,846.	1,972.	2,308.
		84"	1 1/2"	RPTDSPC(L/R)8436() () () ()	1,800.	1,869.	2,002.	2,348.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDSPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
PC Power Center	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L Left hand/ Right hand	5. Leg finish Painted or Anodized	
60 Width	6. Stand-off finish Painted	
30 Depth		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		


Peninsula 1 1/2"
 Worksurface with Soft Rectangular Leg
 Simple Stand Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	20"	60"	1 1/2"	RPTDSST(L/R)6020() () () ()	\$1,438.	\$1,481.	\$1,561.	\$1,778.
		66"	1 1/2"	RPTDSST(L/R)6620() () () ()	1,449.	1,497.	1,581.	1,801.
		72"	1 1/2"	RPTDSST(L/R)7220() () () ()	1,478.	1,526.	1,611.	1,844.
		78"	1 1/2"	RPTDSST(L/R)7820() () () ()	1,485.	1,532.	1,621.	1,858.
		84"	1 1/2"	RPTDSST(L/R)8420() () () ()	1,517.	1,573.	1,664.	1,915.
	24"	60"	1 1/2"	RPTDSST(L/R)6024() () () ()	1,488.	1,539.	1,625.	1,862.
		66"	1 1/2"	RPTDSST(L/R)6624() () () ()	1,503.	1,556.	1,649.	1,894.
		72"	1 1/2"	RPTDSST(L/R)7224() () () ()	1,531.	1,583.	1,681.	1,938.
		78"	1 1/2"	RPTDSST(L/R)7824() () () ()	1,556.	1,613.	1,717.	1,985.
		84"	1 1/2"	RPTDSST(L/R)8424() () () ()	1,582.	1,641.	1,745.	2,024.
	30"	60"	1 1/2"	RPTDSST(L/R)6030() () () ()	1,545.	1,599.	1,694.	1,958.
		66"	1 1/2"	RPTDSST(L/R)6630() () () ()	1,555.	1,612.	1,716.	1,984.
		72"	1 1/2"	RPTDSST(L/R)7230() () () ()	1,573.	1,628.	1,730.	2,004.
		78"	1 1/2"	RPTDSST(L/R)7830() () () ()	1,601.	1,661.	1,769.	2,055.
		84"	1 1/2"	RPTDSST(L/R)8430() () () ()	1,626.	1,689.	1,800.	2,100.
	36"	60"	1 1/2"	RPTDSST(L/R)6036() () () ()	1,636.	1,698.	1,809.	2,100.
		66"	1 1/2"	RPTDSST(L/R)6636() () () ()	1,658.	1,724.	1,843.	2,156.
		72"	1 1/2"	RPTDSST(L/R)7236() () () ()	1,682.	1,751.	1,872.	2,195.
		78"	1 1/2"	RPTDSST(L/R)7836() () () ()	1,706.	1,774.	1,900.	2,236.
		84"	1 1/2"	RPTDSST(L/R)8436() () () ()	1,728.	1,797.	1,930.	2,276.

Order Code	Specification Information	Application Notes
Example: RPTDSST(L/R) 6030() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option S=Stand-off N=No grommet E=End grommet SE=Stand-off and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand Off	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2"

Worksurface with Soft Rectangular Leg Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	48"	1 1/2"	RPTDSFM(L/R)4820() () () ()	\$1,220.	\$1,257.	\$1,328.	\$1,517.
		54"	1 1/2"	RPTDSFM(L/R)5420() () () ()	1,237.	1,275.	1,352.	1,553.
		60"	1 1/2"	RPTDSFM(L/R)6020() () () ()	1,273.	1,316.	1,397.	1,613.
		66"	1 1/2"	RPTDSFM(L/R)6620() () () ()	1,284.	1,332.	1,416.	1,637.
		72"	1 1/2"	RPTDSFM(L/R)7220() () () ()	1,313.	1,362.	1,446.	1,679.
		78"	1 1/2"	RPTDSFM(L/R)7820() () () ()	1,320.	1,367.	1,456.	1,693.
		84"	1 1/2"	RPTDSFM(L/R)8420() () () ()	1,352.	1,408.	1,500.	1,750.
		24"	48"	1 1/2"	RPTDSFM(L/R)4824() () () ()	1,251.	1,300.	1,376.
54"	1 1/2"		RPTDSFM(L/R)5424() () () ()	1,284.	1,332.	1,416.	1,637.	
60"	1 1/2"		RPTDSFM(L/R)6024() () () ()	1,324.	1,374.	1,461.	1,697.	
66"	1 1/2"		RPTDSFM(L/R)6624() () () ()	1,338.	1,392.	1,484.	1,729.	
72"	1 1/2"		RPTDSFM(L/R)7224() () () ()	1,366.	1,418.	1,516.	1,774.	
78"	1 1/2"		RPTDSFM(L/R)7824() () () ()	1,392.	1,448.	1,552.	1,820.	
84"	1 1/2"		RPTDSFM(L/R)8424() () () ()	1,417.	1,476.	1,580.	1,859.	
30"	48"		1 1/2"	RPTDSFM(L/R)4830() () () ()	1,333.	1,386.	1,472.	1,712.
	54"	1 1/2"	RPTDSFM(L/R)5430() () () ()	1,357.	1,410.	1,501.	1,752.	
	60"	1 1/2"	RPTDSFM(L/R)6030() () () ()	1,380.	1,434.	1,530.	1,793.	
	66"	1 1/2"	RPTDSFM(L/R)6630() () () ()	1,391.	1,447.	1,551.	1,819.	
	72"	1 1/2"	RPTDSFM(L/R)7230() () () ()	1,408.	1,464.	1,566.	1,840.	
	78"	1 1/2"	RPTDSFM(L/R)7830() () () ()	1,436.	1,497.	1,604.	1,890.	
	84"	1 1/2"	RPTDSFM(L/R)8430() () () ()	1,462.	1,524.	1,636.	1,935.	
	36"	48"	1 1/2"	RPTDSFM(L/R)4836() () () ()	1,424.	1,487.	1,586.	1,854.
54"		1 1/2"	RPTDSFM(L/R)5436() () () ()	1,447.	1,510.	1,615.	1,894.	
60"		1 1/2"	RPTDSFM(L/R)6036() () () ()	1,471.	1,534.	1,644.	1,935.	
66"		1 1/2"	RPTDSFM(L/R)6636() () () ()	1,494.	1,559.	1,678.	1,991.	
72"		1 1/2"	RPTDSFM(L/R)7236() () () ()	1,517.	1,586.	1,707.	2,030.	
78"		1 1/2"	RPTDSFM(L/R)7836() () () ()	1,541.	1,609.	1,736.	2,071.	
84"		1 1/2"	RPTDSFM(L/R)8436() () () ()	1,564.	1,633.	1,765.	2,112.	


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDSFM(L/R)4830() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End N=No grommet M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Platef	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
48 Width		
30 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2"


Reff Profiles

Worksurface with Open Frame Leg Stand-Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	60"	1 1/2"	RPTDOPC(L/R)6020() () () ()	\$1,536.	\$1,579.	\$1,659.	\$1,876.
		66"	1 1/2"	RPTDOPC(L/R)6620() () () ()	1,547.	1,594.	1,679.	1,899.
		72"	1 1/2"	RPTDOPC(L/R)7220() () () ()	1,576.	1,624.	1,709.	1,942.
		78"	1 1/2"	RPTDOPC(L/R)7820() () () ()	1,583.	1,629.	1,719.	1,956.
		84"	1 1/2"	RPTDOPC(L/R)8420() () () ()	1,615.	1,671.	1,762.	2,013.
	24"	60"	1 1/2"	RPTDOPC(L/R)6024() () () ()	1,586.	1,637.	1,723.	1,960.
		66"	1 1/2"	RPTDOPC(L/R)6624() () () ()	1,601.	1,654.	1,747.	1,992.
		72"	1 1/2"	RPTDOPC(L/R)7224() () () ()	1,628.	1,681.	1,779.	2,036.
		78"	1 1/2"	RPTDOPC(L/R)7824() () () ()	1,654.	1,711.	1,815.	2,083.
		84"	1 1/2"	RPTDOPC(L/R)8424() () () ()	1,680.	1,739.	1,843.	2,122.
	30"	60"	1 1/2"	RPTDOPC(L/R)6030() () () ()	1,643.	1,696.	1,792.	2,056.
		66"	1 1/2"	RPTDOPC(L/R)6630() () () ()	1,653.	1,710.	1,814.	2,082.
		72"	1 1/2"	RPTDOPC(L/R)7230() () () ()	1,671.	1,726.	1,828.	2,102.
		78"	1 1/2"	RPTDOPC(L/R)7830() () () ()	1,698.	1,759.	1,866.	2,153.
		84"	1 1/2"	RPTDOPC(L/R)8430() () () ()	1,724.	1,787.	1,898.	2,198.
	36"	60"	1 1/2"	RPTDOPC(L/R)6036() () () ()	1,733.	1,796.	1,907.	2,198.
		66"	1 1/2"	RPTDOPC(L/R)6636() () () ()	1,756.	1,822.	1,941.	2,254.
		72"	1 1/2"	RPTDOPC(L/R)7236() () () ()	1,780.	1,849.	1,969.	2,293.
		78"	1 1/2"	RPTDOPC(L/R)7836() () () ()	1,804.	1,872.	1,998.	2,334.
		84"	1 1/2"	RPTDOPC(L/R)8436() () () ()	1,826.	1,895.	2,028.	2,374.

Order Code	Specification Information	Application Notes
Example: RPTDOPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2"
 Worksurface with Open Frame Leg
 Simple Stand-Off, Rectilinear top


description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	60"	1 1/2"	RPTDOST(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDOST(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDOST(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDOST(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDOST(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDOST(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDOST(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDOST(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDOST(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDOST(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDOST(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDOST(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDOST(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDOST(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDOST(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDOST(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDOST(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDOST(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDOST(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDOST(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDOST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option M=Mid. grommet N=No grommet S=Stand-off SE=Stand-off and end location	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		Peninsula worksurfaces with power center do not come with Electrical Components.
30 Depth		For electrical components please refer to page 425.
S Grommet Option		Products on this page work with 28 3/8" height planning.
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2"

Worksurface with Open Frame Leg Flush Mount Attachment, Rectilinear top



description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	48"	1 1/2"	RPTDOFM(L/R)4820() () () ()	\$1,245.	\$1,282.	\$1,353.	\$1,543.
		54"	1 1/2"	RPTDOFM(L/R)5420() () () ()	1,263.	1,301.	1,378.	1,579.
		60"	1 1/2"	RPTDOFM(L/R)6020() () () ()	1,299.	1,342.	1,422.	1,639.
		66"	1 1/2"	RPTDOFM(L/R)6620() () () ()	1,310.	1,358.	1,442.	1,662.
		72"	1 1/2"	RPTDOFM(L/R)7220() () () ()	1,339.	1,387.	1,472.	1,705.
		78"	1 1/2"	RPTDOFM(L/R)7820() () () ()	1,346.	1,393.	1,482.	1,719.
		84"	1 1/2"	RPTDOFM(L/R)8420() () () ()	1,378.	1,434.	1,525.	1,776.
		24"	48"	1 1/2"	RPTDOFM(L/R)4824() () () ()	1,277.	1,326.	1,402.
54"	1 1/2"		RPTDOFM(L/R)5424() () () ()	1,310.	1,358.	1,442.	1,662.	
60"	1 1/2"		RPTDOFM(L/R)6024() () () ()	1,349.	1,400.	1,486.	1,723.	
66"	1 1/2"		RPTDOFM(L/R)6624() () () ()	1,364.	1,417.	1,510.	1,755.	
72"	1 1/2"		RPTDOFM(L/R)7224() () () ()	1,392.	1,444.	1,542.	1,799.	
78"	1 1/2"		RPTDOFM(L/R)7824() () () ()	1,417.	1,474.	1,578.	1,846.	
84"	1 1/2"		RPTDOFM(L/R)8424() () () ()	1,443.	1,502.	1,606.	1,885.	
30"	48"		1 1/2"	RPTDOFM(L/R)4830() () () ()	1,359.	1,412.	1,498.	1,738.
	54"	1 1/2"	RPTDOFM(L/R)5430() () () ()	1,382.	1,436.	1,526.	1,778.	
	60"	1 1/2"	RPTDOFM(L/R)6030() () () ()	1,406.	1,460.	1,555.	1,819.	
	66"	1 1/2"	RPTDOFM(L/R)6630() () () ()	1,416.	1,473.	1,577.	1,845.	
	72"	1 1/2"	RPTDOFM(L/R)7230() () () ()	1,434.	1,489.	1,591.	1,865.	
	78"	1 1/2"	RPTDOFM(L/R)7830() () () ()	1,462.	1,522.	1,629.	1,916.	
	84"	1 1/2"	RPTDOFM(L/R)8430() () () ()	1,487.	1,550.	1,661.	1,961.	
	36"	48"	1 1/2"	RPTDOFM(L/R)4836() () () ()	1,450.	1,513.	1,612.	1,880.
54"		1 1/2"	RPTDOFM(L/R)5436() () () ()	1,473.	1,536.	1,641.	1,920.	
60"		1 1/2"	RPTDOFM(L/R)6036() () () ()	1,507.	1,559.	1,670.	1,961.	
66"		1 1/2"	RPTDOFM(L/R)6636() () () ()	1,519.	1,585.	1,704.	2,017.	
72"		1 1/2"	RPTDOFM(L/R)7236() () () ()	1,543.	1,612.	1,732.	2,056.	
78"		1 1/2"	RPTDOFM(L/R)7836() () () ()	1,567.	1,635.	1,761.	2,097.	
84"		1 1/2"	RPTDOFM(L/R)8436() () () ()	1,589.	1,658.	1,791.	2,137.	

Order Code	Specification Information	Application Notes
Example: RPTDOFM(L/R)4830() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	E=End M=Mid. grommet N=No grommet	Refer to grommet page for location option.
O Open Frame Leg	3. Grommet finish Painted or plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	4. Worksurface finish L, V1, V2, V3	
L Left hand/ Right hand	5. Leg finish Painted or Anodized	
48 Width		
30 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2"

Worksurface with Column Leg

Stand-Off with Power Center, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	V1	V2	V3
 <p>Left handed peninsula shown</p>	30"	60"	1 1/2"	RATDCPC(L/R)6030()()()	\$1,690.	\$1,781.	\$1,863.	\$2,186.
		66"	1 1/2"	RATDCPC(L/R)6630()()()	1,711.	1,803.	1,891.	2,240.
		66"	1 1/2"	RATDCPC(L/R)7230()()()	1,739.	1,831.	1,927.	2,304.
		78"	1 1/2"	RATDCPC(L/R)7830()()()	1,758.	1,853.	1,956.	2,361.
		84"	1 1/2"	RATDCPC(L/R)8430()()()	1,785.	1,881.	1,991.	2,424.
	36"	60"	1 1/2"	RATDCPC(L/R)6036()()()	1,737.	1,827.	1,923.	2,292.
		66"	1 1/2"	RATDCPC(L/R)6636()()()	1,760.	1,852.	1,956.	2,358.
		72"	1 1/2"	RATDCPC(L/R)7236()()()	1,791.	1,884.	1,996.	2,429.
		78"	1 1/2"	RATDCPC(L/R)7836()()()	1,814.	1,909.	2,030.	2,495.
		84"	1 1/2"	RATDCPC(L/R)8436()()()	1,838.	1,933.	2,062.	2,557.
 <p>Left hand shown</p>	30"	60"	1 1/2"	RSTDCPC(L/R)6030()()()	1,907.	2,028.	2,109.	2,432.
		66"	1 1/2"	RSTDCPC(L/R)6630()()()	1,932.	2,056.	2,145.	2,495.
		72"	1 1/2"	RSTDCPC(L/R)7230()()()	1,953.	2,078.	2,173.	2,551.
		78"	1 1/2"	RSTDCPC(L/R)7830()()()	1,973.	2,099.	2,202.	2,607.
		84"	1 1/2"	RSTDCPC(L/R)8430()()()	2,000.	2,128.	2,237.	2,670.
	36"	60"	1 1/2"	RSTDCPC(L/R)6036()()()	1,949.	2,073.	2,169.	2,538.
		66"	1 1/2"	RSTDCPC(L/R)6636()()()	1,973.	2,099.	2,203.	2,604.
		72"	1 1/2"	RSTDCPC(L/R)7236()()()	2,003.	2,131.	2,243.	2,675.
		78"	1 1/2"	RSTDCPC(L/R)7836()()()	2,026.	2,156.	2,276.	2,741.
		84"	1 1/2"	RSTDCPC(L/R)8436()()()	2,050.	2,181.	2,309.	2,805.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: RATDCPC(L/R)6030()()()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet finish: Painted or Plated	Wire chase sold separately.
AT Asymmetrical Top	2. Top finish: L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Leg finish: Painted or Plated	Refer to grommet page for location option.
C Column Leg	4. Stand-off finish: Painted	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	Grommet type: P only	
L Left hand/ Right hand		
60 Width		
30 Depth		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-off Finish		

Peninsula 1 1/2"

Worksurface with Column Leg

Simple Stand-Off, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula, Asymmetrical Bullet Top <i>Left handed peninsula shown</i>	30"	60"	1 1/2"	RATDCST(L/R)6030 ()()()	\$1,499.	\$1,589.	\$1,672.	\$1,994.
		66"	1 1/2"	RATDCST(L/R)6630 ()()()	1,519.	1,611.	1,700.	2,049.
		72"	1 1/2"	RATDCST(L/R)7230 ()()()	1,547.	1,640.	1,736.	2,113.
		78"	1 1/2"	RATDCST(L/R)7830 ()()()	1,567.	1,661.	1,764.	2,169.
		84"	1 1/2"	RATDCST(L/R)8430 ()()()	1,593.	1,689.	1,799.	2,232.
 Peninsula, Symmetrical Bullet Top <i>Left hand shown</i>	30"	60"	1 1/2"	RSTDCST(L/R)6030 ()()()	1,781.	1,894.	1,977.	2,298.
		66"	1 1/2"	RSTDCST(L/R)6630 ()()()	1,799.	1,915.	2,004.	2,354.
		72"	1 1/2"	RSTDCST(L/R)7230 ()()()	1,827.	1,944.	2,040.	2,417.
		78"	1 1/2"	RSTDCST(L/R)7830 ()()()	1,848.	1,966.	2,069.	2,474.
		84"	1 1/2"	RSTDCST(L/R)8430 ()()()	1,875.	1,994.	2,104.	2,537.
	36"	60"	1 1/2"	RATDCST(L/R)6036 ()()()	1,545.	1,636.	1,731.	2,100.
		66"	1 1/2"	RATDCST(L/R)6636 ()()()	1,569.	1,660.	1,764.	2,166.
		72"	1 1/2"	RATDCST(L/R)7236 ()()()	1,600.	1,692.	1,805.	2,237.
		78"	1 1/2"	RATDCST(L/R)7836 ()()()	1,622.	1,717.	1,839.	2,303.
		84"	1 1/2"	RATDCST(L/R)8436 ()()()	1,646.	1,742.	1,870.	2,366.
	36"	60"	1 1/2"	RSTDCST(L/R)6036 ()()()	1,824.	1,941.	2,035.	2,405.
		66"	1 1/2"	RSTDCST(L/R)6636 ()()()	1,848.	1,965.	2,069.	2,471.
		72"	1 1/2"	RSTDCST(L/R)7236 ()()()	1,878.	1,997.	2,109.	2,541.
		78"	1 1/2"	RSTDCST(L/R)7836 ()()()	1,900.	1,994.	2,142.	2,608.
		84"	1 1/2"	RSTDCST(L/R)8436 ()()()	1,924.	2,047.	2,175.	2,671.

Order Code

Example: RATDCST (L/R)6030
R Reff
AT Asymmetrical Top
D 1 1/2"
C Column Leg
ST Stand-Off
L/R Left/Right Hand
60 Width
30 Depth
N Grommet Option
115 Grommet Finish
V316 Worksurface Finish
115 Leg Finish
115 Stand-Off Finish

Specification Information

- To order please specify pattern number including:*
- Grommet option:
 N=No grommet
 E=End grommet
 S=Grommet over Stand-Off
 SE=Grommet over Stand-off plus end grommet
 - Grommet finish:
 Painted or Plated
 - Top finish:
 L, V1, V2, V3
 - Leg finish:
 Painted or Plated
 - Stand-off finish:
 Painted

Finish:
L,V1,V2,V3

Leg Finish:
Painted or plated

Stand-off Finish:
Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.



Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 425.

Products on this page work with 28 3/8" height planning.

Worksurface with Column Leg

Flush Mount Attachment, Asymmetrical and Symmetrical Bullet top


description	d	w	th	pattern no.	L	V1	V2	V3
 <p>Left handed peninsula shown</p>	30"	48"	1 1/2"	RATDCFM(L/R)4830() () ()	\$1,341.	\$1,427.	\$1,495.	\$1,761.
		54"	1 1/2"	RATDCFM(L/R)5430() () ()	1,361.	1,447.	1,522.	1,817.
		60"	1 1/2"	RATDCFM(L/R)6030() () ()	1,412.	1,503.	1,585.	1,908.
		66"	1 1/2"	RATDCFM(L/R)6630() () ()	1,433.	1,524.	1,613.	1,962.
		72"	1 1/2"	RATDCFM(L/R)7230() () ()	1,461.	1,553.	1,649.	2,026.
		78"	1 1/2"	RATDCFM(L/R)7830() () ()	1,480.	1,575.	1,678.	2,083.
		84"	1 1/2"	RATDCFM(L/R)8430() () ()	1,507.	1,603.	1,713.	2,145.
	36"	48"	1 1/2"	RATDCFM(L/R)4836() () ()	1,378.	1,466.	1,544.	1,850.
		54"	1 1/2"	RATDCFM(L/R)5436() () ()	1,401.	1,490.	1,578.	1,916.
		60"	1 1/2"	RATDCFM(L/R)6036() () ()	1,456.	1,549.	1,645.	2,014.
		66"	1 1/2"	RATDCFM(L/R)6636() () ()	1,479.	1,574.	1,678.	2,080.
		72"	1 1/2"	RATDCFM(L/R)7236() () ()	1,509.	1,606.	1,718.	2,151.
		78"	1 1/2"	RATDCFM(L/R)7836() () ()	1,533.	1,630.	1,752.	2,217.
		84"	1 1/2"	RATDCFM(L/R)8436() () ()	1,556.	1,655.	1,784.	2,280.
 <p>Left hand shown</p>	30"	48"	1 1/2"	RSTDCFM(L/R)4830() () ()	1,593.	1,695.	1,763.	2,030.
		54"	1 1/2"	RSTDCFM(L/R)5430() () ()	1,613.	1,716.	1,791.	2,085.
		60"	1 1/2"	RSTDCFM(L/R)6030() () ()	1,666.	1,772.	1,854.	2,175.
		66"	1 1/2"	RSTDCFM(L/R)6630() () ()	1,685.	1,792.	1,881.	2,231.
		72"	1 1/2"	RSTDCFM(L/R)7230() () ()	1,712.	1,821.	1,918.	2,295.
		78"	1 1/2"	RSTDCFM(L/R)7830() () ()	1,732.	1,843.	1,946.	2,350.
		84"	1 1/2"	RSTDCFM(L/R)8430() () ()	1,759.	1,872.	1,982.	2,413.
	36"	48"	1 1/2"	RSTDCFM(L/R)4836() () ()	1,629.	1,733.	1,813.	2,119.
		54"	1 1/2"	RSTDCFM(L/R)5436() () ()	1,654.	1,759.	1,847.	2,185.
		60"	1 1/2"	RSTDCFM(L/R)6036() () ()	1,708.	1,817.	1,913.	2,281.
		66"	1 1/2"	RSTDCFM(L/R)6636() () ()	1,732.	1,843.	1,947.	2,347.
		72"	1 1/2"	RSTDCFM(L/R)7236() () ()	1,762.	1,875.	1,987.	2,418.
		78"	1 1/2"	RSTDCFM(L/R)7836() () ()	1,785.	1,899.	2,020.	2,484.
		84"	1 1/2"	RSTDCFM(L/R)8436() () ()	1,809.	1,924.	2,053.	2,548.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RATDCFM (L/R)4830	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: E=End grommet N=No grommet	Wire chase sold separately.
AT Asymmetrical Top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
L/R Left/Right Hand		For electrical components please refer to page 425.
48 Width		Products on this page work with 28 3/8" height planning.
30 Depth		
N Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2"
 Worksurface with Column Leg
 Flush Mount Attachment, P and 9 tops

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, P Shaped Top	30"	84"	1 1/2"	RPTDCFM8430 () () ()	\$2,026.	\$2,177.	\$2,464.	\$3,231.
	30"	96"	1 1/2"	RPTDCFM9630 () () ()	2,098.	2,261.	2,554.	3,352.



Peninsula, 9 Shaped Top	30"	84"	1 1/2"	R9TDCFM8430 () () ()	2,026.	2,177.	2,464.	3,231.
	30"	96"	1 1/2"	R9TDCFM9630 () () ()	2,098.	2,261.	2,554.	3,352.




Order Code	Specification Information	Application Notes
Example: RPTDCFM8430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: F=Flush	Wire chase sold separately.
PT P-Shaped top	M=Mid. Grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	N=No grommet	Refer to grommet page for location option.
C Column Leg	2. Grommet finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	3. Top finish: L, V1, V2, V3	
84 Width	4. Leg finish: Painted or Plated	
30 Depth		
N Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 425.


Products on this page work with 28 3/8" height planning.

Peninsula 1 1/2"
 Worksurface with Column Leg
 Stand-Off with Power Center, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	66"	1 1/2"	RDTDCPC(L/R)6630() () () ()	\$1,688.	\$1,876.	\$1,958.	\$2,282.
		72"	1 1/2"	RDTDCPC(L/R)7230() () () ()	1,712.	1,902.	1,992.	2,342.
		78"	1 1/2"	RDTDCPC(L/R)7830() () () ()	1,730.	1,923.	2,019.	2,395.
		84"	1 1/2"	RDTDCPC(L/R)8430() () () ()	1,754.	1,949.	2,051.	2,453.
		90"	1 1/2"	RDTDCPC(L/R)9030() () () ()	1,773.	1,969.	2,078.	2,505.
		96"	1 1/2"	RDTDCPC(L/R)9630() () () ()	1,789.	1,988.	2,102.	2,554.
	36"	66"	1 1/2"	RDTDCPC(L/R)6636() () () ()	1,729.	1,922.	2,019.	2,392.
		72"	1 1/2"	RDTDCPC(L/R)7236() () () ()	1,757.	1,952.	2,056.	2,458.
		78"	1 1/2"	RDTDCPC(L/R)7836() () () ()	1,777.	1,975.	2,087.	2,519.
		84"	1 1/2"	RDTDCPC(L/R)8436() () () ()	1,797.	1,997.	2,118.	2,578.
		90"	1 1/2"	RDTDCPC(L/R)9036() () () ()	1,819.	2,021.	2,149.	2,638.
		96"	1 1/2"	RDTDCPC(L/R)9636() () () ()	1,841.	2,045.	2,179.	2,699.


Order Code	Specification Information	Application Notes
Example: RDTDCPCL6630 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: P=Power center PM=Power center and middle grommet	Wire chase sold separately.
DT P-Shaped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Stand-off finish: Painted	
L		
66 Width		
30 Depth		
P Grommet option		
115 Grommet finish		
V316 Top finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2"
 Worksurface with Column Leg
 Stand-Off, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	66"	1 1/2"	RDTDCST(L/R)6630() () () ()	\$1,544.	\$1,715.	\$1,797.	\$2,122.
		72"	1 1/2"	RDTDCST(L/R)7230() () () ()	1,568.	1,742.	1,831.	2,182.
		78"	1 1/2"	RDTDCST(L/R)7830() () () ()	1,586.	1,762.	1,858.	2,234.
		84"	1 1/2"	RDTDCST(L/R)8430() () () ()	1,609.	1,788.	1,890.	2,293.
		90"	1 1/2"	RDTDCST(L/R)9030() () () ()	1,627.	1,809.	1,917.	2,344.
		96"	1 1/2"	RDTDCST(L/R)9630() () () ()	1,645.	1,827.	1,942.	2,394.
	36"	66"	1 1/2"	RDTDCST(L/R)6636() () () ()	1,585.	1,761.	1,858.	2,231.
		72"	1 1/2"	RDTDCST(L/R)7236() () () ()	1,612.	1,791.	1,895.	2,297.
		78"	1 1/2"	RDTDCST(L/R)7836() () () ()	1,633.	1,814.	1,926.	2,359.
		84"	1 1/2"	RDTDCST(L/R)8436() () () ()	1,653.	1,836.	1,957.	2,417.
		90"	1 1/2"	RDTDCST(L/R)9036() () () ()	1,674.	1,860.	1,988.	2,477.
		96"	1 1/2"	RDTDCST(L/R)9636() () () ()	1,695.	1,884.	2,019.	2,538.

Order Code	Specification Information	Application Notes
Example: RDTDCST6630 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff		
DT D-Shaped top	1. Grommet option: S=Stand-off SM=Stand-off plus grommet M=Mid. Grommet N=No grommet	Wire chase sold separately.
D 1 1/2"		Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg	2. Grommet finish: Painted or Plated	Refer to grommet page for location option.
ST Stand-Off	3. Top finish: L, V1, V2, V3	
66 Width	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
30 Depth	5. Stand-off finish: Painted	
N Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2"
 Worksurface with Column Leg
 Flush Mount Attachment, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	54"	1 1/2"	RDTDCFM(L/R)5430() () ()	\$1,369.	\$1,521.	\$1,591.	\$1,864.
		60"	1 1/2"	RDTDCFM(L/R)6030() () ()	1,423.	1,581.	1,657.	1,957.
		66"	1 1/2"	RDTDCFM(L/R)6630() () ()	1,441.	1,601.	1,683.	2,009.
		72"	1 1/2"	RDTDCFM(L/R)7230() () ()	1,465.	1,627.	1,717.	2,067.
		78"	1 1/2"	RDTDCFM(L/R)7830() () ()	1,483.	1,648.	1,744.	2,120.
		84"	1 1/2"	RDTDCFM(L/R)8430() () ()	1,507.	1,674.	1,777.	2,178.
		36"	54"	1 1/2"	RDTDCFM(L/R)5436() () ()	1,405.	1,561.	1,643.
	60"		1 1/2"	RDTDCFM(L/R)6036() () ()	1,462.	1,624.	1,713.	2,056.
	66"		1 1/2"	RDTDCFM(L/R)6636() () ()	1,482.	1,647.	1,744.	2,117.
	72"		1 1/2"	RDTDCFM(L/R)7236() () ()	1,509.	1,677.	1,781.	2,183.
	78"		1 1/2"	RDTDCFM(L/R)7836() () ()	1,531.	1,701.	1,813.	2,244.
	84"		1 1/2"	RDTDCFM(L/R)8436() () ()	1,551.	1,723.	1,843.	2,303.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RDTDCFM5430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: N=None M=Middle	Wire chase sold separately.
DT P-Shapped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Worksurface finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
54 Width		For electrical components please refer to page 425.
30 Depth		Products on this page work with 28 3/8" height planning.
M Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		

Tables, 1 1/2"
 Rectangle with L-Leg
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDL48301 () ()	\$1,422.	\$1,513.	\$1,581.	\$1,848.
	30"	60"	1 1/2"	RTRDL60301 () ()	1,495.	1,590.	1,672.	1,994.
	30"	72"	1 1/2"	RTRDL72301 () ()	1,541.	1,640.	1,737.	2,113.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDL72361 () ()	1,590.	1,692.	1,805.	2,237.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDL48302 () ()	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	RTRDL60302 () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDL72302 () ()	1,603.	1,702.	1,798.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDL72362 () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------



Order Code	
Example: RTRDL48301 () ()	
R	Reff
TR	Table Rectangular
D	1 1/2"
L	L-Leg
48	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Anodized

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Grommets are NOT optional for these tables.

Tables, 1 1/2"
Rectangle with Reverse L-Leg
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDRL48301 () () ()	\$1,422.	\$1,513.	\$1,581.	\$1,848.
	30"	60"	1 1/2"	RTRDRL60301 () () ()	1,495.	1,590.	1,672.	1,994.
	30"	72"	1 1/2"	RTRDRL72301 () () ()	1,541.	1,640.	1,736.	2,113.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDRL72361 () () ()	1,590.	1,692.	1,805.	2,237.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDRL48302 () () ()	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	RTRDRL60302 () () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDRL72302 () () ()	1,603.	1,702.	1,797.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDRL72362 () () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: RTRDRL48301 () () ()	To order please specify pattern number including:	Assembly required, ships knock down.
R Reff		Modesty sold separately.
TR Table Rectangular	1. Worksurface finish	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	L, V1, V2, V3	Grommets are NOT optional for these tables.
RL Reverse L-Leg	2. Leg finish	
48 Width	Painted / Anodized	
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
 Rectangle with Soft Rectangular Leg
 30" and 36" deep

description	depth	width	thickness	pattern number	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDS48301 () () ()	\$1,315.	\$1,400.	\$1,468.	\$1,735.
	30"	60"	1 1/2"	RTRDS60301 () () ()	1,388.	1,477.	1,558.	1,881.
	30"	72"	1 1/2"	RTRDS72301 () () ()	1,435.	1,526.	1,622.	2,000.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDS72361 () () ()	1,484.	1,579.	1,691.	2,124.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDS48302 () () ()	1,377.	1,462.	1,530.	1,796.
	30"	60"	1 1/2"	RTRDS60302 () () ()	1,450.	1,539.	1,620.	1,943.
	30"	72"	1 1/2"	RTRDS72302 () () ()	1,497.	1,588.	1,684.	2,062.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDS72362 () () ()	1,546.	1,641.	1,753.	2,186.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------



Order Code

Example:	RTRDS48301 () () ()
R	Reff
TR	Table Rectangular
D	1 1/2"
S	Soft Rectangular Leg
48	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:
 1. Worksurface finish
 L, V1, V2, V3
 2. Leg finish
 Painted / Anodized

Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
 Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with L-Leg
 42" and 48" deep

description	w	d	th	pattern no.	L	V1	V2	V3
Table Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDL42421 () () ()	\$1,462.	\$1,555.	\$1,636.	\$1,947.
	48"	48"	1 1/2"	RTSDL48481 () () ()	1,525.	1,623.	1,725.	2,112.





Table Top Square with 28 3/8" height legs	42"	42"	1 1/2"	RTSDL42422 () () ()	1,520.	1,617.	1,697.	2,009.
	48"	48"	1 1/2"	RTSDL48482 () () ()	1,584.	1,685.	1,787.	2,173.



Worksurfaces

Order Code	
Example: RTSDL42421 () () ()	
R	Reff
TS	Table Square
D	1 1/2"
L	L-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with Reverse L-Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDRL42421()()()	\$1,462.	\$1,555.	\$1,636.	\$1,947.
	1 1/2"	48"	48"	RTSDRL48481()()()	1,525.	1,623.	1,725.	2,112.





Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDRL42422()()()	1,520.	1,617.	1,697.	2,009.
	1 1/2"	48"	48"	RTSDRL48482()()()	1,584.	1,685.	1,787.	2,173.



Order Code	
Example: RTSDRL42421 ()()()	
R	Reff
TS	Table Square
D	1 1/2"
RL	Reverse L-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with Soft Rectangular Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDS42421 () () ()	\$1,500.	\$1,595.	\$1,676.	\$1,986.
	1 1/2"	48"	48"	RTSDS48481 () () ()	1,564.	1,663.	1,764.	2,152.





Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDS42422 () () ()	1,557.	1,657.	1,738.	2,048.
	1 1/2"	48"	48"	RTSDS48482 () () ()	1,622.	1,725.	1,826.	2,213.



Order Code	
Example: RTSDS42421 () () ()	
R	Reff
TS	Table Square
D	1 1/2"
S	Soft Rectangular-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Round with Column Leg
 36", 42" and 48" diameter


description	th	dia.	pattern no.	L	V1	V2	V3
 Table Top Round with 26 1/2" height legs	1 1/2"	36"	RTNDC361 () () ()	\$2,440.	\$2,596.	\$2,656.	\$2,875.
	1 1/2"	42"	RTNDC421 () () ()	2,502.	2,662.	2,741.	3,022.
	1 1/2"	48"	RTNDC481 () () ()	2,564.	2,727.	2,827.	3,181.

 Table Top Round with 28 3/8" height legs	1 1/2"	36"	RTNDC362 () () ()	2,498.	2,657.	2,718.	2,937.
	1 1/2"	42"	RTNDC422 () () ()	2,560.	2,723.	2,803.	3,084.
	1 1/2"	48"	RTNDC482 () () ()	2,622.	2,789.	2,889.	3,242.

Order Code	
Example: RTNDC361 () () ()	
R	Reff
TN	Table Round
D	1 1/2"
C	Column Leg
36	Diameter
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Plated

Application Notes

Assembly required, ships knock down.







Modesty sold separately.

Grommets are NOT optional for these tables.

Tables, 1" Laminate

Reff Profiles

Worksurfaces

description	d	w	th	pattern no.	L
Round Table with 26 1/2" height legs 	36"		1"	RSTRLE361 () ()	\$3,006.
	42"		1"	RSTRLE421 () ()	3,065.
Round Table with 28 3/8" height legs 	36"		1"	RSTRLE362 () ()	3,063.
	42"		1"	RSTRLE422 () ()	3,123.
Soft Square Table with 26 1/2" height legs 	36"		1"	RSTSLE361 () ()	2,979.
	42"		1"	RSTSLE421 () ()	3,043.
Soft Square Table with 28 3/8" height legs 	36"		1"	RSTSLE362 () ()	3,037.
	42"		1"	RSTSLE422 () ()	3,101.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	RSTTLE30481 () ()	2,807.
	36"	54"	1"	RSTTLE36541 () ()	2,881.
Soft Rectangle Table with 28 3/8" height legs 	30"	48"	1"	RSTTLE30482 () ()	2,864.
	36"	54"	1"	RSTTLE36542 () ()	2,939.

Order Code

Example: RSTRLE361 () ()	
R	Reff
ST	Slider Table
R	Round
L	Laminate surface
E	1" thick
42	42" diameter
1	26 1/2" height leg
114	Finish
118T	Leg Finish

Specification Information

To order please specify pattern number including:







1. Worksurface finish:
Laminate only
2. Leg Textured finish:
111T, 115T, 118T

Application Notes

Assembly required.
Ships knocked down.
Grommets are not an option for these tables.
Column and base are color matched
Column = smooth
Base = textured

Tables, 1" Wood

Reff Profiles







description	d	w	th	pattern no.	V1	V2	V3
Round Table with 26 1/2" height legs 	36"		1"	RSTRWE361 () ()	\$3,197.	\$3,247.	\$3,498.
	42"		1"	RSTRWE421 () ()	3,261.	3,327.	3,639.
Round Table with 28 3/8" height legs 	36"		1"	RSTRWE362 () ()	3,259.	3,308.	3,560.
	42"		1"	RSTRWE422 () ()	3,323.	3,389.	3,701.
Soft Square Table with 26 1/2" height legs 	36"		1"	RSTSWE361 () ()	3,169.	3,219.	3,492.
	42"		1"	RSTSWE421 () ()	3,237.	3,302.	3,639.
Soft Square Table with 28 3/8" height legs 	36"		1"	RSTSWE362 () ()	3,231.	3,281.	3,554.
	42"		1"	RSTSWE422 () ()	3,299.	3,364.	3,701.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	RSTTWE30481 () ()	2,986.	3,040.	3,335.
	36"	54"	1"	RSTTWE36541 () ()	3,064.	3,135.	3,499.
Soft Rectangle Table with 28 3/8" height legs 	30"	48"	1"	RSTTWE30482 () ()	3,048.	3,101.	3,397.
	36"	54"	1"	RSTTWE36542 () ()	3,126.	3,197.	3,561.

Order Code	Specification Information	Application Notes
Example: RSTRWE361 () ()	To order please specify pattern number including:	Column and base are color matched.
R Reff	1. Worksurface finish	Column=smooth
ST Slider Table	V1, V2, V3 wood only	Base=textured
R Round	2. Leg Textured finish:	Assembly required, ships knock down.
W Wood surface	111T, 115T, 118T	Grommets are not an option for these tables.
E 1" thick		
42 42" diameter		
1 26 1/2" height leg		
V316 Finish		
111T Leg Finish		

Tables, 1" Solid

Reff Profiles

Worksurfaces

description	d	w	th	pattern no.	Solid
Round Table with 26 1/2" height legs 	36"		1"	RSTRSE361 ()()	\$8,198.
	42"		1"	RSTRSE421 ()()	9,393.
Round Table with 28 3/8" height legs 	36"		1"	RSTRSE362 ()()	8,198.
	42"		1"	RSTRSE422 ()()	9,393.
Soft Square Table with 26 1/2" height legs 	36"		1"	RSTSSE361 ()()	7,329.
	42"		1"	RSTSSE421 ()()	8,645.
Soft Square Table with 28 3/8" height legs 	36"		1"	RSTSSE362 ()()	7,329.
	36"		1"	RSTSSE362 ()()	7,329.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	RSTTSE30481 ()()	9,032.
	36"	54"	1"	RSTTSE36541 ()()	10,016.
Soft Rectangle Table with 28 3/8" height legs 	30"	48"	1"	RSTTSE30482 ()()	9,032.
	36"	54"	1"	RSTTSE36542 ()()	10,016.

Order Code

Example:	RSTRSE361 ()()
R	Reff
ST	Slider Table
R	Round
S	Solid
E	1" thick
42	42" diameter
1	26 1/2" height leg
AW	Worksurface finish
111T	Leg Finish

Specification Information

To order please specify pattern number including:
 1. Worksurface finish:
 AW=Artic White, only
 2. Leg finish Textured:
 111T, 115T, 118T


Application Notes

Assembly required.
 Ships knocked down.
 Grommets are not an option for these tables.
 Artic White finish available for solid tops.
 Column and base are color matched.
 Column=smooth
 Base=textured

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$93.	\$97.	\$101.
	24"	RBC24 (L/R)	101.	107.	113.




Specify paint finish
 18" for 20" and 24"d tops
 24" for 30" and 36"d tops
 Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	93.	98.	102.
	24"	ASBC24 (L/R) ()	102.	110.	115.



Specify paint finish
 18" for 24"d tops
 24" for 30" d tops
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)






Mid-span cantilever bracket, free standing	17"	RMSCB ()	74.	79.	83.
--	-----	------------------	-----	-----	-----



Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	Refer to page 423 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Knoll takes no responsibility for the installation or security of tops to the wall.

Top support components




Bracketry

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		RBCC	\$19.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	40.	42.	43.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	8.		
	Black only				
Top to top bracket 	6" x 1"	RBF (Pair)	5.		
	Black only				
Wall hung support bracket 	20" 24" 30" 36" 42" 48"	RSBWH20 RSBWH24 RSBWH30 RSBWH36 RSBWH42 RSBWH48	42. 44. 48. 53. 56. 68.	44. 48. 50. 56. 59. 71.	46. 50. 53. 59. 62. 74.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	35.		
	Black only				

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 423 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$7.	\$7.	\$8.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	13.	13.
		Specify paint finish			
Utility bracket		RUTB	11.		
		Black only			
L Bracket for off-module applications		R113B	5.		
		One by one by three bracket			
Worksurface to cabinet bracket for 24" worksurface		RBWC24	54.	0.	0.
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		RBWC30	59.	0.	0.
		bracket can be used with 30" and 36" worksurfaces			


Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand		
	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 423 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
26 1/2" high planning
Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$155.	\$219.	\$250.	\$339.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	279.	391.	451.	609.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	308.	430.	494.	666.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	332.	467.	536.	724.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	373.	525.	604.	815.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	390.	551.	632.	854.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	406.	568.	653.	880.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	422.	592.	684.	925.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	464.	653.	750.	1,014.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	495.	694.	801.	1,083.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	523.	737.	846.	1,142.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	555.	781.	895.	1,209.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	569.	799.	918.	1,238.



description	d	w	h	pattern no.	L	V1	V2	V3
Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	RB3636-()	1,005.	1,491.	1,716.	2,318.
	36"	42"	26 1/2"	RB3642-()	1,028.	1,531.	1,761.	2,377.
	36"	48"	26 1/2"	RB3648-()	1,072.	1,589.	1,822.	2,461.
	42"	36"	26 1/2"	RB4236-()	1,028.	1,531.	1,761.	2,377.
	42"	42"	26 1/2"	RB4242-()	1,055.	1,568.	1,807.	2,439.
	42"	48"	26 1/2"	RB4248-()	1,096.	1,624.	1,869.	2,524.
	48"	36"	26 1/2"	RB4836-()	1,072.	1,589.	1,822.	2,461.
	48"	42"	26 1/2"	RB4842-()	1,096.	1,624.	1,869.	2,524.
	48"	48"	26 1/2"	RB4848-()	1,138.	1,684.	1,949.	2,631.



Support components


Order Code	Specification Information	Application Notes
Example: RB24MFL		
R Reff	<i>To order please specify pattern number including:</i> 1. <i>Modesty type</i> 2. <i>Modesty placement</i> 3. <i>Finish type</i> 4. <i>Finish</i>	Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered. Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
B Back panel		
24 48" panel dimension		
M Full height modesty		
F Flush modesty placement	1. <i>Modesty type:</i> M = Standard height (26 1/2"H) H = Half height	Modesty panel lengths are nominal - length changes on option selected. Glides ship with all supports on this page except the recessed modesty panel. Please see Planning Guide for freestanding planning instruction.
L Laminate		
114 Folkstone grey	2. <i>Modesty placement:</i> F = Flush, cantilevered R = Recessed	
	3. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	

Top support components


26 1/2" high planning

End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	\$476.	\$773.	\$890.	\$1,201.
	36"	1"	26 1/2"	RE36-()	503.	810.	931.	1,257.




Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	182.	315.	363.	490.
	16"	1"	26 1/2"	RSE2(L/R)-()	196.	336.	386.	521.
	20"	1"	26 1/2"	RSE3(L/R)-()	211.	353.	405.	546.
	24"	1"	26 1/2"	RSE4(L/R)-()	222.	368.	425.	573.
	30"	1"	26 1/2"	RSE5(L/R)-()	236.	388.	446.	604.
	36"	1"	26 1/2"	RSE6(L/R)-()	250.	405.	467.	631.




left hand shown

Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	182.	315.	363.	490.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	196.	336.	386.	521.
	19"	1"	26 1/2"	RE19F-()	211.	353.	405.	546.
	23"	1"	26 1/2"	RE23F-()	222.	368.	425.	573.
	29"	1"	26 1/2"	RE29F-()	236.	388.	446.	604.




Order Code	Specification Information	Application Notes
Example: RSE1(L)114	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff		Modesty panel lengths are nominal - length changes on option selected.
SE End panel	<i>1. Finish type:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
1 13" deep	L = Laminate	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Left hand	1 = V1	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
L Laminate	2 = V2	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
114 Folkstone grey	3 = V3	
	<i>2. Finish</i>	Please see Planning Guide for freestanding planning instruction.

Top support components
28³/₈" high planning
Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	1"	24"	28 ³ / ₈ "	RBDH24M(F/R) () ()	\$162.	\$231.	\$263.	\$354.
	1"	30"	28 ³ / ₈ "	RBDH30M(F/R) () ()	291.	413.	475.	640.
	1"	36"	28 ³ / ₈ "	RBDH36M(F/R) () ()	324.	451.	517.	698.
	1"	42"	28 ³ / ₈ "	RBDH42M(F/R) () ()	348.	489.	564.	761.
	1"	48"	28 ³ / ₈ "	RBDH48M(F/R) () ()	391.	551.	633.	855.
	1"	54"	28 ³ / ₈ "	RBDH54M(F/R) () ()	410.	578.	662.	894.
	1"	60"	28 ³ / ₈ "	RBDH60M(F/R) () ()	426.	593.	684.	925.
	1"	66"	28 ³ / ₈ "	RBDH66M(F/R) () ()	441.	622.	719.	970.
	1"	72"	28 ³ / ₈ "	RBDH72M(F/R) () ()	487.	684.	787.	1,062.
	1"	78"	28 ³ / ₈ "	RBDH78M(F/R) () ()	520.	727.	843.	1,138.
	1"	84"	28 ³ / ₈ "	RBDH84M(F/R) () ()	551.	773.	888.	1,199.
	1"	90"	28 ³ / ₈ "	RBDH90M(F/R) () ()	583.	818.	941.	1,270.
	1"	96"	28 ³ / ₈ "	RBDH96M(F/R) () ()	594.	840.	963.	1,301.

Desk height corner worksurface support



36"	36"	28 ³ / ₈ "	RBDH3636 () ()	1,056.	1,567.	1,805.	2,435.
36"	42"	28 ³ / ₈ "	RBDH3642 () ()	1,079.	1,608.	1,849.	2,497.
36"	48"	28 ³ / ₈ "	RBDH3648 () ()	1,125.	1,668.	1,915.	2,586.
42"	36"	28 ³ / ₈ "	RBDH4236 () ()	1,079.	1,608.	1,849.	2,497.
42"	42"	28 ³ / ₈ "	RBDH4242 () ()	1,106.	1,646.	1,894.	2,557.
42"	48"	28 ³ / ₈ "	RBDH4248 () ()	1,151.	1,704.	1,965.	2,654.
48"	36"	28 ³ / ₈ "	RBDH4836 () ()	1,125.	1,668.	1,915.	2,586.
48"	42"	28 ³ / ₈ "	RBDH4842 () ()	1,151.	1,704.	1,965.	2,654.
48"	48"	28 ³ / ₈ "	RBDH4848 () ()	1,194.	1,769.	2,048.	2,765.

depth = left return, width = right return

Order Code

Example: RBDH24MFL114
R Reff
B Back panel/modesty
DH Desk height (28 ³ / ₈ ")
24 24"
M Full height modesty
F Modesty placement, flush
L Finish type, laminate
114 Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Modesty placement*
F = Flush, cantilevered
R = Recessed
2. *Finish type*
L = laminate
1 = V1
2 = V2
3 = V3
3. *Finish*

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.


* Half depth end panels

Glides ship with all supports on this page except the recessed modesty panel.


Please see Reff Planning Guide for freestanding planning instructions.

Top support components
28³/₈" high planning
End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)	1"	30"	28 ³ / ₈ "	REDH30 () ()	\$500.	\$813.	\$934.	\$1,261.
	1"	36"	28 ³ / ₈ "	REDH36 () ()	527.	851.	976.	1,319.




Desk height end panel for panel (hardware included)	1"	13"	28 ³ / ₈ "	RSEDH1(L/R) () ()	190.	335.	381.	515.
	1"	16"	28 ³ / ₈ "	RSEDH2(L/R) () ()	205.	352.	408.	551.
	1"	20"	28 ³ / ₈ "	RSEDH3(L/R) () ()	221.	369.	425.	573.
	1"	24"	28 ³ / ₈ "	RSEDH4(L/R) () ()	234.	386.	446.	604.
	1"	30"	28 ³ / ₈ "	RSEDH5(L/R) () ()	248.	410.	468.	632.
	1"	36"	28 ³ / ₈ "	RSEDH6(L/R) () ()	264.	425.	489.	661.



left hand shown

Desk height end panels with hardware for building flush or cantilevered worksurfaces	1"	12"	28 ³ / ₈ "	REDH12F () () *	190.	335.	381.	515.
	1"	15"	28 ³ / ₈ "	REDH15F () () *	205.	352.	408.	551.
	1"	19"	28 ³ / ₈ "	REDH19F () ()	221.	369.	425.	573.
	1"	23"	28 ³ / ₈ "	REDH23F () ()	234.	386.	446.	604.
	1"	29"	28 ³ / ₈ "	REDH29F () ()	248.	410.	468.	632.




Order Code	Specification Information	Application Notes
Example: REDH30	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
E End panel	2. <i>Finish</i>	Modesty panel lengths are nominal, length changes on option selected.
DH Desk height (28 ³ / ₈ "	Applicable finishes are listed on page 5 and 6.	* Half depth end panels
30 30"	Product on this page will accept woodgrain laminate where laminate is currently an option.	Glides ship with all supports on this page except the recessed modesty panel.
L Left hand	List price for woodgrain laminate options will be current published laminate list price plus 10%.	Please see Reff Planning Guide for freestanding planning instructions.
L Finish type, laminate		
114 Finish, Folkstone grey		

Top support components

28³/₈" high planning

Modesty and Bulkhead

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bow top front, short modesty (pedestals ordered separately)	1"	40"	28 ³ / ₈ "	RBDH40MR () ()	\$348.	\$489.	\$564.	\$761.
	1"	52"	28 ³ / ₈ "	RBDH52MR () ()	410.	578.	662.	894.
	1"	64"	28 ³ / ₈ "	RBDH64MR () ()	441.	622.	719.	970.



Use of short modesty panel

Pedestals and finished back for pedestal must each be ordered separately
Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bulkhead (false pedestal)	24"	16"	28 ³ / ₈ "	REDHBH124 () ()	491.	811.	941.	1,270.
	30"	16"	28 ³ / ₈ "	REDHBH130 () ()	509.	827.	963.	1,301.



Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application






Support components

Order Code	Specification Information	Application Notes
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	<p>Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.</p> <p>Modesty panel lengths are nominal, length changes on option selected.</p> <p>* Half depth end panels</p> <p>Glides ship with all supports on this page except the recessed modesty panel.</p> <p>Please see Reff Planning Guide for freestanding planning instructions.</p>
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed	
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>	
24 24"	Applicable finishes are listed on page 5 and 6.	
M Full height modesty	Product on this page will accept woodgrain laminate where laminate is currently an option.	
F Modesty placement, flush	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
L Finish type, laminate		
114 Finish, Folkstone grey		

Top support components

Painted or Plated Legs 26 1/2" high planning




Reff Profiles

description	dia.	w	h	d	pattern no.	P1	P2	P3
Column leg, Interaction style (rectangular plate) 	4"	-	26 1/2"	-	RSC	\$250.	\$264.	\$277.
Ships with wood screws for fasening to underside of worksurface into pilot hole location. Painted finish only.								
4" Plain Cylinder (26 1/2" high) 	4"	-	26 1/2"	-	RCB	263.	276.	288.
Painted and plated finishes.								
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	-	26 1/2"	-	RSC4-()	976.	1,024.	1,077.
Painted finishes only.								
T-leg, Interaction style 	-		26 1/2"	24"	RIB24T	358.	376.	396.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted options only								
T-Leg, plain tube style 	-		26 1/2"	20"	RCB20T-()	387.	407.	426.
	-		26 1/2"	24"	RCB24T-()	393.	416.	436.
	-		26 1/2"	30"	RCB30T-()	436.	456.	481.
	-		26 1/2"	40"	RCB40T-()	458.	483.	508.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finish options.								

Order Code	Specification Information	Application Notes
Example: RSC	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. Finish type, where applicable	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
S Support	2. Finish	Interaction style legs are only available in painted finishes.
C Cylinder	<i>Finish type options:</i> P = Paint (P1, P2, P3)	Applicable finishes are listed on page 5 and 6.
		Refer to Planning Guide for top-base matrix, pages 140 and 141.
		All bases include 1 1/2" leveller.

Top support components

Painted or Plated Bases 26 1/2" high planning




description	h	dia.	pattern no.	P1	P2	P3
 X-base	26 1/2"	28"	RIB28X-()	\$591.	\$622.	\$654.
	26 1/2"	32"	RIB32X-()	801.	844.	886.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.						
 Spider base, plain tube style	26 1/2"	24"	RCB24X	606.	637.	667.
	26 1/2"	28"	RCB28X	634.	665.	698.
	26 1/2"	36"	RCB36X	687.	723.	758.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finishes.						
 Drum base	26 1/2"	–	RSD1427-()	1,143.	1,201.	1,260.
	26 1/2"	–	RSD1827-()	1,242.	1,305.	1,369.
	26 1/2"	–	RSD2027-()	1,281.	1,345.	1,411.
	26 1/2"	–	RSD2427-()	1,534.	1,612.	1,691.
	26 1/2"	–	RSD3027-()	1,715.	1,799.	1,889.
Painted finishes only.						

Order Code	Specification Information	Application Notes
Example: RIB28X	<i>To order please specify pattern number including:</i> 1. Finish type, where applicable 2. Finish <i>Finish type options:</i> P = Paint (P1, P2, P3)	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black. Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes. Refer to Planning Guide for top-base matrix, pages 140 and 141. All bases include 1 1/2" leveller.
R Reff		
I Interaction		
B Base		
28 Diameter		
X X-base		
Only the plain cylinder and tube legs can be ordered in plated and painted finishes. Interaction style legs are only available in painted finishes. Applicable finishes are listed on page 5 and 6.		

Top support components

Laminate or Wood Bases 26¹/₂" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum base	14"		26 ¹ / ₂ "	–	RSD1427-()	n/a	\$1,336.	\$1,538.	\$2,076.
	18"		26 ¹ / ₂ "	–	RSD1827-()	n/a	1,451.	1,670.	2,256.
	20"		26 ¹ / ₂ "	–	RSD2027-()	n/a	1,499.	1,723.	2,326.
	24"		26 ¹ / ₂ "	–	RSD2427-()	n/a	1,796.	2,066.	2,789.
	30"		26 ¹ / ₂ "	–	RSD3027-()	n/a	2,007.	2,305.	3,112.
 T-base (hardware included)*	20"	26 ¹ / ₂ "	12"		RST1-()	427.	484.	565.	765.
	24"	26 ¹ / ₂ "	12"		RST2-()	457.	521.	598.	809.
	30"	26 ¹ / ₂ "	12"		RST3-()	538.	604.	699.	945.
	36"	26 ¹ / ₂ "	12"		RST4-()	611.	693.	795.	1,074.
	42"	26 ¹ / ₂ "	12"		RST5-()	678.	771.	889.	1,202.
	48"	26 ¹ / ₂ "	12"		RST6-()	756.	851.	983.	1,327.
 L-base (hardware included), non-handed*	12"	26 ¹ / ₂ "	12"		RSL12-()	427.	484.	565.	765.
	15"	26 ¹ / ₂ "	12"		RSL15-()	437.	495.	571.	770.
	20"	26 ¹ / ₂ "	12"		RSL20-()	457.	512.	591.	798.
	24"	26 ¹ / ₂ "	12"		RSL24-()	465.	521.	598.	809.
	30"	26 ¹ / ₂ "	12"		RSL30-()	538.	604.	699.	945.
	36"	26 ¹ / ₂ "	12"		RSL36-()	611.	693.	795.	1,074.
	42"	26 ¹ / ₂ "	12"		RSL42-()	678.	771.	889.	1,202.
	48"	26 ¹ / ₂ "	12"		RSL48-()	756.	851.	983.	1,327.

Order Code

Example: RSD1427	
R	Reff
S	Support
D	Drum base
14	Diameter
27	Height
2	Finish type
R319	V2- Med. Cherry

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:

- L = Laminate
 1 = V1
 2 = V2
 3 = V3

Application Notes

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1¹/₂" leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.






T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 5 and 6.

Top support components

Painted or Plated Legs 28³/₈" high planning

Reff Profiles

description	dia.	w	he	d	pattern no.	P1	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	-	28 ³ / ₈ "		RSDHC () ()	\$264.	\$277.	\$289.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								
4" Plain Cylinder (desk height) 	4" dia	-	28 ³ / ₈ "		RCDHB () ()	276.	288.	304.
Painted and plated finishes.								
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	-	28 ³ / ₈ "		RSDHC4 () ()	1,026.	1,076.	1,131.
Painted finishes only.								
T-Leg, plain tube style (desk height) 		-	28 ³ / ₈ "	20"	RCDHB20T () ()	407.	427.	448.
		-	28 ³ / ₈ "	24"	RCDHB24T () ()	415.	436.	457.
		-	28 ³ / ₈ "	30"	RCDHB30T () ()	457.	481.	505.
		-	28 ³ / ₈ "	40"	RCDHB40T () ()	483.	508.	533.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finishes.								
T-Leg, Interaction style (desk height) 		-	28 ³ / ₈ "	24"	RIBDH24T () ()	376.	396.	416.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								

Support components

Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Interaction style legs and bases are not available in plated finishes.
S Support	2. <i>Finish</i> see matrix on page 5	Only the plain cylinder and the tube legs can be ordered in plated and painted finishes.
DH Desk Height	Applicable finishes are listed on page 5 and 6.	All bases include 1 1/2" leveller.
C Column Leg		
P Finish type, paint		
111 Finish, Jet Black		

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Top support components

Painted or Plated Bases 28³/₈" high planning

description	dia.	w	h	d	pattern no.	P1	P2	P3
X-base (desk height)		–	28 ³ / ₈ "	28"	RIBDH28X () ()	\$622.	\$653.	\$686.
		–	28 ³ / ₈ "	32"	RIBDH32X () ()	844.	885.	928.



Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted finishes only.

Spider base, plain tube style (desk height)		–	28 ³ / ₈ "	24"	RCBDH24X () ()	637.	667.	700.
		–	28 ³ / ₈ "	28"	RCBDH28X () ()	665.	698.	734.
		–	28 ³ / ₈ "	36"	RCBDH36X () ()	723.	759.	795.




Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted and plated finishes.

Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 () ()	1,201.	1,260.	1,325.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 () ()	1,305.	1,369.	1,437.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 () ()	1,345.	1,411.	1,481.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 () ()	1,612.	1,691.	1,777.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 () ()	1,799.	1,890.	1,984.



Painted finishes only.

Base Support Column, 3" dia.			28 ³ / ₈ "		RSDHC3 () ()	319.	319.	447.
------------------------------	--	--	----------------------------------	--	-----------------------	------	------	------






Painted and plated finishes.

Order Code	Specification Information	Application Notes
Example: RCBDH24X	<i>To order please specify pattern number including:</i>	Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
I Interaction	2. <i>Finish</i> see matrix on page 5	
B Base	Applicable finishes are listed on page 5 and 6.	Interaction style legs and bases are only available in painted finishes. Only plain cylinder and tube style legs can be ordered in plated and painted finishes.
DH Desk height		
28 Diameter		
X X-base		
P Finish type, paint		
111 Finish, Jet Black		

Top support components

Laminate or Wood Bases 28³/₈" high planning


Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
Drum Base (desk height) 	14"	–	28 ³ / ₈ "	–	RSDHD1428 ()()	N/A	\$1,404.	\$1,614.	\$2,178.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 ()()	N/A	1,525.	1,753.	2,368.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 ()()	N/A	1,573.	1,808.	2,442.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 ()()	N/A	1,885.	2,170.	2,930.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 ()()	N/A	2,107.	2,421.	3,268.
T-base, desk height (hardware included) 	20"		28 ³ / ₈ "	12"	RSDHT1 ()()	449.	510.	592.	801.
	24"		28 ³ / ₈ "	12"	RSDHT2 ()()	482.	547.	629.	849.
	30"		28 ³ / ₈ "	12"	RSDHT3 ()()	564.	637.	734.	992.
	36"		28 ³ / ₈ "	12"	RSDHT4 ()()	642.	729.	836.	1,128.
	42"		28 ³ / ₈ "	12"	RSDHT5 ()()	712.	810.	934.	1,261.
	48"		28 ³ / ₈ "	12"	RSDHT6 ()()	793.	895.	1,032.	1,395.
L-base, desk height (hardware included, non-handed) 	12"		28 ³ / ₈ "	12"	RSDHL12 ()()	449.	510.	592.	801.
	15"		28 ³ / ₈ "	12"	RSDHL15 ()()	458.	517.	598.	809.
	20"		28 ³ / ₈ "	12"	RSDHL20 ()()	482.	537.	623.	842.
	24"		28 ³ / ₈ "	12"	RSDHL24 ()()	488.	547.	629.	849.
	30"		28 ³ / ₈ "	12"	RSDHL30 ()()	564.	637.	734.	992.
	36"		28 ³ / ₈ "	12"	RSDHL36 ()()	642.	729.	836.	1,128.
	42"		28 ³ / ₈ "	12"	RSDHL42 ()()	712.	810.	934.	1,261.
	48"		28 ³ / ₈ "	12"	RSDHL48 ()()	793.	895.	1,032.	1,395.

Support components

Order Code	Specification Information	Application Notes
Example: RSDHD1428 R Reff S Support DH Desk Height D Drum base 14 Diameter 28 Height 2 Finish type, V2 V316 Finish, Maple	To order please specify pattern number including: 1. <i>Finish Type, where applicable</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Finish</i> see matrix on page 5 Applicable finishes are listed on page 5 and 6.	odT and L bases are not recommended for supporting conference tops. All bases include 1 1/2" leveller. Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide. Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty
Removable
28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for End panel and Storage Unit 	72" wide assembly - 16" storage	1"	72"	25"	RDHMR7210	\$362.	\$452.	\$520.	\$676.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMR7220	356.	445.	512.	665.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMR7230	332.	414.	476.	619.
	72" wide assembly - 36" storage	1"	72"	25"	RDHMR7240	320.	401.	460.	599.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMR7810	372.	465.	535.	694.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMR7820	367.	458.	526.	685.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMR7830	342.	427.	491.	639.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMR7840	332.	414.	476.	619.
	84" wide assembly - 16" storage	1"	84"	25"	RDHMR8410	387.	484.	557.	724.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMR8420	377.	472.	542.	705.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMR8430	357.	446.	513.	667.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMR8440	342.	427.	491.	639.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMR9010	398.	497.	572.	744.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMR9020	392.	490.	563.	733.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMR9030	368.	459.	528.	687.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMR9040	357.	446.	513.	667.
	96" wide assembly - 16" storage	1"	96"	25"	RDHMR9610	413.	516.	594.	773.
	96" wide assembly - 19" storage	1"	96"	25"	RDHMR9620	403.	504.	579.	753.
	96" wide assembly - 30" storage	1"	96"	25"	RDHMR9630	378.	473.	544.	707.
	96" wide assembly - 36" storage	1"	96"	25"	RDHMR9640	368.	459.	528.	687.
102" wide assembly - 16" storage	1"	102"	25"	RDHMR10210	439.	542.	620.	798.	
102" wide assembly - 19" storage	1"	102"	25"	RDHMR10220	428.	529.	605.	779.	
102" wide assembly - 30" storage	1"	102"	25"	RDHMR10230	404.	499.	570.	732.	
102" wide assembly - 36" storage	1"	102"	25"	RDHMR10240	393.	485.	554.	713.	
108" wide assembly - 16" storage	1"	108"	25"	RDHMR10810	465.	568.	646.	824.	
108" wide assembly - 19" storage	1"	108"	25"	RDHMR10820	454.	555.	630.	804.	
108" wide assembly - 30" storage	1"	108"	25"	RDHMR10830	430.	524.	595.	758.	
108" wide assembly - 36" storage	1"	108"	25"	RDHMR10840	419.	511.	580.	739.	

Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
DH Desk height	2. <i>Finish</i> V316	List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Modesty	Installation instruction sheets available on line.	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
R Removable	For removable modesty refer to part number 6TP00084.	Modesty panel lengths are nominal - length changes on option selected.
72 Width		Please see Planning Guide for freestanding planning instruction.
10 16" storage		Modesty End panel and storage unit.
V2 Finish type		10= 16" storage
V316 Light Maple		20= 19" storage
		30= 30" storage
		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/16" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage


Modesty Removable 28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements	102" wide assembly - 16"/16" storage	1"	102"	25"	RDHMR10211	\$404.	\$499.	\$570.	\$732.
	102" wide assembly - 16"/19" storage	1"	102"	25"	RDHMR10212	398.	491.	561.	722.
	102" wide assembly - 16"/30" storage	1"	102"	25"	RDHMR10214	379.	467.	534.	685.
	102" wide assembly - 16"/36" storage	1"	102"	25"	RDHMR10213	363.	447.	510.	655.
	102" wide assembly - 19"/19" storage	1"	102"	25"	RDHMR10222	393.	485.	554.	713.
	102" wide assembly - 19"/30" storage	1"	102"	25"	RDHMR10223	369.	454.	519.	666.
	102" wide assembly - 19"/36" storage	1"	102"	25"	RDHMR10224	357.	441.	504.	647.
	102" wide assembly - 30"/30" storage	1"	102"	25"	RDHMR10233	348.	428.	489.	628.
	108" wide assembly - 16"/16" storage	1"	108"	25"	RDHMR10811	430.	524.	595.	758.
	108" wide assembly - 16"/19" storage	1"	108"	25"	RDHMR10812	423.	517.	587.	748.
	108" wide assembly - 16"/30" storage	1"	108"	25"	RDHMR10814	405.	492.	559.	711.
	108" wide assembly - 16"/36" storage	1"	108"	25"	RDHMR10813	388.	473.	536.	681.
	108" wide assembly - 19"/19" storage	1"	108"	25"	RDHMR10822	419.	511.	580.	739.
	108" wide assembly - 19"/30" storage	1"	108"	25"	RDHMR10823	394.	480.	545.	692.
	108" wide assembly - 19"/36" storage	1"	108"	25"	RDHMR10824	383.	467.	529.	673.
	108" wide assembly - 30"/30" storage	1"	108"	25"	RDHMR10833	374.	454.	515.	654.
	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMR7211	331.	414.	476.	619.
	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMR7212	320.	410.	460.	599.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMR7222	325.	407.	468.	609.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMR7811	341.	426.	490.	638.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMR7812	336.	420.	483.	628.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMR7822	331.	414.	476.	619.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMR8411	356.	446.	513.	666.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMR8412	347.	434.	499.	648.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMR8414	328.	409.	471.	612.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMR8422	341.	426.	490.	638.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMR8423	321.	402.	462.	600.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMR9011	368.	459.	528.	687.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMR9012	363.	453.	521.	678.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMR9014	337.	421.	484.	629.
90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMR9013	328.	409.	471.	612.	
90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMR9022	356.	446.	513.	666.	
90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMR9023	332.	415.	478.	621.	
90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMR9024	321.	402.	462.	600.	
96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMR9611	378.	473.	544.	707.	

Support components


Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
DH Desk height	2. <i>Finish</i> V316	List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Modesty	Installation instruction sheets available on line.	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
R Removable	For removable modesty refer to part number 6TP00084.	Modesty panel lengths are nominal - length changes on option selected.
72 Width		Please see Planning Guide for freestanding planning instruction.
10 16" storage		Modesty End panel and storage unit.
V2 Finish type		10= 16" storage
V316 Light Maple		20= 19" storage
		30= 30" storage
		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/16" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage


Modesty
Removable
28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMR9612	\$372.	\$466.	\$536.	\$696.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMR9614	353.	441.	508.	659.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMR9613	337.	421.	484.	629.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMR9622	368.	459.	528.	687.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMR9623	343.	428.	493.	641.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMR9624	332.	415.	478.	621.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMR9633	322.	403.	464.	603.

Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
DH Desk height	2. <i>Finish</i> V316	List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Modesty	Installation instruction sheets available on line.	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
R Removable	For removable modesty refer to part number 6TP00084.	Modesty panel lengths are nominal - length changes on option selected.
72 Width		Please see Planning Guide for freestanding planning instruction.
10 16" storage		Modesty End panel and storage unit.
V2 Finish type		10= 16" storage
V316 Light Maple		20= 19" storage
		30= 30" storage
		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/16" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage

Modesty Hinged 28³/₈" planning


description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for Between Two Storage Elements 	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMH7211	\$629.	\$801.	\$844.	\$1,012.
	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMH7222	619.	791.	828.	994.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMH7212	623.	796.	835.	1,002.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMH7811	641.	817.	859.	1,031.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMH7812	634.	812.	852.	1,022.
	78" wide assembly - 16"/30" storage	1"	78"	25"	RDHMH7813	614.	787.	817.	981.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMH7822	629.	801.	844.	1,012.
	78" wide assembly - 19"/30" storage	1"	78"	25"	RDHMH7823	609.	782.	804.	965.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMH8411	784.	960.	1,007.	1,209.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMH8412	778.	955.	999.	1,199.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMH8414	614.	787.	817.	981.
	84" wide assembly - 16"/36" storage	1"	84"	25"	RDHMH8413	625.	797.	837.	1,005.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMH8422	641.	817.	859.	1,031.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMH8423	619.	791.	830.	996.
	84" wide assembly - 19"/36" storage	1"	84"	25"	RDHMH8424	609.	782.	804.	965.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMH9011	795.	970.	1,022.	1,226.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMH9012	789.	965.	1,015.	1,217.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMH9014	625.	797.	837.	1,005.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMH9013	636.	813.	853.	1,024.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMH9022	784.	960.	1,007.	1,209.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMH9023	630.	802.	845.	1,014.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMH9024	619.	791.	830.	996.
	90" wide assembly - 30"/30" storage	1"	90"	25"	RDHMH9033	610.	783.	806.	968.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMH9611	810.	980.	1,043.	1,252.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMH9612	804.	975.	1,030.	1,236.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMH9614	636.	813.	853.	1,024.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMH9613	780.	956.	1,000.	1,200.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMH9622	795.	970.	1,022.	1,226.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMH9623	682.	818.	860.	1,032.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMH9624	641.	802.	845.	1,014.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMH9633	621.	793.	831.	997.

Hinged Modesty for End Panel and Storage Unit 	72" wide assembly - 16" storage	1"	72"	25"	RDHMH7210	789.	964.	1,014.	1,216.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMH7220	783.	960.	1,006.	1,207.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMH7230	629.	801.	845.	1,014.
	72" wide assembly - 36" storage	1"	72"	25"	RDHMH7240	619.	791.	828.	994.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMH7810	803.	974.	1,029.	1,235.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMH7820	793.	969.	1,021.	1,225.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMH7830	641.	817.	859.	1,031.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMH7840	629.	801.	845.	1,014.

Order Code	Specification Information	Application Notes	
Example: RDHMH7222	To order please specify pattern number including: 1. <i>Finish Type</i> L, V1, V2, V3 2. <i>Finish</i> V316	Modesty may prohibit the adjacent drawer from opening. Recommended that when using a modesty the adjacent ped is an open configuration. Hardware shipped with modesty to attach to worksurface. J-Extrusion Wire Trough sold separately.	
R Reff			Modesty End panel and storage unit. 10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units. 11= 16"/16" storage 12= 16"/19" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
DH Desk height			
M Modesty			
H Hinged			
72 Width			
22 19"/19" storage			
V2 Finish type			
V316 Light Maple			

Support components

Modesty
Hinged
28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
 Hinged Modesty for End panel and Storage Unit	84" wide assembly - 16" storage	1"	84"	25"	RDHMH8410	\$818.	\$992.	\$1,050.	\$1,260.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMH8420	809.	979.	1,042.	1,250.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMH8430	784.	960.	1,007.	1,209.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMH8440	641.	817.	859.	1,031.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMH9010	828.	1,001.	1,065.	1,278.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMH9020	822.	996.	1,058.	1,269.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMH9030	795.	970.	1,022.	1,226.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMH9040	784.	960.	1,007.	1,209.
	96" wide assembly - 16" storage	1"	96"	25"	RDHMH9610	839.	1,011.	1,080.	1,297.
	96" wide assembly - 19" storage	1"	96"	25"	RDHMH9620	833.	1,006.	1,072.	1,286.
	96" wide assembly - 30" storage	1"	96"	25"	RDHMH9630	810.	981.	1,044.	1,254.
	96" wide assembly - 36" storage	1"	96"	25"	RDHMH9640	795.	970.	1,022.	1,226.

Order Code

Example: RDHMH7222	
R	Reff
DH	Desk height
M	Modesty
H	Hinged
72	Width
22	19"/19" storage
V2	Finish type
V316	Light Maple

Specification Information

To order please specify pattern number including:

- Finish Type*
L, V1, V2, V3
- Finish*
V316

Application Notes

Modesty may prohibit the adjacent drawer from opening.

Recommended that when using a modesty the adjacent ped is an open configuration.

Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.


Modesty End panel and storage unit.

10= 16" storage
 20= 19" storage
 30= 30" storage
 40= 36" storage

Modesty between two storage units.

11= 16"/16" storage
 12= 16"/19" storage
 13= 16"/36" storage
 14= 16"/30" storage
 22= 19"/19" storage
 23= 19"/30" storage
 24= 19"/36" storage
 33= 30"/30" storage

Modesty
Partial
28³/₈" planning

description	th	w	h	pattern no.	L	V1	V2	V3
Partial / Half Height Modesty	1"	26"	12"	RDHPM26 ()	\$288.	\$403.	\$464.	\$603.
	1"	32"	12"	RDHPM32 ()	298.	416.	479.	622.
	1"	38"	12"	RDHPM38 ()	313.	439.	505.	655.
	1"	44"	12"	RDHPM44 ()	330.	461.	530.	690.
	1"	50"	12"	RDHPM50 ()	353.	494.	569.	740.
	1"	56"	12"	RDHPM56 ()	363.	508.	584.	760.
	1"	62"	12"	RDHPM62 ()	389.	545.	627.	815.
	1"	68"	12"	RDHPM68 ()	411.	576.	662.	860.
	1"	74"	12"	RDHPM74 ()	420.	589.	677.	880.

Order Code

Example: RDHPM26 ()	
R	Reff
DH	Desk height
PM	Partial Modesty
26	Width
V316	Light Maple

Specification Information

To order please specify pattern number including:

1. Finish
L, V1, V2, V3

Application Notes

Modesty may prohibit the adjacent drawer from opening.

Recommended that when using a modesty the adjacent ped is an open configuration.


Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration 	16"	19"	26 1/2"	RP211J-() () L	\$1,165.	\$1,246.	\$1,430.	\$1,923.
	16"	23"	26 1/2"	RP212J-() () L	1,216.	1,303.	1,497.	2,013.
	16"	29"	26 1/2"	RP213J-() () L	1,268.	1,357.	1,558.	2,097.

*Pencil tray not included

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 Counter weights required per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with file file configuration 	16"	19"	26 1/2"	RP211K-() () L	1,067.	1,144.	1,315.	1,777.
	16"	23"	26 1/2"	RP212K-() () L	1,144.	1,226.	1,409.	1,902.
	16"	29"	26 1/2"	RP213K-() () L	1,217.	1,302.	1,500.	2,023.
	30"	19"	26 1/2"	RP231K-() () L	1,220.	1,309.	1,505.	2,032.
	30"	23"	26 1/2"	RP232K-() () L	1,285.	1,380.	1,584.	2,138.
	36"	19"	26 1/2"	RP261K-() () L	1,301.	1,395.	1,605.	2,166.
	36"	23"	26 1/2"	RP262K-() () L	1,364.	1,462.	1,682.	2,271.

*Pencil tray not included

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 Counter weights required per pedestal.

Order Code	Specification Information	Application Notes
Example: RP211JLMDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	D = Metal D-pull
P Pedestal	2. Interior option	J = Routed pull
2 26 1/2"H	3. Pull option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Lock option, Files	S = S-pull (stainless steel finish only)
1 19" deep	5. Cabinet Finish	F = Bar pull
J Box box file config.	6. Pull Finish	H = Outline pull
L Laminate finish	Painted or Plated	T = Tab pull
M Metal interior	*After specifying product code, provide keying instructions.	R = Cylinder pull
D Metal D-pull	<i>1. Finish type:</i>	<i>4. Lock options:</i>
L Lock option files	L = Laminate	L = Drilled to accept lock
114 Cabinet Finish, Folkstone Grey	1 = V1	Lock default is Black
612 Pull Finish, Folkstone Grey	2 = V2	
	3 = V3	<i>5. Refer to page 525 for keying instructions.</i>
	<i>2. Interior options:</i>	Pencil trays not included in pedestals with metal interiors.
	M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Pencil tray to be ordered separately; see page 426.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Mobile pedestals are always equipped with finished backs.
		File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding)
		1 counterweight = 10 lbs.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,296.	\$1,386.	\$1,597.	\$2,147.
	16"	24"	26 1/2"	RPB212J () () L	1,347.	1,444.	1,659.	2,232.
	16"	30"	26 1/2"	RPB213J () () L	1,400.	1,500.	1,723.	2,321.



*Pencil Tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,199.	1,284.	1,480.	1,999.
	16"	24"	26 1/2"	RPB212K () () L	1,275.	1,366.	1,576.	2,126.
	16"	30"	26 1/2"	RPB213K () () L	1,351.	1,446.	1,663.	2,246.
	30"	20"	26 1/2"	RPB231K () () L	1,483.	1,591.	1,826.	2,467.
	30"	24"	26 1/2"	RPB232K () () L	1,549.	1,661.	1,906.	2,572.
	36"	20"	26 1/2"	RPB261K () () L	1,611.	1,731.	1,988.	2,684.
	36"	24"	26 1/2"	RPB262K () () L	1,678.	1,797.	2,066.	2,788.




*Pencil Tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RPB211JLMDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, files	F = Bar pull
J Box box file config.	6. Cabinet finish	H = Outline pull
L Laminate finish	7. Pull Finish Painted or Plated	R = Cylinder pull
M Metal interior	*After specifying product code, provide keying instructions.	T = Tab pull
D Metal D-pull	<i>1. Finish type:</i>	<i>4. Lock options:</i>
L Lock hole drilled	L = Laminate	Pedestals with drawers always lock drilled.
114 Cabint finish	1 = V1	L = Drilled to accept lock
612 Pull finish	2 = V2	Lock default is Black
	3 = V3	<i>5. Refer to page 525 for keying instructions.</i>
	<i>2. Interior options:</i>	Pencil trays not included in pedestals with metal interiors.
	M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Pencil tray to be ordered separately; see page 426.
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Pedestals must be ordered with back-panel to achieve full depth, without a modesty panel.
		1 counterweight = 10 lbs.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.


Pedestals, 26 1/2" planning
BBF/FF
Metal interiors legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J() () ()	\$1,222.	\$1,307.	\$1,501.	\$2,019.
	19"	23"	26 1/2"	RP222J() () ()	1,276.	1,368.	1,571.	2,113.
	19"	29"	26 1/2"	RP223J() () ()	1,330.	1,423.	1,636.	2,222.



*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

Pedestal with file file configuration	19"	19"	26 1/2"	RP221K() () ()	1,121.	1,201.	1,381.	1,865.
	19"	23"	26 1/2"	RP222K() () ()	1,201.	1,286.	1,480.	1,998.
	19"	29"	26 1/2"	RP223K() () ()	1,278.	1,368.	1,575.	2,124.



*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

Order Code

Example:	RP221JLMDL
R	Reff
P	Pedestal
2	26 1/2"H
2	19" wide
1	19" deep
J	Box box file config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock option
114	Cabinet Finish, Folkstone grey
612	Pull Finish, Med. grey

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, Files
5. Cabinet finish
6. Pull Finish
Painted or Plated

***After specifying product code, provide keying instructions.**

1. Finish type:
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

2. Interior options:
 M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

3. Pull options:
 D = Metal D-pull
 J = Routed pull
 C = Nickel C-pull (nickel finish only)
 S = S-pull (stainless steel finish only)
 F = Bar pull
 H = Outline pull
 R = Cylinder pull
 T = Tab pull

4. Lock options:
 L = Drilled to accept lock
 Lock default is Black

5. Cabinet Finish

6. Pull Finish

7. Refer to page 525 for keying instructions.

Pencil trays not included in pedestals with metal interiors.
 Pencil tray to be ordered separately; see page 426.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning

BBF/FF


Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,235.	\$1,319.	\$1,517.	\$2,039.
	16"	23"	26 1/2"	RP212J-() () L	1,372.	1,470.	1,686.	2,270.
	16"	29"	26 1/2"	RP213J-() () L	1,492.	1,599.	1,835.	2,470.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,130.	1,211.	1,391.	1,879.
	16"	23"	26 1/2"	RP212K-() () L	1,333.	1,429.	1,640.	2,213.
	16"	29"	26 1/2"	RP213K-() () L	1,453.	1,559.	1,792.	2,421.
	30"	19"	26 1/2"	RP231K-() () L	1,461.	1,566.	1,800.	2,430.
	30"	23"	26 1/2"	RP232K-() () L	1,718.	1,840.	2,112.	2,851.
	36"	19"	26 1/2"	RP261K-() () L	1,807.	1,935.	2,227.	3,006.
	36"	23"	26 1/2"	RP262K-() () L	2,104.	2,257.	2,596.	3,503.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	D = Metal D-pull
P Pedestal	2. Interior option	J = Routed pull
2 26 1/2"H	3. Pull option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Lock option, file	S = S-pull (stainless steel finish only)
1 19" deep	5. Cabinet finish	H = Outline pull
J Box box file config.	6. Pull finish	T = Tab pull
L Laminate finish	*After specifying product code, provide keying instructions.	R = Cylinder pull
W Wood interior	<i>1. Finish type:</i>	F = Bar pull
D Metal D-pull	L = Laminate	<i>4. Lock options:</i>
L Lock hole drilled	1 = V1	Pedestals with drawers always lock drilled.
114 Cabinet finish	2 = V2	Lock default is Black
612 Pull finish	3 = V3	L = Drilled to accept lock
	<i>2. Interior options:</i>	<i>5. Refer to page 525 for keying instructions.</i>
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning

BBF/FF


Wood interiors and wood backs

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,370.	\$1,463.	\$1,681.	\$2,263.
	16"	24"	26 1/2"	RPB212J () () L	1,503.	1,611.	1,853.	2,495.
	16"	30"	26 1/2"	RPB213J () () L	1,625.	1,739.	1,997.	2,689.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,261.	1,351.	1,555.	2,100.
	16"	24"	26 1/2"	RPB212K () () L	1,464.	1,569.	1,807.	2,439.
	16"	30"	26 1/2"	RPB213K () () L	1,587.	1,701.	1,959.	2,643.
	30"	20"	26 1/2"	RPB231K () () L	1,724.	1,849.	2,125.	2,870.
	30"	24"	26 1/2"	RPB232K () () L	1,921.	2,124.	2,435.	3,288.
	36"	20"	26 1/2"	RPB261K () () L	2,120.	2,271.	2,611.	3,527.
	36"	24"	26 1/2"	RPB262K () () L	2,419.	2,595.	2,982.	4,026.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code

Example:	RPB211JLWDL
R	Reff
PB	Pedestal with back
2	26 1/2"H
1	16" wide
1	20" deep
J	Box box file config.
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock option
114	Cabinet finish
612	Pull finish

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, applicable hinged doors only
5. Cabinet finish
6. Pull finish
Painted or Plated

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

Application Notes

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull

4. Lock options:
Pedestals with drawers always lock drilled
L = Drilled to accept lock
Lock default is Black

5. Refer to page 525 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning

BBF/FF


Wood interiors legal width

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J() () ()	\$1,296.	\$1,384.	\$1,591.	\$2,140.
	19"	23"	26 1/2"	RP222J() () ()	1,440.	1,543.	1,770.	2,382.
	19"	29"	26 1/2"	RP223J() () ()	1,566.	1,678.	1,927.	2,593.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with file file configuration	19"	19"	26 1/2"	RP221K() () ()	1,187.	1,272.	1,461.	1,972.
	19"	23"	26 1/2"	RP222K() () ()	1,400.	1,501.	1,721.	2,324.
	19"	29"	26 1/2"	RP223K() () ()	1,526.	1,638.	1,883.	2,541.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code	
Example:	RP221JLWDL
R	Reff
P	Pedestal
2	26 1/2"H
2	19" wide
1	19" deep
J	Box box file config.
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock option
114	Cabinet finish, Folkstone grey
612	Pull finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Finish type
2. Interior option
3. Pull option
4. Lock option, files
5. Keying instructions
6. Cabinet finish
7. Pull finish
Painted or Plated
*After specifying product code, provide keying instructions.
<i>1. Finish type:</i>
L = Laminate
1 = V1
2 = V2
3 = V3
<i>2. Interior options:</i>
W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

Application Notes
<i>3. Pull options:</i>
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull
T = Tab pull
<i>4. Lock options:</i>
Pedestals with drawers always lock drilled.
L = Drilled to accept lock
Lock default is Black
<i>5. Cabinet finish</i>
<i>6. Pull finish</i>
7. Refer to page 525 for keying instructions.
Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
Random locks are factory installed.
Keyalike are field installed using the KnollKey order form.
Each locking pedestal on this page counts for one lock core.
Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
1 counterweight = 10 lbs.
Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors


Reff Profiles

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-()()()	\$936.	\$1,002.	\$1,154.	\$1,556.
	16"	23"	26 1/2"	RP212L(L/R)-()()()	1,138.	1,217.	1,402.	1,892.
	16"	29"	26 1/2"	RP213L(L/R)-()()()	1,301.	1,395.	1,605.	2,166.
	30"	19"	26 1/2"	RP231L-()()()	1,210.	1,296.	1,489.	2,012.
	30"	23"	26 1/2"	RP232L-()()()	1,413.	1,516.	1,743.	2,353.
	36"	19"	26 1/2"	RP261L-()()()	1,534.	1,643.	1,891.	2,553.
	36"	23"	26 1/2"	RP262L-()()()	1,792.	1,921.	2,209.	2,984.

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf is metal

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-()()()	713.	765.	878.	1,185.
	16"	23"	26 1/2"	RP212M-()()()	828.	891.	1,024.	1,382.
	16"	29"	26 1/2"	RP213M-()()()	981.	1,051.	1,210.	1,635.
	30"	19"	26 1/2"	RP231M-()()()	826.	889.	1,021.	1,378.
	30"	23"	26 1/2"	RP232M-()()()	1,006.	1,080.	1,240.	1,675.
	36"	19"	26 1/2"	RP261M-()()()	1,057.	1,136.	1,306.	1,763.
	36"	23"	26 1/2"	RP262M-()()()	1,280.	1,373.	1,578.	2,129.

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means metal shelf.

Order Code	Specification Information	Application Notes
Example: RP211LLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff		D = Metal D-pull
P Pedestal		J = Routed pull
2 26 1/2"H	1. Hinge location, where applicable	C = Nickel C-pull (nickel finish only)
1 16" wide	2. Finish type	S = S-pull (stainless steel finish only)
1 19" deep	3. Interior option	F = Bar pull
L Hinge door config.	4. Pull option	H = Outline pull
L Laminate finish	5. Lock option, applicable hinged doors only	R = Cylinder pull
M Metal interior	6. Cabinet finish	T = Tab pull
D Metal D-pull	7. Pull Finish Painted or Plated	
L Lock option	*After specifying product code, provide keying instructions.	<i>5. Lock options:</i>
114 Cabinet Finish	<i>1. Hinge location:</i>	L = Drilled to accept lock
612 Pull Finish	L = Left hand	N = No drilling
	R = Right hand	Lock default is Black
	<i>2. Finish type:</i>	6. Refer to page 525 for keying instructions.
	L = Laminate	Pencil trays not included in pedestals with metal interiors.
	1 = V1	Pencil tray to be ordered separately; see page 426.
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

For Open Pedestals;

1. Finish type
2. Interior Option
3. Cabinet Finish


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning
Open / Hinge Door
Metal interiors and wood backs

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,069.	\$1,143.	\$1,319.	\$1,782.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,272.	1,361.	1,566.	2,113.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,434.	1,536.	1,770.	2,391.
	30"	20"	26 1/2"	RPB231L() () ()	1,474.	1,578.	1,813.	2,447.
	30"	24"	26 1/2"	RPB232L() () ()	1,678.	1,797.	2,065.	2,787.
	36"	20"	26 1/2"	RPB261L() () ()	1,844.	1,977.	2,273.	3,069.
	36"	24"	26 1/2"	RPB262L() () ()	2,103.	2,256.	2,595.	3,502.

*Pencil Tray not included
Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means shelf metal.


description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() () ()	846.	902.	1,042.	1,408.
	16"	24"	26 1/2"	RPB212M() () ()	966.	1,031.	1,190.	1,606.
	16"	30"	26 1/2"	RPB213M() () ()	1,112.	1,193.	1,373.	1,854.
	30"	20"	26 1/2"	RPB231M() () ()	1,092.	1,171.	1,345.	1,816.
	30"	24"	26 1/2"	RPB232M() () ()	1,270.	1,361.	1,560.	2,107.
	36"	20"	26 1/2"	RPB261M() () ()	1,373.	1,469.	1,690.	2,281.
	36"	24"	26 1/2"	RPB262M() () ()	1,592.	1,708.	1,962.	2,648.

*Pencil Tray not included
Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means shelf metal.


Order Code	Specification Information	Application Notes
Example: RPB211LL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	F = Bar pull
L Hinge door	6. Cabinet finish	H = Outline pull
L Hinge Left	7. Pull finish	R = Cylinder pull
L Laminate finish		T = Tab pull
M Metal interior	*After specifying product code, provide keying instructions.	<i>5. Lock options:</i>
D Metal D-pull	1. Hinge location:	Optional hinge door configuration only.
L Lock option	L = Left hand	L = Drilled to accept lock
118 Cabinet finish	R = Right hand	N = No drilling
118 Pull finish		Lock default is Black
	2. Finish type:	6. Refer to page 525 for keying instructions.
	L = Laminate	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	1 = V1	Pencil trays not included in pedestals with metal interiors.
	2 = V2	Pencil tray to be ordered separately; see page 426.
	3 = V3	
	3. Interior options:	
	M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		For Open Pedestals;
		1. Finish type
		2. Interior Option
		3. Cabinet Finish
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.

Pedestals, 26 1/2" planning
Open / Hinge Door
Wood interior

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$1,024.	\$1,096.	\$1,264.	\$1,709.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,230.	1,319.	1,515.	2,046.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,392.	1,491.	1,714.	2,314.
	30"	19"	26 1/2"	RP231L-() () ()	1,298.	1,391.	1,603.	2,163.
	30"	23"	26 1/2"	RP232L-() () ()	1,504.	1,616.	1,858.	2,507.
	36"	19"	26 1/2"	RP261L-() () ()	1,623.	1,739.	2,000.	2,700.
	36"	23"	26 1/2"	RP262L-() () ()	1,883.	2,018.	2,320.	3,131.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position
N=No Lock option

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	801.	857.	986.	1,329.
	16"	23"	26 1/2"	RP212M-() () ()	923.	990.	1,139.	1,536.
	16"	29"	26 1/2"	RP213M-() () ()	1,072.	1,147.	1,321.	1,785.
	30"	19"	26 1/2"	RP231M-() () ()	921.	985.	1,131.	1,527.
	30"	23"	26 1/2"	RP232M-() () ()	1,095.	1,174.	1,351.	1,822.
	36"	19"	26 1/2"	RP261M-() () ()	1,147.	1,233.	1,419.	1,915.
	36"	23"	26 1/2"	RP262M-() () ()	1,372.	1,466.	1,687.	2,277.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RP211LLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	F = Bar pull
L Hinge door	6. Cabinet finish	H = Outline pull
L Laminate finish	7. Pull finish	T = Tab pull
W Wood interior	*After specifying product code, provide keying instructions.	R = Cylinder pull
D Metal D-pull	<i>1. Hinge location:</i>	<i>5. Lock options:</i>
L Lock hole drilled	L = Left hand	Optional hinge door configuration only.
118 Cabinet finish	R = Right hand	L = Drilled to accept lock
118 Pull finish	<i>2. Finish type:</i>	N = No drilling
	L = Laminate	Lock default is Black
	1 = V1	<i>6. Refer to page 525 for keying instructions.</i>
	2 = V2	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
	3 = V3	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


For Open Pedestals;
1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.


Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning
Open / Hinge Door
Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R) () () ()	\$1,158.	\$1,240.	\$1,429.	\$1,928.
	16"	24"	26 1/2"	RPB212L(L/R) () () ()	1,361.	1,457.	1,679.	2,266.
	16"	30"	26 1/2"	RPB213L(L/R) () () ()	1,524.	1,632.	1,877.	2,534.
	30"	20"	26 1/2"	RPB231L () () ()	1,560.	1,672.	1,926.	2,601.
	30"	24"	26 1/2"	RPB232L () () ()	1,766.	1,895.	2,177.	2,940.
	36"	20"	26 1/2"	RPB261L () () ()	1,935.	2,073.	2,381.	3,216.
	36"	24"	26 1/2"	RPB262L () () ()	2,196.	2,351.	2,705.	3,651.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M () () ()	934.	999.	1,153.	1,555.
	16"	24"	26 1/2"	RPB212M () () ()	1,054.	1,130.	1,302.	1,757.
	16"	30"	26 1/2"	RPB213M () () ()	1,204.	1,286.	1,484.	2,004.
	30"	20"	26 1/2"	RPB231M () () ()	1,181.	1,266.	1,453.	1,963.
	30"	24"	26 1/2"	RPB232M () () ()	1,360.	1,456.	1,672.	2,256.
	36"	20"	26 1/2"	RPB261M () () ()	1,461.	1,568.	1,800.	2,430.
	36"	24"	26 1/2"	RPB262M () () ()	1,682.	1,800.	2,070.	2,793.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code

Example:	RPB211LLWDL
R	Reff
PB	Pedestal with back
2	26 1/2"H
1	16" wide
1	20" deep
L	Hinged door
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock option
118	Cabinet finish
118	Pull finish

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, applicable hinged doors only
- Cabinet finish
- Pull finish
Painted or Plated

***After specifying product code, provide keying instructions.**

- Hinge location:*
L = Left hand
R = Right hand
- Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:*
W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

Application Notes

- Pull options:*
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
T = Tab pull
R = Cylinder pull
- Lock options:*
Optional hinge door configuration
L = Drilled to accept lock
N = No drilling
Lock default is Black
- Refer to page 525 for keying instructions.
Pedestals must be ordered with back panels to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Pedestals, 26 1/2" planning

Mobile Pedestal

Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
 Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L	\$1,144.	\$1,226.	\$1,409.	\$1,902.	
	16"	23"	21"	RM112J-() () L	1,196.	1,282.	1,476.	1,992.	
	16"	23"	26 1/2"	RM212J-() () L	1,606.	1,723.	1,979.	2,673.	
	16"	23"	26 1/2"	RM212K-() () L	1,606.	1,723.	1,979.	2,673.	

*Pencil tray not included
*Glue and dowel construction

Pedestal backs	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
 Pedestal backs	16"	1"	26 1/2"	RPAB16-()	123.	127.	147.	199.	
	19"	1"	26 1/2"	RPAB19-()	129.	133.	155.	210.	
	30"	1"	26 1/2"	RPAB30-()	245.	251.	287.	388.	
	36"	1"	26 1/2"	RPAB36-()	288.	299.	343.	464.	

*Pencil tray not included
*Pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT					100.
---	---	---	---	-----------------	--	--	--	--	------

Order Code

Example: RM111J	
R	Reff
M	Mobile Pedestal
1	21"H
1	16" wide
1	19" deep
J	Box box file config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock option
114	Cabinet Finish
612	Pull Finish

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, files
5. Cabinet Finish
6. Pull Finish
Painted or Plated

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull
T = Tab pull

4. Lock options:
L = Drilled to accept lock

5. Refer to page 525 for keying instructions.

Pencil trays not included in mobile pedestals with metal interiors.

Pencil tray to be ordered separately; see page 426.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Mobile pedestals are glue and dowel construction.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning

Mobile Pedestal


Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood	list
					interiors	interiors	interiors	interiors	
					L	V1	V2	V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L	\$1,353.	\$1,452.	\$1,671.	\$2,255.	
	16"	23"	21"	RM112J-() () L	1,429.	1,531.	1,760.	2,376.	
	16"	23"	26 1/2"	RM212K-() () L	1,933.	2,071.	2,381.	3,216.	
	16"	23"	26 1/2"	RM212J-() () L	1,933.	2,071.	2,381.	3,216.	



Glue and dowel construction

Pedestal backs	w	d	h	pattern no.	wood	wood	wood	wood
					L	V1	V2	V3
	16"	1"	26 1/2"	RPAB16-()	123.	127.	147.	199.
	19"	1"	26 1/2"	RPAB19-()	129.	133.	155.	210.
	30"	1"	26 1/2"	RPAB30-()	245.	251.	287.	388.
	36"	1"	26 1/2"	RPAB36-()	288.	299.	343.	464.



pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	w	d	h	pattern no.	wood	wood	wood	wood
					L	V1	V2	V3
	-	-	-	RCOUNTWT				100.

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	D = Metal D-pull
M Mobile Pedestal	2. Interior option	J = Routed pull
1 21"H	3. Pull option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Lock option, files	S = S-pull (stainless steel finish only)
1 19" deep	5. Cabinet Finish	F = Bar pull
J Box box file config.	6. Pull Finish	H = Outline pull
L Laminate finish	Painted or Plated	R = Cylinder pull
W Wood interior	After specifying product code, provide keying instructions.	T = Tab pull
D Metal D-pull	<i>1. Finish type:</i>	<i>4. Lock options:</i>
L Lock option	L = Laminate	L = Drilled to accept lock
114 Cabinet Finish	1 = V1	
612 Pull Finish	2 = V2	
	3 = V3	
	<i>2. Interior options:</i>	<i>5. Refer to page 525 for keying instructions.</i>
	M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Box file configuration in mobile pedestals with wood interior includes one pencil tray and 2 tray dividers.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Mobile pedestals are always equipped with finished backs.
		File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Mobile pedestals are glue and dowel construction.

Applicable finishes are listed on page 5 and 6.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 28³/₈" planning

BBF/FF



Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 ³ / ₈ "	RP161J () () L ()	\$1,220.	\$1,305.	\$1,501.	\$2,020.
	16"	23"	28 ³ / ₈ "	RP162J () () L ()	1,276.	1,368.	1,572.	2,115.
	16"	29"	28 ³ / ₈ "	RP163J () () L ()	1,330.	1,424.	1,638.	2,203.

*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
  Pedestal, (desk height) file/file configuration	16"	19"	28 ³ / ₈ "	RP161K () () L ()	1,120.	1,201.	1,381.	1,866.
	16"	23"	28 ³ / ₈ "	RP162K () () L ()	1,199.	1,284.	1,480.	1,999.
	16"	29"	28 ³ / ₈ "	RP163K () () L ()	1,279.	1,368.	1,576.	2,126.
	30"	19"	28 ³ / ₈ "	RP301K () () L ()	1,281.	1,375.	1,579.	2,130.
	30"	23"	28 ³ / ₈ "	RP302K () () L ()	1,351.	1,448.	1,663.	2,246.
	36"	19"	28 ³ / ₈ "	RP361K () () L ()	1,364.	1,466.	1,685.	2,276.
	36"	23"	28 ³ / ₈ "	RP362K () () L ()	1,434.	1,535.	1,766.	2,385.

*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal


Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118) R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) J Box/Box/File config. L Finish type, laminate M Interior option, metal J Pull option, J L Lock option 118 Cabinet finish 118 Pull finish	To order please specify pattern number including: 1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) 3. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line 5. <i>Lock option</i> Lock default is black. Pedestals with drawers always lock drilled L = drilled to accept lock 6. <i>Cabinet finish</i> 7. <i>Pull finish</i> Painted or Plated Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Keying instructions must accompany all orders, refer to page 525 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Pencil trays not included in pedestals with metal interiors. Pencil tray to be ordered separately; see page 426. Finished back must be ordered separately to achieve full depth without a modesty. (page 273)	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Applicable finishes are listed on page 5 and 6. Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding) 1 counterweight = 10 lbs. Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28³/₈" planning

BBF/FF

Metal interior legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191J(L)(M)(J)L(118)	\$1,279.	\$1,370.	\$1,575.	\$2,120.
box/box/file configuration	19"	23"	28 ³ / ₈ "	RP192J(L)(M)(J)L(118)	1,340.	1,401.	1,649.	2,220.
	19"	29"	28 ³ / ₈ "	RP193J(L)(M)(J)L(118)	1,396.	1,495.	1,718.	2,313.




Pencil tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191K(L)(M)(J)L(118)	1,175.	1,261.	1,450.	1,960.
file/file configuration	19"	23"	28 ³ / ₈ "	RP192K(L)(M)(J)L(118)	1,259.	1,349.	1,554.	2,099.
	19"	29"	28 ³ / ₈ "	RP193K(L)(M)(J)L(118)	1,344.	1,436.	1,654.	2,232.



Pencil tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Order Code

Example:	RP191J(L)(M)(J)L(118)
R	Reff
P	Pedestal
19	19" wide (nominal)
1	19" deep (nominal)
J	Box/Box/File configuration
L	Finish type, laminate
M	Interior option, metal
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
- Interior option**
M = metal (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
- Pull option**
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull
T = Tab pull

- Lock option**
Lock default is Black
Pedestals with drawers always lock drilled
L = drilled to accept lock
- Cabinet finish**
- Pull finish**
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 525 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 426.

Finished back must be ordered separately to achieve full depth without a modesty. (page280)

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)


1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Pedestals, 28³/₈" planning

BBF/FF

Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 ³ / ₈ "	RP161J () () L ()	\$1,296.	\$1,384.	\$1,589.	\$2,138.
	16"	23"	28 ³ / ₈ "	RP162J () () L ()	1,438.	1,543.	1,772.	2,383.
	16"	29"	28 ³ / ₈ "	RP163J () () L ()	1,565.	1,679.	1,925.	2,590.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal, (desk height) file/file configuration	16"	19"	28 ³ / ₈ "	RP161K () () L ()	1,188.	1,272.	1,462.	1,973.
	16"	23"	28 ³ / ₈ "	RP162K () () L ()	1,399.	1,500.	1,723.	2,326.
	16"	29"	28 ³ / ₈ "	RP163K () () L ()	1,525.	1,638.	1,883.	2,541.
	30"	19"	28 ³ / ₈ "	RP301K () () L ()	1,535.	1,644.	1,892.	2,554.
	30"	23"	28 ³ / ₈ "	RP302K () () L ()	1,803.	1,933.	2,218.	2,993.
	36"	19"	28 ³ / ₈ "	RP361K () () L ()	1,895.	2,030.	2,339.	3,158.
	36"	23"	28 ³ / ₈ "	RP362K () () L ()	2,209.	2,372.	2,726.	3,679.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code

Example:	RP161J(L)(W)(J)L(118)
R	Reff
P	Pedestal
16	16" wide (<i>nominal</i>)
1	19" deep (<i>nominal</i>)
J	Box/Box/File configuration
L	Finish type, laminate
W	Interior option, wood
D	Pull option
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
- Interior option**
W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)
- Pull option**
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
T = Tab pull
R = Cylinder pull
- Lock option**
Pedestals with drawers always lock drilled
Lock default is Black
L = drilled for lock

5. **Cabinet finish**
6. **Pull finish**
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 525 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty.(page280)

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29⁷/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28³/₈" planning

BBF/FF


Wood interior legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191J(L)(W)(J)(L)	\$1,359.	\$1,453.	\$1,668.	\$2,244.
box/box/file configuration	19"	23"	28 ³ / ₈ "	RP192J(L)(W)(J)(L)	1,509.	1,619.	1,859.	2,502.
	19"	29"	28 ³ / ₈ "	RP193J(L)(W)(J)(L)	1,642.	1,761.	2,020.	2,719.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191K(L)(W)(J)(L)	1,319.	1,335.	1,535.	2,072.
file/file configuration	19"	23"	28 ³ / ₈ "	RP192K(L)(W)(J)(L)	1,468.	1,575.	1,810.	2,442.
	19"	29"	28 ³ / ₈ "	RP193K(L)(W)(J)(L)	1,602.	1,719.	1,977.	2,668.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal


Order Code	Specification Information	Application Notes
Example: RP191J(L)(W)(J)(L)(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff		File drawers include file bars for front to back and side to side filing.
P Pedestal		File drawers support bottom loading.
19 19" wide (nominal)	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Applicable finishes are listed on page 5 and 6.
1 19" deep (nominal)	2. <i>Interior option</i> W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
J Box/Box/File configuration	3. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) F = Bar pull H = Outline pull R = Cylinder pull T = Tab pull	1 counterweight = 10 lbs.
L Finish type, laminate	4. <i>Lock option</i> Pedestals with drawers always lock drilled Lock default is Black L = drilled to accept lock N = no drilling	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
W Interior option, wood		
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		
	5. <i>Cabinet finish</i> 6. <i>Pull finish</i> Painted or Plated	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Keying instructions must accompany all orders, refer to page 525 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	
	Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.	
	Finished back must be ordered separately to achieve full depth without a modesty.(page280)	

Pedestals, 28³/₈" planning


Open / Hinge Door

Metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161L(L/R) () () () ()	\$983.	\$1,052.	\$1,211.	\$1,636.
	16"	23"	28 ³ / ₈ "	RP162L(L/R) () () () ()	1,194.	1,280.	1,471.	1,986.
	16"	29"	28 ³ / ₈ "	RP163L(L/R) () () () ()	1,364.	1,466.	1,685.	2,276.
	30"	19"	28 ³ / ₈ "	RP301L () () () ()	1,270.	1,361.	1,565.	2,112.
	30"	23"	28 ³ / ₈ "	RP302L () () () ()	1,483.	1,592.	1,828.	2,469.
	36"	19"	28 ³ / ₈ "	RP361L () () () ()	1,609.	1,724.	1,985.	2,680.
	36"	23"	28 ³ / ₈ "	RP362L () () () ()	1,881.	2,018.	2,321.	3,133.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161M () () ()	746.	803.	922.	1,244.
	16"	23"	28 ³ / ₈ "	RP162M () () ()	872.	935.	1,075.	1,451.
	16"	29"	28 ³ / ₈ "	RP163M () () ()	1,028.	1,103.	1,270.	1,715.
	30"	19"	28 ³ / ₈ "	RP301M () () ()	869.	932.	1,072.	1,447.
	30"	23"	28 ³ / ₈ "	RP302M () () ()	1,056.	1,132.	1,302.	1,757.
	36"	19"	28 ³ / ₈ "	RP361M () () ()	1,110.	1,194.	1,370.	1,848.
	36"	23"	28 ³ / ₈ "	RP362M () () ()	1,345.	1,442.	1,658.	2,238.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.

N=No lock option

Order Code	Specification Information
Example: RP161LL(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>
R Reff	
P Pedestal	
16 16" wide (nominal)	
1 19" deep (nominal)	
L Hinge door config.	
L Left hand hinge location	
L Finish type, laminate	
M Interior option, metal	
J Pull option, J	
L Lock option	
118 Cabinet finish	
118 Pull finish	


Order Code	Specification Information
	<i>To order please specify pattern number including:</i>
	1. <i>Hinge location, were applicable</i>
	L = left hand
	R = right hand
	2. <i>Finish type</i>
	L = laminate
	1 = V1
	2 = V2
	3 = V3
	3. <i>Interior option</i>
	M = metal (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
	4. <i>Pull option</i>
	D = metal D-pull (finish optional)
	J = routed J-pull (finish matches case)
	C = nickel finish C-pull (nickel finish only)
	S = S-pull (stainless steel finish only)
	R = Cylinder
	T = Tab
	F = Bar
	H = Out Line

Order Code	Application Notes
	1. <i>Lock option</i>
	Optional hinged door configurations only
	Pedestals with drawers always lock drilled
	L = drilled to accept lock
	N = no drilling
	2. <i>Cabinet finish</i>
	3. <i>Pull finish</i>
	Painted or Plated
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
	List price for woodgrain laminate options will be current published laminate list price plus 10%.
	Keying instructions must accompany all orders, refer to page 525 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
	Applicable finishes are listed on page 5 and 6.
	Finished back must be ordered separately to achieve full depth without a modesty. (page 273)
	For Open pedestals;
	1. Finish type
	2. Interior option
	3. Cabinet finish
	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Pedestals, 28³/₈" planning

Open / Hinge Door

Wood interiors


description	w	d	h	pattern no.	wood	wood	wood	wood	list
					interiors	interiors	interiors	interiors	
					L	V1	V2	V3	
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161L(L/R) () () () ()	\$1,075.	\$1,153.	\$1,326.	\$1,790.	
	16"	23"	28 ³ / ₈ "	RP162L(L/R) () () () ()	1,292.	1,382.	1,591.	2,149.	
	16"	29"	28 ³ / ₈ "	RP163L(L/R) () () () ()	1,462.	1,566.	1,798.	2,428.	
	30"	19"	28 ³ / ₈ "	RP301L () () () ()	1,361.	1,462.	1,682.	2,271.	
	30"	23"	28 ³ / ₈ "	RP302L () () () ()	1,579.	1,695.	1,948.	2,630.	
	36"	19"	28 ³ / ₈ "	RP361L () () () ()	1,706.	1,825.	2,098.	2,833.	
	36"	23"	28 ³ / ₈ "	RP362L () () () ()	1,977.	2,119.	2,434.	3,286.	

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161M () ()	845.	899.	1,037.	1,400.	
	16"	23"	28 ³ / ₈ "	RP162M () ()	968.	1,040.	1,197.	1,616.	
	16"	29"	28 ³ / ₈ "	RP163M () ()	1,125.	1,203.	1,388.	1,875.	
	30"	19"	28 ³ / ₈ "	RP301M () ()	966.	1,034.	1,188.	1,604.	
	30"	23"	28 ³ / ₈ "	RP302M () ()	1,151.	1,234.	1,421.	1,916.	
	36"	19"	28 ³ / ₈ "	RP361M () ()	1,204.	1,296.	1,487.	2,011.	
	36"	23"	28 ³ / ₈ "	RP362M () ()	1,439.	1,538.	1,771.	2,392.	

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

N=No Lock option

Pedestal, (desk height) finished back 	16"	1"	28 ³ / ₈ "	RPDHB16 () ()	130.	132.	153.	207.	
	19"	1"	28 ³ / ₈ "	RPDHB19 () ()	136.	138.	161.	218.	
	30"	1"	28 ³ / ₈ "	RPDHB30 () ()	256.	265.	303.	409.	
	36"	1"	28 ³ / ₈ "	RPDHB36 () ()	305.	314.	361.	487.	

pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information
Example: RP161LL(L)(W)(J)L(118)	
R	Reff
P	Pedestal
16	16" wide (nominal)
1	19" deep (nominal)
L	Hinge door config.
L	Left hand hinge location
L	Finish type, laminate
W	Interior option, wood
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

To order please specify pattern number including:

- Hinge location, were applicable**
L = left hand
R = right hand
- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
- Interior option**
W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)
- Pull option**
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
T = Tab pull
R = Cylinder pull

- Lock option**
Optional hinged door configurations only
Lock default is Black
L = drilled to accept lock
N = no drilling
- Cabinet finish**
- Pull finish**
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 525 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Applicable finishes are listed on page 5 and 6.

For Open pedestals;
1. Finish type
2. Interior option
3. Cabinet finish

Finished back must be ordered separately to achieve full depth without a modesty.(page273)

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28³/₈" planning
Open / Hinge Door
Wood interiors




description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT					\$100.

Order Code	Specification Information	Application Notes
Example: RP161LL(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	<p>Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>For Open pedestals; 1. Finish type 2. Interior option 3. Cabinet finish</p> <p>Finished back must be ordered separately to achieve full depth without a modesty.(page273)</p> <p>Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p>
R Reff		
P Pedestal		
16 16" wide (<i>nominal</i>)	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	
1 19" deep (<i>nominal</i>)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
L Hinge door config.	3. <i>Interior option</i> W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	
L Left hand hinge location	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) F = Bar pull H = Outline pull T = Tab pull R = Cylinder pull	
L Finish type, laminate	5. <i>Lock option</i> Optional hinged door configurations only Lock default is Black L = drilled to accept lock N = no drilling	
W Interior option, wood	6. <i>Cabinet finish</i> 7. <i>Pull finish</i> Painted or Plated	
J Pull option, J	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
L Lock option		
118 Cabinet finish		
118 Pull finish		

Pedestals, 28³/₈" planning

Metal accessories for pedestals

Reff Profiles


description	w	d	h	pattern no.	list
Metal box divider, for desk height products 				RDHMBD	\$29.
	for 16" w desk height metal box drawer				
Metal file drawer divider, for desk height products 				RDHMFD	29.
	for 16" w desk height metal file drawer				
Metal lateral drawer divider, for desk height products 				RDHMLD	23.
	for 20" and 24" deep metal lateral drawers				

Cabinetry


Order Code	Specification Information	Application Notes
Example: RDHMBD		
R	Reff	
DH	Desk height	
M	Metal	
B	Box	
D	Divider	

Pedestals, 28³/₈" planning
22³/₈" high
Metal interiors


Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height planning) box/file configuration	16"	19"	22 ³ / ₈ "	RP161R () () (L) () ()	\$1,119.	\$1,197.	\$1,373.	\$1,847.
	16"	23"	22 ³ / ₈ "	RP162R () () (L) () ()	1,168.	1,251.	1,437.	1,932.
	19"	19"	22 ³ / ₈ "	RP191R () () (L) () ()	1,173.	1,256.	1,441.	1,938.
	19"	23"	22 ³ / ₈ "	RP192R () () (L) () ()	1,226.	1,313.	1,508.	2,028.
	30"	19"	22 ³ / ₈ "	RP301R () () (L) () ()	1,191.	1,277.	1,465.	1,970.
	30"	23"	22 ³ / ₈ "	RP302R () () (L) () ()	1,255.	1,345.	1,541.	2,072.
	36"	19"	22 ³ / ₈ "	RP361R () () (L) () ()	1,269.	1,359.	1,560.	2,099.
	36"	23"	22 ³ / ₈ "	RP362R () () (L) () ()	1,330.	1,423.	1,635.	2,200.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal
Pencil tray not included.


 Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf	30"	19"	22 ³ / ₈ "	RP301S () () ()	793.	853.	980.	1,323.
	30"	23"	22 ³ / ₈ "	RP302S () () ()	966.	1,037.	1,190.	1,607.
	36"	19"	22 ³ / ₈ "	RP361S () () ()	1,015.	1,091.	1,254.	1,692.
	36"	23"	22 ³ / ₈ "	RP362S () () ()	1,229.	1,317.	1,514.	2,044.

Supplied with hardware kit includes wood screws for attachment to underside of worksurface

 Pedestal, (desk height planning) open file configuration	30"	19"	22 ³ / ₈ "	RP301T () () (L) () ()	853.	913.	1,039.	1,382.
	30"	23"	22 ³ / ₈ "	RP302T () () (L) () ()	1,026.	1,097.	1,249.	1,667.
	36"	19"	22 ³ / ₈ "	RP361T () () (L) () ()	1,074.	1,151.	1,313.	1,752.
	36"	23"	22 ³ / ₈ "	RP362T () () (L) () ()	1,289.	1,377.	1,574.	2,103.


Order Code	Specification Information	Application Notes
Example: RP161R () () (L) () ()	<i>To order please specify pattern number including:</i>	Use 28 ³ / ₈ " desk height planning.
R Reff	4. <i>Lock option</i> Pedestals with drawers always lock drilled L = drilled to accept lock	Applied back ordered separately for finished back.
P Pedestal	1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	File drawer support bottom loading
16 16" wide (<i>nominal</i>)	2. <i>Interior option: M= Metal</i>	File drawers include bars for front to back and side to side filing.
1 19" deep (<i>nominal</i>)	3. <i>Pull option</i> B = No pull C = Metal C-pull D = Metal D-pull J = Routed J-pull S = Metal S-pull R = Cylinder T = Tab F = Bar H = Outline	Pencil trays not included in pedestals with metal interiors.
R Box/File configuration		Pencil tray to be ordered separately; see page 426.
2 Finish type		Open book case:
M Interior option		1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3
H Finish Pull option		2. Interior option
L Lock option		3. Cabinet finish
B Lock finish		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
V316 Cabinet finish		
PU Satin Nickel		

Pedestals, 28³/₈" planning
22³/₈" high
Wood interiors


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning) box/file configuration 	16"	19"	22 ³ / ₈ "	RP161R () () L () ()	\$1,186.	\$1,267.	\$1,456.	\$1,958.
	16"	23"	22 ³ / ₈ "	RP162R () () L () ()	1,317.	1,411.	1,619.	2,179.
	19"	19"	22 ³ / ₈ "	RP191R () () L () ()	1,244.	1,330.	1,529.	2,055.
	19"	23"	22 ³ / ₈ "	RP192R () () L () ()	1,382.	1,481.	1,700.	2,288.
	30"	19"	22 ³ / ₈ "	RP301R () () L () ()	1,422.	1,523.	1,749.	2,353.
	30"	23"	22 ³ / ₈ "	RP302R () () L () ()	1,670.	1,786.	2,047.	2,756.
	36"	19"	22 ³ / ₈ "	RP361R () () L () ()	1,754.	1,878.	2,158.	2,905.
	36"	23"	22 ³ / ₈ "	RP362R () () L () ()	2,040.	2,187.	2,508.	3,383.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf 	30"	19"	22 ³ / ₈ "	RP301S () ()	884.	945.	1,086.	1,466.
	30"	23"	22 ³ / ₈ "	RP302S () ()	1,051.	1,127.	1,297.	1,749.
	36"	19"	22 ³ / ₈ "	RP361S () ()	1,101.	1,183.	1,362.	1,838.
	36"	23"	22 ³ / ₈ "	RP362S () ()	1,316.	1,407.	1,619.	2,186.

Pedestals are supplied with hardware kit including wood screws for attachments to underside of worksurface.

Pedestal, (desk height planning) open file configuration 	30"	19"	22 ³ / ₈ "	RP301T () () L () ()	943.	1,004.	1,145.	1,525.
	30"	23"	22 ³ / ₈ "	RP302T () () L () ()	1,110.	1,187.	1,357.	1,809.
	36"	19"	22 ³ / ₈ "	RP361T () () L () ()	1,161.	1,243.	1,421.	1,897.
	36"	23"	22 ³ / ₈ "	RP362T () () L () ()	1,376.	1,467.	1,679.	2,245.

Order Code	Specification Information	Application Notes
Example: RP161R () () () () () ()	<i>To order please specify pattern number including:</i>	Bookcase
R Reff	1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	Use 28 ³ / ₈ " desk height planning.
P Pedestal	2. <i>Interior option:</i> W = wood	Applied back ordered separately for finished back.
16 16" wide	3. <i>Pull option</i> B = No pull C = Metal C-pull D = Metal D-pull J = Routed J-pull S = Metal S-pull	File drawer support bottom loading
1 19" deep (nominal)	R = Cylinder T = Tab F = Bar H = Outline	File drawers include bars for front to back and side to side filing.
R Box/File configuration	4. <i>Lock option</i> Pedestals with drawers always lock drilled L = drilled to accept lock	Box - File configuration pedestals with wood interior includes a pencil tray and two tray dividers in the box drawers.
2 Finish type, V2	5. <i>Lock finish</i> B = Black S = Matt silver	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
W Interior option, wood	6. <i>Cabinet finish</i>	
H Pull option	7. <i>Pull finish</i>	
L Lock option files		
111 Lock finish		
V316 Cabinet finish		
111 Pull finish		

Pedestals, 28³/₈" planning
22³/₈" high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 ³ / ₈ "	RP301A () ()	\$986.	\$1,053.	\$1,211.	\$1,635.
cabinet access bookcase	30"	23"	22 ³ / ₈ "	RP302A () ()	1,172.	1,257.	1,446.	1,950.
* with removable back	36"	19"	22 ³ / ₈ "	RP361A () ()	1,228.	1,320.	1,519.	2,049.
	36"	23"	22 ³ / ₈ "	RP362A () ()	1,468.	1,569.	1,806.	2,438.



*available in wood interior only.

Order Code	Specification Information	Application Notes
Example: RP161R () () () () () ()	<i>To order please specify pattern number including:</i>	Bookcase
R Reff	1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. Finish type 2. Interior option 3. Cabinet finish
P Pedestal	2. <i>Interior option:</i> W = wood	Always open configuration.
16 16" wide	3. <i>Pull option</i> B = No pull C = Metal C-pull D = Metal D-pull J = Routed J-pull S = Metal S-pull	Adjustable Shelves.
1 19" deep (nominal)	R = Cylinder T = Tab F = Bar	Bottom shelf fixed.
R Box/File configuration	H = Outline	Removable back.
2 Finish type, V2	4. <i>Lock option</i> Pedestals with drawers always lock drilled L = drilled to accept lock	
W Interior option, wood	5. <i>Lock finish</i> B = Black S = Matt silver	
H Pull option	6. <i>Cabinet finish</i>	
L Lock option files	7. <i>Pull finish</i>	
111 Lock finish		
V316 Cabinet finish		
111 Pull finish		

Use 28³/₈" desk height planning.
Applied back ordered separately for finished back.
File drawer support bottom loading
File drawers include bars for front to back and side to side filing.
Box - File configuration pedestals with wood interior includes a pencil tray and two tray dividers in the box drawers.
Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28³/₈" planning
22³/₈" high
Equipment Pedestals

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 ³ / ₈ "	RP301E(L/R) () () () () () ()	\$1,865.	\$2,454.	\$2,713.	\$3,237.
equipment configuration	30"	23"	22 ³ / ₈ "	RP302E(L/R) () () () () () ()	1,899.	2,499.	2,757.	3,338.
(wood interior only)	36"	19"	22 ³ / ₈ "	RP361E(L/R) () () () () () ()	1,911.	2,505.	2,770.	3,332.
	36"	23"	22 ³ / ₈ "	RP362E(L/R) () () () () () ()	1,943.	2,543.	2,827.	3,433.



Left hand shown




Order Code	Specification Information	Application Notes
Example: RP301E(L/R)	<i>To order please specify pattern number including:</i>	Lock default is black
R Reff		Use 28 ³ / ₈ " desk height planning.
P Pedestal	1. <i>Finish type:</i>	Applied back ordered separately for finish back.
30 30" wide	L = laminate	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
1 19" deep (<i>nominal</i>)	1 = V1	
E Equipment Ped.	2 = V2	
L Left hand	3 = V3	
V2 Case finish type	2. <i>Interior option: W (wood)</i>	
V2 Front finish type	3. <i>Pull option</i>	
W Interior option, wood	B = No pull	
H Pull option	F = Bar pull	
V316 Case finish	H = Outline pull	
V316 Front finish	R = Cylinder pull	
111 Pull finish	T = Tab pull	
L Lock option	4. Case finish	
B Lock finish	5. Pull finish:	
	Painted or Plated	
	6. <i>Lock option</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	7. Lock finish:	
	B = Black	
	S = Silver	

Equipment Pedestal's Clearance:

Enclosed Area:
 For 30" w X 19" d 22.5" w X 16.5" d X 14.25" h
 For 30" w X 23" d 22.5" w X 20.5" d X 14.25" h
 For 36" w X 19" d 26.5" w X 16.5" d X 14.25" h
 For 36" w X 23" d 26.5" w X 20.5" d X 14.25" h

Open Area:
 For 30" w X 19" d 8" w X 17" d X 17.5" h
 For 30" w X 23" d 8" w X 21" d X 17.5" h
 For 36" w X 19" d 8" w X 17" d X 17.5" h
 For 36" w X 23" d 8" w X 21" d X 17.5" h

Pedestals, 28^{3/8}" planning
 22^{3/8}" high
 Pedestal back, filler and flush modesty

description	w	th	h	pattern no.	L	V1	V2	V3
Pedestal Back 	16"		22 ^{3/8} "	RPCB16 () ()	\$236.	\$283.	\$325.	\$423.
	19"		22 ^{3/8} "	RPCB19 () ()	241.	289.	333.	433.
	30"		22 ^{3/8} "	RPCB30 () ()	265.	317.	365.	475.
	36"		22 ^{3/8} "	RPCB36 () ()	278.	333.	383.	499.
Pedestal Filler 	6"		22 ^{3/8} "	RPFC6 ()	165.	198.	216.	258.
	6"		28 ^{3/8} "	RPDHB6 () ()	199.	233.	252.	296.
Flush Modesty Panel 	42"	1"	22 ^{3/8} "	RPDHC42MF () () ()	342.	410.	472.	613.
	48"	1"	22 ^{3/8} "	RPDHC48MF () () ()	357.	428.	493.	642.
	54"	1"	22 ^{3/8} "	RPDHC54MF () () ()	373.	447.	515.	668.
	60"	1"	22 ^{3/8} "	RPDHC60MF () () ()	411.	493.	568.	737.
	66"	1"	22 ^{3/8} "	RPDHC66MF () () ()	426.	511.	588.	764.
	72"	1"	22 ^{3/8} "	RPDHC72MF () () ()	441.	529.	609.	792.
	78"	1"	22 ^{3/8} "	RPDHC78MF () () ()	462.	554.	638.	829.
	84"	1"	22 ^{3/8} "	RPDHC84MF () () ()	478.	573.	659.	857.
	90"	1"	22 ^{3/8} "	RPDHC90MF () () ()	513.	615.	708.	920.
	96"	1"	22 ^{3/8} "	RPDHC96MF () () ()	527.	632.	727.	946.

Order Code	Specification Information	Application Notes
Example: RPCB16 ()	1. <i>Finish type</i> L = Laminate	Lock default is black.
R Reff	1 = V1	Use 28 ^{3/8} " desk height planning.
P Pedestal	2 = V2	Applied back ordered separately for finished back.
C For use with 22 ^{3/8} " pedestal	3 = V3	
B Back	2. <i>Finish</i>	
16 Width		
2 Finish type		
V316 Finish		

For Modesty panel specify:
 1. Modesty position:
 F = Flush, cantilevered
 R = Recessed
 2. Finish type
 3. Finish


description	w	d	h	pattern no.	L/V1	L/V2	L/V3	L	V1	V2	V3
Mobile Pedestal	16"	19"	23"	RMPU () () () () ()	\$2,251.	\$2,297.	\$2,354.	\$2,197.	\$2,346.	\$2,685.	\$3,458.



Order Code	Specification Information	Application Notes
Example: RMPU () () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
R Reff		
M Mobile	1. Lock option Pedestals with drawers always lock drilled.	Always comes with lock.
P Pedestal	2. Lock finish B = Black S = Matt silver	Always comes with finished back
U Cubby above with drawer/box/file	3. Pull option G = Grommet pull only	Grommet pull only.
L Lock Option	4. Case finish	Actual width = 15.94"
B Lock Finish	5. Front finish	Actual depth = 19.06"
G Pull Finish	6. Pencil tray finish Painted / Anodized	Actual total height = 23.37"
V316 Case Finish		
V316 Front Drawer Finish		
111 Pencil Tray Finish		


Credenzas, 28³/₈" planning 23³/₈" high, file drawer

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	list
Low credenza, file drawer left and right and cubby	90"	20"	23 ³ / ₈ "	RRLCFDC2090	\$3,436.	\$3,780.	\$3,952.	\$4,124.	\$5,154.	\$5,928.	\$7,706.	
	108"	20"	23 ³ / ₈ "	RRLCFDC20108	3,592.	3,951.	4,130.	4,311.	5,388.	6,196.	8,055.	




*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, file drawer center with cubby	90"	20"	23 ³ / ₈ "	RRLCFDCC2090	3,062.	3,368.	3,522.	3,674.	4,593.	5,282.	6,866.	
	108"	20"	23 ³ / ₈ "	RRLCFDCC20108	3,228.	3,551.	3,712.	3,874.	4,938.	5,569.	7,240.	



*90" and 108"w credenzas with file drawer require 4 counter weights


Low credenza, left	60"	20"	23 ³ / ₈ "	RRLCFDCL2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.	
	72"	20"	23 ³ / ₈ "	RRLCFDCL2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.	



*60" and 72"w credenzas with file drawer require 3 counter weights
*Left hand credenza; File drawer is on left.

Left hand credenza shown

Low credenza, right	60"	20"	23 ³ / ₈ "	RRLCFDCR2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.	
	72"	20"	23 ³ / ₈ "	RRLCFDCR2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.	



*60" and 72"w credenzas with file drawer require 3 counter weights
*Right hand credenza; File drawer is on right.


Right hand credenza shown

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT								100.
---	---	---	---	-----------------	--	--	--	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: RRLCFDC2090	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff		Nominal depth 20"
LC Low Credenza		Actual depth 19"
FDC File Drawer with cubby		All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).
20 20" deep		If file drawer on right side, credenza is right handed.
90 90" wide		
L Lock option	1. Lock option: Drawers are always lock drilled. L=drilled to accept lock	Grommet Pull option for these products.
S Lock finish	2. Lock finish: B=Black S=Matte Silver	Locks on wood and Laminate doors. No locks on glass doors.
G Pull option	3. Pull option Grommet pull, only	Legs shipped with credenza.
115 Pull finish	4. Pull finish Painted / Plated	Legs available in painted finish.
115 Leg finish	5. Leg finish Painted / Plated	Shelves are fixed.
V316 Case option	6. Case finish: V316	Glass top and cushion sold separately.
V316 Case finish	7. Front finish: V316	

Credenzas, 28³/₈" planning 23³/₈" high, open

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
	60"	20"	23 ³ / ₈ "	RRLCO2060 () ()	\$2,105.	\$2,989.	\$3,438.	\$4,470.
	72"	20"	23 ³ / ₈ "	RRLCO2072 () ()	2,109.	3,122.	3,591.	4,668.
	90"	20"	23 ³ / ₈ "	RRLCO2090 () ()	2,574.	3,886.	4,469.	5,809.
	108"	20"	23 ³ / ₈ "	RRLCO20108 () ()	2,734.	4,128.	4,747.	6,172.

Cabinetry

Order Code

Example:	RRLCO2060 () ()
RR	Reffresh
LC	Low Credenza
O	Open
20	20" deep
60	60" wide
115	Leg finish
2	Finish type
V316	Case finish

Specification Information

To order please specify pattern number including:

1. Leg finish
Painted / Plated
2. Case finish type:
L = Laminate
1 = V1
2 = V2
3 = V3
3. Case finish:
V316

Application Notes

These products are Glue and Dowel Construction

Legs shipped with credenza.

Legs available in painted and plated finish.

Shelves are fixed.

Glass top and cushion sold separately.


Nominal depth 20"

Actual depth 19"


All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).

Credenzas, 28³/₈" planning
 23³/₈" high sliding door
 Glass door

description	w	d	h	pattern no.	L/GL	V1/GL	V2/GL	V3/GL
Low credenza, sliding glass door	90"	20"	23 ³ / ₈ "	RRLCSGD2090 () () () ()	\$4,709.	\$5,652.	\$6,499.	\$8,449.
	108"	20"	23 ³ / ₈ "	RRLCSGD20108 () () () ()	5,244.	6,292.	7,236.	9,407.




Low credenza, sliding glass door left	60"	20"	23 ³ / ₈ "	RRLCSGDL2060 () () () ()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 ³ / ₈ "	RRLCSGDL2072 () () () ()	3,315.	3,978.	4,574.	5,947.



Left hand shown

Low credenza, sliding glass door right	60"	20"	23 ³ / ₈ "	RRLCSGDR2060 () () () ()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 ³ / ₈ "	RRLCSGDR2072 () () () ()	3,315.	3,978.	4,574.	5,947.




right hand shown

Order Code	Specification Information	Application Notes
Example: RRLCSGD2090 () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Nominal depth 20"
LC Low Credenza	Grommet pull	Actual depth 19"
SGD Sliding Glass Door	2. Pull finish	Grommet Pull option for these products.
20 20" deep	Painted / Plated	No locks on glass doors.
90 90" wide	3. Leg finish	Legs shipped with credenza.
G Pull tpye	Painted / Plated	Shelves are fixed.
PN Pull finish	4. Case finish	Glass top and cushion sold separately.
115 Leg finish	L, V1, V2, V3	
V316 Case finish	5. Glass frame finish:	All sliding doors including wood, laminate and glass are non-locking.
AN Glass frame finish, Anodized black	Anodized or Painted	
GL11 Door / front glass finish	6. Glass finish:	
	GL11, GL15, GL18	


Credenzas, 28³/₈" planning
 23³/₈" high sliding door
 Wood / Laminate door

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, sliding wood/ laminate door	90"	20"	23 ³ / ₈ "	RRLCSWD2090 () () () ()	\$3,660.	\$4,026.	\$4,209.	\$4,392.	\$5,307.	\$6,103.	\$7,934.
	108"	20"	23 ³ / ₈ "	RRLCSWD20108 () () () ()	4,044.	4,449.	4,650.	4,852.	5,864.	6,743.	8,766.




Low credenza, sliding wood/ laminate door left	60"	20"	23 ³ / ₈ "	RRLCSWDL2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 ³ / ₈ "	RRLCSWDL2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.



Left hand shown

Low credenza, sliding wood/ laminate door right	60"	20"	23 ³ / ₈ "	RRLCSWDR2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 ³ / ₈ "	RRLCSWDR2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.




right hand shown

Cabinetry

Order Code	Specification Information	Application Notes
Example: RRLCSWD2090 () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Nominal depth 20"
LC Low Credenza	Grommet	Actual depth 19"
SWD Sliding Wood Door	2. Pull finish	All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).
20 20" deep	Painted / Plated	
90 90" wide	3. Leg finish	
G Pull option	Painted / Plated	
115 Pull finish	4. Case finish	
115 Leg finish	L, V1, V2, V3	
V316 Case finish	5. Door finish	
V316 Door / front glass finish	L, V1, V2, V3	
		Shelves are fixed.
		Glass top and cushion sold separately.
		All sliding doors including wood, laminate and glass are non-locking.

Credenzas, 28^{3/8}" planning
Glass top

description	d	w	pattern no.	list
Lower Credenza Glass Top 	20"	30"	RLCGT301()	\$397.
	20"	36"	RLCGT361()	474.
	20"	60"	RLCGT601()	762.
	20"	72"	RLCGT721()	901.

Order Code

<i>Example:</i> RLCGT301()
R Reff
LC Lower Credenza
GT Glass Top
30 Width
1 20" deep
GL35 Glass finish

Specification Information

To order please specify pattern number including:


- Glass finish
 GL35 Grey
 GL85 Star Clear

Application Notes

Grommet not an option.


Cabinets, 26 1/2" planning 49" high, metal interior

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)-()()()	\$1,205.	\$1,579.	\$1,817.	\$2,452.
	16"	24"	49"	RC413C(L/R)-()()()	1,326.	1,735.	1,996.	2,694.
	30"	20"	49"	RC432C-()()()	1,764.	2,314.	2,662.	3,593.
	30"	24"	49"	RC433C-()()()	1,952.	2,559.	2,944.	3,975.
	36"	20"	49"	RC462C-()()()	1,956.	2,565.	2,949.	3,982.
	36"	24"	49"	RC463C-()()()	2,156.	2,835.	3,259.	4,398.



Metal interiors mean shelves metal.

4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L	2,056.	2,694.	3,101.	4,188.
	30"	24"	49"	RC433F-()()L	2,269.	2,975.	3,421.	4,619.
	36"	20"	49"	RC462F-()()L	2,608.	3,418.	3,929.	5,305.
	36"	24"	49"	RC463F-()()L	2,879.	3,776.	4,342.	5,862.



interior height clearance top drawer 10", all others 10 3/4"

Order Code	
Example: RC412C	
R	Reff
C	Cabinets
4	49" high
1	16" wide
2	20" deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
M	Metal interior option
T	Tab pull
V316	Cabinet finish
111	Pull finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Finish type
2. Interior option
3. Pull option
4. Lock option, where applicable
5. Cabinet finish: V316
6. Pull finish
*After specifying product code, provide keying instructions.
1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3

2. *Interior options:*
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

3. *Pull options:*
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
V316

4. *Lock options:*
L = Lock hole drilled
N = No drilling

5. Cabinet finish: V316

6. Full finish:
Painted or Plated


8. Refer to page 525 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes
Specify finish of metal shelves to match laminate.
Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
File drawers include file bars for front to back and side to side filing.
File drawers do not support bottom loading.
Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2" planning 49" high, metal interior

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B-()()	\$1,197.	\$1,568.	\$1,807.	\$2,439.
	30"	20"	49"	RC432B-()()	1,350.	1,771.	2,035.	2,748.
	30"	24"	49"	RC433B-()()	1,524.	1,995.	2,296.	3,098.
	36"	15"	49"	RC461B-()()	1,328.	1,743.	2,003.	2,705.
	36"	20"	49"	RC462B-()()	1,500.	1,965.	2,260.	3,051.
	36"	24"	49"	RC463B-()()	1,686.	2,215.	2,545.	3,434.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

Order Code	
Example: RC412C	
R	Reff
C	Cabinets
4	49" high
1	16" wide
2	20" deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
M	Metal interior option
T	Tab pull
V316	Cabinet finish
111	Pull finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Finish type
2. Interior option
3. Pull option
4. Lock option, where applicable
5. Cabinet finish: V316
6. Pull finish
*After specifying product code, provide keying instructions.
1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3

2. *Interior options:*
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

3. *Pull options:*
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
V316

4. *Lock options:*
L = Lock hole drilled
N = No drilling

5. Cabinet finish: V316

6. Full finish:
Painted or Plated

8. Refer to page 525 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2" planning 49" high, wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B-()()	\$1,342.	\$1,757.	\$2,020.	\$2,727.
	30"	20"	49"	RC432B-()()	1,496.	1,961.	2,253.	3,042.
	30"	24"	49"	RC433B-()()	1,666.	2,183.	2,512.	3,392.
	36"	15"	49"	RC461B-()()	1,474.	1,932.	2,222.	2,998.
	36"	20"	49"	RC462B-()()	1,644.	2,157.	2,477.	3,343.
	36"	24"	49"	RC463B-()()	1,833.	2,404.	2,762.	3,729.

Open cabinets require no keying instructions


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)-()()()	1,349.	1,769.	2,032.	2,743.
	16"	24"	49"	RC413C(L/R)-()()()	1,472.	1,928.	2,218.	2,993.
	30"	20"	49"	RC432C-()()()	1,908.	2,501.	2,877.	3,883.
	30"	24"	49"	RC433C-()()()	2,096.	2,750.	3,160.	4,265.
	36"	20"	49"	RC462C-()()()	2,101.	2,753.	3,169.	4,278.
	36"	24"	49"	RC463C-()()()	2,305.	3,023.	3,478.	4,696.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-()W()()	1,742.	2,281.	2,624.	3,544.
	30"	24"	49"	RC433D-()W()()	1,901.	2,495.	2,871.	3,875.
	36"	20"	49"	RC462D-()W()()	1,914.	2,511.	2,887.	3,898.
	36"	24"	49"	RC463D-()W()()	2,093.	2,746.	3,157.	4,262.

Order Code	Specification Information	Application Notes
Example: RC412CLLWDL R Reff C Cabinets 4 49" high 1 16" wide 2 20" deep C Cabinet with hinge doors L Left hand hinge location L Laminate finish type W Wood interior option D Metal D-pull L Lock hole drilled	To order please specify pattern number including: 1. Hinge location, where applicable 2. Finish type 3. Interior option 4. Pull option 5. Lock option, where applicable 6. Finish, cabinet 7. Finish, pull when applicable 8. Keying instructions *After specifying product code, provide keying instructions. 1. <i>Hinge location:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. <i>Lock options:</i> L = Lock hole drilled N = No drilling 8. Refer to page 525 for keying instructions. Key alike are field installed using the KnollKey order form. Random locks are factory installed. Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height. Specify finish of metal shelves to match laminate. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. *Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.


Cabinets, 26 1/2" planning 49" high, wood interior

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L	\$2,200.	\$2,885.	\$3,318.	\$4,478.
	30"	24"	49"	RC433F-()()L	2,416.	3,171.	3,640.	4,914.
	36"	20"	49"	RC462F-()()L	2,752.	3,605.	4,145.	5,597.
	36"	24"	49"	RC463F-()()L	3,023.	3,961.	4,556.	6,151.




Order Code	Specification Information	Application Notes
Example: RC412CLLWDL	<i>To order please specify pattern number including:</i>	Specify finish of metal shelves to match laminate.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
4 49" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
1 16" wide	4. Pull option	*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
2 20" deep	5. Lock option, where applicable	
C Cabinet with hinge doors	6. Finish, cabinet	File drawers include file bars for front to back and side to side filing.
L Left hand hinge location	7. Finish, pull when applicable	File drawers do not support bottom loading.
L Laminate finish type	8. Keying instructions	Applicable finishes are listed on page 5 and 6.
W Wood interior option	*After specifying product code, provide keying instructions.	
D Metal D-pull	<i>1. Hinge location:</i>	
L Lock hole drilled	L = Left hand	
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	<i>4. Pull options:</i>	
	D = Metal D-pull	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	<i>5. Lock options:</i>	
	L = Lock hole drilled	
	N = No drilling	
	8. Refer to page 525 for keying instructions.	
	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	


Cabinets, 26 1/2" planning 64" high, metal interior

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () () (N)	\$1,536.	\$2,016.	\$2,320.	\$3,131.
	30"	20"	64"	RC632B- () () (N)	1,729.	2,267.	2,607.	3,518.
	30"	24"	64"	RC633B- () () (N)	1,922.	2,521.	2,902.	3,915.
	36"	15"	64"	RC661B- () () (N)	1,763.	2,310.	2,658.	3,587.
	36"	20"	64"	RC662B- () () (N)	1,961.	2,567.	2,956.	3,988.
	36"	24"	64"	RC663B- () () (N)	2,160.	2,831.	3,255.	4,395.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with hinged doors three adjustable shelves	16"	20"	64"	RC612C(L/R)- () () ()	1,799.	2,354.	2,709.	3,657.
	16"	24"	64"	RC613C(L/R)- () () ()	2,005.	2,630.	3,023.	4,082.
	30"	20"	64"	RC632C- () () ()	2,385.	3,127.	3,596.	4,854.
	30"	24"	64"	RC633C- () () ()	2,635.	3,456.	3,969.	5,358.
	36"	20"	64"	RC662C- () () ()	2,608.	3,418.	3,929.	5,305.
	36"	24"	64"	RC663C- () () ()	2,856.	3,747.	4,307.	5,816.

Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F- () () ()	2,856.	3,747.	4,307.	5,816.
	30"	24"	64"	RC633F- () () ()	3,157.	4,136.	4,759.	6,422.
	36"	20"	64"	RC662F- () () ()	3,157.	4,136.	4,759.	6,422.
	36"	24"	64"	RC663F- () () ()	3,487.	4,569.	5,253.	7,093.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Order Code

Example:	RC612LLMJN
R	Reff
C	Cabinets
6	64" high
1	16" wide
2	20" deep
L	Left hand hinge location
L	Laminate finish type
M	Metal interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

8. Refer to page 525 for keying instructions.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2" planning 64" high, metal interior


description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with full height doors half wardrobe and half shelves	30"	20"	64"	RC632E(L/R)-() () ()	\$2,771.	\$3,631.	\$4,174.	\$5,636.
	30"	24"	64"	RC633E(L/R)-() () ()	3,074.	4,028.	4,633.	6,254.
	36"	20"	64"	RC662E(L/R)-() () ()	3,062.	4,012.	4,619.	6,234.
	36"	24"	64"	RC663E(L/R)-() () ()	3,396.	4,452.	5,118.	6,909.



Left hand shown


Requires one lock core per cabinet
Shelves painted metal

Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H-() () ()	2,125.	2,788.	3,205.	4,327.
	30"	24"	64"	RC633H-() () ()	2,349.	3,076.	3,540.	4,779.
	36"	20"	64"	RC662H-() () ()	2,349.	3,076.	3,540.	4,779.
	36"	24"	64"	RC663H-() () ()	2,572.	3,371.	3,877.	5,234.



Requires one lock core per cabinet
Shelves painted metal

Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R)-() () ()	2,168.	2,838.	3,265.	4,407.
	16"	24"	64"	RC613G(L/R)-() () ()	2,394.	3,137.	3,606.	4,869.
	30"	20"	64"	RC632G-() () ()	2,745.	3,598.	4,136.	5,585.
	30"	24"	64"	RC633G-() () ()	3,055.	4,001.	4,601.	6,212.
	36"	20"	64"	RC662G-() () ()	3,033.	3,973.	4,570.	6,170.
	36"	24"	64"	RC663G-() () ()	3,373.	4,421.	5,083.	6,860.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Example:	RC612LLMJN
R	Reff
C	Cabinets
6	64" high
1	16" wide
2	20" deep
L	Left hand hinge location
L	Laminate finish type
M	Metal interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:

M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:

D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:

L = Lock hole drilled
N = No lock drilling

8. Refer to page 525 for keying instructions.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Note:

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2" planning 64" high, metal interior

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R)-()()()	\$2,234.	\$2,927.	\$3,366.	\$4,544.
	16"	24"	64"	RC613P(L/R)-()()()	2,480.	3,253.	3,736.	5,044.
	30"	20"	64"	RC632P-()()()	2,631.	3,447.	3,964.	5,352.
	30"	24"	64"	RC633P-()()()	2,903.	3,806.	4,375.	5,907.
	36"	20"	64"	RC662P-()()()	2,910.	3,813.	4,386.	5,921.
	36"	24"	64"	RC663P-()()()	3,208.	4,202.	4,837.	6,530.

Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Example:	RC612LLMJN
R	Reff
C	Cabinets
6	64" high
1	16" wide
2	20" deep
L	Left hand hinge location
L	Laminate finish type
M	Metal interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

8. Refer to page 525 for keying instructions.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.


Cabinets, 26 1/2" planning 64" high, wood interior

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () () N	\$1,681.	\$2,202.	\$2,535.	\$3,423.
	30"	20"	64"	RC632B- () () N	1,874.	2,457.	2,826.	3,816.
	30"	24"	64"	RC633B- () () N	2,067.	2,709.	3,116.	4,207.
	36"	15"	64"	RC661B- () () N	1,907.	2,499.	2,876.	3,880.
	36"	20"	64"	RC662B- () () N	2,103.	2,756.	3,172.	4,283.
	36"	24"	64"	RC663B- () () N	2,303.	3,020.	3,471.	4,687.

Open cabinets require no keying instructions


 Cabinet with hinged doors three adjustable shelves	16"	20"	64"	RC612C(L/R)- () () ()	1,942.	2,545.	2,927.	3,951.
	16"	24"	64"	RC613C(L/R)- () () ()	2,152.	2,818.	3,239.	4,372.
	30"	20"	64"	RC632C- () () ()	2,529.	3,315.	3,813.	5,146.
	30"	24"	64"	RC633C- () () ()	2,779.	3,644.	4,189.	5,655.
	36"	20"	64"	RC662C- () () ()	2,752.	3,605.	4,145.	5,597.
	36"	24"	64"	RC663C- () () ()	3,001.	3,935.	4,525.	6,108.

 Cabinet with hinged doors for coat rod and boot tray*	16"	20"	64"	RC612D(L/R)- () () ()	1,701.	2,227.	2,560.	3,457.
	16"	24"	64"	RC613D(L/R)- () () ()	1,862.	2,441.	2,808.	3,789.
	30"	20"	64"	RC632D- () () ()	2,076.	2,720.	3,131.	4,227.
	30"	24"	64"	RC633D- () () ()	2,139.	2,808.	3,226.	4,355.
	36"	20"	64"	RC662D- () () ()	2,299.	3,015.	3,468.	4,680.
	36"	24"	64"	RC663D- () () ()	2,349.	3,100.	3,563.	4,809.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC612LLWJN R Reff C Cabinets 6 64" high 1 16" wide 2 20" deep L Left hand hinge location L Laminate finish type W Wood interior J Routed pull N No lock drilling	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Hinge location, where applicable Finish type Interior option Pull option Lock option, where applicable Finish, cabinet Finish, pull when applicable Keying instructions <p>*After specifying product code, provide keying instructions.</p> <p><i>1. Hinge location:</i> L = Left hand R = Right hand</p> <p><i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p><i>3. Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)</p> <p><i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p><i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling</p> <p>8. Refer to page 525 for keying instructions.</p> <p>Specify shelf paint finish on open cabinets with metal interiors.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p>	<p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Cabinets, 26 1/2" planning 64" high, wood interior


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	RC632F- () () ()	\$3,001.	\$3,935.	\$4,525.	\$6,108.
	30"	24"	64"	RC633F- () () ()	3,300.	4,324.	4,973.	6,713.
	36"	20"	64"	RC662F- () () ()	3,300.	4,324.	4,973.	6,713.
	36"	24"	64"	RC663F- () () ()	3,631.	4,761.	5,472.	7,388.

Requires two lock cores per cabinet
Interior height clearance top drawer 10", all others 10 3/4"

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)- () () ()	2,916.	3,821.	4,393.	5,931.
	30"	24"	64"	RC633E(L/R)- () () ()	3,217.	4,218.	4,849.	6,546.
	36"	20"	64"	RC662E(L/R)- () () ()	3,206.	4,200.	4,836.	6,528.
	36"	24"	64"	RC663E(L/R)- () () ()	3,538.	4,641.	5,336.	7,205.

Requires one lock core per cabinet

Left hand shown


Cabinet with two open adjustable shelves, two hinged 22 1/2" doors 	30"	20"	64"	RC632H- () () ()	2,270.	2,979.	3,425.	4,624.
	30"	24"	64"	RC633H- () () ()	2,493.	3,267.	3,758.	5,074.
	36"	20"	64"	RC662H- () () ()	2,493.	3,267.	3,758.	5,074.
	36"	24"	64"	RC663H- () () ()	2,714.	3,560.	4,091.	5,523.

Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
6 64" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
1 16" wide	4. Pull option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
L Left hand hinge location	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish type	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 525 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 64" high, wood interior


Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers 	16"	20"	64"	RC612G(L/R)-() () ()	\$2,309.	\$3,027.	\$3,481.	\$4,700.
	16"	24"	64"	RC613G(L/R)-() () ()	2,539.	3,325.	3,826.	5,164.
	30"	20"	64"	RC632G-() () ()	2,889.	3,786.	4,353.	5,876.
	30"	24"	64"	RC633G-() () ()	3,196.	4,189.	4,818.	6,505.
	36"	20"	64"	RC662G-() () ()	3,178.	4,163.	4,788.	6,465.
	36"	24"	64"	RC663G-() () ()	3,516.	4,608.	5,301.	7,159.

Requires two lock cores per cabinet

Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet 	30"	20"	64"	RC632I-() () ()	3,183.	4,169.	4,796.	6,474.
	30"	24"	64"	RC633I-() () ()	3,502.	4,590.	5,282.	7,129.
	36"	20"	64"	RC662I-() () ()	3,403.	4,463.	5,131.	6,927.
	36"	24"	64"	RC663I-() () ()	3,724.	4,883.	5,612.	7,578.


Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above 	16"	20"	64"	RC612P(L/R)-() () ()	2,379.	3,116.	3,582.	4,837.
	16"	24"	64"	RC613P(L/R)-() () ()	2,624.	3,439.	3,956.	5,342.
	30"	20"	64"	RC632P-() () ()	2,776.	3,638.	4,185.	5,649.
	30"	24"	64"	RC633P-() () ()	3,049.	3,995.	4,592.	6,199.
	36"	20"	64"	RC662P-() () ()	3,056.	4,002.	4,603.	6,215.
	36"	24"	64"	RC663P-() () ()	3,350.	4,396.	5,053.	6,821.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 525 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 72" high, metal interiors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with open shelving 	30"	20"	72"	RC732B-()()	\$1,921.	\$2,520.	\$2,898.	\$3,914.
	30"	24"	72"	RC733B-()()	2,130.	2,790.	3,212.	4,336.
	36"	20"	72"	RC762B-()()	2,174.	2,850.	3,277.	4,425.
	36"	24"	72"	RC763B-()()	2,383.	3,122.	3,592.	4,850.

Open cabinets require no keying instructions
Shelves painted metal

Cabinet with hinged doors and shelves 	16"	20"	72"	RC712C(L/R)-()()()	2,025.	2,653.	3,053.	4,122.
	16"	24"	72"	RC713C(L/R)-()()()	2,248.	2,947.	3,389.	4,573.
	30"	20"	72"	RC732C-()()()	2,643.	3,467.	3,986.	5,383.
	30"	24"	72"	RC733C-()()()	2,933.	3,843.	4,421.	5,968.
	36"	20"	72"	RC762C-()()()	2,922.	3,833.	4,406.	5,948.
	36"	24"	72"	RC763C-()()()	3,243.	4,247.	4,886.	6,597.

Requires one lock core per cabinet
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 525 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling		

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	For wall hung overhead compatibility, please refer page 353.
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	Applicable finishes are listed on page 5 and 6.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling		

Cabinets, 26 1/2" planning 72" high, metal interiors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () ()	\$3,109.	\$4,072.	\$4,687.	\$6,326.
	30"	24"	72"	RC733E(L/R)-() () ()	3,476.	4,555.	5,241.	7,074.
	36"	20"	72"	RC762E(L/R)-() () ()	3,407.	4,465.	5,135.	6,930.
	36"	24"	72"	RC763E(L/R)-() () ()	3,803.	4,990.	5,734.	7,743.



Left hand shown


Requires one lock core per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 525 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, metal interiors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F- () () ()	\$3,157.	\$4,136.	\$4,759.	\$6,422.
	30"	24"	72"	RC733F- () () ()	3,507.	4,595.	5,285.	7,134.
	36"	20"	72"	RC762F- () () ()	3,487.	4,569.	5,253.	7,093.
	36"	24"	72"	RC763F- () () ()	3,870.	5,075.	5,834.	7,875.




Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	
7 72" high	3. Interior option	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
3 30" wide	4. Pull option	
2 20" deep	5. Lock option, where applicable	
B Full bookcase	6. Finish, cabinet	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	File drawers include file bars for front to back and side to side filing.
	10. Keying instructions	
	*After specifying product code, provide keying instructions.	File drawers do not support bottom loading.
		For wall hung overhead compatibility, please refer page 353.
		Applicable finishes are listed on page 5 and 6.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, metal interiors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)-() () ()	\$2,294.	\$3,003.	\$3,457.	\$4,666.
	16"	24"	72"	RC713G(L/R)-() () ()	2,513.	3,333.	3,834.	5,174.
	30"	20"	72"	RC732G-() () ()	2,911.	3,817.	4,388.	5,925.
	30"	24"	72"	RC733G-() () ()	3,201.	4,195.	4,822.	6,512.
	36"	20"	72"	RC762G-() () ()	3,162.	4,143.	4,767.	6,434.
	36"	24"	72"	RC763G-() () ()	3,453.	4,526.	5,205.	7,026.

Requires two lock cores per cabinet
Shelves painted metal

Order Code

Example:	RC732BLMNN
R	Reff
C	Cabinets
7	72" high
3	30" wide
2	20" deep
B	Full bookcase
L	Laminate finish
M	Metal interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Left hand side of cabinet drilling:
N = No drilling
Size to drill for each workwall:
S0 = 19"H x 15"D
S1 = 19"H x 20"D
T0 = 23"H x 15"D
T1 = 23"H x 20"D
- Right hand side of cabinet drilling: same as #8 above.
- Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 525 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

For wall hung overhead compatibility, please refer page 353.

Applicable finishes are listed on page 5 and 6.


Cabinets, 26 1/2" planning 72" high, metal interiors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H- () () ()	\$2,539.	\$3,324.	\$3,824.	\$5,162.
	30"	24"	72"	RC733H- () () ()	2,807.	3,674.	4,225.	5,705.
	36"	20"	72"	RC762H- () () ()	2,789.	3,653.	4,199.	5,670.
	36"	24"	72"	RC763H- () () ()	3,059.	4,003.	4,604.	6,216.



Requires one lock core per cabinet
Shelves painted metal

Cabinet with BBF below and hinged doors above.	16"	20"	72"	RC712P(L/R)- () () ()	2,381.	3,118.	3,586.	4,843.
	16"	24"	72"	RC713P(L/R)- () () ()	2,624.	3,439.	3,956.	5,342.
	30"	20"	72"	RC732P- () () ()	2,810.	3,681.	4,235.	5,719.
	30"	24"	72"	RC733P- () () ()	3,099.	4,063.	4,672.	6,307.
	36"	20"	72"	RC762P- () () ()	3,105.	4,069.	4,677.	6,315.
	36"	24"	72"	RC763P- () () ()	3,426.	4,486.	5,160.	6,967.




Requires two lock cores per cabinet
Shelves and drawer interiors metal

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 525 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling		


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with open shelving	30"	20"	72"	RC732B- () ()	\$2,065.	\$2,708.	\$3,114.	\$4,202.
	30"	24"	72"	RC733B- () ()	2,273.	2,982.	3,427.	4,627.
	36"	20"	72"	RC762B- () ()	2,320.	3,040.	3,495.	4,717.
	36"	24"	72"	RC763B- () ()	2,527.	3,312.	3,808.	5,142.

Open cabinets require no keying instructions

 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)- () () ()	2,171.	2,843.	3,269.	4,414.
	16"	24"	72"	RC713C(L/R)- () () ()	2,392.	3,136.	3,605.	4,866.
	30"	20"	72"	RC732C- () () ()	2,788.	3,653.	4,199.	5,670.
	30"	24"	72"	RC733C- () () ()	3,078.	4,035.	4,640.	6,263.
	36"	20"	72"	RC762C- () () ()	3,065.	4,019.	4,623.	6,240.
	36"	24"	72"	RC763C- () () ()	3,388.	4,439.	5,104.	6,891.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () ()	\$3,251.	\$4,262.	\$4,901.	\$6,616.
	30"	24"	72"	RC733E(L/R)-() () ()	3,619.	4,745.	5,457.	7,366.
	36"	20"	72"	RC762E(L/R)-() () ()	3,551.	4,654.	5,353.	7,228.
	36"	24"	72"	RC763E(L/R)-() () ()	3,950.	5,177.	5,954.	8,038.



Left hand shown


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. <i>Hinge location:</i> L = Left hand R = Right hand
C Cabinets	2. Finish type	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. <i>Interior options:</i> W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)
3 30" wide	4. Pull option	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 525 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
N No drilling	10. Keying instructions	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
	*After specifying product code, provide keying instructions.	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
		File drawers include file bars for front to back and side to side filing.
		File drawers do not support bottom loading.
		Applicable finishes are listed on page 5 and 6.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F- () () ()	\$3,300.	\$4,324.	\$4,973.	\$6,713.
	30"	24"	72"	RC733F- () () ()	3,651.	4,784.	5,500.	7,425.
	36"	20"	72"	RC762F- () () ()	3,631.	4,761.	5,487.	7,407.
	36"	24"	72"	RC763F- () () ()	4,013.	5,261.	6,053.	8,173.



Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Order Code

Example:	RC732BLWNN
R	Reff
C	Cabinets
7	72" high
3	30" wide
2	20" deep
B	Full bookcase
L	Laminate finish
W	Wood interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Left hand side of cabinet drilling:
N = No drilling
Size to drill for each workwall:
S0 = 19"H x 15"D
S1 = 19"H x 20"D
T0 = 23"H x 15"D
T1 = 23"H x 20"D
- Right hand side of cabinet drilling: same as #8 above.
- Keying instructions
*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 525 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2" planning 72" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)-() () ()	\$2,438.	\$3,195.	\$3,674.	\$4,958.
	16"	24"	72"	RC713G(L/R)-() () ()	2,687.	3,522.	4,049.	5,466.
	30"	20"	72"	RC732G-() () ()	3,057.	4,003.	4,604.	6,216.
	30"	24"	72"	RC733G-() () ()	3,344.	4,385.	5,040.	6,805.
	36"	20"	72"	RC762G-() () ()	3,306.	4,333.	4,983.	6,727.
	36"	24"	72"	RC763G-() () ()	3,599.	4,716.	5,423.	7,320.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes	
Example: RC732BLWNN R Reff C Cabinets 7 72" high 3 30" wide 2 20" deep B Full bookcase L Laminate finish W Wood interior N No drilling N No drilling	<i>To order please specify pattern number including:</i> 1. Hinge location, where applicable 2. Finish type 3. Interior option 4. Pull option 5. Lock option, where applicable 6. Finish, cabinet 7. Finish, pull when applicable 8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D 9. Right hand side of cabinet drilling: same as #8 above. 10. Keying instructions *After specifying product code, provide keying instructions.	1. <i>Hinge location:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer) 4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling 10. Refer to page 525 for keying instructions.	Key alike are field installed using the KnollKey order form. Random locks are factory installed. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning 72" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H- () () ()	\$2,677.	\$3,510.	\$4,039.	\$5,451.
	30"	24"	72"	RC733H- () () ()	2,944.	3,861.	4,440.	5,995.
	36"	20"	72"	RC762H- () () ()	2,930.	3,838.	4,415.	5,960.
	36"	24"	72"	RC763H- () () ()	3,196.	4,189.	4,818.	6,505.



Requires one lock core per cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe cabinet	16"	20"	72"	RC712D(L/R)- () () ()	1,823.	2,392.	2,750.	3,712.
	16"	24"	72"	RC713D(L/R)- () () ()	2,007.	2,631.	3,024.	4,083.
	30"	20"	72"	RC732D- () () ()	2,297.	3,011.	3,460.	4,671.
	30"	24"	72"	RC733D- () () ()	2,524.	3,307.	3,804.	5,137.
	36"	20"	72"	RC762D- () () ()	2,525.	3,310.	3,807.	5,141.
	36"	24"	72"	RC763D- () () ()	2,776.	3,638.	4,185.	5,649.



Requires one lock core per cabinet.
Order coat rod and boot tray from accessories

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning 72" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I- () () ()	\$3,527.	\$4,621.	\$5,313.	\$7,173.
	30"	24"	72"	RC733I- () () ()	3,891.	5,102.	5,869.	7,922.
	36"	20"	72"	RC762I- () () ()	3,825.	5,014.	5,768.	7,787.
	36"	24"	72"	RC763I- () () ()	4,223.	5,537.	6,368.	8,596.



Requires two lock cores per cabinet
Hinge opening 110°

Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)- () () ()	2,524.	3,307.	3,804.	5,137.
	16"	24"	72"	RC713P(L/R)- () () ()	2,769.	3,630.	4,173.	5,635.
	30"	20"	72"	RC732P- () () ()	2,956.	3,874.	4,454.	6,013.
	30"	24"	72"	RC733P- () () ()	3,245.	4,251.	4,887.	6,599.
	36"	20"	72"	RC762P- () () ()	3,249.	4,257.	4,896.	6,610.
	36"	24"	72"	RC763P- () () ()	3,569.	4,676.	5,378.	7,262.



Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	10. Refer to page 525 for keying instructions.	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning


Freestanding Multifunction Cabinets

49", 64" and 72" high metal interiors

description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	Box/Box/File	24"	24"	49"	RC423N () () ()	\$3,000.	\$4,097.	\$4,741.	\$5,689.
	File/File	24"	24"	49"	RC423M () () ()	2,804.	3,891.	4,508.	5,411.



Freestanding multifunctional cabinet, 64"h	Box/Box/File	24"	24"	64"	RC623N () () ()	3,219.	4,436.	5,222.	6,267.
	File/File	24"	24"	64"	RC623M () () ()	3,020.	4,230.	5,019.	6,023.



Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 525 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2" planning

Freestanding Multifunction Cabinets

49", 64" and 72" high metal interiors

description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 72"h	Box/Box/File	24"	24"	72"	RC723N (X)(X)(X)	\$3,371.	\$4,651.	\$5,519.	\$6,622.
	File/File	24"	24"	72"	RC723M (X)(X)(X)	3,173.	4,444.	5,309.	6,370.




Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 525 for keying instructions.	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning
Freestanding Multifunction Cabinets
49", 64" and 72" high wood interiors

description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors	interiors	interiors	interiors
						L	V1	V2	V3
Freestanding multifunctional cabinet, 49"h	Box/Box/File	24"	24"	49"	RC423N () () ()	\$3,618.	\$4,715.	\$5,358.	\$6,429.
	File/File	24"	24"	49"	RC423M () () ()	3,226.	4,316.	4,933.	5,919.



Freestanding multifunctional cabinet, 64"h	Box/Box/File	24"	24"	64"	RC623N () () ()	3,835.	5,053.	5,840.	7,007.
	File/File	24"	24"	64"	RC623M () () ()	3,444.	4,654.	5,444.	6,532.



Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	10. Refer to page 525 for keying instructions.	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning

Freestanding Multifunction Cabinets

49", 64" and 72" high wood interiors

description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors	interiors	interiors	interiors
						L	V1	V2	V3
Freestanding multifunctional cabinet, 72"h	Box/Box/File	24"	24"	72"	RC723N () () ()	\$3,988.	\$5,268.	\$6,136.	\$7,362.
	File/File	24"	24"	72"	RC723M () () ()	3,597.	4,869.	5,731.	6,877.




Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. <i>Hinge location:</i> L = Left hand R = Right hand
C Cabinets	2. Finish type	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. <i>Interior options:</i> W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)
3 30" wide	4. Pull option	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 525 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
N No drilling	10. Keying instructions	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
	*After specifying product code, provide keying instructions.	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 421.
		File drawers include file bars for front to back and side to side filing.
		File drawers do not support bottom loading.
		Applicable finishes are listed on page 5 and 6.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 28³/₈" planning 53" high, metal interiors


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,206.	\$1,580.	\$1,819.	\$2,456.
	30"	20"	53"	RC532DHB () () ()	1,361.	1,785.	2,052.	2,771.
	30"	24"	53"	RC533DHB () () ()	1,535.	2,010.	2,311.	3,121.
	36"	15"	53"	RC561DHB () () ()	1,339.	1,754.	2,020.	2,726.
	36"	20"	53"	RC562DHB () () ()	1,510.	1,980.	2,278.	3,076.
	36"	24"	53"	RC563DHB () () ()	1,700.	2,231.	2,565.	3,462.



Interior shelves painted metal

description	w	d	h	pattern no.	L	V1	V2	V3
4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () () L ()	2,073.	2,718.	3,125.	4,219.
	30"	24"	53"	RC533DHF () () () L ()	2,288.	2,996.	3,446.	4,655.
	36"	20"	53"	RC562DHF () () () L ()	2,629.	3,443.	3,961.	5,348.
	36"	24"	53"	RC563DHF () () () L ()	2,902.	3,805.	4,375.	5,908.




Drawer interiors painted metal

Order Code	Specification Information	Application Notes
Example: RC531DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.</p> <p>53" nominal height - actual height 52.625"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p>
R Reff		
C Cabinet		
5 53" h (nominal)		
3 30" w (nominal)		
1 15" d (nominal)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple		
	<p>1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</p> <p>2. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p>3. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>4. <i>Lock option (where applicable)</i> Drawers always lock drilled L = drilled to accept lock</p> <p>5. <i>Cabinet finish</i></p> <p>6. <i>Optional pull finish (where applicable)</i></p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Applicable finishes are listed on page 5 and 6.</p>	


Cabinets, 28³/₈" planning 53" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,352.	\$1,774.	\$2,034.	\$2,745.
	30"	20"	53"	RC532DHB () () ()	1,505.	1,975.	2,271.	3,065.
	30"	24"	53"	RC533DHB () () ()	1,679.	2,202.	2,531.	3,417.
	36"	15"	53"	RC561DHB () () ()	1,485.	1,946.	2,239.	3,022.
	36"	20"	53"	RC562DHB () () ()	1,656.	2,172.	2,498.	3,371.
	36"	24"	53"	RC563DHB () () ()	1,846.	2,421.	2,784.	3,757.



description	w	d	h	pattern no.	L	V1	V2	V3
4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () () L ()	2,217.	2,907.	3,342.	4,512.
	30"	24"	53"	RC533DHF () () () L ()	2,435.	3,193.	3,667.	4,950.
	36"	20"	53"	RC562DHF () () () L ()	2,772.	3,633.	4,178.	5,639.
	36"	24"	53"	RC563DHF () () () L ()	3,047.	3,991.	4,592.	6,199.





Cabinetry

Order Code	Specification Information	Application Notes
Example: RC531DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	4. <i>Lock option (where applicable)</i> Drawers always lock drilled L = drilled to accept lock	
C Cabinet	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	53" nominal height - actual height 52.625"
5 53" h (nominal)	2. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
3 30" w (nominal)	3. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
1 15" d (nominal)		File drawers include file bars for front to back and side to side filing.
DH Desk height		File drawers support bottom loading.
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		

Cabinets, 28³/₈" planning 72" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase (for desk height planning)	30"	20"	72"	RC7232DHB () ()	\$1,844.	\$2,418.	\$2,782.	\$3,756.
	30"	24"	72"	RC7233DHB () ()	2,045.	2,678.	3,082.	4,161.
	36"	20"	72"	RC7262DHB () ()	2,087.	2,735.	3,146.	4,247.
	36"	24"	72"	RC7263DHB () ()	2,288.	2,996.	3,446.	4,655.
 Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () ()	3,029.	3,970.	4,567.	6,164.
	30"	24"	72"	RC7233DHFH () () () ()	3,366.	4,345.	5,072.	6,846.
	36"	20"	72"	RC7262DHFH () () () ()	3,346.	4,385.	5,041.	6,806.
	36"	24"	72"	RC7263DHFH () () () ()	3,714.	4,870.	5,627.	7,558.

Order Code

Example:	RC732DHB(2)(M)(V316)
R	Reff
C	Cabinet
72	72" h (nominal)
3	30" w (nominal)
2	20" d (nominal)
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information


- To order please specify pattern number including:*
- Hinge location (where applicable)*
L = left hand
R = right hand
 - Finish type*
L = laminate
1 = V1
2 = V2
3 = V3
 - Interior Option*
M = metal (metal shelves or metal drawers)
(If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
 - Pull Option (where applicable)*
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
R = Cylinder
T = Tab
F = Bar
H = Out Line
 - Lock option (where applicable)*
Optional hinged door configurations only
Drawers always lock drilled
L = drilled to accept lock
N = no drilling

Application Notes

- Cabinet finish*
 - Optional pull finish where applicable*
- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
- Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.
- Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**
- Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
- File drawers include file bars for front to back and side to side filing.
- File drawers support bottom loading.
- Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.

Cabinets, 28³/₈" planning 72" high, metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () ()	\$2,201.	\$2,882.	\$3,318.	\$4,477.
	16"	24"	72"	RC7213DHGH(L/R) () () ()	2,412.	3,199.	3,679.	4,966.
	30"	20"	72"	RC7232DHGH () () ()	2,793.	3,664.	4,211.	5,686.
	30"	24"	72"	RC7233DHGH () () ()	3,072.	4,026.	4,628.	6,249.
	36"	20"	72"	RC7262DHGH () () ()	3,034.	3,976.	4,574.	6,175.
	36"	24"	72"	RC7263DHGH () () ()	3,314.	4,344.	4,994.	6,742.



Order Code

Example:	RC732DHB(2)(M)(V316)
R	Reff
C	Cabinet
72	72" h (nominal)
3	30" w (nominal)
2	20" d (nominal)
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

- To order please specify pattern number including:
- Hinge location (where applicable)**
L = left hand
R = right hand
 - Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
 - Interior Option**
M = metal (metal shelves or metal drawers)
(If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
 - Pull Option (where applicable)**
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
R = Cylinder
T = Tab
F = Bar
H = Out Line
 - Lock option (where applicable)**
Optional hinged door configurations only
Drawers always lock drilled
L = drilled to accept lock
N = no drilling

Application Notes


- Cabinet finish**
 - Optional pull finish where applicable**

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
- Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.
- Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**
- Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
- File drawers include file bars for front to back and side to side filing.
- File drawers support bottom loading.
- Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.

Cabinets, 28³/₈" planning 72" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) () () ()	\$2,983.	\$3,908.	\$4,498.	\$6,071.
	30"	24"	72"	RC7233DHEH(L/R) () () ()	3,336.	4,371.	5,029.	6,789.
	36"	20"	72"	RC7262DHEH(L/R) () () ()	3,270.	4,285.	4,928.	6,651.
	36"	24"	72"	RC7263DHEH(L/R) () () ()	3,649.	4,790.	5,503.	7,430.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	6. <i>Cabinet finish</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	7. <i>Optional pull finish where applicable</i>	
72 72" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
2 20" d (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	File drawers include file bars for front to back and side to side filing.
B Open bookcase	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers support bottom loading.
2 Finish type, V2		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.
M Interior option, metal		
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 72" high, wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Open bookcase (for desk height planning)	30"	20"	72"	RC7232DHB () ()	\$1,982.	\$2,599.	\$2,988.	\$4,033.
	30"	24"	72"	RC7233DHB () ()	2,182.	2,861.	3,289.	4,440.
	36"	20"	72"	RC7262DHB () ()	2,226.	2,917.	3,354.	4,527.
	36"	24"	72"	RC7263DHB () ()	2,425.	3,179.	3,654.	4,935.



Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () ()	3,167.	4,150.	4,772.	6,442.
	30"	24"	72"	RC7233DHFH () () () ()	3,504.	4,592.	5,279.	7,126.
	36"	20"	72"	RC7262DHFH () () () ()	3,484.	4,569.	5,265.	7,108.
	36"	24"	72"	RC7263DHFH () () () ()	3,851.	5,049.	5,809.	7,843.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () ()	2,340.	3,066.	3,526.	4,759.
	16"	24"	72"	RC7213DHGH(L/R) () () ()	2,579.	3,379.	3,886.	5,246.
	30"	20"	72"	RC7232DHGH () () ()	2,933.	3,841.	4,419.	5,966.
	30"	24"	72"	RC7233DHGH () () ()	3,209.	4,208.	4,837.	6,531.
	36"	20"	72"	RC7262DHGH () () ()	3,173.	4,158.	4,782.	6,456.
	36"	24"	72"	RC7263DHGH () () ()	3,454.	4,526.	5,205.	7,026.




Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
C Cabinet	7. <i>Optional pull finish where applicable</i>	File drawers include file bars for front to back and side to side filing.
72 72" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	File drawers support bottom loading.
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.
2 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
B Open bookcase	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 72" high, wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	24"	72"	RC7233DHEH(L/R)() () () ()	\$3,473.	\$4,554.	\$5,237.	\$7,069.
	36"	20"	72"	RC7262DHEH(L/R)() () () ()	3,408.	4,466.	5,138.	6,936.
	36"	24"	72"	RC7263DHEH(L/R)() () () ()	3,790.	4,968.	5,714.	7,714.



Left hand shown

Requires one lock core per cabinet.
Shelves painted metal

Wardrobe cabinet (for desk height planning)	16"	20"	72"	RC7212DHDH(L/R)() () () ()	1,750.	2,295.	2,639.	3,563.
	16"	24"	72"	RC7213DHDH(L/R)() () () ()	1,926.	2,525.	2,903.	3,918.
	19" **	20"	72"	RC7222DHDH(L/R)() () () ()	2,123.	3,184.	3,662.	4,761.
	19" **	24"	72"	RC7223DHDH(L/R)() () () ()	2,193.	3,290.	3,783.	4,917.
	30"	20"	72"	RC7232DHDH() () () ()	2,204.	2,889.	3,321.	4,483.
	30"	24"	72"	RC7233DHDH() () () ()	2,422.	3,174.	3,650.	4,930.
	36"	20"	72"	RC7262DHDH() () () ()	2,423.	3,177.	3,653.	4,934.
	36"	24"	72"	RC7263DHDH() () () ()	2,664.	3,492.	4,016.	5,421.



Requires one lock core per cabinet.
Order coat rod and boot tray from accessories
** 19"W wardrobe cabinets includes coat rod


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.</p>
R Reff	6. <i>Cabinet finish</i>	
C Cabinet	7. <i>Optional pull finish where applicable</i>	
72 72" h (nominal)	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525.	
3 30" w (nominal)	Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
2 20" d (nominal)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
DH Desk height	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		
	<ol style="list-style-type: none"> <i>Hinge location (where applicable)</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer) <i>Pull Option (where applicable) optional</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling 	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, metal interiors


Reff Profiles

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$2,019.	\$2,644.	\$3,042.	\$4,108.
	30"	24"	75"	RC733DHB () () () ()	2,237.	2,930.	3,370.	4,551.
	36"	20"	75"	RC762DHB () () () ()	2,284.	2,992.	3,441.	4,645.
	36"	24"	75"	RC763DHB () () () ()	2,502.	3,281.	3,772.	5,091.



Shelves painted metal

Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () ()	3,264.	4,272.	4,920.	6,640.
	30"	24"	75"	RC733DHE(L/R) () () () () ()	3,648.	4,782.	5,503.	7,429.
	36"	20"	75"	RC762DHE(L/R) () () () () ()	3,578.	4,691.	5,391.	7,278.
	36"	24"	75"	RC763DHE(L/R) () () () () ()	3,991.	5,240.	6,020.	8,127.



Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
7 75" h (nominal)		
3 30" w (nominal)		
2 20" d (nominal)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple		
	<ol style="list-style-type: none"> <i>Hinge location (where applicable)</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling <i>Cabinet finish</i> <i>Optional pull finish where applicable</i> <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above 	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.</p> <p>These 75" cabinets are intended to be used with the overdesk units only.</p>
Applicable finishes are listed on page 5 and 6.	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>*Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>	

Cabinets, 28³/₈" planning 75" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () (L) () () ()	\$2,408.	\$3,155.	\$3,630.	\$4,901.
	16"	24"	75"	RC713DHG(L/R) () () (L) () () ()	2,639.	3,498.	4,023.	5,433.
	30"	20"	75"	RC732DHG () () (L) () () ()	3,058.	4,008.	4,606.	6,219.
	30"	24"	75"	RC733DHG () () (L) () () ()	3,363.	4,404.	5,067.	6,839.
	36"	20"	75"	RC762DHG () () (L) () () ()	3,319.	4,350.	5,005.	6,757.
	36"	24"	75"	RC763DHG () () (L) () () ()	3,626.	4,751.	5,465.	7,379.




Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration. 75" nominal height - actual height 75.125" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421. These 75" cabinets are intended to be used with the overdesk units only.
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
7 75" h (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
DH Desk height	6. <i>Cabinet finish</i>	
B Open bookcase	7. <i>Optional pull finish where applicable</i>	
2 Finish type, V2	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
M Interior option, metal	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
V316 Finish, light maple	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. *Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () ()	\$2,961.	\$3,886.	\$4,486.	\$6,054.
	30"	24"	75"	RC733DHK () () L () ()	3,266.	4,282.	4,943.	6,673.
	36"	20"	75"	RC762DHK () () L () ()	3,222.	4,227.	4,883.	6,592.
	36"	24"	75"	RC763DHK () () L () ()	3,529.	4,630.	5,344.	7,213.




Requires one lock core per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
7 75" h (nominal)		
3 30" w (nominal)		
2 20" d (nominal)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple		
	<ol style="list-style-type: none"> <i>Hinge location (where applicable)</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling 	<ol style="list-style-type: none"> <i>Cabinet finish</i> <i>Optional pull finish where applicable</i> <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>*Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>
		<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.</p> <p>These 75" cabinets are intended to be used with the overdesk units only.</p>

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () L () () ()	\$3,315.	\$4,342.	\$4,997.	\$6,744.
	30"	24"	75"	RC733DHF () () L () () ()	3,681.	4,823.	5,549.	7,491.
	36"	20"	75"	RC762DHF () () L () () ()	3,661.	4,799.	5,518.	7,450.
	36"	24"	75"	RC763DHF () () L () () ()	4,065.	5,326.	6,126.	8,271.



Requires two lock cores per cabinet
Drawer interiors painted black metal



Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
7 75" h (nominal)		
3 30" w (nominal)		
2 20" d (nominal)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple		
	<p>1. <i>Hinge location (where applicable)</i> L = left hand R = right hand</p> <p>2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</p> <p>3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p>4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling</p> <p>6. <i>Cabinet finish</i></p> <p>7. <i>Optional pull finish where applicable</i></p> <p>8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d</p> <p>9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>*Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.</p> <p>These 75" cabinets are intended to be used with the overdesk units only.</p>

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$2,169.	\$2,841.	\$3,268.	\$4,413.
	30"	24"	75"	RC733DHB () () () ()	2,388.	3,129.	3,599.	4,856.
	36"	20"	75"	RC762DHB () () () ()	2,436.	3,192.	3,671.	4,954.
	36"	24"	75"	RC763DHB () () () ()	2,653.	3,479.	4,001.	5,400.
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () ()	3,414.	4,473.	5,145.	6,946.
	30"	24"	75"	RC733DHE(L/R) () () () () ()	3,801.	4,983.	5,730.	7,736.
	36"	20"	75"	RC762DHE(L/R) () () () () ()	3,730.	4,886.	5,621.	7,588.
	36"	24"	75"	RC763DHE(L/R) () () () () ()	4,147.	5,438.	6,252.	8,440.



Requires one lock core per cabinet

Left hand shown


Cabinetry

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	75" nominal height - actual height 75.125"
C Cabinet	7. <i>Optional pull finish where applicable</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
7 75" h (nominal)	8. <i>Optional drilling to support workwall, left side</i>	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	File drawers support bottom loading.
2 20" d (nominal)	9. <i>Optional drilling to support workwall, right side</i>	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.
DH Desk height	*drilling options same as #8 above	These 75" cabinets are intended to be used with the overdesk units only.
B Open bookcase	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
2 Finish type, V2	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
W Interior option, wood	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
V316 Finish, light maple	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () (L) () () ()	\$2,560.	\$3,353.	\$3,856.	\$5,207.
	16"	24"	75"	RC713DHG(L/R) () () (L) () () ()	2,822.	3,697.	4,252.	5,741.
	30"	20"	75"	RC732DHG () () (L) () () ()	3,209.	4,201.	4,835.	6,526.
	30"	24"	75"	RC733DHG () () (L) () () ()	3,512.	4,603.	5,293.	7,145.
	36"	20"	75"	RC762DHG () () (L) () () ()	3,471.	4,550.	5,231.	7,062.
	36"	24"	75"	RC763DHG () () (L) () () ()	3,777.	4,951.	5,694.	7,688.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
7 75" h (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	75" nominal height - actual height 75.125"
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers include file bars for front to back and side to side filing.
DH Desk height	6. <i>Cabinet finish</i>	File drawers support bottom loading.
B Open bookcase	7. <i>Optional pull finish where applicable</i>	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.
2 Finish type, V2	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	These 75" cabinets are intended to be used with the overdesk units only.
W Interior option, wood	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
V316 Finish, light maple	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. *Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () ()	\$3,113.	\$4,081.	\$4,711.	\$6,360.
	30"	24"	75"	RC733DHK () () L () ()	3,417.	4,479.	5,172.	6,981.
	36"	20"	75"	RC762DHK () () L () ()	3,374.	4,427.	5,111.	6,901.
	36"	24"	75"	RC763DHK () () L () ()	3,680.	4,829.	5,571.	7,521.




Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	6. <i>Cabinet finish</i>
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	7. <i>Optional pull finish where applicable</i>
7 75" h (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. *Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
DH Desk height		Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
B Open bookcase		75" nominal height - actual height 75.125"
2 Finish type, V2		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
W Interior option, wood		File drawers include file bars for front to back and side to side filing.
V316 Finish, light maple		File drawers support bottom loading.
		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.
		These 75" cabinets are intended to be used with the overdesk units only.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () L () () ()	\$3,467.	\$4,540.	\$5,223.	\$7,051.
	30"	24"	75"	RC733DHF () () L () () ()	3,835.	5,025.	5,777.	7,798.
	36"	20"	75"	RC762DHF () () L () () ()	3,813.	4,998.	5,764.	7,782.
	36"	24"	75"	RC763DHF () () L () () ()	4,215.	5,522.	6,357.	8,582.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	75" nominal height - actual height 75.125"
C Cabinet	7. <i>Optional pull finish where applicable</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
7 75" h (nominal)	8. <i>Optional drilling to support workwall, left side</i>	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	File drawers support bottom loading.
2 20" d (nominal)	9. <i>Optional drilling to support workwall, right side</i>	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.
DH Desk height	*drilling options same as #8 above	These 75" cabinets are intended to be used with the overdesk units only.
B Open bookcase	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
2 Finish type, V2	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
W Interior option, wood	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
V316 Finish, light maple	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet with hinged doors for coat rod and boot tray	30"	20"	75"	RC732DHD () W () () ()	\$2,411.	\$3,161.	\$3,633.	\$4,905.
	30"	24"	75"	RC733DHD () W () () ()	2,650.	3,473.	3,993.	5,393.
	36"	20"	75"	RC762DHD () W () () ()	2,651.	3,475.	3,996.	5,398.
	36"	24"	75"	RC763DHD () W () () ()	2,914.	3,821.	4,394.	5,931.



Requires one lock core per cabinet

Cabinetry


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
7 75" h (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	75" nominal height - actual height 75.125"
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers include file bars for front to back and side to side filing.
DH Desk height	6. <i>Cabinet finish</i>	File drawers support bottom loading.
B Open bookcase	7. <i>Optional pull finish where applicable</i>	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.
2 Finish type, V2	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	These 75" cabinets are intended to be used with the overdesk units only.
W Interior option, wood	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
V316 Finish, light maple	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. *Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Applicable finishes are listed on page 5 and 6.


Cabinets, 28³/₈" planning 86" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF () () () () ()	\$3,646.	\$4,777.	\$5,496.	\$7,418.
	30"	24"	86"	RC833DHF () () () () ()	4,049.	5,306.	6,104.	8,240.
	36"	20"	86"	RC862DHF () () () () ()	4,027.	5,279.	6,070.	8,195.



Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG () ()	3,364.	4,407.	5,067.	6,842.
	30"	24"	86"	RC833DHG () ()	3,699.	4,845.	5,573.	7,522.
	36"	20"	86"	RC862DHG () ()	3,650.	4,784.	5,504.	7,434.
	36"	24"	86"	RC863DHG () ()	3,988.	5,227.	6,011.	8,117.



Order Code

Example:	RC732DHB(2)(M)(V316)
R	Reff
C	Cabinet
8	86" h (nominal)
3	30" w (nominal)
2	20" d (nominal)
DH	Desk height
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

- To order please specify pattern number including:*
- Hinge location (where applicable)*
L = left hand
R = right hand
 - Finish type*
L = laminate
1 = V1
2 = V2
3 = V3
 - Interior Option*
M = metal (metal shelves or metal drawers)
(If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
 - Pull Option (where applicable)*
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
R = Cylinder
T = Tab
F = Bar
H = Out Line
 - Lock option (where applicable)*
Optional hinged door configurations only
Drawers always lock drilled
L = drilled to accept lock
N = no drilling

Application Notes

- Cabinet finish*
- Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

86" nominal height - actual height 85.500"

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.


File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.


Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.

Cabinets, 28³/₈" planning 86" high, metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK () ()	\$3,257.	\$4,275.	\$4,934.	\$6,660.
	30"	24"	86"	RC833DHK () ()	3,593.	4,709.	5,438.	7,341.
	36"	20"	86"	RC862DHK () ()	3,544.	4,650.	5,371.	7,251.
	36"	24"	86"	RC863DHK () ()	3,882.	5,092.	5,878.	7,935.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO () ()	3,469.	4,600.	5,319.	7,241.
	30"	24"	86"	RC833DHO () ()	3,873.	5,128.	5,927.	8,064.
	36"	20"	86"	RC862DHO () ()	3,850.	5,102.	5,893.	8,018.
	36"	24"	86"	RC863DHO () ()	4,295.	5,681.	6,562.	8,921.



Order Code	
Example:	RC732DHB(2)(M)(V316)
R	Reff
C	Cabinet
8	86" h (nominal)
3	30" w (nominal)
2	20" d (nominal)
DH	Desk height
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Specification Information

- To order please specify pattern number including:
- Hinge location (where applicable)**
L = left hand
R = right hand
 - Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
 - Interior Option**
M = metal (metal shelves or metal drawers)
(If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
 - Pull Option (where applicable)**
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
R = Cylinder
T = Tab
F = Bar
H = Out Line
 - Lock option (where applicable)**
Optional hinged door configurations only
Drawers always lock drilled
L = drilled to accept lock
N = no drilling

- Cabinet finish**
- Optional pull finish where applicable**

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

86" nominal height - actual height 85.500"

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.


File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 86" high, metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () ()	\$3,394.	\$4,452.	\$5,114.	\$6,905.
	30"	24"	86"	RC833DHEH(L/R)() () () ()	3,762.	4,935.	5,670.	7,656.
	36"	20"	86"	RC862DHEH(L/R)() () () ()	3,695.	4,844.	5,567.	7,517.
	36"	24"	86"	RC863DHEH(L/R)() () () ()	4,092.	5,366.	6,168.	8,328.




Left hand shown

Order Code	Specification Information	Application Notes
<p>Example: RC732DHB(2)(M)(V316)</p> <p>R Reff</p> <p>C Cabinet</p> <p>8 86" h (nominal)</p> <p>3 30" w (nominal)</p> <p>2 20" d (nominal)</p> <p>DH Desk height</p> <p>2 Finish type, V2</p> <p>M Interior option, metal</p> <p>V316 Finish, light maple</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Hinge location (where applicable) <ul style="list-style-type: none"> L = left hand R = right hand Finish type <ul style="list-style-type: none"> L = laminate 1 = V1 2 = V2 3 = V3 Interior Option <ul style="list-style-type: none"> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) Pull Option (where applicable) <ul style="list-style-type: none"> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line Lock option (where applicable) <ul style="list-style-type: none"> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling 	<p>6. Cabinet finish</p> <p>7. Optional pull finish where applicable</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525.</p> <p>Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>86" nominal height - actual height 85.500"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.</p>


Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 86" high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF () () () () ()	\$3,813.	\$4,993.	\$5,746.	\$7,757.
	30"	24"	86"	RC833DHF () () () () ()	4,218.	5,527.	6,355.	8,579.
	36"	20"	86"	RC862DHF () () () () ()	4,194.	5,497.	6,340.	8,559.



Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG () ()	3,530.	4,623.	5,319.	7,179.
	30"	24"	86"	RC833DHG () ()	3,864.	5,063.	5,823.	7,860.
	36"	20"	86"	RC862DHG () ()	3,817.	5,005.	5,754.	7,768.
	36"	24"	86"	RC863DHG () ()	4,155.	5,446.	6,263.	8,456.




Order Code	Specification Information	Application Notes
<p>Example: RC832DHB(2)(W)(V316)</p> <p>R Reff</p> <p>C Cabinet</p> <p>8 86" h (nominal)</p> <p>3 30" w (nominal)</p> <p>2 20" d (nominal)</p> <p>DH Desk height</p> <p>2 Finish type, V2</p> <p>W Interior option, wood</p> <p>V316 Finish, light maple</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Hinge location (where applicable) L = left hand R = right hand Finish type L = laminate 1 = V1 2 = V2 3 = V3 Interior Option W = wood (shelves match case finish and drawer interiors cherry veneer) Pull Option (where applicable) optional) D = metal D-pull (finish matches case) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line Lock option (where applicable) Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling 	<p>6. Cabinet finish</p> <p>7. Optional pull finish where applicable</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>86" nominal height - actual height 85.500"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.</p>

Applicable finishes are listed on page 5 and 6.


Cabinets, 28³/₈" planning 86" high, wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK() ()	\$3,424.	\$4,489.	\$5,183.	\$6,997.
	30"	24"	86"	RC833DHK() ()	3,757.	4,928.	5,690.	7,681.
	36"	20"	86"	RC862DHK() ()	3,711.	4,871.	5,622.	7,591.
	36"	24"	86"	RC863DHK() ()	4,048.	5,312.	6,129.	8,274.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO() ()	3,652.	4,833.	5,586.	7,595.
	30"	24"	86"	RC833DHO() ()	4,057.	5,366.	6,193.	8,417.
	36"	20"	86"	RC862DHO() ()	4,033.	5,336.	6,179.	8,399.
	36"	24"	86"	RC863DHO() ()	4,475.	5,913.	6,831.	9,279.



Cabinet, with shelving	30"	20"	86"	RC832DHB() ()	2,373.	3,125.	3,596.	5,294.
	30"	24"	86"	RC833DHB() ()	2,628.	3,443.	3,958.	5,828.
	36"	20"	86"	RC862DHB() ()	2,680.	3,510.	4,038.	5,945.
	36"	24"	86"	RC863DHB() ()	2,918.	3,827.	4,400.	6,481.




Order Code	Specification Information	Application Notes
<p>Example: RC832DHB(2)(W)(V316)</p> <p>R Reff</p> <p>C Cabinet</p> <p>8 86" h (nominal)</p> <p>3 30" w (nominal)</p> <p>2 20" d (nominal)</p> <p>DH Desk height</p> <p>2 Finish type, V2</p> <p>W Interior option, wood</p> <p>V316 Finish, light maple</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Hinge location (where applicable) <ul style="list-style-type: none"> L = left hand R = right hand Finish type <ul style="list-style-type: none"> L = laminate 1 = V1 2 = V2 3 = V3 Interior Option <ul style="list-style-type: none"> W = wood (shelves match case finish and drawer interiors cherry veneer) Pull Option (where applicable) optional) <ul style="list-style-type: none"> D = metal D-pull (finish matches case) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line Lock option (where applicable) <ul style="list-style-type: none"> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling 	<p>6. Cabinet finish</p> <p>7. Optional pull finish where applicable</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.</p> <p>86" nominal height - actual height 85.500"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.</p>

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 86" high, wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () () ()	\$3,576.	\$4,688.	\$5,391.	\$7,277.
	30"	24"	86"	RC833DHEH(L/R)() () () () ()	3,981.	5,219.	6,002.	8,102.
	36"	20"	86"	RC862DHEH(L/R)() () () () ()	3,907.	5,119.	5,889.	7,950.
	36"	24"	86"	RC863DHEH(L/R)() () () () ()	4,345.	5,694.	6,550.	8,842.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, wardrobe (for desk height planning)	16"	20"	86"	RC812DHDH(L/R)() () () () ()	2,361.	3,541.	4,073.	5,294.
	16"	24"	86"	RC813DHDH(L/R)() () () () ()	2,447.	3,671.	4,221.	5,488.
	19"	20"	86"	RC822DHDH(L/R)() () () () ()	2,453.	3,681.	4,233.	5,503.
	19"	24"	86"	RC823DHDH(L/R)() () () () ()	2,542.	3,813.	4,385.	5,700.
	30"	20"	86"	RC832DHDH() () () () ()	2,804.	4,205.	4,837.	6,288.
	30"	24"	86"	RC833DHDH() () () () ()	2,900.	4,350.	5,003.	6,503.
	36"	20"	86"	RC862DHDH() () () () ()	3,023.	4,534.	5,214.	6,778.
	36"	24"	86"	RC863DHDH() () () () ()	3,127.	4,692.	5,395.	7,013.







Requires one lock core per cabinet.
Coat rod included. Order boot tray from accessories

Order Code	Specification Information	Application Notes
Example: RC832DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>86" nominal height - actual height 85.500"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 421.</p>
R Reff	6. <i>Cabinet finish</i>	
C Cabinet	7. <i>Optional pull finish where applicable</i>	
8 86" h (nominal)	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 525.	
3 30" w (nominal)	Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
2 20" d (nominal)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
DH Desk height	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		
	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 49" high, metal interior
 28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)M () () () () ()	\$1,790.	\$1,968.	\$2,058.	\$2,148.	\$2,719.	\$3,127.	\$4,064.
	24"	18"	49"	RCFS4913C(L/R)M () () () () ()	1,844.	2,028.	2,120.	2,212.	2,812.	3,234.	4,204.
Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)M () () () () ()	2,306.	2,537.	2,651.	2,767.	3,459.	3,978.	5,171.
	24"	18"	49"	RCFS4913Y(L/R)M () () () () ()	2,379.	2,617.	2,737.	2,855.	3,569.	4,105.	5,336.
Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)M () () () () ()	2,382.	2,620.	2,740.	2,859.	3,574.	4,110.	5,343.
	24"	18"	49"	RCFS4913Z(L/R)M () () () () ()	2,460.	2,706.	2,829.	2,952.	3,690.	4,336.	5,517.
Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)M () () () () ()	2,141.	2,356.	2,463.	2,570.	3,324.	3,822.	4,970.
	24"	24"	49"	RCFS4933V(L/R)M () () () () ()	2,208.	2,429.	2,539.	2,650.	3,449.	3,968.	5,157.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
49 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 49" high, metal interior
 28³/₈" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)M () () () () ()	\$2,475.	\$2,722.	\$2,846.	\$2,969.	\$3,834.	\$4,409.	\$5,732.
	24"	24"	49"	RCFS4933W(L/R)M () () () () ()	2,547.	2,802.	2,929.	3,057.	3,969.	4,564.	5,933.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)M () () () () ()	2,631.	2,894.	3,025.	3,157.	3,998.	4,598.	5,977.
	24"	24"	49"	RCFS4933X(L/R)M () () () () ()	2,709.	2,980.	3,115.	3,251.	4,139.	4,759.	6,186.





Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
49 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish L, V1, V2, V3	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	6. Door finish L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior		These products are Glue and Dowel Construction
N Lock		Grommet pulls only
S Lock finish		Shelves and File Front will default to the case finish
G Pull option		49" h cabinets are compatible with panel height.
115 Pull finish option		When case finish is Laminate, shelves are painted to match.
114 Case finish		When case finish is wood, shelves are painted black.
115 Door finish		Drawer interiors always painted black.
		Cabinets with wardrobe come with a coat rod.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 64" high, metal interior
 28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	64"	RCFS6412C(L/R)M () () () () ()	\$1,944.	\$2,137.	\$2,235.	\$2,332.	\$2,976.	\$3,423.	\$4,449.
	24"	18"	64"	RCFS6413C(L/R)M () () () () ()	2,011.	2,211.	2,312.	2,412.	3,108.	3,574.	4,646.

Cabinets, hinge door with shelves&File/File 	20"	18"	64"	RCFS6412Y(L/R)M () () () () ()	2,483.	2,732.	2,856.	2,980.	3,726.	4,284.	5,569.
	24"	18"	64"	RCFS6413Y(L/R)M () () () () ()	2,621.	2,884.	3,015.	3,147.	3,933.	4,523.	5,879.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	64"	RCFS6412Z(L/R)M () () () () ()	2,561.	2,817.	2,945.	3,072.	3,841.	4,417.	5,742.
	24"	18"	64"	RCFS6413Z(L/R)M () () () () ()	2,703.	2,973.	3,108.	3,243.	4,054.	4,662.	6,061.

Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 64" high, metal interior
 28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)M () () () () ()	\$2,312.	\$2,544.	\$2,659.	\$2,776.	\$3,648.	\$4,196.	\$5,455.
	24"	24"	64"	RCFS6433V(L/R)M () () () () ()	2,396.	2,636.	2,755.	2,875.	3,826.	4,401.	5,721.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)M () () () () ()	2,646.	2,911.	3,043.	3,175.	4,158.	4,782.	6,217.
	24"	24"	64"	RCFS6433W(L/R)M () () () () ()	2,806.	3,086.	3,227.	3,367.	4,411.	5,074.	6,596.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)M () () () () ()	2,803.	3,083.	3,223.	3,363.	4,323.	4,971.	6,462.
	24"	24"	64"	RCFS6433X(L/R)M () () () () ()	2,967.	3,264.	3,412.	3,561.	4,581.	5,268.	6,848.





Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	These products are Glue and Dowel Construction
N Lock	Paint / Plated	Grommet pulls only
S Lock finish	5. Case finish	Shelves and file front will default to the case finish
G Pull option	L, V1, V2, V3	No wardrobe option in the 18" w cabinets.
115 Pull finish option	6. Door finish	64" h cabinets are compatible with panel heights.
114 Case finish	L, V1, V2, V3	When case finish is Laminate, shelves are painted to match.
115 Door finish		When case finish is wood, shelves are painted black.
		Drawer interiors always painted black.
		Cabinets with wardrobe come with a coat rod.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 68" high, metal interior
 28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	68"	RCFS6812C(L/R)M () () () () ()	\$1,965.	\$2,162.	\$2,261.	\$2,359.	\$3,046.	\$3,503.	\$4,554.
	24"	18"	68"	RCFS6813C(L/R)M () () () () ()	2,034.	2,238.	2,340.	2,441.	3,170.	3,646.	4,740.

Cabinets, hinge door with shelves&File/File 	20"	18"	68"	RCFS6812Y(L/R)M () () () () ()	2,536.	2,790.	2,917.	3,044.	3,805.	4,375.	5,688.
	24"	18"	68"	RCFS6813Y(L/R)M () () () () ()	2,670.	2,938.	3,070.	3,204.	4,005.	4,606.	5,987.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	68"	RCFS6812Z(L/R)M () () () () ()	2,613.	2,875.	3,006.	3,136.	3,920.	4,508.	5,861.
	24"	18"	68"	RCFS6813Z(L/R)M () () () () ()	2,751.	3,026.	3,163.	3,301.	4,126.	4,745.	6,169.

Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
68 Height	S=Silver	V = all shelves for 24" w cabinets
1 18" Wide	B=Black	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	3. Pull options Grommet	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	4. Pull finish Paint / Plated	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	5. Case finish	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	L, V1, V2, V3	
L Lock	6. Door finish	
S Lock finish	L, V1, V2, V3	
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68" high, metal interior
28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)M () () () () ()	\$2,342.	\$2,576.	\$2,693.	\$2,810.	\$3,739.	\$4,300.	\$5,590.
	24"	24"	68"	RCFS6833V(L/R)M () () () () ()	2,427.	2,670.	2,791.	2,912.	3,914.	4,501.	5,851.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)M () () () () ()	2,685.	2,954.	3,088.	3,222.	4,275.	4,916.	6,391.
	24"	24"	68"	RCFS6833W(L/R)M () () () () ()	2,847.	3,131.	3,274.	3,417.	4,508.	5,185.	6,740.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)M () () () () ()	2,841.	3,125.	3,267.	3,409.	4,423.	5,086.	6,612.
	24"	24"	68"	RCFS6833X(L/R)M () () () () ()	3,009.	3,309.	3,460.	3,610.	4,678.	5,380.	6,994.





Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
68 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish L, V1, V2, V3	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	6. Door finish L, V1,V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior		These products are Glue and Dowel Construction
L Lock		Grommet pulls only.
S Lock finish		Shelves and files front will default to the case finish.
G Pull option		68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
115 Pull finish option		No wardrobe options for 18" w cabinets.
114 Case finish		When case finish is Laminate, shelves are painted to match.
115 Door finish		When case finish is wood, shelves are painted black.
		Drawer interiors always painted black.
		Cabinets with wardrobe come with coat rod.


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 49" high, wood interior
 28³/₈" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)W () () () () ()	\$1,927.	\$2,120.	\$2,216.	\$2,312.	\$3,213.	\$3,695.	\$4,804.
	24"	18"	49"	RCFS4913C(L/R)W () () () () ()	1,971.	2,168.	2,267.	2,365.	3,314.	3,811.	4,954.

Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)W () () () () ()	2,765.	3,042.	3,180.	3,318.	4,147.	4,769.	6,200.
	24"	18"	49"	RCFS4913Y(L/R)W () () () () ()	2,806.	3,086.	3,226.	3,366.	4,208.	4,839.	6,291.

Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)W () () () () ()	3,205.	3,526.	3,686.	3,846.	4,488.	5,160.	6,708.
	24"	18"	49"	RCFS4913Z(L/R)W () () () () ()	3,277.	3,605.	3,769.	3,933.	4,588.	5,276.	6,859.


Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)W () () () () ()	2,272.	2,500.	2,613.	2,726.	3,803.	4,372.	5,685.
	24"	24"	49"	RCFS4933V(L/R)W () () () () ()	2,331.	2,564.	2,680.	2,796.	3,936.	4,527.	5,884.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
49 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 49" high, wood interior
 28³/₈" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)W() () () () () ()	\$3,079.	\$3,387.	\$3,540.	\$3,695.	\$4,518.	\$5,195.	\$6,754.
	24"	24"	49"	RCFS4933W(L/R)W() () () () () ()	3,086.	3,394.	3,548.	3,703.	4,596.	5,285.	6,871.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)W() () () () () ()	3,476.	3,823.	3,997.	4,170.	4,908.	5,643.	7,337.
	24"	24"	49"	RCFS4933X(L/R)W() () () () () ()	3,524.	3,876.	4,052.	4,228.	5,024.	5,778.	7,512.





Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves		The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 64" high, wood interior
 28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	64"	RCFS6412C(L/R)W (X)(X)(X)(X)(X)	\$2,126.	\$2,338.	\$2,445.	\$2,551.	\$3,635.	\$4,180.	\$5,434.
	24"	18"	64"	RCFS6413C(L/R)W (X)(X)(X)(X)(X)	2,181.	2,399.	2,508.	2,617.	3,776.	4,342.	5,645.

Cabinets, hinge door with shelves&File/File 	20"	18"	64"	RCFS6412Y(L/R)W (X)(X)(X)(X)(X)	3,052.	3,357.	3,509.	3,662.	4,577.	5,264.	6,843.
	24"	18"	64"	RCFS6413Y(L/R)W (X)(X)(X)(X)(X)	3,163.	3,479.	3,638.	3,796.	4,745.	5,457.	7,094.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	64"	RCFS6412Z(L/R)W (X)(X)(X)(X)(X)	3,513.	3,865.	4,041.	4,216.	4,918.	5,657.	7,353.
	24"	18"	64"	RCFS6413Z(L/R)W (X)(X)(X)(X)(X)	3,661.	4,026.	4,210.	4,393.	5,125.	5,894.	7,662.

Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W (X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
64" high, wood interior
28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)W () () () () ()	\$2,487.	\$2,736.	\$2,860.	\$2,985.	\$4,287.	\$4,930.	\$6,409.
	24"	24"	64"	RCFS6433V(L/R)W () () () () ()	2,559.	2,815.	2,943.	3,070.	4,475.	5,146.	6,690.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)W () () () () ()	3,294.	3,623.	3,787.	3,952.	5,002.	5,752.	7,478.
	24"	24"	64"	RCFS6433W(L/R)W () () () () ()	3,385.	3,723.	3,892.	4,061.	5,202.	5,981.	7,775.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)W () () () () ()	3,690.	4,060.	4,245.	4,429.	5,392.	6,201.	8,061.
	24"	24"	64"	RCFS6433X(L/R)W () () () () ()	3,823.	4,205.	4,396.	4,588.	5,630.	6,475.	8,416.




Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68" high wood interior
28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20"	18"	68"	RCFS6812C(L/R)W (X)(X)(X)(X)(X)	\$2,149.	\$2,363.	\$2,471.	\$2,578.	\$3,705.	\$4,260.	\$5,538.
	24"	18"	68"	RCFS6813C(L/R)W (X)(X)(X)(X)(X)	2,205.	2,426.	2,536.	2,646.	3,839.	4,415.	5,739.



Cabinets, hinge door with shelves&File/File	20"	18"	68"	RCFS6812Y(L/R)W (X)(X)(X)(X)(X)	3,104.	3,414.	3,570.	3,726.	4,657.	5,355.	6,962.
	24"	18"	68"	RCFS6813Y(L/R)W (X)(X)(X)(X)(X)	3,212.	3,533.	3,694.	3,854.	4,817.	5,540.	7,202.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	68"	RCFS6812Z(L/R)W (X)(X)(X)(X)(X)	3,570.	3,927.	4,106.	4,284.	4,998.	5,747.	7,472.
	24"	18"	68"	RCFS6813Z(L/R)W (X)(X)(X)(X)(X)	3,712.	4,084.	4,269.	4,455.	5,197.	5,977.	7,770.




Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W (X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
68 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	Grommet	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	4. Pull finish	
L/R Left/Right hinge	Paint / Plated	
W Wood interior	5. Case finish	
L Lock	L, V1, V2, V3	
S Lock finish	6. Door finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option		The images on this page are shown as a right hand cabinets.
114 Case finish		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
115 Door finish		


These products are Glue and Dowel Construction
Grommet pulls only.
Shelves and files front will default to the case finish.
68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
No wardrobe option in the 18" w cabinets.
Cabinets with wardrobe come with a coat rod.

Cabinets Progressive
 68" high wood interior
 28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)W () () () () ()	\$2,516.	\$2,768.	\$2,893.	\$3,019.	\$4,376.	\$5,034.	\$6,544.
	24"	24"	68"	RCFS6833V(L/R)W () () () () ()	2,589.	2,849.	2,979.	3,108.	4,562.	5,247.	6,821.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)W () () () () ()	3,333.	3,666.	3,833.	3,999.	5,102.	5,867.	7,627.
	24"	24"	68"	RCFS6833W(L/R)W () () () () ()	3,426.	3,769.	3,940.	4,111.	5,297.	6,092.	7,921.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)W () () () () ()	3,730.	4,102.	4,289.	4,475.	5,492.	6,315.	8,210.
	24"	24"	68"	RCFS6833X(L/R)W () () () () ()	3,865.	4,251.	4,443.	4,637.	5,727.	6,586.	8,561.



Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
68 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Desktop Towers

28³/₈" high planning


Single Wide, 42" and 56" High

Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSBWT142 () ()	\$1,190.	\$2,040.	\$2,346.	\$3,050.
	19"	15"	42"	RDTSBWG142 () ()	1,221.	2,092.	2,405.	3,127.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSBWT156 () ()	1,376.	2,360.	2,714.	3,528.
	19"	15"	56"	RDTSBWG156 () ()	1,411.	2,418.	2,781.	3,615.



Order Code	Specification Information	Application Notes
Example: RDTSBWT142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
DT Reff Desktop Tower		
S Single width		
B Bookcase	1. Case finish type	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
W Wood Shelves	L = Laminate	
T Letter width 16" nominal	1 = V1	
1 Letter depth 15" nominal	2 = V2	Hinge doors feature <u>no</u> pulls only touch latch.
42 42" high nominal	3 = V3	
V2 Case finish type	2. Case finish	These products are Glue and Dowel Construction
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

Desktop Towers

28³/₈" high planning

Single Wide, 42" and 56" High

Wood Hinge Door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, single width	16"	15"	42"	RDTSHWT142(L/R) () () () () ()	\$1,548.	\$1,703.	\$1,780.	\$1,935.	\$2,653.	\$3,052.	\$3,968.
wood shelves behind wood hinge door	19"	15"	42"	RDTSHWG142(L/R) () () () () ()	1,591.	1,751.	1,830.	1,990.	2,728.	3,138.	4,079.



56" h Desk top tower, single width	16"	15"	56"	RDTSHWT156(L/R) () () () () ()	1,764.	1,941.	2,135.	2,348.	3,025.	3,478.	4,523.
wood shelves behind wood hinge door	19"	15"	56"	RDTSHWG156(L/R) () () () () ()	1,814.	1,995.	2,194.	2,413.	3,109.	3,575.	4,647.



Order Code	Specification Information	Application Notes
Example: RDTSHWT142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
DT Reff Desktop Tower		
S Single width	1. Case finish type	Shelves to match case finish.
H Hinge Door	L = Laminate	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
W Wood Shelves	1 = V1	
T Letter width 16" nominal	2 = V2	Shelves on single wide available with 2 adjustable shelves.
1 Letter depth 15" nominal	3 = V3	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
42 42" high nominal	2. Front finish type	
2 Finish type	L = Laminate	
T Pull option	1 = V1	
L Lock option	2 = V2	
B Lock finish	3 = V3	
V316 Case finish	3. Pull option=Painted and plated	These products are Glue and Dowel Construction
V316 Front finish	B=Blank (no drilling)	
111 Pull finish	F=Bar pull	
	H=Outline pull	
	N=No pull, touch latch	
	R=Cylinder pull	
	T=Tab pull	
	4. Lock option L or N	
	5. Lock finish	
	B=Black	
	S=Matte Silver	
	6. Case finish= *V316	
	7. Front finish=V316	
	8. Pull finish=111	

Desktop towers

Desktop Towers
 28^{3/8}" high planning
 Single Wide, 42" and 56" High
 Glass hinge door

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSJWT142(L/R)() () ()	\$2,211.	\$2,875.	\$3,306.	\$4,298.
	19"	15"	42"	RDTSJWTG142(L/R)() () ()	2,304.	2,995.	3,444.	4,516.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSJWT156(L/R)() () ()	2,560.	3,327.	3,826.	4,975.
	19"	15"	56"	RDTSJWTG156(L/R)() () ()	2,673.	3,474.	3,995.	5,194.




Order Code	Specification Information	Application Notes
Example: RDTSJWT142 () () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ^{3/8} " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
DT Reff Desktop Tower		
S Single width		
G Hinge glass door	1. Case finish type L = Laminate 1 = V1 2 = V2 3 = V3	Shelves to match case finish.
W Wood Shelves	2. Case finish V316	Shelves on single height available with 2 adjustable shelves.
T Letter width 16" nominal	3. Door frame ypte=Anodized / Painted	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
1 Letter depth 15" nominal	4. Door glass finish = G111/18/15.	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
42 42" high nominal		Glass hinge doors available only with touch latch.
L Left / Right hand		These products are Glue and Dowel Construction
2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, double width bookcase / open shelves	30"	15"	42"	RDTDBW3142() ()	\$1,810.	\$2,895.	\$3,329.	\$4,328.
	36"	15"	42"	RDTDBW6142() ()	1,861.	2,979.	3,425.	4,453.




56" h Desk top tower, double width bookcase / open shelves	30"	15"	56"	RDTDBW3156() ()	2,160.	3,455.	3,974.	5,165.
	36"	15"	56"	RDTDBW6156() ()	2,219.	3,549.	4,082.	5,307.

Desktop towers


Order Code	Specification Information	Application Notes
Example: RDTDBW3142() ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	Shelves to match case finish.
DT Reff Desktop Tower	1. Case finish type	Shelves with door option on single height available with 2 adjustable shelves.
D Double width	L = Laminate	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
B Bookcase	1 = V1	
W Wood Shelves	2 = V2	
3 30" wide	3 = V3	
1 Letter depth 15" nominal	2. Case finish V316	
42 42" high nominal	3. Pull option Plated / Painted	
2 Case finish type	4. Lock option L, N	
V316 Case finish	5. Lock finish	
	S=Matte Silver	
	B=Black	
	6. Case finish V316	
	7. Front finish V313	
	8. Pull finish 111	

Desktop Towers
 28³/₈" high planning
 Double Wide, 42" and 56" High
 Wood shelves behind doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, double width	30"	15"	42"	RDTDHW3142()	\$2,125.	\$2,444.	\$2,550.	\$2,763.	\$3,400.	\$3,910.	\$5,083.
wood shelves behind wood hinge door	36"	15"	42"	RDTDHW6142()	2,206.	2,537.	2,647.	2,869.	3,530.	4,059.	5,278.



56" h Desk top tower, double width	30"	15"	56"	RDTDHW3156()	2,458.	2,704.	2,975.	3,271.	3,933.	4,523.	5,879.
wood shelves behind wood hinge door	36"	15"	56"	RDTDHW6156()	2,571.	2,827.	3,111.	3,422.	4,113.	4,730.	6,149.



Order Code	Specification Information	Application Notes
Example: RDTDHW3142 ()()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 ¹ / ₂ " worksurface.
RDT Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
D Double width		
H Hinge door wood		
W Wood Shelves	1. Case finish type	Shelves to match case finish.
3 30" wide	L = Laminate	Shelves with door option on single height available with 2 adjustable shelves.
1 Letter depth 15" nominal	1 = V1	
42 42" high nominal	2 = V2	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
L Left/ Right hand option	3 = V3	
V2 Case finish type	2. Case finish V316	
V2 Font finish type	3. Pull option:	
F Pull option	B=No pull	
L Lock option doors	F=Bar pull	
B Lock finish	H=Outline pull	
V316 Case finish	R=Cylinder pull	
V316 Front finish	T=Tab pull	
111 Pull finish	4. Lock option L, N	
	5. Lock finish	
	S=Matte Silver	
	B=Black	
	6. Case finish V316	
	7. Front finish V313	
	8. Pull finish 111	


Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High


Asymmetrical, with Glass door

description	w	d	h	pattern no.	L	V1	V2	V3
Desk top tower, double width -Asymmetrical Split glass hinged door / open shelves all wood	30"	15"	42"	RDTAGW3142(L/R) () () ()	\$2,951.	\$3,836.	\$4,411.	\$5,735.
	30"	15"	56"	RDTAGW3156(L/R) () () ()	3,501.	4,552.	5,234.	6,805.
	36"	15"	42"	RDTAGW6142(L/R) () () ()	3,144.	4,086.	4,699.	6,109.
	36"	15"	56"	RDTAGW6156(L/R) () () ()	3,750.	4,875.	5,606.	7,288.




Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical Split glass hinged door / open shelves all glass	30"	15"	42"	RDTAGG3142(L/R) () () () ()	2,829.	3,678.	4,230.	5,499.
	30"	15"	56"	RDTAGG3156(L/R) () () () ()	3,320.	4,316.	4,964.	6,452.
	36"	15"	42"	RDTAGG6142(L/R) () () () ()	3,022.	3,928.	4,519.	5,873.
	36"	15"	56"	RDTAGG6156(L/R) () () () ()	3,569.	4,639.	5,335.	6,936.



Left hand Desktop Tower shown. Hinged off of the center gable.


Desk top tower, double width wood shelves behind glass hinge door	30"	15"	42"	RDTDGW3142 () () () () ()	3,712.	4,455.	5,123.	6,660.
	30"	15"	56"	RDTDGW3156 () () () () ()	4,282.	5,138.	5,908.	7,681.
	36"	15"	42"	RDTDGW6142 () () () () ()	3,873.	4,647.	5,345.	6,948.
	36"	15"	56"	RDTDGW6156 () () () () ()	4,560.	5,471.	6,292.	8,180.



Order Code	Specification Information	Application Notes
Example: RDTAGW3142	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
RDT Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
A Asymmetrical split		
G Hinge door glass		
W Wood Shelves	1. Case finish type	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
3 30" wide nominal	L = Laminate	
1 Letter depth 15" nominal	1 = V1	
42 42" high nominal	2 = V2	
(L) Left / Right hand option	3 = V3	Hinge glass doors feature <u>no</u> pulls only touch latch.
V2 Case finish type	2. Case finish V316	Desk top tower backs.
V316 Case finish	3. Door finish type, Plated / Painted	These products are Glue and Dowel Construction.
AU Door frame finish	4. Door glass finish = G111/18/15.	
GL11 Door glass finish	For desk top with open shelves, all glass	From users perspective, the open shelves' location determines handedness. ie. Right hand - open shelves on right hand
	5. Shelf, glass finish: GL35 - Grey GL85 - Star clear	


Desktop Towers
 28^{3/8}" high planning
 Double Wide, 42" and 56" High
 Asymmetrical with mix casing

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Desk top tower, double width -Asymmetrical Split hinged door / open shelves all wood	30"	15"	42"	RDTAHW3142(L/R) () () () () ()	\$2,254.	\$2,478.	\$2,591.	\$2,704.	\$3,447.	\$3,964.	\$5,154.
	30"	15"	56"	RDTAHW3156(L/R) () () () () ()	2,631.	2,893.	3,025.	3,157.	4,024.	4,628.	6,017.
	36"	15"	42"	RDTAHW6142(L/R) () () () () ()	2,341.	2,575.	2,691.	2,809.	3,581.	4,118.	5,354.
	36"	15"	56"	RDTAHW6156(L/R) () () () () ()	2,748.	3,023.	3,161.	3,298.	4,205.	4,836.	6,287.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical Split hinged door / open shelves all glass	30"	15"	42"	RDTAHG3142(L/R) () () () () ()	2,439.	2,664.	2,777.	2,889.	3,633.	4,150.	5,340.
	30"	15"	56"	RDTAHG3156(L/R) () () () () ()	2,909.	3,171.	3,303.	3,435.	4,302.	4,906.	6,295.
	36"	15"	42"	RDTAHG6142(L/R) () () () () ()	2,527.	2,760.	2,877.	2,994.	3,767.	4,303.	5,539.
	36"	15"	56"	RDTAHG6156(L/R) () () () () ()	3,026.	3,301.	3,439.	3,576.	4,484.	5,114.	6,565.



Left hand Desktop Tower shown. Hinged off of the center gable.


Order Code	Specification Information	Application Notes
Example: RDTAHW3142(L/R) () () () () ()	<i>To order please specify pattern number including:</i> Left or right hand as applicable and embedded in the pattern number.	Heights to work with 28 ^{3/8} " desk height planning and 1 ^{1/2} " worksurface.
RDT Reff Desktop Tower		42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
A Asymmetrical split		
H Hinge door wood		
W Wood Shelves		
3 30" wide nominal		
1 Letter depth 15" nominal		
42 42" high nominal		
L Left / Right hand option		
V2 Case finish type		
V2 Front finish type		
F Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
111 Pull finish		
	1. Case finish type: L, V1, V2, V3	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
	2. Front finish type: L, V1, V2, V3	Hinge doors feature <u>no</u> pulls only touch latch.
	3. Pull option: B=No pull F=Bar pull H=Outline pull N=No pull, touch latch R=Cylinder pull T=Tab pull	These products are Glue and Dowel Construction.
	4. Lock option: L, N	From users perspective, the open shelves' location determines handedness. ie. Right hand - open shelves on right hand
	5. Lock finish: B=Black S=Matte Silver	
	6. Case finish: V316	
	7. Front finish: V316	
	8. Pull finish: Painted or Plated	

Overhead, 26 1/2" planning


Wall hung, Single high

Reff Profiles

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back	19"	30"	15"			ROMO30S0(-)(-)(-)	\$1,782.	\$1,845.	\$2,120.	\$2,860.
	19"	36"	15"			ROMO36S0(-)(-)(-)	1,828.	1,892.	2,174.	2,934.
	19"	42"	15"			ROMO42S0(-)(-)(-)	1,875.	1,941.	2,230.	3,011.
	19"	48"	15"			ROMO48S0(-)(-)(-)	1,927.	1,988.	2,292.	3,093.
	19"	60"	15"			ROMO60S0(-)(-)(-)	2,127.	2,197.	2,529.	3,413.
	19"	72"	15"			ROMO72S0(-)(-)(-)	2,245.	2,326.	2,673.	3,607.



Wall-hung overhead cabinet (hinged door) with back	19"	30"	15"	1	2	ROMH30S0(-)(-)(-)	2,591.	2,678.	3,076.	4,154.
	19"	36"	15"	1	2	ROMH36S0(-)(-)(-)	2,758.	2,854.	3,281.	4,429.
	19"	60"	15"	2	4	ROMH60S0(-)(-)(-)	3,098.	3,201.	3,683.	4,973.
	19"	72"	15"	2	4	ROMH72S0(-)(-)(-)	3,278.	3,389.	3,899.	5,262.



Wall-hung overhead cabinet (flip door) with back	19"	30"	15"	1	1	ROMF30S0(-)(-)(-)	1,898.	1,963.	2,256.	3,047.
	19"	36"	15"	1	1	ROMF36S0(-)(-)(-)	2,021.	2,090.	2,404.	3,246.
	19"	42"	15"	1	1	ROMF42S0(-)(-)(-)	2,139.	2,217.	2,548.	3,440.
	19"	48"	15"	1	1	ROMF48S0(-)(-)(-)	2,265.	2,341.	2,692.	3,635.
	19"	60"	15"	2	2	ROMF60S0(-)(-)(-)	2,497.	2,583.	2,969.	4,010.
	19"	72"	15"	2	2	ROMF72S0(-)(-)(-)	2,642.	2,732.	3,142.	4,242.

Order Code	
Example: ROMO30S0	
R	Reff
O	Overhead
M	Wall hung
O	Open
30	30" wide
S	Standard height, 19"h
0	15" deep

Specification Information

To order please specify pattern number including:

- Configuration option (*embedded in pattern no.*)
H = Hinged door
O = Open
F = Flip door
- Storage option (*embedded in pattern no.*)
S0 = 19"h x 14"d open/15"d hinged door
- Finish type
- Pull option *applicable hinged doors only*
- Lock option
- Finish, case
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
L = Laminate
1 = V1 techwood
2 = V2 conventional veneer
3 = V3 exotic veneer

4. *Pull Options:*
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*
L = Lock hole drilled
N = No lockdrilling

8. Refer to page 525 for keying instructions.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 0.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.

***Keying instructions must accompany all cabinet orders.**

Panel-hung overheads come with no backs.

Random keys are factory installed.



Order overheads with a KnollKey order form.

Overhead storage

Overhead, 26 1/2" planning

Panel hung, Single high

Reff Profiles



description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	19"	30"	14"			ROPO30S0(-)(-)(-)	\$1,278.	\$1,319.	\$1,517.	\$2,049.
	19"	36"	14"			ROPO36S0(-)(-)(-)	1,564.	1,616.	1,859.	2,510.
	19"	42"	14"			ROPO42S0(-)(-)(-)	1,718.	1,777.	2,045.	2,760.
	19"	48"	14"			ROPO48S0(-)(-)(-)	1,782.	1,840.	2,118.	2,858.
	19"	60"	14"			ROPO60S0(-)(-)(-)	1,820.	1,883.	2,168.	2,927.
	19"	72"	14"			ROPO72S0(-)(-)(-)	2,232.	2,305.	2,652.	3,579.
	19"	90"	14"			ROPO90S0(-)(-)(-)	2,456.	2,537.	2,917.	3,939.
	19"	96"	14"			ROPO96S0(-)(-)(-)	2,545.	2,631.	3,024.	4,083.
	23"	60"	14"			ROPO60T0(-)(-)(-)	1,945.	2,013.	2,314.	3,123.
	23"	72"	14"			ROPO72T0(-)(-)(-)	2,652.	2,745.	3,155.	4,261.
23"	90"	14"			ROPO90T0(-)(-)(-)	3,011.	3,110.	3,577.	4,831.	
23"	96"	14"			ROPO96T0(-)(-)(-)	3,120.	3,225.	3,710.	5,009.	
Panel-hung overhead cabinet (hinged door) no back 	19"	30"	14"	1	2	ROPH30S0(-)(-)(-)	1,419.	1,464.	1,682.	2,271.
	19"	36"	14"	1	2	ROPH36S0(-)(-)(-)	1,733.	1,793.	2,065.	2,787.
	19"	60"	14"	2	4	ROPH60S0(-)(-)(-)	2,023.	2,091.	2,405.	3,248.
	19"	72"	14"	2	4	ROPH72S0(-)(-)(-)	2,479.	2,565.	2,949.	3,982.
	19"	90"	14"	3	6	ROPH90S0(-)(-)(-)	2,730.	2,819.	3,242.	4,375.
	19"	96"	14"	3	6	ROPH96S0(-)(-)(-)	2,826.	2,920.	3,362.	4,538.
	23"	60"	14"	2	4	ROPH60T0(-)(-)(-)	2,165.	2,237.	2,574.	3,476.
	23"	72"	14"	2	4	ROPH72T0(-)(-)(-)	2,947.	3,049.	3,504.	4,731.
	23"	90"	14"	3	6	ROPH90T0(-)(-)(-)	3,342.	3,457.	3,971.	5,361.
	23"	96"	14"	3	6	ROPH96T0(-)(-)(-)	3,468.	3,583.	4,120.	5,563.

Order Code	Specification Information	Application Notes
Example: ROPH60S0DLL	<i>To order please specify pattern number including:</i>	
R Reff	1. Configuration option (<i>embedded in pattern no.</i>) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i>	Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i>	Open cabinets require no locks.
P Panel hung	3. Finish type	Tasklights are not included.
H Hinge door	4. Pull option <i>applicable hinged doors only</i>	D-Pulls are not available for flip door units.
60 60" wide	5. Lock option	Hardware included for overhead cabinets.
S Standard height, 19"h	6. Finish, case	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O 15" deep	7. Finish, pull when applicable	A certified building contractor should be consulted.
D D-pull	8. Keying instructions	Please refer to wall mounting information on page 496.
L Lock hole drilled	*After specifying product code, provide keying instructions.	*Keying instructions must accompany all cabinet orders.
L Laminate finish	Dimensions are nominal. Product not available where prices do not appear.	Panel-hung overheads come with no backs.
	3. <i>Finish type options:</i> L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer	Random keys are factory installed.
	4. <i>Pull Options:</i> D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	Order overheads with a KnollKey order form.
	5. <i>Lock options:</i> L = Lock hole drilled N = No lockdrilling	
	8. Refer to page 525 for keying instructions.	
	Woodgrain Laminate is not available on any flip door units.	
	Applicable finishes are listed on page 5 and 6.	
	Sliding rails order separately on page 0.	

Overhead, 26 1/2" planning

Panel hung, Single high

Reff Profiles

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	18"	30"	14"	1	1	ROPF30S0J-()()	\$1,066.	\$1,400.	\$1,608.	\$2,171.
	18"	36"	14"	1	1	ROPF36S0J-()()	1,084.	1,424.	1,640.	2,213.
	18"	42"	14"	1	1	ROPF42S0J-()()	1,160.	1,527.	1,757.	2,373.
	18"	48"	14"	1	1	ROPF48S0J-()()	1,203.	1,588.	1,825.	2,465.
	18"	60"	14"	2	2	ROPF60S0J-()()	1,397.	1,836.	2,114.	2,854.
	18"	72"	14"	2	2	ROPF72S0J-()()	1,651.	2,173.	2,497.	3,370.
	18"	84"	14"	2	2	ROPF84S0J-()()	1,845.	2,427.	2,790.	3,768.
	18"	96"	14"	2	2	ROPF96S0J-()()	1,967.	2,589.	2,980.	4,021.
Panel-hung shelves 	9"	30"	13"			ROPS30S0NN-()	286.	590.	678.	916.
	9"	36"	13"			ROPS36S0NN-()	309.	613.	705.	951.
	9"	42"	13"			ROPS42S0NN-()	335.	633.	730.	986.
	9"	48"	13"			ROPS48S0NN-()	357.	656.	752.	1,016.
	9"	54"	13"			ROPS54S0NN-()	382.	705.	809.	1,092.
	9"	60"	13"			ROPS60S0NN-()	408.	758.	871.	1,176.
	9"	66"	13"			ROPS66S0NN-()	432.	806.	927.	1,251.
	9"	72"	13"			ROPS72S0NN-()	456.	859.	985.	1,328.
	9"	78"	13"			ROPS78S0NN-()	481.	930.	1,069.	1,442.
	9"	84"	13"			ROPS84S0NN-()	504.	1,001.	1,153.	1,556.
	9"	90"	13"			ROPS90S0NN-()	529.	1,074.	1,234.	1,667.
9"	96"	13"			ROPS96S0NN-()	537.	1,129.	1,301.	1,756.	

Order Code	Specification Information
Example: ROPH60S0DLL	
R Reff	
O Overhead	
P Panel hung	
H Hinge door	
60 60" wide	
S Standard height, 19"h	
0 15" deep	
D D-pull	
L Lock hole drilled	
L Laminate finish	

Specification Information

To order please specify pattern number including:

- Configuration option (embedded in pattern no.)
 H = Hinged door
 O = Open
 F = Flip door
- Storage option (embedded in pattern no.)
 S0 = 19"h x 14" d open/15" d hinged door
 T0 = 23"h x 14" d open/15" d hinged door
- Finish type
- Pull option applicable hinged doors only
- Lock option
- Finish, case
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. Finish type options:
 L = Laminate
 1 = V1 techwood
 2 = V2 conventional veneer
 3 = V3 exotic veneer

4. Pull Options:
 D = Metal D-pull for hinged door only
 J = Routed pull
 C = Nickel finish C-pull for hinged door only (nickel finish only)
 S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:
 L = Lock hole drilled
 N = No lockdrilling

8. Refer to page 525 for keying instructions.

Woodgrain Laminate is not available on any flip door units.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 0.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 496.

***Keying instructions must accompany all cabinet orders.**

Panel-hung overheads come with no backs.


Random keys are factory installed.


Order overheads with a KnollKey order form.

Overhead storage

Overhead, 26 1/2" planning Workwalls

Reff Profiles

description	d	h	w	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open) 	15"	19"	60"	ROWO60S0(-)(-)(-)	\$2,033.	\$2,123.	\$2,488.	\$3,361.
	15"	19"	72"	ROWO72S0(-)(-)(-)	2,613.	2,730.	3,192.	4,308.
	15"	19"	90"	ROWO90S0(-)(-)(-)	2,880.	3,012.	3,544.	4,783.
	15"	19"	96"	ROWO96S0(-)(-)(-)	2,949.	3,091.	3,639.	4,913.
	15"	23"	60"	ROWO60T0(-)(-)(-)	2,208.	2,305.	2,703.	3,649.
	15"	23"	72"	ROWO72T0(-)(-)(-)	2,967.	3,095.	3,615.	4,880.
	15"	23"	90"	ROWO90T0(-)(-)(-)	3,328.	3,478.	4,075.	5,502.
	15"	23"	96"	ROWO96T0(-)(-)(-)	3,397.	3,554.	4,172.	5,633.
	20"	19"	60"	ROWO60S1(-)(-)(-)	2,186.	2,282.	2,675.	3,610.
	20"	19"	72"	ROWO72S1(-)(-)(-)	2,807.	2,927.	3,421.	4,619.
	20"	19"	90"	ROWO90S1(-)(-)(-)	3,199.	3,345.	3,927.	5,301.
	20"	19"	96"	ROWO96S1(-)(-)(-)	3,273.	3,424.	4,023.	5,433.
	20"	23"	60"	ROWO60T1(-)(-)(-)	2,362.	2,464.	2,886.	3,894.
	20"	23"	72"	ROWO72T1(-)(-)(-)	3,270.	3,409.	3,975.	5,365.
	20"	23"	90"	ROWO90T1(-)(-)(-)	3,536.	3,695.	4,326.	5,840.
20"	23"	96"	ROWO96T1(-)(-)(-)	3,610.	3,770.	4,421.	5,968.	

72" h workwall overhead cabinet (hinged door) 	15"	19"	60"	ROWH60S0(-)(-)(-)	2,623.	2,734.	3,193.	4,310.
	15"	19"	72"	ROWH72S0(-)(-)(-)	3,362.	3,499.	4,081.	5,509.
	15"	19"	90"	ROWH90S0(-)(-)(-)	3,732.	3,899.	4,562.	6,157.
	15"	19"	96"	ROWH96S0(-)(-)(-)	3,836.	4,006.	4,695.	6,337.
	15"	23"	60"	ROWH60T0(-)(-)(-)	2,844.	2,963.	3,459.	4,669.
	15"	23"	72"	ROWH72T0(-)(-)(-)	3,806.	3,960.	4,607.	6,221.
	15"	23"	90"	ROWH90T0(-)(-)(-)	4,294.	4,475.	5,227.	7,056.
	15"	23"	96"	ROWH96T0(-)(-)(-)	4,396.	4,586.	5,360.	7,236.
	20"	19"	60"	ROWH60S1(-)(-)(-)	2,816.	2,933.	3,424.	4,623.
	20"	19"	72"	ROWH72S1(-)(-)(-)	3,603.	3,750.	4,366.	5,894.
	20"	19"	90"	ROWH90S1(-)(-)(-)	4,136.	4,315.	5,038.	6,802.
	20"	19"	96"	ROWH96S1(-)(-)(-)	4,239.	4,422.	5,173.	6,983.
	20"	23"	60"	ROWH60T1(-)(-)(-)	3,039.	3,164.	3,686.	4,977.
	20"	23"	72"	ROWH72T1(-)(-)(-)	4,184.	4,351.	5,057.	6,828.
	20"	23"	90"	ROWH90T1(-)(-)(-)	4,558.	4,748.	5,538.	7,478.
20"	23"	96"	ROWH96T1(-)(-)(-)	4,658.	4,855.	5,671.	7,656.	

60" w and 72" w units have four hinged doors, two lock cores required.
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: ROWO60S0L		
R Reff	To order please specify pattern number including:	Shipped knocked-down.
O Overhead	1. Configuration option	Open cabinets require no locks.
W Workwall	2. Storage option (embedded in pattern no.)	Tasklights not included.
O Open	S0 = 19" h x 15" d	Tackboard included, fabric railroaded.
60 60" wide	S1 = 19" h x 20" d	Locks are not factory installed.
S Standard height	T0 = 23" h x 15" d	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
0 15" deep	T1 = 23" h x 20" d	Applicable finishes are listed on page 5 and 6.
L Laminate finish	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
(W250) Fabric finish Regency	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions. I.	
	Configuration options:	
	O = Open	
	H = Hinged door	
	3. Finish type:	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. Pull Options:	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options:	
	L = Lockhole drilled	
	N = No lock drilling	
	Keying instructions *	
	See Planning Guide for keying examples.	

Overhead, 26 1/2" planning Shoulders

description	d	h	w	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	15"	19"	–	RWEA7220(L/R)-()	\$379.	\$390.	\$448.	\$605.
	15"	23"	–	RWEB7220(L/R)-()	379.	390.	448.	605.
	20"	19"	–	RWEC7220(L/R)-()	379.	390.	448.	605.
	20"	23"	–	RWED7220(L/R)-()	379.	390.	448.	605.




Workwall support endpanels for 72"H x 24"D workwall cabinets	15"	19"	–	RWEA7224(L/R)-()	412.	427.	490.	662.
	15"	23"	–	RWEB7224(L/R)-()	412.	427.	490.	662.
	20"	19"	–	RWEC7224(L/R)-()	412.	427.	490.	662.
	20"	23"	–	RWED7224(L/R)-()	412.	427.	490.	662.



Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.1.	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	See Planning Guide for keying examples.	


Overhead, 26 1/2" planning Use with 1 1/4" worksurfaces overdesk unit

description	d	w	h	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	15"	60"	44 1/4"	2	4	ROAH60T0(-)(-)(-)	\$2,567.	\$3,222.	\$3,765.	\$5,083.
	15"	72"	44 1/4"	2	4	ROAH72T0(-)(-)(-)	3,253.	4,075.	4,753.	6,418.
	15"	90"	44 1/4"	3	6	ROAH90T0(-)(-)(-)	3,617.	4,535.	5,312.	7,171.
	15"	96"	44 1/4"	3	6	ROAH96T0(-)(-)(-)	3,767.	4,731.	5,546.	7,486.
	20"	60"	44 1/4"	2	4	ROAH60T1(-)(-)(-)	2,716.	3,407.	3,973.	5,362.
	20"	72"	44 1/4"	2	4	ROAH72T1(-)(-)(-)	3,434.	4,301.	5,012.	6,766.
	20"	90"	44 1/4"	3	6	ROAH90T1(-)(-)(-)	3,826.	4,799.	5,612.	7,578.
	20"	96"	44 1/4"	3	6	ROAH96T1(-)(-)(-)	3,988.	5,006.	5,859.	7,910.



For 1 1/4" worksurfaces (open)	15"	60"	44 1/4"			ROAO60T0(-)(-)(-)	1,697.	2,136.	2,518.	3,399.
	15"	72"	44 1/4"			ROAO72T0(-)(-)(-)	2,166.	2,720.	3,196.	4,315.
	15"	90"	44 1/4"			ROAO90T0(-)(-)(-)	2,370.	2,988.	3,534.	4,771.
	15"	96"	44 1/4"			ROAO96T0(-)(-)(-)	2,460.	3,105.	3,674.	4,958.
	20"	60"	44 1/4"			ROAO60T1(-)(-)(-)	1,804.	2,266.	2,665.	3,599.
	20"	72"	44 1/4"			ROAO72T1(-)(-)(-)	2,293.	2,880.	3,378.	4,562.
	20"	90"	44 1/4"			ROAO90T1(-)(-)(-)	2,515.	3,172.	3,737.	5,046.
	20"	96"	44 1/4"			ROAO96T1(-)(-)(-)	2,612.	3,298.	3,892.	5,254.


For 1 1/4" worksurfaces (flip door)	15"	60"	44 1/4"	2	2	ROAF60S0(-)(-)(-)	2,197.	2,993.	3,499.	4,725.
	15"	72"	44 1/4"	2	2	ROAF72S0(-)(-)(-)	2,609.	3,793.	4,428.	5,978.
	15"	84"	44 1/4"	2	2	ROAF84S0(-)(-)(-)	3,380.	4,324.	5,056.	6,825.
	15"	96"	44 1/4"	2	2	ROAF96S0(-)(-)(-)	3,462.	4,441.	5,211.	7,034.
	20"	60"	44 1/4"	2	2	ROAF60S1(-)(-)(-)	2,326.	3,169.	3,702.	4,999.
	20"	72"	44 1/4"	2	2	ROAF72S1(-)(-)(-)	2,756.	4,006.	4,673.	6,309.
	20"	84"	44 1/4"	2	2	ROAF84S1(-)(-)(-)	3,574.	4,573.	5,344.	7,213.
	20"	96"	44 1/4"	2	2	ROAF96S1(-)(-)(-)	3,666.	4,704.	5,513.	7,441.



Order Code	Specification Information	Application Notes
Example: ROAF60S0LJLBF118(-)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Configuration option</i> O = Open H = Hinged door F = Flip door	Shipped knocked-down.
O Overhead	2. <i>Width</i>	Open cabinets require no locks.
A For 1 1/4" top mounting	3. <i>Storage option</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Tasklights not included.
F Flip door	4. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	Tackboard included, fabric railroaded.
60 60" wide	5. <i>Pull option for hinged door only</i> D = Metal D-pull (for hinged doors only) J = Routed pull C = Nickel C-pull (nickel finish only, for hinged doors only) S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	C, D and S pulls are not available for flip door units.
S Standard height		All flip door cabinets on this page are nominal 19"H not 23"H.
0 15" deep		Open/hinge doors are nominal 23"H, actual 22 3/8".
L Finish type, laminate		Locks are not factory installed.
J J-pull		Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
L Locks included		Wire manager is included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		
118 Finish, Bright White		
(W250) Fabric		
	6. <i>Lock option</i> L = Lockhole drilled N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Woodgrain Laminate is not available on any flip door units.	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on page 5 and 6.	


Overhead, 26 1/2" planning Use with 1 3/4" worksurfaces overdesk unit

description	d	w	he	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 3/4" worksurfaces (hinged door)	15"	60"	43 3/4"	2	4	ROBH60T0(-)(-)(-)	\$2,597.	\$3,256.	\$3,804.	\$5,137.
	15"	72"	43 3/4"	2	4	ROBH72T0(-)(-)(-)	3,291.	4,120.	4,806.	6,489.
	15"	90"	43 3/4"	3	6	ROBH90T0(-)(-)(-)	3,657.	4,589.	5,370.	7,250.
	15"	96"	43 3/4"	3	6	ROBH96T0(-)(-)(-)	3,813.	4,785.	5,607.	7,571.
	20"	60"	43 3/4"	2	4	ROBH60T1(-)(-)(-)	2,749.	3,441.	4,019.	5,427.
	20"	72"	43 3/4"	2	4	ROBH72T1(-)(-)(-)	3,474.	4,350.	5,069.	6,842.
	20"	90"	43 3/4"	3	6	ROBH90T1(-)(-)(-)	3,869.	4,855.	5,674.	7,660.
	20"	96"	43 3/4"	3	6	ROBH96T1(-)(-)(-)	4,033.	5,062.	5,928.	8,001.






For 1 3/4" worksurfaces (open)	15"	60"	43 3/4"			ROBO60T0(-)(-)(-)	1,716.	2,165.	2,545.	3,434.
	15"	72"	43 3/4"			ROBO72T0(-)(-)(-)	2,175.	2,753.	3,233.	4,363.
	15"	90"	43 3/4"			ROBO90T0(-)(-)(-)	2,397.	3,024.	3,574.	4,825.
	15"	96"	43 3/4"			ROBO96T0(-)(-)(-)	2,487.	3,143.	3,716.	5,017.
	20"	60"	43 3/4"			ROBO60T1(-)(-)(-)	1,821.	2,295.	2,694.	3,638.
	20"	72"	43 3/4"			ROBO72T1(-)(-)(-)	2,320.	2,913.	3,415.	4,609.
	20"	90"	43 3/4"			ROBO90T1(-)(-)(-)	2,491.	3,146.	3,723.	5,026.
	20"	96"	43 3/4"			ROBO96T1(-)(-)(-)	2,549.	3,212.	3,786.	5,111.

For 1 3/4" worksurfaces (flip door)	15"	60"	43 3/4"	2	2	ROBF60S0(-)(-)(-)	2,222.	3,029.	3,541.	4,780.
	15"	72"	43 3/4"	2	2	ROBF72S0(-)(-)(-)	2,639.	3,837.	4,478.	6,046.
	15"	84"	43 3/4"	2	2	ROBF84S0(-)(-)(-)	3,420.	4,369.	5,111.	6,901.
	15"	96"	43 3/4"	2	2	ROBF96S0(-)(-)(-)	3,503.	4,496.	5,272.	7,117.
	20"	60"	43 3/4"	2	2	ROBF60S1(-)(-)(-)	2,354.	3,201.	3,742.	5,052.
	20"	72"	43 3/4"	2	2	ROBF72S1(-)(-)(-)	2,788.	4,051.	4,726.	6,380.
	20"	84"	43 3/4"	2	2	ROBF84S1(-)(-)(-)	3,618.	4,628.	5,409.	7,303.
	20"	96"	43 3/4"	2	2	ROBF96S1(-)(-)(-)	3,710.	4,758.	5,571.	7,521.




Order Code	Specification Information	Application Notes
Example: ROBF60S0LJLBF118(-)	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. <i>Configuration option</i> O = Open H = Hinged door F = Flip door	Open cabinets require no locks.
O Overhead	2. <i>Width</i>	Tasklights not included.
B For 1 3/4" top mounting	3. <i>Storage option</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Tackboard included, fabric railroded.
F Flip door	4. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	C, D and S pulls are not available for flip door units.
60 60" wide	5. <i>Pull option for hinged door only</i> D = Metal D-pull (for hinged doors only) J = Routed pull C = Nickel C-pull (nickel finish only, for hinged doors only) S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height		Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep		Locks are not factory installed.
L Finish type, laminate		Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull		Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included		
BF Cord escape, back feed		
118 Finish, Bright White		
(W250) Fabric		
	6. <i>Lock option</i> L = Lockhole drilled N = No lock drilling	
	7. <i>Cord escape option</i>	
	8. <i>Finish</i>	
	9. <i>Pull finish where applicable</i>	
	10. <i>Fabric for tackboard</i>	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 20 3/4".	
	Applicable finishes are listed on page 5 and 6.	
	Woodgrain Laminate is not available on any flip door units.	

Overhead, 26 1/2" planning
 rectilinear worksurfaces for workwall units
 1 1/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$592.	\$611.	\$700.	\$947.
	60"	24"	RSWWA602()	637.	656.	756.	1,020.
	72"	20"	RSWWA721()	644.	665.	764.	1,030.
	72"	24"	RSWWA722()	688.	713.	816.	1,102.
	90"	20"	RSWWA901()	746.	771.	887.	1,197.
	90"	24"	RSWWA902()	791.	816.	941.	1,270.
	96"	20"	RSWWA961()	847.	874.	1,005.	1,358.
	96"	24"	RSWWA962()	893.	923.	1,060.	1,431.
Waterfall edge workwall tops 	60"	20"	RSWWAWF601()	n/a	1,834.	2,110.	2,848.
	60"	24"	RSWWAWF602()	n/a	1,969.	2,266.	3,059.
	72"	20"	RSWWAWF721()	n/a	1,994.	2,294.	3,095.
	72"	24"	RSWWAWF722()	n/a	2,132.	2,454.	3,315.
	90"	20"	RSWWAWF901()	n/a	2,315.	2,663.	3,596.
	90"	24"	RSWWAWF902()	n/a	2,454.	2,824.	3,811.
	96"	20"	RSWWAWF961()	n/a	2,699.	3,017.	4,073.
	96"	24"	RSWWAWF962()	n/a	2,767.	3,183.	4,295.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	n/a	700.	809.	1,092.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	n/a	755.	870.	1,175.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	n/a	764.	879.	1,187.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	n/a	817.	941.	1,270.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	n/a	887.	1,020.	1,377.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	n/a	940.	1,082.	1,460.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	n/a	1,005.	1,158.	1,563.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	n/a	1,060.	1,220.	1,646.

Order Code	Specification Information	Application Notes
Example: RSWWA60100L	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.
R Reff	1. Top thickness	
S Straight top	2. Top finish type	Applicable finishes are listed on page 5 and 6.
WW Workwall top	3. Top finish	
A 1 1/4" thick	1. <i>Thickness options:</i>	Hardware included.
60 60" wide	A = 1 1/4"	
1 20" deep	2. <i>Finish type:</i>	No grommets available.
(L) Laminate finish	L = Laminate	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	3. Specify edge detail where applicable, for RSWWA(). See page0 for available profiles.	
	Product on this page will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Overhead, 26¹/₂" planning
rectilinear worksurfaces for workwall units
1³/₄" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWB601()	\$740.	\$768.	\$881.	\$1,190.
	60"	24"	RSWWB602()	793.	825.	949.	1,281.
	72"	20"	RSWWB721()	805.	837.	963.	1,300.
	72"	24"	RSWWB722()	859.	894.	1,028.	1,388.
	90"	20"	RSWWB901()	931.	969.	1,114.	1,506.
	90"	24"	RSWWB902()	991.	1,029.	1,182.	1,597.
	96"	20"	RSWWB961()	1,057.	1,098.	1,261.	1,703.
	96"	24"	RSWWB962()	1,115.	1,159.	1,332.	1,798.

Order Code	
Example: RSWWB60100L	
R	Reff
S	Straight top
WW	Workwall top
B	1 ³ / ₄ " thick
60	60" wide
1	20" deep
(L)	Laminate finish

Specification Information

To order please specify pattern number including:

- Top thickness
- Top finish type
- Top finish

1. Thickness options:
 B = 1³/₄"

2. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

3. Specify edge detail where applicable, for RSWWA(). See page 0 for available profiles.

Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.


1³/₄" thick laminate option is double post formed front and back, all others are edgebanded.

Applicable finishes are listed on page 5 and 6.

Hardware included.

Overhead, 28³/₈" planning Workwalls

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (open)	15"	19"	60"	75"	ROWO60S0DH () () () ()	\$2,133.	\$2,229.	\$2,613.	\$3,530.
	15"	19"	72"	75"	ROWO72S0DH () () () ()	2,745.	2,865.	3,352.	4,525.
	15"	19"	90"	75"	ROWO90S0DH () () () ()	3,026.	3,163.	3,719.	5,020.
	15"	19"	96"	75"	ROWO96S0DH () () () ()	3,098.	3,247.	3,821.	5,158.
	20"	19"	60"	75"	ROWO60S1DH () () () ()	2,296.	2,396.	2,808.	3,789.
	20"	19"	72"	75"	ROWO72S1DH () () () ()	2,947.	3,071.	3,589.	4,847.
	20"	19"	90"	75"	ROWO90S1DH () () () ()	3,359.	3,512.	4,124.	5,568.
	20"	19"	96"	75"	ROWO96S1DH () () () ()	3,439.	3,596.	4,225.	5,705.




Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i>	
O Overhead	0 = Open	
W Workwall	H = Hinged doors	
O Open	2. <i>Storage option (embedded in pattern number)</i>	
60 60" wide	S0 = 19" h x 15" d	
S 19" storage height	S1 = 19" h x 20" d	
0 15" storage depth	T0 = 23" h x 15" d	
DH desk height, 75" height overall	T1 = 23" h x 20" d	
L Finish type, laminate	3. <i>Finish type</i>	
118 Finish, Bright White	L = laminate	
() Fabric selection	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull option</i>	
	(Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. <i>Lock option</i>	
	(Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	
	6. <i>Finish</i>	
	7. <i>Optional pull finish, where applicable</i>	
	8. <i>Fabric for tackboard</i>	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
	Products on this page, shipped knocked-down.	
	Applicable finishes are listed on page 5 and 6.	

dimensions noted nominal

Overhead, 28³/₈" planning Workwalls

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 23"h storage (open)	15"	23"	60"	75"	ROWO60T0DH () () () ()	\$2,321.	\$2,422.	\$2,839.	\$3,833.
	15"	23"	72"	75"	ROWO72T0DH () () () ()	3,118.	3,250.	3,797.	5,125.
	15"	23"	90"	75"	ROWO90T0DH () () () ()	3,495.	3,652.	4,280.	5,778.
	15"	23"	96"	75"	ROWO96T0DH () () () ()	3,568.	3,732.	4,382.	5,914.
	20"	23"	60"	75"	ROWO60T1DH () () () ()	2,481.	2,587.	3,031.	4,090.
	20"	23"	72"	75"	ROWO72T1DH () () () ()	3,434.	3,580.	4,172.	5,633.
	20"	23"	90"	75"	ROWO90T1DH () () () ()	3,712.	3,879.	4,544.	6,134.
	20"	23"	96"	75"	ROWO96T1DH () () () ()	3,789.	3,957.	4,642.	6,265.




Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i>	
O Overhead	0 = Open	
W Workwall	H = Hinged doors	
O Open	2. <i>Storage option (embedded in pattern number)</i>	
60 60" wide	S0 = 19" h x 15" d	
S 19" storage height	S1 = 19" h x 20" d	
0 15" storage depth	T0 = 23" h x 15" d	
DH desk height, 75" height overall	T1 = 23" h x 20" d	
L Finish type, laminate	3. <i>Finish type</i>	
118 Finish, Bright White	L = laminate	
() Fabric selection	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull option</i>	
	(Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. <i>Lock option</i>	
	(Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	
	6. <i>Finish</i>	
	7. <i>Optional pull finish, where applicable</i>	
	8. <i>Fabric for tackboard</i>	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
	Products on this page, shipped knocked-down.	
	Applicable finishes are listed on page 5 and 6.	

dimensions noted nominal

Overhead, 28³/₈" planning Workwalls

Reff Profiles

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (hinged door)	15"	19"	60"	75"	ROWH60S0DH () () () ()	\$2,754.	\$2,871.	\$3,353.	\$4,527.
	15"	19"	72"	75"	ROWH72S0DH () () () ()	3,530.	3,676.	4,286.	5,786.
	15"	19"	90"	75"	ROWH90S0DH () () () ()	3,919.	4,092.	4,788.	6,465.
	15"	19"	96"	75"	ROWH96S0DH () () () ()	4,028.	4,207.	4,930.	6,655.
	20"	19"	60"	75"	ROWH60S1DH () () () ()	2,958.	3,082.	3,596.	4,854.
	20"	19"	72"	75"	ROWH72S1DH () () () ()	3,782.	3,938.	4,585.	6,189.
	20"	19"	90"	75"	ROWH90S1DH () () () ()	4,344.	4,529.	5,290.	7,141.
	20"	19"	96"	75"	ROWH96S1DH () () () ()	4,451.	4,643.	5,431.	7,332.




60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
S 19" storage height	6. <i>Finish</i>	
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
L Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.	

dimensions noted nominal

Overhead, 28³/₈" planning Workwalls

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 23" h storage (hinged door)	15"	23"	60"	75"	ROWH60T0DH () () () ()	\$2,987.	\$3,111.	\$3,633.	\$4,905.
	15"	23"	72"	75"	ROWH72T0DH () () () ()	3,995.	4,157.	4,838.	6,532.
	15"	23"	90"	75"	ROWH90T0DH () () () ()	4,508.	4,699.	5,487.	7,407.
	15"	23"	96"	75"	ROWH96T0DH () () () ()	4,616.	4,815.	5,627.	7,598.
	20"	23"	60"	75"	ROWH60T1DH () () () ()	3,192.	3,323.	3,870.	5,225.
	20"	23"	72"	75"	ROWH72T1DH () () () ()	4,392.	4,570.	5,311.	7,170.
	20"	23"	90"	75"	ROWH90T1DH () () () ()	4,786.	4,985.	5,816.	7,852.
	20"	23"	96"	75"	ROWH96T1DH () () () ()	4,890.	5,099.	5,954.	8,038.




60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 () R Reff O Overhead W Workwall O Open 60 60" wide S 19" storage height 0 15" storage depth DH desk height, 75" height overall L Finish type, laminate 118 Finish, Bright White () Fabric selection	To order please specify pattern number including: 1. Configuration option (embedded in pattern number) O = Open H = Hinged doors 2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d 3. Finish type L = laminate 1 = V1 2 = V2 3 = V3 4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration. 75" nominal height - actual height 75.125" If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order. Tackboard included with workwall; fabric applied railroaded. Tasklights to be ordered separately Products on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.


dimensions noted nominal

Overhead storage


Overhead, 28³/₈" planning Shoulders

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 20"d workwall cabinets 	15"	19"		75"	RWEA7520(L/R) () ()	\$398.	\$411.	\$470.	\$637.
	15"	23"		75"	RWEB7520(L/R) () ()	398.	411.	470.	637.
	20"	19"		75"	RWEC7520(L/R) () ()	398.	411.	470.	637.
	20"	23"		75"	RWED7520(L/R) () ()	398.	411.	470.	637.

depth and width indicate drilled to support workwall with corresponding storage dimensions

Workwall support end panels for 75"h x 24"d workwall cabinets 	15"	19"		75"	RWEA7524(L/R) () ()	432.	449.	515.	695.
	15"	23"		75"	RWEB7524(L/R) () ()	432.	449.	515.	695.
	20"	19"		75"	RWEC7524(L/R) () ()	432.	449.	515.	695.
	20"	23"		75"	RWED7524(L/R) () ()	432.	449.	515.	695.

depth and width indicate drilled to support workwall with corresponding storage dimensions

Overhead shoulder 	15"	68"	2"	68"	ROSSH681 () ()	379.	390.	448.	605.
	15"	82"	2"	82"	ROSDH821 () ()	412.	427.	490.	662.

*To be used with Progressive overheads

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75"h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" products on page 0 ; do not mix products from 26¹/₂" (standard height) planning model with 28³/₈" (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
S 19" storage height	6. <i>Finish</i>	
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
L Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.	

dimensions noted nominal

Overhead, 28³/₈" planning Use with 1¹/₄" worksurfaces Overdesk unit

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 ¹ / ₄ " worksurface at "desk height") O=Open	15"	60"	45 ¹ / ₂ "	ROAO60T0DH () () () () ()	\$1,784.	\$2,243.	\$2,643.	\$3,570.
	15"	72"	45 ¹ / ₂ "	ROAO72T0DH () () () () ()	2,273.	2,858.	3,354.	4,528.
	15"	90"	45 ¹ / ₂ "	ROAO90T0DH () () () () ()	2,486.	3,138.	3,710.	5,009.
	15"	96"	45 ¹ / ₂ "	ROAO96T0DH () () () () ()	2,583.	3,260.	3,856.	5,207.
	20"	60"	45 ¹ / ₂ "	ROAO60T1DH () () () () ()	1,893.	2,379.	2,800.	3,778.
	20"	72"	45 ¹ / ₂ "	ROAO72T1DH () () () () ()	2,408.	3,026.	3,548.	4,788.
	20"	90"	45 ¹ / ₂ "	ROAO90T1DH () () () () ()	2,640.	3,330.	3,926.	5,299.
	20"	96"	45 ¹ / ₂ "	ROAO96T1DH () () () () ()	2,744.	3,462.	4,087.	5,518.
Overdesk unit (for 1 ¹ / ₄ " worksurface at "desk height") H=Hinged Door	15"	60"	45 ¹ / ₂ "	ROAH60T0DH () () () () ()	2,693.	3,384.	3,951.	5,334.
	15"	72"	45 ¹ / ₂ "	ROAH72T0DH () () () () ()	3,417.	4,280.	4,992.	6,740.
	15"	90"	45 ¹ / ₂ "	ROAH90T0DH () () () () ()	3,798.	4,763.	5,578.	7,531.
	15"	96"	45 ¹ / ₂ "	ROAH96T0DH () () () () ()	3,956.	4,967.	5,822.	7,859.
	20"	60"	45 ¹ / ₂ "	ROAH60T1DH () () () () ()	2,853.	3,577.	4,173.	5,635.
	20"	72"	45 ¹ / ₂ "	ROAH72T1DH () () () () ()	3,607.	4,518.	5,263.	7,106.
	20"	90"	45 ¹ / ₂ "	ROAH90T1DH () () () () ()	4,015.	5,038.	5,893.	7,956.
	20"	96"	45 ¹ / ₂ "	ROAH96T1DH () () () () ()	4,188.	5,254.	6,154.	8,306.

60" w and 72" w hinged door units have four hinged doors, two lock cores required
90" w and 96" w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23¹/₈" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
O Overhead	7. <i>Finish</i>	
A For mounting on 1 ¹ / ₄ " thick top	8. <i>Optional pull finish, where applicable</i>	
O Open	9. <i>Fabric for tackboard</i>	
60 60" wide	Woodgrain Laminate is not available on any flip door units.	
T 23" h storage	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
0 15" d storage		
DH desk height, 75" height overall		
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		
<i>dimensions noted nominal</i>	<ol style="list-style-type: none"> <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling 	<p>Products on this page shipped knocked-down.</p> <p>Tasklights not included.</p> <p>Tackboard included, fabric orientation applied railroaded.</p> <p>Wire manager included and mounts adjacent to tackboard. Specify color.</p> <p>Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"</p>

Overhead storage

Overhead, 28³/₈" planning
Use with 1¹/₄" worksurfaces
Overdesk unit

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45 ¹ / ₂ "	ROAF60S0DH () () () ()	\$2,306.	\$3,143.	\$3,676.	\$4,962.
(for 1 ¹ / ₄ " worksurface	15"	72"	45 ¹ / ₂ "	ROAF72S0DH () () () ()	2,739.	3,984.	4,650.	6,278.
at "desk height")	15"	84"	45 ¹ / ₂ "	ROAF84S0DH () () () ()	3,549.	4,540.	5,311.	7,170.
F=Flip door	15"	96"	45 ¹ / ₂ "	ROAF96S0DH () () () ()	3,636.	4,663.	5,471.	7,387.
	20"	60"	45 ¹ / ₂ "	ROAF60S1DH () () () ()	2,444.	3,325.	3,887.	5,247.
	20"	72"	45 ¹ / ₂ "	ROAF72S1DH () () () ()	2,895.	4,205.	4,907.	6,623.
	20"	84"	45 ¹ / ₂ "	ROAF84S1DH () () () ()	3,752.	4,802.	5,608.	7,572.
	20"	96"	45 ¹ / ₂ "	ROAF96S1DH () () () ()	3,850.	4,940.	5,789.	7,815.

all flip door units have two flip doors, two lock cores required
J-pull only, C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23¹/₈" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
A For mounting on 1 ¹ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
T 23" h storage	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
0 15" d storage	7. <i>Finish</i>	
DH desk height, 75" height overall	8. <i>Optional pull finish, where applicable</i>	
L Finish type, laminate	9. <i>Fabric for tackboard</i>	
BF Cord escape, back feed	Woodgrain Laminate is not available on any flip door units.	
118 Finish, Bright White	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page shipped knocked-down. Tasklights not included. Tackboard included, fabric orientation applied railroaded. Wire manager included and mounts adjacent to tackboard. Specify color. Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	


dimensions noted nominal

Overhead, 28³/₈" planning

Use with 1³/₄" worksurfaces

Overdesk unit

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 ³ / ₄ " worksurface at "desk height") H=Hinged Door	15"	60"	45"	ROBH60T0DH () () () ()	\$2,730.	\$3,420.	\$3,995.	\$5,393.
	15"	72"	45"	ROBH72T0DH () () () ()	3,456.	4,329.	5,049.	6,816.
	15"	90"	45"	ROBH90T0DH () () () ()	3,841.	4,818.	5,639.	7,612.
	15"	96"	45"	ROBH96T0DH () () () ()	4,004.	5,027.	5,889.	7,950.
	20"	60"	45"	ROBH60T1DH () () () ()	2,886.	3,612.	4,218.	5,695.
	20"	72"	45"	ROBH72T1DH () () () ()	3,647.	4,567.	5,321.	7,183.
	20"	90"	45"	ROBH90T1DH () () () ()	4,063.	5,094.	5,960.	8,046.
	20"	96"	45"	ROBH96T1DH () () () ()	4,234.	5,316.	6,224.	8,402.



60" w and 72" w hinged door units have four hinged doors, two lock cores required
90" w and 96" w hinged door units have six hinged doors, three lock cores required


Overdesk unit (for 1 ³ / ₄ " worksurface at "desk height") O=Open	15"	60"	45"	ROBO60T0DH () () () ()	1,803.	2,272.	2,673.	3,607.
	15"	72"	45"	ROBO72T0DH () () () ()	2,284.	2,892.	3,394.	4,581.
	15"	90"	45"	ROBO90T0DH () () () ()	2,518.	3,174.	3,752.	5,066.
	15"	96"	45"	ROBO96T0DH () () () ()	2,612.	3,299.	3,905.	5,271.
	20"	60"	45"	ROBO60T1DH () () () ()	1,913.	2,407.	2,833.	3,823.
	20"	72"	45"	ROBO72T1DH () () () ()	2,434.	3,057.	3,586.	4,843.
	20"	90"	45"	ROBO90T1DH () () () ()	2,617.	3,302.	3,908.	5,276.
	20"	96"	45"	ROBO96T1DH () () () ()	2,677.	3,370.	3,975.	5,365.

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 22³/₈" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
O Overhead	7. <i>Finish</i>	
B For mounting on 1 ³ / ₄ " thick top	8. <i>Optional pull finish, where applicable</i>	
O Open	9. <i>Fabric for tackboard</i>	
60 60" wide	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
T 23" h storage	Products on this page shipped knocked-down.	
0 15" d storage	Tasklights not included.	
DH desk height, 75" height overall	Tackboard included, fabric orientation applied railroaded.	
L Finish type, laminate	Wire manager included and mounts adjacent to tackboard. Specify color.	
BF Cord escape, back feed	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".	
118 Finish, Bright White	Woodgrain Laminate is not available on any flip door units.	
() Fabric selection		

dimensions noted nominal

Overhead, 28³/₈" planning
Use with 1³/₄" worksurfaces
Overdesk unit

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45"	ROBF60S0DH () () () ()	\$2,333.	\$3,181.	\$3,717.	\$5,019.
(for 1 ³ / ₄ " worksurface at "desk height")	15"	72"	45"	ROBF72S0DH () () () ()	2,770.	4,029.	4,702.	6,348.
F=Flip door	15"	84"	45"	ROBF84S0DH () () () ()	3,587.	4,588.	5,366.	7,245.
	15"	96"	45"	ROBF96S0DH () () () ()	3,678.	4,720.	5,537.	7,477.
	20"	60"	45"	ROBF60S1DH () () () ()	2,471.	3,363.	3,929.	5,305.
	20"	72"	45"	ROBF72S1DH () () () ()	2,929.	4,256.	4,960.	6,697.
	20"	84"	45"	ROBF84S1DH () () () ()	3,799.	4,860.	5,676.	7,664.
	20"	96"	45"	ROBF96S1DH () () () ()	3,898.	4,993.	5,849.	7,895.



all flip door units have two flip doors, two lock cores required
J-pull only; C, D and S pulls are not optional for flip door units


Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	8. <i>Optional pull finish, where applicable</i>
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Fabric for tackboard</i>
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 525. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
T 23"h storage		Products on this page shipped knocked-down.
0 15"d storage		Tasklights not included.
DH desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".
118 Finish, Bright White		Woodgrain Laminate is not available on any flip door units.
() Fabric selection		


dimensions noted nominal

Overhead, 28³/₈" planning

Single high

Wall hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		ROMCGSHP301 () ()	\$1,213.	\$1,698.	\$1,953.	\$2,539.
	36"	15"	20"	1		ROMCGSHP361 () ()	1,251.	1,752.	2,015.	2,619.
	42"	15"	20"	2		ROMCGSHP421 () ()	1,360.	1,903.	2,190.	2,846.
	48"	15"	20"	2		ROMCGSHP481 () ()	1,414.	1,980.	2,276.	2,959.
	54"	15"	20"	2		ROMCGSHP541 () ()	1,658.	2,322.	2,671.	3,471.
	60"	15"	20"	2	1	ROMCGSHP601 () ()	1,924.	2,694.	3,098.	4,027.
	66"	15"	20"	2	1	ROMCGSHP661 () ()	1,960.	2,744.	3,155.	4,102.
	72"	15"	20"	2	1	ROMCGSHP721 () ()	1,998.	2,797.	3,218.	4,183.
	78"	15"	20"	2	1	ROMCGSHP781 () ()	2,098.	2,938.	3,378.	4,392.
	84"	15"	20"	3	2	ROMCGSHP841 () ()	2,440.	3,417.	3,928.	5,107.
90"	15"	20"	3	2	ROMCGSHP901 () ()	2,481.	3,474.	3,995.	5,193.	
96"	15"	20"	3	2	ROMCGSHP961 () ()	2,520.	3,529.	4,058.	5,276.	

Wall-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			ROMCSHP301 () ()	1,092.	1,529.	1,757.	2,286.
	36"	15"	20"			ROMCSHP361 () ()	1,127.	1,577.	1,813.	2,358.
	42"	15"	20"	1		ROMCSHP421 () ()	1,224.	1,713.	1,970.	2,562.
	48"	15"	20"	1		ROMCSHP481 () ()	1,273.	1,782.	2,049.	2,664.
	54"	15"	20"	1		ROMCSHP541 () ()	1,492.	2,090.	2,404.	3,124.
	60"	15"	20"		1	ROMCSHP601 () ()	1,731.	2,425.	2,788.	3,625.
	66"	15"	20"		1	ROMCSHP661 () ()	1,764.	2,470.	2,840.	3,693.
	72"	15"	20"		1	ROMCSHP721 () ()	1,798.	2,517.	2,896.	3,765.
	78"	15"	20"		1	ROMCSHP781 () ()	1,888.	2,644.	3,041.	3,953.
	84"	15"	20"		2	ROMCSHP841 () ()	2,196.	3,075.	3,536.	4,596.
90"	15"	20"		2	ROMCSHP901 () ()	2,233.	3,127.	3,596.	4,674.	
96"	15"	20"		2	ROMCSHP961 () ()	2,268.	3,175.	3,652.	4,748.	

Without center gable

Order Code	Specification Information	Application Notes
Example: ROMCGSHP301	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Finish type:	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	L = Laminate	A certified building contractor should be consulted.
M Wall mount	1 = V1	Please refer to wall mounting information on page 496.
CG Center Gable	2 = V2	Cabby Dividers: 3" h x 12" d
SH Single high	3 = V3	Interior Gable: 18" h x 13" d.
P Planning	2. Case finish	Tasklights ordered separately
30 30" width		Tack/Task panel order separately
1 Letter depth		Wall hung cabinets come with wall hung cleats
2 Case finish type		Unfinished back
V316 V2 finish		


dimensions noted nominal


Overhead, 28³/₈" planning

Reff Profiles

Single high

Wall hung with doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed 	30"	15"	20"	ROMHSHP301 (X)(X)(X)(X)(X)	\$1,872.	\$2,058.	\$2,152.	\$2,245.	\$2,619.	\$3,013.	\$3,916.
	36"	15"	20"	ROMHSHP361 (X)(X)(X)(X)(X)	1,920.	2,112.	2,207.	2,303.	2,687.	3,090.	4,018.
	42"	15"	20"	ROMHSHP421 (X)(X)(X)(X)(X)	2,464.	2,710.	2,834.	2,956.	3,449.	3,967.	5,156.
	48"	15"	20"	ROMHSHP481 (X)(X)(X)(X)(X)	2,529.	2,782.	2,909.	3,034.	3,541.	4,072.	5,293.
	54"	15"	20"	ROMHSHP541 (X)(X)(X)(X)(X)	2,687.	2,956.	3,090.	3,224.	3,762.	4,326.	5,624.
	60"	15"	20"	ROMHSHP601 (X)(X)(X)(X)(X)	3,033.	3,337.	3,489.	3,641.	4,248.	4,884.	6,350.
	66"	15"	20"	ROMHSHP661 (X)(X)(X)(X)(X)	3,084.	3,392.	3,546.	3,701.	4,317.	4,965.	6,454.
	72"	15"	20"	ROMHSHP721 (X)(X)(X)(X)(X)	3,135.	3,449.	3,606.	3,763.	4,390.	5,049.	6,563.
	78"	15"	20"	ROMHSHP781 (X)(X)(X)(X)(X)	3,249.	3,574.	3,736.	3,899.	4,548.	5,230.	6,800.
	84"	15"	20"	ROMHSHP841 (X)(X)(X)(X)(X)	4,091.	4,500.	4,704.	4,909.	5,727.	6,586.	8,561.
90"	15"	20"	ROMHSHP901 (X)(X)(X)(X)(X)	4,141.	4,555.	4,762.	4,969.	5,797.	6,667.	8,666.	
96"	15"	20"	ROMHSHP961 (X)(X)(X)(X)(X)	4,195.	4,614.	4,825.	5,035.	5,873.	6,755.	8,781.	


Wall-hung overhead cabinet hinge door, cubby exposed 	30"	15"	20"	ROMCSHP301 (X)(X)(X)(X)(X)	1,775.	1,953.	2,041.	2,130.	2,485.	2,858.	3,715.
	36"	15"	20"	ROMCSHP361 (X)(X)(X)(X)(X)	1,822.	2,004.	2,096.	2,187.	2,551.	2,934.	3,814.
	42"	15"	20"	ROMCSHP421 (X)(X)(X)(X)(X)	2,405.	2,645.	2,766.	2,886.	3,367.	3,872.	5,033.
	48"	15"	20"	ROMCSHP481 (X)(X)(X)(X)(X)	2,500.	2,750.	2,876.	3,000.	3,500.	4,025.	5,233.
	54"	15"	20"	ROMCSHP541 (X)(X)(X)(X)(X)	2,555.	2,811.	2,939.	3,066.	3,577.	4,114.	5,348.
	60"	15"	20"	ROMCSHP601 (X)(X)(X)(X)(X)	2,837.	3,121.	3,262.	3,404.	3,972.	4,567.	5,937.
	66"	15"	20"	ROMCSHP661 (X)(X)(X)(X)(X)	2,881.	3,169.	3,312.	3,457.	4,033.	4,638.	6,030.
	72"	15"	20"	ROMCSHP721 (X)(X)(X)(X)(X)	2,931.	3,224.	3,370.	3,517.	4,104.	4,718.	6,135.
	78"	15"	20"	ROMCSHP781 (X)(X)(X)(X)(X)	2,994.	3,294.	3,443.	3,593.	4,192.	4,820.	6,267.
	84"	15"	20"	ROMCSHP841 (X)(X)(X)(X)(X)	3,781.	4,159.	4,349.	4,537.	5,293.	6,087.	7,913.
90"	15"	20"	ROMCSHP901 (X)(X)(X)(X)(X)	3,846.	4,230.	4,423.	4,614.	5,384.	6,191.	8,049.	
96"	15"	20"	ROMCSHP961 (X)(X)(X)(X)(X)	3,895.	4,285.	4,479.	4,674.	5,454.	6,272.	8,152.	

Order Code	Specification Information	Application Notes
Example: ROMHSHP301 (X)(X)(X)(X)(X)	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Front finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
M Wall mount	3. Pull option: B=Blank, no drilling, no touch latch R=Cylinder T=Tab F=Bar	Tasklights not included
H Hinge door	4. Lock option: N=no drilling L=locking	Tack/Task panel order separately
SH Single High	5. Lock finish: B=Black S=Matte silver	Unfinished backs
P Planning	6. Case finish: V316	Wall hung cabinets come with wall hung cleats
30 Width	7. Front finish: V316	
1 Depth (letter)	8. Pull finish: Painted or plated	
2 Case finish type		
2 Front finish type		
H Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
PU Pull finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Wall hung with glass doors

description	w	d	h	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet	30"	15"	20"	ROMGHCSHP301 () () ()	\$2,544.	\$2,773.	\$3,189.	\$4,146.
glass hinge door, cubby exposed	36"	15"	20"	ROMGHCSHP361 () () ()	2,662.	2,902.	3,336.	4,337.
	42"	15"	20"	ROMGHCSHP421 () () ()	3,413.	3,721.	4,280.	5,563.
	48"	15"	20"	ROMGHCSHP481 () () ()	3,529.	3,847.	4,424.	5,750.
	54"	15"	20"	ROMGHCSHP541 () () ()	3,780.	4,120.	4,738.	6,159.
	60"	15"	20"	ROMGHCSHP601 () () ()	4,201.	4,579.	5,266.	6,846.
	66"	15"	20"	ROMGHCSHP661 () () ()	4,328.	4,717.	5,425.	7,052.
	72"	15"	20"	ROMGHCSHP721 () () ()	4,436.	4,835.	5,560.	7,229.
	78"	15"	20"	ROMGHCSHP781 () () ()	4,622.	5,038.	5,794.	7,531.
	84"	15"	20"	ROMGHCSHP841 () () ()	5,696.	6,208.	7,139.	9,281.
	90"	15"	20"	ROMGHCSHP901 () () ()	5,765.	6,283.	7,225.	9,394.
	96"	15"	20"	ROMGHCSHP961 () () ()	5,892.	6,422.	7,386.	9,602.




Order Code	Specification Information	Application Notes
Example: ROMGHCSHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Door frame finish: Anodized or painted	Fascias ordered separately
M Wall mount	3. Glass door finish: GL11 GL15 GL18	Tasklights not included
GHC Glass hinge door/ cubby		Tack/Task panel order separately
SH Single High		Unfinished backs
P Planning		Wall hung cabinets come with wall hung cleats
30 Width		
1 Depth (letter)		
2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 496.

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Wall hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet	60"	15"	20"	ROMHOCSHP601()	\$2,560.	\$2,816.	\$2,944.	\$3,071.	\$3,712.	\$4,268.	\$5,549.
hinge door / open /	66"	15"	20"	ROMHOCSHP661()	2,598.	2,857.	2,988.	3,118.	3,767.	4,332.	5,632.
cubby exposed	72"	15"	20"	ROMHOCSHP721()	2,640.	2,905.	3,036.	3,168.	3,829.	4,402.	5,724.
	78"	15"	20"	ROMHOCSHP781()	2,706.	2,977.	3,113.	3,248.	3,924.	4,512.	5,867.
	84"	15"	20"	ROMHOCSHP841()	3,145.	3,459.	3,615.	3,773.	4,559.	5,243.	6,816.
	90"	15"	20"	ROMHOCSHP901()	3,193.	3,512.	3,672.	3,832.	4,630.	5,324.	6,921.
	96"	15"	20"	ROMHOCSHP961()	3,233.	3,557.	3,718.	3,880.	4,689.	5,391.	7,009.




Order Code	Specification Information	Application Notes
Example: ROMHOCSHP601 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
HOC Hinge door/Open/Cubby	3 = V3	Tack/Task panel order separately
SH Single high	2. Front finish type: L = Laminate	Unfinished backs
P Planning	1 = V1	Wall hung cabinets come with wall hung cleats
60 Width	2 = V2	Doors project below shelf for openings
1 Letter depth	3 = V3	No pull options
2 Case finish type	3. Lock option: N = no lock drilling	
2 Front finish type	L = locking	
L Locked	4. Lock finish: B=Black	
B Black lock	S=Matte silver	
V316 Case finish	5. Case finish	
V316 Front finish	6. Front finish	

dimensions noted nominal

Overhead, 28³/₈" planning
 Single high
 Wall hung with glass doors, open
 Cubby exposed

description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	20"	ROMGHOCSHP601()	\$3,142.	\$3,927.	\$4,516.	\$5,871.
glass hinge door / open /	66"	15"	20"	ROMGHOCSHP661()	3,216.	4,020.	4,623.	6,010.
cubby exposed	72"	15"	20"	ROMGHOCSHP721()	3,283.	4,104.	4,718.	6,135.
	78"	15"	20"	ROMGHOCSHP781()	3,374.	4,218.	4,851.	6,307.
	84"	15"	20"	ROMGHOCSHP841()	4,135.	4,963.	5,706.	7,419.
	90"	15"	20"	ROMGHOCSHP901()	4,186.	5,023.	5,777.	7,510.
	96"	15"	20"	ROMGHOCSHP961()	4,273.	5,127.	5,897.	7,666.



Order Code	Specification Information	Application Notes
Example: ROMGHOCSHP601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
GHOC Glass hinge door/Open/Cubby	3 = V3	Tack/Task panel order separately
SH Single high	2. Front finish type: L = Laminate	Unfinished backs
P Planning	1 = V1	Wall hung cabinets come with wall hung cleats
60 Width	2 = V2	Doors project below shelf for openings
	3 = V3	No pull options
	3. Lock option: N = no lock drilling	
	L = locking	
	4. Lock finish: B=Black	
	S=Matte silver	
	5. Case finish	
	6. Front finish	

dimensions noted nominal


Overhead storage


Overhead, 28³/₈" planning

Reff Profiles

Single high

Cabinet hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		ROCCGSH301 ()()	\$1,286.	\$1,801.	\$2,071.	\$2,692.
	36"	15"	20"	1		ROCCGSH361 ()()	1,323.	1,852.	2,129.	2,769.
	42"	15"	20"	2		ROCCGSH421 ()()	1,430.	2,002.	2,302.	2,993.
	48"	15"	20"	2		ROCCGSH481 ()()	1,470.	2,057.	2,366.	3,076.
	54"	15"	20"	2		ROCCGSH541 ()()	1,712.	2,397.	2,756.	3,583.
	60"	15"	20"	2	1	ROCCGSH601 ()()	1,977.	2,768.	3,183.	4,138.
	66"	15"	20"	2	1	ROCCGSH661 ()()	2,011.	2,814.	3,236.	4,208.
	72"	15"	20"	2	1	ROCCGSH721 ()()	2,050.	2,870.	3,299.	4,289.
	78"	15"	20"	2	1	ROCCGSH781 ()()	2,133.	2,986.	3,434.	4,464.
	84"	15"	20"	3	2	ROCCGSH841 ()()	2,472.	3,462.	3,981.	5,175.
90"	15"	20"	3	2	ROCCGSH901 ()()	2,512.	3,516.	4,044.	5,257.	
96"	15"	20"	3	2	ROCCGSH961 ()()	2,550.	3,570.	4,106.	5,337.	


Cabinet-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			ROCOSH301 ()()	1,158.	1,621.	1,864.	2,424.
	36"	15"	20"			ROCOSH361 ()()	1,191.	1,667.	1,916.	2,492.
	42"	15"	20"	1		ROCOSH421 ()()	1,286.	1,803.	2,072.	2,693.
	48"	15"	20"	1		ROCOSH481 ()()	1,323.	1,851.	2,129.	2,768.
	54"	15"	20"	1		ROCOSH541 ()()	1,541.	2,157.	2,480.	3,225.
	60"	15"	20"		1	ROCOSH601 ()()	1,779.	2,491.	2,864.	3,723.
	66"	15"	20"		1	ROCOSH661 ()()	1,810.	2,533.	2,913.	3,787.
	72"	15"	20"		1	ROCOSH721 ()()	1,845.	2,582.	2,969.	3,860.
	78"	15"	20"		1	ROCOSH781 ()()	1,920.	2,687.	3,091.	4,018.
	84"	15"	20"		2	ROCOSH841 ()()	2,225.	3,116.	3,583.	4,658.
	90"	15"	20"		2	ROCOSH901 ()()	2,261.	3,165.	3,639.	4,732.
	96"	15"	20"		2	ROCOSH961 ()()	2,295.	3,213.	3,695.	4,804.


Without center gable

Order Code	Specification Information	Application Notes
Example: ROCCGSH301S0 ()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type:	Letter depth is 15" nominal.
O Overhead	L = Laminate	Place holder for legal depth if required (20").
C Cabinet hung	1 = V1	Fascias ordered separately
CG Center Gable	2 = V2	Tasklights ordered separately
SH Single high	3 = V3	Tack/Task panel order separately
30 30" width	2. Case finish: V316	Unfinished back
P Planning		Installation instruction sheets available on line.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish		
V316 Case finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Cabinet hung with doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door, cubby concealed 	30"	15"	20"	ROCHSHP301()	\$1,933.	\$2,126.	\$2,223.	\$2,320.	\$2,706.	\$3,112.	\$4,046.
	36"	15"	20"	ROCHSHP361()	1,979.	2,177.	2,276.	2,375.	2,771.	3,187.	4,143.
	42"	15"	20"	ROCHSHP421()	2,522.	2,774.	2,900.	3,026.	3,531.	4,060.	5,279.
	48"	15"	20"	ROCHSHP481()	2,573.	2,830.	2,959.	3,088.	3,602.	4,143.	5,385.
	54"	15"	20"	ROCHSHP541()	2,728.	3,001.	3,138.	3,274.	3,820.	4,393.	5,711.
	60"	15"	20"	ROCHSHP601()	3,075.	3,381.	3,536.	3,689.	4,304.	4,950.	6,434.
	66"	15"	20"	ROCHSHP661()	3,122.	3,434.	3,591.	3,747.	4,371.	5,026.	6,535.
	72"	15"	20"	ROCHSHP721()	3,173.	3,491.	3,649.	3,808.	4,442.	5,109.	6,641.
	78"	15"	20"	ROCHSHP781()	3,271.	3,599.	3,763.	3,926.	4,580.	5,267.	6,641.
	84"	15"	20"	ROCHSHP841()	4,113.	4,524.	4,729.	4,935.	5,758.	6,621.	8,607.
90"	15"	20"	ROCHSHP901()	4,160.	4,576.	4,784.	4,992.	5,825.	6,698.	8,708.	
96"	15"	20"	ROCHSHP961()	4,213.	4,634.	4,845.	5,055.	5,898.	6,783.	8,817.	


Cabinet-hung overhead cabinet hinge door, cubby exposed 	30"	15"	20"	ROCHCSHP301()	1,836.	2,021.	2,113.	2,204.	2,572.	2,957.	3,844.
	36"	15"	20"	ROCHCSHP361()	1,882.	2,070.	2,164.	2,259.	2,635.	3,030.	3,939.
	42"	15"	20"	ROCHCSHP421()	2,463.	2,710.	2,833.	2,956.	3,448.	3,966.	5,155.
	48"	15"	20"	ROCHCSHP481()	2,544.	2,799.	2,925.	3,053.	3,562.	4,096.	5,325.
	54"	15"	20"	ROCHCSHP541()	2,597.	2,856.	2,986.	3,116.	3,636.	4,181.	5,435.
	60"	15"	20"	ROCHCSHP601()	2,878.	3,165.	3,309.	3,453.	4,028.	4,633.	6,022.
	66"	15"	20"	ROCHCSHP661()	2,919.	3,212.	3,357.	3,503.	4,087.	4,700.	6,110.
	72"	15"	20"	ROCHCSHP721()	2,968.	3,265.	3,413.	3,562.	4,156.	4,779.	6,213.
	78"	15"	20"	ROCHCSHP781()	3,017.	3,319.	3,469.	3,620.	4,224.	4,857.	6,315.
	84"	15"	20"	ROCHCSHP841()	3,803.	4,183.	4,373.	4,563.	5,324.	6,122.	7,959.
90"	15"	20"	ROCHCSHP901()	3,866.	4,252.	4,445.	4,638.	5,412.	6,223.	8,090.	
96"	15"	20"	ROCHCSHP961()	3,913.	4,304.	4,500.	4,696.	5,478.	6,299.	8,190.	

Order Code	Specification Information	Application Notes
Example: ROCHSHP30 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
C Cabinet mount	2 = V2	Tasklights not included
H Hinge door	3 = V3	Tack/Task panel order separately
SH Single High	2. Front Finish: L = Laminate	Unfinished backs
P Planning	1 = V1	Installation instruction sheets available on line.
30 Width	2 = V2	For Cabinet hung overheads, refer to part number 6TP00080.
1 Depth (letter)	3 = V3	
2 Case finish type	3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H=Outline	
2 Front finish type	4. Lock option: N=no drilling, L=locking (wood or laminate doors only)	
H Pull option	5. Lock finish: B=Black, S=Matte silver	
L Lock option	6. Pull option: Grommet pull only	
B Lock finish	7. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel	
PU Pull finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Cabinet hung with glass doors

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet	30"	15"	20"	ROCGHCSHP301 () () ()	\$2,622.	\$2,858.	\$3,288.	\$4,273.
glass hinge door, cubby exposed	36"	15"	20"	ROCGHCSHP361 () () ()	2,738.	2,984.	3,432.	4,461.
	42"	15"	20"	ROCGHCSHP421 () () ()	3,489.	3,803.	4,372.	5,685.
	48"	15"	20"	ROCGHCSHP481 () () ()	3,585.	3,908.	4,494.	5,842.
	54"	15"	20"	ROCGHCSHP541 () () ()	3,834.	4,179.	4,805.	6,247.
	60"	15"	20"	ROCGHCSHP601 () () ()	4,253.	4,636.	5,331.	6,931.
	66"	15"	20"	ROCGHCSHP661 () () ()	4,378.	4,771.	5,487.	7,133.
	72"	15"	20"	ROCGHCSHP721 () () ()	4,484.	4,887.	5,621.	7,307.
	78"	15"	20"	ROCGHCSHP781 () () ()	4,651.	5,070.	5,830.	7,579.
	84"	15"	20"	ROCGHCSHP841 () () ()	5,723.	6,238.	7,174.	9,326.
	90"	15"	20"	ROCGHCSHP901 () () ()	5,790.	6,311.	7,257.	9,434.
	96"	15"	20"	ROCGHCSHP961 () () ()	5,914.	6,447.	7,414.	9,638.




Order Code	Specification Information	Application Notes
Example: ROCGHCSHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Case Finish: V316	Fascias ordered separately
C Cabinet mount	3. Door frame finish: Anodized or Painted	Tasklights not included
GHC Glas hinge door/ cubby	4. Glass door finish: GL11, GL15, GL18	Tack/Task panel order separately
SH Single High		Unfinished backs
P Planning		No pull option for glass doors. Doors project below shelf for opening.
30 Width		Installation instruction sheets available on line.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

dimensions noted nominal

Overhead, 28³/₈" planning
 Single high
 Cabinet hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	20"	ROCHOCSHHP601 () () () () () ()	\$2,539.	\$2,793.	\$2,920.	\$3,047.	\$3,682.	\$4,234.	\$5,504.
hinge door / open /	66"	15"	20"	ROCHOCSHHP661 () () () () () ()	2,575.	2,834.	2,962.	3,091.	3,735.	4,295.	5,583.
cubby exposed	72"	15"	20"	ROCHOCSHHP721 () () () () () ()	2,617.	2,879.	3,010.	3,140.	3,795.	4,364.	5,673.
	78"	15"	20"	ROCHOCSHHP781 () () () () () ()	2,669.	2,936.	3,069.	3,202.	3,870.	4,451.	5,786.
	84"	15"	20"	ROCHOCSHHP841 () () () () () ()	3,105.	3,417.	3,572.	3,727.	4,503.	5,179.	6,733.
	90"	15"	20"	ROCHOCSHHP901 () () () () () ()	3,153.	3,468.	3,626.	3,783.	4,571.	5,257.	6,834.
	96"	15"	20"	ROCHOCSHHP961 () () () () () ()	3,191.	3,510.	3,670.	3,830.	4,627.	5,321.	6,917.




Order Code	Specification Information	Application Notes
Example: ROCHOCSHHP601 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
C Cabinet mount	2 = V2	Tasklights not included
HOC Hinge door / Open / Cubby	3 = V3	Tack/Task panel order separately
SH Single High	2. Front finish type: L = Laminate	Unfinished backs
P Planning	1 = V1	Doors project below shelf for opening
60 Width	2 = V2	No pull options
1 Depth (letter)	3 = V3	Installation instruction sheets available on line.
2 Case finish type	3. Lock option: N=no drilling, L=locking (wood or laminate doors only)	For Cabinet hung overheads, refer to part number 6TP00080.
2 Front finish type	4. Lock finish: B=Black, S=Matte silver	
L Lock option	5. Case finish	
B Lock finish	6. Front finish	
V316 Case finish		
V316 Front finish		

dimensions noted nominal

Overhead, 28³/₈" planning
 Single high
 Cabinet hung with glass doors, open
 Cubby exposed

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet	60"	15"	20"	ROCGHOC SHP601()	\$3,113.	\$3,898.	\$4,482.	\$5,827.
glass hinge door / open /	66"	15"	20"	ROCGHOC SHP661()	3,190.	3,987.	4,586.	5,962.
cubby exposed	72"	15"	20"	ROCGHOC SHP721()	3,256.	4,070.	4,680.	6,084.
	78"	15"	20"	ROCGHOC SHP781()	3,331.	4,164.	4,788.	6,225.
	84"	15"	20"	ROCGHOC SHP841()	4,089.	4,907.	5,642.	7,336.
	90"	15"	20"	ROCGHOC SHP901()	4,138.	4,965.	5,710.	7,423.
	96"	15"	20"	ROCGHOC SHP961()	4,222.	5,067.	5,827.	7,575.



Order Code	Specification Information	Application Notes	
Example: ROCGHOC SHP601 () <td> <td><i>To order please specify:</i></td> <td>These products are Glue and Dowel Construction</td> </td>	<td><i>To order please specify:</i></td> <td>These products are Glue and Dowel Construction</td>	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately	
O Overhead	2. Front finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately	
C Cabinet mount	3. Lock option: N=no drilling, L=locking (wood or laminate doors only)	Unfinished backs Doors project below shelf for opening	
GHOC Glass hinge door / Open / Cubby	4. Lock finish: B=Black, S=Matte silver	No pull options	
SH Single High	5. Case finish	Installation instruction sheets available on line.	
P Planning	6. Front finish	For Cabinet hung overheads, refer to part number 6TP00080.	
60 Width			
1 Depth (letter)			



dimensions noted nominal

Overhead, 28³/₈" planning

Reff Profiles

Double high

Wall hung


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed 	30"	15"	33"	ROMHDHP301 (X)(X)(X)(X)(X)	\$2,197.	\$2,416.	\$2,527.	\$2,637.	\$3,076.	\$3,537.	\$4,598.
	36"	15"	33"	ROMHDHP361 (X)(X)(X)(X)(X)	2,271.	2,499.	2,612.	2,725.	3,180.	3,657.	4,753.
	42"	15"	33"	ROMHDHP421 (X)(X)(X)(X)(X)	3,043.	3,346.	3,499.	3,651.	4,260.	4,899.	6,368.
	48"	15"	33"	ROMHDHP481 (X)(X)(X)(X)(X)	3,131.	3,443.	3,600.	3,756.	4,383.	5,041.	6,553.
	54"	15"	33"	ROMHDHP541 (X)(X)(X)(X)(X)	3,321.	3,653.	3,819.	3,985.	4,649.	5,347.	6,951.
	60"	15"	33"	ROMHDHP601 (X)(X)(X)(X)(X)	3,657.	4,022.	4,204.	4,387.	5,118.	5,886.	7,652.
	66"	15"	33"	ROMHDHP661 (X)(X)(X)(X)(X)	3,772.	4,149.	4,338.	4,527.	5,281.	6,073.	7,895.
	72"	15"	33"	ROMHDHP721 (X)(X)(X)(X)(X)	3,849.	4,234.	4,427.	4,620.	5,389.	6,198.	8,057.
	78"	15"	33"	ROMHDHP781 (X)(X)(X)(X)(X)	3,977.	4,374.	4,573.	4,772.	5,567.	6,401.	8,322.
	84"	15"	33"	ROMHDHP841 (X)(X)(X)(X)(X)	5,024.	5,527.	5,778.	6,030.	7,034.	8,090.	10,516.
90"	15"	33"	ROMHDHP901 (X)(X)(X)(X)(X)	5,114.	5,626.	5,881.	6,137.	7,160.	8,234.	10,704.	
96"	15"	33"	ROMHDHP961 (X)(X)(X)(X)(X)	5,181.	5,699.	5,959.	6,217.	7,253.	8,342.	10,844.	
Wall-hung overhead cabinet hinge door, cubby exposed 	30"	15"	33"	ROMHCDHP301 (X)(X)(X)(X)(X)	2,103.	2,313.	2,418.	3,554.	2,944.	3,386.	4,401.
	36"	15"	33"	ROMHCDHP361 (X)(X)(X)(X)(X)	2,173.	2,391.	2,499.	2,608.	3,043.	3,499.	4,548.
	42"	15"	33"	ROMHCDHP421 (X)(X)(X)(X)(X)	2,952.	3,248.	3,395.	3,543.	4,133.	4,753.	6,179.
	48"	15"	33"	ROMHCDHP481 (X)(X)(X)(X)(X)	3,063.	3,370.	3,523.	3,676.	4,289.	4,932.	6,412.
	54"	15"	33"	ROMHCDHP541 (X)(X)(X)(X)(X)	3,150.	3,465.	3,623.	3,780.	4,409.	5,071.	6,592.
	60"	15"	33"	ROMHCDHP601 (X)(X)(X)(X)(X)	3,458.	3,803.	3,976.	4,149.	4,840.	5,566.	7,237.
	66"	15"	33"	ROMHCDHP661 (X)(X)(X)(X)(X)	3,569.	3,926.	4,105.	4,283.	6,027.	5,746.	7,471.
	72"	15"	33"	ROMHCDHP721 (X)(X)(X)(X)(X)	3,643.	4,008.	4,189.	4,371.	5,101.	5,865.	7,625.
	78"	15"	33"	ROMHCDHP781 (X)(X)(X)(X)(X)	3,722.	4,095.	4,281.	4,467.	5,212.	5,994.	7,792.
	84"	15"	33"	ROMHCDHP841 (X)(X)(X)(X)(X)	4,729.	5,202.	5,438.	5,675.	6,621.	7,614.	9,897.
90"	15"	33"	ROMHCDHP901 (X)(X)(X)(X)(X)	4,816.	5,298.	5,539.	5,780.	6,743.	7,755.	10,082.	
96"	15"	33"	ROMHCDHP961 (X)(X)(X)(X)(X)	4,881.	5,369.	5,612.	5,857.	6,833.	7,858.	10,216.	

Order Code	Specification Information	Application Notes
Example: ROMHDHP30 (X)(X)(X)(X)(X)	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate	Letter depth is 15" nominal.
O Overhead	2 = V1	Fascias ordered separately
M Wall mount	3 = V2	Tasklights not included
H Hinge door	3 = V3	Tack/Task panel order separately
DH Double High	2. Front Finish: L = Laminate	Unfinished backs
P Planning	1 = V1	
30 Width	2 = V2	
1 Depth (letter)	3 = V3	
2 Case finish type	3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H=Outline	
2 Front finish type	4. Lock option: N=no drilling, L=locking	
H Pull option	(wood or laminate doors only)	
L Lock option	5. Lock finish: B=Black, S=Matte silver	
B Lock finish	6. Pull option: Grommet pull only	
PU Pull finish	7. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel	

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Wall hung with glass door

description	w	d	h	pattern n	L	V1	V2	V3
Wall-hung overhead cabinet	30"	15"	33"	ROMGHCDHP301()	\$3,158.	\$3,473.	\$3,994.	\$5,193.
glass hinge door, cubby exposed	36"	15"	33"	ROMGHCDHP361()	3,328.	3,661.	4,210.	5,472.
	42"	15"	33"	ROMGHCDHP421()	4,372.	4,809.	5,530.	7,189.
	48"	15"	33"	ROMGHCDHP481()	4,529.	4,981.	5,729.	7,447.
	54"	15"	33"	ROMGHCDHP541()	4,842.	5,326.	6,125.	7,963.
	60"	15"	33"	ROMGHCDHP601()	5,408.	5,948.	6,840.	8,893.
	66"	15"	33"	ROMGHCDHP661()	5,639.	6,204.	7,134.	9,274.
	72"	15"	33"	ROMGHCDHP721()	5,794.	6,373.	7,328.	9,526.
	78"	15"	33"	ROMGHCDHP781()	6,034.	6,637.	7,633.	9,923.
	84"	15"	33"	ROMGHCDHP841()	7,488.	8,237.	9,473.	12,315.
	90"	15"	33"	ROMGHCDHP901()	7,608.	8,369.	9,623.	12,510.
	96"	15"	33"	ROMGHCDHP961()	7,778.	8,556.	9,839.	12,791.




Order Code	Specification Information	Application Notes
Example: ROMGHCDHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L, V1, V2, V3	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	2. Case finish: V316	A certified building contractor should be consulted.
M Wall mount	3. Door frame finish: Anodized / Painted	Please refer to wall mounting information on page 496.
GHC Glass hinge door / cubby	4. Door glass finish:	
DH Double High	GL11	
P Planning	GL15	
30 Width	GL18	
1 Depth (letter)		Letter depth is 15" nominal.
2 Case finish type		No glass shelves
V316 Case finish		Fascias ordered separately
AN Door frame finish		Tasklights not included
GL11 Door glass finish		Tack/Task panel order separately
		Unfinished backs
		No pull option for glass doors. Doors project below shelf for opening.


dimensions noted nominal

Overhead, 28³/₈" planning

Double high

Wall hung with and without center gable

description	w	h	d	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30"	33"	15"		1	ROMCGDHP301 () ()	\$1,830.	\$2,562.	\$2,946.	\$3,831.
	36"	33"	15"		1	ROMCGDHP361 () ()	1,879.	2,630.	3,024.	3,932.
	42"	33"	15"		2	ROMCGDHP421 () ()	2,309.	3,233.	3,718.	4,834.
	48"	33"	15"		2	ROMCGDHP481 () ()	2,369.	3,316.	3,813.	4,957.
	54"	33"	15"		2	ROMCGDHP541 () ()	2,629.	3,680.	4,232.	5,502.
	60"	33"	15"		3	ROMCGDHP601 () ()	3,122.	4,371.	5,027.	6,535.
	66"	33"	15"		3	ROMCGDHP661 () ()	3,217.	4,504.	5,180.	6,733.
	72"	33"	15"		3	ROMCGDHP721 () ()	3,266.	4,573.	5,259.	6,837.
	78"	33"	15"		3	ROMCGDHP781 () ()	3,380.	4,732.	5,443.	7,075.
	84"	33"	15"		5	ROMCGDHP841 () ()	4,259.	5,963.	6,857.	8,914.
	90"	33"	15"		5	ROMCGDHP901 () ()	4,312.	6,036.	6,941.	9,024.
96"	33"	15"		5	ROMCGDHP961 () ()	4,358.	6,101.	7,016.	9,121.	

Wall-hung overhead cabinet open /cubby without center gable 	30"	33"	15"			ROMOCDHP301 () ()	1,647.	2,305.	2,651.	3,447.
	36"	33"	15"			ROMOCDHP361 () ()	1,691.	2,367.	2,721.	3,538.
	42"	33"	15"		1	ROMOCDHP421 () ()	2,079.	2,910.	3,346.	4,351.
	48"	33"	15"		1	ROMOCDHP481 () ()	2,132.	2,984.	3,432.	4,462.
	54"	33"	15"		1	ROMOCDHP541 () ()	2,366.	3,312.	3,809.	4,952.
	60"	33"	15"		1	ROMOCDHP601 () ()	2,810.	3,935.	4,525.	5,882.
	66"	33"	15"		1	ROMOCDHP661 () ()	2,895.	4,054.	4,662.	6,059.
	72"	33"	15"		1	ROMOCDHP721 () ()	2,940.	4,116.	4,733.	6,153.
	78"	33"	15"		1	ROMOCDHP781 () ()	3,043.	4,259.	4,899.	6,367.
	84"	33"	15"		2	ROMOCDHP841 () ()	3,834.	5,366.	6,171.	8,023.
	90"	33"	15"		2	ROMOCDHP901 () ()	3,880.	5,432.	6,247.	8,122.
	96"	33"	15"		2	ROMOCDHP961 () ()	3,922.	5,491.	6,315.	8,209.

Without center gable


Order Code	Specification Information	Application Notes
Example: ROMCGDHP301 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type:	Letter depth is 15" nominal.
O Overhead	L = Laminate	Place holder for legal depth if required.
M Wall mount	1 = V1	Fascias ordered separately
CG Center Gable	2 = V2	Tasklights not included
DH Double High	3 = V3	Tack/Task panel order separately
P Planning	2. Case finish: V316	Unfinished backs
30 Width		
1 Depth (letter)		
2 Case finish type		
V316 Case finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 496.
Cabby Dividers: 3"h x 12"d
Interior Gable: 30"h x 13"d.

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Wall hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet	60"	15"	33"	ROMHOCDHP601()	\$3,269.	\$3,597.	\$3,760.	\$3,923.	\$4,740.	\$5,452.	\$7,087.
hinge door/ open /	66"	15"	33"	ROMHOCDHP661()	3,324.	3,657.	3,822.	3,988.	4,819.	5,542.	7,205.
cubby exposed	72"	15"	33"	ROMHOCDHP721()	3,387.	3,726.	3,894.	4,064.	4,911.	5,647.	7,342.
	78"	15"	33"	ROMHOCDHP781()	3,453.	3,798.	3,971.	4,144.	5,007.	5,758.	7,485.
	84"	15"	33"	ROMHOCDHP841()	3,977.	4,374.	4,573.	4,772.	5,766.	6,631.	8,621.
	90"	15"	33"	ROMHOCDHP901()	4,044.	4,448.	4,650.	4,852.	5,863.	6,742.	8,765.
	96"	15"	33"	ROMHOCDHP961()	4,102.	4,512.	4,717.	4,923.	5,948.	6,841.	8,893.



Order Code	Specification Information	Application Notes
Example: ROMHOCDHP601 ()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
O Overhead	2. Front Finish: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
M Wall mount	3. Lock Option: N=no drilling, L=locking (wood or laminate doors only)	Unfinished backs
HOC Hinge door / open / cubby	4. Lock finish: B=Black, S=Matte silver	Doors project below shelf for opening No pull option
DH Double High	5. Case Finish	
P Planning	6. Front Finish	
60 Width		
1 Depth (letter)		
2 Case finish type		
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		

dimensions noted nominal


Overhead, 28³/₈" planning

Double high

Wall hung with glass doors, open

Cubby exposed

description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	33"	ROMGHOCDHP601 () () () () ()	\$4,156.	\$5,194.	\$5,974.	\$7,766.
glass hinge door / open /	66"	15"	33"	ROMGHOCDHP661 () () () () ()	4,264.	5,331.	6,131.	7,969.
cubby exposed	72"	15"	33"	ROMGHOCDHP721 () () () () ()	4,363.	5,454.	6,272.	8,152.
	78"	15"	33"	ROMGHOCDHP781 () () () () ()	4,495.	5,595.	6,434.	8,365.
	84"	15"	33"	ROMGHOCDHP841 () () () () ()	5,397.	6,638.	7,634.	9,924.
	90"	15"	33"	ROMGHOCDHP901 () () () () ()	5,481.	6,741.	7,753.	10,079.
	96"	15"	33"	ROMGHOCDHP961 () () () () ()	5,602.	6,891.	7,924.	10,301.



Order Code

Example:	ROMGHOCDHP601 () () () () ()
R	Reff
O	Overhead
M	Wall mount
GHOC	Glass hinge door / open / cubby
DH	Double High
P	Planning
60	Width
1	Depth (letter)

dimensions noted nominal

Specification Information

- To order please specify:*
- Case Finish:
L = Laminate
1 = V1
2 = V2
3 = V3
 - Front Finish:
L = Laminate
1 = V1
2 = V2
3 = V3
 - Lock Option: N=no drilling,
L=locking
(wood or laminate doors only)
 - Lock finish: B=Black, S=Matte
silver
 - Case Finish
 - Front Finish


Application Notes


- These products are Glue and Dowel Construction
- Letter depth is 15" nominal.
- Fascias ordered separately
- Tasklights not included
- Tack/Task panel order separately
- Unfinished backs
- Doors project below shelf for opening
- No pull option

Overhead, 28³/₈" planning

Reff Profiles

Double high Cabinet hung

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door, cubby concealed 	30"	15"	33"	ROCHDHP301 (X)(X)(X)(X)(X)	\$2,270.	\$2,498.	\$2,611.	\$2,724.	\$3,179.	\$3,655.	\$4,751.
	36"	15"	33"	ROCHDHP361 (X)(X)(X)(X)(X)	2,342.	2,577.	2,693.	2,811.	3,280.	3,772.	4,903.
	42"	15"	33"	ROCHDHP421 (X)(X)(X)(X)(X)	3,113.	3,424.	3,579.	3,736.	4,358.	5,012.	6,515.
	48"	15"	33"	ROCHDHP481 (X)(X)(X)(X)(X)	3,186.	3,505.	3,664.	3,823.	4,461.	5,129.	6,668.
	54"	15"	33"	ROCHDHP541 (X)(X)(X)(X)(X)	3,374.	3,712.	3,881.	4,049.	4,725.	5,433.	7,063.
	60"	15"	33"	ROCHDHP601 (X)(X)(X)(X)(X)	3,708.	4,079.	4,264.	4,450.	5,192.	5,971.	7,762.
	66"	15"	33"	ROCHDHP661 (X)(X)(X)(X)(X)	3,822.	4,204.	4,396.	4,587.	5,351.	6,154.	8,000.
	72"	15"	33"	ROCHDHP721 (X)(X)(X)(X)(X)	3,901.	4,290.	4,486.	4,680.	5,460.	6,280.	8,164.
	78"	15"	33"	ROCHDHP781 (X)(X)(X)(X)(X)	4,011.	4,411.	4,612.	4,813.	5,616.	6,457.	8,395.
	84"	15"	33"	ROCHDHP841 (X)(X)(X)(X)(X)	5,057.	5,563.	5,815.	6,069.	7,079.	8,141.	10,584.
	90"	15"	33"	ROCHDHP901 (X)(X)(X)(X)(X)	5,145.	5,659.	5,916.	6,174.	7,203.	8,282.	10,768.
96"	15"	33"	ROCHDHP961 (X)(X)(X)(X)(X)	5,211.	5,731.	5,992.	6,252.	7,294.	8,388.	10,906.	


Cabinet-hung overhead cabinet hinge door, cubby exposed 	30"	15"	33"	ROCHCDHP301 (X)(X)(X)(X)(X)	2,175.	2,393.	2,501.	2,610.	3,045.	3,502.	4,552.
	36"	15"	33"	ROCHCDHP361 (X)(X)(X)(X)(X)	2,243.	2,468.	2,579.	2,691.	3,140.	3,611.	4,695.
	42"	15"	33"	ROCHCDHP421 (X)(X)(X)(X)(X)	3,044.	3,349.	3,500.	3,652.	4,261.	4,901.	6,371.
	48"	15"	33"	ROCHCDHP481 (X)(X)(X)(X)(X)	3,117.	3,429.	3,584.	3,741.	4,364.	5,019.	6,524.
	54"	15"	33"	ROCHCDHP541 (X)(X)(X)(X)(X)	3,201.	3,522.	3,681.	3,842.	4,483.	5,154.	6,701.
	60"	15"	33"	ROCHCDHP601 (X)(X)(X)(X)(X)	3,507.	3,857.	4,033.	4,209.	4,910.	5,646.	7,340.
	66"	15"	33"	ROCHCDHP661 (X)(X)(X)(X)(X)	3,616.	3,979.	4,159.	4,340.	5,063.	5,823.	7,569.
	72"	15"	33"	ROCHCDHP721 (X)(X)(X)(X)(X)	3,692.	4,060.	4,245.	4,429.	5,168.	5,943.	7,725.
	78"	15"	33"	ROCHCDHP781 (X)(X)(X)(X)(X)	3,754.	4,129.	4,318.	4,505.	5,256.	6,044.	7,858.
	84"	15"	33"	ROCHCDHP841 (X)(X)(X)(X)(X)	4,758.	5,233.	5,471.	5,709.	6,660.	7,659.	9,957.
	90"	15"	33"	ROCHCDHP901 (X)(X)(X)(X)(X)	4,843.	5,327.	5,569.	5,811.	6,780.	7,797.	10,136.
96"	15"	33"	ROCHCDHP961 (X)(X)(X)(X)(X)	4,906.	5,396.	5,641.	5,887.	6,868.	7,898.	10,268.	

Order Code	Specification Information	Application Notes
Example: ROCHDHP301 (X)(X)(X)(X)(X) R Reff O Overhead C Cabinet Hung H Hinge door DH Double High P Planning 30 Width 1 Depth (letter) 2 Case finish type 2 Front finish type H Pull option L Lock option B Lock finish V316 Case finish V316 Front finish PN Pull finish	To order please specify: 1. Case Finish: L = Laminate 1 = V1 2 = V2 3 = V3 2. Front Finish: L = Laminate 1 = V1 2 = V2 3 = V3 3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H=Outline 4. Lock option: N=no drilling, L=locking (wood or laminate doors only) 5. Lock finish: B=Black, S=Matte silver 6. Case finish: V316 7. Front finish: V316 8. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel	These products are Glue and Dowel Construction Letter depth is 15" nominal. Fascias ordered separately Tasklights not included Tack/Task panel order separately Unfinished backs Installation instruction sheets available on line. For Cabinet hung overheads, refer to part number 6TP00080.

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Cabinet hung with glass door

description	w	d	h	pattern n	L	V1	V2	V3
Cabinet-hung overhead cabinet	30"	15"	33"	ROCGHCDHP301 () () ()	\$3,201.	\$3,489.	\$4,012.	\$5,216.
glass hinge door, cubby exposed	36"	15"	33"	ROCGHCDHP361 () () ()	3,370.	3,673.	4,224.	5,492.
	42"	15"	33"	ROCGHCDHP421 () () ()	4,422.	4,820.	5,543.	7,206.
	48"	15"	33"	ROCGHCDHP481 () () ()	4,562.	4,972.	5,718.	7,432.
	54"	15"	33"	ROCGHCDHP541 () () ()	4,875.	5,314.	6,111.	7,944.
	60"	15"	33"	ROCGHCDHP601 () () ()	5,235.	5,707.	6,563.	8,533.
	66"	15"	33"	ROCGHCDHP661 () () ()	5,459.	5,950.	6,843.	8,896.
	72"	15"	33"	ROCGHCDHP721 () () ()	5,635.	6,143.	7,064.	9,183.
	78"	15"	33"	ROCGHCDHP781 () () ()	5,860.	6,387.	7,345.	9,548.
	84"	15"	33"	ROCGHCDHP841 () () ()	7,132.	7,773.	8,939.	11,621.
	90"	15"	33"	ROCGHCDHP901 () () ()	7,249.	7,902.	9,088.	11,813.
	96"	15"	33"	ROCGHCDHP961 () () ()	7,419.	8,087.	9,299.	12,089.



Order Code	Specification Information	Application Notes
Example: ROCGHCDHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish Type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Case Finish: V316	No glass shelves
C Cabinet Hung	3. Door frame finish: Anotized or Painted	Fascias ordered separately
GHC Glass hinge door / cubby	4. Door Glass finish: GL11, GL15, GL18	Tasklights not included
DH Double High		Tack/Task panel order separately
P Planning		Unfinished backs
30 Width		No pull option for glass doors. Doors project below shelf for opening.
1 Depth (letter)		Installation instruction sheets available on line.
2 Case finish type		For Cabinet hung overheads, refer to part number 6TP00080.
2 Caese finish		
AN Door frame finish		
GL11 Door glass finish		

dimensions noted nominal


Overhead storage

Overhead, 28³/₈" planning


Double high

Cabinet hung with and without center gable

description	w	d	h	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable	30"	15"	33"	1	ROCCGDHP301 ()()	\$1,904.	\$2,666.	\$3,065.	\$3,985.
	36"	15"	33"	1	ROCCGDHP361 ()()	1,951.	2,731.	3,140.	4,082.
	42"	15"	33"	2	ROCCGDHP421 ()()	2,380.	3,332.	3,833.	4,982.
	48"	15"	33"	2	ROCCGDHP481 ()()	2,425.	3,394.	3,904.	5,075.
	54"	15"	33"	2	ROCCGDHP541 ()()	2,683.	3,755.	4,319.	5,615.
	60"	15"	33"	3	ROCCGDHP601 ()()	3,175.	4,445.	5,112.	6,646.
	66"	15"	33"	3	ROCCGDHP661 ()()	3,268.	4,575.	5,261.	6,839.
	72"	15"	33"	3	ROCCGDHP721 ()()	3,318.	4,645.	5,342.	6,944.
	78"	15"	33"	3	ROCCGDHP781 ()()	3,415.	4,781.	5,498.	7,147.
	84"	15"	33"	5	ROCCGDHP841 ()()	4,291.	6,008.	6,909.	8,982.
	90"	15"	33"	5	ROCCGDHP901 ()()	4,341.	6,078.	6,991.	9,088.
96"	15"	33"	5	ROCCGDHP961 ()()	4,388.	6,142.	7,064.	9,182.	



Cabinet-hung overhead cabinet open /cubby without center gable	30"	15"	33"		ROCOCDHP301 ()()	1,714.	2,399.	2,758.	3,586.
	36"	15"	33"		ROCOCDHP361 ()()	1,756.	2,458.	2,826.	3,674.
	42"	15"	33"	1	ROCOCDHP421 ()()	2,142.	2,999.	3,449.	4,484.
	48"	15"	33"	1	ROCOCDHP481 ()()	2,183.	3,055.	3,513.	4,567.
	54"	15"	33"	1	ROCOCDHP541 ()()	2,415.	3,379.	3,887.	5,053.
	60"	15"	33"	1	ROCOCDHP601 ()()	2,858.	4,001.	4,601.	5,981.
	66"	15"	33"	1	ROCOCDHP661 ()()	2,942.	4,118.	4,735.	6,155.
	72"	15"	33"	1	ROCOCDHP721 ()()	2,986.	4,181.	4,807.	6,250.
	78"	15"	33"	1	ROCOCDHP781 ()()	3,074.	4,303.	4,948.	6,432.
	84"	15"	33"	2	ROCOCDHP841 ()()	3,861.	5,408.	6,218.	8,083.
	90"	15"	33"	2	ROCOCDHP901 ()()	3,908.	5,470.	6,291.	8,179.
	96"	15"	33"	2	ROCOCDHP961 ()()	3,949.	5,528.	6,357.	8,265.




Without center gable

Order Code	Specification Information	Application Notes
Example: ROCCGDHP301 ()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Place holder for legal depth if required.
C Cabinet hung	2 = V2	Fascias ordered separately
CG Center gable	3 = V3	Tasklights not included
DH Double High	2. Case finish: V316	Tack/Task panel order separately
P Planning		Unfinished backs
30 Width		Installation instruction sheets available on line.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
V316 Case finish		

dimensions noted nominal

Overhead, 28³/₈" planning
 Double high
 Cabinet hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	33"	ROCHOCDHP601 () () () () () ()	\$3,260.	\$3,585.	\$3,748.	\$3,912.	\$4,727.	\$5,435.	\$7,066.
hinge door / open /	66"	15"	33"	ROCHOCDHP661 () () () () () ()	3,312.	3,643.	3,809.	3,975.	4,803.	5,523.	7,180.
cubby exposed	72"	15"	33"	ROCHOCDHP721 () () () () () ()	3,374.	3,711.	3,880.	4,049.	4,893.	5,627.	7,314.
	78"	15"	33"	ROCHOCDHP781 () () () () () ()	3,426.	3,769.	3,940.	4,111.	4,968.	5,712.	7,426.
	84"	15"	33"	ROCHOCDHP841 () () () () () ()	3,949.	4,344.	4,541.	4,739.	5,726.	5,555.	8,560.
	90"	15"	33"	ROCHOCDHP901 () () () () () ()	4,014.	4,415.	4,615.	4,816.	5,820.	6,693.	8,700.
	96"	15"	33"	ROCHOCDHP961 () () () () () ()	4,071.	4,477.	4,681.	4,884.	5,902.	6,788.	8,824.




Order Code	Specification Information	Application Notes
Example: ROCHOCDHP601 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
C Cabinet Hung	2 = V2	Tasklights not included
HOC Hinge door / open / cubby	3 = V3	Tack/Task panel order separately
DH Double High	2. Front Finish: L = Laminate	Unfinished backs
P Planning	1 = V1	Doors project below shelf for opening
30 Width	2 = V2	No pull options
1 Depth (letter)	3 = V3	Installation instruction sheets available on line.
2 Case finish type	3. Lock option: N=no drilling, L=locking (wood or laminate doors only)	For Cabinet hung overheads, refer to part number 6TP00080.
2 Front finish type	4. Lock finish: B=Black, S=Matte silver	
L Lock option	5. Case finish: V316	
B Lock finish	6. Front finish: V316	
V316 Case finish		
V316 Front finish		

dimensions noted nominal

Overhead, 28³/₈" planning
 Double high
 Cabinet hung with glass doors, open
 Cubby exposed

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet	60"	15"	33"	ROCGHOCDHP601 () () () ()	\$4,145.	\$5,181.	\$5,958.	\$7,746.
glass hinge door / open /	66"	15"	33"	ROCGHOCDHP661 () () () ()	4,251.	5,314.	6,111.	7,944.
cubby exposed	72"	15"	33"	ROCGHOCDHP721 () () () ()	4,348.	5,435.	6,250.	8,126.
	78"	15"	33"	ROCGHOCDHP781 () () () ()	4,445.	5,559.	6,390.	8,307.
	84"	15"	33"	ROCGHOCDHP841 () () () ()	5,364.	6,598.	7,587.	9,863.
	90"	15"	33"	ROCGHOCDHP901 () () () ()	5,446.	6,698.	7,702.	10,014.
	96"	15"	33"	ROCGHOCDHP961 () () () ()	5,564.	6,844.	7,871.	10,232.




Order Code	Specification Information	Application Notes
Example: ROCGHOCDHP601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead		Fascias ordered separately
C Cabinet Hung		Tasklights not included
GHOC Glass hinge door / open / cubby	2. Front Finish: L = Laminate 1 = V1 2 = V2 3 = V3	Tack/Task panel order separately
DH Double High		Unfinished backs
P Planning		Doors project below shelf for opening
60 Width	3. Lock option: N=no drilling, L=locking (wood or laminate doors only)	No pull options
1 Depth (letter)	4. Lock finish: B=Black, S=Matte silver	Installation instruction sheets available on line.
	5. Case finish: V316	For Cabinet hung overheads, refer to part number 6TP00080.
	6. Front finish: V316	


dimensions noted nominal

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()L		\$699.	\$699.	\$733.	\$1,050.
		30"	14 1/4"	14 3/4"	RO3-M30() ()L		782.	782.	818.	1,130.
		36"	14 1/4"	14 3/4"	RO3-M36() ()L		901.	901.	945.	1,265.
		42"	14 1/4"	14 3/4"	RO3-M42() ()L		1,041.	1,041.	1,091.	1,404.
		48"	14 1/4"	14 3/4"	RO3-M48() ()L		1,158.	1,158.	1,216.	1,538.



Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() ()L		1,469.	1,469.	1,539.	2,115.
		66"	14 1/4"	14 3/4"	RO3-M66() ()L		1,598.	1,598.	1,681.	2,266.
		72"	14 1/4"	14 3/4"	RO3-M72() ()L		1,711.	1,711.	1,796.	2,390.



Enclosed cabinet, no lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()N		632.	632.	663.	
		30"	14 1/4"	14 3/4"	RO3-M30() ()N		715.	715.	751.	
		36"	14 1/4"	14 3/4"	RO3-M36() ()N		835.	835.	874.	
		42"	14 1/4"	14 3/4"	RO3-M42() ()N		973.	973.	1,021.	
		48"	14 1/4"	14 3/4"	RO3-M48() ()N		1,090.	1,090.	1,145.	



Order Code

Example: RO3-M48-612-M-L	
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.
Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 397) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.

Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60"	14 ³ / ₄ "	14 ³ / ₄ "	RO3-M60() (JN)		\$1,331.	\$1,331.	\$1,397.	n/a
		66"	14 ³ / ₄ "	14 ³ / ₄ "	RO3-M66() (JN)		1,466.	1,466.	1,535.	n/a
		72"	14 ³ / ₄ "	14 ³ / ₄ "	RO3-M72() (JN)		1,572.	1,572.	1,653.	n/a



description	type	w	d	h	pattern no.	black
Interior partitions	Horizontal, set of 10	6"	11"	-	RO1-HP6	134.
	Horizontal, set of 10	9"	11"	-	RO1-HP9	169.
	Horizontal, set of 10	12"	11"	-	RO1-HP12	201.
	Horizontal, set of 10	15"	11"	-	RO1-HP15	234.
	Vertical, set of 5	-	11"	12"	RO3-VP	87.



Order Code

Example:	RO3-M48-612-M-L
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.
Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1¹/₂" increments of width anywhere across shelf, 1¹/₂" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 397) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.


Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()L	\$686.	\$686.	\$719.	\$1,032.
		30"	14 1/4"	14 3/4"	RO3-N30() ()L	763.	763.	804.	1,114.
		36"	14 1/4"	14 3/4"	RO3-N36() ()L	883.	883.	928.	1,249.
		42"	14 1/4"	14 3/4"	RO3-N42() ()L	1,024.	1,024.	1,077.	1,389.
		48"	14 1/4"	14 3/4"	RO3-N48() ()L	1,145.	1,145.	1,200.	1,525.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()L	1,448.	1,448.	1,523.	2,101.
		66"	14 1/4"	14 3/4"	RO3-N66() ()L	1,586.	1,586.	1,661.	2,252.
		72"	14 1/4"	14 3/4"	RO3-N72() ()L	1,693.	1,693.	1,778.	2,376.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()N	616.	616.	646.	n/a
		30"	14 1/4"	14 3/4"	RO3-N30() ()N	698.	698.	732.	n/a
		36"	14 1/4"	14 3/4"	RO3-N36() ()N	816.	816.	857.	n/a
		42"	14 1/4"	14 3/4"	RO3-N42() ()N	958.	958.	1,006.	n/a
		48"	14 1/4"	14 3/4"	RO3-N48() ()N	1,075.	1,075.	1,130.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()N	1,313.	1,313.	1,380.	n/a
		66"	14 1/4"	14 3/4"	RO3-N66() ()N	1,447.	1,447.	1,520.	n/a
		72"	14 1/4"	14 3/4"	RO3-N72() ()N	1,561.	1,561.	1,639.	n/a



Order Code

Example:	RO3-N48-613-613-L
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.



Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter open shelf

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf no mounting hardware		30"	13"	8"	RS1-N30()		\$328.	\$328.	\$343.
		36"	13"	8"	RS1-N36()		371.	371.	389.
		42"	13"	8"	RS1-N42()		400.	400.	419.
		48"	13"	8"	RS1-N48()		430.	430.	451.
		60"	13"	8"	RS1-N60()		504.	504.	530.
 Interior partitions	Vertical, set of 5	–	12"	6"	RS1-VP	81.			
	Horizontal, set of 10	6"	12"	–	RO1-HP6	134.			
		9"	12"	–	RO1-HP9	169.			
		12"	12"	–	RO1-HP12	201.			
		15"	12"	–	RO1-HP15	234.			

Order Code

Example: RS1-N48-612	
RS1	Reuter shelf
N	No mounting hardware
48	Width
612	Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.



Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter open overhead

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open overhead no mounting hardware		30"	13"	14 ³ / ₄ "	RO3-ON30()	\$490.	\$490.	\$513.	
		36"	13"	14 ³ / ₄ "	RO3-ON36()	562.	562.	590.	
		42"	13"	14 ³ / ₄ "	RO3-ON42()	638.	638.	670.	
		48"	13"	14 ³ / ₄ "	RO3-ON48()	713.	713.	747.	
		60"	13"	14 ³ / ₄ "	RO3-ON60()	829.	829.	872.	
		72"	13"	14 ³ / ₄ "	RO3-ON72()	977.	977.	1,025.	
 Interior partitions	Vertical, set of 5	–	11"	12"	RO3-VP	87.			
	Horizontal, set of 10	6"	11"	–	RO1-HP6	134.			
		9"	11"	–	RO1-HP9	169.			
		12"	11"	–	RO1-HP12	201.			
		15"	11"	–	RO1-HP15	234.			

Order Code

Example:	RO3-ON30-612
RO3-O	Reuter open overhead
N	No mounting hardware
30	Width
612	Finish

Specification Information

Specify finish for case and door.

Application Notes

Interior partitions are black painted steel finish.

Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.

Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.




Reuter overhead storage
desk and panel mounting options
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				RO1-RPB	\$45.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				RS1-RPB	37.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Reff / AutoStrada panels				RO1-RCB()		96.



Order Code	Specification Information	Application Notes
Example: RO2-NS21-612	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
RO2 Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
NS Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
21 Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
612 Paint finish		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	\$84.
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	91.
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	96.
Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	RS1-WMF24	84.
	30"W shelf	29"	1 1/2"	6"	RS1-WMF30	89.
	36"W shelf	35"	1 1/2"	6"	RS1-WMF36	91.
	42"W shelf	41"	1 1/2"	6"	RS1-WMF42	94.
	48"W shelf	47"	1 1/2"	6"	RS1-WMF48	96.
	60"W shelf	59"	1 1/2"	6"	RS1-WMF60	102.
Wall mount wire manager, set of 10					MWM-J	150.
						
	Ganging bracket				RO1-GB	12.
ADA pull					RO1-PULL	49.
						

Order Code

Example:	RO1-GB
RO1	Reuter overhead
GB	Ganging bracket




Specification Information

Wall mount frames are painted black finish.
 ADA pull is stainless steel.

Application Notes

Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads.
 Reuter open shelves 66" and 72"W are for stanchion support only.
 Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).
 Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.

ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".
 ADA pull cannot be mounted on wood front Reuter doors.

description	type	w	d	h	pattern no.	list
 <p>T5 Standard Task Light</p>	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19S	\$225.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25S	242.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37S	261.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49S	283.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61S	301.
 <p>T5 Advanced Task Light</p>	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25A	417.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37A	439.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49A	456.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61A	475.
 <p>LED Task Light</p>	Use with 24" and wider overhead (3 LED's)	19"	2"	5/8"	ML3L193M	301.
	Use with 24" and wider overhead (6 LED's)	19"	2"	5/8"	ML3L196M	380.
	Use with 24" and wider overhead (9 LED's)	19"	2"	5/8"	ML3L199M	517.
	Use with 42" and wider overhead (6 LED's)	37"	2"	5/8"	ML3L376M	607.
	Use with 42" and wider overhead (12 LED's)	37"	2"	5/8"	ML3L3712M	686.
	Use with 42" and wider overhead (18 LED's)	37"	2"	5/8"	ML3L3718M	850.


Order Code	
T5 Standard Task Light	
Example: RTAT5E25S	
RTA	Task Light
T5	T5 lamp
E	Electronic ballast
25	Width
S	Standard
LED Task Light	
Example: ML3L193M	
ML3	Task Light
L	LED
19	Width
3	# of LED's
M	Metal Overhead Attachment

Specification Information
T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.
LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.


Application Notes
T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed. T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.
LED Task Lights: Power cord is able to attach to either end of fixture.
Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Progressive Overheads
 28^{3/8}" planning
 Cabinet Hung with glass door


description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Shelf	90"	15"	14 ^{3/4} "	RROCGSD90GB() () ()	\$3,023.	\$3,628.	\$4,172.	\$5,424.
Glass Sliding Doors Closed Ends	108"	15"	14 ^{3/4} "	RROCGSD108GB() () ()	3,307.	3,969.	4,564.	5,933.



Cabinet Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ^{3/4} "	RROCGSDR60GB() () ()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ^{3/4} "	RROCGSDR72GB() () ()	2,754.	3,167.	3,643.	4,736.



Cabinet Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ^{3/4} "	RROCGSDL60GB() () ()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ^{3/4} "	RROCGSDL72GB() () ()	2,754.	3,167.	3,643.	4,736.




Order Code	Specification Information	Application Notes
Example: RROCGSD90GB() () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction.
RR Reffresh	1. Pull option=C Grommet pull	Above sizes are nominal.
O Overhead	2. Pull finish = Painted/plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish = V316	Installation instruction sheets available on line.
GSD Glass Sliding Door	4. Door frame finish = Anodized / painted	For Cabinet hung overheads, refer to part number 6TP00080.
90 90" wide	5. Door Glass finish	For overhead with sliding doors, refer to part number 6TP00088.
GB Gable Both	GL11 = Black	
G Pull option	GL15 = Med. Grey	
111 Pull finish	GL18 = White	
V316 Case finish		
AN Door frame finish		
GL11 Glass finish		


Progressive Overheads
 28³/₈" planning
 Cabinet Hung with wood door

Reff Profiles


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung Shelf with Wood/Laminate Sliding Door Right Hand	60"	15"	14 ³ / ₄ "	RROCWSDR60GB () () () () () ()	\$2,187.	\$2,405.	\$2,514.	\$2,624.	\$2,734.	\$3,144.	\$4,086.
	72"	15"	14 ³ / ₄ "	RROCWSDR72GB () () () () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.



Cabinet Hung Shelf with Wood/Laminate Sliding Door Left Hand	60"	15"	14 ³ / ₄ "	RROCWSDL60GB () () () () () ()	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	RROCWSDL72GB () () () () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.




Cabinet Hung Shelf Sliding Doors Closed Ends	90"	15"	14 ³ / ₄ "	RROCWSD90GB () () () () () ()	2,597.	2,857.	2,987.	3,117.	3,376.	3,882.	5,047.
	108"	15"	14 ³ / ₄ "	RROCWSD108GB () () () () () ()	2,816.	3,097.	3,238.	3,379.	3,661.	4,210.	5,472.



Order Code	Specification Information	Application Notes
Example: RROCWSDR60GB	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet pull only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted or Plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish: L, V1, V2, V3	Installation instruction sheets available on line.
WSDR Wood/Lam. Sliding Door	4. Front finish: L, V1, V2, V3	For Cabinet hung overheads, refer to part number 6TP00080.
60 60" wide		For overhead with sliding doors, refer to part number 6TP00088.
GB Gable Both		
G Pull Option		
115 Pull Finish		
V316 Case Finish		
V316 Front Finish		

Progressive Overheads
 28³/₈" planning
 Cabinet Hung with open shelf

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Open Shelf Closed Ends 	60"	15"	14 ³ / ₄ "	RROCOS60GB () ()	\$1,568.	\$2,037.	\$2,343.	\$3,046.
	72"	15"	14 ³ / ₄ "	RROCOS72GB () ()	1,671.	2,172.	2,498.	3,248.
	90"	15"	14 ³ / ₄ "	RROCOS90GB () ()	1,821.	2,368.	2,723.	3,540.
	108"	15"	14 ³ / ₄ "	RROCOS108GB () ()	2,071.	2,693.	3,097.	4,026.

Order Code

Example: RROCOS60GB () ()
RR Reff
O Overhead
C Cabinet Hung
OS Open shelf
60 60" wide
2 Finish type
V316 Case Finish

Specification Information

To order please specify


- Finish type:
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
- Finish

Application Notes


These products are Glue and Dowel Construction.
 Above sizes are nominal.
 Installation instruction sheets available on line.
 For Cabinet hung overheads, refer to part number 6TP00080.

Progressive Overheads
 28³/₈" planning
 Wall Hung with glass door


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ³ / ₄ "	RROMGSD90GN () () () () ()	\$2,861.	\$3,434.	\$3,949.	\$5,134.
	108"	15"	14 ³ / ₄ "	RROMGSD108GN () () () () ()	3,246.	3,894.	4,479.	5,823.



Wall Hung Shelf with Glass Sliding Door Gable Right	60"	15"	14 ³ / ₄ "	RROMGSD60GR () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	RROMGSD72GR () () () () ()	2,726.	3,271.	3,763.	4,890.



Wall Hung Shelf with Glass Sliding Door Gable Left	60"	15"	14 ³ / ₄ "	RROMGSD60GL () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	RROMGSD72GL () () () () ()	2,726.	3,271.	3,763.	4,890.




Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet	Above sizes are nominal.
O Overhead	2. Pull finish: 115	
M Wall hung	3. Case finish: V319	Task lights and Fascias sold separately.
GSD Glass sliding door	4. Door frame: Anodized / painted	
90 90" wide	5. Glass finish:	All sliding doors including wood, laminate and glass are non-locking.
GN No gable	GL11 = Black	
G Pull Option	GL15 = Med. Grey	
115 Pull Finish	GL18 = White	Installation instruction sheets available on line.
V319 Case Finish		For overheads with sliding doors, refer to part number 6TP00088.
AP Door Frame Finish		
GL11 Glass Finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 496.


28^{3/8}" planning

Wall Hung with glass door closed ends


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ^{3/4} "	RROMGSD90GB() ()	\$3,203.	\$3,684.	\$4,236.	\$5,507.
	108"	15"	14 ^{3/4} "	RROMGSD108GB() ()	3,598.	4,138.	4,758.	6,185.



Wall Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ^{3/4} "	RROMGSDR60GB() ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ^{3/4} "	RROMGSDR72GB() ()	2,834.	3,259.	3,747.	4,872.



Wall Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ^{3/4} "	RROMGSDL60GB() ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ^{3/4} "	RROMGSDL72GB() ()	2,834.	3,259.	3,747.	4,872.




Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet	Above sizes are nominal.
O Overhead	2. Pull finish: 115	Task lights and Fascias sold separately.
M Wall hung	3. Case finish: V319	All sliding doors including wood, laminate and glass are non-locking.
GSD Glass sliding door	4. Door frame: Anodized / painted	Installation instruction sheets available on line.
90 90" wide	5. Glass finish:	For overheads with sliding doors, refer to part number 6TP00088.
GN No gable	GL11 = Black	
G Pull Option	GL15 = Med. Grey	
115 Pull Finish	GL18 = White	
V319 Case Finish		
AP Door Frame Finish		
GL11 Glass Finish		


Overhead storage

Progressive Overheads
 28³/₈" planning
 Wall Hung with wood door


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood / Laminate Sliding Door	90"	15"	14 ³ / ₄ "	RROMWSD90GN () () () () () ()	\$2,651.	\$2,917.	\$3,050.	\$3,182.	\$3,182.	\$3,660.	\$4,758.
	108"	15"	14 ³ / ₄ "	RROMWSD108GN () () () () () ()	2,989.	3,288.	3,437.	3,586.	3,586.	4,126.	5,362.




Wall Hung Shelf with Wood/Laminate Sliding Door Gable Right	60"	15"	14 ³ / ₄ "	RROMWSD60GR () () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	RROMWSD72GR () () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.



Wall Hung Shelf with Wood/Laminate Sliding Door Gable Left	60"	15"	14 ³ / ₄ "	RROMWSD60GL () () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	RROMWSD72GL () () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.




Wall Hung Shelf with Wood/Laminate Sliding Door Closed Ends	90"	15"	14 ³ / ₄ "	RROMWSD90GB () () () () () ()	2,746.	3,021.	3,158.	3,295.	3,433.	3,947.	5,131.
	108"	15"	14 ³ / ₄ "	RROMWSD108GB () () () () () ()	3,063.	3,370.	3,523.	3,676.	3,830.	4,403.	5,725.




Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	Task lights and Fascias sold separately.
M Wall mount	3. Case finish: L, V1, V2, V3	No lock option at this time.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
90 90" wide		Installation instruction sheets available on line.
GB Gable both		For overheads with sliding doors, refer to part number 6TP00088.
G Pull Option		
115 Pull Finish		
V319 Case Finish		
V319 Door Finish		

Progressive Overheads
 28³/₈" planning
 Wall Hung with wood door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood/Laminate Sliding Door right Closed Ends	60"	15"	14 ³ / ₄ "	RROMWSDR60GB () () () () () ()	\$2,213.	\$2,435.	\$2,546.	\$2,656.	\$2,767.	\$3,182.	\$4,136.
	72"	15"	14 ³ / ₄ "	RROMWSDR72GB () () () () () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.




Wall Hung Shelf with Wood/Laminate Sliding Door left Closed Ends	60"	15"	14 ³ / ₄ "	RROMWSDL60GB () () () () () ()	2,213.	2,435.	2,546.	2,656.	2,767.	3,182.	4,136.
	72"	15"	14 ³ / ₄ "	RROMWSDL72GB () () () () () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.



Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	Task lights and Fascias sold separately.
M Wall mount	3. Case finish: L, V1, V2, V3	No lock option at this time.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
90 90" wide		Installation instruction sheets available on line.
GB Gable both		For overheads with sliding doors, refer to part number 6TP00088.
G Pull Option		
115 Pull Finish		
V319 Case Finish		
V319 Door Finish		

Progressive Overheads
 28³/₈" planning
 Wall Hung L-Shelf

description	w	d	h	pattern no.	L	V1	V2	V3
 L-Shelf	60"	15"	14 ³ / ₄ "	RRML60() ()	\$850.	\$1,020.	\$1,173.	\$1,525.
	72"	15"	14 ³ / ₄ "	RRML72() ()	945.	1,143.	1,303.	1,694.
	90"	15"	14 ³ / ₄ "	RRML90() ()	1,068.	1,282.	1,474.	1,917.
	108"	15"	14 ³ / ₄ "	RRML108() ()	1,223.	1,468.	1,688.	2,194.

Order Code

Example: RRML60() ()
RR Reff Refresh
M Wall Hung
L L-Shelf
60 60" Wide
L Finish Type
114 Finish

Specification Information

To order please specify pattern number including:

1. Finish type: L, V1, V2, V3
2. Finish = 114

Application Notes

These products are Glue and Dowel Construction

Shipped knocked down.

Hardware kit included.

Fascia sold separately.

Task light sold separately.

Installation instruction sheets available on line.

Installation instruction sheet, refer to part number 6TP00083

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.


A certified building contractor should be consulted.

Please refer to wall mounting information on page 496.


The woodgrain on the L-Shelves, run perpendicular to the length.

Progressive Overheads
 28^{3/8}" planning
 Wall Hung Open Shelf


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Open Shelf Left Gable	60"	15"	14 ^{3/4} "	RROMOS60GL()	\$1,689.	\$1,943.	\$2,234.	\$2,904.
	72"	15"	14 ^{3/4} "	RROMOS72GL()	1,879.	2,161.	2,485.	3,231.




Wall Hung Open Shelf Right Gable	60"	15"	14 ^{3/4} "	RROMOS60GR()	1,689.	1,943.	2,234.	2,904.
	72"	15"	14 ^{3/4} "	RROMOS72GR()	1,879.	2,161.	2,485.	3,231.



Wall Hung Open Shelf Closed Ends Left&Right Gable	60"	15"	14 ^{3/4} "	RROMOS60GB()()	1,609.	2,091.	2,405.	3,126.
	72"	15"	14 ^{3/4} "	RROMOS72GB()()	1,748.	2,273.	2,614.	3,398.
	90"	15"	14 ^{3/4} "	RROMOS90GB()()	2,058.	2,675.	3,077.	3,999.
	108"	15"	14 ^{3/4} "	RROMOS108GB()()	2,212.	2,876.	3,307.	4,299.



Wall Hung Open Shelf No Gable	90"	15"	14 ^{3/4} "	RROMOS90GN()	2,138.	2,459.	2,827.	3,676.
	108"	15"	14 ^{3/4} "	RROMOS108GN()	2,364.	2,718.	3,126.	4,063.



Example: RROMOS60GL()()
RR Reff
O Overhead
M Wall Hung
OS Open shelf
60 60" wide
GL Gable Left
V316 Case Finish

To order please specify *pattern number including:*

1. Case finish:

These products are Glue and Dowel Construction.



Above sizes are nominal.

Sliding door is non-locking.


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 496.

Transaction tops for use with 42" H panel heights

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24()-()	\$333.	\$344.	\$344.	\$396.	\$535.
	30"	15"	1 1/4"	RTTA30()-()	364.	374.	374.	433.	584.
	36"	15"	1 1/4"	RTTA36()-()	396.	410.	410.	470.	637.
	42"	15"	1 1/4"	RTTA42()-()	428.	441.	441.	507.	683.
	48"	15"	1 1/4"	RTTA48()-()	456.	475.	475.	545.	735.
	54"	15"	1 1/4"	RTTA54()-()	488.	506.	506.	580.	783.
	60"	15"	1 1/4"	RTTA60()-()	520.	537.	537.	620.	837.
	66"	15"	1 1/4"	RTTA66()-()	552.	569.	569.	654.	883.
	72"	15"	1 1/4"	RTTA72()-()	581.	602.	602.	692.	934.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	RTTAWF24()-()			687.	790.	1,067.
	30"	15"	1 1/4"	RTTAWF30()-()			753.	867.	1,171.
	36"	15"	1 1/4"	RTTAWF36()-()			816.	941.	1,270.
	42"	15"	1 1/4"	RTTAWF42()-()			880.	1,012.	1,366.
	48"	15"	1 1/4"	RTTAWF48()-()			948.	1,090.	1,471.
	54"	15"	1 1/4"	RTTAWF54()-()			1,010.	1,160.	1,566.
	60"	15"	1 1/4"	RTTAWF60()-()			1,076.	1,237.	1,671.
	66"	15"	1 1/4"	RTTAWF66()-()			1,138.	1,310.	1,769.
	72"	15"	1 1/4"	RTTAWF72()-()			1,204.	1,383.	1,867.



Not available in laminate or mixed finishes

Order Code	Specification Information	Application Notes
Example: RTTA24S1	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42" h panel or overall panel height achieved from 34" h base panel plus 8" h stacking module. Transaction tops ship with necessary bracketry included.
R Reff	1. End treatment type	Tops with waterfall edge cannot be specified with open pore finish. Available in V1 and V2 finishes only.
TT Transaction top	2. Finish type	Applicable finishes are listed on page 5 and 6.
A 1 1/4" thick	3. Finish	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
24 24" wide	<i>1. End treatment options:</i>	No grommets included.
S Straight end treatment	S = Straight	Tops may be used to span more than one consecutive panel.
1 V1 finish	L = Left side mitre	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.
Y311 Beech	R = Right side mitre	
	<i>2. Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

Transaction tops Brackets for Alternative Material

description	w	h	pattern no.	list
Attachment Bracketry			RAMTB	\$59.
			* Each panel need 2 brackets	
Foam Tape			RAMTT	23.
Transaction Top Bracket			RAMTC24()	43.
Cover			RAMTC30()	46.
			RAMTC36()	49.
			RAMTC42()	53.
			RAMTC48()	56.
			RAMTC54()	59.
			RAMTC60()	62.
			RAMTC66()	66.
			RAMTC72()	68.
Transaction Top Bracket			RAMTCH24()	59.
Cover Hilo			RAMTCH30()	62.
			RAMTCH36()	66.
			RAMTCH42()	69.
			RAMTCH48()	72.
			RAMTCH54()	75.
			RAMTCH60()	78.
			RAMTCH66()	81.
			RAMTCH72()	83.

Order Code	Specification Information	Application Notes
Example: RAMTC	<i>To order please specify pattern number including:</i> 1. End treatment option 2. Finish type: Core paint finishes	Spline piece included in the right "R" hand pattern number. When a solid material is installed the "RAMTB" is required. When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.
R Reff		
A Alternative		
M Material		
T Transaction Top		
C Cover		
24 Width		
L/R/M Left/Right/Mitered		


Transaction tops, regular and waterfall edge

Gallery desk surrounds

1 1/4" worksurface


Reff Profiles

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,369.	\$1,630.	\$1,630.	\$1,792.	\$1,877.	\$2,421.	\$2,534.
	68"	25"	42"	RGAF682-()	1,416.	1,689.	1,689.	1,856.	1,945.	2,504.	2,625.
	74"	25"	42"	RGAF742-()	1,469.	1,754.	1,754.	1,926.	2,016.	2,601.	2,719.
	80"	25"	42"	RGAF802-()	1,522.	1,811.	1,811.	1,987.	2,086.	2,683.	2,815.
	86"	25"	42"	RGAF862-()	1,569.	1,874.	1,874.	2,052.	2,155.	2,770.	2,909.
	92"	25"	42"	RGAF922-()	1,621.	1,935.	1,935.	2,118.	2,225.	2,858.	3,001.
	98"	25"	42"	RGAF982-()	1,673.	1,995.	1,995.	2,186.	2,297.	2,950.	3,100.
	62"	31"	42"	RGAF623-()	1,455.	1,735.	1,735.	1,901.	1,996.	2,567.	2,694.
	68"	31"	42"	RGAF683-()	1,511.	1,805.	1,805.	1,977.	2,075.	2,669.	2,803.
	74"	31"	42"	RGAF743-()	1,568.	1,873.	1,873.	2,052.	2,153.	2,770.	2,906.
	80"	31"	42"	RGAF803-()	1,625.	1,935.	1,935.	2,124.	2,229.	2,868.	3,009.
	86"	31"	42"	RGAF863-()	1,684.	2,007.	2,007.	2,199.	2,309.	2,969.	3,119.
	92"	31"	42"	RGAF923-()	1,740.	2,076.	2,076.	2,271.	2,387.	3,066.	3,222.
	98"	31"	42"	RGAF983-()	1,797.	2,143.	2,143.	2,349.	2,463.	3,172.	3,325.




If shelf is not ordered and no drillings are required, you must order through specials.

Shelf for above (uses keyhole attachment hardware)	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
60"	12"	1"	RGS60-()	331.	n/a	394.	n/a	456.	n/a	616.	
66"	12"	1"	RGS66-()	343.	n/a	409.	n/a	470.	n/a	637.	
72"	12"	1"	RGS72-()	354.	n/a	423.	n/a	485.	n/a	655.	
78"	12"	1"	RGS78-()	365.	n/a	435.	n/a	502.	n/a	676.	
84"	12"	1"	RGS84-()	373.	n/a	449.	n/a	515.	n/a	695.	
90"	12"	1"	RGS90-()	386.	n/a	459.	n/a	528.	n/a	713.	
96"	12"	1"	RGS96-()	396.	n/a	471.	n/a	542.	n/a	733.	



Bridge top assembly	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
42"	21"	42"	RGAB421-()	781.	929.	929.	1,003.	1,068.	1,355.	1,441.	
48"	21"	42"	RGAB481-()	836.	994.	994.	1,071.	1,143.	1,446.	1,542.	
54"	21"	42"	RGAB541-()	890.	1,059.	1,059.	1,145.	1,218.	1,545.	1,645.	
60"	21"	42"	RGAB601-()	943.	1,124.	1,124.	1,218.	1,297.	1,645.	1,749.	
66"	21"	42"	RGAB661-()	999.	1,191.	1,191.	1,286.	1,370.	1,737.	1,848.	
72"	21"	42"	RGAB721-()	1,052.	1,254.	1,254.	1,359.	1,441.	1,834.	1,946.	
78"	21"	42"	RGAB781-()	1,103.	1,318.	1,318.	1,431.	1,516.	1,932.	2,047.	
84"	21"	42"	RGAB841-()	1,158.	1,379.	1,379.	1,494.	1,587.	2,016.	2,143.	
90"	21"	42"	RGAB901-()	1,209.	1,442.	1,442.	1,566.	1,659.	2,113.	2,241.	
96"	21"	42"	RGAB961-()	1,259.	1,502.	1,502.	1,629.	1,729.	2,200.	2,334.	



Order Code	Specification Information	Application Notes
Example: RGAF622NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, components: (surround components)</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type, top	1 = V1
A 1 1/4" top thickness	3. Finish type, components	2 = V2
F Freestanding	4. Finish, top	3 = V3
62 62" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
2 25" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type top, laminate	F = Flush front grommet	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
L Finish type components	<i>2. Finish type, top:</i>	Hardware included.
114 Folkstone grey (top)	L = Laminate	Shipped knocked-down.
114 Folkstone grey (components)	M = Mixed (laminated top w/wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.


Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431- () ()	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	RGAR491- () ()	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	RGAR551- () ()	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	RGAR611- () ()	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	RGAR671- () ()	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	RGAR731- () ()	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	RGAR791- () ()	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	RGAR851- () ()	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	RGAR911- () ()	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	RGAR971- () ()	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
25"	43"	42"	RGAR432- () ()	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.	
		49"	42"	RGAR492- () ()	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.
		55"	42"	RGAR552- () ()	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.
		61"	42"	RGAR612- () ()	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.
		67"	42"	RGAR672- () ()	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.
		73"	42"	RGAR732- () ()	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.
		79"	42"	RGAR792- () ()	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.
		85"	42"	RGAR852- () ()	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.
		91"	42"	RGAR912- () ()	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.
		97"	42"	RGAR972- () ()	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.
31"	43"	42"	RGAR433- () ()	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.	
		49"	42"	RGAR493- () ()	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.
		55"	42"	RGAR553- () ()	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.
		61"	42"	RGAR613- () ()	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.
		67"	42"	RGAR673- () ()	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.
		73"	42"	RGAR733- () ()	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.
		79"	42"	RGAR793- () ()	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.
		85"	42"	RGAR853- () ()	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.
		91"	42"	RGAR913- () ()	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.
		97"	42"	RGAR973- () ()	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.



Order Code

Example:	RGAR431NLL
R	Reff
G	Gallery surround
A	1 1/4" top thickness
R	Right hand return
43	43" wide
1	21" deep
N	No grommet
L	Finish type, top
L	Finish type, components

Specification Information

To order please specify pattern number including:

- Grommet option
- Finish type top
- Finish type components
- Finish, top
- Finish, components

1. Grommet options:
 N = No grommets
 F = Flush front grommet

2. Finish type top:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

Application Notes

3. Finish type, surround:
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.

Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Hardware included.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.


Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

Reff Profiles

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431- () ()	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	RGAL491- () ()	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	RGAL551- () ()	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	RGAL611- () ()	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	RGAL671- () ()	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	RGAL731- () ()	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	RGAL791- () ()	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	RGAL851- () ()	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	RGAL911- () ()	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	RGAL971- () ()	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
25"	43"	42"	RGAL432- () ()	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.	
	49"	42"	RGAL492- () ()	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.	
	55"	42"	RGAL552- () ()	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.	
	61"	42"	RGAL612- () ()	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.	
	67"	42"	RGAL672- () ()	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.	
	73"	42"	RGAL732- () ()	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.	
	79"	42"	RGAL792- () ()	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.	
	85"	42"	RGAL852- () ()	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.	
	91"	42"	RGAL912- () ()	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.	
	97"	42"	RGAL972- () ()	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.	
31"	43"	42"	RGAL433- () ()	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.	
	49"	42"	RGAL493- () ()	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.	
	55"	42"	RGAL553- () ()	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.	
	61"	42"	RGAL613- () ()	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.	
	67"	42"	RGAL673- () ()	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.	
	73"	42"	RGAL733- () ()	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.	
	79"	42"	RGAL793- () ()	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.	
	85"	42"	RGAL853- () ()	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.	
	91"	42"	RGAL913- () ()	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.	
	97"	42"	RGAL973- () ()	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.	




Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components	2. <i>Finish type top:</i>	Hardware included.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		Gallery desk surrounds are available with waterfall edge as a standard special.
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

gallery towers

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	RGTL4636 () () () ()	\$2,545.	\$3,143.	\$3,612.	\$4,877.



Actual depth of Gallery Tower is 32"

Gallery Tower, right hand	32"	12"	46"	RGTR4636 () () () ()	2,545.	3,143.	3,612.	4,877.
---------------------------	-----	-----	-----	---------------------------------	--------	--------	--------	--------

Actual depth of Gallery Tower is 32"

Order Code

Example:	RGTL46362V319CL
R	Reff
GT	Gallery Tower
L	Left hand
46	46" h
36	36" d
2	V2 finish type
V319	Medium Cherry
C	C-pull
L	Lock

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. Pull option
4. Pull finish (if applicable)
5. Lock option

1. *Finish type:*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

3. *Pull options:*
 D = Metal D-pull
 J = Routed J-pull
 C = Nickel finish C-pull (nickel finish only)
 S = Stainless steel finish S-pull (stainless steel finish only)

Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 3/8" desk height products.

Application Notes


Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .


Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d


Overall depth includes top overhang, accommodates 30" d worksurfaces.

Gallery towers are to be used with panel applications.

Single pedestal desks
27³/₄" high overall
available V2 finish options only


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W)() () 2	\$2,911.	\$3,331.	\$3,947.	\$3,077.	\$3,496.	\$4,110.
	72"	30"	RDSP7230J(A,B,W)() () 2	3,027.	3,501.	4,110.	3,192.	3,666.	4,277.
	84"	30"	RDSP8430J(A,B,W)() () 2	3,174.	3,698.	4,356.	3,340.	3,861.	4,520.
	96"	30"	RDSP9630J(A,B,W)() () 2	3,303.	3,873.	4,582.	3,468.	4,038.	4,746.


Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W)() () 2	3,088.	3,533.	4,283.	3,327.	3,771.	4,521.
	72"	36"	RDSP7236J(A,B,W)() () 2	3,230.	3,751.	4,506.	3,468.	3,989.	4,744.
	84"	36"	RDSP8436J(A,B,W)() () 2	3,374.	3,983.	4,738.	3,612.	4,220.	4,975.
	96"	36"	RDSP9636J(A,B,W)() () 2	3,503.	4,210.	4,958.	3,741.	4,447.	5,197.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W)() () 2	3,810.	4,082.	5,437.	4,048.	4,320.	5,674.
	72"	30"	RBSP7230J(A,B,W)() () 2	3,941.	4,242.	5,740.	4,180.	4,478.	5,977.
	84"	30"	RBSP8430J(A,B,W)() () 2	4,147.	4,474.	6,131.	4,385.	4,713.	6,367.
	96"	30"	RBSP9630J(A,B,W)() () 2	4,335.	4,703.	6,539.	4,573.	4,943.	6,777.

Order Code	Specification Information	Application Notes
Example: RDSP6030JAR2WJL	To order, please specify pattern number including:	5. Grommet Options: R = Recessed grommets N = No grommets
RD Reff desk	1. Width	30"D rectilinear desk pedestals are 24"D including modesty panel.
SP Single pedestal	2. Depth	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	3. File option <i>J default = BBF</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	4. Top thickness	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	5. Grommet option	All desks are non-handed.
A 1 1/4" regular edge top	6. Finish type	All hardware included.
R Recessed grommets	7. Interior option	All waterfall desks have waterfall detail on front and back.
2 Finish type	8. Pull option	All components on this page available in V2 only.
W Wood interiors	9. Locking <i>L default</i>	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
J Routed pulls	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	

Double pedestal desks
27³/₄" high overall
available V2 finish options only

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	RDDP6030JK(A,B,W)() () 2	\$3,757.	\$4,178.	\$4,793.	\$4,120.	\$4,540.	\$5,156.
	72"	30"	RDDP7230JK(A,B,W)() () 2	3,875.	4,348.	4,957.	4,237.	4,711.	5,320.
	84"	30"	RDDP8430JK(A,B,W)() () 2	4,022.	4,543.	5,202.	4,385.	4,905.	5,564.
	96"	30"	RDDP9630JK(A,B,W)() () 2	4,151.	4,720.	5,428.	4,513.	5,083.	5,791.

	60"	36"	RDDP6036JK(A,B,W)() () 2	3,995.	4,438.	5,186.	4,484.	4,928.	5,677.
	72"	36"	RDDP7236JK(A,B,W)() () 2	4,136.	4,657.	5,410.	4,625.	5,147.	5,901.
	84"	36"	RDDP8436JK(A,B,W)() () 2	4,280.	4,886.	5,640.	4,769.	5,378.	6,131.
	96"	36"	RDDP9636JK(A,B,W)() () 2	4,407.	5,113.	5,863.	4,898.	5,603.	6,353.

	60"	30"	RBDP6030JK(A,B,W)() () 2	4,447.	4,719.	6,073.	4,938.	5,208.	6,563.
	72"	30"	RBDP7230JK(A,B,W)() () 2	4,577.	4,877.	6,377.	5,066.	5,367.	6,865.
	84"	30"	RBDP8430JK(A,B,W)() () 2	4,783.	5,111.	6,766.	5,273.	5,601.	7,256.
	96"	30"	RBDP9630JK(A,B,W)() () 2	4,972.	5,341.	7,175.	5,462.	5,829.	7,664.

Preconfigured Refr
Deskings

Order Code

Example: RDDP7236JKAR2WJL
RD Reff desk
DP Double pedestal
72 72" wide
36 36" deep
J Box/box/file pedestal
K File/file
A 1 1/4" Thick worksurface
R Recessed grommets
2 Finish type, V2
W Wood interiors
J Routed pull
L Lock

Specification Information

To order, please specify pattern number including:

1. Width
2. Depth
3. File option
JK default = BBF and FF
4. Top thickness
5. Grommet option
6. Finish type
7. Interior option
8. Pull option
9. Locking
L default
10. Veneer finish
11. Pull finish, when applicable
12. Grommet finish, when applicable

4. Thickness options:
A = 1 1/4"
B = 1 3/4"
W = 1 1/4" waterfall

5. Grommet Options:

R = Recessed grommets
N = No grommets

6. 2 = V2 Veneer Finish

7. Interior Options:

M = Metal
W = Wood

8. Pull Options:

D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = Stainless steel finish S-pull

Applicable finishes are listed on page 5 and 6.

Random locks are factory installed.
Keylike are field installed with the KnollKey order form.

Application Notes

30"D rectilinear desk pedestals are 24"D including modesty panel.

36"D rectilinear desk pedestals are 30"D including modesty panel.

Pedestals are 16"W when calculating knee space subtract 16" per pedestal.

Bowed front desk pedestals are 30"D with finished backs. Bow front modesty sits in between the pedestals and is recessed in 6".





All hardware included.

All waterfall desks have waterfall detail on front and back.

All components on this page available in V2 only.


These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Desk returns
27³/₄" high overall
available V2 finish options only


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)() () 2	\$2,141.	\$2,477.	\$3,127.	\$2,340.	\$2,675.	\$3,326.
	42"	24"	RRSP4224K(A,B,W)() () 2	2,196.	2,574.	3,211.	2,395.	2,771.	3,408.
	48"	24"	RRSP4824K(A,B,W)() () 2	2,289.	2,693.	3,379.	2,485.	2,890.	3,577.
	54"	24"	RRSP5424K(A,B,W)() () 2	2,349.	2,760.	3,514.	2,548.	2,958.	3,711.
	60"	24"	RRSP6024K(A,B,W)() () 2	2,408.	2,821.	3,655.	2,607.	3,020.	3,854.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)() () 2	2,278.	2,652.	3,387.	2,531.	2,903.	3,636.
	42"	30"	RRSP4230K(A,B,W)() () 2	2,340.	2,739.	3,489.	2,589.	2,989.	3,741.
	48"	30"	RRSP4830K(A,B,W)() () 2	2,436.	2,843.	3,664.	2,687.	3,095.	3,917.
	54"	30"	RRSP5430K(A,B,W)() () 2	2,509.	2,910.	3,837.	2,759.	3,162.	4,088.
	60"	30"	RRSP6030K(A,B,W)() () 2	2,552.	2,969.	3,928.	2,804.	3,222.	4,182.
 End panel return	36"	24"	RREP3624(A,B,W)(F,N)2				1,296.	1,629.	2,281.
	42"	24"	RREP4224(A,B,W)(F,N)2				1,349.	1,727.	2,365.
	48"	24"	RREP4824(A,B,W)(F,N)2				1,441.	1,845.	2,533.
	54"	24"	RREP5424(A,B,W)(F,N)2				1,504.	1,914.	2,667.
	60"	24"	RREP6024(A,B,W)(F,N)2				1,563.	1,975.	2,809.
 End panel return	36"	30"	RREP3630(A,B,W)(F,N)2				1,376.	1,746.	2,480.
	42"	30"	RREP4230(A,B,W)(F,N)2				1,435.	1,833.	2,584.
	48"	30"	RREP4830(A,B,W)(F,N)2				1,532.	1,938.	2,760.
	54"	30"	RREP5430(A,B,W)(F,N)2				1,604.	2,004.	2,933.
	60"	30"	RREP6030(A,B,W)(F,N)2				1,646.	2,065.	3,024.

Order Code	Specification Information	Application Notes
Example: RREP4830AF2	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
RREP Reff desk return	1. Width	All desks are non-handed.
48 48" wide	2. Depth	All hardware included.
30 30" deep	3. File option where applicable <i>K default = FF</i>	Desk returns with waterfall have waterfall edge 3 sides.
A 1 1/4" thick worksurface	4. Top thickness	All components on this page available in V2 only.
F Flush grommets	5. Grommet option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
2 Finish type, V2	6. Finish type	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
	7. Interior option where applicable	
	8. Pull option where applicable	
	9. Locking where applicable <i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: F = Flush grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	

Single pedestal credenzas
27³/₄" high overall
available V2 finish options only


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W)() () 2	\$2,769.	\$3,181.	\$3,392.	\$2,966.	\$3,379.	\$3,589.
	72"	24"	RCSP7224K(A,B,W)() () 2	2,906.	3,353.	3,578.	3,103.	3,550.	3,777.
	84"	24"	RCSP8424K(A,B,W)() () 2	3,047.	3,548.	3,778.	3,246.	3,747.	3,977.
	96"	24"	RCSP9624K(A,B,W)() () 2	3,173.	3,726.	3,971.	3,370.	3,924.	4,167.

Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W)() () 2	2,919.	3,331.	3,542.	3,373.	3,785.	3,995.
	72"	24"	RCS3L7224K(A,B,W)() () 2	3,056.	3,503.	3,729.	3,508.	3,957.	4,184.
	84"	24"	RCS3L8424K(A,B,W)() () 2	3,197.	3,700.	3,928.	3,650.	4,152.	4,382.
	96"	24"	RCS3L9624K(A,B,W)() () 2	3,323.	3,876.	4,122.	3,777.	4,329.	4,576.

Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W)() () 2	3,001.	3,417.	3,626.	3,788.	4,201.	4,413.
	72"	24"	RCS6L7224K(A,B,W)() () 2	3,139.	3,586.	3,814.	3,926.	4,373.	4,599.
	84"	24"	RCS6L8424K(A,B,W)() () 2	3,281.	3,783.	4,012.	4,067.	4,569.	4,799.
	96"	24"	RCS6L9624K(A,B,W)() () 2	3,406.	3,960.	4,204.	4,194.	4,746.	4,990.

Order Code	Specification Information	Application Notes
Example: RCS6L9624KAF2MDL	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
RC Reff credenza	1. Width	Credenzas with lateral files or pedestals are non-handed.
S6L Single 36" w lateral file	2. Depth	All hardware included.
96 96" wide	3. File option	All waterfall credenzas have waterfall detail on front only.
24 24" wide	<i>K default = FF</i>	All components on this page available in V2 only.
K File/file	4. Top thickness	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
A 1 1/4" thick worksurface	5. Grommet option	
F Flush grommets	6. Finish type	
2 Finish type	7. Interior option	
M metal interiors	8. Pull option	
D D-metal pull	9. Locking	
L Lock	<i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: F = Flush grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	

Bridge assemblies
 27³/₄" high overall
 available V2 finish options only

description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	RBR3624(A,B,W)(F,N)2	\$927.	\$1,262.	\$1,915.
	42"	24"	RBR4224(A,B,W)(F,N)2	982.	1,360.	1,998.
	48"	24"	RBR4824(A,B,W)(F,N)2	1,074.	1,478.	2,165.
	36"	30"	RBR3630(A,B,W)(F,N)2	989.	1,360.	2,094.
	42"	30"	RBR4230(A,B,W)(F,N)2	1,046.	1,446.	2,198.
	48"	30"	RBR4830(A,B,W)(F,N)2	1,144.	1,552.	2,375.

Order Code

Example: RBR4830WF2
RBR Reff bridge assembly
48 48" wide
30 30" deep
W Waterfall edge 1 1/4"
F Flush grommets
2 Conventional veneer

Specification Information

To order, please specify pattern number including:

1. Top thickness
2. Grommet option
3. Finish type
4. Veneer finish
5. Grommet color

1. Thickness options:
 A = 1 1/4" straight edge
 B = 1 3/4" straight edge
 W = 1 1/4" waterfall edge

2. Grommet Options:
 F = Flush grommets
 N = No grommets

3. 2 = V2 Veneer Finish

4. Grommet Color

Applicable finishes are listed on page 5 and 6.

Application Notes

Bridge assemblies are non-handed.

All hardware included.


Waterfall option on all 3 sides.


Available in conventional veneer only.

All components on this page are available in V2 only.


Shipped with full height modesty.

Double pedestal credenzas
27³/₄" high overall
available V2 finish options only

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCDP6024K(A,B,W)() () 2	\$3,617.	\$4,027.	\$4,238.	\$4,011.	\$4,424.	\$4,635.
	72"	24"	RCDP7224K(A,B,W)() () 2	3,751.	4,199.	4,425.	4,147.	4,596.	4,821.
	84"	24"	RCDP8424K(A,B,W)() () 2	3,893.	4,396.	4,625.	4,289.	4,791.	5,020.
	96"	24"	RCDP9624K(A,B,W)() () 2	4,019.	4,571.	4,818.	4,417.	4,967.	5,213.

	60"	24"	RCD3L6024K(A,B,W)() () 2	3,916.	4,328.	4,540.	4,823.	5,237.	5,446.
	84"	24"	RCD3L8424K(A,B,W)() () 2	4,195.	4,698.	4,926.	5,102.	5,603.	5,832.
	96"	24"	RCD3L9624K(A,B,W)() () 2	4,322.	4,872.	5,118.	5,228.	5,779.	6,027.

96" w shown; 60" w has no knee space

	72"	24"	RCD6L7224K(A,B,W)() () 2	4,220.	4,668.	4,895.	5,794.	6,240.	6,465.
	96"	24"	RCD6L9624K(A,B,W)() () 2	4,488.	5,040.	5,286.	6,059.	6,612.	6,858.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCD6L9624KBF2WDL	<i>To order, please specify pattern number including:</i>	<p>Pedestals are 16"W when calculating knee space subtract 16" per pedestal.</p> <p>All credenzas are non-handed.</p> <p>All hardware included.</p> <p>All waterfall credenzas have waterfall detail on front only.</p> <p>All components on this page available in V2 only.</p> <p>Shipped with full height modesty.</p> <p>Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p> <p>Random locks are factory installed. Keyalike are field installed with the KnollKey order form.</p>
RC Reff credenza	5. Grommet Options: F = Flush grommets N = No grommets	
D6L Double 36" w lateral file	6. 2 = V2 Veneer Finish	
96 96" wide	7. Interior Options: M = Metal W = Wood	
24 24" wide	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
K File file	9. Locking <i>L default</i>	
B 1 ³ / ₄ " thick worksurface	10. Veneer finish	
F Flush grommets	11. Pull finish, when applicable	
2 Finish type	12. Grommet finish, when applicable	
W wood drawer interior	4. Thickness options: A = 1 ¹ / ₄ " B = 1 ³ / ₄ " W = 1 ¹ / ₄ " waterfall	
D D-metal pull		
L Lock		

Accessories

hookstrips and top caps

Reff Profiles








description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$43.
	15"	R2HK0015	70.
	34"	R2HK0034	95.
	42"	R2HK0042	101.
	49"	R2HK0049	109.
	64"	R2HK0064	118.
	79"	R2HK0079	124.
Beltway hookstrips	42"	R2HKB042	109.
	49"	R2HKB049	118.
	64"	R2HKB064	124.
	79"	R2HKB079	130.
Generation 2 top caps		KRR2CAPL()	62.
		KRR2CAPT()	62.
		KRR2CAPX()	62.
		KRR2CAPEND()	62.
		KRR2CAPSTRAIGHT()	62.
Generation 3 top caps		KRR3CAPL()	62.
		KRR3CAPT()	62.
		KRR3CAPX()	62.
		KRR3CAPEND()	62.
		KRR3CAPSTRAIGHT()	62.

Order Code	Specification Information	Application Notes
Example: KRR3CAPL-2A	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
KRR3 Reff generation 3	1. L = Laminate paint finish	
CAP Top cap	2. 1 = V1 Techwood	An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.
L Finished 2 adjacent sides	3. 2 = V2 Conventional veneer	
2 Conventional veneer	<i>Top cap profile:</i>	
A Flat profile	A = Flat	Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.
V319 Medium cherry	B = Square	
	C = Bullnose	
		New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

Accessories

cabinet extras and undermount accessories

Reff Profiles

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		RCABT1417						\$73.
	29"	17"		RCABT2917						122.
Cabinet coat rod 	Half of 30" cabinets			RCACR30H						71.
	Half of 36" cabinets			RCACR36H						77.
	16" cabinets			RCACR16						73.
	30" cabinets			RCACR30						97.
	36" cabinets			RCACR36						109.
Articulated keyboard arm 	10" x 22 1/4" keyboard tray			RKBA1022()						865.
	10" x 20" keyboard tray			RKBA1020()						865.
Available in laminate, techwood (V1), or veneer (V2)										
CRT turntable 	31" diameter			RKT31						534.
Pencil drawer used under worktop 	16"	17"	1"	RPAD-()		296.	526.	526.	682.	
	Specify wood or laminate finish									
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		RCAS1620-()	74.	139.	148.	171.	230.	
	16"	24"		RCAS1624-()	82.	156.	168.	195.	262.	
	30"	15"		RCAS3015-()	91.	182.	196.	224.	302.	
	30"	20"		RCAS3020-()	88.	156.	168.	195.	262.	
	30"	24"		RCAS3024-()	98.	182.	196.	224.	302.	
	36"	15"		RCAS3615-()	100.	194.	205.	232.	313.	
	36"	20"		RCAS3620-()	100.	167.	178.	205.	277.	
	36"	24"		RCAS3624-()	105.	196.	209.	239.	323.	

Accessories and Client Samples

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

Specification Information

Pencil drawer includes slides.




Applicable finishes are listed on page 5 and 6.

Application Notes

See Reff Planning Guide for more information.

Accessories

presentation samples

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only) 	-	-	8 ⁷ / ₈ "	RWHRA-()					\$37.
	-	-	17 ⁵ / ₈ "	RWHRB-()					40.
	-	-	18 ¹ / ₄ "	RWHRC-()					40.
	-	-	21 ¹ / ₁₆ "	RWHRD-()					42.
	-	-	22"	RWHRE-()					42.
	-	-	59 ¹ / ₂ "	RWHRF-()					95.
	-	-	67"	RWHRG-()					95.
Striplight (black only) for transaction tops 	26"	2"	2"	RCASL					338.
Presentation wood sample, 16" x 16" Optional edge details available	16"	16"	-	RSAMP1616-()()	134.	187.	241.	279.	
Presentation stackable/tiled mini panel (for demonstrations) Specify trim profile, base height, base type and applicable finishes	24"	-	34"	R3SMP ()()					1,078.
Presentation monolithic mini panel Specify trim profile and applicable finishes	4"H base			RR3MP4 ()					590.
	6"H base			RR3MP6 ()					631.
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				R917762 ()					432.
Presentation worksurface cutaway sample	12"	12"	1 ¹ / ₄ "	RTOP2 ()	110.	165.	220.	259.	
	12"	12"	1 ³ / ₄ "	RTOP1 ()	110.	165.	220.	259.	
Presentation waterfall edge sample	11"	8 ¹ / ₂ "		R921655 ()					328.
Sample, cascade edge worksurface 	12"	12"		RCE1R1212G	127.				
Rangeboard Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)	27"	12"	1 ¹ / ₄ "	RRBRD2712 ()					296.

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = Laminate

1 = V1

2 = V2

Specification Information

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.







Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Accessories

wire management

description	w	d	h	pattern no.	list price
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	RWMWT24	\$42.
	30"	4 1/2"	5 3/4"	RWMWT30	48.
	36"	4 1/2"	5 3/4"	RWMWT36	53.
	Available black only				
 Hinged vertical wire	24"	1"	3/8"	RWMV24 ()	34.
Ships with overdesk unit. Specify paint finish.					
 Multi-purpose manager*	24"	2 1/2"	1 1/4"	RWMMP24	37.
	30"	2 1/2"	1 1/4"	RWMMP30	42.
	36"	2 1/2"	1 1/4"	RWMMP36	43.
	Available black only				
 Panel-hung vertical wire	24"	–	–	RWMVP24	34.
not available in finish codes: 112,116,117,611, 612, 613					
 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	RWMVH24	40.
	30"	1 1/2"	3/4"	RWMVH30	44.
	36"	1 1/2"	3/4"	RWMVH36	48.
	Available black only				
 Power bar, fits into wire manager				RWMPB	146.
Replacement hardware	Top to endpanel disk			RBDD	5.
	Top to workwall endpanel disk			RBDW	5.
	Panel to endpanel bracket			RBPE(L/R)()	20.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				

Accessories and Client Samples

Order Code	Specification Information	Application Notes	Application Notes
Example: RJBW24	<i>To order please specify:</i> 1. Pattern number 2. Color if applicable	Specify color for hinged vertical wire management only from paint finish list on page 5. *Available in Black only.	*Installation instruction sheets available on line.
R Reff			
JB J-Bracket			
W Wall and Modesty mount			
24			

Accessories

wire management

Reff Profiles

description	w	d	h	pattern no.	list price
Tree wire manager 2 shipped with panel	2"			RBWM	\$11.

used in Beltway

J-Wire Trough Wall Mount 				RJBW24	63.
				RJBW30	65.
				RJBW36	71.
				RJBW42	83.
				RJBW48	88.
				RJBW54	90.
				RJBW60	91.
				RJBW66	103.
				RJBW72	104.

*Installation Instruction Sheet: 6TP00078

J-Wire Trough Under Mount 				RJBU24	76.
				RJBU30	78.
				RJBU36	85.
				RJBU42	98.
				RJBU48	105.
				RJBU54	107.
				RJBU60	109.
				RJBU66	121.
				RJBU72	123.

*Installation Instruction Sheet: 6TP00079






Wire manager for credenza top 				RWMCT24	125.
--	--	--	--	----------------	------

Order Code	Specification Information	Application Notes	Application Notes
Example: RJBW24	<i>To order please specify:</i> 1. Pattern number 2. Color if applicable	Specify color for hinged vertical wire management only from paint finish list on page 5. *Available in Black only.	*Installation instruction sheets available on line.
R Reff			
JB J-Bracket			
W Wall and Modesty mount			
24			

Accessories

Power and Data

Reff Profiles



description	type	w	d	h	pattern no.	list
Desktop Outlet - Power Center stand off 					RDTE22120	\$345.
					RDTE2272	321.
					RDTE22H	353.
Simple Stand Off					RST	105.
						
Stand Off for Power Center (Electrical component not included)					RPCST()	134.
						
Power Center Grommet (Electrical component not included)					RPCG	153.
						
Desktop Grommet		For 1 1/2" thick top		1 1/2"	RDTGA	33.
		For 1 1/4" thick top		1 1/4"	RDTGB	33.
		For 1" thick top		1"	RDTC	33.
						

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RDTE2272		
R	Reff	H = Hard wire
DT	Desktop Outlet	Installation instruction sheet available on line.
E	Electrical component	
2	2 Electrical	For Power Center stand off, refer to part number 6TP00081.
2	2 Data	
72	72" cord	

Accessories

interior components

description	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)				RPCHH	\$34.
Not intended to work with (AA) Aluminum top trim					
Panel-hung coat hook (panel top)				RPCHT	34.
Panel-hung tackboard		30"	24"	RPHTB3024	286.
Note: Fabric railroaded		42"	24"	RPHTB4224	352.
All standard grades of fabric					
					
Panel-hung whiteboard		30"	24"	RPHWB3024	444.
		42"	24"	RPHWB4224	543.
Wall-hung tackboard		30"	24"	RWHTB3024	317.
Note: Fabric railroaded Velero supplied		36"	24"	RWHTB3624	352.
		42"	24"	RWHTB4224	386.
		48"	24"	RWHTB4824	420.
for use with 26 1/2" h support planning module					
Wall-hung tackboard for desk height (28 3/8" h) planning		30"	26"	RWDHTB3026	334.
Note: Fabric railroaded Velero supplied		36"	26"	RWDHTB3626	369.
		42"	26"	RWDHTB4226	407.
		48"	26"	RWDHTB4826	441.
for use with 28 3/8" h support planning module					
					
Box drawer dividers, wood box drawers (Acrylic)		16"	–	RPADSS	50.
File bars, wood file drawers (replacement)		16"	–	RPAHFB16	28.
		30"	–	RPAHFB30	54.
		36"	–	RPAHFB36	83.

Order Code

To order please specify:
 1. Pattern number
 2. Fabric (Tackboards)

Application Notes





See Reff Planning Guide for more information.
 Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.
 Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

Reff Profiles

description	type	w	h	pattern no.	list price
File bars, metal file drawers (replacement)		16"	–	RPAHFM162 *	\$20.
		30"	–	RPAHFM30	28.
		36"	–	RPAHFM36	28.
Sold as individuals					
Plate divider				RPD11	22.
				RPD14	22.
	RPD11 to be used with 15" D open cabinet/bookcase with metal shelves. RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.				
Pencil tray, wood (ordered separately)		12"	–	RPAPT	97.
Pencil tray, plastic	black	12"	–	RPETRAY3N	37.
	clear	12"	–	RPETRAY3C	44.
	Recommended for use with metal drawer interiors on 16" w peds. Letter width pedestal.				
Pencil tray adapter				RPETAD	80.
	Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals. Available in painted and anodized finishes.				
Task Panel shelf		14"		RTST14	163.
					

Accessories and Client Samples

Order Code

To order please specify:
1. Pattern number
2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.


Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

description	type	w	h	pattern no.	list price
Task Panel flat tray		14"		RTSF14	\$163.
		28"		RTSF28	194.



Order Code

To order please specify:

1. Pattern number
2. Fabric (Tackboards)

Application Notes




See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.


Accessories
Fascias
Metal

description	w	pattern no.	P1/P2	P3
Metal Fascia - Both left and right recess 	30"	ROMDHMTF130RB	\$141.	\$169.
	36"	ROMDHMTF136RB	144.	173.
	42"	ROMDHMTF142RB	145.	174.
	48"	ROMDHMTF148RB	147.	177.
	54"	ROMDHMTF154RB	150.	180.
	60"	ROMDHMTF160RB	152.	183.
	66"	ROMDHMTF166RB	161.	193.
	72"	ROMDHMTF172RB	163.	196.
	78"	ROMDHMTF178RB	165.	198.
	84"	ROMDHMTF184RB	167.	200.
	90"	ROMDHMTF190RB	169.	203.
96"	ROMDHMTF196RB	171.	205.	
Metal Fascia - Left recess 	30"	ROMDHMTF130RL	141.	169.
	36"	ROMDHMTF136RL	144.	173.
	42"	ROMDHMTF142RL	145.	174.
	48"	ROMDHMTF148RL	147.	177.
	54"	ROMDHMTF154RL	150.	180.
	60"	ROMDHMTF160RL	152.	183.
	66"	ROMDHMTF166RL	161.	193.
	72"	ROMDHMTF172RL	163.	196.
	78"	ROMDHMTF178RL	165.	198.
	84"	ROMDHMTF184RL	167.	200.
	90"	ROMDHMTF190RL	169.	203.
96"	ROMDHMTF196RL	171.	205.	
Metal Fascia - No recess 	30"	ROMDHMTF130RN	141.	169.
	36"	ROMDHMTF136RN	144.	173.
	42"	ROMDHMTF142RN	145.	174.
	48"	ROMDHMTF148RN	147.	177.
	54"	ROMDHMTF154RN	150.	180.
	60"	ROMDHMTF160RN	152.	183.
	66"	ROMDHMTF166RN	161.	193.
	72"	ROMDHMTF172RN	163.	196.
	78"	ROMDHMTF178RN	165.	198.
	84"	ROMDHMTF184RN	167.	200.
	90"	ROMDHMTF190RN	169.	203.
96"	ROMDHMTF196RN	171.	205.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	To order please specify pattern number including: 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		




Accessories
Fascias
Metal

description	w	pattern no.	P1/P2	P3
Metal Fascia - Right recess 	30"	ROMDHMTF130RR	\$141.	\$169.
	36"	ROMDHMTF136RR	144.	173.
	42"	ROMDHMTF142RR	145.	174.
	48"	ROMDHMTF148RR	147.	177.
	54"	ROMDHMTF154RR	150.	180.
	60"	ROMDHMTF160RR	152.	183.
	66"	ROMDHMTF166RR	161.	193.
	72"	ROMDHMTF172RR	163.	196.
	78"	ROMDHMTF178RR	165.	198.
	84"	ROMDHMTF184RR	167.	200.
	90"	ROMDHMTF190RR	169.	203.
	96"	ROMDHMTF196RR	171.	205.

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	<i>To order please specify pattern number including:</i> 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		

Accessories
Fascias
Wood


Reff Profiles

description	w	pattern no.	V1	V2	V3
Wood Fascia - Both left and right recess 	30"	ROMDHWTF130RB	\$260.	\$281.	\$351.
	36"	ROMDHWTF136RB	262.	284.	355.
	42"	ROMDHWTF142RB	264.	287.	359.
	48"	ROMDHWTF148RB	266.	290.	364.
	54"	ROMDHWTF154RB	268.	294.	368.
	60"	ROMDHWTF160RB	386.	408.	510.
	66"	ROMDHWTF166RB	388.	411.	514.
	72"	ROMDHWTF172RB	390.	414.	518.
	78"	ROMDHWTF178RB	392.	417.	522.
	84"	ROMDHWTF184RB	394.	420.	526.
	90"	ROMDHWTF190RB	397.	423.	530.
96"	ROMDHWTF196RB	542.	564.	706.	
Wood Fascia - Left recess 	30"	ROMDHWTF130RL	260.	281.	351.
	36"	ROMDHWTF136RL	262.	284.	355.
	42"	ROMDHWTF142RL	264.	287.	359.
	48"	ROMDHWTF148RL	266.	290.	364.
	54"	ROMDHWTF154RL	268.	294.	368.
	60"	ROMDHWTF160RL	386.	408.	510.
	66"	ROMDHWTF166RL	388.	411.	514.
	72"	ROMDHWTF172RL	390.	414.	518.
	78"	ROMDHWTF178RL	392.	417.	522.
	84"	ROMDHWTF184RL	394.	420.	526.
	90"	ROMDHWTF190RL	397.	423.	530.
96"	ROMDHWTF196RL	542.	564.	706.	
Wood Fascia - No recess 	30"	ROMDHWTF130RN	260.	281.	351.
	36"	ROMDHWTF136RN	262.	284.	355.
	42"	ROMDHWTF142RN	264.	287.	359.
	48"	ROMDHWTF148RN	266.	290.	364.
	54"	ROMDHWTF154RN	268.	294.	368.
	60"	ROMDHWTF160RN	386.	408.	510.
	66"	ROMDHWTF166RN	388.	411.	514.
	72"	ROMDHWTF172RN	390.	414.	518.
	78"	ROMDHWTF178RN	392.	417.	522.
	84"	ROMDHWTF184RN	394.	420.	526.
	90"	ROMDHWTF190RN	397.	423.	530.
96"	ROMDHWTF196RN	542.	564.	706.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	For single and double high overheads. Wood and metal options. Letter depth only.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
W Wood		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		





Accessories
Fascias
Wood

description	w	pattern no.	V1	V2	V3
Wood Fascia - Right recess 	30"	ROMDHWTF130RR	\$260.	\$281.	\$351.
	36"	ROMDHWTF136RR	262.	284.	355.
	42"	ROMDHWTF142RR	264.	287.	359.
	48"	ROMDHWTF148RR	266.	290.	364.
	54"	ROMDHWTF154RR	268.	294.	368.
	60"	ROMDHWTF160RR	386.	408.	510.
	66"	ROMDHWTF166RR	388.	411.	514.
	72"	ROMDHWTF172RR	390.	414.	518.
	78"	ROMDHWTF178RR	392.	417.	522.
	84"	ROMDHWTF184RR	394.	420.	526.
	90"	ROMDHWTF190RR	397.	423.	530.
	96"	ROMDHWTF196RR	542.	564.	706.

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	For single and double high overheads. Wood and metal options. Letter depth only.
R Reff		
O Overhead		
M Wall hung		
DH Desk height		
W Wood		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		

Accessories

Sliding Rails

description	width	pattern no.	list price	
Sliding rail for open shelves 	30"	RSDR30	\$53.	
	36"	RSDR36	53.	
	42"	RSDR42	53.	
	48"	RSDR48	53.	
	54"	RSDR54	53.	
	60"	RSDR60	83.	
	66"	RSDR66	83.	
	72"	RSDR72	83.	
	78"	RSDR78	83.	
	84"	RSDR84	93.	
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	53.	
	36"	ROHDR36	53.	
	42"	ROHDR42	53.	
	48"	ROHDR48	53.	
	60"	ROHDR60	93.	
	72"	ROHDR72	93.	
	90"	ROHDR90	126.	
	96"	ROHDR96	126.	
	Sliding rail for flip door overhead cabinets 	30"	RFDR30	53.
		36"	RFDR36	53.
42"		RFDR42	53.	
48"		RFDR48	53.	
60"		RFDR60	93.	
72"		RFDR72	93.	
84"		RFDR84	93.	
Sliding rail divider 		R5ZNNE (3 dividers)	22.	

Accessories and Client Samples

Order Code	
Example:	RSDR30
R	Reff
SDR	Sliding rail for open shelves
30	For 30" shelf




Specification Information
To order please specify pattern number.

Application Notes
 Match cabinet width to rail width.
 Parts come in black only.
 These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

Accessories

Task Light

Reff

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTL5E19S	\$270.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25S	276.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37S	281.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49S	286.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61S	303.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73S	330.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85S	412.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25A	396.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37A	417.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49A	434.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61A	451.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73A	467.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85A	484.
	Use with 24" and wider overhead (3 LED's)	19"	2"	3/16"	RTL193W	306.
	Use with 24" and wider overhead (6 LED's)	19"	2"	3/16"	RTL196W	386.
	Use with 24" and wider overhead (9 LED's)	19"	2"	3/16"	RTL199W	526.
	Use with 42" and wider overhead (6 LED's)	37"	2"	3/16"	RTL376W	617.
	Use with 42" and wider overhead (12 LED's)	37"	2"	3/16"	RTL3712W	697.
	Use with 42" and wider overhead (18 LED's)	37"	2"	3/16"	RTL3718W	864.

Order Code	Specification Information	Application Notes
T5 Standard Task Light Example: RTL5E19S RTL Task Light T5 T5 lamp E Electronic ballast 19 Width S Standard	T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black. LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.	T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed. T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content. LED Task Lights: Power cord is able to attach to either end of fixture. Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Task Panels

Planning Guidelines and Specifications

Task Panels

The high performance Task Panel is designed to augment the utility of the zone immediately above the credenza in a Private Office setting, by offering tool rail capability and cable management features in addition to tackable and decorative inserts. All Task Panels have a cable curtain along the full length of the bottom edge which, when used in conjunction with notched back credenza tops, provides access to in-wall power sources and for cable concealment. See figure on following page for cable management details. The optional tool rail is designed to accept slatwall accessories and the Reff Profiles Task Panel Shelf. Slatwall accessories are available from KnollExtra. Insert panels may be conveniently removed, exposing a $\frac{7}{8}$ " wire clearance space which allows cable drops at any point along the entire width of the Task Panel. Check local electrical codes for suitability.

Task Panels are configured in eight heights (H1 – H8) to correspond to their application. See application diagrams on the following pages. H1 and H2 are designed for focused work applications whereas H3 through H8 are designed for collaborative or team work applications.


Construction

The Task Panel consists of a framework and optional tool rail, with decorative trims and a variety of functional and decorative inserts. See figures below for breakdown of components. Bottom right; The frame assembly consists of two vertical members, a bottom and top frame member and an optional tool rail. These are connected together and supported by mounting brackets. Edges have decorative trims; a top cover and two end covers.

Connected to the bottom frame member is a nylon brush which forms the cable curtain. Frames are clad with either one or two inserts depending upon the use of the tool rail. Bottom left (upper); single monolithic insert with spacers. Bottom left (lower); top segmented insert and bottom segmented insert and spacers.

Task Panels are shipped with frame and trim components, cable curtain and hardware in one container and inserts and spacers in a separate container.

The unit is field-assembled; fastened together using brackets and screws in pre-punched holes. See part #6TP00085 for assembly and installations instructions.



Task Panels

Planning Guidelines and Specifications

Specification Options

Task Panels are offered in widths from 30" to 96" in 6" increments; and in eight application heights, H1 to H8. Overall thickness of the Task Panel is 1 1/2".

Task Panels are available in two basic configurations; monolithic (with a single insert) and segmented (with two inserts divided by the horizontal tool rail). See diagrams, previous page, for description.


The Task Panel cover trims and optional tool rail are offered in three anodized metallic finishes; Black (AN), Polished (AP) and Satin (AU) as well as all core paint colors. Refer to Reff Profiles finish options page for more information.

Task Panel inserts are available in a variety of finishes including fabric (tackable), Forbo™ (tackable linoleum), laminate, veneer, glass and marker board.

Note that segmented Task Panels with fabric lower inserts are available up to 72" wide.



Planning Notes

1. H1, H3, H5 and H7 Task Panels are intended for use with 1 1/2" thick credenza tops. H2, H4, H6 and H8 Task Panels are intended for use with 1" credenza tops.
2. Fabric is applied to inserts railroad style only
3. Forbo™ is available on lower segmented inserts only
4. Grain direction for veneer inserts is vertical
5. Glass is not available for lower segmented inserts.



Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H1 Task Panel is intended for use with 1 1/2" thick tops.
- H2 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H3 Task Panel is intended for use with $1\frac{1}{2}"$ thick tops.
- H4 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H5 Task Panel is intended for use with $1 \frac{1}{2}"$ thick tops.
- H6 Task Panel is intended for use with 1" thick credenza tops.

Task Panels


Planning Guidelines and Specifications



Notes


- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H7 Task Panel is intended for use with 1 1/2" thick tops.
- H8 Task Panel is intended for use with 1" thick credenza tops.

Task Panels
H1 23 1/8" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	23 1/8"	30"	RTPNM30H1 () ()	\$727.	\$742.	\$757.	\$771.	\$794.	\$809.	\$827.
Without tool rail	1 1/2"	23 1/8"	36"	RTPNM36H1 () ()	781.	799.	818.	836.	861.	877.	896.
	1 1/2"	23 1/8"	42"	RTPNM42H1 () ()	1,024.	1,045.	1,067.	1,089.	1,122.	1,141.	1,167.
	1 1/2"	23 1/8"	48"	RTPNM48H1 () ()	1,036.	1,060.	1,084.	1,107.	1,140.	1,160.	1,187.
	1 1/2"	23 1/8"	54"	RTPNM54H1 () ()	1,054.	1,080.	1,107.	1,134.	1,168.	1,189.	1,215.
	1 1/2"	23 1/8"	60"	RTPNM60H1 () ()	1,117.	1,146.	1,176.	1,206.	1,242.	1,264.	1,293.
	1 1/2"	23 1/8"	66"	RTPNM66H1 () ()	1,351.	1,383.	1,414.	1,446.	1,489.	1,515.	1,550.
	1 1/2"	23 1/8"	72"	RTPNM72H1 () ()	1,371.	1,406.	1,441.	1,476.	1,520.	1,547.	1,582.
	1 1/2"	23 1/8"	78"	RTPNM78H1 () ()	1,541.	1,579.	1,617.	1,655.	1,705.	1,735.	1,774.
	1 1/2"	23 1/8"	84"	RTPNM84H1 () ()	1,550.	1,590.	1,630.	1,671.	1,721.	1,751.	1,791.
	1 1/2"	23 1/8"	90"	RTPNM90H1 () ()	1,613.	1,656.	1,701.	1,744.	1,796.	1,827.	1,869.
	1 1/2"	23 1/8"	96"	RTPNM96H1 () ()	1,632.	1,679.	1,725.	1,773.	1,826.	1,857.	1,900.


Order Code	Specification Information	Application Notes
Example: RTPNM30H1 () ()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H1 23 1/8" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	23 1/8"	30"	RTPNM30H1()	\$972.	\$781.	\$774.	\$873.	\$935.	\$1,077.
Without tool rail	1 1/2"	23 1/8"	36"	RTPNM36H1()	1,088.	828.	819.	921.	991.	1,159.
	1 1/2"	23 1/8"	42"	RTPNM42H1()	1,327.	1,018.	1,006.	1,111.	1,186.	1,380.
	1 1/2"	23 1/8"	48"	RTPNM48H1()	1,421.	1,030.	1,018.	1,125.	1,207.	1,430.
	1 1/2"	23 1/8"	54"	RTPNM54H1()	1,500.	1,039.	1,026.	1,134.	1,226.	1,476.
	1 1/2"	23 1/8"	60"	RTPNM60H1()	1,623.	1,094.	1,079.	1,189.	1,291.	1,568.
	1 1/2"	23 1/8"	66"	RTPNM66H1()	1,927.	1,360.	1,343.	1,455.	1,571.	1,876.
	1 1/2"	23 1/8"	72"	RTPNM72H1()	2,007.	1,371.	1,353.	1,468.	1,597.	1,936.
	1 1/2"	23 1/8"	78"	RTPNM78H1()	2,239.	1,534.	1,514.	1,630.	1,762.	2,122.
	1 1/2"	23 1/8"	84"	RTPNM84H1()	2,319.	1,550.	1,529.	1,652.	1,788.	2,174.
	1 1/2"	23 1/8"	90"	RTPNM90H1()	2,442.	1,604.	1,581.	1,700.	1,852.	2,266.
	1 1/2"	23 1/8"	96"	RTPNM96H1()	2,522.	1,622.	1,599.	1,721.	1,876.	2,316.

Order Code	Specification Information	Application Notes
Example: RTPNM30H1()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Veneer	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H1 23 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H1 23 1/8" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	23 1/8"	30"	RTPRS30H1()()	\$1,128.	\$1,158.	\$1,189.	\$1,218.	\$1,247.	\$1,277.	\$1,306.
With tool rail	1 1/2"	23 1/8"	36"	RTPRS36H1()()	1,214.	1,251.	1,288.	1,325.	1,357.	1,388.	1,419.
	1 1/2"	23 1/8"	42"	RTPRS42H1()()	1,466.	1,509.	1,552.	1,595.	1,634.	1,672.	1,710.
	1 1/2"	23 1/8"	48"	RTPRS48H1()()	1,486.	1,533.	1,580.	1,626.	1,666.	1,705.	1,743.
	1 1/2"	23 1/8"	54"	RTPRS54H1()()	1,517.	1,571.	1,624.	1,678.	1,718.	1,758.	1,798.
	1 1/2"	23 1/8"	60"	RTPRS60H1()()	1,548.	1,608.	1,669.	1,728.	1,770.	1,811.	1,853.
	1 1/2"	23 1/8"	66"	RTPRS66H1()()	1,894.	1,958.	2,021.	2,085.	2,134.	2,185.	2,234.
	1 1/2"	23 1/8"	72"	RTPRS72H1()()	1,927.	1,997.	2,068.	2,138.	2,190.	2,240.	2,292.


Order Code	Specification Information	Application Notes
Example: RTPRS30H1()()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H1 23 1/8" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	23 1/8"	30"	RTPRS30H1()()	\$1,189.	\$1,204.	\$1,218.	\$1,234.	\$1,271.	\$1,293.	\$1,323.
With tool rail	1 1/2"	23 1/8"	36"	RTPRS36H1()()	1,266.	1,284.	1,302.	1,320.	1,360.	1,383.	1,415.
	1 1/2"	23 1/8"	42"	RTPRS42H1()()	1,450.	1,472.	1,494.	1,515.	1,560.	1,587.	1,624.
	1 1/2"	23 1/8"	48"	RTPRS48H1()()	1,468.	1,491.	1,514.	1,538.	1,584.	1,612.	1,648.
	1 1/2"	23 1/8"	54"	RTPRS54H1()()	1,495.	1,521.	1,548.	1,575.	1,622.	1,650.	1,688.
	1 1/2"	23 1/8"	60"	RTPRS60H1()()	1,519.	1,549.	1,579.	1,609.	1,657.	1,686.	1,724.
	1 1/2"	23 1/8"	66"	RTPRS66H1()()	1,888.	1,920.	1,952.	1,984.	2,044.	2,079.	2,126.
	1 1/2"	23 1/8"	72"	RTPRS72H1()()	1,913.	1,948.	1,984.	2,019.	2,080.	2,116.	2,164.


Order Code	Specification Information	Application Notes
Example: RTPRS30H1()()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	Installation instruction sheets available on line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085.
R Tool rail	3. Bottom insert finish: Fabric	
S Segmentated		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H1 23 1/8" high

Segmented With Tool rail


Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented With tool rail 	1 1/2"	23 1/8"	30"	RTPRS30H1()()	\$1,262.	\$1,134.	\$1,227.	\$1,271.	\$1,286.	\$1,319.
	1 1/2"	23 1/8"	36"	RTPRS36H1()()	1,387.	1,272.	1,354.	1,354.	1,372.	1,412.
	1 1/2"	23 1/8"	42"	RTPRS42H1()()	1,620.	1,426.	1,503.	1,547.	1,567.	1,614.
	1 1/2"	23 1/8"	48"	RTPRS48H1()()	1,694.	1,454.	1,521.	1,604.	1,624.	1,678.
	1 1/2"	23 1/8"	54"	RTPRS54H1()()	1,765.	1,490.	1,550.	1,633.	1,654.	1,713.
	1 1/2"	23 1/8"	60"	RTPRS60H1()()	1,835.	1,527.	1,579.	1,661.	1,685.	1,750.
	1 1/2"	23 1/8"	66"	RTPRS66H1()()	2,236.	1,883.	1,959.	2,041.	2,068.	2,139.
	1 1/2"	23 1/8"	72"	RTPRS72H1()()	2,309.	1,922.	1,990.	2,073.	2,101.	2,179.
	1 1/2"	23 1/8"	78"	RTPRS78H1()()	2,487.	2,067.	2,126.	2,210.	2,240.	2,325.
	1 1/2"	23 1/8"	84"	RTPRS84H1()()	2,557.	2,092.	2,143.	2,228.	2,260.	2,351.
	1 1/2"	23 1/8"	90"	RTPRS90H1()()	2,629.	2,129.	2,172.	2,257.	2,291.	2,390.
1 1/2"	23 1/8"	96"	RTPRS96H1()()	2,702.	2,167.	2,202.	2,288.	2,324.	2,429.	

Order Code	Specification Information	Application Notes
Example: RTPRS30H1()()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H1 23 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Task Panels
H2 29³/₄" high
Monolithic, Without Tool Rail
Fabric


Reff Profiles

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	29 3/4"	30"	RTPNM30H2()()	\$801.	\$817.	\$831.	\$847.	\$872.	\$887.	\$907.
Without tool rail	1 1/2"	29 3/4"	36"	RTPNM36H2()()	857.	876.	894.	913.	940.	956.	979.
	1 1/2"	29 3/4"	42"	RTPNM42H2()()	1,048.	1,069.	1,092.	1,113.	1,146.	1,167.	1,194.
	1 1/2"	29 3/4"	48"	RTPNM48H2()()	1,062.	1,086.	1,108.	1,132.	1,166.	1,187.	1,213.
	1 1/2"	29 3/4"	54"	RTPNM54H2()()	1,080.	1,107.	1,133.	1,160.	1,195.	1,215.	1,243.
	1 1/2"	29 3/4"	60"	RTPNM60H2()()	1,143.	1,173.	1,204.	1,234.	1,271.	1,293.	1,323.
	1 1/2"	29 3/4"	66"	RTPNM66H2()()	1,379.	1,411.	1,443.	1,475.	1,519.	1,546.	1,581.
	1 1/2"	29 3/4"	72"	RTPNM72H2()()	1,400.	1,435.	1,470.	1,505.	1,550.	1,577.	1,613.
	1 1/2"	29 3/4"	78"	RTPNM78H2()()	1,571.	1,609.	1,648.	1,686.	1,737.	1,766.	1,808.
	1 1/2"	29 3/4"	84"	RTPNM84H2()()	1,582.	1,622.	1,662.	1,703.	1,753.	1,784.	1,825.
	1 1/2"	29 3/4"	90"	RTPNM90H2()()	1,645.	1,688.	1,732.	1,776.	1,829.	1,861.	1,903.
	1 1/2"	29 3/4"	96"	RTPNM96H2()()	1,666.	1,712.	1,759.	1,806.	1,859.	1,892.	1,935.

Order Code	Specification Information	Application Notes
Example: RTPNM30H2()()	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Top Insert Finish: Fabric	Always supplied including all trim pieces.
N No tool rail	3. Insert Finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H2 29 3/4" high		All Fabric to be applied railroaded as current tackboard.
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection		

Task Panels
H2 29³/₄" high
Monolithic, Without Tool Rail
Wood, Laminate, Marker board or Glass Inserts

Reff Profiles

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	29 ³ / ₄ "	30"	RTPNM30H2 () ()	\$1,121.	\$817.	\$806.	\$911.	\$981.	\$1,163.
Without tool rail	1 1/2"	29 ³ / ₄ "	36"	RTPNM36H2 () ()	1,263.	870.	858.	964.	1,045.	1,263.
	1 1/2"	29 ³ / ₄ "	42"	RTPNM42H2 () ()	1,540.	1,054.	1,040.	1,149.	1,243.	1,497.
	1 1/2"	29 ³ / ₄ "	48"	RTPNM48H2 () ()	1,648.	1,076.	1,061.	1,172.	1,282.	1,571.
	1 1/2"	29 ³ / ₄ "	54"	RTPNM54H2 () ()	1,753.	1,088.	1,070.	1,185.	1,306.	1,630.
	1 1/2"	29 ³ / ₄ "	60"	RTPNM60H2 () ()	1,903.	1,145.	1,127.	1,242.	1,376.	1,737.
	1 1/2"	29 ³ / ₄ "	66"	RTPNM66H2 () ()	2,233.	1,414.	1,393.	1,512.	1,657.	2,053.
	1 1/2"	29 ³ / ₄ "	72"	RTPNM72H2 () ()	2,340.	1,429.	1,406.	1,526.	1,683.	2,114.
	1 1/2"	29 ³ / ₄ "	78"	RTPNM78H2 () ()	2,598.	1,600.	1,575.	1,698.	1,862.	2,328.
	1 1/2"	29 ³ / ₄ "	84"	RTPNM84H2 () ()	2,703.	1,612.	1,585.	1,712.	1,887.	2,389.
	1 1/2"	29 ³ / ₄ "	90"	RTPNM90H2 () ()	2,852.	1,676.	1,647.	1,805.	1,968.	2,505.
	1 1/2"	29 ³ / ₄ "	96"	RTPNM96H2 () ()	2,959.	1,690.	1,660.	1,791.	1,994.	2,566.


Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H2 () ()	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Top Insert Finish: Fabric	Always supplied including all trim pieces.
N No tool rail	3. Bottom Insert Finish: G, LW, L, V1, V2, V3	LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H2 29 ³ / ₄ " high		All Fabric to be applied railroded as current tackboard.
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection		

*Installation instruction sheets available on-line.


For Task Panels refer to part number 6TP00085

Task Panels
H2 29³/₄" high
Segmented With Tool Rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	RTPRS30H2()()	\$1,260.	\$1,270.	\$1,281.	\$1,570.	\$1,331.	\$1,353.	\$1,384.
	1 1/2"	29 3/4"	36"	RTPRS36H2()()	1,292.	1,329.	1,365.	1,402.	1,444.	1,469.	1,503.
	1 1/2"	29 3/4"	42"	RTPRS42H2()()	1,485.	1,529.	1,573.	1,616.	1,664.	1,693.	1,732.
	1 1/2"	29 3/4"	48"	RTPRS48H2()()	1,508.	1,554.	1,602.	1,648.	1,697.	1,727.	1,766.
	1 1/2"	29 3/4"	54"	RTPRS54H2()()	1,539.	1,592.	1,646.	1,700.	1,750.	1,781.	1,822.
	1 1/2"	29 3/4"	60"	RTPRS60H2()()	1,571.	1,630.	1,691.	1,751.	1,804.	1,834.	1,877.
	1 1/2"	29 3/4"	66"	RTPRS66H2()()	1,919.	1,982.	2,046.	2,108.	2,171.	2,209.	2,260.
	1 1/2"	29 3/4"	72"	RTPRS72H2()()	2,019.	2,069.	2,120.	2,170.	2,235.	2,274.	2,326.


Order Code	Specification Information	Application Notes	
Example: RTPRS30H2()()	To order please specify pattern number including: 1. Trim Finish: Painted or Anodized 2. Top Insert Finish: Fabric 3. Bottom Insert Finish: Fabric	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza. Always supplied including cable curtain. Always supplied including all trim pieces. LH & RH side full height trims. (no hi-lo trims) All trims supplied with the same finish specification. All Fabric to be applied railroaded as current tackboard. When ordering 54" or wider Task Panel, please check width of fabric specified.	
R Reff			Installation instruction sheets available on line.
TP Task Panel			For Task Panels refer to part number 6TP00085.
R Tool rail			
S Segmented			
30 Width			
H2 29 ³ / ₄ " high			
111 Trim finish			
W281 Fabric selection top insert			
W281 Fabric selection bottom insert			

Task Panels
H2 29³/₄" high
Segmented With Tool Rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	29 3/4"	30"	RTPRS30H2()()	\$1,207.	\$1,223.	\$1,237.	\$1,252.	\$1,290.	\$1,312.	\$1,342.
With tool rail	1 1/2"	29 3/4"	36"	RTPRS36H2()()	1,289.	1,307.	1,326.	1,344.	1,384.	1,409.	1,441.
	1 1/2"	29 3/4"	42"	RTPRS42H2()()	1,474.	1,496.	1,518.	1,540.	1,586.	1,614.	1,650.
	1 1/2"	29 3/4"	48"	RTPRS48H2()()	1,494.	1,517.	1,540.	1,564.	1,610.	1,639.	1,676.
	1 1/2"	29 3/4"	54"	RTPRS54H2()()	1,520.	1,547.	1,574.	1,601.	1,649.	1,677.	1,716.
	1 1/2"	29 3/4"	60"	RTPRS60H2()()	1,546.	1,576.	1,607.	1,637.	1,686.	1,715.	1,754.
	1 1/2"	29 3/4"	66"	RTPRS66H2()()	1,917.	1,949.	1,980.	2,012.	2,071.	2,108.	2,156.
	1 1/2"	29 3/4"	72"	RTPRS72H2()()	1,744.	1,848.	1,951.	2,055.	2,117.	2,154.	2,202.


Order Code	Specification Information	Application Notes
Example: RTPRS30H2()()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H2 29 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selectin bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H2 29³/₄" high
Segmented With Tool Rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	29 ³ / ₄ "	30"	RTPRS30H2 () ()	\$1,369.	\$1,155.	\$1,236.	\$1,304.	\$1,343.	\$1,418.
With tool rail	1 1/2"	29 ³ / ₄ "	36"	RTPRS36H2 () ()	1,517.	1,355.	1,326.	1,394.	1,439.	1,529.
	1 1/2"	29 ³ / ₄ "	42"	RTPRS42H2 () ()	1,769.	1,573.	1,523.	1,592.	1,642.	1,746.
	1 1/2"	29 ³ / ₄ "	48"	RTPRS48H2 () ()	1,861.	1,621.	1,545.	1,645.	1,698.	1,819.
	1 1/2"	29 ³ / ₄ "	54"	RTPRS54H2 () ()	1,951.	1,676.	1,576.	1,676.	1,735.	1,868.
	1 1/2"	29 ³ / ₄ "	60"	RTPRS60H2 () ()	2,039.	1,732.	1,607.	1,708.	1,771.	1,919.
	1 1/2"	29 ³ / ₄ "	66"	RTPRS66H2 () ()	2,459.	2,105.	1,980.	2,083.	2,150.	2,313.
	1 1/2"	29 ³ / ₄ "	72"	RTPRS72H2 () ()	2,557.	2,254.	2,024.	2,129.	2,196.	2,373.
	1 1/2"	29 ³ / ₄ "	78"	RTPRS78H2 () ()	2,748.	2,327.	2,156.	2,261.	2,332.	2,524.
	1 1/2"	29 ³ / ₄ "	84"	RTPRS84H2 () ()	2,837.	2,370.	2,177.	2,284.	2,360.	2,568.
	1 1/2"	29 ³ / ₄ "	90"	RTPRS90H2 () ()	2,926.	2,426.	2,208.	2,315.	2,397.	2,618.
	1 1/2"	29 ³ / ₄ "	96"	RTPRS96H2 () ()	3,017.	2,483.	2,240.	2,349.	2,434.	2,670.


Order Code	Specification Information	Application Notes
Example: RTPRS30H2 () ()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1 ⁷ / ₈ " thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H2 29 ³ / ₄ " high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selectin top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Task Panels
H3 37⁷/₈" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	37 7/8"	30"	RTPNM30H3()()	\$839.	\$854.	\$869.	\$884.	\$911.	\$926.	\$948.
Without tool rail	1 1/2"	37 7/8"	36"	RTPNM36H3()()	896.	915.	932.	951.	980.	996.	1,019.
	1 1/2"	37 7/8"	42"	RTPNM42H3()()	1,088.	1,109.	1,131.	1,153.	1,188.	1,208.	1,236.
	1 1/2"	37 7/8"	48"	RTPNM48H3()()	1,103.	1,127.	1,149.	1,173.	1,208.	1,230.	1,258.
	1 1/2"	37 7/8"	54"	RTPNM54H3()()	1,123.	1,149.	1,176.	1,203.	1,239.	1,261.	1,290.
	1 1/2"	37 7/8"	60"	RTPNM60H3()()	1,187.	1,216.	1,247.	1,277.	1,315.	1,339.	1,369.
	1 1/2"	37 7/8"	66"	RTPNM66H3()()	1,424.	1,456.	1,487.	1,519.	1,565.	1,592.	1,628.
	1 1/2"	37 7/8"	72"	RTPNM72H3()()	1,445.	1,480.	1,516.	1,551.	1,598.	1,625.	1,662.
	1 1/2"	37 7/8"	78"	RTPNM78H3()()	1,618.	1,656.	1,695.	1,733.	1,785.	1,817.	1,858.
	1 1/2"	37 7/8"	84"	RTPNM84H3()()	1,630.	1,671.	1,711.	1,751.	1,804.	1,835.	1,877.
	1 1/2"	37 7/8"	90"	RTPNM90H3()()	1,695.	1,739.	1,782.	1,825.	1,880.	1,913.	1,957.
	1 1/2"	37 7/8"	96"	RTPNM96H3()()	1,716.	1,762.	1,810.	1,856.	1,912.	1,945.	1,990.


Order Code	Specification Information	Application Notes
Example: RTPNM30H3()()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H3 37 7/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H3 37⁷/₈" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	37 ⁷ / ₈ "	30"	RTPNM30H3()	\$1,299.	\$867.	\$854.	\$962.	\$1,049.	\$1,284.
Without tool rail	1 1/2"	37 ⁷ / ₈ "	36"	RTPNM36H3()	1,471.	920.	904.	1,015.	1,118.	1,399.
	1 1/2"	37 ⁷ / ₈ "	42"	RTPNM42H3()	1,756.	1,114.	1,097.	1,210.	1,333.	1,659.
	1 1/2"	37 ⁷ / ₈ "	48"	RTPNM48H3()	1,916.	1,139.	1,120.	1,237.	1,374.	1,747.
	1 1/2"	37 ⁷ / ₈ "	54"	RTPNM54H3()	2,051.	1,155.	1,133.	1,252.	1,405.	1,823.
	1 1/2"	37 ⁷ / ₈ "	60"	RTPNM60H3()	2,231.	1,223.	1,198.	1,321.	1,484.	1,949.
	1 1/2"	37 ⁷ / ₈ "	66"	RTPNM66H3()	2,590.	1,487.	1,461.	1,587.	1,765.	2,275.
	1 1/2"	37 ⁷ / ₈ "	72"	RTPNM72H3()	2,727.	1,697.	1,482.	1,612.	1,811.	2,366.
	1 1/2"	37 ⁷ / ₈ "	78"	RTPNM78H3()	3,016.	1,680.	1,649.	1,781.	1,995.	2,596.
	1 1/2"	37 ⁷ / ₈ "	84"	RTPNM84H3()	3,150.	1,695.	1,661.	1,797.	2,026.	2,673.
	1 1/2"	37 ⁷ / ₈ "	90"	RTPNM90H3()	3,330.	1,756.	1,720.	1,859.	2,108.	2,811.
	1 1/2"	37 ⁷ / ₈ "	96"	RTPNM96H3()	3,467.	1,774.	1,735.	1,878.	2,135.	2,873.

Order Code	Specification Information	Application Notes
Example: RTPNM30H3()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H3 37 ⁷ / ₈ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H3 37⁷/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	37 7/8"	30"	RTPRS30H3()()	\$1,242.	\$1,272.	\$1,303.	\$1,333.	\$1,373.	\$1,397.	\$1,429.
With tool rail	1 1/2"	37 7/8"	36"	RTPRS36H3()()	1,330.	1,367.	1,403.	1,440.	1,483.	1,509.	1,543.
	1 1/2"	37 7/8"	42"	RTPRS42H3()()	1,525.	1,569.	1,613.	1,656.	1,706.	1,736.	1,776.
	1 1/2"	37 7/8"	48"	RTPRS48H3()()	1,548.	1,594.	1,642.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	37 7/8"	54"	RTPRS54H3()()	1,581.	1,635.	1,688.	1,742.	1,794.	1,825.	1,867.
	1 1/2"	37 7/8"	60"	RTPRS60H3()()	1,614.	1,675.	1,735.	1,795.	1,849.	1,881.	1,924.
	1 1/2"	37 7/8"	66"	RTPRS66H3()()	1,963.	2,027.	2,090.	2,154.	2,219.	2,257.	2,308.
	1 1/2"	37 7/8"	72"	RTPRS72H3()()	1,999.	2,069.	2,139.	2,209.	2,275.	2,315.	2,368.

Accessories and Client Samples


Order Code	Specification Information	Application Notes	
Example: RTPRS30H3()()	To order please specify pattern number including: 1. Trim Finish: Painted or Anodized 2. Top Insert Finish: Fabric 3. Bottom Insert Finish: Fabric	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface. Always supplied including cable curtain. Always supplied including all trim pieces. LH & RH side full height trims. (no hi-lo trims) All trims supplied with the same finish specification. All Fabric to be applied railroded as current tackboard. When ordering 54" or wider Task Panel, please check width of fabric specified.	
R Reff			*Installation instruction sheets available on-line.
TP Task Panel			For Task Panels refer to part number 6TP00085
R Tool rail			
S Segmented			
30 Width			
H3 37 7/8" high			
111 Trim finish			
W281 Fabric selection top insert			
W281 Fabric selection bottom insert			

Task Panels

H3 37⁷/₈" high

Segmented With Tool rail

Marker Board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	37 7/8"	30"	RTPRS30H3()()	\$1,275.	\$1,290.	\$1,305.	\$1,319.	\$1,359.	\$1,382.	\$1,414.
With tool rail	1 1/2"	37 7/8"	36"	RTPRS36H3()()	1,358.	1,376.	1,395.	1,413.	1,455.	1,481.	1,515.
	1 1/2"	37 7/8"	42"	RTPRS42H3()()	1,554.	1,576.	1,599.	1,620.	1,669.	1,697.	1,737.
	1 1/2"	37 7/8"	48"	RTPRS48H3()()	1,578.	1,602.	1,625.	1,649.	1,698.	1,728.	1,767.
	1 1/2"	37 7/8"	54"	RTPRS54H3()()	1,613.	1,640.	1,667.	1,693.	1,744.	1,775.	1,815.
	1 1/2"	37 7/8"	60"	RTPRS60H3()()	1,641.	1,671.	1,702.	1,731.	1,783.	1,815.	1,856.
	1 1/2"	37 7/8"	66"	RTPRS66H3()()	2,017.	2,049.	2,080.	2,112.	2,174.	2,212.	2,263.
	1 1/2"	37 7/8"	72"	RTPRS72H3()()	2,053.	2,088.	2,123.	2,158.	2,223.	2,261.	2,313.

Order Code	Specification Information	Application Notes
Example: RTPRS30H3()()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H3 37 7/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H3 37⁷/₈" high

Segmented With Tool rail


Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented With tool rail	1 1/2"	37 ⁷ / ₈ "	30"	RTPRS30H3 () ()	\$1,589.	\$1,194.	\$1,286.	\$1,331.	\$1,345.	\$1,379.
	1 1/2"	37 ⁷ / ₈ "	36"	RTPRS36H3 () ()	1,771.	1,288.	1,372.	1,416.	1,434.	1,474.
	1 1/2"	37 ⁷ / ₈ "	42"	RTPRS42H3 () ()	2,059.	1,489.	1,567.	1,612.	1,630.	1,678.
	1 1/2"	37 ⁷ / ₈ "	48"	RTPRS48H3 () ()	2,190.	1,520.	1,588.	1,670.	1,690.	1,744.
	1 1/2"	37 ⁷ / ₈ "	54"	RTPRS54H3 () ()	2,316.	1,559.	1,618.	1,701.	1,722.	1,781.
	1 1/2"	37 ⁷ / ₈ "	60"	RTPRS60H3 () ()	2,443.	1,599.	1,649.	1,731.	1,756.	1,821.
	1 1/2"	37 ⁷ / ₈ "	66"	RTPRS66H3 () ()	2,899.	1,955.	2,032.	2,115.	2,140.	2,212.
	1 1/2"	37 ⁷ / ₈ "	72"	RTPRS72H3 () ()	3,029.	1,997.	2,065.	2,149.	2,176.	2,255.
	1 1/2"	37 ⁷ / ₈ "	78"	RTPRS78H3 () ()	3,263.	2,144.	2,203.	2,288.	2,318.	2,403.
	1 1/2"	37 ⁷ / ₈ "	84"	RTPRS84H3 () ()	3,390.	2,068.	2,223.	2,308.	2,339.	2,431.
	1 1/2"	37 ⁷ / ₈ "	90"	RTPRS90H3 () ()	3,516.	2,210.	2,254.	2,339.	2,373.	2,471.
	1 1/2"	37 ⁷ / ₈ "	96"	RTPRS96H3 () ()	3,645.	2,252.	2,287.	2,372.	2,408.	2,512.



Order Code	Specification Information	Application Notes
Example: RTPRS30H3 () ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H3 37 ⁷ / ₈ " high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection top		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom		

Task Panels
H4 44 1/2" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, mono without tool rail	1 1/2"	44 1/2"	30"	RTPNM30H4()()	\$907.	\$922.	\$937.	\$952.	\$981.	\$997.	\$1,021.
	1 1/2"	44 1/2"	36"	RTPNM36H4()()	965.	984.	1,001.	1,020.	1,051.	1,069.	1,093.
	1 1/2"	44 1/2"	42"	RTPNM42H4()()	1,158.	1,179.	1,201.	1,223.	1,260.	1,281.	1,310.
	1 1/2"	44 1/2"	48"	RTPNM48H4()()	1,174.	1,198.	1,221.	1,244.	1,281.	1,304.	1,334.
	1 1/2"	44 1/2"	54"	RTPNM54H4()()	1,195.	1,222.	1,248.	1,275.	1,313.	1,336.	1,367.
	1 1/2"	44 1/2"	60"	RTPNM60H4()()	1,260.	1,290.	1,320.	1,350.	1,391.	1,415.	1,447.
	1 1/2"	44 1/2"	66"	RTPNM66H4()()	1,499.	1,531.	1,561.	1,593.	1,641.	1,670.	1,708.
	1 1/2"	44 1/2"	72"	RTPNM72H4()()	1,521.	1,556.	1,591.	1,626.	1,675.	1,705.	1,744.
	1 1/2"	44 1/2"	78"	RTPNM78H4()()	1,694.	1,671.	1,646.	1,622.	1,671.	1,701.	1,739.
	1 1/2"	44 1/2"	84"	RTPNM84H4()()	1,708.	1,748.	1,788.	1,828.	1,883.	1,916.	1,960.
	1 1/2"	44 1/2"	90"	RTPNM90H4()()	1,773.	1,816.	1,860.	1,903.	1,960.	1,995.	2,040.
	1 1/2"	44 1/2"	96"	RTPNM96H4()()	1,795.	1,842.	1,889.	1,935.	1,993.	2,028.	2,074.

Order Code	Specification Information	Application Notes
Example: RTPNM30H4()()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H4 44 1/2" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels

Reff Profiles

H4 44 1/2" high

Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	wi	pattern no.	glass	LW	L	V1	V2	V3	
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	RTPNM30H4 ()		\$1,474.	\$945.	\$929.	\$1,039.	\$1,141.	\$1,419.
	1 1/2"	44 1/2"	36"	RTPNM36H4 ()		1,669.	1,006.	989.	1,102.	1,227.	1,419.
	1 1/2"	44 1/2"	42"	RTPNM42H4 ()		1,972.	1,205.	1,185.	1,301.	1,444.	1,829.
	1 1/2"	44 1/2"	48"	RTPNM48H4 ()		2,159.	1,225.	1,202.	1,324.	1,483.	1,922.
	1 1/2"	44 1/2"	54"	RTPNM54H4 ()		2,316.	1,250.	1,225.	1,349.	1,522.	2,016.
	1 1/2"	44 1/2"	60"	RTPNM60H4 ()		2,519.	1,313.	1,284.	1,413.	1,604.	2,150.
	1 1/2"	44 1/2"	66"	RTPNM66H4 ()		2,902.	1,588.	1,556.	1,689.	1,902.	2,503.
	1 1/2"	44 1/2"	72"	RTPNM72H4 ()		3,060.	1,609.	1,574.	1,710.	1,942.	2,597.
	1 1/2"	44 1/2"	78"	RTPNM78H4 ()		3,371.	1,779.	1,742.	1,882.	2,131.	2,839.
	1 1/2"	44 1/2"	84"	RTPNM84H4 ()		3,528.	1,797.	1,757.	1,901.	2,168.	2,930.
	1 1/2"	44 1/2"	90"	RTPNM90H4 ()		3,731.	1,860.	1,818.	1,965.	2,250.	3,065.
	1 1/2"	44 1/2"	96"	RTPNM96H4 ()		3,889.	1,880.	1,834.	1,987.	2,289.	3,159.

Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: RTPNM30H4 ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H4 44 1/2" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H4 44 1/2" high


Segmented With Tool rail

Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	44 1/2"	30"	RTPRS30H4 () ()	\$1,310.	\$1,340.	\$1,371.	\$1,401.	\$1,443.	\$1,468.	\$1,502.
	1 1/2"	44 1/2"	36"	RTPRS36H4 () ()	1,400.	1,437.	1,473.	1,510.	1,555.	1,582.	1,618.
	1 1/2"	44 1/2"	42"	RTPRS42H4 () ()	1,595.	1,639.	1,683.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	44 1/2"	48"	RTPRS48H4 () ()	1,619.	1,667.	1,713.	1,760.	1,813.	1,845.	1,887.
	1 1/2"	44 1/2"	54"	RTPRS54H4 () ()	1,653.	1,707.	1,760.	1,814.	1,868.	1,900.	1,945.
	1 1/2"	44 1/2"	60"	RTPRS60H4 () ()	1,687.	1,748.	1,808.	1,868.	1,924.	1,958.	2,002.
	1 1/2"	44 1/2"	66"	RTPRS66H4 () ()	2,037.	2,101.	2,164.	2,228.	2,295.	2,335.	2,388.
	1 1/2"	44 1/2"	72"	RTPRS72H4 () ()	2,073.	2,143.	2,215.	2,285.	2,353.	2,394.	2,448.

Order Code	Specification Information	Application Notes
Example: RTPRS30H4 () ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H4 44 1/2" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection top		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection bottom		

Task Panels
H4 44 1/2" high
Segmented With Tool rail
Marker Board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	44 1/2"	30"	RTPRS30H4()()	\$1,343.	\$1,359.	\$1,373.	\$1,388.	\$1,430.	\$1,455.	\$1,488.
	1 1/2"	44 1/2"	36"	RTPRS36H4()()	1,427.	1,445.	1,464.	1,482.	1,526.	1,553.	1,588.
	1 1/2"	44 1/2"	42"	RTPRS42H4()()	1,625.	1,647.	1,669.	1,690.	1,741.	1,772.	1,812.
	1 1/2"	44 1/2"	48"	RTPRS48H4()()	1,650.	1,674.	1,696.	1,720.	1,772.	1,803.	1,844.
	1 1/2"	44 1/2"	54"	RTPRS54H4()()	1,685.	1,712.	1,739.	1,765.	1,818.	1,850.	1,892.
	1 1/2"	44 1/2"	60"	RTPRS60H4()()	1,714.	1,744.	1,775.	1,805.	1,858.	1,891.	1,934.
	1 1/2"	44 1/2"	66"	RTPRS66H4()()	2,091.	2,123.	2,154.	2,186.	2,252.	2,291.	2,342.
	1 1/2"	44 1/2"	72"	RTPRS72H4()()	2,128.	2,163.	2,198.	2,233.	2,300.	2,340.	2,394.

Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: RTPRS30H4()()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H4 44 1/2" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker Board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H4 44 1/2" high


Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	44 1/2"	30"	RTPRS30H4 ()()	\$1,746.	\$1,350.	\$1,346.	\$1,413.	\$1,452.	\$1,527.
With tool rail	1 1/2"	44 1/2"	36"	RTPRS36H4 ()()	1,946.	1,463.	1,434.	1,502.	1,546.	1,637.
	1 1/2"	44 1/2"	42"	RTPRS42H4 ()()	2,254.	1,683.	1,634.	1,703.	1,752.	1,856.
	1 1/2"	44 1/2"	48"	RTPRS48H4 ()()	2,403.	1,732.	1,657.	1,757.	1,811.	1,930.
	1 1/2"	44 1/2"	54"	RTPRS54H4 ()()	2,548.	1,791.	1,690.	1,791.	1,849.	1,984.
	1 1/2"	44 1/2"	60"	RTPRS60H4 ()()	2,693.	1,849.	1,723.	1,825.	1,888.	2,035.
	1 1/2"	44 1/2"	66"	RTPRS66H4 ()()	3,168.	2,224.	2,098.	2,196.	2,269.	2,433.
	1 1/2"	44 1/2"	72"	RTPRS72H4 ()()	3,317.	2,285.	2,133.	2,238.	2,309.	2,487.
	1 1/2"	44 1/2"	78"	RTPRS78H4 ()()	3,569.	2,450.	2,279.	2,384.	2,456.	2,647.
	1 1/2"	44 1/2"	84"	RTPRS84H4 ()()	3,715.	2,496.	2,303.	2,409.	2,485.	2,693.
	1 1/2"	44 1/2"	90"	RTPRS90H4 ()()	3,860.	2,554.	2,336.	2,443.	2,525.	2,746.
	1 1/2"	44 1/2"	96"	RTPRS96H4 ()()	4,008.	2,614.	2,370.	2,479.	2,565.	2,800.

Order Code	Specification Information	Application Notes
Example: RTPRS30H4 ()()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H4 44 1/2" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Task Panels
H5 42⁵/₈" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, mono without tool rail 	1 1/2"	42 5/8"	30"	RTPNM30H5() ()	\$897.	\$913.	\$927.	\$942.	\$970.	\$988.	\$1,010.
	1 1/2"	42 5/8"	36"	RTPNM36H5() ()	955.	973.	992.	1,010.	1,040.	1,059.	1,084.
	1 1/2"	42 5/8"	42"	RTPNM42H5() ()	1,147.	1,169.	1,191.	1,212.	1,248.	1,270.	1,300.
	1 1/2"	42 5/8"	48"	RTPNM48H5() ()	1,164.	1,188.	1,210.	1,234.	1,271.	1,294.	1,323.
	1 1/2"	42 5/8"	54"	RTPNM54H5() ()	1,183.	1,210.	1,237.	1,264.	1,302.	1,325.	1,354.
	1 1/2"	42 5/8"	60"	RTPNM60H5() ()	1,248.	1,278.	1,309.	1,339.	1,379.	1,403.	1,436.
	1 1/2"	42 5/8"	66"	RTPNM66H5() ()	1,487.	1,519.	1,550.	1,582.	1,629.	1,658.	1,696.
	1 1/2"	42 5/8"	72"	RTPNM72H5() ()	1,509.	1,544.	1,579.	1,614.	1,662.	1,691.	1,730.
	1 1/2"	42 5/8"	78"	RTPNM78H5() ()	1,682.	1,720.	1,759.	1,797.	1,851.	1,884.	1,927.
	1 1/2"	42 5/8"	84"	RTPNM84H5() ()	1,695.	1,736.	1,776.	1,816.	1,870.	1,903.	1,947.
	1 1/2"	42 5/8"	90"	RTPNM90H5() ()	1,760.	1,804.	1,848.	1,891.	1,948.	1,982.	2,027.
	1 1/2"	42 5/8"	96"	RTPNM96H5() ()	1,783.	1,828.	1,875.	1,920.	1,978.	2,012.	2,058.


Order Code	Specification Information	Application Notes
Example: RTPNM30H5() ()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H5 42 5/8" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H5 42⁵/₈" high


Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3	
Task Panel, mono without tool rail 	1 1/2"	42 5/8"	30"	RTPNM30H5()		\$1,447.	\$932.	\$918.	\$1,027.	\$1,125.	\$1,391.
	1 1/2"	42 5/8"	36"	RTPNM36H5()		1,638.	993.	976.	1,090.	1,209.	1,526.
	1 1/2"	42 5/8"	42"	RTPNM42H5()		1,938.	1,191.	1,170.	1,288.	1,423.	1,793.
	1 1/2"	42 5/8"	48"	RTPNM48H5()		2,121.	1,210.	1,189.	1,308.	1,463.	1,883.
	1 1/2"	42 5/8"	54"	RTPNM54H5()		2,274.	1,235.	1,210.	1,334.	1,500.	1,971.
	1 1/2"	42 5/8"	60"	RTPNM60H5()		2,473.	1,298.	1,270.	1,397.	1,580.	2,103.
	1 1/2"	42 5/8"	66"	RTPNM66H5()		2,852.	1,572.	1,541.	1,672.	1,878.	2,454.
	1 1/2"	42 5/8"	72"	RTPNM72H5()		3,008.	1,591.	1,558.	1,692.	1,915.	2,543.
	1 1/2"	42 5/8"	78"	RTPNM78H5()		3,314.	1,761.	1,725.	1,863.	2,103.	2,782.
	1 1/2"	42 5/8"	84"	RTPNM84H5()		3,467.	1,779.	1,741.	1,882.	2,138.	2,870.
	1 1/2"	42 5/8"	90"	RTPNM90H5()		3,666.	1,841.	1,799.	1,945.	2,219.	3,000.
	1 1/2"	42 5/8"	96"	RTPNM96H5()		3,821.	1,859.	1,816.	1,965.	2,256.	3,109.


Order Code	Specification Information	Application Notes
Example: RTPNM30H5()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H5 42 5/8" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H5 42⁵/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	42 5/8"	30"	RTPRS30H5()()	\$1,301.	\$1,331.	\$1,361.	\$1,391.	\$1,432.	\$1,457.	\$1,490.
	1 1/2"	42 5/8"	36"	RTPRS36H5()()	1,389.	1,427.	1,463.	1,500.	1,545.	1,572.	1,608.
	1 1/2"	42 5/8"	42"	RTPRS42H5()()	1,585.	1,628.	1,673.	1,716.	1,767.	1,798.	1,840.
	1 1/2"	42 5/8"	48"	RTPRS48H5()()	1,609.	1,655.	1,703.	1,749.	1,801.	1,832.	1,875.
	1 1/2"	42 5/8"	54"	RTPRS54H5()()	1,643.	1,696.	1,750.	1,804.	1,857.	1,890.	1,933.
	1 1/2"	42 5/8"	60"	RTPRS60H5()()	1,676.	1,737.	1,796.	1,857.	1,913.	1,946.	1,991.
	1 1/2"	42 5/8"	66"	RTPRS66H5()()	2,026.	2,090.	2,153.	2,217.	2,282.	2,323.	2,376.
	1 1/2"	42 5/8"	72"	RTPRS72H5()()	2,063.	2,133.	2,203.	2,273.	2,341.	2,382.	2,437.

Order Code	Specification Information	Application Notes
Example: RTPRS30H5()()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H5 42⁵/₈" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	42 5/8"	30"	RTPRS30H5 () ()	\$1,340.	\$1,355.	\$1,370.	\$1,385.	\$1,427.	\$1,451.	\$1,485.
With tool rail	1 1/2"	42 5/8"	36"	RTPRS36H5 () ()	1,424.	1,443.	1,462.	1,480.	1,524.	1,551.	1,586.
	1 1/2"	42 5/8"	42"	RTPRS42H5 () ()	1,623.	1,645.	1,667.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	42 5/8"	48"	RTPRS48H5 () ()	1,656.	1,680.	1,703.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	42 5/8"	54"	RTPRS54H5 () ()	1,686.	1,713.	1,740.	1,766.	1,819.	1,851.	1,893.
	1 1/2"	42 5/8"	60"	RTPRS60H5 () ()	1,723.	1,753.	1,783.	1,813.	1,867.	1,899.	1,943.
	1 1/2"	42 5/8"	66"	RTPRS66H5 () ()	2,099.	2,131.	2,163.	2,195.	2,261.	2,300.	2,353.
	1 1/2"	42 5/8"	72"	RTPRS72H5 () ()	2,139.	2,174.	2,209.	2,244.	2,311.	2,351.	2,406.

Order Code	Specification Information	Application Notes
Example: RTPRS30H5 () ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H5 42⁵/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	FAB/L	G/FORB	FAB/FORB	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented With tool rail	1 1/2"	42 5/8"	30"	RTPRS30H5 () ()	\$1,345.	\$1,738.	\$1,252.	\$1,389.	\$1,404.	\$1,438.
	1 1/2"	42 5/8"	36"	RTPRS36H5 () ()	1,431.	1,937.	1,347.	1,476.	1,492.	1,534.
	1 1/2"	42 5/8"	42"	RTPRS42H5 () ()	1,626.	2,245.	1,549.	1,672.	1,691.	1,738.
	1 1/2"	42 5/8"	48"	RTPRS48H5 () ()	1,649.	2,395.	1,581.	1,730.	1,751.	1,619.
	1 1/2"	42 5/8"	54"	RTPRS54H5 () ()	1,680.	2,540.	1,621.	1,762.	1,784.	1,843.
	1 1/2"	42 5/8"	60"	RTPRS60H5 () ()	1,711.	2,685.	1,660.	1,793.	1,818.	1,883.
	1 1/2"	42 5/8"	66"	RTPRS66H5 () ()	2,095.	3,160.	2,018.	2,177.	2,204.	2,275.
	1 1/2"	42 5/8"	72"	RTPRS72H5 () ()	2,129.	3,308.	2,061.	2,212.	2,240.	2,319.
	1 1/2"	42 5/8"	78"	RTPRS78H5 () ()	2,267.	2,532.	2,208.	2,351.	2,381.	2,467.
	1 1/2"	42 5/8"	84"	RTPRS84H5 () ()	2,288.	3,707.	2,236.	2,373.	2,405.	2,497.
	1 1/2"	42 5/8"	90"	RTPRS90H5 () ()	2,320.	3,852.	2,276.	2,405.	2,438.	2,537.
	1 1/2"	42 5/8"	96"	RTPRS96H5 () ()	2,353.	3,999.	2,319.	2,439.	2,474.	2,579.




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H5 () ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H5 42 5/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Task Panels
H6 49 1/4" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	49 1/4"	30"	RTPNM30H6()()	\$945.	\$959.	\$974.	\$989.	\$1,019.	\$1,036.	\$1,060.
Without tool rail	1 1/2"	49 1/4"	36"	RTPNM36H6()()	1,003.	1,022.	1,039.	1,058.	1,090.	1,108.	1,134.
	1 1/2"	49 1/4"	42"	RTPNM42H6()()	1,196.	1,217.	1,240.	1,262.	1,300.	1,323.	1,352.
	1 1/2"	49 1/4"	48"	RTPNM48H6()()	1,213.	1,237.	1,260.	1,283.	1,321.	1,345.	1,376.
	1 1/2"	49 1/4"	54"	RTPNM54H6()()	1,234.	1,261.	1,288.	1,314.	1,353.	1,377.	1,409.
	1 1/2"	49 1/4"	60"	RTPNM60H6()()	1,301.	1,331.	1,362.	1,392.	1,434.	1,458.	1,491.
	1 1/2"	49 1/4"	66"	RTPNM66H6()()	1,540.	1,572.	1,603.	1,635.	1,684.	1,713.	1,752.
	1 1/2"	49 1/4"	72"	RTPNM72H6()()	1,563.	1,598.	1,633.	1,668.	1,718.	1,748.	1,788.
	1 1/2"	49 1/4"	78"	RTPNM78H6()()	1,737.	1,775.	1,814.	1,852.	1,908.	1,941.	1,985.
	1 1/2"	49 1/4"	84"	RTPNM84H6()()	1,751.	1,791.	1,831.	1,872.	1,928.	1,961.	2,006.
	1 1/2"	49 1/4"	90"	RTPNM90H6()()	1,817.	1,860.	1,904.	1,948.	2,006.	2,041.	2,088.
	1 1/2"	49 1/4"	96"	RTPNM96H6()()	1,841.	1,887.	1,934.	1,981.	2,040.	2,075.	2,123.

Order Code	Specification Information	Application Notes
Example: RTPNM30H6()()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Insert Finish: Fabric	Always supplied including all trim pieces.
N No tool rail		LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H6 49 1/4" high		All Fabric to be applied railroded as current tackboard.
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection		

*Installation instruction sheets available on-line.
 For Task Panels refer to part number 6TP00085

Task Panels
H6 49 1/4" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts


description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	49 1/4"	30"	RTPNM30H6()	\$1,602.	\$995.	\$979.	\$1,091.	\$1,207.	\$1,516.
Without tool rail	1 1/2"	49 1/4"	36"	RTPNM36H6()	1,815.	1,060.	1,039.	1,156.	1,293.	1,660.
	1 1/2"	49 1/4"	42"	RTPNM42H6()	2,134.	1,229.	1,251.	1,349.	1,506.	1,934.
	1 1/2"	49 1/4"	48"	RTPNM48H6()	2,342.	1,281.	1,256.	1,380.	1,551.	2,038.



Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: RTPNM30H6()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H6 49 1/4" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	49 1/4"	30"	RTPRS30H6 () ()	\$1,348.	\$1,378.	\$1,408.	\$1,438.	\$1,472.	\$1,507.	\$1,541.
With tool rail	1 1/2"	49 1/4"	36"	RTPRS36H6 () ()	1,437.	1,474.	1,510.	1,547.	1,584.	1,621.	1,658.
	1 1/2"	49 1/4"	42"	RTPRS42H6 () ()	1,635.	1,678.	1,721.	1,764.	1,807.	1,849.	1,891.
	1 1/2"	49 1/4"	48"	RTPRS48H6 () ()	1,659.	1,706.	1,753.	1,799.	1,935.	1,886.	1,929.
	1 1/2"	49 1/4"	54"	RTPRS54H6 () ()	1,693.	1,747.	1,800.	1,854.	1,898.	1,943.	1,987.
	1 1/2"	49 1/4"	60"	RTPRS60H6 () ()	1,728.	1,788.	1,849.	1,909.	1,954.	2,000.	2,046.
	1 1/2"	49 1/4"	66"	RTPRS66H6 () ()	2,079.	2,142.	2,205.	2,269.	2,324.	2,378.	2,432.
	1 1/2"	49 1/4"	72"	RTPRS72H6 () ()	2,116.	2,186.	2,257.	2,327.	2,397.	2,438.	2,494.

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H6 49 1/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	49 1/4"	30"	RTPRS30H6 () ()	\$1,387.	\$1,402.	\$1,417.	\$1,432.	\$1,475.	\$1,501.	\$1,535.
With tool rail	1 1/2"	49 1/4"	36"	RTPRS36H6 () ()	1,473.	1,491.	1,509.	1,527.	1,573.	1,601.	1,638.
	1 1/2"	49 1/4"	42"	RTPRS42H6 () ()	1,672.	1,693.	1,715.	1,737.	1,788.	1,820.	1,861.
	1 1/2"	49 1/4"	48"	RTPRS48H6 () ()	1,707.	1,730.	1,753.	1,777.	1,830.	1,862.	1,904.
	1 1/2"	49 1/4"	54"	RTPRS54H6 () ()	1,737.	1,763.	1,790.	1,817.	1,872.	1,904.	1,948.
	1 1/2"	49 1/4"	60"	RTPRS60H6 () ()	1,775.	1,805.	1,835.	1,865.	1,921.	1,955.	1,999.
	1 1/2"	49 1/4"	66"	RTPRS66H6 () ()	2,152.	2,184.	2,216.	2,247.	2,314.	2,356.	2,409.


Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmentated		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H6 49 1/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H6 49 1/4" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	49 1/4"	30"	RTPRS30H6 ()()	\$1,873.	\$1,387.	\$1,383.	\$1,450.	\$1,489.	\$1,565.
With tool rail	1 1/2"	49 1/4"	36"	RTPRS36H6 ()()	2,092.	1,501.	1,471.	1,539.	1,584.	1,675.
	1 1/2"	49 1/4"	42"	RTPRS42H6 ()()	2,418.	1,722.	1,672.	1,742.	1,790.	1,894.
	1 1/2"	49 1/4"	48"	RTPRS48H6 ()()	2,585.	1,772.	1,696.	1,796.	1,850.	1,970.
	1 1/2"	49 1/4"	54"	RTPRS54H6 ()()	2,750.	1,830.	1,730.	1,830.	1,889.	2,023.
	1 1/2"	49 1/4"	60"	RTPRS60H6 ()()	2,914.	1,889.	1,763.	1,865.	1,928.	2,075.
	1 1/2"	49 1/4"	66"	RTPRS66H6 ()()	3,407.	2,265.	2,140.	2,242.	2,310.	2,474.
	1 1/2"	49 1/4"	72"	RTPRS72H6 ()()	3,574.	2,327.	2,175.	2,280.	2,351.	2,530.
	1 1/2"	49 1/4"	78"	RTPRS78H6 ()()	3,846.	2,493.	2,322.	2,427.	2,498.	2,689.
	1 1/2"	49 1/4"	84"	RTPRS84H6 ()()	4,010.	2,540.	2,346.	2,452.	2,530.	2,737.
	1 1/2"	49 1/4"	90"	RTPRS90H6 ()()	4,175.	2,598.	2,380.	2,487.	2,568.	2,789.
	1 1/2"	49 1/4"	96"	RTPRS96H6 ()()	4,340.	2,658.	2,415.	2,525.	2,609.	2,845.

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 ()()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmentated		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H6 49 1/4" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Task Panels
H7 56 1/8" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts


description	th	h	w	pattern n	glass	LW10	L	V1	V2	V3	
Task Panel, mono	1 1/2"	56 1/8"	30"	RTPNM30H7()		\$1,733.	\$1,011.	\$993.	\$1,099.	\$1,239.	\$1,604.
Without tool rail	1 1/2"	56 1/8"	36"	RTPNM36H7()		1,973.	1,078.	1,056.	1,176.	1,330.	1,762.
	1 1/2"	56 1/8"	42"	RTPNM42H7()		2,314.	1,281.	1,256.	1,380.	1,564.	2,066.
	1 1/2"	56 1/8"	48"	RTPNM48H7()		2,553.	1,313.	1,284.	1,414.	1,613.	2,186.



Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H7()	To order please specify pattern number including;	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff		*Installation instruction sheets available on-line.
TP Task Panel	1. Trim Finish: Painted or Anodized	For Task Panels refer to part number 6TP00085
N No tool rail	2. Insert Finish: Veneer	
M Monolithic		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H7 56 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H7 56 1/8" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	56 1/8"	30"	RTPRS30H7()()	\$1,354.	\$1,384.	\$1,414.	\$1,444.	\$1,479.	\$1,513.	\$1,548.
With tool rail	1 1/2"	56 1/8"	36"	RTPRS36H7()()	1,445.	1,482.	1,518.	1,555.	1,592.	1,629.	1,668.
	1 1/2"	56 1/8"	42"	RTPRS42H7()()	1,643.	1,686.	1,730.	1,774.	1,816.	1,859.	1,901.
	1 1/2"	56 1/8"	48"	RTPRS48H7()()	1,669.	1,715.	1,762.	1,809.	1,852.	1,895.	1,938.
	1 1/2"	56 1/8"	54"	RTPRS54H7()()	1,705.	1,758.	1,811.	1,864.	1,909.	1,954.	1,998.
	1 1/2"	56 1/8"	60"	RTPRS60H7()()	1,740.	1,799.	1,860.	1,920.	1,966.	2,012.	2,058.

Order Code	Specification Information	Application Notes
Example: RTPRS30H7()()	To order please specify pattern number including: 1. Trim Finish: Painted or Anodized 2. Top insert finish: Fabric 3. Bottom insert finish: Fabric	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface. Always supplied including cable curtain. Always supplied including all trim pieces. LH & RH side full height trims. (no hi-lo trims) All trims supplied with the same finish specification. All Fabric to be applied railroaded as current tackboard When ordering 54" or wider Task Panel, please check width of fabric specified.
R Reff		
TP Task Panel		For Task Panels refer to part number 6TP00085
R Tool rail		
S Segmented		
30 Width		
H7 56 1/8" high		
111 Trim finish		
W281 Fabric selection top		
W281 Fabric selection bottom		

Task Panels
H7 56 1/8" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	56 1/8"	30"	RTPRS30H7() () ()	\$1,419.	\$1,435.	\$1,449.	\$1,465.	\$1,500.	\$1,535.	\$1,570.
With tool rail	1 1/2"	56 1/8"	36"	RTPRS36H7() () ()	1,516.	1,535.	1,552.	1,571.	1,609.	1,646.	1,684.
	1 1/2"	56 1/8"	42"	RTPRS42H7() () ()	1,720.	1,742.	1,764.	1,786.	1,829.	1,872.	1,915.
	1 1/2"	56 1/8"	48"	RTPRS48H7() () ()	1,752.	1,776.	1,798.	1,822.	1,865.	1,910.	1,953.




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H7() () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H7 56 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
LW Marker board top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection bottom insert		

Task Panels

*H7 56 1/8" high**Segmented With Tool rail**Glass or Fabric Insert Above / Forbo, Laminate or Wood Below*

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	56 1/8"	30"	RTPRS30H7 () ()	\$2,024.	\$1,305.	\$1,398.	\$1,442.	\$1,457.	\$1,491.
With tool rail	1 1/2"	56 1/8"	36"	RTPRS36H7 () ()	2,273.	1,402.	1,486.	1,531.	1,548.	1,588.
	1 1/2"	56 1/8"	42"	RTPRS42H7 () ()	2,630.	1,607.	1,746.	1,729.	1,748.	1,795.
	1 1/2"	56 1/8"	48"	RTPRS48H7 () ()	2,827.	1,640.	1,708.	1,790.	1,811.	1,864.
	1 1/2"	56 1/8"	54"	RTPRS54H7 () ()	n/a	n/a	1,742.	1,823.	1,846.	1,904.
	1 1/2"	56 1/8"	60"	RTPRS60H7 () ()	n/a	n/a	1,775.	1,857.	1,881.	1,947.

Order Code	Specification Information	Application Notes
Example: RTPRS30H7 () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmentated		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H7 56 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		


Task Panels
H8 62³/₄" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	62 3/4"	30"	RTPNM30H8 () ()	\$2,028.	\$1,220.	\$1,199.	\$1,317.	\$1,463.	\$1,858.
Without tool rail	1 1/2"	62 3/4"	36"	RTPNM36H8 () ()	2,294.	1,291.	1,266.	1,388.	1,554.	2,025.
	1 1/2"	62 3/4"	42"	RTPNM42H8 () ()	2,656.	1,496.	1,467.	1,595.	1,791.	2,338.
	1 1/2"	62 3/4"	48"	RTPNM48H8 () ()	2,926.	1,523.	1,490.	1,625.	1,847.	2,471.



Order Code	Specification Information	Application Notes
Example: RTPNM30H8 () ()	To order please specify pattern number including;	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H8 62 3/4" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels
H8 62³/₄" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	62 3/4"	30"	RTPRS30H8()()	\$1,522.	\$1,552.	\$1,583.	\$1,613.	\$1,661.	\$1,690.	\$1,729.
	1 1/2"	62 3/4"	36"	RTPRS36H8()()	1,614.	1,651.	1,687.	1,724.	1,776.	1,807.	1,849.
	1 1/2"	62 3/4"	42"	RTPRS42H8()()	1,813.	1,856.	1,900.	1,944.	2,002.	2,037.	2,084.
	1 1/2"	62 3/4"	48"	RTPRS48H8()()	1,840.	1,886.	1,933.	1,980.	2,039.	2,074.	2,122.
	1 1/2"	62 3/4"	54"	RTPRS54H8()()	1,877.	1,930.	1,983.	2,036.	2,097.	2,134.	2,183.
	1 1/2"	62 3/4"	60"	RTPRS60H8()()	1,913.	1,972.	2,033.	2,093.	2,156.	2,194.	2,243.
	1 1/2"	62 3/4"	66"	RTPRS66H8()()	2,266.	2,330.	2,393.	2,457.	2,531.	2,574.	2,634.
	1 1/2"	62 3/4"	72"	RTPRS72H8()()	2,307.	3,298.	2,434.	2,498.	2,573.	2,617.	2,678.

Order Code	Specification Information	Application Notes
Example: RTPRS30H8()()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom insert finish: Fabric	
M Monolithic		
30 Width		Always supplied including cable curtain.
H8 62 3/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top		All trims supplied with the same finish specification.
W281 Fabric selection bottom		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels
H8 62³/₄" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	62 3/4"	30"	RTPRS30H8 () ()	\$1,587.	\$1,603.	\$1,617.	\$1,633.	\$1,672.	\$1,711.	\$1,750.
With tool rail	1 1/2"	62 3/4"	36"	RTPRS36H8 () ()	1,685.	1,704.	1,721.	1,740.	1,782.	1,823.	1,865.
	1 1/2"	62 3/4"	42"	RTPRS42H8 () ()	1,891.	1,913.	1,934.	1,956.	2,003.	2,050.	2,097.
	1 1/2"	62 3/4"	48"	RTPRS48H8 () ()	1,923.	1,947.	1,969.	1,993.	2,040.	2,089.	2,136.




Order Code	Specification Information	Application Notes
Example: RTPRS30H8 () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H8 62 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H8 62³/₄" high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	62 ³ / ₄ "	30"	RTPRS30H8 () ()	\$2,280.	\$1,563.	\$1,557.	\$1,625.	\$1,664.	\$1,739.
With tool rail	1 1/2"	62 ³ / ₄ "	36"	RTPRS36H8 () ()	2,548.	1,677.	1,648.	1,716.	1,760.	1,851.
	1 1/2"	62 ³ / ₄ "	42"	RTPRS42H8 () ()	2,923.	1,900.	1,851.	1,920.	1,968.	2,073.
	1 1/2"	62 ³ / ₄ "	48"	RTPRS48H8 () ()	3,139.	1,953.	1,878.	1,977.	2,031.	2,151.
	1 1/2"	62 ³ / ₄ "	54"	RTPRS54H8 () ()	3,353.	2,014.	1,942.	2,014.	2,072.	2,206.
	1 1/2"	62 ³ / ₄ "	60"	RTPRS60H8 () ()	3,565.	2,073.	1,949.	2,050.	2,113.	2,261.

Order Code	Specification Information	Application Notes
Example: RTPRS30H8 () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H8 62 ³ / ₄ " high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Tackboards
H1 23 1/8" high
Wall hung, fabric

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Tackboard, wall hung	1"	23 1/8"	30"	RWHDHTB30H1()	\$262.	\$287.	\$314.	\$340.	\$345.	\$350.	\$355.
	1"	23 1/8"	36"	RWHDHTB36H1()	279.	308.	336.	365.	371.	376.	382.
	1"	23 1/8"	42"	RWHDHTB42H1()	307.	341.	374.	408.	415.	421.	428.
	1"	23 1/8"	48"	RWHDHTB48H1()	334.	373.	411.	450.	458.	466.	474.
	1"	23 1/8"	54"	RWHDHTB54H1()	352.	393.	435.	476.	484.	493.	502.
	1"	23 1/8"	60"	RWHDHTB60H1()	379.	425.	473.	519.	528.	538.	547.
	1"	23 1/8"	66"	RWHDHTB66H1()	398.	447.	495.	545.	555.	564.	575.
	1"	23 1/8"	72"	RWHDHTB72H1()	425.	480.	534.	588.	599.	610.	621.
	1"	23 1/8"	78"	RWHDHTB78H1()	452.	512.	571.	630.	643.	654.	666.
	1"	23 1/8"	84"	RWHDHTB84H1()	480.	545.	609.	674.	687.	699.	713.
	1"	23 1/8"	90"	RWHDHTB90H1()	497.	564.	631.	698.	712.	726.	740.
	1"	23 1/8"	96"	RWHDHTB96H1()	525.	597.	671.	743.	757.	771.	786.

Order Code

Example: RWHDHTB30H1()
R Reff
WH Wall hung
DH Desk height planning
TB Tackboard
30 Width
H1 23 1/8" high
W281 Fabric selection


Specification Information

To order please specify pattern number including;
 1. Finish: Fabric

Application Notes

H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.

Tackboards
H2 29³/₄" high
Wall hung, fabric

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Tackboard , wall hung	1"	29 ³ / ₄ "	30"	RWHDHTB30H2()	\$277.	\$302.	\$327.	\$351.	\$356.	\$362.	\$367.
	1"	29 ³ / ₄ "	36"	RWHDHTB36H2()	298.	325.	352.	380.	386.	391.	398.
	1"	29 ³ / ₄ "	42"	RWHDHTB42H2()	328.	361.	392.	425.	432.	439.	445.
	1"	29 ³ / ₄ "	48"	RWHDHTB48H2()	358.	396.	433.	470.	478.	485.	493.
	1"	29 ³ / ₄ "	54"	RWHDHTB54H2()	379.	419.	458.	499.	507.	515.	523.
	1"	29 ³ / ₄ "	60"	RWHDHTB60H2()	409.	454.	499.	544.	553.	562.	572.
	1"	29 ³ / ₄ "	66"	RWHDHTB66H2()	430.	477.	524.	572.	582.	591.	602.
	1"	29 ³ / ₄ "	72"	RWHDHTB72H2()	460.	513.	564.	617.	628.	639.	650.
	1"	29 ³ / ₄ "	78"	RWHDHTB78H2()	490.	548.	605.	662.	675.	686.	698.
	1"	29 ³ / ₄ "	84"	RWHDHTB84H2()	520.	583.	645.	708.	721.	733.	747.
	1"	29 ³ / ₄ "	90"	RWHDHTB90H2()	542.	607.	671.	735.	749.	763.	777.
	1"	29 ³ / ₄ "	96"	RWHDHTB96H2()	572.	642.	711.	781.	795.	811.	825.

Order Code

Example: RWHDHTB30H2()
R Reff
WH Wall hung
DH Desk height planning
TB Tackboard
30 Width
H2 29 ³ / ₄ " high
W281 Fabric selection

Specification Information


To order please specify pattern number including;
 1. Finish: Fabric

Application Notes

H2 Height = Underside of overhead to top of 1" thick credenza top for 3/4 height cabinets.

Tackboards
H3 37⁷/₈" high
Wall hung, fabric

Reff Profiles

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Tackboard , wall hung	1"	37 ⁷ / ₈ "	30"	RWHDHTB30H3()	\$291.	\$316.	\$342.	\$367.	\$372.	\$377.	\$382.
	1"	37 ⁷ / ₈ "	36"	RWHDHTB36H3()	315.	343.	370.	398.	404.	409.	415.
	1"	37 ⁷ / ₈ "	42"	RWHDHTB42H3()	348.	380.	413.	445.	452.	458.	466.
	1"	37 ⁷ / ₈ "	48"	RWHDHTB48H3()	382.	419.	456.	493.	502.	509.	517.
	1"	37 ⁷ / ₈ "	54"	RWHDHTB54H3()	405.	445.	484.	524.	533.	542.	550.
	1"	37 ⁷ / ₈ "	60"	RWHDHTB60H3()	439.	483.	528.	573.	582.	592.	602.
	1"	37 ⁷ / ₈ "	66"	RWHDHTB66H3()	461.	509.	556.	604.	614.	623.	633.
	1"	37 ⁷ / ₈ "	72"	RWHDHTB72H3()	495.	548.	599.	652.	663.	674.	685.
	1"	37 ⁷ / ₈ "	78"	RWHDHTB78H3()	528.	586.	643.	700.	713.	724.	736.
	1"	37 ⁷ / ₈ "	84"	RWHDHTB84H3()	562.	624.	687.	749.	762.	775.	788.
	1"	37 ⁷ / ₈ "	90"	RWHDHTB90H3()	585.	650.	714.	779.	792.	806.	820.
	1"	37 ⁷ / ₈ "	96"	RWHDHTB96H3()	619.	688.	758.	827.	842.	857.	871.

Accessories and Client
Samples

Order Code

Example:	RWHDHTB30H3()
R	Reff
WH	Wall hung
DH	Desk height planning
TB	Tackboard
30	Width
H3	37 ⁷ / ₈ " high
W281	Fabric selection


Specification Information

To order please specify pattern number including;
 1. Finish: Fabric

Application Notes

H3 Height = Top of U-shelf or L-shelf overhead to top of 1 1/2" thick desk height worksurface.

Tackboards
H4 44 1/2" high
Wall hung, fabric

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Tackboard , wall hung	1"	44 1/2"	30"	RWHDHTB30H4()	\$304.	\$329.	\$354.	\$379.	\$384.	\$389.	\$394.
	1"	44 1/2"	36"	RWHDHTB36H4()	330.	357.	384.	412.	418.	423.	430.
	1"	44 1/2"	42"	RWHDHTB42H4()	366.	398.	431.	462.	470.	476.	483.
	1"	44 1/2"	48"	RWHDHTB48H4()	401.	438.	476.	513.	521.	528.	537.
	1"	44 1/2"	54"	RWHDHTB54H4()	427.	468.	507.	547.	555.	563.	572.
	1"	44 1/2"	60"	RWHDHTB60H4()	462.	507.	552.	596.	606.	616.	625.
	1"	44 1/2"	66"	RWHDHTB66H4()	488.	536.	583.	630.	641.	650.	660.
	1"	44 1/2"	72"	RWHDHTB72H4()	524.	577.	628.	681.	692.	702.	714.
	1"	44 1/2"	78"	RWHDHTB78H4()	560.	617.	675.	731.	744.	756.	768.
	1"	44 1/2"	84"	RWHDHTB84H4()	595.	657.	720.	782.	795.	808.	821.
	1"	44 1/2"	90"	RWHDHTB90H4()	621.	686.	751.	816.	829.	844.	857.
	1 1/2"	44 1/2"	96"	RWHDHTB96H4()	656.	726.	795.	865.	880.	895.	909.

Order Code

Example: RWHDHTB30H4()
R Reff
WH Wall hung
DH Desk height planning
TB Tackboard
30 Width
H4 44 1/2" high
W281 Fabric selection

Specification Information


To order please specify pattern number including;
 1. Finish: Fabric

Application Notes

H4 Height = Top of U-shelf or L-shelf overhead to top of 1" thick credenza top for 3/4" height cabinet.

Tackboards
H5 42⁵/₈" high
Wall hung, fabric

Reff Profiles

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Tackboard , wall hung	1"	42 ⁵ / ₈ "	30"	RWHDHTB30H5()	\$301.	\$325.	\$350.	\$375.	\$380.	\$386.	\$391.
	1"	42 ⁵ / ₈ "	36"	RWHDHTB36H5()	327.	353.	381.	408.	414.	419.	425.
	1"	42 ⁵ / ₈ "	42"	RWHDHTB42H5()	361.	392.	425.	457.	465.	471.	478.
	1"	42 ⁵ / ₈ "	48"	RWHDHTB48H5()	396.	433.	471.	508.	516.	523.	531.
	1"	42 ⁵ / ₈ "	54"	RWHDHTB54H5()	421.	461.	501.	541.	549.	557.	565.
	1"	42 ⁵ / ₈ "	60"	RWHDHTB60H5()	455.	501.	545.	590.	599.	609.	618.
	1"	42 ⁵ / ₈ "	66"	RWHDHTB66H5()	481.	528.	575.	622.	632.	643.	653.
	1"	42 ⁵ / ₈ "	72"	RWHDHTB72H5()	516.	569.	620.	673.	684.	694.	706.
	1"	42 ⁵ / ₈ "	78"	RWHDHTB78H5()	551.	608.	665.	722.	734.	746.	758.
	1"	42 ⁵ / ₈ "	84"	RWHDHTB84H5()	586.	658.	711.	773.	786.	798.	812.
	1"	42 ⁵ / ₈ "	90"	RWHDHTB90H5()	611.	676.	741.	805.	819.	832.	846.
	1"	42 ⁵ / ₈ "	96"	RWHDHTB96H5()	647.	716.	786.	855.	869.	885.	899.

Accessories and Client Samples

Order Code

Example: RWHDHTB30H5()
R Reff
WH Wall hung
DH Desk height planning
TB Tackboard
30 Width
H5 42 ⁵ / ₈ " high
W281 Fabric selection

Specification Information

To order please specify pattern number including;
 1. Finish: Fabric

Application Notes

H5 Height = Top of Single high overhead to top of 1 1/2" thick desk height worksurface.

Desk Screens

Planning Guidelines and Specifications

Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".


Bracket and frame paint finish codes with suffix "T" indicate textured.

Construction


Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.


Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.



Screen always at back




For applications with work surface 26 1/2" off the floor




For applications with work surface 28 3/8" off the floor

Desk Screens
Fabric
 For 42" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon	24"	1 1/4"	20"	YPSB2024F	\$556.	\$584.	\$612.	\$640.	\$667.
	27"	1 1/4"	20"	YPSB2027F	572.	600.	629.	657.	686.
	30"	1 1/4"	20"	YPSB2030F	587.	617.	646.	676.	705.
	36"	1 1/4"	20"	YPSB2036F	654.	687.	720.	752.	785.
	42"	1 1/4"	20"	YPSB2042F	680.	714.	748.	782.	816.
	48"	1 1/4"	20"	YPSB2048F	700.	735.	770.	805.	840.
	54"	1 1/4"	20"	YPSB2054F	752.	790.	827.	865.	902.
	60"	1 1/4"	20"	YPSB2060F	798.	838.	879.	918.	958.
	66"	1 1/4"	20"	YPSB2066FRR	834.	877.	918.	960.	1,001.
72"	1 1/4"	20"	YPSB2072FRR	860.	903.	947.	989.	1,032.	



Fabric Screens with Half Modesty For Desks, 42" High Horizon	24"	1 1/4"	32"	YPSB3224F	644.	676.	709.	741.	773.
	27"	1 1/4"	32"	YPSB3227F	690.	725.	759.	794.	828.
	30"	1 1/4"	32"	YPSB3230F	711.	747.	782.	818.	853.
	36"	1 1/4"	32"	YPSB3236F	803.	844.	884.	924.	964.
	42"	1 1/4"	32"	YPSB3242F	850.	892.	935.	977.	1,020.
	48"	1 1/4"	32"	YPSB3248F	855.	898.	940.	984.	1,026.
	54"	1 1/4"	32"	YPSB3254F	927.	973.	1,020.	1,066.	1,112.
	60"	1 1/4"	32"	YPSB3260F	1,004.	1,055.	1,105.	1,155.	1,205.
	66"	1 1/4"	32"	YPSB3266FRR	1,143.	1,201.	1,258.	1,315.	1,372.
	72"	1 1/4"	32"	YPSB3272FRR	1,205.	1,266.	1,326.	1,386.	1,446.



Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2048F, W351, W351, 118T, 118T**

YPSB	Desk Screen
20	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With



Desk Screens
 Brackets
 Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens
Fabric
 For 49" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon 	24"	1 1/4"	26"	YPSB2624F	\$608.	\$639.	\$668.	\$699.	\$729.
	27"	1 1/4"	26"	YPSB2627F	633.	665.	697.	728.	760.
	30"	1 1/4"	26"	YPSB2630F	649.	682.	714.	747.	779.
	36"	1 1/4"	26"	YPSB2636F	726.	762.	799.	835.	871.
	42"	1 1/4"	26"	YPSB2642F	762.	800.	838.	877.	915.
	48"	1 1/4"	26"	YPSB2648F	819.	860.	901.	941.	983.
	54"	1 1/4"	26"	YPSB2654F	876.	920.	963.	1,007.	1,051.
	60"	1 1/4"	26"	YPSB2660F	912.	957.	1,003.	1,049.	1,094.
	66"	1 1/4"	26"	YPSB2666FRR	953.	1,000.	1,049.	1,096.	1,143.
	72"	1 1/4"	26"	YPSB2672FRR	994.	1,043.	1,094.	1,143.	1,193.
Fabric Screens with Half Modesty For Desks, 49" High Horizon 	24"	1 1/4"	38"	YPSB3824F	695.	730.	765.	799.	834.
	27"	1 1/4"	38"	YPSB3827F	747.	784.	822.	859.	896.
	30"	1 1/4"	38"	YPSB3830F	767.	805.	845.	883.	921.
	36"	1 1/4"	38"	YPSB3836F	876.	920.	963.	1,007.	1,051.
	42"	1 1/4"	38"	YPSB3842F	927.	973.	1,020.	1,066.	1,112.
	48"	1 1/4"	38"	YPSB3848F	999.	1,050.	1,099.	1,149.	1,199.
	54"	1 1/4"	38"	YPSB3854F	1,051.	1,103.	1,156.	1,208.	1,261.
	60"	1 1/4"	38"	YPSB3860F	1,107.	1,163.	1,218.	1,273.	1,329.
	66"	1 1/4"	38"	YPSB3866FRR	1,241.	1,303.	1,366.	1,428.	1,489.
	72"	1 1/4"	38"	YPSB3872FRR	1,308.	1,374.	1,439.	1,505.	1,570.

Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648F, W351, W351, 118T, 118T**

YPSB	Desk Screen
26	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With



Desk Screens
 Brackets
 Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens
Laminate
For 42" High Horizon

description	w	d	h	pattern no.	list
Laminate Screens with Partial Modesty For Desks, 42" High Horizon 	24"	3/4"	20"	YPSB2024L	\$228.
	27"	3/4"	20"	YPSB2027L	231.
	30"	3/4"	20"	YPSB2030L	233.
	36"	3/4"	20"	YPSB2036L	262.
	42"	3/4"	20"	YPSB2042L	268.
	48"	3/4"	20"	YPSB2048L	346.
	54"	3/4"	20"	YPSB2054L	352.
	60"	3/4"	20"	YPSB2060L	357.
	66"	3/4"	20"	YPSB2066L	364.
72"	3/4"	20"	YPSB2072L	369.	
Laminate Screens with Half Modesty For Desks, 42" High Horizon 	24"	3/4"	32"	YPSB3224L	255.
	27"	3/4"	32"	YPSB3227L	260.
	30"	3/4"	32"	YPSB3230L	296.
	36"	3/4"	32"	YPSB3236L	349.
	42"	3/4"	32"	YPSB3242L	357.
	48"	3/4"	32"	YPSB3248L	376.
	54"	3/4"	32"	YPSB3254L	384.
	60"	3/4"	32"	YPSB3260L	524.
	66"	3/4"	32"	YPSB3266L	533.
72"	3/4"	32"	YPSB3272L	541.	

Accessories and Client
Samples

Ordering Information

Desk Screens

1. Pattern Number
2. Laminate Finish
3. Bracket Paint Finish

Order Code

Desk Screens

Example: YPSB2048L, 118, 118T

YPSB	Desk Screen
20	Height
48	Width
L	Laminate
118	Bright White Laminate
118T	Bright White Paint

Included With



Desk Screens

Brackets
Hardware

Options

Desk Screens

Desk Screens
Laminate
For 49" High Horizon

description	w	d	h	pattern no.	list
Laminate Screens with Partial Modesty, For Desks, 49" High Horizon 	24"	3/4"	26"	YPSB2624L	\$249.
	27"	3/4"	26"	YPSB2627L	252.
	30"	3/4"	26"	YPSB2630L	256.
	36"	3/4"	26"	YPSB2636L	263.
	42"	3/4"	26"	YPSB2642L	302.
	48"	3/4"	26"	YPSB2648L	330.
	54"	3/4"	26"	YPSB2654L	337.
	60"	3/4"	26"	YPSB2660L	355.
	66"	3/4"	26"	YPSB2666L	363.
	72"	3/4"	26"	YPSB2672L	465.
Laminate Screens with Half Modesty, For Desks, 49" High Horizon 	24"	3/4"	38"	YPSB3824L	295.
	27"	3/4"	38"	YPSB3827L	300.
	30"	3/4"	38"	YPSB3830L	304.
	36"	3/4"	38"	YPSB3836L	359.
	42"	3/4"	38"	YPSB3842L	370.
	48"	3/4"	38"	YPSB3848L	460.
	54"	3/4"	38"	YPSB3854L	471.
	60"	3/4"	38"	YPSB3860L	541.
	66"	3/4"	38"	YPSB3866L	550.
	72"	3/4"	38"	YPSB3872L	560.

Ordering Information

Desk Screens

1. Pattern Number
2. Laminate Finish
3. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648L, 118, 118T**

YPSB	Desk Screen
26	Height
48	Width
L	Laminate
118	Bright White Laminate
118T	Bright White Paint



Included With

Desk Screens
 Brackets
 Hardware

Options

Desk Screens



Desk Screens
Markerboard
 For 42" High Horizon

description	w	d	h	pattern no.	list
Markerboard Screens with Partial Modesty, For Desks, 42" High Horizon 	24"	3/4"	20"	YPSB2024LM	\$393.
	27"	3/4"	20"	YPSB2027LM	397.
	30"	3/4"	20"	YPSB2030LM	399.
	36"	3/4"	20"	YPSB2036LM	504.
	42"	3/4"	20"	YPSB2042LM	509.
	48"	3/4"	20"	YPSB2048LM	815.
	54"	3/4"	20"	YPSB2054LM	821.
	60"	3/4"	20"	YPSB2060LM	826.
	66"	3/4"	20"	YPSB2066LM	831.
72"	3/4"	20"	YPSB2072LM	837.	
Markerboard Screens with Half Modesty, For Desks, 42" High Horizon 	24"	3/4"	32"	YPSB3224LM	604.
	27"	3/4"	32"	YPSB3227LM	608.
	30"	3/4"	32"	YPSB3230LM	612.
	36"	3/4"	32"	YPSB3236LM	818.
	42"	3/4"	32"	YPSB3242LM	826.
	48"	3/4"	32"	YPSB3248LM	1,431.
	54"	3/4"	32"	YPSB3254LM	1,439.
	60"	3/4"	32"	YPSB3260LM	1,445.
	66"	3/4"	32"	YPSB3266LM	1,453.
72"	3/4"	32"	YPSB3272LM	1,463.	

Accessories and Client Samples

Ordering Information	Order Code	Included With	Options
Desk Screens 1. Pattern Number 2. Bracket Paint Finish	Desk Screens <i>Example:</i> YPSB2048LM,118T YPSB Desk Screen 20 Height 48 Width LM Markerboard 118T Bright White Paint	Desk Screens Brackets Hardware	Desk Screens

Desk Screens
Markerboard
For 49" High Horizon

description	w	d	h	pattern no.	list
Markerboard Screens with Partial Modesty, For Desks, 49" High Horizon 	24"	3/4"	26"	YPSB2624LM	\$597.
	27"	3/4"	26"	YPSB2627LM	602.
	30"	3/4"	26"	YPSB2630LM	605.
	36"	3/4"	26"	YPSB2636LM	612.
	42"	3/4"	26"	YPSB2642LM	619.
	48"	3/4"	26"	YPSB2648LM	1,420.
	54"	3/4"	26"	YPSB2654LM	1,428.
	60"	3/4"	26"	YPSB2660LM	1,432.
	66"	3/4"	26"	YPSB2666LM	1,441.
	72"	3/4"	26"	YPSB2672LM	1,446.
Markerboard Screens with Half Modesty, For Desks, 49" High Horizon 	24"	3/4"	38"	YPSB3824LM	612.
	27"	3/4"	38"	YPSB3827LM	616.
	30"	3/4"	38"	YPSB3830LM	621.
	36"	3/4"	38"	YPSB3836LM	827.
	42"	3/4"	38"	YPSB3842LM	837.
	48"	3/4"	38"	YPSB3848LM	1,442.
	54"	3/4"	38"	YPSB3854LM	1,452.
	60"	3/4"	38"	YPSB3860LM	1,463.
	66"	3/4"	38"	YPSB3866LM	1,473.
	72"	3/4"	38"	YPSB3872LM	1,483.

Ordering Information

Desk Screens
 1. Pattern Number
 2. Bracket Paint Finish

Order Code

Desk Screens
Example: **YPSB2648LM,118T**
YPSB Desk Screen
20 Height
48 Width
LM Markerboard
118T Bright White Paint

Included With



Desk Screens
 Brackets
 Hardware

Options

Desk Screens

Desk Screens
Veneer
 For 42" High Horizon

Reff Profiles



description	w	d	h	pattern no.	V1	V2	V3
Veneer Screens with Partial Modesty, For Desks, 42" High Horizon 	24"	3/4"	20"	YPSB2024V	\$436.	\$502.	\$652.
	27"	3/4"	20"	YPSB2027V	445.	512.	666.
	30"	3/4"	20"	YPSB2030V	455.	524.	681.
	36"	3/4"	20"	YPSB2036V	475.	546.	711.
	42"	3/4"	20"	YPSB2042V	510.	586.	762.
	48"	3/4"	20"	YPSB2048V	533.	613.	796.
	54"	3/4"	20"	YPSB2054V	553.	637.	827.
	60"	3/4"	20"	YPSB2060V	598.	688.	895.
	66"	3/4"	20"	YPSB2066V	625.	719.	934.
	72"	3/4"	20"	YPSB2072V	645.	742.	963.
Veneer Screens with Half Modesty For Desks, 42" High Horizon 	24"	3/4"	32"	YPSB3224V	507.	583.	758.
	27"	3/4"	32"	YPSB3227V	529.	609.	792.
	30"	3/4"	32"	YPSB3230V	545.	627.	815.
	36"	3/4"	32"	YPSB3236V	577.	663.	862.
	42"	3/4"	32"	YPSB3242V	632.	727.	946.
	48"	3/4"	32"	YPSB3248V	663.	762.	992.
	54"	3/4"	32"	YPSB3254V	700.	805.	1,048.
	60"	3/4"	32"	YPSB3260V	773.	888.	1,155.
	66"	3/4"	32"	YPSB3266V	810.	931.	1,210.
	72"	3/4"	32"	YPSB3272V	840.	966.	1,257.

Accessories and Client Samples

Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2048V, V316,	Brackets	
2. Veneer Finish	118T	Hardware	
3. Bracket Paint Finish	YPSB Desk Screen		
	20 Height		
	48 Width		
	V Veneer		
	V316 Maple		
	118T Bright White Paint		

Desk Screens
Veneer
For 49" High Horizon

Reff Profiles

description	w	d	h	pattern no.	V1	V2	V3
Veneer Screens with Partial Modesty For Desks, 49" High Horizon 	24"	3/4"	26"	YPSB2624V	\$484.	\$557.	\$724.
	27"	3/4"	26"	YPSB2627V	496.	571.	743.
	30"	3/4"	26"	YPSB2630V	517.	595.	774.
	36"	3/4"	26"	YPSB2636V	543.	624.	812.
	42"	3/4"	26"	YPSB2642V	588.	676.	879.
	48"	3/4"	26"	YPSB2648V	620.	714.	928.
	54"	3/4"	26"	YPSB2654V	646.	742.	965.
	60"	3/4"	26"	YPSB2660V	719.	827.	1,074.
	66"	3/4"	26"	YPSB2666V	745.	856.	1,113.
	72"	3/4"	26"	YPSB2672V	770.	886.	1,152.
Veneer Screens with Half Modesty For Desks, 49" High Horizon 	24"	3/4"	38"	YPSB3824V	541.	622.	809.
	27"	3/4"	38"	YPSB3827V	559.	644.	836.
	30"	3/4"	38"	YPSB3830V	578.	664.	863.
	36"	3/4"	38"	YPSB3836V	622.	715.	930.
	42"	3/4"	38"	YPSB3842V	684.	787.	1,023.
	48"	3/4"	38"	YPSB3848V	721.	829.	1,077.
	54"	3/4"	38"	YPSB3854V	764.	879.	1,142.
	60"	3/4"	38"	YPSB3860V	862.	991.	1,289.
	66"	3/4"	38"	YPSB3866V	905.	1,041.	1,353.
	72"	3/4"	38"	YPSB3872V	942.	1,084.	1,409.

Ordering Information

Desk Screens

1. Pattern Number
2. Veneer Finish
3. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648V, V316, 118T**

YPSB Desk Screen

26 Height

48 Width

V Veneer

V316 Maple

118T Bright White Paint

Included With

Desk Screens

Brackets
Hardware

Options

Desk Screens


description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies 30" and 36"	30"	10"	RDTC3010()	\$854.	\$1,067.	\$1,227.	\$1,594.
	36"	10"	RDTC3610()	864.	1,076.	1,238.	1,609.



Desk Top Cubbies 60" and 72"	60"	10"	RDTC6010()	1,048.	1,310.	1,506.	1,958.
	72"	10"	RDTC7210()	1,069.	1,337.	1,537.	1,998.



Desk Top Cubbies Open	60"	10"	RDTCO6010()	1,158.	1,448.	1,664.	2,164.
	72"	10"	RDTCO7210()	1,174.	1,467.	1,687.	2,193.



Wall Mounted Cubbies 30" and 36"	30"	10"	RRMC3010()	936.	1,170.	1,345.	1,749.
	36"	10"	RRMC3610()	945.	1,180.	1,358.	1,764.



Wall Mounted Cubbies 60" and 72"	60"	10"	RRMC6010()	1,077.	1,345.	1,549.	2,014.
	72"	10"	RRMC7210()	1,099.	1,374.	1,580.	2,055.




Under Mounted Cubbies 30" and 36"	30"	10"	RUMC3010()	905.	1,132.	1,302.	1,692.
	36"	10"	RUMC3610()	916.	1,145.	1,317.	1,712.



Order Code	Specification Information
Example: RDTC3010() ()	
R	Reff
DT	Desk Top
C	Cubby
30	Width
10	Depth
	Finish

Application Notes
Installation instruction sheets available on line.
For Wall Mounted cubbies, please refer to part number 6TP00086.
For Under Mounted cubbies, please refer to part number 6TP00087.

description	w	d	pattern no.	L	V1	V2	V3
Under Mounted Cubbies 60" and 72"	60"	10"	RUMC6010()	\$1,028.	\$1,284.	\$1,477.	\$1,921.
	72"	10"	RUMC7210()	1,054.	1,316.	1,514.	1,968.



Order Code

Example: RDTC3010()	
R	Reff
DT	Desk Top
C	Cubby
30	Width
10	Depth
	Finish

Specification Information

Application Notes

Installation instruction sheets available on line.

For Wall Mounted cubbies, please refer to part number 6TP00086.

For Under Mounted cubbies, please refer to part number 6TP00087.

Non-Wood Finishes								
Finishes	<i>Panel Tiles, Tops & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Handles</i>	<i>Grommets</i>
Black	LG	LG	LG	LG	LG	LG	LG	LG
Dark grey	n/a	DG	DG	DG	DG	DG	n/a	DG
Medium grey	n/a	OI	OI	OI	OI	OI	n/a	OI
Charcoal grey	LD	LD	LD	LD	LD	LD	n/a	LD
Folkstone grey	LA	LA	LA	LA	LA	LA	n/a	LA
Oyster grey	LC	LC	LC	LC	LC	LC	n/a	LC
Pumice	LB	LB	LB	LB	LB	LB	n/a	LB
Willow grey	LE	LE	LE	LE	LE	LE	n/a	LE
Dark grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	V	n/a
Medium grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	J	n/a
Silver (metallic)	n/a	HPF	HPF	HPF	HPF	HPF	HPF	HPF
White	LH	LH	LH	LH	LH	LH	LH	LH
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD
Currents Finishes								
White	n/a	B	B	B	B	B	B	B
Metallic flint	n/a	2	2	2	2	2	2	2
Light metallic grey	n/a	U	U	U	U	U	U	U
Medium metallic grey	n/a	J	J	J	J	J	J	J
Dark metallic grey	n/a	V	V	V	V	V	V	V
Metallic beige	n/a	H	H	H	H	H	H	H
Light metallic tan	n/a	W	W	W	W	W	W	W
Soft grey	n/a	E	E	E	E	E	E	E
Medium Grey	n/a	Y2	Y2	Y2	Y2	Y2	Y2	Y2

n/a = not applicable

*Beltway side plates not available in Satin brass, Brushed pewter or Polished chrome.

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.


It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

	EXISTING CONSTRUCTION					
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking


Horizons - 28³/₈" Planning

Planning Guidelines and Specifications

Nominal
Planning Horizons



Nominal
Planning Horizons




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Horizons - 28³/₈" Planning

Planning Guidelines and Specifications


Nominal
Planning Horizons



Lower Storage, Full Height

Lower Storage, 3/4 Height

Nominal
Planning Horizons



Desktop Towers, Double High


Desktop Towers, Single High

Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Horizons - 28³/₈" Planning

Planning Guidelines and Specifications



Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	236	R2ALPK42	80	R2B0TWC34 48	45	R2T49C(F/T)-(4/6)	112
ASBC24 (L/R)	236	R2ALPK49	80	R2CCG	117	R2T64C(F/T)-(4/6)	112
KRR2CAPEND	420	R2ALPK64	80	R2DLS7936	116	R2T79C(F/T)-(4/6)	112
KRR2CAPL	420	R2ALPK79	80	R2DLS7942	116	R2X42C	112
KRR2CAPSTRAIGHT	420	R2APT3418	77	R2DRS7936	116	R2X49C	112
KRR2CAPT	420	R2APT3420	77	R2DRS7942	116	R2X64C	112
KRR2CAPX	420	R2APT3424	77	R2ES42(A/B/C/E)(4/6)(E/N)	110	R2X79C	112
KRR3CAPEND	420	R2APT3430	77	R2ES42(A/B/C/E)(4/6)(E/N)	110	R3120Y34	109
KRR3CAPL	420	R2APT3436	77	R2ES49(A/B/C/E)(4/6)(E/N)	110	R3120Y42	109
KRR3CAPSTRAIGHT	420	R2APT3442	77	R2ES64(A/B/C/E)(4/6)(E/N)	110	R3120Y49	109
KRR3CAPT	420	R2APT3448	77	R2ES79(A/B/C/E)(4/6)(E/N)	110	R3120Y64	109
KRR3CAPX	420	R2APT4218	77	R2HK0008	420	R3120Y79	109
ML3L193M	398	R2APT4220	77	R2HK0015	420	R3135V34F	108
ML3L196M	398	R2APT4224	77	R2HK0034	420	R3135V34T	108
ML3L199M	398	R2APT4230	77	R2HK0042	420	R3135V42F	108
ML3L3712M	398	R2APT4236	77	R2HK0049	420	R3135V42T	108
ML3L3718M	398	R2APT4242	77	R2HK0064	420	R3135V49F	108
ML3L376M	398	R2APT4248	77	R2HK0079	420	R3135V49T	108
MWM-J	397	R2APT4918	78	R2HKB042	420	R3135V64F	108
R113B	238	R2APT4920	78	R2HKB049	420	R3135V64T	108
R234PKIT	117	R2APT4924	78	R2HKB064	420	R3135V79F	108
R2AETK34	80	R2APT4930	78	R2HKB079	420	R3135V79T	108
R2AETK42	80	R2APT4936	78	R2HL3442ES(A/B/C/E)	110	R334PKIT	117
R2AETK49	80	R2APT4942	78	R2HL3442(F)CS	111	R3AK	117
R2AETK64	80	R2APT4948	78	R2HL3449ES(A/B/C/E)	110	R3B0PAA42 18	16
R2AETK79	80	R2APT6418	78	R2HL3449(F)CS	111	R3B0PAA42 20	16
R2AHBW18	82	R2APT6420	78	R2HL3464ES(A/B/C/E)	110	R3B0PAA42 24	16
R2AHBW20	82	R2APT6424	78	R2HL3464(F/T)CS	111	R3B0PAA42 30	16
R2AHBW24	82	R2APT6430	78	R2HL3479ES(A/B/C/E)	110	R3B0PAA42 36	16
R2AHBW30	82	R2APT6436	78	R2HL3479(F/T)CS	111	R3B0PAA42 42	16
R2AHBW36	82	R2APT6442	78	R2HL4249ES(A/B/C/E)	110	R3B0PAA42 48	16
R2AHBW42	82	R2APT6448	78	R2HL4249ETS(A/B/C/E)	111	R3B0PAA42 60	16
R2AHBW48	82	R2APT7918	79	R2HL4249(F)CS	111	R3B0PAA42 66	16
R2AHCR34	81	R2APT7920	79	R2HL4264ES(A/B/C/E)	110	R3B0PAA42 72	16
R2AHCR42	81	R2APT7924	79	R2HL4264ETS(A/B/C/E)	111	R3B0PAA49 18	23
R2AHCR49	81	R2APT7930	79	R2HL4264(F/T)CS	111	R3B0PAA49 20	23
R2AHCR64	81	R2APT7936	79	R2HL4279ES(A/B/C/E)	110	R3B0PAA49 24	23
R2AHCR79	81	R2APT7942	79	R2HL4279ETS(A/B/C/E)	111	R3B0PAA49 30	23
R2AHSR18	83	R2APT7948	79	R2HL4279(F/T)CS	111	R3B0PAA49 36	23
R2AHSR20	83	R2ATPK34	79	R2HL4964ES(A/B/C/E)	110	R3B0PAA49 42	23
R2AHSR24	83	R2ATPK42	79	R2HL4964(F)CS	111	R3B0PAA49 48	23
R2AHSR30	83	R2ATPK49	79	R2HL4979ES(A/B/C/E)	110	R3B0PAA49 60	23
R2AHSR36	83	R2ATPK64	79	R2HL4979(F/T)CS	111	R3B0PAA49 66	23
R2AHSR42	83	R2ATPK79	79	R2HL6479ES(A/B/C/E)	110	R3B0PAA49 72	23
R2AHSR48	83	R2B0TWA34 18	45	R2HL6479(F)CS	111	R3B0PAA64 18	30
R2AHTR18	81	R2B0TWA34 20	45	R2L42C(F/T)(F/T)-(4/6)	112	R3B0PAA64 20	30
R2AHTR20	81	R2B0TWA34 24	45	R2L49C(F/T)(F/T)-(4/6)	112	R3B0PAA64 24	30
R2AHTR24	81	R2B0TWA34 30	45	R2L64C(F/T)(F/T)-(4/6)	112	R3B0PAA64 30	30
R2AHTR30	81	R2B0TWA34 36	45	R2L79C(F/T)(F/T)-(4/6)	112	R3B0PAA64 36	30
R2AHTR36	81	R2B0TWA34 42	45	R2S42C(F/T)(F/T)-(4/6)	112	R3B0PAA64 42	30
R2AHTR42	81	R2B0TWA34 48	45	R2S49C(F/T)(F/T)-(4/6)	112	R3B0PAA64 48	30
R2AHTR48	81	R2B0TWB34 30	45	R2S64C(F/T)(F/T)-(4/6)	112	R3B0PAA64 60	30
R2AHWR18	82	R2B0TWB34 36	45	R2S79C(F/T)(F/T)-(4/6)	112	R3B0PAA64 66	30
R2AHWR20	82	R2B0TWB34 42	45	R2SWS0008	114	R3B0PAA64 72	30
R2AHWR24	82	R2B0TWB34 48	45	R2SWS0015	114	R3B0PAA79 18	37
R2AHWR30	82	R2B0TWC34 18	45	R2SWS0034	114	R3B0PAA79 20	37
R2AHWR36	82	R2B0TWC34 20	45	R2SWS0042	114	R3B0PAA79 24	37
R2AHWR42	82	R2B0TWC34 24	45	R2SWS0049	114	R3B0PAA79 30	37
R2AHWR48	82	R2B0TWC34 30	45	R2SWS0064	114	R3B0PAA79 36	37
R2AK	117	R2B0TWC34 36	45	R2SWS0079	114	R3B0PAA79 42	37
R2ALPK34	80	R2B0TWC34 42	45	R2T42C(F/T)-(4/6)	112	R3B0PAA79 48	37

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPAA79 60	37	R3BOPF242 66	20	R3BOPF364 48	35	R3BOPFL3436	11
R3BOPAA79 66	37	R3BOPF242 72	20	R3BOPF364 60	35	R3BOPFL3442	11
R3BOPAA79 72	37	R3BOPF249 18	27	R3BOPF364 66	35	R3BOPFL3448	11
R3BOPF13418	12	R3BOPF249 20	27	R3BOPF364 72	35	R3BOPFL42 18	18
R3BOPF13420	12	R3BOPF249 24	27	R3BOPF379 18	42	R3BOPFL42 20	18
R3BOPF13424	12	R3BOPF249 30	27	R3BOPF379 20	42	R3BOPFL42 24	18
R3BOPF13430	12	R3BOPF249 36	27	R3BOPF379 24	42	R3BOPFL42 30	18
R3BOPF13436	12	R3BOPF249 42	27	R3BOPF379 30	42	R3BOPFL42 36	18
R3BOPF13442	12	R3BOPF249 48	27	R3BOPF379 36	42	R3BOPFL42 42	18
R3BOPF13448	12	R3BOPF249 60	27	R3BOPF379 42	42	R3BOPFL42 48	18
R3BOPF142 18	19	R3BOPF249 66	27	R3BOPF379 48	42	R3BOPFL42 60	18
R3BOPF142 20	19	R3BOPF249 72	27	R3BOPF379 60	42	R3BOPFL42 66	18
R3BOPF142 24	19	R3BOPF264 18	34	R3BOPF379 66	42	R3BOPFL42 72	18
R3BOPF142 30	19	R3BOPF264 20	34	R3BOPF379 72	42	R3BOPFL49 18	25
R3BOPF142 36	19	R3BOPF264 24	34	R3BOPFF3418	10	R3BOPFL49 20	25
R3BOPF142 42	19	R3BOPF264 30	34	R3BOPFF3420	10	R3BOPFL49 24	25
R3BOPF142 48	19	R3BOPF264 36	34	R3BOPFF3424	10	R3BOPFL49 30	25
R3BOPF142 60	19	R3BOPF264 42	34	R3BOPFF3430	10	R3BOPFL49 36	25
R3BOPF142 66	19	R3BOPF264 48	34	R3BOPFF3436	10	R3BOPFL49 42	25
R3BOPF142 72	19	R3BOPF264 60	34	R3BOPFF3442	10	R3BOPFL49 48	25
R3BOPF149 18	26	R3BOPF264 66	34	R3BOPFF3448	10	R3BOPFL49 60	25
R3BOPF149 20	26	R3BOPF264 72	34	R3BOPFF42 18	16	R3BOPFL49 66	25
R3BOPF149 24	26	R3BOPF279 18	41	R3BOPFF42 20	16	R3BOPFL49 72	25
R3BOPF149 30	26	R3BOPF279 20	41	R3BOPFF42 24	16	R3BOPFL64 18	32
R3BOPF149 36	26	R3BOPF279 24	41	R3BOPFF42 30	16	R3BOPFL64 20	32
R3BOPF149 42	26	R3BOPF279 30	41	R3BOPFF42 36	16	R3BOPFL64 24	32
R3BOPF149 48	26	R3BOPF279 36	41	R3BOPFF42 42	16	R3BOPFL64 30	32
R3BOPF149 60	26	R3BOPF279 42	41	R3BOPFF42 48	16	R3BOPFL64 36	32
R3BOPF149 66	26	R3BOPF279 48	41	R3BOPFF42 60	16	R3BOPFL64 42	32
R3BOPF149 72	26	R3BOPF279 60	41	R3BOPFF42 66	16	R3BOPFL64 48	32
R3BOPF164 18	33	R3BOPF279 66	41	R3BOPFF42 72	16	R3BOPFL64 60	32
R3BOPF164 20	33	R3BOPF279 72	41	R3BOPFF49 18	23	R3BOPFL64 66	32
R3BOPF164 24	33	R3BOPF334 18	14	R3BOPFF49 20	23	R3BOPFL64 72	32
R3BOPF164 30	33	R3BOPF334 20	14	R3BOPFF49 24	23	R3BOPFL79 18	39
R3BOPF164 36	33	R3BOPF334 24	14	R3BOPFF49 30	23	R3BOPFL79 20	39
R3BOPF164 42	33	R3BOPF334 30	14	R3BOPFF49 36	23	R3BOPFL79 24	39
R3BOPF164 48	33	R3BOPF334 36	14	R3BOPFF49 42	23	R3BOPFL79 30	39
R3BOPF164 60	33	R3BOPF334 42	14	R3BOPFF49 48	23	R3BOPFL79 36	39
R3BOPF164 66	33	R3BOPF334 48	14	R3BOPFF49 60	23	R3BOPFL79 42	39
R3BOPF164 72	33	R3BOPF342 18	21	R3BOPFF49 66	23	R3BOPFL79 48	39
R3BOPF179 18	40	R3BOPF342 20	21	R3BOPFF49 72	23	R3BOPFL79 60	39
R3BOPF179 20	40	R3BOPF342 24	21	R3BOPFF64 18	30	R3BOPFL79 66	39
R3BOPF179 24	40	R3BOPF342 30	21	R3BOPFF64 20	30	R3BOPFL79 72	39
R3BOPF179 30	40	R3BOPF342 36	21	R3BOPFF64 24	30	R3BOPLL3418	15
R3BOPF179 36	40	R3BOPF342 42	21	R3BOPFF64 30	30	R3BOPLL3420	15
R3BOPF179 42	40	R3BOPF342 48	21	R3BOPFF64 36	30	R3BOPLL3424	15
R3BOPF179 48	40	R3BOPF342 60	21	R3BOPFF64 42	30	R3BOPLL3430	15
R3BOPF179 60	40	R3BOPF342 66	21	R3BOPFF64 48	30	R3BOPLL3436	15
R3BOPF179 66	40	R3BOPF342 72	21	R3BOPFF64 60	30	R3BOPLL3442	15
R3BOPF179 72	40	R3BOPF349 18	28	R3BOPFF64 66	30	R3BOPLL3448	15
R3BOPF234 18	13	R3BOPF349 20	28	R3BOPFF64 72	30	R3BOPLL4218	22
R3BOPF234 20	13	R3BOPF349 24	28	R3BOPFF79 18	37	R3BOPLL4220	22
R3BOPF234 24	13	R3BOPF349 30	28	R3BOPFF79 20	37	R3BOPLL4224	22
R3BOPF234 30	13	R3BOPF349 36	28	R3BOPFF79 24	37	R3BOPLL4230	22
R3BOPF234 36	13	R3BOPF349 42	28	R3BOPFF79 30	37	R3BOPLL4236	22
R3BOPF234 42	13	R3BOPF349 48	28	R3BOPFF79 36	37	R3BOPLL4242	22
R3BOPF234 48	13	R3BOPF349 60	28	R3BOPFF79 42	37	R3BOPLL4248	22
R3BOPF242 18	20	R3BOPF349 66	28	R3BOPFF79 48	37	R3BOPLL4260	22
R3BOPF242 20	20	R3BOPF349 72	28	R3BOPFF79 60	37	R3BOPLL4266	22
R3BOPF242 24	20	R3BOPF364 18	35	R3BOPFF79 66	37	R3BOPLL4272	22
R3BOPF242 30	20	R3BOPF364 20	35	R3BOPFF79 72	37	R3BOPLL4918	29
R3BOPF242 36	20	R3BOPF364 24	35	R3BOPFL3418	11	R3BOPLL4920	29
R3BOPF242 42	20	R3BOPF364 30	35	R3BOPFL3420	11	R3BOPLL4924	29
R3BOPF242 48	20	R3BOPF364 36	35	R3BOPFL3424	11	R3BOPLL4930	29
R3BOPF242 60	20	R3BOPF364 42	35	R3BOPFL3430	11	R3BOPLL4936	29

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPLL4942	29	R3B0TF142 42	52	R3B0TF342 18	54	R3B0TFL34 24	46
R3BOPLL4948	29	R3B0TF142 48	52	R3B0TF342 20	54	R3B0TFL34 30	46
R3BOPLL4960	29	R3B0TF149 18	59	R3B0TF342 24	54	R3B0TFL34 36	46
R3BOPLL4966	29	R3B0TF149 20	59	R3B0TF342 30	54	R3B0TFL34 42	46
R3BOPLL4972	29	R3B0TF149 24	59	R3B0TF342 36	54	R3B0TFL34 48	46
R3BOPLL6418	36	R3B0TF149 30	59	R3B0TF342 42	54	R3B0TFL42 18	51
R3BOPLL6420	36	R3B0TF149 36	59	R3B0TF342 48	54	R3B0TFL42 20	51
R3BOPLL6424	36	R3B0TF149 42	59	R3B0TF349 18	61	R3B0TFL42 24	51
R3BOPLL6430	36	R3B0TF149 48	59	R3B0TF349 20	61	R3B0TFL42 30	51
R3BOPLL6436	36	R3B0TF164 18	66	R3B0TF349 24	61	R3B0TFL42 36	51
R3BOPLL6442	36	R3B0TF164 20	66	R3B0TF349 30	61	R3B0TFL42 42	51
R3BOPLL6448	36	R3B0TF164 24	66	R3B0TF349 36	61	R3B0TFL42 48	51
R3BOPLL6460	36	R3B0TF164 30	66	R3B0TF349 42	61	R3B0TFL49 18	58
R3BOPLL6466	36	R3B0TF164 36	66	R3B0TF349 48	61	R3B0TFL49 20	58
R3BOPLL6472	36	R3B0TF164 42	66	R3B0TF364 18	68	R3B0TFL49 24	58
R3BOPLL7918	43	R3B0TF164 48	66	R3B0TF364 20	68	R3B0TFL49 30	58
R3BOPLL7920	43	R3B0TF179 18	73	R3B0TF364 24	68	R3B0TFL49 36	58
R3BOPLL7924	43	R3B0TF179 20	73	R3B0TF364 30	68	R3B0TFL49 42	58
R3BOPLL7930	43	R3B0TF179 24	73	R3B0TF364 36	68	R3B0TFL49 48	58
R3BOPLL7936	43	R3B0TF179 30	73	R3B0TF364 42	68	R3B0TFL64 18	65
R3BOPLL7942	43	R3B0TF179 36	73	R3B0TF364 48	68	R3B0TFL64 20	65
R3BOPLL7948	43	R3B0TF179 42	73	R3B0TF379 18	75	R3B0TFL64 24	65
R3BOPLL7960	43	R3B0TF179 48	73	R3B0TF379 20	75	R3B0TFL64 30	65
R3BOPLL7966	43	R3B0TF234 18	47	R3B0TF379 24	75	R3B0TFL64 36	65
R3BOPLL7972	43	R3B0TF234 20	47	R3B0TF379 30	75	R3B0TFL64 42	65
R3B0TAA42 18	49	R3B0TF234 24	47	R3B0TF379 36	75	R3B0TFL64 48	65
R3B0TAA42 20	49	R3B0TF234 30	47	R3B0TF379 42	75	R3B0TFL79 18	72
R3B0TAA42 24	49	R3B0TF234 36	47	R3B0TF379 48	75	R3B0TFL79 20	72
R3B0TAA42 30	49	R3B0TF234 42	47	R3B0TFF34 18	44	R3B0TFL79 24	72
R3B0TAA42 36	49	R3B0TF234 48	47	R3B0TFF34 20	44	R3B0TFL79 30	72
R3B0TAA42 42	49	R3B0TF242 18	53	R3B0TFF34 24	44	R3B0TFL79 36	72
R3B0TAA42 48	49	R3B0TF242 20	53	R3B0TFF34 30	44	R3B0TFL79 42	72
R3B0TAA49 18	56	R3B0TF242 24	53	R3B0TFF34 36	44	R3B0TFL79 48	72
R3B0TAA49 20	56	R3B0TF242 30	53	R3B0TFF34 42	44	R3B0TLL3418	48
R3B0TAA49 24	56	R3B0TF242 36	53	R3B0TFF34 48	44	R3B0TLL3420	48
R3B0TAA49 30	56	R3B0TF242 42	53	R3B0TFF42 18	49	R3B0TLL3424	48
R3B0TAA49 36	56	R3B0TF242 48	53	R3B0TFF42 20	49	R3B0TLL3430	48
R3B0TAA49 42	56	R3B0TF249 18	60	R3B0TFF42 24	49	R3B0TLL3436	48
R3B0TAA49 48	56	R3B0TF249 20	60	R3B0TFF42 30	49	R3B0TLL3442	48
R3B0TAA64 18	63	R3B0TF249 24	60	R3B0TFF42 36	49	R3B0TLL3448	48
R3B0TAA64 20	63	R3B0TF249 30	60	R3B0TFF42 42	49	R3B0TLL4218	55
R3B0TAA64 24	63	R3B0TF249 36	60	R3B0TFF42 48	49	R3B0TLL4220	55
R3B0TAA64 30	63	R3B0TF249 42	60	R3B0TFF49 18	56	R3B0TLL4224	55
R3B0TAA64 36	63	R3B0TF249 48	60	R3B0TFF49 20	56	R3B0TLL4230	55
R3B0TAA64 42	63	R3B0TF264 18	67	R3B0TFF49 24	56	R3B0TLL4236	55
R3B0TAA64 48	63	R3B0TF264 20	67	R3B0TFF49 30	56	R3B0TLL4242	55
R3B0TAA79 18	70	R3B0TF264 24	67	R3B0TFF49 36	56	R3B0TLL4248	55
R3B0TAA79 20	70	R3B0TF264 30	67	R3B0TFF49 42	56	R3B0TLL4918	62
R3B0TAA79 24	70	R3B0TF264 36	67	R3B0TFF49 48	56	R3B0TLL4920	62
R3B0TAA79 30	70	R3B0TF264 42	67	R3B0TFF64 18	63	R3B0TLL4924	62
R3B0TAA79 36	70	R3B0TF264 48	67	R3B0TFF64 20	63	R3B0TLL4930	62
R3B0TAA79 42	70	R3B0TF279 18	74	R3B0TFF64 24	63	R3B0TLL4936	62
R3B0TAA79 48	70	R3B0TF279 20	74	R3B0TFF64 30	63	R3B0TLL4942	62
R3B0TF134 18	46	R3B0TF279 24	74	R3B0TFF64 36	63	R3B0TLL4948	62
R3B0TF134 20	46	R3B0TF279 30	74	R3B0TFF64 42	63	R3B0TLL6418	69
R3B0TF134 24	46	R3B0TF279 36	74	R3B0TFF64 48	63	R3B0TLL6420	69
R3B0TF134 30	46	R3B0TF279 42	74	R3B0TFF79 18	70	R3B0TLL6424	69
R3B0TF134 36	46	R3B0TF279 48	74	R3B0TFF79 20	70	R3B0TLL6430	69
R3B0TF134 42	46	R3B0TF334 18	47	R3B0TFF79 24	70	R3B0TLL6436	69
R3B0TF134 48	46	R3B0TF334 20	47	R3B0TFF79 30	70	R3B0TLL6442	69
R3B0TF142 18	52	R3B0TF334 24	47	R3B0TFF79 36	70	R3B0TLL6448	69
R3B0TF142 20	52	R3B0TF334 30	47	R3B0TFF79 42	70	R3B0TLL7918	76
R3B0TF142 24	52	R3B0TF334 36	47	R3B0TFF79 48	70	R3B0TLL7920	76
R3B0TF142 30	52	R3B0TF334 42	47	R3B0TFL34 18	46	R3B0TLL7924	76
R3B0TF142 36	52	R3B0TF334 48	47	R3B0TFL34 20	46	R3B0TLL7930	76

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOTLL7936	76	R3B1PF279 24	41	R3B1PFF49 30	24	R3B1PFLB49 36	89
R3BOTLL7942	76	R3B1PF279 30	41	R3B1PFF49 36	24	R3B1PFLB49 42	89
R3BOTLL7948	76	R3B1PF279 36	41	R3B1PFF49 42	24	R3B1PFLB49 48	89
R3B1PF142 18	19	R3B1PF279 42	41	R3B1PFF49 48	24	R3B1TF142 18	52
R3B1PF142 20	19	R3B1PF279 48	41	R3B1PFF64 18	31	R3B1TF142 20	52
R3B1PF142 24	19	R3B1PF2A49 18	95	R3B1PFF64 20	31	R3B1TF142 24	52
R3B1PF142 30	19	R3B1PF2A49 20	95	R3B1PFF64 24	31	R3B1TF142 30	52
R3B1PF142 36	19	R3B1PF2A49 24	95	R3B1PFF64 30	31	R3B1TF142 36	52
R3B1PF142 42	19	R3B1PF2A49 30	95	R3B1PFF64 36	31	R3B1TF142 42	52
R3B1PF142 48	19	R3B1PF2A49 36	95	R3B1PFF64 42	31	R3B1TF142 48	52
R3B1PF149 18	26	R3B1PF2A49 42	95	R3B1PFF64 48	31	R3B1TF149 18	59
R3B1PF149 20	26	R3B1PF2A49 48	95	R3B1PFF79 18	38	R3B1TF149 20	59
R3B1PF149 24	26	R3B1PF2B49 30	95	R3B1PFF79 20	38	R3B1TF149 24	59
R3B1PF149 30	26	R3B1PF2B49 36	95	R3B1PFF79 24	38	R3B1TF149 30	59
R3B1PF149 36	26	R3B1PF2B49 42	95	R3B1PFF79 30	38	R3B1TF149 36	59
R3B1PF149 42	26	R3B1PF2B49 48	95	R3B1PFF79 36	38	R3B1TF149 42	59
R3B1PF149 48	26	R3B1PF342 18	21	R3B1PFF79 42	38	R3B1TF149 48	59
R3B1PF164 18	33	R3B1PF342 20	21	R3B1PFF79 48	38	R3B1TF164 18	66
R3B1PF164 20	33	R3B1PF342 24	21	R3B1PFFA49 18	86	R3B1TF164 20	66
R3B1PF164 24	33	R3B1PF342 30	21	R3B1PFFA49 20	86	R3B1TF164 24	66
R3B1PF164 30	33	R3B1PF342 36	21	R3B1PFFA49 24	86	R3B1TF164 30	66
R3B1PF164 36	33	R3B1PF342 42	21	R3B1PFFA49 30	86	R3B1TF164 36	66
R3B1PF164 42	33	R3B1PF342 48	21	R3B1PFFA49 36	86	R3B1TF164 42	66
R3B1PF164 48	33	R3B1PF349 18	28	R3B1PFFA49 42	86	R3B1TF164 48	66
R3B1PF179 18	40	R3B1PF349 20	28	R3B1PFFA49 48	86	R3B1TF179 18	73
R3B1PF179 20	40	R3B1PF349 24	28	R3B1PFFB49 30	86	R3B1TF179 20	73
R3B1PF179 24	40	R3B1PF349 30	28	R3B1PFFB49 36	86	R3B1TF179 24	73
R3B1PF179 30	40	R3B1PF349 36	28	R3B1PFFB49 42	86	R3B1TF179 30	73
R3B1PF179 36	40	R3B1PF349 42	28	R3B1PFFB49 48	86	R3B1TF179 36	73
R3B1PF179 42	40	R3B1PF349 48	28	R3B1PFLA2 18	18	R3B1TF179 42	73
R3B1PF179 48	40	R3B1PF364 18	35	R3B1PFLA2 20	18	R3B1TF179 48	73
R3B1PFA49 18	92	R3B1PF364 20	35	R3B1PFLA2 24	18	R3B1TFA49 18	90
R3B1PFA49 20	92	R3B1PF364 24	35	R3B1PFLA2 30	18	R3B1TFA49 20	90
R3B1PFA49 24	92	R3B1PF364 30	35	R3B1PFLA2 36	18	R3B1TFA49 24	90
R3B1PFA49 30	92	R3B1PF364 36	35	R3B1PFLA2 42	18	R3B1TFA49 30	90
R3B1PFA49 36	92	R3B1PF364 42	35	R3B1PFLA2 48	18	R3B1TFA49 36	90
R3B1PFA49 42	92	R3B1PF364 48	35	R3B1PFLA9 18	25	R3B1TFA49 42	90
R3B1PFA49 48	92	R3B1PF379 18	42	R3B1PFLA9 20	25	R3B1TFA49 48	90
R3B1PFB49 30	92	R3B1PF379 20	42	R3B1PFLA9 24	25	R3B1TF1B49 30	91
R3B1PFB49 36	92	R3B1PF379 24	42	R3B1PFLA9 30	25	R3B1TF1B49 36	91
R3B1PFB49 42	92	R3B1PF379 30	42	R3B1PFLA9 36	25	R3B1TF1B49 42	91
R3B1PFB49 48	92	R3B1PF379 36	42	R3B1PFLA9 42	25	R3B1TF1B49 48	91
R3B1PF242 18	20	R3B1PF379 42	42	R3B1PFLA9 48	25	R3B1TF242 18	53
R3B1PF242 20	20	R3B1PF379 48	42	R3B1PFL64 18	32	R3B1TF242 20	53
R3B1PF242 24	20	R3B1PF3A49 18	97	R3B1PFL64 20	32	R3B1TF242 24	53
R3B1PF242 30	20	R3B1PF3A49 20	97	R3B1PFL64 24	32	R3B1TF242 30	53
R3B1PF242 36	20	R3B1PF3A49 24	97	R3B1PFL64 30	32	R3B1TF242 36	53
R3B1PF242 42	20	R3B1PF3A49 30	97	R3B1PFL64 36	32	R3B1TF242 42	53
R3B1PF242 48	20	R3B1PF3A49 36	97	R3B1PFL64 42	32	R3B1TF242 48	53
R3B1PF249 18	27	R3B1PF3A49 42	97	R3B1PFL64 48	32	R3B1TF249 18	60
R3B1PF249 20	27	R3B1PF3A49 48	97	R3B1PFL79 18	39	R3B1TF249 20	60
R3B1PF249 24	27	R3B1PF3B49 30	97	R3B1PFL79 20	39	R3B1TF249 24	60
R3B1PF249 30	27	R3B1PF3B49 36	97	R3B1PFL79 24	39	R3B1TF249 30	60
R3B1PF249 36	27	R3B1PF3B49 42	97	R3B1PFL79 30	39	R3B1TF249 36	60
R3B1PF249 42	27	R3B1PF3B49 48	97	R3B1PFL79 36	39	R3B1TF249 42	60
R3B1PF249 48	27	R3B1PFF42 18	17	R3B1PFL79 42	39	R3B1TF249 48	60
R3B1PF264 18	34	R3B1PFF42 20	17	R3B1PFL79 48	39	R3B1TF264 18	67
R3B1PF264 20	34	R3B1PFF42 24	17	R3B1PFLA49 18	89	R3B1TF264 20	67
R3B1PF264 24	34	R3B1PFF42 30	17	R3B1PFLA49 20	89	R3B1TF264 24	67
R3B1PF264 30	34	R3B1PFF42 36	17	R3B1PFLA49 24	89	R3B1TF264 30	67
R3B1PF264 36	34	R3B1PFF42 42	17	R3B1PFLA49 30	89	R3B1TF264 36	67
R3B1PF264 42	34	R3B1PFF42 48	17	R3B1PFLA49 36	89	R3B1TF264 42	67
R3B1PF264 48	34	R3B1PFF49 18	24	R3B1PFLA49 42	89	R3B1TF264 48	67
R3B1PF279 18	41	R3B1PFF49 20	24	R3B1PFLA49 48	89	R3B1TF279 18	74
R3B1PF279 20	41	R3B1PFF49 24	24	R3B1PFLB49 30	89	R3B1TF279 20	74

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITF279 24	74	R3BITFF49 30	57	R3BITFLB49 36	88	R3B2TFF79 24	71
R3BITF279 30	74	R3BITFF49 36	57	R3BITFLB49 42	88	R3B2TFF79 30	71
R3BITF279 36	74	R3BITFF49 42	57	R3BITFLB49 48	88	R3B2TFF79 36	71
R3BITF279 42	74	R3BITFF49 48	57	R3B2PFF42 18	17	R3B2TFF79 42	71
R3BITF279 48	74	R3BITFF64 18	64	R3B2PFF42 20	17	R3B2TFF79 48	71
R3BITF2A49 18	93	R3BITFF64 20	64	R3B2PFF42 24	17	R3B2TFFA49 18	98
R3BITF2A49 20	93	R3BITFF64 24	64	R3B2PFF42 30	17	R3B2TFFA49 20	98
R3BITF2A49 24	93	R3BITFF64 30	64	R3B2PFF42 36	17	R3B2TFFA49 24	98
R3BITF2A49 30	93	R3BITFF64 36	64	R3B2PFF42 42	17	R3B2TFFA49 30	98
R3BITF2A49 36	93	R3BITFF64 42	64	R3B2PFF42 48	17	R3B2TFFA49 36	98
R3BITF2A49 42	93	R3BITFF64 48	64	R3B2PFF49 18	24	R3B2TFFA49 42	98
R3BITF2A49 48	93	R3BITFF79 18	71	R3B2PFF49 20	24	R3B2TFFA49 48	98
R3BITF2B49 30	94	R3BITFF79 20	71	R3B2PFF49 24	24	R3B2TFFB49 30	98
R3BITF2B49 36	94	R3BITFF79 24	71	R3B2PFF49 30	24	R3B2TFFB49 36	98
R3BITF2B49 42	94	R3BITFF79 30	71	R3B2PFF49 36	24	R3B2TFFB49 42	98
R3BITF2B49 48	94	R3BITFF79 36	71	R3B2PFF49 42	24	R3B2TFFB49 48	98
R3BITF342 18	54	R3BITFF79 42	71	R3B2PFF49 48	24	R3CRTT60	102
R3BITF342 20	54	R3BITFF79 48	71	R3B2PFF64 18	31	R3CRTT72	102
R3BITF342 24	54	R3BITFFA49 18	84	R3B2PFF64 20	31	R3CRTT84	102
R3BITF342 30	54	R3BITFFA49 20	84	R3B2PFF64 24	31	R3CRTT96	102
R3BITF342 36	54	R3BITFFA49 24	84	R3B2PFF64 30	31	R3FTCE104(F/T)(F/T)(F/T)	124
R3BITF342 42	54	R3BITFFA49 30	84	R3B2PFF64 36	31	R3FTCE108(F/T)(F/T)(F/T)	124
R3BITF342 48	54	R3BITFFA49 36	84	R3B2PFF64 42	31	R3FTCE120(F/T)(F/T)(F/T)	124
R3BITF349 18	61	R3BITFFA49 42	84	R3B2PFF64 48	31	R3FTCE21	124
R3BITF349 20	61	R3BITFFA49 48	84	R3B2PFF79 18	38	R3FTCE25	124
R3BITF349 24	61	R3BITFFB49 30	85	R3B2PFF79 20	38	R3FTCE37	124
R3BITF349 30	61	R3BITFFB49 36	85	R3B2PFF79 24	38	R3FTCF12118	121
R3BITF349 36	61	R3BITFFB49 42	85	R3B2PFF79 30	38	R3FTCF12120	121
R3BITF349 42	61	R3BITFFB49 48	85	R3B2PFF79 36	38	R3FTCF12124	121
R3BITF349 48	61	R3BITFL42 18	51	R3B2PFF79 42	38	R3FTCF12130	121
R3BITF364 18	68	R3BITFL42 20	51	R3B2PFF79 48	38	R3FTCF12136	121
R3BITF364 20	68	R3BITFL42 24	51	R3B2PFFA49 18	99	R3FTCF12142	121
R3BITF364 24	68	R3BITFL42 30	51	R3B2PFFA49 20	99	R3FTCF12148	121
R3BITF364 30	68	R3BITFL42 36	51	R3B2PFFA49 24	99	R3FTCF12518	122
R3BITF364 36	68	R3BITFL42 42	51	R3B2PFFA49 30	99	R3FTCF12520	122
R3BITF364 42	68	R3BITFL42 48	51	R3B2PFFA49 36	99	R3FTCF12524	122
R3BITF364 48	68	R3BITFL49 18	58	R3B2PFFA49 42	99	R3FTCF12530	122
R3BITF379 18	75	R3BITFL49 20	58	R3B2PFFA49 48	99	R3FTCF12536	122
R3BITF379 20	75	R3BITFL49 24	58	R3B2PFFB49 30	99	R3FTCF12542	122
R3BITF379 24	75	R3BITFL49 30	58	R3B2PFFB49 36	99	R3FTCF12548	122
R3BITF379 30	75	R3BITFL49 36	58	R3B2PFFB49 42	99	R3FTCF13718	123
R3BITF379 36	75	R3BITFL49 42	58	R3B2PFFB49 48	99	R3FTCF13720	123
R3BITF379 42	75	R3BITFL49 48	58	R3B2TFF42 18	50	R3FTCF13724	123
R3BITF379 48	75	R3BITFL64 18	65	R3B2TFF42 20	50	R3FTCF13730	123
R3BITF3A49 18	96	R3BITFL64 20	65	R3B2TFF42 24	50	R3FTCF13736	123
R3BITF3A49 20	96	R3BITFL64 24	65	R3B2TFF42 30	50	R3FTCF13742	123
R3BITF3A49 24	96	R3BITFL64 30	65	R3B2TFF42 36	50	R3FTCF13748	123
R3BITF3A49 30	96	R3BITFL64 36	65	R3B2TFF42 42	50	R3FTCF22118	121
R3BITF3A49 36	96	R3BITFL64 42	65	R3B2TFF42 48	50	R3FTCF22120	121
R3BITF3A49 42	96	R3BITFL64 48	65	R3B2TFF49 18	57	R3FTCF22124	121
R3BITF3A49 48	96	R3BITFL79 18	72	R3B2TFF49 20	57	R3FTCF22130	121
R3BITF3B49 30	96	R3BITFL79 20	72	R3B2TFF49 24	57	R3FTCF22136	121
R3BITF3B49 36	96	R3BITFL79 24	72	R3B2TFF49 30	57	R3FTCF22142	121
R3BITF3B49 42	96	R3BITFL79 30	72	R3B2TFF49 36	57	R3FTCF22148	121
R3BITF3B49 48	96	R3BITFL79 36	72	R3B2TFF49 42	57	R3FTCF22518	122
R3BITFF42 18	50	R3BITFL79 42	72	R3B2TFF49 48	57	R3FTCF22520	122
R3BITFF42 20	50	R3BITFL79 48	72	R3B2TFF64 18	64	R3FTCF22524	122
R3BITFF42 24	50	R3BITFLA49 18	87	R3B2TFF64 20	64	R3FTCF22530	122
R3BITFF42 30	50	R3BITFLA49 20	87	R3B2TFF64 24	64	R3FTCF22536	122
R3BITFF42 36	50	R3BITFLA49 24	87	R3B2TFF64 30	64	R3FTCF22542	122
R3BITFF42 42	50	R3BITFLA49 30	87	R3B2TFF64 36	64	R3FTCF22548	122
R3BITFF42 48	50	R3BITFLA49 36	87	R3B2TFF64 42	64	R3FTCF23718	123
R3BITFF49 18	57	R3BITFLA49 42	87	R3B2TFF64 48	64	R3FTCF23720	123
R3BITFF49 20	57	R3BITFLA49 48	87	R3B2TFF79 18	71	R3FTCF23724	123
R3BITFF49 24	57	R3BITFLB49 30	88	R3B2TFF79 20	71	R3FTCF23730	123

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF23736	123	R3FTCFL3748	123	R3SF21530	104	R3T08T	105
R3FTCF23742	123	R3FTCL104(F/T)(F/T)	124	R3SF21536	104	R3T15T	105
R3FTCF23748	123	R3FTCL108(F/T)(F/T)	124	R3SF21542	104	R3T34(F/T)	105
R3FTCF321 18	121	R3FTCL120(F/T)(F/T)	124	R3SF21548	104	R3T42(B)(F/T)	105
R3FTCF321 20	121	R3FTCL21	124	R3SF30818	103	R3T49(B)(F/T)	105
R3FTCF321 24	121	R3FTCL25	124	R3SF30820	103	R3T64(B)(F/T)	105
R3FTCF321 30	121	R3FTCL37	124	R3SF30824	103	R3T79(B)(F/T)	105
R3FTCF321 36	121	R3FTCS104(F/T)(F/T)	124	R3SF30830	103	R3X08	106
R3FTCF321 42	121	R3FTCS108(F/T)(F/T)	124	R3SF30836	103	R3X15	106
R3FTCF321 48	121	R3FTCS120(F/T)(F/T)	124	R3SF30842	103	R3X34	106
R3FTCF325 18	122	R3FTCS21	124	R3SF30848	103	R3X42(B)	106
R3FTCF325 20	122	R3FTCS25	124	R3SF315 18	104	R3X49(B)	106
R3FTCF325 24	122	R3FTCS37	124	R3SF315 20	104	R3X64(B)	106
R3FTCF325 30	122	R3FTCSM (Pair) for G3 only	125	R3SF315 24	104	R3X79(B)	106
R3FTCF325 36	122	R3FTCT104(F/T)	124	R3SF315 30	104	R5ZNNE (3 dividers)	433
R3FTCF325 42	122	R3FTCT108(F/T)	124	R3SF315 36	104	R917762	422
R3FTCF325 48	122	R3FTCT120(F/T)	124	R3SF315 42	104	R921655	422
R3FTCF337 18	123	R3FTCT21	124	R3SF315 48	104	R9TDCFM8430	222
R3FTCF337 20	123	R3FTCT25	124	R3SFF08 18	100	R9TDCFM9630	222
R3FTCF337 24	123	R3FTCT37	124	R3SFF08 20	100	RAMTB	409
R3FTCF337 30	123	R3FTCX104	124	R3SFF08 24	100	RAMTC24	409
R3FTCF337 36	123	R3FTCX108	124	R3SFF08 30	100	RAMTC30	409
R3FTCF337 42	123	R3FTCX120	124	R3SFF08 36	100	RAMTC36	409
R3FTCF337 48	123	R3FTCX21	124	R3SFF08 42	100	RAMTC42	409
R3FTCFF2118	118	R3FTCX25	124	R3SFF08 48	100	RAMTC48	409
R3FTCFF2120	118	R3FTCX37	124	R3SFF15 18	100	RAMTC54	409
R3FTCFF2124	118	R3L08TT	105	R3SFF15 20	100	RAMTC60	409
R3FTCFF2130	118	R3L15TT	105	R3SFF15 24	100	RAMTC66	409
R3FTCFF2136	118	R3L34(F/T)(F/T)	105	R3SFF15 30	100	RAMTC72	409
R3FTCFF2142	118	R3L42(B)(F/T)(F/T)	105	R3SFF15 36	100	RAMTCH24	409
R3FTCFF2148	118	R3L49(B)(F/T)(F/T)	105	R3SFF15 42	100	RAMTCH30	409
R3FTCFF2518	119	R3L64(B)(F/T)(F/T)	105	R3SFF15 48	100	RAMTCH36	409
R3FTCFF2520	119	R3L79(B)(F/T)(F/T)	105	R3SFL0818	103	RAMTCH42	409
R3FTCFF2524	119	R3R2SLV	107, 117	R3SFL0820	103	RAMTCH48	409
R3FTCFF2530	119	R3S08TT	106	R3SFL0824	103	RAMTCH54	409
R3FTCFF2536	119	R3S15TT	106	R3SFL0830	103	RAMTCH60	409
R3FTCFF2542	119	R3S34(F/T)(F/T)	106	R3SFL0836	103	RAMTCH66	409
R3FTCFF2548	119	R3S42(B)(F/T)(F/T)	106	R3SFL0842	103	RAMTCH72	409
R3FTCFF3718	120	R3S49(B)(F/T)(F/T)	106	R3SFL0848	103	RAMTT	409
R3FTCFF3720	120	R3S64(B)(F/T)(F/T)	106	R3SFL1518	104	RATDCFM(L/R)4830	221
R3FTCFF3724	120	R3S79(B)(F/T)(F/T)	106	R3SFL1520	104	RATDCFM(L/R)4836	221
R3FTCFF3730	120	R3SF10818	103	R3SFL1524	104	RATDCFM(L/R)5430	221
R3FTCFF3736	120	R3SF10820	103	R3SFL1530	104	RATDCFM(L/R)5436	221
R3FTCFF3742	120	R3SF10824	103	R3SFL1536	104	RATDCFM(L/R)6030	221
R3FTCFF3748	120	R3SF10830	103	R3SFL1542	104	RATDCFM(L/R)6036	221
R3FTCFL2118	121	R3SF10836	103	R3SFL1548	104	RATDCFM(L/R)6630	221
R3FTCFL2120	121	R3SF10842	103	R3SLL0818	103	RATDCFM(L/R)6636	221
R3FTCFL2124	121	R3SF10848	103	R3SLL0820	103	RATDCFM(L/R)7230	221
R3FTCFL2130	121	R3SF11518	104	R3SLL0824	103	RATDCFM(L/R)7236	221
R3FTCFL2136	121	R3SF11520	104	R3SLL0830	103	RATDCFM(L/R)7830	221
R3FTCFL2142	121	R3SF11524	104	R3SLL0836	103	RATDCFM(L/R)7836	221
R3FTCFL2148	121	R3SF11530	104	R3SLL0842	103	RATDCFM(L/R)8430	221
R3FTCFL2518	122	R3SF11536	104	R3SLL0848	103	RATDCFM(L/R)8436	221
R3FTCFL2520	122	R3SF11542	104	R3SLL1518	104	RATDCPC(L/R)6030	219
R3FTCFL2524	122	R3SF11548	104	R3SLL1520	104	RATDCPC(L/R)6036	219
R3FTCFL2530	122	R3SF20818	103	R3SLL1524	104	RATDCPC(L/R)6630	219
R3FTCFL2536	122	R3SF20820	103	R3SLL1530	104	RATDCPC(L/R)6636	219
R3FTCFL2542	122	R3SF20824	103	R3SLL1536	104	RATDCPC(L/R)7230	219
R3FTCFL2548	122	R3SF20830	103	R3SLL1542	104	RATDCPC(L/R)7236	219
R3FTCFL3718	123	R3SF20836	103	R3SLL1548	104	RATDCPC(L/R)7830	219
R3FTCFL3720	123	R3SF20842	103	R3SMP	422	RATDCPC(L/R)7836	219
R3FTCFL3724	123	R3SF20848	103	R3SPABPT	115	RATDCPC(L/R)8430	219
R3FTCFL3730	123	R3SF21518	104	R3SPABTD	115	RATDCPC(L/R)8436	219
R3FTCFL3736	123	R3SF21520	104	R3SPABTT	115	RATDCST(L/R)6030	220
R3FTCFL3742	123	R3SF21524	104	R3SPABTW	115	RATDCST(L/R)6036	220

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RATDCST(L/R)6630	220	RBDH4836	241	RC561DHB	312, 313	RC7213DHDH(L/R)	318
RATDCST(L/R)6636	220	RBDH4842	241	RC562DHB	312, 313	RC7213DHGH(L/R)	315, 317
RATDCST(L/R)7230	220	RBDH4848	241	RC562DHF	312, 313	RC7222DHDH(L/R)	318
RATDCST(L/R)7236	220	RBDH48M(F/R)	241	RC563DHB	312, 313	RC7232DHDH(L/R)	318
RATDCST(L/R)7830	220	RBDH52MR	243	RC563DHF	312, 313	RC7232DHB	314, 317
RATDCST(L/R)7836	220	RBDH54M(F/R)	241	RC612C(L/R)	291, 294	RC7232DHDH	318
RATDCST(L/R)8430	220	RBDH60M(F/R)	241	RC612D(L/R)	294	RC7232DHEH(L/R)	316
RATDCST(L/R)8436	220	RBDH64MR	243	RC612G(L/R)	292, 296	RC7232DHFH	314, 317
RB24(M/H)(F/R)	239	RBDH66M(F/R)	241	RC612P(L/R)	293, 296	RC7232DHGH	315, 317
RB30(M/H)(F/R)	239	RBDH72M(F/R)	241	RC613C(L/R)	291, 294	RC7233DHB	314, 317
RB3636	239	RBDH78M(F/R)	241	RC613D(L/R)	294	RC7233DHDH	318
RB3642	239	RBDH84M(F/R)	241	RC613G(L/R)	292, 296	RC7233DHEH(L/R)	316, 318
RB3648	239	RBDH90M(F/R)	241	RC613P(L/R)	293, 296	RC7233DHFH	314, 317
RB36(M/H)(F/R)	239	RBDH96M(F/R)	241	RC623M	308, 310	RC7233DHGH	315, 317
RB40MR	184	RBDP6030JK(A,B,W)	415	RC623N	308, 310	RC723M	309, 311
RB4236	239	RBDP7230JK(A,B,W)	415	RC631B	291, 294	RC723N	309, 311
RB4242	239	RBDP8430JK(A,B,W)	415	RC632B	291, 294	RC7262DHB	314, 317
RB4248	239	RBDP9630JK(A,B,W)	415	RC632C	291, 294	RC7262DHDH	318
RB42(M/H)(F/R)	239	RBDW	423	RC632D	294	RC7262DHEH(L/R)	316, 318
RB4836	239	RBF (Pair)	237	RC632E(L/R)	292, 295	RC7262DHFH	314, 317
RB4842	239	RBPE(L/R)	423	RC632F	291, 295	RC7262DHGH	315, 317
RB4848	239	RBPP (L/R)	237	RC632G	292, 296	RC7263DHB	314, 317
RB48(M/H)(F/R)	239	RBPR (Pair)	238	RC632H	292, 295	RC7263DHDH	318
RB52MR	184	RBPS (L/R)	238	RC632I	296	RC7263DHEH(L/R)	316, 318
RB54(M/H)(F/R)	239	RBR3624(A,B,W)(F,N)2	418	RC632P	293, 296	RC7263DHFH	314, 317
RB60(M/H)(F/R)	239	RBR3630(A,B,W)(F,N)2	418	RC633B	291, 294	RC7263DHGH	315, 317
RB64MR	184	RBR4224(A,B,W)(F,N)2	418	RC633C	291, 294	RC732B	297, 302
RB66(M/H)(F/R)	239	RBR4230(A,B,W)(F,N)2	418	RC633D	294	RC732C	297, 302
RB72(M/H)(F/R)	239	RBR4824(A,B,W)(F,N)2	418	RC633E(L/R)	292, 295	RC732D	306
RB78(M/H)(F/R)	239	RBR4830(A,B,W)(F,N)2	418	RC633F	291, 295	RC732DHB	319, 323
RB84(M/H)(F/R)	239	RBSP6030J(A,B,W)	414	RC633G	292, 296	RC732DHD	327
RB90(M/H)(F/R)	239	RBSP7230J(A,B,W)	414	RC633H	292, 295	RC732DHE(L/R)	319, 323
RB96(M/H)(F/R)	239	RBSP8430J(A,B,W)	414	RC633I	296	RC732DHF	322, 326
RBC18 (L/R)	236	RBSP9630J(A,B,W)	414	RC633P	293, 296	RC732DHG	320, 324
RBC24 (L/R)	236	RBWC24	238	RC661B	291, 294	RC732DHK	321, 325
RBCC	237	RBWC30	238	RC662B	291, 294	RC732E(L/R)	298, 303
RBCCP (Pair)	237	RBWM	424	RC662C	291, 294	RC732F	299, 304
RBD361H	196	RBZ (A/B) (Pair)	237	RC662D	294	RC732G	300, 305
RBD361V	196	RC412C(L/R)	287, 289	RC662E(L/R)	292, 295	RC732H	301, 306
RBD362H	196	RC413C(L/R)	287, 289	RC662F	291, 295	RC732I	307
RBD362V	196	RC423M	308, 310	RC662G	292, 296	RC732P	301, 307
RBD421H	196	RC423N	308, 310	RC662H	292, 295	RC733B	297, 302
RBD421V	196	RC431B	288, 289	RC662I	296	RC733C	297, 302
RBD422H	196	RC432B	288, 289	RC662P	293, 296	RC733D	306
RBD422V	196	RC432C	287, 289	RC663B	291, 294	RC733DHB	319, 323
RBD481H	196	RC432D	289	RC663C	291, 294	RC733DHD	327
RBD481V	196	RC432F	287, 290	RC663D	294	RC733DHE(L/R)	319, 323
RBD482H	196	RC433B	288, 289	RC663E(L/R)	292, 295	RC733DHF	322, 326
RBD482V	196	RC433C	287, 289	RC663F	291, 295	RC733DHG	320, 324
RBD541H	196	RC433D	289	RC663G	292, 296	RC733DHK	321, 325
RBD541V	196	RC433F	287, 290	RC663H	292, 295	RC733E(L/R)	298, 303
RBD542H	196	RC461B	288, 289	RC663I	296	RC733F	299, 304
RBD542V	196	RC462B	288, 289	RC663P	293, 296	RC733G	300, 305
RBDD	423	RC462C	287, 289	RC712C(L/R)	297, 302	RC733H	301, 306
RBDH24M(F/R)	241	RC462D	289	RC712DHG(L/R)	320, 324	RC733I	307
RBDH30M(F/R)	241	RC462F	287, 290	RC712D(L/R)	306	RC733P	301, 307
RBDH3636	241	RC463B	288, 289	RC712G(L/R)	300, 305	RC762B	297, 302
RBDH3642	241	RC463C	287, 289	RC712P(L/R)	301, 307	RC762C	297, 302
RBDH3648	241	RC463D	289	RC713C(L/R)	297, 302	RC762D	306
RBDH36M(F/R)	241	RC463F	287, 290	RC713DHG(L/R)	320, 324	RC762DHB	319, 323
RBDH40MR	243	RC531DHB	312, 313	RC713D(L/R)	306	RC762DHD	327
RBDH4236	241	RC532DHB	312, 313	RC713G(L/R)	300, 305	RC762DHE(L/R)	319, 323
RBDH4242	241	RC532DHF	312, 313	RC713P(L/R)	301, 307	RC762DHF	322, 326
RBDH4248	241	RC533DHB	312, 313	RC7212DHDH(L/R)	318	RC762DHG	320, 324
RBDH42M(F/R)	241	RC533DHF	312, 313	RC7212DHGH(L/R)	315, 317	RC762DHK	321, 325

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RC762E(L/R)	298, 303	RCA423612	144	RCACR36H	421	RCCDRA33672	145
RC762F	299, 304	RCA423621	143	RCAS1620	421	RCCDRA33678	145
RC762G	300, 305	RCA423622	144	RCAS1624	421	RCCDRA33684	145
RC762H	301, 306	RCA424211	143	RCAS3015	421	RCCDRA33696	145
RC762I	307	RCA424212	144	RCAS3020	421	RCD1021	199
RC762P	301, 307	RCA424221	143	RCAS3024	421	RCD1022	199
RC763B	297, 302	RCA424222	144	RCAS3615	421	RCD1081	199
RC763C	297, 302	RCA424811	143	RCAS3620	421	RCD1082	199
RC763D	306	RCA424812	144	RCAS3624	421	RCD3L6024K(A,B,W)	419
RC763DHB	319, 323	RCA424821	143	RCASL	422	RCD3L8424K(A,B,W)	419
RC763DHD	327	RCA424822	144	RCAWF363611	181	RCD3L9624K(A,B,W)	419
RC763DHE(L/R)	319, 323	RCA483611	143	RCAWF363612	181	RCD601	199
RC763DHF	322, 326	RCA483612	144	RCAWF363621	181	RCD602	199
RC763DHG	320, 324	RCA483621	143	RCAWF363622	181	RCD661	199
RC763DHK	321, 325	RCA483622	144	RCAWF364211	181	RCD662	199
RC763E(L/R)	298, 303	RCA484211	143	RCAWF364212	181	RCD6L7224K(A,B,W)	419
RC763F	299, 304	RCA484212	144	RCAWF364221	181	RCD6L9624K(A,B,W)	419
RC763G	300, 305	RCA484221	143	RCAWF364222	181	RCD721	199
RC763H	301, 306	RCA484222	144	RCAWF364811	181	RCD722	199
RC763I	307	RCA484811	143	RCAWF364812	181	RCD731	199
RC763P	301, 307	RCA484812	144	RCAWF364821	181	RCD732	199
RC812DHDH(L/R)	333	RCA484821	143	RCAWF364822	181	RCD841	199
RC813DHDH(L/R)	333	RCA484822	144	RCAWF423611	181	RCD842	199
RC822DHDH(L/R)	333	RCA(A/B/C/D/E/F/G)F363611	160	RCAWF423612	181	RCD901	199
RC823DHDH(L/R)	333	RCA(A/B/C/D/E/F/G)F363612	160	RCAWF423621	181	RCD902	199
RC832DHB	332	RCA(A/B/C/D/E/F/G)F363621	160	RCAWF423622	181	RCD961	199
RC832DHDH	333	RCA(A/B/C/D/E/F/G)F363622	160	RCAWF424211	181	RCD962	199
RC832DHEH(L/R)	330, 333	RCA(A/B/C/D/E/F/G)F364211	160	RCAWF424212	181	RCDHB	247
RC832DHF	328, 331	RCA(A/B/C/D/E/F/G)F364212	160	RCAWF424221	181	RCDHB20T	247
RC832DHG	328, 331	RCA(A/B/C/D/E/F/G)F364221	160	RCAWF424222	181	RCDHB24T	247
RC832DHK	329, 332	RCA(A/B/C/D/E/F/G)F364222	160	RCAWF424811	181	RCDHB30T	247
RC832DHO	329, 332	RCA(A/B/C/D/E/F/G)F364811	160	RCAWF424812	181	RCDHB40T	247
RC833DHB	332	RCA(A/B/C/D/E/F/G)F364812	160	RCAWF424821	181	RCDP6024K(A,B,W)	419
RC833DHDH	333	RCA(A/B/C/D/E/F/G)F364821	160	RCAWF424822	181	RCDP7224K(A,B,W)	419
RC833DHEH(L/R)	330, 333	RCA(A/B/C/D/E/F/G)F364822	161	RCAWF483611	181	RCDP8424K(A,B,W)	419
RC833DHF	328, 331	RCA(A/B/C/D/E/F/G)F423611	160	RCAWF483612	181	RCDP9624K(A,B,W)	419
RC833DHG	328, 331	RCA(A/B/C/D/E/F/G)F423612	160	RCAWF483621	181	RCE1021	197
RC833DHK	329, 332	RCA(A/B/C/D/E/F/G)F423621	160	RCAWF483622	181	RCE1022	197
RC833DHO	329, 332	RCA(A/B/C/D/E/F/G)F423622	160	RCAWF484211	181	RCE1081	197
RC862DHB	332	RCA(A/B/C/D/E/F/G)F424211	160	RCAWF484212	181	RCE1082	197
RC862DHDH	333	RCA(A/B/C/D/E/F/G)F424212	160	RCAWF484221	181	RCE1BD6648D(L/R)	189
RC862DHEH(L/R)	330, 333	RCA(A/B/C/D/E/F/G)F424221	160	RCAWF484222	181	RCE1BD6648S(L/R)	189
RC862DHF	328, 331	RCA(A/B/C/D/E/F/G)F424222	160	RCB	244	RCE1BD7248D(L/R)	189
RC862DHG	328, 331	RCA(A/B/C/D/E/F/G)F424811	160	RCB20T	244	RCE1BD7248S(L/R)	189
RC862DHK	329, 332	RCA(A/B/C/D/E/F/G)F424812	160	RCB24T	244	RCE1BD7848D(L/R)	189
RC862DHO	329, 332	RCA(A/B/C/D/E/F/G)F424821	160	RCB24X	245	RCE1BD7848S(L/R)	189
RC863DHB	332	RCA(A/B/C/D/E/F/G)F424822	161	RCB28X	245	RCE1BD8448D(L/R)	189
RC863DHDH	333	RCA(A/B/C/D/E/F/G)F483611	160	RCB30T	244	RCE1BD8448S(L/R)	189
RC863DHEH(L/R)	330, 333	RCA(A/B/C/D/E/F/G)F483612	160	RCB36X	245	RCE1CR24L	192
RC863DHG	328, 331	RCA(A/B/C/D/E/F/G)F483621	160	RCB40T	244	RCE1CR24N	192
RC863DHK	329, 332	RCA(A/B/C/D/E/F/G)F483622	160	RCBDH24X	248	RCE1CR24R	192
RC863DHO	329, 332	RCA(A/B/C/D/E/F/G)F484211	160	RCBDH28X	248	RCE1H4818	192
RCA363611	143	RCA(A/B/C/D/E/F/G)F484212	160	RCBDH36X	248	RCE1H4818P	192
RCA363612	144	RCA(A/B/C/D/E/F/G)F484221	160	RCCDLA23672	145	RCE1H6024	192
RCA363621	143	RCA(A/B/C/D/E/F/G)F484222	161	RCCDLA23678	145	RCE1H6024P	192
RCA363622	144	RCA(A/B/C/D/E/F/G)F484811	160	RCCDLA23684	145	RCE1L3636SSN	190
RCA364211	143	RCA(A/B/C/D/E/F/G)F484812	160	RCCDLA23696	145	RCE1L4242DSN	190
RCA364212	144	RCA(A/B/C/D/E/F/G)F484821	160	RCCDLA33672	145	RCE1L4242SDN	190
RCA364221	143	RCA(A/B/C/D/E/F/G)F484822	161	RCCDLA33678	145	RCE1L4242SSN	190
RCA364222	144	RCABT1417	421	RCCDLA33684	145	RCE1L4260SSN	191
RCA364811	143	RCABT2917	421	RCCDLA33696	145	RCE1L4266SSN	191
RCA364812	144	RCACR16	421	RCCDRA23672	145	RCE1L4272SSN	191
RCA364821	143	RCACR30	421	RCCDRA23678	145	RCE1L4278SSN	191
RCA364822	144	RCACR30H	421	RCCDRA23684	145	RCE1L4848DDN	190
RCA423611	143	RCACR36	421	RCCDRA23696	145	RCE1L4848DSN	190

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCE1L4848SDN	190	RCE661	197	RCFS4933W(L/R)W	341	RCSP7224K(A,B,W)	417
RCE1L4848SSN	190	RCE662	197	RCFS4933X(L/R)M	335	RCSP8424K(A,B,W)	417
RCE1L4860DSN	191	RCE721	197	RCFS4933X(L/R)W	341	RCS9624K(A,B,W)	417
RCE1L4860SDN	191	RCE722	197	RCFS6412C(L/R)M	336	RDDP6030JK(A,B,W)	415
RCE1L4860SSN	191	RCE781	197	RCFS6412C(L/R)W	342	RDDP6036JK(A,B,W)	415
RCE1L4866DSN	191	RCE782	197	RCFS6412Y(L/R)M	336	RDDP7230JK(A,B,W)	415
RCE1L4866SDN	191	RCE841	197	RCFS6412Y(L/R)W	342	RDDP7236JK(A,B,W)	415
RCE1L4866SSN	191	RCE842	197	RCFS6412Z(L/R)M	336	RDDP8430JK(A,B,W)	415
RCE1L4872DSN	191	RCE901	197	RCFS6412Z(L/R)W	342	RDDP8436JK(A,B,W)	415
RCE1L4872SDN	191	RCE902	197	RCFS6413C(L/R)M	336	RDDP9630JK(A,B,W)	415
RCE1L4872SSN	191	RCE961	197	RCFS6413C(L/R)W	342	RDDP9636JK(A,B,W)	415
RCE1L4878SSN	191	RCE962	197	RCFS6413Y(L/R)M	336	RDHMBD	275
RCE1L4884SSN	191	RCEAL223660	146	RCFS6413Y(L/R)W	342	RDHMF2	275
RCE1L6042SSN	191	RCEAL223672	146	RCFS6413Z(L/R)M	336	RDHMH7210	253
RCE1L6048DSN	191	RCEAL224260	146	RCFS6413Z(L/R)W	342	RDHMH7211	253
RCE1L6048SDN	191	RCEAL224272	146	RCFS6432V(L/R)M	337	RDHMH7212	253
RCE1L6048SSN	191	RCEAL224872	146	RCFS6432V(L/R)W	343	RDHMH7220	253
RCE1L6642SSN	191	RCEAL224884	146	RCFS6432W(L/R)M	337	RDHMH7222	253
RCE1L6648DSN	191	RCEAL224896	146	RCFS6432W(L/R)W	343	RDHMH7230	253
RCE1L6648SDN	191	RCEAR223660	146	RCFS6432X(L/R)M	337	RDHMH7240	253
RCE1L6648SSN	191	RCEAR223672	146	RCFS6432X(L/R)W	343	RDHMH7810	253
RCE1L7242SSN	191	RCEAR224260	146	RCFS6433V(L/R)M	337	RDHMH7811	253
RCE1L7248DSN	191	RCEAR224272	146	RCFS6433V(L/R)W	343	RDHMH7812	253
RCE1L7248SDN	191	RCEAR224872	146	RCFS6433W(L/R)M	337	RDHMH7813	253
RCE1L7248SSN	191	RCEAR224884	146	RCFS6433W(L/R)W	343	RDHMH7820	253
RCE1L7842SSN	191	RCEAR224896	146	RCFS6433X(L/R)M	337	RDHMH7822	253
RCE1L7848SSN	191	RCEEG1021	198	RCFS6433X(L/R)W	343	RDHMH7823	253
RCE1L8448SSN	191	RCEEG1022	198	RCFS6812C(L/R)M	338	RDHMH7830	253
RCE1R1212G	422	RCEEG1081	198	RCFS6812C(L/R)W	344	RDHMH7840	253
RCE1R2424N	188	RCEEG1082	198	RCFS6812Y(L/R)M	338	RDHMH8410	254
RCE1R2430N	188	RCEEG601	198	RCFS6812Y(L/R)W	344	RDHMH8411	253
RCE1R3024N	188	RCEEG602	198	RCFS6812Z(L/R)M	338	RDHMH8412	253
RCE1R3030N	188	RCEEG661	198	RCFS6812Z(L/R)W	344	RDHMH8413	253
RCE1R3624N	188	RCEEG662	198	RCFS6813C(L/R)M	338	RDHMH8414	253
RCE1R3630N	188	RCEEG721	198	RCFS6813C(L/R)W	344	RDHMH8420	254
RCE1R4224N	188	RCEEG722	198	RCFS6813Y(L/R)M	338	RDHMH8422	253
RCE1R4230N	188	RCEEG781	198	RCFS6813Y(L/R)W	344	RDHMH8423	253
RCE1R4824N	188	RCEEG782	198	RCFS6813Z(L/R)M	338	RDHMH8424	253
RCE1R4830N	188	RCEEG841	198	RCFS6813Z(L/R)W	344	RDHMH8430	254
RCE1R5424N	188	RCEEG842	198	RCFS6832V(L/R)M	339	RDHMH8440	254
RCE1R5430N	188	RCEEG901	198	RCFS6832V(L/R)W	345	RDHMH9010	254
RCE1R6024N	188	RCEEG902	198	RCFS6832W(L/R)M	339	RDHMH9011	253
RCE1R6030N	188	RCEEG961	198	RCFS6832W(L/R)W	345	RDHMH9012	253
RCE1R6624N	188	RCEEG962	198	RCFS6832X(L/R)M	339	RDHMH9013	253
RCE1R6630N	188	RCFS4912C(L/R)M	334	RCFS6832X(L/R)W	345	RDHMH9014	253
RCE1R7224N	188	RCFS4912C(L/R)W	340	RCFS6833V(L/R)M	339	RDHMH9020	254
RCE1R7230N	188	RCFS4912Y(L/R)M	334	RCFS6833V(L/R)W	345	RDHMH9022	253
RCE1R7824N	188	RCFS4912Y(L/R)W	340	RCFS6833W(L/R)M	339	RDHMH9023	253
RCE1R7830N	188	RCFS4912Z(L/R)M	334	RCFS6833W(L/R)W	345	RDHMH9024	253
RCE1R8424N	188	RCFS4912Z(L/R)W	340	RCFS6833X(L/R)M	339	RDHMH9030	254
RCE1R8430N	188	RCFS4913C(L/R)M	334	RCFS6833X(L/R)W	345	RDHMH9033	253
RCE1R9024N	188	RCFS4913C(L/R)W	340	RCOUNTWT	266, 267, 274, 282	RDHMH9040	254
RCE1R9030N	188	RCFS4913Y(L/R)M	334	RCP41-(F/L/1/2/3)*	113	RDHMH9610	254
RCE1R9624N	188	RCFS4913Y(L/R)W	340	RCP56-(F/L/1/2/3)*	113	RDHMH9611	253
RCE1R9630N	188	RCFS4913Z(L/R)M	334	RCP71-(F/L/1/2/3)*	113	RDHMH9612	253
RCE1W362430N	193	RCFS4913Z(L/R)W	340	RCP78-(F/L/1/2/3)*	113	RDHMH9613	253
RCE1W363024N	193	RCFS4932V(L/R)M	334	RCS3L6024K(A,B,W)	417	RDHMH9614	253
RCE1W422430N	193	RCFS4932V(L/R)W	340	RCS3L7224K(A,B,W)	417	RDHMH9620	254
RCE1W423024N	193	RCFS4932W(L/R)M	335	RCS3L8424K(A,B,W)	417	RDHMH9622	253
RCE1W482430N	193	RCFS4932W(L/R)W	341	RCS3L9624K(A,B,W)	417	RDHMH9623	253
RCE1W483024N	193	RCFS4932X(L/R)M	335	RCS6L6024K(A,B,W)	417	RDHMH9624	253
RCE1W722430N	193	RCFS4932X(L/R)W	341	RCS6L7224K(A,B,W)	417	RDHMH9630	254
RCE1W723024N	193	RCFS4933V(L/R)M	334	RCS6L8424K(A,B,W)	417	RDHMH9633	253
RCE601	197	RCFS4933V(L/R)W	340	RCS6L9624K(A,B,W)	417	RDHMH9640	254
RCE602	197	RCFS4933W(L/R)M	335	RCSP6024K(A,B,W)	417	RDHMLD	275

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RDHMR10210	250	RDHMR9623	252	RDTDCPC(L/R)7836	223	REDH19F	242
RDHMR10211	251	RDHMR9624	252	RDTDCPC(L/R)8430	223	REDH23F	242
RDHMR10212	251	RDHMR9630	250	RDTDCPC(L/R)8436	223	REDH29F	242
RDHMR10213	251	RDHMR9633	252	RDTDCPC(L/R)9030	223	REDH30	242
RDHMR10214	251	RDHMR9640	250	RDTDCPC(L/R)9036	223	REDH36	242
RDHMR10220	250	RDHPM26	255	RDTDCPC(L/R)9630	223	REDHBH124	243
RDHMR10222	251	RDHPM32	255	RDTDCPC(L/R)9636	223	REDHBH130	243
RDHMR10223	251	RDHPM38	255	RDTDCST(L/R)6630	224	RFDR30	433
RDHMR10224	251	RDHPM44	255	RDTDCST(L/R)6636	224	RFDR36	433
RDHMR10230	250	RDHPM50	255	RDTDCST(L/R)7230	224	RFDR42	433
RDHMR10233	251	RDHPM56	255	RDTDCST(L/R)7236	224	RFDR48	433
RDHMR10240	250	RDHPM62	255	RDTDCST(L/R)7830	224	RFDR60	433
RDHMR10810	250	RDHPM68	255	RDTDCST(L/R)7836	224	RFDR72	433
RDHMR10811	251	RDHPM74	255	RDTDCST(L/R)8430	224	RFDR84	433
RDHMR10812	251	RDSP6030J(A,B,W)	414	RDTDCST(L/R)8436	224	RFDR96	433
RDHMR10813	251	RDSP6036J(A,B,W)	414	RDTDCST(L/R)9030	224	RFTCC108	125
RDHMR10814	251	RDSP7230J(A,B,W)	414	RDTDCST(L/R)9036	224	RFTCCCLIPS	125
RDHMR10820	250	RDSP7236J(A,B,W)	414	RDTDCST(L/R)9630	224	RFTCDR (Pair)	125
RDHMR10822	251	RDSP8430J(A,B,W)	414	RDTDCST(L/R)9636	224	RFTCG1 (Pair)	125
RDHMR10823	251	RDSP8436J(A,B,W)	414	RDTDCW3142	351	RFTCSM (Pair) for G2 only	125
RDHMR10824	251	RDSP9630J(A,B,W)	414	RDTDCW3156	351	RFTCSPACE	125
RDHMR10830	250	RDSP9636J(A,B,W)	414	RDTDCW6142	351	RFTCWA2118	118
RDHMR10833	251	RDTAGC3142(L/R)	351	RDTDCW6156	351	RFTCWA2120	118
RDHMR10840	250	RDTAGC3156(L/R)	351	RDTDHW3142	350	RFTCWA2124	118
RDHMR7210	250	RDTAGC6142(L/R)	351	RDTDHW3156	350	RFTCWA2130	118
RDHMR7211	251	RDTAGC6156(L/R)	351	RDTDHW6142	350	RFTCWA2136	118
RDHMR7212	251	RDTAGW3142(L/R)	351	RDTDHW6156	350	RFTCWA2142	118
RDHMR7220	250	RDTAGW3156(L/R)	351	RDTE22120	425	RFTCWA2148	118
RDHMR7222	251	RDTAGW6142(L/R)	351	RDTE2272	425	RFTCWA2518	119
RDHMR7230	250	RDTAGW6156(L/R)	351	RDTE22H	425	RFTCWA2520	119
RDHMR7240	250	RDTAHG3142(L/R)	352	RDTGA	425	RFTCWA2524	119
RDHMR7810	250	RDTAHG3156(L/R)	352	RDTGB	425	RFTCWA2530	119
RDHMR7811	251	RDTAHG6142(L/R)	352	RDTGC	425	RFTCWA2536	119
RDHMR7812	251	RDTAHG6156(L/R)	352	RDTSBWG142	346	RFTCWA2542	119
RDHMR7820	250	RDTAHW3142(L/R)	352	RDTSBWG156	346	RFTCWA2548	119
RDHMR7822	251	RDTAHW3156(L/R)	352	RDTSBWT142	346	RFTCWA3718	120
RDHMR7830	250	RDTAHW6142(L/R)	352	RDTSBWT156	346	RFTCWA3720	120
RDHMR7840	250	RDTAHW6156(L/R)	352	RDTSCWG142(L/R)	348	RFTCWA3724	120
RDHMR8410	250	RDTC3010	493	RDTSCWG156(L/R)	348	RFTCWA3730	120
RDHMR8411	251	RDTC3610	493	RDTSCWT142(L/R)	348	RFTCWA3736	120
RDHMR8412	251	RDTC6010	493	RDTSCWT156(L/R)	348	RFTCWA3742	120
RDHMR8414	251	RDTC7210	493	RDTSHWG142(L/R)	347	RFTCWA3748	120
RDHMR8420	250	RDTCO6010	493	RDTSHWG156(L/R)	347	RFTCWB2130	118
RDHMR8422	251	RDTCO7210	493	RDTSHWT142(L/R)	347	RFTCWB2136	118
RDHMR8423	251	RDTDBW3142	349	RDTSHWT156(L/R)	347	RFTCWB2142	118
RDHMR8430	250	RDTDBW3156	349	RE12F	240	RFTCWB2148	118
RDHMR8440	250	RDTDBW6142	349	RE15F	240	RFTCWB2530	119
RDHMR9010	250	RDTDBW6156	349	RE19F	240	RFTCWB2536	119
RDHMR9011	251	RDTDCFM(L/R)5430	225	RE23F	240	RFTCWB2542	119
RDHMR9012	251	RDTDCFM(L/R)5436	225	RE29F	240	RFTCWB2548	119
RDHMR9013	251	RDTDCFM(L/R)6030	225	RE30	240	RFTCWB3730	120
RDHMR9014	251	RDTDCFM(L/R)6036	225	RE36	240	RFTCWB3736	120
RDHMR9020	250	RDTDCFM(L/R)6630	225	REBA6030	149	RFTCWB3742	120
RDHMR9022	251	RDTDCFM(L/R)6636	225	REBA7242	149	RFTCWB3748	120
RDHMR9023	251	RDTDCFM(L/R)7230	225	REBA7848	149	RFTCWS21S	125
RDHMR9024	251	RDTDCFM(L/R)7236	225	REBA(A/B/C/D/E/F/G)A6030	166	RFTCWS25S	125
RDHMR9030	250	RDTDCFM(L/R)7830	225	REBA(A/B/C/D/E/F/G)A7242	166	RFTCWS37S	125
RDHMR9040	250	RDTDCFM(L/R)7836	225	REBA(A/B/C/D/E/F/G)A7848	166	RFTCWT (Pair)	125
RDHMR9610	250	RDTDCFM(L/R)8430	225	REBAWA6030	185	RCAB421	410
RDHMR9611	251	RDTDCFM(L/R)8436	225	REBAWA7242	185	RCAB481	410
RDHMR9612	252	RDTDCPC(L/R)6630	223	REBAWA7848	185	RCAB541	410
RDHMR9613	252	RDTDCPC(L/R)6636	223	REBH24	185	RCAB601	410
RDHMR9614	252	RDTDCPC(L/R)7230	223	REBH30	185	RCAB661	410
RDHMR9620	250	RDTDCPC(L/R)7236	223	REDH12F	242	RCAB721	410
RDHMR9622	252	RDTDCPC(L/R)7830	223	REDH15F	242	RCAB781	410

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCAB841	410	RCAR791	411	RKA 423621	140	RMDA4830	147
RCAB901	410	RCAR792	411	RKA 423622	139	RMDA4836	147
RCAB961	410	RCAR793	411	RKA 424211	139	RMDA5025	147
RCAF622	410	RCAR851	411	RKA 424212	139	RMDA5430	147
RCAF623	410	RCAR852	411	RKA 424221	140	RMDA5436	147
RCAF682	410	RCAR853	411	RKA 424222	139	RMDA6030	147
RCAF683	410	RCAR911	411	RKA 424811	139	RMDA6036	147
RCAF742	410	RCAR912	411	RKA 424812	139	RMDA6630	147
RCAF743	410	RCAR913	411	RKA 424821	140	RMDA6636	147
RCAF802	410	RCAR971	411	RKA 424822	139	RMDA7230	147
RCAF803	410	RCAR972	411	RKA 483611	139	RMDA7236	147
RCAF862	410	RCAR973	411	RKA 483612	139	RMDA7830	147
RCAF863	410	RCMD6	133	RKA 483621	140	RMDA7836	147
RCAF922	410	RCMD8	133	RKA 483622	139	RMDA8430	147
RCAF923	410	RCMDE	133	RKA 484211	139	RMDA8436	147
RCAF982	410	RGS60	410	RKA 484212	139	RMDA9030	147
RCAF983	410	RGS66	410	RKA 484221	140	RMDA9036	147
RCAL431	412	RGS72	410	RKA 484222	139	RMDA9630	147
RCAL432	412	RGS78	410	RKA 484811	139	RMDA9636	147
RCAL433	412	RGS84	410	RKA 484812	139	RMDA(A/B/C/D/E/F/G)F4221	164
RCAL491	412	RGS90	410	RKA 484821	140	RMDA(A/B/C/D/E/F/G)F4230	164
RCAL492	412	RGS96	410	RKA 484822	139	RMDA(A/B/C/D/E/F/G)F4236	164
RCAL493	412	RCTL4636	413	RKBA1020	421	RMDA(A/B/C/D/E/F/G)F4830	164
RCAL551	412	RGTR4636	413	RKBA1022	421	RMDA(A/B/C/D/E/F/G)F4836	164
RCAL552	412	RHSCN15	117	RKT31	421	RMDA(A/B/C/D/E/F/G)F5025	164
RCAL553	412	RHSCN250	117	RLCGT301	286	RMDA(A/B/C/D/E/F/G)F5430	164
RCAL611	412	RHSCN70	117	RLCGT361	286	RMDA(A/B/C/D/E/F/G)F5436	164
RCAL612	412	RIB24T	244	RLCGT601	286	RMDA(A/B/C/D/E/F/G)F6030	164
RCAL613	412	RIB28X	245	RLCGT721	286	RMDA(A/B/C/D/E/F/G)F6036	164
RCAL671	412	RIB32X	245	RM111J	266, 267	RMDA(A/B/C/D/E/F/G)F6630	164
RCAL672	412	RIBDH24T	247	RM112J	266, 267	RMDA(A/B/C/D/E/F/G)F6636	164
RCAL673	412	RIBDH28X	248	RM212J	266, 267	RMDA(A/B/C/D/E/F/G)F7230	164
RCAL731	412	RIBDH32X	248	RM212K	266, 267	RMDA(A/B/C/D/E/F/G)F7236	164
RCAL732	412	RJBU24	424	RM9A4230	148	RMDA(A/B/C/D/E/F/G)F7830	164
RCAL733	412	RJBU30	424	RM9A4836	148	RMDA(A/B/C/D/E/F/G)F7836	164
RCAL791	412	RJBU36	424	RM9A8430	148	RMDA(A/B/C/D/E/F/G)F8430	164
RCAL792	412	RJBU42	424	RM9A9630	148	RMDA(A/B/C/D/E/F/G)F8436	164
RCAL793	412	RJBU48	424	RM9A(A/B/C/D/E/F/G)F4230	165	RMDA(A/B/C/D/E/F/G)F9030	164
RCAL851	412	RJBU54	424	RM9A(A/B/C/D/E/F/G)F4836	165	RMDA(A/B/C/D/E/F/G)F9036	164
RCAL852	412	RJBU60	424	RM9A(A/B/C/D/E/F/G)F8430	165	RMDA(A/B/C/D/E/F/G)F9630	164
RCAL853	412	RJBU66	424	RM9A(A/B/C/D/E/F/G)F9630	165	RMDA(A/B/C/D/E/F/G)F9636	164
RCAL911	412	RJBU72	424	RM9AWF4230	183	RMDAWF4221	182
RCAL912	412	RJBW24	424	RM9AWF8430	183	RMDAWF4230	182
RCAL913	412	RJBW30	424	RM9AWF9630	183	RMDAWF4236	182
RCAL971	412	RJBW36	424	RMB(A)7230	150	RMDAWF4830	182
RCAL972	412	RJBW42	424	RMB(A)7236	150	RMDAWF4836	182
RCAL973	412	RJBW48	424	RMB(A)8430	150	RMDAWF5025	182
RCAR431	411	RJBW54	424	RMB(A)8436	150	RMDAWF5430	182
RCAR432	411	RJBW60	424	RMB(A)9630	150	RMDAWF5436	182
RCAR433	411	RJBW66	424	RMB(A)9636	150	RMDAWF6030	182
RCAR491	411	RJBW72	424	RMBA(A/B/C/D/E/F/G)A7230	166	RMDAWF6036	182
RCAR492	411	RKA 363611	139	RMBA(A/B/C/D/E/F/G)A7236	166	RMDAWF6630	182
RCAR493	411	RKA 363612	139	RMBA(A/B/C/D/E/F/G)A8430	166	RMDAWF6636	182
RCAR551	411	RKA 363621	140	RMBA(A/B/C/D/E/F/G)A8436	166	RMDAWF7230	182
RCAR552	411	RKA 363622	139	RMBA(A/B/C/D/E/F/G)A9630	166	RMDAWF7236	182
RCAR553	411	RKA 364211	139	RMBA(A/B/C/D/E/F/G)A9636	166	RMDAWF7830	182
RCAR611	411	RKA 364212	139	RMBAWA7230	184	RMDAWF7836	182
RCAR612	411	RKA 364221	140	RMBAWA7236	184	RMDAWF8430	182
RCAR613	411	RKA 364222	139	RMBAWA8430	184	RMDAWF8436	182
RCAR671	411	RKA 364811	139	RMBAWA8436	184	RMDAWF9030	182
RCAR672	411	RKA 364812	139	RMBAWA9630	184	RMDAWF9036	182
RCAR673	411	RKA 364821	140	RMBAWA9636	184	RMDAWF9630	182
RCAR731	411	RKA 364822	139	RMDA4221	147	RMDAWF9636	182
RCAR732	411	RKA 423611	139	RMDA4230	147	RMPA4230	148
RCAR733	411	RKA 423612	139	RMDA4236	147	RMPA4836	148

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RMPA8430	149	ROAH72T0DH	367	ROBO72T0()	359	ROCGHOCDDHP961	390
RMPA9630	149	ROAH72T0()	358	ROBO72T1DH	369	ROCGHOCSDHP601	380
RMPA(A/B/C/D/E/F/G)F4230	165	ROAH72T1DH	367	ROBO72T1()	359	ROCGHOCSDHP661	380
RMPA(A/B/C/D/E/F/G)F4836	165	ROAH72T1()	358	ROBO90T0DH	369	ROCGHOCSDHP721	380
RMPA(A/B/C/D/E/F/G)F8430	165	ROAH90T0DH	367	ROBO90T0()	359	ROCGHOCSDHP781	380
RMPA(A/B/C/D/E/F/G)F9630	165	ROAH90T0()	358	ROBO90T1DH	369	ROCGHOCSDHP841	380
RMPAWF4230	183	ROAH90T1DH	367	ROBO90T1()	359	ROCGHOCSDHP901	380
RMPAWF8430	183	ROAH90T1()	358	ROBO96T0DH	369	ROCGHOCSDHP961	380
RMPAWF9630	183	ROAH96T0DH	367	ROBO96T0()	359	ROCHCDHP301	386
RMPU	281	ROAH96T0()	358	ROBO96T1DH	369	ROCHCDHP361	386
RMSCB	236	ROAH96T1DH	367	ROBO96T1()	359	ROCHCDHP421	386
RO1-GB	397	ROAH96T1()	358	ROCCGDHP301	388	ROCHCDHP481	386
RO1-HP12	392, 394, 395	ROAO60T0DH	367	ROCCGDHP361	388	ROCHCDHP541	386
RO1-HP15	392, 394, 395	ROAO60T0()	358	ROCCGDHP421	388	ROCHCDHP601	386
RO1-HP6	392, 394, 395	ROAO60T1DH	367	ROCCGDHP481	388	ROCHCDHP661	386
RO1-HP9	392, 394, 395	ROAO60T1()	358	ROCCGDHP541	388	ROCHCDHP721	386
RO1-PULL	397	ROAO72T0DH	367	ROCCGDHP601	388	ROCHCDHP781	386
RO1-RCB	396	ROAO72T0()	358	ROCCGDHP661	388	ROCHCDHP841	386
RO1-RPB	396	ROAO72T1DH	367	ROCCGDHP721	388	ROCHCDHP901	386
RO1-WMF2	397	ROAO72T1()	358	ROCCGDHP781	388	ROCHCDHP961	386
RO1-WMF3	397	ROAO90T0DH	367	ROCCGDHP841	388	ROCHCSHP301	377
RO1-WMF4	397	ROAO90T0()	358	ROCCGDHP901	388	ROCHCSHP361	377
RO3-M24	391	ROAO90T1DH	367	ROCCGDHP961	388	ROCHCSHP421	377
RO3-M30	391	ROAO90T1()	358	ROCCGSHP301	376	ROCHCSHP481	377
RO3-M36	391	ROAO96T0DH	367	ROCCGSHP361	376	ROCHCSHP541	377
RO3-M42	391	ROAO96T0()	358	ROCCGSHP421	376	ROCHCSHP601	377
RO3-M48	391	ROAO96T1DH	367	ROCCGSHP481	376	ROCHCSHP661	377
RO3-M60	391, 392	ROAO96T1()	358	ROCCGSHP541	376	ROCHCSHP721	377
RO3-M66	391, 392	ROBF60S0DH	370	ROCCGSHP601	376	ROCHCSHP781	377
RO3-M72	391, 392	ROBF60S0()	359	ROCCGSHP661	376	ROCHCSHP841	377
RO3-N24	393	ROBF60S1DH	370	ROCCGSHP721	376	ROCHCSHP901	377
RO3-N30	393	ROBF60S1()	359	ROCCGSHP781	376	ROCHCSHP961	377
RO3-N36	393	ROBF72S0DH	370	ROCCGSHP841	376	ROCHDHP301	386
RO3-N42	393	ROBF72S0()	359	ROCCGSHP901	376	ROCHDHP361	386
RO3-N48	393	ROBF72S1DH	370	ROCCGSHP961	376	ROCHDHP421	386
RO3-N60	393	ROBF72S1()	359	ROCGHCDHP301	387	ROCHDHP481	386
RO3-N66	393	ROBF84S0DH	370	ROCGHCDHP361	387	ROCHDHP541	386
RO3-N72	393	ROBF84S0()	359	ROCGHCDHP421	387	ROCHDHP601	386
RO3-ON30	395	ROBF84S1DH	370	ROCGHCDHP481	387	ROCHDHP661	386
RO3-ON36	395	ROBF84S1()	359	ROCGHCDHP541	387	ROCHDHP721	386
RO3-ON42	395	ROBF96S0DH	370	ROCGHCDHP601	387	ROCHDHP781	386
RO3-ON48	395	ROBF96S0()	359	ROCGHCDHP661	387	ROCHDHP841	386
RO3-ON60	395	ROBF96S1DH	370	ROCGHCDHP721	387	ROCHDHP901	386
RO3-ON72	395	ROBF96S1()	359	ROCGHCDHP781	387	ROCHDHP961	386
RO3-VP	392, 395	ROBH60T0DH	369	ROCGHCDHP841	387	ROCHODHP601	389
ROAF60S0DH	368	ROBH60T0()	359	ROCGHCDHP901	387	ROCHODHP661	389
ROAF60S0()	358	ROBH60T1DH	369	ROCGHCDHP961	387	ROCHODHP721	389
ROAF60S1DH	368	ROBH60T1()	359	ROCGHCSHP301	378	ROCHODHP781	389
ROAF60S1()	358	ROBH72T0DH	369	ROCGHCSHP361	378	ROCHODHP841	389
ROAF72S0DH	368	ROBH72T0()	359	ROCGHCSHP421	378	ROCHODHP901	389
ROAF72S0()	358	ROBH72T1DH	369	ROCGHCSHP481	378	ROCHODHP961	389
ROAF72S1DH	368	ROBH72T1()	359	ROCGHCSHP541	378	ROCHOCSDHP601	379
ROAF72S1()	358	ROBH90T0DH	369	ROCGHCSHP601	378	ROCHOCSDHP661	379
ROAF84S0DH	368	ROBH90T0()	359	ROCGHCSHP661	378	ROCHOCSDHP721	379
ROAF84S0()	358	ROBH90T1DH	369	ROCGHCSHP721	378	ROCHOCSDHP781	379
ROAF84S1DH	368	ROBH90T1()	359	ROCGHCSHP781	378	ROCHOCSDHP841	379
ROAF84S1()	358	ROBH96T0DH	369	ROCGHCSHP841	378	ROCHOCSDHP901	379
ROAF96S0DH	368	ROBH96T0()	359	ROCGHCSHP901	378	ROCHOCSDHP961	379
ROAF96S0()	358	ROBH96T1DH	369	ROCGHCSHP961	378	ROCHSHP301	377
ROAF96S1DH	368	ROBH96T1()	359	ROCGHOCDDHP601	390	ROCHSHP361	377
ROAF96S1()	358	ROBO60T0DH	369	ROCGHOCDDHP661	390	ROCHSHP421	377
ROAH60T0DH	367	ROBO60T0()	359	ROCGHOCDDHP721	390	ROCHSHP481	377
ROAH60T0()	358	ROBO60T1DH	369	ROCGHOCDDHP781	390	ROCHSHP541	377
ROAH60T1DH	367	ROBO60T1()	359	ROCGHOCDDHP841	390	ROCHSHP601	377
ROAH60T1()	358	ROBO72T0DH	369	ROCGHOCDDHP901	390	ROCHSHP661	377

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROCHSHP721	377	ROMDHMTF136RB	429	ROMDHWTF160RL	431	ROMGHOCSHP661	375
ROCHSHP781	377	ROMDHMTF136RL	429	ROMDHWTF160RN	431	ROMGHOCSHP721	375
ROCHSHP841	377	ROMDHMTF136RN	429	ROMDHWTF160RR	432	ROMGHOCSHP781	375
ROCHSHP901	377	ROMDHMTF136RR	430	ROMDHWTF166RB	431	ROMGHOCSHP841	375
ROCHSHP961	377	ROMDHMTF142RB	429	ROMDHWTF166RL	431	ROMGHOCSHP901	375
ROCOC DHP301	388	ROMDHMTF142RL	429	ROMDHWTF166RN	431	ROMGHOCSHP961	375
ROCOC DHP361	388	ROMDHMTF142RN	429	ROMDHWTF166RR	432	ROMH30S0()	353
ROCOC DHP421	388	ROMDHMTF142RR	430	ROMDHWTF172RB	431	ROMH36S0()	353
ROCOC DHP481	388	ROMDHMTF148RB	429	ROMDHWTF172RL	431	ROMH60S0()	353
ROCOC DHP541	388	ROMDHMTF148RL	429	ROMDHWTF172RN	431	ROMH72S0()	353
ROCOC DHP601	388	ROMDHMTF148RN	429	ROMDHWTF172RR	432	ROMHCDHP301	381
ROCOC DHP661	388	ROMDHMTF148RR	430	ROMDHWTF178RB	431	ROMHCDHP361	381
ROCOC DHP721	388	ROMDHMTF154RB	429	ROMDHWTF178RL	431	ROMHCDHP421	381
ROCOC DHP781	388	ROMDHMTF154RL	429	ROMDHWTF178RN	431	ROMHCDHP481	381
ROCOC DHP841	388	ROMDHMTF154RN	429	ROMDHWTF178RR	432	ROMHCDHP541	381
ROCOC DHP901	388	ROMDHMTF154RR	430	ROMDHWTF184RB	431	ROMHCDHP601	381
ROCOC DHP961	388	ROMDHMTF160RB	429	ROMDHWTF184RL	431	ROMHCDHP661	381
ROCOC SHP301	376	ROMDHMTF160RL	429	ROMDHWTF184RN	431	ROMHCDHP721	381
ROCOC SHP361	376	ROMDHMTF160RN	429	ROMDHWTF184RR	432	ROMHCDHP781	381
ROCOC SHP421	376	ROMDHMTF160RR	430	ROMDHWTF190RB	431	ROMHCDHP841	381
ROCOC SHP481	376	ROMDHMTF166RB	429	ROMDHWTF190RL	431	ROMHCDHP901	381
ROCOC SHP541	376	ROMDHMTF166RL	429	ROMDHWTF190RN	431	ROMHCDHP961	381
ROCOC SHP601	376	ROMDHMTF166RN	429	ROMDHWTF190RR	432	ROMHCSHP301	372
ROCOC SHP661	376	ROMDHMTF166RR	430	ROMDHWTF196RB	431	ROMHCSHP361	372
ROCOC SHP721	376	ROMDHMTF172RB	429	ROMDHWTF196RL	431	ROMHCSHP421	372
ROCOC SHP781	376	ROMDHMTF172RL	429	ROMDHWTF196RN	431	ROMHCSHP481	372
ROCOC SHP841	376	ROMDHMTF172RN	429	ROMDHWTF196RR	432	ROMHCSHP541	372
ROCOC SHP901	376	ROMDHMTF172RR	430	ROMF30S0()	353	ROMHCSHP601	372
ROCOC SHP961	376	ROMDHMTF178RB	429	ROMF36S0()	353	ROMHCSHP661	372
ROHDR30	433	ROMDHMTF178RL	429	ROMF42S0()	353	ROMHCSHP721	372
ROHDR36	433	ROMDHMTF178RN	429	ROMF48S0()	353	ROMHCSHP781	372
ROHDR42	433	ROMDHMTF178RR	430	ROMF60S0()	353	ROMHCSHP841	372
ROHDR48	433	ROMDHMTF184RB	429	ROMF72S0()	353	ROMHCSHP901	372
ROHDR60	433	ROMDHMTF184RL	429	ROMGCHDHP301	382	ROMHCSHP961	372
ROHDR72	433	ROMDHMTF184RN	429	ROMGCHDHP361	382	ROMHDHP301	381
ROHDR90	433	ROMDHMTF184RR	430	ROMGCHDHP421	382	ROMHDHP361	381
ROHDR96	433	ROMDHMTF190RB	429	ROMGCHDHP481	382	ROMHDHP421	381
ROMCGDHP301	383	ROMDHMTF190RL	429	ROMGCHDHP541	382	ROMHDHP481	381
ROMCGDHP361	383	ROMDHMTF190RN	429	ROMGCHDHP601	382	ROMHDHP541	381
ROMCGDHP421	383	ROMDHMTF190RR	430	ROMGCHDHP661	382	ROMHDHP601	381
ROMCGDHP481	383	ROMDHMTF196RB	429	ROMGCHDHP721	382	ROMHDHP661	381
ROMCGDHP541	383	ROMDHMTF196RL	429	ROMGCHDHP781	382	ROMHDHP721	381
ROMCGDHP601	383	ROMDHMTF196RN	429	ROMGCHDHP841	382	ROMHDHP781	381
ROMCGDHP661	383	ROMDHMTF196RR	430	ROMGCHDHP901	382	ROMHDHP841	381
ROMCGDHP721	383	ROMDHMTF196RR	430	ROMGCHDHP961	382	ROMHDHP901	381
ROMCGDHP781	383	ROMDHMTF196RR	430	ROMGCHDHP961	382	ROMHDHP961	381
ROMCGDHP841	383	ROMDHMTF196RR	430	ROMGCHSHP301	373	ROMHOC DHP601	384
ROMCGDHP901	383	ROMDHMTF196RR	430	ROMGCHSHP361	373	ROMHOC DHP661	384
ROMCGDHP961	383	ROMDHMTF196RR	430	ROMGCHSHP421	373	ROMHOC DHP721	384
ROMCGSHP301	371	ROMDHMTF196RR	430	ROMGCHSHP481	373	ROMHOC DHP781	384
ROMCGSHP361	371	ROMDHMTF196RR	430	ROMGCHSHP541	373	ROMHOC DHP841	384
ROMCGSHP421	371	ROMDHMTF196RR	430	ROMGCHSHP601	373	ROMHOC DHP901	384
ROMCGSHP481	371	ROMDHMTF196RR	430	ROMGCHSHP661	373	ROMHOC DHP961	384
ROMCGSHP541	371	ROMDHMTF196RR	430	ROMGCHSHP721	373	ROMHOC DHP961	384
ROMCGSHP601	371	ROMDHMTF196RR	430	ROMGCHSHP781	373	ROMHOC SHP601	374
ROMCGSHP661	371	ROMDHMTF196RR	430	ROMGCHSHP841	373	ROMHOC SHP661	374
ROMCGSHP721	371	ROMDHMTF196RR	430	ROMGCHSHP901	373	ROMHOC SHP721	374
ROMCGSHP781	371	ROMDHMTF196RR	430	ROMGCHSHP961	373	ROMHOC SHP781	374
ROMCGSHP841	371	ROMDHMTF196RR	430	ROMGHOC DHP601	385	ROMHOC SHP841	374
ROMCGSHP901	371	ROMDHMTF196RR	430	ROMGHOC DHP661	385	ROMHOC SHP901	374
ROMCGSHP961	371	ROMDHMTF196RR	430	ROMGHOC DHP721	385	ROMHOC SHP961	374
ROMDHMTF130RB	429	ROMDHMTF154RB	431	ROMGHOC DHP781	385	ROMHSHP301	372
ROMDHMTF130RL	429	ROMDHMTF154RL	431	ROMGHOC DHP841	385	ROMHSHP361	372
ROMDHMTF130RN	429	ROMDHMTF154RN	431	ROMGHOC DHP901	385	ROMHSHP421	372
ROMDHMTF130RR	430	ROMDHMTF154RR	432	ROMGHOC DHP961	385	ROMHSHP481	372
		ROMDHMTF160RB	431	ROMGHOC SHP601	375	ROMHSHP541	372

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROMHSH601	372	ROPO96S0()	354	ROWO90S0()	356	RP262L	262, 264
ROMHSH661	372	ROPO96T0()	354	ROWO90S1DH	362	RP262M	262, 264
ROMHSH721	372	ROPS30S0NN	355	ROWO90S1()	356	RP301A	278
ROMHSH781	372	ROPS36S0NN	355	ROWO90T0DH	363	RP301E(L/R)	279
ROMHSH841	372	ROPS42S0NN	355	ROWO90T0()	356	RP301K	268, 270
ROMHSH901	372	ROPS48S0NN	355	ROWO90T1DH	363	RP301L	272, 273
ROMHSH961	372	ROPS54S0NN	355	ROWO90T1()	356	RP301M	272, 273
ROMO30S0()	353	ROPS60S0NN	355	ROWO96S0DH	362	RP301R	276, 277
ROMO36S0()	353	ROPS66S0NN	355	ROWO96S0()	356	RP301S	276, 277
ROMO42S0()	353	ROPS72S0NN	355	ROWO96S1DH	362	RP301T	276, 277
ROMO48S0()	353	ROPS78S0NN	355	ROWO96S1()	356	RP302A	278
ROMO60S0()	353	ROPS84S0NN	355	ROWO96T0DH	363	RP302E(L/R)	279
ROMO72S0()	353	ROPS90S0NN	355	ROWO96T0()	356	RP302K	268, 270
ROMOCDHP301	383	ROPS96S0NN	355	ROWO96T1DH	363	RP302L	272, 273
ROMOCDHP361	383	ROSDH821	366	ROWO96T1()	356	RP302M	272, 273
ROMOCDHP421	383	ROSSH681	366	RP161J	268, 270	RP302R	276, 277
ROMOCDHP481	383	ROWH60S0DH	364	RP161K	268, 270	RP302S	276, 277
ROMOCDHP541	383	ROWH60S0()	356	RP161L(L/R)	272, 273	RP302T	276, 277
ROMOCDHP601	383	ROWH60S1DH	364	RP161M	272, 273	RP361A	278
ROMOCDHP661	383	ROWH60S1()	356	RP161R	276, 277	RP361E(L/R)	279
ROMOCDHP721	383	ROWH60T0DH	365	RP162J	268, 270	RP361K	268, 270
ROMOCDHP781	383	ROWH60T0()	356	RP162K	268, 270	RP361L	272, 273
ROMOCDHP841	383	ROWH60T1DH	365	RP162L(L/R)	272, 273	RP361M	272, 273
ROMOCDHP901	383	ROWH60T1()	356	RP162M	272, 273	RP361R	276, 277
ROMOCDHP961	383	ROWH72S0DH	364	RP162R	276, 277	RP361S	276, 277
ROMOCSHP301	371	ROWH72S0()	356	RP163J	268, 270	RP361T	276, 277
ROMOCSHP361	371	ROWH72S1DH	364	RP163K	268, 270	RP362A	278
ROMOCSHP421	371	ROWH72S1()	356	RP163L(L/R)	272, 273	RP362E(L/R)	279
ROMOCSHP481	371	ROWH72T0DH	365	RP163M	272, 273	RP362K	268, 270
ROMOCSHP541	371	ROWH72T0()	356	RP191J	269, 271	RP362L	272, 273
ROMOCSHP601	371	ROWH72T1DH	365	RP191K	269, 271	RP362M	272, 273
ROMOCSHP661	371	ROWH72T1()	356	RP191R	276, 277	RP362R	276, 277
ROMOCSHP721	371	ROWH90S0DH	364	RP192J	269, 271	RP362S	276, 277
ROMOCSHP781	371	ROWH90S0()	356	RP192K	269, 271	RP362T	276, 277
ROMOCSHP841	371	ROWH90S1DH	364	RP192R	276, 277	RPAB16	266, 267
ROMOCSHP901	371	ROWH90S1()	356	RP193J	269, 271	RPAB19	266, 267
ROMOCSHP961	371	ROWH90T0DH	365	RP193K	269, 271	RPAB30	266, 267
ROPF30S0J	355	ROWH90T0()	356	RP211J	256, 259	RPAB36	266, 267
ROPF36S0J	355	ROWH90T1DH	365	RP211K	256, 259	RPAD	421
ROPF42S0J	355	ROWH90T1()	356	RP211L(L/R)	262, 264	RPADSS	426
ROPF48S0J	355	ROWH96S0DH	364	RP211M	262, 264	RPAHFB16	426
ROPF60S0J	355	ROWH96S0()	356	RP212J	256, 259	RPAHFB30	426
ROPF72S0J	355	ROWH96S1DH	364	RP212K	256, 259	RPAHFB36	426
ROPF84S0J	355	ROWH96S1()	356	RP212L(L/R)	262, 264	RPAHFM162	427
ROPF96S0J	355	ROWH96T0DH	365	RP212M	262, 264	RPAHFM30	427
ROPH30S0()	354	ROWH96T0()	356	RP213J	256, 259	RPAHFM36	427
ROPH36S0()	354	ROWH96T1DH	365	RP213K	256, 259	RPAPT	427
ROPH60S0()	354	ROWH96T1()	356	RP213L(L/R)	262, 264	RPB211J	257, 260
ROPH60T0()	354	ROWO60S0DH	362	RP213M	262, 264	RPB211K	257, 260
ROPH72S0()	354	ROWO60S0()	356	RP221J	258, 261	RPB211L(L/R)	263, 265
ROPH72T0()	354	ROWO60S1DH	362	RP221K	258, 261	RPB211M	263, 265
ROPH90S0()	354	ROWO60S1()	356	RP222J	258, 261	RPB212J	257, 260
ROPH90T0()	354	ROWO60T0DH	363	RP222K	258, 261	RPB212K	257, 260
ROPH96S0()	354	ROWO60T0()	356	RP223J	258, 261	RPB212L(L/R)	263, 265
ROPH96T0()	354	ROWO60T1DH	363	RP223K	258, 261	RPB212M	263, 265
ROPO30S0()	354	ROWO60T1()	356	RP231K	256, 259	RPB213J	257, 260
ROPO36S0()	354	ROWO72S0DH	362	RP231L	262, 264	RPB213K	257, 260
ROPO42S0()	354	ROWO72S0()	356	RP231M	262, 264	RPB213L(L/R)	263, 265
ROPO48S0()	354	ROWO72S1DH	362	RP232K	256, 259	RPB213M	263, 265
ROPO60S0()	354	ROWO72S1()	356	RP232L	262, 264	RPB231K	257, 260
ROPO60T0()	354	ROWO72T0DH	363	RP232M	262, 264	RPB231L	263, 265
ROPO72S0()	354	ROWO72T0()	356	RP261K	256, 259	RPB231M	263, 265
ROPO72T0()	354	ROWO72T1DH	363	RP261L	262, 264	RPB232K	257, 260
ROPO90S0()	354	ROWO72T1()	356	RP261M	262, 264	RPB232L	263, 265
ROPO90T0()	354	ROWO90S0DH	362	RP262K	256, 259	RPB232M	263, 265

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPB261K	257, 260	RPTDLFM(L/R)6020	209	RPTDOFM(L/R)5424	218	RPTDRFM(L/R)4830	212
RPB261L	263, 265	RPTDLFM(L/R)6024	209	RPTDOFM(L/R)5430	218	RPTDRFM(L/R)4836	212
RPB261M	263, 265	RPTDLFM(L/R)6030	209	RPTDOFM(L/R)5436	218	RPTDRFM(L/R)5420	212
RPB262K	257, 260	RPTDLFM(L/R)6036	209	RPTDOFM(L/R)6020	218	RPTDRFM(L/R)5424	212
RPB262L	263, 265	RPTDLFM(L/R)6620	209	RPTDOFM(L/R)6024	218	RPTDRFM(L/R)5430	212
RPB262M	263, 265	RPTDLFM(L/R)6624	209	RPTDOFM(L/R)6030	218	RPTDRFM(L/R)5436	212
RPCB16	280	RPTDLFM(L/R)6630	209	RPTDOFM(L/R)6036	218	RPTDRFM(L/R)6020	212
RPCB19	280	RPTDLFM(L/R)6636	209	RPTDOFM(L/R)6620	218	RPTDRFM(L/R)6024	212
RPCB30	280	RPTDLFM(L/R)7220	209	RPTDOFM(L/R)6624	218	RPTDRFM(L/R)6030	212
RPCB36	280	RPTDLFM(L/R)7224	209	RPTDOFM(L/R)6630	218	RPTDRFM(L/R)6036	212
RPCG	425	RPTDLFM(L/R)7230	209	RPTDOFM(L/R)6636	218	RPTDRFM(L/R)6620	212
RPCST	425	RPTDLFM(L/R)7236	209	RPTDOFM(L/R)7220	218	RPTDRFM(L/R)6624	212
RPD11	427	RPTDLFM(L/R)7820	209	RPTDOFM(L/R)7224	218	RPTDRFM(L/R)6630	212
RPD14	427	RPTDLFM(L/R)7824	209	RPTDOFM(L/R)7230	218	RPTDRFM(L/R)6636	212
RPDHB16	273	RPTDLFM(L/R)7830	209	RPTDOFM(L/R)7236	218	RPTDRFM(L/R)7220	212
RPDHB19	273	RPTDLFM(L/R)7836	209	RPTDOFM(L/R)7820	218	RPTDRFM(L/R)7224	212
RPDHB30	273	RPTDLFM(L/R)8420	209	RPTDOFM(L/R)7824	218	RPTDRFM(L/R)7230	212
RPDHB36	273	RPTDLFM(L/R)8424	209	RPTDOFM(L/R)7830	218	RPTDRFM(L/R)7236	212
RPDHBf6	280	RPTDLFM(L/R)8430	209	RPTDOFM(L/R)7836	218	RPTDRFM(L/R)7820	212
RPDHC42MF	280	RPTDLFM(L/R)8436	209	RPTDOFM(L/R)8420	218	RPTDRFM(L/R)7824	212
RPDHC48MF	280	RPTDLPC(L/R)6020	207	RPTDOFM(L/R)8424	218	RPTDRFM(L/R)7830	212
RPDHC54MF	280	RPTDLPC(L/R)6024	207	RPTDOFM(L/R)8430	218	RPTDRFM(L/R)7836	212
RPDHC60MF	280	RPTDLPC(L/R)6030	207	RPTDOFM(L/R)8436	218	RPTDRFM(L/R)8420	212
RPDHC66MF	280	RPTDLPC(L/R)6036	207	RPTDOPC(L/R)6020	216	RPTDRFM(L/R)8424	212
RPDHC72MF	280	RPTDLPC(L/R)6620	207	RPTDOPC(L/R)6024	216	RPTDRFM(L/R)8430	212
RPDHC78MF	280	RPTDLPC(L/R)6624	207	RPTDOPC(L/R)6030	216	RPTDRFM(L/R)8436	212
RPDHC84MF	280	RPTDLPC(L/R)6630	207	RPTDOPC(L/R)6036	216	RPTDRPC(L/R)6020	210
RPDHC90MF	280	RPTDLPC(L/R)6636	207	RPTDOPC(L/R)6620	216	RPTDRPC(L/R)6024	210
RPDHC96MF	280	RPTDLPC(L/R)7220	207	RPTDOPC(L/R)6624	216	RPTDRPC(L/R)6030	210
RPETAD	427	RPTDLPC(L/R)7224	207	RPTDOPC(L/R)6630	216	RPTDRPC(L/R)6036	210
RPETRAY3C	427	RPTDLPC(L/R)7230	207	RPTDOPC(L/R)6636	216	RPTDRPC(L/R)6620	210
RPETRAY3N	427	RPTDLPC(L/R)7236	207	RPTDOPC(L/R)7220	216	RPTDRPC(L/R)6624	210
RPFC6	280	RPTDLPC(L/R)7820	207	RPTDOPC(L/R)7224	216	RPTDRPC(L/R)6630	210
RPHCHH	426	RPTDLPC(L/R)7824	207	RPTDOPC(L/R)7230	216	RPTDRPC(L/R)6636	210
RPHCHT	426	RPTDLPC(L/R)7830	207	RPTDOPC(L/R)7236	216	RPTDRPC(L/R)7220	210
RPHL3442(F/T)	114	RPTDLPC(L/R)7836	207	RPTDOPC(L/R)7820	216	RPTDRPC(L/R)7224	210
RPHL3449(F/T)	114	RPTDLPC(L/R)8420	207	RPTDOPC(L/R)7824	216	RPTDRPC(L/R)7230	210
RPHL3464(F/T)	114	RPTDLPC(L/R)8424	207	RPTDOPC(L/R)7830	216	RPTDRPC(L/R)7236	210
RPHL3479(F/T)	114	RPTDLPC(L/R)8430	207	RPTDOPC(L/R)7836	216	RPTDRPC(L/R)7820	210
RPHL4249(F/T)	114	RPTDLPC(L/R)8436	207	RPTDOPC(L/R)8420	216	RPTDRPC(L/R)7824	210
RPHL4249S	114	RPTDLST(L/R)6020	208	RPTDOPC(L/R)8424	216	RPTDRPC(L/R)7830	210
RPHL4264(F/T)	114	RPTDLST(L/R)6024	208	RPTDOPC(L/R)8430	216	RPTDRPC(L/R)7836	210
RPHL4264S	114	RPTDLST(L/R)6030	208	RPTDOPC(L/R)8436	216	RPTDRPC(L/R)8420	210
RPHL4279(F/T)	114	RPTDLST(L/R)6036	208	RPTDOST(L/R)6020	217	RPTDRPC(L/R)8424	210
RPHL4279S	114	RPTDLST(L/R)6620	208	RPTDOST(L/R)6024	217	RPTDRPC(L/R)8430	210
RPHL4964(F/T)	114	RPTDLST(L/R)6624	208	RPTDOST(L/R)6030	217	RPTDRPC(L/R)8436	210
RPHL4964S	114	RPTDLST(L/R)6630	208	RPTDOST(L/R)6036	217	RPTDRST(L/R)6020	211
RPHL4979(F/T)	114	RPTDLST(L/R)6636	208	RPTDOST(L/R)6620	217	RPTDRST(L/R)6024	211
RPHL4979S	114	RPTDLST(L/R)7220	208	RPTDOST(L/R)6624	217	RPTDRST(L/R)6030	211
RPHL6479(F/T)	114	RPTDLST(L/R)7224	208	RPTDOST(L/R)6630	217	RPTDRST(L/R)6036	211
RPHL6479S	114	RPTDLST(L/R)7230	208	RPTDOST(L/R)6636	217	RPTDRST(L/R)6620	211
RPHTB3024	426	RPTDLST(L/R)7236	208	RPTDOST(L/R)7220	217	RPTDRST(L/R)6624	211
RPHTB4224	426	RPTDLST(L/R)7820	208	RPTDOST(L/R)7224	217	RPTDRST(L/R)6630	211
RPHWB3024	426	RPTDLST(L/R)7824	208	RPTDOST(L/R)7230	217	RPTDRST(L/R)6636	211
RPHWB4224	426	RPTDLST(L/R)7830	208	RPTDOST(L/R)7236	217	RPTDRST(L/R)7220	211
RPTDCFm8430	222	RPTDLST(L/R)7836	208	RPTDOST(L/R)7820	217	RPTDRST(L/R)7224	211
RPTDCFm9630	222	RPTDLST(L/R)8420	208	RPTDOST(L/R)7824	217	RPTDRST(L/R)7230	211
RPTDLFM(L/R)4820	209	RPTDLST(L/R)8424	208	RPTDOST(L/R)7830	217	RPTDRST(L/R)7236	211
RPTDLFM(L/R)4824	209	RPTDLST(L/R)8430	208	RPTDOST(L/R)7836	217	RPTDRST(L/R)7820	211
RPTDLFM(L/R)4830	209	RPTDLST(L/R)8436	208	RPTDOST(L/R)8420	217	RPTDRST(L/R)7824	211
RPTDLFM(L/R)4836	209	RPTDOFM(L/R)4820	218	RPTDOST(L/R)8424	217	RPTDRST(L/R)7830	211
RPTDLFM(L/R)5420	209	RPTDOFM(L/R)4824	218	RPTDOST(L/R)8430	217	RPTDRST(L/R)7836	211
RPTDLFM(L/R)5424	209	RPTDOFM(L/R)4830	218	RPTDOST(L/R)8436	217	RPTDRST(L/R)8420	211
RPTDLFM(L/R)5430	209	RPTDOFM(L/R)4836	218	RPTDRFM(L/R)4820	212	RPTDRST(L/R)8424	211
RPTDLFM(L/R)5436	209	RPTDOFM(L/R)5420	218	RPTDRFM(L/R)4824	212	RPTDRST(L/R)8430	211

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPTDRST(L/R)8436	211	RPTDSST(L/R)8420	214	RR3-EJ42P	127	RR3TBVC76	135
RPTDSFM(L/R)4820	215	RPTDSST(L/R)8424	214	RR3-EJ48	127	RR3TBVC78	135
RPTDSFM(L/R)4824	215	RPTDSST(L/R)8430	214	RR3EJ48	132	RR3TBVC90	135
RPTDSFM(L/R)4830	215	RPTDSST(L/R)8436	214	RR3-EJ48P	127	RR3-TJ18	129
RPTDSFM(L/R)4836	215	RR3-2PF	133	RR3-EJ54P	127	RR3-TJ18P	129
RPTDSFM(L/R)5420	215	RR3-3PF	133	RR3-EJ60P	127	RR3-TJ20	129
RPTDSFM(L/R)5424	215	RR3-BNC	133	RR3EJ60P	132	RR3-TJ20P	129
RPTDSFM(L/R)5430	215	RR3-C3C	133	RR3-EJ66P	127	RR3-TJ24	129
RPTDSFM(L/R)5436	215	RR3-C5C	133	RR3EJ66P	132	RR3-TJ24P	129
RPTDSFM(L/R)6020	215	RR3-C5C4A	133	RR3-EJ72P	127	RR3-TJ30	129
RPTDSFM(L/R)6024	215	RR3-C5C4B	133	RR3EJ72P	132	RR3-TJ30P	129
RPTDSFM(L/R)6030	215	RR3-C6C	133	RR3-EJ78P	127	RR3-TJ36	129
RPTDSFM(L/R)6036	215	RR3CHI241	130	RR3-EJ84P	127	RR3-TJ36P	129
RPTDSFM(L/R)6620	215	RR3CHI242	130	RR3-EJ90P	127	RR3-TJ42	129
RPTDSFM(L/R)6624	215	RR3CHI301	130	RR3-EJ96P	127	RR3-TJ42P	129
RPTDSFM(L/R)6630	215	RR3CHI302	130	RR3-EPC	126	RR3-TJ48	129
RPTDSFM(L/R)6636	215	RR3CHI361	130	RR3-EPC24	126	RR3TJ48	132
RPTDSFM(L/R)7220	215	RR3CHI362	130	RR3-EPCP	126	RR3-TJ48P	129
RPTDSFM(L/R)7224	215	RR3CHI421	130	RR3-EPCP24	126	RR3-TJ54P	129
RPTDSFM(L/R)7230	215	RR3CHI422	130	RR3-EPCPS	126	RR3-TJ60P	129
RPTDSFM(L/R)7236	215	RR3CHI481	130	RR3-EPCS	126	RR3TJ60P	132
RPTDSFM(L/R)7820	215	RR3CHI482	130	RR3-EPI	127	RR3-TJ66P	129
RPTDSFM(L/R)7824	215	RR3-DA	126, 128	RR3-EPNY1	127	RR3TJ66P	132
RPTDSFM(L/R)7830	215	RR3-DATSHD	126, 128	RR3-EPNY2	127	RR3-TJ72P	129
RPTDSFM(L/R)7836	215	RR3-DB	126, 128	RR3-EPVR	113, 127	RR3TJ72P	132
RPTDSFM(L/R)8420	215	RR3-DC	128	RR3-EVJ	136	RR3-TJ78P	129
RPTDSFM(L/R)8424	215	RR3-DICON	133	RR3EVJ110	136	RR3-TJ84P	129
RPTDSFM(L/R)8430	215	RR3-DX	126, 128	RR3EVJ82	136	RR3-TJ90P	129
RPTDSFM(L/R)8436	215	RR3-DXO	126, 128	RR3EVJ96	136	RR3-TJ96P	129
RPTDSPC(L/R)6020	213	RR3-DY	126, 128	RR3-FB	133	RR3-TPC	128
RPTDSPC(L/R)6024	213	RR3-DYO	126, 128	RR3FDP	135	RR3-TPC24	128
RPTDSPC(L/R)6030	213	RR3-DZ	128	RR3-FE	133	RR3-TPCP	128
RPTDSPC(L/R)6036	213	RR3-DZO	128	RR3-FOSC	133	RR3-TPCP24	128
RPTDSPC(L/R)6620	213	RR3-E24	126	RR3-FOST	133	RR3-TPCPS	128
RPTDSPC(L/R)6624	213	RR3-E24S	131	RR3-FV	133	RR3-TPCS	128
RPTDSPC(L/R)6630	213	RR3-E30NS	126	RR3-LTPC	131	RR3-TPI	129
RPTDSPC(L/R)6636	213	RR3-E30S	131	RR3-LTPC24	131	RR3-TPNY1	129
RPTDSPC(L/R)7220	213	RR3-E36NS	126	RR3-LTPCP	131	RR3-TPNY2	129
RPTDSPC(L/R)7224	213	RR3-E36S	131	RR3-MICON	133	RR3-TPVR	113, 129
RPTDSPC(L/R)7230	213	RR3-E42NS	126	RR3MP4	422	RR3TVJ	136
RPTDSPC(L/R)7236	213	RR3-E42S	131	RR3MP6	422	RR3TVJ110	136
RPTDSPC(L/R)7820	213	RR3-E48NS	126	RR3PICON	133	RR3TVJ82	136
RPTDSPC(L/R)7824	213	RR3-E48S	131	RR3-REPI	127	RR3TVJ96	136
RPTDSPC(L/R)7830	213	RR3-E60-4	126	RR3-RTPI	129	RR3VDA	135
RPTDSPC(L/R)7836	213	RR3-E66-4	126	RR3-SP-(A, B, C, X, Y, Z)	129	RR3VDB	135
RPTDSPC(L/R)8420	213	RR3-E72-4	126	RR3-SP-(A,B,X,Y)	127	RR3VDC	135
RPTDSPC(L/R)8424	213	RR3-EBBCL	131	RR3-ST	133	RR3VDX	135
RPTDSPC(L/R)8430	213	RR3-EBBCS	131	RR3-T24	128	RR3VDXO	135
RPTDSPC(L/R)8436	213	RR3EBVC50	135	RR3-T24S	131	RR3VDY	135
RPTDSST(L/R)6020	214	RR3EBVC62	135	RR3-T30NS	128	RR3VDYO	135
RPTDSST(L/R)6024	214	RR3EBVC64	135	RR3-T30S	131	RR3VDZ	135
RPTDSST(L/R)6030	214	RR3EBVC76	135	RR3-T36NS	128	RR3VDZO	135
RPTDSST(L/R)6036	214	RR3EBVC78	135	RR3-T36S	131	RR3VPBK	135
RPTDSST(L/R)6620	214	RR3EBVC90	135	RR3-T42NS	128	RAA12036	151
RPTDSST(L/R)6624	214	RR3-EJ18	127	RR3-T42S	131	RAA12042	151
RPTDSST(L/R)6630	214	RR3-EJ18P	127	RR3-T48NS	128	RAA12048	151
RPTDSST(L/R)6636	214	RR3-EJ20	127	RR3-T48S	131	RAA14442	151
RPTDSST(L/R)7220	214	RR3-EJ20P	127	RR3-T60-4	128	RAA14448	151
RPTDSST(L/R)7224	214	RR3-EJ24	127	RR3-T66-4	128	RAA16842	151
RPTDSST(L/R)7230	214	RR3-EJ24P	127	RR3-T72-4	128	RAA16848	151
RPTDSST(L/R)7236	214	RR3-EJ30	127	RR3-TBBCL	131	RAA19242	151
RPTDSST(L/R)7820	214	RR3-EJ30P	127	RR3-TBBCS	131	RAA19248	151
RPTDSST(L/R)7824	214	RR3-EJ36	127	RR3TBVC50	135	RAA3636	151
RPTDSST(L/R)7830	214	RR3-EJ36P	127	RR3TBVC62	135	RAA4242	151
RPTDSST(L/R)7836	214	RR3-EJ42	127	RR3TBVC64	135	RAA4848	151

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RRA6060	151	RREP5424(A,B,W)(F,N)2	416	RROMOS108GN	407	RSA604	138
RRA7230	151	RREP5430(A,B,W)(F,N)2	416	RROMOS60GB	407	RSA661	137
RRA7236	151	RREP6024(A,B,W)(F,N)2	416	RROMOS60GL	407	RSA662	137
RRA7272	151	RREP6030(A,B,W)(F,N)2	416	RROMOS60GR	407	RSA663	138
RRA8430	151	RRLCFDC20108	282	RROMOS72GB	407	RSA664	138
RRA8436	151	RRLCFDC2090	282	RROMOS72GL	407	RSA721	137
RRA8442	151	RRLCFDCC20108	282	RROMOS72GR	407	RSA722	137
RRA9630	151	RRLCFDCC2090	282	RROMOS90CB	407	RSA723	138
RRA9636	151	RRLCFDCL2060	282	RROMOS90CN	407	RSA724	138
RRA9642	151	RRLCFDCL2072	282	RROMOS108GB	404	RSA781	137
RRA9648	151	RRLCFDCR2060	282	RROMOS108GN	404	RSA782	137
RRA(A/B/C/D/E/F/G)12036-(1/2/3)	168	RRLCFDCR2072	282	RROMOS60CL	404	RSA783	138
RRA(A/B/C/D/E/F/G)12042-(1/2/3)	168	RRLCO20108	283	RROMOS60GR	404	RSA841	137
RRA(A/B/C/D/E/F/G)12048-(1/2/3)	168	RRLCO2060	283	RROMOS72GL	404	RSA842	137
RRA(A/B/C/D/E/F/G)14442-(1/2/3)	168	RRLCO2072	283	RROMOS72GR	404	RSA843	138
RRA(A/B/C/D/E/F/G)14448-(1/2/3)	168	RRLCO2090	283	RROMOS90CB	404	RSA901	137
RRA(A/B/C/D/E/F/G)16842-(1/2/3)	168	RRLCSGD20108	284	RROMOS90CN	404	RSA902	137
RRA(A/B/C/D/E/F/G)16848-(1/2/3)	168	RRLCSGD2090	284	RROMOSDL60CB	405	RSA903	138
RRA(A/B/C/D/E/F/G)19242-(1/2/3)	168	RRLCSGDL2060	284	RROMOSDL72GB	405	RSA961	137
RRA(A/B/C/D/E/F/G)19248-(1/2/3)	168	RRLCSGDL2072	284	RROMOSDR60GB	405	RSA962	137
RRA(A/B/C/D/E/F/G)3636-(1/2/3)	168	RRLCSGDR2060	284	RROMOSDR72GB	405	RSA963	138
RRA(A/B/C/D/E/F/G)4242-(1/2/3)	168	RRLCSGDR2072	284	RRSP3624K(A,B,W)	416	RSA(A/B/C/D/E/F/G)A241	156
RRA(A/B/C/D/E/F/G)4848-(1/2/3)	168	RRLCSWD20108	285	RRSP3630K(A,B,W)	416	RSA(A/B/C/D/E/F/G)A242	156
RRA(A/B/C/D/E/F/G)6060-(1/2/3)	168	RRLCSWD2090	285	RRSP4224K(A,B,W)	416	RSA(A/B/C/D/E/F/G)A243	157
RRA(A/B/C/D/E/F/G)7230-(1/2/3)	168	RRLCSWDL2060	285	RRSP4230K(A,B,W)	416	RSA(A/B/C/D/E/F/G)A301	156
RRA(A/B/C/D/E/F/G)7236-(1/2/3)	168	RRLCSWDL2072	285	RRSP4824K(A,B,W)	416	RSA(A/B/C/D/E/F/G)A302	156
RRA(A/B/C/D/E/F/G)7272-(1/2/3)	168	RRLCSWDR2060	285	RRSP4830K(A,B,W)	416	RSA(A/B/C/D/E/F/G)A303	157
RRA(A/B/C/D/E/F/G)8430-(1/2/3)	168	RRLCSWDR2072	285	RRSP5424K(A,B,W)	416	RSA(A/B/C/D/E/F/G)A361	156
RRA(A/B/C/D/E/F/G)8436-(1/2/3)	168	RRMC3010	493	RRSP5430K(A,B,W)	416	RSA(A/B/C/D/E/F/G)A362	156
RRA(A/B/C/D/E/F/G)8436-(1/2/3)	168	RRMC3610	493	RRSP6024K(A,B,W)	416	RSA(A/B/C/D/E/F/G)A363	157
RRA(A/B/C/D/E/F/G)8442-(1/2/3)	168	RRMC6010	493	RRSP6030K(A,B,W)	416	RSA(A/B/C/D/E/F/G)A421	156
RRA(A/B/C/D/E/F/G)9630-(1/2/3)	168	RRMC7210	493	RS1-N30	394	RSA(A/B/C/D/E/F/G)A422	156
RRA(A/B/C/D/E/F/G)9636-(1/2/3)	168	RRML108	406	RS1-N36	394	RSA(A/B/C/D/E/F/G)A423	157
RRA(A/B/C/D/E/F/G)9642-(1/2/3)	168	RRML60	406	RS1-N42	394	RSA(A/B/C/D/E/F/G)A481	156
RRAW12036-(1/2/3)	187	RRML72	406	RS1-N48	394	RSA(A/B/C/D/E/F/G)A482	156
RRAW12042-(1/2/3)	187	RRML90	406	RS1-N60	394	RSA(A/B/C/D/E/F/G)A483	157
RRAW14442-(1/2/3)	187	RROCGSD108GB	399	RS1-RPB	396	RSA(A/B/C/D/E/F/G)A541	156
RRAW16842-(1/2/3)	187	RROCGSD90GB	399	RS1-VP	394	RSA(A/B/C/D/E/F/G)A542	156
RRAW19242-(1/2/3)	187	RROCGSDL60GB	399	RS1-WMF24	397	RSA(A/B/C/D/E/F/G)A543	157
RRAW3636-(1/2/3)	187	RROCGSDL72GB	399	RS1-WMF30	397	RSA(A/B/C/D/E/F/G)A601	156
RRAW4242-(1/2/3)	187	RROCGSDR60GB	399	RS1-WMF36	397	RSA(A/B/C/D/E/F/G)A602	156
RRAW6060-(1/2/3)	187	RROCGSDR72GB	399	RS1-WMF42	397	RSA(A/B/C/D/E/F/G)A603	157
RRAW7230-(1/2/3)	187	RROCOS108GB	401	RS1-WMF48	397	RSA(A/B/C/D/E/F/G)A604	157
RRAW7236-(1/2/3)	187	RROCOS60GB	401	RS1-WMF60	397	RSA(A/B/C/D/E/F/G)A661	156
RRAW7272-(1/2/3)	187	RROCOS72GB	401	RSA241	137	RSA(A/B/C/D/E/F/G)A662	156
RRAW8430-(1/2/3)	187	RROCOS90GB	401	RSA242	137	RSA(A/B/C/D/E/F/G)A663	157
RRAW8436-(1/2/3)	187	RROCOSD108GB	400	RSA243	138	RSA(A/B/C/D/E/F/G)A664	157
RRAW8442-(1/2/3)	187	RROCOSD90GB	400	RSA301	137	RSA(A/B/C/D/E/F/G)A721	156
RRAW9630-(1/2/3)	187	RROCOSDL60GB	400	RSA302	137	RSA(A/B/C/D/E/F/G)A722	156
RRAW9636-(1/2/3)	187	RROCOSDL72GB	400	RSA303	138	RSA(A/B/C/D/E/F/G)A723	157
RRAW9642-(1/2/3)	187	RROCOSDR60GB	400	RSA361	137	RSA(A/B/C/D/E/F/G)A724	157
RRBRD2712	422	RROCOSDR72GB	400	RSA362	137	RSA(A/B/C/D/E/F/G)A781	156
RRD3FTCPPL(L/R)7936	116	RROMGSD108GB	403	RSA363	138	RSA(A/B/C/D/E/F/G)A782	156
RRD3FTCPPL(L/R)7942	116	RROMGSD108GN	402	RSA421	137	RSA(A/B/C/D/E/F/G)A783	157
RRD3PPL(L/R)7936	116	RROMGSD60CL	402	RSA422	137	RSA(A/B/C/D/E/F/G)A841	156
RRD3PPL(L/R)7942	116	RROMGSD60GR	402	RSA423	138	RSA(A/B/C/D/E/F/G)A842	156
RRDPPL(L/R)6436	116	RROMGSD72CL	402	RSA481	137	RSA(A/B/C/D/E/F/G)A843	157
RRDPPL(L/R)6442	116	RROMGSD72GR	402	RSA482	137	RSA(A/B/C/D/E/F/G)A901	156
RRDTH	116	RROMGSD90CB	403	RSA483	138	RSA(A/B/C/D/E/F/G)A902	156
RRDTH(L/R)	116	RROMGSD90GN	402	RSA541	137	RSA(A/B/C/D/E/F/G)A903	157
RREP3624(A,B,W)(F,N)2	416	RROMGSDL60GB	403	RSA542	137	RSA(A/B/C/D/E/F/G)A961	156
RREP3630(A,B,W)(F,N)2	416	RROMGSDL72GB	403	RSA543	138	RSA(A/B/C/D/E/F/G)A962	156
RREP4224(A,B,W)(F,N)2	416	RROMGSDR60GB	403	RSA601	137	RSA(A/B/C/D/E/F/G)A963	157
RREP4230(A,B,W)(F,N)2	416	RROMGSDR72GB	403	RSA602	137	RSA(A/B/C/D/E/F/G)B241	158
RREP4824(A,B,W)(F,N)2	416	RROMOS108GB	407	RSA603	138	RSA(A/B/C/D/E/F/G)B242	158
RREP4830(A,B,W)(F,N)2	416						

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA(A/B/C/D/E/F/G)B301	158	RSA(A/B/C/D/E/F/G)R362	159	RSABW543	174	RSARF962	169
RSA(A/B/C/D/E/F/G)B302	158	RSA(A/B/C/D/E/F/G)R421	159	RSABW601	173	RSARF963	170
RSA(A/B/C/D/E/F/G)B361	158	RSA(A/B/C/D/E/F/G)R422	159	RSABW602	173	RSARL241	175
RSA(A/B/C/D/E/F/G)B362	158	RSA(A/B/C/D/E/F/G)R481	159	RSABW603	174	RSARL242	175
RSA(A/B/C/D/E/F/G)B421	158	RSA(A/B/C/D/E/F/G)R482	159	RSABW604	174	RSARL243	176
RSA(A/B/C/D/E/F/G)B422	158	RSAMP1616	422	RSABW661	173	RSARL301	175
RSA(A/B/C/D/E/F/G)B481	158	RSAWA241	171	RSABW662	173	RSARL302	175
RSA(A/B/C/D/E/F/G)B482	158	RSAWA242	171	RSABW663	174	RSARL303	176
RSA(A/B/C/D/E/F/G)F241	154	RSAWA243	172	RSABW664	174	RSARL361	175
RSA(A/B/C/D/E/F/G)F242	154	RSAWA301	171	RSABW721	173	RSARL362	175
RSA(A/B/C/D/E/F/G)F243	155	RSAWA302	171	RSABW722	173	RSARL363	176
RSA(A/B/C/D/E/F/G)F301	154	RSAWA303	172	RSABW723	174	RSARL421	175
RSA(A/B/C/D/E/F/G)F302	154	RSAWA361	171	RSABW724	174	RSARL422	175
RSA(A/B/C/D/E/F/G)F303	155	RSAWA362	171	RSABW781	173	RSARL423	176
RSA(A/B/C/D/E/F/G)F361	154	RSAWA363	172	RSABW782	173	RSARL481	175
RSA(A/B/C/D/E/F/G)F362	154	RSAWA421	171	RSABW783	174	RSARL482	175
RSA(A/B/C/D/E/F/G)F363	155	RSAWA422	171	RSABW841	173	RSARL483	176
RSA(A/B/C/D/E/F/G)F421	154	RSAWA423	172	RSABW842	173	RSARL541	175
RSA(A/B/C/D/E/F/G)F422	154	RSAWA481	171	RSABW843	174	RSARL542	175
RSA(A/B/C/D/E/F/G)F423	155	RSAWA482	171	RSABW901	173	RSARL543	176
RSA(A/B/C/D/E/F/G)F481	154	RSAWA483	172	RSABW902	173	RSARL601	175
RSA(A/B/C/D/E/F/G)F482	154	RSAWA541	171	RSABW903	174	RSARL602	175
RSA(A/B/C/D/E/F/G)F483	155	RSAWA542	171	RSABW961	173	RSARL603	176
RSA(A/B/C/D/E/F/G)F541	154	RSAWA543	172	RSABW962	173	RSARL604	176
RSA(A/B/C/D/E/F/G)F542	154	RSAWA601	171	RSABW963	174	RSARL661	175
RSA(A/B/C/D/E/F/G)F543	155	RSAWA602	171	RSAF241	169	RSARL662	175
RSA(A/B/C/D/E/F/G)F601	154	RSAWA603	172	RSAF242	169	RSARL663	176
RSA(A/B/C/D/E/F/G)F602	154	RSAWA604	172	RSAF243	170	RSARL664	176
RSA(A/B/C/D/E/F/G)F603	155	RSAWA661	171	RSAF301	169	RSARL721	175
RSA(A/B/C/D/E/F/G)F604	155	RSAWA662	171	RSAF302	169	RSARL722	175
RSA(A/B/C/D/E/F/G)F661	154	RSAWA663	172	RSAF303	170	RSARL723	176
RSA(A/B/C/D/E/F/G)F662	154	RSAWA664	172	RSAF361	169	RSARL724	176
RSA(A/B/C/D/E/F/G)F663	155	RSAWA721	171	RSAF362	169	RSARL781	175
RSA(A/B/C/D/E/F/G)F664	155	RSAWA722	171	RSAF363	170	RSARL782	175
RSA(A/B/C/D/E/F/G)F721	154	RSAWA723	172	RSAF421	169	RSARL783	176
RSA(A/B/C/D/E/F/G)F722	154	RSAWA724	172	RSAF422	169	RSARL841	175
RSA(A/B/C/D/E/F/G)F723	155	RSAWA781	171	RSAF423	170	RSARL842	175
RSA(A/B/C/D/E/F/G)F724	155	RSAWA782	171	RSAF481	169	RSARL843	176
RSA(A/B/C/D/E/F/G)F781	154	RSAWA783	172	RSAF482	169	RSARL901	175
RSA(A/B/C/D/E/F/G)F782	154	RSAWA841	171	RSAF483	170	RSARL902	175
RSA(A/B/C/D/E/F/G)F783	155	RSAWA842	171	RSAF541	169	RSARL903	176
RSA(A/B/C/D/E/F/G)F841	154	RSAWA843	172	RSAF542	169	RSARL961	175
RSA(A/B/C/D/E/F/G)F842	154	RSAWA901	171	RSAF543	170	RSARL962	175
RSA(A/B/C/D/E/F/G)F843	155	RSAWA902	171	RSAF601	169	RSARL963	176
RSA(A/B/C/D/E/F/G)F901	154	RSAWA903	172	RSAF602	169	RSARW241	177
RSA(A/B/C/D/E/F/G)F902	154	RSAWA961	171	RSAF603	170	RSARW242	177
RSA(A/B/C/D/E/F/G)F903	155	RSAWA962	171	RSAF604	170	RSARW243	178
RSA(A/B/C/D/E/F/G)F961	154	RSAWA963	172	RSAF661	169	RSARW301	177
RSA(A/B/C/D/E/F/G)F962	154	RSABW241	173	RSAF662	169	RSARW302	177
RSA(A/B/C/D/E/F/G)F963	155	RSABW242	173	RSAF663	170	RSARW303	178
RSA(A/B/C/D/E/F/G)L241	158	RSABW243	174	RSAF664	170	RSARW361	177
RSA(A/B/C/D/E/F/G)L242	158	RSABW301	173	RSAF721	169	RSARW362	177
RSA(A/B/C/D/E/F/G)L301	158	RSABW302	173	RSAF722	169	RSARW363	178
RSA(A/B/C/D/E/F/G)L302	158	RSABW303	174	RSAF723	170	RSARW421	177
RSA(A/B/C/D/E/F/G)L361	158	RSABW361	173	RSAF724	170	RSARW422	177
RSA(A/B/C/D/E/F/G)L362	158	RSABW362	173	RSAF781	169	RSARW423	178
RSA(A/B/C/D/E/F/G)L421	158	RSABW363	174	RSAF782	169	RSARW481	177
RSA(A/B/C/D/E/F/G)L422	158	RSABW421	173	RSAF783	170	RSARW482	177
RSA(A/B/C/D/E/F/G)L481	158	RSABW422	173	RSAF841	169	RSARW483	178
RSA(A/B/C/D/E/F/G)L482	158	RSABW423	174	RSAF842	169	RSARW541	177
RSA(A/B/C/D/E/F/G)R241	159	RSABW481	173	RSAF843	170	RSARW542	177
RSA(A/B/C/D/E/F/G)R242	159	RSABW482	173	RSAF901	169	RSARW543	178
RSA(A/B/C/D/E/F/G)R301	159	RSABW483	174	RSAF902	169	RSARW601	177
RSA(A/B/C/D/E/F/G)R302	159	RSABW541	173	RSAF903	170	RSARW602	177
RSA(A/B/C/D/E/F/G)R361	159	RSABW542	173	RSAF961	169	RSARW603	178

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWR604	178	RSD664	195	RSL20	246	RSTRLE362	233
RSAWR661	177	RSD721	194	RSL24	246	RSTRLE421	233
RSAWR662	177	RSD722	194	RSL30	246	RSTRLE422	233
RSAWR663	178	RSD723	195	RSL36	246	RSTRSE361	235
RSAWR664	178	RSD724	195	RSL42	246	RSTRSE362	235
RSAWR721	177	RSD781	194	RSL48	246	RSTRSE421	235
RSAWR722	177	RSD782	194	RSNTT18(A/B/C/E)	110	RSTRSE422	235
RSAWR723	178	RSD783	195	RSNTT20(A/B/C/E)	110	RSTRWE361	234
RSAWR724	178	RSD841	194	RSNTT24(A/B/C/E)	110	RSTRWE362	234
RSAWR781	177	RSD842	194	RSNTT30(A/B/C/E)	110	RSTRWE421	234
RSAWR782	177	RSD843	195	RSNTT33(A/B/C/E) (66" wide panels one only)	110	RSTRWE422	234
RSAWR783	178	RSD901	194	RSNTT36(A/B/C/E)	110	RSTSLE361	233
RSAWR841	177	RSD902	194	RSNTT42(A/B/C/E)	110	RSTSLE362	233
RSAWR842	177	RSD903	195	RSNTT48(A/B/C/E)	110	RSTSLE421	233
RSAWR843	178	RSD961	194	RSPABPD	115	RSTSLE422	233
RSAWR901	177	RSD962	194	RSPABPP	115	RSTSSE361	235
RSAWR902	177	RSD963	195	RSPABPT	115	RSTSSE362	235
RSAWR903	178	RSDHC	247	RSPABPW	115	RSTSSE421	235
RSAWR961	177	RSDHC3	248	RSPABTD	115	RSTSWE361	234
RSAWR962	177	RSDHC4	247	RSPABTT	115	RSTSWE362	234
RSAWR963	178	RSDHD1428	248, 249	RSPABTW	115	RSTSWE421	234
RSBWH20	237	RSDHD1828	248, 249	RSPABWD	115	RSTSWE422	234
RSBWH24	237	RSDHD2028	248, 249	RSPABWW	115	RSTTLE30481	233
RSBWH30	237	RSDHD2428	248, 249	RST	425	RSTTLE30482	233
RSBWH36	237	RSDHD3028	248, 249	RST1	246	RSTTLE36541	233
RSBWH42	237	RSDHL12	249	RST2	246	RSTTLE36542	233
RSBWH48	237	RSDHL15	249	RST3	246	RSTTSE30481	235
RSC	244	RSDHL20	249	RST4	246	RSTTSE30482	235
RSC4	244	RSDHL24	249	RST5	246	RSTTSE36541	235
RSD1021	194	RSDHL30	249	RST6	246	RSTTSE36542	235
RSD1022	194	RSDHL36	249	RSTDCFM(L/R)4830	221	RSTTWE30481	234
RSD1023	195	RSDHL42	249	RSTDCFM(L/R)4836	221	RSTTWE30482	234
RSD1081	194	RSDHL48	249	RSTDCFM(L/R)5430	221	RSTTWE36541	234
RSD1082	194	RSDHT1	249	RSTDCFM(L/R)5436	221	RSTTWE36542	234
RSD1083	195	RSDHT2	249	RSTDCFM(L/R)6030	221	RSWA15 18	101
RSD1427	245, 246	RSDHT3	249	RSTDCFM(L/R)6036	221	RSWA15 20	101
RSD1827	245, 246	RSDHT4	249	RSTDCFM(L/R)6630	221	RSWA15 24	101
RSD2027	245, 246	RSDHT5	249	RSTDCFM(L/R)6636	221	RSWA15 30	101
RSD241	194	RSDHT6	249	RSTDCFM(L/R)7230	221	RSWA15 36	101
RSD242	194	RSDR30	433	RSTDCFM(L/R)7236	221	RSWA15 42	101
RSD2427	245, 246	RSDR36	433	RSTDCFM(L/R)7830	221	RSWA15 48	101
RSD243	195	RSDR42	433	RSTDCFM(L/R)7836	221	RSWAD1560	102
RSD301	194	RSDR48	433	RSTDCFM(L/R)8430	221	RSWAD1572	102
RSD302	194	RSDR54	433	RSTDCFM(L/R)8436	221	RSWAD1584	102
RSD3027	245, 246	RSDR60	433	RSTDCFM(L/R)8436	221	RSWAD1596	102
RSD303	195	RSDR66	433	RSTDCPC(L/R)6030	219	RSWAD2260	102
RSD361	194	RSDR72	433	RSTDCPC(L/R)6036	219	RSWAD2272	102
RSD362	194	RSDR78	433	RSTDCPC(L/R)6630	219	RSWAD2284	102
RSD363	195	RSDR84	433	RSTDCPC(L/R)6636	219	RSWAD2296	102
RSD421	194	RSDR90	433	RSTDCPC(L/R)7230	219	RSWB15 30	101
RSD422	194	RSDR96	433	RSTDCPC(L/R)7236	219	RSWB15 36	101
RSD423	195	RSE1(L/R)	240	RSTDCPC(L/R)7830	219	RSWB15 42	101
RSD481	194	RSE2(L/R)	240	RSTDCPC(L/R)7836	219	RSWB15 48	101
RSD482	194	RSE3(L/R)	240	RSTDCPC(L/R)8430	219	RSWC30 18	101
RSD483	195	RSE4(L/R)	240	RSTDCPC(L/R)8436	219	RSWC30 20	101
RSD541	194	RSE5(L/R)	240	RSTDCST(L/R)6030	220	RSWC30 24	101
RSD542	194	RSE6(L/R)	240	RSTDCST(L/R)6036	220	RSWC30 30	101
RSD543	195	RSEDH1(L/R)	242	RSTDCST(L/R)6630	220	RSWC30 36	101
RSD601	194	RSEDH2(L/R)	242	RSTDCST(L/R)6636	220	RSWC30 42	101
RSD602	194	RSEDH3(L/R)	242	RSTDCST(L/R)7230	220	RSWC30 48	101
RSD603	195	RSEDH4(L/R)	242	RSTDCST(L/R)7236	220	RSWWA601	360
RSD604	195	RSEDH5(L/R)	242	RSTDCST(L/R)7830	220	RSWWA602	360
RSD661	194	RSEDH6(L/R)	242	RSTDCST(L/R)7836	220	RSWWA721	360
RSD662	194	RSL12	246	RSTDCST(L/R)8430	220	RSWWA722	360
RSD663	195	RSL15	246	RSTDCST(L/R)8436	220	RSWWA901	360
				RSTRLE361	233		

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSWWA902	360	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	167	RTPNM30H6	466, 467	RTPNM90H3	451, 452
RSWWA961	360	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	167	RTPNM30H7	471	RTPNM90H4	456, 457
RSWWA962	360	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	167	RTPNM30H8	475	RTPNM90H5	461, 462
RSWWA(A/B/C/D/E/F/G)601	360	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	167	RTPNM36H1	441, 442	RTPNM90H6	466
RSWWA(A/B/C/D/E/F/G)602	360	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	167	RTPNM36H2	446, 447	RTPNM96H1	441, 442
RSWWA(A/B/C/D/E/F/G)721	360	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	167	RTPNM36H3	451, 452	RTPNM96H2	446, 447
RSWWA(A/B/C/D/E/F/G)722	360	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	167	RTPNM36H4	456, 457	RTPNM96H3	451, 452
RSWWA(A/B/C/D/E/F/G)901	360	RTAT5E19S	398	RTPNM36H5	461, 462	RTPNM96H4	456, 457
RSWWA(A/B/C/D/E/F/G)902	360	RTAT5E25A	398	RTPNM36H6	466, 467	RTPNM96H5	461, 462
RSWWA(A/B/C/D/E/F/G)961	360	RTAT5E25S	398	RTPNM36H7	471	RTPNM96H6	466
RSWWA(A/B/C/D/E/F/G)962	360	RTAT5E37A	398	RTPNM36H8	475	RTPRS30H1	443, 444, 445
RSWWAWF601	360	RTAT5E37S	398	RTPNM42H1	441, 442	RTPRS30H2	448, 449, 450
RSWWAWF602	360	RTAT5E49A	398	RTPNM42H2	446, 447	RTPRS30H3	453, 454, 455
RSWWAWF721	360	RTAT5E49S	398	RTPNM42H3	451, 452	RTPRS30H4	458, 459, 460
RSWWAWF722	360	RTAT5E61A	398	RTPNM42H4	456, 457	RTPRS30H5	463, 464, 465
RSWWAWF901	360	RTAT5E61S	398	RTPNM42H5	461, 462	RTPRS30H6	468, 469, 470
RSWWAWF902	360	RTAW12036-(1/2/3)	186	RTPNM42H6	466, 467	RTPRS30H7	472, 473, 474
RSWWAWF961	360	RTAW12042-(1/2/3)	186	RTPNM42H7	471	RTPRS30H8	476, 477, 478
RSWWAWF962	360	RTAW14442-(1/2/3)	186	RTPNM42H8	475	RTPRS36H1	443, 444, 445
RSWWB601	361	RTAW16842-(1/2/3)	186	RTPNM48H1	441, 442	RTPRS36H2	448, 449, 450
RSWWB602	361	RTAW19242-(1/2/3)	186	RTPNM48H2	446, 447	RTPRS36H3	453, 454, 455
RSWWB721	361	RTAW3636-(1/2/3)	186	RTPNM48H3	451, 452	RTPRS36H4	458, 459, 460
RSWWB722	361	RTAW4242-(1/2/3)	186	RTPNM48H4	456, 457	RTPRS36H5	463, 464, 465
RSWWB901	361	RTAW6060-(1/2/3)	186	RTPNM48H5	461, 462	RTPRS36H6	468, 469, 470
RSWWB902	361	RTAW7230-(1/2/3)	186	RTPNM48H6	466, 467	RTPRS36H7	472, 473, 474
RSWWB961	361	RTAW7236-(1/2/3)	186	RTPNM48H7	471	RTPRS36H8	476, 477, 478
RSWWB962	361	RTAW7272-(1/2/3)	186	RTPNM48H8	475	RTPRS42H1	443, 444, 445
RTA12036	152	RTAW8430-(1/2/3)	186	RTPNM54H1	441, 442	RTPRS42H2	448, 449, 450
RTA12042	152	RTAW8436-(1/2/3)	186	RTPNM54H2	446, 447	RTPRS42H3	453, 454, 455
RTA12048	152	RTAW8442-(1/2/3)	186	RTPNM54H3	451, 452	RTPRS42H4	458, 459, 460
RTA14442	152	RTAW9630-(1/2/3)	186	RTPNM54H4	456, 457	RTPRS42H5	463, 464, 465
RTA14448	152	RTAW9636-(1/2/3)	186	RTPNM54H5	461, 462	RTPRS42H6	468, 469, 470
RTA16842	152	RTAW9642-(1/2/3)	186	RTPNM54H6	466	RTPRS42H7	472, 473, 474
RTA16848	152	RTLL193W	434	RTPNM60H1	441, 442	RTPRS42H8	476, 477, 478
RTA19242	152	RTLL196W	434	RTPNM60H2	446, 447	RTPRS48H1	443, 444, 445
RTA19248	152	RTLL199W	434	RTPNM60H3	451, 452	RTPRS48H2	448, 449, 450
RTA3636	152	RTLL3712W	434	RTPNM60H4	456, 457	RTPRS48H3	453, 454, 455
RTA4242	152	RTLL3718W	434	RTPNM60H5	461, 462	RTPRS48H4	458, 459, 460
RTA4848	152	RTLL376W	434	RTPNM60H6	466	RTPRS48H5	463, 464, 465
RTA6060	152	RTLT5E19S	434	RTPNM66H1	441, 442	RTPRS48H6	468, 469, 470
RTA7230	152	RTLT5E25A	434	RTPNM66H2	446, 447	RTPRS48H7	472, 473, 474
RTA7236	152	RTLT5E25S	434	RTPNM66H3	451, 452	RTPRS48H8	476, 477, 478
RTA7272	152	RTLT5E37A	434	RTPNM66H4	456, 457	RTPRS54H1	443, 444, 445
RTA8430	152	RTLT5E37S	434	RTPNM66H5	461, 462	RTPRS54H2	448, 449, 450
RTA8436	152	RTLT5E49A	434	RTPNM66H6	466	RTPRS54H3	453, 454, 455
RTA8442	152	RTLT5E49S	434	RTPNM72H1	441, 442	RTPRS54H4	458, 459, 460
RTA9630	152	RTLT5E61A	434	RTPNM72H2	446, 447	RTPRS54H5	463, 464, 465
RTA9636	152	RTLT5E61S	434	RTPNM72H3	451, 452	RTPRS54H6	468, 469, 470
RTA9642	152	RTLT5E73A	434	RTPNM72H4	456, 457	RTPRS54H7	472, 474
RTA9648	152	RTLT5E73S	434	RTPNM72H5	461, 462	RTPRS54H8	476, 478
RTA(A/B/C/D/E/F/G)12036-(1/2/3)	167	RTLT5E85A	434	RTPNM72H6	466	RTPRS60H1	443, 444, 445
RTA(A/B/C/D/E/F/G)12042-(1/2/3)	167	RTLT5E85S	434	RTPNM78H1	441, 442	RTPRS60H2	448, 449, 450
RTA(A/B/C/D/E/F/G)12048-(1/2/3)	167	RTNDC361	232	RTPNM78H2	446, 447	RTPRS60H3	453, 454, 455
RTA(A/B/C/D/E/F/G)14442-(1/2/3)	167	RTNDC362	232	RTPNM78H3	451, 452	RTPRS60H4	458, 459, 460
RTA(A/B/C/D/E/F/G)14448-(1/2/3)	167	RTNDC421	232	RTPNM78H4	456, 457	RTPRS60H5	463, 464, 465
RTA(A/B/C/D/E/F/G)16842-(1/2/3)	167	RTNDC422	232	RTPNM78H5	461, 462	RTPRS60H6	468, 469, 470
RTA(A/B/C/D/E/F/G)16848-(1/2/3)	167	RTNDC481	232	RTPNM78H6	466	RTPRS60H7	472, 474
RTA(A/B/C/D/E/F/G)19242-(1/2/3)	167	RTNDC482	232	RTPNM84H1	441, 442	RTPRS60H8	476, 478
RTA(A/B/C/D/E/F/G)19248-(1/2/3)	167	RTOP1	422	RTPNM84H2	446, 447	RTPRS66H1	443, 444, 445
RTA(A/B/C/D/E/F/G)3636-(1/2/3)	167	RTOP2	422	RTPNM84H3	451, 452	RTPRS66H2	448, 449, 450
RTA(A/B/C/D/E/F/G)4242-(1/2/3)	167	RTPNM30H1	441, 442	RTPNM84H4	456, 457	RTPRS66H3	453, 454, 455
RTA(A/B/C/D/E/F/G)4848-(1/2/3)	167	RTPNM30H2	446, 447	RTPNM84H5	461, 462	RTPRS66H4	458, 459, 460
RTA(A/B/C/D/E/F/G)6060-(1/2/3)	167	RTPNM30H3	451, 452	RTPNM84H6	466	RTPRS66H5	463, 464, 465
RTA(A/B/C/D/E/F/G)7230-(1/2/3)	167	RTPNM30H4	456, 457	RTPNM90H1	441, 442	RTPRS66H6	468, 469, 470
RTA(A/B/C/D/E/F/G)7236-(1/2/3)	167	RTPNM30H5	461, 462	RTPNM90H2	446, 447	RTPRS66H8	476

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTPRS72H1	443, 444, 445	RTSDS48481	231	RWA(A/B/C/D/E/F/G)F5432	162	RWEAWF3613	180
RTPRS72H2	448, 449, 450	RTSDS48482	231	RWA(A/B/C/D/E/F/G)F6012	162	RWEAWF3626	180
RTPRS72H3	453, 454, 455	RTSF14	428	RWA(A/B/C/D/E/F/G)F6021	162	RWEAWF3631	179
RTPRS72H4	458, 459, 460	RTSF28	428	RWA(A/B/C/D/E/F/G)F6023	162	RWEAWF3662	180
RTPRS72H5	463, 464, 465	RTST14	427	RWA(A/B/C/D/E/F/G)F6032	162	RWEAWF4213	180
RTPRS72H6	468, 470	RTTA24()	408	RWA(A/B/C/D/E/F/G)F6612	162	RWEAWF4226	180
RTPRS72H8	476	RTTA30()	408	RWA(A/B/C/D/E/F/G)F6621	162	RWEAWF4231	179
RTPRS78H1	445	RTTA36()	408	RWA(A/B/C/D/E/F/G)F6623	162	RWEAWF4262	180
RTPRS78H2	450	RTTA42()	408	RWA(A/B/C/D/E/F/G)F6632	162	RWEAWF4813	180
RTPRS78H3	455	RTTA48()	408	RWA(A/B/C/D/E/F/G)F7212	162	RWEAWF4826	180
RTPRS78H4	460	RTTA54()	408	RWA(A/B/C/D/E/F/G)F7221	162	RWEAWF4831	179
RTPRS78H5	465	RTTA60()	408	RWA(A/B/C/D/E/F/G)F7223	162	RWEAWF4862	180
RTPRS78H6	470	RTTA66()	408	RWA(A/B/C/D/E/F/G)F7232	162	RWEB7220(L/R)	357
RTPRS84H1	445	RTTA72()	408	RWAWF4212	179	RWEB7224(L/R)	357
RTPRS84H2	450	RTTAWF24()	408	RWAWF4221	179	RWEB7520(L/R)	366
RTPRS84H3	455	RTTAWF30()	408	RWAWF4223	179	RWEB7524(L/R)	366
RTPRS84H4	460	RTTAWF36()	408	RWAWF4232	179	RWEC7220(L/R)	357
RTPRS84H5	465	RTTAWF42()	408	RWAWF4812	179	RWEC7224(L/R)	357
RTPRS84H6	470	RTTAWF48()	408	RWAWF4821	179	RWEC7520(L/R)	366
RTPRS90H1	445	RTTAWF54()	408	RWAWF4823	179	RWEC7524(L/R)	366
RTPRS90H2	450	RTTAWF60()	408	RWAWF4832	179	RWED7220(L/R)	357
RTPRS90H3	455	RTTAWF66()	408	RWAWF5412	179	RWED7224(L/R)	357
RTPRS90H4	460	RTTAWF72()	408	RWAWF5421	179	RWED7520(L/R)	366
RTPRS90H5	465	RUMC3010	493	RWAWF5423	179	RWED7524(L/R)	366
RTPRS90H6	470	RUMC3610	493	RWAWF5432	179	RWHDHTB3026	426
RTPRS96H1	445	RUMC6010	494	RWAWF6012	179	RWHDHTB30H1	479
RTPRS96H2	450	RUMC7210	494	RWAWF6021	179	RWHDHTB30H2	480
RTPRS96H3	455	RUTB	238	RWAWF6023	179	RWHDHTB30H3	481
RTPRS96H4	460	RWA3623	141	RWAWF6032	179	RWHDHTB30H4	482
RTPRS96H5	465	RWA3632	141	RWAWF6612	179	RWHDHTB30H5	483
RTPRS96H6	470	RWA4212	141	RWAWF6621	179	RWHDHTB3626	426
RTRDL48301	226	RWA4221	141	RWAWF6623	179	RWHDHTB36H1	479
RTRDL48302	226	RWA4223	141	RWAWF6632	179	RWHDHTB36H2	480
RTRDL60301	226	RWA4232	141	RWAWF7212	179	RWHDHTB36H3	481
RTRDL60302	226	RWA4812	141	RWAWF7221	179	RWHDHTB36H4	482
RTRDL72301	226	RWA4821	141	RWAWF7223	179	RWHDHTB36H5	483
RTRDL72302	226	RWA4823	141	RWAWF7232	179	RWHDHTB4226	426
RTRDL72361	226	RWA4832	141	RWEA3613	142	RWHDHTB42H1	479
RTRDL72362	226	RWA5412	141	RWEA3626	142	RWHDHTB42H2	480
RTRDRL48301	227	RWA5421	141	RWEA3631	142	RWHDHTB42H3	481
RTRDRL48302	227	RWA5423	141	RWEA3662	142	RWHDHTB42H4	482
RTRDRL60301	227	RWA5432	141	RWEA4213	142	RWHDHTB42H5	483
RTRDRL60302	227	RWA6012	141	RWEA4226	142	RWHDHTB4826	426
RTRDRL72301	227	RWA6021	141	RWEA4231	142	RWHDHTB48H1	479
RTRDRL72302	227	RWA6023	141	RWEA4262	142	RWHDHTB48H2	480
RTRDRL72361	227	RWA6032	141	RWEA4813	142	RWHDHTB48H3	481
RTRDRL72362	227	RWA6612	141	RWEA4826	142	RWHDHTB48H4	482
RTRDS48301	228	RWA6621	141	RWEA4831	142	RWHDHTB48H5	483
RTRDS48302	228	RWA6623	141	RWEA4862	142	RWHDHTB54H1	479
RTRDS60301	228	RWA6632	141	RWEA7220(L/R)	357	RWHDHTB54H2	480
RTRDS60302	228	RWA7212	141	RWEA7224(L/R)	357	RWHDHTB54H3	481
RTRDS72301	228	RWA7221	141	RWEA7520(L/R)	366	RWHDHTB54H4	482
RTRDS72302	228	RWA7223	141	RWEA7524(L/R)	366	RWHDHTB54H5	483
RTRDS72361	228	RWA7232	141	RWEA(A/B/C/D/E/F/G)F3613	163	RWHDHTB60H1	479
RTRDS72362	228	RWA(A/B/C/D/E/F/G)F4212	162	RWEA(A/B/C/D/E/F/G)F3626	163	RWHDHTB60H2	480
RTSDL42421	229	RWA(A/B/C/D/E/F/G)F4221	162	RWEA(A/B/C/D/E/F/G)F3631	162	RWHDHTB60H3	481
RTSDL42422	229	RWA(A/B/C/D/E/F/G)F4223	162	RWEA(A/B/C/D/E/F/G)F3662	163	RWHDHTB60H4	482
RTSDL48481	229	RWA(A/B/C/D/E/F/G)F4232	162	RWEA(A/B/C/D/E/F/G)F4213	163	RWHDHTB60H5	483
RTSDL48482	229	RWA(A/B/C/D/E/F/G)F4812	162	RWEA(A/B/C/D/E/F/G)F4226	163	RWHDHTB66H1	479
RTSDRL42421	230	RWA(A/B/C/D/E/F/G)F4821	162	RWEA(A/B/C/D/E/F/G)F4231	162	RWHDHTB66H2	480
RTSDRL42422	230	RWA(A/B/C/D/E/F/G)F4823	162	RWEA(A/B/C/D/E/F/G)F4262	163	RWHDHTB66H3	481
RTSDRL48481	230	RWA(A/B/C/D/E/F/G)F4832	162	RWEA(A/B/C/D/E/F/G)F4813	163	RWHDHTB66H4	482
RTSDRL48482	230	RWA(A/B/C/D/E/F/G)F5412	162	RWEA(A/B/C/D/E/F/G)F4826	163	RWHDHTB66H5	483
RTSDS42421	231	RWA(A/B/C/D/E/F/G)F5421	162	RWEA(A/B/C/D/E/F/G)F4831	162	RWHDHTB72H1	479
RTSDS42422	231	RWA(A/B/C/D/E/F/G)F5423	162	RWEA(A/B/C/D/E/F/G)F4862	163	RWHDHTB72H2	480

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RWHDHTB72H3	481	YPSB2042LM	489	YPSB3224V	491	YPSB3860F	486
RWHDHTB72H4	482	YPSB2042V	491	YPSB3227F	485	YPSB3860L	488
RWHDHTB72H5	483	YPSB2048F	485	YPSB3227L	487	YPSB3860LM	490
RWHDHTB78H1	479	YPSB2048L	487	YPSB3227LM	489	YPSB3860V	492
RWHDHTB78H2	480	YPSB2048LM	489	YPSB3227V	491	YPSB3866FRR	486
RWHDHTB78H3	481	YPSB2048V	491	YPSB3230F	485	YPSB3866L	488
RWHDHTB78H4	482	YPSB2054F	485	YPSB3230L	487	YPSB3866LM	490
RWHDHTB78H5	483	YPSB2054L	487	YPSB3230LM	489	YPSB3866V	492
RWHDHTB84H1	479	YPSB2054LM	489	YPSB3230V	491	YPSB3872FRR	486
RWHDHTB84H2	480	YPSB2054V	491	YPSB3236F	485	YPSB3872L	488
RWHDHTB84H3	481	YPSB2060F	485	YPSB3236L	487	YPSB3872LM	490
RWHDHTB84H4	482	YPSB2060L	487	YPSB3236LM	489	YPSB3872V	492
RWHDHTB84H5	483	YPSB2060LM	489	YPSB3236V	491		
RWHDHTB90H1	479	YPSB2060V	491	YPSB3242F	485		
RWHDHTB90H2	480	YPSB2066FRR	485	YPSB3242L	487		
RWHDHTB90H3	481	YPSB2066L	487	YPSB3242LM	489		
RWHDHTB90H4	482	YPSB2066LM	489	YPSB3242V	491		
RWHDHTB90H5	483	YPSB2066V	491	YPSB3248F	485		
RWHDHTB96H1	479	YPSB2072FRR	485	YPSB3248L	487		
RWHDHTB96H2	480	YPSB2072L	487	YPSB3248LM	489		
RWHDHTB96H3	481	YPSB2072LM	489	YPSB3248V	491		
RWHDHTB96H4	482	YPSB2072V	491	YPSB3254F	485		
RWHDHTB96H5	483	YPSB2624F	486	YPSB3254L	487		
RWHR A	422	YPSB2624L	488	YPSB3254LM	489		
RWHR B	422	YPSB2624LM	490	YPSB3254V	491		
RWHR C	422	YPSB2624V	492	YPSB3260F	485		
RWHR D	422	YPSB2627F	486	YPSB3260L	487		
RWHR E	422	YPSB2627L	488	YPSB3260LM	489		
RWHR F	422	YPSB2627LM	490	YPSB3260V	491		
RWHR G	422	YPSB2627V	492	YPSB3266FRR	485		
RWHTB3024	426	YPSB2630F	486	YPSB3266L	487		
RWHTB3624	426	YPSB2630L	488	YPSB3266LM	489		
RWHTB4224	426	YPSB2630LM	490	YPSB3266V	491		
RWHTB4824	426	YPSB2630V	492	YPSB3272FRR	485		
RWMCT24	424	YPSB2636F	486	YPSB3272L	487		
RWMMP24	423	YPSB2636L	488	YPSB3272LM	489		
RWMMP30	423	YPSB2636LM	490	YPSB3272V	491		
RWMMP36	423	YPSB2636V	492	YPSB3824F	486		
RWMPB	423	YPSB2642F	486	YPSB3824L	488		
RWMV24	423	YPSB2642L	488	YPSB3824LM	490		
RWMVH24	423	YPSB2642LM	490	YPSB3824V	492		
RWMVH30	423	YPSB2642V	492	YPSB3827F	486		
RWMVH36	423	YPSB2648F	486	YPSB3827L	488		
RWMVP24	423	YPSB2648L	488	YPSB3827LM	490		
RWMWT24	423	YPSB2648LM	490	YPSB3827V	492		
RWMWT30	423	YPSB2648V	492	YPSB3830F	486		
RWMWT36	423	YPSB2654F	486	YPSB3830L	488		
YPSB2024F	485	YPSB2654L	488	YPSB3830LM	490		
YPSB2024L	487	YPSB2654LM	490	YPSB3830V	492		
YPSB2024LM	489	YPSB2654V	492	YPSB3836F	486		
YPSB2024V	491	YPSB2660F	486	YPSB3836L	488		
YPSB2027F	485	YPSB2660L	488	YPSB3836LM	490		
YPSB2027L	487	YPSB2660LM	490	YPSB3836V	492		
YPSB2027LM	489	YPSB2660V	492	YPSB3842F	486		
YPSB2027V	491	YPSB2666FRR	486	YPSB3842L	488		
YPSB2030F	485	YPSB2666L	488	YPSB3842LM	490		
YPSB2030L	487	YPSB2666LM	490	YPSB3842V	492		
YPSB2030LM	489	YPSB2666V	492	YPSB3848F	486		
YPSB2030V	491	YPSB2672FRR	486	YPSB3848L	488		
YPSB2036F	485	YPSB2672L	488	YPSB3848LM	490		
YPSB2036L	487	YPSB2672LM	490	YPSB3848V	492		
YPSB2036LM	489	YPSB2672V	492	YPSB3854F	486		
YPSB2036V	491	YPSB3224F	485	YPSB3854L	488		
YPSB2042F	485	YPSB3224L	487	YPSB3854LM	490		
YPSB2042L	487	YPSB3224LM	489	YPSB3854V	492		

Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
Freight Prepaid	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.</p>
Seller's Security Interest	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
Returns	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
Held Orders/Storage	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template, Antenna Workspaces and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, RPM and Sapper seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Antenna Workspaces, AutoStrada, Crinion Open Table, Reff Profiles wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (Magnusson, The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, CPU storage and all universal storage drawers.</i></p> <p><i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i></p> <p><i>2 Years: All other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Changes in surface finishes, including colorfastness due to aging or exposure to light.• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$5
HLKRKMASTER*	Master Key	\$7

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."