

PRICE LIST

Reff Profiles

July 15, 2012

Knoll

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	7
Panels	Monolithic panels 34" H	10
	Monolithic panels 42" H	16
	Monolithic panels 49" H	23
	Monolithic panels 64" H	30
	Monolithic panels 79" H	37
	Tiled panels 34" H	44
	Tiled panels 42" H	49
	Tiled panels 49" H	56
	Tiled panels 64" H	63
	Tiled panels 79" H	70
	Aluminum Reveal kits	77
	Beltway one side, window panel 49" H	84
	Beltway two sides, window panel 49" H	98
	Stacking modules	100
	Panel connection posts	105
	Panel trims and post covers	110
	Panel Accessories	112
	Ceiling cable entry posts, poles and cable infeed	113
	Ceiling cable entry post covers	115
	Rolling door and hinged door	117
	Attachment kits	118
	Floor to ceiling modules	119
	Required components	126
Power distribution components	127	
Beltway electrical components	132	
Data and Communications	134	
Reff Ported Panel Components	135	
Worksurfaces	Worksurface 1 1/4	138
	Conference 1 1/4"	154
	Optional edge details 1 1/4"	156
	Optional edge 1 1/4	157
	Waterfall Edge 1 1/4"	172
	Cascade Edge 1 1/4"	191
	Worksurface 1 1/2"	197
	Worksurface Credenza	200
	Peninsula 1 1/2	203
	Tables, 1 1/2"	238
Tables, 1"	249	
Support components	Top support components	252
	Modesty	270
Cabinetry	Pedestals, 26 1/2" planning	276
	Pedestals, 28 3/8 planning	288
	Credenzas, 28 3/8 planning	304
	Credenza Cushions	309
	Cabinets, 26 1/2" planning	310
	Cabinets, 28 3/8 planning	331
	Cabinets Progressive	352
Desktop towers	Desktop Towers	364

Overhead storage	Overhead, 26 1/2" planning	371
	Overhead, 28 3/8 planning	378
	Hutches, 28 3/8 planning	400
	Reuter overhead cabinet	411
	Reuter open shelf	414
	Reuter open overhead	415
	Reuter overhead storage	416
	Task Lights for Reuter Overhead Storage	418
	Progressive Overheads	419
Transaction tops, regular and waterfall edge	Transaction tops	428
Gallery desk surrounds	Gallery desk surrounds	430
Classic Desks	Classic Desks, 26 1/2"h and 28 3/8"h	434
Preconfigured Reff Desking	Single pedestal desks	438
	Double pedestal desks	441
	Desk returns	444
	Single pedestal credenzas	447
	Bridge assemblies	450
	Double pedestal credenzas	453
Accessories and Client Samples	Accessories	456
	Task Panels	480
	Tackboards	524
	Desk Screens	529
	Cubbies	534
Administrative / Reception	Single Wide Desk	536
	Double Wide Desk	538
	Bridge	540
	Return	542
	Shared Return One Sided	544
	Shared Return Two Sided	546
	Technology Island Peninsula	548
	Infill Panel	550
	Transaction Tops	555
	Accent Tops	558
	Cabinets	560
	Supports	564
	Accessories	565
	Tackboards	568
Wall Mounting of Knoll Products		569
Horizons Planning	Horizons - 28 3/8" Planning	571
	Side Elevations - 28 3/8" Planning	574
Alpha-Numeric Index		576
Selling Policy		601
KnollKey Lock Program		603
General Ordering Information		604

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 5/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. PolyurTM provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes:

V1 Techwood

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

*Not available on Reff optional Edges and Waterfall Edge.

V1 - Techwood Surface with matching synthetic edge:

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Natural Veneers/Premium Techwood Veneers

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V439	Straight Anigre
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)

Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are rift cut)

V2 Natural Veneer with synthetic edge

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

V3 Premium Veneer

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

(all above are quarter cut)

Glass

TEMP	Clear Tempered (G1)
------	---------------------

Architectural Glass Options: (G2)

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Back Painted Glass (G3)

GL11	Back Painted Black
GL14	Folkstone Grey
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass (G3)

GL35	Grey
GL85	Star Clear

Locks

Black and Silver

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Chery *
125	Natural Maple *
126	Natural Cherry *
127	Walnut *
128	Fog
129	Micro Sand with 119 Pumice edge band

*Woodgrain Laminate. Not available on all components.

Paint

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver

Plated

PD	Polish Chrome
PT	Brushed Pewter
PN	Black Nickel
PU	Satin Nickel

Anodized

AN	Anodized Black
AP	Anodized Polished
AU	Anodized Satin
AA	Anodized Aluminum

See matrix next page for finishes applicable by component

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Solid Surface

AW	Artic White
----	-------------

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
39	for V439
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V449
52	for V512
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427
85	for Y851
Y1	for Y341
62	for Y342
44	for Y344

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options For Panels

Grade 10
 Broadcloth II (W1619)
 Foundation (W351)
 Growth Spurt (W692)
 Symbolic Detail (W693)
 Tailor Made II (W1610/6)
 Versatility (W432)

Grade 20
 Bauhaus Block (W296A)
 Circle Line (W1146)
 Clarity (W281)
 Criss Cross (W305)
 Labyrinth (W352)★∅
 Logic (W1318)
 Photon (W1293)
 Reflect (W884)∅
 Resolution (W280)
 Weave Three (W298)

Grade 30
 Basket Draft (W249)
 Flow (W565)
 Harmony (W232)
 Interknit (W1090)
 Match Point (W1145)
 Micro (W465)*
 Progression (W403)
 Relay (W1020)▲

Grade 40
 Clarkson (W1218)
 Ornament (W1078)
 Palladium (W1030)

Grade 45
 Dristi (K872)*∅

*with backing only

▲ Monolithic panels and tackboards only

∅ May not be available in all colors.

★Non-merchandized available for purchase but samples not available.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50
 Knoll Hopsack (K1206)
 Ricochet (W498)

Grade 55
 Knoll Felt (K1207)
 Transition (W816)

Customers Own Material

Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Fabric Options For Cushions

A
 Analogy (K614)
 Bocce (K1255)
 Cats Cradle (K1290)
 Chance (K1552)
 Common Ground (K448)
 Hourglass (K1523)
 Mariner (K642)
 Metaphor (K612)
 Monarch (K1149)
 Prep (K1076)
 Presto (K1000)
 Soliloquy (K1458)
 Sonnet (K1460)
 Stacks (K528)

B
 Abacus (K715)
 Bank Shot (K134)
 Belize (K1165)
 Cameo (K1443)
 Chroma (K345)
 Chronicle (K1525)
 Classic Boucle (K162)
 Close Knit (K201)
 Dovetail (K1150)
 Fast Forward (W301)

B cont.
 Field Day (K124)
 Framework (K1447)
 Gala II (K1520)
 Grande (K180)
 Grandview (K1463)
 Knoll Felt (K1207)
 Knoll Hopsack (K1206)
 Lyric (K698)
 Mini Stitch (K1130)
 Night Life (K181)
 Paradigm (K1101)
 Pogo (K1100)
 Pop (K782)
 Ransom (K1298)
 Ricochet (K498)
 Ricochet (K498)
 Spark (K1075)
 Spotlight (K772)
 Utmost (K1325)
 Vinyl (K242)
 Zephyr (K724)
 Zipline (K1448)

C
 Atlas (K1236)
 Baxter (K1557)
 Biota (K1297)
 Charm (K1049)
 Circa (K1054)
 Cricket (HC1279)
 Decade (K1053)
 Earthwork (K1238)
 Echo (K1019)
 Empire Stripe (K1025)
 Enmesh (K1092)
 Entourage (K1389)
 Fable CR (HC1122)
 Fibra (K1105)
 Fox Trot CR (HC777)
 Highline CR (HC1064)
 Hula Hoop (K753)
 Kora CR (HC1010)
 Lore CR (HC1123)
 Moto CR (HC1002)
 Panache CR (HC1047)
 Parasol (HC1257)
 Pony Up (K1323)
 Prompt (K1505)

C cont.
 Quark (K781)
 Regard CR (HC1063)
 Rio (K1164)
 Roundtrip (K1430)
 Sahara (HC1269)
 Sandpiper CR (HC1258)
 Sequin CR (HC1009)
 Smart (K1268)
 Spectator (K1391)
 Spot On (K1324)
 Star Struck (K1048)
 Stepping Stones (K346)
 Swing (K479)
 Treble CR (HC1062)
 Vibe (K1029)
 Zari CR (HC1008)

D
 Cavalier (K217)
 Compass CR (HC1183)
 Eclat Weave (K1104)
 Harrison (K1084)
 Hologram (K500)
 Masquerade (K806)
 Menagerie (K1322)
 Obi (K1175)
 Satellite (K503)


E
 Cross Stitch (K1026)
 Katazome (K1459)
 Kimono (K1174)
 Mamba (K549)
 Whip (K1386)

F
 Century (K1051)
 Cornaro (K1320)
 Cuddle Cloth (K231)
 Groove Line (K488)
 Icon (K1028)
 Intrigue (K1551)
 Jubilee (K1445)
 Kinship (K1465)
 Rivington (K1080)
 Topography (K1052)


G
 Gibson (K1086)
 Haze (K109)
 Rattan (K138)
 Serendipity (K1528)
 Ultrasuede®(K1021)

H
 Haiku (K1479)


Panel Trim Profiles




Flat (Option A)



Square (Option B)



Bullnose (Option C)




Extruded Aluminum (Option E)


Worksurface Profiles




1 1/2", 1 1/4" and 1" Thick Standard



1 1/4" Thick Waterfall




1 1/4" Thick Cascade




1" Thick Sliding Table

NOTE: See page 156 for 7 Optional Edges which are also available.


Pull Options




Integral Wood J-Pull




C-Pull (Nickle Plated Finish Only)
7³/₈"W x 1⁵/₃₂"D




S-Pull (Stainless Steel Finish Only)
6⁵/₃₂"W x 1¹/₁₆"D




D-Pull Painted and the following Plated Finishes;
PT = Brushed Pewter
PZ = Satin Brass
7³/₄"W x 1¹³/₃₂"D




R-Cylinder
 1" diameter
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center position for 16" & 19" drawers
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from end, 1 1/2" down from top of drawers




H-Out Line
 4" wide x 1" deep
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center, 1 1/2" down from the top of drawer
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from left/right, 1 1/2" down from top of drawers




T-Tab
 short Tab: 2" wide x 1 3/4" deep
 Long Tab: 10" wide x 1 3/4" deep
 Protrudes 3/4" from drawer front
 Available in painted or plated finishes
 Position: Center line position on drawers



F-Bar Pull
 Short bar pull: 3 3/8" wide x .3" thick
 Long bar pull: 10 1/2" wide x .3" thick
 Protrudes 1" from drawer front
 Available in painted and plated finishes




G-Grommet Pull
 1 7/32" diameter
 Flush with the drawer front
 Available in painted and plated finishes
 1 pull per 60" & 72" sliding doors
 Position: 1.656" from left or right, center line vertical
 2 pulls per 90" & 108" sliding doors
 Position: 1.656" from left and right, center line vertical
 Position: Center line position on drawers



Monolithic panels 34" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	R3B0PFF3418-()()	\$619.	\$635.	\$677.	\$765.	\$819.	\$899.	\$953.
Regular acoustics	20"	34"	R3B0PFF3420-()()	619.	635.	677.	765.	819.	899.	953.
	24"	34"	R3B0PFF3424-()()	668.	684.	726.	814.	868.	948.	1,002.
	30"	34"	R3B0PFF3430-()()	712.	728.	770.	858.	912.	992.	1,046.
	36"	34"	R3B0PFF3436-()()	757.	773.	815.	903.	957.	1,037.	1,091.
	42"	34"	R3B0PFF3442-()()	869.	885.	927.	1,015.	1,069.	1,149.	1,203.
	48"	34"	R3B0PFF3448-()()	902.	918.	960.	1,048.	1,102.	1,182.	1,236.



Order Code

Example:	R3B0PFF3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
34	34" high
18	18" wide
(A)	Flat style top trim profile
(4)	4" base height
(K)	Include knockouts in base
W281	Fabric Side 1
W281	Fabric Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	R3B0PFL3418-()()	\$592.	\$600.	\$619.	\$658.	\$682.	\$716.	\$741.
	20"	34"	R3B0PFL3420-()()	592.	600.	619.	658.	682.	716.	741.
	24"	34"	R3B0PFL3424-()()	630.	638.	657.	696.	720.	754.	779.
	30"	34"	R3B0PFL3430-()()	672.	680.	699.	738.	762.	796.	821.
	36"	34"	R3B0PFL3436-()()	708.	716.	735.	774.	798.	832.	857.
	42"	34"	R3B0PFL3442-()()	806.	814.	833.	872.	896.	930.	955.
	48"	34"	R3B0PFL3448-()()	831.	839.	858.	897.	921.	955.	980.

Order Code

Example:	R3B0PFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel for this option).

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF13418-()()	\$695.	\$702.	\$724.	\$768.	\$796.	\$836.	\$865.
Regular acoustics	20"	34"	R3B0PF13420-()()	698.	705.	727.	771.	799.	839.	868.
	24"	34"	R3B0PF13424-()()	743.	750.	772.	816.	844.	884.	913.
	30"	34"	R3B0PF13430-()()	790.	797.	819.	863.	891.	931.	960.
	36"	34"	R3B0PF13436-()()	838.	845.	867.	911.	939.	979.	1,008.
	42"	34"	R3B0PF13442-()()	950.	957.	979.	1,023.	1,051.	1,091.	1,120.
	48"	34"	R3B0PF13448-()()	981.	988.	1,010.	1,054.	1,082.	1,122.	1,151.

Order Code

Example:	R3B0PF13418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF234 18-() ()	\$708.	\$715.	\$737.	\$781.	\$809.	\$849.	\$878.
Regular acoustics	20"	34"	R3B0PF234 20-() ()	711.	718.	740.	784.	812.	852.	881.
	24"	34"	R3B0PF234 24-() ()	755.	762.	784.	828.	856.	896.	925.
	30"	34"	R3B0PF234 30-() ()	806.	813.	835.	879.	907.	947.	976.
	36"	34"	R3B0PF234 36-() ()	852.	859.	881.	925.	953.	993.	1,022.
	42"	34"	R3B0PF234 42-() ()	971.	978.	1,000.	1,044.	1,072.	1,112.	1,141.
	48"	34"	R3B0PF234 48-() ()	1,000.	1,007.	1,029.	1,073.	1,101.	1,141.	1,170.



Order Code

Example:	R3B0PF23418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. *Top trim profile:*
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded aluminum

2. *Base height:*
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF334 18-() ()	\$942.	\$949.	\$971.	\$1,015.	\$1,043.	\$1,083.	\$1,112.
Regular acoustics	20"	34"	R3B0PF334 20-() ()	946.	953.	975.	1,019.	1,047.	1,087.	1,116.
	24"	34"	R3B0PF334 24-() ()	1,006.	1,013.	1,035.	1,079.	1,107.	1,147.	1,176.
	30"	34"	R3B0PF334 30-() ()	1,075.	1,082.	1,104.	1,148.	1,176.	1,216.	1,245.
	36"	34"	R3B0PF334 36-() ()	1,135.	1,142.	1,164.	1,208.	1,236.	1,276.	1,305.
	42"	34"	R3B0PF334 42-() ()	1,296.	1,303.	1,325.	1,369.	1,397.	1,437.	1,466.
	48"	34"	R3B0PF334 48-() ()	1,334.	1,341.	1,363.	1,407.	1,435.	1,475.	1,504.



Order Code	Specification Information	Application Notes
Example: R3B0PF33418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 one side	(K = with knockouts, N = without knockouts)	E = Extruded aluminum
34 34" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric Side 1	ii) Top trim profile E options:	
V512 Figured Anigre surface - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V512 Figured Anigre (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
M Optional milled frame		

Monolithic panels 34" H



Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	34"	R3B0PLL3418 () ()	\$595.
	20"	34"	R3B0PLL3420 () ()	595.
	24"	34"	R3B0PLL3424 () ()	649.
	30"	34"	R3B0PLL3430 () ()	727.
	36"	34"	R3B0PLL3436 () ()	786.
	42"	34"	R3B0PLL3442 () ()	810.
	48"	34"	R3B0PLL3448 () ()	848.

Order Code	Specification Information	Application Notes
Example: R3B0PLL3418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 34 34" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 laminate inside 5. Panel side 2 laminate outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option. All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 ³ / ₄ ". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Ported panel components to be installed below worksurface if panel 34"h.


Monolithic panels 42" H fabric both sides

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B0PFF42 18-() ()	\$563.	\$581.	\$627.	\$719.	\$791.	\$873.	\$931.
Regular acoustics	20"	42"	R3B0PFF42 20-() ()	563.	581.	627.	719.	791.	873.	931.
	24"	42"	R3B0PFF42 24-() ()	601.	619.	665.	757.	829.	911.	969.
	30"	42"	R3B0PFF42 30-() ()	655.	673.	719.	811.	883.	965.	1,023.
	36"	42"	R3B0PFF42 36-() ()	705.	723.	769.	861.	933.	1,015.	1,073.
	42"	42"	R3B0PFF42 42-() ()	757.	775.	821.	913.	985.	1,067.	1,125.
	48"	42"	R3B0PFF42 48-() ()	813.	831.	877.	969.	1,041.	1,123.	1,181.
	60"	42"	R3B0PFF42 60-() ()	920.	968.	1,062.	1,242.	1,374.	1,546.	1,652.
	66"	42"	R3B0PFF42 66-() () *	952.	1,000.	1,094.	1,274.	1,406.	1,578.	1,684.
	72"	42"	R3B0PFF42 72-() () *	983.	1,031.	1,125.	1,305.	1,437.	1,609.	1,715.
Monolithic, fabric both sides	18"	42"	R3B0PAA42 18-() ()	618.	636.	682.	774.	846.	928.	986.
High acoustics	20"	42"	R3B0PAA42 20-() ()	618.	636.	682.	774.	846.	928.	986.
	24"	42"	R3B0PAA42 24-() ()	658.	676.	722.	814.	886.	968.	1,026.
	30"	42"	R3B0PAA42 30-() ()	714.	732.	778.	870.	942.	1,024.	1,082.
	36"	42"	R3B0PAA42 36-() ()	772.	790.	836.	928.	1,000.	1,082.	1,140.
	42"	42"	R3B0PAA42 42-() ()	832.	850.	896.	988.	1,060.	1,142.	1,200.
	48"	42"	R3B0PAA42 48-() ()	893.	911.	957.	1,049.	1,121.	1,203.	1,261.
	60"	42"	R3B0PAA42 60-() () *	1,004.	1,052.	1,146.	1,326.	1,458.	1,630.	1,736.
	66"	42"	R3B0PAA42 66-() () *	1,038.	1,086.	1,180.	1,360.	1,492.	1,664.	1,770.
	72"	42"	R3B0PAA42 72-() () *	1,072.	1,120.	1,214.	1,394.	1,526.	1,698.	1,804.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 428).
R3 Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 118.
42 42" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish	Remember to specify Beltway paint finish when applicable.
(A) Flat style top trim profile	ii) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
(4) 4" base height	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
(K) Include knockouts in base	7. Base finish	*Fabric inserts of these panels are two pieces, split vertically.
W281 Fabric - Side 1	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	

Monolithic panels 42" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-() ()	\$1,110.	\$1,136.	\$1,198.	\$1,318.	\$1,390.	\$1,488.	\$1,558.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-() ()	1,110.	1,136.	1,198.	1,318.	1,390.	1,488.	1,558.
	24"	42"	R3B2PFF42 24-() ()	1,133.	1,159.	1,221.	1,341.	1,413.	1,511.	1,581.
	30"	42"	R3B2PFF42 30-() ()	1,189.	1,215.	1,277.	1,397.	1,469.	1,567.	1,637.
	36"	42"	R3B2PFF42 36-() ()	1,391.	1,417.	1,479.	1,599.	1,671.	1,769.	1,839.
	42"	42"	R3B2PFF42 42-() ()	1,496.	1,522.	1,584.	1,704.	1,776.	1,874.	1,944.
	48"	42"	R3B2PFF42 48-() ()	1,550.	1,576.	1,638.	1,758.	1,830.	1,928.	1,998.
	Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-() ()	1,094.	1,116.	1,170.	1,276.	1,348.	1,438.
Beltway one side	20"	42"	R3B1PFF42 20-() ()	1,094.	1,116.	1,170.	1,276.	1,348.	1,438.	1,502.
	24"	42"	R3B1PFF42 24-() ()	1,112.	1,134.	1,188.	1,294.	1,366.	1,456.	1,520.
	30"	42"	R3B1PFF42 30-() ()	1,168.	1,190.	1,244.	1,350.	1,422.	1,512.	1,576.
	36"	42"	R3B1PFF42 36-() ()	1,365.	1,387.	1,441.	1,547.	1,619.	1,709.	1,773.
	42"	42"	R3B1PFF42 42-() ()	1,468.	1,490.	1,544.	1,650.	1,722.	1,812.	1,876.
	48"	42"	R3B1PFF42 48-() ()	1,515.	1,537.	1,591.	1,697.	1,769.	1,859.	1,923.

Order Code

Specification Information

Application Notes

Example: R3B2PFF4218
R3 Reff Generation 3
B2 Beltway two sides
P Monolithic panel
FF Fabric on both sides
42 42" high
18 18" wide
(A) Flat style top trim profile
(4) 4" base height
(K) Include knockouts in base
W281 Fabric - Side 1 below belt
W281 Fabric - Side 1 above belt
W281 Fabric - Side 2 below belt
W281 Fabric - Side 2 above belt
V316 Maple (top trim finish)
111 Jet Black (base finish)
111 Jet Black Beltway finish

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Panel side 1 finish(s) inside below belt
- Panel side 1 finish(s) inside above belt
- Panel side 2 finish(s) outside below belt
- Panel side 2 finish(s) outside above belt
- Top trim finish
 - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
- Base finish
- Beltway finish
- Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum

2. Base height:
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

3. Beltway:
 B1 = Beltway 1 side
 B2 = Beltway 2 sides

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 428).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 118.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.



*Fabric inserts of these panels are two pieces, split vertically.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Applicable finishes are listed on page 5 and 6.

Monolithic panels 42" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PFL42 18-()()	\$485.	\$493.	\$514.	\$553.	\$586.	\$621.	\$648.
	20"	42"	R3B0PFL42 20-()()	485.	493.	514.	553.	586.	621.	648.
	24"	42"	R3B0PFL42 24-()()	491.	499.	520.	559.	592.	627.	654.
	30"	42"	R3B0PFL42 30-()()	589.	597.	618.	657.	690.	725.	752.
	36"	42"	R3B0PFL42 36-()()	637.	645.	666.	705.	738.	773.	800.
	42"	42"	R3B0PFL42 42-()()	715.	723.	745.	783.	816.	851.	878.
	48"	42"	R3B0PFL42 48-()()	778.	786.	808.	846.	879.	914.	941.
	60"	42"	R3B0PFL42 60-()()	846.	867.	907.	987.	1,046.	1,123.	1,169.
	66"	42"	R3B0PFL42 66-()()	877.	898.	937.	1,018.	1,077.	1,154.	1,200.
	72"	42"	R3B0PFL42 72-()()	909.	930.	970.	1,050.	1,109.	1,186.	1,232.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PFL42 18-()()	953.	965.	992.	1,045.	1,075.	1,119.	1,152.
	20"	42"	R3B1PFL42 20-()()	953.	965.	992.	1,045.	1,075.	1,119.	1,152.
	24"	42"	R3B1PFL42 24-()()	977.	989.	1,016.	1,069.	1,099.	1,143.	1,176.
	30"	42"	R3B1PFL42 30-()()	1,051.	1,063.	1,090.	1,143.	1,173.	1,217.	1,250.
	36"	42"	R3B1PFL42 36-()()	1,226.	1,238.	1,265.	1,318.	1,348.	1,392.	1,425.
	42"	42"	R3B1PFL42 42-()()	1,255.	1,267.	1,294.	1,347.	1,377.	1,421.	1,454.
	48"	42"	R3B1PFL42 48-()()	1,411.	1,423.	1,450.	1,503.	1,533.	1,577.	1,610.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: B0=No Beltway B1=Beltway one side 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside (for panel with beltway specify: Side 1-below belt Side 2-above belt) 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish-only for panel with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.) 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF142 18-()	\$569.	\$579.	\$602.	\$650.	\$686.	\$727.	\$757.
	20"	42"	R3B0PF142 20-()	569.	579.	602.	650.	686.	727.	757.
	24"	42"	R3B0PF142 24-()	574.	584.	607.	655.	691.	732.	762.
	30"	42"	R3B0PF142 30-()	692.	702.	725.	773.	809.	850.	880.
	36"	42"	R3B0PF142 36-()	749.	759.	782.	830.	866.	907.	937.
	42"	42"	R3B0PF142 42-()	844.	854.	877.	925.	961.	1,002.	1,032.
	48"	42"	R3B0PF142 48-()	916.	926.	949.	997.	1,033.	1,074.	1,104.
	60"	42"	R3B0PF142 60-()*	997.	1,020.	1,068.	1,161.	1,227.	1,318.	1,371.
	66"	42"	R3B0PF142 66-()*	1,036.	1,059.	1,107.	1,200.	1,266.	1,357.	1,410.
	72"	42"	R3B0PF142 72-()*	1,071.	1,094.	1,142.	1,235.	1,301.	1,392.	1,445.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF142 18-()	1,117.	1,130.	1,161.	1,223.	1,257.	1,309.	1,345.
	20"	42"	R3B1PF142 20-()	1,117.	1,130.	1,161.	1,223.	1,257.	1,309.	1,345.
	24"	42"	R3B1PF142 24-()	1,150.	1,163.	1,194.	1,256.	1,290.	1,342.	1,378.
	30"	42"	R3B1PF142 30-()	1,235.	1,248.	1,279.	1,341.	1,375.	1,427.	1,463.
	36"	42"	R3B1PF142 36-()	1,437.	1,450.	1,481.	1,543.	1,577.	1,629.	1,665.
	42"	42"	R3B1PF142 42-()	1,476.	1,489.	1,520.	1,582.	1,616.	1,668.	1,704.
	48"	42"	R3B1PF142 48-()	1,661.	1,674.	1,705.	1,767.	1,801.	1,853.	1,889.

Order Code	Specification Information	Application Notes
Example: R3B0PF14218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway specify: Side 1, Below belt Side 2, Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF242 18-() ()	\$577.	\$587.	\$610.	\$658.	\$694.	\$735.	\$765.
	20"	42"	R3B0PF242 20-() ()	577.	587.	610.	658.	694.	735.	765.
	24"	42"	R3B0PF242 24-() ()	587.	597.	620.	668.	704.	745.	775.
	30"	42"	R3B0PF242 30-() ()	705.	715.	738.	786.	822.	863.	893.
	36"	42"	R3B0PF242 36-() ()	761.	771.	794.	842.	878.	919.	949.
	42"	42"	R3B0PF242 42-() ()	858.	868.	891.	939.	975.	1,016.	1,046.
	48"	42"	R3B0PF242 48-() ()	934.	944.	967.	1,015.	1,051.	1,092.	1,122.
	60"	42"	R3B0PF242 60-() (*)	1,010.	1,033.	1,081.	1,174.	1,240.	1,331.	1,384.
	66"	42"	R3B0PF242 66-() (*)	1,052.	1,075.	1,123.	1,216.	1,282.	1,373.	1,426.
	72"	42"	R3B0PF242 72-() (*)	1,087.	1,110.	1,158.	1,251.	1,317.	1,408.	1,461.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF242 18-() ()	1,143.	1,156.	1,187.	1,249.	1,283.	1,335.	1,371.
	20"	42"	R3B1PF242 20-() ()	1,143.	1,156.	1,187.	1,249.	1,283.	1,335.	1,371.
	24"	42"	R3B1PF242 24-() ()	1,167.	1,180.	1,211.	1,273.	1,307.	1,359.	1,395.
	30"	42"	R3B1PF242 30-() ()	1,261.	1,274.	1,305.	1,367.	1,401.	1,453.	1,489.
	36"	42"	R3B1PF242 36-() ()	1,466.	1,479.	1,510.	1,572.	1,606.	1,658.	1,694.
	42"	42"	R3B1PF242 42-() ()	1,505.	1,518.	1,549.	1,611.	1,645.	1,697.	1,733.
	48"	42"	R3B1PF242 48-() ()	1,689.	1,702.	1,733.	1,795.	1,829.	1,881.	1,917.

Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1- Below Beltway Side 2- Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish - (only for panels with Beltway option) 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF342 18-() ()	\$764.	\$774.	\$797.	\$845.	\$881.	\$922.	\$952.
	20"	42"	R3B0PF342 20-() ()	764.	774.	797.	845.	881.	922.	952.
	24"	42"	R3B0PF342 24-() ()	776.	786.	809.	857.	893.	934.	964.
	30"	42"	R3B0PF342 30-() ()	934.	944.	967.	1,015.	1,051.	1,092.	1,122.
	36"	42"	R3B0PF342 36-() ()	1,012.	1,022.	1,045.	1,093.	1,129.	1,170.	1,200.
	42"	42"	R3B0PF342 42-() ()	1,141.	1,151.	1,174.	1,222.	1,258.	1,299.	1,329.
	48"	42"	R3B0PF342 48-() ()	1,246.	1,256.	1,279.	1,327.	1,363.	1,404.	1,434.
	60"	42"	R3B0PF342 60-() ()*	1,332.	1,355.	1,403.	1,496.	1,562.	1,653.	1,706.
	66"	42"	R3B0PF342 66-() ()*	1,388.	1,411.	1,459.	1,552.	1,618.	1,709.	1,762.
	72"	42"	R3B0PF342 72-() ()*	1,436.	1,459.	1,507.	1,600.	1,666.	1,757.	1,810.
Monolithic, fabric one side Beltway fabric side 	18"	42"	R3B1PF342 18-() ()	1,526.	1,539.	1,570.	1,632.	1,666.	1,718.	1,754.
	20"	42"	R3B1PF342 20-() ()	1,526.	1,539.	1,570.	1,632.	1,666.	1,718.	1,754.
	24"	42"	R3B1PF342 24-() ()	1,559.	1,572.	1,603.	1,665.	1,699.	1,751.	1,787.
	30"	42"	R3B1PF342 30-() ()	1,685.	1,698.	1,729.	1,791.	1,825.	1,877.	1,913.
	36"	42"	R3B1PF342 36-() ()	1,964.	1,977.	2,008.	2,070.	2,104.	2,156.	2,192.
	42"	42"	R3B1PF342 42-() ()	2,015.	2,028.	2,059.	2,121.	2,155.	2,207.	2,243.
	48"	42"	R3B1PF342 48-() ()	2,266.	2,279.	2,310.	2,372.	2,406.	2,458.	2,494.

Order Code	Specification Information	Application Notes
Example: R3B0PF34218-A4K R3 Reff Generation 3 B0 No Beltway, B1=Beltway, one side P Monolithic panel F3 Fabric one side, V3 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1=Below Beltway Side 2=Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway option) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	R3B0PLL4218 () ()	\$630.
	20"	42"	R3B0PLL4220 () ()	630.
	24"	42"	R3B0PLL4224 () ()	687.
	30"	42"	R3B0PLL4230 () ()	769.
	36"	42"	R3B0PLL4236 () ()	831.
	42"	42"	R3B0PLL4242 () ()	914.
	48"	42"	R3B0PLL4248 () ()	1,023.
	60"	42"	R3B0PLL4260 () ()*	1,105.
	66"	42"	R3B0PLL4266 () ()*	1,139.
	72"	42"	R3B0PLL4272 () ()*	1,172.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
LL Laminate both sides	4. Panel side 1 inside	Applicable finishes are listed on page 5 and 6.
42 42" high	5. Panel side 2 outside	Product on this page will accept woodgrain laminate where laminate is currently an option.
18 18" wide	6. Top trim finish <i>i</i>)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 ³ / ₄ ".
A Flat style top trim profile	7. Base finish	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Remember to specify Beltway paint finish when applicable.
K Include knockouts in base		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
118 Laminate - side 1		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
118 Laminate - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 49" H fabric both sides


description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	49"	R3B0PFF49 18-() ()	\$631.	\$659.	\$713.	\$825.	\$899.	\$999.	\$1,061.	
Regular acoustics	20"	49"	R3B0PFF49 20-() ()	631.	659.	713.	825.	899.	999.	1,061.	
	24"	49"	R3B0PFF49 24-() ()	673.	701.	755.	867.	941.	1,041.	1,103.	
	30"	49"	R3B0PFF49 30-() ()	731.	759.	813.	925.	999.	1,099.	1,161.	
	36"	49"	R3B0PFF49 36-() ()	765.	793.	847.	959.	1,033.	1,133.	1,195.	
	42"	49"	R3B0PFF49 42-() ()	825.	853.	907.	1,019.	1,093.	1,193.	1,255.	
	48"	49"	R3B0PFF49 48-() ()	906.	934.	988.	1,100.	1,174.	1,274.	1,336.	
	60"	49"	R3B0PFF49 60-() ()*	1,046.	1,094.	1,200.	1,424.	1,576.	1,774.	1,896.	
	66"	49"	R3B0PFF49 66-() ()*	1,080.	1,128.	1,234.	1,458.	1,610.	1,808.	1,930.	
	72"	49"	R3B0PFF49 72-() ()*	1,112.	1,160.	1,266.	1,490.	1,642.	1,840.	1,962.	
	Monolithic, fabric both sides	18"	49"	R3B0PAA49 18-() ()	688.	716.	770.	882.	956.	1,056.	1,118.
	High acoustics	20"	49"	R3B0PAA49 20-() ()	688.	716.	770.	882.	956.	1,056.	1,118.
	24"	49"	R3B0PAA49 24-() ()	736.	764.	818.	930.	1,004.	1,104.	1,166.	
	30"	49"	R3B0PAA49 30-() ()	799.	827.	881.	993.	1,067.	1,167.	1,229.	
	36"	49"	R3B0PAA49 36-() ()	837.	865.	919.	1,031.	1,105.	1,205.	1,267.	
	42"	49"	R3B0PAA49 42-() ()	905.	933.	987.	1,099.	1,173.	1,273.	1,335.	
	48"	49"	R3B0PAA49 48-() ()	993.	1,021.	1,075.	1,187.	1,261.	1,361.	1,423.	
	60"	49"	R3B0PAA49 60-() ()*	1,136.	1,184.	1,290.	1,514.	1,666.	1,864.	1,986.	
	66"	49"	R3B0PAA49 66-() ()*	1,176.	1,224.	1,330.	1,554.	1,706.	1,904.	2,026.	
	72"	49"	R3B0PAA49 72-() ()*	1,216.	1,264.	1,370.	1,594.	1,746.	1,944.	2,066.	

Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Applicable finishes are listed on page 5 and 6.
49 49" high	5. Panel side 2 finish(s) outside	*Fabric inserts of these panels are two pieces, split vertically.
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
A Flat style top trim profile	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Remember to specify Beltway paint finish when applicable.
K Include knockouts in base		*These panel widths do not accept stacking modules.
W281 Fabric - Side 1		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 49" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B2PFF49 18-()()	\$1,140.	\$1,176.	\$1,250.	\$1,370.	\$1,456.	\$1,580.	\$1,658.
Beltway two sides, regular acoustics	20"	49"	R3B2PFF49 20-()()	1,140.	1,176.	1,250.	1,370.	1,456.	1,580.	1,658.
	24"	49"	R3B2PFF49 24-()()	1,164.	1,200.	1,274.	1,394.	1,480.	1,604.	1,682.
	30"	49"	R3B2PFF49 30-()()	1,223.	1,259.	1,333.	1,453.	1,539.	1,663.	1,741.
	36"	49"	R3B2PFF49 36-()()	1,443.	1,479.	1,553.	1,673.	1,759.	1,883.	1,961.
	42"	49"	R3B2PFF49 42-()()	1,553.	1,589.	1,663.	1,783.	1,869.	1,993.	2,071.
	48"	49"	R3B2PFF49 48-()()	1,609.	1,645.	1,719.	1,839.	1,925.	2,049.	2,127.



Monolithic, fabric both sides	18"	49"	R3B1PFF49 18-()()	1,120.	1,152.	1,216.	1,332.	1,412.	1,524.	1,594.
Beltway one side	20"	49"	R3B1PFF49 20-()()	1,120.	1,152.	1,216.	1,332.	1,412.	1,524.	1,594.
	24"	49"	R3B1PFF49 24-()()	1,142.	1,174.	1,238.	1,354.	1,434.	1,546.	1,616.
	30"	49"	R3B1PFF49 30-()()	1,197.	1,229.	1,293.	1,409.	1,489.	1,601.	1,671.
	36"	49"	R3B1PFF49 36-()()	1,416.	1,448.	1,512.	1,628.	1,708.	1,820.	1,890.
	42"	49"	R3B1PFF49 42-()()	1,521.	1,553.	1,617.	1,733.	1,813.	1,925.	1,995.
	48"	49"	R3B1PFF49 48-()()	1,576.	1,607.	1,671.	1,787.	1,867.	1,979.	2,049.



Order Code	Specification Information	Application Notes
Example: R3B2PFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B2 Beltway, both sides	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
FF Fabric on both sides	4. Panel 1 finish(s) Below Belt	6" Raceway option increases panel height by 2 ³ / ₄ ".
49 49" high	5. Panel 2 finish(s) Above Belt	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Panel 2 finish(s) Below Belt	*Fabric inserts of these panels are two pieces, split vertically.
A Flat style top trim profile	7. Panel 2 finish(s) Above Belt	
4 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
K Include knockouts in base	9. Base finish	
W281 Side 1 - Below Belt	10. Beltway finish	
W281 Side 1 - Above Belt		
W281 Side 2 - Below Belt		
W281 Side 2 - Above Belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
111 Beltway finish		

Monolithic panels 49" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PFL49 18-() ()	\$536.	\$551.	\$573.	\$624.	\$656.	\$700.	\$728.
	20"	49"	R3B0PFL49 20-() ()	536.	551.	573.	624.	656.	700.	728.
	24"	49"	R3B0PFL49 24-() ()	586.	601.	623.	674.	706.	750.	778.
	30"	49"	R3B0PFL49 30-() ()	664.	679.	701.	752.	784.	828.	856.
	36"	49"	R3B0PFL49 36-() ()	716.	731.	753.	804.	836.	880.	908.
	42"	49"	R3B0PFL49 42-() ()	791.	806.	828.	879.	911.	955.	983.
	48"	49"	R3B0PFL49 48-() ()	890.	905.	927.	978.	1,010.	1,054.	1,082.
	60"	49"	R3B0PFL49 60-() () *	970.	990.	1,039.	1,136.	1,203.	1,293.	1,345.
	66"	49"	R3B0PFL49 66-() () *	998.	1,018.	1,067.	1,164.	1,231.	1,321.	1,373.
	72"	49"	R3B0PFL49 72-() () *	1,032.	1,052.	1,101.	1,198.	1,265.	1,355.	1,407.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PFL49 18-() ()	969.	985.	1,016.	1,071.	1,107.	1,161.	1,199.
	20"	49"	R3B1PFL49 20-() ()	969.	985.	1,016.	1,071.	1,107.	1,161.	1,199.
	24"	49"	R3B1PFL49 24-() ()	1,009.	1,025.	1,056.	1,111.	1,147.	1,201.	1,239.
	30"	49"	R3B1PFL49 30-() ()	1,084.	1,100.	1,131.	1,186.	1,222.	1,276.	1,314.
	36"	49"	R3B1PFL49 36-() ()	1,303.	1,319.	1,350.	1,405.	1,441.	1,495.	1,533.
	42"	49"	R3B1PFL49 42-() ()	1,422.	1,438.	1,469.	1,524.	1,560.	1,614.	1,652.
	48"	49"	R3B1PFL49 48-() ()	1,500.	1,516.	1,547.	1,602.	1,638.	1,692.	1,730.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option, please specify, Side 1 - Below Beltway Side 1 - Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 49" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF149 18-() ()	\$631.	\$647.	\$673.	\$730.	\$770.	\$818.	\$852.
	20"	49"	R3B0PF149 20-() ()	631.	647.	673.	730.	770.	818.	852.
	24"	49"	R3B0PF149 24-() ()	689.	705.	731.	788.	828.	876.	910.
	30"	49"	R3B0PF149 30-() ()	785.	801.	827.	884.	924.	972.	1,006.
	36"	49"	R3B0PF149 36-() ()	841.	857.	883.	940.	980.	1,028.	1,062.
	42"	49"	R3B0PF149 42-() ()	931.	947.	973.	1,030.	1,070.	1,118.	1,152.
	48"	49"	R3B0PF149 48-() ()	1,046.	1,062.	1,088.	1,145.	1,185.	1,233.	1,267.
	60"	49"	R3B0PF149 60-() () *	1,138.	1,164.	1,220.	1,333.	1,410.	1,510.	1,574.
	66"	49"	R3B0PF149 66-() () *	1,171.	1,197.	1,253.	1,366.	1,443.	1,543.	1,607.
	72"	49"	R3B0PF149 72-() () *	1,212.	1,238.	1,294.	1,407.	1,484.	1,584.	1,648.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF149 18-() ()	1,143.	1,160.	1,199.	1,260.	1,302.	1,366.	1,406.
	20"	49"	R3B1PF149 20-() ()	1,143.	1,160.	1,199.	1,260.	1,302.	1,366.	1,406.
	24"	49"	R3B1PF149 24-() ()	1,184.	1,201.	1,240.	1,301.	1,343.	1,407.	1,447.
	30"	49"	R3B1PF149 30-() ()	1,273.	1,290.	1,329.	1,390.	1,432.	1,496.	1,536.
	36"	49"	R3B1PF149 36-() ()	1,530.	1,547.	1,586.	1,647.	1,689.	1,753.	1,793.
	42"	49"	R3B1PF149 42-() ()	1,674.	1,691.	1,730.	1,791.	1,833.	1,897.	1,937.
	48"	49"	R3B1PF149 48-() ()	1,761.	1,778.	1,817.	1,878.	1,920.	1,984.	2,024.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top rim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panel with Beltway, please specify:	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 49" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF249 18-() ()	\$642.	\$658.	\$684.	\$741.	\$781.	\$829.	\$863.
	20"	49"	R3B0PF249 20-() ()	642.	658.	684.	741.	781.	829.	863.
	24"	49"	R3B0PF249 24-() ()	703.	719.	745.	802.	842.	890.	924.
	30"	49"	R3B0PF249 30-() ()	797.	813.	839.	896.	936.	984.	1,018.
	36"	49"	R3B0PF249 36-() ()	857.	873.	899.	956.	996.	1,044.	1,078.
	42"	49"	R3B0PF249 42-() ()	948.	964.	990.	1,047.	1,087.	1,135.	1,169.
	48"	49"	R3B0PF249 48-() ()	1,069.	1,085.	1,111.	1,168.	1,208.	1,256.	1,290.
	60"	49"	R3B0PF249 60-() * ()	1,159.	1,185.	1,241.	1,354.	1,431.	1,531.	1,595.
	66"	49"	R3B0PF249 66-() * ()	1,196.	1,222.	1,278.	1,391.	1,468.	1,568.	1,632.
	72"	49"	R3B0PF249 72-() * ()	1,233.	1,259.	1,315.	1,428.	1,505.	1,605.	1,669.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF249 18-() ()	1,164.	1,181.	1,220.	1,281.	1,323.	1,387.	1,427.
	20"	49"	R3B1PF249 20-() ()	1,164.	1,181.	1,220.	1,281.	1,323.	1,387.	1,427.
	24"	49"	R3B1PF249 24-() ()	1,206.	1,223.	1,262.	1,323.	1,365.	1,429.	1,469.
	30"	49"	R3B1PF249 30-() ()	1,300.	1,317.	1,356.	1,417.	1,459.	1,523.	1,563.
	36"	49"	R3B1PF249 36-() ()	1,562.	1,579.	1,618.	1,679.	1,721.	1,785.	1,825.
	42"	49"	R3B1PF249 42-() ()	1,702.	1,719.	1,758.	1,819.	1,861.	1,925.	1,965.
	48"	49"	R3B1PF249 48-() ()	1,790.	1,807.	1,846.	1,907.	1,949.	2,013.	2,053.

Order Code	Specification Information	Application Notes
Example: R3B0PF24918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 49 49" high 18 18" wide A Flat style top trim option 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 49" H


fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF349 18- () ()	\$848.	\$864.	\$890.	\$947.	\$987.	\$1,035.	\$1,069.
	20"	49"	R3B0PF349 20- () ()	848.	864.	890.	947.	987.	1,035.	1,069.
	24"	49"	R3B0PF349 24- () ()	929.	945.	971.	1,028.	1,068.	1,116.	1,150.
	30"	49"	R3B0PF349 30- () ()	1,058.	1,074.	1,100.	1,157.	1,197.	1,245.	1,279.
	36"	49"	R3B0PF349 36- () ()	1,139.	1,155.	1,181.	1,238.	1,278.	1,326.	1,361.
	42"	49"	R3B0PF349 42- () ()	1,260.	1,276.	1,302.	1,359.	1,399.	1,447.	1,481.
	48"	49"	R3B0PF349 48- () ()	1,423.	1,439.	1,465.	1,522.	1,562.	1,610.	1,644.
	60"	49"	R3B0PF349 60- () ()*	1,527.	1,553.	1,609.	1,722.	1,799.	1,899.	1,963.
	66"	49"	R3B0PF349 66- () ()*	1,577.	1,603.	1,659.	1,772.	1,849.	1,949.	2,013.
	72"	49"	R3B0PF349 72- () ()*	1,625.	1,651.	1,707.	1,820.	1,897.	1,997.	2,061.
Monolithic, fabric one side Beltway fabric side 	18"	49"	R3B1PF349 18- () ()	1,550.	1,567.	1,606.	1,667.	1,709.	1,773.	1,813.
	20"	49"	R3B1PF349 20- () ()	1,550.	1,567.	1,606.	1,667.	1,709.	1,773.	1,813.
	24"	49"	R3B1PF349 24- () ()	1,610.	1,627.	1,666.	1,727.	1,769.	1,833.	1,873.
	30"	49"	R3B1PF349 30- () ()	1,735.	1,752.	1,791.	1,852.	1,894.	1,958.	1,998.
	36"	49"	R3B1PF349 36- () ()	2,090.	2,107.	2,146.	2,207.	2,249.	2,313.	2,353.
	42"	49"	R3B1PF349 42- () ()	2,280.	2,297.	2,336.	2,397.	2,439.	2,503.	2,543.
	48"	49"	R3B1PF349 48- () ()	2,399.	2,416.	2,455.	2,516.	2,558.	2,622.	2,662.

Order Code	Specification Information	Application Notes
Example: R3B0PF34918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F3 Fabric one side, V3 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Panel side 2 finish(s) outside	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim option	7. Base finish	Applicable finishes are listed on page 5 and 6.
4 4" base height	8. Beltway finish - only for panels with Beltway	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
111 Jet Black (base finish)		Remember to specify Beltway paint finish when applicable.
M Optional milled frame		*These panel widths do not accept stacking modules.



Monolithic panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	49"	R3B0PLL4918() ()	\$748.
	20"	49"	R3B0PLL4920() ()	748.
	24"	49"	R3B0PLL4924() ()	816.
	30"	49"	R3B0PLL4930() ()	914.
	36"	49"	R3B0PLL4936() ()	987.
	42"	49"	R3B0PLL4942() ()	1,085.
	48"	49"	R3B0PLL4948() ()	1,215.
	60"	49"	R3B0PLL4960() ()*	1,312.
	66"	49"	R3B0PLL4966() ()*	1,351.
	72"	49"	R3B0PLL4972() ()*	1,392.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


Monolithic panels 64" H fabric both sides

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	64"	R3B0PFF64 18-() ()	\$727.	\$761.	\$831.	\$973.	\$1,073.	\$1,203.	\$1,287.	
Regular acoustics	20"	64"	R3B0PFF64 20-() ()	727.	761.	831.	973.	1,073.	1,203.	1,287.	
	24"	64"	R3B0PFF64 24-() ()	770.	804.	874.	1,016.	1,116.	1,246.	1,330.	
	30"	64"	R3B0PFF64 30-() ()	828.	862.	932.	1,074.	1,174.	1,304.	1,387.	
	36"	64"	R3B0PFF64 36-() ()	849.	883.	953.	1,095.	1,195.	1,325.	1,409.	
	42"	64"	R3B0PFF64 42-() ()	988.	1,022.	1,092.	1,234.	1,334.	1,464.	1,548.	
	48"	64"	R3B0PFF64 48-() ()	1,046.	1,080.	1,150.	1,292.	1,392.	1,522.	1,606.	
	60"	64"	R3B0PFF64 60-() () *	1,213.	1,289.	1,423.	1,721.	1,927.	2,183.	2,353.	
	66"	64"	R3B0PFF64 66-() () *	1,252.	1,328.	1,462.	1,760.	1,966.	2,222.	2,392.	
	72"	64"	R3B0PFF64 72-() () *	1,293.	1,369.	1,503.	1,801.	2,007.	2,263.	2,433.	
	Monolithic, fabric both sides	18"	64"	R3B0PAA64 18-() ()	791.	825.	895.	1,037.	1,137.	1,267.	1,351.
	High acoustics	20"	64"	R3B0PAA64 20-() ()	791.	825.	895.	1,037.	1,137.	1,267.	1,351.
	24"	64"	R3B0PAA64 24-() ()	844.	878.	948.	1,090.	1,190.	1,320.	1,404.	
	30"	64"	R3B0PAA64 30-() ()	905.	939.	1,009.	1,151.	1,251.	1,381.	1,465.	
	36"	64"	R3B0PAA64 36-() ()	927.	961.	1,031.	1,173.	1,273.	1,403.	1,487.	
	42"	64"	R3B0PAA64 42-() ()	1,085.	1,119.	1,189.	1,331.	1,431.	1,561.	1,645.	
	48"	64"	R3B0PAA64 48-() ()	1,148.	1,182.	1,252.	1,394.	1,494.	1,624.	1,708.	
	60"	64"	R3B0PAA64 60-() () *	1,317.	1,393.	1,527.	1,825.	2,031.	2,287.	2,457.	
	66"	64"	R3B0PAA64 66-() () *	1,361.	1,437.	1,571.	1,869.	2,075.	2,331.	2,501.	
	72"	64"	R3B0PAA64 72-() () *	1,405.	1,481.	1,615.	1,913.	2,119.	2,375.	2,545.	

Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p>
R3	Reff Generation 3	
B0	No Beltway	
P	Monolithic panel	
FF	Fabric on both sides	
64	64" high	
18	18" wide	
A	Flat style top trim profile	
4	4" base height	
K	Include knockouts in base	
W281	Fabric - Side 1	
W281	Fabric - Side 2	
V316	Maple (top trim finish)	
111	Jet Black (base finish)	
M	Optional milled frame	
	<p>1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p>	
	<p>3. Knockout option (K = with knockouts, N = without knockouts)</p> <p>4. Panel side 1 finish(s) inside</p> <p>5. Panel side 2 finish(s) outside</p> <p>6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver</p> <p>7. Base finish</p> <p>8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable</p>	

Monolithic panels 64" H fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-() ()	\$1,247.	\$1,283.	\$1,367.	\$1,541.	\$1,653.	\$1,811.	\$1,917.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-() ()	1,247.	1,283.	1,367.	1,541.	1,653.	1,811.	1,917.
	24"	64"	R3B2PFF64 24-() ()	1,308.	1,344.	1,428.	1,602.	1,714.	1,872.	1,978.
	30"	64"	R3B2PFF64 30-() ()	1,338.	1,374.	1,458.	1,632.	1,744.	1,902.	2,008.
	36"	64"	R3B2PFF64 36-() ()	1,619.	1,655.	1,739.	1,913.	2,025.	2,183.	2,289.
	42"	64"	R3B2PFF64 42-() ()	1,732.	1,768.	1,852.	2,026.	2,138.	2,296.	2,402.
	48"	64"	R3B2PFF64 48-() ()	1,790.	1,826.	1,910.	2,084.	2,196.	2,354.	2,460.





Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-() ()	1,220.	1,255.	1,332.	1,490.	1,596.	1,740.	1,835.
Beltway one side	20"	64"	R3B1PFF64 20-() ()	1,220.	1,255.	1,332.	1,490.	1,596.	1,740.	1,835.
	24"	64"	R3B1PFF64 24-() ()	1,275.	1,310.	1,387.	1,545.	1,651.	1,795.	1,890.
	30"	64"	R3B1PFF64 30-() ()	1,305.	1,340.	1,417.	1,575.	1,681.	1,825.	1,920.
	36"	64"	R3B1PFF64 36-() ()	1,584.	1,619.	1,696.	1,854.	1,960.	2,104.	2,199.
	42"	64"	R3B1PFF64 42-() ()	1,693.	1,728.	1,805.	1,963.	2,069.	2,213.	2,308.
	48"	64"	R3B1PFF64 48-() ()	1,746.	1,781.	1,858.	2,016.	2,122.	2,266.	2,361.

Order Code	Specification Information	Application Notes	
Example: R3B2PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>3. <i>Knockout option</i> (K = with knockouts, N = without knockouts)</p> <p>4. Panel side 1 finish(s) Below Belt</p> <p>5. Panel side 1 finish(s) Above Belt</p> <p>6. Panel side 2 finish(s) Below Belt</p> <p>7. Panel side 2 finish(s) Above Belt</p> <p>8. Base finish</p> <p>9. Beltway finish</p> <p>10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable</p>	
R3	Reff Generation 3		
B2	Beltway both sides, B1=Beltway, one side		
P	Monolithic panel		
FF	Fabric on both sides		
64	64" high		
18	18" wide		
A	Flat style top trim profile		
4	4" base height		
K	Include knockouts in base		
W281	Fabric - Side 1 Below belt	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p>	
W281	Fabric - Side 1 Above belt		
W281	Fabric - Side 2 Below belt		
W281	Fabric - Side 2 Above belt		
V316	Maple (top trim finish)		
111	Jet Black (base finish)		
111	Beltway finish		
			<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>Beltways; B1 = Beltway 1 side B2 = Beltway 2 side</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Monolithic panels 64" H


fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PFL64 18-() ()	\$637.	\$653.	\$682.	\$746.	\$789.	\$847.	\$885.
	20"	64"	R3B0PFL64 20-() ()	637.	653.	682.	746.	789.	847.	885.
	24"	64"	R3B0PFL64 24-() ()	701.	717.	746.	810.	853.	911.	949.
	30"	64"	R3B0PFL64 30-() ()	791.	807.	836.	900.	943.	1,001.	1,039.
	36"	64"	R3B0PFL64 36-() ()	853.	859.	898.	962.	1,005.	1,063.	1,101.
	42"	64"	R3B0PFL64 42-() ()	945.	961.	990.	1,054.	1,097.	1,155.	1,193.
	48"	64"	R3B0PFL64 48-() ()	1,064.	1,080.	1,109.	1,173.	1,216.	1,274.	1,312.
	60"	64"	R3B0PFL64 60-() () *	1,151.	1,185.	1,245.	1,378.	1,467.	1,582.	1,656.
	66"	64"	R3B0PFL64 66-() () *	1,191.	1,225.	1,285.	1,418.	1,507.	1,622.	1,696.
	72"	64"	R3B0PFL64 72-() ()	1,230.	1,264.	1,324.	1,454.	1,546.	1,661.	1,735.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PFL64 18-() ()	1,081.	1,098.	1,135.	1,213.	1,260.	1,329.	1,379.
	20"	64"	R3B1PFL64 20-() ()	1,081.	1,098.	1,135.	1,213.	1,260.	1,329.	1,379.
	24"	64"	R3B1PFL64 24-() ()	1,154.	1,171.	1,208.	1,286.	1,333.	1,402.	1,452.
	30"	64"	R3B1PFL64 30-() ()	1,223.	1,240.	1,277.	1,355.	1,402.	1,471.	1,521.
	36"	64"	R3B1PFL64 36-() ()	1,520.	1,537.	1,574.	1,652.	1,699.	1,768.	1,818.
	42"	64"	R3B1PFL64 42-() ()	1,578.	1,595.	1,632.	1,710.	1,757.	1,826.	1,876.
	48"	64"	R3B1PFL64 48-() ()	1,706.	1,723.	1,760.	1,838.	1,885.	1,954.	2,004.

Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify:	4 = 4" base height
A Flat style top trim profile	Side 1-Below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1-Above belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
114 Folkstone grey - side 2	i) Top trim profile A, B or C	6" Raceway option increases panel height by 2 3/4".
V316 Maple (top trim finish)	options:	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	Product on this page will accept woodgrain laminate where laminate is currently an option.
M Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish when applicable.
	7. Base finish	*These panel widths do not accept stacking modules.
	8. Beltway finish - only for panels with Beltway	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 64" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF164 18-() ()	\$748.	\$765.	\$802.	\$875.	\$924.	\$991.	\$1,035.
	20"	64"	R3B0PF164 20-() ()	748.	765.	802.	875.	924.	991.	1,035.
	24"	64"	R3B0PF164 24-() ()	821.	838.	875.	948.	997.	1,064.	1,108.
	30"	64"	R3B0PF164 30-() ()	930.	947.	984.	1,057.	1,106.	1,173.	1,217.
	36"	64"	R3B0PF164 36-() ()	1,004.	1,021.	1,058.	1,131.	1,180.	1,247.	1,291.
	42"	64"	R3B0PF164 42-() ()	1,111.	1,128.	1,165.	1,238.	1,287.	1,354.	1,398.
	48"	64"	R3B0PF164 48-() ()	1,252.	1,269.	1,306.	1,379.	1,428.	1,495.	1,539.
	60"	64"	R3B0PF164 60-() () *	1,355.	1,395.	1,463.	1,615.	1,718.	1,851.	1,938.
	66"	64"	R3B0PF164 66-() () *	1,402.	1,442.	1,510.	1,662.	1,765.	1,898.	1,985.
	72"	64"	R3B0PF164 72-() () *	1,448.	1,488.	1,556.	1,708.	1,811.	1,944.	2,031.



Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF164 18-() ()	1,271.	1,287.	1,331.	1,419.	1,475.	1,556.	1,612.
	20"	64"	R3B1PF164 20-() ()	1,271.	1,287.	1,331.	1,419.	1,475.	1,556.	1,612.
	24"	64"	R3B1PF164 24-() ()	1,354.	1,370.	1,414.	1,502.	1,558.	1,639.	1,695.
	30"	64"	R3B1PF164 30-() ()	1,438.	1,454.	1,498.	1,586.	1,642.	1,723.	1,779.
	36"	64"	R3B1PF164 36-() ()	1,786.	1,802.	1,846.	1,934.	1,990.	2,071.	2,127.
	42"	64"	R3B1PF164 42-() ()	1,857.	1,873.	1,917.	2,005.	2,061.	2,142.	2,198.
	48"	64"	R3B1PF164 48-() ()	2,006.	2,022.	2,066.	2,154.	2,210.	2,291.	2,347.

Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 64" H

fabric one side, conventional veneer other side

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF264 18-()()	\$764.	\$781.	\$818.	\$891.	\$940.	\$1,007.	\$1,051.
	20"	64"	R3B0PF264 20-()()	764.	781.	818.	891.	940.	1,007.	1,051.
	24"	64"	R3B0PF264 24-()()	836.	853.	890.	963.	1,012.	1,079.	1,123.
	30"	64"	R3B0PF264 30-()()	946.	963.	1,000.	1,073.	1,122.	1,189.	1,233.
	36"	64"	R3B0PF264 36-()()	1,020.	1,037.	1,074.	1,147.	1,196.	1,263.	1,307.
	42"	64"	R3B0PF264 42-()()	1,130.	1,147.	1,184.	1,257.	1,306.	1,373.	1,417.
	48"	64"	R3B0PF264 48-()()	1,276.	1,293.	1,330.	1,403.	1,452.	1,519.	1,563.
	60"	64"	R3B0PF264 60-()() *	1,375.	1,415.	1,483.	1,635.	1,738.	1,871.	1,958.
	66"	64"	R3B0PF264 66-()() *	1,424.	1,464.	1,532.	1,684.	1,787.	1,920.	2,007.
	72"	64"	R3B0PF264 72-()() *	1,474.	1,514.	1,582.	1,734.	1,837.	1,970.	2,057.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF264 18-()()	1,294.	1,310.	1,354.	1,442.	1,498.	1,579.	1,635.
	20"	64"	R3B1PF264 20-()()	1,294.	1,310.	1,354.	1,442.	1,498.	1,579.	1,635.
	24"	64"	R3B1PF264 24-()()	1,381.	1,397.	1,441.	1,529.	1,585.	1,666.	1,722.
	30"	64"	R3B1PF264 30-()()	1,464.	1,480.	1,524.	1,612.	1,668.	1,749.	1,805.
	36"	64"	R3B1PF264 36-()()	1,815.	1,831.	1,875.	1,963.	2,019.	2,100.	2,156.
	42"	64"	R3B1PF264 42-()()	1,891.	1,907.	1,951.	2,039.	2,095.	2,176.	2,232.
	48"	64"	R3B1PF264 48-()()	2,043.	2,059.	2,103.	2,191.	2,247.	2,328.	2,384.

Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Top trim profile E options:	Remember to specify Beltway paint finish when applicable.
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	


Monolithic panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18"	64"	R3B0PF364 18-()()	\$1,007.	\$1,024.	\$1,061.	\$1,134.	\$1,183.	\$1,250.	\$1,294.
	20"	64"	R3B0PF364 20-()()	1,007.	1,024.	1,061.	1,134.	1,183.	1,250.	1,294.
	24"	64"	R3B0PF364 24-()()	1,107.	1,122.	1,159.	1,232.	1,281.	1,348.	1,392.
	30"	64"	R3B0PF364 30-()()	1,251.	1,268.	1,305.	1,378.	1,427.	1,494.	1,538.
	36"	64"	R3B0PF364 36-()()	1,352.	1,369.	1,406.	1,479.	1,528.	1,595.	1,639.
	42"	64"	R3B0PF364 42-()()	1,502.	1,519.	1,556.	1,629.	1,678.	1,745.	1,789.
	48"	64"	R3B0PF364 48-()()	1,697.	1,714.	1,751.	1,824.	1,873.	1,940.	1,984.
	60"	64"	R3B0PF364 60-()()*	1,809.	1,849.	1,917.	2,069.	2,172.	2,305.	2,392.
	66"	64"	R3B0PF364 66-()()*	1,875.	1,915.	1,983.	2,135.	2,238.	2,371.	2,458.
	72"	64"	R3B0PF364 72-()()*	1,941.	1,981.	2,049.	2,201.	2,304.	2,437.	2,524.



Monolithic, fabric one side Beltway fabric side	18"	64"	R3B1PF364 18-()()	1,719.	1,735.	1,779.	1,867.	1,923.	2,004.	2,060.
	20"	64"	R3B1PF364 20-()()	1,719.	1,735.	1,779.	1,867.	1,923.	2,004.	2,060.
	24"	64"	R3B1PF364 24-()()	1,835.	1,851.	1,895.	1,983.	2,039.	2,120.	2,177.
	30"	64"	R3B1PF364 30-()()	1,949.	1,965.	2,009.	2,097.	2,153.	2,234.	2,290.
	36"	64"	R3B1PF364 36-()()	2,424.	2,440.	2,484.	2,572.	2,628.	2,709.	2,765.
	42"	64"	R3B1PF364 42-()()	2,524.	2,540.	2,584.	2,672.	2,728.	2,809.	2,865.
	48"	64"	R3B1PF364 48-()()	2,731.	2,747.	2,791.	2,879.	2,935.	3,016.	3,072.




Order Code	Specification Information	Application Notes
Example: R3B0PF36418-A4K	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p>
R3	Reff Generation 3	
B0	No Beltway	
P	Monolithic panel	
F3	Fabric one side, V3 other	
64	64" high	
18	18" wide	
A	Flat style top trim profile	
4	4" base height	
K	Include knockouts in base	
W281	Fabric - Side 1	
V512	Figured Anigre surface - side 2	
V512	Figured Anigre (top trim finish)	
111	Jet Black (base finish)	
M	Optional milled frame	

Monolithic panels 64" H



Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	64"	R3B0PLL6418()()	\$833.
	20"	64"	R3B0PLL6420()()	833.
	24"	64"	R3B0PLL6424()()	908.
	30"	64"	R3B0PLL6430()()	1,017.
	36"	64"	R3B0PLL6436()()	1,098.
	42"	64"	R3B0PLL6442()()	1,207.
	48"	64"	R3B0PLL6448()()	1,352.
	60"	64"	R3B0PLL6460()()*	1,461.
	66"	64"	R3B0PLL6466()()*	1,505.
	72"	64"	R3B0PLL6472()()*	1,550.

Order Code	Specification Information	Application Notes
Example: R3B0PLL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	79"	R3B0PFF79 18-() ()	\$908.	\$956.	\$1,040.	\$1,218.	\$1,338.	\$1,500.	\$1,596.
	20"	79"	R3B0PFF79 20-() ()	908.	956.	1,040.	1,218.	1,338.	1,500.	1,596.
	24"	79"	R3B0PFF79 24-() ()	966.	1,014.	1,098.	1,276.	1,396.	1,558.	1,654.
	30"	79"	R3B0PFF79 30-() ()	1,042.	1,090.	1,174.	1,352.	1,472.	1,634.	1,730.
	36"	79"	R3B0PFF79 36-() ()	1,069.	1,117.	1,201.	1,379.	1,499.	1,661.	1,757.
	42"	79"	R3B0PFF79 42-() ()	1,148.	1,196.	1,280.	1,458.	1,578.	1,740.	1,836.
	48"	79"	R3B0PFF79 48-() ()	1,273.	1,321.	1,405.	1,583.	1,703.	1,865.	1,961.
	60"	79"	R3B0PFF79 60-() ()	1,470.	1,566.	1,734.	2,088.	2,340.	2,660.	2,856.
	66"	79"	R3B0PFF79 66-() ()	1,505.	1,601.	1,769.	2,123.	2,375.	2,695.	2,891.
	72"	79"	R3B0PFF79 72-() ()	1,539.	1,635.	1,803.	2,157.	2,409.	2,729.	2,925.
Monolithic, fabric both sides High acoustics 	18"	79"	R3B0PAA79 18-() ()	990.	1,038.	1,122.	1,300.	1,420.	1,582.	1,678.
	20"	79"	R3B0PAA79 20-() ()	990.	1,038.	1,122.	1,300.	1,420.	1,582.	1,678.
	24"	79"	R3B0PAA79 24-() ()	1,053.	1,101.	1,185.	1,363.	1,483.	1,645.	1,741.
	30"	79"	R3B0PAA79 30-() ()	1,139.	1,187.	1,271.	1,449.	1,569.	1,731.	1,827.
	36"	79"	R3B0PAA79 36-() ()	1,174.	1,222.	1,306.	1,484.	1,604.	1,766.	1,862.
	42"	79"	R3B0PAA79 42-() ()	1,258.	1,306.	1,390.	1,568.	1,688.	1,850.	1,948.
	48"	79"	R3B0PAA79 48-() ()	1,399.	1,447.	1,531.	1,709.	1,829.	1,991.	2,087.
	60"	79"	R3B0PAA79 60-() ()	1,601.	1,697.	1,865.	2,219.	2,471.	2,791.	2,987.
	66"	79"	R3B0PAA79 66-() ()	1,638.	1,734.	1,902.	2,256.	2,508.	2,828.	3,024.
	72"	79"	R3B0PAA79 72-() ()	1,672.	1,768.	1,936.	2,290.	2,542.	2,862.	3,058.

Order Code

Example:	R3B0PFF7918-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled profile

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


Monolithic panels 79" H

fabric both sides with Beltway

description	w	h	pattern n	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway one side	18"	79"	R3B1PFF79 18-() ()	\$1,306.	\$1,355.	\$1,449.	\$1,648.	\$1,777.	\$1,958.	\$2,073.
	20"	79"	R3B1PFF79 20-() ()	1,306.	1,355.	1,449.	1,648.	1,777.	1,958.	2,073.
	24"	79"	R3B1PFF79 24-() ()	1,367.	1,416.	1,510.	1,709.	1,838.	2,019.	2,134.
	30"	79"	R3B1PFF79 30-() ()	1,394.	1,443.	1,537.	1,736.	1,865.	2,046.	2,161.
	36"	79"	R3B1PFF79 36-() ()	1,672.	1,722.	1,816.	2,015.	2,144.	2,325.	2,440.
	42"	79"	R3B1PFF79 42-() ()	1,782.	1,831.	1,925.	2,124.	2,253.	2,434.	2,549.
	48"	79"	R3B1PFF79 48-() ()	1,835.	1,884.	1,978.	2,177.	2,306.	2,487.	2,602.



Monolithic, fabric both sides Beltway two sides	18"	79"	R3B2PFF79 18-() ()	1,375.	1,425.	1,529.	1,749.	1,887.	2,087.	2,221.
	20"	79"	R3B2PFF79 20-() ()	1,375.	1,425.	1,529.	1,749.	1,887.	2,087.	2,221.
	24"	79"	R3B2PFF79 24-() ()	1,434.	1,484.	1,588.	1,808.	1,946.	2,146.	2,280.
	30"	79"	R3B2PFF79 30-() ()	1,463.	1,513.	1,617.	1,837.	1,975.	2,175.	2,309.
	36"	79"	R3B2PFF79 36-() ()	1,745.	1,795.	1,899.	2,119.	2,257.	2,457.	2,591.
	42"	79"	R3B2PFF79 42-() ()	1,857.	1,907.	2,011.	2,231.	2,369.	2,569.	2,703.
	48"	79"	R3B2PFF79 48-() ()	1,914.	1,964.	2,068.	2,288.	2,426.	2,626.	2,760.



Order Code	Specification Information	Application Notes
Example: R3B1PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 below belt	<i>2. Base height:</i>
18 18" wide	5. Panel side 1 above belt	4 = 4" base height
A Flat style top trim	6. Panel side 2 below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	7. Panel side 2 above belt	<i>3. Beltway:</i>
K Include knockouts in base	8. Top trim finish	B1 = Beltway 1 side
W281 Fabric - Side 1 below belt	i)Top trim profile A,B or C options:	B2 = Beltway 2 sides
W281 Fabric - Side 1 above belt	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 2 below belt	ii)Top trim profile E options:	
W281 Fabric - Side 2 above belt	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	9. Base finish	
111 Jet Black (base finish)	10. Beltway finish	
111 Beltway finish	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".



Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 79" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PFL79 18-() ()	\$804.	\$826.	\$863.	\$941.	\$994.	\$1,067.	\$1,109.
	20"	79"	R3B0PFL79 20-() ()	804.	826.	863.	941.	994.	1,067.	1,109.
	24"	79"	R3B0PFL79 24-() ()	881.	903.	940.	1,018.	1,071.	1,144.	1,186.
	30"	79"	R3B0PFL79 30-() ()	991.	1,013.	1,050.	1,128.	1,181.	1,254.	1,296.
	36"	79"	R3B0PFL79 36-() ()	1,081.	1,103.	1,140.	1,218.	1,271.	1,344.	1,386.
	42"	79"	R3B0PFL79 42-() ()	1,196.	1,218.	1,255.	1,333.	1,386.	1,459.	1,501.
	48"	79"	R3B0PFL79 48-() ()	1,337.	1,359.	1,396.	1,474.	1,527.	1,600.	1,642.
	60"	79"	R3B0PFL79 60-() ()	1,440.	1,483.	1,556.	1,712.	1,823.	1,965.	2,051.
	66"	79"	R3B0PFL79 66-() ()	1,469.	1,512.	1,585.	1,741.	1,852.	1,994.	2,080.
	72"	79"	R3B0PFL79 72-() ()	1,498.	1,541.	1,614.	1,770.	1,881.	2,023.	2,109.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PFL79 18-() ()	1,163.	1,187.	1,232.	1,330.	1,389.	1,479.	1,539.
	20"	79"	R3B1PFL79 20-() ()	1,163.	1,187.	1,232.	1,330.	1,389.	1,479.	1,539.
	24"	79"	R3B1PFL79 24-() ()	1,243.	1,267.	1,312.	1,410.	1,469.	1,559.	1,619.
	30"	79"	R3B1PFL79 30-() ()	1,317.	1,341.	1,386.	1,484.	1,543.	1,633.	1,693.
	36"	79"	R3B1PFL79 36-() ()	1,632.	1,656.	1,701.	1,799.	1,858.	1,948.	2,008.
	42"	79"	R3B1PFL79 42-() ()	1,781.	1,805.	1,850.	1,948.	2,007.	2,097.	2,157.
	48"	79"	R3B1PFL79 48-() ()	1,862.	1,886.	1,931.	2,029.	2,088.	2,178.	2,238.

Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below belt Side 1 - Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option.
		The panels on this page are not designed to be stacked upon. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 79" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF179 18-() ()	\$945.	\$969.	\$1,012.	\$1,103.	\$1,165.	\$1,247.	\$1,299.
	20"	79"	R3B0PF179 20-() ()	945.	969.	1,012.	1,103.	1,165.	1,247.	1,299.
	24"	79"	R3B0PF179 24-() ()	1,033.	1,057.	1,100.	1,191.	1,253.	1,335.	1,387.
	30"	79"	R3B0PF179 30-() ()	1,168.	1,192.	1,235.	1,326.	1,388.	1,470.	1,522.
	36"	79"	R3B0PF179 36-() ()	1,272.	1,296.	1,339.	1,430.	1,492.	1,574.	1,626.
	42"	79"	R3B0PF179 42-() ()	1,405.	1,429.	1,472.	1,563.	1,625.	1,707.	1,759.
	48"	79"	R3B0PF179 48-() ()	1,574.	1,598.	1,641.	1,732.	1,794.	1,876.	1,928.
	60"	79"	R3B0PF179 60-() ()	1,691.	1,740.	1,826.	2,007.	2,136.	2,297.	2,397.
	66"	79"	R3B0PF179 66-() ()	1,728.	1,777.	1,863.	2,044.	2,173.	2,334.	2,434.
	72"	79"	R3B0PF179 72-() ()	1,756.	1,805.	1,891.	2,072.	2,201.	2,362.	2,462.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF179 18-() ()	1,365.	1,390.	1,443.	1,556.	1,626.	1,729.	1,798.
	20"	79"	R3B1PF179 20-() ()	1,365.	1,390.	1,443.	1,556.	1,626.	1,729.	1,798.
	24"	79"	R3B1PF179 24-() ()	1,459.	1,484.	1,537.	1,650.	1,720.	1,823.	1,892.
	30"	79"	R3B1PF179 30-() ()	1,550.	1,575.	1,628.	1,741.	1,811.	1,914.	1,983.
	36"	79"	R3B1PF179 36-() ()	1,920.	1,945.	1,998.	2,111.	2,181.	2,284.	2,353.
	42"	79"	R3B1PF179 42-() ()	2,091.	2,116.	2,169.	2,282.	2,352.	2,455.	2,524.
	48"	79"	R3B1PF179 48-() ()	2,186.	2,211.	2,264.	2,377.	2,447.	2,550.	2,619.

Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 2	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	
W281 Fabric - Side 1	6. Top trim finish	<i>6" Raceway option increases panel height by 2 3/4".</i>
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish when applicable.
111 Jet Black (base finish)	ii) Top trim profile E options:	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 79" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF279 18-() ()	\$961.	\$985.	\$1,028.	\$1,119.	\$1,181.	\$1,263.	\$1,315.
	20"	79"	R3B0PF279 20-() ()	961.	985.	1,028.	1,119.	1,181.	1,263.	1,315.
	24"	79"	R3B0PF279 24-() ()	1,053.	1,077.	1,120.	1,211.	1,273.	1,355.	1,407.
	30"	79"	R3B0PF279 30-() ()	1,189.	1,213.	1,256.	1,347.	1,409.	1,491.	1,543.
	36"	79"	R3B0PF279 36-() ()	1,295.	1,319.	1,362.	1,453.	1,515.	1,597.	1,649.
	42"	79"	R3B0PF279 42-() ()	1,431.	1,455.	1,498.	1,589.	1,651.	1,733.	1,785.
	48"	79"	R3B0PF279 48-() ()	1,602.	1,626.	1,669.	1,760.	1,822.	1,904.	1,956.
	60"	79"	R3B0PF279 60-() ()	1,722.	1,771.	1,857.	2,038.	2,167.	2,328.	2,428.
	66"	79"	R3B0PF279 66-() ()	1,755.	1,804.	1,890.	2,071.	2,200.	2,361.	2,461.
	72"	79"	R3B0PF279 72-() ()	1,792.	1,841.	1,927.	2,108.	2,237.	2,398.	2,498.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF279 18-() ()	1,390.	1,415.	1,468.	1,581.	1,651.	1,754.	1,823.
	20"	79"	R3B1PF279 20-() ()	1,390.	1,415.	1,468.	1,581.	1,651.	1,754.	1,823.
	24"	79"	R3B1PF279 24-() ()	1,486.	1,511.	1,564.	1,677.	1,747.	1,850.	1,919.
	30"	79"	R3B1PF279 30-() ()	1,575.	1,600.	1,653.	1,766.	1,836.	1,939.	2,008.
	36"	79"	R3B1PF279 36-() ()	1,952.	1,977.	2,030.	2,143.	2,213.	2,316.	2,385.
	42"	79"	R3B1PF279 42-() ()	2,129.	2,154.	2,207.	2,320.	2,390.	2,493.	2,562.
	48"	79"	R3B1PF279 48-() ()	2,226.	2,251.	2,304.	2,417.	2,487.	2,590.	2,659.

Order Code	Specification Information	Application Notes
Example: R3B0PF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 = Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 = Above Belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	<i>The panels on this page are not designed to be stacked upon.</i>
W281 Fabric - Side 1	6. Top trim finish	<i>Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.</i>
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	<i>Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.</i>
111 Jet Black (base finish)	ii) Top trim profile E options:	<i>Remember to specify Beltway paint finish when applicable.</i>
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	<i>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</i>
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF379 18-() ()	\$1,266.	\$1,290.	\$1,333.	\$1,424.	\$1,486.	\$1,568.	\$1,620.
	20"	79"	R3B0PF379 20-() ()	1,266.	1,290.	1,333.	1,424.	1,486.	1,568.	1,620.
	24"	79"	R3B0PF379 24-() ()	1,393.	1,417.	1,460.	1,551.	1,613.	1,695.	1,747.
	30"	79"	R3B0PF379 30-() ()	1,574.	1,598.	1,641.	1,732.	1,794.	1,876.	1,928.
	36"	79"	R3B0PF379 36-() ()	1,720.	1,744.	1,787.	1,878.	1,940.	2,022.	2,074.
	42"	79"	R3B0PF379 42-() ()	1,904.	1,928.	1,971.	2,062.	2,124.	2,206.	2,258.
	48"	79"	R3B0PF379 48-() ()	2,136.	2,160.	2,203.	2,294.	2,356.	2,438.	2,490.
	60"	79"	R3B0PF379 60-() ()*	2,265.	2,314.	2,400.	2,581.	2,710.	2,871.	2,971.
	66"	79"	R3B0PF379 66-() ()*	2,311.	2,360.	2,446.	2,627.	2,756.	2,917.	3,017.
	72"	79"	R3B0PF379 72-() ()*	2,361.	2,410.	2,496.	2,677.	2,806.	2,967.	3,067.

Monolithic, fabric one side Beltway fabric side 	18"	79"	R3B1PF379 18-() ()	1,831.	1,856.	1,909.	2,022.	2,092.	2,195.	2,264.
	20"	79"	R3B1PF379 20-() ()	1,831.	1,856.	1,909.	2,022.	2,092.	2,195.	2,264.
	24"	79"	R3B1PF379 24-() ()	1,960.	1,985.	2,038.	2,151.	2,221.	2,324.	2,393.
	30"	79"	R3B1PF379 30-() ()	2,081.	2,106.	2,159.	2,272.	2,342.	2,445.	2,514.
	36"	79"	R3B1PF379 36-() ()	2,588.	2,613.	2,666.	2,779.	2,849.	2,952.	3,021.
	42"	79"	R3B1PF379 42-() ()	2,827.	2,852.	2,905.	3,018.	3,088.	3,191.	3,260.
	48"	79"	R3B1PF379 48-() ()	2,960.	2,985.	3,038.	3,151.	3,221.	3,324.	3,395.

Order Code	Specification Information	Application Notes
Example: R3B0PF37918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side I - Below Belt Side I - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


Monolithic panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918() ()	\$909.
	20"	79"	R3B0PLL7920() ()	909.
	24"	79"	R3B0PLL7924() ()	991.
	30"	79"	R3B0PLL7930() ()	1,109.
	36"	79"	R3B0PLL7936() ()	1,199.
	42"	79"	R3B0PLL7942() ()	1,318.
	48"	79"	R3B0PLL7948() ()	1,477.
	60"	79"	R3B0PLL7960() ()*	1,594.
	66"	79"	R3B0PLL7966() ()*	1,642.
	72"	79"	R3B0PLL7972() ()*	1,691.




Order Code	Specification Information	Application Notes
Example: R3B0PLL7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose E = Extruded Aluminum
LL Laminate both sides	4. Panel side 1 inside	2. <i>Base height:</i> 4 = 4" base height
79 79" high	5. Panel side 2 outside	6 = 6" base height (add \$47 per panel for this option)
18 18" wide	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish when applicable.
K Include knockouts in base	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
118 Laminate - side 1	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
118 Laminate - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 34" H fabric

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-()()	\$603.	\$635.	\$699.	\$767.	\$823.	\$915.	\$967.
Regular acoustics	20"	34"	R3B0TFF34 20-()()	603.	635.	699.	767.	823.	915.	967.
	24"	34"	R3B0TFF34 24-()()	652.	684.	748.	816.	872.	964.	1,016.
	30"	34"	R3B0TFF34 30-()()	696.	728.	792.	860.	916.	1,008.	1,060.
	36"	34"	R3B0TFF34 36-()()	741.	773.	837.	905.	961.	1,053.	1,105.
	42"	34"	R3B0TFF34 42-()()	853.	885.	949.	1,017.	1,073.	1,165.	1,217.
	48"	34"	R3B0TFF34 48-()()	886.	918.	982.	1,050.	1,106.	1,198.	1,250.

Order Code	Specification Information	Application Notes
Example: R3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel)	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 118.
B0 No Beltway	1. Top trim profile	
T Tiled panel	2. Base height	
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	All panels on this page accept stacking modules.
34 34" high	4. Panel side 1A	6" Raceway option increases panel height by 2 ³ / ₄ ".
18 18" wide	5. Panel side 1B	Applicable finishes are listed on page 5 and 6.
A Flat style top trim profile	6. Panel side 2A	
4 4" base height	7. Panel side 2B	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
K Include knockouts in base	8. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric - Side 1A	9. Base finish	Ported panel components to be installed below worksurface if panel 34"h.
W281 Fabric - Side 1B	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	

Tiled panels 34" H glass

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A) 	18"	34"	R2B0TWA34 18- () ()	\$949.	\$1,128.	\$38.	\$75.	\$95.
	20"	34"	R2B0TWA34 20- () ()	949.	1,128.	38.	75.	95.
	24"	34"	R2B0TWA34 24- () ()	992.	1,207.	38.	75.	100.
	30"	34"	R2B0TWA34 30- () ()	1,152.	1,417.	38.	75.	114.
	36"	34"	R2B0TWA34 36- () ()	1,194.	1,513.	38.	75.	116.
	42"	34"	R2B0TWA34 42- () ()	1,254.	1,632.	38.	75.	123.
	48"	34"	R2B0TWA34 48- () ()	1,298.	1,729.	38.	75.	129.
Tiled, two 15" high glass sections with center mullion (type B) 	30"	34"	R2B0TWB34 30- () ()	1,378.	1,646.	38.	75.	138.
	36"	34"	R2B0TWB34 36- () ()	1,435.	1,757.	38.	75.	142.
	42"	34"	R2B0TWB34 42- () ()	1,503.	1,877.	38.	75.	147.
	48"	34"	R2B0TWB34 48- () ()	1,560.	1,995.	38.	75.	153.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C 	18"	34"	R2B0TWC34 18- () ()	748.	975.	30.	61.	114.
	20"	34"	R2B0TWC34 20- () ()	748.	975.	30.	61.	114.
	24"	34"	R2B0TWC34 24- () ()	788.	1,027.	30.	61.	123.
	30"	34"	R2B0TWC34 30- () ()	973.	1,265.	38.	75.	155.
	36"	34"	R2B0TWC34 36- () ()	1,083.	1,406.	38.	75.	174.
	42"	34"	R2B0TWC34 42- () ()	1,145.	1,487.	38.	75.	190.
	48"	34"	R2B0TWC34 48- () ()	1,201.	1,565.	38.	75.	199.

Order Code

Example:	R2B0TWA3418-A4K
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
111	Tile Divider
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Divider option (applicable R2B0TWA and R2B0TWB)
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
5. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
6. Base finish
7. Window frame finish (Painted or Anodized aluminum finishes)
If AA finish (anodized) upcharge applicable as noted in AA price column
8. Glass type

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel)
4. *Extruded aluminum tile divider:*
Add for:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w
3. *Glass type*
Temp = Cleared tempered glass
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 118.



The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 34" H



fabric one side, laminate or techwood opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	R3B0TFL34 18-() ()	\$652.	\$668.	\$696.	\$732.	\$760.	\$800.	\$826.
	20"	34"	R3B0TFL34 20-() ()	652.	668.	696.	732.	760.	800.	826.
	24"	34"	R3B0TFL34 24-() ()	694.	710.	738.	774.	802.	842.	868.
	30"	34"	R3B0TFL34 30-() ()	738.	754.	782.	818.	846.	886.	912.
	36"	34"	R3B0TFL34 36-() ()	781.	797.	825.	861.	889.	929.	955.
	42"	34"	R3B0TFL34 42-() ()	890.	906.	934.	970.	998.	1,038.	1,064.
	48"	34"	R3B0TFL34 48-() ()	920.	936.	964.	1,000.	1,028.	1,068.	1,094.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	R3B0TF134 18-() ()	706.	722.	756.	790.	818.	864.	890.
	20"	34"	R3B0TF134 20-() ()	706.	722.	756.	790.	818.	864.	890.
	24"	34"	R3B0TF134 24-() ()	754.	770.	804.	838.	866.	912.	938.
	30"	34"	R3B0TF134 30-() ()	803.	819.	853.	887.	915.	961.	987.
	36"	34"	R3B0TF134 36-() ()	847.	863.	897.	931.	959.	1,005.	1,031.
	42"	34"	R3B0TF134 42-() ()	968.	984.	1,018.	1,052.	1,080.	1,126.	1,152.
	48"	34"	R3B0TF134 48-() ()	999.	1,015.	1,049.	1,083.	1,111.	1,157.	1,183.

Order Code	Specification Information	Application Notes
Example: R3B0TFL3418-A4K R3 Reff Generation 3 B0 No Beltway T Tiled panel FL Fabric one side, laminate other 34 34" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base B Tile divider, black W281 Fabric - Side 1A W281 Fabric - Side 1B 114 Folkstone grey - side 2A 114 Folkstone grey - side 2B V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) 5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top 6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert) 7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	8. Base finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable 1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel) 4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option.
		All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 118. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 34" H

fabric one side, conventional or exotic opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	R3B0TF234 18-() ()	\$721.	\$737.	\$771.	\$805.	\$833.	\$879.	\$905.
	20"	34"	R3B0TF234 20-() ()	721.	737.	771.	805.	833.	879.	905.
	24"	34"	R3B0TF234 24-() ()	767.	783.	817.	851.	879.	925.	951.
	30"	34"	R3B0TF234 30-() ()	816.	832.	866.	900.	928.	974.	1,000.
	36"	34"	R3B0TF234 36-() ()	862.	878.	912.	946.	974.	1,020.	1,046.
	42"	34"	R3B0TF234 42-() ()	983.	999.	1,033.	1,067.	1,095.	1,141.	1,167.
	48"	34"	R3B0TF234 48-() ()	1,017.	1,033.	1,067.	1,101.	1,129.	1,175.	1,201.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	R3B0TF334 18-() ()	963.	979.	1,013.	1,047.	1,075.	1,121.	1,147.
	20"	34"	R3B0TF334 20-() ()	963.	979.	1,013.	1,047.	1,075.	1,121.	1,147.
	24"	34"	R3B0TF334 24-() ()	1,025.	1,041.	1,075.	1,109.	1,137.	1,183.	1,209.
	30"	34"	R3B0TF334 30-() ()	1,091.	1,107.	1,141.	1,175.	1,203.	1,249.	1,275.
	36"	34"	R3B0TF334 36-() ()	1,153.	1,169.	1,203.	1,237.	1,265.	1,311.	1,337.
	42"	34"	R3B0TF334 42-() ()	1,317.	1,333.	1,367.	1,401.	1,429.	1,475.	1,501.
	48"	34"	R3B0TF334 48-() ()	1,362.	1,378.	1,412.	1,446.	1,474.	1,520.	1,546.

Order Code

Example: R3B0TF23418-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F2 Fabric one side, conventional other
34 34" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black
W281 Fabric - Side 1A
W281 Fabric - Side 1B
114 Folkstone grey - side 2A
114 Folkstone grey - side 2B
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel)

4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)
34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 118.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 34" H

Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides	18"	34"	R3B0TLL3418()()	\$738.
with raceway both sides	20"	34"	R3B0TLL3420()()	738.
	24"	34"	R3B0TLL3424()()	804.
	30"	34"	R3B0TLL3430()()	901.
	36"	34"	R3B0TLL3436()()	974.
	42"	34"	R3B0TLL3442()()	1,003.
	48"	34"	R3B0TLL3448()()	1,033.




Order Code	Specification Information	Application Notes
Example: R3B0TLL3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. <i>Optional non-beltway panels:</i>
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
34 34" high	5. Laminate, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
18 18" wide	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Ported panel components to be installed below worksurface if panel 34" h.
4 4" base height		
K Include knockouts in base		
B Tile divider, black		
118 Laminate - side 1A		
118 Laminate - side 1B		
118 Laminate - side 2A		
118 Laminate - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B0TFF42 18-()()	\$674.	\$712.	\$796.	\$898.	\$969.	\$1,080.	\$1,150.
Regular acoustics	20"	42"	R3B0TFF42 20-()()	674.	712.	796.	898.	969.	1,080.	1,150.
	24"	42"	R3B0TFF42 24-()()	724.	762.	846.	948.	1,018.	1,130.	1,200.
	30"	42"	R3B0TFF42 30-()()	776.	814.	898.	1,000.	1,070.	1,182.	1,252.
	36"	42"	R3B0TFF42 36-()()	826.	864.	948.	1,050.	1,120.	1,232.	1,302.
	42"	42"	R3B0TFF42 42-()()	934.	972.	1,056.	1,158.	1,228.	1,340.	1,410.
	48"	42"	R3B0TFF42 48-()()	982.	1,020.	1,104.	1,206.	1,276.	1,388.	1,458.




Tiled, fabric both sides	18"	42"	R3B0TAA42 18-()()	738.	776.	860.	962.	1,032.	1,144.	1,214.
High acoustics	20"	42"	R3B0TAA42 20-()()	738.	776.	860.	962.	1,032.	1,144.	1,214.
	24"	42"	R3B0TAA42 24-()()	794.	832.	916.	1,018.	1,088.	1,200.	1,270.
	30"	42"	R3B0TAA42 30-()()	854.	892.	976.	1,078.	1,148.	1,260.	1,330.
	36"	42"	R3B0TAA42 36-()()	910.	948.	1,032.	1,134.	1,204.	1,316.	1,386.
	42"	42"	R3B0TAA42 42-()()	1,031.	1,069.	1,153.	1,255.	1,325.	1,437.	1,507.
	48"	42"	R3B0TAA42 48-()()	1,086.	1,124.	1,208.	1,310.	1,380.	1,492.	1,562.




Order Code	Specification Information	Application Notes
Example: R3B0TFF4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Base finish	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	8. Beltway finish	Remember to specify Beltway paint finish when applicable.
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
W281 Fabric - Side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H

fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side 	18"	42"	R3B1TFF42 18-()()	\$1,213.	\$1,251.	\$1,332.	\$1,437.	\$1,507.	\$1,619.	\$1,689.
	20"	42"	R3B1TFF42 20-()()	1,213.	1,251.	1,332.	1,437.	1,507.	1,619.	1,689.
	24"	42"	R3B1TFF42 24-()()	1,241.	1,279.	1,360.	1,465.	1,535.	1,647.	1,717.
	30"	42"	R3B1TFF42 30-()()	1,306.	1,344.	1,425.	1,530.	1,600.	1,712.	1,782.
	36"	42"	R3B1TFF42 36-()()	1,543.	1,581.	1,662.	1,767.	1,837.	1,949.	2,019.
	42"	42"	R3B1TFF42 42-()()	1,666.	1,704.	1,785.	1,890.	1,960.	2,072.	2,142.
	48"	42"	R3B1TFF42 48-()()	1,724.	1,762.	1,843.	1,948.	2,018.	2,130.	2,200.

Tiled, fabric both sides Beltway two sides 	18"	42"	R3B2TFF42 18-()()	1,237.	1,275.	1,353.	1,461.	1,531.	1,643.	1,713.
	20"	42"	R3B2TFF42 20-()()	1,237.	1,275.	1,353.	1,461.	1,531.	1,643.	1,713.
	24"	42"	R3B2TFF42 24-()()	1,211.	1,249.	1,327.	1,435.	1,505.	1,617.	1,687.
	30"	42"	R3B2TFF42 30-()()	1,332.	1,370.	1,448.	1,556.	1,626.	1,738.	1,808.
	36"	42"	R3B2TFF42 36-()()	1,569.	1,607.	1,685.	1,793.	1,863.	1,975.	2,045.
	42"	42"	R3B2TFF42 42-()()	1,698.	1,736.	1,814.	1,922.	1,992.	2,104.	2,174.
	48"	42"	R3B2TFF42 48-()()	1,759.	1,797.	1,875.	1,983.	2,053.	2,165.	2,235.

Order Code	Specification Information	Application Notes
Example: R3B2TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 42" H

fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TFL42 18-() ()	\$729.	\$749.	\$786.	\$837.	\$871.	\$923.	\$957.
Regular acoustics	20"	42"	R3B0TFL42 20-() ()	729.	749.	786.	837.	871.	923.	957.
	24"	42"	R3B0TFL42 24-() ()	776.	796.	833.	884.	918.	970.	1,004.
	30"	42"	R3B0TFL42 30-() ()	828.	848.	885.	936.	970.	1,022.	1,056.
	36"	42"	R3B0TFL42 36-() ()	875.	895.	932.	983.	1,017.	1,069.	1,103.
	42"	42"	R3B0TFL42 42-() ()	975.	995.	1,032.	1,083.	1,117.	1,169.	1,203.
	48"	42"	R3B0TFL42 48-() ()	1,026.	1,046.	1,083.	1,134.	1,168.	1,220.	1,254.


Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,257.	1,277.	1,315.	1,366.	1,400.	1,453.	1,487.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,257.	1,277.	1,315.	1,366.	1,400.	1,453.	1,487.
	24"	42"	R3B1TFL42 24-() ()	1,283.	1,303.	1,341.	1,392.	1,426.	1,479.	1,513.
	30"	42"	R3B1TFL42 30-() ()	1,347.	1,367.	1,405.	1,456.	1,490.	1,543.	1,577.
	36"	42"	R3B1TFL42 36-() ()	1,576.	1,596.	1,634.	1,685.	1,719.	1,772.	1,806.
	42"	42"	R3B1TFL42 42-() ()	1,694.	1,714.	1,752.	1,803.	1,837.	1,890.	1,924.
	48"	42"	R3B1TFL42 48-() ()	1,750.	1,770.	1,808.	1,859.	1,893.	1,946.	1,980.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w</i>
K Include knockouts in base	ii) tile 1B middle	6" Raceway option increases panel height by 2 3/4".
B Tile divider, black reveal	iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1A	6. Laminate side, finish (specify selection per insert)	Product on this page will accept woodgrain laminate where laminate is currently an option.
W281 Fabric - Side 1B	i) tile 2A bottom	
W281 Fabric - Side 1C	ii) tile 2B middle	
114 Folkstone grey - side 2A	iii) tile 2C top	
114 Folkstone grey - side 2B	7. Top trim finish	
114 Folkstone grey - side 2C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
111 Jet Black (base finish)	8. Base finish	
M Optional milled frame	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 42" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18- () ()	\$790.	\$810.	\$853.	\$905.	\$939.	\$996.	\$1,031.
Regular acoustics	20"	42"	R3B0TF142 20- () ()	790.	810.	853.	905.	939.	996.	1,031.
	24"	42"	R3B0TF142 24- () ()	843.	863.	906.	958.	992.	1,049.	1,084.
	30"	42"	R3B0TF142 30- () ()	899.	919.	962.	1,014.	1,048.	1,105.	1,140.
	36"	42"	R3B0TF142 36- () ()	950.	970.	1,013.	1,065.	1,099.	1,156.	1,191.
	42"	42"	R3B0TF142 42- () ()	1,062.	1,082.	1,125.	1,177.	1,211.	1,268.	1,303.
	48"	42"	R3B0TF142 48- () ()	1,111.	1,131.	1,174.	1,226.	1,260.	1,317.	1,352.

Tiled, fabric one side	18"	42"	R3B1TF142 18- () ()	1,353.	1,373.	1,416.	1,468.	1,502.	1,559.	1,594.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20- () ()	1,353.	1,373.	1,416.	1,468.	1,502.	1,559.	1,594.
	24"	42"	R3B1TF142 24- () ()	1,379.	1,399.	1,442.	1,494.	1,528.	1,585.	1,620.
	30"	42"	R3B1TF142 30- () ()	1,446.	1,466.	1,509.	1,561.	1,595.	1,652.	1,687.
	36"	42"	R3B1TF142 36- () ()	1,689.	1,709.	1,752.	1,804.	1,838.	1,895.	1,930.
	42"	42"	R3B1TF142 42- () ()	1,821.	1,841.	1,884.	1,936.	1,970.	2,027.	2,062.
	48"	42"	R3B1TF142 48- () ()	1,883.	1,903.	1,946.	1,998.	2,032.	2,089.	2,124.

Order Code

Example: R3B0TF14218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F1 Fabric one side, V1 other
42 42" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
Y328 Mahogany - side 2 tiled
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
 - tile 1A bottom
 - tile 1B middle
 - tile 1C top
- Techwood side, finish (specify one V1 finish for side)
 - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:
(fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 428).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 42" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18-() ()	\$804.	\$824.	\$867.	\$919.	\$953.	\$1,010.	\$1,045.
Regular acoustics	20"	42"	R3B0TF242 20-() ()	804.	824.	867.	919.	953.	1,010.	1,045.
	24"	42"	R3B0TF242 24-() ()	857.	877.	920.	972.	1,006.	1,063.	1,098.
	30"	42"	R3B0TF242 30-() ()	914.	934.	977.	1,029.	1,063.	1,120.	1,155.
	36"	42"	R3B0TF242 36-() ()	971.	991.	1,034.	1,086.	1,120.	1,177.	1,212.
	42"	42"	R3B0TF242 42-() ()	1,080.	1,100.	1,143.	1,195.	1,229.	1,286.	1,321.
	48"	42"	R3B0TF242 48-() ()	1,133.	1,153.	1,196.	1,248.	1,282.	1,339.	1,374.

Tiled, fabric one side	18"	42"	R3B1TF242 18-() ()	1,377.	1,397.	1,440.	1,492.	1,526.	1,583.	1,618.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20-() ()	1,377.	1,397.	1,440.	1,492.	1,526.	1,583.	1,618.
	24"	42"	R3B1TF242 24-() ()	1,403.	1,423.	1,466.	1,518.	1,552.	1,609.	1,644.
	30"	42"	R3B1TF242 30-() ()	1,473.	1,493.	1,536.	1,588.	1,622.	1,679.	1,714.
	36"	42"	R3B1TF242 36-() ()	1,724.	1,744.	1,787.	1,839.	1,873.	1,930.	1,965.
	42"	42"	R3B1TF242 42-() ()	1,855.	1,875.	1,918.	1,970.	2,004.	2,061.	2,096.
	48"	42"	R3B1TF242 48-() ()	1,918.	1,938.	1,981.	2,033.	2,067.	2,124.	2,159.

Order Code

Example: R3B0TF24218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F2 Fabric one side, V2 other
42 42" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
V316 Maple surface - side 2 tiled
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
6. Conventional veneer, finish (specify one V2 finish for side)
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only (fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 428).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 42" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-() ()	\$1,072.	\$1,092.	\$1,135.	\$1,187.	\$1,221.	\$1,278.	\$1,313.
Regular acoustics	20"	42"	R3B0TF342 20-() ()	1,072.	1,092.	1,135.	1,187.	1,221.	1,278.	1,313.
	24"	42"	R3B0TF342 24-() ()	1,142.	1,162.	1,205.	1,257.	1,291.	1,348.	1,383.
	30"	42"	R3B0TF342 30-() ()	1,220.	1,240.	1,283.	1,335.	1,369.	1,426.	1,461.
	36"	42"	R3B0TF342 36-() ()	1,296.	1,316.	1,359.	1,411.	1,445.	1,502.	1,537.
	42"	42"	R3B0TF342 42-() ()	1,443.	1,463.	1,506.	1,558.	1,592.	1,649.	1,684.
	48"	42"	R3B0TF342 48-() ()	1,516.	1,536.	1,579.	1,631.	1,665.	1,722.	1,757.


Tiled, fabric one side	18"	42"	R3B1TF342 18-() ()	1,846.	1,866.	1,909.	1,961.	1,995.	2,052.	2,087.
Beltway fabric side	20"	42"	R3B1TF342 20-() ()	1,846.	1,866.	1,909.	1,961.	1,995.	2,052.	2,087.
	24"	42"	R3B1TF342 24-() ()	1,881.	1,901.	1,944.	1,996.	2,030.	2,087.	2,122.
	30"	42"	R3B1TF342 30-() ()	1,973.	1,993.	2,036.	2,088.	2,122.	2,179.	2,214.
	36"	42"	R3B1TF342 36-() ()	2,314.	2,334.	2,377.	2,429.	2,463.	2,520.	2,555.
	42"	42"	R3B1TF342 42-() ()	2,488.	2,508.	2,551.	2,603.	2,637.	2,694.	2,729.
	48"	42"	R3B1TF342 48-() ()	2,574.	2,594.	2,637.	2,689.	2,723.	2,780.	2,815.

Order Code	Specification Information	Application Notes
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 428).
W281 Fabric - Side 1B		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
W281 Fabric - Side 1C		Remember to specify Beltway paint finish when applicable.
V512 Figured Anigre surface - side 2 tiled		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	42"	R3B0TLL4218() ()	\$890.
	20"	42"	R3B0TLL4220() ()	890.
	24"	42"	R3B0TLL4224() ()	971.
	30"	42"	R3B0TLL4230() ()	1,086.
	36"	42"	R3B0TLL4236() ()	1,173.
	42"	42"	R3B0TLL4242() ()	1,209.
	48"	42"	R3B0TLL4248() ()	1,244.





Order Code	Specification Information	Application Notes
Example: R3B0TLL4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Applicable finishes are listed on page 5 and 6.
42 42" high	5. Laminate side, finish (specify selection per insert)	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
18 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	6. Laminate, finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
4 4" base height	7. Top trim finish	
K Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
B Tile divider, black reveal	8. Base finish	
118 Laminate - side 1A	9. Beltway finish	
118 Laminate - side 1B	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
118 Laminate - side 1C		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric both sides

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B0TFF49 18-() ()	\$755.	\$803.	\$899.	\$1,001.	\$1,085.	\$1,223.	\$1,301.
Regular acoustics	20"	49"	R3B0TFF49 20-() ()	755.	803.	899.	1,001.	1,085.	1,223.	1,301.
	24"	49"	R3B0TFF49 24-() ()	807.	855.	951.	1,053.	1,137.	1,275.	1,353.
	30"	49"	R3B0TFF49 30-() ()	869.	916.	1,012.	1,114.	1,198.	1,336.	1,414.
	36"	49"	R3B0TFF49 36-() ()	925.	973.	1,069.	1,171.	1,255.	1,393.	1,471.
	42"	49"	R3B0TFF49 42-() ()	1,045.	1,093.	1,189.	1,291.	1,375.	1,513.	1,591.
	48"	49"	R3B0TFF49 48-() ()	1,103.	1,151.	1,247.	1,349.	1,433.	1,571.	1,649.

Tiled, fabric both sides	18"	49"	R3B0TAA49 18-() ()	827.	875.	971.	1,073.	1,157.	1,295.	1,373.
High acoustics	20"	49"	R3B0TAA49 20-() ()	827.	875.	971.	1,073.	1,157.	1,295.	1,373.
	24"	49"	R3B0TAA49 24-() ()	884.	932.	1,028.	1,130.	1,214.	1,352.	1,430.
	30"	49"	R3B0TAA49 30-() ()	955.	1,003.	1,099.	1,201.	1,285.	1,423.	1,501.
	36"	49"	R3B0TAA49 36-() ()	1,016.	1,064.	1,160.	1,262.	1,346.	1,484.	1,562.
	42"	49"	R3B0TAA49 42-() ()	1,146.	1,194.	1,290.	1,392.	1,476.	1,614.	1,692.
	48"	49"	R3B0TAA49 48-() ()	1,213.	1,261.	1,357.	1,459.	1,543.	1,681.	1,759.

Order Code

Example: R3B0TFF4918-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
FF Fabric on both sides
49 49" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
W281 Fabric - Side 2A
W281 Fabric - Side 2B
W281 Fabric - Side 2C
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C top
6. Top trim finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2³/₄".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 49" H

fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B1TFF49 18-() ()	\$1,247.	\$1,295.	\$1,388.	\$1,493.	\$1,577.	\$1,715.	\$1,793.
Beltway one side	20"	49"	R3B1TFF49 20-() ()	1,247.	1,295.	1,388.	1,493.	1,577.	1,715.	1,793.
	24"	49"	R3B1TFF49 24-() ()	1,272.	1,320.	1,413.	1,518.	1,602.	1,740.	1,818.
	30"	49"	R3B1TFF49 30-() ()	1,340.	1,388.	1,481.	1,586.	1,670.	1,808.	1,886.
	36"	49"	R3B1TFF49 36-() ()	1,605.	1,653.	1,749.	1,851.	1,935.	2,073.	2,151.
	42"	49"	R3B1TFF49 42-() ()	1,733.	1,781.	1,874.	1,979.	2,063.	2,201.	2,279.
	48"	49"	R3B1TFF49 48-() ()	1,794.	1,842.	1,935.	2,040.	2,124.	2,262.	2,340.

Tiled, fabric both sides	18"	49"	R3B2TFF49 18-() ()	1,265.	1,313.	1,403.	1,511.	1,595.	1,733.	1,811.
Beltway two sides	20"	49"	R3B2TFF49 20-() ()	1,265.	1,313.	1,403.	1,511.	1,595.	1,733.	1,811.
	24"	49"	R3B2TFF49 24-() ()	1,294.	1,342.	1,432.	1,540.	1,624.	1,762.	1,840.
	30"	49"	R3B2TFF49 30-() ()	1,365.	1,413.	1,503.	1,611.	1,695.	1,833.	1,911.
	36"	49"	R3B2TFF49 36-() ()	1,633.	1,681.	1,771.	1,879.	1,963.	2,101.	2,179.
	42"	49"	R3B2TFF49 42-() ()	1,763.	1,811.	1,901.	2,009.	2,093.	2,231.	2,309.
	48"	49"	R3B2TFF49 48-() ()	1,830.	1,878.	1,968.	2,076.	2,160.	2,298.	2,376.

Order Code

Example: R3B2TFF4918-A4K	
R3	Reff Generation 3
B2	with Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Fabric side finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C top
- Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C top
- Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

- Top trim profile:**
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:**
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2³/₄".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 49" H

fabric one side, laminate opposite side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TFL49 18-() ()	\$818.	\$842.	\$884.	\$938.	\$980.	\$1,040.	\$1,079.
Regular acoustics	20"	49"	R3B0TFL49 20-() ()	818.	842.	844.	938.	980.	1,040.	1,079.
	24"	49"	R3B0TFL49 24-() ()	865.	889.	931.	985.	1,027.	1,087.	1,126.
	30"	49"	R3B0TFL49 30-() ()	926.	950.	992.	1,046.	1,088.	1,148.	1,187.
	36"	49"	R3B0TFL49 36-() ()	977.	1,001.	1,043.	1,097.	1,139.	1,199.	1,238.
	42"	49"	R3B0TFL49 42-() ()	1,089.	1,113.	1,155.	1,209.	1,251.	1,311.	1,350.
	48"	49"	R3B0TFL49 48-() ()	1,148.	1,172.	1,214.	1,268.	1,310.	1,370.	1,409.


Tiled, fabric one side	18"	49"	R3B1TFL49 18-() ()	1,298.	1,322.	1,366.	1,418.	1,460.	1,523.	1,568.
Beltway one side (fabric side)	20"	49"	R3B1TFL49 20-() ()	1,298.	1,322.	1,366.	1,418.	1,460.	1,523.	1,568.
	24"	49"	R3B1TFL49 24-() ()	1,324.	1,348.	1,392.	1,444.	1,486.	1,549.	1,588.
	30"	49"	R3B1TFL49 30-() ()	1,390.	1,414.	1,453.	1,510.	1,552.	1,615.	1,654.
	36"	49"	R3B1TFL49 36-() ()	1,643.	1,667.	1,711.	1,763.	1,805.	1,868.	1,907.
	42"	49"	R3B1TFL49 42-() ()	1,764.	1,788.	1,832.	1,884.	1,926.	1,989.	2,028.
	48"	49"	R3B1TFL49 48-() ()	1,830.	1,854.	1,898.	1,950.	1,998.	2,055.	2,094.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
FL Fabric one side. laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
49 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
18 18" wide	6. Laminate side finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
4 4" base height	8. Base finish	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 5 and 6.
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page will accept woodgrain laminate where laminate is currently an option.
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
114 Folkstone grey - side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18-() ()	\$883.	\$907.	\$958.	\$1,009.	\$1,051.	\$1,120.	\$1,159.
Regular acoustics	20"	49"	R3B0TF149 20-() ()	883.	907.	958.	1,009.	1,051.	1,120.	1,159.
	24"	49"	R3B0TF149 24-() ()	938.	962.	1,013.	1,064.	1,106.	1,175.	1,214.
	30"	49"	R3B0TF149 30-() ()	1,002.	1,026.	1,077.	1,128.	1,170.	1,239.	1,278.
	36"	49"	R3B0TF149 36-() ()	1,062.	1,086.	1,137.	1,188.	1,230.	1,299.	1,338.
	42"	49"	R3B0TF149 42-() ()	1,188.	1,212.	1,263.	1,314.	1,356.	1,425.	1,464.
	48"	49"	R3B0TF149 48-() ()	1,244.	1,268.	1,319.	1,370.	1,412.	1,481.	1,520.


Tiled, fabric one side	18"	49"	R3B1TF149 18-() ()	1,393.	1,417.	1,468.	1,519.	1,561.	1,630.	1,669.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20-() ()	1,393.	1,417.	1,468.	1,519.	1,561.	1,630.	1,669.
	24"	49"	R3B1TF149 24-() ()	1,425.	1,449.	1,500.	1,551.	1,593.	1,662.	1,701.
	30"	49"	R3B1TF149 30-() ()	1,494.	1,518.	1,569.	1,620.	1,662.	1,731.	1,770.
	36"	49"	R3B1TF149 36-() ()	1,769.	1,793.	1,844.	1,895.	1,937.	2,006.	2,045.
	42"	49"	R3B1TF149 42-() ()	1,900.	1,924.	1,975.	2,026.	2,068.	2,137.	2,176.
	48"	49"	R3B1TF149 48-() ()	1,966.	1,990.	2,041.	2,092.	2,134.	2,203.	2,242.

Order Code	Specification Information	Application Notes
Example: R3B0TF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	i) tile 1A bottom	49"h add per panel:
W281 Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1C	6. Techwood side, finish (specify one V1 finish for side)	\$34 for 36w and 42w
Y328 Mahogany - side 2 tiled	7. Top trim finish	\$42 for 48w
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	<i>6" Raceway option increases panel height by 2 3/4".</i>
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 49" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF249 18-() ()	\$902.	\$926.	\$977.	\$1,028.	\$1,070.	\$1,139.	\$1,178.
Regular acoustics	20"	49"	R3B0TF249 20-() ()	902.	926.	977.	1,028.	1,070.	1,139.	1,178.
	24"	49"	R3B0TF249 24-() ()	956.	980.	1,031.	1,082.	1,124.	1,193.	1,232.
	30"	49"	R3B0TF249 30-() ()	1,026.	1,050.	1,101.	1,152.	1,194.	1,263.	1,302.
	36"	49"	R3B0TF249 36-() ()	1,082.	1,106.	1,157.	1,208.	1,250.	1,319.	1,358.
	42"	49"	R3B0TF249 42-() ()	1,205.	1,229.	1,280.	1,331.	1,373.	1,442.	1,481.
	48"	49"	R3B0TF249 48-() ()	1,268.	1,292.	1,343.	1,394.	1,436.	1,505.	1,544.



Tiled, fabric one side	18"	49"	R3B1TF249 18-() ()	1,421.	1,445.	1,496.	1,547.	1,589.	1,658.	1,697.
Beltway one side (fabric side)	20"	49"	R3B1TF249 20-() ()	1,421.	1,445.	1,496.	1,547.	1,589.	1,658.	1,697.
	24"	49"	R3B1TF249 24-() ()	1,451.	1,475.	1,526.	1,577.	1,619.	1,688.	1,727.
	30"	49"	R3B1TF249 30-() ()	1,521.	1,545.	1,596.	1,647.	1,689.	1,758.	1,797.
	36"	49"	R3B1TF249 36-() ()	1,798.	1,822.	1,873.	1,924.	1,966.	2,035.	2,074.
	42"	49"	R3B1TF249 42-() ()	1,933.	1,957.	2,008.	2,059.	2,101.	2,170.	2,209.
	48"	49"	R3B1TF249 48-() ()	2,002.	2,026.	2,077.	2,128.	2,170.	2,239.	2,278.



Order Code	Specification Information	Application Notes
Example: R3B0TF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	i) tile 1A bottom	49"h add per panel:
W281 Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1C	6. Conventional veneer, finish (specify one V2 finish for side)	\$34 for 36w and 42w
V316 Maple surface - side 2 tiled	7. Top trim finish	\$42 for 48w
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 49" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF349 18-() ()	\$1,200.	\$1,224.	\$1,275.	\$1,326.	\$1,368.	\$1,437.	\$1,476.
Regular acoustics	20"	49"	R3B0TF349 20-() ()	1,200.	1,224.	1,275.	1,326.	1,368.	1,437.	1,476.
	24"	49"	R3B0TF349 24-() ()	1,273.	1,297.	1,348.	1,399.	1,441.	1,510.	1,549.
	30"	49"	R3B0TF349 30-() ()	1,368.	1,392.	1,443.	1,494.	1,536.	1,605.	1,644.
	36"	49"	R3B0TF349 36-() ()	1,444.	1,468.	1,519.	1,570.	1,612.	1,681.	1,720.
	42"	49"	R3B0TF349 42-() ()	1,610.	1,634.	1,685.	1,736.	1,778.	1,847.	1,886.
	48"	49"	R3B0TF349 48-() ()	1,693.	1,717.	1,768.	1,819.	1,861.	1,930.	1,969.

Tiled, fabric one side	18"	49"	R3B1TF349 18-() ()	1,901.	1,925.	1,976.	2,027.	2,069.	2,138.	2,177.
Beltway fabric side	20"	49"	R3B1TF349 20-() ()	1,901.	1,925.	1,976.	2,027.	2,069.	2,138.	2,177.
	24"	49"	R3B1TF349 24-() ()	1,942.	1,966.	2,017.	2,068.	2,110.	2,179.	2,218.
	30"	49"	R3B1TF349 30-() ()	2,036.	2,060.	2,111.	2,162.	2,204.	2,273.	2,312.
	36"	49"	R3B1TF349 36-() ()	2,412.	2,436.	2,487.	2,538.	2,580.	2,649.	2,688.
	42"	49"	R3B1TF349 42-() ()	2,594.	2,618.	2,669.	2,720.	2,762.	2,831.	2,870.
	48"	49"	R3B1TF349 48-() ()	2,688.	2,712.	2,763.	2,814.	2,856.	2,925.	2,964.

Order Code	Specification Information	Application Notes
Example: R3B0TF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	ii) tile 1B middle	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	iii) tile 1C top	49" h add per panel:
W281 Fabric - Side 1A	6. Exotic veneer, finish (specify one V3 finish for side)	\$25 for 18w and 20w
W281 Fabric - Side 1B	7. Top trim finish	\$28 for 24w and 30w
W281 Fabric - Side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$34 for 36w and 42w
V512 Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$42 for 48w
V512 Figured Anigre (top trim finish)	8. Base finish	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	49"	R3B0TLL4918() ()	\$930.
	20"	49"	R3B0TLL4920() ()	930.
	24"	49"	R3B0TLL4924() ()	1,013.
	30"	49"	R3B0TLL4930() ()	1,135.
	36"	49"	R3B0TLL4936() ()	1,226.
	42"	49"	R3B0TLL4942() ()	1,263.
	48"	49"	R3B0TLL4948() ()	1,301.



Order Code

Example:	R3B0TLL4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

- To order please specify pattern number including:*
1. Top trim profile
 2. Base height
 3. Knockout option
(K = with knockouts, N = without knockouts)
 4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 5. Laminate side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
 6. Laminate, finish
 7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 8. Base finish
 9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


Tiled panels 64" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B0TFF64 18-() ()	\$863.	\$927.	\$1,055.	\$1,191.	\$1,303.	\$1,487.	\$1,591.
Regular acoustics	20"	64"	R3B0TFF64 20-() ()	863.	927.	1,055.	1,191.	1,303.	1,487.	1,591.
	24"	64"	R3B0TFF64 24-() ()	926.	990.	1,118.	1,254.	1,366.	1,550.	1,654.
	30"	64"	R3B0TFF64 30-() ()	994.	1,058.	1,186.	1,322.	1,434.	1,618.	1,722.
	36"	64"	R3B0TFF64 36-() ()	1,052.	1,116.	1,244.	1,380.	1,492.	1,676.	1,780.
	42"	64"	R3B0TFF64 42-() ()	1,204.	1,268.	1,396.	1,532.	1,644.	1,828.	1,932.
	48"	64"	R3B0TFF64 48-() ()	1,264.	1,338.	1,456.	1,592.	1,704.	1,888.	1,992.



Tiled, fabric both sides	18"	64"	R3B0TAA64 18-() ()	945.	1,009.	1,137.	1,273.	1,385.	1,569.	1,673.
High acoustics	20"	64"	R3B0TAA64 20-() ()	945.	1,009.	1,137.	1,273.	1,385.	1,569.	1,673.
	24"	64"	R3B0TAA64 24-() ()	1,013.	1,077.	1,205.	1,341.	1,453.	1,637.	1,741.
	30"	64"	R3B0TAA64 30-() ()	1,090.	1,154.	1,282.	1,418.	1,530.	1,714.	1,818.
	36"	64"	R3B0TAA64 36-() ()	1,162.	1,226.	1,354.	1,490.	1,602.	1,786.	1,890.
	42"	64"	R3B0TAA64 42-() ()	1,323.	1,387.	1,515.	1,651.	1,763.	1,947.	2,051.
	48"	64"	R3B0TAA64 48-() ()	1,395.	1,459.	1,587.	1,723.	1,835.	2,019.	2,123.



Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C middle	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	iv) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	i) tile 2A bottom	
W281 Fabric - Side 1C	ii) tile 2B middle	
W281 Fabric - Side 2A	iii) tile 2C middle	
W281 Fabric - Side 2B	iv) tile 2D top	
W281 Fabric - Side 2C	6. Top trim finish	
V316 Maple (top trim finish)	i) Top trim profile A,B or C options:	
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 64" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B1TFF64 18- () ()	\$1,350.	\$1,414.	\$1,539.	\$1,678.	\$1,790.	\$1,974.	\$2,078.
Beltway one side	20"	64"	R3B1TFF64 20- () ()	1,350.	1,414.	1,539.	1,678.	1,790.	1,974.	2,078.
	24"	64"	R3B1TFF64 24- () ()	1,419.	1,483.	1,608.	1,747.	1,859.	2,043.	2,147.
	30"	64"	R3B1TFF64 30- () ()	1,454.	1,518.	1,643.	1,782.	1,894.	2,078.	2,182.
	36"	64"	R3B1TFF64 36- () ()	1,787.	1,851.	1,976.	2,115.	2,227.	2,411.	2,515.
	42"	64"	R3B1TFF64 42- () ()	1,919.	1,983.	2,108.	2,247.	2,359.	2,543.	2,647.
	48"	64"	R3B1TFF64 48- () ()	1,987.	2,051.	2,176.	2,315.	2,427.	2,611.	2,715.

Tiled, fabric both sides	18"	64"	R3B2TFF64 18- () ()	1,371.	1,435.	1,557.	1,699.	1,811.	1,995.	2,099.
Beltway two sides	20"	64"	R3B2TFF64 20- () ()	1,371.	1,435.	1,557.	1,699.	1,811.	1,995.	2,099.
	24"	64"	R3B2TFF64 24- () ()	1,442.	1,506.	1,628.	1,770.	1,882.	2,066.	2,170.
	30"	64"	R3B2TFF64 30- () ()	1,478.	1,542.	1,664.	1,806.	1,918.	2,102.	2,206.
	36"	64"	R3B2TFF64 36- () ()	1,818.	1,882.	2,004.	2,146.	2,258.	2,442.	2,546.
	42"	64"	R3B2TFF64 42- () ()	1,949.	2,013.	2,135.	2,277.	2,389.	2,573.	2,677.
	48"	64"	R3B2TFF64 48- () ()	2,022.	2,086.	2,208.	2,350.	2,462.	2,646.	2,750.

Order Code	Specification Information	Application Notes
Example: R3B1TFF6418-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway one side	2. Base height	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H .
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
64 64" high	i) tile 1A bottom	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
18 18" wide	ii) tile 1B middle	
A Flat style top trim profile	iii) tile 1C middle	
4 4" base height	iv) tile 1D middle	
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C middle	
W281 Fabric - Side 1D	iv) tile 2D middle	
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
W281 Fabric - Side 2C		
W281 Fabric - Side 2D		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		


- Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
 - Base finish
 - Beltway finish
- 1. Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- 2. Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)


Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Tiled panels 64" H

fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-() ()	\$952.	\$984.	\$1,040.	\$1,112.	\$1,168.	\$1,248.	\$1,300.
Regular acoustics	20"	64"	R3B0TFL64 20-() ()	952.	984.	1,040.	1,112.	1,168.	1,248.	1,300.
	24"	64"	R3B0TFL64 24-() ()	1,008.	1,040.	1,096.	1,168.	1,224.	1,304.	1,356.
	30"	64"	R3B0TFL64 30-() ()	1,076.	1,108.	1,164.	1,236.	1,292.	1,372.	1,424.
	36"	64"	R3B0TFL64 36-() ()	1,137.	1,169.	1,225.	1,297.	1,353.	1,433.	1,485.
	42"	64"	R3B0TFL64 42-() ()	1,278.	1,310.	1,366.	1,438.	1,494.	1,574.	1,626.
	48"	64"	R3B0TFL64 48-() ()	1,339.	1,371.	1,427.	1,499.	1,555.	1,635.	1,687.


Tiled, fabric one side	18"	64"	R3B1TFL64 18-() ()	1,429.	1,461.	1,520.	1,589.	1,645.	1,729.	1,781.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-() ()	1,429.	1,461.	1,520.	1,589.	1,645.	1,729.	1,781.
	24"	64"	R3B1TFL64 24-() ()	1,498.	1,530.	1,589.	1,658.	1,714.	1,798.	1,850.
	30"	64"	R3B1TFL64 30-() ()	1,530.	1,562.	1,621.	1,690.	1,746.	1,830.	1,882.
	36"	64"	R3B1TFL64 36-() ()	1,856.	1,888.	1,947.	2,016.	2,072.	2,156.	2,208.
	42"	64"	R3B1TFL64 42-() ()	1,980.	2,012.	2,071.	2,140.	2,196.	2,280.	2,332.
	48"	64"	R3B1TFL64 48-() ()	2,046.	2,078.	2,137.	2,206.	2,262.	2,346.	2,398.

Order Code	Specification Information	Application Notes
Example: R3B0TFL6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p>
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
64 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	
18 18" wide	6. Laminate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D top	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
W281 Fabric - Side 1B		2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
W281 Fabric - Side 1C		4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
114 Folkstone grey - side 2A		6" Raceway option increases panel height by 2 3/4".
114 Folkstone grey - side 2B		Applicable finishes are listed on page 5 and 6.
114 Folkstone grey - side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 64" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18-() ()	\$1,032.	\$1,064.	\$1,132.	\$1,200.	\$1,256.	\$1,348.	\$1,400.
Regular acoustics	20"	64"	R3B0TF164 20-() ()	1,032.	1,064.	1,132.	1,200.	1,256.	1,348.	1,400.
	24"	64"	R3B0TF164 24-() ()	1,094.	1,126.	1,194.	1,262.	1,318.	1,410.	1,462.
	30"	64"	R3B0TF164 30-() ()	1,168.	1,200.	1,268.	1,336.	1,392.	1,484.	1,536.
	36"	64"	R3B0TF164 36-() ()	1,231.	1,263.	1,331.	1,399.	1,455.	1,547.	1,599.
	42"	64"	R3B0TF164 42-() ()	1,387.	1,419.	1,487.	1,555.	1,611.	1,703.	1,755.
	48"	64"	R3B0TF164 48-() ()	1,451.	1,483.	1,551.	1,619.	1,675.	1,767.	1,819.

Tiled, fabric one side	18"	64"	R3B1TF164 18-() ()	1,535.	1,567.	1,635.	1,703.	1,759.	1,851.	1,903.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20-() ()	1,535.	1,577.	1,635.	1,703.	1,759.	1,851.	1,903.
	24"	64"	R3B1TF164 24-() ()	1,609.	1,641.	1,709.	1,777.	1,833.	1,925.	1,977.
	30"	64"	R3B1TF164 30-() ()	1,644.	1,676.	1,744.	1,812.	1,868.	1,960.	2,012.
	36"	64"	R3B1TF164 36-() ()	1,993.	2,025.	2,093.	2,161.	2,217.	2,309.	2,361.
	42"	64"	R3B1TF164 42-() ()	2,126.	2,158.	2,226.	2,294.	2,350.	2,442.	2,494.
	48"	64"	R3B1TF164 48-() ()	2,203.	2,235.	2,303.	2,371.	2,427.	2,519.	2,571.

Order Code

Example: R3B0TF16418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
- Techwood side, finish (specify one V1 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
64"h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w
- 6" Raceway option increases panel height by 2³/₄".

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 64" H

fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18-() ()	\$1,051.	\$1,083.	\$1,151.	\$1,219.	\$1,275.	\$1,367.	\$1,419.
Regular acoustics	20"	64"	R3B0TF264 20-() ()	1,051.	1,083.	1,151.	1,219.	1,275.	1,367.	1,419.
	24"	64"	R3B0TF264 24-() ()	1,113.	1,145.	1,213.	1,281.	1,337.	1,429.	1,481.
	30"	64"	R3B0TF264 30-() ()	1,185.	1,217.	1,285.	1,353.	1,409.	1,501.	1,553.
	36"	64"	R3B0TF264 36-() ()	1,253.	1,285.	1,353.	1,421.	1,477.	1,569.	1,621.
	42"	64"	R3B0TF264 42-() ()	1,410.	1,442.	1,510.	1,578.	1,634.	1,726.	1,778.
	48"	64"	R3B0TF264 48-() ()	1477'	1,509.	1,577.	1,645.	1,701.	1,793.	1,845.


Tiled, fabric one side	18"	64"	R3B1TF264 18-() ()	1,563.	1,595.	1,663.	1,731.	1,787.	1,879.	1,931.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20-() ()	1,563.	1,595.	1,663.	1,731.	1,787.	1,879.	1,931.
	24"	64"	R3B1TF264 24-() ()	1,639.	1,671.	1,739.	1,807.	1,863.	1,955.	2,007.
	30"	64"	R3B1TF264 30-() ()	1,674.	1,706.	1,774.	1,842.	1,898.	1,990.	2,042.
	36"	64"	R3B1TF264 36-() ()	2,032.	2,064.	2,132.	2,200.	2,256.	2,348.	2,400.
	42"	64"	R3B1TF264 42-() ()	2,167.	2,199.	2,267.	2,335.	2,391.	2,483.	2,535.
	48"	64"	R3B1TF264 48-() ()	2,236.	2,268.	2,336.	2,404.	2,460.	2,552.	2,604.

Order Code	Specification Information	Application Notes
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	painted option excluding silver	6" raceway option increases panel height by 2 3/4".
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 64" h add per panel:</i>
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	\$39 for 18w and 20w
W281 Fabric - Side 1A	i) tile 1A bottom	\$43 for 24w and 30w
W281 Fabric - Side 1B	ii) tile 1B middle	\$48 for 36w and 42w
W281 Fabric - Side 1C	iii) tile 1C middle	\$64 for 48w
W281 Fabric - Side 1D	iv) tile 1D top	
V316 Maple surface - side 2 tiled	6. Conventional veneer, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	7. Top trim finish	
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-() ()	\$1,397.	\$1,429.	\$1,497.	\$1,565.	\$1,621.	\$1,713.	\$1,765.
Regular acoustics	20"	64"	R3B0TF364 20-() ()	1,397.	1,429.	1,497.	1,565.	1,621.	1,713.	1,765.
	24"	64"	R3B0TF364 24-() ()	1,479.	1,511.	1,579.	1,647.	1,703.	1,795.	1,847.
	30"	64"	R3B0TF364 30-() ()	1,577.	1,609.	1,677.	1,745.	1,801.	1,893.	1,945.
	36"	64"	R3B0TF364 36-() ()	1,671.	1,703.	1,771.	1,839.	1,895.	1,987.	2,039.
	42"	64"	R3B0TF364 42-() ()	1,883.	1,915.	1,983.	2,051.	2,107.	2,199.	2,251.
	48"	64"	R3B0TF364 48-() ()	1,970.	2,002.	2,070.	2,138.	2,194.	2,286.	2,338.

Tiled, fabric one side	18"	64"	R3B1TF364 18-() ()	2,089.	2,121.	2,189.	2,257.	2,313.	2,405.	2,457.
Beltway fabric side	20"	64"	R3B1TF364 20-() ()	2,089.	2,121.	2,189.	2,257.	2,313.	2,405.	2,457.
	24"	64"	R3B1TF364 24-() ()	2,193.	2,225.	2,293.	2,361.	2,417.	2,509.	2,561.
	30"	64"	R3B1TF364 30-() ()	2,236.	2,268.	2,336.	2,404.	2,460.	2,552.	2,604.
	36"	64"	R3B1TF364 36-() ()	2,720.	2,752.	2,820.	2,888.	2,944.	3,036.	3,088.
	42"	64"	R3B1TF364 42-() ()	2,903.	2,935.	3,003.	3,071.	3,127.	3,219.	3,271.
	48"	64"	R3B1TF364 48-() ()	2,999.	3,031.	3,099.	3,167.	3,223.	3,315.	3,367.

Order Code

Example: R3B0TF36418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

- To order please specify pattern number including:*
- Top trim profile
 - Base height
 - Knockout option (K = with knockouts, N = without knockouts)
 - Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 - Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
 - Exotic veneer, finish (specify one V3 finish for side)
 - Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 - Base finish
 - Beltway finish, for panels with Beltway
 - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes


- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 - Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" raceway option increases panel height by 2 3/4".
 - Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
64"h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
- Applicable finishes are listed on page 5 and 6.

Tiled panels 64" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	64"	R3B0TLL6418 () ()	\$1,156.
	20"	64"	R3B0TLL6420 () ()	1,156.
	24"	64"	R3B0TLL6424 () ()	1,260.
	30"	64"	R3B0TLL6430 () ()	1,413.
	36"	64"	R3B0TLL6436 () ()	1,525.
	42"	64"	R3B0TLL6442 () ()	1,571.
	48"	64"	R3B0TLL6448 () ()	1,634.




Order Code	Specification Information	Application Notes
Example: R3B0TLL6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
64 64" high	5. Laminate side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D top	Remember to specify Beltway paint finish when applicable.
18 18" wide	6. Laminate, finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
A Flat style top trim profile	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
4 4" base height	8. Base finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
B Tile divider, black reveal		
118 Laminate - side 1A		
118 Laminate - side 1B		
118 Laminate - side 1C		
118 Laminate - side 1D		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
118 Laminate - side 2D		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Tiled panels 79" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18-() ()	\$1,074.	\$154.	\$1,314.	\$1,484.	\$1,624.	\$1,854.	\$1,984.
Regular acoustics	20"	79"	R3B0TFF79 20-() ()	1,074.	1,154.	1,314.	1,484.	1,624.	1,854.	1,984.
	24"	79"	R3B0TFF79 24-() ()	1,142.	1,222.	1,382.	1,552.	1,692.	1,922.	2,052.
	30"	79"	R3B0TFF79 30-() ()	1,209.	1,289.	1,449.	1,619.	1,759.	1,989.	2,119.
	36"	79"	R3B0TFF79 36-() ()	1,278.	1,358.	1,518.	1,688.	1,828.	2,058.	2,188.
	42"	79"	R3B0TFF79 42-() ()	1,452.	1,532.	1,692.	1,862.	2,002.	2,232.	2,362.
	48"	79"	R3B0TFF79 48-() ()	1,526.	1,606.	1,766.	1,936.	2,076.	2,306.	2,436.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18-() ()	1,175.	1,255.	1,415.	1,585.	1,725.	1,955.	2,085.
High acoustics	20"	79"	R3B0TAA79 20-() ()	1,175.	1,255.	1,415.	1,585.	1,725.	1,955.	2,085.
	24"	79"	R3B0TAA79 24-() ()	1,253.	1,333.	1,493.	1,663.	1,803.	2,033.	2,163.
	30"	79"	R3B0TAA79 30-() ()	1,326.	1,406.	1,566.	1,736.	1,876.	2,106.	2,236.
	36"	79"	R3B0TAA79 36-() ()	1,401.	1,481.	1,641.	1,811.	1,951.	2,181.	2,311.
	42"	79"	R3B0TAA79 42-() ()	1,585.	1,675.	1,835.	2,005.	2,145.	2,375.	2,505.
	48"	79"	R3B0TAA79 48-() ()	1,679.	1,759.	1,919.	2,089.	2,229.	2,459.	2,589.



Order Code

Example: R3B0TFF7918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
 - v) tile 1E top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C middle
 - iv) tile 2D middle
 - v) tile 2E top

6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
 - 1. Top trim profile: A = Flat, B = Square, C = Bullnose, E = Extruded Aluminum
 - 2. Base height: 4 = 4" base height, 6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by $2\frac{3}{4}"$.


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 79" H fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18-() ()	\$1,400.	\$1,480.	\$1,637.	\$1,810.	\$1,950.	\$2,180.	\$2,310.
Beltway one side	20"	79"	R3B1TFF79 20-() ()	1,400.	1,480.	1,637.	1,810.	1,950.	2,180.	2,310.
	24"	79"	R3B1TFF79 24-() ()	1,470.	1,550.	1,707.	1,880.	2,020.	2,250.	2,380.
	30"	79"	R3B1TFF79 30-() ()	1,503.	1,583.	1,740.	1,913.	2,053.	2,283.	2,413.
	36"	79"	R3B1TFF79 36-() ()	1,837.	1,917.	2,074.	2,247.	2,387.	2,617.	2,747.
	42"	79"	R3B1TFF79 42-() ()	1,972.	2,052.	2,209.	2,382.	2,522.	2,752.	2,882.
	48"	79"	R3B1TFF79 48-() ()	2,037.	2,117.	2,274.	2,447.	2,587.	2,817.	2,947.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18-() ()	1,420.	1,500.	1,654.	1,830.	1,970.	2,200.	2,330.
Beltway two sides	20"	79"	R3B2TFF79 20-() ()	1,420.	1,500.	1,654.	1,830.	1,970.	2,200.	2,330.
	24"	79"	R3B2TFF79 24-() ()	1,493.	1,573.	1,727.	1,903.	2,043.	2,273.	2,403.
	30"	79"	R3B2TFF79 30-() ()	1,525.	1,605.	1,759.	1,935.	2,075.	2,305.	2,435.
	36"	79"	R3B2TFF79 36-() ()	1,864.	1,944.	2,098.	2,274.	2,414.	2,644.	2,774.
	42"	79"	R3B2TFF79 42-() ()	2,001.	2,081.	2,235.	2,411.	2,551.	2,781.	2,911.
	48"	79"	R3B2TFF79 48-() ()	2,075.	2,155.	2,309.	2,485.	2,625.	2,855.	2,985.




Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K		
R3 Ref Generation 3	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
B1 Beltway 1 side	1. Top trim profile	6" Raceway option increases panel height by 2 ³ / ₄ ".
T Tiled panel	2. Base height	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H .
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
79 79" high	4. Fabric side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
18 18" wide	i) tile 1A bottom	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
A Flat style top trim profile	ii) tile 1B middle	
4 4" base height	iii) tile 1C middle	
K Include knockouts in base	iv) tile 1D middle	
W281 Fabric - Side 1A	v) tile 1E top	
W281 Fabric - Side 1B	5. Fabric side, finish (specify selection per insert)	
W281 Fabric - Side 1C	i) tile 2A bottom	
W281 Fabric - Side 1D	ii) tile 2B middle	
W281 Fabric - Side 1E	iii) tile 2C middle	
W281 Fabric - Side 2A	iv) tile 2D middle	
W281 Fabric - Side 2B	v) tile 2E top	
W281 Fabric - Side 2C		
W281 Fabric - Side 2D		
W281 Fabric - Side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		
	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	
	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.	
	Applicable finishes are listed on page 5 and 6.	


Tiled panels 79" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TFL79 18-() ()	\$1,182.	\$1,222.	\$1,292.	\$1,382.	\$1,452.	\$1,552.	\$1,617.
Regular acoustics	20"	79"	R3B0TFL79 20-() ()	1,182.	1,222.	1,292.	1,382.	1,452.	1,552.	1,617.
	24"	79"	R3B0TFL79 24-() ()	1,254.	1,294.	1,364.	1,454.	1,524.	1,624.	1,689.
	30"	79"	R3B0TFL79 30-() ()	1,314.	1,354.	1,424.	1,514.	1,584.	1,684.	1,749.
	36"	79"	R3B0TFL79 36-() ()	1,380.	1,420.	1,490.	1,580.	1,650.	1,750.	1,815.
	42"	79"	R3B0TFL79 42-() ()	1,546.	1,586.	1,656.	1,746.	1,816.	1,916.	1,981.
	48"	79"	R3B0TFL79 48-() ()	1,617.	1,657.	1,727.	1,817.	1,887.	1,987.	2,052.



Tiled, fabric one side	18"	79"	R3B1TFL79 18-() ()	1,509.	1,549.	1,623.	1,709.	1,779.	1,884.	1,949.
Beltway one side (fabric side)	20"	79"	R3B1TFL79 20-() ()	1,509.	1,549.	1,623.	1,709.	1,779.	1,884.	1,949.
	24"	79"	R3B1TFL79 24-() ()	1,577.	1,617.	1,691.	1,777.	1,847.	1,952.	2,017.
	30"	79"	R3B1TFL79 30-() ()	1,612.	1,652.	1,726.	1,812.	1,882.	1,987.	2,052.
	36"	79"	R3B1TFL79 36-() ()	1,936.	1,976.	2,050.	2,136.	2,206.	2,311.	2,376.
	42"	79"	R3B1TFL79 42-() ()	2,061.	2,101.	2,175.	2,261.	2,331.	2,436.	2,501.
	48"	79"	R3B1TFL79 48-() ()	2,126.	2,166.	2,240.	2,326.	2,396.	2,501.	2,566.



Order Code

Example: R3B0TFL7918-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
FL Fabric one side, laminate other
79 79" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
W281 Fabric - Side 1D
W281 Fabric - Side 1E
114 Folkstone grey - side 2A
114 Folkstone grey - side 2B
114 Folkstone grey - side 2C
114 Folkstone grey - side 2D
114 Folkstone grey - side 2E
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
6. Laminate side, finish (specify selection per insert)
i) tile 2A bottom
ii) tile 2B middle
iii) tile 2C middle
iv) tile 2D middle
v) tile 2E top
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver

8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:

Optional for non fabric side only (fabric side always black)
79" h add per panel:
\$48 for 18w and 20w
\$57 for 24w and 30w
\$62 for 36w and 42w
\$84 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


Tiled panels 79" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,283.	\$1,323.	\$1,408.	\$1,493.	\$1,563.	\$1,678.	\$1,743.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,283.	1,323.	1,408.	1,493.	1,563.	1,678.	1,743.
	24"	79"	R3B0TF179 24-() ()	1,356.	1,396.	1,481.	1,566.	1,636.	1,751.	1,816.
	30"	79"	R3B0TF179 30-() ()	1,425.	1,465.	1,550.	1,635.	1,705.	1,820.	1,885.
	36"	79"	R3B0TF179 36-() ()	1,496.	1,536.	1,621.	1,706.	1,776.	1,891.	1,956.
	42"	79"	R3B0TF179 42-() ()	1,679.	1,719.	1,804.	1,889.	1,959.	2,074.	2,139.
	48"	79"	R3B0TF179 48-() ()	1,757.	1,797.	1,882.	1,967.	2,037.	2,152.	2,217.



Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,622.	1,662.	1,747.	1,832.	1,902.	2,017.	2,082.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,622.	1,662.	1,747.	1,832.	1,902.	2,017.	2,082.
	24"	79"	R3B1TF179 24-() ()	1,696.	1,736.	1,821.	1,906.	1,976.	2,091.	2,156.
	30"	79"	R3B1TF179 30-() ()	1,727.	1,767.	1,852.	1,937.	2,007.	2,122.	2,187.
	36"	79"	R3B1TF179 36-() ()	2,079.	2,119.	2,204.	2,289.	2,359.	2,474.	2,539.
	42"	79"	R3B1TF179 42-() ()	2,215.	2,255.	2,340.	2,425.	2,495.	2,610.	2,675.
	48"	79"	R3B1TF179 48-() ()	2,284.	2,324.	2,409.	2,494.	2,564.	2,679.	2,744.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Ref Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish, for panels with beltway
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2A		
Y328 Mahogany - side 2B		
Y328 Mahogany - side 2C		
Y328 Mahogany - side 2D		
Y328 Mahogany - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optimal milled frame		


Tiled panels 79" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-() ()	\$1,305.	\$1,345.	\$1,430.	\$1,515.	\$1,585.	\$1,700.	\$1,765.
Regular acoustics	20"	79"	R3B0TF279 20-() ()	1,305.	1,345.	1,430.	1,515.	1,585.	1,700.	1,765.
	24"	79"	R3B0TF279 24-() ()	1,381.	1,421.	1,506.	1,591.	1,661.	1,776.	1,841.
	30"	79"	R3B0TF279 30-() ()	1,449.	1,489.	1,574.	1,659.	1,729.	1,844.	1,909.
	36"	79"	R3B0TF279 36-() ()	1,522.	1,562.	1,647.	1,732.	1,802.	1,917.	1,982.
	42"	79"	R3B0TF279 42-() ()	1,706.	1,746.	1,831.	1,916.	1,986.	2,101.	2,166.
	48"	79"	R3B0TF279 48-() ()	1,786.	1,826.	1,911.	1,996.	2,066.	2,181.	2,246.



Tiled, fabric one side	18"	79"	R3B1TF279 18-() ()	1,651.	1,691.	1,776.	1,861.	1,931.	2,046.	2,111.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-() ()	1,651.	1,691.	1,776.	1,861.	1,931.	2,046.	2,111.
	24"	79"	R3B1TF279 24-() ()	1,725.	1,765.	1,850.	1,935.	2,005.	2,120.	2,185.
	30"	79"	R3B1TF279 30-() ()	1,762.	1,802.	1,887.	1,972.	2,042.	2,157.	2,222.
	36"	79"	R3B1TF279 36-() ()	2,118.	2,158.	2,243.	2,328.	2,398.	2,513.	2,578.
	42"	79"	R3B1TF279 42-() ()	2,252.	2,292.	2,377.	2,462.	2,532.	2,647.	2,712.
	48"	79"	R3B1TF279 48-() ()	2,325.	2,365.	2,450.	2,535.	2,605.	2,720.	2,785.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Ref Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2 Tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Tiled panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-() ()	\$1,732.	\$1,772.	\$1,857.	\$1,942.	\$2,012.	\$2,127.	\$2,192.
Regular acoustics	20"	79"	R3B0TF379 20-() ()	1,732.	1,772.	1,857.	1,942.	2,012.	2,127.	2,192.
	24"	79"	R3B0TF379 24-() ()	1,835.	1,875.	1,960.	2,045.	2,115.	2,230.	2,295.
	30"	79"	R3B0TF379 30-() ()	1,930.	1,970.	2,055.	2,140.	2,210.	2,325.	2,390.
	36"	79"	R3B0TF379 36-() ()	2,029.	2,069.	2,154.	2,239.	2,309.	2,424.	2,489.
	42"	79"	R3B0TF379 42-() ()	2,277.	2,317.	2,402.	2,487.	2,557.	2,672.	2,737.
	48"	79"	R3B0TF379 48-() ()	2,384.	2,424.	2,509.	2,594.	2,664.	2,779.	2,844.



Tiled, fabric one side	18"	79"	R3B1TF379 18-() ()	2,203.	2,243.	2,328.	2,413.	2,483.	2,598.	2,663.
Beltway fabric side	20"	79"	R3B1TF379 20-() ()	2,203.	2,243.	2,328.	2,413.	2,483.	2,598.	2,663.
	24"	79"	R3B1TF379 24-() ()	2,302.	2,342.	2,427.	2,512.	2,582.	2,697.	2,762.
	30"	79"	R3B1TF379 30-() ()	2,352.	2,392.	2,477.	2,562.	2,632.	2,747.	2,812.
	36"	79"	R3B1TF379 36-() ()	2,832.	2,872.	2,957.	3,042.	3,112.	3,227.	3,292.
	42"	79"	R3B1TF379 42-() ()	3,015.	3,055.	3,140.	3,225.	3,295.	3,410.	3,475.
	48"	79"	R3B1TF379 48-() ()	3,114.	3,154.	3,239.	3,324.	3,394.	3,509.	3,574.




Order Code	Specification Information	Application Notes
Example: R3B0TF37918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79" h add per panel: \$52 for 18w and 20w \$60 for 24w and 30w \$64 for 36w and 42w \$86 for 48w
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will not accept stacking modules. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
V512 Figured Anigre surface - side 2 tiled		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	79"	R3B0TLL7918 () ()	\$1,350.
	20"	79"	R3B0TLL7920 () ()	1,350.
	24"	79"	R3B0TLL7924 () ()	1,472.
	30"	79"	R3B0TLL7930 () ()	1,649.
	36"	79"	R3B0TLL7936 () ()	1,781.
	42"	79"	R3B0TLL7942 () ()	1,834.
	48"	79"	R3B0TLL7948 () ()	1,927.



Order Code	Specification Information	Application Notes
Example: R3B0TLL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	E = Extruded Aluminum
79 79" high	5. Laminate side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C middle	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	iv) tile 1D middle	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	v) tile 1E top	79" h add per panel:
118 Laminate - side 1A	6. Laminate, finish	\$52 for 18w and 20w
118 Laminate - side 1B	7. Top trim finish	\$60 for 24w and 30w
118 Laminate - side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$64 for 36w and 42w
118 Laminate - side 1D	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$86 for 48w
118 Laminate - side 1E	8. Base finish	Applicable finishes are listed on page 5 and 6.
118 Laminate - side 2A	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page will accept woodgrain laminate where laminate is currently an option.
118 Laminate - side 2B		
118 Laminate - side 2C		
118 Laminate - side 2D		
118 Laminate - side 2E		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	R2APT3418 ()	\$104.	
	20"	34"	R2APT3420 ()	104.	
	24"	34"	R2APT3424 ()	107.	
	30"	34"	R2APT3430 ()	109.	
	36"	34"	R2APT3436 ()	114.	
	42"	34"	R2APT3442 ()	116.	
	48"	34"	R2APT3448 ()	121.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	R2APT4218 ()	160.	
	20"	42"	R2APT4220 ()	160.	
	24"	42"	R2APT4224 ()	165.	
	30"	42"	R2APT4230 ()	167.	
	36"	42"	R2APT4236 ()	176.	
	42"	42"	R2APT4242 ()	182.	
	48"	42"	R2APT4248 ()	190.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i> 1. Specify Finish : Fabric	
RA		Reff Administrative
WH		Wall hung
DH		Desk hight planning
TB		Tack board
S		Single desk
66		width
	Fabric	

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49" h tiled with 4" or 6" h base raceway	18"	49"	R2APT4918 ()	\$171.	
	20"	49"	R2APT4920 ()	171.	
	24"	49"	R2APT4924 ()	177.	
	30"	49"	R2APT4930 ()	180.	
	36"	49"	R2APT4936 ()	189.	
	42"	49"	R2APT4942 ()	197.	
	48"	49"	R2APT4948 ()	203.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64" h tiled with 4" or 6" h base raceway	18"	64"	R2APT6418 ()	242.	
	20"	64"	R2APT6420 ()	242.	
	24"	64"	R2APT6424 ()	251.	
	30"	64"	R2APT6430 ()	256.	
	36"	64"	R2APT6436 ()	268.	
	42"	64"	R2APT6442 ()	278.	
	48"	64"	R2APT6448 ()	289.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	1. Specify Finish : Fabric
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	R2APT7918 ()	\$313.	
	20"	79"	R2APT7920 ()	313.	
	24"	79"	R2APT7924 ()	323.	
	30"	79"	R2APT7930 ()	329.	
	36"	79"	R2APT7936 ()	348.	
	42"	79"	R2APT7942 ()	359.	
	48"	79"	R2APT7948 ()	377.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"	R2ATPK34 ()	69.
	42"	R2ATPK42 ()	87.
	49"	R2ATPK49 ()	99.
	64"	R2ATPK64 ()	137.
	79"	R2ATPK79 ()	171.

Order Code

Example: R2APT3418 AA
RA Reff Administrative
WH Wall hung
DH Desk hight planning
TB Tack board
S Single desk
66 width
Fabric

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify Finish : Fabric

Application Notes

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6"h raceway		34"	R2ALPK34 ()		\$68.
		42"	R2ALPK42 ()		95.
		49"	R2ALPK49 ()		104.
		64"	R2ALPK64 ()		144.
		79"	R2ALPK79 ()		182.
Alum vertical reveal for end trim with 4" or 6"h raceway		34"	R2AETK34 ()		67.
		42"	R2AETK42 ()		82.
		49"	R2AETK49 ()		96.
		64"	R2AETK64 ()		128.
		79"	R2AETK79 ()		161.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i> 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	R2AHCR34 ()		\$67.
		38"	R2AHCR42 ()		82.
		45"	R2AHCR49 ()		96.
		60"	R2AHCR64 ()		128.
		75"	R2AHCR79 ()		161.

for use with generation 2 or 3 installations

Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18 ()		46.
	20"		R2AHTR20 ()		46.
	24"		R2AHTR24 ()		48.
	30"		R2AHTR30 ()		53.
	36"		R2AHTR36 ()		57.
	42"		R2AHTR42 ()		59.
	48"		R2AHTR48 ()		66.

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	To order specify pattern number including height and width as applicable. 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width Fabric		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18 ()	\$40.	
	20"		R2AHWR20 ()	40.	
	24"		R2AHWR24 ()	42.	
	30"		R2AHWR30 ()	43.	
	36"		R2AHWR36 ()	47.	
	42"		R2AHWR42 ()	49.	
	48"		R2AHWR48 ()	55.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18 ()	40.	
	20"		R2AHBW20 ()	40.	
	24"		R2AHBW24 ()	42.	
	30"		R2AHBW30 ()	43.	
	36"		R2AHBW36 ()	47.	
	42"		R2AHBW42 ()	49.	
	48"		R2AHBW48 ()	55.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	To order specify pattern number including height and width as applicable. 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width Fabric		


description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()		\$40.
	20"		R2AHSR20 ()		40.
	24"		R2AHSR24 ()		42.
	30"		R2AHSR30 ()		43.
	36"		R2AHSR36 ()		47.
	42"		R2AHSR42 ()		49.
	48"		R2AHSR48 ()		55.

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	To order specify pattern number including height and width as applicable. 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width		
Fabric		

Beltway one side, window panel 49" H tiled panel with glass type "A" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-() ()	\$1,304.	\$1,336.	\$1,397.	\$1,468.	\$1,524.	\$1,616.	\$1,668.
	20"	49"	R3B1TFFA49 20-() ()	1,304.	1,336.	1,397.	1,468.	1,524.	1,616.	1,668.
	24"	49"	R3B1TFFA49 24-() ()	1,348.	1,380.	1,441.	1,512.	1,568.	1,660.	1,712.
	30"	49"	R3B1TFFA49 30-() ()	1,441.	1,473.	1,534.	1,605.	1,661.	1,753.	1,805.
	36"	49"	R3B1TFFA49 36-() ()	1,735.	1,767.	1,828.	1,899.	1,955.	2,047.	2,099.
	42"	49"	R3B1TFFA49 42-() ()	1,890.	1,922.	1,983.	2,054.	2,110.	2,202.	2,254.
	48"	49"	R3B1TFFA49 48-() ()	1,977.	2,009.	2,070.	2,141.	2,197.	2,289.	2,341.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
A Type A window	5. Panel side 2 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
49 49" high	6. Top trim finish	
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1A	9. Glass window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1B	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$65 per panel for P3 paint class options.



Beltway one side, window panel 49" H tiled panel with glass type "B" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,554.	\$1,586.	\$1,647.	\$1,718.	\$1,774.	\$1,866.	\$1,918.
	36"	49"	R3B1TFFB49 36-() ()	1,858.	1,890.	1,951.	2,022.	2,078.	2,170.	2,222.
	42"	49"	R3B1TFFB49 42-() ()	2,012.	2,044.	2,105.	2,176.	2,232.	2,324.	2,376.
	48"	49"	R3B1TFFB49 48-() ()	2,109.	2,141.	2,202.	2,273.	2,329.	2,421.	2,473.



Order Code	Specification Information	Application Notes
Example: R3B1TFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
FF Fabric both sides		E = Extruded Aluminum
B Type B window		2. Base height:
49 49" high		4 = 4" base height
30 30" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
Y328 Mahogany - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	R3B1PFFA49 18-() ()	\$1,180.	\$1,198.	\$1,240.	\$1,327.	\$1,383.	\$1,462.	\$1,543.
	20"	49"	R3B1PFFA49 20-() ()	1,180.	1,198.	1,240.	1,327.	1,383.	1,462.	1,543.
	24"	49"	R3B1PFFA49 24-() ()	1,221.	1,239.	1,281.	1,368.	1,424.	1,503.	1,584.
	30"	49"	R3B1PFFA49 30-() ()	1,301.	1,319.	1,361.	1,448.	1,504.	1,583.	1,664.
	36"	49"	R3B1PFFA49 36-() ()	1,549.	1,567.	1,609.	1,696.	1,752.	1,831.	1,912.
	42"	49"	R3B1PFFA49 42-() ()	1,681.	1,699.	1,741.	1,828.	1,884.	1,963.	2,044.
	48"	49"	R3B1PFFA49 48-() ()	1,761.	1,779.	1,821.	1,908.	1,964.	2,043.	2,124.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	R3B1PFFB49 30-() ()	1,414.	1,432.	1,474.	1,561.	1,617.	1,696.	1,777.
	36"	49"	R3B1PFFB49 36-() ()	1,672.	1,690.	1,732.	1,819.	1,875.	1,954.	2,035.
	42"	49"	R3B1PFFB49 42-() ()	1,803.	1,821.	1,863.	1,950.	2,006.	2,085.	2,166.
	48"	49"	R3B1PFFB49 48-() ()	1,893.	1,911.	1,953.	2,040.	2,096.	2,175.	2,256.

Order Code	Specification Information	Application Notes
Example: R3B1PFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 ³ / ₄ ".
B1 Beltway 1 side	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
A Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
49 49" high	6. Top trim finish	
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. Glass window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	Add upcharge for architectural glass: (as applicable by width) Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Beltway one side, window panel 49" H
 tiled with glass type "A" at top,
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-() ()	\$1,431.	\$1,447.	\$1,479.	\$1,515.	\$1,543.	\$1,587.	\$1,626.
	20"	49"	R3B1TFLA49 20-() ()	1,431.	1,447.	1,479.	1,515.	1,543.	1,587.	1,626.
	24"	49"	R3B1TFLA49 24-() ()	1,476.	1,492.	1,524.	1,560.	1,588.	1,632.	1,671.
	30"	49"	R3B1TFLA49 30-() ()	1,570.	1,586.	1,618.	1,654.	1,682.	1,726.	1,765.
	36"	49"	R3B1TFLA49 36-() ()	1,866.	1,882.	1,914.	1,950.	1,978.	2,022.	2,061.
	42"	49"	R3B1TFLA49 42-() ()	2,020.	2,036.	2,068.	2,104.	2,132.	2,176.	2,215.
	48"	49"	R3B1TFLA49 48-() ()	2,111.	2,127.	2,159.	2,195.	2,223.	2,267.	2,306.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel	1. Top trim profile	C = Bullnose
FL Fabric BW side, laminate other	2. Base height	E = Extruded Aluminum
A Type A window	3. Knockout option (K = with knockouts, N = without knockouts)	2. Base height:
49 49" high	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	4 = 4" base height
18 18" wide	5. Fabric side, finish (specify selection per insert; bottom up.)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	6. Laminate side finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
B Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric selection - side 1B	11. Glass option Temp = Clear temp	Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
114 Folkstone grey - side 2A	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
114 Folkstone grey - side 2B		Width Add
V316 Maple (top trim finish)		18" \$86
111 Jet Black (base finish)		20" \$86
111 Jet Black (beltway finish)		24" \$101
111 Jet Black (window frame finish)		30" \$121
TEMP Glass option		36" \$145
		42" \$173
		48" \$198


Beltway one side, window panel 49" H
 tiled with glass type "B" at top,
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-()()	\$1,686.	\$1,702.	\$1,734.	\$1,770.	\$1,798.	\$1,842.	\$1,881.
	36"	49"	R3B1TFLB49 36-()()	1,987.	2,003.	2,035.	2,071.	2,099.	2,143.	2,182.
	42"	49"	R3B1TFLB49 42-()()	2,141.	2,157.	2,189.	2,225.	2,253.	2,297.	2,336.
	48"	49"	R3B1TFLB49 48-()()	2,243.	2,259.	2,291.	2,327.	2,355.	2,399.	2,438.



Order Code	Specification Information	Application Notes
Example: R3B1TFLB4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
FL Fabric BW side, laminate other	1. Top trim profile	E = Extruded Aluminum
B Type B window	2. Base height	2. Base height:
49 49" high	3. Knockout option (K = with knockouts, N = without knockouts)	4 = 4" base height
18 18" wide	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric selection - side 1B	8. Base finish	Applicable finishes are listed on page 5 and 6.
114 Folkstone grey - side 2A	9. Beltway finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
114 Folkstone grey - side 2B	10. Window frame finish	
V316 Maple (top trim finish)	11. Glass option	
111 Jet Black (base finish)	Temp = Clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PFLA49 18-() ()	\$1,183.	\$1,192.	\$1,215.	\$1,258.	\$1,285.	\$1,326.	\$1,353.
	20"	49"	R3B1PFLA49 20-() ()	1,184.	1,192.	1,215.	1,258.	1,285.	1,326.	1,353.
	24"	49"	R3B1PFLA49 24-() ()	1,244.	1,253.	1,276.	1,319.	1,346.	1,387.	1,414.
	30"	49"	R3B1PFLA49 30-() ()	1,355.	1,364.	1,387.	1,430.	1,457.	1,498.	1,525.
	36"	49"	R3B1PFLA49 36-() ()	1,636.	1,645.	1,668.	1,711.	1,738.	1,779.	1,806.
	42"	49"	R3B1PFLA49 42-() ()	1,799.	1,808.	1,831.	1,874.	1,901.	1,942.	1,969.
	48"	49"	R3B1PFLA49 48-() ()	1,912.	1,921.	1,944.	1,987.	2,014.	2,055.	2,082.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PFLB49 30-() ()	1,471.	1,480.	1,503.	1,546.	1,573.	1,614.	1,641.
	36"	49"	R3B1PFLB49 36-() ()	1,757.	1,766.	1,789.	1,832.	1,859.	1,900.	1,927.
	42"	49"	R3B1PFLB49 42-() ()	1,920.	1,929.	1,952.	1,995.	2,022.	2,063.	2,090.
	48"	49"	R3B1PFLB49 48-() ()	2,044.	2,053.	2,076.	2,119.	2,146.	2,187.	2,214.

Order Code	Specification Information	Application Notes																																
Example: R3B1PFLA4918-A4K R3 Reff Generation 3 B1 Beltway one side P Monolithic panel FL Fabric BW side, laminate other A Type A window 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base B Tile divider, black reveal W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) 111 Jet Black (beltway finish) 111 Jet Black (window frame finish) TEMP Glass option	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only) 5. Fabric side, finish (specify selection per insert; bottom up.) 6. Laminate side finish (specify selection per insert; bottom up.) 7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 8. Base finish 9. Beltway finish 10. Window frame finish 11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Applicable finishes are listed on page 5 and 6.																																
		Add upcharge for architectural glass: (as applicable by width) <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$86</td></tr> <tr><td>20"</td><td>\$86</td></tr> <tr><td>24"</td><td>\$101</td></tr> <tr><td>30"</td><td>\$121</td></tr> <tr><td>36"</td><td>\$145</td></tr> <tr><td>42"</td><td>\$173</td></tr> <tr><td>48"</td><td>\$198</td></tr> </tbody> </table> Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options. Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$14</td></tr> <tr><td>20"</td><td>\$14</td></tr> <tr><td>24"</td><td>\$15</td></tr> <tr><td>30"</td><td>\$15</td></tr> <tr><td>36"</td><td>\$16</td></tr> <tr><td>42"</td><td>\$16</td></tr> <tr><td>48"</td><td>\$21</td></tr> </tbody> </table> Product on this page will accept woodgrain laminate where laminate is currently an option.	Width	Add	18"	\$86	20"	\$86	24"	\$101	30"	\$121	36"	\$145	42"	\$173	48"	\$198	Width	Add	18"	\$14	20"	\$14	24"	\$15	30"	\$15	36"	\$16	42"	\$16	48"	\$21
Width	Add																																	
18"	\$86																																	
20"	\$86																																	
24"	\$101																																	
30"	\$121																																	
36"	\$145																																	
42"	\$173																																	
48"	\$198																																	
Width	Add																																	
18"	\$14																																	
20"	\$14																																	
24"	\$15																																	
30"	\$15																																	
36"	\$16																																	
42"	\$16																																	
48"	\$21																																	

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-()()	\$1,468.	\$1,484.	\$1,518.	\$1,552.	\$1,580.	\$1,626.	\$1,665.
	20"	49"	R3B1TF1A49 20-()()	1,468.	1,484.	1,518.	1,552.	1,580.	1,626.	1,665.
	24"	49"	R3B1TF1A49 24-()()	1,518.	1,534.	1,568.	1,602.	1,630.	1,676.	1,715.
	30"	49"	R3B1TF1A49 30-()()	1,613.	1,629.	1,663.	1,697.	1,725.	1,771.	1,810.
	36"	49"	R3B1TF1A49 36-()()	1,918.	1,934.	1,968.	2,002.	2,030.	2,076.	2,115.
	42"	49"	R3B1TF1A49 42-()()	2,078.	2,094.	2,128.	2,162.	2,190.	2,236.	2,275.
	48"	49"	R3B1TF1A49 48-()()	2,169.	2,185.	2,219.	2,253.	2,281.	2,327.	2,366.




Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
B Tile divider, black reveal	6. Techwood side, finish (specify one V1 finish for side)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
W281 Fabric selection - side 1B	8. Base finish	Add upcharge for architectural glass: (as applicable by width)
Y328 Mahogany - side 2 tiled	9. Beltway finish	Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198
V316 Maple (top trim finish)	10. Window frame finish	Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
111 Jet Black (base finish)	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
111 Jet Black (beltway finish)		Width Add 18" \$14 20" \$14 24" \$15 30" \$15 36" \$16 42" \$16 48" \$21
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, techwood other side

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-()()	\$1,730.	\$1,746.	\$1,780.	\$1,814.	\$1,842.	\$1,888.	\$1,927.
	36"	49"	R3B1TF1B49 36-()()	2,041.	2,057.	2,091.	2,125.	2,153.	2,199.	2,238.
	42"	49"	R3B1TF1B49 42-()()	2,200.	2,216.	2,250.	2,284.	2,312.	2,358.	2,397.
	48"	49"	R3B1TF1B49 48-()()	2,303.	2,319.	2,353.	2,387.	2,415.	2,461.	2,500.



Order Code	Specification Information	Application Notes
Example: R3B1TF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F1 Fabric one side, V1 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
B Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
49 49" high	6. Techwood side, finish (specify one V1 finish for side)	4 = 4" base height
30 30" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
B Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric selection - side 1B	11. Glass option	Applicable finishes are listed on page 5 and 6.
Y328 Mahogany - side 2 tiled	Temp = Clear temp	
V316 Maple (top trim finish)	Architectural options:	
111 Jet Black (base finish)	GL13 = Powder glass	
111 Jet Black (beltway finish)	GL6 = Block matrix glass	
111 Jet Black (window frame finish)	GL8 = Wafer glass	
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black


Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF1A49 18-() ()	\$1,218.	\$1,227.	\$1,249.	\$1,293.	\$1,321.	\$1,362.	\$1,389.
	20"	49"	R3B1PF1A49 20-() ()	1,218.	1,227.	1,249.	1,293.	1,321.	1,362.	1,389.
	24"	49"	R3B1PF1A49 24-() ()	1,277.	1,286.	1,308.	1,352.	1,380.	1,421.	1,448.
	30"	49"	R3B1PF1A49 30-() ()	1,392.	1,401.	1,423.	1,467.	1,495.	1,536.	1,563.
	36"	49"	R3B1PF1A49 36-() ()	1,679.	1,688.	1,710.	1,754.	1,782.	1,823.	1,850.
	42"	49"	R3B1PF1A49 42-() ()	1,852.	1,861.	1,883.	1,927.	1,955.	1,996.	2,023.
	48"	49"	R3B1PF1A49 48-() ()	1,964.	1,973.	1,995.	2,039.	2,067.	2,108.	2,135.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF1B49 30-() ()	1,509.	1,518.	1,540.	1,584.	1,612.	1,653.	1,680.
	36"	49"	R3B1PF1B49 36-() ()	1,802.	1,811.	1,833.	1,877.	1,905.	1,946.	1,973.
	42"	49"	R3B1PF1B49 42-() ()	1,974.	1,983.	2,005.	2,049.	2,077.	2,118.	2,145.
	48"	49"	R3B1PF1B49 48-() ()	2,098.	2,107.	2,129.	2,173.	2,201.	2,242.	2,269.



Order Code	Specification Information	Application Notes
Example: R3B1PF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 18" \$86
49 49" high		20" \$86
30 30" wide		24" \$101
A Flat style top trim profile		30" \$121
4 4" base height		36" \$145
K Include knockouts in base		42" \$173
B Tile divider, black reveal		48" \$198
W281 Fabric selection - side 1	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
Y328 Mahogany - side 2	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
V316 Maple (top trim finish)	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
111 Jet Black (base finish)	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
111 Jet Black (beltway finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
111 Jet Black (window frame finish)	8. Base finish	Applicable finishes are listed on page 5 and 6.
TEMP Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,496.	\$1,512.	\$1,546.	\$1,580.	\$1,608.	\$1,654.	\$1,693.
	20"	49"	R3B1TF2A49 20-() ()	1,496.	1,512.	1,546.	1,580.	1,608.	1,654.	1,693.
	24"	49"	R3B1TF2A49 24-() ()	1,544.	1,560.	1,594.	1,628.	1,656.	1,702.	1,741.
	30"	49"	R3B1TF2A49 30-() ()	1,640.	1,656.	1,690.	1,724.	1,752.	1,798.	1,837.
	36"	49"	R3B1TF2A49 36-() ()	1,947.	1,963.	1,997.	2,031.	2,059.	2,105.	2,144.
	42"	49"	R3B1TF2A49 42-() ()	2,111.	2,127.	2,161.	2,195.	2,223.	2,269.	2,308.
	48"	49"	R3B1TF2A49 48-() ()	2,205.	2,221.	2,255.	2,289.	2,317.	2,363.	2,402.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
B Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric selection - side 1B		
V316 Maple surface - side 2 tiled	8. Base finish	
V316 Maple (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
111 Jet Black (window frame finish)		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21


Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-()()	\$1,757.	\$1,773.	\$1,807.	\$1,841.	\$1,869.	\$1,915.	\$1,954.
	36"	49"	R3B1TF2B49 36-()()	2,070.	2,086.	2,120.	2,154.	2,182.	2,228.	2,267.
	42"	49"	R3B1TF2B49 42-()()	2,233.	2,249.	2,283.	2,317.	2,345.	2,391.	2,430.
	48"	49"	R3B1TF2B49 48-()()	2,339.	2,355.	2,389.	2,423.	2,451.	2,497.	2,536.



Order Code	Specification Information	Application Notes
Example: R3B1TF2B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F2 Fabric one side, V2 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
B Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
49 49" high	6. Conventional veneer side, finish (specify one V2 finish for side)	4 = 4" base height
30 30" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
K Include knockouts in base	8. Base finish	6" Raceway option increases panel height by 2 3/4".
B Tile divider, black reveal	9. Beltway finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
W281 Fabric selection - side 1A	10. Window frame finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1B	11. Glass option	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
V316 Maple surface - side 2 tiled	Temp = Clear temp	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	Architectural options:	
111 Jet Black (base finish)	GL13 = Powder glass	
111 Jet Black (beltway finish)	GL6 = Block matrix glass	
111 Jet Black (window frame finish)	GL8 = Wafer glass	
TEMP Glass option		


Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF2A49 18-() ()	\$1,239.	\$1,248.	\$1,270.	\$1,314.	\$1,342.	\$1,383.	\$1,410.
	20"	49"	R3B1PF2A49 20-() ()	1,239.	1,248.	1,270.	1,314.	1,342.	1,383.	1,410.
	24"	49"	R3B1PF2A49 24-() ()	1,299.	1,308.	1,330.	1,374.	1,402.	1,443.	1,470.
	30"	49"	R3B1PF2A49 30-() ()	1,419.	1,428.	1,450.	1,494.	1,522.	1,563.	1,590.
	36"	49"	R3B1PF2A49 36-() ()	1,711.	1,720.	1,742.	1,786.	1,814.	1,855.	1,882.
	42"	49"	R3B1PF2A49 42-() ()	1,880.	1,889.	1,911.	1,955.	1,983.	2,024.	2,051.
	48"	49"	R3B1PF2A49 48-() ()	1,993.	2,002.	2,024.	2,068.	2,096.	2,137.	2,164.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF2B49 30-() ()	1,536.	1,545.	1,567.	1,611.	1,639.	1,680.	1,707.
	36"	49"	R3B1PF2B49 36-() ()	1,834.	1,843.	1,865.	1,909.	1,937.	1,978.	2,005.
	42"	49"	R3B1PF2B49 42-() ()	2,002.	2,011.	2,033.	2,077.	2,105.	2,146.	2,173.
	48"	49"	R3B1PF2B49 48-() ()	2,127.	2,136.	2,158.	2,202.	2,230.	2,271.	2,298.

Order Code	Specification Information	Application Notes																
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>																
R3 Reff Generation 3		A = Flat																
B1 Beltway one side		B = Square																
T Tiled panel		C = Bullnose																
F2 Fabric one side, V2 other		E = Extruded Aluminum																
A Type A window		2. Base height:																
49 49" high		4 = 4" base height																
18 18" wide		6 = 6" base height (add \$47 per panel for this option)																
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.																
4 4" base height		6" Raceway option increases panel height by 2 3/4".																
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.																
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.																
W281 Fabric selection - side 1		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.																
V316 Maple surface - side 2		Applicable finishes are listed on page 5 and 6.																
V316 Maple (top trim finish)																		
111 Jet Black (base finish)																		
111 Jet Black (beltway finish)																		
111 Jet Black (window frame finish)																		
TEMP Glass option																		
	1. Top trim profile (K = with knockouts, N = without knockouts)																	
	2. Base height																	
	3. Knockout option (K = with knockouts, N = without knockouts)																	
	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)																	
	5. Fabric side, finish (specify selection per insert; bottom up.)																	
	6. Conventional veneer side, finish (specify one V2 finish for side)																	
	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver																	
	8. Base finish																	
	9. Beltway finish																	
	10. Window frame finish																	
	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass																	
		<table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$86</td></tr> <tr><td>20"</td><td>\$86</td></tr> <tr><td>24"</td><td>\$101</td></tr> <tr><td>30"</td><td>\$121</td></tr> <tr><td>36"</td><td>\$145</td></tr> <tr><td>42"</td><td>\$173</td></tr> <tr><td>48"</td><td>\$198</td></tr> </tbody> </table>	Width	Add	18"	\$86	20"	\$86	24"	\$101	30"	\$121	36"	\$145	42"	\$173	48"	\$198
Width	Add																	
18"	\$86																	
20"	\$86																	
24"	\$101																	
30"	\$121																	
36"	\$145																	
42"	\$173																	
48"	\$198																	
		Add upcharge for architectural glass: (as applicable by widths)																
		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.																
		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) <i>Optional non fabric tiled side only, fabric side always black</i>																
		<table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$14</td></tr> <tr><td>20"</td><td>\$14</td></tr> <tr><td>24"</td><td>\$15</td></tr> <tr><td>30"</td><td>\$15</td></tr> <tr><td>36"</td><td>\$16</td></tr> <tr><td>42"</td><td>\$16</td></tr> <tr><td>48"</td><td>\$21</td></tr> </tbody> </table>	Width	Add	18"	\$14	20"	\$14	24"	\$15	30"	\$15	36"	\$16	42"	\$16	48"	\$21
Width	Add																	
18"	\$14																	
20"	\$14																	
24"	\$15																	
30"	\$15																	
36"	\$16																	
42"	\$16																	
48"	\$21																	

Beltway one side, window panel 49" H tiled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics 	18"	49"	R3B1TF3A49 18-()	\$1,976.	\$1,992.	\$2,026.	\$2,060.	\$2,088.	\$2,134.	\$2,173.
	20"	49"	R3B1TF3A49 20-()	1,976.	1,992.	2,026.	2,060.	2,088.	2,134.	2,173.
	24"	49"	R3B1TF3A49 24-()	2,035.	2,051.	2,085.	2,119.	2,147.	2,193.	2,232.
	30"	49"	R3B1TF3A49 30-()	2,155.	2,171.	2,205.	2,239.	2,267.	2,313.	2,352.
	36"	49"	R3B1TF3A49 36-()	2,561.	2,577.	2,611.	2,645.	2,673.	2,719.	2,758.
	42"	49"	R3B1TF3A49 42-()	2,772.	2,788.	2,822.	2,856.	2,884.	2,930.	2,969.
	48"	49"	R3B1TF3A49 48-()	2,891.	2,907.	2,941.	2,975.	3,003.	3,049.	3,088.

Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics 	30"	49"	R3B1TF3B49 30-()	2,272.	2,288.	2,322.	2,356.	2,384.	2,430.	2,469.
	36"	49"	R3B1TF3B49 36-()	2,684.	2,700.	2,734.	2,768.	2,796.	2,842.	2,881.
	42"	49"	R3B1TF3B49 42-()	2,894.	2,910.	2,944.	2,978.	3,006.	3,052.	3,091.
	48"	49"	R3B1TF3B49 48-()	3,025.	3,041.	3,075.	3,109.	3,137.	3,183.	3,222.

Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1B		
V512 Figured Anigre surface - side 2 tiled		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page:
upcharge of \$35 per panel for P2
paint class options or \$63 per panel
for P3 paint class options.


Add upcharge for
extruded aluminum reveal/tile
divider: (as applicable by width)
Optional non fabric tiled side only,
fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21


Beltway one side, window panel 49" H

monolithic with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,625.	\$1,634.	\$1,656.	\$1,700.	\$1,728.	\$1,769.	\$1,796.
	20"	49"	R3B1PF3A49 20-() ()	1,625.	1,634.	1,656.	1,700.	1,728.	1,769.	1,796.
	24"	49"	R3B1PF3A49 24-() ()	1,703.	1,712.	1,734.	1,778.	1,806.	1,847.	1,874.
	30"	49"	R3B1PF3A49 30-() ()	1,854.	1,863.	1,885.	1,929.	1,957.	1,998.	2,025.
	36"	49"	R3B1PF3A49 36-() ()	2,239.	2,248.	2,270.	2,314.	2,342.	2,383.	2,410.
	42"	49"	R3B1PF3A49 42-() ()	2,458.	2,467.	2,489.	2,533.	2,561.	2,602.	2,629.
	48"	49"	R3B1PF3A49 48-() ()	2,602.	2,611.	2,633.	2,677.	2,705.	2,746.	2,773.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	1,971.	1,980.	2,002.	2,046.	2,074.	2,115.	2,142.
	36"	49"	R3B1PF3B49 36-() ()	2,362.	2,371.	2,393.	2,437.	2,465.	2,506.	2,533.
	42"	49"	R3B1PF3B49 42-() ()	2,580.	2,589.	2,611.	2,655.	2,683.	2,724.	2,751.
	48"	49"	R3B1PF3B49 48-() ()	2,736.	2,745.	2,767.	2,811.	2,839.	2,880.	2,907.



Order Code	Specification Information	Application Notes
Example: R3B1PF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
Add to all products on this page:
upcharge of \$35 per panel for P2
paint class options or \$63 per panel
for P3 paint class options.

Add upcharge for
extruded aluminum reveal/tile
divider: (as applicable by width)
*Optional non fabric tiled side only,
fabric side always black*


Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway two sides, window panel 49" H tiled with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,322.	\$1,354.	\$1,412.	\$1,486.	\$1,542.	\$1,634.	\$1,686.
	20"	49"	R3B2TFFA49 20-() ()	1,322.	1,354.	1,412.	1,486.	1,542.	1,634.	1,686.
	24"	49"	R3B2TFFA49 24-() ()	1,370.	1,402.	1,460.	1,534.	1,590.	1,682.	1,734.
	30"	49"	R3B2TFFA49 30-() ()	1,466.	1,498.	1,556.	1,630.	1,686.	1,778.	1,830.
	36"	49"	R3B2TFFA49 36-() ()	1,763.	1,795.	1,853.	1,927.	1,983.	2,075.	2,127.
	42"	49"	R3B2TFFA49 42-() ()	1,920.	1,952.	2,010.	2,084.	2,140.	2,232.	2,284.
	48"	49"	R3B2TFFA49 48-() ()	2,013.	2,045.	2,103.	2,177.	2,233.	2,325.	2,377.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	1,579.	1,611.	1,669.	1,743.	1,799.	1,891.	1,943.
	36"	49"	R3B2TFFB49 36-() ()	1,886.	1,918.	1,976.	2,050.	2,106.	2,198.	2,250.
	42"	49"	R3B2TFFB49 42-() ()	2,042.	2,074.	2,132.	2,206.	2,262.	2,352.	2,406.
	48"	49"	R3B2TFFB49 48-() ()	2,145.	2,177.	2,235.	2,309.	2,365.	2,457.	2,509.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	ii) Top trim profile E options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
W281 Fabric selection - side 1A	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1B	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric selection - side 2A	8. Beltway finish	
W281 Fabric selection - side 2B	9. Window frame finish	
V316 Maple (top trim finish)	10. Glass option	
111 Jet Black (base finish)	Temp = clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Beltway two sides, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	R3B2PFFA49 18-() ()	\$1,197.	\$1,217.	\$1,259.	\$1,345.	\$1,403.	\$1,481.	\$1,533.
	20"	49"	R3B2PFFA49 20-() ()	1,197.	1,217.	1,259.	1,345.	1,403.	1,481.	1,533.
	24"	49"	R3B2PFFA49 24-() ()	1,240.	1,260.	1,302.	1,388.	1,446.	1,524.	1,576.
	30"	49"	R3B2PFFA49 30-() ()	1,324.	1,344.	1,386.	1,472.	1,530.	1,608.	1,660.
	36"	49"	R3B2PFFA49 36-() ()	1,573.	1,593.	1,635.	1,721.	1,779.	1,857.	1,909.
	42"	49"	R3B2PFFA49 42-() ()	1,710.	1,730.	1,772.	1,858.	1,916.	1,994.	2,046.
	48"	49"	R3B2PFFA49 48-() ()	1,792.	1,812.	1,854.	1,940.	1,998.	2,076.	2,128.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	R3B2PFFB49 30-() ()	1,437.	1,457.	1,499.	1,585.	1,643.	1,721.	1,773.
	36"	49"	R3B2PFFB49 36-() ()	1,696.	1,716.	1,758.	1,844.	1,902.	1,980.	2,032.
	42"	49"	R3B2PFFB49 42-() ()	1,832.	1,852.	1,894.	1,980.	2,038.	2,116.	2,168.
	48"	49"	R3B2PFFB49 48-() ()	1,924.	1,944.	1,986.	2,072.	2,130.	2,208.	2,260.

Order Code	Specification Information	Application Notes
Example: R3B2PFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
30 30" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
W281 Fabric selection - side 1	7. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
V316 Maple (top trim finish)	9. Window frame finish	
111 Jet Black (base finish)	10. Glass option	
111 Jet Black (beltway finish)	Temp = clear temp	
111 Jet Black (window frame finish)	<i>Architectural options:</i>	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Stacking modules *fabric*

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	R3SFF08 18	\$214.	\$220.	\$240.	\$274.	\$286.	\$308.	\$322.
	20"	8"	R3SFF08 20	214.	220.	240.	274.	286.	308.	322.
	24"	8"	R3SFF08 24	224.	230.	250.	284.	296.	318.	332.
	30"	8"	R3SFF08 30	250.	256.	276.	310.	322.	344.	358.
	36"	8"	R3SFF08 36	272.	278.	298.	332.	344.	366.	380.
	42"	8"	R3SFF08 42	296.	302.	322.	356.	368.	390.	404.
	48"	8"	R3SFF08 48	319.	325.	345.	379.	391.	413.	427.
Stacking modules* Fabric both sides	18"	15"	R3SFF15 18	388.	304.	336.	370.	398.	444.	468.
	20"	15"	R3SFF15 20	288.	304.	336.	370.	398.	444.	468.
	24"	15"	R3SFF15 24	304.	320.	352.	386.	414.	460.	484.
	30"	15"	R3SFF15 30	335.	351.	383.	417.	445.	491.	515.
	36"	15"	R3SFF15 36	370.	286.	418.	452.	480.	526.	550.
	42"	15"	R3SFF15 42	398.	414.	446.	480.	508.	554.	578.
	48"	15"	R3SFF15 48	431.	447.	479.	513.	541.	587.	611.

Order Code

Example: R3SFF0818	
R3	Reff Generation 3
S	Stacking module
FF	Fabric/fabric
08	8" high
18	18" wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2

Specification Information

To order please specify:

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

Application Notes

* Not for use on 79"H panels.





* * Suitable only for top of any panel. Cannot be stacked upon.

8" h module will not accept additional modules on top.

Use of 8" module on panel heights other than 34" h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window


description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	RSWA15 18	\$471.	\$566.	\$15.	\$30.	\$48.
	20"	15"	RSWA15 20	471.	566.	15.	30.	48.
	24"	15"	RSWA15 24	497.	604.	15.	30.	51.
	30"	15"	RSWA15 30	575.	673.	15.	30.	57.
	36"	15"	RSWA15 36	597.	759.	15.	30.	58.
	42"	15"	RSWA15 42	628.	813.	15.	30.	61.
	48"	15"	RSWA15 48	651.	866.	15.	30.	64.
Stacking window module* Center mullion, type "B" 	30"	15"	RSWB15 30	689.	824.	15.	30.	68.
	36"	15"	RSWB15 36	721.	879.	15.	30.	71.
	42"	15"	RSWB15 42	751.	937.	15.	30.	74.
	48"	15"	RSWB15 48	780.	993.	15.	30.	77.
Stacking window module*   18" - 24" 30" - 48"	18"	30"	RSWC30 18	568.	659.	24.	38.	57.
	20"	30"	RSWC30 20	568.	659.	24.	38.	57.
	24"	30"	RSWC30 24	606.	717.	24.	38.	61.
	30"	30"	RSWC30 30	789.	923.	24.	38.	79.
	36"	30"	RSWC30 36	899.	1,062.	24.	38.	87.
	42"	30"	RSWC30 42	964.	1,152.	24.	38.	95.
48"	30"	RSWC30 48	1,020.	1,238.	24.	38.	99.	

Order Code	Specification Information	Application Notes
Example: RSWA1518 111 TEMP	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
A Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection on page 5.
18 18" wide	3. Glass type	
111 Jet Black, window frame finish	Temp = Clear tempered glass	
TEMP Clear tempered glass option	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Stacking modules

Double Window






description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA	
Stacking window module* Single glass, type "A"	15"	60"	RSWAD1560 () ()	\$737.	\$844.						
		72"	RSWAD1572 () ()	821.	984.						
		84"	RSWAD1584 () ()	831.	1,026.						
		96"	RSWAD1596 () ()	846.	1,071.						
	22"	60"	RSWAD2260 () ()	920.	1,125.						
		72"	RSWAD2272 () ()	1,035.	1,281.						
		84"	RSWAD2284 () ()	1,055.	1,341.						
		96"	RSWAD2296 () ()	1,076.	1,405.						
	Top trim for double wide stacking window modules	60"	R3CRTT60 () ()				78.	163.	181.	234.	134.
		72"	R3CRTT72 ()				83.	174.	191.	246.	181.
84"		R3CRTT84 ()				101.	197.	214.	272.	198.	
96"		R3CRTT96 ()				106.	207.	225.	287.	203.	



Order Code	Specification Information	Application Notes
<i>Example:</i> RSWAD1560	<i>To order please specify:</i>	Panel glass is mounted flush to one side of the window module. All window modules incorporate tempered glass 4mm thick. Stabilizing kit is included with the window and is required with all double wide window installation.
R Reff	1. Pattern number	
SW Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	Full length top trim is optional and can be ordered separately. Not for use on 79" h panels. Applicable finishes are listed on page 5
A Type A	<i>If P2 or P3 paint finish upcharge add \$25</i>	
D Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$45</i>	
15 15" high	3. Glass type	
60 60" wide	Temp = Clear tempered glass	
111 Jet Black, windowframe finish	<i>Architectural options:</i>	
TEMP Clear tempered glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade							Lam.
				10	15	20	30	35	40	45	
Stacking modules **, ** Fabric and laminate 	18"	8"	R3SFL0818	\$241.	\$246.	\$264.	\$298.	\$313.	\$333.	\$352.	
	20"	8"	R3SFL0820	241.	246.	264.	298.	313.	333.	352.	
	24"	8"	R3SFL0824	261.	266.	284.	318.	333.	353.	372.	
	30"	8"	R3SFL0830	294.	299.	317.	351.	366.	386.	405.	
	36"	8"	R3SFL0836	322.	327.	345.	379.	394.	414.	433.	
	42"	8"	R3SFL0842	348.	353.	371.	405.	420.	440.	459.	
	48"	8"	R3SFL0848	379.	384.	402.	436.	451.	471.	490.	
Stacking modules **, ** Fabric and techwood 	18"	8"	R3SF10818	251.	257.	275.	309.	324.	344.	364.	
	20"	8"	R3SF10820	251.	257.	275.	309.	324.	344.	364.	
	24"	8"	R3SF10824	268.	274.	292.	326.	341.	361.	381.	
	30"	8"	R3SF10830	300.	306.	324.	358.	373.	393.	413.	
	36"	8"	R3SF10836	329.	335.	353.	387.	402.	422.	442.	
	42"	8"	R3SF10842	361.	367.	385.	419.	434.	454.	474.	
	48"	8"	R3SF10848	387.	393.	411.	445.	460.	480.	500.	
Stacking modules **, ** Fabric and conventional veneer 	18"	8"	R3SF20818	254.	260.	278.	312.	327.	347.	367.	
	20"	8"	R3SF20820	254.	260.	278.	312.	327.	347.	367.	
	24"	8"	R3SF20824	274.	280.	298.	332.	347.	367.	387.	
	30"	8"	R3SF20830	306.	312.	330.	364.	379.	399.	419.	
	36"	8"	R3SF20836	336.	342.	360.	394.	409.	429.	449.	
	42"	8"	R3SF20842	367.	373.	391.	425.	440.	460.	480.	
	48"	8"	R3SF20848	393.	399.	417.	451.	466.	486.	506.	
Stacking modules **, ** Fabric and exotic veneer 	18"	8"	R3SF30818	333.	339.	357.	391.	406.	426.	446.	
	20"	8"	R3SF30820	333.	339.	357.	391.	406.	426.	446.	
	24"	8"	R3SF30824	364.	370.	388.	422.	437.	457.	477.	
	30"	8"	R3SF30830	404.	410.	428.	462.	477.	497.	517.	
	36"	8"	R3SF30836	446.	452.	470.	504.	519.	539.	559.	
	42"	8"	R3SF30842	487.	493.	511.	545.	560.	580.	600.	
	48"	8"	R3SF30848	524.	530.	548.	582.	597.	617.	637.	
Stacking modules **, ** Laminate both sides 	18"	8"	R3SLL0818							233.	
	20"	8"	R3SLL0820							233.	
	24"	8"	R3SLL0824							254.	
	30"	8"	R3SLL0830							284.	
	36"	8"	R3SLL0836							307.	
	42"	8"	R3SLL0842							316.	
	48"	8"	R3SLL0848							326.	

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

* Not for use on 79"H panels.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.






Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.

Stacking modules

Reff Profiles

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade							Lam.
				10	15	20	30	35	40	45	
Stacking modules* Fabric and laminate 	18"	15"	R3SFL1518	\$345.	\$360.	\$391.	\$426.	\$458.	\$503.	\$528.	
	20"	15"	R3SFL1520	345.	360.	391.	426.	458.	503.	528.	
	24"	15"	R3SFL1524	359.	374.	405.	440.	472.	517.	542.	
	30"	15"	R3SFL1530	394.	409.	440.	475.	507.	552.	577.	
	36"	15"	R3SFL1536	427.	442.	473.	508.	540.	585.	610.	
	42"	15"	R3SFL1542	460.	475.	506.	541.	573.	618.	643.	
	48"	15"	R3SFL1548	493.	508.	539.	574.	606.	651.	676.	
Stacking modules* Fabric and techwood 	18"	15"	R3SF11518	357.	372.	403.	438.	471.	516.	541.	
	20"	15"	R3SF11520	357.	372.	403.	438.	471.	516.	541.	
	24"	15"	R3SF11524	373.	388.	419.	454.	487.	532.	557.	
	30"	15"	R3SF11530	404.	419.	450.	485.	518.	563.	588.	
	36"	15"	R3SF11536	440.	455.	486.	521.	554.	599.	624.	
	42"	15"	R3SF11542	474.	489.	520.	555.	588.	633.	658.	
	48"	15"	R3SF11548	506.	521.	552.	587.	620.	665.	690.	
Stacking modules* Fabric and conventional veneer 	18"	15"	R3SF21518	361.	376.	407.	442.	475.	520.	545.	
	20"	15"	R3SF21520	361.	387.	407.	442.	475.	520.	545.	
	24"	15"	R3SF21524	379.	394.	425.	460.	493.	538.	563.	
	30"	15"	R3SF21530	414.	429.	460.	495.	528.	573.	598.	
	36"	15"	R3SF21536	449.	464.	495.	530.	563.	608.	633.	
	42"	15"	R3SF21542	484.	499.	530.	565.	598.	643.	668.	
	48"	15"	R3SF21548	513.	528.	559.	594.	627.	672.	697.	
Stacking modules* Fabric and exotic veneer 	18"	15"	R3SF315 18	477.	492.	523.	558.	591.	636.	661.	
	20"	15"	R3SF315 20	477.	492.	523.	558.	591.	636.	661.	
	24"	15"	R3SF315 24	499.	514.	545.	580.	613.	658.	683.	
	30"	15"	R3SF315 30	547.	562.	593.	628.	661.	706.	731.	
	36"	15"	R3SF315 36	595.	610.	641.	676.	709.	754.	779.	
	42"	15"	R3SF315 42	640.	655.	686.	721.	754.	799.	824.	
	48"	15"	R3SF315 48	684.	699.	703.	765.	798.	843.	868.	
Stacking modules* Laminate both sides 	18"	15	R3SLL1518							330.	
	20"	15	R3SLL1520							330.	
	24"	15	R3SLL1524							359.	
	30"	15	R3SLL1530							403.	
	36"	15	R3SLL1536							435.	
	42"	15	R3SLL1542							447.	
	48"	15	R3SLL1548							449.	

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

* Not for use on 79"H panels.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.



Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$66.	n/a
	15"	stacking module post	R3L15TT	130.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	165.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	249.	287.
	49"		R3L49(B)(F/T)(F/T)-() () ()	276.	317.
	64"		R3L64(B)(F/T)(F/T)-() () ()	306.	350.
	79"		R3L79(B)(F/T)(F/T)-() () ()	342.	392.
 T-Post	8"	stacking module post	R3T08T	83.	n/a
	15"	stacking module post	R3T15T	153.	n/a
	34"		R3T34(F/T)-() () ()	201.	n/a
	42"		R3T42(B)(F/T)-() () ()	219.	251.
	49"		R3T49(B)(F/T)-() () ()	249.	287.
	64"		R3T64(B)(F/T)-() () ()	276.	317.
	79"		R3T79(B)(F/T)-() () ()	307.	353.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 118. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.



Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	R3X08	\$73.	n/a
	15"	stacking module post	R3X15	141.	n/a
	34"		R3X34-() ()	187.	n/a
	42"		R3X42(B)-() ()	203.	235.
	49"		R3X49(B)-() ()	219.	251.
	64"		R3X64(B)-() ()	249.	287.
	79"		R3X79(B)-() ()	284.	322.
 Straight post	8"	stacking module post	R3S08TT	66.	n/a
	15"	stacking module post	R3S15TT	130.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	165.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	249.	287.
	49"		R3S49(B)(F/T)(F/T)-() () ()	276.	317.
	64"		R3S64(B)(F/T)(F/T)-() () ()	306.	350.
	79"		R3S79(B)(F/T)(F/T)-() () ()	342.	392.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 118. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV	n/c



Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 118. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 135°

Reff Profiles

description	h	pattern no.	Reg. post list (A/B/C profile)
 135° Tiled Post	34"	R3135V34T () () () () () ()	\$555.
	42"	R3135V42T () () () () () ()	695.
	49"	R3135V49T () () () () () ()	703.
	64"	R3135V64T () () () () () ()	861.
	79"	R3135V79T () () () () () ()	1,015.
 135° Mono Post	34"	R3135V34F () () () () () ()	555.
	42"	R3135V42F () () () () () ()	695.
	49"	R3135V49F () () () () () ()	703.
	64"	R3135V64F () () () () () ()	861.
	79"	R3135V79F () () () () () ()	1,015.

Order Code

Example: R3135V34T
R3 Reff Generation 3
135V 135° post
34 Height
T Tiled
(A) Flat top profile
(1) Regular L top cap
(6) 6" base height
(N) No base infeed raceway knock-out
(B) Tile divider, black reveal
W808 Face side 1, fabric selection
W808 Face side 2, fabric selection
V316 Top cap finish, Maple
111 Base finish, Jet black

Specification Information

To order please specify pattern number including:

- Top cap profile
- Top cap configuration
- If L post, cover configuration
1 = one piece
- Base height option
- Base infeed knock-out (optional)
- Tile divider option/finish, if face type T
- Finish, face covers
(*fabric, V1, V2, V3 or painted to match laminate*)
- Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
- Base finish

1. Face type:

(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option) 3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)

5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. Base height:

4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 120°

Reff Profiles

Panels

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34 () () ()	\$387.
	42"	R3120Y42 () () ()	407.
	49"	R3120Y49 () () ()	419.
	64"	R3120Y64 () () ()	460.
	79"	R3120Y79 () () ()	502.

Order Code

Example: R3120Y34	
R3	Reff Generation 3
120V	120° post
34	Height
T	Tiled
(A)	Top profile
(4)	Base height
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Base height option
3. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
4. Base finish

1. Top profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum
(Add \$25 list for this option)



2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)


Specify AA for anodized aluminum look or painted option from page 5excluding silver.

Panel trims and post covers for all applications

Reff Profiles

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip 	–	34"		R2ES34(A/B/C/E)(4/6)(E/N)	\$226.	\$137.
	–	42"		R2ES42(A/B/C/E)(4/6)(E/N)	253.	160.
	–	49"		R2ES49(A/B/C/E)(4/6)(E/N)	281.	183.
	–	64"		R2ES64(A/B/C/E)(4/6)(E/N)	297.	206.
	–	79"		R2ES79(A/B/C/E)(4/6)(E/N)	364.	234.
End trim for Hi-Lo condition with hookstrip. Must order top trim below 	34"	42"		R2HL3442ES(A/B/C/E)	118.	120.
	34"	49"		R2HL3449ES(A/B/C/E)	165.	123.
	34"	64"		R2HL3464ES(A/B/C/E)	211.	126.
	34"	79"		R2HL3479ES(A/B/C/E)	226.	139.
	42"	49"		R2HL4249ES(A/B/C/E)	118.	120.
	42"	64"		R2HL4264ES(A/B/C/E)	286.	123.
	42"	79"		R2HL4279ES(A/B/C/E)	327.	139.
	49"	64"		R2HL4964ES(A/B/C/E)	165.	126.
	49"	79"		R2HL4979ES(A/B/C/E)	211.	139.
	64"	79"		R2HL6479ES(A/B/C/E)	165.	123.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side) 	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
–	–	18"		RSNTT18(A/B/C/E)	84.	23.
–	–	20"		RSNTT20(A/B/C/E)	84.	26.
–	–	24"		RSNTT24(A/B/C/E)	94.	29.
–	–	30"		RSNTT30(A/B/C/E)	104.	34.
–	–	33"		RSNTT33(A/B/C/E) (66" wide panels one only)	108.	45.
–	–	36"		RSNTT36(A/B/C/E)	115.	45.
–	–	42"		RSNTT42(A/B/C/E)	132.	46.
–	–	48"		RSNTT48(A/B/C/E)	142.	64.

Order Code

Example: R2ES34A6N	
R2	Reff Generation 2
ES	End trim
34	34" high
A	Flat profile
6	6" base height
N	Non electrical base
V311	Beech
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

- Trim profile
A = flat
B = square
C = bullnose
E = extruded aluminum
- Base height option
4 = 4"
6 = 6"
- Base type
E = electrical entry
N = standard base
- Finish, end trim
If profile A, B or C specify V1, V2, V3 or painted to match laminate
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base
painted or plated finish

Applicable finishes are listed on page 5 and 6.

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
or select P1, P2, P3 painted finish from pg. 5

Select paint or plated finish from page 5.

Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$118.	\$120.
	42"	64"		R2HL4264ETS(A/B/C/E)	286.	123.
	42"	79"		R2HL4279ETS(A/B/C/E)	327.	139.



Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		R2HL3442(F)CS ()	34.
	34"	49"		R2HL3449(F)CS ()	49.
	34"	64"		R2HL3464(F/T)CS ()()	98.
	34"	79"		R2HL3479(F/T)CS ()()	145.
	42"	49"		R2HL4249(F)CS ()	34.
	42"	64"		R2HL4264(F/T)CS ()()	81.
	42"	79"		R2HL4279(F/T)CS ()()	132.
	49"	64"		R2HL4964(F)CS ()	49.
	49"	79"		R2HL4979(F/T)CS ()()	98.
	64"	79"		R2HL6479(F)CS ()	49.



Application: for height changes involving a post

Order Code	Specification Information
Example: R2ES34A6N	<i>To order please specify pattern number including:</i>
R2 Ref Generation 2	Post cover trim:
ES End trim	1. Specify full or tiled face type <i>F = full (monolithic)</i> <i>T = tiled</i>
34 34" high	2. Finish, post cover <i>fabric, V1, V2, V3 or painted to match laminate</i>
A Flat profile	3. If tiled cover set, specify reveal finish <i>B = black reveal</i> <i>or select P1, P2, P3 painted finish from pg. 5</i>
6 6" base height	Select paint or plated finish from page 5.
N Non electrical base	Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
V311 Beech	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
111 Jet Black (base finish)	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.
	Applicable finishes are listed on page 5 and 6.


Panel Accessories

hookstrips and top caps


Reff Profiles

description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$44.
	15"	R2HK0015	71.
	34"	R2HK0034	97.
	42"	R2HK0042	103.
	49"	R2HK0049	111.
	64"	R2HK0064	120.
	79"	R2HK0079	126.
Beltway hookstrips	42"	R2HKB042	111.
	49"	R2HKB049	120.
	64"	R2HKB064	126.
	79"	R2HKB079	133.


Order Code	Specification Information	Application Notes
Example: R2HK0008	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R2 Reff generation 2		
HK Hook Strip		
008 Height		
		<p>An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.</p> <p>Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.</p> <p>New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.</p>

description	type	h	pattern no.	list price
 Ceiling entry L-post.		42"	R2L42C(F/T)(F/T)-(4/6)	\$249.
		49"	R2L49C(F/T)(F/T)-(4/6)	266.
		64"	R2L64C(F/T)(F/T)-(4/6)	283.
		79"	R2L79C(F/T)(F/T)-(4/6)	336.


Cable not included

 Ceiling entry T-post.		42"	R2T42C(F/T)-(4/6)	219.
		49"	R2T49C(F/T)-(4/6)	249.
		64"	R2T64C(F/T)-(4/6)	266.
		79"	R2T79C(F/T)-(4/6)	310.

Cable not included

 Ceiling entry X-post.		42"	R2X42C	203.
		49"	R2X49C	219.
		64"	R2X64C	249.
		79"	R2X79C	294.

Cable not included

 Ceiling entry straight line post.		42"	R2S42C(F/T)(F/T)-(4/6)	249.
		49"	R2S49C(F/T)(F/T)-(4/6)	266.
		64"	R2S64C(F/T)(F/T)-(4/6)	283.
		79"	R2S79C(F/T)(F/T)-(4/6)	336.

Cable not included

Order Code	
Example:	R2L42CTT4
R2	Reff Generation 2
L	L-post
42	42" high
C	Ceiling power entry
T	Tiled style face
T	Tiled style face
4	Base height
W230	Fabric selection
111	Jet Black (base finish)

Applicable finishes are listed on page 5 and 6.

Specification Information
<i>To order please specify pattern number including:</i>
1. Post face option
2. Base height option
3. Finish type, where applicable
4. Finish, where applicable
5. Base finish
6. Canopy finish (ceiling entry pole only)
<i>1. Face type:</i>
F = Full height
T = Tiled
<i>2. Base height:</i>
4 = 4" base height
6 = 6" base height
<i>3. Finish type:</i>
F = Fabric
L = Laminate
1 = V1
2 = V2
3 = V3


Application Notes
Data cable application requires the post and the pole only.
*Must order post, pole and cable for electrical application.
The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
Hi-lo ceiling post covers must be ordered in hi-lo applications from 115.

description	type	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet		41"	RCP41-(F/L/1/2/3)*	\$497.
		56"	RCP56-(F/L/1/2/3)*	516.
		71"	RCP71-(F/L/1/2/3)*	579.
		78"	RCP78-(F/L/1/2/3)*	598.



Cable not included

Power infeeds	Ceiling power cable infeed. Eight-wire	RR3-EPVR	290.
	Ceiling power cable infeed. Ten-wire	RR3-TPVR	351.
One size fits all post sizes (13' of cable) For use with Ceiling entry Pole and Pole combinations			



Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	
42 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
T Tiled style face	5. Base finish	
T Tiled style face	6. Canopy finish (ceiling entry pole only)	6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
4 Base height	1. <i>Face type:</i>	
W230 Fabric selection	F = Full height	
111 Jet Black (base finish)	T = Tiled	
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height	
	3. <i>Finish type:</i>	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).



Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 115.

Applicable finishes are listed on page 5 and 6.

Ceiling cable entry post covers

Alignment kits and wall starters


description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$34.
	34"	49"			RPHL3449(F/T)	49.
	34"	64"			RPHL3464(F/T)	98.
	34"	79"			RPHL3479(F/T)	145.
	42"	49"			RPHL4249(F/T)	67.
	42"	64"			RPHL4264(F/T)	94.
	42"	79"			RPHL4279(F/T)	102.
	49"	64"			RPHL4964(F/T)	94.
	49"	79"			RPHL4979(F/T)	102.
	64"	79"			RPHL6479(F/T)	73.
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	34.
	42"	64"			RPHL4264S	81.
	42"	79"			RPHL4279S	132.
	49"	64"			RPHL4964S	49.
	49"	79"			RPHL4979S	98.
	64"	79"			RPHL6479S	49.
Wall starter			7/8"	15"	R2SWS0015 () () ()	62.
			7/8"	34"	R2SWS0034 () () ()	123.
			7/8"	42"	R2SWS0042 () () ()	150.
			7/8"	49"	R2SWS0049 () () ()	175.
			7/8"	64"	R2SWS0064 () () ()	231.
			7/8"	79"	R2SWS0079 () () ()	284.
			7/8"	8"	R2SWS0008 () () ()	47.

*Wall starters come with extended top trim from adjoining panel.

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
42 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
49 49" high panel	F = Full	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
T Tiled face type	T = Tiled	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	Wall starter:	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	1. Pattern number including height	Wall starters come with extended top trim from adjoining panel.
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

Ceiling cable entry post covers

Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
					R3SPABPT	\$7.
					R3SPABTD	7.
					R3SPABTT	7.
					R3SPABTW	7.
					RSPABPD	7.
					RSPABPP	7.
					RSPABPT	7.
					RSPABPW	7.
					RSPABTD	7.
					RSPABTT	7.
					RSPABTW	7.
					RSPABWD	7.
				RSPABWW	7.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
42 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
49 49" high panel	F = Full	
T Tiled face type	T = Tiled	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
	Wall starter:	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	1. Pattern number including height	
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64'	RRDPPL(L/R)6436()		\$3,026.	\$3,133.	\$4,190.
		36"	79"	RRD3PPL(L/R)7936()()		3,301.	3,419.	4,616.
		42"	64"	RRDPPL(L/R)6442()		3,084.	3,191.	4,242.
		42"	79"	RRD3PPL(L/R)7942()()		3,352.	3,469.	4,665.
Floor to ceiling rolling door		36"	79"	RRD3FTCPPL(L/R)7936()		3,301.	3,419.	4,616.
		42"	79"	RRD3FTCPPL(L/R)7942()		3,352.	3,469.	4,665.
Partial width threshold (full width threshold)		3"	50"	RRDTH()		350.		
		3"	96"	RRDTH(L/R)()		450.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()			3,942.
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()			4,582.
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()			3,942.
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()			4,582.



Woodgrain Laminate not available on Panel Door

Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
B = Square
C = Bullnose

2. Base height:

- 4 = 4" base
6 = 6" base (add \$47 for this option)

3. Lock option:

- N = Not drilled
D = Drilled *
L = Drilled lock set included
D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

- GL13 = Powdered glass
GL6 = Block matrix
GL8 = Wafer glass
P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 5 and 6.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 115).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			R234PKIT	\$113.	
Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	113.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c	
Generation 1 panels to Generation 3 posts			R3AK	n/c	
R3/R2 stacking post sleeve			R3R2SLV	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	10 Rolls	3/8"	79"	RHSC70	n/c
	2 Rolls	3/8"	79"	RHSC15	n/c
	30 Rolls	3/8"	79"	RHSC250	n/c
Carpet gripper (Pack fo 10)			R2CG	20.	

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Application Notes

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.


Refer to Planning Guide for details.


*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.


Floor to ceiling modules

21" high, for 104" ceiling height and 79" high panels
fabric and glass

Panels

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	R3FTCFF2118			\$361.	\$367.	\$381.	\$447.	\$471.	\$535.	\$601.
	20"	21"	R3FTCFF2120			361.	367.	381.	447.	471.	535.	601.
	24"	21"	R3FTCFF2124			380.	386.	400.	466.	490.	554.	620.
	30"	21"	R3FTCFF2130			420.	426.	440.	506.	530.	594.	660.
	36"	21"	R3FTCFF2136			450.	456.	470.	536.	560.	624.	690.
	42"	21"	R3FTCFF2142			491.	497.	511.	577.	601.	665.	731.
	48"	21"	R3FTCFF2148			527.	533.	547.	613.	637.	701.	767.


Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	RFTCWA2118	505.	596.							
	20"	21"	RFTCWA2120	505.	596.							
	24"	21"	RFTCWA2124	530.	642.							
	30"	21"	RFTCWA2130	618.	752.							
	36"	21"	RFTCWA2136	646.	803.							
	42"	21"	RFTCWA2142	679.	869.							
	48"	21"	RFTCWA2148	712.	921.							


Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	RFTCWB2130	721.	853.							
	36"	21"	RFTCWB2136	781.	940.							
	42"	21"	RFTCWB2142	826.	1,009.							
	48"	21"	RFTCWB2148	864.	1,078.							


Order Code	Specification Information	Application Notes
Example: R3FTCFF2118 R3 Reff Generation 3 FTC Floor to ceiling FF Fabric/fabric 21 21" high 18 18" wide W281 Fabric selection - side 1 W281 Fabric selection - side 2 111 Jet Black soffit	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) <p><i>For window panel:</i></p> <ol style="list-style-type: none"> 1. Pattern number 2. Frame finish 3. Glass type 	<p>Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).</p> <p>Specify the finish for frames from paint selection on page 5.</p> <p>Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.</p> <p>Provide elevation drawing for mixed fabrics or veneers.</p> <p>Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.</p> <p>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</p> <p>Use of Reff FTC modules must be approved by local building authorities.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p> <p>No additional acoustic rating occurs on FTC installations.</p>

Floor to ceiling modules

*25" high, for 108" ceiling height and 79" high panels
fabric and glass*

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$402.	\$408.	\$420.	\$508.	\$526.	\$612.	\$686.
	20"	25"	R3FTCFF2520			402.	408.	420.	508.	526.	612.	686.
	24"	25"	R3FTCFF2524			426.	432.	444.	532.	550.	636.	710.
	30"	25"	R3FTCFF2530			462.	468.	480.	568.	586.	672.	746.
	36"	25"	R3FTCFF2536			505.	511.	523.	611.	629.	715.	789.
	42"	25"	R3FTCFF2542			545.	551.	563.	651.	669.	755.	829.
	48"	25"	R3FTCFF2548			585.	591.	603.	691.	709.	795.	869.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	527.	619.
	20"	25"	RFTCWA2520	527.	619.
	24"	25"	RFTCWA2524	564.	671.
	30"	25"	RFTCWA2530	652.	785.
	36"	25"	RFTCWA2536	683.	840.
	42"	25"	RFTCWA2542	727.	910.
	48"	25"	RFTCWA2548	758.	968.


Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	749.	879.
	36"	25"	RFTCWB2536	829.	988.
	42"	25"	RFTCWB2542	880.	1,065.
	48"	25"	RFTCWB2548	930.	1,142.


Order Code	Specification Information	Application Notes
Example: R3FTCFF2518 R3 Reff Generation 3 FTC Floor to ceiling FF Fabric/fabric 25 25" high 18 18" wide W281 Fabric selection - side 1 W281 Fabric selection - side 2 111 Jet Black soffit	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) <p><i>For window panel:</i></p> <ol style="list-style-type: none"> 1. Pattern number 2. Frame finish 3. Glass type 	<p>Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).</p> <p>Specify the finish for frames from paint selection on page 5.</p> <p>Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.</p> <p>Provide elevation drawing for mixed fabrics or veneers.</p> <p>Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.</p> <p>Ceiling height includes 4" allowance for trim.</p>
		<p>Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.</p> <p>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</p> <p>Use of Reff FTC modules must be approved by local building authorities.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p> <p>No additional acoustic rating occurs on FTC installations.</p>


Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

Panels


description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	R3FTCFF3718			\$527.	\$531.	\$541.	\$673.	\$695.	\$823.	\$943.
	20"	37"	R3FTCFF3720			527.	531.	541.	673.	695.	823.	943.
	24"	37"	R3FTCFF3724			557.	561.	571.	703.	725.	853.	973.
	30"	37"	R3FTCFF3730			605.	609.	619.	751.	773.	901.	1,021.
	36"	37"	R3FTCFF3736			657.	661.	671.	803.	825.	953.	1,073.
	42"	37"	R3FTCFF3742			707.	711.	721.	853.	875.	1,003.	1,123.
	48"	37"	R3FTCFF3748			755.	759.	769.	901.	923.	1,051.	1,171.


Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	604.	694.
	20"	37"	RFTCWA3720	604.	694.
	24"	37"	RFTCWA3724	651.	757.
	30"	37"	RFTCWA3730	767.	884.
	36"	37"	RFTCWA3736	799.	955.
	42"	37"	RFTCWA3742	851.	1,034.
	48"	37"	RFTCWA3748	896.	1,112.


Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	827.	961.
	36"	37"	RFTCWB3736	975.	1,132.
	42"	37"	RFTCWB3742	1,051.	1,234.
	48"	37"	RFTCWB3748	1,118.	1,332.


Order Code	Specification Information	Application Notes	
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick). Specify the finish for frames from paint selection on page 5.	
R3 Reff Generation 3	1. Pattern number		
FTC Floor to ceiling	2. Panel side 1 finish		
FF Fabric/fabric	3. Panel side 2 finish		
37 37" high	4. Soffit finish (paint)	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options. Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim.	
18 18" wide	<i>For window panel:</i>		
W281 Fabric selection - side 1			1. Pattern number
W281 Fabric selection - side 2			2. Frame finish
111 Jet Black soffit	3. Glass type	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors. Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components. Use of Reff FTC modules must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.	

Floor to ceiling modules
 21" and 25" high modules, fabric one side,
 laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	R3FTCFL2118	\$407.	\$409.	\$414.	\$450.	\$462.	\$495.	\$531.
	20"	21"	R3FTCFL2120	407.	409.	414.	450.	462.	495.	531.
	24"	21"	R3FTCFL2124	421.	423.	428.	464.	476.	509.	545.
	30"	21"	R3FTCFL2130	472.	474.	479.	515.	527.	560.	596.
	36"	21"	R3FTCFL2136	513.	515.	520.	556.	568.	601.	637.
	42"	21"	R3FTCFL2142	558.	560.	565.	601.	613.	646.	682.
	48"	21"	R3FTCFL2148	601.	603.	608.	644.	656.	689.	725.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	R3FTCF12118	418.	420.	425.	461.	473.	507.	542.
	20"	21"	R3FTCF12120	418.	420.	425.	461.	473.	507.	542.
	24"	21"	R3FTCF12124	435.	437.	442.	478.	490.	524.	559.
	30"	21"	R3FTCF12130	485.	487.	492.	528.	540.	574.	609.
	36"	21"	R3FTCF12136	527.	529.	534.	570.	582.	616.	651.
	42"	21"	R3FTCF12142	569.	571.	576.	612.	624.	658.	693.
	48"	21"	R3FTCF12148	620.	622.	627.	663.	675.	709.	744.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	R3FTCF22118	427.	429.	434.	470.	482.	516.	551.
	20"	21"	R3FTCF22120	427.	429.	434.	470.	482.	516.	551.
	24"	21"	R3FTCF22124	440.	442.	447.	483.	495.	529.	564.
	30"	21"	R3FTCF22130	495.	497.	502.	538.	550.	584.	619.
	36"	21"	R3FTCF22136	535.	537.	542.	578.	590.	624.	659.
	42"	21"	R3FTCF22142	582.	584.	589.	625.	637.	671.	706.
	48"	21"	R3FTCF22148	629.	631.	636.	672.	684.	718.	753.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21" 	18"	21"	R3FTCF321 18	562.	564.	569.	605.	617.	651.	686.
	20"	21"	R3FTCF321 20	562.	564.	569.	605.	617.	651.	686.
	24"	21"	R3FTCF321 24	581.	583.	588.	624.	636.	670.	705.
	30"	21"	R3FTCF321 30	655.	657.	662.	698.	710.	744.	779.
	36"	21"	R3FTCF321 36	708.	710.	715.	751.	763.	797.	832.
	42"	21"	R3FTCF321 42	771.	773.	778.	814.	826.	860.	895.
	48"	21"	R3FTCF321 48	833.	835.	840.	876.	888.	922.	957.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 21 21" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

21" and 25" high modules, fabric one side,
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	R3FTCFL2518	\$436.	\$439.	\$448.	\$493.	\$502.	\$546.	\$585.
	20"	25"	R3FTCFL2520	436.	439.	448.	493.	502.	546.	585.
	24"	25"	R3FTCFL2524	452.	455.	464.	509.	518.	562.	601.
	30"	25"	R3FTCFL2530	514.	517.	526.	571.	580.	624.	663.
	36"	25"	R3FTCFL2536	557.	560.	569.	614.	623.	667.	706.
	42"	25"	R3FTCFL2542	611.	614.	623.	668.	677.	721.	760.
	48"	25"	R3FTCFL2548	660.	633.	672.	717.	726.	770.	809.

Stack-on floor to ceiling module Fabric one side, techwood other side, 25" 	18"	25"	R3FTCF12518	447.	450.	458.	504.	513.	557.	597.
	20"	25"	R3FTCF12520	447.	450.	458.	504.	513.	557.	597.
	24"	25"	R3FTCF12524	462.	465.	473.	519.	528.	572.	612.
	30"	25"	R3FTCF12530	530.	533.	541.	587.	596.	640.	680.
	36"	25"	R3FTCF12536	570.	573.	581.	627.	636.	680.	720.
	42"	25"	R3FTCF12542	628.	631.	639.	685.	694.	738.	778.
	48"	25"	R3FTCF12548	677.	680.	688.	734.	743.	787.	827.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25" 	18"	25"	R3FTCF22518	457.	460.	468.	514.	523.	567.	607.
	20"	25"	R3FTCF22520	457.	460.	468.	514.	523.	567.	607.
	24"	25"	R3FTCF22524	470.	473.	481.	527.	536.	580.	620.
	30"	25"	R3FTCF22530	538.	541.	549.	595.	604.	648.	688.
	36"	25"	R3FTCF22536	583.	586.	594.	640.	649.	693.	733.
	42"	25"	R3FTCF22542	639.	642.	650.	696.	705.	749.	789.
	48"	25"	R3FTCF22548	690.	693.	701.	747.	756.	800.	840.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25" 	18"	25"	R3FTCF325 18	598.	601.	609.	655.	664.	708.	748.
	20"	25"	R3FTCF325 20	598.	601.	609.	655.	664.	708.	748.
	24"	25"	R3FTCF325 24	620.	623.	631.	677.	686.	730.	770.
	30"	25"	R3FTCF325 30	708.	711.	719.	765.	774.	818.	858.
	36"	25"	R3FTCF325 36	771.	774.	782.	828.	837.	881.	921.
	42"	25"	R3FTCF325 42	846.	849.	857.	903.	912.	956.	996.
	48"	25"	R3FTCF325 48	915.	918.	926.	972.	981.	1,025.	1,065.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 21 21" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

37" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side 	18"	37"	R3FTCFL3718	\$533.	\$535.	\$541.	\$607.	\$619.	\$685.	\$747.
	20"	37"	R3FTCFL3720	533.	535.	541.	607.	619.	685.	747.
	24"	37"	R3FTCFL3724	543.	545.	551.	617.	629.	695.	757.
	30"	37"	R3FTCFL3730	645.	647.	653.	719.	731.	797.	859.
	36"	37"	R3FTCFL3736	697.	699.	705.	771.	783.	849.	911.
	42"	37"	R3FTCFL3742	778.	780.	786.	852.	864.	930.	992.
	48"	37"	R3FTCFL3748	849.	851.	857.	923.	935.	1,001.	1,063.

Stack-on floor to ceiling module Fabric one side, techwood other side 	18"	37"	R3FTCF13718	546.	548.	555.	622.	633.	700.	763.
	20"	37"	R3FTCF13720	546.	548.	555.	622.	633.	700.	763.
	24"	37"	R3FTCF13724	556.	558.	565.	632.	643.	710.	773.
	30"	37"	R3FTCF13730	661.	663.	670.	737.	748.	815.	878.
	36"	37"	R3FTCF13736	718.	720.	727.	794.	805.	872.	935.
	42"	37"	R3FTCF13742	802.	804.	811.	878.	889.	956.	1,019.
	48"	37"	R3FTCF13748	873.	875.	882.	949.	960.	1,027.	1,090.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side 	18"	37"	R3FTCF23718	555.	557.	564.	631.	642.	709.	772.
	20"	37"	R3FTCF23720	555.	557.	564.	631.	642.	709.	772.
	24"	37"	R3FTCF23724	567.	569.	576.	643.	654.	721.	784.
	30"	37"	R3FTCF23730	671.	673.	680.	747.	758.	825.	888.
	36"	37"	R3FTCF23736	727.	729.	736.	803.	814.	881.	944.
	42"	37"	R3FTCF23742	814.	816.	823.	890.	901.	968.	1,031.
	48"	37"	R3FTCF23748	889.	891.	898.	965.	976.	1,043.	1,106.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37" 	18"	37"	R3FTCF337 18	724.	726.	733.	800.	811.	878.	941.
	20"	37"	R3FTCF337 20	724.	726.	733.	800.	811.	878.	941.
	24"	37"	R3FTCF337 24	742.	744.	751.	818.	829.	896.	959.
	30"	37"	R3FTCF337 30	882.	884.	891.	958.	969.	1,036.	1,099.
	36"	37"	R3FTCF337 36	957.	959.	966.	1,033.	1,044.	1,111.	1,174.
	42"	37"	R3FTCF337 42	1,076.	1,078.	1,085.	1,152.	1,163.	1,230.	1,293.
	48"	37"	R3FTCF337 48	1,177.	1,179.	1,186.	1,253.	1,264.	1,331.	1,394.

Order Code	Specification Information	Application Notes
Example: R3FTCFL3718 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 37 37" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.






Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$189.
	add on	25"	R3FTCL25	210.
	add on	37"	R3FTCL37	271.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	428.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	428.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	428.
 T-Post	add on	21"	R3FTCT21	205.
	add on	25"	R3FTCT25	223.
	add on	37"	R3FTCT37	287.
	full height	104"	R3FTCT104(F/T)-() ()	386.
	full height	108"	R3FTCT108(F/T)-() ()	386.
	full height	120"	R3FTCT120(F/T)-() ()	386.
 X-Post	add on	21"	R3FTCX21	187.
	add on	25"	R3FTCX25	207.
	add on	37"	R3FTCX37	270.
	full height	104"	R3FTCX104	354.
	full height	108"	R3FTCX108	354.
	full height	120"	R3FTCX120	354.
 Straight post	add on	21"	R3FTCS21	189.
	add on	25"	R3FTCS25	210.
	add on	37"	R3FTCS37	271.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	428.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	428.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	428.
 End post	add on	21"	R3FTCE21	205.
	add on	25"	R3FTCE25	223.
	add on	37"	R3FTCE37	287.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	386.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	386.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	386.

Order Code

Example:	R3FTCL104TT-6N
R3FTC	Reff Gen 3 Floor to ceiling
L	Corner post
104	104" high (one piece)
TT	Tiled appearance
6	6" base height
N	No base infeed raceway knock-out
W808	Fabric selection
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Post face option
2. Base height option
3. Base infeed raceway knock-out, (optional)
4. Fabric selection
5. Base color

1. *Face type:*
F = Full height (monolithic look)
T = Tiled

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

3. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

Application Notes

The posts on this page do not support the hanging of panel mount product above the 79"H panels.

The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.

If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.

Left and Right hand locations are determined by facing the post in question from the outside of the station.

Hookstrip cover reveal strips are no charge but must be ordered separately from page 118.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.





Required components for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$61.
	25"	RFTCWS25S	78.
	37"	RFTCWS37S	94.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	223.
Caddy clips (box of 100)		RFTCCLIPS	323.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSpace	102.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		RFTCSM (Pair) for G2 only	7.
		R3FTCSM (Pair) for G3 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.

*These brackets are to be used with hinge doors only.

Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<i>To order please specify pattern number including:</i> 1. Fabric/laminate/wood options 2. Paint option for metal soffit All floor to ceiling posts mimic the panel system post application.	*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs. Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached. Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components. Use of Reff FTC components must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
R Reff		
FTC Floor to ceiling		
WS Wall starter		
21 21" high		
		Floor to ceiling stabilizer brackets ship with bolts to connect the stabilizer beam, brackets and FTC module to the 79"H panel.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-E24	\$145.	
	30" panel	12"	2"	2"	RR3-E30NS	160.	
	36" panel	18"	2"	2"	RR3-E36NS	175.	
	42" panel	24"	2"	2"	RR3-E42NS	183.	
	48" panel	30"	2"	2"	RR3-E48NS	191.	
	60" panel	42"	2"	2"	RR3-E60-4	290.	
	66" panel	48"	2"	2"	RR3-E66-4	306.	
	72" panel	54"	2"	2"	RR3-E72-4	327.	
	Straight	16 1/2"	2"	2"	RR3-EPC24	84.	
		18 1/2"	2"	2"	RR3-EPCSM	84.	
		20 1/4"	2"	2"	RR3-EPCM	84.	
	Use RR3-EPC24 for straight 24" to 24" wide panel. Use RR3-EPCS for straight 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPC for all other straight power connection configurations.						
	Through post	19"	2"	2"	RR3-EPCP24	84.	
		21"	2"	2"	RR3-EPCPSM	84.	
		22 3/4"	2"	2"	RR3-EPCPM	84.	
Use RR3-EPCP24 for through post 24" to 24" wide panels. Use RR3-EPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCP for all other through post power connection configurations.							
	Circuit A				RR3-DA	40.	
	Circuit B				RR3-DB	40.	
	Circuit X				RR3-DX	40.	
	Circuit Y				RR3-DY	40.	
	Circuit X				RR3-DXO	45.	
	Circuit Y				RR3-DYO	45.	
Data Shield	1 pair				RR3-DATSHD	28.	

Order Code

Example: RR3-E-24	
RR3	Reff raceway
E	Eight wire 2+2
24	for 24" panel

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.




Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.

*Power connectors must be specified according to the panel widths in the specified orientation.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
 2+2 Base Raceway
 four circuit, eight-wire raceway for panels
 jumpers and infeed

description	type	w	d	h	pattern no.	list price
 <p>Jumper</p>	18" panel	38"	2"	2"	RR3-EJ18	\$105.
	20" panel	40"	2"	2"	RR3-EJ20	105.
	24" panel	44"	2"	2"	RR3-EJ24	113.
	30" panel	50"	2"	2"	RR3-EJ30	121.
	36" panel	56"	2"	2"	RR3-EJ36	132.
	42" panel	62"	2"	2"	RR3-EJ42	138.
	48" panel	68"	2"	2"	RR3-EJ48	145.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	152.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	160.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	168.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	175.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	183.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	191.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	200.
96" panel run	118 1/2"	2"	2"	RR3-EJ96P	207.	
 <p>Extended jumper (through one post)</p>	18" + post	40 1/2"	2"	2"	RR3-EJ18P	105.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	105.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	113.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	121.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	132.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	138.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	145.
 <p>Power infeeds</p>	Ceiling power cable infeed. Eight-wire				RR3-EPVR	290.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	212.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	318.
	Panel base end feed				RR3-REPI	252.
	Panel base side infeed				RR3-EPI	252.
	Surge suppressors				RR3-SP-(A,B,X,Y)	183.





Order Code	Specification Information	Application Notes
Example: RR3-EPVR RR3 Reff raceway E Eight wire 2+2 P power infeed VR for vertical raceway	<p>Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.</p> <p>For use in Canada, all circuits are CGA rated 15 amp capacity.</p> <p><i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection</p> <p>into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.</p> <p>Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. RR3-EPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-EPNY1 includes only one power connector.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p>

Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels

power rails and connectors

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-T24	\$168.	
	30" panel	12"	2"	2"	RR3-T30NS	183.	
	36" panel	18"	2"	2"	RR3-T36NS	200.	
	42" panel	24"	2"	2"	RR3-T42NS	212.	
	48" panel	30"	2"	2"	RR3-T48NS	220.	
	60" panel	42"	2"	2"	RR3-T60-4	344.	
	66" panel	48"	2"	2"	RR3-T66-4	358.	
	72" panel	54"	2"	2"	RR3-T72-4	383.	
	Straight	16 1/2"	2"	2"	RR3-TPC24	105.	
		18 1/2"	2"	2"	RR3-TPCS	105.	
		20 1/4"	2"	2"	RR3-TPCM	105.	
	Use RR3-TPC24 for through post 24" to 24" wide panels. Use RR3-TPCS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPC for all other through post power connection configurations.						
	Through post	19"	2"	2"	RR3-TPCP24	105.	
		21"	2"	2"	RR3-TPCPS	105.	
		22 3/4"	2"	2"	RR3-TPCPM	105.	
	Use RR3-TPCP24 for through post 24" to 24" wide panels. Use RR3-TPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPCP for all other through post power connection configurations.						
	Duplex outlets, black		Circuit A			RR3-DA	40.
			Circuit B			RR3-DB	40.
Circuit C					RR3-DC	40.	
Circuit X					RR3-DX	40.	
Circuit Y					RR3-DY	40.	
Circuit Z					RR3-DZ	40.	
Duplex outlets, orange		Circuit X			RR3-DXO	45.	
		Circuit Y			RR3-DYO	45.	
		Circuit Z			RR3-DZO	45.	
Data Shield	1 pair				RR3-DATSHD	28.	

Order Code

Example: RR3-T-24	
RR3	Reff raceway
T	Ten wire 3+3
24	for 24" panel

Specification Information

Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

Note:

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.




*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	RR3-TJ18	\$121.
	20" panel	40"	2"	2"	RR3-TJ20	121.
	24" panel	44"	2"	2"	RR3-TJ24	132.
	30" panel	50"	2"	2"	RR3-TJ30	138.
	36" panel	56"	2"	2"	RR3-TJ36	145.
	42" panel	62"	2"	2"	RR3-TJ42	160.
	48" panel	68"	2"	2"	RR3-TJ48	175.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	183.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	191.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	200.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	207.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	212.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	232.
90" panel run	112 1/2"	2"	2"	RR3-TJ90P	237.	
96" panel run	118 1/2"	2"	2"	RR3-TJ96P	243.	
	18" + post	40 1/2"	2"	2"	RR3-TJ18P	121.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	121.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	132.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	138.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	145.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	160.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	175.
	Ceiling power cable infeed. Ten-wire				RR3-TPVR	351.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	243.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	351.
	Panel base end feed				RR3-RTPI	290.
	Panel base side infeed				RR3-TPI	290.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	183.



* Select which circuit needs protecting and order the specified surge processor.

** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>

Power distribution components

Hardwire box

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$226.
	30" panel	RR3CHI301	263.
	36" panel	RR3CHI361	284.
	42" panel	RR3CHI421	287.
	48" panel	RR3CHI481	307.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	235.
	30" panel	RR3CHI302	281.
	36" panel	RR3CHI362	288.
	42" panel	RR3CHI422	292.
	48" panel	RR3CHI482	326.

Order Code

Example:	RR3CHI24
RR3	Reff/AutoStrada raceway G3
CHI	Chicago Hardwire Box
24	For 24" wide panel
1	One sided raceway


Specification Information

Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.


Application Notes

Certified electrician to install.
Reff Hardwire Box
Installation instruction sheet available on Knoll Exchange. Part number 6TR45715.

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$152.
	30" panel		RR3-E30S	175.
	36" panel		RR3-E36S	191.
	42" panel		RR3-E42S	207.
	48" panel		RR3-E48S	212.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	183.
	30" panel		RR3-T30S	200.
	36" panel		RR3-T36S	212.
	42" panel		RR3-T42S	232.
	48" panel		RR3-T48S	237.



Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	105.
	Beltway post	19 1/2"	RR3-LTPC	105.
	Beltway post	21 1/2"	RR3-LTPCP	105.



Only necessary for post applications where cable will turn 90°ree.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		RR3-TBBCS	152.
	For 30" wide Beltway panels (8 Wire)		RR3-EBBCS	144.
	For 36" to 48" wide Beltway panels (10 Wire)		RR3-TBBCL	161.
	For 36" to 48" wide Beltway panels (8 Wire)		RR3-EBBCL	152.

Order Code

Example: RR3-T42S
RR3 Reff raceway
T Ten wire 3+3
42 For 42" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.


Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper

* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		RR3EJ48	\$145.
	24" wide Ten Wire		RR3TJ48	175.
	30" wide Eight Wire		RR3EJ60P	160.
	30" wide Ten Wire		RR3TJ60P	191.
	36" wide Eight Wire		RR3EJ60P	160.
	36" wide Ten Wire		RR3TJ60P	191.
	42" wide Eight Wire		RR3EJ66P	168.
	42" wide Ten Wire		RR3TJ66P	200.
	48" wide Eight Wire		RR3EJ72P	175.
48" wide Ten Wire		RR3TJ72P	207.	

Order Code

Example: RR3-T42S
RR3 Reff raceway
T Ten wire 3+3
42 For 42" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.






Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper


* **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$14.
	Faceplate extender, black	RR3-FE	35.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
 Snap in module (must be used with faceplate)	BNC coupler, black	RR3-BNC	21.
	Cat 3 RJ11/14/25, black	RR3-C3C	13.
	CAT 5 RJ45 universal	RR3-C5C	21.
	CAT 6 universal	RR3-C6C	36.
	F series video coupler, black	RR3-FV	21.
	ST style coupler, black	RR3-ST	36.
 Icons (sets of 10)	Data icons, 16 piece black	RR3-DICON	14.
	Mixed icons, 16 piece black	RR3-MICON	14.
	Phone icons, 16 piece black	RR3PICON	14.
 Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	142.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	142.
 Fiber optics	Sc style dual fiber optic side mount	RR3-FOSC	180.
	ST style dual fiber optic side mount	RR3-FOST	102.
 Desktop duplex monument	2-RJ11 (telephone)	RGMD6	108.
	2-RJ45's (phone and intercom)	RGMD8	120.
	Duplex outlet (electrical)	RGMDE	131.

Order Code	Specification Information	Application Notes
Example: RR3-2PF	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
RR3 Reff raceway		
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
RR3 Reff raceway		
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.






Vertical power port bracket kit and duplex.

Reff Ported Panel Components

port, vertical duplex and panel jumpers

Reff Profiles


description	type	pattern no.	list price
Port 	Floating data port	RR3FDP	\$57.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	89.
Vertical Duplex 	Vertical Duplex A (8/10 wire applications)	RR3VDA	30.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	30.
	Vertical Duplex C (10 wire applications)	RR3VDC	30.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	30.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	30.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	30.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	30.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	30.
Same Panel Jumper, 8w 	30" same Panel Jumper 50" 8w	RR3EBVC50	152.
	30" same Panel Jumper 64" 8w	RR3EBVC64	165.
	30" same Panel Jumper 78" 8w	RR3EBVC78	180.
	36" + same Panel Jumper 62" 8w	RR3EBVC62	164.
	36" + same Panel Jumper 76" 8w	RR3EBVC76	179.
	36" + same Panel Jumper 90" 8w	RR3EBVC90	195.
Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	RR3TBVC50	174.
	30" same Panel Jumper 64" 10w	RR3TBVC64	191.
	30" same Panel Jumper 78" 10w	RR3TBVC78	209.
	36" + same Panel Jumper 62" 10w	RR3TBVC62	187.
	36" + same Panel Jumper 76" 10w	RR3TBVC76	205.
	36" + same Panel Jumper 90" 10w	RR3TBVC90	220.

Order Code	Specification Information	Application Note
Example: RR3VPBK RR3 Reff VP Vertical port BK Bracket kit	For data and communications specify product listed on page 134.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

Reff Ported Panel Components


port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	\$239.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	206.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	223.




Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	210.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	183.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	199.

Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	153.
	Internal Panel Jumper 8 w	RR3EVJ	142.




Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 134.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
RR3 Reff		
VP Vertical port		
BK Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

Worksurface 1 1/4
 rectilinear
 20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241-() ()	\$318.	\$355.	\$409.	\$550.
		30"	RSA301-() ()	349.	390.	447.	603.
		36"	RSA361-() ()	369.	411.	471.	638.
		42"	RSA421-() ()	383.	430.	494.	667.
		48"	RSA481-() ()	403.	446.	513.	692.
		54"	RSA541-() ()	418.	463.	536.	725.
		60"	RSA601-() ()	452.	501.	576.	780.
		66"	RSA661-() ()	462.	517.	596.	804.
		72"	RSA721-() ()	489.	545.	624.	843.
		78"	RSA781-() ()	495.	550.	633.	856.
		84"	RSA841-() ()	525.	589.	674.	910.
		90"	RSA901-() ()	550.	610.	701.	948.
	96"	RSA961-() ()	570.	633.	728.	982.	
	24"	24"	RSA242-() ()	335.	372.	430.	580.
		30"	RSA302-() ()	379.	420.	487.	655.
		36"	RSA362-() ()	391.	441.	503.	679.
		42"	RSA422-() ()	408.	452.	520.	701.
		48"	RSA482-() ()	433.	487.	558.	752.
		54"	RSA542-() ()	462.	517.	596.	804.
		60"	RSA602-() ()	500.	556.	636.	861.
		66"	RSA662-() ()	512.	572.	660.	889.
		72"	RSA722-() ()	538.	598.	690.	932.
78"		RSA782-() ()	561.	626.	724.	975.	
84"	RSA842-() ()	585.	653.	750.	1,013.		
90"	RSA902-() ()	614.	680.	782.	1,055.		
96"	RSA962-() ()	636.	707.	814.	1,099.		

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	
R Reff	1. Top thickness	4. Top finish
S Straight top	2. Grommet option	5. Grommet finish: Painted or Plated
A 1 1/4" thick	3. Top finish type	Applicable finishes are listed on page 5 and 6.
24 24" wide	4. Top finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
1 20" deep	5. Grommet finish	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Recessed grommet option	1. Thickness options: A = 1 1/4"	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
L Laminate finish	2. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
114 Folkstone grey	3. Finish type: L = Laminate M = Wood/laminate mixed	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface 1 1/4
 rectilinear
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSA243-()()	\$366.	\$406.	\$464.	\$627.
		30"	RSA303-()()	411.	457.	525.	710.
		36"	RSA363-()()	441.	493.	565.	762.
		42"	RSA423-()()	459.	512.	590.	797.
		48"	RSA483-()()	491.	547.	627.	848.
		54"	RSA543-()()	531.	592.	677.	914.
		60"	RSA603-()()	551.	611.	703.	950.
		66"	RSA663-()()	560.	625.	723.	974.
		72"	RSA723-()()	577.	641.	736.	993.
		78"	RSA783-()()	603.	671.	772.	1,041.
		84"	RSA843-()()	625.	698.	803.	1,084.
		90"	RSA903-()()	656.	729.	840.	1,135.
		96"	RSA963-()()	679.	757.	870.	1,175.
		36"	60"	RSA604-()()	634.	706.	810.
66"	RSA664-()()		656.	730.	842.	1,136.	
72"	RSA724-()()		678.	756.	869.	1,174.	

Worksurfaces

Order Code

Example: RSA243RL
R Reff
S Straight top
A 1 1/4" thick
24 24" wide
3 30" deep
R Recessed grommet option
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Thickness options:
 A = 1 1/4"

2. Grommet options:
 N = No grommets
 F = Flush front grommet location
 R = Recessed front (not recommended for 20"D and 24"D tops)
 A = Alternate location (for 36"D tops only)

3. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

4. Top finish

5. Grommet finish:
 Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.


Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface 1 1/4
 Return and Bridge rectilinear
 Horizontal or vertical grain direction

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 1/4" thick 	20"	36"	RSAR361(H/V)()()	\$369.	\$411.	\$471.	\$638.
		42"	RSAR421(H/V)()()	383.	430.	494.	667.
		48"	RSAR481(H/V)()()	403.	446.	513.	692.
		54"	RSAR541(H/V)()()	418.	463.	536.	725.
		60"	RSAR601(H/V)()()	452.	501.	576.	780.
		66"	RSAR661(H/V)()()	462.	517.	596.	804.
		72"	RSAR721(H/V)()()	489.	545.	624.	843.
	24"	36"	RSAR362(H/V)()()	391.	441.	503.	679.
		42"	RSAR422(H/V)()()	408.	452.	520.	701.
		48"	RSAR482(H/V)()()	433.	487.	558.	752.
		54"	RSAR542(H/V)()()	462.	517.	596.	804.
		60"	RSAR602(H/V)()()	500.	556.	636.	861.
		66"	RSAR662(H/V)()()	512.	572.	660.	889.
		72"	RSAR722(H/V)()()	538.	598.	690.	932.

Order Code

Example: RSAR361(H/V)()()
R Reff
S Straight top
A 1 1/4" thick top
R Return
36 36" wide
1 20" deep
H/V Horizontal or Vertical grain
() Grommet type
() Grommet finish
() Worksurface finish

Specification Information


To order please specify pattern number including:

- Grommet type:
F = Flush
N = No Grommet
- Grommet finish:
Painted or Plated
- Worksurface finish:
L, V1, V2, V3


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces






U-shaped / Triple: Spanning 3 worksurfaces



Worksurface 1 1/4

rectilinear corner tops


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611- () ()	\$655.	\$751.	\$864.	\$1,167.
	20"	20"	36"	42"	RKA 364211- () ()	692.	798.	913.	1,232.
	20"	20"	36"	48"	RKA 364811- () ()	735.	844.	972.	1,312.
	20"	20"	42"	36"	RKA 423611- () ()	692.	798.	913.	1,232.
	20"	20"	42"	42"	RKA 424211- () ()	735.	844.	972.	1,312.
	20"	20"	42"	48"	RKA 424811- () ()	801.	921.	1,061.	1,431.
	20"	20"	48"	36"	RKA 483611- () ()	735.	844.	972.	1,312.
	20"	20"	48"	42"	RKA 484211- () ()	801.	921.	1,061.	1,431.
	20"	20"	48"	48"	RKA 484811- () ()	845.	972.	1,116.	1,507.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622- () ()	744.	851.	979.	1,322.
	24"	24"	36"	42"	RKA 364222- () ()	782.	898.	1,031.	1,392.
	24"	24"	36"	48"	RKA 364822- () ()	823.	946.	1,085.	1,465.
	24"	24"	42"	36"	RKA 423622- () ()	782.	898.	1,031.	1,392.
	24"	24"	42"	42"	RKA 424222- () ()	823.	946.	1,085.	1,465.
	24"	24"	42"	48"	RKA 424822- () ()	889.	1,023.	1,178.	1,588.
	24"	24"	48"	36"	RKA 483622- () ()	823.	946.	1,085.	1,465.
	24"	24"	48"	42"	RKA 484222- () ()	889.	1,023.	1,178.	1,588.
	24"	24"	48"	48"	RKA 484822- () ()	934.	1,073.	1,231.	1,661.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612- () ()	682.	782.	903.	1,217.
	20"	24"	36"	42"	RKA 364212- () ()	721.	829.	951.	1,284.
	20"	24"	36"	48"	RKA 364812- () ()	765.	877.	1,010.	1,362.
	20"	24"	42"	36"	RKA 423612- () ()	721.	829.	951.	1,284.
	20"	24"	42"	42"	RKA 424212- () ()	765.	877.	1,010.	1,362.
	20"	24"	42"	48"	RKA 424812- () ()	834.	954.	1,100.	1,486.
	20"	24"	48"	36"	RKA 483612- () ()	765.	877.	1,010.	1,362.
	20"	24"	48"	42"	RKA 484212- () ()	834.	954.	1,100.	1,486.
	20"	24"	48"	48"	RKA 484812- () ()	874.	1,006.	1,155.	1,560.

Order Code	
Example: RKA363611N1	
R	Reff
K	Straight front corner
A	1 1/4" top thickness
36	36" wide on left back
36	36" wide on right back
1	20" deep on left side
1	20" deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information
<i>To order please specify pattern number including:</i>
1. Top thickness
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Finish type
8. Top finish
9. Grommet finish
<i>1. Top thickness:</i> A = 1 1/4"
<i>2. Grommet options:</i> N = No grommets F = Standard corner location or Flush
<i>3. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3
<i>4. Top finish</i>
<i>5. Grommet finish:</i> Painted or Plated

Application Notes
Please call Custom Product Development for special grommet locations.
Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
Product on this page will accept woodgrain laminate where laminate is currently an option.
These worksurfaces are predrilled with pilot holes for use with wood screws.
Actual widths are 1/16" less all around on corner worksurfaces.
Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4 rectilinear corner tops





description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKA 363621-()()	\$682.	\$782.	\$903.	\$1,217.
	24"	20"	36"	42"	RKA 364221-()()	721.	829.	951.	1,284.
	24"	20"	36"	48"	RKA 364821-()()	765.	877.	1,010.	1,362.
	24"	20"	42"	36"	RKA 423621-()()	721.	829.	951.	1,284.
	24"	20"	42"	42"	RKA 424221-()()	765.	877.	1,010.	1,362.
	24"	20"	42"	48"	RKA 424821-()()	834.	954.	1,100.	1,486.
	24"	20"	48"	36"	RKA 483621-()()	765.	877.	1,010.	1,362.
	24"	20"	48"	42"	RKA 484221-()()	834.	954.	1,100.	1,486.
	24"	20"	48"	48"	RKA 484821-()()	874.	1,006.	1,155.	1,560.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	<p>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p>
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	
Y324 Ash	<p><i>1. Top thickness:</i> A = 1 1/4"</p> <p><i>2. Grommet options:</i> N = No grommets F = Standard corner location or Flush</p> <p><i>3. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p><i>4. Top finish</i></p> <p><i>5. Grommet finish:</i> Painted or Plated</p>	

Worksurface 1 1/4 transition wave tops





Reff Profiles

Worksurfaces

description	d	w	d	pattern no.	L	M/V1	V2	V3
	24"	42"	20"	RWA4221- () ()	\$392.	\$454.	\$522.	\$706.
	24"	48"	20"	RWA4821- () ()	415.	476.	548.	738.
	24"	54"	20"	RWA5421- () ()	446.	510.	589.	795.
	24"	60"	20"	RWA6021- () ()	475.	546.	626.	846.
	24"	66"	20"	RWA6621- () ()	490.	563.	646.	871.
	24"	72"	20"	RWA7221- () ()	511.	590.	675.	912.
	24"	36"	30"	RWA3623- () ()	409.	470.	542.	730.
	24"	42"	30"	RWA4223- () ()	426.	491.	563.	758.
	24"	48"	30"	RWA4823- () ()	445.	507.	584.	789.
	24"	54"	30"	RWA5423- () ()	477.	548.	630.	851.
	24"	60"	30"	RWA6023- () ()	510.	589.	674.	910.
	24"	66"	30"	RWA6623- () ()	529.	607.	699.	946.
	24"	72"	30"	RWA7223- () ()	556.	638.	733.	988.
	20"	42"	24"	RWA4212- () ()	392.	454.	522.	706.
	20"	48"	24"	RWA4812- () ()	415.	476.	548.	738.
	20"	54"	24"	RWA5412- () ()	446.	510.	589.	795.
	20"	60"	24"	RWA6012- () ()	475.	546.	626.	846.
	20"	66"	24"	RWA6612- () ()	490.	563.	646.	871.
	20"	72"	24"	RWA7212- () ()	511.	590.	675.	912.
	30"	36"	24"	RWA3632- () ()	409.	470.	542.	730.
	30"	42"	24"	RWA4232- () ()	426.	491.	563.	758.
	30"	48"	24"	RWA4832- () ()	445.	507.	584.	789.
	30"	54"	24"	RWA5432- () ()	477.	548.	630.	851.
	30"	60"	24"	RWA6032- () ()	510.	589.	674.	910.
	30"	66"	24"	RWA6632- () ()	529.	607.	699.	946.
	30"	72"	24"	RWA7232- () ()	556.	638.	733.	988.

Order Code	Specification Information	Application Notes
Example: RWA4221FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Left hand depth	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Grommet option	
42 42" wide	4. Top finish type	These worksurfaces are predrilled with pilot holes for use with wood screws.
2 24" deep on left side	5. Top finish	
1 20" deep on right side	6. Grommet finish	Curvilinear worksurfaces only available in 1 1/4" thick.
F Flush grommet option	3. <i>Grommet options:</i>	See Planning Guide for grommet locations.
L Laminate finish	N = No grommet	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	4. <i>Finish type:</i>	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
	L = Laminate	Applicable finishes are listed on page 5 and 6.
	M = Wood/laminate mixed	
	1 = V1	Product on this page will accept woodgrain laminate where laminate is currently an option.
	2 = V2	
	3 = V3	
	5. <i>Top finish</i>	
	6. <i>Grommet finish:</i>	
	Painted or Plated	

Worksurface 1 1/4 transition wave top ends


description	depth	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	20"	36"	32"	RWEA3631-()()	\$523.	\$601.	\$693.	\$934.
	20"	42"	32"	RWEA4231-()()	545.	625.	723.	974.
	20"	48"	32"	RWEA4831-()()	574.	661.	758.	1,023.
Wave top end, (right 24") 	24"	36"	36"	RWEA3662-()()	542.	623.	715.	966.
	24"	42"	36"	RWEA4262-()()	559.	642.	738.	997.
	24"	48"	36"	RWEA4862-()()	594.	679.	781.	1,054.
Wave top end, (left 20") 	32"	36"	20"	RWEA3613-()()	523.	601.	693.	934.
	32"	42"	20"	RWEA4213-()()	545.	625.	723.	974.
	32"	48"	20"	RWEA4813-()()	574.	661.	758.	1,023.
Wave top end, (left 24") 	36"	36"	24"	RWEA3626-()()	542.	623.	715.	966.
	36"	42"	24"	RWEA4226-()()	559.	642.	738.	997.
	36"	48"	24"	RWEA4826-()()	594.	679.	781.	1,054.

Order Code	Specification Information	Application Notes
Example: RWEA3631FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Left hand depth	36"D wave end top requires 24"D end panel for support.
E Wave top ends	2. Right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Grommet option	These worksurfaces are predrilled with pilot holes for use with wood screws.
36 36" wide	4. Top finish type	Curvilinear worksurfaces only available in 1 1/4" thick.
3 32" deep on left side	5. Top finish	See Planning Guide for grommet locations.
1 20" deep on right side	6. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
F Flush grommet option	3. <i>Grommet options:</i>	
L Laminate finish	N = No grommet	
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	4. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	5. <i>Top finish</i>	
	6. <i>Grommet finish:</i>	
	Painted or Plated	
	Applicable finishes are listed on page 5 and 6.	
	Product on this page will accept woodgrain laminate where laminate is currently an option.	

Worksurface 1 1/4

curvilinear corner tops - 20" Deep

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611- () ()	\$655.	\$751.	\$864.	\$1,167.
	20"	20"	36"	42"	RCA364211- () ()	692.	798.	913.	1,232.
	20"	20"	36"	48"	RCA364811- () ()	735.	844.	972.	1,312.
	20"	20"	42"	36"	RCA423611- () ()	692.	798.	913.	1,232.
	20"	20"	42"	42"	RCA424211- () ()	735.	844.	972.	1,312.
	20"	20"	42"	48"	RCA424811- () ()	801.	921.	1,061.	1,431.
	20"	20"	48"	36"	RCA483611- () ()	735.	844.	972.	1,312.
	20"	20"	48"	42"	RCA484211- () ()	801.	921.	1,061.	1,431.
	20"	20"	48"	48"	RCA484811- () ()	845.	972.	1,116.	1,507.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621- () ()	682.	782.	903.	1,217.
	24"	20"	36"	42"	RCA364221- () ()	721.	829.	951.	1,284.
	24"	20"	36"	48"	RCA364821- () ()	765.	877.	1,010.	1,362.
	24"	20"	42"	36"	RCA423621- () ()	721.	829.	951.	1,284.
	24"	20"	42"	42"	RCA424221- () ()	765.	877.	1,010.	1,362.
	24"	20"	42"	48"	RCA424821- () ()	834.	954.	1,100.	1,486.
	24"	20"	48"	36"	RCA483621- () ()	765.	877.	1,010.	1,362.
	24"	20"	48"	42"	RCA484221- () ()	834.	954.	1,100.	1,486.
	24"	20"	48"	48"	RCA484821- () ()	874.	1,006.	1,155.	1,560.

Worksurfaces

Order Code

Example:	RCA363611N1
R	Reff
C	Curved front corner
A	1 1/4" thick
36	36" wide on left back
36	36" wide on right back
1	20" deep on left side
1	20" deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information

To order please specify pattern number including:

- Left hand width
- Right hand width
- Return left hand depth
- Return right hand depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish

5. Grommet options:
 N = No grommets
 F = Standard corner location

6. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

7. Top finish

8. Grommet finish:
 Painted or Plated

Application Notes

Radius of curved front changes with overall top size. See Planning Guide.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4 curvilinear corner tops - 24" Deep

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612-()()	\$682.	\$782.	\$903.	\$1,217.
	20"	24"	36"	42"	RCA364212-()()	721.	829.	951.	1,284.
	20"	24"	36"	48"	RCA364812-()()	765.	877.	1,010.	1,362.
	20"	24"	42"	36"	RCA423612-()()	721.	829.	951.	1,284.
	20"	24"	42"	42"	RCA424212-()()	765.	877.	1,010.	1,362.
	20"	24"	42"	48"	RCA424812-()()	834.	954.	1,100.	1,486.
	20"	24"	48"	36"	RCA483612-()()	765.	877.	1,010.	1,362.
	20"	24"	48"	42"	RCA484212-()()	834.	954.	1,100.	1,486.
	20"	24"	48"	48"	RCA484812-()()	874.	1,006.	1,155.	1,560.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622-()()	744.	851.	979.	1,322.
	24"	24"	36"	42"	RCA364222-()()	782.	898.	1,031.	1,392.
	24"	24"	36"	48"	RCA364822-()()	823.	946.	1,085.	1,465.
	24"	24"	42"	36"	RCA423622-()()	782.	898.	1,031.	1,392.
	24"	24"	42"	42"	RCA424222-()()	823.	946.	1,085.	1,465.
	24"	24"	42"	48"	RCA424822-()()	889.	1,023.	1,178.	1,588.
	24"	24"	48"	36"	RCA483622-()()	823.	946.	1,085.	1,465.
	24"	24"	48"	42"	RCA484222-()()	889.	1,023.	1,178.	1,588.
	24"	24"	48"	48"	RCA484822-()()	934.	1,073.	1,231.	1,661.



Order Code	Specification Information	Application Notes
Example: RCA363612	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
C Curved front corner	2. Right hand width	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
A 1 1/4" thick	3. Return left hand depth	Please call Custom Product Development for special grommet locations.
36 36" wide on left back	4. Return right hand depth	Applicable finishes are listed on page 5 and 6.
36 36" wide on right back	5. Grommet option	
1 20" deep on left side	6. Top finish type	
2 24" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	5. <i>Grommet options:</i>	
Y324 Ash	N = No grommets	
	F = Standard corner location	
	6. <i>Finish type:</i>	
	L = Laminate	Products on this page are shipped without hardware which must be ordered separately from the support components section.
	M = Wood/laminate mixed	Product on this page will accept woodgrain laminate where laminate is currently an option.
	1 = V1	These worksurfaces are predrilled with pilot holes for use with wood screws.
	2 = V2	Curvilinear worksurfaces only available in 1 1/4" thick.
	3 = V3	See Planning Guide for grommet locations.
	7. <i>Top finish</i>	
	8. <i>Grommet finish:</i>	
	Painted or Plated	

Worksurface 1 1/4

extended curvilinear corner tops

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	RCCDLA23672 () () ()	\$1,809.	\$2,448.	\$3,456.	\$4,662.
	36"	78"	RCCDLA23678 () () ()	1,881.	2,546.	3,591.	4,848.
	36"	84"	RCCDLA23684 () () ()	1,956.	2,649.	3,735.	5,042.
	36"	96"	RCCDLA23696 () () ()	2,035.	2,754.	3,885.	5,246.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 () () ()	1,811.	2,454.	3,464.	4,677.
	36"	78"	RCCDLA33678 () () ()	1,883.	2,553.	3,605.	4,866.
	36"	84"	RCCDLA33684 () () ()	1,959.	2,656.	3,747.	5,058.
	36"	96"	RCCDLA33696 () () ()	2,037.	2,761.	3,898.	5,261.
Extended corner worktop, RH curved front corner (return 24")	36"	72"	RCCDRA23672 () () ()	1,809.	2,448.	3,456.	4,662.
	36"	78"	RCCDRA23678 () () ()	1,881.	2,546.	3,591.	4,848.
	36"	84"	RCCDRA23684 () () ()	1,956.	2,649.	3,735.	5,042.
	36"	96"	RCCDRA23696 () () ()	2,035.	2,754.	3,885.	5,246.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 () () ()	1,811.	2,454.	3,464.	4,677.
	36"	78"	RCCDRA33678 () () ()	1,883.	2,553.	3,605.	4,866.
	36"	84"	RCCDRA33684 () () ()	1,959.	2,656.	3,747.	5,058.
	36"	96"	RCCDRA33696 () () ()	2,037.	2,761.	3,898.	5,261.



Worksurfaces

Order Code

Example:	RCCDLA23672N2
R	Reff
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
72	72" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Depth
2. Grommet option
3. Finish type
4. Finish
5. Grommet finish

2. Grommet options:
 N = No grommets
 F = Flush front grommet location

3. Finish type:
 L = Laminate
 M = Mixed (laminated surface with wood edge)
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.


Product on this page will accept woodgrain laminate where laminate is currently an option.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4 extended straight corner tops

Reff Profiles

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24") 	36"	60"	24"	RCEAL223660 () () ()	\$670.	\$1,009.	\$1,365.	\$1,846.
	36"	72"	24"	RCEAL223672 () () ()	802.	1,223.	1,651.	2,231.
	42"	60"	24"	RCEAL224260 () () ()	736.	1,114.	1,509.	2,036.
	42"	72"	24"	RCEAL224272 () () ()	870.	1,330.	1,797.	2,426.
	48"	72"	24"	RCEAL224872 () () ()	938.	1,437.	1,939.	2,618.
	48"	84"	24"	RCEAL224884 () () ()	1,071.	1,651.	2,227.	3,006.
	48"	96"	24"	RCEAL224896 () () ()	1,231.	1,903.	2,561.	3,459.

Extended straight corner top, RH curved front corner (returns 24") 	36"	60"	24"	RCEAR223660 () () ()	670.	1,009.	1,365.	1,846.
	36"	72"	24"	RCEAR223672 () () ()	802.	1,223.	1,651.	2,231.
	42"	60"	24"	RCEAR224260 () () ()	736.	1,114.	1,509.	2,036.
	42"	72"	24"	RCEAR224272 () () ()	870.	1,330.	1,797.	2,426.
	48"	72"	24"	RCEAR224872 () () ()	938.	1,437.	1,939.	2,618.
	48"	84"	24"	RCEAR224884 () () ()	1,071.	1,651.	2,227.	3,006.
	48"	96"	24"	RCEAR224896 () () ()	1,231.	1,903.	2,561.	3,459.

Order Code

Example:	RCEAL223660N2
R	Reff
C	Corner
E	Extended
A	1 1/4" thick
L	Left Hand
22	24" returns
36	36" d at corner straight edge
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

- N = No grommets
- F = Flush front grommet location

6. Finish type:

- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.


These worksurfaces are predrilled with pilot holes for use with wood screws.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4

Reff Profiles

Rectilinear and curvilinear corners for C-Leg and T-Leg bases 24", 30" and 36" deep

description	type	d*	d	w*	w	pattern no.	L	V1	V2	V3	
	C-Leg and T-Leg Rectangular Tops	For use with 24" Deep C-Leg base	24"	23"	36"	34"	RSA3423N() ()	\$391.	\$441.	\$503.	\$679.
			24"	23"	42"	40"	RSA4023N() ()	408.	452.	520.	701.
			24"	23"	48"	46"	RSA4623N() ()	433.	487.	558.	752.
			24"	23"	54"	52"	RSA5223N() ()	462.	517.	596.	804.
			24"	23"	60"	58"	RSA5823N() ()	500.	556.	636.	861.
			24"	23"	66"	64"	RSA6423N() ()	512.	572.	660.	889.
	For use with 24" Deep T-Leg base	24"	23"	72"	70"	RSA7023N() ()	538.	598.	690.	932.	
	For use with 30" Deep C-Leg base	30"	29"	36"	34"	RSA3429N() ()	441.	493.	565.	762.	
		30"	29"	42"	40"	RSA4029N() ()	459.	512.	590.	797.	
		For use with 30" Deep C-Leg or T-Leg base	30"	29"	48"	46"	RSA4629N() ()	491.	547.	627.	848.
			30"	29"	54"	52"	RSA5229N() ()	531.	592.	677.	914.
			30"	29"	60"	58"	RSA5829N() ()	551.	611.	703.	950.
	30"		29"	66"	64"	RSA6429N() ()	560.	625.	723.	974.	
	30"	29"	72"	70"	RSA7029N() ()	577.	641.	736.	993.		
	For use with 30" Deep T-Leg base	36"	35"	48"	46"	RSA4635N() ()	556.	621.	714.	960.	
		36"	35"	54"	52"	RSA5235N() ()	606.	676.	774.	1,041.	
		36"	35"	60"	58"	RSA5835N() ()	634.	706.	810.	1,093.	
		36"	35"	66"	64"	RSA6435N() ()	656.	730.	842.	1,136.	
36"		35"	72"	70"	RSA7035N() ()	678.	756.	869.	1,174.		
C-Leg Corner Tops, 24" or 30" Deep	For use with C-Leg Corner base	24"	23"	48"	46"	RCA464623N() ()	934.	1,073.	1,231.	1,661.	
		30"	29"	48"	46"	RCA464629N() ()	1,045.	1,201.	1,377.	1,856.	



Order Code

Example:	RSA 5829N, L, 118
R	Reff
S	Straight Rectangular
A	1 1/4" thick
58	Width
29	Depth
N	No Grommets
L	Finish type
118	Bright White Laminate

w * and d * = nominal dimensions

Specification Information

To order please specify pattern number including:

1. **Finish Type:**
(L) = Laminate
(1) = V1
(2) = V2
(3) = V3

2. **Finish:**
Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables.

23", 29" and 35" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.


48"x48" curvilinear corner worksurfaces are for use with 16"D 3-legged fixed and height adjustable corner bases.

Worksurfaces are pre-drilled with pilot holes for use with wood screws.

Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.

Worksurface 1 1/4" Meeting tops 'D'

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	RMDA4230-()()	\$579.	\$640.	\$735.	\$992.
		48"	30"	RMDA4830-()()	622.	692.	797.	1,075.
		54"	30"	RMDA5430-()()	666.	741.	851.	1,150.
		60"	30"	RMDA6030-()()	714.	794.	908.	1,227.
		66"	30"	RMDA6630-()()	760.	843.	971.	1,311.
		72"	30"	RMDA7230-()()	809.	897.	1,030.	1,391.
		78"	30"	RMDA7830-()()	914.	1,012.	1,165.	1,571.
		84"	30"	RMDA8430-()()	1,018.	1,128.	1,299.	1,753.
		90"	30"	RMDA9030-()()	1,136.	1,261.	1,450.	1,956.
		96"	30"	RMDA9630-()()	1,255.	1,392.	1,600.	2,160.
	36" deep	42"	36"	RMDA4236-()()	636.	705.	809.	1,092.
		48"	36"	RMDA4836-()()	696.	771.	885.	1,194.
		54"	36"	RMDA5436-()()	793.	881.	1,015.	1,369.
		60"	36"	RMDA6036-()()	891.	986.	1,136.	1,535.
		66"	36"	RMDA6636-()()	909.	1,007.	1,157.	1,564.
		72"	36"	RMDA7236-()()	921.	1,023.	1,178.	1,588.
		78"	36"	RMDA7836-()()	1,039.	1,152.	1,325.	1,789.
		84"	36"	RMDA8436-()()	1,155.	1,282.	1,474.	1,988.
90"		36"	RMDA9036-()()	1,217.	1,349.	1,552.	2,096.	
96"		36"	RMDA9636-()()	1,335.	1,478.	1,700.	2,296.	
Wrap around panel top	(20" panels)	42 1/2"	21 1/4"	RMDA4221-()()	744.	825.	947.	1,277.
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-()()	813.	903.	1,037.	1,401.



No Grommets

Please specify mating trim profile

Order Code	Specification Information	Application Notes
<p>Example: RMDA4230N1</p> <p>R Reff</p> <p>MD Meeting D-top</p> <p>A 1 1/4" thick</p> <p>42 42" wide</p> <p>30 30" deep</p> <p>N No grommet</p> <p>1 V1</p> <p>Y311 Beech</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Top thickness Width Depth Grommet option Top finish type Top finish Grommet finish Trim profile <p>1. Thickness options: A = 1 1/4"</p> <p>4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Additional spec option required for wrap around panel tops; specify mating trim profile.</p> <p>8. Trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p>

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4


Meeting tops P and 9

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230- () ()	\$792.	\$879.	\$1,011.	\$1,363.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836- () ()	881.	976.	1,124.	1,519.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230- () ()	792.	879.	1,011.	1,363.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836- () ()	881.	976.	1,124.	1,519.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9A8430- () ()	1,613.	1,788.	2,057.	2,778.
		96"	30"	RM9A9630- () ()	1,680.	1,866.	2,142.	2,893.





42" diameter

Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
M9 Meeting 9-top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Depth	These worksurfaces are predrilled with pilot holes for use with wood screws.
42 42" wide	4. Grommet option	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
30 30" deep	5. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
N No grommet	6. Top finish	
1 V1	7. Grommet finish	
Y311 Beech	1. <i>Thickness options:</i> A = 1 1/4"	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Refer to Planning Guide for modesty panel size requirements and all other support options.
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	7. <i>Grommet finish:</i> Painted or Plated	

Worksurface 1 1/4

Meeting tops

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
 Worksurface P-top 42" diameter		84"	30"	RMPA8430- () ()	\$1,613.	\$1,788.	\$2,057.	\$2,778.
		96"	30"	RMPA9630- () ()	1,680.	1,866.	2,142.	2,893.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
 Elliptical tops		60"	30"	REBA6030- () *	1,109.	1,254.	1,438.	1,944.
		72"	42"	REBA7242- () *	1,580.	1,782.	2,051.	2,767.
		78"	48"	REBA7848- () *	1,730.	1,955.	2,248.	3,036.

Order Code

Example: RMDA4230N1
R Reff
MD Meeting D-top
A 1 1/4" thick
42 42" wide
30 30" deep
N No grommet
1 V1
Y311 Beech

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish
8. Trim profile

1. *Thickness options:*
A = 1 1/4"

4. *Grommet options:*
N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. *Finish type:*
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

7. *Grommet finish:*
Painted or Plated

Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.



These worksurfaces are predrilled with pilot holes for use with wood screws.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Worksurface 1 1/4






Bow front and support

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top 	72"	30"		RMB(A)7230-() ()	\$926.	\$1,066.	\$1,227.	\$1,655.
	84"	30"		RMB(A)8430-() ()	1,020.	1,177.	1,352.	1,824.
	96"	30"		RMB(A)9630-() ()	1,133.	1,304.	1,496.	2,023.
Use 29" deep pedestals or end panels. Do not use 23" deep pedestals if using recessed modesty.								
Bow shaped top - 36"D 	72"	36"		RMB(A)7236-() ()	985.	1,131.	1,303.	1,757.
	84"	36"		RMB(A)8436-() ()	1,079.	1,242.	1,429.	1,928.
	96"	36"		RMB(A)9636-() ()	1,196.	1,377.	1,581.	2,135.
Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance). Can also be used with 36" deep end panel and recessed modesty.								

Order Code	Specification Information	Application Notes
Example: RMB7230R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet option	6. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
V319 Medium cherry	<i>1. Thickness options:</i>	These worksurfaces are predrilled with pilot holes for use with wood screws.
111 Jet Black (grommet)	A = 1 1/4"	See Planning Guide for grommet locations.
	<i>4. Grommet options:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
	N = No grommet	
	F = Flush front grommet	
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference 1 1/4" Square and rectangular

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3	
Rectangular top 1 piece 	72"	30"	RAA7230(-)	\$597.	\$663.	\$762.	\$1,028.	
	72"	36"	RAA7236(-)	649.	721.	828.	1,118.	
	84"	30"	RAA8430(-)	661.	731.	843.	1,137.	
	84"	36"	RAA8436(-)	711.	786.	904.	1,221.	
	84"	42"	RAA8442(-)	1,050.	1,165.	1,336.	1,804.	
	96"	30"	RAA9630(-)	742.	824.	946.	1,276.	
	96"	36"	RAA9636(-)	818.	907.	1,044.	1,410.	
	96"	42"	RAA9642(-)	1,205.	1,334.	1,535.	2,073.	
Rectangular top 2 piece 	120"	36"	RAA12036(-)	1,313.	1,456.	1,675.	2,261.	
	120"	42"	RAA12042(-)	1,811.	2,008.	2,310.	3,119.	
	120"	48"	RAA12048(-)	1,968.	2,184.	2,510.	3,389.	
	144"	42"	RAA14442(-)	2,035.	2,256.	2,595.	3,503.	
	144"	48"	RAA14448(-)	2,179.	2,419.	2,782.	3,755.	
	Rectangular top 3 piece 	168"	42"	RAA16842(-)	2,667.	2,957.	3,404.	4,595.
		168"	48"	RAA16848(-)	2,898.	3,214.	3,696.	4,988.
		192"	42"	RAA19242(-)	2,892.	3,207.	3,685.	4,976.
192"		48"	RAA19248(-)	3,114.	3,451.	3,966.	5,353.	
Square tops  	*	60"	RAA6060(-)	1,224.	1,356.	1,563.	2,107.	
	*	72"	RAA7272(-)	1,442.	1,600.	1,840.	2,485.	
	-	36"	RAA3636(-)	460.	512.	590.	797.	
	-	42"	RAA4242(-)	597.	663.	762.	1,028.	
	-	48"	RAA4848(-)	786.	869.	1,001.	1,349.	

Order Code

Example:	RRAG72302
R	Reff
R	Rectangular
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1 1/4"

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Square tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.






Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Conference 1 1/4" Round and racetrack

Reff Profiles

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece 	72"	30"	RTA7230-()	\$1,131.	\$1,254.	\$1,438.	\$1,944.
	84"	30"	RTA8430-()	1,258.	1,395.	1,604.	2,164.
	96"	30"	RTA9630-()	1,398.	1,552.	1,786.	2,410.
	72"	36"	RTA7236-()	1,290.	1,429.	1,642.	2,216.
	84"	36"	RTA8436-()	1,448.	1,608.	1,847.	2,492.
	96"	36"	RTA9636-()	1,607.	1,782.	2,051.	2,767.
	84"	42"	RTA8442-()	1,761.	1,955.	2,248.	3,036.
	96"	42"	RTA9642-()	1,975.	2,190.	2,516.	3,398.
	96"	48"	RTA9648-()	2,166.	2,398.	2,759.	3,723.
Racetrack top 2 piece 	120"	36"	RTA12036-()	2,074.	2,302.	2,649.	3,574.
	120"	42"	RTA12042-()	2,240.	2,481.	2,856.	3,855.
	144"	42"	RTA14442-()	2,470.	2,737.	3,148.	4,247.
	120"	48"	RTA12048-()	2,380.	2,639.	3,036.	4,097.
	144"	48"	RTA14448-()	2,531.	2,808.	3,226.	4,354.
Racetrack top 3 piece 	168"	42"	RTA16842-()	3,096.	3,431.	3,947.	5,328.
	192"	42"	RTA19242-()	3,325.	3,686.	4,242.	5,727.
	168"	48"	RTA16848-()	3,314.	3,671.	4,221.	5,700.
	192"	48"	RTA19248-()	3,462.	3,840.	4,414.	5,959.
Round tops  	-	36"	RTA3636-()	636.	705.	809.	1,092.
	-	42"	RTA4242-()	739.	815.	938.	1,266.
	-	48"	RTA4848-()	1,215.	1,345.	1,546.	2,088.
	*	60"	RTA6060-()	1,902.	2,109.	2,426.	3,275.
	*	72"	RTA7272-()	2,353.	2,608.	3,004.	4,056.

Worksurfaces

Order Code

Example:	RTA72302
R	Reff
R	Round
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:

A = 1 1/4"

4. Finish type:

- L = Laminate
- M = Wood/laminate mixed
- 1 = V1
- 2 = V2
- 3 = V3

*Round tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.

Top to top brackets included with multiple piece conference tops only.

See table base matrix in Planning Guide pages 140 and 141.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 0 through 0.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma




Alpha



Beta



Chi




Delta



Epsilon




Phi



Gamma


Optional edge 1 1/4
front only, 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2/3)	\$409.	\$466.	\$630.	
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2/3)	448.	515.	695.	
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2/3)	471.	544.	733.	
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2/3)	494.	567.	766.	
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2/3)	514.	590.	797.	
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2/3)	532.	618.	833.	
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2/3)	576.	664.	897.	
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2/3)	594.	684.	922.	
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2/3)	625.	720.	970.	
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2/3)	633.	728.	982.	
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2/3)	674.	774.	1,046.	
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2/3)	701.	807.	1,089.	
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2/3)	728.	838.	1,131.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-()(1/2/3)	430.	494.	667.
			30"	RSA(A/B/C/D/E/F/G)F302-()(1/2/3)	487.	559.	754.
			36"	RSA(A/B/C/D/E/F/G)F362-()(1/2/3)	504.	580.	784.
			42"	RSA(A/B/C/D/E/F/G)F422-()(1/2/3)	520.	597.	805.
48"	RSA(A/B/C/D/E/F/G)F482-()(1/2/3)		559.	640.	863.		
54"	RSA(A/B/C/D/E/F/G)F542-()(1/2/3)		594.	684.	922.		
60"	RSA(A/B/C/D/E/F/G)F602-()(1/2/3)		636.	731.	987.		
66"	RSA(A/B/C/D/E/F/G)F662-()(1/2/3)		661.	757.	1,022.		
72"	RSA(A/B/C/D/E/F/G)F722-()(1/2/3)		689.	795.	1,071.		
78"	RSA(A/B/C/D/E/F/G)F782-()(1/2/3)		723.	831.	1,122.		
84"	RSA(A/B/C/D/E/F/G)F842-()(1/2/3)		750.	862.	1,165.		
90"	RSA(A/B/C/D/E/F/G)F902-()(1/2/3)	782.	903.	1,217.			
96"	RSA(A/B/C/D/E/F/G)F962-()(1/2/3)	813.	938.	1,266.			

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	<p>5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p>6. Finish type: 1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
111 Jet black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge 1 1/4
front only, 30" and 36" deep

description	d	width	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$464.	\$536.	\$725.	
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	525.	603.	813.	
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	566.	649.	875.	
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	589.	675.	912.	
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	627.	725.	978.	
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	679.	780.	1,052.	
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	703.	808.	1,090.	
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	721.	829.	1,119.	
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	737.	846.	1,143.	
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	772.	890.	1,202.	
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	803.	924.	1,250.	
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	839.	968.	1,307.	
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	870.	1,003.	1,353.	
		36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	812.	934.	1,260.
			66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	840.	970.	1,310.
			72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	869.	1,002.	1,350.

Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	


Optional edge 1 1/4 front and back edge, 20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$409.	\$466.	\$630.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	448.	515.	695.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	471.	544.	733.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	494.	567.	766.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	514.	590.	797.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	532.	618.	833.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	576.	664.	897.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	594.	684.	922.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	625.	720.	970.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	633.	728.	982.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	674.	774.	1,046.
		90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	701.	807.	1,089.
96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	728.	838.	1,131.		
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	430.	494.	667.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	487.	559.	754.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	504.	580.	784.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	520.	597.	805.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	559.	640.	863.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	594.	684.	922.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	636.	731.	987.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	661.	757.	1,022.
		72"	RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	689.	795.	1,071.
		78"	RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	723.	831.	1,122.
		84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	750.	862.	1,165.
		90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	782.	903.	1,217.
96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	813.	938.	1,266.		

Worksurfaces



Order Code	Specification Information	Application Notes
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position A = Edge front and back	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
A Edge front and back	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4
front and back edge, 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$464.	\$536.	\$725.
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	525.	603.	813.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	566.	649.	875.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	589.	675.	912.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	627.	725.	978.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	679.	780.	1,052.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	703.	808.	1,090.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	721.	829.	1,119.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	737.	846.	1,143.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	772.	890.	1,202.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	803.	924.	1,250.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	839.	968.	1,307.
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	870.	1,003.	1,353.
		36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	812.	934.
		66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)	840.	970.	1,310.
		72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)	869.	1,002.	1,350.

Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Edge profile 5th position A = Edge front and back Width Depth Grommet option Top finish type Top finish Grommet finish <p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>5. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p><i>6. Finish type:</i></p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff		
S Straight top		
A 1 1/4" thick		
G Gamma		
A Edge front and back		
24 24" wide		
3 30" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		


Optional edge 1 1/4 front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$409.	\$466.	\$630.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	448.	515.	695.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	471.	544.	733.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	494.	567.	766.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	514.	590.	797.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	430.	494.	667.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	487.	559.	754.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	504.	580.	784.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	520.	597.	805.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	559.	640.	863.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	409.	466.	630.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	448.	515.	695.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	471.	544.	733.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	494.	567.	766.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	514.	590.	797.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	430.	494.	667.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	487.	559.	754.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	504.	580.	784.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	520.	597.	805.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	559.	640.	863.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 5 and 6.
G Gamma	4. Depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
B Both ends accept edge	5. Grommet option	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge 1 1/4 front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$409.	\$466.	\$630.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	448.	515.	695.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	471.	544.	733.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	494.	567.	766.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	514.	590.	797.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	430.	494.	667.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	487.	559.	754.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	504.	580.	784.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	520.	597.	805.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	559.	640.	863.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2 R Reff S Straight top A 1 1/4" thick G Gamma B Both ends accept edge 24 24" wide 1 20" deep F Flush grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	To order please specify pattern number including: 1. Edge profile 2. 5th position indicates how and which edges profiled 3. Width 4. Depth 5. Grommet option 6. Top finish type 7. Top finish 8. Grommet finish 1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	2. 5th position options: B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating 5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops) 6. Finish type: 1 = V1 2 = V2 3 = V3

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.

Optional edge 1 1/4 curvilinear corner front edge only

description	width1	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$864.	\$992.	\$1,340.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	913.	1,051.	1,419.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	972.	1,116.	1,507.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	913.	1,051.	1,419.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	972.	1,116.	1,507.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	1,061.	1,219.	1,645.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	972.	1,116.	1,507.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	1,061.	1,219.	1,645.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,116.	1,284.	1,732.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	903.	1,037.	1,401.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	951.	1,093.	1,477.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	1,011.	1,159.	1,567.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	951.	1,093.	1,477.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	1,011.	1,159.	1,567.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	1,100.	1,263.	1,706.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	1,011.	1,159.	1,567.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	1,100.	1,263.	1,706.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,155.	1,329.	1,794.

Worksurfaces






Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
R Reff	1. Edge profile	
C Corner top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge 1 1/4 curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	\$903.	\$1,037.	\$1,401.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	951.	1,093.	1,477.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	1,011.	1,159.	1,567.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	951.	1,093.	1,477.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	1,011.	1,159.	1,567.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	1,100.	1,263.	1,706.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	1,011.	1,159.	1,567.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	1,100.	1,263.	1,706.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,155.	1,329.	1,794.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	979.	1,126.	1,521.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	1,031.	1,183.	1,597.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	1,086.	1,248.	1,686.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	1,031.	1,183.	1,597.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	1,086.	1,248.	1,686.
	42"	48"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	1,178.	1,355.	1,828.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	1,086.	1,248.	1,686.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,178.	1,355.	1,828.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,233.	1,416.	1,913.

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	
R Reff	1. Edge profile	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
C Corner top	2. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Right hand width	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	7. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	




Optional edge 1 1/4
wave end tops
front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-()(1/2/3)	\$521.	\$600.	\$809.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-()(1/2/3)	548.	630.	851.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-()(1/2/3)	585.	674.	910.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-()(1/2/3)	626.	723.	974.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-()(1/2/3)	646.	742.	1,005.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-()(1/2/3)	675.	778.	1,050.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-()(1/2/3)	564.	646.	871.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-()(1/2/3)	584.	671.	906.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-()(1/2/3)	630.	726.	979.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-()(1/2/3)	674.	774.	1,046.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-()(1/2/3)	698.	804.	1,085.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-()(1/2/3)	735.	844.	1,140.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-()(1/2/3)	521.	600.	809.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-()(1/2/3)	548.	630.	851.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-()(1/2/3)	585.	674.	910.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-()(1/2/3)	626.	723.	974.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-()(1/2/3)	646.	742.	1,005.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-()(1/2/3)	675.	778.	1,050.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-()(1/2/3)	564.	646.	871.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-()(1/2/3)	584.	671.	906.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-()(1/2/3)	630.	726.	979.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-()(1/2/3)	674.	774.	1,046.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-()(1/2/3)	698.	804.	1,085.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-()(1/2/3)	735.	844.	1,140.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-()(1/2/3)	693.	798.	1,076.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-()(1/2/3)	721.	829.	1,119.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-()(1/2/3)	758.	871.	1,178.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
W Wave transition top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	2. 5th position F = front edge with profile only	
G Gamma	3. Width	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
F Edge front only	4. Left hand depth	
42 42" wide	5. Right hand depth	
2 20" deep	6. Grommet option	
1 20" deep	7. Top finish type	
F Flush grommet	8. Top finish	
2 V2 finish	9. Grommet finish	
V319 Medium cherry	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
111 Jet Black (grommet)		


Optional edge 1 1/4
wave end tops
front edge only

description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$717.	\$825.	\$1,113.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	738.	849.	1,146.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	781.	902.	1,216.
Wave end top with profile edge front only (20" left) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	693.	798.	1,076.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	721.	829.	1,119.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	758.	871.	1,178.
Wave end top with profile edge front only (24" left) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	717.	825.	1,113.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	738.	849.	1,146.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	781.	902.	1,216.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4 meeting tops

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$736.	\$845.	\$1,141.
	30"	48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	797.	912.	1,231.
	30"	54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	851.	979.	1,322.
	30"	60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	910.	1,046.	1,411.
	30"	66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	971.	1,115.	1,506.
	30"	72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	1,030.	1,182.	1,596.
	30"	78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,164.	1,337.	1,806.
	30"	84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,299.	1,493.	2,017.
	30"	90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,451.	1,669.	2,251.
	30"	96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,600.	1,840.	2,485.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	810.	932.	1,258.
	36"	48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	885.	1,019.	1,376.
	36"	54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	1,013.	1,167.	1,574.
	36"	60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,136.	1,308.	1,766.
	36"	66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,157.	1,332.	1,798.
	36"	72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,178.	1,355.	1,828.
	36"	78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,325.	1,522.	2,055.
	36"	84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,474.	1,696.	2,290.
	36"	90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,552.	1,786.	2,410.
	36"	96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,701.	1,953.	2,638.
Wrap-around panel top	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	947.	1,088.	1,468.
*No Grommet option	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	1,037.	1,193.	1,611.







Please specify mating end trim profile option.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
R Reff MD Peninsula D-shaped top A 1 1/4" thick G Gamma F Edge front only 42 42" wide 30 30" deep C Centered grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	<ol style="list-style-type: none"> Edge profile Width Depth Grommet option Top finish type Top finish Grommet finish Applicable "wrap around panel tops" only specify mating panel end trim profile <p><i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>4. Grommet options:</i> N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)</p> <p><i>5. Finish type:</i> 1 = V1 2 = V2 3 = V3</p> <p><i>8. Additional specification option required for wrap around panel tops only. specify mating trim profile</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p>	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	




Optional edge 1 1/4 meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Worksurface P-top 	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	\$2,056.	\$2,368.	\$3,196.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,144.	2,465.	3,328.
Worksurface 9-top 	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	2,056.	2,368.	3,196.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,144.	2,465.	3,328.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet option 	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	1,012.	1,163.	1,568.
	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,124.	1,292.	1,746.
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet option 	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	1,012.	1,163.	1,568.
	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,124.	1,292.	1,746.

Order Code	Specification Information	Application Notes
Example: RMPAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)	
MP Peninsula P-shaped top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	2. Width	
G Gamma	3. Depth	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
F Edge front only	4. Grommet option	
42 42" wide	5. Top finish type	Applicable finishes are listed on page 5 and 6.
30 30" deep	6. Top finish	
C Centered grommet	7. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	8. Applicable "wrap around panel tops" only specify mating panel end trim profile	
V319 Medium cherry	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
111 Jet Black (grommet)		

Optional edge 1 1/4

Bow front tops

description	w	d	pattern no.	V1	V2	V3
Profile edge on front and back (30"d) 	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)	\$1,227.	\$1,409.	\$1,903.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430-()(1/2/3)	1,352.	1,554.	2,099.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630-()(1/2/3)	1,497.	1,720.	2,323.
Profile edge on front and back (36"d) 	72"	36"	RMBA(A/B/C/D/E/F/G)A7236-()(1/2/3)	1,303.	1,496.	2,023.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436-()(1/2/3)	1,428.	1,643.	2,219.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)	1,582.	1,821.	2,456.
Profile elliptical tops 	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,439.	1,655.	2,235.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	2,052.	2,356.	3,181.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	2,248.	2,586.	3,490.

grommet options for elliptical tops, N or R

Worksurfaces





Order Code	Specification Information
Example: RMBAGA7230F2	
R Reff	
MB Bow front top	
A 1 1/4" thick	
G Gamma	
A Edge front and back	
72 72" wide	
30 30" deep	
F Flush grommet	
2 V2 finish	
V319 Medium cherry	
111 Jet Black (grommet)	

Specification Information
<i>To order please specify pattern number including:</i>
1. Edge profile
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish
<i>1. Edge profile options:</i>
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

<i>4. Grommet options:</i>
N = No grommet
F = Flush front grommet location
R = Recessed front
A = Alternate location (only for 36" deep bow front tops)
<i>5. Finish type:</i>
1 = V1
2 = V2
3 = V3
Applicable finishes are listed on page 5 and 6.
Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes
Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4 round and racetrack conference tops

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,439.	\$1,655.	\$2,235.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,643.	1,886.	2,547.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,602.	1,846.	2,491.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,849.	2,121.	2,865.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,248.	2,586.	3,490.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,786.	2,054.	2,771.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	2,052.	2,356.	3,181.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,516.	2,894.	3,907.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,649.	3,045.	4,110.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,856.	3,282.	4,432.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	3,036.	3,489.	4,709.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	3,147.	3,620.	4,886.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	3,227.	3,709.	5,008.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,946.	4,539.	6,127.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	4,221.	4,854.	6,551.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	4,242.	4,877.	6,584.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,414.	5,077.	6,851.
Round tops Profile edge on all sides except on parting lines. 	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,426.	2,790.	3,764.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	3,002.	3,453.	4,661.
	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	810.	932.	1,258.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	939.	1,079.	1,459.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,546.	1,778.	2,400.

Order Code	Specification Information
Example: RTAG72302	
R Reff	
T Racetrack top	
A 1 1/4" thick	
G Gamma	
72 22" wide	
30 30" deep	
2 V2 finish	
V319 Medium cherry	





Specification Information	Application Notes
<i>To order please specify pattern number including:</i>	
1. Edge profile	
2. Width	
3. Depth	
4. Finish type	
5. Finish	
<i>1. Edge profile options:</i>	
A = Alpha	
B = Beta	
C = Chi	
D = Delta	
E = Epsilon	
F = Phi	
G = Gamma	
	<i>4. Finish type:</i>
	1 = V1
	2 = V2
	3 = V3
	*Round tops in two pieces.
	Applicable finishes are listed on page 5 and 6.
	Products on this page do not accept the following finishes:
	Y341 Wenge
	Y342 Medium Teak
	Y343 Dark Grey Oak

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4 square and rectangular conference tops

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	\$762.	\$875.	\$1,182.
	72"	36"	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	828.	950.	1,283.
	84"	30"	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	842.	971.	1,311.
	84"	36"	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	904.	1,038.	1,403.
	84"	42"	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	1,337.	1,537.	2,075.
	96"	30"	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	946.	1,086.	1,467.
	96"	42"	RRA(A/B/C/D/E/F/G)9642-(1/2/3)	1,044.	1,201.	1,623.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	1,675.	1,926.	2,600.
	120"	42"	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	2,310.	2,656.	3,582.
	120"	48"	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	2,510.	2,887.	3,898.
	144"	42"	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	2,593.	2,987.	4,032.
	144"	48"	RRA(A/B/C/D/E/F/G)14448-(1/2/3)	2,782.	3,197.	4,317.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	3,403.	3,914.	5,283.
	168"	48"	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	3,695.	4,252.	5,742.
	192"	42"	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	3,685.	4,241.	5,724.
	192"	48"	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	3,968.	4,563.	6,159.
Square top Profile edge on all sides except on parting lines 	*	60"	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	1,561.	1,794.	2,424.
	*	72"	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	1,840.	2,115.	2,857.
	-	36"	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	589.	675.	912.
	-	42"	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	762.	875.	1,182.
	-	48"	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	1,002.	1,150.	1,551.

Worksurfaces

Order Code

Example: RRAG72302
R Reff
R Conference Room top
A 1 1/4" thick
G Gamma
72 72" wide
30 30" deep
2 V2 finish
V319 Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- 1 = V1
- 2 = V2
- 3 = V3

* Square tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak


Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front only
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-()(1/2/3)	\$773.	\$890.	\$1,202.	
		30"	RSAWF301-()(1/2/3)	851.	980.	1,325.	
		36"	RSAWF361-()(1/2/3)	901.	1,032.	1,393.	
		42"	RSAWF421-()(1/2/3)	939.	1,077.	1,455.	
		48"	RSAWF481-()(1/2/3)	976.	1,123.	1,516.	
		54"	RSAWF541-()(1/2/3)	1,019.	1,174.	1,584.	
		60"	RSAWF601-()(1/2/3)	1,098.	1,261.	1,703.	
		66"	RSAWF661-()(1/2/3)	1,131.	1,303.	1,757.	
		72"	RSAWF721-()(1/2/3)	1,187.	1,365.	1,846.	
		78"	RSAWF781-()(1/2/3)	1,207.	1,386.	1,870.	
		84"	RSAWF841-()(1/2/3)	1,284.	1,476.	1,992.	
		90"	RSAWF901-()(1/2/3)	1,334.	1,535.	2,073.	
		96"	RSAWF961-()(1/2/3)	1,386.	1,590.	2,147.	
		24"	24"	RSAWF242-()(1/2/3)	814.	939.	1,268.
			30"	RSAWF302-()(1/2/3)	921.	1,061.	1,431.
			36"	RSAWF362-()(1/2/3)	959.	1,100.	1,486.
			42"	RSAWF422-()(1/2/3)	987.	1,134.	1,532.
48"	RSAWF482-()(1/2/3)		1,061.	1,219.	1,645.		
54"	RSAWF542-()(1/2/3)		1,131.	1,303.	1,757.		
60"	RSAWF602-()(1/2/3)		1,212.	1,392.	1,879.		
66"	RSAWF662-()(1/2/3)		1,254.	1,438.	1,944.		
72"	RSAWF722-()(1/2/3)		1,310.	1,507.	2,032.		
78"	RSAWF782-()(1/2/3)		1,373.	1,578.	2,131.		
84"	RSAWF842-()(1/2/3)		1,426.	1,639.	2,212.		
90"	RSAWF902-()(1/2/3)		1,493.	1,717.	2,318.		
96"	RSAWF962-()(1/2/3)		1,551.	1,783.	2,409.		

Order Code	Specification Information	Application Notes
Example: RSAWF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	Applicable finishes are listed on page 5 and 6.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
V319 Medium cherry		
111 Jet Black (grommet)	2. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front only
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243- ()(1/2/3)	\$886.	\$1,022.	\$1,380.	
		30"	RSAWF303- ()(1/2/3)	996.	1,148.	1,548.	
		36"	RSAWF363- ()(1/2/3)	1,075.	1,234.	1,668.	
		42"	RSAWF423- ()(1/2/3)	1,120.	1,286.	1,737.	
		48"	RSAWF483- ()(1/2/3)	1,194.	1,376.	1,857.	
		54"	RSAWF543- ()(1/2/3)	1,291.	1,487.	2,007.	
		60"	RSAWF603- ()(1/2/3)	1,340.	1,540.	2,080.	
		66"	RSAWF663- ()(1/2/3)	1,370.	1,574.	2,128.	
		72"	RSAWF723- ()(1/2/3)	1,404.	1,613.	2,176.	
		78"	RSAWF783- ()(1/2/3)	1,469.	1,688.	2,278.	
		84"	RSAWF843- ()(1/2/3)	1,527.	1,757.	2,373.	
		90"	RSAWF903- ()(1/2/3)	1,599.	1,834.	2,477.	
		96"	RSAWF963- ()(1/2/3)	1,656.	1,904.	2,570.	
		36"	60"	RSAWF604- ()(1/2/3)	1,547.	1,776.	2,396.
			66"	RSAWF664- ()(1/2/3)	1,601.	1,840.	2,485.
			72"	RSAWF724- ()(1/2/3)	1,653.	1,900.	2,564.

Order Code	Specification Information	Application Notes
Example: RSAWF243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Waterfall tops cannot be specified with semi-open pore finish.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Grommet option	
S Straight top	2. Top finish type	
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet black (grommet)	2. <i>Finish type:</i>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
20" and 24" deep

Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241- ()(1/2/3)	\$967.	\$1,116.	\$1,507.	
		30"	RSAWA301- ()(1/2/3)	1,066.	1,225.	1,651.	
		36"	RSAWA361- ()(1/2/3)	1,124.	1,289.	1,743.	
		42"	RSAWA421- ()(1/2/3)	1,175.	1,349.	1,822.	
		48"	RSAWA481- ()(1/2/3)	1,219.	1,404.	1,894.	
		54"	RSAWA541- ()(1/2/3)	1,273.	1,466.	1,980.	
		60"	RSAWA601- ()(1/2/3)	1,374.	1,576.	2,129.	
		66"	RSAWA661- ()(1/2/3)	1,415.	1,627.	2,198.	
		72"	RSAWA721- ()(1/2/3)	1,487.	1,712.	2,310.	
		78"	RSAWA781- ()(1/2/3)	1,510.	1,730.	2,338.	
		84"	RSAWA841- ()(1/2/3)	1,604.	1,845.	2,490.	
		90"	RSAWA901- ()(1/2/3)	1,671.	1,921.	2,591.	
		96"	RSAWA961- ()(1/2/3)	1,730.	1,992.	2,689.	
		24"	24"	RSAWA242- ()(1/2/3)	1,019.	1,175.	1,585.
			30"	RSAWA302- ()(1/2/3)	1,152.	1,326.	1,790.
			36"	RSAWA362- ()(1/2/3)	1,199.	1,379.	1,862.
			42"	RSAWA422- ()(1/2/3)	1,234.	1,419.	1,918.
48"	RSAWA482- ()(1/2/3)		1,326.	1,526.	2,058.		
54"	RSAWA542- ()(1/2/3)		1,415.	1,627.	2,198.		
60"	RSAWA602- ()(1/2/3)		1,516.	1,744.	2,353.		
66"	RSAWA662- ()(1/2/3)		1,568.	1,799.	2,429.		
72"	RSAWA722- ()(1/2/3)		1,636.	1,882.	2,543.		
78"	RSAWA782- ()(1/2/3)		1,717.	1,976.	2,665.		
84"	RSAWA842- ()(1/2/3)		1,783.	2,053.	2,769.		
90"	RSAWA902- ()(1/2/3)		1,868.	2,146.	2,898.		
96"	RSAWA962- ()(1/2/3)	1,938.	2,228.	3,007.			

Order Code	Specification Information	Application Notes
Example: RSAWA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2 3 = V3	
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-()(1/2/3)	\$1,112.	\$1,277.	\$1,724.	
		30"	RSAWA303-()(1/2/3)	1,247.	1,436.	1,939.	
		36"	RSAWA363-()(1/2/3)	1,344.	1,546.	2,088.	
		42"	RSAWA423-()(1/2/3)	1,401.	1,610.	2,172.	
		48"	RSAWA483-()(1/2/3)	1,494.	1,719.	2,321.	
		54"	RSAWA543-()(1/2/3)	1,616.	1,858.	2,509.	
		60"	RSAWA603-()(1/2/3)	1,675.	1,927.	2,602.	
		66"	RSAWA663-()(1/2/3)	1,714.	1,971.	2,660.	
		72"	RSAWA723-()(1/2/3)	1,754.	2,017.	2,722.	
		78"	RSAWA783-()(1/2/3)	1,834.	2,112.	2,850.	
		84"	RSAWA843-()(1/2/3)	1,909.	2,198.	2,967.	
		90"	RSAWA903-()(1/2/3)	1,996.	2,296.	3,101.	
		96"	RSAWA963-()(1/2/3)	2,069.	2,380.	3,213.	
		36"	60"	RSAWA604-()(1/2/3)	1,934.	2,220.	2,998.
			66"	RSAWA664-()(1/2/3)	2,000.	2,302.	3,107.
			72"	RSAWA724-()(1/2/3)	2,066.	2,376.	3,207.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2 3 = V3	
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-()(1/2/3)	\$1,165.	\$1,336.	\$1,804.	
		30"	RSAWB301-()(1/2/3)	1,277.	1,467.	1,981.	
		36"	RSAWB361-()(1/2/3)	1,346.	1,548.	2,091.	
		42"	RSAWB421-()(1/2/3)	1,408.	1,617.	2,183.	
		48"	RSAWB481-()(1/2/3)	1,463.	1,684.	2,273.	
		54"	RSAWB541-()(1/2/3)	1,528.	1,758.	2,376.	
		60"	RSAWB601-()(1/2/3)	1,650.	1,895.	2,558.	
		66"	RSAWB661-()(1/2/3)	1,699.	1,952.	2,637.	
		72"	RSAWB721-()(1/2/3)	1,783.	2,052.	2,768.	
		78"	RSAWB781-()(1/2/3)	1,805.	2,077.	2,804.	
		84"	RSAWB841-()(1/2/3)	1,924.	2,214.	2,989.	
		90"	RSAWB901-()(1/2/3)	2,004.	2,304.	3,110.	
		96"	RSAWB961-()(1/2/3)	2,077.	2,390.	3,226.	
		24"	24"	RSAWB242-()(1/2/3)	1,224.	1,408.	1,900.
			30"	RSAWB302-()(1/2/3)	1,384.	1,586.	2,143.
			36"	RSAWB362-()(1/2/3)	1,437.	1,653.	2,234.
			42"	RSAWB422-()(1/2/3)	1,482.	1,705.	2,304.
			48"	RSAWB482-()(1/2/3)	1,586.	1,829.	2,470.
			54"	RSAWB542-()(1/2/3)	1,699.	1,952.	2,637.
			60"	RSAWB602-()(1/2/3)	1,821.	2,090.	2,822.
66"	RSAWB662-()(1/2/3)		1,879.	2,160.	2,915.		
72"	RSAWB722-()(1/2/3)		1,964.	2,261.	3,050.		
78"	RSAWB782-()(1/2/3)		2,058.	2,370.	3,199.		
84"	RSAWB842-()(1/2/3)		2,140.	2,458.	3,321.		
90"	RSAWB902-()(1/2/3)		2,239.	2,576.	3,475.		
96"	RSAWB962-()(1/2/3)	2,323.	2,675.	3,613.			

Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-()(1/2/3)	\$1,332.	\$1,533.	\$2,069.	
		30"	RSAWB303-()(1/2/3)	1,497.	1,723.	2,325.	
		36"	RSAWB363-()(1/2/3)	1,613.	1,854.	2,503.	
		42"	RSAWB423-()(1/2/3)	1,680.	1,929.	2,604.	
		48"	RSAWB483-()(1/2/3)	1,794.	2,061.	2,785.	
		54"	RSAWB543-()(1/2/3)	1,939.	2,228.	3,007.	
		60"	RSAWB603-()(1/2/3)	2,008.	2,310.	3,119.	
		66"	RSAWB663-()(1/2/3)	2,055.	2,364.	3,190.	
		72"	RSAWB723-()(1/2/3)	2,103.	2,419.	3,265.	
		78"	RSAWB783-()(1/2/3)	2,205.	2,537.	3,424.	
		84"	RSAWB843-()(1/2/3)	2,288.	2,634.	3,556.	
		90"	RSAWB903-()(1/2/3)	2,394.	2,756.	3,721.	
		96"	RSAWB963-()(1/2/3)	2,486.	2,856.	3,855.	
		36"	60"	RSAWB604-()(1/2/3)	2,318.	2,665.	3,600.
			66"	RSAWB664-()(1/2/3)	2,397.	2,760.	3,725.
			72"	RSAWB724-()(1/2/3)	2,483.	2,850.	3,849.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWB243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-()(1/2/3)	\$1,066.	\$1,226.	\$1,652.
		30"	RSAWL301-()(1/2/3)	1,172.	1,345.	1,818.
		36"	RSAWL361-()(1/2/3)	1,234.	1,419.	1,918.
		42"	RSAWL421-()(1/2/3)	1,289.	1,482.	2,001.
		48"	RSAWL481-()(1/2/3)	1,341.	1,542.	2,083.
		54"	RSAWL541-()(1/2/3)	1,403.	1,612.	2,175.
		60"	RSAWL601-()(1/2/3)	1,512.	1,737.	2,345.
		66"	RSAWL661-()(1/2/3)	1,556.	1,792.	2,420.
		72"	RSAWL721-()(1/2/3)	1,634.	1,879.	2,537.
		78"	RSAWL781-()(1/2/3)	1,659.	1,905.	2,571.
		84"	RSAWL841-()(1/2/3)	1,765.	2,029.	2,739.
		90"	RSAWL901-()(1/2/3)	1,834.	2,112.	2,850.
		96"	RSAWL961-()(1/2/3)	1,905.	2,192.	2,957.
	24"	24"	RSAWL242-()(1/2/3)	1,121.	1,289.	1,743.
		30"	RSAWL302-()(1/2/3)	1,268.	1,459.	1,967.
		36"	RSAWL362-()(1/2/3)	1,319.	1,516.	2,045.
		42"	RSAWL422-()(1/2/3)	1,359.	1,563.	2,107.
		48"	RSAWL482-()(1/2/3)	1,459.	1,676.	2,263.
		54"	RSAWL542-()(1/2/3)	1,556.	1,792.	2,420.
		60"	RSAWL602-()(1/2/3)	1,668.	1,914.	2,585.
		66"	RSAWL662-()(1/2/3)	1,721.	1,981.	2,673.
		72"	RSAWL722-()(1/2/3)	1,799.	2,069.	2,793.
		78"	RSAWL782-()(1/2/3)	1,884.	2,171.	2,931.
		84"	RSAWL842-()(1/2/3)	1,957.	2,256.	3,046.
		90"	RSAWL902-()(1/2/3)	2,054.	2,361.	3,185.
		96"	RSAWL962-()(1/2/3)	2,131.	2,452.	3,311.


Order Code	Specification Information	Application Notes
Example: RSAWL241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WL Waterfall front and left	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-()(1/2/3)	\$1,224.	\$1,406.	\$1,897.
		30"	RSAWL303-()(1/2/3)	1,373.	1,578.	2,131.
		36"	RSAWL363-()(1/2/3)	1,478.	1,700.	2,296.
		42"	RSAWL423-()(1/2/3)	1,538.	1,770.	2,387.
		48"	RSAWL483-()(1/2/3)	1,644.	1,894.	2,557.
		54"	RSAWL543-()(1/2/3)	1,776.	2,045.	2,762.
		60"	RSAWL603-()(1/2/3)	1,843.	2,117.	2,859.
		66"	RSAWL663-()(1/2/3)	1,881.	2,168.	2,927.
		72"	RSAWL723-()(1/2/3)	1,929.	2,216.	2,992.
		78"	RSAWL783-()(1/2/3)	2,020.	2,323.	3,137.
		84"	RSAWL843-()(1/2/3)	2,099.	2,416.	3,262.
		90"	RSAWL903-()(1/2/3)	2,198.	2,528.	3,412.
		96"	RSAWL963-()(1/2/3)	2,277.	2,616.	3,533.
			36"	60"	RSAWL604-()(1/2/3)	2,127.
		66"	RSAWL664-()(1/2/3)	2,201.	2,530.	3,415.
		72"	RSAWL724-()(1/2/3)	2,274.	2,613.	3,528.


Order Code	Specification Information	Application Notes
Example: RSAWL243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-()(1/2/3)	\$1,066.	\$1,226.	\$1,652.
		30"	RSAWR301-()(1/2/3)	1,172.	1,345.	1,818.
		36"	RSAWR361-()(1/2/3)	1,234.	1,419.	1,918.
		42"	RSAWR421-()(1/2/3)	1,289.	1,482.	2,001.
		48"	RSAWR481-()(1/2/3)	1,341.	1,542.	2,083.
		54"	RSAWR541-()(1/2/3)	1,403.	1,612.	2,175.
		60"	RSAWR601-()(1/2/3)	1,512.	1,737.	2,345.
		66"	RSAWR661-()(1/2/3)	1,556.	1,792.	2,420.
		72"	RSAWR721-()(1/2/3)	1,634.	1,879.	2,537.
		78"	RSAWR781-()(1/2/3)	1,659.	1,905.	2,571.
		84"	RSAWR841-()(1/2/3)	1,765.	2,029.	2,739.
		90"	RSAWR901-()(1/2/3)	1,834.	2,112.	2,850.
		96"	RSAWR961-()(1/2/3)	1,905.	2,192.	2,957.
	24"	24"	RSAWR242-()(1/2/3)	1,121.	1,289.	1,743.
		30"	RSAWR302-()(1/2/3)	1,268.	1,459.	1,967.
		36"	RSAWR362-()(1/2/3)	1,319.	1,516.	2,045.
		42"	RSAWR422-()(1/2/3)	1,359.	1,563.	2,107.
		48"	RSAWR482-()(1/2/3)	1,459.	1,676.	2,263.
		54"	RSAWR542-()(1/2/3)	1,556.	1,792.	2,420.
		60"	RSAWR602-()(1/2/3)	1,668.	1,914.	2,585.
		66"	RSAWR662-()(1/2/3)	1,721.	1,981.	2,673.
		72"	RSAWR722-()(1/2/3)	1,799.	2,069.	2,793.
		78"	RSAWR782-()(1/2/3)	1,884.	2,171.	2,931.
		84"	RSAWR842-()(1/2/3)	1,957.	2,256.	3,046.
		90"	RSAWR902-()(1/2/3)	2,054.	2,361.	3,185.
		96"	RSAWR962-()(1/2/3)	2,131.	2,452.	3,311.

Order Code	Specification Information	Application Notes
Example: RSAWR241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WR Waterfall front and right	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	<i>2. Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-()(1/2/3)	\$1,224.	\$1,406.	\$1,897.
		30"	RSAWR303-()(1/2/3)	1,373.	1,578.	2,131.
		36"	RSAWR363-()(1/2/3)	1,478.	1,700.	2,296.
		42"	RSAWR423-()(1/2/3)	1,538.	1,770.	2,387.
		48"	RSAWR483-()(1/2/3)	1,644.	1,894.	2,557.
		54"	RSAWR543-()(1/2/3)	1,776.	2,045.	2,762.
		60"	RSAWR603-()(1/2/3)	1,843.	2,117.	2,859.
		66"	RSAWR663-()(1/2/3)	1,881.	2,168.	2,927.
		72"	RSAWR723-()(1/2/3)	1,929.	2,216.	2,992.
		78"	RSAWR783-()(1/2/3)	2,020.	2,323.	3,137.
		84"	RSAWR843-()(1/2/3)	2,099.	2,416.	3,262.
		90"	RSAWR903-()(1/2/3)	2,198.	2,528.	3,412.
		96"	RSAWR963-()(1/2/3)	2,277.	2,616.	3,533.
			36"	60"	RSAWR604-()(1/2/3)	2,127.
		66"	RSAWR664-()(1/2/3)	2,201.	2,530.	3,415.
		72"	RSAWR724-()(1/2/3)	2,274.	2,613.	3,528.






Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWR243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WR Waterfall front and right	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"

Reff Profiles

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 24") 	24"	42"	30"	RWAWF4223- ()(1/2/3)	\$1,123.	\$1,289.	\$1,743.
	24"	48"	30"	RWAWF4823- ()(1/2/3)	1,169.	1,343.	1,814.
	24"	54"	30"	RWAWF5423- ()(1/2/3)	1,259.	1,451.	1,958.
	24"	60"	30"	RWAWF6023- ()(1/2/3)	1,346.	1,552.	2,096.
	24"	66"	30"	RWAWF6623- ()(1/2/3)	1,397.	1,607.	2,168.
24"	72"	30"	RWAWF7223- ()(1/2/3)	1,466.	1,687.	2,277.	
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232- ()(1/2/3)	1,123.	1,289.	1,743.
	30"	48"	24"	RWAWF4832- ()(1/2/3)	1,169.	1,343.	1,814.
	30"	54"	24"	RWAWF5432- ()(1/2/3)	1,259.	1,451.	1,958.
	30"	60"	24"	RWAWF6032- ()(1/2/3)	1,346.	1,552.	2,096.
	30"	66"	24"	RWAWF6632- ()(1/2/3)	1,397.	1,607.	2,168.
30"	72"	24"	RWAWF7232- ()(1/2/3)	1,466.	1,687.	2,277.	
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212- ()(1/2/3)	1,040.	1,199.	1,619.
	20"	48"	24"	RWAWF4812- ()(1/2/3)	1,094.	1,259.	1,700.
	20"	54"	24"	RWAWF5412- ()(1/2/3)	1,172.	1,346.	1,819.
	20"	60"	24"	RWAWF6012- ()(1/2/3)	1,253.	1,439.	1,946.
	20"	66"	24"	RWAWF6612- ()(1/2/3)	1,289.	1,482.	2,001.
20"	72"	24"	RWAWF7212- ()(1/2/3)	1,352.	1,554.	2,099.	
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	RWAWF4221- ()(1/2/3)	1,040.	1,199.	1,619.
	24"	48"	20"	RWAWF4821- ()(1/2/3)	1,094.	1,259.	1,700.
	24"	54"	20"	RWAWF5421- ()(1/2/3)	1,172.	1,346.	1,819.
	24"	60"	20"	RWAWF6021- ()(1/2/3)	1,253.	1,439.	1,946.
	24"	66"	20"	RWAWF6621- ()(1/2/3)	1,289.	1,482.	2,001.
24"	72"	20"	RWAWF7221- ()(1/2/3)	1,352.	1,554.	2,099.	
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631- ()(1/2/3)	1,384.	1,586.	2,143.
	32"	42"	20"	RWEAWF4231- ()(1/2/3)	1,437.	1,655.	2,235.
	32"	48"	20"	RWEAWF4831- ()(1/2/3)	1,516.	1,745.	2,354.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff		
W Wave top transition	1. Grommet option	36"D wave end top requires 24"D end panel for support.
A 1 1/4" thick	2. Top finish type	
WF Waterfall front	3. Top finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
42 42" wide	4. Grommet finish	
2 24" deep on left side	<i>1. Grommet options:</i>	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	N = No grommet	See Planning Guide for grommet locations.
F Flush grommet location	F = Flush front grommet location	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish		
V319 Medium cherry	2. <i>Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.




Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
 Wave end top with waterfall edge front (right 24")	36"	36"	24"	RWEAWF3662-()(1/2/3)	\$1,429.	\$1,643.	\$2,219.
	36"	42"	24"	RWEAWF4262-()(1/2/3)	1,475.	1,697.	2,291.
	36"	48"	24"	RWEAWF4862-()(1/2/3)	1,567.	1,799.	2,429.
 Wave end top with waterfall edge front (left 20")	20"	36"	32"	RWEAWF3613-()(1/2/3)	1,384.	1,586.	2,143.
	20"	42"	32"	RWEAWF4213-()(1/2/3)	1,437.	1,655.	2,235.
	20"	48"	32"	RWEAWF4813-()(1/2/3)	1,516.	1,745.	2,354.
 Wave end top with waterfall edge front (left 24")	24"	36"	36"	RWEAWF3626-()(1/2/3)	1,429.	1,643.	2,219.
	24"	42"	36"	RWEAWF4226-()(1/2/3)	1,475.	1,697.	2,291.
	24"	48"	36"	RWEAWF4826-()(1/2/3)	1,567.	1,799.	2,429.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	
42 42" wide	<i>1. Grommet options:</i>	
2 24" deep on left side	N = No grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location		
2 V2 finish	2. <i>Finish type:</i>	See Planning Guide for grommet locations.
V319 Medium cherry	1 = V1	Waterfall tops cannot be specified with semi-open pore finish.
111 Jet Black (grommet)	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear corner tops

Reff Profiles



description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	RCAWF363611-()(1/2/3)	\$1,643.	\$1,892.	\$2,553.
	36"	42"	RCAWF364211-()(1/2/3)	1,740.	2,000.	2,702.
	36"	48"	RCAWF364811-()(1/2/3)	1,846.	2,124.	2,868.
	42"	36"	RCAWF423611-()(1/2/3)	1,740.	2,000.	2,702.
	42"	42"	RCAWF424211-()(1/2/3)	1,846.	2,124.	2,868.
	42"	48"	RCAWF424811-()(1/2/3)	2,017.	2,319.	3,131.
	48"	36"	RCAWF483611-()(1/2/3)	1,846.	2,124.	2,868.
	48"	42"	RCAWF484211-()(1/2/3)	2,017.	2,319.	3,131.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	RCAWF363622-()(1/2/3)	1,862.	2,145.	2,897.
	36"	42"	RCAWF364222-()(1/2/3)	1,957.	2,256.	3,046.
	36"	48"	RCAWF364822-()(1/2/3)	2,066.	2,378.	3,210.
	42"	36"	RCAWF423622-()(1/2/3)	1,957.	2,256.	3,046.
	42"	42"	RCAWF424222-()(1/2/3)	2,066.	2,378.	3,210.
	42"	48"	RCAWF424822-()(1/2/3)	2,237.	2,576.	3,475.
	48"	36"	RCAWF483622-()(1/2/3)	2,066.	2,378.	3,210.
	48"	42"	RCAWF484222-()(1/2/3)	2,237.	2,576.	3,475.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	RCAWF363612-()(1/2/3)	1,717.	1,974.	2,664.
	36"	42"	RCAWF364212-()(1/2/3)	1,817.	2,086.	2,815.
	36"	48"	RCAWF364812-()(1/2/3)	1,921.	2,208.	2,981.
	42"	36"	RCAWF423612-()(1/2/3)	1,817.	2,086.	2,815.
	42"	42"	RCAWF424212-()(1/2/3)	1,921.	2,208.	2,981.
	42"	48"	RCAWF424812-()(1/2/3)	2,091.	2,403.	3,244.
	48"	36"	RCAWF483612-()(1/2/3)	1,921.	2,208.	2,981.
	48"	42"	RCAWF484212-()(1/2/3)	2,091.	2,403.	3,244.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	RCAWF363621-()(1/2/3)	1,717.	1,974.	2,664.
	36"	42"	RCAWF364221-()(1/2/3)	1,817.	2,086.	2,815.
	36"	48"	RCAWF364821-()(1/2/3)	1,921.	2,208.	2,981.
	42"	36"	RCAWF423621-()(1/2/3)	1,817.	2,086.	2,815.
	42"	42"	RCAWF424221-()(1/2/3)	1,921.	2,208.	2,981.
	42"	48"	RCAWF424821-()(1/2/3)	2,091.	2,403.	3,244.
	48"	36"	RCAWF483621-()(1/2/3)	1,921.	2,208.	2,981.
	48"	42"	RCAWF484221-()(1/2/3)	2,091.	2,403.	3,244.

Order Code	Specification Information	Application Notes
Example: RCAWF363611F2 R Reff C Curved front corner A 1 1/4" thick WF Waterfall front 36 36" wide on left back 36 36" wide on right back 1 20" deep on left side 1 20" deep on right side F Standard grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	<i>To order please specify pattern number including:</i> 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish <i>1. Grommet options:</i> N = No grommet F = Standard corner location or Flush <i>2. Finish type:</i> 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Radius of curved front changes with overall top size. See Planning Guide. Products on this page are shipped without hardware which must be ordered separately from the support components section. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Waterfall tops cannot be specified with semi-open pore finish. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230-()(1/2/3)	\$2,099.	\$2,415.	\$3,259.
		48"	RMDAWF4830-()(1/2/3)	2,264.	2,603.	3,514.
		54"	RMDAWF5430-()(1/2/3)	2,430.	2,795.	3,774.
		60"	RMDAWF6030-()(1/2/3)	2,597.	2,986.	4,029.
		66"	RMDAWF6630-()(1/2/3)	2,765.	3,181.	4,295.
		72"	RMDAWF7230-()(1/2/3)	2,936.	3,377.	4,558.
		78"	RMDAWF7830-()(1/2/3)	3,324.	3,817.	5,155.
		84"	RMDAWF8430-()(1/2/3)	3,709.	4,264.	5,756.
		90"	RMDAWF9030-()(1/2/3)	4,139.	4,760.	6,427.
	96"	RMDAWF9630-()(1/2/3)	4,571.	5,254.	7,093.	
	36"	42"	RMDAWF4236-()(1/2/3)	2,315.	2,660.	3,590.
		48"	RMDAWF4836-()(1/2/3)	2,530.	2,909.	3,928.
		54"	RMDAWF5436-()(1/2/3)	2,891.	3,328.	4,492.
		60"	RMDAWF6036-()(1/2/3)	3,245.	3,731.	5,038.
		66"	RMDAWF6636-()(1/2/3)	3,301.	3,797.	5,127.
		72"	RMDAWF7236-()(1/2/3)	3,356.	3,860.	5,211.
		78"	RMDAWF7836-()(1/2/3)	3,777.	4,344.	5,861.
		84"	RMDAWF8436-()(1/2/3)	4,203.	4,833.	6,524.
		90"	RMDAWF9036-()(1/2/3)	4,428.	5,098.	6,879.
96"	RMDAWF9636-()(1/2/3)	4,854.	5,578.	7,533.		
Wrap around panel top 	21 1/2"	42 1/2"	RMDAWF4221-()(1/2/3)()	2,702.	3,105.	4,191.
	25 1/2"	50 1/2"	RMDAWF5025-()(1/2/3)()	2,961.	3,405.	4,596.





*specify mating end trim profile

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	Refer to Planning Guide for modesty panel size requirements and all other support options.
WF Waterfall all except flat side	4. Top finish	
42 42" wide	5. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
N No grommet	2. <i>Grommet options:</i> N = No grommet	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
2 V2 finish	F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
V319 Medium cherry	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	Note wrap around panel tops only, require specification of mating trim profile.	
	A = Flat B = Square C = Bullnose E = Extruded Aluminum	Applicable finishes are listed on page 5 and 6.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"


2" Waterfall edge meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230-()(1/2/3)	\$2,886.	\$3,317.	\$4,478.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230-()(1/2/3)	2,886.	3,317.	4,478.
						
Worksurface 9-top	30"	84"	RM9AWF8430-()(1/2/3)	5,871.	6,752.	9,115.
	30"	96"	RM9AWF9630-()(1/2/3)	6,118.	7,031.	9,492.
Worksurface P-top	30"	84"	RMPAWF8430-()(1/2/3)	5,871.	6,752.	9,115.
	30"	96"	RMPAWF9630-()(1/2/3)	6,118.	7,031.	9,492.


Order Code	Specification Information	Application Notes
Example: RM9AWF8430N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
M9 Meeting 9-shaped top	2. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
WF Waterfall all except flat side	4. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
84 84" wide	5. Grommet finish	Applicable finishes are listed on page 5 and 6.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
N No grommet	2. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
2 V2 finish	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	
V319 Medium cherry	Note wrap around panel tops only, require specification of mating trim profile.	

Waterfall Edge 1 1/4"


2" Waterfall edge bow front tops

description	w	d	h	pattern no.	L	V1	V2	V3
 30"D	72"	30"		RMBAWA7230-()(1/2/3)		\$2,911.	\$3,353.	\$4,526.
	84"	30"		RMBAWA8430-()(1/2/3)		3,214.	3,698.	4,989.
	96"	30"		RMBAWA9630-()(1/2/3)		3,566.	4,099.	5,536.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

 36"D	72"	36"		RMBAWA7236-()(1/2/3)		3,097.	3,562.	4,806.
	84"	36"		RMBAWA8436-()(1/2/3)		3,399.	3,909.	5,275.
	96"	36"		RMBAWA9636-()(1/2/3)		3,770.	4,330.	5,846.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	w	d	h	pattern no.	L	V1	V2	V3
	40"	1"	26 1/2"	RB40MR-()	332.	436.	499.	674.
	52"	1"	26 1/2"	RB52MR-()	390.	513.	590.	797.
	64"	1"	26 1/2"	RB64MR-()	422.	552.	638.	862.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.



Order Code	Specification Information	Application Notes
Example: RMBAWA7230(F)2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	Shipped with hardware. Refer to page 99 of planning guide for application details.
MB Bow front with Waterfall edge	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	3. Top finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
WA Waterfall front/back	4. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
72 72" wide	<i>1. Grommet options:</i>	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
30 30" deep	N = No grommet	
F Flush front grommet position	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
111 Jet Black (grommet)	<i>2. Finish type:</i>	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
	1 = V1	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	2 = V2	
	3 = V3	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

Waterfall elliptical tops and bulkhead

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall elliptical tops 	60"	30"		REBAWA6030()		\$4,114.	\$4,729.	\$6,385.
	72"	42"		REBAWA7242()		5,848.	6,729.	9,084.
	78"	48"		REBAWA7848()		6,417.	7,382.	9,966.
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	468.	714.	827.	1,116.
	16"	30"	26 1/2"	REBH30	484.	727.	847.	1,143.





Order Code	Specification Information	Application Notes
Example: REBAWA6030	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
EB Elliptical Waterfall	2. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
WA Waterfall front/back	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
60 60" wide	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 99 of planning guide for application details.
30 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge conference room tops round and racetrack

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	RTAW7230-(1/2/3)	\$4,114.	\$4,729.	\$6,385.
	72"	36"	RTAW7236-(1/2/3)	4,689.	5,390.	7,276.
	84"	30"	RTAW8430-(1/2/3)	4,579.	5,265.	7,109.
	84"	36"	RTAW8436-(1/2/3)	5,271.	6,062.	8,181.
	84"	42"	RTAW8442-(1/2/3)	6,417.	7,382.	9,966.
	96"	30"	RTAW9630-(1/2/3)	5,098.	5,860.	7,913.
	96"	42"	RTAW9642-(1/2/3)	5,848.	6,729.	9,084.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RTAW12036-(1/2/3)	7,555.	8,685.	11,727.
	120"	42"	RTAW12042-(1/2/3)	8,147.	9,366.	12,646.
	144"	42"	RTAW14442-(1/2/3)	8,983.	10,330.	13,945.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RTAW16842-(1/2/3)	11,264.	12,955.	17,489.
	192"	42"	RTAW19242-(1/2/3)	12,101.	13,918.	18,791.
			RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center			
Round tops, Waterfall edge on all sides except on parting lines 	*	60"	RTAW6060-(1/2/3)	6,924.	7,957.	10,744.
	*	72"	RTAW7272-(1/2/3)	8,569.	9,852.	13,302.
	-	36"	RTAW3636-(1/2/3)	2,315.	3,104.	4,190.
	-	42"	RTAW4242-(1/2/3)	2,681.	3,597.	4,856.






Worksurfaces

Order Code	Specification Information	Application Notes
Example: RTAW72302 R Reff T Rounded top A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 *Round tops in two pieces.	Top to top brackets included. See table base matrix in Planning Guide for base supports recommended. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w. Tops have no radius on edges that adjoin. All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Waterfall tops cannot be specified with semi-open pore finish.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"



2" Waterfall edge conference room tops square and rectangular

Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	RRAW7230-(1/2/3)	\$2,172.	\$2,500.	\$3,376.
	72"	36"	RRAW7236-(1/2/3)	2,360.	2,715.	3,665.
	84"	30"	RRAW8430-(1/2/3)	2,403.	2,765.	3,733.
	84"	36"	RRAW8436-(1/2/3)	2,583.	2,966.	4,005.
	84"	42"	RRAW8442-(1/2/3)	3,817.	4,387.	5,924.
	96"	30"	RRAW9630-(1/2/3)	2,696.	3,102.	4,187.
	96"	36"	RRAW9636-(1/2/3)	2,981.	3,426.	4,626.
	96"	42"	RRAW9642-(1/2/3)	4,377.	5,034.	6,795.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RRAW12036-(1/2/3)	4,775.	5,497.	7,421.
	120"	42"	RRAW12042-(1/2/3)	6,591.	7,581.	10,235.
	144"	42"	RRAW14442-(1/2/3)	7,404.	8,516.	11,495.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RRAW16842-(1/2/3)	9,708.	11,168.	15,080.
	192"	42"	RRAW19242-(1/2/3)	10,520.	12,096.	16,331.
	RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Square top - one piece 	-	36"	RRAW3636-(1/2/3)	1,680.	2,250.	3,041.
	-	42"	RRAW4242-(1/2/3)	2,172.	2,914.	3,934.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	RRAW6060-(1/2/3)	4,449.	5,114.	6,904.
	-	72"	RRAW7272-(1/2/3)	5,254.	6,044.	8,157.

Order Code	Specification Information	Application Notes
Example: RRAW72302 R Reff R Rectangular A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Top to top brackets included. Tops have no radius on edges that adjoin. See table base matrix in Planning Guide for base supports recommended. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w. Waterfall tops cannot be specified with semi-open pore finish.

Cascade Edge 1 1/4" Rectilinear 24" and 30" deep

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  shown with grommet	24"	24"	RCE1R2424N	\$245.	\$213.
	24"	30"	RCE1R3024N	282.	245.
	24"	36"	RCE1R3624N	312.	270.
	24"	42"	RCE1R4224N	359.	312.
	24"	48"	RCE1R4824N	403.	350.
	24"	54"	RCE1R5424N	432.	376.
	24"	60"	RCE1R6024N	469.	408.
	24"	66"	RCE1R6624N	506.	441.
	24"	72"	RCE1R7224N	530.	461.
	24"	78"	RCE1R7824N	568.	495.
	24"	84"	RCE1R8424N	601.	523.
	24"	90"	RCE1R9024N	677.	590.
24"	96"	RCE1R9624N	740.	644.	
30"D Rectangular  shown with grommet	30"	24"	RCE1R2430N	313.	271.
	30"	30"	RCE1R3030N	350.	305.
	30"	36"	RCE1R3630N	390.	339.
	30"	42"	RCE1R4230N	422.	368.
	30"	48"	RCE1R4830N	469.	408.
	30"	54"	RCE1R5430N	531.	462.
	30"	60"	RCE1R6030N	583.	508.
	30"	66"	RCE1R6630N	651.	566.
	30"	72"	RCE1R7230N	677.	590.
	30"	78"	RCE1R7830N	723.	629.
	30"	84"	RCE1R8430N	769.	669.
	30"	90"	RCE1R9030N	827.	719.
30"	96"	RCE1R9630N	884.	769.	

Worksurfaces

Order Code

Example:	RCE1R3024N 118
R	Reff
CE1	Cascade edge
R	Rectangular
30	Width
24	Depth
N	No grommet
118	Finish

Specification Information


To order please specify pattern number including finish:
 Available finishes:
 Solid:
 114 Folkstone Grey
 117 Soft Grey
 118 Bright White
 119 Pumice
 Woodgrain:
 124 Medium Cherry
 125 Natural Maple
 126 Natural Cherry
 127 Walnut

Application Notes

Center-located edge grommet.
 To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
 All support hardware ordered separately.
 Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
 Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.
 Cascade edge worksurfaces are not recommended for free-standing applications.
 Actual width 1/16" less nominal.
 Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
 Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, pthalates and lead content.

Cascade Edge 1 1/4" Blended "D"

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	48"	24"	66"	RCE1BD6648S(L/R)	\$992.	\$863.
	48"	24"	72"	RCE1BD7248S(L/R)	1,016.	882.
	48"	24"	78"	RCE1BD7848S(L/R)	1,172.	1,019.
	48"	24"	84"	RCE1BD8448S(L/R)	1,204.	1,047.
	48"	30"	66"	RCE1BD6648D(L/R)	1,044.	907.
	48"	30"	72"	RCE1BD7248D(L/R)	1,082.	940.
	48"	30"	78"	RCE1BD7848D(L/R)	1,211.	1,054.
	48"	30"	84"	RCE1BD8448D(L/R)	1,279.	1,113.

Order Code

Example:	RCE1BD6648SR 118
R	Reff
CE1	Cascade edge
BD	Blended "D"
66	Width
48	Depth
S	24" return
R	right hand
118	Finish

Specification Information

To order please specify pattern number including:

- Return depth (dimension C on line art, hard coded in pattern number)
 S = 24" return
 D = 30" return
- Hand (left or right)
- Finish
Solid:
 114 Folkstone Grey
 117 Soft Grey
 118 Bright White
 119 Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.


Actual width 1/16" less nominal.
 Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4"

Curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	24"	24"	36"	RCE1L3636SSN	\$614.	\$533.
	24"	24"	42"	RCE1L4242SSN	740.	644.
	24"	24"	48"	RCE1L4848SSN	832.	723.
	24"	30"	42"	RCE1L4242DSN	878.	765.
	24"	30"	48"	RCE1L4848DSN	996.	866.
	30"	24"	42"	RCE1L4242SDN	878.	765.
	30"	24"	48"	RCE1L4848SDN	996.	866.
	30"	30"	48"	RCE1L4848DDN	894.	777.


Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: RCE1L3636SSN 114</p> <p>RCE1 Reff Cascade Edge worksurface</p> <p>L Curvilinear Corner top</p> <p>36 Width</p> <p>36 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>N No grommet</p> <p>114 Folkstone Grey finish</p> <p>Grain Direction</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number)</p> <p>SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right</p> <p>2. Grommets (hard coded in pattern number)</p> <p>N= no grommets G= grommets</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p> <p>3. Finish</p> <p>Solid:</p> <p>114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain:</p> <p>124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p> <p>Graing Direction:</p> <p>D = Diagonal L = Left hand N = Not required R = Right hand</p>	<p>Center-located edge grommets, located on center of sides marked A.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p> <p>Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p> <p>Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.</p>

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.

Cascade Edge 1 1/4" Blended "L"

Reff Profiles

description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	RCE1L4260SSN	\$1,017.	\$884.
	42"	66"	24"	24"	RCE1L4266SSN	1,044.	907.
	42"	72"	24"	24"	RCE1L4272SSN	1,084.	941.
	42"	78"	24"	24"	RCE1L4278SSN	1,094.	953.
	48"	60"	24"	24"	RCE1L4860SSN	1,029.	896.
	48"	60"	24"	30"	RCE1L4860SDN	1,012.	878.
	48"	60"	30"	24"	RCE1L4860DSN	1,012.	878.
	48"	66"	24"	24"	RCE1L4866SSN	1,066.	928.
	48"	66"	24"	30"	RCE1L4866SDN	1,063.	924.
	48"	66"	30"	24"	RCE1L4866DSN	1,063.	924.
	48"	72"	24"	24"	RCE1L4872SSN	1,106.	962.
	48"	72"	24"	30"	RCE1L4872SDN	1,113.	967.
	48"	72"	30"	24"	RCE1L4872DSN	1,113.	967.
	48"	78"	24"	24"	RCE1L4878SSN	1,219.	1,060.
	48"	84"	24"	24"	RCE1L4884SSN	1,371.	1,191.
	60"	42"	24"	24"	RCE1L6042SSN	1,017.	884.
	60"	48"	24"	24"	RCE1L6048SSN	1,029.	896.
	60"	48"	24"	30"	RCE1L6048SDN	1,012.	878.
	60"	48"	30"	24"	RCE1L6048DSN	1,012.	878.
	66"	42"	24"	24"	RCE1L6642SSN	1,044.	907.
	66"	48"	24"	24"	RCE1L6648SSN	1,066.	928.
	66"	48"	24"	30"	RCE1L6648SDN	1,063.	924.
	66"	48"	30"	24"	RCE1L6648DSN	1,063.	924.
	72"	42"	24"	24"	RCE1L7242SSN	1,084.	941.
	72"	48"	24"	24"	RCE1L7248SSN	1,106.	962.
	72"	48"	24"	30"	RCE1L7248SDN	1,113.	967.
	72"	48"	30"	24"	RCE1L7248DSN	1,113.	967.
	78"	42"	24"	24"	RCE1L7842SSN	1,094.	953.
	78"	48"	24"	24"	RCE1L7848SSN	1,219.	1,060.
	84"	48"	24"	24"	RCE1L8448SSN	1,371.	1,191.

Order Code	Specification Information	Application Notes
<p>Example: RCE1L4260SSG 114</p> <p>RCE1 Cascade edge worksurface</p> <p>L Blended "L" top</p> <p>42 Width</p> <p>60 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>G Grommets</p> <p>114 Top finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number): SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right</p> <p>2. Grommets (hard coded in pattern number): N= no grommets G= grommets</p> <p>3. Finishes: Solid: 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p>

To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.





Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4"

Half round and corner round

Reff Profiles

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	RCE1H4818	\$530.	\$461.
	50 1/2"	18"	RCE1H4818P	530.	461.
	60"	24"	RCE1H6024	731.	634.
	62 1/2"	24"	RCE1H6024P	731.	634.
 LH Corner Round	24"	24"	RCE1CR24L	282.	245.
 RH Corner Round	24"	24"	RCE1CR24R	282.	245.
 Notched Corner Round	24"	24"	RCE1CR24N	282.	245.

Worksurfaces

Order Code

Example:	RCE1H4818P 118
R	Reff
CE1	Cascade edge
H	Half round
48	Width
18	Depth
P	Notch for panel trim
118	Finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Half round tops with suffix P, notched for panel end trim profile B square only.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal.


Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4" Wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	3"	15"	RCE1W363024N	\$659.	\$573.
	42"	24"	30"	9"	15"	RCE1W423024N	693.	602.
	48"	24"	30"	15"	15"	RCE1W483024N	742.	645.
	72"	24"	30"	30 1/2"	23 1/2"	RCE1W723024N	942.	821.

shown with grommet

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, RH 	36"	30"	24"	15"	3"	RCE1W362430N	659.	573.
	42"	30"	24"	15"	9"	RCE1W422430N	693.	602.
	48"	30"	24"	15"	15"	RCE1W482430N	742.	645.
	72"	30"	24"	23 1/2"	30 1/2"	RCE1W722430N	942.	821.

shown with grommet

Order Code

Example:	RCE1W483024N 118
RCE1	Cascade edge worksurface
W	Wave end
48	Width
30	Depth, left side
24	Depth, right side
N	No grommet
118	Top finish

Specification Information

To order please specify pattern number including finish:

Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.


Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Worksurface 1 1/2"
 rectilinear
 20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSD241-()()()	\$346.	\$385.	\$443.	\$596.
		30"	RSD301-()()()	378.	422.	485.	655.
		36"	RSD361-()()()	401.	446.	512.	693.
		42"	RSD421-()()()	415.	466.	536.	723.
		48"	RSD481-()()()	437.	483.	556.	749.
		54"	RSD541-()()()	454.	502.	581.	785.
		60"	RSD601-()()()	513.	545.	626.	847.
		66"	RSD661-()()()	502.	560.	646.	871.
		72"	RSD721-()()()	530.	591.	676.	914.
		78"	RSD781-()()()	538.	596.	687.	929.
		84"	RSD841-()()()	570.	638.	731.	986.
		90"	RSD901-()()()	596.	663.	760.	1,028.
		96"	RSD961-()()()	618.	687.	789.	1,065.
		102"	RSD1021-()()()	680.	757.	869.	1,171.
	108"	RSD1081-()()()	748.	832.	955.	1,288.	
	24"	24"	RSD242-()()()	364.	404.	466.	629.
		30"	RSD302-()()()	411.	456.	527.	710.
		36"	RSD362-()()()	424.	477.	547.	737.
		42"	RSD422-()()()	442.	491.	564.	760.
		48"	RSD482-()()()	469.	527.	605.	815.
		54"	RSD542-()()()	502.	560.	646.	871.
		60"	RSD602-()()()	541.	603.	692.	933.
		66"	RSD662-()()()	555.	631.	715.	966.
		72"	RSD722-()()()	583.	649.	748.	1,011.
78"		RSD782-()()()	612.	678.	784.	1,058.	
84"		RSD842-()()()	634.	707.	813.	1,098.	
90"		RSD902-()()()	665.	738.	849.	1,144.	
96"		RSD962-()()()	689.	767.	883.	1,192.	
102"		RSD1022-()()()	758.	844.	972.	1,311.	
108"	RSD1082-()()()	833.	927.	1,069.	1,442.		

Order Code	Specification Information	Application Notes
Example: RSD241RL	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. Grommet option: F=Flush front grommet location N=No grommet R=Recessed front (not recommended for 20"D and 24"D tops)	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
S Straight top	2. Grommet finish: Painted, Plated	Products on this page are shipped without hardware which must be ordered separately from the support components section.
D 1 1/2" thick	3. Top finish: L, V1, V2, V3	These worksurfaces are predrilled with pilot holes for use with wood screws.
24 24" wide		Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.
1 20" deep		
R Recessed grommet location		
111 Jet Black (grommet)		
V316 Top finish		

Worksurface 1 1/2"
 rectilinear
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSD243-()()()	\$397.	\$440.	\$503.	\$679.
		30"	RSD303-()()()	446.	495.	569.	770.
		36"	RSD363-()()()	478.	534.	612.	826.
		42"	RSD423-()()()	499.	555.	639.	864.
		48"	RSD483-()()()	534.	593.	679.	919.
		54"	RSD543-()()()	576.	641.	734.	991.
		60"	RSD603-()()()	597.	664.	762.	1,030.
		66"	RSD663-()()()	608.	677.	783.	1,057.
		72"	RSD723-()()()	625.	695.	799.	1,078.
		78"	RSD783-()()()	653.	728.	837.	1,129.
		84"	RSD843-()()()	679.	757.	870.	1,176.
		90"	RSD903-()()()	711.	792.	912.	1,231.
		96"	RSD963-()()()	735.	820.	944.	1,273.
	102"	RSD1023-()()()	810.	903.	1,038.	1,401.	
	108"	RSD1083-()()()	890.	992.	1,142.	1,541.	
	36"	60"	RSD604-()()()	688.	766.	878.	1,176.
		66"	RSD664-()()()	711.	793.	913.	1,232.
		72"	RSD724-()()()	734.	819.	942.	1,272.

Order Code

Example:	RSD243RL
R	Reff
S	Straight top
D	1 1/2" thick
36	36" wide
3	30" deep
R	Recessed grommet location
111	Jet Black (grommet)
V316	Top finish

Specification Information

To order please specify pattern number including:

- Grommet options:
 N = No grommets
 F = Flush front grommet location
 R = Recessed front (not recommended for 20"D and 24"D tops)
 A = Alternate location (for 36"D tops only)
- Grommet finish:
 Painted, Plated
- Finish:
 L, V1, V2, V3

Applicable finishes are listed on page 5 and 6.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.


Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54" w.

Worksurface 1 1/2"
Return and Bridge rectilinear
Horizontal or vertical grain direction

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 1/2" thick 	20"	36"	RSDR361(H/V)()()	\$401.	\$446.	\$512.	\$693.
		36"	RSDR362(H/V)()()	424.	477.	547.	737.
		42"	RSDR421(H/V)()()	415.	466.	536.	723.
		48"	RSDR481(H/V)()()	437.	483.	556.	749.
		54"	RSDR541(H/V)()()	454.	502.	581.	785.
		60"	RSDR601(H/V)()()	513.	545.	626.	847.
		66"	RSDR661(H/V)()()	502.	560.	646.	871.
	24"	42"	RSDR422(H/V)()()	442.	491.	564.	760.
		48"	RSDR482(H/V)()()	469.	527.	605.	815.
		54"	RSDR542(H/V)()()	502.	560.	646.	871.
		60"	RSDR602(H/V)()()	541.	603.	692.	933.
		66"	RSDR662(H/V)()()	555.	631.	715.	966.
		72"	RSDR721(H/V)()()	530.	591.	676.	914.
		72"	RSDR722(H/V)()()	583.	649.	748.	1,011.

Order Code

Example: RSDR361(H/V)()()	
R	Reff
S	Straight top
D	1 1/2" top
R	Return
36	36" wide
1	20" deep
H/V	Horizontal or Vertical grain
()	Grommet type
()	Grommet finish
()	Worksurface finish

Specification Information


To order please specify pattern number including:

- Grommet type:
F = Flush
N = No Grommet
- Grommet finish:
Painted or Plated
- Worksurface finish:
L, V1, V2, V3


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces




U-shaped / Triple: Spanning 3 worksurfaces



Worksurface Credenza

1" No grommet

Reff Profiles


description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCE601()	\$472.	\$481.	\$554.	\$749.
		66"	RCE661()	486.	496.	571.	771.
		72"	RCE721()	512.	522.	599.	809.
		78"	RCE781()	517.	527.	608.	821.
		84"	RCE841()	553.	564.	647.	873.
		90"	RCE901()	575.	587.	672.	910.
		96"	RCE961()	596.	608.	699.	942.
		102"	RCE1021()	656.	669.	769.	1,037.
		108"	RCE1081()	722.	736.	846.	1,140.
	24"	60"	RCE602()	523.	533.	611.	826.
		66"	RCE662()	539.	550.	633.	854.
		72"	RCE722()	562.	573.	662.	895.
		78"	RCE782()	589.	601.	695.	936.
		84"	RCE842()	614.	626.	720.	972.
		90"	RCE902()	641.	654.	751.	1,013.
		96"	RCE962()	665.	678.	781.	1,055.
		102"	RCE1022()	732.	747.	860.	1,160.
108"		RCE1082()	805.	821.	946.	1,276.	

Order Code	Specification Information	Application Notes
Example: RCE601	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	No grommet options Credenza tops are drilled to accept pedestals and end panels. Credenza tops are predrilled with pilot holes for use with wood screws. 1" Credenza tops are recommended to work with the Task Panel application. Credenza tops are intended to be supported by full lower storage.
R Reff		
C Credenza Top		
E 1"		
60 width		
1 20"		
V316 Finish		

Worksurface Credenza

1" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20"	60"	RCEEG601()	\$660.	\$673.	\$775.	\$1,049.
		66"	RCEEG661()	681.	695.	801.	1,080.
		72"	RCEEG721()	717.	731.	838.	1,132.
		78"	RCEEG781()	724.	738.	852.	1,151.
		84"	RCEEG841()	775.	791.	906.	1,222.
		90"	RCEEG901()	804.	820.	941.	1,273.
		96"	RCEEG961()	835.	852.	978.	1,320.
		102"	RCEEG1021()	919.	937.	1,076.	1,450.
	108"	RCEEG1081()	1,010.	1,030.	1,184.	1,597.	
	24"	60"	RCEEG602()	732.	747.	856.	1,156.
		66"	RCEEG662()	754.	769.	886.	1,195.
		72"	RCEEG722()	787.	803.	926.	1,252.
		78"	RCEEG782()	825.	842.	972.	1,310.
		84"	RCEEG842()	859.	876.	1,008.	1,361.
		90"	RCEEG902()	897.	915.	1,052.	1,419.
		96"	RCEEG962()	931.	950.	1,094.	1,477.
102"		RCEEG1022()	1,025.	1,046.	1,204.	1,624.	
108"	RCEEG1082()	1,127.	1,150.	1,324.	1,787.		

Worksurfaces

Order Code

Example: RCEEG601
R Reff
C Credenza Top
E 1"
EG Edge Grommet
60 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:
 1. Top finish
 L,V1,V2,V3

Application Notes


These tops will always come with a cut out (notch) at the back of top.
 No grommet option.

Credenza tops are drilled to accept pedestals.
 Credenza tops are predrilled with pilot holes for use with wood screws.
 1" Credenza tops are recommended to work with the Task Panel application.
 Credenza tops are intended to be supported by full lower storage.
 Edge grommet: 35mm deep, 6" in from back corner.

Worksurface Credenza

1 1/2" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCD601()	\$726.	\$741.	\$853.	\$1,154.
		66"	RCD661()	749.	764.	880.	1,187.
		72"	RCD721()	788.	591.	922.	1,246.
		78"	RCD781()	796.	812.	937.	1,265.
		84"	RCD841()	852.	869.	997.	1,344.
		90"	RCD901()	885.	903.	1,036.	1,401.
		96"	RCD961()	919.	937.	1,076.	1,450.
		102"	RCD1021()	1,010.	1,030.	1,184.	1,597.
		108"	RCD1081()	1,111.	1,133.	1,302.	1,755.
	24"	60"	RCD602()	805.	821.	941.	1,271.
		66"	RCD662()	829.	846.	976.	1,316.
		72"	RCD722()	866.	883.	1,019.	1,377.
		78"	RCD782()	907.	925.	1,070.	1,441.
		84"	RCD842()	946.	965.	1,109.	1,497.
		90"	RCD902()	987.	1,007.	1,157.	1,561.
		96"	RCD962()	1,025.	1,046.	1,204.	1,624.
		102"	RCD1022()	1,127.	1,150.	1,324.	1,787.
108"		RCD1082()	1,240.	1,265.	1,457.	1,966.	

Order Code

Example: RCEEG601
R Reff
C Credenza
D 1 1/2" top
60 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:
 1. Finish
 L,V1,V2,V3

Application Notes

These tops will always come with a cut out (notch) at the back of top.
 No grommet option.
 Product on this page will accept woodgrain laminate where laminate is currently an option.

Credenza tops are drilled to accept pedestals.
 Credenza tops are predrilled with pilot holes for use with wood screws.
 1" Credenza tops are recommended to work with the Task Panel application.
 Credenza tops are intended to be supported by full lower storage.
 Edge grommet: 35mm deep, 6" in from back corner.

Peninsula 1 1/2


Planning Guidelines and Specifications

Peninsulas

Peninsulas for Reff Profiles are a central element in private office planning. Peninsulas are available in two styles; flush mounted and over-sailing. The flush mounted style is intended to connect tops which use full height pedestals for support, creating a flush transition

between the peninsula and the adjoining top. The over-sailing style of peninsula is designed to overlap low storage made up of $\frac{3}{4}$ height cabinets with 1" credenza tops or Progressive low credenzas by using a stand-off to support the peninsula top and create a space between the top and the low storage element.

See diagrams below and page following for descriptions. Peninsulas are offered as complete assemblies including worksurface, leg(s), credenza support, and grommet options.



Peninsula 1 1/2

Planning Guidelines and Specifications

Specification Options

Peninsulas are available with a variety of worksurface shapes including rectilinear, asymmetrical and symmetrical bullet, P, 9 and D shapes.

Peninsula tops are available in any Reff Profiles core laminate or veneer finish; see Reff Profiles finish options pages for further information.

Laminate tops are offered with color-matched edges or wood veneer edges as a mixed finish option. Edge material for veneer tops is wood.


Flush mounted peninsulas, previous page below right, come with Flush Mounting kit including two flush plates and connection hardware.

Over-sailing peninsulas are offered with two stand-off options; Power Center, previous page middle, and Simple stand-off, previous page left.


The Power Center kit is supplied with power center grommet, stand-off, round cable grommet and connection hardware. When specified with a Power Center, the peninsula

top is pre-drilled to accept the Power Center grommet. The Power Center stand-off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.


In the recommended mounting location, the peninsula top will be 2 1/2" from the wall or the back edge of the 1" credenza top (over 3/4 height pedestals). Refer to elevation diagrams below for details.



Over-Sailing Style
Peninsula with Power Center



Flush Mounted Style
Peninsula with Flush Mount



Over-Sailing Style
Peninsula with Simple Stand-Off

Peninsula 1 1/2


Planning Guidelines and Specifications

The Simple Stand-Off kit is supplied with a simple stand-off, stand-off mount, round cable grommet and connection hardware. When specified, the peninsula top is pre-drilled to accept the 2 x 3 grommet. The Simple Stand-Off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.

Power center and 2 x 3 grommets are offered in three plated finishes; Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU) and all core paint finishes.

Stand-Off's are offered in all Reff Profiles core paint finishes.

Rectilinear Tops Right Hand Shown



Peninsula 1 1/2

Planning Guidelines and Specifications

Leg options for Peninsulas include L-leg, reverse L-leg, soft rectangular leg, open frame leg and cylindrical column leg. L, reverse L, soft rectangular and open frame legs are offered with anodized finishes: Black (AN), Polished (AP) and Satin (AU).








Cylindrical column leg is offered with plated finishes: Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU).

All legs are available in all Reff Profiles core paint finishes.

Rectilinear peninsula tops are offered with L, reverse L, soft rectangular, and open frame leg options. All other peninsula tops are offered with cylindrical column leg.

Refer to figures on previous page and following for grommet locations and order codes.

Asymmetric Bullet Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>N</p>		<p>Flush Plates</p>  <p>N</p>
<p>Grommet</p>  <p>S</p>	<p>Power Center</p>  <p>P</p>	
 <p>E</p>		 <p>E</p>
 <p>SE</p>		

Peninsula 1 1/2

Planning Guidelines and Specifications

Construction

Reff Profiles peninsula tops are nominal 1 1/2" thick, consisting of 1 7/16" thick substrate with a laminate or veneer surface finish.

Laminate tops have a laminate top surface with an FSC-certified particle board core and a paper backer sheet for balanced construction. Edges can match the top or are available in a selection

of veneers. Matching edges are in 2.0mm ABS with 2.0mm radius top and bottom edges. End edges overlap the front and back edges with the outside corners minimally radiused.


Edges on veneer tops are 2.4mm thick wood with 2.4mm radius top and bottom edges. Ends overlap front and back edges

with 2.4mm radius on outside corners.

All tops are supplied with pilot holes for hardware inserts for attachment of specified leg options.

Legs are shipped separately, fully assembled with connection hardware included.

Symmetric Bullet Tops Right Hand Shown



Peninsula 1 1/2

Planning Guidelines and Specifications

Planning Notes

1. Partial height modesty is available, sold separately and field installed.
2. J-wire manager is available, sold separately and field installed.
3. Peninsula tops require additional stiffening for spans greater than 54".
4. Peninsula top is right handed when the leg is on the right hand side (from the users perspective) and vice versa.
5. Power center electrical components are not included with the Peninsula and are ordered separately.

P and 9 Tops

Flush Mount Options:

P-Shaped













9-Shaped

<p>No Grommet</p>		
<p>Single Grommet</p>		
<p>Double Grommet</p>		


Peninsula 1 1/2

Planning Guidelines and Specifications

D Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>N</p>	<p>Power Center</p>  <p>P</p>	<p>Flush Plates</p>  <p>N</p>
 <p>S</p>	 <p>P</p>	 <p>N</p>
 <p>M</p>	 <p>P</p>	 <p>N</p>
 <p>SM</p>	 <p>PM</p>	 <p>N</p>

Peninsula 1 1/2
 Worksurface with L-leg
 Stand-Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	20"	60"	1 1/2"	RPTDLPC(L/R)6020() () () ()	\$1,464.	\$1,537.	\$1,619.	\$1,840.
		66"	1 1/2"	RPTDLPC(L/R)6620() () () ()	1,475.	1,552.	1,639.	1,864.
		72"	1 1/2"	RPTDLPC(L/R)7220() () () ()	1,504.	1,583.	1,670.	1,906.
		78"	1 1/2"	RPTDLPC(L/R)7820() () () ()	1,511.	1,588.	1,680.	1,922.
		84"	1 1/2"	RPTDLPC(L/R)8420() () () ()	1,543.	1,631.	1,724.	1,980.
	24"	60"	1 1/2"	RPTDLPC(L/R)6024() () () ()	1,514.	1,596.	1,684.	1,926.
		66"	1 1/2"	RPTDLPC(L/R)6624() () () ()	1,529.	1,614.	1,709.	1,958.
		72"	1 1/2"	RPTDLPC(L/R)7224() () () ()	1,556.	1,641.	1,741.	2,003.
		78"	1 1/2"	RPTDLPC(L/R)7824() () () ()	1,582.	1,672.	1,778.	2,051.
		84"	1 1/2"	RPTDLPC(L/R)8424() () () ()	1,608.	1,700.	1,806.	2,091.
	30"	60"	1 1/2"	RPTDLPC(L/R)6030() () () ()	1,571.	1,656.	1,754.	2,024.
		66"	1 1/2"	RPTDLPC(L/R)6630() () () ()	1,581.	1,671.	1,777.	2,050.
		72"	1 1/2"	RPTDLPC(L/R)7230() () () ()	1,599.	1,687.	1,791.	2,071.
		78"	1 1/2"	RPTDLPC(L/R)7830() () () ()	1,626.	1,721.	1,830.	2,123.
		84"	1 1/2"	RPTDLPC(L/R)8430() () () ()	1,652.	1,749.	1,863.	2,169.
	36"	60"	1 1/2"	RPTDLPC(L/R)6036() () () ()	1,661.	1,758.	1,871.	2,169.
		66"	1 1/2"	RPTDLPC(L/R)6636() () () ()	1,684.	1,785.	1,905.	2,226.
		72"	1 1/2"	RPTDLPC(L/R)7236() () () ()	1,708.	1,813.	1,935.	2,265.
		78"	1 1/2"	RPTDLPC(L/R)7836() () () ()	1,731.	1,835.	1,965.	2,307.
		84"	1 1/2"	RPTDLPC(L/R)8436() () () ()	1,754.	1,859.	1,995.	2,348.

Order Code

Example:	RPTDLPC(L/R) 6030() () () ()
R	Reff
PT	Peninsula
D	1 1/2"
L	L-leg
PC	Power Center
L	Left hand/ Right hand
60	Width
30	Depth
P	Grommet option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
P=Power Center, PE= Power center grommet
3. Grommet option
Painted or plated
4. Worksurface finish
L, V1, V2, V3
5. Leg finish
Painted or Anodized
6. Stand-off finish
Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.


Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 467.

Products on this page work with 28 3/8" height planning.

Product on this page will accept woodgrain laminate where laminate is currently an option.


Peninsula 1 1/2
 Worksurface with L-leg
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	20"	60"	1 1/2"	RPTDLST(L/R)6020() () () ()	\$1,392.	\$1,464.	\$1,545.	\$1,766.
		66"	1 1/2"	RPTDLST(L/R)6620() () () ()	1,403.	1,479.	1,566.	1,790.
		72"	1 1/2"	RPTDLST(L/R)7220() () () ()	1,432.	1,510.	1,596.	1,833.
		78"	1 1/2"	RPTDLST(L/R)7820() () () ()	1,439.	1,515.	1,607.	1,848.
		84"	1 1/2"	RPTDLST(L/R)8420() () () ()	1,471.	1,557.	1,650.	1,905.
	24"	60"	1 1/2"	RPTDLST(L/R)6024() () () ()	1,442.	1,522.	1,611.	1,852.
		66"	1 1/2"	RPTDLST(L/R)6624() () () ()	1,456.	1,540.	1,635.	1,885.
		72"	1 1/2"	RPTDLST(L/R)7224() () () ()	1,484.	1,568.	1,668.	1,930.
		78"	1 1/2"	RPTDLST(L/R)7824() () () ()	1,510.	1,598.	1,704.	1,977.
		84"	1 1/2"	RPTDLST(L/R)8424() () () ()	1,536.	1,626.	1,732.	2,018.
	30"	60"	1 1/2"	RPTDLST(L/R)6030() () () ()	1,499.	1,583.	1,681.	1,950.
		66"	1 1/2"	RPTDLST(L/R)6630() () () ()	1,509.	1,597.	1,703.	1,976.
		72"	1 1/2"	RPTDLST(L/R)7230() () () ()	1,526.	1,614.	1,718.	1,997.
		78"	1 1/2"	RPTDLST(L/R)7830() () () ()	1,554.	1,647.	1,756.	2,049.
		84"	1 1/2"	RPTDLST(L/R)8430() () () ()	1,580.	1,676.	1,789.	2,095.
	36"	60"	1 1/2"	RPTDLST(L/R)6036() () () ()	1,589.	1,685.	1,797.	2,095.
		66"	1 1/2"	RPTDLST(L/R)6636() () () ()	1,612.	1,712.	1,832.	2,151.
		72"	1 1/2"	RPTDLST(L/R)7236() () () ()	1,636.	1,739.	1,862.	2,192.
		78"	1 1/2"	RPTDLST(L/R)7836() () () ()	1,659.	1,762.	1,891.	2,234.
		84"	1 1/2"	RPTDLST(L/R)8436() () () ()	1,682.	1,786.	1,922.	2,275.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDLST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
L L-Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off grommet with end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
E Grommet Type	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet option	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

Peninsula 1 1/2
 Worksurface with L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	20"	36"	1 1/2"	RPTDLFM(L/R)3620() () ()	\$957.	\$1,111.	\$1,154.	\$1,303.
		42"	1 1/2"	RPTDLFM(L/R)4220() () ()	970.	1,134.	1,182.	1,349.
		48"	1 1/2"	RPTDLFM(L/R)4820() () ()	1,173.	1,234.	1,307.	1,500.
		54"	1 1/2"	RPTDLFM(L/R)5420() () ()	1,191.	1,254.	1,332.	1,537.
		60"	1 1/2"	RPTDLFM(L/R)6020() () ()	1,227.	1,295.	1,377.	1,598.
		66"	1 1/2"	RPTDLFM(L/R)6620() () ()	1,238.	1,311.	1,397.	1,622.
		72"	1 1/2"	RPTDLFM(L/R)7220() () ()	1,267.	1,341.	1,428.	1,666.
		78"	1 1/2"	RPTDLFM(L/R)7820() () ()	1,274.	1,346.	1,438.	1,680.
		84"	1 1/2"	RPTDLFM(L/R)8420() () ()	1,306.	1,389.	1,482.	1,738.
	24"	36"	1 1/2"	RPTDLFM(L/R)3624() () ()	969.	1,143.	1,190.	1,359.
		42"	1 1/2"	RPTDLFM(L/R)4224() () ()	991.	1,168.	1,220.	1,409.
		48"	1 1/2"	RPTDLFM(L/R)4824() () ()	1,205.	1,279.	1,357.	1,567.
		54"	1 1/2"	RPTDLFM(L/R)5424() () ()	1,238.	1,311.	1,397.	1,622.
		60"	1 1/2"	RPTDLFM(L/R)6024() () ()	1,277.	1,355.	1,442.	1,684.
		66"	1 1/2"	RPTDLFM(L/R)6624() () ()	1,292.	1,372.	1,467.	1,717.
		72"	1 1/2"	RPTDLFM(L/R)7224() () ()	1,319.	1,399.	1,499.	1,762.
78"		1 1/2"	RPTDLFM(L/R)7824() () ()	1,345.	1,430.	1,536.	1,809.	
84"		1 1/2"	RPTDLFM(L/R)8424() () ()	1,371.	1,459.	1,565.	1,849.	

Order Code	Specification Information	Application Notes
Example: RPTDLFM(L/R)3620() () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
IL L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	Peninsula worksurfaces with power center do not come with Electrical Components. For electrical components please refer to page 467. Products on this page work with 28 3/8" height planning. Product on this page will accept woodgrain laminate where laminate is currently an option.
L Left hand/ Right hand		
36 Width		
20 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


Peninsula 1 1/2
 Worksurface with L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	30"	36"	1 1/2"	RPTDLFM(L/R)3630() () () ()	\$1,009.	\$1,176.	\$1,230.	\$1,425.
		42"	1 1/2"	RPTDLFM(L/R)4230() () () ()	1,023.	1,200.	1,262.	1,480.
		48"	1 1/2"	RPTDLFM(L/R)4830() () () ()	1,286.	1,367.	1,455.	1,699.
		54"	1 1/2"	RPTDLFM(L/R)5430() () () ()	1,310.	1,391.	1,483.	1,740.
		60"	1 1/2"	RPTDLFM(L/R)6030() () () ()	1,334.	1,415.	1,513.	1,782.
		66"	1 1/2"	RPTDLFM(L/R)6630() () () ()	1,344.	1,429.	1,535.	1,808.
		72"	1 1/2"	RPTDLFM(L/R)7230() () () ()	1,362.	1,445.	1,549.	1,829.
		78"	1 1/2"	RPTDLFM(L/R)7830() () () ()	1,389.	1,479.	1,588.	1,881.
		84"	1 1/2"	RPTDLFM(L/R)8430() () () ()	1,415.	1,508.	1,621.	1,927.
		36"	36"	1 1/2"	RPTDLFM(L/R)3636() () () ()	1,043.	1,203.	1,266.
42"	1 1/2"		RPTDLFM(L/R)4236() () () ()	1,061.	1,240.	1,312.	1,562.	
48"	1 1/2"		RPTDLFM(L/R)4836() () () ()	1,378.	1,470.	1,571.	1,844.	
54"	1 1/2"		RPTDLFM(L/R)5436() () () ()	1,401.	1,493.	1,600.	1,885.	
60"	1 1/2"		RPTDLFM(L/R)6036() () () ()	1,424.	1,517.	1,630.	1,927.	
66"	1 1/2"		RPTDLFM(L/R)6636() () () ()	1,447.	1,543.	1,665.	1,984.	
72"	1 1/2"		RPTDLFM(L/R)7236() () () ()	1,471.	1,571.	1,693.	2,024.	
78"	1 1/2"		RPTDLFM(L/R)7836() () () ()	1,495.	1,594.	1,723.	2,066.	
84"	1 1/2"		RPTDLFM(L/R)8436() () () ()	1,517.	1,618.	1,753.	2,106.	

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDLFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
IL L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
36 Width		
20 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

*Worksurface with Reverse L-leg
Stand Off with Power Center, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRPC(L/R)6020() () () ()	\$1,464.	\$1,537.	\$1,619.	\$1,840.
		66"	1 1/2"	RPTDRPC(L/R)6620() () () ()	1,475.	1,552.	1,639.	1,864.
		72"	1 1/2"	RPTDRPC(L/R)7220() () () ()	1,504.	1,583.	1,670.	1,906.
		78"	1 1/2"	RPTDRPC(L/R)7820() () () ()	1,511.	1,588.	1,680.	1,922.
		84"	1 1/2"	RPTDRPC(L/R)8420() () () ()	1,543.	1,631.	1,724.	1,980.
	24"	60"	1 1/2"	RPTDRPC(L/R)6024() () () ()	1,514.	1,596.	1,684.	1,926.
		66"	1 1/2"	RPTDRPC(L/R)6624() () () ()	1,529.	1,614.	1,709.	1,958.
		72"	1 1/2"	RPTDRPC(L/R)7224() () () ()	1,556.	1,641.	1,741.	2,003.
		78"	1 1/2"	RPTDRPC(L/R)7824() () () ()	1,582.	1,672.	1,778.	2,051.
		84"	1 1/2"	RPTDRPC(L/R)8424() () () ()	1,608.	1,700.	1,806.	2,091.
	30"	60"	1 1/2"	RPTDRPC(L/R)6030() () () ()	1,571.	1,656.	1,754.	2,024.
		66"	1 1/2"	RPTDRPC(L/R)6630() () () ()	1,581.	1,671.	1,777.	2,050.
		72"	1 1/2"	RPTDRPC(L/R)7230() () () ()	1,599.	1,687.	1,791.	2,071.
		78"	1 1/2"	RPTDRPC(L/R)7830() () () ()	1,626.	1,721.	1,830.	2,123.
		84"	1 1/2"	RPTDRPC(L/R)8430() () () ()	1,652.	1,749.	1,863.	2,169.
	36"	60"	1 1/2"	RPTDRPC(L/R)6036() () () ()	1,661.	1,758.	1,871.	2,169.
		66"	1 1/2"	RPTDRPC(L/R)6636() () () ()	1,684.	1,785.	1,905.	2,226.
		72"	1 1/2"	RPTDRPC(L/R)7236() () () ()	1,708.	1,813.	1,935.	2,265.
		78"	1 1/2"	RPTDRPC(L/R)7836() () () ()	1,731.	1,835.	1,965.	2,307.
		84"	1 1/2"	RPTDRPC(L/R)8436() () () ()	1,754.	1,859.	1,995.	2,348.

Order Code

Example:	RPTDRPC(L/R)6030() () () ()
R	Reff
PT	Peninsula
D	1 1/2"
R	Reverse L-leg
PC	Power Center
L	Left hand/ Right hand
30	Depth
40	Width
P	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-off finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
P=Power Center, PE=Power center plus end grommet
3. Grommet finish
Painted or plated
4. Worksurface finish
L, V1, V2, V3
5. Leg finish
Painted or Anodized
6. Stand-off finish
Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.


Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 467.

Products on this page work with 28 3/8" height planning.

Product on this page will accept woodgrain laminate where laminate is currently an option.


Peninsula 1 1/2
 Worksurface with Reverse L-leg
 Simple Stand Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRST(L/R)6020()()()	\$1,392.	\$1,464.	\$1,545.	\$1,766.
		66"	1 1/2"	RPTDRST(L/R)6620()()()	1,403.	1,479.	1,566.	1,790.
		72"	1 1/2"	RPTDRST(L/R)7220()()()	1,432.	1,510.	1,596.	1,833.
		78"	1 1/2"	RPTDRST(L/R)7820()()()	1,439.	1,515.	1,607.	1,848.
		84"	1 1/2"	RPTDRST(L/R)8420()()()	1,471.	1,557.	1,650.	1,905.
	24"	60"	1 1/2"	RPTDRST(L/R)6024()()()	1,442.	1,522.	1,611.	1,852.
		66"	1 1/2"	RPTDRST(L/R)6624()()()	1,456.	1,540.	1,635.	1,885.
		72"	1 1/2"	RPTDRST(L/R)7224()()()	1,484.	1,568.	1,668.	1,930.
		78"	1 1/2"	RPTDRST(L/R)7824()()()	1,510.	1,598.	1,704.	1,977.
		84"	1 1/2"	RPTDRST(L/R)8424()()()	1,536.	1,626.	1,732.	2,018.
	30"	60"	1 1/2"	RPTDRST(L/R)6030()()()	1,499.	1,583.	1,681.	1,950.
		66"	1 1/2"	RPTDRST(L/R)6630()()()	1,509.	1,597.	1,703.	1,976.
		72"	1 1/2"	RPTDRST(L/R)7230()()()	1,526.	1,614.	1,718.	1,997.
		78"	1 1/2"	RPTDRST(L/R)7830()()()	1,554.	1,647.	1,756.	2,049.
		84"	1 1/2"	RPTDRST(L/R)8430()()()	1,580.	1,676.	1,127.	2,095.
	36"	60"	1 1/2"	RPTDRST(L/R)6036()()()	1,589.	1,685.	1,797.	2,095.
		66"	1 1/2"	RPTDRST(L/R)6636()()()	1,612.	1,712.	1,832.	2,151.
		72"	1 1/2"	RPTDRST(L/R)7236()()()	1,636.	1,739.	1,862.	2,192.
		78"	1 1/2"	RPTDRST(L/R)7836()()()	1,659.	1,762.	1,891.	2,234.
		84"	1 1/2"	RPTDRST(L/R)8436()()()	1,682.	1,786.	1,922.	2,275.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDRST(L/R)6030()()()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
R Reverse L-leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off and end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
SE Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

Peninsula 1 1/2
 Worksurface with Reverse L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDRFM(L/R)3620() () ()	\$957.	\$1,111.	\$1,154.	\$1,303.
		42"	1 1/2"	RPTDRFM(L/R)4220() () ()	970.	1,134.	1,182.	1,349.
		48"	1 1/2"	RPTDRFM(L/R)4820() () ()	1,173.	1,234.	1,307.	1,500.
		54"	1 1/2"	RPTDRFM(L/R)5420() () ()	1,191.	1,254.	1,332.	1,537.
		60"	1 1/2"	RPTDRFM(L/R)6020() () ()	1,227.	1,295.	1,377.	1,598.
		66"	1 1/2"	RPTDRFM(L/R)6620() () ()	1,238.	1,311.	1,397.	1,622.
		72"	1 1/2"	RPTDRFM(L/R)7220() () ()	1,267.	1,341.	1,428.	1,666.
		78"	1 1/2"	RPTDRFM(L/R)7820() () ()	1,274.	1,346.	1,438.	1,680.
		84"	1 1/2"	RPTDRFM(L/R)8420() () ()	1,306.	1,389.	1,482.	1,738.
		36"	1 1/2"	RPTDRFM(L/R)3624() () ()	969.	1,143.	1,190.	1,359.
		42"	1 1/2"	RPTDRFM(L/R)4224() () ()	991.	1,168.	1,220.	1,409.
		48"	1 1/2"	RPTDRFM(L/R)4824() () ()	1,205.	1,279.	1,357.	1,567.
		54"	1 1/2"	RPTDRFM(L/R)5424() () ()	1,238.	1,311.	1,397.	1,622.
		60"	1 1/2"	RPTDRFM(L/R)6024() () ()	1,277.	1,355.	1,442.	1,684.
		66"	1 1/2"	RPTDRFM(L/R)6624() () ()	1,292.	1,372.	1,467.	1,717.
		72"	1 1/2"	RPTDRFM(L/R)7224() () ()	1,319.	1,399.	1,499.	1,762.
		78"	1 1/2"	RPTDRFM(L/R)7824() () ()	1,345.	1,430.	1,536.	1,809.
84"	1 1/2"	RPTDRFM(L/R)8424() () ()	1,371.	1,459.	1,565.	1,849.		


Order Code	Specification Information	Application Notes
Example: RPTDRFM(L/R)3620() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Leg	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		Peninsula worksurfaces with power center do not come with Electrical Components.
36 Width		For electrical components please refer to page 467.
20 Depth		Products on this page work with 28 3/8" height planning.
M Grommet Option		Product on this page will accept woodgrain laminate where laminate is currently an option.
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2
 Worksurface with Reverse L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3	
 Peninsula Rectilinear Top Left hand shown	30"	36"	1 1/2"	RPTDRFM(L/R)3630() () () ()	\$1,009.	\$1,176.	\$1,230.	\$1,425.	
		42"	1 1/2"	RPTDRFM(L/R)4230() () () ()	1,023.	1,200.	1,262.	1,480.	
		48"	1 1/2"	RPTDRFM(L/R)4830() () () ()	1,286.	1,367.	1,455.	1,699.	
		54"	1 1/2"	RPTDRFM(L/R)5430() () () ()	1,310.	1,391.	1,483.	1,740.	
		60"	1 1/2"	RPTDRFM(L/R)6030() () () ()	1,334.	1,415.	1,513.	1,782.	
		66"	1 1/2"	RPTDRFM(L/R)6630() () () ()	1,344.	1,429.	1,535.	1,808.	
		72"	1 1/2"	RPTDRFM(L/R)7230() () () ()	1,362.	1,445.	1,549.	1,829.	
		78"	1 1/2"	RPTDRFM(L/R)7830() () () ()	1,389.	1,479.	1,588.	1,881.	
		84"	1 1/2"	RPTDRFM(L/R)8430() () () ()	1,415.	1,508.	1,621.	1,927.	
		36"	36"	1 1/2"	RPTDRFM(L/R)3636() () () ()	1,043.	1,203.	1,164.	1,487.
		42"	36"	1 1/2"	RPTDRFM(L/R)4236() () () ()	1,061.	1,240.	1,312.	1,562.
		48"	36"	1 1/2"	RPTDRFM(L/R)4836() () () ()	1,378.	1,470.	1,571.	1,844.
		54"	36"	1 1/2"	RPTDRFM(L/R)5436() () () ()	1,401.	1,493.	1,600.	1,885.
		54"	36"	1 1/2"	RPTDRFM(L/R)6036() () () ()	1,424.	1,517.	1,630.	1,927.
		66"	36"	1 1/2"	RPTDRFM(L/R)6636() () () ()	1,447.	1,543.	1,665.	1,984.
		72"	36"	1 1/2"	RPTDRFM(L/R)7236() () () ()	1,471.	1,571.	1,693.	2,024.
		78"	36"	1 1/2"	RPTDRFM(L/R)7836() () () ()	1,495.	1,594.	1,723.	2,066.
84"	36"	1 1/2"	RPTDRFM(L/R)8436() () () ()	1,517.	1,618.	1,753.	2,106.		


Order Code	Specification Information	Application Notes
Example: RPTDRFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Leg	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		Peninsula worksurfaces with power center do not come with Electrical Components.
36 Width		For electrical components please refer to page 467.
20 Depth		Products on this page work with 28 3/8" height planning.
M Grommet Option		Product on this page will accept woodgrain laminate where laminate is currently an option.
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

*Worksurface with Soft Rectangular Leg
Stand Off with Power Center, Rectilinear top*

description	d	w	th	pattern number	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDSPC(L/R)6020() () () ()	\$1,510.	\$1,584.	\$1,667.	\$1,887.
		66"	1 1/2"	RPTDSPC(L/R)6620() () () ()	1,521.	1,600.	1,686.	1,911.
		72"	1 1/2"	RPTDSPC(L/R)7220() () () ()	1,550.	1,631.	1,717.	1,954.
		78"	1 1/2"	RPTDSPC(L/R)7820() () () ()	1,557.	1,636.	1,727.	1,969.
		84"	1 1/2"	RPTDSPC(L/R)8420() () () ()	1,589.	1,678.	1,772.	2,027.
	24"	60"	1 1/2"	RPTDSPC(L/R)6024() () () ()	1,560.	1,643.	1,731.	1,973.
		66"	1 1/2"	RPTDSPC(L/R)6624() () () ()	1,575.	1,661.	1,755.	2,005.
		72"	1 1/2"	RPTDSPC(L/R)7224() () () ()	1,603.	1,688.	1,788.	2,051.
		78"	1 1/2"	RPTDSPC(L/R)7824() () () ()	1,628.	1,719.	1,825.	2,098.
		84"	1 1/2"	RPTDSPC(L/R)8424() () () ()	1,654.	1,747.	1,853.	2,138.
	30"	60"	1 1/2"	RPTDSPC(L/R)6030() () () ()	1,617.	1,704.	1,801.	2,071.
		66"	1 1/2"	RPTDSPC(L/R)6630() () () ()	1,627.	1,718.	1,824.	2,097.
		72"	1 1/2"	RPTDSPC(L/R)7230() () () ()	1,645.	1,735.	1,839.	2,118.
		78"	1 1/2"	RPTDSPC(L/R)7830() () () ()	1,673.	1,768.	1,878.	2,170.
		84"	1 1/2"	RPTDSPC(L/R)8430() () () ()	1,698.	1,796.	1,910.	2,215.
	36"	60"	1 1/2"	RPTDSPC(L/R)6036() () () ()	1,708.	1,806.	1,919.	2,215.
		66"	1 1/2"	RPTDSPC(L/R)6636() () () ()	1,730.	1,832.	1,953.	2,273.
		72"	1 1/2"	RPTDSPC(L/R)7236() () () ()	1,754.	1,859.	1,983.	2,312.
		78"	1 1/2"	RPTDSPC(L/R)7836() () () ()	1,778.	1,883.	2,011.	2,354.
		84"	1 1/2"	RPTDSPC(L/R)8436() () () ()	1,800.	1,906.	2,042.	2,395.

Order Code	Specification Information	Application Notes
Example: RPTDSPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		Peninsula worksurfaces with power center do not come with Electrical Components.
30 Depth		For electrical components please refer to page 467.
P Grommet Option		Products on this page work with 28 3/8" height planning.
115 Grommet Finish		Product on this page will accept woodgrain laminate where laminate is currently an option.
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		


Peninsula 1 1/2
 Worksurface with Soft Rectangular Leg
 Simple Stand Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	20"	60"	1 1/2"	RPTDSST(L/R)6020()()()	\$1,438.	\$1,511.	\$1,592.	\$1,814.
		66"	1 1/2"	RPTDSST(L/R)6620()()()	1,449.	1,527.	1,613.	1,837.
		72"	1 1/2"	RPTDSST(L/R)7220()()()	1,478.	1,557.	1,643.	1,881.
		78"	1 1/2"	RPTDSST(L/R)7820()()()	1,485.	1,563.	1,653.	1,895.
		84"	1 1/2"	RPTDSST(L/R)8420()()()	1,517.	1,604.	1,697.	1,953.
	24"	60"	1 1/2"	RPTDSST(L/R)6024()()()	1,488.	1,570.	1,658.	1,899.
		66"	1 1/2"	RPTDSST(L/R)6624()()()	1,503.	1,587.	1,682.	1,932.
		72"	1 1/2"	RPTDSST(L/R)7224()()()	1,531.	1,615.	1,715.	1,977.
		78"	1 1/2"	RPTDSST(L/R)7824()()()	1,556.	1,645.	1,751.	2,025.
		84"	1 1/2"	RPTDSST(L/R)8424()()()	1,582.	1,674.	1,780.	2,064.
	30"	60"	1 1/2"	RPTDSST(L/R)6030()()()	1,545.	1,631.	1,728.	1,997.
		66"	1 1/2"	RPTDSST(L/R)6630()()()	1,555.	1,644.	1,750.	2,024.
		72"	1 1/2"	RPTDSST(L/R)7230()()()	1,573.	1,661.	1,765.	2,044.
		78"	1 1/2"	RPTDSST(L/R)7830()()()	1,601.	1,694.	1,804.	2,096.
		84"	1 1/2"	RPTDSST(L/R)8430()()()	1,626.	1,723.	1,836.	2,142.
	36"	60"	1 1/2"	RPTDSST(L/R)6036()()()	1,636.	1,732.	1,845.	2,142.
		66"	1 1/2"	RPTDSST(L/R)6636()()()	1,658.	1,758.	1,880.	2,199.
		72"	1 1/2"	RPTDSST(L/R)7236()()()	1,682.	1,786.	1,909.	2,239.
		78"	1 1/2"	RPTDSST(L/R)7836()()()	1,706.	1,809.	1,938.	2,281.
		84"	1 1/2"	RPTDSST(L/R)8436()()()	1,728.	1,833.	1,969.	2,322.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDSST(L/R)6030()()()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
S Soft Rectangular Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand Off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off and end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
E Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

*Worksurface with Soft Rectangular Leg
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDSFM(L/R)3620() () () ()	\$1,094.	\$1,251.	\$1,293.	\$1,442.
		42"	1 1/2"	RPTDSFM(L/R)4220() () () ()	1,107.	1,274.	1,322.	1,489.
		48"	1 1/2"	RPTDSFM(L/R)4820() () () ()	1,220.	1,282.	1,355.	1,547.
		54"	1 1/2"	RPTDSFM(L/R)5420() () () ()	1,237.	1,301.	1,379.	1,584.
		60"	1 1/2"	RPTDSFM(L/R)6020() () () ()	1,273.	1,342.	1,425.	1,645.
		66"	1 1/2"	RPTDSFM(L/R)6620() () () ()	1,284.	1,359.	1,444.	1,670.
		72"	1 1/2"	RPTDSFM(L/R)7220() () () ()	1,313.	1,389.	1,475.	1,713.
		78"	1 1/2"	RPTDSFM(L/R)7820() () () ()	1,320.	1,394.	1,485.	1,727.
		84"	1 1/2"	RPTDSFM(L/R)8420() () () ()	1,352.	1,436.	1,530.	1,785.
		24"	36"	1 1/2"	RPTDSFM(L/R)3624() () () ()	1,106.	1,283.	1,330.
42"	1 1/2"		RPTDSFM(L/R)4224() () () ()	1,128.	1,308.	1,360.	1,548.	
48"	1 1/2"		RPTDSFM(L/R)4824() () () ()	1,251.	1,326.	1,404.	1,614.	
54"	1 1/2"		RPTDSFM(L/R)5424() () () ()	1,284.	1,359.	1,444.	1,670.	
60"	1 1/2"		RPTDSFM(L/R)6024() () () ()	1,324.	1,401.	1,490.	1,731.	
66"	1 1/2"		RPTDSFM(L/R)6624() () () ()	1,338.	1,420.	1,514.	1,764.	
72"	1 1/2"		RPTDSFM(L/R)7224() () () ()	1,366.	1,446.	1,546.	1,809.	
78"	1 1/2"		RPTDSFM(L/R)7824() () () ()	1,392.	1,477.	1,583.	1,856.	
84"	1 1/2"		RPTDSFM(L/R)8424() () () ()	1,417.	1,506.	1,612.	1,896.	
30"	36"		1 1/2"	RPTDSFM(L/R)3630() () () ()	1,146.	1,316.	1,370.	1,565.
	42"	1 1/2"	RPTDSFM(L/R)4230() () () ()	1,160.	1,339.	1,400.	1,620.	
	48"	1 1/2"	RPTDSFM(L/R)4830() () () ()	1,333.	1,414.	1,501.	1,746.	
	54"	1 1/2"	RPTDSFM(L/R)5430() () () ()	1,357.	1,438.	1,531.	1,787.	
	60"	1 1/2"	RPTDSFM(L/R)6030() () () ()	1,380.	1,463.	1,561.	1,829.	
	66"	1 1/2"	RPTDSFM(L/R)6630() () () ()	1,391.	1,476.	1,582.	1,855.	
	72"	1 1/2"	RPTDSFM(L/R)7230() () () ()	1,408.	1,493.	1,597.	1,877.	
	78"	1 1/2"	RPTDSFM(L/R)7830() () () ()	1,436.	1,527.	1,636.	1,928.	
	84"	1 1/2"	RPTDSFM(L/R)8430() () () ()	1,462.	1,554.	1,669.	1,974.	
	36"	36"	1 1/2"	RPTDSFM(L/R)3636() () () ()	1,180.	1,342.	1,406.	1,627.
42"		1 1/2"	RPTDSFM(L/R)4236() () () ()	1,198.	1,380.	1,451.	1,701.	
48"		1 1/2"	RPTDSFM(L/R)4836() () () ()	1,424.	1,517.	1,618.	1,891.	
54"		1 1/2"	RPTDSFM(L/R)5436() () () ()	1,447.	1,540.	1,647.	1,932.	
60"		1 1/2"	RPTDSFM(L/R)6036() () () ()	1,471.	1,565.	1,677.	1,974.	

Order Code	Specification Information	Application Notes
Example: RPTDSFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End N=No grommet M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Platef	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		Peninsula worksurfaces with power center do not come with Electrical Components.
48 Width		For electrical components please refer to page 467.
30 Depth		Products on this page work with 28 3/8" height planning.
E Grommet Option		Product on this page will accept woodgrain laminate where laminate is currently an option.
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2
*Worksurface with Soft Rectangular Leg
 Flush Mount Attachment, Rectilinear top*


description	d	w	th	pattern no.	L	M/V1	V2	V3
	36"	66"	1 1/2"	RPTDSFM(L/R)6636() () () ()	\$1,494.	\$1,590.	\$1,712.	\$2,031.
		72"	1 1/2"	RPTDSFM(L/R)7236() () () ()	1,517.	1,618.	1,741.	2,071.
		78"	1 1/2"	RPTDSFM(L/R)7836() () () ()	1,541.	1,641.	1,771.	2,112.
		84"	1 1/2"	RPTDSFM(L/R)8436() () () ()	1,564.	1,666.	1,800.	2,154.

Left hand shown

Order Code	Specification Information	Application Notes
Example: RPTDSFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End N=No grommet M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Platef	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		Peninsula worksurfaces with power center do not come with Electrical Components.
48 Width		For electrical components please refer to page 467.
30 Depth		Products on this page work with 28 3/8" height planning.
E Grommet Option		Product on this page will accept woodgrain laminate where laminate is currently an option.
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2

Worksurface with Open Frame Leg Stand-Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	60"	1 1/2"	RPTDOPC(L/R)6020() () () ()	\$1,536.	\$1,611.	\$1,692.	\$1,914.
		66"	1 1/2"	RPTDOPC(L/R)6620() () () ()	1,547.	1,626.	1,713.	1,937.
		72"	1 1/2"	RPTDOPC(L/R)7220() () () ()	1,576.	1,656.	1,743.	1,981.
		78"	1 1/2"	RPTDOPC(L/R)7820() () () ()	1,583.	1,662.	1,753.	1,995.
		84"	1 1/2"	RPTDOPC(L/R)8420() () () ()	1,615.	1,704.	1,797.	2,053.
	24"	60"	1 1/2"	RPTDOPC(L/R)6024() () () ()	1,586.	1,670.	1,757.	1,999.
		66"	1 1/2"	RPTDOPC(L/R)6624() () () ()	1,601.	1,687.	1,782.	2,032.
		72"	1 1/2"	RPTDOPC(L/R)7224() () () ()	1,628.	1,715.	1,815.	2,077.
		78"	1 1/2"	RPTDOPC(L/R)7824() () () ()	1,654.	1,745.	1,851.	2,125.
		84"	1 1/2"	RPTDOPC(L/R)8424() () () ()	1,680.	1,774.	1,880.	2,164.
	30"	60"	1 1/2"	RPTDOPC(L/R)6030() () () ()	1,643.	1,730.	1,828.	2,097.
		66"	1 1/2"	RPTDOPC(L/R)6630() () () ()	1,653.	1,744.	1,850.	2,124.
		72"	1 1/2"	RPTDOPC(L/R)7230() () () ()	1,671.	1,761.	1,865.	2,144.
		78"	1 1/2"	RPTDOPC(L/R)7830() () () ()	1,698.	1,794.	1,903.	2,196.
		84"	1 1/2"	RPTDOPC(L/R)8430() () () ()	1,724.	1,823.	1,936.	2,242.
	36"	60"	1 1/2"	RPTDOPC(L/R)6036() () () ()	1,733.	1,832.	1,945.	2,242.
		66"	1 1/2"	RPTDOPC(L/R)6636() () () ()	1,756.	1,858.	1,980.	2,299.
		72"	1 1/2"	RPTDOPC(L/R)7236() () () ()	1,780.	1,886.	2,008.	2,339.
		78"	1 1/2"	RPTDOPC(L/R)7836() () () ()	1,804.	1,909.	2,038.	2,381.
		84"	1 1/2"	RPTDOPC(L/R)8436() () () ()	1,826.	1,933.	2,069.	2,421.

Order Code

Example:	RPTDOPC(L/R)6030() () () ()
R	Reff
PT	Peninsula
D	1 1/2"
O	Open Frame Leg
PC	Power Center
L	Left hand/ Right hand
60	Width
30	Depth
P	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
P=Power Center
PE=Power center and end grommet
3. Grommet finish
Painted or plated
4. Worksurface finish
L, V1, V2, V3
5. Leg finish
Painted or Anodized
6. Stand-off finish
Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.


Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 467.

Products on this page work with 28 3/8" height planning.

Product on this page will accept woodgrain laminate where laminate is currently an option.


Peninsula 1 1/2
 Worksurface with Open Frame Leg
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	60"	1 1/2"	RPTDOST(L/R)6020() () () ()	\$1,464.	\$1,537.	\$1,619.	\$1,840.
		66"	1 1/2"	RPTDOST(L/R)6620() () () ()	1,475.	1,552.	1,639.	1,864.
		72"	1 1/2"	RPTDOST(L/R)7220() () () ()	1,504.	1,583.	1,670.	1,906.
		78"	1 1/2"	RPTDOST(L/R)7820() () () ()	1,511.	1,588.	1,680.	1,922.
		84"	1 1/2"	RPTDOST(L/R)8420() () () ()	1,543.	1,631.	1,724.	1,980.
	24"	60"	1 1/2"	RPTDOST(L/R)6024() () () ()	1,514.	1,596.	1,684.	1,926.
		66"	1 1/2"	RPTDOST(L/R)6624() () () ()	1,529.	1,614.	1,709.	1,958.
		72"	1 1/2"	RPTDOST(L/R)7224() () () ()	1,556.	1,641.	1,741.	2,003.
		78"	1 1/2"	RPTDOST(L/R)7824() () () ()	1,582.	1,672.	1,778.	2,051.
		84"	1 1/2"	RPTDOST(L/R)8424() () () ()	1,608.	1,700.	1,806.	2,091.
	30"	60"	1 1/2"	RPTDOST(L/R)6030() () () ()	1,571.	1,656.	1,754.	2,024.
		66"	1 1/2"	RPTDOST(L/R)6630() () () ()	1,581.	1,671.	1,777.	2,050.
		72"	1 1/2"	RPTDOST(L/R)7230() () () ()	1,599.	1,687.	1,791.	2,071.
		78"	1 1/2"	RPTDOST(L/R)7830() () () ()	1,626.	1,721.	1,830.	2,123.
		84"	1 1/2"	RPTDOST(L/R)8430() () () ()	1,652.	1,749.	1,863.	2,169.
	36"	60"	1 1/2"	RPTDOST(L/R)6036() () () ()	1,661.	1,758.	1,871.	2,169.
		66"	1 1/2"	RPTDOST(L/R)6636() () () ()	1,684.	1,785.	1,905.	2,226.
		72"	1 1/2"	RPTDOST(L/R)7236() () () ()	1,708.	1,813.	1,935.	2,265.
		78"	1 1/2"	RPTDOST(L/R)7836() () () ()	1,731.	1,835.	1,965.	2,307.
		84"	1 1/2"	RPTDOST(L/R)8436() () () ()	1,754.	1,859.	1,995.	2,348.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDOST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	M=Mid. grommet	Refer to grommet page for location option.
O Open Frame Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	S=Stand-off	
L Left hand/ Right hand	SE=Stand-off and end location	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
S Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

*Worksurface with Open Frame Leg
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDOFM(L/R)3620() () () ()	\$1,292.	\$1,452.	\$1,495.	\$1,644.
		42"	1 1/2"	RPTDOFM(L/R)4220() () () ()	1,305.	1,476.	1,518.	1,685.
		48"	1 1/2"	RPTDOFM(L/R)4820() () () ()	1,245.	1,308.	1,380.	1,574.
		54"	1 1/2"	RPTDOFM(L/R)5420() () () ()	1,263.	1,327.	1,406.	1,611.
		60"	1 1/2"	RPTDOFM(L/R)6020() () () ()	1,299.	1,369.	1,450.	1,672.
		66"	1 1/2"	RPTDOFM(L/R)6620() () () ()	1,310.	1,385.	1,471.	1,695.
		72"	1 1/2"	RPTDOFM(L/R)7220() () () ()	1,339.	1,415.	1,501.	1,739.
		78"	1 1/2"	RPTDOFM(L/R)7820() () () ()	1,346.	1,421.	1,512.	1,753.
		84"	1 1/2"	RPTDOFM(L/R)8420() () () ()	1,378.	1,463.	1,556.	1,812.
		<hr/>						
	24"	36"	1 1/2"	RPTDOFM(L/R)3624() () () ()	1,345.	1,527.	1,574.	1,742.
		42"	1 1/2"	RPTDOFM(L/R)4224() () () ()	1,366.	1,551.	1,603.	1,791.
		48"	1 1/2"	RPTDOFM(L/R)4824() () () ()	1,277.	1,353.	1,430.	1,640.
		54"	1 1/2"	RPTDOFM(L/R)5424() () () ()	1,310.	1,385.	1,471.	1,695.
		60"	1 1/2"	RPTDOFM(L/R)6024() () () ()	1,349.	1,428.	1,516.	1,757.
		66"	1 1/2"	RPTDOFM(L/R)6624() () () ()	1,364.	1,445.	1,540.	1,790.
		72"	1 1/2"	RPTDOFM(L/R)7224() () () ()	1,392.	1,473.	1,573.	1,835.
		78"	1 1/2"	RPTDOFM(L/R)7824() () () ()	1,417.	1,503.	1,610.	1,883.
		84"	1 1/2"	RPTDOFM(L/R)8424() () () ()	1,443.	1,532.	1,638.	1,923.
		<hr/>						
	30"	36"	1 1/2"	RPTDOFM(L/R)3630() () () ()	1,446.	1,621.	1,676.	1,871.
		42"	1 1/2"	RPTDOFM(L/R)4230() () () ()	1,460.	1,645.	1,706.	1,926.
		48"	1 1/2"	RPTDOFM(L/R)4830() () () ()	1,359.	1,440.	1,528.	1,773.
		54"	1 1/2"	RPTDOFM(L/R)5430() () () ()	1,382.	1,465.	1,557.	1,814.
		60"	1 1/2"	RPTDOFM(L/R)6030() () () ()	1,406.	1,489.	1,586.	1,855.
		66"	1 1/2"	RPTDOFM(L/R)6630() () () ()	1,416.	1,502.	1,609.	1,882.
		72"	1 1/2"	RPTDOFM(L/R)7230() () () ()	1,434.	1,519.	1,623.	1,902.
		78"	1 1/2"	RPTDOFM(L/R)7830() () () ()	1,462.	1,552.	1,662.	1,954.
		84"	1 1/2"	RPTDOFM(L/R)8430() () () ()	1,487.	1,581.	1,694.	2,000.
		<hr/>						
	36"	36"	1 1/2"	RPTDOFM(L/R)3636() () () ()	1,581.	1,752.	1,815.	2,037.
		42"	1 1/2"	RPTDOFM(L/R)4236() () () ()	1,599.	1,790.	1,862.	2,111.
		48"	1 1/2"	RPTDOFM(L/R)4836() () () ()	1,450.	1,543.	1,644.	1,918.
		54"	1 1/2"	RPTDOFM(L/R)5436() () () ()	1,473.	1,567.	1,674.	1,958.
		60"	1 1/2"	RPTDOFM(L/R)6036() () () ()	1,507.	1,590.	1,703.	2,000.

Order Code	Specification Information	Application Notes
Example: RPTDOFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End M=Mid. grommet N=No grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		Peninsula worksurfaces with power center do not come with Electrical Components.
36 Width		For electrical components please refer to page 467.
20 Depth		Products on this page work with 28 3/8" height planning.
E Grommet Option		Product on this page will accept woodgrain laminate where laminate is currently an option.
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		




Peninsula 1 1/2
Worksurface with Open Frame Leg
Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
	36"	66"	1 1/2"	RPTDOFM(L/R)6636() () () ()	\$1,519.	\$1,617.	\$1,738.	\$2,057.
		72"	1 1/2"	RPTDOFM(L/R)7236() () () ()	1,543.	1,644.	1,767.	2,097.
		78"	1 1/2"	RPTDOFM(L/R)7836() () () ()	1,567.	1,668.	1,796.	2,139.
		84"	1 1/2"	RPTDOFM(L/R)8436() () () ()	1,589.	1,691.	1,827.	2,180.

Left hand shown


Order Code	Specification Information	Application Notes
Example: RPTDOFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End M=Mid. grommet N=No grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		Peninsula worksurfaces with power center do not come with Electrical Components.
36 Width		For electrical components please refer to page 467.
20 Depth		Products on this page work with 28 3/8" height planning.
E Grommet Option		Product on this page will accept woodgrain laminate where laminate is currently an option.
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2
 Open Frame Leg Infill Options
 Infills for Peninsulas only

description	th	w	h	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEI202()	\$296.	\$384.	\$442.	\$574.	
	1"	24"	28 3/8"	RIPPEI242()	304.	394.	453.	590.	
	1"	30"	28 3/8"	RIPPEI302()	320.	414.	476.	620.	
	1"	36"	28 3/8"	RIPPEI362()	339.	440.	505.	657.	
Outside Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEO202()	297.	386.	443.	576.	
	1"	24"	28 3/8"	RIPPEO242()	305.	396.	455.	591.	
	1"	30"	28 3/8"	RIPPEO302()	322.	417.	479.	623.	
	1"	36"	28 3/8"	RIPPEO362()	340.	441.	507.	659.	
Outside Glass Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEOG202()					765.
	1"	24"	28 3/8"	RIPPEOG242()					863.
	1"	30"	28 3/8"	RIPPEOG302()					1,015.
	1"	36"	28 3/8"	RIPPEOG362()					1,171.

Order Code	Specification Information	Application Notes
Example: RIPPEI202	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill panels are required and must be ordered separately.
R Reff Profiles	1. Finish: L, V1,V2,V3,Glass	Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.
IP Infill Panel	I=Inside	Product on this page will accept woodgrain laminate where laminate is currently an option.
PE Peninsula End	O=Outside	
I Inside	OG=Outside Glass	
20 Width	Glass options:	Infills connect to each other. Can be removed without any damage to the frame legs.
2 28 3/8"h: Desk Height	GL11, GL14, GL15, GL18	Glass Option is only available for outside infill.
() Finish		Inside infill options are wood or laminate.


*Worksurface with Thick End Panel
Stand-Off with Power Center, Rectilinear top*

description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	L/V1	L/V2	L/V3
 Peninsula, Rectilinear Top <i>Left hand shown</i>	20"	60"	1 1/2"	RPTDEPC(L/R)6020() () () ()	\$1,369.	\$1,841.	\$2,118.	\$2,752.	\$2,247.	\$2,334.	\$2,435.
		66"	1 1/2"	RPTDEPC(L/R)6620() () () ()	1,379.	1,859.	2,138.	2,780.	2,262.	2,349.	2,450.
		72"	1 1/2"	RPTDEPC(L/R)7220() () () ()	1,389.	1,887.	2,171.	2,821.	2,288.	2,376.	2,476.
		78"	1 1/2"	RPTDEPC(L/R)7820() () () ()	1,400.	1,905.	2,191.	2,849.	2,303.	2,390.	2,491.
		84"	1 1/2"	RPTDEPC(L/R)8420() () () ()	1,410.	1,941.	2,233.	2,902.	2,339.	2,427.	2,528.
	24"	60"	1 1/2"	RPTDEPC(L/R)6024() () () ()	1,403.	1,888.	2,172.	2,823.	2,288.	2,375.	2,476.
		66"	1 1/2"	RPTDEPC(L/R)6624() () () ()	1,415.	1,910.	2,197.	2,856.	2,306.	2,393.	2,494.
		72"	1 1/2"	RPTDEPC(L/R)7224() () () ()	1,455.	1,932.	2,222.	2,888.	2,324.	2,411.	2,511.
		78"	1 1/2"	RPTDEPC(L/R)7824() () () ()	1,467.	1,962.	2,256.	2,934.	2,351.	2,439.	2,539.
		84"	1 1/2"	RPTDEPC(L/R)8424() () () ()	1,479.	2,000.	2,300.	2,991.	2,389.	2,477.	2,577.
	30"	60"	1 1/2"	RPTDEPC(L/R)6030() () () ()	1,569.	1,946.	2,238.	2,909.	2,337.	2,425.	2,526.
		66"	1 1/2"	RPTDEPC(L/R)6630() () () ()	1,582.	1,972.	2,267.	2,948.	2,358.	2,445.	2,546.
		72"	1 1/2"	RPTDEPC(L/R)7230() () () ()	1,597.	2,006.	2,308.	3,000.	2,390.	2,478.	2,578.
		78"	1 1/2"	RPTDEPC(L/R)7830() () () ()	1,611.	2,034.	2,339.	3,041.	2,412.	2,500.	2,600.
		84"	1 1/2"	RPTDEPC(L/R)8430() () () ()	1,625.	2,085.	2,397.	3,117.	2,462.	2,550.	2,651.
	36"	60"	1 1/2"	RPTDEPC(L/R)6036() () () ()	1,634.	2,003.	2,303.	2,995.	2,387.	2,474.	2,574.
		66"	1 1/2"	RPTDEPC(L/R)6636() () () ()	1,650.	2,034.	2,339.	3,042.	2,412.	2,499.	2,600.
		72"	1 1/2"	RPTDEPC(L/R)7236() () () ()	1,667.	2,073.	2,384.	3,099.	2,447.	2,534.	2,635.
		78"	1 1/2"	RPTDEPC(L/R)7836() () () ()	1,686.	2,104.	2,419.	3,146.	2,472.	2,559.	2,660.
		84"	1 1/2"	RPTDEPC(L/R)8436() () () ()	1,701.	2,151.	2,475.	3,217.	2,517.	2,604.	2,705.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDEPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i> P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	3. <i>Grommet finish:</i> Painted or plated	Refer to grommet page for location option.
E Thick End Panel Leg	4. <i>Worksurface finish:</i> L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. <i>Leg finish:</i> Wood or Laminate	
L Left hand/ Right hand	6. <i>Stand-off finish:</i> Painted	
60 Width		
20 Depth		
P Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
V316 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2
 Worksurface with Thick End Panel
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	L/V1	L/V2	L/V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDEST(L/R)6020() () () ()	\$1,213.	\$1,692.	\$1,946.	\$2,530.	\$2,076.	\$2,162.	\$2,263.
		66"	1 1/2"	RPTDEST(L/R)6620() () () ()	1,223.	1,711.	1,967.	2,557.	2,091.	2,178.	2,279.
		72"	1 1/2"	RPTDEST(L/R)7220() () () ()	1,233.	1,738.	1,999.	2,598.	2,117.	2,204.	2,304.
		78"	1 1/2"	RPTDEST(L/R)7820() () () ()	1,243.	1,756.	2,020.	2,627.	2,132.	2,219.	2,319.
		84"	1 1/2"	RPTDEST(L/R)8420() () () ()	1,253.	1,793.	2,062.	2,681.	2,168.	2,255.	2,356.
	24"	60"	1 1/2"	RPTDEST(L/R)6024() () () ()	1,247.	1,739.	2,000.	2,600.	2,117.	2,203.	2,304.
		66"	1 1/2"	RPTDEST(L/R)6624() () () ()	1,259.	1,762.	2,026.	2,634.	2,135.	2,222.	2,323.
		72"	1 1/2"	RPTDEST(L/R)7224() () () ()	1,299.	1,783.	2,050.	2,665.	2,152.	2,240.	2,340.
		78"	1 1/2"	RPTDEST(L/R)7824() () () ()	1,311.	1,814.	2,085.	2,710.	2,180.	2,267.	2,367.
		84"	1 1/2"	RPTDEST(L/R)8424() () () ()	1,323.	1,851.	2,129.	2,768.	2,217.	2,305.	2,405.
	30"	60"	1 1/2"	RPTDEST(L/R)6030() () () ()	1,412.	1,797.	2,067.	2,687.	2,165.	2,253.	2,354.
		66"	1 1/2"	RPTDEST(L/R)6630() () () ()	1,426.	1,823.	2,096.	2,725.	2,187.	2,274.	2,375.
		72"	1 1/2"	RPTDEST(L/R)7230() () () ()	1,441.	1,857.	2,137.	2,777.	2,219.	2,306.	2,406.
		78"	1 1/2"	RPTDEST(L/R)7830() () () ()	1,455.	1,885.	2,168.	2,807.	2,241.	2,329.	2,429.
		84"	1 1/2"	RPTDEST(L/R)8430() () () ()	1,469.	1,936.	2,226.	2,894.	2,291.	2,379.	2,480.
	36"	60"	1 1/2"	RPTDEST(L/R)6036() () () ()	1,477.	1,854.	2,132.	2,771.	2,215.	2,302.	2,403.
		66"	1 1/2"	RPTDEST(L/R)6636() () () ()	1,494.	1,885.	2,168.	2,818.	2,241.	2,634.	2,429.
		72"	1 1/2"	RPTDEST(L/R)7236() () () ()	1,511.	1,924.	2,212.	2,876.	2,276.	2,362.	2,463.
		78"	1 1/2"	RPTDEST(L/R)7836() () () ()	1,529.	1,955.	2,248.	2,923.	2,301.	2,388.	2,489.
		84"	1 1/2"	RPTDEST(L/R)8436() () () ()	1,544.	2,002.	2,303.	2,994.	2,346.	2,433.	2,534.

Order Code	Specification Information	Application Notes
Example: RPTDEST(L/R)6030() () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option: E = End grommet N = No grommet S = Stand-off SE = Stand-off and end location SD = Stand-off with drop in box SDR = Right hand stand-off with drop in box SDL = Left hand stand-off with drop in box	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"		Refer to grommet page for location option.
E Thick End Panel Leg		From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off		
L Left hand/ Right hand		
60 Width		
20 Depth		
S Grommet Option		
115 Grommet Finish	3. Grommet finish: Painted or plated	
V316 Worksurface Finish	4. Worksurface finish: L, V1, V2, V3	
V316 Leg Finish	5. Leg finish: Wood or Laminate	
115 Stand-Off Finish	6. Stand-off finish: Painted	


*Worksurface with Thick End Panel
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	M/V1	M/V2	M/V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDEFM(L/R)3620() () () ()	\$988.	\$1,406.	\$1,617.	\$2,101.	\$1,769.	\$1,856.	\$1,957.
		42"	1 1/2"	RPTDEFM(L/R)4220() () () ()	1,002.	1,430.	1,645.	2,138.	1,792.	1,879.	1,980.
		48"	1 1/2"	RPTDEFM(L/R)4820() () () ()	1,025.	1,454.	1,671.	2,173.	1,812.	1,899.	1,999.
		54"	1 1/2"	RPTDEFM(L/R)5420() () () ()	1,028.	1,472.	1,692.	2,200.	1,827.	1,914.	2,015.
		60"	1 1/2"	RPTDEFM(L/R)6020() () () ()	1,085.	1,569.	1,803.	2,345.	1,933.	2,021.	2,122.
		66"	1 1/2"	RPTDEFM(L/R)6620() () () ()	1,096.	1,587.	1,825.	2,373.	1,948.	2,036.	2,136.
		72"	1 1/2"	RPTDEFM(L/R)7220() () () ()	1,106.	1,615.	1,856.	2,413.	1,975.	2,061.	2,162.
		78"	1 1/2"	RPTDEFM(L/R)7820() () () ()	1,116.	1,633.	1,878.	2,441.	1,990.	2,077.	2,178.
		84"	1 1/2"	RPTDEFM(L/R)8420() () () ()	1,126.	1,669.	1,919.	2,495.	2,026.	2,113.	2,213.
	24"	36"	1 1/2"	RPTDEFM(L/R)3624() () () ()	1,020.	1,438.	1,654.	2,150.	1,796.	1,884.	1,984.
		42"	1 1/2"	RPTDEFM(L/R)4224() () () ()	1,042.	1,464.	1,683.	2,188.	1,820.	1,906.	2,007.
		48"	1 1/2"	RPTDEFM(L/R)4824() () () ()	1,064.	1,485.	1,707.	2,220.	1,837.	1,925.	2,025.
		54"	1 1/2"	RPTDEFM(L/R)5424() () () ()	1,076.	1,508.	1,734.	2,254.	1,856.	1,944.	2,045.
		60"	1 1/2"	RPTDEFM(L/R)6024() () () ()	1,120.	1,616.	1,858.	2,415.	1,975.	2,061.	2,162.
		66"	1 1/2"	RPTDEFM(L/R)6624() () () ()	1,132.	1,638.	1,884.	2,449.	1,992.	2,080.	2,180.
		72"	1 1/2"	RPTDEFM(L/R)7224() () () ()	1,172.	1,660.	1,908.	2,481.	2,010.	2,098.	2,198.
		78"	1 1/2"	RPTDEFM(L/R)7824() () () ()	1,183.	1,689.	1,943.	2,526.	2,038.	2,125.	2,226.
		84"	1 1/2"	RPTDEFM(L/R)8424() () () ()	1,195.	1,728.	1,987.	2,584.	2,076.	2,163.	2,263.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDEFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand:</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	E = End	Refer to grommet page for location option.
E Thick End Panel Leg	M = Mid. grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	N = No grommet	
L Left hand/ Right hand	3. <i>Grommet finish:</i>	
60 Width	Painted or plated	
20 Depth	4. <i>Worksurface finish:</i>	
E Grommet Option	L, V1, V2, V3	
115 Grommet Finish	5. <i>Leg finish:</i>	
V316 Worksurface Finish	Wood or Laminate	
V316 Leg Finish	6. <i>Stand Off finish:</i>	
115 Stand-Off Finish	Painted	



*Worksurface with Thick End Panel
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	M/V1	M/V2	M/V3
 Peninsula, Rectilinear Top Left hand shown	30"	36"	1 1/2"	RPTDEFM(L/R)3630() () () ()	\$1,100.	\$1,473.	\$1,694.	\$2,202.	\$1,827.	\$1,914.	\$2,015.
		42"	1 1/2"	RPTDEFM(L/R)4230() () () ()	1,114.	1,499.	1,725.	2,242.	1,849.	1,936.	2,037.
		48"	1 1/2"	RPTDEFM(L/R)4830() () () ()	1,145.	1,534.	1,765.	2,294.	1,881.	1,968.	2,069.
		54"	1 1/2"	RPTDEFM(L/R)5430() () () ()	1,159.	1,561.	1,794.	2,333.	1,901.	1,989.	2,090.
		60"	1 1/2"	RPTDEFM(L/R)6030() () () ()	1,284.	1,674.	1,925.	2,502.	2,024.	2,111.	2,211.
		66"	1 1/2"	RPTDEFM(L/R)6630() () () ()	1,299.	1,699.	1,954.	2,541.	2,045.	2,132.	2,233.
		72"	1 1/2"	RPTDEFM(L/R)7230() () () ()	1,313.	1,734.	1,994.	2,593.	2,077.	2,163.	2,264.
		78"	1 1/2"	RPTDEFM(L/R)7830() () () ()	1,327.	1,761.	2,025.	2,633.	2,099.	2,186.	2,287.
		84"	1 1/2"	RPTDEFM(L/R)8430() () () ()	1,342.	1,813.	2,084.	2,709.	2,149.	2,237.	2,337.
		36"	36"	1 1/2"	RPTDEFM(L/R)3636() () () ()	1,170.	1,505.	1,731.	2,250.	1,853.	1,941.
		42"	1 1/2"	RPTDEFM(L/R)4236() () () ()	1,204.	1,543.	1,775.	2,307.	1,888.	1,976.	2,076.
		48"	1 1/2"	RPTDEFM(L/R)4836() () () ()	1,206.	1,582.	1,820.	2,365.	1,923.	2,010.	2,110.
		54"	1 1/2"	RPTDEFM(L/R)5436() () () ()	1,222.	1,614.	1,855.	2,412.	1,948.	2,036.	2,136.
		60"	1 1/2"	RPTDEFM(L/R)6036() () () ()	1,350.	1,730.	1,990.	2,587.	2,074.	2,160.	2,261.
		66"	1 1/2"	RPTDEFM(L/R)6636() () () ()	1,367.	1,762.	2,026.	2,634.	2,098.	2,186.	2,287.
		72"	1 1/2"	RPTDEFM(L/R)7236() () () ()	1,383.	1,800.	2,071.	2,692.	2,134.	2,221.	2,322.
		78"	1 1/2"	RPTDEFM(L/R)7836() () () ()	1,402.	1,832.	2,106.	2,738.	2,158.	2,246.	2,347.
		84"	1 1/2"	RPTDEFM(L/R)8436() () () ()	1,417.	1,879.	2,161.	2,809.	2,204.	2,291.	2,392.

Order Code	Specification Information	Application Notes
Example: RPTDEFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand:</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	E = End	Refer to grommet page for location option.
E Thick End Panel Leg	M = Mid. grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	N = No grommet	
L Left hand/ Right hand	3. <i>Grommet finish:</i>	
60 Width	Painted or plated	
20 Depth	4. <i>Worksurface finish:</i>	
E Grommet Option	L, V1, V2, V3	
115 Grommet Finish	5. <i>Leg finish:</i>	
V316 Worksurface Finish	Wood or Laminate	
V316 Leg Finish	6. <i>Stand Off finish:</i>	
115 Stand-Off Finish	Painted	

Worksurface with Column Leg

Stand-Off with Power Center, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	V1	V2	V3
 Peninsula, Asymmetrical Bullet Top <i>Left handed peninsula shown</i>	30"	60"	1 1/2"	RATDCPC(L/R)6030() () () ()	\$1,690.	\$1,817.	\$1,900.	\$2,230.
		66"	1 1/2"	RATDCPC(L/R)6630() () () ()	1,711.	1,839.	1,929.	2,285.
		66"	1 1/2"	RATDCPC(L/R)7230() () () ()	1,739.	1,868.	1,966.	2,350.
		78"	1 1/2"	RATDCPC(L/R)7830() () () ()	1,758.	1,890.	1,995.	2,408.
		84"	1 1/2"	RATDCPC(L/R)8430() () () ()	1,785.	1,919.	2,031.	2,472.
	36"	60"	1 1/2"	RATDCPC(L/R)6036() () () ()	1,737.	1,864.	1,961.	2,338.
		66"	1 1/2"	RATDCPC(L/R)6636() () () ()	1,760.	1,889.	1,995.	2,405.
		72"	1 1/2"	RATDCPC(L/R)7236() () () ()	1,791.	1,922.	2,036.	2,478.
		78"	1 1/2"	RATDCPC(L/R)7836() () () ()	1,814.	1,947.	2,071.	2,545.
		84"	1 1/2"	RATDCPC(L/R)8436() () () ()	1,838.	1,972.	2,103.	2,608.
 Peninsula, Symmetrical Bullet Top <i>Left hand shown</i>	30"	60"	1 1/2"	RSTDCPC(L/R)6030() () () ()	1,907.	2,069.	2,151.	2,481.
		66"	1 1/2"	RSTDCPC(L/R)6630() () () ()	1,932.	2,097.	2,188.	2,545.
		72"	1 1/2"	RSTDCPC(L/R)7230() () () ()	1,953.	2,120.	2,216.	2,602.
		78"	1 1/2"	RSTDCPC(L/R)7830() () () ()	1,973.	2,141.	2,246.	2,659.
		84"	1 1/2"	RSTDCPC(L/R)8430() () () ()	2,000.	2,171.	2,282.	2,723.
	36"	60"	1 1/2"	RSTDCPC(L/R)6036() () () ()	1,949.	2,114.	2,212.	2,589.
		66"	1 1/2"	RSTDCPC(L/R)6636() () () ()	1,973.	2,141.	2,247.	2,656.
		72"	1 1/2"	RSTDCPC(L/R)7236() () () ()	2,003.	2,174.	2,288.	2,729.
		78"	1 1/2"	RSTDCPC(L/R)7836() () () ()	2,026.	2,199.	2,322.	2,796.
		84"	1 1/2"	RSTDCPC(L/R)8436() () () ()	2,050.	2,225.	2,355.	2,861.

Worksurfaces

Order Code

Example:	RATDCPC(L/R)6030() () () ()
R	Reff
AT	Asymmetrical Top
D	1 1/2"
C	Column Leg
PC	Power Center
L	Left hand/ Right hand
60	Width
30	Depth
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-off Finish

Specification Information

To order please specify pattern number including:

- Grommet finish: Painted or Plated
- Top finish: L, V1, V2, V3
- Leg finish: Painted or Plated
- Stand-off finish: Painted

Grommet type: P only

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.



For electrical components please refer to page 467.

Products on this page work with 28 3/8" height planning.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface with Column Leg



Simple Stand-Off, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, Asymmetrical Bullet Top 	30"	60"	1 1/2"	RATDCST(L/R)6030() () () ()	\$1,499.	\$1,621.	\$1,705.	\$2,034.
		66"	1 1/2"	RATDCST(L/R)6630() () () ()	1,519.	1,643.	1,734.	2,090.
		72"	1 1/2"	RATDCST(L/R)7230() () () ()	1,547.	1,673.	1,771.	2,155.
		78"	1 1/2"	RATDCST(L/R)7830() () () ()	1,567.	1,694.	1,799.	2,212.
		84"	1 1/2"	RATDCST(L/R)8430() () () ()	1,593.	1,723.	1,835.	2,277.
Left handed peninsula shown	36"	60"	1 1/2"	RATDCST(L/R)6036() () () ()	1,545.	1,669.	1,766.	2,142.
		66"	1 1/2"	RATDCST(L/R)6636() () () ()	1,569.	1,693.	1,799.	2,209.
		72"	1 1/2"	RATDCST(L/R)7236() () () ()	1,600.	1,726.	1,841.	2,282.
		78"	1 1/2"	RATDCST(L/R)7836() () () ()	1,622.	1,751.	1,876.	2,349.
		84"	1 1/2"	RATDCST(L/R)8436() () () ()	1,646.	1,777.	1,907.	2,413.
Peninsula, Symmetrical Bullet Top 	30"	60"	1 1/2"	RSTDCST(L/R)6030() () () ()	1,781.	1,932.	2,017.	2,344.
		66"	1 1/2"	RSTDCST(L/R)6630() () () ()	1,799.	1,953.	2,044.	2,401.
		72"	1 1/2"	RSTDCST(L/R)7230() () () ()	1,827.	1,983.	2,081.	2,465.
		78"	1 1/2"	RSTDCST(L/R)7830() () () ()	1,848.	2,005.	2,110.	2,523.
		84"	1 1/2"	RSTDCST(L/R)8430() () () ()	1,875.	2,034.	2,146.	2,588.
Left hand shown	36"	60"	1 1/2"	RSTDCST(L/R)6036() () () ()	1,824.	1,980.	2,076.	2,453.
		66"	1 1/2"	RSTDCST(L/R)6636() () () ()	1,848.	2,004.	2,110.	2,520.
		72"	1 1/2"	RSTDCST(L/R)7236() () () ()	1,878.	2,037.	2,151.	2,592.
		78"	1 1/2"	RSTDCST(L/R)7836() () () ()	1,900.	2,034.	2,185.	2,660.
		84"	1 1/2"	RSTDCST(L/R)8436() () () ()	1,924.	2,088.	2,219.	2,724.

Order Code	Specification Information	Application Notes
Example: RATDCST (L/R)6030	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff		
AT Asymmetrical Top	1. Grommet option: N=No grommet E=End grommet S=Grommet over Stand-Off SE=Grommet over Stand-off plus end grommet	Wire chase sold separately.
D 1 1/2"	SD=Stand-off with drop in box	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg	SDR=Right hand stand-off with drop in box	Refer to grommet page for location option.
ST Stand-Off	SDL=Left hand stand-off with drop in box	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L/R Left/Right Hand	2. Grommet finish: Painted or Plated	Peninsula worksurfaces with power center do not come with Electrical Components.
60 Width	3. Top finish: L, V1, V2, V3	For electrical components please refer to page 467.
30 Depth	4. Leg finish: Painted or Plated	Products on this page work with 28 3/8" height planning.
N Grommet Option	5. Stand-off finish: Painted	
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Worksurface with Column Leg



Flush Mount Attachment, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	V1	V2	V3
 <p>Left handed peninsula shown</p>	30"	48"	1 1/2"	RATDCFM(L/R)4830() () ()	\$1,341.	\$1,456.	\$1,525.	\$1,796.
		54"	1 1/2"	RATDCFM(L/R)5430() () ()	1,361.	1,476.	1,552.	1,853.
		60"	1 1/2"	RATDCFM(L/R)6030() () ()	1,412.	1,533.	1,617.	1,946.
		66"	1 1/2"	RATDCFM(L/R)6630() () ()	1,433.	1,554.	1,645.	2,001.
		72"	1 1/2"	RATDCFM(L/R)7230() () ()	1,461.	1,584.	1,682.	2,067.
		78"	1 1/2"	RATDCFM(L/R)7830() () ()	1,480.	1,607.	1,712.	2,125.
		84"	1 1/2"	RATDCFM(L/R)8430() () ()	1,507.	1,635.	1,747.	2,188.
	36"	48"	1 1/2"	RATDCFM(L/R)4836() () ()	1,378.	1,495.	1,575.	1,887.
		54"	1 1/2"	RATDCFM(L/R)5436() () ()	1,401.	1,520.	1,610.	1,954.
		60"	1 1/2"	RATDCFM(L/R)6036() () ()	1,456.	1,580.	1,678.	2,054.
		66"	1 1/2"	RATDCFM(L/R)6636() () ()	1,479.	1,605.	1,712.	2,122.
		72"	1 1/2"	RATDCFM(L/R)7236() () ()	1,509.	1,638.	1,752.	2,194.
		78"	1 1/2"	RATDCFM(L/R)7836() () ()	1,533.	1,663.	1,787.	2,261.
		84"	1 1/2"	RATDCFM(L/R)8436() () ()	1,556.	1,688.	1,820.	2,326.
 <p>Left hand shown</p>	30"	48"	1 1/2"	RSTDCFM(L/R)4830() () ()	1,593.	1,729.	1,798.	2,071.
		54"	1 1/2"	RSTDCFM(L/R)5430() () ()	1,613.	1,750.	1,827.	2,127.
		60"	1 1/2"	RSTDCFM(L/R)6030() () ()	1,666.	1,807.	1,891.	2,219.
		66"	1 1/2"	RSTDCFM(L/R)6630() () ()	1,685.	1,828.	1,919.	2,276.
		72"	1 1/2"	RSTDCFM(L/R)7230() () ()	1,712.	1,857.	1,956.	2,341.
		78"	1 1/2"	RSTDCFM(L/R)7830() () ()	1,732.	1,880.	1,985.	2,397.
		84"	1 1/2"	RSTDCFM(L/R)8430() () ()	1,759.	1,909.	2,022.	2,461.
	36"	48"	1 1/2"	RSTDCFM(L/R)4836() () ()	1,629.	1,768.	1,849.	2,161.
		54"	1 1/2"	RSTDCFM(L/R)5436() () ()	1,654.	1,794.	1,884.	2,229.
		60"	1 1/2"	RSTDCFM(L/R)6036() () ()	1,708.	1,853.	1,951.	2,327.
		66"	1 1/2"	RSTDCFM(L/R)6636() () ()	1,732.	1,880.	1,986.	2,394.
		72"	1 1/2"	RSTDCFM(L/R)7236() () ()	1,762.	1,913.	2,027.	2,466.
		78"	1 1/2"	RSTDCFM(L/R)7836() () ()	1,785.	1,937.	2,060.	2,534.
		84"	1 1/2"	RSTDCFM(L/R)8436() () ()	1,809.	1,962.	2,094.	2,599.

Worksurfaces


Order Code	Specification Information	Application Notes	
Example: RATDCFM (L/R)4830	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Grommet option: E=End grommet N=No grommet Grommet finish: Painted or Plated Top finish: L, V1, V2, V3 Leg finish: Painted or Plated 	<p>Modesty sold separately and can be field installed.</p> <p>Wire chase sold separately.</p> <p>Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.</p> <p>Refer to grommet page for location option.</p> <p>From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.</p>	
R Reff			<p>Peninsula worksurfaces with power center do not come with Electrical Components.</p> <p>For electrical components please refer to page 467.</p> <p>Products on this page work with 28 3/8" height planning.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p>
AT Asymmetrical Top			
D 1 1/2"			
C Column Leg			
FM Flush Mount Plate			
L/R Left/Right Hand			
48 Width			
30 Depth			
N Grommet Option			
115 Grommet Finish			
V316 Worksurface Finish			
115 Leg Finish			

Peninsula 1 1/2
Worksurface with Column Leg
Flush Mount Attachment, P and 9 tops

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, P Shaped Top 	30"	84"	1 1/2"	RPTDCFM8430 () () ()	\$2,026.	\$2,221.	\$2,513.	\$3,296.
	30"	96"	1 1/2"	RPTDCFM9630 () () ()	2,098.	2,306.	2,605.	3,419.
Peninsula, 9 Shaped Top 	30"	84"	1 1/2"	R9TDCFM8430 () () ()	2,026.	2,221.	2,513.	3,296.
	30"	96"	1 1/2"	R9TDCFM9630 () () ()	2,098.	2,306.	2,605.	3,419.

Order Code	Specification Information	Application Notes
Example: RPTDCFM8430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: F=Flush M=Mid. Grommet N=No grommet	Wire chase sold separately.
PT P-Shaped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
84 Width		For electrical components please refer to page 467.
30 Depth		Products on this page work with 28 3/8" height planning.
N Grommet Option		Product on this page will accept woodgrain laminate where laminate is currently an option.
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2
 Worksurface with Column Leg
 Stand-Off with Power Center, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	66"	1 1/2"	RDTDCPC(L/R)6630() () () ()	\$1,688.	\$1,914.	\$1,997.	\$2,328.
		72"	1 1/2"	RDTDCPC(L/R)7230() () () ()	1,712.	1,940.	2,032.	2,389.
		78"	1 1/2"	RDTDCPC(L/R)7830() () () ()	1,730.	1,961.	2,059.	2,443.
		84"	1 1/2"	RDTDCPC(L/R)8430() () () ()	1,754.	1,988.	2,092.	2,502.
		90"	1 1/2"	RDTDCPC(L/R)9030() () () ()	1,773.	2,008.	2,120.	2,555.
		96"	1 1/2"	RDTDCPC(L/R)9630() () () ()	1,789.	2,028.	2,144.	2,605.
	36"	66"	1 1/2"	RDTDCPC(L/R)6636() () () ()	1,729.	1,960.	2,059.	2,440.
		72"	1 1/2"	RDTDCPC(L/R)7236() () () ()	1,757.	1,991.	2,097.	2,507.
		78"	1 1/2"	RDTDCPC(L/R)7836() () () ()	1,777.	2,015.	2,129.	2,569.
		84"	1 1/2"	RDTDCPC(L/R)8436() () () ()	1,797.	2,037.	2,160.	2,630.
		90"	1 1/2"	RDTDCPC(L/R)9036() () () ()	1,819.	2,061.	2,192.	2,691.
		96"	1 1/2"	RDTDCPC(L/R)9636() () () ()	1,841.	2,086.	2,223.	2,753.

Order Code

Example:	RDTDCPCL6630 () () ()
R	Reff
DT	P-Shaped top
D	1 1/2"
C	Column Leg
PC	Power Center
L	Width
66	Width
30	Depth
P	Grommet option
115	Grommet finish
V316	Top finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

- Grommet option:
 P=Power center
 PM=Power center and middle grommet
- Grommet finish:
 Painted or Plated
- Top finish:
 L, V1, V2, V3
- Leg finish:
 Painted or Plated
- Stand-off finish:
 Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.


Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 467.

Products on this page work with 28 3/8" height planning.


Product on this page will accept woodgrain laminate where laminate is currently an option.

Peninsula 1 1/2
 Worksurface with Column Leg
 Simple Stand-Off, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula, D-Shaped Top <i>Left hand shown</i>	30"	66"	1 1/2"	RDTDCST(L/R)6630() () () ()	\$1,544.	\$1,749.	\$1,833.	\$2,164.
		72"	1 1/2"	RDTDCST(L/R)7230() () () ()	1,568.	1,777.	1,868.	2,226.
		78"	1 1/2"	RDTDCST(L/R)7830() () () ()	1,586.	1,797.	1,895.	2,279.
		84"	1 1/2"	RDTDCST(L/R)8430() () () ()	1,609.	1,824.	1,928.	2,339.
		90"	1 1/2"	RDTDCST(L/R)9030() () () ()	1,627.	1,845.	1,955.	2,391.
		96"	1 1/2"	RDTDCST(L/R)9630() () () ()	1,645.	1,864.	1,981.	2,442.
	36"	66"	1 1/2"	RDTDCST(L/R)6636() () () ()	1,585.	1,796.	1,895.	2,276.
		72"	1 1/2"	RDTDCST(L/R)7236() () () ()	1,612.	1,827.	1,933.	2,343.
		78"	1 1/2"	RDTDCST(L/R)7836() () () ()	1,633.	1,850.	1,965.	2,406.
		84"	1 1/2"	RDTDCST(L/R)8436() () () ()	1,653.	1,873.	1,996.	2,465.
		90"	1 1/2"	RDTDCST(L/R)9036() () () ()	1,674.	1,897.	2,028.	2,527.
		96"	1 1/2"	RDTDCST(L/R)9636() () () ()	1,695.	1,922.	2,059.	2,589.

Order Code	Specification Information	Application Notes
Example: RDTDCST6630 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff		
DT D-Shaped top	1. Grommet option: M=Mid. Grommet N=No grommet S=Stand-off	Wire chase sold separately.
D 1 1/2"	SM=Stand-off plus grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg	SD=Stand-off with drop in box	Refer to grommet page for location option.
ST Stand-Off	SDL=Left hand Stand-off with drop in box	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
66 Width	SDR=Right hand Stand-off with drop in box	
30 Depth		
N Grommet Option	2. Grommet finish: Painted or Plated	
115 Grommet Finish	3. Top finish: L, V1, V2, V3	
V316 Worksurface Finish	4. Leg finish: Painted or Plated	
115 Leg Finish	5. Stand-off finish: Painted	
115 Stand-Off Finish		Peninsula worksurfaces with power center do not come with Electrical Components. For electrical components please refer to page 467. Products on this page work with 28 3/8" height planning. Product on this page will accept woodgrain laminate where laminate is currently an option.

Peninsula 1 1/2
 Worksurface with Column Leg
 Flush Mount Attachment, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	54"	1 1/2"	RDTDCFM(L/R)5430() () () ()	\$1,369.	\$1,551.	\$1,623.	\$1,901.
		60"	1 1/2"	RDTDCFM(L/R)6030() () () ()	1,423.	1,613.	1,690.	1,996.
		66"	1 1/2"	RDTDCFM(L/R)6630() () () ()	1,441.	1,633.	1,717.	2,049.
		72"	1 1/2"	RDTDCFM(L/R)7230() () () ()	1,465.	1,660.	1,751.	2,108.
		78"	1 1/2"	RDTDCFM(L/R)7830() () () ()	1,483.	1,681.	1,779.	2,162.
		84"	1 1/2"	RDTDCFM(L/R)8430() () () ()	1,507.	1,707.	1,813.	2,222.
	36"	54"	1 1/2"	RDTDCFM(L/R)5436() () () ()	1,405.	1,592.	1,676.	1,996.
		60"	1 1/2"	RDTDCFM(L/R)6036() () () ()	1,462.	1,656.	1,747.	2,097.
		66"	1 1/2"	RDTDCFM(L/R)6636() () () ()	1,482.	1,680.	1,779.	2,159.
		72"	1 1/2"	RDTDCFM(L/R)7236() () () ()	1,509.	1,711.	1,817.	2,227.
		78"	1 1/2"	RDTDCFM(L/R)7836() () () ()	1,531.	1,735.	1,849.	2,289.
		84"	1 1/2"	RDTDCFM(L/R)8436() () () ()	1,551.	1,757.	1,880.	2,349.

Order Code	Specification Information	Application Notes
Example: RDTDCFM5430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: N=None M=Middle	Wire chase sold separately.
DT P-Shapped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Worksurface finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
54 Width		For electrical components please refer to page 467.
30 Depth		Products on this page work with 28 3/8" height planning.
M Grommet Option		Product on this page will accept woodgrain laminate where laminate is currently an option.
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		

Tables, 1 1/2"
 Rectangle with Open Frame Leg
 24", 30" and 36" deep - 26 1/2" High

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 26 1/2" height leg	1 1/2"	24"	60"	RTRDOF60241() ()	\$1,750.	\$1,933.	\$2,001.	\$2,252.
	1 1/2"	24"	66"	RTRDOF66241() ()	1,762.	1,952.	2,027.	2,299.
	1 1/2"	24"	72"	RTRDOF72241() ()	1,775.	1,967.	2,049.	2,317.
	1 1/2"	24"	78"	RTRDOF78241() ()	1,793.	2,009.	2,095.	2,410.
	1 1/2"	24"	84"	RTRDOF84241() ()	1,805.	2,048.	2,138.	2,475.




Table Top Rectangle 30" Deep with 26 1/2" height leg	1 1/2"	30"	60"	RTRDOF60301() ()	1,845.	2,003.	2,085.	2,378.
	1 1/2"	30"	66"	RTRDOF66301() ()	1,858.	2,026.	2,115.	2,432.
	1 1/2"	30"	72"	RTRDOF72301() ()	1,875.	2,042.	2,157.	2,499.
	1 1/2"	30"	78"	RTRDOF78301() ()	1,895.	2,092.	2,195.	2,561.
	1 1/2"	30"	84"	RTRDOF84301() ()	1,909.	2,143.	2,253.	2,644.





Table Top Rectangle 36" Deep with 26 1/2" height leg	1 1/2"	36"	60"	RTRDOF60361() ()	1,871.	2,055.	2,150.	2,484.
	1 1/2"	36"	66"	RTRDOF66361() ()	1,887.	2,083.	2,187.	2,548.
	1 1/2"	36"	72"	RTRDOF72361() ()	1,906.	2,122.	2,234.	2,621.
	1 1/2"	36"	78"	RTRDOF78361() ()	1,929.	2,155.	2,277.	2,693.
	1 1/2"	36"	84"	RTRDOF84361() ()	1,945.	2,201.	2,330.	2,773.



Order Code	Specification Information	Application Notes
Example: RTSDRL42421 () () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff		
TR Table Rectangular	1. Worksurface finish L, V1, V2, V3	Modesty sold separately.
D 1 1/2"		
OF Open Frame Leg	2. Open Frame Leg finish Painted and Anodized	1 1/2" top will come with appropriate stiffener support.
60 Width		
30 Depth		Grommets are NOT optional for these tables.
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2" Rectangle with Open Frame Leg 24", 30" and 36" deep - 28 3/8" High

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 28 3/8" height leg	1 1/2"	24"	60"	RTRDOF60242() ()	\$1,750.	\$1,933.	\$2,001.	\$2,252.
	1 1/2"	24"	66"	RTRDOF66242() ()	1,762.	1,952.	2,027.	2,299.
	1 1/2"	24"	72"	RTRDOF72242() ()	1,775.	1,967.	2,049.	2,317.
	1 1/2"	24"	78"	RTRDOF78242() ()	1,793.	2,009.	2,095.	2,410.
	1 1/2"	24"	84"	RTRDOF84242() ()	1,805.	2,048.	2,138.	2,475.




Table Top Rectangle 30" Deep with 28 3/8" height leg	1 1/2"	30"	60"	RTRDOF60302() ()	1,845.	2,003.	2,085.	2,378.
	1 1/2"	30"	66"	RTRDOF66302() ()	1,858.	2,026.	2,115.	2,432.
	1 1/2"	30"	72"	RTRDOF72302() ()	1,875.	2,042.	2,157.	2,499.
	1 1/2"	30"	78"	RTRDOF78302() ()	1,895.	2,092.	2,195.	2,561.
	1 1/2"	30"	84"	RTRDOF84302() ()	1,909.	2,143.	2,253.	2,644.






Table Top Rectangle 36" Deep with 28 3/8" height leg	1 1/2"	36"	60"	RTRDOF60362() ()	1,871.	2,055.	2,150.	2,484.
	1 1/2"	36"	66"	RTRDOF66362() ()	1,887.	2,083.	2,187.	2,548.
	1 1/2"	36"	72"	RTRDOF72362() ()	1,906.	2,122.	2,234.	2,621.
	1 1/2"	36"	78"	RTRDOF78362() ()	1,929.	2,155.	2,277.	2,693.
	1 1/2"	36"	84"	RTRDOF84362() ()	1,945.	2,201.	2,330.	2,773.





Worksurfaces

Order Code	Specification Information	Application Notes
Example: R TSDRL42421 () () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff		
TR Table Rectangular	1. Worksurface finish L, V1, V2, V3	Modesty sold separately.
D 1 1/2"		
OF Open Frame Leg	2. Open Frame Leg finish Painted and Anodized	1 1/2" top will come with appropriate stiffener support.
60 Width		
30 Depth	Grommets are NOT optional for these tables.	
2 28 3/8" height leg		
V316 Finish		Product on this page will accept woodgrain laminate where laminate is currently an option.
111 Leg Finish		

*Open Frame Leg Infill Options - 26 1/2" High
Infills for Tables only*

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 26 1/2" h 	24"	20"	RIPI201()	\$296.	\$384.	\$442.	\$574.	
	24"	24"	RIPI241()	304.	394.	453.	590.	
	24"	30"	RIPI301()	320.	414.	476.	620.	
	24"	36"	RIPI361()	339.	440.	505.	657.	

Outside Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	RIPO201()	297.	386.	443.	576.	
	25"	24"	RIPO241()	305.	396.	455.	591.	
	25"	30"	RIPO301()	322.	417.	479.	623.	
	25"	36"	RIPO361()	340.	441.	507.	659.	


Outside Glass Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	RIPOG201()					765.
	25"	24"	RIPOG241()					863.
	25"	30"	RIPOG301()					1,015.
	25"	36"	RIPOG361()					1,171.


Order Code	Specification Information	Application Notes
Example: RIPEI202 R Reff Profiles IP Infill Panel PE Peninsula End I Inside 20 Width 2 23 3/8" h: Desk Height () Finish	To order please specify pattern number including: 1. Finish: L, V1,V2,V3, Glass I=Inside O=Outside OG=Outside Glass Glass options: GL11, GL14, GL15, GL18	Both Inside and Outside infill panels are required and must be ordered separately. Infills; fill entire opening of open frame legs. Infills connect to each other. Can be removed without any damage to the frame legs. Glass Option is only available for outside infill. Inside infill options are wood or laminate.


Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.

 Product on this page will accept woodgrain laminate where laminate is currently an option.

*Open Frame Leg Infill Options - 28 3/8" High
Infills for Tables only*

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 28 3/8" h 	26"	20"	RIPI202()	\$296.	\$384.	\$442.	\$574.	
	26"	24"	RIPI242()	304.	394.	453.	590.	
	26"	30"	RIPI302()	320.	414.	476.	620.	
	26"	36"	RIPI362()	339.	440.	505.	657.	

Outside Infill Options for Open Frame Legs 28 3/8" h 	27"	20"	RIPO202()	297.	386.	443.	576.	
	27"	24"	RIPO242()	305.	396.	455.	591.	
	27"	30"	RIPO302()	322.	417.	479.	623.	
	27"	36"	RIPO362()	340.	441.	507.	659.	

Outside Glass Infill Options for Open Frame Legs 28 3/8" h 	27"	20"	RIPOG202()					765.
	27"	24"	RIPOG242()					863.
	27"	30"	RIPOG302()					1,015.
	27"	36"	RIPOG362()					1,171.

Order Code	Specification Information	Application Notes
Example: RIPEI202 R Reff Profiles IP Infill Panel PE Peninsula End I Inside 20 Width 2 28 3/8" h: Desk Height () Finish	To order please specify pattern number including: 1. Finish: L, V1,V2,V3, Glass I=Inside O=Outside OG=Outside Glass Glass options: GL11, GL14, GL15, GL18	Both Inside and Outside infill panels are required and must be ordered separately. Infills; fill entire opening of open frame legs. Infills connect to each other. Can be removed without any damage to the frame legs. Glass Option is only available for outside infill. Inside infill options are wood or laminate.

Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.

Tables, 1 1/2"
 Rectangle with L-Leg
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDL48301 () ()	\$1,484.	\$1,607.	\$1,676.	\$1,948.
	30"	60"	1 1/2"	RTRDL60301 () ()	1,556.	1,685.	1,768.	2,097.
	30"	72"	1 1/2"	RTRDL72301 () ()	1,603.	1,736.	1,834.	2,217.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDL72361 () ()	1,652.	1,789.	1,903.	2,345.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDL48302 () ()	1,484.	1,607.	1,676.	1,948.
	30"	60"	1 1/2"	RTRDL60302 () ()	1,556.	1,685.	1,768.	2,097.
	30"	72"	1 1/2"	RTRDL72302 () ()	1,603.	1,736.	1,834.	2,217.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDL72362 () ()	1,652.	1,789.	1,903.	2,345.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------



Order Code	
Example: RTRDL48301 () ()	
R	Reff
TR	Table Rectangular
D	1 1/2"
L	L-Leg
48	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
Rectangle with Reverse L-Leg
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDRL48301 () () ()	\$1,484.	\$1,607.	\$1,676.	\$1,948.
	30"	60"	1 1/2"	RTRDRL60301 () () ()	1,556.	1,685.	1,768.	2,097.
	30"	72"	1 1/2"	RTRDRL72301 () () ()	1,603.	1,736.	1,834.	2,217.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDRL72361 () () ()	1,652.	1,789.	1,903.	2,345.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDRL48302 () () ()	1,484.	1,607.	1,676.	1,948.
	30"	60"	1 1/2"	RTRDRL60302 () () ()	1,556.	1,685.	1,768.	2,097.
	30"	72"	1 1/2"	RTRDRL72302 () () ()	1,603.	1,736.	1,833.	2,217.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDRL72362 () () ()	1,652.	1,789.	1,903.	2,345.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: RTRDRL48301 () () ()	To order please specify pattern number including:	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff		Assembly required, ships knock down.
TR Table Rectangular	1. Worksurface finish	Modesty sold separately.
D 1 1/2"	L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
RL Reverse L-Leg	2. Leg finish	Grommets are NOT optional for these tables.
48 Width	Painted / Anodized	
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
 Rectangle with Soft Rectangular Leg
 30" and 36" deep

description	depth	width	thickness	pattern number	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDS48301 () () ()	\$1,377.	\$1,491.	\$1,561.	\$1,832.
	30"	60"	1 1/2"	RTRDS60301 () () ()	1,450.	1,570.	1,652.	1,982.
	30"	72"	1 1/2"	RTRDS72301 () () ()	1,497.	1,620.	1,718.	2,103.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDS72361 () () ()	1,546.	1,674.	1,788.	2,230.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDS48302 () () ()	1,377.	1,491.	1,561.	1,832.
	30"	60"	1 1/2"	RTRDS60302 () () ()	1,450.	1,570.	1,652.	1,982.
	30"	72"	1 1/2"	RTRDS72302 () () ()	1,497.	1,620.	1,718.	2,103.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDS72362 () () ()	1,546.	1,674.	1,788.	2,230.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------



Order Code

Example: RTRDS48301 () () ()
R Reff
TR Table Rectangular
D 1 1/2"
S Soft Rectangular Leg
48 Width
30 Depth
1 26 1/2" height leg
V316 Finish
111 Leg Finish

Specification Information


To order please specify pattern number including:
 1. Worksurface finish
 L, V1, V2, V3
 2. Leg finish
 Painted / Anodized

Application Notes


Product on this page will accept woodgrain laminate where laminate is currently an option.
 Assembly required, ships knock down.
 Modesty sold separately.
 Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
 Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with L-Leg
 42" and 48" deep

description	w	d	th	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDL42421()()()	\$1,520.	\$1,649.	\$1,731.	\$2,049.
	48"	48"	1 1/2"	RTSDL48481()()()	1,584.	1,719.	1,823.	2,216.



description	w	d	th	pattern no.	L	V1	V2	V3
Table Top Square with 28 3/8" height legs	42"	42"	1 1/2"	RTSDL42422()()()	1,520.	1,649.	1,731.	2,049.
	48"	48"	1 1/2"	RTSDL48482()()()	1,584.	1,719.	1,823.	2,216.



Order Code

Example:	RTSDL42421 ()()()
R	Reff
TS	Table Square
D	1 1/2"
L	L-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Anodized

Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Grommets are NOT optional for these tables.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Tables, 1 1/2"
 Square with Reverse L-Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDRL42421 () () ()	\$1,520.	\$1,649.	\$1,731.	\$2,049.
	1 1/2"	48"	48"	RTSDRL48481 () () ()	1,584.	1,719.	1,823.	2,216.





Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDRL42422 () () ()	1,520.	1,649.	1,731.	2,049.
	1 1/2"	48"	48"	RTSDRL48482 () () ()	1,584.	1,719.	1,823.	2,216.



Order Code

Example:	RTSDRL42421 () () ()
R	Reff
TS	Table Square
D	1 1/2"
RL	Reverse L-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Anodized

Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Grommets are NOT optional for these tables.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Tables, 1 1/2"
 Square with Soft Rectangular Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDS42421 () () ()	\$1,557.	\$1,690.	\$1,773.	\$2,089.
	1 1/2"	48"	48"	RTSDS48481 () () ()	1,622.	1,760.	1,863.	2,257.





Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDS42422 () () ()	1,557.	1,690.	1,773.	2,089.
	1 1/2"	48"	48"	RTSDS48482 () () ()	1,662.	1,760.	1,863.	2,257.



Order Code

Example:	RTSDS42421 () () ()
R	Reff
TS	Table Square
D	1 1/2"
S	Soft Rectangular-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:


1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Anodized


Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Grommets are NOT optional for these tables.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Tables, 1 1/2"
 Round with Column Leg
 36", 42" and 48" diameter

description	th	dia.	pattern no.	L	V1	V2	V3
 Table Top Round with 26 1/2" height legs	1 1/2"	36"	RTNDC361 () () ()	\$2,498.	\$2,710.	\$2,772.	\$2,996.
	1 1/2"	42"	RTNDC421 () () ()	2,560.	2,777.	2,859.	3,146.
	1 1/2"	48"	RTNDC481 () () ()	2,622.	2,845.	2,947.	3,307.

 Table Top Round with 28 3/8" height legs	1 1/2"	36"	RTNDC362 () () ()	2,498.	2,710.	2,772.	2,996.
	1 1/2"	42"	RTNDC422 () () ()	2,560.	2,777.	2,859.	3,146.
	1 1/2"	48"	RTNDC482 () () ()	2,622.	2,845.	2,947.	3,307.

Order Code

Example:	RTNDC361 () () ()
R	Reff
TN	Table Round
D	1 1/2"
C	Column Leg
36	Diameter
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:







1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Plated

Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Grommets are NOT optional for these tables.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Tables, 1" Sliding, Laminate

description	d	w	th	pattern no.	L
 Round Table with 26 1/2" height legs	36"		1"	RSTRLE361 ()()	\$3,006.
	42"		1"	RSTRLE421 ()()	3,065.
 Round Table with 28 3/8" height legs	36"		1"	RSTRLE362 ()()	3,063.
	42"		1"	RSTRLE422 ()()	3,123.
 Soft Square Table with 26 1/2" height legs	36"		1"	RSTSLE361 ()()	2,979.
	42"		1"	RSTSLE421 ()()	3,043.
 Soft Square Table with 28 3/8" height legs	36"		1"	RSTSLE362 ()()	3,037.
	42"		1"	RSTSLE422 ()()	3,101.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTLE30481 ()()	2,807.
	36"	54"	1"	RSTTLE36541 ()()	2,881.
 Soft Rectangle Table with 28 3/8" height legs	30"	48"	1"	RSTTLE30482 ()()	2,864.
	36"	54"	1"	RSTTLE36542 ()()	2,939.

Order Code

Example:	RSTRLE361 ()()
R	Reff
ST	Sliding Table
R	Round
L	Laminate surface
E	1" thick
42	42" diameter
1	26 1/2" height leg
114	Finish
118T	Leg Finish

Specification Information

To order please specify pattern number including:







1. Worksurface finish:
Laminate only
2. Leg Textured finish:
111T, 115T, 118T

Application Notes

Assembly required.
Ships knocked down.
Grommets are not an option for these tables.
Column and base are color matched
Column = smooth
Base = textured







Product on this page will accept woodgrain laminate where laminate is currently an option.

Tables, 1" Sliding, Wood

description	d	w	th	pattern no.	V1	V2	V3
Round Table with 26 1/2" height legs 	36"		1"	RSTRWE361 () ()	\$3,261.	\$3,312.	\$3,568.
	42"		1"	RSTRWE421 () ()	3,326.	3,394.	3,712.
Round Table with 28 3/8" height legs 	36"		1"	RSTRWE362 () ()	3,324.	3,374.	3,631.
	42"		1"	RSTRWE422 () ()	3,389.	3,457.	3,775.
Soft Square Table with 26 1/2" height legs 	36"		1"	RSTSWE361 () ()	3,232.	3,283.	3,562.
	42"		1"	RSTSWE421 () ()	3,302.	3,368.	3,712.
Soft Square Table with 28 3/8" height legs 	36"		1"	RSTSWE362 () ()	3,296.	3,347.	3,625.
	42"		1"	RSTSWE422 () ()	3,365.	3,431.	3,775.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	RSTTWE30481 () ()	3,046.	3,101.	3,402.
	36"	54"	1"	RSTTWE36541 () ()	3,125.	3,198.	3,569.
Soft Rectangle Table with 28 3/8" height legs 	30"	48"	1"	RSTTWE30482 () ()	3,109.	3,163.	3,465.
	36"	54"	1"	RSTTWE36542 () ()	3,189.	3,261.	3,632.

Order Code	Specification Information	Application Notes
Example: RSTRWE361 () ()	To order please specify pattern number including:	Column and base are color matched.
R Reff	1. Worksurface finish V1, V2, V3 wood only	Column=smooth
ST Sliding Table	2. Leg Textured finish: 111T, 115T, 118T	Base=textured
R Round		Assembly required, ships knock down.
W Wood surface		Grommets are not an option for these tables.
E 1" thick		
42 42" diameter		
1 26 1/2" height leg		
V316 Finish		
111T Leg Finish		

Tables, 1" Sliding, Solid

description	d	w	th	pattern no.	Solid
Round Table with 26 1/2" height legs 	36"		1"	RSTRSE361 () ()	\$8,362.
	42"		1"	RSTRSE421 () ()	9,581.
Round Table with 28 3/8" height legs 	36"		1"	RSTRSE362 () ()	8,362.
	42"		1"	RSTRSE422 () ()	9,581.
Soft Square Table with 26 1/2" height legs 	36"		1"	RSTSSE361 () ()	7,476.
	42"		1"	RSTSSE421 () ()	8,818.
Soft Square Table with 28 3/8" height legs 	36"		1"	RSTSSE362 () ()	7,476.
	36"		1"	RSTSSE362 () ()	7,476.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	RSTTSE30481 () ()	9,213.
	36"	54"	1"	RSTTSE36541 () ()	10,216.
Soft Rectangle Table with 28 3/8" height legs 	30"	48"	1"	RSTTSE30482 () ()	9,213.
	36"	54"	1"	RSTTSE36542 () ()	10,216.

Order Code

Example:	RSTRSE361 () ()
R	Reff
ST	Sliding Table
R	Round
S	Solid
E	1" thick
42	42" diameter
1	26 1/2" height leg
AW	Worksurface finish
111T	Leg Finish

Specification Information

To order please specify pattern number including:
 1. Worksurface finish:
 AW=Artic White, only
 2. Leg finish Textured:
 111T, 115T, 118T


Application Notes

Assembly required.
 Ships knocked down.
 Grommets are not an option for these tables.
 Artic White finish available for solid tops.
 Column and base are color matched.
 Column=smooth
 Base=textured

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$94.	\$98.	\$102.
	24"	RBC24 (L/R)	102.	108.	114.




Specify paint finish
 18" for 20" and 24"d tops
 24" for 30" and 36"d tops
 Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	95.	100.	104.
	24"	ASBC24 (L/R) ()	104.	112.	117.



Specify paint finish
 18" for 24"d tops
 24" for 30" d tops
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)






Mid-span cantilever bracket, free standing	17"	RMSCB ()	75.	80.	84.
--	-----	------------------	-----	-----	-----



Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	Refer to page 465 for replacement hardware.
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	Cantilever should be specified with top to top brackets.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Knoll takes no responsibility for the installation or security of tops to the wall.

Top support components




Bracketry

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		RBCC	\$19.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	40.	42.	43.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	8.		
	Black only				
Top to top bracket 	6" x 1"	RBF (Pair)	5.		
	Black only				
Wall hung support bracket 	20" 24" 30" 36" 42" 48"	RSBWH20 RSBWH24 RSBWH30 RSBWH36 RSBWH42 RSBWH48	42. 44. 48. 54. 57. 69.	44. 48. 51. 57. 60. 72.	46. 51. 54. 60. 63. 75.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	35.		
	Black only				

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 465 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$7.	\$7.	\$8.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	13.	13.
		Specify paint finish			
Utility bracket		RUTB	11.		
		Black only			
L Bracket for off-module applications		R113B	5.		
		One by one by three bracket			
Worksurface to cabinet bracket for 24" worksurface		RBWC24	55.	0.	0.
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		RBWC30	60.	0.	0.
		bracket can be used with 30" and 36" worksurfaces			


Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand		
	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 465 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
26 1/2" high planning
Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$155.	\$221.	\$253.	\$342.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	279.	395.	456.	615.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	308.	434.	499.	673.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	332.	472.	541.	731.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	373.	530.	610.	823.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	390.	557.	638.	863.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	406.	574.	660.	889.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	422.	598.	691.	934.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	464.	660.	758.	1,024.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	495.	701.	809.	1,094.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	523.	744.	854.	1,153.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	555.	789.	904.	1,221.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	569.	807.	927.	1,250.



description	d	w	h	pattern no.	L	V1	V2	V3
Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	RB3636-()	1,005.	1,506.	1,733.	2,341.
	36"	42"	26 1/2"	RB3642-()	1,028.	1,546.	1,779.	2,401.
	36"	48"	26 1/2"	RB3648-()	1,072.	1,605.	1,840.	2,486.
	42"	36"	26 1/2"	RB4236-()	1,028.	1,546.	1,779.	2,401.
	42"	42"	26 1/2"	RB4242-()	1,055.	1,584.	1,825.	2,463.
	42"	48"	26 1/2"	RB4248-()	1,096.	1,640.	1,888.	2,549.
	48"	36"	26 1/2"	RB4836-()	1,072.	1,605.	1,840.	2,486.
	48"	42"	26 1/2"	RB4842-()	1,096.	1,640.	1,888.	2,549.
	48"	48"	26 1/2"	RB4848-()	1,138.	1,701.	1,968.	2,657.



Order Code

Example:	RB24MFL
R	Reff
B	Back panel
24	48" panel dimension
M	Full height modesty
F	Flush modesty placement
L	Laminate
114	Folkstone grey

Specification Information

To order please specify pattern number including:

1. Modesty type
2. Modesty placement
3. Finish type
4. Finish

1. Modesty type:
M = Standard height (26 1/2"H)
H = Half height

2. Modesty placement:
F = Flush, cantilevered
R = Recessed

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding any vertical surface, ie; modesty panels over 48"**, will accept wood grain laminate where laminate is currently an option.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.

Glides ship with all supports on this page except the recessed modesty panel.


Please see Planning Guide for freestanding planning instruction.

Top support components


26 1/2" high planning

End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	\$476.	\$781.	\$899.	\$1,213.
	36"	1"	26 1/2"	RE36-()	503.	818.	940.	1,270.




Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	182.	318.	367.	495.
	16"	1"	26 1/2"	RSE2(L/R)-()	196.	339.	390.	526.
	20"	1"	26 1/2"	RSE3(L/R)-()	211.	357.	409.	551.
	24"	1"	26 1/2"	RSE4(L/R)-()	222.	372.	429.	579.
	30"	1"	26 1/2"	RSE5(L/R)-()	236.	392.	450.	610.
	36"	1"	26 1/2"	RSE6(L/R)-()	250.	409.	472.	637.




left hand shown


Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	182.	318.	367.	495.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	196.	339.	390.	526.
	19"	1"	26 1/2"	RE19F-()	211.	357.	409.	551.
	23"	1"	26 1/2"	RE23F-()	222.	372.	429.	579.
	29"	1"	26 1/2"	RE29F-()	236.	392.	450.	610.



Order Code	Specification Information	Application Notes	
Example: RSE1(L)114	<p>To order please specify pattern number including:</p> <p>1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p>2. <i>Finish</i></p>	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page Excluding any vertical surface, over 48" will accept woodgrain laminate where laminate is currently an option.</p> <p>Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.</p> <p>Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.</p>	
R Reff			Modesty panel lengths are nominal - length changes on option selected.
SE End panel			Glides ship with all supports on this page except the recessed modesty panel.
1 13" deep			Please see Planning Guide for freestanding planning instruction.
L Left hand			
L Laminate			
114 Folkstone grey			

Top support components
28³/₈" high planning
Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	1"	24"	28 ³ / ₈ "	RBDH24M(F/R) ()()	\$162.	\$233.	\$266.	\$358.
	1"	30"	28 ³ / ₈ "	RBDH30M(F/R) ()()	291.	417.	480.	646.
	1"	36"	28 ³ / ₈ "	RBDH36M(F/R) ()()	324.	456.	522.	705.
	1"	42"	28 ³ / ₈ "	RBDH42M(F/R) ()()	348.	494.	570.	769.
	1"	48"	28 ³ / ₈ "	RBDH48M(F/R) ()()	391.	557.	639.	864.
	1"	54"	28 ³ / ₈ "	RBDH54M(F/R) ()()	410.	584.	669.	903.
	1"	60"	28 ³ / ₈ "	RBDH60M(F/R) ()()	426.	599.	691.	934.
	1"	66"	28 ³ / ₈ "	RBDH66M(F/R) ()()	441.	628.	726.	980.
	1"	72"	28 ³ / ₈ "	RBDH72M(F/R) ()()	487.	691.	795.	1,073.
	1"	78"	28 ³ / ₈ "	RBDH78M(F/R) ()()	520.	734.	851.	1,149.
	1"	84"	28 ³ / ₈ "	RBDH84M(F/R) ()()	551.	781.	897.	1,211.
	1"	90"	28 ³ / ₈ "	RBDH90M(F/R) ()()	583.	826.	950.	1,283.
	1"	96"	28 ³ / ₈ "	RBDH96M(F/R) ()()	594.	848.	973.	1,314.


description	d	w	h	pattern no.	L	V1	V2	V3
	36"	36"	28 ³ / ₈ "	RBDH3636 ()()	1,056.	1,583.	1,823.	2,459.
	36"	42"	28 ³ / ₈ "	RBDH3642 ()()	1,079.	1,624.	1,867.	2,522.
	36"	48"	28 ³ / ₈ "	RBDH3648 ()()	1,125.	1,685.	1,934.	2,612.
	42"	36"	28 ³ / ₈ "	RBDH4236 ()()	1,079.	1,624.	1,867.	2,522.
	42"	42"	28 ³ / ₈ "	RBDH4242 ()()	1,106.	1,662.	1,913.	2,583.
	42"	48"	28 ³ / ₈ "	RBDH4248 ()()	1,151.	1,721.	1,985.	2,681.
	48"	36"	28 ³ / ₈ "	RBDH4836 ()()	1,125.	1,685.	1,934.	2,612.
	48"	42"	28 ³ / ₈ "	RBDH4842 ()()	1,151.	1,721.	1,985.	2,681.
	48"	48"	28 ³ / ₈ "	RBDH4848 ()()	1,194.	1,787.	2,068.	2,793.

depth = left return, width = right return


Order Code	Specification Information	Application Notes
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty panel lengths are nominal, length changes on option selected.
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>	* Half depth end panels
24 24"	Applicable finishes are listed on page 5 and 6.	Glides ship with all supports on this page except the recessed modesty panel.
M Full height modesty	Product on this page Excluding any vertical surface, ie; modesty panels over 48" will accept wood grain laminate where laminate is currently an option.	Please see Reff Planning Guide for freestanding planning instructions.
F Modesty placement, flush		
L Finish type, laminate		
114 Finish, Folkstone grey		

Top support components
 28³/₈" high planning
 End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)	1"	30"	28 ³ / ₈ "	REDH30 () ()	\$500.	\$821.	\$943.	\$1,274.
	1"	36"	28 ³ / ₈ "	REDH36 () ()	527.	860.	986.	1,332.




Desk height end panel for panel (hardware included)	1"	13"	28 ³ / ₈ "	RSEDH1(L/R) () ()	190.	338.	385.	520.
	1"	16"	28 ³ / ₈ "	RSEDH2(L/R) () ()	205.	356.	412.	557.
	1"	20"	28 ³ / ₈ "	RSEDH3(L/R) () ()	221.	373.	429.	579.
	1"	24"	28 ³ / ₈ "	RSEDH4(L/R) () ()	234.	390.	450.	610.
	1"	30"	28 ³ / ₈ "	RSEDH5(L/R) () ()	248.	414.	473.	638.
	1"	36"	28 ³ / ₈ "	RSEDH6(L/R) () ()	264.	429.	494.	668.



left hand shown

Desk height end panels with hardware for building flush or cantilevered worksurfaces	1"	12"	28 ³ / ₈ "	REDH12F () () *	190.	338.	385.	520.
	1"	15"	28 ³ / ₈ "	REDH15F () () *	205.	356.	412.	557.
	1"	19"	28 ³ / ₈ "	REDH19F () ()	221.	373.	429.	579.
	1"	23"	28 ³ / ₈ "	REDH23F () ()	234.	390.	450.	610.
	1"	29"	28 ³ / ₈ "	REDH29F () ()	248.	414.	473.	638.




Order Code	Specification Information	Application Notes
Example: REDH30	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Finish type L = laminate 1 = V1 2 = V2 3 = V3 Finish <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page Excluding any vertical surface, ie; modesty panels over 48", will accept woodgrain laminate where laminate is currently an option.</p>	<p>Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.</p>
R Reff		
E End panel		
DH Desk height (28 ³ / ₈ ")		
30 30"		
L Left hand		
L Finish type, laminate		
114 Finish, Folkstone grey	<p>Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.</p> <p>Modesty panel lengths are nominal, length changes on option selected.</p> <p>* Half depth end panels</p> <p>Glides ship with all supports on this page except the recessed modesty panel.</p> <p>Please see Reff Planning Guide for freestanding planning instructions.</p>	

Top support components

28³/₈" high planning

Modesty and Bulkhead


description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bow top front, short modesty (pedestals ordered separately)	1"	40"	28 ³ / ₈ "	RBDH40MR () ()	\$348.	\$494.	\$570.	\$769.
	1"	52"	28 ³ / ₈ "	RBDH52MR () ()	410.	584.	669.	903.
	1"	64"	28 ³ / ₈ "	RBDH64MR () ()	441.	628.	726.	980.



Use of short modesty panel

Pedestals and finished back for pedestal must each be ordered separately
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location
 When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

Desk height bulkhead (false pedestal)	24"	16"	28 ³ / ₈ "	REDHBH124 () ()	491.	819.	950.	1,283.
	30"	16"	28 ³ / ₈ "	REDHBH130 () ()	509.	835.	973.	1,314.



Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application






Support components

Order Code	Specification Information	Application Notes
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty panel lengths are nominal, length changes on option selected.
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>	* Half depth end panels
24 24"	Applicable finishes are listed on page 5 and 6.	Glides ship with all supports on this page except the recessed modesty panel.
M Full height modesty	Products on this page Excluding any vertical surface, ie; modesty panels over 48" will accept wood grain laminate, where laminate is currently an option.	Please see Reff Planning Guide for freestanding planning instructions.
F Modesty placement, flush		
L Finish type, laminate		
114 Finish, Folkstone grey		

Top support components

Painted or Plated Legs 26 1/2" high planning




Reff Profiles

description	dia.	w	h	d	pattern no.	P1	P2	P3
Column leg, Interaction style (rectangular plate) 	4"	-	26 1/2"	-	RSC	\$253.	\$267.	\$280.
Ships with wood screws for fasening to underside of worksurface into pilot hole location. Painted finish only.								
4" Plain Cylinder (26 1/2" high) 	4"	-	26 1/2"	-	RCB	266.	279.	291.
Painted and PD, PT and PZ plated finishes.								
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	-	26 1/2"	-	RSC4-()	986.	1,034.	1,088.
Painted finishes only.								
T-leg, Interaction style 	-		26 1/2"	24"	RIB24T	362.	380.	400.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted options only								
T-Leg, plain tube style 	-		26 1/2"	20"	RCB20T-()	391.	411.	430.
	-		26 1/2"	24"	RCB24T-()	397.	420.	440.
	-		26 1/2"	30"	RCB30T-()	440.	461.	486.
	-		26 1/2"	40"	RCB40T-()	463.	488.	513.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finish options.								

Order Code	Specification Information	Application Notes
Example: RSC	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. Finish type, where applicable	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
S Support	2. Finish	Interaction style legs are only available in painted finishes.
C Cylinder	<i>Finish type options:</i> P = Paint (P1, P2, P3)	Applicable finishes are listed on page 5 and 6.
		Refer to Planning Guide for top-base matrix, pages 140 and 141.
		All bases include 1 1/2" leveller.

Top support components

Painted or Anodized Legs 26 1/2" high planning

description	h	pattern no.	list
L-Leg 	26 1/2"	RPL1()	\$617.
Reverse L-Leg 	26 1/2"	RPRL1()	617.
Soft Rectangular Leg 	26 1/2"	RPS1()	638.

Order Code	
Example: RPL1 ()	
RP	Reff Profiles
L	Leg
1	26 1/2"h
AN	Leg finish

RL = Reverse Leg
S = Soft Rectangular Leg




Specification Information
<i>To order please specify pattern number including:</i>
1. Finish: Painted or Anodized (AA, AN, AP, AU)

Application Notes
Legs are sold in pairs. These legs include 1" leveller.
Products on this page are 26 1/2"h. Products should not be mixed with 28 3/8"h components.
For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs, when referencing the planning guide; pages 140 and 141.
Applicable finishes are listed on pages 5 and 6.

Top support components

Painted or Plated Bases 26 1/2" high planning

Reff Profiles




description	h	dia.	pattern no.	P1	P2	P3
X-base 	26 1/2"	28"	RIB28X-()	\$597.	\$628.	\$661.
	26 1/2"	32"	RIB32X-()	809.	852.	895.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.						
Spider base, plain tube style 	26 1/2"	24"	RCB24X	612.	643.	674.
	26 1/2"	28"	RCB28X	640.	672.	705.
	26 1/2"	36"	RCB36X	694.	730.	766.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finishes.						
Drum base 	26 1/2"	–	RSD1427-()	1,154.	1,213.	1,273.
	26 1/2"	–	RSD1827-()	1,254.	1,318.	1,383.
	26 1/2"	–	RSD2027-()	1,294.	1,358.	1,425.
	26 1/2"	–	RSD2427-()	1,549.	1,628.	1,708.
	26 1/2"	–	RSD3027-()	1,732.	1,817.	1,908.
Painted finishes only.						

Order Code	Specification Information	Application Notes	
Example: RIB28X	<i>To order please specify pattern number including:</i> 1. Finish type, where applicable 2. Finish <i>Finish type options:</i> P = Paint (P1, P2, P3)	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black. Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes. Refer to Planning Guide for top-base matrix, pages 140 and 141. All bases include 1 1/2" leveller.	
R Reff			Only the plain cylinder and tube legs can be ordered in plated and painted finishes. Interaction style legs are only available in painted finishes. Applicable finishes are listed on page 5 and 6.
I Interaction			
B Base			
28 Diameter			
X X-base			

Top support components

Laminate or Wood Bases 26 1/2" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum base	14"		26 1/2"	–	RSD1427-()	n/a	\$1,349.	\$1,553.	\$2,097.
	18"		26 1/2"	–	RSD1827-()	n/a	1,466.	1,687.	2,279.
	20"		26 1/2"	–	RSD2027-()	n/a	1,514.	1,740.	2,349.
	24"		26 1/2"	–	RSD2427-()	n/a	1,814.	2,087.	2,817.
	30"		26 1/2"	–	RSD3027-()	n/a	2,027.	2,328.	3,143.
 T-base (hardware included)*	20"	26 1/2"	12"		RST1-()	427.	489.	571.	773.
	24"	26 1/2"	12"		RST2-()	457.	526.	604.	817.
	30"	26 1/2"	12"		RST3-()	538.	610.	706.	954.
	36"	26 1/2"	12"		RST4-()	611.	700.	803.	1,085.
	42"	26 1/2"	12"		RST5-()	678.	779.	898.	1,214.
	48"	26 1/2"	12"		RST6-()	756.	860.	993.	1,340.
 L-base (hardware included), non-handed*	12"	26 1/2"	12"		RSL12-()	427.	489.	571.	773.
	15"	26 1/2"	12"		RSL15-()	437.	500.	577.	778.
	20"	26 1/2"	12"		RSL20-()	457.	517.	597.	806.
	24"	26 1/2"	12"		RSL24-()	465.	526.	604.	817.
	30"	26 1/2"	12"		RSL30-()	538.	610.	706.	954.
	36"	26 1/2"	12"		RSL36-()	611.	700.	803.	1,085.
	42"	26 1/2"	12"		RSL42-()	678.	779.	898.	1,214.
	48"	26 1/2"	12"		RSL48-()	756.	860.	993.	1,340.

Support components

Order Code

Example: RSD1427	
R	Reff
S	Support
D	Drum base
14	Diameter
27	Height
2	Finish type
R319	V2- Med. Cherry

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

Application Notes

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1 1/2" leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.





T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 5 and 6.

Top support components

Painted or Plated Legs 28³/₈" high planning

Reff Profiles

description	dia.	w	he	d	pattern no.	P1	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	–	28 ³ / ₈ "		RSDHC () ()	\$267.	\$280.	\$292.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	–	28 ³ / ₈ "		RSDHC4 () ()	1,036.	1,087.	1,142.
Painted finishes only.								
T-Leg, plain tube style (desk height) 	–		28 ³ / ₈ "	20"	RCDHB20T () ()	411.	431.	452.
	–		28 ³ / ₈ "	24"	RCDHB24T () ()	419.	440.	462.
	–		28 ³ / ₈ "	30"	RCDHB30T () ()	462.	486.	510.
	–		28 ³ / ₈ "	40"	RCDHB40T () ()	488.	513.	538.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finishes.								
T-Leg, Interaction style (desk height) 	–		28 ³ / ₈ "	24"	RIBDH24T () ()	380.	400.	420.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								




Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Interaction style legs and bases are not available in plated finishes.
S Support	2. <i>Finish</i> see matrix on page 5	Only the plain cylinder and the tube legs can be ordered in plated and painted finishes.
DH Desk Height	Applicable finishes are listed on page 5 and 6.	All bases include 1 1/2" leveller.
C Column Leg		
P Finish type, paint		
111 Finish, Jet Black		

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Top support components

Painted or Anodized Legs 28³/₈" high planning

description	h	pattern no.	list
L-Leg 	28 ³ / ₈ "	RPL2()	\$617.
Reverse L-Leg 	28 ³ / ₈ "	RPRL2()	617.
Soft Rectangular Leg 	28 ³ / ₈ "	RPS2()	638.

Order Code	
Example: RPL1 ()	
RP	Reff Profiles
L	Leg
1	26 ¹ / ₂ "h
AN	Leg finish

RL = Reverse Leg
S = Soft Rectangular Leg

Specification Information
<i>To order please specify pattern number including:</i>
1. Finish: Painted or Anodized (AA, AN, AP, AU)

Application Notes
Legs are sold in pairs. These legs include 1" leveller.
Products on this page are 28 ³ / ₈ "h. Products should not be mixed with 26 ¹ / ₂ "h components.
For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs, when referencing the planning guide; pages 140 and 141.
Applicable finishes are listed on pages 5 and 6.

Top support components

Painted or Plated Bases 28³/₈" high planning

description	dia.	w	h	d	pattern no.	P1	P2	P3
X-base (desk height)		–	28 ³ / ₈ "	28"	RIBDH28X () ()	\$628.	\$660.	\$693.
		–	28 ³ / ₈ "	32"	RIBDH32X () ()	852.	894.	937.



Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted finishes only.

Spider base, plain tube style (desk height)		–	28 ³ / ₈ "	24"	RCBDH24X () ()	643.	674.	707.
		–	28 ³ / ₈ "	28"	RCBDH28X () ()	672.	705.	741.
		–	28 ³ / ₈ "	36"	RCBDH36X () ()	730.	767.	803.




Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted and PD, PT and PZ plated finishes.

Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 () ()	1,213.	1,273.	1,338.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 () ()	1,318.	1,383.	1,451.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 () ()	1,358.	1,425.	1,496.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 () ()	1,628.	1,708.	1,795.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 () ()	1,817.	1,909.	2,004.



Painted finishes only.

Base Support Column, 3" dia.			28 ³ / ₈ "		RSDHC3 () ()	322.	322.	451.
------------------------------	--	--	----------------------------------	--	-----------------------	------	------	------






Painted and PD, PN and PU plated finishes.

Order Code	Specification Information	Application Notes
Example: RCBDH24X	<i>To order please specify pattern number including:</i>	Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
I Interaction	2. <i>Finish</i> see matrix on page 5	
B Base	Applicable finishes are listed on page 5 and 6.	Interaction style legs and bases are only available in painted finishes. Only plain cylinder and tube style legs can be ordered in plated and painted finishes.
DH Desk height		
28 Diameter		
X X-base		
P Finish type, paint		
111 Finish, Jet Black		

Top support components

Laminate or Wood Bases 28³/₈" high planning

Reff Profiles



description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 ()()	n/a	\$1,418.	\$1,630.	\$2,200.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 ()()	n/a	1,540.	1,771.	2,392.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 ()()	n/a	1,589.	1,826.	2,466.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 ()()	n/a	1,904.	2,192.	2,959.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 ()()	n/a	2,128.	2,445.	3,301.
 T-base, desk height (hardware included)	20"		28 ³ / ₈ "	12"	RSDHT1 ()()	449.	515.	598.	809.
	24"		28 ³ / ₈ "	12"	RSDHT2 ()()	482.	552.	635.	857.
	30"		28 ³ / ₈ "	12"	RSDHT3 ()()	564.	643.	741.	1,002.
	36"		28 ³ / ₈ "	12"	RSDHT4 ()()	642.	736.	844.	1,139.
	42"		28 ³ / ₈ "	12"	RSDHT5 ()()	712.	818.	943.	1,274.
	48"		28 ³ / ₈ "	12"	RSDHT6 ()()	793.	904.	1,042.	1,409.
 L-base, desk height (hardware included, non-handed)	12"		28 ³ / ₈ "	12"	RSDHL12 ()()	449.	515.	598.	809.
	15"		28 ³ / ₈ "	12"	RSDHL15 ()()	458.	522.	604.	817.
	20"		28 ³ / ₈ "	12"	RSDHL20 ()()	482.	542.	629.	850.
	24"		28 ³ / ₈ "	12"	RSDHL24 ()()	488.	552.	635.	857.
	30"		28 ³ / ₈ "	12"	RSDHL30 ()()	564.	643.	741.	1,002.
	36"		28 ³ / ₈ "	12"	RSDHL36 ()()	642.	736.	844.	1,139.
	42"		28 ³ / ₈ "	12"	RSDHL42 ()()	712.	818.	943.	1,274.
	48"		28 ³ / ₈ "	12"	RSDHL48 ()()	793.	904.	1,042.	1,409.

Support components

Order Code	Specification Information	Application Notes
Example: RSDHD1428	<i>To order please specify pattern number including:</i>	Wood T and L bases are not recommended for supporting conference tops.
R Reff	1. <i>Finish Type, where applicable</i>	Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.
S Support	L = Laminate	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
DH Desk Height	1 = V1	
D Drum base	2 = V2	All bases include 1 ¹ / ₂ " leveller.
14 Diameter	3 = V3	Product on this page Excluding any vertical surface, ie; modesty panels over 48" , will accept wood grain laminate where laminate is currently an option.
28 Height	2. <i>Finish</i>	
2 Finish type, V2	see matrix on page 5	
V316 Finish, Maple	Applicable finishes are listed on page 5 and 6.	

Top support components

Fixed Height and Height Adjustable C-Leg and T-Leg Bases

description	type	w*	w	d	pattern no.	Fixed (F)	Pin-Set (P)	Handcrank (H)	Electric (E)	Advanced Electric (A)
	For use with 36"W, 24"D Reff Profiles C-Leg Top	36"	34"	23"	RSBC3423 () () ()	\$955.	\$1,273.	\$1,909.	\$3,316.	\$3,491.
	For use with 42"W, 24"D Reff Profiles C-Leg Top	42"	40"	23"	RSBC4023 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 48"W, 24"D Reff Profiles C-Leg Top	48"	46"	23"	RSBC4623 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 54"W, 24"D Reff Profiles C-Leg Top	54"	52"	23"	RSBC5223 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 60"W, 24"D Reff Profiles C-Leg Top	60"	58"	23"	RSBC5823 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 66"W, 24"D Reff Profiles C-Leg Top	66"	64"	23"	RSBC6423 () () ()	977.	1,295.	1,932.	3,338.	3,514.
	For use with 72"W, 24"D Reff Profiles C-Leg Top	72"	70"	23"	RSBC7023 () () ()	977.	1,295.	1,932.	3,338.	3,514.
<i>Fixed Shown</i>										
	For use with 36"W, 30"D Reff Profiles C-Leg Top	36"	34"	29"	RSBC3429 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 42"W, 30"D Reff Profiles C-Leg Top	42"	40"	29"	RSBC4029 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 48"W, 30"D Reff Profiles C-Leg Top	48"	46"	29"	RSBC4629 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 54"W, 30"D Reff Profiles C-Leg Top	54"	52"	29"	RSBC5229 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 60"W, 30"D Reff Profiles C-Leg Top	60"	58"	29"	RSBC5829 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 66"W, 30"D Reff Profiles C-Leg Top	66"	64"	29"	RSBC6429 () () ()	1,023.	1,341.	1,977.	3,381.	3,559.
	For use with 72"W, 30"D Reff Profiles C-Leg Top	72"	70"	29"	RSBC7029 () () ()	1,023.	1,341.	1,977.	3,381.	3,559.
<i>Fixed Shown</i>										


Order Code	Specification Information	Application Notes
Example: RSBC5829HS, 9005, 613	1. <i>Base Type:</i>	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
RSB Universal Base	(F) = Fixed (27" High)	Base comes with worksurface mounting hardware and leveling glides with 1/4" of height adjustability.
C C-Leg	(P) = Pin-Set (22" - 35" High)	
58 Width	(H) = Handcrank (22" - 35" High)	
29 Depth	(E) = Electric (27" - 46 1/2" High)	
H Handcrank	(A) = Advanced Electric (21" - 47 1/2" High)	23"D C-Leg bases support rectangular tops up to 24"D. 29"D C-Leg bases support rectangular tops up to 30"D. 29"D T-Leg bases support rectangular tops up to 36"D centered over feet. 16"D Corner bases support 48"x48" curvilinear corner tops up to 30"D.
S Shroud	Base height ranges shown do not include worksurface thickness.	36"W C-Leg bases (except for Pin-set) support tops up to 60"w centered over feet (max 12" overhang on each side). 36"W Pin-Set C-Leg bases cannot support tops wider than the base. 42"W C-Leg bases support tops up to 66"W centered over feet (max 12" overhang on each side).
9005 Black Base Finish	2. <i>Shroud Options:</i>	48", 54", 60" and 66"W C-Leg and T-Leg bases support tops up to 30" wider than the base centered over feet (max 15" overhang on each side). 72"W C-Leg and T-Leg bases support tops up to 96"W centered over feet (max 12" overhang on each side).
613 Shroud/Feet Paint Finish	(N) = Leg without a metal shroud	Bases have a default black paint finish (9005). Painted lower leg shroud and feet can be specified in Knoll Core paint finishes.
	(S) = Painted metal shroud to surround lower leg with matching foot. Add \$100 to the list price.	Fixed and Pin-Set bases support up to 440lbs. Handcrank bases support up to 260lbs. Electric bases support up to 300lbs.
	3. <i>Base Finish:</i> default black paint (9005)	Pin-Set base adjusts on 1" increments.
	4. <i>Shroud/Feet Paint Finish,</i> when applicable	Crank handle is located on the right side of the base. Five turns of the handle adjust worksurface 1".

w* = nominal width


Top support components

Fixed Height and Height Adjustable C-Leg and T-Leg Bases

Reff Profiles

description	type	w*	w	d	pattern no.	Fixed (F)	Pin-Set (P)	Handcrank (H)	Electric (E)	Advanced Electric (A)
 <p>Pin-Set Shown</p>	For use with 48"W, 30" or 36"D Reff Profiles T-Leg Top	48"	46"	29"	RSBT4629 (X)(X)(X)	\$1,000.	\$1,318.	\$1,955.	\$3,360.	\$3,536.
	For use with 54"W, 30" or 36"D Reff Profiles T-Leg Top	54"	52"	29"	RSBT5229 (X)(X)(X)	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 60"W, 30" or 36"D Reff Profiles T-Leg Top	60"	58"	29"	RSBT5829 (X)(X)(X)	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 66"W, 30" or 36"D Reff Profiles T-Leg Top	66"	60"	29"	RSBT6429 (X)(X)(X)	1,023.	1,341.	1,977.	3,381.	3,559.
	For use with 72"W, 30" or 36"D Reff Profiles T-Leg Top	72"	70"	29"	RSBT7029 (X)(X)(X)	1,023.	1,341.	1,977.	3,381.	3,559.

C-Leg Corner Base	For use with Reff Profiles Corner C-Leg Top	48"	46"	16"	RSBK464616 (X)(X)(X)	1,545.	2,023.	3,000.	5,087.	5,355.
-------------------	---	-----	-----	-----	-----------------------------	--------	--------	--------	--------	--------




Fixed Shown

Order Code	Specification Information	Application Notes
Example: RSBC5829HS, 9005, 613 <hr/> RSB Universal Base <hr/> C C-Leg <hr/> 58 Width <hr/> 29 Depth <hr/> H Handcrank <hr/> S Shroud <hr/> 9005 Black Base Finish <hr/> 613 Shroud/Feet Paint Finish	<p>1. <i>Base Type:</i></p> <p>(F) = Fixed (27" High) (P) = Pin-Set (22" - 35" High) (H) = Handcrank (22" - 35" High) (E) = Electric (27" - 46 1/2" High) (A) = Advanced Electric (21" - 47 1/2" High)</p> <p>Base height ranges shown do not include worksurface thickness.</p> <p>2. <i>Shroud Options:</i></p> <p>(N) = Leg without a metal shroud (S) = Painted metal shroud to surround lower leg with matching foot. Add \$100 to the list price.</p> <p>3. <i>Base Finish:</i> default black paint (9005)</p> <p>4. <i>Shroud/Feet Paint Finish</i>, when applicable</p>	<p>Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.</p> <p>Base comes with worksurface mounting hardware and leveling glides with 1/4" of height adjustability.</p> <p>23"D C-Leg bases support rectangular tops up to 24"D. 29"D C-Leg bases support rectangular tops up to 30"D. 29"D T-Leg bases support rectangular tops up to 36"D centered over feet. 16"D Corner bases support 48"x48" curvilinear corner tops up to 30"D.</p> <p>36"W C-Leg bases (except for Pin-set) support tops up to 60"w centered over feet (max 12" overhang on each side). 36"W Pin-Set C-Leg bases cannot support tops wider than the base. 42"W C-Leg bases support tops up to 66"W centered over feet (max 12" overhang on each side).</p> <p>48", 54", 60" and 66"W C-Leg and T-Leg bases support tops up to 30" wider than the base centered over feet (max 15" overhang on each side). 72"W C-Leg and T-Leg bases support tops up to 96"W centered over feet (max 12" overhang on each side).</p> <p>Bases have a default black paint finish (9005). Painted lower leg shroud and feet can be specified in Knoll Core paint finishes.</p> <p>Fixed and Pin-Set bases support up to 440lbs. Handcrank bases support up to 260lbs. Electric bases support up to 300lbs.</p> <p>Pin-Set base adjusts on 1" increments.</p> <p>Crank handle is located on the right side of the base. Five turns of the handle adjust worksurface 1".</p>

w* = nominal width

Modesty
Removable
28³/₈" planning

description	application	th	w	h	modesty width	pattern no.	L	V1	V2	V3
Removable Modesty for End panel and Storage Unit 	72" assembly - 36" storage	1"	72"	25"	35"	RDHMR7240	\$320.	\$405.	\$465.	\$605.
	72" assembly - 30" storage	1"	72"	25"	41"	RDHMR7230	332.	418.	481.	625.
	72" assembly - 19" storage	1"	72"	25"	52"	RDHMR7220	356.	449.	517.	672.
	72" assembly - 16" storage	1"	72"	25"	55"	RDHMR7210	362.	457.	525.	683.
	78" assembly - 36" storage	1"	78"	25"	41"	RDHMR7840	332.	418.	481.	625.
	78" assembly - 30" storage	1"	78"	25"	47"	RDHMR7830	342.	431.	496.	645.
	78" assembly - 19" storage	1"	78"	25"	58"	RDHMR7820	367.	463.	531.	692.
	78" assembly - 16" storage	1"	78"	25"	61"	RDHMR7810	372.	470.	540.	701.
	84" assembly - 36" storage	1"	84"	25"	47"	RDHMR8440	342.	431.	496.	645.
	84" assembly - 30" storage	1"	84"	25"	53"	RDHMR8430	357.	450.	518.	674.
	84" assembly - 19" storage	1"	84"	25"	64"	RDHMR8420	377.	477.	547.	712.
	84" assembly - 16" storage	1"	84"	25"	67"	RDHMR8410	387.	489.	563.	731.
	90" assembly - 36" storage	1"	90"	25"	53"	RDHMR9040	357.	450.	518.	674.
	90" assembly - 30" storage	1"	90"	25"	59"	RDHMR9030	368.	464.	533.	694.
	90" assembly - 19" storage	1"	90"	25"	70"	RDHMR9020	392.	495.	569.	740.
	90" assembly - 16" storage	1"	90"	25"	73"	RDHMR9010	398.	502.	578.	751.
	96" assembly - 36" storage	1"	96"	25"	59"	RDHMR9640	368.	464.	533.	694.
	96" assembly - 30" storage	1"	96"	25"	65"	RDHMR9630	378.	478.	549.	714.
	96" assembly - 19" storage	1"	96"	25"	76"	RDHMR9620	403.	509.	585.	761.
	96" assembly - 16" storage	1"	96"	25"	79"	RDHMR9610	413.	521.	600.	781.
	102" assembly - 36" storage	1"	102"	25"	65"	RDHMR10240	393.	490.	560.	720.
	102" assembly - 30" storage	1"	102"	25"	71"	RDHMR10230	404.	504.	576.	739.
	102" assembly - 19" storage	1"	102"	25"	82"	RDHMR10220	428.	534.	611.	787.
	102" assembly - 16" storage	1"	102"	25"	85"	RDHMR10210	439.	547.	626.	806.
	108" assembly - 36" storage	1"	108"	25"	71"	RDHMR10840	419.	516.	586.	746.
	108" assembly - 30" storage	1"	108"	25"	77"	RDHMR10830	430.	529.	601.	766.
	108" assembly - 19" storage	1"	108"	25"	88"	RDHMR10820	454.	561.	636.	812.
	108" assembly - 16" storage	1"	108"	25"	91"	RDHMR10810	465.	574.	652.	832.

Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty End panel and storage unit.
DH Desk height	2. <i>Finish</i> V316	Products on this page Excluding any vertical surface, ie; modesty panels over 48" will accept wood grain laminate, where laminate is currently an option.
M Modesty	Installation instruction sheets available on Knoll Exchange.	10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units.
R Removable	For removable modesty refer to part number 6TP00084.	11= 16"/16" storage 12= 16"/16" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
72 Width		
10 16" storage		
V2 Finish type		
V316 Light Maple		

These removable modesty's backs are finished in veneer / laminate on inside and paper finished on the outside.

Modesty
Removable
28³/₈" planning

description	application	th	w	h	modesty width	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements	72" assembly - 16"/19" storage	1"	72"	25"	35"	RDHMR7212	\$320.	\$414.	\$465.	\$605.
	72" assembly - 19"/19" storage	1"	72"	25"	38"	RDHMR7222	325.	411.	473.	615.
	72" assembly - 16"/16" storage	1"	72"	25"	41"	RDHMR7211	331.	418.	481.	625.
	78" assembly - 19"/19" storage	1"	78"	25"	41"	RDHMR7822	331.	418.	481.	625.
	78" assembly - 16"/19" storage	1"	78"	25"	44"	RDHMR7812	336.	424.	488.	634.
	78" assembly - 16"/16" storage	1"	78"	25"	47"	RDHMR7811	341.	430.	495.	644.
	84" assembly - 19"/30" storage	1"	84"	25"	35"	RDHMR8423	321.	406.	467.	606.
	84" assembly - 16"/30" storage	1"	84"	25"	38"	RDHMR8414	328.	413.	476.	618.
	84" assembly - 19"/19" storage	1"	84"	25"	47"	RDHMR8422	341.	430.	495.	644.
	84" assembly - 16"/19" storage	1"	84"	25"	50"	RDHMR8412	347.	438.	504.	654.
	84" assembly - 16"/16" storage	1"	84"	25"	53"	RDHMR8411	356.	450.	518.	673.
	90" assembly - 19"/36" storage	1"	90"	25"	35"	RDHMR9024	321.	406.	467.	606.
	90" assembly - 16"/36" storage	1"	90"	25"	38"	RDHMR9013	328.	413.	476.	618.
	90" assembly - 19"/30" storage	1"	90"	25"	41"	RDHMR9023	332.	419.	483.	627.
	90" assembly - 16"/30" storage	1"	90"	25"	44"	RDHMR9014	337.	425.	489.	635.
	90" assembly - 19"/19" storage	1"	90"	25"	53"	RDHMR9022	356.	450.	518.	673.
	90" assembly - 16"/19" storage	1"	90"	25"	56"	RDHMR9012	363.	458.	526.	685.
	90" assembly - 16"/16" storage	1"	90"	25"	59"	RDHMR9011	368.	464.	533.	694.
	96" assembly - 30"/30" storage	1"	96"	25"	36"	RDHMR9633	322.	407.	469.	609.
	96" assembly - 19"/36" storage	1"	96"	25"	41"	RDHMR9624	332.	419.	483.	627.
	96" assembly - 16"/36" storage	1"	96"	25"	44"	RDHMR9613	337.	425.	489.	635.
	96" assembly - 19"/30" storage	1"	96"	25"	47"	RDHMR9623	343.	432.	498.	647.
	96" assembly - 16"/30" storage	1"	96"	25"	50"	RDHMR9614	353.	445.	513.	666.
	96" assembly - 19"/19" storage	1"	96"	25"	59"	RDHMR9622	368.	464.	533.	694.
	96" assembly - 16"/19" storage	1"	96"	25"	62"	RDHMR9612	372.	471.	541.	703.
	96" assembly - 16"/16" storage	1"	96"	25"	65"	RDHMR9611	378.	478.	549.	714.
	102" assembly - 30"/30" storage	1"	102"	25"	42"	RDHMR10233	348.	432.	494.	634.
	102" assembly - 19"/36" storage	1"	102"	25"	47"	RDHMR10224	357.	445.	509.	653.
	102" assembly - 16"/36" storage	1"	102"	25"	50"	RDHMR10213	363.	451.	515.	662.
	102" assembly - 19"/30" storage	1"	102"	25"	53"	RDHMR10223	369.	459.	524.	673.
	102" assembly - 16"/30" storage	1"	102"	25"	56"	RDHMR10214	379.	472.	539.	692.
	102" assembly - 19"/19" storage	1"	102"	25"	63"	RDHMR10222	393.	490.	560.	720.
	102" assembly - 16"/19" storage	1"	102"	25"	68"	RDHMR10212	398.	496.	567.	729.
102" assembly - 16"/16" storage	1"	102"	25"	71"	RDHMR10211	404.	504.	576.	739.	
108" assembly - 30"/30" storage	1"	108"	25"	48"	RDHMR10833	374.	459.	520.	661.	




Support components

Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty End panel and storage unit.
DH Desk height	2. <i>Finish</i> V316	10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units.
M Modesty	Installation instruction sheets available on Knoll Exchange.	11= 16"/16" storage 12= 16"/16" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
R Removable	For removable modesty refer to part number 6TP00084.	Modesty panel lengths are nominal - length changes on option selected.
72 Width		Please see Planning Guide for freestanding planning instruction.
10 16" storage		
V2 Finish type		
V316 Light Maple		

These removable modesty's backs are finished in veneer / laminate on inside and paper finished on the outside.


Modesty
Removable
28³/₈" planning

description	application	th	w	h	modesty width	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	108" assembly - 19"/36" storage	1"	108"	25"	53"	RDHMR10824	\$383.	\$472.	\$534.	\$680.
	108" assembly - 16"/36" storage	1"	108"	25"	56"	RDHMR10813	388.	478.	541.	688.
	108" assembly - 19"/30" storage	1"	108"	25"	59"	RDHMR10823	394.	485.	550.	699.
	108" assembly - 16"/30" storage	1"	108"	25"	62"	RDHMR10814	405.	497.	565.	718.
	108" assembly - 19"/19" storage	1"	108"	25"	71"	RDHMR10822	419.	516.	586.	746.
	108" assembly - 16"/19" storage	1"	108"	25"	74"	RDHMR10812	423.	522.	593.	755.
	108" assembly - 16"/16" storage	1"	108"	25"	77"	RDHMR10811	430.	529.	601.	766.

Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Products on this page Excluding any vertical surface, ie; modesty panels over 48" will accept wood grain laminate, where laminate is currently an option.
DH Desk height	2. <i>Finish</i> V316	Modesty panel lengths are nominal - length changes on option selected.
M Modesty	Installation instruction sheets available on Knoll Exchange.	Please see Planning Guide for freestanding planning instruction.
R Removable	For removable modesty refer to part number 6TP00084.	
72 Width		Modesty End panel and storage unit.
10 16" storage		10= 16" storage
V2 Finish type		20= 19" storage
V316 Light Maple		30= 30" storage
		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/16" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage

These removable modesty's backs are finished in veneer / laminate on inside and paper finished on the outside.


Modesty
 Hinged
 28³/₈" planning - Between Two Storage Elements

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for Between Two Storage Elements 	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMH7211	\$629.	\$809.	\$852.	\$1,022.
	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMH7222	619.	799.	836.	1,004.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMH7212	623.	804.	843.	1,012.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMH7811	641.	825.	868.	1,041.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMH7812	634.	820.	861.	1,032.
	78" wide assembly - 16"/30" storage	1"	78"	25"	RDHMH7813	614.	795.	825.	991.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMH7822	629.	809.	852.	1,022.
	78" wide assembly - 19"/30" storage	1"	78"	25"	RDHMH7823	609.	790.	812.	975.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMH8411	784.	970.	1,017.	1,221.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMH8412	778.	965.	1,009.	1,211.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMH8414	614.	795.	825.	991.
	84" wide assembly - 16"/36" storage	1"	84"	25"	RDHMH8413	625.	805.	845.	1,015.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMH8422	641.	825.	868.	1,041.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMH8423	619.	799.	838.	1,006.
	84" wide assembly - 19"/36" storage	1"	84"	25"	RDHMH8424	609.	790.	812.	975.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMH9011	795.	980.	1,032.	1,238.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMH9012	789.	975.	1,025.	1,229.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMH9014	625.	805.	845.	1,015.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMH9013	636.	821.	862.	1,034.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMH9022	784.	970.	1,017.	1,221.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMH9023	630.	810.	853.	1,024.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMH9024	619.	799.	838.	1,006.
	90" wide assembly - 30"/30" storage	1"	90"	25"	RDHMH9033	610.	791.	814.	978.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMH9611	810.	990.	1,053.	1,265.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMH9612	804.	985.	1,040.	1,248.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMH9614	636.	821.	862.	1,034.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMH9613	780.	966.	1,010.	1,212.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMH9622	795.	980.	1,032.	1,238.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMH9623	682.	826.	869.	1,042.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMH9624	641.	810.	853.	1,024.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMH9633	621.	801.	839.	1,007.

Support components


Order Code	Specification Information	Application Notes
Example: RDHMH7222	<i>To order please specify pattern number including:</i>	Recommended that when using a modesty the adjacent ped is an open configuration.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty End panel and storage unit.
DH Desk height	2. <i>Finish</i> V316	10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage
M Modesty	Installation instruction sheets available on Knoll Exchange.	Modesty between two storage units.
H Hinged	For removable modesty refer to part number 6TP00084.	11= 16"/16" storage 12= 16"/19" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
72 Width		
22 19"/19" storage		
V2 Finish type		
V316 Light Maple		

Modesty
Hinged
28³/₈" planning - End Panel and Storage Unit

description	application	th	w	h	pattern no.	L	V1	V2	V3
 Hinged Modesty for End panel and Storage Unit	72" wide assembly - 16" storage	1"	72"	25"	RDHMH7210	\$789.	\$974.	\$1,024.	\$1,228.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMH7220	783.	970.	1,016.	1,219.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMH7230	629.	809.	853.	1,024.
	72" wide assembly - 36" storage	1"	72"	25"	RDHMH7240	619.	799.	836.	1,004.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMH7810	803.	984.	1,039.	1,247.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMH7820	793.	979.	1,031.	1,237.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMH7830	641.	825.	868.	1,041.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMH7840	629.	809.	853.	1,024.
	84" wide assembly - 16" storage	1"	84"	25"	RDHMH8410	818.	1,002.	1,061.	1,273.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMH8420	809.	989.	1,052.	1,263.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMH8430	784.	970.	1,017.	1,221.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMH8440	641.	825.	868.	1,041.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMH9010	828.	1,011.	1,076.	1,291.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMH9020	822.	1,006.	1,069.	1,282.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMH9030	795.	980.	1,032.	1,238.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMH9040	784.	970.	1,017.	1,221.
96" wide assembly - 16" storage	1"	96"	25"	RDHMH9610	839.	1,021.	1,091.	1,310.	
96" wide assembly - 19" storage	1"	96"	25"	RDHMH9620	833.	1,016.	1,083.	1,299.	
96" wide assembly - 30" storage	1"	96"	25"	RDHMH9630	810.	991.	1,054.	1,267.	
96" wide assembly - 36" storage	1"	96"	25"	RDHMH9640	795.	980.	1,032.	1,238.	

Order Code	Specification Information	Application Notes
Example: RDHMH7222	<i>To order please specify pattern number including:</i>	Recommended that when using a modesty the adjacent ped is an open configuration.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	
DH Desk height	2. <i>Finish</i> V316	Hardware shipped with modesty to attach to worksurface.
M Modesty		J-Extrusion Wire Trough sold separately.
H Hinged		Modesty End panel and storage unit.
72 Width		10= 16" storage
22 19"/19" storage	Installation instruction sheets available on Knoll Exchange.	20= 19" storage
V2 Finish type		30= 30" storage
V316 Light Maple	For removable modesty refer to part number 6TP00084.	40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/19" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage

Modesty
Partial
28³/₈" planning

description	th	w	h	pattern no.	L	V1	V2	V3
Partial / Half Height Modesty	1"	26"	12"	RDHPM26 ()	\$288.	\$407.	\$469.	\$609.
	1"	32"	12"	RDHPM32 ()	298.	420.	484.	628.
	1"	38"	12"	RDHPM38 ()	313.	443.	510.	662.
	1"	44"	12"	RDHPM44 ()	330.	466.	535.	697.
	1"	50"	12"	RDHPM50 ()	353.	499.	575.	747.
	1"	56"	12"	RDHPM56 ()	363.	513.	590.	768.
	1"	62"	12"	RDHPM62 ()	389.	550.	633.	823.
	1"	68"	12"	RDHPM68 ()	411.	582.	669.	869.
	1"	74"	12"	RDHPM74 ()	420.	595.	684.	889.

Order Code

Example: RDHPM26()	
R	Reff
DH	Desk height
PM	Partial Modesty
26	Width
V316	Light Maple

Specification Information

To order please specify pattern number including:

1. Finish
L, V1, V2, V3

Application Notes

Modesty may prohibit the adjacent drawer from opening.

Recommended that when using a modesty the adjacent ped is an open configuration.

Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.


Products on this page **Excluding any vertical surface, ie; modesty panels over 48"** will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,177.	\$1,358.	\$1,559.	\$2,096.
	16"	23"	26 1/2"	RP212J-() () L	1,228.	1,420.	1,632.	2,194.
	16"	29"	26 1/2"	RP213J-() () L	1,281.	1,479.	1,698.	2,286.



*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 Counter weights required per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,078.	1,247.	1,433.	1,937.
	16"	23"	26 1/2"	RP212K-() () L	1,155.	1,336.	1,536.	2,073.
	16"	29"	26 1/2"	RP213K-() () L	1,229.	1,419.	1,635.	2,205.
	30"	19"	26 1/2"	RP231K-() () L	1,232.	1,427.	1,640.	2,215.
	30"	23"	26 1/2"	RP232K-() () L	1,298.	1,504.	1,727.	2,330.
	36"	19"	26 1/2"	RP261K-() () L	1,314.	1,521.	1,749.	2,361.
	36"	23"	26 1/2"	RP262K-() () L	1,378.	1,594.	1,833.	2,475.



*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 Counter weights required per pedestal.

Order Code

Example:	RP211JLMDL
R	Reff
P	Pedestal
2	26 1/2"H
1	16" wide
1	19" deep
J	Box box file config.
L	Laminate finish type
M	Metal interior option
D	Metal D-pull
L	Lock option files
114	Cabinet Finish, Folkstone Grey
612	Pull Finish, Folkstone Grey

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, Files
5. Cabinet Finish
6. Pull Finish
Painted or Plated

***After specifying product code, provide keying instructions.**

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
M = Metal interior

3. *Pull options:*
B = No pull, No drilling, Customer's Own Pull
C = Nickel C-pull (nickel finish only)
D = D-pull (PT, PZ only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-pull (stainless steel finish only)
T = Tab pull
4. *Lock options:*
L = Drilled to accept lock
5. Refer to page 603 for keying instructions.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 469.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Application Notes

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding).

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,309.	\$1,511.	\$1,741.	\$2,340.
	16"	24"	26 1/2"	RPB212J () () L	1,360.	1,574.	1,808.	2,433.
	16"	30"	26 1/2"	RPB213J () () L	1,414.	1,635.	1,878.	2,530.



*Pencil Tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,211.	1,400.	1,613.	2,179.
	16"	24"	26 1/2"	RPB212K () () L	1,288.	1,489.	1,718.	2,317.
	16"	30"	26 1/2"	RPB213K () () L	1,365.	1,576.	1,813.	2,448.
	30"	20"	26 1/2"	RPB231K () () L	1,498.	1,734.	1,990.	2,689.
	30"	24"	26 1/2"	RPB232K () () L	1,564.	1,810.	2,078.	2,803.
	36"	20"	26 1/2"	RPB261K () () L	1,627.	1,887.	2,167.	2,926.
	36"	24"	26 1/2"	RPB262K () () L	1,695.	1,959.	2,252.	3,039.



*Pencil Tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RPB211JLMDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
PB Pedestal with back	2. Finish type	Customer's Own Pull
2 26 1/2"H	3. Interior option	C = C-Pull,
1 16" wide	4. Pull option	(Nickel finish only)
1 20" deep	5. Lock option, files	D = D-Pull (PT, PZ only)
J Box box file config.	6. Cabinet finish	F = Bar pull
L Laminate finish type	7. Pull Finish	H = Outline Pull
M Metal interior option	Painted or Plated	J = J (Routed) Pull
D Metal D-pull	*After specifying product code, provide keying instructions.	R = Cylinder Pull
L Lock hole drilled		S = S-Pull,
114 Cabint finish	<i>1. Finish type:</i>	(stainless steel finish only)
612 Pull finish	L = Laminate	T = Tab Pull
	1 = V1	
	2 = V2	<i>4. Lock options:</i>
	3 = V3	Pedestals with drawers always lock drilled.
	<i>2. Interior options:</i>	L = Drilled to accept lock
	M = Metal interior	Lock default is Black
		5. Refer to page 603 for keying instructions.
		Pencil trays not included in pedestals with metal interiors.
		Pencil tray to be ordered separately; see page 469.

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals must be ordered with back-panel to achieve full depth, without a modesty panel.


1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning
BBF/FF
Metal interiors legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J() () ()	\$1,234.	\$1,425.	\$1,636.	\$2,201.
	19"	23"	26 1/2"	RP222J() () ()	1,289.	1,491.	1,712.	2,303.
	19"	29"	26 1/2"	RP223J() () ()	1,343.	1,551.	1,783.	2,422.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K() () ()	1,132.	1,309.	1,505.	2,033.
	19"	23"	26 1/2"	RP222K() () ()	1,213.	1,402.	1,613.	2,178.
	19"	29"	26 1/2"	RP223K() () ()	1,291.	1,491.	1,717.	2,315.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP221JLMDL R Reff P Pedestal 2 26 1/2"H 2 19" wide 1 19" deep J Box box file config. L Laminate finish type M Metal interior option D Metal D-pull L Lock option 114 Cabinet Finish, Folkstone grey 612 Pull Finish, Med. grey	<i>To order please specify pattern number including:</i> 1. Finish type 2. Interior option 3. Pull option 4. Lock option, Files 5. Cabinet finish 6. Pull Finish Painted or Plated *After specifying product code, provide keying instructions. 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> M = Metal interior	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull 4. <i>Lock options:</i> L = Drilled to accept lock 5. <i>Cabinet Finish</i> 6. <i>Pull Finish</i> 7. Refer to page 603 for keying instructions. Pencil trays not included in pedestals with metal interiors. Pencil tray to be ordered separately; see page 469. Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Applicable finishes are listed on page 5 and 6.
 Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
 File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
 Random locks are factory installed.
 Keyalike are field installed using the KnollKey order form.
 Each locking pedestal on this page counts for one lock core.
 Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)
 1 counterweight = 10 lbs.
 Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning

BBF/FF


Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,247.	\$1,438.	\$1,654.	\$2,223.
	16"	23"	26 1/2"	RP212J-() () L	1,386.	1,602.	1,838.	2,474.
	16"	29"	26 1/2"	RP213J-() () L	1,507.	1,743.	2,000.	2,692.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,141.	1,320.	1,516.	2,048.
	16"	23"	26 1/2"	RP212K-() () L	1,346.	1,558.	1,788.	2,412.
	16"	29"	26 1/2"	RP213K-() () L	1,468.	1,699.	1,953.	2,639.
	30"	19"	26 1/2"	RP231K-() () L	1,476.	1,707.	1,962.	2,649.
	30"	23"	26 1/2"	RP232K-() () L	1,735.	2,006.	2,302.	3,108.
	36"	19"	26 1/2"	RP261K-() () L	1,825.	2,109.	2,427.	3,277.
	36"	23"	26 1/2"	RP262K-() () L	2,125.	2,460.	2,830.	3,818.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
P Pedestal	2. Interior option	Customer's Own Pull
2 26 1/2"H	3. Pull option	C = C-Pull,
1 16" wide	4. Lock option, file	(Nickel finish only)
1 19" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull finish	F = Bar pull
L Laminate finish		H = Outline Pull
W Wood interior		J = J (Routed) Pull
D Metal D-pull	*After specifying product code, provide keying instructions.	R = Cylinder Pull
L Lock hole drilled	1. <i>Finish type:</i>	S = S-Pull,
114 Cabinet finish	L = Laminate	(stainless steel finish only)
612 Pull finish	1 = V1	T = Tab Pull
	2 = V2	
	3 = V3	<i>4. Lock options:</i>
	2. <i>Interior options:</i>	Pedestals with drawers always lock drilled.
	W = Wood interior	L = Drilled to accept lock
		<i>5. Refer to page 603 for keying instructions.</i>
		Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning

BBF/FF


Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,384.	\$1,595.	\$1,832.	\$2,467.
	16"	24"	26 1/2"	RPB212J () () L	1,518.	1,756.	2,020.	2,720.
	16"	30"	26 1/2"	RPB213J () () L	1,641.	1,896.	2,177.	2,931.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,274.	1,473.	1,695.	2,289.
	16"	24"	26 1/2"	RPB212K () () L	1,479.	1,710.	1,970.	2,659.
	16"	30"	26 1/2"	RPB213K () () L	1,603.	1,854.	2,135.	2,881.
	30"	20"	26 1/2"	RPB231K () () L	1,741.	2,015.	2,316.	3,128.
	30"	24"	26 1/2"	RPB232K () () L	1,940.	2,315.	2,654.	3,584.
	36"	20"	26 1/2"	RPB261K () () L	2,141.	2,475.	2,846.	3,844.
	36"	24"	26 1/2"	RPB262K () () L	2,443.	2,829.	3,250.	4,388.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RPB211JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
PB Pedestal with back	2. Interior option	Customer's Own Pull
2 26 1/2"H	3. Pull option	C = C-Pull,
1 16" wide	4. Lock option, applicable hinged doors only	(Nickel finish only)
1 20" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull finish	F = Bar pull
L Laminate finish	Painted or Plated	H = Outline Pull
W Wood interior	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
D Metal D-pull		R = Cylinder Pull
L Lock option		S = S-Pull,
114 Cabinet finish		(stainless steel finish only)
612 Pull finish		T = Tab Pull
	<i>1. Finish type:</i>	<i>4. Lock options:</i>
	L = Laminate	Pedestals with drawers always lock drilled
	1 = V1	L = Drilled to accept lock
	2 = V2	
	3 = V3	<i>5. Refer to page 603 for keying instructions.</i>
	<i>2. Interior options:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
	W = Wood interiors	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Pedestals, 26 1/2" planning

BBF/FF

Wood interiors legal width

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J() () ()	\$1,309.	\$1,509.	\$1,734.	\$2,333.
	19"	23"	26 1/2"	RP222J() () ()	1,454.	1,682.	1,929.	2,596.
	19"	29"	26 1/2"	RP223J() () ()	1,582.	1,829.	2,100.	2,826.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K() () ()	1,199.	1,386.	1,592.	2,149.
	19"	23"	26 1/2"	RP222K() () ()	1,414.	1,636.	1,876.	2,533.
	19"	29"	26 1/2"	RP223K() () ()	1,541.	1,785.	2,052.	2,770.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RP221JLWDL R Reff P Pedestal 2 26 1/2"H 2 19" wide 1 19" deep J Box box file config. L Laminate finish W Wood interior D Metal D-pull L Lock option 114 Cabinet finish, Folkstone grey 612 Pull finish	<i>To order please specify pattern number including:</i> 1. Finish type 2. Interior option 3. Pull option 4. Lock option, files 5. Keying instructions 6. Cabinet finish 7. Pull finish Painted or Plated *After specifying product code, provide keying instructions. <i>1. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>2. Interior options:</i> W = Wood interior	<i>3. Pull options:</i> B = No Pull, No Drilling C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull <i>4. Lock options:</i> Pedestals with drawers always lock drilled. L = Drilled to accept lock <i>5. Cabinet finish</i> <i>6. Pull finish</i> 7. Refer to page 603 for keying instructions. Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$945.	\$1,092.	\$1,258.	\$1,696.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,149.	1,327.	1,528.	2,062.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,314.	1,521.	1,749.	2,361.
	30"	19"	26 1/2"	RP231L-() () ()	1,222.	1,413.	1,623.	2,193.
	30"	23"	26 1/2"	RP232L-() () ()	1,427.	1,652.	1,900.	2,565.
	36"	19"	26 1/2"	RP261L-() () ()	1,549.	1,791.	2,061.	2,783.
	36"	23"	26 1/2"	RP262L-() () ()	1,810.	2,094.	2,408.	3,253.

*Pencil tray not included
 *Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf is metal

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	720.	834.	957.	1,292.
	16"	23"	26 1/2"	RP212M-() () ()	836.	971.	1,116.	1,506.
	16"	29"	26 1/2"	RP213M-() () ()	991.	1,146.	1,319.	1,782.
	30"	19"	26 1/2"	RP231M-() () ()	834.	969.	1,113.	1,502.
	30"	23"	26 1/2"	RP232M-() () ()	1,016.	1,177.	1,352.	1,826.
	36"	19"	26 1/2"	RP261M-() () ()	1,068.	1,238.	1,424.	1,922.
	36"	23"	26 1/2"	RP262M-() () ()	1,293.	1,497.	1,720.	2,321.

*Pencil tray not included
 *Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means metal shelf.

Order Code	Specification Information	Application Notes
Example: RP211LLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling, Customer's Own Pull
P Pedestal	2. Finish type	C = C-Pull, (Nickel finish only)
2 26 1/2"H	3. Interior option	D = D-Pull (PT, PZ only)
1 16" wide	4. Pull option	F = Bar pull (1 pull per door set)
1 19" deep	5. Lock option, applicable hinged doors only	H = Outline Pull
L Hinge door config.	6. Cabinet finish	J = J (Routed) Pull
L Laminate finish	7. Pull Finish	R = Cylinder Pull
M Metal interior	Painted or Plated	S = S-Pull, (stainless steel finish only)
D Metal D-pull	*After specifying product code, provide keying instructions.	T = Tab Pull (1 pull per door set)
L Lock option	<i>1. Hinge location:</i>	<i>5. Lock options:</i>
114 Cabinet Finish	L = Left hand	L = Drilled to accept lock
612 Pull Finish	R = Right hand	N = No drilling

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

6. Refer to page 603 for keying instructions.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 469.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

For Open Pedestals;


1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

Pedestals, 26 1/2" planning
Open / Hinge Door
Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,080.	\$1,246.	\$1,438.	\$1,942.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,285.	1,483.	1,707.	2,303.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,448.	1,674.	1,929.	2,606.
	30"	20"	26 1/2"	RPB231L() () ()	1,489.	1,720.	1,976.	2,667.
	30"	24"	26 1/2"	RPB232L() () ()	1,695.	1,959.	2,251.	3,038.
	36"	20"	26 1/2"	RPB261L() () ()	1,862.	2,155.	2,478.	3,345.
	36"	24"	26 1/2"	RPB262L() () ()	2,124.	2,459.	2,829.	3,817.

*Pencil Tray not included
Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means shelf metal.

Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() ()	854.	983.	1,136.	1,535.
	16"	24"	26 1/2"	RPB212M() ()	976.	1,124.	1,297.	1,751.
	16"	30"	26 1/2"	RPB213M() ()	1,123.	1,300.	1,497.	2,021.
	30"	20"	26 1/2"	RPB231M() ()	1,103.	1,276.	1,466.	1,979.
	30"	24"	26 1/2"	RPB232M() ()	1,283.	1,483.	1,700.	2,297.
	36"	20"	26 1/2"	RPB261M() ()	1,387.	1,601.	1,842.	2,486.
	36"	24"	26 1/2"	RPB262M() ()	1,608.	1,862.	2,139.	2,886.

*Pencil Tray not included
Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB211LL	<i>To order please specify pattern number including:</i>	4. Pull options:
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
PB Pedestal with back	2. Finish type	Customer's Own Pull
2 26 1/2"H	3. Interior option	C = C-Pull,
1 16" wide	4. Pull option	(Nickel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	D = D-Pull (PT, PZ only)
L Hinge door	6. Cabinet finish	F = Bar pull (1 pull per door set)
L Hinge Left	7. Pull finish	H = Outline Pull
L Laminate finish	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
M Metal interior	<i>1. Hinge location:</i>	R = Cylinder Pull
D Metal D-pull	L = Left hand	S = S-Pull,
L Lock option	R = Right hand	(stainless steel finish only)
118 Cabinet finish	<i>2. Finish type:</i>	T = Tab Pull (1 pull per door set)
118 Pull finish	L = Laminate	5. Lock options:
	1 = V1	Optional hinge door configuration only.
	2 = V2	L = Drilled to accept lock
	3 = V3	N = No drilling
	<i>3. Interior options:</i>	6. Refer to page 603 for keying instructions.
	M = Metal interior	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

For Open Pedestals;


1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.


Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 469.

Pedestals, 26 1/2" planning
Open / Hinge Door
Wood interior

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$1,034.	\$1,195.	\$1,378.	\$1,863.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,242.	1,438.	1,651.	2,230.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,406.	1,625.	1,868.	2,522.
	30"	19"	26 1/2"	RP231L-() () ()	1,311.	1,516.	1,747.	2,358.
	30"	23"	26 1/2"	RP232L-() () ()	1,519.	1,761.	2,025.	2,733.
	36"	19"	26 1/2"	RP261L-() () ()	1,639.	1,896.	2,180.	2,943.
	36"	23"	26 1/2"	RP262L-() () ()	1,902.	2,200.	2,529.	3,413.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position
N=No Lock option

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	809.	934.	1,075.	1,449.
	16"	23"	26 1/2"	RP212M-() () ()	932.	1,079.	1,242.	1,674.
	16"	29"	26 1/2"	RP213M-() () ()	1,083.	1,250.	1,440.	1,946.
	30"	19"	26 1/2"	RP231M-() () ()	930.	1,074.	1,233.	1,664.
	30"	23"	26 1/2"	RP232M-() () ()	1,106.	1,280.	1,473.	1,986.
	36"	19"	26 1/2"	RP261M-() () ()	1,158.	1,344.	1,547.	2,087.
	36"	23"	26 1/2"	RP262M-() () ()	1,386.	1,598.	1,839.	2,482.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RP211LLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
P Pedestal	2. Finish type	Customer's Own Pull
2 26 1/2"H	3. Interior option	C = C-Pull,
1 16" wide	4. Pull option	(Nickel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	D = D-Pull (PT, PZ only)
L Hinge door	6. Cabinet finish	F = Bar pull (1 pull per door set)
L Laminate finish	7. Pull finish	H = Outline Pull
W Wood interior	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
D Metal D-pull	<i>1. Hinge location:</i>	R = Cylinder Pull
L Lock hole drilled	L = Left hand	S = S-Pull,
118 Cabinet finish	R = Right hand	(stainless steel finish only)
118 Pull finish	<i>2. Finish type:</i>	T = Tab Pull (1 pull per door set)
	L = Laminate	<i>5. Lock options:</i>
	1 = V1	Optional hinge door configuration only.
	2 = V2	L = Drilled to accept lock
	3 = V3	N = No drilling
	<i>3. Interior options:</i>	6. Refer to page 603 for keying instructions.
	W = Wood interior	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		For Open Pedestals;
		1. Finish type
		2. Interior Option
		3. Cabinet Finish
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Pedestals, 26 1/2" planning

Open / Hinge Door

Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,170.	\$1,352.	\$1,558.	\$2,102.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,375.	1,588.	1,830.	2,470.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,539.	1,779.	2,046.	2,762.
	30"	20"	26 1/2"	RPB231L() () ()	1,576.	1,822.	2,099.	2,835.
	30"	24"	26 1/2"	RPB232L() () ()	1,784.	2,066.	2,373.	3,205.
	36"	20"	26 1/2"	RPB261L() () ()	1,954.	2,260.	2,595.	3,505.
	36"	24"	26 1/2"	RPB262L() () ()	2,218.	2,563.	2,948.	3,980.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() ()	943.	1,089.	1,257.	1,695.
	16"	24"	26 1/2"	RPB212M() ()	1,065.	1,232.	1,419.	1,915.
	16"	30"	26 1/2"	RPB213M() ()	1,216.	1,402.	1,618.	2,184.
	30"	20"	26 1/2"	RPB231M() ()	1,193.	1,380.	1,584.	2,140.
	30"	24"	26 1/2"	RPB232M() ()	1,374.	1,587.	1,822.	2,459.
	36"	20"	26 1/2"	RPB261M() ()	1,476.	1,709.	1,962.	2,649.
	36"	24"	26 1/2"	RPB262M() ()	1,699.	1,962.	2,256.	3,044.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RPB211LLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
PB Pedestal with back	2. Finish type	Customer's Own Pull
2 26 1/2"H	3. Interior option	C = C-Pull,
1 16" wide	4. Pull option	(Nickel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	D = D-Pull (PT, PZ only)
L Hinged door	6. Cabinet finish	F = Bar pull (1 pull per door set)
L Laminate finish	7. Pull finish	H = Outline Pull
W Wood interior	Painted or Plated	J = J (Routed) Pull
D Metal D-pull	*After specifying product code, provide keying instructions.	R = Cylinder Pull
L Lock option		S = S-Pull,
118 Cabinet finish	<i>1. Hinge location:</i>	(stainless steel finish only)
118 Pull finish	L = Left hand	T = Tab Pull (1 pull per door set)
	R = Right hand	<i>5. Lock options:</i>
	<i>2. Finish type:</i>	Optional hinge door configuration
	L = Laminate	L = Drilled to accept lock
	1 = V1	N = No drilling
	2 = V2	<i>6. Refer to page 603 for keying instructions.</i>
	3 = V3	Pedestals must be ordered with back panels to achieve full depth without a modesty panel.
	<i>3. Interior options:</i>	
	W = Wood interior	
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
		For Open Pedestals;
		1. Finish Type
		2. Interior Option
		3. Cabinet Finish

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Mobile Pedestal

Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors L	interiors V1	interiors V2	interiors V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L () ()	\$1,155.	\$1,336.	\$1,536.	\$2,073.	
	16"	23"	21"	RM112J-() () L () ()	1,208.	1,397.	1,609.	2,171.	
	16"	23"	26 1/2"	RM212J-() () L () ()	1,622.	1,878.	2,157.	2,914.	
	16"	23"	26 1/2"	RM212K-() () L () ()	1,622.	1,878.	2,157.	2,914.	



*Pencil tray not included
*Glue and dowel construction

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT					102.
---	---	---	---	----------	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
M Mobile Pedestal	2. Interior option	Customer's Own Pull
1 21"H	3. Pull option	C = C-Pull,
1 16" wide	4. Lock option, files	(Nickel finish only)
1 19" deep	5. Cabinet Finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull Finish	F = Bar pull
L Laminate finish	Painted or Plated	H = Outline Pull
M Metal interior	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
D Metal D-pull		R = Cylinder Pull
L Lock option	<i>1. Finish type:</i>	S = S-Pull,
114 Cabinet Finish	L = Laminate	(stainless steel finish only)
612 Pull Finish	1 = V1	T = Tab Pull
	2 = V2	<i>4. Lock options:</i>
	3 = V3	L = Drilled to accept lock
	<i>2. Interior options:</i>	<i>5. Case Finish:</i> Laminate, V1,V2,V3
	M = Metal interior	<i>6. Pull Finish:</i> Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pencil trays not included in mobile pedestals with metal interiors.

Pencil tray to be ordered separately.

Pedestals, 26 1/2" planning

Mobile Pedestal


Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood	list
					interiors	interiors	interiors	interiors	
					L	V1	V2	V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L () ()	\$1,367.	\$1,583.	\$1,821.	\$2,458.	
	16"	23"	21"	RM112J-() () L () ()	1,443.	1,669.	1,918.	2,590.	
	16"	23"	26 1/2"	RM212K-() () L () ()	1,952.	2,257.	2,595.	3,505.	
	16"	23"	26 1/2"	RM212J-() () L () ()	1,952.	2,257.	2,595.	3,505.	



Glue and dowel construction

Pedestal backs	w	d	h	pattern no.	wood	wood	wood	wood
					L	V1	V2	V3
	16"	1"	26 1/2"	RPAB16-() ()	123.	138.	160.	217.
	19"	1"	26 1/2"	RPAB19-() ()	129.	145.	169.	229.
	30"	1"	26 1/2"	RPAB30-() ()	245.	274.	313.	423.
	36"	1"	26 1/2"	RPAB36-() ()	288.	326.	374.	506.



pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	w	d	h	pattern no.	wood	wood	wood	wood
					L	V1	V2	V3
	-	-	-	RCOUNTWT				102.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling, Customer's Own Pull
M Mobile Pedestal	2. Interior option	C = C-Pull, (Nickel finish only)
1 21"H	3. Pull option	D = D-Pull (PT, PZ only)
1 16" wide	4. Lock option, files	F = Bar pull
1 19" deep	5. Cabinet Finish	H = Outline Pull
J Box box file config.	6. Pull Finish	J = J (Routed) Pull
L Laminate finish	Painted or Plated	R = Cylinder Pull
W Wood interior	After specifying product code, provide keying instructions.	S = S-Pull, (stainless steel finish only)
D Metal D-pull	<i>1. Finish type:</i>	T = Tab Pull
L Lock option	L = Laminate	<i>4. Lock options:</i>
114 Cabinet Finish	1 = V1	L = Drilled to accept lock
612 Pull Finish	2 = V2	<i>5. Case Finish:</i> Wood or Laminate
	3 = V3	<i>6. Pull Finish:</i> Painted or Plated
	<i>2. Interior options:</i>	Refer to page 603 for keying instructions.
	M = Metal interior	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Applicable finishes are listed on page 5 and 6.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Random locks are factory installed. Keyalike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pedestals, 28 3/8 planning

BBF/FF


Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 3/8"	RP161J () () L () ()	\$1,232.	\$1,422.	\$1,636.	\$2,202.
	16"	23"	28 3/8"	RP162J () () L () ()	1,289.	1,491.	1,713.	2,305.
	16"	29"	28 3/8"	RP163J () () L () ()	1,343.	1,552.	1,785.	2,401.

*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height) file/file configuration	16"	19"	28 3/8"	RP161K () () L () ()	1,131.	1,309.	1,505.	2,034.
	16"	23"	28 3/8"	RP162K () () L () ()	1,211.	1,400.	1,613.	2,179.
	16"	29"	28 3/8"	RP163K () () L () ()	1,292.	1,491.	1,718.	2,317.
	30"	19"	28 3/8"	RP301K () () L () ()	1,294.	1,499.	1,721.	2,322.
	30"	23"	28 3/8"	RP302K () () L () ()	1,365.	1,578.	1,813.	2,448.
	36"	19"	28 3/8"	RP361K () () L () ()	1,378.	1,598.	1,837.	2,481.
	36"	23"	28 3/8"	RP362K () () L () ()	1,448.	1,673.	1,925.	2,600.

*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Order Code

Example:	RP161J(L)(M)(J)L(118)
R	Reff
P	Pedestal
16	16" wide (nominal)
1	19" deep (nominal)
J	Box/Box/File config.
L	Finish type, laminate
M	Interior option, metal
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
- Interior option**
M = metal interior
- Pull option**
B = No pull, No drilling
Customer's own pull
C = nickel finish C-pull (nickel finish only)
D = metal D-pull (finish optional)
F = Bar
H = Out Line
J = routed J-pull (finish matches case)
R = Cylinder
S = S-pull (stainless steel finish only)
T = Tab

- Lock option**
Lock default is black.
Pedestals with drawers always lock drilled
L = drilled to accept lock
- Cabinet finish**
- Pull finish**
Painted or Plated

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 603 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 469.

Finished back must be ordered separately to achieve full depth without a modesty. (page 293)

Application Notes

Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning

BBF/FF

Metal interior legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191J() () L () ()	\$1,292.	\$1,493.	\$1,717.	\$2,311.
box/box/file configuration	19"	23"	28 3/8"	RP192J() () L () ()	1,353.	1,527.	1,797.	2,420.
	19"	29"	28 3/8"	RP193J() () L () ()	1,410.	1,630.	1,873.	2,521.




Pencil tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Pedestal, (desk height)	19"	19"	28 3/8"	RP191K() () L () ()	1,187.	1,374.	1,581.	2,136.
file/file configuration	19"	23"	28 3/8"	RP192K() () L () ()	1,272.	1,470.	1,694.	2,288.
	19"	29"	28 3/8"	RP193K() () L () ()	1,357.	1,565.	1,803.	2,433.



Pencil tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)


*3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP191J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	
R Reff		
P Pedestal		
19 19" wide (nominal)		
1 19" deep (nominal)		
J Box/Box/File configuration		
L Finish type, laminate		
M Interior option, metal		
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		
	<ol style="list-style-type: none"> Finish type L = laminate 1 = V1 2 = V2 3 = V3 Interior option M = metal interior Pull option B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Out Line J = routed J-pull (finish matches case) R = Cylinder S = S-pull (stainless steel finish only) T = Tab 	<p>4. Lock option Lock default is Black Pedestals with drawers always lock drilled L = drilled to accept lock</p> <p>5. Cabinet finish</p> <p>6. Pull finish Painted or Plated</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p> <p>Keying instructions must accompany all orders, refer to page 603 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.</p> <p>Pencil trays not included in pedestals with metal interiors.</p> <p>Pencil tray to be ordered separately; see page 469.</p> <p>Finished back must be ordered separately to achieve full depth without a modesty. (page0)</p>
		<p>Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)</p> <p>1 counterweight = 10 lbs.</p> <p>Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p>


Pedestals, 28 3/8 planning

BBF/FF

Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	16"	19"	28 3/8"	RP161J () () L () ()	\$1,309.	\$1,509.	\$1,732.	\$2,330.
	16"	23"	28 3/8"	RP162J () () L () ()	1,452.	1,682.	1,931.	2,597.
	16"	29"	28 3/8"	RP163J () () L () ()	1,581.	1,830.	2,098.	2,823.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	16"	19"	28 3/8"	RP161K () () L () ()	1,200.	1,386.	1,594.	2,151.
	16"	23"	28 3/8"	RP162K () () L () ()	1,413.	1,635.	1,878.	2,535.
	16"	29"	28 3/8"	RP163K () () L () ()	1,540.	1,785.	2,052.	2,770.
	30"	19"	28 3/8"	RP301K () () L () ()	1,550.	1,792.	2,062.	2,784.
	30"	23"	28 3/8"	RP302K () () L () ()	1,821.	2,107.	2,418.	3,262.
	36"	19"	28 3/8"	RP361K () () L () ()	1,914.	2,213.	2,550.	3,442.
	36"	23"	28 3/8"	RP362K () () L () ()	2,231.	2,585.	2,971.	4,010.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code	Specification Information
Example: RP161J(L)(W)(J)L(118)	
R Reff	
P Pedestal	
16 16" wide (nominal)	
1 19" deep (nominal)	
J Box/Box/File configuration	
L Finish type, laminate	
W Interior option, wood	
D Pull option	
L Lock option	
118 Cabinet finish	
118 Pull finish	

Specification Information

To order please specify pattern number including:

- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
- Interior option**
W = wood interior
- Pull option**
B = No pull, No drilling
Customer's own pull
C = nickel finish C-pull (nickel finish only)
D = metal D-pull (finish optional)
F = Bar
H = Out Line
J = routed J-pull (finish matches case)
R = Cylinder
S = S-pull (stainless steel finish only)
T = Tab
- Lock option**
Pedestals with drawers always lock drilled
Lock default is Black
L = drilled for lock

5. Cabinet finish
6. Pull finish
Painted or Plated

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 603 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty.(page0)

Application Notes

Products on this page are 28-3/8" high. 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning

BBF/FF


Wood interior legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191J()()L()()	\$1,373.	\$1,584.	\$1,818.	\$2,446.
box/box/file configuration	19"	23"	28 3/8"	RP192J()()L()()	1,524.	1,765.	2,026.	2,727.
	19"	29"	28 3/8"	RP193J()()L()()	1,658.	1,919.	2,202.	2,964.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal


Pedestal, (desk height)	19"	19"	28 3/8"	RP191K()()L()()	1,332.	1,455.	1,673.	2,258.
file/file configuration	19"	23"	28 3/8"	RP192K()()L()()	1,483.	1,717.	1,973.	2,662.
	19"	29"	28 3/8"	RP193K()()L()()	1,618.	1,874.	2,155.	2,908.




Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP191J(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	5. <i>Cabinet finish</i>	File drawers include file bars for front to back and side to side filing.
P Pedestal	6. <i>Pull finish</i> Painted or Plated	File drawers support bottom loading.
19 19" wide (<i>nominal</i>)	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Applicable finishes are listed on page 5 and 6.
1 19" deep (<i>nominal</i>)	2. <i>Interior option</i> W = wood interior	Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
J Box/Box/File configuration	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Out Line J = routed J-pull (finish matches case) R = Cylinder S = S-pull (stainless steel finish only) T = Tab	1 counterweight = 10 lbs.
L Finish type, laminate	4. <i>Lock option</i> Pedestals with drawers always lock drilled Lock default is Black L = drilled to accept lock N = no drilling	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
W Interior option, wood		
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		

Pedestals, 28 3/8 planning
 Open / Hinge Door
 Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 3/8"	RP161L(L/R) () () () ()	\$993.	\$1,147.	\$1,320.	\$1,783.
	16"	23"	28 3/8"	RP162L(L/R) () () () ()	1,206.	1,395.	1,603.	2,165.
	16"	29"	28 3/8"	RP163L(L/R) () () () ()	1,378.	1,598.	1,837.	2,481.
	30"	19"	28 3/8"	RP301L () () () ()	1,283.	1,483.	1,706.	2,302.
	30"	23"	28 3/8"	RP302L () () () ()	1,498.	1,735.	1,993.	2,691.
	36"	19"	28 3/8"	RP361L () () () ()	1,625.	1,879.	2,164.	2,921.
	36"	23"	28 3/8"	RP362L () () () ()	1,900.	2,200.	2,530.	3,415.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
 Metal interior means shelf metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 3/8"	RP161M () ()	753.	875.	1,005.	1,356.
	16"	23"	28 3/8"	RP162M () ()	881.	1,019.	1,172.	1,582.
	16"	29"	28 3/8"	RP163M () ()	1,038.	1,202.	1,384.	1,869.
	30"	19"	28 3/8"	RP301M () ()	878.	1,016.	1,168.	1,577.
	30"	23"	28 3/8"	RP302M () ()	1,067.	1,234.	1,419.	1,915.
	36"	19"	28 3/8"	RP361M () ()	1,121.	1,301.	1,493.	2,014.
	36"	23"	28 3/8"	RP362M () ()	1,358.	1,572.	1,807.	2,439.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
 Metal interior means shelf metal.
 N=No lock option

Order Code

Example:	RP161LL(L)(M)(J)L(118)
R	Reff
P	Pedestal
16	16" wide (nominal)
1	19" deep (nominal)
L	Hinge door config.
L	Left hand hinge location
L	Finish type, laminate
M	Interior option, metal
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
 L = left hand
 R = right hand
- Finish type
 L = laminate
 1 = V1
 2 = V2
 3 = V3
- Interior option
 M = metal interior
- Pull option
 B = No pull, No drilling
 Customer's own pull
 C = nickel finish C-pull (nickel finish only)
 D = metal D-pull (finish optional)
 F = Bar (1 pull per door set)
 H = Out Line
 J = routed J-pull (finish matches case)
 R = Cylinder
 S = S-pull (stainless steel finish only)
 T = Tab (1 pull per door set)

- Lock option
 Optional for hinged door configurations only
 L = drilled to accept lock
 N = no drilling
- Lock Finish:
 B = Black
 S = Matte Silver
- Cabinet finish
- Pull finish
 Painted or Plated

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 603 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Application Notes

Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Applicable finishes are listed on page 5 and 6.

Finished back must be ordered separately to achieve full depth without a modesty. (page 293)

For Open pedestals;


- Finish type
- Interior option
- Cabinet finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning

Open / Hinge Door

Wood interiors


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161L(L/R) () () () ()	\$1,086.	\$1,257.	\$1,445.	\$1,951.
	16"	23"	28 ³ / ₈ "	RP162L(L/R) () () () ()	1,305.	1,506.	1,734.	2,342.
	16"	29"	28 ³ / ₈ "	RP163L(L/R) () () () ()	1,477.	1,707.	1,960.	2,647.
	30"	19"	28 ³ / ₈ "	RP301L () () () ()	1,375.	1,594.	1,833.	2,475.
	30"	23"	28 ³ / ₈ "	RP302L () () () ()	1,595.	1,848.	2,123.	2,867.
	36"	19"	28 ³ / ₈ "	RP361L () () () ()	1,723.	1,989.	2,287.	3,088.
	36"	23"	28 ³ / ₈ "	RP362L () () () ()	1,997.	2,310.	2,653.	3,582.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161M () ()	853.	980.	1,130.	1,526.
	16"	23"	28 ³ / ₈ "	RP162M () ()	978.	1,134.	1,305.	1,761.
	16"	29"	28 ³ / ₈ "	RP163M () ()	1,136.	1,311.	1,513.	2,044.
	30"	19"	28 ³ / ₈ "	RP301M () ()	976.	1,127.	1,295.	1,748.
	30"	23"	28 ³ / ₈ "	RP302M () ()	1,163.	1,345.	1,549.	2,088.
	36"	19"	28 ³ / ₈ "	RP361M () ()	1,216.	1,413.	1,621.	2,192.
	36"	23"	28 ³ / ₈ "	RP362M () ()	1,453.	1,676.	1,930.	2,607.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

N=No Lock option

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) finished back 	16"	1"	28 ³ / ₈ "	RPDHB16 () ()	236.	283.	325.	423.
	19"	1"	28 ³ / ₈ "	RPDHB19 () ()	241.	289.	333.	433.
	30"	1"	28 ³ / ₈ "	RPDHB30 () ()	265.	317.	365.	475.
	36"	1"	28 ³ / ₈ "	RPDHB36 () ()	278.	333.	383.	499.

pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information	Application Notes
Example: RP161LL(L)(W)(J)L(118) R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) L Hinge door config. L Left hand hinge location L Finish type, laminate W Interior option, wood J Pull option, J L Lock option 118 Cabinet finish 118 Pull finish	To order please specify pattern number including: 1. Hinge location, were applicable L = left hand R = right hand 2. Finish type L = laminate 1 = V1 2 = V2 3 = V3 3. Interior option W = wood interior 4. Pull option B = No pull, No drilling Customer's own pull C = nickel finish C-pull D = metal D-pull F = Bar (1 pull per door set) H = Out Line J = routed J-pull R = Cylinder S = S-pull T = Tab (1 pull per door set)	5. Lock option Optional for hinged door configurations only Lock default is Black L = drilled to accept lock N = no drilling 6. Lock Finish: B = Black S = Matte Silver 7. Cabinet finish 8. Pull finish Painted or Plated Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. Keying instructions must accompany all orders, refer to page 603 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
		Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications. Applicable finishes are listed on page 5 and 6. For Open pedestals; 1. Finish type 2. Interior option 3. Cabinet finish Finished back must be ordered separately to achieve full depth without a modesty.(page293) Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning
Removable Back
Wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height) hinge door configuration	30"	19"	28 3/8"	RPDHH301A()()()	\$1,556.	\$1,877.	\$2,326.	\$3,223.
Access with removable back	30"	23"	28 3/8"	RPDHH302A()()()	1,595.	2,177.	2,673.	3,687.
(wood interior only)	36"	19"	28 3/8"	RPDHH361A()()()	1,603.	2,269.	2,780.	3,834.
	36"	23"	28 3/8"	RPDHH362A()()()	1,640.	2,636.	3,202.	4,405.



Pedestal, (desk height) open book case	30"	20"	28 3/8"	RPDH301A()	1,195.	1,378.	1,584.	2,139.
Access with removable back	30"	24"	28 3/8"	RPDH302A()	1,420.	1,644.	1,891.	2,551.
(wood interior only)	36"	20"	28 3/8"	RPDH361A()	1,489.	1,727.	1,987.	2,680.
	36"	24"	28 3/8"	RPDH362A()	1,780.	2,052.	2,362.	3,189.



Order Code	Specification Information	Application Notes
Example: RPDHH301A	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Lock Option:</i> L/N	4. <i>Pull Finish:</i> Painted Plated
P Pedestal	2. <i>Lock Finish:</i> B = Black S = Matte Silver	5. <i>Pedestal Finish:</i> L, V1, V2, V3
DH Desk Height	3. <i>Pull option:</i> B = no pull, no drilling Customer's own pull C = nickel finish C-pull D = metal D-pull F = Bar pull (1 pull per door set) H = Outline pull J = routed J-pull R = Cylinder pull S = S-pull T = Tab pull (1 pull per door set)	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
H Hinge doors		Hinge doors only
30 30" wide (<i>nominal</i>)		One adjustable shelf
1 19" deep (<i>nominal</i>)		Wood shelf only
A Access		No metal interior
L Lock option		Removable back is above adjustable shelf
B Lock finish		Key hole construction
B Pull option, B		30" and 36" wide x 19" deep
() Pull finish		Always comes with applied pull
118 Cabinet finish		No touch latch option
		Works the same way as the 3/4" access ped
		Inside height clearance top shelf = 10.9"
		Inside height clearance bottom shelf = 11.6"
		Use with 28 3/8" high planning

Pedestals, 28 3/8 planning
Equipment Pedestal, 28 3/4" high
Wood interior

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height)	30"	19"	28 3/8"	RPDH301E(L/R) () () () () () ()	\$2,260.	\$3,210.	\$3,549.	\$4,234.
Equipment configuration	30"	23"	28 3/8"	RPDH302E(L/R) () () () () () ()	2,302.	3,269.	3,606.	4,432.
(wood interior only)	36"	19"	28 3/8"	RPDH361E(L/R) () () () () () ()	2,316.	3,277.	3,623.	4,358.
	36"	23"	28 3/8"	RPDH362E(L/R) () () () () () ()	2,355.	3,327.	3,697.	4,491.






Order Code	Specification Information	Application Notes
Example: RPDH301E(L/R)	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
R Reff		
P Pedestal	1. <i>Finish type:</i>	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
DH Desk height	L = laminate	
30 30" wide	1 = V1	
1 19" deep (nominal)	2 = V2	Applied back can be ordered separately but NOT recommended, for it restricts ventilation.
E Equipment Ped.	3 = V3	
L Left hand	2. <i>Interior option: W (wood)</i>	
V2 Case finish type	3. <i>Pull option</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
W Interior option, wood	B = No pull, No drilling	
H Pull option	Customer's own pull	
V316 Case finish	C = Nickel finish C-pull	
111 Pull finish	D = Metal D-pull	
L Lock option	F = Bar pull	
B Lock finish	H = Outline pull	
	J = Rounded J-pull	
	R = Cylinder pull	
	S = S-pull	
	(Stainless Steel Finish only)	
	T = Tab pull	
	4. Case finish	
	5. Pull finish:	
	Painted or Plated	
	6. <i>Lock option</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	7. Lock finish:	
	B = Black	
	S = Matte Silver	

Pedestals, 28 3/8 planning


Metal accessories for pedestals

Reff Profiles


description	w	d	h	pattern no.	list
Metal box divider, for desk height products 				RDHMBD	\$30.
	for 16" w desk height metal box drawer				
Metal file drawer divider, for desk height products 				RDHMFD	30.
	for 16" w desk height metal file drawer				
Metal lateral file drawer divider, for desk height products 				RDHMLD	23.
	for 20" and 24" deep metal lateral drawers				
Counter weight (for file/file configuration pedestals when used in freestanding applications)	—	—	—	RCOUNTWT	102.
	1 counter weight = 10 lbs.				

Order Code	Specification Information	Application Notes
Example: RDHMBD		The dividers come in black paint only.
R Reff		
DH Desk height		
M Metal		
B Box		
D Divider		


Pedestals, 28 3/8 planning
22 3/8" high
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height planning) box/file configuration	16"	19"	22 3/8"	RP161R () () (L) () ()	\$1,130.	\$1,305.	\$1,497.	\$2,013.
	16"	23"	22 3/8"	RP162R () () (L) () ()	1,180.	1,364.	1,566.	2,106.
	19"	19"	22 3/8"	RP191R () () (L) () ()	1,185.	1,369.	1,571.	2,112.
	19"	23"	22 3/8"	RP192R () () (L) () ()	1,238.	1,431.	1,644.	2,211.
	30"	19"	22 3/8"	RP301R () () (L) () ()	1,203.	1,392.	1,597.	2,147.
	30"	23"	22 3/8"	RP302R () () (L) () ()	1,268.	1,466.	1,680.	2,258.
	36"	19"	22 3/8"	RP361R () () (L) () ()	1,282.	1,481.	1,700.	2,288.
	36"	23"	22 3/8"	RP362R () () (L) () ()	1,343.	1,551.	1,782.	2,398.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal
Pencil tray not included.

 Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf	30"	19"	22 3/8"	RP301S () () ()	801.	930.	1,068.	1,442.
	30"	23"	22 3/8"	RP302S () () ()	976.	1,130.	1,297.	1,752.
	36"	19"	22 3/8"	RP361S () () ()	1,025.	1,189.	1,367.	1,844.
	36"	23"	22 3/8"	RP362S () () ()	1,241.	1,436.	1,650.	2,228.


Supplied with hardware kit includes wood screws for attachment to underside of worksurface

 Pedestal, (desk height planning) open file configuration	30"	19"	22 3/8"	RP301T () () (L) () ()	862.	995.	1,133.	1,506.
	30"	23"	22 3/8"	RP302T () () (L) () ()	1,036.	1,196.	1,361.	1,817.
	36"	19"	22 3/8"	RP361T () () (L) () ()	1,085.	1,255.	1,431.	1,910.
	36"	23"	22 3/8"	RP362T () () (L) () ()	1,302.	1,501.	1,716.	2,292.

Order Code	Specification Information	Application Notes
Example: RP161R () () (L) () ()	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
R Reff	4. <i>Lock option</i> Pedestals with drawers always lock drilled	Applied back ordered separately for finished back.
P Pedestal	1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	File drawer support bottom loading
16 16" wide (nominal)	2. Interior option: M = Metal interior	File drawers include bars for front to back and side to side filing.
1 19" deep (nominal)	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = Metal C-pull D = Metal D-pull F = Bar (1 pull / Door set) H = Outline J = Routed J-pull S = Metal S-pull R = Cylinder T = Tab (1 pull / Door set)	Pencil trays not included in pedestals with metal interiors.
R Box/File configuration	5. <i>Lock finish</i> B = Black S = Matte silver	Pencil tray to be ordered separately; see page 469.
2 Finish type	6. <i>Cabinet finish:</i> L, V1, V2, V3	Open book case:
M Interior option	7. <i>Pull finish</i> Painted or Plated	1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3
H Pull option	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	2. Interior option
L Lock option		3. Cabinet finish
B Lock finish		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
V316 Cabinet finish		
PU Satin Nickel		

Pedestals, 28 3/8 planning


22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning) box/file configuration 	16"	19"	22 3/8"	RP161R () () L () ()	\$1,198.	\$1,381.	\$1,587.	\$2,134.
	16"	23"	22 3/8"	RP162R () () L () ()	1,330.	1,538.	1,765.	2,375.
	19"	19"	22 3/8"	RP191R () () L () ()	1,256.	1,450.	1,667.	2,240.
	19"	23"	22 3/8"	RP192R () () L () ()	1,396.	1,614.	1,853.	2,494.
	30"	19"	22 3/8"	RP301R () () L () ()	1,436.	1,660.	1,906.	2,565.
	30"	23"	22 3/8"	RP302R () () L () ()	1,687.	1,947.	2,231.	3,004.
	36"	19"	22 3/8"	RP361R () () L () ()	1,772.	2,047.	2,352.	3,166.
	36"	23"	22 3/8"	RP362R () () L () ()	2,060.	2,384.	2,734.	3,687.


Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

* Pencil trays available in 16" and 19" w box drawers only.

Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf 	30"	19"	22 3/8"	RP301S () ()	893.	1,030.	1,184.	1,598.
	30"	23"	22 3/8"	RP302S () ()	1,062.	1,228.	1,414.	1,906.
	36"	19"	22 3/8"	RP361S () ()	1,112.	1,289.	1,485.	2,003.
	36"	23"	22 3/8"	RP362S () ()	1,329.	1,534.	1,765.	2,383.

Pedestals are supplied with hardware kit including wood screws for attachments to underside of worksurface.

Pedestal, (desk height planning) open file configuration 	30"	19"	22 3/8"	RP301T () () L () ()	952.	1,094.	1,248.	1,662.
	30"	23"	22 3/8"	RP302T () () L () ()	1,121.	1,294.	1,479.	1,972.
	36"	19"	22 3/8"	RP361T () () L () ()	1,173.	1,355.	1,549.	2,068.
	36"	23"	22 3/8"	RP362T () () L () ()	1,390.	1,599.	1,830.	2,447.

Order Code

Specification Information

Example:	RP161R () () L () ()
R	Reff
P	Pedestal
16	16" wide (nominal)
1	19" deep (nominal)
R	Box/File configuration
2	Finish type
W	Interior option
H	Pull option
L	Lock option
B	Lock finish
V316	Cabinet finish
PU	Satin Nickel

To order please specify pattern number including:

1. *Finish type*
L = Laminate
1 = V1
2 = V2
3 = V3
2. Interior option: W = Wood interior
3. *Pull option*
B = No pull, No drilling
Customer's own pull
C = Metal C-pull
D = Metal D-pull
F = Bar (1 pull / Door set)
H = Outline
J = Routed J-pull
S = Metal S-pull
R = Cylinder
T = Tab (1 pull / Door set)

4. *Lock option*
Pedestals with drawers always lock drilled
L = drilled to accept lock
5. *Lock finish*
B = Black
S = Matte silver
6. *Cabinet finish:*
L, V1, V2, V3
7. *Pull finish*
Painted or Plated

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

- Use 28 3/8" desk height planning.
 - Applied back ordered separately for finished back.
 - File drawer support bottom loading
 - File drawers include bars for front to back and side to side filing.
 - Pencil trays not included in pedestals with metal interiors.
 - Pencil tray to be ordered separately; see page 469.
 - Open book case:
 1. *Finish type*
L = Laminate
1 = V1
2 = V2
3 = V3
 2. Interior option
 3. Cabinet finish
- Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning
Hinge door with access, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Desk Height (22 3/8") Access Pedestal, Hinge doors	30"	19"	22 3/8"	RPH301A () () () ()	\$1,479.	\$1,783.	\$2,209.	\$3,062.
	30"	23"	22 3/8"	RPH302A () () () ()	1,515.	2,068.	2,539.	3,503.
	36"	19"	22 3/8"	RPH361A () () () ()	1,523.	2,156.	2,641.	3,642.
	36"	23"	22 3/8"	RPH362A () () () ()	1,558.	2,504.	3,042.	4,185.



Order Code	Specification Information	Application Notes
Example: RPH301A () () () ()	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
R Reff		One adjustable shelf.
P Pedestal		Wood shelf only, no metal interior.
H Hinge doors		Keyhole construction.
30 30" wide		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 19" deep		Open access is above adjustable shelf.
A Access		Pedestal backs and Fillers, NOT intended for products on this page.
L Lock option	1. <i>Lock option</i> L = Drilled for lock N = No lock drilling	
B Lock finish	2. <i>Lock finish:</i> B = Black S = Matte Silver	
B Pull option	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = Metal C-pull D = Metal D-pull F = Bar (1 pull / Door set) H = Outline J = Routed J-pull S = Metal S-pull R = Cylinder T = Tab (1 pull / Door set)	
111 Pull finish	4. <i>Pull finish:</i> Painted or Plated	
118 Finish	5. <i>Finish:</i> Wood or Laminate	

Pedestals, 28 3/8" planning
Removable Back, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 3/8"	RP301A ()()	\$996.	\$1,148.	\$1,320.	\$1,782.
cabinet access bookcase	30"	23"	22 3/8"	RP302A ()()	1,184.	1,370.	1,576.	2,126.
* with removable back	36"	19"	22 3/8"	RP361A ()()	1,240.	1,439.	1,656.	2,233.
	36"	23"	22 3/8"	RP362A ()()	1,483.	1,710.	1,969.	2,657.



*available in wood interior only.

Order Code	Specification Information	Application Notes
Example: RP301A	<i>To order the bookcase, please specify pattern number including:</i>	Bookcase
R Reff	1. <i>Finish type</i>	Always open configuration.
P Pedestal	L = Laminate	One adjustable Shelf.
30 30" wide	1 = V1	Bottom shelf fixed.
1 19" deep (<i>nominal</i>)	2 = V2	Removable back.
A Access pedestal	3 = V3	Inside height clearance;
2 Finish type	2. <i>Cabinet finish:</i>	Top shelf: 4.9"
V316 Cabinet finish	Laminate, V1, V2, V3	Bottom shelf: 11.6"
		Pedestal backs and Fillers, NOT intended for products on this page.

Use 28 3/8" desk height planning.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 28 3/8 planning
Equipment Pedestal, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 3/8"	RP301E(L/R) () () () () () ()	\$1,884.	\$2,675.	\$2,957.	\$3,528.
equipment configuration	30"	23"	22 3/8"	RP302E(L/R) () () () () () () ()	1,918.	2,724.	3,005.	3,638.
(wood interior only)	36"	19"	22 3/8"	RP361E(L/R) () () () () () () ()	1,930.	2,730.	3,019.	3,632.
	36"	23"	22 3/8"	RP362E(L/R) () () () () () () ()	1,962.	2,772.	3,081.	3,742.



Left hand shown




Order Code	Specification Information	Application Notes
Example: RP301E(L/R)	<i>To order please specify pattern number including:</i>	Lock default is black
R Reff	1. <i>Finish type:</i>	Use 28 3/8" desk height planning.
P Pedestal	L = laminate	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
30 30" wide	1 = V1	Applied back can be ordered separately, but <u>NOT</u> recommended for it restricts ventilation.
1 19" deep (<i>nominal</i>)	2 = V2	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
E Equipment Ped.	3 = V3	
L Left hand	2. <i>Interior option: W (wood)</i>	
V2 Case finish type	3. <i>Pull option</i>	
V2 Front finish type	B = No pull, No drilling	
W Interior option, wood	Customer's own pull	
H Pull option	F = Bar pull	
V316 Case finish	H = Outline pull	
V316 Front finish	R = Cylinder pull	
111 Pull finish	T = Tab pull	
L Lock option	4. Case finish	
B Lock finish	5. Pull finish:	
	Painted or Plated	
	6. <i>Lock option</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	7. Lock finish:	
	B = Black	
	S = Silver	

Equipment Pedestal's Clearance:

Enclosed Area:
 For 30" w X 19" d 22.5" w X 16.5" d X 14.25" h
 For 30" w X 23" d 22.5" w X 20.5" d X 14.25" h
 For 36" w X 19" d 26.5" w X 16.5" d X 14.25" h
 For 36" w X 23" d 26.5" w X 20.5" d X 14.25" h

Open Area:
 For 30" w X 19" d 8" w X 17" d X 17.5" h
 For 30" w X 23" d 8" w X 21" d X 17.5" h
 For 36" w X 19" d 8" w X 17" d X 17.5" h
 For 36" w X 23" d 8" w X 21" d X 17.5" h

Pedestals, 28 3/8" planning
 22 3/8" high
 Pedestal back, filler and flush modesty

description	w	th	h	pattern no.	L	V1	V2	V3
Pedestal Back 	16"		22 3/8"	RPCB16 () ()	\$161.	\$208.	\$250.	\$348.
	19"		22 3/8"	RPCB19 () ()	166.	214.	258.	358.
	30"		22 3/8"	RPCB30 () ()	190.	242.	290.	400.
	36"		22 3/8"	RPCB36 () ()	203.	258.	308.	424.
Pedestal Filler 	6"		22 3/8"	RPFC6 () ()	167.	202.	220.	263.
	6"		28 3/8"	RPDHF6 () ()	201.	238.	257.	302.
Flush Modesty Panel 	42"	1"	22 3/8"	RPDHC42MF () ()	345.	418.	481.	625.
	48"	1"	22 3/8"	RPDHC48MF () ()	361.	437.	503.	655.
	54"	1"	22 3/8"	RPDHC54MF () ()	377.	456.	525.	681.
	60"	1"	22 3/8"	RPDHC60MF () ()	415.	503.	579.	752.
	66"	1"	22 3/8"	RPDHC66MF () ()	430.	521.	600.	779.
	72"	1"	22 3/8"	RPDHC72MF () ()	445.	540.	621.	808.
	78"	1"	22 3/8"	RPDHC78MF () ()	567.	565.	651.	846.
	84"	1"	22 3/8"	RPDHC84MF () ()	483.	584.	672.	874.
	90"	1"	22 3/8"	RPDHC90MF () ()	518.	627.	722.	938.
	96"	1"	22 3/8"	RPDHC96MF () ()	532.	645.	742.	965.

Order Code	
Example: RPCB16() ()	
R	Reff
P	Pedestal
C	For use with 22 3/8" pedestal
B	Back
16	Width
2	Finish type
V316	Finish

Specification Information
1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3
2. <i>Finish:</i> Laminate or V1, V2, V3

Application Notes
Lock default is black.
Use 28 3/8" desk height planning.
Applied back ordered separately for finished back.
Products on this page Excluding any vertical surface, ie; modesty panels over 48" will accept wood grain laminate, where laminate is currently an option.

Pedestals, 28 3/8 planning
Mobile Pedestal, 23" high
Wood interiors


description	w	d	h	pattern no.	L/V1	L/V2	L/V3	L/L	V1	V2	V3
Mobile Pedestal	16"	19"	23"	RMPU () () () () () ()	\$2,454.	\$2,504.	\$2,566.	\$2,219.	\$2,557.	\$2,927.	\$3,769.



Order Code	Specification Information	Application Notes
Example: RMPU () () () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
R Reff	1. Lock option Pedestals with drawers always lock drilled.	Product on this page will accept woodgrain laminate where laminate is currently an option.
M Mobile	2. Lock finish B = Black S = Matte silver	Always comes with lock.
P Pedestal	3. Pull option G = Grommet pull only	Always comes with finished back
U Cubby above with drawer/box/file	4. Pull finish: Painted or Plated	Grommet pull only.
L Lock Option	5. Case finish	Actual width = 15.94"
B Lock Finish	6. Front finish	Actual depth = 19.06"
G Pull Finish	7. Pencil tray finish Painted / Anodized	Actual total height = 23.37"
V316 Case Finish		
V316 Front Drawer Finish		
111 Pencil Tray Finish		


Credenzas, 28 3/8 planning 23 3/8" high, file drawer

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, file drawer left and right and cubby	90"	20"	23 3/8"	RRLCFDC2090	\$3,436.	\$3,780.	\$3,952.	\$4,124.	\$5,154.	\$5,928.	\$7,706.
	108"	20"	23 3/8"	RRLCFDC20108	3,592.	3,951.	4,130.	4,311.	5,388.	6,196.	8,055.




*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, file drawer center with cubby	90"	20"	23 3/8"	RRLCFDCC2090	3,062.	3,368.	3,522.	3,674.	4,593.	5,282.	6,866.
	108"	20"	23 3/8"	RRLCFDCC20108	3,228.	3,551.	3,712.	3,874.	4,938.	5,569.	7,240.



*90" and 108"w credenzas with file drawer require 4 counter weights


Low credenza, left	60"	20"	23 3/8"	RRLCFDCL2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.
	72"	20"	23 3/8"	RRLCFDCL2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.



*60" and 72"w credenzas with file drawer require 3 counter weights
*Left hand credenza; File drawer is on left.

Left hand credenza shown

Low credenza, right	60"	20"	23 3/8"	RRLCFDCR2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.
	72"	20"	23 3/8"	RRLCFDCR2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.



*60" and 72"w credenzas with file drawer require 3 counter weights
*Right hand credenza; File drawer is on right.


Right hand credenza shown

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT	102.						
---	---	---	---	-----------------	------	--	--	--	--	--	--

*Available in Black only.

Order Code	Specification Information	Application Notes
Example: RRLCFDC2090	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Lock option: Drawers are always lock drilled. L=drilled to accept lock	Nominal depth 20" Actual depth 19"
LC Low Credenza	2. Lock finish: B=Black S=Matte Silver	Grommet Pull option for these products.
FDC File Drawer with cubby	3. Pull option Grommet pull, only	Locks on wood and Laminate doors. No locks on glass doors.
20 20" deep	4. Pull finish Painted / Plated	Legs shipped with credenza.
90 90" wide	5. Leg finish Painted only	Legs available in painted finish only.
L Lock option	6. Case finish: V316	Shelves are fixed.
S Lock finish	7. Front finish: V316	Glass top and cushion sold separately.
G Pull option		
115 Pull finish		
115 Leg finish		
V316 Case option		
V316 Case finish		

Credenzas, 28 3/8 planning 23 3/8" high, open


description	w	d	h	pattern no.	L	V1	V2	V3
	60"	20"	23 3/8"	RRLCO2060 () ()	\$2,105.	\$2,989.	\$3,438.	\$4,470.
	72"	20"	23 3/8"	RRLCO2072 () ()	2,109.	3,122.	3,591.	4,668.
	90"	20"	23 3/8"	RRLCO2090 () ()	2,574.	3,886.	4,469.	5,809.
	108"	20"	23 3/8"	RRLCO20108 () ()	2,734.	4,128.	4,747.	6,172.

Order Code	Specification Information	Application Notes
Example: RRLCO2060 () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reffresh	1. Leg finish Painted only	Legs shipped with credenza.
LC Low Credenza	2. Case finish type: L = Laminate	Legs available in painted finish only.
O Open	1 = V1	Shelves are fixed.
20 20" deep	2 = V2	Glass top and cushion sold separately.
60 60" wide	3 = V3	
115 Leg finish	3. Case finish: V316	
2 Finish type		
V316 Case finish		


Nominal depth 20"
Actual depth 19"
All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).
Product on this page **Excluding any vertical surface, over 48"**, will accept woodgrain laminate where laminate is currently an option.

Credenzas, 28 3/8 planning
 23 3/8" high sliding door
 Glass door

description	w	d	h	pattern no.	L/GL	V1/GL	V2/GL	V3/GL
Low credenza, sliding glass door	90"	20"	23 3/8"	RRLCSGD2090() () () () ()	\$4,709.	\$5,652.	\$6,499.	\$8,449.
	108"	20"	23 3/8"	RRLCSGD20108() () () () ()	5,244.	6,292.	7,236.	9,407.




Low credenza, sliding glass door left	60"	20"	23 3/8"	RRLCSGDL2060() () () () ()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 3/8"	RRLCSGDL2072() () () () ()	3,315.	3,978.	4,574.	5,947.



Left hand shown

Low credenza, sliding glass door right	60"	20"	23 3/8"	RRLCSGDR2060() () () () ()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 3/8"	RRLCSGDR2072() () () () ()	3,315.	3,978.	4,574.	5,947.




right hand shown


Order Code	Specification Information	Application Notes
Example: RRLCSGD2090 () () () () ()	To order please specify pattern number including:	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Nominal depth 20"
LC Low Credenza	Grommet pull	Actual depth 19"
SGD Sliding Glass Door	2. Pull finish	Product on this page Excluding any vertical surface, over 48" , will accept woodgrain laminate where laminate is currently an option.
20 20" deep	Painted / Plated	
90 90" wide	3. Leg finish	
G Pull tpe	Painted only	No locks on glass doors.
PN Pull finish	4. Case finish	Legs shipped with credenza.
115 Leg finish	L, V1, V2, V3	Legs available in Painted finishes only.
V316 Case finish	5. Glass frame finish:	Shelves are fixed.
AN Glass frame finish, Anodized black	Anodized or Painted	
GL11 Door / front finish	6. Glass finish:	Glass top and cushion sold separately.
	GL11, GL14, GL15, GL18	All sliding doors including wood, laminate and glass are non-locking.

Credenzas, 28 3/8 planning
 23 3/8" high sliding door
 Wood / Laminate door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, sliding wood/ laminate door	90"	20"	23 3/8"	RRLCSWD2090 () () () ()	\$3,660.	\$4,026.	\$4,209.	\$4,392.	\$5,307.	\$6,103.	\$7,934.
	108"	20"	23 3/8"	RRLCSWD20108 () () () ()	4,044.	4,449.	4,650.	4,852.	5,864.	6,743.	8,766.




Low credenza, sliding wood/ laminate door left	60"	20"	23 3/8"	RRLCSWDL2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 3/8"	RRLCSWDL2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.



Left hand shown


Low credenza, sliding wood/ laminate door right	60"	20"	23 3/8"	RRLCSWDR2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 3/8"	RRLCSWDR2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.




right hand shown

Order Code	Specification Information	Application Notes
Example: RRLCSWD2090 () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Nominal depth 20"
LC Low Credenza	Grommet	Actual depth 19"
SWD Sliding Wood Door	2. Pull finish	All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).
20 20" deep	Painted / Plated	
90 90" wide	3. Leg finish	Legs shipped with credenza.
G Pull option	Painted only	Legs available in painted finishes only.
115 Pull finish	4. Case finish	Shelves are fixed.
115 Leg finish	L, V1, V2, V3	Glass top and cushion sold separately.
V316 Case finish	5. Door finish	All sliding doors including wood, laminate and glass are non-locking.
V316 Door / front glass finish	L, V1, V2, V3	

Credenzas, 28 3/8 planning
Glass top

description	d	w	pattern no.	list
Lower Credenza Glass Top 	20"	30"	RLCGT301()	\$397.
	20"	36"	RLCGT361()	474.
	20"	60"	RLCGT601()	762.
	20"	72"	RLCGT721()	901.

Order Code	Specification Information	Application Notes
<i>Example:</i> RLCGT301()	<i>To order please specify pattern number including:</i> 1. Glass finish GL35 Grey GL85 Star Clear	Grommet not an option.
R Reff		
LC Lower Credenza		
GT Glass Top		
30 Width		
1 20" deep		
GL35 Glass finish		

description	w	d	th	pattern no.	A	B	C	D	E	F	G	H	I
 Lower Credenza Cushion Top	30"	18"		RLCCT3018()	\$375.	\$407.	\$430.	\$467.	\$477.	\$522.	\$550.	\$597.	\$674.
	30"	22"		RLCCT3022()	382.	414.	437.	474.	484.	529.	557.	604.	680.
	36"	18"	1 1/4"	RLCCT3618()	393.	425.	449.	485.	495.	540.	569.	616.	692.
	36"	22"	1 1/4"	RLCCT3622()	402.	434.	457.	494.	504.	549.	577.	624.	701.

Order Code

<i>Example:</i> RLCCT3018
R Reff
LC Lower Credenza
CT Cushion Top
30 Width
18 18" deep
Fabric


Specification Information

To order please specify pattern number including:
 1. Fabric : See matrix on page 6.


Application Notes

These Cushions are for use on lower credenzas only.
 18" deep cushions recommended to be used on 20" credenzas
 22" deep cushions recommended to be used on 24" credenzas tops
 Suitable only for the lower credenza
 Includes anti slip pad on bottom

Cabinets, 26 1/2" planning
49" high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B- () ()	\$1,209.	\$1,646.	\$1,897.	\$2,561.
	30"	20"	49"	RC432B- () ()	1,364.	1,860.	2,137.	2,885.
	30"	24"	49"	RC433B- () ()	1,539.	2,095.	2,411.	3,253.
	36"	15"	49"	RC461B- () ()	1,341.	1,830.	2,103.	2,840.
	36"	20"	49"	RC462B- () ()	1,515.	2,063.	2,373.	3,204.
	36"	24"	49"	RC463B- () ()	1,703.	2,326.	2,672.	3,606.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)- () () () ()	1,217.	1,658.	1,908.	2,575.
	16"	24"	49"	RC413C(L/R)- () () () ()	1,339.	1,822.	2,096.	2,829.
	30"	20"	49"	RC432C- () () () ()	1,782.	2,430.	2,795.	3,773.
	30"	24"	49"	RC433C- () () () ()	1,972.	2,687.	3,091.	4,174.
	36"	20"	49"	RC462C- () () () ()	1,976.	2,693.	3,096.	4,181.
	36"	24"	49"	RC463C- () () () ()	2,178.	2,977.	3,422.	4,618.


Metal interiors mean shelves metal.

Order Code	Specification Information	Application Notes
Example: RC431B () () R Reff C Cabinets 4 49" high 3 30" wide 1 15" deep B Open Bookcase 2 V2 finish Type M Metal interior V316 Cabinet finish: Maple	<p><i>To order the Open Bookcase, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Finish type</i> L=Laminate 1=V1 2=V2 3=V3 <i>Interior option</i> M=Metal interior (If laminate case finish-shelves painted to match. If V1, V2 or V3 case finish- shelves are painted black) <i>Cabinet finish</i> Wood or Laminate <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p>	<p><i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Hinge location where applicable:</i> L = Left hand R = Right hand <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>Interior options:</i> M=Metal Interior <i>Pull options:</i> B=No pull, No Drilling, Customer's own Pull C= C-Pull (nickel finish only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set) <i>Lock options Doors:</i> L = Lock hole drilled N = No lock drilling <i>Cabinet Finish:</i> Laminate or Wood <i>Pull Finish:</i> Painted / Plated

After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.

Cabinets, 26 1/2" planning
49" high, metal interior
4 Lateral files

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-() () L () ()	\$2,077.	\$2,829.	\$3,256.	\$4,397.
	30"	24"	49"	RC433F-() () L () ()	2,292.	3,124.	3,592.	4,850.
	36"	20"	49"	RC462F-() () L () ()	2,634.	3,589.	4,125.	5,570.
	36"	24"	49"	RC463F-() () L () ()	2,908.	3,965.	4,559.	6,155.



Order Code

Example:	RC432F() () L () ()
R	Reff
C	Cabinets
4	49" high
3	30" wide
2	20" deep
F	4 drawer lateral file
2	V2 finish type
M	Metal interior option
T	Tab pull option
L	Lock option
V316	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black)
- Pull options:**
B = No pull, No Drilling, Customer's own pull.
C = Nickel C-pull (nickel finish only)
D = Metal D-pull
F = Bar pull
H = Outline pull
J = Routed pull
R = Cylinder pull
S = S-pull (stainless steel finish only)
T = Tab pull
- Lock options:**
Drawers are always lock drilled
L = Lock hole drilled
- Cabinet finish:**
Wood or Laminate
- Pull finish:**
Painted or Plated

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

***After specifying product code, provide keying instructions.**

Refer to page 603 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning
49" high, wood interior
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B- () () () ()	\$1,355.	\$1,845.	\$2,121.	\$2,863.
	30"	20"	49"	RC432B- () () () ()	1,511.	2,059.	2,366.	3,194.
	30"	24"	49"	RC433B- () () () ()	1,683.	2,292.	2,638.	3,562.
	36"	15"	49"	RC461B- () () () ()	1,489.	2,029.	2,333.	3,148.
	36"	20"	49"	RC462B- () () () ()	1,660.	2,265.	2,601.	3,510.
	36"	24"	49"	RC463B- () () () ()	1,851.	2,524.	2,900.	3,915.

Open cabinets require no keying instructions


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)- () () () () () ()	1,362.	1,857.	2,134.	2,880.
	16"	24"	49"	RC413C(L/R)- () () () () () ()	1,487.	2,024.	2,329.	3,143.
	30"	20"	49"	RC432C- () () () () () ()	1,927.	2,626.	3,021.	4,077.
	30"	24"	49"	RC433C- () () () () () ()	2,117.	2,888.	3,318.	4,478.
	36"	20"	49"	RC462C- () () () () () ()	2,122.	2,891.	3,327.	4,492.
	36"	24"	49"	RC463C- () () () () () ()	2,328.	3,174.	3,652.	4,931.

Order Code	Specification Information	Application Notes
Example: RC431B R Reff C Cabinets 4 49" high 3 30" wide 1 15" deep B Open Bookcase 2 Finish Type: V2 W Wood interior V316 Cabinet Finish: Maple	<p>To order the Open Bookcase, please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> W = Wood Interior 3. <i>Cabinet Finish:</i> Laminate or Wood <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p>	<p>To order the Cabinet with Hinge Doors, please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand 2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> W = Wood Interior 4. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set) 5. <i>Lock Options Doors:</i> <i>Drawers are always lock drilled</i> L = Lock hole drilled 6. <i>Cabinet finish:</i> Laminate or Wood 7. <i>Pull finish:</i> Painted or Plated <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p>

After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.

Cabinets, 26 1/2" planning
49" high, wood interior
Wardrobe cabinet

description	w	d	height	pattern number	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-()W() () ()	\$1,759.	\$2,395.	\$2,755.	\$3,721.
	30"	24"	49"	RC433D-()W() () ()	1,920.	2,620.	3,015.	4,069.
	36"	20"	49"	RC462D-()W() () ()	1,933.	2,637.	3,031.	4,093.
	36"	24"	49"	RC463D-()W() () ()	2,114.	2,883.	3,315.	4,475.




Available with wood interior only.

Order Code	Specification Information	Application Notes
Example: RC432D	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> W = Wood Interior 3. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PZ and PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
C Cabinets		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
4 49" high	4. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling 5. <i>Cabinet finish:</i> Wood or Laminate 6. <i>Pull finish:</i> Painted or Plated	
3 30" wide		
2 20" deep, 3-24" deep		
D Wardrobe Cabinet		
2 Finish Type: V2		
W Wood interior		
V316 Cabinet Finish: Maple		

Cabinets, 26 1/2" planning
49" high, wood interior
4 Lateral files

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-() () L () ()	\$2,222.	\$3,029.	\$3,484.	\$4,702.
	30"	24"	49"	RC433F-() () L () ()	2,440.	3,330.	3,822.	5,160.
	36"	20"	49"	RC462F-() () L () ()	2,780.	3,785.	4,352.	5,877.
	36"	24"	49"	RC463F-() () L () ()	3,053.	4,159.	4,784.	6,459.



Order Code

Example:	RC432F() () L () ()
R	Reff
C	Cabinets
4	49" high
3	30" wide
2	20" deep
F	Cabinet w/ 4 File Open bookcase
2	Finish Type: V2
W	Wood Interior
D	D-pull Option
L	Drilled for Lock (Not Optional)
V316	Cabinet finish: Maple
PT	Pull finish

To order please specify pattern number including:

1. *Finish Type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior Option*
W = Wood Interior
3. *Pull options:*
B = No Pull, No Drilling, Customer's own Pull
C = C-Pull (Nickel Finish Only)
D = D-Pull (PT or PZ only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-pull (Stainless Steel Finish Only)
T = Tab Pull (1 pull per door set)
4. Lock option doors
L = Drilled for Lock
Drawers are always drilled for locks
5. Cabinet Finish:
Laminate or Wood
6. Pull Finish:
Painted / Plated

Application Notes

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Please refer to page 603 for keying instructions.


Key alike are field installed using the KnollKey order form. Random locks are factory installed.

File drawers are always drilled for lock.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning
64" high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B -() () ()	\$1,551.	\$2,117.	\$2,436.	\$3,288.
	30"	20"	64"	RC632B -() () ()	1,746.	2,380.	2,737.	3,694.
	30"	24"	64"	RC633B -() () ()	1,941.	2,647.	3,047.	4,111.
	36"	15"	64"	RC661B -() () ()	1,781.	2,426.	2,791.	3,766.
	36"	20"	64"	RC662B -() () ()	1,981.	2,695.	3,104.	4,187.
	36"	24"	64"	RC663B -() () ()	2,182.	2,973.	3,418.	4,615.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H -() () () () ()	2,146.	2,927.	3,365.	4,543.
	30"	24"	64"	RC633H -() () () () ()	2,372.	3,230.	3,717.	5,018.
	36"	20"	64"	RC662H -() () () () ()	2,372.	3,230.	3,717.	5,018.
	36"	24"	64"	RC663H -() () () () ()	2,598.	3,540.	4,071.	5,496.

Requires one lock core per cabinet
Shelves painted metal

Order Code

Example:	RC631B
R	Reff
C	Cabinets
6	64" high
3	30" wide
1	15" deep
B	Open Bookcase
2	V2 finish type
M	Metal interior option
V316	Cabinet finish

To order the Open Bookcase, specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves are painted black)
- Cabinet finish:**
Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

To order the Cabinet with Hinge Doors, specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
- Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Cabinet finish:**
Wood or Laminate
- Pull finish:**
Painted or Plated

Application Notes


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.

Applicable finishes are listed on pages 5 and 6 .


Cabinets, 26 1/2" planning
64" high, metal interior
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F -() () () () () ()	\$2,885.	\$3,934.	\$4,522.	\$6,107.
	30"	24"	64"	RC633F -() () () () () ()	3,189.	4,343.	4,997.	6,743.
	36"	20"	64"	RC662F -() () () () () ()	3,189.	4,343.	4,997.	6,743.
	36"	24"	64"	RC663F -() () () () () ()	3,522.	4,797.	5,516.	7,448.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R) -() () () () () ()	2,190.	2,980.	3,428.	4,627.
	16"	24"	64"	RC613G(L/R) -() () () () () ()	2,418.	3,294.	3,786.	5,112.
	30"	20"	64"	RC632G -() () () () () ()	2,772.	3,778.	4,343.	5,864.
	30"	24"	64"	RC633G -() () () () () ()	3,086.	4,201.	4,831.	6,523.
	36"	20"	64"	RC662G -() () () () () ()	3,063.	4,172.	4,799.	6,479.
	36"	24"	64"	RC663G -() () () () () ()	3,407.	4,642.	5,337.	7,203.


Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R) -() () () () () ()	2,256.	3,073.	3,534.	4,771.
	16"	24"	64"	RC613P(L/R) -() () () () () ()	2,505.	3,416.	3,923.	5,296.
	30"	20"	64"	RC632P -() () () () () ()	2,657.	3,619.	4,162.	5,620.
	30"	24"	64"	RC633P -() () () () () ()	2,932.	3,996.	4,594.	6,202.
	36"	20"	64"	RC662P -() () () () () ()	2,939.	4,004.	4,605.	6,217.
	36"	24"	64"	RC663P -() () () () () ()	3,240.	4,412.	5,079.	6,857.


Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC632F () () () () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinets	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves painted balck)	
6 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
2 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
F Hinge door with 4 file drawers	6. <i>Cabinet Finish:</i> Wood or Laminate	
L Finish Type: Laminate	7. <i>Pull Finish:</i> Painted or Plated	
M Metal interior	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
T Tab pull option	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
L Lock option, files		
N Lock Optino, Doors		
118 Cabinet finish		
111 Pull finish		
F = Hinge door cabinet with 4 File drawers		
G = Hinge door cabinet with FF		
P = Hinge door cabinet with BBF		

Cabinets, 26 1/2" planning 64" high, metal interior Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$1,817.	\$2,472.	\$2,844.	\$3,840.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,025.	2,762.	3,174.	4,286.
	30"	20"	64"	RC632C-() () () ()	2,409.	3,283.	3,776.	5,097.
	30"	24"	64"	RC633C-() () () ()	2,661.	3,629.	4,167.	5,626.
	36"	20"	64"	RC662C-() () () ()	2,634.	3,589.	4,125.	5,570.
	36"	24"	64"	RC663C-() () () ()	2,885.	3,934.	4,522.	6,107.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.


Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	2,799.	3,813.	4,383.	5,918.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,105.	4,229.	4,865.	6,567.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,093.	4,213.	4,850.	6,546.
	36"	24"	64"	RC663E(L/R)-() () () ()	3,430.	4,675.	5,374.	7,254.

Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	5. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
C Cabinets	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
1 15" wide	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted balck)	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep	4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
C Hinge Door Cab. w/ adjustable shelves		*Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 462.
L Finish Type: Laminate		
M Metal Interior		20" deep Wardrobe Cabinets provide only 18" of clear storage space.
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning
64" high, wood interior
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () ()	\$1,698.	\$2,312.	\$2,662.	\$3,594.
	30"	20"	64"	RC632B- () ()	1,893.	2,580.	2,967.	4,007.
	30"	24"	64"	RC633B- () ()	2,088.	2,844.	3,272.	4,417.
	36"	15"	64"	RC661B- () ()	1,926.	2,624.	3,020.	4,074.
	36"	20"	64"	RC662B- () ()	2,124.	2,894.	3,331.	4,497.
	36"	24"	64"	RC663B- () ()	2,326.	3,171.	3,645.	4,921.


Open cabinets require no keying instructions

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H- () () () ()	2,293.	3,128.	3,596.	4,855.
	30"	24"	64"	RC633H- () () () ()	2,518.	3,430.	3,946.	5,328.
	36"	20"	64"	RC662H- () () () ()	2,518.	3,430.	3,946.	5,328.
	36"	24"	64"	RC663H- () () () ()	2,741.	3,738.	4,296.	5,799.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC631B	<i>To order Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i>	1. <i>Finish type:</i>
C Cabinets	L = Laminate	L = Laminate
6 64" high	1 = V1	1 = V1
3 30" wide	2 = V2	2 = V2
1 15" deep	3 = V3	3 = V3
B Open Bookcase	2. <i>Interior option:</i>	2. <i>Interior option:</i>
2 Finish Type: V2	W = Wood Interior	W = Wood
W Wood Interior	3. <i>Cabinet Finish:</i>	3. <i>Pull options:</i>
W316 Cabinet finish: Maple	Wood or Laminate	B = No Pull, No Drilling, Customer's own Pull
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	C = C-Pull, (Nickel finish only)
	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	D = D-pull (PZ or PT only)
		F = Bar Pull (1 pull per door set)
		H = Outline Pull
		J = J (Routed) Pull
		R = Cylinder Pull
		S = S Pull (Stainless Steel Finish only)
		T = Tab Pull (1 pull per door set)
		4. <i>Lock Option Doors:</i>
		L = Lock hole drilled
		N = No lock drilling
		5. <i>Cabinet Finish:</i>
		Wood or Laminate
		6. <i>Pull Finish:</i>
		Painted or Plated


Cabinets, 26 1/2" planning 64" high, wood interior Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	RC632F -() () () () ()	\$3,031.	\$4,132.	\$4,751.	\$6,413.
	30"	24"	64"	RC633F -() () () () ()	3,333.	4,540.	5,222.	7,049.
	36"	20"	64"	RC662F -() () () () ()	3,333.	4,540.	5,222.	7,049.
	36"	24"	64"	RC663F -() () () () ()	3,667.	4,999.	5,746.	7,757.

Requires two lock cores per cabinet
Interior height clearance top drawer 10", all others 10 3/4"

Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers 	16"	20"	64"	RC612G (L/R)-() () () () ()	2,332.	3,178.	3,655.	4,935.
	16"	24"	64"	RC613G (L/R)-() () () () ()	2,564.	3,491.	4,017.	5,422.
	30"	20"	64"	RC632G -() () () () ()	2,918.	3,975.	4,571.	6,170.
	30"	24"	64"	RC633G -() () () () ()	3,228.	4,398.	5,059.	6,830.
	36"	20"	64"	RC662G -() () () () ()	3,210.	4,371.	5,027.	6,788.
	36"	24"	64"	RC663G -() () () () ()	3,551.	4,838.	5,566.	7,517.

Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above 	16"	20"	64"	RC612P (L/R)-() () () () ()	2,403.	3,272.	3,761.	5,079.
	16"	24"	64"	RC613P (L/R)-() () () () ()	2,650.	3,611.	4,154.	5,609.
	30"	20"	64"	RC632P -() () () () ()	2,804.	3,820.	4,394.	5,931.
	30"	24"	64"	RC633P -() () () () ()	3,079.	4,195.	4,822.	6,509.
	36"	20"	64"	RC662P -() () () () ()	3,087.	4,202.	4,833.	6,526.
	36"	24"	64"	RC663P -() () () () ()	3,384.	4,616.	5,306.	7,162.

Requires two lock cores per cabinet


Order Code	Specification Information
Example: RC632F () () () () ()	
R	Reff
C	Cabinets
6	64" high
3	30" wide
2	20" deep
F	Hinge door with 4 file drawers
L	Finish Type: Laminate
W	Wood Interior
T	Tab pull option
L	Lock option, files
N	Lock option, doors
118	Cabinet finish
118	Pull finish
F	= Hinge door cabinet with 4 File drawers
G	= Hinge door cabinet with FF
P	= Hinge door cabinet with BBF


Specification Information
To order the Cabinet with Hinge Doors and File Drawers, please specify pattern number including:
1. Hinge location where applicable:
2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
3. Interior option: W = Wood Interior
4. Pull options: B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)

- Lock Option Files:
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Option Doors:
L = Lock hole drilled
N = No lock drilling
 - Cabinet Finish:
Wood or Laminate
 - Pull Finish:
Painted or Plated
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Application Notes
Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
File drawers are always drilled for locks.
After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.
File drawers include file bars for front to back and side to side filing.
File drawers do not support bottom loading. Applicable finishes are listed on page and .
Applicable finishes are listed on page 5 and 6.


Cabinets, 26 1/2" planning
64" high, wood interior
Hinge door with shelves and wardrobe

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$1,961.	\$2,672.	\$3,073.	\$4,149.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,174.	2,959.	3,401.	4,591.
	30"	20"	64"	RC632C-() () () ()	2,554.	3,481.	4,004.	5,403.
	30"	24"	64"	RC633C-() () () ()	2,807.	3,826.	4,398.	5,938.
	36"	20"	64"	RC662C-() () () ()	2,780.	3,785.	4,352.	5,877.
	36"	24"	64"	RC663C-() () () ()	3,031.	4,132.	4,751.	6,413.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	2,945.	4,012.	4,613.	6,228.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,249.	4,429.	5,091.	6,873.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,238.	4,410.	5,078.	6,854.
	36"	24"	64"	RC663E(L/R)-() () () ()	3,573.	4,873.	5,603.	7,565.

Requires one lock core per cabinet

Left hand shown


Cabinet with hinged doors for coat rod and boot tray* 	16"	20"	64"	RC612D(L/R)-() () () ()	1,718.	2,338.	2,688.	3,630.
	16"	24"	64"	RC613D(L/R)-() () () ()	1,881.	2,563.	2,948.	3,978.
	30"	20"	64"	RC632D-() () () ()	2,097.	2,856.	3,288.	4,438.
	30"	24"	64"	RC633D-() () () ()	2,160.	2,948.	3,387.	4,573.
	36"	20"	64"	RC662D-() () () ()	2,322.	3,166.	3,641.	4,914.
	36"	24"	64"	RC663D-() () () ()	2,372.	3,255.	3,741.	5,049.

Requires one lock core per cabinet
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 462.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
R Reff	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
C Cabinets	6. <i>Cabinet Finish:</i> Wood or Laminate	
6 64" high	7. <i>Pull Finish:</i> Painted or Plated	
1 15" wide	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
2 20" deep		
C Hinge Door Cab. w/ adjustable shelves		
L Finish Type: Laminate		
W Wood Interior		
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
E = Hinge door cabinet with full height doors, half wardrobe and half shelves	2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
D = Hinge door cabinet with full height wardrobe.	3. <i>Interior Option:</i> W = Wood Interior	
Available only with wood interior.	4. <i>Pull Options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	

Cabinets, 26 1/2" planning
64" high, wood interior
Audio Visual Cabinet


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC632I-() () () () ()	\$3,215.	\$4,377.	\$5,036.	\$6,798.
	30"	24"	64"	RC633I-() () () () ()	3,537.	4,820.	5,546.	7,485.
	36"	20"	64"	RC662I-() () () () ()	3,437.	4,686.	5,388.	7,273.
	36"	24"	64"	RC663I-() () () () ()	3,761.	5,127.	5,893.	7,957.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes	Application Notes
Example: RC632I () () () () ()	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3		
C Cabinets	2. <i>Interior option:</i> W = Wood Interior	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. * Audio Visual cabinets require two lock cores per cabinet.	
6 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)		
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling		
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate		
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated		
2 Finish Type: V2			
W Wood Interior			
D Pull option; D			
N Lock option; No			
N Lock option, doors			
V316 Cabinet finish			
PZ Pull finish			

Cabinets, 26 1/2" planning
72" high, metal interiors
Bookcase and hinge doors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
	30"	20"	72"	RC732B- () () () ()	\$1,940.	\$2,646.	\$3,043.	\$4,110.
	30"	24"	72"	RC733B- () () () ()	2,151.	2,930.	3,373.	4,553.
	36"	20"	72"	RC762B- () () () ()	2,196.	2,993.	3,441.	4,646.
	36"	24"	72"	RC763B- () () () ()	2,407.	3,278.	3,772.	5,093.

Open cabinets require no keying instructions
Shelves painted metal

	30"	20"	72"	RC732H- () () () () () ()	2,564.	3,490.	4,015.	5,420.
	30"	24"	72"	RC733H- () () () () () ()	2,835.	3,858.	4,436.	5,990.
	36"	20"	72"	RC762H- () () () () () ()	2,817.	3,836.	4,409.	5,954.
	36"	24"	72"	RC763H- () () () () () ()	3,090.	4,203.	4,834.	6,527.

Requires one lock core per cabinet
Shelves painted metal

Order Code

Example:	RC732B () () () ()
R	Reff
C	Cabinets
7	72" high
3	30" wide
2	20" deep, 3 = 24" deep
B	Open Bookcase
2	Finish Type: V2
M	Metal Interior
V316	Cabinet Finish: Maple
N	Left hand drill
N	Right hand drill

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

To order the Open Bookcase, please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
- Cabinet Finish:**
Wood or Laminate
- Left hand drill:**
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:**
Same as above

To order the Cabinet with Hnge Doors, specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
- Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Cabinet finish:**
Wood or Laminate
- Pull finish:**
Painted or Plated
- Left hand drill:**
- Right hand drill:**

Application Notes


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning
72" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F- () () () () () () ()	\$3,189.	\$4,343.	\$4,997.	\$6,743.
	30"	24"	72"	RC733F- () () () () () () ()	3,542.	4,825.	5,549.	7,491.
	36"	20"	72"	RC762F- () () () () () () ()	2,522.	4,797.	5,516.	7,448.
	36"	24"	72"	RC763F- () () () () () () ()	3,909.	5,329.	6,126.	8,269.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"
Shelves painted metal

 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)- () () () () () () ()	2,317.	3,153.	3,630.	4,899.
	16"	24"	72"	RC713G(L/R)- () () () () () () ()	2,538.	3,500.	4,026.	5,433.
	30"	20"	72"	RC732G- () () () () () () ()	2,940.	4,008.	4,607.	6,221.
	30"	24"	72"	RC733G- () () () () () () ()	3,233.	4,405.	5,063.	6,838.
	36"	20"	72"	RC762G- () () () () () () ()	3,194.	4,350.	5,005.	6,756.
	36"	24"	72"	RC763G- () () () () () () ()	3,488.	4,752.	5,465.	7,377.


Requires two lock cores per cabinet
Shelves painted metal

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)- () () () () () () ()	2,405.	3,274.	3,765.	5,085.
	16"	24"	72"	RC713P(L/R)- () () () () () () ()	2,650.	3,611.	4,154.	5,609.
	30"	20"	72"	RC732P- () () () () () () ()	2,838.	3,865.	4,447.	6,005.
	30"	24"	72"	RC733P- () () () () () () ()	3,130.	4,266.	4,906.	6,622.
	36"	20"	72"	RC762P- () () () () () () ()	3,136.	4,272.	4,911.	6,631.
	36"	24"	72"	RC763P- () () () () () () ()	3,460.	4,710.	5,418.	7,315.


Requires two lock cores per cabinet
Shelves and drawer interiors metal

Order Code	Specification Information	Application Notes
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	After specifying product code, provide keying instructions. Refer to page for keying instructions.
7 72" high	3. <i>Interior options:</i> M = Metal Interior	File drawers include file bars for front to back and side to side filing.
3 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	File drawers do not support bottom loading. Applicable finishes are listed on page and .
2 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	Applicable finishes are listed on pages 5 and 6.
F Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
L Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
M Metal Interior	8. <i>Pull finish:</i> Painted or Plated	
T Tab Pull option	9. <i>Left hand drill:</i> 10. <i>Right hand drill:</i>	
L Lock option, files	F = Hinge door cabinet with 4 File drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF	
N Lock option, doors	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
118 Cabinet Finish		
118 Pull Finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning
72" high, metal interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R) -() () () () () ()	\$2,045.	\$2,786.	\$3,206.	\$4,328.
	16"	24"	72"	RC713C(L/R) -() () () () () ()	2,270.	3,094.	3,558.	4,802.
	30"	20"	72"	RC732C -() () () () () ()	2,669.	3,640.	4,185.	5,652.
	30"	24"	72"	RC733C -() () () () () ()	2,962.	4,035.	4,642.	6,266.
	36"	20"	72"	RC762C -() () () () () ()	2,951.	4,025.	4,626.	6,245.
	36"	24"	72"	RC763C -() () () () () ()	3,275.	4,459.	5,130.	6,927.

Requires one lock core per cabinet
Shelves painted metal


 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R) -() () () () () ()	3,140.	4,276.	4,921.	6,642.
	30"	24"	72"	RC733E(L/R) -() () () () () ()	3,511.	4,783.	5,503.	7,428.
	36"	20"	72"	RC762E(L/R) -() () () () () ()	3,441.	4,688.	5,392.	7,277.
	36"	24"	72"	RC763E(L/R) -() () () () () ()	3,841.	5,240.	6,021.	8,130.

Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC712C(L/R)	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 462.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> M = Metal Interior	
1 15" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
2 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
C Hinge Door Cab. w/ adjustable shelves	6. <i>Cabinet finish:</i> Wood or Laminate	
L Finish Type: Laminate	7. <i>Pull finish:</i> Painted or Plated	
M Metal Interior	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
D Pull option; D	9. <i>Right hand drill:</i> Same as above	
N Lock option; No	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
118 Cabinet Finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning
72" high, wood interiors
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with open shelving	30"	20"	72"	RC732B-() () () ()	\$2,086.	\$2,843.	\$3,270.	\$4,412.
	30"	24"	72"	RC733B-() () () ()	2,296.	3,131.	3,598.	4,858.
	36"	20"	72"	RC762B-() () () ()	2,343.	3,192.	3,670.	4,953.
	36"	24"	72"	RC763B-() () () ()	2,552.	3,478.	3,998.	5,399.

Open cabinets require no keying instructions

 Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H-() () () () () ()	2,704.	3,686.	4,241.	5,724.
	30"	24"	72"	RC733H-() () () () () ()	2,973.	4,054.	4,662.	6,295.
	36"	20"	72"	RC762H-() () () () () ()	2,959.	4,030.	4,636.	6,258.
	36"	24"	72"	RC763H-() () () () () ()	3,228.	4,398.	5,059.	6,830.

Requires one lock core per cabinet

Order Code

Example:	RC732B () () () ()
R	Reff
C	Cabinets
7	72" high
3	30" wide
2	20" deep, 3 = 24" deep
B	Open Bookcase
2	Finish Type: V2
W	Wood Interior
V316	Cabinet Finish: Maple
N	Left hand drilled
N	Right hand drilled

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
 2. *Interior options:*
W = Wood
 3. *Cabinet Finish:*
Wood or Laminate
 4. *Left hand drill:*
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
 5. *Right hand drill:*
Same as above
- Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

To order the Cabinet with Hinge Doors, specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
W = Wood Interior
3. *Pull options:*
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
4. *Lock Option Doors:*
L = Lock hole drilled
N = No lock drilling
5. *Cabinet finish:*
Wood or Laminate
6. *Pull finish:*
Painted or Plated
7. *Left hand drill:*
8. *Right hand drill:*

Application Notes


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning
72" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F -() () () () () () ()	\$3,333.	\$4,540.	\$5,222.	\$7,049.
	30"	24"	72"	RC733F -() () () () () () ()	3,688.	5,023.	5,775.	7,796.
	36"	20"	72"	RC762F -() () () () () () ()	3,667.	4,999.	5,761.	7,777.
	36"	24"	72"	RC763F -() () () () () () ()	4,053.	5,524.	6,356.	8,582.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R) -() () () () () () ()	2,462.	3,355.	3,858.	5,206.
	16"	24"	72"	RC713G(L/R) -() () () () () () ()	2,714.	3,698.	4,251.	5,739.
	30"	20"	72"	RC732G -() () () () () () ()	3,088.	4,203.	4,834.	6,527.
	30"	24"	72"	RC733G -() () () () () () ()	3,377.	4,604.	5,292.	7,145.
	36"	20"	72"	RC762G -() () () () () () ()	3,339.	4,550.	5,232.	7,063.
	36"	24"	72"	RC763G -() () () () () () ()	3,635.	4,952.	5,694.	7,686.


Requires two lock cores per cabinet

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R) -() () () () () () ()	2,549.	3,472.	3,994.	5,394.
	16"	24"	72"	RC713P(L/R) -() () () () () () ()	2,797.	3,812.	4,382.	5,917.
	30"	20"	72"	RC732P -() () () () () () ()	2,986.	4,068.	4,677.	6,314.
	30"	24"	72"	RC733P -() () () () () () ()	3,277.	4,464.	5,131.	6,929.
	36"	20"	72"	RC762P -() () () () () () ()	3,281.	4,470.	5,141.	6,941.
	36"	24"	72"	RC763P -() () () () () () ()	3,605.	4,910.	5,647.	7,625.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on pages 5 and 6.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>F = Hinge door cabinet with 4 file drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF</p>
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> W = Wood Interior	
3 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
2 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
F Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
L Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
W Wood Interior	8. <i>Pull finish:</i> Painted or Plated	
T Tab Pull option	9. <i>Left hand drill:</i> N = No drilling S0 = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
L Lock option, files	10. <i>Right hand drill:</i> Same as above	
N Lock option, doors	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
118 Cabinet Finish		
111 Pull Finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning
72" high, wood interiors
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)-() () () () () ()	\$2,193.	\$2,985.	\$3,432.	\$4,635.
	16"	24"	72"	RC713C(L/R)-() () () () () ()	2,416.	3,293.	3,785.	5,109.
	30"	20"	72"	RC732C-() () () () () ()	2,816.	3,836.	4,409.	5,954.
	30"	24"	72"	RC733C-() () () () () ()	3,109.	4,237.	4,872.	6,576.
	36"	20"	72"	RC762C-() () () () () ()	3,096.	4,220.	4,854.	6,552.
	36"	24"	72"	RC763C-() () () () () ()	3,422.	4,661.	5,359.	7,236.

Requires one lock core per cabinet

 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () () () () ()	3,284.	4,475.	5,146.	6,947.
	30"	24"	72"	RC733E(L/R)-() () () () () ()	3,655.	4,982.	5,730.	7,734.
	36"	20"	72"	RC762E(L/R)-() () () () () ()	3,587.	4,887.	5,621.	7,589.
	36"	24"	72"	RC763E(L/R)-() () () () () ()	3,990.	5,436.	6,252.	8,440.

Requires one lock core per cabinet

Left hand shown

 Wardrobe cabinet	16"	20"	72"	RC712D(L/R)-() () ()	1,841.	2,512.	2,888.	3,898.
	16"	24"	72"	RC713D(L/R)-() () ()	2,027.	2,763.	3,175.	4,287.
	30"	20"	72"	RC732D-() () ()	2,320.	3,162.	3,633.	4,905.
	30"	24"	72"	RC733D-() () ()	2,549.	3,472.	3,994.	5,394.
	36"	20"	72"	RC762D-() () ()	2,550.	3,476.	3,997.	5,398.
	36"	24"	72"	RC763D-() () ()	2,804.	3,820.	4,394.	5,931.


Wood interior only

Requires one lock core per cabinet.
Order coat rod and boot tray from accessories.

Order Code	Specification Information	Application Notes
Example: RC712C(L/R) () () () () () ()	<i>To order, please specify pattern number including:</i>	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	*Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 462.
7 72" high	3. <i>Interior options:</i> W = Wood Interior	
1 15" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	20" deep Wardrobe Cabinets provide only 18" of clear storage space.
2 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
C Hinge Door Cab. w/ adjustable shelves	6. <i>Cabinet finish:</i> Wood or Laminate	C = Hinge door cabinet with full height doors and 3 adjustable shelves. E = Hinge door cabinet with full height doors, half wardrobe and half shelves. D = Hinge door cabinet with full height wardrobe. Available only with wood interior.
L Finish Type: Laminate	7. <i>Pull finish:</i> Painted or Plated	
W Wood Interior	8. <i>Left hand drill:</i> N = No drilling S0 = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall T0 = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
D Pull option; D	9. <i>Right hand drill:</i> Same as above	
N Lock option; No	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.	
118 Cabinet Finish	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.	
PZ Pull finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning
72" high, wood interiors
Audio Visual Cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I-() () () () () ()	\$2,562.	\$4,852.	\$5,579.	\$7,532.
	30"	24"	72"	RC733I-() () () () () ()	3,930.	5,357.	6,162.	8,318.
	36"	20"	72"	RC762I-() () () () () ()	3,863.	5,265.	6,056.	8,176.
	36"	24"	72"	RC763I-() () () () () ()	4,265.	5,814.	6,686.	9,026.



Requires two lock cores per cabinet
Hinge opening 110°
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC732I () () () () () ()	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinets	2. <i>Interior option:</i> W = Wood Interior	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. * Audio Visual cabinets require two lock cores per cabinet.
7 72" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated	
2 Finish Type: V2		
W Wood Interior		
D Pull option; D		
N Lock option; No		
V316 Cabinet finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		


Cabinets, 26 1/2" planning

49", 64" and 72" high metal interior


Freestanding Multifunction Cabinets

Reff Profiles


description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M(L/R)() () () () () ()	\$2,832.	\$4,086.	\$4,733.	\$5,682.
	Box/Box/File	24"	24"	49"	RC423N(L/R)() () () () () ()	3,030.	4,302.	4,978.	5,973.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M(L/R)() () () () () ()	3,050.	4,442.	5,270.	6,324.
	Box/Box/File	24"	24"	64"	RC623N(L/R)() () () () () ()	3,251.	4,658.	5,483.	6,580.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M(L/R)() () () () () ()	3,205.	4,666.	5,574.	6,689.
	Box/Box/File	24"	24"	72"	RC723N() () ()	3,405.	4,884.	5,795.	6,953.



Order Code

Example:	RC423ML () () () () () ()
R	Reff
C	Cabinets
4	49" high
2	24" wide
3	24" deep
M	Multifunction Cabinet
L/R	Left or Right hand
L	Finish Type: Laminate
M	Metal Interior
D	Pull option: D
L	Lock option files
N	Lock options Doors
118	Cabinet Finish: Maple
PT	Pull Finish

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

- To order, please specify pattern number including:*
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
 - Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
 - Lock Option Files:**
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Cabinet finish:**
Wood or Laminate
 - Pull Finish:**
Painted or Plated


Application Notes

- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
- Refer to page 603 for keying instructions.
- Drawers are always drilled for locks.
- File drawers include file bars for front to back and side to side filing.
- File drawers do not support bottom loading.
- Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 462
- Coat rod is included.
- Applicable finishes are listed on page 5 and 6.


Cabinets, 26 1/2" planning 49", 64" and 72" high wood interior Freestanding Multifunction Cabinet

Reff Profiles


description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M(L/R)() () () () () ()	\$3,258.	\$4,532.	\$5,180.	\$6,215.
	Box/Box/File	24"	24"	49"	RC423N(L/R)() () () () () ()	3,654.	4,951.	5,626.	6,750.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M(L/R)() () () () () ()	3,478.	4,887.	5,716.	6,859.
	Box/Box/File	24"	24"	64"	RC623N(L/R)() () () () () ()	3,873.	5,306.	6,132.	7,357.




Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M(L/R)() () () () () ()	3,633.	5,112.	6,018.	7,221.
	Box/Box/File	24"	24"	72"	RC723N() () ()	4,028.	5,531.	6,443.	7,730.



Order Code	Specification Information	Application Notes
Example: RC423ML () () () () () ()	<i>To order, please specify pattern number including:</i>	
R Reff	1. <i>Finish type:</i> L = Laminate	
C Cabinets	1 = V1	
4 49" high	2 = V2	
2 24" wide	3 = V3	
3 24" deep	2. <i>Interior options:</i> W = Wood Interior	
M Multifunction Cabinet	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull	
L/R Left or Right hand	C = C-Pull, (Nickel finish only)	
L Finish Type: Laminate	D = Metal D-pull (PZ or PT only)	
W Wood Interior	F = Bar Pull (1 pull per door set)	
D Pull option: D	H = Outline Pull	
L Lock option files	J = J (Routed) Pull	
N Lock options Doors	R = Cylinder Pull	
118 Cabinet Finish: Maple	S = S Pull	
PT Pull Finish	(Stainless Steel Finish only)	
	T = Tab pull (1 pull per door set)	
	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
	6. <i>Cabinet finish:</i> Wood or Laminate	Refer to page 603 for keying instructions.
	7. <i>Pull Finish:</i> Painted or Plated	Drawers are always drilled for locks.
	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	File drawers include file bars for front to back and side to side filing.
		File drawers do not support bottom loading.
		Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 462.
		Coat rod is included.
		Applicable finishes are listed on page and .


Cabinets, 28 3/8 planning 53" high, metal interiors

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,218.	\$1,659.	\$1,910.	\$2,579.
	30"	20"	53"	RC532DHB () () ()	1,375.	1,874.	2,155.	2,910.
	30"	24"	53"	RC533DHB () () ()	1,550.	2,111.	2,427.	3,277.
	36"	15"	53"	RC561DHB () () ()	1,352.	1,842.	2,121.	2,862.
	36"	20"	53"	RC562DHB () () ()	1,525.	2,079.	2,392.	3,230.
	36"	24"	53"	RC563DHB () () ()	1,717.	2,343.	2,693.	3,635.



Interior shelves painted metal

4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () L () ()	2,094.	2,854.	3,281.	4,430.
	30"	24"	53"	RC533DHF () () L () ()	2,311.	3,146.	3,618.	4,888.
	36"	20"	53"	RC562DHF () () L () ()	2,655.	3,615.	4,159.	5,615.
	36"	24"	53"	RC563DHF () () L () ()	2,931.	3,995.	4,594.	6,203.




Drawer interiors painted metal


Order Code	Specification Information	Application Notes
Example: RC531DHB	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the cabinet with 4 Lateral files, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate	1. <i>Finish type:</i> L = Laminate
C Cabinet	1 = V1	1 = V1
5 53" high	2 = V2	2 = V2
3 30" wide	3 = V3	3 = V3
1 15" deep	2. <i>Interior options:</i> M = Metal	2. <i>Interior options:</i> M = Metal Interior
DH Desk height	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull
B Open Bookcase	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	C = C-Pull, (Nickel finish only)
2 Finish Type, V2	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	D = Metal D-pull (PZ or PT only)
M Metal Interior		F = Bar Pull
V316 Cabinet Finish: Maple		H = Outline Pull
B = Open Bookcase		J = J (Routed) Pull
F = 4 Drawer Lateral File		R = Cylinder Pull
		S = S Pull (Stainless Steel Finish only)
		T = Tab pull
		4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks
		5. <i>Cabinet finish:</i> Wood or Laminate
		6. <i>Pull Finish:</i> Painted or Plated
		Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
		Cabinets do not come with lock included.
		Keying instructions must accompany all cabinet orders.
		53" nominal height - actual height 52.625"
		File drawers include file bars for front to back and side to side filing.
		File drawers support bottom loading.

Cabinets, 28 3/8 planning
53" high, wood interiors
Bookcase and Lateral File

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,366.	\$1,863.	\$2,136.	\$2,882.
	30"	20"	53"	RC532DHB () () ()	1,520.	2,074.	2,385.	3,218.
	30"	24"	53"	RC533DHB () () ()	1,696.	2,312.	2,658.	3,588.
	36"	15"	53"	RC561DHB () () ()	1,500.	2,043.	2,351.	3,173.
	36"	20"	53"	RC562DHB () () ()	1,673.	2,281.	2,623.	3,540.
	36"	24"	53"	RC563DHB () () ()	1,864.	2,542.	2,923.	3,945.




4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () L () ()	2,239.	3,052.	3,509.	4,738.
	30"	24"	53"	RC533DHF () () L () ()	2,459.	3,353.	3,850.	5,198.
	36"	20"	53"	RC562DHF () () L () ()	2,800.	3,815.	4,387.	5,921.
	36"	24"	53"	RC563DHF () () L () ()	3,077.	4,191.	4,822.	6,509.



Order Code	Specification Information	Application Notes
Example: RC531DHB	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the cabinet with 4 Lateral files, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate	1. <i>Finish type:</i> L = Laminate
C Cabinet	1 = V1	1 = V1
5 53" high	2 = V2	2 = V2
3 30" wide	3 = V3	3 = V3
1 15" deep	2. <i>Interior options:</i> W = Wood	2. <i>Interior options:</i> W = Wood Interior
DH Desk height	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull
B Open Bookcase	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	C = C-Pull, (Nickel finish only)
2 Finish Type, V2	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	D = Metal D-pull (PZ or PT only)
W Wood Interior		F = Bar Pull
V316 Cabinet Finish: Maple		H = Outline Pull
B = Open Bookcase		J = J (Routed) Pull
F = 4 Drawer Lateral File		R = Cylinder Pull
		S = S Pull (Stainless Steel Finish only)
		T = Tab pull
		4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks
		5. <i>Cabinet finish:</i> Wood or Laminate
		6. <i>Pull Finish:</i> Painted or Plated
		Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
		Cabinets do not come with lock included.
		53" nominal height - actual height 52.625"
		File drawers include file bars for front to back and side to side filing.
		File drawers support bottom loading.
		After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.

Cabinets, 28 3/8 planning
53" high, wood interiors
Wardrobe

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged doors with coat rod (wood interior only)	30"	15"	53"	RC531DHH () () () ()	\$1,638.	\$2,235.	\$2,563.	\$3,459.
	30"	20"	53"	RC532DHH () () () ()	1,786.	2,433.	2,801.	3,779.
	30"	24"	53"	RC533DHH () () () ()	1,961.	2,671.	3,074.	4,149.
	36"	15"	53"	RC561DHH () () () ()	1,800.	2,452.	2,821.	3,807.
	36"	20"	53"	RC562DHH () () () ()	1,955.	2,661.	3,053.	4,108.
	36"	24"	53"	RC563DHH () () () ()	2,147.	2,922.	3,354.	4,513.



Requires one lock core per cabinet

Order Code

Example: RC531DHH
R Reff
C Cabinet
5 53" high
3 30" wide
1 15" deep
DH Desk height
H Hinge Door Cabinet
2 Finish Type, V2
W Wood Interior
V316 Cabinet Finish: Maple

To order the Cabinet with hinge Doors, please specify pattern number including:

- Lock Option:**
L = Lock hole drilled
N = No lock drilled
- Lock Finish:**
B = Black
S = Matte Silver
- Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
- Pull Finish:**
Painted or Plated
- Cabinet finish:**
Wood or Laminate

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

53" nominal height - actual height 52.625"

After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.


15" wardrobe cabinets come with 2 coat hooks.

20" and 24" deep wardrobe cabinet comes with a coat rod.

20" deep Wardrobe Cabinets provides only 18" of clear storage space.

Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 462.

Cabinets, 28 3/8 planning
72" high, metal interiors
Bookcase

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase (for desk height planning)	30"	15"	72"	RC7231DHB () () ()	\$1,807.	\$2,462.	\$2,834.	\$3,825.
	30"	20"	72"	RC7232DHB () () ()	1,862.	2,539.	2,921.	3,944.
	30"	24"	72"	RC7233DHB () () ()	2,065.	2,812.	3,236.	4,369.
	36"	15"	72"	RC7261DHB () () ()	2,044.	2,786.	3,205.	4,326.
	36"	20"	72"	RC7262DHB () () ()	2,108.	2,872.	3,303.	4,459.
	36"	24"	72"	RC7263DHB () () ()	2,311.	3,146.	3,618.	4,888.

Order Code

Example:	RC731B () () ()
R	Reff
C	Cabinets
72	72" high
3	30" wide
1	15" deep, 2 = 20" deep, 3 = 24" deep
DH	Desk height
B	Open Bookcase
2	Finish Type: V2
M	Metal Interior
V316	Cabinet Finish: Maple

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
M = Metal
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
3. *Cabinet Finish:*
Wood or Laminate

Application Notes


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 28 3/8 planning 72" high, metal interiors Bookcase and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	72"	RC7232DHK()	\$3,214.	\$4,384.	\$5,023.	\$6,731.
	30"	24"	72"	RC7233DHK()	3,553.	4,839.	5,552.	7,446.
	36"	20"	72"	RC7262DHK()	3,504.	4,778.	5,482.	7,351.
	36"	24"	72"	RC7263DHK()	3,820.	5,242.	6,014.	8,069.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	72"	RC7232DHO()	3,428.	4,725.	5,427.	7,341.
	30"	24"	72"	RC7233DHO()	3,836.	5,279.	6,066.	8,205.
	36"	20"	72"	RC7262DHO()	3,813.	5,252.	6,030.	8,156.
	36"	24"	72"	RC7263DHO()	4,262.	5,860.	6,733.	9,105.




Order Code	Specification Information	Application Notes
Example: RC7232DHK()	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
R Reff	1. <i>Interior options:</i> M = Metal	Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Lock Option:</i> L = Lock hole drilled Drawers are always drilled for lock. Not optional.	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
72 72" high	3. <i>Lock Finish:</i> B = Black S = Matte Silver	* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull (nickel finish only) D = Metal D-Pull (finish optional) F = Bar Pull H = Outline Pull J = routed J-pull (finish matches case) R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Applicable finishes are listed on page 5 and 6.
2 20" deep, 3 = 24" deep	5. <i>Pull Finish:</i> Painted and Plated	
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
K Open Shelves with 2 File drawers		
M Metal Interior		
L Lock Option		
B Lock Finish		
T Pull Option		
111 Pull Finish		
V316 Cabinet Finish: Maple		


K = Open shelves and 2 file drawers
O = Open shelves and 4 file drawers

Cabinets, 28 3/8 planning
72" high, metal interiors
Hinge doors and file drawers

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () () () ()	\$3,059.	\$4,169.	\$4,795.	\$6,472.
	30"	24"	72"	RC7233DHFH () () () () () ()	3,400.	4,562.	5,326.	7,188.
	36"	20"	72"	RC7262DHFH () () () () () ()	3,379.	4,604.	5,293.	7,146.
	36"	24"	72"	RC7263DHFH () () () () () ()	3,751.	5,114.	5,908.	7,936.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () () () () ()	2,223.	3,026.	3,484.	4,701.
	16"	24"	72"	RC7213DHGH(L/R) () () () () () ()	2,436.	3,359.	3,863.	5,214.
	30"	20"	72"	RC7232DHGH () () () () () ()	2,821.	3,847.	4,422.	5,970.
	30"	24"	72"	RC7233DHGH () () () () () ()	3,103.	4,227.	4,859.	6,561.
	36"	20"	72"	RC7262DHGH () () () () () ()	3,064.	4,175.	4,803.	6,484.
	36"	24"	72"	RC7263DHGH () () () () () ()	3,347.	4,561.	5,244.	7,079.



Order Code

Example: RC723DHFH	
R	Reff
C	Cabinet
7	72" high
3	30" wide
2	20" deep
DH	Desk Height
F	Storage with Hinge Door with 4 file drawers
H	Wood hinge doors
L	Finish Type: Laminate
M	Metal Interior
T	Tab pull option
L	Lock option, files
N	Lock option, doors
B	Lock Finish
118	Cabinet Finish
111	Pull Finish

F = Hinge door cabinet with 4 file drawers
G = Hinge door cabinet with FF

Specification Information

- To order, please specify pattern number including:
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal
 - Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = Nickel Finish C-Pull
D = Metal D-pull
F = Bar Pull (1 pull per door set)
H = Outline Pull
JN = J (Routed) Pull on Drawers and Touch latch on hinge doors
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull (1 pull per door set)
 - Lock options Files:**
L = Lock hole drilled (not optional)
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Lock Finish:**
B = Black
S = Matte Silver
 - Cabinet Finish:**
Wood or Laminate
 - Pull Finish:**
Painted or Plated

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.

Drawers are always drilled for locks.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28 3/8 planning
 72" high, metal interiors
 Hinge doors and Box/Box/File

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors & 1 adj shelf, bottom box/box/file (for desk height planning)	16"	20"	72"	RC7212DHPH(L/R) () () () () ()	\$2,657.	\$3,589.	\$4,133.	\$5,479.
	16"	24"	72"	RC7213DHPH(L/R) () () () () ()	2,903.	3,926.	4,521.	6,003.



Order Code

Example: RC7212DHPH(L/R)	
R	Reff
C	Cabinet
72	72" high
1	16" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
P	Storage with Hinge Door with Box/Box/File
H	Wood hinge doors
L/R	Left or Right hand
M	Metal Interior
L	Lock option, door
111	Lock finish
T	Pull option
111	Pull finish
118	Cabinet finish

P =Hinge door cabinet with Box/Box/File

Specification Information

- To order, please specify pattern number including:*
- Interior options:**
M = Metal
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
Drawers are always drilled for lock. Not optional.
 - Lock Finish:**
B = Black
S = Matte Silver
 - Pull Options:**
B = No pull, No Drilling,
C = Nickel finish C-pull (nickel finish only)
D = Metal D-pull (finish optional)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = Routed J-pull (finish matches case)
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull (1 pull per door set)
 - Pull Finish:**
Painted and Plated
 - Cabinet Finish:**
Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28 3/8 planning
72" high, metal interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) () () () () () ()	\$3,013.	\$4,103.	\$4,723.	\$6,375.
	30"	24"	72"	RC7233DHEH(L/R) () () () () () ()	3,369.	4,590.	5,280.	7,128.
	36"	20"	72"	RC7262DHEH(L/R) () () () () () ()	3,303.	4,499.	5,174.	6,984.
	36"	24"	72"	RC7263DHEH(L/R) () () () () () ()	3,685.	5,030.	5,778.	7,802.




Left hand shown

Requires one lock core per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC7232DHEH (L/R)	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders. Refer to page 603 for keying instructions.
72 72" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull D = Metal finish C-pull F = Bar Pull (1 pull per door set) H = Outline Pull J = Routed J-pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	* Note: 72" high Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 462. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
2 20" deep	5. <i>Lock Finish:</i> B = Black S = Matte Silver	Applicable finishes are listed on page 5 and 6.
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
E Wardrobe / Bookcase combo	7. <i>Pull Finish:</i> Painted or Plated	
H Wood hinge doors		
L Finish Type: Laminate		
M Metal Interior		
T Tab pull option		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		
E = Hinge door cabinet with full height doors, half wardrobe and shelves		


Cabinets, 28 3/8 planning
72" high, wood interiors
Bookcase

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Open bookcase (for desk height planning)	30"	15"	72"	RC7231DHB () () ()	\$1,942.	\$2,647.	\$3,043.	\$4,108.
	30"	20"	72"	RC7232DHB () () ()	2,002.	2,729.	3,137.	4,235.
	30"	24"	72"	RC7233DHB () () ()	2,204.	3,004.	3,453.	4,662.
	36"	15"	72"	RC7261DHB () () ()	2,181.	2,970.	3,416.	4,611.
	36"	20"	72"	RC7262DHB () () ()	2,248.	3,063.	3,522.	4,753.
	36"	24"	72"	RC7263DHB () () ()	2,449.	3,338.	3,837.	5,182.


Order Code	Specification Information	Application Notes
Example: RC7232DHB () () ()	<p>To order the Open Bookcase, please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> W = Wood Interior 3. <i>Cabinet Finish:</i> Wood or Laminate 	<p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p> <p>Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p>
R Reff		
C Cabinets		
72 72" high		
3 30" wide		
1 15" deep, 2 = 20" deep, 3 = 24" deep		
DH Desk Height		
B Open Bookcase		
2 Finish Type: V2		
W Wood Interior		
V316 Cabinet Finish: Maple		

Cabinets, 28 3/8 planning
72" high, wood interiors
Bookcase and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	72"	RC7232DHK()()()()()	\$3,382.	\$4,608.	\$5,285.	\$7,084.
	30"	24"	72"	RC7233DHK()()()()()	3,719.	5,069.	5,817.	7,803.
	36"	20"	72"	RC7262DHK()()()()()	3,672.	5,010.	5,746.	7,708.
	36"	24"	72"	RC7263DHK()()()()()	4,013.	5,473.	6,278.	8,425.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	72"	RC7232DHO()()()()()	3,613.	4,970.	5,708.	7,712.
	30"	24"	72"	RC7233DHO()()()()()	4,022.	5,529.	6,345.	8,575.
	36"	20"	72"	RC7262DHO()()()()()	3,998.	5,498.	6,330.	8,556.
	36"	24"	72"	RC7263DHO()()()()()	4,444.	6,104.	7,015.	9,480.



Order Code

Example:	RC7232DHK()()()()()
R	Reff
C	Cabinet
72	72" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
K	Open Shelves with 2 File drawers
W	Wood Interior
L	Lock option door
B	Lock Finish
T	Pull Option
111	Pull Finish
V316	Cabinet Finish

K = Open shelves and 2 file drawers
O = Open shelves and 4 file drawers

Specification Information

To order, please specify pattern number including:

- Interior options:**
M = Metal
- Lock Option:**
L = Lock hole drilled
Drawers are always drilled for lock. Not optional.
- Lock Finish:**
B = Black
S = Matte Silver
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = Nickel finish C-pull (nickel finish only)
D = Metal D-pull (finish optional)
F = Bar Pull
H = Outline Pull
J = rounded J-pull (finish matches case)
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull
- Pull Finish:**
Painted and Plated
- Cabinet Finish:**
Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Applicable finishes are listed on page 5 and 6.

Cabinets, 28 3/8 planning
72" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () () () () ()	\$3,199.	\$4,358.	\$5,011.	\$6,764.
	30"	24"	72"	RC7233DHFH () () () () () () ()	3,539.	4,822.	5,543.	7,482.
	36"	20"	72"	RC7262DHFH () () () () () () ()	3,519.	4,797.	5,528.	7,463.
	36"	24"	72"	RC7263DHFH () () () () () () ()	3,890.	5,301.	6,099.	8,235.




Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () () () () () ()	2,363.	3,219.	3,702.	4,997.
	16"	24"	72"	RC7213DHGH(L/R) () () () () () () ()	2,605.	3,548.	4,080.	5,508.
	30"	20"	72"	RC7232DHGH () () () () () () ()	2,962.	4,033.	4,640.	6,264.
	30"	24"	72"	RC7233DHGH () () () () () () ()	3,241.	4,418.	5,079.	6,858.
	36"	20"	72"	RC7262DHGH () () () () () () ()	3,205.	4,366.	5,021.	6,779.
	36"	24"	72"	RC7263DHGH () () () () () () ()	3,489.	4,752.	5,465.	7,377.



Order Code	Specification Information	Application Notes
Example: RC7232DHFH	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Interior options:</i> W = Wood Interior	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
72 72" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull D = Metal D-pull F = Bar Pull (1 pull per door set) H = Outline Pull JN = J (Routed) Pull on Drawers and Touch latch on hinge doors R = Cylinder Pull S = S pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	Drawers are always drilled for locks.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	After specifying product code, provide keying instructions. Refer to page603 for keying instructions.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	Applicable finishes are listed on page 5 and 6.
F Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	
H Wood hinge doors		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		
F =Hinge door cabinet with 4 file drawers		
G = Hinge door cabinet with FF		

Cabinets, 28 3/8 planning
72" high, wood interiors
Hinge doors and Box/Box/File

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors & 1 adj shelf, bottom box/box/file (for desk height planning)	16"	20"	72"	RC7212DHPH(L/R) () () () () ()	\$2,802.	\$3,787.	\$4,362.	\$5,788.
	16"	24"	72"	RC7213DHPH(L/R) () () () () ()	3,076.	4,127.	4,749.	6,311.




Order Code	Specification Information	Application Notes
Example: RC723DHF	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Interior options:</i> M = Metal	File drawers include file bars for front to back and side to side filing.
C Cabinet	2. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling Drawers are always drilled for lock. Not optional.	File drawers do not support bottom loading.
7 72" high	3. <i>Lock Finish:</i> B = Black S = Matte Silver	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull (nickel finish only) D = Metal D-pull (finish optional) F = Bar Pull (1 pull per door set) H = Outline Pull JN = rounded J-pull on drawers and Touch latch on Hinge doors (finish matches case) R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	Applicable finishes are listed on page 5 and 6.
2 20" deep	5. <i>Pull Finish:</i> Painted and Plated	
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
P Storage with Hinge Door with Box/Box/File		
H Wood hinge doors		
L Finish Type: Laminate		
M Metal Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
B Lock Finish		
111 Pull Finish		

P = Hinge door cabinet with Box/Box/File

Cabinets, 28 3/8 planning
72" high, wood interiors
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) () () () () () ()	\$3,151.	\$4,295.	\$4,938.	\$6,666.
	30"	24"	72"	RC7233DHEH(L/R) () () () () () ()	3,508.	4,782.	5,499.	7,422.
	36"	20"	72"	RC7262DHEH(L/R) () () () () () ()	3,442.	4,689.	5,395.	7,283.
	36"	24"	72"	RC7263DHEH(L/R) () () () () () ()	3,828.	5,216.	6,000.	8,100.



Left hand shown

Requires one lock core per cabinet.
Shelves painted metal

Wardrobe cabinet (for desk height planning)	16"	20"	72"	RC7212DHDH(L/R) () () () () () ()	1,768.	2,410.	2,771.	3,741.
	16"	24"	72"	RC7213DHDH(L/R) () () () () () ()	1,945.	2,651.	3,048.	4,114.
	30"	20"	72"	RC7232DHDH () () () () () ()	2,226.	3,033.	3,487.	4,707.
	30"	24"	72"	RC7233DHDH () () () () () ()	2,446.	3,333.	3,833.	5,177.
	36"	20"	72"	RC7262DHDH () () () () () ()	2,447.	3,336.	3,836.	5,181.
	36"	24"	72"	RC7263DHDH () () () () () ()	2,691.	3,667.	4,217.	5,692.




Wood interior only

Requires one lock core per cabinet.
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC7232DHEH (L/R)	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
R Reff	1. <i>Hinge Location, where applicable:</i> L = Left hand R = Right hand	Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
7 72" high	3. <i>Interior options:</i> W = Wood Interior	After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull D = Metal D-pull F = Bar Pull (1 pull per door set) H = Outline Pull N = No pulls, Touch latch R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	* Note: 72" high Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 462. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	Applicable finishes are listed on page 5 and 6.
E Wardrobe / Bookcase combo	7. <i>Cabinet Finish:</i> Wood or Laminate	
H Wood hinge doors	8. <i>Pull Finish:</i> Painted or Plated	
L Left hand		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
N Lock option, doors		
B Lock Finish		
118 Cabinet Finish		
111 Pull Finish		
E = Hinge door cabinet with full height doors, half wardrobe and shelves.		
D = Wardrobe cabinet		

Cabinets, 28 3/8 planning
 86" high, metal interiors
 Bookcase

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, with shelving	30"	15"	86"	RC831DHB()()	\$2,189.	\$2,999.	\$3,452.	\$5,103.
	36"	15"	86"	RC861DHB()()	2,490.	3,392.	3,903.	5,767.



Order Code

Example:	RC832DHB()()
R	Reff
C	Cabinet
8	86" high
3	30" wide
1	15" deep
DH	Desk Height
B	Open Bookcase
2	Finish Type: V2
M	Metal Interior
V316	Cabinet Finish: Maple

Specification Information

To order, please specify pattern number including:

1. *Finish Type:*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
2. *Interior Options:*
 M = Metal Interior
3. *Cabinet Finish:* Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Applicable finishes are listed on page 5 and 6.

86" Nominal Height = 85.500"
 Actual Height


Anchor brackets are included.

Cabinets, 28 3/8 planning
86" high, metal interiors
Bookcase and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK() () () () ()	\$3,290.	\$4,489.	\$5,181.	\$6,993.
	30"	24"	86"	RC833DHK() () () () ()	3,629.	4,944.	5,710.	7,708.
	36"	20"	86"	RC862DHK() () () () ()	3,579.	4,883.	5,640.	7,614.
	36"	24"	86"	RC863DHK() () () () ()	3,921.	5,347.	6,172.	8,332.




Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO() () () () ()	3,504.	4,830.	5,585.	7,603.
	30"	24"	86"	RC833DHO() () () () ()	3,912.	5,384.	6,223.	8,467.
	36"	20"	86"	RC862DHO() () () () ()	3,889.	5,357.	6,188.	8,419.
	36"	24"	86"	RC863DHO() () () () ()	4,338.	5,965.	6,890.	9,367.




Order Code	Specification Information	Application Notes
Example: RC832DHK() () () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets on this page are engineered to align with front sets of 28^{3/8}"h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>86" Nominal Height = 85.500" Actual Height</p>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.	
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	
2 20" deep, 3 = 24" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	
DH Desk Height	6. <i>Pull Finish:</i> Painted or Plated	
K Open Shelves with 2 File drawers		
2 Finish Type: 2		
M Metal Interior		
T Pull Option		
L Lock Option, files		
V316 Cabinet Finish: Maple		
111 Pull Finish		
K = Open shelves and 2 file drawers		
O = Open shelves and 4 file drawers		

Cabinets, 28 3/8 planning
86" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF () () (L) () () ()	\$3,682.	\$5,016.	\$5,771.	\$7,789.
	30"	24"	86"	RC833DHF () () (L) () () ()	4,089.	5,571.	6,409.	8,652.
	36"	20"	86"	RC862DHF () () (L) () () ()	4,067.	5,543.	6,374.	8,605.
	36"	24"	86"	RC863DHF () () (L) () () ()	4,517.	6,152.	7,076.	9,553.




Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG () () (L) () () ()	3,398.	4,627.	5,320.	7,184.
	30"	24"	86"	RC833DHG () () (L) () () ()	3,736.	5,087.	5,852.	7,898.
	36"	20"	86"	RC862DHG () () (L) () () ()	3,687.	5,023.	5,779.	7,806.
	36"	24"	86"	RC863DHG () () (L) () () ()	4,028.	5,488.	6,312.	8,523.



Order Code	Specification Information	Application Notes
Example: RC862DHF () () (L) () () ()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull JN = J (Routed) Pull on drawers, Touch latch on hinge doors R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	Applicable finishes are listed on page 5 and 6. 86" Nominal Height = 85.500" Actual Height
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Drawers are always drilled for locks.
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.
F Storage with Hinge Door with 4 file drawers	7. <i>Cabinet Finish:</i> Wood or Laminate	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
L Finish Type: Laminate	8. <i>Pull Finish:</i> Painted or Plated	
M Metal Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
B Lock Finish		
118 Cabinet Finish		
111 Pull Finish		
F = Hinge door cabinet with 4 file drawers		
G = Hinge door cabinet with FF		

Cabinets, 28 3/8 planning
86" high, metal interiors
Hinge doors with shelves and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () () ()	\$3,428.	\$4,675.	\$5,370.	\$7,250.
	30"	24"	86"	RC833DHEH(L/R)() () () () ()	3,800.	5,182.	5,954.	8,039.
	36"	20"	86"	RC862DHEH(L/R)() () () () ()	3,732.	5,086.	5,845.	7,893.
	36"	24"	86"	RC863DHEH(L/R)() () () () ()	4,133.	5,634.	6,476.	8,744.



Left hand shown

Shelves; painted metal.

Order Code

Example:	RC832DHEH (L/R)
R	Reff
C	Cabinet
8	86" high
3	30" wide
2	20" deep
DH	Desk Height
E	Wardrobe / Bookcase combo
H	Wood hinge doors
(L/R)	Left hand or Right hand
L	Finish Type: Laminate
M	Metal Interior
T	Tab pull option
N	Lock option, doors
B	Lock Finish
118	Cabinet Finish
111	Pull Finish

E = Hinge door cabinet with full height doors, half wardrobe and shelves

Specification Information

To order, please specify pattern number including:

- Hinge Location where applicable:**
L = Left hand
R = Right hand
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = D-Pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
N = No pull, Touch Latch
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull (1 pull per door set)
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Lock Finish:**
B = Black
S = Matte Silver
- Cabinet Finish:**
Wood or Laminate
- Pull Finish:**
Painted or Plated

Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Applicable finishes are listed on page and .

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Applicable finishes are listed on page 5 and 6.

86" Nominal Height = 85.500" Actual Height

*Note:
86" high wardrobe cabinets come equipped with a coat rod.

20" deep wardrobe cabinets provide only 18" of clear storage space.

Cabinets, 28 3/8 planning
86" high, wood interiors
Bookcase

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet, with shelving	30"	15"	86"	RC831DHB () ()	\$2,325.	\$3,183.	\$3,662.	\$5,392.
	30"	20"	86"	RC832DHB () ()	2,397.	3,281.	3,776.	5,559.
	30"	24"	86"	RC833DHB () ()	2,654.	3,615.	4,156.	6,119.
	36"	15"	86"	RC861DHB () ()	2,626.	3,575.	4,113.	6,055.
	36"	20"	86"	RC862DHB () ()	2,707.	3,686.	4,240.	6,242.
	36"	24"	86"	RC863DHB () ()	2,947.	4,018.	4,620.	6,805.

Order Code

Example:	RC832DHB () ()
R	Reff
C	Cabinet
8	86" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
B	Open Bookcase
2	Finish Type: V2
W	Wood Interior
V316	Cabinet Finish: Maple

Specification Information

To order, please specify pattern number including:

1. *Finish Type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior Options:*
W = Wood Interior
3. *Cabinet Finish:* Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Applicable finishes are listed on page 5 and 6.

86" Nominal Height = 85.500"
Actual Height


Anchor brackets are included.

Cabinets, 28 3/8 planning 86" high, wood interiors Bookcase and File drawers

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK () () () () ()	\$3,458.	\$4,713.	\$5,442.	\$7,347.
	30"	24"	86"	RC833DHK () () () () ()	3,795.	5,174.	5,975.	8,065.
	36"	20"	86"	RC862DHK () () () () ()	3,748.	5,115.	5,903.	7,971.
	36"	24"	86"	RC863DHK () () () () ()	4,088.	5,578.	6,435.	8,688.




Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO () () () () ()	3,689.	5,075.	5,865.	7,975.
	30"	24"	86"	RC833DHO () () () () ()	4,098.	5,634.	6,503.	8,838.
	36"	20"	86"	RC862DHO () () () () ()	4,073.	5,603.	6,488.	8,819.
	36"	24"	86"	RC863DHO () () () () ()	4,520.	6,209.	7,173.	9,743.




Order Code	Specification Information	Application Notes
Example: RC832DHK () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 3/8" h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinet	2. <i>Interior options:</i> W = Wood Interior	* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.	
3 30" wide		Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep, 3 = 24" deep		
DH Desk Height		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
K Open Shelves with 2 File drawers		
2 Finish Type: 2		Applicable finishes are listed on page 5 and 6.
W Wood Interior		
T Tab pull option		86" Nominal Height = 85.500" Actual Height
L Lock option, files		
V316 Cabinet Finish		
111 Pull Finish		
K = Open shelves and 2 file drawers	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	
O = Open shelves and 4 file drawers	5. <i>Cabinet Finish:</i> Wood or Laminate	
	6. <i>Pull Finish:</i> Painted or Plated	

Cabinets, 28 3/8 planning
86" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF() () (L) () () ()	\$3,851.	\$5,243.	\$6,033.	\$8,145.
	30"	24"	86"	RC833DHF() () (L) () () ()	4,260.	5,803.	6,673.	9,008.
	36"	20"	86"	RC862DHF() () (L) () () ()	4,236.	5,772.	6,657.	8,987.
	36"	24"	86"	RC863DHF() () (L) () () ()	4,682.	6,379.	7,343.	9,882.



Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG() () (L) () () ()	3,565.	4,854.	5,585.	7,538.
	30"	24"	86"	RC833DHG() () (L) () () ()	3,903.	5,316.	6,114.	8,253.
	36"	20"	86"	RC862DHG() () (L) () () ()	3,855.	5,255.	6,042.	8,156.
	36"	24"	86"	RC863DHG() () (L) () () ()	4,197.	5,718.	6,576.	8,879.



Order Code

Specification Information

Application Notes


Example: RC862DHF() () (L) () () ()	To order, please specify pattern number including:	Cabinets on this page are engineered to align with front sets of 28 3/8" pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
C Cabinet	2. <i>Interior options:</i> W = Wood Interior	Drawers are always drilled for locks.	Applicable finishes are listed on page 5 and 6.
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull JN = J (Routed) Pull on drawers, Touch latch on Hinge doors R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.	86" Nominal Height = 85.500" Actual Height
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	File drawers include file bars for front to back and side to side filing.	
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	File drawers do not support bottom loading.	
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver		
F Storage with Hinge Door with 4 file drawers	7. <i>Cabinet Finish:</i> Wood or Laminate		
H Wood hinge doors	8. <i>Pull Finish:</i> Painted or Plated		
L Finish Type: Laminate			
W Wood Interior			
T Tab pull option			
L Lock option, files			
N Lock option, doors			
B Lock Finish			
118 Cabinet Finish			
111 Pull Finish			

F = Hinge door cabinet with 4 file drawers

G = Hinge door cabinet with FF

Cabinets, 28 3/8 planning
86" high, wood interiors
Hinge doors with shelves and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () () ()	\$3,612.	\$4,922.	\$5,661.	\$7,641.
	30"	24"	86"	RC833DHEH(L/R)() () () () ()	4,021.	5,480.	6,302.	8,507.
	36"	20"	86"	RC862DHEH(L/R)() () () () ()	3,946.	5,375.	6,183.	8,348.
	36"	24"	86"	RC863DHEH(L/R)() () () () ()	4,388.	5,979.	6,878.	9,284.



Left hand shown

Requires one lock core per cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet, wardrobe (for desk height planning)	16"	20"	86"	RC812DHDH(L/R)() () () () ()	2,385.	3,718.	4,277.	5,559.
	16"	24"	86"	RC813DHDH(L/R)() () () () ()	2,471.	3,855.	4,432.	5,762.
	19"	20"	86"	RC822DHDH(L/R)() () () () ()	2,478.	3,865.	4,445.	5,778.
	19"	24"	86"	RC823DHDH(L/R)() () () () ()	2,567.	4,004.	4,604.	5,985.
	30"	20"	86"	RC832DHDH() () () () ()	2,832.	4,415.	5,079.	6,602.
	30"	24"	86"	RC833DHDH() () () () ()	2,929.	4,568.	5,253.	6,828.
	36"	20"	86"	RC862DHDH() () () () ()	3,053.	4,761.	5,475.	7,117.
	36"	24"	86"	RC863DHDH() () () () ()	3,158.	4,927.	5,665.	7,364.







Wood interior only

Requires one lock core per cabinet.
Coat rod included. Order boot tray from accessories

Order Code	Specification Information	Application Notes
Example: RC832DHEH (L/R)	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 3/8" pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
8 86" high	3. <i>Interior options:</i> W = Wood Interior	
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel Finish C-pull D = Metal D-pull F = Bar Pull (1 pull per door set) H = Outline Pull N = No pull, Touch Latch R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	After specifying product code, provide keying instructions. Refer to page 603 for keying instructions.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
E Wardrobe / Bookcase combo	7. <i>Cabinet Finish:</i> Wood or Laminate	
H Wood hinge doors	8. <i>Pull Finish:</i> Painted or Plated	Applicable finishes are listed on page 5 and 6.
(L/R) Left hand or Right hand		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
L Finish Type: Laminate		Applicable finishes are listed on page 5 and 6.
W Wood Interior		86" Nominal Height = 85.500" Actual Height
T Tab pull option		*Note: 86" high wardrobe cabinets come equipped with a coat rod.
N Lock option, doors		20" deep cabinets provide 18" clear storage space.
B Lock Finish		
118 Cabinet Finish		
111 Pull Finish		
E = Hinge door cabinet with full height doors, half wardrobe and shelves		
D = Wardrobe Cabinet		

Cabinets Progressive
 49" high, metal interior
 28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)M () () () () ()	\$1,790.	\$1,968.	\$2,058.	\$2,148.	\$2,719.	\$3,127.	\$4,064.
	24"	18"	49"	RCFS4913C(L/R)M () () () () ()	1,844.	2,028.	2,120.	2,212.	2,812.	3,234.	4,204.
Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)M () () () () ()	2,306.	2,537.	2,651.	2,767.	3,459.	3,978.	5,171.
	24"	18"	49"	RCFS4913Y(L/R)M () () () () ()	2,379.	2,617.	2,737.	2,855.	3,569.	4,105.	5,336.
Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)M () () () () ()	2,382.	2,620.	2,740.	2,859.	3,574.	4,110.	5,343.
	24"	18"	49"	RCFS4913Z(L/R)M () () () () ()	2,460.	2,706.	2,829.	2,952.	3,690.	4,336.	5,517.
Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)M () () () () ()	2,141.	2,356.	2,463.	2,570.	3,324.	3,822.	4,970.
	24"	24"	49"	RCFS4933V(L/R)M () () () () ()	2,208.	2,429.	2,539.	2,650.	3,449.	3,968.	5,157.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
49 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	6. Door finish	
N Lock	L, V1, V2, V3	
S Lock finish	Product on this page will accept woodgrain laminate where laminate is currently an option.	
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 49" high, metal interior
 28³/₈" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)M () () () () ()	\$2,475.	\$2,722.	\$2,846.	\$2,969.	\$3,834.	\$4,409.	\$5,732.
	24"	24"	49"	RCFS4933W(L/R)M () () () () ()	2,547.	2,802.	2,929.	3,057.	3,969.	4,564.	5,933.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)M () () () () ()	2,631.	2,894.	3,025.	3,157.	3,998.	4,598.	5,977.
	24"	24"	49"	RCFS4933X(L/R)M () () () () ()	2,709.	2,980.	3,115.	3,251.	4,139.	4,759.	6,186.





Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	Product on this page will accept woodgrain laminate where laminate is currently an option.	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior		These products are Glue and Dowel Construction
N Lock		Grommet pulls only
S Lock finish		Shelves and File Front will default to the case finish
G Pull option		49" h cabinets are compatible with panel height.
115 Pull finish option		When case finish is Laminate, shelves are painted to match.
114 Case finish		When case finish is wood, shelves are painted black.
115 Door finish		Drawer interiors always painted black.
		Cabinets with wardrobe come with a coat rod.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
64" high, metal interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	64"	RCFS6412C(L/R)M () () () () ()	\$1,944.	\$2,137.	\$2,235.	\$2,332.	\$2,976.	\$3,423.	\$4,449.
	24"	18"	64"	RCFS6413C(L/R)M () () () () ()	2,011.	2,211.	2,312.	2,412.	3,108.	3,574.	4,646.

Cabinets, hinge door with shelves&File/File 	20"	18"	64"	RCFS6412Y(L/R)M () () () () ()	2,483.	2,732.	2,856.	2,980.	3,726.	4,284.	5,569.
	24"	18"	64"	RCFS6413Y(L/R)M () () () () ()	2,621.	2,884.	3,015.	3,147.	3,933.	4,523.	5,879.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	64"	RCFS6412Z(L/R)M () () () () ()	2,561.	2,817.	2,945.	3,072.	3,841.	4,417.	5,742.
	24"	18"	64"	RCFS6413Z(L/R)M () () () () ()	2,703.	2,973.	3,108.	3,243.	4,054.	4,662.	6,061.

Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
64 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	6. Door finish	
N Lock	L, V1, V2, V3	
S Lock finish	Product on this page will accept woodgrain laminate where laminate is currently an option.	
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
64" high, metal interior
28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)M () () () () ()	\$2,312.	\$2,544.	\$2,659.	\$2,776.	\$3,648.	\$4,196.	\$5,455.
	24"	24"	64"	RCFS6433V(L/R)M () () () () ()	2,396.	2,636.	2,755.	2,875.	3,826.	4,401.	5,721.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)M () () () () ()	2,646.	2,911.	3,043.	3,175.	4,158.	4,782.	6,217.
	24"	24"	64"	RCFS6433W(L/R)M () () () () ()	2,806.	3,086.	3,227.	3,367.	4,411.	5,074.	6,596.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)M () () () () ()	2,803.	3,083.	3,223.	3,363.	4,323.	4,971.	6,462.
	24"	24"	64"	RCFS6433X(L/R)M () () () () ()	2,967.	3,264.	3,412.	3,561.	4,581.	5,268.	6,848.





Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
64 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	6. Door finish	
N Lock	L, V1, V2, V3	
S Lock finish	Product on this page will accept woodgrain laminate where laminate is currently an option.	
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68" high, metal interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	68"	RCFS6812C(L/R)M () () () () ()	\$1,965.	\$2,162.	\$2,261.	\$2,359.	\$3,046.	\$3,503.	\$4,554.
	24"	18"	68"	RCFS6813C(L/R)M () () () () ()	2,034.	2,238.	2,340.	2,441.	3,170.	3,646.	4,740.

Cabinets, hinge door with shelves&File/File 	20"	18"	68"	RCFS6812Y(L/R)M () () () () ()	2,536.	2,790.	2,917.	3,044.	3,805.	4,375.	5,688.
	24"	18"	68"	RCFS6813Y(L/R)M () () () () ()	2,670.	2,938.	3,070.	3,204.	4,005.	4,606.	5,987.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	68"	RCFS6812Z(L/R)M () () () () ()	2,613.	2,875.	3,006.	3,136.	3,920.	4,508.	5,861.
	24"	18"	68"	RCFS6813Z(L/R)M () () () () ()	2,751.	3,026.	3,163.	3,301.	4,126.	4,745.	6,169.

Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
68 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish	Product on this page will accept woodgrain laminate where laminate is currently an option.	


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68" high, metal interior
28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)M () () () () ()	\$2,342.	\$2,576.	\$2,693.	\$2,810.	\$3,739.	\$4,300.	\$5,590.
	24"	24"	68"	RCFS6833V(L/R)M () () () () ()	2,427.	2,670.	2,791.	2,912.	3,914.	4,501.	5,851.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)M () () () () ()	2,685.	2,954.	3,088.	3,222.	4,275.	4,916.	6,391.
	24"	24"	68"	RCFS6833W(L/R)M () () () () ()	2,847.	3,131.	3,274.	3,417.	4,508.	5,185.	6,740.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)M () () () () ()	2,841.	3,125.	3,267.	3,409.	4,423.	5,086.	6,612.
	24"	24"	68"	RCFS6833X(L/R)M () () () () ()	3,009.	3,309.	3,460.	3,610.	4,678.	5,380.	6,994.





Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
68 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	6. Door finish	
L Lock	L, V1, V2, V3	
S Lock finish	Product on this page will accept woodgrain laminate where laminate is currently an option.	
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
49" high, wood interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)W () () () () ()	\$1,927.	\$2,120.	\$2,216.	\$2,312.	\$3,213.	\$3,695.	\$4,804.
	24"	18"	49"	RCFS4913C(L/R)W () () () () ()	1,971.	2,168.	2,267.	2,365.	3,314.	3,811.	4,954.

Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)W () () () () ()	2,765.	3,042.	3,180.	3,318.	4,147.	4,769.	6,200.
	24"	18"	49"	RCFS4913Y(L/R)W () () () () ()	2,806.	3,086.	3,226.	3,366.	4,208.	4,839.	6,291.

Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)W () () () () ()	3,205.	3,526.	3,686.	3,846.	4,488.	5,160.	6,708.
	24"	18"	49"	RCFS4913Z(L/R)W () () () () ()	3,277.	3,605.	3,769.	3,933.	4,588.	5,276.	6,859.


Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)W () () () () ()	2,272.	2,500.	2,613.	2,726.	3,803.	4,372.	5,685.
	24"	24"	49"	RCFS4933V(L/R)W () () () () ()	2,331.	2,564.	2,680.	2,796.	3,936.	4,527.	5,884.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
49 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish	
L/R Left/Right hinge	L, V1, V2, V3	
W Wood interior	6. Door finish	
L Lock	L, V1, V2, V3	
S Lock finish		The images on this page are shown as a right hand cabinets.
G Pull option	Product on this page will accept woodgrain laminate where laminate is currently an option.	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 49" high, wood interior
 28³/₈" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)W() () () () () ()	\$3,079.	\$3,387.	\$3,540.	\$3,695.	\$4,518.	\$5,195.	\$6,754.
	24"	24"	49"	RCFS4933W(L/R)W() () () () () ()	3,086.	3,394.	3,548.	3,703.	4,596.	5,285.	6,871.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)W() () () () () ()	3,476.	3,823.	3,997.	4,170.	4,908.	5,643.	7,337.
	24"	24"	49"	RCFS4933X(L/R)W() () () () () ()	3,524.	3,876.	4,052.	4,228.	5,024.	5,778.	7,512.





Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	Product on this page will accept woodgrain laminate where laminate is currently an option.	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 64" high, wood interior
 28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	64"	RCFS6412C(L/R)W (X)(X)(X)(X)(X)	\$2,126.	\$2,338.	\$2,445.	\$2,551.	\$3,635.	\$4,180.	\$5,434.
	24"	18"	64"	RCFS6413C(L/R)W (X)(X)(X)(X)(X)	2,181.	2,399.	2,508.	2,617.	3,776.	4,342.	5,645.

Cabinets, hinge door with shelves&File/File 	20"	18"	64"	RCFS6412Y(L/R)W (X)(X)(X)(X)(X)	3,052.	3,357.	3,509.	3,662.	4,577.	5,264.	6,843.
	24"	18"	64"	RCFS6413Y(L/R)W (X)(X)(X)(X)(X)	3,163.	3,479.	3,638.	3,796.	4,745.	5,457.	7,094.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	64"	RCFS6412Z(L/R)W (X)(X)(X)(X)(X)	3,513.	3,865.	4,041.	4,216.	4,918.	5,657.	7,353.
	24"	18"	64"	RCFS6413Z(L/R)W (X)(X)(X)(X)(X)	3,661.	4,026.	4,210.	4,393.	5,125.	5,894.	7,662.

Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W (X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
64 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish L, V1, V2, V3	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	6. Door finish L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	Product on this page will accept woodgrain laminate where laminate is currently an option.	
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
64" high, wood interior
28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)W () () () () ()	\$2,487.	\$2,736.	\$2,860.	\$2,985.	\$4,287.	\$4,930.	\$6,409.
	24"	24"	64"	RCFS6433V(L/R)W () () () () ()	2,559.	2,815.	2,943.	3,070.	4,475.	5,146.	6,690.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)W () () () () ()	3,294.	3,623.	3,787.	3,952.	5,002.	5,752.	7,478.
	24"	24"	64"	RCFS6433W(L/R)W () () () () ()	3,385.	3,723.	3,892.	4,061.	5,202.	5,981.	7,775.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)W () () () () ()	3,690.	4,060.	4,245.	4,429.	5,392.	6,201.	8,061.
	24"	24"	64"	RCFS6433X(L/R)W () () () () ()	3,823.	4,205.	4,396.	4,588.	5,630.	6,475.	8,416.





Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
64 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	Grommet	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	4. Pull finish	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Paint / Plated	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	5. Case finish	
L Lock	L, V1, V2, V3	
S Lock finish	6. Door finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	Product on this page will accept woodgrain laminate where laminate is currently an option.	
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68" high wood interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	68"	RCFS6812C(L/R)W (X)(X)(X)(X)(X)	\$2,149.	\$2,363.	\$2,471.	\$2,578.	\$3,705.	\$4,260.	\$5,538.
	24"	18"	68"	RCFS6813C(L/R)W (X)(X)(X)(X)(X)	2,205.	2,426.	2,536.	2,646.	3,839.	4,415.	5,739.

Cabinets, hinge door with shelves&File/File 	20"	18"	68"	RCFS6812Y(L/R)W (X)(X)(X)(X)(X)	3,104.	3,414.	3,570.	3,726.	4,657.	5,355.	6,962.
	24"	18"	68"	RCFS6813Y(L/R)W (X)(X)(X)(X)(X)	3,212.	3,533.	3,694.	3,854.	4,817.	5,540.	7,202.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	68"	RCFS6812Z(L/R)W (X)(X)(X)(X)(X)	3,570.	3,927.	4,106.	4,284.	4,998.	5,747.	7,472.
	24"	18"	68"	RCFS6813Z(L/R)W (X)(X)(X)(X)(X)	3,712.	4,084.	4,269.	4,455.	5,197.	5,977.	7,770.

Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W (X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
68 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	Product on this page will accept woodgrain laminate where laminate is currently an option.	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		
		These products are Glue and Dowel Construction Grommet pulls only. Shelves and files front will default to the case finish. 68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height. No wardrobe option in the 18" w cabinets. Cabinets with wardrobe come with a coat rod.


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68" high wood interior
28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)W () () () () ()	\$2,516.	\$2,768.	\$2,893.	\$3,019.	\$4,376.	\$5,034.	\$6,544.
	24"	24"	68"	RCFS6833V(L/R)W () () () () ()	2,589.	2,849.	2,979.	3,108.	4,562.	5,247.	6,821.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)W () () () () ()	3,333.	3,666.	3,833.	3,999.	5,102.	5,867.	7,627.
	24"	24"	68"	RCFS6833W(L/R)W () () () () ()	3,426.	3,769.	3,940.	4,111.	5,297.	6,092.	7,921.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)W () () () () ()	3,730.	4,102.	4,289.	4,475.	5,492.	6,315.	8,210.
	24"	24"	68"	RCFS6833X(L/R)W () () () () ()	3,865.	4,251.	4,443.	4,637.	5,727.	6,586.	8,561.



Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
68 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	6. Door finish	
L Lock	L, V1, V2, V3	
S Lock finish	Product on this page will accept woodgrain laminate where laminate is currently an option.	
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Desktop Towers
 28³/₈" high planning
 Single Wide, 42" and 56" High
 Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSBWT142 () ()	\$1,190.	\$2,040.	\$2,346.	\$3,050.
	19"	15"	42"	RDTSBWG142 () ()	1,221.	2,092.	2,405.	3,127.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSBWT156 () ()	1,376.	2,360.	2,714.	3,528.
	19"	15"	56"	RDTSBWG156 () ()	1,411.	2,418.	2,781.	3,615.



Order Code	Specification Information	Application Notes
Example: RDTSBWT142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	
DT Reff Desktop Tower		
S Single width	1. <i>Case finish type:</i>	Shelves to match case finish.
B Bookcase	L = Laminate	Shelves on single height available with 2 adjustable shelves.
W Wood Shelves	1 = V1	
T Letter width 16" nominal	2 = V2	
1 Letter depth 15" nominal	3 = V3	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
42 42" high nominal	2. <i>Case finish:</i>	
V2 Case finish type	Wood or Laminate	
V316 Case finish		

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Desktop Towers

28³/₈" high planning

Single Wide, 42" and 56" High

Wood Hinge Door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, single width	16"	15"	42"	RDTSHWT142(L/R) () () () () ()	\$1,548.	\$1,703.	\$1,780.	\$1,935.	\$2,653.	\$3,052.	\$3,968.
wood shelves behind wood hinge door	19"	15"	42"	RDTSHWG142(L/R) () () () () ()	1,591.	1,751.	1,830.	1,990.	2,728.	3,138.	4,079.



56" h Desk top tower, single width	16"	15"	56"	RDTSHWT156(L/R) () () () () ()	1,764.	1,941.	2,135.	2,348.	3,025.	3,478.	4,523.
wood shelves behind wood hinge door	19"	15"	56"	RDTSHWG156(L/R) () () () () ()	1,814.	1,995.	2,194.	2,413.	3,109.	3,575.	4,647.



Order Code	Specification Information	Application Notes
Example: RDTSHWT142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
DT Reff Desktop Tower		
S Single width		
H Hinge Door		
W Wood Shelves		
T Letter width 16" nominal		
1 Letter depth 15" nominal		
42 42" high nominal		
2 Finish type		
T Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
111 Pull finish		
	<ol style="list-style-type: none"> Case finish type L = Laminate 1 = V1 2 = V2 3 = V3 Front finish type L = Laminate 1 = V1 2 = V2 3 = V3 Pull option: B=No pull, No drilling Customer's own pull. F=Bar pull (1 pull per door set) H=Outline pull N=No pull, touch latch R=Cylinder pull T=Tab pull (1 pull per door set) Lock option L or N Lock finish B=Black S=Matte Silver Case finish= *V316 Front finish=V316 Pull finish=111 	<p>Shelves to match case finish.</p> <p>Shelves on single wide available with 2 adjustable shelves.</p> <p>Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p> <p>56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.</p> <p>These products are Glue and Dowel Construction</p>

Desktop towers

Desktop Towers
 28^{3/8}" high planning
 Single Wide, 42" and 56" High
 Glass hinge door

description	w	d	h	pattern no.	L	V1	V2	V3
42"h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSJWT142(L/R)() () ()	\$2,211.	\$2,875.	\$3,306.	\$4,298.
	19"	15"	42"	RDTSJWT142(L/R)() () ()	2,304.	2,995.	3,444.	4,516.



56"h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSJWT156(L/R)() () ()	2,560.	3,327.	3,826.	4,975.
	19"	15"	56"	RDTSJWT156(L/R)() () ()	2,673.	3,474.	3,995.	5,194.




Order Code	Specification Information	Application Notes	
Example: RDTSJWT142 () () ()	<p>To order please specify pattern number including: Left or right hand as applicable and embedded in the pattern number.</p> <p>1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p>2. <i>Case finish:</i> V316</p> <p>3. <i>Door frame type:</i> Anodized or Painted</p> <p>4. <i>Door glass finish:</i> GL11, GL14, GL15, GL18</p>	<p>Heights to work with 28^{3/8}" desk height planning and 1 1/2" worksurface.</p> <p>Shelves to match case finish.</p> <p>Shelves on single height available with 2 adjustable shelves.</p> <p>Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p>	
R Reff			<p>42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.</p> <p>56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.</p> <p>Glass hinge doors available only with touch latch.</p> <p>These products are Glue and Dowel Construction</p>
DT Reff Desktop Tower			
S Single width			
G Hinge glass door			
W Wood Shelves			
T Letter width 16" nominal			
1 Letter depth 15" nominal			
42 42" high nominal			
L Left / Right hand			
2 Case finish type			
V316 Case finish			
AU Door frame finish			
GL11 Door glass finish			

Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, double width bookcase / open shelves	30"	15"	42"	RDTDBW3142() ()	\$1,810.	\$2,895.	\$3,329.	\$4,328.
	36"	15"	42"	RDTDBW6142() ()	1,861.	2,979.	3,425.	4,453.



56" h Desk top tower, double width bookcase / open shelves	30"	15"	56"	RDTDBW3156() ()	2,160.	3,455.	3,974.	5,165.
	36"	15"	56"	RDTDBW6156() ()	2,219.	3,549.	4,082.	5,307.

Desktop towers

Order Code	Specification Information	Application Notes
Example: RDTDBW3142() ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	Shelves to match case finish.
DT Reff Desktop Tower	1. Case finish type	Shelves with door option on single height available with 2 adjustable shelves.
D Double width	L = Laminate	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
B Bookcase	1 = V1	
W Wood Shelves	2 = V2	
3 30" wide	3 = V3	
1 Letter depth 15" nominal	2. Case finish V316	
42 42" high nominal	3. Pull option Plated / Painted	
2 Case finish type	4. Lock option L, N	
V316 Case finish	5. Lock finish	
	S=Matte Silver	
	B=Black	
	6. Case finish V316	
	7. Front finish V313	
	8. Pull finish 111	

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.


These products are Glue and Dowel Construction

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Desktop Towers

28³/₈" high planning
Double Wide, 42" and 56" High
Wood shelves behind doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, double width	30"	15"	42"	RDTDHW3142()	\$2,125.	\$2,444.	\$2,550.	\$2,763.	\$3,400.	\$3,910.	\$5,083.
wood shelves behind wood hinge door	36"	15"	42"	RDTDHW6142()	2,206.	2,537.	2,647.	2,869.	3,530.	4,059.	5,278.



56" h Desk top tower, double width	30"	15"	56"	RDTDHW3156()	2,458.	2,704.	2,975.	3,271.	3,933.	4,523.	5,879.
wood shelves behind wood hinge door	36"	15"	56"	RDTDHW6156()	2,571.	2,827.	3,111.	3,422.	4,113.	4,730.	6,149.



Order Code

Example: RDTDHW3142()
RDT Reff Desktop Tower
D Double width
H Hinge door wood
W Wood Shelves
3 30" wide
1 Letter depth 15" nominal
42 42" high nominal
L Left/ Right hand option
V2 Case finish type
V2 Font finish type
F Pull option
L Lock option doors
B Lock finish
V316 Case finish
V316 Front finish
111 Pull finish

Specification Information

To order please specify pattern number including:
 Left or right hand as applicable and embedded in the pattern number.

- Case finish type
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
- Case finish V316
- Pull option:
 B=No pull
 (Customer's own pull)
 F=Bar pull (1 pull per door set)
 H=Outline pull
 R=Cylinder pull
 T=Tab pull (1 pull per door set)
- Lock option L, N
- Lock finish
 S=Matte Silver
 B=Black
- Case finish V316
- Front finish V313
- Pull finish 111

Application Notes

Heights to work with 28³/₈" desk height planning and 1¹/₂" worksurface.

Shelves to match case finish.

Shelves with door option on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High


Asymmetrical, with Glass door

description	w	d	h	pattern no.	L	V1	V2	V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAGW3142(L/R)() () ()	\$2,951.	\$3,836.	\$4,411.	\$5,735.
Split glass hinged door / open shelves all wood	30"	15"	56"	RDTAGW3156(L/R)() () ()	3,501.	4,552.	5,234.	6,805.
	36"	15"	42"	RDTAGW6142(L/R)() () ()	3,144.	4,086.	4,699.	6,109.
	36"	15"	56"	RDTAGW6156(L/R)() () ()	3,750.	4,875.	5,606.	7,288.




Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAGG3142(L/R)() () ()	2,829.	3,678.	4,230.	5,499.
Split glass hinged door / open shelves all glass	30"	15"	56"	RDTAGG3156(L/R)() () ()	3,320.	4,316.	4,964.	6,452.
	36"	15"	42"	RDTAGG6142(L/R)() () ()	3,022.	3,928.	4,519.	5,873.
	36"	15"	56"	RDTAGG6156(L/R)() () ()	3,569.	4,639.	5,335.	6,936.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width	30"	15"	42"	RDTDGW3142() () ()	3,712.	4,455.	5,123.	6,660.
wood shelves behind glass hinge door	30"	15"	56"	RDTDGW3156() () ()	4,282.	5,138.	5,908.	7,681.
	36"	15"	42"	RDTDGW6142() () ()	3,873.	4,647.	5,345.	6,948.
	36"	15"	56"	RDTDGW6156() () ()	4,560.	5,471.	6,292.	8,180.



Order Code	Specification Information	Application Notes
Example: RDTAGW3142	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 ¹ / ₂ " worksurface.
RDT Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
A Asymmetrical split	1. <i>Case finish type:</i>	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
G Hinge door glass	L = Laminate	Hinge glass doors feature <u>no</u> pulls only touch latch.
W Wood Shelves	1 = V1	Desk top tower backs.
3 30" wide nominal	2 = V2	These products are Glue and Dowel Construction.
1 Letter depth 15" nominal	3 = V3	From users perspective, the open shelves' location determines handedness. ie. Right hand - open shelves on right hand
42 42" high nominal	2. <i>Case finish:</i>	
(L) Left / Right hand option	Wood or Laminate	
V2 Case finish type	3. <i>Door frame finish:</i>	
V316 Case finish	Anodized or Painted	
AU Door frame finish	4. <i>Door glass finish:</i>	
GL11 Door glass finish	GL11, GL14, GL15, GL18	


Desktop Towers

28^{3/8}" high planning

Double Wide, 42" and 56" High


Asymmetrical with mix casing

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAHW3142(L/R) () () () () ()	\$2,254.	\$2,478.	\$2,591.	\$2,704.	\$3,447.	\$3,964.	\$5,154.
Split hinged door / open shelves all wood	30"	15"	56"	RDTAHW3156(L/R) () () () () ()	2,631.	2,893.	3,025.	3,157.	4,024.	4,628.	6,017.
	36"	15"	42"	RDTAHW6142(L/R) () () () () ()	2,341.	2,575.	2,691.	2,809.	3,581.	4,118.	5,354.
	36"	15"	56"	RDTAHW6156(L/R) () () () () ()	2,748.	3,023.	3,161.	3,298.	4,205.	4,836.	6,287.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAHG3142(L/R) () () () () ()	2,439.	2,664.	2,777.	2,889.	3,633.	4,150.	5,340.
Split hinged door / open shelves all glass	30"	15"	56"	RDTAHG3156(L/R) () () () () ()	2,909.	3,171.	3,303.	3,435.	4,302.	4,906.	6,295.
	36"	15"	42"	RDTAHG6142(L/R) () () () () ()	2,527.	2,760.	2,877.	2,994.	3,767.	4,303.	5,539.
	36"	15"	56"	RDTAHG6156(L/R) () () () () ()	3,026.	3,301.	3,439.	3,576.	4,484.	5,114.	6,565.



Left hand Desktop Tower shown. Hinged off of the center gable.


Order Code	Specification Information	Application Notes
Example: RDTAHW3142(L/R) () () () () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ^{3/8} " desk height planning and 1 1/2" worksurface.
RDT	Reff Desktop Tower	
A	Asymmetrical split	Shelves to match case finish.
H	Hinge door wood	Shelves on single height available with 2 adjustable shelves.
W	Wood Shelves	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
3	30" wide nominal	For Desktop with open shelves, all glass; need to specify Glass finish; GL35 = Grey GL85 = Star Clear
1	Letter depth 15" nominal	From users perspective, the open shelves' location determines handedness. ie. Right hand - open shelves on right hand
42	42" high nominal	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
L	Left / Right hand option	
V2	Case finish type	
V2	Front finish type	
F	Pull option	
L	Lock option	
B	Lock finish	
V316	Case finish	
V316	Front finish	
111	Pull finish	
GL35	Glass finish	
	1. Case finish type: L, V1, V2, V3	
	2. Front finish type: L, V1, V2, V3	
	3. Pull option: B=No pull (Customer's own pull) F=Bar pull (1 pull per door set) H=Outline pull N=No pull, touch latch R=Cylinder pull T=Tab pull (1 pull per door set)	
	4. Lock option: L, N	
	5. Lock finish: B=Black S=Matte Silver	
	6. Case finish: V316	
	7. Front finish: V316	
	8. Pull finish: Painted or Plated	

Overhead, 26 1/2" planning


Wall hung, Single high

Reff Profiles

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back	30"	15"	19"			ROMO30S0(-)(-)(-)	\$1,782.	\$1,882.	\$2,162.	\$2,917.
	36"	15"	19"			ROMO36S0(-)(-)(-)	1,828.	1,930.	2,217.	2,993.
	42"	15"	19"			ROMO42S0(-)(-)(-)	1,875.	1,980.	2,275.	3,071.
	48"	15"	19"			ROMO48S0(-)(-)(-)	1,927.	2,028.	2,338.	3,155.
	60"	15"	19"			ROMO60S0(-)(-)(-)	2,127.	2,241.	2,580.	3,481.
	72"	15"	19"			ROMO72S0(-)(-)(-)	2,245.	2,373.	2,726.	3,679.



Wall-hung overhead cabinet (hinged door) with back	30"	15"	19"	1	2	ROMH30S0(-)(-)(-)	2,591.	2,732.	3,138.	4,237.
	36"	15"	19"	1	2	ROMH36S0(-)(-)(-)	2,758.	2,911.	3,347.	4,518.
	60"	15"	19"	2	4	ROMH60S0(-)(-)(-)	3,098.	3,265.	3,757.	5,072.
	72"	15"	19"	2	4	ROMH72S0(-)(-)(-)	3,278.	3,457.	3,977.	5,367.



Wall-hung overhead cabinet flip door) with back	30"	15"	19"	1	1	ROMF30S0(-)(-)(-)	1,898.	2,002.	2,301.	3,108.
	36"	15"	19"	1	1	ROMF36S0(-)(-)(-)	2,021.	2,132.	2,452.	3,311.
	42"	15"	19"	1	1	ROMF42S0(-)(-)(-)	2,139.	2,261.	2,599.	3,509.
	48"	15"	19"	1	1	ROMF48S0(-)(-)(-)	2,265.	2,388.	2,746.	3,708.
	60"	15"	19"	2	2	ROMF60S0(-)(-)(-)	2,497.	2,635.	3,028.	4,090.
	72"	15"	19"	2	2	ROMF72S0(-)(-)(-)	2,642.	2,787.	3,205.	4,327.

Order Code

Example: ROMO30S0
R Reff
O Overhead
M Wall hung
O Open
30 30" wide
S Standard height, 19"h
0 15" deep

Specification Information

- To order please specify pattern number including:
- Configuration option (*embedded in pattern no.*)
H = Hinged door
O = Open
F = Flip door
 - Storage option (*embedded in pattern no.*)
S0 = 19"h x 14"d open/15"d hinged door
T0 = 23"h x 14"d open/15"d hinged door
 - Finish type
 - Pull option applicable hinged doors only
 - Lock option
 - Lock Finish
 - Finish, case
 - Pull Finish
 - Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
 L = Laminated
 1 = V1 techwood
 2 = V2 conventional veneer
 3 = V3 exotic veneer

Application Notes

- Pull Options:*
 D = Metal D-pull for hinged door only
 J = Routed pull
 C = Nickel finish C-pull for hinged door only (nickel finish only)
 S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)
 - Lock options:*
 L = Lock hole drilled
 N = No lockdrilling
 - Refer to page 603 for keying instructions.

 Woodgrain Laminate is not available on any flip door units.



 Applicable finishes are listed on page 5 and 6.

 Sliding rails order separately on page 478.

 Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
- Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.
- Open cabinets require no locks.
- Tasklights are not included.
- D-Pulls are not available for flip door units.
- Hardware included for overhead cabinets.
- Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 569.
- *Keying instructions must accompany all cabinet orders.**
- Random keys are factory installed.
- Order overheads with a KnollKey order form.

Overhead, 26 1/2" planning

Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	30"	14"	19"			ROPO30S0(-)(-)(-)	\$1,278.	\$1,345.	\$1,547.	\$2,090.
	36"	14"	19"			ROPO36S0(-)(-)(-)	1,564.	1,648.	1,896.	2,560.
	42"	14"	19"			ROPO42S0(-)(-)(-)	1,718.	1,813.	2,086.	2,815.
	48"	14"	19"			ROPO48S0(-)(-)(-)	1,782.	1,877.	2,160.	2,915.
	60"	14"	19"			ROPO60S0(-)(-)(-)	1,820.	1,921.	2,211.	2,986.
	60"	14"	23"			ROPO60T0(-)(-)(-)	1,945.	2,053.	2,360.	3,185.
	72"	14"	19"			ROPO72S0(-)(-)(-)	2,232.	2,351.	2,705.	3,651.
	72"	14"	23"			ROPO72T0(-)(-)(-)	2,652.	2,800.	3,218.	4,346.
	90"	14"	19"			ROPO90S0(-)(-)(-)	2,456.	2,588.	2,975.	4,018.
	90"	14"	23"			ROPO90T0(-)(-)(-)	3,011.	3,172.	3,649.	4,928.
	96"	14"	19"			ROPO96S0(-)(-)(-)	2,545.	2,684.	3,084.	4,165.
96"	14"	23"			ROPO96T0(-)(-)(-)	3,120.	3,290.	3,784.	5,109.	
Panel-hung overhead cabinet (hinged door) no back 	30"	14"	19"	1	2	ROPH30S0(-)(-)(-)	1,419.	1,493.	1,716.	2,316.
	36"	14"	19"	1	2	ROPH36S0(-)(-)(-)	1,733.	1,829.	2,106.	2,843.
	60"	14"	19"	2	4	ROPH60S0(-)(-)(-)	2,023.	2,133.	2,453.	3,313.
	60"	14"	23"	2	4	ROPH60T0(-)(-)(-)	2,165.	2,282.	2,625.	3,546.
	72"	14"	19"	2	4	ROPH72S0(-)(-)(-)	2,479.	2,616.	3,008.	4,062.
	72"	14"	23"	2	4	ROPH72T0(-)(-)(-)	2,947.	3,110.	3,574.	4,826.
	90"	14"	19"	3	6	ROPH90S0(-)(-)(-)	2,730.	2,875.	3,307.	4,463.
	90"	14"	23"	3	6	ROPH90T0(-)(-)(-)	3,342.	3,526.	4,050.	5,468.
	96"	14"	19"	3	6	ROPH96S0(-)(-)(-)	2,826.	2,978.	3,429.	4,629.
	96"	14"	23"	3	6	ROPH96T0(-)(-)(-)	3,468.	3,655.	4,202.	5,674.

Order Code	Specification Information
Example: ROPH60S0DLL	
R Reff	
O Overhead	
P Panel hung	
H Hinge door	
60 60" wide	
S Standard height, 19"h	
0 15" deep	
D D-pull	
L Lock hole drilled	
L Laminate finish	

To order please specify pattern number including:

1. Configuration option (*embedded in pattern no.*)
H = Hinged door
O = Open
F = Flip door
2. Storage option (*embedded in pattern no.*)
S0 = 19"h x 14"d open/15"d hinged door
T0 = 23"h x 14"d open/15"d hinged door
3. Finish type
4. Lock option
5. Finish, case

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
 L = Laminate
 1 = V1 techwood
 2 = V2 conventional veneer
 3 = V3 exotic veneer

4. *Pull Options:*
 D = Metal D-pull for hinged door only
 J = Routed pull
 C = Nickel finish C-pull for hinged door only (nickel finish only)
 S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*
 L = Lock hole drilled
 N = No lockdrilling

8. Refer to page 603 for keying instructions.

Woodgrain Laminate is not available on any flip door units.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 478.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 569.

***Keying instructions must accompany all cabinet orders.**



Panel hung overheads come with no backs.

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2" planning

Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	30"	14"	18"	1	1	ROPF30S0J-()()	\$1,066.	\$1,428.	\$1,640.	\$2,214.
	36"	14"	18"	1	1	ROPF36S0J-()()	1,084.	1,452.	1,673.	2,257.
	42"	14"	18"	1	1	ROPF42S0J-()()	1,160.	1,558.	1,792.	2,420.
	48"	14"	18"	1	1	ROPF48S0J-()()	1,203.	1,620.	1,862.	2,514.
	60"	14"	18"	2	2	ROPF60S0J-()()	1,397.	1,873.	2,156.	2,911.
	72"	14"	18"	2	2	ROPF72S0J-()()	1,651.	2,216.	2,547.	3,437.
	84"	14"	18"	2	2	ROPF84S0J-()()	1,845.	2,476.	2,846.	3,843.
	96"	14"	18"	2	2	ROPF96S0J-()()	1,967.	2,641.	3,040.	4,101.
Panel-hung shelves 	30"	13"	9"			ROPS30S0NN-()	286.	602.	692.	934.
	36"	13"	9"			ROPS36S0NN-()	309.	625.	719.	970.
	42"	13"	9"			ROPS42S0NN-()	335.	646.	745.	1,006.
	48"	13"	9"			ROPS48S0NN-()	357.	669.	767.	1,036.
	54"	13"	9"			ROPS54S0NN-()	382.	719.	825.	1,114.
	60"	13"	9"			ROPS60S0NN-()	408.	773.	888.	1,200.
	66"	13"	9"			ROPS66S0NN-()	432.	822.	946.	1,276.
	72"	13"	9"			ROPS72S0NN-()	456.	876.	1,005.	1,355.
	78"	13"	9"			ROPS78S0NN-()	481.	949.	1,090.	1,471.
	84"	13"	9"			ROPS84S0NN-()	504.	1,021.	1,176.	1,587.
	90"	13"	9"			ROPS90S0NN-()	529.	1,095.	1,259.	1,700.
96"	13"	9"			ROPS96S0NN-()	537.	1,152.	1,327.	1,791.	

Order Code

Example: ROPH60S0DLL
R Reff
O Overhead
P Panel hung
H Hinge door
60 60" wide
S Standard height, 19"h
0 15" deep
D D-pull
L Lock hole drilled
L Laminate finish

Specification Information

To order please specify pattern number including:

1. Configuration option (embedded in pattern no.)
H = Hinged door
O = Open
F = Flip door
2. Storage option (embedded in pattern no.)
S0 = 19"h x 14"d open/15"d hinged door
T0 = 23"h x 14"d open/15"d hinged door
3. Finish type
4. Lock option
5. Finish, case

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. Finish type options:
L = Laminate
1 = V1 techwood
2 = V2 conventional veneer
3 = V3 exotic veneer

4. Pull Options:

D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:

L = Lock hole drilled
N = No lockdrilling

8. Refer to page 603 for keying instructions.

Woodgrain Laminate is not available on any flip door units.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 478.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 569.

***Keying instructions must accompany all cabinet orders.**

Panel hung overheads come with no backs.


Random keys are factory installed.

Order overheads with a KnollKey order form.


Overhead, 26 1/2" planning Workwalls

Reff Profiles

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open)	60"	15"	19"	4	1.8	ROWO60S0(-)(X)(X)	\$2,033.	\$2,165.	\$2,538.	\$3,428.
	60"	15"	23"	4	1.8	ROWO60T0(-)(X)(X)	2,208.	2,351.	2,757.	3,722.
	60"	20"	19"	4	1.8	ROWO60S1(-)(X)(X)	2,186.	2,328.	2,729.	3,682.
	60"	20"	23"	4	1.8	ROWO60T1(-)(X)(X)	2,362.	2,513.	2,944.	3,972.
	72"	15"	19"		2.1	ROWO72S0(-)(X)(X)	2,613.	2,785.	3,256.	4,394.
	72"	15"	23"		2.1	ROWO72T0(-)(X)(X)	2,967.	3,157.	3,687.	4,978.
	72"	20"	19"		2.1	ROWO72S1(-)(X)(X)	2,807.	2,986.	3,489.	4,711.
	72"	20"	23"		2.1	ROWO72T1(-)(X)(X)	3,270.	3,477.	4,055.	5,472.
	90"	15"	19"		2.6	ROWO90S0(-)(X)(X)	2,880.	3,072.	3,615.	4,879.
	90"	15"	23"		2.6	ROWO90T0(-)(X)(X)	3,328.	3,548.	4,157.	5,612.
	90"	20"	19"		2.6	ROWO90S1(-)(X)(X)	3,199.	3,412.	4,006.	5,407.
	90"	20"	23"		2.6	ROWO90T1(-)(X)(X)	3,536.	3,769.	4,413.	5,957.
	96"	15"	19"		2.8	ROWO96S0(-)(X)(X)	2,949.	3,153.	3,712.	5,011.
	96"	15"	23"		2.8	ROWO96T0(-)(X)(X)	3,397.	3,625.	4,255.	5,746.
	96"	20"	19"		2.8	ROWO96S1(-)(X)(X)	3,273.	3,492.	4,103.	5,542.
	96"	20"	23"		2.8	ROWO96T1(-)(X)(X)	3,610.	3,845.	4,509.	6,087.



72" h workwall overhead cabinet (hinged door)	60"	15"	19"	4	1.8	ROWH60S0(-)(X)(X)	2,623.	2,789.	3,257.	4,396.
	60"	15"	23"	4	1.8	ROWH60T0(-)(X)(X)	2,844.	3,022.	3,528.	4,762.
	60"	20"	19"	4	1.8	ROWH60S1(-)(X)(X)	2,816.	2,992.	3,492.	4,715.
	60"	20"	23"	4	1.8	ROWH60T1(-)(X)(X)	3,039.	3,227.	3,760.	5,077.
	72"	15"	19"	4	2.1	ROWH72S0(-)(X)(X)	3,362.	3,569.	4,163.	5,619.
	72"	15"	23"	4	2.1	ROWH72T0(-)(X)(X)	3,806.	4,039.	4,699.	6,345.
	72"	20"	19"	4	2.1	ROWH72S1(-)(X)(X)	3,603.	3,825.	4,453.	6,012.
	72"	20"	23"	4	2.1	ROWH72T1(-)(X)(X)	4,184.	4,438.	5,158.	6,965.
	90"	15"	19"	6	2.6	ROWH90S0(-)(X)(X)	3,732.	3,977.	4,653.	6,280.
	90"	15"	23"	6	2.6	ROWH90T0(-)(X)(X)	4,294.	4,565.	5,332.	7,197.
	90"	20"	19"	6	2.6	ROWH90S1(-)(X)(X)	4,136.	4,401.	5,139.	6,938.
	90"	20"	23"	6	2.6	ROWH90T1(-)(X)(X)	4,558.	4,843.	5,649.	7,628.
	96"	15"	19"	6	2.8	ROWH96S0(-)(X)(X)	3,836.	4,086.	4,789.	6,464.
	96"	15"	23"	6	2.8	ROWH96T0(-)(X)(X)	4,396.	4,678.	5,467.	7,381.
	96"	20"	19"	6	2.8	ROWH96S1(-)(X)(X)	4,239.	4,510.	5,276.	7,123.
	96"	20"	23"	6	2.8	ROWH96T1(-)(X)(X)	4,658.	4,952.	5,784.	7,809.



60" w and 72" w units have four hinged doors, two lock cores required.
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19" h x 15" d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19" h x 20" d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23" h x 15" d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23" h x 20" d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	Product on this page excluding J-pull and any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	

Y = Yardage required

Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

***After specifying product code, provide keying instructions. 1.**
Configuration options:
O = Open
H = Hinged door

3. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3

4. *Pull Options:*
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*
L = Lockhole drilled
N = No lock drilling

*Keying instructions **
See Planning Guide for keying examples.

Overhead, 26 1/2" planning Shoulders

description	w	d	h	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	-	15"	19"	RWEA7220(L/R)-()	\$379.	\$398.	\$457.	\$617.
	-	15"	23"	RWEB7220(L/R)-()	379.	398.	457.	617.
	-	20"	19"	RWEC7220(L/R)-()	379.	398.	457.	617.
	-	20"	23"	RWED7220(L/R)-()	379.	398.	457.	617.



Workwall support endpanels for 72"H x 24"D workwall cabinets	-	15"	19"	RWEA7224(L/R)-()	412.	436.	500.	675.
	-	15"	23"	RWEB7224(L/R)-()	412.	436.	500.	675.
	-	20"	19"	RWEC7224(L/R)-()	412.	436.	500.	675.
	-	20"	23"	RWED7224(L/R)-()	412.	436.	500.	675.




Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions. 1.	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	See Planning Guide for keying examples.	

Overhead, 26 1/2" planning

Overdesk Unit


Use with 1 1/4" worksurfaces

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	60"	15"	44 1/4"	1.7	2	4	ROAH60T0(-)(-)(-)	\$2,567.	\$3,286.	\$3,840.	\$5,185.
	60"	20"	44 1/4"	1.7	2	4	ROAH60T1(-)(-)(-)	2,716.	3,475.	4,052.	5,469.
	72"	15"	44 1/4"	2.0	2	4	ROAH72T0(-)(-)(-)	3,253.	4,157.	4,848.	6,546.
	72"	20"	44 1/4"	2.0	2	4	ROAH72T1(-)(-)(-)	3,434.	4,387.	5,112.	6,901.
	90"	15"	44 1/4"	2.5	3	6	ROAH90T0(-)(-)(-)	3,617.	4,626.	5,418.	7,314.
	90"	20"	44 1/4"	2.5	3	6	ROAH90T1(-)(-)(-)	3,826.	4,895.	5,724.	7,730.
	96"	15"	44 1/4"	2.7	3	6	ROAH96T0(-)(-)(-)	3,767.	4,826.	5,657.	7,636.
	96"	20"	44 1/4"	2.7	3	6	ROAH96T1(-)(-)(-)	3,988.	5,106.	5,976.	8,068.



For 1 1/4" worksurfaces (open)	60"	15"	44 1/4"	1.7			ROAO60T0(-)(-)(-)	1,697.	2,179.	2,568.	3,467.
	60"	20"	44 1/4"	1.7			ROAO60T1(-)(-)(-)	1,804.	2,311.	2,718.	3,671.
	72"	15"	44 1/4"	2.0			ROAO72T0(-)(-)(-)	2,166.	2,774.	3,260.	4,401.
	72"	20"	44 1/4"	2.0			ROAO72T1(-)(-)(-)	2,293.	2,938.	3,446.	4,653.
	90"	15"	44 1/4"	2.5			ROAO90T0(-)(-)(-)	2,370.	3,048.	3,605.	4,866.
	90"	20"	44 1/4"	2.5			ROAO90T1(-)(-)(-)	2,515.	3,235.	3,812.	5,147.
	96"	15"	44 1/4"	2.7			ROAO96T0(-)(-)(-)	2,460.	3,167.	3,747.	5,057.
	96"	20"	44 1/4"	2.7			ROAO96T1(-)(-)(-)	2,612.	3,364.	3,970.	5,359.

For 1 1/4" worksurfaces (flip door)	60"	15"	44 1/4"	1.7	2	2	ROAF60S0(-)(-)(-)	2,197.	3,053.	3,569.	4,820.
	60"	20"	44 1/4"	1.7	2	2	ROAF60S1(-)(-)(-)	2,326.	3,232.	3,776.	5,099.
	72"	15"	44 1/4"	2.0	2	2	ROAF72S0(-)(-)(-)	2,609.	3,869.	4,517.	6,098.
	72"	20"	44 1/4"	2.0	2	2	ROAF72S1(-)(-)(-)	2,756.	4,086.	4,766.	6,435.
	84"	15"	44 1/4"	2.5	2	2	ROAF84S0(-)(-)(-)	3,380.	4,410.	5,157.	6,962.
	84"	20"	44 1/4"	2.5	2	2	ROAF84S1(-)(-)(-)	3,574.	4,664.	5,451.	7,357.
	96"	15"	44 1/4"	2.7	2	2	ROAF96S0(-)(-)(-)	3,462.	4,530.	5,315.	7,175.
	96"	20"	44 1/4"	2.7	2	2	ROAF96S1(-)(-)(-)	3,666.	4,798.	5,623.	7,590.






Order Code	Specification Information	Application Notes
Example: ROAF60S0LJLBF118(-)	To order please specify pattern number including:	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	O = Open	Tasklights not included.
A For 1 1/4" top mounting	H = Hinged door	Tackboard included, fabric railroaded.
F Flip door	F = Flip door	C, D and S pulls are not available for flip door units.
60 60" wide	2. Width	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	3. Storage option	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	T0 = 23"h x 15"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. Finish type	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Woodgrain Laminate is not available on any flip door units.	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on page 5 and 6.	

Y = Yardage required

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Overhead, 26 1/2" planning
 Workwall units
 Rectilinear worksurfaces - 1 1/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$592.	\$623.	\$714.	\$966.
	60"	24"	RSWWA602()	637.	669.	771.	1,040.
	72"	20"	RSWWA721()	644.	678.	779.	1,051.
	72"	24"	RSWWA722()	688.	727.	832.	1,124.
	90"	20"	RSWWA901()	746.	786.	905.	1,221.
	90"	24"	RSWWA902()	791.	832.	960.	1,295.
	96"	20"	RSWWA961()	847.	891.	1,025.	1,385.
	96"	24"	RSWWA962()	893.	941.	1,081.	1,460.
Waterfall edge workwall tops 	60"	20"	RSWWAWF601()	0.	1,871.	2,152.	2,905.
	60"	24"	RSWWAWF602()	0.	2,008.	2,311.	3,120.
	72"	20"	RSWWAWF721()	0.	2,034.	2,340.	3,157.
	72"	24"	RSWWAWF722()	0.	2,175.	2,503.	3,381.
	90"	20"	RSWWAWF901()	0.	2,361.	2,716.	3,668.
	90"	24"	RSWWAWF902()	0.	2,503.	2,880.	3,887.
	96"	20"	RSWWAWF961()	0.	2,753.	3,077.	4,154.
	96"	24"	RSWWAWF962()	0.	2,822.	3,247.	4,381.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	0.	714.	825.	1,114.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	0.	770.	887.	1,199.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	0.	779.	897.	1,211.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	0.	833.	960.	1,295.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	0.	905.	1,040.	1,405.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	0.	959.	1,104.	1,489.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	0.	1,025.	1,181.	1,594.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	0.	1,081.	1,244.	1,679.

Order Code	Specification Information
Example: RSWWA60100L	
R Reff	
S Straight top	
WW Workwall top	
A 1 1/4" thick	
60 60" wide	
1 20" deep	
(L) Laminate finish	

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:
 A = 1 1/4"

2. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

3. Specify edge detail where applicable, for RSWWA(.). See page 0 for available profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.

Applicable finishes are listed on page 5 and 6.

Hardware included.

Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.



Overhead, 28 3/8 planning

Reff Profiles

Overdesk unit

Use with 1 1/4" and 1 1/2" worksurfaces

L and U Configuration

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 1/4" thick 	20"	36"	RSAR361(H/V)() ()	\$369.	\$411.	\$471.	\$638.
	20"	42"	RSAR421(H/V)() ()	383.	430.	494.	667.
	20"	48"	RSAR481(H/V)() ()	403.	446.	513.	692.
	20"	54"	RSAR541(H/V)() ()	418.	463.	536.	725.
	20"	60"	RSAR601(H/V)() ()	452.	501.	576.	780.
	20"	66"	RSAR661(H/V)() ()	462.	517.	596.	804.
	20"	72"	RSAR721(H/V)() ()	489.	545.	624.	843.
	24"	36"	RSAR362(H/V)() ()	391.	441.	503.	679.
	24"	42"	RSAR422(H/V)() ()	408.	452.	520.	701.
	24"	48"	RSAR482(H/V)() ()	433.	487.	558.	752.
	24"	54"	RSAR542(H/V)() ()	462.	517.	596.	804.
	24"	60"	RSAR602(H/V)() ()	500.	556.	636.	861.
	24"	66"	RSAR662(H/V)() ()	512.	572.	660.	889.
	24"	72"	RSAR722(H/V)() ()	538.	598.	690.	932.
	Return / Bridge 1 1/2" thick 	20"	36"	RSDR361(H/V)() ()	401.	446.	512.
20"		36"	RSDR362(H/V)() ()	424.	477.	547.	737.
20"		42"	RSDR421(H/V)() ()	415.	466.	536.	723.
20"		48"	RSDR481(H/V)() ()	437.	483.	556.	749.
20"		54"	RSDR541(H/V)() ()	454.	502.	581.	785.
20"		60"	RSDR601(H/V)() ()	513.	545.	626.	847.
20"		66"	RSDR661(H/V)() ()	502.	560.	646.	871.
24"		42"	RSDR422(H/V)() ()	442.	491.	564.	760.
24"		48"	RSDR482(H/V)() ()	469.	527.	605.	815.
24"		54"	RSDR542(H/V)() ()	502.	560.	646.	871.
24"		60"	RSDR602(H/V)() ()	541.	603.	692.	933.
24"		66"	RSDR662(H/V)() ()	555.	631.	715.	966.
24"		72"	RSDR721(H/V)() ()	530.	591.	676.	914.
24"		72"	RSDR722(H/V)() ()	583.	649.	748.	1,011.

Order Code

Example:	RSDR361(H/V)() ()
R	Reff
S	Straight top
D	1 1/2" top
R	Return
36	36" wide
1	20" deep
H/V	Horizontal or Vertical grain
()	Grommet type
()	Grommet finish
()	Worksurface finish

Specification Information


To order please specify pattern number including:

- Grommet type:
F = Flush
N = No Grommet
- Grommet finish:
Painted or Plated
- Worksurface finish:
L, V1, V2, V3

Application Notes


The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



Product on this page will accept wood grain laminate, where laminate is currently an option.




U-shaped / Triple: Spanning 3 worksurfaces



Overdesk unit

Use with 1 1/4" and 1 1/2" worksurfaces

Modesty Panels for L and U Configuration, both 26 1/2" and 28 3/8"

description	w	h	th	pattern no.	L	V1	V2	V3
Half Height Modesty, 26 1/2" h 	36"	17"	1"	RBR36H()	\$286.	\$413.	\$478.	\$654.
	42"	17"	1"	RBR42H()	310.	451.	521.	713.
	48"	17"	1"	RBR48H()	351.	510.	591.	806.
	54"	17"	1"	RBR54H()	369.	537.	619.	846.
	60"	17"	1"	RBR60H()	385.	554.	641.	872.
	66"	17"	1"	RBR66H()	401.	578.	672.	918.
	72"	17"	1"	RBR72H()	443.	641.	740.	1,009.
Full Height Modesty, 26 1/2" h 	36"	26"	1"	RBR36M()	311.	439.	504.	679.
	42"	26"	1"	RBR42M()	335.	476.	547.	738.
	48"	26"	1"	RBR48M()	377.	536.	616.	831.
	54"	26"	1"	RBR54M()	394.	562.	645.	871.
	60"	26"	1"	RBR60M()	410.	579.	666.	898.
	66"	26"	1"	RBR66M()	426.	604.	698.	944.
	72"	26"	1"	RBR72M()	469.	666.	765.	1,034.
Full Height Modesty, 28 3/8" h 	36"	28"	1"	RBR36MS()	327.	460.	527.	712.
	42"	28"	1"	RBR42MS()	351.	499.	575.	776.
	48"	28"	1"	RBR48MS()	395.	562.	646.	872.
	54"	28"	1"	RBR54MS()	414.	590.	675.	912.
	60"	28"	1"	RBR60MS()	430.	605.	698.	944.
	66"	28"	1"	RBR66MS()	445.	634.	733.	989.
	72"	28"	1"	RBR72MS()	492.	698.	803.	1,083.

Order Code

Example: RBR36	
R	Reff
B	Bridge
R	Return
36	36" wide
M	Full Height Modesty Placement for 26 1/2"
()	Finish

Specification Information

To order please specify pattern number including:


- Modesty Finish:
L, V1, V2, V3

Products on this page **Excluding any vertical surface, ie; modesty panels over 48"** will accept wood grain laminate, where laminate is currently an option.


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces




U-shaped / Triple: Spanning 3 worksurfaces




Overhead, 28 3/8 planning

Single high

Wall hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		ROMCGSHP301 () ()	\$1,213.	\$1,732.	\$1,992.	\$2,590.
	36"	15"	20"	1		ROMCGSHP361 () ()	1,251.	1,787.	2,055.	2,671.
	42"	15"	20"	2		ROMCGSHP421 () ()	1,360.	1,941.	2,234.	2,903.
	48"	15"	20"	2		ROMCGSHP481 () ()	1,414.	2,020.	2,322.	3,018.
	54"	15"	20"	2		ROMCGSHP541 () ()	1,658.	2,368.	2,724.	3,540.
	60"	15"	20"	2	1	ROMCGSHP601 () ()	1,924.	2,748.	3,160.	4,108.
	66"	15"	20"	2	1	ROMCGSHP661 () ()	1,960.	2,799.	3,218.	4,184.
	72"	15"	20"	2	1	ROMCGSHP721 () ()	1,998.	2,853.	3,282.	4,267.
	78"	15"	20"	2	1	ROMCGSHP781 () ()	2,098.	2,997.	3,446.	4,480.
	84"	15"	20"	3	2	ROMCGSHP841 () ()	2,440.	3,485.	4,007.	5,209.
90"	15"	20"	3	2	ROMCGSHP901 () ()	2,481.	3,543.	4,075.	5,297.	
96"	15"	20"	3	2	ROMCGSHP961 () ()	2,520.	3,600.	4,139.	5,382.	

Wall-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			ROMOCSHP301 () ()	1,092.	1,560.	1,792.	2,332.
	36"	15"	20"			ROMOCSHP361 () ()	1,127.	1,609.	1,849.	2,405.
	42"	15"	20"	1		ROMOCSHP421 () ()	1,224.	1,747.	2,009.	2,613.
	48"	15"	20"	1		ROMOCSHP481 () ()	1,273.	1,818.	2,090.	2,717.
	54"	15"	20"	1		ROMOCSHP541 () ()	1,492.	2,132.	2,452.	3,186.
	60"	15"	20"		1	ROMOCSHP601 () ()	1,731.	2,474.	2,844.	3,698.
	66"	15"	20"		1	ROMOCSHP661 () ()	1,764.	2,519.	2,897.	3,767.
	72"	15"	20"		1	ROMOCSHP721 () ()	1,798.	2,567.	2,954.	3,840.
	78"	15"	20"		1	ROMOCSHP781 () ()	1,888.	2,697.	3,102.	4,032.
	84"	15"	20"		2	ROMOCSHP841 () ()	2,196.	3,137.	3,607.	4,688.
	90"	15"	20"		2	ROMOCSHP901 () ()	2,233.	3,190.	3,668.	4,767.
	96"	15"	20"		2	ROMOCSHP961 () ()	2,268.	3,239.	3,725.	4,843.


Without center gable


Order Code	Specification Information	Application Notes
Example: ROMCGSHP301	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Finish type:	Letter depth is 15" nominal.
O Overhead	L = Laminate	Fascias ordered separately
M Wall mount	1 = V1	Tasklights ordered separately
CG Center Gable	2 = V2	Tack/Task panel order separately
SH Single high	3 = V3	Wall hung cabinets come with wall hung cleates
P Planning	2. Case finish	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 30" width	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
1 Letter depth		A certified building contractor should be consulted.
2 Case finish type		Please refer to wall mounting information on page 569.
V316 V2 finish		Cubby Dividers: 3"h x 12"d Interior Gable: 18"h x 13"d

dimensions noted nominal

Single high

Wall hung with doors

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed 	30"	15"	20"	2	ROMHSHP301()	\$1,872.	\$2,099.	\$2,195.	\$2,290.	\$2,671.	\$3,073.	\$3,994.
	36"	15"	20"	2	ROMHSHP361()	1,920.	2,154.	2,251.	2,349.	2,741.	3,152.	4,098.
	42"	15"	20"	3	ROMHSHP421()	2,464.	2,764.	2,891.	3,015.	3,518.	4,046.	5,259.
	48"	15"	20"	3	ROMHSHP481()	2,529.	2,838.	2,967.	3,095.	3,612.	4,153.	5,399.
	54"	15"	20"	4	ROMHSHP541()	2,687.	3,015.	3,152.	3,288.	3,837.	4,413.	5,736.
	60"	15"	20"	4	ROMHSHP601()	3,033.	3,404.	3,559.	3,714.	4,333.	4,982.	6,477.
	66"	15"	20"	4	ROMHSHP661()	3,084.	3,460.	3,617.	3,775.	4,403.	5,064.	6,583.
	72"	15"	20"	4	ROMHSHP721()	3,135.	3,518.	3,678.	3,838.	4,478.	5,150.	6,694.
	78"	15"	20"	4	ROMHSHP781()	3,249.	3,645.	3,811.	3,977.	4,639.	5,335.	6,936.
	84"	15"	20"	6	ROMHSHP841()	4,091.	4,590.	4,798.	5,007.	5,842.	6,718.	8,732.
90"	15"	20"	6	ROMHSHP901()	4,141.	4,646.	4,857.	5,068.	5,913.	6,800.	8,839.	
96"	15"	20"	6	ROMHSHP961()	4,195.	4,706.	4,922.	5,136.	5,990.	6,890.	8,957.	



Wall-hung overhead cabinet hinge door, cubby exposed 	30"	15"	20"	2	ROMHCSHP301()	1,775.	1,992.	2,082.	2,173.	2,535.	2,915.	3,789.
	36"	15"	20"	2	ROMHCSHP361()	1,822.	2,044.	2,138.	2,231.	2,602.	2,993.	3,890.
	42"	15"	20"	3	ROMHCSHP421()	2,405.	2,698.	2,821.	2,944.	3,434.	3,949.	5,134.
	48"	15"	20"	3	ROMHCSHP481()	2,500.	2,805.	2,934.	3,060.	3,570.	4,106.	5,338.
	54"	15"	20"	3	ROMHCSHP541()	2,555.	2,867.	2,998.	3,127.	3,649.	4,196.	5,455.
	60"	15"	20"	4	ROMHCSHP601()	2,837.	3,183.	3,327.	3,472.	4,051.	4,658.	6,056.
	66"	15"	20"	4	ROMHCSHP661()	2,881.	3,232.	3,378.	3,526.	4,114.	4,731.	6,151.
	72"	15"	20"	4	ROMHCSHP721()	2,931.	3,288.	3,437.	3,587.	4,186.	4,812.	6,258.
	78"	15"	20"	4	ROMHCSHP781()	2,994.	3,360.	3,512.	3,665.	4,276.	4,916.	6,392.
	84"	15"	20"	6	ROMHCSHP841()	3,781.	4,242.	4,436.	4,628.	5,399.	6,209.	8,071.
90"	15"	20"	6	ROMHCSHP901()	3,846.	4,315.	4,511.	4,706.	5,492.	6,315.	8,210.	
96"	15"	20"	6	ROMHCSHP961()	3,895.	4,371.	4,569.	4,767.	5,563.	6,397.	8,315.	

Order Code	Specification Information	Application Notes
Example: ROMHSHP301 () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
H Hinge door	3 = V3	Tack/Task panel order separately
SH Single High	2. <i>Front finish type:</i> L = Laminate	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	1 = V1	Wall hung cabinets come with wall hung cleats
30 Width	2 = V2	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
1 Depth (letter)	3 = V3	
2 Case finish type	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull	
2 Front finish type	C = nickel finish C-pull (nickel finish only)	
H Pull option	D = metal D-pull (PZ or PT)	
L Lock option	F = Bar (1 pull per door set)	
B Lock finish	H = Outline	
V316 Case finish	R = Cylinder	
V316 Front finish	S = S-pull (stainless steel finish only)	
PU Pull finish	T = Tab (1 pull per door set)	
	4. <i>Lock option:</i> N=no drilling L=locking	
	5. <i>Lock finish:</i> B=Black S=Matte silver	
	6. <i>Case finish:</i> V316	
	7. <i>Front finish:</i> V316	
	8. <i>Pull finish:</i> Painted or plated	

dimensions noted nominal

Overhead storage

Overhead, 28 3/8 planning
Single high
Wall hung with glass doors

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, <i>cubby exposed</i> 	30"	15"	20"	2	ROMGHCSHP301 () () ()	\$2,544.	\$2,828.	\$3,253.	\$4,229.
	36"	15"	20"	2	ROMGHCSHP361 () () ()	2,662.	2,960.	3,403.	4,424.
	42"	15"	20"	3	ROMGHCSHP421 () () ()	3,413.	3,795.	4,366.	5,674.
	48"	15"	20"	3	ROMGHCSHP481 () () ()	3,529.	3,924.	4,512.	5,865.
	54"	15"	20"	3	ROMGHCSHP541 () () ()	3,780.	4,202.	4,833.	6,282.
	60"	15"	20"	4	ROMGHCSHP601 () () ()	4,201.	4,671.	5,371.	6,983.
	66"	15"	20"	4	ROMGHCSHP661 () () ()	4,328.	4,811.	5,534.	7,193.
	72"	15"	20"	4	ROMGHCSHP721 () () ()	4,436.	4,932.	5,671.	7,374.
	78"	15"	20"	4	ROMGHCSHP781 () () ()	4,622.	5,139.	5,910.	7,682.
	84"	15"	20"	6	ROMGHCSHP841 () () ()	5,696.	6,332.	7,282.	9,467.
	90"	15"	20"	6	ROMGHCSHP901 () () ()	5,765.	6,409.	7,370.	9,582.
96"	15"	20"	6	ROMGHCSHP961 () () ()	5,892.	6,550.	7,534.	9,794.	
Wall-hung overhead cabinet glass hinge door, <i>cubby concealed</i> 	30"	15"	20"	2	ROMGHSHP301 () () ()	2,865.	3,448.	3,965.	5,154.
	36"	15"	20"	2	ROMGHSHP361 () () ()	3,005.	3,617.	4,160.	5,408.
	42"	15"	20"	3	ROMGHSHP421 () () ()	3,842.	4,624.	5,317.	6,913.
	48"	15"	20"	3	ROMGHSHP481 () () ()	3,958.	4,764.	5,478.	7,123.
	54"	15"	20"	3	ROMGHSHP541 () () ()	4,238.	5,101.	5,866.	7,626.
	60"	15"	20"	4	ROMGHSHP601 () () ()	4,544.	5,469.	6,290.	8,177.
	66"	15"	20"	4	ROMGHSHP661 () () ()	4,669.	5,620.	6,463.	8,402.
	72"	15"	20"	4	ROMGHSHP721 () () ()	4,802.	5,779.	6,646.	8,640.
	78"	15"	20"	4	ROMGHSHP781 () () ()	5,043.	6,070.	6,981.	9,075.
	84"	15"	20"	6	ROMGHSHP841 () () ()	5,992.	7,212.	8,294.	10,782.
	90"	15"	20"	6	ROMGHSHP901 () () ()	6,132.	7,381.	8,488.	11,034.
96"	15"	20"	6	ROMGHSHP961 () () ()	6,251.	7,520.	8,653.	11,248.	

Order Code	Specification Information	Application Notes
Example: ROMGHCSHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
GHC Glass hinge door/ cubby	3 = V3	Tack/Task panel order separately
SH Single High	2. Case finish: Laminate, V1, V2, V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	3. Door frame finish: Anodized or painted	Wall hung cabinets come with wall hung cleats
30 Width	4. Glass door finish: GL11	No pull option on Glass doors. Glass doors project below shelf for opening.
1 Depth (letter)	GL14	
2 Case finish type	GL15	
V316 Case finish	GL18	
AU Door frame finish		
GL11 Door glass finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 569.


The single door in a 3 door unit, such as 42" w and 48" w units, is hinged on the left hand side.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

dimensions noted nominal

Overhead, 28 3/8 planning
 Single high
 Wall hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet	60"	15"	20"	2	ROMHOC SHP601	\$2,560.	\$2,872.	\$3,003.	\$3,132.	\$3,786.	\$4,353.	\$5,660.
hinge door / open /	66"	15"	20"	2	ROMHOC SHP661	2,598.	2,914.	3,048.	3,180.	3,842.	4,419.	5,745.
cubby exposed	72"	15"	20"	2	ROMHOC SHP721	2,640.	2,963.	3,097.	3,231.	3,906.	4,490.	5,838.
	78"	15"	20"	2	ROMHOC SHP781	2,706.	3,037.	3,175.	3,313.	4,002.	4,602.	5,984.
	84"	15"	20"	4	ROMHOC SHP841	3,145.	3,528.	3,687.	3,848.	4,650.	5,348.	6,952.
	90"	15"	20"	4	ROMHOC SHP901	3,193.	3,582.	3,745.	3,909.	4,723.	5,430.	7,059.
	96"	15"	20"	4	ROMHOC SHP961	3,233.	3,628.	3,792.	3,958.	4,783.	5,499.	7,149.




Order Code	Specification Information	Application Notes
Example: ROMHOC SHP601 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. <i>Front finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
M Wall mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	Tasklights not included
HOC Hinge door/Open/Cubby	4. <i>Lock Option:</i> N = no lock drilling L = locking	Tack/Task panel order separately
SH Single high	5. <i>Lock finish:</i> B=Black S=Matte silver	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	6. <i>Case Finish:</i>	Wall hung cabinets come with wall hung cleats
60 Width	7. <i>Front Finish:</i>	Doors project below shelf for openings
1 Letter depth	8. <i>Pull Finish:</i> Painted or plated	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
2 Case finish type		
2 Front finish type		
L Locked		
B Lock Finish		
B Black lock		
V316 Case finish		
V316 Front finish		


dimensions noted nominal

Overhead, 28 3/8 planning
 Single high
 Wall hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	20"	2	ROMGHOCSP601()()())	\$3,142.	\$4,006.	\$4,606.	\$5,988.
glass hinge door / open / cubby exposed	66"	15"	20"	2	ROMGHOCSP661()()())	3,216.	4,100.	4,715.	6,130.
	72"	15"	20"	2	ROMGHOCSP721()()())	3,283.	4,186.	4,812.	6,258.
	78"	15"	20"	2	ROMGHOCSP781()()())	3,374.	4,302.	4,948.	6,433.
	84"	15"	20"	4	ROMGHOCSP841()()())	4,135.	5,062.	5,820.	7,567.
	90"	15"	20"	4	ROMGHOCSP901()()())	4,186.	5,123.	5,893.	7,660.
	96"	15"	20"	4	ROMGHOCSP961()()())	4,273.	5,230.	6,015.	7,819.



description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	20"	2	ROMGHOSHP601()()())	3,822.	4,874.	5,604.	7,286.
glass hinge door / open / cubby concealed	66"	15"	20"	2	ROMGHOSHP661()()())	3,903.	4,976.	5,722.	7,439.
	72"	15"	20"	2	ROMGHOSHP721()()())	4,001.	5,101.	5,866.	7,626.
	78"	15"	20"	2	ROMGHOSHP781()()())	4,114.	5,246.	6,032.	7,843.
	84"	15"	20"	4	ROMGHOSHP841()()())	4,825.	6,153.	7,076.	9,198.
	90"	15"	20"	4	ROMGHOSHP901()()())	4,928.	6,284.	7,227.	9,394.
	96"	15"	20"	4	ROMGHOSHP961()()())	5,008.	6,385.	7,343.	9,545.



Order Code	Specification Information	Application Notes
Example: ROMGHOCSP601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
GHOC Glass hinge door/Open/Cubby	3 = V3	Tack/Task panel order separately
SH Single high	2. Case finish: Laminate, V1, V2, V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	3. Door Frame finish: Painted or Anodized	Wall hung cabinets come with wall hung cleats
60 Width	4. Door Glass finish: GL11, GL14, GL15, GL18	Doors project below shelf for openings
1 Depth, Letter		No pull options on glass doors.
2 Case finish type, V2		Glass doors project below shelf for opening.
V316 Case finish		
AA Door frame finish		
GL11 Back painted glass door finish		


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 569.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

dimensions noted nominal

Single high

Cabinet hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		ROCCGSH301 ()()	\$1,286.	\$1,837.	\$2,112.	\$2,746.
	36"	15"	20"	1		ROCCGSH361 ()()	1,323.	1,889.	2,172.	2,824.
	42"	15"	20"	2		ROCCGSH421 ()()	1,430.	2,042.	2,348.	3,053.
	48"	15"	20"	2		ROCCGSH481 ()()	1,470.	2,098.	2,413.	3,138.
	54"	15"	20"	2		ROCCGSH541 ()()	1,712.	2,445.	2,811.	3,655.
	60"	15"	20"	2	1	ROCCGSH601 ()()	1,977.	2,823.	3,247.	4,221.
	66"	15"	20"	2	1	ROCCGSH661 ()()	2,011.	2,870.	3,301.	4,292.
	72"	15"	20"	2	1	ROCCGSH721 ()()	2,050.	2,927.	3,365.	4,375.
	78"	15"	20"	2	1	ROCCGSH781 ()()	2,133.	3,046.	3,503.	4,553.
	84"	15"	20"	3	2	ROCCGSH841 ()()	2,472.	3,531.	4,061.	5,279.
90"	15"	20"	3	2	ROCCGSH901 ()()	2,512.	3,586.	4,125.	5,362.	
96"	15"	20"	3	2	ROCCGSH961 ()()	2,550.	3,641.	4,188.	5,444.	

Cabinet-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			ROCOSH301 ()()	1,158.	1,653.	1,901.	2,472.
	36"	15"	20"			ROCOSH361 ()()	1,191.	1,700.	1,954.	2,542.
	42"	15"	20"	1		ROCOSH421 ()()	1,286.	1,839.	2,113.	2,747.
	48"	15"	20"	1		ROCOSH481 ()()	1,323.	1,888.	2,172.	2,823.
	54"	15"	20"	1		ROCOSH541 ()()	1,541.	2,200.	2,530.	3,290.
	60"	15"	20"		1	ROCOSH601 ()()	1,779.	2,541.	2,921.	3,797.
	66"	15"	20"		1	ROCOSH661 ()()	1,810.	2,584.	2,971.	3,863.
	72"	15"	20"		1	ROCOSH721 ()()	1,845.	2,634.	3,028.	3,937.
	78"	15"	20"		1	ROCOSH781 ()()	1,920.	2,741.	3,153.	4,098.
	84"	15"	20"		2	ROCOSH841 ()()	2,225.	3,178.	3,655.	4,751.
90"	15"	20"		2	ROCOSH901 ()()	2,261.	3,228.	3,712.	4,827.	
96"	15"	20"		2	ROCOSH961 ()()	2,295.	3,277.	3,769.	4,900.	

Without center gable


Order Code	Specification Information	Application Notes
Example: ROCCGSH301S0 ()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type:	Cubby Dividers: 3"h x 12"d
O Overhead	L = Laminate	Interior Gable: 18"h x 13"d.
C Cabinet hung	1 = V1	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
CG Center Gable	2 = V2	
SH Single high	3 = V3	
30 30" width	2. Case finish:	Fascias ordered separately
P Planning	Laminate, V1, V2, V3	Tasklights ordered separately
1 Depth (letter)		Tack/Task panel order separately
2 Case finish		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
V316 Case finish		Installation instruction sheets available on Knoll Exchange.
		For Cabinet hung overheads, refer to part number 6TP00080.


dimensions noted nominal

Overhead, 28 3/8 planning

Single high

Cabinet hung with doors



description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door, cubby concealed 	30"	15"	20"	2	ROCHSHP301 () () () () () ()	\$1,933.	\$2,169.	\$2,267.	\$2,366.	\$2,760.	\$3,174.	\$4,127.
	36"	15"	20"	2	ROCHSHP361 () () () () () ()	1,979.	2,221.	2,322.	2,423.	2,826.	3,251.	4,226.
	42"	15"	20"	3	ROCHSHP421 () () () () () ()	2,522.	2,829.	2,958.	3,087.	3,602.	4,141.	5,385.
	48"	15"	20"	3	ROCHSHP481 () () () () () ()	2,573.	2,887.	3,018.	3,150.	3,674.	4,226.	5,493.
	54"	15"	20"	3	ROCHSHP541 () () () () () ()	2,728.	3,061.	3,201.	3,339.	3,896.	4,481.	5,825.
	60"	15"	20"	4	ROCHSHP601 () () () () () ()	3,075.	3,449.	3,607.	3,763.	4,390.	5,049.	6,563.
	66"	15"	20"	4	ROCHSHP661 () () () () () ()	3,122.	3,503.	3,663.	3,822.	4,458.	5,127.	6,666.
	72"	15"	20"	4	ROCHSHP721 () () () () () ()	3,173.	3,561.	3,722.	3,884.	4,531.	5,211.	6,774.
	78"	15"	20"	4	ROCHSHP781 () () () () () ()	3,271.	3,671.	3,838.	4,005.	4,672.	5,372.	6,984.
	84"	15"	20"	6	ROCHSHP841 () () () () () ()	4,113.	4,614.	4,824.	5,034.	5,873.	6,753.	8,779.
90"	15"	20"	6	ROCHSHP901 () () () () () ()	4,160.	4,668.	4,880.	5,092.	5,942.	6,832.	8,882.	
96"	15"	20"	6	ROCHSHP961 () () () () () ()	4,213.	4,727.	4,942.	5,156.	6,016.	6,919.	8,993.	

Cabinet-hung overhead cabinet hinge door, cubby exposed 	30"	15"	20"	2	ROCHCSHP301 () () () () () ()	1,836.	2,061.	2,155.	2,248.	2,623.	3,016.	3,921.
	36"	15"	20"	2	ROCHCSHP361 () () () () () ()	1,882.	2,111.	2,207.	2,304.	2,688.	3,091.	4,018.
	42"	15"	20"	3	ROCHCSHP421 () () () () () ()	2,463.	2,764.	2,890.	3,015.	3,517.	4,045.	5,258.
	48"	15"	20"	3	ROCHCSHP481 () () () () () ()	2,544.	2,855.	2,984.	3,114.	3,633.	4,178.	5,432.
	54"	15"	20"	3	ROCHCSHP541 () () () () () ()	2,597.	2,913.	3,046.	3,178.	3,709.	4,265.	5,544.
	60"	15"	20"	4	ROCHCSHP601 () () () () () ()	2,878.	3,228.	3,375.	3,522.	4,109.	4,726.	6,142.
	66"	15"	20"	4	ROCHCSHP661 () () () () () ()	2,919.	3,276.	3,424.	3,573.	4,169.	4,794.	6,232.
	72"	15"	20"	4	ROCHCSHP721 () () () () () ()	2,968.	3,330.	3,481.	3,633.	4,239.	4,875.	6,337.
	78"	15"	20"	4	ROCHCSHP781 () () () () () ()	3,017.	3,385.	3,538.	3,692.	4,308.	4,954.	6,441.
	84"	15"	20"	6	ROCHCSHP841 () () () () () ()	3,803.	4,267.	4,460.	4,654.	5,430.	6,244.	8,118.
90"	15"	20"	6	ROCHCSHP901 () () () () () ()	3,866.	4,337.	4,534.	4,731.	5,520.	6,347.	8,252.	
96"	15"	20"	6	ROCHCSHP961 () () () () () ()	3,913.	4,390.	4,590.	4,790.	5,588.	6,425.	8,354.	

Order Code	Specification Information	Application Notes
Example: ROCHSHP30 () () () () () () R Reff O Overhead C Cabinet mount H Hinge door SH Single High P Planning 30 Width 1 Depth (letter) 2 Case finish type 2 Front finish type H Pull option L Lock option B Lock finish PU Pull finish	To order please specify: 1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set) 4. Lock option: N = no drilling, L = locking (wood or laminate doors only) 5. Lock finish: B=Black, S=Matte silver 6. Case finish: Laminate or Wood 7. Front finish: Laminate or Wood 8. Pull finish: Painted or Plated	These products are Glue and Dowel Construction Letter depth is 15" nominal. Fascias ordered separately Tasklights not included Tack/Task panel order separately Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Installation instruction sheets available on Knoll Exchange. For Cabinet hung overheads, refer to part number 6TP00080.

dimensions noted nominal

Overhead, 28 3/8 planning
 Single high
 Cabinet hung with glass doors


description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, <i>cubby exposed</i> 	30"	15"	20"	2	ROCGHCSHP301 () () ()	\$2,622.	\$2,915.	\$3,354.	\$4,358.
	36"	15"	20"	2	ROCGHCSHP361 () () ()	2,738.	3,044.	3,501.	4,550.
	42"	15"	20"	3	ROCGHCSHP421 () () ()	3,489.	3,879.	4,459.	5,799.
	48"	15"	20"	3	ROCGHCSHP481 () () ()	3,585.	3,986.	4,584.	5,959.
	54"	15"	20"	3	ROCGHCSHP541 () () ()	3,834.	4,263.	4,901.	6,372.
	60"	15"	20"	4	ROCGHCSHP601 () () ()	4,253.	4,729.	5,438.	7,070.
	66"	15"	20"	4	ROCGHCSHP661 () () ()	4,378.	4,866.	5,597.	7,276.
	72"	15"	20"	4	ROCGHCSHP721 () () ()	4,484.	4,985.	5,733.	7,453.
	78"	15"	20"	4	ROCGHCSHP781 () () ()	4,651.	5,171.	5,947.	7,731.
	84"	15"	20"	6	ROCGHCSHP841 () () ()	5,723.	6,363.	7,317.	9,513.
	90"	15"	20"	6	ROCGHCSHP901 () () ()	5,790.	6,437.	7,402.	9,623.
96"	15"	20"	6	ROCGHCSHP961 () () ()	5,914.	6,576.	7,562.	9,831.	
Cabinet-hung overhead cabinet glass hinge door, <i>cubby concealed</i> 	30"	15"	20"	2	ROCGHSHP301 () () ()	2,833.	3,410.	3,921.	5,097.
	36"	15"	20"	2	ROCGHSHP361 () () ()	2,971.	3,575.	4,112.	5,345.
	42"	15"	20"	3	ROCGHSHP421 () () ()	3,805.	4,580.	5,267.	6,847.
	48"	15"	20"	3	ROCGHSHP481 () () ()	3,928.	4,728.	5,437.	7,069.
	54"	15"	20"	3	ROCGHSHP541 () () ()	4,179.	5,030.	5,784.	7,519.
	60"	15"	20"	4	ROCGHSHP601 () () ()	4,484.	5,397.	6,207.	8,068.
	66"	15"	20"	4	ROCGHSHP661 () () ()	4,606.	5,544.	6,375.	8,288.
	72"	15"	20"	4	ROCGHSHP721 () () ()	4,737.	5,702.	6,557.	8,421.
	78"	15"	20"	4	ROCGHSHP781 () () ()	4,959.	5,969.	6,864.	8,923.
	84"	15"	20"	6	ROCGHSHP841 () () ()	5,906.	7,108.	8,175.	10,627.
	90"	15"	20"	6	ROCGHSHP901 () () ()	6,039.	7,269.	8,359.	10,866.
96"	15"	20"	6	ROCGHSHP961 () () ()	6,135.	7,384.	8,492.	11,039.	

Order Code	Specification Information	Application Notes
Example: ROCGHCSHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
C Cabinet mount	2 = V2	Tasklights not included
GHC Glas hinge door/ cubby	3 = V3	Tack/Task panel order separately
SH Single High	2. Case finish: Laminate, V1, V2, V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	3. Door frame finish: Anodized or Painted	No pull option for glass doors. Doors project below shelf for opening.
30 Width	4. Glass door finish: GL11, GL14, GL15, GL18	Installation instruction sheets available on Knoll Exchange.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

dimensions noted nominal

Overhead, 28 3/8 planning
 Single high
 Cabinet hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	20"	2	ROCHOCSH601	\$2,539.	\$2,849.	\$2,978.	\$3,108.	\$3,756.	\$4,319.	\$5,614.
hinge door / open /	66"	15"	20"	2	ROCHOCSH661	2,575.	2,891.	3,021.	3,153.	3,810.	4,381.	5,695.
cubby exposed	72"	15"	20"	2	ROCHOCSH721	2,617.	2,937.	3,070.	3,203.	3,871.	4,451.	5,786.
	78"	15"	20"	2	ROCHOCSH781	2,669.	2,995.	3,130.	3,266.	3,947.	4,540.	5,902.
	84"	15"	20"	4	ROCHOCSH841	3,105.	3,485.	3,643.	3,802.	4,593.	5,283.	6,868.
	90"	15"	20"	4	ROCHOCSH901	3,153.	3,537.	3,699.	3,859.	4,662.	5,362.	6,971.
	96"	15"	20"	4	ROCHOCSH961	3,191.	3,580.	3,743.	3,907.	4,720.	5,427.	7,055.




Order Code	Specification Information	Application Notes
Example: ROCHOCSH601 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. <i>Front finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
C Cabinet mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	Tasklights not included
HOC Hinge door / Open / Cubby	4. <i>Lock option:</i> N=no drilling, L=locking (wood or laminate doors only)	Tack/Task panel order separately
SH Single High	5. <i>Lock finish:</i> B=Black, S=Matte silver	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	6. <i>Case finish:</i> Wood or Laminate	Doors project below shelf for opening
60 Width	7. <i>Front finish:</i> Wood or Laminate	Installation instruction sheets available on Knoll Exchange.
1 Depth (letter)	8. <i>Pull finish:</i> Painted or Plated	For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
2 Front finish type		
T Tab pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		


dimensions noted nominal

Overhead, 28 3/8 planning
 Single high
 Cabinet hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	20"	2	ROCGHOCSH601()()()	\$3,118.	\$3,976.	\$4,572.	\$5,944.
	66"	15"	20"	2	ROCGHOCSH661()()()	3,190.	4,067.	4,678.	6,081.
	72"	15"	20"	2	ROCGHOCSH721()()()	3,256.	4,151.	4,774.	6,206.
	78"	15"	20"	2	ROCGHOCSH781()()()	3,331.	4,247.	4,884.	6,350.
	84"	15"	20"	4	ROCGHOCSH841()()()	4,089.	5,005.	5,755.	7,483.
	90"	15"	20"	4	ROCGHOCSH901()()()	4,138.	5,064.	5,824.	7,571.
	96"	15"	20"	4	ROCGHOCSH961()()()	4,222.	5,168.	5,944.	7,727.



description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	20"	2	ROCGHOSH601()()()	3,767.	4,803.	5,523.	7,180.
	66"	15"	20"	2	ROCGHOSH661()()()	3,845.	4,902.	5,638.	7,329.
	72"	15"	20"	2	ROCGHOSH721()()()	3,942.	5,026.	5,779.	7,513.
	78"	15"	20"	2	ROCGHOSH781()()()	4,037.	5,147.	5,919.	7,694.
	84"	15"	20"	4	ROCGHOSH841()()()	4,746.	6,052.	6,959.	9,047.
	90"	15"	20"	4	ROCGHOSH901()()()	4,847.	6,180.	7,107.	9,239.
	96"	15"	20"	4	ROCGHOSH961()()()	4,924.	6,278.	7,220.	9,386.




Order Code	Specification Information	Application Notes
Example: ROCGHOCSH601 ()()()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Case finish: Laminate, V1, V2, V3	Fascias ordered separately
C Cabinet mount	3. Door Frame finish: Painted or Anodized	Tasklights not included
GHOC Glass hinge door / Open / Cubby	4. Door Glass finish: GL11, GL14, GL15, GL18	Tack/Task panel order separately
SH Single High		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning		No pull option on glass doors.
60 Width		Doors project below shelf for opening
1 Depth (letter)		Installation instruction sheets available on Knoll Exchange.
2 Case finish type; V2		For Cabinet hung overheads, refer to part number 6TP00080.
V316 Case finish		
AA Door frame finish		
GL11 Back painted glass door		


dimensions noted nominal

Overhead, 28 3/8 planning

Double high



Wall hung

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed 	30"	15"	33"	2	ROMHDHP301()	\$2,197.	\$2,464.	\$2,578.	\$2,690.	\$3,138.	\$3,608.	\$4,690.
	36"	15"	33"	2	ROMHDHP361()	2,271.	2,549.	2,664.	2,780.	3,244.	3,730.	4,848.
	42"	15"	33"	3	ROMHDHP421()	3,043.	3,413.	3,569.	3,724.	4,345.	4,997.	6,495.
	48"	15"	33"	3	ROMHDHP481()	3,131.	3,512.	3,672.	3,831.	4,471.	5,142.	6,684.
	54"	15"	33"	3	ROMHDHP541()	3,321.	3,726.	3,895.	4,065.	4,742.	5,454.	7,090.
	60"	15"	33"	4	ROMHDHP601()	3,657.	4,102.	4,288.	4,475.	5,220.	6,004.	7,805.
	66"	15"	33"	4	ROMHDHP661()	3,772.	4,232.	4,425.	4,618.	5,387.	6,194.	8,053.
	72"	15"	33"	4	ROMHDHP721()	3,849.	4,319.	4,516.	4,712.	5,497.	6,322.	8,218.
	78"	15"	33"	4	ROMHDHP781()	3,977.	4,461.	4,664.	4,867.	5,678.	6,529.	8,488.
	84"	15"	33"	6	ROMHDHP841()	5,024.	5,638.	5,894.	6,151.	7,175.	8,252.	10,726.
90"	15"	33"	6	ROMHDHP901()	5,114.	5,739.	5,999.	6,260.	7,303.	8,399.	10,918.	
96"	15"	33"	6	ROMHDHP961()	5,181.	5,813.	6,078.	6,341.	7,398.	8,509.	11,061.	

Wall-hung overhead cabinet hinge door, cubby exposed 	30"	15"	33"	2	ROMHCDHP301()	2,103.	2,359.	2,466.	3,625.	3,003.	3,454.	4,489.
	36"	15"	33"	2	ROMHCDHP361()	2,173.	2,439.	2,549.	2,660.	3,104.	3,569.	4,639.
	42"	15"	33"	3	ROMHCDHP421()	2,952.	3,313.	3,463.	3,614.	4,216.	4,848.	6,303.
	48"	15"	33"	3	ROMHCDHP481()	3,063.	3,437.	3,593.	3,750.	4,375.	5,031.	6,540.
	54"	15"	33"	3	ROMHCDHP541()	3,150.	3,534.	3,695.	3,856.	4,497.	5,172.	6,724.
	60"	15"	33"	4	ROMHCDHP601()	3,458.	3,879.	4,056.	4,232.	4,937.	5,677.	7,382.
	66"	15"	33"	4	ROMHCDHP661()	3,569.	4,005.	4,187.	4,369.	5,097.	5,861.	7,620.
	72"	15"	33"	4	ROMHCDHP721()	3,643.	4,088.	4,273.	4,458.	5,203.	5,982.	7,778.
	78"	15"	33"	4	ROMHCDHP781()	3,722.	4,177.	4,367.	4,556.	5,316.	6,114.	7,948.
	84"	15"	33"	6	ROMHCDHP841()	4,729.	5,306.	5,547.	5,789.	6,753.	7,766.	10,095.
90"	15"	33"	6	ROMHCDHP901()	4,816.	5,404.	5,650.	5,896.	6,878.	7,910.	10,284.	
96"	15"	33"	6	ROMHCDHP961()	4,881.	5,476.	5,724.	5,974.	6,970.	8,015.	10,420.	

Order Code	Specification Information	Application Notes
Example: ROMHDHP30 ()()()()()()	To order please specify: 1. <i>Case Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Front Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = C-pull (nickel finish only) D = metal D-pull (PZ or PT only) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set) 4. <i>Lock option:</i> N=no drilling, L=locking (wood or laminate doors only) 5. <i>Lock finish:</i> B=Black, S=Matte silver 6. <i>Case finish:</i> 7. <i>Front finish:</i> 8. <i>Pull finish:</i> Painted or Plated	These products are Glue and Dowel Construction Letter depth is 15" nominal. Fascias ordered separately Tasklights not included Tack/Task panel order separately Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 569. The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.
R Reff O Overhead M Wall mount H Hinge door DH Double High P Planning 30 Width 1 Depth (letter) 2 Case finish type 2 Front finish type H Pull option L Lock option B Lock finish PU Pull finish		
dimensions noted nominal		

Overhead, 28 3/8 planning
 Double high
 Wall hung with glass door

description	w	d	h	dr	pattern n	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, cubby exposed 	30"	15"	33"	2	ROMGHCDHP301()()()	\$3,158.	\$3,542.	\$4,074.	\$5,297.
	36"	15"	33"	2	ROMGHCDHP361()()()	3,328.	3,734.	4,294.	5,581.
	42"	15"	33"	2	ROMGHCDHP421()()()	4,372.	4,905.	5,641.	7,333.
	48"	15"	33"	2	ROMGHCDHP481()()()	4,529.	5,081.	5,844.	7,596.
	54"	15"	33"	2	ROMGHCDHP541()()()	4,842.	5,433.	6,248.	8,122.
	60"	15"	33"	4	ROMGHCDHP601()()()	5,408.	6,067.	6,977.	9,071.
	66"	15"	33"	4	ROMGHCDHP661()()()	5,639.	6,328.	7,277.	9,459.
	72"	15"	33"	4	ROMGHCDHP721()()()	5,794.	6,500.	7,475.	9,717.
	78"	15"	33"	4	ROMGHCDHP781()()()	6,034.	6,770.	7,786.	10,121.
	84"	15"	33"	6	ROMGHCDHP841()()()	7,488.	8,402.	9,662.	12,561.
	90"	15"	33"	6	ROMGHCDHP901()()()	7,608.	8,536.	9,815.	12,760.
96"	15"	33"	6	ROMGHCDHP961()()()	7,778.	8,727.	10,036.	13,047.	
Wall-hung overhead cabinet glass hinge door, cubby concealed 	30"	15"	33"	2	ROMGHDHP301()()()	3,452.	4,154.	4,778.	6,211.
	36"	15"	33"	2	ROMGHDHP361()()()	3,649.	4,392.	5,052.	6,567.
	42"	15"	33"	2	ROMGHDHP421()()()	4,799.	5,775.	6,642.	8,634.
	48"	15"	33"	2	ROMGHDHP481()()()	4,976.	5,989.	6,887.	8,954.
	54"	15"	33"	2	ROMGHDHP541()()()	5,312.	6,393.	7,352.	9,558.
	60"	15"	33"	4	ROMGHDHP601()()()	5,778.	6,954.	7,998.	10,397.
	66"	15"	33"	4	ROMGHDHP661()()()	5,967.	7,182.	8,259.	10,737.
	72"	15"	33"	4	ROMGHDHP721()()()	6,152.	7,404.	8,515.	11,069.
	78"	15"	33"	4	ROMGHDHP781()()()	6,466.	7,783.	8,949.	11,635.
	84"	15"	33"	6	ROMGHDHP841()()()	7,754.	9,332.	10,732.	13,961.
	90"	15"	33"	6	ROMGHDHP901()()()	7,942.	9,558.	10,993.	14,290.
96"	15"	33"	6	ROMGHDHP961()()()	8,095.	9,743.	11,205.	14,567.	

Order Code	Specification Information	Application Notes
Example: ROMGHCDHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	No glass shelves
M Wall mount	2 = V2	Fascias ordered separately
GHC Glass hinge door / cubby	3 = V3	Tasklights not included
DH Double High	2. <i>Case finish:</i> Laminate or Wood	Tack/Task panel order separately
P Planning	3. <i>Door frame finish:</i> Anodized / Painted	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width	4. <i>Door glass finish:</i> GL11	No pull option for glass doors. Doors project below shelf for opening.
1 Depth (letter)	GL14	
2 Case finish type	GL15	
V316 Case finish	GL18	
AN Door frame finish		
GL11 Door glass finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 569.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Overhead storage


dimensions noted nominal

Overhead, 28 3/8 planning


Double high

Wall hung with and without center gable

description	w	h	d	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable	30"	33"	15"		1	ROMCGDHP301() ()	\$1,830.	\$2,613.	\$3,005.	\$3,908.
	36"	33"	15"		1	ROMCGDHP361() ()	1,879.	2,683.	3,084.	4,011.
	42"	33"	15"		2	ROMCGDHP421() ()	2,309.	3,298.	3,792.	4,931.
	48"	33"	15"		2	ROMCGDHP481() ()	2,369.	3,382.	3,889.	5,056.
	54"	33"	15"		2	ROMCGDHP541() ()	2,629.	3,754.	4,317.	5,612.
	60"	33"	15"		3	ROMCGDHP601() ()	3,122.	4,458.	5,128.	6,666.
	66"	33"	15"		3	ROMCGDHP661() ()	3,217.	4,594.	5,284.	6,868.
	72"	33"	15"		3	ROMCGDHP721() ()	3,266.	4,664.	5,364.	6,974.
	78"	33"	15"		3	ROMCGDHP781() ()	3,380.	4,827.	5,552.	7,217.
	84"	33"	15"		5	ROMCGDHP841() ()	4,259.	6,082.	6,994.	9,092.
	90"	33"	15"		5	ROMCGDHP901() ()	4,312.	6,157.	7,080.	9,204.
96"	33"	15"		5	ROMCGDHP961() ()	4,358.	6,223.	7,156.	9,303.	



Wall-hung overhead cabinet open /cubby without center gable	30"	33"	15"			ROMOCDHP301() ()	1,647.	2,351.	2,704.	3,516.
	36"	33"	15"			ROMOCDHP361() ()	1,691.	2,414.	2,775.	3,609.
	42"	33"	15"		1	ROMOCDHP421() ()	2,079.	2,968.	3,413.	4,438.
	48"	33"	15"		1	ROMOCDHP481() ()	2,132.	3,044.	3,501.	4,551.
	54"	33"	15"		1	ROMOCDHP541() ()	2,366.	3,378.	3,885.	5,051.
	60"	33"	15"		1	ROMOCDHP601() ()	2,810.	4,014.	4,616.	6,000.
	66"	33"	15"		1	ROMOCDHP661() ()	2,895.	4,135.	4,755.	6,180.
	72"	33"	15"		1	ROMOCDHP721() ()	2,940.	4,198.	4,828.	6,276.
	78"	33"	15"		1	ROMOCDHP781() ()	3,043.	4,344.	4,997.	6,494.
	84"	33"	15"		2	ROMOCDHP841() ()	3,834.	5,473.	6,294.	8,183.
	90"	33"	15"		2	ROMOCDHP901() ()	3,880.	5,541.	6,372.	8,284.
	96"	33"	15"		2	ROMOCDHP961() ()	3,922.	5,601.	6,441.	8,373.



Without center gable

Order Code	Specification Information	Application Notes
Example: ROMCGDHP301 () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i>	Letter depth is 15" nominal.
O Overhead	L = Laminate	Place holder for legal depth if required.
M Wall mount	1 = V1	Fascias ordered separately
CG Center Gable	2 = V2	Tasklights not included
DH Double High	3 = V3	Tack/Task panel order separately
P Planning	2. <i>Case finish:</i>	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width	Wood or Laminate	
1 Depth (letter)		
2 Case finish type		
V316 Case finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 569.

Cubby Dividers: 3"h x 12"d


Interior Gable: 30"h x 13"d.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

dimensions noted nominal

Overhead, 28 3/8 planning
 Double high
 Wall hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	
Wall Hung overhead cabinet	60"	15"	33"	2	ROMHOCDHP601	(X)(X)(X)(X)(X)(X)	\$3,269.	\$3,669.	\$3,835.	\$4,001.	\$4,835.	\$5,561.	\$7,229.
hinge door/ open /	66"	15"	33"	2	ROMHOCDHP661	(X)(X)(X)(X)(X)(X)	3,324.	3,730.	3,898.	4,068.	4,915.	5,653.	7,349.
cubby exposed	72"	15"	33"	2	ROMHOCDHP721	(X)(X)(X)(X)(X)(X)	3,387.	3,801.	3,972.	4,145.	5,009.	5,760.	7,489.
	78"	15"	33"	2	ROMHOCDHP781	(X)(X)(X)(X)(X)(X)	3,453.	3,874.	4,050.	4,227.	5,107.	5,873.	7,635.
	84"	15"	33"	4	ROMHOCDHP841	(X)(X)(X)(X)(X)(X)	3,977.	4,461.	4,664.	4,867.	5,881.	6,764.	8,793.
	90"	15"	33"	4	ROMHOCDHP901	(X)(X)(X)(X)(X)(X)	4,044.	4,537.	4,743.	4,949.	5,980.	6,877.	8,940.
	96"	15"	33"	4	ROMHOCDHP961	(X)(X)(X)(X)(X)(X)	4,102.	4,602.	4,811.	5,021.	6,067.	6,978.	9,071.




Order Code	Specification Information	Application Notes
Example: ROMHOCDHP601 (X)(X)(X)(X)(X)(X)	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
O Overhead	2. <i>Front Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
M Wall mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	Doors project below shelf for opening
HOC Hinge door / open / cubby	4. <i>Lock Option:</i> N=no drilling, L=locking (wood or laminate doors only)	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 569.
DH Double High	5. <i>Lock finish:</i> B=Black, S=Matte silver	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
P Planning	6. <i>Case Finish</i>	
60 Width	7. <i>Front Finish</i>	
1 Depth (letter)	8. <i>Pull finish:</i> Painted or Plated	
2 Case finish type		
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		


dimensions noted nominal

Overhead, 28 3/8 planning
Double high
Wall hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	33"	2	ROMGHODHP601()()()	\$4,883.	\$6,226.	\$7,159.	\$9,308.
glass hinge door / open / cubby concealed	66"	15"	33"	2	ROMGHODHP661()()()	5,015.	6,394.	7,354.	9,560.
	72"	15"	33"	2	ROMGHODHP721()()()	5,138.	6,550.	7,534.	9,793.
	78"	15"	33"	2	ROMGHODHP781()()()	5,296.	6,751.	7,764.	10,094.
	84"	15"	33"	4	ROMGHODHP841()()()	6,202.	7,908.	9,094.	11,822.
	90"	15"	33"	4	ROMGHODHP901()()()	6,337.	8,080.	9,292.	12,080.
	96"	15"	33"	4	ROMGHODHP961()()()	6,462.	8,240.	9,475.	12,318.



Wall Hung overhead cabinet	60"	15"	33"	2	ROMGHODHP601()()()	4,156.	5,298.	6,093.	7,921.
glass hinge door / open / cubby exposed	66"	15"	33"	2	ROMGHODHP661()()()	4,264.	5,438.	6,254.	8,128.
	72"	15"	33"	2	ROMGHODHP721()()()	4,363.	5,563.	6,397.	8,315.
	78"	15"	33"	2	ROMGHODHP781()()()	4,495.	5,707.	6,563.	8,532.
	84"	15"	33"	4	ROMGHODHP841()()()	5,397.	6,771.	7,787.	10,122.
	90"	15"	33"	4	ROMGHODHP901()()()	5,481.	6,876.	7,908.	10,281.
	96"	15"	33"	4	ROMGHODHP961()()()	5,602.	7,029.	8,082.	10,507.



Order Code	Specification Information	Application Notes
Example: ROMGHODHP601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
GHOC Glass hinge door / open / cubby	3 = V3	Tack/Task panel order separately
DH Double High	2. Case finish: Laminate or Wood	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	3. Door Frame finish: Anodized or Painted	Doors project below shelf for opening
60 Width	4. Door Glass finish: GL11, GL14, GL15, GL18	No pull option on glass doors.
1 Depth (letter)		


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 569.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


dimensions noted nominal

Double high
Cabinet hung

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door, cubby concealed	30"	15"	33"	2	ROCHDHP301()	\$2,270.	\$2,548.	\$2,663.	\$2,778.	\$3,243.	\$3,728.	\$4,846.
	36"	15"	33"	2	ROCHDHP361()	2,342.	2,629.	2,747.	2,867.	3,346.	3,847.	5,001.
	42"	15"	33"	3	ROCHDHP421()	3,113.	3,492.	3,651.	3,811.	4,445.	5,112.	6,645.
	48"	15"	33"	3	ROCHDHP481()	3,186.	3,575.	3,737.	3,899.	4,550.	5,232.	6,801.
	54"	15"	33"	3	ROCHDHP541()	3,374.	3,786.	3,959.	4,130.	4,820.	5,542.	7,204.
	60"	15"	33"	4	ROCHDHP601()	3,708.	4,161.	4,349.	4,539.	5,296.	6,090.	7,917.
	66"	15"	33"	4	ROCHDHP661()	3,822.	4,288.	4,484.	4,679.	5,458.	6,277.	8,160.
	72"	15"	33"	4	ROCHDHP721()	3,901.	4,376.	4,576.	4,774.	5,569.	6,406.	8,327.
	78"	15"	33"	4	ROCHDHP781()	4,011.	4,499.	4,704.	4,909.	5,728.	6,586.	8,563.
	84"	15"	33"	6	ROCHDHP841()	5,057.	5,674.	5,931.	6,190.	7,221.	8,304.	10,796.
90"	15"	33"	6	ROCHDHP901()	5,145.	5,772.	6,034.	6,297.	7,347.	8,448.	10,983.	
96"	15"	33"	6	ROCHDHP961()	5,211.	5,846.	6,112.	6,377.	7,440.	8,556.	11,124.	



Cabinet-hung overhead cabinet hinge door, cubby exposed	30"	15"	33"	2	ROCHCDHP301()	2,175.	2,441.	2,551.	2,662.	3,106.	3,572.	4,643.
	36"	15"	33"	2	ROCHCDHP361()	2,243.	2,517.	2,631.	2,745.	3,203.	3,683.	4,789.
	42"	15"	33"	3	ROCHCDHP421()	3,044.	3,416.	3,570.	3,725.	4,346.	4,999.	6,498.
	48"	15"	33"	3	ROCHCDHP481()	3,117.	3,498.	3,656.	3,816.	4,451.	5,119.	6,654.
	54"	15"	33"	3	ROCHCDHP541()	3,201.	3,592.	3,755.	3,919.	4,573.	5,257.	6,835.
	60"	15"	33"	4	ROCHCDHP601()	3,507.	3,934.	4,114.	4,293.	5,008.	5,759.	7,487.
	66"	15"	33"	4	ROCHCDHP661()	3,616.	4,059.	4,242.	4,427.	5,164.	5,939.	7,720.
	72"	15"	33"	4	ROCHCDHP721()	3,692.	4,141.	4,330.	4,518.	5,271.	6,062.	7,880.
	78"	15"	33"	4	ROCHCDHP781()	3,754.	4,212.	4,404.	4,595.	5,361.	6,165.	8,015.
	84"	15"	33"	6	ROCHCDHP841()	4,758.	5,338.	5,580.	5,823.	6,793.	7,812.	10,156.
90"	15"	33"	6	ROCHCDHP901()	4,843.	5,434.	5,680.	5,927.	6,916.	7,953.	10,339.	
96"	15"	33"	6	ROCHCDHP961()	4,906.	5,504.	5,754.	6,005.	7,005.	8,056.	10,473.	





Order Code	Specification Information	Application Notes
Example: ROCH-DHP301()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
C Cabinet Hung	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	Tasklights not included
H Hinge door		Tack/Task panel order separately
DH Double High		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning		Installation instruction sheets available on Knoll Exchange.
30 Width		For Cabinet hung overheads, refer to part number 6TP00080.
1 Depth (letter)		
2 Case finish type		
2 Front finish type		
H Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
PN Pull finish		
	4. Lock option: N=no drilling, L=locking (wood or laminate doors only)	
	5. Lock finish: B=Black, S=Matte silver	
	6. Case finish: Wood or Laminate	
	7. Front finish: Wood or Laminate	
	8. Pull finish: Painted or Plated	

dimensions noted nominal

Overhead, 28 3/8 planning
 Double high
 Cabinet hung with glass door

Reff Profiles

description	w	d	h	dr	pattern n	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, cubby exposed 	30"	15"	33"	2	ROCGHCDHP301()()()	\$3,201.	\$3,559.	\$4,092.	\$5,320.
	36"	15"	33"	2	ROCGHCDHP361()()()	3,370.	3,746.	4,308.	5,602.
	42"	15"	33"	3	ROCGHCDHP421()()()	4,422.	4,916.	5,654.	7,350.
	48"	15"	33"	3	ROCGHCDHP481()()()	4,562.	5,071.	5,832.	7,581.
	54"	15"	33"	3	ROCGHCDHP541()()()	4,875.	5,420.	6,233.	8,103.
	60"	15"	33"	4	ROCGHCDHP601()()()	5,235.	5,821.	6,694.	8,704.
	66"	15"	33"	4	ROCGHCDHP661()()()	5,459.	6,069.	6,980.	9,074.
	72"	15"	33"	4	ROCGHCDHP721()()()	5,635.	6,266.	7,205.	9,367.
	78"	15"	33"	4	ROCGHCDHP781()()()	5,860.	6,515.	7,492.	9,739.
	84"	15"	33"	6	ROCGHCDHP841()()()	7,132.	7,928.	9,118.	11,853.
	90"	15"	33"	6	ROCGHCDHP901()()()	7,249.	8,060.	9,270.	12,049.
96"	15"	33"	6	ROCGHCDHP961()()()	7,419.	8,249.	9,485.	12,331.	

description	w	d	h	dr	pattern n	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, cubby concealed 	30"	15"	33"	2	ROCGHDHP301()()()	3,437.	4,137.	4,757.	6,184.
	36"	15"	33"	2	ROCGHDHP361()()()	3,632.	4,371.	5,027.	6,534.
	42"	15"	33"	3	ROCGHDHP421()()()	4,779.	5,753.	6,616.	8,600.
	48"	15"	33"	3	ROCGHDHP481()()()	4,952.	5,960.	6,853.	8,909.
	54"	15"	33"	3	ROCGHDHP541()()()	5,270.	6,343.	7,295.	9,483.
	60"	15"	33"	4	ROCGHDHP601()()()	5,719.	6,884.	7,916.	10,291.
	66"	15"	33"	4	ROCGHDHP661()()()	5,899.	7,099.	8,164.	10,614.
	72"	15"	33"	4	ROCGHDHP721()()()	6,104.	7,347.	8,449.	10,983.
	78"	15"	33"	4	ROCGHDHP781()()()	6,398.	7,701.	8,857.	11,514.
	84"	15"	33"	6	ROCGHDHP841()()()	7,685.	9,249.	10,637.	13,828.
	90"	15"	33"	6	ROCGHDHP901()()()	7,870.	9,473.	10,894.	14,162.
96"	15"	33"	6	ROCGHDHP961()()()	8,021.	9,653.	11,102.	14,432.	

Order Code	Specification Information	Application Notes
Example: ROCGHCDHP301 ()()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish Type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	No glass shelves
C Cabinet Hung	2 = V2	Fascias ordered separately
GHC Glass hinge door / cubby	3 = V3	Tasklights not included
DH Double High	2. Case Finish: V316	Tack/Task panel order separately
P Planning	3. Door frame finish: Anotized or Painted	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width	4. Door Glass finish: GL11, GL14, GL15, GL18	No pull option for glass doors. Doors project below shelf for opening.
1 Depth (letter)		Installation instruction sheets available on Knoll Exchange.
2 Case finish type		For Cabinet hung overheads, refer to part number 6TP00080.
2 Caese finish		
AN Door frame finish		
GL11 Door glass finish		


dimensions noted nominal

Overhead, 28 3/8 planning


Double high

Cabinet hung with and without center gable

description	w	d	h	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable	30"	15"	33"	1	ROCCGDHP301 () ()	\$1,904.	\$2,719.	\$3,126.	\$4,065.
	36"	15"	33"	1	ROCCGDHP361 () ()	1,951.	2,786.	3,203.	4,164.
	42"	15"	33"	2	ROCCGDHP421 () ()	2,380.	3,399.	3,910.	5,082.
	48"	15"	33"	2	ROCCGDHP481 () ()	2,425.	3,462.	3,982.	5,177.
	54"	15"	33"	2	ROCCGDHP541 () ()	2,683.	3,830.	4,405.	5,727.
	60"	15"	33"	3	ROCCGDHP601 () ()	3,175.	4,534.	5,214.	6,779.
	66"	15"	33"	3	ROCCGDHP661 () ()	3,268.	4,667.	5,366.	6,976.
	72"	15"	33"	3	ROCCGDHP721 () ()	3,318.	4,738.	5,449.	7,083.
	78"	15"	33"	3	ROCCGDHP781 () ()	3,415.	4,877.	5,608.	7,290.
	84"	15"	33"	5	ROCCGDHP841 () ()	4,291.	6,128.	7,047.	9,162.
	90"	15"	33"	5	ROCCGDHP901 () ()	4,341.	6,200.	7,131.	9,270.
96"	15"	33"	5	ROCCGDHP961 () ()	4,388.	6,265.	7,205.	9,366.	



Cabinet-hung overhead cabinet open /cubby without center gable	30"	15"	33"		ROCOCDHP301 () ()	1,714.	2,447.	2,813.	3,658.
	36"	15"	33"		ROCOCDHP361 () ()	1,756.	2,507.	2,883.	3,747.
	42"	15"	33"	1	ROCOCDHP421 () ()	2,142.	3,059.	3,518.	4,574.
	48"	15"	33"	1	ROCOCDHP481 () ()	2,183.	3,116.	3,583.	4,658.
	54"	15"	33"	1	ROCOCDHP541 () ()	2,415.	3,447.	3,965.	5,154.
	60"	15"	33"	1	ROCOCDHP601 () ()	2,858.	4,081.	4,693.	6,101.
	66"	15"	33"	1	ROCOCDHP661 () ()	2,942.	4,200.	4,830.	6,278.
	72"	15"	33"	1	ROCOCDHP721 () ()	2,986.	4,265.	4,903.	6,375.
	78"	15"	33"	1	ROCOCDHP781 () ()	3,074.	4,389.	5,047.	6,561.
	84"	15"	33"	2	ROCOCDHP841 () ()	3,861.	5,516.	6,342.	8,245.
	90"	15"	33"	2	ROCOCDHP901 () ()	3,908.	5,579.	6,417.	8,343.
	96"	15"	33"	2	ROCOCDHP961 () ()	3,949.	5,639.	6,484.	8,430.




Without center gable

Order Code	Specification Information	Application Notes
Example: ROCCGDHP301 () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type:	Letter depth is 15" nominal.
O Overhead	L = Laminate	Place holder for legal depth if required.
C Cabinet hung	1 = V1	Fascias ordered separately
CG Center gable	2 = V2	Tasklights not included
DH Double High	3 = V3	Tack/Task panel order separately
P Planning	2. Case finish: Wood or Laminate	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width		Installation instruction sheets available on Knoll Exchange.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
V316 Case finish		

dimensions noted nominal

Overhead, 28 3/8 planning
 Double high
 Cabinet hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	33"	2	ROCH OCDHP601()	\$3,260.	\$3,657.	\$3,823.	\$3,990.	\$4,822.	\$5,544.	\$7,207.
hinge door / open /	66"	15"	33"	2	ROCH OCDHP661()	3,312.	3,716.	3,885.	4,055.	4,899.	5,633.	7,324.
cubby exposed	72"	15"	33"	2	ROCH OCDHP721()	3,374.	3,785.	3,958.	4,130.	4,991.	5,740.	7,460.
	78"	15"	33"	2	ROCH OCDHP781()	3,426.	3,844.	4,019.	4,193.	5,067.	5,826.	7,575.
	84"	15"	33"	4	ROCH OCDHP841()	3,949.	4,431.	4,632.	4,834.	5,841.	5,666.	8,731.
	90"	15"	33"	4	ROCH OCDHP901()	4,014.	4,503.	4,707.	4,912.	5,936.	6,827.	8,874.
	96"	15"	33"	4	ROCH OCDHP961()	4,071.	4,567.	4,775.	4,982.	6,020.	6,924.	9,000.




Order Code	Specification Information	Application Notes
Example: ROCH-OCDHP601()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
O Overhead	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
C Cabinet Hung	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Doors project below shelf for opening Installation instruction sheets available on Knoll Exchange.
HOC Hinge door / open / cubby	4. Lock option: N=no drilling, L=locking (wood or laminate doors only)	For Cabinet hung overheads, refer to part number 6TP00080.
DH Double High	5. Lock finish: B=Black, S=Matte silver	
P Planning	6. Case finish: Wood or Laminate	
30 Width	7. Front finish: Wood or Laminate	
1 Depth (letter)	8. Pull finish: Painted or Plated	
2 Case finish type		
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		


dimensions noted nominal

Overhead, 28 3/8 planning
 Double high
 Cabinet hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	33"	2	ROCGHOC DHP601() () ()	\$4,145.	\$5,285.	\$6,077.	\$7,901.
	66"	15"	33"	2	ROCGHOC DHP661() () ()	4,251.	5,420.	6,233.	8,103.
	72"	15"	33"	2	ROCGHOC DHP721() () ()	4,348.	5,544.	6,375.	8,289.
	78"	15"	33"	2	ROCGHOC DHP781() () ()	4,445.	5,670.	6,518.	8,473.
	84"	15"	33"	4	ROCGHOC DHP841() () ()	5,364.	6,730.	7,739.	10,060.
	90"	15"	33"	4	ROCGHOC DHP901() () ()	5,446.	6,832.	7,856.	10,214.
	96"	15"	33"	4	ROCGHOC DHP961() () ()	5,564.	6,981.	8,028.	10,437.



description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	33"	2	ROCGHODHP601() () ()	4,842.	6,173.	7,099.	9,229.
	66"	15"	33"	2	ROCGHODHP661() () ()	4,972.	6,339.	7,290.	9,477.
	72"	15"	33"	2	ROCGHODHP721() () ()	5,093.	6,493.	7,467.	9,707.
	78"	15"	33"	2	ROCGHODHP781() () ()	5,232.	6,671.	7,671.	9,973.
	84"	15"	33"	4	ROCGHODHP841() () ()	6,137.	7,824.	8,998.	11,698.
	90"	15"	33"	4	ROCGHODHP901() () ()	6,279.	8,006.	9,207.	11,969.
	96"	15"	33"	4	ROCGHODHP961() () ()	6,393.	8,151.	9,374.	12,186.



description	w	d	h	pattern no.	L	V1	V2	V3
Overhead shoulder	2"	15"	68"	ROSSH681() ()	379.	398.	457.	617.
	2"	15"	82"	ROSDH821() ()	412.	436.	500.	675.



To be used with Single and Double high overheads

Order Code	Specification Information	Application Notes
Example: ROCG-HOCDHP601() () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Case finish: Laminate or Wood	Fascias ordered separately
C Cabinet Hung	3. Door Frame finish: Anodized or Painted	Tasklights not included
GHOC Glass hinge door / open / cubby	4. Door Glass finish: GL11, GL14, GL15, GL18	Tack/Task panel order separately
DH Double High		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning		Doors project below shelf for opening
60 Width		Installation instruction sheets available on Knoll Exchange.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.

The shoulders are designed to create a 4-5" step between top of overhead and top of shoulder.
 Use ROSSH681 for single high profile.
 Use ROSSH821 for double high profile.
 Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.



dimensions noted nominal

Hutches, 28 3/8 planning

Single High Surround

Open and Hinge

Reff Profiles

description	h	w	d	y	pattern no.	L	V1	V2	V3
Single high surround, Open 	43"	60"	15"	1.7	ROHOSHS601DH(A/D)(N/F)() ()	\$1,107.	\$1,350.	\$1,477.	\$1,770.
	43"	65"	15"	1.9	ROHOSHS661DH(A/D)(N/F)() ()	1,147.	1,393.	1,523.	1,821.
	43"	72"	15"	2.1	ROHOSHS721DH(A/D)(N/F)() ()	1,187.	1,438.	1,570.	1,873.
	43"	78"	15"	2.2	ROHOSHS781DH(A/D)(N/F)() ()	1,240.	1,500.	1,636.	1,950.
	43"	84"	15"	2.4	ROHOSHS841DH(A/D)(N/F)() ()	1,438.	1,765.	1,937.	2,332.
	43"	90"	15"	2.6	ROHOSHS901DH(A/D)(N/F)() ()	1,478.	1,809.	1,983.	2,383.
	43"	96"	15"	2.7	ROHOSHS961DH(A/D)(N/F)() ()	1,519.	1,855.	2,031.	2,436.
Single high surround, Hinge 	43"	60"	15"	1.7	ROHSHS601DH(A/D)(N/F)() ()	1,107.	1,350.	1,477.	1,770.
	43"	66"	15"	1.9	ROHSHS661DH(A/D)(N/F)() ()	1,147.	1,393.	1,523.	1,821.
	43"	72"	15"	2.1	ROHSHS721DH(A/D)(N/F)() ()	1,187.	1,438.	1,570.	1,873.
	43"	78"	15"	2.2	ROHSHS781DH(A/D)(N/F)() ()	1,240.	1,500.	1,636.	1,950.
	43"	84"	15"	2.4	ROHSHS841DH(A/D)(N/F)() ()	1,438.	1,765.	1,937.	2,332.
	43"	90"	15"	2.6	ROHSHS901DH(A/D)(N/F)() ()	1,478.	1,809.	1,983.	2,383.
	43"	96"	15"	2.7	ROHSHS961DH(A/D)(N/F)() ()	1,519.	1,855.	2,031.	2,436.

Order Code

Example: **ROHOSHS601DH**
(A/D)(N/F)() ()

R	Reff
O	Overhead
H	Hutches
O	Open, H = Hinge
SH	Single High
S	Surround
60	60" High
DH	Desk height
A	1 1/4" worksurface
N	Unfinished
V316	Surround Finish
W281	Fabric Finish

Specification Information

To order please specify pattern number including:

1. Worksurface thickness:
A = 1 1/4" thick top
D = 1 1/2" thick top
2. Outside back finish:
N = Unfinished
F = Finished
3. Surround finish: Wood or Laminate
4. Fabric option:

Application Notes

Note: to be ordered in conjunction with case.

Shipped knocked down.

Hardware is included.

Tackboard is included with the surrounds.



The Fabric for tackboard is railroaded.

Hutches, 28 3/8 planning

Double High Surround

Open and Hinge

Reff Profiles

description	h	w	d	y	pattern no.	L	V1	V2	V3
Double high surround, Open 	56"	60"	15"	1.7	ROHODHS601DH(A/D)(N/F)() ()	\$1,231.	\$1,524.	\$1,677.	\$2,030.
	56"	66"	15"	1.9	ROHODHS661DH(A/D)(N/F)() ()	1,284.	1,586.	1,745.	2,109.
	56"	72"	15"	2.1	ROHODHS721DH(A/D)(N/F)() ()	1,330.	1,638.	1,800.	2,175.
	56"	78"	15"	2.2	ROHODHS781DH(A/D)(N/F)() ()	1,385.	1,703.	1,870.	2,254.
	56"	84"	15"	2.4	ROHODHS841DH(A/D)(N/F)() ()	1,625.	2,027.	2,238.	2,723.
	56"	90"	15"	2.6	ROHODHS901DH(A/D)(N/F)() ()	1,673.	2,082.	2,297.	2,791.
	56"	96"	15"	2.7	ROHODHS961DH(A/D)(N/F)() ()	1,716.	2,131.	2,348.	2,849.
Double high surround, Hinge 	56"	60"	15"	1.7	ROHHDHS601DH(A/D)(N/F)() ()	1,231.	1,524.	1,677.	2,030.
	56"	66"	15"	1.9	ROHHDHS661DH(A/D)(N/F)() ()	1,284.	1,586.	1,745.	2,109.
	56"	72"	15"	2.1	ROHHDHS721DH(A/D)(N/F)() ()	1,330.	1,638.	1,800.	2,175.
	56"	78"	15"	2.2	ROHHDHS781DH(A/D)(N/F)() ()	1,385.	1,703.	1,870.	2,254.
	56"	84"	15"	2.4	ROHHDHS841DH(A/D)(N/F)() ()	1,625.	2,027.	2,238.	2,723.
	56"	90"	15"	2.6	ROHHDHS901DH(A/D)(N/F)() ()	1,673.	2,082.	2,297.	2,791.
	56"	96"	15"	2.7	ROHHDHS961DH(A/D)(N/F)() ()	1,716.	2,131.	2,348.	2,849.

Order Code

Example:	ROHOSHS601DH (A/D)(N/F)() ()
R	Reff
O	Overhead
H	Hutches
O	Open, H = Hinge
DH	Double High
S	Surround
60	60" High
1	Letter depth
DH	Desk Height
A	1 1/4" thick worksurface
N	Unfinished
V316	Surround Finish
W281	Fabric Finish

Specification Information

To order please specify pattern number including:

1. Worksurface thickness:
A = 1 1/4" thick top
D = 1 1/2" thick top
2. Outside back finish:
N = Unfinished
F = Finished
3. Surround finish: Wood or Laminate
4. Fabric option:

Application Notes

Note: to be ordered in conjunction with case.

Shipped knocked down.

Hardware is included.



Tackboard is included with the surrounds.

The Fabric for tackboard is railroaded.

Overhead storage

Hutches, 28 3/8 planning Case, Single and Double High Open

Reff Profiles

description	h	w	d	y	pattern no.	L	V1	V2	V3
 Single high Case, Open	20"	60"	15"		ROHOSHC601DH()	\$1,731.	\$2,425.	\$2,788.	\$3,625.
	20"	66"	15"		ROHOSHC661DH()	1,764.	2,470.	2,840.	3,693.
	20"	72"	15"		ROHOSHC721DH()	1,798.	2,517.	2,895.	3,765.
	20"	78"	15"		ROHOSHC781DH()	1,888.	2,644.	3,041.	3,953.
	20"	84"	15"		ROHOSHC841DH()	2,196.	3,075.	3,536.	4,596.
	20"	90"	15"		ROHOSHC901DH()	2,233.	3,127.	3,596.	4,674.
	20"	96"	15"		ROHOSHC961DH()	2,268.	3,175.	3,652.	4,748.
 Double high Case, Open	33"	60"	15"		ROHODHC601DH()	2,810.	3,935.	4,525.	5,882.
	33"	66"	15"		ROHODHC661DH()	2,895.	4,054.	4,662.	6,059.
	33"	72"	15"		ROHODHC721DH()	2,940.	4,116.	4,733.	6,153.
	33"	78"	15"		ROHODHC781DH()	3,043.	4,259.	4,899.	6,367.
	33"	84"	15"		ROHODHC841DH()	3,834.	5,366.	6,171.	8,023.
	33"	90"	15"		ROHODHC901DH()	3,880.	5,432.	6,247.	8,122.
	33"	96"	15"		ROHODHC961DH()	3,922.	5,491.	6,315.	8,209.



Order Code	Specification Information	Application Notes																																								
Example: ROHOSHC601DH()	<i>To order please specify pattern number including:</i>	Note: These cases should be ordered in conjunction with Single High Surround - "Open". See matrix for the additional cost of single high surround. Please refer to page 400 and 401 for the list of surrounds. The case ships assembled. Cubby dividers: 3"h x 13"d Interior Gables: 18"h x 13"d The case backs are finished in veneer / laminate on the inside and paper finished on the outside.																																								
R Reff	1. Case finish; Wood or Laminate																																									
O Overhead	These products are Glue and Dowel construction.	For Single Height: <table border="1"> <thead> <tr> <th>w</th> <th>L</th> <th>V1</th> <th>V2</th> <th>V3</th> </tr> </thead> <tbody> <tr> <td>60"</td> <td>\$1,107</td> <td>\$1,350</td> <td>\$1,477</td> <td>\$1,770</td> </tr> <tr> <td>66"</td> <td>\$1,147</td> <td>\$1,393</td> <td>\$1,523</td> <td>\$1,821</td> </tr> <tr> <td>72"</td> <td>\$1,187</td> <td>\$1,438</td> <td>\$1,570</td> <td>\$1,873</td> </tr> <tr> <td>78"</td> <td>\$1,240</td> <td>\$1,500</td> <td>\$1,636</td> <td>\$1,950</td> </tr> <tr> <td>84"</td> <td>\$1,438</td> <td>\$1,765</td> <td>\$1,937</td> <td>\$2,332</td> </tr> <tr> <td>90"</td> <td>\$1,478</td> <td>\$1,809</td> <td>\$1,983</td> <td>\$2,383</td> </tr> <tr> <td>96"</td> <td>\$1,519</td> <td>\$1,855</td> <td>\$2,031</td> <td>\$2,436</td> </tr> </tbody> </table>	w	L	V1	V2	V3	60"	\$1,107	\$1,350	\$1,477	\$1,770	66"	\$1,147	\$1,393	\$1,523	\$1,821	72"	\$1,187	\$1,438	\$1,570	\$1,873	78"	\$1,240	\$1,500	\$1,636	\$1,950	84"	\$1,438	\$1,765	\$1,937	\$2,332	90"	\$1,478	\$1,809	\$1,983	\$2,383	96"	\$1,519	\$1,855	\$2,031	\$2,436
w	L	V1	V2	V3																																						
60"	\$1,107	\$1,350	\$1,477	\$1,770																																						
66"	\$1,147	\$1,393	\$1,523	\$1,821																																						
72"	\$1,187	\$1,438	\$1,570	\$1,873																																						
78"	\$1,240	\$1,500	\$1,636	\$1,950																																						
84"	\$1,438	\$1,765	\$1,937	\$2,332																																						
90"	\$1,478	\$1,809	\$1,983	\$2,383																																						
96"	\$1,519	\$1,855	\$2,031	\$2,436																																						
H Hutches	Letter depth is 15" nominal.	For Double Height: <table border="1"> <thead> <tr> <th>w</th> <th>L</th> <th>V1</th> <th>V2</th> <th>V3</th> </tr> </thead> <tbody> <tr> <td>60"</td> <td>\$1,231</td> <td>\$1,524</td> <td>\$1,677</td> <td>\$2,030</td> </tr> <tr> <td>66"</td> <td>\$1,284</td> <td>\$1,586</td> <td>\$1,745</td> <td>\$2,109</td> </tr> <tr> <td>72"</td> <td>\$1,330</td> <td>\$1,638</td> <td>\$1,800</td> <td>\$2,175</td> </tr> <tr> <td>78"</td> <td>\$1,385</td> <td>\$1,703</td> <td>\$1,870</td> <td>\$2,254</td> </tr> <tr> <td>84"</td> <td>\$1,625</td> <td>\$2,027</td> <td>\$2,238</td> <td>\$2,723</td> </tr> <tr> <td>90"</td> <td>\$1,673</td> <td>\$2,082</td> <td>\$2,297</td> <td>\$2,791</td> </tr> <tr> <td>96"</td> <td>\$1,716</td> <td>\$2,131</td> <td>\$2,348</td> <td>\$2,849</td> </tr> </tbody> </table>	w	L	V1	V2	V3	60"	\$1,231	\$1,524	\$1,677	\$2,030	66"	\$1,284	\$1,586	\$1,745	\$2,109	72"	\$1,330	\$1,638	\$1,800	\$2,175	78"	\$1,385	\$1,703	\$1,870	\$2,254	84"	\$1,625	\$2,027	\$2,238	\$2,723	90"	\$1,673	\$2,082	\$2,297	\$2,791	96"	\$1,716	\$2,131	\$2,348	\$2,849
w	L	V1	V2	V3																																						
60"	\$1,231	\$1,524	\$1,677	\$2,030																																						
66"	\$1,284	\$1,586	\$1,745	\$2,109																																						
72"	\$1,330	\$1,638	\$1,800	\$2,175																																						
78"	\$1,385	\$1,703	\$1,870	\$2,254																																						
84"	\$1,625	\$2,027	\$2,238	\$2,723																																						
90"	\$1,673	\$2,082	\$2,297	\$2,791																																						
96"	\$1,716	\$2,131	\$2,348	\$2,849																																						
O Open	Fascia and Tasklights are ordered separately.																																									
SH Single High																																										
C Case																																										
60 60" High																																										
1 Letter depth																																										
DH Desk Height																																										
V613 Case Finish																																										

Hutches, 28 3/8 planning

Case, Single High

Wood Hinge Doors

Reff Profiles



description	h	w	d	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Single high Case with long hinge doors, cubby concealed 	20"	60"	15"	4	ROHSHHC601DH()	\$3,033.	\$3,337.	\$3,489.	\$3,641.	\$4,248.	\$4,884.	\$6,350.
	20"	66"	15"	4	ROHSHHC661DH()	3,085.	3,392.	3,546.	3,701.	4,317.	4,965.	6,454.
	20"	72"	15"	4	ROHSHHC721DH()	3,135.	3,449.	3,606.	3,763.	4,390.	5,049.	6,563.
	20"	78"	15"	4	ROHSHHC781DH()	3,249.	3,574.	3,736.	3,890.	4,548.	5,230.	6,800.
	20"	84"	15"	6	ROHSHHC841DH()	4,091.	4,500.	4,704.	4,909.	5,727.	6,586.	8,561.
	20"	90"	15"	6	ROHSHHC901DH()	4,141.	4,555.	4,762.	4,969.	5,797.	6,667.	8,666.
Single high Case with short hinge doors, cubby exposed 	20"	60"	15"	4	ROHHCShc601DH()	2,837.	3,121.	3,262.	3,404.	3,972.	4,567.	5,937.
	20"	66"	15"	4	ROHHCShc661DH()	2,881.	3,169.	3,312.	3,457.	4,033.	4,638.	6,030.
	20"	72"	15"	4	ROHHCShc721DH()	2,931.	3,224.	3,370.	3,517.	4,104.	4,718.	6,135.
	20"	78"	15"	4	ROHHCShc781DH()	2,994.	3,294.	3,443.	3,593.	4,192.	4,820.	6,267.
	20"	84"	15"	6	ROHHCShc841DH()	3,781.	4,159.	4,349.	4,537.	5,293.	6,087.	7,913.
	20"	90"	15"	6	ROHHCShc901DH()	3,846.	4,230.	4,423.	4,614.	5,384.	6,191.	8,049.
20"	96"	15"	6	ROHHCShc961DH()	3,895.	4,285.	4,479.	4,674.	5,454.	6,272.	8,152.	

Order Code	Specification Information	Application Notes																																								
Example: ROHSHHC601DH ()()()()()	<i>To order please specify pattern number including:</i>	Note: These cases should be ordered in conjunction with Single High Surround - "Hinge". See matrix for the additional cost of single high surround.																																								
R Reff	1. Lock option: L = Drill for lock N = No lock drilling	For Single Height: <table border="1"> <thead> <tr> <th>w</th> <th>L</th> <th>VI</th> <th>V2</th> <th>V3</th> </tr> </thead> <tbody> <tr> <td>60"</td> <td>\$1,107</td> <td>\$1,350</td> <td>\$1,477</td> <td>\$1,770</td> </tr> <tr> <td>66"</td> <td>\$1,147</td> <td>\$1,393</td> <td>\$1,523</td> <td>\$1,821</td> </tr> <tr> <td>72"</td> <td>\$1,187</td> <td>\$1,438</td> <td>\$1,570</td> <td>\$1,873</td> </tr> <tr> <td>78"</td> <td>\$1,240</td> <td>\$1,500</td> <td>\$1,636</td> <td>\$1,950</td> </tr> <tr> <td>84"</td> <td>\$1,438</td> <td>\$1,765</td> <td>\$1,937</td> <td>\$2,332</td> </tr> <tr> <td>90"</td> <td>\$1,478</td> <td>\$1,809</td> <td>\$1,983</td> <td>\$2,383</td> </tr> <tr> <td>96"</td> <td>\$1,519</td> <td>\$1,855</td> <td>\$2,031</td> <td>\$2,436</td> </tr> </tbody> </table>	w	L	VI	V2	V3	60"	\$1,107	\$1,350	\$1,477	\$1,770	66"	\$1,147	\$1,393	\$1,523	\$1,821	72"	\$1,187	\$1,438	\$1,570	\$1,873	78"	\$1,240	\$1,500	\$1,636	\$1,950	84"	\$1,438	\$1,765	\$1,937	\$2,332	90"	\$1,478	\$1,809	\$1,983	\$2,383	96"	\$1,519	\$1,855	\$2,031	\$2,436
w	L	VI	V2	V3																																						
60"	\$1,107	\$1,350	\$1,477	\$1,770																																						
66"	\$1,147	\$1,393	\$1,523	\$1,821																																						
72"	\$1,187	\$1,438	\$1,570	\$1,873																																						
78"	\$1,240	\$1,500	\$1,636	\$1,950																																						
84"	\$1,438	\$1,765	\$1,937	\$2,332																																						
90"	\$1,478	\$1,809	\$1,983	\$2,383																																						
96"	\$1,519	\$1,855	\$2,031	\$2,436																																						
O Overhead	2. Lock finish: B = Black S = Silver	Please refer to page 400 for the list of surrounds.																																								
H Hutches	3. Pull option: B = Blank, no drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (PT or PZ only) F = Bar pull H = Outline pull R = Cylinder pull S = S-pull, (Stainless steel finish only) T = Tab pull	These products are glue and dowel construction.																																								
H Hinge		Letter depth is 15" nominal.																																								
SH Single High		Facias and task lights ordered separately.																																								
C Case		Products on this page excluding J-Pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.																																								
60 60" High		Installation instructions available on Knoll Exchange.																																								
1 Letter depth		The case backs are finished in veneer / laminate on the inside and paper finished on the outside.																																								
DH Desk height	4. Pull finish: Painted or plated, unless otherwise indicated.																																									
L Lock option	5. Case finish: Wood or Laminate																																									
B Lock finish	6. Front finish: Wood or Laminate																																									
H Pull option																																										
111 Pull finish																																										
V316 Case finish																																										
V316 Front finish																																										

Overhead storage

Hutches, 28 3/8 planning Case, Single High Glass Hinge Door

Reff Profiles

description	h	w	d	dr	pattern no.	L	V1	V2	V3
Single high Case with long Glass doors, cubby concealed 	20"	60"	15"	4	ROHGSHC601DH()()	\$4,484.	\$5,291.	\$6,085.	\$7,910.
	20"	66"	15"	4	ROHGSHC661DH()()	4,606.	5,435.	6,250.	8,125.
	20"	72"	15"	4	ROHGSHC721DH()()	4,737.	5,590.	6,428.	8,356.
	20"	78"	15"	4	ROHGSHC781DH()()	4,959.	5,852.	6,729.	8,748.
	20"	84"	15"	6	ROHGSHC841DH()()	5,906.	6,969.	8,015.	10,419.
	20"	90"	15"	6	ROHGSHC901DH()()	6,039.	7,126.	8,195.	10,653.
	20"	96"	15"	6	ROHGSHC961DH()()	6,135.	7,239.	8,325.	10,823.
Single high Case with short Glass doors, cubby exposed 	20"	60"	15"	4	ROHGCHC601DH()()	4,201.	4,579.	5,266.	6,846.
	20"	66"	15"	4	ROHGCHC661DH()()	4,328.	4,717.	5,425.	7,052.
	20"	72"	15"	4	ROHGCHC721DH()()	4,436.	4,835.	5,560.	7,229.
	20"	78"	15"	4	ROHGCHC781DH()()	4,622.	5,038.	5,794.	7,531.
	20"	84"	15"	6	ROHGCHC841DH()()	5,696.	6,208.	7,139.	9,281.
	20"	90"	15"	6	ROHGCHC901DH()()	5,765.	6,283.	7,225.	9,394.
	20"	96"	15"	6	ROHGCHC961DH()()	5,892.	6,422.	7,386.	9,602.

Order Code

Example:	ROHGSHC601DH ()()
R	Reff
O	Overhead
H	Hutches
GH	Glass Hinge Doors
SH	Single High
C	Case
60	60" High
1	Letter depth
DH	Desk height
V316	Case finish
AU	Front finish
GI14	Glass Door finish

Specification Information

To order please specify pattern number including:

1. Case finish: Wood or Laminate
2. Door frame finish: Anodized or Painted
3. Glass door finish: GL11, GL14, GL15, GL18

Application Notes

Note: These cases should be ordered in conjunction with Single High Surround - "Hinge". See matrix for the additional cost of single high surround.

Please refer to page 400 for the list of surrounds.

These products are glue and dowel construction.

Letter depth is 15" nominal.

No Glass shelves.

Facias and task lights ordered separately.

No pull option on glass doors. Glass doors project below shelf for opening.

No locking on glass doors.

The case backs are finished in veneer / laminate on the inside and paper finished on the outside.

For Single Height:

w	L	V1	V2	V3
60"	\$1,107	\$1,350	\$1,477	\$1,770
66"	\$1,147	\$1,393	\$1,523	\$1,821
72"	\$1,187	\$1,438	\$1,570	\$1,873
78"	\$1,240	\$1,500	\$1,636	\$1,950
84"	\$1,438	\$1,765	\$1,937	\$2,332
90"	\$1,478	\$1,809	\$1,983	\$2,383
96"	\$1,519	\$1,855	\$2,031	\$2,436


Hutches, 28 3/8 planning

Reff Profiles


Case, Single High

Glass Hinge Door / Open / Cubby Concealed or Exposed

description	h	w	d	dr	pattern no.	L	V1	V2	V3
Single high Case with long Glass hinge doors, long glass hinge doors/open/cubby concealed	20"	60"	15"	2	ROHGHOSHC601DH()()	\$3,767.	\$4,709.	\$5,415.	\$7,039.
	20"	66"	15"	2	ROHGHOSHC661DH()()	3,845.	4,806.	5,527.	7,185.
	20"	72"	15"	2	ROHGHOSHC721DH()()	3,942.	4,927.	5,666.	7,366.
	20"	78"	15"	2	ROHGHOSHC781DH()()	4,037.	5,046.	5,803.	7,543.
	20"	84"	15"	4	ROHGHOSHC841DH()()	4,746.	5,933.	6,823.	8,870.
	20"	90"	15"	4	ROHGHOSHC901DH()()	4,847.	6,059.	6,968.	9,058.
	20"	96"	15"	4	ROHGHOSHC961DH()()	4,924.	6,155.	7,078.	9,202.



Single high Case with short Glass hinge doors, short glass hinge doors/open/cubby exposed	20"	60"	15"	2	ROHGHOSHC601DH()()	3,118.	3,898.	4,482.	5,827.
	20"	66"	15"	2	ROHGHOSHC661DH()()	3,190.	3,987.	4,586.	5,962.
	20"	72"	15"	2	ROHGHOSHC721DH()()	3,256.	4,070.	4,680.	6,084.
	20"	78"	15"	2	ROHGHOSHC781DH()()	3,331.	4,164.	4,788.	6,225.
	20"	84"	15"	4	ROHGHOSHC841DH()()	4,089.	4,907.	5,642.	7,336.
	20"	90"	15"	4	ROHGHOSHC901DH()()	4,138.	4,965.	5,710.	7,423.
	20"	96"	15"	4	ROHGHOSHC961DH()()	4,222.	5,067.	5,827.	7,575.



Order Code	Specification Information	Application Notes
Example: ROHGHOSHC601DH () ()	<i>To order please specify pattern number including:</i>	<p>Note: These cases should be ordered in conjunction with Single High Surround - "Hinge". See matrix for the additional cost of single high surround.</p> <p>Please refer to page 400 for the list of surrounds.</p> <p>These products are glue and dowel construction.</p> <p>Letter depth is 15" nominal.</p> <p>No Glass shelves.</p> <p>Facias and task lights ordered separately.</p> <p>No pull option on glass doors. Glass doors project below shelf for opening.</p> <p>The case backs are finished in veneer / laminate on the inside and paper finished on the outside.</p>
R Reff	1. Case finish: Wood or Laminate	
O Overhead	2. Door frame finish: Anodized or Painted	
H Hutches	3. Glass door finish: GL11, GL14, GL15, GL18	
GHO Glass Hinge Door, Open, Cubby Concealed		
SH Single High		
C Case		
60 60" High		
1 Letter depth		
DH Desk Height		
V316 Case Finish		
AU Door Frame Finish		
GL14 Glass Door Finish		

For Single Height:				
w	L	VI	V2	V3
60"	\$1,107	\$1,350	\$1,477	\$1,770
66"	\$1,147	\$1,393	\$1,523	\$1,821
72"	\$1,187	\$1,438	\$1,570	\$1,873
78"	\$1,240	\$1,500	\$1,636	\$1,950
84"	\$1,438	\$1,765	\$1,937	\$2,332
90"	\$1,478	\$1,809	\$1,983	\$2,383
96"	\$1,519	\$1,855	\$2,031	\$2,436



Overhead storage

Hutches, 28 3/8 planning

Reff Profiles

Case, Single High

Wood Hinge Door / Open / Cubby Concealed or Exposed

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Single high Case with long hinge doors, hinge door/open/cubby concealed 	60"	15"	20"	4	ROHHOSHC601DH()	\$2,704.	\$2,975.	\$3,110.	\$3,245.	\$3,921.	\$4,509.	\$5,862.
	66"	15"	20"	4	ROHHOSHC661DH()	2,742.	3,018.	3,155.	3,292.	3,978.	4,574.	5,946.
	72"	15"	20"	4	ROHHOSHC721DH()	2,787.	3,066.	3,206.	3,344.	4,042.	4,648.	6,042.
	78"	15"	20"	4	ROHHOSHC781DH()	2,842.	3,127.	3,268.	3,410.	4,122.	4,740.	6,162.
	84"	15"	20"	6	ROHHOSHC841DH()	3,307.	3,639.	3,804.	3,969.	4,796.	5,516.	7,171.
	90"	15"	20"	6	ROHHOSHC901DH()	3,358.	3,693.	3,862.	4,029.	4,868.	5,599.	7,278.
	96"	15"	20"	6	ROHHOSHC961DH()	3,398.	3,738.	3,909.	4,079.	4,928.	5,667.	7,367.
Single high Case with short hinge doors, hinge door/open/cubby exposed 	60"	15"	20"	4	ROHHOCSHC601DH()	2,539.	2,793.	2,920.	3,047.	3,682.	4,234.	5,504.
	66"	15"	20"	4	ROHHOCSHC661DH()	2,575.	2,834.	2,962.	3,091.	3,735.	4,295.	5,583.
	72"	15"	20"	4	ROHHOCSHC721DH()	2,617.	2,879.	3,010.	3,140.	3,795.	4,364.	5,673.
	78"	15"	20"	4	ROHHOCSHC781DH()	2,669.	2,936.	3,069.	3,202.	3,870.	4,451.	5,786.
	84"	15"	20"	6	ROHHOCSHC841DH()	3,105.	3,417.	3,572.	3,727.	4,503.	5,179.	6,733.
	90"	15"	20"	6	ROHHOCSHC901DH()	3,153.	3,468.	3,626.	3,783.	4,571.	5,257.	6,834.
	96"	15"	20"	6	ROHHOCSHC961DH()	3,191.	3,510.	3,670.	3,830.	4,627.	5,321.	6,917.

Order Code

Example:	ROHHSHC601DH ()
R	Reff
O	Overhead
H	Hutches
HO	Hinge / Open
SH	Single High
C	Case
60	60" High
1	Letter depth
DH	Desk height
L	Lock option
B	Lock finish
F	Pull option
111	Pull finish
V316	Case finish
V316	Front finish

Specification Information

- To order please specify pattern number including:*
- Lock option:
L = Drill for lock
N = No lock drilling
 - Lock finish:
B = Black
S = Silver
 - Pull option:
B = Blank, no drilling customer's own pull
C = C-Pull (Nickel finish only)
D = D-Pull (PT or PZ only)
F = Bar pull
H = Outline pull
R = Cylinder pull
S = S-pull, (Stainless steel finish only)
T = Tab pull
 - Pull finish: Painted or plated, unless otherwise indicated.
 - Case finish: Wood or Laminate
 - Front finish: Wood or Laminate

Application Notes

Note: These cases should be ordered in conjunction with Single High Surround - "Hinge". See matrix for the additional cost of single high surround.

Please refer to page 400 for the list of surrounds.

These products are glue and dowel construction.

Letter depth is 15" nominal.

Facias and task lights ordered separately.

Products on this page **excluding J-Pull** option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.

Installation instructions available on Knoll Exchange.



The case backs are finished in veneer / laminate on the inside and paper finished on the outside.

For Single Height:

w	L	V1	V2	V3
60"	\$1,107	\$1,350	\$1,477	\$1,770
66"	\$1,147	\$1,393	\$1,523	\$1,821
72"	\$1,187	\$1,438	\$1,570	\$1,873
78"	\$1,240	\$1,500	\$1,636	\$1,950
84"	\$1,438	\$1,765	\$1,937	\$2,332
90"	\$1,478	\$1,809	\$1,983	\$2,383
96"	\$1,519	\$1,855	\$2,031	\$2,436

Hutches, 28 3/8 planning Case, Double High Wood Hinge Doors

Reff Profiles

description	h	w	d	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Double high Case with long hinge doors, cubby concealed 	33"	60"	15"	4	ROHHDHC601DH()	\$3,657.	\$4,022.	\$4,204.	\$4,387.	\$5,118.	\$5,886.	\$7,652.
	33"	66"	15"	4	ROHHDHC661DH()	3,772.	4,149.	4,338.	4,527.	5,281.	6,073.	7,895.
	33"	72"	15"	4	ROHHDHC721DH()	3,849.	4,234.	4,427.	4,620.	5,389.	6,198.	8,075.
	33"	78"	15"	4	ROHHDHC781DH()	3,977.	4,374.	4,573.	4,772.	5,567.	6,401.	8,322.
	33"	84"	15"	6	ROHHDHC841DH()	5,024.	5,527.	5,778.	6,030.	7,034.	8,090.	10,516.
	33"	90"	15"	6	ROHHDHC901DH()	5,114.	5,626.	5,881.	6,137.	7,160.	8,234.	10,704.
	33"	96"	15"	6	ROHHDHC961DH()	5,181.	5,699.	5,959.	6,217.	7,253.	8,342.	10,844.
Double high Case with short hinge doors, cubby exposed 	33"	60"	15"	4	ROHCDHC601DH()	3,458.	3,803.	3,976.	4,149.	4,840.	5,566.	7,237.
	33"	66"	15"	4	ROHCDHC661DH()	3,569.	3,926.	4,105.	4,283.	4,997.	5,746.	7,471.
	33"	72"	15"	4	ROHCDHC721DH()	3,643.	4,008.	4,189.	4,371.	5,101.	5,865.	7,625.
	33"	78"	15"	4	ROHCDHC781DH()	3,722.	4,095.	4,281.	4,467.	5,212.	5,994.	7,792.
	33"	84"	15"	6	ROHCDHC841DH()	4,729.	5,202.	5,438.	5,675.	6,621.	7,614.	9,897.
	33"	90"	15"	6	ROHCDHC901DH()	4,816.	5,298.	5,539.	5,780.	6,743.	7,755.	10,082.
	33"	96"	15"	6	ROHCDHC961DH()	4,881.	5,369.	5,612.	5,857.	6,833.	7,858.	10,216.

Order Code

Example:	ROHHDHC601DH ()()()()
R	Reff
O	Overhead
H	Hutches
H	Hinge
DH	Double High
C	Case
60	60" High
1	Letter depth
DH	Desk Height
L	Lock Option
B	Lock Finish
H	Pull Finish
111	Pull Finish
V316	Case Finish
V316	Front Finish

Specification Information

- To order please specify pattern number including:*
- Lock option:
L = Drill for lock
N = No lock drilling
 - Lock finish:
B = Black
S = Silver
 - Pull option:
B = Blank, no drilling customer's own pull
C = C-Pull (Nickel finish only)
D = D-Pull (PT or PZ only)
F = Bar pull
H = Outline pull
R = Cylinder pull
S = S-pull, (Stainless steel finish only)
T = Tab pull
 - Pull finish: Painted or plated, unless otherwise indicated.
 - Case finish: Wood or Laminate
 - Front finish: Wood or Laminate

Application Notes

Note: These cases should be ordered in conjunction with Double High Surround - "Hinge". See matrix for the additional cost of double high surround.

Please refer to page 401 for the list of surrounds.

These products are glue and dowel construction.

Letter depth is 15" nominal.

Facias and task lights ordered separately.

Products on this page **excluding J-Pull** option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.

Installation instructions available on Knoll Exchange.

The case backs are finished in veneer / laminate on the inside and paper finished on the outside.



For Double Height:

w	L	VI	V2	V3
60"	\$1,231	\$1,524	\$1,677	\$2,030
66"	\$1,284	\$1,586	\$1,745	\$2,109
72"	\$1,330	\$1,638	\$1,800	\$2,175
78"	\$1,385	\$1,703	\$1,870	\$2,254
84"	\$1,625	\$2,027	\$2,238	\$2,723
90"	\$1,673	\$2,082	\$2,297	\$2,791
96"	\$1,716	\$2,131	\$2,348	\$2,849

Overhead storage

Hutches, 28 3/8 planning Case, Double High Glass Hinge Doors

Reff Profiles

description	h	w	d	dr	pattern no.	L	V1	V2	V3
Double high Case with long Glass doors, cubby concealed 	33"	60"	15"	4	ROHGHDHC601DH()()()	\$5,719.	\$6,749.	\$7,761.	\$10,089.
	33"	66"	15"	4	ROHGHDHC661DH()()()	5,899.	6,960.	8,004.	10,406.
	33"	72"	15"	4	ROHGHDHC721DH()()()	6,104.	7,203.	8,283.	10,768.
	33"	78"	15"	4	ROHGHDHC781DH()()()	6,398.	7,550.	8,683.	11,288.
	33"	84"	15"	6	ROHGHDHC841DH()()()	7,685.	9,068.	10,428.	13,577.
	33"	90"	15"	6	ROHGHDHC901DH()()()	7,870.	9,287.	10,680.	13,884.
Double high Case with short Glass doors, cubby exposed 	33"	06"	15"	6	ROHGCDHC961DH()()()	7,419.	8,087.	9,299.	12,089.
	33"	60"	15"	4	ROHGCDHC601DH()()()	5,235.	5,707.	6,563.	8,533.
	33"	66"	15"	4	ROHGCDHC661DH()()()	5,459.	5,950.	6,843.	8,896.
	33"	72"	15"	4	ROHGCDHC721DH()()()	5,635.	6,143.	7,064.	9,183.
	33"	78"	15"	4	ROHGCDHC781DH()()()	5,860.	6,387.	7,345.	9,548.
	33"	84"	15"	6	ROHGCDHC841DH()()()	7,132.	7,773.	8,939.	11,621.
33"	90"	15"	6	ROHGCDHC901DH()()()	7,249.	7,902.	9,088.	11,813.	

Order Code	Specification Information	Application Notes	For Double Height:				
			w	L	VI	V2	V3
Example: ROHGHDHC601DH () ()	<i>To order please specify pattern number including:</i>	Note: These cases should be ordered in conjunction with Double High Surround - "Hinge". See matrix for the additional cost of double high surround.	60"	\$1,231	\$1,524	\$1,677	\$2,030
R Reff	1. Case finish: Wood or Laminate	Please refer to page 401 for the list of surrounds.	66"	\$1,284	\$1,586	\$1,745	\$2,109
O Overhead	2. Door frame finish: Anodized or Painted		72"	\$1,330	\$1,638	\$1,800	\$2,175
H Hutches	3. Glass door finish: GL11, GL14, GL15, GL18		78"	\$1,385	\$1,703	\$1,870	\$2,254
GH Glass Hinge Doors		These products are glue and dowel construction.	84"	\$1,625	\$2,027	\$2,238	\$2,723
DH Double High		Letter depth is 15" nominal.	90"	\$1,673	\$2,082	\$2,297	\$2,791
C Case		No Glass shelves.	96"	\$1,716	\$2,131	\$2,348	\$2,849
60 60" High		Facias and task lights ordered separately.					
1 Letter depth		No pull option on glass doors. Glass doors project below shelf for opening.					
DH Desk height		The case backs are finished in veneer / laminate on the inside and paper finished on the outside.					
V316 Case finish							
AU Door Frame Finish							
GL14 Glass Door Finish							


Hutches, 28 3/8 planning

Reff Profiles


Case, Double High

Glass Hinge Doors / Open / Cubby Concealed or Exposed

description	h	w	d	dr	pattern no.	L	V1	V2	V3
Double high Case with long Glass hinge doors, long glass hinge doors/open/cubby concealed	33"	60"	15"	2	ROGHODHC601DH()()	\$4,842.	\$6,052.	\$6,960.	\$9,048.
	33"	66"	15"	2	ROGHODHC661DH()()	4,972.	6,215.	7,147.	9,291.
	33"	72"	15"	2	ROGHODHC721DH()()	5,093.	6,366.	7,321.	9,517.
	33"	78"	15"	2	ROGHODHC781DH()()	5,232.	6,540.	7,521.	9,777.
	33"	84"	15"	4	ROGHODHC841DH()()	6,137.	7,671.	8,822.	11,469.
	33"	90"	15"	4	ROGHODHC901DH()()	6,279.	7,849.	9,026.	11,734.
33"	96"	15"	4	ROGHODHC961DH()()	6,393.	7,991.	9,190.	11,947.	



description	h	w	d	dr	pattern no.	L	V1	V2	V3
Double high Case with short Glass hinge doors, short glass hinge doors/open/cubby exposed	33"	60"	15"	2	ROGHODHC601DH()()	4,145.	5,181.	5,958.	7,746.
	33"	66"	15"	2	ROGHODHC661DH()()	4,251.	5,314.	6,111.	7,944.
	33"	72"	15"	2	ROGHODHC721DH()()	4,348.	5,435.	6,250.	8,126.
	33"	78"	15"	2	ROGHODHC781DH()()	4,445.	5,559.	6,390.	8,304.
	33"	84"	15"	4	ROGHODHC841DH()()	5,364.	6,598.	7,587.	9,863.
	33"	90"	15"	4	ROGHODHC901DH()()	5,446.	6,698.	7,702.	10,014.
33"	96"	15"	4	ROGHODHC961DH()()	5,564.	6,844.	7,871.	10,232.	




Order Code	Specification Information	Application Notes	For Double Height:				
			w	L	VI	V2	V3
Example: ROGHODHC601DH ()()	<i>To order please specify pattern number including:</i>	Note: These cases should be ordered in conjunction with Double High Surround - "Hinge". See matrix for the additional cost of double high surround.	60"	\$1,231	\$1,524	\$1,677	\$2,030
R Reff	1. Case finish: Wood or Laminate	Please refer to page 401 for the list of surrounds.	66"	\$1,284	\$1,586	\$1,745	\$2,109
O Overhead	2. Door frame finish: Anodized or Painted	These products are glue and dowel construction.	72"	\$1,330	\$1,638	\$1,800	\$2,175
H Hutches	3. Glass door finish: GL11, GL14, GL15, GL18	Letter depth is 15" nominal.	78"	\$1,385	\$1,703	\$1,870	\$2,254
GHO Glass Hinge Door, Open, Cubby Concealed		No Glass shelves.	84"	\$1,625	\$2,027	\$2,238	\$2,723
DH Double High		Facias and task lights ordered separately.	90"	\$1,673	\$2,082	\$2,297	\$2,791
C Case		No pull option on glass doors. Glass doors project below shelf for opening.	96"	\$1,716	\$2,131	\$2,348	\$2,849
60 60" High		The case backs are finished in veneer / laminate on the inside and paper finished on the outside.					
1 Letter depth							
DH Desk Height							
V316 Case Finish							
AU Door Frame Finish							
GL14 Glass Door Finish							

Overhead storage

Case, Double High

Wood Hinge Doors / Open / Cubby Concealed or Exposed


description	h	w	d	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Double high Case with long hinge doors, hinge door/open/cubby concealed 	33"	60"	15"	4	ROHHODHC601DH(X)(X)(X)(X)	\$3,696.	\$4,065.	\$4,251.	\$4,436.	\$5,175.	\$5,951.	\$7,736.
	33"	66"	15"	4	ROHHODHC661DH(X)(X)(X)(X)	3,811.	4,194.	4,384.	4,574.	5,336.	6,137.	7,978.
	33"	72"	15"	4	ROHHODHC721DH(X)(X)(X)(X)	3,891.	4,279.	4,474.	4,668.	5,447.	6,264.	8,142.
	33"	78"	15"	4	ROHHODHC781DH(X)(X)(X)(X)	3,957.	4,352.	4,551.	4,748.	5,540.	6,370.	8,282.
	33"	84"	15"	6	ROHHODHC841DH(X)(X)(X)(X)	5,015.	5,516.	5,766.	6,017.	7,020.	8,073.	10,495.
	33"	90"	15"	6	ROHHODHC901DH(X)(X)(X)(X)	5,105.	5,615.	5,870.	6,125.	7,146.	8,218.	10,683.
33"	96"	15"	6	ROHHODHC961DH(X)(X)(X)(X)	5,171.	5,687.	5,946.	6,205.	7,239.	8,324.	10,822.	

Double high Case with short hinge doors, hinge door/open/cubby exposed 	33"	60"	15"	4	ROHHOCDHC601DH(X)(X)(X)(X)	3,260.	3,585.	3,748.	3,912.	4,727.	5,435.	7,066.
	33"	66"	15"	4	ROHHOCDHC661DH(X)(X)(X)(X)	3,312.	3,643.	3,809.	3,975.	4,803.	5,523.	7,180.
	33"	72"	15"	4	ROHHOCDHC721DH(X)(X)(X)(X)	3,374.	3,711.	3,880.	4,049.	4,893.	5,627.	7,314.
	33"	78"	15"	4	ROHHOCDHC781DH(X)(X)(X)(X)	3,426.	3,769.	3,940.	4,111.	4,968.	5,712.	7,426.
	33"	84"	15"	6	ROHHOCDHC841DH(X)(X)(X)(X)	3,949.	4,344.	4,541.	4,739.	5,726.	5,555.	8,560.
	33"	90"	15"	4	ROHHOCDHC901DH(X)(X)(X)(X)	4,014.	4,415.	4,615.	4,816.	5,820.	6,693.	8,700.
33"	96"	15"	6	ROHHOCDHC961DH(X)(X)(X)(X)	4,071.	4,477.	4,681.	4,884.	5,902.	6,788.	8,824.	


Order Code	Specification Information	Application Notes
Example: ROHHDHC601DH (X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Note: These cases should be ordered in conjunction with Double High Surround - "Hinge". See matrix for the additional cost of double high surround.
R Reff	1. Lock option: L = Drill for lock N = No lock drilling	For Double Height: w L VI V2 V3 60" \$1,231 \$1,524 \$1,677 \$2,030 66" \$1,284 \$1,586 \$1,745 \$2,109 72" \$1,330 \$1,638 \$1,800 \$2,175 78" \$1,385 \$1,703 \$1,870 \$2,254 84" \$1,625 \$2,027 \$2,238 \$2,723 90" \$1,673 \$2,082 \$2,297 \$2,791 96" \$1,716 \$2,131 \$2,348 \$2,849
O Overhead	2. Lock finish: B = Black S = Silver	Please refer to page 401 for the list of surrounds.
H Hutches	3. Pull option: B = Blank, no drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (PT or PZ only) F = Bar pull H = Outline pull R = Cylinder pull S = S-pull, (Stainless steel finish only) T = Tab pull	These products are glue and dowel construction.
HO Hinge / Open	4. Pull finish: Painted or plated, unless otherwise indicated.	Letter depth is 15" nominal.
DH Double High	5. Case finish: Wood or Laminate	Facias and task lights ordered separately.
C Case	6. Front finish: Wood or Laminate	Products on this page excluding J-Pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.
60 60" High		Installation instructions available on Knoll Exchange.
1 Letter depth		The case backs are finished in veneer / laminate on the inside and paper finished on the outside.
DH Desk height		
L Lock option		
B Lock finish		
F Pull option		
111 Pull finish		
V316 Case finish		
V316 Front finish		

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()L		\$734.	\$734.	\$770.	\$1,103.
		30"	14 1/4"	14 3/4"	RO3-M30() ()L		821.	821.	859.	1,187.
		36"	14 1/4"	14 3/4"	RO3-M36() ()L		946.	946.	992.	1,328.
		42"	14 1/4"	14 3/4"	RO3-M42() ()L		1,093.	1,093.	1,146.	1,474.
		48"	14 1/4"	14 3/4"	RO3-M48() ()L		1,216.	1,216.	1,277.	1,615.



Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() ()L		1,542.	1,542.	1,616.	2,221.
		66"	14 1/4"	14 3/4"	RO3-M66() ()L		1,678.	1,678.	1,765.	2,379.
		72"	14 1/4"	14 3/4"	RO3-M72() ()L		1,797.	1,797.	1,886.	2,510.



Enclosed cabinet, no lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()N		664.	664.	696.	
		30"	14 1/4"	14 3/4"	RO3-M30() ()N		751.	751.	789.	
		36"	14 1/4"	14 3/4"	RO3-M36() ()N		877.	877.	918.	
		42"	14 1/4"	14 3/4"	RO3-M42() ()N		1,022.	1,022.	1,072.	
		48"	14 1/4"	14 3/4"	RO3-M48() ()N		1,145.	1,145.	1,202.	



Order Code

Example:	RO3-M48-612-M-L
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.
Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 417) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.

Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() (JN)		\$1,398.	\$1,398.	\$1,467.	n/a
		66"	14 1/4"	14 3/4"	RO3-M66() (JN)		1,539.	1,539.	1,612.	n/a
		72"	14 1/4"	14 3/4"	RO3-M72() (JN)		1,651.	1,651.	1,736.	n/a



description	type	w	d	h	pattern no.	black
Interior partitions	Horizontal, set of 10	6"	11"	-	RO1-HP6	141.
	Horizontal, set of 10	9"	11"	-	RO1-HP9	177.
	Horizontal, set of 10	12"	11"	-	RO1-HP12	211.
	Horizontal, set of 10	15"	11"	-	RO1-HP15	246.
	Vertical, set of 5	-	11"	12"	RO3-VP	91.



Order Code

Example: RO3-M48-612-M-L	
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.
Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 417) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.


Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()L	\$720.	\$720.	\$755.	\$1,084.
		30"	14 1/4"	14 3/4"	RO3-N30() ()L	801.	801.	844.	1,170.
		36"	14 1/4"	14 3/4"	RO3-N36() ()L	927.	927.	974.	1,311.
		42"	14 1/4"	14 3/4"	RO3-N42() ()L	1,075.	1,075.	1,131.	1,458.
		48"	14 1/4"	14 3/4"	RO3-N48() ()L	1,202.	1,202.	1,260.	1,601.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()L	1,520.	1,520.	1,599.	2,206.
		66"	14 1/4"	14 3/4"	RO3-N66() ()L	1,665.	1,665.	1,744.	2,365.
		72"	14 1/4"	14 3/4"	RO3-N72() ()L	1,778.	1,778.	1,867.	2,495.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()N	647.	647.	678.	n/a
		30"	14 1/4"	14 3/4"	RO3-N30() ()N	733.	733.	769.	n/a
		36"	14 1/4"	14 3/4"	RO3-N36() ()N	857.	857.	900.	n/a
		42"	14 1/4"	14 3/4"	RO3-N42() ()N	1,006.	1,006.	1,056.	n/a
		48"	14 1/4"	14 3/4"	RO3-N48() ()N	1,129.	1,129.	1,187.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()N	1,379.	1,379.	1,449.	n/a
		66"	14 1/4"	14 3/4"	RO3-N66() ()N	1,519.	1,519.	1,596.	n/a
		72"	14 1/4"	14 3/4"	RO3-N72() ()N	1,639.	1,639.	1,721.	n/a



Order Code

Example:	RO3-N48-613-613-L
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.



Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter open shelf

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf no mounting hardware		30"	13"	8"	RS1-N30()		\$344.	\$344.	\$360.
		36"	13"	8"	RS1-N36()		390.	390.	408.
		42"	13"	8"	RS1-N42()		420.	420.	440.
		48"	13"	8"	RS1-N48()		452.	452.	474.
		60"	13"	8"	RS1-N60()		529.	529.	557.
 Interior partitions	Vertical, set of 5	–	12"	6"	RS1-VP	85.			
	Horizontal, set of 10	6"	12"	–	RO1-HP6	141.			
		9"	12"	–	RO1-HP9	177.			
		12"	12"	–	RO1-HP12	211.			
		15"	12"	–	RO1-HP15	246.			

Order Code

Example:	RS1-N48-612
RS1	Reuter shelf
N	No mounting hardware
48	Width
612	Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.



Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter open overhead

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open overhead no mounting hardware		30"	13"	14 ³ / ₄ "	RO3-ON30()		\$515.	\$515.	\$539.
		36"	13"	14 ³ / ₄ "	RO3-ON36()		590.	590.	620.
		42"	13"	14 ³ / ₄ "	RO3-ON42()		670.	670.	704.
		48"	13"	14 ³ / ₄ "	RO3-ON48()		749.	749.	784.
		60"	13"	14 ³ / ₄ "	RO3-ON60()		870.	870.	916.
		72"	13"	14 ³ / ₄ "	RO3-ON72()		1,026.	1,026.	1,076.
 Interior partitions	Vertical, set of 5	–	11"	12"	RO3-VP	91.			
	Horizontal, set of 10	6"	11"	–	RO1-HP6	141.			
		9"	11"	–	RO1-HP9	177.			
		12"	11"	–	RO1-HP12	211.			
		15"	11"	–	RO1-HP15	246.			

Order Code

Example:	RO3-ON30-612
RO3-O	Reuter open overhead
N	No mounting hardware
30	Width
612	Finish

Specification Information

Specify finish for case and door.

Application Notes

Interior partitions are black painted steel finish.

Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.

Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.




Reuter overhead storage
desk and panel mounting options
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				RO1-RPB	\$47.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				RS1-RPB	39.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Reff / AutoStrada panels				RO1-RCB()		101.



Order Code	Specification Information	Application Notes
Example: RO2-NS21-612	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
RO2 Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
NS Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
21 Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
612 Paint finish		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	\$88.
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	96.
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	101.
Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	RS1-WMF24	88.
	30"W shelf	29"	1 1/2"	6"	RS1-WMF30	93.
	36"W shelf	35"	1 1/2"	6"	RS1-WMF36	96.
	42"W shelf	41"	1 1/2"	6"	RS1-WMF42	99.
	48"W shelf	47"	1 1/2"	6"	RS1-WMF48	101.
	60"W shelf	59"	1 1/2"	6"	RS1-WMF60	107.
Wall mount wire manager, set of 10					MWM-J	161.
						
	Ganging bracket				RO1-GB	13.
ADA pull					RO1-PULL	51.
						

Order Code

Example:	RO1-GB
RO1	Reuter overhead
GB	Ganging bracket




Specification Information

Wall mount frames are painted black finish.
 ADA pull is stainless steel.

Application Notes

Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads.
 Reuter open shelves 66" and 72"W are for stanchion support only.
 Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).
 Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.


ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".
 ADA pull cannot be mounted on wood front Reuter doors.

description	type	w	d	h	pattern no.	list
 <p>T5 Standard Task Light</p>	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19S	\$232.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25S	249.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37S	269.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49S	291.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61S	310.
 <p>T5 Advanced Task Light</p>	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25A	430.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37A	452.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49A	470.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61A	489.
 <p>LED Task Light</p>	Use with 24" and wider overhead (3 LED's)	19"	2"	5/8"	ML3L193M	310.
	Use with 24" and wider overhead (6 LED's)	19"	2"	5/8"	ML3L196M	391.
	Use with 24" and wider overhead (9 LED's)	19"	2"	5/8"	ML3L199M	533.
	Use with 42" and wider overhead (6 LED's)	37"	2"	5/8"	ML3L376M	625.
	Use with 42" and wider overhead (12 LED's)	37"	2"	5/8"	ML3L3712M	707.
	Use with 42" and wider overhead (18 LED's)	37"	2"	5/8"	ML3L3718M	876.


Order Code	Specification Information	Application Notes
<p>T5 Standard Task Light</p> <p>Example: RTAT5E25S</p> <p>RTA Task Light</p> <p>T5 T5 lamp</p> <p>E Electronic ballast</p> <p>25 Width</p> <p>S Standard</p> <p>LED Task Light</p> <p>Example: ML3L193M</p> <p>ML3 Task Light</p> <p>L LED</p> <p>19 Width</p> <p>3 # of LED's</p> <p>M Metal Overhead Attachment</p>	<p>T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.</p> <p>LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.</p>	<p>T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH</p> <p>Cordset is center exit. On smaller units cord exit is off-center, but still not handed.</p> <p>T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.</p> <p>LED Task Lights: Power cord is able to attach to either end of fixture.</p> <p>Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.</p> <p>All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.</p>

Progressive Overheads
 28³/₈" planning
 Cabinet Hung with glass door


description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung Shelf	90"	15"	14 ³ / ₄ "	1	RROCGSD90GB() () () ()	\$3,023.	\$3,628.	\$4,172.	\$5,424.
Glass Sliding Doors Closed Ends	108"	15"	14 ³ / ₄ "	1	RROCGSD108GB() () () ()	3,307.	3,969.	4,564.	5,933.




Cabinet Hung Shelf with 2 Glass Sliding Doors	90"	15"	14 ⁷ / ₈ "	2	RROC2GSD90() () () ()	4,160.	4,701.	5,119.	6,654.
	108"	15"	14 ⁷ / ₈ "	2	RROC2GSD108() () () ()	4,696.	5,307.	5,710.	7,423.



Cabinet Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ³ / ₄ "	1	RROCGSDL60GB() () () ()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ³ / ₄ "	1	RROCGSDL72GB() () () ()	2,754.	3,167.	3,643.	4,736.




Cabinet Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ³ / ₄ "	1	RROCGSDR60GB() () () ()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ³ / ₄ "	1	RROCGSDR72GB() () () ()	2,754.	3,167.	3,643.	4,736.




Order Code	Specification Information	Application Notes
Example: RROCGSD90GB() () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction.
RR Reffresh	1. Pull option=C Grommet pull	Above sizes are nominal.
O Overhead	2. Pull finish = Painted/plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish = V316	Installation instruction sheets available on Knoll Exchange.
GSD Glass Sliding Door	4. Door frame finish = Anodized / painted	For Cabinet hung overheads, refer to part number 6TP00080.
90 90" wide	5. Door Glass finish	For overhead with sliding doors, refer to part number 6TP00088.
GB Gable Both	GL11 = Black	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
G Pull option	GL14 = Folkstone Grey	A certified building contractor should be consulted.
111 Pull finish	GL15 = Med. Grey	Please refer to wall mounting information on page 569.
V316 Case finish	GL18 = White	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
AN Door frame finish	Product on this page will accept wood grain laminate, where laminate is currently an option.	For progressive overheads, LED light is recommended without fascia.
GL11 Glass finish		

Progressive Overheads
 28^{3/8}" planning
 Cabinet Hung with wood door


description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung Shelf	90"	15"	14 ^{3/4} "	1	RROCWSD90GB () () ()	\$2,597.	\$2,857.	\$2,987.	\$3,117.	\$3,376.	\$3,882.	\$5,047.
Sliding Doors Closed Ends	108"	15"	14 ^{3/4} "	1	RROCWSD108GB () () ()	2,816.	3,097.	3,238.	3,379.	3,661.	4,210.	5,472.




Cabinet Hung Shelf with 2 Wood/Laminate Sliding Doors	90"	15"	14 ^{3/4} "	2	RROC2WSD90 () () ()	3,136.	3,450.	3,606.	3,763.	4,077.	4,584.	5,959.
	108"	15"	14 ^{3/4} "	2	RROC2WSD108 () () ()	3,501.	3,851.	4,026.	4,201.	4,551.	5,053.	6,569.



Cabinet Hung Shelf with Wood/Laminate Sliding Door Right Hand	60"	15"	14 ^{3/4} "	1	RROCWSDR60GB () () ()	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
	72"	15"	14 ^{3/4} "	1	RROCWSDR72GB () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.




Cabinet Hung Shelf with Wood/Laminate Sliding Door Left Hand	60"	15"	14 ^{3/4} "	1	RROCWSDL60GB () () ()	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
	72"	15"	14 ^{3/4} "	1	RROCWSDL72GB () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.



Order Code	Specification Information	Application Notes
Example: RROCWSDR60GB	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet pull only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted or Plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish: L, V1, V2, V3	Installation instruction sheets available on Knoll Exchange.
WSDR Wood/Lam. Sliding Door	4. Front finish: L, V1, V2, V3	For Cabinet hung overheads, refer to part number 6TP00080.
60 60" wide	Product on this page will accept wood grain laminate, where laminate is currently an option.	For overhead with sliding doors, refer to part number 6TP00088.
GB Gable Both		All sliding doors including wood, laminate and glass are non-locking.
G Pull Option		Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
115 Pull Finish		A certified building contractor should be consulted.
V316 Case Finish		Please refer to wall mounting information on page 569.
V316 Front Finish		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
		For progressive overheads, LED light is recommended without fascia.


Progressive Overheads
 28³/₈" planning
 Cabinet Hung with open shelf

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Open Shelf Closed Ends 	60"	15"	14 ³ / ₄ "	RROCOS60GB () ()	\$1,568.	\$2,037.	\$2,343.	\$3,046.
	72"	15"	14 ³ / ₄ "	RROCOS72GB () ()	1,671.	2,172.	2,498.	3,248.
	90"	15"	14 ³ / ₄ "	RROCOS90GB () ()	1,821.	2,368.	2,723.	3,540.
	108"	15"	14 ³ / ₄ "	RROCOS108GB () ()	2,071.	2,693.	3,097.	4,026.


Order Code	Specification Information	Application Notes
Example: RROCOS60GB () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Finish type:	
O Overhead	L = Laminate	Above sizes are nominal.
C Cabinet Hung	1 = V1	
OS Open shelf	2 = V2	Installation instruction sheets available on Knoll Exchange.
60 60" wide	3 = V3	
2 Finish type	2. Finish	For Cabinet hung overheads, refer to part number 6TP00080.
V316 Case Finish	Product on this page will accept wood grain laminate, where laminate is currently an option.	
		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Progressive Overheads
 28³/₈" planning
 Wall Hung with glass door


description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ³ / ₄ "	1	RROMGSD90GN () () () () ()	\$2,861.	\$3,434.	\$3,949.	\$5,134.
	108"	15"	14 ³ / ₄ "	1	RROMGSD108GN () () () () ()	3,246.	3,894.	4,479.	5,823.



Wall Hung Shelf with Glass Sliding Door Gable Right	60"	15"	14 ³ / ₄ "	1	RROMGSD60GR () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	1	RROMGSD72GR () () () () ()	2,726.	3,271.	3,763.	4,890.



Wall Hung Shelf with Glass Sliding Door Gable Left	60"	15"	14 ³ / ₄ "	1	RROMGSD60GL () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	1	RROMGSD72GL () () () () ()	2,726.	3,271.	3,763.	4,890.




Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	2. Pull finish: 115	Above sizes are nominal.
M Wall hung	3. Case finish: V319	All sliding doors including wood, laminate and glass are non-locking.
GSD Glass sliding door	4. Door frame: Anodized / painted	Installation instruction sheets available on Knoll Exchange.
90 90" wide	5. Glass finish:	For overheads with sliding doors, refer to part number 6TP00088.
GN No gable	GL11 = Black	For progressive overheads, LED light is recommended without fascia.
G Pull Option	GL14 = Folkstone Grey	
115 Pull Finish	GL15 = Med. Grey	
V319 Case Finish	GL18 = White	
AP Door Frame Finish	Product on this page will accept wood grain laminate, where laminate is currently an option.	
GL11 Glass Finish		


28³/₈" planning

Wall Hung with glass door closed ends


description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ³ / ₄ "	1	RROMGSD90GB () () () ()	\$3,203.	\$3,684.	\$4,236.	\$5,507.
	108"	15"	14 ³ / ₄ "	1	RROMGSD108GB () () () ()	3,598.	4,138.	4,758.	6,185.




Wall Hung Shelf with 2 Glass Sliding Doors	90"	15"	14 ³ / ₄ "	2	RROM2GSD90 () () () () ()	4,450.	4,895.	5,313.	6,907.
	108"	15"	14 ³ / ₄ "	2	RROM2GSD108 () () () () ()	5,046.	5,550.	5,953.	7,739.



Wall Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ³ / ₄ "	1	RROMGSDR60GB () () () ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ³ / ₄ "	1	RROMGSDR72GB () () () ()	2,834.	3,259.	3,747.	4,872.




Wall Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ³ / ₄ "	1	RROMGSDL60GB () () () ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ³ / ₄ "	1	RROMGSDL72GB () () () ()	2,834.	3,259.	3,747.	4,872.




Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet	For progressive overheads, LED light is recommended without fascia.
O Overhead	2. Pull finish: 115	Above sizes are nominal.
M Wall hung	3. Case finish: V319	All sliding doors including wood, laminate and glass are non-locking.
GSD Glass sliding door	4. Door frame: Anodized / painted	Installation instruction sheets available on Knoll Exchange.
90 90" wide	5. Glass finish:	For overheads with sliding doors, refer to part number 6TP00088.
GN No gable	GL11 = Black	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
G Pull Option	GL14 = Folkstone Grey	
115 Pull Finish	GL15 = Med. Grey	
V319 Case Finish	GL18 = White	
AP Door Frame Finish	Product on this page will accept wood grain laminate, where laminate is currently an option.	
GL11 Glass Finish		

Progressive Overheads
 28³/₈" planning
 Wall Hung with wood door


description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood / Laminate Sliding Door	90"	15"	14 ³ / ₄ "	1	RROMWSD90GN () () () () () ()	\$2,651.	\$2,917.	\$3,050.	\$3,182.	\$3,182.	\$3,660.	\$4,758.
	108"	15"	14 ³ / ₄ "	1	RROMWSD108GN () () () () () ()	2,989.	3,288.	3,437.	3,586.	3,586.	4,126.	5,362.




Wall Hung Shelf with Wood/Laminate Sliding Door Gable Right	60"	15"	14 ³ / ₄ "	1	RROMWSD60GR () () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	1	RROMWSD72GR () () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.



Wall Hung Shelf with Wood/Laminate Sliding Door Gable Left	60"	15"	14 ³ / ₄ "	1	RROMWSD60GL () () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	1	RROMWSD72GL () () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.




Wall Hung Shelf with Wood/Laminate Sliding Door Closed Ends	90"	15"	14 ³ / ₄ "	1	RROMWSD90GB () () () () () ()	2,746.	3,021.	3,158.	3,295.	3,433.	3,947.	5,131.
	108"	15"	14 ³ / ₄ "	1	RROMWSD108GB () () () () () ()	3,063.	3,370.	3,523.	3,676.	3,830.	4,403.	5,725.




Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	No lock option at this time.
M Wall mount	3. Case finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	Installation instruction sheets available on Knoll Exchange.
90 90" wide	Product on this page will accept wood grain laminate, where laminate is currently an option.	For overheads with sliding doors, refer to part number 6TP00088.
GB Gable both		Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 569.
G Pull Option		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
115 Pull Finish		For progressive overheads, LED light is recommended without fascia.
V319 Case Finish		
V319 Door Finish		

Progressive Overheads
 28³/₈" planning
 Wall Hung with wood door


description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood/Laminate Sliding Door right Closed Ends	60"	15"	14 ³ / ₄ "	1	RROMWSDR60GB() () ()	\$2,213.	\$2,435.	\$2,546.	\$2,656.	\$2,767.	\$3,182.	\$4,136.
	72"	15"	14 ³ / ₄ "	1	RROMWSDR72GB() () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.



Wall Hung Shelf with Wood/Laminate Sliding Door left Closed Ends	60"	15"	14 ³ / ₄ "	1	RROMWSDL60GB() () ()	2,213.	2,435.	2,546.	2,656.	2,767.	3,182.	4,136.
	72"	15"	14 ³ / ₄ "	1	RROMWSDL72GB() () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.




Wall Hung Shelf with 2 Wood/Laminate Sliding Doors	90"	15"	14 ³ / ₄ "	2	RROM2WSD90() () () () ()	3,390.	3,729.	3,898.	4,068.	4,271.	4,778.	6,212.
	108"	15"	14 ³ / ₄ "	2	RROM2WSD108() () () () ()	3,805.	4,186.	4,376.	4,567.	4,795.	5,297.	6,886.



Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	No lock option at this time.
M Wall mount	3. Case finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	Installation instruction sheets available on Knoll Exchange.
90 90" wide	Product on this page will accept wood grain laminate, where laminate is currently an option.	For overheads with sliding doors, refer to part number 6TP00088.
GB Gable both		Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 569.
G Pull Option		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
115 Pull Finish		For progressive overheads, LED light is recommended without fascia.
V319 Case Finish		
V319 Door Finish		

Progressive Overheads
 28³/₈" planning
 Wall Hung L-Shelf

description	w	d	h	pattern no.	L	V1	V2	V3
 L-Shelf	60"	15"	14 ³ / ₄ "	RRML60() ()	\$850.	\$1,020.	\$1,173.	\$1,525.
	72"	15"	14 ³ / ₄ "	RRML72() ()	945.	1,143.	1,303.	1,694.
	90"	15"	14 ³ / ₄ "	RRML90() ()	1,068.	1,282.	1,474.	1,917.
	108"	15"	14 ³ / ₄ "	RRML108() ()	1,223.	1,468.	1,688.	2,194.

Order Code

Example: RRML60() ()
RR Reff Refresh
M Wall Hung
L L-Shelf
60 60" Wide
L Finish Type
114 Finish

Specification Information

To order please specify pattern number including:

1. Finish type: L, V1, V2, V3
2. Finish = 114

Product on this page will accept wood grain laminate, where laminate is currently an option.

Application Notes

These products are Glue and Dowel Construction

Shipped knocked down.

Hardware kit included.

Installation instruction sheets available on Knoll Exchange.

Installation instruction sheet, refer to part number 6TP00083

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 569.


The woodgrain on the L-Shelves, run perpendicular to the length.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.


For progressive overheads, LED light is recommended without fascia.

Progressive Overheads
 28³/₈" planning
 Wall Hung Open Shelf


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Open Shelf Left Gable	60"	15"	14 ³ / ₄ "	RROMOS60GL()	\$1,689.	\$1,943.	\$2,234.	\$2,904.
	72"	15"	14 ³ / ₄ "	RROMOS72GL()	1,879.	2,161.	2,485.	3,231.




Wall Hung Open Shelf Right Gable	60"	15"	14 ³ / ₄ "	RROMOS60GR()	1,689.	1,943.	2,234.	2,904.
	72"	15"	14 ³ / ₄ "	RROMOS72GR()	1,879.	2,161.	2,485.	3,231.



Wall Hung Open Shelf Closed Ends Left&Right Gable	60"	15"	14 ³ / ₄ "	RROMOS60GB()()	1,609.	2,091.	2,405.	3,126.
	72"	15"	14 ³ / ₄ "	RROMOS72GB()()	1,748.	2,273.	2,614.	3,398.
	90"	15"	14 ³ / ₄ "	RROMOS90GB()()	2,058.	2,675.	3,077.	3,999.
	108"	15"	14 ³ / ₄ "	RROMOS108GB()()	2,212.	2,876.	3,307.	4,299.



Wall Hung Open Shelf No Gable	90"	15"	14 ³ / ₄ "	RROMOS90GN()	2,138.	2,459.	2,827.	3,676.
	108"	15"	14 ³ / ₄ "	RROMOS108GN()	2,364.	2,718.	3,126.	4,063.



Example: RROMOS60GL()()	
RR	Reff
O	Overhead
M	Wall Hung
OS	Open shelf
60	60" wide
GL	Gable Left
V316	Case Finish

To order please specify *pattern number including:*
 1. Case finish:
 Product on this page will accept wood grain laminate, where laminate is currently an option.

These products are Glue and Dowel Construction.

Above sizes are nominal.

Sliding door is non-locking.



Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

For progressive overheads, LED light is recommended without fascia.



Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
 A certified building contractor should be consulted.
 Please refer to wall mounting information on page 569.

Transaction tops for use with 42" H panel heights

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24()-()	\$333.	\$351.	\$351.	\$404.	\$546.
	30"	15"	1 1/4"	RTTA30()-()	364.	381.	381.	442.	596.
	36"	15"	1 1/4"	RTTA36()-()	396.	418.	418.	479.	650.
	42"	15"	1 1/4"	RTTA42()-()	428.	450.	450.	517.	697.
	48"	15"	1 1/4"	RTTA48()-()	456.	485.	485.	556.	750.
	54"	15"	1 1/4"	RTTA54()-()	488.	516.	516.	592.	799.
	60"	15"	1 1/4"	RTTA60()-()	520.	548.	548.	632.	854.
	66"	15"	1 1/4"	RTTA66()-()	552.	580.	580.	667.	901.
	72"	15"	1 1/4"	RTTA72()-()	581.	614.	614.	706.	953.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	RTTAWF24()-()			701.	806.	1,088.
	30"	15"	1 1/4"	RTTAWF30()-()			768.	884.	1,194.
	36"	15"	1 1/4"	RTTAWF36()-()			832.	960.	1,295.
	42"	15"	1 1/4"	RTTAWF42()-()			898.	1,032.	1,393.
	48"	15"	1 1/4"	RTTAWF48()-()			967.	1,112.	1,500.
	54"	15"	1 1/4"	RTTAWF54()-()			1,030.	1,183.	1,597.
	60"	15"	1 1/4"	RTTAWF60()-()			1,098.	1,262.	1,704.
	66"	15"	1 1/4"	RTTAWF66()-()			1,161.	1,336.	1,804.
	72"	15"	1 1/4"	RTTAWF72()-()			1,228.	1,411.	1,904.



Not available in laminate or mixed finishes

Order Code

Example: RTTA24 () ()	
R	Reff
TT	Transaction top
24	24" wide
L	Type, left side Mitre
2	V2 finish
V316	Light Maple finish

Specification Information

- To order please specify pattern number including:
1. Width
 2. Type:
L = Left side Mitre
R = Right side Mitre
S = Straight
 3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3
 4. Finish = Laminate or Veneer

Application Notes

- Transaction tops are for mounting to 42" h panel or overall panel height achieved from 34" h base panel plus 8" h stacking module. Transaction tops ship with necessary bracketry included.
- No grommets included.
- Tops may be used to span more than one consecutive panel.

- Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the tops. This can be done in the field or through Custom Product Development.
- Applicable finishes are listed on page 5 and 6.
- Product on this page will accept wood grain laminate, where laminate is currently an option.

Transaction tops Brackets for Alternative Material

description	w	h	pattern no.	list
Attachment Bracketry			RAMTB	\$60.
* Each panel need 2 brackets				
Foam Tape			RAMTT	23.
Transaction Top Bracket			RAMTC24()	44.
Cover			RAMTC30()	47.
			RAMTC36()	50.
			RAMTC42()	54.
			RAMTC48()	57.
			RAMTC54()	60.
			RAMTC60()	63.
			RAMTC66()	67.
			RAMTC72()	69.
Transaction Top Bracket			RAMTCH24()	60.
Cover Hilo			RAMTCH30()	63.
			RAMTCH36()	67.
			RAMTCH42()	70.
			RAMTCH48()	73.
			RAMTCH54()	77.
			RAMTCH60()	80.
			RAMTCH66()	83.
			RAMTCH72()	85.


Order Code	Specification Information	Application Notes
Example: RAMTC	<i>To order please specify pattern number including:</i>	Spline piece included in the right "R" hand pattern number.
R Reff		
A Alternative	1. End treatment option 2. Finish type: Core paint finishes	When a solid material is installed the "RAMTB" is required. When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.
M Material		
T Transaction Top		
C Cover		
24 Width		
L/R/M Left/Right/Mitered		

Transaction tops, regular and waterfall edge

Gallery desk surrounds


1 1/4" worksurface

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,369.	\$1,663.	\$1,663.	\$1,828.	\$1,915.	\$2,469.	\$2,585.
	68"	25"	42"	RGAF682-()	1,416.	1,723.	1,723.	1,893.	1,984.	2,554.	2,678.
	74"	25"	42"	RGAF742-()	1,469.	1,789.	1,789.	1,965.	2,056.	2,653.	2,773.
	80"	25"	42"	RGAF802-()	1,522.	1,847.	1,847.	2,027.	2,128.	2,737.	2,871.
	86"	25"	42"	RGAF862-()	1,569.	1,911.	1,911.	2,093.	2,198.	2,825.	2,967.
	92"	25"	42"	RGAF922-()	1,621.	1,974.	1,974.	2,160.	2,270.	2,915.	3,061.
	98"	25"	42"	RGAF982-()	1,673.	2,035.	2,035.	2,230.	2,343.	3,009.	3,162.
	62"	31"	42"	RGAF623-()	1,455.	1,770.	1,770.	1,939.	2,036.	2,618.	2,748.
	68"	31"	42"	RGAF683-()	1,511.	1,841.	1,841.	2,017.	2,117.	2,722.	2,859.
	74"	31"	42"	RGAF743-()	1,568.	1,910.	1,910.	2,093.	2,196.	2,825.	2,964.
	80"	31"	42"	RGAF803-()	1,625.	1,974.	1,974.	2,166.	2,274.	2,925.	3,069.
	86"	31"	42"	RGAF863-()	1,684.	2,047.	2,047.	2,243.	2,355.	3,028.	3,181.
	92"	31"	42"	RGAF923-()	1,740.	2,118.	2,118.	2,316.	2,435.	3,127.	3,286.
	98"	31"	42"	RGAF983-()	1,797.	2,186.	2,186.	2,396.	2,512.	3,235.	3,392.




If shelf is not ordered and no drillings are required, you must order through specials.

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Shelf for above (uses keyhole) attachment hardware	60"	12"	1"	RGS60-()	331.		402.		465.		628.
	66"	12"	1"	RGS66-()	343.		417.		479.		650.
	72"	12"	1"	RGS72-()	354.		431.		495.		668.
	78"	12"	1"	RGS78-()	365.		444.		512.		690.
	84"	12"	1"	RGS84-()	373.		458.		525.		709.
	90"	12"	1"	RGS90-()	386.		468.		539.		727.
	96"	12"	1"	RGS96-()	396.		480.		553.		748.



description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Bridge top assembly	54"	21"	42"	RGAB541-()	390.	1,080.	1,080.	1,168.	1,242.	1,576.	1,678.
	42"	21"	42"	RGAB421-()	781.	948.	948.	1,023.	1,089.	1,382.	1,470.
	48"	21"	42"	RGAB481-()	836.	1,014.	1,014.	1,092.	1,166.	1,475.	1,573.
	60"	21"	42"	RGAB601-()	943.	1,146.	1,146.	1,242.	1,323.	1,678.	1,784.
	66"	21"	42"	RGAB661-()	999.	1,215.	1,215.	1,312.	1,397.	1,772.	1,885.
	72"	21"	42"	RGAB721-()	1,052.	1,279.	1,279.	1,386.	1,470.	1,871.	1,985.
	78"	21"	42"	RGAB781-()	1,103.	1,344.	1,344.	1,460.	1,546.	1,971.	2,088.
	84"	21"	42"	RGAB841-()	1,158.	1,407.	1,407.	1,524.	1,619.	2,056.	2,186.
	90"	21"	42"	RGAB901-()	1,209.	1,471.	1,471.	1,597.	1,692.	2,155.	2,286.
	96"	21"	42"	RGAB961-()	1,259.	1,532.	1,532.	1,662.	1,764.	2,244.	2,381.



Order Code	Specification Information	Application Notes
Example: RGAF622NLL	To order please specify pattern number including:	3. Finish type, components: (surround components)
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type, top	1 = V1
A 1 1/4" top thickness	3. Finish type, components	2 = V2
F Freestanding	4. Finish, top	3 = V3
62 62" wide	5. Finish, components	If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.
2 25" deep	1. Grommet options:	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
L Finish type top, laminate	F = Flush front grommet	Hardware included.
L Finish type components	2. Finish type, top:	Shipped knocked-down.
114 Folkstone grey (top)	L = Laminate	
114 Folkstone grey (components)	M = Mixed (laminate top w/wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.


Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431- () ()	\$955.	\$1,162.	\$1,162.	\$1,267.	\$1,333.	\$1,711.	\$1,799.
		49"	42"	RGAR491- () ()	1,002.	1,221.	1,221.	1,333.	1,405.	1,799.	1,896.
		55"	42"	RGAR551- () ()	1,054.	1,280.	1,280.	1,399.	1,471.	1,889.	1,986.
		61"	42"	RGAR611- () ()	1,101.	1,338.	1,338.	1,462.	1,543.	1,973.	2,082.
		67"	42"	RGAR671- () ()	1,151.	1,403.	1,403.	1,530.	1,613.	2,063.	2,176.
		73"	42"	RGAR731- () ()	1,200.	1,460.	1,460.	1,595.	1,677.	2,151.	2,264.
		79"	42"	RGAR791- () ()	1,248.	1,517.	1,517.	1,661.	1,750.	2,242.	2,364.
		85"	42"	RGAR851- () ()	1,298.	1,579.	1,579.	1,722.	1,817.	2,324.	2,451.
		91"	42"	RGAR911- () ()	1,348.	1,641.	1,641.	1,790.	1,896.	2,418.	2,560.
		97"	42"	RGAR971- () ()	1,401.	1,701.	1,701.	1,854.	1,953.	2,502.	2,638.
25"	43"	42"	RGAR432- () ()	1,048.	1,273.	1,273.	1,393.	1,464.	1,880.	1,977.	
		49"	42"	RGAR492- () ()	1,094.	1,332.	1,332.	1,457.	1,531.	1,966.	2,066.
		55"	42"	RGAR552- () ()	1,144.	1,391.	1,391.	1,517.	1,602.	2,051.	2,163.
		61"	42"	RGAR612- () ()	1,195.	1,452.	1,452.	1,581.	1,669.	2,135.	2,250.
		67"	42"	RGAR672- () ()	1,243.	1,512.	1,512.	1,650.	1,737.	2,228.	2,346.
		73"	42"	RGAR732- () ()	1,293.	1,571.	1,571.	1,716.	1,808.	2,316.	2,443.
		79"	42"	RGAR792- () ()	1,339.	1,627.	1,627.	1,776.	1,876.	2,396.	2,532.
		85"	42"	RGAR852- () ()	1,388.	1,692.	1,692.	1,843.	1,946.	2,488.	2,625.
		91"	42"	RGAR912- () ()	1,441.	1,753.	1,753.	1,906.	2,016.	2,574.	2,720.
		97"	42"	RGAR972- () ()	1,492.	1,814.	1,814.	1,974.	2,086.	2,664.	2,815.
31"	43"	42"	RGAR433- () ()	1,113.	1,354.	1,354.	1,476.	1,556.	1,991.	2,100.	
		49"	42"	RGAR493- () ()	1,161.	1,410.	1,410.	1,541.	1,623.	2,080.	2,192.
		55"	42"	RGAR553- () ()	1,209.	1,471.	1,471.	1,600.	1,692.	2,160.	2,286.
		61"	42"	RGAR613- () ()	1,256.	1,530.	1,530.	1,662.	1,762.	2,244.	2,378.
		67"	42"	RGAR673- () ()	1,304.	1,590.	1,590.	1,727.	1,828.	2,332.	2,469.
		73"	42"	RGAR733- () ()	1,354.	1,649.	1,649.	1,791.	1,893.	2,419.	2,554.
		79"	42"	RGAR793- () ()	1,404.	1,705.	1,705.	1,854.	1,964.	2,502.	2,652.
		85"	42"	RGAR853- () ()	1,451.	1,766.	1,766.	1,921.	2,031.	2,592.	2,742.
		91"	42"	RGAR913- () ()	1,501.	1,826.	1,826.	1,983.	2,095.	2,675.	2,829.
		97"	42"	RGAR973- () ()	1,549.	1,882.	1,882.	2,047.	2,166.	2,764.	2,925.



Order Code	Specification Information
Example: RGAR431NLL	
R Reff	
G Gallery surround	
A 1 1/4" top thickness	
R Right hand return	
43 43" wide	
1 21" deep	
N No grommet	
L Finish type, top	
L Finish type, components	

To order please specify pattern number including:

- Grommet option
- Finish type top
- Finish type components
- Finish, top
- Finish, components

1. Grommet options:
 N = No grommets
 F = Flush front grommet

2. Finish type top:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

Application Notes

3. Finish type, surround:
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Hardware included.

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.


Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431- () ()	\$955.	\$1,162.	\$1,162.	\$1,267.	\$1,333.	\$1,711.	\$1,799.
		49"	42"	RGAL491- () ()	1,002.	1,221.	1,221.	1,333.	1,405.	1,799.	1,896.
		55"	42"	RGAL551- () ()	1,054.	1,280.	1,280.	1,399.	1,471.	1,889.	1,986.
		61"	42"	RGAL611- () ()	1,101.	1,338.	1,338.	1,462.	1,543.	1,973.	2,082.
		67"	42"	RGAL671- () ()	1,151.	1,403.	1,403.	1,530.	1,613.	2,063.	2,176.
		73"	42"	RGAL731- () ()	1,200.	1,460.	1,460.	1,595.	1,677.	2,151.	2,264.
		79"	42"	RGAL791- () ()	1,248.	1,517.	1,517.	1,661.	1,750.	2,242.	2,364.
		85"	42"	RGAL851- () ()	1,298.	1,579.	1,579.	1,722.	1,817.	2,324.	2,451.
		91"	42"	RGAL911- () ()	1,348.	1,641.	1,641.	1,790.	1,896.	2,418.	2,560.
		97"	42"	RGAL971- () ()	1,401.	1,701.	1,701.	1,854.	1,953.	2,502.	2,638.
25"	43"	42"	RGAL432- () ()	1,048.	1,273.	1,273.	1,393.	1,464.	1,880.	1,977.	
	49"	42"	RGAL492- () ()	1,094.	1,332.	1,332.	1,457.	1,531.	1,966.	2,066.	
	55"	42"	RGAL552- () ()	1,144.	1,391.	1,391.	1,517.	1,602.	2,051.	2,163.	
	61"	42"	RGAL612- () ()	1,195.	1,452.	1,452.	1,581.	1,669.	2,135.	2,250.	
	67"	42"	RGAL672- () ()	1,243.	1,512.	1,512.	1,650.	1,737.	2,228.	2,346.	
	73"	42"	RGAL732- () ()	1,293.	1,571.	1,571.	1,716.	1,808.	2,316.	2,443.	
	79"	42"	RGAL792- () ()	1,339.	1,627.	1,627.	1,776.	1,876.	2,396.	2,532.	
	85"	42"	RGAL852- () ()	1,388.	1,692.	1,692.	1,843.	1,946.	2,488.	2,625.	
	91"	42"	RGAL912- () ()	1,441.	1,753.	1,753.	1,906.	2,016.	2,574.	2,720.	
	97"	42"	RGAL972- () ()	1,492.	1,814.	1,814.	1,974.	2,086.	2,664.	2,815.	
31"	43"	42"	RGAL433- () ()	1,113.	1,354.	1,354.	1,476.	1,556.	1,991.	2,100.	
	49"	42"	RGAL493- () ()	1,161.	1,410.	1,410.	1,541.	1,623.	2,080.	2,192.	
	55"	42"	RGAL553- () ()	1,209.	1,471.	1,471.	1,600.	1,692.	2,160.	2,286.	
	61"	42"	RGAL613- () ()	1,256.	1,530.	1,530.	1,662.	1,762.	2,244.	2,378.	
	67"	42"	RGAL673- () ()	1,304.	1,590.	1,590.	1,727.	1,828.	2,332.	2,469.	
	73"	42"	RGAL733- () ()	1,354.	1,649.	1,649.	1,791.	1,893.	2,419.	2,554.	
	79"	42"	RGAL793- () ()	1,404.	1,705.	1,705.	1,854.	1,964.	2,502.	2,652.	
	85"	42"	RGAL853- () ()	1,451.	1,766.	1,766.	1,921.	2,031.	2,592.	2,742.	
	91"	42"	RGAL913- () ()	1,501.	1,826.	1,826.	1,983.	2,095.	2,675.	2,829.	
	97"	42"	RGAL973- () ()	1,549.	1,882.	1,882.	2,047.	2,166.	2,764.	2,925.	



Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page Excluding any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, top	F = Flush front grommet	Hardware included.
L Finish type, components	2. <i>Finish type top:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		Gallery desk surrounds are available with waterfall edge as a standard special.
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 5 and 6.


Gallery desk surrounds

gallery towers

Reff Profiles

Gallery desk surrounds

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	RGTL4636 () () () ()	\$2,570.	\$3,206.	\$3,684.	\$4,975.



Actual depth of Gallery Tower is 32"

Gallery Tower, right hand	32"	12"	46"	RGTR4636 () () () ()	2,570.	3,206.	3,684.	4,975.
---------------------------	-----	-----	-----	---------------------------------	--------	--------	--------	--------

Actual depth of Gallery Tower is 32"

Order Code

Example:	RGTL46362V319CL
R	Reff
GT	Gallery Tower
L	Left hand
46	46" h
36	36" d
2	V2 finish type
V319	Medium Cherry
C	C-pull
L	Lock

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. Pull option
4. Pull finish (if applicable)
5. Lock option

1. *Finish type:*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

3. Pull options:

- D = Metal D-pull
- J = Routed J-pull
- C = Nickel finish C-pull (nickel finish only)
- S = Stainless steel finish S-pull (stainless steel finish only)

Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 7/8" desk height products.

Application Notes

Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .



Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d

Overall depth includes top overhang, accommodates 30" d worksurfaces.

Gallery towers are to be used with panel applications.

Classic Desks, 26½" h and 28⅜" h With Full Recessed Modesty

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
	Classic Desk Full Modesty Recessed 26½"							
	30"	60"	26½"	RCDFMR60301 () ()	\$1,616.	\$2,720.	\$3,128.	\$4,067.
	30"	72"	26½"	RCDFMR72301 () ()	1,696.	2,855.	3,283.	4,268.
	30"	84"	26½"	RCDFMR84301 () ()	1,771.	2,980.	3,427.	4,456.
	30"	96"	26½"	RCDFMR96301 () ()	1,840.	3,097.	3,562.	4,630.
	36"	60"	26½"	RCDFMR60361 () ()	1,711.	2,879.	3,311.	4,304.
	36"	72"	26½"	RCDFMR72361 () ()	1,795.	3,021.	3,475.	4,518.
	36"	84"	26½"	RCDFMR84361 () ()	1,875.	3,156.	3,629.	4,719.
36"	96"	26½"	RCDFMR96361 () ()	1,951.	3,282.	3,775.	4,907.	
	Classic Desk Full Modesty Recessed 28⅜"							
	30"	60"	28⅜"	RCDFMR60302 () ()	1,641.	2,762.	3,176.	4,129.
	30"	72"	28⅜"	RCDFMR72302 () ()	1,723.	2,900.	3,334.	4,335.
	30"	84"	28⅜"	RCDFMR84302 () ()	1,799.	3,028.	3,482.	4,527.
	30"	96"	28⅜"	RCDFMR96302 () ()	1,870.	3,148.	3,620.	4,706.
	36"	60"	28⅜"	RCDFMR60362 () ()	1,738.	2,925.	3,364.	4,373.
	36"	72"	28⅜"	RCDFMR72362 () ()	1,825.	3,071.	3,536.	4,591.
	36"	84"	28⅜"	RCDFMR84362 () ()	1,906.	3,208.	3,485.	4,796.
36"	96"	28⅜"	RCDFMR96362 () ()	1,983.	3,338.	3,838.	4,991.	

Order Code

Example:	RCDFMR60301
R	Reff
CD	Classic Desk
FMR	Full Modesty Recessed
60	Width
30	Depth
1	26½" high, 2 = 28⅜" high
()	Grommet Option
()	Grommet Finish
()	Finish

Specification Information

To order please specify pattern number including:

- Grommet Option
F=Flush or Standard Corner location
N=No Grommet
R=Recessed Grommet
- Grommet Finish:
Painted or Plated
- Finish: L,V1,V2,V3

Classic Desks ship knocked down, with all hardware.

Worksurface is 1½" thick.

Grommets are located 20" in from the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Lower storage sold separately.

26½" high desk will only work with 26½" high lower storage.

28⅜" high desk will only work with 28⅜" high lower storage.

30" deep desk with recessed modesty will accept 20" and 24" deep pedestals.



36" deep desk with recessed modesty will accept 20", 24" and 30" deep pedestals.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Classic Desks, 26 1/2" h and 28 3/8" h With Half Recessed Modesty

Reff Profiles



description	d	w	h	y	pattern number	L	V1	V2	V3	
	Classic Desk Half Modesty Recessed 26 1/2"									
	30"	60"	26 1/2"	1.8	RCDHMR60301() ()	\$1,567.	\$2,638.	\$3,032.	\$3,942.	
	30"	72"	26 1/2"	2.1	RCDHMR72301() ()	1,634.	2,750.	3,162.	4,111.	
	30"	84"	26 1/2"	2.6	RCDHMR84301() ()	1,700.	2,860.	3,290.	4,276.	
	30"	96"	26 1/2"	2.8	RCDHMR96301() ()	1,756.	2,955.	3,399.	4,418.	
	36"	60"	26 1/2"	1.8	RCDHMR60361() ()	1,661.	2,796.	3,215.	4,180.	
	36"	72"	26 1/2"	2.1	RCDHMR72361() ()	1,733.	2,916.	3,354.	4,361.	
	36"	84"	26 1/2"	2.6	RCDHMR84361() ()	1,804.	3,036.	3,491.	4,539.	
	36"	96"	26 1/2"	2.8	RCDHMR96361() ()	1,866.	3,141.	3,612.	4,695.	
	Classic Desk Half Modesty Recessed 28 3/8"									
	30"	60"	28 3/8"	1.8	RCDHMR60302() ()	1,583.	2,664.	3,063.	3,982.	
	30"	72"	28 3/8"	2.1	RCDHMR72302() ()	1,650.	2,776.	3,193.	4,150.	
	30"	84"	28 3/8"	2.6	RCDHMR84302() ()	1,715.	2,887.	3,320.	4,316.	
	30"	96"	28 3/8"	2.8	RCDHMR96302() ()	1,772.	2,981.	3,429.	4,457.	
	36"	60"	28 3/8"	1.8	RCDHMR60362() ()	1,680.	2,826.	3,251.	4,226.	
	36"	72"	28 3/8"	2.1	RCDHMR72362() ()	1,751.	2,948.	3,389.	4,406.	
	36"	84"	28 3/8"	2.6	RCDHMR84362() ()	1,822.	3,067.	3,527.	4,585.	
	36"	96"	28 3/8"	2.8	RCDHMR96362() ()	1,885.	3,171.	3,648.	4,742.	

Classic Desks

Order Code	Specification Information	Application Notes
Example: RCDFMR60301	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
R Reff	1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet	Worksurface is 1 1/2" thick.
CD Classic Desk	2. Grommet Finish: Painted or Plated	Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.
FMR Full Modesty Recessed	3. Finish: L,V1,V2,V3	Lower storage sold separately.
60 Width		26 1/2" high desk will only work with 26 1/2" high lower storage.
30 Depth		28 3/8" high desk will only work with 28 3/8" high lower storage.
1 26 1/2" high, 2 = 28 3/8" high		Classic desks with quarter recessed modesty, accepts <u>NO</u> lower storage.
() Grommet Option		Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
() Grommet Finish		Product on this page Excluding any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
() Finish		

Classic Desks, 26 1/2" h and 28 3/8" h With Quarter Recessed Modesty



Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	RCDQMR60301 () () ()	\$1,497.	\$2,519.	\$2,898.	\$3,767.
	30"	72"	26 1/2"	RCDQMR72301 () () ()	1,554.	2,616.	3,008.	3,900.
	30"	84"	26 1/2"	RCDQMR84301 () () ()	1,608.	2,707.	3,113.	4,046.
	30"	96"	26 1/2"	RCDQMR96301 () () ()	1,655.	2,786.	3,204.	4,165.
	36"	60"	26 1/2"	RCDQMR60361 () () ()	1,591.	2,679.	3,080.	4,004.
	36"	72"	26 1/2"	RCDQMR72361 () () ()	1,654.	2,783.	3,201.	4,161.
	36"	84"	26 1/2"	RCDQMR84361 () () ()	1,712.	2,883.	3,314.	4,308.
	36"	96"	26 1/2"	RCDQMR96361 () () ()	1,766.	2,971.	3,417.	4,442.
	30"	60"	28 3/8"	RCDQMR60302 () () ()	1,513.	2,546.	2,928.	3,807.
	30"	72"	28 3/8"	RCDQMR72302 () () ()	1,570.	2,643.	3,039.	3,950.
	30"	84"	28 3/8"	RCDQMR84302 () () ()	1,624.	2,734.	3,144.	4,086.
	30"	96"	28 3/8"	RCDQMR96302 () () ()	1,671.	2,812.	3,234.	4,204.
	36"	60"	28 3/8"	RCDQMR72362 () () ()	1,610.	2,709.	3,115.	4,050.
	36"	72"	28 3/8"	RCDQMR60362 () () ()	1,672.	2,814.	3,235.	4,206.
	36"	84"	28 3/8"	RCDQMR84362 () () ()	1,731.	2,913.	3,350.	4,355.
	36"	96"	28 3/8"	RCDQMR96362 () () ()	1,784.	3,003.	3,453.	4,489.

Order Code	Specification Information	Application Notes
Example: RCDFMR60301	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
R Reff	1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet	Worksurface is 1 1/2" thick.
CD Classic Desk	2. Grommet Finish: Painted or Plated	Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.
FMR Full Modesty Recessed	3. Finish: L,V1,V2,V3	Lower storage sold separately.
60 Width		26 1/2" high desk will only work with 26 1/2" high lower storage.
30 Depth		28 3/8" high desk will only work with 28 3/8" high lower storage.
1 26 1/2" high, 2 = 28 3/8" high		Classic desks with quarter recessed modesty accepts <u>NO</u> lower storage.
() Grommet Option		Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
() Grommet Finish		Product on this page Excluding any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
() Finish		

Classic Desks, 26 1/2" h and 28 3/8" h With Full Flush Modesty

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
 Classic Desk Full Modesty Flush 26 1/2"	30"	60"	26 1/2"	RCDFMF60301 () ()	\$1,616.	\$2,720.	\$3,128.	\$4,067.
	30"	72"	26 1/2"	RCDFMF72301 () ()	1,696.	2,855.	3,283.	4,268.
	30"	84"	26 1/2"	RCDFMF84301 () ()	1,771.	2,980.	3,427.	4,456.
	30"	96"	26 1/2"	RCDFMF96301 () ()	1,840.	3,097.	3,562.	4,630.
	36"	60"	26 1/2"	RCDFMF60361 () ()	1,616.	2,720.	3,128.	4,067.
	36"	72"	26 1/2"	RCDFMF72361 () ()	1,696.	2,855.	3,283.	4,268.
	36"	84"	26 1/2"	RCDFMF84361 () ()	1,771.	2,980.	3,427.	4,456.
	36"	96"	26 1/2"	RCDFMF96361 () ()	1,840.	3,097.	3,562.	4,630.
 Classic Desk Full Modesty Flush 28 3/8"	30"	60"	28 3/8"	RCDFMF60302 () ()	1,641.	2,762.	3,176.	4,129.
	30"	72"	28 3/8"	RCDFMF72302 () ()	1,723.	2,900.	3,334.	4,335.
	30"	84"	28 3/8"	RCDFMF84302 () ()	1,799.	3,028.	3,482.	4,527.
	30"	96"	28 3/8"	RCDFMF96302 () ()	1,870.	3,148.	3,620.	4,706.
	36"	60"	28 3/8"	RCDFMF60362 () ()	1,641.	2,762.	3,176.	4,129.
	36"	72"	28 3/8"	RCDFMF72362 () ()	1,723.	2,900.	3,334.	4,335.
	36"	84"	28 3/8"	RCDFMF84362 () ()	1,799.	3,028.	3,482.	4,527.
	36"	96"	28 3/8"	RCDFMF96362 () ()	1,870.	3,148.	3,620.	4,706.


Classic Desks


Order Code	
Example: RCDFMR60301	
R	Reff
CD	Classic Desk
FMR	Full Modesty Recessed
60	Width
30	Depth
1	26 1/2" high, 2 = 28 3/8" high
()	Grommet Option
()	Grommet Finish
()	Finish


Specification Information
<i>To order please specify pattern number including:</i>
1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet
2. Grommet Finish: Painted or Plated
3. Finish: L,V1,V2,V3

Application Notes
Classic Desks ship knocked down, with all hardware.
Worksurface is 1 1/2" thick.
Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.
Lower storage sold separately.
26 1/2" high desk will only work with 26 1/2" high lower storage.
28 3/8" high desk will only work with 28 3/8" high lower storage.
30" deep desk with flush modesty can accept up to 29" deep pedestals.
36" deep desk with flush modesty can accept up to 30" deep pedestals.
Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
Product on this page Excluding any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.

Single pedestal desks
27³/₄" high overall
V1 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W)()1() () () () ()	\$2,701.	\$3,091.	\$3,662.	\$2,855.	\$3,245.	\$3,813.
	72"	30"	RDSP7230J(A,B,W)()1() () () () ()	2,808.	3,249.	3,813.	2,962.	3,401.	3,967.
	84"	30"	RDSP8430J(A,B,W)()1() () () () ()	2,946.	3,431.	4,040.	3,100.	3,583.	4,193.
	96"	30"	RDSP9630J(A,B,W)()1() () () () ()	3,066.	3,593.	4,250.	3,218.	3,746.	4,403.


Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W)()1() () () () ()	2,865.	3,278.	3,973.	3,088.	3,498.	4,194.
	72"	36"	RDSP7236J(A,B,W)()1() () () () ()	2,997.	3,480.	4,180.	3,218.	3,702.	4,401.
	84"	36"	RDSP8436J(A,B,W)()1() () () () ()	3,130.	3,695.	4,394.	3,352.	3,915.	4,614.
	96"	36"	RDSP9636J(A,B,W)()1() () () () ()	3,251.	3,906.	4,600.	3,470.	4,125.	4,822.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W)()1() () () () ()	3,535.	3,786.	5,044.	3,755.	4,008.	5,263.
	72"	30"	RBSP7230J(A,B,W)()1() () () () ()	3,656.	3,934.	5,324.	3,878.	4,155.	5,544.
	84"	30"	RBSP8430J(A,B,W)()1() () () () ()	3,847.	4,151.	5,685.	4,067.	4,373.	5,907.
	96"	30"	RBSP9630J(A,B,W)()1() () () () ()	4,023.	4,364.	6,066.	4,242.	4,585.	6,287.

Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 1 = V1	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions.
R Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
Y316 Finish		
111 Pull Finish		
111 Grommet Finish		

Single pedestal desks
27³/₄" high overall
V2 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W) ()2() () () () ()	\$2,969.	\$3,398.	\$4,026.	\$3,139.	\$3,566.	\$4,192.
	72"	30"	RDSP7230J(A,B,W) ()2() () () () ()	3,088.	3,571.	4,192.	3,256.	3,739.	4,363.
	84"	30"	RDSP8430J(A,B,W) ()2() () () () ()	3,237.	3,772.	4,443.	3,407.	3,938.	4,610.
	96"	30"	RDSP9630J(A,B,W) ()2() () () () ()	3,369.	3,950.	4,674.	3,537.	4,119.	4,841.


Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W) ()2() () () () ()	3,150.	3,604.	4,369.	3,394.	3,846.	4,611.
	72"	36"	RDSP7236J(A,B,W) ()2() () () () ()	3,295.	3,826.	4,596.	3,537.	4,069.	4,839.
	84"	36"	RDSP8436J(A,B,W) ()2() () () () ()	3,441.	4,063.	4,833.	3,684.	4,304.	5,075.
	96"	36"	RDSP9636J(A,B,W) ()2() () () () ()	3,573.	4,294.	5,057.	3,816.	4,536.	5,301.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W) ()2() () () () ()	3,886.	4,164.	5,546.	4,129.	4,406.	5,787.
	72"	30"	RBSP7230J(A,B,W) ()2() () () () ()	4,020.	4,327.	5,855.	4,264.	4,568.	6,097.
	84"	30"	RBSP8430J(A,B,W) ()2() () () () ()	4,230.	4,563.	6,254.	4,473.	4,807.	6,494.
	96"	30"	RBSP9630J(A,B,W) ()2() () () () ()	4,422.	4,797.	6,670.	4,664.	5,042.	6,913.

Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 2 = V2	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions.
R Recessed grommets		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
2 Finish type		
W Wood interiors		
J Routed pulls		
L Lock		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		

Single pedestal desks
27³/₄" high overall
V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W) ()3() () () () ()	\$3,706.	\$4,241.	\$5,028.	\$3,917.	\$4,452.	\$5,235.
	72"	30"	RDSP7230J(A,B,W) ()3() () () () ()	3,854.	4,458.	5,235.	4,065.	4,668.	5,447.
	84"	30"	RDSP8430J(A,B,W) ()3() () () () ()	4,042.	4,709.	5,548.	4,252.	4,918.	5,757.
	96"	30"	RDSP9630J(A,B,W) ()3() () () () ()	4,208.	4,932.	5,837.	4,417.	5,144.	6,047.

Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W) ()3() () () () ()	3,932.	4,499.	5,455.	4,237.	4,802.	5,758.
	72"	36"	RDSP7236J(A,B,W) ()3() () () () ()	4,113.	4,777.	5,740.	4,417.	5,082.	6,044.
	84"	36"	RDSP8436J(A,B,W) ()3() () () () ()	4,297.	5,073.	6,035.	4,600.	5,374.	6,337.
	96"	36"	RDSP9636J(A,B,W) ()3() () () () ()	4,460.	5,362.	6,317.	4,764.	5,665.	7,076.

Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W) ()3() () () () ()	4,853.	5,199.	6,928.	5,155.	5,503.	7,230.
	72"	30"	RBSP7230J(A,B,W) ()3() () () () ()	5,019.	5,402.	7,313.	5,323.	5,706.	7,615.
	84"	30"	RBSP8430J(A,B,W) ()3() () () () ()	5,283.	5,701.	7,811.	5,585.	6,004.	8,115.
	96"	30"	RBSP9630J(A,B,W) ()3() () () () ()	5,522.	5,991.	8,333.	5,826.	6,297.	8,637.


Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 3 = V3	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions.
R Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
3 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		


Double pedestal desks


27³/₄" high overall

V1 finish options

Reff Profiles

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)()1() () () () ()	\$3,486.	\$3,876.	\$4,446.	\$3,823.	\$4,212.	\$4,784.
	72"	30"	RDDP7230JK(A,B,W)()1() () () () ()	3,596.	4,033.	4,599.	3,931.	4,371.	4,936.
	84"	30"	RDDP8430JK(A,B,W)()1() () () () ()	3,731.	4,215.	4,825.	4,067.	4,550.	5,160.
	96"	30"	RDDP9630JK(A,B,W)()1() () () () ()	3,851.	4,379.	5,035.	4,187.	4,715.	5,370.


 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)()1() () () () ()	3,706.	4,118.	4,810.	3,706.	4,572.	5,266.
	72"	36"	RDDP7236JK(A,B,W)()1() () () () ()	3,837.	4,320.	5,018.	4,291.	4,774.	5,473.
	84"	36"	RDDP8436JK(A,B,W)()1() () () () ()	3,969.	4,533.	5,232.	4,424.	4,988.	5,685.
	96"	36"	RDDP9636JK(A,B,W)()1() () () () ()	4,088.	4,743.	5,438.	4,544.	5,198.	5,893.


 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)()1() () () () ()	4,125.	4,378.	5,632.	4,581.	4,832.	6,088.
	72"	30"	RBDP7230JK(A,B,W)()1() () () () ()	4,246.	4,525.	5,915.	4,700.	4,979.	6,367.
	84"	30"	RBDP8430JK(A,B,W)()1() () () () ()	4,438.	4,741.	6,276.	4,891.	5,196.	6,730.
	96"	30"	RBDP9630JK(A,B,W)()1() () () () ()	4,612.	4,953.	6,656.	5,067.	5,407.	7,109.


Preconfigured Ref
Deskings

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 1 = V1	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6. Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions. These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
A 1 1/4" regular edge top		30"D rectilinear desk pedestals are 24"D including modesty panel. 36"D rectilinear desk pedestals are 30"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal. Bowed front desk pedestals are 30"D with finished backs.
R Recessed grommet option		All desks are non-handed.
1 Finish type		All hardware included.
W Wood interior option		All waterfall desks have waterfall detail on front and back.
J Pull option		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		

Double pedestal desks
27³/₄" high overall
V2 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)()2() () () () ()	\$3,832.	\$4,262.	\$4,889.	\$4,202.	\$4,631.	\$5,259.
	72"	30"	RDDP7230JK(A,B,W)()2() () () () ()	3,953.	4,435.	5,056.	4,322.	4,805.	5,426.
	84"	30"	RDDP8430JK(A,B,W)()2() () () () ()	4,102.	4,634.	5,306.	4,473.	5,003.	5,675.
	96"	30"	RDDP9630JK(A,B,W)()2() () () () ()	4,234.	4,814.	5,537.	4,603.	5,185.	5,907.


 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)()2() () () () ()	4,075.	4,527.	5,290.	4,574.	5,027.	5,791.
	72"	36"	RDDP7236JK(A,B,W)()2() () () () ()	4,219.	4,750.	5,518.	4,718.	5,250.	6,019.
	84"	36"	RDDP8436JK(A,B,W)()2() () () () ()	4,366.	4,984.	5,753.	4,864.	5,486.	6,254.
	96"	36"	RDDP9636JK(A,B,W)()2() () () () ()	4,495.	5,215.	5,980.	4,996.	5,715.	6,480.


 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)()2() () () () ()	4,536.	4,813.	6,194.	5,037.	5,312.	6,694.
	72"	30"	RBDP7230JK(A,B,W)()2() () () () ()	4,669.	4,975.	6,505.	5,167.	5,474.	7,002.
	84"	30"	RBDP8430JK(A,B,W)()2() () () () ()	4,879.	5,213.	6,901.	5,378.	5,713.	7,401.
	96"	30"	RBDP9630JK(A,B,W)()2() () () () ()	5,071.	5,448.	7,319.	5,571.	5,946.	7,817.

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 2 = V2	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions.
R Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
2 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		

Double pedestal desks
27³/₄" high overall
V3 finish options




description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)()3() () () () ()	\$4,787.	\$5,320.	\$6,105.	\$5,249.	\$5,783.	\$6,569.
	72"	30"	RDDP7230JK(A,B,W)()3() () () () ()	4,936.	5,539.	6,316.	5,397.	6,001.	6,779.
	84"	30"	RDDP8430JK(A,B,W)()3() () () () ()	5,122.	5,787.	6,626.	5,585.	6,249.	7,088.
	96"	30"	RDDP9630JK(A,B,W)()3() () () () ()	5,287.	6,014.	6,916.	5,750.	6,476.	7,378.

 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)()3() () () () ()	5,088.	5,653.	6,608.	5,711.	6,277.	7,235.
	72"	36"	RDDP7236JK(A,B,W)()3() () () () ()	5,268.	5,932.	6,892.	5,892.	6,557.	7,519.
	84"	36"	RDDP8436JK(A,B,W)()3() () () () ()	5,451.	6,226.	7,186.	6,074.	6,851.	7,811.
	96"	36"	RDDP9636JK(A,B,W)()3() () () () ()	5,614.	6,514.	7,469.	6,239.	7,140.	8,095.

 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)()3() () () () ()	5,665.	6,013.	7,738.	6,292.	6,634.	8,363.
	72"	30"	RBDP7230JK(A,B,W)()3() () () () ()	5,832.	6,213.	8,125.	6,454.	6,839.	8,748.
	84"	30"	RBDP8430JK(A,B,W)()3() () () () ()	6,095.	6,512.	8,621.	6,717.	7,137.	9,247.
	96"	30"	RBDP9630JK(A,B,W)()3() () () () ()	6,333.	6,803.	9,143.	6,959.	7,427.	9,768.




Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 3 = V3	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions.
R Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
3 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

Desk returns
27³/₄" high overall
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)()1() () () () ()	\$1,986.	\$2,297.	\$2,900.	\$2,170.	\$2,480.	\$3,083.
	42"	24"	RRSP4224K(A,B,W)()1() () () () ()	2,036.	2,387.	2,976.	2,220.	2,569.	3,160.
	48"	24"	RRSP4824K(A,B,W)()1() () () () ()	2,122.	2,498.	3,133.	2,304.	2,681.	3,317.
	54"	24"	RRSP5424K(A,B,W)()1() () () () ()	2,179.	2,559.	3,258.	2,362.	2,742.	3,441.
	60"	24"	RRSP6024K(A,B,W)()1() () () () ()	2,234.	2,616.	3,389.	2,417.	2,800.	3,574.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)()1() () () () ()	2,112.	2,458.	3,140.	2,347.	2,691.	3,371.
	42"	30"	RRSP4230K(A,B,W)()1() () () () ()	2,170.	2,540.	3,234.	2,402.	2,771.	3,469.
	48"	30"	RRSP4830K(A,B,W)()1() () () () ()	2,260.	2,636.	3,398.	2,492.	2,870.	3,632.
	54"	30"	RRSP5430K(A,B,W)()1() () () () ()	2,326.	2,699.	3,559.	2,558.	2,931.	3,790.
	60"	30"	RRSP6030K(A,B,W)()1() () () () ()	2,367.	2,754.	3,642.	2,600.	2,988.	3,878.
 End panel return	36"	24"	RREP3624(A,B,W)()1() ()				1,201.	1,511.	2,115.
	42"	24"	RREP4224(A,B,W)()1() ()				1,252.	1,601.	2,193.
	48"	24"	RREP4824(A,B,W)()1() ()				1,336.	1,712.	2,348.
	54"	24"	RREP5424(A,B,W)()1() ()				1,395.	1,775.	2,474.
	60"	24"	RREP6024(A,B,W)()1() ()				1,449.	1,831.	2,604.
	36"	30"	RREP3630(A,B,W)()1() ()				1,275.	1,619.	2,300.
	42"	30"	RREP4230(A,B,W)()1() ()				1,330.	1,700.	2,396.
	48"	30"	RREP4830(A,B,W)()1() ()				1,420.	1,797.	2,559.
	54"	30"	RREP5430(A,B,W)()1() ()				1,486.	1,858.	2,720.
	60"	30"	RREP6030(A,B,W)()1() ()				1,528.	1,915.	2,805.

Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 1 = V1	3. Finish type: 1 = V1
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions.
R Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		




Desk returns
27³/₄" high overall
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)(J2)(X)(X)(X)(X)	\$2,184.	\$2,527.	\$3,190.	\$2,387.	\$2,729.	\$3,393.
	42"	24"	RRSP4224K(A,B,W)(J2)(X)(X)(X)(X)	2,240.	2,625.	3,275.	2,443.	2,826.	3,476.
	48"	24"	RRSP4824K(A,B,W)(J2)(X)(X)(X)(X)	2,335.	2,747.	3,447.	2,535.	2,948.	3,649.
	54"	24"	RRSP5424K(A,B,W)(J2)(X)(X)(X)(X)	2,396.	2,815.	3,584.	2,599.	3,017.	3,785.
	60"	24"	RRSP6024K(A,B,W)(J2)(X)(X)(X)(X)	2,456.	2,877.	3,728.	2,659.	3,080.	3,931.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)(J2)(X)(X)(X)(X)	2,324.	2,705.	3,455.	2,582.	2,961.	3,709.
	42"	30"	RRSP4230K(A,B,W)(J2)(X)(X)(X)(X)	2,387.	2,794.	3,559.	2,641.	3,049.	3,816.
	48"	30"	RRSP4830K(A,B,W)(J2)(X)(X)(X)(X)	2,485.	2,900.	3,737.	2,741.	3,157.	3,995.
	54"	30"	RRSP5430K(A,B,W)(J2)(X)(X)(X)(X)	2,559.	2,968.	3,914.	2,814.	3,225.	4,170.
	60"	30"	RRSP6030K(A,B,W)(J2)(X)(X)(X)(X)	2,603.	3,028.	4,007.	2,860.	3,286.	4,266.
 End panel return	36"	24"	RREP3624(A,B,W)(J2)(X)				1,322.	1,662.	2,327.
	42"	24"	RREP4224(A,B,W)(J2)(X)				1,376.	1,762.	2,412.
	48"	24"	RREP4824(A,B,W)(J2)(X)				1,470.	1,882.	2,584.
	54"	24"	RREP5424(A,B,W)(J2)(X)				1,534.	1,952.	2,720.
	60"	24"	RREP6024(A,B,W)(J2)(X)				1,594.	2,015.	2,865.
	36"	30"	RREP3630(A,B,W)(J2)(X)				1,404.	1,781.	2,530.
	42"	30"	RREP4230(A,B,W)(J2)(X)				1,464.	1,870.	2,636.
	48"	30"	RREP4830(A,B,W)(J2)(X)				1,563.	1,977.	2,815.
	54"	30"	RREP5430(A,B,W)(J2)(X)				1,636.	2,044.	2,992.
60"	30"	RREP6030(A,B,W)(J2)(X)				1,679.	2,106.	3,084.	

Preconfigured Ref
Deskings

Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 2 = V2	3. Finish type: 2 = V2
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions.
R Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
2 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		

Desk returns
27³/₄" high overall
V3 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)()3() () () () ()	\$2,731.	\$3,158.	\$3,988.	\$2,982.	\$3,410.	\$4,241.
	42"	24"	RRSP4224K(A,B,W)()3() () () () ()	2,800.	3,282.	4,093.	3,053.	3,534.	4,346.
	48"	24"	RRSP4824K(A,B,W)()3() () () () ()	2,917.	3,435.	4,308.	3,170.	3,684.	4,560.
	60"	24"	RRSP6024K(A,B,W)()3() () () () ()	3,071.	3,598.	4,661.	3,324.	3,852.	4,914.
	54"	24"	RRSP5424K(A,B,W)()3() () () () ()	3,996.	3,520.	4,481.	3,250.	3,772.	4,733.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)()3() () () () ()	2,905.	3,382.	4,318.	3,227.	3,701.	4,636.
	42"	30"	RRSP4230K(A,B,W)()3() () () () ()	2,982.	3,492.	4,448.	3,302.	3,811.	4,771.
	48"	30"	RRSP4830K(A,B,W)()3() () () () ()	3,107.	3,625.	4,672.	3,426.	3,946.	4,996.
	54"	30"	RRSP5430K(A,B,W)()3() () () () ()	3,200.	3,710.	4,893.	3,518.	4,032.	5,212.
	60"	30"	RRSP6030K(A,B,W)()3() () () () ()	3,255.	3,786.	5,008.	3,574.	4,109.	5,332.
 End panel return	36"	24"	RREP3624(A,B,W)()3() ()				1,651.	2,078.	2,910.
	42"	24"	RREP4224(A,B,W)()3() ()				1,720.	2,201.	3,015.
	48"	24"	RREP4824(A,B,W)()3() ()				1,839.	2,352.	3,229.
	54"	24"	RREP5424(A,B,W)()3() ()				1,918.	2,441.	3,400.
	60"	24"	RREP6024(A,B,W)()3() ()				1,992.	2,518.	3,580.
	36"	30"	RREP3630(A,B,W)()3() ()				1,754.	2,227.	3,162.
	42"	30"	RREP4230(A,B,W)()3() ()				1,829.	2,338.	3,295.
	48"	30"	RREP4830(A,B,W)()3() ()				1,953.	2,472.	3,520.
	54"	30"	RREP5430(A,B,W)()3() ()				2,044.	2,556.	3,739.
60"	30"	RREP6030(A,B,W)()3() ()				2,100.	2,633.	3,857.	


Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 3 = V3	3. Finish type: 3 = V3
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions.
R Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
3 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		


Single pedestal credenzas

27³/₄" high overall

V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCSP6024K(A,B,W) ()1() () () () ()	\$2,566.	\$2,950.	\$3,146.	\$2,752.	\$3,133.	\$3,328.
	72"	24"	RCSP7224K(A,B,W) ()1() () () () ()	2,694.	3,109.	3,318.	2,877.	3,292.	3,502.
	84"	24"	RCSP8424K(A,B,W) ()1() () () () ()	2,825.	3,290.	3,503.	3,009.	3,474.	3,686.
	96"	24"	RCSP9624K(A,B,W) ()1() () () () ()	2,943.	3,455.	3,682.	3,125.	3,639.	3,864.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCS3L6024K(A,B,W) ()1() () () () ()	2,707.	3,090.	3,284.	3,127.	3,510.	3,706.
	72"	24"	RCS3L7224K(A,B,W) ()1() () () () ()	2,834.	3,249.	3,458.	3,254.	3,670.	3,880.
	84"	24"	RCS3L8424K(A,B,W) ()1() () () () ()	2,965.	3,431.	3,642.	3,385.	3,851.	4,064.
	96"	24"	RCS3L9624K(A,B,W) ()1() () () () ()	3,081.	3,594.	3,823.	3,502.	4,015.	4,243.


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCS6L6024K(A,B,W) ()1() () () () ()	2,785.	3,168.	3,362.	3,513.	3,895.	4,091.
	72"	24"	RCS6L7224K(A,B,W) ()1() () () () ()	2,911.	3,326.	3,537.	3,640.	4,057.	4,265.
	84"	24"	RCS6L8424K(A,B,W) ()1() () () () ()	3,043.	3,509.	3,720.	3,772.	4,237.	4,450.
	96"	24"	RCS6L9624K(A,B,W) ()1() () () () ()	3,158.	3,673.	3,898.	3,889.	4,401.	4,628.


Preconfigured Ref
Deskings


Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	
RC Reff Credenza		6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	7. Veneer finish
60 60" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	8. Pull Finish: Painted or plated
24 24" deep	3. Finish type: 1 = V1	9. Grommet finish: Painted or plated
K File/file	4. Interior option: M = Metal W = Wood	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions.
R Recessed grommet option		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
1 Finish type		30"D rectilinear desk pedestals are 24"D including modesty panel.
W Wood interior option		Credenzas with lateral files or pedestals are non handed.
J Pull option		Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
L Lock option		Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
Y319 Finish		All waterfall credenzas have waterfall detail on front only.
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Single pedestal credenzas
27³/₄" high overall
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W) ()2() () () () ()	\$2,824.	\$3,245.	\$3,460.	\$3,025.	\$3,447.	\$3,661.
	72"	24"	RCSP7224K(A,B,W) ()2() () () () ()	2,964.	3,420.	3,650.	3,165.	3,621.	3,853.
	84"	24"	RCSP8424K(A,B,W) ()2() () () () ()	3,108.	3,619.	3,854.	3,311.	3,822.	4,057.
	96"	24"	RCSP9624K(A,B,W) ()2() () () () ()	3,236.	3,801.	4,050.	3,437.	4,002.	4,250.


Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W) ()2() () () () ()	2,977.	3,398.	3,613.	3,440.	3,861.	4,075.
	72"	24"	RCS3L7224K(A,B,W) ()2() () () () ()	3,117.	3,573.	3,804.	3,578.	4,036.	4,268.
	84"	24"	RCS3L8424K(A,B,W) ()2() () () () ()	3,261.	3,774.	4,007.	3,723.	4,235.	4,470.
	96"	24"	RCS3L9624K(A,B,W) ()2() () () () ()	3,389.	3,954.	4,204.	3,853.	4,416.	4,668.


Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W) ()2() () () () ()	3,061.	3,485.	3,699.	3,864.	4,285.	4,501.
	72"	24"	RCS6L7224K(A,B,W) ()2() () () () ()	3,202.	3,658.	3,890.	4,005.	4,460.	4,691.
	84"	24"	RCS6L8424K(A,B,W) ()2() () () () ()	3,347.	3,859.	4,092.	4,148.	4,660.	4,895.
	96"	24"	RCS6L9624K(A,B,W) ()2() () () () ()	3,474.	4,039.	4,288.	4,278.	4,841.	5,090.


Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
SP Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
K File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
R Recessed grommet option	3. Finish type: 2 = V2	
2 Finish type	4. Interior option: M = Metal W = Wood	
W Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Single pedestal credenzas
27³/₄" high overall
V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W)()3() () () () ()	\$3,530.	\$4,057.	\$4,324.	\$3,782.	\$4,308.	\$4,577.
	72"	24"	RCSP7224K(A,B,W)()3() () () () ()	3,705.	4,275.	4,562.	3,958.	4,527.	4,816.
	84"	24"	RCSP8424K(A,B,W)()3() () () () ()	3,885.	4,525.	4,817.	4,138.	4,777.	5,070.
	96"	24"	RCSP9624K(A,B,W)()3() () () () ()	4,046.	4,750.	5,063.	4,297.	5,003.	5,314.


Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W)()3() () () () ()	3,722.	4,247.	4,516.	4,301.	4,827.	5,094.
	72"	24"	RCS3L7224K(A,B,W)()3() () () () ()	3,895.	4,467.	4,754.	4,474.	5,046.	5,335.
	84"	24"	RCS3L8424K(A,B,W)()3() () () () ()	4,076.	4,718.	5,008.	4,654.	5,294.	5,588.
	96"	24"	RCS3L9624K(A,B,W)()3() () () () ()	4,237.	4,942.	5,256.	4,816.	5,521.	5,835.

Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W)()3() () () () ()	3,827.	4,355.	4,623.	4,831.	5,358.	5,626.
	72"	24"	RCS6L7224K(A,B,W)()3() () () () ()	4,002.	4,574.	4,864.	5,006.	5,576.	5,863.
	84"	24"	RCS6L8424K(A,B,W)()3() () () () ()	4,182.	4,824.	5,115.	5,187.	5,824.	6,119.
	96"	24"	RCS6L9624K(A,B,W)()3() () () () ()	4,344.	5,050.	5,360.	5,348.	6,052.	6,364.

Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	6. Lock option: L = Locks are always drilled for lock
RC Reff Credenza	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	7. Veneer finish
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	8. Pull Finish: Painted or plated
60 60" wide	3. Finish type: 3 = V3	9. Grommet finish: Painted or plated
24 24" deep	4. Interior option: M = Metal W = Wood	Applicable finishes are listed on page 5 and 6.
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions.
A 1 1/4" regular edge top		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
R Recessed grommet option		30"D rectilinear desk pedestals are 24"D including modesty panel.
3 Finish type		Credenzas with lateral files or pedestals are non handed.
W Wood interior option		Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
J Pull option		Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
L Lock option		All waterfall credenzas have waterfall detail on front only.
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Bridge assemblies
 27³/₄" high overall
 V1 finish options

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)()1()	\$860.	\$1,170.	\$1,176.
	42"	24"	RBR4224(A,B,W)()1()	911.	1,261.	1,853.
	48"	24"	RBR4824(A,B,W)()1()	996.	1,371.	2,007.
	36"	30"	RBR3630(A,B,W)()1()	916.	1,261.	1,942.
	42"	30"	RBR4230(A,B,W)()1()	970.	1,340.	2,038.
	48"	30"	RBR4830(A,B,W)()1()	1,061.	1,439.	2,203.

Order Code

Example:	RBR3624 (A,B,W)
RBR	Reff Bridge Assembly
48	48" wide
30	30" deep
W	Waterfall edge 1 1/4"
A	1 1/4" regular edge top
F	Flush grommet option
1	Finish type
Y319	Finish
111	Grommet Finish

S3L = Single 30"w lateral file
 S6L = Single 36"w lateral file

Specification Information

To order, please specify pattern number including:

- Top thickness option:
 A = 1 1/4"
 B = 1 3/4"
 C = 1 1/4" waterfall
- Grommet options:
 F = Flush or standard corner location
 N = No Grommet
 R = Recessed
- Finish type:
 1 = V1
- Finish: V1
- Grommet finish: Painted or plated


Applicable finishes are listed on page 5 and 6.

Application Notes

Bridge assemblies are non-handed.
 All hardware included.
 Waterfall option on all 3 sides.
 Shipped with full height modesty.


Product on this page will accept wood grain laminate, where laminate is currently an option.

Bridge assemblies
 27³/₄" high overall
 V2 finish options

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)()2() ()	\$946.	\$1,287.	\$1,953.
	42"	24"	RBR4224(A,B,W)()2() ()	1,002.	1,387.	2,038.
	48"	24"	RBR4824(A,B,W)()2() ()	1,095.	1,508.	2,208.
	36"	30"	RBR3630(A,B,W)()2() ()	1,009.	1,387.	2,136.
	42"	30"	RBR4230(A,B,W)()2() ()	1,067.	1,475.	2,242.
	48"	30"	RBR4830(A,B,W)()2() ()	1,167.	1,583.	2,423.

Order Code	Specification Information	Application Notes
Example: RBR3624 (A,B,W)	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed.
RBR Reff Bridge Assembly		All hardware included.
48 48" wide	1. Top thickness option: A = 1 1/4"	Waterfall option on all 3 sides.
30 30" deep	B = 1 3/4"	Shipped with full height modesty.
W Waterfall edge 1 1/4"	C = 1 1/4" waterfall	
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location	
F Flush grommet option	N = No Grommet	
2 Finish type	R = Recessed	
V316 Finish	3. Finish type: 2 = V2	
111 Grommet Finish	4. Finish: V2	
	5. Grommet finish: Painted or plated	
S3L = Single 30"w lateral file	Applicable finishes are listed on page 5 and 6.	Product on this page will accept wood grain laminate, where laminate is currently an option.
S6L = Single 36"w lateral file		

Bridge assemblies
 27³/₄" high overall
 V3 finish options

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)()3() ()	\$1,182.	\$1,610.	\$2,442.
	42"	24"	RBR4224(A,B,W)()3() ()	1,253.	1,735.	2,549.
	48"	24"	RBR4824(A,B,W)()3() ()	1,370.	1,884.	2,760.
	36"	30"	RBR3630(A,B,W)()3() ()	1,260.	1,735.	2,669.
	42"	30"	RBR4230(A,B,W)()3() ()	1,334.	1,844.	2,803.
	48"	30"	RBR4830(A,B,W)()3() ()	1,460.	1,980.	3,027.

Order Code

Example: RBR3624 (A,B,W)	
RBR	Reff Bridge Assembly
48	48" wide
30	30" deep
W	Waterfall edge 1 1/4"
A	1 1/4" regular edge top
F	Flush grommet option
3	Finish type
V512	Finish
111	Grommet Finish

S3L = Single 30" w lateral file
 S6L = Single 36" w lateral file

Specification Information

To order, please specify pattern number including:

- Top thickness option:
 A = 1 1/4"
 B = 1 3/4"
 C = 1 1/4" waterfall
- Grommet options:
 F = Flush or standard corner location
 N = No Grommet
 R = Recessed
- Finish type:
 3 = V3
- Finish: V3
- Grommet finish: Painted or plated

Applicable finishes are listed on page 5 and 6.

Application Notes


Bridge assemblies are non-handed.
 All hardware included.
 Waterfall option on all 3 sides.
 Shipped with full height modesty.


Product on this page will accept wood grain laminate, where laminate is currently an option.

Double pedestal credenzas


27³/₄" high overall

V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCDP6024K(A,B,W) ()1() () () () ()	\$3,355.	\$3,734.	\$3,930.	\$3,719.	\$4,101.	\$4,298.
	72"	24"	RCDP7224K(A,B,W) ()1() () () () ()	3,477.	3,893.	4,102.	3,452.	4,263.	4,472.
	84"	24"	RCDP8424K(A,B,W) ()1() () () () ()	3,611.	4,076.	4,288.	3,978.	4,442.	4,656.
	96"	24"	RCDP9624K(A,B,W) ()1() () () () ()	3,727.	4,239.	4,468.	4,095.	4,606.	4,833.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCD3L6024K(A,B,W) ()1() () () () ()	3,631.	4,014.	4,209.	4,473.	4,855.	5,050.
	84"	24"	RCD3L8424K(A,B,W) ()1() () () () ()	3,890.	4,355.	4,568.	4,730.	5,195.	5,407.
	96"	24"	RCD3L9624K(A,B,W) ()1() () () () ()	4,008.	4,517.	4,746.	4,847.	5,359.	5,589.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	RCD6L7224K(A,B,W) ()1() () () () ()	3,914.	4,329.	4,538.	5,371.	5,785.	5,995.
	96"	24"	RCD6L9624K(A,B,W) ()1() () () () ()	4,162.	4,673.	4,901.	5,619.	6,130.	6,360.

96" w shown; 72" w has no knee space

Preconfigured Ref Desking


Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza		Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal		Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4"	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
24 24" deep	C = 1 1/4" waterfall	All waterfall credenzas have waterfall detail on front only.
K File/file	2. Grommet options: F = Flush or standard corner location	
A 1 1/4" regular edge top	N = No Grommet	
R Recessed grommet option	R = Recessed	
1 Finish type	3. Finish type: 1 = V1	
W Wood interior option	4. Interior option: M = Metal	
J Pull option	W = Wood	
L Lock option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		
	6. Lock option: L = Locks are always drilled for lock	
	7. Finish: V1	
	8. Pull Finish: Painted or plated	
	9. Grommet finish: Painted or plated	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 603 for keying instructions.	
	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	


S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Double pedestal credenzas


27³/₄" high overall

V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCDP6024K(A,B,W) ()2() () () () ()	\$3,689.	\$4,108.	\$4,323.	\$4,091.	\$4,512.	\$4,728.
	72"	24"	RCDP7224K(A,B,W) ()2() () () () ()	3,826.	4,283.	4,514.	4,230.	4,688.	4,917.
	84"	24"	RCDP8424K(A,B,W) ()2() () () () ()	3,971.	4,484.	4,718.	4,375.	4,887.	5,120.
	96"	24"	RCDP9624K(A,B,W) ()2() () () () ()	4,099.	4,662.	4,914.	4,505.	5,066.	5,317.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCD3L6024K(A,B,W) ()2() () () () ()	3,994.	4,415.	4,631.	4,919.	5,342.	5,555.
	84"	24"	RCD3L8424K(A,B,W) ()2() () () () ()	4,279.	4,792.	5,025.	5,204.	5,715.	5,949.
	96"	24"	RCD3L9624K(A,B,W) ()2() () () () ()	4,408.	4,969.	5,220.	5,333.	5,895.	6,148.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	RCD6L7224K(A,B,W) ()2() () () () ()	4,304.	4,761.	4,993.	5,910.	6,365.	6,594.
	96"	24"	RCD6L9624K(A,B,W) ()2() () () () ()	4,578.	5,141.	5,392.	6,180.	6,744.	6,995.


96" w shown; 72" w has no knee space


Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza		Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	3. Finish type: 2 = V2	All waterfall credenzas have waterfall detail on front only.
K File/file	4. Interior option: M = Metal W = Wood	
A 1 1/4" regular edge top	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
R Recessed grommet option		
2 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		
S3L = Single 30" w lateral file		
S6L = Single 36" w lateral file		

Double pedestal credenzas


27³/₄" high overall

V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCDP6024K(A,B,W) ()3() () () () ()	\$4,612.	\$5,135.	\$5,403.	\$5,113.	\$5,641.	\$5,911.
	72"	24"	RCDP7224K(A,B,W) ()3() () () () ()	4,783.	5,354.	5,642.	5,288.	5,860.	6,148.
	84"	24"	RCDP8424K(A,B,W) ()3() () () () ()	4,964.	5,605.	5,896.	5,468.	6,108.	6,403.
	96"	24"	RCDP9624K(A,B,W) ()3() () () () ()	5,124.	5,828.	6,142.	5,631.	6,333.	6,646.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCD3L6024K(A,B,W) ()3() () () () ()	4,994.	5,519.	5,789.	6,151.	6,677.	6,943.
	84"	24"	RCD3L8424K(A,B,W) ()3() () () () ()	5,349.	5,989.	6,281.	6,505.	7,144.	7,436.
	96"	24"	RCD3L9624K(A,B,W) ()3() () () () ()	5,510.	6,211.	6,525.	6,666.	7,368.	7,684.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	RCD6L7224K(A,B,W) ()3() () () () ()	5,381.	5,951.	6,239.	7,387.	7,956.	8,243.
	96"	24"	RCD6L9624K(A,B,W) ()3() () () () ()	5,720.	6,427.	6,739.	7,727.	8,429.	8,744.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza		Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	1. Top thickness option: A = 1 3/4" B = 1 3/4" C = 1 1/4" waterfall	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	3. Finish type: 3 = V3	All waterfall credenzas have waterfall detail on front only.
K File/file	4. Interior option: M = Metal W = Wood	
A 1 1/4" regular edge top	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
R Recessed grommet option		
3 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Accessories

Planning Guidelines and Specification

J-Wire Troughs are available in two types, Wall Mount & Under Mount. Wall mount J-wire troughs may be attached to both architectural walls and fixed modesty panels. Under mount J-wire troughs may be attached directly under worksurfaces.

Both types are available in 6" increments, in lengths ranging from 24" to 72". Troughs are 3" high by 3" deep. They are constructed of 18-gauge cold rolled steel. Wall mount is available in black. Under mount is available in all Reff Profiles core paint finishes.

Application notes:

Wires may run along the length of the trough and may exit at the trough ends or over the open front of the trough at any point. Under mount troughs also have a 1 1/2" diameter, U-shaped mouse hole for wire entry/exit.

Wall mount J-wire troughs are attached to a vertical surface such as a full modesty panel, suspended modesty panel, or architectural wall. Refer to Figure 1 and 2.

Fasteners are not included with wall mount J-wire troughs. Attachment fasteners should be selected with consideration given to the vertical surface's material type and thickness. Care should be taken so that screws will not protrude through or damage the visitor side of a modesty panel.




Figure 1: Partial Height Modesty Applications

Figure 2: Wire Trough Wall Mounted Applications

Accessories

Planning Guidelines and Specification

Under mount J-wire troughs have two tabs at the top that allow them to be attached to the underside of a worksurface. Wood screws are included with under mount J-wire troughs.

Under mount J-wire troughs are designed to work with worksurfaces specified with flush, recessed, edge or no grommets. When edge grommets are specified, the trough is attached

with the opening towards the wall which will enable the ability to run wires anywhere along the opening in the worksurface while still allowing the ability to run wires through the grommet of the wire manager. Refer to Figure 5.

Under mount J-wire troughs may be specified when a desk screen (i.e. Antenna) is to be used as a modesty panel. Refer to Figure 6.

The width of the J-wire trough should be specified so that the trough spans and falls beneath grommet locations, but does not interfere with leg or pedestal positions. (i.e. A 72" w double letter-wide pedestal desk with flush grommets would be get a 36" trough.) Refer to Figure 3 and 4.

Wire troughs may not be used to stiffen a worksurface.




Figure 3: Peninsula




Figure 4: Top with Desktop Grommet




Figure 5: Top with Edge Grommet




Figure 6: Desk Screen

Accessories and Client Samples

Accessories

Planning Guidelines and Specification

The wire manager for credenza may be specified for use with a 1" or 1 1/2" thick credenza top with edge grommet. Wires, transformers, or personal accessory chargers may then be pushed off the worksurface, but will not drop all the way to the floor.


The wire manager for credenza top is 24" wide, 1" high and 1 1/4" deep, and will fit any standard width credenza top with edge grommet. It is constructed of 24-gauge cold rolled steel and is available in black.

Application notes:


The wire manager for credenza is intended to be mounted to the inside edge of the edge grommet. Wires may run along the length of the trough, exiting at the trough ends between the trough and the un-notched portion of the worksurface top.

Note: There will be a visible black lip (approx. 1/8" wide) at the edge of the worksurface where the wire manager is mounted.


For installation, wood screws and double sided tape are included with the wire manager.



Application of Wire Manager for Credenza Top



Wire Manager Dimensions



Wire Manager

Desktop Outlet for Power Center Stand-off

The Desktop Outlet for Power Center Stand-off works in conjunction with the stand-off for power center and the power center grommet to bring electrical and data receptacles to the worksurface. The power center stand-off and power center grommet are included with the peninsula top when specified.

The Desktop Outlet for power center provides 2 power simplexes and up to 2 data jack positions. It mounts within the cavity of the power center stand-off and is available in black only. Refer to figure 1.

Application notes:

Note: Simplexes are wired together and on the same circuit.

Desktop Outlets are available with either a 72" or 120" long cordset, or with a 72" long hardwire cord for direct connection to building power. Connection option selected must comply with local and/or national electrical code.




Figure 1: Desktop Outlet for Power Center Stand-off




Figure 2: Clamp on Electrical Component (3+3 version shown)

Note: Data jacks are not available through Knoll and must be coordinated and provided by a communications equipment supplier. Jack adapters are provided with the Desktop Outlet to accept various types of connections. Refer to the supplier's information sheet, included with the unit, for available jack adapters.

Clamp On Electrical Component

The Clamp On Electrical Component brings electrical and data receptacles to worksurface height without needing to field install grommets. It is offered with the combination of 2 power simplexes and 2 data jack positions (2+2) or 3 power simplexes and 3 data jack positions (3+3).

Clamp on electrical components have a silver body with a black trim and black receptacles. Refer to figures 2 and 3.

Application notes:

This component may be utilized on any worksurface, up to 1 1/2" thick where power/ data access is desired.

Clamp on electrical components may be specified in a 2+2 version or a 3+3 version. The 2+2 offers 2 simplexes and 2 available positions for data jacks. The 3+3 offers 3 simplexes and 3 available positions for data jacks.

Note: Simplexes are wired together and on the same circuit.

Clamp on electrical components are available with either a 72" or 120" long cordset, or with a 72" long hardwire cord for direct connection to building power. Connection option selected must comply with local and/or national electrical code.

Note: Data jacks are not available through Knoll and must be coordinated and provided by a communications equipment supplier. Jack adapters are provided with the Clamp On Electrical Component to accept various types of connections. Refer to the supplier's information sheet, included with the unit, for available jack adapters.




Figure 3: Clamp on Electrical Component

Drop-In Electrical Component for Simple Stand Off

The Drop-in Electrical Component for Simple Stand Off works in conjunction with the simple stand off when specified with a peninsula top, to bring electrical and data receptacles directly to the worksurface.

It provides 3 power simplexes and 3 data jack positions. It is 2" deep and 12" wide. Trim and receptacles are available in black.

The cut-out is provided when specified with a peninsula top. To use this product in other applications, special tops must be ordered with the required cut-out pre-drilled to suit. Refer to figure 4.

Application notes:

The Drop-in Electrical Component for Simple Stand Off offers 3 simplexes and 3 available positions for data jacks.

Note: Simplexes are wired together and on the same circuit.

They are available with either a 72" or 120" long cord set, or with a 72" long hardwire cord for direct connection to building power. Connection option selected must comply with local and/or national electrical code.

Note: Data jacks are not available through Knoll and must be coordinated and provided by a communications equipment supplier. Jack adapters are provided with the Drop-In Electrical Component to accept various types of connections. Refer to the supplier's information sheet, included with the unit, for available jack adapters.

Note: The Drop-In Electrical Component is retained to the worksurface by four screws supplied with the Simple Stand Off.

Refer to Drop-In Electrical Simple Stand Off installation instruction 6TP00305.

Simple Stand Off

Simple Stand Offs provide support for 1 1/2" thick worksurface tops mounted to low credenzas or 3/4 height storage cabinets with a 1" top. The simple stand off is included when specified with peninsula tops.

Simple Stand Off assemblies are 2 1/4" deep, 12" wide, and 5 1/32" high. They are constructed of 16 gauge cold rolled steel and are available in all core painted finishes for 28 3/8" high planning.

The Simple Stand Off comes with the stand off weldment, mounting bracket, mounting hardware and round grommet. Refer to figure 5.

Application notes:

The Simple Stand Off must be permanently and securely affixed to the underside of a worksurface and also to whatever support unit it rests upon.

The Simple Stand Off is designed to support a top without additional worksurface supported storage such as hutches or desktop towers for example.

To access the cavity of the Simple Stand Off, a special top must be ordered with the appropriate cut-out for a Drop-In Electrical Component or Desktop Grommet which must be specified separately and field installed.

Refer to 6TP00305 for Installation Instructions.




Figure 4: Drop-In Electrical Component for Simple Stand Off




Figure 5: Simple Stand Off

Stand Off for Power Center

Stand Offs for Power Center provide support for 1 1/2" thick worksurface tops mounted to low credenzas or 3/4 height storage cabinets with a 1" top while also providing opportunity for wire management and power/data capabilities. The power center standoff is included when specified with peninsula tops.

Power Center Stand Off assemblies are 6 3/8" deep, 9 1/4" wide, and 5 1/32" high. They are constructed of 16-gauge cold rolled steel and are available in all core painted finishes for 28 3/8" high planning.

Application notes:

The Power Center Stand Off is designed to support a top without additional worksurface supported storage such as hutches or desktop towers for example.

The Power Center Stand Off must be permanently and securely affixed to the underside of a worksurface and also to whatever support unit it rests upon.

To access the cavity of the Stand Off for Power Center, a special top must be ordered with the appropriate cut-out for a Power Center Grommet which must be specified separately and field installed.

When power and data capability is desired for use with this unit, the Desktop Outlet electrical options must be specified separately. Refer to figure 6.

A 1 3/4" round grommet is included for field drilling of cable route from the power center standoff through the lower storage element.

Refer to 6TP00081 for Installation Instructions.

Power Center Grommet

The Power Center Grommet must be specified when utilizing a stand-off for power center. The grommet trims the opening in the peninsula top that allows access into the stand-off for power center. It includes an attached, hinged lid. Refer to figure 7.

Power Center Grommets are 8" wide x 5" deep and are available in all core painted and plated finishes for 28 3/8" high planning.

The Power Center Grommet is included when specified with a peninsula top.

To utilize the Power Center Grommet, special tops must be ordered with the required cut out pre-drilled to suit.

Grommets

Desktop Grommets are included with certain worksurfaces when specified. Desktop grommets may be ordered separately, if desired, for field installation.

To use this product in non-standard applications, special tops must be ordered with the required cut-out pre-drilled to suit.

The Desktop Grommet includes a grommet sleeve and lid. The grommet sleeve is 2" deep x 3" wide with a 1/8" flange all round which sits 1/16" above the finished worksurface. The outside to outside dimension of the flange is 2 1/4" deep and 3 1/4" wide. The grommet lid sits inside the sleeve and is flush with the top of the sleeve. Refer to figure 8.

Desktop Grommets are available in all core painted and plated finishes for 28 3/8" high planning.

Application notes:

Desktop Grommets are available for use in 1", 1 1/4" and 1 1/2" thick worksurfaces. Care should be taken to specify the grommet appropriate for the worksurface's thickness.




Figure 6: Stand Off for Power Center




Figure 7: Power Center Grommet











Figure 8: Grommet

Accessories

cabinet extras and undermount accessories

Reff Profiles

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		RCABT1417						\$74.
	29"	17"		RCABT2917						124.
Cabinet coat rod 	Half of 30" cabinets			RCACR30H						72.
	Half of 36" cabinets			RCACR36H						79.
	16" cabinets			RCACR16						74.
	30" cabinets			RCACR30						99.
	36" cabinets			RCACR36						111.
Articulated keyboard arm 	10" x 22 1/4" keyboard tray			RKBA1022()						882.
	10" x 20" keyboard tray			RKBA1020()						882.
Available in laminate, techwood (V1), or veneer (V2)										
CRT turntable 	31" diameter			RKT31						545.
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		RCAS1620-()	75.	142.	151.	174.	235.	
	16"	24"		RCAS1624-()	84.	159.	171.	199.	267.	
	30"	15"		RCAS3015-()	93.	186.	200.	228.	308.	
	30"	20"		RCAS3020-()	90.	159.	171.	199.	267.	
	30"	24"		RCAS3024-()	100.	186.	200.	228.	308.	
	36"	15"		RCAS3615-()	102.	198.	209.	237.	319.	
	36"	20"		RCAS3620-()	102.	170.	182.	209.	283.	
	36"	24"		RCAS3624-()	107.	200.	213.	244.	329.	
Pencil drawer used under worktop 	16"	17"	1"	RPAD-()		305.	542.	542.	702.	
Specify wood or laminate finish										
Reff Profiles Spacer kit for Pencil drawer				RPADKIT						33.

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

Specification Information

Pencil drawer includes slides.




Applicable finishes are listed on page 5 and 6.

Application Notes

See Reff Planning Guide for more information.

Note: The spacer kit (RPADKIT) is required to mount pencil drawer (RPAD) to a table with an open frame leg.

Accessories
presentation samples
Worksurfaces

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only) 	-	-	8 ⁷ / ₈ "	RWHRA- ()					\$38.
	-	-	17 ³ / ₈ "	RWHRB- ()					41.
	-	-	18 ¹ / ₄ "	RWHRC- ()					41.
	-	-	21 ¹ / ₁₆ "	RWHRD- ()					43.
	-	-	22"	RWHRE- ()					43.
	-	-	59 ¹ / ₂ "	RWHRF- ()					97.
	-	-	67"	RWHRG- ()					97.
Striplight (black only) for transaction tops 	26"	2"	2"	RCASL					345.
Presentation wood sample, 16" x 16" Optional edge details available	16"	16"	-	RSAMP1616- () ()	134.	191.	246.	285.	
Presentation stackable/tiled mini panel (for demonstrations) Specify trim profile, base height, base type and applicable finishes	24"	-	34"	R3SMP () ()					1,100.
Presentation monolithic mini panel Specify trim profile and applicable finishes	4"H base			RR3MP4 ()					602.
	6"H base			RR3MP6 ()					644.
Presentation worksurface cutaway sample	12"	12"	1 ¹ / ₄ "	RTOP2 ()	110.	168.	224.	264.	
	12"	12"	1 ³ / ₄ "	RTOP1 ()	110.	168.	224.	264.	
Presentation waterfall edge sample	11"	8 ¹ / ₂ "		R921655 ()					335.
Sample, cascade edge worksurface 	12"	12"		RCE1R1212G	125.				
Rangeboard Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)	27"	12"	1 ¹ / ₄ "	RRBRD2712 ()					302.

Accessories and Client Samples

Order Code

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
 2. Finish, where applicable
1. Finish type:
L = Laminate
1 = V1
2 = V2

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.






Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Striplights come with brackets, and will work with all transaction tops.

The wall rails will accept twosets of brackets for panel hung components.

Accessories
presentation samples
Pull Samples

description	type	w	d	pattern no.	L	V1	V2	V3	list price
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				R917762 ()					\$441.
Presentation drawer front with pull samples	Grommet pull	8"	8"	RPULLSMPG() ()	145.	184.	199.	230.	
									
	Bar pull	8"	8"	RPULLSMPF() ()	145.	184.	199.	230.	
									
	Outline pull	8"	8"	RPULLSMPH() ()	145.	184.	199.	230.	
									
	Cylinder pull	8"	8"	RPULLSMPR() ()	145.	184.	199.	230.	
									
	Tab pull	8"	8"	RPULLSMPT() ()	145.	184.	199.	230.	
									

Order Code

Example:	RPULLSMPG() ()
RP	Reff Profiles
SM	Sample
PG	Pull Grommet

Specification Information

To order please specify pattern number including:







1. Drawer Front finish:
Wood or Laminate
2. Pull Finish:
Painted or plated

Applicable finishes are listed on page 5 and 6

Product on this page will accept wood grain laminate, where laminate is currently an option.

Accessories

wire management

description	w	d	h	pattern no.	list price
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	RWMWT24	\$43.
	30"	4 1/2"	5 3/4"	RWMWT30	49.
	36"	4 1/2"	5 3/4"	RWMWT36	54.
	Available black only				
 Hinged vertical wire	24"	1"	3/8"	RWMV24 ()	35.
	Ships with overdesk unit. Specify paint finish.				
 Multi-purpose manager*	24"	2 1/2"	1 1/4"	RWMMP24	38.
	30"	2 1/2"	1 1/4"	RWMMP30	43.
	36"	2 1/2"	1 1/4"	RWMMP36	44.
	Available black only				
 Panel-hung vertical wire	24"	–	–	RWMVP24	35.
	not available in finish codes: 112,116,117,611, 612, 613				
 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	RWMVH24	41.
	30"	1 1/2"	3/4"	RWMVH30	45.
	36"	1 1/2"	3/4"	RWMVH36	49.
	Available black only				
 Power bar, fits into wire manager				RWMPB	149.
Replacement hardware	Top to endpanel disk			RBDD	5.
	Top to workwall endpanel disk			RBDW	5.
	Panel to endpanel bracket			RBPE(L/R)()	20.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RJBW24	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 5.
R Reff	1. Pattern number	
JB J-Bracket	2. Finish: painted finishes	
W Wall and Modesty mount		
24		

Accessories

wire management

Reff Profiles

description	w	d	h	pattern no.	list price
Tree wire manager package of 10 2 shipped per panel	2"			RBWM	\$11.
	used in Beltway				
J-Wire Trough Wall Mount	24"			RJBW24()	64.
	30"			RJBW30()	66.
	36"			RJBW36()	72.
	42"			RJBW42()	85.
	48"			RJBW48()	90.
	54"			RJBW54()	92.
	60"			RJBW60()	93.
	66"			RJBW66()	105.
	72"			RJBW72()	106.
*Installation Instruction Sheet: 6TP00078					
J-Wire Trough Under Mount	24"			RJBU24()	78.
	30"			RJBU30()	80.
	36"			RJBU36()	87.
	42"			RJBU42()	100.
	48"			RJBU48()	107.
	54"			RJBU54()	109.
	60"			RJBU60()	111.
	66"			RJBU66()	123.
	72"			RJBU72()	125.
*Installation Instruction Sheet: 6TP00079					
*Available in painted colors.					
Wire manager for credenza top	24"			RWMCT24	128.
					

Order Code

Example: RJBW24
R Reff
JB J-Bracket
W Wall and Modesty mount
24

Specification Information

To order please specify:
 1. Pattern number
 2. Finish: painted finishes


Application Notes


Specify color for hinged vertical wire management only from paint finish list on page 5.

Accessories

Power and Data

Reff Profiles

description	type	w	d	h	pattern no.	list
 Desktop Outlet - Power Center stand off					RDTE22120	\$352.
					RDTE2272	327.
					RDTE22H	360.

 Electrical component Clamp on	2 x 2				RDTC2272	408.
	2 x 2				RDTC22120	424.
	2 x 2				RDTC22H	485.
	3 x 3				RDTC3372	520.
	3 x 3				RDTC33120	537.
	3 x 3				RDTC33H	597.

3 x 3 shown

 Electrical component for Simple Stand-Off Drop-In	3 x 3				RDST3372	693.
	3 x 3				RDST33120	709.
	3 x 3				RDST33H	769.





Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RDTE2272		
R	Reff	H = Hard wire
DT	Desktop Outlet	Installation instruction sheet available on Knoll Exchange.
E	Electrical component	For Power Center stand off, refer to part number 6TP00081.
2	2 Electrical	
2	2 Data	
72	72" cord	

Accessories

Grommet and Stand off

Reff Profiles

description	type	w	d	h	pattern no.	list
Simple Stand Off		12"	5"	5"	RST()	\$107.
						
Stand Off for Power Center (Electrical component not included)		8"	5"	5"	RPCST()	137.
						
Power Center Grommet (Electrical component not included)		8"	5"	1 1/2"	RPCG()	156.
						
Desktop Grommet		For 1 1/2" thick top		1 1/2"	RDTGA()	34.
		For 1 1/4" thick top		1 1/4"	RDTGB()	34.
		For 1" thick top		1"	RDTGC()	34.
						

Order Code

Example: **RST**

R Reff

ST Stand Off

() Finish

Specification Information

To order please specify pattern number including;

1. Stand Off Finish: Painted options only

For Grommets;
1. Grommet Finish: Painted or plated options




Application Notes

Installation instruction sheet available on Knoll Exchange.

For Power Center stand off, refer to part number 6TP00081.

Accessories

interior components

description	y	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)					RPHCHH	\$35.
Not intended to work with (AA) Aluminum top trim						
Panel-hung coat hook (panel top)					RPHCHT	35.
Panel-hung tackboard	0.9		30"	24"	RPHTB3024	292.
Note: Fabric railroaded	1.3		42"	24"	RPHTB4224	359.
All standard grades of fabric						
						
Panel-hung whiteboard			30"	24"	RPHWB3024	453.
			42"	24"	RPHWB4224	554.
Wall-hung tackboard	0.9		30"	24"	RWHTB3024	323.
Note: Fabric railroaded Velcro supplied	1.1		36"	24"	RWHTB3624	359.
	1.3		42"	24"	RWHTB4224	394.
	1.5		48"	24"	RWHTB4824	428.
for use with 26 1/2" h support planning module						
						
Wall-hung tackboard for desk height (28 3/8" h) planning	0.9		30"	26"	RWDHTB3026	341.
Note: Fabric railroaded Velcro supplied	1.1		36"	26"	RWDHTB3626	376.
	1.3		42"	26"	RWDHTB4226	415.
	1.5		48"	26"	RWDHTB4826	450.
for use with 28 3/8" h support planning module						
						
Box drawer dividers, wood box drawers (Acrylic)			16"	–	RPADSS	51.
File bars, wood file drawers (replacement)			16"	–	RPAHFB16	29.
			30"	–	RPAHFB30	55.
			36"	–	RPAHFB36	85.

Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

Y = Yardage required

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

description	y	type	w	h	pattern no.	list price
File bars, metal file drawers (replacement)			16"	–	RPAHFM162 *	\$20.
			30"	–	RPAHFM30	29.
			36"	–	RPAHFM36	29.

Sold as individuals


Plate divider					RPD11	22.
					RPD14	22.



RPD11 to be used with 15" D open cabinet/bookcase with metal shelves.
 RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.


Pencil tray, wood (ordered separately)			12"	–	RPAPT	99.
--	--	--	-----	---	--------------	-----

Pencil tray, plastic		black	13 1/4"	–	RPETRAY3N	38.
		clear	12"	–	RPETRAY3C	45.




Recommended for use with metal drawer interiors on 16" w peds.
 Letter width pedestal.

Pencil tray adapter					RPETAD	82.
---------------------	--	--	--	--	---------------	-----



Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals.
 Available in painted and anodized finishes.

Task Panel shelf			14"		RTST14	166.
------------------	--	--	-----	--	---------------	------



Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

Y = Yardage required

Application Notes



See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

description	y	type	w	h	pattern no.	list price
Task Panel flat tray 			14"		RTSF14	\$166.
			28"		RTSF28	198.
Utility Hook 					RAUH	19.

Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

Y = Yardage required

Application Notes




See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.


Accessories
Fascias for overheads
Metal

Reff Profiles

description	w	pattern no.	P1/P2	P3
Metal Fascia - Both left and right recess 	30"	ROMDHMTF130RB	\$144.	\$172.
	36"	ROMDHMTF136RB	147.	176.
	42"	ROMDHMTF142RB	148.	177.
	48"	ROMDHMTF148RB	150.	181.
	54"	ROMDHMTF154RB	153.	184.
	60"	ROMDHMTF160RB	155.	187.
	66"	ROMDHMTF166RB	164.	197.
	72"	ROMDHMTF172RB	166.	200.
	78"	ROMDHMTF178RB	168.	202.
	84"	ROMDHMTF184RB	170.	204.
	90"	ROMDHMTF190RB	172.	207.
96"	ROMDHMTF196RB	174.	209.	
Metal Fascia - Left recess 	30"	ROMDHMTF130RL	144.	172.
	36"	ROMDHMTF136RL	147.	176.
	42"	ROMDHMTF142RL	148.	177.
	48"	ROMDHMTF148RL	150.	181.
	54"	ROMDHMTF154RL	153.	184.
	60"	ROMDHMTF160RL	155.	187.
	66"	ROMDHMTF166RL	164.	197.
	72"	ROMDHMTF172RL	166.	200.
	78"	ROMDHMTF178RL	168.	202.
	84"	ROMDHMTF184RL	170.	204.
	90"	ROMDHMTF190RL	172.	207.
96"	ROMDHMTF196RL	174.	209.	
Metal Fascia - No recess 	30"	ROMDHMTF130RN	144.	172.
	36"	ROMDHMTF136RN	147.	176.
	42"	ROMDHMTF142RN	148.	177.
	48"	ROMDHMTF148RN	150.	181.
	54"	ROMDHMTF154RN	153.	184.
	60"	ROMDHMTF160RN	155.	187.
	66"	ROMDHMTF166RN	164.	197.
	72"	ROMDHMTF172RN	166.	200.
	78"	ROMDHMTF178RN	168.	202.
	84"	ROMDHMTF184RN	170.	204.
	90"	ROMDHMTF190RN	172.	207.
96"	ROMDHMTF196RN	174.	209.	

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	<i>To order please specify pattern number including:</i> 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		




Accessories
Fascias for overheads
Metal

description	w	pattern no.	P1/P2	P3
Metal Fascia - Right recess 	30"	ROMDHMTF130RR	\$144.	\$172.
	36"	ROMDHMTF136RR	147.	176.
	42"	ROMDHMTF142RR	148.	177.
	48"	ROMDHMTF148RR	150.	181.
	54"	ROMDHMTF154RR	153.	184.
	60"	ROMDHMTF160RR	155.	187.
	66"	ROMDHMTF166RR	164.	197.
	72"	ROMDHMTF172RR	166.	200.
	78"	ROMDHMTF178RR	168.	202.
	84"	ROMDHMTF184RR	170.	204.
	90"	ROMDHMTF190RR	172.	207.
	96"	ROMDHMTF196RR	174.	209.

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	<i>To order please specify pattern number including:</i> 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		


Accessories
Fascias for overheads
 Wood

Reff Profiles

description	w	pattern no.	V1	V2	V3
Wood Fascia - Both left and right recess 	30"	ROMDHWTF130RB	\$265.	\$287.	\$358.
	36"	ROMDHWTF136RB	267.	290.	362.
	42"	ROMDHWTF142RB	269.	293.	366.
	48"	ROMDHWTF148RB	271.	296.	371.
	54"	ROMDHWTF154RB	273.	300.	375.
	60"	ROMDHWTF160RB	394.	416.	520.
	66"	ROMDHWTF166RB	396.	419.	524.
	72"	ROMDHWTF172RB	398.	422.	528.
	78"	ROMDHWTF178RB	400.	425.	532.
	84"	ROMDHWTF184RB	402.	428.	537.
	90"	ROMDHWTF190RB	405.	431.	541.
96"	ROMDHWTF196RB	553.	575.	720.	
Wood Fascia - Left recess 	30"	ROMDHWTF130RL	265.	287.	358.
	36"	ROMDHWTF136RL	267.	290.	362.
	42"	ROMDHWTF142RL	269.	293.	366.
	48"	ROMDHWTF148RL	271.	296.	371.
	54"	ROMDHWTF154RL	273.	300.	375.
	60"	ROMDHWTF160RL	394.	416.	520.
	66"	ROMDHWTF166RL	396.	419.	524.
	72"	ROMDHWTF172RL	398.	422.	528.
	78"	ROMDHWTF178RL	400.	425.	532.
	84"	ROMDHWTF184RL	402.	428.	537.
	90"	ROMDHWTF190RL	405.	431.	541.
96"	ROMDHWTF196RL	553.	575.	720.	
Wood Fascia - No recess 	30"	ROMDHWTF130RN	265.	287.	358.
	36"	ROMDHWTF136RN	267.	290.	362.
	42"	ROMDHWTF142RN	269.	293.	366.
	48"	ROMDHWTF148RN	271.	296.	371.
	54"	ROMDHWTF154RN	273.	300.	375.
	60"	ROMDHWTF160RN	394.	416.	520.
	66"	ROMDHWTF166RN	396.	419.	524.
	72"	ROMDHWTF172RN	398.	422.	528.
	78"	ROMDHWTF178RN	400.	425.	532.
	84"	ROMDHWTF184RN	402.	428.	537.
	90"	ROMDHWTF190RN	405.	431.	541.
96"	ROMDHWTF196RN	553.	575.	720.	


Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i>	For single and double high overheads.
R Reff	1. Finish Type:	Wood and metal options.
O Overhead	1 = V1	Letter depth only.
M Wall hung	2 = V2	
DH Desk height	3 = V3	
W Wood	2. Finish	
T Task light	V1, V2, V3	
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		

Accessories
Fascias for overheads
Wood

description	w	pattern no.	V1	V2	V3
Wood Fascia - Right recess 	30"	ROMDHWTF130RR	\$265.	\$287.	\$358.
	36"	ROMDHWTF136RR	267.	290.	362.
	42"	ROMDHWTF142RR	269.	293.	366.
	48"	ROMDHWTF148RR	271.	296.	371.
	54"	ROMDHWTF154RR	273.	300.	375.
	60"	ROMDHWTF160RR	394.	416.	520.
	66"	ROMDHWTF166RR	396.	419.	524.
	72"	ROMDHWTF172RR	398.	422.	528.
	78"	ROMDHWTF178RR	400.	425.	532.
	84"	ROMDHWTF184RR	402.	428.	537.
	90"	ROMDHWTF190RR	405.	431.	541.
	96"	ROMDHWTF196RR	553.	575.	720.

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i>	For single and double high overheads.
R Reff	1. Finish Type:	Wood and metal options.
O Overhead	1 = V1	Letter depth only.
M Wall hung	2 = V2	
DH Desk height	3 = V3	
W Wood	2. Finish	
T Task light	V1, V2, V3	
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		


Accessories
Fascias for Hutches
Metal

description	w	pattern no.	P1/P2	P3
Metal Fascia 	60"	ROHMTF160	\$152.	\$183.
	66"	ROHMTF166	161.	193.
	72"	ROHMTF172	163.	196.
	78"	ROHMTF178	165.	198.
	84"	ROHMTF184	167.	200.
	90"	ROHMTF190	169.	203.
	96"	ROHMTF196	171.	205.

Order Code	Specification Information	Application Notes
Example: ROHMTF160		
R	Reff	
O	Overhead	
H	Hutch	
M	Metal	
T	Task light	
F	Fascia	
i	Letter depth	
60	60"	

Accessories
Fascias for Hutches
Wood

Reff Profiles





description	w	pattern no.	V1	V2	V3
Wood Fascia 	60"	ROHWTF160	\$386.	\$408.	\$510.
	66"	ROHWTF166	388.	411.	514.
	72"	ROHWTF172	390.	414.	518.
	78"	ROHWTF178	392.	417.	522.
	84"	ROHWTF184	394.	420.	526.
	90"	ROHWTF190	397.	423.	530.
	96"	ROHWTF196	542.	564.	706.

Accessories and Client
 Samples

Order Code	Specification Information	Application Notes
Example: ROHWTF160		
R	Reff	
O	Overhead	
H	Hutch	
W	Wood	
T	Task light	
F	Fascia	
i	Letter depth	
60	60"	

Accessories

Sliding Rails

description	width	pattern no.	list price	
Sliding rail for open shelves 	30"	RSDR30	\$54.	
	36"	RSDR36	54.	
	42"	RSDR42	54.	
	48"	RSDR48	54.	
	54"	RSDR54	54.	
	60"	RSDR60	85.	
	66"	RSDR66	85.	
	72"	RSDR72	85.	
	78"	RSDR78	85.	
	84"	RSDR84	95.	
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	54.	
	36"	ROHDR36	54.	
	42"	ROHDR42	54.	
	48"	ROHDR48	54.	
	60"	ROHDR60	95.	
	72"	ROHDR72	95.	
	90"	ROHDR90	129.	
	96"	ROHDR96	129.	
	Sliding rail for flip door overhead cabinets 	30"	RFDR30	54.
		36"	RFDR36	54.
42"		RFDR42	54.	
48"		RFDR48	54.	
60"		RFDR60	95.	
72"		RFDR72	95.	
84"		RFDR84	95.	
Sliding rail divider 		R5ZNNE (3 dividers)	22.	

Order Code

Example:	RSDR30
R	Reff
SDR	Sliding rail for open shelves
30	For 30" shelf

Specification Information

To order please specify pattern number.

Application Notes

Match cabinet width to rail width.




Parts come in black only.

These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

Accessories

Task Light

Reff

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTL5E19S	\$275.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25S	282.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37S	287.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49S	292.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61S	309.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73S	337.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85S	420.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25A	404.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37A	425.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49A	443.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61A	460.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73A	476.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85A	494.
	Use with 24" and wider overhead (3 LED's)	19"	2"	3/16"	RTL193W	312.
	Use with 24" and wider overhead (6 LED's)	19"	2"	3/16"	RTL196W	394.
	Use with 24" and wider overhead (9 LED's)	19"	2"	3/16"	RTL199W	537.
	Use with 42" and wider overhead (6 LED's)	37"	2"	3/16"	RTL376W	629.
	Use with 42" and wider overhead (12 LED's)	37"	2"	3/16"	RTL3712W	711.
	Use with 42" and wider overhead (18 LED's)	37"	2"	3/16"	RTL3718W	881.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
T5 Standard Task Light Example: RTL5E19S RTL Task Light T5 T5 lamp E Electronic ballast 19 Width S Standard	T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black. LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.	T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed. T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content. LED Task Lights: Power cord is able to attach to either end of fixture. Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Task Panels

Planning Guidelines and Specifications

Task Panels

The high performance Task Panel is designed to augment the utility of the zone immediately above the credenza in a Private Office setting, by offering tool rail capability and cable management features in addition to tackable and decorative inserts. All Task Panels have a cable curtain along the full length of the bottom edge which, when used in conjunction with notched back credenza tops, provides access to in-wall power sources and for cable concealment. See figure on following page for cable management details. The optional tool rail is designed to accept slatwall accessories and the Reff Profiles Task Panel Shelf. Slatwall accessories are available from KnollExtra. Insert panels may be conveniently removed, exposing a $\frac{7}{8}$ " wire clearance space which allows cable drops at any point along the entire width of the Task Panel. Check local electrical codes for suitability.

Task Panels are configured in eight heights (H1 – H8) to correspond to their application. See application diagrams on the following pages. H1 and H2 are designed for focused work applications whereas H3 through H8 are designed for collaborative or team work applications.


Construction

The Task Panel consists of a framework and optional tool rail, with decorative trims and a variety of functional and decorative inserts. See figures below for breakdown of components. Bottom right; The frame assembly consists of two vertical members, a bottom and top frame member and an optional tool rail. These are connected together and supported by mounting brackets. Edges have decorative trims; a top cover and two end covers.

Connected to the bottom frame member is a nylon brush which forms the cable curtain. Frames are clad with either one or two inserts depending upon the use of the tool rail. Bottom left (upper); single monolithic insert with spacers. Bottom left (lower); top segmented insert and bottom segmented insert and spacers.

Task Panels are shipped with frame and trim components, cable curtain and hardware in one container and inserts and spacers in a separate container.

The unit is field-assembled; fastened together using brackets and screws in pre-punched holes. See part #6TP00085 for assembly and installations instructions.



Task Panels

Planning Guidelines and Specifications

Specification Options

Task Panels are offered in widths from 30" to 96" in 6" increments; and in eight application heights, H1 to H8. Overall thickness of the Task Panel is 1 1/2".

Task Panels are available in two basic configurations; monolithic (with a single insert) and segmented (with two inserts divided by the horizontal tool rail). See diagrams, previous page, for description.


The Task Panel cover trims and optional tool rail are offered in three anodized metallic finishes; Black (AN), Polished (AP) and Satin (AU) as well as all core paint colors. Refer to Reff Profiles finish options page for more information.

Task Panel inserts are available in a variety of finishes including fabric (tackable), Forbo™ (tackable linoleum), laminate, veneer, glass and marker board.

Note that segmented Task Panels with fabric lower inserts are available up to 72" wide.



Planning Notes

1. H1, H3, H5 and H7 Task Panels are intended for use with 1 1/2" thick credenza tops. H2, H4, H6 and H8 Task Panels are intended for use with 1" credenza tops.
2. Fabric is applied to inserts railroad style only
3. Forbo™ is available on lower segmented inserts only
4. Grain direction for veneer inserts is vertical
5. Glass is not available for lower segmented inserts.



Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H1 Task Panel is intended for use with 1 1/2" thick tops.
- H2 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H3 Task Panel is intended for use with 1 1/2" thick tops.
- H4 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H5 Task Panel is intended for use with 1 1/2" thick tops.
- H6 Task Panel is intended for use with 1" thick credenza tops.

Task Panels


Planning Guidelines and Specifications



Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H7 Task Panel is intended for use with 1 1/2" thick tops.
- H8 Task Panel is intended for use with 1" thick credenza tops.

Task Panels
H1 23 1/8" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	23 1/8"	30"	0.9	RTPNM30H1 () ()	\$742.	\$757.	\$772.	\$786.	\$810.	\$825.	\$844.
Without tool rail	1 1/2"	23 1/8"	36"	1.1	RTPNM36H1 () ()	797.	815.	834.	853.	878.	895.	914.
	1 1/2"	23 1/8"	42"	1.3	RTPNM42H1 () ()	1,044.	1,066.	1,088.	1,111.	1,144.	1,164.	1,190.
	1 1/2"	23 1/8"	48"	1.4	RTPNM48H1 () ()	1,057.	1,081.	1,106.	1,129.	1,163.	1,183.	1,211.
	1 1/2"	23 1/8"	54"	1.6	RTPNM54H1 () ()	1,075.	1,102.	1,129.	1,157.	1,191.	1,213.	1,239.
	1 1/2"	23 1/8"	60"	1.8	RTPNM60H1 () ()	1,139.	1,169.	1,200.	1,230.	1,267.	1,289.	1,319.
	1 1/2"	23 1/8"	66"	1.9	RTPNM66H1 () ()	1,378.	1,411.	1,442.	1,475.	1,519.	1,545.	1,581.
	1 1/2"	23 1/8"	72"	2.1	RTPNM72H1 () ()	1,398.	1,434.	1,470.	1,506.	1,550.	1,578.	1,614.
	1 1/2"	23 1/8"	78"	2.3	RTPNM78H1 () ()	1,572.	1,611.	1,649.	1,688.	1,739.	1,770.	1,809.
	1 1/2"	23 1/8"	84"	2.4	RTPNM84H1 () ()	1,581.	1,622.	1,663.	1,704.	1,755.	1,786.	1,827.
	1 1/2"	23 1/8"	90"	2.6	RTPNM90H1 () ()	1,645.	1,689.	1,735.	1,779.	1,832.	1,864.	1,906.
	1 1/2"	23 1/8"	96"	2.8	RTPNM96H1 () ()	1,665.	1,713.	1,760.	1,808.	1,863.	1,894.	1,938.

Order Code	Specification Information	Application Notes
Example: RTPNM30H1 () ()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection		Tool rails are not supplied to this Task Panel.

Y = Yardage required

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H1 23 1/8" high

Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	23 1/8"	30"	RTPNM30H1() ()	\$991.	\$797.	\$774.	\$890.	\$954.	\$1,099.
Without tool rail	1 1/2"	23 1/8"	36"	RTPNM36H1() ()	1,110.	845.	819.	939.	1,011.	1,182.
	1 1/2"	23 1/8"	42"	RTPNM42H1() ()	1,354.	1,038.	1,006.	1,133.	1,210.	1,408.
	1 1/2"	23 1/8"	48"	RTPNM48H1() ()	1,449.	1,051.	1,018.	1,148.	1,231.	1,459.
	1 1/2"	23 1/8"	54"	RTPNM54H1() ()	1,530.	1,060.	1,026.	1,157.	1,251.	1,506.
	1 1/2"	23 1/8"	60"	RTPNM60H1() ()	1,655.	1,116.	1,079.	1,213.	1,317.	1,599.
	1 1/2"	23 1/8"	66"	RTPNM66H1() ()	1,966.	1,387.	1,343.	1,484.	1,602.	1,914.
	1 1/2"	23 1/8"	72"	RTPNM72H1() ()	2,047.	1,398.	1,353.	1,497.	1,629.	1,975.
	1 1/2"	23 1/8"	78"	RTPNM78H1() ()	2,284.	1,565.	1,514.	1,663.	1,797.	2,164.
	1 1/2"	23 1/8"	84"	RTPNM84H1() ()	2,365.	1,581.	1,529.	1,685.	1,824.	2,217.
	1 1/2"	23 1/8"	90"	RTPNM90H1() ()	2,491.	1,636.	1,581.	1,734.	1,889.	2,311.
	1 1/2"	23 1/8"	96"	RTPNM96H1() ()	2,572.	1,654.	1,599.	1,755.	1,914.	2,362.


Order Code	Specification Information	Application Notes
Example: RTPNM30H1() ()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Veneer	For Task Panels refer to part number 6TP00085
N No tool rail		Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
M Monolithic		
30 Width		
H1 23 1/8" high		
111 Trim finish		
V319 Veneer selection		

Task Panels

H1 23 1/8" high

Segmented With Tool rail

Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1() ()	\$1,151.	\$1,181.	\$1,213.	\$1,242.	\$1,272.	\$1,303.	\$1,332.
	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1() ()	1,238.	1,276.	1,314.	1,352.	1,384.	1,416.	1,447.
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1() ()	1,495.	1,539.	1,583.	1,627.	1,667.	1,705.	1,744.
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1() ()	1,516.	1,564.	1,612.	1,659.	1,699.	1,739.	1,778.
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1() ()	1,547.	1,602.	1,656.	1,712.	1,752.	1,793.	1,834.
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1() ()	1,579.	1,640.	1,702.	1,763.	1,805.	1,847.	1,890.
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1() ()	1,932.	1,997.	2,061.	2,127.	2,177.	2,229.	2,279.
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1() ()	1,966.	2,037.	2,109.	2,181.	2,234.	2,285.	2,338.

Order Code

Specification Information

Application Notes

Example:	RTPRS30H1() ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H1	23 1/8" high
111	Trim finish
W281	Fabric selection top
W281	Fabric selection bottom


To order please specify pattern number including:
 1. Trim Finish: Painted or Anodized
 2. Top insert finish: Fabric
 3. Bottom insert finish: Fabric

H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroaded as current tackboard
 When ordering 54" or wider Task Panel, please check width of fabric specified.

*Installation instruction sheets available on Knoll Exchange.
 For Task Panels refer to part number 6TP00085
Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.

Y = Yardage required

Task Panels
H1 23 1/8" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1 () ()	\$1,213.	\$1,228.	\$1,242.	\$1,259.	\$1,296.	\$1,319.	\$1,349.
	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1 () ()	1,291.	1,310.	1,328.	1,346.	1,387.	1,411.	1,443.
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1 () ()	1,479.	1,501.	1,524.	1,545.	1,591.	1,619.	1,656.
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1 () ()	1,497.	1,521.	1,544.	1,569.	1,616.	1,644.	1,681.
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1 () ()	1,525.	1,551.	1,579.	1,607.	1,654.	1,683.	1,722.
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1 () ()	1,549.	1,580.	1,611.	1,641.	1,690.	1,720.	1,758.
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1 () ()	1,926.	1,958.	1,991.	2,024.	2,085.	2,121.	2,169.
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1 () ()	1,951.	1,987.	2,024.	2,059.	2,122.	2,158.	2,207.

Order Code	Specification Information	Application Notes
Example: RTPRS30H1 () ()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085.
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required


Task Panels

Reff Profiles

H1 23 1/8" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1()()	\$1,287.	\$1,157.	\$1,252.	\$1,296.	\$1,312.	\$1,345.
With tool rail	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1()()	1,415.	1,297.	1,336.	1,381.	1,399.	1,440.
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1()()	1,652.	1,455.	1,533.	1,578.	1,598.	1,646.
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1()()	1,728.	1,483.	1,551.	1,636.	1,656.	1,712.
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1()()	1,800.	1,520.	1,581.	1,666.	1,687.	1,747.
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1()()	1,872.	1,558.	1,611.	1,694.	1,719.	1,785.
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1()()	2,281.	1,921.	1,998.	2,082.	2,109.	2,182.
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1()()	2,355.	1,960.	2,030.	2,114.	2,143.	2,223.
	1 1/2"	23 1/8"	78"	2.3	RTPRS78H1()()	2,537.	2,108.	2,169.	2,254.	2,285.	2,372.
	1 1/2"	23 1/8"	84"	2.4	RTPRS84H1()()	2,608.	2,134.	2,186.	2,273.	2,305.	2,398.
	1 1/2"	23 1/8"	90"	2.6	RTPRS90H1()()	2,682.	2,172.	2,215.	2,302.	2,337.	2,438.
	1 1/2"	23 1/8"	96"	2.8	RTPRS96H1()()	2,756.	2,210.	2,246.	2,334.	2,370.	2,478.

Order Code

Example:	RTPRS30H1()()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmentated
30	Width
H1	23 1/8" high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including:

1. Trim Finish: Painted or Anodized
2. Top insert finish: Glass or Fabric
3. Bottom insert finish: Forbo, L, V1, V2, V3

Application Notes

H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroded as current tackboard

When ordering 54" or wider Task Panel, please check width of fabric specified.


*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option.

Y = Yardage required

Task Panels
H2 29³/₄" high
Monolithic, Without Tool Rail
Fabric


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	29 3/4"	30"	0.9	RTPNM30H2()()	\$817.	\$833.	\$848.	\$864.	\$889.	\$905.	\$925.
Without tool rail	1 1/2"	29 3/4"	36"	1.1	RTPNM36H2()()	874.	894.	912.	931.	959.	975.	999.
	1 1/2"	29 3/4"	42"	1.3	RTPNM42H2()()	1,069.	1,090.	1,114.	1,135.	1,169.	1,190.	1,218.
	1 1/2"	29 3/4"	48"	1.4	RTPNM48H2()()	1,083.	1,108.	1,130.	1,155.	1,189.	1,211.	1,237.
	1 1/2"	29 3/4"	54"	1.6	RTPNM54H2()()	1,102.	1,129.	1,156.	1,183.	1,219.	1,239.	1,268.
	1 1/2"	29 3/4"	60"	1.8	RTPNM60H2()()	1,166.	1,196.	1,228.	1,259.	1,296.	1,319.	1,349.
	1 1/2"	29 3/4"	66"	1.9	RTPNM66H2()()	1,407.	1,439.	1,472.	1,505.	1,549.	1,577.	1,613.
	1 1/2"	29 3/4"	72"	2.1	RTPNM72H2()()	1,428.	1,464.	1,499.	1,535.	1,581.	1,609.	1,645.
	1 1/2"	29 3/4"	78"	2.3	RTPNM78H2()()	1,602.	1,641.	1,681.	1,720.	1,772.	1,801.	1,844.
	1 1/2"	29 3/4"	84"	2.4	RTPNM84H2()()	1,614.	1,654.	1,695.	1,737.	1,788.	1,820.	1,862.
	1 1/2"	29 3/4"	90"	2.6	RTPNM90H2()()	1,678.	1,722.	1,767.	1,812.	1,866.	1,898.	1,941.
	1 1/2"	29 3/4"	96"	2.8	RTPNM96H2()()	1,699.	1,746.	1,794.	1,842.	1,896.	1,930.	1,974.

Order Code	Specification Information	Application Notes
Example: RTPNM30H2()()	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Insert Finish: Fabric	
M Monolithic		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H2 29 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Task Panels
H2 29³/₄" high
Monolithic, Without Tool Rail
Wood, Laminate, Marker board or Glass Inserts

Reff Profiles

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	29 3/4"	30"	RTPNM30H2 ()	\$1,143.	\$833.	\$806.	\$929.	\$1,001.	\$1,186.
Without tool rail	1 1/2"	29 3/4"	36"	RTPNM36H2 ()	1,288.	887.	858.	983.	1,066.	1,288.
	1 1/2"	29 3/4"	42"	RTPNM42H2 ()	1,571.	1,075.	1,040.	1,172.	1,268.	1,527.
	1 1/2"	29 3/4"	48"	RTPNM48H2 ()	1,681.	1,098.	1,061.	1,195.	1,308.	1,602.
	1 1/2"	29 3/4"	54"	RTPNM54H2 ()	1,788.	1,110.	1,070.	1,209.	1,332.	1,663.
	1 1/2"	29 3/4"	60"	RTPNM60H2 ()	1,941.	1,168.	1,127.	1,267.	1,404.	1,772.
	1 1/2"	29 3/4"	66"	RTPNM66H2 ()	2,278.	1,442.	1,393.	1,542.	1,690.	2,094.
	1 1/2"	29 3/4"	72"	RTPNM72H2 ()	2,387.	1,458.	1,406.	1,557.	1,717.	2,156.
	1 1/2"	29 3/4"	78"	RTPNM78H2 ()	2,650.	1,632.	1,575.	1,732.	1,899.	2,375.
	1 1/2"	29 3/4"	84"	RTPNM84H2 ()	2,757.	1,644.	1,585.	1,746.	1,925.	2,437.
	1 1/2"	29 3/4"	90"	RTPNM90H2 ()	2,909.	1,710.	1,647.	1,841.	2,007.	2,555.
	1 1/2"	29 3/4"	96"	RTPNM96H2 ()	3,018.	1,724.	1,660.	1,827.	2,034.	2,617.


Order Code	Specification Information	Application Notes
Example: RTPNM30H2 ()	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Top Insert Finish: Fabric	Always supplied including all trim pieces.
N No tool rail	3. Bottom Insert Finish: G, LW, L, V1, V2, V3	LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H2 29 3/4" high		All Fabric to be applied railroded as current tackboard.
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection		

*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option.

Task Panels
H2 29³/₄" high
Segmented With Tool Rail
Fabric Insert Above / Fabric Insert Below


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2() ()	\$1,285.	\$1,295.	\$1,307.	\$1,318.	\$1,358.	\$1,380.	\$1,412.
	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2() ()	1,318.	1,356.	1,392.	1,430.	1,473.	1,498.	1,533.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2() ()	1,515.	1,560.	1,604.	1,648.	1,697.	1,727.	1,767.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2() ()	1,538.	1,585.	1,634.	1,681.	1,731.	1,762.	1,801.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2() ()	1,570.	1,624.	1,679.	1,734.	1,785.	1,817.	1,858.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2() ()	1,602.	1,663.	1,725.	1,786.	1,840.	1,871.	1,915.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2() ()	1,957.	2,022.	2,087.	2,150.	2,214.	2,253.	2,305.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2() ()	2,059.	2,110.	2,162.	2,213.	2,280.	2,319.	2,373.

Order Code	Specification Information	Application Notes
Example: RTPRS30H2() ()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085.
R Tool rail	3. Bottom Insert Finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including cable curtain.
H2 29 3/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top insert		All trims supplied with the same finish specification.
W281 Fabric selection bottom insert		All Fabric to be applied railroaded as current tackboard.

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H2 29³/₄" high
Segmented With Tool Rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2() ()	\$1,231.	\$1,247.	\$1,262.	\$1,277.	\$1,316.	\$1,338.	\$1,369.
	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2() ()	1,315.	1,333.	1,353.	1,371.	1,412.	1,437.	1,470.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2() ()	1,503.	1,526.	1,548.	1,571.	1,618.	1,646.	1,683.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2() ()	1,524.	1,547.	1,571.	1,595.	1,642.	1,672.	1,710.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2() ()	1,550.	1,578.	1,605.	1,633.	1,682.	1,711.	1,750.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2() ()	1,577.	1,608.	1,639.	1,670.	1,720.	1,749.	1,789.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2() ()	1,955.	1,988.	2,020.	2,052.	2,112.	2,150.	2,199.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2() ()	1,779.	1,885.	1,990.	2,096.	2,159.	2,197.	2,246.

Order Code	Specification Information	Application Notes
Example: RTPRS30H2() ()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H2 29 3/4" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard.
LW Marker board top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selectin bottom insert		

Y = Yardage required

Task Panels

Reff Profiles

H2 29³/₄" high

Segmented With Tool Rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented With tool rail	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2()()	\$1,396.	\$1,178.	\$1,261.	\$1,330.	\$1,370.	\$1,446.
	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2()()	1,547.	1,382.	1,353.	1,422.	1,468.	1,560.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2()()	1,804.	1,604.	1,553.	1,624.	1,675.	1,781.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2()()	1,898.	1,653.	1,576.	1,678.	1,732.	1,855.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2()()	1,990.	1,710.	1,608.	1,710.	1,770.	1,905.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2()()	2,080.	1,767.	1,639.	1,742.	1,806.	1,957.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2()()	2,508.	2,147.	2,020.	2,125.	2,193.	2,359.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2()()	2,608.	2,299.	2,064.	2,172.	2,240.	2,420.
	1 1/2"	29 3/4"	78"	2.3	RTPRS78H2()()	2,803.	2,374.	2,199.	2,306.	2,379.	2,574.
	1 1/2"	29 3/4"	84"	2.4	RTPRS84H2()()	2,894.	2,417.	2,221.	2,330.	2,407.	2,619.
	1 1/2"	29 3/4"	90"	2.6	RTPRS90H2()()	2,985.	2,475.	2,252.	2,361.	2,445.	2,670.
	1 1/2"	29 3/4"	96"	2.8	RTPRS96H2()()	3,077.	2,533.	2,285.	2,396.	2,483.	2,723.



Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H2()()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
S Segmented		
30 Width		
H2 29 3/4" high		
111 Trim finish		
W281 Fabric selectin top insert		
V319 Veneer selection bottom insert		

Y = Yardage required

Always supplied including cable curtain.

Always supplied including all trim pieces.


LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H3 37⁷/₈" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	37 7/8"	30"	0.9	RTPNM30H3()()	\$856.	\$871.	\$886.	\$902.	\$929.	\$945.	\$967.
Without tool rail	1 1/2"	37 7/8"	36"	1.1	RTPNM36H3()()	914.	933.	951.	970.	1,000.	1,016.	1,039.
	1 1/2"	37 7/8"	42"	1.3	RTPNM42H3()()	1,110.	1,131.	1,154.	1,176.	1,212.	1,232.	1,261.
	1 1/2"	37 7/8"	48"	1.4	RTPNM48H3()()	1,125.	1,150.	1,172.	1,196.	1,232.	1,255.	1,283.
	1 1/2"	37 7/8"	54"	1.6	RTPNM54H3()()	1,145.	1,172.	1,200.	1,227.	1,264.	1,286.	1,316.
	1 1/2"	37 7/8"	60"	1.8	RTPNM60H3()()	1,211.	1,240.	1,272.	1,303.	1,341.	1,366.	1,396.
	1 1/2"	37 7/8"	66"	1.9	RTPNM66H3()()	1,452.	1,485.	1,517.	1,549.	1,596.	1,624.	1,661.
	1 1/2"	37 7/8"	72"	2.1	RTPNM72H3()()	1,474.	1,510.	1,546.	1,582.	1,630.	1,658.	1,695.
	1 1/2"	37 7/8"	78"	2.3	RTPNM78H3()()	1,650.	1,689.	1,729.	1,768.	1,821.	1,853.	1,895.
	1 1/2"	37 7/8"	84"	2.4	RTPNM84H3()()	1,663.	1,704.	1,745.	1,786.	1,840.	1,872.	1,915.
	1 1/2"	37 7/8"	90"	2.6	RTPNM90H3()()	1,729.	1,774.	1,818.	1,862.	1,918.	1,951.	1,996.
	1 1/2"	37 7/8"	96"	2.8	RTPNM96H3()()	1,750.	1,797.	1,846.	1,893.	1,950.	1,984.	2,030.

Order Code	Specification Information	Application Notes
Example: RTPNM30H3()()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H3 37 7/8" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.


Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H3 37⁷/₈" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	37 ⁷ / ₈ "	30"	RTPNM30H3 () ()	\$1,325.	\$884.	\$854.	\$981.	\$1,070.	\$1,310.
Without tool rail	1 1/2"	37 ⁷ / ₈ "	36"	RTPNM36H3 () ()	1,500.	938.	904.	1,035.	1,140.	1,427.
	1 1/2"	37 ⁷ / ₈ "	42"	RTPNM42H3 () ()	1,791.	1,136.	1,097.	1,234.	1,360.	1,692.
	1 1/2"	37 ⁷ / ₈ "	48"	RTPNM48H3 () ()	1,954.	1,162.	1,120.	1,262.	1,401.	1,782.
	1 1/2"	37 ⁷ / ₈ "	54"	RTPNM54H3 () ()	2,092.	1,178.	1,133.	1,277.	1,433.	1,859.
	1 1/2"	37 ⁷ / ₈ "	60"	RTPNM60H3 () ()	2,276.	1,247.	1,198.	1,347.	1,514.	1,988.
	1 1/2"	37 ⁷ / ₈ "	66"	RTPNM66H3 () ()	2,642.	1,517.	1,461.	1,619.	1,800.	2,321.
	1 1/2"	37 ⁷ / ₈ "	72"	RTPNM72H3 () ()	2,782.	1,542.	1,482.	1,644.	1,847.	2,413.
	1 1/2"	37 ⁷ / ₈ "	78"	RTPNM78H3 () ()	3,076.	1,714.	1,649.	1,817.	2,035.	2,648.
	1 1/2"	37 ⁷ / ₈ "	84"	RTPNM84H3 () ()	3,213.	1,729.	1,661.	1,833.	2,067.	2,726.
	1 1/2"	37 ⁷ / ₈ "	90"	RTPNM90H3 () ()	3,397.	1,791.	1,720.	1,896.	2,150.	2,867.
	1 1/2"	37 ⁷ / ₈ "	96"	RTPNM96H3 () ()	3,536.	1,809.	1,735.	1,916.	2,178.	2,930.

Order Code	Specification Information	Application Notes
Example: RTPNM30H3 () ()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
M Monolithic		
30 Width		Always supplied including all trim pieces.
H3 37 ⁷ / ₈ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H3 37⁷/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	37 7/8"	30"	0.9	RTPRS30H3() ()	\$1,267.	\$1,297.	\$1,329.	\$1,360.	\$1,400.	\$1,425.	\$1,458.
With tool rail	1 1/2"	37 7/8"	36"	1.1	RTPRS36H3() ()	1,357.	1,394.	1,431.	1,469.	1,513.	1,539.	1,574.
	1 1/2"	37 7/8"	42"	1.3	RTPRS42H3() ()	1,556.	1,600.	1,645.	1,689.	1,740.	1,771.	1,812.
	1 1/2"	37 7/8"	48"	1.4	RTPRS48H3() ()	1,579.	1,626.	1,675.	1,722.	1,774.	1,805.	1,846.
	1 1/2"	37 7/8"	54"	1.6	RTPRS54H3() ()	1,613.	1,668.	1,722.	1,777.	1,830.	1,862.	1,904.
	1 1/2"	37 7/8"	60"	1.8	RTPRS60H3() ()	1,646.	1,709.	1,770.	1,831.	1,886.	1,919.	1,962.
	1 1/2"	37 7/8"	66"	1.9	RTPRS66H3() ()	2,002.	2,068.	2,132.	2,197.	2,263.	2,302.	2,354.
	1 1/2"	37 7/8"	72"	2.1	RTPRS72H3() ()	2,039.	2,110.	2,182.	2,253.	2,321.	2,361.	2,415.

Order Code	Specification Information	Application Notes
Example: RTPRS30H3 () ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H3 37 7/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Task Panels
H3 37⁷/₈" high
Segmented With Tool rail
Marker Board Insert Above / Fabric Insert Below

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	37 7/8"	30"	0.9	RTPRS30H3() ()	\$1,301.	\$1,316.	\$1,331.	\$1,345.	\$1,386.	\$1,410.	\$1,442.
With tool rail	1 1/2"	37 7/8"	36"	1.1	RTPRS36H3() ()	1,385.	1,404.	1,423.	1,441.	1,484.	1,511.	1,545.
	1 1/2"	37 7/8"	42"	1.3	RTPRS42H3() ()	1,585.	1,608.	1,631.	1,652.	1,702.	1,731.	1,772.
	1 1/2"	37 7/8"	48"	1.4	RTPRS48H3() ()	1,610.	1,634.	1,658.	1,682.	1,732.	1,763.	1,802.
	1 1/2"	37 7/8"	54"	1.6	RTPRS54H3() ()	1,645.	1,673.	1,700.	1,727.	1,779.	1,811.	1,851.
	1 1/2"	37 7/8"	60"	1.8	RTPRS60H3() ()	1,674.	1,704.	1,736.	1,766.	1,819.	1,851.	1,893.
	1 1/2"	37 7/8"	66"	1.9	RTPRS66H3() ()	2,057.	2,090.	2,122.	2,154.	2,217.	2,256.	2,308.
	1 1/2"	37 7/8"	72"	2.1	RTPRS72H3() ()	2,094.	2,130.	2,165.	2,201.	2,267.	2,306.	2,359.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H3() ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H3 37 7/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required


Task Panels

Reff Profiles

H3 37⁷/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	37 7/8"	30"	0.9	RTPRS30H3() ()	\$1,621.	\$1,218.	\$1,312.	\$1,358.	\$1,372.	\$1,407.
With tool rail	1 1/2"	37 7/8"	36"	1.1	RTPRS36H3() ()	1,806.	1,314.	1,399.	1,444.	1,463.	1,503.
	1 1/2"	37 7/8"	42"	1.3	RTPRS42H3() ()	2,100.	1,519.	1,598.	1,644.	1,663.	1,712.
	1 1/2"	37 7/8"	48"	1.4	RTPRS48H3() ()	2,234.	1,550.	1,620.	1,703.	1,724.	1,779.
	1 1/2"	37 7/8"	54"	1.6	RTPRS54H3() ()	2,362.	1,590.	1,650.	1,735.	1,756.	1,817.
	1 1/2"	37 7/8"	60"	1.8	RTPRS60H3() ()	2,492.	1,631.	1,682.	1,766.	1,791.	1,857.
	1 1/2"	37 7/8"	66"	1.9	RTPRS66H3() ()	2,957.	1,994.	2,073.	2,157.	2,183.	2,256.
	1 1/2"	37 7/8"	72"	2.1	RTPRS72H3() ()	3,090.	2,037.	2,106.	2,192.	2,220.	2,300.
	1 1/2"	37 7/8"	78"	2.3	RTPRS78H3() ()	3,328.	2,187.	2,247.	2,334.	2,364.	2,451.
	1 1/2"	37 7/8"	84"	2.4	RTPRS84H3() ()	3,458.	2,109.	2,267.	2,354.	2,386.	2,480.
	1 1/2"	37 7/8"	90"	2.6	RTPRS90H3() ()	3,586.	2,254.	2,299.	2,386.	2,420.	2,520.
	1 1/2"	37 7/8"	96"	2.8	RTPRS96H3() ()	3,718.	2,297.	2,333.	2,419.	2,456.	2,562.

Order Code

Example:	RTPRS30H3() ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H3	37 7/8" high
111	Trim finish
W281	Fabric selection top
V319	Veneer selection bottom

Specification Information

To order please specify pattern number including:

1. Trim Finish: Painted or Anodized
2. Top Insert Finish: Glass or Fabric
3. Bottom Insert Finish: Forbo, L, V1, V2, V3

Application Notes

H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

*Installation instruction sheets available on Knoll Exchange.


For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option.

Y = Yardage required

Task Panels
H4 44 1/2" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	0.9	RTPNM30H4()()	\$925.	\$940.	\$956.	\$971.	\$1,001.	\$1,017.	\$1,041.
	1 1/2"	44 1/2"	36"	1.1	RTPNM36H4()()	984.	1,004.	1,021.	1,040.	1,072.	1,090.	1,115.
	1 1/2"	44 1/2"	42"	1.3	RTPNM42H4()()	1,181.	1,203.	1,225.	1,247.	1,285.	1,307.	1,336.
	1 1/2"	44 1/2"	48"	1.4	RTPNM48H4()()	1,197.	1,222.	1,245.	1,269.	1,307.	1,330.	1,361.
	1 1/2"	44 1/2"	54"	1.6	RTPNM54H4()()	1,219.	1,246.	1,273.	1,301.	1,339.	1,363.	1,394.
	1 1/2"	44 1/2"	60"	1.8	RTPNM60H4()()	1,285.	1,316.	1,346.	1,377.	1,419.	1,443.	1,476.
	1 1/2"	44 1/2"	66"	1.9	RTPNM66H4()()	1,529.	1,562.	1,592.	1,625.	1,674.	1,703.	1,742.
	1 1/2"	44 1/2"	72"	2.1	RTPNM72H4()()	1,551.	1,587.	1,623.	1,659.	1,709.	1,739.	1,779.
	1 1/2"	44 1/2"	78"	2.3	RTPNM78H4()()	1,728.	1,704.	1,679.	1,654.	1,704.	1,735.	1,774.
	1 1/2"	44 1/2"	84"	2.4	RTPNM84H4()()	1,742.	1,783.	1,824.	1,865.	1,921.	1,954.	1,999.
	1 1/2"	44 1/2"	90"	2.6	RTPNM90H4()()	1,808.	1,852.	1,897.	1,941.	1,999.	2,035.	2,081.
	1 1/2"	44 1/2"	96"	2.8	RTPNM96H4()()	1,831.	1,879.	1,927.	1,974.	2,033.	2,069.	2,115.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H4()()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H4 44 1/2" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.


Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H4 44 1/2" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	RTPNM30H4 ()	\$1,503.	\$964.	\$929.	\$1,060.	\$1,164.	\$1,447.
	1 1/2"	44 1/2"	36"	RTPNM36H4 ()	1,702.	1,026.	989.	1,124.	1,252.	1,447.
	1 1/2"	44 1/2"	42"	RTPNM42H4 ()	2,011.	1,229.	1,185.	1,327.	1,473.	1,866.
	1 1/2"	44 1/2"	48"	RTPNM48H4 ()	2,202.	1,250.	1,202.	1,350.	1,513.	1,960.
	1 1/2"	44 1/2"	54"	RTPNM54H4 ()	2,362.	1,275.	1,225.	1,376.	1,552.	2,056.
	1 1/2"	44 1/2"	60"	RTPNM60H4 ()	2,569.	1,339.	1,284.	1,441.	1,636.	2,193.
	1 1/2"	44 1/2"	66"	RTPNM66H4 ()	2,960.	1,620.	1,556.	1,723.	1,940.	2,553.
	1 1/2"	44 1/2"	72"	RTPNM72H4 ()	3,121.	1,641.	1,574.	1,744.	1,981.	2,649.
	1 1/2"	44 1/2"	78"	RTPNM78H4 ()	3,438.	1,815.	1,742.	1,920.	2,174.	2,896.
	1 1/2"	44 1/2"	84"	RTPNM84H4 ()	3,599.	1,833.	1,757.	1,939.	2,211.	2,989.
	1 1/2"	44 1/2"	90"	RTPNM90H4 ()	3,806.	1,897.	1,818.	2,004.	2,295.	3,126.
	1 1/2"	44 1/2"	96"	RTPNM96H4 ()	3,967.	1,918.	1,834.	2,027.	2,335.	3,222.

Order Code	Specification Information	Application Notes
Example: RTPNM30H4 ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
M Monolithic		
30 Width		Always supplied including cable curtain.
H4 44 1/2" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
V319 Veneer selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H4 44 1/2" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4 () ()	\$1,336.	\$1,367.	\$1,398.	\$1,429.	\$1,472.	\$1,497.	\$1,532.
	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4 () ()	1,428.	1,466.	1,502.	1,540.	1,586.	1,614.	1,650.
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4 () ()	1,627.	1,672.	1,717.	1,761.	1,814.	1,845.	1,887.
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4 () ()	1,651.	1,700.	1,747.	1,795.	1,849.	1,882.	1,925.
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4 () ()	1,686.	1,741.	1,795.	1,850.	1,905.	1,938.	1,984.
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4 () ()	1,721.	1,783.	1,844.	1,905.	1,962.	1,997.	2,042.
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4 () ()	2,078.	2,143.	2,207.	2,273.	2,341.	2,382.	2,436.
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4 () ()	2,114.	2,186.	2,259.	2,331.	2,400.	2,442.	2,497.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H4 () ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		
H4 44 1/2" high		
111 Trim finish		
W281 Fabric selection top		
W281 Fabric selection bottom		

Y = Yardage required


Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroded as current tackboard.
 When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H4 44 1/2" high

Segmented With Tool rail


Marker Board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade							
						LW10	LW15	LW20	LW30	LW35	LW40	LW45	
Task Panel, segmented	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4 () ()	\$1,370.	\$1,386.	\$1,400.	\$1,416.	\$1,459.	\$1,484.	\$1,518.	
With tool rail	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4 () ()	1,456.	1,474.	1,493.	1,512.	1,557.	1,584.	1,620.	
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4 () ()	1,658.	1,680.	1,702.	1,724.	1,776.	1,807.	1,848.	
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4 () ()	1,683.	1,707.	1,730.	1,754.	1,807.	1,839.	1,881.	
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4 () ()	1,719.	1,746.	1,774.	1,800.	1,854.	1,887.	1,930.	
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4 () ()	1,748.	1,779.	1,811.	1,841.	1,895.	1,929.	1,973.	
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4 () ()	2,133.	2,165.	2,197.	2,230.	2,297.	2,337.	2,389.	
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4 () ()	2,171.	2,206.	2,242.	2,278.	2,346.	2,387.	2,442.	

Order Code	Specification Information	Application Notes
Example: RTPRS30H4 () ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H4 44 1/2" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker Board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Task Panels
H4 44 1/2" high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4() ()	\$1,781.	\$1,377.	\$1,373.	\$1,441.	\$1,481.	\$1,558.
With tool rail	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4() ()	1,985.	1,492.	1,463.	1,532.	1,577.	1,670.
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4() ()	2,299.	1,717.	1,667.	1,737.	1,787.	1,893.
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4() ()	2,451.	1,767.	1,690.	1,792.	1,847.	1,969.
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4() ()	2,599.	1,827.	1,724.	1,827.	1,886.	2,024.
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4() ()	2,747.	1,886.	1,757.	1,862.	1,926.	2,076.
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4() ()	3,231.	2,268.	2,140.	2,240.	2,314.	2,482.
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4() ()	3,383.	2,331.	2,176.	2,283.	2,355.	2,537.
	1 1/2"	44 1/2"	78"	2.3	RTPRS78H4() ()	3,640.	2,499.	2,325.	2,432.	2,505.	2,700.
	1 1/2"	44 1/2"	84"	2.4	RTPRS84H4() ()	3,789.	2,546.	2,349.	2,457.	2,535.	2,747.
	1 1/2"	44 1/2"	90"	2.6	RTPRS90H4() ()	3,937.	2,605.	2,383.	2,492.	2,576.	2,801.
	1 1/2"	44 1/2"	96"	2.8	RTPRS96H4() ()	4,088.	2,666.	2,417.	2,529.	2,616.	2,856.


Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H4() ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
S Segmented		
30 Width		
H4 44 1/2" high		
111 Trim finish		
W281 Fabric selection top insert		
V319 Veneer selection bottom insert		

Y = Yardage required

Task Panels
H5 42⁵/₈" high
Monolithic, Without Tool rail
Fabric


Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono without tool rail	1 1/2"	42 5/8"	30"	0.9	RTPNM30H5()	\$915.	\$931.	\$946.	\$961.	\$989.	\$1,008.	\$1,030.
	1 1/2"	42 5/8"	36"	1.1	RTPNM36H5()	974.	992.	1,012.	1,030.	1,061.	1,080.	1,106.
	1 1/2"	42 5/8"	42"	1.3	RTPNM42H5()	1,170.	1,192.	1,215.	1,236.	1,273.	1,295.	1,326.
	1 1/2"	42 5/8"	48"	1.4	RTPNM48H5()	1,187.	1,212.	1,234.	1,259.	1,296.	1,320.	1,349.
	1 1/2"	42 5/8"	54"	1.6	RTPNM54H5()	1,207.	1,234.	1,262.	1,289.	1,328.	1,352.	1,381.
	1 1/2"	42 5/8"	60"	1.8	RTPNM60H5()	1,273.	1,304.	1,335.	1,366.	1,407.	1,431.	1,465.
	1 1/2"	42 5/8"	66"	1.9	RTPNM66H5()	1,517.	1,549.	1,581.	1,614.	1,662.	1,691.	1,730.
	1 1/2"	42 5/8"	72"	2.1	RTPNM72H5()	1,539.	1,575.	1,611.	1,646.	1,695.	1,725.	1,765.
	1 1/2"	42 5/8"	78"	2.3	RTPNM78H5()	1,716.	1,754.	1,794.	1,833.	1,888.	1,922.	1,966.
	1 1/2"	42 5/8"	84"	2.4	RTPNM84H5()	1,729.	1,771.	1,812.	1,852.	1,907.	1,941.	1,986.
	1 1/2"	42 5/8"	90"	2.6	RTPNM90H5()	1,795.	1,840.	1,885.	1,929.	1,987.	2,022.	2,068.
	1 1/2"	42 5/8"	96"	2.8	RTPNM96H5()	1,819.	1,865.	1,913.	1,958.	2,018.	2,052.	2,099.

Order Code	Specification Information	Application Notes
Example: RTPNM30H5()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H5 42 5/8" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
W281 Fabric selection		All Fabric to be applied railroded as current tackboard.


Y = Yardage required

Task Panels
H5 42⁵/₈" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3	
Task Panel, mono without tool rail 	1 1/2"	42 5/8"	30"	RTPNM30H5()		\$1,476.	\$951.	\$918.	\$1,048.	\$1,148.	\$1,419.
	1 1/2"	42 5/8"	36"	RTPNM36H5()		1,671.	1,013.	976.	1,112.	1,233.	1,557.
	1 1/2"	42 5/8"	42"	RTPNM42H5()		1,977.	1,215.	1,170.	1,314.	1,451.	1,829.
	1 1/2"	42 5/8"	48"	RTPNM48H5()		2,163.	1,234.	1,189.	1,334.	1,492.	1,921.
	1 1/2"	42 5/8"	54"	RTPNM54H5()		2,319.	1,260.	1,210.	1,361.	1,530.	2,010.
	1 1/2"	42 5/8"	60"	RTPNM60H5()		2,522.	1,324.	1,270.	1,425.	1,612.	2,145.
	1 1/2"	42 5/8"	66"	RTPNM66H5()		2,909.	1,603.	1,541.	1,705.	1,916.	2,503.
	1 1/2"	42 5/8"	72"	RTPNM72H5()		3,068.	1,623.	1,558.	1,726.	1,953.	2,594.
	1 1/2"	42 5/8"	78"	RTPNM78H5()		3,380.	1,796.	1,725.	1,900.	2,145.	2,838.
	1 1/2"	42 5/8"	84"	RTPNM84H5()		3,536.	1,815.	1,741.	1,920.	2,181.	2,927.
	1 1/2"	42 5/8"	90"	RTPNM90H5()		3,739.	1,878.	1,799.	1,984.	2,263.	3,060.
	1 1/2"	42 5/8"	96"	RTPNM96H5()		3,897.	1,896.	1,816.	2,004.	2,301.	3,171.

Order Code	Specification Information	Application Notes
Example: RTPNM30H5()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work surface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Product on this page Excluding any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.
M Monolithic		
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H5 42⁵/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5() ()	\$1,327.	\$1,358.	\$1,388.	\$1,419.	\$1,461.	\$1,486.	\$1,520.
With tool rail	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5() ()	1,417.	1,456.	1,492.	1,530.	1,576.	1,603.	1,640.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5() ()	1,617.	1,661.	1,706.	1,750.	1,802.	1,834.	1,877.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5() ()	1,641.	1,688.	1,737.	1,784.	1,837.	1,869.	1,913.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5() ()	1,676.	1,730.	1,785.	1,840.	1,894.	1,928.	1,972.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5() ()	1,710.	1,772.	1,832.	1,894.	1,951.	1,985.	2,031.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5() ()	2,067.	2,132.	2,196.	2,261.	2,328.	2,369.	2,424.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5() ()	2,104.	2,176.	2,247.	2,318.	2,388.	2,430.	2,486.


Order Code	Specification Information	Application Notes
Example: RTPRS30H5() ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including cable curtain.
H5 42 5/8" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top insert		All trims supplied with the same finish specification.
W281 Fabric selection bottom insert		All Fabric to be applied railroaded as current tackboard

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H5 42⁵/₈" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5() ()	\$1,367.	\$1,382.	\$1,397.	\$1,413.	\$1,456.	\$1,480.	\$1,515.
	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5() ()	1,452.	1,472.	1,491.	1,510.	1,554.	1,582.	1,618.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5() ()	1,655.	1,678.	1,700.	1,722.	1,774.	1,805.	1,846.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5() ()	1,689.	1,714.	1,737.	1,761.	1,814.	1,845.	1,887.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5() ()	1,720.	1,747.	1,775.	1,801.	1,855.	1,888.	1,931.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5() ()	1,757.	1,788.	1,819.	1,849.	1,904.	1,937.	1,982.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5() ()	2,141.	2,174.	2,206.	2,239.	2,306.	2,346.	2,400.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5() ()	2,182.	2,217.	2,253.	2,289.	2,357.	2,398.	2,454.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H5() ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H5 42⁵/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	FAB/L	G/FORB	FAB/FORB	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5() ()	\$1,372.	\$1,773.	\$1,277.	\$1,417.	\$1,432.	\$1,467.
With tool rail	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5() ()	1,460.	1,976.	1,374.	1,506.	1,522.	1,565.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5() ()	1,659.	2,290.	1,580.	1,705.	1,725.	1,773.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5() ()	1,682.	2,443.	1,613.	1,765.	1,786.	1,651.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5() ()	1,714.	2,591.	1,653.	1,797.	1,820.	1,880.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5() ()	1,745.	2,739.	1,693.	1,829.	1,854.	1,921.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5() ()	2,137.	3,223.	2,058.	2,221.	2,248.	2,321.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5() ()	2,172.	3,374.	2,102.	2,256.	2,285.	2,365.
	1 1/2"	42 5/8"	78"	2.3	RTPRS78H5() ()	2,312.	2,583.	2,252.	2,398.	2,429.	2,516.
	1 1/2"	42 5/8"	84"	2.4	RTPRS84H5() ()	2,334.	3,781.	2,281.	2,420.	2,453.	2,547.
	1 1/2"	42 5/8"	90"	2.6	RTPRS90H5() ()	2,366.	3,929.	2,322.	2,453.	2,487.	2,588.
	1 1/2"	42 5/8"	96"	2.8	RTPRS96H5() ()	2,400.	4,079.	2,365.	2,488.	2,523.	2,631.

Order Code

Example:	RTPRS30H5() ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmentated
30	Width
H5	42 5/8" high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including:

1. Trim Finish: Painted or Anodized
2. Top insert finish: Glass or Fabric
3. Bottom insert finish: Forbo, L, V1, V2, V3

Application Notes

H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroded as current tackboard

When ordering 54" or wider Task Panel, please check width of fabric specified.

*Installation instruction sheets available on Knoll Exchange.


For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option.

Y = Yardage required

Task Panels
H6 49 1/4" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	49 1/4"	30"	0.9	RTPNM30H6()()	\$964.	\$978.	\$993.	\$1,009.	\$1,039.	\$1,057.	\$1,081.
Without tool rail	1 1/2"	49 1/4"	36"	1.1	RTPNM36H6()()	1,023.	1,042.	1,060.	1,079.	1,112.	1,130.	1,157.
	1 1/2"	49 1/4"	42"	1.3	RTPNM42H6()()	1,220.	1,241.	1,265.	1,287.	1,326.	1,349.	1,379.
	1 1/2"	49 1/4"	48"	1.4	RTPNM48H6()()	1,237.	1,262.	1,285.	1,309.	1,347.	1,372.	1,404.
	1 1/2"	49 1/4"	54"	1.6	RTPNM54H6()()	1,259.	1,286.	1,314.	1,340.	1,380.	1,405.	1,437.
	1 1/2"	49 1/4"	60"	1.8	RTPNM60H6()()	1,327.	1,358.	1,389.	1,420.	1,463.	1,487.	1,521.
	1 1/2"	49 1/4"	66"	1.9	RTPNM66H6()()	1,571.	1,603.	1,635.	1,668.	1,718.	1,747.	1,787.
	1 1/2"	49 1/4"	72"	2.1	RTPNM72H6()()	1,594.	1,630.	1,666.	1,701.	1,752.	1,783.	1,824.
	1 1/2"	49 1/4"	78"	2.3	RTPNM78H6()()	1,772.	1,811.	1,850.	1,889.	1,946.	1,980.	2,025.
	1 1/2"	49 1/4"	84"	2.4	RTPNM84H6()()	1,786.	1,827.	1,868.	1,909.	1,967.	2,000.	2,046.
	1 1/2"	49 1/4"	90"	2.6	RTPNM90H6()()	1,853.	1,897.	1,942.	1,987.	2,046.	2,082.	2,130.
	1 1/2"	49 1/4"	96"	2.8	RTPNM96H6()()	1,878.	1,925.	1,973.	2,021.	2,081.	2,117.	2,165.

Accessories and Client
 Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H6()()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H6 49 1/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.

Y = Yardage required


Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels
H6 49 1/4" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	49 1/4"	30"	RTPNM30H6()	\$1,634.	\$1,015.	\$979.	\$1,113.	\$1,231.	\$1,546.
Without tool rail	1 1/2"	49 1/4"	36"	RTPNM36H6()	1,851.	1,081.	1,039.	1,179.	1,319.	1,693.
	1 1/2"	49 1/4"	42"	RTPNM42H6()	2,177.	1,276.	1,229.	1,376.	1,536.	1,973.
	1 1/2"	49 1/4"	48"	RTPNM48H6()	2,389.	1,307.	1,256.	1,408.	1,582.	2,079.



Order Code	Specification Information	Application Notes
Example: RTPNM30H6()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
M Monolithic		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H6 49 1/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6 () ()	\$1,375.	\$1,406.	\$1,436.	\$1,467.	\$1,501.	\$1,537.	\$1,572.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6 () ()	1,466.	1,503.	1,540.	1,578.	1,616.	1,653.	1,691.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6 () ()	1,668.	1,712.	1,755.	1,799.	1,843.	1,886.	1,929.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6 () ()	1,692.	1,740.	1,788.	1,835.	1,880.	1,924.	1,968.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6 () ()	1,727.	1,782.	1,836.	1,891.	1,936.	1,982.	2,027.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6 () ()	1,763.	1,824.	1,886.	1,947.	1,993.	2,040.	2,087.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6 () ()	2,121.	2,185.	2,249.	2,314.	2,370.	2,426.	2,481.
	1 1/2"	49 1/4"	72"	2.1	RTPRS72H6 () ()	2,158.	2,230.	2,302.	2,374.	2,445.	2,487.	2,544.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		
H6 49 1/4" high		
111 Trim finish		
W281 Fabric selection top		
W281 Fabric selection bottom		

Y = Yardage required

Always supplied including cable curtain.

Always supplied including all trim pieces.


LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6 () ()	\$1,415.	\$1,430.	\$1,445.	\$1,461.	\$1,505.	\$1,531.	\$1,566.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6 () ()	1,502.	1,521.	1,539.	1,558.	1,604.	1,633.	1,671.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6 () ()	1,705.	1,727.	1,749.	1,772.	1,824.	1,856.	1,898.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6 () ()	1,741.	1,765.	1,788.	1,813.	1,867.	1,899.	1,942.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6 () ()	1,772.	1,798.	1,826.	1,853.	1,909.	1,942.	1,987.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6 () ()	1,811.	1,841.	1,872.	1,902.	1,959.	1,994.	2,039.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6 () ()	2,195.	2,228.	2,260.	2,292.	2,360.	2,403.	2,457.

Order Code

Example:	RTPRS30H6 () ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmentated
30	Width
H6	49 1/4" high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Anodized
2. Top insert finish: Marker board
3. Bottom insert finish: Fabric

Application Notes

H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to part number 6TP00085

Y = Yardage required

Task Panels
H6 49 1/4" high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below


description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6 () ()	\$1,910.	\$1,415.	\$1,411.	\$1,479.	\$1,519.	\$1,596.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6 () ()	2,134.	1,531.	1,500.	1,570.	1,616.	1,709.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6 () ()	2,466.	1,756.	1,705.	1,777.	1,826.	1,932.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6 () ()	2,637.	1,807.	1,730.	1,832.	1,887.	2,009.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6 () ()	2,805.	1,867.	1,765.	1,867.	1,927.	2,063.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6 () ()	2,972.	1,927.	1,798.	1,902.	1,967.	2,117.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6 () ()	3,475.	2,310.	2,183.	2,287.	2,356.	2,523.
	1 1/2"	49 1/4"	72"	2.1	RTPRS72H6 () ()	3,645.	2,374.	2,219.	2,326.	2,398.	2,581.
	1 1/2"	49 1/4"	78"	2.3	RTPRS78H6 () ()	3,923.	2,543.	2,368.	2,476.	2,548.	2,743.
	1 1/2"	49 1/4"	84"	2.4	RTPRS84H6 () ()	4,090.	2,591.	2,393.	2,501.	2,581.	2,792.
	1 1/2"	49 1/4"	90"	2.6	RTPRS90H6 () ()	4,259.	2,650.	2,428.	2,537.	2,619.	2,845.
	1 1/2"	49 1/4"	96"	2.8	RTPRS96H6 () ()	4,427.	2,711.	2,463.	2,576.	2,661.	2,902.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
S Segmentated		
30 Width		
H6 49 1/4" high		
111 Trim finish		
W281 Fabric selection top insert		
V319 Veneer selection bottom insert		

Y = Yardage required

Task Panels
H7 56 1/8" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern n	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	56 1/8"	30"	RTPNM30H7()	\$1,768.	\$1,031.	\$993.	\$1,121.	\$1,264.	\$1,636.
Without tool rail	1 1/2"	56 1/8"	36"	RTPNM36H7()	2,012.	1,100.	1,056.	1,200.	1,357.	1,797.
	1 1/2"	56 1/8"	42"	RTPNM42H7()	2,360.	1,307.	1,256.	1,408.	1,595.	2,107.
	1 1/2"	56 1/8"	48"	RTPNM48H7()	2,604.	1,339.	1,284.	1,442.	1,645.	2,230.


Order Code	Specification Information	Application Notes
Example: RTPNM30H7()	To order please specify pattern number including;	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Insert Finish: Veneer	Always supplied including all trim pieces.
N No tool rail		LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H7 56 1/8" high		All Fabric to be applied railroaded as current tackboard
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection		

*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option.

Task Panels
H7 56 1/8" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7 () ()	\$1,381.	\$1,412.	\$1,442.	\$1,473.	\$1,509.	\$1,543.	\$1,579.
With tool rail	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7 () ()	1,474.	1,512.	1,548.	1,586.	1,624.	1,662.	1,701.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7 () ()	1,676.	1,720.	1,765.	1,809.	1,852.	1,896.	1,939.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7 () ()	1,702.	1,749.	1,797.	1,845.	1,889.	1,933.	1,977.
	1 1/2"	56 1/8"	54"	1.6	RTPRS54H7 () ()	1,739.	1,793.	1,847.	1,901.	1,947.	1,993.	2,038.
	1 1/2"	56 1/8"	60"	1.8	RTPRS60H7 () ()	1,775.	1,835.	1,897.	1,958.	2,005.	2,052.	2,099.

Order Code	Specification Information	Application Notes
Example: RTPRS30H7 () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H7 56 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Task Panels

H7 56 1/8" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below


description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7() () ()	\$1,447.	\$1,464.	\$1,478.	\$1,494.	\$1,530.	\$1,566.	\$1,601.
With tool rail	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7() () ()	1,546.	1,566.	1,583.	1,602.	1,641.	1,679.	1,718.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7() () ()	1,754.	1,777.	1,799.	1,822.	1,866.	1,909.	1,953.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7() () ()	1,787.	1,812.	1,834.	1,858.	1,902.	1,948.	1,992.



Order Code	Specification Information	Application Notes
Example: RTPRS30H7() () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H7 56 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
LW Marker board top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection bottom insert		

Y = Yardage required

Task Panels
H7 56 1/8" high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7() () ()	\$2,064.	\$1,331.	\$1,426.	\$1,471.	\$1,486.	\$1,521.
With tool rail	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7() () ()	2,318.	1,430.	1,516.	1,562.	1,579.	1,620.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7() () ()	2,683.	1,639.	1,781.	1,764.	1,783.	1,831.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7() () ()	2,884.	1,673.	1,742.	1,826.	1,847.	1,901.
	1 1/2"	56 1/8"	54"	1.6	RTPRS54H7() () ()	n/a	n/a	1,777.	1,859.	1,883.	1,942.
	1 1/2"	56 1/8"	60"	1.8	RTPRS60H7() () ()	n/a	n/a	1,811.	1,894.	1,919.	1,986.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H7() () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
S Segmented		LH & RH side full height trims. (no hi-lo trims)
30 Width		All trims supplied with the same finish specification.
H7 56 1/8" high		All Fabric to be applied railroaded as current tackboard
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection top insert		
V319 Veneer selection bottom insert		


Y = Yardage required

Task Panels

H8 62³/₄" high


Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	62 3/4"	30"	RTPNM30H8 () ()	\$2,069.	\$1,244.	\$1,199.	\$1,343.	\$1,492.	\$1,895.
Without tool rail	1 1/2"	62 3/4"	36"	RTPNM36H8 () ()	2,340.	1,317.	1,266.	1,416.	1,585.	2,066.
	1 1/2"	62 3/4"	42"	RTPNM42H8 () ()	2,709.	1,526.	1,467.	1,627.	1,827.	2,385.
	1 1/2"	62 3/4"	48"	RTPNM48H8 () ()	2,985.	1,553.	1,490.	1,658.	1,884.	2,520.

Order Code	Specification Information	Application Notes
Example: RTPNM30H8 () ()	To order please specify pattern number including;	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
M Monolithic		
30 Width		Always supplied including all trim pieces.
H8 62 ³ / ₄ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H8 62³/₄" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail	1 1/2"	62 3/4"	30"	0.9	RTPRS30H8 () ()	\$1,552.	\$1,583.	\$1,615.	\$1,645.	\$1,694.	\$1,724.	\$1,764.
	1 1/2"	62 3/4"	36"	1.1	RTPRS36H8 () ()	1,646.	1,684.	1,721.	1,758.	1,812.	1,843.	1,886.
	1 1/2"	62 3/4"	42"	1.3	RTPRS42H8 () ()	1,849.	1,893.	1,938.	1,983.	2,042.	2,078.	2,126.
	1 1/2"	62 3/4"	48"	1.4	RTPRS48H8 () ()	1,877.	1,924.	1,972.	2,020.	2,080.	2,115.	2,164.
	1 1/2"	62 3/4"	54"	1.6	RTPRS54H8 () ()	1,915.	1,969.	2,023.	2,077.	2,139.	2,177.	2,227.
	1 1/2"	62 3/4"	60"	1.8	RTPRS60H8 () ()	1,951.	2,011.	2,074.	2,135.	2,199.	2,238.	2,288.
	1 1/2"	62 3/4"	66"	1.9	RTPRS66H8 () ()	2,311.	2,377.	2,441.	2,506.	2,582.	2,625.	2,687.
	1 1/2"	62 3/4"	72"	2.1	RTPRS72H8 () ()	2,353.	2,418.	2,483.	2,548.	2,624.	2,669.	2,732.

Order Code	Specification Information	Application Notes
Example: RTPRS30H8 () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
M Monolithic		
30 Width		Always supplied including cable curtain.
H8 62 3/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top		All trims supplied with the same finish specification.
W281 Fabric selection bottom		All Fabric to be applied railroaded as current tackboard

Y = Yardage required

Task Panels

H8 62³/₄" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	62 3/4"	30"	0.9	RTPRS30H8 () ()	\$1,619.	\$1,635.	\$1,649.	\$1,666.	\$1,705.	\$1,745.	\$1,785.
With tool rail	1 1/2"	62 3/4"	36"	1.1	RTPRS36H8 () ()	1,719.	1,738.	1,755.	1,775.	1,818.	1,859.	1,902.
	1 1/2"	62 3/4"	42"	1.3	RTPRS42H8 () ()	1,929.	1,951.	1,973.	1,995.	2,043.	2,091.	2,139.
	1 1/2"	62 3/4"	48"	1.4	RTPRS48H8 () ()	1,961.	1,986.	2,008.	2,033.	2,081.	2,131.	2,179.



Order Code	Specification Information	Application Notes
Example: RTPRS30H8 () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H8 62 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H8 62³/₄" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below


description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	62 ³ / ₄ "	30"	0.9	RTPRS30H8() () ()	\$2,326.	\$1,594.	\$1,588.	\$1,658.	\$1,697.	\$1,774.
With tool rail	1 1/2"	62 ³ / ₄ "	36"	1.1	RTPRS36H8() () ()	2,599.	1,711.	1,681.	1,750.	1,795.	1,888.
	1 1/2"	62 ³ / ₄ "	42"	1.3	RTPRS42H8() () ()	2,981.	1,938.	1,888.	1,958.	2,007.	2,114.
	1 1/2"	62 ³ / ₄ "	48"	1.4	RTPRS48H8() () ()	3,202.	1,992.	1,916.	2,017.	2,072.	2,194.
	1 1/2"	62 ³ / ₄ "	54"	1.6	RTPRS54H8() () ()	3,420.	2,054.	1,981.	2,054.	2,113.	2,250.
	1 1/2"	62 ³ / ₄ "	60"	1.8	RTPRS60H8() () ()	3,636.	2,114.	1,988.	2,091.	2,155.	2,306.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H8() () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H8 62 ³ / ₄ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroaded as current tackboard
V319 Veneer selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Tackboards
H1 23 1/8" high
Wall hung, fabric


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard, wall hung	1"	23 1/8"	30"	1.0	RWHDHTB30H1()	\$267.	\$293.	\$320.	\$347.	\$352.	\$357.	\$362.
	1"	23 1/8"	36"	1.1	RWHDHTB36H1()	285.	314.	343.	372.	378.	384.	390.
	1"	23 1/8"	42"	1.3	RWHDHTB42H1()	313.	348.	381.	416.	423.	429.	437.
	1"	23 1/8"	48"	1.5	RWHDHTB48H1()	341.	380.	419.	459.	467.	475.	483.
	1"	23 1/8"	54"	1.6	RWHDHTB54H1()	359.	401.	444.	486.	494.	503.	512.
	1"	23 1/8"	60"	1.8	RWHDHTB60H1()	387.	434.	482.	529.	539.	549.	558.
	1"	23 1/8"	66"	1.9	RWHDHTB66H1()	406.	456.	505.	556.	566.	575.	587.
	1"	23 1/8"	72"	2.1	RWHDHTB72H1()	434.	490.	545.	600.	611.	622.	633.
	1"	23 1/8"	78"	2.3	RWHDHTB78H1()	461.	522.	582.	643.	656.	667.	679.
	1"	23 1/8"	84"	2.5	RWHDHTB84H1()	490.	556.	621.	687.	701.	713.	727.
	1"	23 1/8"	90"	2.6	RWHDHTB90H1()	507.	575.	644.	712.	726.	741.	755.
	1"	23 1/8"	96"	2.8	RWHDHTB96H1()	536.	609.	684.	758.	772.	786.	802.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H1()	To order please specify pattern number including: 1. Finish: Fabric	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H1 23 1/8" high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H2 29³/₄" high
Wall hung, fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	29 ³ / ₄ "	30"	1.0	RWHDHTB30H2()	\$283.	\$308.	\$334.	\$358.	\$363.	\$369.	\$374.
	1"	29 ³ / ₄ "	36"	1.1	RWHDHTB36H2()	304.	332.	359.	388.	394.	399.	406.
	1"	29 ³ / ₄ "	42"	1.3	RWHDHTB42H2()	335.	368.	400.	434.	441.	448.	454.
	1"	29 ³ / ₄ "	48"	1.5	RWHDHTB48H2()	365.	404.	442.	479.	488.	495.	503.
	1"	29 ³ / ₄ "	54"	1.6	RWHDHTB54H2()	387.	427.	467.	509.	517.	525.	533.
	1"	29 ³ / ₄ "	60"	1.8	RWHDHTB60H2()	417.	463.	509.	555.	564.	573.	583.
	1"	29 ³ / ₄ "	66"	1.9	RWHDHTB66H2()	439.	487.	534.	583.	594.	603.	614.
	1"	29 ³ / ₄ "	72"	2.1	RWHDHTB72H2()	469.	523.	575.	629.	641.	652.	663.
	1"	29 ³ / ₄ "	78"	2.3	RWHDHTB78H2()	500.	559.	617.	675.	689.	700.	712.
	1"	29 ³ / ₄ "	84"	2.5	RWHDHTB84H2()	530.	595.	658.	722.	735.	748.	762.
	1"	29 ³ / ₄ "	90"	2.6	RWHDHTB90H2()	553.	619.	684.	750.	764.	778.	793.
	1"	29 ³ / ₄ "	96"	2.8	RWHDHTB96H2()	583.	655.	725.	797.	811.	827.	842.


Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H2()	To order please specify pattern number including: 1. Finish: Fabric	H2 Height = Underside of overhead to top of 1" thick credenza top for 3/4 height cabinets.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H2 29 ³ / ₄ " high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H3 37⁷/₈" high
Wall hung, fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	37 ⁷ / ₈ "	30"	1.0	RWHDHTB30H3()	\$297.	\$322.	\$349.	\$374.	\$379.	\$385.	\$390.
	1"	37 ⁷ / ₈ "	36"	1.1	RWHDHTB36H3()	321.	350.	377.	406.	412.	417.	423.
	1"	37 ⁷ / ₈ "	42"	1.3	RWHDHTB42H3()	355.	388.	421.	454.	461.	467.	475.
	1"	37 ⁷ / ₈ "	48"	1.5	RWHDHTB48H3()	390.	427.	465.	503.	512.	519.	527.
	1"	37 ⁷ / ₈ "	54"	1.6	RWHDHTB54H3()	413.	454.	494.	534.	544.	553.	561.
	1"	37 ⁷ / ₈ "	60"	1.8	RWHDHTB60H3()	448.	493.	539.	584.	594.	604.	614.
	1"	37 ⁷ / ₈ "	66"	1.9	RWHDHTB66H3()	470.	519.	567.	616.	626.	635.	646.
	1"	37 ⁷ / ₈ "	72"	2.1	RWHDHTB72H3()	505.	559.	611.	646.	657.	667.	678.
	1"	37 ⁷ / ₈ "	78"	2.3	RWHDHTB78H3()	539.	598.	656.	714.	727.	738.	751.
	1"	37 ⁷ / ₈ "	84"	2.5	RWHDHTB84H3()	573.	636.	701.	764.	777.	791.	804.
	1"	37 ⁷ / ₈ "	90"	2.6	RWHDHTB90H3()	597.	663.	728.	795.	808.	822.	836.
	1"	37 ⁷ / ₈ "	96"	2.8	RWHDHTB96H3()	631.	702.	773.	844.	859.	874.	888.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H3()	To order please specify pattern number including: 1. Finish: Fabric	H3 Height = Top of U-shelf or L-shelf overhead to top of 1 1/2" thick desk height worksurface.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H3 37 ⁷ / ₈ " high		
W281 Fabric selection		

Y = Yardage required


Tackboards
H4 44 1/2" high
Wall hung, fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	44 1/2"	30"	1.0	RWHDHTB30H4()	\$310.	\$336.	\$361.	\$387.	\$392.	\$397.	\$402.
	1"	44 1/2"	36"	1.1	RWHDHTB36H4()	337.	364.	392.	420.	426.	431.	439.
	1"	44 1/2"	42"	1.3	RWHDHTB42H4()	373.	406.	440.	471.	479.	486.	493.
	1"	44 1/2"	48"	1.5	RWHDHTB48H4()	409.	447.	486.	523.	531.	539.	548.
	1"	44 1/2"	54"	1.6	RWHDHTB54H4()	436.	477.	517.	558.	566.	574.	583.
	1"	44 1/2"	60"	1.8	RWHDHTB60H4()	471.	517.	563.	608.	618.	628.	638.
	1"	44 1/2"	66"	1.9	RWHDHTB66H4()	498.	547.	595.	643.	654.	663.	673.
	1"	44 1/2"	72"	2.1	RWHDHTB72H4()	534.	589.	641.	695.	706.	716.	728.
	1"	44 1/2"	78"	2.3	RWHDHTB78H4()	571.	629.	689.	746.	759.	771.	783.
	1"	44 1/2"	84"	2.5	RWHDHTB84H4()	607.	670.	734.	798.	811.	824.	837.
	1"	44 1/2"	90"	2.6	RWHDHTB90H4()	633.	700.	766.	832.	846.	861.	874.
	1 1/2"	44 1/2"	96"	2.8	RWHDHTB96H4()	669.	741.	811.	882.	898.	913.	927.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H4()	To order please specify pattern number including:	H4 Height = Top of U-shelf or L-shelf overhead to top of 1" thick credenza top for 3/4" height cabinet.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H4 44 1/2" high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H5 42⁵/₈" high
Wall hung, fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	42 ⁵ / ₈ "	30"	1.0	RWHDHTB30H5()	\$307.	\$332.	\$357.	\$383.	\$388.	\$394.	\$399.
	1"	42 ⁵ / ₈ "	36"	1.1	RWHDHTB36H5()	334.	360.	389.	416.	422.	427.	434.
	1"	42 ⁵ / ₈ "	42"	1.3	RWHDHTB42H5()	368.	400.	434.	466.	474.	480.	488.
	1"	42 ⁵ / ₈ "	48"	1.5	RWHDHTB48H5()	404.	442.	480.	518.	526.	533.	542.
	1"	42 ⁵ / ₈ "	54"	1.6	RWHDHTB54H5()	429.	470.	511.	552.	560.	568.	576.
	1"	42 ⁵ / ₈ "	60"	1.8	RWHDHTB60H5()	464.	511.	556.	602.	611.	621.	630.
	1"	42 ⁵ / ₈ "	66"	1.9	RWHDHTB66H5()	491.	539.	587.	634.	645.	656.	666.
	1"	42 ⁵ / ₈ "	72"	2.1	RWHDHTB72H5()	526.	580.	632.	686.	698.	708.	720.
	1"	42 ⁵ / ₈ "	78"	2.3	RWHDHTB78H5()	562.	620.	678.	736.	749.	761.	773.
	1"	42 ⁵ / ₈ "	84"	2.5	RWHDHTB84H5()	598.	661.	725.	788.	802.	814.	828.
	1"	42 ⁵ / ₈ "	90"	2.6	RWHDHTB90H5()	623.	690.	756.	821.	835.	849.	863.
	1"	42 ⁵ / ₈ "	96"	2.8	RWHDHTB96H5()	660.	730.	802.	872.	886.	903.	917.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H5()	To order please specify pattern number including: 1. Finish: Fabric	H5 Height = Top of Single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H5 42 ⁵ / ₈ " high		
W281 Fabric selection		

Y = Yardage required

Desk Screens

Planning Guidelines and Specifications

Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".


Bracket and frame paint finish codes with suffix "T" indicate textured.

Construction


Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.


Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.



Screen always at back





For applications with work surface 26 1/2" off the floor



For applications with work surface 28 3/8" off the floor

Desk Screens
Fabric
 For 42" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon 	24"	1 1/4"	20"	YPSB2024F	\$584.	\$613.	\$643.	\$672.	\$700.
	27"	1 1/4"	20"	YPSB2027F	601.	630.	660.	690.	720.
	30"	1 1/4"	20"	YPSB2030F	616.	648.	678.	710.	740.
	36"	1 1/4"	20"	YPSB2036F	687.	721.	756.	790.	824.
	42"	1 1/4"	20"	YPSB2042F	714.	750.	785.	821.	857.
	48"	1 1/4"	20"	YPSB2048F	735.	772.	809.	845.	882.
	54"	1 1/4"	20"	YPSB2054F	790.	830.	868.	908.	947.
	60"	1 1/4"	20"	YPSB2060F	838.	880.	923.	964.	1,006.
	66"	1 1/4"	20"	YPSB2066FRR	876.	921.	964.	1,008.	1,051.
	72"	1 1/4"	20"	YPSB2072FRR	903.	948.	994.	1,038.	1,084.
Fabric Screens with Half Modesty For Desks, 42" High Horizon 	24"	1 1/4"	32"	YPSB3224F	676.	710.	744.	778.	812.
	27"	1 1/4"	32"	YPSB3227F	725.	761.	797.	834.	869.
	30"	1 1/4"	32"	YPSB3230F	747.	784.	821.	859.	896.
	36"	1 1/4"	32"	YPSB3236F	843.	886.	928.	970.	1,012.
	42"	1 1/4"	32"	YPSB3242F	893.	937.	982.	1,026.	1,071.
	48"	1 1/4"	32"	YPSB3248F	898.	943.	987.	1,033.	1,077.
	54"	1 1/4"	32"	YPSB3254F	973.	1,022.	1,071.	1,119.	1,168.
	60"	1 1/4"	32"	YPSB3260F	1,054.	1,108.	1,160.	1,213.	1,265.
	66"	1 1/4"	32"	YPSB3266FRR	1,200.	1,261.	1,321.	1,381.	1,441.
	72"	1 1/4"	32"	YPSB3272FRR	1,265.	1,329.	1,392.	1,455.	1,518.

Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2048F, W351, W351, 118T, 118T**

YPSB	Desk Screen
20	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With


Desk Screens
 Brackets
 Hardware


Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens
Fabric
For 49" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon 	24"	1 1/4"	26"	YPSB2624F	\$638.	\$671.	\$701.	\$734.	\$765.
	27"	1 1/4"	26"	YPSB2627F	665.	698.	732.	764.	798.
	30"	1 1/4"	26"	YPSB2630F	681.	716.	750.	784.	818.
	36"	1 1/4"	26"	YPSB2636F	762.	800.	839.	877.	915.
	42"	1 1/4"	26"	YPSB2642F	800.	840.	880.	921.	961.
	48"	1 1/4"	26"	YPSB2648F	860.	903.	946.	988.	1,032.
	54"	1 1/4"	26"	YPSB2654F	920.	966.	1,011.	1,057.	1,104.
	60"	1 1/4"	26"	YPSB2660F	958.	1,005.	1,053.	1,101.	1,149.
	66"	1 1/4"	26"	YPSB2666FRR	1,001.	1,050.	1,101.	1,151.	1,200.
	72"	1 1/4"	26"	YPSB2672FRR	1,044.	1,095.	1,149.	1,200.	1,253.

Fabric Screens with Half Modesty For Desks, 49" High Horizon 	24"	1 1/4"	38"	YPSB3824F	730.	767.	803.	839.	876.
	27"	1 1/4"	38"	YPSB3827F	784.	823.	863.	902.	941.
	30"	1 1/4"	38"	YPSB3830F	805.	845.	887.	927.	967.
	36"	1 1/4"	38"	YPSB3836F	920.	966.	1,011.	1,057.	1,104.
	42"	1 1/4"	38"	YPSB3842F	973.	1,022.	1,071.	1,119.	1,168.
	48"	1 1/4"	38"	YPSB3848F	1,049.	1,103.	1,154.	1,206.	1,259.
	54"	1 1/4"	38"	YPSB3854F	1,104.	1,158.	1,214.	1,268.	1,324.
	60"	1 1/4"	38"	YPSB3860F	1,162.	1,221.	1,279.	1,337.	1,395.
	66"	1 1/4"	38"	YPSB3866FRR	1,303.	1,368.	1,434.	1,499.	1,563.
	72"	1 1/4"	38"	YPSB3872FRR	1,373.	1,443.	1,511.	1,580.	1,649.

Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2648F, W351, W351, 118T, 118T	Brackets	The price of screens specified with a combination of fabrics is the higher of the two fabric grades.
2. Inside Fabric Finish	YPSB Desk Screen	Hardware	
3. Outside Fabric Finish	26 Height		
4. Frame Paint Finish	48 Width		
5. Bracket Paint Finish	F Fabric		
	W351 Foundation		
	W351 Foundation		
	118T Bright White Paint		
	118T Bright White Paint		



Desk Screens

Laminate, Markerboard or Veneer

For 42" High Horizon

Reff Profiles

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42" High Horizon	24"	3/4"	20"	YPSB2024()	\$239.	\$413.	\$458.	\$527.	\$685.
	27"	3/4"	20"	YPSB2027()	243.	417.	467.	538.	699.
	30"	3/4"	20"	YPSB2030()	245.	419.	478.	550.	715.
	36"	3/4"	20"	YPSB2036()	275.	529.	499.	573.	747.
	42"	3/4"	20"	YPSB2042()	281.	534.	536.	615.	800.
	48"	3/4"	20"	YPSB2048()	363.	856.	560.	644.	836.
	54"	3/4"	20"	YPSB2054()	370.	862.	581.	669.	868.
	60"	3/4"	20"	YPSB2060()	375.	867.	628.	722.	940.
	66"	3/4"	20"	YPSB2066()	382.	873.	656.	755.	981.
	72"	3/4"	20"	YPSB2072()	387.	879.	677.	779.	1,011.
Screens with Half Modesty For Desks, 42" High Horizon	24"	3/4"	32"	YPSB3224()	268.	634.	532.	612.	796.
	27"	3/4"	32"	YPSB3227()	273.	638.	555.	639.	832.
	30"	3/4"	32"	YPSB3230()	311.	643.	572.	658.	856.
	36"	3/4"	32"	YPSB3236()	366.	859.	606.	696.	905.
	42"	3/4"	32"	YPSB3242()	375.	867.	664.	763.	993.
	48"	3/4"	32"	YPSB3248()	395.	1,503.	696.	800.	1,042.
	54"	3/4"	32"	YPSB3254()	403.	1,511.	735.	845.	1,100.
	60"	3/4"	32"	YPSB3260()	550.	1,517.	812.	932.	1,213.
	66"	3/4"	32"	YPSB3266()	560.	1,526.	851.	978.	1,271.
	72"	3/4"	32"	YPSB3272()	568.	1,536.	882.	1,014.	1,320.



Ordering Information

Desk Screens

1. Pattern Number
2. Surface Finish
3. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2048V, V316, 118T**

YPSB Desk Screen

20 Height

48 Width

V Veneer

V316 Maple

118T Bright White Paint

Included With

Desk Screens

Brackets
Hardware

Options

Desk Screens

Finish Options:

(L)= Laminate
(LM)= Markerboard
(V)= Veneer



Desk Screens

Laminate, Markerboard or Veneer

For 49" High Horizon

Reff Profiles

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 49" High Horizon	24"	3/4"	26"	YPSB2624()	\$261.	\$627.	\$508.	\$585.	\$760.
	27"	3/4"	26"	YPSB2627()	265.	632.	521.	600.	780.
	30"	3/4"	26"	YPSB2630()	269.	635.	543.	625.	813.
	36"	3/4"	26"	YPSB2636()	276.	643.	570.	655.	853.
	42"	3/4"	26"	YPSB2642()	317.	650.	617.	710.	923.
	48"	3/4"	26"	YPSB2648()	347.	1,491.	651.	750.	974.
	54"	3/4"	26"	YPSB2654()	354.	1,499.	678.	779.	1,013.
	60"	3/4"	26"	YPSB2660()	373.	1,504.	755.	868.	1,128.
	66"	3/4"	26"	YPSB2666()	381.	1,513.	782.	899.	1,169.
	72"	3/4"	26"	YPSB2672()	488.	1,518.	809.	930.	1,210.
Screens with Half Modesty For Desks, 49" High Horizon	24"	3/4"	38"	YPSB3824()	310.	643.	568.	653.	849.
	27"	3/4"	38"	YPSB3827()	315.	647.	587.	676.	878.
	30"	3/4"	38"	YPSB3830()	319.	652.	607.	697.	906.
	36"	3/4"	38"	YPSB3836()	377.	868.	653.	751.	977.
	42"	3/4"	38"	YPSB3842()	389.	879.	718.	826.	1,074.
	48"	3/4"	38"	YPSB3848()	483.	1,514.	757.	870.	1,131.
	54"	3/4"	38"	YPSB3854()	495.	1,525.	802.	923.	1,199.
	60"	3/4"	38"	YPSB3860()	568.	1,536.	905.	1,041.	1,353.
	66"	3/4"	38"	YPSB3866()	578.	1,547.	950.	1,093.	1,421.
	72"	3/4"	38"	YPSB3872()	588.	1,557.	989.	1,138.	1,479.



Accessories and Client Samples

Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2648V, V316,	Brackets	Finish Options:
2. Surface Finish	118T	Hardware	(L)= Laminate
3. Bracket Paint Finish	YPSB Desk Screen		(LM)= Markerboard
	26 Height		(V)= Veneer
	48 Width		
	V Veneer		
	V316 Maple		
	118T Bright White Paint		


description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies 30" and 36"	30"	10"	RDTC3010()	\$854.	\$1,067.	\$1,227.	\$1,594.
	36"	10"	RDTC3610()	964.	1,076.	1,238.	1,609.



Desk Top Cubbies 60" and 72"	60"	10"	RDTC6010()	1,048.	1,310.	1,506.	1,958.
	72"	10"	RDTC7210()	1,069.	1,337.	1,537.	1,998.



Desk Top Cubbies Open	60"	10"	RDTCO6010()	1,158.	1,448.	1,664.	2,164.
	72"	10"	RDTCO7210()	1,174.	1,467.	1,687.	2,193.



Wall Mounted Cubbies 30" and 36"	30"	10"	RRMC3010()	936.	1,170.	1,345.	1,749.
	36"	10"	RRMC3610()	945.	1,180.	1,358.	1,764.



Wall Mounted Cubbies 60" and 72"	60"	10"	RRMC6010()	1,077.	1,345.	1,549.	2,014.
	72"	10"	RRMC7210()	1,099.	1,374.	1,580.	2,055.




Under Mounted Cubbies 30" and 36"	30"	10"	RUMC3010()	905.	1,132.	1,302.	1,692.
	36"	10"	RUMC3610()	916.	1,145.	1,317.	1,712.



Order Code	Specification Information	Application Notes
Example: RDTC3010() ()		
R Reff		Installation instruction sheets available on Knoll Exchange.
DT Desk Top		
C Cubby		For Wall Mounted cubbies, please refer to part number 6TP00086.
30 Width		
10 Depth		For Under Mounted cubbies, please refer to part number 6TP00087.
Finish		

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


description	w	d	pattern no.	L	V1	V2	V3
Under Mounted Cubbies 60" and 72"	60"	10"	RUMC6010()	\$1,028.	\$1,284.	\$1,477.	\$1,921.
	72"	10"	RUMC7210()	1,054.	1,316.	1,514.	1,968.



Order Code	Specification Information	Application Notes
Example: RDTC3010() ()		
R Reff		Installation instruction sheets available on Knoll Exchange.
DT Desk Top		For Wall Mounted cubbies, please refer to part number 6TP00086.
C Cubby		For Under Mounted cubbies, please refer to part number 6TP00087.
30 Width		Product on this page Excluding any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
10 Depth		
Finish		

Single Wide Desk

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Single Wide Desk 	66"	30"	42"	RASW6630 ()()	\$1,201.	\$1,409.	\$1,620.	\$2,106.
	72"	30"	42"	RASW7230 ()()	1,254.	1,471.	1,691.	2,199.
	78"	30"	42"	RASW7830 ()()	1,293.	1,517.	1,744.	2,267.
	84"	30"	42"	RASW8430 ()()	1,366.	1,602.	1,843.	2,396.
	90"	30"	42"	RASW9030 ()()	1,405.	1,648.	1,896.	2,464.
	96"	30"	42"	RASW9630 ()()	1,450.	1,701.	1,956.	2,544.

Order Code

Example:	
RA	Reff Administrative
SW	Single Wide with worksurface
66	66" wide, Nominal
30	30" deep, Nominal
()	Modesty finish
()	Worksurface finish

Nominal vs Actual sizes


N=66/A=62 - Top = 61.8 x 27.9
 N=72/A=68 - Top = 67.8 x 27.9
 N=78/A=74 - Top = 73.8 x 27.9
 N=84/A= 80 - Top = 79.8 x 27.9
 N=90/A=86 - Top = 85.8 x 27.9
 N=96/A=92 - Top = 91.8 x 27.9
 above dimension allow for 2 end supports

Specification Information

To order please specify pattern number including:
 1. Modesty Finish: Wood or Laminate
 2. Worksurface Finish: Wood or Laminate
 66" to 96" wide Nominal.
 No Drilling Options.
 No Grommet Options.
 To be used with end support, return, or bridge.
 Includes front modesty and worksurface.
 Stations up to 96" wide.
 Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.


Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
 Products on this page are engineered to work with 28^{3/8}" planning.
 All worksurfaces are 1 1/2" thick.
 Products on this page will accept all Laminates except "wood grain laminates".
 Note: All installation instructions are available on the Knoll Exchange.
 42" height is Nominal.
 Comes with hardware kit, including attachment kit.
 Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.
 Pencil Lip will be assembled to the top.
 Pencil Lip dimension: 1/4"H above worksurface.
 Pencil Lip is located along the back edge.
 Pencil Lip is available in black only.
 Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).
 The approach side needs to be completed with an additional infill panel.



Single Wide Desk

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Single Wide Desk 	66"	30"	42"	RASW6630 () ()	\$1,318.	\$1,390.	\$1,655.	\$1,371.	\$1,487.	\$1,721.
	72"	30"	42"	RASW7230 () ()	1,364.	1,442.	1,730.	1,410.	1,535.	1,791.
	78"	30"	42"	RASW7830 () ()	1,400.	1,485.	1,794.	1,438.	1,573.	1,851.
	84"	30"	42"	RASW8430 () ()	1,483.	1,574.	1,904.	1,486.	1,630.	1,931.
	90"	30"	42"	RASW9030 () ()	1,520.	1,617.	1,969.	1,516.	1,669.	1,992.
	96"	30"	42"	RASW9630 () ()	1,565.	1,667.	2,041.	1,544.	1,706.	2,052.

Order Code

Example:	
RA	Reff Administrative
SW	Single Wide with worksurface
66	66" wide, Nominal
30	30" deep, Nominal
()	Modesty finish
()	Worksurface finish

Nominal vs Actual sizes


N=66/A=62 - Top = 61.8 x 27.9
 N=72/A=68 - Top = 67.8 x 27.9
 N=78/A=74 - Top = 73.8 x 27.9
 N=84/A= 80 - Top = 79.8 x 27.9
 N=90/A=86 - Top = 85.8 x 27.9
 N=96/A=92 - Top = 91.8 x 27.9
 above dimension allow for 2 end supports

Specification Information

To order please specify pattern number including:
 1. Modesty Finish: Wood or Laminate
 2. Worksurface Finish: Wood or Laminate
 66" to 96" wide Nominal.
 No Drilling Options.
 No Grommet Options.
 To be used with end support, return, or bridge.
 Includes front modesty and worksurface.
 Stations up to 96" wide.
 Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.


Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
 Products on this page are engineered to work with 28^{3/8}" planning.
 All worksurfaces are 1 1/2" thick.
 Products on this page will accept all Laminates except "wood grain laminates".
 Note: All installation instructions are available on the Knoll Exchange.
 42" height is Nominal.
 Comes with hardware kit, including attachment kit.
 Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.
 Pencil Lip will be assembled to the top.
 Pencil Lip dimension: 1/4"H above worksurface.
 Pencil Lip is located along the back edge.
 Pencil Lip is available in black only.
 Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).
 The approach side needs to be completed with an additional infill panel.



Double Wide Desk

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
 <p>Left hand shown</p>	51"	30"	42"	RADW(L/R)5130() ()	\$1,162.	\$1,363.	\$1,567.	\$2,037.
	54"	30"	42"	RADW(L/R)5430() ()	1,188.	1,393.	1,602.	2,083.
	57"	30"	42"	RADW(L/R)5730() ()	1,214.	1,424.	1,637.	2,129.
	60"	30"	42"	RADW(L/R)6030() ()	1,295.	1,519.	1,747.	2,272.
	63"	30"	42"	RADW(L/R)6330() ()	1,316.	1,544.	1,776.	2,308.
	66"	30"	42"	RADW(L/R)6630() ()	1,345.	1,578.	1,815.	2,359.
	69"	30"	42"	RADW(L/R)6930() ()	1,371.	1,608.	1,849.	2,403.
	72"	30"	42"	RADW(L/R)7230() ()	1,391.	1,632.	1,877.	2,440.
	75"	30"	42"	RADW(L/R)7530() ()	1,410.	1,653.	1,901.	2,472.
	78"	30"	42"	RADW(L/R)7830() ()	1,429.	1,677.	1,928.	2,507.
	81"	30"	42"	RADW(L/R)8130() ()	1,455.	1,706.	1,962.	2,551.
	84"	30"	42"	RADW(L/R)8430() ()	1,504.	1,764.	2,029.	2,638.
	87"	30"	42"	RADW(L/R)8730() ()	1,522.	1,785.	2,053.	2,669.
	90"	30"	42"	RADW(L/R)9030() ()	1,542.	1,809.	2,081.	2,704.
	93"	30"	42"	RADW(L/R)9330() ()	1,568.	1,839.	2,115.	2,750.
96"	30"	42"	RADW(L/R)9630() ()	1,587.	1,862.	2,141.	2,784.	

Order Code

Example:	
RA	Reff Administrative
DW	Double Wide with worksurface
L	Left hand
51	51" wide, Nominal
30	30" deep (only) worksurface
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

51" to 96" wide, Nominal.
30" deep worksurface, Nominal.
No Drilling Options.
No Grommet Options.

Product on this page do not include infill panels, returns or supports. Supports need to be ordered separately.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height, Nominal.

Left hand and Right hand units are sold separately (not as set), therefore the veneer side will not match.

Left hand unit includes 2 kits;
Kit #1: Joinery hardware to connect 2 units together.
Kit #2: Multi clips.

Products on this page do not include infill panels, returns and supports, need to be order separately.


Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with an additional infill panel.

Worksurfaces include a 2" gap along the back edge to accommodate full length wire access and Pencil Lip. Pencil lip will be assembled to the top.
Pencil Lip dimensions: 1/4"H above worksurface.
Pencil Lip is available in black only.


To complete your double wide unit, you must order 2 pieces. Nominal double vs Actual double sizes

- Actual is 2" less than Nominal.
- N=102/ A=98 (2x49) - Top = 49
 - N=108/ A=104 (2x52) - Top = 52
 - N=114/ A=110 (2x55) - Top = 55
 - N=120/ A=116 (2x58) - Top = 58
 - N=126/ A=122 (2x61) - Top = 61
 - N=132/ A=128 (2x64) - Top = 64
 - N=138/ A=134 (2x67) - Top = 67
 - N=144/ A=140 (2x70) - Top = 70
 - N=150/ A=146 (2x73) - Top = 73
 - N=156/ A=152 (2x76) - Top = 76
 - N=162/ A=158 (2x79) - Top = 79
 - N=168/ A=164 (2x82) - Top = 82
 - N=174/ A=170 (2x85) - Top = 85
 - N=180/ A=176 (2x88) - Top = 88
 - N=186/ A=182 (2x91) - Top = 91
 - N=192/ A=188 (2x94) - Top = 94



Double Wide Desk

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 <p>right hand shown</p>	51"	30"	42"	RADW(L/R)5130() ()	\$1,265.	\$1,325.	\$1,544.	\$1,378.	\$1,474.	\$1,686.
	54"	30"	42"	RADW(L/R)5430() ()	1,291.	1,355.	1,584.	1,393.	1,493.	1,717.
	57"	30"	42"	RADW(L/R)5730() ()	1,309.	1,375.	1,617.	1,417.	1,521.	1,755.
	60"	30"	42"	RADW(L/R)6030() ()	1,411.	1,480.	1,732.	1,472.	1,581.	1,827.
	63"	30"	42"	RADW(L/R)6330() ()	1,431.	1,503.	1,767.	1,501.	1,615.	1,872.
	66"	30"	42"	RADW(L/R)6630() ()	1,452.	1,528.	1,801.	1,529.	1,647.	1,916.
	69"	30"	42"	RADW(L/R)6930() ()	1,479.	1,557.	1,841.	1,543.	1,667.	1,945.
	72"	30"	42"	RADW(L/R)7230() ()	1,499.	1,580.	1,875.	1,559.	1,686.	1,977.
	75"	30"	42"	RADW(L/R)7530() ()	1,517.	1,599.	1,905.	1,601.	1,733.	2,034.
	78"	30"	42"	RADW(L/R)7830() ()	1,534.	1,621.	1,938.	1,616.	1,752.	2,066.
	81"	30"	42"	RADW(L/R)8130() ()	1,562.	1,650.	1,978.	1,630.	1,772.	2,095.
	84"	30"	42"	RADW(L/R)8430() ()	1,619.	1,711.	2,050.	1,665.	1,811.	2,145.
	87"	30"	42"	RADW(L/R)8730() ()	1,636.	1,731.	2,080.	1,679.	1,829.	2,175.
	90"	30"	42"	RADW(L/R)9030() ()	1,654.	1,752.	2,113.	1,693.	1,848.	2,206.
	93"	30"	42"	RADW(L/R)9330() ()	1,682.	1,783.	2,154.	1,707.	1,867.	2,235.
96"	30"	42"	RADW(L/R)9630() ()	1,699.	1,802.	2,184.	1,722.	1,886.	2,266.	

Order Code

Example:	
RA	Reff Administrative
DW	Double Wide with worksurface
L	Left hand
51	51" wide, Nominal
30	30" deep (only) worksurface
()	Modesty finish
()	Worksurface finish

To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes

Actual is 2" less than Nominal.

- N=102/ A=98 (2x49) - Top = 49
- N=108/ A=104 (2x52) - Top = 52
- N=114/ A=110 (2x55) - Top = 55
- N=120/ A=116 (2x58) - Top = 58
- N=126/ A=122 (2x61) - Top = 61
- N=132/ A=128 (2x64) - Top = 64
- N=138/ A=134 (2x67) - Top = 67
- N=144/ A=140 (2x70) - Top = 70
- N=150/ A=164 (2x73) - Top = 73
- N=156/ A=152 (2x76) - Top = 76
- N=162/ A=158 (2x79) - Top = 79
- N=168/ A=164 (2x82) - Top = 82
- N=174/ A=170 (2x85) - Top = 85
- N=180/ A=176 (2x88) - Top = 88
- N=186/ A=182 (2x91) - Top = 91
- N=192/ A=188 (2x94) - Top = 94

Specification Information

To order please specify pattern number including:

- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

51" to 96" wide, Nominal.
30" deep worksurface, Nominal.
No Drilling Options.
No Grommet Options.

Product on this page do not include infill panels, returns or supports. Supports need to be ordered separately.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height, Nominal.

Left hand and Right hand units are sold separately (not as set), therefore the veneer side will not match.


Left hand unit includes 2 kits;
Kit #1: Joinery hardware to connect 2 units together.
Kit #2: Multi clips.

Products on this page do not include infill panels, returns and supports, need to be order separately.

Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).


The approach side needs to be completed with an additional infill panel.

Worksurfaces include a 2" gap along the back edge to accommodate full length wire access and Pencil Lip. Pencil lip will be assembled to the top. Pencil Lip dimensions: 1/4"H above worksurface. Pencil Lip is available in black only.



Bridge

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
	72"	20"	42"	RABR(L/R)7220 () () ()	\$1,090.	\$1,779.	\$2,046.	\$2,660.
	78"	20"	42"	RABR(L/R)7820 () () ()	1,183.	1,930.	2,220.	2,886.
	84"	20"	42"	RABR(L/R)8420 () () ()	1,236.	2,017.	2,319.	3,015.
	90"	20"	42"	RABR(L/R)9020 () () ()	1,286.	2,099.	2,413.	3,138.
	96"	20"	42"	RABR(L/R)9620 () () ()	1,336.	2,180.	2,507.	3,259.

Left hand shown

Order Code

Example:	
RA	Reff Administrative
BR	Bridge Return
R	Right hand
72	72" wide
20	20" deep
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Grommet Option:
F = Flush
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.


Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal

Includes a 20"d nominal work surface.
Includes thick modesty panel. Use in conjunction with end cabinets.
Bridge + Cabinet + End Panel = Nominals.

Cabinet to be ordered separately.



left hand / right hand

Nominal vs Actual sizes

N=72/A=54.5 - top 24.5

N=78/A=60.5 - top 30.5


N=84/A=66.5 - top 36.5

N=90/A=72.5 - top 42.5


N=96/A=78.5 - top 48.5

Bridge

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
	72"	20"	42"	RABR(L/R)7220 () () ()	\$1,222.	\$1,256.	\$1,365.	\$1,635.	\$1,871.	\$2,273.
	78"	20"	42"	RABR(L/R)7820 () () ()	1,346.	1,384.	1,512.	1,784.	2,041.	2,487.
	84"	20"	42"	RABR(L/R)8420 () () ()	1,406.	1,448.	1,594.	1,844.	2,123.	2,613.
	90"	20"	42"	RABR(L/R)9020 () () ()	1,460.	1,507.	1,671.	1,907.	2,206.	2,744.
	96"	20"	42"	RABR(L/R)9620 () () ()	1,509.	1,559.	1,741.	1,966.	2,286.	2,867.

Left hand shown

Order Code	Specification Information	Application Notes																		
<p>Example:</p> <table border="1"> <tr> <td>RA</td> <td>Reff Administrative</td> </tr> <tr> <td>BR</td> <td>Bridge Return</td> </tr> <tr> <td>R</td> <td>Right hand</td> </tr> <tr> <td>72</td> <td>72" wide</td> </tr> <tr> <td>20</td> <td>20" deep</td> </tr> <tr> <td>()</td> <td>Grommet option</td> </tr> <tr> <td>()</td> <td>Grommet finish</td> </tr> <tr> <td>()</td> <td>Modesty finish</td> </tr> <tr> <td>()</td> <td>Worksurface finish</td> </tr> </table>	RA	Reff Administrative	BR	Bridge Return	R	Right hand	72	72" wide	20	20" deep	()	Grommet option	()	Grommet finish	()	Modesty finish	()	Worksurface finish	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Grommet Option: F = Flush N = No Grommet Grommet Finish: Painted or Plated Modesty Finish: Wood or Laminate Worksurface Finish: Wood or Laminate 	<p>Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.</p> <p>Products on this page are engineered to work with 28^{3/8}" planning.</p> <p>All worksurfaces are 1 1/2" thick.</p> <p>Products on this page will accept all Laminates except "wood grain laminates".</p> <p>Note: All installation instructions are available on the Knoll Exchange.</p> <p>42" height is Nominal</p>
RA	Reff Administrative																			
BR	Bridge Return																			
R	Right hand																			
72	72" wide																			
20	20" deep																			
()	Grommet option																			
()	Grommet finish																			
()	Modesty finish																			
()	Worksurface finish																			
		<p>Includes a 20"d nominal work surface.</p> <p>Includes thick modesty panel. Use in conjunction with end cabinets.</p> <p>Bridge + Cabinet + End Panel = Nominals.</p> <p>Cabinet to be ordered separately.</p> 																		

left hand / right hand

Nominal vs Actual sizes

N=72/A=54.5 - top 24.5


N=78/A=60.5 - top 30.5



N=84/A=66.5 - top 36.5

N=90/A=72.5 - top 42.5

N=96/A=78.5 - top 48.5


Return Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
 Full Return Panel <i>Left hand shown</i>	54"	20"	42"	RAFR(L/R)5420() () () ()	\$1,201.	\$1,862.	\$2,141.	\$2,783.
	60"	20"	42"	RAFR(L/R)6020() () () ()	1,250.	1,938.	2,230.	2,898.
	66"	20"	42"	RAFR(L/R)6620() () () ()	1,351.	2,095.	2,409.	3,131.
	72"	20"	42"	RAFR(L/R)7220() () () ()	1,402.	2,174.	2,500.	3,250.
	78"	20"	42"	RAFR(L/R)7820() () () ()	1,461.	2,265.	2,605.	3,387.
	84"	20"	42"	RAFR(L/R)8420() () () ()	1,529.	2,372.	2,726.	3,545.
	90"	20"	42"	RAFR(L/R)9020() () () ()	1,591.	2,466.	2,836.	3,686.
	96"	20"	42"	RAFR(L/R)9620() () () ()	1,657.	2,568.	2,954.	3,839.


Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
RA Reff Administrative	1. Grommet Option: F = Flush N = No Grommet	Includes a 20" d (nominal) worksurface. Includes thick modesty.
FR Full Return	2. Grommet Finish: Painted or Plated	Return with Cabinet support (TG)
L Left hand	3. Modesty Finish: Laminate or Wood	
54 54" wide, Nominal	4. Worksurface Finish: Laminate or Wood	Products on this page are engineered to work with 28 3/8" planning.
20 20" deep, Nominal	5. Drilling Options: E = End Support drilling 28 3/8" G = Gable Support drilling 42"	All worksurfaces are 1 1/2" thick.
() Grommet option		Products on this page will accept all Laminates except "wood grain laminates".
() Grommet finish		Note: All installation instructions available on the Knoll Exchange.
() Modesty finish		42" height is Nominal
() Worksurface finish		
G Drilling options		Return with "end support" - 28 3/8" h

Nominal vs Actual sizes
 N=54/A=52, Top = 22" w x 19" d
 N=60/A=58, Top = 28" w x 19" d
 N=66/A=64, Top = 34" w x 19" d
 N=72/A=70, Top = 40" w x 19" d
 N=78/A=76, Top = 46" w x 19" d
 N=84/A=82, Top = 52" w x 19" d
 N=90/A=88, Top = 58" w x 19" d
 N=96/A=94, Top = 64" w x 19" d

Return with Cabinet support (TG)




Return with "end support" - 28 3/8" h



Return with Gable support - 42" h

Return

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 <p>Left hand shown</p>	54"	20"	42"	RAFR(L/R)5420 () () () ()	\$1,334.	\$1,366.	\$1,467.	\$1,764.	\$1,991.	\$2,375.
	60"	20"	42"	RAFR(L/R)6020 () () () ()	1,382.	1,418.	1,539.	1,824.	2,072.	2,500.
	66"	20"	42"	RAFR(L/R)6620 () () () ()	1,514.	1,553.	1,691.	1,974.	2,243.	2,716.
	72"	20"	42"	RAFR(L/R)7220 () () () ()	1,565.	1,610.	1,767.	2,036.	2,326.	2,844.
	78"	20"	42"	RAFR(L/R)7820 () () () ()	1,631.	1,679.	1,855.	2,102.	2,413.	2,975.
	84"	20"	42"	RAFR(L/R)8420 () () () ()	1,712.	1,765.	1,958.	2,161.	2,494.	3,102.
	90"	20"	42"	RAFR(L/R)9020 () () () ()	1,780.	1,838.	2,051.	2,239.	2,593.	3,245.
	96"	20"	42"	RAFR(L/R)9620 () () () ()	1,858.	1,921.	2,151.	2,313.	2,689.	3,385.

Order Code

Example:	
RA	Reff Administrative
FR	Full Return
L	Left hand
54	54" wide, Nominal
20	20" deep, Nominal
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish
G	Drilling options

Specification Information

- To order please specify pattern number including:
- Grommet Option:
F = Flush
N = No Grommet
 - Grommet Finish: Painted or Plated
 - Modesty Finish: Laminate or Wood
 - Worksurface Finish: Laminate or Wood
 - Drilling Options:
E = End Support drilling 28³/₈"
G = Gable Support drilling 42"

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".


Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal


Application Notes

Includes a 20" (nominal) worksurface.
Includes thick modesty.

Return with Cabinet support. (TG)



Return with "end support" - 28³/₈"h




Return with Gable support - 42"h

Nominal vs Actual sizes


- N=54/A=52, Top = 22" w x 19" d
- N=60/A=58, Top = 28" w x 19" d
- N=66/A=64, Top = 34" w x 19" d
- N=72/A=70, Top = 40" w x 19" d
- N=78/A=76, Top = 46" w x 19" d
- N=84/A=82, Top = 52" w x 19" d
- N=90/A=88, Top = 58" w x 19" d
- N=96/A=94, Top = 64" w x 19" d

Shared Return One Sided

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
	66"	20"	42"	RASRS(L/R)6620 () () ()	\$954.	\$1,558.	\$1,791.	\$2,328.
	72"	20"	42"	RASRS(L/R)7220 () () ()	1,024.	1,671.	1,922.	2,498.
	78"	20"	42"	RASRS(L/R)7820 () () ()	1,076.	1,756.	2,020.	2,625.
	84"	20"	42"	RASRS(L/R)8420 () () ()	1,159.	1,892.	2,176.	2,828.
	90"	20"	42"	RASRS(L/R)9020 () () ()	1,206.	1,969.	2,263.	2,943.
	96"	20"	42"	RASRS(L/R)9620 () () ()	1,313.	2,143.	2,464.	3,204.

Left hand shown

Order Code	Specification Information	Application Notes
<p>Example:</p> <p>RA Reff Administrative</p> <p>SR Shared Return</p> <p>S Single</p> <p>R Right hand</p> <p>66 66" wide</p> <p>() Grommet option</p> <p>() Grommet finish</p> <p>() Modesty finish</p> <p>() Worksurface finish</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Grommet Option: F = Flush N = No Grommet Grommet Finish: Painted or Plated Modesty Finish: Wood or Laminate Worksurface Finish: Wood or Laminate 	<p>Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.</p> <p>Products on this page are engineered to work with 28^{3/8}" planning.</p> <p>All worksurfaces are 1 1/2" thick.</p> <p>Products on this page will accept all Laminates except "wood grain laminates".</p> <p>Must be used with end support. Always comes with drilling to accept 28^{3/8}"H, only, end support component. End support must be ordered separately. 42" high Gable cannot be used in this application. Hardware for attachment included.</p> 

Nominal vs Actual sizes


N=66/A=64, Top = 34" actual
 N=72/A=70, Top = 40" actual
 N=78/A=76, Top = 46" actual
 N=84/A=82, Top = 52" actual
 N=90/A=88, Top = 58" actual
 N=96/A=94, Top = 64" actual

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Shared Return One Sided

Mixed Finishes


description	w	d	h	pattern no.	L/V1 *	L/V2	L/V3	V1/L	V2/L	V3/L
 Shared Return One Side	66"	20"	42"	RASRS(L/R)6620() () () ()	\$1,100.	\$1,139.	\$1,278.	\$1,441.	\$1,605.	\$1,855.
	72"	20"	42"	RASRS(L/R)7220() () () ()	1,181.	1,225.	1,383.	1,540.	1,725.	2,020.
	78"	20"	42"	RASRS(L/R)7820() () () ()	1,239.	1,288.	1,464.	1,595.	1,801.	2,141.
	84"	20"	42"	RASRS(L/R)8420() () () ()	1,344.	1,397.	1,591.	1,722.	1,949.	2,334.
	90"	20"	42"	RASRS(L/R)9020() () () ()	1,393.	1,451.	1,664.	1,777.	2,025.	2,455.
	96"	20"	42"	RASRS(L/R)9620() () () ()	1,545.	1,608.	1,838.	1,939.	2,209.	2,684.

Left hand shown

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative SR Shared Return S Single R Right hand 66 66" wide () Grommet option () Grommet finish () Modesty finish () Worksurface finish	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Wood or Laminate 4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 ^{3/8} " planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal


Nominal vs Actual sizes

- N=66/A=64, Top = 34" actual
- N=72/A=70, Top = 40" actual
- N=78/A=76, Top = 46" actual
- N=84/A=82, Top = 52" actual
- N=90/A=88, Top = 58" actual
- N=96/A=94, Top = 64" actual



Shared Return Two Sided

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
 Shared Return Two Sided	66"	20"	42"	RASRD6620 () () () ()	\$1,269.	\$2,006.	\$2,307.	\$2,999.
	72"	20"	42"	RASRD7220 () () () ()	1,353.	2,139.	2,459.	3,198.
	78"	20"	42"	RASRD7820 () () () ()	1,424.	2,251.	2,589.	3,365.
	84"	20"	42"	RASRD8420 () () () ()	1,516.	2,397.	2,757.	3,584.
	90"	20"	42"	RASRD9020 () () () ()	1,577.	2,493.	2,867.	3,727.
	96"	20"	42"	RASRD9620 () () () ()	1,709.	2,703.	3,108.	4,040.

Order Code

Example:	
RA	Reff Administrative
SR	Shared Return
D	Double
66	66" wide
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Grommet Option:
F = Flush
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.


Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Application Notes

Must be used with end support. Always comes with drilling to accept 28^{3/8}"H, only, end support component. End support must be ordered separately. 42" high Gable cannot be used in this application. Hardware for attachment included.




Nominal vs Actual sizes


N=66/A=64, Top = 34" actual
 N=72/A=70, Top = 40" actual
 N=78/A=76, Top = 46" actual
 N=84/A=82, Top = 52" actual
 N=90/A=88, Top = 58" actual
 N=96/A=94, Top = 64" actual

Shared Return Two Sided

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 Shared Return Two Sided	66"	20"	42"	RASRD6620 () () () ()	\$1,576.	\$1,655.	\$1,933.	\$1,773.	\$1,936.	\$2,187.
	72"	20"	42"	RASRD7220 () () () ()	1,674.	1,764.	2,079.	1,881.	2,066.	2,360.
	78"	20"	42"	RASRD7820 () () () ()	1,760.	1,857.	2,208.	1,945.	2,151.	2,491.
	84"	20"	42"	RASRD8420 () () () ()	1,874.	1,980.	2,366.	2,077.	2,304.	2,689.
	90"	20"	42"	RASRD9020 () () () ()	1,938.	2,054.	2,480.	2,141.	2,390.	2,819.
	96"	20"	42"	RASRD9620 () () () ()	2,127.	2,250.	2,712.	2,327.	2,597.	3,071.

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative SR Shared Return R Right hand S Single 66 66" wide 20 20" deep () Grommet option () Grommet finish () Modesty finish () Worksurface finish	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Wood or Laminate 4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 3/8" planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal




Nominal vs Actual sizes
 N=66/A=64, Top = 34" actual
 N=72/A=70, Top = 40" actual
 N=78/A=76, Top = 46" actual
 N=84/A=82, Top = 52" actual
 N=90/A=88, Top = 58" actual
 N=96/A=94, Top = 64" actual

Technology Island Peninsula

Single Finish

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Peninsula 	62"	40"	22 ³ / ₈ "	RAIE6240 () ()	\$1,106.	\$1,635.	\$1,881.	\$2,445.
	68"	40"	22 ³ / ₈ "	RAIE6840 () ()	1,128.	1,669.	1,920.	2,495.
	74"	40"	22 ³ / ₈ "	RAIE7440 () ()	1,146.	1,694.	1,948.	2,533.
	62"	48"	22 ³ / ₈ "	RAIE6248 () ()	1,193.	1,764.	2,029.	2,637.
	68"	48"	22 ³ / ₈ "	RAIE6848 () ()	1,212.	1,793.	2,062.	2,681.
	74"	48"	22 ³ / ₈ "	RAIE7448 () ()	1,233.	1,824.	2,097.	2,726.

Order Code

Example:	
RA	Reff Administrative
I	Island Peninsula
E	1" thick top
62	Width
40	Depth
()	Grommet Finish
()	Top Finish
()	End Panel Finish

Specification Information

To order please specify pattern number including:

1. Grommet Finish:
Painted or plated
2. Worksurface finish:
Wood or Laminate
3. End panel finish:

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.


42" height is Nominal

Always comes with standard grommet. 12" inset from back edge, center or depth.

Drilled to accept 30" and 36" wide x 22³/₈" high storage units.

Intended to have full storage under tops.
(30 x 30, 30 x 36, 36 x 36)
Lower storage to be used with this product is 22³/₈"H.


Intended to be freestanding and slide or sit under the primary worksurface.



Technology Island Peninsula

Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Peninsula 	62"	40"	22 ³ / ₈ "	RAIE6240 () ()	\$1,218.	\$1,321.	\$1,675.	\$1,563.	\$1,680.	\$1,836.
	68"	40"	22 ³ / ₈ "	RAIE6840 () ()	1,247.	1,360.	1,742.	1,583.	1,722.	1,856.
	74"	40"	22 ³ / ₈ "	RAIE7440 () ()	1,268.	1,388.	1,799.	1,604.	1,723.	1,878.
	62"	48"	22 ³ / ₈ "	RAIE6248 () ()	1,309.	1,430.	1,839.	1,720.	1,854.	2,041.
	68"	48"	22 ³ / ₈ "	RAIE6848 () ()	1,332.	1,464.	1,905.	1,745.	1,880.	2,066.
	74"	48"	22 ³ / ₈ "	RAIE7448 () ()	1,357.	1,499.	1,975.	1,770.	1,904.	2,091.

Order Code

Example:	
RA	Reff Administrative
I	Island Peninsula
E	1" thick top
62	Width
40	Depth
()	Grommet Finish
()	Top Finish
()	End Panel Finish

Specification Information

To order please specify pattern number including:

1. Grommet Finish:
Painted or plated
2. Worksurface finish:
Wood or Laminate
3. End panel finish:

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.


42" height is Nominal

Always comes with standard grommet. 12" inset from back edge, center or depth.

Drilled to accept 30" and 36" wide x 22³/₈" high storage units.

Intended to have full storage under tops.
(30 x 30, 30 x 36, 36 x 36)
Lower storage to be used with this product is 22³/₈"H.



Intended to be freestanding and slide or sit under the primary worksurface.



Infill Panel

Flush Single / Double

Type A

description	w	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece 	66"	39"	2 1/2"	RAIPFAWS66()	\$834.	\$978.	\$1,125.	\$1,463.
	72"	39"	2 1/2"	RAIPFAWS72()	869.	1,019.	1,172.	1,524.
	78"	39"	2 1/2"	RAIPFAWS78()	941.	1,104.	1,269.	1,649.
	84"	39"	2 1/2"	RAIPFAWS84()	968.	1,135.	1,306.	1,697.
	90"	39"	2 1/2"	RAIPFAWS90()	1,007.	1,181.	1,359.	1,767.
	96"	39"	2 1/2"	RAIPFAWS96()	1,035.	1,214.	1,396.	1,815.
Flush Infill Panel, 2 pieces 	102"	39"	2 1/2"	RAIPFAWD102()	1,670.	1,959.	2,253.	2,929.
	108"	39"	2 1/2"	RAIPFAWD108()	1,706.	2,001.	2,302.	2,993.
	114"	39"	2 1/2"	RAIPFAWD114()	1,756.	2,060.	2,369.	3,079.
	120"	39"	2 1/2"	RAIPFAWD120()	1,792.	2,102.	2,417.	3,143.
	126"	39"	2 1/2"	RAIPFAWD126()	1,902.	2,231.	2,565.	3,335.
	132"	39"	2 1/2"	RAIPFAWD132()	1,937.	2,273.	2,613.	3,398.
	138"	39"	2 1/2"	RAIPFAWD138()	1,987.	2,331.	2,681.	3,485.
	144"	39"	2 1/2"	RAIPFAWD144()	2,111.	2,476.	2,847.	3,702.
	150"	39"	2 1/2"	RAIPFAWD150()	2,147.	2,518.	2,897.	3,766.
	156"	39"	2 1/2"	RAIPFAWD156()	2,183.	2,560.	2,945.	3,828.
	162"	39"	2 1/2"	RAIPFAWD162()	2,219.	2,602.	2,993.	3,890.
	168"	39"	2 1/2"	RAIPFAWD168()	2,254.	2,645.	3,041.	3,954.
	174"	39"	2 1/2"	RAIPFAWD174()	2,311.	2,711.	3,117.	4,052.
	180"	39"	2 1/2"	RAIPFAWD180()	2,346.	2,752.	3,165.	4,115.
	186"	39"	2 1/2"	RAIPFAWD186()	2,382.	2,795.	3,214.	4,178.
	192"	39"	2 1/2"	RAIPFAWD192()	2,418.	2,837.	3,221.	4,240.



Order Code	Specification Information	Application Notes
Example: RA Reff Administrative IP Infill Panel FA Flush Type A WS Wood, single (1pc) 66 Width () Finish	To order please specify pattern number including: 1. Infill Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal
		Type A = recessed on top only. These infill panels sit flush to both end supports with a reveal at the top of the infill. Double wide = Two equal width pieces Veneer finishes come matched.

To complete your double wide unit, you must order 2 pieces. *Nominal double vs Actual double sizes*
Actual is 2" less than Nominal.
 N=102/ A=98 (2x49)
 N=108/ A=104 (2x52)
 N=114/ A=110 (2x55)
 N=120/ A=116 (2x58)
 N=126/ A=122 (2x61)
 N=132/ A=128 (2x64)
 N=138/ A=134 (2x67)
 N=144/ A=140 (2x70)
 N=150/ A=164 (2x73)
 N=156/ A=152 (2x76)
 N=162/ A=158 (2x79)
 N=168/ A=164 (2x82)
 N=174/ A=170 (2x85)
 N=180/ A=176 (2x88)
 N=186/ A=182 (2x91)
 N=192/ A=188 (2x94)

Infill Panel

Flush Single / Double

Type B

description	w	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece 	66"	39"	2 1/2"	RAIPFBWS66()	\$918.	\$1,077.	\$1,239.	\$1,611.
	72"	39"	2 1/2"	RAIPFBWS72()	947.	1,110.	1,277.	1,660.
	78"	39"	2 1/2"	RAIPFBWS78()	1,026.	1,204.	1,384.	1,799.
	84"	39"	2 1/2"	RAIPFBWS84()	1,053.	1,235.	1,421.	1,847.
	90"	39"	2 1/2"	RAIPFBWS90()	1,093.	1,282.	1,475.	1,918.
	96"	39"	2 1/2"	RAIPFBWS96()	1,121.	1,316.	1,513.	1,967.
Flush Infill Panel, 2 pieces 	102"	39"	2 1/2"	RAIPFBWD102()	1,843.	2,161.	2,486.	3,232.
	108"	39"	2 1/2"	RAIPFBWD108()	1,880.	2,205.	2,537.	3,298.
	114"	39"	2 1/2"	RAIPFBWD114()	1,933.	2,267.	2,608.	3,390.
	120"	39"	2 1/2"	RAIPFBWD120()	1,968.	2,308.	2,655.	3,452.
	126"	39"	2 1/2"	RAIPFBWD126()	2,080.	2,440.	2,806.	3,648.
	132"	39"	2 1/2"	RAIPFBWD132()	2,115.	2,481.	2,853.	3,710.
	138"	39"	2 1/2"	RAIPFBWD138()	2,167.	2,542.	2,922.	3,800.
	144"	39"	2 1/2"	RAIPFBWD144()	2,289.	2,685.	3,088.	4,014.
	150"	39"	2 1/2"	RAIPFBWD150()	2,328.	2,731.	3,141.	4,082.
	156"	39"	2 1/2"	RAIPFBWD156()	2,362.	2,770.	3,185.	4,141.
	162"	39"	2 1/2"	RAIPFBWD162()	2,399.	2,814.	3,236.	4,208.
	168"	39"	2 1/2"	RAIPFBWD168()	2,436.	2,857.	3,285.	4,271.
	174"	39"	2 1/2"	RAIPFBWD174()	2,491.	2,922.	3,361.	4,369.
	180"	39"	2 1/2"	RAIPFBWD180()	2,525.	2,962.	3,407.	4,428.
	186"	39"	2 1/2"	RAIPFBWD186()	2,564.	3,008.	3,459.	4,496.
	192"	39"	2 1/2"	RAIPFBWD192()	2,599.	3,049.	3,506.	4,557.

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative IP Infill Panel FB Flush Type B WS Wood 66 Width () Finish	To order please specify pattern number including: 1. Infill Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal
		Type B = recessed on top and bottom. Does not extend to the floor. Type B infill panels, sit flush between both end supports and has a reveal at the top and bottom of the infill panel. Double wide = two equal width pieces. Veneer finishes come matched.



To complete your double wide unit, you must order 2 pieces. *Nominal double vs Actual double sizes*
Actual is 2" less than Nominal.
 N=102/ A=98 (2x49)
 N=108/ A=104 (2x52)
 N=114/ A=110 (2x55)
 N=120/ A=116 (2x58)
 N=126/ A=122 (2x61)
 N=132/ A=128 (2x64)
 N=138/ A=134 (2x67)
 N=144/ A=140 (2x70)
 N=150/ A=164 (2x73)
 N=156/ A=152 (2x76)
 N=162/ A=158 (2x79)
 N=168/ A=164 (2x82)
 N=174/ A=170 (2x85)
 N=180/ A=176 (2x88)
 N=186/ A=182 (2x91)
 N=192/ A=188 (2x94)

Infill Panel

Recessed Single / Double

Wood

Reff Profiles

description	w	h	th	pattern no.	L	V1	V2	V3
Recessed Infill Panel, 1 piece 	66"	39"	1"	RAIPRWS66()	\$621.	\$728.	\$837.	\$1,088.
	72"	39"	1"	RAIPRWS72()	648.	760.	874.	1,136.
	78"	39"	1"	RAIPRWS78()	705.	827.	952.	1,236.
	84"	39"	1"	RAIPRWS84()	725.	850.	977.	1,271.
	90"	39"	1"	RAIPRWS90()	759.	889.	1,023.	1,330.
	96"	39"	1"	RAIPRWS96()	778.	913.	1,050.	1,365.
Recessed Infill Panel, 2 pieces 	102"	39"	1"	RAIPRWD102()	1,302.	1,527.	1,755.	2,283.
	108"	39"	1"	RAIPRWD108()	1,328.	1,558.	1,791.	2,328.
	114"	39"	1"	RAIPRWD114()	1,371.	1,608.	1,849.	2,403.
	120"	39"	1"	RAIPRWD120()	1,396.	1,638.	1,884.	2,449.
	126"	39"	1"	RAIPRWD126()	1,470.	1,724.	1,983.	2,578.
	132"	39"	1"	RAIPRWD132()	1,510.	1,771.	2,036.	2,647.
	138"	39"	1"	RAIPRWD138()	1,539.	1,804.	2,076.	2,698.
	144"	39"	1"	RAIPRWD144()	1,639.	1,923.	2,211.	2,874.
	150"	39"	1"	RAIPRWD150()	1,665.	1,953.	2,246.	2,920.
	156"	39"	1"	RAIPRWD156()	1,694.	1,987.	2,285.	2,971.
	162"	39"	1"	RAIPRWD162()	1,720.	2,018.	2,321.	3,016.
	168"	39"	1"	RAIPRWD168()	1,748.	2,050.	2,358.	3,066.
	174"	39"	1"	RAIPRWD174()	1,802.	2,113.	2,431.	3,160.
	180"	39"	1"	RAIPRWD180()	1,831.	2,148.	2,470.	3,211.
	186"	39"	1"	RAIPRWD186()	1,857.	2,179.	2,505.	3,257.
	192"	39"	1"	RAIPRWD192()	1,885.	2,211.	2,543.	3,306.

Pattern number includes 2 pieces

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative IP Infill Panel R Recessed W Wood S Single (1 pc) 66 Width () Finish	To order please specify pattern number including: 1. Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal
		Double wide = Two equal width pieces Natural Veneer finishes come matched. This product sits recessed between both end supports. This product has no reveal.

To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes


Actual is 2" less than Nominal.

- N=102/ A=98 (2x49)
- N=108/ A=104 (2x52)
- N=114/ A=110 (2x55)
- N=120/ A=116 (2x58)
- N=126/ A=122 (2x61)
- N=132/ A=128 (2x64)
- N=138/ A=134 (2x67)
- N=144/ A=140 (2x70)
- N=150/ A=164 (2x73)
- N=156/ A=152 (2x76)
- N=162/ A=158 (2x79)
- N=168/ A=164 (2x82)
- N=174/ A=170 (2x85)
- N=180/ A=176 (2x88)
- N=186/ A=182 (2x91)
- N=192/ A=188 (2x94)


Infill Panel

Recessed Single / Double Glass

Reff Profiles

description	w	h	th	pattern no.	glass
 Recessed Infill Panel, 1 piece	66"	39"	1"	RAIPRGS66()	\$2,629.
	72"	39"	1"	RAIPRGS72()	2,816.
	78"	39"	1"	RAIPRGS78()	3,109.
	84"	39"	1"	RAIPRGS84()	3,299.
	90"	39"	1"	RAIPRGS90()	3,468.
	96"	39"	1"	RAIPRGS96()	3,636.

pattern number includes 1 piece

 Recessed Infill Panel, 2 pieces	102"	39"	1"	RAIPRGD51()	2,263.
	108"	39"	1"	RAIPRGD54()	2,347.
	114"	39"	1"	RAIPRGD57()	2,433.
	120"	39"	1"	RAIPRGD60()	2,516.
	126"	39"	1"	RAIPRGD63()	2,600.
	132"	39"	1"	RAIPRGD66()	2,685.
	138"	39"	1"	RAIPRGD69()	2,788.
	144"	39"	1"	RAIPRGD72()	2,996.
	150"	39"	1"	RAIPRGD75()	3,080.
	156"	39"	1"	RAIPRGD78()	3,164.
	162"	39"	1"	RAIPRGD81()	3,270.
	168"	39"	1"	RAIPRGD84()	3,355.
	174"	39"	1"	RAIPRGD87()	3,439.
	180"	39"	1"	RAIPRGD90()	3,523.
	186"	39"	1"	RAIPRGD93()	3,608.
	192"	39"	1"	RAIPRGD96()	3,691.

Order Code

Example:	
RA	Reff Administrative
IP	Infill Panel
R	Recessed
G	Glass
S	Single
66	Width
()	Frame Finish
()	Glass Finish

Specification Information

To order please specify pattern number including:

1. Frame Finish:
Painted and Anodized
2. Glass Finish:
GL11, GL14, GL15, GL18

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Note: All installation instructions available on the Knoll Exchange.

Application Notes

To complete your double wide unit, you must order 2 pieces.

Glass Infill thickness, including frame = ¹³/₁₆" overall.

Same hardware as the wood infill.

Glass infill panels are available in inset flush type, only.

This product sits recessed between both end supports with no reveal at top or bottom.

To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes

Actual is 2" less than Nominal.

- N=102/ A=98 (2x49)
- N=108/ A=104 (2x52)
- N=114/ A=110 (2x55)
- N=120/ A=116 (2x58)
- N=126/ A=122 (2x61)
- N=132/ A=128 (2x64)
- N=138/ A=134 (2x67)
- N=144/ A=140 (2x70)
- N=150/ A=146 (2x73)
- N=156/ A=152 (2x76)
- N=162/ A=158 (2x79)
- N=168/ A=164 (2x82)
- N=174/ A=170 (2x85)
- N=180/ A=176 (2x88)
- N=186/ A=182 (2x91)
- N=192/ A=188 (2x94)

Infill Panel
Recessed Single / Double
Aluminum Frame Kit Customer's Own Glass

description	width actual	w	h	th	pattern no.	P1	P3
Reff Administrative Infill Panel, 1 piece	66"	66"	39"	1"	RAIPKGS66()	\$612.	\$793.
Aluminum Frame Kit with Customer's Own Glass	72"	72"	39"	1"	RAIPKGS72()	632.	802.
	78"	78"	39"	1"	RAIPKGS78()	760.	1,063.
	84"	84"	39"	1"	RAIPKGS84()	784.	1,067.
	90"	90"	39"	1"	RAIPKGS90()	785.	1,068.
	96"	96"	39"	1"	RAIPKGS96()	785.	1,068.
Reff Administrative Infill Panel, 2 pieces	102"	51"	39"	1"	RAIPKGD51()	610.	792.
Aluminum Frame Kit with Customer's Own Glass	108"	54"	39"	1"	RAIPKGD54()	611.	792.
	114"	57"	39"	1"	RAIPKGD57()	611.	792.
	120"	60"	39"	1"	RAIPKGD60()	611.	793.
	126"	63"	39"	1"	RAIPKGD63()	612.	793.
	132"	66"	39"	1"	RAIPKGD66()	612.	794.
	138"	69"	39"	1"	RAIPKGD69()	632.	802.
	144"	72"	39"	1"	RAIPKGD72()	759.	1,062.
	150"	75"	39"	1"	RAIPKGD75()	760.	1,063.
	156"	78"	39"	1"	RAIPKGD78()	760.	1,063.
	162"	81"	39"	1"	RAIPKGD81()	784.	1,067.
	168"	84"	39"	1"	RAIPKGD84()	784.	1,067.
	174"	87"	39"	1"	RAIPKGD87()	784.	1,067.
	180"	90"	39"	1"	RAIPKGD90()	785.	1,068.
	186"	93"	39"	1"	RAIPKGD93()	785.	1,068.
	192"	96"	39"	1"	RAIPKGD96()	786.	1,069.

Order Code

Example:	
RA	Reff Administrative
IP	Infill Panel
K	Frame Kit
G	Glass
S	Single, D = Double
66	Width
()	Finish Type
()	Frame Finish

To order please specify pattern number including:

1. Finish type
2. Frame Finish:
Painted and Anodized

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Application Notes


To complete your double wide unit, you must order 2 pieces.
 Glass Infill frame thickness 15/16".
 Same hardware as the wood infill.
 Glass infill panels are available in inset flush type, only.
 This product sits recessed between both end supports with no reveal at top or bottom.

To complete your double wide unit, you must order 2 pieces.
Nominal double vs Actual double sizes

Actual is 2" less than Nominal.

- N=102/ A=98 (2x49)
- N=108/ A=104 (2x52)
- N=114/ A=110 (2x55)
- N=120/ A=116 (2x58)
- N=126/ A=122 (2x61)
- N=132/ A=128 (2x64)
- N=138/ A=134 (2x67)
- N=144/ A=140 (2x70)
- N=150/ A=164 (2x73)
- N=156/ A=152 (2x76)
- N=162/ A=158 (2x79)
- N=168/ A=164 (2x82)
- N=174/ A=170 (2x85)
- N=180/ A=176 (2x88)
- N=186/ A=182 (2x91)
- N=192/ A=188 (2x94)

Transaction Tops Bridge

description	w	d	th	pattern no.	L	V1	V2	V3
Bridge 	72"	8"	1 1/2"	RATTBR72()	\$385.	\$406.	\$467.	\$608.
	78"	8"	1 1/2"	RATTBR78()	403.	422.	486.	630.
	84"	8"	1 1/2"	RATTBR84()	414.	434.	499.	648.
	90"	8"	1 1/2"	RATTBR90()	433.	471.	542.	704.
	96"	8"	1 1/2"	RATTBR96()	444.	482.	555.	721.


Order Code	Specification Information	Application Notes
Example: RA Reff Administrative TT Transaction Tops BR Bridge Return 72 72" wide () Finish	To order please specify pattern number including: 1. Transaction Top Finish: Wood and Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange.
		Between front shelf and end support. Used on full Bridge Return Units Only. This unit is not intended to be used on its own. Retro fit kit included to attach to the accompanying unit. Hardware kit included. All transaction tops are manufactured to fit within the end supports components.

Nominal double vs Actual sizes
 N=72/A = 44.5
 N=78/A = 50.5
 N=84/A = 56.5
 N=90/A = 62.5
 N=96/A = 68.5

Transaction Tops

Return

Reff Profiles

description	w	d	th	pattern no.	L	V1	V2	V3
 Full Return	54"	8"	1 1/2"	RATTFR54()	\$381.	\$402.	\$462.	\$601.
	60"	8"	1 1/2"	RATTFR60()	398.	416.	478.	621.
	66"	8"	1 1/2"	RATTFR66()	409.	428.	493.	641.
	72"	8"	1 1/2"	RATTFR72()	425.	467.	537.	698.
	78"	8"	1 1/2"	RATTFR78()	440.	478.	550.	715.
	84"	8"	1 1/2"	RATTFR84()	460.	489.	562.	730.
	90"	8"	1 1/2"	RATTFR90()	470.	504.	579.	754.
	96"	8"	1 1/2"	RATTFR96()	481.	531.	611.	795.

Order Code

Example:	
RA	Reff Administrative
TT	Transaction Tops
FR	Full Return
54	54" wide, Nominal
()	Finish

Specification Information

To order please specify pattern number including:
 1. Transaction Top Finish: Wood or Laminate

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

Application Notes

All transaction tops are manufactured to fit within the end supports components.

Between front shelf and end support
 Used on full Return Units Only

This unit is not intended to be used on its own
 Retro fit kit included to attach to the accompanying unit
 Hardware kit included

Nominal double vs Actual sizes



- N=54/A=42
- N=60/A=48
- N=66/A=54
- N=72/A=60
- N=78/A=66
- N=84/A=72
- N=90/A=78
- N=96/A=84

Transaction Tops

Single and Double

Wood / Laminate

Reff Profiles

description	w	d	th	pattern no.	L	V1	V2	V3
Front Single 	66"	10"	1 1/2"	RATTDS66()	\$475.	\$503.	\$578.	\$752.
	72"	10"	1 1/2"	RATTDS72()	482.	516.	594.	772.
	78"	10"	1 1/2"	RATTDS78()	489.	530.	609.	793.
	84"	10"	1 1/2"	RATTDS84()	496.	553.	635.	826.
	90"	10"	1 1/2"	RATTDS90()	503.	582.	670.	871.
	96"	10"	1 1/2"	RATTDS96()	509.	596.	685.	891.
Front Double 	102"	10"	1 1/2"	RATTDD102()	832.	952.	1,093.	1,422.
	108"	10"	1 1/2"	RATTDD108()	839.	969.	1,114.	1,448.
	114"	10"	1 1/2"	RATTDD114()	846.	987.	1,135.	1,476.
	120"	10"	1 1/2"	RATTDD120()	853.	1,006.	1,157.	1,505.
	126"	10"	1 1/2"	RATTDD126()	893.	1,077.	1,239.	1,611.
	132"	10"	1 1/2"	RATTDD132()	900.	1,095.	1,260.	1,637.
	138"	10"	1 1/2"	RATTDD138()	907.	1,114.	1,281.	1,665.
	144"	10"	1 1/2"	RATTDD144()	914.	1,132.	1,303.	1,693.
	150"	10"	1 1/2"	RATTDD150()	927.	1,151.	1,324.	1,721.
	156"	10"	1 1/2"	RATTDD156()	934.	1,177.	1,354.	1,760.
	162"	10"	1 1/2"	RATTDD162()	941.	1,206.	1,387.	1,802.
	168"	10"	1 1/2"	RATTDD168()	948.	1,224.	1,409.	1,831.
	174"	10"	1 1/2"	RATTDD174()	955.	1,276.	1,468.	1,907.
	180"	10"	1 1/2"	RATTDD180()	962.	1,291.	1,485.	1,931.
	186"	10"	1 1/2"	RATTDD186()	968.	1,311.	1,507.	1,959.
	192"	10"	1 1/2"	RATTDD192()	975.	1,331.	1,530.	1,990.

Order Code

Example:	
RA	Reff Administrative
TT	Transaction Tops
DS	Desk Single
66	66" wide
()	Finish

Specification Information

To order please specify pattern number including:
 1. Transaction Top Finish: Wood and Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

No grommet options.

Double comes in two pieces, Veneer matched.

Hardware kit included for each unit.

All transaction tops are manufactured to fit within the end supports.

Nominal double (two pieces) vs




Actual sizes

- 102 = N=51/A=49
- 108 = N=54/A=52
- 114 = N=57/A=55
- 120 = N=60/A=58
- 126 = N=63/A=61
- 132 = N=66/A=64
- 138 = N=69/A=67
- 144 = N=72/A=70
- 150 = N=75/A=73
- 156 = N=78/A=76
- 162 = N=81/A=79
- 168 = N=84/A=82
- 174 = N=87/A=85
- 180 = N=90/A=88
- 186 = N=93/A=91
- 192 = N=96/A=94

Accent Tops

Glass Finish

Reff Profiles

description	w	d	th	pattern no.	glass
Accent top for Desk 	51"	10"	1/2"	RAATDG51()	\$461.
	54"	10"	1/2"	RAATDG54()	487.
	57"	10"	1/2"	RAATDG57()	511.
	60"	10"	1/2"	RAATDG60()	537.
	63"	10"	1/2"	RAATDG63()	562.
	66"	10"	1/2"	RAATDG66()	588.
	69"	10"	1/2"	RAATDG69()	613.
	72"	10"	1/2"	RAATDG72()	638.
	75"	10"	1/2"	RAATDG75()	663.
	78"	10"	1/2"	RAATDG78()	689.
	81"	10"	1/2"	RAATDG81()	713.
	84"	10"	1/2"	RAATDG84()	738.
	87"	10"	1/2"	RAATDG87()	764.
	90"	10"	1/2"	RAATDG90()	788.
	93"	10"	1/2"	RAATDG93()	813.
96"	10"	1/2"	RAATDG96()	838.	
Accent top for Return Full 	54"	10"	1/2"	RAATFRG54()	403.
	60"	10"	1/2"	RAATFRG60()	453.
	66"	10"	1/2"	RAATFRG66()	503.
	72"	10"	1/2"	RAATFRG72()	554.
	78"	10"	1/2"	RAATFRG78()	604.
	84"	10"	1/2"	RAATFRG84()	654.
	90"	10"	1/2"	RAATFRG90()	705.
Accent top for Bridge Return 	72"	10"	1/2"	RAATBRG72()	411.
	78"	10"	1/2"	RAATBRG78()	461.
	84"	10"	1/2"	RAATBRG84()	511.
	90"	10"	1/2"	RAATBRG90()	562.
	96"	10"	1/2"	RAATBRG96()	613.

Order Code

Example:	
RA	Reff Administrative
AT	Accent for Transaction Tops
D	Desk
G	Glass
51	Width
()	Glass finish

Specification Information

To order please specify pattern number including:
 1. Glass Finish:
 GL35, GL85

D=Desk
 RF=Return Full
 BR=Bridge Return

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Note: All installation instructions available on the Knoll Exchange.

All accent tops are manufactured to fit over the end supports and are intended to be placed on top of transaction top.




Comes with anti-skid bumper; 1/4" thick.

Glass has a Polished edge, 1/2" thick.

Overall thickness = 3/4" thick.

Accent Tops

Solid Finish

description	w	d	th	pattern no.	Solid
Accent top for Desk 	51"	10"	1/2"	RAATDS51()	\$2,058.
	54"	10"	1/2"	RAATDS54()	2,117.
	57"	10"	1/2"	RAATDS57()	2,291.
	60"	10"	1/2"	RAATDS60()	2,350.
	63"	10"	1/2"	RAATDS63()	2,526.
	66"	10"	1/2"	RAATDS66()	2,584.
	69"	10"	1/2"	RAATDS69()	2,758.
	72"	10"	1/2"	RAATDS72()	2,817.
	75"	10"	1/2"	RAATDS75()	3,200.
	78"	10"	1/2"	RAATDS78()	3,262.
	81"	10"	1/2"	RAATDS81()	3,387.
	84"	10"	1/2"	RAATDS84()	3,451.
	87"	10"	1/2"	RAATDS87()	3,576.
	90"	10"	1/2"	RAATDS90()	3,638.
	93"	10"	1/2"	RAATDS93()	3,702.
96"	10"	1/2"	RAATDS96()	3,764.	
Accent top for Return Full 	54"	10"	1/2"	RAATFRS54()	1,594.
	60"	10"	1/2"	RAATFRS60()	1,942.
	66"	10"	1/2"	RAATFRS66()	2,175.
	72"	10"	1/2"	RAATFRS72()	2,409.
	78"	10"	1/2"	RAATFRS78()	2,642.
	84"	10"	1/2"	RAATFRS84()	3,137.
	90"	10"	1/2"	RAATFRS90()	3,325.
	96"	10"	1/2"	RAATFRS96()	3,513.
Accent top for Bridge Return 	72"	10"	1/2"	RAATBRS72()	1,642.
	78"	10"	1/2"	RAATBRS78()	2,000.
	84"	10"	1/2"	RAATBRS84()	2,233.
	90"	10"	1/2"	RAATBRS90()	2,467.
	96"	10"	1/2"	RAATBRS96()	2,700.

Administrative / Reception

Order Code

Example:	
RA	Reff Administrative
AT	Accent Transaction Tops
D	Desk
S	Solid Formica
51	Width

Specification Information

To order please specify pattern number including:

- Transaction Top Finish:
Solid Option: AW = Artic White

D=Desk
RF=Return Full
BR=Bridge Return

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

Application Notes

All accent tops are manufactured to fit over the end supports components.


- Comes with "Anti Skid" bottoms; 1/4" thick.
- Solid formica; AW = 1/2" thick.
- Overall Accent top thickness is 3/4" thick.

Cabinets

16" Wide, Hinge Door - Both Sides

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Transaction Cabinet with Trays	16"	20"	42"	RAC(L/R)HT4212() () () () () ()	\$2,882.	\$4,115.	\$4,732.	\$6,152.



Left hand shown

Transaction Cabinet with Cubby	16"	20"	42"	RAC(L/R)HC4212() () () () () ()	2,882.	4,115.	4,732.	6,152.
--------------------------------	-----	-----	-----	---	--------	--------	--------	--------



Left hand shown

Gable for Transaction Cabinet	2"	22"	42"	RACG4220()	617.	870.	1,102.	1,431.
-------------------------------	----	-----	-----	-------------------	------	------	--------	--------



Order Code

Example:	
RA	Reff Administrative
C	Cabinet
R	Right Hand
HT	Hinge Door with Trays
42	Height, Nominal
1	16" wide, Nominal
2	20" deep, Nominal
()	Lock option
()	Lock finish
()	Pull option
()	Pull finish
()	Case finish
()	Top finish
()	Drilling options

Specification Information

- To order please specify pattern number including:
- Lock option:
L / N
 - Lock finish:
B = Black
S = Matte Black
 - Pull option:
B = No pull, No drilling
Customer's own pull
C = C Pull (Nickel finish only)
D = D Pull (Metal Finishes only)
F = Bar Pull
H = Outline Pull
N = Touch Latch, No pull
R = Cylinder Pull
S = S Pull (Stainless Steel finish only)
T = Tab Pull
 - Pull Finish: Core Paint Finishes and Plated
 - Case Finish: Wood or Laminate
 - Top Finish: Wood or Laminate
 - Drilling Options:
N = None, Stand alone unit
T = Drilled to accept worksurface
TT = Drill to accept worksurface on both sides
TG = Worksurface and Gable drilling.
Gable ordered separately

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8"} planning.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height is Nominal.

These products are glue and dowel construction.



shown with gable

Application Notes

Wood interior only, no metal shelves.

When choose lock, it will lock both hinge doors.

Adjustable shelf above.

Fixed shelves below Hinged doors.

HT = Hinge Door with Trays
HC = Hinge door with Cubby

On the approach side, the doors only have the Touch Latch option.

Base board only on the user's side.

On the User's side, the door has lock and pull options.

"T" Drilling option:

Left hand units are drilled on the right hand side, and right hand units are drilled on left side for worksurface attachments.


From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed.

Cabinets

16" Wide, Hinge Door - Both Sides

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Transaction Cabinet with Trays	16"	20"	42"	RAC(L/R)HT4212 () () () () ()	\$3,073.	\$3,124.	\$3,199.	\$4,122.	\$4,561.	\$5,291.



right hand shown

Transaction Cabinet with Cubby	16"	20"	42"	RAC(L/R)HC4212 () () () () ()	3,073.	3,124.	3,199.	4,122.	4,561.	5,291.
--------------------------------	-----	-----	-----	---	--------	--------	--------	--------	--------	--------



right hand shown

Order Code

Example:	
RA	Reff Administrative
C	Cabinet
R	Right Hand
HT	Hinge Door with Trays
42	Height, Nominal
1	16" wide, Nominal
2	20" deep, Nominal
()	Lock option
()	Lock finish
()	Pull option
()	Pull finish
()	Case finish
()	Top finish
()	Drilling options

Specification Information

- To order please specify pattern number including:
- Lock option:
L / N
 - Lock finish:
B = Black
S = Matte Silver
 - Pull option:
B = No pull, No drilling
Customer's own pull
C = C Pull (Nickel finish only)
D = D Pull (Metal Finishes only)
F = Bar Pull
H = Outline Pull
N = Touch Latch, No pull
R = Cylinder Pull
S = S Pull (Stainless Steel finish only)
T = Tab Pull
 - Pull Finish: Core Paint Finishes and Plated
 - Case Finish: Wood or Laminate
 - Top Finish: Wood or Laminate
 - Drilling Options:
N = None, Stand alone unit
T = Drilled to accept worksurface
TT = Drill to accept worksurface on both sides
TG = Work surface and Gable drilling.
Gable ordered separately

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8"} planning.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height is Nominal.

These products are glue and dowel construction.



shown with gable

Application Notes

Wood interior only, no metal shelves.

When choose lock, it will lock both hinge doors.

Adjustable shelf above.

Fixed shelves below Hinge doors.

Mixed Finishes:
Case = wood, Top = laminate
Case = laminate, Top = wood

HT = Hinge Door with Trays
HC = Hinge door with Cubby

On the approach side, the doors only have the Touch Latch option.

Base board only on the user's side.


On the User's side, the door has lock and pull options.

"T" Drilling option:
Left hand units are drilled on the right hand side, and right hand units are drilled on left side for worksurface attachments.


From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed

Cabinets

Shelves and Coat Rod

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h 	24"	20"	72"	RAC7242DH(L/R)H() ()	\$2,599.	\$4,241.	\$4,877.	\$6,340.
	24"	24"	72"	RAC7243DH(L/R)H() ()	2,704.	4,413.	5,075.	6,596.
	33"	20"	72"	RAC7232DH(L/R)H() ()	2,839.	4,633.	5,327.	6,926.
	33"	24"	72"	RAC7233DH(L/R)H() ()	2,969.	4,846.	5,572.	7,244.

Left hand shown

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 86"h 	24"	20"	86"	RAC8642DH(L/R)H() ()	2,868.	4,681.	5,383.	6,997.
	24"	24"	86"	RAC8643DH(L/R)H() ()	2,992.	4,884.	5,616.	7,300.
	33"	20"	86"	RAC8632DH(L/R)H() ()	3,150.	5,141.	5,912.	7,686.
	33"	24"	86"	RAC8633DH(L/R)H() ()	3,300.	5,386.	6,193.	8,052.

Left hand shown

Order Code

Example:	
RA	Reff Administrative
C	Cabinet
72	Height nominal
4	Width nominal
2	Depth nominal
DH	Desk Height
R	Right handed
H	Hinged door
()	Lock Option
()	Lock Finish
()	Cabinet Finish

Specification Information

To order please specify pattern number including:

- Lock option:
L=Lock hold drill
N=No drilling
- Lock finish:
B= Black
S= Matte Silver
- Cabinet Finish:
Laminate or Wood

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

These products are glue and dowel construction.

If hinges are on left gable, the cabinet is left handed.

Application Notes

Inset doors.

Inset face - same as 42" cabinet.

Hinge door with touch latch.

Note: Side access cabinet only.

No pulls.

No visible base board, Full length door.

Left/right hand.

Comes with coat rod and hat rack (shelf) 72"h Cabinet comes with 3 adjustable shelves.

86"h Cabinet comes with 4 adjustable shelves.

No mixed finishes.


Available with Wood interior only.

Cabinets

Coat Rod Only


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h	24"	20"	72"	RAC7242WDH(L/R)H() () ()	\$2,030.	\$3,312.	\$3,810.	\$4,952.
Without shelves	24"	24"	72"	RAC7243WDH(L/R)H() () ()	2,135.	3,483.	4,007.	5,208.
	33"	20"	72"	RAC7232WDH(L/R)H() () ()	2,270.	3,704.	4,260.	5,538.
	33"	24"	72"	RAC7233WDH(L/R)H() () ()	2,400.	3,917.	4,504.	5,856.



Left hand shown

Storage Cabinet 86"h	24"	20"	86"	RAC8642WDH(L/R)H() () ()	2,474.	4,037.	4,643.	6,036.
Without shelves	24"	24"	86"	RAC8643WDH(L/R)H() () ()	2,608.	4,255.	4,894.	6,363.
	33"	20"	86"	RAC8632WDH(L/R)H() () ()	2,778.	4,533.	5,213.	6,777.
	33"	24"	86"	RAC8633WDH(L/R)H() () ()	2,939.	4,797.	5,516.	7,171.



Left hand shown

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Inset doors.
RA Reff Administrative	1. Lock option: L = Lock hold drill N = No drilling	Inset face - same as 42" cabinet.
C Cabinet	2. Lock finish: B = Black S = Matte Silver	Hinge door with touch latch.
72 Height nominal	3. Cabinet Finish: Laminate or Wood	Note: Side access cabinet only.
4 Width nominal		No pulls.
2 Depth nominal		No visible base board, Full length door.
W Wardrobe		Left/right hand.
DH Desk Height		72"H cabinet comes with coat road.
R Right handed		86"h Cabinet comes with a hat rack (shelf).
H Hinged door		No mixed finishes.
() Lock Option		Available with Wood interior only.
() Lock Finish		
() Cabinet Finish		

Supports

Gables / End Panels

description	w	d	h	pattern no.	L	V1	V2	V3
End Support for Return	2"	20"	42"	RAGS(L/R)20()	\$524.	\$909.	\$1,044.	\$1,359.



Left hand shown

End Support for Desks	2"	30"	42"	RAGS(L/R)30()	579.	1,005.	1,155.	1,501.
-----------------------	----	-----	-----	-----------------------	------	--------	--------	--------



Left hand shown

Desk height End Support	2"	20	28 ³ / ₈ "	RAESDH(L/R)20()	461.	800.	919.	1,194.
-------------------------	----	----	----------------------------------	-------------------------	------	------	------	--------









Left hand shown

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Solid Finishes only: L, V1, V2, V3 Always drilled to attach to returns or desks.
RA Reff Administrative	1. Finish: Wood or Laminate	20" = for Returns 30" = for Desks
GS Gable Support		Hardware kit includes brackets.
R Right hand		
20 20" deep		
() Finish		
	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.	
	Products on this page are engineered to work with 28 ³ / ₈ " planning.	
	Products on this page will accept all Laminates except "wood grain laminates".	
	Note: All installation instructions are available on the Knoll Exchange.	

Accessories

Electrical

description	type	d	h	pattern no.	list
Electrical Duplex Kit - Cir 1				RPEDK1	\$94.
					
Electrical Duplex Kit - Cir 2				RPEDK2	94.
					
Electrical "H" Connector				RPEHC	46.
					
Electrical Power Entry	10 Feet			RPEPE10	215.
	5 Feet			RPEPE5	159.
					
Electrical Power Entry - NY	10 Feet			RPEPE10NY	179.
	5 Feet			RPEPE5NY	133.
					
Electrical Power Entry - SF	10 Feet			RPEPE10SF	253.
	5 Feet			RPEPE5SF	187.
					




Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	No finish options for the Utility hook.
RP Reff Profiles		
E Electrical		Features 4 wire, 2 circuit, 20 amps each.
DK Duplex Kit Cir 1		UL listed as a manufactured wiring system.

Accessories

Electrical

Reff Profiles

description	type	d	h	pattern no.	list
	12"			RPEJ12	\$89.
	24"			RPEJ24	99.
	36"			RPEJ36	108.
	48"			RPEJ48	122.
	60"			RPEJ60	135.
	72"			RPEJ72	146.
	84"			RPEJ84	157.
	96"			RPEJ96	168.
Electrical, Rec - 2 and Rec Connector				RPER2RC	37.
					
Electrical Cable clips, 10 per pack				RPECC10	28.
					

Order Code

Example:	
RP	Reff Profiles
E	Electrical
DK	Duplex Kit Cir 1

Specification Information

To order please specify pattern number including:

Note: All installation instructions are available on the Knoll Exchange.

Application Notes

No finish options for the Utility hook.

Features 4 wire, 2 circuit, 20 amps each.

UL listed as a manufactured wiring system.

Accessories

COM Hardware Kits

description	type	pattern no.	list
Hardware Kits for COM materials Transaction tops	Transaction Tops for Double Wide Desks Left Hand part # 6TP00301	RACDTTDL1	\$26.
		RACDTTDL3	26.
		RACDTTDL2	26.
	Transaction Tops for Double Wide Desks Right Hand part # 6TP00301	RACDTTDR2	26.
		RACDTTDR1	26.
		RACDTTDR3	26.
	Transaction Tops for Single Wide Desks part # 6TP00301	RACDTTDS2	26.
		RACDTTDS1	26.
	Hardware Kits for COM materials Accent Transaction tops	Accent Transaction Tops, Single/Double Wide part # 6TP00303	RACDAT1
RACDAT2			26.
Hardware Kits for COM materials Infill panels	Infill Panels for Single/Double Wide Desk part # 6TP00302	RACDIPF1	204.
		RACDIPF2	204.

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	The above Hardware Kits must be purchased when using "COM" Material.
RA Reff Administrative	1 = Kit #1	All Installation Instruction for the COM material is available on Knoll Exchange. Please refer to the part number indicated in the description.
CD Customer own Drawings	2 = Kit #2	
TT Transaction Top	3 = Kit #3	
DS Desk Single		
1 Kit # 1		



Administrative / Reception

Tackboards

11" high

Wall hung, fabric

Reff Profiles

description	th	w	h	y	pattern no.	grade									
						10	15	20	30	35	40	45	50	55	
Wall Hung Tackboard For a Single Wide desk 	3/4"	66"	11"	1.8	RAWHDHTBS66()	\$281.	\$308.	\$337.	\$364.	\$370.	\$376.	\$383.	\$389.	\$395.	
	3/4"	72"	11"	2	RAWHDHTBS72()	298.	328.	360.	391.	397.	404.	410.	416.	423.	
	3/4"	78"	11"	2.2	RAWHDHTBS78()	317.	351.	386.	419.	426.	434.	441.	448.	455.	
	3/4"	84"	11"	2.3	RAWHDHTBS84()	327.	363.	399.	435.	442.	450.	457.	464.	472.	
	3/4"	90"	11"	2.5	RAWHDHTBS90()	344.	383.	421.	460.	468.	476.	485.	493.	501.	
	3/4"	96"	11"	2.7	RAWHDHTBS96()	360.	402.	444.	486.	495.	503.	512.	521.	529.	
Wall Hung Tackboard For a Double Wide desk 	3/4"	51"	11"	1.4	RAWHDHTBD51()	244.	265.	288.	309.	314.	318.	323.	328.	333.	
	3/4"	54"	11"	1.5	RAWHDHTBD54()	255.	278.	302.	325.	330.	335.	340.	345.	349.	
	3/4"	57"	11"	1.6	RAWHDHTBD57()	263.	288.	313.	338.	343.	348.	353.	358.	363.	
	3/4"	60"	11"	1.7	RAWHDHTBD60()	271.	298.	323.	350.	356.	361.	367.	373.	378.	
	3/4"	63"	11"	1.8	RAWHDHTBD63()	281.	308.	337.	364.	370.	375.	381.	388.	393.	
	3/4"	66"	11"	1.8	RAWHDHTBD66()	288.	317.	347.	376.	383.	389.	395.	401.	407.	
	3/4"	69"	11"	1.9	RAWHDHTBD69()	290.	319.	349.	378.	385.	391.	397.	403.	409.	
	3/4"	72"	11"	2	RAWHDHTBD72()	302.	333.	364.	395.	401.	408.	414.	420.	427.	
	3/4"	75"	11"	2.1	RAWHDHTBD75()	313.	346.	378.	411.	418.	424.	431.	439.	445.	
	3/4"	78"	11"	2.2	RAWHDHTBD78()	321.	356.	390.	424.	431.	439.	446.	453.	460.	
	3/4"	81"	11"	2.3	RAWHDHTBD81()	329.	365.	401.	437.	444.	452.	459.	466.	474.	
	3/4"	84"	11"	2.3	RAWHDHTBD84()	332.	367.	403.	439.	446.	454.	461.	468.	476.	
	3/4"	87"	11"	2.4	RAWHDHTBD87()	340.	376.	414.	451.	459.	466.	474.	482.	490.	
	3/4"	90"	11"	2.5	RAWHDHTBD90()	348.	387.	425.	464.	472.	480.	489.	497.	505.	
	3/4"	93"	11"	2.6	RAWHDHTBD93()	356.	397.	437.	477.	486.	495.	503.	511.	520.	
3/4"	96"	11"	2.7	RAWHDHTBD96()	364.	406.	448.	490.	499.	507.	516.	525.	533.		

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative WH Wall hung DH Desk Height TB Tackboard S Single 66 Width () Fabric Grade	To order please specify pattern number including: 1. Finish: Fabric	To complete your double wide unit, you must order 2 pieces. <i>Nominal double vs Actual double sizes</i> <i>Actual is 2" less than Nominal.</i> N=51/ A=49 N=54/ A=52 N=57/ A=55 N=60/ A=58 N=63/ A=61 N=66/ A=64 N=69/ A=67 N=72/ A=70 N=75/ A=73 N=78/ A=76 N=81/ A=79 N=84/ A=82 N=87/ A=85 N=90/ A=88 N=93/ A=91 N=96/ A=94
Y = Yardage required N=66/ A=62 N=72/ A=68 N=78/ A=74 N=84/ A=80 N=90/ A=86 N=96/ A=92		

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.


It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

	EXISTING CONSTRUCTION					
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking


Horizons - 28³/₈" Planning

Planning Guidelines and Specifications

Nominal
Planning Horizons



Nominal
Planning Horizons




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.


Horizons - 28³/₈" Planning

Planning Guidelines and Specifications

Nominal
Planning Horizons



Nominal
Planning Horizons




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Horizons - 28³/₈" Planning

Planning Guidelines and Specifications




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Side Elevations - 28³/₈" Planning

Planning Guidelines and Specifications


Classic



Planning Side Elevations are nominal. Dimensions are actual.

Side Elevations - 28³/₈" Planning
Planning Guidelines and Specifications
Progressive

Reff Profiles



Note: Planning Side Elevations are nominal. Dimensions are actual.

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	252	R2APT3448	77	R2ES79(A/B/C/E)(4/6)(E/N)	110	R3120Y64	109
ASBC24 (L/R)	252	R2APT4218	77	R2HK0008	112	R3120Y79	109
ML3L193M	418	R2APT4220	77	R2HK0015	112	R3135V34F	108
ML3L196M	418	R2APT4224	77	R2HK0034	112	R3135V34T	108
ML3L199M	418	R2APT4230	77	R2HK0042	112	R3135V42F	108
ML3L3712M	418	R2APT4236	77	R2HK0049	112	R3135V42T	108
ML3L3718M	418	R2APT4242	77	R2HK0064	112	R3135V49F	108
ML3L376M	418	R2APT4248	77	R2HK0079	112	R3135V49T	108
MWM-J	417	R2APT4918	78	R2HKB042	112	R3135V64F	108
R113B	254	R2APT4920	78	R2HKB049	112	R3135V64T	108
R234PKIT	118	R2APT4924	78	R2HKB064	112	R3135V79F	108
R2AETK34	80	R2APT4930	78	R2HKB079	112	R3135V79T	108
R2AETK42	80	R2APT4936	78	R2HL3442ES(A/B/C/E)	110	R334PKIT	118
R2AETK49	80	R2APT4942	78	R2HL3442(F)CS	111	R3AK	118
R2AETK64	80	R2APT4948	78	R2HL3449ES(A/B/C/E)	110	R3BOPAA42 18	16
R2AETK79	80	R2APT6418	78	R2HL3449(F)CS	111	R3BOPAA42 20	16
R2AHBW18	82	R2APT6420	78	R2HL3464ES(A/B/C/E)	110	R3BOPAA42 24	16
R2AHBW20	82	R2APT6424	78	R2HL3464(F/T)CS	111	R3BOPAA42 30	16
R2AHBW24	82	R2APT6430	78	R2HL3479ES(A/B/C/E)	110	R3BOPAA42 36	16
R2AHBW30	82	R2APT6436	78	R2HL3479(F/T)CS	111	R3BOPAA42 42	16
R2AHBW36	82	R2APT6442	78	R2HL4249ES(A/B/C/E)	110	R3BOPAA42 48	16
R2AHBW42	82	R2APT6448	78	R2HL4249ETS(A/B/C/E)	111	R3BOPAA42 60	16
R2AHBW48	82	R2APT7918	79	R2HL4249(F)CS	111	R3BOPAA42 66	16
R2AHCR34	81	R2APT7920	79	R2HL4264ES(A/B/C/E)	110	R3BOPAA42 72	16
R2AHCR42	81	R2APT7924	79	R2HL4264ETS(A/B/C/E)	111	R3BOPAA49 18	23
R2AHCR49	81	R2APT7930	79	R2HL4264(F/T)CS	111	R3BOPAA49 20	23
R2AHCR64	81	R2APT7936	79	R2HL4279ES(A/B/C/E)	110	R3BOPAA49 24	23
R2AHCR79	81	R2APT7942	79	R2HL4279ETS(A/B/C/E)	111	R3BOPAA49 30	23
R2AHSR18	83	R2APT7948	79	R2HL4279(F/T)CS	111	R3BOPAA49 36	23
R2AHSR20	83	R2ATPK34	79	R2HL4964ES(A/B/C/E)	110	R3BOPAA49 42	23
R2AHSR24	83	R2ATPK42	79	R2HL4964(F)CS	111	R3BOPAA49 48	23
R2AHSR30	83	R2ATPK49	79	R2HL4979ES(A/B/C/E)	110	R3BOPAA49 60	23
R2AHSR36	83	R2ATPK64	79	R2HL4979(F/T)CS	111	R3BOPAA49 66	23
R2AHSR42	83	R2ATPK79	79	R2HL6479ES(A/B/C/E)	110	R3BOPAA49 72	23
R2AHSR48	83	R2BOTWA34 18	45	R2HL6479(F)CS	111	R3BOPAA64 18	30
R2AHTR18	81	R2BOTWA34 20	45	R2L42C(F/T)(F/T)-(4/6)	113	R3BOPAA64 20	30
R2AHTR20	81	R2BOTWA34 24	45	R2L49C(F/T)(F/T)-(4/6)	113	R3BOPAA64 24	30
R2AHTR24	81	R2BOTWA34 30	45	R2L64C(F/T)(F/T)-(4/6)	113	R3BOPAA64 30	30
R2AHTR30	81	R2BOTWA34 36	45	R2L79C(F/T)(F/T)-(4/6)	113	R3BOPAA64 36	30
R2AHTR36	81	R2BOTWA34 42	45	R2S42C(F/T)(F/T)-(4/6)	113	R3BOPAA64 42	30
R2AHTR42	81	R2BOTWA34 48	45	R2S49C(F/T)(F/T)-(4/6)	113	R3BOPAA64 48	30
R2AHTR48	81	R2BOTWB34 30	45	R2S64C(F/T)(F/T)-(4/6)	113	R3BOPAA64 60	30
R2AHWR18	82	R2BOTWB34 36	45	R2S79C(F/T)(F/T)-(4/6)	113	R3BOPAA64 66	30
R2AHWR20	82	R2BOTWB34 42	45	R2SWS0008	115	R3BOPAA64 72	30
R2AHWR24	82	R2BOTWB34 48	45	R2SWS0015	115	R3BOPAA79 18	37
R2AHWR30	82	R2BOTWC34 18	45	R2SWS0034	115	R3BOPAA79 20	37
R2AHWR36	82	R2BOTWC34 20	45	R2SWS0042	115	R3BOPAA79 24	37
R2AHWR42	82	R2BOTWC34 24	45	R2SWS0049	115	R3BOPAA79 30	37
R2AHWR48	82	R2BOTWC34 30	45	R2SWS0064	115	R3BOPAA79 36	37
R2AK	118	R2BOTWC34 36	45	R2SWS0079	115	R3BOPAA79 42	37
R2ALPK34	80	R2BOTWC34 42	45	R2T42C(F/T)-(4/6)	113	R3BOPAA79 48	37
R2ALPK42	80	R2BOTWC34 48	45	R2T49C(F/T)-(4/6)	113	R3BOPAA79 60	37
R2ALPK49	80	R2CCG	118	R2T64C(F/T)-(4/6)	113	R3BOPAA79 66	37
R2ALPK64	80	R2DLS7936	117	R2T79C(F/T)-(4/6)	113	R3BOPAA79 72	37
R2ALPK79	80	R2DLS7942	117	R2X42C	113	R3BOPF13418	12
R2APT3418	77	R2DRS7936	117	R2X49C	113	R3BOPF13420	12
R2APT3420	77	R2DRS7942	117	R2X64C	113	R3BOPF13424	12
R2APT3424	77	R2ES34(A/B/C/E)(4/6)(E/N)	110	R2X79C	113	R3BOPF13430	12
R2APT3430	77	R2ES42(A/B/C/E)(4/6)(E/N)	110	R3120Y34	109	R3BOPF13436	12
R2APT3436	77	R2ES49(A/B/C/E)(4/6)(E/N)	110	R3120Y42	109	R3BOPF13442	12
R2APT3442	77	R2ES64(A/B/C/E)(4/6)(E/N)	110	R3120Y49	109	R3BOPF13448	12

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF142 18	19	R3BOPF249 66	27	R3BOPF379 48	42	R3BOPFL42 60	18
R3BOPF142 20	19	R3BOPF249 72	27	R3BOPF379 60	42	R3BOPFL42 66	18
R3BOPF142 24	19	R3BOPF264 18	34	R3BOPF379 66	42	R3BOPFL42 72	18
R3BOPF142 30	19	R3BOPF264 20	34	R3BOPF379 72	42	R3BOPFL49 18	25
R3BOPF142 36	19	R3BOPF264 24	34	R3BOPFF3418	10	R3BOPFL49 20	25
R3BOPF142 42	19	R3BOPF264 30	34	R3BOPFF3420	10	R3BOPFL49 24	25
R3BOPF142 48	19	R3BOPF264 36	34	R3BOPFF3424	10	R3BOPFL49 30	25
R3BOPF142 60	19	R3BOPF264 42	34	R3BOPFF3430	10	R3BOPFL49 36	25
R3BOPF142 66	19	R3BOPF264 48	34	R3BOPFF3436	10	R3BOPFL49 42	25
R3BOPF142 72	19	R3BOPF264 60	34	R3BOPFF3442	10	R3BOPFL49 48	25
R3BOPF149 18	26	R3BOPF264 66	34	R3BOPFF3448	10	R3BOPFL49 60	25
R3BOPF149 20	26	R3BOPF264 72	34	R3BOPFF42 18	16	R3BOPFL49 66	25
R3BOPF149 24	26	R3BOPF279 18	41	R3BOPFF42 20	16	R3BOPFL49 72	25
R3BOPF149 30	26	R3BOPF279 20	41	R3BOPFF42 24	16	R3BOPFL64 18	32
R3BOPF149 36	26	R3BOPF279 24	41	R3BOPFF42 30	16	R3BOPFL64 20	32
R3BOPF149 42	26	R3BOPF279 30	41	R3BOPFF42 36	16	R3BOPFL64 24	32
R3BOPF149 48	26	R3BOPF279 36	41	R3BOPFF42 42	16	R3BOPFL64 30	32
R3BOPF149 60	26	R3BOPF279 42	41	R3BOPFF42 48	16	R3BOPFL64 36	32
R3BOPF149 66	26	R3BOPF279 48	41	R3BOPFF42 60	16	R3BOPFL64 42	32
R3BOPF149 72	26	R3BOPF279 60	41	R3BOPFF42 66	16	R3BOPFL64 48	32
R3BOPF164 18	33	R3BOPF279 66	41	R3BOPFF42 72	16	R3BOPFL64 60	32
R3BOPF164 20	33	R3BOPF279 72	41	R3BOPFF49 18	23	R3BOPFL64 66	32
R3BOPF164 24	33	R3BOPF334 18	14	R3BOPFF49 20	23	R3BOPFL64 72	32
R3BOPF164 30	33	R3BOPF334 20	14	R3BOPFF49 24	23	R3BOPFL79 18	39
R3BOPF164 36	33	R3BOPF334 24	14	R3BOPFF49 30	23	R3BOPFL79 20	39
R3BOPF164 42	33	R3BOPF334 30	14	R3BOPFF49 36	23	R3BOPFL79 24	39
R3BOPF164 48	33	R3BOPF334 36	14	R3BOPFF49 42	23	R3BOPFL79 30	39
R3BOPF164 60	33	R3BOPF334 42	14	R3BOPFF49 48	23	R3BOPFL79 36	39
R3BOPF164 66	33	R3BOPF334 48	14	R3BOPFF49 60	23	R3BOPFL79 42	39
R3BOPF164 72	33	R3BOPF342 18	21	R3BOPFF49 66	23	R3BOPFL79 48	39
R3BOPF179 18	40	R3BOPF342 20	21	R3BOPFF49 72	23	R3BOPFL79 60	39
R3BOPF179 20	40	R3BOPF342 24	21	R3BOPFF64 18	30	R3BOPFL79 66	39
R3BOPF179 24	40	R3BOPF342 30	21	R3BOPFF64 20	30	R3BOPFL79 72	39
R3BOPF179 30	40	R3BOPF342 36	21	R3BOPFF64 24	30	R3BOPLL3418	15
R3BOPF179 36	40	R3BOPF342 42	21	R3BOPFF64 30	30	R3BOPLL3420	15
R3BOPF179 42	40	R3BOPF342 48	21	R3BOPFF64 36	30	R3BOPLL3424	15
R3BOPF179 48	40	R3BOPF342 60	21	R3BOPFF64 42	30	R3BOPLL3430	15
R3BOPF179 60	40	R3BOPF342 66	21	R3BOPFF64 48	30	R3BOPLL3436	15
R3BOPF179 66	40	R3BOPF342 72	21	R3BOPFF64 60	30	R3BOPLL3442	15
R3BOPF179 72	40	R3BOPF349 18	28	R3BOPFF64 66	30	R3BOPLL3448	15
R3BOPF234 18	13	R3BOPF349 20	28	R3BOPFF64 72	30	R3BOPLL4218	22
R3BOPF234 20	13	R3BOPF349 24	28	R3BOPFF79 18	37	R3BOPLL4220	22
R3BOPF234 24	13	R3BOPF349 30	28	R3BOPFF79 20	37	R3BOPLL4224	22
R3BOPF234 30	13	R3BOPF349 36	28	R3BOPFF79 24	37	R3BOPLL4230	22
R3BOPF234 36	13	R3BOPF349 42	28	R3BOPFF79 30	37	R3BOPLL4236	22
R3BOPF234 42	13	R3BOPF349 48	28	R3BOPFF79 36	37	R3BOPLL4242	22
R3BOPF234 48	13	R3BOPF349 60	28	R3BOPFF79 42	37	R3BOPLL4248	22
R3BOPF242 18	20	R3BOPF349 66	28	R3BOPFF79 48	37	R3BOPLL4260	22
R3BOPF242 20	20	R3BOPF349 72	28	R3BOPFF79 60	37	R3BOPLL4266	22
R3BOPF242 24	20	R3BOPF364 18	35	R3BOPFF79 66	37	R3BOPLL4272	22
R3BOPF242 30	20	R3BOPF364 20	35	R3BOPFF79 72	37	R3BOPLL4918	29
R3BOPF242 36	20	R3BOPF364 24	35	R3BOPFL3418	11	R3BOPLL4920	29
R3BOPF242 42	20	R3BOPF364 30	35	R3BOPFL3420	11	R3BOPLL4924	29
R3BOPF242 48	20	R3BOPF364 36	35	R3BOPFL3424	11	R3BOPLL4930	29
R3BOPF242 60	20	R3BOPF364 42	35	R3BOPFL3430	11	R3BOPLL4936	29
R3BOPF242 66	20	R3BOPF364 48	35	R3BOPFL3436	11	R3BOPLL4942	29
R3BOPF242 72	20	R3BOPF364 60	35	R3BOPFL3442	11	R3BOPLL4948	29
R3BOPF249 18	27	R3BOPF364 66	35	R3BOPFL3448	11	R3BOPLL4960	29
R3BOPF249 20	27	R3BOPF364 72	35	R3BOPFL42 18	18	R3BOPLL4966	29
R3BOPF249 24	27	R3BOPF379 18	42	R3BOPFL42 20	18	R3BOPLL4972	29
R3BOPF249 30	27	R3BOPF379 20	42	R3BOPFL42 24	18	R3BOPLL6418	36
R3BOPF249 36	27	R3BOPF379 24	42	R3BOPFL42 30	18	R3BOPLL6420	36
R3BOPF249 42	27	R3BOPF379 30	42	R3BOPFL42 36	18	R3BOPLL6424	36
R3BOPF249 48	27	R3BOPF379 36	42	R3BOPFL42 42	18	R3BOPLL6430	36
R3BOPF249 60	27	R3BOPF379 42	42	R3BOPFL42 48	18	R3BOPLL6436	36

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPLL6442	36	R3BOTF164 20	66	R3BOTF349 30	61	R3BOTFL42 42	51
R3BOPLL6448	36	R3BOTF164 24	66	R3BOTF349 36	61	R3BOTFL42 48	51
R3BOPLL6460	36	R3BOTF164 30	66	R3BOTF349 42	61	R3BOTFL49 18	58
R3BOPLL6466	36	R3BOTF164 36	66	R3BOTF349 48	61	R3BOTFL49 20	58
R3BOPLL6472	36	R3BOTF164 42	66	R3BOTF364 18	68	R3BOTFL49 24	58
R3BOPLL7918	43	R3BOTF164 48	66	R3BOTF364 20	68	R3BOTFL49 30	58
R3BOPLL7920	43	R3BOTF179 18	73	R3BOTF364 24	68	R3BOTFL49 36	58
R3BOPLL7924	43	R3BOTF179 20	73	R3BOTF364 30	68	R3BOTFL49 42	58
R3BOPLL7930	43	R3BOTF179 24	73	R3BOTF364 36	68	R3BOTFL49 48	58
R3BOPLL7936	43	R3BOTF179 30	73	R3BOTF364 42	68	R3BOTFL64 18	65
R3BOPLL7942	43	R3BOTF179 36	73	R3BOTF364 48	68	R3BOTFL64 20	65
R3BOPLL7948	43	R3BOTF179 42	73	R3BOTF379 18	75	R3BOTFL64 24	65
R3BOPLL7960	43	R3BOTF179 48	73	R3BOTF379 20	75	R3BOTFL64 30	65
R3BOPLL7966	43	R3BOTF234 18	47	R3BOTF379 24	75	R3BOTFL64 36	65
R3BOPLL7972	43	R3BOTF234 20	47	R3BOTF379 30	75	R3BOTFL64 42	65
R3BOTAA42 18	49	R3BOTF234 24	47	R3BOTF379 36	75	R3BOTFL64 48	65
R3BOTAA42 20	49	R3BOTF234 30	47	R3BOTF379 42	75	R3BOTFL79 18	72
R3BOTAA42 24	49	R3BOTF234 36	47	R3BOTF379 48	75	R3BOTFL79 20	72
R3BOTAA42 30	49	R3BOTF234 42	47	R3BOTFF34 18	44	R3BOTFL79 24	72
R3BOTAA42 36	49	R3BOTF234 48	47	R3BOTFF34 20	44	R3BOTFL79 30	72
R3BOTAA42 42	49	R3BOTF242 18	53	R3BOTFF34 24	44	R3BOTFL79 36	72
R3BOTAA42 48	49	R3BOTF242 20	53	R3BOTFF34 30	44	R3BOTFL79 42	72
R3BOTAA49 18	56	R3BOTF242 24	53	R3BOTFF34 36	44	R3BOTFL79 48	72
R3BOTAA49 20	56	R3BOTF242 30	53	R3BOTFF34 42	44	R3BOTLL3418	48
R3BOTAA49 24	56	R3BOTF242 36	53	R3BOTFF34 48	44	R3BOTLL3420	48
R3BOTAA49 30	56	R3BOTF242 42	53	R3BOTFF42 18	49	R3BOTLL3424	48
R3BOTAA49 36	56	R3BOTF242 48	53	R3BOTFF42 20	49	R3BOTLL3430	48
R3BOTAA49 42	56	R3BOTF249 18	60	R3BOTFF42 24	49	R3BOTLL3436	48
R3BOTAA49 48	56	R3BOTF249 20	60	R3BOTFF42 30	49	R3BOTLL3442	48
R3BOTAA64 18	63	R3BOTF249 24	60	R3BOTFF42 36	49	R3BOTLL3448	48
R3BOTAA64 20	63	R3BOTF249 30	60	R3BOTFF42 42	49	R3BOTLL4218	55
R3BOTAA64 24	63	R3BOTF249 36	60	R3BOTFF42 48	49	R3BOTLL4220	55
R3BOTAA64 30	63	R3BOTF249 42	60	R3BOTFF49 18	56	R3BOTLL4224	55
R3BOTAA64 36	63	R3BOTF249 48	60	R3BOTFF49 20	56	R3BOTLL4230	55
R3BOTAA64 42	63	R3BOTF264 18	67	R3BOTFF49 24	56	R3BOTLL4236	55
R3BOTAA64 48	63	R3BOTF264 20	67	R3BOTFF49 30	56	R3BOTLL4242	55
R3BOTAA79 18	70	R3BOTF264 24	67	R3BOTFF49 36	56	R3BOTLL4248	55
R3BOTAA79 20	70	R3BOTF264 30	67	R3BOTFF49 42	56	R3BOTLL4918	62
R3BOTAA79 24	70	R3BOTF264 36	67	R3BOTFF49 48	56	R3BOTLL4920	62
R3BOTAA79 30	70	R3BOTF264 42	67	R3BOTFF64 18	63	R3BOTLL4924	62
R3BOTAA79 36	70	R3BOTF264 48	67	R3BOTFF64 20	63	R3BOTLL4930	62
R3BOTAA79 42	70	R3BOTF279 18	74	R3BOTFF64 24	63	R3BOTLL4936	62
R3BOTAA79 48	70	R3BOTF279 20	74	R3BOTFF64 30	63	R3BOTLL4942	62
R3BOTF134 18	46	R3BOTF279 24	74	R3BOTFF64 36	63	R3BOTLL4948	62
R3BOTF134 20	46	R3BOTF279 30	74	R3BOTFF64 42	63	R3BOTLL6418	69
R3BOTF134 24	46	R3BOTF279 36	74	R3BOTFF64 48	63	R3BOTLL6420	69
R3BOTF134 30	46	R3BOTF279 42	74	R3BOTFF79 18	70	R3BOTLL6424	69
R3BOTF134 36	46	R3BOTF279 48	74	R3BOTFF79 20	70	R3BOTLL6430	69
R3BOTF134 42	46	R3BOTF334 18	47	R3BOTFF79 24	70	R3BOTLL6436	69
R3BOTF134 48	46	R3BOTF334 20	47	R3BOTFF79 30	70	R3BOTLL6442	69
R3BOTF142 18	52	R3BOTF334 24	47	R3BOTFF79 36	70	R3BOTLL6448	69
R3BOTF142 20	52	R3BOTF334 30	47	R3BOTFF79 42	70	R3BOTLL7918	76
R3BOTF142 24	52	R3BOTF334 36	47	R3BOTFF79 48	70	R3BOTLL7920	76
R3BOTF142 30	52	R3BOTF334 42	47	R3BOTFL34 18	46	R3BOTLL7924	76
R3BOTF142 36	52	R3BOTF334 48	47	R3BOTFL34 20	46	R3BOTLL7930	76
R3BOTF142 42	52	R3BOTF342 18	54	R3BOTFL34 24	46	R3BOTLL7936	76
R3BOTF142 48	52	R3BOTF342 20	54	R3BOTFL34 30	46	R3BOTLL7942	76
R3BOTF149 18	59	R3BOTF342 24	54	R3BOTFL34 36	46	R3BOTLL7948	76
R3BOTF149 20	59	R3BOTF342 30	54	R3BOTFL34 42	46	R3B1PF142 18	19
R3BOTF149 24	59	R3BOTF342 36	54	R3BOTFL34 48	46	R3B1PF142 20	19
R3BOTF149 30	59	R3BOTF342 42	54	R3BOTFL42 18	51	R3B1PF142 24	19
R3BOTF149 36	59	R3BOTF342 48	54	R3BOTFL42 20	51	R3B1PF142 30	19
R3BOTF149 42	59	R3BOTF349 18	61	R3BOTFL42 24	51	R3B1PF142 36	19
R3BOTF149 48	59	R3BOTF349 20	61	R3BOTFL42 30	51	R3B1PF142 42	19
R3BOTF164 18	66	R3BOTF349 24	61	R3BOTFL42 36	51	R3B1PF142 48	19

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1PF149 18	26	R3B1PF2A49 42	95	R3B1PFF64 48	31	R3B1TF149 18	59
R3B1PF149 20	26	R3B1PF2A49 48	95	R3B1PFF79 18	38	R3B1TF149 20	59
R3B1PF149 24	26	R3B1PF2B49 30	95	R3B1PFF79 20	38	R3B1TF149 24	59
R3B1PF149 30	26	R3B1PF2B49 36	95	R3B1PFF79 24	38	R3B1TF149 30	59
R3B1PF149 36	26	R3B1PF2B49 42	95	R3B1PFF79 30	38	R3B1TF149 36	59
R3B1PF149 42	26	R3B1PF2B49 48	95	R3B1PFF79 36	38	R3B1TF149 42	59
R3B1PF149 48	26	R3B1PF342 18	21	R3B1PFF79 42	38	R3B1TF149 48	59
R3B1PF164 18	33	R3B1PF342 20	21	R3B1PFF79 48	38	R3B1TF164 18	66
R3B1PF164 20	33	R3B1PF342 24	21	R3B1PFFA49 18	86	R3B1TF164 20	66
R3B1PF164 24	33	R3B1PF342 30	21	R3B1PFFA49 20	86	R3B1TF164 24	66
R3B1PF164 30	33	R3B1PF342 36	21	R3B1PFFA49 24	86	R3B1TF164 30	66
R3B1PF164 36	33	R3B1PF342 42	21	R3B1PFFA49 30	86	R3B1TF164 36	66
R3B1PF164 42	33	R3B1PF342 48	21	R3B1PFFA49 36	86	R3B1TF164 42	66
R3B1PF164 48	33	R3B1PF349 18	28	R3B1PFFA49 42	86	R3B1TF164 48	66
R3B1PF179 18	40	R3B1PF349 20	28	R3B1PFFA49 48	86	R3B1TF179 18	73
R3B1PF179 20	40	R3B1PF349 24	28	R3B1PFFB49 30	86	R3B1TF179 20	73
R3B1PF179 24	40	R3B1PF349 30	28	R3B1PFFB49 36	86	R3B1TF179 24	73
R3B1PF179 30	40	R3B1PF349 36	28	R3B1PFFB49 42	86	R3B1TF179 30	73
R3B1PF179 36	40	R3B1PF349 42	28	R3B1PFFB49 48	86	R3B1TF179 36	73
R3B1PF179 42	40	R3B1PF349 48	28	R3B1PFL42 18	18	R3B1TF179 42	73
R3B1PF179 48	40	R3B1PF364 18	35	R3B1PFL42 20	18	R3B1TF179 48	73
R3B1PFA49 18	92	R3B1PF364 20	35	R3B1PFL42 24	18	R3B1TF1A49 18	90
R3B1PFA49 20	92	R3B1PF364 24	35	R3B1PFL42 30	18	R3B1TF1A49 20	90
R3B1PFA49 24	92	R3B1PF364 30	35	R3B1PFL42 36	18	R3B1TF1A49 24	90
R3B1PFA49 30	92	R3B1PF364 36	35	R3B1PFL42 42	18	R3B1TF1A49 30	90
R3B1PFA49 36	92	R3B1PF364 42	35	R3B1PFL42 48	18	R3B1TF1A49 36	90
R3B1PFA49 42	92	R3B1PF364 48	35	R3B1PFL49 18	25	R3B1TF1A49 42	90
R3B1PFA49 48	92	R3B1PF379 18	42	R3B1PFL49 20	25	R3B1TF1A49 48	90
R3B1PFB49 30	92	R3B1PF379 20	42	R3B1PFL49 24	25	R3B1TF1B49 30	91
R3B1PFB49 36	92	R3B1PF379 24	42	R3B1PFL49 30	25	R3B1TF1B49 36	91
R3B1PFB49 42	92	R3B1PF379 30	42	R3B1PFL49 36	25	R3B1TF1B49 42	91
R3B1PFB49 48	92	R3B1PF379 36	42	R3B1PFL49 42	25	R3B1TF1B49 48	91
R3B1PF242 18	20	R3B1PF379 42	42	R3B1PFL49 48	25	R3B1TF242 18	53
R3B1PF242 20	20	R3B1PF379 48	42	R3B1PFL64 18	32	R3B1TF242 20	53
R3B1PF242 24	20	R3B1PF3A49 18	97	R3B1PFL64 20	32	R3B1TF242 24	53
R3B1PF242 30	20	R3B1PF3A49 20	97	R3B1PFL64 24	32	R3B1TF242 30	53
R3B1PF242 36	20	R3B1PF3A49 24	97	R3B1PFL64 30	32	R3B1TF242 36	53
R3B1PF242 42	20	R3B1PF3A49 30	97	R3B1PFL64 36	32	R3B1TF242 42	53
R3B1PF242 48	20	R3B1PF3A49 36	97	R3B1PFL64 42	32	R3B1TF242 48	53
R3B1PF249 18	27	R3B1PF3A49 42	97	R3B1PFL64 48	32	R3B1TF249 18	60
R3B1PF249 20	27	R3B1PF3A49 48	97	R3B1PFL79 18	39	R3B1TF249 20	60
R3B1PF249 24	27	R3B1PF3B49 30	97	R3B1PFL79 20	39	R3B1TF249 24	60
R3B1PF249 30	27	R3B1PF3B49 36	97	R3B1PFL79 24	39	R3B1TF249 30	60
R3B1PF249 36	27	R3B1PF3B49 42	97	R3B1PFL79 30	39	R3B1TF249 36	60
R3B1PF249 42	27	R3B1PF3B49 48	97	R3B1PFL79 36	39	R3B1TF249 42	60
R3B1PF249 48	27	R3B1PFF42 18	17	R3B1PFL79 42	39	R3B1TF249 48	60
R3B1PF264 18	34	R3B1PFF42 20	17	R3B1PFL79 48	39	R3B1TF264 18	67
R3B1PF264 20	34	R3B1PFF42 24	17	R3B1PFLA49 18	89	R3B1TF264 20	67
R3B1PF264 24	34	R3B1PFF42 30	17	R3B1PFLA49 20	89	R3B1TF264 24	67
R3B1PF264 30	34	R3B1PFF42 36	17	R3B1PFLA49 24	89	R3B1TF264 30	67
R3B1PF264 36	34	R3B1PFF42 42	17	R3B1PFLA49 30	89	R3B1TF264 36	67
R3B1PF264 42	34	R3B1PFF42 48	17	R3B1PFLA49 36	89	R3B1TF264 42	67
R3B1PF264 48	34	R3B1PFF49 18	24	R3B1PFLA49 42	89	R3B1TF264 48	67
R3B1PF279 18	41	R3B1PFF49 20	24	R3B1PFLA49 48	89	R3B1TF279 18	74
R3B1PF279 20	41	R3B1PFF49 24	24	R3B1PFLB49 30	89	R3B1TF279 20	74
R3B1PF279 24	41	R3B1PFF49 30	24	R3B1PFLB49 36	89	R3B1TF279 24	74
R3B1PF279 30	41	R3B1PFF49 36	24	R3B1PFLB49 42	89	R3B1TF279 30	74
R3B1PF279 36	41	R3B1PFF49 42	24	R3B1PFLB49 48	89	R3B1TF279 36	74
R3B1PF279 42	41	R3B1PFF49 48	24	R3B1TF142 18	52	R3B1TF279 42	74
R3B1PF279 48	41	R3B1PFF64 18	31	R3B1TF142 20	52	R3B1TF279 48	74
R3B1PF2A49 18	95	R3B1PFF64 20	31	R3B1TF142 24	52	R3B1TF2A49 18	93
R3B1PF2A49 20	95	R3B1PFF64 24	31	R3B1TF142 30	52	R3B1TF2A49 20	93
R3B1PF2A49 24	95	R3B1PFF64 30	31	R3B1TF142 36	52	R3B1TF2A49 24	93
R3B1PF2A49 30	95	R3B1PFF64 36	31	R3B1TF142 42	52	R3B1TF2A49 30	93
R3B1PF2A49 36	95	R3B1PFF64 42	31	R3B1TF142 48	52	R3B1TF2A49 36	93

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITF2A49 42	93	R3BITFF64 48	64	R3B2PFF49 18	24	R3B2TFFA49 42	98
R3BITF2A49 48	93	R3BITFF79 18	71	R3B2PFF49 20	24	R3B2TFFA49 48	98
R3BITF2B49 30	94	R3BITFF79 20	71	R3B2PFF49 24	24	R3B2TFFB49 30	98
R3BITF2B49 36	94	R3BITFF79 24	71	R3B2PFF49 30	24	R3B2TFFB49 36	98
R3BITF2B49 42	94	R3BITFF79 30	71	R3B2PFF49 36	24	R3B2TFFB49 42	98
R3BITF2B49 48	94	R3BITFF79 36	71	R3B2PFF49 42	24	R3B2TFFB49 48	98
R3BITF342 18	54	R3BITFF79 42	71	R3B2PFF49 48	24	R3CRTT60	102
R3BITF342 20	54	R3BITFF79 48	71	R3B2PFF64 18	31	R3CRTT72	102
R3BITF342 24	54	R3BITFFA49 18	84	R3B2PFF64 20	31	R3CRTT84	102
R3BITF342 30	54	R3BITFFA49 20	84	R3B2PFF64 24	31	R3CRTT96	102
R3BITF342 36	54	R3BITFFA49 24	84	R3B2PFF64 30	31	R3FTCE104(F/T)(F/T)(F/T)	125
R3BITF342 42	54	R3BITFFA49 30	84	R3B2PFF64 36	31	R3FTCE108(F/T)(F/T)(F/T)	125
R3BITF342 48	54	R3BITFFA49 36	84	R3B2PFF64 42	31	R3FTCE120(F/T)(F/T)(F/T)	125
R3BITF349 18	61	R3BITFFA49 42	84	R3B2PFF64 48	31	R3FTCE21	125
R3BITF349 20	61	R3BITFFA49 48	84	R3B2PFF79 18	38	R3FTCE25	125
R3BITF349 24	61	R3BITFFB49 30	85	R3B2PFF79 20	38	R3FTCE37	125
R3BITF349 30	61	R3BITFFB49 36	85	R3B2PFF79 24	38	R3FTCF12118	122
R3BITF349 36	61	R3BITFFB49 42	85	R3B2PFF79 30	38	R3FTCF12120	122
R3BITF349 42	61	R3BITFFB49 48	85	R3B2PFF79 36	38	R3FTCF12124	122
R3BITF349 48	61	R3BITFL42 18	51	R3B2PFF79 42	38	R3FTCF12130	122
R3BITF364 18	68	R3BITFL42 20	51	R3B2PFF79 48	38	R3FTCF12136	122
R3BITF364 20	68	R3BITFL42 24	51	R3B2PFFA49 18	99	R3FTCF12142	122
R3BITF364 24	68	R3BITFL42 30	51	R3B2PFFA49 20	99	R3FTCF12148	122
R3BITF364 30	68	R3BITFL42 36	51	R3B2PFFA49 24	99	R3FTCF12518	123
R3BITF364 36	68	R3BITFL42 42	51	R3B2PFFA49 30	99	R3FTCF12520	123
R3BITF364 42	68	R3BITFL42 48	51	R3B2PFFA49 36	99	R3FTCF12524	123
R3BITF364 48	68	R3BITFL49 18	58	R3B2PFFA49 42	99	R3FTCF12530	123
R3BITF379 18	75	R3BITFL49 20	58	R3B2PFFA49 48	99	R3FTCF12536	123
R3BITF379 20	75	R3BITFL49 24	58	R3B2PFFB49 30	99	R3FTCF12542	123
R3BITF379 24	75	R3BITFL49 30	58	R3B2PFFB49 36	99	R3FTCF12548	123
R3BITF379 30	75	R3BITFL49 36	58	R3B2PFFB49 42	99	R3FTCF13718	124
R3BITF379 36	75	R3BITFL49 42	58	R3B2PFFB49 48	99	R3FTCF13720	124
R3BITF379 42	75	R3BITFL49 48	58	R3B2TFF42 18	50	R3FTCF13724	124
R3BITF379 48	75	R3BITTFL64 18	65	R3B2TFF42 20	50	R3FTCF13730	124
R3BITF3A49 18	96	R3BITTFL64 20	65	R3B2TFF42 24	50	R3FTCF13736	124
R3BITF3A49 20	96	R3BITTFL64 24	65	R3B2TFF42 30	50	R3FTCF13742	124
R3BITF3A49 24	96	R3BITTFL64 30	65	R3B2TFF42 36	50	R3FTCF13748	124
R3BITF3A49 30	96	R3BITTFL64 36	65	R3B2TFF42 42	50	R3FTCF2118	122
R3BITF3A49 36	96	R3BITTFL64 42	65	R3B2TFF42 48	50	R3FTCF22120	122
R3BITF3A49 42	96	R3BITTFL64 48	65	R3B2TFF49 18	57	R3FTCF22124	122
R3BITF3A49 48	96	R3BITTFL79 18	72	R3B2TFF49 20	57	R3FTCF22130	122
R3BITF3B49 30	96	R3BITTFL79 20	72	R3B2TFF49 24	57	R3FTCF22136	122
R3BITF3B49 36	96	R3BITTFL79 24	72	R3B2TFF49 30	57	R3FTCF22142	122
R3BITF3B49 42	96	R3BITTFL79 30	72	R3B2TFF49 36	57	R3FTCF22148	122
R3BITF3B49 48	96	R3BITTFL79 36	72	R3B2TFF49 42	57	R3FTCF22518	123
R3BITFF42 18	50	R3BITTFL79 42	72	R3B2TFF49 48	57	R3FTCF22520	123
R3BITFF42 20	50	R3BITTFL79 48	72	R3B2TFF64 18	64	R3FTCF22524	123
R3BITFF42 24	50	R3BITTFLA49 18	87	R3B2TFF64 20	64	R3FTCF22530	123
R3BITFF42 30	50	R3BITTFLA49 20	87	R3B2TFF64 24	64	R3FTCF22536	123
R3BITFF42 36	50	R3BITTFLA49 24	87	R3B2TFF64 30	64	R3FTCF22542	123
R3BITFF42 42	50	R3BITTFLA49 30	87	R3B2TFF64 36	64	R3FTCF22548	123
R3BITFF42 48	50	R3BITTFLA49 36	87	R3B2TFF64 42	64	R3FTCF23718	124
R3BITFF49 18	57	R3BITTFLA49 42	87	R3B2TFF64 48	64	R3FTCF23720	124
R3BITFF49 20	57	R3BITTFLA49 48	87	R3B2TFF79 18	71	R3FTCF23724	124
R3BITFF49 24	57	R3BITTFLB49 30	88	R3B2TFF79 20	71	R3FTCF23730	124
R3BITFF49 30	57	R3BITTFLB49 36	88	R3B2TFF79 24	71	R3FTCF23736	124
R3BITFF49 36	57	R3BITTFLB49 42	88	R3B2TFF79 30	71	R3FTCF23742	124
R3BITFF49 42	57	R3BITTFLB49 48	88	R3B2TFF79 36	71	R3FTCF23748	124
R3BITFF49 48	57	R3B2PFF42 18	17	R3B2TFF79 42	71	R3FTCF321 18	122
R3BITFF64 18	64	R3B2PFF42 20	17	R3B2TFF79 48	71	R3FTCF321 20	122
R3BITFF64 20	64	R3B2PFF42 24	17	R3B2TFFA49 18	98	R3FTCF321 24	122
R3BITFF64 24	64	R3B2PFF42 30	17	R3B2TFFA49 20	98	R3FTCF321 30	122
R3BITFF64 30	64	R3B2PFF42 36	17	R3B2TFFA49 24	98	R3FTCF321 36	122
R3BITFF64 36	64	R3B2PFF42 42	17	R3B2TFFA49 30	98	R3FTCF321 42	122
R3BITFF64 42	64	R3B2PFF42 48	17	R3B2TFFA49 36	98	R3FTCF321 48	122

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF325 18	123	R3FTCS21	125	R3SF30848	103	R3X42(B)	106
R3FTCF325 20	123	R3FTCS25	125	R3SF315 18	104	R3X49(B)	106
R3FTCF325 24	123	R3FTCS37	125	R3SF315 20	104	R3X64(B)	106
R3FTCF325 30	123	R3FTCSM (Pair) for G3 only	126	R3SF315 24	104	R3X79(B)	106
R3FTCF325 36	123	R3FTCT104(F/T)	125	R3SF315 30	104	R5ZNN (3 dividers)	478
R3FTCF325 42	123	R3FTCT108(F/T)	125	R3SF315 36	104	R917762	464
R3FTCF325 48	123	R3FTCT120(F/T)	125	R3SF315 42	104	R921655	463
R3FTCF337 18	124	R3FTCT21	125	R3SF315 48	104	R9TDCFM8430	234
R3FTCF337 20	124	R3FTCT25	125	R3SFF08 18	100	R9TDCFM9630	234
R3FTCF337 24	124	R3FTCT37	125	R3SFF08 20	100	RAATBRC72	558
R3FTCF337 30	124	R3FTCX104	125	R3SFF08 24	100	RAATBRC78	558
R3FTCF337 36	124	R3FTCX108	125	R3SFF08 30	100	RAATBRC84	558
R3FTCF337 42	124	R3FTCX120	125	R3SFF08 36	100	RAATBRC90	558
R3FTCF337 48	124	R3FTCX21	125	R3SFF08 42	100	RAATBRC96	558
R3FTCF2118	119	R3FTCX25	125	R3SFF08 48	100	RAATBRS72	559
R3FTCF2120	119	R3FTCX37	125	R3SFF15 18	100	RAATBRS78	559
R3FTCF2124	119	R3L08TT	105	R3SFF15 20	100	RAATBRS84	559
R3FTCF2130	119	R3L15TT	105	R3SFF15 24	100	RAATBRS90	559
R3FTCF2136	119	R3L34(F/T)(F/T)	105	R3SFF15 30	100	RAATBRS96	559
R3FTCF2142	119	R3L42(B)(F/T)(F/T)	105	R3SFF15 36	100	RAATDCG51	558
R3FTCF2148	119	R3L49(B)(F/T)(F/T)	105	R3SFF15 42	100	RAATDCG54	558
R3FTCF2518	120	R3L64(B)(F/T)(F/T)	105	R3SFF15 48	100	RAATDCG57	558
R3FTCF2520	120	R3L79(B)(F/T)(F/T)	105	R3SFL0818	103	RAATDCG60	558
R3FTCF2524	120	R3R2SLV	107, 118	R3SFL0820	103	RAATDCG63	558
R3FTCF2530	120	R3S08TT	106	R3SFL0824	103	RAATDCG66	558
R3FTCF2536	120	R3S15TT	106	R3SFL0830	103	RAATDCG69	558
R3FTCF2542	120	R3S34(F/T)(F/T)	106	R3SFL0836	103	RAATDCG72	558
R3FTCF2548	120	R3S42(B)(F/T)(F/T)	106	R3SFL0842	103	RAATDCG75	558
R3FTCF3718	121	R3S49(B)(F/T)(F/T)	106	R3SFL0848	103	RAATDCG78	558
R3FTCF3720	121	R3S64(B)(F/T)(F/T)	106	R3SFL1518	104	RAATDCG81	558
R3FTCF3724	121	R3S79(B)(F/T)(F/T)	106	R3SFL1520	104	RAATDCG84	558
R3FTCF3730	121	R3SF10818	103	R3SFL1524	104	RAATDCG87	558
R3FTCF3736	121	R3SF10820	103	R3SFL1530	104	RAATDCG90	558
R3FTCF3742	121	R3SF10824	103	R3SFL1536	104	RAATDCG93	558
R3FTCF3748	121	R3SF10830	103	R3SFL1542	104	RAATDCG96	558
R3FTCFL2118	122	R3SF10836	103	R3SFL1548	104	RAATDS51	559
R3FTCFL2120	122	R3SF10842	103	R3SLL0818	103	RAATDS54	559
R3FTCFL2124	122	R3SF10848	103	R3SLL0820	103	RAATDS57	559
R3FTCFL2130	122	R3SF11518	104	R3SLL0824	103	RAATDS60	559
R3FTCFL2136	122	R3SF11520	104	R3SLL0830	103	RAATDS63	559
R3FTCFL2142	122	R3SF11524	104	R3SLL0836	103	RAATDS66	559
R3FTCFL2148	122	R3SF11530	104	R3SLL0842	103	RAATDS69	559
R3FTCFL2518	123	R3SF11536	104	R3SLL0848	103	RAATDS72	559
R3FTCFL2520	123	R3SF11542	104	R3SLL1518	104	RAATDS75	559
R3FTCFL2524	123	R3SF11548	104	R3SLL1520	104	RAATDS78	559
R3FTCFL2530	123	R3SF20818	103	R3SLL1524	104	RAATDS81	559
R3FTCFL2536	123	R3SF20820	103	R3SLL1530	104	RAATDS84	559
R3FTCFL2542	123	R3SF20824	103	R3SLL1536	104	RAATDS87	559
R3FTCFL2548	123	R3SF20830	103	R3SLL1542	104	RAATDS90	559
R3FTCFL3718	124	R3SF20836	103	R3SLL1548	104	RAATDS93	559
R3FTCFL3720	124	R3SF20842	103	R3SMP	463	RAATDS96	559
R3FTCFL3724	124	R3SF20848	103	R3SPABPT	116	RAATFRG54	558
R3FTCFL3730	124	R3SF21518	104	R3SPABTD	116	RAATFRG60	558
R3FTCFL3736	124	R3SF21520	104	R3SPABTT	116	RAATFRG66	558
R3FTCFL3742	124	R3SF21524	104	R3SPABTW	116	RAATFRG72	558
R3FTCFL3748	124	R3SF21530	104	R3T08T	105	RAATFRG78	558
R3FTCL104(F/T)(F/T)	125	R3SF21536	104	R3T15T	105	RAATFRG84	558
R3FTCL108(F/T)(F/T)	125	R3SF21542	104	R3T34(F/T)	105	RAATFRG90	558
R3FTCL120(F/T)(F/T)	125	R3SF21548	104	R3T42(B)(F/T)	105	RAATFRG96	558
R3FTCL21	125	R3SF30818	103	R3T49(B)(F/T)	105	RAATFRS54	559
R3FTCL25	125	R3SF30820	103	R3T64(B)(F/T)	105	RAATFRS60	559
R3FTCL37	125	R3SF30824	103	R3T79(B)(F/T)	105	RAATFRS66	559
R3FTCS104(F/T)(F/T)	125	R3SF30830	103	R3X08	106	RAATFRS72	559
R3FTCS108(F/T)(F/T)	125	R3SF30836	103	R3X15	106	RAATFRS78	559
R3FTCS120(F/T)(F/T)	125	R3SF30842	103	R3X34	106	RAATFRS84	559

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RAATFRS90	559	RAIPFAWD108	550	RAIPRGD51	553	RASRD7220	546, 547
RAATFRS96	559	RAIPFAWD114	550	RAIPRGD54	553	RASRD7820	546, 547
RABR(L/R)7220	540, 541	RAIPFAWD120	550	RAIPRGD57	553	RASRD8420	546, 547
RABR(L/R)7820	540, 541	RAIPFAWD126	550	RAIPRGD60	553	RASRD9020	546, 547
RABR(L/R)8420	540, 541	RAIPFAWD132	550	RAIPRGD63	553	RASRD9620	546, 547
RABR(L/R)9020	540, 541	RAIPFAWD138	550	RAIPRGD66	553	RASRS(L/R)6620	544, 545
RABR(L/R)9620	540, 541	RAIPFAWD144	550	RAIPRGD69	553	RASRS(L/R)7220	544, 545
RAC7232DH(L/R)H	562	RAIPFAWD150	550	RAIPRGD72	553	RASRS(L/R)7820	544, 545
RAC7232WDH(L/R)H	563	RAIPFAWD156	550	RAIPRGD75	553	RASRS(L/R)8420	544, 545
RAC7233DH(L/R)H	562	RAIPFAWD162	550	RAIPRGD78	553	RASRS(L/R)9020	544, 545
RAC7233WDH(L/R)H	563	RAIPFAWD168	550	RAIPRGD81	553	RASRS(L/R)9620	544, 545
RAC7242DH(L/R)H	562	RAIPFAWD174	550	RAIPRGD84	553	RASW6630	536, 537
RAC7242WDH(L/R)H	563	RAIPFAWD180	550	RAIPRGD87	553	RASW7230	536, 537
RAC7243DH(L/R)H	562	RAIPFAWD186	550	RAIPRGD90	553	RASW7830	536, 537
RAC7243WDH(L/R)H	563	RAIPFAWD192	550	RAIPRGD93	553	RASW8430	536, 537
RAC8632DH(L/R)H	562	RAIPFAWS66	550	RAIPRGD96	553	RASW9030	536, 537
RAC8632WDH(L/R)H	563	RAIPFAWS72	550	RAIPRGS66	553	RASW9630	536, 537
RAC8633DH(L/R)H	562	RAIPFAWS78	550	RAIPRGS72	553	RATDCFM(L/R)4830	233
RAC8633WDH(L/R)H	563	RAIPFAWS84	550	RAIPRGS78	553	RATDCFM(L/R)4836	233
RAC8642DH(L/R)H	562	RAIPFAWS90	550	RAIPRGS84	553	RATDCFM(L/R)5430	233
RAC8642WDH(L/R)H	563	RAIPFAWS96	550	RAIPRGS90	553	RATDCFM(L/R)5436	233
RAC8643DH(L/R)H	562	RAIPFBWD102	551	RAIPRGS96	553	RATDCFM(L/R)6030	233
RAC8643WDH(L/R)H	563	RAIPFBWD108	551	RAIPRWD102	552	RATDCFM(L/R)6036	233
RACDAT1	567	RAIPFBWD114	551	RAIPRWD108	552	RATDCFM(L/R)6630	233
RACDIPF1	567	RAIPFBWD120	551	RAIPRWD114	552	RATDCFM(L/R)6636	233
RACDTTDL1	567	RAIPFBWD126	551	RAIPRWD120	552	RATDCFM(L/R)7230	233
RACDTTDR2	567	RAIPFBWD132	551	RAIPRWD126	552	RATDCFM(L/R)7236	233
RACDTTDS2	567	RAIPFBWD138	551	RAIPRWD132	552	RATDCFM(L/R)7830	233
RACG4220	560	RAIPFBWD144	551	RAIPRWD138	552	RATDCFM(L/R)7836	233
RAC(L/R)HC4212	560, 561	RAIPFBWD150	551	RAIPRWD144	552	RATDCFM(L/R)8430	233
RAC(L/R)HT4212	560, 561	RAIPFBWD156	551	RAIPRWD150	552	RATDCFM(L/R)8436	233
RADW(L/R)5130	538, 539	RAIPFBWD162	551	RAIPRWD156	552	RATDCPC(L/R)6030	231
RADW(L/R)5430	538, 539	RAIPFBWD168	551	RAIPRWD162	552	RATDCPC(L/R)6036	231
RADW(L/R)5730	538, 539	RAIPFBWD174	551	RAIPRWD168	552	RATDCPC(L/R)6630	231
RADW(L/R)6030	538, 539	RAIPFBWD180	551	RAIPRWD174	552	RATDCPC(L/R)6636	231
RADW(L/R)6330	538, 539	RAIPFBWD186	551	RAIPRWD180	552	RATDCPC(L/R)7230	231
RADW(L/R)6630	538, 539	RAIPFBWD192	551	RAIPRWD186	552	RATDCPC(L/R)7236	231
RADW(L/R)6930	538, 539	RAIPFBWS66	551	RAIPRWD192	552	RATDCPC(L/R)7830	231
RADW(L/R)7230	538, 539	RAIPFBWS72	551	RAIPRWS66	552	RATDCPC(L/R)7836	231
RADW(L/R)7530	538, 539	RAIPFBWS78	551	RAIPRWS72	552	RATDCPC(L/R)8430	231
RADW(L/R)7830	538, 539	RAIPFBWS84	551	RAIPRWS78	552	RATDCPC(L/R)8436	231
RADW(L/R)8130	538, 539	RAIPFBWS90	551	RAIPRWS84	552	RATDCST(L/R)6030	232
RADW(L/R)8430	538, 539	RAIPFBWS96	551	RAIPRWS90	552	RATDCST(L/R)6036	232
RADW(L/R)8730	538, 539	RAIPKGD51	554	RAIPRWS96	552	RATDCST(L/R)6630	232
RADW(L/R)9030	538, 539	RAIPKGD54	554	RAMTB	429	RATDCST(L/R)6636	232
RADW(L/R)9330	538, 539	RAIPKGD57	554	RAMTC24	429	RATDCST(L/R)7230	232
RADW(L/R)9630	538, 539	RAIPKGD60	554	RAMTC30	429	RATDCST(L/R)7236	232
RAESDH(L/R)20	564	RAIPKGD63	554	RAMTC36	429	RATDCST(L/R)7830	232
RAFR(L/R)5420	542, 543	RAIPKGD66	554	RAMTC42	429	RATDCST(L/R)7836	232
RAFR(L/R)6020	542, 543	RAIPKGD69	554	RAMTC48	429	RATDCST(L/R)8430	232
RAFR(L/R)6620	542, 543	RAIPKGD72	554	RAMTC54	429	RATDCST(L/R)8436	232
RAFR(L/R)7220	542, 543	RAIPKGD75	554	RAMTC60	429	RATTBR72	555
RAFR(L/R)7820	542, 543	RAIPKGD78	554	RAMTC66	429	RATTBR78	555
RAFR(L/R)8420	542, 543	RAIPKGD81	554	RAMTC72	429	RATTBR84	555
RAFR(L/R)9020	542, 543	RAIPKGD84	554	RAMTCH24	429	RATTBR90	555
RAFR(L/R)9620	542, 543	RAIPKGD87	554	RAMTCH30	429	RATTBR96	555
RAGS(L/R)20	564	RAIPKGD90	554	RAMTCH36	429	RATTDD102	557
RAGS(L/R)30	564	RAIPKGD93	554	RAMTCH42	429	RATTDD108	557
RAIE6240	548, 549	RAIPKGD96	554	RAMTCH48	429	RATTDD114	557
RAIE6248	548, 549	RAIPKGS66	554	RAMTCH54	429	RATTDD120	557
RAIE6840	548, 549	RAIPKGS72	554	RAMTCH60	429	RATTDD126	557
RAIE6848	548, 549	RAIPKGS78	554	RAMTCH66	429	RATTDD132	557
RAIE7440	548, 549	RAIPKGS84	554	RAMTCH72	429	RATTDD138	557
RAIE7448	548, 549	RAIPKGS90	554	RAMTT	429	RATTDD144	557
RAIPFAWD102	550	RAIPKGS96	554	RASRD6620	546, 547	RATTDD150	557

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RATDD156	557	RB78(M/H)(F/R)	255	RBR66H	379	RC632D	320
RATDD162	557	RB84(M/H)(F/R)	255	RBR66M	379	RC632E(L/R)	317, 320
RATDD168	557	RB90(M/H)(F/R)	255	RBR66MS	379	RC632F	316, 319
RATDD174	557	RB96(M/H)(F/R)	255	RBR72H	379	RC632G	316, 319
RATDD180	557	RBC18 (L/R)	252	RBR72M	379	RC632H	315, 318
RATDD186	557	RBC24 (L/R)	252	RBR72MS	379	RC632I	321
RATDD192	557	RBCC	253	RBSP6030J(A,B,W)	438, 439, 440	RC632P	316, 319
RATDS66	557	RBCCP (Pair)	253	RBSP7230J(A,B,W)	438, 439, 440	RC633B	315, 318
RATDS72	557	RBDD	465	RBSP8430J(A,B,W)	438, 439, 440	RC633C	317, 320
RATDS78	557	RBDH24M(F/R)	257	RBSP9630J(A,B,W)	438, 439, 440	RC633D	320
RATDS84	557	RBDH30M(F/R)	257	RBWC24	254	RC633E(L/R)	317, 320
RATDS90	557	RBDH3636	257	RBWC30	254	RC633F	316, 319
RATDS96	557	RBDH3642	257	RBWM	466	RC633G	316, 319
RATFR54	556	RBDH3648	257	RBZ (A/B) (Pair)	253	RC633H	315, 318
RATFR60	556	RBDH36M(F/R)	257	RC412C(L/R)	310, 312	RC633I	321
RATFR66	556	RBDH40MR	259	RC413C(L/R)	310, 312	RC633P	316, 319
RATFR72	556	RBDH4236	257	RC423M(L/R)	329, 330	RC661B	315, 318
RATFR78	556	RBDH4242	257	RC423N(L/R)	329, 330	RC662B	315, 318
RATFR84	556	RBDH4248	257	RC431B	310, 312	RC662C	317, 320
RATFR90	556	RBDH42M(F/R)	257	RC432B	310, 312	RC662D	320
RATFR96	556	RBDH4836	257	RC432C	310, 312	RC662E(L/R)	317, 320
RAUH	471	RBDH4842	257	RC432D	313	RC662F	316, 319
RAWDHTBD51	568	RBDH4848	257	RC432F	311, 314	RC662G	316, 319
RAWDHTBD54	568	RBDH48M(F/R)	257	RC433B	310, 312	RC662H	315, 318
RAWDHTBD57	568	RBDH52MR	259	RC433C	310, 312	RC662I	321
RAWDHTBD60	568	RBDH54M(F/R)	257	RC433D	313	RC662P	316, 319
RAWDHTBD63	568	RBDH60M(F/R)	257	RC433F	311, 314	RC663B	315, 318
RAWDHTBD66	568	RBDH64MR	259	RC461B	310, 312	RC663C	317, 320
RAWDHTBD69	568	RBDH66M(F/R)	257	RC462B	310, 312	RC663D	320
RAWDHTBD72	568	RBDH72M(F/R)	257	RC462C	310, 312	RC663E(L/R)	317, 320
RAWDHTBD75	568	RBDH78M(F/R)	257	RC462D	313	RC663F	316, 319
RAWDHTBD78	568	RBDH84M(F/R)	257	RC462F	311, 314	RC663G	316, 319
RAWDHTBD81	568	RBDH90M(F/R)	257	RC463B	310, 312	RC663H	315, 318
RAWDHTBD84	568	RBDH96M(F/R)	257	RC463C	310, 312	RC663I	321
RAWDHTBD87	568	RBDP6030JK(A,B,W)	441, 442, 443	RC463D	313	RC663P	316, 319
RAWDHTBD90	568	RBDP7230JK(A,B,W)	441, 442, 443	RC463F	311, 314	RC712C(L/R)	324, 327
RAWDHTBD93	568	RBDP8430JK(A,B,W)	441, 442, 443	RC531DHB	331, 332	RC712D(L/R)	327
RAWDHTBD96	568	RBDP9630JK(A,B,W)	441, 442, 443	RC531DHH	333	RC712G(L/R)	323, 326
RAWDHTBS66	568	RBDW	465	RC532DHB	331, 332	RC712P(L/R)	323, 326
RAWDHTBS72	568	RBF (Pair)	253	RC532DHF	331, 332	RC713C(L/R)	324, 327
RAWDHTBS78	568	RBPE(L/R)	465	RC532DHH	333	RC713D(L/R)	327
RAWDHTBS84	568	RBPP (L/R)	253	RC533DHB	331, 332	RC713G(L/R)	323, 326
RAWDHTBS90	568	RBPR (Pair)	254	RC533DHF	331, 332	RC713P(L/R)	323, 326
RAWDHTBS96	568	RBPS (L/R)	254	RC533DHH	333	RC7212DHDH(L/R)	343
RB24(M/H)(F/R)	255	RBR3624(A,B,W)	450, 451, 452	RC561DHB	331, 332	RC7212DHGH(L/R)	336, 341
RB30(M/H)(F/R)	255	RBR3630(A,B,W)	450, 451, 452	RC561DHH	333	RC7212DHPH(L/R)	337, 342
RB3636	255	RBR36H	379	RC562DHB	331, 332	RC7213DHDH(L/R)	343
RB3642	255	RBR36M	379	RC562DHF	331, 332	RC7213DHGH(L/R)	336, 341
RB3648	255	RBR36MS	379	RC562DHH	333	RC7213DHPH(L/R)	337, 342
RB36(M/H)(F/R)	255	RBR4224(A,B,W)	450, 451, 452	RC563DHB	331, 332	RC7231DHB	334, 339
RB40MR	187	RBR4230(A,B,W)	450, 451, 452	RC563DHF	331, 332	RC7232DHB	334, 339
RB4236	255	RBR42H	379	RC563DHH	333	RC7232DHDH	343
RB4242	255	RBR42M	379	RC612C(L/R)	317, 320	RC7232DHEH(L/R)	338, 343
RB4248	255	RBR42MS	379	RC612D(L/R)	320	RC7232DHFH	336, 341
RB42(M/H)(F/R)	255	RBR4824(A,B,W)	450, 451, 452	RC612G(L/R)	316, 319	RC7232DHGH	336, 341
RB4836	255	RBR4830(A,B,W)	450, 451, 452	RC612P(L/R)	316, 319	RC7232DHK	335, 340
RB4842	255	RBR48H	379	RC613C(L/R)	317, 320	RC7232DHO	335, 340
RB4848	255	RBR48M	379	RC613D(L/R)	320	RC7233DHB	334, 339
RB48(M/H)(F/R)	255	RBR48MS	379	RC613G(L/R)	316, 319	RC7233DHDH	343
RB52MR	187	RBR54H	379	RC613P(L/R)	316, 319	RC7233DHEH(L/R)	338, 343
RB54(M/H)(F/R)	255	RBR54M	379	RC623M(L/R)	329, 330	RC7233DHFH	336, 341
RB60(M/H)(F/R)	255	RBR54MS	379	RC623N(L/R)	329, 330	RC7233DHGH	336, 341
RB64MR	187	RBR60H	379	RC631B	315, 318	RC7233DHK	335, 340
RB66(M/H)(F/R)	255	RBR60M	379	RC632B	315, 318	RC7233DHO	335, 340
RB72(M/H)(F/R)	255	RBR60MS	379	RC632C	317, 320	RC723M(L/R)	329, 330

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RC723N	329, 330	RC833DHDH	351	RCA(A/B/C/D/E/F/G)F364221	164	RCAWF424222	184
RC7261DHB	334, 339	RC833DHEH(L/R)	347, 351	RCA(A/B/C/D/E/F/G)F364222	164	RCAWF424811	184
RC7262DHB	334, 339	RC833DHF	346, 350	RCA(A/B/C/D/E/F/G)F364811	163	RCAWF424812	184
RC7262DHDH	343	RC833DHG	346, 350	RCA(A/B/C/D/E/F/G)F364812	163	RCAWF424821	184
RC7262DHEH(L/R)	338, 343	RC833DHK	345, 349	RCA(A/B/C/D/E/F/G)F364821	164	RCAWF424822	184
RC7262DHFH	336, 341	RC833DHO	345, 349	RCA(A/B/C/D/E/F/G)F364822	164	RCAWF483611	184
RC7262DHGH	336, 341	RC861DHB	344, 348	RCA(A/B/C/D/E/F/G)F423611	163	RCAWF483612	184
RC7262DHK	335, 340	RC862DHB	348	RCA(A/B/C/D/E/F/G)F423612	163	RCAWF483621	184
RC7262DHO	335, 340	RC862DHDH	351	RCA(A/B/C/D/E/F/G)F423621	164	RCAWF483622	184
RC7263DHB	334, 339	RC862DHEH(L/R)	347, 351	RCA(A/B/C/D/E/F/G)F423622	164	RCAWF484211	184
RC7263DHDH	343	RC862DHF	346, 350	RCA(A/B/C/D/E/F/G)F424211	163	RCAWF484212	184
RC7263DHEH(L/R)	338, 343	RC862DHG	346, 350	RCA(A/B/C/D/E/F/G)F424212	163	RCAWF484221	184
RC7263DHFH	336, 341	RC862DHK	345, 349	RCA(A/B/C/D/E/F/G)F424221	164	RCAWF484222	184
RC7263DHGH	336, 341	RC862DHO	345, 349	RCA(A/B/C/D/E/F/G)F424222	164	RCB	260
RC7263DHK	335, 340	RC863DHB	348	RCA(A/B/C/D/E/F/G)F424811	163	RCB20T	260
RC7263DHO	335, 340	RC863DHDH	351	RCA(A/B/C/D/E/F/G)F424812	163	RCB24T	260
RC732B	322, 325	RC863DHEH(L/R)	347, 351	RCA(A/B/C/D/E/F/G)F424821	164	RCB24X	262
RC732C	324, 327	RC863DHF	346, 350	RCA(A/B/C/D/E/F/G)F424822	164	RCB28X	262
RC732D	327	RC863DHG	346, 350	RCA(A/B/C/D/E/F/G)F483611	163	RCB30T	260
RC732E(L/R)	324, 327	RC863DHK	345, 349	RCA(A/B/C/D/E/F/G)F483612	163	RCB36X	262
RC732F	323, 326	RC863DHO	345, 349	RCA(A/B/C/D/E/F/G)F483621	164	RCB40T	260
RC732G	323, 326	RCA363611	145	RCA(A/B/C/D/E/F/G)F483622	164	RCBDH24X	266
RC732H	322, 325	RCA363612	146	RCA(A/B/C/D/E/F/G)F484211	163	RCBDH28X	266
RC732I	328	RCA363621	145	RCA(A/B/C/D/E/F/G)F484212	163	RCBDH36X	266
RC732P	323, 326	RCA363622	146	RCA(A/B/C/D/E/F/G)F484221	164	RCCDLA23672	147
RC733B	322, 325	RCA364211	145	RCA(A/B/C/D/E/F/G)F484222	164	RCCDLA23678	147
RC733C	324, 327	RCA364212	146	RCA(A/B/C/D/E/F/G)F484811	163	RCCDLA23684	147
RC733D	327	RCA364221	145	RCA(A/B/C/D/E/F/G)F484812	163	RCCDLA23696	147
RC733E(L/R)	324, 327	RCA364222	146	RCA(A/B/C/D/E/F/G)F484821	164	RCCDLA33672	147
RC733F	323, 326	RCA364811	145	RCA(A/B/C/D/E/F/G)F484822	164	RCCDLA33678	147
RC733G	323, 326	RCA364812	146	RCABT1417	462	RCCDLA33684	147
RC733H	322, 325	RCA364821	145	RCABT2917	462	RCCDLA33696	147
RC733I	328	RCA364822	146	RCACR16	462	RCCDRA23672	147
RC733P	323, 326	RCA423611	145	RCACR30	462	RCCDRA23678	147
RC762B	322, 325	RCA423612	146	RCACR30H	462	RCCDRA23684	147
RC762C	324, 327	RCA423621	145	RCACR36	462	RCCDRA23696	147
RC762D	327	RCA423622	146	RCACR36H	462	RCCDRA33672	147
RC762E(L/R)	324, 327	RCA424211	145	RCAS1620	462	RCCDRA33678	147
RC762F	323, 326	RCA424212	146	RCAS1624	462	RCCDRA33684	147
RC762G	323, 326	RCA424221	145	RCAS3015	462	RCCDRA33696	147
RC762H	322, 325	RCA424222	146	RCAS3020	462	RCD1021	202
RC762I	328	RCA424811	145	RCAS3024	462	RCD1022	202
RC762P	323, 326	RCA424812	146	RCAS3615	462	RCD1081	202
RC763B	322, 325	RCA424821	145	RCAS3620	462	RCD1082	202
RC763C	324, 327	RCA424822	146	RCAS3624	462	RCD3L6024K(A,B,W)	453, 454, 455
RC763D	327	RCA464623N	149	RCA424822	146	RCD3L8424K(A,B,W)	453, 454, 455
RC763E(L/R)	324, 327	RCA464629N	149	RCASL	463	RCD3L9624K(A,B,W)	453, 454, 455
RC763F	323, 326	RCA483611	145	RCASF363611	184	RCD601	202
RC763G	323, 326	RCA483612	146	RCASF363612	184	RCD602	202
RC763H	322, 325	RCA483621	145	RCASF363621	184	RCD661	202
RC763I	328	RCA483622	146	RCASF363622	184	RCD662	202
RC763P	323, 326	RCA484211	145	RCASF364211	184	RCD6L7224K(A,B,W)	453, 454, 455
RC812DHDH(L/R)	351	RCA484212	146	RCASF364212	184	RCD6L9624K(A,B,W)	453, 454, 455
RC813DHDH(L/R)	351	RCA484221	145	RCASF364221	184	RCD721	202
RC822DHDH(L/R)	351	RCA484222	146	RCASF364222	184	RCD722	202
RC823DHDH(L/R)	351	RCA484811	145	RCASF364811	184	RCD781	202
RC831DHB	344, 348	RCA484812	146	RCASF364812	184	RCD782	202
RC832DHB	348	RCA484821	145	RCASF364821	184	RCD841	202
RC832DHDH	351	RCA484822	146	RCASF364822	184	RCD842	202
RC832DHEH(L/R)	347, 351	RCA(A/B/C/D/E/F/G)F363611	163	RCASF423611	184	RCD901	202
RC832DHF	346, 350	RCA(A/B/C/D/E/F/G)F363612	163	RCASF423612	184	RCD902	202
RC832DHG	346, 350	RCA(A/B/C/D/E/F/G)F363621	164	RCASF423621	184	RCD961	202
RC832DHK	345, 349	RCA(A/B/C/D/E/F/G)F363622	164	RCASF423622	184	RCD962	202
RC832DHO	345, 349	RCA(A/B/C/D/E/F/G)F364211	163	RCASF424211	184	RCDFMF60301	437
RC833DHB	348	RCA(A/B/C/D/E/F/G)F364212	163	RCASF424212	184	RCDFMF60302	437
				RCASF424221	184		

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCDFMF60361	437	RCDQMR84362	436	RCE1R3024N	191	RCEEG602	201
RCDFMF60362	437	RCDQMR96301	436	RCE1R3030N	191	RCEEG661	201
RCDFMF72301	437	RCDQMR96302	436	RCE1R3624N	191	RCEEG662	201
RCDFMF72302	437	RCDQMR96361	436	RCE1R3630N	191	RCEEG721	201
RCDFMF72361	437	RCDQMR96362	436	RCE1R4224N	191	RCEEG722	201
RCDFMF72362	437	RCE1021	200	RCE1R4230N	191	RCEEG781	201
RCDFMF84301	437	RCE1022	200	RCE1R4824N	191	RCEEG782	201
RCDFMF84302	437	RCE1081	200	RCE1R4830N	191	RCEEG841	201
RCDFMF84361	437	RCE1082	200	RCE1R5424N	191	RCEEG842	201
RCDFMF84362	437	RCE1BD6648D(L/R)	192	RCE1R5430N	191	RCEEG901	201
RCDFMF96301	437	RCE1BD6648S(L/R)	192	RCE1R6024N	191	RCEEG902	201
RCDFMF96302	437	RCE1BD7248D(L/R)	192	RCE1R6030N	191	RCEEG961	201
RCDFMF96361	437	RCE1BD7248S(L/R)	192	RCE1R6624N	191	RCEEG962	201
RCDFMF96362	437	RCE1BD7848D(L/R)	192	RCE1R6630N	191	RCFS4912C(L/R)M	352
RCDFMR60301	434	RCE1BD7848S(L/R)	192	RCE1R7224N	191	RCFS4912C(L/R)W	358
RCDFMR60302	434	RCE1BD8448D(L/R)	192	RCE1R7230N	191	RCFS4912Y(L/R)M	352
RCDFMR60361	434	RCE1BD8448S(L/R)	192	RCE1R7824N	191	RCFS4912Y(L/R)W	358
RCDFMR60362	434	RCE1CR24L	195	RCE1R7830N	191	RCFS4912Z(L/R)M	352
RCDFMR72301	434	RCE1CR24N	195	RCE1R8424N	191	RCFS4912Z(L/R)W	358
RCDFMR72302	434	RCE1CR24R	195	RCE1R8430N	191	RCFS4913C(L/R)M	352
RCDFMR72361	434	RCE1H4818	195	RCE1R9024N	191	RCFS4913C(L/R)W	358
RCDFMR72362	434	RCE1H4818P	195	RCE1R9030N	191	RCFS4913Y(L/R)M	352
RCDFMR84301	434	RCE1H6024	195	RCE1R9624N	191	RCFS4913Y(L/R)W	358
RCDFMR84302	434	RCE1H6024P	195	RCE1R9630N	191	RCFS4913Z(L/R)M	352
RCDFMR84361	434	RCE1L3636SSN	193	RCE1W362430N	196	RCFS4913Z(L/R)W	358
RCDFMR84362	434	RCE1L4242DSN	193	RCE1W363024N	196	RCFS4932V(L/R)M	352
RCDFMR96301	434	RCE1L4242SDN	193	RCE1W422430N	196	RCFS4932V(L/R)W	358
RCDFMR96302	434	RCE1L4242SSN	193	RCE1W423024N	196	RCFS4932W(L/R)M	353
RCDFMR96361	434	RCE1L4260SSN	194	RCE1W482430N	196	RCFS4932W(L/R)W	359
RCDFMR96362	434	RCE1L4266SSN	194	RCE1W483024N	196	RCFS4932X(L/R)M	353
RCDHB20T	264	RCE1L4272SSN	194	RCE1W722430N	196	RCFS4932X(L/R)W	359
RCDHB24T	264	RCE1L4278SSN	194	RCE1W723024N	196	RCFS4933V(L/R)M	352
RCDHB30T	264	RCE1L4848DDN	193	RCE601	200	RCFS4933V(L/R)W	358
RCDHB40T	264	RCE1L4848DSN	193	RCE602	200	RCFS4933W(L/R)M	353
RCDHMR60301	435	RCE1L4848SDN	193	RCE661	200	RCFS4933W(L/R)W	359
RCDHMR60302	435	RCE1L4848SSN	193	RCE662	200	RCFS4933X(L/R)M	353
RCDHMR60361	435	RCE1L4860DSN	194	RCE721	200	RCFS4933X(L/R)W	359
RCDHMR60362	435	RCE1L4860SDN	194	RCE722	200	RCFS6412C(L/R)M	354
RCDHMR72301	435	RCE1L4860SSN	194	RCE781	200	RCFS6412C(L/R)W	360
RCDHMR72302	435	RCE1L4866DSN	194	RCE782	200	RCFS6412Y(L/R)M	354
RCDHMR72361	435	RCE1L4866SDN	194	RCE841	200	RCFS6412Y(L/R)W	360
RCDHMR72362	435	RCE1L4866SSN	194	RCE842	200	RCFS6412Z(L/R)M	354
RCDHMR84301	435	RCE1L4872DSN	194	RCE901	200	RCFS6412Z(L/R)W	360
RCDHMR84302	435	RCE1L4872SDN	194	RCE902	200	RCFS6413C(L/R)M	354
RCDHMR84361	435	RCE1L4872SSN	194	RCE961	200	RCFS6413C(L/R)W	360
RCDHMR84362	435	RCE1L4878SSN	194	RCE962	200	RCFS6413Y(L/R)M	354
RCDHMR96301	435	RCE1L4884SSN	194	RCEAL223660	148	RCFS6413Y(L/R)W	360
RCDHMR96302	435	RCE1L6042SSN	194	RCEAL223672	148	RCFS6413Z(L/R)M	354
RCDHMR96361	435	RCE1L6048DSN	194	RCEAL224260	148	RCFS6413Z(L/R)W	360
RCDHMR96362	435	RCE1L6048SDN	194	RCEAL224272	148	RCFS6432V(L/R)M	355
RCDP6024K(A,B,W)	453, 454, 455	RCE1L6048SSN	194	RCEAL224872	148	RCFS6432V(L/R)W	361
RCDP7224K(A,B,W)	453, 454, 455	RCE1L6642SSN	194	RCEAL224884	148	RCFS6432W(L/R)M	355
RCDP8424K(A,B,W)	453, 454, 455	RCE1L6648DSN	194	RCEAL224896	148	RCFS6432W(L/R)W	361
RCDP9624K(A,B,W)	453, 454, 455	RCE1L6648SDN	194	RCEAR223660	148	RCFS6432X(L/R)M	355
RCDQMR60301	436	RCE1L6648SSN	194	RCEAR223672	148	RCFS6432X(L/R)W	361
RCDQMR60302	436	RCE1L7242SSN	194	RCEAR224260	148	RCFS6433V(L/R)M	355
RCDQMR60361	436	RCE1L7248DSN	194	RCEAR224272	148	RCFS6433V(L/R)W	361
RCDQMR60362	436	RCE1L7248SDN	194	RCEAR224872	148	RCFS6433W(L/R)M	355
RCDQMR72301	436	RCE1L7248SSN	194	RCEAR224884	148	RCFS6433W(L/R)W	361
RCDQMR72302	436	RCE1L7842SSN	194	RCEAR224896	148	RCFS6433X(L/R)M	355
RCDQMR72361	436	RCE1L7848SSN	194	RCEEG1021	201	RCFS6433X(L/R)W	361
RCDQMR72362	436	RCE1L8448SSN	194	RCEEG1022	201	RCFS6812C(L/R)M	356
RCDQMR84301	436	RCE1R1212G	463	RCEEG1081	201	RCFS6812C(L/R)W	362
RCDQMR84302	436	RCE1R2424N	191	RCEEG1082	201	RCFS6812Y(L/R)M	356
RCDQMR84361	436	RCE1R2430N	191	RCEEG601	201	RCFS6812Y(L/R)W	362

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCFS6812Z(L/R)M	356	RDHMH8412	273	RDHMR7810	270	RDTAHC3156(L/R)	370
RCFS6812Z(L/R)W	362	RDHMH8413	273	RDHMR7811	271	RDTAHC6142(L/R)	370
RCFS6813C(L/R)M	356	RDHMH8414	273	RDHMR7812	271	RDTAHC6156(L/R)	370
RCFS6813C(L/R)W	362	RDHMH8420	274	RDHMR7820	270	RDTAHW3142(L/R)	370
RCFS6813Y(L/R)M	356	RDHMH8422	273	RDHMR7822	271	RDTAHW3156(L/R)	370
RCFS6813Y(L/R)W	362	RDHMH8423	273	RDHMR7830	270	RDTAHW6142(L/R)	370
RCFS6813Z(L/R)M	356	RDHMH8424	273	RDHMR7840	270	RDTAHW6156(L/R)	370
RCFS6813Z(L/R)W	362	RDHMH8430	274	RDHMR8410	270	RDTCE3010	534
RCFS6832V(L/R)M	357	RDHMH8440	274	RDHMR8411	271	RDTCE3610	534
RCFS6832V(L/R)W	363	RDHMH9010	274	RDHMR8412	271	RDTCE6010	534
RCFS6832W(L/R)M	357	RDHMH9011	273	RDHMR8414	271	RDTCE7210	534
RCFS6832W(L/R)W	363	RDHMH9012	273	RDHMR8420	270	RDTCE22120	467
RCFS6832X(L/R)M	357	RDHMH9013	273	RDHMR8422	271	RDTCE2272	467
RCFS6832X(L/R)W	363	RDHMH9014	273	RDHMR8423	271	RDTCE22H	467
RCFS6833V(L/R)M	357	RDHMH9020	274	RDHMR8430	270	RDTCE33120	467
RCFS6833V(L/R)W	363	RDHMH9022	273	RDHMR8440	270	RDTCE3372	467
RCFS6833W(L/R)M	357	RDHMH9023	273	RDHMR9010	270	RDTCE33H	467
RCFS6833W(L/R)W	363	RDHMH9024	273	RDHMR9011	271	RDTCE06010	534
RCFS6833X(L/R)M	357	RDHMH9030	274	RDHMR9012	271	RDTCE07210	534
RCFS6833X(L/R)W	363	RDHMH9033	273	RDHMR9013	271	RDTDBW3142	367
RCOUNTWT	286, 287, 296, 304	RDHMH9040	274	RDHMR9014	271	RDTDBW3156	367
RCP41-(F/L/1/2/3)*	114	RDHMH9610	274	RDHMR9020	270	RDTDBW6142	367
RCP56-(F/L/1/2/3)*	114	RDHMH9611	273	RDHMR9022	271	RDTDBW6156	367
RCP71-(F/L/1/2/3)*	114	RDHMH9612	273	RDHMR9023	271	RDTDCFM(L/R)5430	237
RCP78-(F/L/1/2/3)*	114	RDHMH9613	273	RDHMR9024	271	RDTDCFM(L/R)5436	237
RCS3L6024K(A,B,W)	447, 448, 449	RDHMH9614	273	RDHMR9030	270	RDTDCFM(L/R)6030	237
RCS3L7224K(A,B,W)	447, 448, 449	RDHMH9620	274	RDHMR9040	270	RDTDCFM(L/R)6036	237
RCS3L8424K(A,B,W)	447, 448, 449	RDHMH9622	273	RDHMR9610	270	RDTDCFM(L/R)6630	237
RCS3L9624K(A,B,W)	447, 448, 449	RDHMH9623	273	RDHMR9611	271	RDTDCFM(L/R)6636	237
RCS6L6024K(A,B,W)	447, 448, 449	RDHMH9624	273	RDHMR9612	271	RDTDCFM(L/R)7230	237
RCS6L7224K(A,B,W)	447, 448, 449	RDHMH9630	274	RDHMR9613	271	RDTDCFM(L/R)7236	237
RCS6L8424K(A,B,W)	447, 448, 449	RDHMH9633	273	RDHMR9614	271	RDTDCFM(L/R)7830	237
RCS6L9624K(A,B,W)	447, 448, 449	RDHMH9640	274	RDHMR9620	270	RDTDCFM(L/R)7836	237
RCS6L9624K(A,B,W)	447, 448, 449	RDHMLD	296	RDHMR9622	271	RDTDCFM(L/R)8430	237
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10210	270	RDHMR9623	271	RDTDCFM(L/R)8436	237
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10211	271	RDHMR9624	271	RDTDCPC(L/R)6630	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10212	271	RDHMR9630	270	RDTDCPC(L/R)6636	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10213	271	RDHMR9633	271	RDTDCPC(L/R)7230	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10214	271	RDHMR9640	270	RDTDCPC(L/R)7236	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10220	270	RDHPM26	275	RDTDCPC(L/R)7830	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10222	271	RDHPM32	275	RDTDCPC(L/R)7836	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10223	271	RDHPM38	275	RDTDCPC(L/R)8430	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10224	271	RDHPM44	275	RDTDCPC(L/R)8436	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10230	270	RDHPM50	275	RDTDCPC(L/R)9030	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10233	271	RDHPM56	275	RDTDCPC(L/R)9036	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10240	270	RDHPM62	275	RDTDCPC(L/R)9630	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10810	270	RDHPM68	275	RDTDCPC(L/R)9636	235
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10811	272	RDHPM74	275	RDTDCST(L/R)6630	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10812	272	RDSP6030J(A,B,W)	438, 439, 440	RDTDCST(L/R)6636	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10813	272	RDSP6036J(A,B,W)	438, 439, 440	RDTDCST(L/R)7230	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10814	272	RDSP7230J(A,B,W)	438, 439, 440	RDTDCST(L/R)7236	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10820	270	RDSP7236J(A,B,W)	438, 439, 440	RDTDCST(L/R)7830	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10822	272	RDSP8430J(A,B,W)	438, 439, 440	RDTDCST(L/R)7836	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10823	272	RDSP8436J(A,B,W)	438, 439, 440	RDTDCST(L/R)8430	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10824	272	RDSP9630J(A,B,W)	438, 439, 440	RDTDCST(L/R)8436	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10830	270	RDSP9636J(A,B,W)	438, 439, 440	RDTDCST(L/R)9030	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10833	271	RDTAGC3142(L/R)	369	RDTDCST(L/R)9036	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR10840	270	RDTAGC3156(L/R)	369	RDTDCST(L/R)9630	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR7210	270	RDTAGG6142(L/R)	369	RDTDCST(L/R)9636	236
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR7211	271	RDTAGG6156(L/R)	369	RDTDCW3142	369
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR7212	271	RDTACW3142(L/R)	369	RDTDCW3156	369
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR7220	270	RDTAGW3156(L/R)	369	RDTDCW6142	369
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR7222	271	RDTAGW6142(L/R)	369	RDTDCW6156	369
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR7230	270	RDTAGW6156(L/R)	369	RDTDHW3142	368
RCS6L9624K(A,B,W)	447, 448, 449	RDHMR7240	270	RDTAHC3142(L/R)	370	RDTDHW3156	368

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RDTDHW6142	368	RFTCWA2120	119	RGAL493	432	RCTL4636	433
RDTDHW6156	368	RFTCWA2124	119	RGAL551	432	RCR4636	433
RDTE22120	467	RFTCWA2130	119	RGAL552	432	RHSC15	118
RDTE2272	467	RFTCWA2136	119	RGAL553	432	RHSC250	118
RDTE22H	467	RFTCWA2142	119	RGAL611	432	RHSC70	118
RDTGA	468	RFTCWA2148	119	RGAL612	432	RIB24T	260
RDTGB	468	RFTCWA2518	120	RGAL613	432	RIB28X	262
RDTGC	468	RFTCWA2520	120	RGAL671	432	RIB32X	262
RDTSBWG142	364	RFTCWA2524	120	RGAL672	432	RIBDH24T	264
RDTSBWG156	364	RFTCWA2530	120	RGAL673	432	RIBDH28X	266
RDTSBWT142	364	RFTCWA2536	120	RGAL731	432	RIBDH32X	266
RDTSBWT156	364	RFTCWA2542	120	RGAL732	432	RIP1201	240
RDTSCWG142(L/R)	366	RFTCWA2548	120	RGAL733	432	RIP1202	241
RDTSCWG156(L/R)	366	RFTCWA3718	121	RGAL791	432	RIP1241	240
RDTSGWT142(L/R)	366	RFTCWA3720	121	RGAL792	432	RIP1242	241
RDTSGWT156(L/R)	366	RFTCWA3724	121	RGAL793	432	RIP1301	240
RDTSHWG142(L/R)	365	RFTCWA3730	121	RGAL851	432	RIP1302	241
RDTSHWG156(L/R)	365	RFTCWA3736	121	RGAL852	432	RIP1361	240
RDTSHWT142(L/R)	365	RFTCWA3742	121	RGAL853	432	RIP1362	241
RDTSHWT156(L/R)	365	RFTCWA3748	121	RGAL911	432	RIPO201	240
RDTSTE33120	467	RFTCWB2130	119	RGAL912	432	RIPO202	241
RDTSTE3372	467	RFTCWB2136	119	RGAL913	432	RIPO241	240
RDTSTE33H	467	RFTCWB2142	119	RGAL971	432	RIPO242	241
RE12F	256	RFTCWB2148	119	RGAL972	432	RIPO301	240
RE15F	256	RFTCWB2530	120	RGAL973	432	RIPO302	241
RE19F	256	RFTCWB2536	120	RGAR431	431	RIPO361	240
RE23F	256	RFTCWB2542	120	RGAR432	431	RIPO362	241
RE29F	256	RFTCWB2548	120	RGAR433	431	RIPOC201	240
RE30	256	RFTCWB3730	121	RGAR491	431	RIPOC202	241
RE36	256	RFTCWB3736	121	RGAR492	431	RIPOC241	240
REBA6030	152	RFTCWB3742	121	RGAR493	431	RIPOC242	241
REBA7242	152	RFTCWB3748	121	RGAR551	431	RIPOC301	240
REBA7848	152	RFTCWS21S	126	RGAR552	431	RIPOC302	241
REBA(A/B/C/D/E/F/G)A6030	169	RFTCWS25S	126	RGAR553	431	RIPOC361	240
REBA(A/B/C/D/E/F/G)A7242	169	RFTCWS37S	126	RGAR611	431	RIPOC362	241
REBA(A/B/C/D/E/F/G)A7848	169	RFTCWT (Pair)	126	RGAR612	431	RIPPEI202	226
REBAWA6030	188	RGAB421	430	RGAR613	431	RIPPEI242	226
REBAWA7242	188	RGAB481	430	RGAR671	431	RIPPEI302	226
REBAWA7848	188	RGAB541	430	RGAR672	431	RIPPEI362	226
REBH24	188	RGAB601	430	RGAR673	431	RIPPEO202	226
REBH30	188	RGAB661	430	RGAR731	431	RIPPEO242	226
REDH12F	258	RGAB721	430	RGAR732	431	RIPPEO302	226
REDH15F	258	RGAB781	430	RGAR733	431	RIPPEO362	226
REDH19F	258	RGAB841	430	RGAR791	431	RIPPEOC202	226
REDH23F	258	RGAB901	430	RGAR792	431	RIPPEOC242	226
REDH29F	258	RGAB961	430	RGAR793	431	RIPPEOC302	226
REDH30	258	RCAF622	430	RGAR851	431	RIPPEOC362	226
REDH36	258	RCAF623	430	RGAR852	431	RJBU24	466
REDHBH124	259	RCAF682	430	RGAR853	431	RJBU30	466
REDHBH130	259	RCAF683	430	RGAR911	431	RJBU36	466
RFDR30	478	RCAF742	430	RGAR912	431	RJBU42	466
RFDR36	478	RCAF743	430	RGAR913	431	RJBU48	466
RFDR42	478	RCAF802	430	RGAR971	431	RJBU54	466
RFDR48	478	RCAF803	430	RGAR972	431	RJBU60	466
RFDR60	478	RCAF862	430	RGAR973	431	RJBU66	466
RFDR72	478	RCAF863	430	RGMD6	134	RJBU72	466
RFDR84	478	RCAF922	430	RGMD8	134	RJBW24	466
RFDR96	478	RCAF923	430	RGMDE	134	RJBW30	466
RFTCC108	126	RCAF982	430	RGS60	430	RJBW36	466
RFTCCCLIPS	126	RCAF983	430	RGS66	430	RJBW42	466
RFTCDR (Pair)	126	RGAL431	432	RGS72	430	RJBW48	466
RFTCG1 (Pair)	126	RGAL432	432	RGS78	430	RJBW54	466
RFTCSM (Pair) for G2 only	126	RGAL433	432	RGS84	430	RJBW60	466
RFTCSPACE	126	RGAL491	432	RGS90	430	RJBW66	466
RFTCWA2118	119	RGAL492	432	RGS96	430	RJBW72	466

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RKA 363611	141	RMB(A)8436	153	RMDAWF5430	185	ROAF72S0()	376
RKA 363612	141	RMB(A)9630	153	RMDAWF5436	185	ROAF72S1()	376
RKA 363621	142	RMB(A)9636	153	RMDAWF6030	185	ROAF84S0()	376
RKA 363622	141	RMBA(A/B/C/D/E/F/G)A7230	169	RMDAWF6036	185	ROAF84S1()	376
RKA 364211	141	RMBA(A/B/C/D/E/F/G)A7236	169	RMDAWF6630	185	ROAF96S0()	376
RKA 364212	141	RMBA(A/B/C/D/E/F/G)A8430	169	RMDAWF6636	185	ROAF96S1()	376
RKA 364221	142	RMBA(A/B/C/D/E/F/G)A8436	169	RMDAWF7230	185	ROAH60T0()	376
RKA 364222	141	RMBA(A/B/C/D/E/F/G)A9630	169	RMDAWF7236	185	ROAH60T1()	376
RKA 364811	141	RMBA(A/B/C/D/E/F/G)A9636	169	RMDAWF7830	185	ROAH72T0()	376
RKA 364812	141	RMBAWA7230	187	RMDAWF7836	185	ROAH72T1()	376
RKA 364821	142	RMBAWA7236	187	RMDAWF8430	185	ROAH90T0()	376
RKA 364822	141	RMBAWA8430	187	RMDAWF8436	185	ROAH90T1()	376
RKA 423611	141	RMBAWA8436	187	RMDAWF9030	185	ROAH96T0()	376
RKA 423612	141	RMBAWA9630	187	RMDAWF9036	185	ROAH96T1()	376
RKA 423621	142	RMBAWA9636	187	RMDAWF9630	185	ROAO60T0()	376
RKA 423622	141	RMDA4221	150	RMDAWF9636	185	ROAO60T1()	376
RKA 424211	141	RMDA4230	150	RMPA4230	151	ROAO72T0()	376
RKA 424212	141	RMDA4236	150	RMPA4836	151	ROAO72T1()	376
RKA 424221	142	RMDA4830	150	RMPA8430	152	ROAO90T0()	376
RKA 424222	141	RMDA4836	150	RMPA9630	152	ROAO90T1()	376
RKA 424811	141	RMDA5025	150	RMPA(A/B/C/D/E/F/G)F4230	168	ROAO96T0()	376
RKA 424812	141	RMDA5430	150	RMPA(A/B/C/D/E/F/G)F4836	168	ROAO96T1()	376
RKA 424821	142	RMDA5436	150	RMPA(A/B/C/D/E/F/G)F8430	168	ROCCDHP301	397
RKA 424822	141	RMDA6030	150	RMPA(A/B/C/D/E/F/G)F9630	168	ROCCDHP361	397
RKA 483611	141	RMDA6036	150	RMPAWF4230	186	ROCCDHP421	397
RKA 483612	141	RMDA6630	150	RMPAWF8430	186	ROCCDHP481	397
RKA 483621	142	RMDA6636	150	RMPAWF9630	186	ROCCDHP541	397
RKA 483622	141	RMDA7230	150	RMPU	303	ROCCDHP601	397
RKA 484211	141	RMDA7236	150	RMSCB	252	ROCCDHP661	397
RKA 484212	141	RMDA7830	150	RO1-GB	417	ROCCDHP721	397
RKA 484221	142	RMDA7836	150	RO1-HP12	412, 414, 415	ROCCDHP781	397
RKA 484222	141	RMDA8430	150	RO1-HP15	412, 414, 415	ROCCDHP841	397
RKA 484811	141	RMDA8436	150	RO1-HP6	412, 414, 415	ROCCDHP901	397
RKA 484812	141	RMDA9030	150	RO1-HP9	412, 414, 415	ROCCDHP961	397
RKA 484821	142	RMDA9036	150	RO1-PULL	417	ROCCSHP301	385
RKA 484822	141	RMDA9630	150	RO1-RCB	416	ROCCSHP361	385
RKBA1020	462	RMDA9636	150	RO1-RPB	416	ROCCSHP421	385
RKBA1022	462	RMDA(A/B/C/D/E/F/G)F4221	167	RO1-WMF2	417	ROCCSHP481	385
RKT31	462	RMDA(A/B/C/D/E/F/G)F4230	167	RO1-WMF3	417	ROCCSHP541	385
RLCCT3018	309	RMDA(A/B/C/D/E/F/G)F4236	167	RO1-WMF4	417	ROCCSHP601	385
RLCCT3022	309	RMDA(A/B/C/D/E/F/G)F4830	167	RO3-M24	411	ROCCSHP661	385
RLCCT3618	309	RMDA(A/B/C/D/E/F/G)F4836	167	RO3-M30	411	ROCCSHP721	385
RLCCT3622	309	RMDA(A/B/C/D/E/F/G)F5025	167	RO3-M36	411	ROCCSHP781	385
RLCGT301	308	RMDA(A/B/C/D/E/F/G)F5430	167	RO3-M42	411	ROCCSHP841	385
RLCGT361	308	RMDA(A/B/C/D/E/F/G)F5436	167	RO3-M48	411	ROCCSHP901	385
RLCGT601	308	RMDA(A/B/C/D/E/F/G)F6030	167	RO3-M60	411, 412	ROCCSHP961	385
RLCGT721	308	RMDA(A/B/C/D/E/F/G)F6036	167	RO3-M66	411, 412	ROCGHCDHP301	396
RM111J	286, 287	RMDA(A/B/C/D/E/F/G)F6630	167	RO3-M72	411, 412	ROCGHCDHP361	396
RM112J	286, 287	RMDA(A/B/C/D/E/F/G)F6636	167	RO3-N24	413	ROCGHCDHP421	396
RM212J	286, 287	RMDA(A/B/C/D/E/F/G)F7230	167	RO3-N30	413	ROCGHCDHP481	396
RM212K	286, 287	RMDA(A/B/C/D/E/F/G)F7236	167	RO3-N36	413	ROCGHCDHP541	396
RM9A4230	151	RMDA(A/B/C/D/E/F/G)F7830	167	RO3-N42	413	ROCGHCDHP601	396
RM9A4836	151	RMDA(A/B/C/D/E/F/G)F7836	167	RO3-N48	413	ROCGHCDHP661	396
RM9A8430	151	RMDA(A/B/C/D/E/F/G)F8430	167	RO3-N60	413	ROCGHCDHP721	396
RM9A9630	151	RMDA(A/B/C/D/E/F/G)F8436	167	RO3-N66	413	ROCGHCDHP781	396
RM9A(A/B/C/D/E/F/G)F4230	168	RMDA(A/B/C/D/E/F/G)F9030	167	RO3-N72	413	ROCGHCDHP841	396
RM9A(A/B/C/D/E/F/G)F4836	168	RMDA(A/B/C/D/E/F/G)F9036	167	RO3-ON30	415	ROCGHCDHP901	396
RM9A(A/B/C/D/E/F/G)F8430	168	RMDA(A/B/C/D/E/F/G)F9630	167	RO3-ON36	415	ROCGHCDHP961	396
RM9A(A/B/C/D/E/F/G)F9630	168	RMDA(A/B/C/D/E/F/G)F9636	167	RO3-ON42	415	ROCGHCSHP301	387
RM9AWF4230	186	RMDAWF4221	185	RO3-ON48	415	ROCGHCSHP361	387
RM9AWF8430	186	RMDAWF4230	185	RO3-ON60	415	ROCGHCSHP421	387
RM9AWF9630	186	RMDAWF4236	185	RO3-ON72	415	ROCGHCSHP481	387
RMB(A)7230	153	RMDAWF4830	185	RO3-VP	412, 415	ROCGHCSHP541	387
RMB(A)7236	153	RMDAWF4836	185	ROAF60S0()	376	ROCGHCSHP601	387
RMB(A)8430	153	RMDAWF5025	185	ROAF60S1()	376	ROCGHCSHP661	387

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROCGCSHP721	387	ROCHCDHP781	395	ROCOCDHP961	397	ROHGHOHC721DH	405
ROCGCSHP781	387	ROCHCDHP841	395	ROCOCSHP301	385	ROHGHOHC781DH	405
ROCGCSHP841	387	ROCHCDHP901	395	ROCOCSHP361	385	ROHGHOHC841DH	405
ROCGCSHP901	387	ROCHCDHP961	395	ROCOCSHP421	385	ROHGHOHC901DH	405
ROCGCSHP961	387	ROCHCSHP301	386	ROCOCSHP481	385	ROHGHOHC961DH	405
ROCGHDHP301	396	ROCHCSHP361	386	ROCOCSHP541	385	ROHGSHC601DH	404
ROCGHDHP361	396	ROCHCSHP421	386	ROCOCSHP601	385	ROHGSHC661DH	404
ROCGHDHP421	396	ROCHCSHP481	386	ROCOCSHP661	385	ROHGSHC721DH	404
ROCGHDHP481	396	ROCHCSHP541	386	ROCOCSHP721	385	ROHGSHC781DH	404
ROCGHDHP541	396	ROCHCSHP601	386	ROCOCSHP781	385	ROHGSHC841DH	404
ROCGHDHP601	396	ROCHCSHP661	386	ROCOCSHP841	385	ROHGSHC901DH	404
ROCGHDHP661	396	ROCHCSHP721	386	ROCOCSHP901	385	ROHGSHC961DH	404
ROCGHDHP721	396	ROCHCSHP781	386	ROCOCSHP961	385	ROHHCDHC601DH	407
ROCGHDHP781	396	ROCHCSHP841	386	ROHDR30	478	ROHHCDHC661DH	407
ROCGHDHP841	396	ROCHCSHP901	386	ROHDR36	478	ROHHCDHC721DH	407
ROCGHDHP901	396	ROCHCSHP961	386	ROHDR42	478	ROHHCDHC781DH	407
ROCGHDHP961	396	ROCHDHP301	395	ROHDR48	478	ROHHCDHC841DH	407
ROCGHODHP601	399	ROCHDHP361	395	ROHDR60	478	ROHHCDHC901DH	407
ROCGHODHP661	399	ROCHDHP421	395	ROHDR72	478	ROHHCDHC961DH	407
ROCGHODHP721	399	ROCHDHP481	395	ROHDR90	478	ROHHCSHC601DH	403
ROCGHODHP781	399	ROCHDHP541	395	ROHDR96	478	ROHHCSHC661DH	403
ROCGHODHP841	399	ROCHDHP601	395	ROHGCDHC601DH	408	ROHHCSHC721DH	403
ROCGHODHP901	399	ROCHDHP661	395	ROHGCDHC661DH	408	ROHHCSHC781DH	403
ROCGHODHP961	399	ROCHDHP721	395	ROHGCDHC721DH	408	ROHHCSHC841DH	403
ROCGHOCSDHP601	389	ROCHDHP781	395	ROHGCDHC781DH	408	ROHHCSHC901DH	403
ROCGHOCSDHP661	389	ROCHDHP841	395	ROHGCDHC841DH	408	ROHHCSHC961DH	403
ROCGHOCSDHP721	389	ROCHDHP901	395	ROHGCDHC901DH	408	ROHHDC601DH	407
ROCGHOCSDHP781	389	ROCHDHP961	395	ROHGCDHC961DH	408	ROHHDC661DH	407
ROCGHOCSDHP841	389	ROCHODHP601	398	ROHGCHSC601DH	404	ROHHDC721DH	407
ROCGHOCSDHP901	389	ROCHODHP661	398	ROHGCHSC661DH	404	ROHHDC781DH	407
ROCGHOCSDHP961	389	ROCHODHP721	398	ROHGCHSC721DH	404	ROHHDC841DH	407
ROCGHODHP601	399	ROCHODHP781	398	ROHGCHSC781DH	404	ROHHDC901DH	407
ROCGHODHP661	399	ROCHODHP841	398	ROHGCHSC841DH	404	ROHHDC961DH	407
ROCGHODHP721	399	ROCHODHP901	398	ROHGCHSC901DH	404	ROHHDS601DH(A/D)(N/F)	401
ROCGHODHP781	399	ROCHODHP961	398	ROHGCHSC961DH	404	ROHHDS661DH(A/D)(N/F)	401
ROCGHODHP841	399	ROCHOCSHP601	388	ROHGCHDHC601DH	408	ROHHDS721DH(A/D)(N/F)	401
ROCGHODHP901	399	ROCHOCSHP661	388	ROHGCHDHC661DH	408	ROHHDS781DH(A/D)(N/F)	401
ROCGHODHP961	399	ROCHOCSHP721	388	ROHGCHDHC721DH	408	ROHHDS841DH(A/D)(N/F)	401
ROCGHOSHHP601	389	ROCHOCSHP781	388	ROHGCHDHC781DH	408	ROHHDS901DH(A/D)(N/F)	401
ROCGHOSHHP661	389	ROCHOCSHP841	388	ROHGCHDHC841DH	408	ROHHDS961DH(A/D)(N/F)	401
ROCGHOSHHP721	389	ROCHOCSHP901	388	ROHGHDHC901DH	408	ROHHODHC601DH	410
ROCGHOSHHP781	389	ROCHOCSHP961	388	ROHGHDHC961DH	408	ROHHODHC661DH	410
ROCGHOSHHP841	389	ROCHSHP301	386	ROHGHOCDHC601DH	409	ROHHODHC721DH	410
ROCGHOSHHP901	389	ROCHSHP361	386	ROHGHOCDHC661DH	409	ROHHODHC781DH	410
ROCGHOSHHP961	389	ROCHSHP421	386	ROHGHOCDHC721DH	409	ROHHODHC841DH	410
ROCGHSHP301	387	ROCHSHP481	386	ROHGHOCDHC781DH	409	ROHHODHC901DH	410
ROCGHSHP361	387	ROCHSHP541	386	ROHGHOCDHC841DH	409	ROHHODHC961DH	410
ROCGHSHP421	387	ROCHSHP601	386	ROHGHOCDHC901DH	409	ROHHOSHC601DH	406
ROCGHSHP481	387	ROCHSHP661	386	ROHGHOCDHC961DH	409	ROHHOSHC661DH	406
ROCGHSHP541	387	ROCHSHP721	386	ROHGHOCSHC601DH	405	ROHHOSHC721DH	406
ROCGHSHP601	387	ROCHSHP781	386	ROHGHOCSHC661DH	405	ROHHOSHC781DH	406
ROCGHSHP661	387	ROCHSHP841	386	ROHGHOCSHC721DH	405	ROHHOSHC841DH	406
ROCGHSHP721	387	ROCHSHP901	386	ROHGHOCSHC781DH	405	ROHHOSHC901DH	406
ROCGHSHP781	387	ROCHSHP961	386	ROHGHOCSHC841DH	405	ROHHOSHC961DH	406
ROCGHSHP841	387	ROCOCDHP301	397	ROHGHOCSHC901DH	405	ROHHODHC601DH	410
ROCGHSHP901	387	ROCOCDHP361	397	ROHGHOCSHC961DH	405	ROHHODHC661DH	410
ROCGHSHP961	387	ROCOCDHP421	397	ROHGHOCDHC601DH	409	ROHHODHC721DH	410
ROCHCDHP301	395	ROCOCDHP481	397	ROHGHOCDHC661DH	409	ROHHODHC781DH	410
ROCHCDHP361	395	ROCOCDHP541	397	ROHGHOCDHC721DH	409	ROHHODHC841DH	410
ROCHCDHP421	395	ROCOCDHP601	397	ROHGHOCDHC781DH	409	ROHHODHC901DH	410
ROCHCDHP481	395	ROCOCDHP661	397	ROHGHOCDHC841DH	409	ROHHODHC961DH	410
ROCHCDHP541	395	ROCOCDHP721	397	ROHGHOCDHC901DH	409	ROHHOSHC601DH	406
ROCHCDHP601	395	ROCOCDHP781	397	ROHGHOCDHC961DH	409	ROHHOSHC661DH	406
ROCHCDHP661	395	ROCOCDHP841	397	ROHGHOCDHC601DH	405	ROHHOSHC721DH	406
ROCHCDHP721	395	ROCOCDHP901	397	ROHGHOCDHC661DH	405	ROHHOSHC781DH	406

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROHHOSHC841DH	406	ROMCGDHP661	392	ROMDHMTF196RR	473	ROMGCHDHP901	391
ROHHOSHC901DH	406	ROMCGDHP721	392	ROMDHWTF130RB	474	ROMGCHDHP961	391
ROHHOSHC961DH	406	ROMCGDHP781	392	ROMDHWTF130RL	474	ROMGCHSHP301	382
ROHHSHC601DH	403	ROMCGDHP841	392	ROMDHWTF130RN	474	ROMGCHSHP361	382
ROHHSHC661DH	403	ROMCGDHP901	392	ROMDHWTF130RR	475	ROMGCHSHP421	382
ROHHSHC721DH	403	ROMCGDHP961	392	ROMDHWTF136RB	474	ROMGCHSHP481	382
ROHHSHC781DH	403	ROMCCSHP301	380	ROMDHWTF136RL	474	ROMGCHSHP541	382
ROHHSHC841DH	403	ROMCCSHP361	380	ROMDHWTF136RN	474	ROMGCHSHP601	382
ROHHSHC901DH	403	ROMCCSHP421	380	ROMDHWTF136RR	475	ROMGCHSHP661	382
ROHHSHC961DH	403	ROMCCSHP481	380	ROMDHWTF142RB	474	ROMGCHSHP721	382
ROHSHS601DH(A/D)(N/F)	400	ROMCCSHP541	380	ROMDHWTF142RL	474	ROMGCHSHP781	382
ROHSHS661DH(A/D)(N/F)	400	ROMCCSHP601	380	ROMDHWTF142RN	474	ROMGCHSHP841	382
ROHSHS721DH(A/D)(N/F)	400	ROMCCSHP661	380	ROMDHWTF142RR	475	ROMGCHSHP901	382
ROHSHS781DH(A/D)(N/F)	400	ROMCCSHP721	380	ROMDHWTF148RB	474	ROMGCHSHP961	382
ROHSHS841DH(A/D)(N/F)	400	ROMCCSHP781	380	ROMDHWTF148RL	474	ROMGHDHP301	391
ROHSHS901DH(A/D)(N/F)	400	ROMCCSHP841	380	ROMDHWTF148RN	474	ROMGHDHP361	391
ROHSHS961DH(A/D)(N/F)	400	ROMCCSHP901	380	ROMDHWTF148RR	475	ROMGHDHP421	391
ROHMTF160	476	ROMCCSHP961	380	ROMDHWTF154RB	474	ROMGHDHP481	391
ROHMTF166	476	ROMDHMTF130RB	472	ROMDHWTF154RL	474	ROMGHDHP541	391
ROHMTF172	476	ROMDHMTF130RL	472	ROMDHWTF154RN	474	ROMGHDHP601	391
ROHMTF178	476	ROMDHMTF130RN	472	ROMDHWTF154RR	475	ROMGHDHP661	391
ROHMTF184	476	ROMDHMTF130RR	473	ROMDHWTF160RB	474	ROMGHDHP721	391
ROHMTF190	476	ROMDHMTF136RB	472	ROMDHWTF160RL	474	ROMGHDHP781	391
ROHMTF196	476	ROMDHMTF136RL	472	ROMDHWTF160RN	474	ROMGHDHP841	391
ROHODHC601DH	402	ROMDHMTF136RN	472	ROMDHWTF160RR	475	ROMGHDHP901	391
ROHODHC661DH	402	ROMDHMTF136RR	473	ROMDHWTF166RB	474	ROMGHDHP961	391
ROHODHC721DH	402	ROMDHMTF142RB	472	ROMDHWTF166RL	474	ROMGHODHP601	394
ROHODHC781DH	402	ROMDHMTF142RL	472	ROMDHWTF166RN	474	ROMGHODHP661	394
ROHODHC841DH	402	ROMDHMTF142RN	472	ROMDHWTF166RR	475	ROMGHODHP721	394
ROHODHC901DH	402	ROMDHMTF142RR	473	ROMDHWTF172RB	474	ROMGHODHP781	394
ROHODHC961DH	402	ROMDHMTF148RB	472	ROMDHWTF172RL	474	ROMGHODHP841	394
ROHODHS601DH(A/D)(N/F)	401	ROMDHMTF148RL	472	ROMDHWTF172RN	474	ROMGHODHP901	394
ROHODHS661DH(A/D)(N/F)	401	ROMDHMTF148RN	472	ROMDHWTF172RR	475	ROMGHODHP961	394
ROHODHS721DH(A/D)(N/F)	401	ROMDHMTF148RR	473	ROMDHWTF178RB	474	ROMGHOCSDHP601	384
ROHODHS781DH(A/D)(N/F)	401	ROMDHMTF154RB	472	ROMDHWTF178RL	474	ROMGHOCSDHP661	384
ROHODHS841DH(A/D)(N/F)	401	ROMDHMTF154RL	472	ROMDHWTF178RN	474	ROMGHOCSDHP721	384
ROHODHS901DH(A/D)(N/F)	401	ROMDHMTF154RN	472	ROMDHWTF178RR	475	ROMGHOCSDHP781	384
ROHODHS961DH(A/D)(N/F)	401	ROMDHMTF154RR	473	ROMDHWTF184RB	474	ROMGHOCSDHP841	384
ROHOSH601DH	402	ROMDHMTF160RB	472	ROMDHWTF184RL	474	ROMGHOCSDHP901	384
ROHOSH661DH	402	ROMDHMTF160RL	472	ROMDHWTF184RN	474	ROMGHOCSDHP961	384
ROHOSH721DH	402	ROMDHMTF160RN	472	ROMDHWTF184RR	475	ROMGHODHP601	394
ROHOSH781DH	402	ROMDHMTF160RR	473	ROMDHWTF190RB	474	ROMGHODHP661	394
ROHOSH841DH	402	ROMDHMTF166RB	472	ROMDHWTF190RL	474	ROMGHODHP721	394
ROHOSH901DH	402	ROMDHMTF166RL	472	ROMDHWTF190RN	474	ROMGHODHP781	394
ROHOSH961DH	402	ROMDHMTF166RN	472	ROMDHWTF190RR	475	ROMGHODHP841	394
ROHOSHS601DH(A/D)(N/F)	400	ROMDHMTF166RR	473	ROMDHWTF196RB	474	ROMGHODHP901	394
ROHOSHS661DH(A/D)(N/F)	400	ROMDHMTF172RB	472	ROMDHWTF196RL	474	ROMGHODHP961	394
ROHOSHS721DH(A/D)(N/F)	400	ROMDHMTF172RL	472	ROMDHWTF196RN	474	ROMGHOSH601	384
ROHOSHS781DH(A/D)(N/F)	400	ROMDHMTF172RN	472	ROMDHWTF196RR	475	ROMGHOSH661	384
ROHOSHS841DH(A/D)(N/F)	400	ROMDHMTF172RR	473	ROMF30S0()	371	ROMGHOSH721	384
ROHOSHS901DH(A/D)(N/F)	400	ROMDHMTF178RB	472	ROMF36S0()	371	ROMGHOSH781	384
ROHOSHS961DH(A/D)(N/F)	400	ROMDHMTF178RL	472	ROMF42S0()	371	ROMGHOSH841	384
ROHWT160	477	ROMDHMTF178RN	472	ROMF48S0()	371	ROMGHOSH901	384
ROHWT166	477	ROMDHMTF178RR	473	ROMF60S0()	371	ROMGHOSH961	384
ROHWT172	477	ROMDHMTF184RB	472	ROMF72S0()	371	ROMGHSHP301	382
ROHWT178	477	ROMDHMTF184RL	472	ROMGCHDHP301	391	ROMGHSHP361	382
ROHWT184	477	ROMDHMTF184RN	472	ROMGCHDHP361	391	ROMGHSHP421	382
ROHWT190	477	ROMDHMTF184RR	473	ROMGCHDHP421	391	ROMGHSHP481	382
ROHWT196	477	ROMDHMTF190RB	472	ROMGCHDHP481	391	ROMGHSHP541	382
ROMCGDHP301	392	ROMDHMTF190RL	472	ROMGCHDHP541	391	ROMGHSHP601	382
ROMCGDHP361	392	ROMDHMTF190RN	472	ROMGCHDHP601	391	ROMGHSHP661	382
ROMCGDHP421	392	ROMDHMTF190RR	473	ROMGCHDHP661	391	ROMGHSHP721	382
ROMCGDHP481	392	ROMDHMTF196RB	472	ROMGCHDHP721	391	ROMGHSHP781	382
ROMCGDHP541	392	ROMDHMTF196RL	472	ROMGCHDHP781	391	ROMGHSHP841	382
ROMCGDHP601	392	ROMDHMTF196RN	472	ROMGCHDHP841	391	ROMGHSHP901	382

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROMGHSHP961	382	ROMHSHP901	381	ROPS48S0NN	373	RP211J	276, 279
ROMH30S0()	371	ROMHSHP961	381	ROPS54S0NN	373	RP211K	276, 279
ROMH36S0()	371	ROMO30S0()	371	ROPS60S0NN	373	RP211L(L/R)	282, 284
ROMH60S0()	371	ROMO36S0()	371	ROPS66S0NN	373	RP211M	282, 284
ROMH72S0()	371	ROMO42S0()	371	ROPS72S0NN	373	RP212J	276, 279
ROMHCDHP301	390	ROMO48S0()	371	ROPS78S0NN	373	RP212K	276, 279
ROMHCDHP361	390	ROMO60S0()	371	ROPS84S0NN	373	RP212L(L/R)	282, 284
ROMHCDHP421	390	ROMO72S0()	371	ROPS90S0NN	373	RP212M	282, 284
ROMHCDHP481	390	ROMOCDHP301	392	ROPS96S0NN	373	RP213J	276, 279
ROMHCDHP541	390	ROMOCDHP361	392	ROSDH821	399	RP213K	276, 279
ROMHCDHP601	390	ROMOCDHP421	392	ROSSH681	399	RP213L(L/R)	282, 284
ROMHCDHP661	390	ROMOCDHP481	392	ROWH60S0()	374	RP213M	282, 284
ROMHCDHP721	390	ROMOCDHP541	392	ROWH60S1()	374	RP221J	278, 281
ROMHCDHP781	390	ROMOCDHP601	392	ROWH60T0()	374	RP221K	278, 281
ROMHCDHP841	390	ROMOCDHP661	392	ROWH60T1()	374	RP222J	278, 281
ROMHCDHP901	390	ROMOCDHP721	392	ROWH72S0()	374	RP222K	278, 281
ROMHCDHP961	390	ROMOCDHP781	392	ROWH72S1()	374	RP223J	278, 281
ROMHCSHP301	381	ROMOCDHP841	392	ROWH72T0()	374	RP223K	278, 281
ROMHCSHP361	381	ROMOCDHP901	392	ROWH72T1()	374	RP231K	276, 279
ROMHCSHP421	381	ROMOCDHP961	392	ROWH90S0()	374	RP231L	282, 284
ROMHCSHP481	381	ROMOCSHP301	380	ROWH90S1()	374	RP231M	282, 284
ROMHCSHP541	381	ROMOCSHP361	380	ROWH90T0()	374	RP232K	276, 279
ROMHCSHP601	381	ROMOCSHP421	380	ROWH90T1()	374	RP232L	282, 284
ROMHCSHP661	381	ROMOCSHP481	380	ROWH96S0()	374	RP232M	282, 284
ROMHCSHP721	381	ROMOCSHP541	380	ROWH96S1()	374	RP261K	276, 279
ROMHCSHP781	381	ROMOCSHP601	380	ROWH96T0()	374	RP261L	282, 284
ROMHCSHP841	381	ROMOCSHP661	380	ROWH96T1()	374	RP261M	282, 284
ROMHCSHP901	381	ROMOCSHP721	380	ROWO60S0()	374	RP262K	276, 279
ROMHCSHP961	381	ROMOCSHP781	380	ROWO60S1()	374	RP262L	282, 284
ROMHDHP301	390	ROMOCSHP841	380	ROWO60T0()	374	RP262M	282, 284
ROMHDHP361	390	ROMOCSHP901	380	ROWO60T1()	374	RP301A	300
ROMHDHP421	390	ROMOCSHP961	380	ROWO72S0()	374	RP301E(L/R)	301
ROMHDHP481	390	ROPF30S0J	373	ROWO72S1()	374	RP301K	288, 290
ROMHDHP541	390	ROPF36S0J	373	ROWO72T0()	374	RP301L	292, 293
ROMHDHP601	390	ROPF42S0J	373	ROWO72T1()	374	RP301M	292, 293
ROMHDHP661	390	ROPF48S0J	373	ROWO90S0()	374	RP301R	297, 298
ROMHDHP721	390	ROPF60S0J	373	ROWO90S1()	374	RP301S	297, 298
ROMHDHP781	390	ROPF72S0J	373	ROWO90T0()	374	RP301T	297, 298
ROMHDHP841	390	ROPF84S0J	373	ROWO90T1()	374	RP302A	300
ROMHDHP901	390	ROPF96S0J	373	ROWO96S0()	374	RP302E(L/R)	301
ROMHDHP961	390	ROPH30S0()	372	ROWO96S1()	374	RP302K	288, 290
ROMHOCDDHP601	393	ROPH36S0()	372	ROWO96T0()	374	RP302L	292, 293
ROMHOCDDHP661	393	ROPH60S0()	372	ROWO96T1()	374	RP302M	292, 293
ROMHOCDDHP721	393	ROPH60T0()	372	RP161J	288, 290	RP302R	297, 298
ROMHOCDDHP781	393	ROPH72S0()	372	RP161K	288, 290	RP302S	297, 298
ROMHOCDDHP841	393	ROPH72T0()	372	RP161L(L/R)	292, 293	RP302T	297, 298
ROMHOCDDHP901	393	ROPH90S0()	372	RP161M	292, 293	RP361A	300
ROMHOCDDHP961	393	ROPH90T0()	372	RP161R	297, 298	RP361E(L/R)	301
ROMHOCSHP601	383	ROPH96S0()	372	RP162J	288, 290	RP361K	288, 290
ROMHOCSHP661	383	ROPH96T0()	372	RP162K	288, 290	RP361L	292, 293
ROMHOCSHP721	383	ROPO30S0()	372	RP162L(L/R)	292, 293	RP361M	292, 293
ROMHOCSHP781	383	ROPO36S0()	372	RP162M	292, 293	RP361R	297, 298
ROMHOCSHP841	383	ROPO42S0()	372	RP162R	297, 298	RP361S	297, 298
ROMHOCSHP901	383	ROPO48S0()	372	RP163J	288, 290	RP361T	297, 298
ROMHOCSHP961	383	ROPO60S0()	372	RP163K	288, 290	RP362A	300
ROMHSHP301	381	ROPO60T0()	372	RP163L(L/R)	292, 293	RP362E(L/R)	301
ROMHSHP361	381	ROPO72S0()	372	RP163M	292, 293	RP362K	288, 290
ROMHSHP421	381	ROPO72T0()	372	RP191J	289, 291	RP362L	292, 293
ROMHSHP481	381	ROPO90S0()	372	RP191K	289, 291	RP362M	292, 293
ROMHSHP541	381	ROPO90T0()	372	RP191R	297, 298	RP362R	297, 298
ROMHSHP601	381	ROPO96S0()	372	RP192J	289, 291	RP362S	297, 298
ROMHSHP661	381	ROPO96T0()	372	RP192K	289, 291	RP362T	297, 298
ROMHSHP721	381	ROPS30S0NN	373	RP192R	297, 298	RPAB16	287
ROMHSHP781	381	ROPS36S0NN	373	RP193J	289, 291	RPAB19	287
ROMHSHP841	381	ROPS42S0NN	373	RP193K	289, 291	RPAB30	287

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPAB36	287	RPDHC96MF	302	RPTDEFM(L/R)3636	230	RPTDEST(L/R)7820	228
RPAD	462	RPDHH301A	294	RPTDEFM(L/R)4220	229	RPTDEST(L/R)7824	228
RPADKIT	462	RPDHH302A	294	RPTDEFM(L/R)4224	229	RPTDEST(L/R)7830	228
RPADSS	469	RPDHH361A	294	RPTDEFM(L/R)4230	230	RPTDEST(L/R)7836	228
RPAHFB16	469	RPDHH362A	294	RPTDEFM(L/R)4236	230	RPTDEST(L/R)8420	228
RPAHFB30	469	RPECC10	566	RPTDEFM(L/R)4820	229	RPTDEST(L/R)8424	228
RPAHFB36	469	RPEDK1	565	RPTDEFM(L/R)4824	229	RPTDEST(L/R)8430	228
RPAHFM162	470	RPEDK2	565	RPTDEFM(L/R)4830	230	RPTDEST(L/R)8436	228
RPAHFM30	470	RPEHC	565	RPTDEFM(L/R)4836	230	RPTDLFM(L/R)3620	212
RPAHFM36	470	RPEJ12	566	RPTDEFM(L/R)5420	229	RPTDLFM(L/R)3624	212
RPAPT	470	RPEJ24	566	RPTDEFM(L/R)5424	229	RPTDLFM(L/R)3630	213
RPB211J	277, 280	RPEJ36	566	RPTDEFM(L/R)5430	230	RPTDLFM(L/R)3636	213
RPB211K	277, 280	RPEJ48	566	RPTDEFM(L/R)5436	230	RPTDLFM(L/R)4220	212
RPB211L(L/R)	283, 285	RPEJ60	566	RPTDEFM(L/R)6020	229	RPTDLFM(L/R)4224	212
RPB211M	283, 285	RPEJ72	566	RPTDEFM(L/R)6024	229	RPTDLFM(L/R)4230	213
RPB212J	277, 280	RPEJ84	566	RPTDEFM(L/R)6030	230	RPTDLFM(L/R)4236	213
RPB212K	277, 280	RPEJ96	566	RPTDEFM(L/R)6036	230	RPTDLFM(L/R)4820	212
RPB212L(L/R)	283, 285	RPEPE10	565	RPTDEFM(L/R)6620	229	RPTDLFM(L/R)4824	212
RPB212M	283, 285	RPEPE10NY	565	RPTDEFM(L/R)6624	229	RPTDLFM(L/R)4830	213
RPB213J	277, 280	RPEPE10SF	565	RPTDEFM(L/R)6630	230	RPTDLFM(L/R)4836	213
RPB213K	277, 280	RPEPE5	565	RPTDEFM(L/R)6636	230	RPTDLFM(L/R)5420	212
RPB213L(L/R)	283, 285	RPEPE5NY	565	RPTDEFM(L/R)7220	229	RPTDLFM(L/R)5424	212
RPB213M	283, 285	RPEPE5SF	565	RPTDEFM(L/R)7224	229	RPTDLFM(L/R)5430	213
RPB231K	277, 280	RPER2RC	566	RPTDEFM(L/R)7230	230	RPTDLFM(L/R)5436	213
RPB231L	283, 285	RPETAD	470	RPTDEFM(L/R)7236	230	RPTDLFM(L/R)6020	212
RPB231M	283, 285	RPETRAY3C	470	RPTDEFM(L/R)7820	229	RPTDLFM(L/R)6024	212
RPB232K	277, 280	RPETRAY3N	470	RPTDEFM(L/R)7824	229	RPTDLFM(L/R)6030	213
RPB232L	283, 285	RPFC6	302	RPTDEFM(L/R)7830	230	RPTDLFM(L/R)6036	213
RPB232M	283, 285	RPH301A	299	RPTDEFM(L/R)7836	230	RPTDLFM(L/R)6620	212
RPB261K	277, 280	RPH302A	299	RPTDEFM(L/R)8420	229	RPTDLFM(L/R)6624	212
RPB261L	283, 285	RPH361A	299	RPTDEFM(L/R)8424	229	RPTDLFM(L/R)6630	213
RPB261M	283, 285	RPH362A	299	RPTDEFM(L/R)8430	230	RPTDLFM(L/R)6636	213
RPB262K	277, 280	RPHCHH	469	RPTDEFM(L/R)8436	230	RPTDLFM(L/R)7220	212
RPB262L	283, 285	RPHCHT	469	RPTDEPC(L/R)6020	227	RPTDLFM(L/R)7224	212
RPB262M	283, 285	RPHL3442(F/T)	115	RPTDEPC(L/R)6024	227	RPTDLFM(L/R)7230	213
RPCB16	302	RPHL3449(F/T)	115	RPTDEPC(L/R)6030	227	RPTDLFM(L/R)7236	213
RPCB19	302	RPHL3464(F/T)	115	RPTDEPC(L/R)6036	227	RPTDLFM(L/R)7820	212
RPCB30	302	RPHL3479(F/T)	115	RPTDEPC(L/R)6620	227	RPTDLFM(L/R)7824	212
RPCB36	302	RPHL4249(F/T)	115	RPTDEPC(L/R)6624	227	RPTDLFM(L/R)7830	213
RPCG	468	RPHL4249S	115	RPTDEPC(L/R)6630	227	RPTDLFM(L/R)7836	213
RPCST	468	RPHL4264(F/T)	115	RPTDEPC(L/R)6636	227	RPTDLFM(L/R)8420	212
RPD11	470	RPHL4264S	115	RPTDEPC(L/R)7220	227	RPTDLFM(L/R)8424	212
RPD14	470	RPHL4279(F/T)	115	RPTDEPC(L/R)7224	227	RPTDLFM(L/R)8430	213
RPDH301A	294	RPHL4279S	115	RPTDEPC(L/R)7230	227	RPTDLFM(L/R)8436	213
RPDH301E(L/R)	295	RPHL4964(F/T)	115	RPTDEPC(L/R)7236	227	RPTDLPC(L/R)6020	210
RPDH302A	294	RPHL4964S	115	RPTDEPC(L/R)7820	227	RPTDLPC(L/R)6024	210
RPDH302E(L/R)	295	RPHL4979(F/T)	115	RPTDEPC(L/R)7824	227	RPTDLPC(L/R)6030	210
RPDH361A	294	RPHL4979S	115	RPTDEPC(L/R)7830	227	RPTDLPC(L/R)6036	210
RPDH361E(L/R)	295	RPHL6479(F/T)	115	RPTDEPC(L/R)7836	227	RPTDLPC(L/R)6620	210
RPDH362A	294	RPHL6479S	115	RPTDEPC(L/R)8420	227	RPTDLPC(L/R)6624	210
RPDH362E(L/R)	295	RPHTB3024	469	RPTDEPC(L/R)8424	227	RPTDLPC(L/R)6630	210
RPDHB16	293	RPHTB4224	469	RPTDEPC(L/R)8430	227	RPTDLPC(L/R)6636	210
RPDHB19	293	RPHWB3024	469	RPTDEPC(L/R)8436	227	RPTDLPC(L/R)7220	210
RPDHB30	293	RPHWB4224	469	RPTDEST(L/R)6020	228	RPTDLPC(L/R)7224	210
RPDHB36	293	RPL1	261	RPTDEST(L/R)6024	228	RPTDLPC(L/R)7230	210
RPDHBFB6	302	RPL2	265	RPTDEST(L/R)6030	228	RPTDLPC(L/R)7236	210
RPDHC42MF	302	RPRL1	261	RPTDEST(L/R)6036	228	RPTDLPC(L/R)7820	210
RPDHC48MF	302	RPRL2	265	RPTDEST(L/R)6620	228	RPTDLPC(L/R)7824	210
RPDHC54MF	302	RPS1	261	RPTDEST(L/R)6624	228	RPTDLPC(L/R)7830	210
RPDHC60MF	302	RPS2	265	RPTDEST(L/R)6630	228	RPTDLPC(L/R)7836	210
RPDHC66MF	302	RPTDCFM8430	234	RPTDEST(L/R)6636	228	RPTDLPC(L/R)8420	210
RPDHC72MF	302	RPTDCFM9630	234	RPTDEST(L/R)7220	228	RPTDLPC(L/R)8424	210
RPDHC78MF	302	RPTDEFM(L/R)3620	229	RPTDEST(L/R)7224	228	RPTDLPC(L/R)8430	210
RPDHC84MF	302	RPTDEFM(L/R)3624	229	RPTDEST(L/R)7230	228	RPTDLPC(L/R)8436	210
RPDHC90MF	302	RPTDEFM(L/R)3630	230	RPTDEST(L/R)7236	228	RPTDLST(L/R)6020	211

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3CHI241	131	RR3-EJ84P	128	RR3-TJ36P	130	RAA(A/B/C/D/E/F/G)12042-(1/2/3)	171
RR3CHI242	131	RR3-EJ90P	128	RR3-TJ42	130	RAA(A/B/C/D/E/F/G)12048-(1/2/3)	171
RR3CHI301	131	RR3-EJ96P	128	RR3-TJ42P	130	RAA(A/B/C/D/E/F/G)14442-(1/2/3)	171
RR3CHI302	131	RR3-EPC24	127	RR3-TJ48	130	RAA(A/B/C/D/E/F/G)14448-(1/2/3)	171
RR3CHI361	131	RR3-EPCM	127	RR3TJ48	133	RAA(A/B/C/D/E/F/G)16842-(1/2/3)	171
RR3CHI362	131	RR3-EPCP24	127	RR3-TJ48P	130	RAA(A/B/C/D/E/F/G)16848-(1/2/3)	171
RR3CHI421	131	RR3-EPCPM	127	RR3-TJ54P	130	RAA(A/B/C/D/E/F/G)19242-(1/2/3)	171
RR3CHI422	131	RR3-EPCPSM	127	RR3-TJ60P	130	RAA(A/B/C/D/E/F/G)19248-(1/2/3)	171
RR3CHI481	131	RR3-EPCSM	127	RR3TJ60P	133	RAA(A/B/C/D/E/F/G)3636-(1/2/3)	171
RR3CHI482	131	RR3-EPI	128	RR3-TJ66P	130	RAA(A/B/C/D/E/F/G)4242-(1/2/3)	171
RR3-DA	127, 129	RR3-EPNY1	128	RR3TJ66P	133	RAA(A/B/C/D/E/F/G)4848-(1/2/3)	171
RR3-DATSHD	127, 129	RR3-EPNY2	128	RR3-TJ72P	130	RAA(A/B/C/D/E/F/G)6060-(1/2/3)	171
RR3-DB	127, 129	RR3-EPVR	114, 128	RR3TJ72P	133	RAA(A/B/C/D/E/F/G)7230-(1/2/3)	171
RR3-DC	129	RR3EVJ	137	RR3-TJ78P	130	RAA(A/B/C/D/E/F/G)7236-(1/2/3)	171
RR3-DICON	134	RR3EVJ110	137	RR3-TJ84P	130	RAA(A/B/C/D/E/F/G)7272-(1/2/3)	171
RR3-DX	127, 129	RR3EVJ82	137	RR3-TJ90P	130	RAA(A/B/C/D/E/F/G)8430-(1/2/3)	171
RR3-DXO	127, 129	RR3EVJ96	137	RR3-TJ96P	130	RAA(A/B/C/D/E/F/G)8436-(1/2/3)	171
RR3-DY	127, 129	RR3-FB	134	RR3-TPC24	129	RAA(A/B/C/D/E/F/G)8442-(1/2/3)	171
RR3-DYO	127, 129	RR3FDP	136	RR3-TPCM	129	RAA(A/B/C/D/E/F/G)9630-(1/2/3)	171
RR3-DZ	129	RR3-FE	134	RR3-TPCP24	129	RAA(A/B/C/D/E/F/G)9636-(1/2/3)	171
RR3-DZO	129	RR3-FOSC	134	RR3-TPCPM	129	RAA(A/B/C/D/E/F/G)9642-(1/2/3)	171
RR3-E24	127	RR3-FOST	134	RR3-TPCPS	129	RRAW12036-(1/2/3)	190
RR3-E24S	132	RR3-FV	134	RR3-TPCS	129	RRAW12042-(1/2/3)	190
RR3-E30NS	127	RR3-LTPC	132	RR3-TPI	130	RRAW14442-(1/2/3)	190
RR3-E30S	132	RR3-LTPC24	132	RR3-TPNY1	130	RRAW16842-(1/2/3)	190
RR3-E36NS	127	RR3-LTPCP	132	RR3-TPNY2	130	RRAW19242-(1/2/3)	190
RR3-E36S	132	RR3-MICON	134	RR3-TPVR	114, 130	RRAW3636-(1/2/3)	190
RR3-E42NS	127	RR3MP4	463	RR3TVJ	137	RRAW4242-(1/2/3)	190
RR3-E42S	132	RR3MP6	463	RR3TVJ110	137	RRAW6060-(1/2/3)	190
RR3-E48NS	127	RR3PICON	134	RR3TVJ82	137	RRAW7230-(1/2/3)	190
RR3-E48S	132	RR3-REPI	128	RR3TVJ96	137	RRAW7236-(1/2/3)	190
RR3-E60-4	127	RR3-RTPI	130	RR3VDA	136	RRAW7272-(1/2/3)	190
RR3-E66-4	127	RR3-SP-(A, B, C, X, Y, Z)	130	RR3VDB	136	RRAW8430-(1/2/3)	190
RR3-E72-4	127	RR3-SP-(A,B,X,Y)	128	RR3VDC	136	RRAW8436-(1/2/3)	190
RR3-EBBCL	132	RR3-ST	134	RR3VDX	136	RRAW8442-(1/2/3)	190
RR3-EBBCS	132	RR3-T24	129	RR3VDXO	136	RRAW9630-(1/2/3)	190
RR3EBVC50	136	RR3-T24S	132	RR3VDY	136	RRAW9636-(1/2/3)	190
RR3EBVC62	136	RR3-T30NS	129	RR3VDYO	136	RRAW9642-(1/2/3)	190
RR3EBVC64	136	RR3-T30S	132	RR3VDZ	136	RRBRD2712	463
RR3EBVC76	136	RR3-T36NS	129	RR3VDZO	136	RRD3FTCPPL(L/R)7936	117
RR3EBVC78	136	RR3-T36S	132	RR3VPBK	136	RRD3FTCPPL(L/R)7942	117
RR3EBVC90	136	RR3-T42NS	129	RAA12036	154	RRD3PPL(L/R)7936	117
RR3-EJ18	128	RR3-T42S	132	RAA12042	154	RRD3PPL(L/R)7942	117
RR3-EJ18P	128	RR3-T48NS	129	RAA12048	154	RRDPPL(L/R)6436	117
RR3-EJ20	128	RR3-T48S	132	RAA14442	154	RRDPPL(L/R)6442	117
RR3-EJ20P	128	RR3-T60-4	129	RAA14448	154	RRDTH	117
RR3-EJ24	128	RR3-T66-4	129	RAA16842	154	RRDTH(L/R)	117
RR3-EJ24P	128	RR3-T72-4	129	RAA16848	154	RREP3624(A,B,W)	444, 445, 446
RR3-EJ30	128	RR3-TBBCL	132	RAA19242	154	RREP3630(A,B,W)	444, 445, 446
RR3-EJ30P	128	RR3-TBBCS	132	RAA19248	154	RREP4224(A,B,W)	444, 445, 446
RR3-EJ36	128	RR3TBVC50	136	RAA3636	154	RREP4230(A,B,W)	444, 445, 446
RR3-EJ36P	128	RR3TBVC62	136	RAA4242	154	RREP4824(A,B,W)	444, 445, 446
RR3-EJ42	128	RR3TBVC64	136	RAA4848	154	RREP4830(A,B,W)	444, 445, 446
RR3-EJ42P	128	RR3TBVC76	136	RAA6060	154	RREP5424(A,B,W)	444, 445, 446
RR3-EJ48	128	RR3TBVC78	136	RAA7230	154	RREP5430(A,B,W)	444, 445, 446
RR3EJ48	133	RR3TBVC90	136	RAA7236	154	RREP6024(A,B,W)	444, 445, 446
RR3-EJ48P	128	RR3-TJ18	130	RAA7272	154	RREP6030(A,B,W)	444, 445, 446
RR3-EJ54P	128	RR3-TJ18P	130	RAA8430	154	RRLCFDC20108	304
RR3-EJ60P	128	RR3-TJ20	130	RAA8436	154	RRLCFDC2090	304
RR3EJ60P	133	RR3-TJ20P	130	RAA8442	154	RRLCFDCC20108	304
RR3-EJ66P	128	RR3-TJ24	130	RAA9630	154	RRLCFDCC2090	304
RR3EJ66P	133	RR3-TJ24P	130	RAA9636	154	RRLCFDCL2060	304
RR3-EJ72P	128	RR3-TJ30	130	RAA9642	154	RRLCFDCL2072	304
RR3EJ72P	133	RR3-TJ30P	130	RAA9648	154	RRLCFDCR2060	304
RR3-EJ78P	128	RR3-TJ36	130	RAA(A/B/C/D/E/F/G)12036-(1/2/3)	171	RRLCFDCR2072	304

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RRLCO20108	305	RROMOS72GB	427	RSA541	138	RSA(A/B/C/D/E/F/G)A724	160
RRLCO2060	305	RROMOS72GL	427	RSA542	138	RSA(A/B/C/D/E/F/G)A781	159
RRLCO2072	305	RROMOS72GR	427	RSA543	139	RSA(A/B/C/D/E/F/G)A782	159
RRLCO2090	305	RROMOS90GB	427	RSA5823N	149	RSA(A/B/C/D/E/F/G)A783	160
RRLCSGD20108	306	RROMOS90GN	427	RSA5829N	149	RSA(A/B/C/D/E/F/G)A841	159
RRLCSGD2090	306	RROMWSD108GB	424	RSA5835N	149	RSA(A/B/C/D/E/F/G)A842	159
RRLCSGDL2060	306	RROMWSD108GN	424	RSA601	138	RSA(A/B/C/D/E/F/G)A843	160
RRLCSGDL2072	306	RROMWSD60GL	424	RSA602	138	RSA(A/B/C/D/E/F/G)A901	159
RRLCSGDR2060	306	RROMWSD60GR	424	RSA603	139	RSA(A/B/C/D/E/F/G)A902	159
RRLCSGDR2072	306	RROMWSD72GL	424	RSA604	139	RSA(A/B/C/D/E/F/G)A903	160
RRLCSWD20108	307	RROMWSD72GR	424	RSA6423N	149	RSA(A/B/C/D/E/F/G)A961	159
RRLCSWD2090	307	RROMWSD90GB	424	RSA6429N	149	RSA(A/B/C/D/E/F/G)A962	159
RRLCSWDL2060	307	RROMWSD90GN	424	RSA6435N	149	RSA(A/B/C/D/E/F/G)A963	160
RRLCSWDL2072	307	RROMWSDL60GB	425	RSA661	138	RSA(A/B/C/D/E/F/G)B241	161
RRLCSWDR2060	307	RROMWSDL72GB	425	RSA662	138	RSA(A/B/C/D/E/F/G)B242	161
RRLCSWDR2072	307	RROMWSDR60GB	425	RSA663	139	RSA(A/B/C/D/E/F/G)B301	161
RRMC3010	534	RROMWSDR72GB	425	RSA664	139	RSA(A/B/C/D/E/F/G)B302	161
RRMC3610	534	RRSP3624K(A,B,W)	444, 445, 446	RSA7023N	149	RSA(A/B/C/D/E/F/G)B361	161
RRMC6010	534	RRSP3630K(A,B,W)	444, 445, 446	RSA7029N	149	RSA(A/B/C/D/E/F/G)B362	161
RRMC7210	534	RRSP4224K(A,B,W)	444, 445, 446	RSA7035N	149	RSA(A/B/C/D/E/F/G)B421	161
RRML108	426	RRSP4230K(A,B,W)	444, 445, 446	RSA721	138	RSA(A/B/C/D/E/F/G)B422	161
RRML60	426	RRSP4824K(A,B,W)	444, 445, 446	RSA722	138	RSA(A/B/C/D/E/F/G)B481	161
RRML72	426	RRSP4830K(A,B,W)	444, 445, 446	RSA723	139	RSA(A/B/C/D/E/F/G)B482	161
RRML90	426	RRSP5424K(A,B,W)	444, 445, 446	RSA724	139	RSA(A/B/C/D/E/F/G)F241	157
RROC2GSD108	419	RRSP5430K(A,B,W)	444, 445, 446	RSA781	138	RSA(A/B/C/D/E/F/G)F242	157
RROC2GSD90	419	RRSP6024K(A,B,W)	444, 445, 446	RSA782	138	RSA(A/B/C/D/E/F/G)F243	158
RROC2WSD108	420	RRSP6030K(A,B,W)	444, 445, 446	RSA783	139	RSA(A/B/C/D/E/F/G)F301	157
RROC2WSD90	420	RS1-N30	414	RSA841	138	RSA(A/B/C/D/E/F/G)F302	157
RROCGSD108GB	419	RS1-N36	414	RSA842	138	RSA(A/B/C/D/E/F/G)F303	158
RROCGSD90GB	419	RS1-N42	414	RSA843	139	RSA(A/B/C/D/E/F/G)F361	157
RROCGSDL60GB	419	RS1-N48	414	RSA901	138	RSA(A/B/C/D/E/F/G)F362	157
RROCGSDL72GB	419	RS1-N60	414	RSA902	138	RSA(A/B/C/D/E/F/G)F363	158
RROCGSDR60GB	419	RS1-RPB	416	RSA903	139	RSA(A/B/C/D/E/F/G)F421	157
RROCGSDR72GB	419	RS1-VP	414	RSA961	138	RSA(A/B/C/D/E/F/G)F422	157
RROCOS108GB	421	RS1-WMF24	417	RSA962	138	RSA(A/B/C/D/E/F/G)F423	158
RROCOS60GB	421	RS1-WMF30	417	RSA963	139	RSA(A/B/C/D/E/F/G)F481	157
RROCOS72GB	421	RS1-WMF36	417	RSA(A/B/C/D/E/F/G)A241	159	RSA(A/B/C/D/E/F/G)F482	157
RROCOS90GB	421	RS1-WMF42	417	RSA(A/B/C/D/E/F/G)A242	159	RSA(A/B/C/D/E/F/G)F483	158
RROCWSD108GB	420	RS1-WMF48	417	RSA(A/B/C/D/E/F/G)A243	160	RSA(A/B/C/D/E/F/G)F541	157
RROCWSD90GB	420	RS1-WMF60	417	RSA(A/B/C/D/E/F/G)A301	159	RSA(A/B/C/D/E/F/G)F542	157
RROCWSDL60GB	420	RSA241	138	RSA(A/B/C/D/E/F/G)A302	159	RSA(A/B/C/D/E/F/G)F543	158
RROCWSDL72GB	420	RSA242	138	RSA(A/B/C/D/E/F/G)A303	160	RSA(A/B/C/D/E/F/G)F601	157
RROCWSDR60GB	420	RSA243	139	RSA(A/B/C/D/E/F/G)A361	159	RSA(A/B/C/D/E/F/G)F602	157
RROCWSDR72GB	420	RSA301	138	RSA(A/B/C/D/E/F/G)A362	159	RSA(A/B/C/D/E/F/G)F603	158
RROM2GSD108	423	RSA302	138	RSA(A/B/C/D/E/F/G)A363	160	RSA(A/B/C/D/E/F/G)F604	158
RROM2GSD90	423	RSA303	139	RSA(A/B/C/D/E/F/G)A421	159	RSA(A/B/C/D/E/F/G)F661	157
RROM2WSD108	425	RSA3423N	149	RSA(A/B/C/D/E/F/G)A422	159	RSA(A/B/C/D/E/F/G)F662	157
RROM2WSD90	425	RSA3429N	149	RSA(A/B/C/D/E/F/G)A423	160	RSA(A/B/C/D/E/F/G)F663	158
RROMGSD108GB	423	RSA361	138	RSA(A/B/C/D/E/F/G)A481	159	RSA(A/B/C/D/E/F/G)F664	158
RROMGSD108GN	422	RSA362	138	RSA(A/B/C/D/E/F/G)A482	159	RSA(A/B/C/D/E/F/G)F721	157
RROMGSD60GL	422	RSA363	139	RSA(A/B/C/D/E/F/G)A483	160	RSA(A/B/C/D/E/F/G)F722	157
RROMGSD60GR	422	RSA4023N	149	RSA(A/B/C/D/E/F/G)A541	159	RSA(A/B/C/D/E/F/G)F723	158
RROMGSD72GL	422	RSA4029N	149	RSA(A/B/C/D/E/F/G)A542	159	RSA(A/B/C/D/E/F/G)F724	158
RROMGSD72GR	422	RSA421	138	RSA(A/B/C/D/E/F/G)A543	160	RSA(A/B/C/D/E/F/G)F781	157
RROMGSD90GB	423	RSA422	138	RSA(A/B/C/D/E/F/G)A601	159	RSA(A/B/C/D/E/F/G)F782	157
RROMGSD90GN	422	RSA423	139	RSA(A/B/C/D/E/F/G)A602	159	RSA(A/B/C/D/E/F/G)F783	158
RROMGSDL60GB	423	RSA4623N	149	RSA(A/B/C/D/E/F/G)A603	160	RSA(A/B/C/D/E/F/G)F841	157
RROMGSDL72GB	423	RSA4629N	149	RSA(A/B/C/D/E/F/G)A604	160	RSA(A/B/C/D/E/F/G)F842	157
RROMGSDR60GB	423	RSA4635N	149	RSA(A/B/C/D/E/F/G)A661	159	RSA(A/B/C/D/E/F/G)F843	158
RROMGSDR72GB	423	RSA481	138	RSA(A/B/C/D/E/F/G)A662	159	RSA(A/B/C/D/E/F/G)F901	157
RROMOS108GB	427	RSA482	138	RSA(A/B/C/D/E/F/G)A663	160	RSA(A/B/C/D/E/F/G)F902	157
RROMOS108GN	427	RSA483	139	RSA(A/B/C/D/E/F/G)A664	160	RSA(A/B/C/D/E/F/G)F903	158
RROMOS60GB	427	RSA5223N	149	RSA(A/B/C/D/E/F/G)A721	159	RSA(A/B/C/D/E/F/G)F961	157
RROMOS60GL	427	RSA5229N	149	RSA(A/B/C/D/E/F/G)A722	159	RSA(A/B/C/D/E/F/G)F962	157
RROMOS60GR	427	RSA5235N	149	RSA(A/B/C/D/E/F/G)A723	160	RSA(A/B/C/D/E/F/G)F963	158

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA(A/B/C/D/E/F/G)L241	161	RSAWA542	174	RSAWB961	176	RSAWL603	179
RSA(A/B/C/D/E/F/G)L242	161	RSAWA543	175	RSAWB962	176	RSAWL604	179
RSA(A/B/C/D/E/F/G)L301	161	RSAWA601	174	RSAWB963	177	RSAWL661	178
RSA(A/B/C/D/E/F/G)L302	161	RSAWA602	174	RSAWF241	172	RSAWL662	178
RSA(A/B/C/D/E/F/G)L361	161	RSAWA603	175	RSAWF242	172	RSAWL663	179
RSA(A/B/C/D/E/F/G)L362	161	RSAWA604	175	RSAWF243	173	RSAWL664	179
RSA(A/B/C/D/E/F/G)L421	161	RSAWA661	174	RSAWF301	172	RSAWL721	178
RSA(A/B/C/D/E/F/G)L422	161	RSAWA662	174	RSAWF302	172	RSAWL722	178
RSA(A/B/C/D/E/F/G)L481	161	RSAWA663	175	RSAWF303	173	RSAWL723	179
RSA(A/B/C/D/E/F/G)L482	161	RSAWA664	175	RSAWF361	172	RSAWL724	179
RSA(A/B/C/D/E/F/G)R241	162	RSAWA721	174	RSAWF362	172	RSAWL781	178
RSA(A/B/C/D/E/F/G)R242	162	RSAWA722	174	RSAWF363	173	RSAWL782	178
RSA(A/B/C/D/E/F/G)R301	162	RSAWA723	175	RSAWF421	172	RSAWL783	179
RSA(A/B/C/D/E/F/G)R302	162	RSAWA724	175	RSAWF422	172	RSAWL841	178
RSA(A/B/C/D/E/F/G)R361	162	RSAWA781	174	RSAWF423	173	RSAWL842	178
RSA(A/B/C/D/E/F/G)R362	162	RSAWA782	174	RSAWF481	172	RSAWL843	179
RSA(A/B/C/D/E/F/G)R421	162	RSAWA783	175	RSAWF482	172	RSAWL901	178
RSA(A/B/C/D/E/F/G)R422	162	RSAWA841	174	RSAWF483	173	RSAWL902	178
RSA(A/B/C/D/E/F/G)R481	162	RSAWA842	174	RSAWF541	172	RSAWL903	179
RSA(A/B/C/D/E/F/G)R482	162	RSAWA843	175	RSAWF542	172	RSAWL961	178
RSAMP1616	463	RSAWA901	174	RSAWF543	173	RSAWL962	178
RSAR361(H/V)	378	RSAWA902	174	RSAWF601	172	RSAWL963	179
RSAR361(H/V)	140	RSAWA903	175	RSAWF602	172	RSAWR241	180
RSAR362(H/V)	378	RSAWA961	174	RSAWF603	173	RSAWR242	180
RSAR362(H/V)	140	RSAWA962	174	RSAWF604	173	RSAWR243	181
RSAR421(H/V)	378	RSAWA963	175	RSAWF661	172	RSAWR301	180
RSAR421(H/V)	140	RSAWB241	176	RSAWF662	172	RSAWR302	180
RSAR422(H/V)	378	RSAWB242	176	RSAWF663	173	RSAWR303	181
RSAR422(H/V)	140	RSAWB243	177	RSAWF664	173	RSAWR361	180
RSAR481(H/V)	378	RSAWB301	176	RSAWF721	172	RSAWR362	180
RSAR481(H/V)	140	RSAWB302	176	RSAWF722	172	RSAWR363	181
RSAR482(H/V)	378	RSAWB303	177	RSAWF723	173	RSAWR421	180
RSAR482(H/V)	140	RSAWB361	176	RSAWF724	173	RSAWR422	180
RSAR541(H/V)	378	RSAWB362	176	RSAWF781	172	RSAWR423	181
RSAR541(H/V)	140	RSAWB363	177	RSAWF782	172	RSAWR481	180
RSAR542(H/V)	378	RSAWB421	176	RSAWF783	173	RSAWR482	180
RSAR542(H/V)	140	RSAWB422	176	RSAWF841	172	RSAWR483	181
RSAR601(H/V)	378	RSAWB423	177	RSAWF842	172	RSAWR541	180
RSAR601(H/V)	140	RSAWB481	176	RSAWF843	173	RSAWR542	180
RSAR602(H/V)	378	RSAWB482	176	RSAWF901	172	RSAWR543	181
RSAR602(H/V)	140	RSAWB483	177	RSAWF902	172	RSAWR601	180
RSAR661(H/V)	378	RSAWB541	176	RSAWF903	173	RSAWR602	180
RSAR661(H/V)	140	RSAWB542	176	RSAWF961	172	RSAWR603	181
RSAR662(H/V)	378	RSAWB543	177	RSAWF962	172	RSAWR604	181
RSAR662(H/V)	140	RSAWB601	176	RSAWF963	173	RSAWR661	180
RSAR721(H/V)	378	RSAWB602	176	RSAWL241	178	RSAWR662	180
RSAR721(H/V)	140	RSAWB603	177	RSAWL242	178	RSAWR663	181
RSAR722(H/V)	378	RSAWB604	177	RSAWL243	179	RSAWR664	181
RSAR722(H/V)	140	RSAWB661	176	RSAWL301	178	RSAWR721	180
RSAWA241	174	RSAWB662	176	RSAWL302	178	RSAWR722	180
RSAWA242	174	RSAWB663	177	RSAWL303	179	RSAWR723	181
RSAWA243	175	RSAWB664	177	RSAWL361	178	RSAWR724	181
RSAWA301	174	RSAWB721	176	RSAWL362	178	RSAWR781	180
RSAWA302	174	RSAWB722	176	RSAWL363	179	RSAWR782	180
RSAWA303	175	RSAWB723	177	RSAWL421	178	RSAWR783	181
RSAWA361	174	RSAWB724	177	RSAWL422	178	RSAWR841	180
RSAWA362	174	RSAWB781	176	RSAWL423	179	RSAWR842	180
RSAWA363	175	RSAWB782	176	RSAWL481	178	RSAWR843	181
RSAWA421	174	RSAWB783	177	RSAWL482	178	RSAWR901	180
RSAWA422	174	RSAWB841	176	RSAWL483	179	RSAWR902	180
RSAWA423	175	RSAWB842	176	RSAWL541	178	RSAWR903	181
RSAWA481	174	RSAWB843	177	RSAWL542	178	RSAWR961	180
RSAWA482	174	RSAWB901	176	RSAWL543	179	RSAWR962	180
RSAWA483	175	RSAWB902	176	RSAWL601	178	RSAWR963	181
RSAWA541	174	RSAWB903	177	RSAWL602	178	RSBC3423	268

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSBC3429	268	RSD722	197	RSDR661(H/V)	199	RSTDCFM(L/R)7236	233
RSBC4023	268	RSD723	198	RSDR662(H/V)	378	RSTDCFM(L/R)7830	233
RSBC4029	268	RSD724	198	RSDR662(H/V)	199	RSTDCFM(L/R)7836	233
RSBC4623	268	RSD781	197	RSDR72	478	RSTDCFM(L/R)8430	233
RSBC4629	268	RSD782	197	RSDR721(H/V)	378	RSTDCFM(L/R)8436	233
RSBC5223	268	RSD783	198	RSDR721(H/V)	199	RSTDCPC(L/R)6030	231
RSBC5229	268	RSD841	197	RSDR722(H/V)	378	RSTDCPC(L/R)6036	231
RSBC5823	268	RSD842	197	RSDR722(H/V)	199	RSTDCPC(L/R)6630	231
RSBC5829	268	RSD843	198	RSDR78	478	RSTDCPC(L/R)6636	231
RSBC6423	268	RSD901	197	RSDR84	478	RSTDCPC(L/R)7230	231
RSBC6429	268	RSD902	197	RSDR90	478	RSTDCPC(L/R)7236	231
RSBC7023	268	RSD903	198	RSDR96	478	RSTDCPC(L/R)7830	231
RSBC7029	268	RSD961	197	RSE1(L/R)	256	RSTDCPC(L/R)7836	231
RSBK464616	269	RSD962	197	RSE2(L/R)	256	RSTDCPC(L/R)8430	231
RSBT4629	269	RSD963	198	RSE3(L/R)	256	RSTDCPC(L/R)8436	231
RSBT5229	269	RSDHC	264	RSE4(L/R)	256	RSTDCST(L/R)6030	232
RSBT5829	269	RSDHC3	266	RSE5(L/R)	256	RSTDCST(L/R)6036	232
RSBT6429	269	RSDHC4	264	RSE6(L/R)	256	RSTDCST(L/R)6630	232
RSBT7029	269	RSDHD1428	266, 267	RSEDH1(L/R)	258	RSTDCST(L/R)6636	232
RSBWH20	253	RSDHD1828	266, 267	RSEDH2(L/R)	258	RSTDCST(L/R)7230	232
RSBWH24	253	RSDHD2028	266, 267	RSEDH3(L/R)	258	RSTDCST(L/R)7236	232
RSBWH30	253	RSDHD2428	266, 267	RSEDH4(L/R)	258	RSTDCST(L/R)7830	232
RSBWH36	253	RSDHD3028	266, 267	RSEDH5(L/R)	258	RSTDCST(L/R)7836	232
RSBWH42	253	RSDHL12	267	RSEDH6(L/R)	258	RSTDCST(L/R)8430	232
RSBWH48	253	RSDHL15	267	RSL12	263	RSTDCST(L/R)8436	232
RSC	260	RSDHL20	267	RSL15	263	RSTRLE361	249
RSC4	260	RSDHL24	267	RSL20	263	RSTRLE362	249
RSD1021	197	RSDHL30	267	RSL24	263	RSTRLE421	249
RSD1022	197	RSDHL36	267	RSL30	263	RSTRLE422	249
RSD1023	198	RSDHL42	267	RSL36	263	RSTRSE361	251
RSD1081	197	RSDHL48	267	RSL42	263	RSTRSE362	251
RSD1082	197	RSDHT1	267	RSL48	263	RSTRSE421	251
RSD1083	198	RSDHT2	267	RSNTT18(A/B/C/E)	110	RSTRSE422	251
RSD1427	262, 263	RSDHT3	267	RSNTT20(A/B/C/E)	110	RSTRWE361	250
RSD1827	262, 263	RSDHT4	267	RSNTT24(A/B/C/E)	110	RSTRWE362	250
RSD2027	262, 263	RSDHT5	267	RSNTT30(A/B/C/E)	110	RSTRWE421	250
RSD241	197	RSDHT6	267	RSNTT33(A/B/C/E) (66" wide panels one only)	110	RSTRWE422	250
RSD242	197	RSDR30	478	RSNTT36(A/B/C/E)	110	RSTSLE361	249
RSD2427	262, 263	RSDR36	478	RSNTT42(A/B/C/E)	110	RSTSLE362	249
RSD243	198	RSDR361(H/V)	378	RSNTT48(A/B/C/E)	110	RSTSLE421	249
RSD301	197	RSDR361(H/V)	199	RSPABPD	116	RSTSLE422	249
RSD302	197	RSDR362(H/V)	378	RSPABPP	116	RSTSSE361	251
RSD3027	262, 263	RSDR362(H/V)	199	RSPABPT	116	RSTSSE362	251
RSD303	198	RSDR42	478	RSPABPW	116	RSTSSE421	251
RSD361	197	RSDR421(H/V)	378	RSPABTD	116	RSTSWE361	250
RSD362	197	RSDR421(H/V)	199	RSPABTT	116	RSTSWE362	250
RSD363	198	RSDR422(H/V)	378	RSPABTT	116	RSTSWE421	250
RSD421	197	RSDR422(H/V)	199	RSPABTW	116	RSTSWE422	250
RSD422	197	RSDR48	478	RSPABWD	116	RSTTLE30481	249
RSD423	198	RSDR481(H/V)	378	RSPABWW	116	RSTTLE30482	249
RSD481	197	RSDR481(H/V)	199	RST	468	RSTTLE36541	249
RSD482	197	RSDR482(H/V)	378	RST1	263	RSTTLE36542	249
RSD483	198	RSDR482(H/V)	199	RST2	263	RSTTSE30481	251
RSD541	197	RSDR54	478	RST3	263	RSTTSE30482	251
RSD542	197	RSDR541(H/V)	378	RST4	263	RSTTSE36541	251
RSD543	198	RSDR541(H/V)	199	RST5	263	RSTTSE36542	251
RSD601	197	RSDR542(H/V)	378	RST6	263	RSTTWE30481	250
RSD602	197	RSDR542(H/V)	199	RSTDCFM(L/R)4830	233	RSTTWE30482	250
RSD603	198	RSDR60	478	RSTDCFM(L/R)4836	233	RSTTWE36541	250
RSD604	198	RSDR601(H/V)	378	RSTDCFM(L/R)5430	233	RSTTWE36542	250
RSD661	197	RSDR601(H/V)	199	RSTDCFM(L/R)5436	233	RSWA15 18	101
RSD662	197	RSDR602(H/V)	378	RSTDCFM(L/R)6030	233	RSWA15 20	101
RSD663	198	RSDR602(H/V)	199	RSTDCFM(L/R)6036	233	RSWA15 24	101
RSD664	198	RSDR66	478	RSTDCFM(L/R)6630	233	RSWA15 30	101
RSD721	197	RSDR661(H/V)	378	RSTDCFM(L/R)6636	233	RSWA15 36	101
				RSTDCFM(L/R)7230	233		

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSWA15 42	101	RTA9636	155	RTLT5E61S	479	RTPNM72H3	496, 497
RSWA15 48	101	RTA9642	155	RTLT5E73A	479	RTPNM72H4	501, 502
RSWAD1560	102	RTA9648	155	RTLT5E73S	479	RTPNM72H5	506, 507
RSWAD1572	102	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	170	RTLT5E85A	479	RTPNM72H6	511
RSWAD1584	102	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	170	RTLT5E85S	479	RTPNM78H1	486, 487
RSWAD1596	102	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	170	RTNDC361	248	RTPNM78H2	491, 492
RSWAD2260	102	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	170	RTNDC362	248	RTPNM78H3	496, 497
RSWAD2272	102	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	170	RTNDC421	248	RTPNM78H4	501, 502
RSWAD2284	102	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	170	RTNDC422	248	RTPNM78H5	506, 507
RSWAD2296	102	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	170	RTNDC481	248	RTPNM78H6	511
RSWB15 30	101	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	170	RTNDC482	248	RTPNM84H1	486, 487
RSWB15 36	101	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	170	RTOP1	463	RTPNM84H2	491, 492
RSWB15 42	101	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	170	RTOP2	463	RTPNM84H3	496, 497
RSWB15 48	101	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	170	RTPNM30H1	486, 487	RTPNM84H4	501, 502
RSWC30 18	101	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	170	RTPNM30H2	491, 492	RTPNM84H5	506, 507
RSWC30 20	101	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	170	RTPNM30H3	496, 497	RTPNM84H6	511
RSWC30 24	101	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	170	RTPNM30H4	501, 502	RTPNM90H1	486, 487
RSWC30 30	101	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	170	RTPNM30H5	506, 507	RTPNM90H2	491, 492
RSWC30 36	101	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	170	RTPNM30H6	511, 512	RTPNM90H3	496, 497
RSWC30 42	101	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	170	RTPNM30H7	516	RTPNM90H4	501, 502
RSWC30 48	101	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	170	RTPNM30H8	520	RTPNM90H5	506, 507
RSWWA601	377	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	170	RTPNM36H1	486, 487	RTPNM90H6	511
RSWWA602	377	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	170	RTPNM36H2	491, 492	RTPNM96H1	486, 487
RSWWA721	377	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	170	RTPNM36H3	496, 497	RTPNM96H2	491, 492
RSWWA722	377	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	170	RTPNM36H4	501, 502	RTPNM96H3	496, 497
RSWWA901	377	RTAT5E19S	418	RTPNM36H5	506, 507	RTPNM96H4	501, 502
RSWWA902	377	RTAT5E25A	418	RTPNM36H6	511, 512	RTPNM96H5	506, 507
RSWWA961	377	RTAT5E25S	418	RTPNM36H7	516	RTPNM96H6	511
RSWWA962	377	RTAT5E37A	418	RTPNM36H8	520	RTPRS30H1	488, 489, 490
RSWWA(A/B/C/D/E/F/G)601	377	RTAT5E37S	418	RTPNM42H1	486, 487	RTPRS30H2	493, 494, 495
RSWWA(A/B/C/D/E/F/G)602	377	RTAT5E49A	418	RTPNM42H2	491, 492	RTPRS30H3	498, 499, 500
RSWWA(A/B/C/D/E/F/G)721	377	RTAT5E49S	418	RTPNM42H3	496, 497	RTPRS30H4	503, 504, 505
RSWWA(A/B/C/D/E/F/G)722	377	RTAT5E61A	418	RTPNM42H4	501, 502	RTPRS30H5	508, 509, 510
RSWWA(A/B/C/D/E/F/G)901	377	RTAT5E61S	418	RTPNM42H5	506, 507	RTPRS30H6	513, 514, 515
RSWWA(A/B/C/D/E/F/G)902	377	RTAW12036-(1/2/3)	189	RTPNM42H6	511, 512	RTPRS30H7	517, 518, 519
RSWWA(A/B/C/D/E/F/G)961	377	RTAW12042-(1/2/3)	189	RTPNM42H7	516	RTPRS30H8	521, 522, 523
RSWWA(A/B/C/D/E/F/G)962	377	RTAW14442-(1/2/3)	189	RTPNM42H8	520	RTPRS36H1	488, 489, 490
RSWWAWF601	377	RTAW16842-(1/2/3)	189	RTPNM48H1	486, 487	RTPRS36H2	493, 494, 495
RSWWAWF602	377	RTAW19242-(1/2/3)	189	RTPNM48H2	491, 492	RTPRS36H3	498, 499, 500
RSWWAWF721	377	RTAW3636-(1/2/3)	189	RTPNM48H3	496, 497	RTPRS36H4	503, 504, 505
RSWWAWF722	377	RTAW4242-(1/2/3)	189	RTPNM48H4	501, 502	RTPRS36H5	508, 509, 510
RSWWAWF901	377	RTAW6060-(1/2/3)	189	RTPNM48H5	506, 507	RTPRS36H6	513, 514, 515
RSWWAWF902	377	RTAW7230-(1/2/3)	189	RTPNM48H6	511, 512	RTPRS36H7	517, 518, 519
RSWWAWF961	377	RTAW7236-(1/2/3)	189	RTPNM48H7	516	RTPRS36H8	521, 522, 523
RSWWAWF962	377	RTAW7272-(1/2/3)	189	RTPNM48H8	520	RTPRS42H1	488, 489, 490
RTA12036	155	RTAW8430-(1/2/3)	189	RTPNM54H1	486, 487	RTPRS42H2	493, 494, 495
RTA12042	155	RTAW8436-(1/2/3)	189	RTPNM54H2	491, 492	RTPRS42H3	498, 499, 500
RTA12048	155	RTAW8442-(1/2/3)	189	RTPNM54H3	496, 497	RTPRS42H4	503, 504, 505
RTA14442	155	RTAW9630-(1/2/3)	189	RTPNM54H4	501, 502	RTPRS42H5	508, 509, 510
RTA14448	155	RTAW9636-(1/2/3)	189	RTPNM54H5	506, 507	RTPRS42H6	513, 514, 515
RTA16842	155	RTAW9642-(1/2/3)	189	RTPNM54H6	511	RTPRS42H7	517, 518, 519
RTA16848	155	RTLL193W	479	RTPNM60H1	486, 487	RTPRS42H8	521, 522, 523
RTA19242	155	RTLL196W	479	RTPNM60H2	491, 492	RTPRS48H1	488, 489, 490
RTA19248	155	RTLL199W	479	RTPNM60H3	496, 497	RTPRS48H2	493, 494, 495
RTA3636	155	RTLL3712W	479	RTPNM60H4	501, 502	RTPRS48H3	498, 499, 500
RTA4242	155	RTLL3718W	479	RTPNM60H5	506, 507	RTPRS48H4	503, 504, 505
RTA4848	155	RTLL376W	479	RTPNM60H6	511	RTPRS48H5	508, 509, 510
RTA6060	155	RTLT5E19S	479	RTPNM66H1	486, 487	RTPRS48H6	513, 514, 515
RTA7230	155	RTLT5E25A	479	RTPNM66H2	491, 492	RTPRS48H7	517, 518, 519
RTA7236	155	RTLT5E25S	479	RTPNM66H3	496, 497	RTPRS48H8	521, 522, 523
RTA7272	155	RTLT5E37A	479	RTPNM66H4	501, 502	RTPRS54H1	488, 489, 490
RTA8430	155	RTLT5E37S	479	RTPNM66H5	506, 507	RTPRS54H2	493, 494, 495
RTA8436	155	RTLT5E49A	479	RTPNM66H6	511	RTPRS54H3	498, 499, 500
RTA8442	155	RTLT5E49S	479	RTPNM72H1	486, 487	RTPRS54H4	503, 504, 505
RTA9630	155	RTLT5E61A	479	RTPNM72H2	491, 492	RTPRS54H5	508, 509, 510

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTPRS54H6	513, 514, 515	RTRDOF66301	238	RTTAWF42()	428	RWAWF4812	182
RTPRS54H7	517, 519	RTRDOF66302	239	RTTAWF48()	428	RWAWF4821	182
RTPRS54H8	521, 523	RTRDOF66361	238	RTTAWF54()	428	RWAWF4823	182
RTPRS60H1	488, 489, 490	RTRDOF66362	239	RTTAWF60()	428	RWAWF4832	182
RTPRS60H2	493, 494, 495	RTRDOF72241	238	RTTAWF66()	428	RWAWF5412	182
RTPRS60H3	498, 499, 500	RTRDOF72242	239	RTTAWF72()	428	RWAWF5421	182
RTPRS60H4	503, 504, 505	RTRDOF72301	238	RUMC3010	534	RWAWF5423	182
RTPRS60H5	508, 509, 510	RTRDOF72302	239	RUMC3610	534	RWAWF5432	182
RTPRS60H6	513, 514, 515	RTRDOF72361	238	RUMC6010	535	RWAWF6012	182
RTPRS60H7	517, 519	RTRDOF72362	239	RUMC7210	535	RWAWF6021	182
RTPRS60H8	521, 523	RTRDOF78241	238	RUTB	254	RWAWF6023	182
RTPRS66H1	488, 489, 490	RTRDOF78242	239	RWA3623	143	RWAWF6032	182
RTPRS66H2	493, 494, 495	RTRDOF78301	238	RWA3632	143	RWAWF6612	182
RTPRS66H3	498, 499, 500	RTRDOF78302	239	RWA4212	143	RWAWF6621	182
RTPRS66H4	503, 504, 505	RTRDOF78361	238	RWA4221	143	RWAWF6623	182
RTPRS66H5	508, 509, 510	RTRDOF78362	239	RWA4223	143	RWAWF6632	182
RTPRS66H6	513, 514, 515	RTRDOF84241	238	RWA4232	143	RWAWF7212	182
RTPRS66H8	521	RTRDOF84242	239	RWA4812	143	RWAWF7221	182
RTPRS72H1	488, 489, 490	RTRDOF84301	238	RWA4821	143	RWAWF7223	182
RTPRS72H2	493, 494, 495	RTRDOF84302	239	RWA4823	143	RWAWF7232	182
RTPRS72H3	498, 499, 500	RTRDOF84361	238	RWA4832	143	RWEA3613	144
RTPRS72H4	503, 504, 505	RTRDOF84362	239	RWA5412	143	RWEA3626	144
RTPRS72H5	508, 509, 510	RTRDRL48301	243	RWA5421	143	RWEA3631	144
RTPRS72H6	513, 515	RTRDRL48302	243	RWA5423	143	RWEA3662	144
RTPRS72H8	521	RTRDRL60301	243	RWA5432	143	RWEA4213	144
RTPRS78H1	490	RTRDRL60302	243	RWA6012	143	RWEA4226	144
RTPRS78H2	495	RTRDRL72301	243	RWA6021	143	RWEA4231	144
RTPRS78H3	500	RTRDRL72302	243	RWA6023	143	RWEA4262	144
RTPRS78H4	505	RTRDRL72361	243	RWA6032	143	RWEA4813	144
RTPRS78H5	510	RTRDRL72362	243	RWA6612	143	RWEA4826	144
RTPRS78H6	515	RTRDS48301	244	RWA6621	143	RWEA4831	144
RTPRS84H1	490	RTRDS48302	244	RWA6623	143	RWEA4862	144
RTPRS84H2	495	RTRDS60301	244	RWA6632	143	RWEA7220(L/R)	375
RTPRS84H3	500	RTRDS60302	244	RWA7212	143	RWEA7224(L/R)	375
RTPRS84H4	505	RTRDS72301	244	RWA7221	143	RWEA(A/B/C/D/E/F/G)F3613	166
RTPRS84H5	510	RTRDS72302	244	RWA7223	143	RWEA(A/B/C/D/E/F/G)F3626	166
RTPRS84H6	515	RTRDS72361	244	RWA7232	143	RWEA(A/B/C/D/E/F/G)F3631	165
RTPRS90H1	490	RTRDS72362	244	RWA(A/B/C/D/E/F/G)F4212	165	RWEA(A/B/C/D/E/F/G)F3662	166
RTPRS90H2	495	RTSDL42421	245	RWA(A/B/C/D/E/F/G)F4221	165	RWEA(A/B/C/D/E/F/G)F4213	166
RTPRS90H3	500	RTSDL42422	245	RWA(A/B/C/D/E/F/G)F4223	165	RWEA(A/B/C/D/E/F/G)F4226	166
RTPRS90H4	505	RTSDL48481	245	RWA(A/B/C/D/E/F/G)F4232	165	RWEA(A/B/C/D/E/F/G)F4231	165
RTPRS90H5	510	RTSDL48482	245	RWA(A/B/C/D/E/F/G)F4812	165	RWEA(A/B/C/D/E/F/G)F4262	166
RTPRS90H6	515	RTSDL42421	246	RWA(A/B/C/D/E/F/G)F4821	165	RWEA(A/B/C/D/E/F/G)F4813	166
RTPRS96H1	490	RTSDL42422	246	RWA(A/B/C/D/E/F/G)F4823	165	RWEA(A/B/C/D/E/F/G)F4826	166
RTPRS96H2	495	RTSDRL48481	246	RWA(A/B/C/D/E/F/G)F4832	165	RWEA(A/B/C/D/E/F/G)F4831	165
RTPRS96H3	500	RTSDRL48482	246	RWA(A/B/C/D/E/F/G)F5412	165	RWEA(A/B/C/D/E/F/G)F4862	166
RTPRS96H4	505	RTSDS42421	247	RWA(A/B/C/D/E/F/G)F5421	165	RWEAWF3613	183
RTPRS96H5	510	RTSDS42422	247	RWA(A/B/C/D/E/F/G)F5423	165	RWEAWF3626	183
RTPRS96H6	515	RTSDS48481	247	RWA(A/B/C/D/E/F/G)F5432	165	RWEAWF3631	182
RTRDL48301	242	RTSDS48482	247	RWA(A/B/C/D/E/F/G)F6012	165	RWEAWF3662	183
RTRDL48302	242	RTSF14	471	RWA(A/B/C/D/E/F/G)F6021	165	RWEAWF4213	183
RTRDL60301	242	RTSF28	471	RWA(A/B/C/D/E/F/G)F6023	165	RWEAWF4226	183
RTRDL60302	242	RTST14	470	RWA(A/B/C/D/E/F/G)F6032	165	RWEAWF4231	182
RTRDL72301	242	RTTA24()	428	RWA(A/B/C/D/E/F/G)F6612	165	RWEAWF4262	183
RTRDL72302	242	RTTA30()	428	RWA(A/B/C/D/E/F/G)F6621	165	RWEAWF4813	183
RTRDL72361	242	RTTA36()	428	RWA(A/B/C/D/E/F/G)F6623	165	RWEAWF4826	183
RTRDL72362	242	RTTA42()	428	RWA(A/B/C/D/E/F/G)F6632	165	RWEAWF4831	182
RTRDOF60241	238	RTTA48()	428	RWA(A/B/C/D/E/F/G)F7212	165	RWEAWF4862	183
RTRDOF60242	239	RTTA54()	428	RWA(A/B/C/D/E/F/G)F7221	165	RWEB7220(L/R)	375
RTRDOF60301	238	RTTA60()	428	RWA(A/B/C/D/E/F/G)F7223	165	RWEB7224(L/R)	375
RTRDOF60302	239	RTTA66()	428	RWA(A/B/C/D/E/F/G)F7232	165	RWEC7220(L/R)	375
RTRDOF60361	238	RTTA72()	428	RWAWF4212	182	RWEC7224(L/R)	375
RTRDOF60362	239	RTTAWF24()	428	RWAWF4221	182	RWED7220(L/R)	375
RTRDOF66241	238	RTTAWF30()	428	RWAWF4223	182	RWED7224(L/R)	375
RTRDOF66242	239	RTTAWF36()	428	RWAWF4232	182	RWHDHTB3026	469

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RWHDHTB30H1	524	RWHRC	463	YPSB3227F	530
RWHDHTB30H2	525	RWHRD	463	YPSB3230	532
RWHDHTB30H3	526	RWHRE	463	YPSB3230F	530
RWHDHTB30H4	527	RWHRF	463	YPSB3236	532
RWHDHTB30H5	528	RWHRC	463	YPSB3236F	530
RWHDHTB3626	469	RWHTB3024	469	YPSB3242	532
RWHDHTB36H1	524	RWHTB3624	469	YPSB3242F	530
RWHDHTB36H2	525	RWHTB4224	469	YPSB3248	532
RWHDHTB36H3	526	RWHTB4824	469	YPSB3248F	530
RWHDHTB36H4	527	RWMCT24	466	YPSB3254	532
RWHDHTB36H5	528	RWMMP24	465	YPSB3254F	530
RWHDHTB4226	469	RWMMP30	465	YPSB3260	532
RWHDHTB42H1	524	RWMMP36	465	YPSB3260F	530
RWHDHTB42H2	525	RWMMPB	465	YPSB3266	532
RWHDHTB42H3	526	RWMV24	465	YPSB3266FRR	530
RWHDHTB42H4	527	RWMVH24	465	YPSB3272	532
RWHDHTB42H5	528	RWMVH30	465	YPSB3272FRR	530
RWHDHTB4826	469	RWMVH36	465	YPSB3824	533
RWHDHTB48H1	524	RWMVP24	465	YPSB3824F	531
RWHDHTB48H2	525	RWMWT24	465	YPSB3827	533
RWHDHTB48H3	526	RWMWT30	465	YPSB3827F	531
RWHDHTB48H4	527	RWMWT36	465	YPSB3830	533
RWHDHTB48H5	528	YPSB2024	532	YPSB3830F	531
RWHDHTB54H1	524	YPSB2024F	530	YPSB3836	533
RWHDHTB54H2	525	YPSB2027	532	YPSB3836F	531
RWHDHTB54H3	526	YPSB2027F	530	YPSB3842	533
RWHDHTB54H4	527	YPSB2030	532	YPSB3842F	531
RWHDHTB54H5	528	YPSB2030F	530	YPSB3848	533
RWHDHTB60H1	524	YPSB2036	532	YPSB3848F	531
RWHDHTB60H2	525	YPSB2036F	530	YPSB3854	533
RWHDHTB60H3	526	YPSB2042	532	YPSB3854F	531
RWHDHTB60H4	527	YPSB2042F	530	YPSB3860	533
RWHDHTB60H5	528	YPSB2048	532	YPSB3860F	531
RWHDHTB66H1	524	YPSB2048F	530	YPSB3866	533
RWHDHTB66H2	525	YPSB2054	532	YPSB3866FRR	531
RWHDHTB66H3	526	YPSB2054F	530	YPSB3872	533
RWHDHTB66H4	527	YPSB2060	532	YPSB3872FRR	531
RWHDHTB66H5	528	YPSB2060F	530		
RWHDHTB72H1	524	YPSB2066	532		
RWHDHTB72H2	525	YPSB2066FRR	530		
RWHDHTB72H3	526	YPSB2072	532		
RWHDHTB72H4	527	YPSB2072FRR	530		
RWHDHTB72H5	528	YPSB2624	533		
RWHDHTB78H1	524	YPSB2624F	531		
RWHDHTB78H2	525	YPSB2627	533		
RWHDHTB78H3	526	YPSB2627F	531		
RWHDHTB78H4	527	YPSB2630	533		
RWHDHTB78H5	528	YPSB2630F	531		
RWHDHTB84H1	524	YPSB2636	533		
RWHDHTB84H2	525	YPSB2636F	531		
RWHDHTB84H3	526	YPSB2642	533		
RWHDHTB84H4	527	YPSB2642F	531		
RWHDHTB84H5	528	YPSB2648	533		
RWHDHTB90H1	524	YPSB2648F	531		
RWHDHTB90H2	525	YPSB2654	533		
RWHDHTB90H3	526	YPSB2654F	531		
RWHDHTB90H4	527	YPSB2660	533		
RWHDHTB90H5	528	YPSB2660F	531		
RWHDHTB96H1	524	YPSB2666	533		
RWHDHTB96H2	525	YPSB2666FRR	531		
RWHDHTB96H3	526	YPSB2672	533		
RWHDHTB96H4	527	YPSB2672FRR	531		
RWHDHTB96H5	528	YPSB3224	532		
RWHRA	463	YPSB3224F	530		
RWHRB	463	YPSB3227	532		

Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
Freight Prepaid	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>
Seller's Security Interest	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
Returns	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
Held Orders/Storage	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

Selling Policy

Customer's Own Material	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, RPM and Sapper seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Reff Profiles, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, Spark Series seating structural elements, Richard Schultz outdoor products, KnollExtra CPU storage and all universal storage drawers.</i></p> <p><i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i></p> <p><i>2 Years: All other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces. KnollStudio Maya Lin and Spark Series seating finishes.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Changes in surface finishes, including colorfastness due to aging or exposure to light.• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
Compliance with Law	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
Patents	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."