

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff finish options	5
	Reff Master Features	7
Panels	Monolithic panels 34" H	8
	Monolithic panels 42" H	14
	Monolithic panels 49" H	21
	Monolithic panels 64" H	28
	Monolithic panels 79" H	35
	Tiled panels 34" H	42
	Tiled panels 42" H	47
	Tiled panels 49" H	54
	Tiled panels 64" H	61
	Tiled panels 79" H	68
	Aluminum Reveal kits	75
	Beltway one side, window panel 49" H	82
	Beltway two sides, window panel 49" H	96
	Stacking modules	99
	Panel connection posts	103
	Panel trims and post covers	108
	Ceiling cable entry posts, poles and cable infeed	110
	Ceiling cable entry post covers	112
	Rolling door and hinged door	114
	Attachment kits	115
	Floor to ceiling modules	116
	Required components	123
Power distribution components	124	
Beltway electrical components	129	
Data and Communications	131	
Reff Ported Panel Components	132	
Worksurfaces	Worksurface tops	135
	Worksurface tops and support	155
	Conference room tops	158
	Optional edge details	162
	Optional edge worksurface tops	163
	Optional edge conference room tops	177
	Waterfall edge	179
	Cascade edge	198
Support components	Top support components	204
	Top support components, 28 ³ / ₈ " high	209
	Bases, 26 ¹ / ₂ " high	212
	Bases, 28 ³ / ₈ " high	215
Transaction tops, regular and waterfall edge	Transaction tops	218
Gallery desk surrounds	Gallery desk surrounds	220
Cabinetry	Pedestals	227
	Pedestals, "desk height" 28 ³ / ₈ " high	237
	Cabinets (use with 26 ¹ / ₂ " h support components)	245
	Cabinets (use with 28 ³ / ₈ " h support components)	266
	Freestanding Multifunction Cabinets	287
Overhead storage	Overhead storage	289
	Reuter overhead cabinet	310
	Reuter open shelf	311
	Reuter open overhead	312
	Reuter overhead storage	313
	T5 Task Light for Reuter Overhead Storage	315
	T5 Task Light for Reff	316
	Sliding rails for Reff overhead cabinets	317

Preconfigured Reff Desking	Single pedestal desks	318
	Double pedestal desks	319
	Desk returns	320
	Single pedestal credenzas	321
	Bridge assemblies	322
	Double pedestal credenzas	323
Accessories and Client Samples	Accessories	324
Reff Original finish options	Reff Original finish options	330
Alpha-Numeric Index		331
Selling Policy		347
KnollKey Lock Program		349
General Ordering Information		350

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and Chicago Climate Exchange (CCX®).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

1. Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll is a member of the Chicago Climate Exchange, which promotes greenhouse gas reduction through the trading of credits earned for reducing emissions.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

2. Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

3. Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll also participates in an ongoing BIFMA (Business and Institutional Furniture Manufacturers Association) initiative to establish level™ sustainability standards for the contract furniture industry.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 5/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. PolyurTM provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes:

V1 Techwood Closed Pore

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

**Not available on Reff optional Edges.*

V1 - Techwood Closed Pore

Surface with matching synthetic edge:

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Natural Veneer

Closed Pore

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
<i>(all above V2's are flat cut)</i>	
V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak
<i>(all V2 Oak's are rift cut)</i>	
V439	Straight Anigre

V2 Natural Veneer with synthetic edge

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

Flat Cut:

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

V3 Exotic Veneer

V512	Figured Anigre
V513	Graphite Oak (Rift cut)
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele

(all above are quarter cut)

Glass Options:

TEMP	Clear Tempered (G1)
<i>Architectural Glass Options: (G2)</i>	
GL13	Powder
GL8	Wafer
GL6	Block Matrix

Locks

Black only

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114
	Folkstone grey edge band
122	Brushed Sand with 119
	Pumice edge band
123	Brushed Grey with 128
	Fog edge band
124	Medium Chery
125	Natural Maple
126	Natural Cherry
127	Walnut
128	Fog
129	Micro Sand with 119
	Pumice edge band

Paint Classifications:

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver

See matrix next page for finishes applicable by component

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Medium Grey
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V439
52	for V512
53	for V513
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options

Grade 10

Bailey II (W359) ø
 Broadcloth (W288)
 Foundation (W351)
 Growth Spurt (W692)
 Newbury (W812) ø
 Solid Crepe (W257) ø
 Symbolic Detail (W693)
 Tailor Made (W133)
 Versatility (W432)

Grade 15

Regency (W210)

Grade 20

Banyan (W443)
 Bauhaus Block (W296A)
 Circle Line (W1146)
 Clarity (W281)
 Criss Cross (W305)
 Devon (W809) ø
 Labyrinth (W352)
 Melbourne (W228)
 Outback (W229)
 Reflect (W884) ø
 Resolution (W280)
 Walkabout (W230)
 Weave Three (W298)

Grade 30

Basket Draft (W249)
 Flow (W565)
 Harmony (W232)
 Interknit (W1090)
 Match Point (W1145)
 Micro (W465)*
 Progression (W403)
 Raku Cloth (W566) ø
 Relay (W1020) ▲

Grade 40

Clarkson (W1218)
 Ornament (W1078)
 Palladium (W1030) ▲
 Sennit (W337)
 Spinoff Nuance (W319)

Grade 45

Casual Elegance (W920)
 Dristi (K872)* ø

**with backing only*

▲ Monolithic panels and tackboards only

ø May not be available in all colors.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50

Knoll Hopsack (K1206)
 Ricochet (W498)

Grade 55

Knoll Felt (K1207)
 Transition (W816)

Customers Own Material

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.


Non-Wood Finishes

Finishes	<i>Panel Tiles, Worksurfaces & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Pulls</i>	<i>Grommets</i>
	Jet Black	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	n/a	113
Medium grey	n/a	115	115	115	115	115	n/a	115
Soft grey	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD


n/a = not available

* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only


Panel Trim Profiles




Flat (Option A)



Square (Option B)




Bullnose (Option C)




Extruded Aluminum (Option E)

Pull Options



Integral Wood J-Pull



C-Pull (Nickle Plated Finish Only)
7³/₈"W x 1⁷/₃₂"D




S-Pull (Stainless Steel Finish Only)
6³/₃₂"W x 1¹/₁₆"D



D-Pull (Painted and Plated Finishes)
7³/₄"W x 1¹³/₃₂"D


Worksurface Profiles



1 1/4" Thick Standard



1 1/4" Thick Waterfall




1 1/4" Thick Cascade

NOTE: See page 162 for 7 Optional Edges which are also available.

Monolithic panels 34" H fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	R3B0PFF34 18- () ()	\$564.	\$580.	\$618.	\$700.	\$748.	\$820.	\$870.
Regular acoustics	20"	34"	R3B0PFF34 20- () ()	564.	580.	618.	700.	748.	820.	870.
	24"	34"	R3B0PFF34 24- () ()	608.	624.	662.	744.	792.	864.	914.
	30"	34"	R3B0PFF34 30- () ()	650.	666.	704.	786.	834.	906.	956.
	36"	34"	R3B0PFF34 36- () ()	691.	707.	745.	827.	875.	947.	997.
	42"	34"	R3B0PFF34 42- () ()	793.	809.	847.	929.	977.	1,049.	1,099.
	48"	34"	R3B0PFF34 48- () ()	823.	839.	877.	959.	1,007.	1,079.	1,129.



Order Code

Example:	R3B0PFF3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
34	34" high
18	18" wide
(A)	Flat style top trim
(4)	4" base height
(K)	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.


Monolithic panels 34" H

fabric one side, laminate other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PFL34 18-() ()	\$541.	\$547.	\$566.	\$601.	\$623.	\$654.	\$677.
Regular acoustics	20"	34"	R3B0PFL34 20-() ()	541.	548.	566.	601.	623.	654.	677.
	24"	34"	R3B0PFL34 24-() ()	575.	582.	600.	635.	657.	688.	711.
	30"	34"	R3B0PFL34 30-() ()	614.	621.	639.	674.	696.	727.	750.
	36"	34"	R3B0PFL34 36-() ()	647.	654.	672.	707.	729.	760.	783.
	42"	34"	R3B0PFL34 42-() ()	736.	743.	761.	796.	818.	849.	872.
	48"	34"	R3B0PFL34 48-() ()	758.	765.	783.	818.	840.	871.	894.



Order Code

Example:	R3B0PFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel for this option).

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF134 18-() ()	\$634.	\$641.	\$661.	\$702.	\$727.	\$763.	\$790.
Regular acoustics	20"	34"	R3B0PF134 20-() ()	637.	644.	664.	705.	730.	766.	793.
	24"	34"	R3B0PF134 24-() ()	678.	685.	705.	746.	771.	807.	834.
	30"	34"	R3B0PF134 30-() ()	721.	728.	748.	789.	814.	850.	877.
	36"	34"	R3B0PF134 36-() ()	764.	771.	791.	832.	857.	893.	920.
	42"	34"	R3B0PF134 42-() ()	867.	874.	894.	935.	960.	996.	1,023.
	48"	34"	R3B0PF134 48-() ()	896.	903.	923.	964.	989.	1,025.	1,052.



Order Code

Example:	R3B0PF13418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other side
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum

2. Base height:
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.


Monolithic panels 34" H

fabric one side, conventional veneer other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF234 18-() ()	\$646.	\$653.	\$673.	\$714.	\$739.	\$775.	\$802.
Regular acoustics	20"	34"	R3B0PF234 20-() ()	649.	656.	676.	717.	742.	778.	805.
	24"	34"	R3B0PF234 24-() ()	690.	697.	717.	758.	783.	819.	846.
	30"	34"	R3B0PF234 30-() ()	736.	743.	763.	804.	829.	865.	892.
	36"	34"	R3B0PF234 36-() ()	778.	785.	805.	846.	871.	907.	934.
	42"	34"	R3B0PF234 42-() ()	886.	893.	913.	954.	979.	1,015.	1,042.
	48"	34"	R3B0PF234 48-() ()	913.	820.	940.	981.	1,006.	1,042.	1,069.



Order Code

Example:	R3B0PF23418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other side
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. *Top trim profile:*
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded aluminum

2. *Base height:*
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, exotic veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18"	34"	R3B0PF334 18- () ()	\$859.	\$866.	\$886.	\$927.	\$952.	\$988.	\$1,015.
	20"	34"	R3B0PF334 20- () ()	863.	870.	890.	931.	956.	992.	1,019.
	24"	34"	R3B0PF334 24- () ()	918.	925.	945.	986.	1,011.	1,047.	1,074.
	30"	34"	R3B0PF334 30- () ()	981.	988.	1,008.	1,049.	1,074.	1,110.	1,137.
	36"	34"	R3B0PF334 36- () ()	1,037.	1,044.	1,064.	1,105.	1,130.	1,166.	1,193.
	42"	34"	R3B0PF334 42- () ()	1,183.	1,190.	1,210.	1,251.	1,276.	1,312.	1,339.
	48"	34"	R3B0PF334 48- () ()	1,218.	1,225.	1,245.	1,286.	1,311.	1,347.	1,374.




Order Code	Specification Information	Application Notes	
Example: R3B0PF33418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 one side 34 34" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional</i> : specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile</i> : A = Flat B = Square C = Bullnose E = Extruded aluminum 2. <i>Base height</i> : 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6.	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

Laminate/Laminate

Reff



Panels

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	34"	R3B0PLL3418 () ()	\$555.
	20"	34"	R3B0PLL3420 () ()	555.
	24"	34"	R3B0PLL3424 () ()	605.
	30"	34"	R3B0PLL3430 () ()	678.
	36"	34"	R3B0PLL3436 () ()	732.
	42"	34"	R3B0PLL3442 () ()	754.
	48"	34"	R3B0PLL3448 () ()	790.

Order Code	Specification Information	Application Notes
Example: R3B0PLL3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
LL Laminate both sides	4. Panel side 1 laminate inside	
34 34" high	5. Panel side 2 laminate outside	
18 18" wide	6. Top trim finish <i>i</i>)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 ³ / ₄ ". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 115.
A Flat style top trim	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
4 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
K Include knockouts in base		
118 Laminate - side 1		
118 Laminate - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		

Monolithic panels 42" H fabric both sides

Reff

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	42"	R3B0PFF42 18-()()	\$515.	\$531.	\$573.	\$657.	\$723.	\$797.	\$849.	
Regular acoustics	20"	42"	R3B0PFF42 20-()()	515.	531.	573.	657.	723.	797.	849.	
	24"	42"	R3B0PFF42 24-()()	550.	566.	608.	692.	758.	832.	884.	
	30"	42"	R3B0PFF42 30-()()	598.	614.	656.	740.	806.	880.	932.	
	36"	42"	R3B0PFF42 36-()()	645.	661.	703.	787.	863.	927.	979.	
	42"	42"	R3B0PFF42 42-()()	692.	708.	750.	834.	900.	974.	1,026.	
	48"	42"	R3B0PFF42 48-()()	742.	758.	800.	884.	950.	1,024.	1,076.	
	60"	42"	R3B0PFF42 60-()() *	840.	886.	970.	1,134.	1,256.	1,414.	1,510.	
	66"	42"	R3B0PFF42 66-()() *	869.	915.	999.	1,163.	1,285.	1,443.	1,539.	
	72"	42"	R3B0PFF42 72-()() *	897.	943.	1,027.	1,191.	1,313.	1,471.	1,567.	
	Monolithic, fabric both sides	18"	42"	R3B0PAA42 18-()()	565.	581.	623.	707.	773.	847.	899.
	High acoustics	20"	42"	R3B0PAA42 20-()()	565.	581.	623.	707.	773.	847.	899.
	24"	42"	R3B0PAA42 24-()()	601.	617.	659.	743.	809.	883.	935.	
	30"	42"	R3B0PAA42 30-()()	652.	668.	710.	794.	860.	934.	986.	
	36"	42"	R3B0PAA42 36-()()	706.	722.	764.	848.	914.	988.	1,040.	
	42"	42"	R3B0PAA42 42-()()	761.	777.	819.	903.	969.	1,043.	1,095.	
	48"	42"	R3B0PAA42 48-()()	815.	831.	873.	957.	1,023.	1,097.	1,149.	
	60"	42"	R3B0PAA42 60-()() *	916.	962.	1,046.	1,210.	1,332.	1,490.	1,586.	
	66"	42"	R3B0PAA42 66-()() *	947.	993.	1,077.	1,241.	1,363.	1,521.	1,617.	
	72"	42"	R3B0PAA42 72-()() *	978.	1,024.	1,108.	1,272.	1,394.	1,552.	1,648.	

Order Code

Example: R3B0PFF4218-A4K
R3 Reff Generation 3
B0 No Beltway
P Monolithic panel
FF Fabric on both sides
42 42" high
18 18" wide
(A) Flat style top trim
(4) 4" base height
(K) Include knockouts in base
W281 Fabric selection - side 1
W281 Fabric selection - side 2
V316 Maple (top trim finish)
111 Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A,B or C options:
 - ii) Top trim profile E options:
7. Base finish
8. Beltway finish
9. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. *Top trim profile:*
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum

2. *Base height:*
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Application Notes

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 218).

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

*Fabric inserts of these panels are two pieces, split vertically.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Applicable finishes are listed on page 5 and 6.

Monolithic panels 42" H

fabric both sides

Reff

Panels



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-()()	\$1,016.	\$1,038.	\$1,094.	\$1,204.	\$1,270.	\$1,360.	\$1,422.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-()()	1,016.	1,038.	1,094.	1,204.	1,270.	1,360.	1,422.
	24"	42"	R3B2PFF42 24-()()	1,037.	1,059.	1,115.	1,225.	1,291.	1,381.	1,443.
	30"	42"	R3B2PFF42 30-()()	1,088.	1,110.	1,166.	1,276.	1,342.	1,432.	1,494.
	36"	42"	R3B2PFF42 36-()()	1,272.	1,294.	1,350.	1,460.	1,526.	1,616.	1,678.
	42"	42"	R3B2PFF42 42-()()	1,368.	1,390.	1,446.	1,556.	1,622.	1,712.	1,774.
	48"	42"	R3B2PFF42 48-()()	1,417.	1,439.	1,495.	1,605.	1,671.	1,761.	1,823.
	Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-()()	1,000.	1,019.	1,068.	1,165.	1,231.	1,313.
Beltway one side	20"	42"	R3B1PFF42 20-()()	1,000.	1,019.	1,068.	1,165.	1,231.	1,313.	1,370.
	24"	42"	R3B1PFF42 24-()()	1,017.	1,036.	1,085.	1,182.	1,248.	1,330.	1,387.
	30"	42"	R3B1PFF42 30-()()	1,068.	1,087.	1,136.	1,233.	1,299.	1,381.	1,438.
	36"	42"	R3B1PFF42 36-()()	1,248.	1,267.	1,316.	1,413.	1,479.	1,561.	1,618.
	42"	42"	R3B1PFF42 42-()()	1,342.	1,361.	1,410.	1,507.	1,573.	1,655.	1,712.
	48"	42"	R3B1PFF42 48-()()	1,384.	1,403.	1,452.	1,549.	1,615.	1,697.	1,754.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 218).
R3 Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
B0 No Beltway	2. Base height	Applicable finishes are listed on page 5 and 6.
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside	6" Raceway option increases panel height by 2 ³ / ₄ ".
42 42" high	5. Panel side 2 finish(s) outside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 115.
18 18" wide	6. Top trim finish	Remember to specify Beltway paint finish when applicable.
(A) Flat style top trim	i) Top trim profile A,B or C options:	*These panel widths do not accept stacking modules.
(4) 4" base height	V1, V2, V3, P1, P2, P3 finishes	*Fabric inserts of these panels are two pieces, split vertically.
(K) Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric selection - side 1	7. Base finish	
W281 Fabric selection - side 2	8. Beltway finish	
V316 Maple (top trim finish)	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
111 Jet Black (base finish)		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	

Monolithic panels 42" H

fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PFL42 18-()()	\$442.	\$450.	\$469.	\$505.	\$535.	\$567.	\$591.
	20"	42"	R3B0PFL42 20-()()	442.	450.	469.	505.	535.	567.	591.
	24"	42"	R3B0PFL42 24-()()	448.	456.	475.	511.	541.	573.	597.
	30"	42"	R3B0PFL42 30-()()	537.	545.	564.	600.	630.	662.	686.
	36"	42"	R3B0PFL42 36-()()	581.	589.	608.	644.	674.	706.	730.
	42"	42"	R3B0PFL42 42-()()	653.	661.	680.	716.	746.	778.	802.
	48"	42"	R3B0PFL42 48-()()	711.	719.	738.	774.	804.	836.	860.
	60"	42"	R3B0PFL42 60-()()	773.	792.	829.	903.	956.	1,026.	1,069.
	66"	42"	R3B0PFL42 66-()()	800.	819.	856.	930.	983.	1,053.	1,096.
	72"	42"	R3B0PFL42 72-()()	830.	849.	886.	960.	1,013.	1,083.	1,126.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PFL42 18-()()	871.	882.	906.	954.	982.	1,023.	1,052.
	20"	42"	R3B1PFL42 20-()()	871.	882.	906.	954.	982.	1,023.	1,052.
	24"	42"	R3B1PFL42 24-()()	893.	904.	928.	976.	1,004.	1,045.	1,074.
	30"	42"	R3B1PFL42 30-()()	960.	971.	995.	1,043.	1,071.	1,112.	1,141.
	36"	42"	R3B1PFL42 36-()()	1,120.	1,131.	1,155.	1,203.	1,231.	1,272.	1,301.
	42"	42"	R3B1PFL42 42-()()	1,146.	1,157.	1,181.	1,229.	1,257.	1,298.	1,327.
	48"	42"	R3B1PFL42 48-()()	1,289.	1,300.	1,324.	1,372.	1,400.	1,441.	1,470.



Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.) 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, techwood other side

Reff

Panels



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF142 18-()	\$520.	\$529.	\$550.	\$593.	\$627.	\$664.	\$691.
	20"	42"	R3B0PF142 20-()	520.	529.	550.	593.	627.	664.	691.
	24"	42"	R3B0PF142 24-()	525.	534.	555.	598.	632.	669.	696.
	30"	42"	R3B0PF142 30-()	632.	641.	662.	705.	739.	776.	803.
	36"	42"	R3B0PF142 36-()	684.	693.	714.	757.	791.	828.	855.
	42"	42"	R3B0PF142 42-()	770.	779.	800.	843.	877.	914.	941.
	48"	42"	R3B0PF142 48-()	837.	846.	867.	910.	944.	981.	1,008.
	60"	42"	R3B0PF142 60-()*	910.	932.	975.	1,060.	1,121.	1,203.	1,252.
	66"	42"	R3B0PF142 66-()*	946.	968.	1,011.	1,096.	1,157.	1,239.	1,288.
	72"	42"	R3B0PF142 72-()*	978.	1,000.	1,043.	1,128.	1,189.	1,271.	1,320.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF142 18-()	1,021.	1,032.	1,060.	1,117.	1,148.	1,195.	1,228.
	20"	42"	R3B1PF142 20-()	1,021.	1,032.	1,060.	1,117.	1,148.	1,195.	1,228.
	24"	42"	R3B1PF142 24-()	1,051.	1,062.	1,090.	1,147.	1,178.	1,225.	1,258.
	30"	42"	R3B1PF142 30-()	1,129.	1,140.	1,168.	1,225.	1,256.	1,303.	1,336.
	36"	42"	R3B1PF142 36-()	1,314.	1,325.	1,353.	1,410.	1,441.	1,488.	1,521.
	42"	42"	R3B1PF142 42-()	1,349.	1,360.	1,388.	1,445.	1,476.	1,523.	1,556.
	48"	42"	R3B1PF142 48-()	1,518.	1,529.	1,557.	1,614.	1,645.	1,692.	1,725.

Order Code	Specification Information	Application Notes
Example: R3B0PF14218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 ³ / ₄ ". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF242 18-() ()	\$528.	\$537.	\$558.	\$601.	\$635.	\$672.	\$699.
	20"	42"	R3B0PF242 20-() ()	528.	537.	558.	601.	635.	672.	699.
	24"	42"	R3B0PF242 24-() ()	536.	545.	566.	609.	643.	680.	707.
	30"	42"	R3B0PF242 30-() ()	644.	653.	674.	717.	751.	788.	815.
	36"	42"	R3B0PF242 36-() ()	696.	705.	726.	769.	803.	840.	867.
	42"	42"	R3B0PF242 42-() ()	784.	793.	814.	857.	891.	928.	955.
	48"	42"	R3B0PF242 48-() ()	854.	863.	884.	927.	961.	998.	1,025.
	60"	42"	R3B0PF242 60-() (*)	923.	945.	988.	1,073.	1,134.	1,216.	1,265.
	66"	42"	R3B0PF242 66-() (*)	961.	983.	1,026.	1,111.	1,172.	1,254.	1,303.
	72"	42"	R3B0PF242 72-() (*)	993.	1,015.	1,058.	1,143.	1,204.	1,286.	1,335.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF242 18-() ()	1,045.	1,056.	1,084.	1,141.	1,172.	1,219.	1,252.
	20"	42"	R3B1PF242 20-() ()	1,045.	1,056.	1,084.	1,141.	1,172.	1,219.	1,252.
	24"	42"	R3B1PF242 24-() ()	1,067.	1,078.	1,106.	1,163.	1,194.	1,241.	1,274.
	30"	42"	R3B1PF242 30-() ()	1,152.	1,163.	1,191.	1,248.	1,279.	1,326.	1,359.
	36"	42"	R3B1PF242 36-() ()	1,340.	1,351.	1,379.	1,436.	1,467.	1,514.	1,547.
	42"	42"	R3B1PF242 42-() ()	1,375.	1,386.	1,414.	1,471.	1,502.	1,549.	1,582.
	48"	42"	R3B1PF242 48-() ()	1,544.	1,555.	1,583.	1,640.	1,671.	1,718.	1,751.



Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, exotic veneer other side

Reff

Panels


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF342 18- () ()	\$698.	\$707.	\$728.	\$771.	\$805.	\$842.	\$869.
	20"	42"	R3B0PF342 20- () ()	698.	707.	728.	771.	805.	842.	869.
	24"	42"	R3B0PF342 24- () ()	709.	718.	739.	782.	816.	853.	880.
	30"	42"	R3B0PF342 30- () ()	854.	863.	884.	927.	961.	998.	1,025.
	36"	42"	R3B0PF342 36- () ()	924.	933.	954.	997.	1,031.	1,068.	1,095.
	42"	42"	R3B0PF342 42- () ()	1,043.	1,052.	1,073.	1,116.	1,150.	1,187.	1,214.
	48"	42"	R3B0PF342 48- () ()	1,138.	1,147.	1,168.	1,211.	1,245.	1,282.	1,309.
	60"	42"	R3B0PF342 60- () ()*	1,217.	1,239.	1,282.	1,367.	1,428.	1,510.	1,559.
	66"	42"	R3B0PF342 66- () ()*	1,268.	1,290.	1,333.	1,418.	1,479.	1,561.	1,610.
	72"	42"	R3B0PF342 72- () ()*	1,312.	1,334.	1,377.	1,462.	1,523.	1,605.	1,654.
Monolithic, fabric one side Beltway fabric side 	18"	42"	R3B1PF342 18- () ()	1,395.	1,406.	1,434.	1,491.	1,522.	1,569.	1,602.
	20"	42"	R3B1PF342 20- () ()	1,395.	1,406.	1,434.	1,491.	1,522.	1,569.	1,602.
	24"	42"	R3B1PF342 24- () ()	1,425.	1,436.	1,464.	1,521.	1,552.	1,599.	1,632.
	30"	42"	R3B1PF342 30- () ()	1,540.	1,551.	1,579.	1,636.	1,667.	1,714.	1,747.
	36"	42"	R3B1PF342 36- () ()	1,794.	1,805.	1,833.	1,890.	1,921.	1,968.	2,001.
	42"	42"	R3B1PF342 42- () ()	1,841.	1,852.	1,880.	1,937.	1,968.	2,015.	2,048.
	48"	42"	R3B1PF342 48- () ()	2,071.	2,082.	2,110.	2,167.	2,198.	2,245.	2,278.

Order Code	Specification Information	Application Notes
Example: R3B0PF34218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

Laminate/Laminate

Reff

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	R3B0PLL4218() ()	\$587.
	20"	42"	R3B0PLL4220() ()	587.
	24"	42"	R3B0PLL4224() ()	640.
	30"	42"	R3B0PLL4230() ()	717.
	36"	42"	R3B0PLL4236() ()	774.
	42"	42"	R3B0PLL4242() ()	851.
	48"	42"	R3B0PLL4248() ()	953.
	60"	42"	R3B0PLL4260() ()*	1,030.
	66"	42"	R3B0PLL4266() ()*	1,061.
	72"	42"	R3B0PLL4272() ()*	1,092.

Example: **R3B0PLL4218-A4K**

R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
42	42" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 inside
5. Panel side 2 outside
6. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.



79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 49" H fabric both sides

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B0PFF49 18-() ()	\$576.	\$602.	\$650.	\$754.	\$822.	\$912.	\$970.
Regular acoustics	20"	49"	R3B0PFF49 20-() ()	576.	602.	650.	754.	822.	912.	970.
	24"	49"	R3B0PFF49 24-() ()	614.	640.	688.	792.	860.	950.	1,008.
	30"	49"	R3B0PFF49 30-() ()	667.	693.	741.	845.	913.	1,003.	1,061.
	36"	49"	R3B0PFF49 36-() ()	698.	724.	772.	876.	944.	1,034.	1,092.
	42"	49"	R3B0PFF49 42-() ()	752.	778.	826.	930.	998.	1,088.	1,146.
	48"	49"	R3B0PFF49 48-() ()	826.	852.	900.	1,004.	1,072.	1,162.	1,220.
	60"	49"	R3B0PFF49 60-() ()*	956.	998.	1,096.	1,302.	1,440.	1,622.	1,734.
	66"	49"	R3B0PFF49 66-() ()*	987.	1,029.	1,127.	1,333.	1,471.	1,653.	1,765.
	72"	49"	R3B0PFF49 72-() ()*	1,016.	1,058.	1,156.	1,362.	1,500.	1,682.	1,794.
Monolithic, fabric both sides	18"	49"	R3B0PAA49 18-() ()	628.	654.	702.	806.	874.	964.	1,022.
High acoustics	20"	49"	R3B0PAA49 20-() ()	628.	654.	702.	806.	874.	964.	1,022.
	24"	49"	R3B0PAA49 24-() ()	672.	698.	746.	850.	918.	1,008.	1,066.
	30"	49"	R3B0PAA49 30-() ()	728.	754.	802.	906.	974.	1,064.	1,122.
	36"	49"	R3B0PAA49 36-() ()	764.	790.	838.	942.	1,010.	1,100.	1,158.
	42"	49"	R3B0PAA49 42-() ()	825.	851.	899.	1,003.	1,071.	1,161.	1,219.
	48"	49"	R3B0PAA49 48-() ()	907.	933.	981.	1,085.	1,153.	1,243.	1,301.
	60"	49"	R3B0PAA49 60-() ()*	1,039.	1,081.	1,179.	1,385.	1,523.	1,705.	1,817.
	66"	49"	R3B0PAA49 66-() ()*	1,075.	1,117.	1,215.	1,421.	1,559.	1,741.	1,853.
	72"	49"	R3B0PAA49 72-() ()*	1,111.	1,153.	1,251.	1,457.	1,595.	1,777.	1,889.


Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	<i>i) Top trim profile A, B or C options:</i>	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	<i>ii) Top trim profile E options:</i>	*Fabric inserts of these panels are two pieces, split vertically.
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
V316 Maple (top trim finish)	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 49" H fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B2PFF49 18-() ()	\$1,042.	\$1,074.	\$1,140.	\$1,252.	\$1,330.	\$1,442.	\$1,514.
Beltway two sides, regular acoustics	20"	49"	R3B2PFF49 20-() ()	1,042.	1,074.	1,140.	1,252.	1,330.	1,442.	1,514.
	24"	49"	R3B2PFF49 24-() ()	1,064.	1,096.	1,162.	1,274.	1,352.	1,464.	1,536.
	30"	49"	R3B2PFF49 30-() ()	1,118.	1,150.	1,216.	1,328.	1,406.	1,518.	1,590.
	36"	49"	R3B2PFF49 36-() ()	1,320.	1,352.	1,418.	1,530.	1,608.	1,720.	1,792.
	42"	49"	R3B2PFF49 42-() ()	1,420.	1,452.	1,518.	1,630.	1,708.	1,820.	1,892.
	48"	49"	R3B2PFF49 48-() ()	1,470.	1,502.	1,568.	1,680.	1,758.	1,870.	1,942.



Monolithic, fabric both sides	18"	49"	R3B1PFF49 18-() ()	1,023.	1,052.	1,109.	1,217.	1,290.	1,391.	1,456.
Beltway one side	20"	49"	R3B1PFF49 20-() ()	1,023.	1,052.	1,109.	1,217.	1,290.	1,391.	1,456.
	24"	49"	R3B1PFF49 24-() ()	1,043.	1,072.	1,129.	1,237.	1,310.	1,411.	1,476.
	30"	49"	R3B1PFF49 30-() ()	1,094.	1,123.	1,180.	1,288.	1,361.	1,462.	1,527.
	36"	49"	R3B1PFF49 36-() ()	1,294.	1,323.	1,380.	1,488.	1,561.	1,662.	1,727.
	42"	49"	R3B1PFF49 42-() ()	1,390.	1,419.	1,476.	1,584.	1,657.	1,758.	1,823.
	48"	49"	R3B1PFF49 48-() ()	1,439.	1,468.	1,525.	1,633.	1,706.	1,807.	1,872.



Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	<i>i) Top trim profile A, B or C options:</i>	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	<i>ii) Top trim profile E options:</i>	*Fabric inserts of these panels are two pieces, split vertically.
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
V316 Maple (top trim finish)	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 49" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PFL49 18-() ()	\$489.	\$503.	\$523.	\$569.	\$599.	\$639.	\$664.
	20"	49"	R3B0PFL49 20-() ()	489.	503.	523.	569.	599.	639.	664.
	24"	49"	R3B0PFL49 24-() ()	535.	549.	569.	615.	645.	685.	710.
	30"	49"	R3B0PFL49 30-() ()	606.	620.	640.	686.	716.	756.	781.
	36"	49"	R3B0PFL49 36-() ()	654.	668.	688.	734.	764.	804.	829.
	42"	49"	R3B0PFL49 42-() ()	722.	736.	756.	802.	832.	872.	897.
	48"	49"	R3B0PFL49 48-() ()	813.	827.	847.	893.	923.	963.	988.
	60"	49"	R3B0PFL49 60-() () *	885.	905.	949.	1,038.	1,099.	1,181.	1,229.
	66"	49"	R3B0PFL49 66-() () *	910.	930.	974.	1,063.	1,124.	1,206.	1,254.
	72"	49"	R3B0PFL49 72-() () *	942.	962.	1,006.	1,095.	1,156.	1,238.	1,286.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PFL49 18-() ()	886.	900.	929.	979.	1,013.	1,062.	1,095.
	20"	49"	R3B1PFL49 20-() ()	886.	900.	929.	979.	1,013.	1,062.	1,095.
	24"	49"	R3B1PFL49 24-() ()	921.	935.	964.	1,014.	1,048.	1,097.	1,130.
	30"	49"	R3B1PFL49 30-() ()	990.	1,004.	1,033.	1,083.	1,117.	1,166.	1,199.
	36"	49"	R3B1PFL49 36-() ()	1,190.	1,204.	1,233.	1,283.	1,317.	1,366.	1,399.
	42"	49"	R3B1PFL49 42-() ()	1,299.	1,313.	1,342.	1,392.	1,426.	1,475.	1,508.
	48"	49"	R3B1PFL49 48-() ()	1,369.	1,383.	1,412.	1,462.	1,496.	1,545.	1,578.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.



*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 49" H

fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF149 18-() ()	\$576.	\$591.	\$614.	\$667.	\$704.	\$747.	\$778.
	20"	49"	R3B0PF149 20-() ()	576.	591.	614.	667.	704.	747.	778.
	24"	49"	R3B0PF149 24-() ()	630.	645.	668.	721.	758.	801.	832.
	30"	49"	R3B0PF149 30-() ()	717.	732.	755.	808.	845.	888.	919.
	36"	49"	R3B0PF149 36-() ()	768.	783.	806.	859.	896.	939.	970.
	42"	49"	R3B0PF149 42-() ()	850.	865.	888.	941.	978.	1,021.	1,052.
	48"	49"	R3B0PF149 48-() ()	956.	971.	994.	1,047.	1,084.	1,127.	1,158.
	60"	49"	R3B0PF149 60-() () *	1,040.	1,063.	1,115.	1,217.	1,288.	1,380.	1,437.
	66"	49"	R3B0PF149 66-() () *	1,070.	1,093.	1,145.	1,247.	1,318.	1,410.	1,467.
	72"	49"	R3B0PF149 72-() () *	1,107.	1,130.	1,182.	1,284.	1,355.	1,447.	1,504.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF149 18-() ()	1,045.	1,060.	1,095.	1,152.	1,190.	1,247.	1,285.
	20"	49"	R3B1PF149 20-() ()	1,045.	1,060.	1,095.	1,152.	1,190.	1,247.	1,285.
	24"	49"	R3B1PF149 24-() ()	1,083.	1,098.	1,133.	1,190.	1,228.	1,285.	1,323.
	30"	49"	R3B1PF149 30-() ()	1,163.	1,178.	1,213.	1,270.	1,308.	1,365.	1,403.
	36"	49"	R3B1PF149 36-() ()	1,398.	1,413.	1,448.	1,505.	1,543.	1,600.	1,638.
	42"	49"	R3B1PF149 42-() ()	1,530.	1,545.	1,580.	1,637.	1,675.	1,732.	1,770.
	48"	49"	R3B1PF149 48-() ()	1,608.	1,623.	1,658.	1,715.	1,753.	1,810.	1,848.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top rim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 49" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF249 18-() ()	\$585.	\$600.	\$623.	\$676.	\$713.	\$756.	\$787.
	20"	49"	R3B0PF249 20-() ()	585.	600.	623.	676.	713.	756.	787.
	24"	49"	R3B0PF249 24-() ()	641.	656.	679.	732.	769.	812.	843.
	30"	49"	R3B0PF249 30-() ()	727.	742.	765.	818.	855.	898.	929.
	36"	49"	R3B0PF249 36-() ()	782.	797.	820.	873.	910.	953.	984.
	42"	49"	R3B0PF249 42-() ()	865.	880.	903.	956.	993.	1,036.	1,067.
	48"	49"	R3B0PF249 48-() ()	976.	991.	1,014.	1,067.	1,104.	1,147.	1,178.
	60"	49"	R3B0PF249 60-() () *	1,059.	1,082.	1,134.	1,236.	1,307.	1,399.	1,456.
	66"	49"	R3B0PF249 66-() () *	1,093.	1,116.	1,168.	1,270.	1,341.	1,433.	1,490.
	72"	49"	R3B0PF249 72-() () *	1,127.	1,150.	1,202.	1,304.	1,375.	1,467.	1,524.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF249 18-() ()	1,063.	1,078.	1,113.	1,170.	1,208.	1,265.	1,303.
	20"	49"	R3B1PF249 20-() ()	1,036.	1,078.	1,113.	1,170.	1,208.	1,265.	1,303.
	24"	49"	R3B1PF249 24-() ()	1,102.	1,117.	1,152.	1,209.	1,247.	1,304.	1,342.
	30"	49"	R3B1PF249 30-() ()	1,188.	1,203.	1,238.	1,295.	1,333.	1,390.	1,428.
	36"	49"	R3B1PF249 36-() ()	1,427.	1,442.	1,477.	1,534.	1,572.	1,629.	1,667.
	42"	49"	R3B1PF249 42-() ()	1,556.	1,571.	1,606.	1,663.	1,701.	1,758.	1,796.
	48"	49"	R3B1PF249 48-() ()	1,635.	1,650.	1,685.	1,742.	1,780.	1,837.	1,875.

Order Code	Specification Information	Application Notes
Example: R3B0PF24918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.



*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 49" H

fabric one side, exotic veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF349 18- () ()	\$774.	\$789.	\$812.	\$865.	\$902.	\$945.	\$976.
	20"	49"	R3B0PF349 20- () ()	774.	789.	812.	865.	902.	945.	976.
	24"	49"	R3B0PF349 24- () ()	848.	863.	886.	939.	976.	1,019.	1,050.
	30"	49"	R3B0PF349 30- () ()	965.	980.	1,003.	1,056.	1,093.	1,136.	1,167.
	36"	49"	R3B0PF349 36- () ()	1,040.	1,055.	1,078.	1,131.	1,168.	1,211.	1,242.
	42"	49"	R3B0PF349 42- () ()	1,151.	1,166.	1,189.	1,242.	1,279.	1,322.	1,353.
	48"	49"	R3B0PF349 48- () ()	1,299.	1,314.	1,337.	1,390.	1,427.	1,470.	1,501.
	60"	49"	R3B0PF349 60- () (*)	1,395.	1,418.	1,470.	1,572.	1,643.	1,735.	1,792.
	66"	49"	R3B0PF349 66- () (*)	1,441.	1,464.	1,516.	1,618.	1,689.	1,781.	1,838.
	72"	49"	R3B0PF349 72- () (*)	1,485.	1,508.	1,560.	1,662.	1,733.	1,825.	1,882.
Monolithic, fabric one side Beltway fabric side 	18"	49"	R3B1PF349 18- () ()	1,417.	1,432.	1,467.	1,524.	1,562.	1,619.	1,657.
	20"	49"	R3B1PF349 20- () ()	1,417.	1,432.	1,467.	1,524.	1,562.	1,619.	1,657.
	24"	49"	R3B1PF349 24- () ()	1,471.	1,486.	1,521.	1,578.	1,616.	1,673.	1,711.
	30"	49"	R3B1PF349 30- () ()	1,585.	1,600.	1,635.	1,692.	1,730.	1,787.	1,825.
	36"	49"	R3B1PF349 36- () ()	1,910.	1,925.	1,960.	2,017.	2,055.	2,112.	2,150.
	42"	49"	R3B1PF349 42- () ()	2,083.	2,098.	2,133.	2,190.	2,228.	2,285.	2,323.
	48"	49"	R3B1PF349 48- () ()	2,192.	2,207.	2,242.	2,299.	2,337.	2,394.	2,432.


Order Code	Specification Information	Application Notes
Example: R3B0PF34918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 ³ / ₄ ". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 49" H

Laminate/Laminate

Reff

Panels

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	49"	R3B0PLL4918()()	\$697.
	20"	49"	R3B0PLL4920()()	697.
	24"	49"	R3B0PLL4924()()	760.
	30"	49"	R3B0PLL4930()()	851.
	36"	49"	R3B0PLL4936()()	919.
	42"	49"	R3B0PLL4942()()	1,011.
	48"	49"	R3B0PLL4948()()	1,132.
	60"	49"	R3B0PLL4960()()*	1,223.
	66"	49"	R3B0PLL4966()()*	1,259.
	72"	49"	R3B0PLL4972()()*	1,297.

Order Code

Example:	R3B0PLL4918-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
49	49" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 inside
5. Panel side 2 outside
6. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 64" H fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	64"	R3B0PFF64 18-()()	\$663.	\$695.	\$759.	\$889.	\$979.	\$1,097.	\$1,175.
	20"	64"	R3B0PFF64 20-()()	663.	695.	759.	889.	979.	1,097.	1,175.
	24"	64"	R3B0PFF64 24-()()	704.	736.	800.	930.	1,020.	1,138.	1,216.
	30"	64"	R3B0PFF64 30-()()	756.	788.	852.	982.	1,072.	1,190.	1,268.
	36"	64"	R3B0PFF64 36-()()	776.	808.	872.	1,002.	1,092.	1,210.	1,288.
	42"	64"	R3B0PFF64 42-()()	902.	934.	998.	1,128.	1,218.	1,336.	1,414.
	48"	64"	R3B0PFF64 48-()()	955.	987.	1,051.	1,181.	1,271.	1,389.	1,467.
	60"	64"	R3B0PFF64 60-()()*	1,108.	1,178.	1,300.	1,572.	1,760.	1,994.	2,150.
	66"	64"	R3B0PFF64 66-()()*	1,144.	1,214.	1,336.	1,608.	1,796.	2,030.	2,186.
	72"	64"	R3B0PFF64 72-()()*	1,181.	1,251.	1,373.	1,645.	1,833.	2,067.	2,223.
Monolithic, fabric both sides High acoustics 	18"	64"	R3B0PAA64 18-()()	722.	754.	818.	948.	1,038.	1,156.	1,234.
	20"	64"	R3B0PAA64 20-()()	722.	754.	818.	948.	1,038.	1,156.	1,234.
	24"	64"	R3B0PAA64 24-()()	771.	803.	867.	997.	1,087.	1,205.	1,283.
	30"	64"	R3B0PAA64 30-()()	827.	859.	923.	1,053.	1,143.	1,261.	1,339.
	36"	64"	R3B0PAA64 36-()()	847.	879.	943.	1,073.	1,163.	1,281.	1,359.
	42"	64"	R3B0PAA64 42-()()	991.	1,023.	1,087.	1,217.	1,307.	1,425.	1,503.
	48"	64"	R3B0PAA64 48-()()	1,048.	1,080.	1,144.	1,274.	1,364.	1,482.	1,560.
	60"	64"	R3B0PAA64 60-()()*	1,203.	1,273.	1,395.	1,667.	1,855.	2,089.	2,245.
	66"	64"	R3B0PAA64 66-()()*	1,243.	1,313.	1,435.	1,707.	1,895.	2,129.	2,285.
	72"	64"	R3B0PAA64 72-()()*	1,284.	1,354.	1,476.	1,748.	1,936.	2,170.	2,326.

Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B0 No Beltway	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
FF Fabric on both sides	3. Knockout option	E = Extruded Aluminum
64 64" high	(K = with knockouts, N = without knockouts)	
18 18" wide	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
A Flat style top trim	5. Panel side 2 finish(s) outside	4 = 4" base height
4 4" base height	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
K Include knockouts in base	<i>i) Top trim profile A, B or C options:</i>	6" Raceway option increases panel height by 2 ³ / ₄ ".
W281 Fabric selection - side 1	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2	<i>ii) Top trim profile E options:</i>	
V316 Maple (top trim finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (base finish)	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 64" H fabric both sides

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-() ()	\$1,138.	\$1,172.	\$1,248.	\$1,410.	\$1,510.	\$1,654.	\$1,750.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-() ()	1,138.	1,172.	1,248.	1,410.	1,510.	1,654.	1,750.
	24"	64"	R3B2PFF64 24-() ()	1,194.	1,228.	1,304.	1,466.	1,566.	1,710.	1,806.
	30"	64"	R3B2PFF64 30-() ()	1,221.	1,255.	1,331.	1,493.	1,593.	1,737.	1,833.
	36"	64"	R3B2PFF64 36-() ()	1,478.	1,512.	1,588.	1,750.	1,850.	1,994.	2,090.
	42"	64"	R3B2PFF64 42-() ()	1,581.	1,615.	1,691.	1,853.	1,953.	2,097.	2,193.
	48"	64"	R3B2PFF64 48-() ()	1,634.	1,668.	1,744.	1,906.	2,006.	2,150.	2,246.



Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-() ()	1,114.	1,147.	1,217.	1,363.	1,458.	1,589.	1,676.
Beltway one side	20"	64"	R3B1PFF64 20-() ()	1,114.	1,147.	1,217.	1,363.	1,458.	1,589.	1,676.
	24"	64"	R3B1PFF64 24-() ()	1,165.	1,198.	1,268.	1,414.	1,509.	1,640.	1,727.
	30"	64"	R3B1PFF64 30-() ()	1,191.	1,224.	1,294.	1,440.	1,535.	1,666.	1,753.
	36"	64"	R3B1PFF64 36-() ()	1,447.	1,480.	1,550.	1,696.	1,791.	1,922.	2,009.
	42"	64"	R3B1PFF64 42-() ()	1,547.	1,580.	1,650.	1,796.	1,891.	2,022.	2,109.
	48"	64"	R3B1PFF64 48-() ()	1,595.	1,628.	1,698.	1,844.	1,939.	2,070.	2,157.

Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B0 No Beltway	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
FF Fabric on both sides	3. Knockout option	E = Extruded Aluminum
64 64" high	(K = with knockouts, N = without knockouts)	<i>2. Base height:</i>
18 18" wide	4. Panel side 1 finish(s) inside	4 = 4" base height
A Flat style top trim	5. Panel side 2 finish(s) outside	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	6. Top trim finish	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 2	ii) Top trim profile E options:	
V316 Maple (top trim finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (base finish)	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.



*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 64" H

fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PFL64 18-() ()	\$583.	\$597.	\$624.	\$682.	\$722.	\$775.	\$809.
	20"	64"	R3B0PFL64 20-() ()	583.	597.	624.	682.	722.	775.	809.
	24"	64"	R3B0PFL64 24-() ()	640.	654.	681.	739.	779.	832.	866.
	30"	64"	R3B0PFL64 30-() ()	723.	737.	764.	822.	862.	915.	949.
	36"	64"	R3B0PFL64 36-() ()	779.	793.	820.	878.	918.	971.	1,005.
	42"	64"	R3B0PFL64 42-() ()	864.	878.	905.	963.	1,003.	1,056.	1,090.
	48"	64"	R3B0PFL64 48-() ()	972.	986.	1,013.	1,071.	1,111.	1,164.	1,198.
	60"	64"	R3B0PFL64 60-() () *	1,052.	1,083.	1,138.	1,259.	1,340.	1,445.	1,513.
	66"	64"	R3B0PFL64 66-() () *	1,088.	1,119.	1,174.	1,295.	1,376.	1,481.	1,549.
	72"	64"	R3B0PFL64 72-() () *	1,123.	1,154.	1,209.	1,330.	1,411.	1,516.	1,584.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PFL64 18-() ()	987.	1,002.	1,037.	1,107.	1,151.	1,214.	1,259.
	20"	64"	R3B1PFL64 20-() ()	987.	1,002.	1,037.	1,107.	1,151.	1,214.	1,259.
	24"	64"	R3B1PFL64 24-() ()	1,054.	1,069.	1,104.	1,174.	1,218.	1,281.	1,326.
	30"	64"	R3B1PFL64 30-() ()	1,117.	1,132.	1,167.	1,237.	1,281.	1,344.	1,389.
	36"	64"	R3B1PFL64 36-() ()	1,387.	1,402.	1,437.	1,507.	1,551.	1,614.	1,659.
	42"	64"	R3B1PFL64 42-() ()	1,441.	1,456.	1,491.	1,561.	1,605.	1,668.	1,713.
	48"	64"	R3B1PFL64 48-() ()	1,558.	1,573.	1,608.	1,678.	1,722.	1,785.	1,830.

Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 ³ / ₄ ". Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 64" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF164 18-() ()	\$684.	\$700.	\$733.	\$799.	\$845.	\$906.	\$946.
	20"	64"	R3B0PF164 20-() ()	684.	700.	733.	799.	845.	906.	946.
	24"	64"	R3B0PF164 24-() ()	750.	766.	799.	865.	911.	972.	1,012.
	30"	64"	R3B0PF164 30-() ()	849.	865.	898.	964.	1,010.	1,071.	1,111.
	36"	64"	R3B0PF164 36-() ()	917.	933.	966.	1,032.	1,078.	1,139.	1,179.
	42"	64"	R3B0PF164 42-() ()	1,015.	1,031.	1,064.	1,130.	1,176.	1,237.	1,277.
	48"	64"	R3B0PF164 48-() ()	1,144.	1,160.	1,193.	1,259.	1,305.	1,366.	1,406.
	60"	64"	R3B0PF164 60-() () *	1,237.	1,273.	1,336.	1,475.	1,569.	1,691.	1,769.
	66"	64"	R3B0PF164 66-() () *	1,281.	1,317.	1,380.	1,519.	1,613.	1,735.	1,813.
	72"	64"	R3B0PF164 72-() () *	1,323.	1,359.	1,422.	1,561.	1,655.	1,777.	1,855.

Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF164 18-() ()	1,161.	1,176.	1,216.	1,298.	1,348.	1,421.	1,473.
	20"	64"	R3B1PF164 20-() ()	1,161.	1,176.	1,216.	1,298.	1,348.	1,421.	1,473.
	24"	64"	R3B1PF164 24-() ()	1,237.	1,252.	1,292.	1,374.	1,424.	1,497.	1,549.
	30"	64"	R3B1PF164 30-() ()	1,313.	1,328.	1,368.	1,450.	1,500.	1,573.	1,625.
	36"	64"	R3B1PF164 36-() ()	1,630.	1,645.	1,685.	1,767.	1,817.	1,890.	1,942.
	42"	64"	R3B1PF164 42-() ()	1,696.	1,711.	1,751.	1,833.	1,883.	1,956.	2,008.
	48"	64"	R3B1PF164 48-() ()	1,832.	1,847.	1,887.	1,969.	2,019.	2,092.	2,144.

Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.



*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 64" H

fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF264 18-() ()	\$697.	\$713.	\$746.	\$812.	\$858.	\$919.	\$959.
	20"	64"	R3B0PF264 20-() ()	697.	713.	746.	812.	858.	919.	959.
	24"	64"	R3B0PF264 24-() ()	764.	780.	813.	879.	925.	986.	1,026.
	30"	64"	R3B0PF264 30-() ()	864.	880.	913.	979.	1,025.	1,086.	1,126.
	36"	64"	R3B0PF264 36-() ()	932.	948.	981.	1,047.	1,093.	1,154.	1,194.
	42"	64"	R3B0PF264 42-() ()	1,032.	1,048.	1,081.	1,147.	1,193.	1,254.	1,294.
	48"	64"	R3B0PF264 48-() ()	1,166.	1,182.	1,215.	1,281.	1,327.	1,388.	1,428.
	60"	64"	R3B0PF264 60-() () *	1,257.	1,293.	1,356.	1,495.	1,589.	1,711.	1,789.
	66"	64"	R3B0PF264 66-() () *	1,301.	1,337.	1,400.	1,539.	1,633.	1,755.	1,833.
	72"	64"	R3B0PF264 72-() () *	1,347.	1,383.	1,446.	1,585.	1,679.	1,801.	1,879.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF264 18-() ()	1,181.	1,196.	1,236.	1,318.	1,368.	1,441.	1,493.
	20"	64"	R3B1PF264 20-() ()	1,181.	1,196.	1,236.	1,318.	1,368.	1,441.	1,493.
	24"	64"	R3B1PF264 24-() ()	1,261.	1,276.	1,316.	1,398.	1,448.	1,521.	1,573.
	30"	64"	R3B1PF264 30-() ()	1,337.	1,352.	1,392.	1,474.	1,524.	1,597.	1,649.
	36"	64"	R3B1PF264 36-() ()	1,657.	1,672.	1,712.	1,794.	1,844.	1,917.	1,969.
	42"	64"	R3B1PF264 42-() ()	1,726.	1,741.	1,781.	1,863.	1,913.	1,986.	2,038.
	48"	64"	R3B1PF264 48-() ()	1,866.	1,881.	1,921.	2,003.	2,053.	2,126.	2,178.

Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Monolithic panels 64" H

fabric one side, exotic veneer other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF364 18- () ()	\$920.	\$936.	\$969.	\$1,035.	\$1,081.	\$1,142.	\$1,182.
	20"	64"	R3B0PF364 20- () ()	920.	936.	969.	1,035.	1,081.	1,142.	1,182.
	24"	64"	R3B0PF364 24- () ()	1,009.	1,025.	1,058.	1,124.	1,170.	1,231.	1,271.
	30"	64"	R3B0PF364 30- () ()	1,143.	1,159.	1,192.	1,258.	1,304.	1,365.	1,405.
	36"	64"	R3B0PF364 36- () ()	1,235.	1,251.	1,284.	1,350.	1,396.	1,457.	1,497.
	42"	64"	R3B0PF364 42- () ()	1,372.	1,388.	1,421.	1,487.	1,533.	1,594.	1,634.
	48"	64"	R3B0PF364 48- () ()	1,551.	1,567.	1,600.	1,666.	1,712.	1,773.	1,813.
	60"	64"	R3B0PF364 60- () ()*	1,652.	1,688.	1,751.	1,890.	1,984.	2,106.	2,184.
	66"	64"	R3B0PF364 66- () ()*	1,712.	1,748.	1,811.	1,950.	2,044.	2,166.	2,244.
	72"	64"	R3B0PF364 72- () ()*	1,774.	1,810.	1,873.	2,012.	2,106.	2,228.	2,306.

Monolithic, fabric one side Beltway fabric side 	18"	64"	R3B1PF364 18- () ()	1,570.	1,585.	1,625.	1,707.	1,757.	1,830.	1,882.
	20"	64"	R3B1PF364 20- () ()	1,570.	1,585.	1,625.	1,707.	1,757.	1,830.	1,882.
	24"	64"	R3B1PF364 24- () ()	1,677.	1,692.	1,732.	1,814.	1,864.	1,937.	1,989.
	30"	64"	R3B1PF364 30- () ()	1,780.	1,795.	1,835.	1,917.	1,967.	2,040.	2,092.
	36"	64"	R3B1PF364 36- () ()	2,214.	2,229.	2,269.	2,351.	2,401.	2,474.	2,526.
	42"	64"	R3B1PF364 42- () ()	2,305.	2,320.	2,360.	2,442.	2,492.	2,565.	2,617.
	48"	64"	R3B1PF364 48- () ()	2,494.	2,509.	2,549.	2,631.	2,681.	2,754.	2,806.

Order Code	Specification Information	Application Notes
Example: R3B0PF36418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 64" H



Laminate/Laminate

Reff

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	64"	R3B0PLL6418()()	\$776.
	20"	64"	R3B0PLL6420()()	776.
	24"	64"	R3B0PLL6424()()	846.
	30"	64"	R3B0PLL6430()()	947.
	36"	64"	R3B0PLL6436()()	1,023.
	42"	64"	R3B0PLL6442()()	1,125.
	48"	64"	R3B0PLL6448()()	1,260.
	60"	64"	R3B0PLL6460()()*	1,361.
	66"	64"	R3B0PLL6466()()*	1,402.
	72"	64"	R3B0PLL6472()()*	1,444.

Order Code	Specification Information	Application Notes
Example: R3B0PLL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 79" H fabric both sides


description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	79"	R3B0PFF79 18-() ()	\$830.	\$874.	\$950.	\$1,112.	\$1,222.	\$1,370.	\$1,460.	
Regular acoustics	20"	79"	R3B0PFF79 20-() ()	830.	874.	950.	1,112.	1,222.	1,370.	1,460.	
	24"	79"	R3B0PFF79 24-() ()	882.	926.	1,002.	1,164.	1,274.	1,422.	1,512.	
	30"	79"	R3B0PFF79 30-() ()	952.	996.	1,072.	1,234.	1,344.	1,492.	1,582.	
	36"	79"	R3B0PFF79 36-() ()	976.	1,020.	1,096.	1,258.	1,368.	1,516.	1,606.	
	42"	79"	R3B0PFF79 42-() ()	1,049.	1,093.	1,169.	1,331.	1,441.	1,589.	1,679.	
	48"	79"	R3B0PFF79 48-() ()	1,163.	1,207.	1,283.	1,445.	1,555.	1,703.	1,793.	
	60"	79"	R3B0PFF79 60-() ()	1,344.	1,432.	1,584.	1,908.	2,138.	2,430.	2,608.	
	66"	79"	R3B0PFF79 66-() ()	1,376.	1,464.	1,616.	1,940.	2,170.	2,462.	2,640.	
	72"	79"	R3B0PFF79 72-() ()	1,407.	1,495.	1,647.	1,971.	2,201.	2,493.	2,671.	
	Monolithic, fabric both sides	18"	79"	R3B0PAA79 18-() ()	905.	949.	1,025.	1,187.	1,297.	1,445.	1,535.
	High acoustics	20"	79"	R3B0PAA79 20-() ()	905.	949.	1,025.	1,187.	1,297.	1,445.	1,535.
	24"	79"	R3B0PAA79 24-() ()	963.	1,007.	1,083.	1,245.	1,355.	1,503.	1,593.	
	30"	79"	R3B0PAA79 30-() ()	1,041.	1,085.	1,161.	1,323.	1,433.	1,581.	1,671.	
	36"	79"	R3B0PAA79 36-() ()	1,072.	1,116.	1,192.	1,354.	1,464.	1,612.	1,702.	
	42"	79"	R3B0PAA79 42-() ()	1,150.	1,194.	1,270.	1,432.	1,542.	1,690.	1,780.	
	48"	79"	R3B0PAA79 48-() ()	1,279.	1,323.	1,399.	1,561.	1,671.	1,819.	1,909.	
	60"	79"	R3B0PAA79 60-() ()	1,463.	1,551.	1,703.	2,027.	2,257.	2,549.	2,727.	
	66"	79"	R3B0PAA79 66-() ()	1,497.	1,585.	1,737.	2,061.	2,291.	2,583.	2,761.	
	72"	79"	R3B0PAA79 72-() ()	1,529.	1,617.	1,769.	2,093.	2,323.	2,615.	2,793.	

Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii) Top trim profile E options:	
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
		The panels on this page are not designed to be stacked upon.
		Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Monolithic panels 79" H fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	79"	R3B1PFF79 18-() ()	\$1,193.	\$1,239.	\$1,324.	\$1,506.	\$1,624.	\$1,789.	\$1,895.
Beltway one side	20"	79"	R3B1PFF79 20-() ()	1,193.	1,239.	1,324.	1,506.	1,624.	1,789.	1,895.
	24"	79"	R3B1PFF79 24-() ()	1,248.	1,294.	1,379.	1,561.	1,679.	1,844.	1,950.
	30"	79"	R3B1PFF79 30-() ()	1,273.	1,319.	1,404.	1,586.	1,704.	1,869.	1,975.
	36"	79"	R3B1PFF79 36-() ()	1,527.	1,573.	1,658.	1,840.	1,958.	2,123.	2,229.
	42"	79"	R3B1PFF79 42-() ()	1,627.	1,673.	1,758.	1,940.	2,058.	2,223.	2,329.
	48"	79"	R3B1PFF79 48-() ()	1,676.	1,722.	1,807.	1,989.	2,107.	2,272.	2,378.




Monolithic, fabric both sides	18"	79"	R3B2PFF79 18-() ()	1,254.	1,302.	1,396.	1,598.	1,724.	1,906.	2,028.
Beltway two sides	20"	79"	R3B2PFF79 20-() ()	1,254.	1,302.	1,396.	1,598.	1,724.	1,906.	2,028.
	24"	79"	R3B2PFF79 24-() ()	1,308.	1,356.	1,450.	1,652.	1,778.	1,960.	2,082.
	30"	79"	R3B2PFF79 30-() ()	1,335.	1,383.	1,477.	1,679.	1,805.	1,987.	2,109.
	36"	79"	R3B2PFF79 36-() ()	1,593.	1,641.	1,735.	1,937.	2,063.	2,245.	2,367.
	42"	79"	R3B2PFF79 42-() ()	1,695.	1,743.	1,837.	2,039.	2,165.	2,347.	2,469.
	48"	79"	R3B2PFF79 48-() ()	1,747.	1,795.	1,889.	2,091.	2,217.	2,399.	2,521.




Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii) Top trim profile E options:	
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
		The panels on this page are not designed to be stacked upon.
		Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
		6" Raceway option increases panel height by 2 ³ / ₄ ".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 79" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PFL79 18-() ()	\$735.	\$754.	\$788.	\$860.	\$908.	\$974.	\$1,013.
	20"	79"	R3B0PFL79 20-() ()	735.	754.	788.	860.	908.	974.	1,013.
	24"	79"	R3B0PFL79 24-() ()	805.	824.	858.	930.	978.	1,044.	1,083.
	30"	79"	R3B0PFL79 30-() ()	906.	925.	959.	1,031.	1,079.	1,145.	1,184.
	36"	79"	R3B0PFL79 36-() ()	987.	1,006.	1,040.	1,112.	1,160.	1,226.	1,265.
	42"	79"	R3B0PFL79 42-() ()	1,093.	1,112.	1,146.	1,218.	1,266.	1,332.	1,371.
	48"	79"	R3B0PFL79 48-() ()	1,222.	1,241.	1,275.	1,347.	1,395.	1,461.	1,500.
	60"	79"	R3B0PFL79 60-() ()	1,315.	1,355.	1,421.	1,564.	1,666.	1,795.	1,873.
	66"	79"	R3B0PFL79 66-() ()	1,341.	1,381.	1,447.	1,590.	1,692.	1,821.	1,899.
	72"	79"	R3B0PFL79 72-() ()	1,368.	1,408.	1,474.	1,617.	1,719.	1,848.	1,926.



Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PFL79 18-() ()	1,062.	1,083.	1,125.	1,214.	1,270.	1,351.	1,405.
	20"	79"	R3B1PFL79 20-() ()	1,062.	1,083.	1,125.	1,214.	1,270.	1,351.	1,405.
	24"	79"	R3B1PFL79 24-() ()	1,136.	1,157.	1,199.	1,288.	1,344.	1,425.	1,479.
	30"	79"	R3B1PFL79 30-() ()	1,203.	1,224.	1,266.	1,355.	1,411.	1,492.	1,546.
	36"	79"	R3B1PFL79 36-() ()	1,491.	1,512.	1,554.	1,643.	1,699.	1,780.	1,834.
	42"	79"	R3B1PFL79 42-() ()	1,626.	1,647.	1,689.	1,778.	1,834.	1,915.	1,969.
	48"	79"	R3B1PFL79 48-() ()	1,701.	1,722.	1,764.	1,853.	1,909.	1,990.	2,044.

Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 79 79" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The panels on this page are not designed to be stacked upon. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 ³ / ₄ ". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 79" H

fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF179 18-()()	\$863.	\$885.	\$924.	\$1,007.	\$1,063.	\$1,138.	\$1,185.
	20"	79"	R3B0PF179 20-()()	863.	885.	924.	1,007.	1,063.	1,138.	1,185.
	24"	79"	R3B0PF179 24-()()	944.	966.	1,005.	1,088.	1,144.	1,219.	1,266.
	30"	79"	R3B0PF179 30-()()	1,067.	1,089.	1,128.	1,211.	1,267.	1,342.	1,389.
	36"	79"	R3B0PF179 36-()()	1,162.	1,184.	1,223.	1,306.	1,362.	1,437.	1,484.
	42"	79"	R3B0PF179 42-()()	1,283.	1,305.	1,344.	1,427.	1,483.	1,558.	1,605.
	48"	79"	R3B0PF179 48-()()	1,438.	1,460.	1,499.	1,582.	1,638.	1,713.	1,760.
	60"	79"	R3B0PF179 60-()()	1,545.	1,591.	1,668.	1,833.	1,951.	2,099.	2,190.
	66"	79"	R3B0PF179 66-()()	1,578.	1,624.	1,701.	1,866.	1,984.	2,132.	2,223.
	72"	79"	R3B0PF179 72-()()	1,604.	1,650.	1,727.	1,892.	2,010.	2,158.	2,249.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF179 18-()()	1,247.	1,271.	1,319.	1,423.	1,486.	1,580.	1,643.
	20"	79"	R3B1PF179 20-()()	1,247.	1,271.	1,319.	1,423.	1,486.	1,580.	1,643.
	24"	79"	R3B1PF179 24-()()	1,332.	1,356.	1,404.	1,508.	1,571.	1,665.	1,728.
	30"	79"	R3B1PF179 30-()()	1,415.	1,439.	1,487.	1,591.	1,654.	1,748.	1,811.
	36"	79"	R3B1PF179 36-()()	1,753.	1,777.	1,825.	1,929.	1,992.	2,086.	2,149.
	42"	79"	R3B1PF179 42-()()	1,910.	1,934.	1,982.	2,086.	2,149.	2,243.	2,306.
	48"	79"	R3B1PF179 48-()()	1,996.	2,020.	2,068.	2,172.	2,235.	2,329.	2,392.

Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K R3 Reff Generation 2 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 79 79" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 ³ / ₄ ". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 79" H

fabric one side, conventional veneer other side


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18"	79"	R3B0PF279 18- () ()	\$878.	\$900.	\$939.	\$1,022.	\$1,078.	\$1,153.	\$1,200.
	20"	79"	R3B0PF279 20- () ()	878.	900.	939.	1,022.	1,078.	1,153.	1,200.
	24"	79"	R3B0PF279 24- () ()	962.	984.	1,023.	1,106.	1,162.	1,237.	1,284.
	30"	79"	R3B0PF279 30- () ()	1,086.	1,108.	1,147.	1,230.	1,286.	1,361.	1,408.
	36"	79"	R3B0PF279 36- () ()	1,183.	1,205.	1,244.	1,327.	1,383.	1,458.	1,505.
	42"	79"	R3B0PF279 42- () ()	1,308.	1,330.	1,369.	1,452.	1,508.	1,583.	1,630.
	48"	79"	R3B0PF279 48- () ()	1,464.	1,486.	1,525.	1,608.	1,664.	1,739.	1,786.
	60"	79"	R3B0PF279 60- () ()	1,573.	1,619.	1,696.	1,861.	1,979.	2,127.	2,218.
	66"	79"	R3B0PF279 66- () ()	1,603.	1,649.	1,726.	1,891.	2,009.	2,157.	2,248.
	72"	79"	R3B0PF279 72- () ()	1,637.	1,683.	1,760.	1,925.	2,043.	2,191.	2,282.



Monolithic, fabric one side Beltway one side (fabric side)	18"	79"	R3B1PF279 18- () ()	1,269.	1,293.	1,341.	1,445.	1,508.	1,602.	1,665.
	20"	79"	R3B1PF279 20- () ()	1,269.	1,293.	1,341.	1,445.	1,508.	1,602.	1,665.
	24"	79"	R3B1PF279 24- () ()	1,356.	1,380.	1,428.	1,532.	1,595.	1,689.	1,752.
	30"	79"	R3B1PF279 30- () ()	1,439.	1,463.	1,511.	1,615.	1,678.	1,772.	1,835.
	36"	79"	R3B1PF279 36- () ()	1,782.	1,806.	1,854.	1,958.	2,021.	2,115.	2,178.
	42"	79"	R3B1PF279 42- () ()	1,944.	1,968.	2,016.	2,120.	2,183.	2,277.	2,340.
	48"	79"	R3B1PF279 48- () ()	2,033.	2,057.	2,105.	2,209.	2,272.	2,366.	2,429.





Order Code	Specification Information	Application Notes
Example: R3B0PF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F2 Fabric one side, V2 other	4. Panel side 1 finish(s) inside	E = Extruded Aluminum
79 79" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish <i>i) Top trim profile A, B or C options:</i>	The panels on this page are not designed to be stacked upon.
A Flat style top trim	V1, V2, V3, P1, P2, P3 finishes	Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
4 4" base height	<i>ii) Top trim profile E options:</i>	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
W281 Fabric selection - side 1	7. Base finish	Remember to specify Beltway paint finish when applicable.
V316 Maple surface - side 2	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
V316 Maple (top trim finish)	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
111 Jet Black (base finish)		

Monolithic panels 79" H

fabric one side, exotic veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF379 18-() ()	\$1,157.	\$1,179.	\$1,218.	\$1,301.	\$1,357.	\$1,432.	\$1,479.
	20"	79"	R3B0PF379 20-() ()	1,157.	1,179.	1,218.	1,301.	1,357.	1,432.	1,479.
	24"	79"	R3B0PF379 24-() ()	1,273.	1,295.	1,334.	1,417.	1,473.	1,548.	1,595.
	30"	79"	R3B0PF379 30-() ()	1,438.	1,460.	1,499.	1,582.	1,638.	1,713.	1,760.
	36"	79"	R3B0PF379 36-() ()	1,571.	1,593.	1,632.	1,715.	1,771.	1,846.	1,893.
	42"	79"	R3B0PF379 42-() ()	1,739.	1,761.	1,800.	1,883.	1,939.	2,014.	2,061.
	48"	79"	R3B0PF379 48-() ()	1,951.	1,973.	2,012.	2,095.	2,151.	2,226.	2,273.
	60"	79"	R3B0PF379 60-() ()*	2,069.	2,115.	2,192.	2,357.	2,475.	2,623.	2,714.
	66"	79"	R3B0PF379 66-() ()*	2,111.	2,157.	2,234.	2,399.	2,517.	2,665.	2,756.
	72"	79"	R3B0PF379 72-() ()*	2,156.	2,202.	2,279.	2,444.	2,562.	2,710.	2,801.

Monolithic, fabric one side Beltway fabric side 	18"	79"	R3B1PF379 18-() ()	1,672.	1,696.	1,744.	1,848.	1,911.	2,005.	2,068.
	20"	79"	R3B1PF379 20-() ()	1,672.	1,696.	1,744.	1,848.	1,911.	2,005.	2,068.
	24"	79"	R3B1PF379 24-() ()	1,790.	1,814.	1,862.	1,966.	2,029.	2,123.	2,186.
	30"	79"	R3B1PF379 30-() ()	1,900.	1,924.	1,972.	2,076.	2,139.	2,233.	2,296.
	36"	79"	R3B1PF379 36-() ()	2,364.	2,388.	2,436.	2,540.	2,603.	2,697.	2,760.
	42"	79"	R3B1PF379 42-() ()	2,582.	2,606.	2,654.	2,758.	2,821.	2,915.	2,978.
	48"	79"	R3B1PF379 48-() ()	2,703.	2,727.	2,775.	2,879.	2,942.	3,036.	3,099.

Order Code	Specification Information	Application Notes	
Example: R3B0PF37918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 79 79" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6.	The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Monolithic panels 79" H

Laminate/Laminate

Reff

Panels


description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918 () ()	\$847.
	20"	79"	R3B0PLL7920 () ()	847.
	24"	79"	R3B0PLL7924 () ()	923.
	30"	79"	R3B0PLL7930 () ()	1,034.
	36"	79"	R3B0PLL7936 () ()	1,117.
	42"	79"	R3B0PLL7942 () ()	1,228.
	48"	79"	R3B0PLL7948 () ()	1,376.
	60"	79"	R3B0PLL7960 () ()*	1,486.
	66"	79"	R3B0PLL7966 () ()*	1,530.
	72"	79"	R3B0PLL7972 () ()*	1,576.

Order Code	Specification Information	Application Notes
Example: R3B0PLL7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Ref Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
LL Laminate both sides	4. Panel side 1 inside	
79 79" high	5. Panel side 2 outside	
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page are not designed to be stacked upon.
A Flat style top trim	7. Base finish	Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
4 4" base height	8. Beltway finish	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
118 Laminate - side 1		Remember to specify Beltway paint finish when applicable.
118 Laminate - side 2		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		

Tiled panels 34" H fabric

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-() ()	\$552.	\$580.	\$636.	\$700.	\$752.	\$832.	\$884.
Regular acoustics	20"	34"	R3B0TFF34 20-() ()	552.	580.	636.	700.	752.	832.	884.
	24"	34"	R3B0TFF34 24-() ()	596.	624.	680.	744.	796.	876.	928.
	30"	34"	R3B0TFF34 30-() ()	638.	666.	722.	786.	838.	918.	970.
	36"	34"	R3B0TFF34 36-() ()	679.	707.	763.	827.	879.	959.	1,011.
	42"	34"	R3B0TFF34 42-() ()	781.	809.	865.	929.	981.	1,061.	1,113.
	48"	34"	R3B0TFF34 48-() ()	811.	839.	895.	959.	1,011.	1,091.	1,143.



Order Code

Example: R3B0TFF3418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel)

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 115.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.





79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Tiled panels 34" H glass

Reff

Panels

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A) 	18"	34"	R2B0TWA34 18- () ()	\$867.	\$1,031.	\$35.	\$69.	\$86.
	20"	34"	R2B0TWA34 20- () ()	867.	1,031.	35.	69.	86.
	24"	34"	R2B0TWA34 24- () ()	907.	1,103.	35.	69.	91.
	30"	34"	R2B0TWA34 30- () ()	1,052.	1,295.	35.	69.	105.
	36"	34"	R2B0TWA34 36- () ()	1,091.	1,382.	35.	69.	107.
	42"	34"	R2B0TWA34 42- () ()	1,145.	1,490.	35.	69.	112.
	48"	34"	R2B0TWA34 48- () ()	1,186.	1,580.	35.	69.	117.
Tiled, two 15" high glass sections with center mullion (type B) 	30"	34"	R2B0TWB34 30- () ()	1,259.	1,504.	35.	69.	126.
	36"	34"	R2B0TWB34 36- () ()	1,311.	1,606.	35.	69.	130.
	42"	34"	R2B0TWB34 42- () ()	1,373.	1,714.	35.	69.	134.
	48"	34"	R2B0TWB34 48- () ()	1,424.	1,822.	35.	69.	140.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C  	18"	34"	R2B0TWC34 18- () ()	683.	891.	27.	56.	105.
	20"	34"	R2B0TWC34 20- () ()	683.	891.	27.	56.	105.
	24"	34"	R2B0TWC34 24- () ()	720.	939.	27.	56.	112.
	30"	34"	R2B0TWC34 30- () ()	889.	1,155.	35.	69.	142.
	36"	34"	R2B0TWC34 36- () ()	989.	1,284.	35.	69.	159.
	42"	34"	R2B0TWC34 42- () ()	1,046.	1,359.	35.	69.	174.
	48"	34"	R2B0TWC34 48- () ()	1,097.	1,429.	35.	69.	181.

Order Code

Example:	R2B0TWA3418-A4K
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information

- To order please specify pattern number including:*
1. Top trim profile
 2. Base height
 3. Knockout option (K = with knockouts, N = without knockouts)
 4. Divider option (applicable R2B0TWA and R2B0TWB)
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
 5. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
 6. Base finish
 7. Window frame finish (Painted or Anodized aluminum finishes)
If AA finish (anodized) upcharge applicable as noted in AA price column
 8. Glass type



Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel)
 4. *Extruded aluminum tile divider:*
Add for:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w
 3. *Glass type*
Temp = Cleared tempered glass
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass
- All panels on this page accept stacking modules.
- 6" Raceway option increases panel height by 2 3/4".
- Applicable finishes are listed on page 5 and 6.
- All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 115.
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.
- 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 34" H

fabric one side, hard opposite side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	R3B0TFL34 18- () ()	\$602.	\$616.	\$644.	\$674.	\$700.	\$738.	\$762.
	20"	34"	R3B0TFL34 20- () ()	602.	616.	644.	674.	700.	738.	762.
	24"	34"	R3B0TFL34 24- () ()	640.	654.	682.	712.	738.	776.	800.
	30"	34"	R3B0TFL34 30- () ()	682.	696.	724.	754.	780.	818.	842.
	36"	34"	R3B0TFL34 36- () ()	721.	735.	763.	793.	819.	857.	881.
	42"	34"	R3B0TFL34 42- () ()	821.	835.	863.	893.	919.	957.	981.
	48"	34"	R3B0TFL34 48- () ()	849.	863.	891.	921.	947.	985.	1,009.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	R3B0TF134 18- () ()	646.	660.	690.	722.	748.	788.	814.
	20"	34"	R3B0TF134 20- () ()	646.	660.	690.	722.	748.	788.	814.
	24"	34"	R3B0TF134 24- () ()	689.	703.	733.	765.	791.	831.	857.
	30"	34"	R3B0TF134 30- () ()	734.	748.	778.	810.	836.	876.	902.
	36"	34"	R3B0TF134 36- () ()	775.	789.	819.	851.	877.	917.	943.
	42"	34"	R3B0TF134 42- () ()	885.	899.	929.	961.	987.	1,027.	1,053.
	48"	34"	R3B0TF134 48- () ()	913.	927.	957.	989.	1,015.	1,055.	1,081.

Order Code

Example: R3B0TFL3418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric selection - side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
- Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

- Base finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel)

4. Extruded aluminum tile divider:

Optional for non fabric side only (fabric side always black)
34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 115.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.



Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 34" H

fabric one side, hard opposite side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	R3B0TF234 18-() ()	\$659.	\$673.	\$703.	\$735.	\$761.	\$801.	\$827.
	20"	34"	R3B0TF234 20-() ()	659.	673.	703.	735.	761.	801.	827.
	24"	34"	R3B0TF234 24-() ()	702.	716.	746.	778.	804.	844.	870.
	30"	34"	R3B0TF234 30-() ()	747.	761.	791.	823.	849.	889.	915.
	36"	34"	R3B0TF234 36-() ()	788.	803.	832.	864.	890.	930.	956.
	42"	34"	R3B0TF234 42-() ()	899.	913.	943.	975.	1,001.	1,041.	1,067.
	48"	34"	R3B0TF234 48-() ()	930.	944.	974.	1,006.	1,032.	1,072.	1,098.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	R3B0TF334 18-() ()	880.	894.	924.	956.	982.	1,022.	1,048.
	20"	34"	R3B0TF334 20-() ()	880.	894.	924.	956.	982.	1,022.	1,048.
	24"	34"	R3B0TF334 24-() ()	938.	952.	982.	1,014.	1,040.	1,080.	1,106.
	30"	34"	R3B0TF334 30-() ()	997.	1,011.	1,041.	1,073.	1,099.	1,139.	1,165.
	36"	34"	R3B0TF334 36-() ()	1,054.	1,068.	1,098.	1,130.	1,156.	1,196.	1,222.
	42"	34"	R3B0TF334 42-() ()	1,204.	1,218.	1,248.	1,280.	1,306.	1,346.	1,372.
	48"	34"	R3B0TF334 48-() ()	1,245.	1,259.	1,289.	1,321.	1,347.	1,387.	1,413.

Order Code

Example:	R3B0TFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric selection - side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel)

4. Extruded aluminum tile divider:

Optional for non fabric side only (fabric side always black)
34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 115.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 34" H

Laminate/Laminate

Reff

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18"	34"	R3B0TLL3418 () ()	\$681.
	20"	34"	R3B0TLL3420 () ()	681.
	24"	34"	R3B0TLL3424 () ()	742.
	30"	34"	R3B0TLL3430 () ()	831.
	36"	34"	R3B0TLL3436 () ()	898.
	42"	34"	R3B0TLL3442 () ()	925.
	48"	34"	R3B0TLL3448 () ()	953.

Example: **R3B0TLL3418-A4K**

R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black
118	Laminate - side 1
118	Laminate - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Laminate, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
- Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
- Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

- Base finish
- Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height

4. Extruded aluminum tile divider:

- Optional for non fabric side only**
(fabric side always black)
34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.

Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

All panels on this page accept stacking modules.


All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 115.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics 	18"	42"	R3B0TFF42 18-() ()	\$618.	\$650.	\$724.	\$818.	\$884.	\$982.	\$1,050.
	20"	42"	R3B0TFF42 20-() ()	618.	650.	724.	818.	884.	982.	1,050.
	24"	42"	R3B0TFF42 24-() ()	664.	696.	770.	864.	930.	1,028.	1,096.
	30"	42"	R3B0TFF42 30-() ()	711.	743.	817.	911.	977.	1,075.	1,143.
	36"	42"	R3B0TFF42 36-() ()	758.	790.	864.	958.	1,024.	1,122.	1,190.
	42"	42"	R3B0TFF42 42-() ()	856.	888.	962.	1,056.	1,122.	1,220.	1,288.
	48"	42"	R3B0TFF42 48-() ()	900.	932.	1,006.	1,100.	1,166.	1,264.	1,332.

Tiled, fabric both sides High acoustics 	18"	42"	R3B0TAA42 18-() ()	677.	709.	783.	877.	943.	1,041.	1,109.
	20"	42"	R3B0TAA42 20-() ()	677.	709.	783.	877.	943.	1,041.	1,109.
	24"	42"	R3B0TAA42 24-() ()	729.	761.	835.	929.	995.	1,093.	1,161.
	30"	42"	R3B0TAA42 30-() ()	783.	815.	889.	983.	1,049.	1,147.	1,215.
	36"	42"	R3B0TAA42 36-() ()	834.	866.	940.	1,034.	1,100.	1,198.	1,266.
	42"	42"	R3B0TAA42 42-() ()	945.	977.	1,051.	1,145.	1,211.	1,309.	1,377.
	48"	42"	R3B0TAA42 48-() ()	995.	1,027.	1,101.	1,195.	1,261.	1,359.	1,427.

Tiled, fabric both sides Beltway one side 	18"	42"	R3B1TFF42 18-() ()	1,112.	1,144.	1,216.	1,312.	1,378.	1,476.	1,544.
	20"	42"	R3B1TFF42 20-() ()	1,112.	1,144.	1,216.	1,312.	1,378.	1,476.	1,544.
	24"	42"	R3B1TFF42 24-() ()	1,137.	1,169.	1,241.	1,337.	1,403.	1,501.	1,569.
	30"	42"	R3B1TFF42 30-() ()	1,196.	1,228.	1,300.	1,396.	1,462.	1,560.	1,628.
	36"	42"	R3B1TFF42 36-() ()	1,412.	1,444.	1,516.	1,612.	1,678.	1,776.	1,844.
	42"	42"	R3B1TFF42 42-() ()	1,525.	1,557.	1,629.	1,725.	1,791.	1,889.	1,957.
	48"	42"	R3B1TFF42 48-() ()	1,578.	1,610.	1,682.	1,778.	1,844.	1,942.	2,010.

Order Code

Example:	R3B0TFF4218-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
42	42" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
i) tile 2A bottom
ii) tile 2B middle
iii) tile 2C top
6. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 42" H

fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B2TFF42 18-()()	\$1,133.	\$1,165.	\$1,235.	\$1,333.	\$1,399.	\$1,497.	\$1,565.
Beltway two sides	20"	42"	R3B2TFF42 20-()()	1,133.	1,165.	1,235.	1,333.	1,399.	1,497.	1,565.
	24"	42"	R3B2TFF42 24-()()	1,110.	1,142.	1,212.	1,310.	1,376.	1,474.	1,542.
	30"	42"	R3B2TFF42 30-()()	1,219.	1,251.	1,321.	1,419.	1,485.	1,583.	1,651.
	36"	42"	R3B2TFF42 36-()()	1,437.	1,469.	1,539.	1,637.	1,703.	1,801.	1,869.
	42"	42"	R3B2TFF42 42-()()	1,554.	1,586.	1,656.	1,754.	1,820.	1,918.	1,986.
	48"	42"	R3B2TFF42 48-()()	1,610.	1,642.	1,712.	1,810.	1,876.	1,974.	2,042.



Order Code

Example: R3B0TFF4218-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
42	42" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C top
6. Top trim finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Tiled panels 42" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	42"	R3B0TFL42 18-() ()	\$673.	\$690.	\$726.	\$771.	\$802.	\$850.	\$882.
	20"	42"	R3B0TFL42 20-() ()	673.	690.	726.	771.	802.	850.	882.
	24"	42"	R3B0TFL42 24-() ()	717.	734.	770.	815.	846.	894.	926.
	30"	42"	R3B0TFL42 30-() ()	764.	781.	817.	862.	893.	941.	973.
	36"	42"	R3B0TFL42 36-() ()	809.	826.	862.	907.	938.	986.	1,018.
	42"	42"	R3B0TFL42 42-() ()	901.	918.	954.	999.	1,030.	1,078.	1,110.
	48"	42"	R3B0TFL42 48-() ()	948.	965.	1,001.	1,046.	1,077.	1,125.	1,157.



Tiled, fabric one side Beltway one side (fabric side)	18"	42"	R3B1TFL42 18-() ()	1,149.	1,166.	1,201.	1,247.	1,278.	1,326.	1,358.
	20"	42"	R3B1TFL42 20-() ()	1,149.	1,166.	1,201.	1,247.	1,278.	1,326.	1,358.
	24"	42"	R3B1TFL42 24-() ()	1,173.	1,190.	1,225.	1,271.	1,302.	1,350.	1,382.
	30"	42"	R3B1TFL42 30-() ()	1,232.	1,249.	1,284.	1,330.	1,361.	1,409.	1,441.
	36"	42"	R3B1TFL42 36-() ()	1,441.	1,458.	1,493.	1,539.	1,570.	1,618.	1,650.
	42"	42"	R3B1TFL42 42-() ()	1,549.	1,566.	1,601.	1,647.	1,678.	1,726.	1,758.
	48"	42"	R3B1TFL42 48-() ()	1,599.	1,616.	1,651.	1,697.	1,728.	1,776.	1,808.





Order Code	Specification Information	Application Notes	
<p>Example: R3B0TFL4218-A4K</p> <p>R3 Reff Generation 3</p> <p>B0 No Beltway</p> <p>T Tiled panel</p> <p>FL Fabric one side, laminate other</p> <p>42 42" high</p> <p>18 18" wide</p> <p>A Flat style top trim</p> <p>4 4" base height</p> <p>K Include knockouts in base</p> <p>B Tile divider, black reveal</p> <p>W281 Fabric selection - side 1</p> <p>114 Folkstone grey - side 2</p> <p>V316 Maple (top trim finish)</p> <p>111 Jet Black (base finish)</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Top trim profile Base height Knockout option (K = with knockouts, N = without knockouts) Tile divider (B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) Fabric side, finish (specify selection per insert) <ol style="list-style-type: none"> tile 1A bottom tile 1B middle tile 1C top Laminate side, finish (specify selection per insert) <ol style="list-style-type: none"> tile 2A bottom tile 2B middle tile 2C top Top trim finish <ol style="list-style-type: none"> Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver Base finish Beltway finish Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable 	<p>1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.</p>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 218).</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 115 at no charge.</p>

Tiled panels 42" H

fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18-() ()	\$723.	\$740.	\$778.	\$826.	\$858.	\$908.	\$942.
Regular acoustics	20"	42"	R3B0TF142 20-() ()	723.	740.	778.	826.	858.	908.	942.
	24"	42"	R3B0TF142 24-() ()	771.	788.	826.	874.	906.	956.	990.
	30"	42"	R3B0TF142 30-() ()	823.	840.	878.	926.	958.	1,008.	1,042.
	36"	42"	R3B0TF142 36-() ()	869.	886.	924.	972.	1,004.	1,054.	1,088.
	42"	42"	R3B0TF142 42-() ()	972.	989.	1,027.	1,075.	1,107.	1,157.	1,191.
	48"	42"	R3B0TF142 48-() ()	1,016.	1,033.	1,071.	1,119.	1,151.	1,201.	1,235.

Tiled, fabric one side	18"	42"	R3B1TF142 18-() ()	1,238.	1,255.	1,293.	1,341.	1,373.	1,423.	1,457.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20-() ()	1,238.	1,255.	1,293.	1,341.	1,373.	1,423.	1,457.
	24"	42"	R3B1TF142 24-() ()	1,262.	1,279.	1,317.	1,365.	1,397.	1,447.	1,481.
	30"	42"	R3B1TF142 30-() ()	1,322.	1,339.	1,377.	1,425.	1,457.	1,507.	1,541.
	36"	42"	R3B1TF142 36-() ()	1,545.	1,562.	1,600.	1,648.	1,680.	1,730.	1,764.
	42"	42"	R3B1TF142 42-() ()	1,665.	1,682.	1,720.	1,768.	1,800.	1,850.	1,884.
	48"	42"	R3B1TF142 48-() ()	1,721.	1,738.	1,776.	1,824.	1,856.	1,906.	1,940.

Order Code

Example: R3B0TF14218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F1 Fabric one side, V1 other
42 42" high
18 18" wide
A Flat style top trim
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric selection - side 1
Y328 Mahogany - side 2
V316 Maple (top trim finish)
111 Jet Black (base finish)

Specification Information

- To order please specify pattern number including:*
- Top trim profile
 - Base height
 - Knockout option
(K = with knockouts, N = without knockouts)
 - Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 - Fabric side, finish (specify selection per insert)
 - tile 1A bottom
 - tile 1B middle
 - tile 1C top
 - Techwood side, finish (specify one V1 finish for side)
 - Top trim finish
 - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 - Base finish
 - Beltway finish
 - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes


- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 - Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
 - Extruded aluminum tile divider:*
Optional for non fabric side only (fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w
 - 6" Raceway option increases panel height by 2 3/4".
- Applicable finishes are listed on page 5 and 6.
- The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 218).
- Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Tiled panels 42" H

fabric one side, conventional veneer other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18- () ()	\$736.	\$753.	\$791.	\$839.	\$871.	\$921.	\$955.
Regular acoustics	20"	42"	R3B0TF242 20- () ()	736.	753.	791.	839.	871.	921.	955.
	24"	42"	R3B0TF242 24- () ()	785.	802.	840.	888.	920.	970.	1,004.
	30"	42"	R3B0TF242 30- () ()	837.	854.	892.	940.	972.	1,022.	1,057.
	36"	42"	R3B0TF242 36- () ()	888.	905.	943.	991.	1,023.	1,073.	1,107.
	42"	42"	R3B0TF242 42- () ()	988.	1,005.	1,043.	1,091.	1,123.	1,173.	1,207.
	48"	42"	R3B0TF242 48- () ()	1,037.	1,054.	1,092.	1,140.	1,172.	1,222.	1,256.

Tiled, fabric one side	18"	42"	R3B1TF242 18- () ()	1,260.	1,277.	1,315.	1,363.	1,395.	1,445.	1,479.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20- () ()	1,260.	1,277.	1,315.	1,363.	1,395.	1,445.	1,479.
	24"	42"	R3B1TF242 24- () ()	1,283.	1,300.	1,338.	1,386.	1,418.	1,468.	1,502.
	30"	42"	R3B1TF242 30- () ()	1,347.	1,364.	1,402.	1,450.	1,482.	1,532.	1,566.
	36"	42"	R3B1TF242 36- () ()	1,576.	1,593.	1,631.	1,679.	1,711.	1,761.	1,795.
	42"	42"	R3B1TF242 42- () ()	1,695.	1,712.	1,750.	1,798.	1,830.	1,880.	1,914.
	48"	42"	R3B1TF242 48- () ()	1,753.	1,770.	1,808.	1,856.	1,888.	1,938.	1,972.

Order Code

Example: R3B0TF24218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F2 Fabric one side, V2 other
42 42" high
18 18" wide
A Flat style top trim
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric selection - side 1
V316 Maple surface - side 2
V316 Maple (top trim finish)
111 Jet Black (base finish)

Specification Information

- To order please specify pattern number including:*
- Top trim profile
 - Base height
 - Knockout option
(K = with knockouts, N = without knockouts)
 - Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 - Fabric side, finish (specify selection per insert)
 - tile 1A bottom
 - tile 1B middle
 - tile 1C top
 - Conventional veneer, finish (specify one V2 finish for side)
 - Top trim finish
 - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 - Base finish
 - Beltway finish
 - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


Application Notes


- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 - Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
 - Extruded aluminum tile divider:*
Optional for non fabric side only (fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w
 - 6" Raceway option increases panel height by 2 3/4".
- Applicable finishes are listed on page 5 and 6.
- The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 218).
- Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 42" H

fabric one side, exotic veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-() ()	\$981.	\$998.	\$1,036.	\$1,084.	\$1,116.	\$1,166.	\$1,200.
Regular acoustics	20"	42"	R3B0TF342 20-() ()	981.	998.	1,036.	1,084.	1,116.	1,166.	1,200.
	24"	42"	R3B0TF342 24-() ()	1,045.	1,062.	1,100.	1,148.	1,180.	1,230.	1,264.
	30"	42"	R3B0TF342 30-() ()	1,116.	1,133.	1,171.	1,219.	1,251.	1,301.	1,335.
	36"	42"	R3B0TF342 36-() ()	1,185.	1,202.	1,240.	1,288.	1,320.	1,370.	1,404.
	42"	42"	R3B0TF342 42-() ()	1,320.	1,337.	1,375.	1,423.	1,455.	1,505.	1,539.
	48"	42"	R3B0TF342 48-() ()	1,386.	1,403.	1,441.	1,489.	1,521.	1,571.	1,605.


Tiled, fabric one side	18"	42"	R3B1TF342 18-() ()	1,688.	1,705.	1,743.	1,791.	1,823.	1,873.	1,907.
Beltway fabric side	20"	42"	R3B1TF342 20-() ()	1,688.	1,705.	1,743.	1,791.	1,823.	1,873.	1,907.
	24"	42"	R3B1TF342 24-() ()	1,719.	1,736.	1,774.	1,822.	1,854.	1,904.	1,938.
	30"	42"	R3B1TF342 30-() ()	1,804.	1,821.	1,859.	1,907.	1,939.	1,989.	2,023.
	36"	42"	R3B1TF342 36-() ()	2,115.	2,132.	2,170.	2,218.	2,250.	2,300.	2,334.
	42"	42"	R3B1TF342 42-() ()	2,274.	2,291.	2,329.	2,377.	2,409.	2,459.	2,493.
	48"	42"	R3B1TF342 48-() ()	2,353.	2,370.	2,408.	2,456.	2,488.	2,538.	2,572.

Order Code	Specification Information	Application Notes
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	
A Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric selection - side 1		
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		

Tiled panels 42" H Laminate/Laminate

Reff

Panels

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18"	42"	R3B0TLL4218() ()	\$821.
	20"	42"	R3B0TLL4220() ()	821.
	24"	42"	R3B0TLL4224() ()	895.
	30"	42"	R3B0TLL4230() ()	1,002.
	36"	42"	R3B0TLL4236() ()	1,082.
	42"	42"	R3B0TLL4242() ()	1,115.
	48"	42"	R3B0TLL4248() ()	1,148.

Order Code

Example:	R3B0TLL4218-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
42	42" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
6. Laminate, finish
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height

4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)
42"h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

Applicable finishes are listed on page 5 and 6.

Application Notes

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 218).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 49" H fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B0TFF49 18-() ()	\$692.	\$734.	\$818.	\$914.	\$992.	\$1,112.	\$1,190.
Regular acoustics	20"	49"	R3B0TFF49 20-() ()	692.	734.	818.	914.	992.	1,112.	1,190.
	24"	49"	R3B0TFF49 24-() ()	740.	782.	866.	962.	1,040.	1,160.	1,238.
	30"	49"	R3B0TFF49 30-() ()	795.	837.	921.	1,017.	1,095.	1,215.	1,293.
	36"	49"	R3B0TFF49 36-() ()	847.	889.	973.	1,069.	1,147.	1,267.	1,345.
	42"	49"	R3B0TFF49 42-() ()	957.	999.	1,083.	1,179.	1,257.	1,377.	1,455.
	48"	49"	R3B0TFF49 48-() ()	1,009.	1,051.	1,135.	1,231.	1,309.	1,429.	1,507.

Tiled, fabric both sides	18"	49"	R3B0TAA49 18-() ()	758.	800.	884.	980.	1,058.	1,178.	1,256.
High acoustics	20"	49"	R3B0TAA49 20-() ()	758.	800.	884.	980.	1,058.	1,178.	1,256.
	24"	49"	R3B0TAA49 24-() ()	810.	852.	936.	1,032.	1,110.	1,230.	1,308.
	30"	49"	R3B0TAA49 30-() ()	874.	916.	1,000.	1,096.	1,174.	1,294.	1,372.
	36"	49"	R3B0TAA49 36-() ()	931.	973.	1,057.	1,153.	1,231.	1,351.	1,429.
	42"	49"	R3B0TAA49 42-() ()	1,049.	1,091.	1,175.	1,271.	1,349.	1,469.	1,547.
	48"	49"	R3B0TAA49 48-() ()	1,110.	1,152.	1,236.	1,332.	1,410.	1,530.	1,608.

Tiled, fabric both sides	18"	49"	R3B1TFF49 18-() ()	1,141.	1,183.	1,265.	1,363.	1,441.	1,561.	1,639.
Beltway one side	20"	49"	R3B1TFF49 20-() ()	1,141.	1,183.	1,265.	1,363.	1,441.	1,561.	1,639.
	24"	49"	R3B1TFF49 24-() ()	1,164.	1,206.	1,288.	1,386.	1,464.	1,584.	1,662.
	30"	49"	R3B1TFF49 30-() ()	1,226.	1,268.	1,350.	1,448.	1,526.	1,646.	1,724.
	36"	49"	R3B1TFF49 36-() ()	1,468.	1,510.	1,592.	1,690.	1,768.	1,888.	1,966.
	42"	49"	R3B1TFF49 42-() ()	1,585.	1,627.	1,709.	1,807.	1,885.	2,005.	2,083.
	48"	49"	R3B1TFF49 48-() ()	1,641.	1,683.	1,765.	1,863.	1,941.	2,061.	2,139.

Order Code

Example:	R3B0TFF4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C top
6. Top trim finish
 - i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2³/₄".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 49" H

fabric both sides

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B2TFF49 18- ()()	\$1,158.	\$1,200.	\$1,280.	\$1,380.	\$1,458.	\$1,578.	\$1,656.
Beltway two sides	20"	49"	R3B2TFF49 20- ()()	1,158.	1,200.	1,280.	1,380.	1,458.	1,578.	1,656.
	24"	49"	R3B2TFF49 24- ()()	1,184.	1,226.	1,306.	1,406.	1,484.	1,604.	1,682.
	30"	49"	R3B2TFF49 30- ()()	1,249.	1,291.	1,371.	1,471.	1,549.	1,669.	1,747.
	36"	49"	R3B2TFF49 36- ()()	1,494.	1,536.	1,616.	1,716.	1,794.	1,914.	1,992.
	42"	49"	R3B2TFF49 42- ()()	1,612.	1,654.	1,734.	1,834.	1,912.	2,032.	2,110.
	48"	49"	R3B2TFF49 48- ()()	1,673.	1,715.	1,795.	1,895.	1,973.	2,093.	2,171.



Order Code

Example:	R3B0TFF4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Fabric side finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
- Fabric side, finish (specify selection per insert)
i) tile 2A bottom
ii) tile 2B middle
iii) tile 2C top
- Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2³/₄".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 49" H

fabric one side, laminate opposite side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	49"	R3B0TFL49 18-() ()	\$755.	\$776.	\$818.	\$863.	\$902.	\$959.	\$995.
	20"	49"	R3B0TFL49 20-() ()	755.	776.	818.	863.	902.	959.	995.
	24"	49"	R3B0TFL49 24-() ()	798.	819.	861.	906.	945.	1,002.	1,038.
	30"	49"	R3B0TFL49 30-() ()	855.	876.	918.	963.	1,002.	1,059.	1,095.
	36"	49"	R3B0TFL49 36-() ()	902.	923.	965.	1,010.	1,049.	1,106.	1,142.
	42"	49"	R3B0TFL49 42-() ()	1,006.	1,027.	1,069.	1,114.	1,153.	1,210.	1,246.
	48"	49"	R3B0TFL49 48-() ()	1,059.	1,080.	1,122.	1,167.	1,206.	1,263.	1,299.



Tiled, fabric one side Beltway one side (fabric side)	18"	49"	R3B1TFL49 18-() ()	1,186.	1,207.	1,248.	1,294.	1,333.	1,390.	1,426.
	20"	49"	R3B1TFL49 20-() ()	1,186.	1,207.	1,248.	1,294.	1,333.	1,390.	1,426.
	24"	49"	R3B1TFL49 24-() ()	1,210.	1,231.	1,272.	1,318.	1,357.	1,414.	1,450.
	30"	49"	R3B1TFL49 30-() ()	1,271.	1,292.	1,333.	1,379.	1,418.	1,475.	1,511.
	36"	49"	R3B1TFL49 36-() ()	1,502.	1,523.	1,564.	1,610.	1,649.	1,706.	1,742.
	42"	49"	R3B1TFL49 42-() ()	1,612.	1,633.	1,674.	1,720.	1,759.	1,816.	1,852.
	48"	49"	R3B1TFL49 48-() ()	1,672.	1,693.	1,734.	1,780.	1,819.	1,876.	1,912.



Order Code

Example:	R3B0TFL4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
49	49" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

- To order please specify pattern number including:*
- Top trim profile
 - Base height
 - Knockout option
(K = with knockouts,
N = without knockouts)
 - Tile divider
B = black steel divider or specify
AA-anodized aluminum or
painted option excluding silver
from page 5 for extruded
aluminum divider (upcharge
applicable for extruded
aluminum divider)
 - Fabric side, finish (specify
selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
 - Laminate side finish (specify
selection per insert)
i) tile 2A bottom
ii) tile 2B middle
iii) tile 2C top
 - Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or
painted finish from page
5 excluding silver
 - Base finish
 - Beltway finish
 - Optional non-beltway panels:*
specify (M) for panel frame to
be milled for ported
components, \$14 list upcharge
applicable

Application Notes

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per
panel for this option)

- Extruded aluminum tile divider:*
Optional for non fabric side only
(fabric side always black)
49"h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

6" Raceway option increases panel height by 2³/₄".

Applicable finishes are listed on page 5 and 6.

Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 49" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18-() ()	\$808.	\$829.	\$874.	\$922.	\$961.	\$1,021.	\$1,060.
Regular acoustics	20"	49"	R3B0TF149 20-() ()	808.	829.	874.	922.	961.	1,021.	1,060.
	24"	49"	R3B0TF149 24-() ()	859.	880.	925.	973.	1,012.	1,072.	1,111.
	30"	49"	R3B0TF149 30-() ()	916.	937.	982.	1,030.	1,069.	1,129.	1,168.
	36"	49"	R3B0TF149 36-() ()	971.	992.	1,037.	1,085.	1,124.	1,184.	1,223.
	42"	49"	R3B0TF149 42-() ()	1,086.	1,107.	1,152.	1,200.	1,239.	1,299.	1,338.
	48"	49"	R3B0TF149 48-() ()	1,138.	1,159.	1,204.	1,252.	1,291.	1,351.	1,390.

Tiled, fabric one side	18"	49"	R3B1TF149 18-() ()	1,274.	1,295.	1,340.	1,388.	1,427.	1,487.	1,526.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20-() ()	1,274.	1,295.	1,340.	1,388.	1,427.	1,487.	1,526.
	24"	49"	R3B1TF149 24-() ()	1,303.	1,324.	1,369.	1,417.	1,456.	1,516.	1,555.
	30"	49"	R3B1TF149 30-() ()	1,366.	1,387.	1,432.	1,480.	1,519.	1,579.	1,618.
	36"	49"	R3B1TF149 36-() ()	1,617.	1,638.	1,683.	1,731.	1,770.	1,830.	1,869.
	42"	49"	R3B1TF149 42-() ()	1,737.	1,758.	1,803.	1,851.	1,890.	1,950.	1,989.
	48"	49"	R3B1TF149 48-() ()	1,796.	1,817.	1,862.	1,910.	1,949.	2,009.	2,048.

Order Code

Example: R3B0TF14918-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F1 Fabric one side, V1 other
49 49" high
18 18" wide
A Flat style top trim
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric selection - side 1
Y328 Mahogany - side 2
V316 Maple (top trim finish)
111 Jet Black (base finish)

Specification Information

- To order please specify pattern number including:*
1. Top trim profile
 2. Base height
 3. Knockout option (K = with knockouts, N = without knockouts)
 4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
 6. Techwood side, finish (specify one V1 finish for side)
 7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 8. Base finish
 9. Beltway finish
 10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


Application Notes


1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
 4. *Extruded aluminum tile divider:*
Optional for non fabric side only (fabric side always black)
49"h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w
- 6" Raceway option increases panel height by 2³/₄".
- Applicable finishes are listed on page 5 and 6.
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 49" H

fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF249 18-() ()	\$825.	\$846.	\$891.	\$939.	\$978.	\$1,038.	\$1,077.
Regular acoustics	20"	49"	R3B0TF249 20-() ()	825.	846.	891.	939.	978.	1,038.	1,077.
	24"	49"	R3B0TF249 24-() ()	874.	895.	940.	988.	1,027.	1,087.	1,126.
	30"	49"	R3B0TF249 30-() ()	938.	959.	1,004.	1,052.	1,091.	1,151.	1,190.
	36"	49"	R3B0TF249 36-() ()	989.	1,010.	1,055.	1,103.	1,142.	1,202.	1,241.
	42"	49"	R3B0TF249 42-() ()	1,102.	1,123.	1,168.	1,216.	1,255.	1,315.	1,354.
	48"	49"	R3B0TF249 48-() ()	1,159.	1,180.	1,225.	1,273.	1,312.	1,372.	1,411.

Tiled, fabric one side	18"	49"	R3B1TF249 18-() ()	1,299.	1,320.	1,365.	1,413.	1,452.	1,512.	1,551.
Beltway one side (fabric side)	20"	49"	R3B1TF249 20-() ()	1,299.	1,320.	1,365.	1,413.	1,452.	1,512.	1,551.
	24"	49"	R3B1TF249 24-() ()	1,326.	1,347.	1,392.	1,440.	1,479.	1,539.	1,578.
	30"	49"	R3B1TF249 30-() ()	1,390.	1,411.	1,456.	1,504.	1,543.	1,603.	1,642.
	36"	49"	R3B1TF249 36-() ()	1,644.	1,665.	1,710.	1,758.	1,797.	1,857.	1,896.
	42"	49"	R3B1TF249 42-() ()	1,767.	1,788.	1,833.	1,881.	1,920.	1,980.	2,019.
	48"	49"	R3B1TF249 48-() ()	1,830.	1,851.	1,896.	1,944.	1,983.	2,043.	2,082.

Order Code

Example: R3B0TF24918-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F2 Fabric one side, V2 other
49 49" high
18 18" wide
A Flat style top trim
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric selection - side 1
V316 Maple surface - side 2
V316 Maple (top trim finish)
111 Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
- Conventional veneer, finish (specify one V2 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:

- Optional for non fabric side only** (fabric side always black)
- 49" h add per panel:

 - \$25 for 18w and 20w
 - \$28 for 24w and 30w
 - \$34 for 36w and 42w
 - \$42 for 48w

6" Raceway option increases panel height by 2³/₄".

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Tiled panels 49" H

fabric one side, exotic veneer other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics 	18"	49"	R3B0TF349 18-() ()	\$1,097.	\$1,118.	\$1,163.	\$1,211.	\$1,250.	\$1,310.	\$1,349.
	20"	49"	R3B0TF349 20-() ()	1,097.	1,118.	1,163.	1,211.	1,250.	1,310.	1,349.
	24"	49"	R3B0TF349 24-() ()	1,164.	1,185.	1,230.	1,278.	1,317.	1,377.	1,416.
	30"	49"	R3B0TF349 30-() ()	1,250.	1,271.	1,316.	1,364.	1,403.	1,463.	1,502.
	36"	49"	R3B0TF349 36-() ()	1,320.	1,341.	1,386.	1,434.	1,473.	1,533.	1,572.
	42"	49"	R3B0TF349 42-() ()	1,471.	1,492.	1,537.	1,585.	1,624.	1,684.	1,723.
	48"	49"	R3B0TF349 48-() ()	1,548.	1,569.	1,614.	1,662.	1,701.	1,761.	1,800.

Tiled, fabric one side Beltway fabric side 	18"	49"	R3B1TF349 18-() ()	1,738.	1,759.	1,804.	1,852.	1,891.	1,951.	1,990.
	20"	49"	R3B1TF349 20-() ()	1,738.	1,759.	1,804.	1,852.	1,891.	1,951.	1,990.
	24"	49"	R3B1TF349 24-() ()	1,775.	1,796.	1,841.	1,889.	1,928.	1,988.	2,027.
	30"	49"	R3B1TF349 30-() ()	1,861.	1,882.	1,927.	1,975.	2,014.	2,074.	2,113.
	36"	49"	R3B1TF349 36-() ()	2,204.	2,225.	2,270.	2,318.	2,357.	2,417.	2,456.
	42"	49"	R3B1TF349 42-() ()	2,370.	2,391.	2,436.	2,484.	2,523.	2,583.	2,622.
	48"	49"	R3B1TF349 48-() ()	2,457.	2,478.	2,523.	2,571.	2,610.	2,670.	2,709.

Order Code

Example:	R3B0TF34918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
49	49" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)

Specification Information

- To order please specify pattern number including:*
- Top trim profile
 - Base height
 - Knockout option
(K = with knockouts, N = without knockouts)
 - Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 - Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
 - Exotic veneer, finish (specify one V3 finish for side)
 - Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 - Base finish
 - Beltway finish
 - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

- Extruded aluminum tile divider:*
Optional for non fabric side only
(fabric side always black)
49"h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

- 6" Raceway option increases panel height by 2³/₄".

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 49" H

Laminate/Laminate

Reff

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18"	49"	R3B0TLL4918() ()	\$858.
	20"	49"	R3B0TLL4920() ()	858.
	24"	49"	R3B0TLL4924() ()	935.
	30"	49"	R3B0TLL4930() ()	1,047.
	36"	49"	R3B0TLL4936() ()	1,131.
	42"	49"	R3B0TLL4942() ()	1,165.
	48"	49"	R3B0TLL4948() ()	1,200.

Order Code

Example:	R3B0TLL4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
49	49" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C top
6. Laminate, finish
7. Top trim finish
 - i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum

2. Base height:
 4 = 4" base height

4. Extruded aluminum tile divider:
Optional for non fabric side only
 (fabric side always black)
 49"h add per panel:
 \$25 for 18w and 20w
 \$28 for 24w and 30w
 \$34 for 36w and 42w
 \$42 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 64" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18"	64"	R3B0TFF64 18-() ()	\$792.	\$848.	\$960.	\$1,088.	\$1,192.	\$1,352.	\$1,456.
	20"	64"	R3B0TFF64 20-() ()	794.	848.	960.	1,088.	1,192.	1,352.	1,456.
	24"	64"	R3B0TFF64 24-() ()	848.	904.	1,016.	1,144.	1,248.	1,408.	1,512.
	30"	64"	R3B0TFF64 30-() ()	911.	967.	1,079.	1,207.	1,311.	1,471.	1,575.
	36"	64"	R3B0TFF64 36-() ()	965.	1,021.	1,133.	1,261.	1,365.	1,525.	1,629.
	42"	64"	R3B0TFF64 42-() ()	1,103.	1,159.	1,271.	1,399.	1,503.	1,663.	1,767.
	48"	64"	R3B0TFF64 48-() ()	1,158.	1,214.	1,326.	1,454.	1,558.	1,718.	1,822.



Tiled, fabric both sides High acoustics	18"	64"	R3B0TAA64 18-() ()	867.	923.	1,035.	1,163.	1,267.	1,427.	1,531.
	20"	64"	R3B0TAA64 20-() ()	867.	923.	1,035.	1,163.	1,267.	1,427.	1,531.
	24"	64"	R3B0TAA64 24-() ()	929.	985.	1,097.	1,225.	1,329.	1,489.	1,593.
	30"	64"	R3B0TAA64 30-() ()	999.	1,055.	1,167.	1,295.	1,399.	1,559.	1,663.
	36"	64"	R3B0TAA64 36-() ()	1,064.	1,120.	1,232.	1,360.	1,464.	1,624.	1,728.
	42"	64"	R3B0TAA64 42-() ()	1,212.	1,268.	1,380.	1,508.	1,612.	1,772.	1,876.
	48"	64"	R3B0TAA64 48-() ()	1,277.	1,333.	1,445.	1,573.	1,677.	1,837.	1,941.





Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert)	
64 64" high	i) tile 1A bottom	6" Raceway option increases panel height by 2 3/4".
18 18" wide	ii) tile 1B middle	
A Flat style top trim	iii) tile 1C middle	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
4 4" base height	iv) tile 1D top	
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	i) tile 2A bottom	
W281 Fabric selection - side 2	ii) tile 2B middle	Remember to specify Beltway paint finish when applicable.
V316 Maple (top trim finish)	iii) tile 2C middle	
111 Jet Black (base finish)	iv) tile 2D top	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
	6. Top trim finish	
	i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

Tiled panels 64" H

fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B1TFF64 18- () ()	\$1,236.	\$1,292.	\$1,402.	\$1,532.	\$1,636.	\$1,796.	\$1,900.
Beltway one side	20"	64"	R3B1TFF64 20- () ()	1,236.	1,292.	1,402.	1,532.	1,636.	1,796.	1,900.
	24"	64"	R3B1TFF64 24- () ()	1,299.	1,355.	1,465.	1,595.	1,699.	1,859.	1,963.
	30"	64"	R3B1TFF64 30- () ()	1,331.	1,387.	1,497.	1,627.	1,731.	1,891.	1,995.
	36"	64"	R3B1TFF64 36- () ()	1,635.	1,691.	1,801.	1,931.	2,035.	2,195.	2,299.
	42"	64"	R3B1TFF64 42- () ()	1,756.	1,812.	1,922.	2,052.	2,156.	2,316.	2,420.
	48"	64"	R3B1TFF64 48- () ()	1,819.	1,875.	1,985.	2,115.	2,219.	2,379.	2,483.

Tiled, fabric both sides	18"	64"	R3B2TFF64 18- () ()	1,255.	1,311.	1,419.	1,551.	1,655.	1,815.	1,919.
Beltway two sides	20"	64"	R3B2TFF64 20- () ()	1,255.	1,311.	1,419.	1,551.	1,655.	1,815.	1,919.
	24"	64"	R3B2TFF64 24- () ()	1,320.	1,376.	1,484.	1,616.	1,720.	1,880.	1,984.
	30"	64"	R3B2TFF64 30- () ()	1,352.	1,408.	1,516.	1,648.	1,752.	1,912.	2,016.
	36"	64"	R3B2TFF64 36- () ()	1,664.	1,720.	1,828.	1,960.	2,064.	2,224.	2,328.
	42"	64"	R3B2TFF64 42- () ()	1,783.	1,839.	1,947.	2,079.	2,183.	2,343.	2,447.
	48"	64"	R3B2TFF64 48- () ()	1,850.	1,906.	2,014.	2,146.	2,250.	2,410.	2,514.

Order Code

Example: R3B0TFF6418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
64	64" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

- To order please specify pattern number including:*
- Top trim profile
 - Base height
 - Knockout option
(K = with knockouts,
N = without knockouts)
 - Fabric side, finish (specify selection per insert)
 - tile 1A bottom
 - tile 1B middle
 - tile 1C middle
 - tile 1D top
 - Fabric side, finish (specify selection per insert)
 - tile 2A bottom
 - tile 2B middle
 - tile 2C middle
 - tile 2D top
 - Top trim finish
 - Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
 - Base finish
 - Beltway finish
 - Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes


- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 - Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
- 6" Raceway option increases panel height by 2³/₄".
- Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
- Applicable finishes are listed on page 5 and 6.
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Tiled panels 64" H

fabric one side, laminate other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-()()	\$878.	\$906.	\$962.	\$1,022.	\$1,074.	\$1,150.	\$1,198.
Regular acoustics	20"	64"	R3B0TFL64 20-()()	878.	906.	962.	1,022.	1,074.	1,150.	1,198.
	24"	64"	R3B0TFL64 24-()()	931.	959.	1,015.	1,075.	1,127.	1,203.	1,251.
	30"	64"	R3B0TFL64 30-()()	994.	1,022.	1,078.	1,138.	1,190.	1,266.	1,314.
	36"	64"	R3B0TFL64 36-()()	1,049.	1,077.	1,133.	1,193.	1,245.	1,321.	1,369.
	42"	64"	R3B0TFL64 42-()()	1,180.	1,208.	1,264.	1,324.	1,376.	1,452.	1,500.
	48"	64"	R3B0TFL64 48-()()	1,235.	1,263.	1,319.	1,379.	1,431.	1,507.	1,555.

Tiled, fabric one side	18"	64"	R3B1TFL64 18-()()	1,306.	1,334.	1,389.	1,450.	1,502.	1,578.	1,626.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-()()	1,306.	1,334.	1,389.	1,450.	1,502.	1,578.	1,626.
	24"	64"	R3B1TFL64 24-()()	1,370.	1,398.	1,453.	1,514.	1,566.	1,642.	1,690.
	30"	64"	R3B1TFL64 30-()()	1,399.	1,427.	1,482.	1,543.	1,595.	1,671.	1,719.
	36"	64"	R3B1TFL64 36-()()	1,697.	1,725.	1,780.	1,841.	1,893.	1,969.	2,017.
	42"	64"	R3B1TFL64 42-()()	1,809.	1,837.	1,892.	1,953.	2,005.	2,081.	2,129.
	48"	64"	R3B1TFL64 48-()()	1,870.	1,898.	1,953.	2,014.	2,066.	2,142.	2,190.

Order Code

Example: R3B0TFL6418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
64	64" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
6. Laminate side, finish (specify selection per insert)
i) tile 2A bottom
ii) tile 2B middle
iii) tile 2C middle
iv) tile 2D top
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver

8. Base finish
9. Beltway finish
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:

Optional for non fabric side only (fabric side always black)
64" h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$62 for 48w

6" Raceway option increases panel height by 2³/₄".

Applicable finishes are listed on page 5 and 6.

Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 64" H

fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18- () ()	\$944.	\$972.	\$1,032.	\$1,096.	\$1,148.	\$1,228.	\$1,280.
Regular acoustics	20"	64"	R3B0TF164 20- () ()	944.	972.	1,032.	1,096.	1,148.	1,228.	1,280.
	24"	64"	R3B0TF164 24- () ()	1,001.	1,029.	1,089.	1,153.	1,205.	1,285.	1,337.
	30"	64"	R3B0TF164 30- () ()	1,068.	1,096.	1,156.	1,220.	1,272.	1,352.	1,404.
	36"	64"	R3B0TF164 36- () ()	1,126.	1,154.	1,214.	1,278.	1,330.	1,410.	1,462.
	42"	64"	R3B0TF164 42- () ()	1,268.	1,296.	1,356.	1,420.	1,472.	1,552.	1,604.
	48"	64"	R3B0TF164 48- () ()	1,327.	1,355.	1,415.	1,479.	1,531.	1,611.	1,663.



Tiled, fabric one side	18"	64"	R3B1TF164 18- () ()	1,404.	1,432.	1,492.	1,556.	1,608.	1,688.	1,740.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20- () ()	1,404.	1,432.	1,492.	1,556.	1,608.	1,688.	1,740.
	24"	64"	R3B1TF164 24- () ()	1,472.	1,500.	1,560.	1,624.	1,676.	1,756.	1,808.
	30"	64"	R3B1TF164 30- () ()	1,503.	1,531.	1,591.	1,655.	1,707.	1,787.	1,839.
	36"	64"	R3B1TF164 36- () ()	1,822.	1,850.	1,910.	1,974.	2,026.	2,106.	2,158.
	42"	64"	R3B1TF164 42- () ()	1,944.	1,972.	2,032.	2,096.	2,148.	2,228.	2,280.
	48"	64"	R3B1TF164 48- () ()	2,014.	2,042.	2,102.	2,166.	2,218.	2,298.	2,350.




Order Code	Specification Information	Application Notes
Example: R3B0TF16418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$62 for 48w
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
64 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
A Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric selection - side 1		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
Y328 Mahogany - side 2		Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
V316 Maple (top trim finish)		Remember to specify Beltway paint finish when applicable.
111 Jet Black (base finish)		79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 64" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18- () ()	\$962.	\$990.	\$1,050.	\$1,114.	\$1,166.	\$1,246.	\$1,298.
Regular acoustics	20"	64"	R3B0TF264 20- () ()	962.	990.	1,050.	1,114.	1,166.	1,246.	1,298.
	24"	64"	R3B0TF264 24- () ()	1,018.	1,046.	1,106.	1,170.	1,222.	1,302.	1,354.
	30"	64"	R3B0TF264 30- () ()	1,084.	1,112.	1,172.	1,236.	1,288.	1,368.	1,420.
	36"	64"	R3B0TF264 36- () ()	1,146.	1,174.	1,234.	1,298.	1,350.	1,430.	1,482.
	42"	64"	R3B0TF264 42- () ()	1,290.	1,318.	1,378.	1,442.	1,494.	1,574.	1,626.
	48"	64"	R3B0TF264 48- () ()	1,351.	1,379.	1,439.	1,503.	1,555.	1,635.	1,687.



Tiled, fabric one side	18"	64"	R3B1TF264 18- () ()	1,429.	1,457.	1,517.	1,581.	1,633.	1,713.	1,765.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20- () ()	1,429.	1,457.	1,517.	1,581.	1,633.	1,713.	1,765.
	24"	64"	R3B1TF264 24- () ()	1,499.	1,527.	1,587.	1,651.	1,703.	1,783.	1,835.
	30"	64"	R3B1TF264 30- () ()	1,530.	1,558.	1,618.	1,682.	1,734.	1,814.	1,866.
	36"	64"	R3B1TF264 36- () ()	1,857.	1,885.	1,945.	2,009.	2,061.	2,141.	2,193.
	42"	64"	R3B1TF264 42- () ()	1,981.	2,009.	2,069.	2,133.	2,185.	2,265.	2,317.
	48"	64"	R3B1TF264 48- () ()	2,044.	2,072.	2,132.	2,196.	2,248.	2,328.	2,380.





Order Code	Specification Information	Application Notes
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" raceway option increases panel height by 2 3/4".
F2 Fabric one side, V2 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$62 for 48w
64 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
18 18" wide	6. Conventional veneer, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric selection - side 1		
V316 Maple surface - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

Tiled panels 64" H

fabric one side, exotic veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-() ()	\$1,278.	\$1,306.	\$1,366.	\$1,430.	\$1,482.	\$1,562.	\$1,614.
Regular acoustics	20"	64"	R3B0TF364 20-() ()	1,278.	1,306.	1,366.	1,430.	1,482.	1,562.	1,614.
	24"	64"	R3B0TF364 24-() ()	1,353.	1,381.	1,441.	1,505.	1,557.	1,637.	1,689.
	30"	64"	R3B0TF364 30-() ()	1,442.	1,470.	1,530.	1,594.	1,646.	1,726.	1,778.
	36"	64"	R3B0TF364 36-() ()	1,527.	1,555.	1,615.	1,679.	1,731.	1,811.	1,863.
	42"	64"	R3B0TF364 42-() ()	1,721.	1,749.	1,809.	1,873.	1,925.	2,005.	2,057.
	48"	64"	R3B0TF364 48-() ()	1,802.	1,830.	1,890.	1,954.	2,006.	2,086.	2,138.

Tiled, fabric one side	18"	64"	R3B1TF364 18-() ()	1,909.	1,937.	1,997.	2,061.	2,113.	2,193.	2,245.
Beltway fabric side	20"	64"	R3B1TF364 20-() ()	1,909.	1,937.	1,997.	2,061.	2,113.	2,193.	2,245.
	24"	64"	R3B1TF364 24-() ()	2,004.	2,032.	2,092.	2,156.	2,208.	2,288.	2,340.
	30"	64"	R3B1TF364 30-() ()	2,044.	2,072.	2,132.	2,196.	2,248.	2,328.	2,380.
	36"	64"	R3B1TF364 36-() ()	2,486.	2,514.	2,574.	2,638.	2,690.	2,770.	2,822.
	42"	64"	R3B1TF364 42-() ()	2,653.	2,681.	2,741.	2,805.	2,857.	2,937.	2,989.
	48"	64"	R3B1TF364 48-() ()	2,740.	2,768.	2,828.	2,892.	2,944.	3,024.	3,076.

Order Code	Specification Information	Application Notes
Example: R3B0TF36418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	6" raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	ii) tile 1B middle	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
B Tile divider, black reveal	iii) tile 1C middle	64" h add per panel:
W281 Fabric selection - side 1	iv) tile 1D top	\$39 for 18w and 20w
V512 Figured Anigre surface - side 2	6. Exotic veneer, finish (specify one V3 finish for side)	\$43 for 24w and 30w
V512 Figured Anigre (top trim finish)	7. Top trim finish	\$48 for 36w and 42w
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$62 for 48w
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Tiled panels 64" H

Laminate/Laminate

Reff

Panels

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	64"	R3B0TLL6418 () ()	\$1,067.
	20"	64"	R3B0TLL6420 () ()	1,067.
	24"	64"	R3B0TLL6424 () ()	1,163.
	30"	64"	R3B0TLL6430 () ()	1,303.
	36"	64"	R3B0TLL6436 () ()	1,407.
	42"	64"	R3B0TLL6442 () ()	1,449.
	48"	64"	R3B0TLL6448 () ()	1,508.




Order Code	Specification Information	Application Notes	
<p>Example: R3B0TLL6418-A4K</p> <p>R3 Reff Generation 3</p> <p>B0 No Beltway</p> <p>T Tiled panel</p> <p>LL Laminate both sides</p> <p>64 64" high</p> <p>18 18" wide</p> <p>A Flat style top trim</p> <p>4 4" base height</p> <p>K Include knockouts in base</p> <p>B Tile divider, black reveal</p> <p>118 Laminate - side 1</p> <p>118 Laminate - side 2</p> <p>V512 Figured Anigre (top trim finish)</p> <p>111 Jet Black (base finish)</p>	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Top trim profile Base height Knockout option (K = with knockouts, N = without knockouts) Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) Laminate side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top Laminate, finish Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver Base finish Beltway finish <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable 	<p><i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p><i>2. Base height:</i> 4 = 4" base height</p> <p><i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i> 64" h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$62 for 48w</p> <p>Applicable finishes are listed on page 5 and 6.</p>	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 115 at no charge.</p>

Tiled panels 79" H


fabric both sides

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18-() ()	\$985.	\$1,055.	\$1,195.	\$1,355.	\$1,485.	\$1,685.	\$1,815.
Regular acoustics	20"	79"	R3B0TFF79 20-() ()	985.	1,055.	1,195.	1,355.	1,485.	1,685.	1,815.
	24"	79"	R3B0TFF79 24-() ()	1,047.	1,117.	1,257.	1,417.	1,547.	1,747.	1,877.
	30"	79"	R3B0TFF79 30-() ()	1,108.	1,178.	1,318.	1,478.	1,608.	1,808.	1,938.
	36"	79"	R3B0TFF79 36-() ()	1,171.	1,241.	1,381.	1,541.	1,671.	1,871.	2,001.
	42"	79"	R3B0TFF79 42-() ()	1,330.	1,400.	1,540.	1,700.	1,830.	2,030.	2,160.
	48"	79"	R3B0TFF79 48-() ()	1,398.	1,468.	1,608.	1,768.	1,898.	2,098.	2,228.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18-() ()	1,077.	1,147.	1,287.	1,447.	1,577.	1,777.	1,907.
High acoustics	20"	79"	R3B0TAA79 20-() ()	1,077.	1,147.	1,287.	1,447.	1,577.	1,777.	1,907.
	24"	79"	R3B0TAA79 24-() ()	1,149.	1,219.	1,359.	1,519.	1,649.	1,849.	1,979.
	30"	79"	R3B0TAA79 30-() ()	1,215.	1,285.	1,425.	1,585.	1,715.	1,915.	2,045.
	36"	79"	R3B0TAA79 36-() ()	1,284.	1,354.	1,494.	1,654.	1,784.	1,984.	2,114.
	42"	79"	R3B0TAA79 42-() ()	1,461.	1,531.	1,671.	1,831.	1,961.	2,161.	2,291.
	48"	79"	R3B0TAA79 48-() ()	1,538.	1,608.	1,748.	1,908.	2,038.	2,238.	2,368.



Order Code	Specification Information	Application Notes
Example: R3B0TFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	6. Top trim finish <i>i</i>) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
B0 No Beltway	2. Base height	7. Base finish
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	8. Beltway finish
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D middle <i>v</i>) tile 1E top	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
79 79" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C middle <i>iv</i>) tile 2D middle <i>v</i>) tile 2E top	
18 18" wide		
A Flat style top trim		
4 4" base height		
K Include knockouts in base		
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

6. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by $2\frac{3}{4}$ ".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18-()()	\$1,283.	\$1,353.	\$1,491.	\$1,653.	\$1,783.	\$1,983.	\$2,113.
Beltway one side	20"	79"	R3B1TFF79 20-()()	1,283.	1,353.	1,491.	1,653.	1,783.	1,983.	2,113.
	24"	79"	R3B1TFF79 24-()()	1,347.	1,417.	1,555.	1,717.	1,847.	2,047.	2,177.
	30"	79"	R3B1TFF79 30-()()	1,377.	1,447.	1,585.	1,747.	1,877.	2,077.	2,207.
	36"	79"	R3B1TFF79 36-()()	1,682.	1,752.	1,890.	2,052.	2,182.	2,382.	2,512.
	42"	79"	R3B1TFF79 42-()()	1,804.	1,874.	2,012.	2,174.	2,304.	2,504.	2,634.
	48"	79"	R3B1TFF79 48-()()	1,864.	1,934.	2,072.	2,234.	2,364.	2,564.	2,694.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18-()()	1,301.	1,371.	1,507.	1,671.	1,801.	2,001.	2,131.
Beltway two sides	20"	79"	R3B2TFF79 20-()()	1,301.	1,371.	1,507.	1,671.	1,801.	2,001.	2,131.
	24"	79"	R3B2TFF79 24-()()	1,368.	1,438.	1,574.	1,738.	1,868.	2,068.	2,198.
	30"	79"	R3B2TFF79 30-()()	1,397.	1,467.	1,603.	1,767.	1,897.	2,097.	2,227.
	36"	79"	R3B2TFF79 36-()()	1,707.	1,777.	1,913.	2,077.	2,207.	2,407.	2,537.
	42"	79"	R3B2TFF79 42-()()	1,831.	1,901.	2,037.	2,201.	2,331.	2,531.	2,661.
	48"	79"	R3B2TFF79 48-()()	1,898.	1,968.	2,104.	2,268.	2,398.	2,598.	2,728.



Order Code	Specification Information	Application Notes
Example: R3B0TFF7918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3 Reff Generation 3	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
B0 No Beltway	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
T Tiled panel	2. Base height	
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
79 79" high	4. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
18 18" wide	5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	Remember to specify Beltway paint finish when applicable.
A Flat style top trim	7. Base finish	
4 4" base height	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)


Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.


Applicable finishes are listed on page 5 and 6.

Tiled panels 79" H

fabric one side, laminate other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TFL79 18-() ()	\$1,091.	\$1,126.	\$1,196.	\$1,271.	\$1,336.	\$1,431.	\$1,491.
Regular acoustics	20"	79"	R3B0TFL79 20-() ()	1,091.	1,126.	1,196.	1,271.	1,336.	1,431.	1,491.
	24"	79"	R3B0TFL79 24-() ()	1,157.	1,192.	1,262.	1,337.	1,402.	1,497.	1,557.
	30"	79"	R3B0TFL79 30-() ()	1,213.	1,248.	1,318.	1,393.	1,458.	1,553.	1,613.
	36"	79"	R3B0TFL79 36-() ()	1,273.	1,308.	1,378.	1,453.	1,518.	1,613.	1,673.
	42"	79"	R3B0TFL79 42-() ()	1,427.	1,462.	1,532.	1,607.	1,672.	1,767.	1,827.
	48"	79"	R3B0TFL79 48-() ()	1,493.	1,528.	1,598.	1,673.	1,738.	1,833.	1,893.


Tiled, fabric one side	18"	79"	R3B1TFL79 18-() ()	1,380.	1,415.	1,484.	1,560.	1,625.	1,720.	1,780.
Beltway one side (fabric side)	20"	79"	R3B1TFL79 20-() ()	1,380.	1,415.	1,484.	1,560.	1,625.	1,720.	1,780.
	24"	79"	R3B1TFL79 24-() ()	1,442.	1,477.	1,546.	1,622.	1,687.	1,782.	1,842.
	30"	79"	R3B1TFL79 30-() ()	1,474.	1,509.	1,578.	1,654.	1,719.	1,814.	1,874.
	36"	79"	R3B1TFL79 36-() ()	1,770.	1,805.	1,874.	1,950.	2,015.	2,110.	2,170.
	42"	79"	R3B1TFL79 42-() ()	1,884.	1,919.	1,988.	2,064.	2,129.	2,224.	2,284.
	48"	79"	R3B1TFL79 48-() ()	1,943.	1,978.	2,047.	2,123.	2,188.	2,283.	2,343.

Order Code	Specification Information	Application Notes
Example: R3B0TFL7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
18 18" wide	6. Lanimate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79" h add per panel: \$48 for 18w and 20w \$55 for 24w and 30w \$60 for 36w and 42w \$82 for 48w
A Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
4 4" base height		Applicable finishes are listed on page 5 and 6.
K Include knockouts in base		Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
B Tile divider, black reveal		
W281 Fabric selection - side 1		
114 Folkstone grey - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		


Tiled panels 79" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,174.	\$1,209.	\$1,284.	\$1,364.	\$1,429.	\$1,529.	\$1,594.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,174.	1,209.	1,284.	1,364.	1,429.	1,529.	1,594.
	24"	79"	R3B0TF179 24-() ()	1,241.	1,276.	1,351.	1,431.	1,496.	1,596.	1,661.
	30"	79"	R3B0TF179 30-() ()	1,304.	1,339.	1,414.	1,494.	1,559.	1,659.	1,724.
	36"	79"	R3B0TF179 36-() ()	1,369.	1,404.	1,479.	1,559.	1,624.	1,724.	1,789.
	42"	79"	R3B0TF179 42-() ()	1,536.	1,571.	1,646.	1,726.	1,791.	1,891.	1,956.
	48"	79"	R3B0TF179 48-() ()	1,607.	1,642.	1,717.	1,797.	1,862.	1,962.	2,027.



Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,484.	1,519.	1,594.	1,674.	1,739.	1,839.	1,904.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,484.	1,519.	1,594.	1,674.	1,739.	1,839.	1,904.
	24"	79"	R3B1TF179 24-() ()	1,551.	1,586.	1,661.	1,741.	1,806.	1,906.	1,971.
	30"	79"	R3B1TF179 30-() ()	1,580.	1,615.	1,690.	1,770.	1,835.	1,935.	2,000.
	36"	79"	R3B1TF179 36-() ()	1,901.	1,936.	2,011.	2,091.	2,156.	2,256.	2,321.
	42"	79"	R3B1TF179 42-() ()	2,025.	2,060.	2,135.	2,215.	2,280.	2,380.	2,445.
	48"	79"	R3B1TF179 48-() ()	2,088.	2,123.	2,198.	2,278.	2,343.	2,443.	2,508.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	aluminum divider (upcharge	Optional for non fabric side only
B Tile divider, black reveal	applicable for extruded	(fabric side always black)
W281 Fabric selection - side 1	aluminum divider)	79" h add per panel:
Y328 Mahogany - side 2	5. Fabric side, finish (specify	\$50 for 18w and 20w
V316 Maple (top trim finish)	selection per insert)	\$58 for 24w and 30w
111 Jet Black (base finish)	i) tile 1A bottom	\$62 for 36w and 42w
	ii) tile 1B middle	\$84 for 48w
	iii) tile 1C middle	
	iv) tile 1D middle	
	v) tile 1E top	
	6. Techwood side, finish (specify	Applicable finishes are listed on
	one V1 finish for side)	page 5 and 6.
	7. Top trim finish	
	i) Profile A, B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options:	
	AA-anodized aluminum or	
	painted finish from page	
	5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to	
	be milled for ported	
	components, \$14 list upcharge	
	applicable	

Tiled panels 79" H


fabric one side, conventional veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-() ()	\$1,194.	\$1,229.	\$1,304.	\$1,384.	\$1,449.	\$1,549.	\$1,614.
Regular acoustics	20"	79"	R3B0TF279 20-() ()	1,194.	1,229.	1,304.	1,384.	1,449.	1,549.	1,614.
	24"	79"	R3B0TF279 24-() ()	1,263.	1,298.	1,373.	1,453.	1,518.	1,618.	1,683.
	30"	79"	R3B0TF279 30-() ()	1,325.	1,360.	1,435.	1,515.	1,580.	1,680.	1,745.
	36"	79"	R3B0TF279 36-() ()	1,393.	1,428.	1,503.	1,583.	1,648.	1,748.	1,813.
	42"	79"	R3B0TF279 42-() ()	1,561.	1,596.	1,671.	1,751.	1,816.	1,916.	1,981.
	48"	79"	R3B0TF279 48-() ()	1,634.	1,669.	1,744.	1,824.	1,889.	1,989.	2,054.



Tiled, fabric one side	18"	79"	R3B1TF279 18-() ()	1,510.	1,545.	1,620.	1,700.	1,765.	1,865.	1,930.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-() ()	1,510.	1,545.	1,620.	1,700.	1,765.	1,865.	1,930.
	24"	79"	R3B1TF279 24-() ()	1,578.	1,613.	1,688.	1,768.	1,833.	1,933.	1,998.
	30"	79"	R3B1TF279 30-() ()	1,611.	1,646.	1,721.	1,801.	1,866.	1,966.	2,031.
	36"	79"	R3B1TF279 36-() ()	1,937.	1,972.	2,047.	2,127.	2,192.	2,292.	2,357.
	42"	79"	R3B1TF279 42-() ()	2,059.	2,094.	2,169.	2,249.	2,314.	2,414.	2,479.
	48"	79"	R3B1TF279 48-() ()	2,126.	2,161.	2,236.	2,316.	2,381.	2,481.	2,546.



Order Code	Specification Information	Application Notes
Example: R3B0TF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	(E option)
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only
W281 Fabric selection - side 1	i) tile 1A bottom	(fabric side always black)
V316 Maple surface - side 2	ii) tile 1B middle	79" h add per panel:
V316 Maple (top trim finish)	iii) tile 1C middle	\$50 for 18w and 20w
111 Jet Black (base finish)	iv) tile 1D middle	\$58 for 24w and 30w
	v) tile 1E top	\$62 for 36w and 42w
	6. Conventional veneer, finish (specify one V2 finish for side)	\$84 for 48w
	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.


Tiled panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-() ()	\$1,585.	\$1,620.	\$1,695.	\$1,775.	\$1,840.	\$1,940.	\$2,005.
Regular acoustics	20"	79"	R3B0TF379 20-() ()	1,585.	1,620.	1,695.	1,775.	1,840.	1,940.	2,005.
	24"	79"	R3B0TF379 24-() ()	1,679.	1,714.	1,789.	1,869.	1,934.	2,034.	2,099.
	30"	79"	R3B0TF379 30-() ()	1,765.	1,800.	1,875.	1,955.	2,020.	2,120.	2,185.
	36"	79"	R3B0TF379 36-() ()	1,855.	1,890.	1,965.	2,045.	2,110.	2,210.	2,275.
	42"	79"	R3B0TF379 42-() ()	2,082.	2,117.	2,192.	2,272.	2,337.	2,437.	2,502.
	48"	79"	R3B0TF379 48-() ()	2,180.	2,215.	2,290.	2,370.	2,435.	2,535.	2,600.



Tiled, fabric one side	18"	79"	R3B1TF379 18-() ()	2,014.	2,049.	2,124.	2,204.	2,269.	2,369.	2,434.
Beltway fabric side	20"	79"	R3B1TF379 20-() ()	2,014.	2,049.	2,124.	2,204.	2,269.	2,369.	2,434.
	24"	79"	R3B1TF379 24-() ()	2,105.	2,140.	2,215.	2,295.	2,360.	2,460.	2,525.
	30"	79"	R3B1TF379 30-() ()	2,150.	2,185.	2,260.	2,340.	2,405.	2,505.	2,570.
	36"	79"	R3B1TF379 36-() ()	2,588.	2,623.	2,698.	2,778.	2,843.	2,943.	3,008.
	42"	79"	R3B1TF379 42-() ()	2,755.	2,790.	2,865.	2,945.	3,010.	3,110.	3,175.
	48"	79"	R3B1TF379 48-() ()	2,846.	2,881.	2,956.	3,036.	3,101.	3,201.	3,266.



Order Code	Specification Information	Application Notes
Example: R3B0TF37918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	E = Extruded Aluminum
79 79" high	5. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C middle	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	iv) tile 1D middle	Optional for non fabric side only
B Tile divider, black reveal	v) tile 1E top	(fabric side always black)
W281 Fabric selection - side 1	6. Exotic veneer, finish (specify one V3 finish for side)	79" h add per panel:
V512 Figured Anigre surface - side 2	7. Top trim finish	\$50 for 18w and 20w
V512 Figured Anigre (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$58 for 24w and 30w
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$62 for 36w and 42w
	8. Base finish	\$84 for 48w
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Tiled panels 79" H

Laminate/Laminate

Reff

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	79"	R3B0TLL7918 () ()	\$1,246.
	20"	79"	R3B0TLL7920 () ()	1,246.
	24"	79"	R3B0TLL7924 () ()	1,358.
	30"	79"	R3B0TLL7930 () ()	1,521.
	36"	79"	R3B0TLL7936 () ()	1,643.
	42"	79"	R3B0TLL7942 () ()	1,692.
	48"	79"	R3B0TLL7948 () ()	1,777.



Example:	R3B0TLL7918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
79	79" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts,
N = without knockouts)
4. Tile divider
B = black steel divider or specify
AA-anodized aluminum or
painted option excluding silver
from page 5 for extruded
aluminum divider (upcharge
applicable for extruded
aluminum divider)
5. Laminate side, finish (specify
selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
6. Laminate, finish
7. Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or
painted finish from page
5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels:*
specify (M) for panel frame to
be milled for ported
components, \$14 list upcharge
applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height

4. Extruded aluminum tile divider:

- Optional for non fabric side only**
(fabric side always black)
- 79"h add per panel:
- \$50 for 18w and 20w
- \$58 for 24w and 30w
- \$62 for 36w and 42w
- \$84 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	R2APT3418 ()	\$95.	
	20"	34"	R2APT3420 ()	95.	
	24"	34"	R2APT3424 ()	98.	
	30"	34"	R2APT3430 ()	100.	
	36"	34"	R2APT3436 ()	105.	
	42"	34"	R2APT3442 ()	107.	
	48"	34"	R2APT3448 ()	111.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	R2APT4218 ()	146.
	20"	42"	R2APT4220 ()	146.
	24"	42"	R2APT4224 ()	151.
	30"	42"	R2APT4230 ()	153.
	36"	42"	R2APT4236 ()	161.
	42"	42"	R2APT4242 ()	166.
	48"	42"	R2APT4248 ()	174.

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
R2 Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
A Aluminum												
PT Panel trim												
34 for 34" h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.										
18 for 18" w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.										
AA Anodized aluminum	<table border="0"> <tr><td>34" h</td><td>1:1</td></tr> <tr><td>42" h</td><td>1:2</td></tr> <tr><td>49" h</td><td>1:2</td></tr> <tr><td>64" h</td><td>1:3</td></tr> <tr><td>79" h</td><td>1:4</td></tr> </table>	34" h	1:1	42" h	1:2	49" h	1:2	64" h	1:3	79" h	1:4	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34" h	1:1											
42" h	1:2											
49" h	1:2											
64" h	1:3											
79" h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and											

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49" h tiled with 4" or 6" h base raceway	18"	49"	R2APT4918 ()	\$156.	
	20"	49"	R2APT4920 ()	156.	
	24"	49"	R2APT4924 ()	162.	
	30"	49"	R2APT4930 ()	164.	
	36"	49"	R2APT4936 ()	173.	
	42"	49"	R2APT4942 ()	179.	
	48"	49"	R2APT4948 ()	185.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64" h tiled with 4" or 6" h base raceway	18"	64"	R2APT6418 ()	221.	
	20"	64"	R2APT6420 ()	221.	
	24"	64"	R2APT6424 ()	229.	
	30"	64"	R2APT6430 ()	234.	
	36"	64"	R2APT6436 ()	245.	
	42"	64"	R2APT6442 ()	254.	
	48"	64"	R2APT6448 ()	264.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
R2 Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
A Aluminum												
PT Panel trim	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)										
34 for 34" h	AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.										
18 for 18" w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.										
AA Anodized aluminum	<table border="0"> <tr><td>34" h</td><td>1:1</td></tr> <tr><td>42" h</td><td>1:2</td></tr> <tr><td>49" h</td><td>1:2</td></tr> <tr><td>64" h</td><td>1:3</td></tr> <tr><td>79" h</td><td>1:4</td></tr> </table>	34" h	1:1	42" h	1:2	49" h	1:2	64" h	1:3	79" h	1:4	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34" h	1:1											
42" h	1:2											
49" h	1:2											
64" h	1:3											
79" h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and											

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	R2APT7918 ()	\$286.	
	20"	79"	R2APT7920 ()	286.	
	24"	79"	R2APT7924 ()	296.	
	30"	79"	R2APT7930 ()	301.	
	36"	79"	R2APT7936 ()	318.	
	42"	79"	R2APT7942 ()	328.	
	48"	79"	R2APT7948 ()	345.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"	R2ATPK34 ()	63.
	42"	R2ATPK42 ()	80.
	49"	R2ATPK49 ()	90.
	64"	R2ATPK64 ()	125.
	79"	R2ATPK79 ()	156.

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
R2 Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
A Aluminum												
PT Panel trim	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)										
34 for 34" h	AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.										
18 for 18" w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.										
AA Anodized aluminum	<table border="0"> <tr><td>34" h</td><td>1:1</td></tr> <tr><td>42" h</td><td>1:2</td></tr> <tr><td>49" h</td><td>1:2</td></tr> <tr><td>64" h</td><td>1:3</td></tr> <tr><td>79" h</td><td>1:4</td></tr> </table>	34" h	1:1	42" h	1:2	49" h	1:2	64" h	1:3	79" h	1:4	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34" h	1:1											
42" h	1:2											
49" h	1:2											
64" h	1:3											
79" h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and											

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6"h raceway		34"	R2ALPK34 ()		\$62.
		42"	R2ALPK42 ()		86.
		49"	R2ALPK49 ()		95.
		64"	R2ALPK64 ()		131.
		79"	R2ALPK79 ()		166.
Alum vertical reveal for end trim with 4" or 6"h raceway		34"	R2AETK34 ()		61.
		42"	R2AETK42 ()		75.
		49"	R2AETK49 ()		87.
		64"	R2AETK64 ()		116.
		79"	R2AETK79 ()		147.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
R2 Reff Generation 2												
A Aluminum												
PT Panel trim												
34 for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.										
18 for 18"w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.										
AA Anodized aluminum	<table border="0"> <tr> <td>34"h</td> <td>1:1</td> </tr> <tr> <td>42"h</td> <td>1:2</td> </tr> <tr> <td>49"h</td> <td>1:2</td> </tr> <tr> <td>64"h</td> <td>1:3</td> </tr> <tr> <td>79"h</td> <td>1:4</td> </tr> </table> <p>Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and</p>	34"h	1:1	42"h	1:2	49"h	1:2	64"h	1:3	79"h	1:4	<p>when aluminum vertical hookstrip cover installed, forfeit panel hung capability.</p> <p>When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)</p> <p>Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.</p>
34"h	1:1											
42"h	1:2											
49"h	1:2											
64"h	1:3											
79"h	1:4											

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	R2AHCR34 ()		\$61.
		38"	R2AHCR42 ()		75.
		45"	R2AHCR49 ()		87.
		60"	R2AHCR64 ()		116.
		75"	R2AHCR79 ()		147.

for use with generation 2 or 3 installations

Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18 ()		42.
	20"		R2AHTR20 ()		42.
	24"		R2AHTR24 ()		44.
	30"		R2AHTR30 ()		48.
	36"		R2AHTR36 ()		52.
	42"		R2AHTR42 ()		54.
	48"		R2AHTR48 ()		60.

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
R2 Reff Generation 2		
A Aluminum		
PT Panel trim		
34 for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w		R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height. 34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18 ()	\$36.	
	20"		R2AHWR20 ()	36.	
	24"		R2AHWR24 ()	38.	
	30"		R2AHWR30 ()	39.	
	36"		R2AHWR36 ()	43.	
	42"		R2AHWR42 ()	45.	
	48"		R2AHWR48 ()	50.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18 ()	36.	
	20"		R2AHBW20 ()	36.	
	24"		R2AHBW24 ()	38.	
	30"		R2AHBW30 ()	39.	
	36"		R2AHBW36 ()	43.	
	42"		R2AHBW42 ()	45.	
	48"		R2AHBW48 ()	50.	
horizontal reveal only					

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
R2 Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
A Aluminum												
PT Panel trim	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)										
34 for 34"h	AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.										
18 for 18"w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.										
AA Anodized aluminum	<table border="0"> <tr><td>34"h</td><td>1:1</td></tr> <tr><td>42"h</td><td>1:2</td></tr> <tr><td>49"h</td><td>1:2</td></tr> <tr><td>64"h</td><td>1:3</td></tr> <tr><td>79"h</td><td>1:4</td></tr> </table>	34"h	1:1	42"h	1:2	49"h	1:2	64"h	1:3	79"h	1:4	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34"h	1:1											
42"h	1:2											
49"h	1:2											
64"h	1:3											
79"h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and											

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()	\$36.	
	20"		R2AHSR20 ()	36.	
	24"		R2AHSR24 ()	38.	
	30"		R2AHSR30 ()	39.	
	36"		R2AHSR36 ()	43.	
	42"		R2AHSR42 ()	45.	
	48"		R2AHSR48 ()	50.	


horizontal reveal only

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
R2 Reff Generation 2		
A Aluminum		
PT Panel trim		
34 for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w		R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height. 34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.) Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

Beltway one side, window panel 49" H tiled and monolithic with glass at top

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-() ()	\$1,192.	\$1,220.	\$1,274.	\$1,340.	\$1,392.	\$1,472.	\$1,524.
	20"	49"	R3B1TFFA49 20-() ()	1,192.	1,220.	1,274.	1,340.	1,392.	1,472.	1,524.
	24"	49"	R3B1TFFA49 24-() ()	1,233.	1,261.	1,315.	1,381.	1,433.	1,513.	1,565.
	30"	49"	R3B1TFFA49 30-() ()	1,317.	1,345.	1,399.	1,465.	1,517.	1,597.	1,649.
	36"	49"	R3B1TFFA49 36-() ()	1,586.	1,614.	1,668.	1,734.	1,786.	1,866.	1,918.
	42"	49"	R3B1TFFA49 42-() ()	1,728.	1,756.	1,810.	1,876.	1,928.	2,008.	2,060.
	48"	49"	R3B1TFFA49 48-() ()	1,808.	1,836.	1,890.	1,956.	2,008.	2,088.	2,140.




Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
A Flat style top trim	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. Glass window frame finish	
W281 Fabric selection - side 2	10. Glass type Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
TEMP Glass option		

Beltway one side, window panel 49" H tiled and monolithic with glass at top

Reff

Panels



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,421.	\$1,449.	\$1,503.	\$1,569.	\$1,621.	\$1,701.	\$1,753.
	36"	49"	R3B1TFFB49 36-() ()	1,698.	1,726.	1,780.	1,846.	1,898.	1,978.	2,030.
	42"	49"	R3B1TFFB49 42-() ()	1,839.	1,867.	1,921.	1,987.	2,039.	2,119.	2,171.
	48"	49"	R3B1TFFB49 48-() ()	1,928.	1,956.	2,010.	2,076.	2,128.	2,208.	2,260.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
A Flat style top trim	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. Glass window frame finish	
W281 Fabric selection - side 2	10. Glass type	
V316 Maple (top trim finish)	Temp = Clear temp	
111 Jet Black (base finish)	Architectural options:	
111 Jet Black (beltway finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	
	1. Top trim profile:	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
	2. Base height:	
	4 = 4" base height	
	6 = 6" base height (add \$47 per panel for this option)	

Beltway one side, window panel 49" H tiled and monolithic with glass at top

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	R3B1PFFA49 18-() ()	\$1,077.	\$1,094.	\$1,132.	\$1,213.	\$1,263.	\$1,335.	\$1,408.
	20"	49"	R3B1PFFA49 20-() ()	1,077.	1,094.	1,132.	1,213.	1,263.	1,335.	1,408.
	24"	49"	R3B1PFFA49 24-() ()	1,115.	1,132.	1,170.	1,251.	1,301.	1,373.	1,446.
	30"	49"	R3B1PFFA49 30-() ()	1,188.	1,205.	1,243.	1,324.	1,374.	1,446.	1,519.
	36"	49"	R3B1PFFA49 36-() ()	1,415.	1,432.	1,470.	1,551.	1,601.	1,673.	1,746.
	42"	49"	R3B1PFFA49 42-() ()	1,536.	1,553.	1,591.	1,672.	1,722.	1,794.	1,867.
	48"	49"	R3B1PFFA49 48-() ()	1,609.	1,626.	1,664.	1,745.	1,795.	1,867.	1,940.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	R3B1PFFB49 30-() ()	1,292.	1,309.	1,347.	1,428.	1,478.	1,550.	1,623.
	36"	49"	R3B1PFFB49 36-() ()	1,527.	1,544.	1,582.	1,663.	1,713.	1,785.	1,858.
	42"	49"	R3B1PFFB49 42-() ()	1,647.	1,664.	1,702.	1,783.	1,833.	1,905.	1,978.
	48"	49"	R3B1PFFB49 48-() ()	1,729.	1,746.	1,784.	1,865.	1,915.	1,987.	2,060.

Order Code

Example:	R3B1TFFA4918-A4K
R3	Reff Generation 3
B1	Beltway 1 side
T	Tiled panel
FF	Fabric on both sides
A	Type A window
49	49" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Panel side 1 finish (specify selection per insert)
- Panel side 2 finish (specify selection per insert)
- Top trim finish
 - Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
- Base finish
- Beltway finish
- Glass window frame finish
- Glass type
Temp = Clear temp
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Application Notes

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.

Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.

79"H hookstrip reveal strips are ordered separately from page 115 at no charge.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194


Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, laminate other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-() ()	\$1,320.	\$1,334.	\$1,364.	\$1,396.	\$1,422.	\$1,462.	\$1,500.
	20"	49"	R3B1TFLA49 20-() ()	1,320.	1,334.	1,364.	1,396.	1,422.	1,462.	1,500.
	24"	49"	R3B1TFLA49 24-() ()	1,362.	1,376.	1,406.	1,438.	1,464.	1,504.	1,542.
	30"	49"	R3B1TFLA49 30-() ()	1,449.	1,463.	1,493.	1,525.	1,551.	1,591.	1,629.
	36"	49"	R3B1TFLA49 36-() ()	1,721.	1,735.	1,765.	1,797.	1,823.	1,863.	1,901.
	42"	49"	R3B1TFLA49 42-() ()	1,863.	1,877.	1,907.	1,939.	1,965.	2,005.	2,043.
	48"	49"	R3B1TFLA49 48-() ()	1,949.	1,963.	1,993.	2,025.	2,051.	2,091.	2,129.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel	1. Top trim profile	C = Bullnose
FL Fabric BW side, laminate other	2. Base height	E = Extruded Aluminum
A Type A window	3. Knockout option (K = with knockouts, N = without knockouts)	2. Base height:
49 49" high	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	6. Laminate side finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
114 Folkstone grey - side 2	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)		
111 Jet Black (base finish)	8. Base finish	
111 Jet Black (beltway finish)	9. Beltway finish	
111 Jet Black (window frame finish)	10. Window frame finish	
TEMP Glass option	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, laminate other
 side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-() ()	\$1,556.	\$1,570.	\$1,600.	\$1,632.	\$1,658.	\$1,698.	\$1,736.
	36"	49"	R3B1TFLB49 36-() ()	1,833.	1,847.	1,877.	1,909.	1,935.	1,975.	2,013.
	42"	49"	R3B1TFLB49 42-() ()	1,975.	1,989.	2,019.	2,051.	2,077.	2,117.	2,155.
	48"	49"	R3B1TFLB49 48-() ()	2,070.	2,084.	2,114.	2,146.	2,172.	2,212.	2,250.





Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel	1. Top trim profile	C = Bullnose
FL Fabric BW side, laminate other	2. Base height	E = Extruded Aluminum
A Type A window	3. Knockout option (K = with knockouts, N = without knockouts)	2. Base height:
49 49" high	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
18 18" wide	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
A Flat style top trim	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
4 4" base height	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
K Include knockouts in base	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
B Tile divider, black reveal	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
W281 Fabric selection - side 1	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
114 Folkstone grey - side 2	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, laminate other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PFLA49 18-() ()	\$1,092.	\$1,100.	\$1,120.	\$1,161.	\$1,186.	\$1,223.	\$1,248.
	20"	49"	R3B1PFLA49 20-() ()	1,092.	1,100.	1,120.	1,161.	1,186.	1,223.	1,248.
	24"	49"	R3B1PFLA49 24-() ()	1,148.	1,156.	1,176.	1,217.	1,242.	1,279.	1,304.
	30"	49"	R3B1PFLA49 30-() ()	1,251.	1,259.	1,279.	1,320.	1,345.	1,382.	1,407.
	36"	49"	R3B1PFLA49 36-() ()	1,510.	1,518.	1,538.	1,579.	1,604.	1,641.	1,666.
	42"	49"	R3B1PFLA49 42-() ()	1,660.	1,668.	1,688.	1,729.	1,754.	1,791.	1,816.
	48"	49"	R3B1PFLA49 48-() ()	1,766.	1,774.	1,794.	1,835.	1,860.	1,897.	1,922.


 Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PFLB49 30-() ()	1,358.	1,366.	1,386.	1,427.	1,452.	1,489.	1,514.
	36"	49"	R3B1PFLB49 36-() ()	1,622.	1,630.	1,650.	1,691.	1,716.	1,753.	1,778.
	42"	49"	R3B1PFLB49 42-() ()	1,772.	1,780.	1,800.	1,841.	1,866.	1,903.	1,928.
	48"	49"	R3B1PFLB49 48-() ()	1,887.	1,895.	1,915.	1,956.	1,981.	2,018.	2,043.

Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
FL Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height:
49 49" high		4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	6. Laminate side finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
114 Folkstone grey - side 2	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (beltway finish)	8. Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-() ()	\$1,342.	\$1,356.	\$1,386.	\$1,418.	\$1,444.	\$1,484.	\$1,522.
	20"	49"	R3B1TF1A49 20-() ()	1,342.	1,356.	1,386.	1,418.	1,444.	1,484.	1,522.
	24"	49"	R3B1TF1A49 24-() ()	1,388.	1,402.	1,432.	1,464.	1,490.	1,530.	1,568.
	30"	49"	R3B1TF1A49 30-() ()	1,474.	1,488.	1,518.	1,550.	1,576.	1,616.	1,654.
	36"	49"	R3B1TF1A49 36-() ()	1,753.	1,767.	1,797.	1,829.	1,855.	1,895.	1,933.
	42"	49"	R3B1TF1A49 42-() ()	1,899.	1,913.	1,943.	1,975.	2,001.	2,041.	2,079.
	48"	49"	R3B1TF1A49 48-() ()	1,982.	1,996.	2,026.	2,058.	2,084.	2,124.	2,162.



Order Code	Specification Information	Application Notes																																
Example: R3B1TF1A4918-A4K R3 Reff Generation 3 B1 Beltway one side T Tiled panel F1 Fabric one side, V1 other A Type A window 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base B Tile divider, black reveal W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) 111 Jet Black (beltway finish) 111 Jet Black (window frame finish) TEMP Glass option	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only) 5. Fabric side, finish (specify selection per insert; bottom up.) 6. Techwood side, finish (specify one V1 finish for side) 7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 8. Base finish 9. Beltway finish 10. Window frame finish 11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115. Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list. 79"H hookstrip reveal strips are ordered separately from page 115 at no charge. Applicable finishes are listed on page 5 and 6. Add upcharge for architectural glass: (as applicable by width) <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$84</td></tr> <tr><td>20"</td><td>\$84</td></tr> <tr><td>24"</td><td>\$99</td></tr> <tr><td>30"</td><td>\$118</td></tr> <tr><td>36"</td><td>\$142</td></tr> <tr><td>42"</td><td>\$169</td></tr> <tr><td>48"</td><td>\$194</td></tr> </tbody> </table> Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options. Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$14</td></tr> <tr><td>20"</td><td>\$14</td></tr> <tr><td>24"</td><td>\$15</td></tr> <tr><td>30"</td><td>\$15</td></tr> <tr><td>36"</td><td>\$16</td></tr> <tr><td>42"</td><td>\$16</td></tr> <tr><td>48"</td><td>\$21</td></tr> </tbody> </table>	Width	Add	18"	\$84	20"	\$84	24"	\$99	30"	\$118	36"	\$142	42"	\$169	48"	\$194	Width	Add	18"	\$14	20"	\$14	24"	\$15	30"	\$15	36"	\$16	42"	\$16	48"	\$21
Width	Add																																	
18"	\$84																																	
20"	\$84																																	
24"	\$99																																	
30"	\$118																																	
36"	\$142																																	
42"	\$169																																	
48"	\$194																																	
Width	Add																																	
18"	\$14																																	
20"	\$14																																	
24"	\$15																																	
30"	\$15																																	
36"	\$16																																	
42"	\$16																																	
48"	\$21																																	

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, techwood other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-() ()	\$1,581.	\$1,595.	\$1,625.	\$1,657.	\$1,683.	\$1,723.	\$1,761.
	36"	49"	R3B1TF1B49 36-() ()	1,865.	1,879.	1,909.	1,941.	1,967.	2,007.	2,045.
	42"	49"	R3B1TF1B49 42-() ()	2,011.	2,025.	2,055.	2,087.	2,113.	2,153.	2,191.
	48"	49"	R3B1TF1B49 48-() ()	2,103.	2,117.	2,147.	2,179.	2,205.	2,245.	2,283.





Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel	1. Top trim profile	C = Bullnose
F1 Fabric one side, V1 other	2. Base height	E = Extruded Aluminum
A Type A window	3. Knockout option (K = with knockouts, N = without knockouts)	2. Base height:
49 49" high	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	4 = 4" base height
18 18" wide	5. Fabric side, finish (specify selection per insert; bottom up.)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim	6. Techwood side, finish (specify one V1 finish for side)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
B Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
Y328 Mahogany - side 2	11. Glass option Temp = Clear temp	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H

tilled and monolithic with glass at top, fabric one side, techwood other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF1A49 18-() ()	\$1,113.	\$1,121.	\$1,141.	\$1,182.	\$1,207.	\$1,244.	\$1,269.
	20"	49"	R3B1PF1A49 20-() ()	1,113.	1,121.	1,141.	1,182.	1,207.	1,244.	1,269.
	24"	49"	R3B1PF1A49 24-() ()	1,168.	1,176.	1,196.	1,237.	1,262.	1,299.	1,324.
	30"	49"	R3B1PF1A49 30-() ()	1,271.	1,279.	1,299.	1,340.	1,365.	1,402.	1,427.
	36"	49"	R3B1PF1A49 36-() ()	1,534.	1,542.	1,562.	1,603.	1,628.	1,665.	1,690.
	42"	49"	R3B1PF1A49 42-() ()	1,692.	1,700.	1,720.	1,761.	1,786.	1,823.	1,848.
	48"	49"	R3B1PF1A49 48-() ()	1,794.	1,802.	1,822.	1,863.	1,888.	1,925.	1,950.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF1B49 30-() ()	1,378.	1,386.	1,406.	1,447.	1,472.	1,509.	1,534.
	36"	49"	R3B1PF1B49 36-() ()	1,646.	1,654.	1,674.	1,715.	1,740.	1,777.	1,802.
	42"	49"	R3B1PF1B49 42-() ()	1,804.	1,812.	1,832.	1,873.	1,898.	1,935.	1,960.
	48"	49"	R3B1PF1B49 48-() ()	1,915.	1,923.	1,943.	1,984.	2,009.	2,046.	2,071.


Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
Y328 Mahogany - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, conventional
 veneer other side

Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,367.	\$1,381.	\$1,411.	\$1,443.	\$1,469.	\$1,509.	\$1,547.
	20"	49"	R3B1TF2A49 20-() ()	1,367.	1,381.	1,411.	1,443.	1,469.	1,509.	1,547.
	24"	49"	R3B1TF2A49 24-() ()	1,411.	1,425.	1,455.	1,487.	1,513.	1,553.	1,591.
	30"	49"	R3B1TF2A49 30-() ()	1,498.	1,512.	1,542.	1,574.	1,600.	1,640.	1,678.
	36"	49"	R3B1TF2A49 36-() ()	1,780.	1,794.	1,824.	1,856.	1,882.	1,922.	1,960.
	42"	49"	R3B1TF2A49 42-() ()	1,929.	1,943.	1,973.	2,005.	2,031.	2,071.	2,109.
	48"	49"	R3B1TF2A49 48-() ()	2,016.	2,030.	2,060.	2,092.	2,118.	2,158.	2,196.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	8. Base finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
B Tile divider, black reveal	9. Beltway finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	10. Window frame finish	
V316 Maple surface - side 2	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Frame finish:
Add to all products on this page:
upcharge of \$35 per panel for P2
paint class options or \$63 per panel
for P3 paint class options.


Add upcharge for
extruded aluminum reveal/tile
divider: (as applicable by width)
Optional non fabric tiled side only,
fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, conventional
 veneer other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-() ()	\$1,605.	\$1,619.	\$1,649.	\$1,681.	\$1,707.	\$1,747.	\$1,785.
	36"	49"	R3B1TF2B49 36-() ()	1,892.	1,906.	1,936.	1,968.	1,994.	2,034.	2,072.
	42"	49"	R3B1TF2B49 42-() ()	2,041.	2,055.	2,085.	2,117.	2,143.	2,183.	2,221.
	48"	49"	R3B1TF2B49 48-() ()	2,137.	2,151.	2,181.	2,213.	2,239.	2,279.	2,317.




Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height:
49 49" high		4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	6. Conventional veneer side, finish (specify one V2 finish for side)	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
V316 Maple surface - side 2	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	i) Top trim profile A, B or C options:	
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (beltway finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (window frame finish)	8. Base finish	
TEMP Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, conventional veneer other side


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF2A49 18-() ()	\$1,131.	\$1,139.	\$1,159.	\$1,200.	\$1,225.	\$1,262.	\$1,287.
	20"	49"	R3B1PF2A49 20-() ()	1,131.	1,139.	1,159.	1,200.	1,225.	1,262.	1,287.
	24"	49"	R3B1PF2A49 24-() ()	1,187.	1,195.	1,215.	1,256.	1,281.	1,318.	1,343.
	30"	49"	R3B1PF2A49 30-() ()	1,296.	1,304.	1,324.	1,365.	1,390.	1,427.	1,452.
	36"	49"	R3B1PF2A49 36-() ()	1,563.	1,571.	1,591.	1,632.	1,657.	1,694.	1,719.
	42"	49"	R3B1PF2A49 42-() ()	1,718.	1,726.	1,746.	1,787.	1,812.	1,849.	1,874.
	48"	49"	R3B1PF2A49 48-() ()	1,821.	1,829.	1,849.	1,890.	1,915.	1,952.	1,977.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF2B49 30-() ()	1,403.	1,411.	1,431.	1,472.	1,497.	1,534.	1,559.
	36"	49"	R3B1PF2B49 36-() ()	1,675.	1,683.	1,703.	1,744.	1,769.	1,806.	1,831.
	42"	49"	R3B1PF2B49 42-() ()	1,830.	1,838.	1,858.	1,899.	1,924.	1,961.	1,986.
	48"	49"	R3B1PF2B49 48-() ()	1,942.	1,950.	1,970.	2,011.	2,036.	2,073.	2,098.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height:
49 49" high		4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	6. Conventional veneer side, finish (specify one V2 finish for side)	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
V316 Maple surface - side 2	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	i) Top trim profile A, B or C options:	
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (beltway finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (window frame finish)	8. Base finish	
TEMP Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194


Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, exotic veneer
 other side

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side	18"	49"	R3B1TF3A49 18-()	\$1,806.	\$1,820.	\$1,850.	\$1,882.	\$1,908.	\$1,948.	\$1,986.
Type A window on top, Regular acoustics	20"	49"	R3B1TF3A49 20-()	1,806.	1,820.	1,850.	1,882.	1,908.	1,948.	1,986.
	24"	49"	R3B1TF3A49 24-()	1,860.	1,874.	1,904.	1,936.	1,962.	2,002.	2,040.
	30"	49"	R3B1TF3A49 30-()	1,969.	1,983.	2,013.	2,045.	2,071.	2,111.	2,149.
	36"	49"	R3B1TF3A49 36-()	2,340.	2,354.	2,384.	2,416.	2,442.	2,482.	2,520.
	42"	49"	R3B1TF3A49 42-()	2,532.	2,546.	2,576.	2,608.	2,634.	2,674.	2,712.
	48"	49"	R3B1TF3A49 48-()	2,643.	2,657.	2,687.	2,719.	2,745.	2,785.	2,823.

Tiled, fabric one side, Beltway fabric side	30"	49"	R3B1TF3B49 30-()	2,076.	2,090.	2,120.	2,152.	2,178.	2,218.	2,256.
Type B window on top, Regular acoustics	36"	49"	R3B1TF3B49 36-()	2,452.	2,466.	2,496.	2,528.	2,554.	2,594.	2,632.
	42"	49"	R3B1TF3B49 42-()	2,644.	2,658.	2,688.	2,720.	2,746.	2,786.	2,824.
	48"	49"	R3B1TF3B49 48-()	2,764.	2,778.	2,808.	2,840.	2,866.	2,906.	2,944.


Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	To order please specify pattern number including:	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	2. Base height
B1 Beltway one side	2. Base height	3. Knockout option (K = with knockouts, N = without knockouts)
T Tiled panel	3. Knockout option	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)
F3 Fabric one side, V3 other	4. Tile divider (where optional)	5. Fabric side, finish (specify selection per insert; bottom up.)
A Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	6. Exotic veneer side, finish (specify one V3 finish for side)
49 49" high	6. Exotic veneer side, finish (specify one V3 finish for side)	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
18 18" wide	7. Top trim finish	8. Base finish
A Flat style top trim	8. Base finish	9. Beltway finish
4 4" base height	9. Beltway finish	10. Window frame finish
K Include knockouts in base	10. Window frame finish	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass
B Tile divider, black reveal	11. Glass option	
W281 Fabric selection - side 1		
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, exotic veneer other side


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,485.	\$1,493.	\$1,513.	\$1,554.	\$1,579.	\$1,616.	\$1,641.
	20"	49"	R3B1PF3A49 20-() ()	1,485.	1,493.	1,513.	1,554.	1,579.	1,616.	1,641.
	24"	49"	R3B1PF3A49 24-() ()	1,556.	1,564.	1,584.	1,625.	1,650.	1,687.	1,712.
	30"	49"	R3B1PF3A49 30-() ()	1,693.	1,701.	1,721.	1,762.	1,787.	1,824.	1,849.
	36"	49"	R3B1PF3A49 36-() ()	2,046.	2,054.	2,074.	2,115.	2,140.	2,177.	2,202.
	42"	49"	R3B1PF3A49 42-() ()	2,245.	2,253.	2,273.	2,314.	2,339.	2,376.	2,401.
	48"	49"	R3B1PF3A49 48-() ()	2,378.	2,386.	2,406.	2,447.	2,472.	2,509.	2,534.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	1,800.	1,808.	1,828.	1,869.	1,894.	1,931.	1,956.
	36"	49"	R3B1PF3B49 36-() ()	2,158.	2,166.	2,186.	2,227.	2,252.	2,289.	2,314.
	42"	49"	R3B1PF3B49 42-() ()	2,357.	2,365.	2,385.	2,426.	2,451.	2,488.	2,513.
	48"	49"	R3B1PF3B49 48-() ()	2,499.	2,507.	2,527.	2,568.	2,593.	2,630.	2,655.




Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway two sides, window panel 49" H tiled and monolithic with glass at top

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,209.	\$1,237.	\$1,289.	\$1,357.	\$1,409.	\$1,489.	\$1,541.
	20"	49"	R3B2TFFA49 20-() ()	1,209.	1,237.	1,289.	1,357.	1,409.	1,489.	1,541.
	24"	49"	R3B2TFFA49 24-() ()	1,253.	1,281.	1,333.	1,401.	1,453.	1,533.	1,585.
	30"	49"	R3B2TFFA49 30-() ()	1,340.	1,368.	1,420.	1,488.	1,540.	1,620.	1,672.
	36"	49"	R3B2TFFA49 36-() ()	1,612.	1,640.	1,692.	1,760.	1,812.	1,892.	1,944.
	42"	49"	R3B2TFFA49 42-() ()	1,755.	1,783.	1,835.	1,903.	1,955.	2,035.	2,087.
	48"	49"	R3B2TFFA49 48-() ()	1,840.	1,868.	1,920.	1,988.	2,040.	2,120.	2,172.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	E = Extruded Aluminum
A Type A window	5. Panel side 2 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	6. Top trim finish	4 = 4" base height
18 18" wide	i) Top trim profile A,B or C options:	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim	ii) Top trim profile E options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
W281 Fabric selection - side 1	8. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	9. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
V316 Maple (top trim finish)	10. Glass option	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
111 Jet Black (base finish)	Temp = clear temp	Applicable finishes are listed on page 5 and 6.
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway two sides, window panel 49" H tiled and monolithic with glass at top


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	\$1,444.	\$1,472.	\$1,524.	\$1,592.	\$1,644.	\$1,724.	\$1,776.
	36"	49"	R3B2TFFB49 36-() ()	1,724.	1,752.	1,804.	1,872.	1,924.	2,004.	2,056.
	42"	49"	R3B2TFFB49 42-() ()	1,866.	1,894.	1,946.	2,014.	2,066.	2,146.	2,198.
	48"	49"	R3B2TFFB49 48-() ()	1,960.	1,988.	2,040.	2,108.	2,160.	2,240.	2,292.



Monolithic, fabric both sides, Type A window on top, Beltway two sides	18"	49"	R3B2PFFA49 18-() ()	1,093.	1,111.	1,149.	1,229.	1,281.	1,353.	1,399.
	20"	49"	R3B2PFFA49 20-() ()	1,093.	1,111.	1,149.	1,229.	1,281.	1,353.	1,399.
	24"	49"	R3B2PFFA49 24-() ()	1,133.	1,151.	1,189.	1,269.	1,321.	1,393.	1,439.
	30"	49"	R3B2PFFA49 30-() ()	1,209.	1,227.	1,265.	1,345.	1,397.	1,469.	1,515.
	36"	49"	R3B2PFFA49 36-() ()	1,438.	1,456.	1,494.	1,574.	1,626.	1,698.	1,744.
	42"	49"	R3B2PFFA49 42-() ()	1,563.	1,581.	1,619.	1,699.	1,751.	1,823.	1,869.
	48"	49"	R3B2PFFA49 48-() ()	1,637.	1,655.	1,693.	1,773.	1,825.	1,897.	1,943.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
W281 Fabric selection - side 1	7. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
V316 Maple (top trim finish)	9. Window frame finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
111 Jet Black (base finish)	10. Glass option	Applicable finishes are listed on page 5 and 6.
111 Jet Black (beltway finish)	Temp = clear temp	
111 Jet Black (window frame finish)	Architectural options:	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)


Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Beltway two sides, window panel 49" H tiled and monolithic with glass at top

Reff

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type B window on top, Beltway two sides	30"	49"	R3B2PFFB49 30-() ()	\$1,313.	\$1,331.	\$1,369.	\$1,449.	\$1,501.	\$1,573.	\$1,619.
	36"	49"	R3B2PFFB49 36-() ()	1,550.	1,568.	1,606.	1,686.	1,738.	1,810.	1,856.
	42"	49"	R3B2PFFB49 42-() ()	1,674.	1,692.	1,730.	1,810.	1,862.	1,934.	1,980.
	48"	49"	R3B2PFFB49 48-() ()	1,757.	1,775.	1,813.	1,893.	1,945.	2,017.	2,063.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 115.
W281 Fabric selection - side 1	7. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 115 at no charge.
V316 Maple (top trim finish)	9. Window frame finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
111 Jet Black (base finish)	10. Glass option	Applicable finishes are listed on page 5 and 6.
111 Jet Black (beltway finish)	Temp = clear temp	
111 Jet Black (window frame finish)	<i>Architectural options:</i>	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)



Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Stacking modules *fabric*

Reff

Panels

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	R3SFF08 18	\$197.	\$201.	\$219.	\$249.	\$261.	\$281.	\$295.
	20"	8"	R3SFF08 20	197.	201.	219.	249.	261.	281.	295.
	24"	8"	R3SFF08 24	206.	210.	228.	258.	270.	290.	304.
	30"	8"	R3SFF08 30	229.	233.	251.	281.	293.	313.	327.
	36"	8"	R3SFF08 36	250.	254.	272.	302.	314.	334.	348.
	42"	8"	R3SFF08 42	272.	276.	294.	324.	336.	356.	370.
	48"	8"	R3SFF08 48	293.	297.	315.	345.	357.	377.	391.
Stacking modules* Fabric both sides	18"	15"	R3SFF15 18	264.	278.	306.	338.	364.	404.	428.
	20"	15"	R3SFF15 20	264.	278.	306.	338.	364.	404.	428.
	24"	15"	R3SFF15 24	279.	293.	321.	353.	379.	419.	443.
	30"	15"	R3SFF15 30	306.	320.	348.	380.	406.	446.	470.
	36"	15"	R3SFF15 36	338.	352.	380.	412.	438.	478.	502.
	42"	15"	R3SFF15 42	365.	379.	407.	439.	465.	505.	529.
	48"	15"	R3SFF15 48	395.	409.	437.	469.	495.	535.	559.

Order Code

Example: R3SFF0820	
R3	Reff Generation 3
S	Stacking module
FF	Fabric/fabric
08	8" high
20	20" wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2

Specification Information

To order please specify:

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

Application Notes

* Not for use on 79"H panels.

* * Suitable only for top of any panel. Cannot be stacked upon.





8"h module will not accept additional modules on top.

Use of 8" module on panel heights other than 34"h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window






Reff

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	RSWA15 18	\$431.	\$517.	\$14.	\$27.	\$44.
	20"	15"	RSWA15 20	431.	517.	14.	27.	44.
	24"	15"	RSWA15 24	454.	552.	14.	27.	47.
	30"	15"	RSWA15 30	526.	615.	14.	27.	52.
	36"	15"	RSWA15 36	545.	693.	14.	27.	53.
	42"	15"	RSWA15 42	574.	743.	14.	27.	56.
	48"	15"	RSWA15 48	594.	791.	14.	27.	59.
Stacking window module* Center mullion, type "B" 	30"	15"	RSWB15 30	629.	752.	14.	27.	62.
	36"	15"	RSWB15 36	658.	803.	14.	27.	65.
	42"	15"	RSWB15 42	686.	856.	14.	27.	68.
	48"	15"	RSWB15 48	713.	908.	14.	27.	70.
Stacking window module*   18" - 24" 30" - 48"	18"	30"	RSWC30 18	519.	602.	22.	35.	52.
	20"	30"	RSWC30 20	519.	602.	22.	35.	52.
	24"	30"	RSWC30 24	554.	655.	22.	35.	56.
	30"	30"	RSWC30 30	721.	844.	22.	35.	72.
	36"	30"	RSWC30 36	821.	970.	22.	35.	80.
	42"	30"	RSWC30 42	880.	1,052.	22.	35.	86.
	48"	30"	RSWC30 48	932.	1,131.	22.	35.	90.

Order Code	Specification Information	Application Notes
Example: RSWA1518 111 TEMP	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes) <i>If P2 or P3 paint finish upcharge applicable</i> <i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	All window modules incorporate tempered glass (3/16" thick).
A Type A		30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high		For window panels specify the finish for frames from paint selection on page 5.
18 18" wide		
111 Jet Black, frame finish	3. Glass type Temp = Clear tempered glass <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
TEMP Clear tempered glass		

Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.
				10	15	20	30	35	40	
Stacking modules *,** Fabric and laminate 	18"	8"	R3SFL0818	\$222.	\$227.	\$244.	\$275.	\$288.	\$308.	\$325.
	20"	8"	R3SFL0820	222.	227.	244.	275.	288.	308.	325.
	24"	8"	R3SFL0824	241.	246.	263.	294.	307.	327.	344.
	30"	8"	R3SFL0830	270.	275.	292.	323.	336.	356.	373.
	36"	8"	R3SFL0836	296.	301.	318.	349.	362.	382.	399.
	42"	8"	R3SFL0842	321.	326.	343.	374.	387.	407.	424.
	48"	8"	R3SFL0848	349.	354.	371.	402.	415.	435.	452.
Stacking modules *,** Fabric and techwood 	18"	8"	R3SF10818	228.	233.	250.	281.	294.	314.	331.
	20"	8"	R3SF10820	228.	233.	250.	281.	294.	314.	331.
	24"	8"	R3SF10824	245.	250.	267.	298.	311.	331.	348.
	30"	8"	R3SF10830	274.	279.	296.	327.	340.	360.	377.
	36"	8"	R3SF10836	300.	305.	322.	353.	366.	386.	403.
	42"	8"	R3SF10842	329.	334.	351.	382.	395.	415.	432.
	48"	8"	R3SF10848	354.	359.	376.	407.	420.	440.	457.
Stacking modules*,** Fabric and conventional veneer 	18"	8"	R3SF20818	231.	236.	253.	284.	297.	317.	334.
	20"	8"	R3SF20820	231.	236.	253.	284.	297.	317.	334.
	24"	8"	R3SF20824	250.	255.	272.	303.	316.	336.	353.
	30"	8"	R3SF20830	279.	284.	301.	332.	345.	365.	382.
	36"	8"	R3SF20836	307.	312.	329.	360.	373.	393.	410.
	42"	8"	R3SF20842	335.	340.	357.	388.	401.	421.	438.
	48"	8"	R3SF20848	359.	364.	381.	412.	425.	445.	462.
Stacking modules*,** Fabric and exotic veneer 	18"	8"	R3SF30818	304.	309.	326.	357.	370.	390.	407.
	20"	8"	R3SF30820	304.	309.	326.	357.	370.	390.	407.
	24"	8"	R3SF30824	332.	337.	354.	385.	398.	418.	435.
	30"	8"	R3SF30830	368.	373.	390.	421.	434.	454.	471.
	36"	8"	R3SF30836	408.	413.	430.	461.	474.	494.	511.
	42"	8"	R3SF30842	445.	450.	467.	498.	511.	531.	548.
	48"	8"	R3SF30848	479.	484.	501.	532.	545.	565.	582.
Stacking modules*,** Laminate both sides 	18"	8"	R3SLL0818							215.
	20"	8"	R3SLL0820							215.
	24"	8"	R3SLL0824							234.
	30"	8"	R3SLL0830							262.
	36"	8"	R3SLL0836							283.
	42"	8"	R3SLL0842							292.
	48"	8"	R3SLL0848							301.

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

* Not for use on 79"H panels.

** Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.






Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Stacking modules

Reff

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.
				10	15	20	30	35	40	
Stacking modules* Fabric and laminate 	18"	15"	R3SFL1518	\$319.	\$333.	\$361.	\$394.	\$423.	\$465.	\$488.
	20"	15"	R3SFL1520	319.	333.	361.	394.	423.	465.	488.
	24"	15"	R3SFL1524	332.	346.	374.	407.	436.	478.	501.
	30"	15"	R3SFL1530	364.	378.	406.	439.	468.	510.	533.
	36"	15"	R3SFL1536	395.	409.	437.	470.	499.	541.	564.
	42"	15"	R3SFL1542	425.	439.	467.	500.	529.	571.	594.
	48"	15"	R3SFL1548	455.	469.	497.	530.	559.	601.	624.
Stacking modules* Fabric and techwood 	18"	15"	R3SF11518	327.	341.	369.	402.	431.	473.	496.
	20"	15"	R3SF11520	327.	341.	369.	402.	431.	473.	496.
	24"	15"	R3SF11524	340.	354.	382.	415.	444.	486.	509.
	30"	15"	R3SF11530	369.	383.	411.	444.	473.	515.	538.
	36"	15"	R3SF11536	401.	415.	443.	476.	505.	547.	570.
	42"	15"	R3SF11542	432.	446.	474.	507.	536.	578.	601.
	48"	15"	R3SF11548	462.	476.	504.	537.	566.	608.	631.
Stacking modules* Fabric and conventional veneer 	18"	15"	R3SF21518	330.	344.	372.	405.	434.	476.	499.
	20"	15"	R3SF21520	330.	344.	372.	405.	434.	476.	499.
	24"	15"	R3SF21524	346.	360.	388.	421.	450.	492.	515.
	30"	15"	R3SF21530	378.	392.	420.	453.	482.	524.	547.
	36"	15"	R3SF21536	410.	424.	452.	485.	514.	556.	579.
	42"	15"	R3SF21542	442.	456.	484.	517.	546.	588.	611.
	48"	15"	R3SF21548	469.	483.	511.	544.	573.	615.	638.
Stacking modules* Fabric and exotic veneer 	18"	15"	R3SF315 18	435.	449.	477.	510.	539.	581.	604.
	20"	15"	R3SF315 20	435.	449.	477.	510.	539.	581.	604.
	24"	15"	R3SF315 24	456.	470.	498.	531.	560.	602.	625.
	30"	15"	R3SF315 30	499.	513.	541.	574.	603.	645.	668.
	36"	15"	R3SF315 36	543.	557.	585.	618.	647.	689.	712.
	42"	15"	R3SF315 42	585.	599.	627.	660.	689.	731.	754.
	48"	15"	R3SF315 48	624.	638.	666.	699.	728.	770.	793.
Stacking modules* Laminate both sides 	18"	15	R3SLL1518							304.
	20"	15	R3SLL1520							304.
	24"	15	R3SLL1524							331.
	30"	15	R3SLL1530							371.
	36"	15	R3SLL1536							401.
	42"	15	R3SLL1542							413.
	48"	15	R3SLL1548							415.

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

* Not for use on 79"H panels.

** Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.



Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

Reff

Panels

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$60.	n/a
	15"	stacking module post	R3L15TT	118.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	151.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	227.	262.
	49"		R3L49(B)(F/T)(F/T)-() () ()	252.	290.
	64"		R3L64(B)(F/T)(F/T)-() () ()	279.	320.
	79"		R3L79(B)(F/T)(F/T)-() () ()	312.	358.
 T-Post	8"	stacking module post	R3T08T	76.	n/a
	15"	stacking module post	R3T15T	140.	n/a
	34"		R3T34(F/T)-() () ()	183.	n/a
	42"		R3T42(B)(F/T)-() () ()	201.	229.
	49"		R3T49(B)(F/T)-() () ()	227.	262.
	64"		R3T64(B)(F/T)-() () ()	252.	290.
	79"		R3T79(B)(F/T)-() () ()	280.	322.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 324.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 115. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

Reff

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	R3X08	\$67.	n/a
	15"	stacking module post	R3X15	129.	n/a
	34"		R3X34-() ()	171.	n/a
	42"		R3X42(B)-() ()	185.	214.
	49"		R3X49(B)-() ()	201.	229.
	64"		R3X64(B)-() ()	227.	262.
	79"		R3X79(B)-() ()	259.	295.
 Straight post	8"	stacking module post	R3S08TT	60.	n/a
	15"	stacking module post	R3S15TT	118.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	151.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	227.	262.
	49"		R3S49(B)(F/T)(F/T)-() () ()	252.	290.
	64"		R3S64(B)(F/T)(F/T)-() () ()	279.	320.
	79"		R3S79(B)(F/T)(F/T)-() () ()	312.	358.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 324.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 115. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

Reff

Panels

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV	n/c



Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 324.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers
(fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)

4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 115. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 135°

Reff

description	h	pattern no.	Reg. post list (A/B/C profile)
 135° Tiled Post	34"	R3135V34T () () () () () ()	\$507.
	42"	R3135V42T () () () () () ()	634.
	49"	R3135V49T () () () () () ()	642.
	64"	R3135V64T () () () () () ()	786.
	79"	R3135V79T () () () () () ()	927.
 135° Mono Post	34"	R3135V34F () () () () () ()	507.
	42"	R3135V42F () () () () () ()	634.
	49"	R3135V49F () () () () () ()	642.
	64"	R3135V64F () () () () () ()	786.
	79"	R3135V79F () () () () () ()	927.

Order Code

Example:	R3135V34T
R3	Reff Generation 3
135V	135° post
34	Height
T	Tiled
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 324.

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Top cap configuration
3. If L post, cover configuration
1 = one piece
4. Base height option
5. Base infeed knock-out (optional)
6. Tile divider option/finish, if face type T
7. Finish, face covers
(*fabric, V1, V2, V3 or painted to match laminate*)
8. Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
9. Base finish

1. Face type:

(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)

5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. Base height:

4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 120°

Reff

Panels

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34 () () ()	\$353.
	42"	R3120Y42 () () ()	371.
	49"	R3120Y49 () () ()	383.
	64"	R3120Y64 () () ()	420.
	79"	R3120Y79 () () ()	459.

Order Code

Example: R3120Y34	
R3	Reff Generation 3
120V	120° post
34	Height
T	Tiled
(A)	Top profile
(4)	Base height
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Base height option
3. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
4. Base finish

1. Top profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum
(Add \$25 list for this option)



2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)


Specify AA for anodized aluminum look or painted option from page 5excluding silver.

Panel trims and post covers for all applications

Reff

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34"		R2ES34(A/B/C/E)(4/6)(E/N)	\$207.	\$125.
	–	42"		R2ES42(A/B/C/E)(4/6)(E/N)	231.	146.
	–	49"		R2ES49(A/B/C/E)(4/6)(E/N)	256.	167.
	–	64"		R2ES64(A/B/C/E)(4/6)(E/N)	272.	188.
	–	79"		R2ES79(A/B/C/E)(4/6)(E/N)	333.	213.
End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		R2HL3442ES(A/B/C/E)	108.	110.
	34"	49"		R2HL3449ES(A/B/C/E)	151.	112.
	34"	64"		R2HL3464ES(A/B/C/E)	193.	115.
	34"	79"		R2HL3479ES(A/B/C/E)	207.	127.
	42"	49"		R2HL4249ES(A/B/C/E)	108.	110.
	42"	64"		R2HL4264ES(A/B/C/E)	261.	112.
	42"	79"		R2HL4279ES(A/B/C/E)	299.	127.
	49"	64"		R2HL4964ES(A/B/C/E)	151.	115.
	49"	79"		R2HL4979ES(A/B/C/E)	193.	127.
	64"	79"		R2HL6479ES(A/B/C/E)	151.	112.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side)	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
	–	–	18"	RSNTT18(A/B/C/E)	77.	21.
	–	–	20"	RSNTT20(A/B/C/E)	77.	23.
	–	–	24"	RSNTT24(A/B/C/E)	85.	26.
	–	–	30"	RSNTT30(A/B/C/E)	95.	31.
	–	–	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	99.	41.
	–	–	36"	RSNTT36(A/B/C/E)	106.	41.
	–	–	42"	RSNTT42(A/B/C/E)	120.	42.
	–	–	48"	RSNTT48(A/B/C/E)	130.	59.

Order Code

Example: R2ES34A6N	
R2	Reff Generation 2
ES	End trim
34	34" high
A	Flat profile
6	6" base height
N	Non electrical base
V311	Beech
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

- Trim profile
A = flat
B = square
C = bullnose
E = extruded aluminum
- Base height option
4 = 4"
6 = 6"
- Base type
E = electrical entry
N = standard base
- Finish, end trim
If profile A, B or C specify V1, V2, V3 or painted to match laminate
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base
painted or plated finish

Applicable finishes are listed on page 5 and 6.

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
or select P1, P2, P3 painted finish from pg. 5

Select paint or plated finish from page 5.

Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

Reff

Panels

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$108.	\$110.
	42"	64"		R2HL4264ETS(A/B/C/E)	261.	112.
	42"	79"		R2HL4279ETS(A/B/C/E)	299.	127.



Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		R2HL3442(F)CS ()	31.	
	34"	49"		R2HL3449(F)CS ()	45.	
	34"	64"		R2HL3464(F/T)CS ()()	89.	
	34"	79"		R2HL3479(F/T)CS ()()	132.	
	42"	49"		R2HL4249(F)CS ()	31.	
	42"	64"		R2HL4264(F/T)CS ()()	74.	
	42"	79"		R2HL4279(F/T)CS ()()	120.	
	49"	64"		R2HL4964(F)CS ()	45.	
	49"	79"		R2HL4979(F/T)CS ()()	89.	
	64"	79"		R2HL6479(F)CS ()	45.	



Application: for height changes involving a post

Order Code

Example: R2ES34A6N
R2 Reff Generation 2
ES End trim
34 34" high
A Flat profile
6 6" base height
N Non electrical base
V311 Beech
111 Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

- Trim profile
A = flat
B = square
C = bullnose
E = extruded aluminum
- Base height option
4 = 4"
6 = 6"
- Base type
E = electrical entry
N = standard base
- Finish, end trim
If profile A, B or C specify V1, V2, V3 or painted to match laminate
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base
painted or plated finish

Applicable finishes are listed on page 5 and 6.

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
or select P1, P2, P3 painted finish from pg. 5

Select paint or plated finish from page 5.

Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.


Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.


Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.


E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

description	h	pattern no.	list price
 Ceiling entry L-post.	42"	R2L42C(F/T)(F/T)-(4/6)	\$227.
	49"	R2L49C(F/T)(F/T)-(4/6)	243.
	64"	R2L64C(F/T)(F/T)-(4/6)	258.
	79"	R2L79C(F/T)(F/T)-(4/6)	306.


Cable not included

 Ceiling entry T-post.	42"	R2T42C(F/T)-(4/6)	201.
	49"	R2T49C(F/T)-(4/6)	227.
	64"	R2T64C(F/T)-(4/6)	243.
	79"	R2T79C(F/T)-(4/6)	283.

Cable not included

 Ceiling entry X-post.	42"	R2X42C	185.
	49"	R2X49C	201.
	64"	R2X64C	227.
	79"	R2X79C	269.

Cable not included

 Ceiling entry straight line post.	42"	R2S42C(F/T)(F/T)-(4/6)	227.
	49"	R2S49C(F/T)(F/T)-(4/6)	243.
	64"	R2S64C(F/T)(F/T)-(4/6)	258.
	79"	R2S79C(F/T)(F/T)-(4/6)	306.

Cable not included

Order Code	Specification Information	Application Notes
Example: R2L42CTT4 R2 Reff Generation 2 L L-post 42 42" high C Ceiling power entry T Tiled style face T Tiled style face 4 Base height W230 Fabric selection 111 Jet Black (base finish)	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Post face option 2. Base height option 3. Finish type, where applicable 4. Finish, where applicable 5. Base finish 6. Canopy finish (ceiling entry pole only) <p>1. <i>Face type:</i> F = Full height T = Tiled</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height</p> <p>3. <i>Finish type:</i> F = Fabric L = Laminate 1 = V1 2 = V2 3 = V3</p>	<p>Data cable application requires the post and the pole only.</p> <p>*Must order post, pole and cable for electrical application.</p> <p>The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.</p> <p>To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.</p> <p>6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.</p> <p>The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).</p> <p>Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.</p> <p>Hi-lo ceiling post covers must be ordered in hi-lo applications from 112.</p>

Applicable finishes are listed on page 5 and 6.

description	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet	41"	RCP41-(F/L/1/2/3)*	\$454.
	56"	RCP56-(F/L/1/2/3)*	471.
	71"	RCP71-(F/L/1/2/3)*	529.
	78"	RCP78-(F/L/1/2/3)*	546.



Cable not included

Ceiling power cable infeed. For use with Ceiling entry Pole and Post combination	RR3EPVR-(Eight wire)	265.
	RR3TPVR-(Ten wire)	321.



One size fits all post sizes (13' of cable)



Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
42 42" high	3. Finish type, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
C Ceiling power entry	4. Finish, where applicable	6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
T Tiled style face	5. Base finish	The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
T Tiled style face	6. Canopy finish (ceiling entry pole only)	Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
4 Base height	1. <i>Face type:</i>	Hi-lo ceiling post covers must be ordered in hi-lo applications from 112.
W230 Fabric selection	F = Full height	
111 Jet Black (base finish)	T = Tiled	
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height	
	3. <i>Finish type:</i>	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Ceiling cable entry post covers

Alignment kits and wall starters

Reff

description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$31.
	34"	49"			RPHL3449(F/T)	45.
	34"	64"			RPHL3464(F/T)	89.
	34"	79"			RPHL3479(F/T)	132.
	42"	49"			RPHL4249(F/T)	61.
	42"	64"			RPHL4264(F/T)	85.
	42"	79"			RPHL4279(F/T)	93.
	49"	64"			RPHL4964(F/T)	85.
	49"	79"			RPHL4979(F/T)	93.
	64"	79"			RPHL6479(F/T)	67.
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	31.
	42"	64"			RPHL4264S	74.
	42"	79"			RPHL4279S	120.
	49"	64"			RPHL4964S	45.
	49"	79"			RPHL4979S	89.
	64"	79"			RPHL6479S	45.
Wall starter			7/8"	8"	R2SWS0008 () () ()	43.
			7/8"	15"	R2SWS0015 () () ()	57.
			7/8"	34"	R2SWS0034 () () ()	112.
			7/8"	42"	R2SWS0042 () () ()	137.
			7/8"	49"	R2SWS0049 () () ()	160.
			7/8"	64"	R2SWS0064 () () ()	210.
			7/8"	79"	R2SWS0079 () () ()	259.

*Wall starters come with extended top trim from adjoining panel.


Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
P Power post	1. Face type	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
42 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
49 49" high panel	F = Full	
T Tiled face type	T = Tiled	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
	Wall starter:	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

Ceiling cable entry post covers

Alignment kits and wall starters

Reff

Panels

description	panel h	post h	w	h	pattern no.	list price
					R3SPABPT	\$7.
					R3SPABTD	7.
					R3SPABTT	7.
					R3SPABTW	7.
					RSPABPD	7.
					RSPABPP	7.
					RSPABPT	7.
					RSPABPW	7.
					RSPABTD	7.
					RSPABTT	7.
					RSPABTW	7.
					RSPABWD	7.
				RSPABWW	7.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff		
P Power post	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
HL Hi lo cover	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
42 42" low panel	2. Select finish fabric, laminate or veneer	
49 49" high panel		
T Tiled face type	1. <i>Face type options:</i> F = Full T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64"	RRDPPL(L/R)6436()		\$2,765.	\$2,863.	\$3,827.
		36"	79"	RRD3PPL(L/R)7936()()		3,015.	3,123.	4,216.
		42"	64"	RRDPPL(L/R)6442()		2,818.	2,915.	3,875.
		42"	79"	RRD3PPL(L/R)7942()()		3,061.	3,169.	4,262.
Floor to ceiling rolling door		36"	79"	RRD3FTCPPL(L/R)7936()		3,015.	3,123.	4,216.
		42"	79"	RRD3FTCPPL(L/R)7942()		3,061.	3,169.	4,262.
Partial width threshold (full width threshold)		3"	50"	RRDTH()		320.		
		3"	96"	RRDTH(L/R)()		411.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()		3,601.	
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()		4,185.	
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()		3,601.	
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()		4,185.	



Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
B = Square
C = Bullnose

2. Base height:

- 4 = 4" base
6 = 6" base (add \$47 for this option)

3. Lock option:

- N = Not drilled
D = Drilled *
L = Drilled lock set included
D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

- GL13 = Powdered glass
GL6 = Block matrix
GL8 = Wafer glass
P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 5 and 6.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 112).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			R234PKIT	\$104.	
Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	104.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c	
Generation 1 panels to Generation 3 posts			R3AK	n/c	
R3/R2 stacking post sleeve			R3R2SLV	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	(Qty of 15)	3/8"	79"	RHSC15	n/c
	(Qty of 250)	3/8"	79"	RHSC250	n/c
	(Qty of 70)	3/8"	79"	RHSC70	n/c
	Carpet gripper(Pack of 10)			R2CG	18.

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

Application Notes

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.




R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

Floor to ceiling modules

21" high, for 104" ceiling height and 79" high panels
fabric and glass




Reff

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	R3FTCFF2118			\$330.	\$334.	\$348.	\$408.	\$428.	\$488.	\$548.
	20"	21"	R3FTCFF2120			330.	334.	348.	408.	428.	488.	548.
	24"	21"	R3FTCFF2124			347.	351.	365.	425.	445.	505.	565.
	30"	21"	R3FTCFF2130			384.	388.	402.	462.	482.	542.	602.
	36"	21"	R3FTCFF2136			412.	416.	430.	490.	510.	570.	630.
	42"	21"	R3FTCFF2142			449.	453.	467.	527.	547.	607.	667.
	48"	21"	R3FTCFF2148			482.	486.	500.	560.	580.	640.	700.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	RFTCWA2118	462.	544.							
	20"	21"	RFTCWA2120	462.	544.							
	24"	21"	RFTCWA2124	485.	586.							
	30"	21"	RFTCWA2130	564.	687.							
	36"	21"	RFTCWA2136	590.	733.							
	42"	21"	RFTCWA2142	621.	794.							
	48"	21"	RFTCWA2148	651.	842.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	RFTCWB2130	658.	779.							
	36"	21"	RFTCWB2136	714.	859.							
	42"	21"	RFTCWB2142	754.	921.							
	48"	21"	RFTCWB2148	789.	985.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2118	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick). Specify the finish for frames from paint selection on page 5. Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$62 per module per P3 paint class options. Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components. Use of Reff FTC modules must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying. No additional acoustic rating occurs on FTC installations.
18 18" wide	<i>For window panel:</i>	
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	

Floor to ceiling modules

25" high, for 108" ceiling height and 79" high panels
fabric and glass


description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$367.	\$373.	\$383.	\$463.	\$481.	\$559.	\$627.
	20"	25"	R3FTCFF2520			367.	373.	383.	463.	481.	559.	627.
	24"	25"	R3FTCFF2524			388.	394.	404.	484.	502.	580.	648.
	30"	25"	R3FTCFF2530			422.	428.	438.	518.	536.	614.	682.
	36"	25"	R3FTCFF2536			461.	467.	477.	557.	575.	653.	721.
	42"	25"	R3FTCFF2542			498.	504.	514.	594.	612.	690.	758.
	48"	25"	R3FTCFF2548			534.	540.	550.	630.	648.	726.	794.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	482.	565.							
	20"	25"	RFTCWA2520	482.	565.							
	24"	25"	RFTCWA2524	515.	613.							
	30"	25"	RFTCWA2530	595.	718.							
	36"	25"	RFTCWA2536	624.	768.							
	42"	25"	RFTCWA2542	664.	831.							
	48"	25"	RFTCWA2548	692.	884.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	684.	803.							
	36"	25"	RFTCWB2536	757.	903.							
	42"	25"	RFTCWB2542	804.	973.							
	48"	25"	RFTCWB2548	849.	1,043.							


Order Code	Specification Information	Application Notes
Example: R3FTCFF2518	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick). Specify the finish for frames from paint selection on page 5. Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$62 per module per P3 paint class options. Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim.
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
25 25" high	4. Soffit finish (paint)	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors. Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components. Use of Reff FTC modules must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying. No additional acoustic rating occurs on FTC installations.
18 18" wide	<i>For window panel:</i>	
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	


Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

Reff

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	R3FTCFF3718			\$481.	\$485.	\$495.	\$615.	\$635.	\$753.	\$861.
	20"	37"	R3FTCFF3720			481.	485.	495.	615.	635.	753.	861.
	24"	37"	R3FTCFF3724			509.	513.	523.	643.	663.	781.	889.
	30"	37"	R3FTCFF3730			552.	556.	566.	686.	706.	824.	932.
	36"	37"	R3FTCFF3736			600.	604.	614.	734.	754.	872.	980.
	42"	37"	R3FTCFF3742			646.	650.	660.	780.	800.	918.	1,026.
	48"	37"	R3FTCFF3748			689.	693.	703.	823.	843.	961.	1,069.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	552.	633.
	20"	37"	RFTCWA3720	552.	633.
	24"	37"	RFTCWA3724	594.	691.
	30"	37"	RFTCWA3730	701.	808.
	36"	37"	RFTCWA3736	729.	872.
	42"	37"	RFTCWA3742	777.	944.
	48"	37"	RFTCWA3748	818.	1,015.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	755.	878.
	36"	37"	RFTCWB3736	891.	1,035.
	42"	37"	RFTCWB3742	960.	1,128.
	48"	37"	RFTCWB3748	1,021.	1,217.

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$62 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
37 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules


21" and 25" high modules, fabric one side,
laminated, techwood, conventional or exotic veneer other side


Reff

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	R3FTCFL2118	\$375.	\$377.	\$382.	\$415.	\$425.	\$456.	\$489.
	20"	21"	R3FTCFL2120	375.	377.	382.	415.	425.	456.	489.
	24"	21"	R3FTCFL2124	388.	390.	395.	428.	438.	469.	502.
	30"	21"	R3FTCFL2130	436.	438.	443.	476.	486.	517.	550.
	36"	21"	R3FTCFL2136	473.	475.	480.	513.	523.	554.	587.
	42"	21"	R3FTCFL2142	515.	517.	522.	555.	565.	596.	629.
	48"	21"	R3FTCFL2148	554.	556.	561.	594.	604.	635.	668.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	R3FTCF12118	382.	384.	389.	422.	432.	463.	496.
	20"	21"	R3FTCF12120	382.	384.	389.	422.	432.	463.	496.
	24"	21"	R3FTCF12124	397.	399.	404.	437.	447.	478.	511.
	30"	21"	R3FTCF12130	442.	444.	449.	482.	492.	523.	556.
	36"	21"	R3FTCF12136	480.	482.	487.	520.	530.	561.	594.
	42"	21"	R3FTCF12142	520.	522.	527.	560.	570.	601.	634.
	48"	21"	R3FTCF12148	566.	568.	573.	606.	616.	647.	680.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	R3FTCF22118	389.	391.	396.	429.	439.	470.	503.
	20"	21"	R3FTCF22120	389.	391.	396.	429.	439.	470.	503.
	24"	21"	R3FTCF22124	402.	404.	409.	442.	452.	483.	516.
	30"	21"	R3FTCF22130	452.	454.	459.	492.	502.	533.	566.
	36"	21"	R3FTCF22136	488.	490.	495.	528.	538.	569.	602.
	42"	21"	R3FTCF22142	531.	533.	538.	571.	581.	612.	645.
	48"	21"	R3FTCF22148	573.	575.	580.	613.	623.	654.	687.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21" 	18"	21"	R3FTCF321 18	513.	515.	520.	553.	563.	594.	627.
	20"	21"	R3FTCF321 20	513.	515.	520.	553.	563.	594.	627.
	24"	21"	R3FTCF321 24	530.	532.	537.	570.	580.	611.	644.
	30"	21"	R3FTCF321 30	597.	599.	604.	637.	647.	678.	711.
	36"	21"	R3FTCF321 36	646.	648.	653.	686.	696.	727.	760.
	42"	21"	R3FTCF321 42	704.	706.	711.	744.	754.	785.	818.
	48"	21"	R3FTCF321 48	760.	762.	767.	800.	810.	841.	874.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 21 21" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Reff


Floor to ceiling modules

*21" and 25" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	R3FTCFL2518	\$403.	\$406.	\$413.	\$455.	\$464.	\$504.	\$540.
	20"	25"	R3FTCFL2520	403.	406.	413.	455.	464.	504.	540.
	24"	25"	R3FTCFL2524	417.	420.	427.	469.	478.	518.	554.
	30"	25"	R3FTCFL2530	474.	477.	484.	526.	535.	575.	611.
	36"	25"	R3FTCFL2536	514.	517.	524.	566.	575.	615.	651.
	42"	25"	R3FTCFL2542	564.	567.	574.	616.	625.	665.	701.
	48"	25"	R3FTCFL2548	609.	612.	619.	661.	670.	710.	746.

Stack-on floor to ceiling module Fabric one side, techwood other side, 25" 	18"	25"	R3FTCF12518	409.	412.	419.	461.	470.	510.	546.
	20"	25"	R3FTCF12520	409.	412.	419.	461.	470.	510.	546.
	24"	25"	R3FTCF12524	422.	425.	432.	474.	483.	523.	559.
	30"	25"	R3FTCF12530	483.	486.	493.	535.	544.	584.	620.
	36"	25"	R3FTCF12536	521.	524.	531.	573.	582.	622.	658.
	42"	25"	R3FTCF12542	574.	577.	584.	626.	635.	675.	711.
	48"	25"	R3FTCF12548	619.	622.	629.	671.	680.	720.	756.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25" 	18"	25"	R3FTCF22518	417.	420.	427.	469.	478.	518.	554.
	20"	25"	R3FTCF22520	417.	420.	427.	469.	478.	518.	554.
	24"	25"	R3FTCF22524	430.	433.	440.	482.	491.	531.	567.
	30"	25"	R3FTCF22530	491.	494.	501.	543.	552.	592.	628.
	36"	25"	R3FTCF22536	532.	535.	542.	584.	593.	633.	669.
	42"	25"	R3FTCF22542	583.	586.	593.	635.	644.	684.	720.
	48"	25"	R3FTCF22548	630.	633.	640.	682.	691.	731.	767.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25" 	18"	25"	R3FTCF325 18	546.	549.	556.	598.	607.	647.	683.
	20"	25"	R3FTCF325 20	546.	549.	556.	598.	607.	647.	683.
	24"	25"	R3FTCF325 24	567.	570.	577.	619.	628.	668.	704.
	30"	25"	R3FTCF325 30	647.	650.	657.	699.	708.	748.	784.
	36"	25"	R3FTCF325 36	704.	707.	714.	756.	765.	805.	841.
	42"	25"	R3FTCF325 42	772.	775.	782.	824.	833.	873.	909.
	48"	25"	R3FTCF325 48	836.	839.	846.	888.	897.	937.	973.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 21 21" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

37" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side


Reff

Panels


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side	18"	37"	R3FTCFL3718	\$491.	\$493.	\$499.	\$560.	\$571.	\$632.	\$689.
	20"	37"	R3FTCFL3720	491.	493.	499.	560.	571.	632.	689.
	24"	37"	R3FTCFL3724	500.	502.	508.	569.	580.	641.	698.
	30"	37"	R3FTCFL3730	594.	596.	602.	663.	674.	735.	792.
	36"	37"	R3FTCFL3736	643.	645.	651.	712.	722.	784.	841.
	42"	37"	R3FTCFL3742	717.	719.	725.	786.	797.	858.	915.
	48"	37"	R3FTCFL3748	782.	784.	790.	851.	862.	923.	980.




Stack-on floor to ceiling module Fabric one side, techwood other side	18"	37"	R3FTCF13718	499.	501.	507.	568.	579.	640.	697.
	20"	37"	R3FTCF13720	499.	501.	507.	568.	579.	640.	697.
	24"	37"	R3FTCF13724	507.	509.	515.	576.	587.	648.	705.
	30"	37"	R3FTCF13730	603.	605.	611.	672.	683.	744.	801.
	36"	37"	R3FTCF13736	655.	657.	663.	724.	735.	796.	853.
	42"	37"	R3FTCF13742	733.	735.	741.	802.	813.	874.	931.
	48"	37"	R3FTCF13748	797.	799.	805.	866.	877.	938.	995.



Stack-on floor to ceiling module Fabric one side, conventional veneer other side	18"	37"	R3FTCF23718	506.	508.	514.	575.	586.	647.	704.
	20"	37"	R3FTCF23720	506.	508.	514.	575.	586.	647.	704.
	24"	37"	R3FTCF23724	518.	520.	526.	587.	598.	659.	716.
	30"	37"	R3FTCF23730	613.	615.	621.	682.	693.	754.	811.
	36"	37"	R3FTCF23736	664.	666.	672.	733.	744.	805.	862.
	42"	37"	R3FTCF23742	743.	745.	751.	812.	823.	884.	941.
	48"	37"	R3FTCF23748	812.	814.	820.	881.	892.	953.	1,010.



Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37"	18"	37"	R3FTCF337 18	661.	663.	669.	730.	741.	802.	859.
	20"	37"	R3FTCF337 20	661.	663.	669.	730.	741.	802.	859.
	24"	37"	R3FTCF337 24	678.	680.	686.	747.	758.	819.	876.
	30"	37"	R3FTCF337 30	806.	808.	814.	875.	886.	947.	1,003.
	36"	37"	R3FTCF337 36	875.	877.	883.	944.	955.	1,016.	1,072.
	42"	37"	R3FTCF337 42	982.	984.	990.	1,051.	1,062.	1,123.	1,179.
	48"	37"	R3FTCF337 48	1,074.	1,076.	1,082.	1,143.	1,154.	1,215.	1,271.



Order Code	Specification Information	Application Notes
Example: R3FTCFL3718	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
37 37" high	4. Soffit finish (paint)	
18 18" wide	Applicable finishes are listed on page 5 and 6.	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.






Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

Reff

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$173.
	add on	25"	R3FTCL25	192.
	add on	37"	R3FTCL37	248.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	392.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	392.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	392.
 T-Post	add on	21"	R3FTCT21	204.
	add on	25"	R3FTCT25	204.
	add on	37"	R3FTCT37	262.
	full height	104"	R3FTCT104(F/T)-() ()	352.
	full height	108"	R3FTCT108(F/T)-() ()	352.
	full height	120"	R3FTCT120(F/T)-() ()	352.
 X-Post	add on	21"	R3FTCX21	171.
	add on	25"	R3FTCX25	189.
	add on	37"	R3FTCX37	247.
	full height	104"	R3FTCX104	323.
	full height	108"	R3FTCX108	323.
	full height	120"	R3FTCX120	323.
 Straight post	add on	21"	R3FTCS21	173.
	add on	25"	R3FTCS25	192.
	add on	37"	R3FTCS37	248.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	392.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	392.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	392.
 End post	add on	21"	R3FTCE21	187.
	add on	25"	R3FTCE25	187.
	add on	37"	R3FTCE37	262.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	352.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	352.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	352.

Order Code	Specification Information	Application Notes
Example: R3FTCL104TT-6N R3FTC Reff Gen 3 Floor to ceiling L Corner post 104 104" high (one piece) TT Tiled appearance 6 6" base height N No base infeed raceway knock-out W808 Fabric selection 111 Jet Black (base finish)	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Post face option Base height option Base infeed raceway knock-out, (optional) Fabric selection Base color <p><i>1. Face type:</i> F = Full height (monolithic look) T = Tiled</p> <p><i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 list for this option)</p> <p><i>3. Electrical infeed post:</i> L = Base infeed left face M = Base infeed middle face R = Base infeed right face N = None</p>	<p>The posts on this page do not support the hanging of panel mount product above the 79"H panels.</p> <p>The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.</p> <p>If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.</p> <p>Left and Right hand locations are determined by facing the post in question from the outside of the station.</p> <p>Hookstrip cover reveal strips are no charge but must be ordered separately from page 115.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>

Required components for floor to ceiling applications





Reff

Panels

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$56.
	25"	RFTCWS25S	71.
	37"	RFTCWS37S	85.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	204.
Caddy clips (box of 100)		RFTCCLIPS	296.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSPACE	93.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		R3FTCSM (Pair) for G3 only	7.
		RFTCSM (Pair) for G2 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.

Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<i>To order please specify pattern number including:</i>	*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.
R Reff	1. Fabric/laminate/wood options	Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.
FTC Floor to ceiling	2. Paint option for metal soffit	
WS Wall starter	All floor to ceiling posts mimic the panel system post application.	<p>Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.</p> <p>Use of Reff FTC components must be approved by local building authorities.</p>
21 21" high		
		<p>Floor to ceiling stabilizer brackets ship with bolts to connect the stabilizer beam, brackets and FTC module to the 79"H panel.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>

Power distribution components
 2+2 Base Raceway
 four circuit, eight-wire raceway for panels
 power rails and connector

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-E24	\$132.	
	30" panel	12"	2"	2"	RR3-E30NS	146.	
	36" panel	18"	2"	2"	RR3-E36NS	160.	
	42" panel	24"	2"	2"	RR3-E42NS	167.	
	48" panel	30"	2"	2"	RR3-E48NS	175.	
	60" panel	42"	2"	2"	RR3-E60-4	265.	
	66" panel	48"	2"	2"	RR3-E66-4	279.	
72" panel	54"	2"	2"	RR3-E72-4	299.		
	Straight	16 1/2"	2"	2"	RR3-EPC24	77.	
		18 1/2"	2"	2"	RR3-EPCS	77.	
		20 1/4"	2"	2"	RR3-EPC	77.	
	Use RR3-EPC24 for straight 24" to 24" wide panel. Use RR3-EPCS for straight 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPC for all other straight power connection configurations.						
	Through post	19"	2"	2"	RR3-EPCP24	77.	
		21"	2"	2"	RR3-EPCPS	77.	
		22 3/4"	2"	2"	RR3-EPCP	77.	
Use RR3-EPCP24 for through post 24" to 24" wide panels. Use RR3-EPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCP for all other through post power connection configurations.							
	Circuit A				RR3-DA	36.	
	Circuit B				RR3-DB	36.	
	Circuit X				RR3-DX	36.	
	Circuit Y				RR3-DY	36.	
	Circuit X				RR3-DXO	41.	
	Circuit Y				RR3-DYO	41.	
Data Shield	1 pair				RR3-DATSHD	25.	

Order Code

Example: RR3-E-24	
RR3	Reff raceway
E	Eight wire 2+2
24	for 24" panel

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.




Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.

*Power connectors must be specified according to the panel widths in the specified orientation.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
 2+2 Base Raceway
 four circuit, eight-wire raceway for panels
 jumpers and infeed

description	type	w	d	h	pattern no.	list price
 <p>Jumper</p>	18" panel	38"	2"	2"	RR3-EJ18	\$96.
	20" panel	40"	2"	2"	RR3-EJ20	96.
	24" panel	44"	2"	2"	RR3-EJ24	104.
	30" panel	50"	2"	2"	RR3-EJ30	111.
	36" panel	56"	2"	2"	RR3-EJ36	120.
	42" panel	62"	2"	2"	RR3-EJ42	126.
	48" panel	68"	2"	2"	RR3-EJ48	132.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	139.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	146.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	154.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	160.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	167.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	175.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	182.
96" panel run	118 1/2"	2"	2"	RR3-EJ96P	189.	
 <p>Extended jumper (through one post)</p>	18" + post	40 1/2"	2"	2"	RR3-EJ18P	96.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	96.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	104.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	111.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	120.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	126.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	132.
 <p>Power infeeds</p>	Ceiling power cable infeed				RR3-EPVR	258.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	194.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	291.
	Panel base end feed				RR3-REPI	230.
	Panel base side infeed				RR3-EPI	230.
	Surge suppressors				RR3-SP-(A,B,X,Y)	167.

Order Code

Example:	RR3-EPVR
RR3	Reff raceway
E	Eight wire 2+2
P	power infeed
VR	for vertical raceway

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.

For use in Canada, all circuits are CGA rated 15 amp capacity.

Note:
 For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.

Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Application Notes

Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.





Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection

into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-EPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-EPNY1** includes only one power connector.

Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-T24	\$154.	
	30" panel	12"	2"	2"	RR3-T30NS	167.	
	36" panel	18"	2"	2"	RR3-T36NS	182.	
	42" panel	24"	2"	2"	RR3-T42NS	194.	
	48" panel	30"	2"	2"	RR3-T48NS	202.	
	60" panel	42"	2"	2"	RR3-T60-4	314.	
	66" panel	48"	2"	2"	RR3-T66-4	327.	
	72" panel	54"	2"	2"	RR3-T72-4	349.	
	Straight	16 1/2"	2"	2"	RR3-TPC24	96.	
		18 1/2"	2"	2"	RR3-TPCS	96.	
		20 1/4"	2"	2"	RR3-TPC	96.	
	Use RR3-TPC24 for through post 24" to 24" wide panels. Use RR3-TPCS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPC for all other through post power connection configurations.						
	Through post	19"	2"	2"	RR3-TPCP24	96.	
		21"	2"	2"	RR3-TPCPS	96.	
		22 3/4"	2"	2"	RR3-TPCP	96.	
	Use RR3-TPCP24 for through post 24" to 24" wide panels. Use RR3-TPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPCP for all other through post power connection configurations.						
		Circuit A				RR3-DA	36.
		Circuit B				RR3-DB	36.
Circuit C					RR3-DC	36.	
Circuit X					RR3-DX	36.	
Circuit Y					RR3-DY	36.	
Circuit Z					RR3-DZ	36.	
	Circuit X				RR3-DXO	41.	
	Circuit Y				RR3-DYO	41.	
	Circuit Z				RR3-DZO	41.	
Data Shield	1 pair				RR3-DATSHD	25.	

Order Code

Example: RR3-T-24	
RR3	Reff raceway
T	Ten wire 3+3
24	for 24" panel

Specification Information

Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

Note:

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.

*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels

jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	RR3-TJ18	\$111.
	20" panel	40"	2"	2"	RR3-TJ20	111.
	24" panel	44"	2"	2"	RR3-TJ24	120.
	30" panel	50"	2"	2"	RR3-TJ30	126.
	36" panel	56"	2"	2"	RR3-TJ36	132.
	42" panel	62"	2"	2"	RR3-TJ42	146.
	48" panel	68"	2"	2"	RR3-TJ48	160.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	167.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	175.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	182.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	189.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	194.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	211.
	90" panel run	112 1/2"	2"	2"	RR3-TJ90P	216.
96" panel run	118 1/2"	2"	2"	RR3-TJ96P	222.	
	18" + post	40 1/2"	2"	2"	RR3-TJ18P	111.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	111.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	120.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	126.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	132.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	146.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	160.
	Ceiling power cable infeed				RR3-TPVR	312.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	222.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	321.
	Panel base end feed				RR3-RTPI	265.
	Panel base side infeed				RR3-TPI	265.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	167.

* Select which circuit needs protecting and order the specified surge processor.



** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>

Power distribution components

Hardwire box

Reff

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$207.
	30" panel	RR3CHI301	240.
	36" panel	RR3CHI361	259.
	42" panel	RR3CHI421	262.
	48" panel	RR3CHI481	280.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	214.
	30" panel	RR3CHI302	256.
	36" panel	RR3CHI362	263.
	42" panel	RR3CHI422	267.
	48" panel	RR3CHI482	298.

Order Code

Example: RR3CHI24	
RR3	Reff/AutoStrada raceway G3
CHI	Chicago Hardwire Box
24	For 24" wide panel
1	One sided raceway


Specification Information

Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.


Application Notes

Certified electrician to install.
Reff Hardwire Box
Installation instruction sheet available. Part number 6TR45715.

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$139.
	30" panel		RR3-E30S	160.
	36" panel		RR3-E36S	175.
	42" panel		RR3-E42S	189.
	48" panel		RR3-E48S	194.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	167.
	30" panel		RR3-T30S	182.
	36" panel		RR3-T36S	194.
	42" panel		RR3-T42S	211.
	48" panel		RR3-T48S	216.



Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	96.
	Beltway post	19 1/2"	RR3-LTPC	96.
	Beltway post	21 1/2"	RR3-LTPCP	96.



Only necessary for post applications where cable will turn 90°ree.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		RR3-TBBCS	139.
	For 30" wide Beltway panels (8 Wire)		RR3-EBBCS	131.
	For 36" to 48" wide Beltway panels (10 Wire)		RR3-TBBCL	147.
	For 36" to 48" wide Beltway panels (8 Wire)		RR3-EBBCL	139.

Order Code

Example: RR3-T42S
RR3 Reff raceway
T Ten wire 3+3
42 For 42" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.


Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper

* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper


When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		RR3EJ48	\$132.
	24" wide Ten Wire		RR3TJ48	160.
	30" wide Eight Wire		RR3EJ60P	146.
	30" wide Ten Wire		RR3TJ60P	175.
	36" wide Eight Wire		RR3EJ60P	146.
	36" wide Ten Wire		RR3TJ60P	175.
	42" wide Eight Wire		RR3EJ66P	154.
	42" wide Ten Wire		RR3TJ66P	182.
	48" wide Eight Wire		RR3EJ72P	160.
48" wide Ten Wire		RR3TJ72P	189.	

Order Code	Specification Information	Application Notes
Example: RR3-T42S RR3 Reff raceway T Ten wire 3+3 42 For 42" panel S Single sided power *Power connectors must be specified according to the panel widths in the specified orientation.	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector. Two side beltway panels use power rail for base. Single side beltway panel use one sided power rail for base. <i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages. Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels. Vertical Adjacent Jumper **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers. Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$13.
	Faceplate extender, black	RR3-FE	32.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
Snap in module (must be used with faceplate)	BNC coupler, black	RR3-BNC	19.
	Cat 3 RJ11/14/25, black	RR3-C3C	12.
	CAT 5 RJ45 universal	RR3-C5C	19.
	CAT 6 universal	RR3-C6C	33.
	F series video coupler, black	RR3-FV	19.
	ST style coupler, black	RR3-ST	33.
Icons (sets of 10)	Data icons, 16 piece black	RR3-DICON	13.
	Mixed icons, 16 piece black	RR3-MICON	13.
	Phone icons, 16 piece black	RR3PICON	13.
Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	130.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	130.
Fiber optics	Sc style dual fiber optic side mount	RR3-FOSC	164.
	ST style dual fiber optic side mount	RR3-FOST	93.
Desktop duplex monument	2-RJ11 (telephone)	RGMD6	99.
	2-RJ45's (phone and intercom)	RGMD8	110.
	Duplex outlet (electrical)	RGMDE	119.

Order Code	Specification Information	Application Notes
Example: RR3-2PF	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
RR3 Reff raceway		
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
RR3 Reff raceway		
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in either wood or fabric inserts. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.



Vertical power port bracket kit and duplex.


Reff Ported Panel Components

port, vertical duplex and panel jumpers


Reff

Panels

description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$52.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	81.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	27.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	27.
	Vertical Duplex C (10 wire applications)	RR3VDC	27.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	27.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	27.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	27.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	27.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	27.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	27.



Same Panel Jumper, 8w	30" same Panel Jumper 50" 8w	RR3EBVC50	139.
	30" same Panel Jumper 64" 8w	RR3EBVC64	151.
	30" same Panel Jumper 78" 8w	RR3EBVC78	164.
	36" + same Panel Jumper 62" 8w	RR3EBVC62	150.
	36" + same Panel Jumper 76" 8w	RR3EBVC76	163.
	36" + same Panel Jumper 90" 8w	RR3EBVC90	178.



Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	RR3TBVC50	159.
	30" same Panel Jumper 64" 10w	RR3TBVC64	175.
	30" same Panel Jumper 78" 10w	RR3TBVC78	191.
	36" + same Panel Jumper 62" 10w	RR3TBVC62	171.
	36" + same Panel Jumper 76" 10w	RR3TBVC76	187.
	36" + same Panel Jumper 90" 10w	RR3TBVC90	202.

Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 131.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h
RR3 Reff		
VP Vertical port		
BK Bracket kit		
	36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.

Reff Ported Panel Components

port, vertical duplex and panel jumpers


Reff

description	type	pattern no.	list price
 Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	\$218.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	188.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	204.
Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	192.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	167.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	181.
 Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	140.
	Internal Panel Jumper 8 w	RR3EVJ	130.

Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 131.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
RR3 Reff		
VP Vertical port		
BK Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

Worksurface tops
rectilinear
 20" and 24" deep x 1 1/4" thick

Reff


description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241-() ()	\$297.	\$324.	\$373.	\$502.
		30"	RSA301-() ()	325.	356.	408.	551.
		36"	RSA361-() ()	344.	375.	431.	583.
		42"	RSA421-() ()	357.	393.	451.	609.
		48"	RSA481-() ()	375.	407.	468.	631.
		54"	RSA541-() ()	390.	423.	489.	662.
		60"	RSA601-() ()	421.	458.	527.	713.
		66"	RSA661-() ()	431.	472.	544.	734.
		72"	RSA721-() ()	456.	497.	570.	770.
		78"	RSA781-() ()	462.	502.	579.	782.
		84"	RSA841-() ()	489.	537.	616.	831.
		90"	RSA901-() ()	512.	558.	640.	866.
	96"	RSA961-() ()	531.	579.	665.	897.	
	24"	24"	RSA242-() ()	312.	340.	393.	530.
		30"	RSA302-() ()	353.	384.	444.	598.
		36"	RSA362-() ()	365.	402.	460.	621.
		42"	RSA422-() ()	380.	413.	475.	640.
		48"	RSA482-() ()	403.	444.	510.	687.
		54"	RSA542-() ()	431.	472.	544.	734.
		60"	RSA602-() ()	465.	508.	582.	786.
		66"	RSA662-() ()	477.	523.	603.	813.
		72"	RSA722-() ()	501.	546.	630.	851.
78"		RSA782-() ()	523.	572.	661.	891.	
84"	RSA842-() ()	545.	596.	685.	925.		
90"	RSA902-() ()	572.	622.	715.	964.		
96"	RSA962-() ()	592.	646.	744.	1,004.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	
R Reff	1. Top thickness	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
S Straight top	2. Grommet option	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish type	These worksurfaces are predrilled with metal inserts and use machine screws.
24 24" wide	4. Top finish	1 1/4" tops require support at mid point to reduce spans to 48" or less.
1 20" deep	5. Grommet finish	1 3/4" tops require support at mid point to reduce spans to 66" or less.
R Recessed grommet location	1. Thickness options: A = 1 1/4"	Mixed finish 1 3/4" tops are not post-formed.
L Laminate finish	2. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
114 Folkstone grey		
111 Jet Black (grommet)		
	3. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.	
	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.	

Worksurface tops
rectilinear
 20" and 24" deep x 1 3/4" thick

Reff

description	depth	width	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSB241- () ()	\$386.	\$559.	\$642.	\$868.
		30"	RSB301- () ()	400.	582.	668.	902.
		36"	RSB361- () ()	423.	611.	703.	948.
		42"	RSB421- () ()	457.	662.	760.	1,026.
		48"	RSB481- () ()	489.	711.	820.	1,106.
		54"	RSB541- () ()	515.	745.	857.	1,156.
		60"	RSB601- () ()	540.	783.	897.	1,212.
		66"	RSB661- () ()	563.	820.	942.	1,272.
		72"	RSB721- () ()	587.	852.	982.	1,325.
		78"	RSB781- () ()	618.	896.	1,032.	1,394.
		84"	RSB841- () ()	650.	943.	1,082.	1,461.
		90"	RSB901- () ()	678.	988.	1,136.	1,535.
	96"	RSB961- () ()	713.	1,032.	1,188.	1,604.	
	24"	24"	RSB242- () ()	403.	586.	675.	911.
		30"	RSB302- () ()	443.	642.	738.	996.
		36"	RSB362- () ()	463.	672.	772.	1,042.
		42"	RSB422- () ()	497.	724.	828.	1,120.
		48"	RSB482- () ()	531.	770.	887.	1,198.
		54"	RSB542- () ()	555.	805.	927.	1,250.
		60"	RSB602- () ()	580.	840.	967.	1,305.
		66"	RSB662- () ()	605.	877.	1,010.	1,362.
		72"	RSB722- () ()	628.	911.	1,048.	1,415.
78"		RSB782- () ()	660.	956.	1,101.	1,487.	
84"		RSB842- () ()	691.	1,002.	1,153.	1,557.	
90"		RSB902- () ()	722.	1,050.	1,205.	1,626.	
96"	RSB962- () ()	755.	1,095.	1,260.	1,701.		

Order Code

Example: RSB241RL
R Reff
S Straight top
B 1 3/4" thick
24 24" wide
1 20" deep
R Recessed grommet location
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. *Thickness options:*
 B = 1 3/4"

2. *Grommet options:*
 N = No grommets
 F = Flush front grommet location
 R = Recessed front (not recommended for 20"D and 24"D tops)

3. *Finish type:*
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Application Notes

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.


1 1/4" tops require support at mid point to reduce spans to 48" or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

Worksurface tops
rectilinear
30" and 36" deep x 1 1/4" thick

Reff

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSA243- () ()	\$341.	\$370.	\$424.	\$573.
		30"	RSA303- () ()	383.	417.	480.	649.
		36"	RSA363- () ()	411.	450.	516.	696.
		42"	RSA423- () ()	428.	467.	538.	727.
		48"	RSA483- () ()	458.	499.	573.	774.
		54"	RSA543- () ()	495.	540.	619.	835.
		60"	RSA603- () ()	513.	559.	642.	868.
		66"	RSA663- () ()	522.	571.	660.	890.
		72"	RSA723- () ()	537.	585.	673.	908.
		78"	RSA783- () ()	561.	613.	705.	951.
		84"	RSA843- () ()	583.	637.	733.	990.
		90"	RSA903- () ()	611.	666.	768.	1,037.
		96"	RSA963- () ()	632.	691.	795.	1,073.
	36"	60"	RSA604- () ()	591.	645.	740.	999.
		66"	RSA664- () ()	611.	667.	769.	1,038.
		72"	RSA724- () ()	631.	690.	794.	1,072.

Worksurfaces

Order Code

Example: RSA243RL
R Reff
S Straight top
A 1 1/4" thick
24 24" wide
3 30" deep
R Recessed grommet location
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. *Thickness options:*
A = 1 1/4"

2. *Grommet options:*
N = No grommets
F = Flush front grommet location
R = Recessed front (not recommended for 20"D and 24"D tops)
A = Alternate location (for 36"D tops only)

3. *Finish type:*
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Application Notes

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.


1 1/4" tops require support at mid point to reduce spans to 48" or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.




Worksurface tops
rectilinear
 30" and 36" deep x 1 3/4" thick

Reff

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSB243-() ()	\$482.	\$701.	\$805.	\$1,085.
		30"	RSB303-() ()	498.	725.	829.	1,121.
		36"	RSB363-() ()	518.	752.	864.	1,166.
		42"	RSB423-() ()	545.	792.	910.	1,229.
		48"	RSB483-() ()	573.	829.	955.	1,289.
		54"	RSB543-() ()	599.	866.	994.	1,341.
		60"	RSB603-() ()	619.	897.	1,034.	1,396.
		66"	RSB663-() ()	644.	935.	1,076.	1,451.
		72"	RSB723-() ()	669.	969.	1,113.	1,503.
		78"	RSB783-() ()	700.	1,016.	1,168.	1,577.
		84"	RSB843-() ()	733.	1,063.	1,220.	1,647.
		90"	RSB903-() ()	762.	1,107.	1,273.	1,717.
		96"	RSB963-() ()	793.	1,153.	1,326.	1,789.
		36"	60"	RSB604-() ()	693.	1,005.	1,154.
66"	RSB664-() ()		713.	1,032.	1,188.	1,604.	
72"	RSB724-() ()		767.	1,111.	1,280.	1,727.	

Order Code	Specification Information	Application Notes
Example: RSB243RL	<i>To order please specify pattern number including:</i>	
R Reff	1. Top thickness	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed
S Straight top	2. Grommet option	1 = V1
B 1 3/4" thick	3. Top finish type	2 = V2
24 24" wide	4. Top finish	3 = V3
3 30" deep	5. Grommet finish	Applicable finishes are listed on page 5 and 6.
R Recessed grommet location	1. <i>Thickness options:</i> B = 1 3/4"	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
L Laminate finish	2. <i>Grommet options:</i> N = No grommets	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
114 Folkstone grey	F = Flush front grommet location	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
111 Jet Black (grommet)	R = Recessed front (not recommended for 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
		These worksurfaces are predrilled with metal inserts and use machine screws.
		1 3/4" tops require support at mid point to reduce spans to 48" or less.
		1 3/4" tops require support at mid point to reduce spans to 66" or less.
		Mixed finish 1 3/4" tops are not post-formed.

Worksurface tops
rectilinear corner tops
1 1/4" thick


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611-() ()	\$610.	\$686.	\$789.	\$1,066.
	20"	20"	36"	42"	RKA 364211-() ()	645.	728.	834.	1,126.
	20"	20"	36"	48"	RKA 364811-() ()	685.	771.	888.	1,199.
	20"	20"	42"	36"	RKA 423611-() ()	645.	728.	834.	1,126.
	20"	20"	42"	42"	RKA 424211-() ()	685.	771.	888.	1,199.
	20"	20"	42"	48"	RKA 424811-() ()	747.	842.	969.	1,307.
	20"	20"	48"	36"	RKA 483611-() ()	685.	771.	888.	1,199.
	20"	20"	48"	42"	RKA 484211-() ()	747.	842.	969.	1,307.
	20"	20"	48"	48"	RKA 484811-() ()	787.	888.	1,019.	1,376.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622-() ()	693.	777.	894.	1,207.
	24"	24"	36"	42"	RKA 364222-() ()	728.	820.	942.	1,272.
	24"	24"	36"	48"	RKA 364822-() ()	767.	864.	991.	1,338.
	24"	24"	42"	36"	RKA 423622-() ()	728.	820.	942.	1,272.
	24"	24"	42"	42"	RKA 424222-() ()	767.	864.	991.	1,338.
	24"	24"	42"	48"	RKA 424822-() ()	828.	935.	1,076.	1,451.
	24"	24"	48"	36"	RKA 483622-() ()	767.	864.	991.	1,338.
	24"	24"	48"	42"	RKA 484222-() ()	828.	935.	1,076.	1,451.
	24"	24"	48"	48"	RKA 484822-() ()	870.	980.	1,125.	1,517.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612-() ()	635.	715.	824.	1,111.
	20"	24"	36"	42"	RKA 364212-() ()	672.	757.	869.	1,173.
	20"	24"	36"	48"	RKA 364812-() ()	713.	801.	922.	1,244.
	20"	24"	42"	36"	RKA 423612-() ()	672.	757.	869.	1,173.
	20"	24"	42"	42"	RKA 424212-() ()	713.	801.	922.	1,244.
	20"	24"	42"	48"	RKA 424812-() ()	777.	871.	1,005.	1,358.
	20"	24"	48"	36"	RKA 483612-() ()	713.	801.	922.	1,244.
	20"	24"	48"	42"	RKA 484212-() ()	777.	871.	1,005.	1,358.
	20"	24"	48"	48"	RKA 484812-() ()	815.	918.	1,055.	1,424.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Applicable finishes are listed on page 5 and 6.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
N No grommet	8. Top finish	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
1 V1 finish	9. Grommet finish	
Y324 Ash	1. <i>Top thickness:</i> A = 1 1/4"	Mixed finish 1 3/4" tops are not post-formed.
	6. <i>Grommet options:</i> N = No grommets F = Standard corner location	These worksurfaces are predrilled with metal inserts and use machine screws.
	7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	




Worksurface tops
rectilinear corner tops
1 1/4" thick

Reff

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKA 363621-()()	\$635.	\$715.	\$824.	\$1,111.
	24"	20"	36"	42"	RKA 364221-()()	672.	757.	869.	1,173.
	24"	20"	36"	48"	RKA 364821-()()	713.	801.	922.	1,244.
	24"	20"	42"	36"	RKA 423621-()()	672.	757.	869.	1,173.
	24"	20"	42"	42"	RKA 424221-()()	713.	801.	922.	1,244.
	24"	20"	42"	48"	RKA 424821-()()	777.	871.	1,005.	1,358.
	24"	20"	48"	36"	RKA 483621-()()	713.	801.	922.	1,244.
	24"	20"	48"	42"	RKA 484221-()()	777.	871.	1,005.	1,358.
	24"	20"	48"	48"	RKA 484821-()()	815.	918.	1,055.	1,424.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Mixed finish 1 3/4" tops are not post-formed.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	These worksurfaces are predrilled with metal inserts and use machine screws.
Y324 Ash	<i>1. Top thickness:</i> A = 1 1/4"	
	<i>6. Grommet options:</i> N = No grommets F = Standard corner location	
	<i>7. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Worksurface tops
rectilinear corner tops
1 3/4" thick


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKB 363611- () ()	\$733.	\$823.	\$946.	\$1,278.
	20"	20"	36"	42"	RKB 364211- () ()	776.	987.	1,135.	1,532.
	20"	20"	36"	48"	RKB 364811- () ()	822.	1,039.	1,198.	1,617.
	20"	20"	42"	36"	RKB 423611- () ()	776.	987.	1,135.	1,532.
	20"	20"	42"	42"	RKB 424211- () ()	822.	1,039.	1,198.	1,617.
	20"	20"	42"	48"	RKB 424811- () ()	897.	1,125.	1,295.	1,748.
	20"	20"	48"	36"	RKB 483611- () ()	822.	1,039.	1,198.	1,617.
	20"	20"	48"	42"	RKB 484211- () ()	897.	1,125.	1,295.	1,748.
	20"	20"	48"	48"	RKB 484811- () ()	944.	1,176.	1,354.	1,828.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKB 363622- () ()	828.	1,050.	1,205.	1,626.
	24"	24"	36"	42"	RKB 364222- () ()	873.	1,096.	1,261.	1,703.
	24"	24"	36"	48"	RKB 364822- () ()	921.	1,151.	1,323.	1,784.
	24"	24"	42"	36"	RKB 423622- () ()	873.	1,096.	1,261.	1,703.
	24"	24"	42"	42"	RKB 424222- () ()	921.	1,151.	1,323.	1,784.
	24"	24"	42"	48"	RKB 424822- () ()	997.	1,233.	1,419.	1,916.
	24"	24"	48"	36"	RKB 483622- () ()	921.	1,151.	1,323.	1,784.
	24"	24"	48"	42"	RKB 484222- () ()	997.	1,233.	1,419.	1,916.
	24"	24"	48"	48"	RKB 484822- () ()	1,045.	1,287.	1,479.	1,998.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKB 363612- () ()	763.	977.	1,123.	1,514.
	20"	24"	36"	42"	RKB 364212- () ()	809.	1,023.	1,176.	1,588.
	20"	24"	36"	48"	RKB 364812- () ()	855.	1,078.	1,239.	1,673.
	20"	24"	42"	36"	RKB 423612- () ()	809.	1,023.	1,176.	1,588.
	20"	24"	42"	42"	RKB 424212- () ()	855.	1,078.	1,239.	1,673.
	20"	24"	42"	48"	RKB 424812- () ()	932.	1,159.	1,337.	1,805.
	20"	24"	48"	36"	RKB 483612- () ()	855.	1,078.	1,239.	1,673.
	20"	24"	48"	42"	RKB 484212- () ()	932.	1,159.	1,337.	1,805.
	20"	24"	48"	48"	RKB 484812- () ()	1,045.	1,215.	1,397.	1,886.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RKB363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	<p>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with metal inserts and use machine screws.</p> <p>Mixed finish 1 3/4" tops are not post-formed.</p>
K Straight front corner	2. Left hand width	
B 1 3/4" top thickness	3. Right hand width	
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	
Y324 Ash	<p>1. <i>Top thickness:</i> B = 1 3/4"</p> <p>6. <i>Grommet options:</i> N = No grommets F = Standard corner location</p> <p>7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	

Worksurface tops
rectilinear corner tops
1 3/4" thick





Reff

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKB 363621-() ()	\$763.	\$977.	\$1,123.	\$1,514.
	24"	20"	36"	42"	RKB 364221-() ()	809.	1,023.	1,176.	1,588.
	24"	20"	36"	48"	RKB 364821-() ()	855.	1,078.	1,239.	1,673.
	24"	20"	42"	36"	RKB 423621-() ()	809.	1,023.	1,176.	1,588.
	24"	20"	42"	42"	RKB 424221-() ()	855.	1,078.	1,239.	1,673.
	24"	20"	42"	48"	RKB 424821-() ()	932.	1,159.	1,337.	1,805.
	24"	20"	48"	36"	RKB 483621-() ()	855.	1,078.	1,239.	1,673.
	24"	20"	48"	42"	RKB 484221-() ()	932.	1,159.	1,337.	1,805.
	24"	20"	48"	48"	RKB 484821-() ()	979.	1,215.	1,397.	1,886.

Order Code	Specification Information	Application Notes
Example: RKB363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	<p>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with metal inserts and use machine screws.</p> <p>Mixed finish 1 3/4" tops are not post-formed.</p>
K Straight front corner	2. Left hand width	
B 1 3/4" top thickness	3. Right hand width	
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	
Y324 Ash	<p>1. <i>Top thickness:</i> B = 1 3/4"</p> <p>6. <i>Grommet options:</i> N = No grommets F = Standard corner location</p> <p>7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths are 1/16" less all around on corner worksurfaces.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Worksurface tops
transition wave tops
1 1/4" thick

Reff

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	RWA4221-() ()	\$366.	\$415.	\$477.	\$645.
	24"	48"	20"	RWA4821-() ()	387.	435.	500.	675.
	24"	54"	20"	RWA5421-() ()	416.	465.	537.	726.
	24"	60"	20"	RWA6021-() ()	442.	498.	572.	773.
	24"	66"	20"	RWA6621-() ()	457.	514.	590.	796.
	24"	72"	20"	RWA7221-() ()	476.	538.	617.	833.
Wave top transition (left 24") 	24"	36"	30"	RWA3623-() ()	381.	430.	495.	667.
	24"	42"	30"	RWA4223-() ()	397.	448.	514.	692.
	24"	48"	30"	RWA4823-() ()	415.	464.	534.	721.
	24"	54"	30"	RWA5423-() ()	444.	500.	576.	777.
	24"	60"	30"	RWA6023-() ()	475.	537.	616.	831.
	24"	66"	30"	RWA6623-() ()	493.	555.	638.	864.
	24"	72"	30"	RWA7223-() ()	518.	583.	670.	903.
Wave top transition (left 20") 	20"	42"	24"	RWA4212-() ()	366.	415.	477.	645.
	20"	48"	24"	RWA4812-() ()	387.	435.	500.	675.
	20"	54"	24"	RWA5412-() ()	416.	465.	537.	726.
	20"	60"	24"	RWA6012-() ()	442.	498.	572.	773.
	20"	66"	24"	RWA6612-() ()	457.	514.	590.	796.
	20"	72"	24"	RWA7212-() ()	476.	538.	617.	833.
Wave top transition (right 24") 	30"	36"	24"	RWA3632-() ()	381.	430.	495.	667.
	30"	42"	24"	RWA4232-() ()	397.	448.	514.	692.
	30"	48"	24"	RWA4832-() ()	415.	464.	534.	721.
	30"	54"	24"	RWA5432-() ()	444.	500.	576.	777.
	30"	60"	24"	RWA6032-() ()	475.	537.	616.	831.
	30"	66"	24"	RWA6632-() ()	493.	555.	638.	864.
	30"	72"	24"	RWA7232-() ()	518.	583.	670.	903.

Order Code

Example:	RWA4221FL
R	Reff
W	Wave top transition
A	1 1/4" thick
42	42" wide
2	24" deep on left side
1	20" deep on right side
F	Flush grommet location
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. Grommet options:
N = No grommet
F = Flush front grommet location

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

32"D wave end top requires 20"D end panel for freestanding support.

36"D wave end top requires 24"D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

1 1/4" tops require support at mid point to reduce spans to 48" or less.





Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 2 1/4" on all tops. The straight section grows with length of top.

Worksurface tops
transition wave tops
1 1/4" thick

Reff

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	32"	36"	20"	RWEA3631-()()	\$488.	\$549.	\$632.	\$853.
	32"	42"	20"	RWEA4231-()()	508.	571.	660.	890.
	32"	48"	20"	RWEA4831-()()	535.	604.	692.	935.
Wave top end, (right 24") 	36"	36"	24"	RWEA3662-()()	505.	569.	654.	882.
	36"	42"	24"	RWEA4262-()()	521.	586.	675.	911.
	36"	48"	24"	RWEA4862-()()	554.	621.	714.	963.
Wave top end, (left 20") 	20"	36"	32"	RWEA3613-()()	488.	549.	632.	853.
	20"	42"	32"	RWEA4213-()()	508.	571.	660.	890.
	20"	48"	32"	RWEA4813-()()	535.	604.	692.	935.
Wave top end, (left 24") 	24"	36"	36"	RWEA3626-()()	505.	569.	654.	882.
	24"	42"	36"	RWEA4226-()()	521.	586.	675.	911.
	24"	48"	36"	RWEA4826-()()	554.	621.	714.	963.

Order Code

Example: RWA4221FL
R Reff
W Wave top transition
A 1 1/4" thick
42 42" wide
2 24" deep on left side
1 20" deep on right side
F Flush grommet location
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. Grommet options:
N = No grommet
F = Flush front grommet location

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

32"D wave end top requires 20"D end panel for freestanding support.

36"D wave end top requires 24"D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface tops
curvilinear corner tops
1 1/4" thick

Reff

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611-() ()	\$610.	\$686.	\$789.	\$1,066.
	20"	20"	36"	42"	RCA364211-() ()	645.	728.	834.	1,126.
	20"	20"	36"	48"	RCA364811-() ()	685.	771.	888.	1,199.
	20"	20"	42"	36"	RCA423611-() ()	645.	728.	834.	1,126.
	20"	20"	42"	42"	RCA424211-() ()	685.	771.	888.	1,199.
	20"	20"	42"	48"	RCA424811-() ()	747.	842.	969.	1,307.
	20"	20"	48"	36"	RCA483611-() ()	685.	771.	888.	1,199.
	20"	20"	48"	42"	RCA484211-() ()	747.	842.	969.	1,307.
	20"	20"	48"	48"	RCA484811-() ()	787.	888.	1,019.	1,376.
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612-() ()	635.	715.	824.	1,111.
	20"	24"	36"	42"	RCA364212-() ()	672.	757.	869.	1,173.
	20"	24"	36"	48"	RCA364812-() ()	713.	801.	922.	1,244.
	20"	24"	42"	36"	RCA423612-() ()	672.	757.	869.	1,173.
	20"	24"	42"	42"	RCA424212-() ()	713.	801.	922.	1,244.
	20"	24"	42"	48"	RCA424812-() ()	777.	871.	1,005.	1,358.
	20"	24"	48"	36"	RCA483612-() ()	713.	801.	922.	1,244.
	20"	24"	48"	42"	RCA484212-() ()	777.	871.	1,005.	1,358.
	20"	24"	48"	48"	RCA484812-() ()	815.	918.	1,055.	1,424.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621-() ()	635.	715.	824.	1,111.
	24"	20"	36"	42"	RCA364221-() ()	672.	757.	869.	1,173.
	24"	20"	36"	48"	RCA364821-() ()	713.	801.	922.	1,244.
	24"	20"	42"	36"	RCA423621-() ()	672.	757.	869.	1,173.
	24"	20"	42"	42"	RCA424221-() ()	713.	801.	922.	1,244.
	24"	20"	42"	48"	RCA424821-() ()	777.	871.	1,005.	1,358.
	24"	20"	48"	36"	RCA483621-() ()	713.	801.	922.	1,244.

Worksurfaces

Order Code	Specification Information
Example: RCA363611N1	
R Reff	
C Curved front corner	
A 1 1/4" thick	
36 36" wide on left back	
36 36" wide on right back	
1 20" deep on left side	
1 20" deep on right side	
N No grommet	
1 V1 finish	
Y324 Ash	

Specification Information

To order please specify pattern number including:

1. Left hand width
2. Right hand width
3. Return left hand depth
4. Return right hand depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

5. *Grommet options:*
 N = No grommets
 F = Standard corner location

6. *Finish type:*
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

Application Notes

Radius of curved front changes with overall top size. See Planning Guide.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

Worksurface tops
curvilinear corner tops
1 1/4" thick

Reff


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	48"	42"	RCA484221-() ()	\$777.	\$871.	\$1,005.	\$1,358.
	24"	20"	48"	48"	RCA484821-() ()	815.	918.	1,055.	1,424.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622-() ()	693.	777.	894.	1,207.
	24"	24"	36"	42"	RCA364222-() ()	728.	820.	942.	1,272.
	24"	24"	36"	48"	RCA364822-() ()	767.	864.	991.	1,338.
	24"	24"	42"	36"	RCA423622-() ()	728.	820.	942.	1,272.
	24"	24"	42"	42"	RCA424222-() ()	767.	864.	991.	1,338.
	24"	24"	42"	48"	RCA424822-() ()	828.	935.	1,076.	1,451.
	24"	24"	48"	36"	RCA483622-() ()	767.	864.	991.	1,338.
	24"	24"	48"	42"	RCA484222-() ()	828.	935.	1,076.	1,451.
	24"	24"	48"	48"	RCA484822-() ()	870.	980.	1,125.	1,517.

Order Code	Specification Information	Application Notes
Example: RCA363611N1	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
C Curved front corner	2. Right hand width	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
A 1 1/4" thick	3. Return left hand depth	Please call Custom Product Development for special grommet locations.
36 36" wide on left back	4. Return right hand depth	Applicable finishes are listed on page 5 and 6.
36 36" wide on right back	5. Grommet option	
1 20" deep on left side	6. Top finish type	
1 20" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	5. <i>Grommet options:</i>	
Y324 Ash	N = No grommets	
	F = Standard corner location	
	6. <i>Finish type:</i>	
	L = Laminate	These worksurfaces are predrilled with metal inserts and use machine screws.
	M = Wood/laminate mixed	Curvilinear worksurfaces only available in 1 1/4" thick.
	1 = V1	See Planning Guide for grommet locations.
	2 = V2	
	3 = V3	

Worksurface tops
extended curvilinear corner tops
1 1/4" thick


Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	RCCDLA23672 () () ()	\$1,685.	\$2,236.	\$3,156.	\$4,259.
	36"	78"	RCCDLA23678 () () ()	1,752.	2,325.	3,280.	4,429.
	36"	84"	RCCDLA23684 () () ()	1,822.	2,419.	3,412.	4,606.
	36"	96"	RCCDLA23696 () () ()	1,896.	2,515.	3,549.	4,792.



Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 () () ()	1,687.	2,242.	3,164.	4,272.
	36"	78"	RCCDLA33678 () () ()	1,754.	2,332.	3,293.	4,445.
	36"	84"	RCCDLA33684 () () ()	1,825.	2,426.	3,423.	4,621.
	36"	96"	RCCDLA33696 () () ()	1,898.	2,522.	3,561.	4,806.

Extended corner worktop, RH curved front corner (return 24")	36"	72"	RCCDRA23672 () () ()	1,685.	2,236.	3,156.	4,259.
	36"	78"	RCCDRA23678 () () ()	1,752.	2,325.	3,280.	4,429.
	36"	84"	RCCDRA23684 () () ()	1,822.	2,419.	3,412.	4,606.
	36"	96"	RCCDRA23696 () () ()	1,896.	2,515.	3,549.	4,792.



Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 () () ()	1,687.	2,242.	3,164.	4,272.
	36"	78"	RCCDRA33678 () () ()	1,754.	2,332.	3,293.	4,445.
	36"	84"	RCCDRA33684 () () ()	1,825.	2,426.	3,423.	4,621.
	36"	96"	RCCDRA33696 () () ()	1,898.	2,522.	3,561.	4,806.

Worksurfaces

Order Code

Specification Information

Example:	RCCDLA23672N2
R	Reff
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
72	72" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

To order please specify pattern number including:

1. Depth
2. Grommet option
3. Finish type
4. Finish
5. Grommet finish

2. Grommet options:
 N = No grommets
 F = Flush front grommet location

3. Finish type:
 L = Laminate
 M = Mixed (laminated surface with wood edge)
 1 = V1
 2 = V2
 3 = V3


Applicable finishes are listed on page 5 and 6.


Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.

Worksurface tops
extended straight corner tops
1 1/4" thick

Reff

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24") 	36"	60"	24"	RCEAL223660() () ()	\$624.	\$921.	\$1,247.	\$1,686.
	36"	72"	24"	RCEAL223672() () ()	748.	1,117.	1,509.	2,037.
	42"	60"	24"	RCEAL224260() () ()	686.	1,017.	1,378.	1,860.
	42"	72"	24"	RCEAL224272() () ()	811.	1,215.	1,642.	2,216.
	48"	72"	24"	RCEAL224872() () ()	874.	1,313.	1,772.	2,392.
	48"	84"	24"	RCEAL224884() () ()	998.	1,509.	2,034.	2,746.
	48"	96"	24"	RCEAL224896() () ()	1,147.	1,739.	2,340.	3,159.

Extended straight corner top, RH curved front corner (returns 24") 	36"	60"	24"	RCEAR223660() () ()	624.	921.	1,247.	1,686.
	36"	72"	24"	RCEAR223672() () ()	748.	1,117.	1,509.	2,037.
	42"	60"	24"	RCEAR224260() () ()	686.	1,017.	1,378.	1,860.
	42"	72"	24"	RCEAR224272() () ()	811.	1,215.	1,642.	2,216.
	48"	72"	24"	RCEAR224872() () ()	874.	1,313.	1,772.	2,392.
	48"	84"	24"	RCEAR224884() () ()	998.	1,509.	2,034.	2,746.
	48"	96"	24"	RCEAR224896() () ()	1,147.	1,739.	2,340.	3,159.

Order Code

Example:	RCEAL223660N2
R	Reff
C	Corner
E	Extended
A	1 1/4" thick
L	Left Hand
22	24" returns
36	36" d at corner straight edge
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

- N = No grommets
- F = Flush front grommet location

6. Finish type:

- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.


These worksurfaces are predrilled with metal inserts and use machine screws.

Worksurface tops

Reff

Meeting tops

1 1/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3	
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	RMDA4230- () ()	\$539.	\$584.	\$672.	\$907.	
		48"	30"	RMDA4830- () ()	580.	631.	727.	982.	
		54"	30"	RMDA5430- () ()	621.	677.	777.	1,050.	
		60"	30"	RMDA6030- () ()	665.	725.	829.	1,121.	
		66"	30"	RMDA6630- () ()	708.	770.	887.	1,198.	
		72"	30"	RMDA7230- () ()	753.	819.	941.	1,271.	
		78"	30"	RMDA7830- () ()	851.	924.	1,064.	1,435.	
		84"	30"	RMDA8430- () ()	948.	1,031.	1,187.	1,602.	
		90"	30"	RMDA9030- () ()	1,059.	1,152.	1,325.	1,787.	
		96"	30"	RMDA9630- () ()	1,169.	1,272.	1,462.	1,973.	
		36" deep	42"	36"	RMDA4236- () ()	592.	644.	739.	998.
			48"	36"	RMDA4836- () ()	649.	704.	809.	1,091.
			54"	36"	RMDA5436- () ()	739.	805.	927.	1,250.
			60"	36"	RMDA6036- () ()	830.	901.	1,038.	1,402.
			66"	36"	RMDA6636- () ()	847.	919.	1,057.	1,428.
			72"	36"	RMDA7236- () ()	858.	935.	1,076.	1,451.
			78"	36"	RMDA7836- () ()	968.	1,052.	1,210.	1,634.
84"	36"		RMDA8436- () ()	1,076.	1,171.	1,346.	1,816.		
90"	36"		RMDA9036- () ()	1,134.	1,232.	1,418.	1,915.		
96"	36"		RMDA9636- () ()	1,244.	1,350.	1,553.	2,097.		

Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: RMDA4230N1</p> <p>R Reff</p> <p>MD Meeting D-top</p> <p>A 1 1/4" thick</p> <p>42 42" wide</p> <p>30 30" deep</p> <p>N No grommet</p> <p>1 V1</p> <p>Y311 Beech</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Top thickness Width Depth Grommet option Top finish type Top finish Grommet finish <p>1. Thickness options: A = 1 1/4"</p> <p>4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Additional spec option required for wrap around panel tops; specify mating trim profile. A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p>

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface tops

Reff

Meeting tops


1 1/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230-() ()	\$738.	\$803.	\$923.	\$1,245.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836-() ()	821.	892.	1,027.	1,388.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230-() ()	738.	803.	923.	1,245.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836-() ()	821.	892.	1,027.	1,388.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9A8430-() ()	1,503.	1,633.	1,879.	2,538.
		96"	30"	RM9A9630-() ()	1,565.	1,704.	1,957.	2,642.



42" diameter




Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
MD Meeting D-top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Depth	These worksurfaces are predrilled with metal inserts and use machine screws.
42 42" wide	4. Grommet option	1 1/4" tops require support at mid point to reduce 48" spans or less.
30 30" deep	5. Top finish type	1 3/4" tops require support at mid point to reduce spans to 66" or less.
N No grommet	6. Top finish	Mixed finish 1 3/4" tops are not post-formed.
1 V1	7. Grommet finish	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
Y311 Beech	1. <i>Thickness options:</i> A = 1 1/4"	Applicable finishes are listed on page 5 and 6.
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
		Refer to Planning Guide for modesty panel size requirements and all other support options.

Worksurface tops

Reff

Meeting tops

1 1/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top 		84"	30"	RMPA8430-()()	\$1,503.	\$1,633.	\$1,879.	\$2,538.
		96"	30"	RMPA9630-()()	1,565.	1,704.	1,957.	2,642.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
42" diameter								
Wrap around panel top 	(20" panels)	42 1/2"	21 1/4"	RMDA4221-()()	693.	753.	865.	1,167.
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-()()	757.	824.	947.	1,280.
No Grommets								
Elliptical tops 		60"	30"	REBA6030-()*	1,034.	1,145.	1,314.	1,775.
		72"	42"	REBA7242-()*	1,472.	1,628.	1,873.	2,528.
		78"	48"	REBA7848-()*	1,612.	1,786.	2,054.	2,773.

Worksurfaces

Order Code

Example: RMDA4230N1
R Reff
MD Meeting D-top
A 1 1/4" thick
42 42" wide
30 30" deep
N No grommet
1 V1
Y311 Beech

Specification Information

To order please specify pattern number including:

- Top thickness
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Thickness options:
A = 1 1/4"

4. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.


*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface tops

Reff

Meeting tops

1 3/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3	
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	RMDB4230- () ()	\$591.	\$954.	\$1,097.	\$1,483.	
		48"	30"	RMDB4830- () ()	635.	1,064.	1,221.	1,648.	
		54"	30"	RMDB5430- () ()	683.	1,127.	1,296.	1,751.	
		60"	30"	RMDB6030- () ()	732.	1,192.	1,368.	1,848.	
		66"	30"	RMDB6630- () ()	781.	1,256.	1,443.	1,948.	
		72"	30"	RMDB7230- () ()	826.	1,318.	1,520.	2,053.	
		78"	30"	RMDB7830- () ()	936.	1,451.	1,671.	2,256.	
		84"	30"	RMDB8430- () ()	1,045.	1,498.	1,720.	2,323.	
		90"	30"	RMDB9030- () ()	1,165.	1,541.	1,772.	2,392.	
		96"	30"	RMDB9630- () ()	1,285.	1,586.	1,825.	2,464.	
		36" deep	42"	36"	RMDB4236- () ()	653.	1,149.	1,321.	1,781.
			48"	36"	RMDB4836- () ()	713.	1,281.	1,474.	1,989.
			54"	36"	RMDB5436- () ()	814.	1,356.	1,561.	2,107.
			60"	36"	RMDB6036- () ()	915.	1,434.	1,648.	2,226.
			66"	36"	RMDB6636- () ()	932.	1,561.	1,796.	2,423.
			72"	36"	RMDB7236- () ()	944.	1,687.	1,940.	2,620.
			78"	36"	RMDB7836- () ()	1,066.	1,772.	2,040.	2,755.
84"	36"		RMDB8436- () ()	1,183.	1,797.	2,065.	2,786.		
90"	36"		RMDB9036- () ()	1,247.	1,818.	2,092.	2,825.		
96"	36"		RMDB9636- () ()	1,367.	1,842.	2,119.	2,861.		

Order Code

Example:	RMDB4230N1
R	Reff
MD	Meeting D-top
B	1 3/4" thick
42	42" wide
30	30" deep
N	No grommet
1	V1
Y311	Beech

Specification Information

To order please specify pattern number including:

- Top thickness
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Thickness options:
B = 1 3/4"

4. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Applicable finishes are listed on page 5 and 6.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface tops

Reff

Meeting tops

1 3/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9B4230-()()	\$813.	\$1,336.	\$1,532.	\$2,068.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9B4836-()()	901.	1,942.	2,234.	3,017.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPB4230-()()	813.	1,336.	1,532.	2,068.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPB4836-()()	901.	1,942.	2,234.	3,017.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9B8430-()()	1,654.	2,015.	2,318.	3,128.
		96"	30"	RM9B9630-()()	1,721.	2,099.	2,415.	3,259.



42" diameter

Order Code	Specification Information	Application Notes
Example: RMDB4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
MD Meeting D-top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
B 1 3/4" thick	3. Depth	These worksurfaces are predrilled with metal inserts and use machine screws.
42 42" wide	4. Grommet option	1 1/4" tops require support at mid point to reduce 48" spans or less.
30 30" deep	5. Top finish type	1 3/4" tops require support at mid point to reduce spans to 66" or less.
N No grommet	6. Top finish	Mixed finish 1 3/4" tops are not post-formed.
1 V1	7. Grommet finish	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
Y311 Beech	<i>1. Thickness options:</i> B = 1 3/4"	Refer to Planning Guide for modesty panel size requirements and all other support options.
	<i>4. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	
	<i>5. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
		Additional spec option required for wrap around panel tops; specify mating trim profile. A = Flat B = Square C = Bullnose E = Extruded Aluminum
		Applicable finishes are listed on page 5 and 6.
		See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Worksurface tops

Reff

Meeting tops

1 3/4" thick

description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top		84"	30"	RMPB8430- () ()	\$1,654.	\$2,015.	\$2,318.	\$3,128.
		96"	30"	RMPB9630- () ()	1,721.	2,099.	2,415.	3,259.



42" diameter

84" top uses a 42" modesty, 96 top uses a 54" modesty

Wrap around panel top	(20" panels)	42 1/2"	21 1/4"	RMDB4221- () ()	760.	942.	1,081.	1,459.
	(24" panels)	50 1/2"	25 1/4"	RMDB5025- () ()	831.	1,030.	1,186.	1,600.



No Grommets

Order Code

Example: RMDB4230N1
R Reff
MD Meeting D-top
B 1 3/4" thick
42 42" wide
30 30" deep
N No grommet
1 V1
Y311 Beech

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish

1. Thickness options:
B = 1 3/4"

4. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Applicable finishes are listed on page 5 and 6.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.


Worksurface tops and support

Reff

Bow front


1 1/4" thick

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top	72"	30"		RMB(A)7230-() ()	\$863.	\$974.	\$1,121.	\$1,512.
	84"	30"		RMB(A)8430-() ()	950.	1,075.	1,234.	1,666.
	96"	30"		RMB(A)9630-() ()	1,056.	1,191.	1,367.	1,847.



Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top - 36"D	72"	36"		RMB(A)7236-() ()	917.	1,034.	1,190.	1,606.
	84"	36"		RMB(A)8436-() ()	1,006.	1,135.	1,305.	1,761.
	96"	36"		RMB(A)9636-() ()	1,114.	1,258.	1,444.	1,950.



Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMBA7230R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet location	6. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
V319 Medium cherry	<i>1. Thickness options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
111 Jet Black (grommet)	A = 1 1/4"	These worksurfaces are predrilled with metal inserts and use machine screws.
	<i>4. Grommet options:</i>	See Planning Guide for grommet locations.
	N = No grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	F = Flush front grommet	
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
		1 3/4" tops require support at mid point to reduce spans to 66" or less.
		Mixed finish 1 3/4" tops are not post-formed.
		1 3/4" laminate tops are equipped with 8mm PVC edge on this page.
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.


Worksurface tops and support

Reff

Bow front

1 1/4" thick

description	w	d	h	pattern no.	L	M/V1	V2	V3
Short modesty panel	40"	1"	26 1/2"	RB40MR-()	\$309.	\$398.	\$456.	\$616.
	52"	1"	26 1/2"	RB52MR-()	364.	468.	538.	727.
	64"	1"	26 1/2"	RB64MR-()	393.	505.	583.	787.



Use of short modesty panel

Pedestals must be ordered separately with individual back panels.

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering bow top 30"D for use with short modesty, specify recessed grommet location.

When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Bulkhead (false pedestal)*	16"	24"	26 1/2"	REBH24	436.	658.	763.	1,030.
	16"	30"	26 1/2"	REBH30	451.	671.	782.	1,055.




Order Code	Specification Information	Application Notes
Example: RMBA7230R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet location	6. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
V319 Medium cherry	<i>1. Thickness options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
111 Jet Black (grommet)	A = 1 1/4"	These worksurfaces are predrilled with metal inserts and use machine screws.
	<i>4. Grommet options:</i>	See Planning Guide for grommet locations.
	N = No grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	F = Flush front grommet	
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
		1 3/4" tops require support at mid point to reduce spans to 66" or less.
		Mixed finish 1 3/4" tops are not post-formed.
		1 3/4" laminate tops are equipped with 8mm PVC edge on this page.
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Worksurface tops and support


Reff

Bow front


1 3/4" thick

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top 	72"	30"		RMB(B)7230-()()	\$1,079.	\$1,218.	\$1,400.	\$1,890.
	84"	30"		RMB(B)8430-()()	1,189.	1,342.	1,541.	2,080.
	96"	30"		RMB(B)9630-()()	1,318.	1,488.	1,712.	2,311.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

Bow shaped top - 36"D 	72"	36"		RMB(B)7236-()()	1,144.	1,294.	1,487.	2,008.
	84"	36"		RMB(B)8436-()()	1,255.	1,419.	1,632.	2,203.
	96"	36"		RMB(B)9636-()()	1,394.	1,571.	1,680.	2,270.

Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel 	40"	1"	26 1/2"	RB40MR-()	309.	398.	456.	616.
	52"	1"	26 1/2"	RB52MR-()	364.	468.	538.	727.
	64"	1"	26 1/2"	RB64MR-()	393.	505.	583.	787.

Use of short modesty panel (with 1 1/4" and 1 3/4" thick tops)

Pedestals must be ordered separately with individual back panels.

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:


40" modesty for 72" bow top

52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering bow top 30"D for use with short modesty, specify recessed grommet location.

When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	436.	658.	763.	1,030.
	16"	30"	26 1/2"	REBH30	451.	671.	782.	1,055.

Use with 1 1/4" and 1 3/4" thick tops






Order Code	Specification Information
Example: RMBB7230R2	
R	Reff
MB	Bowed front
B	1 3/4" thick
72	72" wide
30	30" wide
R	Recessed grommet location
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information
<i>To order please specify pattern number including:</i>
1. Top thickness
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish
<i>1. Thickness options:</i>
B = 1 3/4"
<i>4. Grommet options:</i>
N = No grommet
F = Flush front grommet
R = Recessed grommet
A = Alternate location (only for 36" deep bow front tops)

Application Notes
5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3
Applicable finishes are listed on page 5 and 6.
These worksurfaces are predrilled with metal inserts and use machine screws.
See Planning Guide for grommet locations.
1 1/4" tops require support at mid point to reduce spans to 48" or less.
*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
1 3/4" tops require support at mid point to reduce spans to 66" or less.
Mixed finish 1 3/4" tops are not post-formed.
1 3/4" laminate tops are equipped with 8mm PVC edge on this page.
Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference room tops
Square and rectangular
1 1/4" thick

Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RAA7230(-)	\$557.	\$606.	\$696.	\$940.
	84"	30"	RAA8430(-)	616.	668.	770.	1,039.
	96"	30"	RAA9630(-)	691.	752.	864.	1,166.
	72"	36"	RAA7236(-)	605.	658.	756.	1,021.
	84"	36"	RAA8436(-)	662.	719.	825.	1,115.
	96"	36"	RAA9636(-)	762.	828.	954.	1,288.
	84"	42"	RAA8442(-)	978.	1,064.	1,221.	1,648.
	96"	42"	RAA9642(-)	1,123.	1,219.	1,402.	1,893.
	96"	48"	RAA9648(-)	1,194.	1,298.	1,492.	2,015.
Rectangular top 2 piece 	120"	36"	RAA12036(-)	1,224.	1,329.	1,530.	2,065.
	120"	42"	RAA12042(-)	1,687.	1,835.	2,110.	2,849.
	144"	42"	RAA14442(-)	1,896.	2,061.	2,370.	3,200.
	120"	48"	RAA12048(-)	1,834.	1,995.	2,293.	3,096.
	144"	48"	RAA14448(-)	2,031.	2,210.	2,541.	3,430.
Rectangular top 3 piece 	168"	42"	RAA16842(-)	2,485.	2,702.	3,109.	4,198.
	192"	42"	RAA19242(-)	2,695.	2,929.	3,367.	4,545.
	168"	48"	RAA16848(-)	2,701.	2,936.	3,376.	4,557.
	192"	48"	RAA19248(-)	2,901.	3,152.	3,623.	4,890.
Square tops  	-	36"	RAA3636(-)	429.	467.	538.	727.
	-	42"	RAA4242(-)	557.	606.	696.	940.
	-	48"	RAA4848(-)	732.	794.	914.	1,232.
	*	60"	RAA6060(-)	1,140.	1,238.	1,427.	1,925.
	*	72"	RAA7272(-)	1,344.	1,462.	1,680.	2,270.

Order Code

Example:	RAA72302
R	Reff
R	Rectangular
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1 1/4"

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Square tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.






Mixed finish 1 3/4" tops are not post-formed.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Conference room tops
Square and rectangular
1 3/4" thick

Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RRB7230(-)	\$669.	\$969.	\$1,113.	\$1,503.
	84"	30"	RRB8430(-)	739.	1,052.	1,210.	1,634.
	96"	30"	RRB9630(-)	827.	1,153.	1,326.	1,789.
	72"	36"	RRB7236(-)	724.	1,032.	1,188.	1,604.
	84"	36"	RRB8436(-)	790.	1,111.	1,280.	1,727.
	96"	36"	RRB9636(-)	915.	1,256.	1,443.	1,948.
	84"	42"	RRB8442(-)	1,172.	1,554.	1,787.	2,414.
	96"	42"	RRB9642(-)	1,344.	1,755.	2,017.	2,724.
	96"	48"	RRB9648(-)	1,432.	1,855.	2,135.	2,882.
Rectangular top 2 piece 	120"	36"	RRB12036(-)	1,467.	1,900.	2,183.	2,947.
	120"	42"	RRB12042(-)	2,027.	2,544.	2,927.	3,950.
	144"	42"	RRB14442(-)	2,274.	2,834.	3,257.	4,398.
	120"	48"	RRB12048(-)	2,201.	2,748.	3,160.	4,265.
	144"	48"	RRB14448(-)	2,439.	3,023.	3,476.	4,693.
Rectangular top 3 piece 	168"	42"	RRB16842(-)	2,981.	3,657.	4,204.	5,677.
	192"	42"	RRB19242(-)	3,232.	3,946.	4,541.	6,131.
	168"	48"	RRB16848(-)	3,242.	3,957.	4,552.	6,146.
	192"	48"	RRB19248(-)	3,477.	4,233.	4,868.	6,573.
Square tops  	-	36"	RRB3636(-)	517.	792.	910.	1,229.
	-	42"	RRB4242(-)	669.	969.	1,113.	1,503.
	-	48"	RRB4848(-)	875.	1,211.	1,392.	1,878.
	*	60"	RRB6060(-)	1,366.	1,778.	2,045.	2,760.
	*	72"	RRB7272(-)	1,613.	2,066.	2,377.	3,209.

Worksurfaces

Order Code

Example: RRB72302	
R	Reff
R	Rectangular
B	1 3/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
B = 1 3/4"

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Square tops in two pieces.

Application Notes

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.






Mixed finish 1 3/4" tops are not post-formed.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Conference room tops
Round and racetrack
1 1/4" thick






Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Racetrack top 1 piece 	72"	30"	RTA7230-()	\$1,054.	\$1,145.	\$1,314.	\$1,775.
	84"	30"	RTA8430-()	1,172.	1,274.	1,465.	1,977.
	96"	30"	RTA9630-()	1,302.	1,418.	1,631.	2,202.
	72"	36"	RTA7236-()	1,202.	1,305.	1,500.	2,025.
	84"	36"	RTA8436-()	1,349.	1,468.	1,687.	2,276.
	96"	36"	RTA9636-()	1,497.	1,628.	1,873.	2,528.
	84"	42"	RTA8442-()	1,641.	1,786.	2,054.	2,773.
	96"	42"	RTA9642-()	1,840.	2,000.	2,298.	3,104.
	96"	48"	RTA9648-()	2,018.	2,191.	2,520.	3,401.
Racetrack top 2 piece 	120"	36"	RTA12036-()	1,933.	2,103.	2,419.	3,265.
	120"	42"	RTA12042-()	2,087.	2,266.	2,608.	3,521.
	144"	42"	RTA14442-()	2,301.	2,500.	2,875.	3,880.
	120"	48"	RTA12048-()	2,218.	2,411.	2,773.	3,743.
	144"	48"	RTA14448-()	2,358.	2,565.	2,947.	3,978.
Racetrack top 3 piece 	168"	42"	RTA16842-()	2,885.	3,134.	3,606.	4,868.
	192"	42"	RTA19242-()	3,098.	3,368.	3,875.	5,231.
	168"	48"	RTA16848-()	3,087.	3,353.	3,855.	5,206.
	192"	48"	RTA19248-()	3,226.	3,508.	4,032.	5,443.
Round tops  	-	36"	RTA3636-()	592.	644.	739.	998.
	-	42"	RTA4242-()	688.	745.	857.	1,156.
	-	48"	RTA4848-()	1,132.	1,229.	1,413.	1,907.
	*	60"	RTA6060-()	1,773.	1,927.	2,216.	2,991.
	*	72"	RTA7272-()	2,192.	2,383.	2,744.	3,704.

Order Code	Specification Information	Application Notes
Example: RTA72302	<i>To order please specify pattern number including:</i>	<p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Top to top brackets included.</p> <p>See table base matrix in Planning Guide pages 140 and 141.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p> <p>Tops have no radius on edges that adjoin.</p> <p>1 3/4" tops require support at mid point to reduce spans to 66" or less.</p> <p>Laminate and mixed finish 1 3/4" tops on this page are not post formed.</p> <p>All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.</p> <p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. Top thickness	
T Rounded top	2. Width	
A 1 1/4" thick	3. Depth	
72 72" wide	4. Finish type	
30 30" deep	5. Finish	
2 V2 finish	1. <i>Thickness options:</i>	
V319 Medium cherry	A = 1 1/4"	
	4. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	*Round tops in two pieces.	

Conference room tops
Round and racetrack
1 3/4" thick

Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Racetrack top 1 piece 	72"	30"	RTB7230-()	\$1,261.	\$1,661.	\$1,908.	\$2,577.
	84"	30"	RTB8430-()	1,407.	1,825.	2,099.	2,834.
	96"	30"	RTB9630-()	1,564.	2,010.	2,310.	3,118.
	72"	36"	RTB7236-()	1,443.	1,866.	2,145.	2,896.
	84"	36"	RTB8436-()	1,621.	2,073.	2,382.	3,217.
	96"	36"	RTB9636-()	1,799.	2,283.	2,622.	3,538.
	84"	42"	RTB8442-()	1,971.	2,482.	2,853.	3,852.
	96"	42"	RTB9642-()	2,208.	2,756.	3,171.	4,281.
	96"	48"	RTB9648-()	2,422.	2,984.	3,433.	4,636.
Racetrack top 2 piece 	120"	36"	RTB12036-()	2,322.	2,889.	3,320.	4,482.
	120"	42"	RTB12042-()	2,503.	3,102.	3,568.	4,817.
	144"	42"	RTB14442-()	2,759.	3,397.	3,909.	5,277.
	120"	48"	RTB12048-()	2,660.	3,283.	3,775.	5,095.
	144"	48"	RTB14448-()	2,830.	3,479.	4,001.	5,402.
Racetrack top 3 piece 	168"	42"	RTB16842-()	3,461.	4,213.	4,845.	6,539.
	192"	42"	RTB19242-()	3,721.	4,512.	5,189.	7,006.
	168"	48"	RTB16848-()	3,702.	4,495.	5,166.	6,975.
	192"	48"	RTB19248-()	3,871.	4,689.	5,391.	7,279.
Round tops  	-	36"	RTB3636-()	711.	1,018.	1,172.	1,582.
	-	42"	RTB4242-()	823.	1,149.	1,321.	1,781.
	-	48"	RTB4848-()	1,359.	1,768.	2,032.	2,745.
	*	60"	RTB6060-()	2,127.	2,663.	3,064.	4,137.
	*	72"	RTB7272-()	2,633.	3,248.	3,736.	5,043.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RTB72302 R Reff T Rounded top B 1 3/4" thick 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Width 3. Depth 4. Finish type 5. Finish 1. Thickness options: B = 1 3/4" 4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3 *Round tops in two pieces.	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Top to top brackets included. See table base matrix in Planning Guide pages 140 and 141. 1 1/4" tops require support at mid point to reduce spans to 48" or less. Tops have no radius on edges that adjoin. 1 3/4" tops require support at mid point to reduce spans to 66" or less. Laminate and mixed finish 1 3/4" tops on this page are not post formed.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

 Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.


 Applicable finishes are listed on page 5 and 6.

Reff System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Finish. Optional for worksurface tops listed on pages 163 through 178.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma



Alpha



Beta



Chi




Delta



Epsilon



Phi



Gamma


Optional edge worksurface tops

Reff

1 1/4" thick rectilinear

front edge only

20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2/3)	\$373.	\$426.	\$576.	
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2/3)	409.	470.	634.	
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2/3)	431.	496.	670.	
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2/3)	451.	518.	700.	
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2/3)	469.	538.	727.	
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2/3)	487.	564.	761.	
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2/3)	527.	607.	819.	
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2/3)	542.	625.	843.	
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2/3)	571.	657.	886.	
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2/3)	579.	665.	897.	
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2/3)	616.	707.	955.	
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2/3)	640.	737.	995.	
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2/3)	665.	766.	1,034.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-()(1/2/3)	393.	451.	609.
			30"	RSA(A/B/C/D/E/F/G)F302-()(1/2/3)	444.	511.	688.
			36"	RSA(A/B/C/D/E/F/G)F362-()(1/2/3)	461.	530.	717.
			42"	RSA(A/B/C/D/E/F/G)F422-()(1/2/3)	475.	545.	735.
			48"	RSA(A/B/C/D/E/F/G)F482-()(1/2/3)	511.	584.	788.
54"	RSA(A/B/C/D/E/F/G)F542-()(1/2/3)		542.	625.	843.		
60"	RSA(A/B/C/D/E/F/G)F602-()(1/2/3)		582.	668.	902.		
66"	RSA(A/B/C/D/E/F/G)F662-()(1/2/3)		604.	691.	934.		
72"	RSA(A/B/C/D/E/F/G)F722-()(1/2/3)		629.	726.	978.		
78"	RSA(A/B/C/D/E/F/G)F782-()(1/2/3)		660.	759.	1,025.		
84"	RSA(A/B/C/D/E/F/G)F842-()(1/2/3)		685.	787.	1,064.		
90"	RSA(A/B/C/D/E/F/G)F902-()(1/2/3)		715.	824.	1,111.		
96"	RSA(A/B/C/D/E/F/G)F962-()(1/2/3)	743.	857.	1,156.			

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p>	
V319 Medium cherry	<p><i>5. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p><i>6. Finish type:</i></p> <p>M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3</p>	
111 Jet black (grommet)	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	


Optional edge worksurface tops

Reff

1 1/4" thick rectilinear

front edge only

30" and 36" deep


description	d	w	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$424.	\$489.	\$662.	
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	480.	551.	743.	
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	517.	592.	799.	
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	537.	617.	833.	
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	573.	662.	893.	
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	621.	713.	961.	
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	642.	738.	996.	
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	658.	757.	1,022.	
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	674.	773.	1,044.	
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	705.	814.	1,098.	
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	733.	845.	1,141.	
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	767.	884.	1,194.	
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	795.	916.	1,235.	
		36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	742.	853.	1,151.
			66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	768.	886.	1,197.
			72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	794.	915.	1,233.

Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>5. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p><i>6. Finish type:</i></p> <p>M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge worksurface tops

Reff

*1 1/4" thick rectilinear
front and back edge profiled
20" and 24" deep*

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$373.	\$426.	\$576.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	469.	538.	727.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	487.	564.	761.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	527.	607.	819.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	542.	625.	843.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	571.	657.	886.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	579.	665.	897.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	616.	707.	955.
	90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	640.	737.	995.	
	96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	665.	766.	1,034.	
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	511.	584.	788.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	542.	625.	843.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	582.	668.	902.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	604.	691.	934.
72"		RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	629.	726.	978.	
78"		RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	660.	759.	1,025.	
84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	685.	787.	1,064.		
90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	715.	824.	1,111.		
96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	743.	857.	1,156.		

Worksurfaces

Order Code

Example:	RSAGA241F2
R	Reff
S	Straight top
A	1 1/4" thick
G	Gamma
A	Edge front and back
24	24" wide
1	20" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Edge profile
- 5th position A = Edge front and back
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front (not recommended on 20"D and 24"D tops)

6. Finish type:
M = Mixed (laminated surface / wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


1 1/4" tops require support at mid point to reduce spans to 48" or less.

Optional edge worksurface tops

Reff

*1 1/4" thick rectilinear
front and back edge profiled
30" and 36" deep*



description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$424.	\$489.	\$662.
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	480.	551.	743.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	517.	592.	799.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	537.	617.	833.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	573.	662.	893.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	621.	713.	961.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	642.	738.	996.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	658.	757.	1,022.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	674.	773.	1,044.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	705.	814.	1,098.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	733.	845.	1,141.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	767.	884.	1,194.
96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	795.	916.	1,235.		
	36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	742.	853.	1,151.
		66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)	768.	886.	1,197.
		72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)	794.	915.	1,233.



Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
S Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	2. 5th position A = Edge front and back	
G Gamma	3. Width	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
A Edge front and back	4. Depth	
24 24" wide	5. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
3 30" deep	6. Top finish type	
F Flush grommet	7. Top finish	
2 V2 finish	8. Grommet finish	
V319 Medium cherry	1. Edge profile options:	
111 Jet Black (grommet)	A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Optional edge worksurface tops
 1 1/4" thick rectilinear
 front and attaching edges profiled

Reff

description	d	w	pattern no.	M/V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$373.	\$426.	\$576.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	469.	538.	727.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	511.	584.	788.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	373.	426.	576.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	469.	538.	727.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	511.	584.	788.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	2. 5th position options: B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating	
S Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	2. 5th position indicates how and which edges profiled	
G Gamma	3. Width	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
B Both ends accept edge	4. Depth	
24 24" wide	5. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
1 20" deep	6. Top finish type	
F Flush grommet	7. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	8. Grommet finish	
V319 Medium cherry	1. <i>Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	5. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	

6. *Finish type:*
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.

Optional edge worksurface tops
 1 1/4" thick rectilinear
 front and attaching edges profiled


Reff

description	d	w	pattern no.	M/V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$373.	\$426.	\$576.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	469.	538.	727.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	511.	584.	788.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p> <p>Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position indicates how and which edges profiled	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
B Both ends accept edge	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish		
V319 Medium cherry	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
	<i>2. 5th position options:</i> B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i> M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	

Optional edge worksurface tops
 1 1/4" thick curvilinear corner tops
 front edge only

Reff

description	w left	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$789.	\$907.	\$1,225.
	36"	42"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	834.	960.	1,296.
	36"	48"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	888.	1,019.	1,376.
	42"	36"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	834.	960.	1,296.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	888.	1,019.	1,376.
	42"	48"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	969.	1,113.	1,503.
	48"	36"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	888.	1,019.	1,376.
	48"	42"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	969.	1,113.	1,503.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,019.	1,173.	1,583.
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24" Radii of front edge varies with top dimensions	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	824.	947.	1,280.
	36"	42"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	869.	999.	1,349.
	36"	48"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	923.	1,059.	1,431.
	42"	36"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	869.	999.	1,349.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	923.	1,059.	1,431.
	42"	48"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	1,005.	1,154.	1,559.
	48"	36"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	923.	1,059.	1,431.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
R Reff	1. Edge profile	
S Curvilinear top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge worksurface tops
 1 1/4" thick curvilinear corner tops
 front edge only

Reff

description	w left	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	48"	42"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	\$1,005.	\$1,154.	\$1,559.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,055.	1,214.	1,639.
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	824.	947.	1,280.
	36"	42"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	869.	999.	1,349.
	36"	48"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	923.	1,059.	1,431.
	42"	36"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	869.	999.	1,349.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	923.	1,059.	1,431.
	42"	48"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	1,005.	1,154.	1,559.
	48"	36"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	923.	1,059.	1,431.
	48"	42"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	1,005.	1,154.	1,559.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,055.	1,214.	1,639.

Order Code	Specification Information	Application Notes
Example: RSAGF363611	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
S Curvilinear top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge worksurface tops
1 1/4" thick curvilinear corner tops
front edge only

Reff






description	w left	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	\$894.	\$1,029.	\$1,390.
	36"	42"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	942.	1,081.	1,459.
	36"	48"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	992.	1,140.	1,540.
	42"	36"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	942.	1,081.	1,459.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	992.	1,140.	1,540.
	42"	48"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,076.	1,237.	1,670.
	48"	36"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	992.	1,140.	1,540.
	48"	42"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	1,076.	1,237.	1,670.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,127.	1,294.	1,747.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGF363611	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
S Curvilinear top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge worksurface tops
1 1/4" thick curvilinear transition and end tops
front edge only




Reff

description	d left	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4221-()(1/2/3)	\$476.	\$548.	\$739.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4821-()(1/2/3)	500.	576.	777.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5421-()(1/2/3)	535.	616.	831.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6021-()(1/2/3)	572.	660.	890.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6621-()(1/2/3)	590.	678.	917.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7221-()(1/2/3)	617.	711.	959.
Wave transition top with profile edge front only (left 30", right 24") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4232-()(1/2/3)	515.	590.	796.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4832-()(1/2/3)	534.	613.	827.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5432-()(1/2/3)	576.	663.	894.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6032-()(1/2/3)	616.	707.	955.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6632-()(1/2/3)	637.	734.	991.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7232-()(1/2/3)	672.	771.	1,041.
Wave transition top with profile edge front only (left 20", right 24") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4212-()(1/2/3)	476.	548.	739.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4812-()(1/2/3)	500.	576.	777.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5412-()(1/2/3)	535.	616.	831.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6012-()(1/2/3)	572.	660.	890.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6612-()(1/2/3)	590.	678.	917.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7212-()(1/2/3)	617.	711.	959.
Wave transition top with profile edge front only (left 24", right 30") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4223-()(1/2/3)	515.	590.	796.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4823-()(1/2/3)	534.	613.	827.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5423-()(1/2/3)	576.	663.	894.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6023-()(1/2/3)	616.	707.	955.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6623-()(1/2/3)	637.	734.	991.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7223-()(1/2/3)	672.	771.	1,041.
Wave end top with profile edge front only (20" right) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3631-()(1/2/3)	632.	728.	983.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4231-()(1/2/3)	658.	757.	1,022.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4831-()(1/2/3)	692.	796.	1,076.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
W Wave transition top	7. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
A 1 1/4" thick	Applicable finishes are listed on page 5 and 6.	
G Gamma	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
F Edge front only		
42 42" wide		
2 20" deep		
1 20" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
111 Jet Black (grommet)		

Optional edge worksurface tops
 1 1/4" thick curvilinear transition and end tops
 front edge only

Reff

description	d left	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$655.	\$753.	\$1,016.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	675.	775.	1,047.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	714.	823.	1,110.
Wave end top with profile edge front only (20" left) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	632.	728.	983.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	658.	757.	1,022.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	692.	796.	1,076.
Wave end top with profile edge front only (24" left) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	655.	753.	1,016.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	675.	775.	1,047.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	714.	823.	1,110.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
W Wave transition top	7. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
A 1 1/4" thick	Applicable finishes are listed on page 5 and 6.	
G Gamma	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
F Edge front only		
42 42" wide		
2 20" deep		
1 20" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
111 Jet Black (grommet)		


Optional edge worksurface tops

Reff

Meeting tops

1 1/4" thick

description	d	w	pattern no.	M/V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$673.	\$772.	\$1,042.
		48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	727.	833.	1,125.
		54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	777.	894.	1,207.
		60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	831.	955.	1,289.
		66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	887.	1,018.	1,375.
		72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	941.	1,080.	1,458.
		78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,063.	1,222.	1,650.
		84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,187.	1,364.	1,842.
		90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,326.	1,524.	2,057.
		96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,462.	1,680.	2,270.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	740.	851.	1,149.
		48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	809.	931.	1,257.
		54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	925.	1,066.	1,438.
		60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,038.	1,195.	1,613.
		66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,057.	1,217.	1,643.
		72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,076.	1,237.	1,670.
		78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,210.	1,391.	1,877.
		84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,346.	1,550.	2,092.
		90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,418.	1,631.	2,202.
		96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,554.	1,784.	2,410.



Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	<ol style="list-style-type: none"> Edge profile Width Depth Grommet option Top finish type Top finish Grommet finish Applicable "wrap around panel tops" only specify mating panel end trim profile <p><i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p>	
MD Peninsula D-shaped top		
A 1 1/4" thick		
G Gamma		
F Edge front only		
42 42" wide		
30 30" deep		
C Centered grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		
	<p><i>4. Grommet options:</i> N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)</p> <p><i>5. Finish type:</i> M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3</p> <p><i>8. Wrap around panel tops only, specify mating trim profile</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	

Optional edge worksurface tops

Reff

Meeting tops

1 1/4" thick




description	d	w	pattern no.	M/V1	V2	V3
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet optional	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$924.	\$1,062.	\$1,432.
	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,027.	1,180.	1,595.
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet optional	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	924.	1,062.	1,432.
	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,027.	1,180.	1,595.
Worksurface 9-top	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,878.	2,163.	2,919.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,959.	2,252.	3,040.
Worksurface P-top	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,878.	2,163.	2,919.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,959.	2,252.	3,040.
Wrap-around panel top *No Grommet optional	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	865.	994.	1,341.
	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	947.	1,090.	1,471.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	<ol style="list-style-type: none"> Edge profile Width Depth Grommet option Top finish type Top finish Grommet finish Applicable "wrap around panel tops" only specify mating panel end trim profile <p><i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p>	
MD Peninsula D-shaped top		
A 1 1/4" thick		
G Gamma		
F Edge front only		
42 42" wide		
30 30" deep		
C Centered grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		
	<ol style="list-style-type: none"> <i>Grommet options:</i> N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops) <i>Finish type:</i> M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3 <i>Wrap around panel tops only, specify mating trim profile</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	

Optional edge worksurface tops
Bow front tops
1 1/4" thick, front and back edges profiled





Reff

description	w	d	pattern no.	M/V1	V2	V3
Profile edge on front and back (30"d) 	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)	\$1,121.	\$1,287.	\$1,739.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430()(1/2/3)	1,234.	1,420.	1,917.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630()(1/2/3)	1,368.	1,571.	2,122.
Profile edge on front and back (36"d) 	72"	36"	RMBA(A/B/C/D/E/F/G)A7236()(1/2/3)	1,190.	1,367.	1,847.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436()(1/2/3)	1,304.	1,501.	2,027.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)	1,445.	1,663.	2,244.
Profile elliptical tops 	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,315.	1,512.	2,041.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	1,874.	2,153.	2,906.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	2,054.	2,362.	3,188.

Order Code	Specification Information	Application Notes
Example: RMBAGA7230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile 2. Width 3. Depth 4. Grommet option 5. Top finish type 6. Top finish 7. Grommet finish	
MB Bow front top	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick		
G Gamma	4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front A = Alternate location (only for 36" deep bow front tops)	5. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3
A Edge front and back		
72 72" wide	Applicable finishes are listed on page 5 and 6.	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
30 30" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge conference room tops
 1 1/4" thick conference room top
 round and racetrack

Reff





description	w	d	pattern no.	M/V1	V2	V3
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,315.	\$1,512.	\$2,041.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,464.	1,686.	2,275.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,631.	1,876.	2,532.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,501.	1,723.	2,326.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,689.	1,937.	2,617.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	1,874.	2,153.	2,906.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,054.	2,362.	3,188.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,298.	2,643.	3,568.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,419.	2,781.	3,754.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,608.	2,998.	4,048.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	2,874.	3,307.	4,463.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	2,773.	3,187.	4,302.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	2,948.	3,388.	4,575.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,605.	4,146.	5,597.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	3,875.	4,455.	6,014.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	3,855.	4,434.	5,985.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,032.	4,637.	6,258.
Round tops Profile edge on all sides except on parting lines. 	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	740.	851.	1,149.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	858.	986.	1,332.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,413.	1,624.	2,192.
	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,216.	2,548.	3,439.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	2,742.	3,154.	4,258.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RTAG72302	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
T Racetrack top	2. Width	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Depth	
G Gamma	4. Finish type	
72 22" wide	5. Finish	
30 30" deep	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	*Round tops in two pieces.	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge conference room tops
 1 1/4" thick conference room top
 square and rectangular

Reff

description	w	d	pattern no.	M/V1	V2	V3
Rectangular top - 1 piece 	72"	30"	RRR(A/B/C/D/E/F/G)7230-(1/2/3)	\$696.	\$799.	\$1,080.
	84"	30"	RRR(A/B/C/D/E/F/G)8430-(1/2/3)	769.	887.	1,198.
	96"	30"	RRR(A/B/C/D/E/F/G)9630-(1/2/3)	864.	992.	1,340.
	72"	36"	RRR(A/B/C/D/E/F/G)7236-(1/2/3)	756.	868.	1,172.
	84"	36"	RRR(A/B/C/D/E/F/G)8436-(1/2/3)	825.	948.	1,281.
	96"	36"	RRR(A/B/C/D/E/F/G)9636-(1/2/3)	954.	1,097.	1,483.
	84"	42"	RRR(A/B/C/D/E/F/G)8442-(1/2/3)	1,222.	1,404.	1,895.
	96"	42"	RRR(A/B/C/D/E/F/G)9642-(1/2/3)	1,402.	1,611.	2,175.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRR(A/B/C/D/E/F/G)12036-(1/2/3)	1,530.	1,759.	2,375.
	120"	42"	RRR(A/B/C/D/E/F/G)12042-(1/2/3)	2,110.	2,426.	3,273.
	144"	42"	RRR(A/B/C/D/E/F/G)14442-(1/2/3)	2,369.	2,728.	3,683.
	120"	48"	RRR(A/B/C/D/E/F/G)12048-(1/2/3)	2,293.	2,637.	3,561.
	144"	48"	RRR(A/B/C/D/E/F/G)14448-(1/2/3)	2,541.	2,920.	3,943.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRR(A/B/C/D/E/F/G)16842-(1/2/3)	3,108.	3,575.	4,825.
	192"	42"	RRR(A/B/C/D/E/F/G)19242-(1/2/3)	3,367.	3,874.	5,229.
	168"	48"	RRR(A/B/C/D/E/F/G)16848-(1/2/3)	3,375.	3,885.	5,245.
	192"	48"	RRR(A/B/C/D/E/F/G)19248-(1/2/3)	3,625.	4,169.	5,626.
Square top Profile edge on all sides except on parting lines 	-	36"	RRR(A/B/C/D/E/F/G)3636-(1/2/3)	537.	617.	833.
	-	42"	RRR(A/B/C/D/E/F/G)4242-(1/2/3)	696.	799.	1,080.
	-	48"	RRR(A/B/C/D/E/F/G)4848-(1/2/3)	915.	1,050.	1,417.
	*	60"	RRR(A/B/C/D/E/F/G)6060-(1/2/3)	1,425.	1,639.	2,214.
	*	72"	RRR(A/B/C/D/E/F/G)7272-(1/2/3)	1,680.	1,933.	2,609.

Order Code

Example: RSAG72302
R Reff
R Conference Room top
A 1 1/4" thick
G Gamma
72 72" wide
30 30" deep
2 V2 finish
V319 Medium cherry

Specification Information

To order please specify pattern number including:

- Edge option
- Width
- Depth
- Finish type
- Finish

1. Edge profile options:
 A = Alpha
 B = Beta
 C = Chi
 D = Delta
 E = Epsilon
 F = Phi
 G = Gamma

Application Notes

4. Finish type:
 M = Mixed (laminate surface / wood edge)
 1 = V1
 2 = V2
 3 = V3

* Square tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak


Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall edge
 worksurface tops
 1 1/4" thick rectilinear with 2" waterfall edge front only
 20" and 24" deep

Reff


description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-()(1/2/3)	\$706.	\$814.	\$1,098.	
		30"	RSAWF301-()(1/2/3)	777.	895.	1,210.	
		36"	RSAWF361-()(1/2/3)	822.	943.	1,273.	
		42"	RSAWF421-()(1/2/3)	858.	984.	1,328.	
		48"	RSAWF481-()(1/2/3)	892.	1,026.	1,385.	
		54"	RSAWF541-()(1/2/3)	931.	1,072.	1,447.	
		60"	RSAWF601-()(1/2/3)	1,003.	1,152.	1,556.	
		66"	RSAWF661-()(1/2/3)	1,034.	1,190.	1,606.	
		72"	RSAWF721-()(1/2/3)	1,084.	1,247.	1,686.	
		78"	RSAWF781-()(1/2/3)	1,103.	1,266.	1,708.	
		84"	RSAWF841-()(1/2/3)	1,173.	1,348.	1,820.	
		90"	RSAWF901-()(1/2/3)	1,219.	1,402.	1,893.	
		96"	RSAWF961-()(1/2/3)	1,266.	1,453.	1,962.	
		24"	24"	RSAWF242-()(1/2/3)	744.	858.	1,158.
			30"	RSAWF302-()(1/2/3)	842.	969.	1,307.
			36"	RSAWF362-()(1/2/3)	876.	1,005.	1,358.
			42"	RSAWF422-()(1/2/3)	902.	1,036.	1,399.
48"	RSAWF482-()(1/2/3)		969.	1,113.	1,503.		
54"	RSAWF542-()(1/2/3)		1,034.	1,190.	1,606.		
60"	RSAWF602-()(1/2/3)		1,107.	1,272.	1,716.		
66"	RSAWF662-()(1/2/3)		1,145.	1,314.	1,775.		
72"	RSAWF722-()(1/2/3)		1,197.	1,376.	1,856.		
78"	RSAWF782-()(1/2/3)		1,254.	1,441.	1,946.		
84"	RSAWF842-()(1/2/3)		1,302.	1,497.	2,021.		
90"	RSAWF902-()(1/2/3)		1,364.	1,568.	2,118.		
96"	RSAWF962-()(1/2/3)	1,417.	1,629.	2,201.			

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WF Waterfall front	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	1. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	1 1/4" tops require support at mid point to reduce spans to 48" or less.
1 20" deep	2. Finish type: 1 = V1 2 = V2 3 = V3	
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Waterfall edge
 worksurface tops
 1 1/4" thick rectilinear with 2" waterfall edge front only
 30" and 36" deep


Reff

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243-()(1/2/3)	\$810.	\$934.	\$1,261.	
		30"	RSAWF303-()(1/2/3)	910.	1,048.	1,415.	
		36"	RSAWF363-()(1/2/3)	982.	1,128.	1,523.	
		42"	RSAWF423-()(1/2/3)	1,023.	1,175.	1,586.	
		48"	RSAWF483-()(1/2/3)	1,091.	1,257.	1,697.	
		54"	RSAWF543-()(1/2/3)	1,179.	1,359.	1,834.	
		60"	RSAWF603-()(1/2/3)	1,225.	1,407.	1,900.	
		66"	RSAWF663-()(1/2/3)	1,251.	1,438.	1,943.	
		72"	RSAWF723-()(1/2/3)	1,282.	1,473.	1,988.	
		78"	RSAWF783-()(1/2/3)	1,342.	1,542.	2,081.	
		84"	RSAWF843-()(1/2/3)	1,394.	1,606.	2,167.	
		90"	RSAWF903-()(1/2/3)	1,461.	1,676.	2,262.	
		96"	RSAWF963-()(1/2/3)	1,513.	1,740.	2,348.	
		36"	60"	RSAWF604-()(1/2/3)	1,414.	1,622.	2,189.
			66"	RSAWF664-()(1/2/3)	1,463.	1,680.	2,270.
			72"	RSAWF724-()(1/2/3)	1,511.	1,736.	2,343.

Order Code	Specification Information	Application Notes
Example: RSAWF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	1. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	Applicable finishes are listed on page 5 and 6.
3 30" deep		
F Flush grommet	2. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish		
V319 Medium cherry		
111 Jet black (grommet)		

Waterfall edge
 worksurface tops
 1 1/4" thick rectilinear with 2" waterfall edge front and back
 20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241- ()(1/2/3)	\$883.	\$1,019.	\$1,376.	
		30"	RSAWA301- ()(1/2/3)	974.	1,119.	1,509.	
		36"	RSAWA361- ()(1/2/3)	1,027.	1,178.	1,592.	
		42"	RSAWA421- ()(1/2/3)	1,073.	1,232.	1,664.	
		48"	RSAWA481- ()(1/2/3)	1,113.	1,282.	1,730.	
		54"	RSAWA541- ()(1/2/3)	1,163.	1,339.	1,808.	
		60"	RSAWA601- ()(1/2/3)	1,255.	1,440.	1,944.	
		66"	RSAWA661- ()(1/2/3)	1,293.	1,487.	2,008.	
		72"	RSAWA721- ()(1/2/3)	1,359.	1,563.	2,110.	
		78"	RSAWA781- ()(1/2/3)	1,379.	1,581.	2,135.	
		84"	RSAWA841- ()(1/2/3)	1,465.	1,685.	2,274.	
		90"	RSAWA901- ()(1/2/3)	1,526.	1,754.	2,367.	
		96"	RSAWA961- ()(1/2/3)	1,581.	1,820.	2,456.	
		24"	24"	RSAWA242- ()(1/2/3)	931.	1,073.	1,448.
			30"	RSAWA302- ()(1/2/3)	1,052.	1,211.	1,635.
			36"	RSAWA362- ()(1/2/3)	1,095.	1,260.	1,701.
			42"	RSAWA422- ()(1/2/3)	1,128.	1,296.	1,751.
			48"	RSAWA482- ()(1/2/3)	1,211.	1,393.	1,880.
			54"	RSAWA542- ()(1/2/3)	1,293.	1,487.	2,008.
60"	RSAWA602- ()(1/2/3)		1,385.	1,593.	2,150.		
66"	RSAWA662- ()(1/2/3)		1,432.	1,644.	2,219.		
72"	RSAWA722- ()(1/2/3)		1,494.	1,719.	2,322.		
78"	RSAWA782- ()(1/2/3)		1,568.	1,805.	2,435.		
84"	RSAWA842- ()(1/2/3)		1,629.	1,875.	2,530.		
90"	RSAWA902- ()(1/2/3)		1,706.	1,961.	2,647.		
96"	RSAWA962- ()(1/2/3)	1,771.	2,035.	2,747.			

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	2 = V2	
	3 = V3	


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and back

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-()(1/2/3)	\$1,015.	\$1,167.	\$1,575.	
		30"	RSAWA303-()(1/2/3)	1,139.	1,312.	1,772.	
		36"	RSAWA363-()(1/2/3)	1,228.	1,413.	1,907.	
		42"	RSAWA423-()(1/2/3)	1,280.	1,470.	1,984.	
		48"	RSAWA483-()(1/2/3)	1,365.	1,570.	2,120.	
		54"	RSAWA543-()(1/2/3)	1,476.	1,698.	2,292.	
		60"	RSAWA603-()(1/2/3)	1,530.	1,760.	2,377.	
		66"	RSAWA663-()(1/2/3)	1,565.	1,800.	2,430.	
		72"	RSAWA723-()(1/2/3)	1,603.	1,842.	2,487.	
		78"	RSAWA783-()(1/2/3)	1,676.	1,930.	2,604.	
		84"	RSAWA843-()(1/2/3)	1,744.	2,008.	2,710.	
		90"	RSAWA903-()(1/2/3)	1,823.	2,097.	2,832.	
		96"	RSAWA963-()(1/2/3)	1,890.	2,174.	2,935.	
		36"	60"	RSAWA604-()(1/2/3)	1,767.	2,028.	2,738.
			66"	RSAWA664-()(1/2/3)	1,827.	2,103.	2,838.
			72"	RSAWA724-()(1/2/3)	1,887.	2,170.	2,929.

Order Code

Example:	RSAWA243F2
R	Reff
S	Straight top
A	1 1/4" thick
WA	Waterfall front/back
24	24" wide
3	30" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
 N = No grommet
 F = Flush front grommet location
 R = Recessed front (not recommended on 20"D and 24"D tops)

2. Finish type:
 1 = V1
 2 = V2
 3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and two sides

20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-()(1/2/3)	\$1,064.	\$1,221.	\$1,648.
		30"	RSAWB301-()(1/2/3)	1,167.	1,340.	1,809.
		36"	RSAWB361-()(1/2/3)	1,230.	1,415.	1,910.
		42"	RSAWB421-()(1/2/3)	1,286.	1,477.	1,994.
		48"	RSAWB481-()(1/2/3)	1,336.	1,538.	2,076.
		54"	RSAWB541-()(1/2/3)	1,395.	1,607.	2,170.
		60"	RSAWB601-()(1/2/3)	1,508.	1,731.	2,337.
		66"	RSAWB661-()(1/2/3)	1,552.	1,783.	2,409.
		72"	RSAWB721-()(1/2/3)	1,629.	1,874.	2,529.
		78"	RSAWB781-()(1/2/3)	1,649.	1,897.	2,561.
	84"	RSAWB841-()(1/2/3)	1,757.	2,023.	2,730.	
	90"	RSAWB901-()(1/2/3)	1,831.	2,105.	2,841.	
	96"	RSAWB961-()(1/2/3)	1,897.	2,183.	2,947.	
	24"	24"	RSAWB242-()(1/2/3)	1,118.	1,286.	1,736.
		30"	RSAWB302-()(1/2/3)	1,264.	1,449.	1,958.
		36"	RSAWB362-()(1/2/3)	1,313.	1,511.	2,040.
		42"	RSAWB422-()(1/2/3)	1,354.	1,558.	2,105.
		48"	RSAWB482-()(1/2/3)	1,449.	1,671.	2,256.
		54"	RSAWB542-()(1/2/3)	1,552.	1,783.	2,409.
		60"	RSAWB602-()(1/2/3)	1,663.	1,909.	2,578.
66"		RSAWB662-()(1/2/3)	1,716.	1,973.	2,663.	
72"		RSAWB722-()(1/2/3)	1,794.	2,065.	2,786.	
78"		RSAWB782-()(1/2/3)	1,880.	2,165.	2,922.	
84"	RSAWB842-()(1/2/3)	1,955.	2,246.	3,034.		
90"	RSAWB902-()(1/2/3)	2,045.	2,352.	3,175.		
96"	RSAWB962-()(1/2/3)	2,122.	2,444.	3,300.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WB Waterfall front and 2 sides	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	1. <i>Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	2. <i>Finish type:</i>	1 1/4" tops require support at mid point to reduce spans to 48" or less.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and two sides

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-()(1/2/3)	\$1,217.	\$1,400.	\$1,890.
		30"	RSAWB303-()(1/2/3)	1,368.	1,574.	2,124.
		36"	RSAWB363-()(1/2/3)	1,473.	1,694.	2,287.
		42"	RSAWB423-()(1/2/3)	1,535.	1,762.	2,379.
		48"	RSAWB483-()(1/2/3)	1,639.	1,883.	2,543.
		54"	RSAWB543-()(1/2/3)	1,772.	2,035.	2,747.
		60"	RSAWB603-()(1/2/3)	1,835.	2,110.	2,849.
		66"	RSAWB663-()(1/2/3)	1,877.	2,159.	2,914.
		72"	RSAWB723-()(1/2/3)	1,921.	2,210.	2,983.
	78"	RSAWB783-()(1/2/3)	2,014.	2,318.	3,128.	
	84"	RSAWB843-()(1/2/3)	2,090.	2,406.	3,248.	
	90"	RSAWB903-()(1/2/3)	2,187.	2,517.	3,399.	
	96"	RSAWB963-()(1/2/3)	2,271.	2,608.	3,521.	
	36"	60"	RSAWB604-()(1/2/3)	2,118.	2,435.	3,288.
		66"	RSAWB664-()(1/2/3)	2,190.	2,521.	3,403.
		72"	RSAWB724-()(1/2/3)	2,268.	2,604.	3,516.

Order Code

Example:	RSAWB243F2
R	Reff
S	Straight top
A	1 1/4" thick
WB	Waterfall front and 2 sides
24	24" wide
3	30" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
 N = No grommet
 F = Flush front grommet location
 R = Recessed front (not recommended on 20"D and 24"D tops)

2. Finish type:
 1 = V1
 2 = V2
 3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and left side

20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-()()(1/2/3)	\$974.	\$1,120.	\$1,510.	
		30"	RSAWL301-()()(1/2/3)	1,071.	1,229.	1,660.	
		36"	RSAWL361-()()(1/2/3)	1,128.	1,296.	1,751.	
		42"	RSAWL421-()()(1/2/3)	1,178.	1,354.	1,828.	
		48"	RSAWL481-()()(1/2/3)	1,226.	1,409.	1,903.	
		54"	RSAWL541-()()(1/2/3)	1,281.	1,472.	1,987.	
		60"	RSAWL601-()()(1/2/3)	1,381.	1,586.	2,142.	
		66"	RSAWL661-()()(1/2/3)	1,421.	1,637.	2,211.	
		72"	RSAWL721-()()(1/2/3)	1,492.	1,716.	2,318.	
		78"	RSAWL781-()()(1/2/3)	1,515.	1,741.	2,349.	
		84"	RSAWL841-()()(1/2/3)	1,612.	1,853.	2,502.	
		90"	RSAWL901-()()(1/2/3)	1,676.	1,930.	2,604.	
		96"	RSAWL961-()()(1/2/3)	1,741.	2,002.	2,702.	
		24"	24"	RSAWL242-()()(1/2/3)	1,024.	1,178.	1,592.
			30"	RSAWL302-()()(1/2/3)	1,158.	1,332.	1,797.
			36"	RSAWL362-()()(1/2/3)	1,204.	1,385.	1,869.
			42"	RSAWL422-()()(1/2/3)	1,241.	1,427.	1,925.
			48"	RSAWL482-()()(1/2/3)	1,332.	1,531.	2,067.
			54"	RSAWL542-()()(1/2/3)	1,421.	1,637.	2,211.
60"	RSAWL602-()()(1/2/3)		1,523.	1,748.	2,361.		
66"	RSAWL662-()()(1/2/3)		1,572.	1,809.	2,442.		
72"	RSAWL722-()()(1/2/3)		1,644.	1,890.	2,551.		
78"	RSAWL782-()()(1/2/3)		1,721.	1,983.	2,678.		
84"	RSAWL842-()()(1/2/3)		1,788.	2,061.	2,782.		
90"	RSAWL902-()()(1/2/3)	1,876.	2,157.	2,910.			
96"	RSAWL962-()()(1/2/3)	1,946.	2,240.	3,024.			

Worksurfaces

Order Code

Example:	RSAWL241F2
R	Reff
S	Straight top
A	1 1/4" thick
WL	Waterfall front and left
24	24" wide
1	20" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
 N = No grommet
 F = Flush front grommet location
 R = Recessed front
 (not recommended on 20"D and 24"D tops)

2. Finish type:
 1 = V1
 2 = V2
 3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall edge


worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and left side

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side	30"	24"	RSAWL243-()(1/2/3)	\$1,118.	\$1,284.	\$1,733.
		30"	RSAWL303-()(1/2/3)	1,254.	1,441.	1,946.
		36"	RSAWL363-()(1/2/3)	1,350.	1,553.	2,097.
		42"	RSAWL423-()(1/2/3)	1,405.	1,616.	2,180.
		48"	RSAWL483-()(1/2/3)	1,502.	1,730.	2,336.
		54"	RSAWL543-()(1/2/3)	1,622.	1,869.	2,523.
		60"	RSAWL603-()(1/2/3)	1,683.	1,934.	2,611.
		66"	RSAWL663-()(1/2/3)	1,718.	1,980.	2,674.
		72"	RSAWL723-()(1/2/3)	1,762.	2,025.	2,733.
		78"	RSAWL783-()(1/2/3)	1,845.	2,122.	2,865.
		84"	RSAWL843-()(1/2/3)	1,917.	2,207.	2,980.
		90"	RSAWL903-()(1/2/3)	2,008.	2,309.	3,117.
		96"	RSAWL963-()(1/2/3)	2,080.	2,390.	3,227.
36"	60"	RSAWL604-()(1/2/3)	1,942.	2,232.	3,014.	
		RSAWL664-()(1/2/3)	2,011.	2,311.	3,119.	
		RSAWL724-()(1/2/3)	2,077.	2,387.	3,223.	



Order Code

Example:	RSAWL243F2
R	Reff
S	Straight top
A	1 1/4" thick
WL	Waterfall front and left
24	24" wide
3	30" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
 N = No grommet
 F = Flush front grommet location
 R = Recessed front
 (not recommended on 20"D and 24"D tops)

2. Finish type:
 1 = V1
 2 = V2
 3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and right side

20" and 24" deep

Reff

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-()()(1/2/3)	\$974.	\$1,120.	\$1,510.	
		30"	RSAWR301-()()(1/2/3)	1,071.	1,229.	1,660.	
		36"	RSAWR361-()()(1/2/3)	1,128.	1,296.	1,751.	
		42"	RSAWR421-()()(1/2/3)	1,178.	1,354.	1,828.	
		48"	RSAWR481-()()(1/2/3)	1,226.	1,409.	1,903.	
		54"	RSAWR541-()()(1/2/3)	1,281.	1,472.	1,987.	
		60"	RSAWR601-()()(1/2/3)	1,381.	1,586.	2,142.	
		66"	RSAWR661-()()(1/2/3)	1,421.	1,637.	2,211.	
		72"	RSAWR721-()()(1/2/3)	1,492.	1,716.	2,318.	
		78"	RSAWR781-()()(1/2/3)	1,515.	1,741.	2,349.	
		84"	RSAWR841-()()(1/2/3)	1,612.	1,853.	2,502.	
		90"	RSAWR901-()()(1/2/3)	1,676.	1,930.	2,604.	
		96"	RSAWR961-()()(1/2/3)	1,741.	2,002.	2,702.	
		24"	24"	RSAWR242-()()(1/2/3)	1,024.	1,178.	1,592.
			30"	RSAWR302-()()(1/2/3)	1,158.	1,332.	1,797.
			36"	RSAWR362-()()(1/2/3)	1,204.	1,385.	1,869.
			42"	RSAWR422-()()(1/2/3)	1,241.	1,427.	1,925.
			48"	RSAWR482-()()(1/2/3)	1,332.	1,531.	2,067.
			54"	RSAWR542-()()(1/2/3)	1,421.	1,637.	2,211.
			60"	RSAWR602-()()(1/2/3)	1,523.	1,748.	2,361.
66"	RSAWR662-()()(1/2/3)		1,572.	1,809.	2,442.		
72"	RSAWR722-()()(1/2/3)		1,644.	1,890.	2,551.		
78"	RSAWR782-()()(1/2/3)		1,721.	1,983.	2,678.		
84"	RSAWR842-()()(1/2/3)		1,788.	2,061.	2,782.		
90"	RSAWR902-()()(1/2/3)		1,876.	2,157.	2,910.		
96"	RSAWR962-()()(1/2/3)	1,946.	2,240.	3,024.			

Worksurfaces

Order Code

Example:	RSAWR241F2
R	Reff
S	Straight top
A	1 1/4" thick
WR	Waterfall front and right
24	24" wide
1	20" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
 N = No grommet
 F = Flush front grommet location
 R = Recessed front
 (not recommended on 20"D and 24"D tops)

2. Finish type:
 1 = V1
 2 = V2
 3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall edge

worksurface tops

1 1/4" thick rectilinear with 2" waterfall edge front and right side

30" and 36" deep

Reff

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-()(1/2/3)	\$1,118.	\$1,284.	\$1,733.	
		30"	RSAWR303-()(1/2/3)	1,254.	1,441.	1,946.	
		36"	RSAWR363-()(1/2/3)	1,350.	1,553.	2,097.	
		42"	RSAWR423-()(1/2/3)	1,405.	1,616.	2,180.	
		48"	RSAWR483-()(1/2/3)	1,502.	1,730.	2,336.	
		54"	RSAWR543-()(1/2/3)	1,622.	1,869.	2,523.	
		60"	RSAWR603-()(1/2/3)	1,683.	1,934.	2,611.	
		66"	RSAWR663-()(1/2/3)	1,718.	1,980.	2,674.	
		72"	RSAWR723-()(1/2/3)	1,762.	2,025.	2,733.	
		78"	RSAWR783-()(1/2/3)	1,845.	2,122.	2,865.	
		84"	RSAWR843-()(1/2/3)	1,917.	2,207.	2,980.	
		90"	RSAWR903-()(1/2/3)	2,008.	2,309.	3,117.	
		96"	RSAWR963-()(1/2/3)	2,080.	2,390.	3,227.	
		36"	60"	RSAWR604-()(1/2/3)	1,942.	2,232.	3,014.
			66"	RSAWR664-()(1/2/3)	2,011.	2,311.	3,119.
			72"	RSAWR724-()(1/2/3)	2,077.	2,387.	3,223.

Order Code

Example:	RSAWR243F2
R	Reff
S	Straight top
A	1 1/4" thick
WR	Waterfall front and right
24	24" wide
3	30" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
 N = No grommet
 F = Flush front grommet location
 R = Recessed front
 (not recommended on 20"D and 24"D tops)

2. Finish type:
 1 = V1
 2 = V2
 3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.






Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall edge
 worksurface tops
 1 1/4" thick curvilinear transition and end tops
 with 2" waterfall edge front only

Reff

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 24") 	24"	42"	20"	RWAWF4221-()(1/2/3)	\$950.	\$1,095.	\$1,479.
	24"	48"	20"	RWAWF4821-()(1/2/3)	1,000.	1,150.	1,553.
	24"	54"	20"	RWAWF5421-()(1/2/3)	1,071.	1,230.	1,661.
	24"	60"	20"	RWAWF6021-()(1/2/3)	1,144.	1,315.	1,777.
	24"	66"	20"	RWAWF6621-()(1/2/3)	1,178.	1,354.	1,828.
	24"	72"	20"	RWAWF7221-()(1/2/3)	1,234.	1,420.	1,917.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232-()(1/2/3)	1,026.	1,178.	1,592.
	30"	48"	24"	RWAWF4832-()(1/2/3)	1,068.	1,227.	1,656.
	30"	54"	24"	RWAWF5432-()(1/2/3)	1,150.	1,326.	1,789.
	30"	60"	24"	RWAWF6032-()(1/2/3)	1,230.	1,418.	1,915.
	30"	66"	24"	RWAWF6632-()(1/2/3)	1,276.	1,467.	1,980.
	30"	72"	24"	RWAWF7232-()(1/2/3)	1,339.	1,541.	2,080.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212-()(1/2/3)	950.	1,095.	1,479.
	20"	48"	24"	RWAWF4812-()(1/2/3)	1,000.	1,150.	1,553.
	20"	54"	24"	RWAWF5412-()(1/2/3)	1,071.	1,230.	1,661.
	20"	60"	24"	RWAWF6012-()(1/2/3)	1,144.	1,315.	1,777.
	20"	66"	24"	RWAWF6612-()(1/2/3)	1,178.	1,354.	1,828.
	20"	72"	24"	RWAWF7212-()(1/2/3)	1,234.	1,420.	1,917.
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	RWAWF4223-()(1/2/3)	1,026.	1,178.	1,592.
	24"	48"	30"	RWAWF4823-()(1/2/3)	1,068.	1,227.	1,656.
	24"	54"	30"	RWAWF5423-()(1/2/3)	1,150.	1,326.	1,789.
	24"	60"	30"	RWAWF6023-()(1/2/3)	1,230.	1,418.	1,915.
	24"	66"	30"	RWAWF6623-()(1/2/3)	1,276.	1,467.	1,980.
	24"	72"	30"	RWAWF7223-()(1/2/3)	1,339.	1,541.	2,080.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631-()(1/2/3)	1,264.	1,449.	1,958.
	32"	42"	20"	RWEAWF4231-()(1/2/3)	1,313.	1,512.	2,041.
	32"	48"	20"	RWEAWF4831-()(1/2/3)	1,385.	1,594.	2,151.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	1. <i>Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	2. <i>Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.




1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall edge
 worksurface tops
 1 1/4" thick curvilinear transition and end tops
 with 2" waterfall edge front only

Reff

description	d left	w	d right	pattern no.	V1	V2	V3
Wave end top with waterfall edge front (right 24") 	36"	36"	24"	RWEAWF3662-()(1/2/3)	\$1,305.	\$1,501.	\$2,027.
	36"	42"	24"	RWEAWF4262-()(1/2/3)	1,347.	1,551.	2,093.
	36"	48"	24"	RWEAWF4862-()(1/2/3)	1,431.	1,644.	2,219.
Wave end top with waterfall edge front (left 20") 	20"	36"	32"	RWEAWF3613-()(1/2/3)	1,264.	1,449.	1,958.
	20"	42"	32"	RWEAWF4213-()(1/2/3)	1,313.	1,512.	2,041.
	20"	48"	32"	RWEAWF4813-()(1/2/3)	1,385.	1,594.	2,151.
Wave end top with waterfall edge front (left 24") 	24"	36"	36"	RWEAWF3626-()(1/2/3)	1,305.	1,501.	2,027.
	24"	42"	36"	RWEAWF4226-()(1/2/3)	1,347.	1,551.	2,093.
	24"	48"	36"	RWEAWF4826-()(1/2/3)	1,431.	1,644.	2,219.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	1. <i>Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	2. <i>Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.


Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall edge

worksurface tops

1 1/4" thick curvilinear corner tops with 2" waterfall edge front only

Reff

description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	RCAWF363611-()(1/2/3)	\$1,501.	\$1,728.	\$2,332.
	36"	42"	RCAWF364211-()(1/2/3)	1,589.	1,827.	2,468.
	36"	48"	RCAWF364811-()(1/2/3)	1,686.	1,940.	2,620.
	42"	36"	RCAWF423611-()(1/2/3)	1,589.	1,827.	2,468.
	42"	42"	RCAWF424211-()(1/2/3)	1,686.	1,940.	2,620.
	42"	48"	RCAWF424811-()(1/2/3)	1,842.	2,119.	2,861.
	48"	36"	RCAWF483611-()(1/2/3)	1,686.	1,940.	2,620.
	48"	42"	RCAWF484211-()(1/2/3)	1,842.	2,119.	2,861.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	RCAWF363622-()(1/2/3)	1,701.	1,960.	2,646.
	36"	42"	RCAWF364222-()(1/2/3)	1,788.	2,061.	2,782.
	36"	48"	RCAWF364822-()(1/2/3)	1,887.	2,172.	2,932.
	42"	36"	RCAWF423622-()(1/2/3)	1,788.	2,061.	2,782.
	42"	42"	RCAWF424222-()(1/2/3)	1,887.	2,172.	2,932.
	42"	48"	RCAWF424822-()(1/2/3)	2,043.	2,352.	3,175.
	48"	36"	RCAWF483622-()(1/2/3)	1,887.	2,172.	2,932.
	48"	42"	RCAWF484222-()(1/2/3)	2,043.	2,352.	3,175.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	RCAWF363612-()(1/2/3)	1,568.	1,803.	2,434.
	36"	42"	RCAWF364212-()(1/2/3)	1,659.	1,905.	2,572.
	36"	48"	RCAWF364812-()(1/2/3)	1,754.	2,017.	2,724.
	42"	36"	RCAWF423612-()(1/2/3)	1,659.	1,905.	2,572.
	42"	42"	RCAWF424212-()(1/2/3)	1,754.	2,017.	2,724.
	42"	48"	RCAWF424812-()(1/2/3)	1,910.	2,195.	2,963.
	48"	36"	RCAWF483612-()(1/2/3)	1,754.	2,017.	2,724.
	48"	42"	RCAWF484212-()(1/2/3)	1,910.	2,195.	2,963.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	RCAWF363621-()(1/2/3)	1,568.	1,803.	2,434.
	36"	42"	RCAWF364221-()(1/2/3)	1,659.	1,905.	2,572.
	36"	48"	RCAWF364821-()(1/2/3)	1,754.	2,017.	2,724.
	42"	36"	RCAWF423621-()(1/2/3)	1,659.	1,905.	2,572.
	42"	42"	RCAWF424221-()(1/2/3)	1,754.	2,017.	2,724.
	42"	48"	RCAWF424821-()(1/2/3)	1,910.	2,195.	2,963.
	48"	36"	RCAWF483621-()(1/2/3)	1,754.	2,017.	2,724.
	48"	42"	RCAWF484221-()(1/2/3)	1,910.	2,195.	2,963.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RCAWF363611F2	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Grommet option	Waterfall tops cannot be specified with semi-open pore finish.
C Curved front corner	2. Top finish type	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
A 1 1/4" thick	3. Top finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
WF Waterfall front	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
36 36" wide on left back	<i>1. Grommet options:</i>	
36 36" wide on right back	N = No grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	F = Standard corner location	See Planning Guide for grommet locations.
1 20" deep on right side		
F Standard grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall edge
 1 1/4" thick meeting tops
 with 2" waterfall edge

Reff

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230- ()(1/2/3)	\$1,917.	\$2,206.	\$2,977.
		48"	RMDAWF4830- ()(1/2/3)	2,068.	2,378.	3,210.
		54"	RMDAWF5430- ()(1/2/3)	2,220.	2,553.	3,447.
		60"	RMDAWF6030- ()(1/2/3)	2,372.	2,727.	3,680.
		66"	RMDAWF6630- ()(1/2/3)	2,526.	2,906.	3,923.
		72"	RMDAWF7230- ()(1/2/3)	2,681.	3,085.	4,164.
		78"	RMDAWF7830- ()(1/2/3)	3,036.	3,487.	4,709.
		84"	RMDAWF8430- ()(1/2/3)	3,388.	3,894.	5,258.
		90"	RMDAWF9030- ()(1/2/3)	3,781.	4,348.	5,870.
	96"	RMDAWF9630- ()(1/2/3)	4,175.	4,799.	6,479.	
	36"	42"	RMDAWF4236- ()(1/2/3)	2,115.	2,430.	3,279.
		48"	RMDAWF4836- ()(1/2/3)	2,311.	2,657.	3,588.
		54"	RMDAWF5436- ()(1/2/3)	2,640.	3,040.	4,104.
		60"	RMDAWF6036- ()(1/2/3)	2,964.	3,408.	4,602.
		66"	RMDAWF6636- ()(1/2/3)	3,015.	3,469.	4,683.
		72"	RMDAWF7236- ()(1/2/3)	3,065.	3,526.	4,760.
		78"	RMDAWF7836- ()(1/2/3)	3,450.	3,968.	5,354.
		84"	RMDAWF8436- ()(1/2/3)	3,840.	4,415.	5,960.
90"		RMDAWF9036- ()(1/2/3)	4,045.	4,656.	6,284.	
96"	RMDAWF9636- ()(1/2/3)	4,434.	5,096.	6,881.		

Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230- ()(1/2/3)	2,636.	3,030.	4,090.
---	-----	-----	-------------------------------	--------	--------	--------






Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230- ()(1/2/3)	2,636.	3,030.	4,090.
---	-----	-----	-------------------------------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
WF Waterfall all except flat side	4. Top finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
42 42" wide	5. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	Applicable finishes are listed on page 5 and 6.
N No grommet	2. <i>Grommet options:</i> N = No grommet	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	F = Flush front grommet location	
V319 Medium cherry	R = Recessed front	
	C = Centered (only on D-tops)	
	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	
	Note wraps around panel tops only, require specification of mating trim profile.	

Waterfall edge
 1 1/4" thick meeting tops
 with 2" waterfall edge

Reff


description	d	w	pattern no.	V1	V2	V3
Worksurface 9-top 	30"	84"	RM9AWF8430-()(1/2/3)	\$5,363.	\$6,168.	\$8,326.
	30"	96"	RM9AWF9630-()(1/2/3)	5,588.	6,422.	8,671.
Worksurface P-top 	30"	84"	RMPAWF8430-()(1/2/3)	5,363.	6,168.	8,326.
	30"	96"	RMPAWF9630-()(1/2/3)	5,588.	6,422.	8,671.
Wrap around panel top 	21 1/2"	42 1/2"	RMDAWF4221-()(1/2/3)()	2,468.	2,836.	3,828.
	25 1/2"	50 1/2"	RMDAWF5025-()(1/2/3)()	2,704.	3,110.	4,199.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	Refer to Planning Guide for modesty panel size requirements and all other support options.
WF Waterfall all except flat side	4. Top finish	
42 42" wide	5. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
N No grommet	2. <i>Grommet options:</i> N = No grommet	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
2 V2 finish	F = Flush front grommet location	
V319 Medium cherry	R = Recessed front	Products on this page are shipped without hardware which must be ordered separately from the support components section.
	C = Centered (only on D-tops)	
	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	Note wraps around panel tops only, require specification of mating trim profile.	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Applicable finishes are listed on page 5 and 6.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall edge
 1 1/4" thick bow front tops
 with 2" waterfall edge front and back


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall edge on front and back 	72"	30"		RMBAWA7230-()(1/2/3)		\$2,659.	\$3,062.	\$4,134.
	84"	30"		RMBAWA8430-()(1/2/3)		2,936.	3,377.	4,558.
	96"	30"		RMBAWA9630-()(1/2/3)		3,257.	3,745.	5,057.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

Waterfall edge on front and back - 36"D 	72"	36"		RMBAWA7236-()(1/2/3)		2,829.	3,253.	4,391.
	84"	36"		RMBAWA8436-()(1/2/3)		3,105.	3,570.	4,819.
	96"	36"		RMBAWA9636-()(1/2/3)		3,443.	3,955.	5,340.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel 	40"	1"	26 1/2"	RB40MR-()	309.	398.	456.	616.
	52"	1"	26 1/2"	RB52MR-()	364.	468.	538.	727.
	64"	1"	26 1/2"	RB64MR-()	397.	515.	594.	802.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.



Order Code	Specification Information	Application Notes
Example: RCBAWA7230F2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
CB Bow front	2. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
WA Waterfall front/back	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
72 72" wide	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 182 of planning guide for application details.
30 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall edge
 1 1/4" thick bow front tops
 with 2" waterfall edge front and back

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	\$436.	\$658.	\$763.	\$1,030.
	16"	30"	26 1/2"	REBH30	451.	671.	782.	1,055.
Waterfall elliptical tops 	60"	30"		REBAWA6030()		3,758.	4,320.	5,833.
	72"	42"		REBAWA7242()		5,342.	6,147.	8,298.
	78"	48"		REBAWA7848()		5,862.	6,743.	9,104.

Worksurfaces





Order Code	Specification Information	Application Notes
Example: RCBAWA7230F2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
CB Bow front	2. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
WA Waterfall front/back	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
72 72" wide	1. <i>Grommet options:</i>	Shipped with hardware. Refer to page 182 of planning guide for application details.
30 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall edge
 1 1/4" thick conference room tops
 round and racetrack
 with 2" waterfall edge






Reff

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	RTAW7230-(1/2/3)	\$3,758.	\$4,320.	\$5,833.
	84"	30"	RTAW8430-(1/2/3)	4,182.	4,810.	6,494.
	96"	30"	RTAW9630-(1/2/3)	4,656.	5,353.	7,228.
	72"	36"	RTAW7236-(1/2/3)	4,283.	4,923.	6,646.
	84"	36"	RTAW8436-(1/2/3)	4,815.	5,537.	7,473.
	96"	36"	RTAW9636-(1/2/3)	5,342.	6,147.	8,298.
	84"	42"	RTAW8442-(1/2/3)	5,862.	6,743.	9,104.
	96"	42"	RTAW9642-(1/2/3)	6,563.	7,546.	10,186.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RTAW12036-(1/2/3)	6,901.	7,934.	10,712.
	120"	42"	RTAW12042-(1/2/3)	7,441.	8,556.	11,552.
	144"	42"	RTAW14442-(1/2/3)	8,205.	9,436.	12,739.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RTAW16842-(1/2/3)	10,289.	11,834.	15,976.
	192"	42"	RTAW19242-(1/2/3)	11,054.	12,714.	17,165.
	RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Round tops, Waterfall edge on all sides except on parting lines 	-	36"	RTAW3636-(1/2/3)	2,115.	2,835.	3,827.
	-	42"	RTAW4242-(1/2/3)	2,448.	3,285.	4,436.
	*	60"	RTAW6060-(1/2/3)	6,324.	7,269.	9,814.
	*	72"	RTAW7272-(1/2/3)	7,827.	9,000.	12,150.

Order Code	Specification Information	Application Notes
Example: RTAW72302	<i>To order please specify pattern number including:</i>	Top to top brackets included.
R Reff	1. Top thickness	See table base matrix in Planning Guide for base supports recommended.
T Rounded top	2. Finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
A 1 1/4" thick	3. Finish	Tops have no radius on edges that adjoin.
W Waterfall all sides	<i>1. Thickness option:</i> A = 1 1/4"	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
72 72" wide	<i>2. Finish type:</i> 1 = V1 2 = V2 3 = V3	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep		
2 V2 finish		
V319 Medium cherry	*Round tops in two pieces.	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall edge
 1 1/4" thick conference room tops
 square and rectangular
 with 2" waterfall edge

Reff



description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	RRAW7230-(1/2/3)	\$1,984.	\$2,284.	\$3,084.
	84"	30"	RRAW8430-(1/2/3)	2,195.	2,526.	3,410.
	96"	30"	RRAW9630-(1/2/3)	2,463.	2,833.	3,824.
	72"	36"	RRAW7236-(1/2/3)	2,156.	2,480.	3,347.
	84"	36"	RRAW8436-(1/2/3)	2,359.	2,709.	3,658.
	96"	36"	RRAW9636-(1/2/3)	2,724.	3,130.	4,226.
	84"	42"	RRAW8442-(1/2/3)	3,487.	4,008.	5,412.
	96"	42"	RRAW9642-(1/2/3)	3,998.	4,598.	6,207.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RRAW12036-(1/2/3)	4,362.	5,021.	6,778.
	120"	42"	RRAW12042-(1/2/3)	6,021.	6,925.	9,349.
	144"	42"	RRAW14442-(1/2/3)	6,764.	7,779.	10,501.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RRAW16842-(1/2/3)	8,869.	10,202.	13,774.
	192"	42"	RRAW19242-(1/2/3)	9,610.	11,050.	14,918.
	RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Square top - one piece 	-	36"	RRAW3636-(1/2/3)	1,535.	2,056.	2,777.
	-	42"	RRAW4242-(1/2/3)	1,984.	2,662.	3,594.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	RRAW6060-(1/2/3)	4,064.	4,672.	6,307.
	-	72"	RRAW7272-(1/2/3)	4,799.	5,520.	7,451.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RRAW72302 R Reff R Rectangular A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Top to top brackets included. Tops have no radius on edges that adjoin. See table base matrix in Planning Guide for base supports recommended. 1 1/4" tops require support at mid point to reduce spans to 48" or less. Waterfall tops cannot be specified with semi-open pore finish.

Cascade edge
worksurface tops
Rectilinear 24" and 30" deep


Reff

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  <i>shown with grommet</i>	24"	24"	RCE1R2424N	\$224.	\$195.
	24"	30"	RCE1R3024N	258.	224.
	24"	36"	RCE1R3624N	286.	248.
	24"	42"	RCE1R4224N	329.	286.
	24"	48"	RCE1R4824N	369.	321.
	24"	54"	RCE1R5424N	396.	345.
	24"	60"	RCE1R6024N	430.	374.
	24"	66"	RCE1R6624N	464.	404.
	24"	72"	RCE1R7224N	486.	422.
	24"	78"	RCE1R7824N	521.	453.
	24"	84"	RCE1R8424N	550.	479.
	24"	90"	RCE1R9024N	621.	540.
24"	96"	RCE1R9624N	678.	590.	
30"D Rectangular  <i>shown with grommet</i>	30"	24"	RCE1R2430N	287.	249.
	30"	30"	RCE1R3030N	321.	279.
	30"	36"	RCE1R3630N	357.	310.
	30"	42"	RCE1R4230N	387.	337.
	30"	48"	RCE1R4830N	430.	374.
	30"	54"	RCE1R5430N	487.	423.
	30"	60"	RCE1R6030N	535.	465.
	30"	66"	RCE1R6630N	596.	519.
	30"	72"	RCE1R7230N	621.	540.
	30"	78"	RCE1R7830N	663.	577.
	30"	84"	RCE1R8430N	705.	613.
	30"	90"	RCE1R9030N	758.	659.
30"	96"	RCE1R9630N	810.	705.	

Order Code	Specification Information	Application Notes
Example: RCE1R3024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
R Reff	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
CE1 Cascade edge	<i>Solid:</i>	All support hardware ordered separately.
R Rectangular	114 Folkstone Grey	Tops require mid span support to reduce spans to 48" or less.
30 Width	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 204 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Finish	Woodgrain:	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade edge
worksurface tops
blended "D"

Reff


description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	66"	48"	24"	RCE1BD6648S(L/R)	\$909.	\$791.
	66"	48"	30"	RCE1BD6648D(L/R)	957.	831.
	72"	48"	24"	RCE1BD7248S(L/R)	931.	808.
	72"	48"	30"	RCE1BD7248D(L/R)	992.	862.
	78"	48"	24"	RCE1BD7848S(L/R)	1,074.	934.
	78"	48"	30"	RCE1BD7848D(L/R)	1,109.	965.
	84"	48"	24"	RCE1BD8448S(L/R)	1,103.	959.
	84"	48"	30"	RCE1BD8448D(L/R)	1,172.	1,020.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCE1BD6648SR 118	<i>To order please specify pattern number including:</i>	All support hardware ordered separately.
R Reff	1. Return depth (dimension C on line art, hard coded in pattern number)	Tops require mid span support to reduce spans to 48" or less.
CE1 Cascade edge	S = 24" return	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 204 as required to support Cascade edge worksurfaces for Reff panel hung applications.
BD Blended "D"	D = 30" return	Cascade edge worksurfaces are not recommended for free-standing applications.
66 Width	2. Hand (left or right)	Actual width ¹ / ₁₆ " less nominal. Actual depth ³ / ₈ " less nominal for cord drop.
48 Depth	3. Finish	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
S 24" return	<i>Solid:</i>	
R right hand	114 Folkstone Grey	
118 Finish	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade edge
worksurface tops
curvilinear corner


Reff

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	36"	24"	24"	RCE1L3636SSN	\$563.	\$489.
	42"	24"	24"	RCE1L4242SSN	678.	590.
	42"	24"	30"	RCE1L4242SDN	805.	701.
	42"	30"	24"	RCE1L4242DSN	805.	701.
	48"	24"	24"	RCE1L4848SSN	763.	663.
	48"	24"	30"	RCE1L4848SDN	912.	793.
	48"	30"	24"	RCE1L4848DSN	912.	793.
	48"	30"	30"	RCE1L4848DDN	819.	712.

Order Code	Specification Information	Application Notes
<p>Example: RCE1L4848SSG 114</p> <p>RCE1 Reff Cascade Edge worksurface</p> <p>L Curvilinear Corner top</p> <p>48 Width</p> <p>48 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>G Grommet</p> <p>114 Folkstone Grey finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number)</p> <p>SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right</p> <p>2. Grommets (hard coded in pattern number)</p> <p>N= no grommets G= grommets</p> <p>3. Finish</p> <p><i>Solid:</i></p> <p>114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain:</p> <p>124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked A.</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p> <p>All support hardware ordered separately.</p> <p>Tops require mid span support to reduce spans to 48" or less.</p> <p>Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 204 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width $\frac{1}{16}$" less nominal. Actual depth $\frac{3}{8}$" less nominal for cord drop.</p>
<p>Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.</p>	<p>Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p>	

Cascade edge
worksurface tops
blended "L"

Reff

description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	RCE1L4260SSN	\$932.	\$810.
	42"	66"	24"	24"	RCE1L4266SSN	957.	831.
	42"	72"	24"	24"	RCE1L4272SSN	993.	863.
	42"	78"	24"	24"	RCE1L4278SSN	1,003.	873.
	48"	60"	24"	24"	RCE1L4860SSN	943.	821.
	48"	60"	24"	30"	RCE1L4860SDN	927.	805.
	48"	60"	30"	24"	RCE1L4860DSN	927.	805.
	48"	66"	24"	24"	RCE1L4866SSN	977.	850.
	48"	66"	24"	30"	RCE1L4866SDN	974.	847.
	48"	66"	30"	24"	RCE1L4866DSN	974.	847.
	48"	72"	24"	24"	RCE1L4872SSN	1,013.	881.
	48"	72"	24"	30"	RCE1L4872SDN	1,020.	886.
	48"	72"	30"	24"	RCE1L4872DSN	1,020.	886.
	48"	78"	24"	24"	RCE1L4878SSN	1,117.	971.
	48"	84"	24"	24"	RCE1L4884SSN	1,256.	1,092.
	60"	42"	24"	24"	RCE1L6042SSN	932.	810.
	60"	48"	24"	24"	RCE1L6048SSN	943.	821.
	60"	48"	24"	30"	RCE1L6048SDN	927.	805.
	60"	48"	30"	24"	RCE1L6048DSN	927.	805.
	66"	42"	24"	24"	RCE1L6642SSN	957.	831.
	66"	48"	24"	24"	RCE1L6648SSN	977.	850.
	66"	48"	24"	30"	RCE1L6648SDN	974.	847.
	66"	48"	30"	24"	RCE1L6648DSN	974.	847.
	72"	42"	24"	24"	RCE1L7242SSN	993.	863.
	72"	48"	24"	24"	RCE1L7248SSN	1,013.	881.
	72"	48"	24"	30"	RCE1L7248SDN	1,020.	886.
	72"	48"	30"	24"	RCE1L7248DSN	1,020.	886.
	78"	42"	24"	24"	RCE1L7842SSN	1,003.	873.
	78"	48"	24"	24"	RCE1L7848SSN	1,117.	971.
	84"	48"	24"	24"	RCE1L8448SSN	1,256.	1,092.





Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: RCE1L4260SSG 114</p> <p>RCE1 Cascade edge worksurface</p> <p>L Blended "L" top</p> <p>42 Width</p> <p>60 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>G Grommets</p> <p>114 Top finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number): SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right</p> <p>2. Grommets (hard coded in pattern number): N= no grommets G= grommets</p> <p>3. Finishes: Solid: 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p> <p>All support hardware ordered separately.</p> <p>Tops require mid span support to reduce spans to 48" or less.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 204 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p>

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge
worksurface tops
half round and corner round

Reff

description	w	d	pattern no.	Woodgrain	Solid
	48"	18"	RCE1H4818	\$486.	\$422.
	50 1/2"	18"	RCE1H4818P	486.	422.
	60"	24"	RCE1H6024	670.	581.
	62 1/2"	24"	RCE1H6024P	670.	581.
LH Corner Round	24"	24"	RCE1CR24L	258.	224.
					
RH Corner Round	24"	24"	RCE1CR24R	258.	224.
					
Notched Corner Round	24"	24"	RCE1CR24N	258.	224.
					

Order Code

Example:	RCE1H4818P 118
R	Reff
CE1	Cascade edge
H	Half round
48	Width
18	Depth
P	Notch for panel trim
118	Finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Information

All support hardware ordered separately.

Tops require mid span support to reduce spans to 48" or less.

Specify cantilever bracket from page 204 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Half round tops with suffix P, notched for panel end trim profile B square only.



Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge
worksurface tops
wave end

Reff

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	15"	3"	RCE1W363024N	\$604.	\$525.
	42"	24"	30"	15"	9"	RCE1W423024N	635.	551.
	48"	24"	30"	15"	15"	RCE1W483024N	679.	591.
	72"	24"	30"	23 1/2"	30 1/2"	RCE1W723024N	864.	752.
<i>shown with grommet</i>								
Wave End, RH 	36"	30"	24"	3"	15"	RCE1W362430N	604.	525.
	42"	30"	24"	9"	15"	RCE1W422430N	635.	551.
	48"	30"	24"	15"	15"	RCE1W482430N	679.	591.
	72"	30"	24"	30 1/2"	23 1/2"	RCE1W722430N	864.	752.
<i>shown with grommet</i>								

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RCE1W483024N 118	<i>To order please specify pattern number including finish: Available finishes:</i>	Center-located edge grommet.
RCE1 Cascade edge worksurface	<i>Solid:</i>	To specify grommet, replace the "N" suffix in pattern number with "C". Add \$20.
W Wave end	114 Folkstone Grey	All support hardware ordered separately.
48 Width	117 Soft Grey	Tops require mid span support to reduce spans to 48" or less.
30 Depth, left side	118 Bright White	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 204 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth, right side	119 Pumice	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	Woodgrain:	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Top finish	124 Medium Cherry	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Top support components

Bracketry


Reff

description	d	pattern no.	P1 & black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$86.	\$90.	\$94.
	24"	RBC24 (L/R)	94.	100.	106.




Specify paint finish
 18" for 20" and 24"d tops
 24" for 30" and 36"d tops
 Ships with machine screws for fastening to underside of worksurfaces with metal inserts

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	86.	90.	94.
	24"	ASBC24 (L/R) ()	94.	100.	106.



Specify paint finish
 18" for 24"d tops
 24" for 30" d tops
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)

Mid-span cantilever bracket, free standing	17"	RMSCB ()	69.	74.	78.
--	-----	------------------	-----	-----	-----








Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 327 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components

Bracketry

Reff

description	d	pattern no.	P1 & black only	P2	P3
Corner top corner bracket 		RBCC	\$17.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	38.	41.	42.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	8.		
	Black only				
Top to top bracket 	6" x 1"	RBF (Pair)	6.		
	Black only				
Wall hung support bracket 	20"	RSBWH20	39.	41.	43.
	24"	RSBWH24	41.	45.	47.
	30"	RSBWH30	45.	47.	49.
	36"	RSBWH36	49.	52.	55.
	42"	RSBWH42	52.	55.	58.
	48"	RSBWH48	63.	66.	69.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	33.		
	Black only				




Support components

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 327 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components

Bracketry

Reff

description	d	pattern no.	P1 & black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$7.	\$7.	\$8.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	12.	12.
		Specify paint finish			
Utility bracket		RUTB	11.		
		Black only			
L Bracket for off-module applications		R113B	5.		
		One by one by three bracket			


Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 327 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components


26 1/2" high

Reff


description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$144.	\$204.	\$233.	\$316.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	260.	365.	420.	567.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	287.	400.	461.	621.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	309.	435.	499.	675.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	347.	489.	562.	759.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	364.	513.	589.	796.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	378.	529.	608.	820.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	393.	552.	637.	862.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	432.	608.	699.	944.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	462.	647.	747.	1,009.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	488.	687.	788.	1,064.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	517.	727.	834.	1,127.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	530.	745.	855.	1,154.



Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. ¹ / ₁₆ " actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	170.	294.	338.	457.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	182.	313.	360.	486.
	19"	1"	26 1/2"	RE19F-()	197.	329.	377.	509.
	23"	1"	26 1/2"	RE23F-()	207.	343.	396.	534.
	29"	1"	26 1/2"	RE29F-()	220.	362.	416.	562.



Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	443.	720.	829.	1,119.
	36"	1"	26 1/2"	RE36-()	468.	754.	868.	1,171.




Support components

Order Code	Specification Information	Application Notes
Example: RB24MFL		
R Reff	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
B Back panel	1. <i>Modesty type</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
24 48" panel dimension	2. <i>Modesty placement</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Full height modesty	3. <i>Finish type</i>	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
F Flush modesty placement	4. <i>Finish</i>	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
L Laminate	1. <i>Modesty type:</i> M = Standard height (26 1/2"H) H = Half height	
114 Folkstone grey	2. <i>Modesty placement:</i> F = Flush, cantilevered R = Recessed	
	3. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	


Top support components

26 1/2" high

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	\$170.	\$294.	\$338.	\$457.
	16"	1"	26 1/2"	RSE2(L/R)-()	182.	313.	360.	486.
	20"	1"	26 1/2"	RSE3(L/R)-()	197.	329.	377.	509.
	24"	1"	26 1/2"	RSE4(L/R)-()	207.	343.	396.	534.
	30"	1"	26 1/2"	RSE5(L/R)-()	220.	362.	416.	562.
	36"	1"	26 1/2"	RSE6(L/R)-()	233.	377.	435.	588.

left hand shown

Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	RB3636-()	937.	1,390.	1,599.	2,159.
	36"	42"	26 1/2"	RB3642-()	958.	1,426.	1,641.	2,215.
	36"	48"	26 1/2"	RB3648-()	999.	1,481.	1,698.	2,293.
	42"	36"	26 1/2"	RB4236-()	958.	1,426.	1,641.	2,215.
	42"	42"	26 1/2"	RB4242-()	983.	1,461.	1,683.	2,273.
	42"	48"	26 1/2"	RB4248-()	1,021.	1,513.	1,742.	2,351.
	48"	36"	26 1/2"	RB4836-()	999.	1,481.	1,698.	2,293.
	48"	42"	26 1/2"	RB4842-()	1,021.	1,513.	1,742.	2,351.
	48"	48"	26 1/2"	RB4848-()	1,060.	1,569.	1,816.	2,451.

Order Code

Example: RB24MFL	
R	Reff
B	Back panel
24	48" panel dimension
M	Full height modesty
F	Flush modesty placement
L	Laminate
114	Folkstone grey

Specification Information

To order please specify pattern number including:

1. Modesty type
2. Modesty placement
3. Finish type
4. Finish

1. Modesty type:
M = Standard height (26 1/2"H)
H = Half height

2. Modesty placement:
F = Flush, cantilevered
R = Recessed

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.



Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.

Glides ship with all supports on this page except the recessed modesty panel.

Please see Planning Guide for freestanding planning instruction.

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware (desk height) 	1"	24"	28 ³ / ₈ "	RBDH24M(F/R) () ()	\$151.	\$215.	\$245.	\$330.
	1"	30"	28 ³ / ₈ "	RBDH30M(F/R) () ()	272.	385.	442.	596.
	1"	36"	28 ³ / ₈ "	RBDH36M(F/R) () ()	302.	420.	482.	651.
	1"	42"	28 ³ / ₈ "	RBDH42M(F/R) () ()	324.	456.	526.	709.
	1"	48"	28 ³ / ₈ "	RBDH48M(F/R) () ()	365.	513.	590.	797.
	1"	54"	28 ³ / ₈ "	RBDH54M(F/R) () ()	382.	538.	617.	833.
	1"	60"	28 ³ / ₈ "	RBDH60M(F/R) () ()	397.	553.	637.	862.
	1"	66"	28 ³ / ₈ "	RBDH66M(F/R) () ()	411.	580.	670.	904.
	1"	72"	28 ³ / ₈ "	RBDH72M(F/R) () ()	454.	637.	733.	989.
	1"	78"	28 ³ / ₈ "	RBDH78M(F/R) () ()	485.	678.	785.	1,060.
	1"	84"	28 ³ / ₈ "	RBDH84M(F/R) () ()	513.	720.	827.	1,117.
	1"	90"	28 ³ / ₈ "	RBDH90M(F/R) () ()	543.	762.	877.	1,183.
	1"	96"	28 ³ / ₈ "	RBDH96M(F/R) () ()	554.	783.	897.	1,212.
	Desk height end panels with hardware for building flush or cantilevered worksurfaces 	1"	12"	28 ³ / ₈ "	REDH12F () () *	177.	312.	355.
1"		15"	28 ³ / ₈ "	REDH15F () () *	191.	328.	380.	513.
1"		19"	28 ³ / ₈ "	REDH19F () ()	206.	344.	396.	534.
1"		23"	28 ³ / ₈ "	REDH23F () ()	218.	360.	416.	562.
1"		29"	28 ³ / ₈ "	REDH29F () ()	231.	382.	436.	589.

Order Code

Example: RBDH24MFL114
R Reff
B Back panel/modesty
DH Desk height (28 ³ / ₈ ")
24 24"
M Full height modesty
F Modesty placement, flush
L Finish type, laminate
114 Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

- Modesty placement**
F = Flush, cantilevered
R = Recessed
- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
- Finish**

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.


Modesty panel lengths are nominal, length changes on option selected.

* Half depth end panels


Glides ship with all supports on this page except the recessed modesty panel.

Please see Reff Planning Guide for freestanding planning instructions.

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)	1"	30"	28 ³ / ₈ "	REDH30 () ()	\$465.	\$757.	\$870.	\$1,175.
	1"	36"	28 ³ / ₈ "	REDH36 () ()	491.	793.	910.	1,229.




Desk height end panel for panel (hardware included)	1"	13"	28 ³ / ₈ "	RSEDH1(L/R) () ()	177.	312.	355.	480.
	1"	16"	28 ³ / ₈ "	RSEDH2(L/R) () ()	191.	328.	380.	513.
	1"	20"	28 ³ / ₈ "	RSEDH3(L/R) () ()	206.	344.	396.	534.
	1"	24"	28 ³ / ₈ "	RSEDH4(L/R) () ()	218.	360.	416.	562.
	1"	30"	28 ³ / ₈ "	RSEDH5(L/R) () ()	231.	382.	436.	589.
	1"	36"	28 ³ / ₈ "	RSEDH6(L/R) () ()	246.	396.	456.	616.



left hand shown


Desk height corner worksurface support	36"	36"	28 ³ / ₈ "	RBDH3636 () ()	984.	1,460.	1,681.	2,269.
	36"	42"	28 ³ / ₈ "	RBDH3642 () ()	1,006.	1,498.	1,723.	2,326.
	36"	48"	28 ³ / ₈ "	RBDH3648 () ()	1,048.	1,554.	1,784.	2,410.
	42"	36"	28 ³ / ₈ "	RBDH4236 () ()	1,006.	1,498.	1,723.	2,326.
	42"	42"	28 ³ / ₈ "	RBDH4242 () ()	1,031.	1,534.	1,765.	2,383.
	42"	48"	28 ³ / ₈ "	RBDH4248 () ()	1,072.	1,587.	1,831.	2,473.
	48"	36"	28 ³ / ₈ "	RBDH4836 () ()	1,048.	1,554.	1,784.	2,410.
	48"	42"	28 ³ / ₈ "	RBDH4842 () ()	1,072.	1,587.	1,831.	2,473.
48"	48"	28 ³ / ₈ "	RBDH4848 () ()	1,112.	1,648.	1,908.	2,576.	



depth = left return, width = right return

Order Code	Specification Information	Application Notes
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty panel lengths are nominal, length changes on option selected.
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>	* Half depth end panels
24 24"	Applicable finishes are listed on page 5 and 6.	Glides ship with all supports on this page except the recessed modesty panel.
M Full height modesty	Product on this page will accept woodgrain laminate where laminate is currently an option.	Please see Reff Planning Guide for freestanding planning instructions.
F Modesty placement, flush	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
L Finish type, laminate		
114 Finish, Folkstone grey		

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bow top front, short modesty (pedestals ordered separately)	1"	40"	28 ³ / ₈ "	RBDH40MR () ()	\$324.	\$456.	\$526.	\$709.
	1"	52"	28 ³ / ₈ "	RBDH52MR () ()	382.	538.	617.	833.
	1"	64"	28 ³ / ₈ "	RBDH64MR () ()	411.	580.	670.	904.



Use of short modesty panel

Pedestals and finished back for pedestal must each be ordered separately
Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bulkhead (false pedestal)	24"	16"	28 ³ / ₈ "	REDHBH124 () ()	458.	755.	877.	1,183.
	30"	16"	28 ³ / ₈ "	REDHBH130 () ()	474.	771.	897.	1,212.



Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application







Order Code	
Example: RBDH24MFL114	
R	Reff
B	Back panel/modesty
DH	Desk height (28 ³ / ₈ ")
24	24"
M	Full height modesty
F	Modesty placement, flush
L	Finish type, laminate
114	Finish, Folkstone grey

Specification Information
<i>To order please specify pattern number including:</i>
1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed
2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3
3. <i>Finish</i>
Applicable finishes are listed on page 5 and 6.
Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes
Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
Modesty panel lengths are nominal, length changes on option selected.
* Half depth end panels
Glides ship with all supports on this page except the recessed modesty panel.
Please see Reff Planning Guide for freestanding planning instructions.
Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Bases, 26 1/2" high painted or plated

Reff

description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
Column leg, Interaction style (rectangular plate) 	4"	-	26 1/2"	-	RSC	\$233.	\$246.	\$253.
4" diameter base, plain cylinder 	4"	-	26 1/2"	-	RCB	245.	257.	269.
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	-	26 1/2"	-	RSC4-()	910.	954.	1,004.
Drum base 	14"		26 1/2"	-	RSD1427-()	1,065.	1,119.	1,174.
	18"		26 1/2"	-	RSD1827-()	1,157.	1,216.	1,275.
	20"		26 1/2"	-	RSD2027-()	1,194.	1,253.	1,315.
	24"		26 1/2"	-	RSD2427-()	1,429.	1,502.	1,576.
	30"		26 1/2"	-	RSD3027-()	1,598.	1,677.	1,760.
T-leg, Interaction style 	-		26 1/2"	24"	RIB24T	334.	350.	369.
T-Leg, plain tube style 	-		26 1/2"	20"	RCB20T-()	361.	379.	397.
	-		26 1/2"	24"	RCB24T-()	367.	388.	406.
	-		26 1/2"	30"	RCB30T-()	406.	425.	448.
	-		26 1/2"	40"	RCB40T-()	427.	450.	473.

Order Code

Example: **RSC**

R Reff

S Support

C Cylinder

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish

Finish type options:

P = Paint

M = Metal (plated)

Application Notes

Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.

Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.

Refer to Planning Guide for top-base matrix, pages 140 and 141.



All bases include 1 1/2" leveller.

Only the plain cylinder and tube legs can be ordered in plated finishes.

Applicable finishes are listed on page 5 and 6.

Bases, 26 1/2" high painted or plated

Reff




description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
X-base 		–	26 1/2"	28"	RIB28X-()	\$551.	\$580.	\$609.
		–	26 1/2"	32"	RIB32X-()	747.	786.	825.
Metal paint finishes only								
Spider base, plain tube style 		–	26 1/2"	24"	RCB24X	564.	593.	622.
		–	26 1/2"	28"	RCB28X	591.	620.	651.
		–	26 1/2"	36"	RCB36X	640.	674.	706.

Support components

Order Code	Specification Information	Application Notes	
Example: RSC	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Finish type, where applicable 2. Finish <p><i>Finish type options:</i> P = Paint M = Metal (plated)</p>	<p>Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.</p> <p>Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.</p> <p>Refer to Planning Guide for top-base matrix, pages 140 and 141.</p> <p>All bases include 1 1/2" leveller.</p>	
R Reff			Only the plain cylinder and tube legs can be ordered in plated finishes.
S Support			Applicable finishes are listed on page 5 and 6.
C Cylinder			

Bases, 26 1/2" high
laminated, V1, V2 or V3

Reff

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
Drum base 	14"		26 1/2"	–	RSD1427-()	n/a	\$1,245.	\$1,433.	\$1,935.
	18"		26 1/2"	–	RSD1827-()	n/a	1,352.	1,556.	2,102.
	20"		26 1/2"	–	RSD2027-()	n/a	1,396.	1,606.	2,167.
	24"		26 1/2"	–	RSD2427-()	n/a	1,674.	1,925.	2,599.
	30"		26 1/2"	–	RSD3027-()	n/a	1,870.	2,148.	2,899.
T-base (hardware included)* 	20"	26 1/2"	12"		RST1-()	398.	451.	527.	713.
	24"	26 1/2"	12"		RST2-()	426.	486.	558.	753.
	30"	26 1/2"	12"		RST3-()	501.	562.	652.	880.
	36"	26 1/2"	12"		RST4-()	569.	646.	741.	1,001.
	42"	26 1/2"	12"		RST5-()	631.	719.	828.	1,120.
	48"	26 1/2"	12"		RST6-()	704.	793.	916.	1,236.
L-base (hardware included), non-handed* 	12"	26 1/2"	12"		RSL12-()	398.	451.	527.	713.
	15"	26 1/2"	12"		RSL15-()	407.	462.	532.	718.
	20"	26 1/2"	12"		RSL20-()	426.	477.	551.	744.
	24"	26 1/2"	12"		RSL24-()	433.	486.	558.	753.
	30"	26 1/2"	12"		RSL30-()	501.	562.	652.	880.
	36"	26 1/2"	12"		RSL36-()	569.	646.	741.	1,001.
	42"	26 1/2"	12"		RSL42-()	631.	719.	828.	1,120.
	48"	26 1/2"	12"		RSL48-()	704.	793.	916.	1,236.

Order Code

Example: RSD	
R	Reff
S	Support
D	Drum base

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:

- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3

Application Notes

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1 1/2" leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.







List price for woodgrain laminate options will be current published laminate list price plus 10%.

T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 5 and 6.

Bases, 28³/₈" high *painted or plated*

Reff

description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	–	28 ³ / ₈ "		RSDHC () ()	\$246.	\$258.	\$270.
4" Plain Cylinder (desk height) 	4" dia	–	28 ³ / ₈ "		RCDHB () ()	257.	269.	283.
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	–	28 ³ / ₈ "		RSDHC4 () ()	956.	1,003.	1,054.
T-Leg, plain tube style (desk height) 		–	28 ³ / ₈ "	20"	RCDHB20T () ()	379.	398.	417.
		–	28 ³ / ₈ "	24"	RCDHB24T () ()	387.	406.	426.
		–	28 ³ / ₈ "	30"	RCDHB30T () ()	426.	448.	470.
		–	28 ³ / ₈ "	40"	RCDHB40T () ()	450.	473.	496.
T-Leg, Interaction style (desk height) 		–	28 ³ / ₈ "	24"	RIBDH24T () ()	350.	369.	388.
X-base (desk height) 		–	28 ³ / ₈ "	28"	RIBDH28X () ()	580.	608.	639.
		–	28 ³ / ₈ "	32"	RIBDH32X () ()	786.	824.	865.

Support components



Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i>	
S Support	P = Paint	
DH Desk Height	M = Metal (plated)	Interaction style cylinder base, column legs, T-leg and X-base are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated finishes.
C Column Leg	2. <i>Finish</i>	
P Finish type, paint	see matrix on page 5	
111 Finish, Jet Black	Applicable finishes are listed on page 5 and 6.	All bases include 1 ¹ / ₂ " leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29⁷/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Bases, 28³/₈" high *painted or plated*

Reff

description	dia	w	h	d	pattern no.	P1 paint/ metal	P2	P3
Spider base, plain tube style (desk height) 	–	–	28 ³ / ₈ "	24"	RCBDH24X () ()	\$593.	\$622.	\$653.
	–	–	28 ³ / ₈ "	28"	RCBDH28X () ()	620.	651.	684.
	–	–	28 ³ / ₈ "	36"	RCBDH36X () ()	674.	707.	741.
Drum Base (desk height) 	14"	–	28 ³ / ₈ "	–	RSDHD1428 () ()	1,119.	1,174.	1,234.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 () ()	1,216.	1,275.	1,339.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 () ()	1,253.	1,315.	1,380.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 () ()	1,502.	1,576.	1,655.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 () ()	1,677.	1,761.	1,848.




Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i>	
S Support	P = Paint	
DH Desk Height	M = Metal (plated)	Interaction style cylinder base, column legs, T-leg and X-base are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated finishes.
C Column Leg	2. <i>Finish</i>	
P Finish type, paint	see matrix on page 5	
111 Finish, Jet Black	Applicable finishes are listed on page 5 and 6.	All bases include 1 ¹ / ₂ " leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Bases, 28³/₈" high laminate, V1, V2 or V3

Reff

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 () ()	N/A	\$1,308.	\$1,504.	\$2,030.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 () ()	N/A	1,421.	1,633.	2,206.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 () ()	N/A	1,465.	1,684.	2,275.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 () ()	N/A	1,756.	2,022.	2,730.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 () ()	N/A	1,964.	2,255.	3,045.
 T-base, desk height (hardware included)	20"	28 ³ / ₈ "	12"		RSDHT1 () ()	418.	475.	552.	747.
	24"	28 ³ / ₈ "	12"		RSDHT2 () ()	449.	510.	586.	791.
	30"	28 ³ / ₈ "	12"		RSDHT3 () ()	526.	593.	684.	924.
	36"	28 ³ / ₈ "	12"		RSDHT4 () ()	598.	679.	779.	1,051.
	42"	28 ³ / ₈ "	12"		RSDHT5 () ()	663.	754.	870.	1,175.
	48"	28 ³ / ₈ "	12"		RSDHT6 () ()	739.	834.	962.	1,299.
 L-base, desk height (hardware included, non-handed)	12"	28 ³ / ₈ "	12"		RSDHL12 () ()	418.	475.	552.	747.
	15"	28 ³ / ₈ "	12"		RSDHL15 () ()	427.	482.	558.	753.
	20"	28 ³ / ₈ "	12"		RSDHL20 () ()	449.	500.	581.	784.
	24"	28 ³ / ₈ "	12"		RSDHL24 () ()	455.	510.	586.	791.
	30"	28 ³ / ₈ "	12"		RSDHL30 () ()	526.	593.	684.	924.
	36"	28 ³ / ₈ "	12"		RSDHL36 () ()	598.	679.	779.	1,051.
	42"	28 ³ / ₈ "	12"		RSDHL42 () ()	663.	754.	870.	1,175.
	48"	28 ³ / ₈ "	12"		RSDHL48 () ()	739.	834.	962.	1,299.

Support components

Order Code

Example: RSDHD	
R	Reff
S	Support
DH	Desk Height
D	Drum base
2	Finish type, V2
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

1. *Finish Type, where applicable*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Finish*
see matrix on page 5

Applicable finishes are listed on page 5 and 6.

Application Notes

T and L bases are not recommended for supporting conference tops.

All bases include 1 1/2" leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.



Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.


Transaction tops for use with 42" H panel heights

Reff

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24()-()	\$310.	\$321.	\$321.	\$369.	\$498.
	30"	15"	1 1/4"	RTTA30()-()	339.	348.	348.	403.	544.
	36"	15"	1 1/4"	RTTA36()-()	369.	382.	382.	438.	593.
	42"	15"	1 1/4"	RTTA42()-()	399.	411.	411.	472.	636.
	48"	15"	1 1/4"	RTTA48()-()	425.	442.	442.	508.	685.
	54"	15"	1 1/4"	RTTA54()-()	455.	471.	471.	540.	729.
	60"	15"	1 1/4"	RTTA60()-()	485.	500.	500.	578.	780.
	66"	15"	1 1/4"	RTTA66()-()	514.	530.	530.	609.	822.
	72"	15"	1 1/4"	RTTA72()-()	541.	560.	560.	645.	870.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	RTTAWF24()-()			640.	736.	994.
	30"	15"	1 1/4"	RTTAWF30()-()			702.	808.	1,091.
	36"	15"	1 1/4"	RTTAWF36()-()			760.	877.	1,183.
	42"	15"	1 1/4"	RTTAWF42()-()			820.	943.	1,273.
	48"	15"	1 1/4"	RTTAWF48()-()			883.	1,015.	1,370.
	54"	15"	1 1/4"	RTTAWF54()-()			941.	1,081.	1,459.
	60"	15"	1 1/4"	RTTAWF60()-()			1,003.	1,153.	1,557.
	66"	15"	1 1/4"	RTTAWF66()-()			1,060.	1,221.	1,648.
	72"	15"	1 1/4"	RTTAWF72()-()			1,122.	1,289.	1,740.



Not available in laminate or mixed finishes

Order Code	Specification Information	Application Notes
Example: RTTA24S1	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42" h panel or overall panel height achieved from 34" h base panel plus 8" h stacking module. Transaction tops ship with necessary bracketry included.
R Reff	1. End treatment type	Tops with waterfall edge cannot be specified with open pore finish. Available in V1 and V2 finishes only.
TT Transaction top	2. Finish type	Applicable finishes are listed on page 5 and 6.
A 1 1/4" thick	3. Finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
24 24" wide	<i>1. End treatment options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
S Straight end treatment	S = Straight	
1 V1 finish	L = Left side mitre	No grommets included.
Y311 Beech	R = Right side mitre	Tops may be used to span more than one consecutive panel.
	<i>2. Finish type:</i>	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

Transaction tops Brackets for Alternative Material

Reff

description	w	h	pattern no.	list
Attachment Bracketry			RAMTB	\$55.
Foam Tape			RAMTT	21.
Transaction Top Bracket Cover			RAMTC24()()	40.
			RAMTC30()()	43.
			RAMTC36()()	46.
			RAMTC42()()	49.
			RAMTC48()()	52.
			RAMTC54()()	55.
			RAMTC60()()	58.
			RAMTC66()()	61.
			RAMTC72()()	63.
Transaction Top Bracket Cover Hilo			RAMTCH24()()	55.
			RAMTCH30()()	58.
			RAMTCH36()()	61.
			RAMTCH42()()	64.
			RAMTCH48()()	67.
			RAMTCH54()()	70.
			RAMTCH60()()	73.
			RAMTCH66()()	76.
			RAMTCH72()()	78.

Transaction tops, regular
and waterfall edge


Order Code	Specification Information	Application Notes
Example: RAMTC	<i>To order please specify pattern number including:</i> 1. End treatment option 2. Finish type	Spline piece included in the right "R" hand pattern number.
R Reff		
A Alternative		
M Material		
T Transaction Top		
C Cover		
24 Width		
L/R/M Left/Right/Mitered		

Gallery desk surrounds

1 1/4" worksurface


Reff

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,275.	\$1,519.	\$1,519.	\$1,670.	\$1,749.	\$2,255.	\$2,361.
	68"	25"	42"	RGAF682-()	1,320.	1,574.	1,574.	1,729.	1,812.	2,333.	2,446.
	74"	25"	42"	RGAF742-()	1,369.	1,634.	1,634.	1,795.	1,878.	2,423.	2,534.
	80"	25"	42"	RGAF802-()	1,418.	1,687.	1,687.	1,851.	1,943.	2,500.	2,623.
	86"	25"	42"	RGAF862-()	1,462.	1,746.	1,746.	1,912.	2,008.	2,581.	2,710.
	92"	25"	42"	RGAF922-()	1,511.	1,803.	1,803.	1,973.	2,073.	2,663.	2,797.
	98"	25"	42"	RGAF982-()	1,559.	1,859.	1,859.	2,036.	2,140.	2,749.	2,889.
	62"	31"	42"	RGAF623-()	1,356.	1,616.	1,616.	1,772.	1,860.	2,392.	2,511.
	68"	31"	42"	RGAF683-()	1,408.	1,681.	1,681.	1,842.	1,934.	2,487.	2,611.
	74"	31"	42"	RGAF743-()	1,461.	1,745.	1,745.	1,912.	2,006.	2,581.	2,707.
	80"	31"	42"	RGAF803-()	1,514.	1,803.	1,803.	1,979.	2,077.	2,672.	2,803.
	86"	31"	42"	RGAF863-()	1,569.	1,870.	1,870.	2,049.	2,152.	2,767.	2,906.
	92"	31"	42"	RGAF923-()	1,621.	1,935.	1,935.	2,116.	2,224.	2,857.	3,002.
	98"	31"	42"	RGAF983-()	1,675.	1,997.	1,997.	2,189.	2,295.	2,956.	3,098.




If shelf is not ordered and no drillings are required, you must order through specials.

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Shelf for above (uses keyhole) attachment hardware	60"	12"	1"	RGS60-()	308.	n/a	368.	n/a	425.	n/a	574.
	66"	12"	1"	RGS66-()	320.	n/a	381.	n/a	438.	n/a	593.
	72"	12"	1"	RGS72-()	330.	n/a	394.	n/a	452.	n/a	610.
	78"	12"	1"	RGS78-()	340.	n/a	405.	n/a	467.	n/a	630.
	84"	12"	1"	RGS84-()	347.	n/a	418.	n/a	480.	n/a	648.
	90"	12"	1"	RGS90-()	360.	n/a	428.	n/a	492.	n/a	664.
	96"	12"	1"	RGS96-()	369.	n/a	439.	n/a	505.	n/a	683.



description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Bridge top assembly	42"	21"	42"	RGAB421-()	727.	866.	866.	935.	995.	1,263.	1,343.
	48"	21"	42"	RGAB481-()	779.	926.	926.	998.	1,065.	1,347.	1,437.
	54"	21"	42"	RGAB541-()	829.	987.	987.	1,067.	1,135.	1,440.	1,533.
	60"	21"	42"	RGAB601-()	879.	1,047.	1,047.	1,135.	1,208.	1,533.	1,630.
	66"	21"	42"	RGAB661-()	931.	1,109.	1,109.	1,199.	1,276.	1,618.	1,722.
	72"	21"	42"	RGAB721-()	980.	1,168.	1,168.	1,266.	1,343.	1,709.	1,813.
	78"	21"	42"	RGAB781-()	1,028.	1,228.	1,228.	1,333.	1,413.	1,800.	1,907.
	84"	21"	42"	RGAB841-()	1,079.	1,285.	1,285.	1,392.	1,479.	1,878.	1,997.
	90"	21"	42"	RGAB901-()	1,127.	1,344.	1,344.	1,459.	1,546.	1,968.	2,088.
	96"	21"	42"	RGAB961-()	1,173.	1,399.	1,399.	1,518.	1,611.	2,050.	2,175.



Order Code	Specification Information	Application Notes
Example: RGAF622NLL	To order please specify pattern number including:	3. Finish type, components: (surround components) L = Laminate
R Reff	1. Grommet option	1 = V1
G Gallery surround	2. Finish type, top	2 = V2
A 1 1/4" top thickness	3. Finish type, components	3 = V3
F Freestanding	4. Finish, top	If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.
62 62" wide	5. Finish, components	Product on this page will accept woodgrain laminate where laminate is currently an option.
2 25" deep	1. Grommet options: N = No grommets F = Flush front grommet	List price for woodgrain laminate options will be current published laminate list price plus 10%.
N No grommet	2. Finish type, top: L = Laminate M = Mixed (laminate top w/wood edge)	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
L Finish type top, laminate	1 = V1	Hardware included.
L Finish type components	2 = V2	Shipped knocked-down.
114 Folkstone grey (top)	3 = V3	
114 Folkstone grey (components)		

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.


Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.


Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

1 3/4" worksurface

Reff

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround drilled to accept shelf 	62"	25"	42"	RGBF622-() ()	\$1,463.	\$1,747.	\$1,747.	\$1,876.	\$2,010.	\$2,531.	\$2,713.
	68"	25"	42"	RGBF682-() ()	1,519.	1,812.	1,812.	1,946.	2,085.	2,627.	2,815.
	74"	25"	42"	RGBF742-() ()	1,573.	1,877.	1,877.	2,015.	2,160.	2,720.	2,915.
	80"	25"	42"	RGBF802-() ()	1,627.	1,942.	1,942.	2,080.	2,234.	2,807.	3,016.
	86"	25"	42"	RGBF862-() ()	1,683.	2,006.	2,006.	2,150.	2,306.	2,903.	3,113.
	92"	25"	42"	RGBF922-() ()	1,737.	2,072.	2,072.	2,215.	2,381.	2,990.	3,215.
	98"	25"	42"	RGBF982-() ()	1,791.	2,138.	2,138.	2,285.	2,457.	3,086.	3,317.
	62"	31"	42"	RGBF623-() ()	1,561.	1,860.	1,860.	1,997.	2,141.	2,695.	2,890.
	68"	31"	42"	RGBF683-() ()	1,620.	1,934.	1,934.	2,075.	2,222.	2,800.	2,998.
	74"	31"	42"	RGBF743-() ()	1,682.	2,005.	2,005.	2,152.	2,304.	2,906.	3,110.
	80"	31"	42"	RGBF803-() ()	1,742.	2,077.	2,077.	2,228.	2,388.	3,007.	3,224.
	86"	31"	42"	RGBF863-() ()	1,804.	2,152.	2,152.	2,305.	2,475.	3,111.	3,340.
	92"	31"	42"	RGBF923-() ()	1,865.	2,224.	2,224.	2,382.	2,557.	3,216.	3,452.
	98"	31"	42"	RGBF983-() ()	1,924.	2,294.	2,294.	2,457.	2,640.	3,317.	3,564.

Bridge top assembly 	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
42"	21"	42"	RGBB421-() ()	855.	1,018.	1,018.	1,067.	1,170.	1,440.	1,580.	
48"	21"	42"	RGBB481-() ()	905.	1,081.	1,081.	1,133.	1,242.	1,530.	1,677.	
54"	21"	42"	RGBB541-() ()	959.	1,143.	1,143.	1,198.	1,316.	1,617.	1,777.	
60"	21"	42"	RGBB601-() ()	1,013.	1,208.	1,208.	1,266.	1,386.	1,709.	1,873.	
66"	21"	42"	RGBB661-() ()	1,069.	1,276.	1,276.	1,336.	1,467.	1,804.	1,980.	
72"	21"	42"	RGBB721-() ()	1,125.	1,343.	1,343.	1,411.	1,545.	1,905.	2,085.	
78"	21"	42"	RGBB781-() ()	1,183.	1,412.	1,412.	1,480.	1,622.	1,998.	2,189.	
84"	21"	42"	RGBB841-() ()	1,239.	1,479.	1,479.	1,552.	1,701.	2,096.	2,297.	
90"	21"	42"	RGBB901-() ()	1,294.	1,546.	1,546.	1,622.	1,777.	2,189.	2,398.	
96"	21"	42"	RGBB961-() ()	1,350.	1,611.	1,611.	1,686.	1,851.	2,277.	2,500.	

Order Code	Specification Information
Example: RGBF622NLL	
R Reff	
G Gallery surround	
B 1 3/4" top thickness	
F Freestanding	
62 62" wide	
2 25" deep	
N No grommet	
L Finish type, top	
L Finish type, components	

Specification Information

To order please specify pattern number including:

- Grommet option
- Finish type top
- Finish type components
- Finish, top
- Finish, components

1. Grommet options:
 N = No grommets
 F = Flush front grommet

2. Finish type top:
 L = Laminate
 M = Mixed (laminated top with wood edge)
 1 = V1
 2 = V2
 3 = V3

3. Finish type, components: (surround components)
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

If mixed top finish type, components must be type 1, 2 or 3

Application Notes

Mixed finish 1 3/4" tops are not post formed.

Top and surround must be same finish unless mixed option selected.

Hardware included.

1 3/4" tops require support at midpoint to reduce spans to 72" or less.

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.


Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431- () ()	\$890.	\$1,061.	\$1,061.	\$1,157.	\$1,218.	\$1,562.	\$1,644.
		49"	42"	RGAR491- () ()	934.	1,115.	1,115.	1,218.	1,283.	1,644.	1,732.
		55"	42"	RGAR551- () ()	982.	1,169.	1,169.	1,278.	1,344.	1,726.	1,814.
		61"	42"	RGAR611- () ()	1,026.	1,223.	1,223.	1,335.	1,410.	1,802.	1,902.
		67"	42"	RGAR671- () ()	1,072.	1,281.	1,281.	1,397.	1,473.	1,885.	1,988.
		73"	42"	RGAR731- () ()	1,118.	1,333.	1,333.	1,457.	1,532.	1,965.	2,068.
		79"	42"	RGAR791- () ()	1,163.	1,386.	1,386.	1,517.	1,599.	2,048.	2,159.
		85"	42"	RGAR851- () ()	1,209.	1,442.	1,442.	1,573.	1,659.	2,123.	2,239.
		91"	42"	RGAR911- () ()	1,256.	1,499.	1,499.	1,635.	1,732.	2,209.	2,339.
		97"	42"	RGAR971- () ()	1,305.	1,554.	1,554.	1,694.	1,784.	2,286.	2,410.
25"	43"	42"	RGAR432- () ()	976.	1,163.	1,163.	1,273.	1,337.	1,717.	1,806.	
		49"	42"	RGAR492- () ()	1,019.	1,217.	1,217.	1,330.	1,398.	1,796.	1,887.
		55"	42"	RGAR552- () ()	1,066.	1,271.	1,271.	1,386.	1,464.	1,873.	1,976.
		61"	42"	RGAR612- () ()	1,113.	1,327.	1,327.	1,444.	1,524.	1,950.	2,056.
		67"	42"	RGAR672- () ()	1,158.	1,381.	1,381.	1,508.	1,586.	2,035.	2,143.
		73"	42"	RGAR732- () ()	1,204.	1,435.	1,435.	1,567.	1,652.	2,116.	2,231.
		79"	42"	RGAR792- () ()	1,248.	1,487.	1,487.	1,622.	1,713.	2,189.	2,313.
		85"	42"	RGAR852- () ()	1,294.	1,546.	1,546.	1,683.	1,777.	2,273.	2,398.
		91"	42"	RGAR912- () ()	1,343.	1,602.	1,602.	1,742.	1,841.	2,351.	2,485.
		97"	42"	RGAR972- () ()	1,391.	1,656.	1,656.	1,803.	1,905.	2,434.	2,572.
31"	43"	42"	RGAR433- () ()	1,037.	1,236.	1,236.	1,348.	1,421.	1,819.	1,918.	
		49"	42"	RGAR493- () ()	1,082.	1,288.	1,288.	1,408.	1,483.	1,900.	2,002.
		55"	42"	RGAR553- () ()	1,127.	1,344.	1,344.	1,462.	1,546.	1,973.	2,088.
		61"	42"	RGAR613- () ()	1,170.	1,397.	1,397.	1,518.	1,609.	2,050.	2,172.
		67"	42"	RGAR673- () ()	1,215.	1,453.	1,453.	1,578.	1,670.	2,130.	2,255.
		73"	42"	RGAR733- () ()	1,262.	1,507.	1,507.	1,636.	1,729.	2,210.	2,333.
		79"	42"	RGAR793- () ()	1,308.	1,558.	1,558.	1,694.	1,794.	2,286.	2,422.
		85"	42"	RGAR853- () ()	1,352.	1,613.	1,613.	1,754.	1,855.	2,368.	2,505.
		91"	42"	RGAR913- () ()	1,398.	1,668.	1,668.	1,811.	1,914.	2,444.	2,584.
		97"	42"	RGAR973- () ()	1,443.	1,719.	1,719.	1,870.	1,979.	2,525.	2,672.



Order Code

Example:	RGAR431NLL
R	Reff
G	Gallery surround
A	1 1/4" top thickness
R	Right hand return
43	43" wide
1	21" deep
N	No grommet
L	Finish type, top
L	Finish type, components

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Finish type top
3. Finish type components
4. Finish, top
5. Finish, components

1. Grommet options:
N = No grommets
F = Flush front grommet

2. Finish type top:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Application Notes

3. Finish type, surround:

L = Laminate
1 = V1
2 = V2
3 = V3

If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Hardware included.

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.


Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

right hand end assembly, 1 3/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGBR431-()	\$1,020.	\$1,218.	\$1,218.	\$1,295.	\$1,399.	\$1,748.	\$1,889.
		49"	42"	RGBR491-()	1,073.	1,282.	1,282.	1,362.	1,474.	1,839.	1,989.
		55"	42"	RGBR551-()	1,127.	1,344.	1,344.	1,429.	1,546.	1,930.	2,088.
		61"	42"	RGBR611-()	1,181.	1,410.	1,410.	1,496.	1,618.	2,019.	2,184.
		67"	42"	RGBR671-()	1,232.	1,470.	1,470.	1,560.	1,687.	2,106.	2,278.
		73"	42"	RGBR731-()	1,285.	1,532.	1,532.	1,625.	1,762.	2,193.	2,379.
		79"	42"	RGBR791-()	1,337.	1,597.	1,597.	1,693.	1,836.	2,285.	2,480.
		85"	42"	RGBR851-()	1,393.	1,659.	1,659.	1,759.	1,908.	2,374.	2,576.
		91"	42"	RGBR911-()	1,444.	1,720.	1,720.	1,823.	1,980.	2,460.	2,674.
		97"	42"	RGBR971-()	1,494.	1,782.	1,782.	1,890.	2,052.	2,551.	2,772.
25"	43"	42"	RGBR432-()	1,120.	1,335.	1,335.	1,420.	1,536.	1,917.	2,074.	
	49"	42"	RGBR492-()	1,171.	1,398.	1,398.	1,485.	1,610.	2,006.	2,173.	
	55"	42"	RGBR552-()	1,227.	1,463.	1,463.	1,554.	1,681.	2,098.	2,269.	
	61"	42"	RGBR612-()	1,278.	1,524.	1,524.	1,622.	1,754.	2,189.	2,368.	
	67"	42"	RGBR672-()	1,332.	1,586.	1,586.	1,686.	1,826.	2,277.	2,464.	
	73"	42"	RGBR732-()	1,386.	1,649.	1,649.	1,753.	1,898.	2,367.	2,563.	
	79"	42"	RGBR792-()	1,436.	1,713.	1,713.	1,817.	1,970.	2,452.	2,660.	
	85"	42"	RGBR852-()	1,490.	1,776.	1,776.	1,884.	2,042.	2,544.	2,757.	
	91"	42"	RGBR912-()	1,542.	1,841.	1,841.	1,950.	2,115.	2,632.	2,856.	
	97"	42"	RGBR972-()	1,597.	1,903.	1,903.	2,014.	2,189.	2,718.	2,956.	
31"	43"	42"	RGBR433-()	1,194.	1,421.	1,421.	1,511.	1,635.	2,040.	2,209.	
	49"	42"	RGBR493-()	1,243.	1,483.	1,483.	1,574.	1,708.	2,125.	2,306.	
	55"	42"	RGBR553-()	1,294.	1,546.	1,546.	1,640.	1,777.	2,214.	2,398.	
	61"	42"	RGBR613-()	1,348.	1,608.	1,608.	1,706.	1,847.	2,302.	2,494.	
	67"	42"	RGBR673-()	1,399.	1,669.	1,669.	1,769.	1,915.	2,389.	2,585.	
	73"	42"	RGBR733-()	1,449.	1,729.	1,729.	1,836.	1,989.	2,480.	2,685.	
	79"	42"	RGBR793-()	1,502.	1,794.	1,794.	1,901.	2,060.	2,567.	2,781.	
	85"	42"	RGBR853-()	1,555.	1,852.	1,852.	1,962.	2,129.	2,648.	2,875.	
	91"	42"	RGBR913-()	1,607.	1,913.	1,913.	2,027.	2,202.	2,736.	2,973.	
	97"	42"	RGBR973-()	1,656.	1,977.	1,977.	2,091.	2,275.	2,823.	3,070.	



Gallery desk surrounds

Order Code	Specification Information	Application Notes
Example: RGBR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
B 1 3/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Mixed finish 1 3/4" tops are not post-formed.
N No grommet	N = No grommets	Hardware included.
L Finish type, top	F = Flush front grommet	1 3/4" tops require support at mid point to reduce spans to 66" or less.
L Finish type, components	<i>2. Finish type top:</i>	Gallery desk surrounds are available with waterfall edge as a standard special.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.


Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431- () ()	\$890.	\$1,061.	\$1,061.	\$1,157.	\$1,218.	\$1,562.	\$1,644.
		49"	42"	RGAL491- () ()	934.	1,115.	1,115.	1,218.	1,283.	1,644.	1,732.
		55"	42"	RGAL551- () ()	982.	1,169.	1,169.	1,278.	1,344.	1,726.	1,814.
		61"	42"	RGAL611- () ()	1,026.	1,223.	1,223.	1,335.	1,410.	1,802.	1,902.
		67"	42"	RGAL671- () ()	1,072.	1,281.	1,281.	1,397.	1,473.	1,885.	1,988.
		73"	42"	RGAL731- () ()	1,118.	1,333.	1,333.	1,457.	1,532.	1,965.	2,068.
		79"	42"	RGAL791- () ()	1,163.	1,386.	1,386.	1,517.	1,599.	2,048.	2,159.
		85"	42"	RGAL851- () ()	1,209.	1,442.	1,442.	1,573.	1,659.	2,123.	2,239.
		91"	42"	RGAL911- () ()	1,256.	1,499.	1,499.	1,635.	1,732.	2,209.	2,339.
		97"	42"	RGAL971- () ()	1,305.	1,554.	1,554.	1,694.	1,784.	2,286.	2,410.
25"	43"	42"	RGAL432- () ()	976.	1,163.	1,163.	1,273.	1,337.	1,717.	1,806.	
	49"	42"	RGAL492- () ()	1,019.	1,217.	1,217.	1,330.	1,398.	1,796.	1,887.	
	55"	42"	RGAL552- () ()	1,066.	1,271.	1,271.	1,386.	1,464.	1,873.	1,976.	
	61"	42"	RGAL612- () ()	1,113.	1,327.	1,327.	1,444.	1,524.	1,950.	2,056.	
	67"	42"	RGAL672- () ()	1,158.	1,381.	1,381.	1,508.	1,586.	2,035.	2,143.	
	73"	42"	RGAL732- () ()	1,204.	1,435.	1,435.	1,567.	1,652.	2,116.	2,231.	
	79"	42"	RGAL792- () ()	1,248.	1,487.	1,487.	1,622.	1,713.	2,189.	2,313.	
	85"	42"	RGAL852- () ()	1,294.	1,546.	1,546.	1,683.	1,777.	2,273.	2,398.	
	91"	42"	RGAL912- () ()	1,343.	1,602.	1,602.	1,742.	1,841.	2,351.	2,485.	
	97"	42"	RGAL972- () ()	1,391.	1,656.	1,656.	1,803.	1,905.	2,434.	2,572.	
31"	43"	42"	RGAL433- () ()	1,037.	1,236.	1,236.	1,348.	1,421.	1,819.	1,918.	
	49"	42"	RGAL493- () ()	1,082.	1,288.	1,288.	1,408.	1,483.	1,900.	2,002.	
	55"	42"	RGAL553- () ()	1,127.	1,344.	1,344.	1,462.	1,546.	1,973.	2,088.	
	61"	42"	RGAL613- () ()	1,170.	1,397.	1,397.	1,518.	1,609.	2,050.	2,172.	
	67"	42"	RGAL673- () ()	1,215.	1,453.	1,453.	1,578.	1,670.	2,130.	2,255.	
	73"	42"	RGAL733- () ()	1,262.	1,507.	1,507.	1,636.	1,729.	2,210.	2,333.	
	79"	42"	RGAL793- () ()	1,308.	1,558.	1,558.	1,694.	1,794.	2,286.	2,422.	
	85"	42"	RGAL853- () ()	1,352.	1,613.	1,613.	1,754.	1,855.	2,368.	2,505.	
	91"	42"	RGAL913- () ()	1,398.	1,668.	1,668.	1,811.	1,914.	2,444.	2,584.	
	97"	42"	RGAL973- () ()	1,443.	1,719.	1,719.	1,870.	1,979.	2,525.	2,672.	




Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components	2. <i>Finish type top:</i>	Hardware included.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		Gallery desk surrounds are available with waterfall edge as a standard special.
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

left hand end assembly, 1 3/4" worksurface

Reff

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGBL431-() ()	\$1,020.	\$1,218.	\$1,218.	\$1,295.	\$1,399.	\$1,748.	\$1,889.
		49"	42"	RGBL491-() ()	1,073.	1,282.	1,282.	1,362.	1,474.	1,839.	1,989.
		55"	42"	RGBL551-() ()	1,127.	1,344.	1,344.	1,429.	1,546.	1,930.	2,088.
		61"	42"	RGBL611-() ()	1,181.	1,410.	1,410.	1,496.	1,618.	2,019.	2,184.
		67"	42"	RGBL671-() ()	1,232.	1,470.	1,470.	1,560.	1,687.	2,106.	2,278.
		73"	42"	RGBL731-() ()	1,285.	1,532.	1,532.	1,625.	1,762.	2,193.	2,379.
		79"	42"	RGBL791-() ()	1,337.	1,597.	1,597.	1,693.	1,836.	2,285.	2,480.
		85"	42"	RGBL851-() ()	1,393.	1,659.	1,659.	1,759.	1,908.	2,374.	2,576.
		91"	42"	RGBL911-() ()	1,444.	1,720.	1,720.	1,823.	1,980.	2,460.	2,674.
		97"	42"	RGBL971-() ()	1,494.	1,782.	1,782.	1,890.	2,052.	2,551.	2,772.
	25"	43"	42"	RGBL432-() ()	1,120.	1,335.	1,335.	1,420.	1,536.	1,917.	2,074.
		49"	42"	RGBL492-() ()	1,171.	1,398.	1,398.	1,485.	1,610.	2,006.	2,173.
		55"	42"	RGBL552-() ()	1,227.	1,463.	1,463.	1,554.	1,681.	2,098.	2,269.
		61"	42"	RGBL612-() ()	1,278.	1,524.	1,524.	1,622.	1,754.	2,189.	2,368.
		67"	42"	RGBL672-() ()	1,332.	1,586.	1,586.	1,686.	1,826.	2,277.	2,464.
		73"	42"	RGBL732-() ()	1,386.	1,649.	1,649.	1,753.	1,898.	2,367.	2,563.
		79"	42"	RGBL792-() ()	1,436.	1,713.	1,713.	1,817.	1,970.	2,452.	2,660.
		85"	42"	RGBL852-() ()	1,490.	1,776.	1,776.	1,884.	2,042.	2,544.	2,757.
		91"	42"	RGBL912-() ()	1,542.	1,841.	1,841.	1,950.	2,115.	2,632.	2,856.
		97"	42"	RGBL972-() ()	1,597.	1,903.	1,903.	2,014.	2,189.	2,718.	2,956.
	31"	43"	42"	RGBL433-() ()	1,194.	1,421.	1,421.	1,511.	1,635.	2,040.	2,209.
		49"	42"	RGBL493-() ()	1,243.	1,483.	1,483.	1,574.	1,708.	2,125.	2,306.
		55"	42"	RGBL553-() ()	1,294.	1,546.	1,546.	1,640.	1,777.	2,214.	2,398.
		61"	42"	RGBL613-() ()	1,348.	1,608.	1,608.	1,706.	1,847.	2,302.	2,494.
		67"	42"	RGBL673-() ()	1,399.	1,669.	1,669.	1,769.	1,915.	2,389.	2,585.
		73"	42"	RGBL733-() ()	1,449.	1,729.	1,729.	1,836.	1,989.	2,480.	2,685.
		79"	42"	RGBL793-() ()	1,502.	1,794.	1,794.	1,901.	2,060.	2,567.	2,781.
		85"	42"	RGBL853-() ()	1,555.	1,852.	1,852.	1,962.	2,129.	2,648.	2,875.
		91"	42"	RGBL913-() ()	1,607.	1,913.	1,913.	2,027.	2,202.	2,736.	2,973.
		97"	42"	RGBL973-() ()	1,656.	1,977.	1,977.	2,091.	2,275.	2,823.	3,070.




Gallery desk surrounds

Order Code	Specification Information	Application Notes
Example: RGBL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
B 1 3/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Mixed finish 1 3/4" tops are not post-formed.
N No grommet	N = No grommets	Hardware included.
L Finish type, top	F = Flush front grommet	1 3/4" tops require support at mid point to reduce spans to 66" or less.
L Finish type, components	<i>2. Finish type:</i>	Gallery desk surrounds are available with waterfall edge as a standard special.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

gallery towers

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	36"	12"	46"	RGTL4636 () () () ()	\$2,371.	\$2,928.	\$3,366.	\$4,544.
								
Gallery Tower, right hand	36"	12"	46"	RGTR4636 () () () ()	2,371.	2,928.	3,366.	4,544.

Order Code

Example:	RGTL46362V319CL
R	Reff
GT	Gallery Tower
L	Left hand
46	46" h
36	36" d
2	V2 finish type
V319	Medium Cherry
C	C-pull
L	Lock

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. Pull option
4. Pull finish (if applicable)
5. Lock option

1. *Finish type:*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

3. *Pull options:*
 D = Metal D-pull
 J = Routed J-pull
 C = Nickel finish C-pull (nickel finish only)
 S = Stainless steel finish S-pull (stainless steel finish only)

Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 3/8" desk height products.

Application Notes

Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .

Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d

Overall depth includes top overhang, accommodates 30" d worksurfaces


Pedestals

26 1/2" high

metal interiors


Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT *					\$93.

	Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	1,066.	1,142.	1,313.	1,773.
		16"	23"	26 1/2"	RP212J-() () L	1,114.	1,195.	1,375.	1,856.
		16"	29"	26 1/2"	RP213J-() () L	1,162.	1,245.	1,433.	1,935.

	Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	994.	1,066.	1,226.	1,655.
		16"	23"	26 1/2"	RP212K-() () L	1,066.	1,142.	1,313.	1,773.
		16"	29"	26 1/2"	RP213K-() () L	1,134.	1,213.	1,397.	1,885.
		30"	19"	26 1/2"	RP231K-() () L	1,136.	1,220.	1,402.	1,893.
		30"	23"	26 1/2"	RP232K-() () L	1,198.	1,286.	1,476.	1,992.
		36"	19"	26 1/2"	RP261K-() () L	1,212.	1,299.	1,495.	2,018.
		36"	23"	26 1/2"	RP262K-() () L	1,271.	1,362.	1,567.	2,116.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

	Pedestal with hinge door configuration, includes one shelf	16"	19"	26 1/2"	RP211L(L/R)-() () ()	872.	934.	1,075.	1,450.
		16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,060.	1,134.	1,306.	1,763.
		16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,212.	1,299.	1,495.	2,018.
		30"	19"	26 1/2"	RP231L-() () ()	1,128.	1,207.	1,388.	1,874.
		30"	23"	26 1/2"	RP232L-() () ()	1,317.	1,413.	1,624.	2,192.
		36"	19"	26 1/2"	RP261L-() () ()	1,429.	1,531.	1,762.	2,379.
		36"	23"	26 1/2"	RP262L-() () ()	1,670.	1,790.	2,059.	2,780.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means shelf is metal

Order Code	Specification Information	Application Notes
Example: RP211JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
J Box box file config.	6. Keying instructions	L = Drilled to accept lock
L Laminate finish	7. Finish	N = No drilling
M Metal interior	*After specifying product code, provide keying instructions.	6. Refer to page 349 for keying instructions.
D Metal D-pull	<i>1. Hinge location:</i>	Pencil tray to be ordered separately; see page 328.
L Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals


26 1/2" high


metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
	16"	19"	26 1/2"	RP211M-() () N	\$664.	\$713.	\$818.	\$1,104.	
	16"	23"	26 1/2"	RP212M-() () N	772.	830.	954.	1,288.	
	16"	29"	26 1/2"	RP213M-() () N	914.	979.	1,128.	1,523.	
	30"	19"	26 1/2"	RP231M-() () N	770.	828.	951.	1,284.	
	30"	23"	26 1/2"	RP232M-() () N	938.	1,007.	1,155.	1,560.	
	36"	19"	26 1/2"	RP261M-() () N	985.	1,059.	1,217.	1,643.	
	36"	23"	26 1/2"	RP262M-() () N	1,193.	1,279.	1,470.	1,984.	

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means metal shelf.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
	16"	19"	21"	RM111J-() () L	1,066.	1,142.	1,313.	1,773.	
	16"	23"	21"	RM112J-() () L	1,114.	1,195.	1,375.	1,856.	
	16"	23"	26 1/2"	RM212J-() () L	1,496.	1,606.	1,844.	2,490.	
	16"	23"	26 1/2"	RM212K-() () L	1,496.	1,606.	1,844.	2,490.	

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
	16"	1"	26 1/2"	RPAB16-()	114.	118.	137.	0.	
	30"	1"	26 1/2"	RPAB30-()	228.	234.	268.	0.	
	36"	1"	26 1/2"	RPAB36-()	269.	278.	320.	0.	

pedestal backs for pedestals with metal or wood interiors.

Order Code	Specification Information	Application Notes
Example: RP211JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
J Box box file config.	6. Keying instructions	L = Drilled to accept lock
L Laminate finish	7. Finish	N = No drilling
M Metal interior	*After specifying product code, provide keying instructions.	6. Refer to page 349 for keying instructions.
D Metal D-pull	<i>1. Hinge location:</i>	Pencil tray to be ordered separately; see page 328.
L Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	Random locks are factory installed.
	<i>2. Finish type:</i>	Keyalike are field installed using the KnollKey order form.
	L = Laminate	Each locking pedestal on this page counts for one lock core.
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	



Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals
26 1/2" high
metal interiors legal width

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J()()()	\$1,119.	\$1,199.	\$1,379.	\$1,862.
	19"	23"	26 1/2"	RP222J()()()	1,170.	1,255.	1,444.	1,949.
	19"	29"	26 1/2"	RP223J()()()	1,220.	1,307.	1,505.	2,051.
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K()()()	1,044.	1,119.	1,287.	1,738.
	19"	23"	26 1/2"	RP222K()()()	1,119.	1,199.	1,379.	1,862.
	19"	29"	26 1/2"	RP223K()()()	1,191.	1,274.	1,467.	1,979.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

Order Code

Example:	RP212JLMDL
R	Reff
P	Pedestal
2	26 1/2"H
2	19" wide
1	19" deep
J	Box box file config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock hole drilled

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, applicable hinged doors only
- Keying instructions
- Finish

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Drilled to accept lock
N = No drilling

6. Refer to page 349 for keying instructions.

Pencil tray to be ordered separately; see page 328.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


Pedestals

26 1/2" high

wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT *					\$93.

	Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	1,131.	1,210.	1,394.	1,881.
		16"	23"	26 1/2"	RP212J-() () L	1,259.	1,350.	1,552.	2,096.
		16"	29"	26 1/2"	RP213J-() () L	1,371.	1,470.	1,691.	2,282.

	Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,053.	1,129.	1,296.	1,750.
		16"	23"	26 1/2"	RP212K-() () L	1,242.	1,331.	1,528.	2,062.
		16"	29"	26 1/2"	RP213K-() () L	1,354.	1,453.	1,670.	2,255.
		30"	19"	26 1/2"	RP231K-() () L	1,361.	1,459.	1,678.	2,264.
		30"	23"	26 1/2"	RP232K-() () L	1,601.	1,714.	1,967.	2,656.
		36"	19"	26 1/2"	RP261K-() () L	1,683.	1,803.	2,075.	2,800.
		36"	23"	26 1/2"	RP262K-() () L	1,961.	2,103.	2,418.	3,264.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

	Pedestal with hinge door configuration, includes one shelf	16"	19"	26 1/2"	RP211L(L/R)-() () ()	954.	1,021.	1,178.	1,592.
		16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,146.	1,229.	1,412.	1,906.
		16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,297.	1,390.	1,597.	2,156.
		30"	19"	26 1/2"	RP231L-() () ()	1,209.	1,296.	1,493.	2,015.
		30"	23"	26 1/2"	RP232L-() () ()	1,401.	1,506.	1,731.	2,336.
		36"	19"	26 1/2"	RP261L-() () ()	1,512.	1,620.	1,864.	2,515.
		36"	23"	26 1/2"	RP262L-() () ()	1,754.	1,880.	2,161.	2,917.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
J Box box file config.	6. Keying instructions	L = Drilled to accept lock
L Laminate finish	7. Finish	N = No drilling
W Wood interior	*After specifying product code, provide keying instructions.	6. Refer to page 349 for keying instructions.
D Metal D-pull	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
L Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals


26 1/2" high


wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
 Pedestal with open configuration including shelf	16"	19"	26 1/2"	RP211M-() () (N)	\$747.	\$798.	\$918.	\$1,238.	
	16"	23"	26 1/2"	RP212M-() () (N)	860.	922.	1,061.	1,431.	
	16"	29"	26 1/2"	RP213M-() () (N)	999.	1,069.	1,231.	1,663.	
	30"	19"	26 1/2"	RP231M-() () (N)	858.	917.	1,054.	1,423.	
	30"	23"	26 1/2"	RP232M-() () (N)	1,020.	1,094.	1,259.	1,698.	
	36"	19"	26 1/2"	RP261M-() () (N)	1,069.	1,149.	1,322.	1,784.	
	36"	23"	26 1/2"	RP262M-() () (N)	1,278.	1,366.	1,572.	2,122.	

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

 Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () (L)	1,261.	1,353.	1,557.	2,101.	
	16"	23"	21"	RM112J-() () (L)	1,331.	1,426.	1,640.	2,214.	
	16"	23"	26 1/2"	RM212J-() () (L)	1,801.	1,930.	2,219.	2,996.	
	16"	23"	26 1/2"	RM212K-() () (L)	1,801.	1,930.	2,219.	2,996.	

 Pedestal backs	16"	1"	26 1/2"	RPAB16-()	114.	118.	137.	0.	
	30"	1"	26 1/2"	RPAB30-()	228.	234.	268.	0.	
	36"	1"	26 1/2"	RPAB36-()	269.	278.	320.	0.	

pedestal backs for pedestals with metal or wood interiors.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
J Box box file config.	6. Keying instructions	L = Drilled to accept lock
L Laminate finish	7. Finish	N = No drilling
W Wood interior	*After specifying product code, provide keying instructions.	6. Refer to page 349 for keying instructions.
D Metal D-pull	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
L Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.



Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals
26 1/2" high
wood interiors legal width

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J()()()	\$1,188.	\$1,271.	\$1,464.	\$1,975.
	19"	23"	26 1/2"	RP222J()()()	1,322.	1,418.	1,630.	2,201.
	19"	29"	26 1/2"	RP223J()()()	1,440.	1,544.	1,776.	2,396.
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K()()()	1,106.	1,185.	1,361.	1,838.
	19"	23"	26 1/2"	RP222K()()()	1,304.	1,398.	1,604.	2,165.
	19"	29"	26 1/2"	RP223K()()()	1,422.	1,526.	1,754.	2,368.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

Order Code	Specification Information	Application Notes
Example: RP221JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
2 19" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
J Box box file config.	6. Keying instructions	L = Drilled to accept lock
L Laminate finish	7. Finish	N = No drilling
W Wood interior	*After specifying product code, provide keying instructions.	6. Refer to page 349 for keying instructions.
D Metal D-pull	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
L Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Applicable finishes are listed on page 5 and 6.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals


with wood backs, 26 1/2" height
metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration 	16"	20"	26 1/2"	RPB211J () () L	\$1,188.	\$1,273.	\$1,468.	\$1,981.
	16"	24"	26 1/2"	RPB212J () () L	1,236.	1,326.	1,527.	2,060.
	16"	30"	26 1/2"	RPB213J () () L	1,285.	1,378.	1,586.	2,143.

Pedestal with file file configuration 	16"	20"	26 1/2"	RPB211K () () L	1,117.	1,197.	1,379.	1,863.
	16"	24"	26 1/2"	RPB212K () () L	1,188.	1,273.	1,468.	1,981.
	16"	30"	26 1/2"	RPB213K () () L	1,259.	1,347.	1,550.	2,093.
	30"	20"	26 1/2"	RPB231K () () L	1,382.	1,483.	1,702.	2,298.
	30"	24"	26 1/2"	RPB232K () () L	1,443.	1,548.	1,775.	2,396.
	36"	20"	26 1/2"	RPB261K () () L	1,501.	1,613.	1,852.	2,501.
	36"	24"	26 1/2"	RPB262K () () L	1,563.	1,675.	1,925.	2,598.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L (L/R) () () ()	996.	1,065.	1,229.	1,660.
	16"	24"	26 1/2"	RPB212L (L/R) () () ()	1,185.	1,268.	1,459.	1,968.
	16"	30"	26 1/2"	RPB213L (L/R) () () ()	1,336.	1,431.	1,649.	2,227.
	30"	20"	26 1/2"	RPB231L () () ()	1,373.	1,470.	1,689.	2,280.
	30"	24"	26 1/2"	RPB232L () () ()	1,563.	1,675.	1,924.	2,597.
	36"	20"	26 1/2"	RPB261L () () ()	1,718.	1,842.	2,118.	2,860.
	36"	24"	26 1/2"	RPB262L () () ()	1,960.	2,102.	2,417.	3,263.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB11JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	
J Box box file config.	6. Keying instructions	<i>5. Lock options:</i>
L Laminate finish	7. Finish	L = Drilled to accept lock
M Metal interior	*After specifying product code, provide keying instructions.	N = No drilling
D Metal D-pull	<i>1. Hinge location:</i>	6. Refer to page 349 for keying instructions.
L Lock hole drilled	L = Left hand	Pencil tray to be ordered separately; see page 328.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Applicable finishes are listed on page 5 and 6.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals
with wood backs, 26 1/2" height
metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with open configuration including shelf	16"	20"	26 1/2"	RPB211M () () (N)	\$788.	\$841.	\$971.	\$1,312.
	16"	24"	26 1/2"	RPB212M () () (N)	900.	961.	1,108.	1,496.
	16"	30"	26 1/2"	RPB213M () () (N)	1,036.	1,111.	1,279.	1,727.
	30"	20"	26 1/2"	RPB231M () () (N)	1,017.	1,091.	1,253.	1,692.
	30"	24"	26 1/2"	RPB232M () () (N)	1,183.	1,268.	1,454.	1,964.
	36"	20"	26 1/2"	RPB261M () () (N)	1,279.	1,369.	1,575.	2,126.
	36"	24"	26 1/2"	RPB262M () () (N)	1,484.	1,591.	1,828.	2,467.



Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB11JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	
J Box box file config.	6. Keying instructions	<i>5. Lock options:</i>
L Laminate finish	7. Finish	L = Drilled to accept lock
M Metal interior	*After specifying product code, provide keying instructions.	N = No drilling
D Metal D-pull	<i>1. Hinge location:</i>	<i>6. Refer to page 349 for keying instructions.</i>
L Lock hole drilled	L = Left hand	Pencil tray to be ordered separately; see page 328.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Applicable finishes are listed on page 5 and 6.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals


with wood backs, 26 1/2" height
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,257.	\$1,344.	\$1,547.	\$2,089.
	16"	24"	26 1/2"	RPB212J () () L	1,381.	1,482.	1,707.	2,305.
	16"	30"	26 1/2"	RPB213J () () L	1,495.	1,601.	1,842.	2,487.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,175.	1,259.	1,449.	1,957.
	16"	24"	26 1/2"	RPB212K () () L	1,364.	1,462.	1,683.	2,273.
	16"	30"	26 1/2"	RPB213K () () L	1,479.	1,584.	1,825.	2,463.
	30"	20"	26 1/2"	RPB231K () () L	1,607.	1,723.	1,980.	2,674.
	30"	24"	26 1/2"	RPB232K () () L	1,790.	1,979.	2,269.	3,063.
	36"	20"	26 1/2"	RPB261K () () L	1,975.	2,116.	2,433.	3,286.
	36"	24"	26 1/2"	RPB262K () () L	2,254.	2,417.	2,778.	3,751.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with hinge door configuration, includes one shelf	16"	20"	26 1/2"	RPB211L (L/R)() () ()	1,079.	1,155.	1,331.	1,797.
	16"	24"	26 1/2"	RPB212L (L/R)() () ()	1,268.	1,358.	1,564.	2,111.
	16"	30"	26 1/2"	RPB213L (L/R)() () ()	1,420.	1,520.	1,749.	2,361.
	30"	20"	26 1/2"	RPB231L () () ()	1,454.	1,558.	1,795.	2,423.
	30"	24"	26 1/2"	RPB232L () () ()	1,646.	1,766.	2,029.	2,739.
	36"	20"	26 1/2"	RPB261L () () ()	1,803.	1,932.	2,219.	2,996.
	36"	24"	26 1/2"	RPB262L () () ()	2,046.	2,191.	2,520.	3,402.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RPB11JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	
J Box box file config.	6. Keying instructions	<i>5. Lock options:</i>
L Laminate finish	7. Finish	L = Drilled to accept lock
W Wood interior	*After specifying product code, provide keying instructions.	N = No drilling
D Metal D-pull		
L Lock hole drilled		

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

6. Refer to page 349 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.


Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals
with wood backs, 26 1/2" height
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf	16"	20"	26 1/2"	RPB211M () () (N)	\$870.	\$931.	\$1,074.	\$1,449.
	16"	24"	26 1/2"	RPB212M () () (N)	982.	1,053.	1,213.	1,637.
	16"	30"	26 1/2"	RPB213M () () (N)	1,122.	1,199.	1,383.	1,868.
	30"	20"	26 1/2"	RPB231M () () (N)	1,101.	1,179.	1,354.	1,829.
	30"	24"	26 1/2"	RPB232M () () (N)	1,267.	1,357.	1,558.	2,102.
	36"	20"	26 1/2"	RPB261M () () (N)	1,361.	1,461.	1,678.	2,264.
	36"	24"	26 1/2"	RPB262M () () (N)	1,567.	1,678.	1,929.	2,603.



Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RPB11JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	
J Box box file config.	6. Keying instructions	<i>5. Lock options:</i>
L Laminate finish	7. Finish	L = Drilled to accept lock
W Wood interior	*After specifying product code, provide keying instructions.	N = No drilling
D Metal D-pull	<i>1. Hinge location:</i>	6. Refer to page 349 for keying instructions.
L Lock hole drilled	L = Left hand	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.



Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, “desk height” 28³/₈” high metal interiors

Reff


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 ³ / ₈ "	RP161J () () L ()	\$1,117.	\$1,197.	\$1,379.	\$1,863.	
	16"	23"	28 ³ / ₈ "	RP162J () () L ()	1,170.	1,255.	1,445.	1,951.	
	16"	29"	28 ³ / ₈ "	RP163J () () L ()	1,220.	1,308.	1,507.	2,034.	
 Pedestal, (desk height) file/file configuration	16"	19"	28 ³ / ₈ "	RP161K () () L ()	1,043.	1,119.	1,287.	1,739.	
	16"	23"	28 ³ / ₈ "	RP162K () () L ()	1,117.	1,197.	1,379.	1,863.	
	16"	29"	28 ³ / ₈ "	RP163K () () L ()	1,192.	1,274.	1,468.	1,981.	
	30"	19"	28 ³ / ₈ "	RP301K () () L ()	1,194.	1,281.	1,471.	1,985.	
	30"	23"	28 ³ / ₈ "	RP302K () () L ()	1,259.	1,349.	1,550.	2,093.	
	36"	19"	28 ³ / ₈ "	RP361K () () L ()	1,271.	1,366.	1,570.	2,121.	
	36"	23"	28 ³ / ₈ "	RP362K () () L ()	1,336.	1,430.	1,646.	2,223.	

All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required

Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118) R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) J Box/Box/File configuration L Finish type, laminate M Interior option, metal J Pull option, J L Lock hole drilled 118 Finish, bright white	To order please specify pattern number including: 1. <i>Hinge location, where applicable</i> L = left hand R = right hand 2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) 4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling 6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i> Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Keying instructions must accompany all orders, refer to page 349. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Pencil tray to be ordered separately; see page 328. Finished back must be ordered separately to achieve full depth without a modesty.
		Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Applicable finishes are listed on page 5 and 6.

Pedestals, “desk height” 28³/₈” high metal interiors

Reff


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161M () () (N)	\$695.	\$749.	\$859.	\$1,159.	
	16"	23"	28 ³ / ₈ "	RP162M () () (N)	813.	871.	1,002.	1,352.	
	16"	29"	28 ³ / ₈ "	RP163M () () (N)	958.	1,028.	1,183.	1,598.	
	30"	19"	28 ³ / ₈ "	RP301M () () (N)	810.	869.	999.	1,348.	
	30"	23"	28 ³ / ₈ "	RP302M () () (N)	984.	1,055.	1,213.	1,637.	
	36"	19"	28 ³ / ₈ "	RP361M () () (N)	1,035.	1,112.	1,276.	1,722.	
	36"	23"	28 ³ / ₈ "	RP362M () () (N)	1,253.	1,344.	1,545.	2,085.	

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.


Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	<p>Products on this page are 28-3/8" high. 28³/₈"h “desk height” products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	
P Pedestal	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
16 16" wide (<i>nominal</i>)	3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
1 19" deep (<i>nominal</i>)	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
J Box/Box/File configuration	5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	
L Finish type, laminate	6. <i>Cabinet finish</i>	
M Interior option, metal	7. <i>Optional pull finish where applicable</i>	
J Pull option, J	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
L Lock hole drilled	Keying instructions must accompany all orders, refer to page 349. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	
118 Finish, bright white	Pencil tray to be ordered separately; see page 328.	
	Finished back must be ordered separately to achieve full depth without a modesty.	

Pedestals, “desk height” 28³/₈” high metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161L(L/R) () () () ()	\$916.	\$980.	\$1,129.	\$1,524.	
	16"	23"	28 ³ / ₈ "	RP162L(L/R) () () () ()	1,112.	1,193.	1,370.	1,850.	
	16"	29"	28 ³ / ₈ "	RP163L(L/R) () () () ()	1,271.	1,366.	1,570.	2,121.	
	30"	19"	28 ³ / ₈ "	RP301L () () () ()	1,183.	1,268.	1,458.	1,967.	
	30"	23"	28 ³ / ₈ "	RP302L () () () ()	1,382.	1,484.	1,703.	2,300.	
	36"	19"	28 ³ / ₈ "	RP361L () () () ()	1,499.	1,607.	1,849.	2,497.	
	36"	23"	28 ³ / ₈ "	RP362L () () () ()	1,752.	1,880.	2,162.	2,919.	

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.



description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Pedestal, (desk height) finished back 	16"	1"	28 ³ / ₈ "	RPDHB16 () ()	121.	123.	143.	193.	
	19"	1"	28 ³ / ₈ "	RPDHB19 () ()	127.	129.	150.	203.	
	30"	1"	28 ³ / ₈ "	RPDHB30 () ()	239.	247.	282.	381.	
	36"	1"	28 ³ / ₈ "	RPDHB36 () ()	284.	293.	336.	454.	

pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118) R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) J Box/Box/File configuration L Finish type, laminate M Interior option, metal J Pull option, J L Lock hole drilled 118 Finish, bright white	To order please specify pattern number including: 1. Hinge location, where applicable L = left hand R = right hand 2. Finish type L = laminate 1 = V1 2 = V2 3 = V3 3. Interior option M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) 4. Pull option D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	5. Lock option Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling 6. Cabinet finish 7. Optional pull finish where applicable Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Keying instructions must accompany all orders, refer to page 349. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Pencil tray to be ordered separately; see page 328. Finished back must be ordered separately to achieve full depth without a modesty.
		Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Applicable finishes are listed on page 5 and 6.

Pedestals, “desk height” 28³/₈” high metal interiors


Reff



description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Metal box divider, for desk height products 				RDHMBD					\$27.
					for 16”w desk height metal box drawer				
Metal file drawer divider, for desk height products 				RDHMFD					27.
					for 16”w desk height metal file drawer				
Metal lateral drawer divider, for desk height products				RDHMLD					21.
					for 20” and 24” deep metal lateral drawers				

Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	<p>Products on this page are 28-3/8” high. 28³/₈”h “desk height” products should not be mixed with 26¹/₂”h components. 28³/₈”h components when used with 1¹/₄” worksurfaces achieve overall desk height of 29³/₈”h. 28-3/8” “desk height” products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff		
P Pedestal		
16 16” wide (<i>nominal</i>)		
1 19” deep (<i>nominal</i>)		
J Box/Box/File configuration		
L Finish type, laminate		
M Interior option, metal		
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		
	<p>1. <i>Hinge location, were applicable</i> L = left hand R = right hand</p> <p>2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</p> <p>3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p>4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling</p> <p>6. <i>Cabinet finish</i></p> <p>7. <i>Optional pull finish where applicable</i></p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Keying instructions must accompany all orders, refer to page 349. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.</p> <p>Pencil tray to be ordered separately; see page 328.</p> <p>Finished back must be ordered separately to achieve full depth without a modesty.</p>	

Pedestals, “desk height” 28³/₈” high metal interiors legal width

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191J() () ()	\$1,173.	\$1,257.	\$1,448.	\$1,956.
box/box/file configuration	19"	23"	28 ³ / ₈ "	RP192J() () ()	1,229.	1,286.	1,517.	2,049.
	19"	29"	28 ³ / ₈ "	RP193J() () ()	1,281.	1,373.	1,582.	2,136.


Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191K() () ()	1,095.	1,175.	1,351.	1,826.
file/file configuration	19"	23"	28 ³ / ₈ "	RP192K() () ()	1,173.	1,257.	1,448.	1,956.
 	19"	29"	28 ³ / ₈ "	RP193K() () ()	1,252.	1,338.	1,541.	2,080.


All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required

Order Code	Specification Information	Application Notes
Example: RP191J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	<p>Products on this page are 28-3/8" high. 28³/₈"h “desk height” products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff		
P Pedestal		
19 19" wide (<i>nominal</i>)		
1 19" deep (<i>nominal</i>)		
J Box/Box/File configuration		
L Finish type, laminate		
M Interior option, metal		
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		
	<p>1. <i>Hinge location, were applicable</i> L = left hand R = right hand</p> <p>2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</p> <p>3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p>4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling</p> <p>6. <i>Cabinet finish</i></p> <p>7. <i>Optional pull finish where applicable</i></p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Keying instructions must accompany all orders, refer to page 349 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.</p> <p>Pencil tray to be ordered separately; see page 328.</p> <p>Finished back must be ordered separately to achieve full depth without a modesty.</p>	


Pedestals, “desk height” 28³/₈” high wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 ³ / ₈ "	RP161J () () (L) ()	\$1,188.	\$1,271.	\$1,462.	\$1,973.
	16"	23"	28 ³ / ₈ "	RP162J () () (L) ()	1,321.	1,418.	1,631.	2,202.
	16"	29"	28 ³ / ₈ "	RP163J () () (L) ()	1,439.	1,545.	1,774.	2,394.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal, (desk height) file/file configuration	16"	19"	28 ³ / ₈ "	RP161K () () (L) ()	1,107.	1,185.	1,362.	1,839.
	16"	23"	28 ³ / ₈ "	RP162K () () (L) ()	1,303.	1,397.	1,606.	2,167.
	16"	29"	28 ³ / ₈ "	RP163K () () (L) ()	1,421.	1,526.	1,754.	2,368.
	30"	19"	28 ³ / ₈ "	RP301K () () (L) ()	1,430.	1,532.	1,763.	2,380.
	30"	23"	28 ³ / ₈ "	RP302K () () (L) ()	1,679.	1,801.	2,066.	2,789.
	36"	19"	28 ³ / ₈ "	RP361K () () (L) ()	1,766.	1,892.	2,179.	2,942.
	36"	23"	28 ³ / ₈ "	RP362K () () (L) ()	2,059.	2,210.	2,540.	3,428.

All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal, (desk height) open shelf configuration adjustable shelf	16"	19"	28 ³ / ₈ "	RP161M () () (J) () (N)	787.	838.	966.	1,304.
	16"	23"	28 ³ / ₈ "	RP162M () () (J) () (N)	902.	969.	1,115.	1,506.
	16"	29"	28 ³ / ₈ "	RP163M () () (J) () (N)	1,048.	1,121.	1,294.	1,747.
	30"	19"	28 ³ / ₈ "	RP301M () () (J) () (N)	900.	964.	1,107.	1,494.
	30"	23"	28 ³ / ₈ "	RP302M () () (J) () (N)	1,072.	1,150.	1,324.	1,785.
	36"	19"	28 ³ / ₈ "	RP361M () () (J) () (N)	1,122.	1,207.	1,386.	1,873.
	36"	23"	28 ³ / ₈ "	RP362M () () (J) () (N)	1,341.	1,433.	1,650.	2,228.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.


Order Code	Specification Information	Application Notes
Example: RP161J(L)(W)(J)L(118) R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) J Box/Box/File configuration L Finish type, laminate W Interior option, wood J Pull option, J L Lock hole drilled 118 Finish, bright white	To order please specify pattern number including: 1. Hinge location, were applicable L = left hand R = right hand 2. Finish type L = laminate 1 = V1 2 = V2 3 = V3 3. Interior option W = wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer) 4. Pull option D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. Lock option Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling 6. Cabinet finish 7. Optional pull finish where applicable Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Keying instructions must accompany all orders, refer to page 349. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer. Finished back must be ordered separately to achieve full depth without a modesty.	Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Applicable finishes are listed on page 5 and 6.

Pedestals, “desk height” 28³/₈” high wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161L(L/R) () () () ()	\$1,002.	\$1,074.	\$1,235.	\$1,668.
	16"	23"	28 ³ / ₈ "	RP162L(L/R) () () () ()	1,203.	1,288.	1,483.	2,002.
	16"	29"	28 ³ / ₈ "	RP163L(L/R) () () () ()	1,362.	1,459.	1,676.	2,262.
	30"	19"	28 ³ / ₈ "	RP301L () () () ()	1,268.	1,362.	1,567.	2,116.
	30"	23"	28 ³ / ₈ "	RP302L () () () ()	1,471.	1,580.	1,815.	2,450.
	36"	19"	28 ³ / ₈ "	RP361L () () () ()	1,589.	1,701.	1,955.	2,639.
	36"	23"	28 ³ / ₈ "	RP362L () () () ()	1,842.	1,974.	2,268.	3,061.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) finished back 	16"	1"	28 ³ / ₈ "	RPDHB16 () ()	121.	123.	143.	193.
	19"	1"	28 ³ / ₈ "	RPDHB19 () ()	127.	129.	150.	203.
	30"	1"	28 ³ / ₈ "	RPDHB30 () ()	239.	247.	282.	381.
	36"	1"	28 ³ / ₈ "	RPDHB36 () ()	284.	293.	336.	454.

pedestal backs for pedestals with metal or wood interiors


Order Code	Specification Information	Application Notes
Example: RP161J(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.
R Reff	6. <i>Cabinet finish</i>	File drawers include file bars for front to back and side to side filing.
P Pedestal	7. <i>Optional pull finish where applicable</i>	File drawers support bottom loading.
16 16" wide (<i>nominal</i>)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	Applicable finishes are listed on page 5 and 6.
1 19" deep (<i>nominal</i>)	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
J Box/Box/File configuration	Keying instructions must accompany all orders, refer to page 349. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	
L Finish type, laminate		
W Interior option, wood		
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		

Cabinetry



Pedestals, “desk height” 28³/₈” high wood interiors legal width

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) box/box/file configuration	19"	19"	28 ³ / ₈ "	RP191J() () ()	\$1,247.	\$1,335.	\$1,535.	\$2,072.
	19"	23"	28 ³ / ₈ "	RP192J() () ()	1,387.	1,489.	1,713.	2,312.
	19"	29"	28 ³ / ₈ "	RP193J() () ()	1,511.	1,622.	1,863.	2,514.



Pedestal, (desk height) file/file configuration	19"	19"	28 ³ / ₈ "	RP191K() () ()	1,229.	1,244.	1,430.	1,931.
	19"	23"	28 ³ / ₈ "	RP192K() () ()	1,368.	1,467.	1,686.	2,275.
	19"	29"	28 ³ / ₈ "	RP193K() () ()	1,492.	1,602.	1,842.	2,486.




All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required


Order Code	Specification Information	Application Notes
Example: RP191J(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	
R Reff		
P Pedestal		
19 19" wide (<i>nominal</i>)		
1 19" deep (<i>nominal</i>)		
J Box/Box/File configuration		
L Finish type, laminate		
W Interior option, wood		
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		
	<ol style="list-style-type: none"> <i>Hinge location, were applicable</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Interior option</i> W = wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer) <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling <i>Cabinet finish</i> <i>Optional pull finish where applicable</i> 	<p>Products on this page are 28-3/8" high. 28³/₈"h “desk height” products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Keying instructions must accompany all orders, refer to page 349 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.</p> <p>Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.</p> <p>Finished back must be ordered separately to achieve full depth without a modesty.</p>

Cabinets (use with 26 1/2" h support components)
49" high
metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B-()()	\$1,115.	\$1,461.	\$1,683.	\$2,273.
	30"	20"	49"	RC432B-()()	1,258.	1,650.	1,896.	2,560.
	30"	24"	49"	RC433B-()()	1,420.	1,859.	2,139.	2,887.
	36"	15"	49"	RC461B-()()	1,237.	1,624.	1,867.	2,520.
	36"	20"	49"	RC462B-()()	1,397.	1,831.	2,106.	2,843.
	36"	24"	49"	RC463B-()()	1,571.	2,063.	2,371.	3,200.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)-()()()	1,123.	1,471.	1,693.	2,285.
	16"	24"	49"	RC413C(L/R)-()()()	1,235.	1,616.	1,860.	2,511.
	30"	20"	49"	RC432C-()()()	1,644.	2,156.	2,480.	3,347.
	30"	24"	49"	RC433C-()()()	1,819.	2,384.	2,743.	3,703.
	36"	20"	49"	RC462C-()()()	1,822.	2,390.	2,748.	3,710.
	36"	24"	49"	RC463C-()()()	2,009.	2,641.	3,036.	4,098.

Metal interiors mean shelves metal.

Order Code

Example:	RC412CLLMDL
R	Reff
C	Cabinets
4	49" high
1	16" wide
2	20" deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
M	Metal interior option
D	Metal D-pull
L	Lock hole drilled

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No drilling

8. Refer to page 349 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 26 1/2" h support components)
 49" high
 metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L	\$1,916.	\$2,511.	\$2,890.	\$3,902.
	30"	24"	49"	RC433F-()()L	2,114.	2,772.	3,187.	4,303.
	36"	20"	49"	RC462F-()()L	2,430.	3,184.	3,661.	4,942.
	36"	24"	49"	RC463F-()()L	2,682.	3,518.	4,046.	5,462.



interior height clearance top drawer 10", all others 10 3/4"

Order Code

Example: RC412CLLMDL
R Reff
C Cabinets
4 49" high
1 16" wide
2 20" deep
C Cabinet with hinge doors
L Left hand hinge location
L Laminate finish type
M Metal interior option
D Metal D-pull
L Lock hole drilled

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
 L = Left hand
 R = Right hand

2. Finish type:
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

3. Interior options:
 M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

4. Pull options:
 D = Metal D-pull
 J = Routed pull
 C = Nickel C-pull (nickel finish only)
 S = S-pull (stainless steel finish only)

5. Lock options:
 L = Lock hole drilled
 N = No drilling

8. Refer to page 349 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.


Cabinets (use with 26 1/2" h support components)
49" high
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B-() ()	\$1,250.	\$1,637.	\$1,882.	\$2,541.
	30"	20"	49"	RC432B-() ()	1,393.	1,827.	2,099.	2,834.
	30"	24"	49"	RC433B-() ()	1,552.	2,034.	2,341.	3,160.
	36"	15"	49"	RC461B-() ()	1,373.	1,800.	2,070.	2,794.
	36"	20"	49"	RC462B-() ()	1,532.	2,010.	2,308.	3,115.
	36"	24"	49"	RC463B-() ()	1,708.	2,240.	2,574.	3,474.

Open cabinets require no keying instructions

 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)-() () ()	1,257.	1,648.	1,893.	2,556.
	16"	24"	49"	RC413C(L/R)-() () ()	1,371.	1,797.	2,066.	2,789.
	30"	20"	49"	RC432C-() () ()	1,777.	2,330.	2,680.	3,618.
	30"	24"	49"	RC433C-() () ()	1,953.	2,562.	2,944.	3,974.
	36"	20"	49"	RC462C-() () ()	1,958.	2,565.	2,953.	3,986.
	36"	24"	49"	RC463C-() () ()	2,148.	2,817.	3,241.	4,375.

 Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-() W() ()	1,623.	2,126.	2,445.	3,302.
	30"	24"	49"	RC433D-() W() ()	1,772.	2,324.	2,675.	3,610.
	36"	20"	49"	RC462D-() W() ()	1,783.	2,340.	2,690.	3,631.
	36"	24"	49"	RC463D-() W() ()	1,950.	2,559.	2,941.	3,971.

Order Code

Example:	RC412CLLWDL
R	Reff
C	Cabinets
4	49" high
1	16" wide
2	20" deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
W	Wood interior option
D	Metal D-pull
L	Lock hole drilled

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:

W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

4. Pull options:

D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:

L = Lock hole drilled
N = No drilling

8. Refer to page 349 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 26 1/2" h support components)
 49" high
 wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L	\$2,050.	\$2,688.	\$3,091.	\$4,173.
	30"	24"	49"	RC433F-()()L	2,251.	2,955.	3,392.	4,579.
	36"	20"	49"	RC462F-()()L	2,564.	3,359.	3,862.	5,215.
	36"	24"	49"	RC463F-()()L	2,817.	3,691.	4,245.	5,731.



Order Code

Example: RC412CLLWDL
R Reff
C Cabinets
4 49" high
1 16" wide
2 20" deep
C Cabinet with hinge doors
L Left hand hinge location
L Laminate finish type
W Wood interior option
D Metal D-pull
L Lock hole drilled

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
 R = Right hand

2. Finish type:

L = Laminate
 1 = V1
 2 = V2
 3 = V3

3. Interior options:

W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:

D = Metal D-pull
 J = Routed pull
 C = Nickel C-pull (nickel finish only)
 S = S-pull (stainless steel finish only)

5. Lock options:

L = Lock hole drilled
 N = No drilling

8. Refer to page 349 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.

Cabinets (use with 26 1/2" h support components)
64" high
metal interiors


Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () () () N	\$1,431.	\$1,878.	\$2,161.	\$2,917.
	30"	20"	64"	RC632B- () () () N	1,611.	2,112.	2,429.	3,278.
	30"	24"	64"	RC633B- () () () N	1,791.	2,349.	2,703.	3,648.
	36"	15"	64"	RC661B- () () () N	1,643.	2,153.	2,477.	3,343.
	36"	20"	64"	RC662B- () () () N	1,827.	2,392.	2,754.	3,716.
	36"	24"	64"	RC663B- () () () N	2,012.	2,638.	3,033.	4,095.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with hinged doors three adjustable shelves	16"	20"	64"	RC612C(L/R)- () () ()	1,677.	2,193.	2,524.	3,407.
	16"	24"	64"	RC613C(L/R)- () () ()	1,869.	2,450.	2,817.	3,803.
	30"	20"	64"	RC632C- () () ()	2,223.	2,914.	3,350.	4,523.
	30"	24"	64"	RC633C- () () ()	2,455.	3,220.	3,698.	4,992.
	36"	20"	64"	RC662C- () () ()	2,430.	3,184.	3,661.	4,942.
	36"	24"	64"	RC663C- () () ()	2,661.	3,491.	4,013.	5,419.

Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F- () () ()	2,661.	3,491.	4,013.	5,419.
	30"	24"	64"	RC633F- () () ()	2,941.	3,854.	4,434.	5,984.
	36"	20"	64"	RC662F- () () ()	2,941.	3,854.	4,434.	5,984.
	36"	24"	64"	RC663F- () () ()	3,249.	4,257.	4,894.	6,608.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Order Code	Specification Information
Example: RC612LLMJN	
R Reff	
C Cabinets	
6 64" high	
1 16" wide	
2 20" deep	
L Left hand hinge location	
L Laminate finish type	
M Metal interior	
J Routed pull	
N No lock drilling	

Specification Information

- To order please specify pattern number including:
- Hinge location, where applicable
 - Finish type
 - Interior option
 - Pull option
 - Lock option, where applicable
 - Finish, cabinet
 - Finish, pull when applicable
 - Keying instructions

***After specifying product code, provide keying instructions.**

- Hinge location:**
L = Left hand
R = Right hand
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

- Pull options:**
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

- Lock options:**
L = Lock hole drilled
N = No lock drilling

8. Refer to page 349 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 26 1/2" h support components)
64" high
metal interiors

Reff


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with full height doors half wardrobe and half shelves	30"	20"	64"	RC632E(L/R)-() () ()	\$2,582.	\$3,383.	\$3,889.	\$5,251.
	30"	24"	64"	RC633E(L/R)-() () ()	2,864.	3,753.	4,317.	5,827.
	36"	20"	64"	RC662E(L/R)-() () ()	2,853.	3,738.	4,303.	5,808.
	36"	24"	64"	RC663E(L/R)-() () ()	3,164.	4,148.	4,769.	6,438.



Left hand shown


Requires one lock core per cabinet
Shelves painted metal

Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H-() () ()	1,980.	2,598.	2,987.	4,032.
	30"	24"	64"	RC633H-() () ()	2,189.	2,866.	3,298.	4,453.
	36"	20"	64"	RC662H-() () ()	2,189.	2,866.	3,298.	4,453.
	36"	24"	64"	RC663H-() () ()	2,396.	3,141.	3,612.	4,877.



Requires one lock core per cabinet
Shelves painted metal

Cabinet with hinged 37 1/2" H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R)-() () ()	2,020.	2,644.	3,042.	4,107.
	16"	24"	64"	RC613G(L/R)-() () ()	2,230.	2,923.	3,360.	4,536.
	30"	20"	64"	RC632G-() () ()	2,558.	3,352.	3,854.	5,203.
	30"	24"	64"	RC633G-() () ()	2,846.	3,727.	4,287.	5,788.
	36"	20"	64"	RC662G-() () ()	2,826.	3,702.	4,258.	5,749.
	36"	24"	64"	RC663G-() () ()	3,143.	4,119.	4,736.	6,392.




Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC612LLMJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
M Metal interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 349 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets (use with 26 1/2" h support components)
64" high
metal interiors

Reff

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R)-() () ()	\$2,082.	\$2,727.	\$3,136.	\$4,234.
	16"	24"	64"	RC613P(L/R)-() () ()	2,311.	3,031.	3,481.	4,700.
	30"	20"	64"	RC632P-() () ()	2,451.	3,212.	3,694.	4,987.
	30"	24"	64"	RC633P-() () ()	2,704.	3,546.	4,077.	5,504.
	36"	20"	64"	RC662P-() () ()	2,711.	3,553.	4,086.	5,517.
	36"	24"	64"	RC663P-() () ()	2,989.	3,916.	4,507.	6,084.

Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Example:	RC612LLMJN
R	Reff
C	Cabinets
6	64" high
1	16" wide
2	20" deep
L	Left hand hinge location
L	Laminate finish type
M	Metal interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

8. Refer to page 349 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.


Cabinets (use with 26 1/2" h support components)
64" high
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () () (N)	\$1,566.	\$2,052.	\$2,362.	\$3,189.
	30"	20"	64"	RC632B- () () (N)	1,746.	2,289.	2,633.	3,556.
	30"	24"	64"	RC633B- () () (N)	1,926.	2,524.	2,903.	3,919.
	36"	15"	64"	RC661B- () () (N)	1,776.	2,328.	2,679.	3,615.
	36"	20"	64"	RC662B- () () (N)	1,960.	2,568.	2,956.	3,990.
	36"	24"	64"	RC663B- () () (N)	2,146.	2,814.	3,234.	4,367.

Open cabinets require no keying instructions

 Cabinet with hinged doors three adjustable shelves	16"	20"	64"	RC612C(L/R)- () () ()	1,809.	2,371.	2,727.	3,681.
	16"	24"	64"	RC613C(L/R)- () () ()	2,005.	2,626.	3,018.	4,074.
	30"	20"	64"	RC632C- () () ()	2,356.	3,088.	3,553.	4,756.
	30"	24"	64"	RC633C- () () ()	2,589.	3,395.	3,903.	5,269.
	36"	20"	64"	RC662C- () () ()	2,564.	3,359.	3,862.	5,215.
	36"	24"	64"	RC663C- () () ()	2,797.	3,666.	4,216.	5,691.


 Cabinet with hinged doors for coat rod and boot tray*	16"	20"	64"	RC612D(L/R)- () () ()	1,584.	2,075.	2,385.	3,221.
	16"	24"	64"	RC613D(L/R)- () () ()	1,735.	2,274.	2,616.	3,531.
	30"	20"	64"	RC632D- () () ()	1,935.	2,535.	2,917.	3,939.
	30"	24"	64"	RC633D- () () ()	1,993.	2,616.	3,006.	4,058.
	36"	20"	64"	RC662D- () () ()	2,142.	2,809.	3,231.	4,361.
	36"	24"	64"	RC663D- () () ()	2,189.	2,889.	3,320.	4,481.

Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: RC612LLWJN R Reff C Cabinets 6 64" high 1 16" wide 2 20" deep L Left hand hinge location L Laminate finish type W Wood interior J Routed pull N No lock drilling	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Hinge location, where applicable Finish type Interior option Pull option Lock option, where applicable Finish, cabinet Finish, pull when applicable Keying instructions <p>*After specifying product code, provide keying instructions.</p> <p><i>1. Hinge location:</i> L = Left hand R = Right hand</p> <p><i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p><i>3. Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)</p>	<p><i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p><i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling</p> <p>8. Refer to page 349 for keying instructions.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Specify shelf paint finish on open cabinets with metal interiors.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Cabinets (use with 26 1/2" h support components)
64" high
wood interiors

Reff


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	RC632F- () () ()	\$2,797.	\$3,666.	\$4,216.	\$5,691.
	30"	24"	64"	RC633F- () () ()	3,075.	4,029.	4,633.	6,254.
	36"	20"	64"	RC662F- () () ()	3,075.	4,029.	4,633.	6,254.
	36"	24"	64"	RC663F- () () ()	3,383.	4,436.	5,099.	6,884.

Requires two lock cores per cabinet
Interior height clearance top drawer 10", all others 10 3/4"

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)- () () ()	2,717.	3,560.	4,093.	5,526.
	30"	24"	64"	RC633E(L/R)- () () ()	2,997.	3,930.	4,518.	6,099.
	36"	20"	64"	RC662E(L/R)- () () ()	2,988.	3,914.	4,506.	6,083.
	36"	24"	64"	RC663E(L/R)- () () ()	3,297.	4,324.	4,972.	6,713.

Requires one lock core per cabinet

Left hand shown

Cabinet with two open adjustable shelves, two hinged 22 1/2" doors 	30"	20"	64"	RC632H- () () ()	2,115.	2,775.	3,191.	4,308.
	30"	24"	64"	RC633H- () () ()	2,322.	3,044.	3,502.	4,727.
	36"	20"	64"	RC662H- () () ()	2,322.	3,044.	3,502.	4,727.
	36"	24"	64"	RC663H- () () ()	2,529.	3,317.	3,812.	5,146.

Requires one lock core per cabinet

Order Code

Example:	RC612LLWJN
R	Reff
C	Cabinets
6	64" high
1	16" wide
2	20" deep
L	Left hand hinge location
L	Laminate finish type
W	Wood interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

8. Refer to page 349 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.

Cabinets (use with 26 1/2" h support components)
64" high
wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers 	16"	20"	64"	RC612G(L/R)-() () ()	\$2,152.	\$2,821.	\$3,244.	\$4,379.
	16"	24"	64"	RC613G(L/R)-() () ()	2,366.	3,098.	3,565.	4,812.
	30"	20"	64"	RC632G-() () ()	2,692.	3,528.	4,056.	5,475.
	30"	24"	64"	RC633G-() () ()	2,978.	3,903.	4,489.	6,061.
	36"	20"	64"	RC662G-() () ()	2,961.	3,879.	4,462.	6,024.
	36"	24"	64"	RC663G-() () ()	3,276.	4,294.	4,940.	6,670.

Requires two lock cores per cabinet

Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet 	30"	20"	64"	RC632I-() () ()	2,965.	3,885.	4,468.	6,032.
	30"	24"	64"	RC633I-() () ()	3,263.	4,276.	4,921.	6,642.
	36"	20"	64"	RC662I-() () ()	3,171.	4,158.	4,781.	6,454.
	36"	24"	64"	RC663I-() () ()	3,470.	4,550.	5,229.	7,060.

Requires two lock cores per cabinet


Cabinet with BBF below and hinged doors above 	16"	20"	64"	RC612P(L/R)-() () ()	2,217.	2,903.	3,338.	4,507.
	16"	24"	64"	RC613P(L/R)-() () ()	2,445.	3,204.	3,686.	4,977.
	30"	20"	64"	RC632P-() () ()	2,586.	3,390.	3,899.	5,263.
	30"	24"	64"	RC633P-() () ()	2,841.	3,723.	4,278.	5,775.
	36"	20"	64"	RC662P-() () ()	2,847.	3,728.	4,289.	5,791.
	36"	24"	64"	RC663P-() () ()	3,121.	4,096.	4,708.	6,355.

Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 349 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets (use with 26 1/2" h support components) 72" high metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
 Cabinet with open shelving	30"	20"	72"	RC732B -() ()	\$1,790.	\$2,348.	\$2,701.	\$3,647.
	30"	24"	72"	RC733B -() ()	1,985.	2,600.	2,992.	4,040.
	36"	20"	72"	RC762B -() ()	2,026.	2,655.	3,054.	4,123.
	36"	24"	72"	RC763B -() ()	2,221.	2,909.	3,346.	4,519.

Open cabinets require no keying instructions
Shelves painted metal

description	w	d	h	pattern no.	L	V1	V2	V3
 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R) -() () ()	1,887.	2,472.	2,845.	3,841.
	16"	24"	72"	RC713C(L/R) -() () ()	2,095.	2,746.	3,157.	4,261.
	30"	20"	72"	RC732C -() () ()	2,463.	3,230.	3,714.	5,015.
	30"	24"	72"	RC733C -() () ()	2,733.	3,581.	4,119.	5,560.
	36"	20"	72"	RC762C -() () ()	2,723.	3,571.	4,106.	5,542.
	36"	24"	72"	RC763C -() () ()	3,022.	3,957.	4,553.	6,147.

Requires one lock core per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes	
Example: RC732BLMNN R Reff C Cabinets 7 72" high 3 30" wide 2 20" deep B Full bookcase L Laminate finish M Metal interior N No drilling N No drilling	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Hinge location, where applicable Finish type Interior option Pull option Lock option, where applicable Finish, cabinet Finish, pull when applicable Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D Right hand side of cabinet drilling: same as #8 above. Keying instructions <p>*After specifying product code, provide keying instructions.</p>	<p>1. Hinge location: L = Left hand R = Right hand</p> <p>2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3</p> <p>3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p>4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>5. Lock options: L = Lock hole drilled N = No lock drilling</p> <p>10. Refer to page 349 for keying instructions.</p>	<p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinets (use with 26 1/2" h support components)
72" high
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () ()	\$2,896.	\$3,794.	\$4,367.	\$5,894.
	30"	24"	72"	RC733E(L/R)-() () ()	3,239.	4,244.	4,883.	6,591.
	36"	20"	72"	RC762E(L/R)-() () ()	3,175.	4,160.	4,784.	6,457.
	36"	24"	72"	RC763E(L/R)-() () ()	3,543.	4,650.	5,343.	7,214.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 349 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling	
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	
	*After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)
72" high
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F- () () ()	\$2,941.	\$3,854.	\$4,434.	\$5,984.
	30"	24"	72"	RC733F- () () ()	3,268.	4,281.	4,924.	6,647.
	36"	20"	72"	RC762F- () () ()	3,249.	4,257.	4,894.	6,608.
	36"	24"	72"	RC763F- () () ()	3,606.	4,728.	5,436.	7,338.




Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. <i>Hinge location:</i> L = Left hand R = Right hand
C Cabinets	2. Finish type	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 349 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling	
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	
	*After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)
72" high
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
	16"	20"	72"	RC712G(L/R)-()()()	\$2,137.	\$2,798.	\$3,221.	\$4,347.
	16"	24"	72"	RC713G(L/R)-()()()	2,342.	3,106.	3,572.	4,821.
	30"	20"	72"	RC732G-()()()	2,712.	3,557.	4,088.	5,520.
	30"	24"	72"	RC733G-()()()	2,983.	3,909.	4,493.	6,067.
	36"	20"	72"	RC762G-()()()	2,946.	3,860.	4,441.	5,995.
	36"	24"	72"	RC763G-()()()	3,217.	4,217.	4,849.	6,546.

Requires two lock cores per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes
<p>Example: RC732BLMNN</p> <p>R Reff</p> <p>C Cabinets</p> <p>7 72" high</p> <p>3 30" wide</p> <p>2 20" deep</p> <p>B Full bookcase</p> <p>L Laminate finish</p> <p>M Metal interior</p> <p>N No drilling</p> <p>N No drilling</p>	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Hinge location, where applicable Finish type Interior option Pull option Lock option, where applicable Finish, cabinet Finish, pull when applicable Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D Right hand side of cabinet drilling: same as #8 above. Keying instructions <p>*After specifying product code, provide keying instructions.</p>	<p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
	<p><i>1. Hinge location:</i> L = Left hand R = Right hand</p> <p><i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p><i>3. Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p><i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p><i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling</p> <p>10. Refer to page 349 for keying instructions.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets (use with 26 1/2" h support components)

72" high

metal interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H- () () ()	\$2,366.	\$3,097.	\$3,563.	\$4,810.
	30"	24"	72"	RC733H- () () ()	2,615.	3,423.	3,937.	5,316.
	36"	20"	72"	RC762H- () () ()	2,599.	3,404.	3,913.	5,283.
	36"	24"	72"	RC763H- () () ()	2,850.	3,729.	4,290.	5,792.



Requires one lock core per cabinet
Shelves painted metal

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with BBF below and hinged doors above.	16"	20"	72"	RC712P(L/R)- () () ()	2,219.	2,905.	3,342.	4,512.
	16"	24"	72"	RC713P(L/R)- () () ()	2,445.	3,204.	3,686.	4,977.
	30"	20"	72"	RC732P- () () ()	2,618.	3,430.	3,946.	5,328.
	30"	24"	72"	RC733P- () () ()	2,888.	3,786.	4,353.	5,876.
	36"	20"	72"	RC762P- () () ()	2,893.	3,791.	4,358.	5,884.
	36"	24"	72"	RC763P- () () ()	3,192.	4,179.	4,808.	6,491.



Requires two lock cores per cabinet
Shelves and drawer interiors metal

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. <i>Hinge location:</i> L = Left hand R = Right hand
C Cabinets	2. Finish type	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 349 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling	
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

***After specifying product code, provide keying instructions.**

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.

Cabinets (use with 26 1/2" h support components)
72" high
wood interiors

Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with open shelving	30"	20"	72"	RC732B-()()	\$1,924.	\$2,523.	\$2,901.	\$3,916.
	30"	24"	72"	RC733B-()()	2,118.	2,778.	3,193.	4,311.
	36"	20"	72"	RC762B-()()	2,161.	2,832.	3,256.	4,395.
	36"	24"	72"	RC763B-()()	2,354.	3,086.	3,548.	4,791.

Open cabinets require no keying instructions

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)-()()()	2,023.	2,649.	3,046.	4,112.
	16"	24"	72"	RC713C(L/R)-()()()	2,228.	2,922.	3,359.	4,534.
	30"	20"	72"	RC732C-()()()	2,598.	3,404.	3,913.	5,283.
	30"	24"	72"	RC733C-()()()	2,868.	3,759.	4,323.	5,836.
	36"	20"	72"	RC762C-()()()	2,856.	3,745.	4,307.	5,814.
	36"	24"	72"	RC763C-()()()	3,156.	4,136.	4,755.	6,420.

Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: RC732BLWNN R Reff C Cabinets 7 72" high 3 30" wide 2 20" deep B Full bookcase L Laminate finish W Wood interior N No drilling N No drilling	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Hinge location, where applicable Finish type Interior option Pull option Lock option, where applicable Finish, cabinet Finish, pull when applicable Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D Right hand side of cabinet drilling: same as #8 above. Keying instructions <p>*After specifying product code, provide keying instructions.</p>	<ol style="list-style-type: none"> Hinge location: L = Left hand R = Right hand Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 Interior options: W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer) Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) Lock options: L = Lock hole drilled N = No lock drilling Refer to page 349 for keying instructions. <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>
		<p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)
72" high
wood interiors

Reff

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () ()	\$3,029.	\$3,971.	\$4,566.	\$6,164.
	30"	24"	72"	RC733E(L/R)-() () ()	3,372.	4,421.	5,084.	6,863.
	36"	20"	72"	RC762E(L/R)-() () ()	3,309.	4,336.	4,988.	6,734.
	36"	24"	72"	RC763E(L/R)-() () ()	3,680.	4,823.	5,548.	7,489.



Left hand shown

Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 349 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions	
	*After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)
72" high
wood interiors

Reff

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F-() () ()	\$3,075.	\$4,029.	\$4,633.	\$6,254.
	30"	24"	72"	RC733F-() () ()	3,402.	4,458.	5,125.	6,918.
	36"	20"	72"	RC762F-() () ()	3,383.	4,436.	5,112.	6,901.
	36"	24"	72"	RC763F-() () ()	3,739.	4,902.	5,640.	7,615.




Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions	
	*After specifying product code, provide keying instructions.	
	<i>1. Hinge location:</i> L = Left hand R = Right hand	
	<i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	<i>3. Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	<i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	<i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling	
	10. Refer to page 349 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)
72" high
wood interiors

Reff

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)-() () ()	\$2,272.	\$2,977.	\$3,423.	\$4,620.
	16"	24"	72"	RC713G(L/R)-() () ()	2,504.	3,281.	3,773.	5,093.
	30"	20"	72"	RC732G-() () ()	2,848.	3,729.	4,290.	5,792.
	30"	24"	72"	RC733G-() () ()	3,116.	4,085.	4,696.	6,341.
	36"	20"	72"	RC762G-() () ()	3,081.	4,037.	4,643.	6,268.
	36"	24"	72"	RC763G-() () ()	3,353.	4,394.	5,053.	6,821.

Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions	
	*After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 349 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets (use with 26 1/2" h support components)
72" high
wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H-() () ()	\$2,494.	\$3,271.	\$3,763.	\$5,079.
	30"	24"	72"	RC733H-() () ()	2,743.	3,598.	4,137.	5,585.
	36"	20"	72"	RC762H-() () ()	2,730.	3,576.	4,113.	5,553.
	36"	24"	72"	RC763H-() () ()	2,978.	3,903.	4,489.	6,061.



Requires one lock core per cabinet

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Wardrobe cabinet	16"	20"	72"	RC712D(L/R)-() () ()	1,699.	2,228.	2,562.	3,459.
	16"	24"	72"	RC713D(L/R)-() () ()	1,870.	2,451.	2,818.	3,804.
	30"	20"	72"	RC732D-() () ()	2,140.	2,805.	3,224.	4,352.
	30"	24"	72"	RC733D-() () ()	2,351.	3,082.	3,544.	4,786.
	36"	20"	72"	RC762D-() () ()	2,352.	3,084.	3,547.	4,790.
	36"	24"	72"	RC763D-() () ()	2,586.	3,390.	3,899.	5,263.



Requires one lock core per cabinet.
Order coat rod and boot tray from accessories

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions	
	*After specifying product code, provide keying instructions.	
	<i>1. Hinge location:</i> L = Left hand R = Right hand	
	<i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	<i>3. Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	<i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	<i>5. Lock options:</i> L = Lock hole drilled N = No lock drilling	
	10. Refer to page 349 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets (use with 26 1/2" h support components)

72" high

wood interiors


Reff

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I-() () ()	\$3,286.	\$4,305.	\$4,950.	\$6,683.
	30"	24"	72"	RC733I-() () ()	3,626.	4,753.	5,468.	7,381.
	36"	20"	72"	RC762I-() () ()	3,564.	4,672.	5,374.	7,255.
	36"	24"	72"	RC763I-() () ()	3,935.	5,159.	5,934.	8,010.



Requires two lock cores per cabinet
Hinge opening 110°

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)-() () ()	2,351.	3,082.	3,544.	4,786.
	16"	24"	72"	RC713P(L/R)-() () ()	2,580.	3,382.	3,888.	5,250.
	30"	20"	72"	RC732P-() () ()	2,754.	3,609.	4,150.	5,603.
	30"	24"	72"	RC733P-() () ()	3,023.	3,961.	4,554.	6,149.
	36"	20"	72"	RC762P-() () ()	3,027.	3,966.	4,561.	6,158.
	36"	24"	72"	RC763P-() () ()	3,325.	4,357.	5,011.	6,766.



Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions	
	*After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 349 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinetry

Cabinets (use with 28³/₈" h support components)
53" high
metal interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,171.	\$1,534.	\$1,766.	\$2,384.
	30"	20"	53"	RC532DHB () () ()	1,321.	1,733.	1,992.	2,690.
	30"	24"	53"	RC533DHB () () ()	1,490.	1,951.	2,244.	3,030.
	36"	15"	53"	RC561DHB () () ()	1,300.	1,703.	1,961.	2,647.
	36"	20"	53"	RC562DHB () () ()	1,466.	1,922.	2,212.	2,986.
	36"	24"	53"	RC563DHB () () ()	1,650.	2,166.	2,490.	3,361.



Interior shelves painted metal

description	w	d	h	pattern no.	L	V1	V2	V3
4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () () L ()	2,013.	2,639.	3,034.	4,096.
	30"	24"	53"	RC533DHF () () () L ()	2,221.	2,909.	3,346.	4,519.
	36"	20"	53"	RC562DHF () () () L ()	2,552.	3,343.	3,846.	5,192.
	36"	24"	53"	RC563DHF () () () L ()	2,817.	3,694.	4,248.	5,736.




Drawer interiors painted metal

Order Code	Specification Information	Application Notes
Example: RC531DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Finish type</i> L = laminate	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	1 = V1	
5 53" h (nominal)	2 = V2	
3 30" w (nominal)	3 = V3	
1 15" d (nominal)	2. <i>Interior Option</i> M = metal (metal shelves or metal drawers)	
DH Desk height	(If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
B Open bookcase	3. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	53" nominal height - actual height 52.625"
2 Finish type, V2	4. <i>Lock option (where applicable)</i> Drawers always lock drilled L = drilled to accept lock	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
M Interior option, metal	5. <i>Cabinet finish</i>	File drawers include file bars for front to back and side to side filing.
V316 Finish, light maple	6. <i>Optional pull finish (where applicable)</i> Product on this page excluding J-pull options will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Applicable finishes are listed on page 5 and 6.	File drawers support bottom loading.


Cabinets (use with 28³/₈" h support components)
53" high
wood interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,313.	\$1,722.	\$1,975.	\$2,665.
	30"	20"	53"	RC532DHB () () ()	1,461.	1,917.	2,205.	2,976.
	30"	24"	53"	RC533DHB () () ()	1,630.	2,138.	2,457.	3,317.
	36"	15"	53"	RC561DHB () () ()	1,442.	1,889.	2,174.	2,934.
	36"	20"	53"	RC562DHB () () ()	1,608.	2,109.	2,425.	3,273.
	36"	24"	53"	RC563DHB () () ()	1,792.	2,350.	2,703.	3,648.



description	w	d	h	pattern no.	L	V1	V2	V3
4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () () L ()	2,152.	2,822.	3,245.	4,381.
	30"	24"	53"	RC533DHF () () () L ()	2,364.	3,101.	3,560.	4,806.
	36"	20"	53"	RC562DHF () () () L ()	2,691.	3,527.	4,056.	5,475.
	36"	24"	53"	RC563DHF () () () L ()	2,958.	3,875.	4,458.	6,018.



Order Code	Specification Information	Application Notes
Example: RC531DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>53" nominal height - actual height 52.625"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p>
R Reff		
C Cabinet		
5 53" h (nominal)		
3 30" w (nominal)		
1 15" d (nominal)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		
	<p>1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</p> <p>2. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)</p> <p>3. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>4. <i>Lock option (where applicable)</i> Drawers always lock drilled L = drilled to accept lock</p> <p>5. <i>Cabinet finish</i></p> <p>6. <i>Optional pull finish (where applicable)</i></p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Applicable finishes are listed on page 5 and 6.</p>	


Cabinetry

Cabinets (use with 28³/₈" h support components)

Reff


68" high
metal interior

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/3 adjustable shelves (for desk height planning)	30"	15"	68"	RC631DHB () () ()	\$1,504.	\$1,972.	\$2,268.	\$3,061.
	30"	20"	68"	RC632DHB () () ()	1,692.	2,218.	2,551.	3,444.
	30"	24"	68"	RC633DHB () () ()	1,882.	2,465.	2,835.	3,828.
	36"	15"	68"	RC661DHB () () ()	1,724.	2,261.	2,600.	3,511.
	36"	20"	68"	RC662DHB () () ()	1,917.	2,515.	2,890.	3,902.
	36"	24"	68"	RC663DHB () () ()	2,112.	2,768.	3,184.	4,300.




Shelves painted metal

Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	68"	RC612DHG(L/R) () () (L) () ()	2,120.	2,778.	3,193.	4,311.
	16"	24"	68"	RC613DHG(L/R) () () (L) () ()	2,342.	3,069.	3,528.	4,762.
	30"	20"	68"	RC632DHG () () (L) () ()	2,685.	3,519.	4,046.	5,462.
	30"	24"	68"	RC633DHG () () (L) () ()	2,988.	3,913.	4,499.	6,074.
	36"	20"	68"	RC662DHG () () (L) () ()	2,967.	3,888.	4,473.	6,038.
	36"	24"	68"	RC663DHG () () (L) () ()	3,301.	4,325.	4,974.	6,714.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Storage w/4 file drawers&2 hinged doors (for desk height planning)	30"	20"	68"	RC632DHF () () (L) () ()	2,794.	3,663.	4,214.	5,690.
	30"	24"	68"	RC633DHF () () (L) () ()	3,088.	4,046.	4,655.	6,284.
	36"	20"	68"	RC662DHF () () (L) () ()	3,088.	4,046.	4,655.	6,284.
	36"	24"	68"	RC663DHF () () (L) () ()	3,411.	4,471.	5,141.	6,941.




Requires two lock cores per cabinet
Drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC631DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	68" nominal height - actual height 67.627"
C Cabinet	6. <i>Cabinet finish</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
6 68" h (nominal)	7. <i>Optional pull finish where applicable</i>	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	File drawers support bottom loading.
1 15" d (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
DH Desk height	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
B Open bookcase	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple		

Cabinets (use with 28³/₈" h support components)
68" high
metal interior

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	68"	RC632DHK () () L ()	\$2,595.	\$3,404.	\$3,930.	\$5,306.
	30"	24"	68"	RC633DHK () () L ()	2,898.	3,798.	4,386.	5,920.
	36"	20"	68"	RC662DHK () () L ()	2,787.	3,773.	4,358.	5,884.
	36"	24"	68"	RC663DHK () () L ()	3,210.	4,211.	4,859.	6,559.



Requires one lock core per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Example: RC631DHB(2)(M)(V316)	
R	Reff
C	Cabinet
6	68" h (nominal)
3	30" w (nominal)
1	15" d (nominal)
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Specification Information

To order please specify pattern number including:

- Hinge location (where applicable)
 - L = left hand
 - R = right hand
- Finish type
 - L = laminate
 - 1 = V1
 - 2 = V2
 - 3 = V3
- Interior Option
 - M = metal (metal shelves or metal drawers)
 - (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
- Pull Option (where applicable)
 - D = metal D-pull (finish optional)
 - J = routed J-pull (finish matches case)
 - C = nickel finish C-pull (nickel finish only)
 - S = S-pull (stainless steel finish only)

- Lock option (where applicable)
 - Optional hinged door configurations only
 - Drawers always lock drilled
 - L = drilled to accept lock
 - N = no drilling
- Cabinet finish
- Optional pull finish where applicable

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈" h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

68" nominal height - actual height 67.627"

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.


File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.


Cabinets (use with 28³/₈" h support components)
68" high
wood interior

Reff


description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/3 adjustable shelves (for desk height planning)	30"	15"	68"	RC631DHB () () ()	\$1,645.	\$2,157.	\$2,481.	\$3,348.
	30"	20"	68"	RC632DHB () () ()	1,834.	2,403.	2,763.	3,730.
	30"	24"	68"	RC633DHB () () ()	2,022.	2,649.	3,046.	4,112.
	36"	15"	68"	RC661DHB () () ()	1,866.	2,446.	2,814.	3,798.
	36"	20"	68"	RC662DHB () () ()	2,057.	2,699.	3,103.	4,189.
	36"	24"	68"	RC663DHB () () ()	2,253.	2,955.	3,397.	4,587.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	68"	RC612DHG(L/R) () () (L) () ()	2,259.	2,962.	3,405.	4,597.
	16"	24"	68"	RC613DHG(L/R) () () (L) () ()	2,485.	3,254.	3,743.	5,054.
	30"	20"	68"	RC632DHG () () (L) () ()	2,827.	3,703.	4,258.	5,749.
	30"	24"	68"	RC633DHG () () (L) () ()	3,129.	4,098.	4,713.	6,363.
	36"	20"	68"	RC662DHG () () (L) () ()	3,108.	4,074.	4,685.	6,324.
	36"	24"	68"	RC663DHG () () (L) () ()	3,442.	4,512.	5,186.	7,000.



Storage w/4 file drwrs&2 hinged doors (for desk height planning)	30"	20"	68"	RC632DHF () () (L) () ()	2,937.	3,852.	4,426.	5,975.
	30"	24"	68"	RC633DHF () () (L) () ()	3,230.	4,230.	4,867.	6,570.
	36"	20"	68"	RC662DHF () () (L) () ()	3,230.	4,230.	4,867.	6,570.
	36"	24"	68"	RC663DHF () () (L) () ()	3,553.	4,656.	5,355.	7,230.




Order Code	Specification Information	Application Notes
Example: RC631DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	68" nominal height - actual height 67.627"
C Cabinet	6. <i>Cabinet finish</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
6 68" h (nominal)	7. <i>Optional pull finish where applicable</i>	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	File drawers support bottom loading.
1 15" d (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
DH Desk height	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
B Open bookcase	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		

Cabinets (use with 28³/₈" h support components)
68" high
wood interior

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	68"	RC632DHK () () L ()	\$2,737.	\$3,589.	\$4,147.	\$5,600.
	30"	24"	68"	RC633DHK () () L ()	3,039.	3,986.	4,597.	6,207.
	36"	20"	68"	RC662DHK () () L ()	3,019.	3,961.	4,571.	6,170.
	36"	24"	68"	RC663DHK () () L ()	3,351.	4,396.	5,071.	6,846.



Order Code

Example:	RC631DHB(2)(W)(V316)
R	Reff
C	Cabinet
6	68" h (nominal)
3	30" w (nominal)
1	15" d (nominal)
DH	Desk height
B	Open bookcase
2	Finish type, V2
W	Interior option, wood
V316	Finish, light maple

Specification Information

- To order please specify pattern number including:
- Hinge location (where applicable)
 - L = left hand
 - R = right hand
 - Finish type
 - L = laminate
 - 1 = V1
 - 2 = V2
 - 3 = V3
 - Interior Option
 - W = wood (shelves match case finish and drawer interiors cherry veneer)
 - Pull Option (where applicable)
 - D = metal D-pull (finish optional)
 - J = routed J-pull (finish matches case)
 - C = nickel finish C-pull (nickel finish only)
 - S = S-pull (stainless steel finish only)

- Lock option (where applicable)
 - Optional hinged door configurations only
 - Drawers always lock drilled
 - L = drilled to accept lock
 - N = no drilling
 - Cabinet finish
 - Optional pull finish where applicable
- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
- Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
- List price for woodgrain laminate options will be current published laminate list price plus 10%.
- Applicable finishes are listed on page 5 and 6.

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈" h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

68" nominal height - actual height 67.627"

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.


File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Cabinets (use with 28³/₈" h support components)
75" high
metal interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$1,881.	\$2,464.	\$2,834.	\$3,827.
	30"	24"	75"	RC733DHB () () () ()	2,084.	2,730.	3,140.	4,240.
	36"	20"	75"	RC762DHB () () () ()	2,128.	2,788.	3,206.	4,328.
	36"	24"	75"	RC763DHB () () () ()	2,331.	3,057.	3,514.	4,744.



Shelves painted metal

Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () ()	3,041.	3,981.	4,584.	6,187.
	30"	24"	75"	RC733DHE(L/R) () () () () ()	3,399.	4,456.	5,128.	6,922.
	36"	20"	75"	RC762DHE(L/R) () () () () ()	3,334.	4,370.	5,023.	6,781.
	36"	24"	75"	RC763DHE(L/R) () () () () ()	3,719.	4,882.	5,609.	7,572.



Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
7 75" h (nominal)		
3 30" w (nominal)		
2 20" d (nominal)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple		
	<ol style="list-style-type: none"> <i>Hinge location (where applicable)</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling <i>Cabinet finish</i> <i>Optional pull finish where applicable</i> <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above 	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325</p>
Applicable finishes are listed on page 5 and 6.	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>	

Cabinets (use with 28³/₈" h support components)
75" high
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () L () () ()	\$2,244.	\$2,940.	\$3,382.	\$4,566.
	16"	24"	75"	RC713DHG(L/R) () () L () () ()	2,459.	3,259.	3,749.	5,062.
	30"	20"	75"	RC732DHG () () L () () ()	2,849.	3,734.	4,292.	5,795.
	30"	24"	75"	RC733DHG () () L () () ()	3,133.	4,104.	4,721.	6,372.
	36"	20"	75"	RC762DHG () () L () () ()	3,092.	4,053.	4,663.	6,296.
	36"	24"	75"	RC763DHG () () L () () ()	3,378.	4,427.	5,092.	6,875.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	6. <i>Cabinet finish</i>
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	7. <i>Optional pull finish where applicable</i>
7 75" h (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	75" nominal height - actual height 75.125"
DH Desk height		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
B Open bookcase		File drawers include file bars for front to back and side to side filing.
2 Finish type, V2		File drawers support bottom loading.
M Interior option, metal		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinetry

Cabinets (use with 28³/₈" h support components)
75" high
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () () ()	\$2,759.	\$3,621.	\$4,179.	\$5,641.
	30"	24"	75"	RC733DHK () () L () () ()	3,043.	3,989.	4,606.	6,218.
	36"	20"	75"	RC762DHK () () L () () ()	3,002.	3,939.	4,550.	6,142.
	36"	24"	75"	RC763DHK () () L () () ()	3,288.	4,314.	4,979.	6,721.



Requires one lock core per cabinet
Shelves painted metal, drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
7 75" h (nominal)		
3 30" w (nominal)		
2 20" d (nominal)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple		
	<p>1. <i>Hinge location (where applicable)</i> L = left hand R = right hand</p> <p>2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</p> <p>3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p>4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling</p> <p>6. <i>Cabinet finish</i></p> <p>7. <i>Optional pull finish where applicable</i></p> <p>8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d</p> <p>9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325</p>

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 28³/₈" h support components)
75" high
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () L () () ()	\$3,088.	\$4,046.	\$4,655.	\$6,284.
	30"	24"	75"	RC733DHF () () L () () ()	3,430.	4,494.	5,170.	6,980.
	36"	20"	75"	RC762DHF () () L () () ()	3,411.	4,471.	5,141.	6,941.
	36"	24"	75"	RC763DHF () () L () () ()	3,788.	4,963.	5,708.	7,706.



Requires two lock cores per cabinet
Drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
7 75" h (nominal)		
3 30" w (nominal)		
2 20" d (nominal)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple		
	<ol style="list-style-type: none"> <i>Hinge location (where applicable)</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling 	<ol style="list-style-type: none"> <i>Cabinet finish</i> <i>Optional pull finish where applicable</i> <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>
		<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325</p>

Applicable finishes are listed on page 5 and 6.


Cabinets (use with 28³/₈" h support components)
75" high
wood interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$2,021.	\$2,647.	\$3,045.	\$4,111.
	30"	24"	75"	RC733DHB () () () ()	2,225.	2,916.	3,353.	4,525.
	36"	20"	75"	RC762DHB () () () ()	2,270.	2,974.	3,420.	4,616.
	36"	24"	75"	RC763DHB () () () ()	2,472.	3,242.	3,727.	5,032.




Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () ()	3,181.	4,168.	4,794.	6,472.
	30"	24"	75"	RC733DHE(L/R) () () () () ()	3,541.	4,643.	5,339.	7,208.
	36"	20"	75"	RC762DHE(L/R) () () () () ()	3,475.	4,553.	5,237.	7,070.
	36"	24"	75"	RC763DHE(L/R) () () () () ()	3,864.	5,067.	5,825.	7,864.



Requires one lock core per cabinet

Left hand shown

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () (L) () () ()	2,385.	3,124.	3,593.	4,851.
	16"	24"	75"	RC713DHG(L/R) () () (L) () () ()	2,630.	3,444.	3,962.	5,349.
	30"	20"	75"	RC732DHG () () (L) () () ()	2,990.	3,915.	4,505.	6,081.
	30"	24"	75"	RC733DHG () () (L) () () ()	3,273.	4,289.	4,932.	6,657.
	36"	20"	75"	RC762DHG () () (L) () () ()	3,234.	4,239.	4,874.	6,580.
	36"	24"	75"	RC763DHG () () (L) () () ()	3,519.	4,613.	5,305.	7,163.



Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	To order please specify pattern number including:	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	6. Cabinet finish	75" nominal height - actual height 75.125"
C Cabinet	7. Optional pull finish where applicable	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
7 75" h (nominal)	8. Optional drilling to support workwall, left side N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	9. Optional drilling to support workwall, right side *drilling options same as #8 above	File drawers support bottom loading.
2 20" d (nominal)	1. Hinge location (where applicable) L = left hand R = right hand	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325
DH Desk height	2. Finish type L = laminate 1 = V1 2 = V2 3 = V3	
B Open bookcase	3. Interior Option W = wood (shelves match case finish and drawer interiors cherry veneer)	
2 Finish type, V2	4. Pull Option (where applicable) optional D = metal D-pull (finish matches case) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
W Interior option, wood	5. Lock option (where applicable) Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 28³/₈" h support components)
75" high
wood interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () ()	\$2,900.	\$3,802.	\$4,390.	\$5,926.
	30"	24"	75"	RC733DHK () () L () ()	3,183.	4,174.	4,819.	6,505.
	36"	20"	75"	RC762DHK () () L () ()	3,144.	4,125.	4,762.	6,430.
	36"	24"	75"	RC763DHK () () L () ()	3,429.	4,499.	5,191.	7,008.



Requires one lock core per cabinet

Storage w/4 file drws& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () L () ()	3,230.	4,230.	4,867.	6,570.
	30"	24"	75"	RC733DHF () () L () ()	3,573.	4,682.	5,383.	7,266.
	36"	20"	75"	RC762DHF () () L () ()	3,553.	4,656.	5,370.	7,250.
	36"	24"	75"	RC763DHF () () L () ()	3,927.	5,145.	5,923.	7,996.



Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
7 75" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
B Open bookcase	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
2 Finish type, V2	6. <i>Cabinet finish</i>	
W Interior option, wood	7. <i>Optional pull finish where applicable</i>	
V316 Finish, light maple	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
		75" nominal height - actual height 75.125"
		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
		File drawers include file bars for front to back and side to side filing.
		File drawers support bottom loading.
		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325
		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
		Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 28³/₈" h support components)
75" high
wood interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged doors for coat rod and boot tray	30"	20"	75"	RC732DHD () W () () ()	\$2,247.	\$2,945.	\$3,385.	\$4,570.
	30"	24"	75"	RC733DHD () W () () ()	2,469.	3,236.	3,721.	5,025.
	36"	20"	75"	RC762DHD () W () () ()	2,470.	3,238.	3,724.	5,030.
	36"	24"	75"	RC763DHD () W () () ()	2,715.	3,560.	4,094.	5,526.



Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
7 75" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
DH Desk height	4. <i>Pull Option (where applicable) optional</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
B Open bookcase	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
2 Finish type, V2	6. <i>Cabinet finish</i>	
W Interior option, wood	7. <i>Optional pull finish where applicable</i>	
V316 Finish, light maple	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	75" nominal height - actual height 75.125" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325

Applicable finishes are listed on page 5 and 6.


Cabinets (use with 28³/₈" h support components)
86" high
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF()()	\$3,397.	\$4,451.	\$5,121.	\$6,912.
	30"	24"	86"	RC833DHF()()	3,773.	4,943.	5,687.	7,678.
	36"	20"	86"	RC862DHF()()	3,752.	4,918.	5,655.	7,635.
	36"	24"	86"	RC863DHF()()	4,167.	5,459.	6,279.	8,477.



Cabinet, hinged doors/ shelves 4 file drawers and cubby	30"	20"	86"	RC832DHFC()()	3,597.	4,651.	4,855.	5,541.
	30"	24"	86"	RC833DHFC()()	3,973.	5,143.	5,370.	6,107.
	36"	20"	86"	RC862DHFC()()	3,952.	5,118.	5,341.	6,075.
	36"	24"	86"	RC863DHFC()()	4,367.	5,659.	5,908.	6,699.



shown with cubby


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
8 86" h (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	86" nominal height - actual height 85.500"
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers include file bars for front to back and side to side filing.
DH Desk height		File drawers support bottom loading.
C Cubby		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple		
	6. <i>Cabinet finish</i>	
	7. <i>Optional pull finish where applicable</i>	
	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Applicable finishes are listed on page 5 and 6.


Cabinets (use with 28³/₈" h support components)
86" high
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG() ()	\$3,134.	\$4,107.	\$4,721.	\$6,375.
	30"	24"	86"	RC833DHG() ()	3,446.	4,514.	5,193.	7,009.
	36"	20"	86"	RC862DHG() ()	3,401.	4,458.	5,129.	6,926.
	36"	24"	86"	RC863DHG() ()	3,716.	4,870.	5,601.	7,563.



Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK() ()	3,035.	3,983.	4,597.	6,205.
	30"	24"	86"	RC833DHK() ()	3,347.	4,388.	5,067.	6,840.
	36"	20"	86"	RC862DHK() ()	3,302.	4,333.	5,005.	6,756.
	36"	24"	86"	RC863DHK() ()	3,617.	4,745.	5,477.	7,393.




Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	6. <i>Cabinet finish</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	7. <i>Optional pull finish where applicable</i>	
8 86" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 20" d (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
C Cubby	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	86" nominal height - actual height 85.500"
2 Finish type, V2		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
M Interior option, metal		File drawers include file bars for front to back and side to side filing.
V316 Finish, light maple		File drawers support bottom loading.
		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 28³/₈" h support components)
86" high
metal interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet, double high with file/file below, top open with one adjustable shelf and cubby	30"	20"	86"	RC832DHKC () () ()	\$3,235.	\$4,183.	\$4,797.	\$6,405.
	30"	24"	86"	RC833DHKC () () ()	3,547.	4,588.	5,267.	7,040.
	36"	20"	86"	RC862DHKC () () ()	3,502.	4,533.	5,205.	6,956.
	36"	24"	86"	RC863DHKC () () ()	3,817.	4,545.	5,277.	6,593.



shown with cubby

Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO () () ()	3,232.	4,286.	4,956.	6,747.
	30"	24"	86"	RC833DHO () () ()	3,608.	4,778.	5,522.	7,513.
	36"	20"	86"	RC862DHO () () ()	3,587.	4,753.	5,490.	7,470.
	36"	24"	86"	RC863DHO () () ()	4,002.	5,294.	6,114.	8,312.




Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	6. <i>Cabinet finish</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	7. <i>Optional pull finish where applicable</i>	
8 86" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 20" d (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
C Cubby	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	86" nominal height - actual height 85.500"
2 Finish type, V2		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
M Interior option, metal		File drawers include file bars for front to back and side to side filing.
V316 Finish, light maple		File drawers support bottom loading.
		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 28³/₈" h support components)
86" high
metal interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet, double high with 4 files below, top open with one adjustable shelf and cubby	30"	20"	86"	RC832DHOC()()	\$3,432.	\$4,486.	\$5,156.	\$6,557.
	30"	24"	86"	RC833DHOC()()	3,808.	4,978.	5,722.	6,713.
	36"	20"	86"	RC862DHOC()()	3,787.	4,953.	5,690.	6,870.
	36"	24"	86"	RC863DHOC()()	4,202.	5,494.	6,314.	7,112.




shown with cubby

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	To order please specify pattern number including:	
R Reff		
C Cabinet		
8 86" h (nominal)		
3 30" w (nominal)		
2 20" d (nominal)		
DH Desk height		
C Cubby		
2 Finish type, V2		
M Interior option, metal		
V316 Finish, light maple		
	<ol style="list-style-type: none"> Hinge location (where applicable) L = left hand R = right hand Finish type L = laminate 1 = V1 2 = V2 3 = V3 Interior Option M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) Pull Option (where applicable) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) Lock option (where applicable) Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling 	<ol style="list-style-type: none"> Cabinet finish Optional pull finish where applicable <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>
		<p>Cabinets on this page are engineered to align with front sets of 28³/₈" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>86" nominal height - actual height 85.500"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325</p>

Applicable finishes are listed on page 5 and 6.

Cabinets (use with 28³/₈" h support components)
86" high
wood interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet, with shelving 	30"	20"	86"	RC832DHB() ()	\$2,211.	\$2,912.	\$3,350.	\$4,933.
	30"	24"	86"	RC833DHB() ()	2,448.	3,208.	3,688.	5,430.
	36"	20"	86"	RC862DHB() ()	2,497.	3,271.	3,762.	5,539.
	36"	24"	86"	RC863DHB() ()	2,719.	3,566.	4,100.	6,038.

Cabinet, with shelving and cubby 	30"	20"	86"	RC832DHBC() ()	2,411.	3,112.	3,550.	5,133.
	30"	24"	86"	RC833DHBC() ()	2,648.	3,408.	3,888.	5,630.
	36"	20"	86"	RC862DHBC() ()	2,679.	3,471.	3,962.	5,739.
	36"	24"	86"	RC863DHBC() ()	2,919.	3,766.	4,300.	6,238.

shown with cubby

Cabinet, hinged doors/ shelves 4 file drawers 	30"	20"	86"	RC832DHF() ()	3,553.	4,653.	5,354.	7,227.
	30"	24"	86"	RC833DHF() ()	3,930.	5,150.	5,921.	7,993.
	36"	20"	86"	RC862DHF() ()	3,908.	5,122.	5,907.	7,975.
	36"	24"	86"	RC863DHF() ()	4,320.	5,660.	6,515.	8,769.

Order Code	Specification Information
Example: RC832DHB(2)(W)(V316)	To order please specify pattern number including:
R Reff	6. Cabinet finish
C Cabinet	7. Optional pull finish where applicable
8 86" h (nominal)	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349.
3 30" w (nominal)	Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
2 20" d (nominal)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
DH Desk height	List price for woodgrain laminate options will be current published laminate list price plus 10%.
C Cubby	
2 Finish type, V2	
W Interior option, wood	
V316 Finish, light maple	

Applicable finishes are listed on page 5 and 6.

Specification Information

- Hinge location (where applicable)
 - L = left hand
 - R = right hand
- Finish type
 - L = laminate
 - 1 = V1
 - 2 = V2
 - 3 = V3
- Interior Option
 - W = wood (shelves match case finish and drawer interiors cherry veneer)
- Pull Option (where applicable)
 - D = metal D-pull (finish optional)
 - J = routed J-pull (finish matches case)
 - C = nickel finish C-pull (nickel finish only)
 - S = S-pull (stainless steel finish only)
- Lock option (where applicable)
 - Optional hinged door configurations only
 - Drawers always lock drilled
 - L = drilled to accept lock
 - N = no drilling


Application Notes

- Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.**
- 86" nominal height - actual height 85.500"**
- Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
- File drawers include file bars for front to back and side to side filing.
- File drawers support bottom loading.
- Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325

Cabinets (use with 28³/₈" h support components)
86" high
wood interiors


Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet, hinged doors/ shelves 4 file drawers and cubby	30"	20"	86"	RC832DHFC() ()	\$3,753.	\$4,853.	\$5,538.	\$6,292.
	30"	24"	86"	RC833DHFC() ()	4,130.	5,350.	6,085.	6,894.
	36"	20"	86"	RC862DHFC() ()	4,108.	5,322.	6,054.	7,430.
	36"	24"	86"	RC863DHFC() ()	4,520.	5,860.	6,645.	7,510.



shown with cubby

Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG() ()	3,289.	4,307.	4,956.	6,689.
	30"	24"	86"	RC833DHG() ()	3,600.	4,718.	5,425.	7,323.
	36"	20"	86"	RC862DHG() ()	3,557.	4,663.	5,361.	7,238.
	36"	24"	86"	RC863DHG() ()	3,871.	5,074.	5,836.	7,879.



Order Code	Specification Information	Application Notes
Example: RC832DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	6. <i>Cabinet finish</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
C Cabinet	7. <i>Optional pull finish where applicable</i>	
8 86" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	86" nominal height - actual height 85.500"
2 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	File drawers include file bars for front to back and side to side filing.
C Cubby	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers support bottom loading.
2 Finish type, V2		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325
W Interior option, wood		
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.


Cabinets (use with 28³/₈" h support components)
86" high
wood interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK()()()	\$3,190.	\$4,182.	\$4,829.	\$6,519.
	30"	24"	86"	RC833DHK()()()	3,501.	4,591.	5,301.	7,156.
	36"	20"	86"	RC862DHK()()()	3,458.	4,538.	5,238.	7,073.
	36"	24"	86"	RC863DHK()()()	3,772.	4,949.	5,710.	7,709.



Cabinet, double high with file/file below, top open with one adjustable shelf and cubby	30"	20"	86"	RC832DHKC()()()	3,390.	4,293.	4,878.	6,512.
	30"	24"	86"	RC833DHKC()()()	3,701.	4,658.	5,397.	6,891.
	36"	20"	86"	RC862DHKC()()()	3,658.	4,621.	5,301.	7,102.
	36"	24"	86"	RC863DHKC()()()	3,972.	4,769.	5,426.	6,949.



shown with cubby


Order Code	Specification Information	Application Notes
Example: RC832DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	6. Cabinet finish	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
C Cabinet	7. Optional pull finish where applicable	
8 86" h (nominal)	1. Hinge location (where applicable) L = left hand R = right hand	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
3 30" w (nominal)	2. Finish type L = laminate 1 = V1 2 = V2 3 = V3	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
2 20" d (nominal)	3. Interior Option W = wood (shelves match case finish and drawer interiors cherry veneer)	86" nominal height - actual height 85.500"
DH Desk height	4. Pull Option (where applicable) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
C Cubby	5. Lock option (where applicable) Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers include file bars for front to back and side to side filing.
2 Finish type, V2		File drawers support bottom loading.
W Interior option, wood		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.


Cabinets (use with 28³/₈" h support components)
86" high
wood interiors

Reff

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO() ()	\$3,403.	\$4,503.	\$5,204.	\$7,077.
	30"	24"	86"	RC833DHO() ()	3,780.	5,000.	5,771.	7,843.
	36"	20"	86"	RC862DHO() ()	3,758.	4,972.	5,757.	7,825.
	36"	24"	86"	RC863DHO() ()	4,170.	5,510.	6,365.	8,646.



Cabinet, double high with 4 files below, top open with one adjustable shelf and cubby	30"	20"	86"	RC832DHOC() ()	3,603.	4,703.	5,388.	6,742.
	30"	24"	86"	RC833DHOC() ()	3,980.	5,200.	5,935.	6,944.
	36"	20"	86"	RC862DHOC() ()	3,958.	5,172.	5,904.	7,109.
	36"	24"	86"	RC863DHOC() ()	4,370.	5,710.	6,495.	7,360.



shown with cubby

Order Code	Specification Information	Application Notes
Example: RC832DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	86" nominal height - actual height 85.500"
C Cabinet	7. <i>Optional pull finish where applicable</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
8 86" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	File drawers support bottom loading.
2 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 325
DH Desk height	4. <i>Pull Option (where applicable) optional</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
C Cubby	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		


Applicable finishes are listed on page 5 and 6.

Freestanding Multifunction Cabinets


metal interiors

Reff


description	type	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Freestanding multifunctional cabinet, 49"h	Box/Box/File	24"	24"	49"	RC423N () () ()	\$2,796.	\$3,818.	\$4,417.	\$5,300.
	File/File	24"	24"	49"	RC423M () () ()	2,612.	3,626.	4,201.	5,041.



Freestanding multifunctional cabinet, 64"h	Box/Box/File	24"	24"	64"	RC623N () () ()	2,999.	4,133.	4,866.	5,839.
	File/File	24"	24"	64"	RC623M () () ()	2,814.	3,941.	4,677.	5,612.



Freestanding multifunctional cabinet, 72"h	Box/Box/File	24"	24"	72"	RC723N () () ()	3,141.	4,334.	5,142.	6,170.
	File/File	24"	24"	72"	RC723M () () ()	2,957.	4,141.	4,946.	5,935.



Order Code

Example:	RC423M
R	Reff
C	Cabinets
4	49" high
2	24" wide
3	24" deep
M	File/File
L	Left hand
M	Metal interior option
D	Metal D-pull
L	Lock hole drilled

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

- L = Left hand
 - R = Right hand

- Finish type:**

 - L = Laminate
 - 1 = V1
 - 2 = V2
 - 3 = V3

- Interior options:**

 - M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

- Pull options:**

 - D = Metal D-pull
 - J = Routed pull
 - C = Nickel C-pull (nickel finish only)
 - S = S-pull (stainless steel finish only)

- Lock options:**

 - L = Lock hole drilled
 - N = No drilling

- Refer to page 349 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Coat rod included.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.

Freestanding Multifunction Cabinets


wood interiors

Reff


description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	Box/Box/File	24"	24"	49"	RC423N () () ()	\$3,371.	\$4,393.	\$4,992.	\$5,990.
	File/File	24"	24"	49"	RC423M () () ()	3,006.	4,021.	4,596.	5,515.



Freestanding multifunctional cabinet, 64"h	Box/Box/File	24"	24"	64"	RC623N () () ()	3,573.	4,708.	5,441.	6,529.
	File/File	24"	24"	64"	RC623M () () ()	3,209.	4,336.	5,072.	6,086.



Freestanding multifunctional cabinet, 72"h	Box/Box/File	24"	24"	72"	RC723N () () ()	3,716.	4,909.	5,717.	6,860.
	File/File	24"	24"	72"	RC723M () () ()	3,351.	4,536.	5,340.	6,408.



Order Code

Example:	RC423M
R	Reff
C	Cabinets
4	49" high
2	24" wide
3	24" deep
M	File/File
L	Left hand
W	Wood interior option
D	Metal D-pull
L	Lock hole drilled

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1.
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No drilling

8. Refer to page 349 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Coat rod included.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 325.



File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Overhead storage panel hung cabinets

Reff

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	19"	30"	14"			ROPO30S0(-)(-)(-)	\$1,191.	\$1,229.	\$1,414.	\$1,909.
	19"	36"	14"			ROPO36S0(-)(-)(-)	1,457.	1,506.	1,732.	2,339.
	19"	42"	14"			ROPO42S0(-)(-)(-)	1,601.	1,655.	1,905.	2,572.
	19"	48"	14"			ROPO48S0(-)(-)(-)	1,660.	1,714.	1,973.	2,663.
	19"	60"	14"			ROPO60S0(-)(-)(-)	1,696.	1,754.	2,020.	2,727.
	19"	72"	14"			ROPO72S0(-)(-)(-)	2,080.	2,148.	2,471.	3,335.
	19"	90"	14"			ROPO90S0(-)(-)(-)	2,288.	2,364.	2,718.	3,670.
	19"	96"	14"			ROPO96S0(-)(-)(-)	2,371.	2,451.	2,818.	3,804.
	23"	60"	14"			ROPO60T0(-)(-)(-)	1,812.	1,875.	2,156.	2,910.
	23"	72"	14"			ROPO72T0(-)(-)(-)	2,471.	2,558.	2,940.	3,970.
	23"	90"	14"			ROPO90T0(-)(-)(-)	2,805.	2,897.	3,333.	4,501.
	23"	96"	14"			ROPO96T0(-)(-)(-)	2,907.	3,005.	3,457.	4,667.
Panel-hung overhead cabinet (hinged door) no back 	19"	30"	14"	1	2	ROPH30S0(-)(-)(-)	1,322.	1,364.	1,567.	2,116.
	19"	36"	14"	1	2	ROPH36S0(-)(-)(-)	1,615.	1,671.	1,924.	2,597.
	19"	60"	14"	2	4	ROPH60S0(-)(-)(-)	1,885.	1,948.	2,241.	3,026.
	19"	72"	14"	2	4	ROPH72S0(-)(-)(-)	2,310.	2,390.	2,748.	3,710.
	19"	90"	14"	3	6	ROPH90S0(-)(-)(-)	2,543.	2,627.	3,021.	4,077.
	19"	96"	14"	3	6	ROPH96S0(-)(-)(-)	2,633.	2,721.	3,132.	4,228.
	23"	60"	14"	2	4	ROPH60T0(-)(-)(-)	2,017.	2,084.	2,398.	3,239.
	23"	72"	14"	2	4	ROPH72T0(-)(-)(-)	2,746.	2,841.	3,265.	4,408.
	23"	90"	14"	3	6	ROPH90T0(-)(-)(-)	3,114.	3,221.	3,700.	4,995.
	23"	96"	14"	3	6	ROPH96T0(-)(-)(-)	3,231.	3,339.	3,839.	5,183.

Order Code

Example:	ROPH60S0DLL
R	Reff
O	Overhead
P	Panel hung
H	Hinge door
60	60" wide
S	Standard height, 19"h
0	15" deep
D	D-pull
L	Lock hole drilled
L	Laminate finish

Specification Information

- To order please specify pattern number including:
1. Configuration option (*embedded in pattern no.*)
H = Hinged door
O = Open
F = Flip door
 2. Storage option (*embedded in pattern no.*)
S0 = 19"h x 14"d open/15"d hinged door
T0 = 23"h x 14"d open/15"d hinged door
 3. Finish type
 4. Pull option *applicable hinged doors only*
 5. Lock option
 6. Finish, case
 7. Finish, pull when applicable
 8. Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
 L = Laminate
 1 = V1 techwood
 2 = V2 conventional veneer
 3 = V3 exotic veneer

4. *Pull Options:*
 D = Metal D-pull for hinged door only
 J = Routed pull
 C = Nickel finish C-pull for hinged door only (nickel finish only)
 S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*
 L = Lock hole drilled
 N = No lockdrilling

8. Refer to page 349 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 317.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.

***Keying instructions must accompany all cabinet orders.**



Panel-hung overheads come with no backs.

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead storage panel hung cabinets

Reff


description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
 Panel-hung overhead flip door cabinet (no back)	18"	30"	14"	1	1	ROPF30S0J-()	\$993.	\$1,304.	\$1,498.	\$2,023.
	18"	36"	14"	1	1	ROPF36S0J-()	1,010.	1,327.	1,528.	2,062.
	18"	42"	14"	1	1	ROPF42S0J-()	1,081.	1,423.	1,637.	2,211.
	18"	48"	14"	1	1	ROPF48S0J-()	1,121.	1,480.	1,701.	2,297.
	18"	60"	14"	2	2	ROPF60S0J-()	1,301.	1,711.	1,969.	2,659.
	18"	72"	14"	2	2	ROPF72S0J-()	1,538.	2,025.	2,326.	3,140.
	18"	84"	14"	2	2	ROPF84S0J-()	1,719.	2,261.	2,600.	3,511.
	18"	96"	14"	2	2	ROPF96S0J-()	1,833.	2,413.	2,776.	3,747.
 Panel-hung shelves	9"	30"	13"			ROPS30S0NN-()	267.	550.	631.	853.
	9"	36"	13"			ROPS36S0NN-()	288.	571.	656.	886.
	9"	42"	13"			ROPS42S0NN-()	312.	590.	680.	918.
	9"	48"	13"			ROPS48S0NN-()	333.	611.	701.	946.
	9"	54"	13"			ROPS54S0NN-()	356.	656.	753.	1,017.
	9"	60"	13"			ROPS60S0NN-()	380.	706.	812.	1,096.
	9"	66"	13"			ROPS66S0NN-()	402.	751.	864.	1,166.
	9"	72"	13"			ROPS72S0NN-()	425.	800.	917.	1,237.
	9"	78"	13"			ROPS78S0NN-()	448.	867.	996.	1,344.
	9"	84"	13"			ROPS84S0NN-()	469.	933.	1,074.	1,450.
	9"	90"	13"			ROPS90S0NN-()	493.	1,001.	1,150.	1,553.
9"	96"	13"			ROPS96S0NN-()	500.	1,052.	1,212.	1,636.	

Order Code	Specification Information	Application Notes
Example: ROPH60S0DLL R Reff O Overhead P Panel hung H Hinge door 60 60" wide S Standard height, 19"h 0 15" deep D D-pull L Lock hole drilled L Laminate finish	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Configuration option (<i>embedded in pattern no.</i>) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i> Storage option (<i>embedded in pattern no.</i>) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i> Finish type Pull option <i>applicable hinged doors only</i> Lock option Finish, case Finish, pull when applicable Keying instructions <p>*After specifying product code, provide keying instructions.</p> <p>Dimensions are nominal.</p> <p>Product not available where prices do not appear.</p> <p>3. <i>Finish type options:</i> L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer</p>	<p>4. <i>Pull Options:</i> D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)</p> <p>5. <i>Lock options:</i> L = Lock hole drilled N = No lockdrilling</p> <p>8. Refer to page 349 for keying instructions.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Sliding rails order separately on page 317.</p> <p>Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.</p> <p>Open cabinets require no locks.</p> <p>Tasklights are not included.</p> <p>D-Pulls are not available for flip door units.</p> <p>Hardware included for overhead cabinets.</p> <p>The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.</p> <p>*Keying instructions must accompany all cabinet orders.</p> <p>Panel-hung overheads come with no backs.</p> <p>Random keys are factory installed.</p> <p>Order overheads with a KnollKey order form.</p>


Overhead storage wall hung cabinets

Reff

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (hinged door) with back	19"	30"	15"	1	2	ROMH30S0 (-)(-)(-)	\$2,415.	\$2,495.	\$2,866.	\$3,870.
	19"	36"	15"	1	2	ROMH36S0 (-)(-)(-)	2,570.	2,659.	3,057.	4,127.
	19"	60"	15"	2	4	ROMH60S0 (-)(-)(-)	2,887.	2,983.	3,432.	4,633.
	19"	72"	15"	2	4	ROMH72S0 (-)(-)(-)	3,055.	3,157.	3,632.	4,903.



Wall-hung overhead cabinet (open) with back	19"	30"	15"			ROMO30S0 (-)(-)(-)	1,660.	1,719.	1,975.	2,665.
	19"	36"	15"			ROMO36S0 (-)(-)(-)	1,703.	1,763.	2,026.	2,734.
	19"	42"	15"			ROMO42S0 (-)(-)(-)	1,747.	1,808.	2,078.	2,805.
	19"	48"	15"			ROMO48S0 (-)(-)(-)	1,796.	1,852.	2,135.	2,882.
	19"	60"	15"			ROMO60S0 (-)(-)(-)	1,982.	2,047.	2,356.	3,180.
	19"	72"	15"			ROMO72S0 (-)(-)(-)	2,092.	2,167.	2,490.	3,361.



Wall-hung overhead cabinet (flip door) with back	19"	30"	15"	1	1	ROMF30S0 (-)(-)(-)	1,769.	1,829.	2,102.	2,839.
	19"	36"	15"	1	1	ROMF36S0 (-)(-)(-)	1,883.	1,947.	2,240.	3,024.
	19"	42"	15"	1	1	ROMF42S0 (-)(-)(-)	1,993.	2,065.	2,374.	3,205.
	19"	48"	15"	1	1	ROMF48S0 (-)(-)(-)	2,110.	2,181.	2,509.	3,387.
	19"	60"	15"	2	2	ROMF60S0 (-)(-)(-)	2,326.	2,407.	2,767.	3,736.
	19"	72"	15"	2	2	ROMF72S0 (-)(-)(-)	2,462.	2,545.	2,927.	3,952.

Order Code	
Example: ROMO60S0	
R	Reff
O	Overhead
M	Wall hung
O	Open
60	60" wide
S	Standard height, 19"h
0	15" deep

Specification Information

To order please specify pattern number including:

- Configuration option (*embedded in pattern no.*)
H = Hinged door
O = Open
F = Flip door
- Storage option (*embedded in pattern no.*)
S0 = 19"h x 14"d open/15"d hinged door
- Finish type
- Pull option applicable hinged doors only
- Lock option
- Finish, case
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
L = Laminate
1 = V1 techwood
2 = V2 conventional veneer
3 = V3 exotic veneer

4. *Pull Options:*
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*
L = Lock hole drilled
N = No lockdrilling

8. Refer to page 349 for keying instructions.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 317.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.

***Keying instructions must accompany all cabinet orders.**



Panel-hung overheads come with no backs.

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead storage wall hung cabinets, double high



Reff

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead Double High cabinet (open)	33"	30"	18"			ROMODH30() ()	\$1,738.	\$2,231.	\$2,522.	\$3,128.
	33"	36"	18"			ROMODH36() ()	1,800.	2,318.	2,623.	3,259.
	33"	42"	18"			ROMODH42() ()	1,865.	2,408.	2,729.	3,397.
	33"	48"	18"			ROMODH48() ()	1,933.	2,504.	2,840.	3,542.
	33"	54"	18"			ROMODH54() ()	2,005.	2,604.	2,957.	3,694.
	33"	60"	18"			ROMODH60() ()	2,194.	2,977.	3,447.	4,331.
	33"	66"	18"			ROMODH66() ()	2,279.	3,101.	3,594.	4,522.
	33"	72"	18"			ROMODH72() ()	2,368.	3,231.	3,749.	4,723.
	33"	78"	18"			ROMODH78() ()	2,161.	3,167.	3,561.	4,585.
	33"	84"	18"			ROMODH84() ()	2,259.	3,311.	3,732.	4,806.
	33"	90"	18"			ROMODH90() ()	2,362.	3,461.	3,911.	5,039.
33"	96"	18"			ROMODH96() ()	2,535.	3,489.	4,045.	5,214.	
Wall-hung overhead Double High cabinet (open) with cubby	33"	30"	18"			ROMODHC30() ()	1,788.	2,281.	2,831.	3,178.
	33"	36"	18"			ROMODHC36() ()	1,850.	2,368.	2,918.	3,309.
	33"	42"	18"			ROMODHC42() ()	1,915.	2,458.	3,008.	3,447.
	33"	48"	18"			ROMODHC48() ()	1,983.	2,554.	3,104.	3,592.
	33"	54"	18"			ROMODHC54() ()	2,055.	2,654.	3,204.	3,744.
	33"	60"	18"			ROMODHC60() ()	2,244.	3,027.	3,577.	4,381.
	33"	66"	18"			ROMODHC66() ()	2,329.	3,151.	3,701.	4,572.
	33"	72"	18"			ROMODHC72() ()	2,418.	3,381.	3,931.	4,773.
	33"	78"	18"			ROMODHC78() ()	2,211.	3,217.	3,417.	4,635.
	33"	84"	18"			ROMODHC84() ()	2,309.	3,361.	3,561.	4,856.
	33"	90"	18"			ROMODHC90() ()	2,412.	3,511.	3,711.	5,089.
33"	96"	18"			ROMODHC96() ()	2,585.	3,539.	3,739.	5,264.	

Order Code	Specification Information	Application Notes
Example: ROMODH30() ()	<i>To order please specify pattern number including:</i>	Product on this page to be used with 28 ³ / ₈ " high "desk height" planning.
R Reff	1. Configuration option (embedded in pattern no.) <i>H = Hinged door</i> <i>O = Open</i>	Wall-hung overhead cabinets are shipped assembled. Glue and dowel case assembly.
O Overhead	2. Storage option (embedded in pattern no.) <i>S0 = 19"h x 14"d open/15"d hinged door</i>	Open cabinets require no locks.
M Wall hung	3. Finish type	Tasklights are not included, order separately.
O Open	4. Pull option applicable hinged doors only	Tackboards order separately.
DH Double High	5. Lock option	Fascia order separately.
30 30" wide	6. Finish, case	Wall cleat and hardware included for overhead cabinets.
() Finish type	7. Finish, pull when applicable	The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.
() Finish case	8. Keying instructions	*Keying instructions must accompany all cabinet orders.
	*After specifying product code, provide keying instructions.	Random keys are factory installed.
	Dimensions are nominal.	Order overheads with a KnollKey order form.
	Product not available where prices do not appear.	
	3. <i>Finish type options:</i> L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer	
	4. <i>Lock options:</i> L = Lock hole drilled N = No lockdrilling	
	8. Refer to page 349 for keying instructions.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Applicable finishes are listed on page 5 and 6.	

Overhead storage wall hung cabinets, double high

Reff


description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead Double High cabinet (hinged door)	33"	30"	18"	1	2	ROMH30()	\$2,515.	\$2,694.	\$3,157.	\$4,227.
	33"	36"	18"	1	2	ROMH36()	2,670.	2,769.	3,389.	4,323.
	33"	42"	18"	2	3	ROMH42()	2,750.	3,125.	3,567.	4,785.
	33"	48"	18"	2	3	ROMH48()	2,845.	3,320.	4,025.	4,989.
	33"	54"	18"	2	3	ROMH54()	2,958.	3,558.	4,265.	5,245.
	33"	60"	18"	2	4	ROMH60()	3,098.	3,636.	4,465.	5,987.
	33"	66"	18"	2	4	ROMH66()	3,110.	3,828.	4,898.	6,287.
	33"	72"	18"	2	4	ROMH72()	3,285.	4,387.	5,078.	6,601.
	33"	78"	18"	2	4	ROMH78()	3,310.	4,508.	5,332.	6,931.
	33"	84"	18"	3	6	ROMH84()	3,450.	4,733.	5,598.	7,282.
	33"	90"	18"	3	6	ROMH90()	3,575.	4,970.	5,878.	7,641.
33"	96"	18"	3	6	ROMH96()	3,784.	5,285.	6,380.	8,295.	
Wall-hung overhead Double High cabinet (hinged door) with cubby	33"	30"	18"	1	2	ROMHDC30()	2,615.	2,844.	3,357.	4,477.
	33"	36"	18"	1	2	ROMHDC36()	2,770.	2,919.	3,589.	4,573.
	33"	42"	18"	2	3	ROMHDC42()	2,850.	3,275.	3,767.	5,035.
	33"	48"	18"	2	3	ROMHDC48()	2,945.	3,470.	4,225.	5,239.
	33"	54"	18"	2	3	ROMHDC54()	3,058.	3,708.	4,465.	5,495.
	33"	60"	18"	2	4	ROMHDC60()	3,198.	4,234.	5,037.	6,548.
	33"	66"	18"	2	4	ROMHDC66()	3,210.	4,446.	5,289.	6,875.
	33"	72"	18"	2	4	ROMHDC72()	3,385.	4,669.	5,553.	7,219.
	33"	78"	18"	2	4	ROMHDC78()	3,410.	4,902.	5,831.	7,580.
	33"	84"	18"	3	6	ROMHDC84()	3,550.	5,174.	6,122.	7,959.
	33"	90"	18"	3	6	ROMHDC90()	3,680.	5,404.	6,429.	8,357.
33"	96"	18"	3	6	ROMHDC96()	4,119.	5,824.	7,057.	9,174.	

Order Code	Specification Information	Application Notes
Example: ROMODH30()	To order please specify pattern number including:	Product on this page to be used with 28 3/8" high "desk height" planning.
R Reff	1. Configuration option (embedded in pattern no.) H = Hinged door O = Open	Wall-hung overhead cabinets are shipped assembled. Glue and dowel case assembly.
O Overhead	2. Storage option (embedded in pattern no.) S0 = 19"h x 14"d open/15"d hinged door	Open cabinets require no locks.
M Wall hung	3. Finish type	Tasklights are not included, order separately.
O Open	4. Pull option applicable hinged doors only	Tackboards order separately.
DH Double High	5. Lock option	Fascia order separately.
30 30" wide	6. Finish, case	Wall cleat and hardware included for overhead cabinets.
() Finish type	7. Finish, pull when applicable	The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.
() Finish case	8. Keying instructions	*Keying instructions must accompany all cabinet orders.
	*After specifying product code, provide keying instructions.	Random keys are factory installed.
	Dimensions are nominal.	Order overheads with a KnollKey order form.
	Product not available where prices do not appear.	
	3. Finish type options: L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer	


Overhead storage workwalls, 26 1/2" standard height planning model

Reff

description	d	h	w	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open)	15"	19"	60"	ROWO60S0(-)(-)(-)	\$1,894.	\$1,978.	\$2,319.	\$3,131.
	15"	19"	72"	ROWO72S0(-)(-)(-)	2,435.	2,543.	2,974.	4,014.
	15"	19"	90"	ROWO90S0(-)(-)(-)	2,683.	2,806.	3,302.	4,457.
	15"	19"	96"	ROWO96S0(-)(-)(-)	2,748.	2,880.	3,391.	4,578.
	15"	23"	60"	ROWO60T0(-)(-)(-)	2,058.	2,148.	2,518.	3,400.
	15"	23"	72"	ROWO72T0(-)(-)(-)	2,765.	2,884.	3,369.	4,547.
	15"	23"	90"	ROWO90T0(-)(-)(-)	3,101.	3,241.	3,797.	5,127.
	15"	23"	96"	ROWO96T0(-)(-)(-)	3,165.	3,311.	3,887.	5,249.
	20"	19"	60"	ROWO60S1(-)(-)(-)	2,036.	2,127.	2,492.	3,364.
	20"	19"	72"	ROWO72S1(-)(-)(-)	2,615.	2,727.	3,187.	4,303.
	20"	19"	90"	ROWO90S1(-)(-)(-)	2,981.	3,117.	3,659.	4,940.
	20"	19"	96"	ROWO96S1(-)(-)(-)	3,050.	3,190.	3,749.	5,062.
	20"	23"	60"	ROWO60T1(-)(-)(-)	2,201.	2,296.	2,689.	3,629.
	20"	23"	72"	ROWO72T1(-)(-)(-)	3,047.	3,177.	3,703.	4,999.
	20"	23"	90"	ROWO90T1(-)(-)(-)	3,295.	3,442.	4,031.	5,441.
	20"	23"	96"	ROWO96T1(-)(-)(-)	3,364.	3,512.	4,119.	5,560.



72" h workwall overhead cabinet (hinged door)	15"	19"	60"	ROWH60S0(-)(-)(-)	2,444.	2,547.	2,975.	4,015.
	15"	19"	72"	ROWH72S0(-)(-)(-)	3,132.	3,260.	3,802.	5,133.
	15"	19"	90"	ROWH90S0(-)(-)(-)	3,477.	3,632.	4,250.	5,737.
	15"	19"	96"	ROWH96S0(-)(-)(-)	3,574.	3,732.	4,374.	5,904.
	15"	23"	60"	ROWH60T0(-)(-)(-)	2,650.	2,761.	3,223.	4,350.
	15"	23"	72"	ROWH72T0(-)(-)(-)	3,546.	3,690.	4,293.	5,797.
	15"	23"	90"	ROWH90T0(-)(-)(-)	4,001.	4,170.	4,870.	6,574.
	15"	23"	96"	ROWH96T0(-)(-)(-)	4,096.	4,273.	4,994.	6,742.
	20"	19"	60"	ROWH60S1(-)(-)(-)	2,624.	2,733.	3,190.	4,307.
	20"	19"	72"	ROWH72S1(-)(-)(-)	3,357.	3,494.	4,068.	5,491.
	20"	19"	90"	ROWH90S1(-)(-)(-)	3,854.	4,020.	4,694.	6,338.
	20"	19"	96"	ROWH96S1(-)(-)(-)	3,950.	4,120.	4,820.	6,507.
	20"	23"	60"	ROWH60T1(-)(-)(-)	2,831.	2,948.	3,435.	4,637.
	20"	23"	72"	ROWH72T1(-)(-)(-)	3,898.	4,054.	4,712.	6,362.
	20"	23"	90"	ROWH90T1(-)(-)(-)	4,247.	4,424.	5,160.	6,967.
	20"	23"	96"	ROWH96T1(-)(-)(-)	4,340.	4,524.	5,284.	7,133.



60" w and 72" w units have four hinged doors, two lock cores required.
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19" h x 15" d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19" h x 20" d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23" h x 15" d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23" h x 20" d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions. 1. Configuration options:	
	O = Open	
	H = Hinged door	
	3. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	4. Pull Options: D = Metal D-pull for hinged door only J = Routed pull C = Nickel C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options: L = Lockhole drilled N = No lock drilling	
	Keying instructions * See Planning Guide for keying examples.	

Overhead storage workwalls, 26 1/2" standard height planning model

Reff

description	d	h	w	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	15"	19"	–	RWEA7220(L/R)-()	\$353.	\$364.	\$417.	\$563.
	15"	23"	–	RWEB7220(L/R)-()	353.	364.	417.	563.
	20"	19"	–	RWEC7220(L/R)-()	353.	364.	417.	563.
	20"	23"	–	RWED7220(L/R)-()	353.	364.	417.	563.



Workwall support endpanels for 72"H x 24"D workwall cabinets	15"	19"	–	RWEA7224(L/R)-()	384.	398.	457.	617.
	15"	23"	–	RWEB7224(L/R)-()	384.	398.	457.	617.
	20"	19"	–	RWEC7224(L/R)-()	384.	398.	457.	617.
	20"	23"	–	RWED7224(L/R)-()	384.	398.	457.	617.




Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions. 1.	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	See Planning Guide for keying examples.	

Overhead storage workwalls, 28³/₈" desk height planning model

Reff

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (hinged door)	15"	19"	60"	75"	ROWH60S0DH () () () ()	\$2,566.	\$2,675.	\$3,124.	\$4,218.
	15"	19"	72"	75"	ROWH72S0DH () () () ()	3,289.	3,425.	3,993.	5,391.
	15"	19"	90"	75"	ROWH90S0DH () () () ()	3,652.	3,813.	4,462.	6,024.
	15"	19"	96"	75"	ROWH96S0DH () () () ()	3,753.	3,919.	4,593.	6,201.
	20"	19"	60"	75"	ROWH60S1DH () () () ()	2,756.	2,871.	3,350.	4,523.
	20"	19"	72"	75"	ROWH72S1DH () () () ()	3,524.	3,669.	4,272.	5,767.
	20"	19"	90"	75"	ROWH90S1DH () () () ()	4,047.	4,220.	4,929.	6,654.
	20"	19"	96"	75"	ROWH96S1DH () () () ()	4,147.	4,326.	5,060.	6,831.




60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 () R Reff O Overhead W Workwall O Open 60 60" wide S 19" storage height 0 15" storage depth DH desk height, 75" height overall L Finish type, laminate 118 Finish, Bright White () Fabric selection	To order please specify pattern number including: 1. Configuration option (embedded in pattern number) O = Open H = Hinged doors 2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d 3. Finish type L = laminate 1 = V1 2 = V2 3 = V3 4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page are engineered to align with 75" h cabinets on page 272. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 237 ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration. 75" nominal height - actual height 75.125" If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order. Tackboard included with workwall; fabric applied railroaded. Tasklights to be ordered separately Products on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.

dimensions noted nominal

Overhead storage workwalls, 28³/₈" desk height planning model

Reff

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 23"h storage (hinged door) 	15"	23"	60"	75"	ROWH60T0DH () () () ()	\$2,783.	\$2,898.	\$3,385.	\$4,570.
	15"	23"	72"	75"	ROWH72T0DH () () () ()	3,723.	3,873.	4,508.	6,086.
	15"	23"	90"	75"	ROWH90T0DH () () () ()	4,201.	4,378.	5,112.	6,901.
	15"	23"	96"	75"	ROWH96T0DH () () () ()	4,301.	4,487.	5,243.	7,080.
	20"	23"	60"	75"	ROWH60T1DH () () () ()	2,974.	3,096.	3,606.	4,869.
	20"	23"	72"	75"	ROWH72T1DH () () () ()	4,092.	4,258.	4,948.	6,680.
	20"	23"	90"	75"	ROWH90T1DH () () () ()	4,460.	4,645.	5,419.	7,316.
	20"	23"	96"	75"	ROWH96T1DH () () () ()	4,557.	4,750.	5,548.	7,489.

60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

Workwall, (for "desk height") 19"h storage (open)	15"	19"	60"	75"	ROWO60S0DH () () () ()	1,988.	2,077.	2,435.	3,289.
	15"	19"	72"	75"	ROWO72S0DH () () () ()	2,558.	2,670.	3,123.	4,216.
	15"	19"	90"	75"	ROWO90S0DH () () () ()	2,820.	2,947.	3,465.	4,678.
	15"	19"	96"	75"	ROWO96S0DH () () () ()	2,887.	3,025.	3,560.	4,806.
	20"	19"	60"	75"	ROWO60S1DH () () () ()	2,139.	2,232.	2,616.	3,531.
	20"	19"	72"	75"	ROWO72S1DH () () () ()	2,746.	2,862.	3,344.	4,516.
	20"	19"	90"	75"	ROWO90S1DH () () () ()	3,130.	3,273.	3,843.	5,188.

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118() R Reff O Overhead W Workwall O Open 60 60" wide S 19" storage height 0 15" storage depth DH desk height, 75" height overall L Finish type, laminate 118 Finish, Bright White () Fabric selection	To order please specify pattern number including: 1. Configuration option (embedded in pattern number) O = Open H = Hinged doors 2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d 3. Finish type L = laminate 1 = V1 2 = V2 3 = V3 4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling 6. Finish 7. Optional pull finish, where applicable 8. Fabric for tackboard Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.
		Products on this page are engineered to align with 75" h cabinets on page 272. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 237 ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration. 75" nominal height - actual height 75.125" If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order. Tackboard included with workwall; fabric applied railroaded. Tasklights to be ordered separately

dimensions noted nominal

Overhead storage workwalls, 28³/₈" desk height planning model

Reff

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (open)	20"	19"	96"	75"	ROWO96S1DH () () () ()	\$3,204.	\$3,350.	\$3,937.	\$5,316.
Workwall, (for "desk height") 23"h storage (open)	15"	23"	60"	75"	ROWO60T0DH () () () ()	2,162.	2,256.	2,645.	3,571.
	15"	23"	72"	75"	ROWO72T0DH () () () ()	2,905.	3,028.	3,537.	4,775.
	15"	23"	90"	75"	ROWO90T0DH () () () ()	3,256.	3,403.	3,988.	5,384.
	15"	23"	96"	75"	ROWO96T0DH () () () ()	3,324.	3,477.	4,083.	5,511.
	20"	23"	60"	75"	ROWO60T1DH () () () ()	2,312.	2,411.	2,824.	3,811.
	20"	23"	72"	75"	ROWO72T1DH () () () ()	3,200.	3,336.	3,887.	5,249.
	20"	23"	90"	75"	ROWO90T1DH () () () ()	3,459.	3,614.	4,234.	5,715.
	20"	23"	96"	75"	ROWO96T1DH () () () ()	3,531.	3,687.	4,325.	5,838.

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75"h cabinets on page 272. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈"h products on page 237 ; do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
S 19" storage height	6. <i>Finish</i>	
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
L Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.	

dimensions noted nominal

Overhead storage workwalls, 28³/₈" desk height planning model

Reff

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75" h x 20" d workwall cabinets	15"	19"		75"	RWEA7520(L/R) () ()	\$370.	\$383.	\$438.	\$593.
	15"	23"		75"	RWEB7520(L/R) () ()	370.	383.	438.	593.
	20"	19"		75"	RWEC7520(L/R) () ()	370.	383.	438.	593.
	20"	23"		75"	RWED7520(L/R) () ()	370.	383.	438.	593.



depth and width indicate drilled to support workwall with corresponding storage dimensions

Workwall support end panels for 75" h x 24" d workwall cabinets	15"	19"		75"	RWEA7524(L/R) () ()	402.	418.	480.	648.
	15"	23"		75"	RWEB7524(L/R) () ()	402.	418.	480.	648.
	20"	19"		75"	RWEC7524(L/R) () ()	402.	418.	480.	648.
	20"	23"		75"	RWED7524(L/R) () ()	402.	418.	480.	648.






depth and width indicate drilled to support workwall with corresponding storage dimensions

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 272. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 237 ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
S 19" storage height	6. <i>Finish</i>	
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i> Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
L Finish type, laminate	Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.	
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Overhead storage
rectilinear worksurfaces for workwall units
1 1/4" thick


Reff

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$552.	\$569.	\$653.	\$882.
	60"	24"	RSWWA602()	593.	611.	704.	950.
	72"	20"	RSWWA721()	600.	620.	712.	960.
	72"	24"	RSWWA722()	641.	664.	760.	1,027.
	90"	20"	RSWWA901()	695.	719.	826.	1,115.
	90"	24"	RSWWA902()	737.	760.	877.	1,183.
	96"	20"	RSWWA961()	789.	815.	937.	1,265.
	96"	24"	RSWWA962()	832.	860.	988.	1,333.
Waterfall edge workwall tops 	60"	20"	RSWWAWF601()	n/a	1,709.	1,966.	2,654.
	60"	24"	RSWWAWF602()	n/a	1,835.	2,111.	2,850.
	72"	20"	RSWWAWF721()	n/a	1,858.	2,137.	2,884.
	72"	24"	RSWWAWF722()	n/a	1,987.	2,287.	3,088.
	90"	20"	RSWWAWF901()	n/a	2,157.	2,481.	3,350.
	90"	24"	RSWWAWF902()	n/a	2,287.	2,631.	3,551.
	96"	20"	RSWWAWF961()	n/a	2,514.	2,811.	3,795.
	96"	24"	RSWWAWF962()	n/a	2,578.	2,965.	4,002.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	n/a	663.	764.	1,032.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	n/a	703.	811.	1,095.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	n/a	712.	819.	1,106.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	n/a	761.	877.	1,083.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	n/a	826.	950.	1,283.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	n/a	876.	1,008.	1,360.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	n/a	937.	1,079.	1,456.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	n/a	988.	1,136.	1,534.

Order Code	Specification Information	Application Notes
Example: RSWWA60100L R Reff S Straight top WW Workwall top A 1 1/4" thick 60 60" wide 1 20" deep (L) Laminate finish	To order please specify pattern number including: 1. Top thickness 2. Top finish type 3. Top finish 1. Thickness options: A = 1 1/4" 2. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3 3. Specify edge detail where applicable, for RSWWA(). See page 162 for available profiles. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs. No grommets available. 1 3/4" thick laminate option is double post formed front and back, all others are edgebanded. Applicable finishes are listed on page 5 and 6. Hardware included.

Overhead storage
rectilinear worksurfaces for workwall units
1 3/4" thick

Reff


description	w	d	pattern no,	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWB601()	\$689.	\$716.	\$821.	\$1,108.
	60"	24"	RSWWB602()	739.	769.	884.	1,194.
	72"	20"	RSWWB721()	750.	780.	897.	1,211.
	72"	24"	RSWWB722()	800.	833.	958.	1,294.
	90"	20"	RSWWB901()	868.	903.	1,038.	1,403.
	90"	24"	RSWWB902()	923.	959.	1,102.	1,488.
	96"	20"	RSWWB961()	985.	1,023.	1,175.	1,586.
	96"	24"	RSWWB962()	1,039.	1,080.	1,241.	1,676.

Order Code	Specification Information	Application Notes
Example: RSWWB60100L	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.
R Reff	1. Top thickness 2. Top finish type 3. Top finish	
S Straight top	1. <i>Thickness options:</i> B = 1 3/4"	Applicable finishes are listed on page 5 and 6. Hardware included.
WW Workwall top	2. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
B 1 3/4" thick	3. Specify edge detail where applicable, for RSWWA(). See page 162 for available profiles.	No grommets available. 1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
60 60" wide		
1 20" deep		
(L) Laminate finish		

Overhead storage
overdesk units, standard height planning model
use with 1 1/4" worksurfaces and 26 1/2" h support


Reff

description	d	w	h	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	15"	60"	44 1/4"	2	4	ROAH60T0(-)(-)(-)	\$2,392.	\$3,002.	\$3,508.	\$4,736.
	15"	72"	44 1/4"	2	4	ROAH72T0(-)(-)(-)	3,031.	3,797.	4,429.	5,980.
	15"	90"	44 1/4"	3	6	ROAH90T0(-)(-)(-)	3,370.	4,226.	4,949.	6,681.
	15"	96"	44 1/4"	3	6	ROAH96T0(-)(-)(-)	3,510.	4,408.	5,167.	6,975.
	20"	60"	44 1/4"	2	4	ROAH60T1(-)(-)(-)	2,531.	3,175.	3,702.	4,996.
	20"	72"	44 1/4"	2	4	ROAH72T1(-)(-)(-)	3,200.	4,008.	4,670.	6,304.
	20"	90"	44 1/4"	3	6	ROAH90T1(-)(-)(-)	3,565.	4,471.	5,229.	7,060.
	20"	96"	44 1/4"	3	6	ROAH96T1(-)(-)(-)	3,716.	4,664.	5,459.	7,370.



For 1 1/4" worksurfaces (open)	15"	60"	44 1/4"			ROAO60T0(-)(-)(-)	1,582.	1,990.	2,346.	3,167.
	15"	72"	44 1/4"			ROAO72T0(-)(-)(-)	2,018.	2,535.	2,978.	4,020.
	15"	90"	44 1/4"			ROAO90T0(-)(-)(-)	2,208.	2,784.	3,293.	4,445.
	15"	96"	44 1/4"			ROAO96T0(-)(-)(-)	2,292.	2,893.	3,423.	4,620.
	20"	60"	44 1/4"			ROAO60T1(-)(-)(-)	1,680.	2,111.	2,483.	3,353.
	20"	72"	44 1/4"			ROAO72T1(-)(-)(-)	2,136.	2,683.	3,148.	4,250.
	20"	90"	44 1/4"			ROAO90T1(-)(-)(-)	2,344.	2,956.	3,482.	4,702.
	20"	96"	44 1/4"			ROAO96T1(-)(-)(-)	2,434.	3,073.	3,627.	4,895.

For 1 1/4" worksurfaces (flip door)	15"	60"	44 1/4"	2	2	ROAF60S0(-)(-)(-)	2,047.	2,789.	3,260.	4,402.
	15"	72"	44 1/4"	2	2	ROAF72S0(-)(-)(-)	2,431.	3,535.	4,126.	5,570.
	15"	84"	44 1/4"	2	2	ROAF84S0(-)(-)(-)	3,150.	4,029.	4,711.	6,359.
	15"	96"	44 1/4"	2	2	ROAF96S0(-)(-)(-)	3,226.	4,138.	4,855.	6,554.
	20"	60"	44 1/4"	2	2	ROAF60S1(-)(-)(-)	2,167.	2,953.	3,449.	4,657.
	20"	72"	44 1/4"	2	2	ROAF72S1(-)(-)(-)	2,568.	3,732.	4,354.	5,878.
	20"	84"	44 1/4"	2	2	ROAF84S1(-)(-)(-)	3,330.	4,261.	4,979.	6,721.
	20"	96"	44 1/4"	2	2	ROAF96S1(-)(-)(-)	3,416.	4,383.	5,136.	6,933.




Order Code	Specification Information	Application Notes
Example: ROAF60S0LJLBF118()	To order please specify pattern number including:	Shipped knocked-down.
R Reff		Open cabinets require no locks.
O Overhead	1. Configuration option	Tasklights not included.
A For 1 1/4" top mounting	O = Open	Tackboard included, fabric railroaded.
F Flip door	H = Hinged door	C, D and S pulls are not available for flip door units.
60 60" wide	F = Flip door	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	2. Width	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	3. Storage option	Locks are not factory installed.
L Finish type, laminate	S0 = 19"h x 15"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	S1 = 19"h x 20"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T0 = 23"h x 15"d	
BF Cord escape, back feed	T1 = 23"h x 20"d	
118 Finish, Bright White	4. Finish type	
(W250) Fabric	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on page 5 and 6.	

Overhead storage
overdesk units, standard height planning model
use with 1³/₄" worksurfaces and 26¹/₂"h support


Reff

description	d	w	h	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 ³ / ₄ " worksurfaces (hinged door)	15"	60"	43 ³ / ₄ "	2	4	ROBH60T0(-)(-)(-)	\$2,419.	\$3,034.	\$3,544.	\$4,786.
	15"	72"	43 ³ / ₄ "	2	4	ROBH72T0(-)(-)(-)	3,066.	3,839.	4,478.	6,046.
	15"	90"	43 ³ / ₄ "	3	6	ROBH90T0(-)(-)(-)	3,407.	4,275.	5,004.	6,755.
	15"	96"	43 ³ / ₄ "	3	6	ROBH96T0(-)(-)(-)	3,553.	4,459.	5,225.	7,054.
	20"	60"	43 ³ / ₄ "	2	4	ROBH60T1(-)(-)(-)	2,561.	3,206.	3,745.	5,057.
	20"	72"	43 ³ / ₄ "	2	4	ROBH72T1(-)(-)(-)	3,237.	4,053.	4,723.	6,375.
	20"	90"	43 ³ / ₄ "	3	6	ROBH90T1(-)(-)(-)	3,605.	4,524.	5,287.	7,137.
	20"	96"	43 ³ / ₄ "	3	6	ROBH96T1(-)(-)(-)	3,758.	4,717.	5,523.	7,455.



For 1 ³ / ₄ " worksurfaces (open)	15"	60"	43 ³ / ₄ "			ROBO60T0(-)(-)(-)	1,599.	2,017.	2,371.	3,200.
	15"	72"	43 ³ / ₄ "			ROBO72T0(-)(-)(-)	2,027.	2,565.	3,012.	4,065.
	15"	90"	43 ³ / ₄ "			ROBO90T0(-)(-)(-)	2,233.	2,818.	3,330.	4,495.
	15"	96"	43 ³ / ₄ "			ROBO96T0(-)(-)(-)	2,318.	2,928.	3,463.	4,675.
	20"	60"	43 ³ / ₄ "			ROBO60T1(-)(-)(-)	1,697.	2,138.	2,511.	3,390.
	20"	72"	43 ³ / ₄ "			ROBO72T1(-)(-)(-)	2,161.	2,714.	3,182.	4,295.
	20"	90"	43 ³ / ₄ "			ROBO90T1(-)(-)(-)	2,321.	2,931.	3,469.	4,683.
	20"	96"	43 ³ / ₄ "			ROBO96T1(-)(-)(-)	2,375.	2,992.	3,528.	4,762.

For 1 ³ / ₄ " worksurfaces (flip door)	15"	60"	43 ³ / ₄ "	2	2	ROBF60S0(-)(-)(-)	2,070.	2,822.	3,299.	4,454.
	15"	72"	43 ³ / ₄ "	2	2	ROBF72S0(-)(-)(-)	2,459.	3,575.	4,173.	5,633.
	15"	84"	43 ³ / ₄ "	2	2	ROBF84S0(-)(-)(-)	3,186.	4,071.	4,762.	6,430.
	15"	96"	43 ³ / ₄ "	2	2	ROBF96S0(-)(-)(-)	3,264.	4,189.	4,912.	6,631.
	20"	60"	43 ³ / ₄ "	2	2	ROBF60S1(-)(-)(-)	2,193.	2,983.	3,487.	4,707.
	20"	72"	43 ³ / ₄ "	2	2	ROBF72S1(-)(-)(-)	2,598.	3,774.	4,403.	5,944.
	20"	84"	43 ³ / ₄ "	2	2	ROBF84S1(-)(-)(-)	3,371.	4,312.	5,039.	6,804.
	20"	96"	43 ³ / ₄ "	2	2	ROBF96S1(-)(-)(-)	3,457.	4,433.	5,191.	7,008.




Order Code	Specification Information	Application Notes
Example: ROBF60S0LJLBF118()	To order please specify pattern number including:	Shipped knocked-down.
R Reff		Open cabinets require no locks.
O Overhead	1. Configuration option	Tasklights not included.
B For 1 ³ / ₄ " top mounting	O = Open	Tackboard included, fabric railroaded.
F Flip door	H = Hinged door	C, D and S pulls are not available for flip door units.
60 60" wide	F = Flip door	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	2. Width	Open/hinge doors are nominal 23"H, actual 22 ³ / ₈ ".
0 15" deep	3. Storage option	Locks are not factory installed.
L Finish type, laminate	S0 = 19"h x 15"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	S1 = 19"h x 20"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T0 = 23"h x 15"d	
BF Cord escape, back feed	T1 = 23"h x 20"d	
118 Finish, Bright White	4. Finish type	
(W250) Fabric	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 20 ³ / ₄ ".	
	Applicable finishes are listed on page 5 and 6.	

Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 1/4" worksurface at "desk height") H=Hinged Door	15"	60"	45 1/2"	ROAH60T0DH (X)(X)(X)(X)	\$2,510.	\$3,153.	\$3,681.	\$4,970.
	15"	72"	45 1/2"	ROAH72T0DH (X)(X)(X)(X)	3,183.	3,988.	4,652.	6,280.
	15"	90"	45 1/2"	ROAH90T0DH (X)(X)(X)(X)	3,538.	4,438.	5,198.	7,017.
	15"	96"	45 1/2"	ROAH96T0DH (X)(X)(X)(X)	3,686.	4,628.	5,424.	7,322.
	20"	60"	45 1/2"	ROAH60T1DH (X)(X)(X)(X)	2,658.	3,333.	3,888.	5,250.
	20"	72"	45 1/2"	ROAH72T1DH (X)(X)(X)(X)	3,361.	4,209.	4,904.	6,621.
	20"	90"	45 1/2"	ROAH90T1DH (X)(X)(X)(X)	3,741.	4,694.	5,490.	7,413.
	20"	96"	45 1/2"	ROAH96T1DH (X)(X)(X)(X)	3,902.	4,895.	5,734.	7,739.



60" w and 72" w hinged door units have four hinged doors, two lock cores required
 90" w and 96" w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 272. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8" h products on page 237 ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
A For mounting on 1 1/4" thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
T 23" h storage	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
0 15" d storage	7. <i>Finish</i>	
DH desk height, 75" height overall	8. <i>Optional pull finish, where applicable</i>	
L Finish type, laminate	9. <i>Fabric for tackboard</i>	
BF Cord escape, back feed	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page shipped knocked-down. Tasklights not included. Tackboard included, fabric orientation applied railroaded. Wire manager included and mounts adjacent to tackboard. Specify color. Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	

dimensions noted nominal

Overhead storage
*overdesk units, desk height planning model
 use with 1 1/4" worksurfaces and 28 3/8" h support*

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 1/4" worksurface at "desk height") O=Open	15"	60"	45 1/2"	ROAO60T0DH () () () () ()	\$1,662.	\$2,090.	\$2,463.	\$3,326.
	15"	72"	45 1/2"	ROAO72T0DH () () () () ()	2,118.	2,663.	3,125.	4,219.
	15"	90"	45 1/2"	ROAO90T0DH () () () () ()	2,317.	2,924.	3,457.	4,667.
	15"	96"	45 1/2"	ROAO96T0DH () () () () ()	2,407.	3,037.	3,593.	4,851.
	20"	60"	45 1/2"	ROAO60T1DH () () () () ()	1,764.	2,217.	2,608.	3,520.
	20"	72"	45 1/2"	ROAO72T1DH () () () () ()	2,244.	2,820.	3,306.	4,462.
	20"	90"	45 1/2"	ROAO90T1DH () () () () ()	2,460.	3,103.	3,658.	4,938.
	20"	96"	45 1/2"	ROAO96T1DH () () () () ()	2,557.	3,226.	3,808.	5,141.


Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 272. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8" h products on page 237 ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
A For mounting on 1 1/4" thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
T 23" h storage	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
0 15" d storage	7. <i>Finish</i>	
DH desk height, 75" height overall	8. <i>Optional pull finish, where applicable</i>	
L Finish type, laminate	9. <i>Fabric for tackboard</i>	
BF Cord escape, back feed	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page shipped knocked-down. Tasklights not included. Tackboard included, fabric orientation applied railroaded. Wire manager included and mounts adjacent to tackboard. Specify color. Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	

dimensions noted nominal

Overhead storage
overdesk units, desk height planning model
use with 1 1/4" worksurfaces and 28 3/8" h support

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45 1/2"	ROAF60S0DH () () () ()	\$2,149.	\$2,928.	\$3,425.	\$4,623.
(for 1 1/4" worksurface	15"	72"	45 1/2"	ROAF72S0DH () () () ()	2,552.	3,712.	4,333.	5,849.
at "desk height")	15"	84"	45 1/2"	ROAF84S0DH () () () ()	3,307.	4,230.	4,948.	6,680.
F=Flip door	15"	96"	45 1/2"	ROAF96S0DH () () () ()	3,388.	4,345.	5,098.	6,883.
	20"	60"	45 1/2"	ROAF60S1DH () () () ()	2,277.	3,098.	3,622.	4,889.
	20"	72"	45 1/2"	ROAF72S1DH () () () ()	2,698.	3,918.	4,572.	6,171.
	20"	84"	45 1/2"	ROAF84S1DH () () () ()	3,496.	4,474.	5,226.	7,055.
	20"	96"	45 1/2"	ROAF96S1DH () () () ()	3,587.	4,603.	5,393.	7,281.



all flip door units have two flip doors, two lock cores required
 J-pull only, C, D and S pulls are not optional for flip door units


Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 272. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8" h products on page 237 ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
A For mounting on 1 1/4" thick top	3. <i>Finish type</i> L = laminate	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
T 23" h storage	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
0 15" d storage	7. <i>Finish</i>	
DH desk height, 75" height overall	8. <i>Optional pull finish, where applicable</i>	
L Finish type, laminate	9. <i>Fabric for tackboard</i>	
BF Cord escape, back feed	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page shipped knocked-down. Tasklights not included. Tackboard included, fabric orientation applied railroaded. Wire manager included and mounts adjacent to tackboard. Specify color. Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	

dimensions noted nominal

Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 ³ / ₄ " worksurface at "desk height") H=Hinged Door	15"	60"	45"	ROBH60T0DH () () () () ()	\$2,543.	\$3,186.	\$3,723.	\$5,025.
	15"	72"	45"	ROBH72T0DH () () () () ()	3,220.	4,034.	4,704.	6,350.
	15"	90"	45"	ROBH90T0DH () () () () ()	3,579.	4,489.	5,254.	7,092.
	15"	96"	45"	ROBH96T0DH () () () () ()	3,730.	4,684.	5,487.	7,407.
	20"	60"	45"	ROBH60T1DH () () () () ()	2,689.	3,366.	3,930.	5,306.
	20"	72"	45"	ROBH72T1DH () () () () ()	3,398.	4,255.	4,958.	6,693.
	20"	90"	45"	ROBH90T1DH () () () () ()	3,786.	4,747.	5,553.	7,497.
	20"	96"	45"	ROBH96T1DH () () () () ()	3,945.	4,953.	5,799.	7,828.



60" w and 72" w hinged door units have four hinged doors, two lock cores required
 90" w and 96" w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	7. <i>Finish</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	8. <i>Optional pull finish, where applicable</i>
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Fabric for tackboard</i>
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
T 23" h storage		Products on this page shipped knocked-down.
0 15" d storage		Tasklights not included.
DH desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Products on this page are engineered to align with 75" h cabinets on page 272. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 237 ; **do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.**

Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.

Clearance below overhead storage to top of worksurface is approximately 22³/₈" h.

Applicable finishes are listed on page 5 and 6.

Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45"	ROBO60T0DH () () () () ()	\$1,679.	\$2,117.	\$2,490.	\$3,361.
(for 1 ³ / ₄ " worksurface	15"	72"	45"	ROBO72T0DH () () () () ()	2,128.	2,695.	3,162.	4,269.
at "desk height")	15"	90"	45"	ROBO90T0DH () () () () ()	2,346.	2,958.	3,496.	4,720.
O=Open	15"	96"	45"	ROBO96T0DH () () () () ()	2,434.	3,074.	3,638.	4,911.
	20"	60"	45"	ROBO60T1DH () () () () ()	1,782.	2,243.	2,639.	3,562.
	20"	72"	45"	ROBO72T1DH () () () () ()	2,268.	2,848.	3,342.	4,512.
	20"	90"	45"	ROBO90T1DH () () () () ()	2,439.	3,077.	3,641.	4,916.
	20"	96"	45"	ROBO96T1DH () () () () ()	2,494.	3,140.	3,703.	4,999.


Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	8. <i>Optional pull finish, where applicable</i>
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Fabric for tackboard</i>
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
T 23"h storage		Products on this page shipped knocked-down.
0 15"d storage		Tasklights not included.
DH desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
118 Finish, Bright White		Products on this page are engineered to align with 75"h cabinets on page 272. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 237 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
() Fabric selection		Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.
		Clearance below overhead storage to top of worksurface is approximately 22 ³ / ₈ "h.
		Applicable finishes are listed on page 5 and 6.

dimensions noted nominal

Overhead storage
overdesk units, desk height planning model
use with 1³/₄" worksurfaces and 28³/₈"h support

Reff

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45"	ROBF60S0DH () () () ()	\$2,174.	\$2,964.	\$3,464.	\$4,677.
(for 1 ³ / ₄ " worksurface	15"	72"	45"	ROBF72S0DH () () () ()	2,581.	3,754.	4,381.	5,915.
at "desk height")	15"	84"	45"	ROBF84S0DH () () () ()	3,343.	4,274.	5,000.	6,750.
F=Flip door	15"	96"	45"	ROBF96S0DH () () () ()	3,427.	4,398.	5,159.	6,966.
	20"	60"	45"	ROBF60S1DH () () () ()	2,302.	3,133.	3,661.	4,942.
	20"	72"	45"	ROBF72S1DH () () () ()	2,729.	3,965.	4,622.	6,240.
	20"	84"	45"	ROBF84S1DH () () () ()	3,539.	4,528.	5,289.	7,141.
	20"	96"	45"	ROBF96S1DH () () () ()	3,631.	4,653.	5,450.	7,356.



all flip door units have two flip doors, two lock cores required
 J-pull only; C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	8. <i>Optional pull finish, where applicable</i>
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Fabric for tackboard</i>
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 349. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
T 23"h storage		Products on this page shipped knocked-down.
0 15"d storage		Tasklights not included.
DH desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Products on this page are engineered to align with 75"h cabinets on page 272. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈"h products on page 237 ; **do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.**

Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.


Clearance below overhead storage to top of worksurface is approximately 22³/₈"h.

Applicable finishes are listed on page 5 and 6.


Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter

Reff


description	type	w	d	h	pattern no.	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24()L	\$650.	\$650.	\$681.	\$978.
		30"	14 1/4"	14 3/4"	RO3-N30()L	723.	723.	762.	1,056.
		36"	14 1/4"	14 3/4"	RO3-N36()L	836.	836.	879.	1,183.
		42"	14 1/4"	14 3/4"	RO3-N42()L	970.	970.	1,020.	1,316.
		48"	14 1/4"	14 3/4"	RO3-N48()L	1,085.	1,085.	1,137.	1,445.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60()L	1,372.	1,372.	1,443.	1,990.
		66"	14 1/4"	14 3/4"	RO3-N66()L	1,502.	1,502.	1,574.	2,133.
		72"	14 1/4"	14 3/4"	RO3-N72()L	1,604.	1,604.	1,684.	2,251.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24()N	583.	583.	612.	n/a
		30"	14 1/4"	14 3/4"	RO3-N30()N	661.	661.	694.	n/a
		36"	14 1/4"	14 3/4"	RO3-N36()N	773.	773.	812.	n/a
		42"	14 1/4"	14 3/4"	RO3-N42()N	907.	907.	953.	n/a
		48"	14 1/4"	14 3/4"	RO3-N48()N	1,019.	1,019.	1,070.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60()N	1,244.	1,244.	1,307.	n/a
		66"	14 1/4"	14 3/4"	RO3-N66()N	1,371.	1,371.	1,440.	n/a
		72"	14 1/4"	14 3/4"	RO3-N72()N	1,479.	1,479.	1,552.	n/a



Order Code

Example:	RO3-N48-613-613-L
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.



Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter open shelf

Designed by Robert Reuter

Reff

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf no mounting hardware		30"	13"	8"	RS1-N30()		\$310.	\$310.	\$325.
		36"	13"	8"	RS1-N36()		351.	351.	369.
		42"	13"	8"	RS1-N42()		379.	379.	397.
		48"	13"	8"	RS1-N48()		407.	407.	427.
		60"	13"	8"	RS1-N60()		477.	477.	502.
 Interior partitions	Vertical, set of 5	–	12"	6"	RS1-VP	77.			
	Horizontal, set of 10	6"	12"	–	RO1-HP6	127.			
		9"	12"	–	RO1-HP9	160.			
		12"	12"	–	RO1-HP12	190.			
		15"	12"	–	RO1-HP15	221.			

Order Code

Example:	RS1-N48-612
RS1	Reuter shelf
N	No mounting hardware
48	Width
612	Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.

Reuter storage is a universal product applicable on Morrison or other Knoll systems.



Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter open overhead

Designed by Robert Reuter

Reff

description	type	w	d	h	pattern no.	black	P1	P2	P3
	Open overhead no mounting hardware	30"	13"	14 ³ / ₄ "	RO3-ON30()		\$464.	\$464.	\$486.
		36"	13"	14 ³ / ₄ "	RO3-ON36()		533.	533.	559.
		42"	13"	14 ³ / ₄ "	RO3-ON42()		604.	604.	634.
		48"	13"	14 ³ / ₄ "	RO3-ON48()		675.	675.	707.
		60"	13"	14 ³ / ₄ "	RO3-ON60()		785.	785.	826.
		72"	13"	14 ³ / ₄ "	RO3-ON72()		926.	926.	971.
	Vertical, set of 5	–	11"	12"	RO3-VP	82.			
	Horizontal, set of 10	6"	11"	–	RO1-HP6	127.			
		9"	11"	–	RO1-HP9	160.			
		12"	11"	–	RO1-HP12	190.			
		15"	11"	–	RO1-HP15	221.			

Order Code

Example:	RO3-ON30-612
RO3-O	Reuter open overhead
N	No mounting hardware
30	Width
612	Finish

Specification Information

Specify finish for case and door.

Application Notes

Interior partitions are black painted steel finish.

Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.

Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter overhead storage desk and panel mounting options Designed by Robert Reuter

Reff




description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				RO1-RPB	\$43.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				RS1-RPB	35.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Reff / AutoStrada panels				RO1-RCB()		91.




Order Code	Specification Information	Application Notes
Example: RO2-NS21-612	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
RO2 Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
NS Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
21 Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
612 Paint finish		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter


Reff

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	\$80.
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	86.
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	91.
Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	RS1-WMF24	80.
	30"W shelf	29"	1 1/2"	6"	RS1-WMF30	84.
	36"W shelf	35"	1 1/2"	6"	RS1-WMF36	86.
	42"W shelf	41"	1 1/2"	6"	RS1-WMF42	89.
	48"W shelf	47"	1 1/2"	6"	RS1-WMF48	91.
	60"W shelf	59"	1 1/2"	6"	RS1-WMF60	97.
Wall mount wire manager, set of 10					MWM-J	141.
						
	Ganging bracket				RO1-GB	12.
ADA pull					RO1-PULL	47.
						





Order Code	Specification Information	Application Notes
Example: RO1-GB	Wall mount frames are painted black finish.	Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads.
RO1 Reuter overhead	ADA pull is stainless steel.	Reuter open shelves 66" and 72"W are for stanchion support only.
GB Ganging bracket		Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).
		Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.
		ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".
		ADA pull cannot be mounted on wood front Reuter doors.

description	type	w	d	h	pattern no.	standard	advanced
Task Light 	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19 ()	\$213.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25 ()	229.	395.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37 ()	247.	416.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49 ()	268.	432.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61 ()	285.	450.

Order Code	Specification Information	Application Notes
Example: RTAT5E19S <hr/> RTA Task Light <hr/> T5 T5 lamp <hr/> E Electronic ballast <hr/> 19 Width <hr/> S Standard	Specify: Width - Task Lights mount in cabinets and shelves at least 5" wider than light width. Type: S Standard A Advanced Specify suffix -CH and add \$45 list for City of Chicago installations. Example: RTAT5E19S-CH All housings are black.	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width. Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Task light cordset is center exit. On smaller units cort exit is off-center, but still not handed. Task lights are TCLP compliant and meet requirements of California Title 24. Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.

description	type	w	d	h	pattern no.	standard	advanced
Task Light 	Use with 24" and wider overhead	19"	4"	1 1/2"	RTL5E19 ()	\$251.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25 ()	257.	369.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37 ()	262.	389.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49 ()	267.	404.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61 ()	282.	420.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73 ()	307.	435.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85 ()	384.	451.

Order Code	Specification Information	Application Notes
Example: RTL5E19S <hr/> RTL Task Light <hr/> T5 T5 lamp <hr/> E Electronic ballast <hr/> 19 Width <hr/> S Standard	Specify: Width - Task Lights mount in cabinets and shelves at least 5" wider than light width. Type: S Standard A Advanced Specify suffix -CH and add \$45 list for City of Chicago installations. Example: RTL5E19S-CH All housings are black.	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width. Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded corset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Task light cordset is center exit. On smaller units cord exit is off-center, but still not handed. Task lights are TCLP compliant and meet requirements of California Title 24. Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.

description	w	pattern no.	list price
Sliding rail for open shelves 	30"	RSDR30	\$49.
	36"	RSDR36	49.
	42"	RSDR42	49.
	48"	RSDR48	49.
	54"	RSDR54	49.
	60"	RSDR60	78.
	66"	RSDR66	78.
	72"	RSDR72	78.
	78"	RSDR78	78.
	84"	RSDR84	86.
	90"	RSDR90	86.
96"	RSDR96	86.	
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	49.
	36"	ROHDR36	49.
	42"	ROHDR42	49.
	48"	ROHDR48	49.
	60"	ROHDR60	86.
	72"	ROHDR72	86.
	90"	ROHDR90	117.
	96"	ROHDR96	117.
Sliding rail for flip door overhead cabinets 	30"	RFDR30	49.
	36"	RFDR36	49.
	42"	RFDR42	49.
	48"	RFDR48	49.
	60"	RFDR60	86.
	72"	RFDR72	86.
	84"	RFDR84	86.
	96"	RFDR96	86.
Sliding rail divider 		R5ZNNE (3 dividers)	20.

Order Code

Example: RSDR30	
R	Reff
SDR	Sliding rail for open shelves
30	For 30" shelf

Specification Information

To order please specify pattern number.

Application Notes


Match cabinet width to rail width.


Parts come in black only.


These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

Single pedestal desks
27³/₄" high overall
available V2 finish options only

Reff

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W)() () 2	\$2,693.	\$3,084.	\$3,658.	\$2,847.	\$3,238.	\$3,810.
	72"	30"	RDSP7230J(A,B,W)() () 2	2,801.	3,243.	3,810.	2,955.	3,396.	3,965.
	84"	30"	RDSP8430J(A,B,W)() () 2	2,939.	3,426.	4,039.	3,093.	3,579.	4,192.
	96"	30"	RDSP9630J(A,B,W)() () 2	3,059.	3,589.	4,250.	3,212.	3,743.	4,403.

Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W)() () 2	2,858.	3,273.	3,971.	3,081.	3,494.	4,193.
	72"	36"	RDSP7236J(A,B,W)() () 2	2,990.	3,476.	4,179.	3,212.	3,698.	4,401.
	84"	36"	RDSP8436J(A,B,W)() () 2	3,125.	3,692.	4,395.	3,346.	3,913.	4,616.
	96"	36"	RDSP9636J(A,B,W)() () 2	3,245.	3,903.	4,601.	3,466.	4,124.	4,823.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W)() () 2	3,531.	3,784.	5,047.	3,752.	4,006.	5,268.
	72"	30"	RBSP7230J(A,B,W)() () 2	3,653.	3,933.	5,329.	3,875.	4,154.	5,550.
	84"	30"	RBSP8430J(A,B,W)() () 2	3,845.	4,150.	5,693.	4,066.	4,372.	5,914.
	96"	30"	RBSP9630J(A,B,W)() () 2	4,020.	4,363.	6,074.	4,242.	4,586.	6,296.


Order Code	Specification Information	Application Notes
Example: RDSP6030JAR2WJL	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RD Reff desk	1. Width	36"D rectilinear desk pedestals are 30"D including modesty panel.
SP Single pedestal	2. Depth	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	3. File option	Bowed front desk pedestals are 30"D with finished backs.
30 30" deep	<i>J default = BBF</i>	All desks are non-handed.
J Box/box/file	4. Top thickness	All hardware included.
A 1 1/4" regular edge top	5. Grommet option	All waterfall desks have waterfall detail on front and back.
R Recessed grommets	6. Finish type	All components on this page available in V2 only.
2 Finish type	7. Interior option	
W Wood interiors	8. Pull option	
J Routed pulls	9. Locking	
L Lock	<i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options:	
	A = 1 1/4"	
	B = 1 3/4"	
	W = 1 1/4" waterfall	
	5. Grommet Options:	
	R = Recessed grommets	
	N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options:	
	M = Metal	
	W = Wood	
	8. Pull Options:	
	D = Metal D-pull	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only)	
	S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	


Double pedestal desks
27³/₄" high overall
available V2 finish options only

Reff

Preconfigured Reff
Deskings

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	RDDP6030JK(A,B,W)() () () 2	\$3,482.	\$3,873.	\$4,446.	\$3,820.	\$4,211.	\$4,785.
	72"	30"	RDDP7230JK(A,B,W)() () () 2	3,591.	4,032.	4,600.	3,929.	4,370.	4,938.
	84"	30"	RDDP8430JK(A,B,W)() () () 2	3,728.	4,214.	4,827.	4,066.	4,551.	5,165.
	96"	30"	RDDP9630JK(A,B,W)() () () 2	3,848.	4,379.	5,038.	4,186.	4,717.	5,376.





	60"	36"	RDDP6036JK(A,B,W)() () () 2	3,703.	4,116.	4,813.	4,158.	4,572.	5,271.
	72"	36"	RDDP7236JK(A,B,W)() () () 2	3,835.	4,320.	5,021.	4,290.	4,776.	5,479.
	84"	36"	RDDP8436JK(A,B,W)() () () 2	3,968.	4,534.	5,236.	4,424.	4,991.	5,693.
	96"	36"	RDDP9636JK(A,B,W)() () () 2	4,087.	4,745.	5,443.	4,544.	5,202.	5,900.

	60"	30"	RBDP6030JK(A,B,W)() () () 2	4,124.	4,378.	5,639.	4,582.	4,833.	6,096.
	72"	30"	RBDP7230JK(A,B,W)() () () 2	4,246.	4,525.	5,922.	4,701.	4,982.	6,377.
	84"	30"	RBDP8430JK(A,B,W)() () () 2	4,438.	4,743.	6,285.	4,893.	5,200.	6,742.
	96"	30"	RBDP9630JK(A,B,W)() () () 2	4,613.	4,957.	6,666.	5,070.	5,412.	7,122.

Order Code	Specification Information	Application Notes	
Example: RDDP7236JKAR2WJL			
RD Reff desk	<p><i>To order, please specify pattern number including:</i></p> <ol style="list-style-type: none"> Width Depth File option <i>JK default = BBF and FF</i> Top thickness Grommet option Finish type Interior option Pull option Locking <i>L default</i> Veneer finish Pull finish, when applicable Grommet finish, when applicable <p><i>4. Thickness options:</i> A = 1¹/₄" B = 1³/₄" W = 1¹/₄" waterfall</p>	<p><i>5. Grommet Options:</i> R = Recessed grommets N = No grommets</p> <p><i>6. 2 = V2 Veneer Finish</i></p> <p><i>7. Interior Options:</i> M = Metal W = Wood</p> <p><i>8. Pull Options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Random locks are factory installed. Keyalike are field installed with the KnollKey order form.</p>	
DP Double pedestal			30"D rectilinear desk pedestals are 24"D including modesty panel.
72 72" wide			36"D rectilinear desk pedestals are 30"D including modesty panel.
36 36" deep			Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
J Box/box/file pedestal			Bowed front desk pedestals are 30"D with finished backs. Bow front modesty sits in between the pedestals and is recessed in 6".
K File/file			All hardware included.
A 1 ¹ / ₄ " Thick worksurface			All waterfall desks have waterfall detail on front and back.
R Recessed grommets			All components on this page available in V2 only.
2 Finish type, V2			
W Wood interiors			
J Routed pull			
L Lock			

Desk returns
27³/₄" high overall
available V2 finish options only

Reff


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)() () 2	\$1,995.	\$2,308.	\$2,914.	\$2,180.	\$2,492.	\$3,099.
	42"	24"	RRSP4224K(A,B,W)() () 2	2,046.	2,398.	2,991.	2,231.	2,582.	3,176.
	48"	24"	RRSP4824K(A,B,W)() () 2	2,132.	2,510.	3,149.	2,316.	2,693.	3,333.
	54"	24"	RRSP5424K(A,B,W)() () 2	2,189.	2,572.	3,274.	2,374.	2,756.	3,458.
	60"	24"	RRSP6024K(A,B,W)() () 2	2,244.	2,629.	3,406.	2,429.	2,814.	3,591.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)() () 2	2,123.	2,471.	3,155.	2,358.	2,704.	3,388.
	42"	30"	RRSP4230K(A,B,W)() () 2	2,180.	2,552.	3,250.	2,413.	2,785.	3,486.
	48"	30"	RRSP4830K(A,B,W)() () 2	2,270.	2,649.	3,414.	2,504.	2,884.	3,650.
	54"	30"	RRSP5430K(A,B,W)() () 2	2,338.	2,711.	3,575.	2,571.	2,946.	3,809.
	60"	30"	RRSP6030K(A,B,W)() () 2	2,378.	2,767.	3,660.	2,612.	3,002.	3,896.
 End panel return	36"	24"	RREP3624(A,B,W)(F,N)2				1,207.	1,518.	2,126.
	42"	24"	RREP4224(A,B,W)(F,N)2				1,257.	1,609.	2,203.
	48"	24"	RREP4824(A,B,W)(F,N)2				1,343.	1,719.	2,360.
	54"	24"	RREP5424(A,B,W)(F,N)2				1,401.	1,783.	2,485.
	60"	24"	RREP6024(A,B,W)(F,N)2				1,456.	1,840.	2,617.
 End panel return	36"	30"	RREP3630(A,B,W)(F,N)2				1,282.	1,627.	2,311.
	42"	30"	RREP4230(A,B,W)(F,N)2				1,337.	1,708.	2,408.
	48"	30"	RREP4830(A,B,W)(F,N)2				1,427.	1,806.	2,572.
	54"	30"	RREP5430(A,B,W)(F,N)2				1,494.	1,868.	2,733.
	60"	30"	RREP6030(A,B,W)(F,N)2				1,534.	1,924.	2,818.


Order Code	Specification Information	Application Notes
Example: RREP4830AF2	<i>To order, please specify pattern number including:</i>	
RREP Reff desk return	1. Width	5. Grommet Options: F = Flush grommets N = No grommets
48 48" wide	2. Depth	6. 2 = V2 Veneer Finish
30 30" deep	3. File option where applicable <i>K default = FF</i>	7. Interior Options: M = Metal W = Wood
A 1 1/4" thick worksurface	4. Top thickness	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull
F Flush grommets	5. Grommet option	Applicable finishes are listed on page 5 and 6.
2 Finish type, V2	6. Finish type	
	7. Interior option where applicable	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
	8. Pull option where applicable	All desks are non-handed.
	9. Locking where applicable L default	All hardware included.
	10. Veneer finish	Desk returns with waterfall have waterfall edge 3 sides.
	11. Pull finish, when applicable	All components on this page available in V2 only.
	12. Grommet finish, when applicable	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	


Single pedestal credenzas
27³/₄" high overall
available V2 finish options only

Reff

Preconfigured Reff
Deskings

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W)() () 2	\$2,580.	\$2,964.	\$3,160.	\$2,764.	\$3,149.	\$3,344.
	72"	24"	RCSP7224K(A,B,W)() () 2	2,707.	3,124.	3,334.	2,892.	3,308.	3,519.
	84"	24"	RCSP8424K(A,B,W)() () 2	2,839.	3,306.	3,520.	3,024.	3,491.	3,705.
	96"	24"	RCSP9624K(A,B,W)() () 2	2,957.	3,471.	3,700.	3,140.	3,656.	3,883.


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W)() () 2	2,720.	3,104.	3,300.	3,143.	3,527.	3,723.
	72"	24"	RCS3L7224K(A,B,W)() () 2	2,847.	3,264.	3,474.	3,269.	3,687.	3,898.
	84"	24"	RCS3L8424K(A,B,W)() () 2	2,979.	3,447.	3,660.	3,401.	3,869.	4,083.
	96"	24"	RCS3L9624K(A,B,W)() () 2	3,096.	3,611.	3,841.	3,519.	4,034.	4,264.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W)() () 2	2,797.	3,183.	3,378.	3,530.	3,915.	4,111.
	72"	24"	RCS6L7224K(A,B,W)() () 2	2,925.	3,342.	3,554.	3,658.	4,075.	4,285.
	84"	24"	RCS6L8424K(A,B,W)() () 2	3,057.	3,525.	3,738.	3,790.	4,257.	4,471.
	96"	24"	RCS6L9624K(A,B,W)() () 2	3,174.	3,690.	3,917.	3,908.	4,422.	4,650.

Order Code	Specification Information	Application Notes
Example: RC	<i>To order, please specify pattern number including:</i>	<p>5. Grommet Options: F = Flush grommets N = No grommets</p> <p>6. 2 = V2 Veneer Finish</p> <p>7. Interior Options: M = Metal W = Wood</p> <p>8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Random locks are factory installed. Keyalike are field installed with the KnollKey order form.</p>
S6L	1. Width	
96	2. Depth	
24	3. File option <i>K default = FF</i>	
K	4. Top thickness	
A	5. Grommet option	
F	6. Finish type	
2	7. Interior option	
M	8. Pull option	
D	9. Locking <i>L default</i>	
L	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 ¹ / ₄ " B = 1 ³ / ₄ " W = 1 ¹ / ₄ " waterfall	

Bridge assemblies
 27³/₄" high overall
 available V2 finish options only

Reff

description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	RBR3624(A,B,W)(F,N)2	\$864.	\$1,176.	\$1,784.
	42"	24"	RBR4224(A,B,W)(F,N)2	915.	1,267.	1,862.
	48"	24"	RBR4824(A,B,W)(F,N)2	1,001.	1,377.	2,017.
	36"	30"	RBR3630(A,B,W)(F,N)2	921.	1,267.	1,951.
	42"	30"	RBR4230(A,B,W)(F,N)2	975.	1,347.	2,048.
	48"	30"	RBR4830(A,B,W)(F,N)2	1,066.	1,446.	2,213.

Order Code

Example: RBR4830WF2
RBR Reff bridge assembly
48 48" wide
30 30" deep
W Waterfall edge 1 1/4"
F Flush grommets
2 Conventional veneer

Specification Information

To order, please specify pattern number including:

1. Top thickness
2. Grommet option
3. Finish type
4. Veneer finish
5. Grommet color

1. Thickness options:
 A = 1 1/4" straight edge
 B = 1 3/4" straight edge
 W = 1 1/4" waterfall edge

2. Grommet Options:
 F = Flush grommets
 N = No grommets

3. 2 = V2 Veneer Finish

4. Grommet Color

Applicable finishes are listed on page 5 and 6.

Application Notes

Bridge assemblies are non-handed.

All hardware included.

Waterfall option on all 3 sides.

Available in conventional veneer only.


All components on this page are available in V2 only.


Shipped with full height modesty.

Double pedestal credenzas
27³/₄" high overall
available V2 finish options only


Reff

Preconfigured Reff
Deskings

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCDP6024K(A,B,W)() () J2	\$3,370.	\$3,752.	\$3,949.	\$3,737.	\$4,122.	\$4,319.
	72"	24"	RCDP7224K(A,B,W)() () J2	3,495.	3,913.	4,123.	3,864.	4,282.	4,492.
	84"	24"	RCDP8424K(A,B,W)() () J2	3,628.	4,096.	4,309.	3,996.	4,464.	4,678.
	96"	24"	RCDP9624K(A,B,W)() () J2	3,745.	4,259.	4,489.	4,115.	4,628.	4,857.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCD3L6024K(A,B,W)() () J2	3,649.	4,033.	4,230.	4,494.	4,879.	5,074.
	84"	24"	RCD3L8424K(A,B,W)() () J2	3,909.	4,377.	4,590.	4,753.	5,221.	5,434.
	96"	24"	RCD3L9624K(A,B,W)() () J2	4,027.	4,539.	4,769.	4,871.	5,385.	5,615.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	72"	24"	RCD6L7224K(A,B,W)() () J2	3,932.	4,349.	4,560.	5,398.	5,814.	6,024.
	96"	24"	RCD6L9624K(A,B,W)() () J2	4,181.	4,696.	4,925.	5,646.	6,160.	6,390.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCD6L9624KBF2WDL	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal. All credenzas are non-handed. All hardware included. All waterfall credenzas have waterfall detail on front only. All components on this page available in V2 only. Shipped with full height modesty. Applicable finishes are listed on page 5 and 6. Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
RC Reff credenza	5. Grommet Options: F = Flush grommets N = No grommets	
D6L Double 36" w lateral file	6. 2 = V2 Veneer Finish	
96 96" wide	7. Interior Options: M = Metal W = Wood	
24 24" wide	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
K File file	1. Width	
B 1 ³ / ₄ " thick worksurface	2. Depth	
F Flush grommets	3. File option <i>K default = FF</i>	
2 Finish type	4. Top thickness	
W wood drawer interior	5. Grommet option	
D D-metal pull	6. Finish type	
L Lock	7. Interior option	
	8. Pull option	
	9. Locking <i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 ¹ / ₄ " B = 1 ³ / ₄ " W = 1 ¹ / ₄ " waterfall	

Accessories

hookstrips and top caps

Reff








description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$40.
	15"	R2HK0015	65.
	34"	R2HK0034	88.
	42"	R2HK0042	94.
	49"	R2HK0049	102.
	64"	R2HK0064	110.
	79"	R2HK0079	115.
Beltway hookstrips	42"	R2HKB042	102.
	49"	R2HKB049	110.
	64"	R2HKB064	115.
	79"	R2HKB079	121.
Generation 2 top caps		KRR2CAPEND()()	58.
		KRR2CAPL()()	58.
		KRR2CAPSTRAIGHT()()	58.
		KRR2CAPT()()	58.
		KRR2CAPX()()	58.
Generation 3 top caps		KRR3CAPEND()()	58.
		KRR3CAPL()()	58.
		KRR3CAPSTRAIGHT()()	58.
		KRR3CAPT()()	58.
		KRR3CAPX()()	58.

Order Code	Specification Information	Application Notes
Example: KRR3CAPL-2A	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
KRR3 Reff generation 3		
CAP Top cap	<ol style="list-style-type: none"> 1. L = Laminate paint finish 2. 1 = V1 Techwood 3. 2 = V2 Conventional veneer 	An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.
L Finished 2 adjacent sides		
2 Conventional veneer		
A Flat profile	<i>Top cap profile:</i> A = Flat B = Square C = Bullnose	Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.
V319 Medium cherry		
		New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

Accessories

cabinet extras and undermount accessories

Reff

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		RCABT1417						\$68.
	29"	17"		RCABT2917						113.
Cabinet coat rod 	16" cabinets			RCACR16						68.
	30" cabinets			RCACR30						90.
	36" cabinets			RCACR36						102.
	Half of 30" cabinets			RCACR30H						66.
	Half of 36" cabinets			RCACR36H						72.
Articulated keyboard arm 	10" x 20" keyboard tray			RKBA1020(-)						806.
	10" x 22 1/4" keyboard tray			RKBA1022(-)						806.
	Available in laminate, techwood (V1), or veneer (V2)									
CRT turntable 	31" diameter			RKT31						497.
Pencil drawer used under worktop 	16"	17"	1"	RPAD(-)		275.	490.	490.	635.	
	Specify wood or laminate finish									
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		RCAS1620(-)	69.	130.	138.	159.	214.	
	16"	24"		RCAS1624(-)	77.	145.	156.	181.	244.	
	30"	15"		RCAS3015(-)	84.	170.	182.	208.	281.	
	30"	20"		RCAS3020(-)	82.	145.	156.	181.	244.	
	30"	24"		RCAS3024(-)	91.	170.	182.	208.	281.	
	36"	15"		RCAS3615(-)	93.	180.	191.	216.	292.	
	36"	20"		RCAS3620(-)	93.	155.	166.	191.	258.	
	36"	24"		RCAS3624(-)	98.	182.	195.	223.	301.	

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

Specification Information

Pencil drawer includes slides.

Applicable finishes are listed on page 5 and 6.




Application Notes

See Reff Planning Guide for more information.

Accessories

presentation samples

Reff

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only) 	-	-	8 ⁷ / ₈ "	RWHRA-()					\$35.
	-	-	17 ⁵ / ₈ "	RWHRB-()					37.
	-	-	18 ¹ / ₄ "	RWHRC-()					37.
	-	-	21 ¹ / ₁₆ "	RWHRD-()					39.
	-	-	22"	RWHRE-()					39.
	-	-	59 ¹ / ₂ "	RWHRF-()					88.
	-	-	67"	RWHRG-()					88.
Striplight (black only) for transaction tops 	26"	2"	2"	RCASL					315.
Presentation wood sample, 16" x 16" Optional edge details available	16"	16"	-	RSAMP1616-()()	125.	175.	225.	260.	
Presentation stackable/tiled mini panel (for demonstrations) Specify trim profile, base height, base type and applicable finishes	24"	-	34"	R3SMP ()()					1,005.
Presentation monolithic mini panel Specify trim profile and applicable finishes	4"H base			RR3MP4 ()					550.
	6"H base			RR3MP6 ()					588.
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				R917762 ()					402.
Presentation worksurface cutaway sample	12"	12"	1 ¹ / ₄ "	RTOP2 ()	103.	154.	205.	241.	
	12"	12"	1 ³ / ₄ "	RTOP1 ()	103.	154.	205.	241.	
Presentation waterfall edge sample	11"	8 ¹ / ₂ "		R921655 ()					305.
Sample, cascade edge worksurface 	12"	12"		RCE1R1212G	115.				
Rangeboard Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)	27"	12"	1 ¹ / ₄ "	RRBRD2712 ()					275.

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = Laminate

1 = V1

2 = V2

Specification Information

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.







List price for woodgrain laminate options will be current published laminate list price plus 10%.

Accessories

wire management

Reff

Accessories and Client Samples

description	w	d	h	pattern no.	list price
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	RWMWT24	\$39.
	30"	4 1/2"	5 3/4"	RWMWT30	45.
	36"	4 1/2"	5 3/4"	RWMWT36	49.
	Available black only				
 Hinged vertical wire	24"	1"	3/8"	RWMV24 ()	32.
	Ships with overdesk unit. Specify paint finish.				
 Multi-purpose manager*	24"	2 1/2"	1 1/4"	RWMMP24	35.
	30"	2 1/2"	1 1/4"	RWMMP30	39.
	36"	2 1/2"	1 1/4"	RWMMP36	40.
	Available black only				
 Panel-hung vertical wire	24"	–	–	RWMVP24	32.
	not available in finish codes: 112,116,117,611, 612, 613				
 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	RWMVH24	37.
	30"	1 1/2"	3/4"	RWMVH30	41.
	36"	1 1/2"	3/4"	RWMVH36	45.
	Available black only				
 Power bar, fits into wire manager				RWMPB	136.
Replacement hardware	Panel to endpanel bracket			RBPE(L/R)()	18.
	Top to endpanel disk			RBDD	5.
	Top to workwall endpanel disk			RBDW	5.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				
Tree wire manager 2 shipped with panel	2"			RBWM	11.
used in Beltway					

Order Code

To order please specify:
1. Pattern number
2. Color if applicable

Specification Information

Specify color for hinged vertical wire management only from paint finish list on page 5.

*Available in Black only.

Application Notes

See Reff Planning Guide for more information on wire managers.

Accessories

interior components

Reff

description	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)				RPHCHH	\$32.
Panel-hung coat hook (panel top)				RPHCHT	32.
Panel-hung tackboard		30"	24"	RPHTB3024	267.
Note: Fabric railroaded		42"	24"	RPHTB4224	328.
All standard grades of fabric					
Panel-hung whiteboard		30"	24"	RPHWB3024	414.
		42"	24"	RPHWB4224	506.
Wall-hung tackboard		30"	24"	RWHTB3024	296.
Note: Fabric railroaded Velcro supplied		36"	24"	RWHTB3624	328.
		42"	24"	RWHTB4224	360.
		48"	24"	RWHTB4824	392.
for use with 26 1/2" h support planning module					
Wall-hung tackboard for desk height (28 3/8" h) planning		30"	26"	RWHDHTB3026	311.
Note: Fabric railroaded Velcro supplied		36"	26"	RWHDHTB3626	344.
		42"	26"	RWHDHTB4226	379.
		48"	26"	RWHDHTB4826	411.
for use with 28 3/8" h support planning module					
Wall-hung tackboard (for use with Double High Overhead Planning Module)		30"	24"	RWHDHOTB3024	321.
		36"	24"	RWHDHOTB3624	353.
		42"	24"	RWHDHOTB4224	385.
		48"	24"	RWHDHOTB4824	417.
		54"	24"	RWHDHOTB5424	447.
		60"	24"	RWHDHOTB6024	489.
		66"	24"	RWHDHOTB6624	530.
		72"	24"	RWHDHOTB7224	572.
		78"	24"	RWHDHOTB7824	614.
		90"	24"	RWHDHOTB9024	647.
		96"	24"	RWHDHOTB9624	681.
for use with 28 3/8" h support planning module					

Order Code

To order please specify:
 1. Pattern number
 2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.
 Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.




Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.
 Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

Reff

Accessories and Client Samples

description	type	w	h	pattern no.	list price
Box drawer dividers, wood box drawers (Acrylic)		16"	–	RPADSS	\$47.
File bars, wood file drawers (replacement)		16"	–	RPAHFB16	26.
		30"	–	RPAHFB30	50.
		36"	–	RPAHFB36	78.
File bars, metal file drawers (replacement)		16"	–	RPAHFM162 *	18.
		30"	–	RPAHFM30	26.
		36"	–	RPAHFM36	26.
Plate divider 				RPD11	20.
				RPD14	20.
RPD11 to be used with 15" D open cabinet/bookcase with metal shelves. RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.					
Pencil tray, wood (ordered separately)		12"	–	RPAPT	90.
Pencil tray, plastic 	black	12"	–	RPETRAY3N	35.
	clear	12"	–	RPETRAY3C	42.
Recommended for use with metal drawer interiors on 16" w peds. Letter width pedestal.					
Pencil tray adapter 				RPETAD	75.
Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals.					

Order Code

To order please specify:
 1. Pattern number
 2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Non-Wood Finishes								
Finishes	<i>Panel Tiles, Tops & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Handles</i>	<i>Grommets</i>
Black	LG	LG	LG	LG	LG	LG	LG	LG
Dark grey	n/a	DG	DG	DG	DG	DG	n/a	DG
Medium grey	n/a	OI	OI	OI	OI	OI	n/a	OI
Charcoal grey	LD	LD	LD	LD	LD	LD	n/a	LD
Folkstone grey	LA	LA	LA	LA	LA	LA	n/a	LA
Oyster grey	LC	LC	LC	LC	LC	LC	n/a	LC
Pumice	LB	LB	LB	LB	LB	LB	n/a	LB
Willow grey	LE	LE	LE	LE	LE	LE	n/a	LE
Dark grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	V	n/a
Medium grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	J	n/a
Silver (metallic)	n/a	HPF	HPF	HPF	HPF	HPF	HPF	HPF
White	LH	LH	LH	LH	LH	LH	LH	LH
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD
Currents Finishes								
White	n/a	B	B	B	B	B	B	B
Metallic flint	n/a	2	2	2	2	2	2	2
Light metallic grey	n/a	U	U	U	U	U	U	U
Medium metallic grey	n/a	J	J	J	J	J	J	J
Dark metallic grey	n/a	V	V	V	V	V	V	V
Metallic beige	n/a	H	H	H	H	H	H	H
Light metallic tan	n/a	W	W	W	W	W	W	W
Soft grey	n/a	E	E	E	E	E	E	E
Medium Grey	n/a	Y2	Y2	Y2	Y2	Y2	Y2	Y2

n/a = not applicable

*Beltway side plates not available in Satin brass, Brushed pewter or Polished chrome.

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	204	R2APT3424	75	R2ES34(A/B/C/E)(4/6)(E/N)	108	R2X79C	110
ASBC24 (L/R)	204	R2APT3430	75	R2ES42(A/B/C/E)(4/6)(E/N)	108	R3120Y34	107
KRR2CAPEND	324	R2APT3436	75	R2ES49(A/B/C/E)(4/6)(E/N)	108	R3120Y42	107
KRR2CAPL	324	R2APT3442	75	R2ES64(A/B/C/E)(4/6)(E/N)	108	R3120Y49	107
KRR2CAPSTRAIGHT	324	R2APT3448	75	R2ES79(A/B/C/E)(4/6)(E/N)	108	R3120Y64	107
KRR2CAPT	324	R2APT4218	75	R2HK0008	324	R3120Y79	107
KRR2CAPX	324	R2APT4220	75	R2HK0015	324	R3135V34F	106
KRR3CAPEND	324	R2APT4224	75	R2HK0034	324	R3135V34T	106
KRR3CAPL	324	R2APT4230	75	R2HK0042	324	R3135V42F	106
KRR3CAPSTRAIGHT	324	R2APT4236	75	R2HK0049	324	R3135V42T	106
KRR3CAPT	324	R2APT4242	75	R2HK0064	324	R3135V49F	106
KRR3CAPX	324	R2APT4248	75	R2HK0079	324	R3135V49T	106
MWM-J	314	R2APT4918	76	R2HKB042	324	R3135V64F	106
R113B	206	R2APT4920	76	R2HKB049	324	R3135V64T	106
R234PKIT	115	R2APT4924	76	R2HKB064	324	R3135V79F	106
R2AETK34	78	R2APT4930	76	R2HKB079	324	R3135V79T	106
R2AETK42	78	R2APT4936	76	R2HL3442ES(A/B/C/E)	108	R334PKIT	115
R2AETK49	78	R2APT4942	76	R2HL3442(F)CS	109	R3AK	115
R2AETK64	78	R2APT4948	76	R2HL3449ES(A/B/C/E)	108	R3BOPAA42 18	14
R2AETK79	78	R2APT6418	76	R2HL3449(F)CS	109	R3BOPAA42 20	14
R2AHBW18	80	R2APT6418	76	R2HL3464ES(A/B/C/E)	108	R3BOPAA42 24	14
R2AHBW20	80	R2APT6420	76	R2HL3464(F/T)CS	109	R3BOPAA42 30	14
R2AHBW24	80	R2APT6424	76	R2HL3464(F/T)CS	109	R3BOPAA42 36	14
R2AHBW30	80	R2APT6430	76	R2HL3479ES(A/B/C/E)	108	R3BOPAA42 42	14
R2AHBW36	80	R2APT6436	76	R2HL3479(F/T)CS	109	R3BOPAA42 48	14
R2AHBW42	80	R2APT6442	76	R2HL4249ES(A/B/C/E)	108	R3BOPAA42 48	14
R2AHBW48	80	R2APT6448	76	R2HL4249ETS(A/B/C/E)	109	R3BOPAA42 60	14
R2AHCR34	79	R2APT7918	77	R2HL4249(F)CS	109	R3BOPAA42 66	14
R2AHCR42	79	R2APT7920	77	R2HL4264ES(A/B/C/E)	108	R3BOPAA42 72	14
R2AHCR49	79	R2APT7924	77	R2HL4264ETS(A/B/C/E)	109	R3BOPAA49 18	21
R2AHCR64	79	R2APT7930	77	R2HL4264(F/T)CS	109	R3BOPAA49 20	21
R2AHCR79	79	R2APT7936	77	R2HL4279ES(A/B/C/E)	108	R3BOPAA49 24	21
R2AHSR18	81	R2APT7942	77	R2HL4279ETS(A/B/C/E)	109	R3BOPAA49 30	21
R2AHSR20	81	R2APT7948	77	R2HL4279(F/T)CS	109	R3BOPAA49 36	21
R2AHSR24	81	R2ATPK34	77	R2HL4964ES(A/B/C/E)	108	R3BOPAA49 42	21
R2AHSR30	81	R2ATPK42	77	R2HL4964(F)CS	109	R3BOPAA49 48	21
R2AHSR36	81	R2ATPK49	77	R2HL4979ES(A/B/C/E)	108	R3BOPAA49 60	21
R2AHSR42	81	R2ATPK64	77	R2HL4979(F/T)CS	109	R3BOPAA49 66	21
R2AHSR48	81	R2ATPK79	77	R2HL6479ES(A/B/C/E)	108	R3BOPAA49 72	21
R2AHTR18	79	R2BOTWA34 18	43	R2HL6479(F)CS	109	R3BOPAA64 18	28
R2AHTR20	79	R2BOTWA34 20	43	R2L42C(F/T)(F/T)-(4/6)	110	R3BOPAA64 20	28
R2AHTR24	79	R2BOTWA34 24	43	R2L49C(F/T)(F/T)-(4/6)	110	R3BOPAA64 24	28
R2AHTR30	79	R2BOTWA34 30	43	R2L64C(F/T)(F/T)-(4/6)	110	R3BOPAA64 30	28
R2AHTR36	79	R2BOTWA34 36	43	R2L79C(F/T)(F/T)-(4/6)	110	R3BOPAA64 36	28
R2AHTR42	79	R2BOTWA34 42	43	R2S42C(F/T)(F/T)-(4/6)	110	R3BOPAA64 42	28
R2AHTR48	79	R2BOTWA34 48	43	R2S49C(F/T)(F/T)-(4/6)	110	R3BOPAA64 48	28
R2AHWR18	80	R2BOTWB34 30	43	R2S64C(F/T)(F/T)-(4/6)	110	R3BOPAA64 60	28
R2AHWR20	80	R2BOTWB34 36	43	R2S79C(F/T)(F/T)-(4/6)	110	R3BOPAA64 66	28
R2AHWR24	80	R2BOTWB34 42	43	R2SWS0008	112	R3BOPAA64 72	28
R2AHWR30	80	R2BOTWB34 48	43	R2SWS0015	112	R3BOPAA79 18	35
R2AHWR36	80	R2BOTWC34 18	43	R2SWS0034	112	R3BOPAA79 20	35
R2AHWR42	80	R2BOTWC34 20	43	R2SWS0042	112	R3BOPAA79 24	35
R2AHWR48	80	R2BOTWC34 24	43	R2SWS0049	112	R3BOPAA79 30	35
R2ALPK34	78	R2BOTWC34 30	43	R2SWS0064	112	R3BOPAA79 36	35
R2ALPK42	78	R2BOTWC34 36	43	R2SWS0079	112	R3BOPAA79 42	35
R2ALPK49	78	R2BOTWC34 42	43	R2T42C(F/T)-(4/6)	110	R3BOPAA79 48	35
R2ALPK64	78	R2BOTWC34 48	43	R2T49C(F/T)-(4/6)	110	R3BOPAA79 60	35
R2ALPK79	78	R2CCG	115	R2T64C(F/T)-(4/6)	110	R3BOPAA79 66	35
R2APT3418	75	R2DLS7936	114	R2T79C(F/T)-(4/6)	110	R3BOPAA79 72	35
R2APT3420	75	R2DLS7942	114	R2X42C	110	R3BOPPF134 18	10
		R2DRS7936	114	R2X49C	110	R3BOPPF134 20	10
		R2DRS7942	114	R2X64C	110	R3BOPPF134 24	10

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF134 30	10	R3BOPF249 36	25	R3BOPF379 24	40	R3BOPFL42 30	16
R3BOPF134 36	10	R3BOPF249 42	25	R3BOPF379 30	40	R3BOPFL42 36	16
R3BOPF134 42	10	R3BOPF249 48	25	R3BOPF379 36	40	R3BOPFL42 42	16
R3BOPF134 48	10	R3BOPF249 60	25	R3BOPF379 42	40	R3BOPFL42 48	16
R3BOPF142 18	17	R3BOPF249 66	25	R3BOPF379 48	40	R3BOPFL42 60	16
R3BOPF142 20	17	R3BOPF249 72	25	R3BOPF379 60	40	R3BOPFL42 66	16
R3BOPF142 24	17	R3BOPF264 18	32	R3BOPF379 66	40	R3BOPFL42 72	16
R3BOPF142 30	17	R3BOPF264 20	32	R3BOPF379 72	40	R3BOPFL49 18	23
R3BOPF142 36	17	R3BOPF264 24	32	R3BOPFF34 18	8	R3BOPFL49 20	23
R3BOPF142 42	17	R3BOPF264 30	32	R3BOPFF34 20	8	R3BOPFL49 24	23
R3BOPF142 48	17	R3BOPF264 36	32	R3BOPFF34 24	8	R3BOPFL49 30	23
R3BOPF142 60	17	R3BOPF264 42	32	R3BOPFF34 30	8	R3BOPFL49 36	23
R3BOPF142 66	17	R3BOPF264 48	32	R3BOPFF34 36	8	R3BOPFL49 42	23
R3BOPF142 72	17	R3BOPF264 60	32	R3BOPFF34 42	8	R3BOPFL49 48	23
R3BOPF149 18	24	R3BOPF264 66	32	R3BOPFF34 48	8	R3BOPFL49 60	23
R3BOPF149 20	24	R3BOPF264 72	32	R3BOPFF42 18	14	R3BOPFL49 66	23
R3BOPF149 24	24	R3BOPF279 18	39	R3BOPFF42 20	14	R3BOPFL49 72	23
R3BOPF149 30	24	R3BOPF279 20	39	R3BOPFF42 24	14	R3BOPFL64 18	30
R3BOPF149 36	24	R3BOPF279 24	39	R3BOPFF42 30	14	R3BOPFL64 20	30
R3BOPF149 42	24	R3BOPF279 30	39	R3BOPFF42 36	14	R3BOPFL64 24	30
R3BOPF149 48	24	R3BOPF279 36	39	R3BOPFF42 42	14	R3BOPFL64 30	30
R3BOPF149 60	24	R3BOPF279 42	39	R3BOPFF42 48	14	R3BOPFL64 36	30
R3BOPF149 66	24	R3BOPF279 48	39	R3BOPFF42 60	14	R3BOPFL64 42	30
R3BOPF149 72	24	R3BOPF279 60	39	R3BOPFF42 66	14	R3BOPFL64 48	30
R3BOPF164 18	31	R3BOPF279 66	39	R3BOPFF42 72	14	R3BOPFL64 60	30
R3BOPF164 20	31	R3BOPF279 72	39	R3BOPFF49 18	21	R3BOPFL64 66	30
R3BOPF164 24	31	R3BOPF334 18	12	R3BOPFF49 20	21	R3BOPFL64 72	30
R3BOPF164 30	31	R3BOPF334 20	12	R3BOPFF49 24	21	R3BOPFL79 18	37
R3BOPF164 36	31	R3BOPF334 24	12	R3BOPFF49 30	21	R3BOPFL79 20	37
R3BOPF164 42	31	R3BOPF334 30	12	R3BOPFF49 36	21	R3BOPFL79 24	37
R3BOPF164 48	31	R3BOPF334 36	12	R3BOPFF49 42	21	R3BOPFL79 30	37
R3BOPF164 60	31	R3BOPF334 42	12	R3BOPFF49 48	21	R3BOPFL79 36	37
R3BOPF164 66	31	R3BOPF334 48	12	R3BOPFF49 60	21	R3BOPFL79 42	37
R3BOPF164 72	31	R3BOPF342 18	19	R3BOPFF49 66	21	R3BOPFL79 48	37
R3BOPF179 18	38	R3BOPF342 20	19	R3BOPFF49 72	21	R3BOPFL79 60	37
R3BOPF179 20	38	R3BOPF342 24	19	R3BOPFF64 18	28	R3BOPFL79 66	37
R3BOPF179 24	38	R3BOPF342 30	19	R3BOPFF64 20	28	R3BOPFL79 72	37
R3BOPF179 30	38	R3BOPF342 36	19	R3BOPFF64 24	28	R3BOPLL3418	13
R3BOPF179 36	38	R3BOPF342 42	19	R3BOPFF64 30	28	R3BOPLL3420	13
R3BOPF179 42	38	R3BOPF342 48	19	R3BOPFF64 36	28	R3BOPLL3424	13
R3BOPF179 48	38	R3BOPF342 60	19	R3BOPFF64 42	28	R3BOPLL3430	13
R3BOPF179 60	38	R3BOPF342 66	19	R3BOPFF64 48	28	R3BOPLL3436	13
R3BOPF179 66	38	R3BOPF342 72	19	R3BOPFF64 60	28	R3BOPLL3442	13
R3BOPF179 72	38	R3BOPF349 18	26	R3BOPFF64 66	28	R3BOPLL3448	13
R3BOPF234 18	11	R3BOPF349 20	26	R3BOPFF64 72	28	R3BOPLL4218	20
R3BOPF234 20	11	R3BOPF349 24	26	R3BOPFF79 18	35	R3BOPLL4220	20
R3BOPF234 24	11	R3BOPF349 30	26	R3BOPFF79 20	35	R3BOPLL4224	20
R3BOPF234 30	11	R3BOPF349 36	26	R3BOPFF79 24	35	R3BOPLL4230	20
R3BOPF234 36	11	R3BOPF349 42	26	R3BOPFF79 30	35	R3BOPLL4236	20
R3BOPF234 42	11	R3BOPF349 48	26	R3BOPFF79 36	35	R3BOPLL4242	20
R3BOPF234 48	11	R3BOPF349 60	26	R3BOPFF79 42	35	R3BOPLL4248	20
R3BOPF242 18	18	R3BOPF349 66	26	R3BOPFF79 48	35	R3BOPLL4260	20
R3BOPF242 20	18	R3BOPF349 72	26	R3BOPFF79 60	35	R3BOPLL4266	20
R3BOPF242 24	18	R3BOPF364 18	33	R3BOPFF79 66	35	R3BOPLL4272	20
R3BOPF242 30	18	R3BOPF364 20	33	R3BOPFF79 72	35	R3BOPLL4918	27
R3BOPF242 36	18	R3BOPF364 24	33	R3BOPFL34 18	9	R3BOPLL4920	27
R3BOPF242 42	18	R3BOPF364 30	33	R3BOPFL34 20	9	R3BOPLL4924	27
R3BOPF242 48	18	R3BOPF364 36	33	R3BOPFL34 24	9	R3BOPLL4930	27
R3BOPF242 60	18	R3BOPF364 42	33	R3BOPFL34 30	9	R3BOPLL4936	27
R3BOPF242 66	18	R3BOPF364 48	33	R3BOPFL34 36	9	R3BOPLL4942	27
R3BOPF242 72	18	R3BOPF364 60	33	R3BOPFL34 42	9	R3BOPLL4948	27
R3BOPF249 18	25	R3BOPF364 66	33	R3BOPFL34 48	9	R3BOPLL4960	27
R3BOPF249 20	25	R3BOPF364 72	33	R3BOPFL42 18	16	R3BOPLL4966	27
R3BOPF249 24	25	R3BOPF379 18	40	R3BOPFL42 20	16	R3BOPLL4972	27
R3BOPF249 30	25	R3BOPF379 20	40	R3BOPFL42 24	16	R3BOPLL6418	34

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPLL6420	34	R3B0TF149 36	57	R3B0TF342 48	52	R3B0TF42 20	49
R3BOPLL6424	34	R3B0TF149 42	57	R3B0TF349 18	59	R3B0TF42 24	49
R3BOPLL6430	34	R3B0TF149 48	57	R3B0TF349 20	59	R3B0TF42 30	49
R3BOPLL6436	34	R3B0TF164 18	64	R3B0TF349 24	59	R3B0TF42 36	49
R3BOPLL6442	34	R3B0TF164 20	64	R3B0TF349 30	59	R3B0TF42 42	49
R3BOPLL6448	34	R3B0TF164 24	64	R3B0TF349 36	59	R3B0TF42 48	49
R3BOPLL6460	34	R3B0TF164 30	64	R3B0TF349 42	59	R3B0TF49 18	56
R3BOPLL6466	34	R3B0TF164 36	64	R3B0TF349 48	59	R3B0TF49 20	56
R3BOPLL6472	34	R3B0TF164 42	64	R3B0TF364 18	66	R3B0TF49 24	56
R3BOPLL7918	41	R3B0TF164 48	64	R3B0TF364 20	66	R3B0TF49 30	56
R3BOPLL7920	41	R3B0TF179 18	71	R3B0TF364 24	66	R3B0TF49 36	56
R3BOPLL7924	41	R3B0TF179 20	71	R3B0TF364 30	66	R3B0TF49 42	56
R3BOPLL7930	41	R3B0TF179 24	71	R3B0TF364 36	66	R3B0TF49 48	56
R3BOPLL7936	41	R3B0TF179 30	71	R3B0TF364 42	66	R3B0TF64 18	63
R3BOPLL7942	41	R3B0TF179 36	71	R3B0TF364 48	66	R3B0TF64 20	63
R3BOPLL7948	41	R3B0TF179 42	71	R3B0TF379 18	73	R3B0TF64 24	63
R3BOPLL7960	41	R3B0TF179 48	71	R3B0TF379 20	73	R3B0TF64 30	63
R3BOPLL7966	41	R3B0TF234 18	45	R3B0TF379 24	73	R3B0TF64 36	63
R3BOPLL7972	41	R3B0TF234 20	45	R3B0TF379 30	73	R3B0TF64 42	63
R3BOTAA42 18	47	R3B0TF234 24	45	R3B0TF379 36	73	R3B0TF64 48	63
R3BOTAA42 20	47	R3B0TF234 30	45	R3B0TF379 42	73	R3B0TF79 18	70
R3BOTAA42 24	47	R3B0TF234 36	45	R3B0TF379 48	73	R3B0TF79 20	70
R3BOTAA42 30	47	R3B0TF234 42	45	R3B0TF379 48	73	R3B0TF79 24	70
R3BOTAA42 36	47	R3B0TF234 48	45	R3B0TF379 18	73	R3B0TF79 30	70
R3BOTAA42 42	47	R3B0TF242 18	51	R3B0TF379 20	73	R3B0TF79 36	70
R3BOTAA42 48	47	R3B0TF242 20	51	R3B0TF379 24	73	R3B0TF79 42	70
R3BOTAA49 18	54	R3B0TF242 24	51	R3B0TF379 30	73	R3B0TF79 48	70
R3BOTAA49 20	54	R3B0TF242 30	51	R3B0TF379 36	73	R3BOTLL3418	46
R3BOTAA49 24	54	R3B0TF242 36	51	R3B0TF379 42	73	R3BOTLL3420	46
R3BOTAA49 30	54	R3B0TF242 42	51	R3B0TF379 48	73	R3BOTLL3424	46
R3BOTAA49 36	54	R3B0TF242 48	51	R3B0TF379 18	73	R3BOTLL3430	46
R3BOTAA49 42	54	R3B0TF249 18	58	R3B0TF379 20	73	R3BOTLL3436	46
R3BOTAA49 48	54	R3B0TF249 20	58	R3B0TF379 24	73	R3BOTLL3442	46
R3BOTAA64 18	61	R3B0TF249 24	58	R3B0TF379 30	73	R3BOTLL3448	46
R3BOTAA64 20	61	R3B0TF249 30	58	R3B0TF379 36	73	R3BOTLL4218	53
R3BOTAA64 24	61	R3B0TF249 36	58	R3B0TF379 42	73	R3BOTLL4220	53
R3BOTAA64 30	61	R3B0TF249 42	58	R3B0TF379 48	73	R3BOTLL4224	53
R3BOTAA64 36	61	R3B0TF249 48	58	R3B0TF379 18	73	R3BOTLL4230	53
R3BOTAA64 42	61	R3B0TF264 18	65	R3B0TF379 20	73	R3BOTLL4236	53
R3BOTAA64 48	61	R3B0TF264 20	65	R3B0TF379 24	73	R3BOTLL4242	53
R3BOTAA79 18	68	R3B0TF264 24	65	R3B0TF379 30	73	R3BOTLL4248	53
R3BOTAA79 20	68	R3B0TF264 30	65	R3B0TF379 36	73	R3BOTLL4918	60
R3BOTAA79 24	68	R3B0TF264 36	65	R3B0TF379 42	73	R3BOTLL4920	60
R3BOTAA79 30	68	R3B0TF264 42	65	R3B0TF379 48	73	R3BOTLL4924	60
R3BOTAA79 36	68	R3B0TF264 48	65	R3B0TF379 18	73	R3BOTLL4930	60
R3BOTAA79 42	68	R3B0TF279 18	72	R3B0TF379 20	73	R3BOTLL4936	60
R3BOTAA79 48	68	R3B0TF279 20	72	R3B0TF379 24	73	R3BOTLL4942	60
R3B0TF134 18	44	R3B0TF279 24	72	R3B0TF379 30	73	R3BOTLL4948	60
R3B0TF134 20	44	R3B0TF279 30	72	R3B0TF379 36	73	R3BOTLL6418	67
R3B0TF134 24	44	R3B0TF279 36	72	R3B0TF379 42	73	R3BOTLL6420	67
R3B0TF134 30	44	R3B0TF279 42	72	R3B0TF379 48	73	R3BOTLL6424	67
R3B0TF134 36	44	R3B0TF279 48	72	R3B0TF379 18	73	R3BOTLL6430	67
R3B0TF134 42	44	R3B0TF334 18	45	R3B0TF379 20	73	R3BOTLL6436	67
R3B0TF134 48	44	R3B0TF334 20	45	R3B0TF379 24	73	R3BOTLL6442	67
R3B0TF142 18	50	R3B0TF334 24	45	R3B0TF379 30	73	R3BOTLL6448	67
R3B0TF142 20	50	R3B0TF334 30	45	R3B0TF379 36	73	R3BOTLL7918	74
R3B0TF142 24	50	R3B0TF334 36	45	R3B0TF379 42	73	R3BOTLL7920	74
R3B0TF142 30	50	R3B0TF334 42	45	R3B0TF379 48	73	R3BOTLL7924	74
R3B0TF142 36	50	R3B0TF334 48	45	R3B0TF379 18	73	R3BOTLL7930	74
R3B0TF142 42	50	R3B0TF342 18	52	R3B0TF379 20	73	R3BOTLL7936	74
R3B0TF142 48	50	R3B0TF342 20	52	R3B0TF379 24	73	R3BOTLL7942	74
R3B0TF149 18	57	R3B0TF342 24	52	R3B0TF379 30	73	R3BOTLL7948	74
R3B0TF149 20	57	R3B0TF342 30	52	R3B0TF379 36	73	R3B1PF142 18	17
R3B0TF149 24	57	R3B0TF342 36	52	R3B0TF379 42	73	R3B1PF142 20	17
R3B0TF149 30	57	R3B0TF342 42	52	R3B0TF379 48	73	R3B1PF142 24	17

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1PF142 30	17	R3B1PF2A49 20	93	R3B1PFF64 24	29	R3B1TF142 30	50
R3B1PF142 36	17	R3B1PF2A49 24	93	R3B1PFF64 30	29	R3B1TF142 36	50
R3B1PF142 42	17	R3B1PF2A49 30	93	R3B1PFF64 36	29	R3B1TF142 42	50
R3B1PF142 48	17	R3B1PF2A49 36	93	R3B1PFF64 42	29	R3B1TF142 48	50
R3B1PF149 18	24	R3B1PF2A49 42	93	R3B1PFF64 48	29	R3B1TF149 18	57
R3B1PF149 20	24	R3B1PF2A49 48	93	R3B1PFF79 18	36	R3B1TF149 20	57
R3B1PF149 24	24	R3B1PF2B49 30	93	R3B1PFF79 20	36	R3B1TF149 24	57
R3B1PF149 30	24	R3B1PF2B49 36	93	R3B1PFF79 24	36	R3B1TF149 30	57
R3B1PF149 36	24	R3B1PF2B49 42	93	R3B1PFF79 30	36	R3B1TF149 36	57
R3B1PF149 42	24	R3B1PF2B49 48	93	R3B1PFF79 36	36	R3B1TF149 42	57
R3B1PF149 48	24	R3B1PF342 18	19	R3B1PFF79 42	36	R3B1TF149 48	57
R3B1PF164 18	31	R3B1PF342 20	19	R3B1PFF79 48	36	R3B1TF164 18	64
R3B1PF164 20	31	R3B1PF342 24	19	R3B1PFFA49 18	84	R3B1TF164 20	64
R3B1PF164 24	31	R3B1PF342 30	19	R3B1PFFA49 20	84	R3B1TF164 24	64
R3B1PF164 30	31	R3B1PF342 36	19	R3B1PFFA49 24	84	R3B1TF164 30	64
R3B1PF164 36	31	R3B1PF342 42	19	R3B1PFFA49 30	84	R3B1TF164 36	64
R3B1PF164 42	31	R3B1PF342 48	19	R3B1PFFA49 36	84	R3B1TF164 42	64
R3B1PF164 48	31	R3B1PF349 18	26	R3B1PFFA49 42	84	R3B1TF164 48	64
R3B1PF179 18	38	R3B1PF349 20	26	R3B1PFFA49 48	84	R3B1TF179 18	71
R3B1PF179 20	38	R3B1PF349 24	26	R3B1PFFB49 30	84	R3B1TF179 20	71
R3B1PF179 24	38	R3B1PF349 30	26	R3B1PFFB49 36	84	R3B1TF179 24	71
R3B1PF179 30	38	R3B1PF349 36	26	R3B1PFFB49 42	84	R3B1TF179 30	71
R3B1PF179 36	38	R3B1PF349 42	26	R3B1PFFB49 48	84	R3B1TF179 36	71
R3B1PF179 42	38	R3B1PF349 48	26	R3B1PFL42 18	16	R3B1TF179 42	71
R3B1PF179 48	38	R3B1PF364 18	33	R3B1PFL42 20	16	R3B1TF179 48	71
R3B1PFLA49 18	90	R3B1PF364 20	33	R3B1PFL42 24	16	R3B1TF1A49 18	88
R3B1PFLA49 20	90	R3B1PF364 24	33	R3B1PFL42 30	16	R3B1TF1A49 20	88
R3B1PFLA49 24	90	R3B1PF364 30	33	R3B1PFL42 36	16	R3B1TF1A49 24	88
R3B1PFLA49 30	90	R3B1PF364 36	33	R3B1PFL42 42	16	R3B1TF1A49 30	88
R3B1PFLA49 36	90	R3B1PF364 42	33	R3B1PFL42 48	16	R3B1TF1A49 36	88
R3B1PFLA49 42	90	R3B1PF364 48	33	R3B1PFL49 18	23	R3B1TF1A49 42	88
R3B1PFLA49 48	90	R3B1PF379 18	40	R3B1PFL49 20	23	R3B1TF1A49 48	88
R3B1PFLB49 30	90	R3B1PF379 20	40	R3B1PFL49 24	23	R3B1TF1B49 30	89
R3B1PFLB49 36	90	R3B1PF379 24	40	R3B1PFL49 30	23	R3B1TF1B49 36	89
R3B1PFLB49 42	90	R3B1PF379 30	40	R3B1PFL49 36	23	R3B1TF1B49 42	89
R3B1PFLB49 48	90	R3B1PF379 36	40	R3B1PFL49 42	23	R3B1TF1B49 48	89
R3B1PF242 18	18	R3B1PF379 42	40	R3B1PFL49 48	23	R3B1TF242 18	51
R3B1PF242 20	18	R3B1PF379 48	40	R3B1PFL64 18	30	R3B1TF242 20	51
R3B1PF242 24	18	R3B1PF3A49 18	95	R3B1PFL64 20	30	R3B1TF242 24	51
R3B1PF242 30	18	R3B1PF3A49 20	95	R3B1PFL64 24	30	R3B1TF242 30	51
R3B1PF242 36	18	R3B1PF3A49 24	95	R3B1PFL64 30	30	R3B1TF242 36	51
R3B1PF242 42	18	R3B1PF3A49 30	95	R3B1PFL64 36	30	R3B1TF242 42	51
R3B1PF242 48	18	R3B1PF3A49 36	95	R3B1PFL64 42	30	R3B1TF242 48	51
R3B1PF249 18	25	R3B1PF3A49 42	95	R3B1PFL64 48	30	R3B1TF249 18	58
R3B1PF249 20	25	R3B1PF3A49 48	95	R3B1PFL79 18	37	R3B1TF249 20	58
R3B1PF249 24	25	R3B1PF3B49 30	95	R3B1PFL79 20	37	R3B1TF249 24	58
R3B1PF249 30	25	R3B1PF3B49 36	95	R3B1PFL79 24	37	R3B1TF249 30	58
R3B1PF249 36	25	R3B1PF3B49 42	95	R3B1PFL79 30	37	R3B1TF249 36	58
R3B1PF249 42	25	R3B1PF3B49 48	95	R3B1PFL79 36	37	R3B1TF249 42	58
R3B1PF249 48	25	R3B1PFF42 18	15	R3B1PFL79 42	37	R3B1TF249 48	58
R3B1PF264 18	32	R3B1PFF42 20	15	R3B1PFL79 48	37	R3B1TF264 18	65
R3B1PF264 20	32	R3B1PFF42 24	15	R3B1PFLA49 18	87	R3B1TF264 20	65
R3B1PF264 24	32	R3B1PFF42 30	15	R3B1PFLA49 20	87	R3B1TF264 24	65
R3B1PF264 30	32	R3B1PFF42 36	15	R3B1PFLA49 24	87	R3B1TF264 30	65
R3B1PF264 36	32	R3B1PFF42 42	15	R3B1PFLA49 30	87	R3B1TF264 36	65
R3B1PF264 42	32	R3B1PFF42 48	15	R3B1PFLA49 36	87	R3B1TF264 42	65
R3B1PF264 48	32	R3B1PFF49 18	22	R3B1PFLA49 42	87	R3B1TF264 48	65
R3B1PF279 18	39	R3B1PFF49 20	22	R3B1PFLA49 48	87	R3B1TF279 18	72
R3B1PF279 20	39	R3B1PFF49 24	22	R3B1PFLB49 30	87	R3B1TF279 20	72
R3B1PF279 24	39	R3B1PFF49 30	22	R3B1PFLB49 36	87	R3B1TF279 24	72
R3B1PF279 30	39	R3B1PFF49 36	22	R3B1PFLB49 42	87	R3B1TF279 30	72
R3B1PF279 36	39	R3B1PFF49 42	22	R3B1PFLB49 48	87	R3B1TF279 36	72
R3B1PF279 42	39	R3B1PFF49 48	22	R3B1TF142 18	50	R3B1TF279 42	72
R3B1PF279 48	39	R3B1PFF64 18	29	R3B1TF142 20	50	R3B1TF279 48	72
R3B1PF2A49 18	93	R3B1PFF64 20	29	R3B1TF142 24	50	R3B1TF2A49 18	91

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITF2A49 20	91	R3BITFF64 24	62	R3B2PFF42 30	15	R3B2TFFA49 20	96
R3BITF2A49 24	91	R3BITFF64 30	62	R3B2PFF42 36	15	R3B2TFFA49 24	96
R3BITF2A49 30	91	R3BITFF64 36	62	R3B2PFF42 42	15	R3B2TFFA49 30	96
R3BITF2A49 36	91	R3BITFF64 42	62	R3B2PFF42 48	15	R3B2TFFA49 36	96
R3BITF2A49 42	91	R3BITFF64 48	62	R3B2PFF49 18	22	R3B2TFFA49 42	96
R3BITF2A49 48	91	R3BITFF79 18	69	R3B2PFF49 20	22	R3B2TFFA49 48	96
R3BITF2B49 30	92	R3BITFF79 20	69	R3B2PFF49 24	22	R3B2TFFB49 30	97
R3BITF2B49 36	92	R3BITFF79 24	69	R3B2PFF49 30	22	R3B2TFFB49 36	97
R3BITF2B49 42	92	R3BITFF79 30	69	R3B2PFF49 36	22	R3B2TFFB49 42	97
R3BITF2B49 48	92	R3BITFF79 36	69	R3B2PFF49 42	22	R3B2TFFB49 48	97
R3BITF342 18	52	R3BITFF79 42	69	R3B2PFF49 48	22	R3FTCE104(F/T)(F/T)(F/T)	122
R3BITF342 20	52	R3BITFF79 48	69	R3B2PFF64 18	29	R3FTCE108(F/T)(F/T)(F/T)	122
R3BITF342 24	52	R3BITFFA49 18	82	R3B2PFF64 20	29	R3FTCE120(F/T)(F/T)(F/T)	122
R3BITF342 30	52	R3BITFFA49 20	82	R3B2PFF64 24	29	R3FTCE21	122
R3BITF342 36	52	R3BITFFA49 24	82	R3B2PFF64 30	29	R3FTCE25	122
R3BITF342 42	52	R3BITFFA49 30	82	R3B2PFF64 36	29	R3FTCE37	122
R3BITF342 48	52	R3BITFFA49 36	82	R3B2PFF64 42	29	R3FTCF12118	119
R3BITF349 18	59	R3BITFFA49 42	82	R3B2PFF64 48	29	R3FTCF12120	119
R3BITF349 20	59	R3BITFFA49 48	82	R3B2PFF79 18	36	R3FTCF12124	119
R3BITF349 24	59	R3BITFFB49 30	83	R3B2PFF79 20	36	R3FTCF12130	119
R3BITF349 30	59	R3BITFFB49 36	83	R3B2PFF79 24	36	R3FTCF12136	119
R3BITF349 36	59	R3BITFFB49 42	83	R3B2PFF79 30	36	R3FTCF12142	119
R3BITF349 42	59	R3BITFFB49 48	83	R3B2PFF79 36	36	R3FTCF12148	119
R3BITF349 48	59	R3BITFL42 18	49	R3B2PFF79 42	36	R3FTCF12518	120
R3BITF364 18	66	R3BITFL42 20	49	R3B2PFF79 48	36	R3FTCF12520	120
R3BITF364 20	66	R3BITFL42 24	49	R3B2PFFA49 18	97	R3FTCF12524	120
R3BITF364 24	66	R3BITFL42 30	49	R3B2PFFA49 20	97	R3FTCF12530	120
R3BITF364 30	66	R3BITFL42 36	49	R3B2PFFA49 24	97	R3FTCF12536	120
R3BITF364 36	66	R3BITFL42 42	49	R3B2PFFA49 30	97	R3FTCF12542	120
R3BITF364 42	66	R3BITFL42 48	49	R3B2PFFA49 36	97	R3FTCF12548	120
R3BITF364 48	66	R3BITFL49 18	56	R3B2PFFA49 42	97	R3FTCF13718	121
R3BITF379 18	73	R3BITFL49 20	56	R3B2PFFA49 48	97	R3FTCF13720	121
R3BITF379 20	73	R3BITFL49 24	56	R3B2PFFB49 30	98	R3FTCF13724	121
R3BITF379 24	73	R3BITFL49 30	56	R3B2PFFB49 36	98	R3FTCF13730	121
R3BITF379 30	73	R3BITFL49 36	56	R3B2PFFB49 42	98	R3FTCF13736	121
R3BITF379 36	73	R3BITFL49 42	56	R3B2PFFB49 48	98	R3FTCF13742	121
R3BITF379 42	73	R3BITFL49 48	56	R3B2TFF42 18	48	R3FTCF13748	121
R3BITF379 48	73	R3BITFL64 18	63	R3B2TFF42 20	48	R3FTCF22118	119
R3BITF3A49 18	94	R3BITFL64 20	63	R3B2TFF42 24	48	R3FTCF22120	119
R3BITF3A49 20	94	R3BITFL64 24	63	R3B2TFF42 30	48	R3FTCF22124	119
R3BITF3A49 24	94	R3BITFL64 30	63	R3B2TFF42 36	48	R3FTCF22130	119
R3BITF3A49 30	94	R3BITFL64 36	63	R3B2TFF42 42	48	R3FTCF22136	119
R3BITF3A49 36	94	R3BITFL64 42	63	R3B2TFF42 48	48	R3FTCF22142	119
R3BITF3A49 42	94	R3BITFL64 48	63	R3B2TFF49 18	55	R3FTCF22148	119
R3BITF3A49 48	94	R3BITFL79 18	70	R3B2TFF49 20	55	R3FTCF22518	120
R3BITF3B49 30	94	R3BITFL79 20	70	R3B2TFF49 24	55	R3FTCF22520	120
R3BITF3B49 36	94	R3BITFL79 24	70	R3B2TFF49 30	55	R3FTCF22524	120
R3BITF3B49 42	94	R3BITFL79 30	70	R3B2TFF49 36	55	R3FTCF22530	120
R3BITF3B49 48	94	R3BITFL79 36	70	R3B2TFF49 42	55	R3FTCF22536	120
R3BITFF42 18	47	R3BITFL79 42	70	R3B2TFF49 48	55	R3FTCF22542	120
R3BITFF42 20	47	R3BITFL79 48	70	R3B2TFF64 18	62	R3FTCF22548	120
R3BITFF42 24	47	R3BITFLA49 18	85	R3B2TFF64 20	62	R3FTCF23718	121
R3BITFF42 30	47	R3BITFLA49 20	85	R3B2TFF64 24	62	R3FTCF23720	121
R3BITFF42 36	47	R3BITFLA49 24	85	R3B2TFF64 30	62	R3FTCF23724	121
R3BITFF42 42	47	R3BITFLA49 30	85	R3B2TFF64 36	62	R3FTCF23730	121
R3BITFF42 48	47	R3BITFLA49 36	85	R3B2TFF64 42	62	R3FTCF23736	121
R3BITFF49 18	54	R3BITFLA49 42	85	R3B2TFF64 48	62	R3FTCF23742	121
R3BITFF49 20	54	R3BITFLA49 48	85	R3B2TFF79 18	69	R3FTCF23748	121
R3BITFF49 24	54	R3BITFLB49 30	86	R3B2TFF79 20	69	R3FTCF321 18	119
R3BITFF49 30	54	R3BITFLB49 36	86	R3B2TFF79 24	69	R3FTCF321 20	119
R3BITFF49 36	54	R3BITFLB49 42	86	R3B2TFF79 30	69	R3FTCF321 24	119
R3BITFF49 42	54	R3BITFLB49 48	86	R3B2TFF79 36	69	R3FTCF321 30	119
R3BITFF49 48	54	R3B2PFF42 18	15	R3B2TFF79 42	69	R3FTCF321 36	119
R3BITFF64 18	62	R3B2PFF42 20	15	R3B2TFF79 48	69	R3FTCF321 42	119
R3BITFF64 20	62	R3B2PFF42 24	15	R3B2TFFA49 18	96	R3FTCF321 48	119

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF325 18	120	R3FTCS21	122	R3SF30848	101	R3X42(B)	104
R3FTCF325 20	120	R3FTCS25	122	R3SF315 18	102	R3X49(B)	104
R3FTCF325 24	120	R3FTCS37	122	R3SF315 20	102	R3X64(B)	104
R3FTCF325 30	120	R3FTCSM (Pair) for G3 only	123	R3SF315 24	102	R3X79(B)	104
R3FTCF325 36	120	R3FTCT104(F/T)	122	R3SF315 30	102	R5ZNN (3 dividers)	317
R3FTCF325 42	120	R3FTCT108(F/T)	122	R3SF315 36	102	R917762	326
R3FTCF325 48	120	R3FTCT120(F/T)	122	R3SF315 42	102	R921655	326
R3FTCF337 18	121	R3FTCT21	122	R3SF315 48	102	RAMTB	219
R3FTCF337 20	121	R3FTCT25	122	R3SFF08 18	99	RAMTC24	219
R3FTCF337 24	121	R3FTCT37	122	R3SFF08 20	99	RAMTC30	219
R3FTCF337 30	121	R3FTCX104	122	R3SFF08 24	99	RAMTC36	219
R3FTCF337 36	121	R3FTCX108	122	R3SFF08 30	99	RAMTC42	219
R3FTCF337 42	121	R3FTCX120	122	R3SFF08 36	99	RAMTC48	219
R3FTCF337 48	121	R3FTCX21	122	R3SFF08 42	99	RAMTC54	219
R3FTCF2118	116	R3FTCX25	122	R3SFF08 48	99	RAMTC60	219
R3FTCF2120	116	R3FTCX37	122	R3SFF15 18	99	RAMTC66	219
R3FTCF2124	116	R3L08TT	103	R3SFF15 20	99	RAMTC72	219
R3FTCF2130	116	R3L15TT	103	R3SFF15 24	99	RAMTCH24	219
R3FTCF2136	116	R3L34(F/T)(F/T)	103	R3SFF15 30	99	RAMTCH30	219
R3FTCF2142	116	R3L42(B)(F/T)(F/T)	103	R3SFF15 36	99	RAMTCH36	219
R3FTCF2148	116	R3L49(B)(F/T)(F/T)	103	R3SFF15 42	99	RAMTCH42	219
R3FTCF2518	117	R3L64(B)(F/T)(F/T)	103	R3SFF15 48	99	RAMTCH48	219
R3FTCF2520	117	R3L79(B)(F/T)(F/T)	103	R3SFL0818	101	RAMTCH54	219
R3FTCF2524	117	R3R2SLV	105, 115	R3SFL0820	101	RAMTCH60	219
R3FTCF2530	117	R3S08TT	104	R3SFL0824	101	RAMTCH66	219
R3FTCF2536	117	R3S15TT	104	R3SFL0830	101	RAMTCH72	219
R3FTCF2542	117	R3S34(F/T)(F/T)	104	R3SFL0836	101	RAMTT	219
R3FTCF2548	117	R3S42(B)(F/T)(F/T)	104	R3SFL0842	101	RB24(M/H)(F/R)	207
R3FTCF3718	118	R3S49(B)(F/T)(F/T)	104	R3SFL0848	101	RB30(M/H)(F/R)	207
R3FTCF3720	118	R3S64(B)(F/T)(F/T)	104	R3SFL1518	102	RB3636	208
R3FTCF3724	118	R3S79(B)(F/T)(F/T)	104	R3SFL1520	102	RB3642	208
R3FTCF3730	118	R3SF10818	101	R3SFL1524	102	RB3648	208
R3FTCF3736	118	R3SF10820	101	R3SFL1530	102	RB36(M/H)(F/R)	207
R3FTCF3742	118	R3SF10824	101	R3SFL1536	102	RB40MR	156, 157, 194
R3FTCF3748	118	R3SF10830	101	R3SFL1542	102	RB4236	208
R3FTCFL2118	119	R3SF10836	101	R3SFL1548	102	RB4242	208
R3FTCFL2120	119	R3SF10842	101	R3SLL0818	101	RB4248	208
R3FTCFL2124	119	R3SF10848	101	R3SLL0820	101	RB42(M/H)(F/R)	207
R3FTCFL2130	119	R3SF11518	102	R3SLL0824	101	RB4836	208
R3FTCFL2136	119	R3SF11520	102	R3SLL0830	101	RB4842	208
R3FTCFL2142	119	R3SF11524	102	R3SLL0836	101	RB4848	208
R3FTCFL2148	119	R3SF11530	102	R3SLL0842	101	RB48(M/H)(F/R)	207
R3FTCFL2518	120	R3SF11536	102	R3SLL0848	101	RB52MR	156, 157, 194
R3FTCFL2520	120	R3SF11542	102	R3SLL1518	102	RB54(M/H)(F/R)	207
R3FTCFL2524	120	R3SF11548	102	R3SLL1520	102	RB60(M/H)(F/R)	207
R3FTCFL2530	120	R3SF20818	101	R3SLL1524	102	RB64MR	156, 157, 194
R3FTCFL2536	120	R3SF20820	101	R3SLL1530	102	RB66(M/H)(F/R)	207
R3FTCFL2542	120	R3SF20824	101	R3SLL1536	102	RB72(M/H)(F/R)	207
R3FTCFL2548	120	R3SF20830	101	R3SLL1542	102	RB78(M/H)(F/R)	207
R3FTCFL3718	121	R3SF20836	101	R3SLL1548	102	RB84(M/H)(F/R)	207
R3FTCFL3720	121	R3SF20842	101	R3SMP	326	RB90(M/H)(F/R)	207
R3FTCFL3724	121	R3SF20848	101	R3SPABPT	113	RB96(M/H)(F/R)	207
R3FTCFL3730	121	R3SF21518	102	R3SPABTD	113	RBC18 (L/R)	204
R3FTCFL3736	121	R3SF21520	102	R3SPABTT	113	RBC24 (L/R)	204
R3FTCFL3742	121	R3SF21524	102	R3SPABTW	113	RBCC	205
R3FTCFL3748	121	R3SF21530	102	R3T08T	103	RBCCP (Pair)	205
R3FTCL104(F/T)(F/T)	122	R3SF21536	102	R3T15T	103	RBDD	327
R3FTCL108(F/T)(F/T)	122	R3SF21542	102	R3T34(F/T)	103	RBDH24M(F/R)	209
R3FTCL120(F/T)(F/T)	122	R3SF21548	102	R3T42(B)(F/T)	103	RBDH30M(F/R)	209
R3FTCL21	122	R3SF30818	101	R3T49(B)(F/T)	103	RBDH3636	210
R3FTCL25	122	R3SF30820	101	R3T64(B)(F/T)	103	RBDH3642	210
R3FTCL37	122	R3SF30824	101	R3T79(B)(F/T)	103	RBDH3648	210
R3FTCS104(F/T)(F/T)	122	R3SF30830	101	R3X08	104	RBDH36M(F/R)	209
R3FTCS108(F/T)(F/T)	122	R3SF30836	101	R3X15	104	RBDH40MR	211
R3FTCS120(F/T)(F/T)	122	R3SF30842	101	R3X34	104	RBDH4236	210

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RBDH4242	210	RC533DHF	266, 267	RC663DHF	268, 270	RC762P	259, 265
RBDH4248	210	RC561DHB	266, 267	RC663DHG	268, 270	RC763B	255, 260
RBDH42M(F/R)	209	RC562DHB	266, 267	RC663DHK	269, 271	RC763C	255, 260
RBDH4836	210	RC562DHF	266, 267	RC663E(L/R)	250, 253	RC763D	264
RBDH4842	210	RC563DHB	266, 267	RC663F	249, 253	RC763DHB	272, 276
RBDH4848	210	RC563DHF	266, 267	RC663G	250, 254	RC763DHD	278
RBDH48M(F/R)	209	RC612C(L/R)	249, 252	RC663H	250, 253	RC763DHE(L/R)	272, 276
RBDH52MR	211	RC612DHG(L/R)	268, 270	RC663I	254	RC763DHF	275, 277
RBDH54M(F/R)	209	RC612D(L/R)	252	RC663P	251, 254	RC763DHG	273, 276
RBDH60M(F/R)	209	RC612G(L/R)	250, 254	RC712C(L/R)	255, 260	RC763DHK	274, 277
RBDH64MR	211	RC612P(L/R)	251, 254	RC712DHG(L/R)	273, 276	RC763E(L/R)	256, 261
RBDH66M(F/R)	209	RC613C(L/R)	249, 252	RC712D(L/R)	264	RC763F	257, 262
RBDH72M(F/R)	209	RC613DHG(L/R)	268, 270	RC712G(L/R)	258, 263	RC763G	258, 263
RBDH78M(F/R)	209	RC613D(L/R)	252	RC712P(L/R)	259, 265	RC763H	259, 264
RBDH84M(F/R)	209	RC613G(L/R)	250, 254	RC713C(L/R)	255, 260	RC763I	265
RBDH90M(F/R)	209	RC613P(L/R)	251, 254	RC713DHG(L/R)	273, 276	RC763P	259, 265
RBDH96M(F/R)	209	RC623M	287, 288	RC713D(L/R)	264	RC832DHB	283
RBDP6030JK(A,B,W)	319	RC623N	287, 288	RC713G(L/R)	258, 263	RC832DHBC	283
RBDP7230JK(A,B,W)	319	RC631B	249, 252	RC713P(L/R)	259, 265	RC832DHF	279, 283
RBDP8430JK(A,B,W)	319	RC631DHB	268, 270	RC723M	287, 288	RC832DHFC	279, 284
RBDP9630JK(A,B,W)	319	RC632B	249, 252	RC723N	287, 288	RC832DHG	280, 284
RBDW	327	RC632C	249, 252	RC732B	255, 260	RC832DHK	280, 285
RBF (Pair)	205	RC632D	252	RC732C	255, 260	RC832DHKC	281, 285
RBPE(L/R)	327	RC632DHB	268, 270	RC732D	264	RC832DHO	281, 286
RBPP (L/R)	205	RC632DHF	268, 270	RC732DHB	272, 276	RC832DHOC	282, 286
RBPR (Pair)	206	RC632DHG	268, 270	RC732DHD	278	RC833DHB	283
RBPS (L/R)	206	RC632DHK	269, 271	RC732DHE(L/R)	272, 276	RC833DHBC	283
RBR3624(A,B,W)(F,N)2	322	RC632E(L/R)	250, 253	RC732DHF	275, 277	RC833DHF	279, 283
RBR3630(A,B,W)(F,N)2	322	RC632F	249, 253	RC732DHG	273, 276	RC833DHFC	279, 284
RBR4224(A,B,W)(F,N)2	322	RC632G	250, 254	RC732DHK	274, 277	RC833DHG	280, 284
RBR4230(A,B,W)(F,N)2	322	RC632H	250, 253	RC732E(L/R)	256, 261	RC833DHK	280, 285
RBR4824(A,B,W)(F,N)2	322	RC632I	254	RC732F	257, 262	RC833DHKC	281, 285
RBR4830(A,B,W)(F,N)2	322	RC632P	251, 254	RC732G	258, 263	RC833DHO	281, 286
RBSP6030J(A,B,W)	318	RC633B	249, 252	RC732H	259, 264	RC833DHOC	282, 286
RBSP7230J(A,B,W)	318	RC633C	249, 252	RC732I	265	RC862DHB	283
RBSP8430J(A,B,W)	318	RC633D	252	RC732P	259, 265	RC862DHBC	283
RBSP9630J(A,B,W)	318	RC633DHB	268, 270	RC733B	255, 260	RC862DHF	279, 283
RBWM	327	RC633DHF	268, 270	RC733C	255, 260	RC862DHFC	279, 284
RBZ (A/B) (Pair)	205	RC633DHG	268, 270	RC733D	264	RC862DHG	280, 284
RC412C(L/R)	245, 247	RC633DHK	269, 271	RC733DHB	272, 276	RC862DHK	280, 285
RC413C(L/R)	245, 247	RC633E(L/R)	250, 253	RC733DHD	278	RC862DHKC	281, 285
RC423M	287, 288	RC633F	249, 253	RC733DHE(L/R)	272, 276	RC862DHO	281, 286
RC423N	287, 288	RC633G	250, 254	RC733DHF	275, 277	RC862DHOC	282, 286
RC431B	245, 247	RC633H	250, 253	RC733DHG	273, 276	RC863DHB	283
RC432B	245, 247	RC633I	254	RC733DHK	274, 277	RC863DHBC	283
RC432C	245, 247	RC633P	251, 254	RC733E(L/R)	256, 261	RC863DHF	279, 283
RC432D	247	RC661B	249, 252	RC733F	257, 262	RC863DHFC	279, 284
RC432F	246, 248	RC661DHB	268, 270	RC733G	258, 263	RC863DHG	280, 284
RC433B	245, 247	RC662B	249, 252	RC733H	259, 264	RC863DHK	280, 285
RC433C	245, 247	RC662C	249, 252	RC733I	265	RC863DHKC	281, 285
RC433D	247	RC662D	252	RC733P	259, 265	RC863DHO	281, 286
RC433F	246, 248	RC662DHB	268, 270	RC762B	255, 260	RC863DHOC	282, 286
RC461B	245, 247	RC662DHF	268, 270	RC762C	255, 260	RCA363611	145
RC462B	245, 247	RC662DHG	268, 270	RC762D	264	RCA363612	145
RC462C	245, 247	RC662DHK	269, 271	RC762DHB	272, 276	RCA363621	145
RC462D	247	RC662E(L/R)	250, 253	RC762DHD	278	RCA363622	146
RC462F	246, 248	RC662F	249, 253	RC762DHE(L/R)	272, 276	RCA364211	145
RC463B	245, 247	RC662G	250, 254	RC762DHF	275, 277	RCA364212	145
RC463C	245, 247	RC662H	250, 253	RC762DHG	273, 276	RCA364221	145
RC463D	247	RC662I	254	RC762DHK	274, 277	RCA364222	146
RC463F	246, 248	RC662P	251, 254	RC762E(L/R)	256, 261	RCA364811	145
RC531DHB	266, 267	RC663B	249, 252	RC762F	257, 262	RCA364812	145
RC532DHB	266, 267	RC663C	249, 252	RC762G	258, 263	RCA364821	145
RC532DHF	266, 267	RC663D	252	RC762H	259, 264	RCA364822	146
RC533DHB	266, 267	RC663DHB	268, 270	RC762I	265	RCA423611	145

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCA423612	145	RCACR36H	325	RCCDRA33672	147	RCE1L7248DSN	201
RCA423621	145	RCAS1620	325	RCCDRA33678	147	RCE1L7248SDN	201
RCA423622	146	RCAS1624	325	RCCDRA33684	147	RCE1L7248SSN	201
RCA424211	145	RCAS3015	325	RCCDRA33696	147	RCE1L7842SSN	201
RCA424212	145	RCAS3020	325	RCD3L6024K(A,B,W)	323	RCE1L7848SSN	201
RCA424221	145	RCAS3024	325	RCD3L8424K(A,B,W)	323	RCE1L8448SSN	201
RCA424222	146	RCAS3615	325	RCD3L9624K(A,B,W)	323	RCE1R1212G	326
RCA424811	145	RCAS3620	325	RCD6L7224K(A,B,W)	323	RCE1R2424N	198
RCA424812	145	RCAS3624	325	RCD6L9624K(A,B,W)	323	RCE1R2430N	198
RCA424821	145	RCASL	326	RCDHB	215	RCE1R3024N	198
RCA424822	146	RCAWF363611	191	RCDHB20T	215	RCE1R3030N	198
RCA483611	145	RCAWF363612	191	RCDHB24T	215	RCE1R3624N	198
RCA483612	145	RCAWF363621	191	RCDHB30T	215	RCE1R3630N	198
RCA483621	145	RCAWF363622	191	RCDHB40T	215	RCE1R4224N	198
RCA483622	146	RCAWF364211	191	RCDP6024K(A,B,W)	323	RCE1R4230N	198
RCA484211	145	RCAWF364212	191	RCDP7224K(A,B,W)	323	RCE1R4824N	198
RCA484212	145	RCAWF364221	191	RCDP8424K(A,B,W)	323	RCE1R4830N	198
RCA484221	146	RCAWF364222	191	RCDP9624K(A,B,W)	323	RCE1R5424N	198
RCA484222	146	RCAWF364811	191	RCE1BD6648D(L/R)	199	RCE1R5430N	198
RCA484811	145	RCAWF364812	191	RCE1BD6648S(L/R)	199	RCE1R6024N	198
RCA484812	145	RCAWF364821	191	RCE1BD7248D(L/R)	199	RCE1R6030N	198
RCA484821	146	RCAWF364822	191	RCE1BD7248S(L/R)	199	RCE1R6624N	198
RCA484822	146	RCAWF423611	191	RCE1BD7848D(L/R)	199	RCE1R6630N	198
RCA(A/B/C/D/E/F/G)F363611	169	RCAWF423612	191	RCE1BD7848S(L/R)	199	RCE1R7224N	198
RCA(A/B/C/D/E/F/G)F363612	169	RCAWF423621	191	RCE1BD8448D(L/R)	199	RCE1R7230N	198
RCA(A/B/C/D/E/F/G)F363621	170	RCAWF423622	191	RCE1BD8448S(L/R)	199	RCE1R7824N	198
RCA(A/B/C/D/E/F/G)F363622	171	RCAWF424211	191	RCE1CR24L	202	RCE1R7830N	198
RCA(A/B/C/D/E/F/G)F364211	169	RCAWF424212	191	RCE1CR24N	202	RCE1R8424N	198
RCA(A/B/C/D/E/F/G)F364212	169	RCAWF424221	191	RCE1CR24R	202	RCE1R8430N	198
RCA(A/B/C/D/E/F/G)F364221	170	RCAWF424222	191	RCE1H4818	202	RCE1R9024N	198
RCA(A/B/C/D/E/F/G)F364222	171	RCAWF424811	191	RCE1H4818P	202	RCE1R9030N	198
RCA(A/B/C/D/E/F/G)F364811	169	RCAWF424812	191	RCE1H6024	202	RCE1R9624N	198
RCA(A/B/C/D/E/F/G)F364812	169	RCAWF424821	191	RCE1H6024P	202	RCE1R9630N	198
RCA(A/B/C/D/E/F/G)F364821	170	RCAWF424822	191	RCE1L3636SSN	200	RCE1W362430N	203
RCA(A/B/C/D/E/F/G)F364822	171	RCAWF483611	191	RCE1L4242DSN	200	RCE1W363024N	203
RCA(A/B/C/D/E/F/G)F423611	169	RCAWF483612	191	RCE1L4242SDN	200	RCE1W422430N	203
RCA(A/B/C/D/E/F/G)F423612	169	RCAWF483621	191	RCE1L4242SSN	200	RCE1W423024N	203
RCA(A/B/C/D/E/F/G)F423621	170	RCAWF483622	191	RCE1L4260SSN	201	RCE1W482430N	203
RCA(A/B/C/D/E/F/G)F423622	171	RCAWF484211	191	RCE1L4266SSN	201	RCE1W483024N	203
RCA(A/B/C/D/E/F/G)F424211	169	RCAWF484212	191	RCE1L4272SSN	201	RCE1W722430N	203
RCA(A/B/C/D/E/F/G)F424212	169	RCAWF484221	191	RCE1L4278SSN	201	RCE1W723024N	203
RCA(A/B/C/D/E/F/G)F424221	170	RCAWF484222	191	RCE1L4848DDN	200	RCEAL223660	148
RCA(A/B/C/D/E/F/G)F424222	171	RCB	212	RCE1L4848DSN	200	RCEAL223672	148
RCA(A/B/C/D/E/F/G)F424811	169	RCB20T	212	RCE1L4848SDN	200	RCEAL224260	148
RCA(A/B/C/D/E/F/G)F424812	169	RCB24T	212	RCE1L4848SSN	200	RCEAL224272	148
RCA(A/B/C/D/E/F/G)F424821	170	RCB24X	213	RCE1L4860DSN	201	RCEAL224872	148
RCA(A/B/C/D/E/F/G)F424822	171	RCB28X	213	RCE1L4860SDN	201	RCEAL224884	148
RCA(A/B/C/D/E/F/G)F483611	169	RCB30T	212	RCE1L4860SSN	201	RCEAL224896	148
RCA(A/B/C/D/E/F/G)F483612	169	RCB36X	213	RCE1L4866DSN	201	RCEAR223660	148
RCA(A/B/C/D/E/F/G)F483621	170	RCB40T	212	RCE1L4866SDN	201	RCEAR223672	148
RCA(A/B/C/D/E/F/G)F483622	171	RCBDH24X	216	RCE1L4866SSN	201	RCEAR224260	148
RCA(A/B/C/D/E/F/G)F484211	169	RCBDH28X	216	RCE1L4872DSN	201	RCEAR224272	148
RCA(A/B/C/D/E/F/G)F484212	170	RCBDH36X	216	RCE1L4872SDN	201	RCEAR224872	148
RCA(A/B/C/D/E/F/G)F484221	170	RCCDLA23672	147	RCE1L4872SSN	201	RCEAR224884	148
RCA(A/B/C/D/E/F/G)F484222	171	RCCDLA23678	147	RCE1L4878SSN	201	RCEAR224896	148
RCA(A/B/C/D/E/F/G)F484811	169	RCCDLA23684	147	RCE1L4884SSN	201	RCOUNTWT	227, 230
RCA(A/B/C/D/E/F/G)F484812	170	RCCDLA23696	147	RCE1L6042SSN	201	RCP41-(F/L/1/2/3)*	111
RCA(A/B/C/D/E/F/G)F484821	170	RCCDLA33672	147	RCE1L6048DSN	201	RCP56-(F/L/1/2/3)*	111
RCA(A/B/C/D/E/F/G)F484822	171	RCCDLA33678	147	RCE1L6048SDN	201	RCP71-(F/L/1/2/3)*	111
RCA(A/B/C/D/E/F/G)F484831	169	RCCDLA33684	147	RCE1L6048SSN	201	RCP78-(F/L/1/2/3)*	111
RCA(A/B/C/D/E/F/G)F484832	170	RCCDLA33696	147	RCE1L6642SSN	201	RCS3L6024K(A,B,W)	321
RCA(A/B/C/D/E/F/G)F484831	170	RCCDLA33672	147	RCE1L6648DSN	201	RCS3L7224K(A,B,W)	321
RCA(A/B/C/D/E/F/G)F484832	171	RCCDLA33678	147	RCE1L6648SDN	201	RCS3L8424K(A,B,W)	321
RCABT1417	325	RCCDLA33684	147	RCE1L6648SSN	201	RCS3L9624K(A,B,W)	321
RCABT2917	325	RCCDLA33696	147	RCE1L7242SSN	201	RCS6L6024K(A,B,W)	321
RCACR16	325	RCCDRA23672	147				
RCACR30	325	RCCDRA23678	147				
RCACR30H	325	RCCDRA23684	147				
RCACR36	325	RCCDRA23696	147				

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCS6L7224K(A,B,W)	321	RFTCSM (Pair) for G2 only	123	RGAL433	224	RGBB841	221
RCS6L8424K(A,B,W)	321	RFTCSPACE	123	RGAL491	224	RGBB901	221
RCS6L9624K(A,B,W)	321	RFTCWA2118	116	RGAL492	224	RGBB961	221
RCSF6024K(A,B,W)	321	RFTCWA2120	116	RGAL493	224	RGBF622	221
RCSF7224K(A,B,W)	321	RFTCWA2124	116	RGAL551	224	RGBF623	221
RCSF8424K(A,B,W)	321	RFTCWA2130	116	RGAL552	224	RGBF682	221
RCSF9624K(A,B,W)	321	RFTCWA2136	116	RGAL553	224	RGBF683	221
RDDP6030JK(A,B,W)	319	RFTCWA2142	116	RGAL611	224	RGBF742	221
RDDP6036JK(A,B,W)	319	RFTCWA2148	116	RGAL612	224	RGBF743	221
RDDP7230JK(A,B,W)	319	RFTCWA2518	117	RGAL613	224	RGBF802	221
RDDP7236JK(A,B,W)	319	RFTCWA2520	117	RGAL671	224	RGBF803	221
RDDP8430JK(A,B,W)	319	RFTCWA2524	117	RGAL672	224	RGBF862	221
RDDP8436JK(A,B,W)	319	RFTCWA2530	117	RGAL673	224	RGBF863	221
RDDP9630JK(A,B,W)	319	RFTCWA2536	117	RGAL731	224	RGBF922	221
RDDP9636JK(A,B,W)	319	RFTCWA2542	117	RGAL732	224	RGBF923	221
RDHMBD	240	RFTCWA2548	117	RGAL733	224	RGBF982	221
RDHMFJ	240	RFTCWA3718	118	RGAL791	224	RGBF983	221
RDHMLD	240	RFTCWA3720	118	RGAL792	224	RGBL431	225
RDSP6030J(A,B,W)	318	RFTCWA3724	118	RGAL793	224	RGBL432	225
RDSP6036J(A,B,W)	318	RFTCWA3730	118	RGAL851	224	RCBL433	225
RDSP7230J(A,B,W)	318	RFTCWA3736	118	RGAL852	224	RGBL491	225
RDSP7236J(A,B,W)	318	RFTCWA3742	118	RGAL853	224	RGBL492	225
RDSP8430J(A,B,W)	318	RFTCWA3748	118	RGAL911	224	RGBL493	225
RDSP8436J(A,B,W)	318	RFTCWB2130	116	RGAL912	224	RCBL551	225
RDSP9630J(A,B,W)	318	RFTCWB2136	116	RGAL913	224	RGBL552	225
RDSP9636J(A,B,W)	318	RFTCWB2142	116	RGAL971	224	RGBL553	225
RE12F	207	RFTCWB2148	116	RGAL972	224	RCBL611	225
RE15F	207	RFTCWB2530	117	RGAL973	224	RCBL612	225
RE19F	207	RFTCWB2536	117	RGAR431	222	RGBL613	225
RE23F	207	RFTCWB2542	117	RGAR432	222	RCBL671	225
RE29F	207	RFTCWB2548	117	RGAR433	222	RCBL672	225
RE30	207	RFTCWB3730	118	RGAR491	222	RCBL673	225
RE36	207	RFTCWB3736	118	RGAR492	222	RGBL731	225
REBA6030	151	RFTCWB3742	118	RGAR493	222	RCBL732	225
REBA7242	151	RFTCWB3748	118	RGAR551	222	RCBL733	225
REBA7848	151	RFTCWS21S	123	RGAR552	222	RCBL791	225
REBA(A/B/C/D/E/F/G)A6030	176	RFTCWS25S	123	RGAR553	222	RCBL792	225
REBA(A/B/C/D/E/F/G)A7242	176	RFTCWS37S	123	RGAR611	222	RCBL793	225
REBA(A/B/C/D/E/F/G)A7848	176	RFTCWT (Pair)	123	RGAR612	222	RCBL851	225
REBAWA6030	195	RGAB421	220	RGAR613	222	RCBL852	225
REBAWA7242	195	RGAB481	220	RGAR671	222	RCBL853	225
REBAWA7848	195	RGAB541	220	RGAR672	222	RCBL911	225
REBH24	156, 157, 195	RGAB601	220	RGAR673	222	RCBL912	225
REBH30	156, 157, 195	RGAB661	220	RGAR731	222	RCBL913	225
REDH12F	209	RGAB721	220	RGAR732	222	RCBL971	225
REDH15F	209	RGAB781	220	RGAR733	222	RCBL972	225
REDH19F	209	RGAB841	220	RGAR791	222	RCBL973	225
REDH23F	209	RGAB901	220	RGAR792	222	RCBR431	223
REDH29F	209	RGAB961	220	RGAR793	222	RCBR432	223
REDH30	210	RCAF622	220	RGAR851	222	RCBR433	223
REDH36	210	RCAF623	220	RGAR852	222	RCBR491	223
REDHBH124	211	RCAF682	220	RGAR853	222	RCBR492	223
REDHBH130	211	RCAF683	220	RGAR911	222	RCBR493	223
RFDR30	317	RCAF742	220	RGAR912	222	RCBR551	223
RFDR36	317	RCAF743	220	RGAR913	222	RCBR552	223
RFDR42	317	RCAF802	220	RGAR971	222	RCBR553	223
RFDR48	317	RCAF803	220	RGAR972	222	RCBR611	223
RFDR60	317	RCAF862	220	RGAR973	222	RCBR612	223
RFDR72	317	RCAF863	220	RGBB421	221	RCBR613	223
RFDR84	317	RCAF922	220	RGBB481	221	RCBR671	223
RFDR96	317	RCAF923	220	RGBB541	221	RCBR672	223
RFTCC108	123	RCAF982	220	RGBB601	221	RCBR673	223
RFTCC1IPS	123	RCAF983	220	RGBB661	221	RCBR731	223
RFTCCDR (Pair)	123	RGAL431	224	RGBB721	221	RCBR732	223
RFTCCG1 (Pair)	123	RGAL432	224	RGBB781	221	RCBR733	223

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RGBR791	223	RKA 484811	139	RMB(A)8436	155	RMDAWF4221	193
RGBR792	223	RKA 484812	139	RMB(A)9630	155	RMDAWF4230	192
RGBR793	223	RKA 484821	140	RMB(A)9636	155	RMDAWF4236	192
RGBR851	223	RKA 484822	139	RMB(A/B/C/D/E/F/G)A7230	176	RMDAWF4830	192
RGBR852	223	RKB 363611	141	RMB(A/B/C/D/E/F/G)A7236	176	RMDAWF4836	192
RGBR853	223	RKB 363612	141	RMB(A/B/C/D/E/F/G)A8430	176	RMDAWF5025	193
RGBR911	223	RKB 363621	142	RMB(A/B/C/D/E/F/G)A8436	176	RMDAWF5430	192
RGBR912	223	RKB 363622	141	RMB(A/B/C/D/E/F/G)A9630	176	RMDAWF5436	192
RGBR913	223	RKB 364211	141	RMB(A/B/C/D/E/F/G)A9636	176	RMDAWF6030	192
RGBR971	223	RKB 364212	141	RMB(A)A7230	194	RMDAWF6036	192
RGBR972	223	RKB 364221	142	RMB(A)A7236	194	RMDAWF6630	192
RGBR973	223	RKB 364222	141	RMB(A)A8430	194	RMDAWF6636	192
RCMD6	131	RKB 364811	141	RMB(A)A8436	194	RMDAWF7230	192
RCMD8	131	RKB 364812	141	RMB(A)A9630	194	RMDAWF7236	192
RCMDE	131	RKB 364821	142	RMB(A)A9636	194	RMDAWF7830	192
RGS60	220	RKB 364822	141	RMB(B)7230	157	RMDAWF7836	192
RGS66	220	RKB 423611	141	RMB(B)7236	157	RMDAWF8430	192
RGS72	220	RKB 423612	141	RMB(B)8430	157	RMDAWF8436	192
RGS78	220	RKB 423621	142	RMB(B)8436	157	RMDAWF9030	192
RGS84	220	RKB 423622	141	RMB(B)9630	157	RMDAWF9036	192
RGS90	220	RKB 424211	141	RMB(B)9636	157	RMDAWF9630	192
RGS96	220	RKB 424212	141	RMDA4221	151	RMDAWF9636	192
RGTLA636	226	RKB 424221	142	RMDA4230	149	RMDB4221	154
RGTRA636	226	RKB 424222	141	RMDA4236	149	RMDB4230	152
RHSC15	115	RKB 424811	141	RMDA4830	149	RMDB4236	152
RHSC250	115	RKB 424812	141	RMDA4836	149	RMDB4830	152
RHSC70	115	RKB 424821	142	RMDA5025	151	RMDB4836	152
RIB24T	212	RKB 424822	141	RMDA5430	149	RMDB5025	154
RIB28X	213	RKB 483611	141	RMDA5436	149	RMDB5430	152
RIB32X	213	RKB 483612	141	RMDA6030	149	RMDB5436	152
RIBDH24T	215	RKB 483621	142	RMDA6036	149	RMDB6030	152
RIBDH28X	215	RKB 483622	141	RMDA6630	149	RMDB6036	152
RIBDH32X	215	RKB 484211	141	RMDA6636	149	RMDB6630	152
RKA 363611	139	RKB 484212	141	RMDA7230	149	RMDB6636	152
RKA 363612	139	RKB 484221	142	RMDA7236	149	RMDB7230	152
RKA 363621	140	RKB 484222	141	RMDA7830	149	RMDB7236	152
RKA 363622	139	RKB 484811	141	RMDA7836	149	RMDB7830	152
RKA 364211	139	RKB 484812	141	RMDA8430	149	RMDB7836	152
RKA 364212	139	RKB 484821	142	RMDA8436	149	RMDB8430	152
RKA 364221	140	RKB 484822	141	RMDA9030	149	RMDB8436	152
RKA 364222	139	RKBA1020	325	RMDA9036	149	RMDB9030	152
RKA 364811	139	RKBA1022	325	RMDA9630	149	RMDB9036	152
RKA 364812	139	RKT31	325	RMDA9636	149	RMDB9630	152
RKA 364821	140	RM111J	228, 231	RMDA(A/B/C/D/E/F/G)F4221	175	RMDB9636	152
RKA 364822	139	RM112J	228, 231	RMDA(A/B/C/D/E/F/G)F4230	174	RMPA4230	150
RKA 423611	139	RM212J	228, 231	RMDA(A/B/C/D/E/F/G)F4236	174	RMPA4836	150
RKA 423612	139	RM212K	228, 231	RMDA(A/B/C/D/E/F/G)F4830	174	RMPA8430	151
RKA 423621	140	RM9A4230	150	RMDA(A/B/C/D/E/F/G)F4836	174	RMPA9630	151
RKA 423622	139	RM9A4836	150	RMDA(A/B/C/D/E/F/G)F5025	175	RMPA(A/B/C/D/E/F/G)F4230	175
RKA 424211	139	RM9A8430	150	RMDA(A/B/C/D/E/F/G)F5430	174	RMPA(A/B/C/D/E/F/G)F4836	175
RKA 424212	139	RM9A9630	150	RMDA(A/B/C/D/E/F/G)F5436	174	RMPA(A/B/C/D/E/F/G)F8430	175
RKA 424221	140	RM9A(A/B/C/D/E/F/G)F4230	175	RMDA(A/B/C/D/E/F/G)F6030	174	RMPA(A/B/C/D/E/F/G)F9630	175
RKA 424222	139	RM9A(A/B/C/D/E/F/G)F4836	175	RMDA(A/B/C/D/E/F/G)F6036	174	RMPAWF4230	192
RKA 424811	139	RM9A(A/B/C/D/E/F/G)F8430	175	RMDA(A/B/C/D/E/F/G)F6630	174	RMPAWF8430	193
RKA 424812	139	RM9A(A/B/C/D/E/F/G)F9630	175	RMDA(A/B/C/D/E/F/G)F6636	174	RMPAWF9630	193
RKA 424821	140	RM9AWF4230	192	RMDA(A/B/C/D/E/F/G)F7230	174	RMPB4230	153
RKA 424822	139	RM9AWF8430	193	RMDA(A/B/C/D/E/F/G)F7236	174	RMPB4836	153
RKA 483611	139	RM9AWF9630	193	RMDA(A/B/C/D/E/F/G)F7830	174	RMPB8430	154
RKA 483612	139	RM9B4230	153	RMDA(A/B/C/D/E/F/G)F7836	174	RMPB9630	154
RKA 483621	140	RM9B4836	153	RMDA(A/B/C/D/E/F/G)F8430	174	RMSCB	204
RKA 483622	139	RM9B8430	153	RMDA(A/B/C/D/E/F/G)F8436	174	RO1-CB	314
RKA 484211	139	RM9B9630	153	RMDA(A/B/C/D/E/F/G)F9030	174	RO1-HP12	311, 312
RKA 484212	139	RMB(A)7230	155	RMDA(A/B/C/D/E/F/G)F9036	174	RO1-HP15	311, 312
RKA 484221	140	RMB(A)7236	155	RMDA(A/B/C/D/E/F/G)F9630	174	RO1-HP6	311, 312
RKA 484222	139	RMB(A)8430	155	RMDA(A/B/C/D/E/F/G)F9636	174	RO1-HP9	311, 312

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RO1-PULL	314	ROAO96T0DH	305	ROMF72S0()	291	ROPF84S0J	290
RO1-RCB	313	ROAO96T0()	302	ROMH30S0()	291	ROPF96S0J	290
RO1-RPB	313	ROAO96T1DH	305	ROMH36S0()	291	ROPH30S0()	289
RO1-WMF2	314	ROAO96T1()	302	ROMH60S0()	291	ROPH36S0()	289
RO1-WMF3	314	ROBF60S0DH	309	ROMH72S0()	291	ROPH60S0()	289
RO1-WMF4	314	ROBF60S0()	303	ROMHHDH30	293	ROPH60T0()	289
RO3-N24	310	ROBF60S1DH	309	ROMHHDH36	293	ROPH72S0()	289
RO3-N30	310	ROBF60S1()	303	ROMHHDH42	293	ROPH72T0()	289
RO3-N36	310	ROBF72S0DH	309	ROMHHDH48	293	ROPH90S0()	289
RO3-N42	310	ROBF72S0()	303	ROMHHDH54	293	ROPH90T0()	289
RO3-N48	310	ROBF72S1DH	309	ROMHHDH60	293	ROPH96S0()	289
RO3-N60	310	ROBF72S1()	303	ROMHHDH66	293	ROPH96T0()	289
RO3-N66	310	ROBF84S0DH	309	ROMHHDH72	293	ROPO30S0()	289
RO3-N72	310	ROBF84S0()	303	ROMHHDH78	293	ROPO36S0()	289
RO3-ON30	312	ROBF84S1DH	309	ROMHHDH84	293	ROPO42S0()	289
RO3-ON36	312	ROBF84S1()	303	ROMHHDH90	293	ROPO48S0()	289
RO3-ON42	312	ROBF96S0DH	309	ROMHHDH96	293	ROPO60S0()	289
RO3-ON48	312	ROBF96S0()	303	ROMHHDHC30	293	ROPO60T0()	289
RO3-ON60	312	ROBF96S1DH	309	ROMHHDHC36	293	ROPO72S0()	289
RO3-ON72	312	ROBF96S1()	303	ROMHHDHC42	293	ROPO72T0()	289
RO3-VP	312	ROBH60T0DH	307	ROMHHDHC48	293	ROPO90S0()	289
ROAF60S0DH	306	ROBH60T0()	303	ROMHHDHC54	293	ROPO90T0()	289
ROAF60S0()	302	ROBH60T1DH	307	ROMHHDHC60	293	ROPO96S0()	289
ROAF60S1DH	306	ROBH60T1()	303	ROMHHDHC66	293	ROPO96T0()	289
ROAF60S1()	302	ROBH72T0DH	307	ROMHHDHC72	293	ROPS30S0NN	290
ROAF72S0DH	306	ROBH72T0()	303	ROMHHDHC78	293	ROPS36S0NN	290
ROAF72S0()	302	ROBH72T1DH	307	ROMHHDHC84	293	ROPS42S0NN	290
ROAF72S1DH	306	ROBH72T1()	303	ROMHHDHC90	293	ROPS48S0NN	290
ROAF72S1()	302	ROBH90T0DH	307	ROMHHDHC96	293	ROPS54S0NN	290
ROAF84S0DH	306	ROBH90T0()	303	ROMO30S0()	291	ROPS60S0NN	290
ROAF84S0()	302	ROBH90T1DH	307	ROMO36S0()	291	ROPS66S0NN	290
ROAF84S1DH	306	ROBH90T1()	303	ROMO42S0()	291	ROPS72S0NN	290
ROAF84S1()	302	ROBH96T0DH	307	ROMO48S0()	291	ROPS78S0NN	290
ROAF96S0DH	306	ROBH96T0()	303	ROMO60S0()	291	ROPS84S0NN	290
ROAF96S0()	302	ROBH96T1DH	307	ROMO72S0()	291	ROPS90S0NN	290
ROAF96S1DH	306	ROBH96T1()	303	ROMODH30	292	ROPS96S0NN	290
ROAF96S1()	302	ROBO60T0DH	308	ROMODH36	292	ROWH60S0DH	296
ROAH60T0DH	304	ROBO60T0()	303	ROMODH42	292	ROWH60S0()	294
ROAH60T0()	302	ROBO60T1DH	308	ROMODH48	292	ROWH60S1DH	296
ROAH60T1DH	304	ROBO60T1()	303	ROMODH54	292	ROWH60S1()	294
ROAH60T1()	302	ROBO72T0DH	308	ROMODH60	292	ROWH60T0DH	297
ROAH72T0DH	304	ROBO72T0()	303	ROMODH66	292	ROWH60T0()	294
ROAH72T0()	302	ROBO72T1DH	308	ROMODH72	292	ROWH60T1DH	297
ROAH72T1DH	304	ROBO72T1()	303	ROMODH78	292	ROWH60T1()	294
ROAH72T1()	302	ROBO90T0DH	308	ROMODH84	292	ROWH72S0DH	296
ROAH90T0DH	304	ROBO90T0()	303	ROMODH90	292	ROWH72S0()	294
ROAH90T0()	302	ROBO90T1DH	308	ROMODH96	292	ROWH72S1DH	296
ROAH90T1DH	304	ROBO90T1()	303	ROMODHC30	292	ROWH72S1()	294
ROAH90T1()	302	ROBO96T0DH	308	ROMODHC36	292	ROWH72T0DH	297
ROAH96T0DH	304	ROBO96T0()	303	ROMODHC42	292	ROWH72T0()	294
ROAH96T0()	302	ROBO96T1DH	308	ROMODHC48	292	ROWH72T1DH	297
ROAH96T1DH	304	ROBO96T1()	303	ROMODHC54	292	ROWH72T1()	294
ROAH96T1()	302	ROHDR30	317	ROMODHC60	292	ROWH90S0DH	296
ROAO60T0DH	305	ROHDR36	317	ROMODHC66	292	ROWH90S0()	294
ROAO60T0()	302	ROHDR42	317	ROMODHC72	292	ROWH90S1DH	296
ROAO60T1DH	305	ROHDR48	317	ROMODHC78	292	ROWH90S1()	294
ROAO60T1()	302	ROHDR60	317	ROMODHC84	292	ROWH90T0DH	297
ROAO72T0DH	305	ROHDR72	317	ROMODHC90	292	ROWH90T0()	294
ROAO72T0()	302	ROHDR90	317	ROMODHC96	292	ROWH90T1DH	297
ROAO72T1DH	305	ROHDR96	317	ROPF30S0J	290	ROWH90T1()	294
ROAO72T1()	302	ROMF30S0()	291	ROPF36S0J	290	ROWH96S0DH	296
ROAO90T0DH	305	ROMF36S0()	291	ROPF42S0J	290	ROWH96S0()	294
ROAO90T0()	302	ROMF42S0()	291	ROPF48S0J	290	ROWH96S1DH	296
ROAO90T1DH	305	ROMF48S0()	291	ROPF60S0J	290	ROWH96S1()	294
ROAO90T1()	302	ROMF60S0()	291	ROPF72S0J	290	ROWH96T0DH	297

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROWH96T0()	294	RP221J	229, 232	RPB262M	234, 236	RR3-E36NS	124
ROWH96T1DH	297	RP221K	229, 232	RPD11	329	RR3-E36S	129
ROWH96T1()	294	RP222J	229, 232	RPD14	329	RR3-E42NS	124
ROWO60S0DH	297	RP222K	229, 232	RPDHB16	239, 243	RR3-E42S	129
ROWO60S0()	294	RP223J	229, 232	RPDHB19	239, 243	RR3-E48NS	124
ROWO60S1DH	297	RP223K	229, 232	RPDHB30	239, 243	RR3-E48S	129
ROWO60S1()	294	RP231K	227, 230	RPDHB36	239, 243	RR3-E60-4	124
ROWO60T0DH	298	RP231L	227, 230	RPETAD	329	RR3-E66-4	124
ROWO60T0()	294	RP231M	228, 231	RPETRAY3C	329	RR3-E72-4	124
ROWO60T1DH	298	RP232K	227, 230	RPETRAY3N	329	RR3-EBBCL	129
ROWO60T1()	294	RP232L	227, 230	RPHCHH	328	RR3-EBBCS	129
ROWO72S0DH	297	RP232M	228, 231	RPHCHT	328	RR3EBVC50	133
ROWO72S0()	294	RP261K	227, 230	RPHL3442(F/T)	112	RR3EBVC62	133
ROWO72S1DH	297	RP261L	227, 230	RPHL3449(F/T)	112	RR3EBVC64	133
ROWO72S1()	294	RP261M	228, 231	RPHL3464(F/T)	112	RR3EBVC76	133
ROWO72T0DH	298	RP262K	227, 230	RPHL3479(F/T)	112	RR3EBVC78	133
ROWO72T0()	294	RP262L	227, 230	RPHL4249(F/T)	112	RR3EBVC90	133
ROWO72T1DH	298	RP262M	228, 231	RPHL4249S	112	RR3-EJ18	125
ROWO72T1()	294	RP301K	237, 242	RPHL4264(F/T)	112	RR3-EJ18P	125
ROWO90S0DH	297	RP301L	239, 243	RPHL4264S	112	RR3-EJ20	125
ROWO90S0()	294	RP301M	238, 242	RPHL4279(F/T)	112	RR3-EJ20P	125
ROWO90S1DH	297	RP302K	237, 242	RPHL4279S	112	RR3-EJ24	125
ROWO90S1()	294	RP302L	239, 243	RPHL4964(F/T)	112	RR3-EJ24P	125
ROWO90T0DH	298	RP302M	238, 242	RPHL4964S	112	RR3-EJ30	125
ROWO90T0()	294	RP361K	237, 242	RPHL4979(F/T)	112	RR3-EJ30P	125
ROWO90T1DH	298	RP361L	239, 243	RPHL4979S	112	RR3-EJ36	125
ROWO90T1()	294	RP361M	238, 242	RPHL6479(F/T)	112	RR3-EJ36P	125
ROWO96S0DH	297	RP362K	237, 242	RPHL6479S	112	RR3-EJ42	125
ROWO96S0()	294	RP362L	239, 243	RPHTB3024	328	RR3-EJ42P	125
ROWO96S1DH	298	RP362M	238, 242	RPHTB4224	328	RR3-EJ48	125
ROWO96S1()	294	RPAB16	228, 231	RPHWB3024	328	RR3EJ48	130
ROWO96T0DH	298	RPAB30	228, 231	RPHWB4224	328	RR3-EJ48P	125
ROWO96T0()	294	RPAB36	228, 231	RR3-2PF	131	RR3-EJ54P	125
ROWO96T1DH	298	RPAD	325	RR3-3PF	131	RR3-EJ60P	125
ROWO96T1()	294	RPADSS	329	RR3-BNC	131	RR3EJ60P	130
RP161J	237, 242	RPAHFB16	329	RR3-C3C	131	RR3-EJ66P	125
RP161K	237, 242	RPAHFB30	329	RR3-C5C	131	RR3EJ66P	130
RP161L(L/R)	239, 243	RPAHFB36	329	RR3-C5C4A	131	RR3-EJ72P	125
RP161M	238, 242	RPAHFM162	329	RR3-C5C4B	131	RR3EJ72P	130
RP162J	237, 242	RPAHFM30	329	RR3-C6C	131	RR3-EJ78P	125
RP162K	237, 242	RPAHFM36	329	RR3CHI241	128	RR3-EJ84P	125
RP162L(L/R)	239, 243	RPAPT	329	RR3CHI242	128	RR3-EJ90P	125
RP162M	238, 242	RPB211J	233, 235	RR3CHI301	128	RR3-EJ96P	125
RP163J	237, 242	RPB211K	233, 235	RR3CHI302	128	RR3-EPC	124
RP163K	237, 242	RPB211L(L/R)	233, 235	RR3CHI361	128	RR3-EPC24	124
RP163L(L/R)	239, 243	RPB211M	234, 236	RR3CHI362	128	RR3-EPCP	124
RP163M	238, 242	RPB212J	233, 235	RR3CHI421	128	RR3-EPCP24	124
RP191J	241, 244	RPB212K	233, 235	RR3CHI422	128	RR3-EPCPS	124
RP191K	241, 244	RPB212L(L/R)	233, 235	RR3CHI481	128	RR3-EPCS	124
RP192J	241, 244	RPB212M	234, 236	RR3CHI482	128	RR3-EPI	125
RP192K	241, 244	RPB213J	233, 235	RR3-DA	124, 126	RR3-EPNY1	125
RP193J	241, 244	RPB213K	233, 235	RR3-DATSHD	124, 126	RR3-EPNY2	125
RP193K	241, 244	RPB213L(L/R)	233, 235	RR3-DB	124, 126	RR3-EPVR	125
RP211J	227, 230	RPB213M	234, 236	RR3-DC	126	RR3EPVR-(Eight wire)	111
RP211K	227, 230	RPB231K	233, 235	RR3-DICON	131	RR3EVJ	134
RP211L(L/R)	227, 230	RPB231L	233, 235	RR3-DX	124, 126	RR3EVJ110	134
RP211M	228, 231	RPB231M	234, 236	RR3-DXO	124, 126	RR3EVJ82	134
RP212J	227, 230	RPB232K	233, 235	RR3-DY	124, 126	RR3EVJ96	134
RP212K	227, 230	RPB232L	233, 235	RR3-DYO	124, 126	RR3-FB	131
RP212L(L/R)	227, 230	RPB232M	234, 236	RR3-DZ	126	RR3FDP	133
RP212M	228, 231	RPB261K	233, 235	RR3-DZO	126	RR3-FE	131
RP213J	227, 230	RPB261L	233, 235	RR3-E24	124	RR3-FOSC	131
RP213K	227, 230	RPB261M	234, 236	RR3-E24S	129	RR3-FOST	131
RP213L(L/R)	227, 230	RPB262K	233, 235	RR3-E30NS	124	RR3-FV	131
RP213M	228, 231	RPB262L	233, 235	RR3-E30S	129	RR3-LTPC	129

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-LTPC24	129	RR3-TPNY1	127	RRAW14442-(1/2/3)	197	RRSP6024K(A,B,W)	320
RR3-LTPCP	129	RR3-TPNY2	127	RRAW16842-(1/2/3)	197	RRSP6030K(A,B,W)	320
RR3-MICON	131	RR3-TPVR	127	RRAW19242-(1/2/3)	197	RS1-N30	311
RR3MP4	326	RR3TPVR-(Ten wire)	111	RRAW3636-(1/2/3)	197	RS1-N36	311
RR3MP6	326	RR3TVJ	134	RRAW4242-(1/2/3)	197	RS1-N42	311
RR3PICON	131	RR3TVJ110	134	RRAW6060-(1/2/3)	197	RS1-N48	311
RR3-REPI	125	RR3TVJ82	134	RRAW7230-(1/2/3)	197	RS1-N60	311
RR3-RTPI	127	RR3TVJ96	134	RRAW7236-(1/2/3)	197	RS1-RPB	313
RR3-SP-(A, B, C, X, Y, Z)	127	RR3VDA	133	RRAW7272-(1/2/3)	197	RS1-VP	311
RR3-SP-(A,B,X,Y)	125	RR3VDB	133	RRAW8430-(1/2/3)	197	RS1-WMF24	314
RR3-ST	131	RR3VDC	133	RRAW8436-(1/2/3)	197	RS1-WMF30	314
RR3-T24	126	RR3VDX	133	RRAW8442-(1/2/3)	197	RS1-WMF36	314
RR3-T24S	129	RR3VDXO	133	RRAW9630-(1/2/3)	197	RS1-WMF42	314
RR3-T30NS	126	RR3VDY	133	RRAW9636-(1/2/3)	197	RS1-WMF48	314
RR3-T30S	129	RR3VDYO	133	RRAW9642-(1/2/3)	197	RS1-WMF60	314
RR3-T36NS	126	RR3VDZ	133	RRB12036	159	RSA241	135
RR3-T36S	129	RR3VDZO	133	RRB12042	159	RSA242	135
RR3-T42NS	126	RR3VPBK	133	RRB12048	159	RSA243	137
RR3-T42S	129	RAA12036	158	RRB14442	159	RSA301	135
RR3-T48NS	126	RAA12042	158	RRB14448	159	RSA302	135
RR3-T48S	129	RAA12048	158	RRB16842	159	RSA303	137
RR3-T60-4	126	RAA14442	158	RRB16848	159	RSA361	135
RR3-T66-4	126	RAA14448	158	RRB19242	159	RSA362	135
RR3-T72-4	126	RAA16842	158	RRB19248	159	RSA363	137
RR3-TBBCL	129	RAA16848	158	RRB3636	159	RSA421	135
RR3-TBBCS	129	RAA19242	158	RRB4242	159	RSA422	135
RR3TBVC50	133	RAA19248	158	RRB4848	159	RSA423	137
RR3TBVC62	133	RAA3636	158	RRB6060	159	RSA481	135
RR3TBVC64	133	RAA4242	158	RRB7230	159	RSA482	135
RR3TBVC76	133	RAA4848	158	RRB7236	159	RSA483	137
RR3TBVC78	133	RAA6060	158	RRB7272	159	RSA541	135
RR3TBVC90	133	RAA7230	158	RRB8430	159	RSA542	135
RR3-TJ18	127	RAA7236	158	RRB8436	159	RSA543	137
RR3-TJ18P	127	RAA7272	158	RRB8442	159	RSA601	135
RR3-TJ20	127	RAA8430	158	RRB9630	159	RSA602	135
RR3-TJ20P	127	RAA8436	158	RRB9636	159	RSA603	137
RR3-TJ24	127	RAA8442	158	RRB9642	159	RSA604	137
RR3-TJ24P	127	RAA9630	158	RRB9648	159	RSA661	135
RR3-TJ30	127	RAA9636	158	RRBRD2712	326	RSA662	135
RR3-TJ30P	127	RAA9642	158	RRD3FTCPPL(L/R)7936	114	RSA663	137
RR3-TJ36	127	RAA9648	158	RRD3FTCPPL(L/R)7942	114	RSA664	137
RR3-TJ36P	127	RAA(A/B/C/D/E/F/G)12036-(1/2/3)	178	RRD3PPL(L/R)7936	114	RSA721	135
RR3-TJ42	127	RAA(A/B/C/D/E/F/G)12042-(1/2/3)	178	RRD3PPL(L/R)7942	114	RSA722	135
RR3-TJ42P	127	RAA(A/B/C/D/E/F/G)12048-(1/2/3)	178	RRDPPL(L/R)6436	114	RSA723	137
RR3-TJ48	127	RAA(A/B/C/D/E/F/G)14442-(1/2/3)	178	RRDPPL(L/R)6442	114	RSA724	137
RR3TJ48	130	RAA(A/B/C/D/E/F/G)14448-(1/2/3)	178	RRDTH	114	RSA781	135
RR3-TJ48P	127	RAA(A/B/C/D/E/F/G)16842-(1/2/3)	178	RRDTH(L/R)	114	RSA782	135
RR3-TJ54P	127	RAA(A/B/C/D/E/F/G)16848-(1/2/3)	178	RREP3624(A,B,W)(F,N)2	320	RSA783	137
RR3-TJ60P	127	RAA(A/B/C/D/E/F/G)19242-(1/2/3)	178	RREP3630(A,B,W)(F,N)2	320	RSA841	135
RR3TJ60P	130	RAA(A/B/C/D/E/F/G)19248-(1/2/3)	178	RREP4224(A,B,W)(F,N)2	320	RSA842	135
RR3-TJ66P	127	RAA(A/B/C/D/E/F/G)3636-(1/2/3)	178	RREP4230(A,B,W)(F,N)2	320	RSA843	137
RR3TJ66P	130	RAA(A/B/C/D/E/F/G)4242-(1/2/3)	178	RREP4824(A,B,W)(F,N)2	320	RSA901	135
RR3-TJ72P	127	RAA(A/B/C/D/E/F/G)4848-(1/2/3)	178	RREP4830(A,B,W)(F,N)2	320	RSA902	135
RR3TJ72P	130	RAA(A/B/C/D/E/F/G)6060-(1/2/3)	178	RREP5424(A,B,W)(F,N)2	320	RSA903	137
RR3-TJ78P	127	RAA(A/B/C/D/E/F/G)7230-(1/2/3)	178	RREP5430(A,B,W)(F,N)2	320	RSA961	135
RR3-TJ84P	127	RAA(A/B/C/D/E/F/G)7236-(1/2/3)	178	RREP6024(A,B,W)(F,N)2	320	RSA962	135
RR3-TJ90P	127	RAA(A/B/C/D/E/F/G)7272-(1/2/3)	178	RREP6030(A,B,W)(F,N)2	320	RSA963	137
RR3-TJ96P	127	RAA(A/B/C/D/E/F/G)8430-(1/2/3)	178	RRSP3624K(A,B,W)	320	RSA(A/B/C/D/E/F/G)A241	165
RR3-TPC	126	RAA(A/B/C/D/E/F/G)8436-(1/2/3)	178	RRSP3630K(A,B,W)	320	RSA(A/B/C/D/E/F/G)A242	165
RR3-TPC24	126	RAA(A/B/C/D/E/F/G)8442-(1/2/3)	178	RRSP4224K(A,B,W)	320	RSA(A/B/C/D/E/F/G)A243	166
RR3-TPCP	126	RAA(A/B/C/D/E/F/G)9630-(1/2/3)	178	RRSP4230K(A,B,W)	320	RSA(A/B/C/D/E/F/G)A301	165
RR3-TPCPC24	126	RAA(A/B/C/D/E/F/G)9636-(1/2/3)	178	RRSP4824K(A,B,W)	320	RSA(A/B/C/D/E/F/G)A302	165
RR3-TPCPCS	126	RAA(A/B/C/D/E/F/G)9642-(1/2/3)	178	RRSP4830K(A,B,W)	320	RSA(A/B/C/D/E/F/G)A303	166
RR3-TPCS	126	RRAW12036-(1/2/3)	197	RRSP5424K(A,B,W)	320	RSA(A/B/C/D/E/F/G)A361	165
RR3-TPI	127	RRAW12042-(1/2/3)	197	RRSP5430K(A,B,W)	320	RSA(A/B/C/D/E/F/G)A362	165

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA(A/B/C/D/E/F/G)A363	166	RSA(A/B/C/D/E/F/G)F604	164	RSAWA662	181	RSAWF302	179
RSA(A/B/C/D/E/F/G)A421	165	RSA(A/B/C/D/E/F/G)F661	163	RSAWA663	182	RSAWF303	180
RSA(A/B/C/D/E/F/G)A422	165	RSA(A/B/C/D/E/F/G)F662	163	RSAWA664	182	RSAWF361	179
RSA(A/B/C/D/E/F/G)A423	166	RSA(A/B/C/D/E/F/G)F663	164	RSAWA721	181	RSAWF362	179
RSA(A/B/C/D/E/F/G)A481	165	RSA(A/B/C/D/E/F/G)F664	164	RSAWA722	181	RSAWF363	180
RSA(A/B/C/D/E/F/G)A482	165	RSA(A/B/C/D/E/F/G)F721	163	RSAWA723	182	RSAWF421	179
RSA(A/B/C/D/E/F/G)A483	166	RSA(A/B/C/D/E/F/G)F722	163	RSAWA724	182	RSAWF422	179
RSA(A/B/C/D/E/F/G)A541	165	RSA(A/B/C/D/E/F/G)F723	164	RSAWA781	181	RSAWF423	180
RSA(A/B/C/D/E/F/G)A542	165	RSA(A/B/C/D/E/F/G)F724	164	RSAWA782	181	RSAWF481	179
RSA(A/B/C/D/E/F/G)A543	166	RSA(A/B/C/D/E/F/G)F781	163	RSAWA783	182	RSAWF482	179
RSA(A/B/C/D/E/F/G)A601	165	RSA(A/B/C/D/E/F/G)F782	163	RSAWA841	181	RSAWF483	180
RSA(A/B/C/D/E/F/G)A602	165	RSA(A/B/C/D/E/F/G)F783	164	RSAWA842	181	RSAWF541	179
RSA(A/B/C/D/E/F/G)A603	166	RSA(A/B/C/D/E/F/G)F841	163	RSAWA843	182	RSAWF542	179
RSA(A/B/C/D/E/F/G)A604	166	RSA(A/B/C/D/E/F/G)F842	163	RSAWA901	181	RSAWF543	180
RSA(A/B/C/D/E/F/G)A661	165	RSA(A/B/C/D/E/F/G)F843	164	RSAWA902	181	RSAWF601	179
RSA(A/B/C/D/E/F/G)A662	165	RSA(A/B/C/D/E/F/G)F901	163	RSAWA903	182	RSAWF602	179
RSA(A/B/C/D/E/F/G)A663	166	RSA(A/B/C/D/E/F/G)F902	163	RSAWA961	181	RSAWF603	180
RSA(A/B/C/D/E/F/G)A664	166	RSA(A/B/C/D/E/F/G)F903	164	RSAWA962	181	RSAWF604	180
RSA(A/B/C/D/E/F/G)A721	165	RSA(A/B/C/D/E/F/G)F961	163	RSAWA963	182	RSAWF661	179
RSA(A/B/C/D/E/F/G)A722	165	RSA(A/B/C/D/E/F/G)F962	163	RSAWB241	183	RSAWF662	179
RSA(A/B/C/D/E/F/G)A723	166	RSA(A/B/C/D/E/F/G)F963	164	RSAWB242	183	RSAWF663	180
RSA(A/B/C/D/E/F/G)A724	166	RSA(A/B/C/D/E/F/G)L241	167	RSAWB243	184	RSAWF664	180
RSA(A/B/C/D/E/F/G)A781	165	RSA(A/B/C/D/E/F/G)L242	167	RSAWB301	183	RSAWF721	179
RSA(A/B/C/D/E/F/G)A782	165	RSA(A/B/C/D/E/F/G)L301	167	RSAWB302	183	RSAWF722	179
RSA(A/B/C/D/E/F/G)A783	166	RSA(A/B/C/D/E/F/G)L302	167	RSAWB303	184	RSAWF723	180
RSA(A/B/C/D/E/F/G)A841	165	RSA(A/B/C/D/E/F/G)L361	167	RSAWB361	183	RSAWF724	180
RSA(A/B/C/D/E/F/G)A842	165	RSA(A/B/C/D/E/F/G)L362	167	RSAWB362	183	RSAWF781	179
RSA(A/B/C/D/E/F/G)A843	166	RSA(A/B/C/D/E/F/G)L421	167	RSAWB363	184	RSAWF782	179
RSA(A/B/C/D/E/F/G)A901	165	RSA(A/B/C/D/E/F/G)L422	167	RSAWB421	183	RSAWF783	180
RSA(A/B/C/D/E/F/G)A902	165	RSA(A/B/C/D/E/F/G)L481	167	RSAWB422	183	RSAWF841	179
RSA(A/B/C/D/E/F/G)A903	166	RSA(A/B/C/D/E/F/G)L482	167	RSAWB423	184	RSAWF842	179
RSA(A/B/C/D/E/F/G)A961	165	RSA(A/B/C/D/E/F/G)R241	168	RSAWB481	183	RSAWF843	180
RSA(A/B/C/D/E/F/G)A962	165	RSA(A/B/C/D/E/F/G)R242	168	RSAWB482	183	RSAWF901	179
RSA(A/B/C/D/E/F/G)A963	166	RSA(A/B/C/D/E/F/G)R301	168	RSAWB483	184	RSAWF902	179
RSA(A/B/C/D/E/F/G)B241	167	RSA(A/B/C/D/E/F/G)R302	168	RSAWB541	183	RSAWF903	180
RSA(A/B/C/D/E/F/G)B242	167	RSA(A/B/C/D/E/F/G)R361	168	RSAWB542	183	RSAWF961	179
RSA(A/B/C/D/E/F/G)B301	167	RSA(A/B/C/D/E/F/G)R362	168	RSAWB543	184	RSAWF962	179
RSA(A/B/C/D/E/F/G)B302	167	RSA(A/B/C/D/E/F/G)R421	168	RSAWB601	183	RSAWF963	180
RSA(A/B/C/D/E/F/G)B361	167	RSA(A/B/C/D/E/F/G)R422	168	RSAWB602	183	RSAWL241	185
RSA(A/B/C/D/E/F/G)B362	167	RSA(A/B/C/D/E/F/G)R481	168	RSAWB603	184	RSAWL242	185
RSA(A/B/C/D/E/F/G)B421	167	RSA(A/B/C/D/E/F/G)R482	168	RSAWB604	184	RSAWL243	186
RSA(A/B/C/D/E/F/G)B422	167	RSAMP1616	326	RSAWB661	183	RSAWL301	185
RSA(A/B/C/D/E/F/G)B481	167	RSAWA241	181	RSAWB662	183	RSAWL302	185
RSA(A/B/C/D/E/F/G)B482	167	RSAWA242	181	RSAWB663	184	RSAWL303	186
RSA(A/B/C/D/E/F/G)F241	163	RSAWA243	182	RSAWB664	184	RSAWL361	185
RSA(A/B/C/D/E/F/G)F242	163	RSAWA301	181	RSAWB721	183	RSAWL362	185
RSA(A/B/C/D/E/F/G)F243	164	RSAWA302	181	RSAWB722	183	RSAWL363	186
RSA(A/B/C/D/E/F/G)F301	163	RSAWA303	182	RSAWB723	184	RSAWL421	185
RSA(A/B/C/D/E/F/G)F302	163	RSAWA361	181	RSAWB724	184	RSAWL422	185
RSA(A/B/C/D/E/F/G)F303	164	RSAWA362	181	RSAWB781	183	RSAWL423	186
RSA(A/B/C/D/E/F/G)F361	163	RSAWA363	182	RSAWB782	183	RSAWL481	185
RSA(A/B/C/D/E/F/G)F362	163	RSAWA421	181	RSAWB783	184	RSAWL482	185
RSA(A/B/C/D/E/F/G)F363	164	RSAWA422	181	RSAWB841	183	RSAWL483	186
RSA(A/B/C/D/E/F/G)F421	163	RSAWA423	182	RSAWB842	183	RSAWL541	185
RSA(A/B/C/D/E/F/G)F422	163	RSAWA481	181	RSAWB843	184	RSAWL542	185
RSA(A/B/C/D/E/F/G)F423	164	RSAWA482	181	RSAWB901	183	RSAWL543	186
RSA(A/B/C/D/E/F/G)F481	163	RSAWA483	182	RSAWB902	183	RSAWL601	185
RSA(A/B/C/D/E/F/G)F482	163	RSAWA541	181	RSAWB903	184	RSAWL602	185
RSA(A/B/C/D/E/F/G)F483	164	RSAWA542	181	RSAWB961	183	RSAWL603	186
RSA(A/B/C/D/E/F/G)F541	163	RSAWA543	182	RSAWB962	183	RSAWL604	186
RSA(A/B/C/D/E/F/G)F542	163	RSAWA601	181	RSAWB963	184	RSAWL661	185
RSA(A/B/C/D/E/F/G)F543	164	RSAWA602	181	RSAWF241	179	RSAWL662	185
RSA(A/B/C/D/E/F/G)F601	163	RSAWA603	182	RSAWF242	179	RSAWL663	186
RSA(A/B/C/D/E/F/G)F602	163	RSAWA604	182	RSAWF243	180	RSAWL664	186
RSA(A/B/C/D/E/F/G)F603	164	RSAWA661	181	RSAWF301	179	RSAWL721	185

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWL722	185	RSB363	138	RSDHT4	217	RSWB15 30	100
RSAWL723	186	RSB421	136	RSDHT5	217	RSWB15 36	100
RSAWL724	186	RSB422	136	RSDHT6	217	RSWB15 42	100
RSAWL781	185	RSB423	138	RSDR30	317	RSWB15 48	100
RSAWL782	185	RSB481	136	RSDR36	317	RSWC30 18	100
RSAWL783	186	RSB482	136	RSDR42	317	RSWC30 20	100
RSAWL841	185	RSB483	138	RSDR48	317	RSWC30 24	100
RSAWL842	185	RSB541	136	RSDR54	317	RSWC30 30	100
RSAWL843	186	RSB542	136	RSDR60	317	RSWC30 36	100
RSAWL901	185	RSB543	138	RSDR66	317	RSWC30 42	100
RSAWL902	185	RSB601	136	RSDR72	317	RSWC30 48	100
RSAWL903	186	RSB602	136	RSDR78	317	RSWWA601	300
RSAWL961	185	RSB603	138	RSDR84	317	RSWWA602	300
RSAWL962	185	RSB604	138	RSDR90	317	RSWWA721	300
RSAWL963	186	RSB661	136	RSDR96	317	RSWWA722	300
RSAWR241	187	RSB662	136	RSE1(L/R)	208	RSWWA901	300
RSAWR242	187	RSB663	138	RSE2(L/R)	208	RSWWA902	300
RSAWR243	188	RSB664	138	RSE3(L/R)	208	RSWWA961	300
RSAWR301	187	RSB721	136	RSE4(L/R)	208	RSWWA962	300
RSAWR302	187	RSB722	136	RSE5(L/R)	208	RSWWA(A/B/C/D/E/F/G)601	300
RSAWR303	188	RSB723	138	RSE6(L/R)	208	RSWWA(A/B/C/D/E/F/G)602	300
RSAWR361	187	RSB724	138	RSEDH1(L/R)	210	RSWWA(A/B/C/D/E/F/G)721	300
RSAWR362	187	RSB781	136	RSEDH2(L/R)	210	RSWWA(A/B/C/D/E/F/G)722	300
RSAWR363	188	RSB782	136	RSEDH3(L/R)	210	RSWWA(A/B/C/D/E/F/G)901	300
RSAWR421	187	RSB783	138	RSEDH4(L/R)	210	RSWWA(A/B/C/D/E/F/G)902	300
RSAWR422	187	RSB841	136	RSEDH5(L/R)	210	RSWWA(A/B/C/D/E/F/G)961	300
RSAWR423	188	RSB842	136	RSEDH6(L/R)	210	RSWWA(A/B/C/D/E/F/G)962	300
RSAWR481	187	RSB843	138	RSL12	214	RSWWAWF601	300
RSAWR482	187	RSB901	136	RSL15	214	RSWWAWF602	300
RSAWR483	188	RSB902	136	RSL20	214	RSWWAWF721	300
RSAWR541	187	RSB903	138	RSL24	214	RSWWAWF722	300
RSAWR542	187	RSB961	136	RSL30	214	RSWWAWF901	300
RSAWR543	188	RSB962	136	RSL36	214	RSWWAWF902	300
RSAWR601	187	RSB963	138	RSL42	214	RSWWAWF961	300
RSAWR602	187	RSBWH20	205	RSL48	214	RSWWAWF962	300
RSAWR603	188	RSBWH24	205	RSNTT18(A/B/C/E)	108	RSWWB601	301
RSAWR604	188	RSBWH30	205	RSNTT20(A/B/C/E)	108	RSWWB602	301
RSAWR661	187	RSBWH36	205	RSNTT24(A/B/C/E)	108	RSWWB721	301
RSAWR662	187	RSBWH42	205	RSNTT30(A/B/C/E)	108	RSWWB722	301
RSAWR663	188	RSBWH48	205	RSNTT33(A/B/C/E) (66" wide panels only)	108	RSWWB901	301
RSAWR664	188	RSC	212	RSNTT36(A/B/C/E)	108	RSWWB902	301
RSAWR721	187	RSC4	212	RSNTT42(A/B/C/E)	108	RSWWB961	301
RSAWR722	187	RSD1427	212, 214	RSNTT48(A/B/C/E)	108	RSWWB962	301
RSAWR723	188	RSD1827	212, 214	RSPABPD	113	RTA12036	160
RSAWR724	188	RSD2027	212, 214	RSPABPP	113	RTA12042	160
RSAWR781	187	RSD2427	212, 214	RSPABPT	113	RTA12048	160
RSAWR782	187	RSD3027	212, 214	RSPABPW	113	RTA14442	160
RSAWR783	188	RSDHC	215	RSPABTD	113	RTA14448	160
RSAWR841	187	RSDHC4	215	RSPABTT	113	RTA16842	160
RSAWR842	187	RSDHD1428	216, 217	RSPABTT	113	RTA16848	160
RSAWR843	188	RSDHD1828	216, 217	RSPABTW	113	RTA19242	160
RSAWR901	187	RSDHD2028	216, 217	RSPABWD	113	RTA19248	160
RSAWR902	187	RSDHD2428	216, 217	RSPABWW	113	RTA3636	160
RSAWR903	188	RSDHD3028	216, 217	RST1	214	RTA4242	160
RSAWR961	187	RSDHL12	217	RST2	214	RTA4848	160
RSAWR962	187	RSDHL15	217	RST3	214	RTA6060	160
RSAWR963	188	RSDHL20	217	RST4	214	RTA7230	160
RSB241	136	RSDHL24	217	RST5	214	RTA7236	160
RSB242	136	RSDHL30	217	RST6	214	RTA7272	160
RSB243	138	RSDHL36	217	RSWA15 18	100	RTA8430	160
RSB301	136	RSDHL42	217	RSWA15 20	100	RTA8436	160
RSB302	136	RSDHL48	217	RSWA15 24	100	RTA8442	160
RSB303	138	RSDHT1	217	RSWA15 30	100	RTA9630	160
RSB361	136	RSDHT2	217	RSWA15 36	100	RTA9636	160
RSB362	136	RSDHT3	217	RSWA15 42	100	RTA9642	160
				RSWA15 48	100		

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTA9648	160	RTB9636	161	RWA(A/B/C/D/E/F/G)F5412	172	RWEA(A/B/C/D/E/F/G)F4826	173
RTA(A/B/C/D/E/F/G)12036-(1/2/3)	177	RTB9642	161	RWA(A/B/C/D/E/F/G)F5421	172	RWEA(A/B/C/D/E/F/G)F4831	172
RTA(A/B/C/D/E/F/G)12042-(1/2/3)	177	RTB9648	161	RWA(A/B/C/D/E/F/G)F5423	172	RWEA(A/B/C/D/E/F/G)F4862	173
RTA(A/B/C/D/E/F/G)12048-(1/2/3)	177	RTLT5E19	316	RWA(A/B/C/D/E/F/G)F5432	172	RWEAWF3613	190
RTA(A/B/C/D/E/F/G)14442-(1/2/3)	177	RTLT5E25	316	RWA(A/B/C/D/E/F/G)F6012	172	RWEAWF3626	190
RTA(A/B/C/D/E/F/G)14448-(1/2/3)	177	RTLT5E37	316	RWA(A/B/C/D/E/F/G)F6021	172	RWEAWF3631	189
RTA(A/B/C/D/E/F/G)16842-(1/2/3)	177	RTLT5E49	316	RWA(A/B/C/D/E/F/G)F6023	172	RWEAWF3662	190
RTA(A/B/C/D/E/F/G)16848-(1/2/3)	177	RTLT5E61	316	RWA(A/B/C/D/E/F/G)F6032	172	RWEAWF4213	190
RTA(A/B/C/D/E/F/G)19242-(1/2/3)	177	RTLT5E73	316	RWA(A/B/C/D/E/F/G)F6612	172	RWEAWF4226	190
RTA(A/B/C/D/E/F/G)19248-(1/2/3)	177	RTLT5E85	316	RWA(A/B/C/D/E/F/G)F6621	172	RWEAWF4231	189
RTA(A/B/C/D/E/F/G)3636-(1/2/3)	177	RTOP1	326	RWA(A/B/C/D/E/F/G)F6623	172	RWEAWF4262	190
RTA(A/B/C/D/E/F/G)4242-(1/2/3)	177	RTOP2	326	RWA(A/B/C/D/E/F/G)F6632	172	RWEAWF4813	190
RTA(A/B/C/D/E/F/G)4848-(1/2/3)	177	RTTA24()	218	RWA(A/B/C/D/E/F/G)F7212	172	RWEAWF4826	190
RTA(A/B/C/D/E/F/G)6060-(1/2/3)	177	RTTA30()	218	RWA(A/B/C/D/E/F/G)F7221	172	RWEAWF4831	189
RTA(A/B/C/D/E/F/G)7230-(1/2/3)	177	RTTA36()	218	RWA(A/B/C/D/E/F/G)F7223	172	RWEAWF4862	190
RTA(A/B/C/D/E/F/G)7236-(1/2/3)	177	RTTA42()	218	RWA(A/B/C/D/E/F/G)F7232	172	RWEB7220(L/R)	295
RTA(A/B/C/D/E/F/G)7272-(1/2/3)	177	RTTA48()	218	RWAWF4212	189	RWEB7224(L/R)	295
RTA(A/B/C/D/E/F/G)8430-(1/2/3)	177	RTTA54()	218	RWAWF4221	189	RWEB7520(L/R)	299
RTA(A/B/C/D/E/F/G)8436-(1/2/3)	177	RTTA60()	218	RWAWF4223	189	RWEB7524(L/R)	299
RTA(A/B/C/D/E/F/G)8442-(1/2/3)	177	RTTA66()	218	RWAWF4232	189	RWEC7220(L/R)	295
RTA(A/B/C/D/E/F/G)9630-(1/2/3)	177	RTTA72()	218	RWAWF4812	189	RWEC7224(L/R)	295
RTA(A/B/C/D/E/F/G)9636-(1/2/3)	177	RTTAWF24()	218	RWAWF4821	189	RWEC7520(L/R)	299
RTA(A/B/C/D/E/F/G)9642-(1/2/3)	177	RTTAWF30()	218	RWAWF4823	189	RWEC7524(L/R)	299
RTAT5E19	315	RTTAWF36()	218	RWAWF4832	189	RWED7220(L/R)	295
RTAT5E25	315	RTTAWF42()	218	RWAWF5412	189	RWED7224(L/R)	295
RTAT5E37	315	RTTAWF48()	218	RWAWF5421	189	RWED7520(L/R)	299
RTAT5E49	315	RTTAWF54()	218	RWAWF5423	189	RWED7524(L/R)	299
RTAT5E61	315	RTTAWF60()	218	RWAWF5432	189	RWHDHOTB3024	328
RTAW12036-(1/2/3)	196	RTTAWF66()	218	RWAWF6012	189	RWHDHOTB3624	328
RTAW12042-(1/2/3)	196	RTTAWF72()	218	RWAWF6021	189	RWHDHOTB4224	328
RTAW14442-(1/2/3)	196	RUTB	206	RWAWF6023	189	RWHDHOTB4824	328
RTAW16842-(1/2/3)	196	RWA3623	143	RWAWF6032	189	RWHDHOTB5424	328
RTAW19242-(1/2/3)	196	RWA3632	143	RWAWF6612	189	RWHDHOTB6024	328
RTAW3636-(1/2/3)	196	RWA4212	143	RWAWF6621	189	RWHDHOTB6624	328
RTAW4242-(1/2/3)	196	RWA4221	143	RWAWF6623	189	RWHDHOTB7224	328
RTAW6060-(1/2/3)	196	RWA4223	143	RWAWF6632	189	RWHDHOTB7824	328
RTAW7230-(1/2/3)	196	RWA4232	143	RWAWF7212	189	RWHDHOTB9024	328
RTAW7236-(1/2/3)	196	RWA4812	143	RWAWF7221	189	RWHDHOTB9624	328
RTAW7272-(1/2/3)	196	RWA4821	143	RWAWF7223	189	RWHDHTB3026	328
RTAW8430-(1/2/3)	196	RWA4823	143	RWAWF7232	189	RWHDHTB3626	328
RTAW8436-(1/2/3)	196	RWA4832	143	RWEA3613	144	RWHDHTB4226	328
RTAW8442-(1/2/3)	196	RWA5412	143	RWEA3626	144	RWHDHTB4826	328
RTAW9630-(1/2/3)	196	RWA5421	143	RWEA3631	144	RWHRA	326
RTAW9636-(1/2/3)	196	RWA5423	143	RWEA3662	144	RWHRB	326
RTAW9642-(1/2/3)	196	RWA5432	143	RWEA4213	144	RWHRC	326
RTB12036	161	RWA6012	143	RWEA4226	144	RWHRD	326
RTB12042	161	RWA6021	143	RWEA4231	144	RWHRE	326
RTB12048	161	RWA6023	143	RWEA4262	144	RWHRF	326
RTB14442	161	RWA6032	143	RWEA4813	144	RWHRC	326
RTB14448	161	RWA6612	143	RWEA4826	144	RWHTB3024	328
RTB16842	161	RWA6621	143	RWEA4831	144	RWHTB3624	328
RTB16848	161	RWA6623	143	RWEA4862	144	RWHTB4224	328
RTB19242	161	RWA6632	143	RWEA7220(L/R)	295	RWHTB4824	328
RTB19248	161	RWA7212	143	RWEA7224(L/R)	295	RWMMP24	327
RTB3636	161	RWA7221	143	RWEA7520(L/R)	299	RWMMP30	327
RTB4242	161	RWA7223	143	RWEA7524(L/R)	299	RWMMP36	327
RTB4848	161	RWA7232	143	RWEA(A/B/C/D/E/F/G)F3613	173	RWMMPB	327
RTB6060	161	RWA(A/B/C/D/E/F/G)F4212	172	RWEA(A/B/C/D/E/F/G)F3626	173	RWMV24	327
RTB7230	161	RWA(A/B/C/D/E/F/G)F4221	172	RWEA(A/B/C/D/E/F/G)F3631	172	RWMVH24	327
RTB7236	161	RWA(A/B/C/D/E/F/G)F4223	172	RWEA(A/B/C/D/E/F/G)F3662	173	RWMVH30	327
RTB7272	161	RWA(A/B/C/D/E/F/G)F4232	172	RWEA(A/B/C/D/E/F/G)F4213	173	RWMVH36	327
RTB8430	161	RWA(A/B/C/D/E/F/G)F4812	172	RWEA(A/B/C/D/E/F/G)F4226	173	RWMVP24	327
RTB8436	161	RWA(A/B/C/D/E/F/G)F4821	172	RWEA(A/B/C/D/E/F/G)F4231	172	RWMWT24	327
RTB8442	161	RWA(A/B/C/D/E/F/G)F4823	172	RWEA(A/B/C/D/E/F/G)F4262	173	RWMWT30	327
RTB9630	161	RWA(A/B/C/D/E/F/G)F4832	172	RWEA(A/B/C/D/E/F/G)F4813	173	RWMWT36	327

Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
Freight Prepaid	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.</p>
Seller's Security Interest	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
Returns	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
Held Orders/Storage	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

Selling Policy

Customer's Own Material	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use.</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff laminate, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i></p> <p><i>10 Years: AutoStrada, Crinion Open Table, Reff wood components, Series 2 Veneer Front Storage, Wood Casegoods (Magnusson, The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories, Bulldog, Chadwick, Essentials Work Chairs, Generation by Knoll work chair, Life, Moment, RPM and Sapper seating structural and operational parts, controls, casters, pneumatic cylinders, seat and back suspension material (except seating upholstery, textiles and leathers, finishes and labor, see below). Labor to repair Generation by Knoll work chair.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), cascade edge worksurfaces, special or custom product, wood veneer products, Currents handerank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, KnollExtra Wishbone and Zorro monitor supports, CPU storage and all universal storage drawers, Spark Series seating structural parts, (except seating upholstery, textiles, finishes and labor, see below).</i></p> <p><i>3 Years: Bulldog, Chadwick, Essentials Work Chairs, Life, Moment, RPM, Sapper seating upholstery, textiles and leathers, finishes and labor to repair, Generation by Knoll work chair seating upholstery, textiles and leathers, and finishes, Spark Series seating upholstery and textiles. Fabric boards textiles and Smokador Collection leathers.</i></p> <p><i>2 Years: All other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered ampads and soft ampads, Spark Series seating finishes and labor to repair, wood casegoods upholstered surfaces.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
Compliance with Law	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
Patents	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$18
KCHANGE	Change Key	\$5
KMASTER*	Master Key	\$5

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."