

# Table of Contents

Introduction	Knoll and Sustainable Design	2
	GREENGUARD Indoor Air Quality Certified®	3
	Using the KnollExtra Price List	4
	Placing Your Order	5
	KnollExtra Visual Index	6
	KnollExtra Bracket Chart	12
	Maintaining Your Purchase	13
Desktop Accessories	The Smokador™ Collection : Exec Rectilinear	14
	The Smokador™ Collection : Contemporary Leather	22
	The Smokador™ Collection : Traditional Leather	30
	The Smokador™ Collection : Replacement Parts	36
Boardroom Accessories	International Collection : Glassware	38
	International Collection : Stainless Boardroom Accessories	40
	International Collection : Plastic Boardroom Accessories	46
	International Collection : Umbrella Stand and Clocks	48
	International Collection : Replacement Parts	50
Office System Accessories	Orchestra® Universal System Accessories : by Bruce Hannah & Ayse Birsel	52
	Orchestra® Universal System Accessories : by Brooks Rorke	76
Office Automation Accessories	Adjustable Keyboard Supports : Romeo and Juliet Platform/Mechanism Configurations	78
	Adjustable Keyboard Supports : Prospero Platform/Mechanism Configurations	80
	Adjustable Keyboard Supports : Caesar Platform/Mechanism Configurations	82
	Adjustable Keyboard Supports : Act I	84
	Adjustable Keyboard Supports : Act II	86
	Adjustable Keyboard Supports : Mousing Solutions	88
	Freestanding Surf® Ergonomic Accessories : by Ross Lovegrove & Stephen Peart	90
	Freestanding Ergonomic Accessories :	94
	Colebrook Bosson Saunders for KnollExtra : Wishbone Flat Panel Monitor Support System	96
	Colebrook Bosson Saunders for KnollExtra : Wishbone Rotation Flat Panel Monitor Support	110
	Colebrook Bosson Saunders for KnollExtra : Zorro Flat Panel Monitor Support	112
	Worksurface Support : CPU Holders	114
	Worksurface Support : Adjustable CPU Holders	116
	Worksurface Support : Equipment Storage	118
Storage	BackPack® Universal Storage Drawers : by Robert Reuter	120
	Universal Pencil Drawer : by Books Rorke	130
Communication Boards	Universal Marker Boards : by Bruce Hannah&Ayse Birsel	132
	Universal Fabric Boards : Standard Sizes	134
	Universal Fabric Boards : Options and Mounting Information	138
	Universal Fabric Boards : Top Cap Hung Marker Board	140
Lighting	Copeland™ Light : by Stephan Copeland	142
	Tolomeo Light Fixtures by Artemide® :	148
	Little Dipper and Big Dipper : Lighting System	152
	Desktop Lamp : By John Rizzi and Brooks Rorke	154
Electrical	Colebrook Bosson Saunders for KnollExtra : Wire Management Spine	156
Alpha-Numeric Index		158
Selling Policy		160
General Ordering Information		162

# Knoll and Sustainable Design

---

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC); GREENGUARD® Environmental Institute; and Chicago Climate Exchange (CCX®).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

## 1. Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll is a member of the Chicago Climate Exchange, which promotes greenhouse gas reduction through the trading of credits earned for reducing emissions.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

## 2. Life Cycle Assessment (LCA) Tool

Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use, and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.

- Knoll partners with The Green Standard.org (formerly the International Design Center for the Environment, or IDCE) to develop an affordable, universal, ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry.

An affordable universal LCA tool has enormous potential value to:

- Help stop dangerous and irreversible climate change
- Conserve natural resources and reduce waste
- Improve quality of life
- Eliminate market confusion about green products using real metrics and sound science
- Facilitate design innovation
- Advance the sustainability triple bottom line: environment, economics and social equity

## 3. Setting Industry Standards

- Knoll partners with MTS (Market Transformation to Sustainability) to develop the SMART® Standard, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of the SMART Standard, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also participates in an ongoing BIFMA (Business and Institutional Furniture Manufacturers Association) initiative to establish sustainability standards for the contract furniture industry.
- Our goal is to encourage all manufacturers in the contract furniture and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll environmental, health and safety programs, visit [knoll.com/environment](http://knoll.com/environment).

All KnollExtra products are GREENGUARD Indoor Air Quality certified.

GREENGUARD provides the only guide to certified low-emitting interior products and building materials. Its goal is to help building owners and managers, architects, interior designers and product specifiers build and furnish healthier offices, hospitals, schools and homes by providing a register of tested and certified low-emitting products and materials.

GREENGUARD certification is recognized by LEED. Air Quality Science, an independent indoor air quality laboratory, tests products submitted for certification using stringent environmental chamber testing protocols and current indoor air quality standard. Certification is administered by the GREENGUARD Environmental Institute (GEI), and industry-independent, non-profit organization.

## GREENGUARD Certification Program

- Internationally recognized for evaluating product emissions and certifying building materials, furnishings, finishes and cleaning products and processes that meet stringent indoor air quality criteria defined by GEI.
- Products undergo rigorous, third-party testing to determine their impact on indoor air pollution with requirements for ongoing testing and verification.
- Certification confirms a manufacturer's environmental responsibility, and signifies their environmental achievements through independent, third-party testing and verification.
- GREENGUARD Certified products are recommended by leading sustainable building programs, including:
  - U.S Green Building Council's (USGBC) LEED Rating System,
  - National Association of Home Builders (NAHB) Green Building Guidelines,
  - Green Guide for Health Care (GGHC),
  - Collaborative for High Performance Schools (CHPS) Best Practices Manual,
  - New York City Department of Design and Construction Sustainable Design Specifications, among others.

**An Overview**

In the first part of the Price List you'll find a full range of desktop accessories, including the Smokador and the International Collection of boardroom accessories.

The second part features Orchestra Universal System Accessories, a complete scope of paper management accessories perfect for panel-mounted or freestanding application.

Part three offers a broad range of systems support products, including computer accessories, storage drawers, communications boards, and lighting.

Can't find it? Consult the Table of Contents on page 1 or the Alpha-numeric Index on page 158.

**Product Information on Each Page**

The KnollExtra Price List was designed to provide you with everything you need to know in order to understand, specify, and care for KnollExtra products. On each page, the following features will assist you:

*Description/Construction* explains salient features, capabilities, materials, and country of origin.

*Dimensions* provide the overall space the product will require. Statistics are based on the maximum width, depth and height of the product.

*Weight* is based on the product itself. It does not include packaging or complementary items such as pens, memo paper or calendars.

*Order Code/Ordering Information* outlines exactly how to specify KnollExtra product and the full scope of finish options. The Order Code provides an example of how one pattern number is specified.

*Custom Options* reviews availability of special sizes, finishes etc.

**For More Information**

For more information, contact your KnollExtra sales representative, telephone Customer Service at 1-800-343-5665, or visit one of the Knoll showrooms listed on the last page of this book.

**A Word About Finishes**

KnollExtra finishes are designed to complement a broad range of interiors and office products.

Key KnollExtra finishes coordinate with specific Knoll systems finishes:

<i>Product</i>	<i>Core Finish</i>	<i>Office System Finishes</i>
Orchestra Load bar / Slatboard	Medium grey (115)	Medium grey (115)
	Soft grey (117)	Soft grey (117)
	Black (111)	Black (111)
	Beige Mist (611)	Beige Mist (611)

---

## Use the Following Addresses

If you would like to send a standard lead time order to our order entry department, please use the following address:

*For North American orders:*  
Knoll, Inc.  
1235 Water Street  
East Greenville, PA 18041  
Attn: Order Entry

Fax: 215 679-1788  
Tel: 800 343-KNOLL

All accepted orders will be confirmed in writing on the Knoll standard order confirmation form.





























## Ship-Complete Orders





Orders that must ship complete are to be so stated on the purchase order. Products with different lead times, combined on one order, can be acknowledged for shipment based on the longest of those lead times. Orders not marked “ship complete” will be released according to the confirmation, and invoiced in increments.








## For More Information





For complete Knoll Selling Policy and warranty information, please refer to page 160 of this price list.

For additional information on KnollExtra, contact your Knoll representative, a Knoll dealer, or telephone Customer Services at 800 343-KNOLL.






























Page	THE SMOKADOR COLLECTION ● Exec Rectilinear					
14-15	Single Letter Tray	Double Letter Tray	Triple Letter Tray			
						
16-17	Memo Box	Business Card Holder	Round Pencil Cup	Round Clip cup		
						
18-19	Desk Pad: 3/4'' Side Panels	Desk Pad: 1 1/2'' Side Panels	Rectilinear Desk Pad	Conference Pad	Radiused Desk Pad	Oval Conference Pad
						
20-23	Round Wastebasket	Rectilinear Wastebasket	Round Plastic Wastebasket	Rectilinear Plastic Wastebasket	Oval Plastic Wastebasket	
						
Page	THE SMOKADOR COLLECTION ● Contemporary Leather					
22-23	Letter Tray Cover	Single Letter Tray	Double Letter Tray			
						
24-27	Memo Box	Pencil Cup	Coasters			
						
	Appointment Book	Note Pad Holder	Picture Frame			
						
	Book Ends					
						

Page	THE SMOKADOR COLLECTION ● Contemporary Leather			
28-29	Desk Pad: 4'' Side Panels	Rectilinear Conference Pad	Oval Conference Pad	Round Wastebasket
				









Page	THE SMOKADOR COLLECTION ● Traditional Leather			
30-31	Letter Tray Cover	Single Letter Tray	Book Ends	Memo Box
				
32-39	Pencil Cup	Appointment Book	Note Pad Holder	
				











34-35	Desk Pad: 3 1/2'' Side Panels	Rectilinear Conference Pad	Oval Conference Pad	Round Wastebasket
				





Page	THE INTERNATIONAL COLLECTION				
38-39	Aalto Vase	Savoy Vase	Flower Vase	Aarne Glassware	
					
40-41	Large Stainless Carafe	Small Stainless Carafe	Stainless Creamer	Stainless Sugar Bowl	Serving Tray
					
42-43	Stainless Coffee Pot	Stainless Tea Pot	Stainless Creamer and Sugar Bowl	Stainless Serving Tray with Handles	Stainless Ice Bucket
					
44-45	Stainless Ice Tongs	Stainless Coaster Set	Napkin Holder		
					

Page	THE INTERNATIONAL COLLECTION					
46-47	Large Plastic Carafe	Small Plastic Carafe	Plastic Water Pitcher	Plastic Creamer	Plastic Sugar Bowl	
						
48-49	Ivy Umbrella Stand	Mathiesen Wall Clock	Bodoni Wall Clock			
						
Page	ORCHESTRA UNIVERSAL SYSTEM ACCESSORIES					
52-55	Front Single Letter Tray	Front Double Letter Tray	Side Single Letter Tray	Side Double Letter Tray	Side Single Legal Tray	Side Double Legal Tray
						
56-57	2-Way Binder Bin	Vertical Paper Pack	Slanted Sorter	File Sorter		
						
58-59	Mini-Shelf	Hanging File Holders	Pencil Cup	Utility Tray		
						
60-61	Tape Dispenser	Memo Tray				
						
62-63	Clip/Cup Holder	Bud Vase	Telephone Shelf			
						
64-65	Racetack Desk Pad	Wastebasket & Recycling Wastebasket				
						




Page	ORCHESTRA UNIVERSAL SYSTEM ACCESSORIES			
66-72	Load Bar/Info Rail	Worksurface: Mounted Bracket	Slatboard: 6 1/2''H	Slatboard: 14 3/4''H
				
76-77	Portable Small Diskette Tote	Portable Large Diskette Tote	Portable Letter Size File Tote	Portable Legal Size File Tote
				




Page	OFFICE AUTOMATION ACCESSORIES				
78-89	Adjustable Keyboard Support - Romeo and Juliet	Juliet	Juliet with Palm Rest		
					
	Adjustable Keyboard Support - Prospero	Adjustable Keyboard Support - Caesar			
					
	Juliet Mouse Pad	Juliet Palm Rest	Over-ten Mouse Pad	Act I	Act II
					

Page	SURF® ERGONOMIC ACCESSORIES			
90-93	Wrist Rest	Mouse Pad	Lumbar support	Surf Board or VDT Corner
				

Page	OFFICE AUTOMATION ACCESSORIES	
94	VDT Sleeve	Adjustable Foot Rest




96-113	Wishbone Kit	Wishbone Standard Arm	Wishbone Back to Back Arm	Wishbone Forearm	Wishbone C-Arm	Wishbone C-Arm Toolbar Mount
--------	--------------	-----------------------	---------------------------	------------------	----------------	------------------------------



Wishbone Rotation





Zorro






Grommet mount



114	Adjustable Metal CPU Holder	Adjustable Mobile CPU Trolley
-----	-----------------------------	-------------------------------













116-1	Adjustable Vertical Metal CPU Holder	Adjustable Vertical Sling CPU Holder	Printer/Fax Drawer
-------	--------------------------------------	--------------------------------------	--------------------
















Page	STORAGE			
------	---------	--	--	--

120-123	BackPack® Universal Standard Suspended File	BackPack® Universal Deep Suspended File	Standard Center File	Deep Center File
---------	---	---	----------------------	------------------



Page	STORAGE		
124-127	Narrow Keyboard Drawer	Wide Keyboard Drawer with Mouse Pad	Keyboard/Filing Drawer
			
128-131	Pencil Drawer	Top Drawer	Universal Pencil Drawer
			

Page	COMMUNICATIONS BOARDS			
132-141	Marker Board	Marker Tray	Fabric Boards	Top Cap Hung Marker Board
				

Page	LIGHTING					
142-155	Copeland Standard	Copeland Compact	Tolomeo Standard	Tolomeo Mini	Tolomeo VDT	Tolomeo Micro
						
	Big Dipper	Little Dipper	Desktop Lamp			
						

Page	ELECTRICAL
156-157	Cable Manager
	

Manufacturer	System	Bracket Suffix
Knoll	Equity	E(Y)*
	( <i>stanchion-mounted</i> ) Equity	ES
	Morrison	M
	( <i>stanchion-mounted</i> ) Morrison Network	N
	Reff	R
	Dividends	DV
	( <i>stanchion-mounted</i> ) Dividends	DS
	Calibre	CE
	Currents	C
	( <i>stanchion-mounted</i> ) Currents	CS

\*EY for orchestra brackets. If your system is not listed, please consult your KnollExtra representative or Customer Service at 1-800-343-5665.

For system and bracket information on the manufacturer's listed below or any other manufacturer, please consult your KnollExtra representative or Customer Service at 1-800-343-5665.

All-Steel	Herman Miller
American Seating	Kimball
Gunlocke	Smed
Hon	Steelcase
Haworth	Teknion

## Maintenance

*While KnollExtra relies on highly durable materials in each product line, regular basic maintenance will ensure the longevity of your product. Most stains, marks, and discolorations can be removed by following the simple instructions outlined on this page.*

## Plastic

Windex and a dry cloth.

## SofStone

Early removal of a stain makes SofStone care much easier. This is especially true of coated areas which are frequently handled. If oil smudges are allowed to build up, they can soften the suede coating, and become very difficult to remove. Most dirt and smudges can be removed by the following methods:

1. *Greasy stains* (crayon, oil, lipstick, etc.): remove grease and wax stains with a naphtha-dampened lint-free cloth. Change the cloth frequently to remove as much grease as possible without spreading the stain.
2. *Non-greasy stains* (dirt, coffee, mustard, catsup, etc.): dirt and smudge areas can generally be removed by using a sponge or soft bristle brush with Liquid Ajax, Mr. Clean, Lestoil, or 3M brand carpet spot remover and upholstery cleaner. Follow the instructions on the label, and rinse thoroughly with clear water and a lint-free cloth.
3. *Combination stains* (chocolate, ice cream, gravy, soup, etc.): combination stains are caused by materials that contain both greasy and non-greasy substances. First use the procedures for non-greasy stains as stated above. Then, rinse thoroughly with clear water and thoroughly dry with a lint-free cloth. If greasy stain persists, follow the procedure for greasy stains as stated above. Repeat as necessary.

## Stainless Steel:

Windex and a dry cloth.

## Antique Brass, Brushed Zinc and Black Oxide:

A damp cloth with no cleaning agents.

## Satin Brass:

Pledge.

## Linoleum:

Windex and a dry cloth.

## Contemporary and Traditional Standard Leathers:

Mild soap and water on a soft cloth.

## Spinneybeck Leathers:

As a result of the high quality aniline dye process, most scratches or minor stains can be removed simply by gently rubbing them with your fingers. The body's natural oils revitalize the leather. For stubborn stains, use mild soap and water. Take care to wash the surface evenly since soaps may slightly alter the leather's tonality.

## Surf Collection:

Wipe nylon skin using warm water and mild detergent. Do not use abrasives.

## Office Automation

### Accessories/Storage Drawers:

Clean with a soft cloth and Windex, Fantastik, Endust or other non-abrasive household cleaners. Remove stubborn stains with SofScrub.

For Surf Board and VDT Sleeve soft touch paints, never use abrasives. Clean with lukewarm water and a soft cloth.

## Marker Boards:

For day-to-day use, surface requires only a dry cleaning with a standard felt eraser or dry cloth. For best results, keep marker board and marker pens at room temperature. KnollExtra suggests Alliance Rite-On Wipe-Off marker pens which are designed for use on marker boards. All marker pens should be tightly capped and stored horizontally when not in use. If Expo brand markers are used, use the manufacturer's recommended cleaning solution, Expo Dry Erase Cleaner.

Follow the instructions below as a periodic maintenance program, or to remove stubborn stains:

1. Clean with EV-1 or any liquid ammonia-added cleaner and rinse with clean water, then dry. For best results, wash board like a window with sponge and squeegee.
2. Interim cleaning may be done by sprinkling a dry powdered cleanser on an eraser and applying to the board in a circular motion. Rinse with clean water, then dry.

3. To remove crayon, scotch tape, or other stubborn materials, apply a mild solvent or paste made with scouring powder and water.

## Fabric Boards:

Despite the durability of most panel textiles, fabric boards are subject to long-term soiling and wear. A regular maintenance program will significantly lessen soil and dirt build up or staining on your fabric boards. Cleaning is particularly important in areas adjacent to air conditioning or ventilation systems.




Remember to consult the care instructions provided by the fabric manufacturer. The general recommendations below should apply to most fabric boards.

1. Avoid excessive heat or moisture which can affect finishes and adhesives. Never allow fabric panels to become wet inside the core. Room temperature should be maintained between 50 and 85 degrees; humidity should be maintained between 20 and 50%.
2. Avoid contact with sharp edges which could puncture the surface.
3. Do not handle fabric boards more than necessary. Avoid bending or flexing the panels; this could break the bond between the surface and core materials.
4. Grease or oil should be wiped off immediately upon contact. Remove excess grease or oil by blotting. Use hot water and mild soap to remove any remaining residue.
5. Whenever possible, clean only with warm water and mild soap. Use caution when applying cleaning agents, particularly those that contain alcohol, strong alkalis, or solvents. These ingredients may react to the vinyl backing or adhesives used in the fabric boards. Always test cleaning agents on fabric from the rear of the panel before using on the front.
6. Care should be taken in using strong room cleaners or pesticides. Their fumes may contain agents which lead to the loosening of the fabric board glue bond.

# The Smokador™ Collection

## *Exec Rectilinear*

### *letter trays*

product	description	w	d	h	wgt.
Single Letter Tray 	Legal size. Matte black interior with black linoleum floor pad. Recessed rubber feet and black felt bottom prevent scuffing.	10"	15"	2 1/4"	4 lbs. 5 ozs.
Double Letter Tray 	Legal size. Matte black interiors with black linoleum floor pads and matte black posts. 2 1/2" between trays. Recessed rubber feet and black felt bottom prevent scuffing. Shipped fully assembled.	10"	15"	6 1/2"	9 lbs. 2 ozs.
Triple Letter Tray 	Legal size. Matte black interiors with black linoleum floor pads and matte black posts. 2 1/2" between trays. Recessed rubber feet and black felt bottom prevent scuffing. Shipped fully assembled.	10"	15"	11 1/2"	13 lbs. 2 ozs.

Order Code	Ordering Information	Custom Options
Example: <b>1901-BO</b>	<i>Specify:</i>	Special sized letter and memo trays available. 100 piece minimum per line item.
<b>1901</b> Single letter tray	1. Pattern number	
<b>BO</b> Black oxide	2. Finish	
	3. Pattern suffix (Pen Set only)	
	<i>Metal finishes:</i>	Custom finishes available upon sample chip approval. 25 piece minimum per line item. Production set up fee varies by product. Contact your KnollExtra representative or Customer Service for complete pricing information.
	Black Oxide (BO)	
	Brushed Zinc (BZ)	
	Brushed Steel (BS)	





pattern no.	black oxide	brushed steel and brushed zinc
1901	\$172.	\$216.
1901-2	387.	477.
1901-3	588.	724.

Construction

Black Oxide (BO) finish is a matte black hand-applied coating over steel.  
Brushed Zinc (BZ) is zinc-plated brushed steel with a semi-gloss lacquer finish.  
Brushed Steel (BS) is brushed steel with a lacquer finish.

Manufactured in the United States.

The Smokador™ Collection  
*Exec Rectilinear*  
*desk accessories*

product	description	w	d	h	wgt.
Memo Box	Matte black interior. Includes 4" x 6" memo paper. Non-skid rubber pad on bottom.	4 1/4"	6 1/4"	3/8"	1 lb. 4 ozs.
					
Business Card Holder	Felt base. Available in black oxide only.	3 1/2"	2"	2"	6 ozs.
					
Round Pencil Cup	Matte black interior. Non-skid rubber pad on bottom.	3 1/8"		3 1/2"	9 ozs.
					
Round Clip Cup	Matte black interior. Non-skid rubber pad on bottom.	3"		2"	8 ozs.
					

Order Code	Ordering Information	Custom Options
Example: <b>1905-BZ</b>	<i>Specify:</i>	Special sized letter and memo trays available. 100 piece minimum per line item.
<b>1905</b> Memo box	1. Pattern number	
<b>BZ</b> Brushed zinc	2. Finish	
	<i>Metal finishes:</i> Black Oxide (BO) Brushed Zinc (BZ) Brushed Steel (BS)	Custom finishes available upon sample chip approval. 25 piece minimum per line item. Production set up fee varies by product. Contact your KnollExtra representative or Customer Service for complete pricing information.



pattern no.	black oxide	brushed steel and brushed zinc
<b>1905</b>	\$105.	\$112.
<b>1906</b>	76.	
<b>1915</b>	82.	88.
<b>1916</b>	97.	105.







#### Construction

Brushed zinc is zinc-plated brushed steel with a semi-gloss lacquer finish.

Brushed steel is brushed steel with a lacquer finish.

Black oxide finish is a matte black hand-applied coating over steel.

The Smokador™ Collection  
*Exec Rectilinear*  
*desk pads*

product	description	w	d	wgt.
Desk Pad: 3/4" Side Panels	Black linoleum with felt back. 3/4" wide flush rectilinear side panels in specified finish.	34" 38"	20" 24"	5 lbs. 7 lbs. 12 ozs.
				
Desk Pad: 1 1/2" Side Panels	Black linoleum with felt back. 1 1/2" wide raised rectilinear side panels in specified finish.	34" 38"	20" 24"	5 lbs. 7 lbs. 12 ozs.
				
Rectilinear Desk Pad	Black linoleum with felt back. Rectilinear edge detail. No side panels.	34" 38"	20" 24"	4 lbs. 5 lbs.
				
Conference Pad	Black linoleum with felt back. Rectilinear edge detail.	18"	12"	1 lb. 6 ozs.
				
Radiused Desk Pad	Black linoleum with felt back. Radiused edge detail. No side panels.	23" 30" 34" 38"	17" 18" 20" 24"	3 lbs. 8 ozs. 3 lbs. 12 ozs. 4 lbs. 5 lbs.
				
Oval Conference Pad	Black linoleum with felt back.	18"	12"	1 lbs. 4 ozs.
				

Order Code	Ordering Information	Custom Options
Example: <b>1912-31-BO</b>	<i>Specify:</i>	Additional linoleum colors available. Special sizes available up to 34"W x 28"D. 50 piece minimum on all custom desk pads. Contact your KnollExtra representative or Customer Service for complete pricing information.
<b>1912-31</b> Desk pad with 3/4" side panels	1. Pattern number	
<b>BO</b> Black Oxide	2. Finish(when applicable)	
	<i>Metal finishes:</i>	
	Black Oxide (BO) Brushed Zinc (BZ) Brushed Steel (BS)	

pattern no.	black linoleum	black oxide	brushed steel and brushed zinc
<b>1912-31</b>		\$224.	
<b>1912-41</b>		237.	

<b>1912-32</b>		237.	261.
<b>1912-42</b>		246.	

<b>1912-30</b>	97.		
<b>1912-40</b>	112.		

<b>1912-20</b>	53.		
----------------	-----	--	--

<b>012-1</b>	69.		
<b>012-2</b>	87.		
<b>012-3</b>	97.		
<b>012-4</b>	112.		

<b>512-20</b>	53.		
---------------	-----	--	--

## Construction

### *Desk accessories:*


Brushed zinc is zinc-plated brushed steel with a semi-gloss lacquer finish.

Brushed steel is brushed steel with a lacquer finish.

Black oxide finish is a matte black hand-applied coating over steel.

All items are manufactured in the United States.

The Smokador™ Collection  
*Exec Rectilinear*  
*waste baskets*




product	description	w	d	h	wgt.
Round Wastebasket 	Black oxide exterior with matte black interior. Non-toxic. 15 qt. capacity.	10"		14 3/4"	5 lbs.
Rectilinear Wastebasket 	Black oxide exterior with matte black interior. Non-toxic. 24 qt. capacity.	8"	13"	13 1/2"	7 lbs.
Round Plastic Wastebasket 	15 qt. capacity.	10"		13 3/4"	4 lbs.
Rectilinear Plastic Wastebasket 	24 qt. capacity.	8 3/8"	15"	13 3/4"	5 lbs.
Oval Plastic Wastebasket 	26 qt. capacity.	10"	15 1/2"	13 3/4"	6 lbs.

Order Code	Ordering Information	Custom Options
Example: <b>050-BO</b>	<i>Specify:</i>	Custom finishes available upon sample chip approval. 750 piece minimum on plated finishes; 100 piece minimum on painted finishes. Production set up fee varies by finish. Contact your KnollExtra representative or Customer Service for complete pricing information.
<b>050</b> Round wastebasket	1. Pattern number	
<b>BO</b> Black Oxide	2. Finish(when applicable)	
	<i>Round wastebasket Metal finishes:</i> Black Oxide (BO)	
	<i>Standard plastic finishes:</i> Black (BK)	

pattern no.	standard plastic	black oxide
050	n/a	\$112.
055-BO	n/a	194.
250	57.	n/a
255	69.	n/a
256	78.	n/a

Construction		
<i>Plastic Wastebaskets:</i> Custom colors available upon sample chip approval. \$250 color match fee and 500 piece minimum per line item. Contact your KnollExtra representative or Customer Service for complete pricing information.	<i>Metal Wastebaskets:</i> The black oxide finish is a matte black hand-applied coating over steel.  <i>Plastic Wastebaskets:</i> <i>Round-</i> High impact polystyrene. <i>Rectilinear and oval-</i> High impact crystal styrene.	All items are manufactured in the United States.

The Smokador™ Collection  
*Contemporary Leather*  
*letter trays*

product	description	type	w	d	h	wgt.
Letter Tray Cover	Legal size. Suede bottom.		10 1/2"	14 1/2"		2 lbs.
						
Single Letter Tray	Legal size. Suede bottom.		11 1/4"	15 1/4"	2"	3 lbs.
						
Double Letter Tray	Legal size. Suede bottom. Non-scuffing recessed rubber feet. Chrome posts on standard black leather. Specify chrome or brass posts on all other leather selections. Shipped fully assembled.		11 1/4"	15 1/4"	6 1/2"	6 lbs.
						

Order Code	Ordering Information	Custom Options
Example: <b>3301-2-VP-MB-VP556</b>	<i>Specify:</i>	Customer's own leather (COL) available upon approval of sample. 10 unit minimum on all specials. Upcharges based on number of cowhides required for production. Contact your KnollExtra representative or Customer Service for complete pricing information.
<b>3301-2</b> Double letter tray	1. Pattern number	
<b>VP</b> Velluto Pelle	2. Leather selection	
<b>MB</b> Mirror brass posts	3. Hardware selection (Double Letter Tray only)	
<b>VP556</b> Sage		
	<i>Standard leathers:</i> Black (BK) Burgundy (BG) Camel (CA)	
	<i>Spinneybeck leathers:</i> Velluto Pelle (VP) Sabrina (SA)	
	More than 100 rich colors are available in Sabrina and Velluto Pelle. To view the complete color selection, please contact your KnollExtra representative or Spinneybeck.	
	Please note that 10 or more units are required on all Spinneybeck orders.	
	<i>Double letter tray hardware:</i> Mirror Chrome (MC) Mirror Brass (MB)	

pattern no.	standard leather	Velluto Pelle	Sabrina
<b>3333</b>	\$224.	\$289.	\$318.
<b>3301</b>	313.	402.	454.
<b>3301-2</b>	682.	842.	914.

### Construction

#### *Standard leathers:*

Standard leathers are only top grain cowhide with a matte finish. Natural markings as well as subtle variations in color will appear in the leather. These are unmistakable hallmarks of top grain leather.

Standard leathers resist fading and repel both moisture and stains. Because this leather is fire-resistant; it emits no toxic fumes when exposed to high temperatures.

#### *Spinneybeck Sabrina (SA):*






A durable, immersion aniline-dyed, full grain kip leather which has received a protective surface finish. The superbly soft hand is achieved by its fine quality and light weight.

#### *Spinneybeck Velluto Pelle (VP):*

An Italian immersion aniline-dyed, cowhide leather which retains its full natural grain. It is shielded by an impregnated, breathable finish which is an integral part of the surface.

Manufactured in the United States, using domestic and Spinneybeck Italian leathers.

The Smokador™ Collection  
*Contemporary Leather*  
*desk accessories*

product	description	type	w	d	h	wgt.
Memo Box	Includes 4" x 6" memo paper. Suede bottom.		5 1/4"	7 1/4"	3/4"	1 lb.
						
Pencil Cup	Suede bottom.		3 1/4"	3 1/4"	3 3/8"	1 lb.
						
Coasters	Set of four. Circular leather or black linoleum. Felt bottom.	Leather		3 1/4"		4 ozs. (set)
		Linoleum		3 1/4"		4 ozs. (set)
						
Appointment Book	Includes 7" x 8 1/2" Keith Clark "Weekly-Minder."		8 1/4"	9 1/4"		3 lbs.
						
Note Pad Holder	Includes a 8 1/2" x 11" ruled white pad.		8 7/8"	13 1/4"		3 lbs.
						

Order Code	Ordering Information	
Example: <b>3343-BK</b>	<i>Specify:</i>	
<b>3343</b> Appointment Book	1. Pattern number	
<b>BK</b> Black	2. Leather selection	
	<i>Standard leathers:</i>	
	Black (BK)	
	Burgundy (BG)	
	Camel (CA)	
	<i>Spinneybeck leathers:</i>	
	Velluto Pelle (VP)	
	Sabrina (SA)	
	More than 100 rich colors are available in Sabrina and Velluto Pelle. To view the complete color selection, please contact your KnollExtra representative or Spinneybeck.	
	Please note that 10 or more units are required on all Spinneybeck orders.	



pattern no.	linoleum	standard leather	Velluto Pelle	Sabrina
<b>3305</b>		\$216.	\$261.	\$289.
<b>3315</b>		187.	246.	276.
<b>3319-4</b>		68.	97.	128.
<b>3319-4-LN</b>	29.			
<b>3343</b>		261.	329.	365.
<b>3345</b>		261.	329.	365.

**Custom Options**

Customer's own leather (COL) available upon approval of sample. 10 unit minimum on all specials. Upcharges based on number of cowhides required for production. Contact your KnollExtra representative or Customer Service for complete pricing information.

**Construction**

*Standard leathers:*  
Standard leathers are only top grain cowhide with a matte finish. Natural markings as well as subtle variations in color will appear in the leather. These are unmistakable hallmarks of top grain leather.


Standard leathers resist fading and repel both moisture and stains. Because this leather is fire-resistant; it emits no toxic fumes when exposed to high temperatures.


*Spinneybeck Sabrina (SA):*  
A durable, immersion aniline-dyed, full grain kip leather which has received a protective surface finish. The superbly soft hand is achieved by its fine quality and light weight.

*Spinneybeck Velluto Pelle (VP):*  
An Italian immersion aniline-dyed, cowhide leather which retains its full natural grain. It is shielded by an impregnated, breathable finish which is an integral part of the surface.

Manufactured in the United States, using domestic and Spinneybeck Italian leathers.

The Smokador™ Collection  
*Contemporary Leather*  
*desk accessories*

product	description	type	w	d	h	wgt.
Picture Frame 	Sized for 4" x 6" photographs or 5" x 7" photographs. Easel-style stand. Frame is available in Spinneybeck leathers as a special only.		5 3/4"	3/4"	7 3/4"	1 lb.
	Sized for 4" x 6" photographs or 5" x 7" photographs. Easel-style stand. Frame is available in Spinneybeck leathers as a special only.		6 3/4"	3/4"	8 3/4"	1 lb.

Book Ends 	Suede interior facing. Suede under black steel bottom plate.		5"	6"	5"	3 lbs. 8 ozs.
--	--	--	----	----	----	---------------

Order Code	Ordering Information	
Example: <b>3343-BK</b>	<i>Specify:</i>	More than 100 rich colors are available in Sabrina and Velluto Pelle. To view the complete color selection, please contact your KnollExtra representative or Spinneybeck.
<b>3343</b> Appointment Book	1. Pattern number	
<b>BK</b> Black	2. Leather selection	Please note that 10 or more units are required on all Spinneybeck orders.
	<i>Standard leathers:</i> Black (BK) Burgundy (BG) Camel (CA)	
	<i>Spinneybeck leathers:</i> Velluto Pelle (VP) Sabrina (SA)	

pattern no.	linoleum	standard leather	Velluto Pelle	Sabrina
3370 (4" x 6")		\$200.		
3371 (5" x 7")		211.		
3304		358.	416.	461.

**Custom Options**

Customer's own leather (COL) available upon approval of sample. 10 unit minimum on all specials. Upcharges based on number of cowhides required for production. Contact your KnollExtra representative or Customer Service for complete pricing information.

**Construction**

*Standard leathers:*  
Standard leathers are only top grain cowhide with a matte finish. Natural markings as well as subtle variations in color will appear in the leather. These are unmistakable hallmarks of top grain leather.

Standard leathers resist fading and repel both moisture and stains. Because this leather is fire-resistant; it emits no toxic fumes when exposed to high temperatures.

*Spinneybeck Sabrina (SA):*  
A durable, immersion aniline-dyed, full grain kip leather which has received a protective surface finish. The superbly soft hand is achieved by its fine quality and light weight.





*Spinneybeck Velluto Pelle (VP):*  
An Italian immersion aniline-dyed, cowhide leather which retains its full natural grain. It is shielded by an impregnated, breathable finish which is an integral part of the surface.

Manufactured in the United States, using domestic and Spinneybeck Italian leathers.

# The Smokador™ Collection

## Contemporary Leather

### deskpads and wastebaskets

product	description	type	w	d	wgt.
Desk Pad: 4" Side Panels 	Black linoleum with black felt back. 4" wide raised side panels in specified leather.	Desk Pad: 4" Side Panels	34"	20"	6 lbs.
		Desk Pad: 4" Side Panels	38"	24"	7 lbs. 12 ozs.
Rectilinear Conference Pad 	Leather or black linoleum. Black felt back.	Leather	18"	12"	3 lbs. 6 ozs.
		Linoleum	18"	12"	1 lb. 6 ozs.
Oval Conference Pad 	Leather or black linoleum. Black felt back.	Leather	18"	12"	2 lbs. 9 ozs.
		Linoleum	18"	12"	1 lb. 4 ozs.
Round Wastebasket 	Black interior. Steel covered with leather.	Round Wastebasket	10"	14 3/4"	6 lbs.

Order Code	Ordering Information	Custom Options
Example: <b>3312-4-BK</b> <b>3312-4</b> 38" x 24" desk pad <b>BK</b> Black	Specify: 1. Pattern number 2. Leather selection  Standard leathers: Black (BK) Burgundy (BG) Camel (CA)  Spinneybeck leathers: Velluto Pelle (VP) Sabrina (SA)	More than 100 rich colors are available in Sabrina and Velluto Pelle. To view the complete color selection, please contact your KnollExtra representative or Spinneybeck.  Please note that 10 or more units are required on all Spinneybeck orders.
		Custom sized leather conference pads available in sizes up to 38"W x 24"D (rectangular) and 18"W x 12"D (oval). Customer's own leather (COL) available upon approval of sample. 10 unit minimum on all specials. Upcharges based on number of cowhides required for production. Contact your KnollExtra representative or Customer Service for complete pricing information.

pattern no.	black linoleum	standard leather	Velluto Pelle	Sabrina
<b>3312-3</b>		\$232.	\$318.	\$358.
<b>3312-4</b>		261.	348.	387.
<b>3313</b>		224.	266.	298.
<b>1912-20</b>	53.			
<b>3314</b>		224.	266.	298.
<b>512-20</b>	53.			
<b>3350</b>		261.	342.	394.

## Construction

### *Standard leathers:*

Standard leathers are only top grain cowhide with a matte finish. Natural markings as well as subtle variations in color will appear in the leather. These are unmistakable hallmarks of top grain leather.

Standard leathers resist fading and repel both moisture and stains. Because this leather is fire-resistant; it emits no toxic fumes when exposed to high temperatures.

### *Spinneybeck Sabrina (SA):*

A durable, immersion aniline-dyed, full grain kip leather which has received a protective surface finish. The superbly soft hand is achieved by its fine quality and light weight.

### *Spinneybeck Velluto Pelle (VP):*

An Italian immersion aniline-dyed, cowhide leather which retains its full natural grain. It is shielded by an impregnated, breathable finish which is an integral part of the surface.

Manufactured in the United States, using domestic and Spinneybeck Italian leathers.

The Smokador™ Collection  
*Traditional Leather*  
*desk accessories*

product	description	type	w	d	h	wgt.
Letter Tray Cover 	Legal size. Suede bottom. Leather wrapped handle and cover.		9 5/8"	14"		2 lbs.
Single Letter Tray 	Legal size. Suede bottom.		10 1/2"	15"	2 1/2"	2 lbs.
Book Ends 	2 per set. Suede bottoms.		4"	4 5/8"	6 1/2"	6 lbs.
Memo Box 	Includes 5" x 8" memo paper. Suede bottom.		6"	9"	1 1/4"	1 lb. 8 oz.
Pencil Cup 	Leather wrapped. Suede bottom.		3"	3 1/2"	4"	1 lb.

#### Order Code

Example: <b>3601-BK</b>	
<b>3601</b>	Single letter tray
<b>BK</b>	Black

#### Ordering Information

##### Specify:

1. Pattern number
2. Leather selection
3. Hardware selection (Calendar set)

##### Standard leathers:

Black (BK)  
 Burgundy (BG)  
 Myrtle (MR)

##### Spinneybeck leathers:

Velluto Pelle (VP)  
 Sabrina (SA)

More than 100 rich colors are available in Sabrina and Velluto Pelle. To view the complete color selection, please contact your KnollExtra representative or Spinneybeck.

Please note that 10 or more units are required on all Spinneybeck orders.

#### Custom Options

Customer's own leather (COL) available upon approval of sample. 10 unit minimum on all specials. Upcharges based on number of cowhides required for production. Contact your KnollExtra representative or Customer Service for complete pricing information.

pattern no.	standard leather	Velluto Pelle	Sabrina
<b>3633</b>	\$246.	\$318.	\$335.
<b>3601</b>	348.	468.	513.
<b>3604</b>	425.	484.	513.
<b>3605</b>	246.	313.	342.
<b>3615</b>	201.	237.	266.

### Construction

#### *Standard leathers:*

Standard leathers are only top grain cowhide with a matte finish. Natural markings as well as subtle variations in color will appear in the leather. These are unmistakable hallmarks of top grain leather.

Standard leathers resist fading and repel both moisture and stains. Because this leather is fire-resistant; it emits no toxic fumes when exposed to high temperatures.

#### *Spinneybeck Sabrina (SA):*



A durable, immersion aniline-dyed, full grain kip leather which has received a protective surface finish. The superbly soft hand is achieved by its fine quality and light weight.

#### *Spinneybeck Velluto Pelle (VP):*

An Italian immersion aniline-dyed, cowhide leather which retains its full natural grain. It is shielded by an impregnated, breathable finish which is an integral part of the surface.

Manufactured in the United States, using domestic and Spinneybeck Italian leathers.

The Smokador™ Collection  
*Traditional Leather*  
*desk accessories*

product	description	type	w	d	h	wgt.
Appointment Book	Includes a 7" x 8 3/4" Keith Clark "Weekly- Minder."		8 1/4"	9 1/4"		2 lbs.
						
Note Pad Holder	Includes a 8 1/2" x 11" ruled white pad.		8 3/4"	13 1/8"		2 lbs. 8 ozs.
						

#### Order Code

Example: <b>3601-BK</b>	
<b>3601</b>	Single letter tray
<b>BK</b>	Black

#### Ordering Information

Specify:

1. Pattern number
2. Leather selection
3. Hardware selection (Calendar set)

*Standard leathers:*  
 Black (BK)  
 Burgundy (BG)  
 Myrtle (MR)

*Spinneybeck leathers:*  
 Velluto Pelle (VP)  
 Sabrina (SA)

More than 100 rich colors are available in Sabrina and Velluto Pelle. To view the complete color selection, please contact your KnollExtra representative or Spinneybeck.

Please note that 10 or more units are required on all Spinneybeck orders.

#### Custom Options

Customer's own leather (COL) available upon approval of sample. 10 unit minimum on all specials. Upcharges based on number of cowhides required for production. Contact your KnollExtra representative or Customer Service for complete pricing information.







pattern no.	standard leather	Velluto Pelle	Sabrina
3643	\$313.	\$379.	\$408.
3645	313.	379.	408.

Construction

<p><i>Standard leathers:</i> Standard leathers are only top grain cowhide with a matte finish. Natural markings as well as subtle variations in color will appear in the leather. These are unmistakable hallmarks of top grain leather.</p>	<p>Standard leathers resist fading and repel both moisture and stains. Because this leather is fire-resistant; it emits no toxic fumes when exposed to high temperatures.</p>	<p><i>Spinneybeck Sabrina (SA):</i> A durable, immersion aniline-dyed, full grain kip leather which has received a protective surface finish. The superbly soft hand is achieved by its fine quality and light weight.</p>	<p><i>Spinneybeck Velluto Pelle (VP):</i> An Italian immersion aniline-dyed, cowhide leather which retains its full natural grain. It is shielded by an impregnated, breathable finish which is an integral part of the surface.</p> <p>Manufactured in the United States, using domestic and Spinneybeck Italian leathers.</p>
--	---	--	---

The Smokador™ Collection  
*Traditional Leather*  
*desk pads and wastebaskets*

product	description	type	w	d	h	wgt.
Desk Pad: 3 1/2" Side Panels 	Black linoleum with black felt back. 3 1/2" wide raised side panels.		34"	20"		6 lbs.
			38"	24"		7 lbs. 6 ozs.
Rectilinear Conference Pad 	Leather or black linoleum. Black felt back.	Leather	18"	12"		3 lbs. 6 ozs.
		Linoleum	18"	12"		1 lb. 6 ozs.
Oval Conference Pad 	Leather or black linoleum. Black felt back.	Leather	18"	12"		2 lbs. 9 ozs.
		Linoleum	18"	12"		1 lb. 4 ozs.
Round Wastebasket 	Black interior. Steel covered with leather.		10"		15"	6 lbs.

Order Code		Ordering Information		Custom Options
Example: <b>3612-4-SA-764</b>		<i>Specify:</i>	<i>Spinneybeck leathers:</i>	Custom sized leather conference pads available in sizes up to 38"W x 24"D (rectangular)and 18"W x 12"D (oval). Customer's own leather (COL) available upon approval of sample. 10 unit minimum on all specials. Upcharges based on number of cowhides required for production. Contact your KnollExtra representative or Customer Service for complete pricing information.
<b>3612-4</b>	38 "x24 "Desk pad	1. Pattern number	Velluto Pelle (VP)	
<b>SA</b>	Sabrina	2. Leather selection	Sabrina (SA)	
<b>764</b>	Clay	<i>Standard leathers:</i>	More than 100 rich colors are available in Sabrina and Velluto Pelle. To view the complete color selection, please contact your KnollExtra representative or Spinneybeck.	
		Black (BK) Burgundy (BG) Myrtle (MR)	Please note that 10 or more units are required on all Spinneybeck orders.	

pattern no.	black linoleum	standard leather	Velluto Pelle	Sabrina
<b>3612-3</b>		\$253.	\$318.	\$358.
<b>3612-4</b>		284.	348.	387.
<b>3613</b>		232.	298.	313.
<b>1912-20</b>	53.			
<b>3614</b>		232.	298.	313.
<b>512-20</b>	53.			
<b>3650</b>		335.	408.	439.

## Construction

### *Standard leathers:*

Standard leathers are only top grain cowhide with a matte finish. Natural markings as well as subtle variations in color will appear in the leather. These are unmistakable hallmarks of top grain leather.

Standard leathers resist fading and repel both moisture and stains. Because this leather is fire-resistant; it emits no toxic fumes when exposed to high temperatures.

### *Spinneybeck Sabrina (SA):*

A durable, immersion aniline-dyed, full grain kip leather which has received a protective surface finish. The superbly soft hand is achieved by its fine quality and light weight.




### *Spinneybeck Velluto Pelle (VP):*

An Italian immersion aniline-dyed, cowhide leather which retains its full natural grain. It is shielded by an impregnated, breathable finish which is an integral part of the surface.

Manufactured in the United States, using domestic and Spinneybeck Italian leathers.

# The Smokador™ Collection

## *Replacement Parts*

product	description	d	h
Metal Letter Tray Stacking Posts 	4 per set, with screws. For use with the Contemporary Leather and Exec Rectilinear Collections. Available in mirror chrome, mirror brass, and matte black only.	1/4"	4 1/4"
Letter Tray Stacking Post Threaded Rods 	4 per set. For use with stacking posts for the Contemporary Leather and Exec Rectilinear Collections.		
Metal Calendar Arches 	2 per set with knurled nuts. For use with the Contemporary Leather and Traditional Leather. Available in mirror chrome and mirror brass.		

Order Code	Ordering Information	
Example: <b>001-214-MC</b>	<i>Specify:</i>	
<b>001-214</b> Metal letter tray stacking posts	1. Pattern number	<i>Metal letter tray post finishes:</i>
<b>MC</b> Mirror chrome	2. Finish (except Threaded Rods)	Mirror Brass (MB)
		Matte Black (BK)
		Mirror Chrome (MC)
	<i>Metal calendar arch finishes:</i>	
	Mirror Chrome (MC)	
	Mirror Brass (MB)	





pattern no.	list price
001-214	\$29.

001-315	8.
---------	----

009-12	20.
--------	-----

# International Collection

## Glassware

product	description	type	h	wgt.
Aalto Vase	Designed by Alvar Aalto, 1933-36. Permanent collection of the New York Museum of Modern Art. Available in clear and opal.		3 3/4"	
			4 3/4"	
			6 1/4"	
Savoy Vase	Designed by Alvar Aalto, 1936. Larger, less convoluted versions of the Aalto Vases. Exhibited at the 1937 World Exhibition in Paris. Clear crystal.		24"	
			8"	
Flower Vase	Designed by Alvar Aalto. This vase is wider at top than the bottom, following the wavy style of the Aalto and Savoy vases. Available in clear only.		14 1/2"	
				
Aarne Glassware	Designed by Goran Hongell, 1948.	11 1/2 oz. Double Old Fashioned		14 ozs.
		12 1/2 oz. Highball		14 ozs.
		3 pt. Pitcher		2 lbs. 8 ozs.
		7 oz. Old Fashioned		11 ozs.
		Pilsner		

Order Code	Ordering Information	Custom Options
Example: <b>3030-120-OP</b>	<i>Specify:</i>	Additional barware sizes available. Contact your KnollExtra representative or Customer Service for selection and pricing information.
<b>3030-120</b> 4 3/4" Aalto vase	1. Pattern number	
<b>OP</b> Opal	2. Color (Aalto only)	
	<i>Aalto Colors:</i>	
	Opal (OP)	
	Clear (CL)	

pattern no.	opal	clear
3030-095	\$163.	\$163.
3030-120	289.	289.
3030-160	394.	394.
3031-600		5,936.
3031-200		529.
3032-200		1,539.
2020-032		68.
2020-035		68.
2020-150		232.
2020-020		58.
2020-038		68.

**Construction**

Lead-free crystal.  
Manufactured in Finland.

**Design Award**

*Aalto Vase:*  
The International Tabletop Award,  
1988.

*Aarne Glassware:*  
The International Tabletop Award,  
1989.

# International Collection

## *Stainless Boardroom Accessories*

product	description	type	w	d	h	wgt.
Large Stainless Carafe 	Designed by Erik Magnussen, 1977. Delivered with automatic tilt close top and screw close top options. Glass vacuum liner for serving hot or cold liquids. Matte black plastic top and handle. Available in satin stainless or black oxide finish. 1 liter capacity.		4"		12"	2 lbs. 11 ozs.
Small Stainless Carafe 	Designed by Erik Magnussen, 1977. Delivered with automatic tilt close top and screw close top options. Glass vacuum liner for serving hot or cold liquids. Matte black plastic top and handle. Available in satin stainless or black oxide finish. 1/2 liter capacity.		4"		8 1/4"	1 lb. 11 ozs.
Stainless Creamer 	Designed by Erik Magnussen, 1977. Satin stainless. Matte black plastic top. 8 oz. capacity.		3 1/4"		3 3/4"	4 ozs.
Stainless Sugar Bowl 	Designed by Erik Magnussen, 1977. Satin stainless. Matte black plastic top. 10 oz. capacity.		4 1/4"		2 1/4"	5 ozs.
Serving Tray 	Designed by Erik Magnussen. Satin stainless with black rubber liner.			15" dia. x	3/4"	

Order Code	Ordering Information	Custom Options
Example: <b>STL-900-ST</b> <b>STL-900</b> Large stainless carafe <b>ST</b> Satin stainless	Specify: 1. Pattern number 2. Finish (Carafe only)  Metal finishes: Satin Stainless (ST) Black Oxide (BO)	Additional stainless steel accessories available. Contact your KnollExtra representative or Customer Service for selection and pricing information.



pattern no.	black oxide	satin stainless	stainless
STL-900	\$439.	\$348.	
STL-915	379.	289.	
STL-1000		128.	
STL-1100		128.	
STL-2004		270.	

Construction

Solid, satinized stainless steel that has been lacquered for long-term finish protection. Textured, ABS plastic top and handle. Black oxide finish is painted over stainless steel.

Manufactured in Denmark.

# International Collection

## *Stainless Boardroom Accessories*

product	description	type	w	d	h	wgt.
Stainless Coffee Pot 	Cylinda-line, designed by Arne Jacobsen, 1967. 1 1/2 liter capacity.		4"		8"	1 lb. 9 ozs.
Stainless Tea Pot 	Cylinda-line, designed by Arne Jacobsen, 1967. 1 1/4 liter capacity.		5"		4 1/4"	1 lb. 9 ozs.
Stainless Creamer & Sugar Bowl 	Cylinda-line, designed by Arne Jacobsen, 1967. Includes sugar bowl, creamer, and sugar bowl lid. Spoon not included. Creamer is 2" x 3 3/4". Sugar Bowl is 3" x 2 1/4".	Creamer Sugar Bowl				
Stainless Serving Tray with Handles 	Cylinda-line, designed by Arne Jacobsen, 1967. Round tray with straight wall lip and curved handles. Brushed stainless.		13 1/8"		1"	2 lbs.
Stainless Ice Bucket 	Cylinda-line, designed by Arne Jacobsen, 1967.	Small: 35 oz. capacity	5 1/8"		4 1/8"	2 lbs.
Stainless Ice Tongs 			6 3/4"		1/2"	3 ozs.
Stainless Coaster Set 	Cylinda-line, designed by Arne Jacobsen, 1967. Set of 6.		3 1/4"		1/4"	10 ozs. (each)

Order Code	Ordering Information	Custom Options
Example: <b>STL-900-ST</b> <b>STL-900</b> Large stainless carafe <b>ST</b> Satin stainless	Specify: 1. Pattern number 2. Finish (Carafe only)  Metal finishes: Satin Stainless (ST) Black Oxide (BO)	Additional stainless steel accessories available. Contact your KnollExtra representative or Customer Service for selection and pricing information.

pattern no.	black oxide	satin stainless	stainless
<b>STL-01-2</b>			\$735.

<b>STL-04-2</b>			735.
-----------------	--	--	------

<b>STL-06-2</b>			159.
<b>STL-06-3</b>			206.

<b>STL-014-2</b>			329.
------------------	--	--	------

<b>STL-05-1</b>			564.
-----------------	--	--	------

<b>STL-015-1</b>			76.
------------------	--	--	-----

<b>STL-019-1</b>			178.
------------------	--	--	------

#### Construction

Solid, satinized stainless steel that has been lacquered for long-term finish protection. Textured, ABS plastic top and handle. Black oxide finish is painted over stainless steel.

Manufactured in Denmark.

# International Collection

## *Stainless Boardroom Accessories*

product	description	type	w	d	h	wgt.
Napkin Holder	Designed by Peter Holmblad Stainless Steel		7 <sup>15</sup> / <sub>16</sub> "	7 <sup>15</sup> / <sub>16</sub> "	3 <sup>3</sup> / <sub>4</sub> "	



Order Code	Ordering Information	Custom Options
Example: <b>STL-900-ST</b>	<i>Specify:</i>	Additional stainless steel accessories available. Contact your KnollExtra representative or Customer Service for selection and pricing information.
<b>STL-900</b> Large stainless carafe	1. Pattern number	
<b>ST</b> Satin stainless	2. Finish (Carafe only)	
	<i>Metal finishes:</i> Satin Stainless (ST) Black Oxide (BO)	

pattern no.	black oxide	satin stainless	stainless
STL-486			\$160.

Boardroom Accessories



Construction

Solid, satinized stainless steel that has been lacquered for long-term finish protection. Textured, ABS plastic top and handle. Black oxide finish is painted over stainless steel.

Manufactured in Denmark.

# International Collection

## *Plastic Boardroom Accessories*

product	description	w	d	h	wgt.
Large Plastic Carafe 	Designed by Erik Magnussen, 1977. Automatic tilt-close top. Glass vacuum liner for serving hot or cold liquids. 1 liter capacity. Textured black top. Available in red, black, white and blue.	4"		11 3/4"	2 lbs. 6 ozs.
Small Plastic Carafe 	Designed by Erik Magnussen, 1977. Automatic tilt-close top. Glass vacuum liner for serving hot or cold liquids. 1/2 liter capacity. Textured black top. Available in black.	4"		8 1/4"	1 lb. 6 ozs.
Plastic Water Pitcher 	Designed by Erik Magnussen, 1977. Textured black top. Available in clear. 1 1/2 liter capacity.	4"		9 1/4"	1 lb. 4 ozs.
Plastic Creamer 	Designed by Erik Magnussen, 1977. Textured black top. Available in red, black, white, and blue. 8 oz. capacity.	3 1/4"		3 3/4"	4 ozs.
Plastic Sugar Bowl 	Designed by Erik Magnussen, 1977. Textured black top. Available in red, black, white, and blue. 10 oz. capacity.	4 1/4"		2 1/4"	4 ozs.

Order Code	Ordering Information	Custom Options
Example: <b>STL-9-30</b>	<i>Specify:</i>	<i>Small carafe finish:</i>
<b>STL-9</b> Plastic carafe	1. Pattern number	Black (30)
<b>30</b> Black	2. Finish	<i>Water pitcher plastic finishes:</i>
	<i>Large carafe, creamer and sugar bowl plastic finishes:</i>	Clear (10)
	Red (20)	
	Black (30)	
	White (60)	
	Blue (70)	

Additional plastic accessories available. Contact your KnollExtra representative or Customer Service for selection and pricing information.

---

STL-13
88.

STL-10	50.
--------	-----

STL-11	50.
--------	-----


Durable ABS plastic.

Manufactured in Denmark.


# International Collection

## *Umbrella Stand and Clocks*


product	description	w	d	h	wgt.
Ivy Umbrella Stand	Designed by Emanuela Frattini, 1990. Lightweight aluminum. Comfortably holds 9 umbrellas. Saucer-shaped base collects water.	15"	15"	20"	7 lbs.



Mathiesen Wall Clock	Designed by Ole Mathiesen, 1972. Battery-operated Swiss quartz movement. Batteries included. Black finish.	8 3/4"			1 lb.
		12 1/4"			2 lbs.
		17 1/2"			3 lbs.



Bodoni Wall Clock	Designed by M&Co., 1990. Battery-operated German quartz movement. Black hour hand, minute hand, and numbers. Red second hand. AA battery not included.	12 1/2"			12 ozs.
-------------------	--	---------	--	--	---------



Order Code	Ordering Information
Example: <b>EFM-IVYU</b>	<i>Specify:</i>
<b>EFM-IVYU</b> Ivy umbrella stand	1. Pattern number



pattern no.	list price
EFM-IVYU	\$558.

1-2600	735.
1-2601	931.
1-2602	1,595.

MCO-BOD	387.
---------	------

Construction

*Umbrella stand:*  
Cast aluminum base and top ring. Solid aluminum rods. Polished on top surfaces and bead blasted on sides and center of base and top ring.

Manufactured in the United States.

*Mathiesen Wall Clock:*  
Hand-formed aluminum frame and hands. Glass face cover.

Manufactured in Denmark.


*Bodoni Wall Clock:*  
Anodized aluminum frame. Crystal face cover.

Manufactured in the United Kingdom.

# International Collection

## *Replacement Parts*

product	description
Carafe Stopper	For use with STL-900, STL-915, STL-9 and STL-15 stainless and plastic carafes.
Carafe Top	Black textured plastic. For use with STL-900, STL-915, STL-9 and STL-15 stainless and plastic carafes.
Large Carafe Thermal Liner & Gasket	For use with STL-900 and STL-915 stainless and plastic carafes.








Order Code	Ordering Information
Example: <b>STL-900-1</b>	<i>Specify:</i>
<b>STL-900-1</b> Carafe stopper	1. Pattern number
	<i>Note:</i> Please consult Customer Service for additional replacement parts.

pattern no.	list price
STL-900-1	\$35.
STL-900-2	35.
STL-900-3	82.

Boardroom Accessories

Orchestra® Universal System Accessories  
by Bruce Hannah & Ayse Birsal  
letter trays


product	description	w	d	h	wgt.
Front Letter Single Tray	Single tray. Non-scuffing rubber feet.	10 1/4"	13"	2 3/4"	1 lb. 2 ozs.
					
Front Letter Double Tray	Double tray. Non-scuffing rubber feet. Removable stacking brackets included.	10 1/4"	13"	7 1/4"	2 lbs. 5 ozs.
					
Side Letter Single Tray	Single tray. Non-scuffing rubber feet.	13 1/4"	9 1/2"	2 3/4"	1 lb. 7 ozs.
	*Available in Translucent Orange and Blue				
Side Letter Double Tray	Double tray. Non-scuffing rubber feet. Removable stacking brackets included.	13 1/4"	9 1/2"	7 1/4"	2 lbs. 15 ozs.
	*Available Translucent in Orange and Blue				
Side Legal Single Tray	Single tray. Non-scuffing rubber feet.	15 1/2"	9 1/2"	2 3/4"	2 lbs.
					

Order Code	Ordering Information	Custom Options
Example: <b>ORCH-F-LT-BK</b>	<i>Specify:</i>	<i>Translucent polycarbonate finishes:</i>
<b>ORCH-F-</b> Front letter tray	1. Pattern number	Clear (CL)
<b>LT</b>	2. Finish	*Orange (OR)
<b>BK</b> Black	<i>Opaque plastic finishes:</i>	*Blue (BL)
	Black (BK)	*Select Products Only
	Medium Grey (DG)	
	Soft Grey (E)	
	Warm Putty (WP)	

pattern no.	translucent colors list price	opaque colors list price
ORCH-F-LT	\$44.	\$35.
2ORCH-F-LT	87.	75.
ORCH-S-LT	44.	35.
2ORCH-S-LT	87.	75.
ORCH-S-LGT	53.	46.

	Construction	Design Awards
System top cap-mounted signage plate available, designed to customer specifications and system. Customer responsible for graphics. 100 unit minimum. Contact your KnollExtra representative or Customer Service for complete pricing information.	<p><i>Opaque plastic finishes:</i> Sturdy polystyrene plastic in matte, textured finish. Fingerprint resistant.</p> <p><i>Translucent finishes:</i> Sturdy polycarbonate resin.</p> <p>Manufactured in the United States.</p>	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.

Orchestra® Universal System Accessories  
by Bruce Hannah & Ayse Birsel  
*letter trays*





product	description	w	d	h	wgt.
Side Legal Double Tray	Double tray. Non-scurffing rubber feet. Removable stacking brackets included.	15 1/2"	9 1/2"	7 1/4"	4 lbs. 1 oz.
					
Replacement Stacking Brackets	Set of four stacking brackets for all Orchestra letter trays.	3/4"	1/2"	2"	1 oz. (set)
*Available in Translucent Orange and Blue					

Order Code	Ordering Information		Custom Options
Example: <b>ORCH-F-LT-BK</b>	<i>Specify:</i>		Custom colors available upon sample chip approval. \$260 color match fee and 500 piece minimum per line item.
<b>ORCH-F-</b> Front letter tray	1. Pattern number		
<b>LT</b>	2. Finish		
<b>BK</b> Black	<i>Opaque plastic finishes:</i> Black (BK) Medium Grey (DG) Soft Grey (E) Warm Putty (WP)		
	<i>Translucent polycarbonate finishes:</i> Clear (CL) *Orange (OR) *Blue (BL) *Select Products Only		

pattern no.	translucent colors list price	opaque colors list price
2ORCH-S-LGT	\$105.	\$90.
ORCH-SB	6.	5.

	Construction	Design Awards
System top cap-mounted signage plate available, designed to customer specifications and system. Customer responsible for graphics. 100 unit minimum. Contact your KnollExtra representative or Customer Service for complete pricing information.	<p><i>Opaque plastic finishes:</i> Sturdy polystyrene plastic in matte, textured finish. Fingerprint resistant.</p> <p><i>Translucent finishes:</i> Sturdy polycarbonate resin.</p> <p>Manufactured in the United States.</p>	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.

Orchestra® Universal System Accessories  
by Bruce Hannah & Ayse Birsal  
paper management

product	description	w	d	h	wgt.
2-Way Binder Bin 	Horizontal or vertical positioning. Excellent for rail-mount, desktop, and overhead storage.	4 3/4"	12 1/4"	8 1/4"	1 lb. 6 ozs.
Vertical Paper Pack 	Holds memo, letter, legal and unbound EDP size material. *Available in Translucent Orange and Blue	15 1/4"	5"	9"	2 lbs. 1 oz.
Slanted Sorter 	Removable dividers tilt left and right. *Available in Translucent Orange and Blue	9"	11"	8 1/2"	2 lbs. 4 ozs.
File Sorter 	Versatile sorter holds small files, stationery, envelopes, messages and other desktop papers.	10 1/4"	5 1/2"	5 1/2"	1 lb. 8 ozs.





Order Code	Ordering Information	Custom Options
Example: <b>ORCH-BDN-DG</b>	<i>Specify:</i>	Custom colors available upon sample chip approval. \$260 color match fee and 500 piece minimum per line item.
<b>ORCH-</b> Binder bin	1. Pattern number	
<b>BDN</b>	2. Finish	
<b>DG</b> Medium grey	<i>Opaque plastic finishes:</i> Black (BK) Medium Grey (DG) Soft Grey (E) Warm Putty (WP)	System top cap-mounted signage plate available, designed to customer specifications and system. Customer responsible for graphics. 100 unit minimum. Contact your KnollExtra representative or Customer Service for complete pricing information.
	<i>Translucent polycarbonate finishes:</i> Clear (CL) *Orange (OR) *Blue (BL) *Select Products Only	



pattern no.	translucent colors list price	opaque colors list price
ORCH-BDN	\$56.	\$49.
ORCH-VPP	61.	56.
ORCH-SSD	61.	56.
ORCH-FS	42.	38.

Construction	Design Awards
<i>Opaque plastic finishes:</i> Sturdy polystyrene plastic in matte, textured finish. Fingerprint resistant.	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991;
<i>Translucent finishes:</i> Sturdy polycarbonate resin.	Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991;
Manufactured in the United States.	Bronze Award, IBD Product Design Competition, 1990.

Orchestra® Universal System Accessories  
*by Bruce Hannah & Ayse Birsal*  
*mini-shelf, hanging file holders, pencil cup and utility trays*

product	description	w	d	h	wgt.
	Flexible storage shelf for small items and papers. 5 removable dividers and 11 slotted holes. Shelf available in black anodized aluminum and medium grey painted aluminum only. Dividers in any opaque plastic finish.	12"	8"	5 1/2"	2 lbs. 5 ozs.
	2 per set. Attach to rail and hold legal or letter size hanging folders for easy access. Black is anodized aluminum. Medium grey is painted aluminum. Not for use on Currents slatwall.	1"	8"	1"	8 ozs. (pair)
	Three compartments for pencils, 4" x 6" memo paper, and large Post-It™ Notes.  *Available in Translucent Orange and Blue	5"	3"	4"	7 ozs.
	6 versatile compartments hold pencils, paper clips, and other paper management items. Largest compartment is 3" x 8 1/4".	12"	7"	1"	12 ozs.

Order Code	Ordering Information	Custom Options
Example: <b>OR-MS-12-BK-E</b>	<i>Specify:</i>	For plastic accessories, custom colors available upon sample chip approval. \$260 color match fee and 500 piece minimum per line item.
<b>OR-MS-12</b> Mini shelf	1. Pattern number	System top cap-mounted signage plate available, designed to customer specifications and system. Customer responsible for graphics. 100 unit minimum. Contact your KnollExtra representative or Customer Service for complete pricing information.
<b>BK</b> Black	2. Finish	
<b>E</b> Soft grey dividers	3. Divider finish(mini-shelf only)	
	<i>Opaque plastic finishes:</i>	
	Black (BK)	
	Medium Grey (DG)	
	Soft Grey (E)	
	Warm Putty (WP)	
	<i>Translucent polycarbonate finishes:</i>	
	Clear (CL)	
	*Orange (OR)	
	*Blue (BL)	
	*Select Products Only	



pattern no.	translucent colors list price	opaque colors list price
OR-MS-12		\$128.
ORCH-HFH		41.
ORCH-PC	24.	22.
ORCH-UT	30.	28.

Construction	Design Awards
<i>Hanging file holder and mini-shelf:</i> Medium grey painted aluminum or black anodized aluminum. Mini-shelf dividers are poly-styrene plastic.	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991;
<i>Pencil cup and utility tray:</i> Sturdy polystyrene plastic in a matte, textured finish. Fingerprint resistant.	Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.
<i>Translucent finishes:</i> Sturdy polycarbonate resin.	
All items are manufactured in the United States.	

# Orchestra® Universal System Accessories

by Bruce Hannah & Ayse Birsal

tape dispenser and memo tray




product	description	type	w	d	h	wgt.
Tape Dispenser	Holds standard, clear tape (not included).		1"	4 1/2"	3 1/2"	3 ozs.
						
Memo Tray	Includes 4" x 6" memo paper. Non-scaffing rubber feet.		6"	4"	1"	9 ozs.
						
	*Available in Translucent Orange and Blue					

Order Code	Ordering Information	Custom Options
Example: <b>ORCH-TD-E</b>	<i>Specify:</i>	Custom colors available upon sample chip approval. \$260 color match fee and 500 piece minimum per line item.
<b>ORCH-TD</b> Tape dispenser	1. Pattern number	
<b>E</b> Soft grey	2. Finish	
	<i>Opaque plastic finishes:</i>	System top cap-mounted signage plate available, designed to customer specifications and system. Customer responsible for graphics. 100 unit minimum. Contact your KnollExtra representative or Customer Service for complete pricing information.
	Black (BK)	
	Medium Grey (DG)	
	Soft Grey (E)	
	Warm Putty (WP)	
	<i>Translucent polycarbonate finishes:</i>	
	Clear (CL)	
	*Orange (OR)	
	*Blue (BL)	
	*Select Products Only	

pattern no.	translucent colors list price	opaque colors list price
ORCH-TD	\$21.	\$20.
ORCH-MT	24.	22.

Construction	Design Awards
<i>Opaque plastic finishes:</i> Sturdy polystyrene plastic in matte, textured finish. Fingerprint resistant.	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991;
<i>Translucent finishes:</i> Sturdy polycarbonate resin.	Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991;
Manufactured in the United States.	Bronze Award, IBD Product Design Competition, 1990.

Orchestra® Universal System Accessories  
*by Bruce Hannah & Ayse Birsal*  
*clip/cup holder, bud vase and telephone shelf*

product	description	w	d	h	wgt.
Clip/Cup Holder 	Removes coffee cups, cans, paper clips, thumb tacks, etc. from the worksurface. Available in black and medium grey painted aluminum.	3 3/4"	4"	1"	4 ozs.
Bud Vase 	Available in black and clear. Rail-mounted only.	2"	2"	7"	3 ozs.
Telephone Shelf 	Holds virtually any standard office telephone. Available in black only.	12"	11 1/2"	2"	3 lbs. 12 ozs.

Order Code	Ordering Information	Custom Options
Example: <b>ORCH-CCH-BK</b>	<i>Specify:</i>	<i>Acrylic vase finishes:</i>
<b>ORCH-</b> Clip/ Cup Holder	1. Pattern number	Black (BK)
<b>CCH</b>	2. Finish (When applicable)	Clear (CL)
<b>BK</b> Black		<i>Clip/cup holder finishes:</i>
		Black (BK)
		Medium Grey (DG)
		For plastic accessories, custom colors available upon sample chip approval. \$260 color match fee and 500 piece minimum per line item.
		System top cap-mounted signage plate available, designed to customer specifications and system. Customer responsible for graphics. 100 unit minimum. Contact your KnollExtra representative or Customer Service for complete pricing information.

pattern no.	opaque colors list price
ORCH-CCH	\$48.
ORCH-VAS	22.
ORCH-TS-UNI	85.

Construction

*Translucent finishes:*  
Sturdy polycarbonate resin.

*Clip/cup holder:*  
Painted,sand cast aluminum.

*Bud vase:*  
Acrylic with black polystyrene holder.

*Telephone shelf:*  
16-gauge painted steel.

Design Awards


Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.

Orchestra® Universal System Accessories  
by Bruce Hannah & Ayse Birsel  
desk pads and wastebaskets


product	description	w	d	h	wgt.
Racetrack Desk Pad	Black linoleum with felt back.	30"	18"		5 lbs.



Wastebasket	Freestanding, 24 qt. capacity.	8 1/2"	14"	14 7/8"	4 lbs. 6 ozs.
-------------	--------------------------------	--------	-----	---------	---------------



Recycling Wastebasket	Blue recycling color for desk-side separation of waste materials. Includes recycling stickers. Freestanding. 24 qt. capacity.	8 1/2"	14"	14 7/8"	4 lbs. 6 ozs.
-----------------------	---	--------	-----	---------	---------------



Order Code	Ordering Information	Custom Options
Example: <b>ORCH-WBK-E</b>	<i>Specify:</i>	Additional desk pad colors available. Special sizes available up to 34"W x 28"D. 50 piece minimum on all custom desk pads. Custom wastebasket colors available upon sample chip approval. \$260 color match fee and 750 minimum per line item. Contact your KnollExtra representative or Customer Service for complete pricing information.
<b>ORCH-WBK</b>	1. Pattern number	
	2. Finish (When applicable)	
<b>E</b>	<i>Wastebasket finishes:</i>	
	Black (BK) Medium Grey (DG) Soft Grey (E) Warm putty (WP) Electric blue (EB)	



pattern no.	list price
<b>ORCH-DP</b>	<b>\$82.</b>

<b>ORCH-WBK</b>	<b>93.</b>
-----------------	------------


<b>ORCH-WBK-R-EB</b>	<b>93.</b>
----------------------	------------

Construction	Design Awards
<p><i>Desk pad:</i> Black linoleum with felt black</p> <p><i>Wastebasket:</i> Polypropylene with matte textured finish.</p> <p>All items are manufactured in the United States.</p>	<p>Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.</p>

# Orchestra® Universal System Accessories

by Bruce Hannah & Ayse Birsal

load bar/info rail

product	description	w	d	h	wgt.
	<ul style="list-style-type: none"> <li>Fits virtually every office system.</li> <li>Mounts on panel, stanchion, wall or freestanding desk.</li> <li>Info Rail underside holds memos and notes for easy access.</li> <li>Black plastic end caps.</li> <li>Wall, stanchion or panel-mounted brackets included in list price (see mounting options page).</li> </ul>	24"	1/2"	3"	1 lb. 9 ozs.
		30"	1/2"	3"	2 lbs.
		35"	1/2"	3"	2 lbs. 6 ozs.
		36"	1/2"	3"	2 lbs. 9 ozs.
		42"	1/2"	3"	3 lbs.
		45"	1/2"	3"	3 lbs. 2 ozs.
		48"	1/2"	3"	3 lbs. 4 ozs.
		54"	1/2"	3"	4 lbs.
		60"	1/2"	3"	4 lbs. 5 ozs.
		66"	1/2"	3"	4 lbs. 8 ozs.
		72"	1/2"	3"	4 lbs. 12 ozs.
Load Bar/Info Rail Morrison Network 2		11 5/8"	1/2"	3"	
		17 5/8"	1/2"	3"	
		23 5/8"	1/2"	3"	
		29 5/8"	1/2"	3"	
		35 5/8"	1/2"	3"	
		41 5/8"	1/2"	3"	
		47 5/8"	1/2"	3"	
Currents Work Shelf Load Bar		13 1/2"	1/2"	3"	
		17 7/8"	1/2"	3"	
		29 7/8"	1/2"	3"	
Currents Stanchion Mounted Load Bar		26 3/4"	1/2"	3"	
		38 3/4"	1/2"	3"	
Dividends and Caliber Stanchion Mounted Load Bar		31 5/8"	1/2"	3"	
		37 5/8"	1/2"	3"	
		43 5/8"	1/2"	3"	
		55 5/8"	1/2"	3"	
		67 5/8"	1/2"	3"	

Order Code	Ordering Information		
<b>Example: OR-LBI-36-111</b>	Specify:	Painted Core aluminum finishes:	Painted Legacy aluminum finishes are still available for existing customers only:
<b>OR-BKT-PM-R</b>			
<b>OR-LBI-36</b> 36" load bar	1. Pattern number	Medium Grey (115)	Medium Metallic Grey (DG)
<b>111</b> Black	2. System Suffix	Soft Grey (117)	Soft Grey (E)
<b>OR-BKT-</b> Panel-mounted bracket	3. Finish	Black (111)	Warm Putty (WP)
<b>PM-R</b> for Reff	4. Mounting Option	Beige Mist Metallic (611)	Flint (F)
	Special sizes and small quantity orders may be painted	Brown (112)	Black (BK)
	Anodized aluminum finish:	Dark Grey (113)	
	Silver Anodized (SV)	Folkstone Grey (114)	
		Sandstone (116)	
		Bright White (118)	
		Medium Grey Metallic (612)	

pattern no.	list
OR-LBI-24-( )()	\$83.
OR-LBI-30-( )()	83.
OR-LBI-35-( )()	89.
OR-LBI-36-( )()	89.
OR-LBI-42-( )()	100.
OR-LBI-45-( )()	112.
OR-LBI-48-( )()	112.
OR-LBI-54-( )()	121.
OR-LBI-60-( )()	128.
OR-LBI-66-( )()	142.
OR-LBI-72-( )()	166.
OR-LBI-24-N2-( )()	73.
OR-LBI-30-N2-( )()	79.
OR-LBI-36-N2-( )()	83.
OR-LBI-42-N2-( )()	83.
OR-LBI-48-N2-( )()	89.
OR-LBI-54-N2-( )()	100.
OR-LBI-60-N2-( )()	112.
OR-LBI-66-N2-( )()	121.
OR-LBI-72-N2-( )()	128.
OR-LBI-30-C-( )()	34.
OR-LBI-36-C-( )()	42.
OR-LBI-48-C-( )()	59.
OR-LBI-36-CS-( )()	54.
OR-LBI-48-CS-( )()	80.
OR-LBI-36-DV-( )()	58.
OR-LBI-42-DV-( )()	69.
OR-LBI-48-DV-( )()	81.
OR-LBI-60-DV-( )()	97.
OR-LBI-72-DV-( )()	121.

Mounting Options	Custom Options	Construction	Design Awards
See page 74 for mounting options	<p><i>Note:</i> Load Bar/Info Rails are available in custom lengths. Please note that for all lengths greater than 66", load bar will be painted, not anodized. Contact your local Knoll Customer Service representative for details.</p>	<p><i>Load bar/info rail:</i> Corrosion-resistant T-6063 painted or anodized aluminum. End caps are textured polystyrene plastic. Load Bar is filled with 1/2" Delrin plastic pellets to support papers on info rail.</p> <p>All items manufactured in the United States.</p>	<p>Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.</p>

# Orchestra® Universal System Accessories

by Bruce Hannah & Ayse Birsal

load bar/info rail


product	description	w	d	h	wgt.
Equity Stanchion Load Bar		24"	1"	3"	
		30"	1"	3"	
		36"	1"	3"	
		42"	1"	3"	
		54"	1"	3"	
		66"	1"	3"	
Equity Application Load Bar		22 1/4"	1/2"	3"	
		28 1/4"	1/2"	3"	
		34 1/4"	1/2"	3"	
		40 1/4"	1/2"	3"	
		46 1/4"	1/2"	3"	
		52 1/4"	1/2"	3"	
		58 1/4"	1/2"	3"	
		64 1/4"	1/2"	3"	
		70 1/4"	1/2"	3"	

Order Code	Ordering Information		
<b>Example: OR-LBI-36-111</b>	Specify: 1. Pattern number 2. System Suffix 3. Finish 4. Mounting Option	<i>Painted Core aluminum finishes:</i> Medium Grey (115) Soft Grey (117) Black (111) Beige Mist Metallic (611) Brown (112) Dark Grey (113) Folkstone Grey (114) Sandstone (116) Bright White (118) Medium Grey Metallic (612)	<i>Painted Legacy aluminum finishes are still available for existing customers only:</i> Medium Metallic Grey (DG) Soft Grey (E) Warm Putty (WP) Flint (F) Black (BK)
<b>OR-BKT-PM-R</b>			
<b>OR-LBI-36</b> 36" load bar			
<b>111</b> Black			
<b>OR-BKT-PM-R</b> Panel-mounted bracket for Reff	Special sizes and small quantity orders may be painted  <i>Anodized aluminum finish:</i> Silver Anodized (SV)		

pattern no.	list
OR-LBI-30-ES-( ) ( )	\$83.
OR-LBI-36-ES-( ) ( )	83.
OR-LBI-42-ES-( ) ( )	89.
OR-LBI-48-ES-( ) ( )	100.
OR-LBI-60-ES-( ) ( )	121.
OR-LBI-72-ES-( ) ( )	142.
OR-LBI-24-EY-( ) ( )	83.
OR-LBI-30-EY-( ) ( )	83.
OR-LBI-36-EY-( ) ( )	89.
OR-LBI-42-EY-( ) ( )	100.
OR-LBI-48-EY-( ) ( )	112.
OR-LBI-54-EY-( ) ( )	121.
OR-LBI-60-EY-( ) ( )	128.
OR-LBI-66-EY-( ) ( )	142.
OR-LBI-72-EY-( ) ( )	166.

Mounting Options	Custom Options	Construction	Design Awards
See page 74 for mounting options	<p><i>Note:</i> Load Bar/Info Rails are available in custom lengths. Please note that for all lengths greater than 66", load bar will be painted, not anodized. Contact your local Knoll Customer Service representative for details.</p>	<p><i>Load bar/info rail:</i> Corrosion-resistant T-6063 painted or anodized aluminum. End caps are textured polystyrene plastic. Load Bar is filled with 1/2" Delrin plastic pellets to support papers on info rail.</p> <p>All items manufactured in the United States.</p>	<p>Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.</p>

Orchestra® Universal System Accessories  
by Bruce Hannah & Ayse Birsal  
slatboard 6½"

product	description	w	d	h	wgt.
Slatboard-6½" 	<ul style="list-style-type: none"> <li>Fits virtually every office system. Mounts on panel, stanchion, wall or freestanding desk.</li> <li>3 horizontal accessory channels.</li> <li>Info rail underside holds memos and notes for easy access.</li> <li>Wall, stanchion, or panel-mounted brackets included in list price (see mounting options page).</li> </ul>	24"	1"	6½"	2 lbs. 9 ozs.
		30"	1"	6½"	3 lbs. 3 ozs.
		35"	1"	6½"	3 lbs. 13 ozs.
		36"	1"	6½"	3 lbs. 13 ozs.
		42"	1"	6½"	4 lbs. 8 ozs.
		45"	1"	6½"	4 lbs. 8 ozs.
		48"	1"	6½"	5 lbs. 2 ozs.
		54"	1"	6½"	5 lbs. 12 ozs.
		60"	1"	6½"	6 lbs. 6 ozs.
		66"	1"	6½"	7 lbs.
		72"	1"	6½"	7 lbs. 11 ozs.
Slatboard Morrison Network 2		11 ⅝"	1"	6½"	
		17 ⅝"	1"	6½"	
		23 ⅝"	1"	6½"	
		29 ⅝"	1"	6½"	
		35 ⅝"	1"	6½"	
		41 ⅝"	1"	6½"	
		47 ⅝"	1"	6½"	
		53 ⅝"	1"	6½"	
Slatboard-Equity Stanchion		24"	1"	6½"	
		30"	1"	6½"	
		36"	1"	6½"	
		42"	1"	6½"	
		54"	1"	6½"	
		66"	1"	6¾"	
Equity application		24"	1"	6½"	2 lbs. 9 ozs.
		30"	1"	6½"	3 lbs. 3 ozs.
		36"	1"	6½"	3 lbs. 13 ozs.
		42"	1"	6½"	4 lbs. 8 ozs.
		48"	1"	6½"	5 lbs. 2 ozs.
		54"	1"	6½"	5 lbs. 12 ozs.
		60"	1"	6½"	6 lbs. 6 ozs.
		66"	1"	6½"	7 lbs.
		72"	1"	6½"	7 lbs. 11 ozs.

Order Code

<b>Example: OR-SL-06-42-EY-117-OR-BKT-PM-E</b>	
<b>OR-SL-06-</b>	42"W x 6½"H slatboard 42
<b>EY</b>	Equity suffix
<b>117</b>	Soft grey
<b>OR-BKT-PM-E</b>	Panel-mounted bracket for Equity

Ordering Information

Specify:

1. Pattern number
2. System
3. Finish
4. Mounting Option

*anodized aluminum finish:*  
Satin Anodized Aluminum (SA) includes painted matte black endcap. Special sizes and small quantity orders may be painted

*Painted aluminum finishes:*

Medium Grey (115)  
Soft Grey (117)  
Black (111)  
Beige Mist Metallic (611)  
Brown (112)  
Dark Grey (113)  
Folkstone Grey (114)  
Sandstone (116)  
Bright White (118)  
Medium Grey Metallic (612)

*Painted Legacy aluminum finishes are still available for existing customers only:*  
Medium Metallic Grey (DG)  
Soft Grey (E)  
Warm Putty (WP)  
Flint (F)  
Black (BK)

pattern no.	list price
OR-SL-06-24-( ) ( )	\$128.
OR-SL-06-30-( ) ( )	150.
OR-SL-06-35-( ) ( )	171.
OR-SL-06-36-( ) ( )	171.
OR-SL-06-42-( ) ( )	190.
OR-SL-06-45-( ) ( )	213.
OR-SL-06-48-( ) ( )	213.
OR-SL-06-54-( ) ( )	235.
OR-SL-06-60-( ) ( )	255.
OR-SL-06-66-( ) ( )	276.
OR-SL-06-72-( ) ( )	298.
OR-SL-06-24-N2-( ) ( )	85.
OR-SL-06-30-N2-( ) ( )	106.
OR-SL-06-36-N2-( ) ( )	128.
OR-SL-06-42-N2-( ) ( )	150.
OR-SL-06-48-N2-( ) ( )	171.
OR-SL-06-54-N2-( ) ( )	190.
OR-SL-06-60-N2-( ) ( )	213.
OR-SL-06-66-N2-( ) ( )	235.
OR-SL-06-72-N2-( ) ( )	255.
OR-SL-06-30-ES-( ) ( )	128.
OR-SL-06-36-ES-( ) ( )	150.
OR-SL-06-42-ES-( ) ( )	171.
OR-SL-06-48-ES-( ) ( )	190.
OR-SL-06-60-ES-( ) ( )	235.
OR-SL-06-72-ES-( ) ( )	276.
OR-SL-06-24-EY-( ) ( )	128.
OR-SL-06-30-EY-( ) ( )	150.
OR-SL-06-36-EY-( ) ( )	171.
OR-SL-06-42-EY-( ) ( )	190.
OR-SL-06-48-EY-( ) ( )	213.
OR-SL-06-54-EY-( ) ( )	235.
OR-SL-06-60-EY-( ) ( )	255.
OR-SL-06-66-EY-( ) ( )	276.
OR-SL-06-72-EY-( ) ( )	298.

**Worksurface-mounted bracket:**  
Metal posts attach to underside of worksurface with C-clamp, raising Load Bar 10" above worksurface. Usable on worksurfaces 1 1/8"-1 13/16" thick. Set of 2 brackets. For Slatboards wider than 66", order additional brackets.

For use with load bars and 6 1/2" slatboards only.

#### MOUNTING OPTIONS:

*See mounting option page*

*Panel, stanchion and wall-mounted brackets:*

Wall, stanchion, or panel-mounted brackets are included in the list price.

Note: Other brackets for other manufacturers stations are available. Contact your KnollExtra Representative for more information.

#### Custom Options

*Note:*

Slatboard is available in custom lengths of up to 96". 100 piece minimum per line item. Please note that for all lengths greater than 66", load bar will be painted, not anodized.

Brackets are currently available for virtually every major office system. Panel-mounted brackets for other systems can be developed. Minimum of 100 sets per bracket. Tooling and set-up charges may be required.


#### Construction

Corrosion-resistant T-6063-T5 painted or anodized aluminum. End caps are 11 gauge steel painted matte black. Bottom rail is filled with 1/2" Delrin plastic pellets to support papers on Info Rail.

*Worksurface-mounted bracket:*  
Die-cast aluminum painted black.

All items manufactured in the United States.

Orchestra® Universal System Accessories  
by Bruce Hannah & Ayse Birsel  
slatboard 14<sup>3</sup>/<sub>4</sub>"

product	description	w	d	h	wgt.
	<ul style="list-style-type: none"> <li>Fits virtually every office system. Mounts on panel, stanchion, wall or freestanding desk.</li> <li>8 horizontal accessory channels.</li> <li>Info rail underside holds memos and notes for easy access.</li> <li>Wall, stanchion, or panel-mounted brackets included in list price (see mounting options page).</li> </ul>	24"	1"	14 <sup>3</sup> / <sub>4</sub> "	5 lbs. 2 ozs.
		30"	1"	14 <sup>3</sup> / <sub>4</sub> "	6 lbs. 6 ozs.
		35"	1"	14 <sup>3</sup> / <sub>4</sub> "	7 lbs. 1 oz.
		36"	1"	14 <sup>3</sup> / <sub>4</sub> "	7 lbs. 1 oz.
		42"	1"	14 <sup>3</sup> / <sub>4</sub> "	9 lbs.
		45"	1"	14 <sup>3</sup> / <sub>4</sub> "	9 lbs.
		48"	1"	14 <sup>3</sup> / <sub>4</sub> "	10 lbs. 4 ozs.
		54"	1"	14 <sup>3</sup> / <sub>4</sub> "	11 lbs. 8 ozs.
		60"	1"	14 <sup>3</sup> / <sub>4</sub> "	12 lbs. 12 ozs.
		66"	1"	14 <sup>3</sup> / <sub>4</sub> "	14 lbs.
		72"	1"	14 <sup>3</sup> / <sub>4</sub> "	15 lbs. 6 ozs.
Slatboard-Equity Stanchion		24"	1"	14 <sup>3</sup> / <sub>4</sub> "	5 lbs. 2 ozs.
		30"	1"	14 <sup>3</sup> / <sub>4</sub> "	6 lbs. 6 ozs.
		36"	1"	14 <sup>3</sup> / <sub>4</sub> "	7 lbs. 1 oz.
		42"	1"	14 <sup>3</sup> / <sub>4</sub> "	9 lbs.
		54"	1"	14 <sup>3</sup> / <sub>4</sub> "	11 lbs. 8 ozs.
		66"	1"	14 <sup>3</sup> / <sub>4</sub> "	14 lbs.
Equity application		24"	1"	6 <sup>1</sup> / <sub>2</sub> "	2 lbs. 9 ozs.
		30"	1"	6 <sup>1</sup> / <sub>2</sub> "	3 lbs. 3 ozs.
		36"	1"	6 <sup>1</sup> / <sub>2</sub> "	3 lbs. 13 ozs.
		42"	1"	6 <sup>1</sup> / <sub>2</sub> "	4 lbs. 8 ozs.
		48"	1"	6 <sup>1</sup> / <sub>2</sub> "	5 lbs. 2 ozs.
		54"	1"	6 <sup>1</sup> / <sub>2</sub> "	5 lbs. 12 ozs.
		60"	1"	6 <sup>1</sup> / <sub>2</sub> "	6 lbs. 6 ozs.
		66"	1"	6 <sup>1</sup> / <sub>2</sub> "	7 lbs.
		72"	1"	6 <sup>1</sup> / <sub>2</sub> "	7 lbs. 11 ozs.

Order Code

**Example: OR-SL-14-42-EY-117-OR-BKT-PM-E**

<b>OR-SL-14-</b>	42"W x 14"H slatboard
<b>42</b>	
<b>EY</b>	Equity suffix
<b>117</b>	Soft grey
<b>OR-BKT-</b>	Panel-mountrd bracket
<b>PM-E</b>	for Equity

Ordering Information

*Specify:*

1. Pattern number
2. System
3. Finish
4. Mounting Option

*anodized aluminum finish:*

Satin Anodized Aluminum (SA)

Special sizes and small quantity orders may be painted

*Painted aluminum finishes:*

Medium Grey (115)  
Soft Grey (117)  
Black (111)  
Beige Mist Metallic (611)  
Brown (112)  
Dark Grey (113)  
Folkstone Grey (114)  
Sandstone (116)  
Bright White (118)  
Medium Grey Metallic (612)

*Painted Legacy aluminum finishes are still available for existing customers only:*


Medium Metallic Grey (DG)  
Soft Grey (E)  
Warm Putty (WP)  
Flint (F)  
Black (BK)



pattern no.	list price
OR-SL-14-24-( ) ( )	\$340.
OR-SL-14-30-( ) ( )	376.
OR-SL-14-35-( ) ( )	411.
OR-SL-14-36-( ) ( )	411.
OR-SL-14-42-( ) ( )	453.
OR-SL-14-45-( ) ( )	496.
OR-SL-14-48-( ) ( )	496.
OR-SL-14-54-( ) ( )	538.
OR-SL-14-60-( ) ( )	582.
OR-SL-14-66-( ) ( )	622.
OR-SL-14-72-( ) ( )	668.
OR-SL-14-30-ES-( ) ( )	340.
OR-SL-14-36-ES-( ) ( )	376.
OR-SL-14-42-ES-( ) ( )	411.
OR-SL-14-48-ES-( ) ( )	453.
OR-SL-14-60-ES-( ) ( )	538.
OR-SL-14-72-ES-( ) ( )	622.
OR-SL-14-24-EY-( ) ( )	340.
OR-SL-14-30-EY-( ) ( )	376.
OR-SL-14-36-EY-( ) ( )	411.
OR-SL-14-42-EY-( ) ( )	453.
OR-SL-14-48-EY-( ) ( )	496.
OR-SL-14-54-EY-( ) ( )	538.
OR-SL-14-60-EY-( ) ( )	582.
OR-SL-14-66-EY-( ) ( )	622.
OR-SL-14-72-EY-( ) ( )	668.

	Custom Options	Construction
<p><b>MOUNTING OPTIONS:</b> See mounting option page</p> <p><i>Note: Other brackets for other manufactures stations are available. Contact your KnollExtra Representative for more information.</i></p>	<p><i>Panel, stanchion and wall-mounted brackets:</i></p> <p>Wall, stanchion, or panel-mounted brackets are included in the list price and are specified when ordering pattern number. To specify appropriate panel-mounted bracket, consult the KnollExtra Bracket Chart on page 12 for appropriate suffix. For Equity panel-mounted applications, include an "EY" at end of base pattern number.</p> <p>Worksurface mounted bracket is for use with load bars and 6 1/2" slatboards only.</p>	<p><i>Note:</i> Slatboard is available in custom lengths of up to 96". 100 piece minimum per line item. Please note that for all lengths greater than 66", load bar will be painted, not anodized.</p> <p>Brackets are currently available for virtually every major office system. Panel-mounted brackets for other systems can be developed. Minimum of 100 sets per bracket. Tooling and set-up charges may be required.</p> <p>Corrosion-resistant T-6063-T5 painted or anodized aluminum. End caps are 11 gauge steel painted matte black. Bottom rail is filled with 1/2" Delrin plastic pellets to support papers on Info Rail.</p> <p><i>Worksurface-mounted bracket:</i> Die-cast aluminum painted black.</p> <p>All items manufactured in the United States.</p>

Orchestra® Universal System Accessories  
by Bruce Hannah & Ayse Birsal  
mounting options

product	description
Mounting Options 	Panel Mounted Bracket (Deep Universal only). Based on 1" centers. Set of 2.*
	Panel Mounted Bracket (Dividends Panel only). Set of 2.*
	Panel Mounted Bracket (Equity only). Set of 2.*
	Panel Mounted Bracket (Morrison only). Set of 2.*
	Panel Mounted Bracket (Reff only). Set of 2.*
	Panel Mounted Bracket (Shallow Universal only). Based on 1" centers. Set of 2.*
	Stanchion-Mounted Bracket (Calibre only). Set of 2.*
	Stanchion-Mounted Bracket (Currents workshelf and stanchion). Set of 2.*
	Stanchion-Mounted Bracket (Dividends only). Set of 2.*
	Stanchion-Mounted Bracket (Equity only). Set of 2.*
	Stanchion-Mounted Bracket (Morrison Network only). Set of 2.*
	Wall-Mounted Bracket. Set of 2.*
	Worksurface-Mounted Bracket. For load bars and 6 1/2" slatboards only. Set of 2. Black finish.

\* No charge when ordered with Load Bar or Slatboard, configured in load bar and slatboard pattern numbers when ordered with load bars and slatboards.

Order Code	Ordering Information		
Example: <b>OR-BKT-SM-A</b>	Specify:	<i>MOUNTING OPTIONS:</i>	<i>Worksurface-mounted bracket:</i>
<b>OR-BKT-SM-A</b> Worksurface-mounted bracket	1. Pattern number	<i>Panel, stanchion and wall-mounted brackets:</i>	Metal posts attach to underside of worksurface with C-clamp, raising Load Bar 10" above worksurface. Usable on worksurfaces 7/8"-1 1/2" thick. Set of 2 brackets. For Load Bars wider than 66", order additional brackets. For use with load bars and 6 1/2" slatboards only.
		Wall, stanchion, or panel-mounted brackets are included in the list price and are specified when ordering pattern number.	

pattern no.	list price
OR-BKT-PM-B *	\$11.
OR-BKT-PM-DV *	11.
OR-BKT-PM-E *	14.
OR-BKT-PM-M *	11.
OR-BKT-PM-R *	11.
OR-BKT-PM-D *	11.
OR-BKT-PM-CE *	14.
OR-BKT-PM-CS *	25.
OR-BKT-PM-DS *	14.
OR-BKT-PM-ES *	14.
OR-BKT-PM-N *	14.
OR-BKT-WM *	22.
OR-BKT-SM-A	137.

**Custom Options**

Brackets are currently available for virtually every major office system. Panel-mounted brackets for other systems can be developed. Minimum of 100 sets per bracket. Tooling and set-up charges may be required. Contact your KnollExtra representative or Customer Service for complete pricing information.

Note: Other brackets for other manufacturers stations are available. Contact your KnollExtra Representative for more information.





**Construction**

*Worksurface-mounted bracket:*  
Die-cast aluminum painted black.  
All items manufactured in the United States.

**Design Awards**

Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.

Orchestra® Universal System Accessories  
by Brooks Rorke  
file totes

product	description	w	d	h	wgt.
Portable Small Diskette Tote 	<ul style="list-style-type: none"> <li>• Holds up to 75 3 1/2" disks.</li> <li>• Suspends in standard hanging file drawer - up to 3 disk holders per drawer.</li> <li>• Integrated handles permit easy transport.</li> <li>• 4 adjustable divider inserts included for organizing and labeling disk files.</li> <li>• Ribbed floor holds disks in place.</li> </ul>	12"	4 1/2"	5"	1 lb. 1 oz.
Portable Large Diskette Tote 	<ul style="list-style-type: none"> <li>• Holds up to 125 5 1/4" disks.</li> <li>• Holds CD Roms.</li> <li>• Suspends in standard hanging file drawer - up to 3 disk holders per drawer.</li> <li>• Integrated handles permit easy transport.</li> <li>• 4 adjustable divider inserts included for organizing and labeling disk files.</li> <li>• Ribbed floor holds disks in place.</li> </ul>	12"	6 1/2"	6"	1 lb. 3 ozs.
Portable Letter Size File Tote 	<ul style="list-style-type: none"> <li>• Holds up to 15 letter size hanging files.</li> <li>• Suspends in standard hanging file drawer - up to 3 file holders per drawer.</li> <li>• Integrated handles permit easy transport.</li> </ul>	12"	4"	9 1/4"	1 lb. 2 ozs.
Portable Legal Size File Tote 	<ul style="list-style-type: none"> <li>• Holds up to 15 legal size hanging files.</li> <li>• Suspends in standard hanging file drawer - up to 3 file holders per drawer.</li> <li>• Integrated handles permit easy transport.</li> </ul>	15"	4 1/4"	9 1/4"	1 lb. 6 ozs.

Order Code	Ordering Information	Custom Options
Example: <b>ORCH-PF-SD-DG</b> <b>ORCH-PF-</b> Small diskette tote <b>SD</b> <b>DG</b> Medium grey	<i>Specify:</i> 1. Pattern number 2. Finish  <i>opaque:</i> Black (BK) Medium Grey (DG)  <i>translucent:</i> Clear (CL)	<i>Note:</i> Portable Totes are for freestanding or file drawer-suspended use. They may not be rail-mounted.  Custom colors available upon sample chip approval. \$260 color match fee and 500 piece minimum per line item.



pattern no.	opaque	translucent
ORCH-PF-SD	\$44.	\$55.
ORCH-PF-LD	50.	57.
ORCH-PF-LT	54.	69.
ORCH-PF-LG	59.	80.

Office System Accessories

	Construction	Design Awards
System top cap-mounted signage plate available, designed to customer specifications and system. Customer responsible for graphics. 100 unit minimum. Contact your KnollExtra representative or Customer Service for complete pricing information.	<p><i>Opaque plastic finishes:</i> Sturdy polystyrene plastic in matte, textured finish. Fingerprint resistant.</p> <p>Manufactured in the United States.</p>	<p>Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.</p>

# Adjustable Keyboard Supports

## Romeo and Juliet Platform/Mechanism Configurations

product	description	type	w	d	h	wgt.
Romeo and Juliet Platform and Mouse Pad 	<b>Romeo</b> 20" min., 28" max. x 11" x 1". 2"H with palm rest <ul style="list-style-type: none"> <li>Rigid plastic platform with steel stiffener plate for stable keying surface.</li> <li>Flexible soft textured plastic overcoat.</li> <li>Thin profile for extra knee room.</li> </ul> <b>Juliet</b> A teardrop shaped mouse pad that swivels under the keyboard platform for easy storage. Soft plastic overcoat and lip keep mouse from sliding off during adjustments. <b>See Mechanism Attributes below.</b>	Romeo and Juliet with easy lift arm	20.25"-28"	12.5"-17.25"	2.25"	13.8 lbs.
		Romeo and Juliet with easy lift arm with pivot	20.25"-28"	12.5"-17.25"	2.25"	15.3 lbs.
		Romeo and Juliet with short easy lift arm	20.25"-28"	12.5"-17.25"	2.25"	13.2 lbs.
		Romeo and Juliet with short easy lift arm with pivot	20.25"-28"	12.5"-17.25"	2.25"	14.6 lbs.
		Romeo and Juliet with sit/stand arm	20.25"-28"	12.50"-17.25"	2.25"	15.4 lbs.
		Romeo and Juliet with sit/stand arm with pivot	20.25"-28"	12.5"-17.25"	2.25"	17 lbs.
Juliet	Juliet with palm rest. Mounted for right-handed use.		9 1/2"	11"	1 1/8"	1 lb. 4 oz
						

Order Code	Ordering Information	Application Notes	Construction
Example: <b>OA-K-RJ-EL2-BK</b> <b>(16,18,22,23,25)</b> <b>OA-K-RJ-</b> Romeo and Juliet <b>EL2-BK</b> platform mounted on an <b>(16,18, 22, easy lift mechanism</b> <b>23,25)</b>	<i>Specify:</i> 1. Pattern number 2. Track size (if applicable)  <i>Track length:</i> Options are 16, 17.750, 21.625, 22.63 and 25 inches.  Minimum clearance required is the length of the track plus 1/2".  Romeo and Juliet and Act II have two width and depth measurements based on whether the mouse is open or closed. The larger measurement reflects on open mouse.	Keyboard support provides users with a more comfortable working environment by allowing them to adjust the height and pitch of the platform holding their computer keyboard. When not in use, the Adjustable Keyboard Support stores the keyboard under the worksurface to free vital worksurface space.  Worksurface should be mounted in the desk height position.	<i>Romeo and Juliet Platform and Mouse pad:</i> Molded rigid PVC base with flexible soft textured PVC surface. Steel stiffener plate at the base of the platform.  <i>Palm rests:</i> Nylon upholstered palm rest of dual density polyurethane.  <i>Mechanisms:</i> All arms are steel with a powdercoat finish. Tracks are steel with nylon glides.

pattern no.	list price
<b>OAK-RJ-EL2-BK-(16,18,22,23,25)</b>	\$493.
<b>OAK-RJ-EL2-BK-PT-(16,18,22,23,25)</b>	554.
<b>OAK-RJ-SL2-BK-(16,18,22,23,25)</b>	441.
<b>OAK-RJ-SL2-BK-PT-(16,18,22,23,25)</b>	502.
<b>OAK-RJ-SS2-BK-(16,18,22,23,25)</b>	588.
<b>OAK-RJ-SS2-BK-PT-(16,18,22,23,25)</b>	649.
<b>4B2-MP-WR</b>	59.

## Mechanism Attributes

### Easy lift arm:

- Spring assist adjustment
- Knobless height adjustment
- Soft touch knob adjusts tilt from 0° to (-) 15°
- Variable height adjustment of 6.825"(up 2.625",down 4.25")
- Pivots side to side 360°
- Black textured finish with black soft touch knob
- Mounts on virtually any worksurface

### Easy lift arm with pivot:

Same features as the Easy lift arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.

### Sit/Stand arm:

- Spring assist adjustment
- Knobless height adjustment
- Soft touch knob adjusts tilt from 0° to (-) 15°
- Variable height adjustment of 9"(up 5", down 4")
- Pivots side to side 360°
- Black textured finish.
- Mounts on virtually any worksurface

### Sit/Stand arm with pivot:

Same features as the Sit/Stand arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.

### Short easy lift arm:


- Spring assist adjustment
- Knobless height adjustment
- Soft touch knob adjusts tilt from 0° to (-) 15°
- Variable height adjustment of 4 1/4" (up 1/2", down 3 3/4")
- Pivots side to side 360°
- Black textured metal finish

### Short easy lift arm with pivot:

Same features as the Short easy lift arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.

# Adjustable Keyboard Supports

## Prospero Platform/Mechanism Configurations

product	description	type	w	d	h	wgt.
Prospero Platform 	<b>Prospero</b> <ul style="list-style-type: none"> <li>• 26" x 11" x 1"</li> <li>• 2" with palm rest</li> <li>• Rigid plastic platform with steel stiffener plate for stable keying surface.</li> <li>• Flexible soft textured plastic overcoat.</li> <li>• Thin profile for extra knee room.</li> <li>• Included palm rest provides soothing support by displacement.</li> <li>• Sized to accommodate keyboard and mouse on the same plane.</li> <li>• No additional mousing surface required</li> </ul> <b>See Mechanism Attributes below</b>	Prospero with easy lift arm	26.25"	11.50"	2"	14.5 lbs.
		Prospero with easy lift arm with pivot	26.25"	11.50"	2"	16 lbs.
		Prospero with short easy lift arm	26.25"	11.50"	2"	13 lbs.
		Prospero with short easy lift arm with pivot	26.25"	11.50"	2"	14.4 lbs.
		Prospero with sit/stand arm	26.25"	11.50"	2"	16.3 lbs.
		Prospero with sit/stand arm with pivot	26.25"	11.50"	2"	17.9 lbs.

Order Code	Ordering Information	Application Notes	Construction
Example: <b>OA-K-PR-EL2-BK</b> <b>(16,18,22,23,25)</b> <b>OA-K-PR-</b> Prospero platform <b>EL2-BK</b> mounted on an easy <b>(16,18,22,</b> lift mechanism <b>23,25)</b>	<i>Specify:</i> <ol style="list-style-type: none"> <li>1. Pattern number</li> <li>2. Track size (if applicable)</li> </ol> <i>Track length:</i> Options are 16, 17.750, 21.625, 22.63 and 25 inches.  Minimum clearance required is the length of the track plus 1/2".	Keyboard support provides users with a more comfortable working environment by allowing them to adjust the height and pitch of the platform holding their computer keyboard. When not in use, the Adjustable Keyboard Support stores the keyboard under the worksurface to free vital worksurface space.  Worksurface should be mounted in the desk height position.	<i>Prospero:</i> Molded rigid PVC base with flexible soft textured PVC surface. Steel stiffener plate at the base of the platform.  <i>Mechanisms:</i> All arms are steel with a powdercoat finish. Tracks are steel with nylon glides.



pattern no.	list price
<b>OA-K-PR-EL2-BK-(16,18,22,23,25)</b>	\$459.
<b>OA-K-PR-EL2-BK-PT-(16,18,22,23,25)</b>	520.
<b>OA-K-PR-SL2-BK-(16,18,22,23,25)</b>	400.
<b>OA-K-PR-SL2-BK-PT-(16,18,22,23,25)</b>	461.
<b>OA-K-PR-SS2-BK-(16,18,22,23,25)</b>	529.
<b>OA-K-PR-SS2-BK-PT-(16,18,22,23,25)</b>	590.

## Mechanism Attributes

### *Easy lift arm:*

- Spring assist adjustment
- Knobless height adjustment
- Soft touch knob adjusts tilt from 0° to (-) 15°
- Variable height adjustment of 6.825" (up 2.625", down 4.25")
- Pivots side to side 360°
- Black textured finish with black soft touch knob
- Mounts on virtually any worksurface

### *Easy lift arm with pivot:*

Same features as the Easy lift arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.

### *Sit/Stand Arm:*

- Spring assist adjustment
- Knobless height adjustment
- Soft touch knob adjusts tilt from 0° to (-) 15°
- Variable height adjustment of 9" (up 5", down 4")
- Pivots side to side 360°
- Black textured finish.
- Mounts on virtually any worksurface

### *Sit/Stand arm with pivot:*

Same features as the sit/stand arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.

### *Short Easy Lift Arm:*


- Spring assist adjustment
- Knobless height adjustment
- Soft touch knob adjusts tilt from 0° to (-) 15°
- Variable height adjustment of 4 1/4" (up 1/2", down 3 3/4")
- Pivots side to side 360°
- Black textured metal finish

### *Short easy lift arm with pivot:*

Same features as the short easy lift arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.

# Adjustable Keyboard Supports

## Caesar Platform/Mechanism Configurations

product	description	type	w	d	h	wgt.
Caesar Platform	<div></div> <div><b>Caesar</b><ul style="list-style-type: none"><li>• 18" x 9 1/2" x 1/4"</li><li>• Sturdy metal platform attaches Microsoft® keyboard to mechanism.</li><li>• Suitable for both Natural and Elite styles of Microsoft keyboards.</li></ul><b>See Mechanism Attributes below.</b></div>	Caesar with easy lift arm	18"	25"	2 1/2"	
		Caesar with sit/stand arm	18"	25"	4 1/4"	
Caesar Plate to retrofit to existing mechanisms						

Order Code	Ordering Information	Application Notes	Construction
Example: <b>OA-K-EL2-MS</b> <b>(16,18,22,23,25)</b> <hr/> <b>OA-K-EL2-MS</b> Caesar platform mounted on an easy <hr/> <b>(16,18,22,23,25)</b> lift mechanism	<i>Specify:</i> <ol style="list-style-type: none"> <li>Pattern number</li> <li>Mouse size</li> </ol> Track length options are 16, 17.750, 21.625, 22.63 and 25 inches.	Keyboard support provides users with a more comfortable working environment by allowing them to adjust the height and pitch of the platform holding their computer keyboard. When not in use, the Adjustable Keyboard Support stores the keyboard under the worksurface to free vital worksurface space.  Worksurface should be mounted in the desk height position.	<i>Caesar:</i> Black textured powdercoated steel plate  <i>Mechanisms:</i> All arms are steel with a powdercoat finish. Tracks are steel with nylon glides.  Microsoft® is a registered trademark of the Microsoft Corporation.

pattern no.	list price
OA-K-EL2-MS-(16,18,22,23,25)	\$364.
OA-K-SS2-MS-(16,18,22,23,25)	470.
OA-K-MS	82.

Office Automation  
Accessories

Mechanism Attributes


- Easy lift arm:*

  - Spring assist adjustment
  - Knobless height adjustment
  - Soft touch knob adjusts tilt from 0° to (-) 15°
  - Variable height adjustment of 6.825"(up 2.625",down 4.25")
  - Pivots side to side 360°
  - Black textured finish with black soft touch knob
  - Mounts on virtually any worksurface
- Sit/Stand arm:*

  - Spring assist adjustment
  - Knobless height adjustment
  - Soft touch knob adjusts tilt from 0° to (-) 15°
  - Variable height adjustment of 9" (up 5", down 4")
  - Pivots side to side 360°
  - Black textured finish.
  - Mounts on virtually any worksurface

# Adjustable Keyboard Supports

## Act I

product	description	type	w	d	h	mdf	h phn	mdf wgt.	phn wgt.
	Act I keyboard platform	Act I with Easy Lift arm	26.75"	11.5"	1.44"	1.31"		10.2 lbs.	11 lbs.
	Act I keyboard platform	Act I with Easy Lift arm with Pivot	26.75"	11.5"	1.44"	1.31"		11.7 lbs.	12.5 lbs.
	Act I keyboard platform	Act I with Short Easy Lift	26.75"	11.5"	1.44"	1.31"		9.6 lbs.	10.4 lbs.
	Act I keyboard platform	Act I with Short Easy Lift and Pivot	26.75"	11.5"	1.44"	1.31"		11 lbs.	11.8 lbs.
	Act I keyboard platform	Act I with Sit/Stand arm	26.75"	11.5"	1.44"	1.31"		11.8 lbs.	12.6 lbs.
	Act I keyboard platform	Act I with Sit/Stand arm with Pivot	26.75"	11.5"	1.44"	1.31"		13.4 lbs.	14.2 lbs.

Order Code	Ordering Information	Application Notes	Construction
Example: <b>OA-K-A1-W-EL2-BK-18</b>			
<b>OA-K</b> Office automation keyboard	When you specify, you will be prompted to indicate either MDF (W) or phenolic (P).	Keyboard support provides users with a more comfortable working environment by allowing them to adjust the height and pitch of the platform holding their computer keyboard. When not in use, the Adjustable Keyboard Support stores the keyboard under the worksurface to free vital worksurface space.  Worksurface should be mounted in the desk height position.	Board is either MDF or phenolic.
<b>A1</b> Act I	Track length options are 16, 17.750, 21.625, 22.63 and 25 inches.		Wristrest is foam-filled vinyl on MDF board.
<b>W</b> Wood	Standard color is black.		Mousepad is lycra covered polyurethane.
<b>EL2</b> Easy-lift mechanism	Minimum clearance required is the length of the track plus 1/2".		Mechanism: All arms are steel with a powder-coated finish. Tracks are steel with nylon glides.
<b>BK</b> Black			
<b>18</b> Track length of 18 inches			

pattern no.	list
OAK-A1-W/P-EL2-BK-(16,18,22,23,25)	\$370.
OAK-A1-W/P-EL2-BK-PT-(16,18,22,23,25)	432.
OAK-A1-W/P-SL2-BK-(16,18,22,23,25)	346.
OAK-A1-W/P-SL2-BK-PT-(16,18,22,23,25)	408.
OAK-A1-W/P-SS2-BK-(16,18,22,23,25)	464.
OAK-A1-W/P-SS2-BK-PT-(16,18,22,23,25)	526.


Office Automation  
Accessories

Mechanism Attributes

<p><i>Easy Lift Arm:</i></p> <ul style="list-style-type: none"><li>• Spring assist adjustment</li><li>• Knobless height adjustment</li><li>• Soft touch knob adjusts tilt from 0° to (-) 15°</li><li>• Variable height adjustment of 6.825"(up 2.625",down 4.25")</li><li>• Pivots side to side 360°</li><li>• Black textured finish with Black Soft touch knob.</li><li>• Mounts on virtually any worksurface</li></ul> <p><i>Easy lift arm with pivot:</i> Same features as the easy lift arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.</p>	<p><i>Sit/Stand Arm:</i></p> <ul style="list-style-type: none"><li>• Spring assist adjustment</li><li>• Knobless height adjustment</li><li>• Sort touch knob adjusts tilt from 0° to (-) 15°</li><li>• Variable height adjustment of 9"(up 5", down 4")</li><li>• Pivots side to side 360°</li><li>• Black textured finish.</li><li>• Mounts on virtually any worksurface</li></ul> <p><i>Sit/Stand arm with pivot:</i> Same features as the sit/stand arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.</p>	<p><i>Short Easy Lift Arm:</i></p> <ul style="list-style-type: none"><li>• Spring assist adjustment</li><li>• Knobless height adjustment</li><li>• Soft touch knob adjusts tilt from 0° to (-)15°</li><li>• Variable height adjustment of 4 1/4" (up 1/2", down 3 3/4")</li><li>• Pivots side to side 360°</li><li>• Black textured metal finish</li></ul> <p><i>Short easy lift arm with pivot:</i> Same features as the short easy lift arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.</p>
---	--	---

# Adjustable Keyboard Supports

## Act II

product	description	type	w	d	h	wgt.
	Act II keyboard platform	Act II with Easy Lift arm	19"-27.25"	11.50"-14.75"	1.69"	10.2 lbs.
	Act II keyboard platform	Act II with Easy Lift arm with Pivot	19"-27.25"	11.50"-14.75"	1.69"	11.7 lbs.
	Act II keyboard platform	Act II with Easy Lift arm with two mouse pads	19"-35.5"	11.50"-14.75"	1.69"	10.8 lbs.
	Act II keyboard platform	Act II with Easy Lift arm with two mouse pads with Pivot	19"-35.5"	11.50"-14.75"	1.69"	12.3 lbs.
	Act II keyboard platform	Act II with Short Easy Lift arm	19"-27.25"	11.50"-14.75"	1.69"	9.6 lbs.
	Act II keyboard platform	Act II with Short Easy Lift arm with Pivot	19"-27.25"	11.50"-14.75"	1.69"	11 lbs.
	Act II keyboard platform	Act II with Short Easy Lift arm with two mouse pads	19"-35.5"	11.50"-14.75"	1.69"	10.2 lbs.
	Act II keyboard platform	Act II with Short Easy Lift arm with two mouse pads with Pivot	19"-35.5"	11.50"-14.75"	1.69"	11.6 lbs.
	Act II keyboard platform	Act II with Sit/Stand arm	19"-27.25"	11.50"-14.75"	1.69"	11.8 lbs.
	Act II keyboard platform	Act II with Sit/Stand arm with Pivot	19"-27.25"	11.50"-14.75"	1.69"	13.4 lbs.
	Act II keyboard platform	Act II with Sit/Stand arm with two mouse pads	19"-35.5"	11.50"-14.75"	1.69"	12.4 lbs.
	Act II keyboard platform	Act II with Sit/Stand arm with two mouse pads with Pivot	19"-35.5"	11.50"-14.75"	1.69"	14 lbs.

Order Code	Ordering Information	Application Notes	Construction
Example: <b>OAK-A2-P-1-EL2-BK-(16,18,22,23,25)</b>	Track length options are 16, 17.750, 21.625, 22.63 and 25 inches.	Keyboard support provides users with a more comfortable working environment by allowing them to adjust the height and pitch of the platform holding their computer keyboard. When not in use, the Adjustable Keyboard Support stores the keyboard under the worksurface to free vital worksurface space.	Board is phenolic.
<b>OAK</b> Office automation keyboard	Standard color is black.		Wristrest is foam-filled vinyl on MDF board.
<b>A2</b> Act II	Minimum clearance required is the length of the track plus 1/2".	Worksurface should be mounted in the desk height position.	Mousepad is lycra covered polyurethane.
<b>P</b> phenolic (standard)			Mechanism: All arms are steel with a powder-coated finish. Tracks are steel with nylon glides.
<b>1</b> Mouse pad comes standard on right side			
<b>EL2</b> Easy-lift mechanism			
<b>BK</b> Black			
<b>18</b> Track length of 18 inches			

pattern no.	list
OAK-A2-P-1-EL2-BK-(16,18,22,23,25)	\$400.
OAK-A2-P-1-EL2-BK-PT-(16,18,22,23,25)	461.
OAK-A2-P-2-EL2-BK-(16,18,22,23,25)	442.
OAK-A2-P-2-EL2-BK-PT-(16,18,22,23,25)	494.
OAK-A2-P-1-SL2-BK-(16,18,22,23,25)	376.
OAK-A2-P-1-SL2-BK-PT-(16,18,22,23,25)	437.
OAK-A2-P-2-SL2-BK-(16,18,22,23,25)	436.
OAK-A2-P-2-SL2-BK-PT-(16,18,22,23,25)	488.
OAK-A2-P-1-SS2-BK-(16,18,22,23,25)	493.
OAK-A2-P-1-SS2-BK-PT-(16,18,22,23,25)	554.
OAK-A2-P-2-SS2-BK-(16,18,22,23,25)	539.
OAK-A2-P-2-SS2-BK-PT-(16,18,22,23,25)	592.

## Mechanism Attributes

### Easy Lift Arm:

- Spring assist adjustment
- Knobless height adjustment
- Soft touch knob adjusts tilt from 0° to (-) 15°
- Variable height adjustment of 6.825"(up 2.625", down 4.25")
- Pivots side to side 360°
- Black textured finish with Black soft touch knob
- Mounts on virtually any worksurface

### Easy lift arm with pivot:

Same features as the easy lift arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.

### Sit/Stand Arm:

- Spring assist adjustment
- Knobless height adjustment
- Soft touch knob adjusts tilt from 0° to (-) 15°
- Variable height adjustment of 9"(up 5", down 4")
- Pivots side to side 360°
- Black textured finish.
- Mounts on virtually any worksurface

### Sit/Stand arm with pivot:

Same features as the Sit/Stand arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.

### Short Easy Lift Arm:




- Spring assist adjustment
- Knobless height adjustment
- Soft touch knob adjusts tilt from 0° to (-) 15°
- Variable height adjustment of 4 1/4" (up 1/2, down 3 3/4)
- Pivots side to side 360°
- Black textured metal finish

### Short easy lift arm with pivot:

Same features as the Short easy lift arm plus the keyboard platform moves independently from arm, allowing it to parallel the worksurface as the arm is moved laterally.

# Adjustable Keyboard Supports

## Mousing Solutions

product	description	type	w	d	h	wgt.
Juliet Mouse Pad 	<ul style="list-style-type: none"> <li>• Teardrop shaped mousing surface swivels under the keyboard platform.</li> <li>• Attaches to the underside of the platform.</li> <li>• Soft plastic overcoat keeps the mouse from sliding during adjustments.</li> </ul>		11"	10"	1 1/2"	1 lb. 3 oz.
		for use with Caesar platform	11"	10"	1 1/2"	1 lb. 3 oz.
Juliet Palm Rest 	<ul style="list-style-type: none"> <li>• Palm rest to retrofit to existing mouse pad.</li> <li>• Palm rest provides soothing support.</li> </ul>		6"	2 1/4"	1/2"	1 oz.
Over ten-key mouse pad 	<ul style="list-style-type: none"> <li>• Mouse flips over ten-keypad.</li> <li>• Tension fit allows users to adjust tilt</li> <li>• Generous size pad for easy mousing</li> <li>• For use with Romeo platform only (platforms manufactured from 2002 on)</li> </ul>	for use with Romeo only				




Order Code	Application Notes	Construction
Example: <b>4B2-MP</b> <b>4B2-MP</b> Juliet mouse pad		
<b>Ordering Information</b> <i>Specify:</i> 1. Pattern number Not all mousing solutions are appropriate with all platforms.		<i>Worksurface mounted surf mousepad:</i> Black painted steel mechanism mounted with hard surface backed surf mouse pad.  <i>Juliet mouse pad:</i> 30% Glass filled molded black rigid PVC base with black flexible soft textured PVC surface for improved mouse tracking.
		<i>Juliet palm rest:</i> Nylon upholstered palm rest is dual density polyurethane. The gel beneath the fabric, nominally .65", is formulated to provide soothing support.



pattern no.	list price
4B2-MP	\$38.
4B2-MP-MS	48.
4B2-WR	22.
OAK-OTK-MP	41.

# Freestanding Surf® Ergonomic Accessories

by Ross Lovegrove & Stephen Peart

product	description	type	w	d	h	wgt.
<b>Wrist Rest</b> 	<ul style="list-style-type: none"> <li>• Soft, biomorphic form reduces strain on wrist.</li> <li>• Long, radial shape with single straight edge ensures a tightfit with standard size keyboards.</li> <li>• Gel pad for greater use comfort.</li> </ul>		19"	4 1/8"	1"	7 ozs.
<b>Mouse Pad</b> 	<ul style="list-style-type: none"> <li>• Waterfall edges maximize mouse surface.</li> <li>• Non-handed shape allows for a snug fit on either side of keyboard.</li> </ul>		19"	9 3/8"	1"	3 lbs. 6 ozs.
<b>Lumbar Support</b> 	<ul style="list-style-type: none"> <li>• Self-adjusts over any seat back.</li> <li>• Heat and pressure reactive foam responds to individual user.</li> <li>• Support returns to original form within 10 seconds after use.</li> <li>• Neoprene nylon outer skin allows body to breathe comfortably.</li> </ul>		12 1/2"	30 3/4"	2 3/8"	1 lbs. 10 ozs.

Order Code	Ordering Information	Ergonomic Value
<b>Example: SF-WR-FS-BK-G</b> <b>SF-WR-FS</b> Wrist rest <b>BK</b> Black	<p><i>Specify:</i></p> <ol style="list-style-type: none"> <li>1. Pattern number</li> <li>2. Finish</li> </ol> <p><i>Neoprene nylon finishes:</i> Black (BK)</p> <p><i>Surf Board painted finishes:</i> Soft Grey (E) Medium Metallic Grey (J) Soft Touch Light Grey (GS) Soft Touch Black (BS)</p>	<p>The Surf Collection wrist rest, mouse pad, and lumbar support play a critical role in workplace ergonomics. Proper use of these pieces helps users maintain the body neutral position, reducing harmful strain on muscles and joints.</p> <p>The collection's design advantage is in its simplicity. These accessories are extraordinarily versatile and flexible, responding to the individual needs of the specific user, unlike over-engineered mechanical pieces.</p> <p>Each piece in the Surf Collection is a "footprint form," derived from natural ergonomic movements. No sharp edges or angles are used. As a result, the accessories can be approached by the user from any direction. The Surf soft, biomorphic shapes echo the curves and contours of the human body.</p> <p><i>Lumbar support note:</i> Back problems are the second leading cause of lost work time after the common cold. Most back rests utilize rigid, unyielding materials, ignoring the diversity of human form and movement.</p>

pattern no.	list price
<b>SF-WR-FS-(BK)-G</b>	\$86.


<b>SF-MP-FS-(BK)-G</b>	80.
------------------------	-----

<b>SF-LS</b>	236.
--------------	------

General Notes	Construction	Design Awards
<p>The Surf Lumbar Support rests loosely over the chair like a saddle bag, held in place by a counter balance weight. The piece is easily adjusted up or down, to the preference of the user.</p> <p>The supports high performance patented foam molds itself to both the user and the chair back. As the user moves throughout the workday, the foam responds in kind, continuously resculpting itself around the user's body. When body pressure is removed, the lumbar support returns to its original form within 10 seconds, ready for the next user.</p>	<p><i>Surf Board:</i> Rigid steel plate with 1" thick rolled front detail. Black rubber bumpers and non-scuffing felt back.</p> <p><i>Wrist rest and mouse pad:</i> Nylon upholstered dual-density polyurethane. Gel beneath fabric, nominally .65", is formulated to provide soothing support by displacement.</p>	<p><i>Lumbar support:</i> High memory, heat-reactive patented polyurethane foam developed for high performance use in military fighter pilot seats. Covered with wear-resistant, closed cell Neoprene and a bright colored, breathable nylon outer skin. Die-cast zinc counter-balance weight.</p> <p>All items manufactured in the United States.</p> <p>First place, Interior Design Product Award, ASID, 1994. High Design Quality Red Dot Award, Design Zentrum, Germany, 1994.</p> <p><i>Lumbar support:</i> Honorable Mention, Furniture, <i>ID Magazine</i> Annual Design Review, 1994.</p> <p><i>Surf Board:</i> Best of Category Award, Consumer Products, <i>ID Magazine</i> Annual Design Review, 1994.</p>

# Freestanding Surf® Ergonomic Accessories

by Ross Lovegrove & Stephen Peart

product	description	type	w	d	h	wgt.
Surf Board VDT Corner 	<ul style="list-style-type: none"> <li>Fits any worksurface thickness or edge profile.</li> <li>Creates generous 24" wide VDT corner, 14" from worksurface corner.</li> <li>Can be adjusted to any angle, or removed when not needed.</li> <li>Integral non-handed mouse pad.</li> <li>Felt back and rubber bumpers protect worksurface.</li> </ul>	Metallic finish	41 1/2"	16 1/2"	1"	14 lbs.
		Soft touch finish	41 1/2"	16 1/2"	1"	14 lbs.

Order Code	Ordering Information	Ergonomic Value	
Example: <b>SF-WR-FS-BK-G</b>	<i>Specify:</i>	<p>The Surf Collection wrist rest, mouse pad, and lumbar support play a critical role in workplace ergonomics. Proper use of these pieces helps users maintain the body neutral position, reducing harmful strain on muscles and joints.</p> <p>The collection's design advantage is in its simplicity. These accessories are extraordinarily versatile and flexible, responding to the individual needs of the specific user, unlike over-engineered mechanical pieces.</p>	<p>Each piece in the Surf Collection is a "footprint form," derived from natural ergonomic movements. No sharp edges or angles are used. As a result, the accessories can be approached by the user from any direction. The Surf soft, biomorphic shapes echo the curves and contours of the human body.</p> <p><i>Lumbar support note:</i> Back problems are the second leading cause of lost work time after the common cold. Most back rests utilize rigid, unyielding materials, ignoring the diversity of human form and movement.</p>
<b>SF-WR-FS</b> Wrist rest	1. Pattern number		
<b>BK</b> Black	2. Finish		
	<i>Neoprene nylon finishes:</i> Black (BK)		
	<i>Surf Board painted finishes:</i> Soft Grey (E) Medium Metallic Grey (J) Soft Touch Light Grey (GS) Soft Touch Black (BS)		

pattern no.	list price
<b>SF-SB-(E, J)</b>	\$257.
<b>SF-SB-(GS, BS)</b>	323.

**General Notes**

The Surf Lumbar Support rests loosely over the chair like a saddle bag, held in place by a counter balance weight. The piece is easily adjusted up or down, to the preference of the user.

The supports high performance patented foam molds itself to both the user and the chair back. As the user moves throughout the workday, the foam responds in kind, continuously resculpting itself around the user's body. When body pressure is removed, the lumbar support returns to its original form within 10 seconds, ready for the next user.

**Construction**

*Surf Board:*  
Rigid steel plate with 1" thick rolled front detail. Black rubber bumpers and non-scuffing felt back.

*Wrist rest and mouse pad:*  
Nylon upholstered dual-density polyurethane. Gel beneath fabric, nominally .65", is formulated to provide soothing support by displacement.

*Lumbar support:*  
High memory, heat-reactive patented polyurethane foam developed for high performance use in military fighter pilot seats. Covered with wear-resistant, closed cell Neoprene and a bright colored, breathable nylon outer skin. Die-cast zinc counter-balance weight.

All items manufactured in the United States.



**Design Awards**

First place, Interior Design Product Award, ASID, 1994. High Design Quality Red Dot Award, Design Zentrum, Germany, 1994.

*Lumbar support:*  
Honorable Mention, Furniture, *ID Magazine* Annual Design Review, 1994.

*Surf Board:*  
Best of Category Award, Consumer Products, *ID Magazine* Annual Design Review, 1994.

## Freestanding Ergonomic Accessories

product	description	type	w	d	h	wgt.
<b>VDT Sleeve</b> 	<ul style="list-style-type: none"> <li>• Racetrack-shaped sleeve slides over worksurface to create VDT corner.</li> <li>• Creates 17 3/8" wide VDT corner, 9" from worksurface corner.</li> <li>• Can be adjusted to any angle, or removed when not needed.</li> <li>• Heavy-gauge steel with felt backing to prevent scuffing.</li> <li>• 1 1/4", 1 3/4" and 2 1/2" worksurface thicknesses.</li> <li>• 1/4" screw holes on underside for optional attachment to worksurface.</li> <li>• Available in two metallic and two soft-touch finishes.</li> </ul>	Metallic finish	26 3/4"	9 1/8"	1 1/4"-2 1/2"	3 lbs.
		Soft touch finish	26 3/4"	9 1/8"	1 1/4"-2 1/2"	3 lbs.
<b>Adjustable Foot Rest</b> 	<ul style="list-style-type: none"> <li>• Self-adjusts +30°/-30°.</li> <li>• Durable, ribbed rubber platform.</li> </ul>		17 1/8"	12"	3 7/8"	7 lbs. 14 ozs.

Order Code	Ordering Information	Custom Options
Example: <b>OA-SLV-A-E</b>	<i>Specify:</i>	Custom colors available upon sample chip approval. Contact your KnollExtra representative or Customer Service for complete pricing information.
<b>OA-SLV</b> VDT sleeve	1. Pattern number	
<b>A</b> 1 1/4" sleeve	2. Thickness (VDT sleeve only)	
<b>E</b> Soft grey finish	3. Finish	
	<i>VDT sleeve worksurface thicknesses:</i> 1 1/4" (A): Equity, Morrison, Reff 1 3/4" (B): Morrison, Reff 2 1/2" (C): Reff  <i>VDT sleeve finishes:</i> Soft Grey (E) Medium Metallic Grey (J) Soft Touch Light Grey (GS) Soft Touch Black (BS)	

pattern no.	list price
OA-SLV(A,B,C)-(E, J)	\$182.
OA-SLV(A,B,C)-(GS, BS)	236.


OA-FR-BK	197.
----------	------

Office Automation  
Accessories

Construction

*VDT sleeve:*  
Heavy-gauge steel in painted finish.  
Felt backing protects worksurface.  
Manufactured in the United States.




*Adjustable foot rest:*  
Black rubber platform. Polished  
chrome frame.  
Manufactured in Sweden.



# Colebrook Bosson Saunders for KnollExtra

## Wishbone Flat Panel Monitor Support System

### standard arm

product	description	type	w	d	h	wgt.
 <p>Wishbone Kit</p>	<ul style="list-style-type: none"> <li>Easy order kit. Wishbone kit includes everything needed to mount one flat panel monitor arm to a worksurface: Standard arm, 400 mm post, O-ring, Cable management clip, Table clamp.</li> </ul>	Wishbone kit with fast release				
 <p>Standard Arm Post Mount</p>	<ul style="list-style-type: none"> <li>Adjusts at four joints.</li> <li>Allows user to rotate arm 360° at pole connection.</li> <li>Allows user to tilt monitor face up and down 180° and pivot monitor left and right.</li> <li>Center hinge provides depth/location flexibility.</li> <li>Generous arm reach - approximately 17 inches depending on mounting option.</li> </ul>	Standard wishbone arm, post mount with fast release				
 <p>Standard Arm Slatwall Mount *</p>	<ul style="list-style-type: none"> <li>Adjusts at four joints.</li> <li>Allows user to rotate arm 180° at slatwall.</li> <li>Allows user to tilt monitor face up and down 180° and pivot monitor left and right.</li> <li>Center hinge provides depth/location flexibility.</li> <li>Generous arm reach - approximately 17 inches depending on mounting option.</li> </ul>	Standard wishbone arm, Knoll Slatboard / Slatwall Mount with fast release				



- The Wishbone system allows for a great flexibility in the mounting and adjustment of flat panel monitors. The system is particularly proficient at mounting multiple monitors easily to tables and system furniture.
- All arm options...
  - Will mount to VESA compliant flat panel monitors
  - Will hold monitors of weights up to 22 lbs.
  - Are lightweight and durable.
  - Ships standard with fast release option (see notes below for fast release attributes).
  - Allow monitor to lie relatively flat against tool bar, Currents slatwall, or panel.

Order Code	Ordering Information	Mounting Information
Example: <b>WSH-01-PT-SR-K-BK</b> <b>WSH-01-</b> Wishbone standard kit <b>PT-SR-K</b> <b>BK</b> Black	<p><i>Specify:</i></p> <ol style="list-style-type: none"> <li>Pattern number</li> <li>Finish where required</li> <li>Mounting pattern number(s) where required.</li> </ol> <p>Kits and Currents slatwall mount arms do not require any additional mounting specification.</p> <p>Additional mounting pieces must be specified for post-mount arms and toolbar-mount arms.</p> <p><i>Finish option (when applicable):</i> Silver (SV)</p>	<p><i>Screen Mounting:</i></p> <p>All wishbone arms are compatible with the international VESA standard adopted by most panel manufacturers.</p> <p>Knoll and its dealers will not take the responsibility for mounting the monitor to the arm. The end user's IT department must confirm VESA mounting compliance and mount the monitor to the arm using customer's own screws.</p>



pattern no.	list price
WSH-SA-K-SV	\$527.
WSH-SA-SV	357.
WSH-SA-MP-SV	480.



Office Automation  
Accessories

	Construction	Design Awards
<p><i>Cable Management:</i> Simple cable management for easy installation.</p>   <p>Cable Management      Adjustment</p>	<p><i>Wishbone:</i> Products are manufactured in diecast and extruded aluminum and glass reinforced acetal plastic.</p> <p>O-ring is made of an elasticated polymer.</p> <p>Wishbone product line is patented in the United States.</p>	<p><i>Fast Release:</i> Allows for swift installation and removal of flat panel monitors.</p> <p>Allows user to rotate monitor face from a landscape to portrait orientation.</p> <p><i>Workplace 1999-</i> Best New Workplace Product <i>Spectrum 2000-</i> Award for Design Excellence <i>Neocon 2000-</i> Gold award in Recognition of Product Excellence. <i>Innovations Award-</i> Citation of Excellence Sponsors By Building <i>Malaysian Furniture Fair-</i> Design of the Year.</p>
<p><i>Adjustment:</i> The Wishbone system offers a wide range of adjustment. Height adjustment is easily accomplished by lifting the arm and sliding the o-ring up and down post to the required height.</p>		

# Colebrook Bosson Saunders for KnollExtra

## Wishbone Flat Panel Monitor Support System

### standard arm

product	description	type	w	d	h	wgt.
Standard Arm Tool Bar Mount 	<ul style="list-style-type: none"> <li>• Adjusts at four joints.</li> <li>• Allows user to rotate arm 180° at tool bar connection.</li> <li>• Allows user to tilt monitor face up and down 180° and pivot monitor left and right.</li> <li>• Center hinge provides depth/location flexibility.</li> <li>• Generous arm reach - approximately 17 inches depending on mounting option.</li> </ul>	Standard wishbone arm, tool bar mount with fast release				
Back to Back Arm 	<ul style="list-style-type: none"> <li>• Mounts two flat panel monitors to one pole.</li> <li>• Made up of two arms that each adjust at four joints.</li> <li>• Allows user to rotate both arms 270° at pole connection.</li> <li>• Allows user to tilt monitor faces up and down 180° and pivot monitor left and right.</li> <li>• Enables user to position monitors side by side or back to back.</li> <li>• Available in post mount version only (see notes below for ordering information)</li> </ul>	Back to back arm, post mount with fast release (includes 2 no fast release arms and a back to back bracket)				



- The Wishbone system allows for a great flexibility in the mounting and adjustment of flat panel monitors. The system is particularly proficient at mounting multiple monitors easily to tables and system furniture.
- All arm options...
  - Will mount to VESA compliant flat panel monitors
  - Will hold monitors of weights up to 22 lbs.
  - Are lightweight and durable.
  - Ships standard with fast release option (see notes below for fast release attributes).
  - Allow monitor to lie relatively flat against tool bar, Currents slatwall, or panel.

Order Code	Ordering Information	Mounting Information
Example: <b>WSH-01-PT-SR-K-BK</b> <b>WSH-01-</b> Wishbone standard kit <b>PT-SR-K</b> <b>BK</b> Black	<i>Specify:</i> <ol style="list-style-type: none"> <li>1. Pattern number</li> <li>2. Finish where required</li> <li>3. Mounting pattern number(s) where required.</li> </ol> <p>Kits and Currents slatwall mount arms do not require any additional mounting specification.</p> <p>Additional mounting pieces must be specified for post-mount arms and toolbar-mount arms.</p> <p><i>Finish option (when applicable):</i> Silver (SV)</p>	<p><i>Screen Mounting:</i> All wishbone arms are compatible with the international VESA standard adopted by most panel manufacturers.</p> <p>Knoll and its dealers will not take the responsibility for mounting the monitor to the arm. The end user's IT department must confirm VESA mounting compliance and mount the monitor to the arm using customer's own screws.</p>

pattern no.	list price
WSH-SA-TB	\$504.

WSH-SA-B2B-PT-SV	851.
------------------	------




Office Automation  
Accessories

	Construction	Design Awards
<p><i>Cable Management:</i> Simple cable management for easy installation.</p>   <p>Cable Management      Adjustment</p> <p><i>Adjustment:</i> The Wishbone system offers a wide range of adjustment. Height adjustment is easily accomplished by lifting the arm and sliding the o-ring up and down post to the required height.</p>	<p><i>Wishbone:</i> Products are manufactured in diecast and extruded aluminum and glass reinforced acetal plastic.</p> <p>O-ring is made of an elasticated polymer.</p> <p>Wishbone product line is patented in the United States.</p>	<p><i>Fast Release:</i> Allows for swift installation and removal of flat panel monitors.</p> <p>Allows user to rotate monitor face from a landscape to portrait orientation.</p> <p><i>Workplace 1999-</i> Best New Workplace Product <i>Spectrum 2000-</i>Award for Design Excellence <i>Neocon 2000-</i>Gold award in Recognition of Product Excellence. <i>Innovations Award-</i>Citation of Excellence Sponsors By Building <i>Malaysian Furniture Fair-</i>Design of the Year.</p>

# Colebrook Bosson Saunders for KnollExtra



## Wishbone Flat Panel Monitor Support System

### forearm




product	description	type	w	d	h	wgt.
Forearm Post Mount	 <ul style="list-style-type: none"> <li>Moderate reach arm – Approximately 10 1/2" depending on mounting option.</li> <li>Adjusts at three joints.</li> <li>Allows user to tilt monitor face up and down 180° and pivot monitor left and right.</li> <li>Allows user to rotate arm 360° at pole connection.</li> </ul>	Forearm, post mount with fast release feature				
		Forearm, post mount with no fast release				
Forearm Slatwall Mount *	 <ul style="list-style-type: none"> <li>Moderate reach arm – Approximately 10 1/2" depending on mounting option.</li> <li>Adjusts at three joints.</li> <li>Allows user to tilt monitor face up and down 180° and pivot monitor left and right.</li> <li>Allows user to rotate arm 180° at slatwall.</li> </ul>	Forearm, Knoll Slatboard / Slatwall Mount with fast release feature				
		Forearm, Knoll Slatboard / Slatwall Mount with no fast release				
Forearm Tool Bar Mount	 <ul style="list-style-type: none"> <li>Moderate reach arm – Approximately 10 1/2" depending on mounting option.</li> <li>Adjusts at three joints.</li> <li>Allows user to tilt monitor face up and down 180° and pivot monitor left and right.</li> <li>Allows user to rotate arm 180° at tool bar connection.</li> </ul>	Forearm, tool bar mount with fast release feature				
		Forearm, tool bar mount with no fast release				

Order Code	Ordering Information	Mounting Information	* Slatwall Mount Note
Example: <b>WSH-02-PT-SR-BK</b>	<i>Specify:</i>	<i>Screen Mounting:</i>	
<b>WSH-02-</b> Wishbone forearm	1. Pattern number	All wishbone arms are compatible with the international VESA standard adopted by most panel manufacturers.	• Works with all Knoll Slatboard and Slatwall profiles.
<b>PT-SR</b>	2. Finish where required		• Load ratings vary across products and mounting approaches. Check Exchange for Wishbone Test Matrix.
<b>BK</b> Black	3. Mounting pattern number(s) where required.		• Note: Orchestra Slatboard must be mounted to an architectural wall if Wishbone is to be mounted onto it.
	Kits and Currents slatwall mount arms do not require any additional mounting specification.	Knoll and its dealers will not take the responsibility for mounting the monitor to the arm. The end user's IT department must confirm VESA mounting compliance and mount the monitor to the arm using customer's own screws.	
	Additional mounting pieces must be specified for post-mount arms and toolbar-mount arms.		

pattern no.	list price
<b>WSH-02-PT-FR</b>	\$363.
<b>WSH-02-PT-SR</b>	265.
<b>WSH-02-MP-FR</b>	486.
<b>WSH-02-MP-SR</b>	386.
<b>WSH-02-TB-FR</b>	510.
<b>WSH-02-TB-SR</b>	410.

	Construction	Desing Awards
<p><b>Cable Management:</b> Simple cable management for easy installation.</p>  <p>Cable Management</p>  <p>Adjustment</p> <p><b>Adjustment:</b> The Wishbone system offers a wide range of adjustment. Height adjustment is easily accomplished by lifting the arm and sliding the o-ring up and down post to the required height.</p>	<p><b>Wishbone:</b> Products are manufactured in diecast and extruded aluminum and glass reinforced acetal plastic.</p> <p>O-ring is made of an elasticated polymer.</p> <p>Wishbone product line is patented in the United States.</p>	<p><b>Fast Release:</b> Allows for swift installation and removal of flat panel monitors.</p> <p>Allows user to rotate monitor face from a landscape to portrait orientation.</p> <p><b>Desing Awards</b></p> <p><i>Workplace 1999</i>- Best New Workplace Product  <i>Spectrum 2000</i>-Award for Design Excellence  <i>Neocon 2000</i>-Gold award in Recognition of Product Excellence.  <i>Innovations Award</i>-Citation of Excellence Sponsors By Building  <i>Malaysian Furniture Fair</i>-Design of the Year.</p>

Colebrook Bosson Saunders for KnollExtra  
*Wishbone Flat Panel Monitor Support System*  
*c-arm*


product	description	type	w	d	h	wgt.
	<ul style="list-style-type: none"> <li>• Cost-effective arm alternative for use when less adjustment is required.</li> <li>• Adjusts at two joints.</li> <li>• Allows user to tilt monitor face up and down, up to 180° depending on mounting, and pivot monitor left and right.</li> </ul>	C-arm, post mount with fast release feature				
		C-arm, post mount with no fast release				
	<ul style="list-style-type: none"> <li>• Cost-effective arm alternative for use when less adjustment is required.</li> <li>• Adjusts at two joints.</li> <li>• Allows user to tilt monitor face up and down, up to 180° depending on mounting, and pivot monitor left and right.</li> </ul>	C-arm, Knoll Slatboard / Slatwall Mount with fast release				
		C-arm, Knoll Slatboard / Slatwall Mount with no fast release				
	<ul style="list-style-type: none"> <li>• Cost-effective arm alternative for use when less adjustment is required.</li> <li>• Adjusts at two joints.</li> <li>• Allows user to tilt monitor face up and down, up to 180° depending on mounting, and pivot monitor left and right.</li> </ul>	C-arm, tool bar mount with fast release feature				
		C-arm, tool bar mount with no fast release				

Order Code	Ordering Information	Mounting Information	* Slatwall Mount Note
Example: <b>WSH-03-PT-FR</b>	<i>Specify:</i>	<i>Screen Mounting:</i>	<ul style="list-style-type: none"> <li>• Works with all Knoll Slatboard and Slatwall profiles.</li> <li>• Load ratings vary across products and mounting approaches. Check Exchange for Wishbone Test Matrix.</li> <li>• Note: Orchestra Slatboard must be mounted to an architectural wall if Wishbone is to be mounted onto it.</li> </ul>
<b>WSH-03-PT-FR</b> C-Arm Post Mount with fast release	<ol style="list-style-type: none"> <li>1. Pattern number</li> <li>2. Finish where required</li> <li>3. Mounting pattern number(s) where required.</li> </ol>	All wishbone arms are compatible with the international VESA standard adopted by most panel manufacturers.	
	Kits and Currents slatwall mount arms do not require any additional mounting specification.	Knoll and its dealers will not take the responsibility for mounting the monitor to the arm. The end user's IT department must confirm VESA mounting compliance and mount the monitor to the arm using customer's own screws.	

pattern no.	list price
WSH-03-PT-FR	\$334.
WSH-03-PT-SR	234.
WSH-03-SW-FR	458.
WSH-03-SW-SR	328.
WSH-03-TB-FR	334.
WSH-03-TB-SR	234.

Office Automation  
Accessories

*Cable Management:*  
Simple cable management for easy installation.



Cable Management

Adjustment

*Adjustment:*  
The Wishbone system offers a wide range of adjustment. Height adjustment is easily accomplished by lifting the arm and sliding the o-ring up and down post to the required height.

Construction

*Wishbone:*  
Products are manufactured in diecast and extruded aluminum and glass reinforced acetal plastic.  
  
O-ring is made of an elasticated polymer.




Wishbone product line is patented in the United States.

*Fast Release:*  
Allows for swift installation and removal of flat panel monitors.  
  
Allows user to rotate monitor face from a landscape to portrait orientation.

# Colebrook Bosson Saunders for KnollExtra

## Wishbone Flat Panel Monitor Support System

### posts and tool bar

product	description	type	dia.	l	h
 300 mm shown	<ul style="list-style-type: none"> <li>Post with grooves in conjunction with o-ring allows for height adjustment of arms and tool bars.</li> <li>O-ring is moved up and down pole to lock in height adjustment</li> <li>Cable management clip provides simple cable management for easy installation.</li> </ul>	200 mm post	1/2"	7 7/8"	
		300 mm post	1/2"	11 7/8"	
		400 mm post	1/2"	15 7/8"	
 200 mm shown	<ul style="list-style-type: none"> <li>Screws into post.</li> <li>Allows for additional height adjustment.</li> </ul>	200 mm	1/2"	7 15/16"	
		300 mm	1/2"	11 7/8"	
		400 mm	1/2"	15 7/8"	
	<ul style="list-style-type: none"> <li>Sturdy construction tool bars can support the weight of multiple arms and monitors.</li> <li>Note that posts connect to tool bars only at the end of the bars. Review of table/desk support locations is necessary to assure that the post clamps will mount at the required location.</li> </ul>	Tool bar – 36"			
		Tool bar – 48"			
		Tool bar – 60"			


Order Code	Ordering Information	Mounting Information
Example: <b>WSH-XP-300-SV</b>	<i>Specify:</i>	<i>Screen Mounting:</i>
<b>WSH-XP-</b> Wishbone extension 300	1. Pattern number	All wishbone arms are compatible with the international VESA
<b>300</b> mm.	2. Finish where required	standard adopted by most panel
<b>SV</b> Silver	3. Mounting pattern number(s) where required.	manufacturers.
	Kits and Currents slatwall mount arms do not require any additional mounting specification.	Knoll and its dealers will not take the responsibility for mounting the monitor to the arm. The end user's IT department must confirm VESA mounting compliance and mount the monitor to the arm using customer's own screws.
	<i>Finish option (when applicable):</i> Silver (SV)	



pattern no.	list price
<b>WSH-200-PT-CLP-O-SV</b>	\$104.
<b>WSH-300-PT-CLP-O-SV</b>	110.
<b>WSH-PT-CLP-O-SV</b>	116.
<b>WSH-XP-200-SV</b>	105.
<b>WSH-XP-300-SV</b>	111.
<b>WSH-XP-CLP-O-SV</b>	117.
<b>WSH-PTB-36</b>	305.
<b>WSH-PTB-48</b>	329.
<b>WSH-PTB-60</b>	354.

**Cable Management:**

Simple cable management for easy installation.



Cable Management

Adjustment

**Adjustment:**

The Wishbone system offers a wide range of adjustment. Height adjustment is easily accomplished by lifting the arm and sliding the o-ring up and down post to the required height.

**Construction****Wishbone:**

Products are manufactured in diecast and extruded aluminum and glass reinforced acetal plastic.

O-ring is made of an elasticated polymer.

Wishbone product line is patented in the United States.

**Fast Release:**








Allows for swift installation and removal of flat panel monitors.

Allows user to rotate monitor face from a landscape to portrait orientation.

# Colebrook Bosson Saunders for KnollExtra

## Wishbone Flat Panel Monitor Support System

### mounting brackets

product	description	w	d	h	diam
 Table Clamp	<ul style="list-style-type: none"> <li>Mounts post to virtually any worksurface. between <math>\frac{3}{4}</math>" and <math>1\frac{1}{2}</math>" thick.</li> <li>Requires 2" clear space from edge of underside of worksurface for proper mounting.</li> </ul>	$3\frac{1}{8}$ "	$4\frac{1}{8}$ "	$2\frac{1}{4}$ "	
 Table Clamp, Top Mount	<ul style="list-style-type: none"> <li>Two piece clamp.</li> <li>Allows the installation of the table clamp on worksurfaces in panel systems that do not have access room between the worksurface and the panel.</li> <li>Ideal for retrofitting.</li> <li>Mounts post to virtually any worksurface. between <math>\frac{3}{4}</math>" and <math>1\frac{1}{2}</math>" thick.</li> <li>Requires 2" clear space from edge of underside of worksurface for proper mounting.</li> </ul>	$3\frac{1}{8}$ "	$4\frac{1}{8}$ "	3"	
 Currents Crown Flower Pot Bracket	<ul style="list-style-type: none"> <li>Mounts a post to the Currents crown mount (must specify post separately).</li> <li>Allows for easy height adjustment.</li> </ul>	$2\frac{3}{4}$ "	5"	$4\frac{1}{4}$ "	
 Knoll Slatwall Flower Pot Bracket *	<ul style="list-style-type: none"> <li>Mounts a post to a slatwall (must specify post separately).</li> <li>Allows for easy height adjustment.</li> <li>Mount only 1 monitor per 3' of slatwall.</li> </ul>	$4\frac{1}{4}$ "	$2\frac{1}{2}$ "	5"	
 Fixed Table Mount	<ul style="list-style-type: none"> <li>Mounts Wishbone post to worksurface.</li> <li>Mounts using field drilled hole.</li> </ul>			$\frac{3}{16}$ "	3"
 Spare Fast Release Monitor Plate	<ul style="list-style-type: none"> <li>Male portion of fast release bracket.</li> <li>Allows for speedy replacement of malfunctioning monitors.</li> <li>For use with fast release arms only.</li> </ul>	6"	$9\frac{3}{8}$ "	$\frac{1}{2}$ "	
 Toolbar Bracket	<ul style="list-style-type: none"> <li>Bracket to mount Wishbone arms (Forearm, Wishbone standard arm, C-arm, Rotation) onto CBS toolbar</li> </ul>	$2\frac{3}{16}$ "	$2\frac{3}{4}$ "	$3\frac{9}{16}$ "	


Order Code	Ordering Information	Mounting Information
Example: <b>WSH-CLMP-SV</b> <b>WSH-</b> Table clamp <b>CLMP</b> <b>SV</b> Silver	<p><i>Specify:</i></p> <ol style="list-style-type: none"> <li>Pattern number</li> <li>Finish where required</li> <li>Mounting pattern number(s) where required.</li> </ol> <p>Kits and Currents slatwall mount arms do not require any additional mounting specification.</p> <p><i>Finish option (when required):</i> Silver (SV)</p>	<p><i>Screen Mounting:</i> All wishbone arms are compatible with the international VESA standard adopted by most panel manufacturers.</p> <p>Knoll and its dealers will not take the responsibility for mounting the monitor to the arm. The end user's IT department must confirm VESA mounting compliance and mount the monitor to the arm using customer's own screws.</p> <p><i>Grommet Mounting:</i> Please follow installation instructions closely. With Reff, it is important to pass monitor plugs through grommet mount cover while it is still loose. The Reff worksurface will limit space in the grommet cover opening once the post is fully installed and grounded plugs will not fit through. The clear passthrough with Reff after installation is <math>\frac{1}{16}</math>" x <math>2\frac{3}{8}</math>".</p>

pattern no.	list price
<b>WSH-CLMP-SV</b>	\$69.
<b>WSH-CLMP-TM-SV</b>	84.
<b>WSH-FPB-CCM</b>	187.
<b>WSH-FPB-CSL</b>	120.
<b>WSH-PTM-75-SV</b>	33.
<b>WSH-PMFR-BK</b>	89.
<b>WSH-TBP-BRKT</b>	135.

**\* Slatwall Mounting Note**

- Works with all Knoll Slatboard and Slatwall profiles.
- Load ratings vary across products and mounting approaches. Check Exchange for Wishbone Test Matrix.
- Note: Orchestra Slatboard must be mounted to an architectural wall if Wishbone is to be mounted onto it.

*Cable Management:*  
Simple cable management for easy installation.



*Adjustment:*  
The Wishbone system offers a wide range of adjustment. Height adjustment is easily accomplished by lifting the arm and sliding the o-ring up and down post to the required height.

**Construction**





*Wishbone:*  
Products are manufactured in diecast and extruded aluminum and glass reinforced acetal plastic.

*Fast Release:*  
Allows for swift installation and removal of flat panel monitors.  
  
Allows user to rotate monitor face from a landscape to portrait orientation.

# Colebrook Bosson Saunders for KnollExtra

## Wishbone Flat Panel Monitor Support System

### mounting brackets

product	description	w	d	h	diam
Back to Back Bracket 	<ul style="list-style-type: none"> <li>Use with post and two arms to create back to back set up.</li> </ul>	6 <sup>5</sup> / <sub>8</sub> "	2 <sup>3</sup> / <sub>4</sub> "	3 <sup>5</sup> / <sub>8</sub> "	
Grommet Mount 	<ul style="list-style-type: none"> <li>Use with existing grommets on Morrison, Reff, Propeller desks. Please refer to grommet mounting information at the bottom of this page</li> <li>Can be retrofitted into existing worksurfaces that do not have a grommet hole. In that case, drill a 3 <sup>1</sup>/<sub>4</sub>" diameter hole into surface.</li> </ul>			1/2"	4 <sup>1</sup> / <sub>4</sub> "
Wall Mount flower pot bracket 	<ul style="list-style-type: none"> <li>Mounts post and arm to wall (must specify post separately)</li> </ul>	2 <sup>3</sup> / <sub>4</sub> "	2 <sup>1</sup> / <sub>4</sub> "	5 <sup>3</sup> / <sub>4</sub> "	
Knoll slatwall arm mount bracket 	<ul style="list-style-type: none"> <li>Mounts an arm to a slatwall</li> <li>Allows for easy height adjustment</li> </ul>	4 <sup>1</sup> / <sub>4</sub> "	2 <sup>5</sup> / <sub>8</sub> "	5 <sup>3</sup> / <sub>8</sub> "	


Order Code	Ordering Information	Mounting Information
Example: <b>WSH-CLMP-SV</b> <b>WSH-</b> Table clamp <b>CLMP</b> <b>SV</b> Silver	<p><i>Specify:</i></p> <ol style="list-style-type: none"> <li>1. Pattern number</li> <li>2. Finish where required</li> <li>3. Mounting pattern number(s) where required.</li> </ol> <p>Kits and Currents slatwall mount arms do not require any additional mounting specification.</p> <p><i>Finish option (when required):</i> Silver (SV)</p>	<p><i>Screen Mounting:</i> All wishbone arms are compatible with the international VESA standard adopted by most panel manufacturers.</p> <p>Knoll and its dealers will not take the responsibility for mounting the monitor to the arm. The end user's IT department must confirm VESA mounting compliance and mount the monitor to the arm using customer's own screws.</p> <p><i>Grommet Mounting:</i> Please follow installation instructions closely. With Reff, it is important to pass monitor plugs through grommet mount cover while it is still loose. The Reff worksurface will limit space in the grommet cover opening once the post is fully installed and grounded plugs will not fit through. The clear passthrough with Reff after installation is 1 <sup>1</sup>/<sub>6</sub>" x 2 <sup>5</sup>/<sub>8</sub>".</p>

pattern no.	list price
WSH-B2B-SV	\$211.
WSH-GRMT-SV	111.
WSH-FPB-WM	120.
WSH-MP-SV	120.

\* Slatwall Mounting Note

- Works with all Knoll Slatboard and Slatwall profiles.
- Load ratings vary across products and mounting approaches. Check Exchange for Wishbone Test Matrix.
- Note: Orchestra Slatboard must be mounted to an architectural wall if Wishbone is to be mounted onto it.

*Cable Management:*  
Simple cable management for easy installation.



Cable Management      Adjustment

*Adjustment:*  
The Wishbone system offers a wide range of adjustment. Height adjustment is easily accomplished by lifting the arm and sliding the o-ring up and down post to the required height.



Construction

*Wishbone:*  
Products are manufactured in diecast and extruded aluminum and glass reinforced acetal plastic.

*Fast Release:*  
Allows for swift installation and removal of flat panel monitors.  
  
Allows user to rotate monitor face from a landscape to portrait orientation.

# Colebrook Bosson Saunders for KnollExtra

## Wishbone Rotation Flat Panel Monitor Support

product	description	type	app	w	d	h	wgt.
Rotation 	<ul style="list-style-type: none"> <li>Two movement joints allow for maximum adjustability.</li> <li>A warp spring clutch at the elbow joint allows the user fingertip height adjustment in addition to the movement inherent in the standard Wishbone range.</li> <li>The movement joint at the screen allows for 210 degrees of vertical and 90 degrees of horizontal adjustment.</li> <li>The center (elbow) joint provides 300 degrees of horizontal and 210 degrees of vertical adjustment.</li> <li>Available in standard release only.</li> <li>Supports monitors up to 17 lbs. in weight.</li> </ul>	Rotation, standard release arm	Arm only	2"	18"	3 1/2"	3 lbs.
Rotation kit 	<ul style="list-style-type: none"> <li>Easy to order kit. Includes everything needed to attach one flat panel monitor to a worksurface: Rotation arm, post, o-ring, cable management clip and table clamp.</li> </ul>	Rotation kit with standard release. 300 mm (11.8") post		3"	4"	14"	2 lbs. 4 oz.
		Rotation kit with standard release. 400 mm (15.75") post		3"	4"	18"	2 lbs. 8 oz.

Order Code	Ordering Information	Mounting Information	Construction
Example: <b>WSH-ROT-400-PT-SR-K-SV</b>	<i>Specify:</i>	<i>Screen Mounting:</i>	Products are constructed of die cast and extruded aluminum and glass reinforced acetal plastic. O ring is made of elastic polymer.
<b>WSH-ROT</b> Wishbone rotation	1. Pattern number	All Wishbone arms are compatible with the International VESA Standards adopted by most flat panel manufacturers.	Wishbone line is patented in the United States.
<b>400-PT</b> 400mm post	2. Finish when required		
<b>SR</b> Standard release	3. Mounting option pattern number(s) when required		
<b>K</b> kit - includes clamp mount	Kits do not require mounting option.	Knoll and its dealers will not accept responsibility for mounting the flat panel to the arm. The end user's IT department must confirm VESA mounting compliance and mount the flat panel using the customer's own screws.	
<b>SV</b> Silver	Additional mounting pieces required for toolbar, back-to-back, slatwall, fixed table and grommet mounts.	<i>Grommet Mounting:</i>	
	<i>Finish option (when required):</i> Silver (SV)	Please follow installation instructions closely. With Reff, it is important to pass monitor plugs through grommet mount cover while it is still loose. The Reff worksurface will limit space in the grommet cover opening once the post is fully installed and grounded plugs will not fit through. The clear passthrough with Reff after installation is 11/16" x 2 3/8".	


pattern no.	list
<b>WSH-ROT-PT-SR-SV</b>	<b>\$634.</b>


<b>WSH-ROT-300-PT-SR-K-SV</b>	<b>774.</b>
<b>WSH-ROT-400-PT-SR-K-SV</b>	<b>802.</b>

Office Automation  
Accessories

# Colebrook Bosson Saunders for KnollExtra

## Zorro Flat Panel Monitor Support

product	description	type	app	w	d	h	wgt.
Zorro 	<ul style="list-style-type: none"> <li>• Ideal for single users in highly visible areas or private office, Zorro's simple yet innovative design allows for full movement of the screen.</li> <li>• Carries up to 22 lbs in weight.</li> <li>• The movement joint at the screen allows for 210 degrees of vertical and 90 degrees of horizontal adjustment.</li> <li>• The elbow allows for 360 degrees of horizontal movement.</li> <li>• The arm reach is 18" from the center of the post.</li> </ul>	Plastic Fast Release Arm	Arm only	2"	18"	10"	3 lbs.

Zorro post kit 	<ul style="list-style-type: none"> <li>• Easy to order kit. Includes everything needed to attach one flat panel monitor to a worksurface: Zorro arm, post and table clamp.</li> <li>• Post height is 200mm (7.87").</li> </ul>	Includes 200mm post, clamp and cable management		3"	4"	10"	2 lbs.
	<ul style="list-style-type: none"> <li>• Easy to order kit. Includes everything needed to attach one flat panel monitor to a worksurface: Zorro arm, post and table clamp.</li> <li>• Post height is 300mm (11.8").</li> </ul>	Includes 300mm post, clamp and cable management		3"	4"	14"	2 lbs. 4 oz.
	<ul style="list-style-type: none"> <li>• Easy to order kit. Includes everything needed to attach one flat panel monitor to a worksurface: Zorro arm, post and table clamp.</li> <li>• Post height is 400mm (15.75").</li> </ul>	Includes 400mm post, clamp and cable management		3"	4"	18"	2 lbs. 8 oz.

Order Code	Ordering Information	Mounting Information	Construction
Example: <b>WSH-ZOR-SA-200-PT-K-SV</b>	<i>Specify:</i>	<i>Screen Mounting:</i>	Products are constructed of die cast and extruded aluminum and glass reinforced acetal plastic. O ring is made of elastic polymer.
<b>WSH-ZOR-SA</b> Zorro arm with fast release arm	1. Pattern number	All Wishbone arms are compatible with the International VESA Standards adopted by most flat panel manufacturers.	Wishbone line is patented in the United States.
<b>200-PT</b> 200mm post	2. Finish option when required		
<b>K</b> Kit - includes clamp mount	3. Mounting option pattern number when required	Knoll and its dealers will not accept responsibility for mounting the flat panel to the arm. The end user's IT department must confirm VESA mounting compliance and mount the flat panel using the customer's own screws.	
<b>SV</b> Silver	Zorro is designed to work primarily for with a single monitor on a post. Mounting options other than table clamp include; grommet mount and through-the-desk mount. In the case of optional mounting, the arm, post and mounting option need to be specified separately.	<i>Grommet Mounting:</i> Please follow installation instructions closely. With Reff, it is important to pass monitor plugs through grommet mount cover while it is still loose. The Reff worksurface will limit space in the grommet cover opening once the post is fully installed and grounded plugs will not fit through. The clear passthrough with Reff after installation is 11/16" x 2 3/8".	



pattern no.	list
<b>WSH-ZOR-SA-PT-SV</b>	<b>\$352.</b>



<b>WSH-ZOR-SA-200-PT-K-SV</b>	<b>499.</b>
-------------------------------	-------------

<b>WSH-ZOR-SA-300-PT-K-SV</b>	<b>504.</b>
-------------------------------	-------------

<b>WSH-ZOR-SA-400-PT-K-SV</b>	<b>527.</b>
-------------------------------	-------------

# Worksurface Support

## CPU Holders

product	description	type	w	d	h
Adjustable Metal CPU Clamp 	<ul style="list-style-type: none"> <li>Adjusts horizontally and vertically to fit virtually every CPU.</li> <li>Mounts vertically or horizontally.</li> <li>Rigid metal construction.</li> <li>Rubber bumpers holds CPU securely in place.</li> <li>Easy to install and remove.</li> <li>Mounts directly to underside of worksurface.</li> <li>Holds CPU fixed to one spot (for a sliding and rotating option specify track separately).</li> <li>Color - silver</li> <li>Maximum weight capacity = 55 lbs.</li> </ul>	Large size - Holds CPUs as big as 22" x 9 1/4" and as small as 12" x 5 1/2"	varies	5 1/2"	varies
		Small size - Holds CPUs as big as 18" x 5 1/2" and as small as 10" x 3 1/4"	varies	5 1/2"	varies
Optional Track	<ul style="list-style-type: none"> <li>Mounts to underside of worksurface.</li> <li>Allows unit to slide forward from under the desk.</li> <li>Allows unit to rotate 360° for cable access.</li> <li>Track has stop. Cannot use lock when order track.</li> </ul>	Optional track for CPU clamps	4 1/3"	21 1/4"	
Optional Lock	<ul style="list-style-type: none"> <li>Offers theft deterrence for fixed mounted adjustable metal CPU clamp.</li> <li>Not for use with optional track mount.</li> </ul>	For use with large size metal CPU clamp			
		For use with small size metal CPU clamp			
Adjustable Mobile CPU Trolley 	<ul style="list-style-type: none"> <li>Adjusts to hold CPUs as wide as 9 3/8" and as narrow as 4".</li> <li>Holds CPUs at least 10 1/2" deep.</li> <li>Made of sturdy steel tubing.</li> <li>Includes four robust casters.</li> <li>Maximum weight capacity = 55 lbs.</li> </ul>		varies	10.23"	11.8"

### Order Code

Example: **CLAM-CPU-02**

**CLAM-T**

**CLAM-CPU-02** Large Clamp

**CLAM-T** Slide and rotate track

### Ordering Information

Specify:

1. Pattern number
2. Special track or lock if required

pattern no.	list price
<b>CLAM-CPU-02</b>	\$306.
<b>CLAM-CPU-01</b>	306.
<b>CLAM-T</b>	121.
<b>CLAM-L-02</b>	121.
<b>CLAM-L-01</b>	121.
<b>CBS-MBL-CPU</b>	233.

#### Construction

##### *Clamp:*

- Painted extruded aluminum.

##### *Adjustable Mobile Trolley:*

- Epoxy polyester-coated tubular steel.

# Worksurface Support

## Adjustable CPU Holders

product	description	w, min	w, max	d, min	d, max	h, min	h, max	wgt.
Adjustable vertical metal CPU holder	<ul style="list-style-type: none"> <li>Adjusts to hold equipment 6" to 10" wide by 14" to 24" high</li> <li>Hangs vertically from worksurface to maximize knee space.</li> <li>Slides on track under worksurface for easy CPU access.</li> <li>Ventilation holes on sides.</li> <li>Has a weight capacity of 60 pounds.</li> <li>Mounts on virtually any worksurface.</li> <li>Swivel is 360°.</li> <li>Track length is 7¾".</li> </ul>	7"	11"	18"	18"	15"	25"	24 lbs.



Adjustable vertical sling CPU holder	<ul style="list-style-type: none"> <li>Adjusts to hold equipment 6" to 10" wide by 14" to 24" high.</li> <li>Sling made of woven vinyl coated polyester for flexibility and ventilation.</li> <li>Hangs vertically from worksurface to maximize knee space under surface.</li> <li>Slides on track under worksurface for easy CPU access.</li> <li>Has a weight capacity of 60 pounds.</li> <li>Swivel is 360°.</li> <li>Track length is 7¾".</li> </ul>	7"	11"	18"	18"	15"	25"	13 lbs.
--------------------------------------	--	----	-----	-----	-----	-----	-----	---------



Order Code	Ordering Information	Installation Notes	Construction
Example: <b>OA-CPU-SLNG-V</b>	<i>Specify:</i>	CPU holders come standard with a 17¾" long track. They mount on work surfaces 18½" or deeper.	<i>Metal CPU holder:</i> Rigid 16-gauge painted steel construction. Black paint finish. Black plastic pull.
<b>OA-CPU</b> CPU holder	1. Pattern number		<i>Sling CPU holder:</i> Black painted steel mounting mechanism. Woven vinyl coated polyester sling. Black plastic pull.
<b>SLNG</b> Sling style			
<b>V</b> Vertical mounting option			

pattern no.	list price
<b>OA-CPU-MTL-V</b>	\$482.

--	--

<b>OA-CPU-SLNG-V</b>	360.
----------------------	------


--	--

**Custom Options**

Longer and shorter track lengths are available. Contact your KnollExtra representative or Customer Service for pricing information.

# Worksurface Support

## Equipment Storage

product	description	type	w	d	h	wgt.
Printer/Fax Drawer 	<ul style="list-style-type: none"> <li>• Stores equipment under worksurface, freeing space.</li> <li>• Accommodates most printers and fax machines.</li> <li>• Full extension drawer for easy equipment access.</li> <li>• Ventilation holes on sides.</li> <li>• Black painted steel.</li> <li>• Mounts on virtually any wood worksurface.</li> <li>• Weight capacity 135 lbs.</li> <li>• Includes four type AB pan head 1/4-14 x 1 screws.</li> </ul>	Narrow (wt. limit 135 lbs.)	16 <sup>3</sup> / <sub>8</sub> "	20 <sup>3</sup> / <sub>8</sub> "	16 <sup>5</sup> / <sub>8</sub> "	32 lbs.
		Wide (wt. limit 135 lbs.)	20 <sup>3</sup> / <sub>8</sub> "	20 <sup>3</sup> / <sub>8</sub> "	16 <sup>5</sup> / <sub>8</sub> "	35 lbs.

Order Code	Ordering Information	Application Notes	Custom Options												
Example: <b>OA-PFD-N</b> <b>OA-PFD-N</b> Narrow printer/fax drawer	<i>Specify:</i> 1. Pattern number  <i>Equipment note:</i> Each office equipment drawer is designed to accommodate the vast majority of products currently on the market. Specific interior dimensions:  <table> <tr> <td></td><td>w</td><td>d</td><td>h</td></tr> <tr> <td><b>OA-PFD-N</b></td><td>16<sup>1</sup>/<sub>8</sub>"</td><td>20"</td><td>12<sup>7</sup>/<sub>8</sub>"</td></tr> <tr> <td><b>OA-PFD-W</b></td><td>20<sup>1</sup>/<sub>8</sub>"</td><td>20"</td><td>12<sup>7</sup>/<sub>8</sub>"</td></tr> </table>		w	d	h	<b>OA-PFD-N</b>	16 <sup>1</sup> / <sub>8</sub> "	20"	12 <sup>7</sup> / <sub>8</sub> "	<b>OA-PFD-W</b>	20 <sup>1</sup> / <sub>8</sub> "	20"	12 <sup>7</sup> / <sub>8</sub> "	<i>Printer/fax drawer:</i> Mounts on virtually any wood worksurface. Wide head key lock fasteners ensure stability. Mounts on 24" or deeper worksurface, with more than 3" wide clearance space in rear. For panel-flush applications, there is a 2 <sup>1</sup> / <sub>8</sub> " wide, 1/4" high bracket clearance on either side. For wider brackets, note that drawer worksurface connections are located 3 <sup>1</sup> / <sub>2</sub> " and 12" from front of drawer. For thicker brackets, use spacers when installing drawer.	Other widths and depths available. Minimum order of 25 units per line item. Contact your KnollExtra representative or Customer Service for pricing information.
	w	d	h												
<b>OA-PFD-N</b>	16 <sup>1</sup> / <sub>8</sub> "	20"	12 <sup>7</sup> / <sub>8</sub> "												
<b>OA-PFD-W</b>	20 <sup>1</sup> / <sub>8</sub> "	20"	12 <sup>7</sup> / <sub>8</sub> "												

pattern no.	list price
OA-PFD-N	\$538.
OA-PFD-W	554.

Office Automation  
Accessories

Construction

Rigid 16-gauge painted steel constructed. 2 1/4" high full width pull in black finish.

Accuride progressive metal slides on drawer. Rubber mat and 3/4" high rear metal lip prevent sliding. Perforated holes on side for ventilation.


All parts painted black.


Manufactured in the United States.

# BackPack® Universal Storage Drawers

by Robert Reuter

*suspended files*

product	description	w	d	back/front h	wgt.
Standard Suspended File 	<ul style="list-style-type: none"> <li>• Full width, 4<sup>3</sup>/<sub>4</sub>" d 1<sup>3</sup>/<sub>4</sub>"H pencil trough.</li> <li>• Two removable plastic organizing trays.</li> <li>• Generous 16"w 12"D filing space.</li> <li>• Accepts 16" side-to-side hanging letter files.</li> <li>• Accepts 12" front-to-back hanging legal or European A-4 and foolscap files.</li> <li>• Drawer contains 107% capacity of standard file drawer.</li> <li>• Optional lock.</li> <li>• Black painted steel construction with full extension ball-bearing slides.</li> </ul>	17"	18"	10 <sup>1</sup> / <sub>2</sub> "	16 lbs. 4 ozs.

Deep Suspended File 	<ul style="list-style-type: none"> <li>• Full width, 4<sup>3</sup>/<sub>4</sub>" d 1<sup>3</sup>/<sub>4</sub>"H pencil trough.</li> <li>• Two removable plastic organizing trays.</li> <li>• Full width, 5<sup>1</sup>/<sub>2</sub>" d 6"H intermediate compartment holds computer disks, desk supplies and personal items.</li> <li>• Generous 16"w 12"D filing space.</li> <li>• Accepts 16" side-to-side hanging letter files.</li> <li>• Accepts 12" front-to-back hanging legal or European A-4 and foolscap files.</li> <li>• Drawer contains 107% capacity of standard file drawer.</li> <li>• Optional lock and mouse pad.</li> <li>• Black painted steel construction with full extension ball-bearing slides.</li> </ul>	17"	24"	10 <sup>1</sup> / <sub>2</sub> "	18 lbs.
---	--	-----	-----	----------------------------------	---------

Order Code	Ordering Information	Application Notes
<b>Example: BP-SSF</b>	<i>Specify:</i>	BackPack drawers can be used with virtually any Knoll or other wood worksurface.
<b>BP-SSF</b> Standard suspended file	1. Pattern number 2. Lock option  <i>Lock option:</i> Lock attaches to slides in field. Removable for use elsewhere.	BackPack storage drawers attach to the underside of wood worksurfaces at any location. In most cases, the drawers may be mounted flush to side panels. When supporting brackets extend further than 2 <sup>1</sup> / <sub>2</sub> " from the side panel, a slight reveal will occur. Mounting hardware and template included.



pattern no.	list price
BP-SSF	\$439.

BP-DSF	484.
--------	------



Storage

	Construction	Design Awards
For wire management needs, the minimum depth worksurface for standard depth drawers is 24"; minimum depth for deep drawers is 30". When no wire management is necessary, the Standard Suspended File may be used on an 18" worksurface and the Deep Suspended File may be used on a 24" worksurface.	<p><i>Knee clearance:</i> In order to maximize filing capacity, the Standard and Deep Suspended Files do not provide adequate knee clearance. For center worksurface applications, specify the Keyboard or Center File Drawers.</p> <p>Sturdy, 20-gauge painted steel with full-extension ball-bearing metal slides. Foam surface on mouse pad.</p> <p>Die-cast zinc lock painted black.</p> <p>Manufactured in the United States.</p>	ROSCOE Award, <i>Interior Design</i> Magazine, 1994. Honorable Mention, Furniture, <i>ID Magazine</i> Annual Design Review, 1994.

# BackPack® Universal Storage Drawers

by Robert Reuter

*suspended files*

product	description	w	d	back/front h	wgt.
Standard Center File 	<ul style="list-style-type: none"> <li>Includes 26"w 14"d 2"H storage for desk and personal items.</li> <li>Full width pencil trough and rear filing area.</li> <li>3 1/2" deep filing area accepts 2 rows of front-to-back letter filing, or one row of front-to-back legal or European A-4/foolscap filing plus space for handbag.</li> <li>Drawer contains 57% capacity of standard file drawer.</li> <li>Optional lock.</li> <li>Black painted steel construction with full extension ball-bearing slides.</li> </ul>	27"	18"	11 1/8"/2"	16 lbs. 6 ozs.
Deep Center File 	<ul style="list-style-type: none"> <li>Includes 26"w 14"d 2"H storage for desk and personal items</li> <li>Full width pencil trough and rear filing area.</li> <li>9 1/2" deep filing area accepts 2 rows of front-to-back letter filing, or one row of front-to-back legal or European/foolscap filing plus space for handbag.</li> <li>Drawer contains 94% capacity of standard file drawer.</li> <li>Optional lock.</li> <li>Black painted steel construction with full extension ball-bearing slides.</li> </ul>	17" 27"	24" 24"	11 1/8"/2" 11 1/8"/2"	20 lbs. 13 ozs.
Optional Lock	<ul style="list-style-type: none"> <li>Non-handed.</li> </ul>	1 1/4"	2 1/4"	1 1/4"	5 ozs.

Order Code	Ordering Information	Application Notes
<b>Example: BP-SSF</b> <b>BP-SSF</b> Standard suspended file	<i>Specify:</i> <ol style="list-style-type: none"> <li>Pattern number</li> <li>Lock option</li> </ol> <i>Lock option:</i> Lock attaches to slides in field. Removable for use elsewhere.	BackPack drawers can be used with virtually any Knoll or other wood worksurface.  BackPack storage drawers attach to the underside of wood worksurfaces at any location. In most cases, the drawers may be mounted flush to side panels. When supporting brackets extend further than 2 1/2" from the side panel, a slight reveal will occur. Mounting hardware and template included.

pattern no.	list price
BP-SCF	\$490.

BP-DCF-17	445.
BP-DCF	536.

BP-L	56.
------	-----


Storage


	Construction	Design Awards
For wire management needs, the minimum depth worksurface for standard depth drawers is 24"; minimum depth for deep drawers is 30". When no wire management is necessary, the Standard Suspended File may be used on an 18" worksurface and the Deep Suspended File may be used on a 24" worksurface.	<p><i>Knee clearance:</i> In order to maximize filing capacity, the Standard and Deep Suspended Files do not provide adequate knee clearance. For center worksurface applications, specify the Keyboard or Center File Drawers.</p> <p>Sturdy, 20-gauge painted steel with full-extension ball-bearing metal slides. Foam surface on mouse pad.</p> <p>Die-cast zinc lock painted black.</p> <p>Manufactured in the United States.</p>	ROSCOE Award, <i>Interior Design</i> Magazine, 1994. Honorable Mention, Furniture, <i>ID Magazine</i> Annual Design Review, 1994.

# BackPack® Universal Storage Drawers

by Robert Reuter

keyboard drawers

product	description	w	d	back/front h	wgt.
Narrow Keyboard Drawer 	<ul style="list-style-type: none"> <li>Accommodates virtually any standard keyboard or laptop computer.</li> <li>Full width, 2 3/4" d 3/4" H integral palm rest.</li> <li>21 1/4" w 9 3/8" D black padded keying space.</li> <li>Full width rear pencil trough and 2 removable plastic organizing trays.</li> <li>Thin profile maximizes knee clearance under drawer.</li> <li>Optional lock.</li> <li>Black painted steel construction.</li> <li>Full extension ball-bearing slides, with click-stop in half open position for steady use.</li> </ul>	22 1/2"	18"	2"	8 lbs. 12 ozs.

Wide Keyboard Drawer with Mouse Pad 	<ul style="list-style-type: none"> <li>Accommodates virtually any standard keyboard or laptop computer.</li> <li>Full width, 2 3/4" d 3/4" H integral palm rest.</li> <li>Non-handed mouse pad, black foam with square corners 8" x 9".</li> <li>27 1/4" w 9 3/8" D keying/mousing space.</li> <li>Full width rear pencil trough and 4 removable plastic organizing trays.</li> <li>Thin profile maximizes knee clearance under drawer.</li> <li>Optional lock.</li> <li>Black painted steel construction.</li> <li>Full extension ball-bearing slides, with click-stop in half open position for steady use.</li> </ul>	25" 28 1/2"	18"	2"	10 lbs. 12 ozs.
---	--	----------------	-----	----	-----------------

Order Code	Ordering Information	Application Notes
Example: <b>BP-NKD-BK</b>	<i>Specify:</i>	Call Customer Service for availability and minimum requirement.
<b>BP-NKD</b> Narrow keyboard drawer	1. Pattern number	
<b>BK</b> Black palm rest	2. Wrist rest finish	
	3. Lock option	
	<i>Palm rest nylon finishes:</i>	<i>Lock option:</i>
	Black (BK)	Lock attaches to slides in field.
		Removable for use elsewhere.

BackPack drawers can be used with virtually any Knoll or other wood worksurface.

pattern no.	list price
BP-NKD	\$389.

BP-WKD-25	405.
BP-WKD	418.


	Construction	Design Awards
BackPack storage drawers attach 2 3/8" below the underside of wood worksurfaces at any location. Mounting hardware and template included.	Durable 20-gauge steel painted black. Full-extension ball-bearing metal slides with click-stop in half-open position. Nylon-sheathed foam palm rest.	ROSCOE Award, <i>Interior Design Magazine</i> , 1994. Honorable Mention, Furniture, <i>ID Magazine</i> Annual Design Review, 1994.
For wire management needs, the minimum depth worksurface for the Narrow and Wide keyboard drawers is 24", and 30" for the Keyboard/Filing Drawer. When no wire management is necessary, both the Narrow and Wide Keyboard Drawers may be used on an 18" deep worksurface and the Keyboard/Filing Drawer may be used on a 24" deep worksurface.	Die-cast zinc lock painted black. Manufactured in the United States.	

Storage

# BackPack® Universal Storage Drawers

by Robert Reuter

keyboard drawers

product	description	w	d	back/front h	wgt.
Keyboard/Filing Drawer 	<ul style="list-style-type: none"> <li>Accommodates virtually any standard keyboard or laptop computer.</li> <li>Full width, 2 3/4" d 3/4" H integral palm rest.</li> <li>Non-handed mouse pad, black foam with square corners 8" x 9".</li> <li>27 1/4" w 9 3/8" D keying/mousing space.</li> <li>4 removable plastic organizing trays.</li> <li>26 1/16" w 8" D filing space accepts 2 rows of front-to-back letter filing, or one row of front-to-back legal or European A4/foolscap filing.</li> <li>Optional lock.</li> <li>Black painted steel construction.</li> <li>Full extension ball-bearing slides, with click-stop in half open position for steady use.</li> </ul>	27 1/4"	24"	11 1/2"/2"	20 lbs. 7 ozs.
Optional Lock	<ul style="list-style-type: none"> <li>Non-handed.</li> </ul>	1 1/4"	2 1/4"	1 1/4"	5 ozs.

Order Code	Ordering Information	Application Notes
Example: <b>BP-NKD-BK</b> <b>BP-NKD</b> Narrow keyboard drawer <b>BK</b> Black palm rest	Specify: 1. Pattern number 2. Wrist rest finish 3. Lock option  Palm rest nylon finishes: Black (BK)	Call Customer Service for availability and minimum requirement.  Lock option: Lock attaches to slides in field. Removable for use elsewhere.

BackPack drawers can be used with virtually any Knoll or other wood worksurface.

pattern no.	list price
BP-KFD	\$560.



BP-L	56.
------	-----

	Construction	Design Awards
BackPack storage drawers attach 2 <sup>3⁄8</sup> " below the underside of wood worksurfaces at any location. Mounting hardware and template included.	Durable 20-gauge steel painted black. Full-extension ball-bearing metal slides with click-stop in half-open position. Nylon-sheathed foam palm rest.	ROSCOE Award, <i>Interior Design</i> Magazine, 1994. Honorable Mention, Furniture, <i>ID Magazine</i> Annual Design Review, 1994.
For wire management needs, the minimum depth worksurface for the Narrow and Wide keyboard drawers is 24", and 30" for the Keyboard/Filing Drawer. When no wire management is necessary, both the Narrow and Wide Keyboard Drawers may be used on an 18" deep worksurface and the Keyboard/Filing Drawer may be used on a 24" deep worksurface.	Die-cast zinc lock painted black. Manufactured in the United States.	

# BackPack® Universal Storage Drawers

by Robert Reuter

pencil and top drawers

product	description	w	d	back/front h	wgt.
Pencil Drawer 	<ul style="list-style-type: none"> <li>• 23"w 11 1/2"D paper storage.</li> <li>• Full width pencil trough.</li> <li>• Two removable plastic organizing trays.</li> <li>• Black painted steel construction with full extension ball-bearing slides.</li> <li>• Optional lock.</li> </ul>	24"	17 5/8"	2"	
Top Drawer 	<ul style="list-style-type: none"> <li>• Full width, 4 3/4"d 1 3/4"H pencil trough.</li> <li>• Two removable plastic organizing trays.</li> <li>• 13"w 10"D filing space.</li> <li>• Black painted steel construction with full extension ball-bearing slides.</li> <li>• Optional lock.</li> </ul>	14 1/4"	18"	10 1/2"	
Optional Lock	<ul style="list-style-type: none"> <li>• Non-handed.</li> </ul>	1 1/4"	2 1/4"	1 1/4"	5 ozs.

Order Code	Ordering Information	Application Notes
<b>Example: BP-PD</b>	<i>Specify:</i>	BackPack drawers can be used with virtually any Knoll or other wood worksurface.
<b>BP-PD</b> Pencil drawer	1. Pattern number	
<b>BP-L</b> Optional lock	2. Lock option	
	<i>Lock option:</i> Lock attaches to slides in field. Removable for use elsewhere.	BackPack storage drawers attach to the underside of wood worksurfaces at any location. Mounting hardware and template included.




pattern no.	list price
BP-PD	\$188.
BP-TOP-C	399.
BP-L	56.

	Construction	Design Awards
For wire management needs, the minimum depth worksurface for standard depth drawers is 24"; minimum depth for deep drawers is 30". When no wire management is necessary, the Standard Center File may be used on an 18" worksurface and the Deep Center File may be used on a 24" worksurface.	Sturdy 20-gauge painted steel with full extension ball-bearing metal slides.  Die-cast zinc lock painted black.  BackPack® Top Drawer Manufactured in the United States.  BackPack® Pencil Drawer manufactured in Canada.	ROSCOE Award, <i>Interior Design Magazine</i> , 1994. Honorable Mention, Furniture, <i>ID Magazine</i> Annual Design Review, 1994.

# Universal Pencil Drawer

by Books Rorke

product	description	w	d	back/front h	wgt.
Universal Pencil Drawer 	<ul style="list-style-type: none"> <li>• 7 roomy compartments.</li> <li>• Large rear compartment holds flat, legal files, ruler, etc.</li> <li>• Slanted card compartment holds index cards, Post-It™ Notes or business cards.</li> <li>• Middle compartment holds White-Out™ bottle or change.</li> <li>• Front middle compartment holds stapler, pens, scissors, etc.</li> <li>• Other compartments holds calculator, clips, pins, etc.</li> <li>• Available in textured matte black plastic.</li> <li>• Three-quarters extension, ball bearing metal slides with smooth, silent movement.</li> </ul>	16 1/2"	22 3/4"	1 3/4"	5 lbs. 12 ozs.

Order Code	Ordering Information	Application Notes
Example: <b>ORCH-PD-A</b> <b>ORCH-PD-A</b> Pencil drawer	<i>Specify:</i> 1. Pattern number	Universal Pencil Drawer can be used with virtually any Knoll or competitor wood worksurface.  Minimum depth worksurface for drawer is 24". On freestanding Morrison Network systems, a 30" deep worksurface is required.




pattern no.	list price
ORCH-PD-A	\$187.

Construction

*Universal pencil drawer:*  
Durable vacuum-formed ABS plastic drawer in a matte black, textured finish. Three-quarter extension, ball bearing metal slides with smooth, silent movement.  
Manufactured in the United States.

# Universal Marker Boards

by Bruce Hannah & Ayse Birsal

product	description	w	d	h	wgt.
<b>Marker Board</b> 	<ul style="list-style-type: none"> <li>• 1/2" wide anodized aluminum frame with white surface.</li> <li>• Marker Tray option specified separately.</li> <li>• Mountable on load bar, panel, wall or top cap.</li> <li>• Load bar-mounted brackets included in list price, but specified separately (see Mounting Options below).</li> </ul>	22 1/4"	1/2"	18"	5 lbs. 2 ozs.
		30"	1/2"	18"	8 lbs. 10 ozs.
		30"	1/2"	24"	11 lbs. 7 ozs.
		36"	1/2"	18"	10 lbs. 5 ozs.
		36"	1/2"	24"	13 lbs. 12 ozs.
		42"	1/2"	24"	16 lbs. 1 oz.
		42"	1/2"	30"	20 lbs. 1 oz.
		48"	1/2"	30"	22 lbs. 15 ozs.
<b>Marker Board Equity panel-mount application</b> 	<ul style="list-style-type: none"> <li>• 1/2" wide anodized aluminum frame with white surface.</li> <li>• Marker Tray option specified separately.</li> <li>• Mountable on load bar, panel, wall or top cap.</li> <li>• Load bar-mounted brackets included in list price, but specified separately (see Mounting Options below).</li> </ul>	22 1/4"	1/2"	18"	5 lbs. 2 ozs.
		30"	1/2"	18"	8 lbs. 10 ozs.
		30"	1/2"	22 1/4"	11 lbs. 7 ozs.
		36"	1/2"	18"	10 lbs. 5 ozs.
		36"	1/2"	22 1/4"	13 lbs. 12 ozs.
		42"	1/2"	22 1/4"	16 lbs. 1 oz.
		42"	1/2"	28 1/4"	20 lbs. 1 oz.
		48"	1/2"	28 1/4"	22 lbs. 15 ozs.
<b>Marker Tray</b> 	<ul style="list-style-type: none"> <li>• Anodized aluminum snap-fit tray for Marker Board markers and erasers.</li> </ul>	17"	1 1/4"		5 ozs.

<b>Mounting Options</b>	Load Bar-Mounted Brackets. Set of 2.
	Panel-Mounted Brackets (Generic deep)
	Panel-Mounted Brackets (Generic shallow)
	Panel-Mounted Brackets for Dividends
	Panel-Mounted Brackets for Equity
	Panel-Mounted Brackets for Morrison
	Panel-Mounted Brackets for Reff
	Top Cap-Mounted Brackets (Dividends only)
	Top Cap-Mounted Brackets (Equity only)
	Top Cap-Mounted Brackets (Reff only)
	Top Cap-Mounted Brackets. Set of 2. (Morrison only)
	Wall-Mounted Brackets. Set of 2.

\* No charge when ordered with Marker or Tack Board

Order Code	Ordering Information
<b>Example: OR-WB-24-18-BK</b> <b>OR-WB-PM-M</b> <b>OR-WB-TR-BK</b>	<i>Specify:</i>
<b>OR-WB-24-18</b> 24" x 18" Marker board <b>BK</b> Black frame <b>OR-WB-PM</b> Panel-mounted <b>M</b> Morrison Network <b>OR-WB-TR</b> Marker tray <b>BK</b> Black	<ol style="list-style-type: none"> <li>1. Pattern number</li> <li>2. Frame finish</li> <li>3. Mounting option</li> <li>4. System suffix (panel and top cap-mounted only)</li> <li>5. Marker Tray (optional)</li> <li>6. Marker Tray finish</li> </ol> <p><i>Anodized finish:</i>            Black (BK)            Silver (SV) *</p> <p>* *Please consult Customer Service for lead times.</p>
	<i>Mounting options:</i> <p><i>Rail-Mounted:</i> Standard option. Includes load bar clip and adhesive-backed rubber bumper to protect panel fabric and prevent deflection.</p> <p><i>Panel-Mounted:</i> To ensure rigidity, specify two sets and brackets</p>
	<p><i>Wall-Mounted:</i> Specify pattern number.</p> <p><i>Top cap-mounted:</i> Equity and Morrison Network Systems brackets available. Use bracket pattern numbers listed below:            Equity E            Morrison Network M</p>

pattern no.	list price
OR-WB-24-18	\$185.
OR-WB-30-18	276.
OR-WB-30-24	312.
OR-WB-36-18	389.
OR-WB-36-24	433.
OR-WB-42-24	503.
OR-WB-42-30	560.
OR-WB-48-30	645.
OR-WB-24-18-E	185.
OR-WB-30-18-E	276.
OR-WB-30-24-E	312.
OR-WB-36-18-E	389.
OR-WB-36-24-E	433.
OR-WB-42-24-E	503.
OR-WB-42-30-E	560.
OR-WB-48-30-E	645.
OR-WB-TR	49.
OR-WB-LBZ *	7.
OR-WB-PM-B	20.
OR-WB-PM-D	20.
OR-WB-PM-DV	42.
OR-WB-PM-E	30.
OR-WB-PM-M	30.
OR-WB-PM-R	50.
OR-WB-TCM-DV *	7.
OR-WB-TCM-E *	7.
OR-WB-TCM-R *	7.
OR-WB-TCM-M *	7.
OR-WB-WM	33.

#### Equity application note:

For all Equity panel-mounted applications, add "E" to end of base pattern number.

#### Note:

If your system is not listed, contact your KnollExtra representative or Customer Service for appropriate panel-mounted bracket to specify.

#### Custom Options

Other writing surface and custom frame colors available. Custom frame sizes available up to 72"W x 48"D in size. High performance porcelain-covered steel market board also available. 25 unit minimum per line item on all customs. Contact your KnollExtra representative or Customer Service for pricing information.


#### Construction

Anodized aluminum frame. Black cork or white melamine laminated on hardboard.

Manufactured in the United States.

# Universal Fabric Boards

## Standard Sizes

product	description	w	d	h	textile fabric yards
Fabric Boards 	<ul style="list-style-type: none"> <li>Standard fabric board has 1/2" thick mineral board construction with squared corner.</li> <li>Rounded corner or radiused edge, available at upcharge.</li> <li>Panel or wall mounting options.</li> </ul>	24"	1/2"	14"	.66
		24"	1/2"	16"	.66
		24"	1/2"	18"	.66
		24"	1/2"	20"	.75
		24"	1/2"	24"	1
		30"	1/2"	14"	.66
		30"	1/2"	16"	.66
		30"	1/2"	18"	.66
		30"	1/2"	20"	.75
		30"	1/2"	24"	1
		36"	1/2"	14"	.66
		36"	1/2"	16"	.66
		36"	1/2"	18"	.66
		36"	1/2"	20"	.75
		36"	1/2"	24"	1
		42"	1/2"	14"	.66
		42"	1/2"	16"	.66

Order Code	Ordering Information	Mounting Options
<b>Example: F-24-16-R2-A-30-W388/1 F-WM-F</b> <b>F-24-16</b> 24" x 16" Fabric board <b>R2</b> Rounded corner/radius edge detail <b>A</b> Thickness <b>30</b> Fabric grade 30 <b>W388/1</b> Freehand, Glacier <b>F-WM-F</b> Wall-mounted, flush	<p><i>Specify:</i></p> <ol style="list-style-type: none"> <li>Pattern number</li> <li>Corner/edge detail</li> <li>Thickness</li> <li>Fabric grade</li> <li>Fabric selection</li> <li>Mounting option pattern number</li> <li>System suffix (panel-mounted option only)</li> </ol> <p><i>Equity application note:</i> For all Equity panel-mounted applications, add "E" to end of base pattern number.</p> <p><i>Corner/edge detail:</i> Squared corner/rectilinear edge (S1)  Squared corner/radiused edge (S2) Rounded corner/radiused edge (R2)</p> <p>Standard fabric board has squared corner and rectilinear edge details. See page 134 for edge upcharge.</p> <p>Standard fabric board has 1/2" thick mineral board.</p>	<p><i>Panel-mounted brackets:</i> Panel-mounted brackets are included in the list price but must be specified separately. To specify appropriate panel-mounted bracket, consult the KnollExtra Bracket Chart on page 12.</p> <p>Panel mounted bracket size must match height of fabric board.</p> <p><i>Wall-mounted options:</i> Wall-mounted applications must be specified as flush (F-WM-F) or reveal (F-WM-R). Both options are appropriate for any smooth, clean surface. Flush wall-mount option utilizes velcro squares.</p> <p>Reveal wall-mount option provides 1/2" clearance for wire management behind fabric board. Fabric boards mount with 4 brackets onto 2 black painted wall rails that screw into wall to ensure rigidity. For other mounting options and pricing, contact Customer Service.</p> <p><i>Under overhead specification note:</i> For application under a system overhead, provide clearance distance between the worksurface and the bottom of the overhead or task light.</p> <p><i>Side by side fabric board specification note:</i> Please note if a panel-mounted fabric board will be used contiguous to another fabric board, drawings are required and there will be an up-charge.</p> <p><i>60" wide boards in fabric grades 50, 55 and 60:</i> Due to grades 50, 55 and 60 fabric widths being less than the width of a 60" board, contact your KnollExtra representative or Customer Service for pricing and fabric railroading information.</p>

pattern no.	10	COM 15	20	30	35	40	45/46	50	55	60
<b>F-24-14-(-)A-()()</b>	\$249.	\$255.	\$285.	\$295.	\$298.	\$304.	\$313.	\$314.	\$332.	\$343.
<b>F-24-16-(-)A-()()</b>	249.	255.	285.	295.	298.	304.	313.	314.	332.	343.
<b>F-24-18-(-)A-()()</b>	266.	272.	293.	305.	307.	311.	321.	323.	340.	353.
<b>F-24-20-(-)A-()()</b>	332.	336.	341.	355.	358.	362.	373.	376.	394.	408.
<b>F-24-24-(-)A-()()</b>	372.	380.	419.	435.	439.	446.	462.	464.	490.	509.
<b>F-30-14-(-)A-()()</b>	284.	288.	329.	337.	340.	344.	357.	358.	373.	386.
<b>F-30-16-(-)A-()()</b>	291.	297.	335.	344.	347.	355.	363.	364.	384.	393.
<b>F-30-18-(-)A-()()</b>	301.	306.	343.	356.	358.	362.	372.	373.	390.	404.
<b>F-30-20-(-)A-()()</b>	375.	381.	409.	420.	424.	431.	441.	442.	462.	477.
<b>F-30-24-(-)A-()()</b>	418.	427.	454.	469.	473.	482.	497.	498.	525.	542.
<b>F-36-14-(-)A-()()</b>	291.	297.	343.	356.	358.	362.	372.	373.	390.	404.
<b>F-36-16-(-)A-()()</b>	308.	313.	355.	362.	364.	369.	380.	381.	400.	411.
<b>F-36-18-(-)A-()()</b>	316.	322.	361.	370.	373.	379.	389.	390.	407.	419.
<b>F-36-20-(-)A-()()</b>	375.	381.	417.	430.	433.	437.	450.	451.	470.	484.
<b>F-36-24-(-)A-()()</b>	441.	450.	505.	520.	524.	531.	547.	549.	575.	593.
<b>F-42-14-(-)A-()()</b>	310.	314.	369.	380.	384.	388.	399.	400.	416.	428.
<b>F-42-16-(-)A-()()</b>	334.	339.	376.	387.	389.	392.	404.	406.	421.	434.

## Custom Options

*For special sizes:*  
For specials contact Customer Service. Maximum fabric board size is 120"W x 24"H. Fabric must be railroaded on any panel wider than 60".

*Customer's own material:*  
For approval, submit at least one yard of fabric for application testing. For panel-mounted applications, all COMs and textiles that are not pre-approved must be UL-tested. Please consult KnollExtra Customer Services for details.

## Construction

1/2" thick mineral board for durable, highly tackable surface.

Manufactured in the United States.

## Fabric Selection

### Grade 10

Bailey II  
Broadcloth  
Foundation  
Growth Spurt  
Newbury  
Solid Crepe  
Symbolic  
Details  
Tailor Made  
Taurus  
Versatility

### Grade 15

Fairfield  
Marche  
Regency

### Grade 20

Banyan  
Bauhaus  
Block  
Boardwalk  
Clarity  
Criss Cross  
Devon  
Frequency  
Labyrinth  
Melbourne  
Outback

### Grade 20 (cont.)

Reflect  
Resolution  
Walkabout  
Weave Three

### Grade 30

Basket Draft  
Flow  
Harmony  
Interknit  
Micro  
Progression  
Progression  
Striae  
Promenade  
Raku Cloth  
Relay

### Grade 35

Saxony Plus

### Grade 40

Analogy \*  
Bardo  
Boxstep  
Eurythmic  
Foil Rap  
Hard Rock  
Heavy Metal  
Metaphor \*  
Ornament  
Palladium  
Sennit  
Sierra  
Spinoff  
Nuance

### Grade 45

Backdrop†  
Casual  
Elegance  
Digital  
Tape†  
Dristi \*  
Fast  
Forward†  
Macro  
Mezzo

### Grade 50

Abacus \*  
Bankshot \*  
Chroma \*‡  
Extreme  
Velvet \*  
Glo \*  
Ingot \*  
Luberon \*  
Mariner \*‡  
Presto \*  
Ricochet \*  
Starry Night \*  
Tokay II \*  
Transit \*‡

### Grade 55

Field Day \*  
Transition \*

### Grade 60

Classic  
Boucle \*‡  
Rochelle \*‡


† Not available with radiused edge.  
\* Consult your KnollExtra representative or Customer Service for pricing on 60" wide boards.  
‡ Available for wall mount only.

### Note:

As a general rule, all fabrics approved for a Morrison panel application are approved for KnollExtra fabric wrapped tack boards.

# Universal Fabric Boards

## Standard Sizes

product	description	w	d	h	textile fabric yards
Fabric Boards 	<ul style="list-style-type: none"> <li>Standard fabric board has 1/2" thick mineral board construction with squared corner.</li> <li>Rounded corner or radiused edge, available at upcharge.</li> <li>Panel or wall mounting options.</li> </ul>	42"	1/2"	18"	.66
		42"	1/2"	20"	.75
		42"	1/2"	24"	1
		48"	1/2"	14"	.66
		48"	1/2"	16"	.66
		48"	1/2"	18"	.66
		48"	1/2"	20"	.75
		48"	1/2"	24"	1
		60"	1/2"	14"	.66
		60"	1/2"	16"	.66
		60"	1/2"	18"	.66
		60"	1/2"	20"	.75
		60"	1/2"	24"	1

Order Code	Ordering Information	Mounting Options
<b>Example: F-24-16-R2-A-30-W388/1 F-WM-F</b> <b>F-24-16</b> 24" x 16" Fabric board <b>R2</b> Rounded corner/radius edge detail <b>A</b> Thickness <b>30</b> Fabric grade 30 <b>W388/1</b> Freehand, Glacier <b>F-WM-F</b> Wall-mounted, flush	<p><i>Specify:</i></p> <ol style="list-style-type: none"> <li>Pattern number</li> <li>Corner/edge detail</li> <li>Thickness</li> <li>Fabric grade</li> <li>Fabric selection</li> <li>Mounting option pattern number</li> <li>System suffix (panel-mounted option only)</li> </ol> <p><i>Equity application note:</i> For all Equity panel-mounted applications, add "E" to end of base pattern number.</p> <p><i>Corner/edge detail:</i> Squared corner/rectilinear edge (S1)  Squared corner/radiused edge (S2) Rounded corner/radiused edge (R2)</p> <p>Standard fabric board has squared corner and rectilinear edge details. See page 134 for edge upcharge.</p> <p>Standard fabric board has 1/2" thick mineral board.</p>	<p><i>Panel-mounted brackets:</i> Panel-mounted brackets are included in the list price but must be specified separately. To specify appropriate panel-mounted bracket, consult the KnollExtra Bracket Chart on page 12.</p> <p>Panel mounted bracket size must match height of fabric board.</p> <p><i>Wall-mounted options:</i> Wall-mounted applications must be specified as flush (F-WM-F) or reveal (F-WM-R). Both options are appropriate for any smooth, clean surface. Flush wall-mount option utilizes velcro squares.</p> <p>Reveal wall-mount option provides 1/2" clearance for wire management behind fabric board. Fabric boards mount with 4 brackets onto 2 black painted wall rails that screw into wall to ensure rigidity. For other mounting options and pricing, contact Customer Service.</p> <p><i>Under overhead specification note:</i> For application under a system overhead, provide clearance distance between the worksurface and the bottom of the overhead or task light.</p> <p><i>Side by side fabric board specification note:</i> Please note if a panel-mounted fabric board will be used contiguous to another fabric board, drawings are required and there will be an up-charge.</p> <p><i>60" wide boards in fabric grades 50, 55 and 60:</i> Due to grades 50, 55 and 60 fabric widths being less than the width of a 60" board, contact your KnollExtra representative or Customer Service for pricing and fabric railroading information.</p>



pattern no.	10	COM 15	20	30	35	40	45/46	50	55	60
<b>F-42-18-( )-A-( ) ( )</b>	\$334.	\$339.	\$394.	\$405.	\$407.	\$412.	\$421.	\$425.	\$441.	\$453.
<b>F-42-20-( )-A-( ) ( )</b>	427.	432.	468.	480.	483.	489.	501.	502.	521.	536.
<b>F-42-24-( )-A-( ) ( )</b>	518.	527.	574.	589.	593.	600.	617.	618.	645.	662.
<b>F-48-14-( )-A-( ) ( )</b>	316.	322.	378.	388.	390.	394.	406.	407.	425.	436.
<b>F-48-16-( )-A-( ) ( )</b>	334.	339.	394.	405.	407.	412.	421.	425.	441.	453.
<b>F-48-18-( )-A-( ) ( )</b>	342.	347.	394.	405.	407.	412.	421.	425.	441.	453.
<b>F-48-20-( )-A-( ) ( )</b>	427.	432.	468.	480.	483.	489.	501.	502.	521.	536.
<b>F-48-24-( )-A-( ) ( )</b>	528.	536.	657.	673.	676.	683.	700.	702.	728.	745.
<b>F-60-14-( )-A-( ) ( )</b>	402.	407.	479.	489.	491.	497.	508.	n/a	n/a	n/a
<b>F-60-16-( )-A-( ) ( )</b>	411.	415.	488.	498.	501.	506.	516.	n/a	n/a	n/a
<b>F-60-18-( )-A-( ) ( )</b>	435.	440.	499.	510.	512.	517.	528.	n/a	n/a	n/a
<b>F-60-20-( )-A-( ) ( )</b>	465.	472.	520.	531.	534.	539.	550.	n/a	n/a	n/a
<b>F-60-24-( )-A-( ) ( )</b>	528.	536.	657.	673.	676.	683.	700.	n/a	n/a	n/a

## Custom Options

*For special sizes:*  
For specials contact Customer Service. Maximum fabric board size is 120"W x 24"H. Fabric must be railroaded on any panel wider than 60".

*Customer's own material:*  
For approval, submit at least one yard of fabric for application testing. For panel-mounted applications, all COMs and textiles that are not pre-approved must be UL-tested. Please consult KnollExtra Customer Services for details.

## Construction

1/2" thick mineral board for durable, highly tackable surface.

Manufactured in the United States.

## Fabric Selection

<i>Grade 10</i>	<i>Grade 20 (cont.)</i>
Bailey II	Reflect
Broadcloth	Resolution
Foundation	Walkabout
Growth Spurt	Weave Three
Newbury	
Solid Crepe	<i>Grade 30</i>
Symbolic	Basket Draft
Details	Flow
Tailor Made	Harmony
Taurus	Interknit
Versatility	Micro
	Progression
<i>Grade 15</i>	Progression
Fairfield	Striae
Marche	Promenade
Regency	Raku Cloth
	Relay
<i>Grade 20</i>	<i>Grade 35</i>
Banyan	Saxony Plus
Bauhaus	
Block	
Boardwalk	
Clarity	
Criss Cross	
Devon	
Frequency	
Labyrinth	
Melbourne	
Outback	


<i>Grade 40</i>	<i>Grade 50</i>
Analogy *	Abacus *
Bardo	Bankshot *
Boxstep	Chroma *‡
Eurythmic	Extreme
Foil Rap	Velvet *
Hard Rock	Glo *
Heavy Metal	Ingot *
Metaphor *	Luberon *
Ornament	Mariner *‡
Palladium	Presto *
Sennit	Ricochet *
Sierra	Starry Night *
Spinoff	Tokay II *
Nuance	Transit *‡
<i>Grade 45</i>	
Backdrop†	
Casual	
Elegance	
Digital	
Tape†	
Dristi *	
Fast	
Forward†	
Macro	
Mezzo	

<i>Grade 55</i>	<i>Grade 60</i>
Field Day *	Classic
Transition *	Boucle *‡
	Rochelle *‡
† Not available with radiused edge.	
* Consult your KnollExtra representative or Customer Service for pricing on 60" wide boards.	
‡ Available for wall mount only.	

*Note:*  
As a general rule, all fabrics approved for a Morrison panel application are approved for KnollExtra fabric wrapped tack boards.




# Universal Fabric Boards

## Options and Mounting Information

product	description	application	w	d	h
Fabric Boards 	Mounting Options	1/2" Reveal Wall-Mounted			
		Flush Wall-Mounted (No charge when ordered with fabric board)			
		Panel-Mounted Dividends (No charge when ordered with fabric board)			
		Panel-Mounted Equity (No charge when ordered with fabric board)			
		Panel-Mounted Morrison (No charge when ordered with fabric board)			
		Panel-Mounted Reff (No charge when ordered with fabric board)			
	Edge Detail	Rounded corner/radiused edge (add -R2 to end of fabric board pattern number)			
		Squared corner/radiused edge (add -S2 to end of fabric board pattern number)			
		Squared corner/rectilinear edge (add -S1 to end of fabric board pattern number)			
<ul style="list-style-type: none"><li>• Standard fabric board has 1/2" thick mineral board construction with squ</li><li>• Rounded corner or radiused edge option available at upcharge.</li><li>• Panel or wall mounting options.</li></ul>					

Order Code		Ordering Information	Mounting Options
<b>Example: F-60-14-S1-A-40-W337/4 F-PM-R-14</b>		<i>Specify:</i>	
<b>F-60-14</b>	60" x 14" fabric board	1. Pattern number	<i>Standard fabric board has squared corner and rectilinear edge details. See above for edge upcharge.</i>
<b>S1</b>	Squared corner/rectilinear edge	2. Corner/edge detail	
<b>A</b>	Thickness	3. Fabric grade	
<b>40</b>	Fabric grade	4. Fabric selection	
<b>W337/4</b>	Sennit, Olivine	5. Mounting option pattern number	
<b>F-PM</b>	Panel-mounted	6. System suffix (panel-mounted option only)	<i>Thickness option:</i> Standard fabric board has ½" thick mineral board.
<b>R</b>	Reff	<i>Equity application note:</i> For all Equity panel-mounted applications, add "E" to end of base pattern number.	
<b>14</b>	14" Fabric board bracket	<i>Corner/edge detail:</i> Squared corner/rectilinear edge (S1)	<i>Panel-mounted brackets:</i> Panel-mounted brackets are included in the list price but must be specified separately. To specify appropriate panel-mounted bracket, consult the KnollExtra bracket chart on page 12.
		Squared corner/radiused edge (S2)	Panel mounted bracket size must match height of fabric board.
		Rounded corner/radiused edge (R2)	<i>Wall-mounted options:</i> Wall-mounted applications must be specified as flush (F-WM-F) or reveal (F-WM-R). Both options are appropriate for any smooth, clean surface.
			Flush wall-mount option utilizes velcro squares.

pattern no.	list price
F-WM-R-(14, 16, 18, 20 or 24)	\$100.
F-WM-F-(24, 30, 36, 42, 48, 60)- (14, 16, 18, 20 or 24)	30.
F-PM-D-(14, 16, 18, 20 or 24)	38.
F-PM-E-(14, 16, 18, 20 or 24)	38.
F-PM-M-(14, 16, 18, 20 or 24)	38.
F-PM-R-(14, 16, 18, 20 or 24)	38.
R2	30.
S2	30.
S1	n/c

Custom Options	Corner/Edge Detail
<p><i>Under overhead specification note:</i> For application under a system overhead, provide clearance distance between the worksurface and the bottom of the overhead or task light.</p> <p><i>Side by side fabric board specification note:</i> Please note if a panel-mounted fabric board will be used contiguous to another fabric board drawings are required and there will be an up-charge.</p> <p><b>Construction</b></p> <p>1/2" thick mineral board for durable, highly tackable surface.</p>	<p><i>For special sizes:</i> Refer to the standard size scope. Locate the standard fabric board size which is equal to or greater in width and depth than the requested special. Add 10% to the standard list price. Note "special" when ordering. For specials above 60"W x 24"H, contact Customer Service. Maximum fabric board size is 120"W x 24"H. Fabric must be railroaded on any panel wider than 60".</p> <p><i>Customer's own material:</i> For approval, submit at least one yard of fabric for application testing. For panel-mounted applications, all COMs and textiles that are not pre-approved must be UL-tested. Please consult KnollExtra Customer Service for details.</p> <p><i>S1. Squared corner/Rectilinear edge</i></p>  <p><i>R2. Rounded corner/Radiused edge</i></p>  <p><i>S2. Squared corner/Radiused edge</i></p> 

# Universal Fabric Boards

## *Top Cap Hung Marker Board*

product	description	application	w	d	h
Top Cap Hung Marker Board	<ul style="list-style-type: none"> <li>• Incorporates erasable surface.</li> <li>• Includes tray for markers and erasers.</li> </ul>		30"	3"	36"
	Mounting Option	Wall Rail			









Order Code	Ordering Information	Mounting Options	Construction
<b>Example: PR MB 3036</b>	<i>Specify:</i>	<i>Top cap hung marker board:</i>	<i>Top cap hung marker board:</i>
<b>PR MB</b> Top Cap Hung Marker	1. Pattern number	Marker boards hang from top of systems panels between .375" and 2.5" inches wide.	White laminate surface on Sintra core. Extruded aluminum trough.
<b>3036</b> Board		Reveal wall-mount option provides 1/2" clearance for wire management behind fabric board. Fabric boards mount with 4 brackets onto 2 black painted wall rails that screw into wall to ensure rigidity. For other mounting options and pricing, consult Customer Service.	Manufactured in the United States.
			<i>Wall Rail:</i> Machined aluminum powder coated light grey to match top cap hung marker board trough.

pattern no.	list price
<b>PR-MB-3036</b>	\$673.
<b>PR-MB-WM-Rail</b>	30.

# Copeland™ Light

by Stephan Copeland







product	description	
Standard Arm	<ul style="list-style-type: none"> <li>• Standard Arm.</li> <li>• 15 watt compact fluorescent bulb ( equivalent of 75 watt incandescent bulb ).</li> <li>• Mounting option must be ordered separately.</li> </ul>	
		
Shown with base		
Compact Arm	<ul style="list-style-type: none"> <li>• Compact Arm.</li> <li>• 13 watt compact fluorescent bulb ( equivalent of 60 watt incandescent bulb ).</li> <li>• Mounting option must be ordered separately.</li> </ul>	
		
Shown with base		
Mounting Options	<p>Standard base</p> <ul style="list-style-type: none"> <li>• Standard base.</li> <li>• To be used with standard arm only</li> </ul> 	
	<p>Compact base</p> <ul style="list-style-type: none"> <li>• Compact base</li> <li>• To be used with compact arm only</li> </ul> 	
	<p>Table clamp</p> <ul style="list-style-type: none"> <li>• To be used with either size arm.</li> <li>• Works on desks of up to 1 3/4" thick.</li> </ul> 	
	<p>Panel Mount, Morrison</p> <ul style="list-style-type: none"> <li>• Panel mount bracket for Morrison.</li> <li>• To be used with either size arm</li> </ul> 	

Order Code	Ordering Information		Light Bulb Information
Example: <b>COPE-01-SV, COPE-01-BASE-SV</b>	<i>Specify:</i>	<i>Finish Options:</i>	Standard Light:
<b>COPE-01-SV</b> Copeland light standard arm in silver	1. Pattern number for arm	Silver (SV)	• Ships with a 15 watt compact fluorescent light bulb. This is equivalent light output of a 75 watt incandescent light bulb.
<b>COPE-01-BASE-SV</b> Copeland standard base in silver	2. Finish for arm	Black (111)	• An incandescent light bulb can also be used. 75 watt is the maximum.
	3. Mounting option pattern number		• See above for bulb replacement.
	4. Mounting option finish		

	Construction	Design Awards
Compact Light: <ul style="list-style-type: none"> <li>Ships with a 13 watt compact fluorescent light bulb. This is equivalent light output of a 60 watt incandescent light bulb.</li> <li>A “ceiling fan” incandescent bulb can also be used. 60 watt is the maximum.</li> </ul>	The Copeland Light has a steel arm, aluminum axles, zinc coated cast iron base and metallic-painted ABS shade.	Best of NeoCon 2005, Silver Award

# Copeland™ Light

by Stephan Copeland

product	description
Mounting Options	Panel Mount, Equity <ul style="list-style-type: none"> <li>• Panel mount bracket for Equity.</li> <li>• To be used with either size arm</li> </ul> 
	Panel Mount, Reff <ul style="list-style-type: none"> <li>• Panel mount bracket for Reff.</li> <li>• To be used with either size arm</li> </ul> 
	Panel Mount, Dividends <ul style="list-style-type: none"> <li>• Panel mount bracket for Dividends.</li> <li>• To be used with either size arm</li> </ul> 
	Crinion Open Table, Mount <ul style="list-style-type: none"> <li>• Crinion Open Table center spine mount .</li> <li>• To be used with either size arm</li> </ul> 
	Grommet Mount <ul style="list-style-type: none"> <li>• To be used with either size arm</li> </ul> 
	<ul style="list-style-type: none"> <li>• Slatwall mount.</li> <li>• To be used with either size arm</li> </ul> 

Order Code	Ordering Information	Light Bulb Information
Example: <b>COPE-01-SV,COPE-01-BASE-SV</b> <b>COPE-01-SV</b> Copeland light standard arm in silver <b>COPE-01-BASE-SV</b> Copeland standard base in silver	<i>Specify:</i> <ol style="list-style-type: none"> <li>1. Pattern number for arm</li> <li>2. Finish for arm</li> <li>3. Mounting option pattern number</li> <li>4. Mounting option finish</li> </ol>	<i>Finish Options:</i> Silver (SV) Black (111)
		Standard Light: <ul style="list-style-type: none"> <li>• Ships with a 15 watt compact fluorescent light bulb. This is equivalent light output of a 75 watt incandescent light bulb.</li> <li>• An incandescent light bulb can also be used. 75 watt is the maximum.</li> <li>• See above for bulb replacement.</li> </ul>



pattern no.	list price
<b>COPE-PM-E- ( )</b>	<b>\$78.</b>
<b>COPE-PM-R- ( )</b>	<b>78.</b>
<b>COPE-PM-D- ( )</b>	<b>78.</b>
<b>COPE-COTCS</b>	<b>62.</b>
<b>COPE-GRMT- ( )</b>	<b>94.</b>
<b>COPE-SLT- ( )</b>	<b>78.</b>

	Construction	Design Awards
<p>Compact Light:</p> <ul style="list-style-type: none"> <li>• Ships with a 13 watt compact fluorescent light bulb. This is equivalent light output of a 60 watt incandescent light bulb.</li> <li>• A “ceiling fan” incandescent bulb can also be used. 60 watt is the maximum.</li> </ul>	<p>The Copeland Light has a steel arm, aluminum axles, zinc coated cast iron base and metallic-painted ABS shade.</p>	<p>Best of NeoCon 2005, Silver Award</p>

# Copeland™ Light

by Stephan Copeland

product	description
Replacement bulb	<ul style="list-style-type: none"> <li>• Compact light replacement 13 watt bulb</li> <li>• Compact light replacement 15 watt bulb</li> </ul>

Order Code	Ordering Information	Light Bulb Information
<p>Example: <b>COPE-01-SV,COPE-01-BASE-SV</b></p> <p><b>COPE-01-SV</b> Copeland light standard arm in silver</p> <p><b>COPE-01-BASE-SV</b> Copeland standard base in silver</p>	<p><i>Specify:</i></p> <ol style="list-style-type: none"> <li>1. Pattern number for arm</li> <li>2. Finish for arm</li> <li>3. Mounting option pattern number</li> <li>4. Mounting option finish</li> </ol>	<p><i>Finish Options:</i></p> <p>Silver (SV) Black (111)</p> <p>Standard Light:</p> <ul style="list-style-type: none"> <li>• Ships with a 15 watt compact fluorescent light bulb. This is equivalent light output of a 75 watt incandescent light bulb.</li> <li>• An incandescent light bulb can also be used. 75 watt is the maximum.</li> <li>• See above for bulb replacement.</li> </ul>

pattern no.	list price
COPE02BULB	\$12.
COPE01BULB	12.

	Construction	Design Awards
Compact Light: <ul style="list-style-type: none"><li>• Ships with a 13 watt compact fluorescent light bulb. This is equivalent light output of a 60 watt incandescent light bulb.</li><li>• A “ceiling fan” incandescent bulb can also be used. 60 watt is the maximum.</li></ul>	The Copeland Light has a steel arm, aluminum axles, zinc coated cast iron base and metallic-painted ABS shade.	Best of NeoCon 2005, Silver Award

# Tolomeo Light Fixtures by Artemide®

product	description	type	dia	w	d	h	wgt.
Tolomeo Standard	<ul style="list-style-type: none"> <li>Fully adjustable arm.</li> <li>Incandescent lamping (bulb not included).</li> <li>UL listed.</li> </ul>		Diffuser - 5 3/4" dia.	1/4"	1"	25" min. - 54 1/2" max	3 lbs. 8 oz.



Shown with 9" base

Tolomeo Mini	<ul style="list-style-type: none"> <li>20% smaller fixture than standard Tolomeo.</li> <li>Fully adjustable arm.</li> <li>Incandescent lamping (bulb not included).</li> <li>UL listed.</li> </ul>		Diffuser - 5 3/4" dia.	1/4"	1"	21" min. - 40 1/2" max	3 lbs. 8 oz.
--------------	--	--	---------------------------	------	----	------------------------------	-----------------



Shown with 8" base

Tolomeo VDT	<ul style="list-style-type: none"> <li>Special diffuser for lighting video display terminal work areas.</li> <li>Fully adjustable arm.</li> <li>Mounted on the Tolomeo Mini arm.</li> <li>Fluorescent lamping (bulb not included).</li> <li>UL listed.</li> </ul>		Diffuser - 10 1/2" x 2 1/2" x 1 1/4"	1/4"	1"	32" min. - 44 1/4" max	3 lbs. 8 oz.
-------------	---	--	---	------	----	------------------------------	-----------------



Shown with 8" base

Standard, Mini, and VDT Mounting Options	Slatwall/load bar bracket		4 1/4"	3"	2"	11 oz.
	Fixed table mount - Mounts to virtually any work surface up to 2 1/2" thick. Requires hole drilled in field.		1 3/8" dia.		5"	
	Table clamp - Can be clamped to the edge of or in the grommet hole of virtually any work surface up to 2" thick.		2 1/4" dia.		4 1/2"	
	8" table base for use with Mini and VDT Tolomeo fixtures. See finish note below.		8" dia.		5/8"	7 lbs.
	9" table base for use with the Tolomeo std. fixture. See finish note below.		9" dia.		5/8"	8 lbs.
	Panel mount bracket (mid run). Universal.		4"	3 1/2"	3"	10 oz.
	Panel mount bracket (mid run). For Dividends.		4"	3 1/2"	3"	10 oz.

Order Code	Ordering Information		
Example: <b>ART-TOL-MIN-BK</b> <b>ART-BASE8-AL</b>	Specify: 1. Pattern number 2. Finish 3. Mounting option 4. Mounting finish (Table bases ART-BASE9 and ART-BASE8 only)	Lamp information: Incandescent Requires one 100W (max.) bulb INC Fluorescent Requires one 13W bulb FLU PL-S 13W Micro Requires one 60W bulb. G-16 1/2 (2") 120V.	Table base finishes: Polished aluminum (AL) Black (BK)
<b>ART-TOL-MIN</b> Tolomeo Mini Fixture			
<b>BK</b> Black finish			
<b>ART-BASE8</b> 8" Table base			
<b>AL</b> Aluminum base finish			

Fixture body finishes:  
Polished aluminum (AL)  
Black (BK)

pattern no.	list price
<b>ART-TOL-STD-(AL,BK)</b>	\$408.
<b>ART-TOL-MIN-(AL,BK)</b>	388.
<b>ART-TOL-VDT-(AL,BK)</b>	505.
<b>ART-TABC-MP-BK</b>	73.
<b>ART-TABF-MTAL</b>	73.
<b>ART-TABC-MTAL</b>	85.
<b>ART-BASE8-(AL,BK)</b>	214.
<b>ART-BASE9-(AL,BK)</b>	233.
<b>ART-BKT-PMM-BK</b>	94.
<b>ART-BKT-PMM-BK-D</b>	94.

### Construction

*Arm:*  
Articulated arm body structure in extruded aluminum. Finished in high polished anodized finish.

*Joints and tension control knobs:*  
Polished die-cast aluminum.

*Tension cables:*  
Stainless steel.

*Mini and standard diffusers:*  
Stamped anodized matte aluminum, rotating 360° on lampholder with incorporated on/off switch. Black, red and grey blue diffusers will have white painted interiors.

*VDT diffusers:*  
Plastic, color to match arm. Rotates 360° on lampholder with incorporated on/off switch.

*Brackets:*  
Table clamp: High polished die-cast aluminum


Slatwall/load bar bracket: Black die-cast aluminum

Panel mount (mid-run and corner): Black die-cast aluminum

Fixed table mount: High polished die-cast aluminum

Crown mount: Black plastic

# Tolomeo Light Fixtures by Artemide®

product	description	type	dia	w	d	h	wgt.	
Standard, Mini, and VDT Mounting Options	Panel mount bracket (mid run). For Ref.			4"	3 1/2"	3"	10 oz.	
 Tolomeo Micro	<ul style="list-style-type: none"><li>• Small scale version of the classic.</li><li>• Fully adjustable arm.</li><li>• Incandescent lamping (1 bulb included).</li><li>• Incandescent lamping (1 bulb included).</li><li>• UL listed.</li><li>• On/Off switch on cord.</li><li>• Available in aluminum finish.</li></ul>	Arm only	Diffuser - 4 3/8" dia.					
		Arm With table base		1/4"	3/4"	15" min. - 28" max	1 lb.	
		Load bar mount bracket for Micro fixture						
		Panel mount bracket for Micro fixture	Base - 6 1/2" dia. 1/4" h					3 lbs.

Order Code	Ordering Information
Example: <b>ART-TOL-MIN-BK</b> <b>ART-BASE8-AL</b>	<i>Specify:</i>
<b>ART-TOL-MIN</b> Tolomeo Mini Fixture	1. Pattern number
<b>BK</b> Black finish	2. Finish
<b>ART-BASE8</b> 8" Table base	3. Mounting option
<b>AL</b> Aluminum base finish	4. Mounting finish (Table bases ART-BASE9 and ART-BASE8 only)
	<i>Lamp information:</i> Incandescent Requires one 100W (max.) bulb INC Fluorescent Requires one 13W bulb FLU PL-S 13W Micro Requires one 60W bulb. G-16 1/2 (2") 120V.  <i>Fixture body finishes:</i> Polished aluminum (AL) Black (BK)
	<i>Table base finishes:</i> Polished aluminum (AL) Black (BK)

pattern no.	list price
<b>ART-BKT-PMM-BK-R</b>	\$94.
<b>ART-TOL-MCR-AL-NB</b>	362.
<b>ART-TOL-MCR-AL</b>	473.
<b>ART-TOL-MCR-LBZ-BK</b>	73.
<b>ART-TOL-MCR-PMM-BK</b>	94.

## Construction

*Arm:*  
Articulated arm body structure in extruded aluminum. Finished in high polished anodized finish.

*Joints and tension control knobs:*  
Polished die-cast aluminum.

*Tension cables:*  
Stainless steel.

*Mini and standard diffusers:*  
Stamped anodized matte aluminum, rotating 360° on lampholder with incorporated on/off switch. Black, red and grey blue diffusers will have white painted interiors.

*VDT diffusers:*  
Plastic, color to match arm. Rotates 360° on lampholder with incorporated on/off switch.

*Brackets:*  
Table clamp: High polished die-cast aluminum

Slatwall/load bar bracket: Black die-cast aluminum

Panel mount (mid-run and corner):  
Black die-cast aluminum


Fixed table mount: High polished die-cast aluminum

Crown mount: Black plastic


# Little Dipper and Big Dipper

## Lighting System

product	description	w	d	h	wgt.	bulb type	watts
Big Dipper	<ul style="list-style-type: none"> <li>• 34" arm reach.</li> <li>• 18 watt fluorescent tube that provides output equivalent to an ordinary 100 watt lamp.</li> <li>• Applicable on virtually all systems.</li> <li>• Four joints easily adjust lamp to needs of user.</li> <li>• Shade adjusts to minimize glare and eyestrain.</li> <li>• Matte black plastic.</li> <li>• UL-listed.</li> </ul>	34"	3"	2"	3 lbs. 4 ozs.	Fluorescent	PL18



Little Dipper	<ul style="list-style-type: none"> <li>• 19" arm reach.</li> <li>• 18 watt fluorescent tube that provides output equivalent to an ordinary 100 watt lamp.</li> <li>• Applicable on virtually all systems.</li> <li>• Three joints easily adjust lamp to needs of user.</li> <li>• Shade adjusts to minimize glare and eyestrain.</li> <li>• Matte black plastic.</li> <li>• UL-listed.</li> </ul>	19"	3"	2"	2 lbs. 8 ozs.	Fluorescent	PL18
---------------	---	-----	----	----	---------------	-------------	------



Mounting Options	Desk-Mounted Bracket	3"	1 1/4"	3 3/4"	6 ozs.
	Freestanding Weighted Base	8"	6 1/4"	2"	14 lbs.
	Load bar mount				
	Load Bar-Mounted Bracket	4 1/4"	2"	3"	11 ozs.
	Panel-Mounted Bracket - Mid-run	4"	3"	3 1/2"	10 ozs.
	Panel-Mounted Bracket for Dividends	4"	3"	3 1/2"	10 ozs.
	Panel-Mounted Bracket for Reff - Mid Run	4"	3"	3 1/2"	10 ozs.
	Wall-Mounted Bracket	3 1/4"	2 1/2"	2 1/2"	12 ozs.

Order Code	Ordering Information
Example: <b>ORCH-BD</b> <b>ORCH-D-PMC</b>	<i>Specify:</i>
<b>ORCH-BD</b> Big Dipper	1. Pattern number
<b>ORCH-D-PMC</b> Panel-mounted bracket, corner	2. Mounting option pattern number
	<i>Mounting bracket:</i> To specify appropriate panel-mounting brackets consult the KnollExtra Bracket Chart on page 12.



pattern no.	list price
<b>ORCH-BD</b>	<b>\$443.</b>

<b>ORCH-LD</b>	<b>412.</b>
----------------	-------------

<b>ORCH-D-DM</b>	<b>29.</b>
<b>ORCH-D-BASE</b>	<b>120.</b>
<b>ART-TOL-BELLA-LBZ-BK</b>	<b>70.</b>
<b>ORCH-D-LBZ</b>	<b>76.</b>
<b>ORCH-D-PMM</b>	<b>98.</b>
<b>ORCH-D-PMMD</b>	<b>98.</b>
<b>ORCH-D-PMR</b>	<b>123.</b>
<b>ORCH-D-WM</b>	<b>29.</b>


### Construction

Constructed of fingerprint-resistant matte black plastic. 3"W x 12"D x 2"H arched shade includes full-length reflector to distribute light evenly over work area. Compact 18-watt fluorescent tube offers light output equivalent to an ordinary 100-watt lamp, and provides approximately 10,000 hours of light. 7 foot black cord.

Manufactured in Taiwan, Republic of China.

# Desktop Lamp

By John Rizzi and Brooks Rorke

product	description	watts	w	d	h	wgt.	bulb type
Desktop Lamp 	<ul style="list-style-type: none"> <li>• Freestanding.</li> <li>• Available in halogen or fluorescent.</li> <li>• Adjustable height extends to 19 1/2".</li> <li>• Dual intensity switch on halogen model.</li> <li>• Base, shaft and shade in black only.</li> <li>• UL-listed.</li> </ul>	22 watt, T5 circular	11 1/2"	11 1/2"	15 1/4"	5 lbs.	F
		120V, 60 HZ, 3200K				11 ozs.	
		50 watt, G8 120V, 60HZ	11 1/2"	11 1/2"	15 1/4"	5 lbs.	H
		Dimmable to 30 watt.				11 ozs.	
<hr/>							
Replacement bulb	<ul style="list-style-type: none"> <li>• Fluorescent</li> </ul>						
	<ul style="list-style-type: none"> <li>• Halogen</li> </ul>						

Order Code	Ordering Information
Example: <b>ORCH-DES-H-BK</b>	<i>Lamp, specify:</i>
<b>ORCH-DES</b>	1. Pattern number
<b>H</b>	2. Bulb type
<b>BK</b>	<i>Bulb type:</i>
	Halogen (H)
	Fluorescent (F)
	<i>Shade:</i>
	Black (BK)

pattern no.	list price
<b>ORCH-DES-F</b>	\$203.
<b>ORCH-DES-H</b>	192.
<hr/>	
<b>ORCH-DESF-BULB</b>	10.
<b>ORCH-DESH-BULB</b>	10.

Construction	Design Award
The weighted base is constructed of molded ABS plastic. Vertical posts are durable black aluminum. Covers are heat resistant polycarbonate. Halogen models feature dual intensity switch for 30/50 watt output. UL-listed.	Furniture/Lighting Gold Award, IDSA/IDEA, 1992; Silver Award, IBD Product Design Competition, 1990.

# Colebrook Bosson Saunders for KnollExtra

## Wire Management Spine

product	description	w	d	h	wgt.
Cable Manager	<ul style="list-style-type: none"> <li>Cable Management Spine</li> <li>Guides cable from underside of worksurface to floor.</li> <li>Has four compartments to separate power, data, and voice cable.</li> <li>Easy access to cables - no tools required.</li> <li>Color - Black</li> </ul>			29.13"	



Order Code	Ordering Information	Construction
Example: <b>CBS-WM-4CL</b>	<i>Specify:</i>	Plastic spine with cast iron base.
<b>CBS-WM-4CL</b> Cable Manager	1. Pattern number	

pattern no.	list price
CBS-WM-4CL	\$246.

--

--

# Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
001-214	36	3604	30	COPE-PM-E	144	OAK-A2-P-2-SL2-BK-PT-(16,18,22,23,25)	86
001-315	36	3605	30	COPE-PM-M	142	OAK-A2-P-2-SS2-BK-(16,18,22,23,25)	86
009-12	36	3612-3	34	COPE-PM-R	144	OAK-A2-P-2-SS2-BK-PT-(16,18,22,23,25)	86
012-1	18	3612-4	34	COPE-SLT	144	OA-K-EL2-MS-(16,18,22,23,25)	82
012-2	18	3613	34	EFM-IVYU	48	OA-K-MS	82
012-3	18	3614	34	F-24-14	134	OAK-OTK-MP	88
012-4	18	3615	30	F-24-16	134	OA-K-PR-EL2-BK-(16,18,22,23,25)	80
050	20	3633	30	F-24-18	134	OA-K-PR-EL2-BK-PT-(16,18,22,23,25)	80
055-BO	20	3643	32	F-24-20	134	OA-K-PR-SL2-BK-(16,18,22,23,25)	80
1-2600	48	3645	32	F-24-24	134	OA-K-PR-SL2-BK-PT-(16,18,22,23,25)	80
1-2601	48	3650	34	F-30-14	134	OA-K-PR-SS2-BK-(16,18,22,23,25)	80
1-2602	48	4B2-MP	88	F-30-16	134	OA-K-PR-SS2-BK-PT-(16,18,22,23,25)	80
1901	14	4B2-MP-MS	88	F-30-18	134	OAK-RJ-EL2-BK-(16,18,22,23,25)	78
1901-2	14	4B2-MP-WR	78	F-30-20	134	OAK-RJ-EL2-BK-PT-(16,18,22,23,25)	78
1901-3	14	4B2-WR	88	F-30-24	134	OAK-RJ-SL2-BK-(16,18,22,23,25)	78
1905	16	512-20	18, 28, 34	F-36-14	134	OAK-RJ-SL2-BK-PT-(16,18,22,23,25)	78
1906	16	ART-BASE8-(AL,BK)	148	F-36-16	134	OAK-RJ-SS2-BK-(16,18,22,23,25)	78
1912-20	18, 28, 34	ART-BASE9-(AL,BK)	148	F-36-18	134	OAK-RJ-SS2-BK-PT-(16,18,22,23,25)	78
1912-30	18	ART-BKT-PMM-BK	148	F-36-20	134	OA-K-SS2-MS-(16,18,22,23,25)	82
1912-31	18	ART-BKT-PMM-BK-D	148	F-36-24	134	OA-PFD-N	118
1912-32	18	ART-BKT-PMM-BK-R	150	F-42-14	134	OA-PFD-W	118
1912-40	18	ART-TABC-MP-BK	148	F-42-16	134	OA-SLV(A,B,C)-(E, J)	94
1912-41	18	ART-TABC-MTAL	148	F-42-18	136	OA-SLV(A,B,C)-(GS, BS)	94
1912-42	18	ART-TABF-MTAL	148	F-42-20	136	OR-BKT-PM-B	74
1915	16	ART-TOL-BELLA-LBZ-BK	152	F-42-24	136	OR-BKT-PM-CE	74
1916	16	ART-TOL-MCR-AL	150	F-48-14	136	OR-BKT-PM-CS	74
2020-020	38	ART-TOL-MCR-AL-NB	150	F-48-16	136	OR-BKT-PM-D	74
2020-032	38	ART-TOL-MCR-LBZ-BK	150	F-48-18	136	OR-BKT-PM-DS	74
2020-035	38	ART-TOL-MCR-PMM-BK	150	F-48-20	136	OR-BKT-PM-DV	74
2020-038	38	ART-TOL-MIN-(AL,BK)	148	F-48-24	136	OR-BKT-PM-E	74
2020-150	38	ART-TOL-STD-(AL,BK)	148	F-60-14	136	OR-BKT-PM-ES	74
250	20	ART-TOL-VDT-(AL,BK)	148	F-60-16	136	OR-BKT-PM-M	74
255	20	BP-DCF	122	F-60-18	136	OR-BKT-PM-N	74
256	20	BP-DCF-17	122	F-60-20	136	OR-BKT-PM-R	74
2ORCH-F-LT	52	BP-DSF	120	F-60-24	136	OR-BKT-SM-A	74
2ORCH-S-LGT	54	BP-KFD	126	F-PM-D-(14, 16, 18, 20 or 24)	138	OR-BKT-WM	74
2ORCH-S-LT	52	BP-L	122, 126, 128	F-PM-E-(14, 16, 18, 20 or 24)	138	ORCH-BD	152
3030-095	38	BP-NKD	124	F-PM-M-(14, 16, 18, 20 or 24)	138	ORCH-BDN	56
3030-120	38	BP-PD	128	F-PM-R-(14, 16, 18, 20 or 24)	138	ORCH-CCH	62
3030-160	38	BP-SCF	122	F-WM-F-(24, 30, 36, 42, 48, 60)- (14, 16, 18, 20 or 24)	138	ORCH-D-BASE	152
3031-200	38	BP-SSF	120	F-WM-R-(14, 16, 18, 20 or 24)	138	ORCH-D-DM	152
3031-600	38	BP-TOP-C	128	MCO-BOD	48	ORCH-DES-F	154
3032-200	38	BP-WKD	124	OA-CPU-MTL-V	116	ORCH-DES-F-BULB	154
3301	22	BP-WKD-25	124	OA-CPU-SLNG-V	116	ORCH-DES-H	154
3301-2	22	CBS-MBL-CPU	114	OA-FR-BK	94	ORCH-DESH-BULB	154
3304	26	CBS-WM-4CL	156	OAK-A1-W/P-EL2-BK-(16,18,22,23,25)	84	ORCH-D-LBZ	152
3305	24	CLAM-CPU-01	114	OAK-A1-W/P-EL2-BK-PT-(16,18,22,23,25)	84	ORCH-DP	64
3312-3	28	CLAM-CPU-02	114	OAK-A1-W/P-SL2-BK-(16,18,22,23,25)	84	ORCH-D-PMM	152
3312-4	28	CLAM-L-01	114	OAK-A1-W/P-SL2-BK-PT-(16,18,22,23,25)	84	ORCH-D-PMMD	152
3313	28	CLAM-L-02	114	OAK-A1-W/P-SS2-BK-(16,18,22,23,25)	84	ORCH-D-PMR	152
3314	28	CLAM-T	114	OAK-A1-W/P-SS2-BK-PT-(16,18,22,23,25)	84	ORCH-D-WM	152
3315	24	COPE-01	142	OAK-A2-P-1-EL2-BK-(16,18,22,23,25)	86	ORCH-F-LT	52
3319-4	24	COPE-01-BASE	142	OAK-A2-P-1-EL2-BK-PT-(16,18,22,23,25)	86	ORCH-FS	56
3319-4-LN	24	COPE01BULB	146	OAK-A2-P-1-SL2-BK-(16,18,22,23,25)	86	ORCH-HFH	58
3333	22	COPE-02	142	OAK-A2-P-1-SL2-BK-PT-(16,18,22,23,25)	86	ORCH-LD	152
3343	24	COPE-02-BASE	142	OAK-A2-P-1-SS2-BK-(16,18,22,23,25)	86	ORCH-MT	60
3345	24	COPE02BULB	146	OAK-A2-P-1-SS2-BK-PT-(16,18,22,23,25)	86	ORCH-PC	58
3350	28	COPE-CLMP	142	OAK-A2-P-2-EL2-BK-(16,18,22,23,25)	86	ORCH-PD-A	130
3370 (4" x 6")	26	COPE-COTCS	144	OAK-A2-P-2-EL2-BK-PT-(16,18,22,23,25)	86	ORCH-PF-LD	76
3371 (5" x 7")	26	COPE-GRMT	144	OAK-A2-P-2-SL2-BK-(16,18,22,23,25)	86	ORCH-PF-LG	76
3601	30	COPE-PM-D	144			ORCH-PF-LT	76

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ORCH-PF-SD	76	OR-SL-06-35-( )()	70	OR-WB-42-24-E	132	WSH-CLMP-SV	106
ORCH-SB	54	OR-SL-06-36-ES-( )()	70	OR-WB-42-30	132	WSH-CLMP-TM-SV	106
ORCH-S-LGT	52	OR-SL-06-36-EY-( )()	70	OR-WB-42-30-E	132	WSH-FPB-CCM	106
ORCH-S-LT	52	OR-SL-06-36-N2-( )()	70	OR-WB-48-30	132	WSH-FPB-CSL	106
ORCH-SSD	56	OR-SL-06-36-( )()	70	OR-WB-48-30-E	132	WSH-FPB-WM	108
ORCH-TD	60	OR-SL-06-42-ES-( )()	70	OR-WB-LBZ	132	WSH-GRMT-SV	108
ORCH-TS-UNI	62	OR-SL-06-42-EY-( )()	70	OR-WB-PM-B	132	WSH-MP-SV	108
ORCH-UT	58	OR-SL-06-42-N2-( )()	70	OR-WB-PM-D	132	WSH-PMFR-BK	106
ORCH-VAS	62	OR-SL-06-42-( )()	70	OR-WB-PM-DV	132	WSH-PTB-36	104
ORCH-VPP	56	OR-SL-06-45-( )()	70	OR-WB-PM-E	132	WSH-PTB-48	104
ORCH-WBK	64	OR-SL-06-48-ES-( )()	70	OR-WB-PM-M	132	WSH-PTB-60	104
ORCH-WBK-R-EB	64	OR-SL-06-48-EY-( )()	70	OR-WB-PM-R	132	WSH-PT-CLP-O-SV	104
OR-LBI-24-EY-( )()	68	OR-SL-06-48-N2-( )()	70	OR-WB-TCM-DV	132	WSH-PTM-75-SV	106
OR-LBI-24-N2-( )()	66	OR-SL-06-48-( )()	70	OR-WB-TCM-E	132	WSH-ROT-300-PT-SR-K-SV	110
OR-LBI-24-( )()	66	OR-SL-06-54-EY-( )()	70	OR-WB-TCM-M	132	WSH-ROT-400-PT-SR-K-SV	110
OR-LBI-30-C-( )()	66	OR-SL-06-54-N2-( )()	70	OR-WB-TCM-R	132	WSH-ROT-PT-SR-SV	110
OR-LBI-30-ES-( )()	68	OR-SL-06-54-( )()	70	OR-WB-TR	132	WSH-SA-B2B-PT-SV	98
OR-LBI-30-EY-( )()	68	OR-SL-06-60-ES-( )()	70	OR-WB-WM	132	WSH-SA-K-SV	96
OR-LBI-30-N2-( )()	66	OR-SL-06-60-EY-( )()	70	PR-MB-3036	140	WSH-SA-MP-SV	96
OR-LBI-30-( )()	66	OR-SL-06-60-N2-( )()	70	PR-MB-WM-Rail	140	WSH-SA-SV	96
OR-LBI-35-( )()	66	OR-SL-06-60-( )()	70	R2	138	WSH-SA-TB	98
OR-LBI-36-CS-( )()	66	OR-SL-06-66-EY-( )()	70	S1	138	WSH-TBP-BRKT	106
OR-LBI-36-C-( )()	66	OR-SL-06-66-N2-( )()	70	S2	138	WSH-XP-200-SV	104
OR-LBI-36-DV-( )()	66	OR-SL-06-66-( )()	70	SF-LS	90	WSH-XP-300-SV	104
OR-LBI-36-ES-( )()	68	OR-SL-06-72-ES-( )()	70	SF-MP-FS-(BK)-G	90	WSH-XP-CLP-O-SV	104
OR-LBI-36-EY-( )()	68	OR-SL-06-72-EY-( )()	70	SF-SB(E, J)	92	WSH-ZOR-SA-200-PT-K-SV	112
OR-LBI-36-N2-( )()	66	OR-SL-06-72-N2-( )()	70	SF-SB(GS, BS)	92	WSH-ZOR-SA-300-PT-K-SV	112
OR-LBI-36-( )()	66	OR-SL-06-72-( )()	70	SF-WR-FS-(BK)-G	90	WSH-ZOR-SA-400-PT-K-SV	112
OR-LBI-42-DV-( )()	66	OR-SL-14-24-EY-( )()	72	STL-01-2	42	WSH-ZOR-SA-PT-SV	112
OR-LBI-42-ES-( )()	68	OR-SL-14-24-( )()	72	STL-014-2	42		
OR-LBI-42-EY-( )()	68	OR-SL-14-30-ES-( )()	72	STL-015-1	42		
OR-LBI-42-N2-( )()	66	OR-SL-14-30-EY-( )()	72	STL-019-1	42		
OR-LBI-42-( )()	66	OR-SL-14-30-( )()	72	STL-04-2	42		
OR-LBI-45-( )()	66	OR-SL-14-35-( )()	72	STL-05-1	42		
OR-LBI-48-CS-( )()	66	OR-SL-14-36-ES-( )()	72	STL-06-2	42		
OR-LBI-48-C-( )()	66	OR-SL-14-36-EY-( )()	72	STL-06-3	42		
OR-LBI-48-DV-( )()	66	OR-SL-14-36-( )()	72	STL-10	46		
OR-LBI-48-ES-( )()	68	OR-SL-14-42-ES-( )()	72	STL-1000	40		
OR-LBI-48-EY-( )()	68	OR-SL-14-42-EY-( )()	72	STL-11	46		
OR-LBI-48-N2-( )()	66	OR-SL-14-42-( )()	72	STL-1100	40		
OR-LBI-48-( )()	66	OR-SL-14-45-( )()	72	STL-13	46		
OR-LBI-54-EY-( )()	68	OR-SL-14-48-ES-( )()	72	STL-15	46		
OR-LBI-54-N2-( )()	66	OR-SL-14-48-EY-( )()	72	STL-2004	40		
OR-LBI-54-( )()	66	OR-SL-14-48-( )()	72	STL-486	44		
OR-LBI-60-DV-( )()	66	OR-SL-14-54-EY-( )()	72	STL-9	46		
OR-LBI-60-ES-( )()	68	OR-SL-14-54-( )()	72	STL-900	40		
OR-LBI-60-EY-( )()	68	OR-SL-14-60-ES-( )()	72	STL-900-1	50		
OR-LBI-60-N2-( )()	66	OR-SL-14-60-EY-( )()	72	STL-900-2	50		
OR-LBI-60-( )()	66	OR-SL-14-60-( )()	72	STL-900-3	50		
OR-LBI-66-EY-( )()	68	OR-SL-14-66-EY-( )()	72	STL-915	40		
OR-LBI-66-N2-( )()	66	OR-SL-14-66-( )()	72	WSH-02-MP-FR	100		
OR-LBI-66-( )()	66	OR-SL-14-72-ES-( )()	72	WSH-02-MP-SR	100		
OR-LBI-72-DV-( )()	66	OR-SL-14-72-EY-( )()	72	WSH-02-PT-FR	100		
OR-LBI-72-ES-( )()	68	OR-SL-14-72-( )()	72	WSH-02-PT-SR	100		
OR-LBI-72-EY-( )()	68	OR-WB-24-18	132	WSH-02-TB-FR	100		
OR-LBI-72-N2-( )()	66	OR-WB-24-18-E	132	WSH-02-TB-SR	100		
OR-LBI-72-( )()	66	OR-WB-30-18	132	WSH-03-PT-FR	102		
OR-MS-12	58	OR-WB-30-18-E	132	WSH-03-PT-SR	102		
OR-SL-06-24-EY-( )()	70	OR-WB-30-24	132	WSH-03-SW-FR	102		
OR-SL-06-24-N2-( )()	70	OR-WB-30-24-E	132	WSH-03-SW-SR	102		
OR-SL-06-24-( )()	70	OR-WB-36-18	132	WSH-03-TB-FR	102		
OR-SL-06-30-ES-( )()	70	OR-WB-36-18-E	132	WSH-03-TB-SR	102		
OR-SL-06-30-EY-( )()	70	OR-WB-36-24	132	WSH-200-PT-CLP-O-SV	104		
OR-SL-06-30-N2-( )()	70	OR-WB-36-24-E	132	WSH-300-PT-CLP-O-SV	104		
OR-SL-06-30-( )()	70	OR-WB-42-24	132	WSH-B2B-SV	108		

# Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
<b>Terms &amp; Conditions of Sales</b>	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
<b>Ordering Information</b>	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
<b>Order Confirmation</b>	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
<b>Pricing Policies</b>	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
<b>Taxes</b>	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
<b>Terms of Payment</b>	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a one-third (1/3) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
<b>Changes and Cancellation</b>	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
<b>Freight Prepaid</b>	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
<b>Delivery/Freight Charges</b>	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
<b>Claims</b>	<p>All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.</p>
<b>Seller's Security Interest</b>	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
<b>Returns</b>	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
<b>Held Orders/Storage</b>	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>



# Selling Policy

<b>Customer's Own Material</b>	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
<b>Warranty</b>	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below for <i>Bulldog</i>, <i>Chadwick</i>, <i>Essentials Work Chairs</i>, <i>Life</i>, <i>Open Up</i>, <i>RPM</i>, <i>Sapper</i> and <i>SoHo</i> seating is for 24-hour, 7 days a week, multi shift use.</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime</i>: <i>AutoStrada</i>, <i>Calibre</i>, <i>Crinion Open Table</i>, <i>Currents</i>, <i>Dividends Horizon</i>, <i>Equity</i>, <i>Morrison</i>, <i>Reff</i> laminate, <i>Series 2 Storage</i> and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, <i>Series 2 Veneer Front Storage</i>, special or custom products or other materials specifically called out below, see below)</p> <p><i>10 Years</i>: <i>AutoStrada</i>, <i>Crinion Open Table</i>, <i>Reff</i> wood components, <i>Series 2 Veneer Front Storage</i>, <i>Wood Casegoods</i> (<i>Magnusson</i>, <i>The Graham Collection</i>), <i>Interaction</i> tables (except height adjustment mechanisms for <i>Counterforce</i>, crank-adjustable, and split-top tables and worksurfaces, see below), <i>Reuter</i> overheads, <i>Reuter</i> vertical storage, <i>Bulldog</i>, <i>Chadwick</i>, <i>Essentials Work Chairs</i>, <i>Life</i>, <i>RPM</i> and <i>Sapper</i> seating structural and operational parts, controls, casters, pneumatic cylinders, seat and back mesh (except seating upholstery, finishes and labor, wood casegoods upholstered surfaces, see below)</p> <p><i>5 Years</i>: Operational parts, controls, electrical (except light ballasts and bulbs, see below), cascade edge worksurfaces, special or custom product, wood veneer products, <i>A3</i>, <i>Currents</i> handcrank, <i>Interaction Counterforce</i>, <i>Interaction</i> crank-adjustable, and split-top mechanisms, <i>KnollStudio</i>, <i>KnollExtra</i> adjustable keyboard supports, VDT carousel, monitor platform, equipment storage drawers and all universal storage drawers, <i>Open Up</i> and <i>SoHo</i> seating structural and operational parts, controls, pneumatic cylinders (except seating upholstery, finishes and labor, see below)</p> <p><i>3 Years</i>: Upholstery, finishes and labor to repair the following chairs: <i>Bulldog</i>, <i>Chadwick</i>, <i>Essentials Work Chairs</i>, <i>Life</i>, <i>Open Up</i>, <i>RPM</i>, <i>Sapper</i> and <i>SoHo</i>.</p> <p><i>2 Years</i>: All other <i>KnollExtra</i> product</p> <p><i>1 Year</i>: Light ballasts and bulbs, seating upholstered arm pads and soft arm pads, wood casegoods upholstered surfaces.</p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none"><li>• Damage caused by a carrier other than the Seller.</li><li>• Normal wear and tear or acts or omissions of parties other than Seller (including user modification).</li><li>• COM or other third party materials applied to Products.</li><li>• Products not installed by or under the auspices of a certified dealer of Seller.</li><li>• Dramatic temperature variations or exposure to unusual conditions.</li><li>• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty).</li></ul> <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
<b>Delay/Force Majeure</b>	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
<b>Compliance with Law</b>	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
<b>Patents</b>	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none"><li>• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.</li><li>• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.</li><li>• Any settlements of a suit or proceeding made without Seller's written consent.</li></ul>
<b>Limitations of Liability</b>	<p><b>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</b></p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

# General Ordering Information

---

## **The Products**

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

## **Pricing**

All prices shown are list.

## **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

## **Mail all orders to:**

Knoll, Inc.  
1235 Water Street  
East Greenville, PA 18041  
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

# Sustainability Statement

---

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to [knoll.com](http://knoll.com), click on "About Knoll" and then "Environmental Focus."