

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	7
Panels	Monolithic panels 34" H	10
	Monolithic panels 42" H	16
	Monolithic panels 49" H	23
	Monolithic panels 64" H	30
	Monolithic panels 79" H	37
	Tiled panels 34" H	44
	Tiled panels 42" H	49
	Tiled panels 49" H	56
	Tiled panels 64" H	63
	Tiled panels 79" H	70
	Aluminum Reveal kits	77
	Beltway one side, window panel 49" H	84
	Beltway two sides, window panel 49" H	98
	Stacking modules	100
	Panel connection posts	105
	Panel trims and post covers	110
	Ceiling cable entry posts, poles and cable infeed	112
	Ceiling cable entry post covers	114
	Rolling door and hinged door	116
	Attachment kits	117
	Floor to ceiling modules	118
	Required components	125
Power distribution components	126	
Beltway electrical components	131	
Data and Communications	133	
Reff Ported Panel Components	134	
Worksurfaces	Worksurface 1 1/4"	137
	Conference 1 1/4"	151
	Optional edge details 1 1/4"	153
	Optional edge 1 1/4	154
	Waterfall Edge 1 1/4"	169
	Cascade Edge 1 1/4"	188
	Worksurface 1 1/2"	194
	Worksurface Credenza	197
	Peninsula 1 1/2	200
	Tables, 1 1/2"	235
	Tables, 1"	246
Support components	Top support components	249
	Modesty	265
Cabinetry	Pedestals, 26 1/2" planning	271
	Pedestals, 28 3/8" planning	283
	Credenzas, 28 3/8" planning	299
	Cabinets, 26 1/2" planning	304
	Cabinets, 28 3/8" planning	326
	Cabinets Progressive	353
Desktop towers	Desktop Towers	365
Overhead storage	Overhead, 26 1/2" planning	372
	Overhead, 28 3/8" planning	381
	Reuter overhead cabinet	410
	Reuter open shelf	413
	Reuter open overhead	414
	Reuter overhead storage	415
	Task Lights for Reuter Overhead Storage	417
	Progressive Overheads	418

Transaction tops, regular and waterfall edge	Transaction tops	427
Gallery desk surrounds	Gallery desk surrounds	429
Classic Desks	Classic Desks, 26 1/2" h and 28 3/8" h	433
Preconfigured Reff Desking	Single pedestal desks	437
	Double pedestal desks	440
	Desk returns	443
	Single pedestal credenzas	446
	Bridge assemblies	449
	Double pedestal credenzas	452
Accessories and Client Samples	Accessories	455
	Task Panels	471
	Tackboards	515
	Desk Screens	520
	Cubbies	525
Administrative / Reception	Single Wide Desk	527
	Double Wide Desk	529
	Bridge	531
	Return	533
	Shared Return One Sided	535
	Shared Return Two Sided	537
	Technology Island Peninsula	539
	Infill Panel	541
	Transaction Tops	545
	Accent Tops	548
	Cabinets	550
	Supports	554
	Accessories	555
	Tackboards	557
Wall Mounting of Knoll Products		558
Horizons Planning	Horizons - 28 3/8" Planning	560
Alpha-Numeric Index		563
Selling Policy		588
KnollKey Lock Program		590
General Ordering Information		591

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 5/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. PolyurTM provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes:

V1 Techwood

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

**Not available on Reff optional Edges and Waterfall Edge.*

V1 - Techwood Surface with matching synthetic edge:

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Natural Veneers/Premium Techwood Veneers

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V439	Straight Anigre
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)

Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are rift cut)

V2 Natural Veneer with synthetic edge

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

V3 Premium Veneer

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

(all above are quarter cut)

Glass

TEMP	Clear Tempered (G1)
------	---------------------

Architectural Glass Options: (G2)

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Back Painted Glass (G3)

GL11	Back Painted Black
GL14	Folkstone Grey
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass (G3)

GL35	Grey
GL85	Star Clear

Locks

Black and Silver

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Chery *
125	Natural Maple *
126	Natural Cherry *
127	Walnut *
128	Fog
129	Micro Sand with 119 Pumice edge band

**Woodgrain Laminate. Not available on all components.*

Paint

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver

Plated

PD	Polish Chrome
PT	Brushed Pewter
PN	Black Nickel
PU	Satin Nickel

Anodized

AN	Anodized Black
AP	Anodized Polished
AU	Anodized Satin
AA	Anodized Aluminum

See matrix next page for finishes applicable by component

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Solid Surface

AW	Artic White
----	-------------

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
39	for V439
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V449
52	for V512
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427
85	for Y851
Y1	for Y341
62	for Y342
44	for Y344

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options

Grade 10
 Broadcloth II (W1619)
 Foundation (W351)
 Growth Spurt (W692)
 Symbolic Detail (W693)
 Tailor Made II (W1610/6)
 Versatility (W432)

Grade 20
 Bauhaus Block (W296A)
 Circle Line (W1146)
 Clarity (W281)
 Criss Cross (W305)
 Labyrinth (W352)★ ∅
 Logic (W1318)
 Photon (W1293)
 Reflect (W884) ∅
 Resolution (W280)
 Weave Three (W298)

Grade 30
 Basket Draft (W249)
 Flow (W565)
 Harmony (W232)
 Interknit (W1090)
 Match Point (W1145)
 Micro (W465)*
 Progression (W403)
 Relay (W1020) ▲

Grade 40
 Clarkson (W1218)
 Ornament (W1078)
 Palladium (W1030)

Grade 45
 Dristi (K872)* ∅

**with backing only*

▲ Monolithic panels and tackboards only

∅ May not be available in all colors.

★ Non-merchandized available for purchase but samples not available.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50
 Knoll Hopsack (K1206)
 Ricochet (W498)

Grade 55
 Knoll Felt (K1207)
 Transition (W816)

Customers Own Material

Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Non-Wood Finishes

26 1/2" h planning with 1 1/4" worksurfaces

Finishes	<i>Panel Tiles, Worksurfaces & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Pulls</i>	<i>Grommets</i>
Jet Black	111	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	n/a	113
Medium grey	115	115	115	115	115	115	115	115
Soft grey	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ●	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT●	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD

n/a = not available

* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only

● PZ and PT Pulls only for 'D' Pulls.

Panel Trim Profiles



Flat (Option A)



Square (Option B)



Bullnose (Option C)



Extruded Aluminum (Option E)


Worksurface Profiles



1 1/2", 1 1/4" and 1" Thick Standard



1 1/4" Thick Waterfall




1 1/4" Thick Cascade




1" Thick Sliding Table

NOTE: See page 153 for 7 Optional Edges which are also available.


Pull Options



Integral Wood J-Pull




C-Pull (Nickle Plated Finish Only)
7³/₈"W x 1⁵/₃₂"D




S-Pull (Stainless Steel Finish Only)
6⁵/₃₂"W x 1¹/₁₆"D




D-Pull Painted and the following Plated Finishes;
PT = Brushed Pewter
PZ = Satin Brass
7³/₄"W x 1¹³/₃₂"D




R-Cylinder
 1" diameter
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center position for 16" & 19" drawers
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from end, 1 1/2" down from top of drawers




H-Out Line
 4" wide x 1" deep
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center, 1 1/2" down from the top of drawer
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from left/right, 1 1/2" down from top of drawers




T-Tab
 short Tab: 2" wide x 1 3/4" deep
 Long Tab: 10" wide x 1 3/4" deep
 Protrudes 3/4" from drawer front
 Available in painted or plated finishes
 Position: Center line position on drawers



F-Bar Pull
 Short bar pull: 3 3/8" wide x .3" thick
 Long bar pull: 10 1/2" wide x .3" thick
 Protrudes 1" from drawer front
 Available in painted and plated finishes




G-Grommet Pull
 1 7/32" diameter
 Flush with the drawer front
 Available in painted and plated finishes
 1 pull per 60" & 72" sliding doors
 Position: 1.656" from left or right, center line vertical
 2 pulls per 90" & 108" sliding doors
 Position: 1.656" from left and right, center line vertical
 Position: Center line position on drawers



Monolithic panels 34" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	R3B0PFF3418-()()	\$606.	\$622.	\$664.	\$750.	\$802.	\$880.	\$934.
Regular acoustics	20"	34"	R3B0PFF3420-()()	606.	622.	664.	750.	802.	882.	934.
	24"	34"	R3B0PFF3424-()()	654.	670.	712.	798.	850.	928.	982.
	30"	34"	R3B0PFF3430-()()	698.	714.	756.	842.	894.	972.	1,026.
	36"	34"	R3B0PFF3436-()()	742.	758.	800.	886.	938.	1,016.	1,070.
	42"	34"	R3B0PFF3442-()()	852.	868.	910.	996.	1,048.	1,126.	1,180.
	48"	34"	R3B0PFF3448-()()	884.	900.	942.	1,028.	1,080.	1,180.	1,212.



Order Code

Example:	R3B0PFF3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
34	34" high
18	18" wide
(A)	Flat style top trim profile
(4)	4" base height
(K)	Include knockouts in base
W281	Fabric Side 1
W281	Fabric Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 1 and 3.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18"	34"	R3B0PFL3418-()()	\$580.	\$588.	\$607.	\$645.	\$669.	\$702.	\$726.
	20"	34"	R3B0PFL3420-()()	580.	588.	607.	645.	669.	702.	726.
	24"	34"	R3B0PFL3424-()()	617.	625.	644.	682.	706.	739.	763.
	30"	34"	R3B0PFL3430-()()	658.	666.	685.	723.	747.	780.	804.
	36"	34"	R3B0PFL3436-()()	694.	702.	721.	759.	783.	816.	840.
	42"	34"	R3B0PFL3442-()()	790.	798.	817.	855.	879.	912.	936.
	48"	34"	R3B0PFL3448-()()	814.	822.	840.	879.	903.	936.	960.



Order Code

Example:	R3B0PFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. *Top trim profile:*
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum

2. *Base height:*
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option).

Applicable finishes are listed on page 1 and 3.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF13418-()()	\$681.	\$688.	\$710.	\$753.	\$780.	\$819.	\$848.
Regular acoustics	20"	34"	R3B0PF13420-()()	684.	691.	713.	756.	783.	822.	851.
	24"	34"	R3B0PF13424-()()	728.	735.	757.	800.	827.	866.	895.
	30"	34"	R3B0PF13430-()()	774.	781.	803.	846.	873.	912.	941.
	36"	34"	R3B0PF13436-()()	821.	828.	850.	893.	920.	959.	988.
	42"	34"	R3B0PF13442-()()	931.	938.	960.	1,003.	1,030.	1,069.	1,098.
	48"	34"	R3B0PF13448-()()	962.	969.	991.	1,034.	1,061.	1,100.	1,129.



Order Code

Example:	R3B0PF13418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 1 and 3.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF234 18-() ()	\$694.	\$701.	\$723.	\$766.	\$793.	\$832.	\$861.
Regular acoustics	20"	34"	R3B0PF234 20-() ()	697.	704.	726.	769.	796.	835.	864.
	24"	34"	R3B0PF234 24-() ()	740.	747.	769.	812.	839.	878.	907.
	30"	34"	R3B0PF234 30-() ()	790.	797.	819.	862.	889.	928.	957.
	36"	34"	R3B0PF234 36-() ()	835.	842.	864.	907.	934.	973.	1,002.
	42"	34"	R3B0PF234 42-() ()	952.	959.	981.	1,024.	1,051.	1,090.	1,119.
	48"	34"	R3B0PF234 48-() ()	980.	987.	1,009.	1,052.	1,079.	1,118.	1,147.

Order Code

Example:	R3B0PF23418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded aluminum

2. Base height:
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 1 and 3.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H


fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF334 18-() ()	\$923.	\$930.	\$952.	\$995.	\$1,022.	\$1,061.	\$1,090.
Regular acoustics	20"	34"	R3B0PF334 20-() ()	927.	934.	956.	999.	1,026.	1,065.	1,094.
	24"	34"	R3B0PF334 24-() ()	986.	993.	1,015.	1,058.	1,085.	1,124.	1,153.
	30"	34"	R3B0PF334 30-() ()	1,054.	1,061.	1,083.	1,126.	1,153.	1,192.	1,221.
	36"	34"	R3B0PF334 36-() ()	1,113.	1,120.	1,142.	1,185.	1,212.	1,251.	1,280.
	42"	34"	R3B0PF334 42-() ()	1,270.	1,277.	1,299.	1,342.	1,369.	1,408.	1,437.
	48"	34"	R3B0PF334 48-() ()	1,308.	1,315.	1,337.	1,380.	1,407.	1,446.	1,475.

Order Code	Specification Information	Application Notes
Example: R3B0PF33418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 one side	(K = with knockouts, N = without knockouts)	E = Extruded aluminum
34 34" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 1 and 3.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric Side 1	ii) Top trim profile E options:	
V512 Figured Anigre surface - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	All panels on this page accept stacking modules.
V512 Figured Anigre (top trim finish)	7. Base finish	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	All panels on this page have no high acoustical option or Beltway option.
M Optional milled frame		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
		Ported panel components to be installed below worksurface if panel 34"h.



Monolithic panels 34" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	34"	R3B0PLL3418 () ()	\$595.
	20"	34"	R3B0PLL3420 () ()	595.
	24"	34"	R3B0PLL3424 () ()	649.
	30"	34"	R3B0PLL3430 () ()	727.
	36"	34"	R3B0PLL3436 () ()	786.
	42"	34"	R3B0PLL3442 () ()	810.
	48"	34"	R3B0PLL3448 () ()	848.


Order Code	Specification Information	Application Notes
Example: R3B0PLL3418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 34 34" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 laminate inside 5. Panel side 2 laminate outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum 2. <i>Base height:</i> 4 = 4" base height Applicable finishes are listed on page 1 and 3. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B0PFF42 18-() ()	\$552.	\$570.	\$614.	\$706.	\$776.	\$856.	\$912.
Regular acoustics	20"	42"	R3B0PFF42 20-() ()	552.	570.	614.	706.	776.	856.	912.
	24"	42"	R3B0PFF42 24-() ()	589.	607.	651.	743.	813.	893.	949.
	30"	42"	R3B0PFF42 30-() ()	642.	660.	704.	796.	886.	946.	1,002.
	36"	42"	R3B0PFF42 36-() ()	691.	709.	753.	845.	915.	995.	1,051.
	42"	42"	R3B0PFF42 42-() ()	742.	760.	804.	896.	966.	1,046.	1,102.
	48"	42"	R3B0PFF42 48-() ()	797.	815.	859.	951.	1,021.	1,101.	1,157.
	60"	42"	R3B0PFF42 60-() () *	901.	949.	1,041.	1,217.	1,347.	1,515.	1,619.
	66"	42"	R3B0PFF42 66-() () *	933.	981.	1,073.	1,249.	1,379.	1,547.	1,651.
	72"	42"	R3B0PFF42 72-() () *	963.	1,011.	1,103.	1,279.	1,409.	1,577.	1,681.
Monolithic, fabric both sides	18"	42"	R3B0PAA42 18-() ()	606.	624.	668.	760.	830.	910.	966.
High acoustics	20"	42"	R3B0PAA42 20-() ()	606.	624.	668.	760.	830.	910.	966.
	24"	42"	R3B0PAA42 24-() ()	645.	663.	707.	799.	869.	949.	1,005.
	30"	42"	R3B0PAA42 30-() ()	700.	718.	762.	854.	924.	1,004.	1,060.
	36"	42"	R3B0PAA42 36-() ()	757.	775.	819.	911.	981.	1,061.	1,117.
	42"	42"	R3B0PAA42 42-() ()	816.	834.	878.	970.	1,040.	1,120.	1,176.
	48"	42"	R3B0PAA42 48-() ()	875.	893.	937.	1,029.	1,099.	1,179.	1,235.
	60"	42"	R3B0PAA42 60-() () *	984.	1,032.	1,124.	1,300.	1,430.	1,598.	1,702.
	66"	42"	R3B0PAA42 66-() () *	1,017.	1,065.	1,157.	1,333.	1,463.	1,631.	1,735.
	72"	42"	R3B0PAA42 72-() () *	1,050.	1,098.	1,190.	1,366.	1,496.	1,664.	1,768.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 427).
R3 Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B0 No Beltway	2. Base height	Applicable finishes are listed on page 1 and 3.
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.
42 42" high	5. Panel side 2 finish(s) outside	Remember to specify Beltway paint finish when applicable.
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	*These panel widths do not accept stacking modules.
(A) Flat style top trim profile	7. Base finish	*Fabric inserts of these panels are two pieces, split vertically.
(4) 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
(K) Include knockouts in base		
W281 Fabric - Side 1		
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	



Monolithic panels 42" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-() ()	\$1,088.	\$1,114.	\$1,176.	\$1,292.	\$1,362.	\$1,460.	\$1,528.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-() ()	1,088.	1,114.	1,176.	1,292.	1,362.	1,460.	1,528.
	24"	42"	R3B2PFF42 24-() ()	1,111.	1,137.	1,199.	1,315.	1,385.	1,483.	1,551.
	30"	42"	R3B2PFF42 30-() ()	1,165.	1,191.	1,253.	1,369.	1,439.	1,537.	1,605.
	36"	42"	R3B2PFF42 36-() ()	1,363.	1,389.	1,451.	1,567.	1,637.	1,735.	1,803.
	42"	42"	R3B2PFF42 42-() ()	1,466.	1,492.	1,554.	1,670.	1,740.	1,838.	1,906.
	48"	42"	R3B2PFF42 48-() ()	1,519.	1,545.	1,607.	1,723.	1,793.	1,891.	1,959.
	Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-() ()	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.
Beltway one side	20"	42"	R3B1PFF42 20-() ()	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.	1,472.
	24"	42"	R3B1PFF42 24-() ()	1,090.	1,112.	1,165.	1,269.	1,339.	1,428.	1,490.
	30"	42"	R3B1PFF42 30-() ()	1,145.	1,167.	1,220.	1,324.	1,394.	1,483.	1,545.
	36"	42"	R3B1PFF42 36-() ()	1,338.	1,360.	1,413.	1,517.	1,587.	1,676.	1,738.
	42"	42"	R3B1PFF42 42-() ()	1,439.	1,461.	1,514.	1,618.	1,688.	1,777.	1,839.
	48"	42"	R3B1PFF42 48-() ()	1,485.	1,507.	1,560.	1,664.	1,734.	1,823.	1,885.

Order Code	Specification Information	Application Notes
Example: R3B2PFF4218	<i>To order please specify pattern number including:</i>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 427).</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>*Fabric inserts of these panels are two pieces, split vertically.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p> <p>Applicable finishes are listed on page 1 and 3.</p>
R3 Reff Generation 3	1. Top trim profile	
B2 Beltway two sides	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside below belt	
42 42" high	5. Panel side 1 finish(s) inside above belt	
18 18" wide	6. Panel side 2 finish(s) outside below belt	
(A) Flat style top trim profile	7. Panel side 2 finish(s) outside above belt	
(4) 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page excluding silver	
(K) Include knockouts in base	9. Base finish	
W281 Fabric - Side 1 below belt	10. Beltway finish	
W281 Fabric - Side 1 above belt	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
W281 Fabric - Side 2 below belt		
W281 Fabric - Side 2 above belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black Beltway finish		

Monolithic panels 42" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PFL42 18-()()	\$475.	\$483.	\$504.	\$542.	\$574.	\$609.	\$635.
	20"	42"	R3B0PFL42 20-()()	475.	483.	504.	542.	574.	609.	635.
	24"	42"	R3B0PFL42 24-()()	481.	489.	510.	548.	580.	615.	641.
	30"	42"	R3B0PFL42 30-()()	577.	585.	606.	644.	676.	711.	737.
	36"	42"	R3B0PFL42 36-()()	624.	632.	653.	691.	723.	758.	784.
	42"	42"	R3B0PFL42 42-()()	701.	709.	730.	768.	800.	835.	861.
	48"	42"	R3B0PFL42 48-()()	763.	771.	792.	830.	862.	897.	923.
	60"	42"	R3B0PFL42 60-()()	829.	850.	889.	968.	1,026.	1,101.	1,146.
	66"	42"	R3B0PFL42 66-()()	859.	880.	919.	998.	1,056.	1,131.	1,176.
	72"	42"	R3B0PFL42 72-()()	891.	912.	951.	1,030.	1,088.	1,163.	1,208.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PFL42 18-()()	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
	20"	42"	R3B1PFL42 20-()()	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
	24"	42"	R3B1PFL42 24-()()	958.	970.	997.	1,048.	1,078.	1,121.	1,153.
	30"	42"	R3B1PFL42 30-()()	1,030.	1,042.	1,069.	1,120.	1,150.	1,193.	1,225.
	36"	42"	R3B1PFL42 36-()()	1,202.	1,214.	1,241.	1,292.	1,322.	1,365.	1,397.
	42"	42"	R3B1PFL42 42-()()	1,230.	1,242.	1,269.	1,320.	1,350.	1,393.	1,425.
	48"	42"	R3B1PFL42 48-()()	1,383.	1,395.	1,422.	1,473.	1,503.	1,546.	1,578.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: B0=No Beltway B1=Beltway one side 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside (for panel with beltway specify: Side 1-below belt Side 2-above belt) 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. Beltway finish-only for panel with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 1 and 3. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.) 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF142 18-()	\$558.	\$568.	\$590.	\$637.	\$673.	\$713.	\$742.
	20"	42"	R3B0PF142 20-()	558.	568.	590.	637.	673.	713.	742.
	24"	42"	R3B0PF142 24-()	563.	573.	595.	642.	678.	718.	747.
	30"	42"	R3B0PF142 30-()	678.	688.	710.	757.	793.	833.	862.
	36"	42"	R3B0PF142 36-()	734.	744.	766.	813.	849.	889.	918.
	42"	42"	R3B0PF142 42-()	827.	837.	859.	906.	942.	982.	1,011.
	48"	42"	R3B0PF142 48-()	898.	908.	930.	977.	1,013.	1,053.	1,082.
	60"	42"	R3B0PF142 60-()*	977.	1,000.	1,047.	1,138.	1,203.	1,292.	1,344.
	66"	42"	R3B0PF142 66-()*	1,015.	1,038.	1,085.	1,176.	1,241.	1,330.	1,382.
	72"	42"	R3B0PF142 72-()*	1,050.	1,073.	1,120.	1,211.	1,276.	1,365.	1,417.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF142 18-()	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
	20"	42"	R3B1PF142 20-()	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
	24"	42"	R3B1PF142 24-()	1,127.	1,140.	1,171.	1,231.	1,264.	1,315.	1,351.
	30"	42"	R3B1PF142 30-()	1,211.	1,224.	1,255.	1,315.	1,348.	1,399.	1,435.
	36"	42"	R3B1PF142 36-()	1,409.	1,422.	1,453.	1,513.	1,546.	1,597.	1,633.
	42"	42"	R3B1PF142 42-()	1,447.	1,460.	1,490.	1,551.	1,584.	1,635.	1,671.
	48"	42"	R3B1PF142 48-()	1,628.	1,641.	1,672.	1,732.	1,765.	1,816.	1,852.

Order Code	Specification Information	Application Notes	
Example: R3B0PF14218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway specify: Side 1, Below belt Side 2, Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 1 and 3.	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF242 18-() ()	\$566.	\$576.	\$598.	\$645.	\$681.	\$721.	\$750.
	20"	42"	R3B0PF242 20-() ()	566.	576.	598.	645.	681.	721.	750.
	24"	42"	R3B0PF242 24-() ()	575.	585.	607.	654.	690.	730.	759.
	30"	42"	R3B0PF242 30-() ()	691.	701.	723.	770.	806.	846.	875.
	36"	42"	R3B0PF242 36-() ()	746.	756.	778.	825.	861.	901.	930.
	42"	42"	R3B0PF242 42-() ()	841.	851.	873.	920.	956.	996.	1,025.
	48"	42"	R3B0PF242 48-() ()	916.	926.	948.	995.	1,031.	1,071.	1,100.
	60"	42"	R3B0PF242 60-() (*)	990.	1,013.	1,060.	1,151.	1,216.	1,305.	1,357.
	66"	42"	R3B0PF242 66-() (*)	1,031.	1,054.	1,101.	1,192.	1,257.	1,346.	1,398.
	72"	42"	R3B0PF242 72-() (*)	1,065.	1,088.	1,135.	1,226.	1,291.	1,380.	1,432.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF242 18-() ()	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	20"	42"	R3B1PF242 20-() ()	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	24"	42"	R3B1PF242 24-() ()	1,144.	1,157.	1,188.	1,248.	1,281.	1,332.	1,368.
	30"	42"	R3B1PF242 30-() ()	1,236.	1,249.	1,280.	1,340.	1,373.	1,424.	1,460.
	36"	42"	R3B1PF242 36-() ()	1,437.	1,450.	1,481.	1,541.	1,574.	1,625.	1,661.
	42"	42"	R3B1PF242 42-() ()	1,475.	1,488.	1,519.	1,579.	1,612.	1,663.	1,699.
	48"	42"	R3B1PF242 48-() ()	1,656.	1,669.	1,700.	1,760.	1,793.	1,844.	1,880.

Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1- Below Beltway Side 2- Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish - (only for panels with Beltway option) 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 1 and 3. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF342 18- () ()	\$749.	\$759.	\$781.	\$828.	\$864.	\$904.	\$933.
	20"	42"	R3B0PF342 20- () ()	749.	759.	781.	828.	864.	904.	933.
	24"	42"	R3B0PF342 24- () ()	761.	771.	793.	840.	876.	916.	945.
	30"	42"	R3B0PF342 30- () ()	916.	926.	948.	995.	1,031.	1,071.	1,100.
	36"	42"	R3B0PF342 36- () ()	992.	1,002.	1,024.	1,071.	1,107.	1,147.	1,176.
	42"	42"	R3B0PF342 42- () ()	1,119.	1,129.	1,151.	1,198.	1,234.	1,274.	1,303.
	48"	42"	R3B0PF342 48- () ()	1,221.	1,231.	1,253.	1,300.	1,336.	1,376.	1,405.
	60"	42"	R3B0PF342 60- () (*)	1,306.	1,329.	1,376.	1,467.	1,532.	1,621.	1,673.
	66"	42"	R3B0PF342 66- () (*)	1,361.	1,384.	1,431.	1,522.	1,587.	1,676.	1,728.
	72"	42"	R3B0PF342 72- () (*)	1,408.	1,431.	1,478.	1,569.	1,634.	1,723.	1,775.
Monolithic, fabric one side Beltway fabric side 	18"	42"	R3B1PF342 18- () ()	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	20"	42"	R3B1PF342 20- () ()	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	24"	42"	R3B1PF342 24- () ()	1,528.	1,541.	1,572.	1,633.	1,665.	1,716.	1,752.
	30"	42"	R3B1PF342 30- () ()	1,652.	1,665.	1,696.	1,756.	1,789.	1,840.	1,876.
	36"	42"	R3B1PF342 36- () ()	1,925.	1,938.	1,969.	2,029.	2,062.	2,113.	2,149.
	42"	42"	R3B1PF342 42- () ()	1,975.	1,988.	2,019.	2,079.	2,112.	2,163.	2,199.
	48"	42"	R3B1PF342 48- () ()	2,221.	2,234.	2,265.	2,325.	2,359.	2,409.	2,445.

Order Code	Specification Information	Application Notes
Example: R3B0PF34218-A4K R3 Reff Generation 3 B0 No Beltway, B1=Beltway, one side P Monolithic panel F3 Fabric one side, V3 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1=Below Beltway Side 2=Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway option) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 1 and 3. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	R3B0PLL4218 () ()	\$630.
	20"	42"	R3B0PLL4220 () ()	630.
	24"	42"	R3B0PLL4224 () ()	687.
	30"	42"	R3B0PLL4230 () ()	769.
	36"	42"	R3B0PLL4236 () ()	831.
	42"	42"	R3B0PLL4242 () ()	914.
	48"	42"	R3B0PLL4248 () ()	1,023.
	60"	42"	R3B0PLL4260 () ()*	1,105.
	66"	42"	R3B0PLL4266 () ()*	1,139.
72"	42"	R3B0PLL4272 () ()*	1,172.	

Order Code	Specification Information	Application Notes
Example: R3B0PLL4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
LL Laminate both sides	4. Panel side 1 inside	Applicable finishes are listed on page 1 and 3.
42 42" high	5. Panel side 2 outside	Product on this page will accept wood grain laminate where laminate is currently an option.
18 18" wide	6. Top trim finish <i>i</i>)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
A Flat style top trim profile	7. Base finish	
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
K Include knockouts in base		
118 Laminate - side 1		
118 Laminate - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".



Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 49" H fabric both sides

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	49"	R3B0PFF49 18-() ()	\$619.	\$647.	\$699.	\$809.	\$881.	\$979.	\$1,041.	
Regular acoustics	20"	49"	R3B0PFF49 20-() ()	619.	647.	699.	809.	881.	979.	1,041.	
	24"	49"	R3B0PFF49 24-() ()	660.	688.	740.	850.	922.	1,020.	1,082.	
	30"	49"	R3B0PFF49 30-() ()	717.	745.	797.	907.	979.	1,077.	1,139.	
	36"	49"	R3B0PFF49 36-() ()	750.	778.	830.	940.	1,012.	1,110.	1,172.	
	42"	49"	R3B0PFF49 42-() ()	809.	837.	889.	999.	1,071.	1,169.	1,231.	
	48"	49"	R3B0PFF49 48-() ()	888.	916.	968.	1,078.	1,150.	1,248.	1,310.	
	60"	49"	R3B0PFF49 60-() () *	1,026.	1,072.	1,176.	1,396.	1,546.	1,740.	1,860.	
	66"	49"	R3B0PFF49 66-() () *	1,059.	1,105.	1,209.	1,429.	1,579.	1,773.	1,893.	
	72"	49"	R3B0PFF49 72-() () *	1,090.	1,136.	1,240.	1,460.	1,610.	1,804.	1,924.	
	Monolithic, fabric both sides	18"	49"	R3B0PAA49 18-() ()	675.	703.	755.	865.	937.	1,035.	1,097.
	High acoustics	20"	49"	R3B0PAA49 20-() ()	675.	703.	755.	865.	937.	1,035.	1,097.
	24"	49"	R3B0PAA49 24-() ()	722.	750.	802.	912.	984.	1,082.	1,144.	
	30"	49"	R3B0PAA49 30-() ()	782.	811.	863.	973.	1,045.	1,143.	1,205.	
	36"	49"	R3B0PAA49 36-() ()	821.	849.	901.	1,011.	1,083.	1,181.	1,243.	
	42"	49"	R3B0PAA49 42-() ()	887.	915.	967.	1,077.	1,149.	1,247.	1,309.	
	48"	49"	R3B0PAA49 48-() ()	974.	1,002.	1,054.	1,164.	1,236.	1,334.	1,396.	
	60"	49"	R3B0PAA49 60-() () *	1,114.	1,160.	1,264.	1,484.	1,634.	1,828.	1,948.	
	66"	49"	R3B0PAA49 66-() () *	1,153.	1,199.	1,303.	1,523.	1,673.	1,867.	1,987.	
	72"	49"	R3B0PAA49 72-() () *	1,192.	1,237.	1,342.	1,562.	1,712.	1,906.	2,026.	

Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Applicable finishes are listed on page 1 and 3.
49 49" high	5. Panel side 2 finish(s) outside	*Fabric inserts of these panels are two pieces, split vertically.
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
A Flat style top trim profile	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Remember to specify Beltway paint finish when applicable.
K Include knockouts in base		*These panel widths do not accept stacking modules.
W281 Fabric - Side 1		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		



Monolithic panels 49" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B2PFF49 18-()()	\$1,118.	\$1,154.	\$1,226.	\$1,344.	\$1,428.	\$1,550.	\$1,626.
Beltway two sides, regular acoustics	20"	49"	R3B2PFF49 20-()()	1,118.	1,154.	1,226.	1,344.	1,428.	1,550.	1,626.
	24"	49"	R3B2PFF49 24-()()	1,141.	1,177.	1,249.	1,367.	1,451.	1,573.	1,649.
	30"	49"	R3B2PFF49 30-()()	1,199.	1,235.	1,307.	1,425.	1,509.	1,631.	1,707.
	36"	49"	R3B2PFF49 36-()()	1,415.	1,451.	1,523.	1,641.	1,725.	1,847.	1,923.
	42"	49"	R3B2PFF49 42-()()	1,523.	1,559.	1,631.	1,749.	1,833.	1,955.	2,031.
	48"	49"	R3B2PFF49 48-()()	1,577.	1,613.	1,685.	1,803.	1,887.	2,009.	2,085.
	Monolithic, fabric both sides	18"	49"	R3B1PFF49 18-()()	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.
Beltway one side	20"	49"	R3B1PFF49 20-()()	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.	1,563.
	24"	49"	R3B1PFF49 24-()()	1,120.	1,152.	1,214.	1,328.	1,406.	1,516.	1,585.
	30"	49"	R3B1PFF49 30-()()	1,174.	1,206.	1,268.	1,382.	1,460.	1,570.	1,639.
	36"	49"	R3B1PFF49 36-()()	1,388.	1,420.	1,482.	1,596.	1,674.	1,784.	1,853.
	42"	49"	R3B1PFF49 42-()()	1,491.	1,523.	1,585.	1,699.	1,777.	1,887.	1,956.
	48"	49"	R3B1PFF49 48-()()	1,544.	1,576.	1,638.	1,752.	1,830.	1,940.	2,009.

Order Code	Specification Information	Application Notes
Example: R3B2PFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B2 Beltway, both sides	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
FF Fabric on both sides	4. Panel 1 finish(s) Below Belt	6" Raceway option increases panel height by 2 ³ / ₄ ".
49 49" high	5. Panel 2 finish(s) Above Belt	Applicable finishes are listed on page 1 and 3.
18 18" wide	6. Panel 2 finish(s) Below Belt	*Fabric inserts of these panels are two pieces, split vertically.
A Flat style top trim profile	7. Panel 2 finish(s) Above Belt	
4 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	Remember to specify Beltway paint finish when applicable.
K Include knockouts in base	9. Base finish	*These panel widths do not accept stacking modules.
W281 Side 1 - Below Belt	10. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Side 1 - Above Belt		
W281 Side 2 - Below Belt		
W281 Side 2 - Above Belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
111 Beltway finish		

Monolithic panels 49" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PFL49 18-() ()	\$525.	\$540.	\$561.	\$611.	\$643.	\$686.	\$713.
	20"	49"	R3B0PFL49 20-() ()	525.	540.	561.	611.	643.	686.	713.
	24"	49"	R3B0PFL49 24-() ()	574.	589.	610.	660.	692.	735.	762.
	30"	49"	R3B0PFL49 30-() ()	651.	666.	687.	737.	769.	812.	839.
	36"	49"	R3B0PFL49 36-() ()	702.	717.	738.	788.	820.	863.	890.
	42"	49"	R3B0PFL49 42-() ()	775.	790.	811.	861.	893.	936.	963.
	48"	49"	R3B0PFL49 48-() ()	872.	887.	908.	958.	990.	1,033.	1,060.
	60"	49"	R3B0PFL49 60-() () *	951.	971.	1,019.	1,114.	1,180.	1,268.	1,319.
	66"	49"	R3B0PFL49 66-() () *	978.	998.	1,046.	1,141.	1,207.	1,295.	1,346.
	72"	49"	R3B0PFL49 72-() () *	1,012.	1,032.	1,080.	1,175.	1,241.	1,329.	1,380.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PFL49 18-() ()	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
	20"	49"	R3B1PFL49 20-() ()	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
	24"	49"	R3B1PFL49 24-() ()	989.	1,005.	1,035.	1,089.	1,125.	1,177.	1,214.
	30"	49"	R3B1PFL49 30-() ()	1,063.	1,079.	1,109.	1,163.	1,199.	1,251.	1,288.
	36"	49"	R3B1PFL49 36-() ()	1,277.	1,293.	1,323.	1,377.	1,413.	1,465.	1,502.
	42"	49"	R3B1PFL49 42-() ()	1,394.	1,410.	1,440.	1,494.	1,530.	1,582.	1,619.
	48"	49"	R3B1PFL49 48-() ()	1,470.	1,486.	1,516.	1,570.	1,606.	1,658.	1,695.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option, please specify, Side 1 - Below Beltway Side 1 - Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. Beltway finish - only for panels with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 1 and 3. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF149 18-() ()	\$619.	\$635.	\$660.	\$716.	\$755.	\$802.	\$836.
	20"	49"	R3B0PF149 20-() ()	619.	635.	660.	716.	755.	802.	836.
	24"	49"	R3B0PF149 24-() ()	676.	692.	717.	772.	812.	859.	893.
	30"	49"	R3B0PF149 30-() ()	770.	786.	811.	867.	906.	953.	987.
	36"	49"	R3B0PF149 36-() ()	825.	841.	866.	922.	961.	1,008.	1,042.
	42"	49"	R3B0PF149 42-() ()	913.	929.	954.	1,010.	1,049.	1,096.	1,130.
	48"	49"	R3B0PF149 48-() ()	1,026.	1,042.	1,067.	1,123.	1,162.	1,209.	1,243.
	60"	49"	R3B0PF149 60-() () *	1,116.	1,141.	1,196.	1,307.	1,383.	1,481.	1,543.
	66"	49"	R3B0PF149 66-() () *	1,148.	1,173.	1,228.	1,339.	1,415.	1,513.	1,575.
	72"	49"	R3B0PF149 72-() () *	1,188.	1,213.	1,268.	1,379.	1,455.	1,553.	1,615.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF149 18-() ()	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	20"	49"	R3B1PF149 20-() ()	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	24"	49"	R3B1PF149 24-() ()	1,161.	1,178.	1,216.	1,276.	1,317.	1,379.	1,419.
	30"	49"	R3B1PF149 30-() ()	1,248.	1,265.	1,303.	1,363.	1,404.	1,466.	1,506.
	36"	49"	R3B1PF149 36-() ()	1,500.	1,517.	1,555.	1,615.	1,656.	1,718.	1,758.
	42"	49"	R3B1PF149 42-() ()	1,641.	1,658.	1,696.	1,756.	1,797.	1,859.	1,899.
	48"	49"	R3B1PF149 48-() ()	1,726.	1,743.	1,781.	1,841.	1,882.	1,944.	1,984.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top rim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 1 and 3. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF249 18-() ()	\$629.	\$645.	\$670.	\$726.	\$765.	\$812.	\$846.
	20"	49"	R3B0PF249 20-() ()	629.	645.	670.	726.	765.	812.	846.
	24"	49"	R3B0PF249 24-() ()	689.	705.	730.	786.	825.	872.	906.
	30"	49"	R3B0PF249 30-() ()	781.	797.	822.	878.	917.	964.	998.
	36"	49"	R3B0PF249 36-() ()	840.	856.	881.	937.	976.	1,023.	1,057.
	42"	49"	R3B0PF249 42-() ()	929.	945.	970.	1,026.	1,065.	1,112.	1,146.
	48"	49"	R3B0PF249 48-() ()	1,048.	1,064.	1,089.	1,145.	1,184.	1,231.	1,265.
	60"	49"	R3B0PF249 60-() () *	1,136.	1,161.	1,216.	1,327.	1,403.	1,501.	1,563.
	66"	49"	R3B0PF249 66-() () *	1,173.	1,198.	1,253.	1,364.	1,440.	1,538.	1,600.
	72"	49"	R3B0PF249 72-() () *	1,209.	1,234.	1,289.	1,400.	1,476.	1,574.	1,636.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF249 18-() ()	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	20"	49"	R3B1PF249 20-() ()	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	24"	49"	R3B1PF249 24-() ()	1,182.	1,199.	1,237.	1,297.	1,338.	1,400.	1,440.
	30"	49"	R3B1PF249 30-() ()	1,275.	1,292.	1,330.	1,390.	1,431.	1,493.	1,533.
	36"	49"	R3B1PF249 36-() ()	1,531.	1,548.	1,586.	1,646.	1,687.	1,749.	1,789.
	42"	49"	R3B1PF249 42-() ()	1,669.	1,686.	1,724.	1,784.	1,825.	1,887.	1,927.
	48"	49"	R3B1PF249 48-() ()	1,755.	1,772.	1,810.	1,870.	1,911.	1,973.	2,013.

Order Code	Specification Information	Application Notes
Example: R3B0PF24918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 49 49" high 18 18" wide A Flat style top trim option 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 1 and 3. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H


fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF349 18-() ()	\$831.	\$847.	\$872.	\$928.	\$967.	\$1,014.	\$1,048.
	20"	49"	R3B0PF349 20-() ()	831.	847.	872.	928.	967.	1,014.	1,048.
	24"	49"	R3B0PF349 24-() ()	911.	927.	952.	1,008.	1,047.	1,094.	1,128.
	30"	49"	R3B0PF349 30-() ()	1,037.	1,053.	1,078.	1,134.	1,173.	1,220.	1,254.
	36"	49"	R3B0PF349 36-() ()	1,117.	1,133.	1,158.	1,214.	1,253.	1,300.	1,334.
	42"	49"	R3B0PF349 42-() ()	1,235.	1,251.	1,276.	1,332.	1,371.	1,418.	1,452.
	48"	49"	R3B0PF349 48-() ()	1,395.	1,411.	1,436.	1,492.	1,531.	1,578.	1,612.
	60"	49"	R3B0PF349 60-() ()*	1,497.	1,522.	1,577.	1,688.	1,764.	1,862.	1,924.
	66"	49"	R3B0PF349 66-() ()*	1,546.	1,571.	1,626.	1,737.	1,813.	1,911.	1,973.
	72"	49"	R3B0PF349 72-() ()*	1,593.	1,618.	1,673.	1,784.	1,860.	1,958.	2,020.
Monolithic, fabric one side Beltway fabric side 	18"	49"	R3B1PF349 18-() ()	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	20"	49"	R3B1PF349 20-() ()	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	24"	49"	R3B1PF349 24-() ()	1,578.	1,595.	1,633.	1,693.	1,734.	1,796.	1,836.
	30"	49"	R3B1PF349 30-() ()	1,701.	1,718.	1,756.	1,816.	1,857.	1,919.	1,959.
	36"	49"	R3B1PF349 36-() ()	2,049.	2,066.	2,104.	2,164.	2,205.	2,267.	2,307.
	42"	49"	R3B1PF349 42-() ()	2,235.	2,252.	2,290.	2,350.	2,391.	2,453.	2,493.
	48"	49"	R3B1PF349 48-() ()	2,352.	2,369.	2,407.	2,467.	2,508.	2,570.	2,610.

Order Code	Specification Information	Application Notes
Example: R3B0PF34918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 1 and 3.
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F3 Fabric one side, V3 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt	
49 49" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
A Flat style top trim option	7. Base finish	
4 4" base height	8. Beltway finish - only for panels with Beltway	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1		
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		



Monolithic panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	49"	R3B0PLL4918() ()	\$748.
	20"	49"	R3B0PLL4920() ()	748.
	24"	49"	R3B0PLL4924() ()	816.
	30"	49"	R3B0PLL4930() ()	914.
	36"	49"	R3B0PLL4936() ()	987.
	42"	49"	R3B0PLL4942() ()	1,085.
	48"	49"	R3B0PLL4948() ()	1,215.
	60"	49"	R3B0PLL4960() ()*	1,312.
	66"	49"	R3B0PLL4966() ()*	1,351.
	72"	49"	R3B0PLL4972() ()*	1,392.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. Base height: 4 = 4" base height
LL Laminate both sides	4. Panel side 1 inside	Applicable finishes are listed on page 1 and 3.
49 49" high	5. Panel side 2 outside	
18 18" wide	6. Top trim finish	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
4 4" base height	7. Base finish	Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules.
K Include knockouts in base	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
118 Laminate - side 1		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
118 Laminate - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 64" H fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B0PFF64 18-() ()	\$713.	\$745.	\$815.	\$953.	\$1,051.	\$1,179.	\$1,261.
Regular acoustics	20"	64"	R3B0PFF64 20-() ()	713.	745.	815.	953.	1,051.	1,179.	1,261.
	24"	64"	R3B0PFF64 24-() ()	756.	788.	858.	996.	1,094.	1,222.	1,304.
	30"	64"	R3B0PFF64 30-() ()	812.	844.	914.	1,052.	1,150.	1,278.	1,360.
	36"	64"	R3B0PFF64 36-() ()	833.	865.	935.	1,073.	1,171.	1,299.	1,381.
	42"	64"	R3B0PFF64 42-() ()	969.	1,001.	1,071.	1,209.	1,307.	1,435.	1,517.
	48"	64"	R3B0PFF64 48-() ()	1,026.	1,058.	1,128.	1,266.	1,364.	1,492.	1,574.
	60"	64"	R3B0PFF64 60-() () *	1,189.	1,265.	1,395.	1,687.	1,889.	2,141.	2,307.
	66"	64"	R3B0PFF64 66-() () *	1,227.	1,303.	1,433.	1,725.	1,927.	2,179.	2,345.
	72"	64"	R3B0PFF64 72-() () *	1,267.	1,343.	1,473.	1,765.	1,967.	2,219.	2,385.
Monolithic, fabric both sides	18"	64"	R3B0PAA64 18-() ()	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
High acoustics	20"	64"	R3B0PAA64 20-() ()	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
	24"	64"	R3B0PAA64 24-() ()	828.	860.	930.	1,068.	1,166.	1,294.	1,376.
	30"	64"	R3B0PAA64 30-() ()	888.	920.	990.	1,128.	1,226.	1,354.	1,436.
	36"	64"	R3B0PAA64 36-() ()	910.	942.	1,012.	1,150.	1,248.	1,376.	1,458.
	42"	64"	R3B0PAA64 42-() ()	1,064.	1,096.	1,166.	1,304.	1,402.	1,530.	1,612.
	48"	64"	R3B0PAA64 48-() ()	1,126.	1,158.	1,228.	1,366.	1,464.	1,592.	1,674.
	60"	64"	R3B0PAA64 60-() () *	1,291.	1,367.	1,497.	1,789.	1,991.	2,243.	2,409.
	66"	64"	R3B0PAA64 66-() () *	1,334.	1,410.	1,540.	1,832.	2,034.	2,286.	2,452.
	72"	64"	R3B0PAA64 72-() () *	1,377.	1,453.	1,583.	1,875.	2,077.	2,329.	2,495.

Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside	
64 64" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
A Flat style top trim profile	7. Base finish	
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
K Include knockouts in base		
W281 Fabric - Side 1		
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 64" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-() ()	\$1,221.	\$1,257.	\$1,341.	\$1,511.	\$1,619.	\$1,775.	\$1,879.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-() ()	1,221.	1,257.	1,341.	1,511.	1,619.	1,775.	1,879.
	24"	64"	R3B2PFF64 24-() ()	1,281.	1,317.	1,401.	1,571.	1,679.	1,835.	1,939.
	30"	64"	R3B2PFF64 30-() ()	1,311.	1,347.	1,431.	1,601.	1,709.	1,865.	1,969.
	36"	64"	R3B2PFF64 36-() ()	1,586.	1,622.	1,706.	1,876.	1,984.	2,140.	2,244.
	42"	64"	R3B2PFF64 42-() ()	1,697.	1,733.	1,817.	1,987.	2,095.	2,251.	2,355.
	48"	64"	R3B2PFF64 48-() ()	1,754.	1,790.	1,874.	2,044.	2,152.	2,308.	2,412.





Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-() ()	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
Beltway one side	20"	64"	R3B1PFF64 20-() ()	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
	24"	64"	R3B1PFF64 24-() ()	1,250.	1,284.	1,361.	1,515.	1,618.	1,760.	1,853.
	30"	64"	R3B1PFF64 30-() ()	1,279.	1,313.	1,390.	1,544.	1,647.	1,789.	1,882.
	36"	64"	R3B1PFF64 36-() ()	1,553.	1,587.	1,664.	1,818.	1,921.	2,063.	2,156.
	42"	64"	R3B1PFF64 42-() ()	1,660.	1,694.	1,771.	1,925.	2,028.	2,170.	2,263.
	48"	64"	R3B1PFF64 48-() ()	1,712.	1,746.	1,823.	1,977.	2,080.	2,222.	2,315.

Order Code	Specification Information	Application Notes
Example: R3B2PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>Beltways; B1 = Beltway 1 side B2 = Beltway 2 side</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 1 and 3.</p>
R3 Reff Generation 3	1. Top trim profile	
B2 Beltway both sides, B1=Beltway, one side	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) Below Belt	
64 64" high	5. Panel side 1 finish(s) Above Belt	
18 18" wide	6. Panel side 2 finish(s) Below Belt	
A Flat style top trim profile	7. Panel side 2 finish(s) Above Belt	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
W281 Fabric - Side 1 Below belt	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
W281 Fabric - Side 1 Above belt		
W281 Fabric - Side 2 Below belt		
W281 Fabric - Side 2 Above belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		

Monolithic panels 64" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PFL64 18-() ()	\$625.	\$640.	\$669.	\$732.	\$774.	\$831.	\$868.
	20"	64"	R3B0PFL64 20-() ()	625.	640.	669.	732.	774.	831.	868.
	24"	64"	R3B0PFL64 24-() ()	687.	702.	731.	794.	836.	893.	930.
	30"	64"	R3B0PFL64 30-() ()	776.	791.	820.	883.	925.	982.	1,019.
	36"	64"	R3B0PFL64 36-() ()	836.	851.	880.	943.	985.	1,042.	1,079.
	42"	64"	R3B0PFL64 42-() ()	927.	942.	971.	1,034.	1,076.	1,133.	1,170.
	48"	64"	R3B0PFL64 48-() ()	1,043.	1,058.	1,087.	1,150.	1,192.	1,249.	1,286.
	60"	64"	R3B0PFL64 60-() () *	1,129.	1,163.	1,221.	1,351.	1,438.	1,551.	1,624.
	66"	64"	R3B0PFL64 66-() () *	1,168.	1,201.	1,260.	1,390.	1,477.	1,590.	1,663.
	72"	64"	R3B0PFL64 72-() () *	1,206.	1,239.	1,298.	1,428.	1,515.	1,628.	1,701.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PFL64 18-() ()	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
	20"	64"	R3B1PFL64 20-() ()	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
	24"	64"	R3B1PFL64 24-() ()	1,131.	1,148.	1,185.	1,261.	1,308.	1,375.	1,423.
	30"	64"	R3B1PFL64 30-() ()	1,198.	1,215.	1,252.	1,328.	1,375.	1,442.	1,490.
	36"	64"	R3B1PFL64 36-() ()	1,489.	1,506.	1,543.	1,619.	1,666.	1,733.	1,781.
	42"	64"	R3B1PFL64 42-() ()	1,546.	1,563.	1,600.	1,676.	1,723.	1,790.	1,838.
	48"	64"	R3B1PFL64 48-() ()	1,672.	1,689.	1,726.	1,802.	1,849.	1,916.	1,964.

Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B0 No Beltway		B = Square
P Monolithic panel		C = Bullnose
FL Fabric one side, laminate other		E = Extruded Aluminum
64 64" high		<i>2. Base height:</i>
18 18" wide		4 = 4" base height
A Flat style top trim profile		6 = 6" base height (add \$47 per panel for this option)
4 4" base height		<i>3. Beltway:</i>
K Include knockouts in base		B0 = No Beltway
W281 Fabric - Side 1		B1 = Beltway 1 side
114 Folkstone grey - side 2		<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)		Applicable finishes are listed on page 1 and 3.
111 Jet Black (base finish)		Product on this page will accept wood grain laminate where laminate is currently an option.
M Optional milled frame		Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
	1. Top trim profile	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.
	2. Base height	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish when applicable.
	4. Panel side 1 finish(s) inside For panels with Beltway, please specify:	*These panel widths do not accept stacking modules.
	Side 1-Below belt	
	Side 1-Above belt	
	5. Panel side 2 finish(s) outside	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
	6. Top trim finish	
	i) Top trim profile A, B or C	
	options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options:	
	AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 64" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF164 18-() ()	\$734.	\$750.	\$787.	\$858.	\$906.	\$972.	\$1,015.
	20"	64"	R3B0PF164 20-() ()	734.	750.	787.	858.	906.	972.	1,015.
	24"	64"	R3B0PF164 24-() ()	805.	821.	858.	929.	977.	1,043.	1,086.
	30"	64"	R3B0PF164 30-() ()	912.	928.	965.	1,036.	1,084.	1,150.	1,193.
	36"	64"	R3B0PF164 36-() ()	985.	1,001.	1,038.	1,109.	1,157.	1,223.	1,266.
	42"	64"	R3B0PF164 42-() ()	1,090.	1,106.	1,143.	1,214.	1,262.	1,328.	1,371.
	48"	64"	R3B0PF164 48-() ()	1,228.	1,244.	1,281.	1,352.	1,400.	1,466.	1,509.
	60"	64"	R3B0PF164 60-() () *	1,328.	1,367.	1,434.	1,583.	1,684.	1,815.	1,900.
	66"	64"	R3B0PF164 66-() () *	1,374.	1,413.	1,480.	1,629.	1,730.	1,861.	1,946.
	72"	64"	R3B0PF164 72-() () *	1,419.	1,458.	1,525.	1,674.	1,775.	1,906.	1,991.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF164 18-() ()	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
	20"	64"	R3B1PF164 20-() ()	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
	24"	64"	R3B1PF164 24-() ()	1,327.	1,343.	1,387.	1,473.	1,527.	1,606.	1,662.
	30"	64"	R3B1PF164 30-() ()	1,409.	1,425.	1,469.	1,555.	1,609.	1,688.	1,744.
	36"	64"	R3B1PF164 36-() ()	1,750.	1,766.	1,810.	1,896.	1,950.	2,029.	2,085.
	42"	64"	R3B1PF164 42-() ()	1,820.	1,836.	1,880.	1,966.	2,020.	2,099.	2,155.
	48"	64"	R3B1PF164 48-() ()	1,966.	1,982.	2,026.	2,112.	2,166.	2,245.	2,301.

Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 1 and 3.
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF264 18-() ()	\$749.	\$765.	\$802.	\$873.	\$921.	\$987.	\$1,030.
	20"	64"	R3B0PF264 20-() ()	749.	765.	802.	873.	921.	987.	1,030.
	24"	64"	R3B0PF264 24-() ()	820.	836.	873.	944.	992.	1,058.	1,101.
	30"	64"	R3B0PF264 30-() ()	928.	944.	981.	1,052.	1,100.	1,166.	1,209.
	36"	64"	R3B0PF264 36-() ()	1,000.	1,016.	1,053.	1,124.	1,172.	1,238.	1,281.
	42"	64"	R3B0PF264 42-() ()	1,108.	1,124.	1,161.	1,232.	1,280.	1,346.	1,389.
	48"	64"	R3B0PF264 48-() ()	1,251.	1,267.	1,304.	1,375.	1,423.	1,489.	1,532.
	60"	64"	R3B0PF264 60-() () *	1,348.	1,387.	1,454.	1,603.	1,704.	1,835.	1,920.
	66"	64"	R3B0PF264 66-() () *	1,396.	1,435.	1,502.	1,651.	1,752.	1,883.	1,968.
	72"	64"	R3B0PF264 72-() () *	1,445.	1,484.	1,551.	1,700.	1,801.	1,932.	2,017.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF264 18-() ()	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
	20"	64"	R3B1PF264 20-() ()	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
	24"	64"	R3B1PF264 24-() ()	1,353.	1,369.	1,413.	1,499.	1,553.	1,632.	1,688.
	30"	64"	R3B1PF264 30-() ()	1,435.	1,451.	1,495.	1,581.	1,635.	1,714.	1,770.
	36"	64"	R3B1PF264 36-() ()	1,779.	1,795.	1,839.	1,925.	1,979.	2,058.	2,114.
	42"	64"	R3B1PF264 42-() ()	1,853.	1,869.	1,913.	1,999.	2,053.	2,132.	2,188.
	48"	64"	R3B1PF264 48-() ()	2,002.	2,018.	2,062.	2,148.	2,202.	2,281.	2,337.

Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 1 and 3.
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
		Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		*These panel widths do not accept stacking modules.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF364 18-() ()	\$988.	\$1,004.	\$1,041.	\$1,112.	\$1,160.	\$1,226.	\$1,269.
	20"	64"	R3B0PF364 20-() ()	988.	1,004.	1,041.	1,112.	1,160.	1,226.	1,269.
	24"	64"	R3B0PF364 24-() ()	1,084.	1,100.	1,137.	1,208.	1,256.	1,322.	1,365.
	30"	64"	R3B0PF364 30-() ()	1,227.	1,243.	1,280.	1,351.	1,399.	1,465.	1,508.
	36"	64"	R3B0PF364 36-() ()	1,326.	1,342.	1,379.	1,450.	1,498.	1,564.	1,607.
	42"	64"	R3B0PF364 42-() ()	1,473.	1,489.	1,526.	1,597.	1,645.	1,711.	1,754.
	48"	64"	R3B0PF364 48-() ()	1,664.	1,680.	1,717.	1,788.	1,836.	1,902.	1,945.
	60"	64"	R3B0PF364 60-() ()*	1,773.	1,812.	1,879.	2,028.	2,129.	2,260.	2,345.
	66"	64"	R3B0PF364 66-() ()*	1,838.	1,877.	1,944.	2,093.	2,194.	2,325.	2,410.
	72"	64"	R3B0PF364 72-() ()*	1,903.	1,942.	2,009.	2,158.	2,259.	2,390.	2,475.

Monolithic, fabric one side Beltway fabric side 	18"	64"	R3B1PF364 18-() ()	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
	20"	64"	R3B1PF364 20-() ()	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
	24"	64"	R3B1PF364 24-() ()	1,799.	1,815.	1,859.	1,945.	1,999.	2,078.	2,134.
	30"	64"	R3B1PF364 30-() ()	1,910.	1,926.	1,970.	2,056.	2,110.	2,189.	2,245.
	36"	64"	R3B1PF364 36-() ()	2,376.	2,392.	2,436.	2,522.	2,576.	2,655.	2,711.
	42"	64"	R3B1PF364 42-() ()	2,474.	2,490.	2,534.	2,620.	2,674.	2,753.	2,809.
	48"	64"	R3B1PF364 48-() ()	2,677.	2,693.	2,737.	2,823.	2,877.	2,956.	3,012.

Order Code	Specification Information
Example: R3B0PF36418-A4K	
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside For panels with beltway, please specify: Side 1 - Below belt Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
6" Raceway option increases panel height by 2 3/4".
Applicable finishes are listed on page 1 and 3.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H



Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	64"	R3B0PLL6418()()	\$833.
	20"	64"	R3B0PLL6420()()	833.
	24"	64"	R3B0PLL6424()()	908.
	30"	64"	R3B0PLL6430()()	1,017.
	36"	64"	R3B0PLL6436()()	1,098.
	42"	64"	R3B0PLL6442()()	1,207.
	48"	64"	R3B0PLL6448()()	1,352.
	60"	64"	R3B0PLL6460()()*	1,461.
	66"	64"	R3B0PLL6466()()*	1,505.
	72"	64"	R3B0PLL6472()()*	1,550.

Order Code	Specification Information	Application Notes
Example: R3B0PLL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height Applicable finishes are listed on page 1 and 3. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	79"	R3B0PFF79 18-() ()	\$889.	\$937.	\$1,019.	\$1,193.	\$1,311.	\$1,471.	\$1,565.
	20"	79"	R3B0PFF79 20-() ()	889.	937.	1,019.	1,193.	1,311.	1,471.	1,565.
	24"	79"	R3B0PFF79 24-() ()	946.	994.	1,076.	1,250.	1,368.	1,528.	1,622.
	30"	79"	R3B0PFF79 30-() ()	1,021.	1,069.	1,151.	1,325.	1,443.	1,603.	1,697.
	36"	79"	R3B0PFF79 36-() ()	1,047.	1,095.	1,177.	1,351.	1,469.	1,629.	1,723.
	42"	79"	R3B0PFF79 42-() ()	1,125.	1,173.	1,255.	1,429.	1,547.	1,707.	1,801.
	48"	79"	R3B0PFF79 48-() ()	1,247.	1,295.	1,377.	1,551.	1,669.	1,829.	1,923.
	60"	79"	R3B0PFF79 60-() ()	1,442.	1,536.	1,700.	2,048.	2,294.	2,608.	2,800.
	66"	79"	R3B0PFF79 66-() ()	1,476.	1,570.	1,773.	2,082.	2,328.	2,642.	2,834.
	72"	79"	R3B0PFF79 72-() ()	1,509.	1,603.	1,767.	2,115.	2,361.	2,675.	2,867.
Monolithic, fabric both sides High acoustics 	18"	79"	R3B0PAA79 18-() ()	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
	20"	79"	R3B0PAA79 20-() ()	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
	24"	79"	R3B0PAA79 24-() ()	1,032.	1,080.	1,162.	1,336.	1,454.	1,614.	1,708.
	30"	79"	R3B0PAA79 30-() ()	1,116.	1,164.	1,246.	1,420.	1,538.	1,698.	1,792.
	36"	79"	R3B0PAA79 36-() ()	1,150.	1,198.	1,280.	1,454.	1,572.	1,732.	1,826.
	42"	79"	R3B0PAA79 42-() ()	1,233.	1,281.	1,363.	1,537.	1,655.	1,815.	1,909.
	48"	79"	R3B0PAA79 48-() ()	1,371.	1,419.	1,501.	1,675.	1,793.	1,953.	2,047.
	60"	79"	R3B0PAA79 60-() ()	1,570.	1,664.	1,828.	2,176.	2,422.	2,736.	2,928.
	66"	79"	R3B0PAA79 66-() ()	1,606.	1,700.	1,864.	2,212.	2,458.	2,772.	2,964.
	72"	79"	R3B0PAA79 72-() ()	1,640.	1,734.	1,898.	2,246.	2,492.	2,806.	2,998.

Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FF Fabric on both sides 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 W281 Fabric - Side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled profile	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. <i>Optional</i> : specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile</i> : A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height</i> : 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 1 and 3.
		The panels on this page are not designed to be stacked upon. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Monolithic panels 79" H

fabric both sides with Beltway

description	w	h	pattern n	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway one side	18"	79"	R3B1PFF79 18-() ()	\$1,280.	\$1,329.	\$1,421.	\$1,616.	\$1,742.	\$1,921.	\$2,033.
	20"	79"	R3B1PFF79 20-() ()	1,280.	1,329.	1,421.	1,616.	1,742.	1,921.	2,033.
	24"	79"	R3B1PFF79 24-() ()	1,339.	1,388.	1,480.	1,675.	1,801.	1,980.	2,092.
	30"	79"	R3B1PFF79 30-() ()	1,366.	1,415.	1,507.	1,702.	1,828.	2,007.	2,119.
	36"	79"	R3B1PFF79 36-() ()	1,639.	1,688.	1,780.	1,975.	2,101.	2,280.	2,392.
	42"	79"	R3B1PFF79 42-() ()	1,746.	1,795.	1,887.	2,082.	2,208.	2,387.	2,499.
	48"	79"	R3B1PFF79 48-() ()	1,798.	1,847.	1,939.	2,134.	2,260.	2,439.	2,551.



Monolithic, fabric both sides Beltway two sides	18"	79"	R3B2PFF79 18-() ()	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
	20"	79"	R3B2PFF79 20-() ()	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
	24"	79"	R3B2PFF79 24-() ()	1,405.	1,455.	1,557.	1,773.	1,907.	2,105.	2,235.
	30"	79"	R3B2PFF79 30-() ()	1,433.	1,483.	1,585.	1,801.	1,935.	2,133.	2,263.
	36"	79"	R3B2PFF79 36-() ()	1,710.	1,760.	1,862.	2,078.	2,212.	2,410.	2,540.
	42"	79"	R3B2PFF79 42-() ()	1,820.	1,870.	1,972.	2,188.	2,322.	2,520.	2,650.
	48"	79"	R3B2PFF79 48-() ()	1,876.	1,926.	2,028.	2,244.	2,378.	2,576.	2,706.



Order Code	Specification Information	Application Notes
Example: R3B1PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 below belt	<i>2. Base height:</i>
18 18" wide	5. Panel side 1 above belt	4 = 4" base height
A Flat style top trim	6. Panel side 2 below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	7. Panel side 2 above belt	<i>3. Beltway:</i>
K Include knockouts in base	8. Top trim finish	B1 = Beltway 1 side
W281 Fabric - Side 1 below belt	i)Top trim profile A,B or C options:	B2 = Beltway 2 sides
W281 Fabric - Side 1 above belt	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 1 and 3.
W281 Fabric - Side 2 below belt	ii)Top trim profile E options:	
W281 Fabric - Side 2 above belt	AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
V316 Maple (top trim finish)	9. Base finish	
111 Jet Black (base finish)	10. Beltway finish	
111 Beltway finish	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79" H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H

fabric one side, laminate other side



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PFL79 18-() ()	\$789.	\$810.	\$846.	\$923.	\$975.	\$1,046.	\$1,088.
	20"	79"	R3B0PFL79 20-() ()	789.	810.	846.	923.	975.	1,046.	1,088.
	24"	79"	R3B0PFL79 24-() ()	864.	885.	921.	998.	1,050.	1,121.	1,163.
	30"	79"	R3B0PFL79 30-() ()	972.	993.	1,029.	1,106.	1,158.	1,229.	1,271.
	36"	79"	R3B0PFL79 36-() ()	1,060.	1,081.	1,117.	1,194.	1,246.	1,317.	1,359.
	42"	79"	R3B0PFL79 42-() ()	1,173.	1,194.	1,230.	1,307.	1,359.	1,430.	1,472.
	48"	79"	R3B0PFL79 48-() ()	1,311.	1,332.	1,368.	1,445.	1,497.	1,568.	1,610.
	60"	79"	R3B0PFL79 60-() ()	1,412.	1,454.	1,526.	1,679.	1,788.	1,927.	2,011.
	66"	79"	R3B0PFL79 66-() ()	1,440.	1,482.	1,554.	1,707.	1,816.	1,955.	2,039.
	72"	79"	R3B0PFL79 72-() ()	1,469.	1,511.	1,583.	1,736.	1,845.	1,984.	2,068.

Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PFL79 18-() ()	1,139.	1,163.	1,208.	1,303.	1,362.	1,450.	1,508.
	20"	79"	R3B1PFL79 20-() ()	1,139.	1,163.	1,208.	1,303.	1,363.	1,450.	1,508.
	24"	79"	R3B1PFL79 24-() ()	1,218.	1,242.	1,287.	1,382.	1,441.	1,529.	1,587.
	30"	79"	R3B1PFL79 30-() ()	1,290.	1,314.	1,359.	1,454.	1,513.	1,601.	1,659.
	36"	79"	R3B1PFL79 36-() ()	1,599.	1,623.	1,668.	1,763.	1,822.	1,910.	1,968.
	42"	79"	R3B1PFL79 42-() ()	1,745.	1,769.	1,814.	1,909.	1,968.	2,056.	2,114.
	48"	79"	R3B1PFL79 48-() ()	1,825.	1,849.	1,894.	1,989.	2,048.	2,136.	2,194.

Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above belt	Applicable finishes are listed on page 1 and 3.
K Include knockouts in base	5. Panel side 2 finish(s) outside	Product on this page will accept wood grain laminate where laminate is currently an option.
W281 Fabric - Side 1	6. Top trim finish	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
114 Folkstone grey - side 2	i) Top trim profile A, B or C options:	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish when applicable.
111 Jet Black (base finish)	ii) Top trim profile E options:	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 79" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF179 18-() ()	\$926.	\$950.	\$992.	\$1,081.	\$1,142.	\$1,222.	\$1,273.
	20"	79"	R3B0PF179 20-() ()	926.	950.	992.	1,081.	1,142.	1,222.	1,273.
	24"	79"	R3B0PF179 24-() ()	1,012.	1,036.	1,078.	1,167.	1,228.	1,308.	1,359.
	30"	79"	R3B0PF179 30-() ()	1,145.	1,169.	1,211.	1,300.	1,361.	1,441.	1,492.
	36"	79"	R3B0PF179 36-() ()	1,247.	1,271.	1,313.	1,402.	1,463.	1,543.	1,594.
	42"	79"	R3B0PF179 42-() ()	1,377.	1,401.	1,443.	1,532.	1,593.	1,673.	1,724.
	48"	79"	R3B0PF179 48-() ()	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	60"	79"	R3B0PF179 60-() ()	1,658.	1,706.	1,790.	1,967.	2,094.	2,252.	2,350.
	66"	79"	R3B0PF179 66-() ()	1,694.	1,742.	1,826.	2,003.	2,130.	2,288.	2,386.
	72"	79"	R3B0PF179 72-() ()	1,722.	1,770.	1,854.	2,031.	2,158.	2,316.	2,414.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF179 18-() ()	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
	20"	79"	R3B1PF179 20-() ()	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
	24"	79"	R3B1PF179 24-() ()	1,430.	1,455.	1,507.	1,618.	1,686.	1,787.	1,855.
	30"	79"	R3B1PF179 30-() ()	1,519.	1,544.	1,596.	1,707.	1,775.	1,876.	1,944.
	36"	79"	R3B1PF179 36-() ()	1,882.	1,907.	1,959.	2,070.	2,138.	2,239.	2,307.
	42"	79"	R3B1PF179 42-() ()	2,050.	2,075.	2,127.	2,238.	2,306.	2,407.	2,475.
	48"	79"	R3B1PF179 48-() ()	2,143.	2,168.	2,220.	2,331.	2,399.	2,500.	2,568.

Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K R3 Reff Generation 2 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 1 and 3. The panels on this page are not designed to be stacked upon. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF279 18-() ()	\$942.	\$966.	\$1,008.	\$1,097.	\$1,158.	\$1,238.	\$1,289.
	20"	79"	R3B0PF279 20-() ()	942.	966.	1,008.	1,097.	1,158.	1,238.	1,289.
	24"	79"	R3B0PF279 24-() ()	1,032.	1,056.	1,098.	1,187.	1,248.	1,328.	1,379.
	30"	79"	R3B0PF279 30-() ()	1,165.	1,189.	1,231.	1,320.	1,381.	1,461.	1,512.
	36"	79"	R3B0PF279 36-() ()	1,269.	1,293.	1,335.	1,424.	1,485.	1,565.	1,616.
	42"	79"	R3B0PF279 42-() ()	1,403.	1,427.	1,469.	1,558.	1,619.	1,699.	1,750.
	48"	79"	R3B0PF279 48-() ()	1,570.	1,594.	1,636.	1,725.	1,786.	1,866.	1,917.
	60"	79"	R3B0PF279 60-() ()	1,689.	1,737.	1,821.	1,998.	2,125.	2,283.	2,381.
	66"	79"	R3B0PF279 66-() ()	1,721.	1,769.	1,853.	2,030.	2,157.	2,315.	2,413.
	72"	79"	R3B0PF279 72-() ()	1,757.	1,805.	1,889.	2,066.	2,193.	2,351.	2,449.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF279 18-() ()	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
	20"	79"	R3B1PF279 20-() ()	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
	24"	79"	R3B1PF279 24-() ()	1,456.	1,481.	1,533.	1,644.	1,712.	1,813.	1,881.
	30"	79"	R3B1PF279 30-() ()	1,544.	1,569.	1,621.	1,732.	1,800.	1,901.	1,969.
	36"	79"	R3B1PF279 36-() ()	1,913.	1,938.	1,990.	2,101.	2,169.	2,270.	2,338.
	42"	79"	R3B1PF279 42-() ()	2,087.	2,112.	2,164.	2,275.	2,343.	2,444.	2,512.
	48"	79"	R3B1PF279 48-() ()	2,182.	2,207.	2,259.	2,370.	2,438.	2,539.	2,607.

Order Code	Specification Information	Application Notes
Example: R3B0PF27918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 = Below Belt Side 1 = Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 1 and 3. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF379 18-() ()	\$1,241.	\$1,265.	\$1,307.	\$1,396.	\$1,457.	\$1,537.	\$1,588.
	20"	79"	R3B0PF379 20-() ()	1,241.	1,265.	1,307.	1,396.	1,457.	1,537.	1,587.
	24"	79"	R3B0PF379 24-() ()	1,365.	1,389.	1,431.	1,520.	1,581.	1,661.	1,712.
	30"	79"	R3B0PF379 30-() ()	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	36"	79"	R3B0PF379 36-() ()	1,686.	1,710.	1,752.	1,841.	1,901.	1,982.	2,033.
	42"	79"	R3B0PF379 42-() ()	1,866.	1,890.	1,932.	2,021.	2,082.	2,162.	2,213.
	48"	79"	R3B0PF379 48-() ()	2,094.	2,118.	2,160.	2,249.	2,310.	2,390.	2,441.
	60"	79"	R3B0PF379 60-() ()*	2,221.	2,269.	2,353.	2,530.	2,657.	2,815.	2,913.
	66"	79"	R3B0PF379 66-() ()*	2,266.	2,314.	2,398.	2,575.	2,702.	2,860.	2,958.
	72"	79"	R3B0PF379 72-() ()*	2,315.	2,363.	2,447.	2,624.	2,751.	2,909.	3,007.

Monolithic, fabric one side Beltway fabric side 	18"	79"	R3B1PF379 18-() ()	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
	20"	79"	R3B1PF379 20-() ()	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
	24"	79"	R3B1PF379 24-() ()	1,921.	1,946.	1,998.	2,109.	2,177.	2,278.	2,346.
	30"	79"	R3B1PF379 30-() ()	2,040.	2,065.	2,117.	2,228.	2,296.	2,397.	2,465.
	36"	79"	R3B1PF379 36-() ()	2,537.	2,562.	2,614.	2,725.	2,793.	2,894.	2,962.
	42"	79"	R3B1PF379 42-() ()	2,771.	2,796.	2,848.	2,959.	3,027.	3,128.	3,196.
	48"	79"	R3B1PF379 48-() ()	2,902.	2,927.	2,979.	3,090.	3,158.	3,259.	3,327.

Order Code	Specification Information	Application Notes
Example: R3B0PF37918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 1 and 3.
		The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Monolithic panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918()()	\$909.
	20"	79"	R3B0PLL7920()()	909.
	24"	79"	R3B0PLL7924()()	991.
	30"	79"	R3B0PLL7930()()	1,109.
	36"	79"	R3B0PLL7936()()	1,199.
	42"	79"	R3B0PLL7942()()	1,318.
	48"	79"	R3B0PLL7948()()	1,477.
	60"	79"	R3B0PLL7960()()*	1,594.
	66"	79"	R3B0PLL7966()()*	1,642.
	72"	79"	R3B0PLL7972()()*	1,691.

Order Code	Specification Information	Application Notes
Example: R3B0PLL7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 1 and 3.
LL Laminate both sides	4. Panel side 1 inside	Product on this page will accept wood grain laminate where laminate is currently an option.
79 79" high	5. Panel side 2 outside	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	The panels on this page are not designed to be stacked upon.
A Flat style top trim profile	7. Base finish	Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
118 Laminate - side 1		Remember to specify Beltway paint finish when applicable.
118 Laminate - side 2		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		




Tiled panels 34" H fabric

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-()()	\$592.	\$624.	\$684.	\$752.	\$808.	\$896.	\$948.
Regular acoustics	20"	34"	R3B0TFF34 20-()()	592.	624.	684.	752.	808.	896.	948.
	24"	34"	R3B0TFF34 24-()()	640.	672.	732.	800.	856.	944.	996.
	30"	34"	R3B0TFF34 30-()()	684.	716.	776.	844.	900.	988.	1,040.
	36"	34"	R3B0TFF34 36-()()	728.	760.	820.	888.	944.	1,032.	1,084.
	42"	34"	R3B0TFF34 42-()()	838.	870.	930.	998.	1,054.	1,142.	1,194.
	48"	34"	R3B0TFF34 48-()()	870.	902.	962.	1,030.	1,086.	1,174.	1,226.

Order Code	Specification Information	Application Notes
Example: R3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel)	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.
B0 No Beltway	1. Top trim profile	
T Tiled panel	2. Base height	
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 ³ / ₄ ".
34 34" high	4. Panel side 1A	
18 18" wide	5. Panel side 1B	
A Flat style top trim profile	6. Panel side 2A	
4 4" base height	7. Panel side 2B	Applicable finishes are listed on page 1 and 3.
K Include knockouts in base	8. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric - Side 1A	9. Base finish	
W281 Fabric - Side 1B	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	

Tiled panels 34" H glass

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A)	18"	34"	R2B0TWA34 18- () ()	\$930.	\$1,106.	\$37.	\$74.	\$93.
	20"	34"	R2B0TWA34 20- () ()	930.	1,106.	37.	74.	93.
	24"	34"	R2B0TWA34 24- () ()	973.	1,183.	37.	74.	98.
	30"	34"	R2B0TWA34 30- () ()	1,129.	1,389.	37.	74.	112.
	36"	34"	R2B0TWA34 36- () ()	1,171.	1,483.	37.	74.	114.
	42"	34"	R2B0TWA34 42- () ()	1,229.	1,600.	37.	74.	121.
	48"	34"	R2B0TWA34 48- () ()	1,273.	1,695.	37.	74.	126.
Tiled, two 15" high glass sections with center mullion (type B)	30"	34"	R2B0TWB34 30- () ()	1,351.	1,614.	37.	74.	135.
	36"	34"	R2B0TWB34 36- () ()	1,407.	1,723.	37.	74.	139.
	42"	34"	R2B0TWB34 42- () ()	1,474.	1,840.	37.	74.	144.
	48"	34"	R2B0TWB34 48- () ()	1,529.	1,956.	37.	74.	150.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C	18"	34"	R2B0TWC34 18- () ()	733.	956.	29.	60.	112.
	20"	34"	R2B0TWC34 20- () ()	733.	956.	29.	60.	112.
	24"	34"	R2B0TWC34 24- () ()	773.	1,007.	29.	60.	121.
	30"	34"	R2B0TWC34 30- () ()	954.	1,240.	37.	74.	152.
	36"	34"	R2B0TWC34 36- () ()	1,062.	1,378.	37.	74.	171.
	42"	34"	R2B0TWC34 42- () ()	1,123.	1,458.	37.	74.	186.
	48"	34"	R2B0TWC34 48- () ()	1,177.	1,534.	37.	74.	195.



Order Code	Specification Information
Example: R2B0TWA3418-A4K	
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
111	Tile Divider
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Divider option (applicable R2B0TWA and R2B0TWB) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
5. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 painted finish from page 1 excluding silver
6. Base finish
7. Window frame finish (Painted or Anodized aluminum finishes) <i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>
8. Glass type

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)
4. <i>Extruded aluminum tile divider:</i> Add for: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w
3. <i>Glass type</i> Temp = Cleared tempered glass <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass
All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 1 and 3.

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.



The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 34" H



fabric one side, laminate or techwood opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	R3B0TFL34 18-() ()	\$646.	\$662.	\$690.	\$724.	\$752.	\$792.	\$818.
	20"	34"	R3B0TFL34 20-() ()	646.	662.	690.	724.	752.	792.	818.
	24"	34"	R3B0TFL34 24-() ()	687.	703.	731.	765.	793.	833.	859.
	30"	34"	R3B0TFL34 30-() ()	731.	747.	775.	809.	837.	877.	903.
	36"	34"	R3B0TFL34 36-() ()	774.	790.	818.	852.	880.	920.	946.
	42"	34"	R3B0TFL34 42-() ()	881.	897.	925.	959.	987.	1,027.	1,053.
	48"	34"	R3B0TFL34 48-() ()	911.	927.	955.	989.	1,017.	1,057.	1,083.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	R3B0TF134 18-() ()	693.	709.	741.	775.	803.	847.	873.
	20"	34"	R3B0TF134 20-() ()	693.	709.	741.	775.	803.	847.	873.
	24"	34"	R3B0TF134 24-() ()	740.	756.	788.	822.	850.	894.	920.
	30"	34"	R3B0TF134 30-() ()	788.	804.	836.	870.	898.	942.	968.
	36"	34"	R3B0TF134 36-() ()	831.	847.	879.	913.	941.	985.	1,011.
	42"	34"	R3B0TF134 42-() ()	950.	966.	998.	1,032.	1,060.	1,104.	1,130.
	48"	34"	R3B0TF134 48-() ()	980.	995.	1,028.	1,062.	1,090.	1,134.	1,160.

Order Code	Specification Information	Application Notes
Example: R3B0TFL3418-A4K R3 Reff Generation 3 B0 No Beltway T Tiled panel FL Fabric one side, laminate other 34 34" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base B Tile divider, black W281 Fabric - Side 1A W281 Fabric - Side 1B 114 Folkstone grey - side 2A 114 Folkstone grey - side 2B V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) 5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top 6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert) 7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 1 excluding silver	8. Base finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable 1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel) 4. <i>Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i> 34" h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w Applicable finishes are listed on page 1 and 3. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
		All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 ³ / ₄ ". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 34" H


fabric one side, conventional or exotic opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	R3B0TF234 18-() ()	\$707.	\$723.	\$755.	\$789.	\$817.	\$861.	\$887.
	20"	34"	R3B0TF234 20-() ()	707.	723.	755.	789.	817.	861.	887.
	24"	34"	R3B0TF234 24-() ()	753.	769.	801.	835.	863.	907.	933.
	30"	34"	R3B0TF234 30-() ()	801.	817.	849.	883.	911.	955.	981.
	36"	34"	R3B0TF234 36-() ()	846.	862.	894.	928.	956.	1,000.	1,026.
	42"	34"	R3B0TF234 42-() ()	964.	980.	1,012.	1,046.	1,074.	1,118.	1,144.
	48"	34"	R3B0TF234 48-() ()	998.	1,014.	1,046.	1,080.	1,108.	1,152.	1,178.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	R3B0TF334 18-() ()	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	20"	34"	R3B0TF334 20-() ()	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	24"	34"	R3B0TF334 24-() ()	1,006.	1,022.	1,054.	1,088.	1,116.	1,160.	1,186.
	30"	34"	R3B0TF334 30-() ()	1,070.	1,086.	1,118.	1,152.	1,180.	1,224.	1,250.
	36"	34"	R3B0TF334 36-() ()	1,131.	1,147.	1,179.	1,213.	1,241.	1,285.	1,311.
	42"	34"	R3B0TF334 42-() ()	1,292.	1,308.	1,340.	1,374.	1,402.	1,446.	1,472.
	48"	34"	R3B0TF334 48-() ()	1,336.	1,352.	1,384.	1,418.	1,446.	1,490.	1,516.

Order Code	Specification Information	Application Notes
Example: R3B0TF23418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F2 Fabric one side, conventional other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
34 34" high	5. Fabric side, finish (specify selection per insert)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)
18 18" wide	i) tile 1A bottom	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w
A Flat style top trim profile	ii) tile 1B top	
4 4" base height	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
K Include knockouts in base	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 1 excluding silver	Ported panel components to be installed below worksurface if panel 34" h.
B Tile divider, black		Applicable finishes are listed on page 1 and 3.
W281 Fabric - Side 1A		Product on this page will accept wood grain laminate where laminate is currently an option.
W281 Fabric - Side 1B		Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 34" H Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	34"	R3B0TLL3418()()	\$731.
with raceway both sides	20"	34"	R3B0TLL3420()()	731.
	24"	34"	R3B0TLL3424()()	796.
	30"	34"	R3B0TLL3430()()	892.
	36"	34"	R3B0TLL3436()()	964.
	42"	34"	R3B0TLL3442()()	993.
	48"	34"	R3B0TLL3448()()	1,023.



Example: **R3B0TLL3418-A4K**

R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 2A
118	Laminate - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or P1, P2, P3 painted finishes from page 1 excluding silver

8. Base finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:
4 = 4" base height

4. Extruded aluminum tile divider:

- Optional for non fabric side only**
(fabric side always black)
34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 1 and 3.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

All panels on this page accept stacking modules.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.


Tiled panels 42" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18"	42"	R3B0TFF42 18- () ()	\$662.	\$700.	\$780.	\$880.	\$950.	\$1,058.	\$1,128.
	20"	42"	R3B0TFF42 20- () ()	662.	700.	780.	880.	950.	1,058.	1,128.
	24"	42"	R3B0TFF42 24- () ()	711.	749.	829.	929.	999.	1,107.	1,177.
	30"	42"	R3B0TFF42 30- () ()	762.	800.	880.	980.	1,050.	1,158.	1,228.
	36"	42"	R3B0TFF42 36- () ()	811.	849.	929.	1,029.	1,099.	1,207.	1,277.
	42"	42"	R3B0TFF42 42- () ()	917.	955.	1,035.	1,135.	1,205.	1,313.	1,383.
	48"	42"	R3B0TFF42 48- () ()	964.	1,002.	1,082.	1,182.	1,252.	1,360.	1,430.




Tiled, fabric both sides High acoustics	18"	42"	R3B0TAA42 18- () ()	725.	763.	843.	943.	1,013.	1,121.	1,191.
	20"	42"	R3B0TAA42 20- () ()	725.	763.	843.	943.	1,013.	1,121.	1,191.
	24"	42"	R3B0TAA42 24- () ()	780.	818.	898.	998.	1,068.	1,176.	1,246.
	30"	42"	R3B0TAA42 30- () ()	839.	877.	957.	1,057.	1,127.	1,235.	1,305.
	36"	42"	R3B0TAA42 36- () ()	894.	932.	1,012.	1,112.	1,182.	1,290.	1,360.
	42"	42"	R3B0TAA42 42- () ()	1,012.	1,050.	1,130.	1,230.	1,300.	1,408.	1,478.
	48"	42"	R3B0TAA42 48- () ()	1,066.	1,104.	1,184.	1,284.	1,354.	1,462.	1,532.




Order Code	Specification Information	Application Notes
Example: R3B0TFF4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
42 42" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C top	Applicable finishes are listed on page 1 and 3.
18 18" wide	6. Top trim finish <i>i</i>) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 ³ / ₄ ". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
A Flat style top trim profile	7. Base finish	Remember to specify Beltway paint finish when applicable.
4 4" base height	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
W281 Fabric - Side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H

fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side 	18"	42"	R3B1TFF42 18-()()	\$1,191.	\$1,229.	\$1,306.	\$1,409.	\$1,479.	\$1,587.	\$1,657.
	20"	42"	R3B1TFF42 20-()()	1,191.	1,229.	1,306.	1,409.	1,479.	1,587.	1,657.
	24"	42"	R3B1TFF42 24-()()	1,218.	1,256.	1,333.	1,436.	1,506.	1,614.	1,684.
	30"	42"	R3B1TFF42 30-()()	1,282.	1,320.	1,397.	1,500.	1,570.	1,678.	1,748.
	36"	42"	R3B1TFF42 36-()()	1,514.	1,552.	1,629.	1,732.	1,802.	1,910.	1,980.
	42"	42"	R3B1TFF42 42-()()	1,635.	1,673.	1,750.	1,853.	1,923.	2,031.	2,101.
	48"	42"	R3B1TFF42 48-()()	1,692.	1,730.	1,807.	1,910.	1,980.	2,088.	2,158.

Tiled, fabric both sides Beltway two sides 	18"	42"	R3B2TFF42 18-()()	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	20"	42"	R3B2TFF42 20-()()	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	24"	42"	R3B2TFF42 24-()()	1,189.	1,227.	1,301.	1,407.	1,477.	1,585.	1,655.
	30"	42"	R3B2TFF42 30-()()	1,307.	1,345.	1,419.	1,525.	1,595.	1,703.	1,773.
	36"	42"	R3B2TFF42 36-()()	1,540.	1,578.	1,652.	1,758.	1,828.	1,936.	2,006.
	42"	42"	R3B2TFF42 42-()()	1,666.	1,704.	1,778.	1,884.	1,954.	2,062.	2,132.
	48"	42"	R3B2TFF42 48-()()	1,726.	1,764.	1,838.	1,944.	2,014.	2,122.	2,192.

Order Code	Specification Information	Application Notes
Example: R3B2TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 1 and 3.
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TFL42 18-() ()	\$722.	\$742.	\$779.	\$828.	\$862.	\$913.	\$947.
Regular acoustics	20"	42"	R3B0TFL42 20-() ()	722.	742.	779.	828.	862.	913.	947.
	24"	42"	R3B0TFL42 24-() ()	769.	789.	826.	875.	909.	960.	994.
	30"	42"	R3B0TFL42 30-() ()	820.	840.	877.	926.	960.	1,011.	1,045.
	36"	42"	R3B0TFL42 36-() ()	867.	887.	924.	973.	1,007.	1,058.	1,092.
	42"	42"	R3B0TFL42 42-() ()	966.	986.	1,023.	1,072.	1,106.	1,157.	1,191.
	48"	42"	R3B0TFL42 48-() ()	1,016.	1,036.	1,073.	1,122.	1,156.	1,207.	1,241.


Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
	24"	42"	R3B1TFL42 24-() ()	1,259.	1,279.	1,315.	1,365.	1,399.	1,450.	1,484.
	30"	42"	R3B1TFL42 30-() ()	1,321.	1,341.	1,377.	1,427.	1,461.	1,512.	1,546.
	36"	42"	R3B1TFL42 36-() ()	1,546.	1,566.	1,602.	1,652.	1,686.	1,737.	1,771.
	42"	42"	R3B1TFL42 42-() ()	1,662.	1,682.	1,718.	1,768.	1,802.	1,853.	1,887.
	48"	42"	R3B1TFL42 48-() ()	1,716.	1,736.	1,772.	1,822.	1,856.	1,907.	1,941.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w</i>
K Include knockouts in base	ii) tile 1B middle	<i>6" Raceway option increases panel height by 2 3/4".</i>
B Tile divider, black reveal	iii) tile 1C top	Applicable finishes are listed on page 1 and 3.
W281 Fabric - Side 1A	6. Laminate side, finish (specify selection per insert)	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option.
W281 Fabric - Side 1B	i) tile 2A bottom	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
W281 Fabric - Side 1C	ii) tile 2B middle	
114 Folkstone grey - side 2A	iii) tile 2C top	
114 Folkstone grey - side 2B	7. Top trim finish	
114 Folkstone grey - side 2C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	
111 Jet Black (base finish)	8. Base finish	
M Optional milled frame	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 42" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18- () ()	\$775.	\$795.	\$836.	\$887.	\$921.	\$976.	\$1,011.
Regular acoustics	20"	42"	R3B0TF142 20- () ()	775.	795.	836.	887.	921.	976.	1,011.
	24"	42"	R3B0TF142 24- () ()	827.	847.	888.	939.	973.	1,028.	1,063.
	30"	42"	R3B0TF142 30- () ()	882.	902.	943.	994.	1,028.	1,083.	1,118.
	36"	42"	R3B0TF142 36- () ()	932.	952.	993.	1,044.	1,078.	1,133.	1,168.
	42"	42"	R3B0TF142 42- () ()	1,042.	1,062.	1,103.	1,154.	1,188.	1,243.	1,278.
	48"	42"	R3B0TF142 48- () ()	1,090.	1,110.	1,151.	1,202.	1,236.	1,291.	1,326.

Tiled, fabric one side	18"	42"	R3B1TF142 18- () ()	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20- () ()	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
	24"	42"	R3B1TF142 24- () ()	1,353.	1,373.	1,414.	1,465.	1,499.	1,554.	1,589.
	30"	42"	R3B1TF142 30- () ()	1,418.	1,438.	1,479.	1,530.	1,564.	1,619.	1,654.
	36"	42"	R3B1TF142 36- () ()	1,657.	1,677.	1,718.	1,769.	1,803.	1,858.	1,893.
	42"	42"	R3B1TF142 42- () ()	1,786.	1,806.	1,847.	1,898.	1,932.	1,987.	2,022.
	48"	42"	R3B1TF142 48- () ()	1,847.	1,867.	1,908.	1,958.	1,993.	2,048.	2,083.

Order Code

Example: R3B0TF14218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F1 Fabric one side, V1 other
42 42" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
Y328 Mahogany - side 2 tiled
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
 - tile 1A bottom
 - tile 1B middle
 - tile 1C top
- Techwood side, finish (specify one V1 finish for side)
 - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 1 and 3.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 427).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18- () ()	\$789.	\$809.	\$850.	\$901.	\$935.	\$990.	\$1,025.
Regular acoustics	20"	42"	R3B0TF242 20- () ()	789.	809.	850.	901.	935.	990.	1,025.
	24"	42"	R3B0TF242 24- () ()	841.	861.	902.	953.	987.	1,042.	1,077.
	30"	42"	R3B0TF242 30- () ()	897.	917.	958.	1,009.	1,043.	1,098.	1,133.
	36"	42"	R3B0TF242 36- () ()	953.	973.	1,014.	1,065.	1,099.	1,154.	1,189.
	42"	42"	R3B0TF242 42- () ()	1,060.	1,080.	1,121.	1,172.	1,206.	1,261.	1,296.
	48"	42"	R3B0TF242 48- () ()	1,112.	1,132.	1,173.	1,224.	1,258.	1,313.	1,348.

Tiled, fabric one side	18"	42"	R3B1TF242 18- () ()	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20- () ()	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
	24"	42"	R3B1TF242 24- () ()	1,376.	1,396.	1,437.	1,488.	1,522.	1,577.	1,612.
	30"	42"	R3B1TF242 30- () ()	1,445.	1,465.	1,506.	1,557.	1,591.	1,646.	1,681.
	36"	42"	R3B1TF242 36- () ()	1,691.	1,711.	1,752.	1,803.	1,837.	1,892.	1,927.
	42"	42"	R3B1TF242 42- () ()	1,819.	1,839.	1,880.	1,931.	1,965.	2,020.	2,055.
	48"	42"	R3B1TF242 48- () ()	1,881.	1,901.	1,942.	1,993.	2,027.	2,082.	2,117.

Order Code

Example: R3B0TF24218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F2 Fabric one side, V2 other
42 42" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
V316 Maple surface - side 2 tiled
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
 - tile 1A bottom
 - tile 1B middle
 - tile 1C top
- Conventional veneer, finish (specify one V2 finish for side)
- Top trim finish
 - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider:*
Optional for non fabric side only (fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w
- 6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 1 and 3.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 427).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-() ()	\$1,052.	\$1,072.	\$1,113.	\$1,164.	\$1,198.	\$1,253.	\$1,288.
Regular acoustics	20"	42"	R3B0TF342 20-() ()	1,052.	1,072.	1,113.	1,164.	1,198.	1,253.	1,288.
	24"	42"	R3B0TF342 24-() ()	1,120.	1,140.	1,181.	1,232.	1,266.	1,321.	1,356.
	30"	42"	R3B0TF342 30-() ()	1,197.	1,217.	1,258.	1,309.	1,343.	1,398.	1,433.
	36"	42"	R3B0TF342 36-() ()	1,271.	1,291.	1,332.	1,383.	1,417.	1,472.	1,507.
	42"	42"	R3B0TF342 42-() ()	1,416.	1,436.	1,477.	1,528.	1,562.	1,617.	1,652.
	48"	42"	R3B0TF342 48-() ()	1,487.	1,507.	1,548.	1,599.	1,633.	1,688.	1,723.

Tiled, fabric one side	18"	42"	R3B1TF342 18-() ()	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
Beltway fabric side	20"	42"	R3B1TF342 20-() ()	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
	24"	42"	R3B1TF342 24-() ()	1,845.	1,865.	1,906.	1,957.	1,991.	2,046.	2,081.
	30"	42"	R3B1TF342 30-() ()	1,935.	1,955.	1,996.	2,047.	2,081.	2,136.	2,171.
	36"	42"	R3B1TF342 36-() ()	2,269.	2,289.	2,330.	2,381.	2,415.	2,470.	2,505.
	42"	42"	R3B1TF342 42-() ()	2,440.	2,460.	2,501.	2,552.	2,586.	2,641.	2,676.
	48"	42"	R3B1TF342 48-() ()	2,524.	2,544.	2,585.	2,636.	2,670.	2,725.	2,760.

Order Code	Specification Information	Application Notes
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Applicable finishes are listed on page 1 and 3.
18 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 427).
W281 Fabric - Side 1B		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric - Side 1C		Remember to specify Beltway paint finish when applicable.
V512 Figured Anigre surface - side 2 tiled		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	42"	R3B0TLL4218() ()	\$881.
	20"	42"	R3B0TLL4220() ()	881.
	24"	42"	R3B0TLL4224() ()	961.
	30"	42"	R3B0TLL4230() ()	1,075.
	36"	42"	R3B0TLL4236() ()	1,161.
	42"	42"	R3B0TLL4242() ()	1,197.
	48"	42"	R3B0TLL4248() ()	1,232.




Order Code	Specification Information	Application Notes
Example: R3B0TLL4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Applicable finishes are listed on page 1 and 3.
42 42" high	5. Laminate side, finish (specify selection per insert)	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
18 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	
A Flat style top trim profile	6. Laminate, finish	
4 4" base height	7. Top trim finish	
K Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	
B Tile divider, black reveal	8. Base finish	
118 Laminate - side 1A	9. Beltway finish	
118 Laminate - side 1B	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
118 Laminate - side 1C		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B0TFF49 18- () ()	\$742.	\$790.	\$880.	\$982.	\$1,066.	\$1,198.	\$1,276.
Regular acoustics	20"	49"	R3B0TFF49 20- () ()	742.	790.	880.	982.	1,066.	1,198.	1,276.
	24"	49"	R3B0TFF49 24- () ()	793.	841.	931.	1,033.	1,117.	1,249.	1,327.
	30"	49"	R3B0TFF49 30- () ()	853.	901.	991.	1,093.	1,177.	1,309.	1,387.
	36"	49"	R3B0TFF49 36- () ()	909.	957.	1,047.	1,149.	1,233.	1,365.	1,443.
	42"	49"	R3B0TFF49 42- () ()	1,026.	1,074.	1,164.	1,266.	1,350.	1,482.	1,560.
	48"	49"	R3B0TFF49 48- () ()	1,083.	1,131.	1,221.	1,323.	1,407.	1,539.	1,617.

Tiled, fabric both sides	18"	49"	R3B0TAA49 18- () ()	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
High acoustics	20"	49"	R3B0TAA49 20- () ()	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
	24"	49"	R3B0TAA49 24- () ()	869.	917.	1,007.	1,109.	1,193.	1,325.	1,403.
	30"	49"	R3B0TAA49 30- () ()	938.	986.	1,076.	1,178.	1,262.	1,394.	1,472.
	36"	49"	R3B0TAA49 36- () ()	998.	1,046.	1,136.	1,238.	1,322.	1,454.	1,532.
	42"	49"	R3B0TAA49 42- () ()	1,125.	1,173.	1,263.	1,365.	1,449.	1,581.	1,659.
	48"	49"	R3B0TAA49 48- () ()	1,191.	1,239.	1,329.	1,431.	1,515.	1,647.	1,725.


Order Code	Specification Information
Example: R3B0TFF4918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame


Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C top
5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C top
6. Top trim finish <i>i</i>) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
7. Base finish
8. Beltway finish
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes
The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
Remember to specify Beltway paint finish when applicable.
79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B1TFF49 18-() ()	\$1,224.	\$1,272.	\$1,359.	\$1,464.	\$1,548.	\$1,680.	\$1,758.
Beltway one side	20"	49"	R3B1TFF49 20-() ()	1,224.	1,272.	1,359.	1,464.	1,548.	1,680.	1,758.
	24"	49"	R3B1TFF49 24-() ()	1,249.	1,297.	1,384.	1,489.	1,573.	1,705.	1,783.
	30"	49"	R3B1TFF49 30-() ()	1,316.	1,364.	1,451.	1,556.	1,640.	1,772.	1,850.
	36"	49"	R3B1TFF49 36-() ()	1,575.	1,623.	1,710.	1,815.	1,899.	2,031.	2,109.
	42"	49"	R3B1TFF49 42-() ()	1,701.	1,749.	1,836.	1,941.	2,025.	2,157.	2,235.
	48"	49"	R3B1TFF49 48-() ()	1,761.	1,809.	1,896.	2,001.	2,085.	2,217.	2,295.

Tiled, fabric both sides	18"	49"	R3B2TFF49 18-() ()	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
Beltway two sides	20"	49"	R3B2TFF49 20-() ()	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
	24"	49"	R3B2TFF49 24-() ()	1,270.	1,318.	1,402.	1,510.	1,594.	1,726.	1,804.
	30"	49"	R3B2TFF49 30-() ()	1,340.	1,388.	1,472.	1,580.	1,664.	1,796.	1,874.
	36"	49"	R3B2TFF49 36-() ()	1,603.	1,651.	1,735.	1,843.	1,927.	2,059.	2,137.
	42"	49"	R3B2TFF49 42-() ()	1,730.	1,778.	1,862.	1,970.	2,054.	2,186.	2,264.
	48"	49"	R3B2TFF49 48-() ()	1,796.	1,844.	1,928.	2,036.	2,120.	2,252.	2,330.

Order Code	Specification Information	Application Notes
Example: R3B2TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 with Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	i) tile 2A bottom	Applicable finishes are listed on page 1 and 3.
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric one side, laminate opposite side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TFL49 18-() ()	\$810.	\$834.	\$876.	\$927.	\$969.	\$1,029.	\$1,068.
Regular acoustics	20"	49"	R3B0TFL49 20-() ()	810.	834.	876.	927.	969.	1,029.	1,068.
	24"	49"	R3B0TFL49 24-() ()	857.	881.	923.	974.	1,016.	1,076.	1,115.
	30"	49"	R3B0TFL49 30-() ()	917.	941.	983.	1,034.	1,076.	1,136.	1,175.
	36"	49"	R3B0TFL49 36-() ()	968.	992.	1,034.	1,085.	1,127.	1,187.	1,226.
	42"	49"	R3B0TFL49 42-() ()	1,079.	1,103.	1,145.	1,196.	1,238.	1,298.	1,337.
	48"	49"	R3B0TFL49 48-() ()	1,137.	1,161.	1,203.	1,254.	1,296.	1,356.	1,395.


Tiled, fabric one side	18"	49"	R3B1TFL49 18-() ()	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
Beltway one side (fabric side)	20"	49"	R3B1TFL49 20-() ()	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
	24"	49"	R3B1TFL49 24-() ()	1,299.	1,323.	1,364.	1,416.	1,458.	1,518.	1,557.
	30"	49"	R3B1TFL49 30-() ()	1,364.	1,388.	1,429.	1,481.	1,523.	1,583.	1,622.
	36"	49"	R3B1TFL49 36-() ()	1,612.	1,636.	1,677.	1,729.	1,771.	1,831.	1,870.
	42"	49"	R3B1TFL49 42-() ()	1,730.	1,754.	1,795.	1,847.	1,889.	1,949.	1,988.
	48"	49"	R3B1TFL49 48-() ()	1,795.	1,819.	1,860.	1,912.	1,954.	2,014.	2,053.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
FL Fabric one side. laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
49 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
18 18" wide	6. Laminate side finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height	8. Base finish	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 1 and 3.
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
114 Folkstone grey - side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18- () ()	\$867.	\$891.	\$939.	\$990.	\$1,032.	\$1,098.	\$1,137.
Regular acoustics	20"	49"	R3B0TF149 20- () ()	867.	891.	939.	990.	1,032.	1,098.	1,137.
	24"	49"	R3B0TF149 24- () ()	921.	945.	993.	1,044.	1,086.	1,152.	1,191.
	30"	49"	R3B0TF149 30- () ()	983.	1,007.	1,055.	1,106.	1,148.	1,214.	1,253.
	36"	49"	R3B0TF149 36- () ()	1,042.	1,066.	1,114.	1,165.	1,207.	1,273.	1,312.
	42"	49"	R3B0TF149 42- () ()	1,166.	1,190.	1,238.	1,289.	1,331.	1,397.	1,436.
	48"	49"	R3B0TF149 48- () ()	1,221.	1,245.	1,293.	1,344.	1,386.	1,452.	1,491.


Tiled, fabric one side	18"	49"	R3B1TF149 18- () ()	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20- () ()	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
	24"	49"	R3B1TF149 24- () ()	1,398.	1,422.	1,470.	1,521.	1,563.	1,629.	1,668.
	30"	49"	R3B1TF149 30- () ()	1,466.	1,490.	15,338.	1,589.	1,631.	1,697.	1,736.
	36"	49"	R3B1TF149 36- () ()	1,735.	1,759.	1,807.	1,858.	1,900.	1,966.	2,005.
	42"	49"	R3B1TF149 42- () ()	1,864.	1,888.	1,936.	1,987.	2,029.	2,095.	2,134.
	48"	49"	R3B1TF149 48- () ()	1,928.	1,952.	2,000.	2,051.	2,093.	2,159.	2,198.

Order Code	Specification Information	Application Notes
Example: R3B0TF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F1 Fabric one side, V1 other	4. Tile divider (B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider))	E = Extruded Aluminum
49 49" high	5. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
K Include knockouts in base	6. Techwood side, finish (specify one V1 finish for side)	49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
B Tile divider, black reveal	7. Top trim finish	6" Raceway option increases panel height by 2 3/4".
W281 Fabric - Side 1A	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 1 and 3.
W281 Fabric - Side 1B	ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	
W281 Fabric - Side 1C	8. Base finish	
Y328 Mahogany - side 2 tiled	9. Beltway finish, for panels with Beltway	
V316 Maple (top trim finish)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF249 18- () ()	\$885.	\$909.	\$957.	\$1,008.	\$1,050.	\$1,116.	\$1,155.
Regular acoustics	20"	49"	R3B0TF249 20- () ()	885.	909.	957.	1,008.	1,050.	1,116.	1,155.
	24"	49"	R3B0TF249 24- () ()	938.	962.	1,010.	1,061.	1,103.	1,169.	1,208.
	30"	49"	R3B0TF249 30- () ()	1,007.	1,031.	1,079.	1,130.	1,172.	1,238.	1,277.
	36"	49"	R3B0TF249 36- () ()	1,062.	1,086.	1,134.	1,185.	1,227.	1,293.	1,332.
	42"	49"	R3B0TF249 42- () ()	1,182.	1,206.	1,254.	1,305.	1,347.	1,413.	1,452.
	48"	49"	R3B0TF249 48- () ()	1,244.	1,268.	1,316.	1,367.	1,409.	1,475.	1,514.

Tiled, fabric one side	18"	49"	R3B1TF249 18- () ()	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
Beltway one side (fabric side)	20"	49"	R3B1TF249 20- () ()	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
	24"	49"	R3B1TF249 24- () ()	1,423.	1,447.	1,495.	1,546.	1,588.	1,654.	1,693.
	30"	49"	R3B1TF249 30- () ()	1,492.	1,516.	1,564.	1,615.	1,657.	1,723.	1,762.
	36"	49"	R3B1TF249 36- () ()	1,764.	1,788.	1,836.	1,887.	1,929.	1,995.	2,034.
	42"	49"	R3B1TF249 42- () ()	1,896.	1,920.	1,968.	2,019.	2,061.	2,127.	2,166.
	48"	49"	R3B1TF249 48- () ()	1,964.	1,988.	2,036.	2,087.	2,129.	2,195.	2,234.

Order Code	Specification Information	Application Notes
Example: R3B0TF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	i) tile 1A bottom	49"h add per panel:
W281 Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1C	6. Conventional veneer, finish (specify one V2 finish for side)	\$34 for 36w and 42w
V316 Maple surface - side 2 tiled	7. Top trim finish	\$42 for 48w
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	<i>6" Raceway option increases panel height by 2 3/4".</i>
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	Applicable finishes are listed on page 1 and 3.
M Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 49" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF349 18-() ()	\$1,177.	\$1,201.	\$1,249.	\$1,300.	\$1,342.	\$1,408.	\$1,447.
Regular acoustics	20"	49"	R3B0TF349 20-() ()	1,177.	1,201.	1,249.	1,300.	1,342.	1,408.	1,447.
	24"	49"	R3B0TF349 24-() ()	1,249.	1,273.	1,321.	1,372.	1,414.	1,480.	1,519.
	30"	49"	R3B0TF349 30-() ()	1,342.	1,366.	1,414.	1,465.	1,507.	1,573.	1,612.
	36"	49"	R3B0TF349 36-() ()	1,417.	1,441.	1,489.	1,540.	1,582.	1,648.	1,687.
	42"	49"	R3B0TF349 42-() ()	1,579.	1,603.	1,651.	1,702.	1,744.	1,810.	1,849.
	48"	49"	R3B0TF349 48-() ()	1,661.	1,685.	1,733.	1,784.	1,826.	1,892.	1,931.



Tiled, fabric one side	18"	49"	R3B1TF349 18-() ()	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
Beltway fabric side	20"	49"	R3B1TF349 20-() ()	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
	24"	49"	R3B1TF349 24-() ()	1,905.	1,929.	1,977.	2,028.	2,070.	2,136.	2,175.
	30"	49"	R3B1TF349 30-() ()	1,997.	2,021.	2,069.	2,120.	2,162.	2,228.	2,267.
	36"	49"	R3B1TF349 36-() ()	2,366.	2,390.	2,438.	2,489.	2,531.	2,597.	2,636.
	42"	49"	R3B1TF349 42-() ()	2,544.	2,568.	2,616.	2,667.	2,709.	2,775.	2,814.
	48"	49"	R3B1TF349 48-() ()	2,636.	2,660.	2,708.	2,759.	2,801.	2,867.	2,906.




Order Code	Specification Information	Application Notes
Example: R3B0TF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B0 No Beltway		B = Square
T Tiled panel		C = Bullnose
F3 Fabric one side, V3 other		E = Extruded Aluminum
49 49" high		<i>2. Base height:</i>
18 18" wide		4 = 4" base height
A Flat style top trim profile		6 = 6" base height (add \$47 per panel for this option)
4 4" base height		<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base		Optional for non fabric side only
B Tile divider, black reveal		(fabric side always black)
W281 Fabric - Side 1A		49" h add per panel:
W281 Fabric - Side 1B		\$25 for 18w and 20w
W281 Fabric - Side 1C		\$28 for 24w and 30w
V512 Figured Anigre surface - side 2 tiled		\$34 for 36w and 42w
V512 Figured Anigre (top trim finish)		\$42 for 48w
111 Jet Black (base finish)		<i>6" Raceway option increases panel height by 2 3/4".</i>
M Optional milled frame		Applicable finishes are listed on page 1 and 3.
	1. Top trim profile	
	2. Base height	
	3. Knockout option (K = with knockouts, N = without knockouts)	
	4. Tile divider (B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider))	
	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	
	6. Exotic veneer, finish (specify one V3 finish for side)	
	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	49"	R3B0TLL4918() ()	\$921.
	20"	49"	R3B0TLL4920() ()	921.
	24"	49"	R3B0TLL4924() ()	1,003.
	30"	49"	R3B0TLL4930() ()	1,124.
	36"	49"	R3B0TLL4936() ()	1,214.
	42"	49"	R3B0TLL4942() ()	1,250.
	48"	49"	R3B0TLL4948() ()	1,288.



Order Code

Example:	R3B0TLL4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts,
N = without knockouts)
4. Tile divider
B = black steel divider or specify
AA-anodized aluminum or
painted option excluding silver
from page 1 for extruded
aluminum divider (upcharge
applicable for extruded
aluminum divider)
5. Laminate side, finish (specify
selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
6. Laminate, finish
7. Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or
painted finish from page
1 excluding silver
8. Base finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be
milled for ported components,
\$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
49"h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

Applicable finishes are listed on
page 1 and 3.

Product on this page will accept
wood grain laminate where laminate
is currently an option.
Panel product is subject to a 10%
upcharge on the base panel price.
Refer to panel product upcharge
table.

The panels on this page will accept
stacking modules to increase their
height on 18" to 48"W panels only.
The 60" to 72"W panels will not
accept stacking modules on top of
themselves.

Product on this page can be
attached to posts 49", 64", and 79"H
as well as panels 42", 49", 64" and
79"H. Panels on this page will not
attach to panels made before April
1997 without an attachment kit from
page 117.


Remember to specify Beltway paint
finish when applicable.

79"H hookstrip reveal strips are
ordered separately from page 117 at
no charge.


Tiled panels 64" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B0TFF64 18-() ()	\$849.	\$913.	\$1,033.	\$1,169.	\$1,281.	\$1,457.	\$1,561.
Regular acoustics	20"	64"	R3B0TFF64 20-() ()	849.	913.	1,033.	1,169.	1,281.	1,457.	1,561.
	24"	64"	R3B0TFF64 24-() ()	610.	974.	1,094.	1,230.	1,342.	1,518.	1,622.
	30"	64"	R3B0TFF64 30-() ()	97.	1,041.	1,161.	1,297.	1,409.	1,585.	1,689.
	36"	64"	R3B0TFF64 36-() ()	1,034.	1,098.	1,218.	1,354.	1,466.	1,642.	1,746.
	42"	64"	R3B0TFF64 42-() ()	1,183.	1,247.	1,367.	1,503.	1,615.	1,791.	1,895.
	48"	64"	R3B0TFF64 48-() ()	1,242.	1,306.	1,426.	1,562.	1,674.	1,850.	1,954.



Tiled, fabric both sides	18"	64"	R3B0TAA64 18-() ()	929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
High acoustics	20"	64"	R3B0TAA64 20-() ()	929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
	24"	64"	R3B0TAA64 24-() ()	996.	1,060.	1,180.	1,316.	1,428.	1,604.	1,708.
	30"	64"	R3B0TAA64 30-() ()	1,071.	1,135.	1,255.	1,391.	1,503.	1,679.	1,783.
	36"	64"	R3B0TAA64 36-() ()	1,142.	1,206.	1,326.	1,462.	1,574.	1,750.	1,854.
	42"	64"	R3B0TAA64 42-() ()	1,300.	1,364.	1,484.	1,620.	1,732.	1,908.	2,012.
	48"	64"	R3B0TAA64 48-() ()	1,370.	1,434.	1,554.	1,690.	1,802.	1,978.	2,082.



Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C middle	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	iv) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 1 and 3.
W281 Fabric - Side 1B	i) tile 2A bottom	
W281 Fabric - Side 1C	ii) tile 2B middle	
W281 Fabric - Side 2A	iii) tile 2C middle	
W281 Fabric - Side 2B	iv) tile 2D top	
W281 Fabric - Side 2C	6. Top trim finish	
V316 Maple (top trim finish)	i) Top trim profile A,B or C options:	
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
	7. Base finish	
	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 64" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B1TFF64 18-() ()	\$1,326.	\$1,390.	\$1,507.	\$1,646.	\$1,758.	\$1,934.	\$2,038.
Beltway one side	20"	64"	R3B1TFF64 20-() ()	1,326.	1,390.	1,507.	1,646.	1,758.	1,934.	2,038.
	24"	64"	R3B1TFF64 24-() ()	1,394.	1,458.	1,575.	1,714.	1,826.	2,002.	2,106.
	30"	64"	R3B1TFF64 30-() ()	1,428.	1,492.	1,609.	1,748.	1,860.	2,036.	2,140.
	36"	64"	R3B1TFF64 36-() ()	1,754.	1,818.	1,935.	2,074.	2,186.	2,362.	2,466.
	42"	64"	R3B1TFF64 42-() ()	1,884.	1,948.	2,065.	2,204.	2,316.	2,492.	2,596.
	48"	64"	R3B1TFF64 48-() ()	1,951.	2,015.	2,132.	2,271.	2,383.	2,559.	2,663.

Tiled, fabric both sides	18"	64"	R3B2TFF64 18-() ()	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
Beltway two sides	20"	64"	R3B2TFF64 20-() ()	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
	24"	64"	R3B2TFF64 24-() ()	1,416.	1,480.	1,594.	1,736.	1,848.	2,024.	2,128.
	30"	64"	R3B2TFF64 30-() ()	1,451.	1,515.	1,629.	1,771.	1,883.	2,059.	2,163.
	36"	64"	R3B2TFF64 36-() ()	1,785.	1,849.	1,963.	2,105.	2,217.	2,393.	2,497.
	42"	64"	R3B2TFF64 42-() ()	1,913.	1,977.	2,091.	2,233.	2,345.	2,521.	2,625.
	48"	64"	R3B2TFF64 48-() ()	1,985.	2,049.	2,163.	2,305.	2,417.	2,593.	2,697.

Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	6. Top trim finish
B1 Beltway one side	2. Base height	i) Top trim profile A, B or C options:
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	V1, V2, V3, P1, P2, P3 finishes
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
79 79" high	i) tile 1A bottom	7. Base finish
18 18" wide	ii) tile 1B middle	8. Beltway finish
A Flat style top trim profile	iii) tile 1C middle	1. <i>Top trim profile:</i>
4 4" base height	iv) tile 1D middle	A = Flat
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	B = Square
W281 Fabric - Side 1A	i) tile 2A bottom	C = Bullnose
W281 Fabric - Side 1B	ii) tile 2B middle	E = Extruded Aluminum
W281 Fabric - Side 1C	iii) tile 2C middle	2. <i>Base height:</i>
W281 Fabric - Side 1D	iv) tile 2D middle	4 = 4" base height
W281 Fabric - Side 2A		6 = 6" base height (add \$47 per panel for this option)
W281 Fabric - Side 2B		Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 2C		Applicable finishes are listed on page 1 and 3.
W281 Fabric - Side 2D		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 64" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18- ()	\$943.	\$975.	\$1,031.	\$1,099.	\$1,155.	\$1,235.	\$1,287.
Regular acoustics	20"	64"	R3B0TFL64 20- ()	943.	975.	1,031.	1,099.	1,155.	1,235.	1,287.
	24"	64"	R3B0TFL64 24- ()	999.	1,031.	1,087.	1,155.	1,211.	1,291.	1,343.
	30"	64"	R3B0TFL64 30- ()	1,066.	1,098.	1,154.	1,222.	1,278.	1,358.	1,410.
	36"	64"	R3B0TFL64 36- ()	1,126.	1,158.	1,214.	1,282.	1,338.	1,418.	1,470.
	42"	64"	R3B0TFL64 42- ()	1,266.	1,298.	1,354.	1,422.	1,478.	1,558.	1,610.
	48"	64"	R3B0TFL64 48- ()	1,326.	1,358.	1,414.	1,482.	1,538.	1,618.	1,670.



Tiled, fabric one side	18"	64"	R3B1TFL64 18- ()	1,402.	1,434.	1,489.	1,558.	1,614.	1,694.	1,746.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20- ()	1,402.	1,434.	1,489.	1,558.	1,614.	1,692.	1,746.
	24"	64"	R3B1TFL64 24- ()	1,470.	1,502.	1,557.	1,626.	1,682.	1,762.	1,814.
	30"	64"	R3B1TFL64 30- ()	1,501.	1,533.	1,588.	1,567.	1,713.	1,793.	1,845.
	36"	64"	R3B1TFL64 36- ()	1,821.	1,853.	1,908.	1,977.	2,033.	2,113.	2,165.
	42"	64"	R3B1TFL64 42- ()	1,942.	1,974.	2,029.	2,098.	2,154.	2,234.	2,286.
	48"	64"	R3B1TFL64 48- ()	2,007.	2,039.	2,094.	2,163.	2,219.	2,299.	2,351.



Order Code	Specification Information	Application Notes
Example: R3B0TFL6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish, for panels with Beltway
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
64 64" high	5. Fabric side, finish (specify selection per insert)	
18 18" wide	i) tile 1A bottom	
A Flat style top trim profile	ii) tile 1B middle	
4 4" base height	iii) tile 1C middle	
K Include knockouts in base	iv) tile 1D top	
B Tile divider, black reveal	6. Laminate side, finish (specify selection per insert)	
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C middle	
114 Folkstone grey - side 2A	iv) tile 2D top	
114 Folkstone grey - side 2B	7. Top trim finish	
114 Folkstone grey - side 2C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	
111 Jet Black (base finish)		
M Optional milled frame		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 64" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18-() ()	\$1,013.	\$1,045.	\$1,109.	\$1,177.	\$1,233.	\$1,321.	\$1,373.
Regular acoustics	20"	64"	R3B0TF164 20-() ()	1,013.	1,045.	1,109.	1,177.	1,233.	1,321.	1,373.
	24"	64"	R3B0TF164 24-() ()	1,074.	1,106.	1,170.	1,238.	1,294.	1,382.	1,434.
	30"	64"	R3B0TF164 30-() ()	1,146.	1,178.	1,242.	1,310.	1,366.	1,454.	1,506.
	36"	64"	R3B0TF164 36-() ()	1,208.	1,240.	1,304.	1,372.	1,428.	1,516.	1,568.
	42"	64"	R3B0TF164 42-() ()	1,361.	1,393.	1,457.	1,525.	1,581.	1,669.	1,721.
	48"	64"	R3B0TF164 48-() ()	1,424.	1,456.	1,520.	1,588.	1,644.	1,732.	1,784.

Tiled, fabric one side	18"	64"	R3B1TF164 18-() ()	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20-() ()	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
	24"	64"	R3B1TF164 24-() ()	1,579.	1,611.	1,675.	1,743.	1,799.	1,887.	1,939.
	30"	64"	R3B1TF164 30-() ()	1,613.	1,645.	1,709.	1,777.	1,833.	1,921.	1,973.
	36"	64"	R3B1TF164 36-() ()	1,955.	1,987.	2,051.	2,119.	2,175.	2,263.	2,315.
	42"	64"	R3B1TF164 42-() ()	2,086.	2,118.	2,182.	2,250.	2,306.	2,294.	2,446.
	48"	64"	R3B1TF164 48-() ()	2,161.	2,193.	2,257.	2,325.	2,381.	2,469.	2,521.

Order Code

Example: R3B0TF16418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
- Techwood side, finish (specify one V1 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
64"h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w
- 6" Raceway option increases panel height by 2³/₄".

Applicable finishes are listed on page 1 and 3.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 64" H

fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18-() ()	\$1,032.	\$1,064.	\$1,128.	\$1,196.	\$1,252.	\$1,340.	\$1,392.
Regular acoustics	20"	64"	R3B0TF264 20-() ()	1,032.	1,064.	1,128.	1,196.	1,252.	1,340.	1,392.
	24"	64"	R3B0TF264 24-() ()	1,092.	1,124.	1,188.	1,256.	1,312.	1,400.	1,452.
	30"	64"	R3B0TF264 30-() ()	1,163.	1,195.	1,259.	1,327.	1,383.	1,471.	1,523.
	36"	64"	R3B0TF264 36-() ()	1,230.	1,262.	1,326.	1,394.	1,450.	1,538.	1,590.
	42"	64"	R3B0TF264 42-() ()	1,384.	1,416.	1,480.	1,548.	1,604.	1,692.	1,744.
	48"	64"	R3B0TF264 48-() ()	1,449.	1,481.	1,545.	1,613.	1,669.	1,757.	1,809.


Tiled, fabric one side	18"	64"	R3B1TF264 18-() ()	1,534.	1,566.	1,630.	1,696.	1,754.	1,842.	1,894.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20-() ()	1,534.	1,566.	1,630.	1,698.	1,754.	1,842.	1,894.
	24"	64"	R3B1TF264 24-() ()	1,608.	1,640.	1,704.	1,772.	1,828.	1,916.	1,968.
	30"	64"	R3B1TF264 30-() ()	1,642.	1,674.	1,738.	1,806.	1,862.	1,950.	2,002.
	36"	64"	R3B1TF264 36-() ()	1,993.	2,025.	2,089.	2,157.	2,213.	2,301.	2,353.
	42"	64"	R3B1TF264 42-() ()	2,126.	2,158.	2,222.	2,290.	2,346.	2,434.	2,486.
	48"	64"	R3B1TF264 48-() ()	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.

Order Code	Specification Information	Application Notes
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	painted option excluding silver	6" raceway option increases panel height by 2 3/4".
K Include knockouts in base	from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 64" h add per panel:</i>
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	\$39 for 18w and 20w
W281 Fabric - Side 1A	i) tile 1A bottom	\$43 for 24w and 30w
W281 Fabric - Side 1B	ii) tile 1B middle	\$48 for 36w and 42w
W281 Fabric - Side 1C	iii) tile 1C middle	\$64 for 48w
W281 Fabric - Side 1D	iv) tile 1D top	
V316 Maple surface - side 2 tiled	6. Conventional veneer, finish (specify one V2 finish for side)	Applicable finishes are listed on page 1 and 3.
V316 Maple (top trim finish)	7. Top trim finish	
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-() ()	\$1,371.	\$1,403.	\$1,467.	\$1,535.	\$1,591.	\$1,679.	\$1,731.
Regular acoustics	20"	64"	R3B0TF364 20-() ()	1,371.	1,403.	1,467.	1,535.	1,591.	1,679.	1,731.
	24"	64"	R3B0TF364 24-() ()	1,451.	1,483.	1,547.	1,615.	1,671.	1,759.	1,811.
	30"	64"	R3B0TF364 30-() ()	1,547.	1,579.	1,643.	1,711.	1,767.	1,855.	1,907.
	36"	64"	R3B0TF364 36-() ()	1,639.	1,671.	1,735.	1,803.	1,859.	1,947.	1,999.
	42"	64"	R3B0TF364 42-() ()	1,847.	1,879.	1,943.	2,011.	2,067.	2,155.	2,207.
	48"	64"	R3B0TF364 48-() ()	1,933.	1,965.	2,029.	2,097.	2,153.	2,241.	2,293.

Tiled, fabric one side	18"	64"	R3B1TF364 18-() ()	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
Beltway fabric side	20"	64"	R3B1TF364 20-() ()	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
	24"	64"	R3B1TF364 24-() ()	2,151.	2,183.	2,247.	2,313.	2,371.	2,459.	2,511.
	30"	64"	R3B1TF364 30-() ()	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.
	36"	64"	R3B1TF364 36-() ()	2,668.	2,700.	2,764.	2,832.	2,888.	2,976.	3,028.
	42"	64"	R3B1TF364 42-() ()	2,847.	2,879.	2,943.	3,011.	3,067.	3,155.	3,207.
	48"	64"	R3B1TF364 48-() ()	2,941.	2,973.	3,037.	3,105.	3,161.	3,249.	3,301.

Order Code

Example: R3B0TF36418-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F3 Fabric one side, V3 other
64 64" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
W281 Fabric - Side 1D
V512 Figured Anigre surface - side 2 tiled
V512 Figured Anigre (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
- Exotic veneer, finish (specify one V3 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

- Top trim profile:**
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:**
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" raceway option increases panel height by 2 3/4".
- Extruded aluminum tile divider: Optional for non fabric side only** (fabric side always black)
64"h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Applicable finishes are listed on page 1 and 3.

Tiled panels 64" H

Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides	18"	64"	R3B0TLL6418 () ()	\$1,145.
with raceway both sides	20"	64"	R3B0TLL6420 () ()	1,145.
	24"	64"	R3B0TLL6424 () ()	1,248.
	30"	64"	R3B0TLL6430 () ()	1,399.
	36"	64"	R3B0TLL6436 () ()	1,510.
	42"	64"	R3B0TLL6442 () ()	1,555.
	48"	64"	R3B0TLL6448 () ()	1,618.




Order Code	Specification Information	Application Notes
Example: R3B0TLL6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
64 64" high	5. Laminate side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
18 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Flat style top trim profile	6. Laminate, finish	
4 4" base height	7. Top trim finish	Applicable finishes are listed on page 1 and 3.
K Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
B Tile divider, black reveal	8. Base finish	
118 Laminate - side 1A	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
118 Laminate - side 1B		
118 Laminate - side 1C		
118 Laminate - side 1D		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
118 Laminate - side 2D		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18- () ()	\$1,056.	\$1,136.	\$1,286.	\$1,456.	\$1,596.	\$1,816.	\$1,946.
Regular acoustics	20"	79"	R3B0TFF79 20- () ()	1,056.	1,136.	1,286.	1,456.	1,596.	1,816.	1,946.
	24"	79"	R3B0TFF79 24- () ()	1,123.	1,203.	1,353.	1,523.	1,663.	1,883.	2,013.
	30"	79"	R3B0TFF79 30- () ()	1,188.	1,268.	1,418.	1,588.	1,728.	1,948.	2,078.
	36"	79"	R3B0TFF79 36- () ()	1,256.	1,336.	1,486.	1,656.	1,796.	2,016.	2,146.
	42"	79"	R3B0TFF79 42- () ()	1,427.	1,507.	1,657.	1,827.	1,967.	2,187.	2,317.
	48"	79"	R3B0TFF79 48- () ()	1,499.	1,579.	1,729.	1,899.	2,039.	2,259.	2,389.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18- () ()	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
High acoustics	20"	79"	R3B0TAA79 20- () ()	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
	24"	79"	R3B0TAA79 24- () ()	1,232.	1,312.	1,462.	1,632.	1,772.	1,992.	2,122.
	30"	79"	R3B0TAA79 30- () ()	1,303.	1,383.	1,533.	1,703.	1,843.	2,063.	2,193.
	36"	79"	R3B0TAA79 36- () ()	1,377.	1,457.	1,607.	1,777.	1,917.	2,137.	2,267.
	42"	79"	R3B0TAA79 42- () ()	1,567.	1,647.	1,797.	1,967.	2,107.	2,327.	2,457.
	48"	79"	R3B0TAA79 48- () ()	1,649.	1,729.	1,879.	2,049.	2,189.	2,409.	2,539.



Order Code

Example: R3B0TFF7918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
 - v) tile 1E top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C middle
 - iv) tile 2D middle
 - v) tile 2E top

6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
7. Base finish
 - 1. Top trim profile: A = Flat, B = Square, C = Bullnose, E = Extruded Aluminum
 - 2. Base height: 4 = 4" base height, 6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 1 and 3.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by $2\frac{3}{4}"$.

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 79" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18- () ()	\$1,376.	\$1,456.	\$1,603.	\$1,776.	\$1,916.	\$2,136.	\$2,266.
Beltway one side	20"	79"	R3B1TFF79 20- () ()	1,376.	1,456.	1,603.	1,776.	1,916.	2,136.	2,266.
	24"	79"	R3B1TFF79 24- () ()	1,444.	1,524.	1,671.	1,844.	1,984.	2,204.	2,334.
	30"	79"	R3B1TFF79 30- () ()	1,477.	1,557.	1,704.	1,877.	2,017.	2,237.	2,367.
	36"	79"	R3B1TFF79 36- () ()	1,804.	1,884.	2,031.	2,204.	2,344.	2,564.	2,694.
	42"	79"	R3B1TFF79 42- () ()	1,936.	2,016.	2,163.	2,336.	2,476.	2,696.	2,826.
	48"	79"	R3B1TFF79 48- () ()	2,000.	2,080.	2,227.	2,400.	2,540.	2,760.	2,890.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18- () ()	1,395.	1,475.	1,619.	1,795.	1,935.	2,155.	2,285.
Beltway two sides	20"	79"	R3B2TFF79 20- () ()	1,395.	1,475.	1,619.	1,795.	1,935.	2,155.	2,285.
	24"	79"	R3B2TFF79 24- () ()	1,467.	1,547.	1,691.	1,867.	2,007.	2,227.	2,357.
	30"	79"	R3B2TFF79 30- () ()	1,498.	1,578.	1,722.	1,898.	2,038.	2,258.	2,388.
	36"	79"	R3B2TFF79 36- () ()	1,831.	1,911.	2,055.	2,231.	2,371.	2,591.	2,721.
	42"	79"	R3B2TFF79 42- () ()	1,965.	2,045.	2,189.	2,365.	2,505.	2,725.	2,855.
	48"	79"	R3B2TFF79 48- () ()	2,037.	2,117.	2,261.	2,437.	2,577.	2,797.	2,927.



Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	6. Top trim finish
B1 Beltway 1 side	2. Base height	i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert)	7. Base finish
79 79" high	i) tile 1A bottom	8. Beltway finish
18 18" wide	ii) tile 1B middle	
A Flat style top trim profile	iii) tile 1C middle	1. <i>Top trim profile:</i>
4 4" base height	iv) tile 1D middle	A = Flat
K Include knockouts in base	v) tile 1E top	B = Square
W281 Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	C = Bullnose
W281 Fabric - Side 1B	i) tile 2A bottom	E = Extruded Aluminum
W281 Fabric - Side 1C	ii) tile 2B middle	
W281 Fabric - Side 1D	iii) tile 2C middle	2. <i>Base height:</i>
W281 Fabric - Side 1E	iv) tile 2D middle	4 = 4" base height
W281 Fabric - Side 2A	v) tile 2E top	6 = 6" base height (add \$47 per panel for this option)
W281 Fabric - Side 2B		Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 2C		
W281 Fabric - Side 2D		Applicable finishes are listed on page 1 and 3.
W281 Fabric - Side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 79" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TFL79 18-() ()	\$1,171.	\$1,211.	\$1,281.	\$1,366.	\$1,436.	\$1,536.	\$1,601.
Regular acoustics	20"	79"	R3B0TFL79 20-() ()	1,171.	1,211.	1,281.	1,366.	1,436.	1,536.	1,601.
	24"	79"	R3B0TFL79 24-() ()	1,242.	1,282.	1,352.	1,437.	1,507.	1,607.	1,672.
	30"	79"	R3B0TFL79 30-() ()	1,302.	1,342.	1,412.	1,497.	1,567.	1,667.	1,732.
	36"	79"	R3B0TFL79 36-() ()	1,367.	1,407.	1,477.	1,562.	1,632.	1,732.	1,797.
	42"	79"	R3B0TFL79 42-() ()	1,531.	1,571.	1,641.	1,726.	1,796.	1,896.	1,961.
	48"	79"	R3B0TFL79 48-() ()	1,602.	1,642.	1,712.	1,797.	1,867.	1,967.	2,032.




Tiled, fabric one side	18"	79"	R3B1TFL79 18-() ()	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
Beltway one side (fabric side)	20"	79"	R3B1TFL79 20-() ()	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
	24"	79"	R3B1TFL79 24-() ()	1,548.	1,588.	1,657.	1,743.	1,813.	1,913.	1,978.
	30"	79"	R3B1TFL79 30-() ()	1,582.	1,622.	1,691.	1,777.	1,847.	1,947.	2,012.
	36"	79"	R3B1TFL79 36-() ()	1,899.	1,939.	2,008.	2,094.	2,164.	2,264.	2,329.
	42"	79"	R3B1TFL79 42-() ()	2,022.	2,062.	2,131.	2,217.	2,287.	2,387.	2,452.
	48"	79"	R3B1TFL79 48-() ()	2,086.	2,126.	2,195.	2,281.	2,351.	2,451.	2,516.




Order Code	Specification Information	Application Notes
Example: R3B0TFL7918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B0 No Beltway	2. Base height	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish when applicable.
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
18 18" wide	6. Laminate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
W281 Fabric - Side 1B	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	
W281 Fabric - Side 1C	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79"h add per panel: \$48 for 18w and 20w \$57 for 24w and 30w \$62 for 36w and 42w \$84 for 48w	
W281 Fabric - Side 1D	Applicable finishes are listed on page 1 and 3.	
W281 Fabric - Side 1E	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
114 Folkstone grey - side 2C		
114 Folkstone grey - side 2D		
114 Folkstone grey - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 79" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,259.	\$1,299.	\$1,379.	\$1,464.	\$1,534.	\$1,644.	\$1,709.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,259.	1,299.	1,379.	1,464.	1,534.	1,644.	1,709.
	24"	79"	R3B0TF179 24-() ()	1,331.	1,371.	1,451.	1,536.	1,606.	1,716.	1,781.
	30"	79"	R3B0TF179 30-() ()	1,399.	1,439.	1,519.	1,604.	1,674.	1,784.	1,849.
	36"	79"	R3B0TF179 36-() ()	1,468.	1,508.	1,588.	1,673.	1,743.	1,853.	1,918.
	42"	79"	R3B0TF179 42-() ()	1,648.	1,688.	1,768.	1,853.	1,923.	2,033.	2,098.
	48"	79"	R3B0TF179 48-() ()	1,724.	1,764.	1,844.	1,929.	1,999.	2,109.	2,174.


Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
	24"	79"	R3B1TF179 24-() ()	1,664.	1,704.	1,784.	1,869.	1,939.	2,049.	2,114.
	30"	79"	R3B1TF179 30-() ()	1,695.	1,735.	1,815.	1,900.	1,970.	2,080.	2,145.
	36"	79"	R3B1TF179 36-() ()	2,040.	2,080.	2,160.	2,245.	2,315.	2,425.	2,490.
	42"	79"	R3B1TF179 42-() ()	2,173.	2,213.	2,293.	2,378.	2,448.	2,558.	2,623.
	48"	79"	R3B1TF179 48-() ()	2,241.	2,281.	2,361.	2,446.	2,516.	2,626.	2,691.

Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Ref Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish, for panels with beltway
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2A		
Y328 Mahogany - side 2B		
Y328 Mahogany - side 2C		
Y328 Mahogany - side 2D		
Y328 Mahogany - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optimal milled frame		


Tiled panels 79" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18- ()()	\$1,281.	\$1,321.	\$1,401.	\$1,486.	\$1,556.	\$1,666.	\$1,731.
Regular acoustics	20"	79"	R3B0TF279 20- ()()	1,281.	1,321.	1,401.	1,486.	1,556.	1,666.	1,731.
	24"	79"	R3B0TF279 24- ()()	1,355.	1,395.	1,475.	1,560.	1,630.	1,740.	1,805.
	30"	79"	R3B0TF279 30- ()()	1,422.	1,462.	1,542.	1,627.	1,697.	1,807.	1,872.
	36"	79"	R3B0TF279 36- ()()	1,494.	1,534.	1,614.	1,699.	1,769.	1,879.	1,944.
	42"	79"	R3B0TF279 42- ()()	1,674.	1,714.	1,794.	1,879.	1,949.	2,059.	2,124.
	48"	79"	R3B0TF279 48- ()()	1,753.	1,793.	1,873.	1,958.	2,028.	2,138.	2,203.




Tiled, fabric one side	18"	79"	R3B1TF279 18- ()()	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20- ()()	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
	24"	79"	R3B1TF279 24- ()()	1,693.	1,733.	1,813.	1,898.	1,968.	2,078.	2,143.
	30"	79"	R3B1TF279 30- ()()	1,729.	1,769.	1,849.	1,934.	2,004.	2,114.	2,179.
	36"	79"	R3B1TF279 36- ()()	2,078.	2,118.	2,198.	2,283.	2,353.	2,463.	2,528.
	42"	79"	R3B1TF279 42- ()()	2,209.	2,249.	2,329.	2,414.	2,484.	2,594.	2,659.
	48"	79"	R3B1TF279 48- ()()	2,281.	2,321.	2,401.	2,486.	2,556.	2,666.	2,731.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Ref Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2 Tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-() ()	\$1,700.	\$1,740.	\$1,820.	\$1,905.	\$1,975.	\$2,085.	\$2,150.
Regular acoustics	20"	79"	R3B0TF379 20-() ()	1,700.	1,740.	1,820.	1,905.	1,975.	2,085.	2,150.
	24"	79"	R3B0TF379 24-() ()	1,801.	1,841.	1,921.	2,006.	2,076.	2,186.	2,251.
	30"	79"	R3B0TF379 30-() ()	1,894.	1,934.	2,014.	2,099.	2,169.	2,279.	2,344.
	36"	79"	R3B0TF379 36-() ()	1,991.	2,031.	2,111.	2,196.	2,266.	2,376.	2,441.
	42"	79"	R3B0TF379 42-() ()	2,234.	2,274.	2,354.	2,439.	2,509.	2,619.	2,684.
	48"	79"	R3B0TF379 48-() ()	2,339.	2,379.	2,459.	2,544.	2,614.	2,724.	2,789.

Tiled, fabric one side	18"	79"	R3B1TF379 18-() ()	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
Beltway fabric side	20"	79"	R3B1TF379 20-() ()	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
	24"	79"	R3B1TF379 24-() ()	2,258.	2,298.	2,378.	2,463.	2,533.	2,643.	2,708.
	30"	79"	R3B1TF379 30-() ()	2,307.	2,347.	2,427.	2,512.	2,582.	2,692.	2,757.
	36"	79"	R3B1TF379 36-() ()	2,778.	2,818.	2,898.	2,983.	3,053.	3,163.	3,228.
	42"	79"	R3B1TF379 42-() ()	2,957.	2,997.	3,077.	3,162.	3,232.	3,342.	3,407.
	48"	79"	R3B1TF379 48-() ()	3,054.	3,094.	3,174.	3,259.	3,329.	3,439.	3,504.

Order Code

Specification Information

Application Notes

Example: R3B0TF37918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
- Exotic veneer, finish (specify one V3 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 1 excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
79" h add per panel:
\$52 for 18w and 20w
\$60 for 24w and 30w
\$64 for 36w and 42w
\$86 for 48w

Applicable finishes are listed on page 1 and 3.

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	79"	R3B0TLL7918 () ()	\$1,337.
with raceway both sides	20"	79"	R3B0TLL7920 () ()	1,337.
	24"	79"	R3B0TLL7924 () ()	1,457.
	30"	79"	R3B0TLL7930 () ()	1,633.
	36"	79"	R3B0TLL7936 () ()	1,763.
	42"	79"	R3B0TLL7942 () ()	1,816.
	48"	79"	R3B0TLL7948 () ()	1,908.



Example:	R3B0TLL7918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 1D
118	Laminate - side 1E
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
118	Laminate - side 2D
118	Laminate - side 2E
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Laminate side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
- Laminate, finish
- Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or painted finish from page 1 excluding silver
- Base finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height

4. Extruded aluminum tile divider:

- Optional for non fabric side only** (fabric side always black)
- 79"h add per panel:
- \$52 for 18w and 20w
- \$60 for 24w and 30w
- \$64 for 36w and 42w
- \$86 for 48w

Applicable finishes are listed on page 1 and 3.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will not accept stacking modules.

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	R2APT3418 ()	\$102.	
	20"	34"	R2APT3420 ()	102.	
	24"	34"	R2APT3424 ()	105.	
	30"	34"	R2APT3430 ()	107.	
	36"	34"	R2APT3436 ()	112.	
	42"	34"	R2APT3442 ()	114.	
	48"	34"	R2APT3448 ()	119.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	R2APT4218 ()	157.	
	20"	42"	R2APT4220 ()	157.	
	24"	42"	R2APT4224 ()	162.	
	30"	42"	R2APT4230 ()	164.	
	36"	42"	R2APT4236 ()	173.	
	42"	42"	R2APT4242 ()	178.	
	48"	42"	R2APT4248 ()	186.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<p><i>To order specify pattern number including height and width as applicable.</i></p> <p>1. Specify Finish : Fabric</p>	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49" h tiled with 4" or 6" h base raceway	18"	49"	R2APT4918 ()	\$168.	
	20"	49"	R2APT4920 ()	168.	
	24"	49"	R2APT4924 ()	174.	
	30"	49"	R2APT4930 ()	176.	
	36"	49"	R2APT4936 ()	185.	
	42"	49"	R2APT4942 ()	193.	
	48"	49"	R2APT4948 ()	199.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64" h tiled with 4" or 6" h base raceway	18"	64"	R2APT6418 ()	237.	
	20"	64"	R2APT6420 ()	237.	
	24"	64"	R2APT6424 ()	246.	
	30"	64"	R2APT6430 ()	251.	
	36"	64"	R2APT6436 ()	263.	
	42"	64"	R2APT6442 ()	273.	
	48"	64"	R2APT6448 ()	283.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	1. Specify Finish : Fabric
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	R2APT7918 ()	\$307.	
	20"	79"	R2APT7920 ()	307.	
	24"	79"	R2APT7924 ()	317.	
	30"	79"	R2APT7930 ()	323.	
	36"	79"	R2APT7936 ()	341.	
	42"	79"	R2APT7942 ()	352.	
	48"	79"	R2APT7948 ()	370.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"	R2ATPK34 ()	68.
	42"	R2ATPK42 ()	85.
	49"	R2ATPK49 ()	97.
	64"	R2ATPK64 ()	134.
	79"	R2ATPK79 ()	168.

Order Code

Example:	R2APT3418 AA
RA	Reff Administrative
WH	Wall hung
DH	Desk hight planning
TB	Tack board
S	Single desk
66	width
	Fabric

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify Finish : Fabric

Application Notes

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6" h raceway		34"	R2ALPK34 ()		\$67.
		42"	R2ALPK42 ()		93.
		49"	R2ALPK49 ()		102.
		64"	R2ALPK64 ()		141.
		79"	R2ALPK79 ()		178.
Alum vertical reveal for end trim with 4" or 6" h raceway		34"	R2AETK34 ()		66.
		42"	R2AETK42 ()		80.
		49"	R2AETK49 ()		94.
		64"	R2AETK64 ()		125.
		79"	R2AETK79 ()		158.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i> 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	R2AHCR34 ()		\$66.
		38"	R2AHCR42 ()		80.
		45"	R2AHCR49 ()		94.
		60"	R2AHCR64 ()		125.
		75"	R2AHCR79 ()		158.

for use with generation 2 or 3 installations

Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18 ()		45.
	20"		R2AHTR20 ()		45.
	24"		R2AHTR24 ()		47.
	30"		R2AHTR30 ()		52.
	36"		R2AHTR36 ()		56.
	42"		R2AHTR42 ()		58.
	48"		R2AHTR48 ()		65.

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	To order specify pattern number including height and width as applicable. 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width Fabric		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18 ()	\$39.	
	20"		R2AHWR20 ()	39.	
	24"		R2AHWR24 ()	41.	
	30"		R2AHWR30 ()	42.	
	36"		R2AHWR36 ()	46.	
	42"		R2AHWR42 ()	48.	
	48"		R2AHWR48 ()	54.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18 ()	39.	
	20"		R2AHBW20 ()	39.	
	24"		R2AHBW24 ()	41.	
	30"		R2AHBW30 ()	42.	
	36"		R2AHBW36 ()	46.	
	42"		R2AHBW42 ()	48.	
	48"		R2AHBW48 ()	54.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	To order specify pattern number including height and width as applicable. 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width Fabric		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()		\$39.
	20"		R2AHSR20 ()		39.
	24"		R2AHSR24 ()		41.
	30"		R2AHSR30 ()		42.
	36"		R2AHSR36 ()		46.
	42"		R2AHSR42 ()		48.
	48"		R2AHSR48 ()		54.

horizontal reveal only

Order Code

Example: R2APT3418 AA
RA Reff Administrative
WH Wall hung
DH Desk hight planning
TB Tack board
S Single desk
66 width
Fabric

Specification Information


To order specify pattern number including height and width as applicable.

1. Specify Finish : Fabric

Application Notes

Beltway one side, window panel 49" H tiled panel with glass type "A" at top


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-() ()	\$1,279.	\$1,311.	\$1,368.	\$1,439.	\$1,495.	\$1,583.	\$1,635.
	20"	49"	R3B1TFFA49 20-() ()	1,279.	1,311.	1,368.	1,439.	1,495.	1,583.	1,635.
	24"	49"	R3B1TFFA49 24-() ()	1,323.	1,355.	1,412.	1,483.	1,539.	1,627.	1,679.
	30"	49"	R3B1TFFA49 30-() ()	1,414.	1,446.	1,503.	1,574.	1,630.	1,718.	1,770.
	36"	49"	R3B1TFFA49 36-() ()	1,702.	1,734.	1,791.	1,862.	1,918.	2,006.	2,058.
	42"	49"	R3B1TFFA49 42-() ()	1,854.	1,886.	1,943.	2,014.	2,070.	2,158.	2,210.
	48"	49"	R3B1TFFA49 48-() ()	1,940.	1,972.	2,029.	2,100.	2,156.	2,244.	2,296.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
A Type A window	5. Panel side 2 finish (specify selection per insert)	
49 49" high	6. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
4 4" base height	7. Base finish	Applicable finishes are listed on page 1 and 3.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1A	9. Glass window frame finish	
W281 Fabric selection - side 1B	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		



Beltway one side, window panel 49" H tiled panel with glass type "B" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,525.	\$1,557.	\$1,614.	\$1,685.	\$1,741.	\$1,829.	\$1,881.
	36"	49"	R3B1TFFB49 36-() ()	1,822.	1,854.	1,911.	1,982.	2,038.	2,126.	2,178.
	42"	49"	R3B1TFFB49 42-() ()	1,974.	2,006.	2,063.	2,134.	2,190.	2,278.	2,330.
	48"	49"	R3B1TFFB49 48-() ()	2,069.	2,101.	2,158.	2,229.	2,285.	2,373.	2,425.



Order Code	Specification Information	Application Notes
Example: R3B1TFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
FF Fabric both sides		E = Extruded Aluminum
B Type B window		2. Base height:
49 49" high		4 = 4" base height
30 30" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 1 and 3.
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
Y328 Mahogany - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	R3B1PFFA49 18-() ()	\$1,156.	\$1,174.	\$1,216.	\$1,301.	\$1,355.	\$1,433.	\$1,512.
	20"	49"	R3B1PFFA49 20-() ()	1,156.	1,174.	1,216.	1,301.	1,355.	1,433.	1,512.
	24"	49"	R3B1PFFA49 24-() ()	1,197.	1,215.	1,257.	1,342.	1,396.	1,474.	1,553.
	30"	49"	R3B1PFFA49 30-() ()	1,275.	1,293.	1,335.	1,420.	1,474.	1,552.	1,631.
	36"	49"	R3B1PFFA49 36-() ()	1,518.	1,536.	1,578.	1,663.	1,717.	1,795.	1,874.
	42"	49"	R3B1PFFA49 42-() ()	1,647.	1,665.	1,707.	1,792.	1,846.	1,924.	2,003.
	48"	49"	R3B1PFFA49 48-() ()	1,726.	1,744.	1,786.	1,871.	1,925.	2,003.	2,082.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	R3B1PFFB49 30-() ()	1,386.	1,404.	1,446.	1,531.	1,585.	1,663.	1,742.
	36"	49"	R3B1PFFB49 36-() ()	1,638.	1,656.	1,698.	1,783.	1,837.	1,915.	1,994.
	42"	49"	R3B1PFFB49 42-() ()	1,767.	1,785.	1,827.	1,912.	1,966.	2,044.	2,123.
	48"	49"	R3B1PFFB49 48-() ()	1,855.	1,873.	1,915.	2,000.	2,054.	2,132.	2,211.

Order Code	Specification Information	Application Notes
Example: R3B1PFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 ³ / ₄ ".
B1 Beltway 1 side	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
A Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
49 49" high	6. Top trim finish	
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
4 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. Glass window frame finish	Applicable finishes are listed on page 1 and 3.
W281 Fabric selection - side 2	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	

Beltway one side, window panel 49" H
 tiled with glass type "A" at top,
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-() ()	\$1,417.	\$1,433.	\$1,465.	\$1,499.	\$1,527.	\$1,571.	\$1,610.
	20"	49"	R3B1TFLA49 20-() ()	1,417.	1,432.	1,465.	1,499.	1,527.	1,571.	1,610.
	24"	49"	R3B1TFLA49 24-() ()	1,462.	1,478.	1,510.	1,544.	1,572.	1,616.	1,655.
	30"	49"	R3B1TFLA49 30-() ()	1,555.	1,571.	1,603.	1,637.	1,665.	1,709.	1,748.
	36"	49"	R3B1TFLA49 36-() ()	1,847.	1,863.	1,895.	1,929.	1,957.	2,001.	2,040.
	42"	49"	R3B1TFLA49 42-() ()	2,000.	2,016.	2,048.	2,082.	2,110.	2,154.	2,193.
	48"	49"	R3B1TFLA49 48-() ()	2,091.	2,107.	2,139.	2,173.	2,201.	2,245.	2,284.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
FL Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 1 and 3.
W281 Fabric selection - side 1A	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Add upcharge for architectural glass: (as applicable by width)
W281 Fabric selection - side 1B		Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198
114 Folkstone grey - side 2A		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
114 Folkstone grey - side 2B		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
V316 Maple (top trim finish)		Width Add 18" \$14 20" \$14 24" \$15 30" \$15 36" \$16 42" \$16 48" \$21
111 Jet Black (base finish)		Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with glass type "B" at top,
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-() ()	\$1,670.	\$1,686.	\$1,718.	\$1,752.	\$1,780.	\$1,824.	\$1,863.
	36"	49"	R3B1TFLB49 36-() ()	1,967.	1,983.	2,015.	2,049.	2,077.	2,121.	2,160.
	42"	49"	R3B1TFLB49 42-() ()	2,120.	2,136.	2,168.	2,202.	2,230.	2,274.	2,313.
	48"	49"	R3B1TFLB49 48-() ()	2,222.	2,238.	2,270.	2,304.	2,332.	2,376.	2,415.




Order Code	Specification Information	Application Notes
Example: R3B1TFLB4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
FL Fabric BW side, laminate other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
B Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
49 49" high	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
18 18" wide	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
A Flat style top trim profile	8. Base finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
4 4" base height	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
K Include knockouts in base	10. Window frame finish	Applicable finishes are listed on page 1 and 3.
B Tile divider, black reveal	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1A		Add upcharge for architectural glass: (as applicable by width)
W281 Fabric selection - side 1B		Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198
114 Folkstone grey - side 2A		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
114 Folkstone grey - side 2B		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
V316 Maple (top trim finish)		Width Add 18" \$14 20" \$14 24" \$15 30" \$15 36" \$16 42" \$16 48" \$21
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Beltway one side, window panel 49" H
 monolithic with glass at top,
 fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PFLA49 18-() ()	\$1,171.	\$1,181.	\$1,203.	\$1,246.	\$1,273.	\$1,313.	\$1,340.
	20"	49"	R3B1PFLA49 20-() ()	1,172.	1,181.	1,203.	1,246.	1,273.	1,313.	1,340.
	24"	49"	R3B1PFLA49 24-() ()	1,232.	1,241.	1,263.	1,306.	1,333.	1,373.	1,400.
	30"	49"	R3B1PFLA49 30-() ()	1,342.	1,351.	1,373.	1,416.	1,443.	1,483.	1,510.
	36"	49"	R3B1PFLA49 36-() ()	1,620.	1,629.	1,651.	1,694.	1,721.	1,761.	1,788.
	42"	49"	R3B1PFLA49 42-() ()	1,781.	1,790.	1,812.	1,855.	1,882.	1,922.	1,949.
	48"	49"	R3B1PFLA49 48-() ()	1,894.	1,903.	1,925.	1,968.	1,995.	2,035.	2,062.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PFLB49 30-() ()	1,457.	1,466.	1,488.	1,531.	1,558.	1,598.	1,625.
	36"	49"	R3B1PFLB49 36-() ()	1,740.	1,749.	1,771.	1,814.	1,841.	1,881.	1,908.
	42"	49"	R3B1PFLB49 42-() ()	1,901.	1,910.	1,932.	1,975.	2,002.	2,042.	2,069.
	48"	49"	R3B1PFLB49 48-() ()	2,025.	2,034.	2,056.	2,099.	2,126.	2,166.	2,193.



Order Code	Specification Information	Application Notes
Example: R3B1PFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
FL Fabric BW side, laminate other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
A Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
49 49" high	6. Laminate side finish (specify selection per insert; bottom up.)	4 = 4" base height
18 18" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
114 Folkstone grey - side 2	11. Glass option	Applicable finishes are listed on page 1 and 3.
V316 Maple (top trim finish)	Temp = Clear temp	
111 Jet Black (base finish)	<i>Architectural options:</i>	
111 Jet Black (beltway finish)	GL13 = Powder glass	
111 Jet Black (window frame finish)	GL6 = Block matrix glass	
TEMP Glass option	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Product on this page will accept wood grain laminate where laminate is currently an option.
 Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-() ()	\$1,440.	\$1,456.	\$1,488.	\$1,522.	\$1,550.	\$1,594.	\$1,633.
	20"	49"	R3B1TF1A49 20-() ()	1,440.	1,456.	1,488.	1,522.	1,550.	1,594.	1,633.
	24"	49"	R3B1TF1A49 24-() ()	1,489.	1,505.	1,537.	1,571.	1,599.	1,643.	1,682.
	30"	49"	R3B1TF1A49 30-() ()	1,582.	1,598.	1,630.	1,664.	1,692.	1,736.	1,775.
	36"	49"	R3B1TF1A49 36-() ()	1,881.	1,897.	1,929.	1,963.	1,991.	2,035.	2,074.
	42"	49"	R3B1TF1A49 42-() ()	2,038.	2,054.	2,086.	2,120.	2,148.	2,192.	2,231.
	48"	49"	R3B1TF1A49 48-() ()	2,127.	2,143.	2,175.	2,209.	2,237.	2,281.	2,320.




Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	6. Techwood side, finish (specify one V1 finish for side)	Applicable finishes are listed on page 1 and 3.
W281 Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
W281 Fabric selection - side 1B	8. Base finish	
Y328 Mahogany - side 2 tiled	9. Beltway finish	
V316 Maple (top trim finish)	10. Window frame finish	
111 Jet Black (base finish)	11. Glass option Temp = Clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, techwood other side

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-()()	\$1,697.	\$1,713.	\$1,745.	\$1,779.	\$1,807.	\$1,851.	\$1,890.
	36"	49"	R3B1TF1B49 36-()()	2,001.	2,017.	2,049.	2,083.	2,111.	2,155.	2,194.
	42"	49"	R3B1TF1B49 42-()()	2,158.	2,174.	2,206.	2,240.	2,268.	2,312.	2,351.
	48"	49"	R3B1TF1B49 48-()()	2,258.	2,274.	2,306.	2,340.	2,368.	2,412.	2,451.



Order Code	Specification Information	Application Notes
Example: R3B1TF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F1 Fabric one side, V1 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
B Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
49 49" high	6. Techwood side, finish (specify one V1 finish for side)	4 = 4" base height
30 30" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B	11. Glass option	Applicable finishes are listed on page 1 and 3.
Y328 Mahogany - side 2 tiled	Temp = Clear temp	
V316 Maple (top trim finish)	Architectural options:	
111 Jet Black (base finish)	GL13 = Powder glass	
111 Jet Black (beltway finish)	GL6 = Block matrix glass	
111 Jet Black (window frame finish)	GL8 = Wafer glass	
TEMP Glass option		


Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF1A49 18-() ()	\$1,194.	\$1,203.	\$1,225.	\$1,268.	\$1,295.	\$1,335.	\$1,362.
	20"	49"	R3B1PF1A49 20-() ()	1,194.	1,203.	1,225.	1,268.	1,295.	1,335.	1,362.
	24"	49"	R3B1PF1A49 24-() ()	1,252.	1,261.	1,283.	1,326.	1,353.	1,393.	1,420.
	30"	49"	R3B1PF1A49 30-() ()	1,364.	1,373.	1,395.	1,438.	1,465.	1,505.	1,532.
	36"	49"	R3B1PF1A49 36-() ()	1,646.	1,655.	1,677.	1,720.	1,747.	1,787.	1,814.
	42"	49"	R3B1PF1A49 42-() ()	1,815.	1,824.	1,846.	1,889.	1,916.	1,956.	1,983.
	48"	49"	R3B1PF1A49 48-() ()	1,925.	1,934.	1,956.	1,999.	2,026.	2,066.	2,093.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF1B49 30-() ()	1,479.	1,488.	1,510.	1,553.	1,580.	1,620.	1,647.
	36"	49"	R3B1PF1B49 36-() ()	1,766.	1,775.	1,797.	1,840.	1,867.	1,907.	1,934.
	42"	49"	R3B1PF1B49 42-() ()	1,935.	1,944.	1,966.	2,009.	2,036.	2,076.	2,103.
	48"	49"	R3B1PF1B49 48-() ()	2,056.	2,065.	2,087.	2,130.	2,157.	2,197.	2,224.

Order Code	Specification Information	Application Notes
Example: R3B1PF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
30 30" wide	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 1 and 3.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
Y328 Mahogany - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,467.	\$1,483.	\$1,515.	\$1,549.	\$1,577.	\$1,621.	\$1,660.
	20"	49"	R3B1TF2A49 20-() ()	1,467.	1,483.	1,515.	1,549.	1,577.	1,621.	1,660.
	24"	49"	R3B1TF2A49 24-() ()	1,514.	1,530.	1,562.	1,596.	1,624.	1,668.	1,707.
	30"	49"	R3B1TF2A49 30-() ()	1,608.	1,624.	1,656.	1,690.	1,718.	1,762.	1,801.
	36"	49"	R3B1TF2A49 36-() ()	1,910.	1,926.	1,958.	1,992.	2,020.	2,064.	2,103.
	42"	49"	R3B1TF2A49 42-() ()	2,070.	2,086.	2,118.	2,152.	2,180.	2,224.	2,263.
	48"	49"	R3B1TF2A49 48-() ()	2,163.	2,179.	2,211.	2,245.	2,273.	2,317.	2,356.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
F2 Fabric one side, V2 other	1. Top trim profile	E = Extruded Aluminum
A Type A window	2. Base height	2. Base height:
49 49" high	3. Knockout option	4 = 4" base height
18 18" wide	(K = with knockouts, N = without knockouts)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	4. Tile divider (where optional)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 1 and 3.
V316 Maple surface - side 2 tiled	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	
111 Jet Black (beltway finish)	8. Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21


Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-() ()	\$1,723.	\$1,739.	\$1,771.	\$1,805.	\$1,833.	\$1,877.	\$1,916.
	36"	49"	R3B1TF2B49 36-() ()	2,030.	2,046.	2,078.	2,112.	2,140.	2,184.	2,223.
	42"	49"	R3B1TF2B49 42-() ()	2,190.	2,206.	2,238.	2,272.	2,300.	2,344.	2,383.
	48"	49"	R3B1TF2B49 48-() ()	2,294.	2,310.	2,342.	2,376.	2,404.	2,448.	2,487.



Order Code	Specification Information	Application Notes
Example: R3B1TF2B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
30 30" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		
4 4" base height		
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	
B Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	
W281 Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric selection - side 1B		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
V316 Maple surface - side 2 tiled		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V316 Maple (top trim finish)		Applicable finishes are listed on page 1 and 3.
111 Jet Black (base finish)	8. Base finish	
111 Jet Black (beltway finish)	9. Beltway finish	
111 Jet Black (window frame finish)	10. Window frame finish	
TEMP Glass option	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	


Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF2A49 18-() ()	\$1,214.	\$1,223.	\$1,245.	\$1,288.	\$1,315.	\$1,355.	\$1,382.
	20"	49"	R3B1PF2A49 20-() ()	1,214.	1,223.	1,245.	1,288.	1,315.	1,355.	1,382.
	24"	49"	R3B1PF2A49 24-() ()	1,273.	1,282.	1,304.	1,347.	1,374.	1,414.	1,441.
	30"	49"	R3B1PF2A49 30-() ()	1,391.	1,400.	1,422.	1,465.	1,492.	1,532.	1,559.
	36"	49"	R3B1PF2A49 36-() ()	1,677.	1,686.	1,708.	1,751.	1,778.	1,818.	1,845.
	42"	49"	R3B1PF2A49 42-() ()	1,843.	1,852.	1,874.	1,917.	1,944.	1,984.	2,011.
	48"	49"	R3B1PF2A49 48-() ()	1,954.	1,963.	1,985.	2,028.	2,055.	2,095.	2,122.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF2B49 30-() ()	1,506.	1,515.	1,537.	1,580.	1,607.	1,647.	1,674.
	36"	49"	R3B1PF2B49 36-() ()	1,797.	1,806.	1,828.	1,871.	1,898.	1,938.	1,965.
	42"	49"	R3B1PF2B49 42-() ()	1,963.	1,972.	1,994.	2,037.	2,064.	2,104.	2,131.
	48"	49"	R3B1PF2B49 48-() ()	2,085.	2,094.	2,116.	2,159.	2,186.	2,226.	2,253.

Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	6. Conventional veneer side, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
B Tile divider, black reveal		Add upcharge for architectural glass: (as applicable by widths)
W281 Fabric selection - side 1		Width Add
V316 Maple surface - side 2		18" \$86
V316 Maple (top trim finish)		20" \$86
111 Jet Black (base finish)		24" \$101
111 Jet Black (beltway finish)		30" \$121
111 Jet Black (window frame finish)		36" \$145
TEMP Glass option		42" \$173
		48" \$198
	8. Base finish	
	9. Beltway finish	
	10. Window frame finish	
	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Applicable finishes are listed on page 1 and 3.

Beltway one side, window panel 49" H tiled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics 	18"	49"	R3B1TF3A49 18-()	\$1,938.	\$1,954.	\$1,986.	\$2,020.	\$2,048.	\$2,092.	\$2,131.
	20"	49"	R3B1TF3A49 20-()	1,938.	1,954.	1,986.	2,020.	2,048.	2,092.	2,131.
	24"	49"	R3B1TF3A49 24-()	1,996.	2,012.	2,044.	2,078.	2,106.	2,150.	2,189.
	30"	49"	R3B1TF3A49 30-()	2,113.	2,129.	2,161.	2,195.	2,223.	2,267.	2,306.
	36"	49"	R3B1TF3A49 36-()	2,512.	2,528.	2,560.	2,594.	2,622.	2,666.	2,705.
	42"	49"	R3B1TF3A49 42-()	2,718.	2,734.	2,766.	2,800.	2,828.	2,872.	2,911.
	48"	49"	R3B1TF3A49 48-()	2,835.	2,851.	2,883.	2,917.	2,945.	2,989.	3,028.


Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics 	30"	49"	R3B1TF3B49 30-()	2,228.	2,244.	2,276.	2,310.	2,338.	2,382.	2,421.
	36"	49"	R3B1TF3B49 36-()	2,632.	2,648.	2,680.	2,714.	2,742.	2,786.	2,825.
	42"	49"	R3B1TF3B49 42-()	2,838.	2,854.	2,886.	2,920.	2,948.	2,992.	3,031.
	48"	49"	R3B1TF3B49 48-()	2,966.	2,982.	3,014.	3,048.	3,076.	3,120.	3,159.

Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F3 Fabric one side, V3 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
A Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
49 49" high	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
18 18" wide	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
A Flat style top trim profile	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
4 4" base height	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
K Include knockouts in base	10. Window frame finish	Applicable finishes are listed on page 1 and 3.
B Tile divider, black reveal	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1A		Add upcharge for architectural glass: (as applicable by widths)
W281 Fabric selection - side 1B		Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198
V512 Figured Anigre surface - side 2 tiled		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
V512 Figured Anigre (top trim finish)		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
111 Jet Black (base finish)		Width Add 18" \$14 20" \$14 24" \$15 30" \$15 36" \$16 42" \$16 48" \$21
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H

monolithic with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,593.	\$1,602.	\$1,624.	\$1,667.	\$1,694.	\$1,734.	\$1,761.
	20"	49"	R3B1PF3A49 20-() ()	1,593.	1,602.	1,624.	1,667.	1,694.	1,734.	1,761.
	24"	49"	R3B1PF3A49 24-() ()	1,669.	1,678.	1,700.	1,743.	1,770.	1,810.	1,837.
	30"	49"	R3B1PF3A49 30-() ()	1,817.	1,826.	1,848.	1,891.	1,918.	1,958.	1,985.
	36"	49"	R3B1PF3A49 36-() ()	2,195.	2,204.	2,226.	2,269.	2,296.	2,336.	2,363.
	42"	49"	R3B1PF3A49 42-() ()	2,409.	2,418.	2,440.	2,483.	2,510.	2,550.	2,577.
	48"	49"	R3B1PF3A49 48-() ()	2,551.	2,560.	2,582.	2,625.	2,652.	2,692.	2,719.




Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	1,932.	1,941.	1,963.	2,006.	2,033.	2,073.	2,100.
	36"	49"	R3B1PF3B49 36-() ()	2,315.	2,324.	2,346.	2,389.	2,416.	2,456.	2,483.
	42"	49"	R3B1PF3B49 42-() ()	2,529.	2,538.	2,560.	2,603.	2,630.	2,670.	2,697.
	48"	49"	R3B1PF3B49 48-() ()	2,682.	2,691.	2,713.	2,756.	2,783.	2,823.	2,850.



Order Code	Specification Information	Application Notes
Example: R3B1PF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 1 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 1 and 3.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway two sides, window panel 49" H tiled with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,297.	\$1,329.	\$1,383.	\$1,457.	\$1,513.	\$1,601.	\$1,653.
	20"	49"	R3B2TFFA49 20-() ()	1,297.	1,329.	1,383.	1,457.	1,513.	1,601.	1,653.
	24"	49"	R3B2TFFA49 24-() ()	1,344.	1,376.	1,430.	1,504.	1,560.	1,648.	1,700.
	30"	49"	R3B2TFFA49 30-() ()	1,438.	1,470.	1,524.	1,598.	1,654.	1,742.	1,794.
	36"	49"	R3B2TFFA49 36-() ()	1,730.	1,752.	1,816.	1,890.	1,946.	2,034.	2,086.
	42"	49"	R3B2TFFA49 42-() ()	1,883.	1,915.	1,969.	2,043.	2,099.	2,187.	2,239.
	48"	49"	R3B2TFFA49 48-() ()	1,975.	2,007.	2,061.	2,135.	2,191.	2,279.	2,331.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	1,549.	1,581.	1,635.	1,709.	1,765.	1,853.	1,905.
	36"	49"	R3B2TFFB49 36-() ()	1,850.	1,882.	1,936.	2,010.	2,066.	2,154.	2,206.
	42"	49"	R3B2TFFB49 42-() ()	2,003.	2,035.	2,089.	2,163.	2,219.	2,307.	2,359.
	48"	49"	R3B2TFFB49 48-() ()	2,104.	2,136.	2,190.	2,264.	2,320.	2,408.	2,460.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	ii) Top trim profile E options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric selection - side 1A	AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1B	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 2A	8. Beltway finish	
W281 Fabric selection - side 2B	9. Window frame finish	
V316 Maple (top trim finish)	10. Glass option	
111 Jet Black (base finish)	Temp = clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	
TEMP Glass option		

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 1 and 3.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Beltway two sides, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	R3B2PFFA49 18-() ()	\$1,173.	\$1,193.	\$1,235.	\$1,319.	\$1,375.	\$1,453.	\$1,503.
	20"	49"	R3B2PFFA49 20-() ()	1,173.	1,193.	1,235.	1,319.	1,375.	1,453.	1,503.
	24"	49"	R3B2PFFA49 24-() ()	1,215.	1,235.	1,277.	1,361.	1,417.	1,495.	1,545.
	30"	49"	R3B2PFFA49 30-() ()	1,297.	1,317.	1,359.	1,443.	1,499.	1,577.	1,627.
	36"	49"	R3B2PFFA49 36-() ()	1,542.	1,562.	1,604.	1,688.	1,744.	1,822.	1,872.
	42"	49"	R3B2PFFA49 42-() ()	1,676.	1,696.	1,738.	1,822.	1,878.	1,956.	2,006.
	48"	49"	R3B2PFFA49 48-() ()	1,756.	1,776.	1,818.	1,902.	1,958.	2,036.	2,086.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	R3B2PFFB49 30-() ()	1,408.	1,428.	1,470.	1,554.	1,610.	1,688.	1,738.
	36"	49"	R3B2PFFB49 36-() ()	1,662.	1,682.	1,724.	1,808.	1,864.	1,942.	1,992.
	42"	49"	R3B2PFFB49 42-() ()	1,796.	1,816.	1,858.	1,942.	1,998.	2,076.	2,126.
	48"	49"	R3B2PFFB49 48-() ()	1,885.	1,905.	1,947.	2,031.	2,087.	2,165.	2,215.

Order Code	Specification Information	Application Notes
Example: R3B2PFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
30 30" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric selection - side 1	8. Beltway finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	9. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V316 Maple (top trim finish)	10. Glass option	
111 Jet Black (base finish)	Temp = clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 1 and 3.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Stacking modules *fabric*

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	R3SFF08 18	\$210.	\$216.	\$236.	\$268.	\$280.	\$302.	\$316.
	20"	8"	R3SFF08 20	210.	216.	236.	268.	280.	302.	316.
	24"	8"	R3SFF08 24	220.	226.	246.	278.	290.	312.	326.
	30"	8"	R3SFF08 30	245.	251.	271.	303.	315.	337.	351.
	36"	8"	R3SFF08 36	267.	273.	293.	325.	337.	358.	373.
	42"	8"	R3SFF08 42	291.	297.	317.	349.	361.	383.	397.
	48"	8"	R3SFF08 48	313.	319.	339.	371.	383.	405.	419.
Stacking modules* Fabric both sides	18"	15"	R3SFF15 18	283.	299.	329.	363.	391.	435.	459.
	20"	15"	R3SFF15 20	283.	299.	329.	363.	391.	435.	459.
	24"	15"	R3SFF15 24	299.	315.	345.	379.	407.	451.	475.
	30"	15"	R3SFF15 30	329.	345.	375.	409.	437.	481.	505.
	36"	15"	R3SFF15 36	363.	379.	409.	443.	471.	515.	539.
	42"	15"	R3SFF15 42	391.	407.	437.	471.	499.	543.	567.
	48"	15"	R3SFF15 48	423.	439.	469.	503.	531.	575.	599.

Order Code

Example: R3SFF0818	
R3	Reff Generation 3
S	Stacking module
FF	Fabric/fabric
08	8" high
18	18" wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2

Specification Information

To order please specify:

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

Application Notes

* Not for use on 79"H panels.


* * Suitable only for top of any panel. Cannot be stacked upon.


8" h module will not accept additional modules on top.



Use of 8" module on panel heights other than 34" h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	RSWA15 18	\$462.	\$555.	\$15.	\$29.	\$47.
	20"	15"	RSWA15 20	462.	555.	15.	29.	47.
	24"	15"	RSWA15 24	487.	592.	15.	29.	50.
	30"	15"	RSWA15 30	564.	660.	15.	29.	56.
	36"	15"	RSWA15 36	585.	744.	15.	29.	57.
	42"	15"	RSWA15 42	616.	797.	15.	29.	60.
	48"	15"	RSWA15 48	638.	849.	15.	29.	63.

Stacking window module* Center mullion, type "B" 	30"	15"	RSWB15 30	675.	808.	15.	29.	67.
	36"	15"	RSWB15 36	707.	862.	15.	29.	70.
	42"	15"	RSWB15 42	736.	919.	15.	29.	73.
	48"	15"	RSWB15 48	765.	974.	15.	29.	75.

Stacking window module*   18" - 24" 30" - 48"	18"	30"	RSWC30 18	557.	646.	24.	37.	56.
	20"	30"	RSWC30 20	557.	646.	24.	37.	56.
	24"	30"	RSWC30 24	594.	703.	24.	37.	60.
	30"	30"	RSWC30 30	774.	905.	24.	37.	77.
	36"	30"	RSWC30 36	881.	1,041.	24.	37.	85.
	42"	30"	RSWC30 42	945.	1,129.	24.	37.	93.
	48"	30"	RSWC30 48	1,000.	1,214.	24.	37.	97.

Order Code	Specification Information	Application Notes
Example: RSWA1518 111 TEMP	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes) <i>If P2 or P3 paint finish upcharge applicable</i> <i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	All window modules incorporate tempered glass (3/16" thick).
A Type A	3. Glass type	30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high	Temp = Clear tempered glass	For window panels specify the finish for frames from paint selection on page 5.
18 18" wide	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
111 Jet Black, window frame finish		
TEMP Clear tempered glass option		

Stacking modules

Double Window

description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA	
Stacking window module* Single glass, type "A"	15"	60"	RSWAD1560 () ()	\$723.	\$827.						
		72"	RSWAD1572 () ()	805.	965.						
		84"	RSWAD1584 () ()	815.	1,006.						
		96"	RSWAD1596 () ()	829.	1,050.						
	22"	60"	RSWAD2260 () ()	902.	1,103.						
		72"	RSWAD2272 () ()	1,015.	1,256.						
		84"	RSWAD2284 () ()	1,034.	1,315.						
		96"	RSWAD2296 () ()	1,055.	1,377.						
	Top trim for double wide stacking window modules		60"	R3CRTT60 () ()			78.	160.	177.	229.	131.
			72"	R3CRTT72 ()			83.	171.	187.	241.	177.
		84"	R3CRTT84 ()			101.	193.	210.	267.	194.	
		96"	R3CRTT96 ()			106.	203.	221.	281.	199.	








Order Code	Specification Information	Application Notes
<i>Example:</i> RSWAD1560	<i>To order please specify:</i>	Panel glass is mounted flush to one side of the window module.
R Reff	1. Pattern number	All window modules incorporate tempered glass 4mm thick.
SW Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	Stabilizing kit is included with the window and is required with all double wide window installation.
A Type A	<i>If P2 or P3 paint finish upcharge add \$25</i>	
D Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$45</i>	Full length top trim is optional and can be ordered separately.
15 15" high	3. Glass type	Not for use on 79" h panels.
60 60" wide	Temp = Clear tempered glass	Applicable finishes are listed on page 1
111 Jet Black, windowframe finish	<i>Architectural options:</i>	
TEMP Clear tempered glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

Panels






description	w	h	pattern no.	grade							Lam.
				10	15	20	30	35	40	45	
Stacking modules *,** Fabric and laminate 	18"	8"	R3SFL0818	\$239.	\$244.	\$262.	\$295.	\$310.	\$330.	\$349.	
	20"	8"	R3SFL0820	239.	244.	262.	295.	310.	330.	349.	
	24"	8"	R3SFL0824	259.	264.	282.	315.	330.	350.	369.	
	30"	8"	R3SFL0830	291.	296.	314.	347.	362.	382.	401.	
	36"	8"	R3SFL0836	319.	324.	342.	375.	390.	410.	429.	
	42"	8"	R3SFL0842	345.	350.	368.	401.	416.	436.	455.	
	48"	8"	R3SFL0848	375.	380.	398.	431.	446.	466.	485.	
Stacking modules *,** Fabric and techwood 	18"	8"	R3SF10818	246.	251.	269.	302.	317.	337.	356.	
	20"	8"	R3SF10820	246.	251.	269.	302.	317.	337.	356.	
	24"	8"	R3SF10824	263.	268.	286.	319.	334.	354.	373.	
	30"	8"	R3SF10830	295.	300.	318.	351.	366.	386.	405.	
	36"	8"	R3SF10836	323.	328.	346.	379.	394.	414.	433.	
	42"	8"	R3SF10842	353.	359.	377.	410.	424.	445.	464.	
	48"	8"	R3SF10848	380.	385.	403.	436.	451.	471.	490.	
Stacking modules*,** Fabric and conventional veneer 	18"	8"	R3SF20818	249.	254.	272.	305.	320.	340.	359.	
	20"	8"	R3SF20820	249.	254.	272.	305.	320.	340.	359.	
	24"	8"	R3SF20824	269.	274.	292.	325.	340.	360.	379.	
	30"	8"	R3SF20830	300.	305.	323.	356.	371.	391.	410.	
	36"	8"	R3SF20836	330.	335.	353.	386.	401.	421.	440.	
	42"	8"	R3SF20842	360.	365.	383.	416.	431.	451.	470.	
	48"	8"	R3SF20848	386.	391.	409.	442.	456.	477.	496.	
Stacking modules*,** Fabric and exotic veneer 	18"	8"	R3SF30818	327.	332.	350.	383.	398.	418.	437.	
	20"	8"	R3SF30820	327.	332.	350.	383.	398.	418.	437.	
	24"	8"	R3SF30824	357.	362.	380.	413.	428.	448.	467.	
	30"	8"	R3SF30830	396.	401.	419.	452.	467.	487.	506.	
	36"	8"	R3SF30836	438.	443.	461.	494.	509.	529.	548.	
	42"	8"	R3SF30842	478.	483.	501.	534.	549.	569.	588.	
	48"	8"	R3SF30848	514.	519.	538.	570.	585.	605.	624.	
Stacking modules*,** Laminate both sides 	18"	8"	R3SLL0818							231.	
	20"	8"	R3SLL0820							231.	
	24"	8"	R3SLL0824							251.	
	30"	8"	R3SLL0830							281.	
	36"	8"	R3SLL0836							304.	
	42"	8"	R3SLL0842							313.	
	48"	8"	R3SLL0848							323.	

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
S Stacking module	2. Panel side 1 finish(s)	8" module will not accept additional modules.
FL Fabric/Laminate	3. Panel side 2 finish(s)	15" module will accept additional module.
08 8" high	Product on this page will accept wood grain laminate where laminate is currently an option.	Stacking modules on this page are high acoustic with a hard board septum and fiberglass.
18 18" wide	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	Applicable finishes are listed on page 1 and 3.
W281 Fabric selection - side 1		Frameless glass add-ups cannot be installed on these modules.
114 Folkstone Grey - side 2		

Stacking modules

Reff Profiles

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade							Lam.
				10	15	20	30	35	40	45	
Stacking modules* Fabric and laminate 	18"	15"	R3SFL1518	\$342.	\$357.	\$387.	\$422.	\$454.	\$498.	\$523.	
	20"	15"	R3SFL1520	342.	357.	387.	422.	454.	498.	523.	
	24"	15"	R3SFL1524	356.	371.	401.	436.	468.	512.	537.	
	30"	15"	R3SFL1530	390.	405.	435.	470.	502.	546.	571.	
	36"	15"	R3SFL1536	423.	438.	468.	503.	535.	579.	604.	
	42"	15"	R3SFL1542	456.	471.	501.	539.	568.	612.	637.	
	48"	15"	R3SFL1548	488.	503.	533.	568.	600.	644.	669.	
Stacking modules* Fabric and techwood 	18"	15"	R3SF11518	350.	365.	395.	430.	462.	506.	531.	
	20"	15"	R3SF11520	350.	365.	395.	430.	462.	506.	531.	
	24"	15"	R3SF11524	365.	380.	410.	445.	477.	521.	546.	
	30"	15"	R3SF11530	396.	411.	441.	476.	508.	552.	577.	
	36"	15"	R3SF11536	431.	446.	476.	511.	543.	587.	612.	
	42"	15"	R3SF11542	464.	479.	509.	544.	576.	620.	645.	
	48"	15"	R3SF11548	495.	511.	541.	576.	608.	652.	677.	
Stacking modules* Fabric and conventional veneer 	18"	15"	R3SF21518	354.	369.	399.	434.	466.	510.	535.	
	20"	15"	R3SF21520	354.	369.	399.	434.	466.	510.	535.	
	24"	15"	R3SF21524	371.	386.	416.	451.	483.	527.	552.	
	30"	15"	R3SF21530	406.	421.	451.	486.	518.	562.	587.	
	36"	15"	R3SF21536	440.	455.	485.	520.	552.	596.	621.	
	42"	15"	R3SF21542	474.	489.	519.	554.	586.	630.	655.	
	48"	15"	R3SF21548	503.	518.	548.	583.	615.	659.	684.	
Stacking modules* Fabric and exotic veneer 	18"	15"	R3SF315 18	467.	482.	512.	547.	579.	623.	648.	
	20"	15"	R3SF315 20	467.	482.	512.	547.	579.	623.	648.	
	24"	15"	R3SF315 24	489.	504.	534.	569.	601.	645.	670.	
	30"	15"	R3SF315 30	536.	551.	581.	616.	648.	692.	717.	
	36"	15"	R3SF315 36	583.	598.	628.	663.	695.	739.	764.	
	42"	15"	R3SF315 42	627.	642.	672.	707.	739.	786.	808.	
	48"	15"	R3SF315 48	670.	685.	715.	750.	782.	826.	851.	
Stacking modules* Laminate both sides 	18"	15	R3SLL1518							327.	
	20"	15	R3SLL1520							327.	
	24"	15	R3SLL1524							355.	
	30"	15	R3SLL1530							399.	
	36"	15	R3SLL1536							431.	
	42"	15	R3SLL1542							443.	
	48"	15	R3SLL1548							445.	

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

* Not for use on 79"H panels.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.



Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 1 and 3.

Frameless glass add-ups cannot be installed on these modules.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$65.	n/a
	15"	stacking module post	R3L15TT	127.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	162.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	244.	281.
	49"		R3L49(B)(F/T)(F/T)-() () ()	271.	311.
	64"		R3L64(B)(F/T)(F/T)-() () ()	300.	343.
	79"		R3L79(B)(F/T)(F/T)-() () ()	335.	384.
 T-Post	8"	stacking module post	R3T08T	81.	n/a
	15"	stacking module post	R3T15T	150.	n/a
	34"		R3T34(F/T)-() () ()	197.	n/a
	42"		R3T42(B)(F/T)-() () ()	215.	246.
	49"		R3T49(B)(F/T)-() () ()	244.	281.
	64"		R3T64(B)(F/T)-() () ()	271.	311.
	79"		R3T79(B)(F/T)-() () ()	301.	346.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 455.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 1 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 1.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.



Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 1 and 3.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	R3X08	\$72.	n/a
	15"	stacking module post	R3X15	138.	n/a
	34"		R3X34-() ()	183.	n/a
	42"		R3X42(B)-() ()	199.	230.
	49"		R3X49(B)-() ()	215.	246.
	64"		R3X64(B)-() ()	244.	281.
	79"		R3X79(B)-() ()	278.	316.
 Straight post	8"	stacking module post	R3S08TT	65.	n/a
	15"	stacking module post	R3S15TT	127.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	162.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	244.	281.
	49"		R3S49(B)(F/T)(F/T)-() () ()	271.	311.
	64"		R3S64(B)(F/T)(F/T)-() () ()	300.	343.
	79"		R3S79(B)(F/T)(F/T)-() () ()	335.	384.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 455.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:

- 1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
- 2 = Regular T or cap finish 1 side (applicable for T or X posts only)
- 3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
- 4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
- 5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:

- L = Base infeed left face
- M = Base infeed middle face
- R = Base infeed right face
- N = None

7. Tile divider, optional if face type

- "tiled" and face finish "non-fabric"
- B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 1 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 1.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 1 and 3.

Panel connection posts

Generation 3

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV	n/c



Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 455.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 1 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:

- 1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
- 2 = Regular T or cap finish 1 side (applicable for T or X posts only)
- 3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
- 4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
- 5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:

- L = Base infeed left face
- M = Base infeed middle face
- R = Base infeed right face
- N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 1 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 1.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 1 and 3.

Panel connection posts

Generation 3 135°

Reff Profiles

description	h	pattern no.	Reg. post list (A/B/C profile)
 135° Tiled Post	34"	R3135V34T () () () () () ()	\$544.
	42"	R3135V42T () () () () () ()	681.
	49"	R3135V49T () () () () () ()	689.
	64"	R3135V64T () () () () () ()	844.
	79"	R3135V79T () () () () () ()	995.
 135° Mono Post	34"	R3135V34F () () () () () ()	544.
	42"	R3135V42F () () () () () ()	681.
	49"	R3135V49F () () () () () ()	689.
	64"	R3135V64F () () () () () ()	844.
	79"	R3135V79F () () () () () ()	995.

Order Code

Example:	R3135V34T
R3	Reff Generation 3
135V	135° post
34	Height
T	Tiled
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 455.

Specification Information

- To order please specify pattern number including:*
1. Top cap profile
 2. Top cap configuration
 3. If L post, cover configuration
1 = one piece
 4. Base height option
 5. Base infeed knock-out (optional)
 6. Tile divider option/finish, if face type T
 7. Finish, face covers
(*fabric, V1, V2, V3 or painted to match laminate*)
 8. Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page
Excluding silver
 9. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled
2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)
5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 1 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 1.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 1 and 3.

Panel connection posts

Generation 3 120°

Reff Profiles

Panels

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34 () () ()	\$379.
	42"	R3120Y42 () () ()	399.
	49"	R3120Y49 () () ()	411.
	64"	R3120Y64 () () ()	451.
	79"	R3120Y79 () () ()	492.

Order Code

Example: R3120Y34
R3 Reff Generation 3
120V 120° post
34 Height
T Tiled
(A) Top profile
(4) Base height
V316 Top cap finish, Maple
111 Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Base height option
3. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page
excluding silver
4. Base finish

1. Top profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum
(Add \$25 list for this option)



2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)


Specify AA for anodized aluminum look or painted option from page
excluding silver.

Panel trims and post covers for all applications

Reff Profiles

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34"		R2ES34(A/B/C/E)(4/6)(E/N)	\$222.	\$134.
	–	42"		R2ES42(A/B/C/E)(4/6)(E/N)	248.	157.
	–	49"		R2ES49(A/B/C/E)(4/6)(E/N)	275.	179.
	–	64"		R2ES64(A/B/C/E)(4/6)(E/N)	291.	202.
	–	79"		R2ES79(A/B/C/E)(4/6)(E/N)	357.	229.
End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		R2HL3442ES(A/B/C/E)	116.	118.
	34"	49"		R2HL3449ES(A/B/C/E)	162.	121.
	34"	64"		R2HL3464ES(A/B/C/E)	207.	124.
	34"	79"		R2HL3479ES(A/B/C/E)	222.	136.
	42"	49"		R2HL4249ES(A/B/C/E)	116.	118.
	42"	64"		R2HL4264ES(A/B/C/E)	280.	121.
	42"	79"		R2HL4279ES(A/B/C/E)	321.	136.
	49"	64"		R2HL4964ES(A/B/C/E)	162.	124.
	49"	79"		R2HL4979ES(A/B/C/E)	207.	136.
	64"	79"		R2HL6479ES(A/B/C/E)	162.	121.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side)	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
	–	–	18"	RSNTT18(A/B/C/E)	82.	23.
	–	–	20"	RSNTT20(A/B/C/E)	82.	25.
	–	–	24"	RSNTT24(A/B/C/E)	92.	28.
	–	–	30"	RSNTT30(A/B/C/E)	102.	33.
	–	–	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	106.	44.
	–	–	36"	RSNTT36(A/B/C/E)	113.	44.
	–	–	42"	RSNTT42(A/B/C/E)	129.	45.
	–	–	48"	RSNTT48(A/B/C/E)	139.	63.

Order Code

Example: R2ES34A6N	
R2	Reff Generation 2
ES	End trim
34	34" high
A	Flat profile
6	6" base height
N	Non electrical base
V311	Beech
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

- Trim profile
A = flat
B = square
C = bullnose
E = extruded aluminum
- Base height option
4 = 4"
6 = 6"
- Base type
E = electrical entry
N = standard base
- Finish, end trim
If profile A, B or C specify V1, V2, V3 or painted to match laminate
If profile E specify AA-anodized aluminum or painted finish from page 1 excluding silver
- Finish, end trim base
painted or plated finish

Applicable finishes are listed on page 1 and 3.

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
or select P1, P2, P3 painted finish from pg. 1

Select paint or plated finish from page 5.

Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$116.	\$118.
	42"	64"		R2HL4264ETS(A/B/C/E)	280.	121.
	42"	79"		R2HL4279ETS(A/B/C/E)	321.	136.




Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		R2HL3442(F)CS ()	33.	
	34"	49"		R2HL3449(F)CS ()	48.	
	34"	64"		R2HL3464(F/T)CS ()()	96.	
	34"	79"		R2HL3479(F/T)CS ()()	142.	
	42"	49"		R2HL4249(F)CS ()	33.	
	42"	64"		R2HL4264(F/T)CS ()()	79.	
	42"	79"		R2HL4279(F/T)CS ()()	129.	
	49"	64"		R2HL4964(F)CS ()	48.	
	49"	79"		R2HL4979(F/T)CS ()()	96.	
	64"	79"		R2HL6479(F)CS ()	48.	




Application: for height changes involving a post


Order Code	Specification Information
Example: R2ES34A6N	<i>To order please specify pattern number including:</i>
R2 Reff Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	<i>A = flat</i>
A Flat profile	<i>B = square</i>
6 6" base height	<i>C = bullnose</i>
N Non electrical base	<i>E = extruded aluminum</i>
V311 Beech	2. Base height option
111 Jet Black (base finish)	<i>4 = 4"</i>
	<i>6 = 6"</i>
	3. Base type
	<i>E = electrical entry</i>
	<i>N = standard base</i>
	4. Finish, end trim
	<i>If profile A, B or C specify V1, V2, V3 or painted to match laminate</i>
	<i>If profile E specify AA-anodized aluminum or painted finish from page 1 excluding silver</i>
	5. Finish, end trim base
	<i>painted or plated finish</i>
	Applicable finishes are listed on page 1 and 3.
	Post cover trim:
	1. Specify full or tiled face type
	<i>F = full (monolithic)</i>
	<i>T = tiled</i>
	2. Finish, post cover
	<i>fabric, V1, V2, V3 or painted to match laminate</i>
	3. If tiled cover set, specify reveal finish
	<i>B = black reveal</i>
	<i>or select P1, P2, P3 painted finish from pg. 1</i>
	Select paint or plated finish from page 5.
	Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

description	type	h	pattern no.	list price
 Ceiling entry L-post.		42"	R2L42C(F/T)(F/T)-(4/6)	\$244.
		49"	R2L49C(F/T)(F/T)-(4/6)	261.
		64"	R2L64C(F/T)(F/T)-(4/6)	277.
		79"	R2L79C(F/T)(F/T)-(4/6)	329.


Cable not included

 Ceiling entry T-post.		42"	R2T42C(F/T)-(4/6)	215.
		49"	R2T49C(F/T)-(4/6)	244.
		64"	R2T64C(F/T)-(4/6)	261.
		79"	R2T79C(F/T)-(4/6)	304.

Cable not included

 Ceiling entry X-post.		42"	R2X42C	199.
		49"	R2X49C	215.
		64"	R2X64C	244.
		79"	R2X79C	288.

Cable not included

 Ceiling entry straight line post.		42"	R2S42C(F/T)(F/T)-(4/6)	244.
		49"	R2S49C(F/T)(F/T)-(4/6)	261.
		64"	R2S64C(F/T)(F/T)-(4/6)	277.
		79"	R2S79C(F/T)(F/T)-(4/6)	329.

Cable not included

Order Code	Specification Information	Application Notes
Example: R2L42CTT4 R2 Reff Generation 2 L L-post 42 42" high C Ceiling power entry T Tiled style face T Tiled style face 4 Base height W230 Fabric selection 111 Jet Black (base finish)	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Post face option 2. Base height option 3. Finish type, where applicable 4. Finish, where applicable 5. Base finish 6. Canopy finish (ceiling entry pole only) <p>1. <i>Face type:</i> F = Full height T = Tiled</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height</p> <p>3. <i>Finish type:</i> F = Fabric L = Laminate 1 = V1 2 = V2 3 = V3</p>	<p>Data cable application requires the post and the pole only.</p> <p>*Must order post, pole and cable for electrical application.</p> <p>The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.</p> <p>To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.</p> <p>6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.</p> <p>The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).</p> <p>Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.</p> <p>Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.</p>

Applicable finishes are listed on page 1 and 3.

description	type	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet		41"	RCP41-(F/L/1/2/3)*	\$487.
		56"	RCP56-(F/L/1/2/3)*	506.
		71"	RCP71-(F/L/1/2/3)*	568.
		78"	RCP78-(F/L/1/2/3)*	586.



Cable not included

Power infeeds	Ceiling power cable infeed. Eight-wire	RR3-EPVR	284.
	Ceiling power cable infeed. Ten-wire	RR3-TPVR	344.
One size fits all post sizes (13' of cable) For use with Ceiling entry Pole and Pole combinations			





Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	
42 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
T Tiled style face	5. Base finish	6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
T Tiled style face	6. Canopy finish (ceiling entry pole only)	
4 Base height	1. <i>Face type:</i> F = Full height T = Tiled	The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
W230 Fabric selection	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height	Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
111 Jet Black (base finish)	3. <i>Finish type:</i> F = Fabric L = Laminate 1 = V1 2 = V2 3 = V3	Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.

Applicable finishes are listed on page 1 and 3.

Ceiling cable entry post covers

Alignment kits and wall starters

Reff Profiles


description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$33.
	34"	49"			RPHL3449(F/T)	48.
	34"	64"			RPHL3464(F/T)	96.
	34"	79"			RPHL3479(F/T)	142.
	42"	49"			RPHL4249(F/T)	66.
	42"	64"			RPHL4264(F/T)	92.
	42"	79"			RPHL4279(F/T)	100.
	49"	64"			RPHL4964(F/T)	92.
	49"	79"			RPHL4979(F/T)	100.
64"	79"			RPHL6479(F/T)	72.	
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	33.
	42"	64"			RPHL4264S	79.
	42"	79"			RPHL4279S	129.
	49"	64"			RPHL4964S	48.
	49"	79"			RPHL4979S	96.
	64"	79"			RPHL6479S	48.
Wall starter			7/8"	15"	R2SWS0015 () () ()	61.
			7/8"	34"	R2SWS0034 () () ()	121.
			7/8"	42"	R2SWS0042 () () ()	147.
			7/8"	49"	R2SWS0049 () () ()	172.
			7/8"	64"	R2SWS0064 () () ()	226.
			7/8"	79"	R2SWS0079 () () ()	278.
			7/8"	8"	R2SWS0008 () () ()	46.

*Wall starters come with extended top trim from adjoining panel.

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	
42 42" low panel	<i>1. Face type options:</i>	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
49 49" high panel	F = Full	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
T Tiled face type	T = Tiled	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
	Wall starter:	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	1. Pattern number including height	
	2. Adjoining panel width	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	3. Adjoining panel top trim profile (A, B, C or E)	Wall starters come with extended top trim from adjoining panel.
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 1 and 3.	

Ceiling cable entry post covers

Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
					R3SPABPT	\$7.
					R3SPABTD	7.
					R3SPABTT	7.
					R3SPABTW	7.
					RSPABPD	7.
					RSPABPP	7.
					RSPABPT	7.
					RSPABPW	7.
					RSPABTD	7.
					RSPABTT	7.
					RSPABTW	7.
					RSPABWD	7.
				RSPABWW	7.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
42 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
49 49" high panel	F = Full	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
T Tiled face type	T = Tiled	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	Wall starter:	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	1. Pattern number including height	Wall starters come with extended top trim from adjoining panel.
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 1 and 3.	

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64'	RRDPPL(L/R)6436()		\$2,967.	\$3,072.	\$4,108.
		36"	79"	RRD3PPL(L/R)7936()()		3,236.	3,352.	4,525.
		42"	64"	RRDPPL(L/R)6442()		3,024.	3,128.	4,159.
		42"	79"	RRD3PPL(L/R)7942()()		3,286.	3,401.	4,574.
Floor to ceiling rolling door		36"	79"	RRD3FTCPPL(L/R)7936()		3,236.	3,352.	4,525.
		42"	79"	RRD3FTCPPL(L/R)7942()		3,286.	3,401.	4,574.
Partial width threshold (full width threshold)		3"	50"	RRDTH()		343.		
		3"	96"	RRDTH(L/R)()		441.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()			3,865.
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()			4,492.
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()			3,865.
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()			4,492.



Woodgrain Laminate not available on Panel Door

Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose

2. Base height:

- 4 = 4" base
- 6 = 6" base (add \$47 for this option)

3. Lock option:

- N = Not drilled
- D = Drilled *
- L = Drilled lock set included
- D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

- GL13 = Powdered glass
- GL6 = Block matrix
- GL8 = Wafer glass
- P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 1 and 3.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 114).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			R234PKIT	\$111.	
Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	111.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c	
Generation 1 panels to Generation 3 posts			R3AK	n/c	
R3/R2 stacking post sleeve			R3R2SLV	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	10 Rolls	$\frac{3}{8}"$	79"	RHSC70	n/c
	2 Rolls	$\frac{3}{8}"$	79"	RHSC15	n/c
	30 Rolls	$\frac{3}{8}"$	79"	RHSC250	n/c
Carpet gripper (Pack fo 10)			R2CG	20.	

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

Application Notes


When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.


R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.


Refer to Planning Guide for details.

Floor to ceiling modules

21" high, for 104" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	R3FTCFF2118			\$353.	\$359.	\$373.	\$437.	\$461.	\$525.	\$589.
	20"	21"	R3FTCFF2120			353.	359.	373.	437.	461.	525.	589.
	24"	21"	R3FTCFF2124			372.	378.	392.	456.	480.	544.	608.
	30"	21"	R3FTCFF2130			411.	417.	431.	495.	519.	583.	647.
	36"	21"	R3FTCFF2136			441.	447.	461.	525.	549.	613.	677.
	42"	21"	R3FTCFF2142			481.	487.	501.	565.	589.	653.	717.
	48"	21"	R3FTCFF2148			516.	522.	536.	600.	624.	688.	752.




Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	RFTCWA2118	495.	584.							
	20"	21"	RFTCWA2120	495.	584.							
	24"	21"	RFTCWA2124	520.	629.							
	30"	21"	RFTCWA2130	606.	737.							
	36"	21"	RFTCWA2136	633.	787.							
	42"	21"	RFTCWA2142	666.	852.							
	48"	21"	RFTCWA2148	698.	903.							

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	RFTCWB2130	707.	836.							
	36"	21"	RFTCWB2136	766.	922.							
	42"	21"	RFTCWB2142	810.	989.							
	48"	21"	RFTCWB2148	847.	1,057.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2118 R3 Reff Generation 3 FTC Floor to ceiling FF Fabric/fabric 21 21" high 18 18" wide W281 Fabric selection - side 1 W281 Fabric selection - side 2 111 Jet Black soffit	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) <p><i>For window panel:</i></p> <ol style="list-style-type: none"> 1. Pattern number 2. Frame finish 3. Glass type 	<p>Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).</p> <p>Specify the finish for frames from paint selection on page 5.</p> <p>Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.</p> <p>Provide elevation drawing for mixed fabrics or veneers.</p> <p>Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.</p> <p>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</p> <p>Use of Reff FTC modules must be approved by local building authorities.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p> <p>No additional acoustic rating occurs on FTC installations.</p>

Floor to ceiling modules


25" high, for 108" ceiling height and 79" high panels
fabric and glass


description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$394.	\$400.	\$412.	\$498.	\$516.	\$600.	\$672.
	20"	25"	R3FTCFF2520			394.	400.	412.	498.	516.	600.	672.
	24"	25"	R3FTCFF2524			417.	423.	435.	521.	539.	623.	695.
	30"	25"	R3FTCFF2530			453.	459.	471.	557.	575.	659.	731.
	36"	25"	R3FTCFF2536			494.	501.	513.	599.	617.	701.	773.
	42"	25"	R3FTCFF2542			534.	540.	552.	638.	656.	740.	812.
	48"	25"	R3FTCFF2548			573.	579.	591.	677.	695.	779.	851.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	517.	607.							
	20"	25"	RFTCWA2520	517.	607.							
	24"	25"	RFTCWA2524	553.	658.							
	30"	25"	RFTCWA2530	639.	770.							
	36"	25"	RFTCWA2536	670.	824.							
	42"	25"	RFTCWA2542	713.	892.							
	48"	25"	RFTCWA2548	743.	949.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	734.	862.							
	36"	25"	RFTCWB2536	813.	969.							
	42"	25"	RFTCWB2542	863.	1,044.							
	48"	25"	RFTCWB2548	912.	1,120.							


Order Code	Specification Information	Application Notes
Example: R3FTCFF2518	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick). Specify the finish for frames from paint selection on page 5. Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options. Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim.
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
25 25" high	4. Soffit finish (paint)	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors. Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components. Use of Reff FTC modules must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying. No additional acoustic rating occurs on FTC installations.
18 18" wide	<i>For window panel:</i>	
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	

Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	R3FTCFF3718			\$517.	\$521.	\$531.	\$659.	\$681.	\$807.	\$925.
	20"	37"	R3FTCFF3720			517.	521.	531.	659.	681.	807.	925.
	24"	37"	R3FTCFF3724			547.	551.	561.	689.	711.	837.	955.
	30"	37"	R3FTCFF3730			594.	598.	608.	736.	758.	884.	1,002.
	36"	37"	R3FTCFF3736			645.	649.	659.	787.	809.	935.	1,053.
	42"	37"	R3FTCFF3742			694.	698.	709.	836.	858.	984.	1,102.
	48"	37"	R3FTCFF3748			741.	745.	755.	883.	905.	1,031.	1,149.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	592.	680.
	20"	37"	RFTCWA3720	592.	680.
	24"	37"	RFTCWA3724	638.	742.
	30"	37"	RFTCWA3730	752.	867.
	36"	37"	RFTCWA3736	783.	936.
	42"	37"	RFTCWA3742	834.	1,014.
	48"	37"	RFTCWA3748	878.	1,090.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	811.	942.
	36"	37"	RFTCWB3736	956.	1,110.
	42"	37"	RFTCWB3742	1,030.	1,210.
	48"	37"	RFTCWB3748	1,096.	1,306.

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
37 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide	<i>For window panel:</i>	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

21" and 25" high modules, fabric one side,
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	R3FTCFL2118	\$403.	\$405.	\$410.	\$445.	\$457.	\$490.	\$525.
	20"	21"	R3FTCFL2120	403.	405.	410.	445.	456.	490.	525.
	24"	21"	R3FTCFL2124	417.	419.	424.	459.	471.	504.	539.
	30"	21"	R3FTCFL2130	468.	470.	475.	510.	522.	555.	590.
	36"	21"	R3FTCFL2136	508.	510.	515.	550.	562.	595.	630.
	42"	21"	R3FTCFL2142	553.	555.	560.	595.	607.	640.	675.
	48"	21"	R3FTCFL2148	595.	597.	602.	637.	649.	682.	717.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	R3FTCF12118	410.	412.	417.	452.	464.	497.	532.
	20"	21"	R3FTCF12120	410.	412.	417.	452.	464.	497.	532.
	24"	21"	R3FTCF12124	426.	428.	433.	468.	480.	513.	548.
	30"	21"	R3FTCF12130	475.	477.	482.	517.	529.	562.	597.
	36"	21"	R3FTCF12136	516.	518.	523.	558.	570.	603.	638.
	42"	21"	R3FTCF12142	558.	560.	565.	600.	612.	645.	680.
	48"	21"	R3FTCF12148	608.	610.	615.	650.	662.	695.	730.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	R3FTCF22118	418.	420.	425.	460.	472.	505.	540.
	20"	21"	R3FTCF22120	418.	420.	425.	460.	472.	505.	540.
	24"	21"	R3FTCF22124	431.	433.	438.	473.	485.	518.	553.
	30"	21"	R3FTCF22130	485.	487.	492.	527.	539.	572.	607.
	36"	21"	R3FTCF22136	524.	526.	531.	566.	578.	611.	646.
	42"	21"	R3FTCF22142	570.	572.	577.	612.	624.	657.	692.
	48"	21"	R3FTCF22148	616.	618.	623.	658.	670.	703.	738.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21" 	18"	21"	R3FTCF321 18	551.	553.	558.	593.	605.	638.	673.
	20"	21"	R3FTCF321 20	551.	553.	558.	593.	605.	638.	673.
	24"	21"	R3FTCF321 24	569.	571.	576.	611.	623.	656.	691.
	30"	21"	R3FTCF321 30	642.	644.	649.	684.	695.	729.	764.
	36"	21"	R3FTCF321 36	694.	696.	701.	736.	748.	781.	816.
	42"	21"	R3FTCF321 42	756.	758.	763.	798.	810.	843.	878.
	48"	21"	R3FTCF321 48	816.	818.	823.	858.	870.	903.	938.

Order Code

Example:	R3FTCFL2118
R3	Reff Generation 3
FTC	Floor to ceiling
FL	Fabric/laminate
21	21" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone grey - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

Applicable finishes are listed on page 1 and 3.

Application Notes

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.

Ceiling height includes 4" allowance for trim.

Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.

Modules on this page will not support the hanging of panel mount product.





Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

21" and 25" high modules, fabric one side,
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	R3FTCFL2518	\$432.	\$435.	\$443.	\$488.	\$497.	\$540.	\$579.
	20"	25"	R3FTCFL2520	433.	435.	443.	488.	497.	540.	579.
	24"	25"	R3FTCFL2524	448.	451.	459.	504.	513.	556.	595.
	30"	25"	R3FTCFL2530	509.	512.	520.	565.	574.	617.	656.
	36"	25"	R3FTCFL2536	552.	555.	563.	608.	617.	660.	699.
	42"	25"	R3FTCFL2542	605.	608.	616.	661.	670.	713.	752.
	48"	25"	R3FTCFL2548	654.	657.	665.	710.	719.	762.	801.
Stack-on floor to ceiling module Fabric one side, techwood other side, 25" 	18"	25"	R3FTCF12518	438.	441.	449.	494.	503.	546.	585.
	20"	25"	R3FTCF12520	438.	441.	449.	494.	503.	546.	585.
	24"	25"	R3FTCF12524	453.	456.	464.	509.	518.	561.	600.
	30"	25"	R3FTCF12530	519.	522.	530.	575.	584.	627.	666.
	36"	25"	R3FTCF12536	559.	562.	570.	615.	624.	667.	706.
	42"	25"	R3FTCF12542	616.	619.	627.	672.	681.	724.	763.
	48"	25"	R3FTCF12548	664.	667.	675.	720.	729.	772.	811.
Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25" 	18"	25"	R3FTCF22518	448.	451.	459.	504.	513.	556.	595.
	20"	25"	R3FTCF22520	448.	451.	459.	504.	513.	556.	595.
	24"	25"	R3FTCF22524	461.	464.	472.	517.	526.	569.	608.
	30"	25"	R3FTCF22530	527.	530.	538.	583.	592.	635.	674.
	36"	25"	R3FTCF22536	571.	574.	582.	627.	636.	679.	718.
	42"	25"	R3FTCF22542	626.	629.	637.	682.	691.	734.	773.
	48"	25"	R3FTCF22548	676.	679.	687.	732.	741.	784.	823.
Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25" 	18"	25"	R3FTCF325 18	586.	589.	597.	642.	651.	694.	733.
	20"	25"	R3FTCF325 20	586.	589.	597.	642.	651.	694.	733.
	24"	25"	R3FTCF325 24	608.	611.	619.	664.	673.	716.	755.
	30"	25"	R3FTCF325 30	694.	697.	705.	750.	759.	802.	841.
	36"	25"	R3FTCF325 36	756.	759.	767.	812.	821.	864.	903.
	42"	25"	R3FTCF325 42	829.	832.	840.	885.	894.	937.	976.
	48"	25"	R3FTCF325 48	897.	900.	908.	953.	962.	1,005.	1,044.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	
18 18" wide	Applicable finishes are listed on page 1 and 3.	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

37" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side 	18"	37"	R3FTCFL3718	\$527.	\$529.	\$535.	\$601.	\$612.	\$678.	\$739.
	20"	37"	R3FTCFL3720	527.	529.	535.	601.	612.	678.	739.
	24"	37"	R3FTCFL3724	537.	539.	545.	611.	622.	688.	749.
	30"	37"	R3FTCFL3730	638.	640.	646.	712.	723.	789.	850.
	36"	37"	R3FTCFL3736	690.	692.	698.	764.	775.	841.	902.
	42"	37"	R3FTCFL3742	770.	772.	778.	844.	855.	921.	982.
	48"	37"	R3FTCFL3748	840.	842.	848.	914.	925.	991.	1,052.

Stack-on floor to ceiling module Fabric one side, techwood other side 	18"	37"	R3FTCF13718	536.	538.	544.	610.	621.	687.	748.
	20"	37"	R3FTCF13720	536.	538.	544.	610.	621.	687.	748.
	24"	37"	R3FTCF13724	545.	547.	553.	619.	630.	696.	757.
	30"	37"	R3FTCF13730	648.	650.	656.	722.	733.	799.	860.
	36"	37"	R3FTCF13736	704.	706.	712.	778.	789.	855.	916.
	42"	37"	R3FTCF13742	787.	789.	795.	861.	872.	938.	999.
	48"	37"	R3FTCF13748	856.	858.	864.	930.	941.	1,007.	1,068.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side 	18"	37"	R3FTCF23718	544.	546.	552.	618.	629.	695.	756.
	20"	37"	R3FTCF23720	544.	546.	552.	618.	629.	695.	756.
	24"	37"	R3FTCF23724	556.	558.	564.	630.	641.	707.	768.
	30"	37"	R3FTCF23730	658.	660.	666.	732.	743.	809.	870.
	36"	37"	R3FTCF23736	713.	715.	721.	787.	798.	864.	925.
	42"	37"	R3FTCF23742	798.	800.	806.	872.	883.	949.	1,010.
	48"	37"	R3FTCF23748	872.	874.	880.	946.	957.	1,023.	1,084.






Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37" 	18"	37"	R3FTCF337 18	710.	712.	718.	784.	795.	861.	922.
	20"	37"	R3FTCF337 20	710.	712.	718.	784.	795.	861.	922.
	24"	37"	R3FTCF337 24	728.	730.	736.	802.	813.	879.	940.
	30"	37"	R3FTCF337 30	865.	867.	873.	939.	950.	1,016.	1,077.
	36"	37"	R3FTCF337 36	939.	941.	948.	1,013.	1,024.	1,090.	1,151.
	42"	37"	R3FTCF337 42	1,055.	1,057.	1,063.	1,129.	1,140.	1,206.	1,267.
	48"	37"	R3FTCF337 48	1,154.	1,156.	1,162.	1,228.	1,239.	1,305.	1,366.

Order Code	Specification Information	Application Notes
Example: R3FTCFL3718	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	Ceiling height includes 4" allowance for trim.
FL Fabric/laminate	3. Panel side 2 finish	Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
37 37" high	4. Soffit finish (paint)	Modules on this page will not support the hanging of panel mount product.
18 18" wide	Applicable finishes are listed on page 1 and 3.	
W281 Fabric selection - side 1		Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.
114 Folkstone grey - side 2		Use of Reff FTC modules must be approved by local building authorities.
111 Jet Black soffit		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$185.
	add on	25"	R3FTCL25	206.
	add on	37"	R3FTCL37	266.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	420.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	420.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	420.
 T-Post	add on	21"	R3FTCT21	201.
	add on	25"	R3FTCT25	219.
	add on	37"	R3FTCT37	281.
	full height	104"	R3FTCT104(F/T)-() ()	378.
	full height	108"	R3FTCT108(F/T)-() ()	378.
	full height	120"	R3FTCT120(F/T)-() ()	378.
 X-Post	add on	21"	R3FTCX21	183.
	add on	25"	R3FTCX25	203.
	add on	37"	R3FTCX37	265.
	full height	104"	R3FTCX104	347.
	full height	108"	R3FTCX108	347.
	full height	120"	R3FTCX120	347.
 Straight post	add on	21"	R3FTCS21	185.
	add on	25"	R3FTCS25	206.
	add on	37"	R3FTCS37	266.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	420.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	420.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	420.
 End post	add on	21"	R3FTCE21	201.
	add on	25"	R3FTCE25	219.
	add on	37"	R3FTCE37	281.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	378.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	378.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	378.

Order Code	Specification Information	Application Notes
Example: R3FTCL104TT-6N R3FTC Reff Gen 3 Floor to ceiling L Corner post 104 104" high (one piece) TT Tiled appearance 6 6" base height N No base infeed raceway knock-out W808 Fabric selection 111 Jet Black (base finish)	<i>To order please specify pattern number including:</i> <ol style="list-style-type: none"> Post face option Base height option Base infeed raceway knock-out, (optional) Fabric selection Base color <p>1. <i>Face type:</i> F = Full height (monolithic look) T = Tiled</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 list for this option)</p> <p>3. <i>Electrical infeed post:</i> L = Base infeed left face M = Base infeed middle face R = Base infeed right face N = None</p>	<p>The posts on this page do not support the hanging of panel mount product above the 79"H panels.</p> <p>The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.</p> <p>If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.</p> <p>Left and Right hand locations are determined by facing the post in question from the outside of the station.</p> <p>Hookstrip cover reveal strips are no charge but must be ordered separately from page 117.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>





Required components for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$60.
	25"	RFTCWS25S	76.
	37"	RFTCWS37S	92.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	219.
Caddy clips (box of 100)		RFTCCLIPS	317.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSpace	100.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		RFTCSM (Pair) for G2 only	7.
		R3FTCSM (Pair) for G3 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.

*These brackets are to be used with hinge doors only.

Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<i>To order please specify pattern number including:</i> 1. Fabric/laminate/wood options 2. Paint option for metal soffit All floor to ceiling posts mimic the panel system post application.	*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs. Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached. Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components. Use of Reff FTC components must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
R Reff		
FTC Floor to ceiling		
WS Wall starter		
21 21" high		Floor to ceiling stabilizer brackets ship with bolts to connect the stabilizer beam, brackets and FTC module to the 79"H panel.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-E24	\$142.	
	30" panel	12"	2"	2"	RR3-E30NS	157.	
	36" panel	18"	2"	2"	RR3-E36NS	172.	
	42" panel	24"	2"	2"	RR3-E42NS	179.	
	48" panel	30"	2"	2"	RR3-E48NS	187.	
	60" panel	42"	2"	2"	RR3-E60-4	284.	
	66" panel	48"	2"	2"	RR3-E66-4	300.	
	72" panel	54"	2"	2"	RR3-E72-4	321.	
	Straight	16 1/2"	2"	2"	RR3-EPC24	82.	
		18 1/2"	2"	2"	RR3-EPCS	82.	
		20 1/4"	2"	2"	RR3-EPC	82.	
	Use RR3-EPC24 for straight 24" to 24" wide panel. Use RR3-EPCS for straight 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPC for all other straight power connection configurations.						
	Through post	19"	2"	2"	RR3-EPCP24	82.	
		21"	2"	2"	RR3-EPCPS	82.	
		22 3/4"	2"	2"	RR3-EPCP	82.	
Use RR3-EPCP24 for through post 24" to 24" wide panels. Use RR3-EPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCP for all other through post power connection configurations.							
	Circuit A				RR3-DA	39.	
	Circuit B				RR3-DB	39.	
	Circuit X				RR3-DX	39.	
	Circuit Y				RR3-DY	39.	
	Circuit X				RR3-DXO	44.	
	Circuit Y				RR3-DYO	44.	
Data Shield	1 pair				RR3-DATSHD	27.	

Order Code

Example: RR3-E-24	
RR3	Reff raceway
E	Eight wire 2+2
24	for 24" panel

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.

*Power connectors must be specified according to the panel widths in the specified orientation.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components

2+2 Base Raceway

four circuit, eight-wire raceway for panels

jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-EJ18	\$103.
	20" panel	40"	2"	2"	RR3-EJ20	103.
	24" panel	44"	2"	2"	RR3-EJ24	111.
	30" panel	50"	2"	2"	RR3-EJ30	119.
	36" panel	56"	2"	2"	RR3-EJ36	129.
	42" panel	62"	2"	2"	RR3-EJ42	135.
	48" panel	68"	2"	2"	RR3-EJ48	142.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	149.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	157.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	165.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	172.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	179.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	187.
90" panel run	112 1/2"	2"	2"	RR3-EJ90P	196.	
96" panel run	118 1/2"	2"	2"	RR3-EJ96P	203.	
 Extended jumper (through one post)	18" + post	40 1/2"	2"	2"	RR3-EJ18P	103.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	103.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	111.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	119.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	129.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	135.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	142.
 Power infeeds	Ceiling power cable infeed. Eight-wire				RR3-EPVR	284.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	208.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	312.
	Panel base end feed				RR3-REPI	247.
	Panel base side infeed				RR3-EPI	247.
	Surge suppressors				RR3-SP-(A,B,X,Y)	179.

Order Code

Example:	RR3-EPVR
RR3	Reff raceway
E	Eight wire 2+2
P	power infeed
VR	for vertical raceway

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.

For use in Canada, all circuits are CGA rated 15 amp capacity.

Note:

For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.

Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Application Notes

Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.

Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection

into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-EPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-EPNY1** includes only one power connector.


Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.


Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels

power rails and connectors


description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-T24	\$165.
	30" panel	12"	2"	2"	RR3-T30NS	179.
	36" panel	18"	2"	2"	RR3-T36NS	196.
	42" panel	24"	2"	2"	RR3-T42NS	208.
	48" panel	30"	2"	2"	RR3-T48NS	216.
	60" panel	42"	2"	2"	RR3-T60-4	337.
	66" panel	48"	2"	2"	RR3-T66-4	351.
72" panel	54"	2"	2"	RR3-T72-4	375.	


	Straight	16 1/2"	2"	2"	RR3-TPC24	103.
		18 1/2"	2"	2"	RR3-TPCS	103.
		20 1/4"	2"	2"	RR3-TPC	103.

Use **RR3-TPC24** for through post 24" to 24" wide panels.
 Use **RR3-TPCS** for through post 24" to any other width panel and for 30" to 30" wide panels.
 Use **RR3-TPC** for all other through post power connection configurations.

Through post	19"	2"	2"	RR3-TPCP24	103.
	21"	2"	2"	RR3-TPCPS	103.
	22 3/4"	2"	2"	RR3-TPCP	103.

Use **RR3-TPCP24** for through post 24" to 24" wide panels.
 Use **RR3-TPCPS** for through post 24" to any other width panel and for 30" to 30" wide panels.
 Use **RR3-TPCP** for all other through post power connection configurations.

	Circuit A	RR3-DA	39.
	Circuit B	RR3-DB	39.
	Circuit C	RR3-DC	39.
	Circuit X	RR3-DX	39.
	Circuit Y	RR3-DY	39.
	Circuit Z	RR3-DZ	39.

	Circuit X	RR3-DXO	44.
	Circuit Y	RR3-DYO	44.
	Circuit Z	RR3-DZO	44.

Data Shield	1 pair	RR3-DATSHD	27.
-------------	--------	-------------------	-----

Order Code	Specification Information	Application Notes
Example: RR3-T-24 RR3 Reff raceway T Ten wire 3+3 24 for 24" panel	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. A, B, X, Y outlets are identical to eight wire, 2+2 components. Duplex outlet circuits are designated by white letters on black background. In Canada, circuits carry a 15 amp load rating. <i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side. *Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels

jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	RR3-TJ18	\$119.
	20" panel	40"	2"	2"	RR3-TJ20	119.
	24" panel	44"	2"	2"	RR3-TJ24	129.
	30" panel	50"	2"	2"	RR3-TJ30	135.
	36" panel	56"	2"	2"	RR3-TJ36	142.
	42" panel	62"	2"	2"	RR3-TJ42	157.
	48" panel	68"	2"	2"	RR3-TJ48	172.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	179.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	187.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	196.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	203.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	208.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	227.
90" panel run	112 1/2"	2"	2"	RR3-TJ90P	232.	
96" panel run	118 1/2"	2"	2"	RR3-TJ96P	238.	
	18" + post	40 1/2"	2"	2"	RR3-TJ18P	119.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	119.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	129.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	135.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	142.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	157.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	172.
	Ceiling power cable infeed. Ten-wire				RR3-TPVR	344.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	238.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	344.
	Panel base end feed				RR3-RTPI	284.
	Panel base side infeed				RR3-TPI	284.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	179.



* Select which circuit needs protecting and order the specified surge processor.

** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>


Power distribution components

Hardwire box


description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$222.
	30" panel	RR3CHI301	258.
	36" panel	RR3CHI361	278.
	42" panel	RR3CHI421	281.
	48" panel	RR3CHI481	301.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	230.
	30" panel	RR3CHI302	275.
	36" panel	RR3CHI362	282.
	42" panel	RR3CHI422	286.
	48" panel	RR3CHI482	320.

Order Code	Specification Information	Application Notes
Example: RR3CHI24	Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.	Certified electrician to install. Reff Hardwire Box Installation instruction sheet available on Knoll Exchange. Part number 6TR45715.
RR3 Reff/AutoStrada raceway G3		
CHI Chicago Hardwire Box		
24 For 24" wide panel		
1 One sided raceway		

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$149.
	30" panel		RR3-E30S	172.
	36" panel		RR3-E36S	187.
	42" panel		RR3-E42S	203.
	48" panel		RR3-E48S	208.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	179.
	30" panel		RR3-T30S	196.
	36" panel		RR3-T36S	208.
	42" panel		RR3-T42S	227.
	48" panel		RR3-T48S	232.



Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	103.
	Beltway post	19 1/2"	RR3-LTPC	103.
	Beltway post	21 1/2"	RR3-LTPCP	103.



Only necessary for post applications where cable will turn 90° rec.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		RR3-TBBCS	149.
	For 30" wide Beltway panels (8 Wire)		RR3-EBBCS	141.
	For 36" to 48" wide Beltway panels (10 Wire)		RR3-TBBCL	158.
	For 36" to 48" wide Beltway panels (8 Wire)		RR3-EBBCL	149.

Order Code

Example: RR3-T42S
RR3 Reff raceway
T Ten wire 3+3
42 For 42" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.


Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper

* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		RR3EJ48	\$142.
	24" wide Ten Wire		RR3TJ48	172.
	30" wide Eight Wire		RR3EJ60P	157.
	30" wide Ten Wire		RR3TJ60P	187.
	36" wide Eight Wire		RR3EJ60P	157.
	36" wide Ten Wire		RR3TJ60P	187.
	42" wide Eight Wire		RR3EJ66P	165.
	42" wide Ten Wire		RR3TJ66P	196.
	48" wide Eight Wire		RR3EJ72P	172.
48" wide Ten Wire		RR3TJ72P	203.	

Order Code

Example: RR3-T42S
RR3 Reff raceway
T Ten wire 3+3
42 For 42" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.

Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper


* **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$14.
	Faceplate extender, black	RR3-FE	34.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
Snap in module (must be used with faceplate)	BNC coupler, black	RR3-BNC	21.
	Cat 3 RJ11/14/25, black	RR3-C3C	13.
	CAT 5 RJ45 universal	RR3-C5C	21.
	CAT 6 universal	RR3-C6C	35.
	F series video coupler, black	RR3-FV	21.
	ST style coupler, black	RR3-ST	35.
Icons (sets of 10)	Data icons, 16 piece black	RR3-DICON	14.
	Mixed icons, 16 piece black	RR3-MICON	14.
	Phone icons, 16 piece black	RR3PICON	14.
Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	139.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	139.
Fiber optics	Sc style dual fiber optic side mount	RR3-FOSC	176.
	ST style dual fiber optic side mount	RR3-FOST	100.
Desktop duplex monument	2-RJ11 (telephone)	RGMD6	106.
	2-RJ45's (phone and intercom)	RGMD8	118.
	Duplex outlet (electrical)	RGMDE	128.

Order Code	Specification Information	Application Notes
Example: RR3-2PF	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
RR3 Reff raceway		
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
RR3 Reff raceway		
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.




Vertical power port bracket kit and duplex.


Reff Ported Panel Components

port, vertical duplex and panel jumpers


description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$56.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	87.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	29.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	29.
	Vertical Duplex C (10 wire applications)	RR3VDC	29.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	29.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	29.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	29.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	29.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	29.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	29.



Same Panel Jumper, 8w	30" same Panel Jumper 50" 8w	RR3EBVC50	149.
	30" same Panel Jumper 64" 8w	RR3EBVC64	162.
	30" same Panel Jumper 78" 8w	RR3EBVC78	176.
	36" + same Panel Jumper 62" 8w	RR3EBVC62	161.
	36" + same Panel Jumper 76" 8w	RR3EBVC76	175.
	36" + same Panel Jumper 90" 8w	RR3EBVC90	191.




Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	RR3TBVC50	171.
	30" same Panel Jumper 64" 10w	RR3TBVC64	187.
	30" same Panel Jumper 78" 10w	RR3TBVC78	205.
	36" + same Panel Jumper 62" 10w	RR3TBVC62	183.
	36" + same Panel Jumper 76" 10w	RR3TBVC76	201.
	36" + same Panel Jumper 90" 10w	RR3TBVC90	216.

Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 133.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h
RR3 Reff		
VP Vertical port		
BK Bracket kit		
	36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.

Reff Ported Panel Components


port, vertical duplex and panel jumpers

Reff Profiles

description	type	pattern no.	list price
 Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	\$234.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	202.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	219.
 Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	206.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	179.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	195.
 Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	150.
	Internal Panel Jumper 8 w	RR3EVJ	139.

Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 133.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
RR3 Reff		
VP Vertical port		
BK Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>


Worksurface 1 1/4"
rectilinear
20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241-() ()	\$318.	\$348.	\$401.	\$539.
		30"	RSA301-() ()	349.	382.	438.	591.
		36"	RSA361-() ()	369.	403.	462.	625.
		42"	RSA421-() ()	383.	422.	484.	654.
		48"	RSA481-() ()	403.	437.	503.	678.
		54"	RSA541-() ()	418.	454.	525.	711.
		60"	RSA601-() ()	452.	491.	565.	765.
		66"	RSA661-() ()	462.	507.	584.	788.
		72"	RSA721-() ()	489.	534.	612.	826.
		78"	RSA781-() ()	495.	539.	621.	839.
		84"	RSA841-() ()	525.	577.	661.	892.
		90"	RSA901-() ()	550.	598.	687.	929.
	96"	RSA961-() ()	570.	621.	714.	963.	
	24"	24"	RSA242-() ()	335.	365.	422.	569.
		30"	RSA302-() ()	379.	412.	477.	642.
		36"	RSA362-() ()	391.	432.	493.	666.
		42"	RSA422-() ()	408.	443.	510.	687.
		48"	RSA482-() ()	433.	477.	547.	737.
		54"	RSA542-() ()	462.	507.	584.	788.
		60"	RSA602-() ()	500.	545.	624.	844.
		66"	RSA662-() ()	512.	561.	647.	872.
		72"	RSA722-() ()	538.	586.	676.	914.
78"		RSA782-() ()	561.	614.	710.	956.	
84"	RSA842-() ()	585.	640.	735.	993.		
90"	RSA902-() ()	614.	667.	767.	1,034.		
96"	RSA962-() ()	636.	693.	798.	1,077.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Reff	1. Top thickness	
S Straight top	2. Grommet option	Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Top finish type	
24 24" wide	4. Top finish	These worksurfaces are predrilled with pilot holes for use with wood screws.
1 20" deep	5. Grommet finish	
R Recessed grommet option	1. <i>Thickness options:</i> A = 1 1/4"	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
L Laminate finish	2. <i>Grommet options:</i> N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
114 Folkstone grey	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed	
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	

Worksurface 1 1/4"
 rectilinear
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3	
Straight rectangular work tops 	30"	24"	RSA243- ()()	\$366.	\$398.	\$455.	\$615.	
		30"	RSA303- ()()	411.	448.	515.	696.	
		36"	RSA363- ()()	441.	483.	554.	747.	
		42"	RSA423- ()()	459.	502.	578.	781.	
		48"	RSA483- ()()	491.	536.	615.	831.	
		54"	RSA543- ()()	531.	580.	664.	896.	
		60"	RSA603- ()()	551.	599.	689.	931.	
		66"	RSA663- ()()	560.	613.	709.	955.	
		72"	RSA723- ()()	577.	628.	722.	974.	
		78"	RSA783- ()()	603.	658.	757.	1,021.	
		84"	RSA843- ()()	625.	684.	787.	1,063.	
		90"	RSA903- ()()	656.	715.	824.	1,113.	
		96"	RSA963- ()()	679.	742.	853.	1,152.	
		36"	60"	RSA604- ()()	634.	692.	794.	1,072.
			66"	RSA664- ()()	656.	716.	825.	1,114.
72"	RSA724- ()()		678.	741.	852.	1,151.		

Order Code

Example: RSA243RL
R Reff
S Straight top
A 1 1/4" thick
24 24" wide
3 30" deep
R Recessed grommet option
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. *Thickness options:*
 A = 1 1/4"

2. *Grommet options:*
 N = No grommets
 F = Flush front grommet location
 R = Recessed front (not recommended for 20"D and 24"D tops)
 A = Alternate location (for 36"D tops only)

3. *Finish type:*
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

4. *Top finish*

5. *Grommet finish:*
 Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Application Notes


Products on this page are shipped without hardware which must be ordered separately from the support components section.


Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface 1 1/4" rectilinear corner tops

Worksurfaces


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611-() ()	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	RKA 364211-() ()	692.	782.	895.	1,208.
	20"	20"	36"	48"	RKA 364811-() ()	735.	827.	953.	1,286.
	20"	20"	42"	36"	RKA 423611-() ()	692.	782.	895.	1,208.
	20"	20"	42"	42"	RKA 424211-() ()	735.	827.	953.	1,286.
	20"	20"	42"	48"	RKA 424811-() ()	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	RKA 483611-() ()	735.	827.	953.	1,286.
	20"	20"	48"	42"	RKA 484211-() ()	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	RKA 484811-() ()	845.	953.	1,094.	1,477.

24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622-() ()	744.	834.	960.	1,296.
	24"	24"	36"	42"	RKA 364222-() ()	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	RKA 364822-() ()	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	RKA 423622-() ()	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	RKA 424222-() ()	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	RKA 424822-() ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	RKA 483622-() ()	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	RKA 484222-() ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	RKA 484822-() ()	934.	1,052.	1,207.	1,628.

20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612-() ()	682.	767.	885.	1,193.
	20"	24"	36"	42"	RKA 364212-() ()	721.	813.	932.	1,259.
	20"	24"	36"	48"	RKA 364812-() ()	765.	860.	990.	1,335.
	20"	24"	42"	36"	RKA 423612-() ()	721.	813.	932.	1,259.
	20"	24"	42"	42"	RKA 424212-() ()	765.	860.	990.	1,335.
	20"	24"	42"	48"	RKA 424812-() ()	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	RKA 483612-() ()	765.	860.	990.	1,335.
	20"	24"	48"	42"	RKA 484212-() ()	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	RKA 484812-() ()	874.	986.	1,132.	1,529.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Applicable finishes are listed on page 1 and 3.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	<p>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p>
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	
Y324 Ash	<p>1. <i>Top thickness:</i> A = 1 1/4"</p> <p>2. <i>Grommet options:</i> N = No grommets F = Standard corner location or Flush</p> <p>3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p>4. <i>Top finish</i></p> <p>5. <i>Grommet finish:</i> Painted or Plated</p>	

Worksurface 1 1/4" rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKA 363621-()()	\$682.	\$767.	\$885.	\$1,193.
	24"	20"	36"	42"	RKA 364221-()()	721.	813.	932.	1,259.
	24"	20"	36"	48"	RKA 364821-()()	765.	860.	990.	1,335.
	24"	20"	42"	36"	RKA 423621-()()	721.	813.	932.	1,259.
	24"	20"	42"	42"	RKA 424221-()()	765.	860.	990.	1,335.
	24"	20"	42"	48"	RKA 424821-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	RKA 483621-()()	765.	860.	990.	1,335.
	24"	20"	48"	42"	RKA 484221-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	RKA 484821-()()	874.	986.	1,132.	1,529.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	These worksurfaces are predrilled with pilot holes for use with wood screws.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	
Y324 Ash		

To order please specify pattern number including:

1. Top thickness
A = 1 1/4"
2. Grommet options:
N = No grommets
F = Standard corner location or Flush
3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3
4. Top finish
5. Grommet finish:
Painted or Plated

Application Notes

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support hardware.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.





These worksurfaces are predrilled with pilot holes for use with wood screws.

Actual widths are 1/16" less all around on corner worksurfaces.

Applicable finishes are listed on page 1 and 3.

Worksurface 1 1/4" transition wave tops

Reff Profiles

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	RWA4221- () ()	\$392.	\$445.	\$512.	\$692.
	24"	48"	20"	RWA4821- () ()	415.	467.	537.	724.
	24"	54"	20"	RWA5421- () ()	446.	500.	577.	779.
	24"	60"	20"	RWA6021- () ()	475.	535.	614.	829.
	24"	66"	20"	RWA6621- () ()	490.	552.	633.	854.
	24"	72"	20"	RWA7221- () ()	511.	578.	662.	894.
Wave top transition (left 24") 	24"	36"	30"	RWA3623- () ()	409.	461.	531.	716.
	24"	42"	30"	RWA4223- () ()	426.	481.	552.	743.
	24"	48"	30"	RWA4823- () ()	445.	497.	573.	774.
	24"	54"	30"	RWA5423- () ()	477.	537.	618.	834.
	24"	60"	30"	RWA6023- () ()	510.	577.	661.	892.
	24"	66"	30"	RWA6623- () ()	529.	595.	685.	927.
	24"	72"	30"	RWA7223- () ()	556.	625.	719.	969.
Wave top transition (left 20") 	20"	42"	24"	RWA4212- () ()	392.	445.	512.	692.
	20"	48"	24"	RWA4812- () ()	415.	467.	537.	724.
	20"	54"	24"	RWA5412- () ()	446.	500.	577.	779.
	20"	60"	24"	RWA6012- () ()	475.	535.	614.	829.
	20"	66"	24"	RWA6612- () ()	490.	552.	633.	854.
	20"	72"	24"	RWA7212- () ()	511.	578.	662.	894.
Wave top transition (right 24") 	30"	36"	24"	RWA3632- () ()	409.	461.	531.	716.
	30"	42"	24"	RWA4232- () ()	426.	481.	552.	743.
	30"	48"	24"	RWA4832- () ()	445.	497.	573.	774.
	30"	54"	24"	RWA5432- () ()	477.	537.	618.	834.
	30"	60"	24"	RWA6032- () ()	510.	577.	661.	892.
	30"	66"	24"	RWA6632- () ()	529.	595.	685.	927.
	30"	72"	24"	RWA7232- () ()	556.	625.	719.	969.

Order Code	Specification Information	Application Notes
Example: RWA4221FL R Reff W Wave top transition A 1 1/4" thick 42 42" wide 2 24" deep on left side 1 20" deep on right side F Flush grommet option L Laminate finish 114 Folkstone grey 111 Jet Black (grommet)	To order please specify pattern number including: 1. Left hand depth 2. Right hand depth 3. Grommet option 4. Top finish type 5. Top finish 6. Grommet finish 3. <i>Grommet options:</i> N = No grommet F = Flush front grommet location 4. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3 5. <i>Top finish</i> 6. <i>Grommet finish:</i> Painted or Plated	32"D wave end top requires 20"D end panel for freestanding support. 36"D wave end top requires 24"D end panel for support. Products on this page are shipped without hardware which must be ordered separately from the support components section. These worksurfaces are predrilled with pilot holes for use with wood screws. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.





Applicable finishes are listed on page 1 and 3.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurfaces

Worksurface 1 1/4" transition wave top ends

Reff Profiles

description	depth	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	20"	36"	32"	RWEA3631-()()	\$523.	\$589.	\$679.	\$916.
	20"	42"	32"	RWEA4231-()()	545.	613.	709.	955.
	20"	48"	32"	RWEA4831-()()	574.	648.	743.	1,003.
Wave top end, (right 24") 	24"	36"	36"	RWEA3662-()()	542.	611.	701.	947.
	24"	42"	36"	RWEA4262-()()	559.	629.	724.	977.
	24"	48"	36"	RWEA4862-()()	594.	666.	766.	1,033.
Wave top end, (left 20") 	32"	36"	20"	RWEA3613-()()	523.	589.	679.	916.
	32"	42"	20"	RWEA4213-()()	545.	613.	709.	955.
	32"	48"	20"	RWEA4813-()()	574.	648.	743.	1,003.
Wave top end, (left 24") 	36"	36"	24"	RWEA3626-()()	542.	611.	701.	947.
	36"	42"	24"	RWEA4226-()()	559.	629.	724.	977.
	36"	48"	24"	RWEA4826-()()	594.	666.	766.	1,033.

Order Code

Example:	RWEA3631FL
R	Reff
E	Wave top ends
A	1 1/4" thick
36	36" wide
3	32" deep on left side
1	20" deep on right side
F	Flush grommet option
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. *Grommet options:*
 N = No grommet
 F = Flush front grommet location

4. *Finish type:*
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

5. *Top finish*

6. *Grommet finish:*
 Painted or Plated

Applicable finishes are listed on page 1 and 3.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

32"D wave end top requires 20"D end panel for freestanding support.

36"D wave end top requires 24"D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Please call Custom Product Development for special grommet locations.


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4" curvilinear corner tops - 20" Deep

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611-()()	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	RCA364211-()()	692.	782.	895.	1,208.
	20"	20"	36"	48"	RCA364811-()()	735.	827.	953.	1,286.
	20"	20"	42"	36"	RCA423611-()()	692.	782.	895.	1,208.
	20"	20"	42"	42"	RCA424211-()()	735.	827.	953.	1,286.
	20"	20"	42"	48"	RCA424811-()()	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	RCA483611-()()	735.	827.	953.	1,286.
	20"	20"	48"	42"	RCA484211-()()	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	RCA484811-()()	845.	953.	1,094.	1,477.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621-()()	682.	767.	885.	1,193.
	24"	20"	36"	42"	RCA364221-()()	721.	813.	932.	1,259.
	24"	20"	36"	48"	RCA364821-()()	765.	860.	990.	1,335.
	24"	20"	42"	36"	RCA423621-()()	721.	813.	932.	1,259.
	24"	20"	42"	42"	RCA424221-()()	765.	860.	990.	1,335.
	24"	20"	42"	48"	RCA424821-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	RCA483621-()()	765.	860.	990.	1,335.
	24"	20"	48"	42"	RCA484221-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	RCA484821-()()	874.	986.	1,132.	1,529.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCA363611N1 R Reff C Curved front corner A 1 1/4" thick 36 36" wide on left back 36 36" wide on right back 1 20" deep on left side 1 20" deep on right side N No grommet 1 V1 finish Y324 Ash	<i>To order please specify pattern number including:</i> <ol style="list-style-type: none"> Left hand width Right hand width Return left hand depth Return right hand depth Grommet option Top finish type Top finish Grommet finish <p>5. <i>Grommet options:</i> N = No grommets F = Standard corner location</p> <p>6. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p>7. <i>Top finish</i></p> <p>8. <i>Grommet finish:</i> Painted or Plated</p>	<p>Radius of curved front changes with overall top size. See Planning Guide.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>Curvilinear worksurfaces only available in 1 1/4" thick.</p> <p>See Planning Guide for grommet locations.</p>

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 1 and 3.

Worksurface 1 1/4" curvilinear corner tops - 24" Deep

Reff Profiles



description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612-()()	\$682.	\$767.	\$885.	\$1,193.
	20"	24"	36"	42"	RCA364212-()()	721.	813.	932.	1,259.
	20"	24"	36"	48"	RCA364812-()()	765.	860.	990.	1,335.
	20"	24"	42"	36"	RCA423612-()()	721.	813.	932.	1,259.
	20"	24"	42"	42"	RCA424212-()()	765.	860.	990.	1,335.
	20"	24"	42"	48"	RCA424812-()()	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	RCA483612-()()	765.	860.	990.	1,335.
	20"	24"	48"	42"	RCA484212-()()	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	RCA484812-()()	874.	986.	1,132.	1,529.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622-()()	744.	834.	960.	1,296.
	24"	24"	36"	42"	RCA364222-()()	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	RCA364822-()()	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	RCA423622-()()	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	RCA424222-()()	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	RCA424822-()()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	RCA483622-()()	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	RCA484222-()()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	RCA484822-()()	934.	1,052.	1,207.	1,628.

Order Code	Specification Information	Application Notes
Example: RCA363612	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
C Curved front corner	2. Right hand width	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
A 1 1/4" thick	3. Return left hand depth	Please call Custom Product Development for special grommet locations.
36 36" wide on left back	4. Return right hand depth	Applicable finishes are listed on page 1 and 3.
36 36" wide on right back	5. Grommet option	
1 20" deep on left side	6. Top finish type	
2 24" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	5. <i>Grommet options:</i>	
Y324 Ash	N = No grommets	
	F = Standard corner location	
	6. <i>Finish type:</i>	
	L = Laminate	Product on this page will accept woodgrain laminate where laminate is currently an option.
	M = Wood/laminate mixed	List price for woodgrain laminate options will be current published laminate list price plus 10%.
	1 = V1	These worksurfaces are predrilled with pilot holes for use with wood screws.
	2 = V2	Curvilinear worksurfaces only available in 1 1/4" thick.
	3 = V3	See Planning Guide for grommet locations.
	7. <i>Top finish</i>	
	8. <i>Grommet finish:</i>	
	Painted or Plated	

Worksurface 1 1/4" extended curvilinear corner tops

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	RCCDLA23672 () () ()	\$1,809.	\$2,400.	\$3,388.	\$4,571.
	36"	78"	RCCDLA23678 () () ()	1,881.	2,496.	3,521.	4,753.
	36"	84"	RCCDLA23684 () () ()	1,956.	2,597.	3,662.	4,943.
	36"	96"	RCCDLA23696 () () ()	2,035.	2,700.	3,809.	5,143.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 () () ()	1,811.	2,406.	3,396.	4,585.
	36"	78"	RCCDLA33678 () () ()	1,883.	2,503.	3,534.	4,771.
	36"	84"	RCCDLA33684 () () ()	1,959.	2,604.	3,674.	4,959.
	36"	96"	RCCDLA33696 () () ()	2,037.	2,707.	3,822.	5,158.
Extended corner worktop, RH curved front corner (return 24")	36"	72"	RCCDRA23672 () () ()	1,809.	2,400.	3,388.	4,571.
	36"	78"	RCCDRA23678 () () ()	1,881.	2,496.	3,521.	4,753.
	36"	84"	RCCDRA23684 () () ()	1,956.	2,597.	3,662.	4,943.
	36"	96"	RCCDRA23696 () () ()	2,035.	2,700.	3,809.	5,143.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 () () ()	1,811.	2,406.	3,396.	4,585.
	36"	78"	RCCDRA33678 () () ()	1,883.	2,503.	3,534.	4,771.
	36"	84"	RCCDRA33684 () () ()	1,959.	2,604.	3,674.	4,959.
	36"	96"	RCCDRA33696 () () ()	2,037.	2,707.	3,822.	5,158.



Worksurfaces

Order Code

Example:	RCCDLA23672N2
R	Reff
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
72	72" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Depth
2. Grommet option
3. Finish type
4. Finish
5. Grommet finish

2. Grommet options:
 N = No grommets
 F = Flush front grommet location

3. Finish type:
 L = Laminate
 M = Mixed (laminated surface with wood edge)
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 1 and 3.

Product on this page will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4" extended straight corner tops

Reff Profiles

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24") 	36"	60"	24"	RCEAL223660 () () ()	\$670.	\$989.	\$1,338.	\$1,810.
	36"	72"	24"	RCEAL223672 () () ()	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAL224260 () () ()	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAL224272 () () ()	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAL224872 () () ()	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAL224884 () () ()	1,071.	1,619.	2,183.	2,947.
48"	96"	24"	RCEAL224896 () () ()	1,231.	1,866.	2,511.	3,391.	

Extended straight corner top, RH curved front corner (returns 24") 	36"	60"	24"	RCEAR223660 () () ()	670.	989.	1,338.	1,810.
	36"	72"	24"	RCEAR223672 () () ()	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAR224260 () () ()	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAR224272 () () ()	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAR224872 () () ()	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAR224884 () () ()	1,071.	1,619.	2,183.	2,947.
	48"	96"	24"	RCEAR224896 () () ()	1,231.	1,866.	2,511.	3,391.

Order Code

Example:	RCEAL223660N2
R	Reff
C	Corner
E	Extended
A	1 1/4" thick
L	Left Hand
22	24" returns
36	36" d at corner straight edge
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

- N = No grommets
- F = Flush front grommet location

6. Finish type:

- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on page 1 and 3.

Product on this page will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Worksurface 1 1/4" Meeting tops 'D'

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	RMDA4230-()()	\$579.	\$627.	\$721.	\$973.
		48"	30"	RMDA4830-()()	622.	678.	781.	1,054.
		54"	30"	RMDA5430-()()	666.	726.	834.	1,127.
		60"	30"	RMDA6030-()()	714.	778.	890.	1,203.
		66"	30"	RMDA6630-()()	760.	826.	952.	1,285.
		72"	30"	RMDA7230-()()	809.	879.	1,010.	1,364.
		78"	30"	RMDA7830-()()	914.	992.	1,142.	1,540.
		84"	30"	RMDA8430-()()	1,018.	1,106.	1,274.	1,719.
		90"	30"	RMDA9030-()()	1,136.	1,236.	1,422.	1,918.
	96"	30"	RMDA9630-()()	1,255.	1,365.	1,569.	2,118.	
	36" deep	42"	36"	RMDA4236-()()	636.	691.	793.	1,071.
		48"	36"	RMDA4836-()()	696.	756.	868.	1,171.
		54"	36"	RMDA5436-()()	793.	864.	995.	1,342.
		60"	36"	RMDA6036-()()	891.	967.	1,114.	1,505.
		66"	36"	RMDA6636-()()	909.	987.	1,134.	1,533.
		72"	36"	RMDA7236-()()	921.	1,003.	1,155.	1,557.
		78"	36"	RMDA7836-()()	1,039.	1,129.	1,299.	1,754.
		84"	36"	RMDA8436-()()	1,155.	1,257.	1,445.	1,949.
90"		36"	RMDA9036-()()	1,217.	1,323.	1,522.	2,055.	
Wrap around panel top	(20" panels)	42 1/2"	21 1/4"	RMDA4221-()()	744.	809.	928.	1,252.
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-()()	813.	885.	1,017.	1,374.



No Grommets

Please specify mating trim profile

Order Code	Specification Information	Application Notes
<p>Example: RMDA4230N1</p> <p>R Reff</p> <p>MD Meeting D-top</p> <p>A 1 1/4" thick</p> <p>42 42" wide</p> <p>30 30" deep</p> <p>N No grommet</p> <p>1 V1</p> <p>Y311 Beech</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Top thickness Width Depth Grommet option Top finish type Top finish Grommet finish Trim profile <p>1. Thickness options: A = 1 1/4"</p> <p>4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Additional spec option required for wrap around panel tops; specify mating trim profile.</p> <p>8. Trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>Applicable finishes are listed on page 1 and 3.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p> <p>1 3/4" laminate tops on this page are edge banded to match post-formed contours.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>


Worksurfaces

Worksurface 1 1/4"

Meeting tops P and 9


Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230- () ()	\$792.	\$862.	\$991.	\$1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836- () ()	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230- () ()	792.	862.	991.	1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836- () ()	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9A8430- () ()	1,613.	1,753.	2,017.	2,724.
		96"	30"	RM9A9630- () ()	1,680.	1,829.	2,100.	2,836.





42" diameter

Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
M9 Meeting 9-top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Depth	These worksurfaces are predrilled with pilot holes for use with wood screws.
42 42" wide	4. Grommet option	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
30 30" deep	5. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
N No grommet	6. Top finish	
1 V1	7. Grommet finish	
Y311 Beech	1. <i>Thickness options:</i> A = 1 1/4"	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
	7. <i>Grommet finish:</i> Painted or Plated	Refer to Planning Guide for modesty panel size requirements and all other support options.

Worksurface 1 1/4"


Meeting tops

description	type	w	d	pattern no.	L	M/V1	V2	V3
 Worksurface P-top 42" diameter		84"	30"	RMPA8430- () ()	\$1,613.	\$1,753.	\$2,017.	\$2,724.
		96"	30"	RMPA9630- () ()	1,680.	1,829.	2,100.	2,836.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
 Elliptical tops		60"	30"	REBA6030- () *	1,109.	1,229.	1,410.	1,906.
		72"	42"	REBA7242- () *	1,580.	1,747.	2,011.	2,713.
		78"	48"	REBA7848- () *	1,730.	1,917.	2,204.	2,976.

Order Code	Specification Information	Application Notes
Example: RMDA4230N1 R Reff MD Meeting D-top A 1 1/4" thick 42 42" wide 30 30" deep N No grommet 1 V1 Y311 Beech	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Top thickness Width Depth Grommet option Top finish type Top finish Grommet finish Trim profile <p><i>1. Thickness options:</i> A = 1 1/4"</p> <p><i>4. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p><i>5. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p><i>7. Grommet finish:</i> Painted or Plated</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Applicable finishes are listed on page 1 and 3.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p> <p>1 3/4" laminate tops on this page are edge banded to match post-formed contours.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>


Worksurface 1 1/4" Bow front and support

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top	72"	30"		RMB(A)7230-() ()	\$926.	\$1,045.	\$1,203.	\$1,623.
	84"	30"		RMB(A)8430-() ()	1,020.	1,154.	1,325.	1,788.
	96"	30"		RMB(A)9630-() ()	1,133.	1,278.	1,467.	1,983.



Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

Bow shaped top - 36"D	72"	36"		RMB(A)7236-() ()	985.	1,109.	1,277.	1,723.
	84"	36"		RMB(A)8436-() ()	1,079.	1,218.	1,401.	1,890.
	96"	36"		RMB(A)9636-() ()	1,196.	1,350.	1,550.	2,093.








Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
Can also be used with 36" deep end panel and recessed modesty.

Order Code	Specification Information	Application Notes
Example: RMB A7230 R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet option	6. Top finish	Applicable finishes are listed on page 1 and 3.
2 V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
V319 Medium cherry	<i>1. Thickness options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
111 Jet Black (grommet)	A = 1 1/4"	These worksurfaces are predrilled with pilot holes for use with wood screws.
	<i>4. Grommet options:</i>	See Planning Guide for grommet locations.
	N = No grommet	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
	F = Flush front grommet	
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference 1 1/4" Square and rectangular

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RAA7230(-)	\$597.	\$650.	\$747.	\$1,008.
	72"	36"	RAA7236(-)	649.	707.	812.	1,096.
	84"	30"	RAA8430(-)	661.	717.	826.	1,115.
	84"	36"	RAA8436(-)	711.	771.	886.	1,197.
	84"	42"	RAA8442(-)	1,050.	1,142.	1,310.	1,769.
	96"	30"	RAA9630(-)	742.	808.	927.	1,251.
	96"	36"	RAA9636(-)	818.	889.	1,024.	1,382.
	96"	42"	RAA9642(-)	1,205.	1,308.	1,505.	2,032.
Rectangular top 2 piece 	120"	36"	RAA12036(-)	1,313.	1,427.	1,642.	2,217.
	120"	42"	RAA12042(-)	1,811.	1,969.	2,265.	3,058.
	120"	48"	RAA12048(-)	1,968.	2,141.	2,461.	3,323.
	144"	42"	RAA14442(-)	2,035.	2,212.	2,544.	3,434.
	144"	48"	RAA14448(-)	2,179.	2,372.	2,727.	3,681.
Rectangular top 3 piece 	168"	42"	RAA16842(-)	2,667.	2,899.	3,337.	4,505.
	168"	48"	RAA16848(-)	2,898.	3,151.	3,624.	4,890.
	192"	42"	RAA19242(-)	2,892.	3,144.	3,613.	4,878.
	192"	48"	RAA19248(-)	3,114.	3,383.	3,888.	5,248.
Square tops  	*	60"	RAA6060(-)	1,224.	1,329.	1,532.	2,066.
	*	72"	RAA7272(-)	1,442.	1,569.	1,804.	2,436.
	-	36"	RAA3636(-)	460.	502.	578.	781.
	-	42"	RAA4242(-)	597.	650.	747.	1,008.
	-	48"	RAA4848(-)	786.	852.	981.	1,323.

Worksurfaces

Order Code

Example:	RRAG72302
R	Reff
R	Rectangular
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1 1/4"

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Square tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.






Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 1 and 3.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Conference 1 1/4"
Round and racetrack

Reff Profiles

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece 	72"	30"	RTA7230-()	\$1,131.	\$1,229.	\$1,410.	\$1,906.
	84"	30"	RTA8430-()	1,258.	1,368.	1,573.	2,122.
	96"	30"	RTA9630-()	1,398.	1,522.	1,751.	2,363.
	72"	36"	RTA7236-()	1,290.	1,401.	1,610.	2,173.
	84"	36"	RTA8436-()	1,448.	1,576.	1,811.	2,443.
	96"	36"	RTA9636-()	1,607.	1,747.	2,011.	2,713.
	84"	42"	RTA8442-()	1,761.	1,917.	2,204.	2,976.
	96"	42"	RTA9642-()	1,975.	2,147.	2,467.	3,331.
	96"	48"	RTA9648-()	2,166.	2,351.	2,705.	3,650.
Racetrack top 2 piece 	120"	36"	RTA12036-()	2,074.	2,257.	2,597.	3,504.
	120"	42"	RTA12042-()	2,240.	2,432.	2,800.	3,779.
	144"	42"	RTA14442-()	2,470.	2,683.	3,086.	4,164.
	120"	48"	RTA12048-()	2,380.	2,587.	2,976.	4,017.
	144"	48"	RTA14448-()	2,531.	2,753.	3,163.	4,269.
Racetrack top 3 piece 	168"	42"	RTA16842-()	3,096.	3,364.	3,870.	5,224.
	192"	42"	RTA19242-()	3,325.	3,614.	4,159.	5,615.
	168"	48"	RTA16848-()	3,314.	3,599.	4,138.	5,588.
	192"	48"	RTA19248-()	3,462.	3,765.	4,327.	5,842.
Round tops  	-	36"	RTA3636-()	636.	691.	793.	1,071.
	-	42"	RTA4242-()	739.	799.	920.	1,241.
	-	48"	RTA4848-()	1,215.	1,319.	1,516.	2,047.
	*	60"	RTA6060-()	1,902.	2,068.	2,378.	3,211.
	*	72"	RTA7272-()	2,353.	2,557.	2,945.	3,976.

Order Code

Example:	RTA72302
R	Reff
R	Round
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1 1/4"

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Round tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Top to top brackets included with multiple piece conference tops only.

See table base matrix in Planning Guide pages 140 and 141.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 0 through 0.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma



Alpha



Beta



Chi



Delta



Epsilon




Phi




Gamma

Optional edge 1 1/4
front only, 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2/3)	\$401.	\$457.	\$618.	
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2/3)	439.	505.	681.	
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2/3)	462.	533.	719.	
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2/3)	484.	556.	751.	
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2/3)	504.	578.	781.	
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2/3)	522.	606.	817.	
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2/3)	565.	651.	879.	
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2/3)	582.	671.	904.	
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2/3)	613.	706.	951.	
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2/3)	621.	714.	963.	
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2/3)	661.	759.	1,025.	
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2/3)	687.	791.	1,068.	
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2/3)	714.	822.	1,109.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-()(1/2/3)	422.	484.	654.
			30"	RSA(A/B/C/D/E/F/G)F302-()(1/2/3)	477.	548.	739.
			36"	RSA(A/B/C/D/E/F/G)F362-()(1/2/3)	494.	569.	769.
			42"	RSA(A/B/C/D/E/F/G)F422-()(1/2/3)	510.	585.	789.
48"	RSA(A/B/C/D/E/F/G)F482-()(1/2/3)		548.	627.	846.		
54"	RSA(A/B/C/D/E/F/G)F542-()(1/2/3)		582.	671.	904.		
60"	RSA(A/B/C/D/E/F/G)F602-()(1/2/3)		624.	717.	968.		
66"	RSA(A/B/C/D/E/F/G)F662-()(1/2/3)		648.	742.	1,002.		
72"	RSA(A/B/C/D/E/F/G)F722-()(1/2/3)		675.	779.	1,050.		
78"	RSA(A/B/C/D/E/F/G)F782-()(1/2/3)		709.	815.	1,100.		
84"	RSA(A/B/C/D/E/F/G)F842-()(1/2/3)		735.	845.	1,142.		
90"	RSA(A/B/C/D/E/F/G)F902-()(1/2/3)	767.	885.	1,193.			
96"	RSA(A/B/C/D/E/F/G)F962-()(1/2/3)	797.	920.	1,241.			

Order Code	Specification Information	Application Notes
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	


Optional edge 1 1/4 front only, 30" and 36" deep

description	d	width	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$455.	\$525.	\$711.	
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	515.	591.	797.	
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	555.	636.	858.	
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	577.	662.	894.	
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	615.	711.	959.	
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	666.	765.	1,031.	
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	689.	792.	1,069.	
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	707.	813.	1,097.	
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	723.	829.	1,121.	
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	757.	873.	1,178.	
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	787.	906.	1,225.	
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	823.	949.	1,281.	
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	853.	983.	1,326.	
		36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	796.	916.	1,235.
			66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	824.	951.	1,284.
			72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	852.	982.	1,324.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge 1 1/4
front and back edge, 20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	504.	578.	781.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	522.	606.	817.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	565.	651.	879.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	582.	671.	904.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	613.	706.	951.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	621.	714.	963.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	661.	759.	1,025.
		90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	687.	791.	1,068.
96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	714.	822.	1,109.		
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	548.	627.	846.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	582.	671.	904.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	624.	717.	968.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	648.	742.	1,002.
		72"	RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	675.	779.	1,050.
		78"	RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	709.	815.	1,100.
		84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	735.	845.	1,142.
		90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	767.	885.	1,193.
96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	797.	920.	1,241.		

Order Code	Specification Information	Application Notes
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position A = Edge front and back	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
A Edge front and back	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	



Optional edge 1 1/4
front and back edge, 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$455.	\$525.	\$711.
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	515.	591.	797.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	555.	636.	858.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	577.	662.	894.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	615.	711.	959.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	666.	765.	1,031.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	689.	792.	1,069.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	707.	813.	1,097.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	723.	829.	1,121.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	757.	873.	1,178.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	787.	906.	1,225.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	823.	949.	1,281.
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	853.	983.	1,326.
	36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	796.	916.	1,235.
		66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)	824.	951.	1,284.
		72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)	852.	982.	1,324.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position A = Edge front and back	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
A Edge front and back	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	1. Edge profile options:	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4 front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	548.	627.	846.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	401.	457.	618.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	548.	627.	846.


Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 5 and 6.
G Gamma	4. Depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
B Both ends accept edge	5. Grommet option	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge 1 1/4 front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	548.	627.	846.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 5 and 6.
G Gamma	4. Depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
B Both ends accept edge	5. Grommet option	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge 1 1/4 curvilinear corner front edge only

description	width1	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$847.	\$973.	\$1,314.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	895.	1,030.	1,391.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	953.	1,094.	1,477.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	895.	1,030.	1,391.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	953.	1,094.	1,477.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	1,040.	1,195.	1,613.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	953.	1,094.	1,477.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	1,040.	1,195.	1,613.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,094.	1,259.	1,698.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	885.	1,017.	1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	991.	1,136.	1,536.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	1,078.	1,238.	1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,132.	1,303.	1,759.

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	<ol style="list-style-type: none"> Edge profile Left hand width Right hand width Return left hand depth Return right hand depth Grommet option Top finish type Top finish Grommet finish 	
C Corner top		Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick		
G Gamma		Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
F Edge Front only		
36 36" wide		
36 36" wide		
1 20" deep		
1 20" deep		
F Flush grommet	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		
	<ol style="list-style-type: none"> Grommet options: N = No grommet F = Flush front grommet location Finish type: 1 = V1 2 = V2 3 = V3 	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	






Optional edge 1 1/4 curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	\$885.	\$1,017.	\$1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	991.	1,136.	1,536.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	1,078.	1,238.	1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,132.	1,303.	1,759.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	960.	1,104.	1,491.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	1,011.	1,160.	1,566.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	1,065.	1,224.	1,653.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	1,011.	1,160.	1,566.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	1,065.	1,224.	1,653.
	42"	48"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	1,155.	1,328.	1,792.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	1,065.	1,224.	1,653.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,155.	1,328.	1,792.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,209.	1,388.	1,875.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
C Corner top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge 1 1/4
wave end tops
front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-()(1/2/3)	\$511.	\$588.	\$793.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-()(1/2/3)	537.	618.	834.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-()(1/2/3)	574.	661.	892.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-()(1/2/3)	614.	709.	955.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-()(1/2/3)	633.	727.	985.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-()(1/2/3)	662.	763.	1,029.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-()(1/2/3)	553.	633.	854.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-()(1/2/3)	573.	658.	888.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-()(1/2/3)	618.	712.	960.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-()(1/2/3)	661.	759.	1,025.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-()(1/2/3)	684.	788.	1,064.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-()(1/2/3)	721.	827.	1,118.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-()(1/2/3)	511.	588.	793.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-()(1/2/3)	537.	618.	834.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-()(1/2/3)	574.	661.	892.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-()(1/2/3)	614.	709.	955.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-()(1/2/3)	633.	727.	985.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-()(1/2/3)	662.	763.	1,029.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-()(1/2/3)	553.	633.	854.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-()(1/2/3)	573.	658.	888.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-()(1/2/3)	618.	712.	960.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-()(1/2/3)	661.	759.	1,025.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-()(1/2/3)	684.	788.	1,064.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-()(1/2/3)	721.	827.	1,118.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-()(1/2/3)	679.	782.	1,055.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-()(1/2/3)	707.	813.	1,097.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-()(1/2/3)	743.	854.	1,155.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
W Wave transition top	7. Finish type: 1 = V1 2 = V2 3 = V3	
A 1 1/4" thick	Applicable finishes are listed on page 5 and 6.	
G Gamma	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
F Edge front only		
42 42" wide		
2 20" deep		
1 20" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
111 Jet Black (grommet)		

Optional edge 1 1/4
wave end tops
front edge only


description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$703.	\$809.	\$1,091.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	724.	832.	1,124.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	766.	884.	1,192.
Wave end top with profile edge front only (20" left) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	679.	782.	1,055.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	707.	813.	1,097.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	743.	854.	1,155.
Wave end top with profile edge front only (24" left) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	703.	809.	1,091.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	724.	832.	1,124.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	766.	884.	1,192.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4 meeting tops





description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$722.	\$828.	\$1,119.
	30"	48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	781.	894.	1,207.
	30"	54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	834.	960.	1,296.
	30"	60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	892.	1,025.	1,383.
	30"	66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	952.	1,093.	1,476.
	30"	72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	1,010.	1,159.	1,565.
	30"	78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,141.	1,311.	1,771.
	30"	84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,274.	1,464.	1,977.
	30"	90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,423.	1,636.	2,207.
	30"	96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,569.	1,804.	2,436.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	794.	914.	1,233.
	36"	48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	868.	999.	1,349.
	36"	54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	993.	1,144.	1,543.
	36"	60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,114.	1,282.	1,731.
	36"	66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,134.	1,306.	1,763.
	36"	72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,155.	1,328.	1,792.
	36"	78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,299.	1,492.	2,015.
	36"	84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,445.	1,663.	2,245.
	36"	90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,522.	1,751.	2,363.
	36"	96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,668.	1,915.	2,586.
Wrap-around panel top	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	928.	1,067.	1,439.
*No Grommet option	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	1,017.	1,170.	1,579.



Please specify mating end trim profile option.

Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	
MD Peninsula D-shaped top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Depth	
G Gamma	4. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
F Edge front only	5. Top finish type	
42 42" wide	6. Top finish	Applicable finishes are listed on page 5 and 6.
30 30" deep	7. Grommet finish	
C Centered grommet	8. Applicable "wrap around panel tops" only specify mating panel end trim profile	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	4. Grommet options:	
	N = No grommet	
	C = Centered grommet (applicable RMDA product only)	
	F = Flush front grommet location (for worksurfaces 9 or P tops)	
	R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)	
	5. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	8. Additional specification option required for wrap around panel tops only, specify mating trim profile	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	

Optional edge 1 1/4 meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Worksurface P-top 	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	\$2,016.	\$2,322.	\$3,133.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,102.	2,417.	3,263.
Worksurface 9-top 	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	2,016.	2,322.	3,133.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,102.	2,417.	3,263.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet option 	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	992.	1,140.	1,537.
	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,102.	1,267.	1,712.
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet option 	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	992.	1,140.	1,537.
	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,102.	1,267.	1,712.

Order Code	Specification Information
Example: RMPAGF4230F2	
R Reff	
MP Peninsula P-shaped top	
A 1 1/4" thick	
G Gamma	
F Edge front only	
42 42" wide	
30 30" deep	
C Centered grommet	
2 V2 finish	
V319 Medium cherry	
111 Jet Black (grommet)	

Specification Information

To order please specify pattern number including:

- Edge profile
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish
- Applicable "wrap around panel tops" only specify mating panel end trim profile

1. Edge profile options:
 A = Alpha
 B = Beta
 C = Chi
 D = Delta
 E = Epsilon
 F = Phi
 G = Gamma

Application Notes

4. Grommet options:
 N = No grommet
 C = Centered grommet (applicable RMDA product only)
 F = Flush front grommet location (for worksurfaces 9 or P tops)
 R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)

5. Finish type:
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak


Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.


Products on this page are shipped without hardware which must be ordered separately from the support components section.


Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4

Bow front tops

description	w	d	pattern no.	V1	V2	V3
	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)	\$1,203.	\$1,381.	\$1,866.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430-()(1/2/3)	1,325.	1,524.	2,058.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630-()(1/2/3)	1,468.	1,686.	2,277.





	72"	36"	RMBA(A/B/C/D/E/F/G)A7236-()(1/2/3)	1,277.	1,467.	1,983.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436-()(1/2/3)	1,400.	1,611.	2,175.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)	1,551.	1,785.	2,408.

	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,411.	1,623.	2,191.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	2,012.	2,310.	3,119.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	2,204.	2,535.	3,422.

grommet options for elliptical tops, N or R

Order Code	Specification Information	Application Notes
Example: RMBAGA7230F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	<ol style="list-style-type: none"> Edge profile Width Depth Grommet option Top finish type Top finish Grommet finish 	
MB Bow front top	<ol style="list-style-type: none"> Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma 	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
A 1 1/4" thick	<ol style="list-style-type: none"> Grommet options: N = No grommet F = Flush front grommet location R = Recessed front A = Alternate location (only for 36" deep bow front tops) 	
G Gamma		
A Edge front and back		
72 72" wide		
30 30" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4 round and racetrack conference tops

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,411.	\$1,623.	\$2,191.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,611.	1,849.	2,497.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,571.	1,810.	2,442.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,813.	2,079.	2,809.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,204.	2,535.	3,422.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,751.	2,014.	2,717.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	2,012.	2,310.	3,119.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,467.	2,837.	3,830.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,597.	2,985.	4,029.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,800.	3,218.	4,345.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	2,976.	3,421.	4,617.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	3,085.	3,549.	4,790.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	3,164.	3,636.	4,910.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,869.	4,450.	6,007.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	4,138.	4,759.	6,423.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	4,159.	4,781.	6,455.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,327.	4,977.	6,717.
Round tops Profile edge on all sides except on parting lines. 	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,378.	2,735.	3,690.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	2,943.	3,385.	4,570.
	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	794.	914.	1,233.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	921.	1,058.	1,430.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,516.	1,743.	2,353.

Worksurfaces

Order Code	Specification Information
Example: RTAG72302	
R Reff	
T Racetrack top	
A 1 1/4" thick	
G Gamma	
72 22" wide	
30 30" deep	
2 V2 finish	
V319 Medium cherry	

Specification Information

To order please specify pattern number including:

- Edge profile
- Width
- Depth
- Finish type
- Finish

1. Edge profile options:
 A = Alpha
 B = Beta
 C = Chi
 D = Delta
 E = Epsilon
 F = Phi
 G = Gamma

4. Finish type:
 1 = V1
 2 = V2
 3 = V3

*Round tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak





Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4 square and rectangular conference tops

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	RRR(A/B/C/D/E/F/G)7230-(1/2/3)	\$747.	\$858.	\$1,159.
	72"	36"	RRR(A/B/C/D/E/F/G)7236-(1/2/3)	812.	931.	1,258.
	84"	30"	RRR(A/B/C/D/E/F/G)8430-(1/2/3)	825.	952.	1,285.
	84"	36"	RRR(A/B/C/D/E/F/G)8436-(1/2/3)	886.	1,018.	1,375.
	84"	42"	RRR(A/B/C/D/E/F/G)8442-(1/2/3)	1,311.	1,507.	2,034.
	96"	30"	RRR(A/B/C/D/E/F/G)9630-(1/2/3)	927.	1,065.	1,438.
	96"	36"	RRR(A/B/C/D/E/F/G)9636-(1/2/3)	1,024.	1,177.	1,591.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRR(A/B/C/D/E/F/G)12036-(1/2/3)	1,642.	1,888.	2,549.
	120"	42"	RRR(A/B/C/D/E/F/G)12042-(1/2/3)	2,265.	2,604.	3,512.
	120"	48"	RRR(A/B/C/D/E/F/G)12048-(1/2/3)	2,461.	2,830.	3,822.
	144"	42"	RRR(A/B/C/D/E/F/G)14442-(1/2/3)	2,542.	2,928.	3,953.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRR(A/B/C/D/E/F/G)16842-(1/2/3)	3,336.	3,837.	5,179.
	168"	48"	RRR(A/B/C/D/E/F/G)16848-(1/2/3)	3,623.	4,169.	5,629.
	192"	42"	RRR(A/B/C/D/E/F/G)19242-(1/2/3)	3,613.	4,158.	5,612.
	192"	48"	RRR(A/B/C/D/E/F/G)19248-(1/2/3)	3,890.	4,474.	6,038.
Square top Profile edge on all sides except on parting lines 	*	60"	RRR(A/B/C/D/E/F/G)6060-(1/2/3)	1,530.	1,759.	2,376.
	*	72"	RRR(A/B/C/D/E/F/G)7272-(1/2/3)	1,804.	2,074.	2,801.
	-	36"	RRR(A/B/C/D/E/F/G)3636-(1/2/3)	577.	662.	894.
	-	42"	RRR(A/B/C/D/E/F/G)4242-(1/2/3)	747.	858.	1,159.
	-	48"	RRR(A/B/C/D/E/F/G)4848-(1/2/3)	982.	1,127.	1,521.

Order Code

Example: RRAG72302	
R	Reff
R	Conference Room top
A	1 1/4" thick
G	Gamma
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- 1 = V1
- 2 = V2
- 3 = V3

* Square tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Application Notes


Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall Edge 1 1/4" with 2" Waterfall edge front only 20" and 24" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-()(1/2/3)	\$758.	\$873.	\$1,178.	
		30"	RSAWF301-()(1/2/3)	834.	961.	1,299.	
		36"	RSAWF361-()(1/2/3)	883.	1,012.	1,366.	
		42"	RSAWF421-()(1/2/3)	921.	1,056.	1,426.	
		48"	RSAWF481-()(1/2/3)	957.	1,101.	1,486.	
		54"	RSAWF541-()(1/2/3)	999.	1,151.	1,553.	
		60"	RSAWF601-()(1/2/3)	1,076.	1,236.	1,670.	
		66"	RSAWF661-()(1/2/3)	1,109.	1,277.	1,723.	
		72"	RSAWF721-()(1/2/3)	1,164.	1,338.	1,810.	
		78"	RSAWF781-()(1/2/3)	1,183.	1,359.	1,833.	
		84"	RSAWF841-()(1/2/3)	1,259.	1,447.	1,953.	
		90"	RSAWF901-()(1/2/3)	1,308.	1,505.	2,032.	
		96"	RSAWF961-()(1/2/3)	1,359.	1,559.	2,105.	
		24"	24"	RSAWF242-()(1/2/3)	798.	921.	1,243.
			30"	RSAWF302-()(1/2/3)	903.	1,040.	1,403.
			36"	RSAWF362-()(1/2/3)	940.	1,078.	1,457.
42"	RSAWF422-()(1/2/3)		968.	1,112.	1,502.		
48"	RSAWF482-()(1/2/3)		1,040.	1,195.	1,613.		
54"	RSAWF542-()(1/2/3)		1,109.	1,277.	1,723.		
60"	RSAWF602-()(1/2/3)		1,188.	1,365.	1,842.		
66"	RSAWF662-()(1/2/3)		1,229.	1,410.	1,906.		
72"	RSAWF722-()(1/2/3)		1,284.	1,477.	1,992.		
78"	RSAWF782-()(1/2/3)		1,346.	1,547.	2,089.		
84"	RSAWF842-()(1/2/3)		1,398.	1,607.	2,169.		
90"	RSAWF902-()(1/2/3)		1,464.	1,683.	2,273.		
96"	RSAWF962-()(1/2/3)	1,521.	1,748.	2,362.			

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	Applicable finishes are listed on page 1 and 3.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)	<i>2. Finish type:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
	1 = V1	
	2 = V2	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
	3 = V3	


Waterfall Edge 1 1/4"
with 2" Waterfall edge front only
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243- ()(1/2/3)	\$869.	\$1,002.	\$1,353.	
		30"	RSAWF303- ()(1/2/3)	976.	1,125.	1,518.	
		36"	RSAWF363- ()(1/2/3)	1,054.	1,210.	1,635.	
		42"	RSAWF423- ()(1/2/3)	1,098.	1,261.	1,703.	
		48"	RSAWF483- ()(1/2/3)	1,171.	1,349.	1,821.	
		54"	RSAWF543- ()(1/2/3)	1,266.	1,458.	1,968.	
		60"	RSAWF603- ()(1/2/3)	1,314.	1,510.	2,039.	
		66"	RSAWF663- ()(1/2/3)	1,343.	1,543.	2,086.	
		72"	RSAWF723- ()(1/2/3)	1,376.	1,581.	2,133.	
		78"	RSAWF783- ()(1/2/3)	1,440.	1,655.	2,233.	
		84"	RSAWF843- ()(1/2/3)	1,497.	1,723.	2,326.	
		90"	RSAWF903- ()(1/2/3)	1,568.	1,798.	2,428.	
		96"	RSAWF963- ()(1/2/3)	1,624.	1,867.	2,520.	
		36"	60"	RSAWF604- ()(1/2/3)	1,517.	1,741.	2,349.
			66"	RSAWF664- ()(1/2/3)	1,570.	1,804.	2,436.
72"	RSAWF724- ()(1/2/3)		1,621.	1,863.	2,514.		

Order Code	Specification Information	Application Notes
Example: RSAWF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 1 and 3.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4" with 2" Waterfall edge front and back 20" and 24" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241- ()(1/2/3)	\$948.	\$1,094.	\$1,477.	
		30"	RSAWA301- ()(1/2/3)	1,045.	1,201.	1,619.	
		36"	RSAWA361- ()(1/2/3)	1,102.	1,264.	1,709.	
		42"	RSAWA421- ()(1/2/3)	1,152.	1,323.	1,786.	
		48"	RSAWA481- ()(1/2/3)	1,195.	1,376.	1,857.	
		54"	RSAWA541- ()(1/2/3)	1,248.	1,437.	1,941.	
		60"	RSAWA601- ()(1/2/3)	1,347.	1,545.	2,087.	
		66"	RSAWA661- ()(1/2/3)	1,387.	1,595.	2,155.	
		72"	RSAWA721- ()(1/2/3)	1,458.	1,678.	2,265.	
		78"	RSAWA781- ()(1/2/3)	1,480.	1,696.	2,292.	
		84"	RSAWA841- ()(1/2/3)	1,573.	1,809.	2,441.	
		90"	RSAWA901- ()(1/2/3)	1,638.	1,883.	2,540.	
		96"	RSAWA961- ()(1/2/3)	1,696.	1,953.	2,636.	
		24"	24"	RSAWA242- ()(1/2/3)	999.	1,152.	1,554.
			30"	RSAWA302- ()(1/2/3)	1,129.	1,300.	1,755.
			36"	RSAWA362- ()(1/2/3)	1,175.	1,352.	1,825.
			42"	RSAWA422- ()(1/2/3)	1,210.	1,391.	1,880.
			48"	RSAWA482- ()(1/2/3)	1,300.	1,496.	2,018.
54"	RSAWA542- ()(1/2/3)		1,387.	1,595.	2,155.		
60"	RSAWA602- ()(1/2/3)		1,486.	1,710.	2,307.		
66"	RSAWA662- ()(1/2/3)		1,537.	1,764.	2,381.		
72"	RSAWA722- ()(1/2/3)		1,604.	1,845.	2,493.		
78"	RSAWA782- ()(1/2/3)		1,683.	1,937.	2,613.		
84"	RSAWA842- ()(1/2/3)		1,748.	2,013.	2,715.		
90"	RSAWA902- ()(1/2/3)		1,831.	2,104.	2,841.		
96"	RSAWA962- ()(1/2/3)	1,900.	2,184.	2,948.			

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall tops cannot be specified with open pore finish.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry		
111 Jet Black (grommet)	<i>2. Finish type:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	1 = V1	Applicable finishes are listed on page 1 and 3.
	2 = V2	Products on this page do not accept the following finishes:
	3 = V3	Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-() (1/2/3)	\$1,090.	\$1,252.	\$1,690.	
		30"	RSAWA303-() (1/2/3)	1,223.	1,408.	1,901.	
		36"	RSAWA363-() (1/2/3)	1,318.	1,516.	2,047.	
		42"	RSAWA423-() (1/2/3)	1,374.	1,578.	2,129.	
		48"	RSAWA483-() (1/2/3)	1,465.	1,685.	2,275.	
		54"	RSAWA543-() (1/2/3)	1,584.	1,822.	2,460.	
		60"	RSAWA603-() (1/2/3)	1,642.	1,889.	2,551.	
		66"	RSAWA663-() (1/2/3)	1,680.	1,932.	2,608.	
		72"	RSAWA723-() (1/2/3)	1,720.	1,977.	2,669.	
		78"	RSAWA783-() (1/2/3)	1,798.	2,071.	2,794.	
		84"	RSAWA843-() (1/2/3)	1,872.	2,155.	2,909.	
		90"	RSAWA903-() (1/2/3)	1,957.	2,251.	3,040.	
		96"	RSAWA963-() (1/2/3)	2,028.	2,333.	3,150.	
		36"	60"	RSAWA604-() (1/2/3)	1,896.	2,176.	2,939.
			66"	RSAWA664-() (1/2/3)	1,961.	2,257.	3,046.
			72"	RSAWA724-() (1/2/3)	2,025.	2,329.	3,144.

Order Code	Specification Information	Application Notes
Example: RSAWA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 1 and 3.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-()(1/2/3)	\$1,142.	\$1,310.	\$1,769.	
		30"	RSAWB301-()(1/2/3)	1,252.	1,438.	1,942.	
		36"	RSAWB361-()(1/2/3)	1,320.	1,518.	2,050.	
		42"	RSAWB421-()(1/2/3)	1,380.	1,585.	2,140.	
		48"	RSAWB481-()(1/2/3)	1,434.	1,651.	2,228.	
		54"	RSAWB541-()(1/2/3)	1,498.	1,724.	2,329.	
		60"	RSAWB601-()(1/2/3)	1,618.	1,858.	2,508.	
		66"	RSAWB661-()(1/2/3)	1,666.	1,914.	2,585.	
		72"	RSAWB721-()(1/2/3)	1,748.	2,012.	2,714.	
		78"	RSAWB781-()(1/2/3)	1,770.	2,036.	2,749.	
		84"	RSAWB841-()(1/2/3)	1,886.	2,171.	2,930.	
		90"	RSAWB901-()(1/2/3)	1,965.	2,259.	3,049.	
		96"	RSAWB961-()(1/2/3)	2,036.	2,343.	3,163.	
		24"	24"	RSAWB242-()(1/2/3)	1,200.	1,380.	1,863.
			30"	RSAWB302-()(1/2/3)	1,357.	1,555.	2,101.
			36"	RSAWB362-()(1/2/3)	1,409.	1,621.	2,190.
			42"	RSAWB422-()(1/2/3)	1,453.	1,672.	2,259.
			48"	RSAWB482-()(1/2/3)	1,555.	1,793.	2,422.
			54"	RSAWB542-()(1/2/3)	1,666.	1,914.	2,585.
			60"	RSAWB602-()(1/2/3)	1,785.	2,049.	2,767.
66"	RSAWB662-()(1/2/3)		1,842.	2,118.	2,858.		
72"	RSAWB722-()(1/2/3)		1,925.	2,217.	2,990.		
78"	RSAWB782-()(1/2/3)		2,018.	2,324.	3,136.		
84"	RSAWB842-()(1/2/3)		2,098.	2,410.	3,256.		
90"	RSAWB902-()(1/2/3)		2,195.	2,525.	3,407.		
96"	RSAWB962-()(1/2/3)	2,277.	2,623.	3,542.			

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Waterfall tops cannot be specified with semi-open pore finish.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Grommet option	
S Straight top	2. Top finish type	<p>Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.</p> <p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Applicable finishes are listed on page 1 and 3.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-()(1/2/3)	\$1,306.	\$1,503.	\$2,028.
		30"	RSAWB303-()(1/2/3)	1,468.	1,689.	2,279.
		36"	RSAWB363-()(1/2/3)	1,581.	1,818.	2,454.
		42"	RSAWB423-()(1/2/3)	1,647.	1,891.	2,553.
		48"	RSAWB483-()(1/2/3)	1,759.	2,021.	2,730.
		54"	RSAWB543-()(1/2/3)	1,901.	2,184.	2,948.
		60"	RSAWB603-()(1/2/3)	1,969.	2,265.	3,058.
		66"	RSAWB663-()(1/2/3)	2,015.	2,318.	3,127.
		72"	RSAWB723-()(1/2/3)	2,062.	2,372.	3,201.
		78"	RSAWB783-()(1/2/3)	2,162.	2,487.	3,357.
		84"	RSAWB843-()(1/2/3)	2,243.	2,582.	3,486.
		90"	RSAWB903-()(1/2/3)	2,347.	2,702.	3,648.
	96"	RSAWB963-()(1/2/3)	2,437.	2,800.	3,779.	
	36"	60"	RSAWB604-()(1/2/3)	2,273.	2,613.	3,529.
		66"	RSAWB664-()(1/2/3)	2,350.	2,706.	3,652.
		72"	RSAWB724-()(1/2/3)	2,434.	2,794.	3,774.

Order Code	Specification Information	Application Notes
Example: RSAWB243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 1 and 3.
WB Waterfall front and 2 sides	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	<i>2. Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	


Waterfall Edge 1 1/4" with 2" Waterfall edge front and left side 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-()(1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWL301-()(1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWL361-()(1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWL421-()(1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWL481-()(1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWL541-()(1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWL601-()(1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWL661-()(1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWL721-()(1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWL781-()(1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWL841-()(1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWL901-()(1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWL961-()(1/2/3)	1,868.	2,149.	2,899.
	24"	24"	RSAWL242-()(1/2/3)	1,099.	1,264.	1,709.
		30"	RSAWL302-()(1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWL362-()(1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWL422-()(1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWL482-()(1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWL542-()(1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWL602-()(1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWL662-()(1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWL722-()(1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWL782-()(1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWL842-()(1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWL902-()(1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWL962-()(1/2/3)	2,089.	2,404.	3,246.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWL241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall tops cannot be specified with semi-open pore finish.
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry		
111 Jet Black (grommet)	<i>2. Finish type:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	1 = V1	Applicable finishes are listed on page 1 and 3.
	2 = V2	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-()(1/2/3)	\$1,200.	\$1,378.	\$1,860.	
		30"	RSAWL303-()(1/2/3)	1,346.	1,547.	2,089.	
		36"	RSAWL363-()(1/2/3)	1,449.	1,667.	2,251.	
		42"	RSAWL423-()(1/2/3)	1,508.	1,735.	2,340.	
		48"	RSAWL483-()(1/2/3)	1,612.	1,857.	2,507.	
		54"	RSAWL543-()(1/2/3)	1,741.	2,005.	2,708.	
		60"	RSAWL603-()(1/2/3)	1,807.	2,075.	2,803.	
		66"	RSAWL663-()(1/2/3)	1,844.	2,125.	2,870.	
		72"	RSAWL723-()(1/2/3)	1,891.	2,173.	2,933.	
		78"	RSAWL783-()(1/2/3)	1,980.	2,277.	3,075.	
		84"	RSAWL843-()(1/2/3)	2,058.	2,369.	3,198.	
		90"	RSAWL903-()(1/2/3)	2,155.	2,478.	3,345.	
		96"	RSAWL963-()(1/2/3)	2,232.	2,565.	3,464.	
		36"	60"	RSAWL604-()(1/2/3)	2,085.	2,396.	3,235.
			66"	RSAWL664-()(1/2/3)	2,158.	2,480.	3,348.
			72"	RSAWL724-()(1/2/3)	2,229.	2,562.	3,459.

Order Code	Specification Information	Application Notes
Example: RSAWL243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 1 and 3.
WL Waterfall front and left	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	


Waterfall Edge 1 1/4" with 2" Waterfall edge front and right side 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-()(1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWR301-()(1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWR361-()(1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWR421-()(1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWR481-()(1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWR541-()(1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWR601-()(1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWR661-()(1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWR721-()(1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWR781-()(1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWR841-()(1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWR901-()(1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWR961-()(1/2/3)	1,868.	2,149.	2,899.
	24"	24"	RSAWR242-()(1/2/3)	1,099.	1,264.	1,709.
		30"	RSAWR302-()(1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWR362-()(1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWR422-()(1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWR482-()(1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWR542-()(1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWR602-()(1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWR662-()(1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWR722-()(1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWR782-()(1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWR842-()(1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWR902-()(1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWR962-()(1/2/3)	2,089.	2,404.	3,246.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWR241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 1 and 3.
WR Waterfall front and right	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	<i>2. Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
30" and 36" deep






description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-()(1/2/3)	\$1,200.	\$1,378.	\$1,860.
		30"	RSAWR303-()(1/2/3)	1,346.	1,547.	2,089.
		36"	RSAWR363-()(1/2/3)	1,449.	1,667.	2,251.
		42"	RSAWR423-()(1/2/3)	1,508.	1,735.	2,340.
		48"	RSAWR483-()(1/2/3)	1,612.	1,857.	2,507.
		54"	RSAWR543-()(1/2/3)	1,741.	2,005.	2,708.
		60"	RSAWR603-()(1/2/3)	1,807.	2,075.	2,803.
		66"	RSAWR663-()(1/2/3)	1,844.	2,125.	2,870.
		72"	RSAWR723-()(1/2/3)	1,891.	2,173.	2,933.
		78"	RSAWR783-()(1/2/3)	1,980.	2,277.	3,075.
		84"	RSAWR843-()(1/2/3)	2,058.	2,369.	3,198.
		90"	RSAWR903-()(1/2/3)	2,155.	2,478.	3,345.
		96"	RSAWR963-()(1/2/3)	2,232.	2,565.	3,464.
			36"	60"	RSAWR604-()(1/2/3)	2,085.
		66"	RSAWR664-()(1/2/3)	2,158.	2,480.	3,348.
		72"	RSAWR724-()(1/2/3)	2,229.	2,562.	3,459.

Order Code	Specification Information	Application Notes
Example: RSAWR243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 1 and 3.
WR Waterfall front and right	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"

Reff Profiles

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	RWAWF4223- ()(1/2/3)	\$1,101.	\$1,264.	\$1,709.
	24"	48"	30"	RWAWF4823- ()(1/2/3)	1,146.	1,317.	1,778.
	24"	54"	30"	RWAWF5423- ()(1/2/3)	1,234.	1,423.	1,920.
	24"	60"	30"	RWAWF6023- ()(1/2/3)	1,320.	1,522.	2,055.
	24"	66"	30"	RWAWF6623- ()(1/2/3)	1,370.	1,575.	2,125.
	24"	72"	30"	RWAWF7223- ()(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232- ()(1/2/3)	1,101.	1,264.	1,709.
	30"	48"	24"	RWAWF4832- ()(1/2/3)	1,146.	1,317.	1,778.
	30"	54"	24"	RWAWF5432- ()(1/2/3)	1,234.	1,423.	1,920.
	30"	60"	24"	RWAWF6032- ()(1/2/3)	1,320.	1,522.	2,055.
	30"	66"	24"	RWAWF6632- ()(1/2/3)	1,370.	1,575.	2,125.
	30"	72"	24"	RWAWF7232- ()(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212- ()(1/2/3)	1,020.	1,175.	1,587.
	20"	48"	24"	RWAWF4812- ()(1/2/3)	1,073.	1,234.	1,667.
	20"	54"	24"	RWAWF5412- ()(1/2/3)	1,149.	1,320.	1,783.
	20"	60"	24"	RWAWF6012- ()(1/2/3)	1,228.	1,411.	1,908.
	20"	66"	24"	RWAWF6612- ()(1/2/3)	1,264.	1,453.	1,962.
	20"	72"	24"	RWAWF7212- ()(1/2/3)	1,325.	1,524.	2,058.
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	RWAWF4221- ()(1/2/3)	1,020.	1,175.	1,587.
	24"	48"	20"	RWAWF4821- ()(1/2/3)	1,073.	1,234.	1,667.
	24"	54"	20"	RWAWF5421- ()(1/2/3)	1,149.	1,320.	1,783.
	24"	60"	20"	RWAWF6021- ()(1/2/3)	1,228.	1,411.	1,908.
	24"	66"	20"	RWAWF6621- ()(1/2/3)	1,264.	1,453.	1,962.
	24"	72"	20"	RWAWF7221- ()(1/2/3)	1,325.	1,524.	2,058.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631- ()(1/2/3)	1,357.	1,555.	2,101.
	32"	42"	20"	RWEAWF4231- ()(1/2/3)	1,409.	1,623.	2,191.
	32"	48"	20"	RWEAWF4831- ()(1/2/3)	1,486.	1,711.	2,308.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	1. <i>Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	2. <i>Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 1 and 3.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.




Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
 Wave end top with waterfall edge front (right 24")	36"	36"	24"	RWEAWF3662-()(1/2/3)	\$1,401.	\$1,611.	\$2,175.
	36"	42"	24"	RWEAWF4262-()(1/2/3)	1,446.	1,664.	2,246.
	36"	48"	24"	RWEAWF4862-()(1/2/3)	1,536.	1,764.	2,381.
 Wave end top with waterfall edge front (left 20")	20"	36"	32"	RWEAWF3613-()(1/2/3)	1,357.	1,555.	2,101.
	20"	42"	32"	RWEAWF4213-()(1/2/3)	1,409.	1,623.	2,191.
	20"	48"	32"	RWEAWF4813-()(1/2/3)	1,486.	1,711.	2,308.
 Wave end top with waterfall edge front (left 24")	24"	36"	36"	RWEAWF3626-()(1/2/3)	1,401.	1,611.	2,175.
	24"	42"	36"	RWEAWF4226-()(1/2/3)	1,446.	1,664.	2,246.
	24"	48"	36"	RWEAWF4826-()(1/2/3)	1,536.	1,764.	2,381.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff		
W Wave top transition	1. Grommet option	36"D wave end top requires 24"D end panel for support.
A 1 1/4" thick	2. Top finish type	
WF Waterfall front	3. Top finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
42 42" wide	4. Grommet finish	
2 24" deep on left side	<i>1. Grommet options:</i>	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	N = No grommet	See Planning Guide for grommet locations.
F Flush grommet location	F = Flush front grommet location	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	2. <i>Finish type:</i>	
V319 Medium cherry	1 = V1	
111 Jet Black (grommet)	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 1 and 3.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear corner tops

description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	RCAWF363611-()(1/2/3)	\$1,611.	\$1,855.	\$2,503.
	36"	42"	RCAWF364211-()(1/2/3)	1,706.	1,961.	2,649.
	36"	48"	RCAWF364811-()(1/2/3)	1,810.	2,082.	2,812.
	42"	36"	RCAWF423611-()(1/2/3)	1,706.	1,961.	2,649.
	42"	42"	RCAWF424211-()(1/2/3)	1,810.	2,082.	2,812.
	42"	48"	RCAWF424811-()(1/2/3)	1,977.	2,274.	3,070.
	48"	36"	RCAWF483611-()(1/2/3)	1,810.	2,082.	2,812.
	48"	42"	RCAWF484211-()(1/2/3)	1,977.	2,274.	3,070.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	RCAWF363622-()(1/2/3)	1,825.	2,103.	2,840.
	36"	42"	RCAWF364222-()(1/2/3)	1,919.	2,212.	2,986.
	36"	48"	RCAWF364822-()(1/2/3)	2,025.	2,331.	3,147.
	42"	36"	RCAWF423622-()(1/2/3)	1,919.	2,212.	2,986.
	42"	42"	RCAWF424222-()(1/2/3)	2,025.	2,331.	3,147.
	42"	48"	RCAWF424822-()(1/2/3)	2,193.	2,525.	3,407.
	48"	36"	RCAWF483622-()(1/2/3)	2,025.	2,331.	3,147.
	48"	42"	RCAWF484222-()(1/2/3)	2,193.	2,525.	3,407.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	RCAWF363612-()(1/2/3)	1,683.	1,935.	2,612.
	36"	42"	RCAWF364212-()(1/2/3)	1,781.	2,045.	2,760.
	36"	48"	RCAWF364812-()(1/2/3)	1,883.	2,165.	2,923.
	42"	36"	RCAWF423612-()(1/2/3)	1,781.	2,045.	2,760.
	42"	42"	RCAWF424212-()(1/2/3)	1,883.	2,165.	2,923.
	42"	48"	RCAWF424812-()(1/2/3)	2,050.	2,356.	3,180.
	48"	36"	RCAWF483612-()(1/2/3)	1,883.	2,165.	2,923.
	48"	42"	RCAWF484212-()(1/2/3)	2,050.	2,356.	3,180.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	RCAWF363621-()(1/2/3)	1,683.	1,935.	2,612.
	36"	42"	RCAWF364221-()(1/2/3)	1,781.	2,045.	2,760.
	36"	48"	RCAWF364821-()(1/2/3)	1,883.	2,165.	2,923.
	42"	36"	RCAWF423621-()(1/2/3)	1,781.	2,045.	2,760.
	42"	42"	RCAWF424221-()(1/2/3)	1,883.	2,165.	2,923.
	42"	48"	RCAWF424821-()(1/2/3)	2,050.	2,356.	3,180.
	48"	36"	RCAWF483621-()(1/2/3)	1,883.	2,165.	2,923.
	48"	42"	RCAWF484221-()(1/2/3)	2,050.	2,356.	3,180.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCAWF363611F2 R Reff C Curved front corner A 1 1/4" thick WF Waterfall front 36 36" wide on left back 36 36" wide on right back 1 20" deep on left side 1 20" deep on right side F Standard grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	To order please specify pattern number including: 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish 1. Grommet options: N = No grommet F = Standard corner location or Flush 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 1 and 3. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Radius of curved front changes with overall top size. See Planning Guide. Products on this page are shipped without hardware which must be ordered separately from the support components section. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Waterfall tops cannot be specified with semi-open pore finish. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops

Reff Profiles





description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230-()(1/2/3)	\$2,058.	\$2,368.	\$3,195.
		48"	RMDAWF4830-()(1/2/3)	2,220.	2,552.	3,445.
		54"	RMDAWF5430-()(1/2/3)	2,382.	2,740.	3,700.
		60"	RMDAWF6030-()(1/2/3)	2,546.	2,927.	3,950.
		66"	RMDAWF6630-()(1/2/3)	2,711.	3,119.	4,211.
		72"	RMDAWF7230-()(1/2/3)	2,878.	3,311.	4,469.
		78"	RMDAWF7830-()(1/2/3)	3,259.	3,742.	5,054.
		84"	RMDAWF8430-()(1/2/3)	3,636.	4,180.	5,643.
		90"	RMDAWF9030-()(1/2/3)	4,058.	4,667.	6,301.
	96"	RMDAWF9630-()(1/2/3)	4,481.	5,151.	6,954.	
	36"	42"	RMDAWF4236-()(1/2/3)	2,270.	2,608.	3,520.
		48"	RMDAWF4836-()(1/2/3)	2,480.	2,852.	3,851.
		54"	RMDAWF5436-()(1/2/3)	2,834.	3,263.	4,404.
		60"	RMDAWF6036-()(1/2/3)	3,181.	3,658.	4,939.
		66"	RMDAWF6636-()(1/2/3)	3,236.	3,723.	5,026.
		72"	RMDAWF7236-()(1/2/3)	3,290.	3,784.	5,109.
		78"	RMDAWF7836-()(1/2/3)	3,703.	4,259.	5,746.
		84"	RMDAWF8436-()(1/2/3)	4,121.	4,738.	6,396.
90"		RMDAWF9036-()(1/2/3)	4,341.	4,998.	6,744.	
Wrap around panel top 	21 1/2"	42 1/2"	RMDAWF4221-()(1/2/3)()	2,649.	3,044.	4,109.
	25 1/2"	50 1/2"	RMDAWF5025-()(1/2/3)()	2,903.	3,338.	4,506.

*specify mating end trim profile

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	Refer to Planning Guide for modesty panel size requirements and all other support options.
WF Waterfall all except flat side	4. Top finish	
42 42" wide	5. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
N No grommet	2. <i>Grommet options:</i> N = No grommet	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
2 V2 finish	F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
V319 Medium cherry	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	Note wrap around panel tops only, require specification of mating trim profile.	
	A = Flat B = Square C = Bullnose E = Extruded Aluminum	Applicable finishes are listed on page 1 and 3.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops P and 9


description	d	w	pattern no.	V1	V2	V3
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230-()(1/2/3)	\$2,829.	\$3,252.	\$4,390.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230-()(1/2/3)	2,829.	3,252.	4,390.
						
Worksurface 9-top	30"	84"	RM9AWF8430-()(1/2/3)	5,756.	6,620.	8,936.
	30"	96"	RM9AWF9630-()(1/2/3)	5,998.	6,893.	9,306.
Worksurface P-top	30"	84"	RMPAWF8430-()(1/2/3)	5,756.	6,620.	8,936.
	30"	96"	RMPAWF9630-()(1/2/3)	5,998.	6,893.	9,306.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RM9AWF8430N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
M9 Meeting 9-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	
WF Waterfall all except flat side	4. Top finish	
84 84" wide	5. Grommet finish	
30 30" deep	<i>1. Thickness option:</i> A = 1 1/4"	Refer to Planning Guide for modesty panel size requirements and all other support options.
N No grommet	<i>2. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	<i>3. Finish type:</i> 1 = V1 2 = V2 3 = V3	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
V319 Medium cherry	Note wrap around panel tops only, require specification of mating trim profile.	Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w. Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Applicable finishes are listed on page 1 and 3. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"


2" Waterfall edge bow front tops

description	w	d	h	pattern no.	L	V1	V2	V3
 30"D	72"	30"		RMBAWA7230-()(1/2/3)		\$2,854.	\$3,287.	\$4,437.
	84"	30"		RMBAWA8430-()(1/2/3)		3,151.	3,625.	4,891.
	96"	30"		RMBAWA9630-()(1/2/3)		3,496.	4,019.	5,427.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

 36"D	72"	36"		RMBAWA7236-()(1/2/3)		3,036.	3,492.	4,712.
	84"	36"		RMBAWA8436-()(1/2/3)		3,332.	3,832.	5,172.
	96"	36"		RMBAWA9636-()(1/2/3)		3,696.	4,245.	5,731.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	w	d	h	pattern no.	L	V1	V2	V3
	40"	1"	26 1/2"	RB40MR-()	332.	427.	489.	661.
	52"	1"	26 1/2"	RB52MR-()	390.	503.	578.	781.
	64"	1"	26 1/2"	RB64MR-()	422.	541.	625.	845.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.



Order Code	Specification Information	Application Notes
Example: RMBAWA7230(F)2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	Shipped with hardware. Refer to page 0 of planning guide for application details.
MB Bow front with Waterfall edge	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	3. Top finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
WA Waterfall front/back	4. Grommet finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
72 72" wide	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	N = No grommet	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
F Flush front grommet position	F = Flush front grommet location	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
2 V2 finish	R = Recessed front	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	
111 Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 1 and 3.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

Waterfall elliptical tops and bulkhead

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall elliptical tops 	60"	30"		REBAWA6030()		\$4,033.	\$4,636.	\$6,260.
	72"	42"		REBAWA7242()		5,733.	6,597.	8,906.
	78"	48"		REBAWA7848()		6,291.	7,237.	9,771.
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	468.	707.	819.	1,105.
	16"	30"	26 1/2"	REBH30	484.	720.	839.	1,132.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: REBAWA6030	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
EB Elliptical Waterfall	2. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
WA Waterfall front/back	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
60 60" wide	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 0 of planning guide for application details.
30 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	





Applicable finishes are listed on page 1 and 3.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge conference room tops round and racetrack






Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	RTAW7230-(1/2/3)	\$4,033.	\$4,636.	\$6,260.
	72"	36"	RTAW7236-(1/2/3)	4,597.	5,284.	7,133.
	84"	30"	RTAW8430-(1/2/3)	4,489.	5,162.	6,970.
	84"	36"	RTAW8436-(1/2/3)	5,168.	5,943.	8,021.
	84"	42"	RTAW8442-(1/2/3)	6,291.	7,237.	9,771.
	96"	30"	RTAW9630-(1/2/3)	4,998.	5,745.	7,758.
	96"	42"	RTAW9642-(1/2/3)	7,044.	8,099.	10,932.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RTAW12036-(1/2/3)	7,407.	8,515.	11,497.
	120"	42"	RTAW12042-(1/2/3)	7,987.	9,182.	12,398.
	144"	42"	RTAW14442-(1/2/3)	8,807.	10,127.	13,672.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RTAW16842-(1/2/3)	11,043.	12,701.	17,146.
	192"	42"	RTAW19242-(1/2/3)	11,864.	13,645.	18,423.
			RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center			
Round tops, Waterfall edge on all sides except on parting lines 	*	60"	RTAW6060-(1/2/3)	6,788.	7,801.	10,533.
	*	72"	RTAW7272-(1/2/3)	8,401.	9,659.	13,040.
	-	36"	RTAW3636-(1/2/3)	2,270.	3,043.	4,108.
	-	42"	RTAW4242-(1/2/3)	2,628.	3,526.	4,761.

Order Code	Specification Information	Application Notes
Example: RTAW72302	<i>To order please specify pattern number including:</i>	Top to top brackets included.
R Reff	1. Top thickness	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
T Rounded top	2. Finish type	See table base matrix in Planning Guide for base supports recommended.
A 1 1/4" thick	3. Finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
W Waterfall all sides	1. <i>Thickness option:</i> A = 1 1/4"	Applicable finishes are listed on page 1 and 3.
72 72" wide	2. <i>Finish type:</i> 1 = V1	Products on this page do not accept the following finishes: Y341 Wenge
30 30" deep	2 = V2	Y342 Medium Teak
2 V2 finish	3 = V3	Y343 Dark Grey Oak
V319 Medium cherry	*Round tops in two pieces.	Tops have no radius on edges that adjoin. All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Waterfall tops cannot be specified with semi-open pore finish.

Waterfall Edge 1 1/4"

2" Waterfall edge conference room tops square and rectangular



description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	RRAW7230-(1/2/3)	\$2,129.	\$2,451.	\$3,310.
	72"	36"	RRAW7236-(1/2/3)	2,314.	2,662.	3,593.
	84"	30"	RRAW8430-(1/2/3)	2,356.	2,711.	3,660.
	84"	36"	RRAW8436-(1/2/3)	2,532.	2,908.	3,926.
	84"	42"	RRAW8442-(1/2/3)	3,742.	4,301.	5,808.
	96"	30"	RRAW9630-(1/2/3)	2,643.	3,041.	4,105.
	96"	42"	RRAW9642-(1/2/3)	4,291.	4,935.	6,662.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RRAW12036-(1/2/3)	4,681.	5,389.	7,275.
	120"	42"	RRAW12042-(1/2/3)	6,462.	7,432.	10,034.
	144"	42"	RRAW14442-(1/2/3)	7,259.	8,349.	11,270.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RRAW16842-(1/2/3)	9,518.	10,949.	14,784.
	192"	42"	RRAW19242-(1/2/3)	10,314.	11,859.	16,011.
	RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Square top - one piece 	-	36"	RRAW3636-(1/2/3)	1,647.	2,206.	2,981.
	-	42"	RRAW4242-(1/2/3)	2,129.	2,857.	3,857.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	RRAW6060-(1/2/3)	4,362.	5,014.	6,769.
	-	72"	RRAW7272-(1/2/3)	5,151.	5,925.	7,997.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RRAW72302 R Reff R Rectangular A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 1 and 3. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Top to top brackets included. Tops have no radius on edges that adjoin. See table base matrix in Planning Guide for base supports recommended. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w. Waterfall tops cannot be specified with semi-open pore finish.


Cascade Edge 1 1/4" Rectilinear 24" and 30" deep

Reff Profiles

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  <i>shown with grommet</i>	24"	24"	RCE1R2424N	\$245.	\$213.
	24"	30"	RCE1R3024N	282.	245.
	24"	36"	RCE1R3624N	312.	270.
	24"	42"	RCE1R4224N	359.	312.
	24"	48"	RCE1R4824N	403.	350.
	24"	54"	RCE1R5424N	432.	376.
	24"	60"	RCE1R6024N	469.	408.
	24"	66"	RCE1R6624N	506.	441.
	24"	72"	RCE1R7224N	530.	461.
	24"	78"	RCE1R7824N	568.	495.
	24"	84"	RCE1R8424N	601.	523.
	24"	90"	RCE1R9024N	677.	590.
24"	96"	RCE1R9624N	740.	644.	
30"D Rectangular  <i>shown with grommet</i>	30"	24"	RCE1R2430N	313.	271.
	30"	30"	RCE1R3030N	350.	305.
	30"	36"	RCE1R3630N	390.	339.
	30"	42"	RCE1R4230N	422.	368.
	30"	48"	RCE1R4830N	469.	408.
	30"	54"	RCE1R5430N	531.	462.
	30"	60"	RCE1R6030N	583.	508.
	30"	66"	RCE1R6630N	651.	566.
	30"	72"	RCE1R7230N	677.	590.
	30"	78"	RCE1R7830N	723.	629.
	30"	84"	RCE1R8430N	769.	669.
	30"	90"	RCE1R9030N	827.	719.
30"	96"	RCE1R9630N	884.	769.	

Order Code	Specification Information	Application Notes
Example: RCE1R3024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
R Reff	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
CE1 Cascade edge	<i>Solid:</i>	All support hardware ordered separately.
R Rectangular	114 Folkstone Grey	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
30 Width	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Finish	Woodgrain:	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	


Cascade Edge 1 1/4" Blended "D"

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	48"	24"	66"	RCE1BD6648S(L/R)	\$992.	\$863.
	48"	24"	72"	RCE1BD7248S(L/R)	1,016.	882.
	48"	24"	78"	RCE1BD7848S(L/R)	1,172.	1,019.
	48"	24"	84"	RCE1BD8448S(L/R)	1,204.	1,047.
	48"	30"	66"	RCE1BD6648D(L/R)	1,044.	907.
	48"	30"	72"	RCE1BD7248D(L/R)	1,082.	940.
	48"	30"	78"	RCE1BD7848D(L/R)	1,211.	1,054.
	48"	30"	84"	RCE1BD8448D(L/R)	1,279.	1,113.

Order Code	Specification Information	Application Notes
Example: RCE1BD6648SR 118	<i>To order please specify pattern number including:</i>	All support hardware ordered separately.
R Reff		
CE1 Cascade edge	1. Return depth (dimension C on line art, hard coded in pattern number)	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
BD Blended "D"	S = 24" return	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
66 Width	D = 30" return	Cascade edge worksurfaces are not recommended for free-standing applications.
48 Depth	2. Hand (left or right)	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
S 24" return	3. Finish	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
R right hand	<i>Solid:</i>	
118 Finish	114 Folkstone Grey	
	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade Edge 1 1/4"

Curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
Curvilinear corner	24"	24"	36"	RCE1L3636SSN	\$614.	\$533.
 <p>shown with grommets</p>	24"	24"	42"	RCE1L4242SSN	740.	644.
	24"	24"	48"	RCE1L4848SSN	832.	723.
	24"	30"	42"	RCE1L4242DSN	878.	765.
	24"	30"	48"	RCE1L4848DSN	996.	866.
	30"	24"	42"	RCE1L4242SDN	878.	765.
	30"	24"	48"	RCE1L4848SDN	996.	866.
	30"	30"	48"	RCE1L4848DDN	894.	777.

Order Code

Example: RCE1L3636SSN 114
RCE1 Reff Cascade Edge worksurface
L Curvilinear Corner top
36 Width
36 Depth
S 24" d, left side
S 24" d, right side
N No grommet
114 Folkstone Grey finish
Grain Direction

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.

Specification Information

To order please specify pattern number including:

- Return depths (hard coded in pattern number)
 - SS = 24" d left and right
 - SD = 24" d left, 30" d right
 - DS = 30" d left, 24" d right
 - DD = 30" d left and right
- Grommets (hard coded in pattern number)
 - N= no grommets
 - G= grommets

To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.
- Finish

Solid:

 - 114 Folkstone Grey
 - 117 Soft Grey
 - 118 Bright White
 - 119 Pumice

Woodgrain:

 - 124 Medium Cherry
 - 125 Natural Maple
 - 126 Natural Cherry
 - 127 Walnut

Graing Direction:

 - D = Diagonal
 - L = Left hand
 - N = Not required
 - R = Right hand

Application Notes

Center-located edge grommets, located on center of sides marked A.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4" Blended "L"

Reff Profiles

description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	RCE1L4260SSN	\$1,017.	\$884.
	42"	66"	24"	24"	RCE1L4266SSN	1,044.	907.
	42"	72"	24"	24"	RCE1L4272SSN	1,084.	941.
	42"	78"	24"	24"	RCE1L4278SSN	1,094.	953.
	48"	60"	24"	24"	RCE1L4860SSN	1,029.	896.
	48"	60"	24"	30"	RCE1L4860SDN	1,012.	878.
	48"	60"	30"	24"	RCE1L4860DSN	1,012.	878.
	48"	66"	24"	24"	RCE1L4866SSN	1,066.	928.
	48"	66"	24"	30"	RCE1L4866SDN	1,063.	924.
	48"	66"	30"	24"	RCE1L4866DSN	1,063.	924.
	48"	72"	24"	24"	RCE1L4872SSN	1,106.	962.
	48"	72"	24"	30"	RCE1L4872SDN	1,113.	967.
	48"	72"	30"	24"	RCE1L4872DSN	1,113.	967.
	48"	78"	24"	24"	RCE1L4878SSN	1,219.	1,060.
	48"	84"	24"	24"	RCE1L4884SSN	1,371.	1,191.
	60"	42"	24"	24"	RCE1L6042SSN	1,017.	884.
	60"	48"	24"	24"	RCE1L6048SSN	1,029.	896.
	60"	48"	24"	30"	RCE1L6048SDN	1,012.	878.
	60"	48"	30"	24"	RCE1L6048DSN	1,012.	878.
	66"	42"	24"	24"	RCE1L6642SSN	1,044.	907.
	66"	48"	24"	24"	RCE1L6648SSN	1,066.	928.
	66"	48"	24"	30"	RCE1L6648SDN	1,063.	924.
	66"	48"	30"	24"	RCE1L6648DSN	1,063.	924.
	72"	42"	24"	24"	RCE1L7242SSN	1,084.	941.
	72"	48"	24"	24"	RCE1L7248SSN	1,106.	962.
	72"	48"	24"	30"	RCE1L7248SDN	1,113.	967.
	72"	48"	30"	24"	RCE1L7248DSN	1,113.	967.
	78"	42"	24"	24"	RCE1L7842SSN	1,094.	953.
	78"	48"	24"	24"	RCE1L7848SSN	1,219.	1,060.
	84"	48"	24"	24"	RCE1L8448SSN	1,371.	1,191.





Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: RCE1L4260SSG 114</p> <p>RCE1 Cascade edge worksurface</p> <p>L Blended "L" top</p> <p>42 Width</p> <p>60 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>G Grommets</p> <p>114 Top finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number): SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right</p> <p>2. Grommets (hard coded in pattern number): N= no grommets G= grommets</p> <p>3. Finishes: Solid: 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p>
<p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p>		<p>Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p>

Cascade Edge 1 1/4"

Half round and corner round

Reff Profiles

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	RCE1H4818	\$530.	\$461.
	50 1/2"	18"	RCE1H4818P	530.	461.
	60"	24"	RCE1H6024	731.	634.
	62 1/2"	24"	RCE1H6024P	731.	634.
 LH Corner Round	24"	24"	RCE1CR24L	282.	245.
 RH Corner Round	24"	24"	RCE1CR24R	282.	245.
 Notched Corner Round	24"	24"	RCE1CR24N	282.	245.

Order Code

Example:	RCE1H4818P 118
R	Reff
CE1	Cascade edge
H	Half round
48	Width
18	Depth
P	Notch for panel trim
118	Finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Half round tops with suffix P, notched for panel end trim profile B square only.

Cascade edge worksurfaces are not recommended for free-standing applications.


Actual width 1/16" less nominal.
Actual depth 3/8" less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4" Wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	3"	15"	RCE1W363024N	\$659.	\$573.
	42"	24"	30"	9"	15"	RCE1W423024N	693.	602.
	48"	24"	30"	15"	15"	RCE1W483024N	742.	645.
	72"	24"	30"	30 1/2"	23 1/2"	RCE1W723024N	942.	821.

shown with grommet

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, RH 	36"	30"	24"	15"	3"	RCE1W362430N	659.	573.
	42"	30"	24"	15"	9"	RCE1W422430N	693.	602.
	48"	30"	24"	15"	15"	RCE1W482430N	742.	645.
	72"	30"	24"	23 1/2"	30 1/2"	RCE1W722430N	942.	821.

shown with grommet

Worksurfaces

Order Code

Example:	RCE1W483024N 118
RCE1	Cascade edge worksurface
W	Wave end
48	Width
30	Depth, left side
24	Depth, right side
N	No grommet
118	Top finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal for cord drop.


Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Worksurface 1 1/2"
 rectilinear
 20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSD241-()()()	\$346.	\$377.	\$434.	\$584.
		30"	RSD301-()()()	378.	414.	475.	642.
		36"	RSD361-()()()	401.	437.	502.	679.
		42"	RSD421-()()()	415.	457.	525.	709.
		48"	RSD481-()()()	437.	474.	545.	734.
		54"	RSD541-()()()	454.	492.	570.	770.
		60"	RSD601-()()()	513.	534.	614.	830.
		66"	RSD661-()()()	502.	549.	633.	854.
		72"	RSD721-()()()	530.	579.	663.	896.
		78"	RSD781-()()()	538.	584.	674.	911.
		84"	RSD841-()()()	570.	625.	717.	967.
		90"	RSD901-()()()	596.	650.	745.	1,008.
		96"	RSD961-()()()	618.	674.	774.	1,044.
		102"	RSD1021-()()()	680.	742.	852.	1,148.
	108"	RSD1081-()()()	748.	816.	936.	1,263.	
	24"	24"	RSD242-()()()	364.	396.	457.	617.
		30"	RSD302-()()()	411.	447.	517.	696.
		36"	RSD362-()()()	424.	468.	536.	723.
		42"	RSD422-()()()	442.	481.	553.	745.
		48"	RSD482-()()()	469.	517.	593.	799.
		54"	RSD542-()()()	502.	549.	633.	854.
		60"	RSD602-()()()	541.	591.	678.	915.
		66"	RSD662-()()()	555.	619.	701.	947.
		72"	RSD722-()()()	583.	636.	733.	991.
78"		RSD782-()()()	612.	665.	769.	1,037.	
84"		RSD842-()()()	634.	693.	797.	1,076.	
90"		RSD902-()()()	665.	724.	832.	1,122.	
96"		RSD962-()()()	689.	752.	866.	1,169.	
102"		RSD1022-()()()	758.	827.	953.	1,285.	
108"	RSD1082-()()()	833.	909.	1,048.	1,414.		

Order Code	Specification Information	Application Notes
Example: RSD241RL	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. Grommet option: F=Flush front grommet location N=No grommet R=Recessed front (not recommended for 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. Grommet finish: Painted, Plated	These worksurfaces are predrilled with pilot holes for use with wood screws.
D 1 1/2" thick	3. Top finish: L, V1, V2, V3	Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.
24 24" wide		
1 20" deep		
R Recessed grommet location		
111 Jet Black (grommet)		
V316 Top finish		

Worksurface 1 1/2"
rectilinear
30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSD243-()()()	\$397.	\$431.	\$493.	\$666.
		30"	RSD303-()()()	446.	485.	558.	755.
		36"	RSD363-()()()	478.	524.	600.	810.
		42"	RSD423-()()()	499.	544.	626.	847.
		48"	RSD483-()()()	534.	581.	666.	901.
		54"	RSD543-()()()	576.	628.	720.	972.
		60"	RSD603-()()()	597.	651.	747.	1,010.
		66"	RSD663-()()()	608.	664.	768.	1,036.
		72"	RSD723-()()()	625.	681.	783.	1,057.
		78"	RSD783-()()()	653.	714.	821.	1,107.
		84"	RSD843-()()()	679.	742.	853.	1,153.
		90"	RSD903-()()()	711.	776.	894.	1,207.
		96"	RSD963-()()()	735.	804.	925.	1,248.
		102"	RSD1023-()()()	810.	885.	1,018.	1,374.
	108"	RSD1083-()()()	890.	973.	1,120.	1,511.	
	36"	60"	RSD604-()()()	688.	751.	861.	1,153.
		66"	RSD664-()()()	711.	777.	895.	1,208.
		72"	RSD724-()()()	734.	803.	924.	1,247.

Order Code

Example: RSD243RL
R Reff
S Straight top
D 1 1/2" thick
36 36" wide
3 30" deep
R Recessed grommet location
111 Jet Black (grommet)
V316 Top finish

Specification Information

To order please specify pattern number including:

- Grommet options:
N = No grommets
F = Flush front grommet location
R = Recessed front (not recommended for 20"D and 24"D tops)
A = Alternate location (for 36"D tops only)
- Grommet finish:
Painted, Plated
- Finish:
L, V1, V2, V3

Applicable finishes are listed on page 5 and 6.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.


Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.

Worksurface 1 1/2" Bridge rectilinear

description	d	w	pattern no.	L	V1	V2	V3
Worksurface, bridge rectilinear 	20"	36"	RBD361H () () ()	\$401.	\$437.	\$502.	\$679.
		36"	RBD361V () () ()	401.	437.	502.	679.
		42"	RBD421H () () ()	415.	457.	525.	709.
		42"	RBD421V () () ()	415.	457.	525.	709.
		48"	RBD481H () () ()	437.	474.	545.	734.
		48"	RBD481V () () ()	437.	474.	545.	734.
		54"	RBD541V () () ()	454.	492.	570.	770.
		54"	RBD541H () () ()	454.	492.	570.	770.
	24"	36"	RBD362H () () ()	424.	468.	536.	723.
		36"	RBD362V () () ()	424.	468.	536.	723.
		42"	RBD422V () () ()	442.	481.	553.	745.
		42"	RBD422H () () ()	442.	481.	553.	745.
		48"	RBD482H () () ()	469.	517.	593.	799.
		48"	RBD482V () () ()	469.	517.	593.	799.
		54"	RBD542H () () ()	502.	549.	633.	854.
		54"	RBD542V () () ()	502.	549.	633.	854.

Order Code

Example: RBD361H	
R	Reff
B	Bridge
D	1 1/2"
36	36" wide
H/V	
F	Grommet type
115	Grommet finish
114	Laminate

Specification Information

- To order please specify pattern number including:*
- Options for grain direction
H=Horizontal grain direction
V=Vertical grain direction
 - Grommet type:
N=No grommet
F=Flush front grommet locaton
 - Grommet finish:
Painted, Plated
 - Finish
L, V1, V2, V3


Application Notes

- Modesty sold separately
- Stiffener sold separately
- Assembly required.
- Worksurface stiffeners recommended to provide additional support for open spans greater than 54" w.
- Hardware not included.
- J-Bracket sold separately.
- Above dimensions are all nominal.

Worksurface Credenza

1" No grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCE601()	\$472.	\$472.	\$543.	\$734.
		66"	RCE661()	486.	486.	560.	756.
		72"	RCE721()	512.	512.	587.	793.
		78"	RCE781()	517.	517.	596.	805.
		84"	RCE841()	553.	553.	634.	856.
		90"	RCE901()	575.	575.	659.	892.
		96"	RCE961()	596.	596.	685.	924.
		102"	RCE1021()	656.	656.	754.	1,017.
	108"	RCE1081()	722.	722.	829.	1,118.	
	24"	60"	RCE602()	523.	523.	599.	810.
		66"	RCE662()	539.	539.	621.	837.
		72"	RCE722()	562.	562.	649.	877.
		78"	RCE782()	589.	589.	681.	918.
		84"	RCE842()	614.	614.	706.	953.
		90"	RCE902()	641.	641.	736.	993.
		96"	RCE962()	665.	665.	766.	1,034.
102"		RCE1022()	732.	732.	843.	1,137.	
108"	RCE1082()	805.	805.	927.	1,251.		


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCE601	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	No grommet options Credenza tops are drilled to accept pedestals and end panels. Credenza tops are predrilled with pilot holes for use with wood screws. 1" Credenza tops are recommended to work with the Task Panel application. Credenza tops are intended to be supported by full lower storage.
R Reff		
C Credenza Top		
E 1"		
60 width		
1 20"		
V316 Finish		

Worksurface Credenza

1" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20"	60"	RCEEG601()	\$660.	\$660.	\$760.	\$1,028.
		66"	RCEEG661()	681.	681.	785.	1,059.
		72"	RCEEG721()	717.	717.	822.	1,110.
		78"	RCEEG781()	724.	724.	835.	1,128.
		84"	RCEEG841()	775.	775.	888.	1,198.
		90"	RCEEG901()	804.	804.	923.	1,248.
		96"	RCEEG961()	835.	835.	959.	1,294.
		102"	RCEEG1021()	919.	919.	1,055.	1,422.
	108"	RCEEG1081()	1,010.	1,010.	1,161.	1,566.	
	24"	60"	RCEEG602()	732.	732.	839.	1,133.
		66"	RCEEG662()	754.	754.	869.	1,172.
		72"	RCEEG722()	787.	787.	908.	1,227.
		78"	RCEEG782()	825.	825.	953.	1,284.
		84"	RCEEG842()	859.	859.	988.	1,334.
		90"	RCEEG902()	897.	897.	1,031.	1,391.
		96"	RCEEG962()	931.	931.	1,073.	1,448.
102"		RCEEG1022()	1,025.	1,025.	1,180.	1,592.	
108"	RCEEG1082()	1,127.	1,127.	1,298.	1,752.		

Order Code

Example: RCEEG601
R Reff
C Credenza Top
E 1"
EG Edge Grommet
60 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:
 1. Top finish
 L,V1,V2,V3

Application Notes


These tops will always come with a cut out (notch) at the back of top.
 No grommet option.

Credenza tops are drilled to accept pedestals.
 Credenza tops are predrilled with pilot holes for use with wood screws.
 1" Credenza tops are recommended to work with the Task Panel application.
 Credenza tops are intended to be supported by full lower storage.
 Edge grommet: 35mm deep, 6" in from back corner.

Worksurface Credenza

1 1/2" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCD601()	\$726.	\$726.	\$836.	\$1,131.
		66"	RCD661()	749.	749.	863.	1,164.
		72"	RCD721()	788.	579.	904.	1,222.
		78"	RCD781()	796.	796.	919.	1,240.
		84"	RCD841()	852.	852.	977.	1,318.
		90"	RCD901()	885.	885.	1,016.	1,374.
		96"	RCD961()	919.	919.	1,055.	1,422.
		102"	RCD1021()	1,010.	1,010.	1,161.	1,566.
		108"	RCD1081()	1,111.	1,111.	1,276.	1,721.
	24"	60"	RCD602()	805.	805.	923.	1,246.
		66"	RCD662()	829.	829.	957.	1,290.
		72"	RCD722()	866.	866.	999.	1,350.
		78"	RCD782()	907.	907.	1,049.	1,413.
		84"	RCD842()	946.	946.	1,087.	1,468.
		90"	RCD902()	987.	987.	1,134.	1,530.
		96"	RCD962()	1,025.	1,025.	1,180.	1,592.
		102"	RCD1022()	1,127.	1,127.	1,298.	1,752.
108"		RCD1082()	1,240.	1,240.	1,428.	1,927.	

Worksurfaces

Order Code

Example: RCEEG601
R Reff
C Credenza
D 1 1/2" top
60 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:
 1. Finish
 L, V1, V2, V3

Application Notes

These tops will always come with a cut out (notch) at the back of top.
 No grommet option.

Credenza tops are drilled to accept pedestals.
 Credenza tops are predrilled with pilot holes for use with wood screws.
 1" Credenza tops are recommended to work with the Task Panel application.
 Credenza tops are intended to be supported by full lower storage.
 Edge grommet: 35mm deep, 6" in from back corner.

Peninsula 1 1/2


Planning Guidelines and Specifications

Peninsulas

Peninsulas for Reff Profiles are a central element in private office planning. Peninsulas are available in two styles; flush mounted and over-sailing. The flush mounted style is intended to connect tops which use full height pedestals for support, creating a flush transition

between the peninsula and the adjoining top. The over-sailing style of peninsula is designed to overlap low storage made up of $\frac{3}{4}$ height cabinets with 1" credenza tops or Progressive low credenzas by using a stand-off to support the peninsula top and create a space between the top and the low storage element.

See diagrams below and page following for descriptions. Peninsulas are offered as complete assemblies including worksurface, leg(s), credenza support, and grommet options.



Peninsula 1 1/2

Planning Guidelines and Specifications

Specification Options

Peninsulas are available with a variety of worksurface shapes including rectilinear, asymmetrical and symmetrical bullet, P, 9 and D shapes.

Peninsula tops are available in any Reff Profiles core laminate or veneer finish; see Reff Profiles finish options pages for further information.

Laminate tops are offered with color-matched edges or wood veneer edges as a mixed finish option. Edge material for veneer tops is wood.


Flush mounted peninsulas, previous page below right, come with Flush Mounting kit including two flush plates and connection hardware.

Over-sailing peninsulas are offered with two stand-off options; Power Center, previous page middle, and Simple stand-off, previous page left.


The Power Center kit is supplied with power center grommet, stand-off, round cable grommet and connection hardware. When specified with a Power Center, the peninsula

top is pre-drilled to accept the Power Center grommet. The Power Center stand-off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.


In the recommended mounting location, the peninsula top will be 2 1/2" from the wall or the back edge of the 1" credenza top (over 3/4 height pedestals). Refer to elevation diagrams below for details.



Over-Sailing Style
Peninsula with Power Center



Flush Mounted Style
Peninsula with Flush Mount



Over-Sailing Style
Peninsula with Simple Stand-Off

Peninsula 1 1/2

Planning Guidelines and Specifications

The Simple Stand-Off kit is supplied with a simple stand-off, stand-off mount, round cable grommet and connection hardware. When specified, the peninsula top is pre-drilled to accept the 2 x 3 grommet. The Simple Stand-Off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.

Power center and 2 x 3 grommets are offered in three plated finishes; Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU) and all core paint finishes.

Stand-Off's are offered in all Reff Profiles core paint finishes.

Rectilinear Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount

Peninsula 1 1/2

Planning Guidelines and Specifications

Leg options for Peninsulas include L-leg, reverse L-leg, soft rectangular leg, open frame leg and cylindrical column leg. L, reverse L, soft rectangular and open frame legs are offered with anodized finishes: Black (AN), Polished (AP) and Satin (AU).








Cylindrical column leg is offered with plated finishes: Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU).

All legs are available in all Reff Profiles core paint finishes.

Rectilinear peninsula tops are offered with L, reverse L, soft rectangular, and open frame leg options. All other peninsula tops are offered with cylindrical column leg.

Refer to figures on previous page and following for grommet locations and order codes.

Asymmetric Bullet Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
 <p>Simple Stand-Off</p> <p>N</p> <p>Leg</p>		 <p>Flush Plates</p> <p>N</p> <p>Leg</p>
 <p>Grommet</p> <p>Depth / 2</p> <p>9 1/2"</p> <p>S</p> <p>Depth</p>	 <p>Power Center</p> <p>P</p> <p>Leg</p>	
 <p>20 1/2"</p> <p>9 1/2"</p> <p>E</p>		 <p>20 1/2"</p> <p>9 1/2"</p> <p>E</p>
 <p>20 1/2"</p> <p>9 1/2"</p> <p>Depth</p> <p>Depth / 2</p> <p>9 1/2"</p> <p>SE</p>		

Peninsula 1 1/2

Planning Guidelines and Specifications

Construction

Reff Profiles peninsula tops are nominal 1 1/2" thick, consisting of 1 7/16" thick substrate with a laminate or veneer surface finish.

Laminate tops have a laminate top surface with an FSC-certified particle board core and a paper backer sheet for balanced construction. Edges can match the top or are available in a selection

of veneers. Matching edges are in 2.0mm ABS with 2.0mm radius top and bottom edges. End edges overlap the front and back edges with the outside corners minimally radiused.


Edges on veneer tops are 2.4mm thick wood with 2.4mm radius top and bottom edges. Ends overlap front and back edges

with 2.4mm radius on outside corners.

All tops are supplied with pilot holes for hardware inserts for attachment of specified leg options.

Legs are shipped separately, fully assembled with connection hardware included.

Symmetric Bullet Tops Right Hand Shown



Peninsula 1 1/2

Planning Guidelines and Specifications

Planning Notes

1. Partial height modesty is available, sold separately and field installed.
2. J-wire manager is available, sold separately and field installed.
3. Peninsula tops require additional stiffening for spans greater than 54".
4. Peninsula top is right handed when the leg is on the right hand side (from the users perspective) and vice versa.
5. Power center electrical components are not included with the Peninsula and are ordered separately.

P and 9 Tops

Flush Mount Options:

P-Shaped













9-Shaped

<p>No Grommet</p>		
<p>Single Grommet</p>		
<p>Double Grommet</p>		


Peninsula 1 1/2

Planning Guidelines and Specifications

D Tops Right Hand Shown


Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>N</p>	<p>Power Center</p>  <p>N</p>	<p>Flush Plates</p>  <p>N</p>
<p>9 1/2"</p> <p>Depth / 2</p>  <p>Grommet</p> <p>S</p>	<p>Power Center</p>  <p>S</p>	<p>Flush Plates</p>  <p>S</p>
<p>Straight / 2</p>  <p>M</p>	<p>Power Center</p>  <p>M</p>	<p>Flush Plates</p>  <p>M</p>
<p>9 1/2"</p> <p>Depth / 2</p>  <p>SM</p>	<p>Power Center</p>  <p>PM</p>	<p>Flush Plates</p>  <p>SM</p>

Peninsula 1 1/2
 Worksurface with L-leg
 Stand-Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDLPC(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDLPC(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDLPC(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDLPC(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDLPC(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDLPC(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDLPC(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDLPC(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDLPC(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDLPC(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDLPC(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDLPC(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDLPC(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDLPC(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDLPC(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDLPC(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDLPC(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDLPC(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDLPC(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDLPC(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.


Order Code	Specification Information	Application Notes
Example: RPTDLPC(L/R)6030() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center, PE= Power center grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet option Painted or plated	Refer to grommet page for location option.
L L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2
 Worksurface with L-leg
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDLST(L/R)6020() () () ()	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDLST(L/R)6620() () () ()	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDLST(L/R)7220() () () ()	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDLST(L/R)7820() () () ()	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDLST(L/R)8420() () () ()	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDLST(L/R)6024() () () ()	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDLST(L/R)6624() () () ()	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDLST(L/R)7224() () () ()	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDLST(L/R)7824() () () ()	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDLST(L/R)8424() () () ()	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDLST(L/R)6030() () () ()	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDLST(L/R)6630() () () ()	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDLST(L/R)7230() () () ()	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDLST(L/R)7830() () () ()	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDLST(L/R)8430() () () ()	1,580.	1,643.	1,754.	2,054.
	36"	60"	1 1/2"	RPTDLST(L/R)6036() () () ()	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDLST(L/R)6636() () () ()	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDLST(L/R)7236() () () ()	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDLST(L/R)7836() () () ()	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDLST(L/R)8436() () () ()	1,682.	1,751.	1,884.	2,230.

Order Code	Specification Information	Application Notes
Example: RPTDLST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
L L-Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off grommet with end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
E Grommet Type	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet option	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	


Peninsula 1 1/2
 Worksurface with L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	20"	36"	1 1/2"	RPTDLFM(L/R)3620() () ()	\$957.	\$1,089.	\$1,131.	\$1,277.
		42"	1 1/2"	RPTDLFM(L/R)4220() () ()	970.	1,112.	1,159.	1,323.
		48"	1 1/2"	RPTDLFM(L/R)4820() () ()	1,173.	1,210.	1,281.	1,471.
		54"	1 1/2"	RPTDLFM(L/R)5420() () ()	1,191.	1,229.	1,306.	1,507.
		60"	1 1/2"	RPTDLFM(L/R)6020() () ()	1,227.	1,270.	1,350.	1,567.
		66"	1 1/2"	RPTDLFM(L/R)6620() () ()	1,238.	1,285.	1,370.	1,590.
		72"	1 1/2"	RPTDLFM(L/R)7220() () ()	1,267.	1,315.	1,400.	1,633.
		78"	1 1/2"	RPTDLFM(L/R)7820() () ()	1,274.	1,320.	1,410.	1,647.
		84"	1 1/2"	RPTDLFM(L/R)8420() () ()	1,306.	1,362.	1,453.	1,704.
		24"	36"	1 1/2"	RPTDLFM(L/R)3624() () ()	969.	1,121.	1,167.
42"	1 1/2"		RPTDLFM(L/R)4224() () ()	991.	1,145.	1,196.	1,381.	
48"	1 1/2"		RPTDLFM(L/R)4824() () ()	1,205.	1,254.	1,330.	1,536.	
54"	1 1/2"		RPTDLFM(L/R)5424() () ()	1,238.	1,285.	1,370.	1,590.	
60"	1 1/2"		RPTDLFM(L/R)6024() () ()	1,277.	1,328.	1,414.	1,651.	
66"	1 1/2"		RPTDLFM(L/R)6624() () ()	1,292.	1,345.	1,438.	1,683.	
72"	1 1/2"		RPTDLFM(L/R)7224() () ()	1,319.	1,372.	1,470.	1,727.	
78"	1 1/2"		RPTDLFM(L/R)7824() () ()	1,345.	1,402.	1,506.	1,774.	
84"	1 1/2"		RPTDLFM(L/R)8424() () ()	1,371.	1,430.	1,534.	1,813.	

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDLFM(L/R)3620() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
IL L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
36 Width		
20 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


Peninsula 1 1/2
 Worksurface with L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3	
 Peninsula Rectilinear Top Left hand shown	30"	36"	1 1/2"	RPTDLFM(L/R)3630() () () ()	\$1,009.	\$1,153.	\$1,206.	\$1,397.	
		42"	1 1/2"	RPTDLFM(L/R)4230() () () ()	1,023.	1,176.	1,237.	1,451.	
		48"	1 1/2"	RPTDLFM(L/R)4830() () () ()	1,286.	1,340.	1,426.	1,666.	
		54"	1 1/2"	RPTDLFM(L/R)5430() () () ()	1,310.	1,364.	1,454.	1,706.	
		60"	1 1/2"	RPTDLFM(L/R)6030() () () ()	1,334.	1,387.	1,483.	1,747.	
		66"	1 1/2"	RPTDLFM(L/R)6630() () () ()	1,344.	1,401.	1,505.	1,773.	
		72"	1 1/2"	RPTDLFM(L/R)7230() () () ()	1,362.	1,417.	1,519.	1,793.	
		78"	1 1/2"	RPTDLFM(L/R)7830() () () ()	1,389.	1,450.	1,557.	1,844.	
		84"	1 1/2"	RPTDLFM(L/R)8430() () () ()	1,415.	1,478.	1,589.	1,889.	
		36"	36"	1 1/2"	RPTDLFM(L/R)3636() () () ()	1,043.	1,179.	1,241.	1,458.
		42"	42"	1 1/2"	RPTDLFM(L/R)4236() () () ()	1,061.	1,216.	1,286.	1,531.
		48"	48"	1 1/2"	RPTDLFM(L/R)4836() () () ()	1,378.	1,441.	1,540.	1,808.
		54"	54"	1 1/2"	RPTDLFM(L/R)5436() () () ()	1,401.	1,464.	1,569.	1,848.
		60"	60"	1 1/2"	RPTDLFM(L/R)6036() () () ()	1,424.	1,487.	1,598.	1,889.
		66"	66"	1 1/2"	RPTDLFM(L/R)6636() () () ()	1,447.	1,513.	1,632.	1,945.
		72"	72"	1 1/2"	RPTDLFM(L/R)7236() () () ()	1,471.	1,540.	1,660.	1,984.
78"	78"	1 1/2"	RPTDLFM(L/R)7836() () () ()	1,495.	1,563.	1,689.	2,025.		
84"	84"	1 1/2"	RPTDLFM(L/R)8436() () () ()	1,517.	1,586.	1,719.	2,065.		

Order Code	Specification Information	Application Notes
Example: RPTDLFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
IL L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
36 Width		
20 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Worksurface with Reverse L-leg


Stand Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRPC(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDRPC(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDRPC(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDRPC(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDRPC(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDRPC(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDRPC(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDRPC(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDRPC(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDRPC(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDRPC(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDRPC(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDRPC(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDRPC(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDRPC(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDRPC(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDRPC(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDRPC(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDRPC(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDRPC(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDRPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center, PE=Power center plus end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
30 Depth		
40 Width		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-off finish		

Peninsula 1 1/2
 Worksurface with Reverse L-leg
 Simple Stand Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRST(L/R)6020() () () ()	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDRST(L/R)6620() () () ()	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDRST(L/R)7220() () () ()	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDRST(L/R)7820() () () ()	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDRST(L/R)8420() () () ()	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDRST(L/R)6024() () () ()	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDRST(L/R)6624() () () ()	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDRST(L/R)7224() () () ()	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDRST(L/R)7824() () () ()	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDRST(L/R)8424() () () ()	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDRST(L/R)6030() () () ()	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDRST(L/R)6630() () () ()	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDRST(L/R)7230() () () ()	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDRST(L/R)7830() () () ()	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDRST(L/R)8430() () () ()	1,580.	1,643.	1,105.	2,054.
	36"	60"	1 1/2"	RPTDRST(L/R)6036() () () ()	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDRST(L/R)6636() () () ()	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDRST(L/R)7236() () () ()	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDRST(L/R)7836() () () ()	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDRST(L/R)8436() () () ()	1,682.	1,751.	1,884.	2,230.


Order Code	Specification Information	Application Notes
Example: RPTDRST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
R Reverse L-leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off and end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
SE Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

Peninsula 1 1/2
 Worksurface with Reverse L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3	
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDRFM(L/R)3620() () () ()	\$957.	\$1,089.	\$1,131.	\$1,277.	
		42"	1 1/2"	RPTDRFM(L/R)4220() () () ()	970.	1,112.	1,159.	1,323.	
		48"	1 1/2"	RPTDRFM(L/R)4820() () () ()	1,173.	1,210.	1,281.	1,471.	
		54"	1 1/2"	RPTDRFM(L/R)5420() () () ()	1,191.	1,229.	1,306.	1,507.	
		60"	1 1/2"	RPTDRFM(L/R)6020() () () ()	1,227.	1,270.	1,350.	1,567.	
		66"	1 1/2"	RPTDRFM(L/R)6620() () () ()	1,238.	1,285.	1,370.	1,590.	
		72"	1 1/2"	RPTDRFM(L/R)7220() () () ()	1,267.	1,315.	1,400.	1,633.	
		78"	1 1/2"	RPTDRFM(L/R)7820() () () ()	1,274.	1,320.	1,410.	1,647.	
		84"	1 1/2"	RPTDRFM(L/R)8420() () () ()	1,306.	1,362.	1,453.	1,704.	
		24"	36"	1 1/2"	RPTDRFM(L/R)3624() () () ()	969.	1,121.	1,167.	1,332.
			42"	1 1/2"	RPTDRFM(L/R)4224() () () ()	991.	1,145.	1,196.	1,381.
			48"	1 1/2"	RPTDRFM(L/R)4824() () () ()	1,205.	1,254.	1,330.	1,536.
			54"	1 1/2"	RPTDRFM(L/R)5424() () () ()	1,238.	1,285.	1,370.	1,590.
			60"	1 1/2"	RPTDRFM(L/R)6024() () () ()	1,277.	1,328.	1,414.	1,651.
			66"	1 1/2"	RPTDRFM(L/R)6624() () () ()	1,292.	1,345.	1,438.	1,683.
			72"	1 1/2"	RPTDRFM(L/R)7224() () () ()	1,319.	1,372.	1,470.	1,727.
78"	1 1/2"		RPTDRFM(L/R)7824() () () ()	1,345.	1,402.	1,506.	1,774.		
84"	1 1/2"		RPTDRFM(L/R)8424() () () ()	1,371.	1,430.	1,534.	1,813.		

Order Code	Specification Information	Application Notes
Example: RPTDRFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Leg	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		Peninsula worksurfaces with power center do not come with Electrical Components.
36 Width		For electrical components please refer to page 460.
20 Depth		Products on this page work with 28 3/8" height planning.
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


Peninsula 1 1/2
Worksurface with Reverse L-leg
Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <i>Left hand shown</i>	30"	36"	1 1/2"	RPTDRFM(L/R)3630() () () ()	\$1,009.	\$1,153.	\$1,206.	\$1,397.
		42"	1 1/2"	RPTDRFM(L/R)4230() () () ()	1,023.	1,176.	1,237.	1,451.
		48"	1 1/2"	RPTDRFM(L/R)4830() () () ()	1,286.	1,340.	1,426.	1,666.
		54"	1 1/2"	RPTDRFM(L/R)5430() () () ()	1,310.	1,364.	1,454.	1,706.
		60"	1 1/2"	RPTDRFM(L/R)6030() () () ()	1,334.	1,387.	1,483.	1,747.
		66"	1 1/2"	RPTDRFM(L/R)6630() () () ()	1,344.	1,401.	1,505.	1,773.
		72"	1 1/2"	RPTDRFM(L/R)7230() () () ()	1,362.	1,417.	1,519.	1,793.
		78"	1 1/2"	RPTDRFM(L/R)7830() () () ()	1,389.	1,450.	1,557.	1,844.
		84"	1 1/2"	RPTDRFM(L/R)8430() () () ()	1,415.	1,478.	1,589.	1,889.
		<hr/>						
	36"	36"	1 1/2"	RPTDRFM(L/R)3636() () () ()	1,043.	1,179.	1,141.	1,458.
		42"	1 1/2"	RPTDRFM(L/R)4236() () () ()	1,061.	1,216.	1,286.	1,531.
		48"	1 1/2"	RPTDRFM(L/R)4836() () () ()	1,378.	1,441.	1,540.	1,808.
		54"	1 1/2"	RPTDRFM(L/R)5436() () () ()	1,401.	1,464.	1,569.	1,848.
		54"	1 1/2"	RPTDRFM(L/R)6036() () () ()	1,424.	1,487.	1,598.	1,889.
		66"	1 1/2"	RPTDRFM(L/R)6636() () () ()	1,447.	1,513.	1,632.	1,945.
		72"	1 1/2"	RPTDRFM(L/R)7236() () () ()	1,471.	1,540.	1,660.	1,984.
		78"	1 1/2"	RPTDRFM(L/R)7836() () () ()	1,495.	1,563.	1,689.	2,025.
		84"	1 1/2"	RPTDRFM(L/R)8436() () () ()	1,517.	1,586.	1,719.	2,065.

Order Code	Specification Information	Application Notes
Example: RPTDRFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Peninsula worksurfaces with power center do not come with Electrical Components.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Mid. grommet	Wire chase sold separately.
D 1 1/2"	3. Grommet finish Painted or plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	Refer to grommet page for location option.
FM Flush Mount Attachment Leg	5. Leg finish Painted or Anodized	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L Left hand/ Right hand		
36 Width		
20 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2


Worksurface with Soft Rectangular Leg Stand Off with Power Center, Rectilinear top

description	d	w	th	pattern number	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDSPC(L/R)6020() () () ()	\$1,510.	\$1,553.	\$1,634.	\$1,850.
		66"	1 1/2"	RPTDSPC(L/R)6620() () () ()	1,521.	1,569.	1,653.	1,874.
		72"	1 1/2"	RPTDSPC(L/R)7220() () () ()	1,550.	1,599.	1,683.	1,916.
		78"	1 1/2"	RPTDSPC(L/R)7820() () () ()	1,557.	1,604.	1,693.	1,930.
		84"	1 1/2"	RPTDSPC(L/R)8420() () () ()	1,589.	1,645.	1,737.	1,987.
	24"	60"	1 1/2"	RPTDSPC(L/R)6024() () () ()	1,560.	1,611.	1,697.	1,934.
		66"	1 1/2"	RPTDSPC(L/R)6624() () () ()	1,575.	1,628.	1,721.	1,966.
		72"	1 1/2"	RPTDSPC(L/R)7224() () () ()	1,603.	1,655.	1,753.	2,011.
		78"	1 1/2"	RPTDSPC(L/R)7824() () () ()	1,628.	1,685.	1,789.	2,057.
		84"	1 1/2"	RPTDSPC(L/R)8424() () () ()	1,654.	1,713.	1,817.	2,096.
	30"	60"	1 1/2"	RPTDSPC(L/R)6030() () () ()	1,617.	1,671.	1,766.	2,030.
		66"	1 1/2"	RPTDSPC(L/R)6630() () () ()	1,627.	1,684.	1,788.	2,056.
		72"	1 1/2"	RPTDSPC(L/R)7230() () () ()	1,645.	1,701.	1,803.	2,076.
		78"	1 1/2"	RPTDSPC(L/R)7830() () () ()	1,673.	1,733.	1,841.	2,127.
		84"	1 1/2"	RPTDSPC(L/R)8430() () () ()	1,698.	1,761.	1,873.	2,172.
	36"	60"	1 1/2"	RPTDSPC(L/R)6036() () () ()	1,708.	1,771.	1,881.	2,172.
		66"	1 1/2"	RPTDSPC(L/R)6636() () () ()	1,730.	1,796.	1,915.	2,228.
		72"	1 1/2"	RPTDSPC(L/R)7236() () () ()	1,754.	1,823.	1,944.	2,267.
		78"	1 1/2"	RPTDSPC(L/R)7836() () () ()	1,778.	1,846.	1,972.	2,308.
		84"	1 1/2"	RPTDSPC(L/R)8436() () () ()	1,800.	1,869.	2,002.	2,348.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDSPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
PC Power Center	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L Left hand/ Right hand	5. Leg finish Painted or Anodized	
60 Width	6. Stand-off finish Painted	
30 Depth		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		


Peninsula 1 1/2
 Worksurface with Soft Rectangular Leg
 Simple Stand Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDSST(L/R)6020() () () ()	\$1,438.	\$1,481.	\$1,561.	\$1,778.
		66"	1 1/2"	RPTDSST(L/R)6620() () () ()	1,449.	1,497.	1,581.	1,801.
		72"	1 1/2"	RPTDSST(L/R)7220() () () ()	1,478.	1,526.	1,611.	1,844.
		78"	1 1/2"	RPTDSST(L/R)7820() () () ()	1,485.	1,532.	1,621.	1,858.
		84"	1 1/2"	RPTDSST(L/R)8420() () () ()	1,517.	1,573.	1,664.	1,915.
	24"	60"	1 1/2"	RPTDSST(L/R)6024() () () ()	1,488.	1,539.	1,625.	1,862.
		66"	1 1/2"	RPTDSST(L/R)6624() () () ()	1,503.	1,556.	1,649.	1,894.
		72"	1 1/2"	RPTDSST(L/R)7224() () () ()	1,531.	1,583.	1,681.	1,938.
		78"	1 1/2"	RPTDSST(L/R)7824() () () ()	1,556.	1,613.	1,717.	1,985.
		84"	1 1/2"	RPTDSST(L/R)8424() () () ()	1,582.	1,641.	1,745.	2,024.
	30"	60"	1 1/2"	RPTDSST(L/R)6030() () () ()	1,545.	1,599.	1,694.	1,958.
		66"	1 1/2"	RPTDSST(L/R)6630() () () ()	1,555.	1,612.	1,716.	1,984.
		72"	1 1/2"	RPTDSST(L/R)7230() () () ()	1,573.	1,628.	1,730.	2,004.
		78"	1 1/2"	RPTDSST(L/R)7830() () () ()	1,601.	1,661.	1,769.	2,055.
		84"	1 1/2"	RPTDSST(L/R)8430() () () ()	1,626.	1,689.	1,800.	2,100.
	36"	60"	1 1/2"	RPTDSST(L/R)6036() () () ()	1,636.	1,698.	1,809.	2,100.
		66"	1 1/2"	RPTDSST(L/R)6636() () () ()	1,658.	1,724.	1,843.	2,156.
		72"	1 1/2"	RPTDSST(L/R)7236() () () ()	1,682.	1,751.	1,872.	2,195.
		78"	1 1/2"	RPTDSST(L/R)7836() () () ()	1,706.	1,774.	1,900.	2,236.
		84"	1 1/2"	RPTDSST(L/R)8436() () () ()	1,728.	1,797.	1,930.	2,276.

Order Code	Specification Information	Application Notes
Example: RPTDSST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
S Soft Rectangular Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand Off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off and end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
E Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

Peninsula 1 1/2


Worksurface with Soft Rectangular Leg Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDSFM(L/R)3620() () () ()	\$1,094.	\$1,226.	\$1,268.	\$1,414.
		42"	1 1/2"	RPTDSFM(L/R)4220() () () ()	1,107.	1,249.	1,296.	1,460.
		48"	1 1/2"	RPTDSFM(L/R)4820() () () ()	1,220.	1,257.	1,328.	1,517.
		54"	1 1/2"	RPTDSFM(L/R)5420() () () ()	1,237.	1,275.	1,352.	1,553.
		60"	1 1/2"	RPTDSFM(L/R)6020() () () ()	1,273.	1,316.	1,397.	1,613.
		66"	1 1/2"	RPTDSFM(L/R)6620() () () ()	1,284.	1,332.	1,416.	1,637.
		72"	1 1/2"	RPTDSFM(L/R)7220() () () ()	1,313.	1,362.	1,446.	1,679.
		78"	1 1/2"	RPTDSFM(L/R)7820() () () ()	1,320.	1,367.	1,456.	1,693.
		84"	1 1/2"	RPTDSFM(L/R)8420() () () ()	1,352.	1,408.	1,500.	1,750.
		24"	36"	1 1/2"	RPTDSFM(L/R)3624() () () ()	1,106.	1,258.	1,304.
42"	1 1/2"		RPTDSFM(L/R)4224() () () ()	1,128.	1,282.	1,333.	1,518.	
48"	1 1/2"		RPTDSFM(L/R)4824() () () ()	1,251.	1,300.	1,376.	1,582.	
54"	1 1/2"		RPTDSFM(L/R)5424() () () ()	1,284.	1,332.	1,416.	1,637.	
60"	1 1/2"		RPTDSFM(L/R)6024() () () ()	1,324.	1,374.	1,461.	1,697.	
66"	1 1/2"		RPTDSFM(L/R)6624() () () ()	1,338.	1,392.	1,484.	1,729.	
72"	1 1/2"		RPTDSFM(L/R)7224() () () ()	1,366.	1,418.	1,516.	1,774.	
78"	1 1/2"		RPTDSFM(L/R)7824() () () ()	1,392.	1,448.	1,552.	1,820.	
84"	1 1/2"		RPTDSFM(L/R)8424() () () ()	1,417.	1,476.	1,580.	1,859.	
30"	36"		1 1/2"	RPTDSFM(L/R)3630() () () ()	1,146.	1,290.	1,343.	1,534.
	42"	1 1/2"	RPTDSFM(L/R)4230() () () ()	1,160.	1,313.	1,373.	1,588.	
	48"	1 1/2"	RPTDSFM(L/R)4830() () () ()	1,333.	1,386.	1,472.	1,712.	
	54"	1 1/2"	RPTDSFM(L/R)5430() () () ()	1,357.	1,410.	1,501.	1,752.	
	60"	1 1/2"	RPTDSFM(L/R)6030() () () ()	1,380.	1,434.	1,530.	1,793.	
	66"	1 1/2"	RPTDSFM(L/R)6630() () () ()	1,391.	1,447.	1,551.	1,819.	
	72"	1 1/2"	RPTDSFM(L/R)7230() () () ()	1,408.	1,464.	1,566.	1,840.	
	78"	1 1/2"	RPTDSFM(L/R)7830() () () ()	1,436.	1,497.	1,604.	1,890.	
	84"	1 1/2"	RPTDSFM(L/R)8430() () () ()	1,462.	1,524.	1,636.	1,935.	
	36"	36"	1 1/2"	RPTDSFM(L/R)3636() () () ()	1,180.	1,316.	1,378.	1,595.
42"		1 1/2"	RPTDSFM(L/R)4236() () () ()	1,198.	1,353.	1,423.	1,668.	
48"		1 1/2"	RPTDSFM(L/R)4836() () () ()	1,424.	1,487.	1,586.	1,854.	
54"		1 1/2"	RPTDSFM(L/R)5436() () () ()	1,447.	1,510.	1,615.	1,894.	
60"		1 1/2"	RPTDSFM(L/R)6036() () () ()	1,471.	1,534.	1,644.	1,935.	

Order Code	Specification Information	Application Notes
Example: RPTDSFM(L/R)4830() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End N=No grommet M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Platef	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
48 Width		
30 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Worksurfaces


*Worksurface with Soft Rectangular Leg
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
	36"	66"	1 1/2"	RPTDSFM(L/R)6636() () () ()	\$1,494.	\$1,559.	\$1,678.	\$1,991.
		72"	1 1/2"	RPTDSFM(L/R)7236() () () ()	1,517.	1,586.	1,707.	2,030.
		78"	1 1/2"	RPTDSFM(L/R)7836() () () ()	1,541.	1,609.	1,736.	2,071.
		84"	1 1/2"	RPTDSFM(L/R)8436() () () ()	1,564.	1,633.	1,765.	2,112.

Left hand shown

Order Code	Specification Information	Application Notes
Example: RPTDSFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	E=End N=No grommet M=Mid. grommet	Refer to grommet page for location option.
S Soft Rectangular Leg	3. Grommet finish	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Platef	4. Worksurface finish	
L Left hand/ Right hand	L, V1, V2, V3	
48 Width	5. Leg finish	
30 Depth	Painted or Anodized	
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


*Worksurface with Open Frame Leg
Stand-Off with Power Center, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	60"	1 1/2"	RPTDOPC(L/R)6020() () () ()	\$1,536.	\$1,579.	\$1,659.	\$1,876.
		66"	1 1/2"	RPTDOPC(L/R)6620() () () ()	1,547.	1,594.	1,679.	1,899.
		72"	1 1/2"	RPTDOPC(L/R)7220() () () ()	1,576.	1,624.	1,709.	1,942.
		78"	1 1/2"	RPTDOPC(L/R)7820() () () ()	1,583.	1,629.	1,719.	1,956.
		84"	1 1/2"	RPTDOPC(L/R)8420() () () ()	1,615.	1,671.	1,762.	2,013.
	24"	60"	1 1/2"	RPTDOPC(L/R)6024() () () ()	1,586.	1,637.	1,723.	1,960.
		66"	1 1/2"	RPTDOPC(L/R)6624() () () ()	1,601.	1,654.	1,747.	1,992.
		72"	1 1/2"	RPTDOPC(L/R)7224() () () ()	1,628.	1,681.	1,779.	2,036.
		78"	1 1/2"	RPTDOPC(L/R)7824() () () ()	1,654.	1,711.	1,815.	2,083.
		84"	1 1/2"	RPTDOPC(L/R)8424() () () ()	1,680.	1,739.	1,843.	2,122.
	30"	60"	1 1/2"	RPTDOPC(L/R)6030() () () ()	1,643.	1,696.	1,792.	2,056.
		66"	1 1/2"	RPTDOPC(L/R)6630() () () ()	1,653.	1,710.	1,814.	2,082.
		72"	1 1/2"	RPTDOPC(L/R)7230() () () ()	1,671.	1,726.	1,828.	2,102.
		78"	1 1/2"	RPTDOPC(L/R)7830() () () ()	1,698.	1,759.	1,866.	2,153.
		84"	1 1/2"	RPTDOPC(L/R)8430() () () ()	1,724.	1,787.	1,898.	2,198.
	36"	60"	1 1/2"	RPTDOPC(L/R)6036() () () ()	1,733.	1,796.	1,907.	2,198.
		66"	1 1/2"	RPTDOPC(L/R)6636() () () ()	1,756.	1,822.	1,941.	2,254.
		72"	1 1/2"	RPTDOPC(L/R)7236() () () ()	1,780.	1,849.	1,969.	2,293.
		78"	1 1/2"	RPTDOPC(L/R)7836() () () ()	1,804.	1,872.	1,998.	2,334.
		84"	1 1/2"	RPTDOPC(L/R)8436() () () ()	1,826.	1,895.	2,028.	2,374.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDOPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2
Worksurface with Open Frame Leg
Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <i>Left hand shown</i>	20"	60"	1 1/2"	RPTDOST(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDOST(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDOST(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDOST(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDOST(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDOST(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDOST(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDOST(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDOST(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDOST(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDOST(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDOST(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDOST(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDOST(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDOST(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDOST(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDOST(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDOST(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDOST(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDOST(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.


Order Code	Specification Information	Application Notes
Example: RPTDOST(L/R)6030() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	M=Mid. grommet	Refer to grommet page for location option.
O Open Frame Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	S=Stand-off	
L Left hand/ Right hand	SE=Stand-off and end location	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
S Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

*Worksurface with Open Frame Leg
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDOFM(L/R)3620() () () ()	\$1,292.	\$1,424.	\$1,466.	\$1,612.
		42"	1 1/2"	RPTDOFM(L/R)4220() () () ()	1,305.	1,447.	1,488.	1,652.
		48"	1 1/2"	RPTDOFM(L/R)4820() () () ()	1,245.	1,282.	1,353.	1,543.
		54"	1 1/2"	RPTDOFM(L/R)5420() () () ()	1,263.	1,301.	1,378.	1,579.
		60"	1 1/2"	RPTDOFM(L/R)6020() () () ()	1,299.	1,342.	1,422.	1,639.
		66"	1 1/2"	RPTDOFM(L/R)6620() () () ()	1,310.	1,358.	1,442.	1,662.
		72"	1 1/2"	RPTDOFM(L/R)7220() () () ()	1,339.	1,387.	1,472.	1,705.
		78"	1 1/2"	RPTDOFM(L/R)7820() () () ()	1,346.	1,393.	1,482.	1,719.
		84"	1 1/2"	RPTDOFM(L/R)8420() () () ()	1,378.	1,434.	1,525.	1,776.
		<hr/>						
	24"	36"	1 1/2"	RPTDOFM(L/R)3624() () () ()	1,345.	1,497.	1,543.	1,708.
		42"	1 1/2"	RPTDOFM(L/R)4224() () () ()	1,366.	1,521.	1,572.	1,756.
		48"	1 1/2"	RPTDOFM(L/R)4824() () () ()	1,277.	1,326.	1,402.	1,608.
		54"	1 1/2"	RPTDOFM(L/R)5424() () () ()	1,310.	1,358.	1,442.	1,662.
		60"	1 1/2"	RPTDOFM(L/R)6024() () () ()	1,349.	1,400.	1,486.	1,723.
		66"	1 1/2"	RPTDOFM(L/R)6624() () () ()	1,364.	1,417.	1,510.	1,755.
		72"	1 1/2"	RPTDOFM(L/R)7224() () () ()	1,392.	1,444.	1,542.	1,799.
		78"	1 1/2"	RPTDOFM(L/R)7824() () () ()	1,417.	1,474.	1,578.	1,846.
		84"	1 1/2"	RPTDOFM(L/R)8424() () () ()	1,443.	1,502.	1,606.	1,885.
		<hr/>						
	30"	36"	1 1/2"	RPTDOFM(L/R)3630() () () ()	1,446.	1,589.	1,643.	1,834.
		42"	1 1/2"	RPTDOFM(L/R)4230() () () ()	1,460.	1,613.	1,673.	1,888.
		48"	1 1/2"	RPTDOFM(L/R)4830() () () ()	1,359.	1,412.	1,498.	1,738.
		54"	1 1/2"	RPTDOFM(L/R)5430() () () ()	1,382.	1,436.	1,526.	1,778.
		60"	1 1/2"	RPTDOFM(L/R)6030() () () ()	1,406.	1,460.	1,555.	1,819.
		66"	1 1/2"	RPTDOFM(L/R)6630() () () ()	1,416.	1,473.	1,577.	1,845.
		72"	1 1/2"	RPTDOFM(L/R)7230() () () ()	1,434.	1,489.	1,591.	1,865.
		78"	1 1/2"	RPTDOFM(L/R)7830() () () ()	1,462.	1,522.	1,629.	1,916.
		84"	1 1/2"	RPTDOFM(L/R)8430() () () ()	1,487.	1,550.	1,661.	1,961.
		<hr/>						
	36"	36"	1 1/2"	RPTDOFM(L/R)3636() () () ()	1,581.	1,718.	1,779.	1,997.
		42"	1 1/2"	RPTDOFM(L/R)4236() () () ()	1,599.	1,755.	1,825.	2,070.
		48"	1 1/2"	RPTDOFM(L/R)4836() () () ()	1,450.	1,513.	1,612.	1,880.
		54"	1 1/2"	RPTDOFM(L/R)5436() () () ()	1,473.	1,536.	1,641.	1,920.
		60"	1 1/2"	RPTDOFM(L/R)6036() () () ()	1,507.	1,559.	1,670.	1,961.

Order Code	Specification Information	Application Notes
Example: RPTDOFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End M=Mid. grommet N=No grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		Peninsula worksurfaces with power center do not come with Electrical Components.
36 Width		For electrical components please refer to page 460.
20 Depth		Products on this page work with 28 3/8" height planning.
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		




Peninsula 1 1/2
Worksurface with Open Frame Leg
Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
	36"	66"	1 1/2"	RPTDOFM(L/R)6636() () ()	\$1,519.	\$1,585.	\$1,704.	\$2,017.
		72"	1 1/2"	RPTDOFM(L/R)7236() () ()	1,543.	1,612.	1,732.	2,056.
		78"	1 1/2"	RPTDOFM(L/R)7836() () ()	1,567.	1,635.	1,761.	2,097.
		84"	1 1/2"	RPTDOFM(L/R)8436() () ()	1,589.	1,658.	1,791.	2,137.

Left hand shown

Order Code	Specification Information	Application Notes
Example: RPTDOFM(L/R)3620() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Peninsula worksurfaces with power center do not come with Electrical Components.
PT Peninsula	2. Grommet option E=End M=Mid. grommet N=No grommet	Wire chase sold separately.
D 1 1/2"	3. Grommet finish Painted or plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	For electrical components please refer to page 460.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	Products on this page work with 28 3/8" height planning.
L Left hand/ Right hand		Refer to grommet page for location option.
36 Width		From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
20 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


Peninsula 1 1/2
 Open Frame Leg Infill Options
 Infills for Peninsulas only

description	th	w	h	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEI202()	\$296.	\$376.	\$433.	\$563.	
	1"	24"	28 3/8"	RIPPEI242()	304.	386.	444.	578.	
	1"	30"	28 3/8"	RIPPEI302()	320.	406.	467.	608.	
	1"	36"	28 3/8"	RIPPEI362()	339.	431.	495.	644.	
Outside Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEO202()	297.	378.	434.	565.	
	1"	24"	28 3/8"	RIPPEO242()	305.	388.	446.	579.	
	1"	30"	28 3/8"	RIPPEO302()	322.	409.	470.	611.	
	1"	36"	28 3/8"	RIPPEO362()	340.	432.	497.	646.	
Outside Glass Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEOG202()					750.
	1"	24"	28 3/8"	RIPPEOG242()					846.
	1"	30"	28 3/8"	RIPPEOG302()					995.
	1"	36"	28 3/8"	RIPPEOG362()					1,148.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RIPPEI202	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill must be ordered separately.
R Reff Profiles	1. Finish: L, V1,V2,V3,Glass	
IP Infill Panel	I=Inside	Infills; fill entire opening of open frame legs.
PE Peninsula End	O=Outside	
I Inside	OG=Outside Glass	Infills connect to each other. Can be removed without any damage to the frame legs.
20 Width	Glass options:	
2 28 3/8" h: Desk Height	GL11, GL14, GL15, GL18	Glass Option is only available for outside infill.
() Finish		
		Black inside infill recommended when Glass option is used.

*Worksurface with Thick End Panel
Stand-Off with Power Center, Rectilinear top*


description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	L/V1	L/V2	L/V3
 Peninsula, Rectilinear Top Left hand shown	20"	60"	1 1/2"	RPTDEPC(L/R)6020() () () ()	\$1,369.	\$1,805.	\$2,076.	\$2,698.	\$2,203.	\$2,288.	\$2,387.
		66"	1 1/2"	RPTDEPC(L/R)6620() () () ()	1,379.	1,823.	2,096.	2,725.	2,218.	2,303.	2,402.
		72"	1 1/2"	RPTDEPC(L/R)7220() () () ()	1,389.	1,850.	2,128.	2,766.	2,243.	2,329.	2,427.
		78"	1 1/2"	RPTDEPC(L/R)7820() () () ()	1,400.	1,868.	2,148.	2,793.	2,258.	2,343.	2,442.
		84"	1 1/2"	RPTDEPC(L/R)8420() () () ()	1,410.	1,903.	2,189.	2,845.	2,293.	2,379.	2,478.
	24"	60"	1 1/2"	RPTDEPC(L/R)6024() () () ()	1,403.	1,851.	2,129.	2,768.	2,243.	2,328.	2,427.
		66"	1 1/2"	RPTDEPC(L/R)6624() () () ()	1,415.	1,873.	2,154.	2,800.	2,261.	2,346.	2,445.
		72"	1 1/2"	RPTDEPC(L/R)7224() () () ()	1,455.	1,894.	2,178.	2,831.	2,278.	2,364.	2,462.
		78"	1 1/2"	RPTDEPC(L/R)7824() () () ()	1,467.	1,924.	2,212.	2,876.	2,305.	2,391.	2,489.
		84"	1 1/2"	RPTDEPC(L/R)8424() () () ()	1,479.	1,961.	2,255.	2,932.	2,342.	2,428.	2,526.
	30"	60"	1 1/2"	RPTDEPC(L/R)6030() () () ()	1,569.	1,908.	2,194.	2,852.	2,291.	2,377.	2,476.
		66"	1 1/2"	RPTDEPC(L/R)6630() () () ()	1,582.	1,933.	2,223.	2,890.	2,312.	2,397.	2,496.
		72"	1 1/2"	RPTDEPC(L/R)7230() () () ()	1,597.	1,967.	2,263.	2,941.	2,343.	2,429.	2,527.
		78"	1 1/2"	RPTDEPC(L/R)7830() () () ()	1,611.	1,994.	2,293.	2,981.	2,365.	2,451.	2,549.
		84"	1 1/2"	RPTDEPC(L/R)8430() () () ()	1,625.	2,044.	2,350.	3,056.	2,414.	2,500.	2,599.
	36"	60"	1 1/2"	RPTDEPC(L/R)6036() () () ()	1,634.	1,964.	2,258.	2,936.	2,340.	2,425.	2,524.
		66"	1 1/2"	RPTDEPC(L/R)6636() () () ()	1,650.	1,994.	2,293.	2,982.	2,365.	2,450.	2,549.
		72"	1 1/2"	RPTDEPC(L/R)7236() () () ()	1,667.	2,032.	2,337.	3,038.	2,399.	2,484.	2,583.
		78"	1 1/2"	RPTDEPC(L/R)7836() () () ()	1,686.	2,063.	2,372.	3,084.	2,424.	2,509.	2,608.
		84"	1 1/2"	RPTDEPC(L/R)8436() () () ()	1,701.	2,109.	2,426.	3,154.	2,468.	2,553.	2,652.

Order Code	Specification Information	Application Notes
Example: RPTDEPC(L/R)6030() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i> P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. <i>Grommet finish:</i> Painted or plated	Refer to grommet page for location option.
E Thick End Panel Leg	4. <i>Worksurface finish:</i> L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. <i>Leg finish:</i> Wood or Laminate	
L Left hand/ Right hand	6. <i>Stand-off finish:</i> Painted	
60 Width		
20 Depth		
P Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
V316 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2

Worksurface with Thick End Panel


Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	L/V1	L/V2	L/V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDEST(L/R)6020() () () ()	\$1,213.	\$1,659.	\$1,908.	\$2,480.	\$2,035.	\$2,120.	\$2,219.
		66"	1 1/2"	RPTDEST(L/R)6620() () () ()	1,223.	1,677.	1,928.	2,507.	2,050.	2,135.	2,234.
		72"	1 1/2"	RPTDEST(L/R)7220() () () ()	1,233.	1,704.	1,960.	2,547.	2,075.	2,161.	2,259.
		78"	1 1/2"	RPTDEST(L/R)7820() () () ()	1,243.	1,722.	1,980.	2,575.	2,090.	2,175.	2,274.
		84"	1 1/2"	RPTDEST(L/R)8420() () () ()	1,253.	1,758.	2,022.	2,628.	2,125.	2,211.	2,310.
	24"	60"	1 1/2"	RPTDEST(L/R)6024() () () ()	1,247.	1,705.	1,961.	2,549.	2,075.	2,160.	2,259.
		66"	1 1/2"	RPTDEST(L/R)6624() () () ()	1,259.	1,727.	1,986.	2,582.	2,093.	2,178.	2,277.
		72"	1 1/2"	RPTDEST(L/R)7224() () () ()	1,299.	1,748.	2,010.	2,613.	2,110.	2,196.	2,294.
		78"	1 1/2"	RPTDEST(L/R)7824() () () ()	1,311.	1,778.	2,044.	2,657.	2,137.	2,223.	2,321.
		84"	1 1/2"	RPTDEST(L/R)8424() () () ()	1,323.	1,815.	2,087.	2,714.	2,174.	2,260.	2,358.
	30"	60"	1 1/2"	RPTDEST(L/R)6030() () () ()	1,412.	1,762.	2,026.	2,634.	2,123.	2,209.	2,308.
		66"	1 1/2"	RPTDEST(L/R)6630() () () ()	1,426.	1,787.	2,055.	2,672.	2,144.	2,229.	2,328.
		72"	1 1/2"	RPTDEST(L/R)7230() () () ()	1,441.	1,821.	2,095.	2,723.	2,175.	2,261.	2,359.
		78"	1 1/2"	RPTDEST(L/R)7830() () () ()	1,455.	1,848.	2,125.	2,752.	2,197.	2,283.	2,381.
		84"	1 1/2"	RPTDEST(L/R)8430() () () ()	1,469.	1,898.	2,182.	2,837.	2,246.	2,332.	2,431.
	36"	60"	1 1/2"	RPTDEST(L/R)6036() () () ()	1,477.	1,818.	2,090.	2,717.	2,172.	2,257.	2,356.
		66"	1 1/2"	RPTDEST(L/R)6636() () () ()	1,494.	1,848.	2,125.	2,763.	2,197.	2,582.	2,381.
		72"	1 1/2"	RPTDEST(L/R)7236() () () ()	1,511.	1,886.	2,169.	2,820.	2,231.	2,316.	2,415.
		78"	1 1/2"	RPTDEST(L/R)7836() () () ()	1,529.	1,917.	2,204.	2,866.	2,256.	2,341.	2,440.
		84"	1 1/2"	RPTDEST(L/R)8436() () () ()	1,544.	1,963.	2,258.	2,935.	2,300.	2,385.	2,484.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDEST(L/R)6030() () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	E = End grommet	Refer to grommet page for location option.
E Thick End Panel Leg	N = No grommet	
ST Stand-Off	S = Stand-off	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L Left hand/ Right hand	SE = Stand-off and end location	
60 Width	SD = Stand-off with drop in box	
20 Depth	SDR = Right hand stand-off with drop in box	
S Grommet Option	SDL = Left hand stand-off with drop in box	
115 Grommet Finish	3. <i>Grommet finish:</i>	
V316 Worksurface Finish	Painted or plated	
V316 Leg Finish	4. <i>Worksurface finish:</i>	
115 Stand-Off Finish	L, V1, V2, V3	
	5. <i>Leg finish:</i>	
	Wood or Laminate	
	6. <i>Stand-off finish:</i>	
	Painted	

*Worksurface with Thick End Panel
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	M/V1	M/V2	M/V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDEFM(L/R)3620() () () ()	\$988.	\$1,378.	\$1,585.	\$2,060.	\$1,734.	\$1,820.	\$1,919.
		42"	1 1/2"	RPTDEFM(L/R)4220() () () ()	1,002.	1,402.	1,613.	2,096.	1,757.	1,842.	1,941.
		48"	1 1/2"	RPTDEFM(L/R)4820() () () ()	1,025.	1,425.	1,638.	2,130.	1,776.	1,862.	1,960.
		54"	1 1/2"	RPTDEFM(L/R)5420() () () ()	1,028.	1,443.	1,659.	2,157.	1,791.	1,876.	1,975.
		60"	1 1/2"	RPTDEFM(L/R)6020() () () ()	1,085.	1,538.	1,768.	2,299.	1,895.	1,981.	2,080.
		66"	1 1/2"	RPTDEFM(L/R)6620() () () ()	1,096.	1,556.	1,789.	2,326.	1,910.	1,996.	2,094.
		72"	1 1/2"	RPTDEFM(L/R)7220() () () ()	1,106.	1,583.	1,820.	2,366.	1,936.	2,021.	2,120.
		78"	1 1/2"	RPTDEFM(L/R)7820() () () ()	1,116.	1,601.	1,841.	2,393.	1,951.	2,036.	2,135.
		84"	1 1/2"	RPTDEFM(L/R)8420() () () ()	1,126.	1,636.	1,881.	2,446.	1,986.	2,072.	2,170.
	24"	36"	1 1/2"	RPTDEFM(L/R)3624() () () ()	1,020.	1,410.	1,622.	2,108.	1,761.	1,847.	1,945.
		42"	1 1/2"	RPTDEFM(L/R)4224() () () ()	1,042.	1,435.	1,650.	2,145.	1,784.	1,869.	1,968.
		48"	1 1/2"	RPTDEFM(L/R)4824() () () ()	1,064.	1,456.	1,674.	2,176.	1,801.	1,887.	1,985.
		54"	1 1/2"	RPTDEFM(L/R)5424() () () ()	1,076.	1,478.	1,700.	2,210.	1,820.	1,906.	2,005.
		60"	1 1/2"	RPTDEFM(L/R)6024() () () ()	1,120.	1,584.	1,822.	2,368.	1,936.	2,021.	2,120.
		66"	1 1/2"	RPTDEFM(L/R)6624() () () ()	1,132.	1,606.	1,847.	2,401.	1,953.	2,039.	2,137.
		72"	1 1/2"	RPTDEFM(L/R)7224() () () ()	1,172.	1,627.	1,871.	2,432.	1,971.	2,057.	2,155.
		78"	1 1/2"	RPTDEFM(L/R)7824() () () ()	1,183.	1,656.	1,905.	2,476.	1,998.	2,083.	2,182.
		84"	1 1/2"	RPTDEFM(L/R)8424() () () ()	1,195.	1,694.	1,948.	2,533.	2,035.	2,121.	2,219.

Order Code	Specification Information	Application Notes
Example: RPTDEFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand:</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	E = End	Refer to grommet page for location option.
E Thick End Panel Leg	M = Mid. grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	N = No grommet	
L Left hand/ Right hand	3. <i>Grommet finish:</i>	
60 Width	Painted or plated	
20 Depth	4. <i>Worksurface finish:</i>	
E Grommet Option	L, V1, V2, V3	
115 Grommet Finish	5. <i>Leg finish:</i>	
V316 Worksurface Finish	Wood or Laminate	
V316 Leg Finish	6. <i>Stand Off finish:</i>	
115 Stand-Off Finish	Painted	

*Worksurface with Thick End Panel
Flush Mount Attachment, Rectilinear top*



description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	M/V1	M/V2	M/V3
 <p>Left hand shown</p>	30"	36"	1 1/2"	RPTDEFM(L/R)3630() () () ()	\$1,100.	\$1,444.	\$1,661.	\$2,159.	\$1,791.	\$1,876.	\$1,975.
		42"	1 1/2"	RPTDEFM(L/R)4230() () () ()	1,114.	1,470.	1,691.	2,198.	1,813.	1,898.	1,997.
		48"	1 1/2"	RPTDEFM(L/R)4830() () () ()	1,145.	1,504.	1,730.	2,249.	1,844.	1,929.	2,028.
		54"	1 1/2"	RPTDEFM(L/R)5430() () () ()	1,159.	1,530.	1,759.	2,287.	1,864.	1,950.	2,049.
		60"	1 1/2"	RPTDEFM(L/R)6030() () () ()	1,284.	1,641.	1,887.	2,453.	1,984.	2,070.	2,168.
		66"	1 1/2"	RPTDEFM(L/R)6630() () () ()	1,299.	1,666.	1,916.	2,491.	2,005.	2,090.	2,189.
		72"	1 1/2"	RPTDEFM(L/R)7230() () () ()	1,313.	1,700.	1,955.	2,542.	2,036.	2,121.	2,220.
		78"	1 1/2"	RPTDEFM(L/R)7830() () () ()	1,327.	1,726.	1,985.	2,581.	2,058.	2,143.	2,242.
		84"	1 1/2"	RPTDEFM(L/R)8430() () () ()	1,342.	1,777.	2,043.	2,656.	2,107.	2,193.	2,291.
		<hr/>									
	36"	36"	1 1/2"	RPTDEFM(L/R)3636() () () ()	1,170.	1,475.	1,697.	2,206.	1,817.	1,903.	2,001.
		42"	1 1/2"	RPTDEFM(L/R)4236() () () ()	1,204.	1,513.	1,740.	2,262.	1,851.	1,937.	2,035.
		48"	1 1/2"	RPTDEFM(L/R)4836() () () ()	1,206.	1,551.	1,784.	2,319.	1,885.	1,971.	2,069.
		54"	1 1/2"	RPTDEFM(L/R)5436() () () ()	1,222.	1,582.	1,819.	2,365.	1,910.	1,996.	2,094.
		60"	1 1/2"	RPTDEFM(L/R)6036() () () ()	1,350.	1,696.	1,951.	2,536.	2,033.	2,118.	2,217.
		66"	1 1/2"	RPTDEFM(L/R)6636() () () ()	1,367.	1,727.	1,986.	2,582.	2,057.	2,143.	2,242.
		72"	1 1/2"	RPTDEFM(L/R)7236() () () ()	1,383.	1,765.	2,030.	2,639.	2,092.	2,177.	2,276.
		78"	1 1/2"	RPTDEFM(L/R)7836() () () ()	1,402.	1,796.	2,065.	2,684.	2,116.	2,202.	2,301.
		84"	1 1/2"	RPTDEFM(L/R)8436() () () ()	1,417.	1,842.	2,119.	2,754.	2,161.	2,246.	2,345.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDEFM(L/R)4830() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand:</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	E = End	Refer to grommet page for location option.
E Thick End Panel Leg	M = Mid. grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	N = No grommet	
L Left hand/ Right hand	3. <i>Grommet finish:</i>	
60 Width	Painted or plated	
20 Depth	4. <i>Worksurface finish:</i>	
E Grommet Option	L, V1, V2, V3	
115 Grommet Finish	5. <i>Leg finish:</i>	
V316 Worksurface Finish	Wood or Laminate	
V316 Leg Finish	6. <i>Stand Off finish:</i>	
115 Stand-Off Finish	Painted	

Worksurface with Column Leg

Stand-Off with Power Center, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	V1	V2	V3
Peninsula, Asymmetrical Bullet Top 	30"	60"	1 1/2"	RATDCPC(L/R)6030() () () ()	\$1,690.	\$1,781.	\$1,863.	\$2,186.
		66"	1 1/2"	RATDCPC(L/R)6630() () () ()	1,711.	1,803.	1,891.	2,240.
		66"	1 1/2"	RATDCPC(L/R)7230() () () ()	1,739.	1,831.	1,927.	2,304.
		78"	1 1/2"	RATDCPC(L/R)7830() () () ()	1,758.	1,853.	1,956.	2,361.
		84"	1 1/2"	RATDCPC(L/R)8430() () () ()	1,785.	1,881.	1,991.	2,424.
<i>Left handed peninsula shown</i>	36"	60"	1 1/2"	RATDCPC(L/R)6036() () () ()	1,737.	1,827.	1,923.	2,292.
		66"	1 1/2"	RATDCPC(L/R)6636() () () ()	1,760.	1,852.	1,956.	2,358.
		72"	1 1/2"	RATDCPC(L/R)7236() () () ()	1,791.	1,884.	1,996.	2,429.
		78"	1 1/2"	RATDCPC(L/R)7836() () () ()	1,814.	1,909.	2,030.	2,495.
		84"	1 1/2"	RATDCPC(L/R)8436() () () ()	1,838.	1,933.	2,062.	2,557.
Peninsula, Symmetrical Bullet Top 	30"	60"	1 1/2"	RSTDCPC(L/R)6030() () () ()	1,907.	2,028.	2,109.	2,432.
		66"	1 1/2"	RSTDCPC(L/R)6630() () () ()	1,932.	2,056.	2,145.	2,495.
		72"	1 1/2"	RSTDCPC(L/R)7230() () () ()	1,953.	2,078.	2,173.	2,551.
		78"	1 1/2"	RSTDCPC(L/R)7830() () () ()	1,973.	2,099.	2,202.	2,607.
		84"	1 1/2"	RSTDCPC(L/R)8430() () () ()	2,000.	2,128.	2,237.	2,670.
<i>Left hand shown</i>	36"	60"	1 1/2"	RSTDCPC(L/R)6036() () () ()	1,949.	2,073.	2,169.	2,538.
		66"	1 1/2"	RSTDCPC(L/R)6636() () () ()	1,973.	2,099.	2,203.	2,604.
		72"	1 1/2"	RSTDCPC(L/R)7236() () () ()	2,003.	2,131.	2,243.	2,675.
		78"	1 1/2"	RSTDCPC(L/R)7836() () () ()	2,026.	2,156.	2,276.	2,741.
		84"	1 1/2"	RSTDCPC(L/R)8436() () () ()	2,050.	2,181.	2,309.	2,805.

Order Code

Example:	RATDCPC(L/R)6030() () () ()
R	Reff
AT	Asymmetrical Top
D	1 1/2"
C	Column Leg
PC	Power Center
L	Left hand/ Right hand
60	Width
30	Depth
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-off Finish

Specification Information

To order please specify pattern number including:

- Grommet finish:
Painted or Plated
- Top finish:
L, V1, V2, V3
- Leg finish:
Painted or Plated
- Stand-off finish:
Painted

Grommet type:
P only

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 460.



Products on this page work with 28 3/8" height planning.

Peninsula 1 1/2

Reff Profiles

Worksurface with Column Leg

Simple Stand-Off, Asymmetrical and Symmetrical Bullet top



description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula, Asymmetrical Bullet Top <i>Left handed peninsula shown</i>	30"	60"	1 1/2"	RATDCST(L/R)6030() () () ()	\$1,499.	\$1,589.	\$1,672.	\$1,994.
		66"	1 1/2"	RATDCST(L/R)6630() () () ()	1,519.	1,611.	1,700.	2,049.
		72"	1 1/2"	RATDCST(L/R)7230() () () ()	1,547.	1,640.	1,736.	2,113.
		78"	1 1/2"	RATDCST(L/R)7830() () () ()	1,567.	1,661.	1,764.	2,169.
		84"	1 1/2"	RATDCST(L/R)8430() () () ()	1,593.	1,689.	1,799.	2,232.
	36"	60"	1 1/2"	RATDCST(L/R)6036() () () ()	1,545.	1,636.	1,731.	2,100.
		66"	1 1/2"	RATDCST(L/R)6636() () () ()	1,569.	1,660.	1,764.	2,166.
		72"	1 1/2"	RATDCST(L/R)7236() () () ()	1,600.	1,692.	1,805.	2,237.
		78"	1 1/2"	RATDCST(L/R)7836() () () ()	1,622.	1,717.	1,839.	2,303.
		84"	1 1/2"	RATDCST(L/R)8436() () () ()	1,646.	1,742.	1,870.	2,366.
 Peninsula, Symmetrical Bullet Top <i>Left hand shown</i>	30"	60"	1 1/2"	RSTDCST(L/R)6030() () () ()	1,781.	1,894.	1,977.	2,298.
		66"	1 1/2"	RSTDCST(L/R)6630() () () ()	1,799.	1,915.	2,004.	2,354.
		72"	1 1/2"	RSTDCST(L/R)7230() () () ()	1,827.	1,944.	2,040.	2,417.
		78"	1 1/2"	RSTDCST(L/R)7830() () () ()	1,848.	1,966.	2,069.	2,474.
		84"	1 1/2"	RSTDCST(L/R)8430() () () ()	1,875.	1,994.	2,104.	2,537.
	36"	60"	1 1/2"	RSTDCST(L/R)6036() () () ()	1,824.	1,941.	2,035.	2,405.
		66"	1 1/2"	RSTDCST(L/R)6636() () () ()	1,848.	1,965.	2,069.	2,471.
		72"	1 1/2"	RSTDCST(L/R)7236() () () ()	1,878.	1,997.	2,109.	2,541.
		78"	1 1/2"	RSTDCST(L/R)7836() () () ()	1,900.	1,994.	2,142.	2,608.
		84"	1 1/2"	RSTDCST(L/R)8436() () () ()	1,924.	2,047.	2,175.	2,671.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RATDCST (L/R)6030	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff		
AT Asymmetrical Top	1. Grommet option: N=No grommet E=End grommet S=Grommet over Stand-Off SE=Grommet over Stand-off plus end grommet SD=Stand-off with drop in box SDR=Right hand stand-off with drop in box SDL=Left hand stand-off with drop in box	Wire chase sold separately.
D 1 1/2"		Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg		Refer to grommet page for location option.
ST Stand-Off		From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L/R Left/Right Hand		Peninsula worksurfaces with power center do not come with Electrical Components.
60 Width		For electrical components please refer to page 460.
30 Depth		Products on this page work with 28 3/8" height planning.
N Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish	2. Grommet finish: Painted or Plated	
115 Stand-Off Finish	3. Top finish: L, V1, V2, V3 4. Leg finish: Painted or Plated 5. Stand-off finish: Painted	
	Finish: L,V1,V2,V3 Leg Finish: Painted or plated Stand-off Finish: Painted	



Worksurface with Column Leg

Flush Mount Attachment, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	V1	V2	V3
 <p>Left handed peninsula shown</p>	30"	48"	1 1/2"	RATDCFM(L/R)4830() () ()	\$1,341.	\$1,427.	\$1,495.	\$1,761.
		54"	1 1/2"	RATDCFM(L/R)5430() () ()	1,361.	1,447.	1,522.	1,817.
		60"	1 1/2"	RATDCFM(L/R)6030() () ()	1,412.	1,503.	1,585.	1,908.
		66"	1 1/2"	RATDCFM(L/R)6630() () ()	1,433.	1,524.	1,613.	1,962.
		72"	1 1/2"	RATDCFM(L/R)7230() () ()	1,461.	1,553.	1,649.	2,026.
		78"	1 1/2"	RATDCFM(L/R)7830() () ()	1,480.	1,575.	1,678.	2,083.
		84"	1 1/2"	RATDCFM(L/R)8430() () ()	1,507.	1,603.	1,713.	2,145.
	36"	48"	1 1/2"	RATDCFM(L/R)4836() () ()	1,378.	1,466.	1,544.	1,850.
		54"	1 1/2"	RATDCFM(L/R)5436() () ()	1,401.	1,490.	1,578.	1,916.
		60"	1 1/2"	RATDCFM(L/R)6036() () ()	1,456.	1,549.	1,645.	2,014.
		66"	1 1/2"	RATDCFM(L/R)6636() () ()	1,479.	1,574.	1,678.	2,080.
		72"	1 1/2"	RATDCFM(L/R)7236() () ()	1,509.	1,606.	1,718.	2,151.
		78"	1 1/2"	RATDCFM(L/R)7836() () ()	1,533.	1,630.	1,752.	2,217.
		84"	1 1/2"	RATDCFM(L/R)8436() () ()	1,556.	1,655.	1,784.	2,280.
 <p>Left hand shown</p>	30"	48"	1 1/2"	RSTDCFM(L/R)4830() () ()	1,593.	1,695.	1,763.	2,030.
		54"	1 1/2"	RSTDCFM(L/R)5430() () ()	1,613.	1,716.	1,791.	2,085.
		60"	1 1/2"	RSTDCFM(L/R)6030() () ()	1,666.	1,772.	1,854.	2,175.
		66"	1 1/2"	RSTDCFM(L/R)6630() () ()	1,685.	1,792.	1,881.	2,231.
		72"	1 1/2"	RSTDCFM(L/R)7230() () ()	1,712.	1,821.	1,918.	2,295.
		78"	1 1/2"	RSTDCFM(L/R)7830() () ()	1,732.	1,843.	1,946.	2,350.
		84"	1 1/2"	RSTDCFM(L/R)8430() () ()	1,759.	1,872.	1,982.	2,413.
	36"	48"	1 1/2"	RSTDCFM(L/R)4836() () ()	1,629.	1,733.	1,813.	2,119.
		54"	1 1/2"	RSTDCFM(L/R)5436() () ()	1,654.	1,759.	1,847.	2,185.
		60"	1 1/2"	RSTDCFM(L/R)6036() () ()	1,708.	1,817.	1,913.	2,281.
		66"	1 1/2"	RSTDCFM(L/R)6636() () ()	1,732.	1,843.	1,947.	2,347.
		72"	1 1/2"	RSTDCFM(L/R)7236() () ()	1,762.	1,875.	1,987.	2,418.
		78"	1 1/2"	RSTDCFM(L/R)7836() () ()	1,785.	1,899.	2,020.	2,484.
		84"	1 1/2"	RSTDCFM(L/R)8436() () ()	1,809.	1,924.	2,053.	2,548.

Order Code	Specification Information	Application Notes
Example: RATDCFM (L/R)4830	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff		
AT Asymmetrical Top	1. Grommet option: E=End grommet N=No grommet	Wire chase sold separately.
D 1 1/2"	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
FM Flush Mount Plate	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L/R Left/Right Hand		Peninsula worksurfaces with power center do not come with Electrical Components.
48 Width		For electrical components please refer to page 460.
30 Depth		Products on this page work with 28 3/8" height planning.
N Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		


Peninsula 1 1/2
Worksurface with Column Leg
Flush Mount Attachment, P and 9 tops

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, P Shaped Top 	30"	84"	1 1/2"	RPTDCFM8430 () () ()	\$2,026.	\$2,177.	\$2,464.	\$3,231.
	30"	96"	1 1/2"	RPTDCFM9630 () () ()	2,098.	2,261.	2,554.	3,352.
Peninsula, 9 Shaped Top 	30"	84"	1 1/2"	R9TDCFM8430 () () ()	2,026.	2,177.	2,464.	3,231.
	30"	96"	1 1/2"	R9TDCFM9630 () () ()	2,098.	2,261.	2,554.	3,352.

Order Code	Specification Information	Application Notes
Example: RPTDCFM8430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: F=Flush	Wire chase sold separately.
PT P-Shaped top	M=Mid. Grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	N=No grommet	Refer to grommet page for location option.
C Column Leg	2. Grommet finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	3. Top finish: L, V1, V2, V3	
84 Width	4. Leg finish: Painted or Plated	
30 Depth		
N Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


Peninsula worksurfaces with power center do not come with Electrical Components.
 For electrical components please refer to page 460.
 Products on this page work with 28 3/8" height planning.

Peninsula 1 1/2
 Worksurface with Column Leg
 Stand-Off with Power Center, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	66"	1 1/2"	RDTDCPC(L/R)6630() () () ()	\$1,688.	\$1,876.	\$1,958.	\$2,282.
		72"	1 1/2"	RDTDCPC(L/R)7230() () () ()	1,712.	1,902.	1,992.	2,342.
		78"	1 1/2"	RDTDCPC(L/R)7830() () () ()	1,730.	1,923.	2,019.	2,395.
		84"	1 1/2"	RDTDCPC(L/R)8430() () () ()	1,754.	1,949.	2,051.	2,453.
		90"	1 1/2"	RDTDCPC(L/R)9030() () () ()	1,773.	1,969.	2,078.	2,505.
		96"	1 1/2"	RDTDCPC(L/R)9630() () () ()	1,789.	1,988.	2,102.	2,554.
	36"	66"	1 1/2"	RDTDCPC(L/R)6636() () () ()	1,729.	1,922.	2,019.	2,392.
		72"	1 1/2"	RDTDCPC(L/R)7236() () () ()	1,757.	1,952.	2,056.	2,458.
		78"	1 1/2"	RDTDCPC(L/R)7836() () () ()	1,777.	1,975.	2,087.	2,519.
		84"	1 1/2"	RDTDCPC(L/R)8436() () () ()	1,797.	1,997.	2,118.	2,578.
		90"	1 1/2"	RDTDCPC(L/R)9036() () () ()	1,819.	2,021.	2,149.	2,638.
		96"	1 1/2"	RDTDCPC(L/R)9636() () () ()	1,841.	2,045.	2,179.	2,699.

Order Code	Specification Information	Application Notes
Example: RDTDCPCL6630 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: P=Power center PM=Power center and middle grommet	Wire chase sold separately.
DT P-Shaped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Stand-off finish: Painted	
L		
66 Width		
30 Depth		
P Grommet option		
115 Grommet finish		
V316 Top finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2
 Worksurface with Column Leg
 Simple Stand-Off, D top


description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	66"	1 1/2"	RDTDCST(L/R)6630() () () ()	\$1,544.	\$1,715.	\$1,797.	\$2,122.
		72"	1 1/2"	RDTDCST(L/R)7230() () () ()	1,568.	1,742.	1,831.	2,182.
		78"	1 1/2"	RDTDCST(L/R)7830() () () ()	1,586.	1,762.	1,858.	2,234.
		84"	1 1/2"	RDTDCST(L/R)8430() () () ()	1,609.	1,788.	1,890.	2,293.
		90"	1 1/2"	RDTDCST(L/R)9030() () () ()	1,627.	1,809.	1,917.	2,344.
		96"	1 1/2"	RDTDCST(L/R)9630() () () ()	1,645.	1,827.	1,942.	2,394.
	36"	66"	1 1/2"	RDTDCST(L/R)6636() () () ()	1,585.	1,761.	1,858.	2,231.
		72"	1 1/2"	RDTDCST(L/R)7236() () () ()	1,612.	1,791.	1,895.	2,297.
		78"	1 1/2"	RDTDCST(L/R)7836() () () ()	1,633.	1,814.	1,926.	2,359.
		84"	1 1/2"	RDTDCST(L/R)8436() () () ()	1,653.	1,836.	1,957.	2,417.
		90"	1 1/2"	RDTDCST(L/R)9036() () () ()	1,674.	1,860.	1,988.	2,477.
		96"	1 1/2"	RDTDCST(L/R)9636() () () ()	1,695.	1,884.	2,019.	2,538.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RDTDCST6630 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff		
DT D-Shaped top		Wire chase sold separately.
D 1 1/2"	1. Grommet option: M=Mid. Grommet N=No grommet S=Stand-off	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg	SM=Stand-off plus grommet SD=Stand-off with drop in box SDL=Left hand Stand-off with drop in box SDR=Right hand Stand-off with drop in box	Refer to grommet page for location option.
ST Stand-Off		From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
66 Width		
30 Depth		
N Grommet Option		
115 Grommet Finish	2. Grommet finish: Painted or Plated	
V316 Worksurface Finish	3. Top finish: L, V1, V2, V3	
115 Leg Finish	4. Leg finish: Painted or Plated	
115 Stand-Off Finish	5. Stand-off finish: Painted	

Peninsula worksurfaces with power center do not come with Electrical Components.
 For electrical components please refer to page 460.
 Products on this page work with 28 3/8" height planning.

Peninsula 1 1/2
*Worksurface with Column Leg
 Flush Mount Attachment, D top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula, D-Shaped Top <i>Left hand shown</i>	30"	54"	1 1/2"	RDTDCFM(L/R)5430() () ()	\$1,369.	\$1,521.	\$1,591.	\$1,864.
		60"	1 1/2"	RDTDCFM(L/R)6030() () ()	1,423.	1,581.	1,657.	1,957.
		66"	1 1/2"	RDTDCFM(L/R)6630() () ()	1,441.	1,601.	1,683.	2,009.
		72"	1 1/2"	RDTDCFM(L/R)7230() () ()	1,465.	1,627.	1,717.	2,067.
		78"	1 1/2"	RDTDCFM(L/R)7830() () ()	1,483.	1,648.	1,744.	2,120.
		84"	1 1/2"	RDTDCFM(L/R)8430() () ()	1,507.	1,674.	1,777.	2,178.
	36"	54"	1 1/2"	RDTDCFM(L/R)5436() () ()	1,405.	1,561.	1,643.	1,957.
		60"	1 1/2"	RDTDCFM(L/R)6036() () ()	1,462.	1,624.	1,713.	2,056.
		66"	1 1/2"	RDTDCFM(L/R)6636() () ()	1,482.	1,647.	1,744.	2,117.
		72"	1 1/2"	RDTDCFM(L/R)7236() () ()	1,509.	1,677.	1,781.	2,183.
		78"	1 1/2"	RDTDCFM(L/R)7836() () ()	1,531.	1,701.	1,813.	2,244.
		84"	1 1/2"	RDTDCFM(L/R)8436() () ()	1,551.	1,723.	1,843.	2,303.

Order Code	Specification Information	Application Notes
Example: RDTDCFM5430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: N=None M=Middle	Wire chase sold separately.
DT P-Shapped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Worksurface finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
54 Width		For electrical components please refer to page 460.
30 Depth		Products on this page work with 28 3/8" height planning.
M Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		

Tables, 1 1/2"
 Rectangle with Open Frame Leg
 24", 30" and 36" deep - 26 1/2" High

Worksurfaces

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 26 1/2" height leg	1 1/2"	24"	60"	RTRDOF60241() ()	\$1,750.	\$1,895.	\$1,962.	\$2,208.
	1 1/2"	24"	66"	RTRDOF66241() ()	1,762.	1,914.	1,987.	2,254.
	1 1/2"	24"	72"	RTRDOF72241() ()	1,775.	1,928.	2,009.	2,272.
	1 1/2"	24"	78"	RTRDOF78241() ()	1,793.	1,970.	2,054.	2,363.
	1 1/2"	24"	84"	RTRDOF84241() ()	1,805.	2,008.	2,096.	2,426.




Table Top Rectangle 30" Deep with 26 1/2" height leg	1 1/2"	30"	60"	RTRDOF60301() ()	1,845.	1,964.	2,044.	2,331.
	1 1/2"	30"	66"	RTRDOF66301() ()	1,858.	1,986.	2,074.	2,384.
	1 1/2"	30"	72"	RTRDOF72301() ()	1,875.	2,002.	2,115.	2,450.
	1 1/2"	30"	78"	RTRDOF78301() ()	1,895.	2,051.	2,152.	2,511.
	1 1/2"	30"	84"	RTRDOF84301() ()	1,909.	2,101.	2,209.	2,592.





Table Top Rectangle 36" Deep with 26 1/2" height leg	1 1/2"	36"	60"	RTRDOF60361() ()	1,871.	2,015.	2,108.	2,435.
	1 1/2"	36"	66"	RTRDOF66361() ()	1,887.	2,042.	2,144.	2,498.
	1 1/2"	36"	72"	RTRDOF72361() ()	1,906.	2,080.	2,190.	2,570.
	1 1/2"	36"	78"	RTRDOF78361() ()	1,929.	2,113.	2,232.	2,640.
	1 1/2"	36"	84"	RTRDOF84361() ()	1,945.	2,158.	2,284.	2,719.



Order Code	
Example: RTSDRL42421 () () ()	
R	Reff
TR	Table Rectangular
D	1 1/2"
OF	Open Frame Leg
60	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Open Frame Leg finish
Painted and Anodized

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

1 1/2" top will come with appropriate stiffener support.

Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Rectangle with Open Frame Leg
 24", 30" and 36" deep - 28 3/8" High

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 28 3/8" height leg	1 1/2"	24"	60"	RTRDOF60242() ()	\$1,750.	\$1,895.	\$1,962.	\$2,208.
	1 1/2"	24"	66"	RTRDOF66242() ()	1,762.	1,914.	1,987.	2,254.
	1 1/2"	24"	72"	RTRDOF72242() ()	1,775.	1,928.	2,009.	2,272.
	1 1/2"	24"	78"	RTRDOF78242() ()	1,793.	1,970.	2,054.	2,363.
	1 1/2"	24"	84"	RTRDOF84242() ()	1,805.	2,008.	2,096.	2,426.




Table Top Rectangle 30" Deep with 28 3/8" height leg	1 1/2"	30"	60"	RTRDOF60302() ()	1,845.	1,964.	2,044.	2,331.
	1 1/2"	30"	66"	RTRDOF66302() ()	1,858.	1,986.	2,074.	2,384.
	1 1/2"	30"	72"	RTRDOF72302() ()	1,875.	2,002.	2,115.	2,450.
	1 1/2"	30"	78"	RTRDOF78302() ()	1,895.	2,051.	2,152.	2,511.
	1 1/2"	30"	84"	RTRDOF84302() ()	1,909.	2,101.	2,209.	2,592.





Table Top Rectangle 36" Deep with 28 3/8" height leg	1 1/2"	36"	60"	RTRDOF60362() ()	1,871.	2,015.	2,108.	2,435.
	1 1/2"	36"	66"	RTRDOF66362() ()	1,887.	2,042.	2,144.	2,498.
	1 1/2"	36"	72"	RTRDOF72362() ()	1,906.	2,080.	2,190.	2,570.
	1 1/2"	36"	78"	RTRDOF78362() ()	1,929.	2,113.	2,232.	2,640.
	1 1/2"	36"	84"	RTRDOF84362() ()	1,945.	2,158.	2,284.	2,719.






Order Code	Specification Information	Application Notes
Example: RTSDRL42421 () () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff		
TR Table Rectangular	1. Worksurface finish L, V1, V2, V3	Modesty sold separately.
D 1 1/2"		
OF Open Frame Leg	2. Open Frame Leg finish Painted and Anodized	1 1/2" top will come with appropriate stiffener support.
60 Width		
30 Depth	Grommets are NOT optional for these tables.	
2 28 3/8" height leg		
V316 Finish		
111 Leg Finish		

Specification Information

Application Notes

*Open Frame Leg Infill Options - 26 1/2" High
Infills for Tables only*




description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 26 1/2" h 	24"	20"	RIPI201()	\$296.	\$376.	\$433.	\$563.	
	24"	24"	RIPI241()	304.	386.	444.	578.	
	24"	30"	RIPI301()	320.	406.	467.	608.	
	24"	36"	RIPI361()	339.	431.	495.	644.	
Outside Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	RIPO201()	297.	378.	434.	565.	
	25"	24"	RIPO241()	305.	388.	446.	579.	
	25"	30"	RIPO301()	322.	409.	470.	611.	
	25"	36"	RIPO361()	340.	432.	497.	646.	
Outside Glass Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	RIPOG201()					750.
	25"	24"	RIPOG241()					846.
	25"	30"	RIPOG301()					995.
	25"	36"	RIPOG361()					1,148.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RIPPEI202 R Reff Profiles IP Infill Panel PE Peninsula End I Inside 20 Width 2 23 3/8" h: Desk Height () Finish	To order please specify pattern number including: 1. Finish: L, V1,V2,V3, Glass I=Inside O=Outside OG=Outside Glass Glass options: GL11, GL14, GL15, GL18	Both Inside and Outside infill must be ordered separately. Infills; fill entire opening of open frame legs. Infills connect to each other. Can be removed without any damage to the frame legs. Glass Option is only available for outside infill. Inside infill options are wood or laminate.

Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.

*Open Frame Leg Infill Options - 28^{3/8}" High
Infills for Tables only*

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 28 ^{3/8} " h 	26"	20"	RIPI202()	\$296.	\$376.	\$433.	\$563.	
	26"	24"	RIPI242()	304.	386.	444.	578.	
	26"	30"	RIPI302()	320.	406.	467.	608.	
	26"	36"	RIPI362()	339.	431.	495.	644.	
Outside Infill Options for Open Frame Legs 28 ^{3/8} " h 	27"	20"	RIPO202()	297.	378.	434.	565.	
	27"	24"	RIPO242()	305.	388.	446.	579.	
	27"	30"	RIPO302()	322.	409.	470.	611.	
	27"	36"	RIPO362()	340.	432.	497.	646.	
Outside Glass Infill Options for Open Frame Legs 28 ^{3/8} " h 	27"	20"	RIPOG202()					750.
	27"	24"	RIPOG242()					846.
	27"	30"	RIPOG302()					995.
	27"	36"	RIPOG362()					1,148.

Order Code	Specification Information	Application Notes
Example: RIPPEI202	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill must be ordered separately.
R Reff Profiles	1. Finish: L, V1,V2,V3, Glass	
IP Infill Panel	I=Inside	Infills; fill entire opening of open frame legs.
PE Peninsula End	O=Outside	
I Inside	OG=Outside Glass	Infills connect to each other. Can be removed without any damage to the frame legs.
20 Width	Glass options:	
2 28 ^{3/8} "h: Desk Height	GL11, GL14, GL15, GL18	Glass Option is only available for outside infill.
() Finish		
		Inside infill options are wood or laminate.

Tables, 1 1/2"
 Rectangle with L-Leg
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDL48301 () ()	\$1,484.	\$1,575.	\$1,643.	\$1,910.
	30"	60"	1 1/2"	RTRDL60301 () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDL72301 () ()	1,603.	1,702.	1,798.	2,174.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDL72361 () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDL48302 () ()	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	RTRDL60302 () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDL72302 () ()	1,603.	1,702.	1,798.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDL72362 () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------



Order Code

Example: RTRDL48301 () ()	
R	Reff
TR	Table Rectangular
D	1 1/2"
L	L-Leg
48	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Anodized

Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
 Grommets are NOT optional for these tables.

Tables, 1 1/2"
Rectangle with Reverse L-Leg
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDRL48301 () () ()	\$1,484.	\$1,575.	\$1,643.	\$1,910.
	30"	60"	1 1/2"	RTRDRL60301 () () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDRL72301 () () ()	1,603.	1,702.	1,797.	2,174.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDRL72361 () () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDRL48302 () () ()	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	RTRDRL60302 () () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDRL72302 () () ()	1,603.	1,702.	1,797.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDRL72362 () () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------



Order Code

Example: RTRDRL48301 () () ()	
R	Reff
TR	Table Rectangular
D	1 1/2"
RL	Reverse L-Leg
48	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Anodized

Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
 Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Rectangle with Soft Rectangular Leg
 30" and 36" deep

Worksurfaces

description	depth	width	thickness	pattern number	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDS48301 () () ()	\$1,377.	\$1,462.	\$1,530.	\$1,796.
	30"	60"	1 1/2"	RTRDS60301 () () ()	1,450.	1,539.	1,620.	1,943.
	30"	72"	1 1/2"	RTRDS72301 () () ()	1,497.	1,588.	1,684.	2,062.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDS72361 () () ()	1,546.	1,641.	1,753.	2,186.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDS48302 () () ()	1,377.	1,462.	1,530.	1,796.
	30"	60"	1 1/2"	RTRDS60302 () () ()	1,450.	1,539.	1,620.	1,943.
	30"	72"	1 1/2"	RTRDS72302 () () ()	1,497.	1,588.	1,684.	2,062.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDS72362 () () ()	1,546.	1,641.	1,753.	2,186.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------



Order Code	
Example: RTRDS48301 () () ()	
R	Reff
TR	Table Rectangular
D	1 1/2"
S	Soft Rectangular Leg
48	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Anodized

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with L-Leg
 42" and 48" deep

description	w	d	th	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDL42421 () () ()	\$1,520.	\$1,617.	\$1,697.	\$2,009.
	48"	48"	1 1/2"	RTSDL48481 () () ()	1,584.	1,685.	1,787.	2,173.





Table Top Square with 28 3/8" height legs	42"	42"	1 1/2"	RTSDL42422 () () ()	1,520.	1,617.	1,697.	2,009.
	48"	48"	1 1/2"	RTSDL48482 () () ()	1,584.	1,685.	1,787.	2,173.



Order Code	
Example: RTSDL42421 () () ()	
R	Reff
TS	Table Square
D	1 1/2"
L	L-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with Reverse L-Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDRL42421()()()	\$1,520.	\$1,617.	\$1,697.	\$2,009.
	1 1/2"	48"	48"	RTSDRL48481()()()	1,584.	1,685.	1,787.	2,173.





Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDRL42422()()()	1,520.	1,617.	1,697.	2,009.
	1 1/2"	48"	48"	RTSDRL48482()()()	1,584.	1,685.	1,787.	2,173.



Order Code	
Example: RTSDRL42421 ()()()	
R	Reff
TS	Table Square
D	1 1/2"
RL	Reverse L-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with Soft Rectangular Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDS42421 () () ()	\$1,557.	\$1,657.	\$1,738.	\$2,048.
	1 1/2"	48"	48"	RTSDS48481 () () ()	1,622.	1,725.	1,826.	2,213.





Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDS42422 () () ()	1,557.	1,657.	1,738.	2,048.
	1 1/2"	48"	48"	RTSDS48482 () () ()	1,622.	1,725.	1,826.	2,213.





Order Code	
Example:	RTSDS42421 () () ()
R	Reff
TS	Table Square
D	1 1/2"
S	Soft Rectangular-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Round with Column Leg
 36", 42" and 48" diameter

description	th	dia.	pattern no.	L	V1	V2	V3
 Table Top Round with 26 1/2" height legs	1 1/2"	36"	RTNDC361 () () ()	\$2,498.	\$2,657.	\$2,718.	\$2,937.
	1 1/2"	42"	RTNDC421 () () ()	2,560.	2,723.	2,803.	3,084.
	1 1/2"	48"	RTNDC481 () () ()	2,622.	2,789.	2,889.	3,242.

 Table Top Round with 28 3/8" height legs	1 1/2"	36"	RTNDC362 () () ()	2,498.	2,657.	2,718.	2,937.
	1 1/2"	42"	RTNDC422 () () ()	2,560.	2,723.	2,803.	3,084.
	1 1/2"	48"	RTNDC482 () () ()	2,622.	2,789.	2,889.	3,242.







Order Code	
Example: RTNDC361 () () ()	
R	Reff
TN	Table Round
D	1 1/2"
C	Column Leg
36	Diameter
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Plated

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1" Laminate

Reff Profiles

description	d	w	th	pattern no.	L
Round Table with 26 1/2" height legs 	36"		1"	RSTRLE361 () ()	\$3,006.
	42"		1"	RSTRLE421 () ()	3,065.
Round Table with 28 3/8" height legs 	36"		1"	RSTRLE362 () ()	3,063.
	42"		1"	RSTRLE422 () ()	3,123.
Soft Square Table with 26 1/2" height legs 	36"		1"	RSTSLE361 () ()	2,979.
	42"		1"	RSTSLE421 () ()	3,043.
Soft Square Table with 28 3/8" height legs 	36"		1"	RSTSLE362 () ()	3,037.
	42"		1"	RSTSLE422 () ()	3,101.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	RSTTLE30481 () ()	2,807.
	36"	54"	1"	RSTTLE36541 () ()	2,881.
Soft Rectangle Table with 28 3/8" height legs 	30"	48"	1"	RSTTLE30482 () ()	2,864.
	36"	54"	1"	RSTTLE36542 () ()	2,939.

Order Code

Example: RSTRLE361 () ()	
R	Reff
ST	Slider Table
R	Round
L	Laminate surface
E	1" thick
42	42" diameter
1	26 1/2" height leg
114	Finish
118T	Leg Finish

Specification Information







To order please specify pattern number including:
 1. Worksurface finish:
 Laminate only
 2. Leg Textured finish:
 111T, 115T, 118T

Application Notes

Assembly required.
 Ships knocked down.
 Grommets are not an option for these tables.
 Column and base are color matched
 Column = smooth
 Base = textured

Tables, 1" Wood

Reff Profiles







description	d	w	th	pattern no.	V1	V2	V3
 Round Table with 26 1/2" height legs	36"		1"	RSTRWE361 () ()	\$3,197.	\$3,247.	\$3,498.
	42"		1"	RSTRWE421 () ()	3,261.	3,327.	3,639.
 Round Table with 28 3/8" height legs	36"		1"	RSTRWE362 () ()	3,259.	3,308.	3,560.
	42"		1"	RSTRWE422 () ()	3,323.	3,389.	3,701.
 Soft Square Table with 26 1/2" height legs	36"		1"	RSTSWE361 () ()	3,169.	3,219.	3,492.
	42"		1"	RSTSWE421 () ()	3,237.	3,302.	3,639.
 Soft Square Table with 28 3/8" height legs	36"		1"	RSTSWE362 () ()	3,231.	3,281.	3,554.
	42"		1"	RSTSWE422 () ()	3,299.	3,364.	3,701.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTWE30481 () ()	2,986.	3,040.	3,335.
	36"	54"	1"	RSTTWE36541 () ()	3,064.	3,135.	3,499.
 Soft Rectangle Table with 28 3/8" height legs	30"	48"	1"	RSTTWE30482 () ()	3,048.	3,101.	3,397.
	36"	54"	1"	RSTTWE36542 () ()	3,126.	3,197.	3,561.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSTRWE361 () ()	To order please specify pattern number including:	Column and base are color matched.
R Reff	1. Worksurface finish	Column=smooth
ST Slider Table	V1, V2, V3 wood only	Base=textured
R Round	2. Leg Textured finish:	
W Wood surface	111T, 115T, 118T	
E 1" thick		
42 42" diameter		
1 26 1/2" height leg		
V316 Finish		
111T Leg Finish		
		Assembly required, ships knock down.
		Grommets are not an option for these tables.

Tables, 1" Solid

Reff Profiles


description	d	w	th	pattern no.	Solid
 Round Table with 26 1/2" height legs	36"		1"	RSTRSE361 () ()	\$8,198.
	42"		1"	RSTRSE421 () ()	9,393.
 Round Table with 28 3/8" height legs	36"		1"	RSTRSE362 () ()	8,198.
	42"		1"	RSTRSE422 () ()	9,393.
 Soft Square Table with 26 1/2" height legs	36"		1"	RSTSSE361 () ()	7,329.
	42"		1"	RSTSSE421 () ()	8,645.
 Soft Square Table with 28 3/8" height legs	36"		1"	RSTSSE362 () ()	7,329.
	36"		1"	RSTSSE362 () ()	7,329.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTSE30481 () ()	9,032.
	36"	54"	1"	RSTTSE36541 () ()	10,016.
 Soft Rectangle Table with 28 3/8" height legs	30"	48"	1"	RSTTSE30482 () ()	9,032.
	36"	54"	1"	RSTTSE36542 () ()	10,016.

Order Code	Specification Information	Application Notes
Example: RSTRSE361 () ()	To order please specify pattern number including:	Assembly required.
R Reff	1. Worksurface finish: AW=Artic White, only	Ships knocked down.
ST Slider Table	2. Leg finish Textured: 111T, 115T, 118T	Grommets are <u>not</u> an option for these tables.
R Round		Artic White finish available for solid tops.
S Solid		Column and base are color matched.
E 1" thick		Column=smooth
42 42" diameter		Base=textured
1 26 1/2" height leg		
AW Worksurface finish		
111T Leg Finish		

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$93.	\$97.	\$101.
	24"	RBC24 (L/R)	101.	107.	113.




Specify paint finish
 18" for 20" and 24"d tops
 24" for 30" and 36"d tops
 Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	93.	98.	102.
	24"	ASBC24 (L/R) ()	102.	110.	115.



Specify paint finish
 18" for 24"d tops
 24" for 30" d tops
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)






Mid-span cantilever bracket, free standing	17"	RMSCB ()	74.	79.	83.
--	-----	------------------	-----	-----	-----



Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	Refer to page 458 for replacement hardware.
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	Cantilever should be specified with top to top brackets.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Knoll takes no responsibility for the installation or security of tops to the wall.

Top support components




Bracketry

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		RBCC	\$19.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	40.	42.	43.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	8.		
	Black only				
Top to top bracket 	6" x 1"	RBF (Pair)	5.		
	Black only				
Wall hung support bracket 	20" 24" 30" 36" 42" 48"	RSBWH20 RSBWH24 RSBWH30 RSBWH36 RSBWH42 RSBWH48	42. 44. 48. 53. 56. 68.	44. 48. 50. 56. 59. 71.	46. 50. 53. 59. 62. 74.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	35.		
	Black only				

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 458 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$7.	\$7.	\$8.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	13.	13.
		Specify paint finish			
Utility bracket		RUTB	11.		
		Black only			
L Bracket for off-module applications		R113B	5.		
		One by one by three bracket			
Worksurface to cabinet bracket for 24" worksurface		RBWC24	54.	0.	0.
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		RBWC30	59.	0.	0.
		bracket can be used with 30" and 36" worksurfaces			


Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 458 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components
26 1/2" high planning
Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$155.	\$219.	\$250.	\$339.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	279.	391.	451.	609.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	308.	430.	494.	666.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	332.	467.	536.	724.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	373.	525.	604.	815.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	390.	551.	632.	854.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	406.	568.	653.	880.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	422.	592.	684.	925.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	464.	653.	750.	1,014.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	495.	694.	801.	1,083.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	523.	737.	846.	1,142.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	555.	781.	895.	1,209.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	569.	799.	918.	1,238.



description	d	w	h	pattern no.	L	V1	V2	V3
Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	RB3636-()	1,005.	1,491.	1,716.	2,318.
	36"	42"	26 1/2"	RB3642-()	1,028.	1,531.	1,761.	2,377.
	36"	48"	26 1/2"	RB3648-()	1,072.	1,589.	1,822.	2,461.
	42"	36"	26 1/2"	RB4236-()	1,028.	1,531.	1,761.	2,377.
	42"	42"	26 1/2"	RB4242-()	1,055.	1,568.	1,807.	2,439.
	42"	48"	26 1/2"	RB4248-()	1,096.	1,624.	1,869.	2,524.
	48"	36"	26 1/2"	RB4836-()	1,072.	1,589.	1,822.	2,461.
	48"	42"	26 1/2"	RB4842-()	1,096.	1,624.	1,869.	2,524.
	48"	48"	26 1/2"	RB4848-()	1,138.	1,684.	1,949.	2,631.



Order Code

Example:	RB24MFL
R	Reff
B	Back panel
24	48" panel dimension
M	Full height modesty
F	Flush modesty placement
L	Laminate
114	Folkstone grey

Specification Information

To order please specify pattern number including:

1. Modesty type
2. Modesty placement
3. Finish type
4. Finish

1. Modesty type:
M = Standard height (26 1/2"H)
H = Half height

2. Modesty placement:
F = Flush, cantilevered
R = Recessed

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Applicable finishes are listed on page 1 and 3.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.


Modesty panel lengths are nominal - length changes on option selected.

Glides ship with all supports on this page except the recessed modesty panel.


Please see Planning Guide for freestanding planning instruction.

Top support components
 26 1/2" high planning
 End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	\$476.	\$773.	\$890.	\$1,201.
	36"	1"	26 1/2"	RE36-()	503.	810.	931.	1,257.




Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	182.	315.	363.	490.
	16"	1"	26 1/2"	RSE2(L/R)-()	196.	336.	386.	521.
	20"	1"	26 1/2"	RSE3(L/R)-()	211.	353.	405.	546.
	24"	1"	26 1/2"	RSE4(L/R)-()	222.	368.	425.	573.
	30"	1"	26 1/2"	RSE5(L/R)-()	236.	388.	446.	604.
	36"	1"	26 1/2"	RSE6(L/R)-()	250.	405.	467.	631.



left hand shown


Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	182.	315.	363.	490.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	196.	336.	386.	521.
	19"	1"	26 1/2"	RE19F-()	211.	353.	405.	546.
	23"	1"	26 1/2"	RE23F-()	222.	368.	425.	573.
	29"	1"	26 1/2"	RE29F-()	236.	388.	446.	604.




Support components

Order Code	Specification Information	Application Notes	
Example: RSE1(L)114	To order please specify pattern number including: 1. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 2. Finish	Applicable finishes are listed on page 1 and 3. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered. Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.	
R Reff			Modesty panel lengths are nominal - length changes on option selected.
SE End panel			Glides ship with all supports on this page except the recessed modesty panel.
1 13" deep			Please see Planning Guide for freestanding planning instruction.
L Left hand			
L Laminate			
114 Folkstone grey			

Top support components
28³/₈" high planning
Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	1"	24"	28 ³ / ₈ "	RBDH24M(F/R) () ()	\$162.	\$231.	\$263.	\$354.
	1"	30"	28 ³ / ₈ "	RBDH30M(F/R) () ()	291.	413.	475.	640.
	1"	36"	28 ³ / ₈ "	RBDH36M(F/R) () ()	324.	451.	517.	698.
	1"	42"	28 ³ / ₈ "	RBDH42M(F/R) () ()	348.	489.	564.	761.
	1"	48"	28 ³ / ₈ "	RBDH48M(F/R) () ()	391.	551.	633.	855.
	1"	54"	28 ³ / ₈ "	RBDH54M(F/R) () ()	410.	578.	662.	894.
	1"	60"	28 ³ / ₈ "	RBDH60M(F/R) () ()	426.	593.	684.	925.
	1"	66"	28 ³ / ₈ "	RBDH66M(F/R) () ()	441.	622.	719.	970.
	1"	72"	28 ³ / ₈ "	RBDH72M(F/R) () ()	487.	684.	787.	1,062.
	1"	78"	28 ³ / ₈ "	RBDH78M(F/R) () ()	520.	727.	843.	1,138.
	1"	84"	28 ³ / ₈ "	RBDH84M(F/R) () ()	551.	773.	888.	1,199.
	1"	90"	28 ³ / ₈ "	RBDH90M(F/R) () ()	583.	818.	941.	1,270.
	1"	96"	28 ³ / ₈ "	RBDH96M(F/R) () ()	594.	840.	963.	1,301.

description	d	w	h	pattern no.	L	V1	V2	V3
	36"	36"	28 ³ / ₈ "	RBDH3636 () ()	1,056.	1,567.	1,805.	2,435.
	36"	42"	28 ³ / ₈ "	RBDH3642 () ()	1,079.	1,608.	1,849.	2,497.
	36"	48"	28 ³ / ₈ "	RBDH3648 () ()	1,125.	1,668.	1,915.	2,586.
	42"	36"	28 ³ / ₈ "	RBDH4236 () ()	1,079.	1,608.	1,849.	2,497.
	42"	42"	28 ³ / ₈ "	RBDH4242 () ()	1,106.	1,646.	1,894.	2,557.
	42"	48"	28 ³ / ₈ "	RBDH4248 () ()	1,151.	1,704.	1,965.	2,654.
	48"	36"	28 ³ / ₈ "	RBDH4836 () ()	1,125.	1,668.	1,915.	2,586.
	48"	42"	28 ³ / ₈ "	RBDH4842 () ()	1,151.	1,704.	1,965.	2,654.
	48"	48"	28 ³ / ₈ "	RBDH4848 () ()	1,194.	1,769.	2,048.	2,765.

depth = left return, width = right return

Order Code

Example: RBDH24MFL114
R Reff
B Back panel/modesty
DH Desk height (28 ³ / ₈ ")
24 24"
M Full height modesty
F Modesty placement, flush
L Finish type, laminate
114 Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Modesty placement*
F = Flush, cantilevered
R = Recessed
2. *Finish type*
L = laminate
1 = V1
2 = V2
3 = V3
3. *Finish*

Applicable finishes are listed on page 1 and 3.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.


* Half depth end panels

Glides ship with all supports on this page except the recessed modesty panel.


Please see Reff Planning Guide for freestanding planning instructions.

Top support components
28³/₈" high planning
End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)	1"	30"	28 ³ / ₈ "	REDH30 () ()	\$500.	\$813.	\$934.	\$1,261.
	1"	36"	28 ³ / ₈ "	REDH36 () ()	527.	851.	976.	1,319.




Desk height end panel for panel (hardware included)	1"	13"	28 ³ / ₈ "	RSEDH1(L/R) () ()	190.	335.	381.	515.
	1"	16"	28 ³ / ₈ "	RSEDH2(L/R) () ()	205.	352.	408.	551.
	1"	20"	28 ³ / ₈ "	RSEDH3(L/R) () ()	221.	369.	425.	573.
	1"	24"	28 ³ / ₈ "	RSEDH4(L/R) () ()	234.	386.	446.	604.
	1"	30"	28 ³ / ₈ "	RSEDH5(L/R) () ()	248.	410.	468.	632.
	1"	36"	28 ³ / ₈ "	RSEDH6(L/R) () ()	264.	425.	489.	661.



left hand shown

Desk height end panels with hardware for building flush or cantilevered worksurfaces	1"	12"	28 ³ / ₈ "	REDH12F () () *	190.	335.	381.	515.
	1"	15"	28 ³ / ₈ "	REDH15F () () *	205.	352.	408.	551.
	1"	19"	28 ³ / ₈ "	REDH19F () ()	221.	369.	425.	573.
	1"	23"	28 ³ / ₈ "	REDH23F () ()	234.	386.	446.	604.
	1"	29"	28 ³ / ₈ "	REDH29F () ()	248.	410.	468.	632.




Order Code	Specification Information	Application Notes
Example: REDH30	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
E End panel	2. <i>Finish</i>	Modesty panel lengths are nominal, length changes on option selected.
DH Desk height (28 ³ / ₈ ")	Applicable finishes are listed on page 1 and 3.	* Half depth end panels
30 30"	Product on this page will accept woodgrain laminate where laminate is currently an option.	Glides ship with all supports on this page except the recessed modesty panel.
L Left hand	List price for woodgrain laminate options will be current published laminate list price plus 10%.	Please see Reff Planning Guide for freestanding planning instructions.
L Finish type, laminate		
114 Finish, Folkstone grey		

Top support components

28³/₈" high planning

Modesty and Bulkhead

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bow top front, short modesty (pedestals ordered separately)	1"	40"	28 ³ / ₈ "	RBDH40MR () ()	\$348.	\$489.	\$564.	\$761.
	1"	52"	28 ³ / ₈ "	RBDH52MR () ()	410.	578.	662.	894.
	1"	64"	28 ³ / ₈ "	RBDH64MR () ()	441.	622.	719.	970.



Use of short modesty panel

Pedestals and finished back for pedestal must each be ordered separately
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

Desk height bulkhead (false pedestal)	24"	16"	28 ³ / ₈ "	REDHBH124 () ()	491.	811.	941.	1,270.
	30"	16"	28 ³ / ₈ "	REDHBH130 () ()	509.	827.	963.	1,301.



Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application

Order Code

Example:	RBDH24MFL114
R	Reff
B	Back panel/modesty
DH	Desk height (28 ³ / ₈ ")
24	24"
M	Full height modesty
F	Modesty placement, flush
L	Finish type, laminate
114	Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Modesty placement*
 F = Flush, cantilevered
 R = Recessed
2. *Finish type*
 L = laminate
 1 = V1
 2 = V2
 3 = V3
3. *Finish*

Applicable finishes are listed on page 1 and 3.

Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.

* Half depth end panels






Glides ship with all supports on this page except the recessed modesty panel.

Please see Reff Planning Guide for freestanding planning instructions.

Top support components

Painted or Plated Legs 26 1/2" high planning

Reff Profiles




description	dia.	w	h	d	pattern no.	P1	P2	P3
Column leg, Interaction style (rectangular plate) 	4"	-	26 1/2"	-	RSC	\$250.	\$264.	\$277.
Ships with wood screws for fasening to underside of worksurface into pilot hole location. Painted finish only.								
4" Plain Cylinder (26 1/2" high) 	4"	-	26 1/2"	-	RCB	263.	276.	288.
Painted and PD, PT and PZ plated finishes.								
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	-	26 1/2"	-	RSC4-()	976.	1,024.	1,077.
Painted finishes only.								
T-leg, Interaction style 	-		26 1/2"	24"	RIB24T	358.	376.	396.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted options only								
T-Leg, plain tube style 	-		26 1/2"	20"	RCB20T-()	387.	407.	426.
	-		26 1/2"	24"	RCB24T-()	393.	416.	436.
	-		26 1/2"	30"	RCB30T-()	436.	456.	481.
	-		26 1/2"	40"	RCB40T-()	458.	483.	508.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finish options.								

Support components

Order Code	Specification Information	Application Notes
Example: RSC	<i>To order please specify pattern number including:</i> 1. Finish type, where applicable 2. Finish <i>Finish type options:</i> P = Paint (P1, P2, P3)	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black. Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes. Refer to Planning Guide for top-base matrix, pages 140 and 141. All bases include 1 1/2" leveller.
R Reff		
S Support		
C Cylinder		
		Only the plain cylinder and tube legs can be ordered in plated and painted finishes. Interaction style legs are only available in painted finishes. Applicable finishes are listed on page 1 and 3.

Top support components

Painted or Anodized Legs 26 1/2" high planning

description	h	pattern no.	list
L-Leg 	26 1/2"	RPL1()	\$611.
Reverse L-Leg 	26 1/2"	RPRL1()	611.
Soft Rectangular Leg 	26 1/2"	RPS1()	632.

Order Code	
Example: RPL1 ()	
RP	Reff Profiles
L	Leg
1	26 1/2"h
AN	Leg finish

RL = Reverse Leg
S = Soft Rectangular Leg




Specification Information
<i>To order please specify pattern number including:</i>
1. Finish: Painted or Anodized (AA, AN, AP, AU)

Application Notes
Legs are sold in pairs. These legs include 1" leveller.
Products on this page are 26 1/2"h. Products should not be mixed with 28 3/8"h components.
For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs, when referencing the planning guide; pages 140 and 141.
Applicable finishes are listed on pages 5 and 6.

Top support components

Painted or Plated Bases 26 1/2" high planning

Reff Profiles

description	h	dia.	pattern no.	P1	P2	P3
 X-base	26 1/2"	28"	RIB28X-()	\$591.	\$622.	\$654.
	26 1/2"	32"	RIB32X-()	801.	844.	886.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.						
 Spider base, plain tube style	26 1/2"	24"	RCB24X	606.	637.	667.
	26 1/2"	28"	RCB28X	634.	665.	698.
	26 1/2"	36"	RCB36X	687.	723.	758.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finishes.						
 Drum base	26 1/2"	–	RSD1427-()	1,143.	1,201.	1,260.
	26 1/2"	–	RSD1827-()	1,242.	1,305.	1,369.
	26 1/2"	–	RSD2027-()	1,281.	1,345.	1,411.
	26 1/2"	–	RSD2427-()	1,534.	1,612.	1,691.
	26 1/2"	–	RSD3027-()	1,715.	1,799.	1,889.
Painted finishes only.						




Support components

Order Code	Specification Information	Application Notes
Example: RIB28X R Reff I Interaction B Base 28 Diameter X X-base	<i>To order please specify pattern number including:</i> 1. Finish type, where applicable 2. Finish <i>Finish type options:</i> P = Paint (P1, P2, P3)	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black. Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes. Refer to Planning Guide for top-base matrix, pages 140 and 141. All bases include 1 1/2" leveller.
		Only the plain cylinder and tube legs can be ordered in plated and painted finishes. Interaction style legs are only available in painted finishes. Applicable finishes are listed on page 1 and 3.

Top support components

Laminate or Wood Bases 26¹/₂" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum base	14"		26 ¹ / ₂ "	–	RSD1427-()	n/a	\$1,336.	\$1,538.	\$2,076.
	18"		26 ¹ / ₂ "	–	RSD1827-()	n/a	1,451.	1,670.	2,256.
	20"		26 ¹ / ₂ "	–	RSD2027-()	n/a	1,499.	1,723.	2,326.
	24"		26 ¹ / ₂ "	–	RSD2427-()	n/a	1,796.	2,066.	2,789.
	30"		26 ¹ / ₂ "	–	RSD3027-()	n/a	2,007.	2,305.	3,112.
 T-base (hardware included)*	20"	26 ¹ / ₂ "	12"		RST1-()	427.	484.	565.	765.
	24"	26 ¹ / ₂ "	12"		RST2-()	457.	521.	598.	809.
	30"	26 ¹ / ₂ "	12"		RST3-()	538.	604.	699.	945.
	36"	26 ¹ / ₂ "	12"		RST4-()	611.	693.	795.	1,074.
	42"	26 ¹ / ₂ "	12"		RST5-()	678.	771.	889.	1,202.
	48"	26 ¹ / ₂ "	12"		RST6-()	756.	851.	983.	1,327.
 L-base (hardware included), non-handed*	12"	26 ¹ / ₂ "	12"		RSL12-()	427.	484.	565.	765.
	15"	26 ¹ / ₂ "	12"		RSL15-()	437.	495.	571.	770.
	20"	26 ¹ / ₂ "	12"		RSL20-()	457.	512.	591.	798.
	24"	26 ¹ / ₂ "	12"		RSL24-()	465.	521.	598.	809.
	30"	26 ¹ / ₂ "	12"		RSL30-()	538.	604.	699.	945.
	36"	26 ¹ / ₂ "	12"		RSL36-()	611.	693.	795.	1,074.
	42"	26 ¹ / ₂ "	12"		RSL42-()	678.	771.	889.	1,202.
	48"	26 ¹ / ₂ "	12"		RSL48-()	756.	851.	983.	1,327.

Order Code

Example: RSD1427	
R	Reff
S	Support
D	Drum base
14	Diameter
27	Height
2	Finish type
R319	V2- Med. Cherry

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:

- L = Laminate
 1 = V1
 2 = V2
 3 = V3

Application Notes

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1¹/₂" leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.






T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 1 and 3.

Top support components

Painted or Plated Legs 28³/₈" high planning

Reff Profiles

description	dia.	w	he	d	pattern no.	P1	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	-	28 ³ / ₈ "		RSDHC () ()	\$264.	\$277.	\$289.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								
4" Plain Cylinder (desk height) 	4" dia	-	28 ³ / ₈ "		RCDHB () ()	276.	288.	304.
Painted and PD, PT and PZ plated finishes.								
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	-	28 ³ / ₈ "		RSDHC4 () ()	1,026.	1,076.	1,131.
Painted finishes only.								
T-Leg, plain tube style (desk height) 		-	28 ³ / ₈ "	20"	RCDHB20T () ()	407.	427.	448.
		-	28 ³ / ₈ "	24"	RCDHB24T () ()	415.	436.	457.
		-	28 ³ / ₈ "	30"	RCDHB30T () ()	457.	481.	505.
		-	28 ³ / ₈ "	40"	RCDHB40T () ()	483.	508.	533.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finishes.								
T-Leg, Interaction style (desk height) 		-	28 ³ / ₈ "	24"	RIBDH24T () ()	376.	396.	416.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								

Support components




Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Interaction style legs and bases are not available in plated finishes.
S Support	2. <i>Finish</i> see matrix on page 1	Only the plain cylinder and the tube legs can be ordered in plated and painted finishes.
DH Desk Height	Applicable finishes are listed on page 1 and 3.	All bases include 1 1/2" leveller.
C Column Leg		
P Finish type, paint		
111 Finish, Jet Black		

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Top support components

Painted or Anodized Legs 28³/₈" high planning

description	h	pattern no.	list
L-Leg 	28 ³ / ₈ "	RPL2()	\$611.
Reverse L-Leg 	28 ³ / ₈ "	RPRL2()	611.
Soft Rectangular Leg 	28 ³ / ₈ "	RPS2()	632.

Order Code	
Example: RPL1 ()	
RP	Reff Profiles
L	Leg
1	26 ¹ / ₂ "h
AN	Leg finish

RL = Reverse Leg
S = Soft Rectangular Leg

Specification Information
<i>To order please specify pattern number including:</i>
1. Finish: Painted or Anodized (AA, AN, AP, AU)

Application Notes
Legs are sold in pairs. These legs include 1" leveller.
Products on this page are 28 ³ / ₈ "h. Products should not be mixed with 26 ¹ / ₂ "h components.
For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs, when referencing the planning guide; pages 140 and 141.
Applicable finishes are listed on pages 5 and 6.

Top support components

Painted or Plated Bases 28³/₈" high planning

description	dia.	w	h	d	pattern no.	P1	P2	P3
X-base (desk height)		–	28 ³ / ₈ "	28"	RIBDH28X () ()	\$622.	\$653.	\$686.
		–	28 ³ / ₈ "	32"	RIBDH32X () ()	844.	885.	928.



Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted finishes only.

Spider base, plain tube style (desk height)		–	28 ³ / ₈ "	24"	RCBDH24X () ()	637.	667.	700.
		–	28 ³ / ₈ "	28"	RCBDH28X () ()	665.	698.	734.
		–	28 ³ / ₈ "	36"	RCBDH36X () ()	723.	759.	795.




Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted and PD, PT and PZ plated finishes.

Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 () ()	1,201.	1,260.	1,325.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 () ()	1,305.	1,369.	1,437.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 () ()	1,345.	1,411.	1,481.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 () ()	1,612.	1,691.	1,777.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 () ()	1,799.	1,890.	1,984.



Painted finishes only.

Base Support Column, 3" dia.			28 ³ / ₈ "		RSDHC3 () ()	319.	319.	447.
------------------------------	--	--	----------------------------------	--	-----------------------	------	------	------






Painted and PD, PN and PU plated finishes.

Order Code	Specification Information	Application Notes
Example: RCBDH24X	<i>To order please specify pattern number including:</i>	Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
I Interaction	2. <i>Finish</i> see matrix on page 1	
B Base	Applicable finishes are listed on page 1 and 3.	Interaction style legs and bases are only available in painted finishes. Only plain cylinder and tube style legs can be ordered in plated and painted finishes.
DH Desk height		
28 Diameter		
X X-base		
P Finish type, paint		
111 Finish, Jet Black		

Top support components

Laminate or Wood Bases 28³/₈" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
Drum Base (desk height) 	14"	–	28 ³ / ₈ "	–	RSDHD1428 ()()	N/A	\$1,404.	\$1,614.	\$2,178.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 ()()	N/A	1,525.	1,753.	2,368.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 ()()	N/A	1,573.	1,808.	2,442.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 ()()	N/A	1,885.	2,170.	2,930.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 ()()	N/A	2,107.	2,421.	3,268.
T-base, desk height (hardware included) 	20"	28 ³ / ₈ "	12"	RSDHT1 ()()	449.	510.	592.	801.	
	24"	28 ³ / ₈ "	12"	RSDHT2 ()()	482.	547.	629.	849.	
	30"	28 ³ / ₈ "	12"	RSDHT3 ()()	564.	637.	734.	992.	
	36"	28 ³ / ₈ "	12"	RSDHT4 ()()	642.	729.	836.	1,128.	
	42"	28 ³ / ₈ "	12"	RSDHT5 ()()	712.	810.	934.	1,261.	
	48"	28 ³ / ₈ "	12"	RSDHT6 ()()	793.	895.	1,032.	1,395.	
L-base, desk height (hardware included, non-handed) 	12"	28 ³ / ₈ "	12"	RSDHL12 ()()	449.	510.	592.	801.	
	15"	28 ³ / ₈ "	12"	RSDHL15 ()()	458.	517.	598.	809.	
	20"	28 ³ / ₈ "	12"	RSDHL20 ()()	482.	537.	623.	842.	
	24"	28 ³ / ₈ "	12"	RSDHL24 ()()	488.	547.	629.	849.	
	30"	28 ³ / ₈ "	12"	RSDHL30 ()()	564.	637.	734.	992.	
	36"	28 ³ / ₈ "	12"	RSDHL36 ()()	642.	729.	836.	1,128.	
	42"	28 ³ / ₈ "	12"	RSDHL42 ()()	712.	810.	934.	1,261.	
	48"	28 ³ / ₈ "	12"	RSDHL48 ()()	793.	895.	1,032.	1,395.	

Order Code

Example:	RSDHD1428
R	Reff
S	Support
DH	Desk Height
D	Drum base
14	Diameter
28	Height
2	Finish type, V2
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

1. *Finish Type, where applicable*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
2. *Finish*
 see matrix on page 1

Applicable finishes are listed on page 1 and 3.

Application Notes

odT and L bases are not recommended for supporting conference tops.

All bases include 1/2" leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty
Removable
28³/₈" planning


description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for End panel and Storage Unit	72" wide assembly - 36" storage	1"	72"	25"	RDHMR7240	\$320.	\$401.	\$460.	\$599.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMR7230	332.	414.	476.	619.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMR7220	356.	445.	512.	665.
	72" wide assembly - 16" storage	1"	72"	25"	RDHMR7210	362.	452.	520.	676.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMR7840	332.	414.	476.	619.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMR7830	342.	427.	491.	639.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMR7820	367.	458.	526.	685.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMR7810	372.	465.	535.	694.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMR8440	342.	427.	491.	639.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMR8430	357.	446.	513.	667.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMR8420	377.	472.	542.	705.
	84" wide assembly - 16" storage	1"	84"	25"	RDHMR8410	387.	484.	557.	724.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMR9040	357.	446.	513.	667.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMR9030	368.	459.	528.	687.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMR9020	392.	490.	563.	733.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMR9010	398.	497.	572.	744.
	96" wide assembly - 36" storage	1"	96"	25"	RDHMR9640	368.	459.	528.	687.
	96" wide assembly - 30" storage	1"	96"	25"	RDHMR9630	378.	473.	544.	707.
	96" wide assembly - 19" storage	1"	96"	25"	RDHMR9620	403.	504.	579.	753.
	96" wide assembly - 16" storage	1"	96"	25"	RDHMR9610	413.	516.	594.	773.
102" wide assembly - 36" storage	1"	102"	25"	RDHMR10240	393.	485.	554.	713.	
102" wide assembly - 30" storage	1"	102"	25"	RDHMR10230	404.	499.	570.	732.	
102" wide assembly - 19" storage	1"	102"	25"	RDHMR10220	428.	529.	605.	779.	
102" wide assembly - 16" storage	1"	102"	25"	RDHMR10210	439.	542.	620.	798.	
108" wide assembly - 36" storage	1"	108"	25"	RDHMR10840	419.	511.	580.	739.	
108" wide assembly - 30" storage	1"	108"	25"	RDHMR10830	430.	524.	595.	758.	
108" wide assembly - 19" storage	1"	108"	25"	RDHMR10820	454.	555.	630.	804.	
108" wide assembly - 16" storage	1"	108"	25"	RDHMR10810	465.	568.	646.	824.	



Support components


Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty panel lengths are nominal - length changes on option selected.
DH Desk height	2. <i>Finish</i> V316	Please see Planning Guide for freestanding planning instruction.
M Modesty	Installation instruction sheets available on Knoll Exchange.	Modesty End panel and storage unit.
R Removable	For removable modesty refer to part number 6TP00084.	10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units.
72 Width		11= 16"/16" storage 12= 16"/16" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
10 16" storage		
V2 Finish type		
V316 Light Maple		

Modesty Removable 28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMR7212	\$320.	\$410.	\$460.	\$599.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMR7222	325.	407.	468.	609.
	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMR7211	331.	414.	476.	619.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMR7822	331.	414.	476.	619.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMR7812	336.	420.	483.	628.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMR7811	341.	426.	490.	638.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMR8423	321.	402.	462.	600.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMR8414	328.	409.	471.	612.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMR8422	341.	426.	490.	638.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMR8412	347.	434.	499.	648.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMR8411	356.	446.	513.	666.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMR9024	321.	402.	462.	600.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMR9013	328.	409.	471.	612.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMR9023	332.	415.	478.	621.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMR9014	337.	421.	484.	629.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMR9022	356.	446.	513.	666.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMR9012	363.	453.	521.	678.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMR9011	368.	459.	528.	687.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMR9633	322.	403.	464.	603.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMR9624	332.	415.	478.	621.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMR9613	337.	421.	484.	629.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMR9623	343.	428.	493.	641.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMR9614	353.	441.	508.	659.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMR9622	368.	459.	528.	687.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMR9612	372.	466.	536.	696.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMR9611	378.	473.	544.	707.
	102" wide assembly - 30"/30" storage	1"	102"	25"	RDHMR10233	348.	428.	489.	628.
	102" wide assembly - 19"/36" storage	1"	102"	25"	RDHMR10224	357.	441.	504.	647.
	102" wide assembly - 16"/36" storage	1"	102"	25"	RDHMR10213	363.	447.	510.	655.
	102" wide assembly - 19"/30" storage	1"	102"	25"	RDHMR10223	369.	454.	519.	666.
	102" wide assembly - 16"/30" storage	1"	102"	25"	RDHMR10214	379.	467.	534.	685.
	102" wide assembly - 19"/19" storage	1"	102"	25"	RDHMR10222	393.	485.	554.	713.
	102" wide assembly - 16"/19" storage	1"	102"	25"	RDHMR10212	398.	491.	561.	722.
102" wide assembly - 16"/16" storage	1"	102"	25"	RDHMR10211	404.	499.	570.	732.	
108" wide assembly - 30"/30" storage	1"	108"	25"	RDHMR10833	374.	454.	515.	654.	


Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty panel lengths are nominal - length changes on option selected.
DH Desk height	2. <i>Finish</i> V316	Please see Planning Guide for freestanding planning instruction.
M Modesty	Installation instruction sheets available on Knoll Exchange.	Modesty End panel and storage unit.
R Removable	For removable modesty refer to part number 6TP00084.	10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units.
72 Width		11= 16"/16" storage 12= 16"/16" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
10 16" storage		
V2 Finish type		
V316 Light Maple		

Modesty
Removable
28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	108" wide assembly - 19"/36" storage	1"	108"	25"	RDHMR10824	\$383.	\$467.	\$529.	\$673.
	108" wide assembly - 16"/36" storage	1"	108"	25"	RDHMR10813	388.	473.	536.	681.
	108" wide assembly - 19"/30" storage	1"	108"	25"	RDHMR10823	394.	480.	545.	692.
	108" wide assembly - 16"/30" storage	1"	108"	25"	RDHMR10814	405.	492.	559.	711.
	108" wide assembly - 19"/19" storage	1"	108"	25"	RDHMR10822	419.	511.	580.	739.
	108" wide assembly - 16"/19" storage	1"	108"	25"	RDHMR10812	423.	517.	587.	748.
	108" wide assembly - 16"/16" storage	1"	108"	25"	RDHMR10811	430.	524.	595.	758.


Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty panel lengths are nominal - length changes on option selected.
DH Desk height	2. <i>Finish</i> V316	Please see Planning Guide for freestanding planning instruction.
M Modesty	Installation instruction sheets available on Knoll Exchange.	Modesty End panel and storage unit.
R Removable	For removable modesty refer to part number 6TP00084.	10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units.
72 Width		11= 16"/16" storage 12= 16"/16" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
10 16" storage		
V2 Finish type		
V316 Light Maple		

Modesty
 Hinged
 28³/₈" planning - Between Two Storage Elements

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for Between Two Storage Elements 	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMH7211	\$629.	\$801.	\$844.	\$1,012.
	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMH7222	619.	791.	828.	994.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMH7212	623.	796.	835.	1,002.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMH7811	641.	817.	859.	1,031.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMH7812	634.	812.	852.	1,022.
	78" wide assembly - 16"/30" storage	1"	78"	25"	RDHMH7813	614.	787.	817.	981.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMH7822	629.	801.	844.	1,012.
	78" wide assembly - 19"/30" storage	1"	78"	25"	RDHMH7823	609.	782.	804.	965.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMH8411	784.	960.	1,007.	1,209.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMH8412	778.	955.	999.	1,199.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMH8414	614.	787.	817.	981.
	84" wide assembly - 16"/36" storage	1"	84"	25"	RDHMH8413	625.	797.	837.	1,005.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMH8422	641.	817.	859.	1,031.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMH8423	619.	791.	830.	996.
	84" wide assembly - 19"/36" storage	1"	84"	25"	RDHMH8424	609.	782.	804.	965.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMH9011	795.	970.	1,022.	1,226.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMH9012	789.	965.	1,015.	1,217.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMH9014	625.	797.	837.	1,005.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMH9013	636.	813.	853.	1,024.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMH9022	784.	960.	1,007.	1,209.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMH9023	630.	802.	845.	1,014.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMH9024	619.	791.	830.	996.
	90" wide assembly - 30"/30" storage	1"	90"	25"	RDHMH9033	610.	783.	806.	968.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMH9611	810.	980.	1,043.	1,252.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMH9612	804.	975.	1,030.	1,236.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMH9614	636.	813.	853.	1,024.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMH9613	780.	956.	1,000.	1,200.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMH9622	795.	970.	1,022.	1,226.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMH9623	682.	818.	860.	1,032.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMH9624	641.	802.	845.	1,014.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMH9633	621.	793.	831.	997.

Order Code	Specification Information	Application Notes	
Example: RDHMH7222	To order please specify pattern number including: 1. <i>Finish Type</i> L, V1, V2, V3 2. <i>Finish</i> V316	Modesty may prohibit the adjacent drawer from opening. Recommended that when using a modesty the adjacent ped is an open configuration. Hardware shipped with modesty to attach to worksurface. J-Extrusion Wire Trough sold separately.	
R Reff			Modesty End panel and storage unit. 10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units. 11= 16"/16" storage 12= 16"/19" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
DH Desk height			
M Modesty			
H Hinged			
72 Width			
22 19"/19" storage			
V2 Finish type			
V316 Light Maple			


Modesty
 Hinged
 28³/₈" planning - End Panel and Storage Unit

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for End panel and Storage Unit 	72" wide assembly - 16" storage	1"	72"	25"	RDHMH7210	\$789.	\$964.	\$1,014.	\$1,216.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMH7220	783.	960.	1,006.	1,207.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMH7230	629.	801.	845.	1,014.
	72" wide assembly - 36" storage	1"	72"	25"	RDHMH7240	619.	791.	828.	994.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMH7810	803.	974.	1,029.	1,235.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMH7820	793.	969.	1,021.	1,225.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMH7830	641.	817.	859.	1,031.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMH7840	629.	801.	845.	1,014.
	84" wide assembly - 16" storage	1"	84"	25"	RDHMH8410	818.	992.	1,050.	1,260.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMH8420	809.	979.	1,042.	1,250.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMH8430	784.	960.	1,007.	1,209.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMH8440	641.	817.	859.	1,031.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMH9010	828.	1,001.	1,065.	1,278.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMH9020	822.	996.	1,058.	1,269.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMH9030	795.	970.	1,022.	1,226.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMH9040	784.	960.	1,007.	1,209.
96" wide assembly - 16" storage	1"	96"	25"	RDHMH9610	839.	1,011.	1,080.	1,297.	
96" wide assembly - 19" storage	1"	96"	25"	RDHMH9620	833.	1,006.	1,072.	1,286.	
96" wide assembly - 30" storage	1"	96"	25"	RDHMH9630	810.	981.	1,044.	1,254.	
96" wide assembly - 36" storage	1"	96"	25"	RDHMH9640	795.	970.	1,022.	1,226.	

Support components

Order Code	Specification Information	Application Notes	
Example: RDHMH7222	To order please specify pattern number including: 1. <i>Finish Type</i> L, V1, V2, V3 2. <i>Finish</i> V316	Modesty may prohibit the adjacent drawer from opening. Recommended that when using a modesty the adjacent ped is an open configuration. Hardware shipped with modesty to attach to worksurface. J-Extrusion Wire Trough sold separately.	
R Reff			Modesty End panel and storage unit. 10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units. 11= 16"/16" storage 12= 16"/19" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
DH Desk height			
M Modesty			
H Hinged			
72 Width			
22 19"/19" storage			
V2 Finish type			
V316 Light Maple			

Modesty
Partial
28³/₈" planning

description	th	w	h	pattern no.	L	V1	V2	V3
Partial / Half Height Modesty	1"	26"	12"	RDHPM26 ()	\$288.	\$403.	\$464.	\$603.
	1"	32"	12"	RDHPM32 ()	298.	416.	479.	622.
	1"	38"	12"	RDHPM38 ()	313.	439.	505.	655.
	1"	44"	12"	RDHPM44 ()	330.	461.	530.	690.
	1"	50"	12"	RDHPM50 ()	353.	494.	569.	740.
	1"	56"	12"	RDHPM56 ()	363.	508.	584.	760.
	1"	62"	12"	RDHPM62 ()	389.	545.	627.	815.
	1"	68"	12"	RDHPM68 ()	411.	576.	662.	860.
	1"	74"	12"	RDHPM74 ()	420.	589.	677.	880.

Order Code

Example: RDHPM26 ()	
R	Reff
DH	Desk height
PM	Partial Modesty
26	Width
V316	Light Maple

Specification Information

To order please specify pattern number including:

1. Finish
L, V1, V2, V3

Application Notes

Modesty may prohibit the adjacent drawer from opening.

Recommended that when using a modesty the adjacent ped is an open configuration.

Hardware shipped with modesty to attach to worksurface.


J-Extrusion Wire Trough sold separately.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,165.	\$1,246.	\$1,430.	\$1,923.
	16"	23"	26 1/2"	RP212J-() () L	1,216.	1,303.	1,497.	2,013.
	16"	29"	26 1/2"	RP213J-() () L	1,268.	1,357.	1,558.	2,097.



*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 Counter weights required per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,067.	1,144.	1,315.	1,777.
	16"	23"	26 1/2"	RP212K-() () L	1,144.	1,226.	1,409.	1,902.
	16"	29"	26 1/2"	RP213K-() () L	1,217.	1,302.	1,500.	2,023.
	30"	19"	26 1/2"	RP231K-() () L	1,220.	1,309.	1,505.	2,032.
	30"	23"	26 1/2"	RP232K-() () L	1,285.	1,380.	1,584.	2,138.
	36"	19"	26 1/2"	RP261K-() () L	1,301.	1,395.	1,605.	2,166.
	36"	23"	26 1/2"	RP262K-() () L	1,364.	1,462.	1,682.	2,271.



*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 Counter weights required per pedestal.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RP211JLMDL	<i>To order please specify pattern number including:</i>	<p>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Mobile pedestals are always equipped with finished backs.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Random locks are factory installed.</p> <p>Keyalike are field installed using the KnollKey order form.</p> <p>Each locking pedestal on this page counts for one lock core.</p> <p>Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding).</p> <p>1 counterweight = 10 lbs.</p> <p>Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p>
R Reff	1. Finish type	
P Pedestal	2. Interior option	
2 26 1/2"H	3. Pull option	
1 16" wide	4. Lock option, Files	
1 19" deep	5. Cabinet Finish	
J Box box file config.	6. Pull Finish Painted or Plated	
L Laminate finish type	*After specifying product code, provide keying instructions.	
M Metal interior option	1. <i>Finish type:</i>	
D Metal D-pull	L = Laminate	
L Lock option files	1 = V1	
114 Cabinet Finish, Folkstone Grey	2 = V2	
612 Pull Finish, Folkstone Grey	3 = V3	
	2. <i>Interior options:</i>	
	M = Metal interior	
	3. <i>Pull options:</i>	
	B = No pull, No drilling, Customer's Own Pull	
	C = Nickel C-pull (nickel finish only)	
	D = D-pull (PT, PZ only)	
	F = Bar Pull	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-pull (stainless steel finish only)	
	T = Tab pull	
	4. <i>Lock options:</i>	
	L = Drilled to accept lock	
	5. Refer to page 590 for keying instructions.	
	Pencil trays not included in pedestals with metal interiors.	
	Pencil tray to be ordered separately; see page 462.	
	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.	

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,296.	\$1,386.	\$1,597.	\$2,147.
	16"	24"	26 1/2"	RPB212J () () L	1,347.	1,444.	1,659.	2,232.
	16"	30"	26 1/2"	RPB213J () () L	1,400.	1,500.	1,723.	2,321.



*Pencil Tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,199.	1,284.	1,480.	1,999.
	16"	24"	26 1/2"	RPB212K () () L	1,275.	1,366.	1,576.	2,126.
	16"	30"	26 1/2"	RPB213K () () L	1,351.	1,446.	1,663.	2,246.
	30"	20"	26 1/2"	RPB231K () () L	1,483.	1,591.	1,826.	2,467.
	30"	24"	26 1/2"	RPB232K () () L	1,549.	1,661.	1,906.	2,572.
	36"	20"	26 1/2"	RPB261K () () L	1,611.	1,731.	1,988.	2,684.
	36"	24"	26 1/2"	RPB262K () () L	1,678.	1,797.	2,066.	2,788.



*Pencil Tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RPB211JLMDL	<i>To order please specify pattern number including:</i>	3. Pull options:
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
PB Pedestal with back	2. Finish type	Customer's Own Pull
2 26 1/2"H	3. Interior option	C = C-Pull,
1 16" wide	4. Pull option	(Nickel finish only)
1 20" deep	5. Lock option, files	D = D-Pull (PT, PZ only)
J Box box file config.	6. Cabinet finish	F = Bar pull
L Laminate finish type	7. Pull Finish	H = Outline Pull
M Metal interior option	Painted or Plated	J = J (Routed) Pull
D Metal D-pull	*After specifying product code, provide keying instructions.	R = Cylinder Pull
L Lock hole drilled		S = S-Pull,
114 Cabint finish	<i>1. Finish type:</i>	(stainless steel finish only)
612 Pull finish	L = Laminate	T = Tab Pull
	1 = V1	
	2 = V2	4. Lock options:
	3 = V3	Pedestals with drawers always lock drilled.
	<i>2. Interior options:</i>	L = Drilled to accept lock
	M = Metal interior	Lock default is Black
		5. Refer to page 590 for keying instructions.
		Pencil trays not included in pedestals with metal interiors.
		Pencil tray to be ordered separately; see page 462.
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Pedestals must be ordered with back-panel to achieve full depth, without a modesty panel.
		1 counterweight = 10 lbs.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 5 and 6.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J() () ()	\$1,222.	\$1,307.	\$1,501.	\$2,019.
	19"	23"	26 1/2"	RP222J() () ()	1,276.	1,368.	1,571.	2,113.
	19"	29"	26 1/2"	RP223J() () ()	1,330.	1,423.	1,636.	2,222.



*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

Pedestal with file file configuration	19"	19"	26 1/2"	RP221K() () ()	1,121.	1,201.	1,381.	1,865.
	19"	23"	26 1/2"	RP222K() () ()	1,201.	1,286.	1,480.	1,998.
	19"	29"	26 1/2"	RP223K() () ()	1,278.	1,368.	1,575.	2,124.



*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP221JLMDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
P Pedestal	2. Interior option	Customer's Own Pull
2 26 1/2"H	3. Pull option	C = C-Pull,
2 19" wide	4. Lock option, Files	(Nickel finish only)
1 19" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull Finish	F = Bar pull
L Laminate finish type	Painted or Plated	H = Outline Pull
M Metal interior option	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
D Metal D-pull	1. <i>Finish type:</i>	R = Cylinder Pull
L Lock option	L = Laminate	S = S-Pull,
114 Cabinet Finish, Folkstone grey	1 = V1	(stainless steel finish only)
612 Pull Finish, Med. grey	2 = V2	T = Tab Pull
	3 = V3	<i>4. Lock options:</i>
	2. <i>Interior options:</i>	L = Drilled to accept lock
	M = Metal interior	<i>5. Cabinet Finish</i>
		<i>6. Pull Finish</i>
		7. Refer to page 590 for keying instructions.
		Pencil trays not included in pedestals with metal interiors.
		Pencil tray to be ordered separately; see page 462.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)
		1 counterweight = 10 lbs.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.


Pedestals, 26 1/2" planning

BBF/FF

Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,235.	\$1,319.	\$1,517.	\$2,039.
	16"	23"	26 1/2"	RP212J-() () L	1,372.	1,470.	1,686.	2,270.
	16"	29"	26 1/2"	RP213J-() () L	1,492.	1,599.	1,835.	2,470.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,130.	1,211.	1,391.	1,879.
	16"	23"	26 1/2"	RP212K-() () L	1,333.	1,429.	1,640.	2,213.
	16"	29"	26 1/2"	RP213K-() () L	1,453.	1,559.	1,792.	2,421.
	30"	19"	26 1/2"	RP231K-() () L	1,461.	1,566.	1,800.	2,430.
	30"	23"	26 1/2"	RP232K-() () L	1,718.	1,840.	2,112.	2,851.
	36"	19"	26 1/2"	RP261K-() () L	1,807.	1,935.	2,227.	3,006.
	36"	23"	26 1/2"	RP262K-() () L	2,104.	2,257.	2,596.	3,503.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
P Pedestal	2. Interior option	Customer's Own Pull
2 26 1/2"H	3. Pull option	C = C-Pull,
1 16" wide	4. Lock option, file	(Nickel finish only)
1 19" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull finish	F = Bar pull
L Laminate finish		H = Outline Pull
W Wood interior		J = J (Routed) Pull
D Metal D-pull		R = Cylinder Pull
L Lock hole drilled		S = S-Pull,
114 Cabinet finish		(stainless steel finish only)
612 Pull finish		T = Tab Pull
	*After specifying product code, provide keying instructions.	<i>4. Lock options:</i>
	1. <i>Finish type:</i>	Pedestals with drawers always lock drilled.
	L = Laminate	L = Drilled to accept lock
	1 = V1	
	2 = V2	
	3 = V3	
	2. <i>Interior options:</i>	
	W = Wood interior	
		5. Refer to page 590 for keying instructions.
		Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
		1 counterweight = 10 lbs.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Pedestals, 26 1/2" planning

BBF/FF

Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration 	16"	20"	26 1/2"	RPB211J () () L	\$1,370.	\$1,463.	\$1,681.	\$2,263.
	16"	24"	26 1/2"	RPB212J () () L	1,503.	1,611.	1,853.	2,495.
	16"	30"	26 1/2"	RPB213J () () L	1,625.	1,739.	1,997.	2,689.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with file file configuration 	16"	20"	26 1/2"	RPB211K () () L	1,261.	1,351.	1,555.	2,100.
	16"	24"	26 1/2"	RPB212K () () L	1,464.	1,569.	1,807.	2,439.
	16"	30"	26 1/2"	RPB213K () () L	1,587.	1,701.	1,959.	2,643.
	30"	20"	26 1/2"	RPB231K () () L	1,724.	1,849.	2,125.	2,870.
	30"	24"	26 1/2"	RPB232K () () L	1,921.	2,124.	2,435.	3,288.
	36"	20"	26 1/2"	RPB261K () () L	2,120.	2,271.	2,611.	3,527.
	36"	24"	26 1/2"	RPB262K () () L	2,419.	2,595.	2,982.	4,026.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code	Specification Information
Example: RPB211JLWDL	
R	Reff
PB	Pedestal with back
2	26 1/2"H
1	16" wide
1	20" deep
J	Box box file config.
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock option
114	Cabinet finish
612	Pull finish

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, applicable hinged doors only
5. Cabinet finish
6. Pull finish
Painted or Plated

***After specifying product code, provide keying instructions.**

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3

2. *Interior options:*
W = Wood interiors

Application Notes

3. *Pull options:*
B = No Pull, No Drilling,
Customer's Own Pull
C = C-Pull,
(Nickel finish only)
D = D-Pull (PT, PZ only)
F = Bar pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-Pull,
(stainless steel finish only)
T = Tab Pull

4. *Lock options:*
Pedestals with drawers always lock drilled
L = Drilled to accept lock

5. Refer to page 590 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.


Pedestals, 26 1/2" planning

BBF/FF

Wood interiors legal width

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J() () ()	\$1,296.	\$1,384.	\$1,591.	\$2,140.
	19"	23"	26 1/2"	RP222J() () ()	1,440.	1,543.	1,770.	2,382.
	19"	29"	26 1/2"	RP223J() () ()	1,566.	1,678.	1,927.	2,593.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K() () ()	1,187.	1,272.	1,461.	1,972.
	19"	23"	26 1/2"	RP222K() () ()	1,400.	1,501.	1,721.	2,324.
	19"	29"	26 1/2"	RP223K() () ()	1,526.	1,638.	1,883.	2,541.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

Order Code	
Example: RP221JLWDL	
R	Reff
P	Pedestal
2	26 1/2"H
2	19" wide
1	19" deep
J	Box box file config.
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock option
114	Cabinet finish, Folkstone grey
612	Pull finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Finish type
2. Interior option
3. Pull option
4. Lock option, files
5. Keying instructions
6. Cabinet finish
7. Pull finish
Painted or Plated
*After specifying product code, provide keying instructions.
<i>1. Finish type:</i>
L = Laminate
1 = V1
2 = V2
3 = V3
<i>2. Interior options:</i>
W = Wood interior

Application Notes
<i>3. Pull options:</i>
B = No Pull, No Drilling
C = C-Pull, (Nickel finish only)
D = D-Pull (PT, PZ only)
F = Bar pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-Pull, (stainless steel finish only)
T = Tab Pull
<i>4. Lock options:</i>
Pedestals with drawers always lock drilled.
L = Drilled to accept lock
<i>5. Cabinet finish</i>
<i>6. Pull finish</i>
<i>7. Refer to page 590 for keying instructions.</i>
Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
Random locks are factory installed.
Keyalike are field installed using the KnollKey order form.
Each locking pedestal on this page counts for one lock core.
Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
1 counterweight = 10 lbs.
Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$936.	\$1,002.	\$1,154.	\$1,556.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,138.	1,217.	1,402.	1,892.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,301.	1,395.	1,605.	2,166.
	30"	19"	26 1/2"	RP231L-() () ()	1,210.	1,296.	1,489.	2,012.
	30"	23"	26 1/2"	RP232L-() () ()	1,413.	1,516.	1,743.	2,353.
	36"	19"	26 1/2"	RP261L-() () ()	1,534.	1,643.	1,891.	2,553.
	36"	23"	26 1/2"	RP262L-() () ()	1,792.	1,921.	2,209.	2,984.

*Pencil tray not included
 *Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf is metal

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() ()	713.	765.	878.	1,185.
	16"	23"	26 1/2"	RP212M-() ()	828.	891.	1,024.	1,382.
	16"	29"	26 1/2"	RP213M-() ()	981.	1,051.	1,210.	1,635.
	30"	19"	26 1/2"	RP231M-() ()	826.	889.	1,021.	1,378.
	30"	23"	26 1/2"	RP232M-() ()	1,006.	1,080.	1,240.	1,675.
	36"	19"	26 1/2"	RP261M-() ()	1,057.	1,136.	1,306.	1,763.
	36"	23"	26 1/2"	RP262M-() ()	1,280.	1,373.	1,578.	2,129.

*Pencil tray not included
 *Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means metal shelf.

Order Code	Specification Information	Application Notes
Example: RP211LLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
P Pedestal	2. Finish type	Customer's Own Pull
2 26 1/2"H	3. Interior option	C = C-Pull,
1 16" wide	4. Pull option	(Nickel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	D = D-Pull (PT, PZ only)
L Hinge door config.	6. Cabinet finish	F = Bar pull
L Laminate finish	7. Pull Finish	H = Outline Pull
M Metal interior	Painted or Plated	J = J (Routed) Pull
D Metal D-pull		R = Cylinder Pull
L Lock option		S = S-Pull,
114 Cabinet Finish		(stainless steel finish only)
612 Pull Finish		T = Tab Pul
	*After specifying product code, provide keying instructions.	
	<i>1. Hinge location:</i>	<i>5. Lock options:</i>
	L = Left hand	L = Drilled to accept lock
	R = Right hand	N = No drilling
	<i>2. Finish type:</i>	<i>6. Refer to page 590 for keying instructions.</i>
	L = Laminate	
	1 = V1	Pencil trays not included in pedestals with metal interiors.
	2 = V2	Pencil tray to be ordered separately; see page 462.
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal interior	
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Applicable finishes are listed on page 5 and 6.
 Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

For Open Pedestals;


1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning
 Open / Hinge Door
 Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,069.	\$1,143.	\$1,319.	\$1,782.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,272.	1,361.	1,566.	2,113.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,434.	1,536.	1,770.	2,391.
	30"	20"	26 1/2"	RPB231L() () ()	1,474.	1,578.	1,813.	2,447.
	30"	24"	26 1/2"	RPB232L() () ()	1,678.	1,797.	2,065.	2,787.
	36"	20"	26 1/2"	RPB261L() () ()	1,844.	1,977.	2,273.	3,069.
	36"	24"	26 1/2"	RPB262L() () ()	2,103.	2,256.	2,595.	3,502.

*Pencil Tray not included
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() ()	846.	902.	1,042.	1,408.
	16"	24"	26 1/2"	RPB212M() ()	966.	1,031.	1,190.	1,606.
	16"	30"	26 1/2"	RPB213M() ()	1,112.	1,193.	1,373.	1,854.
	30"	20"	26 1/2"	RPB231M() ()	1,092.	1,171.	1,345.	1,816.
	30"	24"	26 1/2"	RPB232M() ()	1,270.	1,361.	1,560.	2,107.
	36"	20"	26 1/2"	RPB261M() ()	1,373.	1,469.	1,690.	2,281.
	36"	24"	26 1/2"	RPB262M() ()	1,592.	1,708.	1,962.	2,648.

*Pencil Tray not included
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB211LL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
PB Pedestal with back	2. Finish type	Customer's Own Pull
2 26 1/2"H	3. Interior option	C = C-Pull,
1 16" wide	4. Pull option	(Nickel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	D = D-Pull (PT, PZ only)
L Hinge door	6. Cabinet finish	F = Bar pull
L Hinge Left	7. Pull finish	H = Outline Pull
L Laminate finish		J = J (Routed) Pull
M Metal interior		R = Cylinder Pull
D Metal D-pull		S = S-Pull,
L Lock option		(stainless steel finish only)
118 Cabinet finish		T = Tab Pull
118 Pull finish		
	*After specifying product code, provide keying instructions.	
	<i>1. Hinge location:</i>	<i>5. Lock options:</i>
	L = Left hand	Optional hinge door configuration only.
	R = Right hand	L = Drilled to accept lock
		N = No drilling
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal interior	

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

For Open Pedestals;

1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

Applicable finishes are listed on page 5 and 6.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.


Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 462.


Pedestals, 26 1/2" planning

Open / Hinge Door

Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$1,024.	\$1,096.	\$1,264.	\$1,709.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,230.	1,319.	1,515.	2,046.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,392.	1,491.	1,714.	2,314.
	30"	19"	26 1/2"	RP231L-() () ()	1,298.	1,391.	1,603.	2,163.
	30"	23"	26 1/2"	RP232L-() () ()	1,504.	1,616.	1,858.	2,507.
	36"	19"	26 1/2"	RP261L-() () ()	1,623.	1,739.	2,000.	2,700.
	36"	23"	26 1/2"	RP262L-() () ()	1,883.	2,018.	2,320.	3,131.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position
 N=No Lock option

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	801.	857.	986.	1,329.
	16"	23"	26 1/2"	RP212M-() () ()	923.	990.	1,139.	1,536.
	16"	29"	26 1/2"	RP213M-() () ()	1,072.	1,147.	1,321.	1,785.
	30"	19"	26 1/2"	RP231M-() () ()	921.	985.	1,131.	1,527.
	30"	23"	26 1/2"	RP232M-() () ()	1,095.	1,174.	1,351.	1,822.
	36"	19"	26 1/2"	RP261M-() () ()	1,147.	1,233.	1,419.	1,915.
	36"	23"	26 1/2"	RP262M-() () ()	1,372.	1,466.	1,687.	2,277.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RP211LLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling, Customer's Own Pull
P Pedestal	2. Finish type	C = C-Pull, (Nickel finish only)
2 26 1/2"H	3. Interior option	D = D-Pull (PT, PZ only)
1 16" wide	4. Pull option	F = Bar pull
1 19" deep	5. Lock option, applicable hinged doors only	H = Outline Pull
L Hinge door	6. Cabinet finish	J = J (Routed) Pull
L Laminate finish	7. Pull finish	R = Cylinder Pull
W Wood interior	*After specifying product code, provide keying instructions.	S = S-Pull, (stainless steel finish only)
D Metal D-pull	<i>1. Hinge location:</i>	T = Tab Pull
L Lock hole drilled	L = Left hand	<i>5. Lock options:</i>
118 Cabinet finish	R = Right hand	Optional hinge door configuration only.
118 Pull finish	<i>2. Finish type:</i>	L = Drilled to accept lock
	L = Laminate	N = No drilling
	1 = V1	<i>6. Refer to page 590 for keying instructions.</i>
	2 = V2	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood interior	

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


For Open Pedestals;

1. Finish type
2. Interior Option
3. Cabinet Finish


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals, 26 1/2" planning
 Open / Hinge Door
 Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R) () () ()	\$1,158.	\$1,240.	\$1,429.	\$1,928.
	16"	24"	26 1/2"	RPB212L(L/R) () () ()	1,361.	1,457.	1,679.	2,266.
	16"	30"	26 1/2"	RPB213L(L/R) () () ()	1,524.	1,632.	1,877.	2,534.
	30"	20"	26 1/2"	RPB231L () () ()	1,560.	1,672.	1,926.	2,601.
	30"	24"	26 1/2"	RPB232L () () ()	1,766.	1,895.	2,177.	2,940.
	36"	20"	26 1/2"	RPB261L () () ()	1,935.	2,073.	2,381.	3,216.
	36"	24"	26 1/2"	RPB262L () () ()	2,196.	2,351.	2,705.	3,651.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M () ()	934.	999.	1,153.	1,555.
	16"	24"	26 1/2"	RPB212M () ()	1,054.	1,130.	1,302.	1,757.
	16"	30"	26 1/2"	RPB213M () ()	1,204.	1,286.	1,484.	2,004.
	30"	20"	26 1/2"	RPB231M () ()	1,181.	1,266.	1,453.	1,963.
	30"	24"	26 1/2"	RPB232M () ()	1,360.	1,456.	1,672.	2,256.
	36"	20"	26 1/2"	RPB261M () ()	1,461.	1,568.	1,800.	2,430.
	36"	24"	26 1/2"	RPB262M () ()	1,682.	1,800.	2,070.	2,793.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RPB211LLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling, Customer's Own Pull
PB Pedestal with back	2. Finish type	C = C-Pull, (Nickel finish only)
2 26 1/2"H	3. Interior option	D = D-Pull (PT, PZ only)
1 16" wide	4. Pull option	F = Bar pull
1 20" deep	5. Lock option, applicable hinged doors only	H = Outline Pull
L Hinged door	6. Cabinet finish	J = J (Routed) Pull
L Laminate finish	7. Pull finish	R = Cylinder Pull
W Wood interior	Painted or Plated	S = S-Pull, (stainless steel finish only)
D Metal D-pull	*After specifying product code, provide keying instructions.	T = Tab Pull
L Lock option	<i>1. Hinge location:</i>	<i>5. Lock options:</i>
118 Cabinet finish	L = Left hand	Optional hinge door configuration
118 Pull finish	R = Right hand	L = Drilled to accept lock
		N = No drilling
	<i>2. Finish type:</i>	<i>6. Refer to page 590 for keying instructions.</i>
	L = Laminate	Pedestals must be ordered with back panels to achieve full depth without a modesty panel.
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood interior	

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

For Open Pedestals;
 1. Finish Type
 2. Interior Option
 3. Cabinet Finish

Applicable finishes are listed on page 5 and 6.

Pedestals, 26 1/2" planning

Mobile Pedestal

Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors L	interiors V1	interiors V2	interiors V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J- () () L () ()	\$1,144.	\$1,226.	\$1,409.	\$1,902.	
	16"	23"	21"	RM112J- () () L () ()	1,196.	1,282.	1,476.	1,992.	
	16"	23"	26 1/2"	RM212J- () () L () ()	1,606.	1,723.	1,979.	2,673.	
	16"	23"	26 1/2"	RM212K- () () L () ()	1,606.	1,723.	1,979.	2,673.	



*Pencil tray not included
*Glue and dowel construction

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT					100.
---	---	---	---	-----------------	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
M Mobile Pedestal	2. Interior option	Customer's Own Pull
1 21"H	3. Pull option	C = C-Pull,
1 16" wide	4. Lock option, files	(Nickel finish only)
1 19" deep	5. Cabinet Finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull Finish	F = Bar pull
L Laminate finish	Painted or Plated	H = Outline Pull
M Metal interior	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
D Metal D-pull		R = Cylinder Pull
L Lock option	<i>1. Finish type:</i>	S = S-Pull,
114 Cabinet Finish	L = Laminate	(stainless steel finish only)
612 Pull Finish	1 = V1	T = Tab Pull
	2 = V2	<i>4. Lock options:</i>
	3 = V3	L = Drilled to accept lock
	<i>2. Interior options:</i>	<i>5. Case Finish:</i> Laminate, V1,V2,V3
	M = Metal interior	<i>6. Pull Finish:</i> Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pencil trays not included in mobile pedestals with metal interiors.

Pencil tray to be ordered separately.

Pedestals, 26 1/2" planning

Mobile Pedestal


Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood	list
					interiors	interiors	interiors	interiors	
					L	V1	V2	V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L () ()	\$1,353.	\$1,452.	\$1,671.	\$2,255.	
	16"	23"	21"	RM112J-() () L () ()	1,429.	1,531.	1,760.	2,376.	
	16"	23"	26 1/2"	RM212K-() () L () ()	1,933.	2,071.	2,381.	3,216.	
	16"	23"	26 1/2"	RM212J-() () L () ()	1,933.	2,071.	2,381.	3,216.	



Glue and dowel construction

Pedestal backs	w	d	h	pattern no.	wood	wood	wood	wood
					L	V1	V2	V3
	16"	1"	26 1/2"	RPAB16-() ()	123.	127.	147.	199.
	19"	1"	26 1/2"	RPAB19-() ()	129.	133.	155.	210.
	30"	1"	26 1/2"	RPAB30-() ()	245.	251.	287.	388.
	36"	1"	26 1/2"	RPAB36-() ()	288.	299.	343.	464.



pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	w	d	h	pattern no.	wood	wood	wood	wood
					L	V1	V2	V3
	-	-	-	RCOUNTWT				100.

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling, Customer's Own Pull
M Mobile Pedestal	2. Interior option	C = C-Pull, (Nickel finish only)
1 21"H	3. Pull option	D = D-Pull (PT, PZ only)
1 16" wide	4. Lock option, files	F = Bar pull
1 19" deep	5. Cabinet Finish	H = Outline Pull
J Box box file config.	6. Pull Finish	J = J (Routed) Pull
L Laminate finish	Painted or Plated	R = Cylinder Pull
W Wood interior	After specifying product code, provide keying instructions.	S = S-Pull, (stainless steel finish only)
D Metal D-pull	<i>1. Finish type:</i>	T = Tab Pull
L Lock option	L = Laminate	<i>4. Lock options:</i>
114 Cabinet Finish	1 = V1	L = Drilled to accept lock
612 Pull Finish	2 = V2	<i>5. Case Finish: Wood or Laminate</i>
	3 = V3	<i>6. Pull Finish: Painted or Plated</i>
	<i>2. Interior options:</i>	Refer to page 590 for keying instructions.
	M = Metal interior	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Random locks are factory installed.


Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals, 28 3/8 planning

BBF/FF


Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 3/8"	RP161J () () L () ()	\$1,220.	\$1,305.	\$1,501.	\$2,020.
	16"	23"	28 3/8"	RP162J () () L () ()	1,276.	1,368.	1,572.	2,115.
	16"	29"	28 3/8"	RP163J () () L () ()	1,330.	1,424.	1,638.	2,203.

*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height) file/file configuration	16"	19"	28 3/8"	RP161K () () L () ()	1,120.	1,201.	1,381.	1,866.
	16"	23"	28 3/8"	RP162K () () L () ()	1,199.	1,284.	1,480.	1,999.
	16"	29"	28 3/8"	RP163K () () L () ()	1,279.	1,368.	1,576.	2,126.
	30"	19"	28 3/8"	RP301K () () L () ()	1,281.	1,375.	1,579.	2,130.
	30"	23"	28 3/8"	RP302K () () L () ()	1,351.	1,448.	1,663.	2,246.
	36"	19"	28 3/8"	RP361K () () L () ()	1,364.	1,466.	1,685.	2,276.
	36"	23"	28 3/8"	RP362K () () L () ()	1,434.	1,535.	1,766.	2,385.

*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Order Code

Example:	RP161J(L)(M)(J)L(118)
R	Reff
P	Pedestal
16	16" wide (nominal)
1	19" deep (nominal)
J	Box/Box/File config.
L	Finish type, laminate
M	Interior option, metal
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
- Interior option**
M = metal interior
- Pull option**
B = No pull, No drilling
Customer's own pull
C = nickel finish C-pull (nickel finish only)
D = metal D-pull (finish optional)
F = Bar
H = Out Line
J = routed J-pull (finish matches case)
R = Cylinder
S = S-pull (stainless steel finish only)
T = Tab

- Lock option**
Lock default is black.
Pedestals with drawers always lock drilled
L = drilled to accept lock
- Cabinet finish**
- Pull finish**
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 590. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 462.

Finished back must be ordered separately to achieve full depth without a modesty. (page 288)

Application Notes

Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

Pedestals, 28 3/8 planning

BBF/FF


Metal interior legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191J()()L()()	\$1,279.	\$1,370.	\$1,575.	\$2,120.
box/box/file configuration	19"	23"	28 3/8"	RP192J()()L()()	1,340.	1,401.	1,649.	2,220.
	19"	29"	28 3/8"	RP193J()()L()()	1,396.	1,495.	1,718.	2,313.



Pencil tray not included
 Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
 *3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191K()()L()()	1,175.	1,261.	1,450.	1,960.
file/file configuration	19"	23"	28 3/8"	RP192K()()L()()	1,259.	1,349.	1,554.	2,099.
	19"	29"	28 3/8"	RP193K()()L()()	1,344.	1,436.	1,654.	2,232.




Pencil tray not included
 Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
 *3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP191J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	<p>Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)</p> <p>1 counterweight = 10 lbs.</p> <p>Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p>
R Reff	<ol style="list-style-type: none"> Finish type L = laminate 1 = V1 2 = V2 3 = V3 Interior option M = metal interior Pull option B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Out Line J = routed J-pull (finish matches case) R = Cylinder S = S-pull (stainless steel finish only) T = Tab <p>4. Lock option Lock default is Black Pedestals with drawers always lock drilled L = drilled to accept lock</p> <p>5. Cabinet finish</p> <p>6. Pull finish Painted or Plated</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Keying instructions must accompany all orders, refer to page 590 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.</p> <p>Pencil trays not included in pedestals with metal interiors.</p> <p>Pencil tray to be ordered separately; see page 462.</p> <p>Finished back must be ordered separately to achieve full depth without a modesty. (page0)</p>	
P Pedestal		
19 19" wide (nominal)		
1 19" deep (nominal)		
J Box/Box/File configuration		
L Finish type, laminate		
M Interior option, metal		
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		


Pedestals, 28 3/8 planning

BBF/FF

Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	16"	19"	28 3/8"	RP161J () () L () ()	\$1,296.	\$1,384.	\$1,589.	\$2,138.
	16"	23"	28 3/8"	RP162J () () L () ()	1,438.	1,543.	1,772.	2,383.
	16"	29"	28 3/8"	RP163J () () L () ()	1,565.	1,679.	1,925.	2,590.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	16"	19"	28 3/8"	RP161K () () L () ()	1,188.	1,272.	1,462.	1,973.
	16"	23"	28 3/8"	RP162K () () L () ()	1,399.	1,500.	1,723.	2,326.
	16"	29"	28 3/8"	RP163K () () L () ()	1,525.	1,638.	1,883.	2,541.
	30"	19"	28 3/8"	RP301K () () L () ()	1,535.	1,644.	1,892.	2,554.
	30"	23"	28 3/8"	RP302K () () L () ()	1,803.	1,933.	2,218.	2,993.
	36"	19"	28 3/8"	RP361K () () L () ()	1,895.	2,030.	2,339.	3,158.
	36"	23"	28 3/8"	RP362K () () L () ()	2,209.	2,372.	2,726.	3,679.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code

Example:	RP161J(L)(W)(J)L(118)
R	Reff
P	Pedestal
16	16" wide (nominal)
1	19" deep (nominal)
J	Box/Box/File configuration
L	Finish type, laminate
W	Interior option, wood
D	Pull option
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

- To order please specify pattern number including:
- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
 - Interior option**
W = wood interior
 - Pull option**
B = No pull, No drilling
Customer's own pull
C = nickel finish C-pull (nickel finish only)
D = metal D-pull (finish optional)
F = Bar
H = Out Line
J = routed J-pull (finish matches case)
R = Cylinder
S = S-pull (stainless steel finish only)
T = Tab
 - Lock option**
Pedestals with drawers always lock drilled
Lock default is Black
L = drilled for lock

- Cabinet finish**
- Pull finish**
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 590. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty.(page0)

Application Notes

Products on this page are 28-3/8" high. 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning

BBF/FF


Wood interior legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191J()()L()()	\$1,359.	\$1,453.	\$1,668.	\$2,244.
box/box/file configuration	19"	23"	28 3/8"	RP192J()()L()()	1,509.	1,619.	1,859.	2,502.
	19"	29"	28 3/8"	RP193J()()L()()	1,642.	1,761.	2,020.	2,719.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal


Pedestal, (desk height)	19"	19"	28 3/8"	RP191K()()L()()	1,319.	1,335.	1,535.	2,072.
file/file configuration	19"	23"	28 3/8"	RP192K()()L()()	1,468.	1,575.	1,810.	2,442.
	19"	29"	28 3/8"	RP193K()()L()()	1,602.	1,719.	1,977.	2,668.




Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP191J(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	
R Reff		
P Pedestal	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
19 19" wide (<i>nominal</i>)	2. <i>Interior option</i> W = wood interior	
1 19" deep (<i>nominal</i>)	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Out Line J = routed J-pull (finish matches case) R = Cylinder S = S-pull (stainless steel finish only) T = Tab	
J Box/Box/File configuration	4. <i>Lock option</i> Pedestals with drawers always lock drilled Lock default is Black L = drilled to accept lock N = no drilling	
L Finish type, laminate		
W Interior option, wood		
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		
	5. <i>Cabinet finish</i>	
	6. <i>Pull finish</i> Painted or Plated	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	Products on this page are 28-3/8" high. 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
	Keying instructions must accompany all orders, refer to page 590. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	File drawers include file bars for front to back and side to side filing.
	Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.	File drawers support bottom loading.
	Finished back must be ordered separately to achieve full depth without a modesty.(page0)	Applicable finishes are listed on page 5 and 6.
		Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
		1 counterweight = 10 lbs.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning
Open / Hinge Door
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 3/8"	RP161L(L/R) () () () ()	\$983.	\$1,052.	\$1,211.	\$1,636.
	16"	23"	28 3/8"	RP162L(L/R) () () () ()	1,194.	1,280.	1,471.	1,986.
	16"	29"	28 3/8"	RP163L(L/R) () () () ()	1,364.	1,466.	1,685.	2,276.
	30"	19"	28 3/8"	RP301L () () () ()	1,270.	1,361.	1,565.	2,112.
	30"	23"	28 3/8"	RP302L () () () ()	1,483.	1,592.	1,828.	2,469.
	36"	19"	28 3/8"	RP361L () () () ()	1,609.	1,724.	1,985.	2,680.
	36"	23"	28 3/8"	RP362L () () () ()	1,881.	2,018.	2,321.	3,133.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 3/8"	RP161M () ()	746.	803.	922.	1,244.
	16"	23"	28 3/8"	RP162M () ()	872.	935.	1,075.	1,451.
	16"	29"	28 3/8"	RP163M () ()	1,028.	1,103.	1,270.	1,715.
	30"	19"	28 3/8"	RP301M () ()	869.	932.	1,072.	1,447.
	30"	23"	28 3/8"	RP302M () ()	1,056.	1,132.	1,302.	1,757.
	36"	19"	28 3/8"	RP361M () ()	1,110.	1,194.	1,370.	1,848.
	36"	23"	28 3/8"	RP362M () ()	1,345.	1,442.	1,658.	2,238.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.
N=No lock option

Order Code	Specification Information	Application Notes
Example: RP161LL(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	<p>Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Finished back must be ordered separately to achieve full depth without a modesty. (page 288)</p> <p>For Open pedestals;</p> <ol style="list-style-type: none"> 1. Finish type 2. Interior option 3. Cabinet finish <p>Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p>
R	Reff	
P	Pedestal	
16	16" wide (nominal)	
1	19" deep (nominal)	
L	Hinge door config.	
L	Left hand hinge location	
L	Finish type, laminate	
M	Interior option, metal	
J	Pull option, J	
L	Lock option	
118	Cabinet finish	
118	Pull finish	
	<ol style="list-style-type: none"> 1. Hinge location, where applicable L = left hand R = right hand 2. Finish type L = laminate 1 = V1 2 = V2 3 = V3 3. Interior option M = metal interior 4. Pull option B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Out Line J = routed J-pull (finish matches case) R = Cylinder S = S-pull (stainless steel finish only) T = Tab 5. Lock option Optional for hinged door configurations only L = drilled to accept lock N = no drilling 6. Cabinet finish 7. Pull finish Painted or Plated <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Keying instructions must accompany all orders, refer to page 590. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.</p>	

Pedestals, 28 3/8 planning
Open / Hinge Door
Wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 3/8"	RP161L(L/R) () () () ()	\$1,075.	\$1,153.	\$1,326.	\$1,790.
	16"	23"	28 3/8"	RP162L(L/R) () () () ()	1,292.	1,382.	1,591.	2,149.
	16"	29"	28 3/8"	RP163L(L/R) () () () ()	1,462.	1,566.	1,798.	2,428.
	30"	19"	28 3/8"	RP301L () () () ()	1,361.	1,462.	1,682.	2,271.
	30"	23"	28 3/8"	RP302L () () () ()	1,579.	1,695.	1,948.	2,630.
	36"	19"	28 3/8"	RP361L () () () ()	1,706.	1,825.	2,098.	2,833.
	36"	23"	28 3/8"	RP362L () () () ()	1,977.	2,119.	2,434.	3,286.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 3/8"	RP161M () ()	845.	899.	1,037.	1,400.
	16"	23"	28 3/8"	RP162M () ()	968.	1,040.	1,197.	1,616.
	16"	29"	28 3/8"	RP163M () ()	1,125.	1,203.	1,388.	1,875.
	30"	19"	28 3/8"	RP301M () ()	966.	1,034.	1,188.	1,604.
	30"	23"	28 3/8"	RP302M () ()	1,151.	1,234.	1,421.	1,916.
	36"	19"	28 3/8"	RP361M () ()	1,204.	1,296.	1,487.	2,011.
	36"	23"	28 3/8"	RP362M () ()	1,439.	1,538.	1,771.	2,392.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

N=No Lock option

Pedestal, (desk height) finished back 	16"	1"	28 3/8"	RPDHB16 () ()	130.	132.	153.	207.
	19"	1"	28 3/8"	RPDHB19 () ()	136.	138.	161.	218.
	30"	1"	28 3/8"	RPDHB30 () ()	256.	265.	303.	409.
	36"	1"	28 3/8"	RPDHB36 () ()	305.	314.	361.	487.

pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information	Application Notes
Example: RP161LL(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	5. <i>Lock option</i> Optional for hinged door configurations only Lock default is Black L = drilled to accept lock N = no drilling	Applicable finishes are listed on page 5 and 6.
P Pedestal	6. <i>Cabinet finish</i> 7. <i>Pull finish</i> Painted or Plated	For Open pedestals; 1. Finish type 2. Interior option 3. Cabinet finish
16 16" wide (nominal)	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	Finished back must be ordered separately to achieve full depth without a modesty.(page288)
1 19" deep (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
L Hinge door config.	3. <i>Interior option</i> W = wood interior	
L Left hand hinge location	4. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = nickel finish C-pull D = metal D-pull F = Bar H = Out Line J = routed J-pull R = Cylinder S = S-pull T = Tab	
L Finish type, laminate		
W Interior option, wood		
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		

Pedestals, 28 3/8 planning
Removable Back
Wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height) hinge door configuration	30"	19"	28 3/8"	RPDHH301A()()()	\$1,541.	\$1,722.	\$2,134.	\$2,957.
Access with removable back	30"	23"	28 3/8"	RPDHH302A()()()	1,579.	1,997.	2,452.	3,383.
(wood interior only)	36"	19"	28 3/8"	RPDHH361A()()()	1,587.	2,082.	2,550.	3,517.
	36"	23"	28 3/8"	RPDHH362A()()()	1,624.	2,418.	2,938.	4,041.



Pedestal, (desk height) open book case	30"	20"	28 3/8"	RPDH301A()	1,183.	1,264.	1,453.	1,962.
Access with removable back	30"	24"	28 3/8"	RPDH302A()	1,406.	1,508.	1,735.	2,340.
(wood interior only)	36"	20"	28 3/8"	RPDH362A()	1,474.	1,584.	1,823.	2,459.
	36"	24"	28 3/8"	RPDH361A()	1,762.	1,883.	2,167.	2,926.



Cabinetry

Order Code	Specification Information	Application Notes
Example: RPDHH301A	<i>To order please specify pattern number including:</i>	
R Reff	4. <i>Pull Finish:</i>	Hinge doors only
P Pedestal	L/N	Painted
DH Desk Height	5. <i>Pedestal Finish:</i>	Plated
H Hinge doors	L, V1, V2, V3	One adjustable shelf
30 30" wide (<i>nominal</i>)	1. <i>Lock Option:</i>	Wood shelf only
1 19" deep (<i>nominal</i>)	L/N	No metal interior
A Access	2. <i>Lock Finish:</i>	Removable back is above adjustable shelf
L Lock option	B = Black	Key hole construction
B Lock finish	S = Matte Silver	30" and 36" wide x 19" deep
B Pull option, B	3. <i>Pull option:</i>	Always comes with applied pull
() Pull finish	B = no pull, no drilling	No touch latch option
118 Cabinet finish	Customer's own pull	Works the same way as the 3/4" access ped
	C = nickel finish C-pull	Inside height clearance top shelf = 10.9"
	D = metal D-pull	Inside height clearance bottom shelf = 11.6"
	F = Bar pull	Use with 28 3/8" high planning
	H = Outline pull	
	J = routed J-pull	
	R = Cylinder pull	
	S = S-pull	
	T = Tab pull	

Pedestals, 28 3/8 planning
Equipment Pedestal, 28 3/4" high
Wood interior




description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height)	30"	19"	28 3/8"	RPDH301E(L/R) () () () () () ()	\$2,238.	\$2,945.	\$3,256.	\$3,884.
Equipment configuration	30"	23"	28 3/8"	RPDH302E(L/R) () () () () () ()	2,279.	2,999.	3,308.	4,066.
(wood interior only)	36"	19"	28 3/8"	RPDH361E(L/R) () () () () () ()	2,293.	3,006.	3,324.	3,998.
	36"	23"	28 3/8"	RPDH362E(L/R) () () () () () ()	2,332.	3,052.	3,392.	4,120.



Order Code	Specification Information	Application Notes
Example: RPDH301E(L/R)	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
R Reff	1. <i>Finish type:</i>	Applied back ordered separately for finish back.
P Pedestal	L = laminate	
DH Desk height	1 = V1	
30 30" wide	2 = V2	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
1 19" deep (<i>nominal</i>)	3 = V3	
E Equipment Ped.	2. <i>Interior option: W (wood)</i>	
L Left hand	3. <i>Pull option</i>	
V2 Case finish type	B = No pull, No drilling	
V2 Front finish type	Customer's own pull	
W Interior option, wood	F = Bar pull	
H Pull option	H = Outline pull	
V316 Case finish	R = Cylinder pull	
111 Pull finish	T = Tab pull	
L Lock option	4. Case finish	
B Lock finish	5. Pull finish:	
	Painted or Plated	
	6. <i>Lock option</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	7. Lock finish:	
	B = Black	
	S = Silver	


Pedestals, 28 3/8 planning

Metal accessories for pedestals


description	w	d	h	pattern no.	list
Metal box divider, for desk height products 				RDHMBD	\$29.
	for 16" w desk height metal box drawer				
Metal file drawer divider, for desk height products 				RDHMFD	29.
	for 16" w desk height metal file drawer				
Metal lateral file drawer divider, for desk height products 				RDHMLD	23.
	for 20" and 24" deep metal lateral drawers				
Counter weight (for file/file configuration pedestals when used in freestanding applications)	—	—	—	RCOUNTWT	100.
	1 counter weight = 10 lbs.				

Order Code	Specification Information	Application Notes
Example: RDHMBD		
R	Reff	
DH	Desk height	
M	Metal	
B	Box	
D	Divider	


Pedestals, 28 3/8 planning
Hinge door, 22 3/8" high
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height planning) box/file configuration	16"	19"	22 3/8"	RP161R () () (L) () ()	\$1,119.	\$1,197.	\$1,373.	\$1,847.
	16"	23"	22 3/8"	RP162R () () (L) () ()	1,168.	1,251.	1,437.	1,932.
	19"	19"	22 3/8"	RP191R () () (L) () ()	1,173.	1,256.	1,441.	1,938.
	19"	23"	22 3/8"	RP192R () () (L) () ()	1,226.	1,313.	1,508.	2,028.
	30"	19"	22 3/8"	RP301R () () (L) () ()	1,191.	1,277.	1,465.	1,970.
	30"	23"	22 3/8"	RP302R () () (L) () ()	1,255.	1,345.	1,541.	2,072.
	36"	19"	22 3/8"	RP361R () () (L) () ()	1,269.	1,359.	1,560.	2,099.
	36"	23"	22 3/8"	RP362R () () (L) () ()	1,330.	1,423.	1,635.	2,200.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal
Pencil tray not included.


 Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf	30"	19"	22 3/8"	RP301S () () ()	793.	853.	980.	1,323.
	30"	23"	22 3/8"	RP302S () () ()	966.	1,037.	1,190.	1,607.
	36"	19"	22 3/8"	RP361S () () ()	1,015.	1,091.	1,254.	1,692.
	36"	23"	22 3/8"	RP362S () () ()	1,229.	1,317.	1,514.	2,044.

Supplied with hardware kit includes wood screws for attachment to underside of worksurface


 Pedestal, (desk height planning) open file configuration	30"	19"	22 3/8"	RP301T () () (L) () ()	853.	913.	1,039.	1,382.
	30"	23"	22 3/8"	RP302T () () (L) () ()	1,026.	1,097.	1,249.	1,667.
	36"	19"	22 3/8"	RP361T () () (L) () ()	1,074.	1,151.	1,313.	1,752.
	36"	23"	22 3/8"	RP362T () () (L) () ()	1,289.	1,377.	1,574.	2,103.

Order Code	Specification Information	Application Notes
Example: RP161R () () (L) () ()	<i>To order please specify pattern number including:</i>	
R Reff		4. <i>Lock option</i> Pedestals with drawers always lock drilled
P Pedestal	1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	Use 28 3/8" desk height planning. Applied back ordered separately for finished back.
16 16" wide (nominal)		5. <i>Lock finish</i> B = Black S = Matt silver
1 19" deep (nominal)		6. <i>Cabinet finish:</i> L, V1, V2, V3
R Box/File configuration	2. Interior option: M= Metal interior	7. <i>Pull finish</i> Painted or Plated
2 Finish type	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = Metal C-pull D = Metal D-pull F = Bar H = Outline J = Routed J-pull S = Metal S-pull R = Cylinder T = Tab	File drawer support bottom loading File drawers include bars for front to back and side to side filing. Pencil trays not included in pedestals with metal interiors. Pencil tray to be ordered separately; see page 462. Open book case: 1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. Interior option 3. Cabinet finish
M Interior option		
H Finish Pull option		
L Lock option		
B Lock finish		
V316 Cabinet finish		
PU Satin Nickel		


Pedestals, 28 3/8 planning
Hinge door, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning) box/file configuration 	16"	19"	22 3/8"	RP161R () () L () ()	\$1,186.	\$1,267.	\$1,456.	\$1,958.
	16"	23"	22 3/8"	RP162R () () L () ()	1,317.	1,411.	1,619.	2,179.
	19"	19"	22 3/8"	RP191R () () L () ()	1,244.	1,330.	1,529.	2,055.
	19"	23"	22 3/8"	RP192R () () L () ()	1,382.	1,481.	1,700.	2,288.
	30"	19"	22 3/8"	RP301R () () L () ()	1,422.	1,523.	1,749.	2,353.
	30"	23"	22 3/8"	RP302R () () L () ()	1,670.	1,786.	2,047.	2,756.
	36"	19"	22 3/8"	RP361R () () L () ()	1,754.	1,878.	2,158.	2,905.
	36"	23"	22 3/8"	RP362R () () L () ()	2,040.	2,187.	2,508.	3,383.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf 	30"	19"	22 3/8"	RP301S () ()	884.	945.	1,086.	1,466.
	30"	23"	22 3/8"	RP302S () ()	1,051.	1,127.	1,297.	1,749.
	36"	19"	22 3/8"	RP361S () ()	1,101.	1,183.	1,362.	1,838.
	36"	23"	22 3/8"	RP362S () ()	1,316.	1,407.	1,619.	2,186.

Pedestals are supplied with hardware kit including wood screws for attachments to underside of worksurface.

Pedestal, (desk height planning) open file configuration 	30"	19"	22 3/8"	RP301T () () L () ()	943.	1,004.	1,145.	1,525.
	30"	23"	22 3/8"	RP302T () () L () ()	1,110.	1,187.	1,357.	1,809.
	36"	19"	22 3/8"	RP361T () () L () ()	1,161.	1,243.	1,421.	1,897.
	36"	23"	22 3/8"	RP362T () () L () ()	1,376.	1,467.	1,679.	2,245.

Order Code	Specification Information	Application Notes
Example: RPH301A () () L () ()	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
R Reff		Applied back ordered separately for finished back.
P Pedestal	1. <i>Lock option</i> L = Drilled for lock N = No lock drilling	One adjustable shelf.
H Hinge doors	2. <i>Lock finish:</i> B = Black S = Matte Silver	Wood shelf only, no metal interior.
30 30" wide	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = Metal C-pull D = Metal D-pull	Removable back is above adjustable shelf.
1 19" deep	F = Bar H = Outline J = Routed J-pull S = Metal S-pull R = Cylinder T = Tab	Keyhole construction.
A Access	4. <i>Pull finish:</i> Painted or Plated	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
L Lock option	5. <i>Finish:</i> Wood or Laminate	
B Lock finish		
B Pull option		
111 Pull finish		
118 Finish		

Pedestals, 28 3/8 planning
Hinge door, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Desk Height (22 3/8") Access Pedestal, Hinge doors	30"	19"	22 3/8"	RPH301A () () () ()	\$1,464.	\$1,636.	\$2,027.	\$2,809.
	30"	23"	22 3/8"	RPH302A () () () ()	1,500.	1,897.	2,329.	3,214.
	36"	19"	22 3/8"	RPH361A () () () ()	1,508.	1,978.	2,423.	3,341.
	36"	23"	22 3/8"	RPH362A () () () ()	1,543.	2,297.	2,791.	3,839.



Order Code	Specification Information	Application Notes
Example: RPH301A () () () ()	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
R Reff		Applied back ordered separately for finished back.
P Pedestal	1. <i>Lock option</i>	One adjustable shelf.
H Hinge doors	L = Drilled for lock	Wood shelf only, no metal interior.
30 30" wide	N = No lock drilling	Removable back is above adjustable shelf.
1 19" deep	2. <i>Lock finish:</i>	Keyhole construction.
A Access	B = Black	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
L Lock option	S = Matte Silver	
B Lock finish	3. <i>Pull option</i>	
B Pull option	B = No pull, No drilling	
111 Pull finish	Customer's own pull	
118 Finish	C = Metal C-pull	
	D = Metal D-pull	
	F = Bar	
	H = Outline	
	J = Routed J-pull	
	S = Metal S-pull	
	R = Cylinder	
	T = Tab	
	4. <i>Pull finish:</i>	
	Painted or Plated	
	5. <i>Finish:</i> Wood or Laminate	

Pedestals, 28 3/8 planning
Removable Back, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 3/8"	RP301A ()()	\$986.	\$1,053.	\$1,211.	\$1,635.
cabinet access bookcase	30"	23"	22 3/8"	RP302A ()()	1,172.	1,257.	1,446.	1,950.
* with removable back	36"	19"	22 3/8"	RP361A ()()	1,228.	1,320.	1,519.	2,049.
	36"	23"	22 3/8"	RP362A ()()	1,468.	1,569.	1,806.	2,438.



*available in wood interior only.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RP301A	<i>To order the bookcase, please specify pattern number including:</i>	Bookcase
R Reff	1. <i>Finish type</i>	Always open configuration.
P Pedestal	L = Laminate	One adjustable Shelf.
30 30" wide	1 = V1	Bottom shelf fixed.
1 19" deep (<i>nominal</i>)	2 = V2	Removable back.
A Access pedestal	3 = V3	
2 Finish type	2. <i>Cabinet finish:</i>	
V316 Cabinet finish	Laminate, V1, V2, V3	

Use 28 3/8" desk height planning.
 Applied back ordered separately for finished back.
 File drawer support bottom loading
 Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning
Equipment Pedestal, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 3/8"	RP301E(L/R) () () () () ()	\$1,865.	\$2,454.	\$2,713.	\$3,237.
equipment configuration	30"	23"	22 3/8"	RP302E(L/R) () () () () ()	1,899.	2,499.	2,757.	3,338.
(wood interior only)	36"	19"	22 3/8"	RP361E(L/R) () () () () ()	1,911.	2,505.	2,770.	3,332.
	36"	23"	22 3/8"	RP362E(L/R) () () () () ()	1,943.	2,543.	2,827.	3,433.



Left hand shown




Order Code	Specification Information	Application Notes
Example: RP301E(L/R)	<i>To order please specify pattern number including:</i>	Lock default is black
R Reff	1. <i>Finish type:</i> L = laminate 1 = V1 2 = V2 3 = V3	Use 28 3/8" desk height planning.
P Pedestal	2. <i>Interior option: W (wood)</i>	Applied back ordered separately for finish back.
30 30" wide	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull F = Bar pull H = Outline pull R = Cylinder pull T = Tab pull	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
1 19" deep (nominal)	4. Case finish	
E Equipment Ped.	5. Pull finish: Painted or Plated	
L Left hand	6. <i>Lock option</i> L = Lock hole drilled N = No lock drilling	
V2 Case finish type	7. Lock finish: B = Black S = Silver	
V2 Front finish type		
W Interior option, wood		
H Pull option		
V316 Case finish		
V316 Front finish		
111 Pull finish		
L Lock option		
B Lock finish		

Equipment Pedestal's Clearance:

Enclosed Area:
 For 30" w X 19" d 22.5" w X 16.5" d X 14.25" h
 For 30" w X 23" d 22.5" w X 20.5" d X 14.25" h
 For 36" w X 19" d 26.5" w X 16.5" d X 14.25" h
 For 36" w X 23" d 26.5" w X 20.5" d X 14.25" h

Open Area:
 For 30" w X 19" d 8" w X 17" d X 17.5" h
 For 30" w X 23" d 8" w X 21" d X 17.5" h
 For 36" w X 19" d 8" w X 17" d X 17.5" h
 For 36" w X 23" d 8" w X 21" d X 17.5" h

Pedestals, 28 3/8" planning
 22 3/8" high
 Pedestal back, filler and flush modesty

description	w	th	h	pattern no.	L	V1	V2	V3
 Pedestal Back	16"		22 3/8"	RPCB16 () ()	\$236.	\$283.	\$325.	\$423.
	19"		22 3/8"	RPCB19 () ()	241.	289.	333.	433.
	30"		22 3/8"	RPCB30 () ()	265.	317.	365.	475.
	36"		22 3/8"	RPCB36 () ()	278.	333.	383.	499.
 Pedestal Filler	6"		22 3/8"	RPFC6 () ()	165.	198.	216.	258.
	6"		28 3/8"	RPDHF6 () ()	199.	233.	252.	296.
 Flush Modesty Panel	42"	1"	22 3/8"	RPDHC42MF () ()	342.	410.	472.	613.
	48"	1"	22 3/8"	RPDHC48MF () ()	357.	428.	493.	642.
	54"	1"	22 3/8"	RPDHC54MF () ()	373.	447.	515.	668.
	60"	1"	22 3/8"	RPDHC60MF () ()	411.	493.	568.	737.
	66"	1"	22 3/8"	RPDHC66MF () ()	426.	511.	588.	764.
	72"	1"	22 3/8"	RPDHC72MF () ()	441.	529.	609.	792.
	78"	1"	22 3/8"	RPDHC78MF () ()	462.	554.	638.	829.
	84"	1"	22 3/8"	RPDHC84MF () ()	478.	573.	659.	857.
	90"	1"	22 3/8"	RPDHC90MF () ()	513.	615.	708.	920.
	96"	1"	22 3/8"	RPDHC96MF () ()	527.	632.	727.	946.

Order Code	Specification Information	Application Notes
Example: RPCB16 () ()	1. <i>Finish type</i>	Lock default is black.
R Reff	L = Laminate	
P Pedestal	1 = V1	Use 28 3/8" desk height planning.
C For use with 22 3/8" pedestal	2 = V2	
B Back	3 = V3	Applied back ordered separately for finished back.
16 Width	2. <i>Finish:</i>	
2 Finish type	Laminate or V1, V2, V3	
V316 Finish		

Pedestals, 28 3/8 planning
Mobile Pedestal, 23" high
Wood interiors


description	w	d	h	pattern no.	L/V1	L/V2	L/V3	L/L	V1	V2	V3
Mobile Pedestal	16"	19"	23"	RMPU () () () () () ()	\$2,251.	\$2,297.	\$2,354.	\$2,197.	\$2,346.	\$2,685.	\$3,458.



Order Code	Specification Information	Application Notes
Example: RMPU () () () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
R Reff		
M Mobile	1. Lock option Pedestals with drawers always lock drilled.	Always comes with lock.
P Pedestal	2. Lock finish B = Black S = Matt silver	Always comes with finished back
U Cubby above with drawer/box/file	3. Pull option G = Grommet pull only	Grommet pull only.
L Lock Option	4. Pull finish: Painted or Plated	Actual width = 15.94"
B Lock Finish	5. Case finish	Actual depth = 19.06"
G Pull Finish	6. Front finish	Actual total height = 23.37"
V316 Case Finish	7. Pencil tray finish Painted / Anodized	
V316 Front Drawer Finish		
111 Pencil Tray Finish		


Credenzas, 28^{3/8}" planning 23^{3/8}" high, file drawer

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, file drawer left and right and cubby	90"	20"	23 ^{3/8} "	RRLCFDC2090	\$3,436.	\$3,780.	\$3,952.	\$4,124.	\$5,154.	\$5,928.	\$7,706.
	108"	20"	23 ^{3/8} "	RRLCFDC20108	3,592.	3,951.	4,130.	4,311.	5,388.	6,196.	8,055.




*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, file drawer center with cubby	90"	20"	23 ^{3/8} "	RRLCFDCC2090	3,062.	3,368.	3,522.	3,674.	4,593.	5,282.	6,866.
	108"	20"	23 ^{3/8} "	RRLCFDCC20108	3,228.	3,551.	3,712.	3,874.	4,938.	5,569.	7,240.



*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, left	60"	20"	23 ^{3/8} "	RRLCFDCL2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.
	72"	20"	23 ^{3/8} "	RRLCFDCL2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.




*60" and 72"w credenzas with file drawer require 3 counter weights

*Left hand credenza; File drawer is on left.

Left hand credenza shown

Low credenza, right	60"	20"	23 ^{3/8} "	RRLCFDCR2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.
	72"	20"	23 ^{3/8} "	RRLCFDCR2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.



*60" and 72"w credenzas with file drawer require 3 counter weights

*Right hand credenza; File drawer is on right.


Right hand credenza shown

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT	100.
---	---	---	---	-----------------	------

*Available in Black only.

Order Code	Specification Information	Application Notes
Example: RRLCFDC2090	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Lock option: Drawers are always lock drilled. L=drilled to accept lock	Nominal depth 20" Actual depth 19"
LC Low Credenza	2. Lock finish: B=Black S=Matte Silver	Grommet Pull option for these products.
FDC File Drawer with cubby	3. Pull option Grommet pull, only	Locks on wood and Laminate doors. No locks on glass doors.
20 20" deep	4. Pull finish Painted / Plated	Legs shipped with credenza.
90 90" wide	5. Leg finish Painted only	Legs available in painted finish only.
L Lock option	6. Case finish: V316	Shelves are fixed.
S Lock finish	7. Front finish: V316	Glass top and cushion sold separately.
G Pull option		
115 Pull finish		
115 Leg finish		
V316 Case option		
V316 Case finish		

Credenzas, 28³/₈" planning 23³/₈" high, open

description	w	d	h	pattern no.	L	V1	V2	V3
Low credenza, open with cubby 	60"	20"	23 ³ / ₈ "	RRLCO2060 () ()	\$2,105.	\$2,989.	\$3,438.	\$4,470.
	72"	20"	23 ³ / ₈ "	RRLCO2072 () ()	2,109.	3,122.	3,591.	4,668.
	90"	20"	23 ³ / ₈ "	RRLCO2090 () ()	2,574.	3,886.	4,469.	5,809.
	108"	20"	23 ³ / ₈ "	RRLCO20108 () ()	2,734.	4,128.	4,747.	6,172.

Order Code

Example:	RRLCO2060 () ()
RR	Reffresh
LC	Low Credenza
O	Open
20	20" deep
60	60" wide
115	Leg finish
2	Finish type
V316	Case finish

Specification Information

To order please specify pattern number including:

1. Leg finish
Painted only
2. Case finish type:
L = Laminate
1 = V1
2 = V2
3 = V3
3. Case finish:
V316

Application Notes

These products are Glue and Dowel Construction

Legs shipped with credenza.

Legs available in painted finish only.

Shelves are fixed.


Glass top and cushion sold separately.

Nominal depth 20"
Actual depth 19"


All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).

Credenzas, 28^{3/8}" planning
 23^{3/8}" high sliding door
 Glass door

description	w	d	h	pattern no.	L/GL	V1/GL	V2/GL	V3/GL
Low credenza, sliding glass door	90"	20"	23 ^{3/8} "	RRLCSGD2090 () () () () ()	\$4,709.	\$5,652.	\$6,499.	\$8,449.
	108"	20"	23 ^{3/8} "	RRLCSGD20108 () () () () ()	5,244.	6,292.	7,236.	9,407.




Low credenza, sliding glass door left	60"	20"	23 ^{3/8} "	RRLCSGDL2060 () () () () ()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 ^{3/8} "	RRLCSGDL2072 () () () () ()	3,315.	3,978.	4,574.	5,947.



Left hand shown

Low credenza, sliding glass door right	60"	20"	23 ^{3/8} "	RRLCSGDR2060 () () () () ()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 ^{3/8} "	RRLCSGDR2072 () () () () ()	3,315.	3,978.	4,574.	5,947.




right hand shown

Order Code	Specification Information	Application Notes
Example: RRLCSGD2090 () () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Nominal depth 20"
LC Low Credenza	Grommet pull	Actual depth 19"
SGD Sliding Glass Door	2. Pull finish	
20 20" deep	Painted / Plated	
90 90" wide	3. Leg finish	
G Pull tpe	Painted only	No locks on glass doors.
PN Pull finish	4. Case finish	Legs shipped with credenza.
115 Leg finish	L, V1, V2, V3	Legs available in Painted finishes only.
V316 Case finish	5. Glass frame finish:	Shelves are fixed.
AN Glass frame finish, Anodized black	Anodized or Painted	
GL11 Door / front finish	6. Glass finish: GL11, GL14, GL15, GL18	Glass top and cushion sold separately.
		All sliding doors including wood, laminate and glass are non-locking.


Credenzas, 28³/₈" planning
 23³/₈" high sliding door
 Wood / Laminate door

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, sliding wood/ laminate door	90"	20"	23 ³ / ₈ "	RRLCSWD2090 () () () ()	\$3,660.	\$4,026.	\$4,209.	\$4,392.	\$5,307.	\$6,103.	\$7,934.
	108"	20"	23 ³ / ₈ "	RRLCSWD20108 () () () ()	4,044.	4,449.	4,650.	4,852.	5,864.	6,743.	8,766.




Low credenza, sliding wood/ laminate door left	60"	20"	23 ³ / ₈ "	RRLCSWDL2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 ³ / ₈ "	RRLCSWDL2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.



Left hand shown

Low credenza, sliding wood/ laminate door right	60"	20"	23 ³ / ₈ "	RRLCSWDR2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 ³ / ₈ "	RRLCSWDR2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.




right hand shown

Order Code	Specification Information	Application Notes
Example: RRLCSWD2090 () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Grommet Pull option for these products.
LC Low Credenza	2. Pull finish Painted / Plated	
SWD Sliding Wood Door	3. Leg finish Painted only	Legs shipped with credenza.
20 20" deep	4. Case finish	Legs available in painted finishes only.
90 90" wide	5. Door finish L, V1, V2, V3	Shelves are fixed.
G Pull option		Glass top and cushion sold separately.
115 Pull finish		
115 Leg finish		
V316 Case finish		
V316 Door / front glass finish		All sliding doors including wood, laminate and glass are non-locking.

Credenzas, 28^{3/8}" planning

Glass top


Reff Profiles

description	d	w	pattern no.	list
Lower Credenza Glass Top 	20"	30"	RLCGT301()	\$397.
	20"	36"	RLCGT361()	474.
	20"	60"	RLCGT601()	762.
	20"	72"	RLCGT721()	901.


Cabinetry

Order Code	Specification Information	Application Notes
<i>Example:</i> RLCGT301()	To order please specify pattern number including: 1. Glass finish GL35 Grey GL85 Star Clear	Grommet not an option.
R Reff		
LC Lower Credenza		
GT Glass Top		
30 Width		
1 20" deep		
GL35 Glass finish		

Cabinets, 26 1/2" planning
49" high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B- () ()	\$1,197.	\$1,568.	\$1,807.	\$2,439.
	30"	20"	49"	RC432B- () ()	1,350.	1,771.	2,035.	2,748.
	30"	24"	49"	RC433B- () ()	1,524.	1,995.	2,296.	3,098.
	36"	15"	49"	RC461B- () ()	1,328.	1,743.	2,003.	2,705.
	36"	20"	49"	RC462B- () ()	1,500.	1,965.	2,260.	3,051.
	36"	24"	49"	RC463B- () ()	1,686.	2,215.	2,545.	3,434.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)- () () () ()	1,205.	1,579.	1,817.	2,452.
	16"	24"	49"	RC413C(L/R)- () () () ()	1,326.	1,735.	1,996.	2,694.
	30"	20"	49"	RC432C- () () () ()	1,764.	2,314.	2,662.	3,593.
	30"	24"	49"	RC433C- () () () ()	1,952.	2,559.	2,944.	3,975.
	36"	20"	49"	RC462C- () () () ()	1,956.	2,565.	2,949.	3,982.
	36"	24"	49"	RC463C- () () () ()	2,156.	2,835.	3,259.	4,398.


Metal interiors mean shelves metal.

Order Code	Specification Information	Application Notes
Example: RC431B () () R Reff C Cabinets 4 49" high 3 30" wide 1 15" deep B Open Bookcase 2 V2 finish Type M Metal interior V316 Cabinet finish: Maple	To order the Open Bookcase, please specify pattern number including: 1. <i>Finish type</i> L=Laminate 1=V1 2=V2 3=V3 2. <i>Interior option</i> M=Metal interior (If laminate case finish-shelves painted to match. If V1, V2 or V3 case finish- shelves are painted black) 3. <i>Cabinet finish</i> Wood or Laminate Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	To order the Cabinet with Hinge Doors, please specify pattern number including: 1. <i>Hinge location where applicable:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> M=Metal Interior 4. <i>Pull options:</i> B=No pull, No Drilling, Customer's own Pull C= C-Pull (nickel finish only) D = D-Pull (PT or PZ only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull 5. <i>Lock options Doors:</i> L = Lock hole drilled N = No lock drilling 6. <i>Cabinet Finish:</i> Laminate or Wood 7. <i>Pull Finish:</i> Painted / Plated

After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.

Cabinets, 26 1/2" planning
49" high, metal interior
4 Lateral files

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L()()	\$2,056.	\$2,694.	\$3,101.	\$4,188.
	30"	24"	49"	RC433F-()()L()()	2,269.	2,975.	3,421.	4,619.
	36"	20"	49"	RC462F-()()L()()	2,608.	3,418.	3,929.	5,305.
	36"	24"	49"	RC463F-()()L()()	2,879.	3,776.	4,342.	5,862.



Order Code

Example:	RC432F()()L()()
R	Reff
C	Cabinets
4	49" high
3	30" wide
2	20" deep
F	4 drawer lateral file
2	V2 finish type
M	Metal interior option
T	Tab pull option
L	Lock option
V316	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black)
- Pull options:**
B = No pull, No Drilling, Customer's own pull.
C = Nickel C-pull (nickel finish only)
D = Metal D-pull
F = Bar pull
H = Outline pull
J = Routed pull
R = Cylinder pull
S = S-pull (stainless steel finish only)
T = Tab pull
- Lock options:**
Drawers are always lock drilled
L = Lock hole drilled
- Cabinet finish:**
Wood or Laminate
- Pull finish:**
Painted or Plated

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

***After specifying product code, provide keying instructions.**

Refer to page 590 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.


Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning
49" high, wood interior
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B- () () ()	\$1,342.	\$1,757.	\$2,020.	\$2,727.
	30"	20"	49"	RC432B- () () ()	1,496.	1,961.	2,253.	3,042.
	30"	24"	49"	RC433B- () () ()	1,666.	2,183.	2,512.	3,392.
	36"	15"	49"	RC461B- () () ()	1,474.	1,932.	2,222.	2,998.
	36"	20"	49"	RC462B- () () ()	1,644.	2,157.	2,477.	3,343.
	36"	24"	49"	RC463B- () () ()	1,833.	2,404.	2,762.	3,729.

Open cabinets require no keying instructions

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)- () () () ()	1,349.	1,769.	2,032.	2,743.
	16"	24"	49"	RC413C(L/R)- () () () ()	1,472.	1,928.	2,218.	2,993.
	30"	20"	49"	RC432C- () () () ()	1,908.	2,501.	2,877.	3,883.
	30"	24"	49"	RC433C- () () () ()	2,096.	2,750.	3,160.	4,265.
	36"	20"	49"	RC462C- () () () ()	2,101.	2,753.	3,169.	4,278.
	36"	24"	49"	RC463C- () () () ()	2,305.	3,023.	3,478.	4,696.


Order Code	Specification Information	Application Notes
Example: RC431B R Reff C Cabinets 4 49" high 3 30" wide 1 15" deep B Open Bookcase 2 Finish Type: V2 W Wood interior V316 Cabinet Finish: Maple	<p>To order the Open Bookcase, please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> W = Wood Interior 3. <i>Cabinet Finish:</i> Laminate or Wood <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p>	<p>To order the Cabinet with Hinge Doors, please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand 2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> W = Wood Interior 4. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PT or PZ only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull 5. <i>Lock Options Doors:</i> <i>Drawers are always lock drilled</i> L = Lock hole drilled 6. <i>Cabinet finish:</i> Laminate or Wood 7. <i>Pull finish:</i> Painted or Plated <p>After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.</p>

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Cabinets, 26 1/2" planning
49" high, wood interior
Wardrobe cabinet

description	w	d	height	pattern number	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-()W() () ()	\$1,742.	\$2,281.	\$2,624.	\$3,544.
	30"	24"	49"	RC433D-()W() () ()	1,901.	2,495.	2,871.	3,875.
	36"	20"	49"	RC462D-()W() () ()	1,914.	2,511.	2,887.	3,898.
	36"	24"	49"	RC463D-()W() () ()	2,093.	2,746.	3,157.	4,262.




Available with wood interior only.

Order Code	Specification Information	Application Notes
Example: RC432D	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Interior options:</i> W = Wood Interior	After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.
4 49" high	3. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PZ and PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull	Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 456.
3 30" wide	4. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	20" deep wardrobe cabinets provide only 18" of clear storage space.
2 20" deep, 3-24" deep	5. <i>Cabinet finish:</i> Wood or Laminate	
D Wardrobe Cabinet	6. <i>Pull finish:</i> Painted or Plated	
2 Finish Type: V2		
W Wood interior		
V316 Cabinet Finish: Maple		

Cabinets, 26 1/2" planning
 49" high, wood interior
 4 Lateral files

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L()()	\$2,200.	\$2,885.	\$3,318.	\$4,478.
	30"	24"	49"	RC433F-()()L()()	2,416.	3,171.	3,640.	4,914.
	36"	20"	49"	RC462F-()()L()()	2,752.	3,605.	4,145.	5,597.
	36"	24"	49"	RC463F-()()L()()	3,023.	3,961.	4,556.	6,151.



Order Code

Example:	RC432F()()L()()
R	Reff
C	Cabinets
4	49" high
3	30" wide
2	20" deep
F	Cabinet w/ 4 File Open bookcase
2	Finish Type: V2
W	Wood Interior
D	D-pull Option
L	Drilled for Lock (Not Optional)
V316	Cabinet finish: Maple
PT	Pull finish

To order please specify pattern number including:

1. *Finish Type:*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
2. *Interior Option*
 W = Wood Interior
3. *Pull options:*
 B = No Pull, No Drilling, Customer's own Pull
 C = C-Pull (Nickel Finish Only)
 D = D-Pull (PT or PZ only)
 F = Bar Pull
 H = Outline Pull
 J = J (Routed) Pull
 R = Cylinder Pull
 S = S-pull (Stainless Steel Finish Only)
 T = Tab Pull
4. *Lock option doors*
 L = Drilled for Lock
 Drawers are always drilled for locks
5. *Cabinet Finish:*
 Laminate or Wood
6. *Pull Finish:*
 Painted / Plated

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Please refer to page 590 for keying instructions.


Key alike are field installed using the KnollKey order form. Random locks are factory installed.

File drawers are always drilled for lock.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning
64" high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () ()	\$1,536.	\$2,016.	\$2,320.	\$3,131.
	30"	20"	64"	RC632B- () ()	1,729.	2,267.	2,607.	3,518.
	30"	24"	64"	RC633B- () ()	1,922.	2,521.	2,902.	3,915.
	36"	15"	64"	RC661B- () ()	1,763.	2,310.	2,658.	3,587.
	36"	20"	64"	RC662B- () ()	1,961.	2,567.	2,956.	3,988.
	36"	24"	64"	RC663B- () ()	2,160.	2,831.	3,255.	4,395.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H- () () () ()	2,125.	2,788.	3,205.	4,327.
	30"	24"	64"	RC633H- () () () ()	2,349.	3,076.	3,540.	4,779.
	36"	20"	64"	RC662H- () () () ()	2,349.	3,076.	3,540.	4,779.
	36"	24"	64"	RC663H- () () () ()	2,572.	3,371.	3,877.	5,234.

Requires one lock core per cabinet
Shelves painted metal

Order Code

Example:	RC631B
R	Reff
C	Cabinets
6	64" high
3	30" wide
1	15" deep
B	Open Bookcase
2	V2 finish type
M	Metal interior option
V316	Cabinet finish

- To order the Open Bookcase, specify pattern number including:*
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves are painted black)
 - Cabinet finish:**
Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

- To order the Cabinet with Hnge Doors, specify pattern number including:*
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
 - Pull options:**
B = No pull, No Drilling,
Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull
(PZ or PT only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull
(Stainless Steel Finish only)
T = Tab pull
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Cabinet finish:**
Wood or Laminate
 - Pull finish:**
Painted or Plated

Application Notes


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.

Applicable finishes are listed on pages 5 and 6 .

Cabinets, 26 1/2" planning
64" high, metal interior
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F -() () () () () ()	\$2,856.	\$3,747.	\$4,307.	\$5,816.
	30"	24"	64"	RC633F -() () () () () ()	3,157.	4,136.	4,759.	6,422.
	36"	20"	64"	RC662F -() () () () () ()	3,157.	4,136.	4,759.	6,422.
	36"	24"	64"	RC663F -() () () () () ()	3,487.	4,569.	5,253.	7,093.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R) -() () () () () ()	2,168.	2,838.	3,265.	4,407.
	16"	24"	64"	RC613G(L/R) -() () () () () ()	2,394.	3,137.	3,606.	4,869.
	30"	20"	64"	RC632G -() () () () () ()	2,745.	3,598.	4,136.	5,585.
	30"	24"	64"	RC633G -() () () () () ()	3,055.	4,001.	4,601.	6,212.
	36"	20"	64"	RC662G -() () () () () ()	3,033.	3,973.	4,570.	6,170.
	36"	24"	64"	RC663G -() () () () () ()	3,373.	4,421.	5,083.	6,860.


Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R) -() () () () () ()	2,234.	2,927.	3,366.	4,544.
	16"	24"	64"	RC613P(L/R) -() () () () () ()	2,480.	3,253.	3,736.	5,044.
	30"	20"	64"	RC632P -() () () () () ()	2,631.	3,447.	3,964.	5,352.
	30"	24"	64"	RC633P -() () () () () ()	2,903.	3,806.	4,375.	5,907.
	36"	20"	64"	RC662P -() () () () () ()	2,910.	3,813.	4,386.	5,921.
	36"	24"	64"	RC663P -() () () () () ()	3,208.	4,202.	4,837.	6,530.


Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC632F () () () () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinets	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves painted balck)	
6 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
2 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
F Hinge door with 4 file drawers	6. <i>Cabinet Finish:</i> Wood or Laminate	
L Finish Type: Laminate	7. <i>Pull Finish:</i> Painted or Plated	
M Metal interior	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
T Tab pull option		
L Lock option, files		
N Lock Optino, Doors		
118 Cabinet finish		
111 Pull finish		
F = Hinge door cabinet with 4 File drawers		
G = Hinge door cabinet with FF		
P = Hinge door cabinet with BBF		

Cabinets, 26 1/2" planning
64" high, metal interior
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$1,799.	\$2,354.	\$2,709.	\$3,657.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,005.	2,630.	3,023.	4,082.
	30"	20"	64"	RC632C-() () () ()	2,385.	3,127.	3,596.	4,854.
	30"	24"	64"	RC633C-() () () ()	2,635.	3,456.	3,969.	5,358.
	36"	20"	64"	RC662C-() () () ()	2,608.	3,418.	3,929.	5,305.
	36"	24"	64"	RC663C-() () () ()	2,856.	3,747.	4,307.	5,816.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.


Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	2,771.	3,631.	4,174.	5,636.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,074.	4,028.	4,633.	6,254.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,062.	4,012.	4,619.	6,234.
	36"	24"	64"	RC663E(L/R)-() () () ()	3,396.	4,452.	5,118.	6,909.

Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	5. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
C Cabinets	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
1 15" wide	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves painted balck)	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep	4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
C Hinge Door Cab. w/ adjustable shelves		* <i>Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 456.
L Finish Type: Laminate		20" deep Wardrobe Cabinets provide only 18" of clear storage space.
M Metal Interior		
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning
64" high, wood interior
Bookcase and hinge doors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () ()	\$1,681.	\$2,202.	\$2,535.	\$3,423.
	30"	20"	64"	RC632B- () ()	1,874.	2,457.	2,826.	3,816.
	30"	24"	64"	RC633B- () ()	2,067.	2,709.	3,116.	4,207.
	36"	15"	64"	RC661B- () ()	1,907.	2,499.	2,876.	3,880.
	36"	20"	64"	RC662B- () ()	2,103.	2,756.	3,172.	4,283.
	36"	24"	64"	RC663B- () ()	2,303.	3,020.	3,471.	4,687.


Open cabinets require no keying instructions

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H- () () () ()	2,270.	2,979.	3,425.	4,624.
	30"	24"	64"	RC633H- () () () ()	2,493.	3,267.	3,758.	5,074.
	36"	20"	64"	RC662H- () () () ()	2,493.	3,267.	3,758.	5,074.
	36"	24"	64"	RC663H- () () () ()	2,714.	3,560.	4,091.	5,523.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC631B R Reff C Cabinets 6 64" high 3 30" wide 1 15" deep B Open Bookcase 2 Finish Type: V2 W Wood Interior W316 Cabinet finish: Maple	To order Open Bookcase, please specify pattern number including: 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior option:</i> W = Wood Interior 3. <i>Cabinet Finish:</i> Wood or Laminate Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	To order the Cabinet with Hinge Doors, please specify pattern number including: 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior option:</i> W = Wood 3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull 4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling 5. <i>Cabinet Finish:</i> Wood or Laminate 6. <i>Pull Finish:</i> Painted or Plated
		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.


Cabinets, 26 1/2" planning
64" high, wood interior
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F -() () () () ()	\$3,001.	\$3,935.	\$4,525.	\$6,108.
	30"	24"	64"	RC633F -() () () () ()	3,300.	4,324.	4,973.	6,713.
	36"	20"	64"	RC662F -() () () () ()	3,300.	4,324.	4,973.	6,713.
	36"	24"	64"	RC663F -() () () () ()	3,631.	4,761.	5,472.	7,388.

Requires two lock cores per cabinet
Interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R) -() () () () ()	2,309.	3,027.	3,481.	4,700.
	16"	24"	64"	RC613G(L/R) -() () () () ()	2,539.	3,325.	3,826.	5,164.
	30"	20"	64"	RC632G -() () () () ()	2,889.	3,786.	4,353.	5,876.
	30"	24"	64"	RC633G -() () () () ()	3,196.	4,189.	4,818.	6,505.
	36"	20"	64"	RC662G -() () () () ()	3,178.	4,163.	4,788.	6,465.
	36"	24"	64"	RC663G -() () () () ()	3,516.	4,608.	5,301.	7,159.


Requires two lock cores per cabinet


 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R) -() () () () ()	2,379.	3,116.	3,582.	4,837.
	16"	24"	64"	RC613P(L/R) -() () () () ()	2,624.	3,439.	3,956.	5,342.
	30"	20"	64"	RC632P -() () () () ()	2,776.	3,638.	4,185.	5,649.
	30"	24"	64"	RC633P -() () () () ()	3,049.	3,995.	4,592.	6,199.
	36"	20"	64"	RC662P -() () () () ()	3,056.	4,002.	4,603.	6,215.
	36"	24"	64"	RC663P -() () () () ()	3,350.	4,396.	5,053.	6,821.

Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC632F () () () () ()	<i>To order the Cabinet with Hinge Doors and File Drawers, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Hinge location where applicable:</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Finish type:</i>	File drawers are always drilled for locks.
6 64" high	L = Laminate	After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.
3 30" wide	1 = V1	File drawers include file bars for front to back and side to side filing.
2 20" deep	2 = V2	File drawers do not support bottom loading. Applicable finishes are listed on page and .
F Hinge door with 4 file drawers	3 = V3	Applicable finishes are listed on page 5 and 6.
L Finish Type: Laminate	3. <i>Interior option:</i>	
W Wood Interior	W = Wood Interior	
T Tab pull option	4. <i>Pull options:</i>	
L Lock option, files	B = No Pull, No Drilling,	
N Lock option, doors	Customer's own Pull	
118 Cabinet finish	C = C-Pull, (Nickel finish only)	
118 Pull finish	D = D-pull (PZ or PT only)	
F = Hinge door cabinet with 4 File drawers	F = Bar Pull	
G = Hinge door cabinet with FF	H = Outline Pull	
P = Hinge door cabinet with BBF	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S Pull (Stainless Steel Finish only)	
	T = Tab Pull	
	5. <i>Lock Option Files:</i>	
	L = Lock hole drilled	
	Drawers are always drilled for locks	
	6. <i>Lock Option Doors:</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	7. <i>Cabinet Finish:</i>	
	Wood or Laminate	
	8. <i>Pull Finish:</i>	
	Painted or Plated	


Cabinets, 26 1/2" planning
64" high, wood interior
Hinge door with shelves and wardrobe

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$1,942.	\$2,545.	\$2,927.	\$3,951.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,152.	2,818.	3,239.	4,372.
	30"	20"	64"	RC632C-() () () ()	2,529.	3,315.	3,813.	5,146.
	30"	24"	64"	RC633C-() () () ()	2,779.	3,644.	4,189.	5,655.
	36"	20"	64"	RC662C-() () () ()	2,752.	3,605.	4,145.	5,597.
	36"	24"	64"	RC663C-() () () ()	3,001.	3,935.	4,525.	6,108.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	2,916.	3,821.	4,393.	5,931.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,217.	4,218.	4,849.	6,546.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,206.	4,200.	4,836.	6,528.
	36"	24"	64"	RC663E(L/R)-() () () ()	3,538.	4,641.	5,336.	7,205.

Requires one lock core per cabinet

Left hand shown


Cabinet with hinged doors for coat rod and boot tray* 	16"	20"	64"	RC612D(L/R)-() () () ()	1,701.	2,227.	2,560.	3,457.
	16"	24"	64"	RC613D(L/R)-() () () ()	1,862.	2,441.	2,808.	3,789.
	30"	20"	64"	RC632D-() () () ()	2,076.	2,720.	3,131.	4,227.
	30"	24"	64"	RC633D-() () () ()	2,139.	2,808.	3,226.	4,355.
	36"	20"	64"	RC662D-() () () ()	2,299.	3,015.	3,468.	4,680.
	36"	24"	64"	RC663D-() () () ()	2,349.	3,100.	3,563.	4,809.

Requires one lock core per cabinet
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 456.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
R Reff	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
C Cabinets	6. <i>Cabinet Finish:</i> Wood or Laminate	
6 64" high	7. <i>Pull Finish:</i> Painted or Plated	
1 15" wide	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
2 20" deep	2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Hinge Door Cab. w/ adjustable shelves	3. <i>Interior Option:</i> W = Wood Interior	
L Finish Type: Laminate	4. <i>Pull Options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
W Wood Interior		
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		
D = Hinge door cabinet with full height wardrobe. Available only with wood interior.		

Cabinets, 26 1/2" planning
64" high, wood interior
Audio Visual Cabinet


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC6321-() () () () ()	\$3,183.	\$4,169.	\$4,796.	\$6,474.
	30"	24"	64"	RC6331-() () () () ()	3,502.	4,590.	5,282.	7,129.
	36"	20"	64"	RC6621-() () () () ()	3,403.	4,463.	5,131.	6,927.
	36"	24"	64"	RC6631-() () () () ()	3,724.	4,883.	5,612.	7,578.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes	Application Notes
Example: RC6321 () () () () ()	<i>To order, please specify pattern number including:</i>		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Interior option:</i> W = Wood Interior		* Audio Visual cabinets require two lock cores per cabinet.
6 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull		
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling		
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate		
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated		
2 Finish Type: V2			
W Wood Interior			
D Pull option; D			
N Lock option; No			
N Lock option, doors			
V316 Cabinet finish			
PZ Pull finish			

Cabinets, 26 1/2" planning
72" high, metal interiors
Bookcase and hinge doors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with open shelving 	30"	20"	72"	RC732B- () () () ()	\$1,921.	\$2,520.	\$2,898.	\$3,914.
	30"	24"	72"	RC733B- () () () ()	2,130.	2,790.	3,212.	4,336.
	36"	20"	72"	RC762B- () () () ()	2,174.	2,850.	3,277.	4,425.
	36"	24"	72"	RC763B- () () () ()	2,383.	3,122.	3,592.	4,850.

Open cabinets require no keying instructions
Shelves painted metal

Cabinet with hinged doors below and open shelf above. 	30"	20"	72"	RC732H- () () () () () ()	2,539.	3,324.	3,824.	5,162.
	30"	24"	72"	RC733H- () () () () () ()	2,807.	3,674.	4,225.	5,705.
	36"	20"	72"	RC762H- () () () () () ()	2,789.	3,653.	4,199.	5,670.
	36"	24"	72"	RC763H- () () () () () ()	3,059.	4,003.	4,604.	6,216.

Requires one lock core per cabinet
Shelves painted metal

Order Code

Example:	RC732B () () () ()
R	Reff
C	Cabinets
7	72" high
3	30" wide
2	20" deep, 3 = 24" deep
B	Open Bookcase
2	Finish Type: V2
M	Metal Interior
V316	Cabinet Finish: Maple
N	Left hand drill
N	Right hand drill

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

To order the Open Bookcase, please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
- Cabinet Finish:**
Wood or Laminate
- Left hand drill:**
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:**
Same as above

Application Notes

To order the Cabinet with Hinge Doors, specify pattern number including:


- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
- Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Cabinet finish:**
Wood or Laminate
- Pull finish:**
Painted or Plated
- Left hand drill:**
- Right hand drill:**

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.

Cabinets, 26 1/2" planning
72" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F- () () () () () () ()	\$3,157.	\$4,136.	\$4,759.	\$6,422.
	30"	24"	72"	RC733F- () () () () () () ()	3,507.	4,595.	5,285.	7,134.
	36"	20"	72"	RC762F- () () () () () () ()	3,487.	4,569.	5,253.	7,093.
	36"	24"	72"	RC763F- () () () () () () ()	3,870.	5,075.	5,834.	7,875.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"
Shelves painted metal

 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)- () () () () () () ()	2,294.	3,003.	3,457.	4,666.
	16"	24"	72"	RC713G(L/R)- () () () () () () ()	2,513.	3,333.	3,834.	5,174.
	30"	20"	72"	RC732G- () () () () () () ()	2,911.	3,817.	4,388.	5,925.
	30"	24"	72"	RC733G- () () () () () () ()	3,201.	4,195.	4,822.	6,512.
	36"	20"	72"	RC762G- () () () () () () ()	3,162.	4,143.	4,767.	6,434.
	36"	24"	72"	RC763G- () () () () () () ()	3,453.	4,526.	5,205.	7,026.


Requires two lock cores per cabinet
Shelves painted metal

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)- () () () () () () ()	2,381.	3,118.	3,586.	4,843.
	16"	24"	72"	RC713P(L/R)- () () () () () () ()	2,624.	3,439.	3,956.	5,342.
	30"	20"	72"	RC732P- () () () () () () ()	2,810.	3,681.	4,235.	5,719.
	30"	24"	72"	RC733P- () () () () () () ()	3,099.	4,063.	4,672.	6,307.
	36"	20"	72"	RC762P- () () () () () () ()	3,105.	4,069.	4,677.	6,315.
	36"	24"	72"	RC763P- () () () () () () ()	3,426.	4,486.	5,160.	6,967.


Requires two lock cores per cabinet
Shelves and drawer interiors metal

Order Code	Specification Information	Application Notes
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	After specifying product code, provide keying instructions. Refer to page for keying instructions.
7 72" high	3. <i>Interior options:</i> M = Metal Interior	File drawers include file bars for front to back and side to side filing.
3 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	File drawers do not support bottom loading. Applicable finishes are listed on page and .
2 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	Applicable finishes are listed on pages 5 and 6.
F Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
L Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
M Metal Interior	8. <i>Pull finish:</i> Painted or Plated	
T Tab Pull option	9. <i>Left hand drill:</i> 10. <i>Right hand drill:</i>	
L Lock option, files	F = Hinge door cabinet with 4 File drawers	
N Lock option, doors	G = Hinge door cabinet with FF	
118 Cabinet Finish	P = Hinge door cabinet with BBF	
118 Pull Finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning
72" high, metal interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R) -() () () () () () ()	\$2,025.	\$2,653.	\$3,053.	\$4,122.
	16"	24"	72"	RC713C(L/R) -() () () () () () ()	2,248.	2,947.	3,389.	4,573.
	30"	20"	72"	RC732C -() () () () () () ()	2,643.	3,467.	3,986.	5,383.
	30"	24"	72"	RC733C -() () () () () () ()	2,933.	3,843.	4,421.	5,968.
	36"	20"	72"	RC762C -() () () () () () ()	2,922.	3,833.	4,406.	5,948.
	36"	24"	72"	RC763C -() () () () () () ()	3,243.	4,247.	4,886.	6,597.

Requires one lock core per cabinet
Shelves painted metal


 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R) -() () () () () () ()	3,109.	4,072.	4,687.	6,326.
	30"	24"	72"	RC733E(L/R) -() () () () () () ()	3,476.	4,555.	5,241.	7,074.
	36"	20"	72"	RC762E(L/R) -() () () () () () ()	3,407.	4,465.	5,135.	6,930.
	36"	24"	72"	RC763E(L/R) -() () () () () () ()	3,803.	4,990.	5,734.	7,743.

Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC712C(L/R)	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 456.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> M = Metal Interior	
1 15" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	
2 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
C Hinge Door Cab. w/ adjustable shelves	6. <i>Cabinet finish:</i> Wood or Laminate	
L Finish Type: Laminate	7. <i>Pull finish:</i> Painted or Plated	
M Metal Interior	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
D Pull option; D	9. <i>Right hand drill:</i> Same as above	
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning
72" high, wood interiors
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with open shelving 	30"	20"	72"	RC732B-() () () ()	\$2,065.	\$2,708.	\$3,114.	\$4,202.
	30"	24"	72"	RC733B-() () () ()	2,273.	2,982.	3,427.	4,627.
	36"	20"	72"	RC762B-() () () ()	2,320.	3,040.	3,495.	4,717.
	36"	24"	72"	RC763B-() () () ()	2,527.	3,312.	3,808.	5,142.


Open cabinets require no keying instructions

Cabinet with hinged doors below and open shelf above. 	30"	20"	72"	RC732H-() () () () () ()	2,677.	3,510.	4,039.	5,451.
	30"	24"	72"	RC733H-() () () () () ()	2,944.	3,861.	4,440.	5,995.
	36"	20"	72"	RC762H-() () () () () ()	2,930.	3,838.	4,415.	5,960.
	36"	24"	72"	RC763H-() () () () () ()	3,196.	4,189.	4,818.	6,505.

Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732B () () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hnge Doors, specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinets	2. <i>Interior options:</i> W = Wood	2. <i>Interior options:</i> W = Wood Interior
7 72" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull
3 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
2 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above	5. <i>Cabinet finish:</i> Wood or Laminate
B Open Bookcase	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	6. <i>Pull finish:</i> Painted or Plated
2 Finish Type: V2		7. <i>Left hand drill:</i>
W Wood Interior		8. <i>Right hand drill:</i>
V316 Cabinet Finish: Maple		
N Left hand drilled		
N Right hand drilled		

Cabinets, 26 1/2" planning
72" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F -() () () () () () ()	\$3,300.	\$4,324.	\$4,973.	\$6,713.
	30"	24"	72"	RC733F -() () () () () () ()	3,651.	4,784.	5,500.	7,425.
	36"	20"	72"	RC762F -() () () () () () ()	3,631.	4,761.	5,487.	7,407.
	36"	24"	72"	RC763F -() () () () () () ()	4,013.	5,261.	6,053.	8,173.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R) -() () () () () () ()	2,438.	3,195.	3,674.	4,958.
	16"	24"	72"	RC713G(L/R) -() () () () () () ()	2,687.	3,522.	4,049.	5,466.
	30"	20"	72"	RC732G -() () () () () () ()	3,057.	4,003.	4,604.	6,216.
	30"	24"	72"	RC733G -() () () () () () ()	3,344.	4,385.	5,040.	6,805.
	36"	20"	72"	RC762G -() () () () () () ()	3,306.	4,333.	4,983.	6,727.
	36"	24"	72"	RC763G -() () () () () () ()	3,599.	4,716.	5,423.	7,320.


Requires two lock cores per cabinet

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R) -() () () () () () ()	2,524.	3,307.	3,804.	5,137.
	16"	24"	72"	RC713P(L/R) -() () () () () () ()	2,769.	3,630.	4,173.	5,635.
	30"	20"	72"	RC732P -() () () () () () ()	2,956.	3,874.	4,454.	6,013.
	30"	24"	72"	RC733P -() () () () () () ()	3,245.	4,251.	4,887.	6,599.
	36"	20"	72"	RC762P -() () () () () () ()	3,249.	4,257.	4,896.	6,610.
	36"	24"	72"	RC763P -() () () () () () ()	3,569.	4,676.	5,378.	7,262.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. After specifying product code, provide keying instructions. Refer to page 590 for keying instructions. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Applicable finishes are listed on pages 5 and 6. Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height. F = Hinge door cabinet with 4 file drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> W = Wood Interior	
3 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	
2 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
F Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
L Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
W Wood Interior	8. <i>Pull finish:</i> Painted or Plated	
T Tab Pull option	9. <i>Left hand drill:</i> N = No drilling S0 = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall T0 = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
N Lock option, files	10. <i>Right hand drill:</i> Same as above	
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		
N Left hand drill		
N Right hand drill		


Cabinets, 26 1/2" planning
72" high, wood interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)-() () () () () ()	\$2,171.	\$2,843.	\$3,269.	\$4,414.
	16"	24"	72"	RC713C(L/R)-() () () () () ()	2,392.	3,136.	3,605.	4,866.
	30"	20"	72"	RC732C- () () () () () ()	2,788.	3,653.	4,199.	5,670.
	30"	24"	72"	RC733C- () () () () () ()	3,078.	4,035.	4,640.	6,263.
	36"	20"	72"	RC762C- () () () () () ()	3,065.	4,019.	4,623.	6,240.
	36"	24"	72"	RC763C- () () () () () ()	3,388.	4,439.	5,104.	6,891.

Requires one lock core per cabinet

 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () () () () ()	3,251.	4,262.	4,901.	6,616.
	30"	24"	72"	RC733E(L/R)-() () () () () ()	3,619.	4,745.	5,457.	7,366.
	36"	20"	72"	RC762E(L/R)-() () () () () ()	3,551.	4,654.	5,353.	7,228.
	36"	24"	72"	RC763E(L/R)-() () () () () ()	3,950.	5,177.	5,954.	8,038.

Requires one lock core per cabinet

 Wardrobe cabinet	16"	20"	72"	RC712D(L/R)-() () () ()	1,823.	2,392.	2,750.	3,712.
	16"	24"	72"	RC713D(L/R)-() () () ()	2,007.	2,631.	3,024.	4,083.
	30"	20"	72"	RC732D- () () ()	2,297.	3,011.	3,460.	4,671.
	30"	24"	72"	RC733D- () () ()	2,524.	3,307.	3,804.	5,137.
	36"	20"	72"	RC762D- () () ()	2,525.	3,310.	3,807.	5,141.
	36"	24"	72"	RC763D- () () ()	2,776.	3,638.	4,185.	5,649.

Requires one lock core per cabinet.
Order coat rod and boot tray from accessories.


Left hand shown

Wood interior only

Order Code	Specification Information	Application Notes
Example: RC712C(L/R) () () () () () ()	<i>To order, please specify pattern number including:</i>	<p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 456.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p> <p>C = Hinge door cabinet with full height doors and 3 adjustable shelves. E = Hinge door cabinet with full height doors, half wardrobe and half shelves. D = Hinge door cabinet with full height wardrobe. Available only with wood interior.</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p>
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> W = Wood Interior	
1 15" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) PZ = Bar Pull F = Outline Pull H = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	
2 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
C Hinge Door Cab. w/ adjustable shelves	6. <i>Cabinet finish:</i> Wood or Laminate	
L Finish Type: Laminate	7. <i>Pull finish:</i> Painted or Plated	
W Wood Interior	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
D Pull option; D	9. <i>Right hand drill:</i> Same as above	
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning
72" high, wood interiors
Audio Visual Cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I-() () () () () ()	\$3,527.	\$4,621.	\$5,313.	\$7,173.
	30"	24"	72"	RC733I-() () () () () ()	3,891.	5,102.	5,869.	7,922.
	36"	20"	72"	RC762I-() () () () () ()	3,825.	5,014.	5,768.	7,787.
	36"	24"	72"	RC763I-() () () () () ()	4,223.	5,537.	6,368.	8,596.



Requires two lock cores per cabinet
Hinge opening 110°
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC732I () () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Interior option:</i> W = Wood Interior	* Audio Visual cabinets require two lock cores per cabinet.
7 72" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated	
2 Finish Type: V2		
W Wood Interior		
D Pull option; D		
N Lock option; No		
V316 Cabinet finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		


Cabinets, 26 1/2" planning

49", 64" and 72" high metal interior


Freestanding Multifunction Cabinets

Reff Profiles

description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M(L/R)() () () () () ()	\$2,804.	\$3,891.	\$4,508.	\$5,411.
	Box/Box/File	24"	24"	49"	RC423N(L/R)() () () () () () ()	3,000.	4,097.	4,741.	5,689.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M(L/R)() () () () () () ()	3,020.	4,230.	5,019.	6,023.
	Box/Box/File	24"	24"	64"	RC623N(L/R)() () () () () () ()	3,219.	4,436.	5,222.	6,267.



Order Code

Example:	RC423ML () () () () () ()
R	Reff
C	Cabinets
4	49" high
2	24" wide
3	24" deep
M	Multifunction Cabinet
L	Finish Type: Laminate
M	Metal Interior
D	Pull option: D
L	Lock option files
N	Lock options Doors
118	Cabinet Finish: Maple
PT	Pull Finish

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

- To order, please specify pattern number including:*
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
(If Laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves are painted black)
 - Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull
 - Lock Option Files:**
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Cabinet finish:**
Wood or Laminate
 - Pull Finish:**
Painted or Plated

Application Notes

- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
- Refer to page 590 for keying instructions.
- Drawers are always drilled for locks.
- File drawers include file bars for front to back and side to side filing.
- File drawers do not support bottom loading.
- Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 456
- Coat rod is included.
- Applicable finishes are listed on page and .

Cabinets, 26 1/2" planning

49", 64" and 72" high metal interior

Freestanding Multifunction Cabinets

description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M(L/R)()()()()()	\$3,173.	\$4,444.	\$5,309.	\$6,370.
	Box/Box/File	24"	24"	72"	RC723N()()()	3,371.	4,651.	5,519.	6,622.



Order Code

Example:	RC423ML ()()()()
R	Reff
C	Cabinets
4	49" high
2	24" wide
3	24" deep
M	Multifunction Cabinet
L	Finish Type: Laminate
M	Metal Interior
D	Pull option: D
L	Lock option files
N	Lock options Doors
118	Cabinet Finish: Maple
PT	Pull Finish

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

- To order, please specify pattern number including:*
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
(If Laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves are painted black)
 - Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull
 - Lock Option Files:**
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Cabinet finish:**
Wood or Laminate
 - Pull Finish:**
Painted or Plated

Application Notes

- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
- Refer to page 590 for keying instructions.
- Drawers are always drilled for locks.
- File drawers include file bars for front to back and side to side filing.
- File drawers do not support bottom loading.
- Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 456
- Coat rod is included.
- Applicable finishes are listed on page and .


Cabinets, 26 1/2" planning 49", 64" and 72" high wood interior Freestanding Multifunction Cabinet

Reff Profiles


description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M(L/R)() () () () () ()	\$3,226.	\$4,316.	\$4,933.	\$5,919.
	Box/Box/File	24"	24"	49"	RC423N(L/R)() () () () () ()	3,618.	4,715.	5,358.	6,429.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M(L/R)() () () () () ()	3,444.	4,654.	5,444.	6,532.
	Box/Box/File	24"	24"	64"	RC623N(L/R)() () () () () ()	3,835.	5,053.	5,840.	7,007.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M(L/R)() () () () () ()	3,597.	4,869.	5,731.	6,877.
	Box/Box/File	24"	24"	72"	RC723N() () ()	3,988.	5,268.	6,136.	7,362.




Cabinetry

Order Code	Specification Information	Application Notes
Example: RC423ML () () () () () ()	<i>To order, please specify pattern number including:</i>	
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks
C Cabinets	2. <i>Interior options:</i> W = Wood Interior	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
4 49" high	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	6. <i>Cabinet finish:</i> Wood or Laminate
2 24" wide		7. <i>Pull Finish:</i> Painted or Plated
3 24" deep		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
M Multifunction Cabinet		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
L Finish Type: Laminate		Refer to page 590 for keying instructions.
W Wood Interior		Drawers are always drilled for locks.
D Pull option: D		File drawers include file bars for front to back and side to side filing.
L Lock option files		File drawers do not support bottom loading.
N Lock options Doors		Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 456.
118 Cabinet Finish: Maple		Coat rod is included.
PT Pull Finish		Applicable finishes are listed on page and .

Cabinets, 28³/₈" planning 53" high, metal interiors


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,206.	\$1,580.	\$1,819.	\$2,456.
	30"	20"	53"	RC532DHB () () ()	1,361.	1,785.	2,052.	2,771.
	30"	24"	53"	RC533DHB () () ()	1,535.	2,010.	2,311.	3,121.
	36"	15"	53"	RC561DHB () () ()	1,339.	1,754.	2,020.	2,726.
	36"	20"	53"	RC562DHB () () ()	1,510.	1,980.	2,278.	3,076.
	36"	24"	53"	RC563DHB () () ()	1,700.	2,231.	2,565.	3,462.



Interior shelves painted metal

4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () L () ()	2,073.	2,718.	3,125.	4,219.
	30"	24"	53"	RC533DHF () () L () ()	2,288.	2,996.	3,446.	4,655.
	36"	20"	53"	RC562DHF () () L () ()	2,629.	3,443.	3,961.	5,348.
	36"	24"	53"	RC563DHF () () L () ()	2,902.	3,805.	4,375.	5,908.




Drawer interiors painted metal


Order Code	Specification Information	Application Notes
Example: RC531DHB	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the cabinet with 4 Lateral files, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate	1. <i>Finish type:</i> L = Laminate
C Cabinet	1 = V1	1 = V1
5 53" high	2 = V2	2 = V2
3 30" wide	3 = V3	3 = V3
1 15" deep	2. <i>Interior options:</i> M = Metal	2. <i>Interior options:</i> M = Metal Interior
DH Desk height	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull
B Open Bookcase	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull
2 Finish Type, V2		4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks
M Metal Interior		5. <i>Cabinet finish:</i> Wood or Laminate
V316 Cabinet Finish: Maple		6. <i>Pull Finish:</i> Painted or Plated
B = Open Bookcase		Cabinets do not come with lock included.
F = 4 Drawer Lateral File		Keying instructions must accompany all cabinet orders.
		53" nominal height - actual height 52.625"
		File drawers include file bars for front to back and side to side filing.
		File drawers support bottom loading.

Cabinets, 28³/₈" planning
53" high, wood interiors
Bookcase and Lateral File

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () ()	\$1,352.	\$1,774.	\$2,034.	\$2,745.
	30"	20"	53"	RC532DHB () ()	1,505.	1,975.	2,271.	3,065.
	30"	24"	53"	RC533DHB () ()	1,679.	2,202.	2,531.	3,417.
	36"	15"	53"	RC561DHB () ()	1,485.	1,946.	2,239.	3,022.
	36"	20"	53"	RC562DHB () ()	1,656.	2,172.	2,498.	3,371.
	36"	24"	53"	RC563DHB () ()	1,846.	2,421.	2,784.	3,757.



4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () L () ()	2,217.	2,907.	3,342.	4,512.
	30"	24"	53"	RC533DHF () () L () ()	2,435.	3,193.	3,667.	4,950.
	36"	20"	53"	RC562DHF () () L () ()	2,772.	3,633.	4,178.	5,639.
	36"	24"	53"	RC563DHF () () L () ()	3,047.	3,991.	4,592.	6,199.



Order Code

Example:	RC531DHB
R	Reff
C	Cabinet
5	53" high
3	30" wide
1	15" deep
DH	Desk height
B	Open Bookcase
2	Finish Type, V2
W	Wood Interior
V316	Cabinet Finish: Maple
B	= Open Bookcase
F	= 4 Drawer Lateral File

Specification Information

To order the Open Bookcase, please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
W = Wood
- Cabinet Finish:**
Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

To order the cabinet with 4 Lateral files, please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
W = Wood Interior
- Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull
(Stainless Steel Finish only)
T = Tab pull
- Lock Option Files:**
L = Lock hole drilled
Drawers are always drilled for locks
- Cabinet finish:**
Wood or Laminate
- Pull Finish:**
Painted or Plated

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Cabinets do not come with lock included.

53" nominal height - actual height 52.625"


File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.

Cabinets, 28³/₈" planning
53" high, wood interiors
Wardrobe

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged doors with coat rod (wood interior only)	30"	15"	53"	RC531DHH () () () ()	\$1,622.	\$2,129.	\$2,441.	\$3,294.
	30"	20"	53"	RC532DHH () () () ()	1,768.	2,317.	2,668.	3,599.
	30"	24"	53"	RC533DHH () () () ()	1,942.	2,544.	2,928.	3,951.
	36"	15"	53"	RC561DHH () () () ()	1,782.	2,335.	2,687.	3,626.
	36"	20"	53"	RC562DHH () () () ()	1,936.	2,534.	2,908.	3,912.
	36"	24"	53"	RC563DHH () () () ()	2,126.	2,783.	3,194.	4,298.



Requires one lock core per cabinet

Order Code

Example: RC531DHH
R Reff
C Cabinet
5 53" high
3 30" wide
1 15" deep
DH Desk height
H Hinge Door Cabinet
2 Finish Type, V2
W Wood Interior
V316 Cabinet Finish: Maple

To order the Cabinet with hinge Doors, please specify pattern number including:

- Lock Option:**
L = Lock hole drilled
N = No lock drilled
- Lock Finish:**
B = Black
S = Matte Silver
- Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull
(Stainless Steel Finish only)
T = Tab pull
- Pull Finish:**
Painted or Plated
- Cabinet finish:**
Wood or Laminate

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

53" nominal height - actual height 52.625"

After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.


15" wardrobe cabinets come with 2 coat hooks.

20" and 24" deep wardrobe cabinet comes with a coat rod.

20" deep Wardrobe Cabinets provides only 18" of clear storage space.

Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 456.


Cabinets, 28³/₈" planning
72" high, metal interiors
Bookcase

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase (for desk height planning)	30"	15"	72"	RC7231DHB () () ()	\$1,789.	\$2,345.	\$2,699.	\$3,643.
	30"	20"	72"	RC7232DHB () () ()	1,844.	2,418.	2,782.	3,756.
	30"	24"	72"	RC7233DHB () () ()	2,045.	2,678.	3,082.	4,161.
	36"	15"	72"	RC7261DHB () () ()	2,024.	2,653.	3,052.	4,120.
	36"	20"	72"	RC7262DHB () () ()	2,087.	2,735.	3,146.	4,247.
	36"	24"	72"	RC7263DHB () () ()	2,288.	2,996.	3,446.	4,655.


Order Code	Specification Information	Application Notes
Example: RC731B () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration. Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinets	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves painted black)	
72 72" high	3. <i>Cabinet Finish:</i> Wood or Laminate	
3 30" wide		
1 15" deep, 2 = 20" deep, 3 = 24" deep		
DH Desk height		
B Open Bookcase		
2 Finish Type: V2		
M Metal Interior		
V316 Cabinet Finish: Maple		

Cabinets, 28³/₈" planning
72" high, metal interiors
Bookcase and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	72"	RC7232DHK()()()()()	\$3,182.	\$4,175.	\$4,784.	\$6,410.
	30"	24"	72"	RC7233DHK()()()()()	3,518.	4,609.	5,288.	7,091.
	36"	20"	72"	RC7262DHK()()()()()	3,469.	4,550.	5,221.	7,001.
	36"	24"	72"	RC7263DHK()()()()()	3,782.	4,992.	5,728.	7,685.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	72"	RC7232DHO()()()()()	3,394.	4,500.	5,169.	6,991.
	30"	24"	72"	RC7233DHO()()()()()	3,798.	5,028.	5,777.	7,814.
	36"	20"	72"	RC7262DHO()()()()()	3,775.	5,002.	5,743.	7,768.
	36"	24"	72"	RC7263DHO()()()()()	4,220.	5,581.	6,412.	8,671.



Order Code

Example:	RC7232DHK()()()()()
R	Reff
C	Cabinet
72	72" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
K	Open Shelves with 2 File drawers
M	Metal Interior
L	Lock Option
B	Lock Finish
T	Pull Option
111	Pull Finish
V316	Cabinet Finish: Maple

K = Open shelves and 2 file drawers
O = Open shelves and 4 file drawers

Specification Information

To order, please specify pattern number including:

- Interior options:**
M = Metal
- Lock Option:**
L = Lock hole drilled
Drawers are always drilled for lock. Not optional.
- Lock Finish:**
B = Black
S = Matte Silver
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = Nickel finish C-pull (nickel finish only)
D = Metal D-Pull (finish optional)
F = Bar Pull
H = Outline Pull
J = routed J-pull (finish matches case)
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull
- Pull Finish:**
Painted and Plated
- Cabinet Finish:**
Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 72" high, metal interiors Hinge doors and file drawers

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () () () () ()	\$3,029.	\$3,970.	\$4,567.	\$6,164.
	30"	24"	72"	RC7233DHFH () () () () () () ()	3,366.	4,345.	5,072.	6,846.
	36"	20"	72"	RC7262DHFH () () () () () () ()	3,346.	4,385.	5,041.	6,806.
	36"	24"	72"	RC7263DHFH () () () () () () ()	3,714.	4,870.	5,627.	7,558.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () () () () () ()	2,201.	2,882.	3,318.	4,477.
	16"	24"	72"	RC7213DHGH(L/R) () () () () () () ()	2,412.	3,199.	3,679.	4,966.
	30"	20"	72"	RC7232DHGH () () () () () () ()	2,793.	3,664.	4,211.	5,686.
	30"	24"	72"	RC7233DHGH () () () () () () ()	3,072.	4,026.	4,628.	6,249.
	36"	20"	72"	RC7262DHGH () () () () () () ()	3,034.	3,976.	4,574.	6,175.
	36"	24"	72"	RC7263DHGH () () () () () () ()	3,314.	4,344.	4,994.	6,742.



Order Code	Specification Information	Application Notes
Example: RC723DHFH	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
C Cabinet	2. <i>Interior options:</i> M = Metal	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
7 72" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull JN = J (Routed) Pull on Drawers and Touch latch on hinge doors R = Cylinder Pull T = Tab Pull	Applicable finishes are listed on page 5 and 6.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	Drawers are always drilled for locks.
F Storage with Hinge Door with 4 file drawers	7. <i>Cabinet Finish:</i> Wood or Laminate	
H Wood hinge doors	8. <i>Pull Finish:</i> Painted or Plated	
L Finish Type: Laminate		
M Metal Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		

F = Hinge door cabinet with 4 file drawers
G = Hinge door cabinet with FF

Cabinets, 28³/₈" planning
 72" high, metal interiors
 Hinge doors and Box/Box/File

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors & 1 adj shelf, bottom box/box/file (for desk height planning)	16"	20"	72"	RC7212DHPH(L/R) () () () ()	\$2,631.	\$3,418.	\$3,936.	\$5,218.
	16"	24"	72"	RC7213DHPH(L/R) () () () ()	2,874.	3,739.	4,306.	5,717.



Order Code

Example: RC7212DHPH(L/R)	
R	Reff
C	Cabinet
72	72" high
1	16" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
P	Storage with Hinge Door with Box/Box/File
H	Wood hinge doors
L/R	Left or Right hand
M	Metal Interior
L	Lock option, door
111	Lock finish
T	Pull option
111	Pull finish
118	Cabinet finish

P =Hinge door cabinet with Box/Box/File

Specification Information

- To order, please specify pattern number including:*
- Interior options:**
M = Metal
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
Drawers are always drilled for lock. Not optional.
 - Lock Finish:**
B = Black
S = Matte Silver
 - Pull Options:**
B = No pull, No Drilling,
C = Nickel finish C-pull (nickel finish only)
D = Metal D-pull (finish optional)
F = Bar Pull
H = Outline Pull
J = Routed J-pull (finish matches case)
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull
 - Pull Finish:**
Painted and Plated
 - Cabinet Finish:**
Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
72" high, metal interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) () () () () ()	\$2,983.	\$3,908.	\$4,498.	\$6,071.
	30"	24"	72"	RC7233DHEH(L/R) () () () () ()	3,336.	4,371.	5,029.	6,789.
	36"	20"	72"	RC7262DHEH(L/R) () () () () ()	3,270.	4,285.	4,928.	6,651.
	36"	24"	72"	RC7263DHEH(L/R) () () () () ()	3,649.	4,790.	5,503.	7,430.




Left hand shown

Requires one lock core per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC7232DHEH (L/R)	<i>To order, please specify pattern number including:</i>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders. Refer to page 590 for keying instructions.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>* Note: 72" high Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 456. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	
72 72" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull R = Cylinder Pull T = Tab Pull	
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
2 20" deep	5. <i>Lock Finish:</i> B = Black S = Matte Silver	
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
E Wardrobe / Bookcase combo	7. <i>Pull Finish:</i> Painted or Plated	
H Wood hinge doors		
L Finish Type: Laminate		
M Metal Interior		
T Tab pull option		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		
E = Hinge door cabinet with full height doors, half wardrobe and shelves		

Cabinets, 28³/₈" planning
72" high, wood interiors
Bookcase

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Open bookcase (for desk height planning)	30"	15"	72"	RC7231DHB ()()()	\$1,923.	\$2,521.	\$2,898.	\$3,912.
	30"	20"	72"	RC7232DHB ()()()	1,982.	2,599.	2,988.	4,033.
	30"	24"	72"	RC7233DHB ()()()	2,182.	2,861.	3,289.	4,440.
	36"	15"	72"	RC7261DHB ()()()	2,159.	2,829.	3,253.	4,391.
	36"	20"	72"	RC7262DHB ()()()	2,226.	2,917.	3,354.	4,527.
	36"	24"	72"	RC7263DHB ()()()	2,425.	3,179.	3,654.	4,935.

Order Code

Example:	RC7232DHB ()()()()
R	Reff
C	Cabinets
72	72" high
3	30" wide
1	15" deep, 2 = 20" deep, 3 = 24" deep
DH	Desk Height
B	Open Bookcase
2	Finish Type: V2
W	Wood Interior
V316	Cabinet Finish: Maple

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
W = Wood Interior
3. *Cabinet Finish:*
Wood or Laminate


Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.**


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 28³/₈" planning
72" high, wood interiors
Bookcase and file drawers

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	72"	RC7232DHK()	\$3,349.	\$4,389.	\$5,033.	\$6,747.
	30"	24"	72"	RC7233DHK()	3,682.	4,828.	5,540.	7,431.
	36"	20"	72"	RC7262DHK()	3,636.	4,771.	5,472.	7,341.
	36"	24"	72"	RC7263DHK()	3,973.	5,212.	5,979.	8,024.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	72"	RC7232DHO()	3,577.	4,733.	5,436.	7,345.
	30"	24"	72"	RC7233DHO()	3,982.	5,266.	6,043.	8,167.
	36"	20"	72"	RC7262DHO()	3,958.	5,236.	6,029.	8,149.
	36"	24"	72"	RC7263DHO()	4,400.	5,813.	6,681.	9,029.



Order Code

Example:	RC7232DHK()
R	Reff
C	Cabinet
72	72" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
K	Open Shelves with 2 File drawers
W	Wood Interior
L	Lock option door
B	Lock Finish
T	Pull Option
111	Pull Finish
V316	Cabinet Finish

K = Open shelves and 2 file drawers
O = Open shelves and 4 file drawers

Specification Information

To order, please specify pattern number including:

- Interior options:**
M = Metal
- Lock Option:**
L = Lock hole drilled
Drawers are always drilled for lock. Not optional.
- Lock Finish:**
B = Black
S = Matte Silver
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = Nickel finish C-pull (nickel finish only)
D = Metal D-pull (finish optional)
F = Bar Pull
H = Outline Pull
J = rounded J-pull (finish matches case)
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull
- Pull Finish:**
Painted and Plated
- Cabinet Finish:**
Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
72" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () () () ()	\$3,167.	\$4,150.	\$4,772.	\$6,442.
	30"	24"	72"	RC7233DHFH () () () () () ()	3,504.	4,592.	5,279.	7,126.
	36"	20"	72"	RC7262DHFH () () () () () ()	3,484.	4,569.	5,265.	7,108.
	36"	24"	72"	RC7263DHFH () () () () () ()	3,851.	5,049.	5,809.	7,843.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () () () () ()	2,340.	3,066.	3,526.	4,759.
	16"	24"	72"	RC7213DHGH(L/R) () () () () () ()	2,579.	3,379.	3,886.	5,246.
	30"	20"	72"	RC7232DHGH () () () () () ()	2,933.	3,841.	4,419.	5,966.
	30"	24"	72"	RC7233DHGH () () () () () ()	3,209.	4,208.	4,837.	6,531.
	36"	20"	72"	RC7262DHGH () () () () () ()	3,173.	4,158.	4,782.	6,456.
	36"	24"	72"	RC7263DHGH () () () () () ()	3,454.	4,526.	5,205.	7,026.



Order Code	Specification Information	Application Notes
Example: RC7232DHFH	<i>To order, please specify pattern number including:</i>	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Interior options:</i> W = Wood Interior	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
72 72" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull JN = J (Routed) Pull on Drawers and Touch latch on hinge doors R = Cylinder Pull T = Tab Pull	Drawers are always drilled for locks.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	Applicable finishes are listed on page 5 and 6.
F Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	
H Wood hinge doors		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		

F =Hinge door cabinet with 4 file drawers
G= Hinge door cabinet with FF

Cabinets, 28³/₈" planning 72" high, wood interiors Hinge doors and Box/Box/File


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors & 1 adj shelf, bottom box/box/file (for desk height planning)	16"	20"	72"	RC7212DHPH(L/R) () () () () ()	\$2,774.	\$3,607.	\$4,154.	\$5,512.
	16"	24"	72"	RC7213DHPH(L/R) () () () () ()	3,046.	3,930.	4,523.	6,010.



Order Code	Specification Information	Application Notes
Example: RC723DHF	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Interior options:</i> M = Metal	File drawers include file bars for front to back and side to side filing.
C Cabinet	2. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling Drawers are always drilled for lock. Not optional.	File drawers do not support bottom loading.
7 72" high	3. <i>Lock Finish:</i> B = Black S = Matte Silver	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull (nickel finish only) D = Metal D-pull (finish optional) F = Bar Pull H = Outline Pull J = rounded J-pull (finish matches case) R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Applicable finishes are listed on page 5 and 6.
2 20" deep	5. <i>Pull Finish:</i> Painted and Plated	
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
P Storage with Hinge Door with Box/Box/File		
H Wood hinge doors		
L Finish Type: Laminate		
M Metal Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		
P =Hinge door cabinet with Box/Box/File		

Cabinets, 28³/₈" planning
72" high, wood interiors
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) () () () () ()	\$3,120.	\$4,090.	\$4,703.	\$6,349.
	30"	24"	72"	RC7233DHEH(L/R) () () () () ()	3,473.	4,554.	5,237.	7,069.
	36"	20"	72"	RC7262DHEH(L/R) () () () () ()	3,408.	4,466.	5,138.	6,936.
	36"	24"	72"	RC7263DHEH(L/R) () () () () ()	3,790.	4,968.	5,714.	7,714.



Left hand shown

Requires one lock core per cabinet.
Shelves painted metal

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe cabinet (for desk height planning)	16"	20"	72"	RC7212DHDH(L/R) () () () () ()	1,750.	2,295.	2,639.	3,563.
	16"	24"	72"	RC7213DHDH(L/R) () () () () ()	1,926.	2,525.	2,903.	3,918.
	30"	20"	72"	RC7232DHDH () () () () ()	2,204.	2,889.	3,321.	4,483.
	30"	24"	72"	RC7233DHDH () () () () ()	2,422.	3,174.	3,650.	4,930.
	36"	20"	72"	RC7262DHDH () () () () ()	2,423.	3,177.	3,653.	4,934.
	36"	24"	72"	RC7263DHDH () () () () ()	2,664.	3,492.	4,016.	5,421.



Wood interior only


Requires one lock core per cabinet.
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC7232DHEH (L/R)	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge Location, where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
C Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.
7 72" high	3. <i>Interior options:</i> W = Wood Interior	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull R = Cylinder Pull T = Tab Pull	* Note: 72" high Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 456. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Applicable finishes are listed on page 5 and 6.
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	
E Wardrobe / Bookcase combo	7. <i>Cabinet Finish:</i> Wood or Laminate	
H Wood hinge doors	8. <i>Pull Finish:</i> Painted or Plated	
L Left hand		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		

E = Hinge door cabinet with full height doors, half wardrobe and shelves.
D = Wardrobe cabinet

Cabinets, 28³/₈" planning
75" high, metal interiors
Bookcase

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$2,019.	\$2,644.	\$3,042.	\$4,108.
	30"	24"	75"	RC733DHB () () () ()	2,237.	2,930.	3,370.	4,551.
	36"	20"	75"	RC762DHB () () () ()	2,284.	2,992.	3,441.	4,645.
	36"	24"	75"	RC763DHB () () () ()	2,502.	3,281.	3,772.	5,091.



Shelves painted metal

Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () () () () ()	2,961.	3,886.	4,486.	6,054.
	30"	24"	75"	RC733DHK () () () () () ()	3,266.	4,282.	4,943.	6,673.
	36"	20"	75"	RC762DHK () () () () () ()	3,222.	4,227.	4,883.	6,592.
	36"	24"	75"	RC763DHK () () () () () ()	3,529.	4,630.	5,344.	7,213.



Requires one lock core per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Example:	RC732DHB () () () ()
R	Reff
C	Cabinets
7	75" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
B	Open Bookcase
2	Finish Type: V2
M	Metal Interior
V316	Cabinet Finish: Maple
N	Left hand drill
N	Right hand drill

B = Bookcase
K = Bookcase with FF

Specification Information

To order the Open Bookcase, please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior Options:**
M = Metal
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
- Cabinet Finish:**
Wood or Laminate
- Left hand drill:**
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:**
Same as above

To order the Open Bookcase with 2 file drawers, please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = D - Pull (PZ or PT)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull
(Stainless Steel Finish only)
T = Tab Pull.
- Lock options Files:**
L = Lock hole drilled (not optional)
- Cabinet Finish:**
Wood or Laminate
- Pull Finish:**
Painted or Plated
- Left hand drill:**
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:**
Same as above

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

These 75" cabinets are intended to be used with the overdesk units only.

75" nominal height = 75.125" actual height


Cabinets, 28³/₈" planning
75" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () (L) () () ()	\$3,315.	\$4,342.	\$4,997.	\$6,744.
	30"	24"	75"	RC733DHF () () (L) () () ()	3,681.	4,823.	5,549.	7,491.
	36"	20"	75"	RC762DHF () () (L) () () ()	3,661.	4,799.	5,518.	7,450.
	36"	24"	75"	RC763DHF () () (L) () () ()	4,065.	5,326.	6,126.	8,271.



Requires two lock cores per cabinet
Drawer interiors painted black metal

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () (L) () () ()	2,408.	3,155.	3,630.	4,901.
	16"	24"	75"	RC713DHG(L/R) () () (L) () () ()	2,639.	3,498.	4,023.	5,433.
	30"	20"	75"	RC732DHG () () (L) () () ()	3,058.	4,008.	4,606.	6,219.
	30"	24"	75"	RC733DHG () () (L) () () ()	3,363.	4,404.	5,067.	6,839.
	36"	20"	75"	RC762DHG () () (L) () () ()	3,319.	4,350.	5,005.	6,757.
	36"	24"	75"	RC763DHG () () (L) () () ()	3,626.	4,751.	5,465.	7,379.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC732DHF	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	File drawers include file bars for front to back and side to side.
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	File drawers to not support bottom loading.
7 75" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
3 30" wide	4. <i>Lock Options Files:</i> L = Lock hole drilled (not optional)	List price for woodgrain laminate options will be current published laminate list price plus 10%.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	These 75" cabinets are intended to be used with the overdesk units only.
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	75" nominal height = 75.125" actual height
F Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	
L Finish Type: Laminate	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
M Metal Interior	9. <i>Right hand drill:</i> Same as above	
T Tab pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		

F = Hinge door cabinet with 4 file drawers

G = Hinge door cabinet with FF

Cabinets, 28³/₈" planning 75" high, metal interiors Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () () ()	\$3,264.	\$4,272.	\$4,920.	\$6,640.
	30"	24"	75"	RC733DHE(L/R) () () () () () ()	3,648.	4,782.	5,503.	7,429.
	36"	20"	75"	RC762DHE(L/R) () () () () () ()	3,578.	4,691.	5,391.	7,278.
	36"	24"	75"	RC763DHE(L/R) () () () () () ()	3,991.	5,240.	6,020.	8,127.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal

Order Code

Example: RC732DHE (L/R)	
R	Reff
C	Cabinets
7	75" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
E	Wardrobe / Bookcase Combo
L/R	Left / Right hand
L	Finish type; Laminate
M	Metal Interior
T	Tab pull
N	Lock option, doors
B	Lock finish
118	Cabinet Finish
111	Pull Finish

Specification Information

To order, please specify pattern number including:

- Hinge Location where applicable:**
L = Left hand
R = Right hand
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = Nickel finish C-pull (nickel finish only)
D = Metal D-pull (finish optional)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Cabinet Finish:**
Wood or Laminate
- Pull Finish:**
Painted or Plated
- Left hand drill:**
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:**
Same as above

Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

* Note: 75" high Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 456. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

These 75" cabinets are intended to be used with the overdesk units only.

75" nominal height = 75.125" actual height

Cabinets, 28³/₈" planning
75" high, wood interiors
Bookcase

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$2,169.	\$2,841.	\$3,268.	\$4,413.
	30"	24"	75"	RC733DHB () () () ()	2,388.	3,129.	3,599.	4,856.
	36"	20"	75"	RC762DHB () () () ()	2,436.	3,192.	3,671.	4,954.
	36"	24"	75"	RC763DHB () () () ()	2,653.	3,479.	4,001.	5,400.
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () () L () () ()	3,113.	4,081.	4,711.	6,360.
	30"	24"	75"	RC733DHK () () () L () () ()	3,417.	4,479.	5,172.	6,981.
	36"	20"	75"	RC762DHK () () () L () () ()	3,374.	4,427.	5,111.	6,901.
	36"	24"	75"	RC763DHK () () () L () () ()	3,680.	4,829.	5,571.	7,521.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC732DHB () () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Open Bookcase with 2 file drawers, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinets	2. <i>Interior options:</i> W = Wood Interior	2. <i>Interior options:</i> W = Wood Interior
7 75" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.
3 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)
2 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above	5. <i>Cabinet Finish:</i> Wood or Laminate 6. <i>Pull Finish:</i> Painted or Plated 7. <i>Left hand drill:</i> 8. <i>Right hand drill:</i>
DH Desk Height		
B Open Bookcase		
2 Finish Type: V2		
W Wood Interior		
V316 Cabinet Finish: Maple		
N Left hand drill		
N Right hand drill		
B = Bookcase K = Bookcase with FF		

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

These 75" cabinets are intended to be used with the overdesk units only.

75" nominal height = 75.125" actual height

Cabinets, 28³/₈" planning 75" high, wood interiors Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () () ()	\$3,414.	\$4,473.	\$5,145.	\$6,946.
	30"	24"	75"	RC733DHE(L/R) () () () () () ()	3,801.	4,983.	5,730.	7,736.
	36"	20"	75"	RC762DHE(L/R) () () () () () ()	3,730.	4,886.	5,621.	7,588.
	36"	24"	75"	RC763DHE(L/R) () () () () () ()	4,147.	5,438.	6,252.	8,440.



Left hand shown

Requires one lock core per cabinet

Cabinet with hinged doors for coat rod and boot tray	30"	20"	75"	RC732DHD () W () () () () () ()	2,411.	3,161.	3,633.	4,905.
	30"	24"	75"	RC733DHD () W () () () () () ()	2,650.	3,473.	3,993.	5,393.
	36"	20"	75"	RC762DHD () W () () () () () ()	2,651.	3,475.	3,996.	5,398.
	36"	24"	75"	RC763DHD () W () () () () () ()	2,914.	3,821.	4,394.	5,931.



Wood interior only


Requires one lock core per cabinet
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC732DHE(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	* Note: 75" high Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 456. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
C Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
7 75" h (nominal)	3. <i>Interior options:</i> W = Wood Interior	Applicable finishes are listed on page 5 and 6.
3 30" w (nominal)	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	These 75" cabinets are intended to be used with the overdesk units only. 75" nominal height = 75.125" actual height
2 20" d (nominal)	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
DH Desk height	6. <i>Cabinet Finish:</i> Wood or Laminate	
E Wardrobe / Bookcase	7. <i>Pull Finish:</i> Painted or Plated	
L Left hand	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
2 Finish type, V2	9. <i>Right hand drill:</i> Same as above	
W Interior option, wood		
F Pull option; Bar		
N Lock option, doors		
B Lock Finish		
V316 Cabinet finish		
111 Pull finish		
N Left hand drill		
N Right hand drill		

E = Hinge door cabinet with full height doors, half wardrobe and shelves
D = Wardrobe cabinet


Cabinets, 28³/₈" planning
75" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () (L) () () () ()	\$3,467.	\$4,540.	\$5,223.	\$7,051.
	30"	24"	75"	RC733DHF () () (L) () () () ()	3,835.	5,025.	5,777.	7,798.
	36"	20"	75"	RC762DHF () () (L) () () () ()	3,813.	4,998.	5,764.	7,782.
	36"	24"	75"	RC763DHF () () (L) () () () ()	4,215.	5,522.	6,357.	8,582.



Requires two lock cores per cabinet
Drawer interiors painted black metal

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () (L) () () () ()	2,560.	3,353.	3,856.	5,207.
	16"	24"	75"	RC713DHG(L/R) () () (L) () () () ()	2,822.	3,697.	4,252.	5,741.
	30"	20"	75"	RC732DHG () () (L) () () () ()	3,209.	4,201.	4,835.	6,526.
	30"	24"	75"	RC733DHG () () (L) () () () ()	3,512.	4,603.	5,293.	7,145.
	36"	20"	75"	RC762DHG () () (L) () () () ()	3,471.	4,550.	5,231.	7,062.
	36"	24"	75"	RC763DHG () () (L) () () () ()	3,777.	4,951.	5,694.	7,688.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Specification Information

Example: RC723DHF () () (L) () () () ()	
R	Reff
C	Cabinet
7	75" high
3	30" wide
2	20" deep
DH	Desk Height
F	Storage with Hinge Door with 4 file drawers
L	Finish Type: Laminate
W	Wood Interior
T	Tab pull option
L	Lock option, files
N	Lock option, doors
118	Cabinet Finish
111	Pull Finish
N	Left hand drilling
N	Right hand drilling

F = Hinge door cabinet with 4 file drawers
G = Hinge door cabinet with FF

To order, please specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
W = Wood Interior
3. *Pull Options:*
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = D - Pull (PZ or PT)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull.
4. *Lock options Files:*
L = Lock hole drilled (not optional)
5. *Lock Option Doors:*
L = Lock hole drilled
N = No lock drilling
6. *Cabinet Finish:* Wood or Laminate
7. *Pull Finish:* Painted or Plated
8. *Left hand drill:*
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
9. *Right hand drill:*
Same as above

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.

Drawers are always drilled for locks.

File drawers include file bars for front to back and side to side.

File drawers do not support bottom loading.

These 75" cabinets are intended to be used with the overdesk units only.


75" nominal height = 75.125" actual height

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
86" high, metal interiors
Bookcase

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet, with shelving	30"	15"	86"	RC831DHB () ()	\$2,167.	\$2,856.	\$3,288.	\$4,860.
	36"	15"	86"	RC861DHB () ()	2,465.	3,230.	3,717.	5,492.




Order Code	Specification Information	Application Notes
Example: RC832DHB () ()	<p><i>To order, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>Interior Options:</i> M = Metal Interior <i>Cabinet Finish:</i> Wood or Laminate 	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>86" Nominal Height = 85.500" Actual Height</p>
R Reff		
C Cabinet		
8 86" high		
3 30" wide		
1 15" deep		
DH Desk Height		
B Open Bookcase		
2 Finish Type: V2		
M Metal Interior		
V316 Cabinet Finish: Maple		

Cabinets, 28³/₈" planning
86" high, metal interiors
Bookcase and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK() () () () ()	\$3,257.	\$4,275.	\$4,934.	\$6,660.
	30"	24"	86"	RC833DHK() () () () ()	3,593.	4,709.	5,438.	7,341.
	36"	20"	86"	RC862DHK() () () () ()	3,544.	4,650.	5,371.	7,251.
	36"	24"	86"	RC863DHK() () () () ()	3,882.	5,092.	5,878.	7,935.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO() () () () ()	3,469.	4,600.	5,319.	7,241.
	30"	24"	86"	RC833DHO() () () () ()	3,873.	5,128.	5,927.	8,064.
	36"	20"	86"	RC862DHO() () () () ()	3,850.	5,102.	5,893.	8,018.
	36"	24"	86"	RC863DHO() () () () ()	4,295.	5,681.	6,562.	8,921.



Order Code	Specification Information	Application Notes
Example: RC832DHK() () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Applicable finishes are listed on page 5 and 6.
2 20" deep, 3 = 24" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	86" Nominal Height = 85.500" Actual Height
DH Desk Height	6. <i>Pull Finish:</i> Painted or Plated	
K Open Shelves with 2 File drawers		
2 Finish Type: 2		
M Metal Interior		
T Pull Option		
L Lock Option, files		
V316 Cabinet Finish: Maple		
111 Pull Finish		


K = Open shelves and 2 file drawers
O = Open shelves and 4 file drawers

Cabinets, 28³/₈" planning
86" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF()()()()()	\$3,646.	\$4,777.	\$5,496.	\$7,418.
	30"	24"	86"	RC833DHF()()()()()	4,049.	5,306.	6,104.	8,240.
	36"	20"	86"	RC862DHF()()()()()	4,027.	5,279.	6,070.	8,195.



Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG()()()()()	3,364.	4,407.	5,067.	6,842.
	30"	24"	86"	RC833DHG()()()()()	3,699.	4,845.	5,573.	7,522.
	36"	20"	86"	RC862DHG()()()()()	3,650.	4,784.	5,504.	7,434.
	36"	24"	86"	RC863DHG()()()()()	3,988.	5,227.	6,011.	8,117.




Order Code	Specification Information	Application Notes
Example: RC862DHF()()()()()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Applicable finishes are listed on page 5 and 6.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	86" Nominal Height = 85.500" Actual Height
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
F Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	
L Finish Type: Laminate		
M Metal Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
B Lock Finish		
118 Cabinet Finish		
111 Pull Finish		

F = Hinge door cabinet with 4 file drawers

G = Hinge door cabinet with FF

Cabinets, 28³/₈" planning
 86" high, metal interiors
 Hinge doors with shelves and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () ()	\$3,394.	\$4,452.	\$5,114.	\$6,905.
	30"	24"	86"	RC833DHEH(L/R)() () () ()	3,762.	4,935.	5,670.	7,656.
	36"	20"	86"	RC862DHEH(L/R)() () () ()	3,695.	4,844.	5,567.	7,517.
	36"	24"	86"	RC863DHEH(L/R)() () () ()	4,092.	5,366.	6,168.	8,328.



Left hand shown

Shelves; painted metal.

Order Code

Example:	RC832DHEH (L/R)
R	Reff
C	Cabinet
8	86" high
3	30" wide
2	20" deep
DH	Desk Height
E	Wardrobe / Bookcase combo
H	Wood hinge doors
(L/R)	Left hand or Right hand
L	Finish Type: Laminate
M	Metal Interior
T	Tab pull option
N	Lock option, doors
8	Lock Finish
118	Cabinet Finish
111	Pull Finish

E = Hinge door cabinet with full height doors, half wardrobe and shelves

Specification Information

To order, please specify pattern number including:

- Hinge Location where applicable:**
L = Left hand
R = Right hand
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
F = Bar Pull
H = Outline Pull
N = No pull, Touch Latch
R = Cylinder Pull
T = Tab Pull
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Cabinet Finish:**
Wood or Laminate
- Pull Finish:**
Painted or Plated

Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Applicable finishes are listed on page and .

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

86" Nominal Height = 85.500" Actual Height

*Note:
86" high wardrobe cabinets come equipped with a coat rod.

20" deep wardrobe cabinets provide only 18" of clear storage space.

Cabinets, 28³/₈" planning
86" high, wood interiors
Bookcase

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet, with shelving	30"	15"	86"	RC831DHB () ()	\$2,302.	\$3,031.	\$3,488.	\$5,135.
	30"	20"	86"	RC832DHB () ()	2,373.	3,125.	3,596.	5,294.
	30"	24"	86"	RC833DHB () ()	2,628.	3,443.	3,958.	5,828.
	36"	15"	86"	RC861DHB () ()	2,600.	3,405.	3,917.	5,767.
	36"	20"	86"	RC862DHB () ()	2,680.	3,510.	4,038.	5,945.
	36"	24"	86"	RC863DHB () ()	2,918.	3,827.	4,400.	6,481.


Order Code	Specification Information	Application Notes
Example: RC832DHB () ()	<p><i>To order, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>Interior Options:</i> W = Wood Interior <i>Cabinet Finish:</i> Wood or Laminate 	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>86" Nominal Height = 85.500" Actual Height</p> <p>Anchor brackets are included.</p>
R Reff		
C Cabinet		
8 86" high		
3 30" wide		
2 20" deep, 3 = 24" deep		
DH Desk Height		
B Open Bookcase		
2 Finish Type: V2		
W Wood Interior		
V316 Cabinet Finish: Maple		

Cabinets, 28³/₈" planning 86" high, wood interiors Bookcase and File drawers

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK () () () () ()	\$3,424.	\$4,489.	\$5,183.	\$6,997.
	30"	24"	86"	RC833DHK () () () () ()	3,757.	4,928.	5,690.	7,681.
	36"	20"	86"	RC862DHK () () () () ()	3,711.	4,871.	5,622.	7,591.
	36"	24"	86"	RC863DHK () () () () ()	4,048.	5,312.	6,129.	8,274.




Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO () () () () ()	3,652.	4,833.	5,586.	7,595.
	30"	24"	86"	RC833DHO () () () () ()	4,057.	5,366.	6,193.	8,417.
	36"	20"	86"	RC862DHO () () () () ()	4,033.	5,336.	6,179.	8,399.
	36"	24"	86"	RC863DHO () () () () ()	4,475.	5,913.	6,831.	9,279.




Order Code	Specification Information	Application Notes
Example: RC832DHK () () () () ()	<i>To order, please specify pattern number including:</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
R Reff		Drawers are always drilled for locks.
C Cabinet	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
8 86" high	2. <i>Interior options:</i> W = Wood Interior	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.
3 30" wide	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep, 3 = 24" deep	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
DH Desk Height	5. <i>Cabinet Finish:</i> Wood or Laminate	Applicable finishes are listed on page 5 and 6.
K Open Shelves with 2 File drawers	6. <i>Pull Finish:</i> Painted or Plated	86" Nominal Height = 85.500" Actual Height
2 Finish Type: 2		
W Wood Interior		
T Tab pull option		
L Lock option, files		
V316 Cabinet Finish		
111 Pull Finish		
K = Open shelves and 2 file drawers		
O = Open shelves and 4 file drawers		

Cabinets, 28³/₈" planning 86" high, wood interiors Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF () () (L) () () ()	\$3,813.	\$4,993.	\$5,746.	\$7,757.
	30"	24"	86"	RC833DHF () () (L) () () ()	4,218.	5,527.	6,355.	8,579.
	36"	20"	86"	RC862DHF () () (L) () () ()	4,194.	5,497.	6,340.	8,559.



Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG () () (L) () () ()	3,530.	4,623.	5,319.	7,179.
	30"	24"	86"	RC833DHG () () (L) () () ()	3,864.	5,063.	5,823.	7,860.
	36"	20"	86"	RC862DHG () () (L) () () ()	3,817.	5,005.	5,754.	7,768.
	36"	24"	86"	RC863DHG () () (L) () () ()	4,155.	5,446.	6,263.	8,456.




Order Code	Specification Information	Application Notes
Example: RC862DHF () () (L) () () ()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Interior options:</i> W = Wood Interior	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Applicable finishes are listed on page 5 and 6.
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	86" Nominal Height = 85.500" Actual Height
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	After specifying product code, provide keying instructions. Refer to page 590 for keying instructions.
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	File drawers include file bars for front to back and side to side filing.
F Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	File drawers do not support bottom loading.
H Wood hinge doors		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
B Lock Finish		
118 Cabinet Finish		
111 Pull Finish		

F = Hinge door cabinet with 4 file drawers
G = Hinge door cabinet with FF

Cabinets, 28³/₈" planning
86" high, wood interiors
Hinge doors with shelves and wardrobe


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () () ()	\$3,576.	\$4,688.	\$5,391.	\$7,277.
	30"	24"	86"	RC833DHEH(L/R)() () () () ()	3,981.	5,219.	6,002.	8,102.
	36"	20"	86"	RC862DHEH(L/R)() () () () ()	3,907.	5,119.	5,889.	7,950.
	36"	24"	86"	RC863DHEH(L/R)() () () () ()	4,345.	5,694.	6,550.	8,842.



Left hand shown

Requires one lock core per cabinet

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, wardrobe (for desk height planning)	16"	20"	86"	RC812DHDH(L/R)() () () () ()	2,361.	3,541.	4,073.	5,294.
	16"	24"	86"	RC813DHDH(L/R)() () () () ()	2,447.	3,671.	4,221.	5,488.
	19"	20"	86"	RC822DHDH(L/R)() () () () ()	2,453.	3,681.	4,233.	5,503.
	19"	24"	86"	RC823DHDH(L/R)() () () () ()	2,542.	3,813.	4,385.	5,700.
	30"	20"	86"	RC832DHDH() () () () ()	2,804.	4,205.	4,837.	6,288.
	30"	24"	86"	RC833DHDH() () () () ()	2,900.	4,350.	5,003.	6,503.
	36"	20"	86"	RC862DHDH() () () () ()	3,023.	4,534.	5,214.	6,778.
	36"	24"	86"	RC863DHDH() () () () ()	3,127.	4,692.	5,395.	7,013.







Wood interior only

Requires one lock core per cabinet.
Coat rod included. Order boot tray from accessories

Order Code	Specification Information	Application Notes
Example: RC832DHEH (L/R)	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Applicable finishes are listed on page and .
8 86" high	3. <i>Interior options:</i> W = Wood Interior	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull N = No pull, Touch Latch R = Cylinder Pull T = Tab Pull	Applicable finishes are listed on page 5 and 6.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	86" Nominal Height = 85.500" Actual Height
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	*Note: 86" high wardrobe cabinets come equipped with a coat rod.
E Wardrobe / Bookcase combo	7. <i>Pull Finish:</i> Painted or Plated	20" deep cabinets provide 18" clear storage space.
H Wood hinge doors		
(L/R) Left hand or Right hand		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
N Lock option, doors		
8 Lock Finish		
118 Cabinet Finish		
111 Pull Finish		
E = Hinge door cabinet with full height doors, half wardrobe and shelves		
D = Wardrobe Cabinet		

Cabinets Progressive
 49" high, metal interior
 28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)M () () () () ()	\$1,790.	\$1,968.	\$2,058.	\$2,148.	\$2,719.	\$3,127.	\$4,064.
	24"	18"	49"	RCFS4913C(L/R)M () () () () ()	1,844.	2,028.	2,120.	2,212.	2,812.	3,234.	4,204.
Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)M () () () () ()	2,306.	2,537.	2,651.	2,767.	3,459.	3,978.	5,171.
	24"	18"	49"	RCFS4913Y(L/R)M () () () () ()	2,379.	2,617.	2,737.	2,855.	3,569.	4,105.	5,336.
Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)M () () () () ()	2,382.	2,620.	2,740.	2,859.	3,574.	4,110.	5,343.
	24"	18"	49"	RCFS4913Z(L/R)M () () () () ()	2,460.	2,706.	2,829.	2,952.	3,690.	4,336.	5,517.
Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)M () () () () ()	2,141.	2,356.	2,463.	2,570.	3,324.	3,822.	4,970.
	24"	24"	49"	RCFS4933V(L/R)M () () () () ()	2,208.	2,429.	2,539.	2,650.	3,449.	3,968.	5,116.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
49 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 1 and 3.

Cabinets Progressive
 49" high, metal interior
 28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)M () () () () ()	\$2,475.	\$2,722.	\$2,846.	\$2,969.	\$3,834.	\$4,409.	\$5,732.
	24"	24"	49"	RCFS4933W(L/R)M () () () () ()	2,547.	2,802.	2,929.	3,057.	3,969.	4,564.	5,933.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)M () () () () ()	2,631.	2,894.	3,025.	3,157.	3,998.	4,598.	5,977.
	24"	24"	49"	RCFS4933X(L/R)M () () () () ()	2,709.	2,980.	3,115.	3,251.	4,139.	4,759.	6,186.





Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves		The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior		These products are Glue and Dowel Construction
N Lock		Grommet pulls only
S Lock finish		Shelves and File Front will default to the case finish
G Pull option		49" h cabinets are compatible with panel height.
115 Pull finish option		When case finish is Laminate, shelves are painted to match.
114 Case finish		When case finish is wood, shelves are painted black.
115 Door finish		Drawer interiors always painted black.
		Cabinets with wardrobe come with a coat rod.

Applicable finishes are listed on page 1 and 3.

Cabinets Progressive
64" high, metal interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	64"	RCFS6412C(L/R)M () () () () ()	\$1,944.	\$2,137.	\$2,235.	\$2,332.	\$2,976.	\$3,423.	\$4,449.
	24"	18"	64"	RCFS6413C(L/R)M () () () () ()	2,011.	2,211.	2,312.	2,412.	3,108.	3,574.	4,646.

Cabinets, hinge door with shelves&File/File 	20"	18"	64"	RCFS6412Y(L/R)M () () () () ()	2,483.	2,732.	2,856.	2,980.	3,726.	4,284.	5,569.
	24"	18"	64"	RCFS6413Y(L/R)M () () () () ()	2,621.	2,884.	3,015.	3,147.	3,933.	4,523.	5,879.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	64"	RCFS6412Z(L/R)M () () () () ()	2,561.	2,817.	2,945.	3,072.	3,841.	4,417.	5,742.
	24"	18"	64"	RCFS6413Z(L/R)M () () () () ()	2,703.	2,973.	3,108.	3,243.	4,054.	4,662.	6,061.

Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 1 and 3.

Cabinets Progressive
64" high, metal interior
28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)M () () () () ()	\$2,312.	\$2,544.	\$2,659.	\$2,776.	\$3,648.	\$4,196.	\$5,455.
	24"	24"	64"	RCFS6433V(L/R)M () () () () ()	2,396.	2,636.	2,755.	2,875.	3,826.	4,401.	5,721.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)M () () () () ()	2,646.	2,911.	3,043.	3,175.	4,158.	4,782.	6,217.
	24"	24"	64"	RCFS6433W(L/R)M () () () () ()	2,806.	3,086.	3,227.	3,367.	4,411.	5,074.	6,596.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)M () () () () ()	2,803.	3,083.	3,223.	3,363.	4,323.	4,971.	6,462.
	24"	24"	64"	RCFS6433X(L/R)M () () () () ()	2,967.	3,264.	3,412.	3,561.	4,581.	5,268.	6,848.





Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1,V2, V3	
115 Door finish		

Applicable finishes are listed on page 1 and 3.

Cabinets Progressive
68" high, metal interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves 	20"	18"	68"	RCFS6812C(L/R)M () () () () ()	\$1,965.	\$2,162.	\$2,261.	\$2,359.	\$3,046.	\$3,503.	\$4,554.
	24"	18"	68"	RCFS6813C(L/R)M () () () () ()	2,034.	2,238.	2,340.	2,441.	3,170.	3,646.	4,740.

Cabinets, hinge door with shelves&File/File 	20"	18"	68"	RCFS6812Y(L/R)M () () () () ()	2,536.	2,790.	2,917.	3,044.	3,805.	4,375.	5,688.
	24"	18"	68"	RCFS6813Y(L/R)M () () () () ()	2,670.	2,938.	3,070.	3,204.	4,005.	4,606.	5,987.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	68"	RCFS6812Z(L/R)M () () () () ()	2,613.	2,875.	3,006.	3,136.	3,920.	4,508.	5,861.
	24"	18"	68"	RCFS6813Z(L/R)M () () () () ()	2,751.	3,026.	3,163.	3,301.	4,126.	4,745.	6,169.

Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
68 Height	S=Silver	V = all shelves for 24" w cabinets
1 18" Wide	B=Black	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	3. Pull options Grommet	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	4. Pull finish Paint / Plated	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	5. Case finish L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	6. Door finish L, V1, V2, V3	
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 1 and 3.

Cabinets Progressive
68" high, metal interior
28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)M () () () () ()	\$2,342.	\$2,576.	\$2,693.	\$2,810.	\$3,739.	\$4,300.	\$5,590.
	24"	24"	68"	RCFS6833V(L/R)M () () () () ()	2,427.	2,670.	2,791.	2,912.	3,914.	4,501.	5,851.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)M () () () () ()	2,685.	2,954.	3,088.	3,222.	4,275.	4,916.	6,391.
	24"	24"	68"	RCFS6833W(L/R)M () () () () ()	2,847.	3,131.	3,274.	3,417.	4,508.	5,185.	6,740.







Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)M () () () () ()	2,841.	3,125.	3,267.	3,409.	4,423.	5,086.	6,612.
	24"	24"	68"	RCFS6833X(L/R)M () () () () ()	3,009.	3,309.	3,460.	3,610.	4,678.	5,380.	6,994.



Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
68 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		

These products are Glue and Dowel Construction
Grommet pulls only.
Shelves and files front will default to the case finish.
68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
No wardrobe options for 18" w cabinets.
When case finish is Laminate, shelves are painted to match.
When case finish is wood, shelves are painted black.
Drawer interiors always painted black.
Cabinets with wardrobe come with coat rod.

Cabinets Progressive
49" high, wood interior
28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)W () () () () ()	\$1,927.	\$2,120.	\$2,216.	\$2,312.	\$3,213.	\$3,695.	\$4,804.
	24"	18"	49"	RCFS4913C(L/R)W () () () () ()	1,971.	2,168.	2,267.	2,365.	3,314.	3,811.	4,954.
Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)W () () () () ()	2,765.	3,042.	3,180.	3,318.	4,147.	4,769.	6,200.
	24"	18"	49"	RCFS4913Y(L/R)W () () () () ()	2,806.	3,086.	3,226.	3,366.	4,208.	4,839.	6,291.
Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)W () () () () ()	3,205.	3,526.	3,686.	3,846.	4,488.	5,160.	6,708.
	24"	18"	49"	RCFS4913Z(L/R)W () () () () ()	3,277.	3,605.	3,769.	3,933.	4,588.	5,276.	6,859.
Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)W () () () () ()	2,272.	2,500.	2,613.	2,726.	3,803.	4,372.	5,685.
	24"	24"	49"	RCFS4933V(L/R)W () () () () ()	2,331.	2,564.	2,680.	2,796.	3,936.	4,527.	5,940.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
49 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 1 and 3.

Cabinets Progressive
 49" high, wood interior
 28³/₈" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)W() () () () () ()	\$3,079.	\$3,387.	\$3,540.	\$3,695.	\$4,518.	\$5,195.	\$6,754.
	24"	24"	49"	RCFS4933W(L/R)W() () () () () ()	3,086.	3,394.	3,548.	3,703.	4,596.	5,285.	6,871.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)W() () () () () ()	3,476.	3,823.	3,997.	4,170.	4,908.	5,643.	7,337.
	24"	24"	49"	RCFS4933X(L/R)W() () () () () ()	3,524.	3,876.	4,052.	4,228.	5,024.	5,778.	7,512.



Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves		The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 1 and 3.

Cabinets Progressive
 64" high, wood interior
 28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20"	18"	64"	RCFS6412C(L/R)W (X)(X)(X)(X)(X)	\$2,126.	\$2,338.	\$2,445.	\$2,551.	\$3,635.	\$4,180.	\$5,434.
	24"	18"	64"	RCFS6413C(L/R)W (X)(X)(X)(X)(X)	2,181.	2,399.	2,508.	2,617.	3,776.	4,342.	5,645.



Cabinets, hinge door with shelves&File/File	20"	18"	64"	RCFS6412Y(L/R)W (X)(X)(X)(X)(X)	3,052.	3,357.	3,509.	3,662.	4,577.	5,264.	6,843.
	24"	18"	64"	RCFS6413Y(L/R)W (X)(X)(X)(X)(X)	3,163.	3,479.	3,638.	3,796.	4,745.	5,457.	7,094.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	64"	RCFS6412Z(L/R)W (X)(X)(X)(X)(X)	3,513.	3,865.	4,041.	4,216.	4,918.	5,657.	7,353.
	24"	18"	64"	RCFS6413Z(L/R)W (X)(X)(X)(X)(X)	3,661.	4,026.	4,210.	4,393.	5,125.	5,894.	7,662.




Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W (X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
64 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish L, V1, V2, V3	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	6. Door finish L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		These products are Glue and Dowel Construction
L Lock		Grommet pulls only.
S Lock finish		Shelves and files front will default to the case finish.
G Pull option		64" h Cabinets are compatible with panel height.
115 Pull finish option		No wardrobe option for 18" w cabinets.
114 Case finish		Cabinets with wardrobe come with a coat rod.
115 Door finish		


Applicable finishes are listed on page 1 and 3.

Cabinets Progressive
 64" high, wood interior
 28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)W () () () () ()	\$2,487.	\$2,736.	\$2,860.	\$2,985.	\$4,287.	\$4,930.	\$6,409.
	24"	24"	64"	RCFS6433V(L/R)W () () () () ()	2,559.	2,815.	2,943.	3,070.	4,475.	5,146.	6,690.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)W () () () () ()	3,294.	3,623.	3,787.	3,952.	5,002.	5,752.	7,478.
	24"	24"	64"	RCFS6433W(L/R)W () () () () ()	3,385.	3,723.	3,892.	4,061.	5,202.	5,981.	7,775.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)W () () () () ()	3,690.	4,060.	4,245.	4,429.	5,392.	6,201.	8,061.
	24"	24"	64"	RCFS6433X(L/R)W () () () () ()	3,823.	4,205.	4,396.	4,588.	5,630.	6,475.	8,416.




Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	
L/R Left/Right hinge	Grommet	
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		

These products are Glue and Dowel Construction
 Grommet pulls only.
 Shelves and files front will default to the case finish.
 64" h Cabinets are compatible with panel height.
 No wardrobe option for 18" w cabinets.
 Cabinets with wardrobe come with a coat rod.


The images on this page are shown as a right hand cabinets.
 From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.

Cabinets Progressive
68" high wood interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves	20"	18"	68"	RCFS6812C(L/R)W (X)(X)(X)(X)(X)	\$2,149.	\$2,363.	\$2,471.	\$2,578.	\$3,705.	\$4,260.	\$5,538.
	24"	18"	68"	RCFS6813C(L/R)W (X)(X)(X)(X)(X)	2,205.	2,426.	2,536.	2,646.	3,839.	4,415.	5,739.



Cabinets, hinge door with shelves&File/File	20"	18"	68"	RCFS6812Y(L/R)W (X)(X)(X)(X)(X)	3,104.	3,414.	3,570.	3,726.	4,657.	5,355.	6,962.
	24"	18"	68"	RCFS6813Y(L/R)W (X)(X)(X)(X)(X)	3,212.	3,533.	3,694.	3,854.	4,817.	5,540.	7,202.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	68"	RCFS6812Z(L/R)W (X)(X)(X)(X)(X)	3,570.	3,927.	4,106.	4,284.	4,998.	5,747.	7,472.
	24"	18"	68"	RCFS6813Z(L/R)W (X)(X)(X)(X)(X)	3,712.	4,084.	4,269.	4,455.	5,197.	5,977.	7,770.




Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W (X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
68 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish L, V1, V2, V3	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	6. Door finish L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		These products are Glue and Dowel Construction
L Lock		Grommet pulls only.
S Lock finish		Shelves and files front will default to the case finish.
G Pull option		68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
115 Pull finish option		No wardrobe option in the 18" w cabinets.
114 Case finish		Cabinets with wardrobe come with a coat rod.
115 Door finish		


Applicable finishes are listed on page 1 and 3.

Cabinets Progressive
68" high wood interior
28^{3/8}" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)W () () () () ()	\$2,516.	\$2,768.	\$2,893.	\$3,019.	\$4,376.	\$5,034.	\$6,544.
	24"	24"	68"	RCFS6833V(L/R)W () () () () ()	2,589.	2,849.	2,979.	3,108.	4,562.	5,247.	6,821.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)W () () () () ()	3,333.	3,666.	3,833.	3,999.	5,102.	5,867.	7,627.
	24"	24"	68"	RCFS6833W(L/R)W () () () () ()	3,426.	3,769.	3,940.	4,111.	5,297.	6,092.	7,921.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)W () () () () ()	3,730.	4,102.	4,289.	4,475.	5,492.	6,315.	8,210.
	24"	24"	68"	RCFS6833X(L/R)W () () () () ()	3,865.	4,251.	4,443.	4,637.	5,727.	6,586.	8,561.



Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
68 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		

Applicable finishes are listed on page 1 and 3.

Desktop Towers

28³/₈" high planning
Single Wide, 42" and 56" High
Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSBWT142 () ()	\$1,190.	\$2,040.	\$2,346.	\$3,050.
	19"	15"	42"	RDTSBWG142 () ()	1,221.	2,092.	2,405.	3,127.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSBWT156 () ()	1,376.	2,360.	2,714.	3,528.
	19"	15"	56"	RDTSBWG156 () ()	1,411.	2,418.	2,781.	3,615.



Desktop towers

Order Code	Specification Information	Application Notes
Example: RDTSBWT142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 ¹ / ₂ " worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	Shelves to match case finish.
DT Reff Desktop Tower		Shelves on single height available with 2 adjustable shelves.
S Single width	1. <i>Case finish type:</i>	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
B Bookcase	L = Laminate	
W Wood Shelves	1 = V1	
T Letter width 16" nominal	2 = V2	
1 Letter depth 15" nominal	3 = V3	
42 42" high nominal	2. <i>Case finish:</i>	
V2 Case finish type	Wood or Laminate	
V316 Case finish		

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Desktop Towers

28³/₈" high planning

Single Wide, 42" and 56" High

Wood Hinge Door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, single width	16"	15"	42"	RDTSHWT142(L/R) () () () () ()	\$1,548.	\$1,703.	\$1,780.	\$1,935.	\$2,653.	\$3,052.	\$3,968.
wood shelves behind wood hinge door	19"	15"	42"	RDTSHWG142(L/R) () () () () ()	1,591.	1,751.	1,830.	1,990.	2,728.	3,138.	4,079.



56" h Desk top tower, single width	16"	15"	56"	RDTSHWT156(L/R) () () () () ()	1,764.	1,941.	2,135.	2,348.	3,025.	3,478.	4,523.
wood shelves behind wood hinge door	19"	15"	56"	RDTSHWG156(L/R) () () () () ()	1,814.	1,995.	2,194.	2,413.	3,109.	3,575.	4,647.



Order Code	Specification Information	Application Notes
Example: RDTSHWT142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
DT Reff Desktop Tower		
S Single width	1. Case finish type	Shelves to match case finish.
H Hinge Door	L = Laminate	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
W Wood Shelves	1 = V1	
T Letter width 16" nominal	2 = V2	
1 Letter depth 15" nominal	3 = V3	
42 42" high nominal	2. Front finish type	Shelves on single wide available with 2 adjustable shelves.
2 Finish type	L = Laminate	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
T Pull option	1 = V1	
L Lock option	2 = V2	
B Lock finish	3 = V3	
V316 Case finish	3. Pull option:	These products are Glue and Dowel Construction
V316 Front finish	B=No pull, No drilling	
111 Pull finish	Customer's own pull.	
	F=Bar pull	
	H=Outline pull	
	N=No pull, touch latch	
	R=Cylinder pull	
	T=Tab pull	
	4. Lock option L or N	
	5. Lock finish	
	B=Black	
	S=Matte Silver	
	6. Case finish= *V316	
	7. Front finish=V316	
	8. Pull finish=111	

Desktop Towers

28³/₈" high planning
Single Wide, 42" and 56" High
Glass hinge door

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSJWT142(L/R)() () ()	\$2,211.	\$2,875.	\$3,306.	\$4,298.
	19"	15"	42"	RDTSJWT142(L/R)() () ()	2,304.	2,995.	3,444.	4,516.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSJWT156(L/R)() () ()	2,560.	3,327.	3,826.	4,975.
	19"	15"	56"	RDTSJWT156(L/R)() () ()	2,673.	3,474.	3,995.	5,194.



Desktop towers


Order Code	Specification Information	Application Notes
Example: RDTSJWT142 () () ()	<p><i>To order please specify pattern number including:</i> Left or right hand as applicable and embedded in the pattern number.</p> <p>1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p>2. <i>Case finish:</i> V316</p> <p>3. <i>Door frame type:</i> Anodized or Painted</p> <p>4. <i>Door glass finish:</i> GL11, GL14, GL15, GL18</p>	<p>Heights to work with 28³/₈" desk height planning and 1 1/2" worksurface.</p> <p>Shelves to match case finish.</p> <p>Shelves on single height available with 2 adjustable shelves.</p> <p>Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.</p> <p>42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.</p> <p>56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.</p> <p>Glass hinge doors available only with touch latch.</p> <p>These products are Glue and Dowel Construction</p>
R Reff		
DT Reff Desktop Tower		
S Single width		
G Hinge glass door		
W Wood Shelves		
T Letter width 16" nominal		
1 Letter depth 15" nominal		
42 42" high nominal		
L Left / Right hand		
2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, double width bookcase / open shelves	30"	15"	42"	RDTDBW3142() ()	\$1,810.	\$2,895.	\$3,329.	\$4,328.
	36"	15"	42"	RDTDBW6142() ()	1,861.	2,979.	3,425.	4,453.



56" h Desk top tower, double width bookcase / open shelves	30"	15"	56"	RDTDBW3156() ()	2,160.	3,455.	3,974.	5,165.
	36"	15"	56"	RDTDBW6156() ()	2,219.	3,549.	4,082.	5,307.


Order Code	Specification Information	Application Notes
Example: RDTDBW3142() ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	Shelves to match case finish.
DT Reff Desktop Tower		Shelves with door option on single height available with 2 adjustable shelves.
D Double width		Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
B Bookcase	1. Case finish type	
W Wood Shelves	L = Laminate	
3 30" wide	1 = V1	
1 Letter depth 15" nominal	2 = V2	
42 42" high nominal	3 = V3	
2 Case finish type	2. Case finish V316	
V316 Case finish	3. Pull option Plated / Painted	
	4. Lock option L, N	
	5. Lock finish	
	S=Matte Silver	
	B=Black	
	6. Case finish V316	
	7. Front finish V313	
	8. Pull finish 111	
		42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
		56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
		Hinge doors feature <u>no</u> pulls only touch latch.
		These products are Glue and Dowel Construction

Desktop Towers
 28³/₈" high planning
 Double Wide, 42" and 56" High
 Wood shelves behind doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, double width	30"	15"	42"	RDTDHW3142()	\$2,125.	\$2,444.	\$2,550.	\$2,763.	\$3,400.	\$3,910.	\$5,083.
wood shelves behind wood hinge door	36"	15"	42"	RDTDHW6142()	2,206.	2,537.	2,647.	2,869.	3,530.	4,059.	5,278.



56" h Desk top tower, double width	30"	15"	56"	RDTDHW3156()	2,458.	2,704.	2,975.	3,271.	3,933.	4,523.	5,879.
wood shelves behind wood hinge door	36"	15"	56"	RDTDHW6156()	2,571.	2,827.	3,111.	3,422.	4,113.	4,730.	6,149.



Order Code

Example: RDTDHW3142()
RDT Reff Desktop Tower
D Double width
H Hinge door wood
W Wood Shelves
3 30" wide
1 Letter depth 15" nominal
42 42" high nominal
L Left/ Right hand option
V2 Case finish type
V2 Font finish type
F Pull option
L Lock option doors
B Lock finish
V316 Case finish
V316 Front finish
111 Pull finish

Specification Information

To order please specify pattern number including:
 Left or right hand as applicable and embedded in the pattern number.

- Case finish type
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
- Case finish V316
- Pull option:
 B=No pull
 (Customer's own pull)
 F=Bar pull
 H=Outline pull
 R=Cylinder pull
 T=Tab pull
- Lock option L, N
- Lock finish
 S=Matte Silver
 B=Black
- Case finish V316
- Front finish V313
- Pull finish 111

Application Notes

Heights to work with 28³/₈" desk height planning and 1¹/₂" worksurface.

Shelves to match case finish.

Shelves with door option on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High

Asymmetrical, with Glass door

description	w	d	h	pattern no.	L	V1	V2	V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAGW3142(L/R)() () ()	\$2,951.	\$3,836.	\$4,411.	\$5,735.
Split glass hinged door / open shelves all wood	30"	15"	56"	RDTAGW3156(L/R)() () ()	3,501.	4,552.	5,234.	6,805.
	36"	15"	42"	RDTAGW6142(L/R)() () ()	3,144.	4,086.	4,699.	6,109.
	36"	15"	56"	RDTAGW6156(L/R)() () ()	3,750.	4,875.	5,606.	7,288.




Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAGG3142(L/R)() () ()	2,829.	3,678.	4,230.	5,499.
Split glass hinged door / open shelves all glass	30"	15"	56"	RDTAGG3156(L/R)() () ()	3,320.	4,316.	4,964.	6,452.
	36"	15"	42"	RDTAGG6142(L/R)() () ()	3,022.	3,928.	4,519.	5,873.
	36"	15"	56"	RDTAGG6156(L/R)() () ()	3,569.	4,639.	5,335.	6,936.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width	30"	15"	42"	RDTDGW3142() () ()	3,712.	4,455.	5,123.	6,660.
wood shelves behind glass hinge door	30"	15"	56"	RDTDGW3156() () ()	4,282.	5,138.	5,908.	7,681.
	36"	15"	42"	RDTDGW6142() () ()	3,873.	4,647.	5,345.	6,948.
	36"	15"	56"	RDTDGW6156() () ()	4,560.	5,471.	6,292.	8,180.



Order Code	Specification Information	Application Notes
Example: RDTAGW3142	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 ¹ / ₂ " worksurface.
RDT Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
A Asymmetrical split	1. <i>Case finish type:</i>	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
G Hinge door glass	L = Laminate	
W Wood Shelves	1 = V1	Shelves on single height available with 2 adjustable shelves.
3 30" wide nominal	2 = V2	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
1 Letter depth 15" nominal	3 = V3	
42 42" high nominal	2. <i>Case finish:</i>	Hinge glass doors feature <u>no</u> pulls only touch latch.
(L) Left / Right hand option	Wood or Laminate	Desk top tower backs.
V2 Case finish type	3. <i>Door frame finish:</i>	These products are Glue and Dowel Construction.
V316 Case finish	Anodized or Painted	
AU Door frame finish	4. <i>Door glass finish:</i>	From users perspective, the open shelves' location determines handedness.
GL11 Door glass finish	GL11, GL14, GL15, GL18	ie. Right hand - open shelves on right hand

Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High

Asymmetrical with mix casing

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAHW3142(L/R) () () () () ()	\$2,254.	\$2,478.	\$2,591.	\$2,704.	\$3,447.	\$3,964.	\$5,154.
Split hinged door / open shelves all wood	30"	15"	56"	RDTAHW3156(L/R) () () () () ()	2,631.	2,893.	3,025.	3,157.	4,024.	4,628.	6,017.
	36"	15"	42"	RDTAHW6142(L/R) () () () () ()	2,341.	2,575.	2,691.	2,809.	3,581.	4,118.	5,354.
	36"	15"	56"	RDTAHW6156(L/R) () () () () ()	2,748.	3,023.	3,161.	3,298.	4,205.	4,836.	6,287.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAHG3142(L/R) () () () () ()	2,439.	2,664.	2,777.	2,889.	3,633.	4,150.	5,340.
Split hinged door / open shelves all glass	30"	15"	56"	RDTAHG3156(L/R) () () () () ()	2,909.	3,171.	3,303.	3,435.	4,302.	4,906.	6,295.
	36"	15"	42"	RDTAHG6142(L/R) () () () () ()	2,527.	2,760.	2,877.	2,994.	3,767.	4,303.	5,539.
	36"	15"	56"	RDTAHG6156(L/R) () () () () ()	3,026.	3,301.	3,439.	3,576.	4,484.	5,114.	6,565.



Left hand Desktop Tower shown. Hinged off of the center gable.


Order Code	Specification Information	Application Notes
Example: RDTAHW3142(L/R) () () () () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
RDT Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
A Asymmetrical split	1. Case finish type: L, V1, V2, V3	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
H Hinge door wood	2. Front finish type: L, V1, V2, V3	Hinge doors feature <u>no</u> pulls only touch latch.
W Wood Shelves	3. Pull option: B=No pull (Customer's own pull) F=Bar pull H=Outline pull N=No pull, touch latch R=Cylinder pull T=Tab pull	These products are Glue and Dowel Construction.
3 30" wide nominal	4. Lock option: L, N	From users perspective, the open shelves' location determines handedness. ie. Right hand - open shelves on right hand
1 Letter depth 15" nominal	5. Lock finish: B=Black S=Matte Silver	
42 42" high nominal	6. Case finish: V316	
L Left / Right hand option	7. Front finish: V316	
V2 Case finish type	8. Pull finish: Painted or Plated	
V2 Front finish type		
F Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
111 Pull finish		
GL35 Glass finish		


Desktop towers

Overhead, 26 1/2" planning

Wall hung, Single high

Reff Profiles

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back 	30"	15"	19"			ROMO30S0(-)(-)(-)	\$1,782.	\$1,845.	\$2,120.	\$2,860.
	36"	15"	19"			ROMO36S0(-)(-)(-)	1,828.	1,892.	2,174.	2,934.
	42"	15"	19"			ROMO42S0(-)(-)(-)	1,875.	1,941.	2,230.	3,011.
	48"	15"	19"			ROMO48S0(-)(-)(-)	1,927.	1,988.	2,292.	3,093.
	60"	15"	19"			ROMO60S0(-)(-)(-)	2,127.	2,197.	2,529.	3,413.
	72"	15"	19"			ROMO72S0(-)(-)(-)	2,245.	2,326.	2,673.	3,607.

Wall-hung overhead cabinet (hinged door) with back 	30"	15"	19"	1	2	ROMH30S0(-)(-)(-)	2,591.	2,678.	3,076.	4,154.
	36"	15"	19"	1	2	ROMH36S0(-)(-)(-)	2,758.	2,854.	3,281.	4,429.
	60"	15"	19"	2	4	ROMH60S0(-)(-)(-)	3,098.	3,201.	3,683.	4,973.
	72"	15"	19"	2	4	ROMH72S0(-)(-)(-)	3,278.	3,389.	3,899.	5,262.

Wall-hung overhead cabinet (flip door) with back	30"	15"	19"	1	1	ROMF30S0(-)(-)(-)	1,898.	1,963.	2,256.	3,047.
	36"	15"	19"	1	1	ROMF36S0(-)(-)(-)	2,021.	2,090.	2,404.	3,246.
	42"	15"	19"	1	1	ROMF42S0(-)(-)(-)	2,139.	2,217.	2,548.	3,440.
	48"	15"	19"	1	1	ROMF48S0(-)(-)(-)	2,265.	2,341.	2,692.	3,635.
	60"	15"	19"	2	2	ROMF60S0(-)(-)(-)	2,497.	2,583.	2,969.	4,010.
	72"	15"	19"	2	2	ROMF72S0(-)(-)(-)	2,642.	2,732.	3,142.	4,242.

Order Code

Example: ROMO30S0	
R	Reff
O	Overhead
M	Wall hung
O	Open
30	30" wide
S	Standard height, 19"h
0	15" deep

Specification Information

- To order please specify pattern number including:
1. Configuration option (*embedded in pattern no.*)
H = Hinged door
O = Open
F = Flip door
 2. Storage option (*embedded in pattern no.*)
S0 = 19"h x 14"d open/15"d hinged door
 3. Finish type
 4. Pull option *applicable hinged doors only*
 5. Lock option
 6. Finish, case
 7. Finish, pull when applicable
 8. Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
 L = Laminate
 1 = V1 techwood
 2 = V2 conventional veneer
 3 = V3 exotic veneer

4. Pull Options:

- D = Metal D-pull for hinged door only
 J = Routed pull
 C = Nickel finish C-pull for hinged door only (nickel finish only)
 S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:

- L = Lock hole drilled
 N = No lockdrilling

8. Refer to page 590 for keying instructions.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 469.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.



***Keying instructions must accompany all cabinet orders.**

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2" planning

Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	30"	14"	19"			ROPO30S0(-)(-)(-)	\$1,278.	\$1,319.	\$1,517.	\$2,049.
	36"	14"	19"			ROPO36S0(-)(-)(-)	1,564.	1,616.	1,859.	2,510.
	42"	14"	19"			ROPO42S0(-)(-)(-)	1,718.	1,777.	2,045.	2,760.
	48"	14"	19"			ROPO48S0(-)(-)(-)	1,782.	1,840.	2,118.	2,858.
	60"	14"	19"			ROPO60S0(-)(-)(-)	1,820.	1,883.	2,168.	2,927.
	60"	14"	23"			ROPO60T0(-)(-)(-)	1,945.	2,013.	2,314.	3,123.
	72"	14"	19"			ROPO72S0(-)(-)(-)	2,232.	2,305.	2,652.	3,579.
	72"	14"	23"			ROPO72T0(-)(-)(-)	2,652.	2,745.	3,155.	4,261.
	90"	14"	19"			ROPO90S0(-)(-)(-)	2,456.	2,537.	2,917.	3,939.
	90"	14"	23"			ROPO90T0(-)(-)(-)	3,011.	3,110.	3,577.	4,831.
Panel-hung overhead cabinet (hinged door) no back 	30"	14"	19"	1	2	ROPH30S0(-)(-)(-)	1,419.	1,464.	1,682.	2,271.
	36"	14"	19"	1	2	ROPH36S0(-)(-)(-)	1,733.	1,793.	2,065.	2,787.
	60"	14"	19"	2	4	ROPH60S0(-)(-)(-)	2,023.	2,091.	2,405.	3,248.
	60"	14"	23"	2	4	ROPH60T0(-)(-)(-)	2,165.	2,237.	2,574.	3,476.
	72"	14"	19"	2	4	ROPH72S0(-)(-)(-)	2,479.	2,565.	2,949.	3,982.
	72"	14"	23"	2	4	ROPH72T0(-)(-)(-)	2,947.	3,049.	3,504.	4,731.
	90"	14"	19"	3	6	ROPH90S0(-)(-)(-)	2,730.	2,819.	3,242.	4,375.
	90"	14"	23"	3	6	ROPH90T0(-)(-)(-)	3,342.	3,457.	3,971.	5,361.
	96"	14"	19"	3	6	ROPH96S0(-)(-)(-)	2,826.	2,920.	3,362.	4,538.
	96"	14"	23"	3	6	ROPH96T0(-)(-)(-)	3,468.	3,583.	4,120.	5,563.

Order Code	Specification Information
Example: ROPH60S0DLL	
R Ref	
O Overhead	
P Panel hung	
H Hinge door	
60 60" wide	
S Standard height, 19"h	
0 15" deep	
D D-pull	
L Lock hole drilled	
L Laminate finish	

Specification Information

To order please specify pattern number including:

- Configuration option (embedded in pattern no.)
H = Hinged door
O = Open
F = Flip door
- Storage option (embedded in pattern no.)
S0 = 19"h x 14"d open/15"d hinged door
T0 = 23"h x 14"d open/15"d hinged door
- Finish type
- Pull option applicable hinged doors only
- Lock option
- Finish, case
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. Finish type options:
 L = Laminate
 1 = V1 techwood
 2 = V2 conventional veneer
 3 = V3 exotic veneer

4. Pull Options:
 D = Metal D-pull for hinged door only
 J = Routed pull
 C = Nickel finish C-pull for hinged door only (nickel finish only)
 S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:
 L = Lock hole drilled
 N = No lockdrilling

8. Refer to page 590 for keying instructions.

Woodgrain Laminate is not available on any flip door units.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 469.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 558.

***Keying instructions must accompany all cabinet orders.**

Panel hung overheads come with no backs.



Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2" planning

Panel hung, Single high

Reff Profiles


description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	30"	14"	18"	1	1	ROPF30S0J-()()	\$1,066.	\$1,400.	\$1,608.	\$2,171.
	36"	14"	18"	1	1	ROPF36S0J-()()	1,084.	1,424.	1,640.	2,213.
	42"	14"	18"	1	1	ROPF42S0J-()()	1,160.	1,527.	1,757.	2,373.
	48"	14"	18"	1	1	ROPF48S0J-()()	1,203.	1,588.	1,825.	2,465.
	60"	14"	18"	2	2	ROPF60S0J-()()	1,397.	1,836.	2,114.	2,854.
	72"	14"	18"	2	2	ROPF72S0J-()()	1,651.	2,173.	2,497.	3,370.
	84"	14"	18"	2	2	ROPF84S0J-()()	1,845.	2,427.	2,790.	3,768.
	96"	14"	18"	2	2	ROPF96S0J-()()	1,967.	2,589.	2,980.	4,021.
Panel-hung shelves 	30"	13"	9"			ROPS30S0NN-()	286.	590.	678.	916.
	36"	13"	9"			ROPS36S0NN-()	309.	613.	705.	951.
	42"	13"	9"			ROPS42S0NN-()	335.	633.	730.	986.
	48"	13"	9"			ROPS48S0NN-()	357.	656.	752.	1,016.
	54"	13"	9"			ROPS54S0NN-()	382.	705.	809.	1,092.
	60"	13"	9"			ROPS60S0NN-()	408.	758.	871.	1,176.
	66"	13"	9"			ROPS66S0NN-()	432.	806.	927.	1,251.
	72"	13"	9"			ROPS72S0NN-()	456.	859.	985.	1,328.
	78"	13"	9"			ROPS78S0NN-()	481.	930.	1,069.	1,442.
	84"	13"	9"			ROPS84S0NN-()	504.	1,001.	1,153.	1,556.
	90"	13"	9"			ROPS90S0NN-()	529.	1,074.	1,234.	1,667.
	96"	13"	9"			ROPS96S0NN-()	537.	1,129.	1,301.	1,756.

Order Code	Specification Information	Application Notes	
Example: ROPH60S0DLL R Reff O Overhead P Panel hung H Hinge door 60 60" wide S Standard height, 19"h 0 15" deep D D-pull L Lock hole drilled L Laminate finish	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Configuration option (embedded in pattern no.) <i>H</i> = Hinged door <i>O</i> = Open <i>F</i> = Flip door Storage option (embedded in pattern no.) <i>S0</i> = 19"h x 14" d open/15" d hinged door <i>T0</i> = 23"h x 14" d open/15" d hinged door Finish type Pull option applicable hinged doors only Lock option Finish, case Finish, pull when applicable Keying instructions <p>*After specifying product code, provide keying instructions.</p> <p>Dimensions are nominal.</p> <p>Product not available where prices do not appear.</p> <ol style="list-style-type: none"> Finish type options: L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer 	<p>4. Pull Options: D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)</p> <p>5. Lock options: L = Lock hole drilled N = No lockdrilling</p> <p>8. Refer to page 590 for keying instructions.</p> <p>Woodgrain Laminate is not available on any flip door units.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Sliding rails order separately on page 469.</p>	<p>Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.</p> <p>Open cabinets require no locks.</p> <p>Tasklights are not included.</p> <p>D-Pulls are not available for flip door units.</p> <p>Hardware included for overhead cabinets.</p> <p>Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 558.</p> <p>*Keying instructions must accompany all cabinet orders.</p> <p>Panel hung overheads come with no backs.</p> <p>Random keys are factory installed.</p> <p>Order overheads with a KnollKey order form.</p>


Overhead, 26 1/2" planning Workwalls

Reff Profiles

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open)	60"	15"	19"	4	1.8	ROWO60S0(-)(X)(X)	\$2,033.	\$2,123.	\$2,488.	\$3,361.
	60"	15"	23"	4	1.8	ROWO60T0(-)(X)(X)	2,208.	2,305.	2,703.	3,649.
	60"	20"	19"	4	1.8	ROWO60S1(-)(X)(X)	2,186.	2,282.	2,675.	3,610.
	60"	20"	23"	4	1.8	ROWO60T1(-)(X)(X)	2,362.	2,464.	2,886.	3,894.
	72"	15"	19"		2.1	ROWO72S0(-)(X)(X)	2,613.	2,730.	3,192.	4,308.
	72"	15"	23"		2.1	ROWO72T0(-)(X)(X)	2,967.	3,095.	3,615.	4,880.
	72"	20"	19"		2.1	ROWO72S1(-)(X)(X)	2,807.	2,927.	3,421.	4,619.
	72"	20"	23"		2.1	ROWO72T1(-)(X)(X)	3,270.	3,409.	3,975.	5,365.
	90"	15"	19"		2.6	ROWO90S0(-)(X)(X)	2,880.	3,012.	3,544.	4,783.
	90"	15"	23"		2.6	ROWO90T0(-)(X)(X)	3,328.	3,478.	4,075.	5,502.
	90"	20"	19"		2.6	ROWO90S1(-)(X)(X)	3,199.	3,345.	3,927.	5,301.
	90"	20"	23"		2.6	ROWO90T1(-)(X)(X)	3,536.	3,695.	4,326.	5,840.
	96"	15"	19"		2.8	ROWO96S0(-)(X)(X)	2,949.	3,091.	3,639.	4,913.
	96"	15"	23"		2.8	ROWO96T0(-)(X)(X)	3,397.	3,554.	4,172.	5,633.
96"	20"	19"		2.8	ROWO96S1(-)(X)(X)	3,273.	3,424.	4,023.	5,433.	
96"	20"	23"		2.8	ROWO96T1(-)(X)(X)	3,610.	3,770.	4,421.	5,968.	



72" h workwall overhead cabinet (hinged door)	60"	15"	19"	4	1.8	ROWH60S0(-)(X)(X)	2,623.	2,734.	3,193.	4,310.
	60"	15"	23"	4	1.8	ROWH60T0(-)(X)(X)	2,844.	2,963.	3,459.	4,669.
	60"	20"	19"	4	1.8	ROWH60S1(-)(X)(X)	2,816.	2,933.	3,424.	4,623.
	60"	20"	23"	4	1.8	ROWH60T1(-)(X)(X)	3,039.	3,164.	3,686.	4,977.
	72"	15"	19"	4	2.1	ROWH72S0(-)(X)(X)	3,362.	3,499.	4,081.	5,509.
	72"	15"	23"	4	2.1	ROWH72T0(-)(X)(X)	3,806.	3,960.	4,607.	6,221.
	72"	20"	19"	4	2.1	ROWH72S1(-)(X)(X)	3,603.	3,750.	4,366.	5,894.
	72"	20"	23"	4	2.1	ROWH72T1(-)(X)(X)	4,184.	4,351.	5,057.	6,828.
	90"	15"	19"	6	2.6	ROWH90S0(-)(X)(X)	3,732.	3,899.	4,562.	6,157.
	90"	15"	23"	6	2.6	ROWH90T0(-)(X)(X)	4,294.	4,475.	5,227.	7,056.
	90"	20"	19"	6	2.6	ROWH90S1(-)(X)(X)	4,136.	4,315.	5,038.	6,802.
	90"	20"	23"	6	2.6	ROWH90T1(-)(X)(X)	4,558.	4,748.	5,538.	7,478.
	96"	15"	19"	6	2.8	ROWH96S0(-)(X)(X)	3,836.	4,006.	4,695.	6,337.
	96"	15"	23"	6	2.8	ROWH96T0(-)(X)(X)	4,396.	4,586.	5,360.	7,236.
	96"	20"	19"	6	2.8	ROWH96S1(-)(X)(X)	4,239.	4,422.	5,173.	6,983.
	96"	20"	23"	6	2.8	ROWH96T1(-)(X)(X)	4,658.	4,855.	5,671.	7,656.



60" w and 72" w units have four hinged doors, two lock cores required.
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: ROWO60S0L	To order please specify pattern number including:	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (embedded in pattern no.)	Tasklights not included.
W Workwall	S0 = 19" h x 15" d	Tackboard included, fabric railroaded.
O Open	S1 = 19" h x 20" d	Locks are not factory installed.
60 60" wide	T0 = 23" h x 15" d	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	T1 = 23" h x 20" d	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions. 1. Configuration options:	
	O = Open	
	H = Hinged door	
	3. Finish type:	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. Pull Options:	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options:	
	L = Lockhole drilled	
	N = No lock drilling	
	Keying instructions *	
	See Planning Guide for keying examples.	

Y = Yardage required

Overhead storage

Overhead, 26 1/2" planning Shoulders

description	w	d	h	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	-	15"	19"	RWEA7220(L/R)-()	\$379.	\$390.	\$448.	\$605.
	-	15"	23"	RWEB7220(L/R)-()	379.	390.	448.	605.
	-	20"	19"	RWEC7220(L/R)-()	379.	390.	448.	605.
	-	20"	23"	RWED7220(L/R)-()	379.	390.	448.	605.




Workwall support endpanels for 72"H x 24"D workwall cabinets	-	15"	19"	RWEA7224(L/R)-()	412.	427.	490.	662.
	-	15"	23"	RWEB7224(L/R)-()	412.	427.	490.	662.
	-	20"	19"	RWEC7224(L/R)-()	412.	427.	490.	662.
	-	20"	23"	RWED7224(L/R)-()	412.	427.	490.	662.



Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 1 and 3.
0 15" deep	3. Finish type:	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.1.	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. Finish type:	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. Pull Options:	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options:	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	See Planning Guide for keying examples.	


Overhead, 26 1/2" planning
Overdesk Unit
Use with 1 1/4" worksurfaces

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	60"	15"	44 1/4"	1.7	2	4	ROAH60T0(-)(-)(-)	\$2,567.	\$3,222.	\$3,765.	\$5,083.
	60"	20"	44 1/4"	1.7	2	4	ROAH60T1(-)(-)(-)	2,716.	3,407.	3,973.	5,362.
	72"	15"	44 1/4"	2.0	2	4	ROAH72T0(-)(-)(-)	3,253.	4,075.	4,753.	6,418.
	72"	20"	44 1/4"	2.0	2	4	ROAH72T1(-)(-)(-)	3,434.	4,301.	5,012.	6,766.
	90"	15"	44 1/4"	2.5	3	6	ROAH90T0(-)(-)(-)	3,617.	4,535.	5,312.	7,171.
	90"	20"	44 1/4"	2.5	3	6	ROAH90T1(-)(-)(-)	3,826.	4,799.	5,612.	7,578.
	96"	15"	44 1/4"	2.7	3	6	ROAH96T0(-)(-)(-)	3,767.	4,731.	5,546.	7,486.
	96"	20"	44 1/4"	2.7	3	6	ROAH96T1(-)(-)(-)	3,988.	5,006.	5,859.	7,910.



For 1 1/4" worksurfaces (open)	60"	15"	44 1/4"	1.7			ROAO60T0(-)(-)(-)	1,697.	2,136.	2,518.	3,399.
	60"	20"	44 1/4"	1.7			ROAO60T1(-)(-)(-)	1,804.	2,266.	2,665.	3,599.
	72"	15"	44 1/4"	2.0			ROAO72T0(-)(-)(-)	2,166.	2,720.	3,196.	4,315.
	72"	20"	44 1/4"	2.0			ROAO72T1(-)(-)(-)	2,293.	2,880.	3,378.	4,562.
	90"	15"	44 1/4"	2.5			ROAO90T0(-)(-)(-)	2,370.	2,988.	3,534.	4,771.
	90"	20"	44 1/4"	2.5			ROAO90T1(-)(-)(-)	2,515.	3,172.	3,737.	5,046.
	96"	15"	44 1/4"	2.7			ROAO96T0(-)(-)(-)	2,460.	3,105.	3,674.	4,958.
	96"	20"	44 1/4"	2.7			ROAO96T1(-)(-)(-)	2,612.	3,298.	3,892.	5,254.


For 1 1/4" worksurfaces (flip door)	60"	15"	44 1/4"	1.7	2	2	ROAF60S0(-)(-)(-)	2,197.	2,993.	3,499.	4,725.
	60"	20"	44 1/4"	1.7	2	2	ROAF60S1(-)(-)(-)	2,326.	3,169.	3,702.	4,999.
	72"	15"	44 1/4"	2.0	2	2	ROAF72S0(-)(-)(-)	2,609.	3,793.	4,428.	5,978.
	72"	20"	44 1/4"	2.0	2	2	ROAF72S1(-)(-)(-)	2,756.	4,006.	4,673.	6,309.
	84"	15"	44 1/4"	2.5	2	2	ROAF84S0(-)(-)(-)	3,380.	4,324.	5,056.	6,825.
	84"	20"	44 1/4"	2.5	2	2	ROAF84S1(-)(-)(-)	3,574.	4,573.	5,344.	7,213.
	96"	15"	44 1/4"	2.7	2	2	ROAF96S0(-)(-)(-)	3,462.	4,441.	5,211.	7,034.
	96"	20"	44 1/4"	2.7	2	2	ROAF96S1(-)(-)(-)	3,666.	4,704.	5,513.	7,441.



Order Code	Specification Information	Application Notes
Example: ROAF60S0LJLBF118()	To order please specify pattern number including:	Shipped knocked-down.
R Reff	1. Configuration option O = Open H = Hinged door F = Flip door	Open cabinets require no locks.
O Overhead	2. Width	Tasklights not included.
A For 1 1/4" top mounting	3. Storage option S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Tackboard included, fabric railroaded.
F Flip door	4. Finish type L = Laminate 1 = V1 2 = V2 3 = V3	C, D and S pulls are not available for flip door units.
60 60" wide	5. Pull option for hinged door only D = Metal D-pull (for hinged doors only) J = Routed pull C = Nickel C-pull (nickel finish only, for hinged doors only) S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height		Open/hinge doors are nominal 23"H, actual 22 3/8".
O 15" deep		Locks are not factory installed.
L Finish type, laminate		Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull		Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included		
BF Cord escape, back feed		
118 Finish, Bright White		
(W250) Fabric		
Y = Yardage required		


Overhead, 26 1/2" planning
Overdesk Unit
Use with 1 3/4" worksurfaces

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 3/4" worksurfaces (hinged door)	60"	15"	43 3/4"	1.7	2	4	ROBH60T0(-)(-)(-)	\$2,597.	\$3,256.	\$3,804.	\$5,137.
	60"	20"	43 3/4"	1.7	2	4	ROBH60T1(-)(-)(-)	2,749.	3,441.	4,019.	5,427.
	72"	15"	43 3/4"	2.1	2	4	ROBH72T0(-)(-)(-)	3,291.	4,120.	4,806.	6,489.
	72"	20"	43 3/4"	2.1	2	4	ROBH72T1(-)(-)(-)	3,474.	4,350.	5,069.	6,842.
	90"	15"	43 3/4"	2.5	3	6	ROBH90T0(-)(-)(-)	3,657.	4,589.	5,370.	7,250.
	90"	20"	43 3/4"	2.5	3	6	ROBH90T1(-)(-)(-)	3,869.	4,855.	5,674.	7,660.
	96"	15"	43 3/4"	2.7	3	6	ROBH96T0(-)(-)(-)	3,813.	4,785.	5,607.	7,571.
	96"	20"	43 3/4"	2.7	3	6	ROBH96T1(-)(-)(-)	4,033.	5,062.	5,928.	8,001.



For 1 3/4" worksurfaces (open)	60"	15"	43 3/4"	1.7			ROBO60T0(-)(-)(-)	1,716.	2,165.	2,545.	3,434.
	60"	20"	43 3/4"	1.7			ROBO60T1(-)(-)(-)	1,821.	2,295.	2,694.	3,638.
	72"	15"	43 3/4"	2.1			ROBO72T0(-)(-)(-)	2,175.	2,753.	3,233.	4,363.
	72"	20"	43 3/4"	2.1			ROBO72T1(-)(-)(-)	2,320.	2,913.	3,415.	4,609.
	90"	15"	43 3/4"	2.5			ROBO90T0(-)(-)(-)	2,397.	3,024.	3,574.	4,825.
	90"	20"	43 3/4"	2.5			ROBO90T1(-)(-)(-)	2,491.	3,146.	3,723.	5,026.
	96"	15"	43 3/4"	2.7			ROBO96T0(-)(-)(-)	2,487.	3,143.	3,716.	5,017.
	96"	20"	43 3/4"	2.7			ROBO96T1(-)(-)(-)	2,549.	3,212.	3,786.	5,111.




For 1 3/4" worksurfaces (flip door)	60"	15"	43 3/4"	1.7	2	2	ROBF60S0(-)(-)(-)	2,222.	3,029.	3,541.	4,780.
	60"	20"	43 3/4"	1.7	2	2	ROBF60S1(-)(-)(-)	2,354.	3,201.	3,742.	5,052.
	72"	15"	43 3/4"	2.1	2	2	ROBF72S0(-)(-)(-)	2,639.	3,837.	4,478.	6,046.
	72"	20"	43 3/4"	2.1	2	2	ROBF72S1(-)(-)(-)	2,788.	4,051.	4,726.	6,380.
	84"	15"	43 3/4"	2.5	2	2	ROBF84S0(-)(-)(-)	3,420.	4,369.	5,111.	6,901.
	84"	20"	43 3/4"	2.5	2	2	ROBF84S1(-)(-)(-)	3,618.	4,628.	5,409.	7,303.
	96"	15"	43 3/4"	2.7	2	2	ROBF96S0(-)(-)(-)	3,503.	4,496.	5,272.	7,117.
	96"	20"	43 3/4"	2.7	2	2	ROBF96S1(-)(-)(-)	3,710.	4,758.	5,571.	7,521.



Order Code	Specification Information	Application Notes
Example: ROBF60S0LJLBF118(-)	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	6. <i>Lock option</i> L = Lockhole drilled N = No lock drilling	Open cabinets require no locks.
O Overhead	7. <i>Cord escape option</i>	Tasklights not included.
B For 1 3/4" top mounting	8. <i>Finish</i>	Tackboard included, fabric railroaded.
F Flip door	9. <i>Pull finish where applicable</i>	C, D and S pulls are not available for flip door units.
60 60" wide	10. <i>Fabric for tackboard</i>	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	<i>*After specifying product code, provide keying instructions.</i>	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	Overdesk unit will achieve 72" nominal height when used with correct top.	Locks are not factory installed.
L Finish type, laminate	The clearance under the overhead to the top of the worksurface is approximately 20 3/4".	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	Applicable finishes are listed on page 5 and 6.	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	Woodgrain Laminate is not available on any flip door units.	
BF Cord escape, back feed		
118 Finish, Bright White		
(W250) Fabric		

Y = Yardage required

Overhead, 26 1/2" planning
 Workwall units
 Rectilinear worksurfaces - 1 1/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$592.	\$611.	\$700.	\$947.
	60"	24"	RSWWA602()	637.	656.	756.	1,020.
	72"	20"	RSWWA721()	644.	665.	764.	1,030.
	72"	24"	RSWWA722()	688.	713.	816.	1,102.
	90"	20"	RSWWA901()	746.	771.	887.	1,197.
	90"	24"	RSWWA902()	791.	816.	941.	1,270.
	96"	20"	RSWWA961()	847.	874.	1,005.	1,358.
	96"	24"	RSWWA962()	893.	923.	1,060.	1,431.
Waterfall edge workwall tops 	60"	20"	RSWWAWF601()	n/a	1,834.	2,110.	2,848.
	60"	24"	RSWWAWF602()	n/a	1,969.	2,266.	3,059.
	72"	20"	RSWWAWF721()	n/a	1,994.	2,294.	3,095.
	72"	24"	RSWWAWF722()	n/a	2,132.	2,454.	3,315.
	90"	20"	RSWWAWF901()	n/a	2,315.	2,663.	3,596.
	90"	24"	RSWWAWF902()	n/a	2,454.	2,824.	3,811.
	96"	20"	RSWWAWF961()	n/a	2,699.	3,017.	4,073.
	96"	24"	RSWWAWF962()	n/a	2,767.	3,183.	4,295.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	n/a	700.	809.	1,092.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	n/a	755.	870.	1,175.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	n/a	764.	879.	1,187.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	n/a	817.	941.	1,270.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	n/a	887.	1,020.	1,377.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	n/a	940.	1,082.	1,460.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	n/a	1,005.	1,158.	1,563.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	n/a	1,060.	1,220.	1,646.

Order Code	Specification Information
Example: RSWWA60100L	
R	Reff
S	Straight top
WW	Workwall top
A	1 1/4" thick
60	60" wide
1	20" deep
(L)	Laminate finish

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:
 A = 1 1/4"

2. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

3. Specify edge detail where applicable, for RSWWA(). See page0 for available profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.


1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.

Applicable finishes are listed on page 1 and 3.

Hardware included.

Workwall units

Rectilinear worksurfaces - 1 3/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWB601()	\$740.	\$768.	\$881.	\$1,190.
	60"	24"	RSWWB602()	793.	825.	949.	1,281.
	72"	20"	RSWWB721()	805.	837.	963.	1,300.
	72"	24"	RSWWB722()	859.	894.	1,028.	1,388.
	90"	20"	RSWWB901()	931.	969.	1,114.	1,506.
	90"	24"	RSWWB902()	991.	1,029.	1,182.	1,597.
	96"	20"	RSWWB961()	1,057.	1,098.	1,261.	1,703.
	96"	24"	RSWWB962()	1,115.	1,159.	1,332.	1,798.

Order Code

Example:	RSWWB60100L
R	Reff
S	Straight top
WW	Workwall top
B	1 3/4" thick
60	60" wide
1	20" deep
(L)	Laminate finish

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:
B = 1 3/4"

2. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

3. Specify edge detail where applicable, for RSWWA(). See page 0 for available profiles.

Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.


No grommets available.


1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.

Applicable finishes are listed on page 1 and 3.

Hardware included.

Overhead, 28³/₈" planning Workwalls


description	w	d	h	dr	y	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (open) 	60"	15"	19"		1.8	75"	ROWO60S0DH () () () ()	\$2,133.	\$2,229.	\$2,613.	\$3,530.
	60"	20"	19"		1.8	75"	ROWO60S1DH () () () ()	2,296.	2,396.	2,808.	3,789.
	72"	15"	19"		2.1	75"	ROWO72S0DH () () () ()	2,745.	2,865.	3,352.	4,525.
	72"	20"	19"		2.1	75"	ROWO72S1DH () () () ()	2,947.	3,071.	3,589.	4,847.
	90"	15"	19"		2.6	75"	ROWO90S0DH () () () ()	3,026.	3,163.	3,719.	5,020.
	90"	20"	19"		2.6	75"	ROWO90S1DH () () () ()	3,359.	3,512.	4,124.	5,568.
	96"	15"	19"		2.8	75"	ROWO96S0DH () () () ()	3,098.	3,247.	3,821.	5,158.
	96"	20"	19"		2.8	75"	ROWO96S1DH () () () ()	3,439.	3,596.	4,225.	5,705.

Workwall, (for "desk height") 23"h storage (open) 	60"	15"	23"		1.8	75"	ROWO60T0DH () () () ()	2,321.	2,422.	2,839.	3,833.
	60"	20"	23"		1.8	75"	ROWO60T1DH () () () ()	2,481.	2,587.	3,031.	4,090.
	72"	15"	23"		2.1	75"	ROWO72T0DH () () () ()	3,118.	3,250.	3,797.	5,125.
	72"	20"	23"		2.1	75"	ROWO72T1DH () () () ()	3,434.	3,580.	4,172.	5,633.
	90"	15"	23"		2.6	75"	ROWO90T0DH () () () ()	3,495.	3,652.	4,280.	5,778.
	90"	20"	23"		2.6	75"	ROWO90T1DH () () () ()	3,712.	3,879.	4,544.	6,134.
	96"	15"	23"		2.8	75"	ROWO96T0DH () () () ()	3,568.	3,732.	4,382.	5,914.
	96"	20"	23"		2.8	75"	ROWO96T1DH () () () ()	3,789.	3,957.	4,642.	6,265.

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
R Reff	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
O Overhead	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	75" nominal height - actual height 75.125"
W Workwall	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
O Open	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.
60 60" wide	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
S 19" storage height		Taskboard included with workwall; fabric applied railroaded.
0 15" storage depth		
DH desk height, 75" height overall		Tasklights to be ordered separately
L Finish type, laminate		
118 Finish, Bright White		
() Fabric selection		
Y = Yardage required		
dimensions noted nominal		
	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
	6. <i>Finish</i>	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 590. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
	7. <i>Optional pull finish, where applicable</i>	Products on this page, shipped knocked-down.
	8. <i>Fabric for tackboard</i>	Applicable finishes are listed on page 5 and 6.


Overhead, 28³/₈" planning Workwalls

description	w	d	h	dr	y	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19" storage (hinged door)	60"	15"	19"	4	1.8	75"	ROWH60S0DH () () () ()	\$2,754.	\$2,871.	\$3,353.	\$4,527.
	60"	20"	19"	4	1.8	75"	ROWH60S1DH () () () ()	2,958.	3,082.	3,596.	4,854.
	72"	15"	19"	4	2.1	75"	ROWH72S0DH () () () ()	3,530.	3,676.	4,286.	5,786.
	72"	20"	19"	4	2.1	75"	ROWH72S1DH () () () ()	3,782.	3,938.	4,585.	6,189.
	90"	15"	19"	6	2.6	75"	ROWH90S0DH () () () ()	3,919.	4,092.	4,788.	6,465.
	90"	20"	19"	6	2.6	75"	ROWH90S1DH () () () ()	4,344.	4,529.	5,290.	7,141.
	96"	15"	19"	6	2.8	75"	ROWH96S0DH () () () ()	4,028.	4,207.	4,930.	6,655.
	96"	20"	19"	6	2.8	75"	ROWH96S1DH () () () ()	4,451.	4,643.	5,431.	7,332.



60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

Workwall, (for "desk height") 23" storage (hinged door)	60"	15"	23"	4	1.8	75"	ROWH60T0DH () () () ()	2,987.	3,111.	3,633.	4,905.
	60"	20"	23"	4	1.8	75"	ROWH60T1DH () () () ()	3,192.	3,323.	3,870.	5,225.
	72"	15"	23"	4	2.1	75"	ROWH72T0DH () () () ()	3,995.	4,157.	4,838.	6,532.
	72"	20"	23"	4	2.1	75"	ROWH72T1DH () () () ()	4,392.	4,570.	5,311.	7,170.
	90"	15"	23"	6	2.6	75"	ROWH90T0DH () () () ()	4,508.	4,699.	5,487.	7,407.
	90"	20"	23"	6	2.6	75"	ROWH90T1DH () () () ()	4,786.	4,985.	5,816.	7,852.
	96"	15"	23"	6	2.8	75"	ROWH96T0DH () () () ()	4,616.	4,815.	5,627.	7,598.
	96"	20"	23"	6	2.8	75"	ROWH96T1DH () () () ()	4,890.	5,099.	5,954.	8,038.



60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" (standard height) planning model with 28³/₈" (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
S 19" storage height	6. <i>Finish</i>	
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
L Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 590. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.	

Y = Yardage required

dimensions noted nominal

Overhead, 28³/₈" planning Shoulders and End Panels for Workwalls

description	w	d	h	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 20"d workwall cabinets	15"	1"	19"	75"	RWEA7520(L/R) () ()	\$398.	\$411.	\$470.	\$637.
	15"	1"	23"	75"	RWEB7520(L/R) () ()	398.	411.	470.	637.
	20"	1"	19"	75"	RWEC7524(L/R) () ()	398.	411.	470.	637.
	20"	1"	23"	75"	RWED7520(L/R) () ()	398.	411.	470.	637.



depth and width indicate drilled to support workwall with corresponding storage dimensions

description	w	d	h	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 24"d workwall cabinets	15"	1"	19"	75"	RWEA7524(L/R) () ()	432.	449.	515.	695.
	15"	1"	23"	75"	RWEB7524(L/R) () ()	432.	449.	515.	695.
	20"	1"	19"	75"	RWEC7524(L/R) () ()	432.	449.	515.	695.
	20"	1"	23"	75"	RWED7524(L/R) () ()	432.	449.	515.	695.



depth and width indicate drilled to support workwall with corresponding storage dimensions

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75"h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" products on page 0 ; do not mix products from 26¹/₂" (standard height) planning model with 28³/₈" (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
S 19" storage height	6. <i>Finish</i>	
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
L Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 590. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page, shipped knocked-down. Applicable finishes are listed on page 1 and 3.	

dimensions noted nominal

Overhead, 28³/₈" planning

Overdesk unit

Use with 1¹/₄" worksurfaces

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 ¹ / ₄ " worksurface at "desk height") O=Open	60"	15"	45 ¹ / ₂ "		1.7	ROAO60T0DH (X)(X)(X)(X)	\$1,784.	\$2,243.	\$2,643.	\$3,570.
	60"	20"	45 ¹ / ₂ "		1.7	ROAO60T1DH (X)(X)(X)(X)	1,893.	2,379.	2,800.	3,778.
	72"	15"	45 ¹ / ₂ "		2.0	ROAO72T0DH (X)(X)(X)(X)	2,273.	2,858.	3,354.	4,528.
	72"	20"	45 ¹ / ₂ "		2.0	ROAO72T1DH (X)(X)(X)(X)	2,408.	3,026.	3,548.	4,788.
	90"	15"	45 ¹ / ₂ "		2.5	ROAO90T0DH (X)(X)(X)(X)	2,486.	3,138.	3,710.	5,009.
	90"	20"	45 ¹ / ₂ "		2.5	ROAO90T1DH (X)(X)(X)(X)	2,640.	3,330.	3,926.	5,299.
	96"	15"	45 ¹ / ₂ "		2.7	ROAO96T0DH (X)(X)(X)(X)	2,583.	3,260.	3,856.	5,207.
	96"	20"	45 ¹ / ₂ "		2.7	ROAO96T1DH (X)(X)(X)(X)	2,744.	3,462.	4,087.	5,518.
Overdesk unit (for 1 ¹ / ₄ " worksurface at "desk height") H=Hinged Door	60"	15"	45 ¹ / ₂ "	4	1.7	ROAH60T0DH (X)(X)(X)(X)	2,693.	3,384.	3,951.	5,334.
	60"	20"	45 ¹ / ₂ "	4	1.7	ROAH60T1DH (X)(X)(X)(X)	2,853.	3,577.	4,173.	5,635.
	72"	15"	45 ¹ / ₂ "	4	2.0	ROAH72T0DH (X)(X)(X)(X)	3,417.	4,280.	4,992.	6,740.
	72"	20"	45 ¹ / ₂ "	4	2.0	ROAH72T1DH (X)(X)(X)(X)	3,607.	4,518.	5,263.	7,106.
	90"	15"	45 ¹ / ₂ "	6	2.5	ROAH90T0DH (X)(X)(X)(X)	3,798.	4,763.	5,578.	7,531.
	90"	20"	45 ¹ / ₂ "	6	2.5	ROAH90T1DH (X)(X)(X)(X)	4,015.	5,038.	5,893.	7,956.
	96"	15"	45 ¹ / ₂ "	6	2.7	ROAH96T0DH (X)(X)(X)(X)	3,956.	4,967.	5,822.	7,859.
	96"	20"	45 ¹ / ₂ "	6	2.7	ROAH96T1DH (X)(X)(X)(X)	4,188.	5,254.	6,154.	8,306.

60" w and 72" w hinged door units have four hinged doors, two lock cores required
 90" w and 96" w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration. Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top. Clearance below overhead storage to top of worksurface is approximately 23 ¹ / ₈ " h. Applicable finishes are listed on page 5 and 6.
R Reff		
O Overhead	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	
A For mounting on 1 ¹ / ₄ " thick top	2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
O Open	3. Finish type L = laminate I = V1 2 = V2 3 = V3	
60 60" wide	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
T 23" h storage	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
0 15" d storage		
DH desk height, 75" height overall	6. Tasklight cord escape BF = back feed FF = front feed	
L Finish type, laminate	7. Finish	
BF Cord escape, back feed	8. Optional pull finish, where applicable	
118 Finish, Bright White	9. Fabric for tackboard	
() Fabric selection	Woodgrain Laminate is not available on any flip door units. Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 590. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
Y = Yardage required	Products on this page shipped knocked-down. Tasklights not included. Tackboard included, fabric orientation applied railroaded. Wire manager included and mounts adjacent to tackboard. Specify color.	
dimensions noted nominal	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	

Overhead, 28³/₈" planning

Overdesk unit

Use with 1¹/₄" worksurfaces

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45 ¹ / ₂ "	2	1.7	ROAF60S0DH () () () ()	\$2,306.	\$3,143.	\$3,676.	\$4,962.
(for 1 ¹ / ₄ " worksurface at "desk height")	60"	20"	45 ¹ / ₂ "	2	1.7	ROAF60S1DH () () () ()	2,444.	3,325.	3,887.	5,247.
F=Flip door	72"	15"	45 ¹ / ₂ "	2	2.0	ROAF72S0DH () () () ()	2,739.	3,984.	4,650.	6,278.
	72"	20"	45 ¹ / ₂ "	2	2.0	ROAF72S1DH () () () ()	2,895.	4,205.	4,907.	6,623.
	84"	15"	45 ¹ / ₂ "	2	2.4	ROAF84S0DH () () () ()	3,549.	4,540.	5,311.	7,170.
	84"	20"	45 ¹ / ₂ "	2	2.4	ROAF84S1DH () () () ()	3,752.	4,802.	5,608.	7,572.
	96"	15"	45 ¹ / ₂ "	2	2.7	ROAF96S0DH () () () ()	3,636.	4,663.	5,471.	7,387.
	96"	20"	45 ¹ / ₂ "	2	2.7	ROAF96S1DH () () () ()	3,850.	4,940.	5,789.	7,815.

all flip door units have two flip doors, two lock cores required
 J-pull only, C, D and S pulls are not optional for flip door units


Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	To order please specify pattern number including:	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23¹/₈" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff		
O Overhead	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	
A For mounting on 1 ¹ / ₄ " thick top	2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
O Open	3. Finish type L = laminate I = V1 2 = V2 3 = V3	
60 60" wide	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
T 23" h storage	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
0 15" d storage	6. Tasklight cord escape BF = back feed FF = front feed	
DH desk height, 75" height overall	7. Finish 8. Optional pull finish, where applicable 9. Fabric for tackboard	
L Finish type, laminate	Woodgrain Laminate is not available on any flip door units. Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 590. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
BF Cord escape, back feed	Products on this page shipped knocked-down.	
118 Finish, Bright White	Tasklights not included.	
() Fabric selection	Tackboard included, fabric orientation applied railroaded.	
Y = Yardage required	Wire manager included and mounts adjacent to tackboard. Specify color.	
dimensions noted nominal	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	

Overhead, 28³/₈" planning

Overdesk unit

Use with 1³/₄" worksurfaces

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45"	4	1.7	ROBH60T0DH () () () () ()	\$2,730.	\$3,420.	\$3,995.	\$5,393.
(for 1 ³ / ₄ " worksurface at "desk height")	60"	20"	45"	4	1.7	ROBH60T1DH () () () () ()	2,886.	3,612.	4,218.	5,695.
H=Hinged Door	72"	15"	45"	4	2.0	ROBH72T0DH () () () () ()	3,456.	4,329.	5,049.	6,816.
	72"	20"	45"	4	2.0	ROBH72T1DH () () () () ()	3,647.	4,567.	5,321.	7,183.
	90"	15"	45"	4	2.5	ROBH90T0DH () () () () ()	3,841.	4,818.	5,639.	7,612.
	90"	20"	45"	4	2.5	ROBH90T1DH () () () () ()	4,063.	5,094.	5,960.	8,046.
	96"	15"	45"	4	2.7	ROBH96T0DH () () () () ()	4,004.	5,027.	5,889.	7,950.
	96"	20"	45"	4	2.7	ROBH96T1DH () () () () ()	4,234.	5,316.	6,224.	8,402.



60" w and 72" w hinged door units have four hinged doors, two lock cores required
 90" w and 96" w hinged door units have six hinged doors, three lock cores required

Overdesk unit	60"	15"	45"		1.7	ROBO60T0DH () () () () ()	1,803.	2,272.	2,673.	3,607.
(for 1 ³ / ₄ " worksurface at "desk height")	60"	20"	45"		1.7	ROBO60T1DH () () () () ()	1,913.	2,407.	2,833.	3,823.
O=Open	72"	15"	45"		2.0	ROBO72T0DH () () () () ()	2,284.	2,892.	3,394.	4,581.
	72"	20"	45"		2.0	ROBO72T1DH () () () () ()	2,434.	3,057.	3,586.	4,843.
	90"	15"	45"		2.5	ROBO90T0DH () () () () ()	2,518.	3,174.	3,752.	5,066.
	90"	20"	45"		2.5	ROBO90T1DH () () () () ()	2,617.	3,302.	3,908.	5,276.
	96"	15"	45"		2.7	ROBO96T0DH () () () () ()	2,612.	3,299.	3,905.	5,271.
	96"	20"	45"		2.7	ROBO96T1DH () () () () ()	2,677.	3,370.	3,975.	5,365.


Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 22³/₈" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
T 23" h storage	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
0 15" d storage	7. <i>Finish</i>	
DH desk height, 75" height overall	8. <i>Optional pull finish, where applicable</i>	
L Finish type, laminate	9. <i>Fabric for tackboard</i>	
BF Cord escape, back feed	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 590. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
118 Finish, Bright White	Products on this page shipped knocked-down.	
() Fabric selection	Tasklights not included.	
Y = Yardage required	Tackboard included, fabric orientation applied railroaded.	
dimensions noted nominal	Wire manager included and mounts adjacent to tackboard. Specify color.	
	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".	
	Woodgrain Laminate is not available on any flip door units.	

Overhead, 28³/₈" planning

Overdesk unit

Use with 1³/₄" worksurfaces

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45"	2	1.7	ROBF60S0DH () () () ()	\$2,333.	\$3,181.	\$3,717.	\$5,019.
(for 1 ³ / ₄ " worksurface at "desk height")	60"	20"	45"	2	1.7	ROBF60S1DH () () () ()	2,471.	3,363.	3,929.	5,305.
F=Flip door	72"	15"	45"	2	2.0	ROBF72S0DH () () () ()	2,770.	4,029.	4,702.	6,348.
	72"	20"	45"	2	2.0	ROBF72S1DH () () () ()	2,929.	4,256.	4,960.	6,697.
	84"	15"	45"	2	2.4	ROBF84S0DH () () () ()	3,587.	4,588.	5,366.	7,245.
	84"	20"	45"	2	2.4	ROBF84S1DH () () () ()	3,799.	4,860.	5,676.	7,664.
	96"	15"	45"	2	2.7	ROBF96S0DH () () () ()	3,678.	4,720.	5,537.	7,477.
	96"	20"	45"	2	2.7	ROBF96S1DH () () () ()	3,898.	4,993.	5,849.	7,895.



all flip door units have two flip doors, two lock cores required
J-pull only; C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
R Reff	6. Tasklight cord escape BF = back feed FF = front feed	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 590. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Overhead	7. Finish	Products on this page shipped knocked-down.
B For mounting on 1 ³ / ₄ " thick top	8. Optional pull finish, where applicable	Tasklights not included.
O Open	9. Fabric for tackboard	Tackboard included, fabric orientation applied railroaded.
60 60" wide	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	Wire manager included and mounts adjacent to tackboard. Specify color.
T 23" h storage	2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".
0 15" d storage	3. Finish type L = laminate 1 = V1 2 = V2 3 = V3	Woodgrain Laminate is not available on any flip door units.
DH desk height, 75" height overall	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
L Finish type, laminate	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

Y = Yardage required

dimensions noted nominal

Overhead storage



Overhead, 28³/₈" planning

Reff Profiles

Overdesk unit

Use with 1¹/₄" and 1¹/₂" worksurfaces

L and U Configuration

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 ¹ / ₄ " thick 	20"	36"	RSAR361(H/V)() ()	\$369.	\$403.	\$462.	\$625.
	20"	42"	RSAR421(H/V)() ()	383.	422.	484.	654.
	20"	48"	RSAR481(H/V)() ()	403.	437.	503.	678.
	20"	54"	RSAR541(H/V)() ()	418.	454.	525.	711.
	20"	60"	RSAR601(H/V)() ()	452.	491.	565.	765.
	20"	66"	RSAR661(H/V)() ()	462.	507.	584.	788.
	20"	72"	RSAR721(H/V)() ()	489.	534.	612.	826.
	24"	36"	RSAR362(H/V)() ()	391.	432.	493.	666.
	24"	42"	RSAR422(H/V)() ()	408.	443.	510.	687.
	24"	48"	RSAR482(H/V)() ()	433.	477.	547.	737.
	24"	54"	RSAR542(H/V)() ()	462.	507.	584.	788.
	24"	60"	RSAR602(H/V)() ()	500.	545.	624.	844.
	24"	66"	RSAR662(H/V)() ()	512.	561.	647.	872.
	24"	72"	RSAR722(H/V)() ()	538.	586.	676.	914.
	Return / Bridge 1 ¹ / ₂ " thick 	20"	36"	RSDR361(H/V)() ()	401.	437.	502.
20"		36"	RSDR362(H/V)() ()	424.	468.	536.	723.
20"		42"	RSDR421(H/V)() ()	415.	457.	525.	709.
20"		48"	RSDR481(H/V)() ()	437.	474.	545.	734.
20"		54"	RSDR541(H/V)() ()	454.	492.	570.	770.
20"		60"	RSDR601(H/V)() ()	513.	534.	614.	830.
20"		66"	RSDR661(H/V)() ()	502.	549.	633.	854.
24"		42"	RSDR422(H/V)() ()	442.	481.	553.	745.
24"		48"	RSDR482(H/V)() ()	469.	517.	593.	799.
24"		54"	RSDR542(H/V)() ()	502.	549.	633.	854.
24"		60"	RSDR602(H/V)() ()	541.	591.	678.	915.
24"		66"	RSDR662(H/V)() ()	555.	619.	701.	947.
24"		72"	RSDR721(H/V)() ()	530.	579.	663.	896.
24"		72"	RSDR722(H/V)() ()	583.	636.	733.	991.

Order Code

Example:	RSAR361(H/V)() ()
R	Reff
S	Straight top
A	1 ¹ / ₄ " top
R	Return
36	36" wide
1	20" deep
H/V	Horizontal or Vertical grain
()	Grommet type
()	Grommet finish
()	Worksurface finish

Specification Information


To order please specify pattern number including:

- Grommet type:
F = Flush
N = No Grommet
- Grommet finish:
Painted or Plated
- Worksurface finish:
L, V1, V2, V3


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



Products on this page shipped knocked-down.

Tasklights not included.




Tackboard included, fabric orientation applied railroaded.

Wire manager included and mounts adjacent to tackboard. Specify color.

Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"

Overdesk unit

Use with 1¹/₄" and 1¹/₂" worksurfacesModesty Panels for L and U Configuration, both 26¹/₂" and 28³/₈"

description	d	w	h	pattern no.	L	V1	V2	V3
Half Height Modesty, 26 ¹ / ₂ "h 	36"	1"	26 ¹ / ₂ "	RBR36H()	\$283.	\$405.	\$469.	\$641.
	42"	1"	26 ¹ / ₂ "	RBR42H()	307.	442.	511.	699.
	48"	1"	26 ¹ / ₂ "	RBR48H()	348.	500.	579.	790.
	54"	1"	26 ¹ / ₂ "	RBR54H()	365.	526.	607.	829.
	60"	1"	26 ¹ / ₂ "	RBR60H()	381.	543.	628.	855.
	66"	1"	26 ¹ / ₂ "	RBR66H()	397.	567.	659.	900.
	72"	1"	26 ¹ / ₂ "	RBR72H()	439.	628.	725.	989.
Full Height Modesty, 26 ¹ / ₂ "h 	36"	1"	26 ¹ / ₂ "	RBR36M()	308.	430.	494.	666.
	42"	1"	26 ¹ / ₂ "	RBR42M()	332.	467.	536.	724.
	48"	1"	26 ¹ / ₂ "	RBR48M()	373.	525.	604.	815.
	54"	1"	26 ¹ / ₂ "	RBR54M()	390.	551.	632.	854.
	60"	1"	26 ¹ / ₂ "	RBR60M()	406.	568.	653.	880.
	66"	1"	26 ¹ / ₂ "	RBR66M()	422.	592.	684.	925.
	72"	1"	26 ¹ / ₂ "	RBR72M()	464.	653.	750.	1,014.
Full Height Modesty, 28 ³ / ₈ "h 	36"	1"	28 ³ / ₈ "	RBR36MS()	324.	451.	517.	698.
	42"	1"	28 ³ / ₈ "	RBR42MS()	348.	489.	564.	761.
	48"	1"	28 ³ / ₈ "	RBR48MS()	391.	551.	633.	855.
	54"	1"	28 ³ / ₈ "	RBR54MS()	410.	578.	662.	894.
	60"	1"	28 ³ / ₈ "	RBR60MS()	426.	593.	684.	925.
	66"	1"	28 ³ / ₈ "	RBR66MS()	441.	622.	719.	970.
	72"	1"	28 ³ / ₈ "	RBR72MS()	487.	684.	787.	1,062.

Order Code

Example: RBR36	
R	Reff
B	Bridge
R	Return
M	Full Height Modesty Placement for 26 ¹ / ₂ "
()	Finish

Specification Information


To order please specify pattern number including:

- Modesty Finish:
L, V1, V2, V3


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



Products on this page shipped knocked-down.

Tasklights not included.

Tackboard included, fabric orientation applied railroaded.


Wire manager included and mounts adjacent to tackboard. Specify color.


Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"

Overhead, 28³/₈" planning

Single high

Wall hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		ROMCGSHP301 () ()	\$1,213.	\$1,698.	\$1,953.	\$2,539.
	36"	15"	20"	1		ROMCGSHP361 () ()	1,251.	1,752.	2,015.	2,619.
	42"	15"	20"	2		ROMCGSHP421 () ()	1,360.	1,903.	2,190.	2,846.
	48"	15"	20"	2		ROMCGSHP481 () ()	1,414.	1,980.	2,276.	2,959.
	54"	15"	20"	2		ROMCGSHP541 () ()	1,658.	2,322.	2,671.	3,471.
	60"	15"	20"	2	1	ROMCGSHP601 () ()	1,924.	2,694.	3,098.	4,027.
	66"	15"	20"	2	1	ROMCGSHP661 () ()	1,960.	2,744.	3,155.	4,102.
	72"	15"	20"	2	1	ROMCGSHP721 () ()	1,998.	2,797.	3,218.	4,183.
	78"	15"	20"	2	1	ROMCGSHP781 () ()	2,098.	2,938.	3,378.	4,392.
	84"	15"	20"	3	2	ROMCGSHP841 () ()	2,440.	3,417.	3,928.	5,107.
90"	15"	20"	3	2	ROMCGSHP901 () ()	2,481.	3,474.	3,995.	5,193.	
96"	15"	20"	3	2	ROMCGSHP961 () ()	2,520.	3,529.	4,058.	5,276.	

Wall-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			ROMCSHP301 () ()	1,092.	1,529.	1,757.	2,286.
	36"	15"	20"			ROMCSHP361 () ()	1,127.	1,577.	1,813.	2,358.
	42"	15"	20"	1		ROMCSHP421 () ()	1,224.	1,713.	1,970.	2,562.
	48"	15"	20"	1		ROMCSHP481 () ()	1,273.	1,782.	2,049.	2,664.
	54"	15"	20"	1		ROMCSHP541 () ()	1,492.	2,090.	2,404.	3,124.
	60"	15"	20"		1	ROMCSHP601 () ()	1,731.	2,425.	2,788.	3,625.
	66"	15"	20"		1	ROMCSHP661 () ()	1,764.	2,470.	2,840.	3,693.
	72"	15"	20"		1	ROMCSHP721 () ()	1,798.	2,517.	2,896.	3,765.
	78"	15"	20"		1	ROMCSHP781 () ()	1,888.	2,644.	3,041.	3,953.
	84"	15"	20"		2	ROMCSHP841 () ()	2,196.	3,075.	3,536.	4,596.
	90"	15"	20"		2	ROMCSHP901 () ()	2,233.	3,127.	3,596.	4,674.
	96"	15"	20"		2	ROMCSHP961 () ()	2,268.	3,175.	3,652.	4,748.

Without center gable


Order Code	Specification Information	Application Notes
Example: ROMCGSHP301	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Finish type:	Letter depth is 15" nominal.
O Overhead	L = Laminate	Fascias ordered separately
M Wall mount	1 = V1	Tasklights ordered separately
CG Center Gable	2 = V2	Tack/Task panel order separately
SH Single high	3 = V3	Wall hung cabinets come with wall hung cleates
P Planning	2. Case finish	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 30" width		
1 Letter depth		
2 Case finish type		
V316 V2 finish		


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
 A certified building contractor should be consulted.
 Please refer to wall mounting information on page 558.
 Cubby Dividers: 3"h x 12"d
 Interior Gable: 18"h x 13"d

dimensions noted nominal

Single high

Wall hung with doors



description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed 	30"	15"	20"	2	ROMHSHP301()	\$1,872.	\$2,058.	\$2,152.	\$2,245.	\$2,619.	\$3,013.	\$3,916.
	36"	15"	20"	2	ROMHSHP361()	1,920.	2,112.	2,207.	2,303.	2,687.	3,090.	4,018.
	42"	15"	20"	3	ROMHSHP421()	2,464.	2,710.	2,834.	2,956.	3,449.	3,967.	5,156.
	48"	15"	20"	3	ROMHSHP481()	2,529.	2,782.	2,909.	3,034.	3,541.	4,072.	5,293.
	54"	15"	20"	4	ROMHSHP541()	2,687.	2,956.	3,090.	3,224.	3,762.	4,326.	5,624.
	60"	15"	20"	4	ROMHSHP601()	3,033.	3,337.	3,489.	3,641.	4,248.	4,884.	6,350.
	66"	15"	20"	4	ROMHSHP661()	3,084.	3,392.	3,546.	3,701.	4,317.	4,965.	6,454.
	72"	15"	20"	4	ROMHSHP721()	3,135.	3,449.	3,606.	3,763.	4,390.	5,049.	6,563.
	78"	15"	20"	4	ROMHSHP781()	3,249.	3,574.	3,736.	3,899.	4,548.	5,230.	6,800.
	84"	15"	20"	6	ROMHSHP841()	4,091.	4,500.	4,704.	4,909.	5,727.	6,586.	8,561.
90"	15"	20"	6	ROMHSHP901()	4,141.	4,555.	4,762.	4,969.	5,797.	6,667.	8,666.	
96"	15"	20"	6	ROMHSHP961()	4,195.	4,614.	4,825.	5,035.	5,873.	6,755.	8,781.	

Wall-hung overhead cabinet hinge door, cubby exposed 	30"	15"	20"	2	ROMHCSHP301()	1,775.	1,953.	2,041.	2,130.	2,485.	2,858.	3,715.
	36"	15"	20"	2	ROMHCSHP361()	1,822.	2,004.	2,096.	2,187.	2,551.	2,934.	3,814.
	42"	15"	20"	3	ROMHCSHP421()	2,405.	2,645.	2,766.	2,886.	3,367.	3,872.	5,033.
	48"	15"	20"	3	ROMHCSHP481()	2,500.	2,750.	2,876.	3,000.	3,500.	4,025.	5,233.
	54"	15"	20"	3	ROMHCSHP541()	2,555.	2,811.	2,939.	3,066.	3,577.	4,114.	5,348.
	60"	15"	20"	4	ROMHCSHP601()	2,837.	3,121.	3,262.	3,404.	3,972.	4,567.	5,937.
	66"	15"	20"	4	ROMHCSHP661()	2,881.	3,169.	3,312.	3,457.	4,033.	4,638.	6,030.
	72"	15"	20"	4	ROMHCSHP721()	2,931.	3,224.	3,370.	3,517.	4,104.	4,718.	6,135.
	78"	15"	20"	4	ROMHCSHP781()	2,994.	3,294.	3,443.	3,593.	4,192.	4,820.	6,267.
	84"	15"	20"	6	ROMHCSHP841()	3,781.	4,159.	4,349.	4,537.	5,293.	6,087.	7,913.
90"	15"	20"	6	ROMHCSHP901()	3,846.	4,230.	4,423.	4,614.	5,384.	6,191.	8,049.	
96"	15"	20"	6	ROMHCSHP961()	3,895.	4,285.	4,479.	4,674.	5,454.	6,272.	8,152.	

Order Code	Specification Information	Application Notes
Example: ROMHSHP301 () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	1 = V1	Letter depth is 15" nominal.
M Wall mount	2 = V2	Fascias ordered separately
H Hinge door	3 = V3	Tasklights not included
SH Single High	2. <i>Front finish type:</i> L = Laminate	Tasklights not included
P Planning	1 = V1	Tack/Task panel order separately
30 Width	2 = V2	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
1 Depth (letter)	3 = V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
2 Case finish type	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull	Wall hung cabinets come with wall hung cleats
2 Front finish type	C = nickel finish C-pull (nickel finish only)	
H Pull option	D = metal D-pull (PZ or PT)	
L Lock option	F = Bar	
B Lock finish	H = Outline	
V316 Case finish	R = Cylinder	
V316 Front finish	S = S-pull (stainless steel finish only)	
PU Pull finish	T = Tab	
	4. <i>Lock option:</i> N=no drilling L=locking	
	5. <i>Lock finish:</i> B=Black S=Matte silver	
	6. <i>Case finish:</i> V316	
	7. <i>Front finish:</i> V316	
	8. <i>Pull finish:</i> Painted or plated	

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Wall hung with glass doors

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, <i>cubby exposed</i> 	30"	15"	20"	2	ROMGHCSHP301()()()	\$2,544.	\$2,773.	\$3,189.	\$4,146.
	36"	15"	20"	2	ROMGHCSHP361()()()	2,662.	2,902.	3,336.	4,337.
	42"	15"	20"	3	ROMGHCSHP421()()()	3,413.	3,721.	4,280.	5,563.
	48"	15"	20"	3	ROMGHCSHP481()()()	3,529.	3,847.	4,424.	5,750.
	54"	15"	20"	3	ROMGHCSHP541()()()	3,780.	4,120.	4,738.	6,159.
	60"	15"	20"	4	ROMGHCSHP601()()()	4,201.	4,579.	5,266.	6,846.
	66"	15"	20"	4	ROMGHCSHP661()()()	4,328.	4,717.	5,425.	7,052.
	72"	15"	20"	4	ROMGHCSHP721()()()	4,436.	4,835.	5,560.	7,229.
	78"	15"	20"	4	ROMGHCSHP781()()()	4,622.	5,038.	5,794.	7,531.
	84"	15"	20"	6	ROMGHCSHP841()()()	5,696.	6,208.	7,139.	9,281.
	90"	15"	20"	6	ROMGHCSHP901()()()	5,765.	6,283.	7,225.	9,394.
96"	15"	20"	6	ROMGHCSHP961()()()	5,892.	6,422.	7,386.	9,602.	
Wall-hung overhead cabinet glass hinge door, <i>cubby concealed</i> 	30"	15"	20"	2	ROMGHSHP301()()()	2,865.	3,380.	3,887.	5,053.
	36"	15"	20"	2	ROMGHSHP361()()()	3,005.	3,546.	4,078.	5,302.
	42"	15"	20"	3	ROMGHSHP421()()()	3,842.	4,533.	5,213.	6,777.
	48"	15"	20"	3	ROMGHSHP481()()()	3,958.	4,671.	5,371.	6,983.
	54"	15"	20"	3	ROMGHSHP541()()()	4,238.	5,001.	5,751.	7,476.
	60"	15"	20"	4	ROMGHSHP601()()()	4,544.	5,362.	6,167.	8,017.
	66"	15"	20"	4	ROMGHSHP661()()()	4,669.	5,510.	6,336.	8,237.
	72"	15"	20"	4	ROMGHSHP721()()()	4,802.	5,666.	6,516.	8,471.
	78"	15"	20"	4	ROMGHSHP781()()()	5,043.	5,951.	6,844.	8,897.
	84"	15"	20"	6	ROMGHSHP841()()()	5,992.	7,071.	8,131.	10,571.
	90"	15"	20"	6	ROMGHSHP901()()()	6,132.	7,236.	8,322.	10,818.
96"	15"	20"	6	ROMGHSHP961()()()	6,251.	7,376.	8,483.	11,027.	

Order Code	Specification Information	Application Notes
Example: ROMGHCSHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
GHC Glass hinge door/ cubby	3 = V3	Tack/Task panel order separately
SH Single High	2. Case finish: Laminate, V1, V2, V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	3. Door frame finish: Anodized or painted	Wall hung cabinets come with wall hung cleats
30 Width	4. Glass door finish: GL11	No pull option on Glass doors. Glass doors project below shelf for opening.
1 Depth (letter)	GL14	
2 Case finish type	GL15	
V316 Case finish	GL18	
AU Door frame finish		
GL11 Door glass finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 558.

The single door in a 3 door unit, such as 42" w and 48" w units, is hinged on the left hand side.


dimensions noted nominal

Overhead, 28³/₈" planning

Single high

Wall hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet	60"	15"	20"	2	ROMHOC SHP601	\$2,560.	\$2,816.	\$2,944.	\$3,071.	\$3,712.	\$4,268.	\$5,549.
hinge door / open /	66"	15"	20"	2	ROMHOC SHP661	2,598.	2,857.	2,988.	3,118.	3,767.	4,332.	5,632.
cubby exposed	72"	15"	20"	2	ROMHOC SHP721	2,640.	2,905.	3,036.	3,168.	3,829.	4,402.	5,724.
	78"	15"	20"	2	ROMHOC SHP781	2,706.	2,977.	3,113.	3,248.	3,924.	4,512.	5,867.
	84"	15"	20"	4	ROMHOC SHP841	3,145.	3,459.	3,615.	3,773.	4,559.	5,243.	6,816.
	90"	15"	20"	4	ROMHOC SHP901	3,193.	3,512.	3,672.	3,832.	4,630.	5,324.	6,921.
	96"	15"	20"	4	ROMHOC SHP961	3,233.	3,557.	3,718.	3,880.	4,689.	5,391.	7,009.




Order Code	Specification Information	Application Notes
Example: ROMHOC SHP601 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. <i>Front finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
M Wall mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Tasklights not included
HOC Hinge door/Open/Cubby	4. <i>Lock Option:</i> N = no lock drilling L = locking	Tack/Task panel order separately
SH Single high	5. <i>Lock finish:</i> B=Black S=Matte silver	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	6. <i>Case Finish:</i>	Wall hung cabinets come with wall hung cleats
60 Width	7. <i>Front Finish:</i>	Doors project below shelf for openings
1 Letter depth	8. <i>Pull Finish:</i> Painted or plated	
2 Case finish type		
2 Front finish type		
L Locked		
B Black lock		
V316 Case finish		
V316 Front finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Wall hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	20"	2	ROMGHOCSP601()()()	\$3,142.	\$3,927.	\$4,516.	\$5,871.
glass hinge door / open / cubby exposed	66"	15"	20"	2	ROMGHOCSP661()()()	3,216.	4,020.	4,623.	6,010.
	72"	15"	20"	2	ROMGHOCSP721()()()	3,283.	4,104.	4,718.	6,135.
	78"	15"	20"	2	ROMGHOCSP781()()()	3,374.	4,218.	4,851.	6,307.
	84"	15"	20"	4	ROMGHOCSP841()()()	4,135.	4,963.	5,706.	7,419.
	90"	15"	20"	4	ROMGHOCSP901()()()	4,186.	5,023.	5,777.	7,510.
	96"	15"	20"	4	ROMGHOCSP961()()()	4,273.	5,127.	5,897.	7,666.




Wall Hung overhead cabinet	60"	15"	20"	2	ROMGHOSHP601()()()	3,822.	4,778.	5,494.	7,143.
glass hinge door / open / cubby concealed	66"	15"	20"	2	ROMGHOSHP661()()()	3,903.	4,878.	5,610.	7,293.
	72"	15"	20"	2	ROMGHOSHP721()()()	4,001.	5,001.	5,751.	7,476.
	78"	15"	20"	2	ROMGHOSHP781()()()	4,114.	5,143.	5,914.	7,689.
	84"	15"	20"	4	ROMGHOSHP841()()()	4,825.	6,032.	6,937.	9,018.
	90"	15"	20"	4	ROMGHOSHP901()()()	4,928.	6,161.	7,085.	9,210.
	96"	15"	20"	4	ROMGHOSHP961()()()	5,008.	6,260.	7,199.	9,358.


Order Code	Specification Information	Application Notes
Example: ROMGHOCSP601 ()()()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
GHOC Glass hinge door/Open/Cubby	3 = V3	Tack/Task panel order separately
SH Single high	2. Case finish: Laminate, V1, V2, V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	3. Door Frame finish: Painted or Anodized	Wall hung cabinets come with wall hung cleats
60 Width	4. Door Glass finish: GL11, GL14, GL15, GL18	Doors project below shelf for openings
1 Depth, Letter		No pull options on glass doors.
2 Case finish type, V2		Glass doors project below shelf for opening.
V316 Case finish		
AA Door frame finish		
GL11 Back painted glass door finish		

dimensions noted nominal

Single high

Cabinet hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		ROCCGSH301 ()()	\$1,286.	\$1,801.	\$2,071.	\$2,692.
	36"	15"	20"	1		ROCCGSH361 ()()	1,323.	1,852.	2,129.	2,769.
	42"	15"	20"	2		ROCCGSH421 ()()	1,430.	2,002.	2,302.	2,993.
	48"	15"	20"	2		ROCCGSH481 ()()	1,470.	2,057.	2,366.	3,076.
	54"	15"	20"	2		ROCCGSH541 ()()	1,712.	2,397.	2,756.	3,583.
	60"	15"	20"	2	1	ROCCGSH601 ()()	1,977.	2,768.	3,183.	4,138.
	66"	15"	20"	2	1	ROCCGSH661 ()()	2,011.	2,814.	3,236.	4,208.
	72"	15"	20"	2	1	ROCCGSH721 ()()	2,050.	2,870.	3,299.	4,289.
	78"	15"	20"	2	1	ROCCGSH781 ()()	2,133.	2,986.	3,434.	4,464.
	84"	15"	20"	3	2	ROCCGSH841 ()()	2,472.	3,462.	3,981.	5,175.
90"	15"	20"	3	2	ROCCGSH901 ()()	2,512.	3,516.	4,044.	5,257.	
96"	15"	20"	3	2	ROCCGSH961 ()()	2,550.	3,570.	4,106.	5,337.	

Cabinet-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			ROCOSH301 ()()	1,158.	1,621.	1,864.	2,424.
	36"	15"	20"			ROCOSH361 ()()	1,191.	1,667.	1,916.	2,492.
	42"	15"	20"	1		ROCOSH421 ()()	1,286.	1,803.	2,072.	2,693.
	48"	15"	20"	1		ROCOSH481 ()()	1,323.	1,851.	2,129.	2,768.
	54"	15"	20"	1		ROCOSH541 ()()	1,541.	2,157.	2,480.	3,225.
	60"	15"	20"		1	ROCOSH601 ()()	1,779.	2,491.	2,864.	3,723.
	66"	15"	20"		1	ROCOSH661 ()()	1,810.	2,533.	2,913.	3,787.
	72"	15"	20"		1	ROCOSH721 ()()	1,845.	2,582.	2,969.	3,860.
	78"	15"	20"		1	ROCOSH781 ()()	1,920.	2,687.	3,091.	4,018.
	84"	15"	20"		2	ROCOSH841 ()()	2,225.	3,116.	3,583.	4,658.
	90"	15"	20"		2	ROCOSH901 ()()	2,261.	3,165.	3,639.	4,732.
	96"	15"	20"		2	ROCOSH961 ()()	2,295.	3,213.	3,695.	4,804.

Without center gable

Order Code	Specification Information	Application Notes
Example: ROCCGSH301S0 ()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type:	Cubby Dividers: 3"h x 12"d
O Overhead	L = Laminate	Interior Gable: 18"h x 13"d
C Cabinet hung	1 = V1	
CG Center Gable	2 = V2	Letter depth is 15" nominal.
SH Single high	3 = V3	Place holder for legal depth if required (20").
30 30" width	2. Case finish:	Fascias ordered separately
P Planning	Laminate, V1, V2, V3	Tasklights ordered separately
1 Depth (letter)		Tack/Task panel order separately
2 Case finish		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
V316 Case finish		Installation instruction sheets available on Knoll Exchange.

dimensions noted nominal

For Cabinet hung overheads, refer to part number 6TP00080.


Overhead, 28³/₈" planning

Reff Profiles


Single high

Cabinet hung with doors

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	
Cabinet-hung overhead cabinet hinge door, cubby concealed	30"	15"	20"	2	ROCHSHP301	() () () () () ()	\$1,933.	\$2,126.	\$2,223.	\$2,320.	\$2,706.	\$3,112.	\$4,046.
	36"	15"	20"	2	ROCHSHP361	() () () () () ()	1,979.	2,177.	2,276.	2,375.	2,771.	3,187.	4,143.
	42"	15"	20"	3	ROCHSHP421	() () () () () ()	2,522.	2,774.	2,900.	3,026.	3,531.	4,060.	5,279.
	48"	15"	20"	3	ROCHSHP481	() () () () () ()	2,573.	2,830.	2,959.	3,088.	3,602.	4,143.	5,385.
	54"	15"	20"	3	ROCHSHP541	() () () () () ()	2,728.	3,001.	3,138.	3,274.	3,820.	4,393.	5,711.
	60"	15"	20"	4	ROCHSHP601	() () () () () ()	3,075.	3,381.	3,536.	3,689.	4,304.	4,950.	6,434.
	66"	15"	20"	4	ROCHSHP661	() () () () () ()	3,122.	3,434.	3,591.	3,747.	4,371.	5,026.	6,535.
	72"	15"	20"	4	ROCHSHP721	() () () () () ()	3,173.	3,491.	3,649.	3,808.	4,442.	5,109.	6,641.
	78"	15"	20"	4	ROCHSHP781	() () () () () ()	3,271.	3,599.	3,763.	3,926.	4,580.	5,267.	6,641.
	84"	15"	20"	6	ROCHSHP841	() () () () () ()	4,113.	4,524.	4,729.	4,935.	5,758.	6,621.	8,607.
	90"	15"	20"	6	ROCHSHP901	() () () () () ()	4,160.	4,576.	4,784.	4,992.	5,825.	6,698.	8,708.
96"	15"	20"	6	ROCHSHP961	() () () () () ()	4,213.	4,634.	4,845.	5,055.	5,898.	6,783.	8,817.	





Cabinet-hung overhead cabinet hinge door, cubby exposed	30"	15"	20"	2	ROCHCSHP301	() () () () () ()	1,836.	2,021.	2,113.	2,204.	2,572.	2,957.	3,844.
	36"	15"	20"	2	ROCHCSHP361	() () () () () ()	1,882.	2,070.	2,164.	2,259.	2,635.	3,030.	3,939.
	42"	15"	20"	3	ROCHCSHP421	() () () () () ()	2,463.	2,710.	2,833.	2,956.	3,448.	3,966.	5,155.
	48"	15"	20"	3	ROCHCSHP481	() () () () () ()	2,544.	2,799.	2,925.	3,053.	3,562.	4,096.	5,325.
	54"	15"	20"	3	ROCHCSHP541	() () () () () ()	2,597.	2,856.	2,986.	3,116.	3,636.	4,181.	5,435.
	60"	15"	20"	4	ROCHCSHP601	() () () () () ()	2,878.	3,165.	3,309.	3,453.	4,028.	4,633.	6,022.
	66"	15"	20"	4	ROCHCSHP661	() () () () () ()	2,919.	3,212.	3,357.	3,503.	4,087.	4,700.	6,110.
	72"	15"	20"	4	ROCHCSHP721	() () () () () ()	2,968.	3,265.	3,413.	3,562.	4,156.	4,779.	6,213.
	78"	15"	20"	4	ROCHCSHP781	() () () () () ()	3,017.	3,319.	3,469.	3,620.	4,224.	4,857.	6,315.
	84"	15"	20"	6	ROCHCSHP841	() () () () () ()	3,803.	4,183.	4,373.	4,563.	5,324.	6,122.	7,959.
	90"	15"	20"	6	ROCHCSHP901	() () () () () ()	3,866.	4,252.	4,445.	4,638.	5,412.	6,223.	8,090.
96"	15"	20"	6	ROCHCSHP961	() () () () () ()	3,913.	4,304.	4,500.	4,696.	5,478.	6,299.	8,190.	



Order Code	Specification Information	Application Notes
Example: ROCHSHP30 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
O Overhead	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
C Cabinet mount	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Installation instruction sheets available on Knoll Exchange. For Cabinet hung overheads, refer to part number 6TP00080.
H Hinge door	4. Lock option: N = no drilling, L = locking (wood or laminate doors only)	
SH Single High	5. Lock finish: B=Black, S=Matte silver	
P Planning	6. Case finish: Laminate or Wood	
30 Width	7. Front finish: Laminate or Wood	
1 Depth (letter)	8. Pull finish: Painted or Plated	
2 Case finish type		
2 Front finish type		
H Pull option		
L Lock option		
B Lock finish		
PU Pull finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Cabinet hung with glass doors


description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, <i>cubby exposed</i> 	30"	15"	20"	2	ROCGHCSHP301 () () ()	\$2,622.	\$2,858.	\$3,288.	\$4,273.
	36"	15"	20"	2	ROCGHCSHP361 () () ()	2,738.	2,984.	3,432.	4,461.
	42"	15"	20"	3	ROCGHCSHP421 () () ()	3,489.	3,803.	4,372.	5,685.
	48"	15"	20"	3	ROCGHCSHP481 () () ()	3,585.	3,908.	4,494.	5,842.
	54"	15"	20"	3	ROCGHCSHP541 () () ()	3,834.	4,179.	4,805.	6,247.
	60"	15"	20"	4	ROCGHCSHP601 () () ()	4,253.	4,636.	5,331.	6,931.
	66"	15"	20"	4	ROCGHCSHP661 () () ()	4,378.	4,771.	5,487.	7,133.
	72"	15"	20"	4	ROCGHCSHP721 () () ()	4,484.	4,887.	5,621.	7,307.
	78"	15"	20"	4	ROCGHCSHP781 () () ()	4,651.	5,070.	5,830.	7,579.
	84"	15"	20"	6	ROCGHCSHP841 () () ()	5,723.	6,238.	7,174.	9,326.
90"	15"	20"	6	ROCGHCSHP901 () () ()	5,790.	6,311.	7,257.	9,434.	
96"	15"	20"	6	ROCGHCSHP961 () () ()	5,914.	6,447.	7,414.	9,638.	
Cabinet-hung overhead cabinet glass hinge door, <i>cubby concealed</i> 	30"	15"	20"	2	ROCGHSHP301 () () ()	2,833.	3,343.	3,844.	4,997.
	36"	15"	20"	2	ROCGHSHP361 () () ()	2,971.	3,505.	4,031.	5,240.
	42"	15"	20"	3	ROCGHSHP421 () () ()	3,805.	4,490.	5,164.	6,713.
	48"	15"	20"	3	ROCGHSHP481 () () ()	3,928.	4,635.	5,330.	6,930.
	54"	15"	20"	3	ROCGHSHP541 () () ()	4,179.	4,931.	5,671.	7,372.
	60"	15"	20"	4	ROCGHSHP601 () () ()	4,484.	5,291.	6,085.	7,910.
	66"	15"	20"	4	ROCGHSHP661 () () ()	4,606.	5,435.	6,250.	8,125.
	72"	15"	20"	4	ROCGHSHP721 () () ()	4,737.	5,590.	6,428.	8,356.
	78"	15"	20"	4	ROCGHSHP781 () () ()	4,959.	5,852.	6,729.	8,748.
	84"	15"	20"	6	ROCGHSHP841 () () ()	5,906.	6,969.	8,015.	10,419.
90"	15"	20"	6	ROCGHSHP901 () () ()	6,039.	7,126.	8,195.	10,653.	
96"	15"	20"	6	ROCGHSHP961 () () ()	6,135.	7,239.	8,325.	10,823.	

Order Code	Specification Information	Application Notes
Example: ROCGHCSHP301 () () ()	<i>To order please specify:</i>	<p>These products are Glue and Dowel Construction</p> <p>Letter depth is 15" nominal.</p> <p>Fascias ordered separately</p> <p>Tasklights not included</p> <p>Tack/Task panel order separately</p> <p>Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.</p> <p>No pull option for glass doors. Doors project below shelf for opening.</p> <p>Installation instruction sheets available on Knoll Exchange.</p> <p>For Cabinet hung overheads, refer to part number 6TP00080.</p>
R Reff	1. Case Finish type: L = Laminate	
O Overhead	1 = V1	
C Cabinet mount	2 = V2	
GHC Glas hinge door/ cubby	3 = V3	
SH Single High	2. Case finish: Laminate, V1, V2, V3	
P Planning	3. Door frame finish: Anodized or Painted	
30 Width	4. Glass door finish: GL11, GL14, GL15, GL18	
1 Depth (letter)		
2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

dimensions noted nominal

Overhead, 28³/₈" planning
 Single high
 Cabinet hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	
Cabinet Hung overhead cabinet	60"	15"	20"	2	ROCHOCSH601	(X)(X)(X)(X)(X)(X)	\$2,539.	\$2,793.	\$2,920.	\$3,047.	\$3,682.	\$4,234.	\$5,504.
hinge door / open /	66"	15"	20"	2	ROCHOCSH661	(X)(X)(X)(X)(X)(X)	2,575.	2,834.	2,962.	3,091.	3,735.	4,295.	5,583.
cubby exposed	72"	15"	20"	2	ROCHOCSH721	(X)(X)(X)(X)(X)(X)	2,617.	2,879.	3,010.	3,140.	3,795.	4,364.	5,673.
	78"	15"	20"	2	ROCHOCSH781	(X)(X)(X)(X)(X)(X)	2,669.	2,936.	3,069.	3,202.	3,870.	4,451.	5,786.
	84"	15"	20"	4	ROCHOCSH841	(X)(X)(X)(X)(X)(X)	3,105.	3,417.	3,572.	3,727.	4,503.	5,179.	6,733.
	90"	15"	20"	4	ROCHOCSH901	(X)(X)(X)(X)(X)(X)	3,153.	3,468.	3,626.	3,783.	4,571.	5,257.	6,834.
	96"	15"	20"	4	ROCHOCSH961	(X)(X)(X)(X)(X)(X)	3,191.	3,510.	3,670.	3,830.	4,627.	5,321.	6,917.




Order Code	Specification Information	Application Notes
Example: ROCHOCSH601 (X)(X)(X)(X)(X)(X)	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. <i>Front finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
C Cabinet mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Tasklights not included
HOC Hinge door / Open / Cubby	4. <i>Lock option:</i> N=no drilling, L=locking (wood or laminate doors only)	Tack/Task panel order separately
SH Single High	5. <i>Lock finish:</i> B=Black, S=Matte silver	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	6. <i>Case finish:</i> Wood or Laminate	Doors project below shelf for opening
60 Width	7. <i>Front finish:</i> Wood or Laminate	Installation instruction sheets available on Knoll Exchange.
1 Depth (letter)	8. <i>Pull finish:</i> Painted or Plated	For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
2 Front finish type		
T Tab pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		


dimensions noted nominal

Overhead, 28³/₈" planning
 Single high
 Cabinet hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	20"	2	ROCGHOC SHP 601() () ()	\$3,118.	\$3,898.	\$4,482.	\$5,827.
	66"	15"	20"	2	ROCGHOC SHP 661() () ()	3,190.	3,987.	4,586.	5,962.
	72"	15"	20"	2	ROCGHOC SHP 721() () ()	3,256.	4,070.	4,680.	6,084.
	78"	15"	20"	2	ROCGHOC SHP 781() () ()	3,331.	4,164.	4,788.	6,225.
	84"	15"	20"	4	ROCGHOC SHP 841() () ()	4,089.	4,907.	5,642.	7,336.
	90"	15"	20"	4	ROCGHOC SHP 901() () ()	4,138.	4,965.	5,710.	7,423.
	96"	15"	20"	4	ROCGHOC SHP 961() () ()	4,222.	5,067.	5,827.	7,575.



Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	20"	2	ROCGHOSH P 601() () ()	3,767.	4,709.	5,415.	7,039.
	66"	15"	20"	2	ROCGHOSH P 661() () ()	3,845.	4,806.	5,527.	7,185.
	72"	15"	20"	2	ROCGHOSH P 721() () ()	3,942.	4,927.	5,666.	7,366.
	78"	15"	20"	2	ROCGHOSH P 781() () ()	4,037.	5,046.	5,803.	7,543.
	84"	15"	20"	4	ROCGHOSH P 841() () ()	4,746.	5,933.	6,823.	8,870.
	90"	15"	20"	4	ROCGHOSH P 901() () ()	4,847.	6,059.	6,968.	9,058.
	96"	15"	20"	4	ROCGHOSH P 961() () ()	4,924.	6,155.	7,078.	9,202.



Order Code	Specification Information	Application Notes
Example: ROCGHOCSHP601()()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead		Fascias ordered separately
C Cabinet mount		Tasklights not included
GHOC Glass hinge door / Open / Cubby	2. Case finish: Laminate, V1, V2, V3	Tack/Task panel order separately
SH Single High	3. Door Frame finish: Painted or Anodized	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	4. Door Glass finish: GL11, GL14, GL15, GL18	No pull option on glass doors.
60 Width		Doors project below shelf for opening
1 Depth (letter)		Installation instruction sheets available on Knoll Exchange.
2 Case finish type; V2		For Cabinet hung overheads, refer to part number 6TP00080.
V316 Case finish		
AA Door frame finish		
GL11 Back painted glass door		


dimensions noted nominal


Overhead, 28³/₈" planning

Reff Profiles

Double high

Wall hung

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed 	30"	15"	33"	2	ROMHDHP301()	\$2,197.	\$2,416.	\$2,527.	\$2,637.	\$3,076.	\$3,537.	\$4,598.
	36"	15"	33"	2	ROMHDHP361()	2,271.	2,499.	2,612.	2,725.	3,180.	3,657.	4,753.
	42"	15"	33"	3	ROMHDHP421()	3,043.	3,346.	3,499.	3,651.	4,260.	4,899.	6,368.
	48"	15"	33"	3	ROMHDHP481()	3,131.	3,443.	3,600.	3,756.	4,383.	5,041.	6,553.
	54"	15"	33"	3	ROMHDHP541()	3,321.	3,653.	3,819.	3,985.	4,649.	5,347.	6,951.
	60"	15"	33"	4	ROMHDHP601()	3,657.	4,022.	4,204.	4,387.	5,118.	5,886.	7,652.
	66"	15"	33"	4	ROMHDHP661()	3,772.	4,149.	4,338.	4,527.	5,281.	6,073.	7,895.
	72"	15"	33"	4	ROMHDHP721()	3,849.	4,234.	4,427.	4,620.	5,389.	6,198.	8,057.
	78"	15"	33"	4	ROMHDHP781()	3,977.	4,374.	4,573.	4,772.	5,567.	6,401.	8,322.
	84"	15"	33"	6	ROMHDHP841()	5,024.	5,527.	5,778.	6,030.	7,034.	8,090.	10,516.
90"	15"	33"	6	ROMHDHP901()	5,114.	5,626.	5,881.	6,137.	7,160.	8,234.	10,704.	
96"	15"	33"	6	ROMHDHP961()	5,181.	5,699.	5,959.	6,217.	7,253.	8,342.	10,844.	

Wall-hung overhead cabinet hinge door, cubby exposed 	30"	15"	33"	2	ROMHCDHP301()	2,103.	2,313.	2,418.	3,554.	2,944.	3,386.	4,401.
	36"	15"	33"	2	ROMHCDHP361()	2,173.	2,391.	2,499.	2,608.	3,043.	3,499.	4,548.
	42"	15"	33"	3	ROMHCDHP421()	2,952.	3,248.	3,395.	3,543.	4,133.	4,753.	6,179.
	48"	15"	33"	3	ROMHCDHP481()	3,063.	3,370.	3,523.	3,676.	4,289.	4,932.	6,412.
	54"	15"	33"	3	ROMHCDHP541()	3,150.	3,465.	3,623.	3,780.	4,409.	5,071.	6,592.
	60"	15"	33"	4	ROMHCDHP601()	3,458.	3,803.	3,976.	4,149.	4,840.	5,566.	7,237.
	66"	15"	33"	4	ROMHCDHP661()	3,569.	3,926.	4,105.	4,283.	4,997.	5,746.	7,471.
	72"	15"	33"	4	ROMHCDHP721()	3,643.	4,008.	4,189.	4,371.	5,101.	5,865.	7,625.
	78"	15"	33"	4	ROMHCDHP781()	3,722.	4,095.	4,281.	4,467.	5,212.	5,994.	7,792.
	84"	15"	33"	6	ROMHCDHP841()	4,729.	5,202.	5,438.	5,675.	6,621.	7,614.	9,897.
90"	15"	33"	6	ROMHCDHP901()	4,816.	5,298.	5,539.	5,780.	6,743.	7,755.	10,082.	
96"	15"	33"	6	ROMHCDHP961()	4,881.	5,369.	5,612.	5,857.	6,833.	7,858.	10,216.	

Order Code	Specification Information	Application Notes
Example: ROMHDHP30 ()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case Finish type:</i> L = Laminate	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	1 = V1	Letter depth is 15" nominal.
M Wall mount	2 = V2	Fascias ordered separately
H Hinge door	3 = V3	Tasklights not included
DH Double High	2. <i>Front Finish type:</i> L = Laminate	Tasklights not included
P Planning	1 = V1	Tack/Task panel order separately
30 Width	2 = V2	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
1 Depth (letter)	3 = V3	
2 Case finish type	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull	
2 Front finish type	C = C-pull (nickel finish only)	
H Pull option	D = metal D-pull (PZ or PT only)	
L Lock option	F = Bar	
B Lock finish	H = Outline	
PU Pull finish	R = Cylinder	
	S = S-pull (stainless steel finish only)	
	T = Tab	
	4. <i>Lock option:</i> N=no drilling, L=locking (wood or laminate doors only)	
	5. Lock finish: B=Black, S=Matte silver	
	6. <i>Case finish:</i>	
	7. <i>Front finish:</i>	
	8. <i>Pull finish:</i> Painted or Plated	

dimensions noted nominal


Overhead, 28³/₈" planning

Reff Profiles


Double high

Wall hung with glass door

description	w	d	h	dr	pattern n	L	V1	V2	V3
Wall-hung overhead cabinet	30"	15"	33"	2	ROMGHCDHP301()	\$3,158.	\$3,473.	\$3,994.	\$5,193.
glass hinge door, cubby exposed	36"	15"	33"	2	ROMGHCDHP361()	3,328.	3,661.	4,210.	5,472.
	42"	15"	33"	2	ROMGHCDHP421()	4,372.	4,809.	5,530.	7,189.
	48"	15"	33"	2	ROMGHCDHP481()	4,529.	4,981.	5,729.	7,447.
	54"	15"	33"	2	ROMGHCDHP541()	4,842.	5,326.	6,125.	7,963.
	60"	15"	33"	4	ROMGHCDHP601()	5,408.	5,948.	6,840.	8,893.
	66"	15"	33"	4	ROMGHCDHP661()	5,639.	6,204.	7,134.	9,274.
	72"	15"	33"	4	ROMGHCDHP721()	5,794.	6,373.	7,328.	9,526.
	78"	15"	33"	4	ROMGHCDHP781()	6,034.	6,637.	7,633.	9,923.
	84"	15"	33"	6	ROMGHCDHP841()	7,488.	8,237.	9,473.	12,315.
	90"	15"	33"	6	ROMGHCDHP901()	7,608.	8,369.	9,623.	12,510.
	96"	15"	33"	6	ROMGHCDHP961()	7,778.	8,556.	9,839.	12,791.



description	w	d	h	dr	pattern n	L	V1	V2	V3
Wall-hung overhead cabinet	30"	15"	33"	2	ROMGHDHP301()	3,452.	4,073.	4,684.	6,089.
glass hinge door, cubby concealed	36"	15"	33"	2	ROMGHDHP361()	3,649.	4,306.	4,953.	6,438.
	42"	15"	33"	2	ROMGHDHP421()	4,799.	5,662.	6,512.	8,465.
	48"	15"	33"	2	ROMGHDHP481()	4,976.	5,872.	6,752.	8,778.
	54"	15"	33"	2	ROMGHDHP541()	5,312.	6,268.	7,208.	9,371.
	60"	15"	33"	4	ROMGHDHP601()	5,778.	6,818.	7,841.	10,193.
	66"	15"	33"	4	ROMGHDHP661()	5,967.	7,041.	8,097.	10,526.
	72"	15"	33"	4	ROMGHDHP721()	6,152.	7,259.	8,348.	10,852.
	78"	15"	33"	4	ROMGHDHP781()	6,466.	7,630.	8,774.	11,407.
	84"	15"	33"	6	ROMGHDHP841()	7,754.	9,149.	10,522.	13,687.
	90"	15"	33"	6	ROMGHDHP901()	7,942.	9,371.	10,777.	14,010.
	96"	15"	33"	6	ROMGHDHP961()	8,095.	9,552.	10,985.	14,281.




Order Code	Specification Information	Application Notes
Example: ROMGHCDHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	No glass shelves
M Wall mount	2 = V2	Fascias ordered separately
GHC Glass hinge door / cubby	3 = V3	Tasklights not included
DH Double High	2. <i>Case finish:</i> Laminate or Wood	Tack/Task panel order separately
P Planning	3. <i>Door frame finish:</i> Anodized / Painted	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width	4. <i>Door glass finish:</i> GL11	No pull option for glass doors. Doors project below shelf for opening.
1 Depth (letter)	GL14	
2 Case finish type	GL15	
V316 Case finish	GL18	
AN Door frame finish		
GL11 Door glass finish		


dimensions noted nominal

Overhead, 28³/₈" planning

Double high

Wall hung with and without center gable

description	w	h	d	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30"	33"	15"		1	ROMCGDHP301 () ()	\$1,830.	\$2,562.	\$2,946.	\$3,831.
	36"	33"	15"		1	ROMCGDHP361 () ()	1,879.	2,630.	3,024.	3,932.
	42"	33"	15"		2	ROMCGDHP421 () ()	2,309.	3,233.	3,718.	4,834.
	48"	33"	15"		2	ROMCGDHP481 () ()	2,369.	3,316.	3,813.	4,957.
	54"	33"	15"		2	ROMCGDHP541 () ()	2,629.	3,680.	4,232.	5,502.
	60"	33"	15"		3	ROMCGDHP601 () ()	3,122.	4,371.	5,027.	6,535.
	66"	33"	15"		3	ROMCGDHP661 () ()	3,217.	4,504.	5,180.	6,733.
	72"	33"	15"		3	ROMCGDHP721 () ()	3,266.	4,573.	5,259.	6,837.
	78"	33"	15"		3	ROMCGDHP781 () ()	3,380.	4,732.	5,443.	7,075.
	84"	33"	15"		5	ROMCGDHP841 () ()	4,259.	5,963.	6,857.	8,914.
	90"	33"	15"		5	ROMCGDHP901 () ()	4,312.	6,036.	6,941.	9,024.
96"	33"	15"		5	ROMCGDHP961 () ()	4,358.	6,101.	7,016.	9,121.	

Wall-hung overhead cabinet open /cubby without center gable 	30"	33"	15"			ROMOCDHP301 () ()	1,647.	2,305.	2,651.	3,447.
	36"	33"	15"			ROMOCDHP361 () ()	1,691.	2,367.	2,721.	3,538.
	42"	33"	15"		1	ROMOCDHP421 () ()	2,079.	2,910.	3,346.	4,351.
	48"	33"	15"		1	ROMOCDHP481 () ()	2,132.	2,984.	3,432.	4,462.
	54"	33"	15"		1	ROMOCDHP541 () ()	2,366.	3,312.	3,809.	4,952.
	60"	33"	15"		1	ROMOCDHP601 () ()	2,810.	3,935.	4,525.	5,882.
	66"	33"	15"		1	ROMOCDHP661 () ()	2,895.	4,054.	4,662.	6,059.
	72"	33"	15"		1	ROMOCDHP721 () ()	2,940.	4,116.	4,733.	6,153.
	78"	33"	15"		1	ROMOCDHP781 () ()	3,043.	4,259.	4,899.	6,367.
	84"	33"	15"		2	ROMOCDHP841 () ()	3,834.	5,366.	6,171.	8,023.
	90"	33"	15"		2	ROMOCDHP901 () ()	3,880.	5,432.	6,247.	8,122.
	96"	33"	15"		2	ROMOCDHP961 () ()	3,922.	5,491.	6,315.	8,209.


Without center gable

Order Code	Specification Information	Application Notes
Example: ROMCGDHP301 () () () () ()	To order please specify:	These products are Glue and Dowel Construction
R Reff	1. Case finish type:	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	L = Laminate	A certified building contractor should be consulted.
M Wall mount	1 = V1	Please refer to wall mounting information on page 558.
CG Center Gable	2 = V2	Cubby Dividers: 3"h x 12"d
DH Double High	3 = V3	Interior Gable: 30"h x 13"d.
P Planning	2. Case finish:	
30 Width	Wood or Laminate	Fascias ordered separately
1 Depth (letter)		Tasklights not included
2 Case finish type		Tack/Task panel order separately
V316 Case finish		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

dimensions noted nominal

Overhead, 28³/₈" planning
 Double high
 Wall hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	
Wall Hung overhead cabinet	60"	15"	33"	2	ROMHOCDHP601	(X)(X)(X)(X)(X)(X)	\$3,269.	\$3,597.	\$3,760.	\$3,923.	\$4,740.	\$5,452.	\$7,087.
hinge door / open /	66"	15"	33"	2	ROMHOCDHP661	(X)(X)(X)(X)(X)(X)	3,324.	3,657.	3,822.	3,988.	4,819.	5,542.	7,205.
cubby exposed	72"	15"	33"	2	ROMHOCDHP721	(X)(X)(X)(X)(X)(X)	3,387.	3,726.	3,894.	4,064.	4,911.	5,647.	7,342.
	78"	15"	33"	2	ROMHOCDHP781	(X)(X)(X)(X)(X)(X)	3,453.	3,798.	3,971.	4,144.	5,007.	5,758.	7,485.
	84"	15"	33"	4	ROMHOCDHP841	(X)(X)(X)(X)(X)(X)	3,977.	4,374.	4,573.	4,772.	5,766.	6,631.	8,621.
	90"	15"	33"	4	ROMHOCDHP901	(X)(X)(X)(X)(X)(X)	4,044.	4,448.	4,650.	4,852.	5,863.	6,742.	8,765.
	96"	15"	33"	4	ROMHOCDHP961	(X)(X)(X)(X)(X)(X)	4,102.	4,512.	4,717.	4,923.	5,948.	6,841.	8,893.




Order Code	Specification Information	Application Notes
Example: ROMHOCDHP601 (X)(X)(X)(X)(X)(X)	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. <i>Front Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
M Wall mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Tasklights not included
HOC Hinge door / open / cubby	4. <i>Lock Option:</i> N=no drilling, L=locking (wood or laminate doors only)	Tack/Task panel order separately
DH Double High	5. <i>Lock finish:</i> B=Black, S=Matte silver	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	6. <i>Case Finish</i>	Doors project below shelf for opening
60 Width	7. <i>Front Finish</i>	
1 Depth (letter)	8. <i>Pull finish:</i> Painted or Plated	
2 Case finish type		
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Wall hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	33"	2	ROMGHODHP601()()()	\$4,883.	\$6,104.	\$7,019.	\$9,125.
glass hinge door / open / cubby concealed	66"	15"	33"	2	ROMGHODHP661()()()	5,015.	6,269.	7,210.	9,373.
	72"	15"	33"	2	ROMGHODHP721()()()	5,138.	6,422.	7,386.	9,601.
	78"	15"	33"	2	ROMGHODHP781()()()	5,296.	6,619.	7,612.	9,896.
	84"	15"	33"	4	ROMGHODHP841()()()	6,202.	7,753.	8,916.	11,590.
	90"	15"	33"	4	ROMGHODHP901()()()	6,337.	7,922.	9,110.	11,843.
	96"	15"	33"	4	ROMGHODHP961()()()	6,462.	8,078.	9,289.	12,076.
Wall Hung overhead cabinet	60"	15"	33"	2	ROMGHODHP601()()()	4,156.	5,194.	5,974.	7,766.
glass hinge door / open / cubby exposed	66"	15"	33"	2	ROMGHODHP661()()()	4,264.	5,331.	6,131.	7,969.
	72"	15"	33"	2	ROMGHODHP721()()()	4,363.	5,454.	6,272.	8,152.
	78"	15"	33"	2	ROMGHODHP781()()()	4,495.	5,595.	6,434.	8,365.
	84"	15"	33"	4	ROMGHODHP841()()()	5,397.	6,638.	7,634.	9,924.
	90"	15"	33"	4	ROMGHODHP901()()()	5,481.	6,741.	7,753.	10,079.
	96"	15"	33"	4	ROMGHODHP961()()()	5,602.	6,891.	7,924.	10,301.




Order Code	Specification Information	Application Notes
Example: ROMGHODHP601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	1 = V1	A certified building contractor should be consulted.
M Wall mount	2 = V2	Please refer to wall mounting information on page 558.
GHOC Glass hinge door / open / cubby	3 = V3	
DH Double High	2. Case finish: Laminate or Wood	Tasklights not included
P Planning	3. Door Frame finish: Anodized or Painted	Tack/Task panel order separately
60 Width	4. Door Glass finish: GL11, GL14, GL15, GL18	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
1 Depth (letter)		Doors project below shelf for opening
		No pull option on glass doors.


dimensions noted nominal

Overhead, 28³/₈" planning

Reff Profiles

Double high Cabinet hung


description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door, cubby concealed 	30"	15"	33"	2	ROCHDHP301 () () () () () ()	\$2,270.	\$2,498.	\$2,611.	\$2,724.	\$3,179.	\$3,655.	\$4,751.
	36"	15"	33"	2	ROCHDHP361 () () () () () ()	2,342.	2,577.	2,693.	2,811.	3,280.	3,772.	4,903.
	42"	15"	33"	3	ROCHDHP421 () () () () () ()	3,113.	3,424.	3,579.	3,736.	4,358.	5,012.	6,515.
	48"	15"	33"	3	ROCHDHP481 () () () () () ()	3,186.	3,505.	3,664.	3,823.	4,461.	5,129.	6,668.
	54"	15"	33"	3	ROCHDHP541 () () () () () ()	3,374.	3,712.	3,881.	4,049.	4,725.	5,433.	7,063.
	60"	15"	33"	4	ROCHDHP601 () () () () () ()	3,708.	4,079.	4,264.	4,450.	5,192.	5,971.	7,762.
	66"	15"	33"	4	ROCHDHP661 () () () () () ()	3,822.	4,204.	4,396.	4,587.	5,351.	6,154.	8,000.
	72"	15"	33"	4	ROCHDHP721 () () () () () ()	3,901.	4,290.	4,486.	4,680.	5,460.	6,280.	8,164.
	78"	15"	33"	4	ROCHDHP781 () () () () () ()	4,011.	4,411.	4,612.	4,813.	5,616.	6,457.	8,395.
	84"	15"	33"	6	ROCHDHP841 () () () () () ()	5,057.	5,563.	5,815.	6,069.	7,079.	8,141.	10,584.
90"	15"	33"	6	ROCHDHP901 () () () () () ()	5,145.	5,659.	5,916.	6,174.	7,203.	8,282.	10,768.	
96"	15"	33"	6	ROCHDHP961 () () () () () ()	5,211.	5,731.	5,992.	6,252.	7,294.	8,388.	10,906.	


Cabinet-hung overhead cabinet hinge door, cubby exposed 	30"	15"	33"	2	ROCHCDHP301 () () () () () ()	2,175.	2,393.	2,501.	2,610.	3,045.	3,502.	4,552.
	36"	15"	33"	2	ROCHCDHP361 () () () () () ()	2,243.	2,468.	2,579.	2,691.	3,140.	3,611.	4,695.
	42"	15"	33"	3	ROCHCDHP421 () () () () () ()	3,044.	3,349.	3,500.	3,652.	4,261.	4,901.	6,371.
	48"	15"	33"	3	ROCHCDHP481 () () () () () ()	3,117.	3,429.	3,584.	3,741.	4,364.	5,019.	6,524.
	54"	15"	33"	3	ROCHCDHP541 () () () () () ()	3,201.	3,522.	3,681.	3,842.	4,483.	5,154.	6,701.
	60"	15"	33"	4	ROCHCDHP601 () () () () () ()	3,507.	3,857.	4,033.	4,209.	4,910.	5,646.	7,340.
	66"	15"	33"	4	ROCHCDHP661 () () () () () ()	3,616.	3,979.	4,159.	4,340.	5,063.	5,823.	7,569.
	72"	15"	33"	4	ROCHCDHP721 () () () () () ()	3,692.	4,060.	4,245.	4,429.	5,168.	5,943.	7,725.
	78"	15"	33"	4	ROCHCDHP781 () () () () () ()	3,754.	4,129.	4,318.	4,505.	5,256.	6,044.	7,858.
	84"	15"	33"	6	ROCHCDHP841 () () () () () ()	4,758.	5,233.	5,471.	5,709.	6,660.	7,659.	9,957.
90"	15"	33"	6	ROCHCDHP901 () () () () () ()	4,843.	5,327.	5,569.	5,811.	6,780.	7,797.	10,136.	
96"	15"	33"	6	ROCHCDHP961 () () () () () ()	4,906.	5,396.	5,641.	5,887.	6,868.	7,898.	10,268.	

Order Code	Specification Information	Application Notes
Example: ROCH-DHP301 () () () () () () R Reff O Overhead C Cabinet Hung H Hinge door DH Double High P Planning 30 Width 1 Depth (letter) 2 Case finish type 2 Front finish type H Pull option L Lock option B Lock finish V316 Case finish V316 Front finish PN Pull finish	To order please specify: 1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab 4. Lock option: N=no drilling, L=locking (wood or laminate doors only) 5. Lock finish: B=Black, S=Matte silver 6. Case finish: Wood or Laminate 7. Front finish: Wood or Laminate 8. Pull finish: Painted or Plated	These products are Glue and Dowel Construction Letter depth is 15" nominal. Fascias ordered separately Tasklights not included Tack/Task panel order separately Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Installation instruction sheets available on Knoll Exchange. For Cabinet hung overheads, refer to part number 6TP00080.
dimensions noted nominal		

Overhead storage

Overhead, 28³/₈" planning
Double high
Cabinet hung with glass door

description	w	d	h	dr	pattern n	L	V1	V2	V3
 Cabinet-hung overhead cabinet glass hinge door, cubby exposed	30"	15"	33"	2	ROCGHCDHP301()()()	\$3,201.	\$3,489.	\$4,012.	\$5,216.
	36"	15"	33"	2	ROCGHCDHP361()()()	3,370.	3,673.	4,224.	5,492.
	42"	15"	33"	3	ROCGHCDHP421()()()	4,422.	4,820.	5,543.	7,206.
	48"	15"	33"	3	ROCGHCDHP481()()()	4,562.	4,972.	5,718.	7,432.
	54"	15"	33"	3	ROCGHCDHP541()()()	4,875.	5,314.	6,111.	7,944.
	60"	15"	33"	4	ROCGHCDHP601()()()	5,235.	5,707.	6,563.	8,533.
	66"	15"	33"	4	ROCGHCDHP661()()()	5,459.	5,950.	6,843.	8,896.
	72"	15"	33"	4	ROCGHCDHP721()()()	5,635.	6,143.	7,064.	9,183.
	78"	15"	33"	4	ROCGHCDHP781()()()	5,860.	6,387.	7,345.	9,548.
	84"	15"	33"	6	ROCGHCDHP841()()()	7,132.	7,773.	8,939.	11,621.
90"	15"	33"	6	ROCGHCDHP901()()()	7,249.	7,902.	9,088.	11,813.	
96"	15"	33"	6	ROCGHCDHP961()()()	7,419.	8,087.	9,299.	12,089.	

 Cabinet-hung overhead cabinet glass hinge door, cubby concealed	30"	15"	33"	2	ROCGHDHP301()()()	3,437.	4,056.	4,664.	6,063.
	36"	15"	33"	2	ROCGHDHP361()()()	3,632.	4,285.	4,928.	6,406.
	42"	15"	33"	3	ROCGHDHP421()()()	4,779.	5,640.	6,486.	8,431.
	48"	15"	33"	3	ROCGHDHP481()()()	4,952.	5,843.	6,719.	8,734.
	54"	15"	33"	3	ROCGHDHP541()()()	5,270.	6,219.	7,152.	9,297.
	60"	15"	33"	4	ROCGHDHP601()()()	5,719.	6,749.	7,761.	10,089.
	66"	15"	33"	4	ROCGHDHP661()()()	5,899.	6,960.	8,004.	10,406.
	72"	15"	33"	4	ROCGHDHP721()()()	6,104.	7,203.	8,283.	10,768.
	78"	15"	33"	4	ROCGHDHP781()()()	6,398.	7,550.	8,683.	11,288.
	84"	15"	33"	6	ROCGHDHP841()()()	7,685.	9,068.	10,428.	13,557.
90"	15"	33"	6	ROCGHDHP901()()()	7,870.	9,287.	10,680.	13,884.	
96"	15"	33"	6	ROCGHDHP961()()()	8,021.	9,464.	10,884.	14,149.	

Order Code	Specification Information	Application Notes
Example: ROCGHCDHP301 ()()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction Letter depth is 15" nominal. No glass shelves Fascias ordered separately Tasklights not included Tack/Task panel order separately Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. No pull option for glass doors. Doors project below shelf for opening. Installation instruction sheets available on Knoll Exchange. For Cabinet hung overheads, refer to part number 6TP00080.
R Reff	1. Case Finish Type: L = Laminate	
O Overhead	1 = V1 2 = V2 3 = V3	
C Cabinet Hung	2. Case Finish: V316	
GHC Glass hinge door / cubby	3. Door frame finish: Anotized or Painted	
DH Double High	4. Door Glass finish: GL11, GL14, GL15, GL18	
P Planning		
30 Width		
1 Depth (letter)		
2 Case finish type		
2 Caese finish		
AN Door frame finish		
GL11 Door glass finish		


dimensions noted nominal

Overhead, 28³/₈" planning


Double high

Cabinet hung with and without center gable

description	w	d	h	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable	30"	15"	33"	1	ROCCGDHP301()()	\$1,904.	\$2,666.	\$3,065.	\$3,985.
	36"	15"	33"	1	ROCCGDHP361()()	1,951.	2,731.	3,140.	4,082.
	42"	15"	33"	2	ROCCGDHP421()()	2,380.	3,332.	3,833.	4,982.
	48"	15"	33"	2	ROCCGDHP481()()	2,425.	3,394.	3,904.	5,075.
	54"	15"	33"	2	ROCCGDHP541()()	2,683.	3,755.	4,319.	5,615.
	60"	15"	33"	3	ROCCGDHP601()()	3,175.	4,445.	5,112.	6,646.
	66"	15"	33"	3	ROCCGDHP661()()	3,268.	4,575.	5,261.	6,839.
	72"	15"	33"	3	ROCCGDHP721()()	3,318.	4,645.	5,342.	6,944.
	78"	15"	33"	3	ROCCGDHP781()()	3,415.	4,781.	5,498.	7,147.
	84"	15"	33"	5	ROCCGDHP841()()	4,291.	6,008.	6,909.	8,982.
	90"	15"	33"	5	ROCCGDHP901()()	4,341.	6,078.	6,991.	9,088.
96"	15"	33"	5	ROCCGDHP961()()	4,388.	6,142.	7,064.	9,182.	



Cabinet-hung overhead cabinet open /cubby without center gable	30"	15"	33"		ROCOCDHP301()()	1,714.	2,399.	2,758.	3,586.
	36"	15"	33"		ROCOCDHP361()()	1,756.	2,458.	2,826.	3,674.
	42"	15"	33"	1	ROCOCDHP421()()	2,142.	2,999.	3,449.	4,484.
	48"	15"	33"	1	ROCOCDHP481()()	2,183.	3,055.	3,513.	4,567.
	54"	15"	33"	1	ROCOCDHP541()()	2,415.	3,379.	3,887.	5,053.
	60"	15"	33"	1	ROCOCDHP601()()	2,858.	4,001.	4,601.	5,981.
	66"	15"	33"	1	ROCOCDHP661()()	2,942.	4,118.	4,735.	6,155.
	72"	15"	33"	1	ROCOCDHP721()()	2,986.	4,181.	4,807.	6,250.
	78"	15"	33"	1	ROCOCDHP781()()	3,074.	4,303.	4,948.	6,432.
	84"	15"	33"	2	ROCOCDHP841()()	3,861.	5,408.	6,218.	8,083.
	90"	15"	33"	2	ROCOCDHP901()()	3,908.	5,470.	6,291.	8,179.
	96"	15"	33"	2	ROCOCDHP961()()	3,949.	5,528.	6,357.	8,265.



Without center gable

Order Code	Specification Information	Application Notes
Example: ROCCGDHP301()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type:	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	L = Laminate	A certified building contractor should be consulted.
C Cabinet hung	1 = V1	Please refer to wall mounting information on page 558.
CG Center gable	2 = V2	Cubby Dividers: 3" h x 12" d
DH Double High	3 = V3	Interior Gable: 30" h x 13" d.
P Planning	2. Case finish: Wood or Laminate	
30 Width		Fascias ordered separately
1 Depth (letter)		Tasklights not included
2 Case finish type		Tack/Task panel order separately
V316 Case finish		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.


dimensions noted nominal

Installation instruction sheets available on Knoll Exchange.

For Cabinet hung overheads, refer to part number 6TP00080.

Overhead, 28³/₈" planning
 Double high
 Cabinet hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	33"	2	ROCH OCDHP601()	\$3,260.	\$3,585.	\$3,748.	\$3,912.	\$4,727.	\$5,435.	\$7,066.
hinge door / open /	66"	15"	33"	2	ROCH OCDHP661()	3,312.	3,643.	3,809.	3,975.	4,803.	5,523.	7,180.
cubby exposed	72"	15"	33"	2	ROCH OCDHP721()	3,374.	3,711.	3,880.	4,049.	4,893.	5,627.	7,314.
	78"	15"	33"	2	ROCH OCDHP781()	3,426.	3,769.	3,940.	4,111.	4,968.	5,712.	7,426.
	84"	15"	33"	4	ROCH OCDHP841()	3,949.	4,344.	4,541.	4,739.	5,726.	5,555.	8,560.
	90"	15"	33"	4	ROCH OCDHP901()	4,014.	4,415.	4,615.	4,816.	5,820.	6,693.	8,700.
	96"	15"	33"	4	ROCH OCDHP961()	4,071.	4,477.	4,681.	4,884.	5,902.	6,788.	8,824.



Order Code	Specification Information	Application Notes
Example: ROCH-OCDHP601()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead		Fascias ordered separately
C Cabinet Hung	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included
HOC Hinge door / open / cubby	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Tack/Task panel order separately
DH Double High		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning		Doors project below shelf for opening
30 Width		Installation instruction sheets available on Knoll Exchange.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
	4. Lock option: N=no drilling, L=locking (wood or laminate doors only)	
	5. Lock finish: B=Black, S=Matte silver	
	6. Case finish: Wood or Laminate	
	7. Front finish: Wood or Laminate	
	8. Pull finish: Painted or Plated	


dimensions noted nominal

Overhead, 28³/₈" planning


Double high

Cabinet hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	33"	2	ROCGHOCDHP601 () () ()	\$4,145.	\$5,181.	\$5,958.	\$7,746.
	66"	15"	33"	2	ROCGHOCDHP661 () () ()	4,251.	5,314.	6,111.	7,944.
	72"	15"	33"	2	ROCGHOCDHP721 () () ()	4,348.	5,435.	6,250.	8,126.
	78"	15"	33"	2	ROCGHOCDHP781 () () ()	4,445.	5,559.	6,390.	8,307.
	84"	15"	33"	4	ROCGHOCDHP841 () () ()	5,364.	6,598.	7,587.	9,863.
	90"	15"	33"	4	ROCGHOCDHP901 () () ()	5,446.	6,698.	7,702.	10,014.
	96"	15"	33"	4	ROCGHOCDHP961 () () ()	5,564.	6,844.	7,871.	10,232.



description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	33"	2	ROCGHODHP601 () () ()	4,842.	6,052.	6,960.	9,048.
	66"	15"	33"	2	ROCGHODHP661 () () ()	4,972.	6,215.	7,147.	9,291.
	72"	15"	33"	2	ROCGHODHP721 () () ()	5,093.	6,366.	7,321.	9,517.
	78"	15"	33"	2	ROCGHODHP781 () () ()	5,232.	6,540.	7,521.	9,777.
	84"	15"	33"	4	ROCGHODHP841 () () ()	6,137.	7,671.	8,822.	11,469.
	90"	15"	33"	4	ROCGHODHP901 () () ()	6,279.	7,849.	9,026.	11,734.
	96"	15"	33"	4	ROCGHODHP961 () () ()	6,393.	7,991.	9,190.	11,947.



description	w	d	h	pattern no.	L	V1	V2	V3
Overhead shoulder	2"	15"	68"	ROSSH681 () ()	379.	390.	448.	605.
	2"	15"	82"	ROSDH821 () ()	412.	427.	490.	662.




To be used with Single and Double high overheads

Order Code	Specification Information	Application Notes
Example: ROCG-HOCDHP601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Case finish: Laminate or Wood	Fascias ordered separately
C Cabinet Hung	3. Door Frame finish: Anodized or Painted	Tasklights not included
GHOC Glass hinge door / open / cubby	4. Door Glass finish: GL11, GL14, GL15, GL18	Tack/Task panel order separately
DH Double High		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning		Doors project below shelf for opening
60 Width		Installation instruction sheets available on Knoll Exchange.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.


dimensions noted nominal

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()L		\$699.	\$699.	\$733.	\$1,050.
		30"	14 1/4"	14 3/4"	RO3-M30() ()L		782.	782.	818.	1,130.
		36"	14 1/4"	14 3/4"	RO3-M36() ()L		901.	901.	945.	1,265.
		42"	14 1/4"	14 3/4"	RO3-M42() ()L		1,041.	1,041.	1,091.	1,404.
		48"	14 1/4"	14 3/4"	RO3-M48() ()L		1,158.	1,158.	1,216.	1,538.



Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() ()L		1,469.	1,469.	1,539.	2,115.
		66"	14 1/4"	14 3/4"	RO3-M66() ()L		1,598.	1,598.	1,681.	2,266.
		72"	14 1/4"	14 3/4"	RO3-M72() ()L		1,711.	1,711.	1,796.	2,390.



Enclosed cabinet, no lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()N		632.	632.	663.	
		30"	14 1/4"	14 3/4"	RO3-M30() ()N		715.	715.	751.	
		36"	14 1/4"	14 3/4"	RO3-M36() ()N		835.	835.	874.	
		42"	14 1/4"	14 3/4"	RO3-M42() ()N		973.	973.	1,021.	
		48"	14 1/4"	14 3/4"	RO3-M48() ()N		1,090.	1,090.	1,145.	



Order Code

Example: RO3-M48-612-M-L	
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.
Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 416) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.


Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.

Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() (JN)		\$1,331.	\$1,331.	\$1,397.	n/a
		66"	14 1/4"	14 3/4"	RO3-M66() (JN)		1,466.	1,466.	1,535.	n/a
		72"	14 1/4"	14 3/4"	RO3-M72() (JN)		1,572.	1,572.	1,653.	n/a



Interior partitions	type	w	d	h	pattern no.	black
	Horizontal, set of 10	6"	11"	-	RO1-HP6	134.
	Horizontal, set of 10	9"	11"	-	RO1-HP9	169.
	Horizontal, set of 10	12"	11"	-	RO1-HP12	201.
	Horizontal, set of 10	15"	11"	-	RO1-HP15	234.
	Vertical, set of 5	-	11"	12"	RO3-VP	87.

Order Code

Example:	RO3-M48-612-M-L
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.
Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 416) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.


Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()L	\$686.	\$686.	\$719.	\$1,032.
		30"	14 1/4"	14 3/4"	RO3-N30() ()L	763.	763.	804.	1,114.
		36"	14 1/4"	14 3/4"	RO3-N36() ()L	883.	883.	928.	1,249.
		42"	14 1/4"	14 3/4"	RO3-N42() ()L	1,024.	1,024.	1,077.	1,389.
		48"	14 1/4"	14 3/4"	RO3-N48() ()L	1,145.	1,145.	1,200.	1,525.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()L	1,448.	1,448.	1,523.	2,101.
		66"	14 1/4"	14 3/4"	RO3-N66() ()L	1,586.	1,586.	1,661.	2,252.
		72"	14 1/4"	14 3/4"	RO3-N72() ()L	1,693.	1,693.	1,778.	2,376.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()N	616.	616.	646.	n/a
		30"	14 1/4"	14 3/4"	RO3-N30() ()N	698.	698.	732.	n/a
		36"	14 1/4"	14 3/4"	RO3-N36() ()N	816.	816.	857.	n/a
		42"	14 1/4"	14 3/4"	RO3-N42() ()N	958.	958.	1,006.	n/a
		48"	14 1/4"	14 3/4"	RO3-N48() ()N	1,075.	1,075.	1,130.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()N	1,313.	1,313.	1,380.	n/a
		66"	14 1/4"	14 3/4"	RO3-N66() ()N	1,447.	1,447.	1,520.	n/a
		72"	14 1/4"	14 3/4"	RO3-N72() ()N	1,561.	1,561.	1,639.	n/a



Order Code

Example:	RO3-N48-613-613-L
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.



Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter open shelf

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf no mounting hardware		30"	13"	8"	RS1-N30()		\$328.	\$328.	\$343.
		36"	13"	8"	RS1-N36()		371.	371.	389.
		42"	13"	8"	RS1-N42()		400.	400.	419.
		48"	13"	8"	RS1-N48()		430.	430.	451.
		60"	13"	8"	RS1-N60()		504.	504.	530.
 Interior partitions	Vertical, set of 5	–	12"	6"	RS1-VP	81.			
	Horizontal, set of 10	6"	12"	–	RO1-HP6	134.			
		9"	12"	–	RO1-HP9	169.			
		12"	12"	–	RO1-HP12	201.			
		15"	12"	–	RO1-HP15	234.			

Order Code

Example: RS1-N48-612
RS1 Reuter shelf
N No mounting hardware
48 Width
612 Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.



Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter open overhead

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open overhead no mounting hardware		30"	13"	14 ³ / ₄ "	RO3-ON30()	\$490.	\$490.	\$513.	
		36"	13"	14 ³ / ₄ "	RO3-ON36()	562.	562.	590.	
		42"	13"	14 ³ / ₄ "	RO3-ON42()	638.	638.	670.	
		48"	13"	14 ³ / ₄ "	RO3-ON48()	713.	713.	747.	
		60"	13"	14 ³ / ₄ "	RO3-ON60()	829.	829.	872.	
		72"	13"	14 ³ / ₄ "	RO3-ON72()	977.	977.	1,025.	
 Interior partitions	Vertical, set of 5	–	11"	12"	RO3-VP	87.			
	Horizontal, set of 10	6"	11"	–	RO1-HP6	134.			
		9"	11"	–	RO1-HP9	169.			
		12"	11"	–	RO1-HP12	201.			
		15"	11"	–	RO1-HP15	234.			

Order Code

Example:	RO3-ON30-612
RO3-O	Reuter open overhead
N	No mounting hardware
30	Width
612	Finish

Specification Information

Specify finish for case and door.

Application Notes

Interior partitions are black painted steel finish.

Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.

Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.




Reuter overhead storage
desk and panel mounting options
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				RO1-RPB	\$45.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				RS1-RPB	37.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Reff / AutoStrada panels				RO1-RCB()		96.






Order Code	Specification Information	Application Notes
Example: RO2-NS21-612	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
RO2 Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
NS Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
21 Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
612 Paint finish		For Morrison Network desk mount applications, overhead cabinet or shelf width must correspond to desk support width and worksurface with grommet. Stanchions bolt to desk support corner leg. Top of cabinet or stanchions aligns with adjacent 64"H vertical panels or vertical storage.
		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	\$84.
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	91.
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	96.
Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	RS1-WMF24	84.
	30"W shelf	29"	1 1/2"	6"	RS1-WMF30	89.
	36"W shelf	35"	1 1/2"	6"	RS1-WMF36	91.
	42"W shelf	41"	1 1/2"	6"	RS1-WMF42	94.
	48"W shelf	47"	1 1/2"	6"	RS1-WMF48	96.
	60"W shelf	59"	1 1/2"	6"	RS1-WMF60	102.
Wall mount wire manager, set of 10					MWM-J	150.
						
	Ganging bracket				RO1-GB	12.
ADA pull					RO1-PULL	49.
						


Order Code	Specification Information	Application Notes
Example: RO1-GB	Wall mount frames are painted black finish.	Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads.
RO1 Reuter overhead	ADA pull is stainless steel.	Reuter open shelves 66" and 72"W are for stanchion support only.
GB Ganging bracket		Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).
		Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.
		ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".
		ADA pull cannot be mounted on wood front Reuter doors.

description	type	w	d	h	pattern no.	list
 <p>T5 Standard Task Light</p>	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19S	\$225.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25S	242.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37S	261.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49S	283.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61S	301.
 <p>T5 Advanced Task Light</p>	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25A	417.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37A	439.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49A	456.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61A	475.
 <p>LED Task Light</p>	Use with 24" and wider overhead (3 LED's)	19"	2"	5/8"	ML3L193M	301.
	Use with 24" and wider overhead (6 LED's)	19"	2"	5/8"	ML3L196M	380.
	Use with 24" and wider overhead (9 LED's)	19"	2"	5/8"	ML3L199M	517.
	Use with 42" and wider overhead (6 LED's)	37"	2"	5/8"	ML3L376M	607.
	Use with 42" and wider overhead (12 LED's)	37"	2"	5/8"	ML3L3712M	686.
	Use with 42" and wider overhead (18 LED's)	37"	2"	5/8"	ML3L3718M	850.


Order Code	Specification Information	Application Notes
<p>T5 Standard Task Light</p> <p>Example: RTAT5E25S</p> <p>RTA Task Light</p> <p>T5 T5 lamp</p> <p>E Electronic ballast</p> <p>25 Width</p> <p>S Standard</p> <p>LED Task Light</p> <p>Example: ML3L193M</p> <p>ML3 Task Light</p> <p>L LED</p> <p>19 Width</p> <p>3 # of LED's</p> <p>M Metal Overhead Attachment</p>	<p>T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.</p> <p>LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.</p>	<p>T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH</p> <p>Cordset is center exit. On smaller units cord exit is off-center, but still not handed.</p> <p>T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.</p> <p>LED Task Lights: Power cord is able to attach to either end of fixture.</p> <p>Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.</p> <p>All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.</p>

Progressive Overheads
 28³/₈" planning
 Cabinet Hung with glass door


description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung Shelf	90"	15"	14 ³ / ₄ "	1	RROCGSD90GB () () () ()	\$3,023.	\$3,628.	\$4,172.	\$5,424.
Glass Sliding Doors Closed Ends	108"	15"	14 ³ / ₄ "	1	RROCGSD108GB () () () ()	3,307.	3,969.	4,564.	5,933.




Cabinet Hung Shelf with 2 Glass Sliding Doors	90"	15"	14 ⁷ / ₈ "	2	RROC2GSD90 () () () ()	4,160.	4,701.	5,119.	6,654.
	108"	15"	14 ⁷ / ₈ "	2	RROC2GSD108 () () () ()	4,696.	5,307.	5,710.	7,423.



Cabinet Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ³ / ₄ "	1	RROCGSDL60GB () () () ()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ³ / ₄ "	1	RROCGSDL72GB () () () ()	2,754.	3,167.	3,643.	4,736.



Cabinet Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ³ / ₄ "	1	RROCGSDR60GB () () () ()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ³ / ₄ "	1	RROCGSDR72GB () () () ()	2,754.	3,167.	3,643.	4,736.




Order Code	Specification Information	Application Notes
Example: RROCGSD90GB () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction.
RR Refresh	1. Pull option=C Grommet pull	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	2. Pull finish = Painted/plated	Above sizes are nominal.
C Cabinet Hung	3. Case finish = V316	All sliding doors including wood, laminate and glass are non-locking.
GSD Glass Sliding Door	4. Door frame finish = Anodized / painted	Installation instruction sheets available on Knoll Exchange.
90 90" wide	5. Door Glass finish	For Cabinet hung overheads, refer to part number 6TP00080.
GB Gable Both	GL11 = Black	For overhead with sliding doors, refer to part number 6TP00088.
G Pull option	GL14 = Folkstone Grey	
111 Pull finish	GL15 = Med. Grey	
V316 Case finish	GL18 = White	
AN Door frame finish		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
GL11 Glass finish		For progressive overheads, LED light is recommended without fascia.


Progressive Overheads
 28^{3/8}" planning
 Cabinet Hung with wood door

Reff Profiles


description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung Shelf	90"	15"	14 ^{3/4} "	1	RROCWSD90GB () () ()	\$2,597.	\$2,857.	\$2,987.	\$3,117.	\$3,376.	\$3,882.	\$5,047.
Sliding Doors Closed Ends	108"	15"	14 ^{3/4} "	1	RROCWSD108GB () () ()	2,816.	3,097.	3,238.	3,379.	3,661.	4,210.	5,472.




Cabinet Hung Shelf with 2 Wood/Laminate Sliding Doors	90"	15"	14 ^{3/4} "	2	RROC2WSD90 () () ()	3,136.	3,450.	3,606.	3,763.	4,077.	4,584.	5,959.
	108"	15"	14 ^{3/4} "	2	RROC2WSD108 () () ()	3,501.	3,851.	4,026.	4,201.	4,551.	5,053.	6,569.



Cabinet Hung Shelf with Wood/Laminate Sliding Door Right Hand	60"	15"	14 ^{3/4} "	1	RROCWSDR60GB () () ()	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
	72"	15"	14 ^{3/4} "	1	RROCWSDR72GB () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.




Cabinet Hung Shelf with Wood/Laminate Sliding Door Left Hand	60"	15"	14 ^{3/4} "	1	RROCWSDL60GB () () ()	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
	72"	15"	14 ^{3/4} "	1	RROCWSDL72GB () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.



Order Code	Specification Information	Application Notes
Example: RROCWSDR60GB	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet pull only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted or Plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish: L, V1, V2, V3	Installation instruction sheets available on Knoll Exchange.
WSDR Wood/Lam. Sliding Door	4. Front finish: L, V1, V2, V3	For Cabinet hung overheads, refer to part number 6TP00080.
60 60" wide		For overhead with sliding doors, refer to part number 6TP00088.
GB Gable Both		All sliding doors including wood, laminate and glass are non-locking.
G Pull Option		Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
115 Pull Finish		A certified building contractor should be consulted.
V316 Case Finish		Please refer to wall mounting information on page 558.
V316 Front Finish		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

For progressive overheads, LED light is recommended without fascia.

Progressive Overheads
 28³/₈" planning
 Cabinet Hung with open shelf

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Open Shelf Closed Ends 	60"	15"	14 ³ / ₄ "	RROCOS60GB ()()	\$1,568.	\$2,037.	\$2,343.	\$3,046.
	72"	15"	14 ³ / ₄ "	RROCOS72GB ()()	1,671.	2,172.	2,498.	3,248.
	90"	15"	14 ³ / ₄ "	RROCOS90GB ()()	1,821.	2,368.	2,723.	3,540.
	108"	15"	14 ³ / ₄ "	RROCOS108GB ()()	2,071.	2,693.	3,097.	4,026.

Order Code

Example: RROCOS60GB ()()
RR Reff
O Overhead
C Cabinet Hung
OS Open shelf
60 60" wide
2 Finish type
V316 Case Finish

Specification Information

To order please specify

- Finish type:
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
- Finish

Application Notes

These products are Glue and Dowel Construction.

Above sizes are nominal.

Installation instruction sheets available on Knoll Exchange.

For Cabinet hung overheads, refer to part number 6TP00080.


Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

For progressive overheads, LED light is recommended without fascia.


Progressive Overheads
 28³/₈" planning
 Wall Hung with glass door

Reff Profiles


description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ³ / ₄ "	1	RROMGSD90GN () () () () ()	\$2,861.	\$3,434.	\$3,949.	\$5,134.
	108"	15"	14 ³ / ₄ "	1	RROMGSD108GN () () () () ()	3,246.	3,894.	4,479.	5,823.



Wall Hung Shelf with Glass Sliding Door Gable Right	60"	15"	14 ³ / ₄ "	1	RROMGSD60GR () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	1	RROMGSD72GR () () () () ()	2,726.	3,271.	3,763.	4,890.



Wall Hung Shelf with Glass Sliding Door Gable Left	60"	15"	14 ³ / ₄ "	1	RROMGSD60GL () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	1	RROMGSD72GL () () () () ()	2,726.	3,271.	3,763.	4,890.




Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	2. Pull finish: 115	A certified building contractor should be consulted.
M Wall hung	3. Case finish: V319	Please refer to wall mounting information on page 558.
GSD Glass sliding door	4. Door frame: Anodized / painted	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
90 90" wide	5. Glass finish:	
GN No gable	GL11 = Black	
G Pull Option	GL14 = Folkstone Grey	
115 Pull Finish	GL15 = Med. Grey	
V319 Case Finish	GL18 = White	
AP Door Frame Finish		Installation instruction sheets available on Knoll Exchange.
GL11 Glass Finish		For overheads with sliding doors, refer to part number 6TP00088.
		For progressive overheads, LED light is recommended without fascia.

Overhead storage


28³/₈" planning

Wall Hung with glass door closed ends


description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ³ / ₄ "	1	RROMGSD90GB () () () ()	\$3,203.	\$3,684.	\$4,236.	\$5,507.
	108"	15"	14 ³ / ₄ "	1	RROMGSD108GB () () () ()	3,598.	4,138.	4,758.	6,185.




Wall Hung Shelf with 2 Glass Sliding Doors	90"	15"	14 ³ / ₄ "	2	RROM2GSD90 () () () () ()	4,450.	4,895.	5,313.	6,907.
	108"	15"	14 ³ / ₄ "	2	RROM2GSD108 () () () () ()	5,046.	5,550.	5,953.	7,739.



Wall Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ³ / ₄ "	1	RROMGSDR60GB () () () ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ³ / ₄ "	1	RROMGSDR72GB () () () ()	2,834.	3,259.	3,747.	4,872.




Wall Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ³ / ₄ "	1	RROMGSDL60GB () () () ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ³ / ₄ "	1	RROMGSDL72GB () () () ()	2,834.	3,259.	3,747.	4,872.




Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet	For progressive overheads, LED light is recommended without fascia.
O Overhead	2. Pull finish: 115	
M Wall hung	3. Case finish: V319	Above sizes are nominal.
GSD Glass sliding door	4. Door frame: Anodized / painted	All sliding doors including wood, laminate and glass are non-locking.
90 90" wide	5. Glass finish:	Installation instruction sheets available on Knoll Exchange.
GN No gable	GL11 = Black	For overheads with sliding doors, refer to part number 6TP00088.
G Pull Option	GL14 = Folkstone Grey	
115 Pull Finish	GL15 = Med. Grey	
V319 Case Finish	GL18 = White	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
AP Door Frame Finish		
GL11 Glass Finish		

Progressive Overheads
 28³/₈" planning
 Wall Hung with wood door


description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood / Laminate Sliding Door	90"	15"	14 ³ / ₄ "	1	RROMWSD90GN () () () () () ()	\$2,651.	\$2,917.	\$3,050.	\$3,182.	\$3,182.	\$3,660.	\$4,758.
	108"	15"	14 ³ / ₄ "	1	RROMWSD108GN () () () () () ()	2,989.	3,288.	3,437.	3,586.	3,586.	4,126.	5,362.




Wall Hung Shelf with Wood/Laminate Sliding Door Gable Right	60"	15"	14 ³ / ₄ "	1	RROMWSD60GR () () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	1	RROMWSD72GR () () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.



Wall Hung Shelf with Wood/Laminate Sliding Door Gable Left	60"	15"	14 ³ / ₄ "	1	RROMWSD60GL () () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	1	RROMWSD72GL () () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.




Wall Hung Shelf with Wood/Laminate Sliding Door Closed Ends	90"	15"	14 ³ / ₄ "	1	RROMWSD90GB () () () () () ()	2,746.	3,021.	3,158.	3,295.	3,433.	3,947.	5,131.
	108"	15"	14 ³ / ₄ "	1	RROMWSD108GB () () () () () ()	3,063.	3,370.	3,523.	3,676.	3,830.	4,403.	5,725.




Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	No lock option at this time.
M Wall mount	3. Case finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	Installation instruction sheets available on Knoll Exchange.
90 90" wide		For overheads with sliding doors, refer to part number 6TP00088.
GB Gable both		Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 558.
G Pull Option		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
115 Pull Finish		For progressive overheads, LED light is recommended without fascia.
V319 Case Finish		
V319 Door Finish		

Progressive Overheads
 28³/₈" planning
 Wall Hung with wood door


description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood/Laminate Sliding Door right Closed Ends	60"	15"	14 ³ / ₄ "	1	RROMWSDR60GB () () ()	\$2,213.	\$2,435.	\$2,546.	\$2,656.	\$2,767.	\$3,182.	\$4,136.
	72"	15"	14 ³ / ₄ "	1	RROMWSDR72GB () () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.



Wall Hung Shelf with Wood/Laminate Sliding Door left Closed Ends	60"	15"	14 ³ / ₄ "	1	RROMWSDL60GB () () ()	2,213.	2,435.	2,546.	2,656.	2,767.	3,182.	4,136.
	72"	15"	14 ³ / ₄ "	1	RROMWSDL72GB () () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.




Wall Hung Shelf with 2 Wood/Laminate Sliding Doors	90"	15"	14 ³ / ₄ "	2	RROM2WSD90 () () () () ()	3,390.	3,729.	3,898.	4,068.	4,271.	4,778.	6,212.
	108"	15"	14 ³ / ₄ "	2	RROM2WSD108 () () () () ()	3,805.	4,186.	4,376.	4,567.	4,795.	5,297.	6,886.



Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	No lock option at this time.
M Wall mount	3. Case finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	Installation instruction sheets available on Knoll Exchange.
90 90" wide		For overheads with sliding doors, refer to part number 6TP00088.
GB Gable both		Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 558.
G Pull Option		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
115 Pull Finish		For progressive overheads, LED light is recommended without fascia.
V319 Case Finish		
V319 Door Finish		

Progressive Overheads
 28^{3/8}" planning
 Wall Hung L-Shelf

description	w	d	h	pattern no.	L	V1	V2	V3
 L-Shelf	60"	15"	14 ^{3/4} "	RRML60() ()	\$850.	\$1,020.	\$1,173.	\$1,525.
	72"	15"	14 ^{3/4} "	RRML72() ()	945.	1,143.	1,303.	1,694.
	90"	15"	14 ^{3/4} "	RRML90() ()	1,068.	1,282.	1,474.	1,917.
	108"	15"	14 ^{3/4} "	RRML108() ()	1,223.	1,468.	1,688.	2,194.

Order Code

Example: RRML60() ()
RR Reff Refresh
M Wall Hung
L L-Shelf
60 60" Wide
L Finish Type
114 Finish

Specification Information

To order please specify pattern number including:
 1. Finish type: L, V1, V2, V3
 2. Finish = 114

Application Notes

These products are Glue and Dowel Construction
 Shipped knocked down.
 Hardware kit included.
 Installation instruction sheets available on Knoll Exchange.
 Installation instruction sheet, refer to part number 6TP00083

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
 A certified building contractor should be consulted.
 Please refer to wall mounting information on page 558.

The woodgrain on the L-Shelves, run perpendicular to the length.


Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

For progressive overheads, LED light is recommended without fascia.


Progressive Overheads
 28³/₈" planning
 Wall Hung Open Shelf

Reff Profiles


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Open Shelf Left Gable	60"	15"	14 ³ / ₄ "	RROMOS60GL()	\$1,689.	\$1,943.	\$2,234.	\$2,904.
	72"	15"	14 ³ / ₄ "	RROMOS72GL()	1,879.	2,161.	2,485.	3,231.




Wall Hung Open Shelf Right Gable	60"	15"	14 ³ / ₄ "	RROMOS60GR()	1,689.	1,943.	2,234.	2,904.
	72"	15"	14 ³ / ₄ "	RROMOS72GR()	1,879.	2,161.	2,485.	3,231.



Wall Hung Open Shelf Closed Ends Left&Right Gable	60"	15"	14 ³ / ₄ "	RROMOS60GB()()	1,609.	2,091.	2,405.	3,126.
	72"	15"	14 ³ / ₄ "	RROMOS72GB()()	1,748.	2,273.	2,614.	3,398.
	90"	15"	14 ³ / ₄ "	RROMOS90GB()()	2,058.	2,675.	3,077.	3,999.
	108"	15"	14 ³ / ₄ "	RROMOS108GB()()	2,212.	2,876.	3,307.	4,299.



Wall Hung Open Shelf No Gable	90"	15"	14 ³ / ₄ "	RROMOS90GN()	2,138.	2,459.	2,827.	3,676.
	108"	15"	14 ³ / ₄ "	RROMOS108GN()	2,364.	2,718.	3,126.	4,063.



Example: RROMOS60GL()()
RR Reff
O Overhead
M Wall Hung
OS Open shelf
60 60" wide
GL Gable Left
V316 Case Finish

To order please specify *pattern number including:*

1. Case finish:

These products are Glue and Dowel Construction.

Above sizes are nominal.

Sliding door is non-locking.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

For progressive overheads, LED light is recommended without fascia.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.



A certified building contractor should be consulted.

Please refer to wall mounting information on page 558.


Transaction tops for use with 42" H panel heights

Reff Profiles

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24()-()	\$333.	\$344.	\$344.	\$396.	\$535.
	30"	15"	1 1/4"	RTTA30()-()	364.	374.	374.	433.	584.
	36"	15"	1 1/4"	RTTA36()-()	396.	410.	410.	470.	637.
	42"	15"	1 1/4"	RTTA42()-()	428.	441.	441.	507.	683.
	48"	15"	1 1/4"	RTTA48()-()	456.	475.	475.	545.	735.
	54"	15"	1 1/4"	RTTA54()-()	488.	506.	506.	580.	783.
	60"	15"	1 1/4"	RTTA60()-()	520.	537.	537.	620.	837.
	66"	15"	1 1/4"	RTTA66()-()	552.	569.	569.	654.	883.
	72"	15"	1 1/4"	RTTA72()-()	581.	602.	602.	692.	934.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	RTTAWF24()-()		687.	790.	1,067.
	30"	15"	1 1/4"	RTTAWF30()-()		753.	867.	1,171.
	36"	15"	1 1/4"	RTTAWF36()-()		816.	941.	1,270.
	42"	15"	1 1/4"	RTTAWF42()-()		880.	1,012.	1,366.
	48"	15"	1 1/4"	RTTAWF48()-()		948.	1,090.	1,471.
	54"	15"	1 1/4"	RTTAWF54()-()		1,010.	1,160.	1,566.
	60"	15"	1 1/4"	RTTAWF60()-()		1,076.	1,237.	1,671.
	66"	15"	1 1/4"	RTTAWF66()-()		1,138.	1,310.	1,769.
	72"	15"	1 1/4"	RTTAWF72()-()		1,204.	1,383.	1,867.



Not available in laminate or mixed finishes

Order Code	Specification Information	Application Notes
Example: QRCAVE422 F 2 V316 111	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
QR Reff Standard Special	4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
CAVE 1 1/4" Concave	1. Width	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
42 42" wide	2. Depth	
2 24" deep	3. Grommet option	
2 V2 finish	4. Top finish type	
F Flush grommet	5. Top finish	
2 V2 finish	6. Grommet finish	
V316 Light Maple finish	3. <i>Grommet options:</i> N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	Please call Custom Product Development for special grommet locations.
111 Black grommet finish		List price for woodgrain laminate options will be current published laminate list price plus 10%.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Applicable finishes are listed on page 5 and 6.

Transaction tops, regular and waterfall edge

Transaction tops

Brackets for Alternative Material


description	w	h	pattern no.	list
Attachment Bracketry			RAMTB	\$59.
* Each panel need 2 brackets				
Foam Tape			RAMTT	23.
Transaction Top Bracket			RAMTC24()	43.
Cover			RAMTC30()	46.
			RAMTC36()	49.
			RAMTC42()	53.
			RAMTC48()	56.
			RAMTC54()	59.
			RAMTC60()	62.
			RAMTC66()	66.
			RAMTC72()	68.
Transaction Top Bracket			RAMTCH24()	59.
Cover Hilo			RAMTCH30()	62.
			RAMTCH36()	66.
			RAMTCH42()	69.
			RAMTCH48()	72.
			RAMTCH54()	75.
			RAMTCH60()	78.
			RAMTCH66()	81.
			RAMTCH72()	83.

Order Code	Specification Information	Application Notes
Example: RAMTC	<i>To order please specify pattern number including:</i>	Spline piece included in the right "R" hand pattern number.
R Reff		When a solid material is installed the "RAMTB" is required.
A Alternative	1. End treatment option	When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.
M Material	2. Finish type: Core paint finishes	
T Transaction Top		
C Cover		
24 Width		
L/R/M Left/Right/Mitered		

Gallery desk surrounds


1 1/4" worksurface

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,369.	\$1,630.	\$1,630.	\$1,792.	\$1,877.	\$2,421.	\$2,534.
	68"	25"	42"	RGAF682-()	1,416.	1,689.	1,689.	1,856.	1,945.	2,504.	2,625.
	74"	25"	42"	RGAF742-()	1,469.	1,754.	1,754.	1,926.	2,016.	2,601.	2,719.
	80"	25"	42"	RGAF802-()	1,522.	1,811.	1,811.	1,987.	2,086.	2,683.	2,815.
	86"	25"	42"	RGAF862-()	1,569.	1,874.	1,874.	2,052.	2,155.	2,770.	2,909.
	92"	25"	42"	RGAF922-()	1,621.	1,935.	1,935.	2,118.	2,225.	2,858.	3,001.
	98"	25"	42"	RGAF982-()	1,673.	1,995.	1,995.	2,186.	2,297.	2,950.	3,100.
	62"	31"	42"	RGAF623-()	1,455.	1,735.	1,735.	1,901.	1,996.	2,567.	2,694.
	68"	31"	42"	RGAF683-()	1,511.	1,805.	1,805.	1,977.	2,075.	2,669.	2,803.
	74"	31"	42"	RGAF743-()	1,568.	1,873.	1,873.	2,052.	2,153.	2,770.	2,906.
	80"	31"	42"	RGAF803-()	1,625.	1,935.	1,935.	2,124.	2,229.	2,868.	3,009.
	86"	31"	42"	RGAF863-()	1,684.	2,007.	2,007.	2,199.	2,309.	2,969.	3,119.
	92"	31"	42"	RGAF923-()	1,740.	2,076.	2,076.	2,271.	2,387.	3,066.	3,222.
	98"	31"	42"	RGAF983-()	1,797.	2,143.	2,143.	2,349.	2,463.	3,172.	3,325.




If shelf is not ordered and no drillings are required, you must order through specials.

Shelf for above (uses keyhole attachment hardware)	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
60"	12"	1"	RGS60-()	331.	n/a	394.	n/a	456.	n/a	616.	
66"	12"	1"	RGS66-()	343.	n/a	409.	n/a	470.	n/a	637.	
72"	12"	1"	RGS72-()	354.	n/a	423.	n/a	485.	n/a	655.	
78"	12"	1"	RGS78-()	365.	n/a	435.	n/a	502.	n/a	676.	
84"	12"	1"	RGS84-()	373.	n/a	449.	n/a	515.	n/a	695.	
90"	12"	1"	RGS90-()	386.	n/a	459.	n/a	528.	n/a	713.	
96"	12"	1"	RGS96-()	396.	n/a	471.	n/a	542.	n/a	733.	



Bridge top assembly	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
42"	21"	42"	RGAB421-()	781.	929.	929.	1,003.	1,068.	1,355.	1,441.	
48"	21"	42"	RGAB481-()	836.	994.	994.	1,071.	1,143.	1,446.	1,542.	
54"	21"	42"	RGAB541-()	890.	1,059.	1,059.	1,145.	1,218.	1,545.	1,645.	
60"	21"	42"	RGAB601-()	943.	1,124.	1,124.	1,218.	1,297.	1,645.	1,749.	
66"	21"	42"	RGAB661-()	999.	1,191.	1,191.	1,286.	1,370.	1,737.	1,848.	
72"	21"	42"	RGAB721-()	1,052.	1,254.	1,254.	1,359.	1,441.	1,834.	1,946.	
78"	21"	42"	RGAB781-()	1,103.	1,318.	1,318.	1,431.	1,516.	1,932.	2,047.	
84"	21"	42"	RGAB841-()	1,158.	1,379.	1,379.	1,494.	1,587.	2,016.	2,143.	
90"	21"	42"	RGAB901-()	1,209.	1,442.	1,442.	1,566.	1,659.	2,113.	2,241.	
96"	21"	42"	RGAB961-()	1,259.	1,502.	1,502.	1,629.	1,729.	2,200.	2,334.	



Order Code	Specification Information	Application Notes
Example: RGAF622NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, components: (surround components)</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type, top	1 = V1
A 1 1/4" top thickness	3. Finish type, components	2 = V2
F Freestanding	4. Finish, top	3 = V3
62 62" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
2 25" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type top, laminate	F = Flush front grommet	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
L Finish type components		Hardware included.
114 Folkstone grey (top)	<i>2. Finish type, top:</i>	Shipped knocked-down.
114 Folkstone grey (components)	L = Laminate	
	M = Mixed (laminated top w/wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.

Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.


Applicable finishes are listed on page 1 and 3.

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

Reff Profiles

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431- () ()	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	RGAR491- () ()	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	RGAR551- () ()	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	RGAR611- () ()	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	RGAR671- () ()	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	RGAR731- () ()	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	RGAR791- () ()	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	RGAR851- () ()	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	RGAR911- () ()	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	RGAR971- () ()	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
25"	43"	42"	RGAR432- () ()	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.	
		49"	42"	RGAR492- () ()	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.
		55"	42"	RGAR552- () ()	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.
		61"	42"	RGAR612- () ()	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.
		67"	42"	RGAR672- () ()	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.
		73"	42"	RGAR732- () ()	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.
		79"	42"	RGAR792- () ()	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.
		85"	42"	RGAR852- () ()	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.
		91"	42"	RGAR912- () ()	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.
		97"	42"	RGAR972- () ()	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.
31"	43"	42"	RGAR433- () ()	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.	
		49"	42"	RGAR493- () ()	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.
		55"	42"	RGAR553- () ()	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.
		61"	42"	RGAR613- () ()	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.
		67"	42"	RGAR673- () ()	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.
		73"	42"	RGAR733- () ()	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.
		79"	42"	RGAR793- () ()	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.
		85"	42"	RGAR853- () ()	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.
		91"	42"	RGAR913- () ()	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.
		97"	42"	RGAR973- () ()	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.




Order Code	Specification Information	Application Notes
Example: RGAR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components	<i>2. Finish type top:</i>	Hardware included.
	L = Laminate	Gallery desk surrounds are available with waterfall edge as a standard special.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 1 and 3.

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431- () ()	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	RGAL491- () ()	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	RGAL551- () ()	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	RGAL611- () ()	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	RGAL671- () ()	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	RGAL731- () ()	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	RGAL791- () ()	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	RGAL851- () ()	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	RGAL911- () ()	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	RGAL971- () ()	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
25"	43"	42"	RGAL432- () ()	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.	
	49"	42"	RGAL492- () ()	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.	
	55"	42"	RGAL552- () ()	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.	
	61"	42"	RGAL612- () ()	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.	
	67"	42"	RGAL672- () ()	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.	
	73"	42"	RGAL732- () ()	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.	
	79"	42"	RGAL792- () ()	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.	
	85"	42"	RGAL852- () ()	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.	
	91"	42"	RGAL912- () ()	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.	
	97"	42"	RGAL972- () ()	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.	
31"	43"	42"	RGAL433- () ()	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.	
	49"	42"	RGAL493- () ()	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.	
	55"	42"	RGAL553- () ()	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.	
	61"	42"	RGAL613- () ()	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.	
	67"	42"	RGAL673- () ()	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.	
	73"	42"	RGAL733- () ()	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.	
	79"	42"	RGAL793- () ()	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.	
	85"	42"	RGAL853- () ()	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.	
	91"	42"	RGAL913- () ()	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.	
	97"	42"	RGAL973- () ()	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.	




Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components	2. <i>Finish type top:</i>	Hardware included.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		Gallery desk surrounds are available with waterfall edge as a standard special.
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 1 and 3.

Gallery desk surrounds

gallery towers

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	RGTL4636() () () ()	\$2,545.	\$3,143.	\$3,612.	\$4,877.



Actual depth of Gallery Tower is 32"

Gallery Tower, right hand	32"	12"	46"	RGTR4636() () () ()	2,545.	3,143.	3,612.	4,877.
---------------------------	-----	-----	-----	-------------------------------	--------	--------	--------	--------

Actual depth of Gallery Tower is 32"

Order Code

Example:	RGTL46362V319CL
R	Reff
GT	Gallery Tower
L	Left hand
46	46" h
36	36" d
2	V2 finish type
V319	Medium Cherry
C	C-pull
L	Lock

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. Pull option
4. Pull finish (if applicable)
5. Lock option

1. *Finish type:*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 1 and 3.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

3. Pull options:

- D = Metal D-pull
- J = Routed J-pull
- C = Nickel finish C-pull (nickel finish only)
- S = Stainless steel finish S-pull (stainless steel finish only)

Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 3/8" desk height products.

Application Notes

Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .

Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d



Overall depth includes top overhang, accommodates 30" d worksurfaces.

Gallery towers are to be used with panel applications.

Classic Desks, 26½" h and 28⅜" h With Full Recessed Modesty

Reff Profiles

Classic Desks

description	d	w	h	pattern no.	L	V1	V2	V3	
	Classic Desk Full Modesty Recessed 26½"								
	30"	60"	26½"	RCDFMR60301 () ()	\$1,616.	\$2,667.	\$3,067.	\$3,987.	
	30"	72"	26½"	RCDFMR72301 () ()	1,696.	2,799.	3,219.	4,184.	
	30"	84"	26½"	RCDFMR84301 () ()	1,771.	2,922.	3,360.	4,369.	
	30"	96"	26½"	RCDFMR96301 () ()	1,840.	3,036.	3,492.	4,539.	
	36"	60"	26½"	RCDFMR60361 () ()	1,711.	2,823.	3,246.	4,220.	
	36"	72"	26½"	RCDFMR72361 () ()	1,795.	2,962.	3,407.	4,429.	
	36"	84"	26½"	RCDFMR84361 () ()	1,875.	3,094.	3,558.	4,626.	
	36"	96"	26½"	RCDFMR96361 () ()	1,951.	3,218.	3,701.	4,811.	
	Classic Desk Full Modesty Recessed 28⅜"								
	30"	60"	28⅜"	RCDFMR60302 () ()	1,641.	2,708.	3,114.	4,048.	
	30"	72"	28⅜"	RCDFMR72302 () ()	1,723.	2,843.	3,269.	4,250.	
	30"	84"	28⅜"	RCDFMR84302 () ()	1,799.	2,969.	3,414.	4,438.	
	30"	96"	28⅜"	RCDFMR96302 () ()	1,870.	3,086.	3,549.	4,614.	
	36"	60"	28⅜"	RCDFMR60362 () ()	1,738.	2,868.	3,298.	4,287.	
	36"	72"	28⅜"	RCDFMR72362 () ()	1,825.	3,011.	3,467.	4,501.	
	36"	84"	28⅜"	RCDFMR84362 () ()	1,906.	3,145.	3,417.	4,702.	
	36"	96"	28⅜"	RCDFMR96362 () ()	1,983.	3,273.	3,763.	4,893.	

Order Code

Example:	RCDFMR60301
R	Reff
CD	Classic Desk
FMR	Full Modesty Recessed
60	Width
30	Depth
1	26½" high, 2 = 28⅜" high
()	Grommet Option
()	Grommet Finish
()	Finish

Specification Information

To order please specify pattern number including:

- Grommet Option
F=Flush or Standard Corner location
N=No Grommet
R=Recessed Grommet
- Grommet Finish:
Painted or Plated
- Finish: L,V1,V2,V3

Classic Desks ship knocked down, with all hardware.

Worksurface is 1½" thick.

Grommets are located 20" in from the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Lower storage sold separately.

26½" high desk will only work with 26½" high lower storage.

28⅜" high desk will only work with 28⅜" high lower storage.



30" deep desk with recessed modesty will accept 20" and 24" deep pedestals.

36" deep desk with recessed modesty will accept 20", 24" and 30" deep pedestals.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Classic Desks, 26½" h and 28⅜" h With Half Recessed Modesty



Reff Profiles

description	d	w	h	y	pattern number	L	V1	V2	V3
 Classic Desk Half Modesty Recessed 26½"	30"	60"	26½"	1.8	RCDHMR60301() ()	\$1,567.	\$2,586.	\$2,973.	\$3,865.
	30"	72"	26½"	2.1	RCDHMR72301() ()	1,634.	2,696.	3,100.	4,030.
	30"	84"	26½"	2.6	RCDHMR84301() ()	1,700.	2,804.	3,225.	4,192.
	30"	96"	26½"	2.8	RCDHMR96301() ()	1,756.	2,897.	3,332.	4,331.
	36"	60"	26½"	1.8	RCDHMR60361() ()	1,661.	2,741.	3,152.	4,098.
	36"	72"	26½"	2.1	RCDHMR72361() ()	1,733.	2,859.	3,288.	4,275.
	36"	84"	26½"	2.6	RCDHMR84361() ()	1,804.	2,976.	3,423.	4,450.
	36"	96"	26½"	2.8	RCDHMR96361() ()	1,866.	3,079.	3,541.	4,603.
 Classic Desk Half Modesty Recessed 28⅜"	30"	60"	28⅜"	1.8	RCDHMR60302() ()	1,583.	2,612.	3,003.	3,904.
	30"	72"	28⅜"	2.1	RCDHMR72302() ()	1,650.	2,722.	3,130.	4,069.
	30"	84"	28⅜"	2.6	RCDHMR84302() ()	1,715.	2,830.	3,255.	4,231.
	30"	96"	28⅜"	2.8	RCDHMR96302() ()	1,772.	2,923.	3,362.	4,370.
	36"	60"	28⅜"	1.8	RCDHMR60362() ()	1,680.	2,771.	3,187.	4,143.
	36"	72"	28⅜"	2.1	RCDHMR72362() ()	1,751.	2,890.	3,323.	4,320.
	36"	84"	28⅜"	2.6	RCDHMR84362() ()	1,822.	3,007.	3,458.	4,495.
	36"	96"	28⅜"	2.8	RCDHMR96362() ()	1,885.	3,109.	3,576.	4,649.

Order Code	Specification Information	Application Notes
Example: RCDFMR60301	<i>To order please specify pattern number including:</i>	<p>Classic Desks ship knocked down, with all hardware.</p> <p>Worksurface is 1½" thick.</p> <p>Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.</p> <p>Lower storage sold separately.</p> <p>26½" high desk will only work with 26½" high lower storage.</p> <p>28⅜" high desk will only work with 28⅜" high lower storage.</p> <p>Classic desks with quarter recessed modesty, accepts <u>NO</u> lower storage.</p>
R Reff	1. Grommet Option	
CD Classic Desk	F=Flush or Standard Corner location	
FMR Full Modesty Recessed	N=No Grommet	
60 Width	R=Recessed Grommet	
30 Depth	2. Grommet Finish:	
1 26½" high, 2 = 28⅜" high	Painted or Plated	
() Grommet Option	3. Finish: L,V1,V2,V3	
() Grommet Finish		
() Finish		

Classic Desks, 26½" h and 28⅜" h With Quarter Recessed Modesty

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
 Classic Desk Quarter Modesty Recessed 26½"	30"	60"	26½"	RCDQMR60301() () ()	\$1,497.	\$2,470.	\$2,841.	\$3,693.
	30"	72"	26½"	RCDQMR72301() () ()	1,554.	2,565.	2,949.	3,824.
	30"	84"	26½"	RCDQMR84301() () ()	1,608.	2,654.	3,052.	3,967.
	30"	96"	26½"	RCDQMR96301() () ()	1,655.	2,731.	3,141.	4,083.
	36"	60"	26½"	RCDQMR60361() () ()	1,591.	2,626.	3,020.	3,925.
	36"	72"	26½"	RCDQMR72361() () ()	1,654.	2,728.	3,138.	4,079.
	36"	84"	26½"	RCDQMR84361() () ()	1,712.	2,826.	3,249.	4,224.
	36"	96"	26½"	RCDQMR96361() () ()	1,766.	2,913.	3,350.	4,355.
 Classic Desk Quarter Modesty Recessed 28⅜"	30"	60"	28⅜"	RCDQMR60302() () ()	1,513.	2,496.	2,871.	3,732.
	30"	72"	28⅜"	RCDQMR72302() () ()	1,570.	2,591.	2,979.	3,873.
	30"	84"	28⅜"	RCDQMR84302() () ()	1,624.	2,680.	3,082.	4,006.
	30"	96"	28⅜"	RCDQMR96302() () ()	1,671.	2,757.	3,171.	4,122.
	36"	60"	28⅜"	RCDQMR72362() () ()	1,610.	2,656.	3,054.	3,971.
	36"	72"	28⅜"	RCDQMR60362() () ()	1,672.	2,759.	3,172.	4,124.
	36"	84"	28⅜"	RCDQMR84362() () ()	1,731.	2,856.	3,284.	4,270.
	36"	96"	28⅜"	RCDQMR96362() () ()	1,784.	2,944.	3,385.	4,401.



Classic Desks

Order Code	Specification Information	Application Notes
Example: RCDFMR60301	<i>To order please specify pattern number including:</i>	<p>Classic Desks ship knocked down, with all hardware.</p> <p>Worksurface is 1½" thick.</p> <p>Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.</p> <p>Lower storage sold separately.</p> <p>26½" high desk will only work with 26½" high lower storage.</p> <p>28⅜" high desk will only work with 28⅜" high lower storage.</p> <p>Classic desks with quarter recessed modesty accepts <u>NO</u> lower storage.</p>
R	Reff	
CD	Classic Desk	
FMR	Full Modesty Recessed	
60	Width	
30	Depth	
1	26½" high, 2 = 28⅜" high	
()	Grommet Option	
()	Grommet Finish	
()	Finish	
	1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet	
	2. Grommet Finish: Painted or Plated	
	3. Finish: L,V1,V2,V3	

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Classic Desks, 26 1/2" h and 28 3/8" h With Full Flush Modesty

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	RCDFMF60301 () ()	\$1,616.	\$2,667.	\$3,067.	\$3,987.
	30"	72"	26 1/2"	RCDFMF72301 () ()	1,696.	2,799.	3,219.	4,184.
	30"	84"	26 1/2"	RCDFMF84301 () ()	1,771.	2,922.	3,360.	4,369.
	30"	96"	26 1/2"	RCDFMF96301 () ()	1,840.	3,036.	3,492.	4,539.
	36"	60"	26 1/2"	RCDFMF60361 () ()	1,616.	2,667.	3,067.	3,987.
	36"	72"	26 1/2"	RCDFMF72361 () ()	1,696.	2,799.	3,219.	4,184.
	36"	84"	26 1/2"	RCDFMF84361 () ()	1,771.	2,922.	3,360.	4,369.
	36"	96"	26 1/2"	RCDFMF96361 () ()	1,840.	3,036.	3,492.	4,539.
	30"	60"	28 3/8"	RCDFMF60302 () ()	1,641.	2,708.	3,114.	4,048.
	30"	72"	28 3/8"	RCDFMF72302 () ()	1,723.	2,843.	3,269.	4,250.
	30"	84"	28 3/8"	RCDFMF84302 () ()	1,799.	2,969.	3,414.	4,438.
	30"	96"	28 3/8"	RCDFMF96302 () ()	1,870.	3,086.	3,549.	4,614.
	36"	60"	28 3/8"	RCDFMF60362 () ()	1,641.	2,708.	3,114.	4,048.
	36"	72"	28 3/8"	RCDFMF72362 () ()	1,723.	2,843.	3,269.	4,250.
	36"	84"	28 3/8"	RCDFMF84362 () ()	1,799.	2,969.	3,414.	4,438.
	36"	96"	28 3/8"	RCDFMF96362 () ()	1,870.	3,086.	3,549.	4,614.


Order Code	
Example: RCDFMR60301	
R	Reff
CD	Classic Desk
FMR	Full Modesty Recessed
60	Width
30	Depth
1	26 1/2" high, 2 = 28 3/8" high
()	Grommet Option
()	Grommet Finish
()	Finish


Specification Information
<i>To order please specify pattern number including:</i>
1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet
2. Grommet Finish: Painted or Plated
3. Finish: L,V1,V2,V3


Application Notes
Classic Desks ship knocked down, with all hardware.
Worksurface is 1 1/2" thick.
Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.
Lower storage sold separately.
26 1/2" high desk will only work with 26 1/2" high lower storage.
28 3/8" high desk will only work with 28 3/8" high lower storage.
30" deep desk with flush modesty can accept up to 29" deep pedestals.
36" deep desk with flush modesty can accept up to 30" deep pedestals.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Single pedestal desks
27³/₄" high overall
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W)()1() () () () ()	\$2,448.	\$2,804.	\$3,325.	\$2,588.	\$2,944.	\$3,464.
	72"	30"	RDSP7230J(A,B,W)()1() () () () ()	2,546.	2,948.	3,464.	2,686.	3,087.	3,605.
	84"	30"	RDSP8430J(A,B,W)()1() () () () ()	2,672.	3,115.	3,672.	2,812.	3,254.	3,811.
	96"	30"	RDSP9630J(A,B,W)()1() () () () ()	2,781.	3,263.	3,864.	2,920.	3,403.	4,003.


Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W)()1() () () () ()	2,598.	2,975.	3,610.	2,801.	3,176.	3,812.
	72"	36"	RDSP7236J(A,B,W)()1() () () () ()	2,718.	3,160.	3,799.	2,920.	3,362.	4,001.
	84"	36"	RDSP8436J(A,B,W)()1() () () () ()	2,841.	3,356.	3,995.	3,042.	3,557.	4,196.
	96"	36"	RDSP9636J(A,B,W)()1() () () () ()	2,950.	3,548.	4,183.	3,151.	3,749.	4,385.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W)()1() () () () ()	3,210.	3,440.	4,588.	3,411.	3,642.	4,789.
	72"	30"	RBSP7230J(A,B,W)()1() () () () ()	3,321.	3,575.	4,845.	3,523.	3,776.	5,045.
	84"	30"	RBSP8430J(A,B,W)()1() () () () ()	3,495.	3,773.	5,175.	3,696.	3,975.	5,376.
	96"	30"	RBSP9630J(A,B,W)()1() () () () ()	3,655.	3,966.	5,522.	3,856.	4,169.	5,724.


Preconfigured Reff
Desking

Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 1 = V1	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 590 for keying instructions.
R Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
Y316 Finish		
111 Pull Finish		
111 Grommet Finish		

Single pedestal desks
27³/₄" high overall
V2 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W) ()2() () () () ()	\$2,911.	\$3,331.	\$3,947.	\$3,077.	\$3,496.	\$4,110.
	72"	30"	RDSP7230J(A,B,W) ()2() () () () ()	3,027.	3,501.	4,110.	3,192.	3,666.	4,277.
	84"	30"	RDSP8430J(A,B,W) ()2() () () () ()	3,174.	3,698.	4,356.	3,340.	3,861.	4,520.
	96"	30"	RDSP9630J(A,B,W) ()2() () () () ()	3,303.	3,873.	4,582.	3,468.	4,038.	4,746.


Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W) ()2() () () () ()	3,088.	3,533.	4,283.	3,327.	3,771.	4,521.
	72"	36"	RDSP7236J(A,B,W) ()2() () () () ()	3,230.	3,751.	4,506.	3,468.	3,989.	4,744.
	84"	36"	RDSP8436J(A,B,W) ()2() () () () ()	3,374.	3,983.	4,738.	3,612.	4,220.	4,975.
	96"	36"	RDSP9636J(A,B,W) ()2() () () () ()	3,503.	4,210.	4,958.	3,741.	4,447.	5,197.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W) ()2() () () () ()	3,810.	4,082.	5,437.	4,048.	4,320.	5,674.
	72"	30"	RBSP7230J(A,B,W) ()2() () () () ()	3,941.	4,242.	5,740.	4,180.	4,478.	5,977.
	84"	30"	RBSP8430J(A,B,W) ()2() () () () ()	4,147.	4,474.	6,131.	4,385.	4,713.	6,367.
	96"	30"	RBSP9630J(A,B,W) ()2() () () () ()	4,335.	4,703.	6,539.	4,573.	4,943.	6,777.

Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk		6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	30"D rectilinear desk pedestals are 24"D including modesty panel.
60 60" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	36"D rectilinear desk pedestals are 30"D including modesty panel.
30 30" deep	3. Finish type: 2 = V2	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
J Box/box/file	4. Interior option: M = Metal W = Wood	Bowed front desk pedestals are 30"D with finished backs.
A 1 1/4" regular edge top	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	All desks are non-handed.
R Recessed grommets		All hardware included.
2 Finish type		All waterfall desks have waterfall detail on front and back.
W Wood interiors		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
J Routed pulls		
L Lock		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		

Single pedestal desks
27³/₄" high overall
V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W)()3() () () () ()	\$3,366.	\$3,855.	\$4,573.	\$3,559.	\$4,048.	\$4,763.
	72"	30"	RDSP7230J(A,B,W)()3() () () () ()	3,501.	4,054.	4,763.	3,694.	4,245.	4,956.
	84"	30"	RDSP8430J(A,B,W)()3() () () () ()	3,674.	4,283.	5,049.	3,866.	4,474.	5,240.
	96"	30"	RDSP9630J(A,B,W)()3() () () () ()	3,824.	4,486.	5,313.	4,015.	4,679.	5,504.

Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W)()3() () () () ()	3,573.	4,091.	4,964.	3,851.	4,368.	5,241.
	72"	36"	RDSP7236J(A,B,W)()3() () () () ()	3,738.	4,345.	5,224.	4,015.	4,623.	5,501.
	84"	36"	RDSP8436J(A,B,W)()3() () () () ()	3,906.	4,615.	5,494.	4,183.	4,891.	5,770.
	96"	36"	RDSP9636J(A,B,W)()3() () () () ()	4,056.	4,879.	5,751.	4,333.	5,155.	6,444.

Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W)()3() () () () ()	4,414.	4,730.	6,309.	4,690.	5,008.	6,585.
	72"	30"	RBSP7230J(A,B,W)()3() () () () ()	4,566.	4,916.	6,661.	4,844.	5,193.	6,938.
	84"	30"	RBSP8430J(A,B,W)()3() () () () ()	4,806.	5,188.	7,116.	5,083.	5,465.	7,393.
	96"	30"	RBSP9630J(A,B,W)()3() () () () ()	5,025.	5,454.	7,593.	5,303.	5,733.	7,870.

Preconfigured Reff
Desking


Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 3 = V3	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6. Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 590 for keying instructions. These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
A 1 1/4" regular edge top		30"D rectilinear desk pedestals are 24"D including modesty panel. 36"D rectilinear desk pedestals are 30"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
R Recessed grommet option		Bowed front desk pedestals are 30"D with finished backs.
3 Finish type		All desks are non-handed.
W Wood interior option		All hardware included.
J Pull option		All waterfall desks have waterfall detail on front and back.
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		


Double pedestal desks


27³/₄" high overall

V1 finish options

Reff Profiles


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)()1() () () () ()	\$3,165.	\$3,521.	\$4,042.	\$3,473.	\$3,828.	\$4,350.
	72"	30"	RDDP7230JK(A,B,W)()1() () () () ()	3,265.	3,665.	4,182.	3,572.	3,973.	4,489.
	84"	30"	RDDP8430JK(A,B,W)()1() () () () ()	3,389.	3,831.	4,388.	3,696.	4,137.	4,695.
	96"	30"	RDDP9630JK(A,B,W)()1() () () () ()	3,498.	3,981.	4,580.	3,805.	4,288.	4,887.


 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)()1() () () () ()	3,366.	3,742.	4,375.	3,366.	4,156.	4,792.
	72"	36"	RDDP7236JK(A,B,W)()1() () () () ()	3,486.	3,927.	4,565.	3,900.	4,342.	4,981.
	84"	36"	RDDP8436JK(A,B,W)()1() () () () ()	3,607.	4,122.	4,760.	4,022.	4,537.	5,175.
	96"	36"	RDDP9636JK(A,B,W)()1() () () () ()	3,715.	4,314.	4,948.	4,131.	4,729.	5,364.


 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)()1() () () () ()	3,749.	3,980.	5,126.	4,165.	4,394.	5,542.
	72"	30"	RBDP7230JK(A,B,W)()1() () () () ()	3,860.	4,114.	5,384.	4,274.	4,529.	5,797.
	84"	30"	RBDP8430JK(A,B,W)()1() () () () ()	4,035.	4,312.	5,714.	4,448.	4,727.	6,129.
	96"	30"	RBDP9630JK(A,B,W)()1() () () () ()	4,194.	4,506.	6,060.	4,609.	4,920.	6,475.

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	6. Lock option:	30"D rectilinear desk pedestals are 24"D including modesty panel.
DP Double pedestal	L = Locks are always drilled for lock	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	8. Pull Finish: Painted or plated	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	9. Grommet finish: Painted or plated	All desks are non-handed.
A 1 1/4" regular edge top	Applicable finishes are listed on page 5 and 6.	All hardware included.
R Recessed grommet option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 590 for keying instructions.	All waterfall desks have waterfall detail on front and back.
1 Finish type	5. Pull option:	
W Wood interior option	C = C-pull (Nickel finish only)	
J Pull option	D = D-pull (PT and PZ finish only)	
L Lock option	J = J-routed pull	
Y319 Finish	S = S-pull (Stainless steel finish only)	
111 Pull Finish		
111 Grommet Finish		

Double pedestal desks
27³/₄" high overall
V2 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	RDDP6030JK(A,B,W)()2() () () () ()	\$3,757.	\$4,178.	\$4,793.	\$4,120.	\$4,540.	\$5,156.
	72"	30"	RDDP7230JK(A,B,W)()2() () () () ()	3,875.	4,348.	4,957.	4,237.	4,711.	5,320.
	84"	30"	RDDP8430JK(A,B,W)()2() () () () ()	4,022.	4,543.	5,202.	4,385.	4,905.	5,564.
	96"	30"	RDDP9630JK(A,B,W)()2() () () () ()	4,151.	4,720.	5,428.	4,513.	5,083.	5,791.


	60"	36"	RDDP6036JK(A,B,W)()2() () () () ()	3,995.	4,438.	5,186.	4,484.	4,928.	5,677.
	72"	36"	RDDP7236JK(A,B,W)()2() () () () ()	4,136.	4,657.	5,410.	4,625.	5,147.	5,901.
	84"	36"	RDDP8436JK(A,B,W)()2() () () () ()	4,280.	4,886.	5,640.	4,769.	5,378.	6,131.
	96"	36"	RDDP9636JK(A,B,W)()2() () () () ()	4,407.	5,113.	5,863.	4,898.	5,603.	6,353.


	60"	30"	RBDP6030JK(A,B,W)()2() () () () ()	4,447.	4,719.	6,073.	4,938.	5,208.	6,563.
	72"	30"	RBDP7230JK(A,B,W)()2() () () () ()	4,577.	4,877.	6,377.	5,066.	5,367.	6,865.
	84"	30"	RBDP8430JK(A,B,W)()2() () () () ()	4,783.	5,111.	6,766.	5,273.	5,601.	7,256.
	96"	30"	RBDP9630JK(A,B,W)()2() () () () ()	4,972.	5,341.	7,175.	5,462.	5,829.	7,664.

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	6. Lock option: L = Locks are always drilled for lock
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	30"D rectilinear desk pedestals are 24"D including modesty panel.
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	3. Finish type: 2 = V2	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	4. Interior option: M = Metal W = Wood	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	All desks are non-handed.
A 1 1/4" regular edge top		All hardware included.
R Recessed grommet option		All waterfall desks have waterfall detail on front and back.
2 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		

Double pedestal desks
27³/₄" high overall
V3 finish options




description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)()3() () () () ()	\$4,353.	\$4,841.	\$5,558.	\$4,775.	\$5,264.	\$5,981.
	72"	30"	RDDP7230JK(A,B,W)()3() () () () ()	4,489.	5,040.	5,750.	4,911.	5,463.	6,173.
	84"	30"	RDDP8430JK(A,B,W)()3() () () () ()	4,660.	5,268.	6,034.	5,083.	5,689.	6,456.
	96"	30"	RDDP9630JK(A,B,W)()3() () () () ()	4,810.	5,474.	6,298.	5,233.	5,896.	6,720.

 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)()3() () () () ()	4,629.	5,145.	6,016.	5,198.	5,715.	6,589.
	72"	36"	RDDP7236JK(A,B,W)()3() () () () ()	4,794.	5,400.	6,276.	5,363.	5,970.	6,849.
	84"	36"	RDDP8436JK(A,B,W)()3() () () () ()	4,960.	5,668.	6,545.	5,530.	6,239.	7,116.
	96"	36"	RDDP9636JK(A,B,W)()3() () () () ()	5,109.	5,931.	6,804.	5,680.	6,503.	7,375.

 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)()3() () () () ()	5,155.	5,473.	7,049.	5,728.	6,041.	7,620.
	72"	30"	RBDP7230JK(A,B,W)()3() () () () ()	5,308.	5,656.	7,403.	5,876.	6,228.	7,971.
	84"	30"	RBDP8430JK(A,B,W)()3() () () () ()	5,548.	5,929.	7,856.	6,116.	6,500.	8,428.
	96"	30"	RBDP9630JK(A,B,W)()3() () () () ()	5,766.	6,196.	8,333.	6,338.	6,765.	8,903.

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	6. Lock option:	30"D rectilinear desk pedestals are 24"D including modesty panel.
DP Double pedestal	L = Locks are always drilled for lock	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	8. Pull Finish: Painted or plated	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	9. Grommet finish: Painted or plated	All desks are non-handed.
A 1 1/4" regular edge top	Applicable finishes are listed on page 5 and 6.	All hardware included.
R Recessed grommet option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 590 for keying instructions.	All waterfall desks have waterfall detail on front and back.
3 Finish type	6. Lock option:	
W Wood interior option	L = Locks are always drilled for lock	
J Pull option	7. Veneer finish	
L Lock option	8. Pull Finish: Painted or plated	
V512 Finish	9. Grommet finish: Painted or plated	
111 Pull Finish	Applicable finishes are listed on page 5 and 6.	
111 Grommet Finish	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 590 for keying instructions.	
	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	




Desk returns
27³/₄" high overall
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)()1() () () () ()	\$1,814.	\$2,098.	\$2,649.	\$1,982.	\$2,265.	\$2,817.
	42"	24"	RRSP4224K(A,B,W)()1() () () () ()	1,860.	2,180.	2,719.	2,028.	2,347.	2,887.
	48"	24"	RRSP4824K(A,B,W)()1() () () () ()	1,938.	2,282.	2,863.	2,105.	2,448.	3,030.
	54"	24"	RRSP5424K(A,B,W)()1() () () () ()	1,990.	2,338.	2,976.	2,158.	2,505.	3,144.
	60"	24"	RRSP6024K(A,B,W)()1() () () () ()	2,040.	2,390.	3,096.	2,208.	2,558.	3,265.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)()1() () () () ()	1,930.	2,246.	2,868.	2,144.	2,458.	3,080.
	42"	30"	RRSP4230K(A,B,W)()1() () () () ()	1,982.	2,320.	2,955.	2,194.	2,532.	3,169.
	48"	30"	RRSP4830K(A,B,W)()1() () () () ()	2,064.	2,408.	3,104.	2,276.	2,622.	3,318.
	54"	30"	RRSP5430K(A,B,W)()1() () () () ()	2,125.	2,465.	3,250.	2,337.	2,678.	3,463.
	60"	30"	RRSP6030K(A,B,W)()1() () () () ()	2,162.	2,515.	3,327.	2,375.	2,729.	3,542.
 End panel return	36"	24"	RREP3624(A,B,W)()1() ()				1,097.	1,380.	1,933.
	42"	24"	RREP4224(A,B,W)()1() ()				1,143.	1,463.	2,003.
	48"	24"	RREP4824(A,B,W)()1() ()				1,221.	1,563.	2,145.
	54"	24"	RREP5424(A,B,W)()1() ()				1,274.	1,621.	2,259.
	60"	24"	RREP6024(A,B,W)()1() ()				1,324.	1,673.	2,379.
	36"	30"	RREP3630(A,B,W)()1() ()				1,165.	1,479.	2,101.
	42"	30"	RREP4230(A,B,W)()1() ()				1,215.	1,553.	2,189.
	48"	30"	RREP4830(A,B,W)()1() ()				1,297.	1,642.	2,338.
	54"	30"	RREP5430(A,B,W)()1() ()				1,358.	1,698.	2,485.
60"	30"	RREP6030(A,B,W)()1() ()				1,395.	1,749.	2,562.	

Preconfigured Refr Desking




Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 1 = V1	3. Finish type: 1 = V1
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 590 for keying instructions.
R Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		

Desk returns
27³/₄" high overall
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)(J)(X)(X)(X)(X)	\$2,141.	\$2,477.	\$3,127.	\$2,340.	\$2,675.	\$3,326.
	42"	24"	RRSP4224K(A,B,W)(J)(X)(X)(X)(X)	2,196.	2,574.	3,211.	2,395.	2,771.	3,408.
	48"	24"	RRSP4824K(A,B,W)(J)(X)(X)(X)(X)	2,289.	2,693.	3,379.	2,485.	2,890.	3,577.
	54"	24"	RRSP5424K(A,B,W)(J)(X)(X)(X)(X)	2,349.	2,760.	3,514.	2,548.	2,958.	3,711.
	60"	24"	RRSP6024K(A,B,W)(J)(X)(X)(X)(X)	2,408.	2,821.	3,655.	2,607.	3,020.	3,854.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)(J)(X)(X)(X)(X)	2,278.	2,652.	3,387.	2,531.	2,903.	3,636.
	42"	30"	RRSP4230K(A,B,W)(J)(X)(X)(X)(X)	2,340.	2,739.	3,489.	2,589.	2,989.	3,741.
	48"	30"	RRSP4830K(A,B,W)(J)(X)(X)(X)(X)	2,436.	2,843.	3,664.	2,687.	3,095.	3,917.
	54"	30"	RRSP5430K(A,B,W)(J)(X)(X)(X)(X)	2,509.	2,910.	3,837.	2,759.	3,162.	4,088.
	60"	30"	RRSP6030K(A,B,W)(J)(X)(X)(X)(X)	2,552.	2,969.	3,928.	2,804.	3,222.	4,182.
 End panel return	36"	24"	RREP3624(A,B,W)(J)(X)				1,296.	1,629.	2,281.
	42"	24"	RREP4224(A,B,W)(J)(X)				1,349.	1,727.	2,365.
	48"	24"	RREP4824(A,B,W)(J)(X)				1,441.	1,845.	2,533.
	54"	24"	RREP5424(A,B,W)(J)(X)				1,504.	1,914.	2,667.
	60"	24"	RREP6024(A,B,W)(J)(X)				1,563.	1,975.	2,809.
	36"	30"	RREP3630(A,B,W)(J)(X)				1,376.	1,746.	2,480.
	42"	30"	RREP4230(A,B,W)(J)(X)				1,435.	1,833.	2,584.
	48"	30"	RREP4830(A,B,W)(J)(X)				1,532.	1,938.	2,760.
	54"	30"	RREP5430(A,B,W)(J)(X)				1,604.	2,004.	2,933.
60"	30"	RREP6030(A,B,W)(J)(X)				1,646.	2,065.	3,024.	

Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return		
SP Single Pedestal		
36 36" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	30"D rectilinear desk pedestals are 24"D including modesty panel.
24 24" deep	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
K File/file	3. Finish type: 2 = V2	All desks are non-handed.
A 1 1/4" regular edge top	4. Interior option: M = Metal W = Wood	All hardware included.
R Recessed grommet option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Desk returns with waterfall have waterfall edge on 3 sides.
2 Finish type	6. Lock option: L = Locks are always drilled for lock	
W Wood interior option	7. Veneer finish	
J Pull option	8. Pull Finish: Painted or plated	
L Lock option	9. Grommet finish: Painted or plated	
V316 Finish		Applicable finishes are listed on page 5 and 6.
111 Pull Finish		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 590 for keying instructions.
111 Grommet Finish		Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Desk returns
27³/₄" high overall
V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)()3() () () () ()	\$2,494.	\$2,885.	\$3,643.	\$2,725.	\$3,115.	\$3,874.
	42"	24"	RRSP4224K(A,B,W)()3() () () () ()	2,558.	2,998.	3,739.	2,789.	3,228.	3,970.
	48"	24"	RRSP4824K(A,B,W)()3() () () () ()	2,665.	3,138.	3,936.	2,895.	3,366.	4,166.
	54"	24"	RRSP5424K(A,B,W)()3() () () () ()	2,736.	3,215.	4,093.	2,968.	3,445.	4,323.
	60"	24"	RRSP6024K(A,B,W)()3() () () () ()	2,805.	3,289.	4,258.	3,036.	3,518.	4,489.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)()3() () () () ()	2,654.	3,089.	3,944.	2,948.	3,380.	4,235.
	42"	30"	RRSP4230K(A,B,W)()3() () () () ()	2,725.	3,190.	4,063.	3,016.	3,481.	4,358.
	48"	30"	RRSP4830K(A,B,W)()3() () () () ()	2,838.	3,311.	4,268.	3,130.	3,605.	4,563.
	54"	30"	RRSP5430K(A,B,W)()3() () () () ()	2,923.	3,389.	4,469.	3,214.	3,683.	4,761.
	60"	30"	RRSP6030K(A,B,W)()3() () () () ()	2,973.	3,459.	4,575.	3,265.	3,753.	4,870.
 End panel return	36"	24"	RREP3624(A,B,W)()3() ()				1,509.	1,898.	2,658.
	42"	24"	RREP4224(A,B,W)()3() ()				1,571.	2,011.	2,754.
	48"	24"	RREP4824(A,B,W)()3() ()				1,679.	2,149.	2,950.
	54"	24"	RREP5424(A,B,W)()3() ()				1,751.	2,229.	3,106.
	60"	24"	RREP6024(A,B,W)()3() ()				1,820.	2,300.	3,271.
	36"	30"	RREP3630(A,B,W)()3() ()				1,603.	2,034.	2,889.
	42"	30"	RREP4230(A,B,W)()3() ()				1,671.	2,135.	3,010.
	48"	30"	RREP4830(A,B,W)()3() ()				1,784.	2,258.	3,215.
	54"	30"	RREP5430(A,B,W)()3() ()				1,868.	2,335.	3,416.
	60"	30"	RREP6030(A,B,W)()3() ()				1,918.	2,405.	3,523.


Preconfigured Refr Desking


Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 3 = V3	3. Finish type: 1 = V1
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 590 for keying instructions.
R Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
3 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		


Single pedestal credenzas

27³/₄" high overall

V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCSP6024K(A,B,W) ()1() () () () ()	\$2,345.	\$2,695.	\$2,873.	\$2,513.	\$2,863.	\$3,040.
	72"	24"	RCSP7224K(A,B,W) ()1() () () () ()	2,461.	2,840.	3,031.	2,629.	3,007.	3,199.
	84"	24"	RCSP8424K(A,B,W) ()1() () () () ()	2,581.	3,005.	3,200.	2,749.	3,174.	3,368.
	96"	24"	RCSP9624K(A,B,W) ()1() () () () ()	2,688.	3,155.	3,364.	2,855.	3,324.	3,530.


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCS3L6024K(A,B,W) ()1() () () () ()	2,473.	2,822.	3,000.	2,857.	3,206.	3,385.
	72"	24"	RCS3L7224K(A,B,W) ()1() () () () ()	2,588.	2,967.	3,158.	2,972.	3,352.	3,544.
	84"	24"	RCS3L8424K(A,B,W) ()1() () () () ()	2,708.	3,134.	3,327.	3,092.	3,517.	3,712.
	96"	24"	RCS3L9624K(A,B,W) ()1() () () () ()	2,815.	3,283.	3,492.	3,199.	3,667.	3,876.


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCS6L6024K(A,B,W) ()1() () () () ()	2,543.	2,894.	3,071.	3,209.	3,559.	3,737.
	72"	24"	RCS6L7224K(A,B,W) ()1() () () () ()	2,659.	3,038.	3,231.	3,325.	3,705.	3,895.
	84"	24"	RCS6L8424K(A,B,W) ()1() () () () ()	2,779.	3,205.	3,398.	3,445.	3,870.	4,065.
	96"	24"	RCS6L9624K(A,B,W) ()1() () () () ()	2,885.	3,355.	3,561.	3,553.	4,020.	4,227.


Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
SP Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
24 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
K File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
R Recessed grommet option	3. Finish type: 1 = V1	
1 Finish type	4. Interior option: M = Metal W = Wood	
W Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
J Pull option		
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Single pedestal credenzas
27³/₄" high overall
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W) ()2() () () () ()	\$2,769.	\$3,181.	\$3,392.	\$2,966.	\$3,379.	\$3,589.
	72"	24"	RCSP7224K(A,B,W) ()2() () () () ()	2,906.	3,353.	3,578.	3,103.	3,550.	3,777.
	84"	24"	RCSP8424K(A,B,W) ()2() () () () ()	3,047.	3,548.	3,778.	3,246.	3,747.	3,977.
	96"	24"	RCSP9624K(A,B,W) ()2() () () () ()	3,173.	3,726.	3,971.	3,370.	3,924.	4,167.

Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W) ()2() () () () ()	2,919.	3,331.	3,542.	3,373.	3,785.	3,995.
	72"	24"	RCS3L7224K(A,B,W) ()2() () () () ()	3,056.	3,503.	3,729.	3,508.	3,957.	4,184.
	84"	24"	RCS3L8424K(A,B,W) ()2() () () () ()	3,197.	3,700.	3,928.	3,650.	4,152.	4,382.
	96"	24"	RCS3L9624K(A,B,W) ()2() () () () ()	3,323.	3,876.	4,122.	3,777.	4,329.	4,576.

Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W) ()2() () () () ()	3,001.	3,417.	3,626.	3,788.	4,201.	4,413.
	72"	24"	RCS6L7224K(A,B,W) ()2() () () () ()	3,139.	3,586.	3,814.	3,926.	4,373.	4,599.
	84"	24"	RCS6L8424K(A,B,W) ()2() () () () ()	3,281.	3,783.	4,012.	4,067.	4,569.	4,799.
	96"	24"	RCS6L9624K(A,B,W) ()2() () () () ()	3,406.	3,960.	4,204.	4,194.	4,746.	4,990.


Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
SP Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
24 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
K File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
R Recessed grommet option	3. Finish type: 2 = V2	
2 Finish type	4. Interior option: M = Metal W = Wood	
W Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		


S3L = Single 30"w lateral file
S6L = Single 36"w lateral file


Single pedestal credenzas

27³/₄" high overall

V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W) ()3() () () () ()	\$3,225.	\$3,705.	\$3,950.	\$3,455.	\$3,936.	\$4,180.
	72"	24"	RCSP7224K(A,B,W) ()3() () () () ()	3,384.	3,905.	4,168.	3,615.	4,135.	4,399.
	84"	24"	RCSP8424K(A,B,W) ()3() () () () ()	3,549.	4,133.	4,400.	3,780.	4,364.	4,631.
	96"	24"	RCSP9624K(A,B,W) ()3() () () () ()	3,696.	4,339.	4,625.	3,925.	4,570.	4,854.

Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W) ()3() () () () ()	3,400.	3,880.	4,125.	3,929.	4,409.	4,654.
	72"	24"	RCS3L7224K(A,B,W) ()3() () () () ()	3,559.	4,080.	4,343.	4,086.	4,609.	4,873.
	84"	24"	RCS3L8424K(A,B,W) ()3() () () () ()	3,724.	4,309.	4,575.	4,251.	4,836.	5,104.
	96"	24"	RCS3L9624K(A,B,W) ()3() () () () ()	3,323.	3,876.	4,122.	3,777.	4,329.	4,576.

Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W) ()3() () () () ()	3,496.	3,979.	4,223.	4,413.	4,894.	5,139.
	72"	24"	RCS6L7224K(A,B,W) ()3() () () () ()	3,656.	4,178.	4,443.	4,573.	5,094.	5,356.
	84"	24"	RCS6L8424K(A,B,W) ()3() () () () ()	3,821.	4,406.	4,673.	4,738.	5,321.	5,589.
	96"	24"	RCS6L9624K(A,B,W) ()3() () () () ()	3,968.	4,613.	4,896.	4,885.	5,528.	5,813.

Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC	Reff Credenza	
SP	Single pedestal	Credenzas with lateral files or pedestals are non handed.
60	60" wide	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
24	24" deep	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
K	File/file	All waterfall credenzas have waterfall detail on front only.
A	1 1/4" regular edge top	
R	Recessed grommet option	
3	Finish type	
W	Wood interior option	
J	Pull option	
L	Lock option	
V512	Finish	
111	Pull Finish	
111	Grommet Finish	

To order, please specify pattern number including:

- Top thickness option:
A = 1 1/4"
B = 1 3/4"
C = 1 1/4" waterfall
- Grommet options:
F = Flush or standard corner location
N = No Grommet
R = Recessed
- Finish type:
3 = V3
- Interior option:
M = Metal
W = Wood
- Pull option:
C = C-pull (Nickel finish only)
D = D-pull (PT and PZ finish only)
J = J-routed pull
S = S-pull (Stainless steel finish only)

- Lock option:
L = Locks are always drilled for lock
 - Veneer finish
 - Pull Finish: Painted or plated
 - Grommet finish: Painted or plated
- Applicable finishes are listed on page 5 and 6.
- Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 590 for keying instructions.

Application Notes

30"D rectilinear desk pedestals are 24"D including modesty panel.

Credenzas with lateral files or pedestals are non handed.


Pedestals are 16"W when calculating knee space subtract 16" per pedestal.

Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.

All waterfall credenzas have waterfall detail on front only.

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Bridge assemblies
 27³/₄" high overall
 V1 finish options

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)()1()()	\$785.	\$1,069.	\$1,622.
	42"	24"	RBR4224(A,B,W)()1()()	832.	1,152.	1,693.
	48"	24"	RBR4824(A,B,W)()1()()	910.	1,252.	1,834.
	36"	30"	RBR3630(A,B,W)()1()()	837.	1,152.	1,774.
	42"	30"	RBR4230(A,B,W)()1()()	886.	1,225.	1,862.
	48"	30"	RBR4830(A,B,W)()1()()	969.	1,315.	2,012.

Order Code

Example: RBR3624 (A,B,W)	
RBR	Reff Bridge Assembly
48	48" wide
30	30" deep
W	Waterfall edge 1 1/4"
A	1 1/4" regular edge top
F	Flush grommet option
1	Finish type
Y319	Finish
111	Grommet Finish

S3L = Single 30"w lateral file
 S6L = Single 36"w lateral file

Specification Information

To order, please specify pattern number including:


- Top thickness option:
 A = 1 1/4"
 B = 1 3/4"
 C = 1 1/4" waterfall
- Grommet options:
 F = Flush or standard corner location
 N = No Grommet
 R = Recessed
- Finish type:
 1 = V1
- Finish: V1
- Grommet finish: Painted or plated

Applicable finishes are listed on page 5 and 6.

Application Notes

Bridge assemblies are non-handed.
 All hardware included.
 Waterfall option on all 3 sides.
 Shipped with full height modesty.

Bridge assemblies
 27³/₄" high overall
 V2 finish options

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)()2() ()	\$927.	\$1,262.	\$1,915.
	42"	24"	RBR4224(A,B,W)()2() ()	982.	1,360.	1,998.
	48"	24"	RBR4824(A,B,W)()2() ()	1,074.	1,478.	2,165.
	36"	30"	RBR3630(A,B,W)()2() ()	989.	1,360.	2,094.
	42"	30"	RBR4230(A,B,W)()2() ()	1,046.	1,446.	2,198.
	48"	30"	RBR4830(A,B,W)()2() ()	1,144.	1,552.	2,375.

Order Code

Example: RBR3624 (A,B,W)
RBR Reff Bridge Assembly
48 48" wide
30 30" deep
W Waterfall edge 1 1/4"
A 1 1/4" regular edge top
F Flush grommet option
2 Finish type
V316 Finish
111 Grommet Finish

S3L = Single 30" w lateral file
 S6L = Single 36" w lateral file

Specification Information

To order, please specify pattern number including:


- Top thickness option:
 A = 1 1/4"
 B = 1 3/4"
 C = 1 1/4" waterfall
- Grommet options:
 F = Flush or standard corner location
 N = No Grommet
 R = Recessed
- Finish type:
 2 = V2
- Finish: V2
- Grommet finish: Painted or plated

Applicable finishes are listed on page 5 and 6.

Application Notes

Bridge assemblies are non-handed.
 All hardware included.
 Waterfall option on all 3 sides.
 Shipped with full height modesty.

Bridge assemblies
 27³/₄" high overall
 V3 finish options

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)()3() ()	\$1,080.	\$1,470.	\$2,230.
	42"	24"	RBR4224(A,B,W)()3() ()	1,144.	1,584.	2,328.
	48"	24"	RBR4824(A,B,W)()3() ()	1,251.	1,721.	2,521.
	36"	30"	RBR3630(A,B,W)()3() ()	1,151.	1,584.	2,439.
	42"	30"	RBR4230(A,B,W)()3() ()	1,219.	1,684.	2,560.
	48"	30"	RBR4830(A,B,W)()3() ()	1,333.	1,808.	2,766.

Order Code

Example:	RBR3624 (A,B,W)
RBR	Reff Bridge Assembly
48	48" wide
30	30" deep
W	Waterfall edge 1 1/4"
A	1 1/4" regular edge top
F	Flush grommet option
3	Finish type
V512	Finish
111	Grommet Finish

S3L = Single 30"w lateral file
 S6L = Single 36"w lateral file

Specification Information

To order, please specify pattern number including:

- Top thickness option:
 A = 1 1/4"
 B = 1 3/4"
 C = 1 1/4" waterfall
- Grommet options:
 F = Flush or standard corner location
 N = No Grommet
 R = Recessed
- Finish type:
 3 = V3
- Finish: V3
- Grommet finish: Painted or plated

Applicable finishes are listed on page 5 and 6.


Application Notes


Bridge assemblies are non-handed.
 All hardware included.
 Waterfall option on all 3 sides.
 Shipped with full height modesty.

Double pedestal credenzas


27³/₄" high overall

V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCDP6024K(A,B,W) ()1() () () () ()	\$3,064.	\$3,411.	\$3,590.	\$3,397.	\$3,747.	\$3,926.
	72"	24"	RCDP7224K(A,B,W) ()1() () () () ()	3,064.	3,411.	3,590.	3,397.	3,747.	3,926.
	84"	24"	RCDP8424K(A,B,W) ()1() () () () ()	3,177.	3,557.	3,748.	3,513.	3,893.	4,084.
	96"	24"	RCDP9624K(A,B,W) ()1() () () () ()	3,405.	3,872.	4,081.	3,741.	4,207.	4,415.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCD3L6024K(A,B,W) ()1() () () () ()	3,317.	3,666.	3,845.	4,085.	4,435.	4,613.
	84"	24"	RCD3L8424K(A,B,W) ()1() () () () ()	3,554.	3,979.	4,173.	4,321.	4,746.	4,940.
	96"	24"	RCD3L9624K(A,B,W) ()1() () () () ()	3,661.	4,126.	4,335.	4,428.	4,895.	5,105.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	72"	24"	RCD6L7224K(A,B,W) ()1() () () () ()	3,575.	3,954.	4,145.	4,907.	5,285.	5,476.
	96"	24"	RCD6L9624K(A,B,W) ()1() () () () ()	3,801.	4,269.	4,477.	5,133.	5,600.	5,809.

96" w shown; 72" w has no knee space


Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza		Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal		Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4"	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
24 24" deep	C = 1 1/4" waterfall	All waterfall credenzas have waterfall detail on front only.
K File/file	2. Grommet options: F = Flush or standard corner location	
A 1 1/4" regular edge top	N = No Grommet	
R Recessed grommet option	R = Recessed	
1 Finish type	3. Finish type: 1 = V1	
W Wood interior option	4. Interior option: M = Metal W = Wood	
J Pull option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		


S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Double pedestal credenzas


27³/₄" high overall

V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCDP6024K(A,B,W) ()2() () () () ()	\$3,617.	\$4,027.	\$4,238.	\$4,011.	\$4,424.	\$4,635.
	72"	24"	RCDP7224K(A,B,W) ()2() () () () ()	3,751.	4,199.	4,425.	4,147.	4,596.	4,821.
	84"	24"	RCDP8424K(A,B,W) ()2() () () () ()	3,893.	4,396.	4,625.	4,289.	4,791.	5,020.
	96"	24"	RCDP9624K(A,B,W) ()2() () () () ()	4,019.	4,571.	4,818.	4,417.	4,967.	5,213.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCD3L6024K(A,B,W) ()2() () () () ()	3,916.	4,328.	4,540.	4,823.	5,237.	5,446.
	84"	24"	RCD3L8424K(A,B,W) ()2() () () () ()	4,195.	4,698.	4,926.	5,102.	5,603.	5,832.
	96"	24"	RCD3L9624K(A,B,W) ()2() () () () ()	4,322.	4,872.	5,118.	5,228.	5,779.	6,027.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	72"	24"	RCD6L7224K(A,B,W) ()2() () () () ()	4,220.	4,668.	4,895.	5,794.	6,240.	6,465.
	96"	24"	RCD6L9624K(A,B,W) ()2() () () () ()	4,488.	5,040.	5,286.	6,059.	6,612.	6,858.

96" w shown; 72" w has no knee space


Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	7. Finish: V1	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	8. Pull Finish: Painted or plated	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
K File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
R Recessed grommet option	3. Finish type: 2 = V2	
2 Finish type	4. Interior option: M = Metal W = Wood	
W Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		


S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Double pedestal credenzas


27³/₄" high overall

V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCDP6024K(A,B,W) ()3() () () () ()	\$4,213.	\$4,690.	\$4,936.	\$4,671.	\$5,153.	\$5,399.
	72"	24"	RCDP7224K(A,B,W) ()3() () () () ()	4,369.	4,891.	5,154.	4,830.	5,353.	5,615.
	84"	24"	RCDP8424K(A,B,W) ()3() () () () ()	4,535.	5,120.	5,386.	4,995.	5,580.	5,848.
	96"	24"	RCDP9624K(A,B,W) ()3() () () () ()	4,681.	5,324.	5,611.	5,144.	5,785.	6,071.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCD3L6024K(A,B,W) ()3() () () () ()	4,561.	5,041.	5,288.	5,618.	6,099.	6,343.
	84"	24"	RCD3L8424K(A,B,W) ()3() () () () ()	4,886.	5,471.	5,738.	5,941.	6,526.	6,793.
	96"	24"	RCD3L9624K(A,B,W) ()3() () () () ()	5,034.	5,674.	5,961.	6,089.	6,731.	7,019.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	RCD6L7224K(A,B,W) ()3() () () () ()	4,915.	5,436.	5,700.	6,748.	7,268.	7,530.
	96"	24"	RCD6L9624K(A,B,W) ()3() () () () ()	5,226.	5,870.	6,156.	7,058.	7,700.	7,988.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza		Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
24 24" deep	3. Finish type: 3 = V3	All waterfall credenzas have waterfall detail on front only.
K File/file	4. Interior option: M = Metal W = Wood	
A 1 1/4" regular edge top	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
R Recessed grommet option		
3 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Accessories

hookstrips and top caps

Reff Profiles

description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$43.
	15"	R2HK0015	70.
	34"	R2HK0034	95.
	42"	R2HK0042	101.
	49"	R2HK0049	109.
	64"	R2HK0064	118.
	79"	R2HK0079	124.
Beltway hookstrips	42"	R2HKB042	109.
	49"	R2HKB049	118.
	64"	R2HKB064	124.
	79"	R2HKB079	130.








Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: KRR3CAPL-2A	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. L = Laminate paint finish 2. 1 = V1 Techwood 3. 2 = V2 Conventional veneer <p><i>Top cap profile:</i></p> <p>A = Flat B = Square C = Bullnose</p>	<p>Applicable finishes are listed on page 1 and 3.</p> <p>An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.</p> <p>Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.</p> <p>New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.</p>
KRR3 Reff generation 3		
CAP Top cap		
L Finished 2 adjacent sides		
2 Conventional veneer		
A Flat profile		
V319 Medium cherry		

Accessories

cabinet extras and undermount accessories

Reff Profiles

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		RCABT1417						\$73.
	29"	17"		RCABT2917						122.
Cabinet coat rod 	Half of 30" cabinets			RCACR30H						71.
	Half of 36" cabinets			RCACR36H						77.
	16" cabinets			RCACR16						73.
	30" cabinets			RCACR30						97.
	36" cabinets			RCACR36						109.
Articulated keyboard arm 	10" x 22 1/4" keyboard tray			RKBA1022()						865.
	10" x 20" keyboard tray			RKBA1020()						865.
Available in laminate, techwood (V1), or veneer (V2)										
CRT turntable 	31" diameter			RKT31						534.
Pencil drawer used under worktop 	16"	17"	1"	RPAD-()		296.	526.	526.	682.	
	Specify wood or laminate finish									
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		RCAS1620-()	74.	139.	148.	171.	230.	
	16"	24"		RCAS1624-()	82.	156.	168.	195.	262.	
	30"	15"		RCAS3015-()	91.	182.	196.	224.	302.	
	30"	20"		RCAS3020-()	88.	156.	168.	195.	262.	
	30"	24"		RCAS3024-()	98.	182.	196.	224.	302.	
	36"	15"		RCAS3615-()	100.	194.	205.	232.	313.	
	36"	20"		RCAS3620-()	100.	167.	178.	205.	277.	
	36"	24"		RCAS3624-()	105.	196.	209.	239.	323.	

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

Specification Information

Pencil drawer includes slides.




Applicable finishes are listed on page 1 and 3.

Application Notes

See Reff Planning Guide for more information.

Accessories

presentation samples

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only) 	-	-	8 ⁷ / ₈ "	RWHRA-()					\$37.
	-	-	17 ⁵ / ₈ "	RWHRB-()					40.
	-	-	18 ¹ / ₄ "	RWHRC-()					40.
	-	-	21 ¹ / ₁₆ "	RWHRD-()					42.
	-	-	22"	RWHRE-()					42.
	-	-	59 ¹ / ₂ "	RWHRF-()					95.
	-	-	67"	RWHRG-()					95.
Striplight (black only) for transaction tops 	26"	2"	2"	RCASL					338.
Presentation wood sample, 16" x 16" Optional edge details available	16"	16"	-	RSAMP1616-()()	134.	187.	241.	279.	
Presentation stackable/tiled mini panel (for demonstrations) Specify trim profile, base height, base type and applicable finishes	24"	-	34"	R3SMP ()()					1,078.
Presentation monolithic mini panel Specify trim profile and applicable finishes	4"H base			RR3MP4 ()					590.
	6"H base			RR3MP6 ()					631.
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				R917762 ()					432.
Presentation worksurface cutaway sample	12"	12"	1 ¹ / ₄ "	RTOP2 ()	110.	165.	220.	259.	
	12"	12"	1 ³ / ₄ "	RTOP1 ()	110.	165.	220.	259.	
Presentation waterfall edge sample	11"	8 ¹ / ₂ "		R921655 ()					328.
Sample, cascade edge worksurface 	12"	12"		RCE1R1212G	127.				
Rangeboard Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)	27"	12"	1 ¹ / ₄ "	RRBRD2712 ()					296.

Accessories and Client Samples

Order Code

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = Laminate

1 = V1

2 = V2

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.







List price for woodgrain laminate options will be current published laminate list price plus 10%.

Striplights come with brackets, and will work with all transaction tops.

The wall rails will accept two sets of brackets for panel hung components.

Accessories

wire management




description	w	d	h	pattern no.	list price
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	RWMWT24	\$42.
	30"	4 1/2"	5 3/4"	RWMWT30	48.
	36"	4 1/2"	5 3/4"	RWMWT36	53.
	Available black only				
 Hinged vertical wire	24"	1"	3/8"	RWMV24 ()	34.
	Ships with overdesk unit. Specify paint finish.				
 Multi-purpose manager*	24"	2 1/2"	1 1/4"	RWMMP24	37.
	30"	2 1/2"	1 1/4"	RWMMP30	42.
	36"	2 1/2"	1 1/4"	RWMMP36	43.
	Available black only				
 Panel-hung vertical wire	24"	–	–	RWMVP24	34.
	not available in finish codes: 112,116,117,611, 612, 613				
 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	RWMVH24	40.
	30"	1 1/2"	3/4"	RWMVH30	44.
	36"	1 1/2"	3/4"	RWMVH36	48.
	Available black only				
 Power bar, fits into wire manager				RWMPB	146.
Replacement hardware	Top to endpanel disk			RBDD	5.
	Top to workwall endpanel disk			RBDW	5.
	Panel to endpanel bracket			RBPE(L/R)()	20.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				

Order Code	Specification Information	Application Notes
Example: RJBW24	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 5.
R Reff	1. Pattern number	
JB J-Bracket	2. Finish: painted finishes	
W Wall and Modesty mount		
24		

Accessories

wire management

Reff Profiles

description	w	d	h	pattern no.	list price
Tree wire manager 2 shipped with panel	2"			RBWM	\$11.
used in Beltway					
J-Wire Trough Wall Mount 				RJBW24()	63.
				RJBW30()	65.
				RJBW36()	71.
				RJBW42()	83.
				RJBW48()	88.
				RJBW54()	90.
				RJBW60()	91.
				RJBW66()	103.
			RJBW72()	104.	
*Installation Instruction Sheet: 6TP00078					
J-Wire Trough Under Mount 				RJBU24()	76.
				RJBU30()	78.
				RJBU36()	85.
				RJBU42()	98.
				RJBU48()	105.
				RJBU54()	107.
				RJBU60()	109.
				RJBU66()	121.
			RJBU72()	123.	
*Installation Instruction Sheet: 6TP00079 *Available in painted colors.					
Wire manager for credenza top				RWMCT24	125.
					




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RJBW24	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 5.
R Reff	1. Pattern number	
JB J-Bracket	2. Finish: painted finishes	
W Wall and Modesty mount		
24		

Accessories

Power and Data

Reff Profiles





description	type	w	d	h	pattern no.	list
Desktop Outlet - Power Center stand off 					RDTE22120	\$345.
					RDTE2272	321.
					RDTE22H	353.
Electrical component Clamp on 	2 x 2				RDTC2272	400.
	2 x 2				RDTC22120	416.
	2 x 2				RDTC22H	475.
	3 x 3				RDTC3372	510.
	3 x 3				RDTC33120	526.
	3 x 3				RDTC33H	585.
<i>3 x 3 shown</i>						
Electrical component for Simple Stand-Off Drop-In 	3 x 3				RDST3372	679.
	3 x 3				RDST33120	695.
	3 x 3				RDST33H	754.

Order Code	Specification Information	Application Notes
Example: RDTE2272		
R	Reff	H = Hard wire
DT	Desktop Outlet	Installation instruction sheet available on Knoll Exchange.
E	Electrical component	For Power Center stand off, refer to part number 6TP00081.
2	2 Electrical	
2	2 Data	
72	72" cord	

Accessories

Grommet and Stand off

Reff Profiles

description	type	w	d	h	pattern no.	list
Simple Stand Off		12"	5"	5"	RST	\$105.
						
Stand Off for Power Center (Electrical component not included)		8"	5"	5"	RPCST()	134.
						
Power Center Grommet (Electrical component not included)		8"	5"	1 1/2"	RPCG	153.
						
Desktop Grommet	For 1 1/2" thick top			1 1/2"	RDTGA	33.
	For 1 1/4" thick top			1 1/4"	RDTGB	33.
	For 1" thick top			1"	RDTGC	33.
						




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RDTE2272		
R	Reff	H = Hard wire
DT	Desktop Outlet	Installation instruction sheet available on Knoll Exchange.
E	Electrical component	
2	2 Electrical	For Power Center stand off, refer to part number 6TP00081.
2	2 Data	
72	72" cord	

Accessories

interior components

Reff Profiles

description	y	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)					RPHCHH	\$34.
Not intended to work with (AA) Aluminum top trim						
Panel-hung coat hook (panel top)					RPHCHT	34.
Panel-hung tackboard	0.9		30"	24"	RPHTB3024	286.
Note: Fabric railroaded	1.3		42"	24"	RPHTB4224	352.
All standard grades of fabric						
						
Panel-hung whiteboard			30"	24"	RPHWB3024	444.
			42"	24"	RPHWB4224	543.
Wall-hung tackboard	0.9		30"	24"	RWHTB3024	317.
Note: Fabric railroaded Velcro supplied	1.1		36"	24"	RWHTB3624	352.
	1.3		42"	24"	RWHTB4224	386.
	1.5		48"	24"	RWHTB4824	420.
for use with 26 1/2" h support planning module						
						
Wall-hung tackboard for desk height (28 3/8" h) planning	0.9		30"	26"	RWDHTB3026	334.
Note: Fabric railroaded Velcro supplied	1.1		36"	26"	RWDHTB3626	369.
	1.3		42"	26"	RWDHTB4226	407.
	1.5		48"	26"	RWDHTB4826	441.
for use with 28 3/8" h support planning module						
						
Box drawer dividers, wood box drawers (Acrylic)			16"	–	RPADSS	50.
File bars, wood file drawers (replacement)			16"	–	RPAHFB16	28.
			30"	–	RPAHFB30	54.
			36"	–	RPAHFB36	83.

Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

Y = Yardage required

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

Reff Profiles

description	y	type	w	h	pattern no.	list price
File bars, metal file drawers (replacement)			16"	–	RPAHFM162 *	\$20.
			30"	–	RPAHFM30	28.
			36"	–	RPAHFM36	28.

Sold as individuals


Plate divider					RPD11	22.
					RPD14	22.



RPD11 to be used with 15" D open cabinet/bookcase with metal shelves.
 RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.


Pencil tray, wood (ordered separately)			12"	–	RPAPT	97.
--	--	--	-----	---	--------------	-----

Pencil tray, plastic		black	13 1/4"	–	RPETRAY3N	37.
		clear	12"	–	RPETRAY3C	44.



Recommended for use with metal drawer interiors on 16"w peds.
 Letter width pedestal.

Pencil tray adapter					RPETAD	80.
---------------------	--	--	--	--	---------------	-----



Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals.
 Available in painted and anodized finishes.

Task Panel shelf			14"		RTST14	163.
------------------	--	--	-----	--	---------------	------



Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

Y = Yardage required

Application Notes



See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

description	y	type	w	h	pattern no.	list price
Task Panel flat tray 			14"		RTSF14	\$163.
			28"		RTSF28	194.
Utility Hook 					RAUH	19.

Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

Y = Yardage required




Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.


Accessories
Fascias
Metal

description	w	pattern no.	P1/P2	P3
Metal Fascia - Both left and right recess 	30"	ROMDHMTF130RB	\$141.	\$169.
	36"	ROMDHMTF136RB	144.	173.
	42"	ROMDHMTF142RB	145.	174.
	48"	ROMDHMTF148RB	147.	177.
	54"	ROMDHMTF154RB	150.	180.
	60"	ROMDHMTF160RB	152.	183.
	66"	ROMDHMTF166RB	161.	193.
	72"	ROMDHMTF172RB	163.	196.
	78"	ROMDHMTF178RB	165.	198.
	84"	ROMDHMTF184RB	167.	200.
	90"	ROMDHMTF190RB	169.	203.
96"	ROMDHMTF196RB	171.	205.	
Metal Fascia - Left recess 	30"	ROMDHMTF130RL	141.	169.
	36"	ROMDHMTF136RL	144.	173.
	42"	ROMDHMTF142RL	145.	174.
	48"	ROMDHMTF148RL	147.	177.
	54"	ROMDHMTF154RL	150.	180.
	60"	ROMDHMTF160RL	152.	183.
	66"	ROMDHMTF166RL	161.	193.
	72"	ROMDHMTF172RL	163.	196.
	78"	ROMDHMTF178RL	165.	198.
	84"	ROMDHMTF184RL	167.	200.
	90"	ROMDHMTF190RL	169.	203.
96"	ROMDHMTF196RL	171.	205.	
Metal Fascia - No recess 	30"	ROMDHMTF130RN	141.	169.
	36"	ROMDHMTF136RN	144.	173.
	42"	ROMDHMTF142RN	145.	174.
	48"	ROMDHMTF148RN	147.	177.
	54"	ROMDHMTF154RN	150.	180.
	60"	ROMDHMTF160RN	152.	183.
	66"	ROMDHMTF166RN	161.	193.
	72"	ROMDHMTF172RN	163.	196.
	78"	ROMDHMTF178RN	165.	198.
	84"	ROMDHMTF184RN	167.	200.
	90"	ROMDHMTF190RN	169.	203.
96"	ROMDHMTF196RN	171.	205.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	To order please specify pattern number including: 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		




Accessories
Fascias
Metal

description	w	pattern no.	P1/P2	P3
Metal Fascia - Right recess 	30"	ROMDHMTF130RR	\$141.	\$169.
	36"	ROMDHMTF136RR	144.	173.
	42"	ROMDHMTF142RR	145.	174.
	48"	ROMDHMTF148RR	147.	177.
	54"	ROMDHMTF154RR	150.	180.
	60"	ROMDHMTF160RR	152.	183.
	66"	ROMDHMTF166RR	161.	193.
	72"	ROMDHMTF172RR	163.	196.
	78"	ROMDHMTF178RR	165.	198.
	84"	ROMDHMTF184RR	167.	200.
	90"	ROMDHMTF190RR	169.	203.
	96"	ROMDHMTF196RR	171.	205.

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	<i>To order please specify pattern number including:</i> 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		

Accessories
Fascias
Wood


Reff Profiles

description	w	pattern no.	V1	V2	V3
Wood Fascia - Both left and right recess 	30"	ROMDHWTF130RB	\$260.	\$281.	\$351.
	36"	ROMDHWTF136RB	262.	284.	355.
	42"	ROMDHWTF142RB	264.	287.	359.
	48"	ROMDHWTF148RB	266.	290.	364.
	54"	ROMDHWTF154RB	268.	294.	368.
	60"	ROMDHWTF160RB	386.	408.	510.
	66"	ROMDHWTF166RB	388.	411.	514.
	72"	ROMDHWTF172RB	390.	414.	518.
	78"	ROMDHWTF178RB	392.	417.	522.
	84"	ROMDHWTF184RB	394.	420.	526.
	90"	ROMDHWTF190RB	397.	423.	530.
96"	ROMDHWTF196RB	542.	564.	706.	
Wood Fascia - Left recess 	30"	ROMDHWTF130RL	260.	281.	351.
	36"	ROMDHWTF136RL	262.	284.	355.
	42"	ROMDHWTF142RL	264.	287.	359.
	48"	ROMDHWTF148RL	266.	290.	364.
	54"	ROMDHWTF154RL	268.	294.	368.
	60"	ROMDHWTF160RL	386.	408.	510.
	66"	ROMDHWTF166RL	388.	411.	514.
	72"	ROMDHWTF172RL	390.	414.	518.
	78"	ROMDHWTF178RL	392.	417.	522.
	84"	ROMDHWTF184RL	394.	420.	526.
	90"	ROMDHWTF190RL	397.	423.	530.
96"	ROMDHWTF196RL	542.	564.	706.	
Wood Fascia - No recess 	30"	ROMDHWTF130RN	260.	281.	351.
	36"	ROMDHWTF136RN	262.	284.	355.
	42"	ROMDHWTF142RN	264.	287.	359.
	48"	ROMDHWTF148RN	266.	290.	364.
	54"	ROMDHWTF154RN	268.	294.	368.
	60"	ROMDHWTF160RN	386.	408.	510.
	66"	ROMDHWTF166RN	388.	411.	514.
	72"	ROMDHWTF172RN	390.	414.	518.
	78"	ROMDHWTF178RN	392.	417.	522.
	84"	ROMDHWTF184RN	394.	420.	526.
	90"	ROMDHWTF190RN	397.	423.	530.
96"	ROMDHWTF196RN	542.	564.	706.	

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i>	For single and double high overheads.
R Reff	1. Finish Type:	Wood and metal options.
O Overhead	1 = V1	Letter depth only.
M Wall hung	2 = V2	
DH Desk height	3 = V3	
W Wood	2. Finish	
T Task light	V1, V2, V3	
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		





Accessories
Fascias
Wood

description	w	pattern no.	V1	V2	V3
Wood Fascia - Right recess 	30"	ROMDHWTF130RR	\$260.	\$281.	\$351.
	36"	ROMDHWTF136RR	262.	284.	355.
	42"	ROMDHWTF142RR	264.	287.	359.
	48"	ROMDHWTF148RR	266.	290.	364.
	54"	ROMDHWTF154RR	268.	294.	368.
	60"	ROMDHWTF160RR	386.	408.	510.
	66"	ROMDHWTF166RR	388.	411.	514.
	72"	ROMDHWTF172RR	390.	414.	518.
	78"	ROMDHWTF178RR	392.	417.	522.
	84"	ROMDHWTF184RR	394.	420.	526.
	90"	ROMDHWTF190RR	397.	423.	530.
	96"	ROMDHWTF196RR	542.	564.	706.

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i> 1. Finish Type: 1 = V1 2 = V2 3 = V3 2. Finish V1, V2, V3	For single and double high overheads. Wood and metal options. Letter depth only.
R Reff		
O Overhead		
M Wall hung		
DH Desk height		
W Wood		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		

Accessories

Sliding Rails

description	width	pattern no.	list price	
Sliding rail for open shelves 	30"	RSDR30	\$53.	
	36"	RSDR36	53.	
	42"	RSDR42	53.	
	48"	RSDR48	53.	
	54"	RSDR54	53.	
	60"	RSDR60	83.	
	66"	RSDR66	83.	
	72"	RSDR72	83.	
	78"	RSDR78	83.	
	84"	RSDR84	93.	
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	53.	
	36"	ROHDR36	53.	
	42"	ROHDR42	53.	
	48"	ROHDR48	53.	
	60"	ROHDR60	93.	
	72"	ROHDR72	93.	
	90"	ROHDR90	126.	
	96"	ROHDR96	126.	
	Sliding rail for flip door overhead cabinets 	30"	RFDR30	53.
		36"	RFDR36	53.
42"		RFDR42	53.	
48"		RFDR48	53.	
60"		RFDR60	93.	
72"		RFDR72	93.	
84"		RFDR84	93.	
Sliding rail divider 		R5ZNNE (3 dividers)	22.	




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RSDR30	<i>To order please specify pattern number.</i>	Match cabinet width to rail width.
R Reff		Parts come in black only.
SDR Sliding rail for open shelves		These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.
30 For 30" shelf		

Accessories

Task Light

Reff

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTL5E19S	\$270.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25S	276.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37S	281.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49S	286.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61S	303.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73S	330.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85S	412.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25A	396.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37A	417.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49A	434.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61A	451.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73A	467.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85A	484.
	Use with 24" and wider overhead (3 LED's)	19"	2"	3/16"	RTL193W	306.
	Use with 24" and wider overhead (6 LED's)	19"	2"	3/16"	RTL196W	386.
	Use with 24" and wider overhead (9 LED's)	19"	2"	3/16"	RTL199W	526.
	Use with 42" and wider overhead (6 LED's)	37"	2"	3/16"	RTL376W	617.
	Use with 42" and wider overhead (12 LED's)	37"	2"	3/16"	RTL3712W	697.
	Use with 42" and wider overhead (18 LED's)	37"	2"	3/16"	RTL3718W	864.

Order Code	Specification Information	Application Notes
T5 Standard Task Light Example: RTL5E19S RTL Task Light T5 T5 lamp E Electronic ballast 19 Width S Standard	T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black. LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.	T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed. T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content. LED Task Lights: Power cord is able to attach to either end of fixture. Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Task Panels

Planning Guidelines and Specifications

Task Panels

The high performance Task Panel is designed to augment the utility of the zone immediately above the credenza in a Private Office setting, by offering tool rail capability and cable management features in addition to tackable and decorative inserts. All Task Panels have a cable curtain along the full length of the bottom edge which, when used in conjunction with notched back credenza tops, provides access to in-wall power sources and for cable concealment. See figure on following page for cable management details. The optional tool rail is designed to accept slatwall accessories and the Reff Profiles Task Panel Shelf. Slatwall accessories are available from KnollExtra. Insert panels may be conveniently removed, exposing a 7/8" wire clearance space which allows cable drops at any point along the entire width of the Task Panel. Check local electrical codes for suitability.

Task Panels are configured in eight heights (H1 – H8) to correspond to their application. See application diagrams on the following pages. H1 and H2 are designed for focused work applications whereas H3 through H8 are designed for collaborative or team work applications.


Construction

The Task Panel consists of a framework and optional tool rail, with decorative trims and a variety of functional and decorative inserts. See figures below for breakdown of components. Bottom right; The frame assembly consists of two vertical members, a bottom and top frame member and an optional tool rail. These are connected together and supported by mounting brackets. Edges have decorative trims; a top cover and two end covers.

Connected to the bottom frame member is a nylon brush which forms the cable curtain. Frames are clad with either one or two inserts depending upon the use of the tool rail. Bottom left (upper); single monolithic insert with spacers. Bottom left (lower); top segmented insert and bottom segmented insert and spacers.

Task Panels are shipped with frame and trim components, cable curtain and hardware in one container and inserts and spacers in a separate container.

The unit is field-assembled; fastened together using brackets and screws in pre-punched holes. See part #6TP00085 for assembly and installations instructions.



Accessories and Client Samples

Task Panels

Planning Guidelines and Specifications

Specification Options

Task Panels are offered in widths from 30" to 96" in 6" increments; and in eight application heights, H1 to H8. Overall thickness of the Task Panel is 1 1/2".

Task Panels are available in two basic configurations; monolithic (with a single insert) and segmented (with two inserts divided by the horizontal tool rail). See diagrams, previous page, for description.


The Task Panel cover trims and optional tool rail are offered in three anodized metallic finishes; Black (AN), Polished (AP) and Satin (AU) as well as all core paint colors. Refer to Reff Profiles finish options page for more information.

Task Panel inserts are available in a variety of finishes including fabric (tackable), Forbo™ (tackable linoleum), laminate, veneer, glass and marker board.

Note that segmented Task Panels with fabric lower inserts are available up to 72" wide.



Planning Notes

1. H1, H3, H5 and H7 Task Panels are intended for use with 1 1/2" thick credenza tops. H2, H4, H6 and H8 Task Panels are intended for use with 1" credenza tops.
2. Fabric is applied to inserts railroad style only
3. Forbo™ is available on lower segmented inserts only
4. Grain direction for veneer inserts is vertical
5. Glass is not available for lower segmented inserts.



Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H1 Task Panel is intended for use with 1 1/2" thick tops.
- H2 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H3 Task Panel is intended for use with 1 1/2" thick tops.
- H4 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H5 Task Panel is intended for use with 1 1/2" thick tops.
- H6 Task Panel is intended for use with 1" thick credenza tops.

Task Panels


Planning Guidelines and Specifications



Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H7 Task Panel is intended for use with 1 1/2" thick tops.
- H8 Task Panel is intended for use with 1" thick credenza tops.

Task Panels
H1 23 1/8" high
Monolithic, Without Tool rail
Fabric


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	23 1/8"	30"	0.9	RTPNM30H1() ()	\$727.	\$742.	\$757.	\$771.	\$794.	\$809.	\$827.
Without tool rail	1 1/2"	23 1/8"	36"	1.1	RTPNM36H1() ()	781.	799.	818.	836.	861.	877.	896.
	1 1/2"	23 1/8"	42"	1.3	RTPNM42H1() ()	1,024.	1,045.	1,067.	1,089.	1,122.	1,141.	1,167.
	1 1/2"	23 1/8"	48"	1.4	RTPNM48H1() ()	1,036.	1,060.	1,084.	1,107.	1,140.	1,160.	1,187.
	1 1/2"	23 1/8"	54"	1.6	RTPNM54H1() ()	1,054.	1,080.	1,107.	1,134.	1,168.	1,189.	1,215.
	1 1/2"	23 1/8"	60"	1.8	RTPNM60H1() ()	1,117.	1,146.	1,176.	1,206.	1,242.	1,264.	1,293.
	1 1/2"	23 1/8"	66"	1.9	RTPNM66H1() ()	1,351.	1,383.	1,414.	1,446.	1,489.	1,515.	1,550.
	1 1/2"	23 1/8"	72"	2.1	RTPNM72H1() ()	1,371.	1,406.	1,441.	1,476.	1,520.	1,547.	1,582.
	1 1/2"	23 1/8"	78"	2.3	RTPNM78H1() ()	1,541.	1,579.	1,617.	1,655.	1,705.	1,735.	1,774.
	1 1/2"	23 1/8"	84"	2.4	RTPNM84H1() ()	1,550.	1,590.	1,630.	1,671.	1,721.	1,751.	1,791.
	1 1/2"	23 1/8"	90"	2.6	RTPNM90H1() ()	1,613.	1,656.	1,701.	1,744.	1,796.	1,827.	1,869.
	1 1/2"	23 1/8"	96"	2.8	RTPNM96H1() ()	1,632.	1,679.	1,725.	1,773.	1,826.	1,857.	1,900.

Order Code	Specification Information	Application Notes
Example: RTPNM30H1() ()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection		Tool rails are not supplied to this Task Panel.

Y = Yardage required


All Fabric to be applied railroded as current tackboard.
 When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H1 23 1/8" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	23 1/8"	30"	RTPNM30H1()	\$972.	\$781.	\$774.	\$873.	\$935.	\$1,077.
Without tool rail	1 1/2"	23 1/8"	36"	RTPNM36H1()	1,088.	828.	819.	921.	991.	1,159.
	1 1/2"	23 1/8"	42"	RTPNM42H1()	1,327.	1,018.	1,006.	1,111.	1,186.	1,380.
	1 1/2"	23 1/8"	48"	RTPNM48H1()	1,421.	1,030.	1,018.	1,125.	1,207.	1,430.
	1 1/2"	23 1/8"	54"	RTPNM54H1()	1,500.	1,039.	1,026.	1,134.	1,226.	1,476.
	1 1/2"	23 1/8"	60"	RTPNM60H1()	1,623.	1,094.	1,079.	1,189.	1,291.	1,568.
	1 1/2"	23 1/8"	66"	RTPNM66H1()	1,927.	1,360.	1,343.	1,455.	1,571.	1,876.
	1 1/2"	23 1/8"	72"	RTPNM72H1()	2,007.	1,371.	1,353.	1,468.	1,597.	1,936.
	1 1/2"	23 1/8"	78"	RTPNM78H1()	2,239.	1,534.	1,514.	1,630.	1,762.	2,122.
	1 1/2"	23 1/8"	84"	RTPNM84H1()	2,319.	1,550.	1,529.	1,652.	1,788.	2,174.
	1 1/2"	23 1/8"	90"	RTPNM90H1()	2,442.	1,604.	1,581.	1,700.	1,852.	2,266.
	1 1/2"	23 1/8"	96"	RTPNM96H1()	2,522.	1,622.	1,599.	1,721.	1,876.	2,316.

Order Code	Specification Information	Application Notes
Example: RTPNM30H1()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Veneer	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H1 23 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H1 23 1/8" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1 () ()	\$1,128.	\$1,158.	\$1,189.	\$1,218.	\$1,247.	\$1,277.	\$1,306.
	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1 () ()	1,214.	1,251.	1,288.	1,325.	1,357.	1,388.	1,419.
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1 () ()	1,466.	1,509.	1,552.	1,595.	1,634.	1,672.	1,710.
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1 () ()	1,486.	1,533.	1,580.	1,626.	1,666.	1,705.	1,743.
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1 () ()	1,517.	1,571.	1,624.	1,678.	1,718.	1,758.	1,798.
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1 () ()	1,548.	1,608.	1,669.	1,728.	1,770.	1,811.	1,853.
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1 () ()	1,894.	1,958.	2,021.	2,085.	2,134.	2,185.	2,234.
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1 () ()	1,927.	1,997.	2,068.	2,138.	2,190.	2,240.	2,292.

Order Code	Specification Information	Application Notes
Example: RTPRS30H1 () ()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H1 23 1/8" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1 () ()	\$1,189.	\$1,204.	\$1,218.	\$1,234.	\$1,271.	\$1,293.	\$1,323.
	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1 () ()	1,266.	1,284.	1,302.	1,320.	1,360.	1,383.	1,415.
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1 () ()	1,450.	1,472.	1,494.	1,515.	1,560.	1,587.	1,624.
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1 () ()	1,468.	1,491.	1,514.	1,538.	1,584.	1,612.	1,648.
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1 () ()	1,495.	1,521.	1,548.	1,575.	1,622.	1,650.	1,688.
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1 () ()	1,519.	1,549.	1,579.	1,609.	1,657.	1,686.	1,724.
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1 () ()	1,888.	1,920.	1,952.	1,984.	2,044.	2,079.	2,126.
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1 () ()	1,913.	1,948.	1,984.	2,019.	2,080.	2,116.	2,164.

Order Code

Example:	RTPRS30H1 () ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmentated
30	Width
H1	23 1/8" high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including:
 1. Trim Finish: Painted or Anodized
 2. Top insert finish: Marker board
 3. Bottom insert finish: Fabric

Application Notes

H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
 Installation instruction sheets available on Knoll Exchange.
 For Task Panels refer to part number 6TP00085.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroaded as current tackboard
 When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H1 23 1/8" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1()()	\$1,262.	\$1,134.	\$1,227.	\$1,271.	\$1,286.	\$1,319.
With tool rail	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1()()	1,387.	1,272.	1,354.	1,354.	1,372.	1,412.
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1()()	1,620.	1,426.	1,503.	1,547.	1,567.	1,614.
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1()()	1,694.	1,454.	1,521.	1,604.	1,624.	1,678.
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1()()	1,765.	1,490.	1,550.	1,633.	1,654.	1,713.
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1()()	1,835.	1,527.	1,579.	1,661.	1,685.	1,750.
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1()()	2,236.	1,883.	1,959.	2,041.	2,068.	2,139.
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1()()	2,309.	1,922.	1,990.	2,073.	2,101.	2,179.
	1 1/2"	23 1/8"	78"	2.3	RTPRS78H1()()	2,487.	2,067.	2,126.	2,210.	2,240.	2,325.
	1 1/2"	23 1/8"	84"	2.4	RTPRS84H1()()	2,557.	2,092.	2,143.	2,228.	2,260.	2,351.
	1 1/2"	23 1/8"	90"	2.6	RTPRS90H1()()	2,629.	2,129.	2,172.	2,257.	2,291.	2,390.
	1 1/2"	23 1/8"	96"	2.8	RTPRS96H1()()	2,702.	2,167.	2,202.	2,288.	2,324.	2,429.


Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H1()()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H1 23 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Y = Yardage required

Task Panels
H2 29³/₄" high
Monolithic, Without Tool Rail
Fabric

Reff Profiles


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	29 3/4"	30"	0.9	RTPNM30H2()()	\$801.	\$817.	\$831.	\$847.	\$872.	\$887.	\$907.
Without tool rail	1 1/2"	29 3/4"	36"	1.1	RTPNM36H2()()	857.	876.	894.	913.	940.	956.	979.
	1 1/2"	29 3/4"	42"	1.3	RTPNM42H2()()	1,048.	1,069.	1,092.	1,113.	1,146.	1,167.	1,194.
	1 1/2"	29 3/4"	48"	1.4	RTPNM48H2()()	1,062.	1,086.	1,108.	1,132.	1,166.	1,187.	1,213.
	1 1/2"	29 3/4"	54"	1.6	RTPNM54H2()()	1,080.	1,107.	1,133.	1,160.	1,195.	1,215.	1,243.
	1 1/2"	29 3/4"	60"	1.8	RTPNM60H2()()	1,143.	1,173.	1,204.	1,234.	1,271.	1,293.	1,323.
	1 1/2"	29 3/4"	66"	1.9	RTPNM66H2()()	1,379.	1,411.	1,443.	1,475.	1,519.	1,546.	1,581.
	1 1/2"	29 3/4"	72"	2.1	RTPNM72H2()()	1,400.	1,435.	1,470.	1,505.	1,550.	1,577.	1,613.
	1 1/2"	29 3/4"	78"	2.3	RTPNM78H2()()	1,571.	1,609.	1,648.	1,686.	1,737.	1,766.	1,808.
	1 1/2"	29 3/4"	84"	2.4	RTPNM84H2()()	1,582.	1,622.	1,662.	1,703.	1,753.	1,784.	1,825.
	1 1/2"	29 3/4"	90"	2.6	RTPNM90H2()()	1,645.	1,688.	1,732.	1,776.	1,829.	1,861.	1,903.
	1 1/2"	29 3/4"	96"	2.8	RTPNM96H2()()	1,666.	1,712.	1,759.	1,806.	1,859.	1,892.	1,935.

Order Code	Specification Information	Application Notes	
Example: RTPNM30H2()()	To order please specify pattern number including: 1. Trim Finish: Painted or Anodized 2. Top Insert Finish: Fabric 3. Insert Finish: Fabric	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza. Always supplied including cable curtain. Always supplied including all trim pieces. LH & RH side full height trims. (no hi-lo trims) All trims supplied with the same finish specification. Tool rails are not supplied to this Task Panel. All Fabric to be applied railroded as current tackboard. When ordering 54" or wider Task Panel, please check width of fabric specified.	
R Reff			*Installation instruction sheets available on Knoll Exchange.
TP Task Panel			For Task Panels refer to part number 6TP00085
N No tool rail			
M Monolithic			
30 Width			
H2 29 3/4" high			
111 Trim finish			
W281 Fabric selection			

Y = Yardage required

Task Panels
H2 29³/₄" high
Monolithic, Without Tool Rail
Wood, Laminate, Marker board or Glass Inserts


Reff Profiles

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	29 ³ / ₄ "	30"	RTPNM30H2 () ()	\$1,121.	\$817.	\$806.	\$911.	\$981.	\$1,163.
Without tool rail	1 1/2"	29 ³ / ₄ "	36"	RTPNM36H2 () ()	1,263.	870.	858.	964.	1,045.	1,263.
	1 1/2"	29 ³ / ₄ "	42"	RTPNM42H2 () ()	1,540.	1,054.	1,040.	1,149.	1,243.	1,497.
	1 1/2"	29 ³ / ₄ "	48"	RTPNM48H2 () ()	1,648.	1,076.	1,061.	1,172.	1,282.	1,571.
	1 1/2"	29 ³ / ₄ "	54"	RTPNM54H2 () ()	1,753.	1,088.	1,070.	1,185.	1,306.	1,630.
	1 1/2"	29 ³ / ₄ "	60"	RTPNM60H2 () ()	1,903.	1,145.	1,127.	1,242.	1,376.	1,737.
	1 1/2"	29 ³ / ₄ "	66"	RTPNM66H2 () ()	2,233.	1,414.	1,393.	1,512.	1,657.	2,053.
	1 1/2"	29 ³ / ₄ "	72"	RTPNM72H2 () ()	2,340.	1,429.	1,406.	1,526.	1,683.	2,114.
	1 1/2"	29 ³ / ₄ "	78"	RTPNM78H2 () ()	2,598.	1,600.	1,575.	1,698.	1,862.	2,328.
	1 1/2"	29 ³ / ₄ "	84"	RTPNM84H2 () ()	2,703.	1,612.	1,585.	1,712.	1,887.	2,389.
	1 1/2"	29 ³ / ₄ "	90"	RTPNM90H2 () ()	2,852.	1,676.	1,647.	1,805.	1,968.	2,505.
	1 1/2"	29 ³ / ₄ "	96"	RTPNM96H2 () ()	2,959.	1,690.	1,660.	1,791.	1,994.	2,566.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H2 () ()	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1 ⁷ / ₈ " thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom Insert Finish: G, LW, L, V1, V2, V3	Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H2 29 ³ / ₄ " high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H2 29³/₄" high
Segmented With Tool Rail
Fabric Insert Above / Fabric Insert Below


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2 () ()	\$1,260.	\$1,270.	\$1,281.	\$1,570.	\$1,331.	\$1,353.	\$1,384.
	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2 () ()	1,292.	1,329.	1,365.	1,402.	1,444.	1,469.	1,503.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2 () ()	1,485.	1,529.	1,573.	1,616.	1,664.	1,693.	1,732.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2 () ()	1,508.	1,554.	1,602.	1,648.	1,697.	1,727.	1,766.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2 () ()	1,539.	1,592.	1,646.	1,700.	1,750.	1,781.	1,822.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2 () ()	1,571.	1,630.	1,691.	1,751.	1,804.	1,834.	1,877.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2 () ()	1,919.	1,982.	2,046.	2,108.	2,171.	2,209.	2,260.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2 () ()	2,019.	2,069.	2,120.	2,170.	2,235.	2,274.	2,326.

Order Code	Specification Information	Application Notes
Example: RTPRS30H2 () ()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085.
R Tool rail	3. Bottom Insert Finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including cable curtain.
H2 29 3/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top insert		All trims supplied with the same finish specification.
W281 Fabric selection bottom insert		All Fabric to be applied railroaded as current tackboard.

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H2 29³/₄" high
Segmented With Tool Rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2 () ()	\$1,207.	\$1,223.	\$1,237.	\$1,252.	\$1,290.	\$1,312.	\$1,342.
	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2 () ()	1,289.	1,307.	1,326.	1,344.	1,384.	1,409.	1,441.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2 () ()	1,474.	1,496.	1,518.	1,540.	1,586.	1,614.	1,650.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2 () ()	1,494.	1,517.	1,540.	1,564.	1,610.	1,639.	1,676.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2 () ()	1,520.	1,547.	1,574.	1,601.	1,649.	1,677.	1,716.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2 () ()	1,546.	1,576.	1,607.	1,637.	1,686.	1,715.	1,754.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2 () ()	1,917.	1,949.	1,980.	2,012.	2,071.	2,108.	2,156.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2 () ()	1,744.	1,848.	1,951.	2,055.	2,117.	2,154.	2,202.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H2 () ()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H2 29 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroded as current tackboard.
W281 Fabric selectin bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H2 29³/₄" high

Segmented With Tool Rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2() ()	\$1,369.	\$1,155.	\$1,236.	\$1,304.	\$1,343.	\$1,418.
With tool rail	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2() ()	1,517.	1,355.	1,326.	1,394.	1,439.	1,529.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2() ()	1,769.	1,573.	1,523.	1,592.	1,642.	1,746.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2() ()	1,861.	1,621.	1,545.	1,645.	1,698.	1,819.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2() ()	1,951.	1,676.	1,576.	1,676.	1,735.	1,868.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2() ()	2,039.	1,732.	1,607.	1,708.	1,771.	1,919.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2() ()	2,459.	2,105.	1,980.	2,083.	2,150.	2,313.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2() ()	2,557.	2,254.	2,024.	2,129.	2,196.	2,373.
	1 1/2"	29 3/4"	78"	2.3	RTPRS78H2() ()	2,748.	2,327.	2,156.	2,261.	2,332.	2,524.
	1 1/2"	29 3/4"	84"	2.4	RTPRS84H2() ()	2,837.	2,370.	2,177.	2,284.	2,360.	2,568.
	1 1/2"	29 3/4"	90"	2.6	RTPRS90H2() ()	2,926.	2,426.	2,208.	2,315.	2,397.	2,618.
	1 1/2"	29 3/4"	96"	2.8	RTPRS96H2() ()	3,017.	2,483.	2,240.	2,349.	2,434.	2,670.

Order Code

Example:	RTPRS30H2() ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H2	29 3/4" high
111	Trim finish
W281	Fabric selectin top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including:

1. Trim Finish: Painted or Anodized
2. Top Insert Finish: Glass or Fabric
3. Bottom Insert Finish: Forbo, L, V1, V2, V3

Application Notes

H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.

*Installation instruction sheets available on Knoll Exchange.

Always supplied including cable curtain.

For Task Panels refer to part number 6TP00085

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.


All Fabric to be applied railroaded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Task Panels
H3 37⁷/₈" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	37 7/8"	30"	0.9	RTPNM30H3()()	\$839.	\$854.	\$869.	\$884.	\$911.	\$926.	\$948.
Without tool rail	1 1/2"	37 7/8"	36"	1.1	RTPNM36H3()()	896.	915.	932.	951.	980.	996.	1,019.
	1 1/2"	37 7/8"	42"	1.3	RTPNM42H3()()	1,088.	1,109.	1,131.	1,153.	1,188.	1,208.	1,236.
	1 1/2"	37 7/8"	48"	1.4	RTPNM48H3()()	1,103.	1,127.	1,149.	1,173.	1,208.	1,230.	1,258.
	1 1/2"	37 7/8"	54"	1.6	RTPNM54H3()()	1,123.	1,149.	1,176.	1,203.	1,239.	1,261.	1,290.
	1 1/2"	37 7/8"	60"	1.8	RTPNM60H3()()	1,187.	1,216.	1,247.	1,277.	1,315.	1,339.	1,369.
	1 1/2"	37 7/8"	66"	1.9	RTPNM66H3()()	1,424.	1,456.	1,487.	1,519.	1,565.	1,592.	1,628.
	1 1/2"	37 7/8"	72"	2.1	RTPNM72H3()()	1,445.	1,480.	1,516.	1,551.	1,598.	1,625.	1,662.
	1 1/2"	37 7/8"	78"	2.3	RTPNM78H3()()	1,618.	1,656.	1,695.	1,733.	1,785.	1,817.	1,858.
	1 1/2"	37 7/8"	84"	2.4	RTPNM84H3()()	1,630.	1,671.	1,711.	1,751.	1,804.	1,835.	1,877.
	1 1/2"	37 7/8"	90"	2.6	RTPNM90H3()()	1,695.	1,739.	1,782.	1,825.	1,880.	1,913.	1,957.
	1 1/2"	37 7/8"	96"	2.8	RTPNM96H3()()	1,716.	1,762.	1,810.	1,856.	1,912.	1,945.	1,990.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H3 ()()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H3 37 7/8" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.


Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H3 37⁷/₈" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	37 ⁷ / ₈ "	30"	RTPNM30H3()	\$1,299.	\$867.	\$854.	\$962.	\$1,049.	\$1,284.
Without tool rail	1 1/2"	37 ⁷ / ₈ "	36"	RTPNM36H3()	1,471.	920.	904.	1,015.	1,118.	1,399.
	1 1/2"	37 ⁷ / ₈ "	42"	RTPNM42H3()	1,756.	1,114.	1,097.	1,210.	1,333.	1,659.
	1 1/2"	37 ⁷ / ₈ "	48"	RTPNM48H3()	1,916.	1,139.	1,120.	1,237.	1,374.	1,747.
	1 1/2"	37 ⁷ / ₈ "	54"	RTPNM54H3()	2,051.	1,155.	1,133.	1,252.	1,405.	1,823.
	1 1/2"	37 ⁷ / ₈ "	60"	RTPNM60H3()	2,231.	1,223.	1,198.	1,321.	1,484.	1,949.
	1 1/2"	37 ⁷ / ₈ "	66"	RTPNM66H3()	2,590.	1,487.	1,461.	1,587.	1,765.	2,275.
	1 1/2"	37 ⁷ / ₈ "	72"	RTPNM72H3()	2,727.	1,697.	1,482.	1,612.	1,811.	2,366.
	1 1/2"	37 ⁷ / ₈ "	78"	RTPNM78H3()	3,016.	1,680.	1,649.	1,781.	1,995.	2,596.
	1 1/2"	37 ⁷ / ₈ "	84"	RTPNM84H3()	3,150.	1,695.	1,661.	1,797.	2,026.	2,673.
	1 1/2"	37 ⁷ / ₈ "	90"	RTPNM90H3()	3,330.	1,756.	1,720.	1,859.	2,108.	2,811.
	1 1/2"	37 ⁷ / ₈ "	96"	RTPNM96H3()	3,467.	1,774.	1,735.	1,878.	2,135.	2,873.

Order Code	Specification Information	Application Notes
Example: RTPNM30H3()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H3 37 ⁷ / ₈ " high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H3 37⁷/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	37 7/8"	30"	0.9	RTPRS30H3() ()	\$1,242.	\$1,272.	\$1,303.	\$1,333.	\$1,373.	\$1,397.	\$1,429.
	1 1/2"	37 7/8"	36"	1.1	RTPRS36H3() ()	1,330.	1,367.	1,403.	1,440.	1,483.	1,509.	1,543.
	1 1/2"	37 7/8"	42"	1.3	RTPRS42H3() ()	1,525.	1,569.	1,613.	1,656.	1,706.	1,736.	1,776.
	1 1/2"	37 7/8"	48"	1.4	RTPRS48H3() ()	1,548.	1,594.	1,642.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	37 7/8"	54"	1.6	RTPRS54H3() ()	1,581.	1,635.	1,688.	1,742.	1,794.	1,825.	1,867.
	1 1/2"	37 7/8"	60"	1.8	RTPRS60H3() ()	1,614.	1,675.	1,735.	1,795.	1,849.	1,881.	1,924.
	1 1/2"	37 7/8"	66"	1.9	RTPRS66H3() ()	1,963.	2,027.	2,090.	2,154.	2,219.	2,257.	2,308.
	1 1/2"	37 7/8"	72"	2.1	RTPRS72H3() ()	1,999.	2,069.	2,139.	2,209.	2,275.	2,315.	2,368.

Order Code	Specification Information	Application Notes
Example: RTPRS30H3 () ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H3 37 7/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H3 37⁷/₈" high

Segmented With Tool rail

Marker Board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	37 ⁷ / ₈ "	30"	0.9	RTPRS30H3 () ()	\$1,275.	\$1,290.	\$1,305.	\$1,319.	\$1,359.	\$1,382.	\$1,414.
	1 1/2"	37 ⁷ / ₈ "	36"	1.1	RTPRS36H3 () ()	1,358.	1,376.	1,395.	1,413.	1,455.	1,481.	1,515.
	1 1/2"	37 ⁷ / ₈ "	42"	1.3	RTPRS42H3 () ()	1,554.	1,576.	1,599.	1,620.	1,669.	1,697.	1,737.
	1 1/2"	37 ⁷ / ₈ "	48"	1.4	RTPRS48H3 () ()	1,578.	1,602.	1,625.	1,649.	1,698.	1,728.	1,767.
	1 1/2"	37 ⁷ / ₈ "	54"	1.6	RTPRS54H3 () ()	1,613.	1,640.	1,667.	1,693.	1,744.	1,775.	1,815.
	1 1/2"	37 ⁷ / ₈ "	60"	1.8	RTPRS60H3 () ()	1,641.	1,671.	1,702.	1,731.	1,783.	1,815.	1,856.
	1 1/2"	37 ⁷ / ₈ "	66"	1.9	RTPRS66H3 () ()	2,017.	2,049.	2,080.	2,112.	2,174.	2,212.	2,263.
	1 1/2"	37 ⁷ / ₈ "	72"	2.1	RTPRS72H3 () ()	2,053.	2,088.	2,123.	2,158.	2,223.	2,261.	2,313.

Order Code

Specification Information

Application Notes

Example:	RTPRS30H3 () ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H3	37 ⁷ / ₈ " high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

To order please specify pattern number including:
 1. Trim Finish: Painted or Anodized
 2. Top Insert Finish: Marker board
 3. Bottom Insert Finish: Fabric

H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroaded as current tackboard.
 When ordering 54" or wider Task Panel, please check width of fabric specified.

*Installation instruction sheets available on Knoll Exchange.
 For Task Panels refer to part number 6TP00085

Y = Yardage required


Task Panels

Reff Profiles

H3 37⁷/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below


description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	37 ⁷ / ₈ "	30"	0.9	RTPRS30H3() ()	\$1,589.	\$1,194.	\$1,286.	\$1,331.	\$1,345.	\$1,379.
With tool rail	1 1/2"	37 ⁷ / ₈ "	36"	1.1	RTPRS36H3() ()	1,771.	1,288.	1,372.	1,416.	1,434.	1,474.
	1 1/2"	37 ⁷ / ₈ "	42"	1.3	RTPRS42H3() ()	2,059.	1,489.	1,567.	1,612.	1,630.	1,678.
	1 1/2"	37 ⁷ / ₈ "	48"	1.4	RTPRS48H3() ()	2,190.	1,520.	1,588.	1,670.	1,690.	1,744.
	1 1/2"	37 ⁷ / ₈ "	54"	1.6	RTPRS54H3() ()	2,316.	1,559.	1,618.	1,701.	1,722.	1,781.
	1 1/2"	37 ⁷ / ₈ "	60"	1.8	RTPRS60H3() ()	2,443.	1,599.	1,649.	1,731.	1,756.	1,821.
	1 1/2"	37 ⁷ / ₈ "	66"	1.9	RTPRS66H3() ()	2,899.	1,955.	2,032.	2,115.	2,140.	2,212.
	1 1/2"	37 ⁷ / ₈ "	72"	2.1	RTPRS72H3() ()	3,029.	1,997.	2,065.	2,149.	2,176.	2,255.
	1 1/2"	37 ⁷ / ₈ "	78"	2.3	RTPRS78H3() ()	3,263.	2,144.	2,203.	2,288.	2,318.	2,403.
	1 1/2"	37 ⁷ / ₈ "	84"	2.4	RTPRS84H3() ()	3,390.	2,068.	2,223.	2,308.	2,339.	2,431.
	1 1/2"	37 ⁷ / ₈ "	90"	2.6	RTPRS90H3() ()	3,516.	2,210.	2,254.	2,339.	2,373.	2,471.
	1 1/2"	37 ⁷ / ₈ "	96"	2.8	RTPRS96H3() ()	3,645.	2,252.	2,287.	2,372.	2,408.	2,512.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H3() ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height work surface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H3 37 ⁷ / ₈ " high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection top		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom		

Y = Yardage required

Task Panels
H4 44 1/2" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	0.9	RTPNM30H4()	\$907.	\$922.	\$937.	\$952.	\$981.	\$997.	\$1,021.
	1 1/2"	44 1/2"	36"	1.1	RTPNM36H4()	965.	984.	1,001.	1,020.	1,051.	1,069.	1,093.
	1 1/2"	44 1/2"	42"	1.3	RTPNM42H4()	1,158.	1,179.	1,201.	1,223.	1,260.	1,281.	1,310.
	1 1/2"	44 1/2"	48"	1.4	RTPNM48H4()	1,174.	1,198.	1,221.	1,244.	1,281.	1,304.	1,334.
	1 1/2"	44 1/2"	54"	1.6	RTPNM54H4()	1,195.	1,222.	1,248.	1,275.	1,313.	1,336.	1,367.
	1 1/2"	44 1/2"	60"	1.8	RTPNM60H4()	1,260.	1,290.	1,320.	1,350.	1,391.	1,415.	1,447.
	1 1/2"	44 1/2"	66"	1.9	RTPNM66H4()	1,499.	1,531.	1,561.	1,593.	1,641.	1,670.	1,708.
	1 1/2"	44 1/2"	72"	2.1	RTPNM72H4()	1,521.	1,556.	1,591.	1,626.	1,675.	1,705.	1,744.
	1 1/2"	44 1/2"	78"	2.3	RTPNM78H4()	1,694.	1,671.	1,646.	1,622.	1,671.	1,701.	1,739.
	1 1/2"	44 1/2"	84"	2.4	RTPNM84H4()	1,708.	1,748.	1,788.	1,828.	1,883.	1,916.	1,960.
	1 1/2"	44 1/2"	90"	2.6	RTPNM90H4()	1,773.	1,816.	1,860.	1,903.	1,960.	1,995.	2,040.
	1 1/2"	44 1/2"	96"	2.8	RTPNM96H4()	1,795.	1,842.	1,889.	1,935.	1,993.	2,028.	2,074.

Order Code	Specification Information	Application Notes
Example: RTPNM30H4()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		
H4 44 1/2" high		
111 Trim finish		
W281 Fabric selection		

Y = Yardage required

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)


All trims supplied with the same finish specification.

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H4 44 1/2" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	RTPNM30H4 ()	\$1,474.	\$945.	\$929.	\$1,039.	\$1,141.	\$1,419.
	1 1/2"	44 1/2"	36"	RTPNM36H4 ()	1,669.	1,006.	989.	1,102.	1,227.	1,419.
	1 1/2"	44 1/2"	42"	RTPNM42H4 ()	1,972.	1,205.	1,185.	1,301.	1,444.	1,829.
	1 1/2"	44 1/2"	48"	RTPNM48H4 ()	2,159.	1,225.	1,202.	1,324.	1,483.	1,922.
	1 1/2"	44 1/2"	54"	RTPNM54H4 ()	2,316.	1,250.	1,225.	1,349.	1,522.	2,016.
	1 1/2"	44 1/2"	60"	RTPNM60H4 ()	2,519.	1,313.	1,284.	1,413.	1,604.	2,150.
	1 1/2"	44 1/2"	66"	RTPNM66H4 ()	2,902.	1,588.	1,556.	1,689.	1,902.	2,503.
	1 1/2"	44 1/2"	72"	RTPNM72H4 ()	3,060.	1,609.	1,574.	1,710.	1,942.	2,597.
	1 1/2"	44 1/2"	78"	RTPNM78H4 ()	3,371.	1,779.	1,742.	1,882.	2,131.	2,839.
	1 1/2"	44 1/2"	84"	RTPNM84H4 ()	3,528.	1,797.	1,757.	1,901.	2,168.	2,930.
	1 1/2"	44 1/2"	90"	RTPNM90H4 ()	3,731.	1,860.	1,818.	1,965.	2,250.	3,065.
	1 1/2"	44 1/2"	96"	RTPNM96H4 ()	3,889.	1,880.	1,834.	1,987.	2,289.	3,159.

Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: RTPNM30H4 ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H4 44 1/2" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H4 44 1/2" high

Segmented With Tool rail


Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4 () ()	\$1,310.	\$1,340.	\$1,371.	\$1,401.	\$1,443.	\$1,468.	\$1,502.
With tool rail	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4 () ()	1,400.	1,437.	1,473.	1,510.	1,555.	1,582.	1,618.
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4 () ()	1,595.	1,639.	1,683.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4 () ()	1,619.	1,667.	1,713.	1,760.	1,813.	1,845.	1,887.
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4 () ()	1,653.	1,707.	1,760.	1,814.	1,868.	1,900.	1,945.
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4 () ()	1,687.	1,748.	1,808.	1,868.	1,924.	1,958.	2,002.
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4 () ()	2,037.	2,101.	2,164.	2,228.	2,295.	2,335.	2,388.
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4 () ()	2,073.	2,143.	2,215.	2,285.	2,353.	2,394.	2,448.

Order Code	Specification Information	Application Notes
Example: RTPRS30H4 () ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		
H4 44 1/2" high		
111 Trim finish		
W281 Fabric selection top		
W281 Fabric selection bottom		

Y = Yardage required

Task Panels
H4 44 1/2" high
Segmented With Tool rail
Marker Board Insert Above / Fabric Insert Below


description	th	h	w	y	pattern no.	grade							
						LW10	LW15	LW20	LW30	LW35	LW40	LW45	
Task Panel, segmented	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4 () ()	\$1,343.	\$1,359.	\$1,373.	\$1,388.	\$1,430.	\$1,455.	\$1,488.	
With tool rail	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4 () ()	1,427.	1,445.	1,464.	1,482.	1,526.	1,553.	1,588.	
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4 () ()	1,625.	1,647.	1,669.	1,690.	1,741.	1,772.	1,812.	
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4 () ()	1,650.	1,674.	1,696.	1,720.	1,772.	1,803.	1,844.	
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4 () ()	1,685.	1,712.	1,739.	1,765.	1,818.	1,850.	1,892.	
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4 () ()	1,714.	1,744.	1,775.	1,805.	1,858.	1,891.	1,934.	
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4 () ()	2,091.	2,123.	2,154.	2,186.	2,252.	2,291.	2,342.	
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4 () ()	2,128.	2,163.	2,198.	2,233.	2,300.	2,340.	2,394.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H4 () ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H4 44 1/2" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker Board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required


Task Panels
H4 44 1/2" high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4() ()	\$1,746.	\$1,350.	\$1,346.	\$1,413.	\$1,452.	\$1,527.
With tool rail	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4() ()	1,946.	1,463.	1,434.	1,502.	1,546.	1,637.
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4() ()	2,254.	1,683.	1,634.	1,703.	1,752.	1,856.
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4() ()	2,403.	1,732.	1,657.	1,757.	1,811.	1,930.
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4() ()	2,548.	1,791.	1,690.	1,791.	1,849.	1,984.
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4() ()	2,693.	1,849.	1,723.	1,825.	1,888.	2,035.
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4() ()	3,168.	2,224.	2,098.	2,196.	2,269.	2,433.
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4() ()	3,317.	2,285.	2,133.	2,238.	2,309.	2,487.
	1 1/2"	44 1/2"	78"	2.3	RTPRS78H4() ()	3,569.	2,450.	2,279.	2,384.	2,456.	2,647.
	1 1/2"	44 1/2"	84"	2.4	RTPRS84H4() ()	3,715.	2,496.	2,303.	2,409.	2,485.	2,693.
	1 1/2"	44 1/2"	90"	2.6	RTPRS90H4() ()	3,860.	2,554.	2,336.	2,443.	2,525.	2,746.
	1 1/2"	44 1/2"	96"	2.8	RTPRS96H4() ()	4,008.	2,614.	2,370.	2,479.	2,565.	2,800.

Order Code	Specification Information	Application Notes
Example: RTPRS30H4() ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H4 44 1/2" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Y = Yardage required

Task Panels
H5 42⁵/₈" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono without tool rail 	1 1/2"	42 5/8"	30"	0.9	RTPNM30H5 ()	\$897.	\$913.	\$927.	\$942.	\$970.	\$988.	\$1,010.
	1 1/2"	42 5/8"	36"	1.1	RTPNM36H5 ()	955.	973.	992.	1,010.	1,040.	1,059.	1,084.
	1 1/2"	42 5/8"	42"	1.3	RTPNM42H5 ()	1,147.	1,169.	1,191.	1,212.	1,248.	1,270.	1,300.
	1 1/2"	42 5/8"	48"	1.4	RTPNM48H5 ()	1,164.	1,188.	1,210.	1,234.	1,271.	1,294.	1,323.
	1 1/2"	42 5/8"	54"	1.6	RTPNM54H5 ()	1,183.	1,210.	1,237.	1,264.	1,302.	1,325.	1,354.
	1 1/2"	42 5/8"	60"	1.8	RTPNM60H5 ()	1,248.	1,278.	1,309.	1,339.	1,379.	1,403.	1,436.
	1 1/2"	42 5/8"	66"	1.9	RTPNM66H5 ()	1,487.	1,519.	1,550.	1,582.	1,629.	1,658.	1,696.
	1 1/2"	42 5/8"	72"	2.1	RTPNM72H5 ()	1,509.	1,544.	1,579.	1,614.	1,662.	1,691.	1,730.
	1 1/2"	42 5/8"	78"	2.3	RTPNM78H5 ()	1,682.	1,720.	1,759.	1,797.	1,851.	1,884.	1,927.
	1 1/2"	42 5/8"	84"	2.4	RTPNM84H5 ()	1,695.	1,736.	1,776.	1,816.	1,870.	1,903.	1,947.
	1 1/2"	42 5/8"	90"	2.6	RTPNM90H5 ()	1,760.	1,804.	1,848.	1,891.	1,948.	1,982.	2,027.
	1 1/2"	42 5/8"	96"	2.8	RTPNM96H5 ()	1,783.	1,828.	1,875.	1,920.	1,978.	2,012.	2,058.

Order Code	Specification Information	Application Notes
Example: RTPNM30H5 ()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H5 42 5/8" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.


Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H5 42⁵/₈" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3	
Task Panel, mono without tool rail 	1 1/2"	42 5/8"	30"	RTPNM30H5()		\$1,447.	\$932.	\$918.	\$1,027.	\$1,125.	\$1,391.
	1 1/2"	42 5/8"	36"	RTPNM36H5()		1,638.	993.	976.	1,090.	1,209.	1,526.
	1 1/2"	42 5/8"	42"	RTPNM42H5()		1,938.	1,191.	1,170.	1,288.	1,423.	1,793.
	1 1/2"	42 5/8"	48"	RTPNM48H5()		2,121.	1,210.	1,189.	1,308.	1,463.	1,883.
	1 1/2"	42 5/8"	54"	RTPNM54H5()		2,274.	1,235.	1,210.	1,334.	1,500.	1,971.
	1 1/2"	42 5/8"	60"	RTPNM60H5()		2,473.	1,298.	1,270.	1,397.	1,580.	2,103.
	1 1/2"	42 5/8"	66"	RTPNM66H5()		2,852.	1,572.	1,541.	1,672.	1,878.	2,454.
	1 1/2"	42 5/8"	72"	RTPNM72H5()		3,008.	1,591.	1,558.	1,692.	1,915.	2,543.
	1 1/2"	42 5/8"	78"	RTPNM78H5()		3,314.	1,761.	1,725.	1,863.	2,103.	2,782.
	1 1/2"	42 5/8"	84"	RTPNM84H5()		3,467.	1,779.	1,741.	1,882.	2,138.	2,870.
	1 1/2"	42 5/8"	90"	RTPNM90H5()		3,666.	1,841.	1,799.	1,945.	2,219.	3,000.
	1 1/2"	42 5/8"	96"	RTPNM96H5()		3,821.	1,859.	1,816.	1,965.	2,256.	3,109.

Order Code	Specification Information	Application Notes
Example: RTPNM30H5()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H5 42 5/8" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H5 42⁵/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5() ()	\$1,301.	\$1,331.	\$1,361.	\$1,391.	\$1,432.	\$1,457.	\$1,490.
	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5() ()	1,389.	1,427.	1,463.	1,500.	1,545.	1,572.	1,608.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5() ()	1,585.	1,628.	1,673.	1,716.	1,767.	1,798.	1,840.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5() ()	1,609.	1,655.	1,703.	1,749.	1,801.	1,832.	1,875.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5() ()	1,643.	1,696.	1,750.	1,804.	1,857.	1,890.	1,933.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5() ()	1,676.	1,737.	1,796.	1,857.	1,913.	1,946.	1,991.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5() ()	2,026.	2,090.	2,153.	2,217.	2,282.	2,323.	2,376.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5() ()	2,063.	2,133.	2,203.	2,273.	2,341.	2,382.	2,437.

Order Code	Specification Information	Application Notes
Example: RTPRS30H5() ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H5 42⁵/₈" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5() ()	\$1,340.	\$1,355.	\$1,370.	\$1,385.	\$1,427.	\$1,451.	\$1,485.
With tool rail	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5() ()	1,424.	1,443.	1,462.	1,480.	1,524.	1,551.	1,586.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5() ()	1,623.	1,645.	1,667.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5() ()	1,656.	1,680.	1,703.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5() ()	1,686.	1,713.	1,740.	1,766.	1,819.	1,851.	1,893.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5() ()	1,723.	1,753.	1,783.	1,813.	1,867.	1,899.	1,943.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5() ()	2,099.	2,131.	2,163.	2,195.	2,261.	2,300.	2,353.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5() ()	2,139.	2,174.	2,209.	2,244.	2,311.	2,351.	2,406.

Order Code	Specification Information	Application Notes
Example: RTPRS30H5() ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Task Panels

H5 42⁵/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	FAB/L	G/FORB	FAB/FORB	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented With tool rail	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5()()	\$1,345.	\$1,738.	\$1,252.	\$1,389.	\$1,404.	\$1,438.
	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5()()	1,431.	1,937.	1,347.	1,476.	1,492.	1,534.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5()()	1,626.	2,245.	1,549.	1,672.	1,691.	1,738.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5()()	1,649.	2,395.	1,581.	1,730.	1,751.	1,619.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5()()	1,680.	2,540.	1,621.	1,762.	1,784.	1,843.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5()()	1,711.	2,685.	1,660.	1,793.	1,818.	1,883.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5()()	2,095.	3,160.	2,018.	2,177.	2,204.	2,275.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5()()	2,129.	3,308.	2,061.	2,212.	2,240.	2,319.
	1 1/2"	42 5/8"	78"	2.3	RTPRS78H5()()	2,267.	2,532.	2,208.	2,351.	2,381.	2,467.
	1 1/2"	42 5/8"	84"	2.4	RTPRS84H5()()	2,288.	3,707.	2,236.	2,373.	2,405.	2,497.
	1 1/2"	42 5/8"	90"	2.6	RTPRS90H5()()	2,320.	3,852.	2,276.	2,405.	2,438.	2,537.
	1 1/2"	42 5/8"	96"	2.8	RTPRS96H5()()	2,353.	3,999.	2,319.	2,439.	2,474.	2,579.




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H5()()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work surface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H5 42 5/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Y = Yardage required

Task Panels
H6 49 1/4" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	49 1/4"	30"	0.9	RTPNM30H6()()	\$945.	\$959.	\$974.	\$989.	\$1,019.	\$1,036.	\$1,060.
Without tool rail	1 1/2"	49 1/4"	36"	1.1	RTPNM36H6()()	1,003.	1,022.	1,039.	1,058.	1,090.	1,108.	1,134.
	1 1/2"	49 1/4"	42"	1.3	RTPNM42H6()()	1,196.	1,217.	1,240.	1,262.	1,300.	1,323.	1,352.
	1 1/2"	49 1/4"	48"	1.4	RTPNM48H6()()	1,213.	1,237.	1,260.	1,283.	1,321.	1,345.	1,376.
	1 1/2"	49 1/4"	54"	1.6	RTPNM54H6()()	1,234.	1,261.	1,288.	1,314.	1,353.	1,377.	1,409.
	1 1/2"	49 1/4"	60"	1.8	RTPNM60H6()()	1,301.	1,331.	1,362.	1,392.	1,434.	1,458.	1,491.
	1 1/2"	49 1/4"	66"	1.9	RTPNM66H6()()	1,540.	1,572.	1,603.	1,635.	1,684.	1,713.	1,752.
	1 1/2"	49 1/4"	72"	2.1	RTPNM72H6()()	1,563.	1,598.	1,633.	1,668.	1,718.	1,748.	1,788.
	1 1/2"	49 1/4"	78"	2.3	RTPNM78H6()()	1,737.	1,775.	1,814.	1,852.	1,908.	1,941.	1,985.
	1 1/2"	49 1/4"	84"	2.4	RTPNM84H6()()	1,751.	1,791.	1,831.	1,872.	1,928.	1,961.	2,006.
	1 1/2"	49 1/4"	90"	2.6	RTPNM90H6()()	1,817.	1,860.	1,904.	1,948.	2,006.	2,041.	2,088.
	1 1/2"	49 1/4"	96"	2.8	RTPNM96H6()()	1,841.	1,887.	1,934.	1,981.	2,040.	2,075.	2,123.

Order Code	Specification Information	Application Notes
Example: RTPNM30H6()()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H6 49 1/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.

Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts


description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	49 1/4"	30"	RTPNM30H6()()	\$1,602.	\$995.	\$979.	\$1,091.	\$1,207.	\$1,516.
Without tool rail	1 1/2"	49 1/4"	36"	RTPNM36H6()()	1,815.	1,060.	1,039.	1,156.	1,293.	1,660.
	1 1/2"	49 1/4"	42"	RTPNM42H6()()	2,134.	1,229.	1,251.	1,349.	1,506.	1,934.
	1 1/2"	49 1/4"	48"	RTPNM48H6()()	2,342.	1,281.	1,256.	1,380.	1,551.	2,038.



Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H6()()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H6 49 1/4" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below


description	th	h	w	y	pattern no.	10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6 () ()	\$1,348.	\$1,378.	\$1,408.	\$1,438.	\$1,472.	\$1,507.	\$1,541.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6 () ()	1,437.	1,474.	1,510.	1,547.	1,584.	1,621.	1,658.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6 () ()	1,635.	1,678.	1,721.	1,764.	1,807.	1,849.	1,891.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6 () ()	1,659.	1,706.	1,753.	1,799.	1,935.	1,886.	1,929.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6 () ()	1,693.	1,747.	1,800.	1,854.	1,898.	1,943.	1,987.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6 () ()	1,728.	1,788.	1,849.	1,909.	1,954.	2,000.	2,046.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6 () ()	2,079.	2,142.	2,205.	2,269.	2,324.	2,378.	2,432.
	1 1/2"	49 1/4"	72"	2.1	RTPRS72H6 () ()	2,116.	2,186.	2,257.	2,327.	2,397.	2,438.	2,494.

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including cable curtain.
H6 49 1/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top		All trims supplied with the same finish specification.
W281 Fabric selection bottom		All Fabric to be applied railroaded as current tackboard.

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6 () ()	\$1,387.	\$1,402.	\$1,417.	\$1,432.	\$1,475.	\$1,501.	\$1,535.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6 () ()	1,473.	1,491.	1,509.	1,527.	1,573.	1,601.	1,638.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6 () ()	1,672.	1,693.	1,715.	1,737.	1,788.	1,820.	1,861.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6 () ()	1,707.	1,730.	1,753.	1,777.	1,830.	1,862.	1,904.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6 () ()	1,737.	1,763.	1,790.	1,817.	1,872.	1,904.	1,948.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6 () ()	1,775.	1,805.	1,835.	1,865.	1,921.	1,955.	1,999.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6 () ()	2,152.	2,184.	2,216.	2,247.	2,314.	2,356.	2,409.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmentated		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H6 49 1/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H6 49 1/4" high

Segmented With Tool rail


Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6() ()	\$1,873.	\$1,387.	\$1,383.	\$1,450.	\$1,489.	\$1,565.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6() ()	2,092.	1,501.	1,471.	1,539.	1,584.	1,675.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6() ()	2,418.	1,722.	1,672.	1,742.	1,790.	1,894.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6() ()	2,585.	1,772.	1,696.	1,796.	1,850.	1,970.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6() ()	2,750.	1,830.	1,730.	1,830.	1,889.	2,023.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6() ()	2,914.	1,889.	1,763.	1,865.	1,928.	2,075.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6() ()	3,407.	2,265.	2,140.	2,242.	2,310.	2,474.
	1 1/2"	49 1/4"	72"	2.1	RTPRS72H6() ()	3,574.	2,327.	2,175.	2,280.	2,351.	2,530.
	1 1/2"	49 1/4"	78"	2.3	RTPRS78H6() ()	3,846.	2,493.	2,322.	2,427.	2,498.	2,689.
	1 1/2"	49 1/4"	84"	2.4	RTPRS84H6() ()	4,010.	2,540.	2,346.	2,452.	2,530.	2,737.
	1 1/2"	49 1/4"	90"	2.6	RTPRS90H6() ()	4,175.	2,598.	2,380.	2,487.	2,568.	2,789.
	1 1/2"	49 1/4"	96"	2.8	RTPRS96H6() ()	4,340.	2,658.	2,415.	2,525.	2,609.	2,845.

Order Code	Specification Information	Application Notes
Example: RTPRS30H6() ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmentated		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H6 49 1/4" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Y = Yardage required

Task Panels
H7 56 1/8" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern n	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	56 1/8"	30"	RTPNM30H7() ()	\$1,733.	\$1,011.	\$993.	\$1,099.	\$1,239.	\$1,604.
Without tool rail	1 1/2"	56 1/8"	36"	RTPNM36H7() ()	1,973.	1,078.	1,056.	1,176.	1,330.	1,762.
	1 1/2"	56 1/8"	42"	RTPNM42H7() ()	2,314.	1,281.	1,256.	1,380.	1,564.	2,066.
	1 1/2"	56 1/8"	48"	RTPNM48H7() ()	2,553.	1,313.	1,284.	1,414.	1,613.	2,186.

Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: RTPNM30H7() ()	To order please specify pattern number including;	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Veneer	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H7 56 1/8" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
V319 Veneer selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H7 56 1/8" high

Segmented With Tool rail

Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7 () ()	\$1,354.	\$1,384.	\$1,414.	\$1,444.	\$1,479.	\$1,513.	\$1,548.
With tool rail	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7 () ()	1,445.	1,482.	1,518.	1,555.	1,592.	1,629.	1,668.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7 () ()	1,643.	1,686.	1,730.	1,774.	1,816.	1,859.	1,901.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7 () ()	1,669.	1,715.	1,762.	1,809.	1,852.	1,895.	1,938.
	1 1/2"	56 1/8"	54"	1.6	RTPRS54H7 () ()	1,705.	1,758.	1,811.	1,864.	1,909.	1,954.	1,998.
	1 1/2"	56 1/8"	60"	1.8	RTPRS60H7 () ()	1,740.	1,799.	1,860.	1,920.	1,966.	2,012.	2,058.

Order Code	Specification Information	Application Notes
Example: RTPRS30H7 () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H7 56 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Task Panels
H7 56 1/8" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7 () ()	\$1,419.	\$1,435.	\$1,449.	\$1,465.	\$1,500.	\$1,535.	\$1,570.
With tool rail	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7 () ()	1,516.	1,535.	1,552.	1,571.	1,609.	1,646.	1,684.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7 () ()	1,720.	1,742.	1,764.	1,786.	1,829.	1,872.	1,915.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7 () ()	1,752.	1,776.	1,798.	1,822.	1,865.	1,910.	1,953.



Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H7 () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff		*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	1. Trim Finish: Painted or Anodized	For Task Panels refer to part number 6TP00085
R Tool rail	2. Top insert finish: Marker board	
S Segmented	3. Bottom insert finish: Fabric	
30 Width		Always supplied including all trim pieces.
H7 56 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H7 56 1/8" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7() ()()	\$2,024.	\$1,305.	\$1,398.	\$1,442.	\$1,457.	\$1,491.
With tool rail	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7() ()()	2,273.	1,402.	1,486.	1,531.	1,548.	1,588.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7() ()()	2,630.	1,607.	1,746.	1,729.	1,748.	1,795.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7() ()()	2,827.	1,640.	1,708.	1,790.	1,811.	1,864.
	1 1/2"	56 1/8"	54"	1.6	RTPRS54H7() ()()	n/a	n/a	1,742.	1,823.	1,846.	1,904.
	1 1/2"	56 1/8"	60"	1.8	RTPRS60H7() ()()	n/a	n/a	1,775.	1,857.	1,881.	1,947.

Order Code	Specification Information	Application Notes
Example: RTPRS30H7() ()()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H7 56 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Y = Yardage required


Task Panels
H8 62³/₄" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	62 3/4"	30"	RTPNM30H8 ()()	\$2,028.	\$1,220.	\$1,199.	\$1,317.	\$1,463.	\$1,858.
Without tool rail	1 1/2"	62 3/4"	36"	RTPNM36H8 ()()	2,294.	1,291.	1,266.	1,388.	1,554.	2,025.
	1 1/2"	62 3/4"	42"	RTPNM42H8 ()()	2,656.	1,496.	1,467.	1,595.	1,791.	2,338.
	1 1/2"	62 3/4"	48"	RTPNM48H8 ()()	2,926.	1,523.	1,490.	1,625.	1,847.	2,471.



Order Code	Specification Information	Application Notes
Example: RTPNM30H8 ()()	To order please specify pattern number including;	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H8 62 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H8 62³/₄" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	62 3/4"	30"	0.9	RTPRS30H8 () ()	\$1,522.	\$1,552.	\$1,583.	\$1,613.	\$1,661.	\$1,690.	\$1,729.
	1 1/2"	62 3/4"	36"	1.1	RTPRS36H8 () ()	1,614.	1,651.	1,687.	1,724.	1,776.	1,807.	1,849.
	1 1/2"	62 3/4"	42"	1.3	RTPRS42H8 () ()	1,813.	1,856.	1,900.	1,944.	2,002.	2,037.	2,084.
	1 1/2"	62 3/4"	48"	1.4	RTPRS48H8 () ()	1,840.	1,886.	1,933.	1,980.	2,039.	2,074.	2,122.
	1 1/2"	62 3/4"	54"	1.6	RTPRS54H8 () ()	1,877.	1,930.	1,983.	2,036.	2,097.	2,134.	2,183.
	1 1/2"	62 3/4"	60"	1.8	RTPRS60H8 () ()	1,913.	1,972.	2,033.	2,093.	2,156.	2,194.	2,243.
	1 1/2"	62 3/4"	66"	1.9	RTPRS66H8 () ()	2,266.	2,330.	2,393.	2,457.	2,531.	2,574.	2,634.
	1 1/2"	62 3/4"	72"	2.1	RTPRS72H8 () ()	2,307.	3,298.	2,434.	2,498.	2,573.	2,617.	2,678.

Order Code	Specification Information	Application Notes
Example: RTPRS30H8 () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
M Monolithic		
30 Width		Always supplied including cable curtain.
H8 62 3/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top		All trims supplied with the same finish specification.
W281 Fabric selection bottom		All Fabric to be applied railroaded as current tackboard

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H8 62³/₄" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	62 3/4"	30"	0.9	RTPRS30H8 () ()	\$1,587.	\$1,603.	\$1,617.	\$1,633.	\$1,672.	\$1,711.	\$1,750.
With tool rail	1 1/2"	62 3/4"	36"	1.1	RTPRS36H8 () ()	1,685.	1,704.	1,721.	1,740.	1,782.	1,823.	1,865.
	1 1/2"	62 3/4"	42"	1.3	RTPRS42H8 () ()	1,891.	1,913.	1,934.	1,956.	2,003.	2,050.	2,097.
	1 1/2"	62 3/4"	48"	1.4	RTPRS48H8 () ()	1,923.	1,947.	1,969.	1,993.	2,040.	2,089.	2,136.



Order Code	Specification Information	Application Notes
Example: RTPRS30H8 () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H8 62 3/4" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
LW Marker board top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection bottom insert		


Y = Yardage required

Task Panels

H8 62³/₄" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	62 ³ / ₄ "	30"	0.9	RTPRS30H8() () ()	\$2,280.	\$1,563.	\$1,557.	\$1,625.	\$1,664.	\$1,739.
With tool rail	1 1/2"	62 ³ / ₄ "	36"	1.1	RTPRS36H8() () ()	2,548.	1,677.	1,648.	1,716.	1,760.	1,851.
	1 1/2"	62 ³ / ₄ "	42"	1.3	RTPRS42H8() () ()	2,923.	1,900.	1,851.	1,920.	1,968.	2,073.
	1 1/2"	62 ³ / ₄ "	48"	1.4	RTPRS48H8() () ()	3,139.	1,953.	1,878.	1,977.	2,031.	2,151.
	1 1/2"	62 ³ / ₄ "	54"	1.6	RTPRS54H8() () ()	3,353.	2,014.	1,942.	2,014.	2,072.	2,206.
	1 1/2"	62 ³ / ₄ "	60"	1.8	RTPRS60H8() () ()	3,565.	2,073.	1,949.	2,050.	2,113.	2,261.

Order Code

Specification Information

Application Notes

Example:	RTPRS30H8() () ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmentated
30	Width
H8	62 ³ / ₄ " high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

To order please specify pattern number including:
 1. Trim Finish: Painted or Anodized
 2. Top insert finish: Glass or Fabric
 3. Bottom insert finish: Forbo, L, V1, V2, V3


H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroaded as current tackboard

*Installation instruction sheets available on Knoll Exchange.
 For Task Panels refer to part number 6TP00085

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Tackboards
H1 23 1/8" high
Wall hung, fabric


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard, wall hung	1"	23 1/8"	30"	1.0	RWHDHTB30H1()	\$262.	\$287.	\$314.	\$340.	\$345.	\$350.	\$355.
	1"	23 1/8"	36"	1.1	RWHDHTB36H1()	279.	308.	336.	365.	371.	376.	382.
	1"	23 1/8"	42"	1.3	RWHDHTB42H1()	307.	341.	374.	408.	415.	421.	428.
	1"	23 1/8"	48"	1.5	RWHDHTB48H1()	334.	373.	411.	450.	458.	466.	474.
	1"	23 1/8"	54"	1.6	RWHDHTB54H1()	352.	393.	435.	476.	484.	493.	502.
	1"	23 1/8"	60"	1.8	RWHDHTB60H1()	379.	425.	473.	519.	528.	538.	547.
	1"	23 1/8"	66"	1.9	RWHDHTB66H1()	398.	447.	495.	545.	555.	564.	575.
	1"	23 1/8"	72"	2.1	RWHDHTB72H1()	425.	480.	534.	588.	599.	610.	621.
	1"	23 1/8"	78"	2.3	RWHDHTB78H1()	452.	512.	571.	630.	643.	654.	666.
	1"	23 1/8"	84"	2.5	RWHDHTB84H1()	480.	545.	609.	674.	687.	699.	713.
	1"	23 1/8"	90"	2.6	RWHDHTB90H1()	497.	564.	631.	698.	712.	726.	740.
	1"	23 1/8"	96"	2.8	RWHDHTB96H1()	525.	597.	671.	743.	757.	771.	786.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H1()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H1 23 1/8" high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H2 29³/₄" high
Wall hung, fabric


Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	29 ³ / ₄ "	30"	1.0	RWHDHTB30H2()	\$277.	\$302.	\$327.	\$351.	\$356.	\$362.	\$367.
	1"	29 ³ / ₄ "	36"	1.1	RWHDHTB36H2()	298.	325.	352.	380.	386.	391.	398.
	1"	29 ³ / ₄ "	42"	1.3	RWHDHTB42H2()	328.	361.	392.	425.	432.	439.	445.
	1"	29 ³ / ₄ "	48"	1.5	RWHDHTB48H2()	358.	396.	433.	470.	478.	485.	493.
	1"	29 ³ / ₄ "	54"	1.6	RWHDHTB54H2()	379.	419.	458.	499.	507.	515.	523.
	1"	29 ³ / ₄ "	60"	1.8	RWHDHTB60H2()	409.	454.	499.	544.	553.	562.	572.
	1"	29 ³ / ₄ "	66"	1.9	RWHDHTB66H2()	430.	477.	524.	572.	582.	591.	602.
	1"	29 ³ / ₄ "	72"	2.1	RWHDHTB72H2()	460.	513.	564.	617.	628.	639.	650.
	1"	29 ³ / ₄ "	78"	2.3	RWHDHTB78H2()	490.	548.	605.	662.	675.	686.	698.
	1"	29 ³ / ₄ "	84"	2.5	RWHDHTB84H2()	520.	583.	645.	708.	721.	733.	747.
	1"	29 ³ / ₄ "	90"	2.6	RWHDHTB90H2()	542.	607.	671.	735.	749.	763.	777.
	1"	29 ³ / ₄ "	96"	2.8	RWHDHTB96H2()	572.	642.	711.	781.	795.	811.	825.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H2()	To order please specify pattern number including: 1. Finish: Fabric	H2 Height = Underside of overhead to top of 1" thick credenza top for 3/4 height cabinets.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H2 29 ³ / ₄ " high		
W281 Fabric selection		

Y = Yardage required


Tackboards
H3 37⁷/₈" high
Wall hung, fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	37 ⁷ / ₈ "	30"	1.0	RWHDHTB30H3()	\$291.	\$316.	\$342.	\$367.	\$372.	\$377.	\$382.
	1"	37 ⁷ / ₈ "	36"	1.1	RWHDHTB36H3()	315.	343.	370.	398.	404.	409.	415.
	1"	37 ⁷ / ₈ "	42"	1.3	RWHDHTB42H3()	348.	380.	413.	445.	452.	458.	466.
	1"	37 ⁷ / ₈ "	48"	1.5	RWHDHTB48H3()	382.	419.	456.	493.	502.	509.	517.
	1"	37 ⁷ / ₈ "	54"	1.6	RWHDHTB54H3()	405.	445.	484.	524.	533.	542.	550.
	1"	37 ⁷ / ₈ "	60"	1.8	RWHDHTB60H3()	439.	483.	528.	573.	582.	592.	602.
	1"	37 ⁷ / ₈ "	66"	1.9	RWHDHTB66H3()	461.	509.	556.	604.	614.	623.	633.
	1"	37 ⁷ / ₈ "	72"	2.1	RWHDHTB72H3()	495.	548.	599.	652.	663.	674.	685.
	1"	37 ⁷ / ₈ "	78"	2.3	RWHDHTB78H3()	528.	586.	643.	700.	713.	724.	736.
	1"	37 ⁷ / ₈ "	84"	2.5	RWHDHTB84H3()	562.	624.	687.	749.	762.	775.	788.
	1"	37 ⁷ / ₈ "	90"	2.6	RWHDHTB90H3()	585.	650.	714.	779.	792.	806.	820.
	1"	37 ⁷ / ₈ "	96"	2.8	RWHDHTB96H3()	619.	688.	758.	827.	842.	857.	871.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H3()	To order please specify pattern number including;	H3 Height = Top of U-shelf or L-shelf overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H3 37 ⁷ / ₈ " high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H4 44 1/2" high
Wall hung, fabric


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	44 1/2"	30"	1.0	RWHDHTB30H4()	\$304.	\$329.	\$354.	\$379.	\$384.	\$389.	\$394.
	1"	44 1/2"	36"	1.1	RWHDHTB36H4()	330.	357.	384.	412.	418.	423.	430.
	1"	44 1/2"	42"	1.3	RWHDHTB42H4()	366.	398.	431.	462.	470.	476.	483.
	1"	44 1/2"	48"	1.5	RWHDHTB48H4()	401.	438.	476.	513.	521.	528.	537.
	1"	44 1/2"	54"	1.6	RWHDHTB54H4()	427.	468.	507.	547.	555.	563.	572.
	1"	44 1/2"	60"	1.8	RWHDHTB60H4()	462.	507.	552.	596.	606.	616.	625.
	1"	44 1/2"	66"	1.9	RWHDHTB66H4()	488.	536.	583.	630.	641.	650.	660.
	1"	44 1/2"	72"	2.1	RWHDHTB72H4()	524.	577.	628.	681.	692.	702.	714.
	1"	44 1/2"	78"	2.3	RWHDHTB78H4()	560.	617.	675.	731.	744.	756.	768.
	1"	44 1/2"	84"	2.5	RWHDHTB84H4()	595.	657.	720.	782.	795.	808.	821.
	1"	44 1/2"	90"	2.6	RWHDHTB90H4()	621.	686.	751.	816.	829.	844.	857.
	1 1/2"	44 1/2"	96"	2.8	RWHDHTB96H4()	656.	726.	795.	865.	880.	895.	909.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H4()	To order please specify pattern number including:	H4 Height = Top of U-shelf or L-shelf overhead to top of 1" thick credenza top for 3/4" height cabinet.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H4 44 1/2" high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H5 42⁵/₈" high
Wall hung, fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	42 ⁵ / ₈ "	30"	1.0	RWHDHTB30H5()	\$301.	\$325.	\$350.	\$375.	\$380.	\$386.	\$391.
	1"	42 ⁵ / ₈ "	36"	1.1	RWHDHTB36H5()	327.	353.	381.	408.	414.	419.	425.
	1"	42 ⁵ / ₈ "	42"	1.3	RWHDHTB42H5()	361.	392.	425.	457.	465.	471.	478.
	1"	42 ⁵ / ₈ "	48"	1.5	RWHDHTB48H5()	396.	433.	471.	508.	516.	523.	531.
	1"	42 ⁵ / ₈ "	54"	1.6	RWHDHTB54H5()	421.	461.	501.	541.	549.	557.	565.
	1"	42 ⁵ / ₈ "	60"	1.8	RWHDHTB60H5()	455.	501.	545.	590.	599.	609.	618.
	1"	42 ⁵ / ₈ "	66"	1.9	RWHDHTB66H5()	481.	528.	575.	622.	632.	643.	653.
	1"	42 ⁵ / ₈ "	72"	2.1	RWHDHTB72H5()	516.	569.	620.	673.	684.	694.	706.
	1"	42 ⁵ / ₈ "	78"	2.3	RWHDHTB78H5()	551.	608.	665.	722.	734.	746.	758.
	1"	42 ⁵ / ₈ "	84"	2.5	RWHDHTB84H5()	586.	658.	711.	773.	786.	798.	812.
	1"	42 ⁵ / ₈ "	90"	2.6	RWHDHTB90H5()	611.	676.	741.	805.	819.	832.	846.
	1"	42 ⁵ / ₈ "	96"	2.8	RWHDHTB96H5()	647.	716.	786.	855.	869.	885.	899.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H5()	To order please specify pattern number including: 1. Finish: Fabric	H5 Height = Top of Single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H5 42 ⁵ / ₈ " high		
W281 Fabric selection		

Y = Yardage required

Desk Screens

Planning Guidelines and Specifications

Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".


Bracket and frame paint finish codes with suffix "T" indicate textured.

Construction


Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.


Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.



Screen always at back




For applications with work surface 26 1/2" off the floor




For applications with work surface 28 3/8" off the floor

Desk Screens
Fabric
 For 42" High Horizon

Reff Profiles

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon 	24"	1 1/4"	20"	YPSB2024F	\$556.	\$584.	\$612.	\$640.	\$667.
	27"	1 1/4"	20"	YPSB2027F	572.	600.	629.	657.	686.
	30"	1 1/4"	20"	YPSB2030F	587.	617.	646.	676.	705.
	36"	1 1/4"	20"	YPSB2036F	654.	687.	720.	752.	785.
	42"	1 1/4"	20"	YPSB2042F	680.	714.	748.	782.	816.
	48"	1 1/4"	20"	YPSB2048F	700.	735.	770.	805.	840.
	54"	1 1/4"	20"	YPSB2054F	752.	790.	827.	865.	902.
	60"	1 1/4"	20"	YPSB2060F	798.	838.	879.	918.	958.
	66"	1 1/4"	20"	YPSB2066FRR	834.	877.	918.	960.	1,001.
72"	1 1/4"	20"	YPSB2072FRR	860.	903.	947.	989.	1,032.	

Fabric Screens with Half Modesty For Desks, 42" High Horizon 	24"	1 1/4"	32"	YPSB3224F	644.	676.	709.	741.	773.
	27"	1 1/4"	32"	YPSB3227F	690.	725.	759.	794.	828.
	30"	1 1/4"	32"	YPSB3230F	711.	747.	782.	818.	853.
	36"	1 1/4"	32"	YPSB3236F	803.	844.	884.	924.	964.
	42"	1 1/4"	32"	YPSB3242F	850.	892.	935.	977.	1,020.
	48"	1 1/4"	32"	YPSB3248F	855.	898.	940.	984.	1,026.
	54"	1 1/4"	32"	YPSB3254F	927.	973.	1,020.	1,066.	1,112.
	60"	1 1/4"	32"	YPSB3260F	1,004.	1,055.	1,105.	1,155.	1,205.
	66"	1 1/4"	32"	YPSB3266FRR	1,143.	1,201.	1,258.	1,315.	1,372.
	72"	1 1/4"	32"	YPSB3272FRR	1,205.	1,266.	1,326.	1,386.	1,446.

Accessories and Client
 Samples

Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2048F, W351, W351, 118T, 118T**

YPSB	Desk Screen
20	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With



Desk Screens
 Brackets
 Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens
Fabric
For 49" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon 	24"	1 1/4"	26"	YPSB2624F	\$608.	\$639.	\$668.	\$699.	\$729.
	27"	1 1/4"	26"	YPSB2627F	633.	665.	697.	728.	760.
	30"	1 1/4"	26"	YPSB2630F	649.	682.	714.	747.	779.
	36"	1 1/4"	26"	YPSB2636F	726.	762.	799.	835.	871.
	42"	1 1/4"	26"	YPSB2642F	762.	800.	838.	877.	915.
	48"	1 1/4"	26"	YPSB2648F	819.	860.	901.	941.	983.
	54"	1 1/4"	26"	YPSB2654F	876.	920.	963.	1,007.	1,051.
	60"	1 1/4"	26"	YPSB2660F	912.	957.	1,003.	1,049.	1,094.
	66"	1 1/4"	26"	YPSB2666FRR	953.	1,000.	1,049.	1,096.	1,143.
	72"	1 1/4"	26"	YPSB2672FRR	994.	1,043.	1,094.	1,143.	1,193.
Fabric Screens with Half Modesty For Desks, 49" High Horizon 	24"	1 1/4"	38"	YPSB3824F	695.	730.	765.	799.	834.
	27"	1 1/4"	38"	YPSB3827F	747.	784.	822.	859.	896.
	30"	1 1/4"	38"	YPSB3830F	767.	805.	845.	883.	921.
	36"	1 1/4"	38"	YPSB3836F	876.	920.	963.	1,007.	1,051.
	42"	1 1/4"	38"	YPSB3842F	927.	973.	1,020.	1,066.	1,112.
	48"	1 1/4"	38"	YPSB3848F	999.	1,050.	1,099.	1,149.	1,199.
	54"	1 1/4"	38"	YPSB3854F	1,051.	1,103.	1,156.	1,208.	1,261.
	60"	1 1/4"	38"	YPSB3860F	1,107.	1,163.	1,218.	1,273.	1,329.
	66"	1 1/4"	38"	YPSB3866FRR	1,241.	1,303.	1,366.	1,428.	1,489.
	72"	1 1/4"	38"	YPSB3872FRR	1,308.	1,374.	1,439.	1,505.	1,570.

Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648F, W351, W351, 118T, 118T**

YPSB	Desk Screen
26	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With

Desk Screens
 Brackets
 Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.


Desk Screens

Laminate, Markerboard or Veneer

For 42" High Horizon

Reff Profiles

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42" High Horizon	24"	3/4"	20"	YPSB2024()	\$228.	\$393.	\$436.	\$502.	\$652.
	27"	3/4"	20"	YPSB2027()	231.	397.	445.	512.	666.
	30"	3/4"	20"	YPSB2030()	233.	399.	455.	524.	681.
	36"	3/4"	20"	YPSB2036()	262.	504.	475.	546.	711.
	42"	3/4"	20"	YPSB2042()	268.	509.	510.	586.	762.
	48"	3/4"	20"	YPSB2048()	346.	815.	533.	613.	796.
	54"	3/4"	20"	YPSB2054()	352.	821.	553.	637.	827.
	60"	3/4"	20"	YPSB2060()	357.	826.	598.	688.	895.
	66"	3/4"	20"	YPSB2066()	364.	831.	625.	719.	934.
	72"	3/4"	20"	YPSB2072()	369.	837.	645.	742.	963.
Screens with Half Modesty For Desks, 42" High Horizon	24"	3/4"	32"	YPSB3224()	255.	604.	507.	583.	758.
	27"	3/4"	32"	YPSB3227()	260.	608.	529.	609.	792.
	30"	3/4"	32"	YPSB3230()	296.	612.	545.	627.	815.
	36"	3/4"	32"	YPSB3236()	349.	818.	577.	663.	862.
	42"	3/4"	32"	YPSB3242()	357.	826.	632.	727.	946.
	48"	3/4"	32"	YPSB3248()	376.	1,431.	663.	762.	992.
	54"	3/4"	32"	YPSB3254()	384.	1,439.	700.	805.	1,048.
	60"	3/4"	32"	YPSB3260()	524.	1,445.	773.	888.	1,155.
	66"	3/4"	32"	YPSB3266()	533.	1,453.	810.	931.	1,210.
	72"	3/4"	32"	YPSB3272()	541.	1,463.	840.	966.	1,257.



Accessories and Client Samples

Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2048V, V316,	Brackets	Finish Options:
2. Surface Finish	118T	Hardware	(L)= Laminate
3. Bracket Paint Finish	YPSB Desk Screen		(LM)= Markerboard
	20 Height		(V)= Veneer
	48 Width		
	V Veneer		
	V316 Maple		
	118T Bright White Paint		



Desk Screens

Laminate, Markerboard or Veneer

For 49" High Horizon

Reff Profiles

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 49" High Horizon	24"	3/4"	26"	YPSB2624()	\$249.	\$597.	\$484.	\$557.	\$724.
	27"	3/4"	26"	YPSB2627()	252.	602.	496.	571.	743.
	30"	3/4"	26"	YPSB2630()	256.	605.	517.	595.	774.
	36"	3/4"	26"	YPSB2636()	263.	612.	543.	624.	812.
	42"	3/4"	26"	YPSB2642()	302.	619.	588.	676.	879.
	48"	3/4"	26"	YPSB2648()	330.	1,420.	620.	714.	928.
	54"	3/4"	26"	YPSB2654()	337.	1,428.	646.	742.	965.
	60"	3/4"	26"	YPSB2660()	355.	1,432.	719.	827.	1,074.
	66"	3/4"	26"	YPSB2666()	363.	1,441.	745.	856.	1,113.
	72"	3/4"	26"	YPSB2672()	465.	1,446.	770.	886.	1,152.
Screens with Half Modesty For Desks, 49" High Horizon	24"	3/4"	38"	YPSB3824()	295.	612.	541.	622.	809.
	27"	3/4"	38"	YPSB3827()	300.	616.	559.	644.	836.
	30"	3/4"	38"	YPSB3830()	304.	621.	578.	664.	863.
	36"	3/4"	38"	YPSB3836()	359.	827.	622.	715.	930.
	42"	3/4"	38"	YPSB3842()	370.	837.	684.	787.	1,023.
	48"	3/4"	38"	YPSB3848()	460.	1,442.	721.	829.	1,077.
	54"	3/4"	38"	YPSB3854()	471.	1,452.	764.	879.	1,142.
	60"	3/4"	38"	YPSB3860()	541.	1,463.	862.	991.	1,289.
	66"	3/4"	38"	YPSB3866()	550.	1,473.	905.	1,041.	1,353.
	72"	3/4"	38"	YPSB3872()	560.	1,483.	942.	1,084.	1,409.



Ordering Information

Desk Screens

1. Pattern Number
2. Surface Finish
3. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648V, V316, 118T**

YPSB Desk Screen

26 Height

48 Width

V Veneer

V316 Maple

118T Bright White Paint

Included With

Desk Screens

Brackets
Hardware

Options

Desk Screens

Finish Options:

(L)= Laminate
(LM)= Markerboard
(V)= Veneer

description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies 30" and 36"	30"	10"	RDTC3010()	\$854.	\$1,067.	\$1,227.	\$1,594.
	36"	10"	RDTC3610()	864.	1,076.	1,238.	1,609.



Desk Top Cubbies 60" and 72"	60"	10"	RDTC6010()	1,048.	1,310.	1,506.	1,958.
	72"	10"	RDTC7210()	1,069.	1,337.	1,537.	1,998.



Desk Top Cubbies Open	60"	10"	RDTCO6010()	1,158.	1,448.	1,664.	2,164.
	72"	10"	RDTCO7210()	1,174.	1,467.	1,687.	2,193.



Wall Mounted Cubbies 30" and 36"	30"	10"	RRMC3010()	936.	1,170.	1,345.	1,749.
	36"	10"	RRMC3610()	945.	1,180.	1,358.	1,764.



Wall Mounted Cubbies 60" and 72"	60"	10"	RRMC6010()	1,077.	1,345.	1,549.	2,014.
	72"	10"	RRMC7210()	1,099.	1,374.	1,580.	2,055.



Under Mounted Cubbies 30" and 36"	30"	10"	RUMC3010()	905.	1,132.	1,302.	1,692.
	36"	10"	RUMC3610()	916.	1,145.	1,317.	1,712.



Order Code	Specification Information	Application Notes
Example: RDTC3010() ()		Installation instruction sheets available on Knoll Exchange. For Wall Mounted cubbies, please refer to part number 6TP00086. For Under Mounted cubbies, please refer to part number 6TP00087.
R	Reff	
DT	Desk Top	
C	Cubby	
30	Width	
10	Depth	
	Finish	


description	w	d	pattern no.	L	V1	V2	V3
Under Mounted Cubbies 60" and 72"	60"	10"	RUMC6010()	\$1,028.	\$1,284.	\$1,477.	\$1,921.
	72"	10"	RUMC7210()	1,054.	1,316.	1,514.	1,968.



Order Code	Specification Information	Application Notes
Example: RDTC3010() ()		
R Reff		Installation instruction sheets available on Knoll Exchange.
DT Desk Top		For Wall Mounted cubbies, please refer to part number 6TP00086.
C Cubby		For Under Mounted cubbies, please refer to part number 6TP00087.
30 Width		
10 Depth		
Finish		

Single Wide Desk

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Single Wide Desk 	66"	30"	42"	RASW6630 () ()	\$1,201.	\$1,381.	\$1,588.	\$2,065.
	72"	30"	42"	RASW7230 () ()	1,254.	1,442.	1,658.	2,156.
	78"	30"	42"	RASW7830 () ()	1,293.	1,487.	1,710.	2,223.
	84"	30"	42"	RASW8430 () ()	1,366.	1,571.	1,807.	2,349.
	90"	30"	42"	RASW9030 () ()	1,405.	1,616.	1,859.	2,416.
	96"	30"	42"	RASW9630 () ()	1,450.	1,668.	1,918.	2,494.

Order Code

Example:	
RA	Reff Administrative
SW	Single Wide with worksurface
66	66" wide, Nominal
30	30" deep, Nominal
()	Modesty finish
()	Worksurface finish

Nominal vs Actual sizes

N=66/A=62 - Top = 61.8 x 27.9
 N=72/A=68 - Top = 67.8 x 27.9
 N=78/A=74 - Top = 73.8 x 27.9
 N=84/A= 80 - Top = 79.8 x 27.9
 N=90/A=86 - Top = 85.8 x 27.9
 N=96/A=92 - Top = 91.8 x 27.9
 above dimension allow for 2 end supports

Specification Information

To order please specify pattern number including:
 1. Modesty Finish: Wood or Laminate
 2. Worksurface Finish: Wood or Laminate
 66" to 96" wide Nominal.
 No Drilling Options.
 No Grommet Options.
 To be used with end support, return, or bridge.
 Includes front modesty and worksurface.
 Stations up to 96" wide.
 Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes


Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
 Products on this page are engineered to work with 28^{3/8}" planning.
 All worksurfaces are 1 1/2" thick.
 Products on this page will accept all Laminates except "wood grain laminates".
 Note: All installation instructions are available on the Knoll Exchange.
 42" height is Nominal.

Comes with hardware kit, including attachment kit.
 Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.
 Pencil Lip will be assembled to the top.
 Pencil Lip dimension: 1/4"H above worksurface.
 Pencil Lip is located along the back edge.
 Pencil Lip is available in black only.
 Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).
 The approach side needs to be completed with an additional infill panel.



Single Wide Desk

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Single Wide Desk	66"	30"	42"	RASW6630 () ()	\$1,292.	\$1,363.	\$1,623.	\$1,344.	\$1,458.	\$1,687.
	72"	30"	42"	RASW7230 () ()	1,337.	1,414.	1,696.	1,382.	1,505.	1,756.
	78"	30"	42"	RASW7830 () ()	1,373.	1,456.	1,759.	1,410.	1,542.	1,815.
	84"	30"	42"	RASW8430 () ()	1,454.	1,543.	1,867.	1,457.	1,598.	1,893.
	90"	30"	42"	RASW9030 () ()	1,490.	1,585.	1,930.	1,486.	1,636.	1,953.
	96"	30"	42"	RASW9630 () ()	1,534.	1,634.	2,001.	1,514.	1,673.	2,012.

Order Code

Example:	
RA	Reff Administrative
SW	Single Wide with worksurface
66	66" wide, Nominal
30	30" deep, Nominal
()	Modesty finish
()	Worksurface finish

Nominal vs Actual sizes

N=66/A=62 - Top = 61.8 x 27.9
 N=72/A=68 - Top = 67.8 x 27.9
 N=78/A=74 - Top = 73.8 x 27.9
 N=84/A= 80 - Top = 79.8 x 27.9
 N=90/A=86 - Top = 85.8 x 27.9
 N=96/A=92 - Top = 91.8 x 27.9
 above dimension allow for 2 end supports

Specification Information

To order please specify pattern number including:
 1. Modesty Finish: Wood or Laminate
 2. Worksurface Finish: Wood or Laminate
 66" to 96" wide Nominal.
 No Drilling Options.
 No Grommet Options.
 To be used with end support, return, or bridge.
 Includes front modesty and worksurface.
 Stations up to 96" wide.
 Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes


Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
 Products on this page are engineered to work with 28^{3/8}" planning.
 All worksurfaces are 1 1/2" thick.
 Products on this page will accept all Laminates except "wood grain laminates".
 Note: All installation instructions are available on the Knoll Exchange.
 42" height is Nominal.

Comes with hardware kit, including attachment kit.
 Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.
 Pencil Lip will be assembled to the top.
 Pencil Lip dimension: 1/4"H above worksurface.
 Pencil Lip is located along the back edge.
 Pencil Lip is available in black only.
 Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).
 The approach side needs to be completed with an additional infill panel.



Double Wide Desk

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
 <p>Left hand shown</p>	51"	30"	42"	RADW(L/R)5130 () ()	\$1,162.	\$1,336.	\$1,536.	\$1,997.
	54"	30"	42"	RADW(L/R)5430 () ()	1,188.	1,366.	1,571.	2,042.
	57"	30"	42"	RADW(L/R)5730 () ()	1,214.	1,396.	1,605.	2,087.
	60"	30"	42"	RADW(L/R)6030 () ()	1,295.	1,489.	1,713.	2,227.
	63"	30"	42"	RADW(L/R)6330 () ()	1,316.	1,514.	1,741.	2,263.
	66"	30"	42"	RADW(L/R)6630 () ()	1,345.	1,547.	1,779.	2,313.
	69"	30"	42"	RADW(L/R)6930 () ()	1,371.	1,576.	1,813.	2,356.
	72"	30"	42"	RADW(L/R)7230 () ()	1,391.	1,600.	1,840.	2,392.
	75"	30"	42"	RADW(L/R)7530 () ()	1,410.	1,621.	1,864.	2,424.
	78"	30"	42"	RADW(L/R)7830 () ()	1,429.	1,644.	1,890.	2,458.
	81"	30"	42"	RADW(L/R)8130 () ()	1,455.	1,673.	1,924.	2,501.
	84"	30"	42"	RADW(L/R)8430 () ()	1,504.	1,729.	1,989.	2,586.
	87"	30"	42"	RADW(L/R)8730 () ()	1,522.	1,750.	2,013.	2,617.
	90"	30"	42"	RADW(L/R)9030 () ()	1,542.	1,774.	2,040.	2,651.
	93"	30"	42"	RADW(L/R)9330 () ()	1,568.	1,803.	2,074.	2,696.
96"	30"	42"	RADW(L/R)9630 () ()	1,587.	1,825.	2,099.	2,729.	

Order Code

Example:	
RA	Reff Administrative
DW	Double Wide with worksurface
L	Left hand
51	51" wide, Nominal
30	30" deep (only) worksurface
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

51" to 96" wide, Nominal.
30" deep worksurface, Nominal.
No Drilling Options.
No Grommet Options.

Product on this page do not include infill panels, returns or supports. Supports need to be ordered separately.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height, Nominal.

Left hand and Right hand units are sold separately (not as set), therefore the veneer side will not match.


Left hand unit includes 2 kits;
Kit #1: Joinery hardware to connect 2 units together.
Kit #2: Multi clips.

Products on this page do not include infill panels, returns and supports, need to be order separately.

Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).


To complete your double wide unit, you must order 2 pieces. Nominal double vs Actual double sizes

- Actual is 2" less than Nominal.
- N=102/ A=98 (2x49) - Top = 49
 - N=108/ A=104 (2x52) - Top = 52
 - N=114/ A=110 (2x55) - Top = 55
 - N=120/ A=116 (2x58) - Top = 58
 - N=126/ A=122 (2x61) - Top = 61
 - N=132/ A=128 (2x64) - Top = 64
 - N=138/ A=134 (2x67) - Top = 67
 - N=144/ A=140 (2x70) - Top = 70
 - N=150/ A=146 (2x73) - Top = 73
 - N=156/ A=152 (2x76) - Top = 76
 - N=162/ A=158 (2x79) - Top = 79
 - N=168/ A=164 (2x82) - Top = 82
 - N=174/ A=170 (2x85) - Top = 85
 - N=180/ A=176 (2x88) - Top = 88
 - N=186/ A=182 (2x91) - Top = 91
 - N=192/ A=188 (2x94) - Top = 94



Double Wide Desk

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 <p>right hand shown</p>	51"	30"	42"	RADW(L/R)5130() ()	\$1,240.	\$1,299.	\$1,514.	\$1,351.	\$1,445.	\$1,653.
	54"	30"	42"	RADW(L/R)5430() ()	1,266.	1,328.	1,553.	1,366.	1,464.	1,683.
	57"	30"	42"	RADW(L/R)5730() ()	1,283.	1,348.	1,585.	1,389.	1,491.	1,721.
	60"	30"	42"	RADW(L/R)6030() ()	1,383.	1,451.	1,698.	1,443.	1,550.	1,791.
	63"	30"	42"	RADW(L/R)6330() ()	1,403.	1,474.	1,732.	1,472.	1,583.	1,835.
	66"	30"	42"	RADW(L/R)6630() ()	1,424.	1,498.	1,766.	1,499.	1,615.	1,878.
	69"	30"	42"	RADW(L/R)6930() ()	1,450.	1,526.	1,805.	1,513.	1,634.	1,907.
	72"	30"	42"	RADW(L/R)7230() ()	1,470.	1,549.	1,838.	1,528.	1,653.	1,938.
	75"	30"	42"	RADW(L/R)7530() ()	1,487.	1,568.	1,868.	1,570.	1,699.	1,994.
	78"	30"	42"	RADW(L/R)7830() ()	1,504.	1,589.	1,900.	1,584.	1,718.	2,025.
	81"	30"	42"	RADW(L/R)8130() ()	1,531.	1,618.	1,939.	1,598.	1,737.	2,054.
	84"	30"	42"	RADW(L/R)8430() ()	1,587.	1,677.	2,010.	1,632.	1,775.	2,103.
	87"	30"	42"	RADW(L/R)8730() ()	1,604.	1,697.	2,039.	1,646.	1,793.	2,132.
	90"	30"	42"	RADW(L/R)9030() ()	1,622.	1,718.	2,072.	1,660.	1,812.	2,163.
	93"	30"	42"	RADW(L/R)9330() ()	1,649.	1,748.	2,112.	1,674.	1,830.	2,191.
96"	30"	42"	RADW(L/R)9630() ()	1,666.	1,767.	2,141.	1,688.	1,849.	2,222.	

Order Code

Example:	
RA	Reff Administrative
DW	Double Wide with worksurface
L	Left hand
51	51" wide, Nominal
30	30" deep (only) worksurface
()	Modesty finish
()	Worksurface finish

To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes

Actual is 2" less than Nominal.

N=102/ A=98 (2x49) - Top = 49
N=108/ A=104 (2x52) - Top = 52
N=114/ A=110 (2x55) - Top = 55
N=120/ A=116 (2x58) - Top = 58
N=126/ A=122 (2x61) - Top = 61
N=132/ A=128 (2x64) - Top = 64
N=138/ A=134 (2x67) - Top = 67
N=144/ A=140 (2x70) - Top = 70
N=150/ A=146 (2x73) - Top = 73
N=156/ A=152 (2x76) - Top = 76
N=162/ A=158 (2x79) - Top = 79
N=168/ A=164 (2x82) - Top = 82
N=174/ A=170 (2x85) - Top = 85
N=180/ A=176 (2x88) - Top = 88
N=186/ A=182 (2x91) - Top = 91
N=192/ A=188 (2x94) - Top = 94

Specification Information

To order please specify pattern number including:

1. Modesty Finish: Wood or Laminate
2. Worksurface Finish: Wood or Laminate

51" to 96" wide, Nominal.
30" deep worksurface, Nominal.
No Drilling Options.
No Grommet Options.

Product on this page do not include infill panels, returns or supports. Supports need to be ordered separately.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height, Nominal.

Left hand and Right hand units are sold separately (not as set), therefore the veneer side will not match.


Left hand unit includes 2 kits;
Kit #1: Joinery hardware to connect 2 units together.
Kit #2: Multi clips.

Products on this page do not include infill panels, returns and supports, need to be order separately.

Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with an additional infill panel.


Worksurfaces include a 2" gap along the back edge to accommodate full length wire access and Pencil Lip. Pencil lip will be assembled to the top. Pencil Lip dimensions: 1/4"H above worksurface. Pencil Lip is available in black only.



Bridge

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Bridge Return Panel	72"	20"	42"	RABR(L/R)7220 () () ()	\$1,090.	\$1,744.	\$2,006.	\$2,608.
	78"	20"	42"	RABR(L/R)7820 () () ()	1,183.	1,892.	2,176.	2,829.
	84"	20"	42"	RABR(L/R)8420 () () ()	1,236.	1,977.	2,274.	2,956.
	90"	20"	42"	RABR(L/R)9020 () () ()	1,286.	2,058.	2,366.	3,076.
	96"	20"	42"	RABR(L/R)9620 () () ()	1,336.	2,137.	2,458.	3,195.



Left hand shown

Order Code

Example:	
RA	Reff Administrative
BR	Bridge Return
R	Right hand
72	72" wide
20	20" deep
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Grommet Option:
F = Flush
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.


Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal

Includes a 20"d nominal work surface.
Includes thick modesty panel. Use in conjunction with end cabinets.
Bridge + Cabinet + End Panel = Nominals.

Cabinet to be ordered separately.



left hand / right hand

Nominal vs Actual sizes

N=72/A=54.5 - top 24.5

N=78/A=60.5 - top 30.5


N=84/A=66.5 - top 36.5

N=90/A=72.5 - top 42.5


N=96/A=78.5 - top 48.5

Bridge

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
	72"	20"	42"	RABR(L/R)7220 () () ()	\$1,198.	\$1,231.	\$1,338.	\$1,603.	\$1,834.	\$2,228.
	78"	20"	42"	RABR(L/R)7820 () () ()	1,320.	1,357.	1,482.	1,749.	2,001.	2,438.
	84"	20"	42"	RABR(L/R)8420 () () ()	1,378.	1,420.	1,563.	1,808.	2,081.	2,562.
	90"	20"	42"	RABR(L/R)9020 () () ()	1,431.	1,477.	1,638.	1,870.	2,163.	2,690.
	96"	20"	42"	RABR(L/R)9620 () () ()	1,479.	1,528.	1,707.	1,927.	2,241.	2,811.

Left hand shown

Order Code	Specification Information	Application Notes
<p>Example:</p> <p>RA Reff Administrative</p> <p>BR Bridge Return</p> <p>R Right hand</p> <p>72 72" wide</p> <p>20 20" deep</p> <p>() Grommet option</p> <p>() Grommet finish</p> <p>() Modesty finish</p> <p>() Worksurface finish</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Grommet Option: F = Flush N = No Grommet Grommet Finish: Painted or Plated Modesty Finish: Wood or Laminate Worksurface Finish: Wood or Laminate 	<p>Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.</p> <p>Products on this page are engineered to work with 28^{3/8}" planning.</p> <p>All worksurfaces are 1 1/2" thick.</p> <p>Products on this page will accept all Laminates except "wood grain laminates".</p> <p>Note: All installation instructions are available on the Knoll Exchange.</p> <p>42" height is Nominal</p> <p>Includes a 20"d nominal work surface. Includes thick modesty panel. Use in conjunction with end cabinets. Bridge + Cabinet + End Panel = Nominals. Cabinet to be ordered separately.</p> 

left hand / right hand

Nominal vs Actual sizes

N=72/A=54.5 - top 24.5


N=78/A=60.5 - top 30.5

N=84/A=66.5 - top 36.5

N=90/A=72.5 - top 42.5




N=96/A=78.5 - top 48.5

Return Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
 Full Return Panel Left hand shown	54"	20"	42"	RAFR(L/R)5420() () () ()	\$1,201.	\$1,825.	\$2,099.	\$2,728.
	60"	20"	42"	RAFR(L/R)6020() () () ()	1,250.	1,900.	2,186.	2,841.
	66"	20"	42"	RAFR(L/R)6620() () () ()	1,351.	2,054.	2,362.	3,070.
	72"	20"	42"	RAFR(L/R)7220() () () ()	1,402.	2,131.	2,451.	3,186.
	78"	20"	42"	RAFR(L/R)7820() () () ()	1,461.	2,221.	2,554.	3,321.
	84"	20"	42"	RAFR(L/R)8420() () () ()	1,529.	2,325.	2,673.	3,475.
	90"	20"	42"	RAFR(L/R)9020() () () ()	1,591.	2,418.	2,780.	3,614.
	96"	20"	42"	RAFR(L/R)9620() () () ()	1,657.	2,518.	2,896.	3,764.

Order Code	Specification Information
Example:	To order please specify pattern number including:
RA Reff Administrative	1. Grommet Option: F = Flush N = No Grommet
FR Full Return	2. Grommet Finish: Painted or Plated
L Left hand	3. Modesty Finish: Laminate or Wood
54 54" wide, Nominal	4. Worksurface Finish: Laminate or Wood
20 20" deep, Nominal	5. Drilling Options: E = End Support drilling 28 ³ / ₈ " G = Gable Support drilling 42"
() Grommet option	
() Grommet finish	
() Modesty finish	
() Worksurface finish	
G Drilling options	


Application Notes
Includes a 20" d (nominal) worksurface. Includes thick modesty.
Return with Cabinet support (TG)
Return with "end support" - 28 ³ / ₈ " h
Return with Gable support - 42" h

Nominal vs Actual sizes
 N=54/A=52, Top = 22" w x 19" d
 N=60/A=58, Top = 28" w x 19" d
 N=66/A=64, Top = 34" w x 19" d
 N=72/A=70, Top = 40" w x 19" d
 N=78/A=76, Top = 46" w x 19" d
 N=84/A=82, Top = 52" w x 19" d
 N=90/A=88, Top = 58" w x 19" d
 N=96/A=94, Top = 64" w x 19" d

Return

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 <p>Left hand shown</p>	54"	20"	42"	RAFR(L/R)5420 () () () ()	\$1,308.	\$1,339.	\$1,438.	\$1,729.	\$1,952.	\$2,328.
	60"	20"	42"	RAFR(L/R)6020 () () () ()	1,355.	1,390.	1,509.	1,788.	2,031.	2,451.
	66"	20"	42"	RAFR(L/R)6620 () () () ()	1,484.	1,523.	1,658.	1,935.	2,199.	2,663.
	72"	20"	42"	RAFR(L/R)7220 () () () ()	1,534.	1,578.	1,732.	1,996.	2,280.	2,788.
	78"	20"	42"	RAFR(L/R)7820 () () () ()	1,599.	1,646.	1,819.	2,061.	2,366.	2,917.
	84"	20"	42"	RAFR(L/R)8420 () () () ()	1,678.	1,730.	1,920.	2,119.	2,445.	3,041.
	90"	20"	42"	RAFR(L/R)9020 () () () ()	1,745.	1,802.	2,011.	2,195.	2,542.	3,181.
	96"	20"	42"	RAFR(L/R)9620 () () () ()	1,822.	1,883.	2,109.	2,268.	2,636.	3,319.

Order Code

Example:	
RA	Reff Administrative
FR	Full Return
L	Left hand
54	54" wide, Nominal
20	20" deep, Nominal
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish
G	Drilling options

Specification Information

To order please specify pattern number including:

- Grommet Option:
F = Flush
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Laminate or Wood
- Worksurface Finish: Laminate or Wood
- Drilling Options:
E = End Support drilling 28³/₈"
G = Gable Support drilling 42"

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".


Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal


Application Notes

Includes a 20" (nominal) worksurface.
Includes thick modesty.

Return with Cabinet support. (TG)



Return with "end support" - 28³/₈"h




Return with Gable support - 42"h

Nominal vs Actual sizes


N=54/A=52, Top = 22" w x 19" d
 N=60/A=58, Top = 28" w x 19" d
 N=66/A=64, Top = 34" w x 19" d
 N=72/A=70, Top = 40" w x 19" d
 N=78/A=76, Top = 46" w x 19" d
 N=84/A=82, Top = 52" w x 19" d
 N=90/A=88, Top = 58" w x 19" d
 N=96/A=94, Top = 64" w x 19" d

Shared Return One Sided

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
	66"	20"	42"	RASRS(L/R)6620 () () ()	\$954.	\$1,527.	\$1,756.	\$2,282.
	72"	20"	42"	RASRS(L/R)7220 () () ()	1,024.	1,638.	1,884.	2,449.
	78"	20"	42"	RASRS(L/R)7820 () () ()	1,076.	1,722.	1,980.	2,574.
	84"	20"	42"	RASRS(L/R)8420 () () ()	1,159.	1,855.	2,133.	2,773.
	90"	20"	42"	RASRS(L/R)9020 () () ()	1,206.	1,930.	2,219.	2,885.
	96"	20"	42"	RASRS(L/R)9620 () () ()	1,313.	2,101.	2,416.	3,141.

Left hand shown

Order Code	Specification Information	Application Notes
<p>Example:</p> <p>RA Reff Administrative</p> <p>SR Shared Return</p> <p>S Single</p> <p>R Right hand</p> <p>66 66" wide</p> <p>() Grommet option</p> <p>() Grommet finish</p> <p>() Modesty finish</p> <p>() Worksurface finish</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Grommet Option: F = Flush N = No Grommet Grommet Finish: Painted or Plated Modesty Finish: Wood or Laminate Worksurface Finish: Wood or Laminate 	<p>Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.</p> <p>Products on this page are engineered to work with 28^{3/8}" planning.</p> <p>All worksurfaces are 1 1/2" thick.</p> <p>Products on this page will accept all Laminates except "wood grain laminates".</p> <p>Must be used with end support. Always comes with drilling to accept 28^{3/8}"H, only, end suport component. End support must be ordered separately. 42" high Gable cannot be used in this application. Hardware for attachment included.</p> 

Nominal vs Actual sizes


- N=66/A=64, Top = 34" actual
- N=72/A=70, Top = 40" actual
- N=78/A=76, Top = 46" actual
- N=84/A=82, Top = 52" actual
- N=90/A=88, Top = 58" actual
- N=96/A=94, Top = 64" actual

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal


Shared Return One Sided

Mixed Finishes

description	w	d	h	pattern no.	L/V1 *	L/V2	L/V3	V1/L	V2/L	V3/L
 Shared Return One Side	66"	20"	42"	RASRS(L/R)6620() () () ()	\$1,078.	\$1,117.	\$1,253.	\$1,413.	\$1,574.	\$1,819.
	72"	20"	42"	RASRS(L/R)7220() () () ()	1,158.	1,201.	1,356.	1,510.	1,691.	1,980.
	78"	20"	42"	RASRS(L/R)7820() () () ()	1,215.	1,263.	1,435.	1,564.	1,766.	2,099.
	84"	20"	42"	RASRS(L/R)8420() () () ()	1,318.	1,370.	1,560.	1,688.	1,911.	2,288.
	90"	20"	42"	RASRS(L/R)9020() () () ()	1,366.	1,423.	1,631.	1,742.	1,985.	2,407.
	96"	20"	42"	RASRS(L/R)9620() () () ()	1,515.	1,576.	1,802.	1,901.	2,166.	2,631.

Left hand shown

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative SR Shared Return S Single R Right hand 66 66" wide () Grommet option () Grommet finish () Modesty finish () Worksurface finish	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Wood or Laminate 4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 ^{3/8} " planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal




Nominal vs Actual sizes


- N=66/A=64, Top = 34" actual
- N=72/A=70, Top = 40" actual
- N=78/A=76, Top = 46" actual
- N=84/A=82, Top = 52" actual
- N=90/A=88, Top = 58" actual
- N=96/A=94, Top = 64" actual

Shared Return Two Sided

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
 Shared Return Two Sided	66"	20"	42"	RASRD6620 () () () ()	\$1,269.	\$1,967.	\$2,262.	\$2,940.
	72"	20"	42"	RASRD7220 () () () ()	1,353.	2,097.	2,411.	3,135.
	78"	20"	42"	RASRD7820 () () () ()	1,424.	2,207.	2,538.	3,299.
	84"	20"	42"	RASRD8420 () () () ()	1,516.	2,350.	2,703.	3,514.
	90"	20"	42"	RASRD9020 () () () ()	1,577.	2,444.	2,811.	3,654.
	96"	20"	42"	RASRD9620 () () () ()	1,709.	2,650.	3,047.	3,961.


Order Code	Specification Information	Application Notes
Example: RA Reff Administrative SR Shared Return D Double 66 66" wide () Grommet option () Grommet finish () Modesty finish () Worksurface finish	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Wood or Laminate 4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 ^{3/8} " planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal



Nominal vs Actual sizes
 N=66/A=64, Top = 34" actual
 N=72/A=70, Top = 40" actual
 N=78/A=76, Top = 46" actual
 N=84/A=82, Top = 52" actual
 N=90/A=88, Top = 58" actual
 N=96/A=94, Top = 64" actual

Shared Return Two Sided

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 Shared Return Two Sided	66"	20"	42"	RASRD6620()()()()	\$1,545.	\$1,623.	\$1,895.	\$1,738.	\$1,898.	\$2,144.
	72"	20"	42"	RASRD7220()()()()	1,641.	1,729.	2,038.	1,844.	2,025.	2,314.
	78"	20"	42"	RASRD7820()()()()	1,725.	1,821.	2,165.	1,907.	2,109.	2,442.
	84"	20"	42"	RASRD8420()()()()	1,837.	1,941.	2,320.	2,036.	2,259.	2,636.
	90"	20"	42"	RASRD9020()()()()	1,900.	2,014.	2,431.	2,099.	2,343.	2,764.
	96"	20"	42"	RASRD9620()()()()	2,085.	2,206.	2,659.	2,281.	2,546.	3,011.

Order Code

Example:	
RA	Reff Administrative
SR	Shared Return
R	Right hand
S	Single
66	66" wide
20	20" deep
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Grommet Option:
F = Flush
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.


All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Must be used with end support. Always comes with drilling to accept 28^{3/8}"H, only, end support component. End support must be ordered separately. 42" high Gable cannot be used in this application. Hardware for attachment included.




Nominal vs Actual sizes

- N=66/A=64, Top = 34" actual
- N=72/A=70, Top = 40" actual
- N=78/A=76, Top = 46" actual
- N=84/A=82, Top = 52" actual
- N=90/A=88, Top = 58" actual
- N=96/A=94, Top = 64" actual

Technology Island Peninsula

Single Finish

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Peninsula 	62"	40"	22 ³ / ₈ "	RAIE6240 () ()	\$1,106.	\$1,603.	\$1,844.	\$2,397.
	68"	40"	22 ³ / ₈ "	RAIE6840 () ()	1,128.	1,636.	1,882.	2,446.
	74"	40"	22 ³ / ₈ "	RAIE7440 () ()	1,146.	1,661.	1,910.	2,483.
	62"	48"	22 ³ / ₈ "	RAIE6248 () ()	1,193.	1,729.	1,989.	2,585.
	68"	48"	22 ³ / ₈ "	RAIE6848 () ()	1,212.	1,758.	2,022.	2,628.
	74"	48"	22 ³ / ₈ "	RAIE7448 () ()	1,233.	1,788.	2,056.	2,673.

Order Code

Example:	
RA	Reff Administrative
I	Island Peninsula
E	1" thick top
62	Width
40	Depth
()	Grommet Finish
()	Top Finish
()	End Panel Finish

Specification Information

To order please specify pattern number including:

1. Grommet Finish:
Painted or plated
2. Worksurface finish:
Wood or Laminate
3. End panel finish:

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.


42" height is Nominal

Always comes with standard grommet. 12" inset from back edge, center or depth.

Drilled to accept 30" and 36" wide x 22³/₈" high storage units.

Intended to have full storage under tops.
(30 x 30, 30 x 36, 36 x 36)
Lower storage to be used with this product is 22³/₈"H.


Intended to be freestanding and slide or sit under the primary worksurface.



Technology Island Peninsula

Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Peninsula 	62"	40"	22 ³ / ₈ "	RAIE6240 () ()	\$1,194.	\$1,295.	\$1,642.	\$1,532.	\$1,647.	\$1,800.
	68"	40"	22 ³ / ₈ "	RAIE6840 () ()	1,223.	1,333.	1,708.	1,552.	1,688.	1,820.
	74"	40"	22 ³ / ₈ "	RAIE7440 () ()	1,243.	1,361.	1,764.	1,573.	1,689.	1,841.
	62"	48"	22 ³ / ₈ "	RAIE6248 () ()	1,283.	1,402.	1,803.	1,686.	1,818.	2,001.
	68"	48"	22 ³ / ₈ "	RAIE6848 () ()	1,306.	1,435.	1,868.	1,711.	1,843.	2,025.
	74"	48"	22 ³ / ₈ "	RAIE7448 () ()	1,330.	1,470.	1,936.	1,735.	1,867.	2,050.

Order Code

Example:	
RA	Reff Administrative
I	Island Peninsula
E	1" thick top
62	Width
40	Depth
()	Grommet Finish
()	Top Finish
()	End Panel Finish

Specification Information

To order please specify pattern number including:

1. Grommet Finish:
Painted or plated
2. Worksurface finish:
Wood or Laminate
3. End panel finish:

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.


42" height is Nominal

Always comes with standard grommet. 12" inset from back edge, center or depth.

Drilled to accept 30" and 36" wide x 22³/₈" high storage units.

Intended to have full storage under tops.
(30 x 30, 30 x 36, 36 x 36)
Lower storage to be used with this product is 22³/₈"H.

Intended to be freestanding and slide or sit under the primary worksurface.





Infill Panel

Flush Single / Double

Type A

Reff Profiles

description	w	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece 	66"	39"	2 1/2"	RAIPFAWS66()	\$834.	\$959.	\$1,103.	\$1,434.
	72"	39"	2 1/2"	RAIPFAWS72()	869.	999.	1,149.	1,494.
	78"	39"	2 1/2"	RAIPFAWS78()	941.	1,082.	1,244.	1,617.
	84"	39"	2 1/2"	RAIPFAWS84()	968.	1,113.	1,280.	1,664.
	90"	39"	2 1/2"	RAIPFAWS90()	1,007.	1,158.	1,332.	1,732.
	96"	39"	2 1/2"	RAIPFAWS96()	1,035.	1,190.	1,369.	1,779.
Flush Infill Panel, 2 pieces 	102"	39"	2 1/2"	RAIPFAWD102()	1,670.	1,921.	2,209.	2,872.
	108"	39"	2 1/2"	RAIPFAWD108()	1,706.	1,962.	2,257.	2,934.
	114"	39"	2 1/2"	RAIPFAWD114()	1,756.	2,020.	2,323.	3,019.
	120"	39"	2 1/2"	RAIPFAWD120()	1,792.	2,061.	2,370.	3,081.
	126"	39"	2 1/2"	RAIPFAWD126()	1,902.	2,187.	2,515.	3,270.
	132"	39"	2 1/2"	RAIPFAWD132()	1,937.	2,228.	2,562.	3,331.
	138"	39"	2 1/2"	RAIPFAWD138()	1,987.	2,285.	2,628.	3,417.
	144"	39"	2 1/2"	RAIPFAWD144()	2,111.	2,427.	2,791.	3,629.
	150"	39"	2 1/2"	RAIPFAWD150()	2,147.	2,469.	2,840.	3,692.
	156"	39"	2 1/2"	RAIPFAWD156()	2,183.	2,510.	2,887.	3,753.
	162"	39"	2 1/2"	RAIPFAWD162()	2,219.	2,551.	2,934.	3,814.
	168"	39"	2 1/2"	RAIPFAWD168()	2,254.	2,593.	2,981.	3,876.
	174"	39"	2 1/2"	RAIPFAWD174()	2,311.	2,658.	3,056.	3,973.
	180"	39"	2 1/2"	RAIPFAWD180()	2,346.	2,698.	3,103.	4,034.
	186"	39"	2 1/2"	RAIPFAWD186()	2,382.	2,740.	3,151.	4,096.
	192"	39"	2 1/2"	RAIPFAWD192()	2,418.	2,781.	3,158.	4,157.

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative IP Infill Panel FA Flush Type A WS Wood, single (1pc) 66 Width () Finish	To order please specify pattern number including: 1. Infill Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal
		Type A = recessed on top only. These infill panels sit flush to both end supports with a reveal at the top of the infill. Double wide = Two equal width pieces Veneer finishes come matched.

To complete your double wide unit, you must order 2 pieces. *Nominal double vs Actual double sizes*



Actual is 2" less than Nominal.

- N=102/ A=98 (2x49)
- N=108/ A=104 (2x52)
- N=114/ A=110 (2x55)
- N=120/ A=116 (2x58)
- N=126/ A=122 (2x61)
- N=132/ A=128 (2x64)
- N=138/ A=134 (2x67)
- N=144/ A=140 (2x70)
- N=150/ A=146 (2x73)
- N=156/ A=152 (2x76)
- N=162/ A=158 (2x79)
- N=168/ A=164 (2x82)
- N=174/ A=170 (2x85)
- N=180/ A=176 (2x88)
- N=186/ A=182 (2x91)
- N=192/ A=188 (2x94)

Infill Panel

Flush Single / Double

Type B

description	w	h	th	pattern no.	L	V1	V2	V3
 Flush Infill Panel, 1 piece	66"	39"	2 1/2"	RAIPFBWS66()	\$918.	\$1,056.	\$1,215.	\$1,579.
	72"	39"	2 1/2"	RAIPFBWS72()	947.	1,088.	1,252.	1,627.
	78"	39"	2 1/2"	RAIPFBWS78()	1,026.	1,180.	1,357.	1,764.
	84"	39"	2 1/2"	RAIPFBWS84()	1,053.	1,211.	1,393.	1,811.
	90"	39"	2 1/2"	RAIPFBWS90()	1,093.	1,257.	1,446.	1,880.
	96"	39"	2 1/2"	RAIPFBWS96()	1,121.	1,290.	1,483.	1,928.
 Flush Infill Panel, 2 pieces	102"	39"	2 1/2"	RAIPFBWD102()	1,843.	2,119.	2,437.	3,169.
	108"	39"	2 1/2"	RAIPFBWD114()	1,880.	2,162.	2,487.	3,233.
	114"	39"	2 1/2"	RAIPFBWD114()	1,933.	2,223.	2,557.	3,324.
	120"	39"	2 1/2"	RAIPFBWD120()	1,968.	2,263.	2,603.	3,384.
	126"	39"	2 1/2"	RAIPFBWD126()	2,080.	2,392.	2,751.	3,576.
	132"	39"	2 1/2"	RAIPFBWD132()	2,115.	2,432.	2,797.	3,637.
	138"	39"	2 1/2"	RAIPFBWD138()	2,167.	2,493.	2,865.	3,725.
	144"	39"	2 1/2"	RAIPFBWD144()	2,289.	2,632.	3,027.	3,935.
	150"	39"	2 1/2"	RAIPFBWD150()	2,328.	2,677.	3,079.	4,002.
	156"	39"	2 1/2"	RAIPFBWD156()	2,362.	2,716.	3,123.	4,060.
	162"	39"	2 1/2"	RAIPFBWD162()	2,399.	2,759.	3,173.	4,125.
	168"	39"	2 1/2"	RAIPFBWD168()	2,436.	2,801.	3,221.	4,187.
	174"	39"	2 1/2"	RAIPFBWD174()	2,491.	2,865.	3,295.	4,283.
	180"	39"	2 1/2"	RAIPFBWD180()	2,525.	2,904.	3,340.	4,341.
	186"	39"	2 1/2"	RAIPFBWD186()	2,564.	2,949.	3,391.	4,408.
	192"	39"	2 1/2"	RAIPFBWD192()	2,599.	2,989.	3,437.	4,468.

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative IP Infill Panel FB Flush Type B WS Wood 66 Width () Finish	<i>To order please specify pattern number including:</i> 1. Infill Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal



Type B = recessed on top and bottom.
 Does not extend to the floor.
 Type B infill panels, sit flush between both end supports and has a reveal at the top and bottom of the infill panel.
 Double wide = two equal width pieces.
 Veneer finishes come matched.

To complete your double wide unit, you must order 2 pieces. *Nominal double vs Actual double sizes*
Actual is 2" less than Nominal.
 N=102/ A=98 (2x49)
 N=108/ A=104 (2x52)
 N=114/ A=110 (2x55)
 N=120/ A=116 (2x58)
 N=126/ A=122 (2x61)
 N=132/ A=128 (2x64)
 N=138/ A=134 (2x67)
 N=144/ A=140 (2x70)
 N=150/ A=146 (2x73)
 N=156/ A=152 (2x76)
 N=162/ A=158 (2x79)
 N=168/ A=164 (2x82)
 N=174/ A=170 (2x85)
 N=180/ A=176 (2x88)
 N=186/ A=182 (2x91)
 N=192/ A=188 (2x94)

Infill Panel

Recessed Single / Double

Wood

description	w	h	th	pattern no.	L	V1	V2	V3
 Recessed Infill Panel, 1 piece	66"	39"	1"	RAIPRWS66()	\$621.	\$714.	\$821.	\$1,067.
	72"	39"	1"	RAIPRWS72()	648.	745.	857.	1,114.
	78"	39"	1"	RAIPRWS78()	705.	811.	933.	1,212.
	84"	39"	1"	RAIPRWS84()	725.	833.	958.	1,246.
	90"	39"	1"	RAIPRWS90()	759.	872.	1,003.	1,304.
	96"	39"	1"	RAIPRWS96()	778.	895.	1,029.	1,338.
 Recessed Infill Panel, 2 pieces	102"	39"	1"	RAIPRWD102()	1,302.	1,497.	1,721.	2,238.
	108"	39"	1"	RAIPRWD108()	1,328.	1,527.	1,756.	2,282.
	114"	39"	1"	RAIPRWD114()	1,371.	1,576.	1,813.	2,356.
	120"	39"	1"	RAIPRWD120()	1,396.	1,606.	1,847.	2,401.
	126"	39"	1"	RAIPRWD126()	1,470.	1,690.	1,944.	2,527.
	132"	39"	1"	RAIPRWD132()	1,510.	1,736.	1,996.	2,595.
	138"	39"	1"	RAIPRWD138()	1,539.	1,769.	2,035.	2,645.
	144"	39"	1"	RAIPRWD144()	1,639.	1,885.	2,168.	2,818.
	150"	39"	1"	RAIPRWD150()	1,665.	1,915.	2,202.	2,863.
	156"	39"	1"	RAIPRWD156()	1,694.	1,948.	2,240.	2,913.
	162"	39"	1"	RAIPRWD162()	1,720.	1,978.	2,275.	2,957.
	168"	39"	1"	RAIPRWD168()	1,748.	2,010.	2,312.	3,006.
	174"	39"	1"	RAIPRWD174()	1,802.	2,072.	2,383.	3,098.
	180"	39"	1"	RAIPRWD180()	1,831.	2,106.	2,422.	3,148.
	186"	39"	1"	RAIPRWD186()	1,857.	2,136.	2,456.	3,193.
	192"	39"	1"	RAIPRWD192()	1,885.	2,168.	2,493.	3,241.

Pattern number includes 2 pieces

Order Code

Example:	
RA	Reff Administrative
IP	Infill Panel
R	Recessed
W	Wood
S	Single (1 pc)
66	Width
()	Finish

Specification Information

To order please specify pattern number including:
 1. Finish:
 Wood or Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Double wide = Two equal width pieces
 Natural Veneer finishes come matched.

This product sits recessed between both end supports. This product has no reveal.

To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes


Actual is 2" less than Nominal.

- N=102/ A=98 (2x49)
- N=108/ A=104 (2x52)
- N=114/ A=110 (2x55)
- N=120/ A=116 (2x58)
- N=126/ A=122 (2x61)
- N=132/ A=128 (2x64)
- N=138/ A=134 (2x67)
- N=144/ A=140 (2x70)
- N=150/ A=164 (2x73)
- N=156/ A=152 (2x76)
- N=162/ A=158 (2x79)
- N=168/ A=164 (2x82)
- N=174/ A=170 (2x85)
- N=180/ A=176 (2x88)
- N=186/ A=182 (2x91)
- N=192/ A=188 (2x94)


Infill Panel

Recessed Single / Double Glass

Reff Profiles

description	w	h	th	pattern no.	glass
 Recessed Infill Panel, 1 piece	66"	39"	1"	RAIPRGS66()	\$2,577.
	72"	39"	1"	RAIPRGS72()	2,761.
	78"	39"	1"	RAIPRGS78()	3,048.
	84"	39"	1"	RAIPRGS84()	3,234.
	90"	39"	1"	RAIPRGS90()	3,400.
	96"	39"	1"	RAIPRGS96()	3,565.

pattern number includes 1 piece

 Recessed Infill Panel, 2 pieces	102"	39"	1"	RAIPRGD51()	2,219.
	108"	39"	1"	RAIPRGD54()	2,301.
	114"	39"	1"	RAIPRGD57()	2,385.
	120"	39"	1"	RAIPRGD60()	2,467.
	126"	39"	1"	RAIPRGD63()	2,549.
	132"	39"	1"	RAIPRGD66()	2,632.
	138"	39"	1"	RAIPRGD69()	2,733.
	144"	39"	1"	RAIPRGD72()	2,937.
	150"	39"	1"	RAIPRGD75()	3,020.
	156"	39"	1"	RAIPRGD78()	3,102.
	162"	39"	1"	RAIPRGD81()	3,206.
	168"	39"	1"	RAIPRGD84()	3,289.
	174"	39"	1"	RAIPRGD87()	3,372.
	180"	39"	1"	RAIPRGD90()	3,454.
	186"	39"	1"	RAIPRGD93()	3,537.
	192"	39"	1"	RAIPRGD96()	3,619.

Order Code

Example:	
RA	Reff Administrative
IP	Infill Panel
R	Recessed
G	Glass
S	Single
66	Width
()	Frame Finish
()	Glass Finish

Specification Information

To order please specify pattern number including:

1. Frame Finish:
Painted and Anodized
2. Glass Finish:
GL11, GL14, GL15, GL18

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Application Notes

To complete your double wide unit, you must order 2 pieces.

Glass Infill thickness, including frame = ¹³/₁₆" overall.

Same hardware as the wood infill.

Glass infill panels are available in inset flush type, only.

This product sits recessed between both end supports with no reveal at top or bottom.


To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes

Actual is 2" less than Nominal.

N=102/ A=98 (2x49)
 N=108/ A=104 (2x52)
 N=114/ A=110 (2x55)
 N=120/ A=116 (2x58)
 N=126/ A=122 (2x61)
 N=132/ A=128 (2x64)
 N=138/ A=134 (2x67)
 N=144/ A=140 (2x70)
 N=150/ A=146 (2x73)
 N=156/ A=152 (2x76)
 N=162/ A=158 (2x79)
 N=168/ A=164 (2x82)
 N=174/ A=170 (2x85)
 N=180/ A=176 (2x88)
 N=186/ A=182 (2x91)
 N=192/ A=188 (2x94)

Transaction Tops Bridge

description	w	d	th	pattern no.	L	V1	V2	V3
 Bridge	72"	8"	1 1/2"	RATTBR72()	\$385.	\$398.	\$458.	\$596.
	78"	8"	1 1/2"	RATTBR78()	403.	414.	476.	618.
	84"	8"	1 1/2"	RATTBR84()	414.	425.	489.	635.
	90"	8"	1 1/2"	RATTBR90()	433.	462.	531.	690.
	96"	8"	1 1/2"	RATTBR96()	444.	473.	544.	707.


Order Code	Specification Information	Application Notes
Example: RA Reff Administrative TT Transaction Tops BR Bridge Return 72 72" wide () Finish	To order please specify pattern number including: 1. Transaction Top Finish: Wood and Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange.
		Between front shelf and end support. Used on full Bridge Return Units Only. This unit is not intended to be used on its own. Retro fit kit included to attach to the accompanying unit. Hardware kit included. All transaction tops are manufactured to fit within the end supports components.

Nominal double vs Actual sizes

- N=72/A = 44.5
- N=78/A = 50.5
- N=84/A = 56.5
- N=90/A = 62.5
- N=96/A = 68.5

Transaction Tops

Return

description	w	d	th	pattern no.	L	V1	V2	V3
 Full Return	54"	8"	1 1/2"	RATTFR54()	\$381.	\$394.	\$453.	\$589.
	60"	8"	1 1/2"	RATTFR60()	398.	408.	469.	609.
	66"	8"	1 1/2"	RATTFR66()	409.	420.	483.	628.
	72"	8"	1 1/2"	RATTFR72()	425.	458.	526.	684.
	78"	8"	1 1/2"	RATTFR78()	440.	469.	539.	701.
	84"	8"	1 1/2"	RATTFR84()	460.	479.	551.	716.
	90"	8"	1 1/2"	RATTFR90()	470.	494.	568.	739.
	96"	8"	1 1/2"	RATTFR96()	481.	521.	599.	779.

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative TT Transaction Tops FR Full Return 54 54" wide, Nominal () Finish	<i>To order please specify pattern number including:</i> 1. Transaction Top Finish: Wood or Laminate	All transaction tops are manufactured to fit within the end supports components. Between front shelf and end support Used on full Return Units Only This unit is not intended to be used on its own Retro fit kit included to attach to the accompanying unit Hardware kit included

Nominal double vs Actual sizes

- N=54/A=42
- N=60/A=48
- N=66/A=54
- N=72/A=60
- N=78/A=66
- N=84/A=72
- N=90/A=78
- N=96/A=84

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".



Note: All installation instructions available on the Knoll Exchange.

Transaction Tops

Single and Double

Wood / Laminate

Reff Profiles

description	w	d	th	pattern no.	L	V1	V2	V3
Front Single 	66"	10"	1 1/2"	RATTDS66()	\$475.	\$493.	\$567.	\$737.
	72"	10"	1 1/2"	RATTDS72()	482.	506.	582.	757.
	78"	10"	1 1/2"	RATTDS78()	489.	520.	597.	777.
	84"	10"	1 1/2"	RATTDS84()	496.	542.	623.	810.
	90"	10"	1 1/2"	RATTDS90()	503.	571.	657.	854.
	96"	10"	1 1/2"	RATTDS96()	509.	584.	672.	874.
Front Double 	102"	10"	1 1/2"	RATTDD102()	832.	933.	1,072.	1,394.
	108"	10"	1 1/2"	RATTDD108()	839.	950.	1,092.	1,420.
	114"	10"	1 1/2"	RATTDD114()	846.	968.	1,113.	1,447.
	120"	10"	1 1/2"	RATTDD120()	853.	986.	1,134.	1,475.
	126"	10"	1 1/2"	RATTDD126()	893.	1,056.	1,215.	1,579.
	132"	10"	1 1/2"	RATTDD132()	900.	1,074.	1,235.	1,605.
	138"	10"	1 1/2"	RATTDD138()	907.	1,092.	1,256.	1,632.
	144"	10"	1 1/2"	RATTDD144()	914.	1,110.	1,277.	1,660.
	150"	10"	1 1/2"	RATTDD150()	927.	1,128.	1,298.	1,687.
	156"	10"	1 1/2"	RATTDD156()	934.	1,154.	1,327.	1,725.
	162"	10"	1 1/2"	RATTDD162()	941.	1,182.	1,360.	1,767.
	168"	10"	1 1/2"	RATTDD168()	948.	1,200.	1,381.	1,795.
	174"	10"	1 1/2"	RATTDD174()	955.	1,251.	1,439.	1,870.
	180"	10"	1 1/2"	RATTDD180()	962.	1,266.	1,456.	1,893.
	186"	10"	1 1/2"	RATTDD186()	968.	1,285.	1,477.	1,921.
	192"	10"	1 1/2"	RATTDD192()	975.	1,305.	1,500.	1,951.

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative TT Transaction Tops DS Desk Single 66 66" wide () Finish	To order please specify pattern number including: 1. Transaction Top Finish: Wood and Laminate	No grommet options. Double comes in two pieces, Veneer matched. Hardware kit included for each unit. All transaction tops are manufactured to fit within the end supports.

Nominal double (two pieces) vs

Actual sizes

- 102 = N=51/A=49
- 108 = N=54/A=52
- 114 = N=57/A=55
- 120 = N=60/A=58
- 126 = N=63/A=61
- 132 = N=66/A=64
- 138 = N=69/A=67
- 144 = N=72/A=70
- 150 = N=75/A=73
- 156 = N=78/A=76
- 162 = N=81/A=79
- 168 = N=84/A=82
- 174 = N=87/A=85
- 180 = N=90/A=88
- 186 = N=93/A=91
- 192 = N=96/A=94

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.




Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

Accent Tops

Glass Finish

Reff Profiles

description	w	d	th	pattern no.	glass
Accent top for Desk 	51"	10"	1/2"	RAATDG51()	\$452.
	54"	10"	1/2"	RAATDG54()	477.
	57"	10"	1/2"	RAATDG57()	501.
	60"	10"	1/2"	RAATDG60()	526.
	63"	10"	1/2"	RAATDG63()	551.
	66"	10"	1/2"	RAATDG66()	576.
	69"	10"	1/2"	RAATDG69()	601.
	72"	10"	1/2"	RAATDG72()	625.
	75"	10"	1/2"	RAATDG75()	650.
	78"	10"	1/2"	RAATDG78()	675.
	81"	10"	1/2"	RAATDG81()	699.
	84"	10"	1/2"	RAATDG84()	724.
	87"	10"	1/2"	RAATDG87()	749.
	90"	10"	1/2"	RAATDG90()	773.
	93"	10"	1/2"	RAATDG93()	797.
96"	10"	1/2"	RAATDG96()	822.	
Accent top for Return Full 	54"	10"	1/2"	RAATFRG54()	395.
	60"	10"	1/2"	RAATFRG60()	444.
	66"	10"	1/2"	RAATFRG66()	493.
	72"	10"	1/2"	RAATFRG72()	543.
	78"	10"	1/2"	RAATFRG78()	592.
	84"	10"	1/2"	RAATFRG84()	641.
	90"	10"	1/2"	RAATFRG90()	691.
Accent top for Bridge Return 	72"	10"	1/2"	RAATBRG72()	403.
	78"	10"	1/2"	RAATBRG78()	452.
	84"	10"	1/2"	RAATBRG84()	501.
	90"	10"	1/2"	RAATBRG90()	551.
	96"	10"	1/2"	RAATBRG96()	601.

Order Code

Example:	
RA	Reff Administrative
AT	Accent for Transaction Tops
D	Desk
G	Glass
51	Width
()	Glass finish

Specification Information

To order please specify pattern number including:

1. Glass Finish: GL35, GL85

D=Desk
RF=Return Full
BR=Bridge Return

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Note: All installation instructions available on the Knoll Exchange.

Application Notes

All accent tops are manufactured to fit over the end supports and are intended to be placed on top of transaction top.




Comes with anti-skid bumper; 1/4" thick.

Glass has a "Polished and beveled" (chamfered) edge, 1/2" thick.

Overall thickness = 3/4" thick.

Accent Tops

Solid Finish

description	w	d	th	pattern no.	Solid
Accent top for Desk 	51"	10"	1/2"	RAATDS51()	\$2,018.
	54"	10"	1/2"	RAATDS54()	2,075.
	57"	10"	1/2"	RAATDS57()	2,246.
	60"	10"	1/2"	RAATDS60()	2,304.
	63"	10"	1/2"	RAATDS63()	2,476.
	66"	10"	1/2"	RAATDS66()	2,533.
	69"	10"	1/2"	RAATDS69()	2,704.
	72"	10"	1/2"	RAATDS72()	2,762.
	75"	10"	1/2"	RAATDS75()	3,137.
	78"	10"	1/2"	RAATDS78()	3,198.
	81"	10"	1/2"	RAATDS81()	3,321.
	84"	10"	1/2"	RAATDS84()	3,383.
	87"	10"	1/2"	RAATDS87()	3,506.
	90"	10"	1/2"	RAATDS90()	3,567.
	93"	10"	1/2"	RAATDS93()	3,629.
96"	10"	1/2"	RAATDS96()	3,690.	
Accent top for Return Full 	54"	10"	1/2"	RAATFRS54()	1,563.
	60"	10"	1/2"	RAATFRS60()	1,904.
	66"	10"	1/2"	RAATFRS66()	2,132.
	72"	10"	1/2"	RAATFRS72()	2,362.
	78"	10"	1/2"	RAATFRS78()	2,590.
	84"	10"	1/2"	RAATFRS84()	3,075.
	90"	10"	1/2"	RAATFRS90()	3,260.
Accent top for Bridge Return 	72"	10"	1/2"	RAATBRS72()	1,610.
	78"	10"	1/2"	RAATBRS78()	1,961.
	84"	10"	1/2"	RAATBRS84()	2,189.
	90"	10"	1/2"	RAATBRS90()	2,419.
	96"	10"	1/2"	RAATBRS96()	2,647.

Administrative / Reception

Order Code

Example:	
RA	Reff Administrative
AT	Accent Transaction Tops
D	Desk
S	Solid Formica
51	Width

Specification Information

To order please specify pattern number including:
 1. Transaction Top Finish:
 Solid Option: AW = Artic White
 D=Desk
 RF=Return Full
 BR=Bridge Return

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
 Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

Application Notes

All accent tops are manufactured to fit over the end supports components.
 1. Comes with "Anti Skid" bottoms; 1/4" thick.
 2. Solid formica; AW = 1/2" thick.
 3. Overall Accent top thickness is 3/4" thick.

Cabinets

16" Wide, Hinge Door - Both Sides

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Transaction Cabinet with Trays	16"	20"	42"	RAC(L/R)HT4212() () () () () ()	\$2,882.	\$4,034.	\$4,639.	\$6,031.



Left hand shown


Transaction Cabinet with Cubby	16"	20"	42"	RAC(L/R)HC4212() () () () () ()	2,882.	4,034.	4,639.	6,031.
--------------------------------	-----	-----	-----	---	--------	--------	--------	--------



Left hand shown

Gable for Transaction Cabinet	2"	22"	42"	RACG4220()	617.	853.	1,080.	1,403.
-------------------------------	----	-----	-----	-------------------	------	------	--------	--------



Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
RA Reff Administrative	1. Lock option:	Wood interior only, no metal shelves.
C Cabinet	2. Lock finish:	When choose lock, it will lock both hinge doors.
R Right Hand	3. Pull option:	Adjustable shelf above.
HT Hinge Door with Trays	B = No pull, No drilling	Fixed shelves below Hinged doors.
42 Height, Nominal	Customer's own pull	HT = Hinge Door with Trays
1 16" wide, Nominal	C = C Pull (Nickel finish only)	HC = Hinge door with Cubby
2 20" deep, Nominal	D = D Pull (Metal Finishes only)	On the approach side, the doors only have the Touch Latch option.
() Lock option	F = Bar Pull	Base board only on the user's side.
() Lock finish	H = Outline Pull	On the User's side, the door has lock and pull options.
() Pull option	N = Touch Latch, No pull	"T" Drilling option:
() Pull finish	R = Cylinder Pull	Left hand units are drilled on the right hand side, and right hand units are drilled on left side for worksurface attachments.
() Case finish	S = S Pull (Stainless Steel finish only)	From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed.
() Top finish	T = Tab Pull	
() Drilling options	4. Pull Finish: Core Paint Finishes and Plated	
	5. Case Finish: Wood or Laminate	
	6. Top Finish: Wood or Laminate	
	7. Drilling Options:	
	N = None, Stand alone unit	
	T = Drilled to accept worksurface	
	TT = Drill to accept worksurface on both sides	
	TG = Worksurface and Gable drilling.	
	Gable ordered separately	
		These products are glue and dowel construction.
		42" height is Nominal.
		
		<i>shown with gable</i>

Cabinets

16" Wide, Hinge Door - Both Sides

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Transaction Cabinet with Trays	16"	20"	42"	RAC(L/R)HT4212 () () () () () ()	\$3,013.	\$3,063.	\$3,136.	\$4,041.	\$4,472.	\$5,187.



right hand shown

Transaction Cabinet with Cubby	16"	20"	42"	RAC(L/R)HC4212 () () () () () ()	3,013.	3,063.	3,136.	4,041.	4,472.	5,187.
--------------------------------	-----	-----	-----	---	--------	--------	--------	--------	--------	--------



right hand shown


Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Wood interior only, no metal shelves.
RA	Reff Administrative	When choose lock, it will lock both hinge doors.
C	Cabinet	Adjustable shelf above.
R	Right Hand	Fixed shelves below Hinge doors.
HT	Hinge Door with Trays	Mixed Finishes: Case = wood, Top = laminate Case = laminate, Top = wood
42	Height, Nominal	HT = Hinge Door with Trays HC = Hinge door with Cubby
1	16" wide, Nominal	On the approach side, the doors only have the Touch Latch option.
2	20" deep, Nominal	Base board only on the user's side.
()	Lock option	On the User's side, the door has lock and pull options.
()	Lock finish	"T" Drilling option: Left hand units are drilled on the right hand side, and right hand units are drilled on left side for worksurface attachments.
()	Pull option	From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed
()	Pull finish	
()	Case finish	
()	Top finish	
()	Drilling options	
	1. Lock option:	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
	2. Lock finish:	Products on this page are engineered to work with 28 ^{3/8} " planning.
	3. Pull option:	Products on this page will accept all Laminates except "wood grain laminates".
	B = No pull, No drilling	Note: All Installation instructions are available on the Knoll Exchange.
	Customer's own pull	42" height is Nominal.
	C = C Pull (Nickel finish only)	These products are glue and dowel construction.
	D = D Pull (Metal Finishes only)	
	F = Bar Pull	
	H = Outline Pull	
	N = Touch Latch, No pull	
	R = Cylinder Pull	
	S = S Pull (Stainless Steel finish only)	
	T = Tab Pull	
	4. Pull Finish: Core Paint Finishes and Plated	
	5. Case Finish: Wood or Laminate	
	6. Top Finish: Wood or Laminate	
	7. Drilling Options:	
	N = None, Stand alone unit	
	T = Drilled to accept worksurface	
	TT = Drill to accept worksurface on both sides	
	TG = Work surface and Gable drilling.	
	Gable ordered separately	




shown with gable

Cabinets

Shelves and Coat Rod

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h 	24"	20"	72"	RAC7242DH(L/R)H() () ()	\$2,599.	\$4,158.	\$4,781.	\$6,216.
	24"	24"	72"	RAC7243DH(L/R)H() () ()	2,704.	4,326.	4,975.	6,467.
	33"	20"	72"	RAC7232DH(L/R)H() () ()	2,839.	4,542.	5,223.	6,790.
	33"	24"	72"	RAC7233DH(L/R)H() () ()	2,969.	4,751.	5,463.	7,102.

Left hand shown

Storage Cabinet 86"h 	24"	20"	86"	RAC8642DH(L/R)H() () ()	2,868.	4,589.	6,277.	6,860.
	24"	24"	86"	RAC8643DH(L/R)H() () ()	2,992.	4,788.	5,506.	7,157.
	33"	20"	86"	RAC8632DH(L/R)H() () ()	3,150.	5,040.	5,796.	7,535.
	33"	24"	86"	RAC8633DH(L/R)H() () ()	3,300.	5,280.	6,072.	7,894.

Left hand shown

Order Code

Example:	
RA	Reff Administrative
C	Cabinet
72	Height nominal
4	Width nominal
2	Depth nominal
DH	Desk Height
R	Right handed
H	Hinged door
()	Lock Option
()	Lock Finish
()	Cabinet Finish

Specification Information

To order please specify pattern number including:

- Lock option:
L=Lock hold drill
N=No drilling
- Lock finish:
B=Black
S=Silver
- Cabinet Finish:
Laminate or Wood

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

These products are glue and dowel construction.

If hinges are on left gable, the cabinet is left handed.

Application Notes

Inset doors.

Inset face - same as 42" cabinet.

Hinge door with touch latch.

Note: Side access cabinet only.

No pulls.

No visible base board, Full length door.

Left/right hand.

Comes with coat rod and hat rack (shelf) 72"h Cabinet comes with 3 adjustable shelves.

86"h Cabinet comes with 4 adjustable shelves.


No mixed finishes.

Available with Wood interior only.

Cabinets

Coat Rod Only

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h	24"	20"	72"	RAC7242WDH(L/R)H() ()	\$2,030.	\$3,247.	\$3,735.	\$4,855.
Without shelves	24"	24"	72"	RAC7243WDH(L/R)H() ()	2,135.	3,415.	3,928.	5,106.
	33"	20"	72"	RAC7232WDH(L/R)H() ()	2,270.	3,631.	4,176.	5,429.
	33"	24"	72"	RAC7233WDH(L/R)H() ()	2,400.	3,840.	4,416.	5,741.



Left hand shown

Storage Cabinet 86"h	24"	20"	86"	RAC8642WDH(L/R)H() ()	2,474.	3,958.	4,552.	5,918.
Without shelves	24"	24"	86"	RAC8643WDH(L/R)H() ()	2,608.	4,172.	4,798.	6,238.
	33"	20"	86"	RAC8632WDH(L/R)H() ()	2,778.	4,444.	5,111.	6,644.
	33"	24"	86"	RAC8633WDH(L/R)H() ()	2,939.	4,703.	5,408.	7,030.



Left hand shown

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Inset doors.
RA Reff Administrative		Inset face - same as 42" cabinet.
C Cabinet	1. Lock option: L=Lock hold drill N=No drilling	Hinge door with touch latch.
72 Height nominal	2. Lock finish: B=Black S=Silver	Note: Side access cabinet only.
4 Width nominal	3. Cabinet Finish: Laminate or Wood	No pulls.
2 Depth nominal		No visible base board, Full length door.
W Wardrobe		Left/right hand.
DH Desk Height		72"H cabinet comes with coat road.
R Right handed		86"h Cabinet comes with a hat rack (shelf).
H Hinged door		No mixed finishes.
() Lock Option		Available with Wood interior only.
() Lock Finish		
() Cabinet Finish		

Supports

Gables / End Panels

description	w	d	h	pattern no.	L	V1	V2	V3
End Support for Return	2"	20"	42"	RAGS(L/R)20()	\$524.	\$891.	\$1,024.	\$1,332.



Left hand shown

End Support for Desks	2"	30"	42"	RAGS(L/R)30()	579.	985.	1,132.	1,472.
-----------------------	----	-----	-----	-----------------------	------	------	--------	--------



Left hand shown

Desk height End Support	2"	20	28 ³ / ₈ "	RAESDH(L/R)20()	461.	784.	901.	1,171.
-------------------------	----	----	----------------------------------	-------------------------	------	------	------	--------








Left hand shown

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative GS Gable Support R Right hand 20 20" deep () Finish	To order please specify pattern number including: 1. Finish: Wood or Laminate	Solid Finishes only: L, V1, V2, V3 Always drilled to attach to returns or desks. 20" = for Returns 30" = for Desks Hardware kit includes brackets.
	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 ³ / ₈ " planning. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions are available on the Knoll Exchange.	

Accessories

Electrical

Reff Profiles



description	type	d	h	pattern no.	list
Electrical Duplex Kit - Cir 1				RPEDK1	\$92.
					
Electrical Duplex Kit - Cir 2				RPEDK2	92.
					
Electrical "H" Connector				RPEHC	45.
					
Electrical Power Entry	10 Feet			RPEPE10	211.
	5 Feet			RPEPE5	156.
					
Electrical Jumper	12"			RPEJ12	87.
	24"			RPEJ24	97.
	36"			RPEJ36	106.
	48"			RPEJ48	120.
	60"			RPEJ60	132.
	72"			RPEJ72	143.
	84"			RPEJ84	154.
	96"			RPEJ96	165.
					

Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	No finish options for the Utility hook.
RP Reff Profiles		
E Electrical	Note: All installation instructions are available on the Knoll Exchange.	Features 4 wire, 2 circuit, 20 amps each.
DK Duplex Kit Cir 1		UL listed as a manufactured wiring system.

Accessories

Electrical



description	type	d	h	pattern no.	list
Electrical, Rec - 2 and Rec Connector				RPER2RC	\$36.
					
Electrical Cable clips, 10 per pack				RPECC10	27.
					

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Note: All installation instructions are available on the Knoll Exchange.
RP Reff Profiles		
E Electrical		
DK Duplex Kit Cir 1		
		No finish options for the Utility hook.
		Features 4 wire, 2 circuit, 20 amps each.
		UL listed as a manufactured wiring system.

Tackboards

11" high

Wall hung , fabric

description	th	w	h	y	pattern no.	grade									
						10	15	20	30	35	40	45	50	55	
Wall Hung Tackboard For a Single Wide desk 	3/4"	66"	11"	1.8	RAWHDHTBS66()	\$275.	\$302.	\$330.	\$357.	\$363.	\$369.	\$375.	\$381.	\$387.	
	3/4"	72"	11"	2	RAWHDHTBS72()	292.	322.	353.	383.	389.	396.	402.	408.	415.	
	3/4"	78"	11"	2.2	RAWHDHTBS78()	311.	344.	378.	411.	418.	425.	432.	439.	446.	
	3/4"	84"	11"	2.3	RAWHDHTBS84()	321.	356.	391.	426.	433.	441.	448.	455.	463.	
	3/4"	90"	11"	2.5	RAWHDHTBS90()	337.	375.	413.	451.	459.	467.	475.	483.	491.	
	3/4"	96"	11"	2.7	RAWHDHTBS96()	353.	394.	435.	476.	485.	493.	502.	511.	519.	
Wall Hung Tackboard For a Double Wide desk 	3/4"	51"	11"	1.4	RAWHDHTBD51()	239.	260.	282.	303.	308.	312.	317.	322.	326.	
	3/4"	54"	11"	1.5	RAWHDHTBD54()	250.	273.	296.	319.	324.	328.	333.	338.	342.	
	3/4"	57"	11"	1.6	RAWHDHTBD57()	258.	282.	307.	331.	336.	341.	346.	351.	356.	
	3/4"	60"	11"	1.7	RAWHDHTBD60()	266.	292.	317.	343.	349.	354.	360.	366.	371.	
	3/4"	63"	11"	1.8	RAWHDHTBD63()	275.	302.	330.	357.	363.	368.	374.	380.	385.	
	3/4"	66"	11"	1.8	RAWHDHTBD66()	282.	311.	340.	369.	375.	381.	387.	393.	399.	
	3/4"	69"	11"	1.9	RAWHDHTBD69()	284.	313.	342.	371.	377.	383.	389.	395.	401.	
	3/4"	72"	11"	2	RAWHDHTBD72()	296.	326.	357.	387.	393.	400.	406.	412.	419.	
	3/4"	75"	11"	2.1	RAWHDHTBD75()	307.	339.	371.	403.	410.	416.	423.	430.	436.	
	3/4"	78"	11"	2.2	RAWHDHTBD78()	315.	349.	382.	416.	423.	430.	437.	444.	451.	
	3/4"	81"	11"	2.3	RAWHDHTBD81()	323.	358.	393.	428.	435.	443.	450.	457.	465.	
	3/4"	84"	11"	2.3	RAWHDHTBD84()	325.	360.	395.	430.	437.	445.	452.	459.	467.	
	3/4"	87"	11"	2.4	RAWHDHTBD87()	333.	369.	406.	442.	450.	457.	465.	473.	480.	
	3/4"	90"	11"	2.5	RAWHDHTBD90()	341.	379.	417.	455.	463.	471.	479.	487.	495.	
	3/4"	93"	11"	2.6	RAWHDHTBD93()	349.	389.	428.	468.	476.	485.	493.	501.	510.	
3/4"	96"	11"	2.7	RAWHDHTBD96()	357.	398.	439.	480.	489.	497.	506.	515.	523.		

Order Code

Example:	
RA	Reff Administrative
WH	Wall hung
DH	Desk Height
TB	Tackboard
S	Single
66	Width
()	Fabric Grade

Y = Yardage required

- N=66/ A=62
- N=72/ A=68
- N=78/ A=74
- N=84/ A=80
- N=90/ A=86
- N=96/ A=92

Specification Information

To order please specify pattern number including:
 1. Finish:
 Fabric

Application Notes

To complete your double wide unit, you must order 2 pieces.
Nominal double vs Actual double sizes
Actual is 2" less than Nominal.
 N=51/ A=49
 N=54/ A=52
 N=57/ A=55
 N=60/ A=58
 N=63/ A=61
 N=66/ A=64
 N=69/ A=67
 N=72/ A=70
 N=75/ A=73
 N=78/ A=76
 N=81/ A=79
 N=84/ A=82
 N=87/ A=85
 N=90/ A=88
 N=93/ A=91
 N=96/ A=94

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.


It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

	EXISTING CONSTRUCTION					
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking


Horizons - 28³/₈" Planning

Planning Guidelines and Specifications

Nominal
Planning Horizons



Nominal
Planning Horizons




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.


Horizons - 28³/₈" Planning

Planning Guidelines and Specifications

Nominal
Planning Horizons



Nominal
Planning Horizons




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Horizons - 28³/₈" Planning

Planning Guidelines and Specifications



Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	249	R2APT3448	77	R2ES79(A/B/C/E)(4/6)(E/N)	110	R3120Y64	109
ASBC24 (L/R)	249	R2APT4218	77	R2HK0008	455	R3120Y79	109
ML3L193M	417	R2APT4220	77	R2HK0015	455	R3135V34F	108
ML3L196M	417	R2APT4224	77	R2HK0034	455	R3135V34T	108
ML3L199M	417	R2APT4230	77	R2HK0042	455	R3135V42F	108
ML3L3712M	417	R2APT4236	77	R2HK0049	455	R3135V42T	108
ML3L3718M	417	R2APT4242	77	R2HK0064	455	R3135V49F	108
ML3L376M	417	R2APT4248	77	R2HK0079	455	R3135V49T	108
MWM-J	416	R2APT4918	78	R2HKB042	455	R3135V64F	108
R113B	251	R2APT4920	78	R2HKB049	455	R3135V64T	108
R234PKIT	117	R2APT4924	78	R2HKB064	455	R3135V79F	108
R2AETK34	80	R2APT4930	78	R2HKB079	455	R3135V79T	108
R2AETK42	80	R2APT4936	78	R2HL3442ES(A/B/C/E)	110	R334PKIT	117
R2AETK49	80	R2APT4942	78	R2HL3442(F)CS	111	R3AK	117
R2AETK64	80	R2APT4948	78	R2HL3449ES(A/B/C/E)	110	R3BOPAA42 18	16
R2AETK79	80	R2APT6418	78	R2HL3449(F)CS	111	R3BOPAA42 20	16
R2AHBW18	82	R2APT6420	78	R2HL3464ES(A/B/C/E)	110	R3BOPAA42 24	16
R2AHBW20	82	R2APT6424	78	R2HL3464(F/T)CS	111	R3BOPAA42 30	16
R2AHBW24	82	R2APT6430	78	R2HL3479ES(A/B/C/E)	110	R3BOPAA42 36	16
R2AHBW30	82	R2APT6436	78	R2HL3479(F/T)CS	111	R3BOPAA42 42	16
R2AHBW36	82	R2APT6442	78	R2HL4249ES(A/B/C/E)	110	R3BOPAA42 48	16
R2AHBW42	82	R2APT6448	78	R2HL4249ETS(A/B/C/E)	111	R3BOPAA42 60	16
R2AHBW48	82	R2APT7918	79	R2HL4249(F)CS	111	R3BOPAA42 66	16
R2AHCR34	81	R2APT7920	79	R2HL4264ES(A/B/C/E)	110	R3BOPAA42 72	16
R2AHCR42	81	R2APT7924	79	R2HL4264ETS(A/B/C/E)	111	R3BOPAA49 18	23
R2AHCR49	81	R2APT7930	79	R2HL4264(F/T)CS	111	R3BOPAA49 20	23
R2AHCR64	81	R2APT7936	79	R2HL4279ES(A/B/C/E)	110	R3BOPAA49 24	23
R2AHCR79	81	R2APT7942	79	R2HL4279ETS(A/B/C/E)	111	R3BOPAA49 30	23
R2AHSR18	83	R2APT7948	79	R2HL4279(F/T)CS	111	R3BOPAA49 36	23
R2AHSR20	83	R2ATPK34	79	R2HL4964ES(A/B/C/E)	110	R3BOPAA49 42	23
R2AHSR24	83	R2ATPK42	79	R2HL4964(F)CS	111	R3BOPAA49 48	23
R2AHSR30	83	R2ATPK49	79	R2HL4979ES(A/B/C/E)	110	R3BOPAA49 60	23
R2AHSR36	83	R2ATPK64	79	R2HL4979(F/T)CS	111	R3BOPAA49 66	23
R2AHSR42	83	R2ATPK79	79	R2HL6479ES(A/B/C/E)	110	R3BOPAA49 72	23
R2AHSR48	83	R2BOTWA34 18	45	R2HL6479(F)CS	111	R3BOPAA64 18	30
R2AHTR18	81	R2BOTWA34 20	45	R2L42C(F/T)(F/T)-(4/6)	112	R3BOPAA64 20	30
R2AHTR20	81	R2BOTWA34 24	45	R2L49C(F/T)(F/T)-(4/6)	112	R3BOPAA64 24	30
R2AHTR24	81	R2BOTWA34 30	45	R2L64C(F/T)(F/T)-(4/6)	112	R3BOPAA64 30	30
R2AHTR30	81	R2BOTWA34 36	45	R2L79C(F/T)(F/T)-(4/6)	112	R3BOPAA64 36	30
R2AHTR36	81	R2BOTWA34 42	45	R2S42C(F/T)(F/T)-(4/6)	112	R3BOPAA64 42	30
R2AHTR42	81	R2BOTWA34 48	45	R2S49C(F/T)(F/T)-(4/6)	112	R3BOPAA64 48	30
R2AHTR48	81	R2BOTWB34 30	45	R2S64C(F/T)(F/T)-(4/6)	112	R3BOPAA64 60	30
R2AHWR18	82	R2BOTWB34 36	45	R2S79C(F/T)(F/T)-(4/6)	112	R3BOPAA64 66	30
R2AHWR20	82	R2BOTWB34 42	45	R2SWS0008	114	R3BOPAA64 72	30
R2AHWR24	82	R2BOTWB34 48	45	R2SWS0015	114	R3BOPAA79 18	37
R2AHWR30	82	R2BOTWC34 18	45	R2SWS0034	114	R3BOPAA79 20	37
R2AHWR36	82	R2BOTWC34 20	45	R2SWS0042	114	R3BOPAA79 24	37
R2AHWR42	82	R2BOTWC34 24	45	R2SWS0049	114	R3BOPAA79 30	37
R2AHWR48	82	R2BOTWC34 30	45	R2SWS0064	114	R3BOPAA79 36	37
R2AK	117	R2BOTWC34 36	45	R2SWS0079	114	R3BOPAA79 42	37
R2ALPK34	80	R2BOTWC34 42	45	R2T42C(F/T)-(4/6)	112	R3BOPAA79 48	37
R2ALPK42	80	R2BOTWC34 48	45	R2T49C(F/T)-(4/6)	112	R3BOPAA79 60	37
R2ALPK49	80	R2CCG	117	R2T64C(F/T)-(4/6)	112	R3BOPAA79 66	37
R2ALPK64	80	R2DLS7936	116	R2T79C(F/T)-(4/6)	112	R3BOPAA79 72	37
R2ALPK79	80	R2DLS7942	116	R2X42C	112	R3BOPF13418	12
R2APT3418	77	R2DRS7936	116	R2X49C	112	R3BOPF13420	12
R2APT3420	77	R2DRS7942	116	R2X64C	112	R3BOPF13424	12
R2APT3424	77	R2ES34(A/B/C/E)(4/6)(E/N)	110	R2X79C	112	R3BOPF13430	12
R2APT3430	77	R2ES42(A/B/C/E)(4/6)(E/N)	110	R3120Y34	109	R3BOPF13436	12
R2APT3436	77	R2ES49(A/B/C/E)(4/6)(E/N)	110	R3120Y42	109	R3BOPF13442	12
R2APT3442	77	R2ES64(A/B/C/E)(4/6)(E/N)	110	R3120Y49	109	R3BOPF13448	12

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF142 18	19	R3BOPF249 66	27	R3BOPF379 48	42	R3BOPFL42 60	18
R3BOPF142 20	19	R3BOPF249 72	27	R3BOPF379 60	42	R3BOPFL42 66	18
R3BOPF142 24	19	R3BOPF264 18	34	R3BOPF379 66	42	R3BOPFL42 72	18
R3BOPF142 30	19	R3BOPF264 20	34	R3BOPF379 72	42	R3BOPFL49 18	25
R3BOPF142 36	19	R3BOPF264 24	34	R3BOPFF3418	10	R3BOPFL49 20	25
R3BOPF142 42	19	R3BOPF264 30	34	R3BOPFF3420	10	R3BOPFL49 24	25
R3BOPF142 48	19	R3BOPF264 36	34	R3BOPFF3424	10	R3BOPFL49 30	25
R3BOPF142 60	19	R3BOPF264 42	34	R3BOPFF3430	10	R3BOPFL49 36	25
R3BOPF142 66	19	R3BOPF264 48	34	R3BOPFF3436	10	R3BOPFL49 42	25
R3BOPF142 72	19	R3BOPF264 60	34	R3BOPFF3442	10	R3BOPFL49 48	25
R3BOPF149 18	26	R3BOPF264 66	34	R3BOPFF3448	10	R3BOPFL49 60	25
R3BOPF149 20	26	R3BOPF264 72	34	R3BOPFF42 18	16	R3BOPFL49 66	25
R3BOPF149 24	26	R3BOPF279 18	41	R3BOPFF42 20	16	R3BOPFL49 72	25
R3BOPF149 30	26	R3BOPF279 20	41	R3BOPFF42 24	16	R3BOPFL64 18	32
R3BOPF149 36	26	R3BOPF279 24	41	R3BOPFF42 30	16	R3BOPFL64 20	32
R3BOPF149 42	26	R3BOPF279 30	41	R3BOPFF42 36	16	R3BOPFL64 24	32
R3BOPF149 48	26	R3BOPF279 36	41	R3BOPFF42 42	16	R3BOPFL64 30	32
R3BOPF149 60	26	R3BOPF279 42	41	R3BOPFF42 48	16	R3BOPFL64 36	32
R3BOPF149 66	26	R3BOPF279 48	41	R3BOPFF42 60	16	R3BOPFL64 42	32
R3BOPF149 72	26	R3BOPF279 60	41	R3BOPFF42 66	16	R3BOPFL64 48	32
R3BOPF164 18	33	R3BOPF279 66	41	R3BOPFF42 72	16	R3BOPFL64 60	32
R3BOPF164 20	33	R3BOPF279 72	41	R3BOPFF49 18	23	R3BOPFL64 66	32
R3BOPF164 24	33	R3BOPF334 18	14	R3BOPFF49 20	23	R3BOPFL64 72	32
R3BOPF164 30	33	R3BOPF334 20	14	R3BOPFF49 24	23	R3BOPFL79 18	39
R3BOPF164 36	33	R3BOPF334 24	14	R3BOPFF49 30	23	R3BOPFL79 20	39
R3BOPF164 42	33	R3BOPF334 30	14	R3BOPFF49 36	23	R3BOPFL79 24	39
R3BOPF164 48	33	R3BOPF334 36	14	R3BOPFF49 42	23	R3BOPFL79 30	39
R3BOPF164 60	33	R3BOPF334 42	14	R3BOPFF49 48	23	R3BOPFL79 36	39
R3BOPF164 66	33	R3BOPF334 48	14	R3BOPFF49 60	23	R3BOPFL79 42	39
R3BOPF164 72	33	R3BOPF342 18	21	R3BOPFF49 66	23	R3BOPFL79 48	39
R3BOPF179 18	40	R3BOPF342 20	21	R3BOPFF49 72	23	R3BOPFL79 60	39
R3BOPF179 20	40	R3BOPF342 24	21	R3BOPFF64 18	30	R3BOPFL79 66	39
R3BOPF179 24	40	R3BOPF342 30	21	R3BOPFF64 20	30	R3BOPFL79 72	39
R3BOPF179 30	40	R3BOPF342 36	21	R3BOPFF64 24	30	R3BOPLL3418	15
R3BOPF179 36	40	R3BOPF342 42	21	R3BOPFF64 30	30	R3BOPLL3420	15
R3BOPF179 42	40	R3BOPF342 48	21	R3BOPFF64 36	30	R3BOPLL3424	15
R3BOPF179 48	40	R3BOPF342 60	21	R3BOPFF64 42	30	R3BOPLL3430	15
R3BOPF179 60	40	R3BOPF342 66	21	R3BOPFF64 48	30	R3BOPLL3436	15
R3BOPF179 66	40	R3BOPF342 72	21	R3BOPFF64 60	30	R3BOPLL3442	15
R3BOPF179 72	40	R3BOPF349 18	28	R3BOPFF64 66	30	R3BOPLL3448	15
R3BOPF234 18	13	R3BOPF349 20	28	R3BOPFF64 72	30	R3BOPLL4218	22
R3BOPF234 20	13	R3BOPF349 24	28	R3BOPFF79 18	37	R3BOPLL4220	22
R3BOPF234 24	13	R3BOPF349 30	28	R3BOPFF79 20	37	R3BOPLL4224	22
R3BOPF234 30	13	R3BOPF349 36	28	R3BOPFF79 24	37	R3BOPLL4230	22
R3BOPF234 36	13	R3BOPF349 42	28	R3BOPFF79 30	37	R3BOPLL4236	22
R3BOPF234 42	13	R3BOPF349 48	28	R3BOPFF79 36	37	R3BOPLL4242	22
R3BOPF234 48	13	R3BOPF349 60	28	R3BOPFF79 42	37	R3BOPLL4248	22
R3BOPF242 18	20	R3BOPF349 66	28	R3BOPFF79 48	37	R3BOPLL4260	22
R3BOPF242 20	20	R3BOPF349 72	28	R3BOPFF79 60	37	R3BOPLL4266	22
R3BOPF242 24	20	R3BOPF364 18	35	R3BOPFF79 66	37	R3BOPLL4272	22
R3BOPF242 30	20	R3BOPF364 20	35	R3BOPFF79 72	37	R3BOPLL4918	29
R3BOPF242 36	20	R3BOPF364 24	35	R3BOPFL3418	11	R3BOPLL4920	29
R3BOPF242 42	20	R3BOPF364 30	35	R3BOPFL3420	11	R3BOPLL4924	29
R3BOPF242 48	20	R3BOPF364 36	35	R3BOPFL3424	11	R3BOPLL4930	29
R3BOPF242 60	20	R3BOPF364 42	35	R3BOPFL3430	11	R3BOPLL4936	29
R3BOPF242 66	20	R3BOPF364 48	35	R3BOPFL3436	11	R3BOPLL4942	29
R3BOPF242 72	20	R3BOPF364 60	35	R3BOPFL3442	11	R3BOPLL4948	29
R3BOPF249 18	27	R3BOPF364 66	35	R3BOPFL3448	11	R3BOPLL4960	29
R3BOPF249 20	27	R3BOPF364 72	35	R3BOPFL42 18	18	R3BOPLL4966	29
R3BOPF249 24	27	R3BOPF379 18	42	R3BOPFL42 20	18	R3BOPLL4972	29
R3BOPF249 30	27	R3BOPF379 20	42	R3BOPFL42 24	18	R3BOPLL6418	36
R3BOPF249 36	27	R3BOPF379 24	42	R3BOPFL42 30	18	R3BOPLL6420	36
R3BOPF249 42	27	R3BOPF379 30	42	R3BOPFL42 36	18	R3BOPLL6424	36
R3BOPF249 48	27	R3BOPF379 36	42	R3BOPFL42 42	18	R3BOPLL6430	36
R3BOPF249 60	27	R3BOPF379 42	42	R3BOPFL42 48	18	R3BOPLL6436	36

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPLL6442	36	R3BOTF164 20	66	R3BOTF349 30	61	R3BOTFL42 42	51
R3BOPLL6448	36	R3BOTF164 24	66	R3BOTF349 36	61	R3BOTFL42 48	51
R3BOPLL6460	36	R3BOTF164 30	66	R3BOTF349 42	61	R3BOTFL49 18	58
R3BOPLL6466	36	R3BOTF164 36	66	R3BOTF349 48	61	R3BOTFL49 20	58
R3BOPLL6472	36	R3BOTF164 42	66	R3BOTF364 18	68	R3BOTFL49 24	58
R3BOPLL7918	43	R3BOTF164 48	66	R3BOTF364 20	68	R3BOTFL49 30	58
R3BOPLL7920	43	R3BOTF179 18	73	R3BOTF364 24	68	R3BOTFL49 36	58
R3BOPLL7924	43	R3BOTF179 20	73	R3BOTF364 30	68	R3BOTFL49 42	58
R3BOPLL7930	43	R3BOTF179 24	73	R3BOTF364 36	68	R3BOTFL49 48	58
R3BOPLL7936	43	R3BOTF179 30	73	R3BOTF364 42	68	R3BOTFL64 18	65
R3BOPLL7942	43	R3BOTF179 36	73	R3BOTF364 48	68	R3BOTFL64 20	65
R3BOPLL7948	43	R3BOTF179 42	73	R3BOTF379 18	75	R3BOTFL64 24	65
R3BOPLL7960	43	R3BOTF179 48	73	R3BOTF379 20	75	R3BOTFL64 30	65
R3BOPLL7966	43	R3BOTF234 18	47	R3BOTF379 24	75	R3BOTFL64 36	65
R3BOPLL7972	43	R3BOTF234 20	47	R3BOTF379 30	75	R3BOTFL64 42	65
R3BOTAA42 18	49	R3BOTF234 24	47	R3BOTF379 36	75	R3BOTFL64 48	65
R3BOTAA42 20	49	R3BOTF234 30	47	R3BOTF379 42	75	R3BOTFL79 18	72
R3BOTAA42 24	49	R3BOTF234 36	47	R3BOTF379 48	75	R3BOTFL79 20	72
R3BOTAA42 30	49	R3BOTF234 42	47	R3BOTFF34 18	44	R3BOTFL79 24	72
R3BOTAA42 36	49	R3BOTF234 48	47	R3BOTFF34 20	44	R3BOTFL79 30	72
R3BOTAA42 42	49	R3BOTF242 18	53	R3BOTFF34 24	44	R3BOTFL79 36	72
R3BOTAA42 48	49	R3BOTF242 20	53	R3BOTFF34 30	44	R3BOTFL79 42	72
R3BOTAA49 18	56	R3BOTF242 24	53	R3BOTFF34 36	44	R3BOTFL79 48	72
R3BOTAA49 20	56	R3BOTF242 30	53	R3BOTFF34 42	44	R3BOTLL3418	48
R3BOTAA49 24	56	R3BOTF242 36	53	R3BOTFF34 48	44	R3BOTLL3420	48
R3BOTAA49 30	56	R3BOTF242 42	53	R3BOTFF42 18	49	R3BOTLL3424	48
R3BOTAA49 36	56	R3BOTF242 48	53	R3BOTFF42 20	49	R3BOTLL3430	48
R3BOTAA49 42	56	R3BOTF249 18	60	R3BOTFF42 24	49	R3BOTLL3436	48
R3BOTAA49 48	56	R3BOTF249 20	60	R3BOTFF42 30	49	R3BOTLL3442	48
R3BOTAA64 18	63	R3BOTF249 24	60	R3BOTFF42 36	49	R3BOTLL3448	48
R3BOTAA64 20	63	R3BOTF249 30	60	R3BOTFF42 42	49	R3BOTLL4218	55
R3BOTAA64 24	63	R3BOTF249 36	60	R3BOTFF42 48	49	R3BOTLL4220	55
R3BOTAA64 30	63	R3BOTF249 42	60	R3BOTFF49 18	56	R3BOTLL4224	55
R3BOTAA64 36	63	R3BOTF249 48	60	R3BOTFF49 20	56	R3BOTLL4230	55
R3BOTAA64 42	63	R3BOTF264 18	67	R3BOTFF49 24	56	R3BOTLL4236	55
R3BOTAA64 48	63	R3BOTF264 20	67	R3BOTFF49 30	56	R3BOTLL4242	55
R3BOTAA79 18	70	R3BOTF264 24	67	R3BOTFF49 36	56	R3BOTLL4248	55
R3BOTAA79 20	70	R3BOTF264 30	67	R3BOTFF49 42	56	R3BOTLL4918	62
R3BOTAA79 24	70	R3BOTF264 36	67	R3BOTFF49 48	56	R3BOTLL4920	62
R3BOTAA79 30	70	R3BOTF264 42	67	R3BOTFF64 18	63	R3BOTLL4924	62
R3BOTAA79 36	70	R3BOTF264 48	67	R3BOTFF64 20	63	R3BOTLL4930	62
R3BOTAA79 42	70	R3BOTF279 18	74	R3BOTFF64 24	63	R3BOTLL4936	62
R3BOTAA79 48	70	R3BOTF279 20	74	R3BOTFF64 30	63	R3BOTLL4942	62
R3BOTF134 18	46	R3BOTF279 24	74	R3BOTFF64 36	63	R3BOTLL4948	62
R3BOTF134 20	46	R3BOTF279 30	74	R3BOTFF64 42	63	R3BOTLL6418	69
R3BOTF134 24	46	R3BOTF279 36	74	R3BOTFF64 48	63	R3BOTLL6420	69
R3BOTF134 30	46	R3BOTF279 42	74	R3BOTFF79 18	70	R3BOTLL6424	69
R3BOTF134 36	46	R3BOTF279 48	74	R3BOTFF79 20	70	R3BOTLL6430	69
R3BOTF134 42	46	R3BOTF334 18	47	R3BOTFF79 24	70	R3BOTLL6436	69
R3BOTF134 48	46	R3BOTF334 20	47	R3BOTFF79 30	70	R3BOTLL6442	69
R3BOTF142 18	52	R3BOTF334 24	47	R3BOTFF79 36	70	R3BOTLL6448	69
R3BOTF142 20	52	R3BOTF334 30	47	R3BOTFF79 42	70	R3BOTLL7918	76
R3BOTF142 24	52	R3BOTF334 36	47	R3BOTFF79 48	70	R3BOTLL7920	76
R3BOTF142 30	52	R3BOTF334 42	47	R3BOTFL34 18	46	R3BOTLL7924	76
R3BOTF142 36	52	R3BOTF334 48	47	R3BOTFL34 20	46	R3BOTLL7930	76
R3BOTF142 42	52	R3BOTF342 18	54	R3BOTFL34 24	46	R3BOTLL7936	76
R3BOTF142 48	52	R3BOTF342 20	54	R3BOTFL34 30	46	R3BOTLL7942	76
R3BOTF149 18	59	R3BOTF342 24	54	R3BOTFL34 36	46	R3BOTLL7948	76
R3BOTF149 20	59	R3BOTF342 30	54	R3BOTFL34 42	46	R3B1PF142 18	19
R3BOTF149 24	59	R3BOTF342 36	54	R3BOTFL34 48	46	R3B1PF142 20	19
R3BOTF149 30	59	R3BOTF342 42	54	R3BOTFL42 18	51	R3B1PF142 24	19
R3BOTF149 36	59	R3BOTF342 48	54	R3BOTFL42 20	51	R3B1PF142 30	19
R3BOTF149 42	59	R3BOTF349 18	61	R3BOTFL42 24	51	R3B1PF142 36	19
R3BOTF149 48	59	R3BOTF349 20	61	R3BOTFL42 30	51	R3B1PF142 42	19
R3BOTF164 18	66	R3BOTF349 24	61	R3BOTFL42 36	51	R3B1PF142 48	19

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1PF149 18	26	R3B1PF2A49 42	95	R3B1PFF64 48	31	R3B1TF149 18	59
R3B1PF149 20	26	R3B1PF2A49 48	95	R3B1PFF79 18	38	R3B1TF149 20	59
R3B1PF149 24	26	R3B1PF2B49 30	95	R3B1PFF79 20	38	R3B1TF149 24	59
R3B1PF149 30	26	R3B1PF2B49 36	95	R3B1PFF79 24	38	R3B1TF149 30	59
R3B1PF149 36	26	R3B1PF2B49 42	95	R3B1PFF79 30	38	R3B1TF149 36	59
R3B1PF149 42	26	R3B1PF2B49 48	95	R3B1PFF79 36	38	R3B1TF149 42	59
R3B1PF149 48	26	R3B1PF342 18	21	R3B1PFF79 42	38	R3B1TF149 48	59
R3B1PF164 18	33	R3B1PF342 20	21	R3B1PFF79 48	38	R3B1TF164 18	66
R3B1PF164 20	33	R3B1PF342 24	21	R3B1PFFA49 18	86	R3B1TF164 20	66
R3B1PF164 24	33	R3B1PF342 30	21	R3B1PFFA49 20	86	R3B1TF164 24	66
R3B1PF164 30	33	R3B1PF342 36	21	R3B1PFFA49 24	86	R3B1TF164 30	66
R3B1PF164 36	33	R3B1PF342 42	21	R3B1PFFA49 30	86	R3B1TF164 36	66
R3B1PF164 42	33	R3B1PF342 48	21	R3B1PFFA49 36	86	R3B1TF164 42	66
R3B1PF164 48	33	R3B1PF349 18	28	R3B1PFFA49 42	86	R3B1TF164 48	66
R3B1PF179 18	40	R3B1PF349 20	28	R3B1PFFA49 48	86	R3B1TF179 18	73
R3B1PF179 20	40	R3B1PF349 24	28	R3B1PFFB49 30	86	R3B1TF179 20	73
R3B1PF179 24	40	R3B1PF349 30	28	R3B1PFFB49 36	86	R3B1TF179 24	73
R3B1PF179 30	40	R3B1PF349 36	28	R3B1PFFB49 42	86	R3B1TF179 30	73
R3B1PF179 36	40	R3B1PF349 42	28	R3B1PFFB49 48	86	R3B1TF179 36	73
R3B1PF179 42	40	R3B1PF349 48	28	R3B1PFL42 18	18	R3B1TF179 42	73
R3B1PF179 48	40	R3B1PF364 18	35	R3B1PFL42 20	18	R3B1TF179 48	73
R3B1PFA49 18	92	R3B1PF364 20	35	R3B1PFL42 24	18	R3B1TF1A49 18	90
R3B1PFA49 20	92	R3B1PF364 24	35	R3B1PFL42 30	18	R3B1TF1A49 20	90
R3B1PFA49 24	92	R3B1PF364 30	35	R3B1PFL42 36	18	R3B1TF1A49 24	90
R3B1PFA49 30	92	R3B1PF364 36	35	R3B1PFL42 42	18	R3B1TF1A49 30	90
R3B1PFA49 36	92	R3B1PF364 42	35	R3B1PFL42 48	18	R3B1TF1A49 36	90
R3B1PFA49 42	92	R3B1PF364 48	35	R3B1PFL49 18	25	R3B1TF1A49 42	90
R3B1PFA49 48	92	R3B1PF379 18	42	R3B1PFL49 20	25	R3B1TF1A49 48	90
R3B1PFB49 30	92	R3B1PF379 20	42	R3B1PFL49 24	25	R3B1TF1B49 30	91
R3B1PFB49 36	92	R3B1PF379 24	42	R3B1PFL49 30	25	R3B1TF1B49 36	91
R3B1PFB49 42	92	R3B1PF379 30	42	R3B1PFL49 36	25	R3B1TF1B49 42	91
R3B1PFB49 48	92	R3B1PF379 36	42	R3B1PFL49 42	25	R3B1TF1B49 48	91
R3B1PF242 18	20	R3B1PF379 42	42	R3B1PFL49 48	25	R3B1TF242 18	53
R3B1PF242 20	20	R3B1PF379 48	42	R3B1PFL64 18	32	R3B1TF242 20	53
R3B1PF242 24	20	R3B1PF3A49 18	97	R3B1PFL64 20	32	R3B1TF242 24	53
R3B1PF242 30	20	R3B1PF3A49 20	97	R3B1PFL64 24	32	R3B1TF242 30	53
R3B1PF242 36	20	R3B1PF3A49 24	97	R3B1PFL64 30	32	R3B1TF242 36	53
R3B1PF242 42	20	R3B1PF3A49 30	97	R3B1PFL64 36	32	R3B1TF242 42	53
R3B1PF242 48	20	R3B1PF3A49 36	97	R3B1PFL64 42	32	R3B1TF242 48	53
R3B1PF249 18	27	R3B1PF3A49 42	97	R3B1PFL64 48	32	R3B1TF249 18	60
R3B1PF249 20	27	R3B1PF3A49 48	97	R3B1PFL79 18	39	R3B1TF249 20	60
R3B1PF249 24	27	R3B1PF3B49 30	97	R3B1PFL79 20	39	R3B1TF249 24	60
R3B1PF249 30	27	R3B1PF3B49 36	97	R3B1PFL79 24	39	R3B1TF249 30	60
R3B1PF249 36	27	R3B1PF3B49 42	97	R3B1PFL79 30	39	R3B1TF249 36	60
R3B1PF249 42	27	R3B1PF3B49 48	97	R3B1PFL79 36	39	R3B1TF249 42	60
R3B1PF249 48	27	R3B1PFF42 18	17	R3B1PFL79 42	39	R3B1TF249 48	60
R3B1PF264 18	34	R3B1PFF42 20	17	R3B1PFL79 48	39	R3B1TF264 18	67
R3B1PF264 20	34	R3B1PFF42 24	17	R3B1PFLA49 18	89	R3B1TF264 20	67
R3B1PF264 24	34	R3B1PFF42 30	17	R3B1PFLA49 20	89	R3B1TF264 24	67
R3B1PF264 30	34	R3B1PFF42 36	17	R3B1PFLA49 24	89	R3B1TF264 30	67
R3B1PF264 36	34	R3B1PFF42 42	17	R3B1PFLA49 30	89	R3B1TF264 36	67
R3B1PF264 42	34	R3B1PFF42 48	17	R3B1PFLA49 36	89	R3B1TF264 42	67
R3B1PF264 48	34	R3B1PFF49 18	24	R3B1PFLA49 42	89	R3B1TF264 48	67
R3B1PF279 18	41	R3B1PFF49 20	24	R3B1PFLA49 48	89	R3B1TF279 18	74
R3B1PF279 20	41	R3B1PFF49 24	24	R3B1PFLB49 30	89	R3B1TF279 20	74
R3B1PF279 24	41	R3B1PFF49 30	24	R3B1PFLB49 36	89	R3B1TF279 24	74
R3B1PF279 30	41	R3B1PFF49 36	24	R3B1PFLB49 42	89	R3B1TF279 30	74
R3B1PF279 36	41	R3B1PFF49 42	24	R3B1PFLB49 48	89	R3B1TF279 36	74
R3B1PF279 42	41	R3B1PFF49 48	24	R3B1TF142 18	52	R3B1TF279 42	74
R3B1PF279 48	41	R3B1PFF64 18	31	R3B1TF142 20	52	R3B1TF279 48	74
R3B1PF2A49 18	95	R3B1PFF64 20	31	R3B1TF142 24	52	R3B1TF2A49 18	93
R3B1PF2A49 20	95	R3B1PFF64 24	31	R3B1TF142 30	52	R3B1TF2A49 20	93
R3B1PF2A49 24	95	R3B1PFF64 30	31	R3B1TF142 36	52	R3B1TF2A49 24	93
R3B1PF2A49 30	95	R3B1PFF64 36	31	R3B1TF142 42	52	R3B1TF2A49 30	93
R3B1PF2A49 36	95	R3B1PFF64 42	31	R3B1TF142 48	52	R3B1TF2A49 36	93

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITF2A49 42	93	R3BITFF64 48	64	R3B2PFF49 18	24	R3B2TFFA49 42	98
R3BITF2A49 48	93	R3BITFF79 18	71	R3B2PFF49 20	24	R3B2TFFA49 48	98
R3BITF2B49 30	94	R3BITFF79 20	71	R3B2PFF49 24	24	R3B2TFFB49 30	98
R3BITF2B49 36	94	R3BITFF79 24	71	R3B2PFF49 30	24	R3B2TFFB49 36	98
R3BITF2B49 42	94	R3BITFF79 30	71	R3B2PFF49 36	24	R3B2TFFB49 42	98
R3BITF2B49 48	94	R3BITFF79 36	71	R3B2PFF49 42	24	R3B2TFFB49 48	98
R3BITF342 18	54	R3BITFF79 42	71	R3B2PFF49 48	24	R3CRTT60	102
R3BITF342 20	54	R3BITFF79 48	71	R3B2PFF64 18	31	R3CRTT72	102
R3BITF342 24	54	R3BITFFA49 18	84	R3B2PFF64 20	31	R3CRTT84	102
R3BITF342 30	54	R3BITFFA49 20	84	R3B2PFF64 24	31	R3CRTT96	102
R3BITF342 36	54	R3BITFFA49 24	84	R3B2PFF64 30	31	R3FTCE104(F/T)(F/T)(F/T)	124
R3BITF342 42	54	R3BITFFA49 30	84	R3B2PFF64 36	31	R3FTCE108(F/T)(F/T)(F/T)	124
R3BITF342 48	54	R3BITFFA49 36	84	R3B2PFF64 42	31	R3FTCE120(F/T)(F/T)(F/T)	124
R3BITF349 18	61	R3BITFFA49 42	84	R3B2PFF64 48	31	R3FTCE21	124
R3BITF349 20	61	R3BITFFA49 48	84	R3B2PFF79 18	38	R3FTCE25	124
R3BITF349 24	61	R3BITFFB49 30	85	R3B2PFF79 20	38	R3FTCE37	124
R3BITF349 30	61	R3BITFFB49 36	85	R3B2PFF79 24	38	R3FTCF12118	121
R3BITF349 36	61	R3BITFFB49 42	85	R3B2PFF79 30	38	R3FTCF12120	121
R3BITF349 42	61	R3BITFFB49 48	85	R3B2PFF79 36	38	R3FTCF12124	121
R3BITF349 48	61	R3BITFL42 18	51	R3B2PFF79 42	38	R3FTCF12130	121
R3BITF364 18	68	R3BITFL42 20	51	R3B2PFF79 48	38	R3FTCF12136	121
R3BITF364 20	68	R3BITFL42 24	51	R3B2PFFA49 18	99	R3FTCF12142	121
R3BITF364 24	68	R3BITFL42 30	51	R3B2PFFA49 20	99	R3FTCF12148	121
R3BITF364 30	68	R3BITFL42 36	51	R3B2PFFA49 24	99	R3FTCF12518	122
R3BITF364 36	68	R3BITFL42 42	51	R3B2PFFA49 30	99	R3FTCF12520	122
R3BITF364 42	68	R3BITFL42 48	51	R3B2PFFA49 36	99	R3FTCF12524	122
R3BITF364 48	68	R3BITFL49 18	58	R3B2PFFA49 42	99	R3FTCF12530	122
R3BITF379 18	75	R3BITFL49 20	58	R3B2PFFA49 48	99	R3FTCF12536	122
R3BITF379 20	75	R3BITFL49 24	58	R3B2PFFB49 30	99	R3FTCF12542	122
R3BITF379 24	75	R3BITFL49 30	58	R3B2PFFB49 36	99	R3FTCF12548	122
R3BITF379 30	75	R3BITFL49 36	58	R3B2PFFB49 42	99	R3FTCF13718	123
R3BITF379 36	75	R3BITFL49 42	58	R3B2PFFB49 48	99	R3FTCF13720	123
R3BITF379 42	75	R3BITFL49 48	58	R3B2TFF42 18	50	R3FTCF13724	123
R3BITF379 48	75	R3BITFL64 18	65	R3B2TFF42 20	50	R3FTCF13730	123
R3BITF3A49 18	96	R3BITFL64 20	65	R3B2TFF42 24	50	R3FTCF13736	123
R3BITF3A49 20	96	R3BITFL64 24	65	R3B2TFF42 30	50	R3FTCF13742	123
R3BITF3A49 24	96	R3BITFL64 30	65	R3B2TFF42 36	50	R3FTCF13748	123
R3BITF3A49 30	96	R3BITFL64 36	65	R3B2TFF42 42	50	R3FTCF22118	121
R3BITF3A49 36	96	R3BITFL64 42	65	R3B2TFF42 48	50	R3FTCF22120	121
R3BITF3A49 42	96	R3BITFL64 48	65	R3B2TFF49 18	57	R3FTCF22124	121
R3BITF3A49 48	96	R3BITFL79 18	72	R3B2TFF49 20	57	R3FTCF22130	121
R3BITF3B49 30	96	R3BITFL79 20	72	R3B2TFF49 24	57	R3FTCF22136	121
R3BITF3B49 36	96	R3BITFL79 24	72	R3B2TFF49 30	57	R3FTCF22142	121
R3BITF3B49 42	96	R3BITFL79 30	72	R3B2TFF49 36	57	R3FTCF22148	121
R3BITF3B49 48	96	R3BITFL79 36	72	R3B2TFF49 42	57	R3FTCF22518	122
R3BITFF42 18	50	R3BITFL79 42	72	R3B2TFF49 48	57	R3FTCF22520	122
R3BITFF42 20	50	R3BITFL79 48	72	R3B2TFF64 18	64	R3FTCF22524	122
R3BITFF42 24	50	R3BITFLA49 18	87	R3B2TFF64 20	64	R3FTCF22530	122
R3BITFF42 30	50	R3BITFLA49 20	87	R3B2TFF64 24	64	R3FTCF22536	122
R3BITFF42 36	50	R3BITFLA49 24	87	R3B2TFF64 30	64	R3FTCF22542	122
R3BITFF42 42	50	R3BITFLA49 30	87	R3B2TFF64 36	64	R3FTCF22548	122
R3BITFF42 48	50	R3BITFLA49 36	87	R3B2TFF64 42	64	R3FTCF23718	123
R3BITFF49 18	57	R3BITFLA49 42	87	R3B2TFF64 48	64	R3FTCF23720	123
R3BITFF49 20	57	R3BITFLA49 48	87	R3B2TFF79 18	71	R3FTCF23724	123
R3BITFF49 24	57	R3BITFLB49 30	88	R3B2TFF79 20	71	R3FTCF23730	123
R3BITFF49 30	57	R3BITFLB49 36	88	R3B2TFF79 24	71	R3FTCF23736	123
R3BITFF49 36	57	R3BITFLB49 42	88	R3B2TFF79 30	71	R3FTCF23742	123
R3BITFF49 42	57	R3BITFLB49 48	88	R3B2TFF79 36	71	R3FTCF23748	123
R3BITFF49 48	57	R3B2PFF42 18	17	R3B2TFF79 42	71	R3FTCF321 18	121
R3BITFF64 18	64	R3B2PFF42 20	17	R3B2TFF79 48	71	R3FTCF321 20	121
R3BITFF64 20	64	R3B2PFF42 24	17	R3B2TFFA49 18	98	R3FTCF321 24	121
R3BITFF64 24	64	R3B2PFF42 30	17	R3B2TFFA49 20	98	R3FTCF321 30	121
R3BITFF64 30	64	R3B2PFF42 36	17	R3B2TFFA49 24	98	R3FTCF321 36	121
R3BITFF64 36	64	R3B2PFF42 42	17	R3B2TFFA49 30	98	R3FTCF321 42	121
R3BITFF64 42	64	R3B2PFF42 48	17	R3B2TFFA49 36	98	R3FTCF321 48	121

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF325 18	122	R3FTCS21	124	R3SF30848	103	R3X42(B)	106
R3FTCF325 20	122	R3FTCS25	124	R3SF315 18	104	R3X49(B)	106
R3FTCF325 24	122	R3FTCS37	124	R3SF315 20	104	R3X64(B)	106
R3FTCF325 30	122	R3FTCSM (Pair) for G3 only	125	R3SF315 24	104	R3X79(B)	106
R3FTCF325 36	122	R3FTCT104(F/T)	124	R3SF315 30	104	R5ZNN (3 dividers)	469
R3FTCF325 42	122	R3FTCT108(F/T)	124	R3SF315 36	104	R917762	457
R3FTCF325 48	122	R3FTCT120(F/T)	124	R3SF315 42	104	R921655	457
R3FTCF337 18	123	R3FTCT21	124	R3SF315 48	104	R9TDCFM8430	231
R3FTCF337 20	123	R3FTCT25	124	R3SFF08 18	100	R9TDCFM9630	231
R3FTCF337 24	123	R3FTCT37	124	R3SFF08 20	100	RAATBRC72	548
R3FTCF337 30	123	R3FTCX104	124	R3SFF08 24	100	RAATBRC78	548
R3FTCF337 36	123	R3FTCX108	124	R3SFF08 30	100	RAATBRC84	548
R3FTCF337 42	123	R3FTCX120	124	R3SFF08 36	100	RAATBRC90	548
R3FTCF337 48	123	R3FTCX21	124	R3SFF08 42	100	RAATBRC96	548
R3FTCF2118	118	R3FTCX25	124	R3SFF08 48	100	RAATBRS72	549
R3FTCF2120	118	R3FTCX37	124	R3SFF15 18	100	RAATBRS78	549
R3FTCF2124	118	R3L08TT	105	R3SFF15 20	100	RAATBRS84	549
R3FTCF2130	118	R3L15TT	105	R3SFF15 24	100	RAATBRS90	549
R3FTCF2136	118	R3L34(F/T)(F/T)	105	R3SFF15 30	100	RAATBRS96	549
R3FTCF2142	118	R3L42(B)(F/T)(F/T)	105	R3SFF15 36	100	RAATDCG51	548
R3FTCF2148	118	R3L49(B)(F/T)(F/T)	105	R3SFF15 42	100	RAATDCG54	548
R3FTCF2518	119	R3L64(B)(F/T)(F/T)	105	R3SFF15 48	100	RAATDCG57	548
R3FTCF2520	119	R3L79(B)(F/T)(F/T)	105	R3SFL0818	103	RAATDCG60	548
R3FTCF2524	119	R3R2SLV	107, 117	R3SFL0820	103	RAATDCG63	548
R3FTCF2530	119	R3S08TT	106	R3SFL0824	103	RAATDCG66	548
R3FTCF2536	119	R3S15TT	106	R3SFL0830	103	RAATDCG69	548
R3FTCF2542	119	R3S34(F/T)(F/T)	106	R3SFL0836	103	RAATDCG72	548
R3FTCF2548	119	R3S42(B)(F/T)(F/T)	106	R3SFL0842	103	RAATDCG75	548
R3FTCF3718	120	R3S49(B)(F/T)(F/T)	106	R3SFL0848	103	RAATDCG78	548
R3FTCF3720	120	R3S64(B)(F/T)(F/T)	106	R3SFL1518	104	RAATDCG81	548
R3FTCF3724	120	R3S79(B)(F/T)(F/T)	106	R3SFL1520	104	RAATDCG84	548
R3FTCF3730	120	R3SF10818	103	R3SFL1524	104	RAATDCG87	548
R3FTCF3736	120	R3SF10820	103	R3SFL1530	104	RAATDCG90	548
R3FTCF3742	120	R3SF10824	103	R3SFL1536	104	RAATDCG93	548
R3FTCF3748	120	R3SF10830	103	R3SFL1542	104	RAATDCG96	548
R3FTCFL2118	121	R3SF10836	103	R3SFL1548	104	RAATDS51	549
R3FTCFL2120	121	R3SF10842	103	R3SLL0818	103	RAATDS54	549
R3FTCFL2124	121	R3SF10848	103	R3SLL0820	103	RAATDS57	549
R3FTCFL2130	121	R3SF11518	104	R3SLL0824	103	RAATDS60	549
R3FTCFL2136	121	R3SF11520	104	R3SLL0830	103	RAATDS63	549
R3FTCFL2142	121	R3SF11524	104	R3SLL0836	103	RAATDS66	549
R3FTCFL2148	121	R3SF11530	104	R3SLL0842	103	RAATDS69	549
R3FTCFL2518	122	R3SF11536	104	R3SLL0848	103	RAATDS72	549
R3FTCFL2520	122	R3SF11542	104	R3SLL1518	104	RAATDS75	549
R3FTCFL2524	122	R3SF11548	104	R3SLL1520	104	RAATDS78	549
R3FTCFL2530	122	R3SF20818	103	R3SLL1524	104	RAATDS81	549
R3FTCFL2536	122	R3SF20820	103	R3SLL1530	104	RAATDS84	549
R3FTCFL2542	122	R3SF20824	103	R3SLL1536	104	RAATDS87	549
R3FTCFL2548	122	R3SF20830	103	R3SLL1542	104	RAATDS90	549
R3FTCFL3718	123	R3SF20836	103	R3SLL1548	104	RAATDS93	549
R3FTCFL3720	123	R3SF20842	103	R3SMP	457	RAATDS96	549
R3FTCFL3724	123	R3SF20848	103	R3SPABPT	115	RAATFRG54	548
R3FTCFL3730	123	R3SF21518	104	R3SPABTD	115	RAATFRG60	548
R3FTCFL3736	123	R3SF21520	104	R3SPABTT	115	RAATFRG66	548
R3FTCFL3742	123	R3SF21524	104	R3SPABTW	115	RAATFRG72	548
R3FTCFL3748	123	R3SF21530	104	R3T08T	105	RAATFRG78	548
R3FTCL104(F/T)(F/T)	124	R3SF21536	104	R3T15T	105	RAATFRG84	548
R3FTCL108(F/T)(F/T)	124	R3SF21542	104	R3T34(F/T)	105	RAATFRG90	548
R3FTCL120(F/T)(F/T)	124	R3SF21548	104	R3T42(B)(F/T)	105	RAATFRG96	548
R3FTCL21	124	R3SF30818	103	R3T49(B)(F/T)	105	RAATFRS54	549
R3FTCL25	124	R3SF30820	103	R3T64(B)(F/T)	105	RAATFRS60	549
R3FTCL37	124	R3SF30824	103	R3T79(B)(F/T)	105	RAATFRS66	549
R3FTCS104(F/T)(F/T)	124	R3SF30830	103	R3X08	106	RAATFRS72	549
R3FTCS108(F/T)(F/T)	124	R3SF30836	103	R3X15	106	RAATFRS78	549
R3FTCS120(F/T)(F/T)	124	R3SF30842	103	R3X34	106	RAATFRS84	549

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RAATFRS90	549	RAIPFAWD138	541	RAIPRWD138	543	RATDCFM(L/R)7836	230
RAATFRS96	549	RAIPFAWD144	541	RAIPRWD144	543	RATDCFM(L/R)8430	230
RABR(L/R)7220	531, 532	RAIPFAWD150	541	RAIPRWD150	543	RATDCFM(L/R)8436	230
RABR(L/R)7820	531, 532	RAIPFAWD156	541	RAIPRWD156	543	RATDCPC(L/R)6030	228
RABR(L/R)8420	531, 532	RAIPFAWD162	541	RAIPRWD162	543	RATDCPC(L/R)6036	228
RABR(L/R)9020	531, 532	RAIPFAWD168	541	RAIPRWD168	543	RATDCPC(L/R)6630	228
RABR(L/R)9620	531, 532	RAIPFAWD174	541	RAIPRWD174	543	RATDCPC(L/R)6636	228
RAC7232DH(L/R)H	552	RAIPFAWD180	541	RAIPRWD180	543	RATDCPC(L/R)7230	228
RAC7232WDH(L/R)H	553	RAIPFAWD186	541	RAIPRWD186	543	RATDCPC(L/R)7236	228
RAC7233DH(L/R)H	552	RAIPFAWD192	541	RAIPRWD192	543	RATDCPC(L/R)7830	228
RAC7233WDH(L/R)H	553	RAIPFAWS66	541	RAIPRWS66	543	RATDCPC(L/R)7836	228
RAC7242DH(L/R)H	552	RAIPFAWS72	541	RAIPRWS72	543	RATDCPC(L/R)8430	228
RAC7242WDH(L/R)H	553	RAIPFAWS78	541	RAIPRWS78	543	RATDCPC(L/R)8436	228
RAC7243DH(L/R)H	552	RAIPFAWS84	541	RAIPRWS84	543	RATDCST(L/R)6030	229
RAC7243WDH(L/R)H	553	RAIPFAWS90	541	RAIPRWS90	543	RATDCST(L/R)6036	229
RAC8632DH(L/R)H	552	RAIPFAWS96	541	RAIPRWS96	543	RATDCST(L/R)6630	229
RAC8632WDH(L/R)H	553	RAIPFBWD102	542	RAMTB	428	RATDCST(L/R)6636	229
RAC8633DH(L/R)H	552	RAIPFBWD114	542	RAMTC24	428	RATDCST(L/R)7230	229
RAC8633WDH(L/R)H	553	RAIPFBWD120	542	RAMTC30	428	RATDCST(L/R)7236	229
RAC8642DH(L/R)H	552	RAIPFBWD126	542	RAMTC36	428	RATDCST(L/R)7830	229
RAC8642WDH(L/R)H	553	RAIPFBWD132	542	RAMTC42	428	RATDCST(L/R)7836	229
RAC8643DH(L/R)H	552	RAIPFBWD138	542	RAMTC48	428	RATDCST(L/R)8430	229
RAC8643WDH(L/R)H	553	RAIPFBWD144	542	RAMTC54	428	RATDCST(L/R)8436	229
RACG4220	550	RAIPFBWD150	542	RAMTC60	428	RATTBR72	545
RAC(L/R)HC4212	550, 551	RAIPFBWD156	542	RAMTC66	428	RATTBR78	545
RAC(L/R)HT4212	550, 551	RAIPFBWD162	542	RAMTC72	428	RATTBR84	545
RADW(L/R)5130	529, 530	RAIPFBWD168	542	RAMTCH24	428	RATTBR90	545
RADW(L/R)5430	529, 530	RAIPFBWD174	542	RAMTCH30	428	RATTBR96	545
RADW(L/R)5730	529, 530	RAIPFBWD180	542	RAMTCH36	428	RATDDD102	547
RADW(L/R)6030	529, 530	RAIPFBWD186	542	RAMTCH42	428	RATDDD108	547
RADW(L/R)6330	529, 530	RAIPFBWD192	542	RAMTCH48	428	RATDDD114	547
RADW(L/R)6630	529, 530	RAIPFBWS66	542	RAMTCH54	428	RATDDD120	547
RADW(L/R)6930	529, 530	RAIPFBWS72	542	RAMTCH60	428	RATDDD126	547
RADW(L/R)7230	529, 530	RAIPFBWS78	542	RAMTCH66	428	RATDDD132	547
RADW(L/R)7530	529, 530	RAIPFBWS84	542	RAMTCH72	428	RATDDD138	547
RADW(L/R)7830	529, 530	RAIPFBWS90	542	RAMTT	428	RATDDD144	547
RADW(L/R)8130	529, 530	RAIPFBWS96	542	RASRD6620	537, 538	RATDDD150	547
RADW(L/R)8430	529, 530	RAIPRGD51	544	RASRD7220	537, 538	RATDDD156	547
RADW(L/R)8730	529, 530	RAIPRGD54	544	RASRD7820	537, 538	RATDDD162	547
RADW(L/R)9030	529, 530	RAIPRGD57	544	RASRD8420	537, 538	RATDDD168	547
RADW(L/R)9330	529, 530	RAIPRGD60	544	RASRD9020	537, 538	RATDDD174	547
RADW(L/R)9630	529, 530	RAIPRGD63	544	RASRD9620	537, 538	RATDDD180	547
RAESDH(L/R)20	554	RAIPRGD66	544	RASRS(L/R)6620	535, 536	RATDDD186	547
RAFR(L/R)5420	533, 534	RAIPRGD69	544	RASRS(L/R)7220	535, 536	RATDDD192	547
RAFR(L/R)6020	533, 534	RAIPRGD72	544	RASRS(L/R)7820	535, 536	RATDTS66	547
RAFR(L/R)6620	533, 534	RAIPRGD75	544	RASRS(L/R)8420	535, 536	RATDTS72	547
RAFR(L/R)7220	533, 534	RAIPRGD78	544	RASRS(L/R)9020	535, 536	RATDTS78	547
RAFR(L/R)7820	533, 534	RAIPRGD81	544	RASRS(L/R)9620	535, 536	RATDTS84	547
RAFR(L/R)8420	533, 534	RAIPRGD84	544	RASW6630	527, 528	RATDTS90	547
RAFR(L/R)9020	533, 534	RAIPRGD87	544	RASW7230	527, 528	RATDTS96	547
RAFR(L/R)9620	533, 534	RAIPRGD90	544	RASW7830	527, 528	RATTFR54	546
RACS(L/R)20	554	RAIPRGD93	544	RASW8430	527, 528	RATTFR60	546
RACS(L/R)30	554	RAIPRGD96	544	RASW9030	527, 528	RATTFR66	546
RAIE6240	539, 540	RAIPRGS66	544	RASW9630	527, 528	RATTFR72	546
RAIE6248	539, 540	RAIPRGS72	544	RATDCFM(L/R)4830	230	RATTFR78	546
RAIE6840	539, 540	RAIPRGS78	544	RATDCFM(L/R)4836	230	RATTFR84	546
RAIE6848	539, 540	RAIPRGS84	544	RATDCFM(L/R)5430	230	RATTFR90	546
RAIE7440	539, 540	RAIPRGS90	544	RATDCFM(L/R)5436	230	RATTFR96	546
RAIE7448	539, 540	RAIPRGS96	544	RATDCFM(L/R)6030	230	RAUH	464
RAIPFAWD102	541	RAIPRWD102	543	RATDCFM(L/R)6036	230	RAWHDHTBD51	557
RAIPFAWD108	541	RAIPRWD108	543	RATDCFM(L/R)6630	230	RAWHDHTBD54	557
RAIPFAWD114	541	RAIPRWD114	543	RATDCFM(L/R)6636	230	RAWHDHTBD57	557
RAIPFAWD120	541	RAIPRWD120	543	RATDCFM(L/R)7230	230	RAWHDHTBD60	557
RAIPFAWD126	541	RAIPRWD126	543	RATDCFM(L/R)7236	230	RAWHDHTBD63	557
RAIPFAWD132	541	RAIPRWD132	543	RATDCFM(L/R)7830	230	RAWHDHTBD66	557

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RAWHDHTBD69	557	RBDH3642	254	RBWM	459	RC633C	310, 313
RAWHDHTBD72	557	RBDH3648	254	RBZ (A/B) (Pair)	250	RC633H	309, 312
RAWHDHTBD75	557	RBDH36M(F/R)	254	RC412C(L/R)	304, 306	RC633I	315
RAWHDHTBD78	557	RBDH40MR	256	RC413C(L/R)	304, 306	RC633P	310, 313
RAWHDHTBD81	557	RBDH4236	254	RC423M(L/R)	323, 325	RC661B	309, 312
RAWHDHTBD84	557	RBDH4242	254	RC423N(L/R)	323, 325	RC662B	309, 312
RAWHDHTBD87	557	RBDH4248	254	RC431B	304, 306	RC662C	311, 314
RAWHDHTBD90	557	RBDH42M(F/R)	254	RC432B	304, 306	RC662D	314
RAWHDHTBD93	557	RBDH4836	254	RC432C	304, 306	RC662E(L/R)	311, 314
RAWHDHTBD96	557	RBDH4842	254	RC432D	307	RC662F	310, 313
RAWHDHTBS66	557	RBDH4848	254	RC432F	305, 308	RC662G	310, 313
RAWHDHTBS72	557	RBDH48M(F/R)	254	RC433B	304, 306	RC662H	309, 312
RAWHDHTBS78	557	RBDH52MR	256	RC433C	304, 306	RC662I	315
RAWHDHTBS84	557	RBDH54M(F/R)	254	RC433D	307	RC662P	310, 313
RAWHDHTBS90	557	RBDH60M(F/R)	254	RC433F	305, 308	RC663B	309, 312
RAWHDHTBS96	557	RBDH64MR	256	RC461B	304, 306	RC663C	311, 314
RB24(M/H)(F/R)	252	RBDH66M(F/R)	254	RC462B	304, 306	RC663D	314
RB30(M/H)(F/R)	252	RBDH72M(F/R)	254	RC462C	304, 306	RC663E(L/R)	311, 314
RB3636	252	RBDH78M(F/R)	254	RC462D	307	RC663F	310, 313
RB3642	252	RBDH84M(F/R)	254	RC462F	305, 308	RC663G	310, 313
RB3648	252	RBDH90M(F/R)	254	RC463B	304, 306	RC663H	309, 312
RB36(M/H)(F/R)	252	RBDH96M(F/R)	254	RC463C	304, 306	RC663I	315
RB40MR	184	RBDP6030JK(A,B,W)	440, 441, 442	RC463D	307	RC663P	310, 313
RB4236	252	RBDP7230JK(A,B,W)	440, 441, 442	RC463F	305, 308	RC712C(L/R)	318, 321
RB4242	252	RBDP8430JK(A,B,W)	440, 441, 442	RC531DHB	326, 327	RC712DHG(L/R)	340, 344
RB4248	252	RBDP9630JK(A,B,W)	440, 441, 442	RC531DHH	328	RC712D(L/R)	321
RB42(M/H)(F/R)	252	RBDW	458	RC532DHB	326, 327	RC712G(L/R)	317, 320
RB4836	252	RBFB (Pair)	250	RC532DHF	326, 327	RC712P(L/R)	317, 320
RB4842	252	RBPE(L/R)	458	RC532DHH	328	RC713C(L/R)	318, 321
RB4848	252	RBPP (L/R)	326, 327	RC533DHB	326, 327	RC713DHG(L/R)	340, 344
RB48(M/H)(F/R)	252	RBPR (Pair)	251	RC533DHF	326, 327	RC713D(L/R)	321
RB52MR	184	RBPS (L/R)	251	RC533DHH	328	RC713G(L/R)	317, 320
RB54(M/H)(F/R)	252	RBR3624(A,B,W)	449, 450, 451	RC561DHB	326, 327	RC713P(L/R)	317, 320
RB60(M/H)(F/R)	252	RBR3630(A,B,W)	449, 450, 451	RC561DHH	328	RC7212DHDH(L/R)	338
RB64MR	184	RBR36H	389	RC562DHB	326, 327	RC7212DHGH(L/R)	331, 336
RB66(M/H)(F/R)	252	RBR36M	389	RC562DHF	326, 327	RC7212DHPH(L/R)	332, 337
RB72(M/H)(F/R)	252	RBR36MS	389	RC562DHH	328	RC7213DHDH(L/R)	338
RB78(M/H)(F/R)	252	RBR4224(A,B,W)	449, 450, 451	RC563DHB	326, 327	RC7213DHGH(L/R)	331, 336
RB84(M/H)(F/R)	252	RBR4230(A,B,W)	449, 450, 451	RC563DHF	326, 327	RC7213DHPH(L/R)	332, 337
RB90(M/H)(F/R)	252	RBR42H	389	RC563DHH	328	RC7231DHB	329, 334
RB96(M/H)(F/R)	252	RBR42M	389	RC612C(L/R)	311, 314	RC7232DHB	329, 334
RBC18 (L/R)	249	RBR42MS	389	RC612D(L/R)	314	RC7232DHDH	338
RBC24 (L/R)	249	RBR4824(A,B,W)	449, 450, 451	RC612G(L/R)	310, 313	RC7232DHEH(L/R)	333, 338
RBCCC	250	RBR4830(A,B,W)	449, 450, 451	RC612P(L/R)	310, 313	RC7232DHFH	331, 336
RBCCP (Pair)	250	RBR48H	389	RC613C(L/R)	311, 314	RC7232DHGH	331, 336
RBD361H	196	RBR48M	389	RC613D(L/R)	314	RC7232DHK	330, 335
RBD361V	196	RBR48MS	389	RC613G(L/R)	310, 313	RC7232DHO	330, 335
RBD362H	196	RBR54H	389	RC613P(L/R)	310, 313	RC7233DHB	329, 334
RBD362V	196	RBR54M	389	RC623M(L/R)	323, 325	RC7233DHDH	338
RBD421H	196	RBR54MS	389	RC623N(L/R)	323, 325	RC7233DHEH(L/R)	333, 338
RBD421V	196	RBR60H	389	RC631B	309, 312	RC7233DHFH	331, 336
RBD422H	196	RBR60M	389	RC632B	309, 312	RC7233DHGH	331, 336
RBD422V	196	RBR60MS	389	RC632C	311, 314	RC7233DHK	330, 335
RBD481H	196	RBR66H	389	RC632D	314	RC7233DHO	330, 335
RBD481V	196	RBR66M	389	RC632E(L/R)	311, 314	RC723M(L/R)	324, 325
RBD482H	196	RBR66MS	389	RC632F	310, 313	RC723N	324, 325
RBD482V	196	RBR72H	389	RC632G	310, 313	RC7261DHB	329, 334
RBD541H	196	RBR72M	389	RC632H	309, 312	RC7262DHB	329, 334
RBD541V	196	RBR72MS	389	RC632I	315	RC7262DHDH	338
RBD542H	196	RBSP6030J(A,B,W)	437, 438, 439	RC632P	310, 313	RC7262DHEH(L/R)	333, 338
RBD542V	196	RBSP7230J(A,B,W)	437, 438, 439	RC633B	309, 312	RC7262DHFH	331, 336
RBD548	458	RBSP8430J(A,B,W)	437, 438, 439	RC633C	311, 314	RC7262DHGH	331, 336
RBDH24M(F/R)	254	RBSP9630J(A,B,W)	437, 438, 439	RC633D	314	RC7262DHK	330, 335
RBDH30M(F/R)	254	RBWC24	251	RC633E(L/R)	311, 314	RC7262DHO	330, 335
RBDH3636	254	RBWC30	251	RC633F	310, 313	RC7263DHB	329, 334

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RC7263DHDH	338	RC763P	317, 320	RCA484222	144	RCAWF364811	181
RC7263DHEH(L/R)	333, 338	RC812DHDH(L/R)	352	RCA484811	143	RCAWF364812	181
RC7263DHFH	331, 336	RC813DHDH(L/R)	352	RCA484812	144	RCAWF364821	181
RC7263DHGH	331, 336	RC822DHDH(L/R)	352	RCA484821	143	RCAWF364822	181
RC7263DHK	330, 335	RC823DHDH(L/R)	352	RCA484822	144	RCAWF423611	181
RC7263DHO	330, 335	RC831DHB	345, 349	RCA(A/B/C/D/E/F/G)F363611	160	RCAWF423612	181
RC732B	316, 319	RC832DHB	349	RCA(A/B/C/D/E/F/G)F363612	160	RCAWF423621	181
RC732C	318, 321	RC832DHDH	352	RCA(A/B/C/D/E/F/G)F363621	161	RCAWF423622	181
RC732D	321	RC832DHEH(L/R)	348, 352	RCA(A/B/C/D/E/F/G)F363622	161	RCAWF424211	181
RC732DHB	339, 342	RC832DHF	347, 351	RCA(A/B/C/D/E/F/G)F364211	160	RCAWF424212	181
RC732DHD	343	RC832DHG	347, 351	RCA(A/B/C/D/E/F/G)F364212	160	RCAWF424221	181
RC732DHE(L/R)	341, 343	RC832DHK	346, 350	RCA(A/B/C/D/E/F/G)F364221	161	RCAWF424222	181
RC732DHF	340, 344	RC832DHO	346, 350	RCA(A/B/C/D/E/F/G)F364222	161	RCAWF424811	181
RC732DHG	340, 344	RC833DHB	349	RCA(A/B/C/D/E/F/G)F364811	160	RCAWF424812	181
RC732DHK	339, 342	RC833DHDH	352	RCA(A/B/C/D/E/F/G)F364812	160	RCAWF424821	181
RC732E(L/R)	318, 321	RC833DHEH(L/R)	348, 352	RCA(A/B/C/D/E/F/G)F364821	161	RCAWF424822	181
RC732F	317, 320	RC833DHF	347, 351	RCA(A/B/C/D/E/F/G)F364822	161	RCAWF483611	181
RC732G	317, 320	RC833DHG	347, 351	RCA(A/B/C/D/E/F/G)F423611	160	RCAWF483612	181
RC732H	316, 319	RC833DHK	346, 350	RCA(A/B/C/D/E/F/G)F423612	160	RCAWF483621	181
RC732I	322	RC833DHO	346, 350	RCA(A/B/C/D/E/F/G)F423621	161	RCAWF483622	181
RC732P	317, 320	RC861DHB	345, 349	RCA(A/B/C/D/E/F/G)F423622	161	RCAWF484211	181
RC733B	316, 319	RC862DHB	349	RCA(A/B/C/D/E/F/G)F424211	160	RCAWF484212	181
RC733C	318, 321	RC862DHDH	352	RCA(A/B/C/D/E/F/G)F424212	160	RCAWF484221	181
RC733D	321	RC862DHEH(L/R)	348, 352	RCA(A/B/C/D/E/F/G)F424221	161	RCAWF484222	181
RC733DHB	339, 342	RC862DHF	347, 351	RCA(A/B/C/D/E/F/G)F424222	161	RCB	257
RC733DHD	343	RC862DHG	347, 351	RCA(A/B/C/D/E/F/G)F424811	160	RCB20T	257
RC733DHE(L/R)	341, 343	RC862DHK	346, 350	RCA(A/B/C/D/E/F/G)F424812	160	RCB24T	257
RC733DHF	340, 344	RC862DHO	346, 350	RCA(A/B/C/D/E/F/G)F424821	161	RCB24X	259
RC733DHG	340, 344	RC863DHB	349	RCA(A/B/C/D/E/F/G)F424822	161	RCB28X	259
RC733DHK	339, 342	RC863DHDH	352	RCA(A/B/C/D/E/F/G)F483611	160	RCB30T	257
RC733E(L/R)	318, 321	RC863DHEH(L/R)	348, 352	RCA(A/B/C/D/E/F/G)F483612	160	RCB36X	259
RC733F	317, 320	RC863DHG	347, 351	RCA(A/B/C/D/E/F/G)F483621	161	RCB40T	257
RC733G	317, 320	RC863DHK	346, 350	RCA(A/B/C/D/E/F/G)F483622	161	RCBDH24X	263
RC733H	316, 319	RC863DHO	346, 350	RCA(A/B/C/D/E/F/G)F484211	160	RCBDH28X	263
RC733I	322	RCA363611	143	RCA(A/B/C/D/E/F/G)F484212	160	RCBDH36X	263
RC733P	317, 320	RCA363612	144	RCA(A/B/C/D/E/F/G)F484221	161	RCCDLA23672	145
RC762B	316, 319	RCA363621	143	RCA(A/B/C/D/E/F/G)F484222	161	RCCDLA23678	145
RC762C	318, 321	RCA363622	144	RCA(A/B/C/D/E/F/G)F484811	160	RCCDLA23684	145
RC762D	321	RCA364211	143	RCA(A/B/C/D/E/F/G)F484812	160	RCCDLA23696	145
RC762DHB	339, 342	RCA364212	144	RCA(A/B/C/D/E/F/G)F484821	161	RCCDLA33672	145
RC762DHD	343	RCA364221	143	RCA(A/B/C/D/E/F/G)F484822	161	RCCDLA33678	145
RC762DHE(L/R)	341, 343	RCA364222	144	RCABT1417	456	RCCDLA33684	145
RC762DHF	340, 344	RCA364811	143	RCABT2917	456	RCCDLA33696	145
RC762DHG	340, 344	RCA364812	144	RCACR16	456	RCCDRA23672	145
RC762DHK	339, 342	RCA364821	143	RCACR30	456	RCCDRA23678	145
RC762E(L/R)	318, 321	RCA364822	144	RCACR30H	456	RCCDRA23684	145
RC762F	317, 320	RCA423611	143	RCACR36	456	RCCDRA23696	145
RC762G	317, 320	RCA423612	144	RCACR36H	456	RCCDRA33672	145
RC762H	316, 319	RCA423621	143	RCASI620	456	RCCDRA33678	145
RC762I	322	RCA423622	144	RCASI624	456	RCCDRA33684	145
RC762P	317, 320	RCA424211	143	RCAS3015	456	RCCDRA33696	145
RC763B	316, 319	RCA424212	144	RCAS3020	456	RCD1021	199
RC763C	318, 321	RCA424221	143	RCAS3024	456	RCD1022	199
RC763D	321	RCA424222	144	RCAS3615	456	RCD1081	199
RC763DHB	339, 342	RCA424811	143	RCAS3620	456	RCD1082	199
RC763DHD	343	RCA424812	144	RCAS3624	456	RCD3L6024K(A,B,W)	452, 453, 454
RC763DHE(L/R)	341, 343	RCA424821	143	RCASL	457	RCD3L8424K(A,B,W)	452, 453, 454
RC763DHF	340, 344	RCA424822	144	RCAWF363611	181	RCD3L9624K(A,B,W)	452, 453, 454
RC763DHG	340, 344	RCA483611	143	RCAWF363612	181	RCD601	199
RC763DHK	339, 342	RCA483612	144	RCAWF363621	181	RCD602	199
RC763E(L/R)	318, 321	RCA483621	143	RCAWF363622	181	RCD661	199
RC763F	317, 320	RCA483622	144	RCAWF364211	181	RCD662	199
RC763G	317, 320	RCA484211	143	RCAWF364212	181	RCD6L7224K(A,B,W)	452, 453, 454
RC763H	316, 319	RCA484212	144	RCAWF364221	181	RCD6L9624K(A,B,W)	452, 453, 454
RC763I	322	RCA484221	143	RCAWF364222	181	RCD721	199

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCD722	199	RCDP9624K(A,B,W)	452, 453, 454	RCE1L6648SDN	191	RCEAR223660	146
RCD781	199	RCDQMR60301	435	RCE1L6648SSN	191	RCEAR223672	146
RCD782	199	RCDQMR60302	435	RCE1L7242SSN	191	RCEAR224260	146
RCD841	199	RCDQMR60361	435	RCE1L7248SDN	191	RCEAR224272	146
RCD842	199	RCDQMR60362	435	RCE1L7248SDN	191	RCEAR224872	146
RCD901	199	RCDQMR72301	435	RCE1L7248SSN	191	RCEAR224884	146
RCD902	199	RCDQMR72302	435	RCE1L7842SSN	191	RCEAR224896	146
RCD961	199	RCDQMR72361	435	RCE1L7848SSN	191	RCEEG1021	198
RCD962	199	RCDQMR72362	435	RCE1L8448SSN	191	RCEEG1022	198
RCDFMF60301	436	RCDQMR84301	435	RCE1R1212C	457	RCEEG1081	198
RCDFMF60302	436	RCDQMR84302	435	RCE1R2424N	188	RCEEG1082	198
RCDFMF60361	436	RCDQMR84361	435	RCE1R2430N	188	RCEEG601	198
RCDFMF60362	436	RCDQMR84362	435	RCE1R3024N	188	RCEEG602	198
RCDFMF72301	436	RCDQMR96301	435	RCE1R3030N	188	RCEEG661	198
RCDFMF72302	436	RCDQMR96302	435	RCE1R3624N	188	RCEEG662	198
RCDFMF72361	436	RCDQMR96361	435	RCE1R3630N	188	RCEEG721	198
RCDFMF72362	436	RCDQMR96362	435	RCE1R4224N	188	RCEEG722	198
RCDFMF84301	436	RCE1021	197	RCE1R4230N	188	RCEEG781	198
RCDFMF84302	436	RCE1022	197	RCE1R4824N	188	RCEEG782	198
RCDFMF84361	436	RCE1081	197	RCE1R4830N	188	RCEEG841	198
RCDFMF84362	436	RCE1082	197	RCE1R5424N	188	RCEEG842	198
RCDFMF96301	436	RCE1BD6648D(L/R)	189	RCE1R5430N	188	RCEEG901	198
RCDFMF96302	436	RCE1BD6648S(L/R)	189	RCE1R6024N	188	RCEEG902	198
RCDFMF96361	436	RCE1BD7248D(L/R)	189	RCE1R6030N	188	RCEEG961	198
RCDFMF96362	436	RCE1BD7248S(L/R)	189	RCE1R6624N	188	RCEEG962	198
RCDFMR60301	433	RCE1BD7848D(L/R)	189	RCE1R6630N	188	RCFS4912C(L/R)M	353
RCDFMR60302	433	RCE1BD7848S(L/R)	189	RCE1R7224N	188	RCFS4912C(L/R)W	359
RCDFMR60361	433	RCE1BD8448D(L/R)	189	RCE1R7230N	188	RCFS4912Y(L/R)M	353
RCDFMR60362	433	RCE1BD8448S(L/R)	189	RCE1R7824N	188	RCFS4912Y(L/R)W	359
RCDFMR72301	433	RCE1CR24L	192	RCE1R7830N	188	RCFS4912Z(L/R)M	353
RCDFMR72302	433	RCE1CR24N	192	RCE1R8424N	188	RCFS4912Z(L/R)W	359
RCDFMR72361	433	RCE1CR24R	192	RCE1R8430N	188	RCFS4913C(L/R)M	353
RCDFMR72362	433	RCE1H4818	192	RCE1R9024N	188	RCFS4913C(L/R)W	359
RCDFMR84301	433	RCE1H4818P	192	RCE1R9030N	188	RCFS4913Y(L/R)M	353
RCDFMR84302	433	RCE1H6024	192	RCE1R9624N	188	RCFS4913Y(L/R)W	359
RCDFMR84361	433	RCE1H6024P	192	RCE1R9630N	188	RCFS4913Z(L/R)M	353
RCDFMR84362	433	RCE1L3636SSN	190	RCE1W362430N	193	RCFS4913Z(L/R)W	359
RCDFMR96301	433	RCE1L4242DSN	190	RCE1W363024N	193	RCFS4932V(L/R)M	353
RCDFMR96302	433	RCE1L4242SDN	190	RCE1W422430N	193	RCFS4932V(L/R)W	359
RCDFMR96361	433	RCE1L4242SSN	190	RCE1W423024N	193	RCFS4932W(L/R)M	354
RCDFMR96362	433	RCE1L4260SSN	191	RCE1W482430N	193	RCFS4932W(L/R)W	360
RCDH8	261	RCE1L4266SSN	191	RCE1W483024N	193	RCFS4932X(L/R)M	354
RCDH820T	261	RCE1L4272SSN	191	RCE1W722430N	193	RCFS4932X(L/R)W	360
RCDH824T	261	RCE1L4278SSN	191	RCE1W723024N	193	RCFS4933V(L/R)M	353
RCDH830T	261	RCE1L4848DDN	190	RCE601	197	RCFS4933V(L/R)W	359
RCDH840T	261	RCE1L4848DSN	190	RCE602	197	RCFS4933W(L/R)M	354
RCDHMR60301	434	RCE1L4848SDN	190	RCE661	197	RCFS4933W(L/R)W	360
RCDHMR60302	434	RCE1L4848SSN	190	RCE662	197	RCFS4933X(L/R)M	354
RCDHMR60361	434	RCE1L4860DSN	191	RCE721	197	RCFS4933X(L/R)W	360
RCDHMR60362	434	RCE1L4860SDN	191	RCE722	197	RCFS6412C(L/R)M	355
RCDHMR72301	434	RCE1L4860SSN	191	RCE781	197	RCFS6412C(L/R)W	361
RCDHMR72302	434	RCE1L4866DSN	191	RCE782	197	RCFS6412Y(L/R)M	355
RCDHMR72361	434	RCE1L4866SDN	191	RCE841	197	RCFS6412Y(L/R)W	361
RCDHMR72362	434	RCE1L4866SSN	191	RCE842	197	RCFS6412Z(L/R)M	355
RCDHMR84301	434	RCE1L4872DSN	191	RCE901	197	RCFS6412Z(L/R)W	361
RCDHMR84302	434	RCE1L4872SDN	191	RCE902	197	RCFS6413C(L/R)M	355
RCDHMR84361	434	RCE1L4872SSN	191	RCE961	197	RCFS6413C(L/R)W	361
RCDHMR84362	434	RCE1L4878SSN	191	RCE962	197	RCFS6413Y(L/R)M	355
RCDHMR96301	434	RCE1L4884SSN	191	RCEAL223660	146	RCFS6413Y(L/R)W	361
RCDHMR96302	434	RCE1L6042SSN	191	RCEAL223672	146	RCFS6413Z(L/R)M	355
RCDHMR96361	434	RCE1L6048DSN	191	RCEAL224260	146	RCFS6413Z(L/R)W	361
RCDHMR96362	434	RCE1L6048SDN	191	RCEAL224272	146	RCFS6432V(L/R)M	356
RCDP6024K(A,B,W)	452, 453, 454	RCE1L6048SSN	191	RCEAL224872	146	RCFS6432V(L/R)W	362
RCDP7224K(A,B,W)	452, 453, 454	RCE1L6642SSN	191	RCEAL224884	146	RCFS6432W(L/R)M	356
RCDP8424K(A,B,W)	452, 453, 454	RCE1L6648SDN	191	RCEAL224896	146	RCFS6432W(L/R)W	362

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCFS6432X(L/R)M	356	RDHMH7240	269	RDHMR10823	267	RDSP8436J(A,B,W)	437, 438, 439
RCFS6432X(L/R)W	362	RDHMH7810	269	RDHMR10824	267	RDSP9630J(A,B,W)	437, 438, 439
RCFS6433V(L/R)M	356	RDHMH7811	268	RDHMR10830	265	RDSP9636J(A,B,W)	437, 438, 439
RCFS6433V(L/R)W	362	RDHMH7812	268	RDHMR10833	266	RDTAGC3142(L/R)	370
RCFS6433W(L/R)M	356	RDHMH7813	268	RDHMR10840	265	RDTAGC3156(L/R)	370
RCFS6433W(L/R)W	362	RDHMH7820	269	RDHMR7210	265	RDTAGCG6142(L/R)	370
RCFS6433X(L/R)M	356	RDHMH7822	268	RDHMR7211	266	RDTAGCG6156(L/R)	370
RCFS6433X(L/R)W	362	RDHMH7823	268	RDHMR7212	266	RDTAGW3142(L/R)	370
RCFS6812C(L/R)M	357	RDHMH7830	269	RDHMR7220	265	RDTAGW3156(L/R)	370
RCFS6812C(L/R)W	363	RDHMH7840	269	RDHMR7222	266	RDTAGW6142(L/R)	370
RCFS6812Y(L/R)M	357	RDHMH8410	269	RDHMR7230	265	RDTAGW6156(L/R)	370
RCFS6812Y(L/R)W	363	RDHMH8411	268	RDHMR7240	265	RDTAHC3142(L/R)	371
RCFS6812Z(L/R)M	357	RDHMH8412	268	RDHMR7810	265	RDTAHC3156(L/R)	371
RCFS6812Z(L/R)W	363	RDHMH8413	268	RDHMR7811	266	RDTAHC6142(L/R)	371
RCFS6813C(L/R)M	357	RDHMH8414	268	RDHMR7812	266	RDTAHC6156(L/R)	371
RCFS6813C(L/R)W	363	RDHMH8420	269	RDHMR7820	265	RDTAHW3142(L/R)	371
RCFS6813Y(L/R)M	357	RDHMH8422	268	RDHMR7822	266	RDTAHW3156(L/R)	371
RCFS6813Y(L/R)W	363	RDHMH8423	268	RDHMR7830	265	RDTAHW6142(L/R)	371
RCFS6813Z(L/R)M	357	RDHMH8424	268	RDHMR7840	265	RDTAHW6156(L/R)	371
RCFS6813Z(L/R)W	363	RDHMH8430	269	RDHMR8410	265	RDTC3010	525
RCFS6832V(L/R)M	358	RDHMH8440	269	RDHMR8411	266	RDTC3610	525
RCFS6832V(L/R)W	364	RDHMH9010	269	RDHMR8412	266	RDTC6010	525
RCFS6832W(L/R)M	358	RDHMH9011	268	RDHMR8414	266	RDTC7210	525
RCFS6832W(L/R)W	364	RDHMH9012	268	RDHMR8420	265	RDTCE22120	460
RCFS6832X(L/R)M	358	RDHMH9013	268	RDHMR8422	266	RDTCE2272	460
RCFS6832X(L/R)W	364	RDHMH9014	268	RDHMR8423	266	RDTCE22H	460
RCFS6833V(L/R)M	358	RDHMH9020	269	RDHMR8430	265	RDTCE33120	460
RCFS6833V(L/R)W	364	RDHMH9022	268	RDHMR8440	265	RDTCE3372	460
RCFS6833W(L/R)M	358	RDHMH9023	268	RDHMR9010	265	RDTCE33H	460
RCFS6833W(L/R)W	364	RDHMH9024	268	RDHMR9011	266	RDTCE6010	525
RCFS6833X(L/R)M	358	RDHMH9030	269	RDHMR9012	266	RDTCE7210	525
RCFS6833X(L/R)W	364	RDHMH9033	268	RDHMR9013	266	RDTDBW3142	368
RCOUNTWT	281, 282, 291, 299	RDHMH9040	269	RDHMR9014	266	RDTDBW3156	368
RCP41-(F/L/1/2/3)*	113	RDHMH9610	269	RDHMR9020	265	RDTDBW6142	368
RCP56-(F/L/1/2/3)*	113	RDHMH9611	268	RDHMR9022	266	RDTDBW6156	368
RCP71-(F/L/1/2/3)*	113	RDHMH9612	268	RDHMR9023	266	RDTDCFM(L/R)5430	234
RCP78-(F/L/1/2/3)*	113	RDHMH9613	268	RDHMR9024	266	RDTDCFM(L/R)5436	234
RCS3L6024K(A,B,W)	446, 447, 448	RDHMH9614	268	RDHMR9030	265	RDTDCFM(L/R)6030	234
RCS3L7224K(A,B,W)	446, 447, 448	RDHMH9620	269	RDHMR9040	265	RDTDCFM(L/R)6036	234
RCS3L8424K(A,B,W)	446, 447, 448	RDHMH9622	268	RDHMR9610	265	RDTDCFM(L/R)6630	234
RCS3L9624K(A,B,W)	446, 447, 448	RDHMH9623	268	RDHMR9611	266	RDTDCFM(L/R)6636	234
RCS6L6024K(A,B,W)	446, 447, 448	RDHMH9624	268	RDHMR9612	266	RDTDCFM(L/R)7230	234
RCS6L7224K(A,B,W)	446, 447, 448	RDHMH9630	269	RDHMR9613	266	RDTDCFM(L/R)7236	234
RCS6L8424K(A,B,W)	446, 447, 448	RDHMH9633	268	RDHMR9614	266	RDTDCFM(L/R)7830	234
RCS6L9624K(A,B,W)	446, 447, 448	RDHMH9640	269	RDHMR9620	265	RDTDCFM(L/R)7836	234
RCSF6024K(A,B,W)	446, 447, 448	RDHMLD	291	RDHMR9622	266	RDTDCFM(L/R)8430	234
RCSF7224K(A,B,W)	446, 447, 448	RDHMR10210	265	RDHMR9623	266	RDTDCFM(L/R)8436	234
RCSF8424K(A,B,W)	446, 447, 448	RDHMR10211	266	RDHMR9624	266	RDTDCPC(L/R)6630	232
RCSF9624K(A,B,W)	446, 447, 448	RDHMR10212	266	RDHMR9630	265	RDTDCPC(L/R)6636	232
RDDP6030JK(A,B,W)	440, 441, 442	RDHMR10213	266	RDHMR9633	266	RDTDCPC(L/R)7230	232
RDDP6036JK(A,B,W)	440, 441, 442	RDHMR10214	266	RDHMR9640	265	RDTDCPC(L/R)7236	232
RDDP7230JK(A,B,W)	440, 441, 442	RDHMR10220	265	RDHPM26	270	RDTDCPC(L/R)7830	232
RDDP7236JK(A,B,W)	440, 441, 442	RDHMR10222	266	RDHPM32	270	RDTDCPC(L/R)7836	232
RDDP8430JK(A,B,W)	440, 441, 442	RDHMR10223	266	RDHPM38	270	RDTDCPC(L/R)8430	232
RDDP8436JK(A,B,W)	440, 441, 442	RDHMR10224	266	RDHPM44	270	RDTDCPC(L/R)8436	232
RDDP9630JK(A,B,W)	440, 441, 442	RDHMR10230	265	RDHPM50	270	RDTDCPC(L/R)9030	232
RDDP9636JK(A,B,W)	440, 441, 442	RDHMR10233	266	RDHPM56	270	RDTDCPC(L/R)9036	232
RDHMBD	291	RDHMR10240	265	RDHPM62	270	RDTDCPC(L/R)9630	232
RDHMGD	291	RDHMR10810	265	RDHPM68	270	RDTDCPC(L/R)9636	232
RDHMH7210	269	RDHMR10811	267	RDHPM74	270	RDTDCST(L/R)6630	233
RDHMH7211	268	RDHMR10812	267	RDSP6030J(A,B,W)	437, 438, 439	RDTDCST(L/R)6636	233
RDHMH7212	268	RDHMR10813	267	RDSP6036J(A,B,W)	437, 438, 439	RDTDCST(L/R)7230	233
RDHMH7220	269	RDHMR10814	267	RDSP7230J(A,B,W)	437, 438, 439	RDTDCST(L/R)7236	233
RDHMH7222	268	RDHMR10820	265	RDSP7236J(A,B,W)	437, 438, 439	RDTDCST(L/R)7830	233
RDHMH7230	269	RDHMR10822	267	RDSP8430J(A,B,W)	437, 438, 439	RDTDCST(L/R)7836	233

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RDTDCST(L/R)8430	233	RFDR48	469	RGAF803	429	RCAR972	430
RDTDCST(L/R)8436	233	RFDR60	469	RGAF862	429	RCAR973	430
RDTDCST(L/R)9030	233	RFDR72	469	RGAF863	429	RCMD6	133
RDTDCST(L/R)9036	233	RFDR84	469	RGAF922	429	RCMD8	133
RDTDCST(L/R)9630	233	RFDR96	469	RGAF923	429	RCMDE	133
RDTDCST(L/R)9636	233	RFTCC108	125	RGAF982	429	RCS60	429
RDTDGW3142	370	RFTCCCLIPS	125	RGAF983	429	RCS66	429
RDTDGW3156	370	RFTCDR (Pair)	125	RGAL431	431	RCS72	429
RDTDGW6142	370	RFTCG1 (Pair)	125	RGAL432	431	RCS78	429
RDTDGW6156	370	RFTCSM (Pair) for G2 only	125	RGAL433	431	RCS84	429
RDTDHW3142	369	RFTCSPACE	125	RGAL491	431	RCS90	429
RDTDHW3156	369	RFTCWA2118	118	RGAL492	431	RCS96	429
RDTDHW6142	369	RFTCWA2120	118	RGAL493	431	RCTL4636	432
RDTDHW6156	369	RFTCWA2124	118	RGAL551	431	RCRTR4636	432
RDTE22120	460	RFTCWA2130	118	RGAL552	431	RHSC15	117
RDTE2272	460	RFTCWA2136	118	RGAL553	431	RHSC250	117
RDTE22H	460	RFTCWA2142	118	RGAL611	431	RHSC70	117
RDTGA	461	RFTCWA2148	118	RGAL612	431	RIB24T	257
RDTGB	461	RFTCWA2518	119	RGAL613	431	RIB28X	259
RDTGC	461	RFTCWA2520	119	RGAL671	431	RIB32X	259
RDTSBWG142	365	RFTCWA2524	119	RGAL672	431	RIBDH24T	261
RDTSBWG156	365	RFTCWA2530	119	RGAL673	431	RIBDH28X	263
RDTSBWT142	365	RFTCWA2536	119	RGAL731	431	RIBDH32X	263
RDTSBWT156	365	RFTCWA2542	119	RGAL732	431	RIP1201	237
RDTSCWG142(L/R)	367	RFTCWA2548	119	RGAL733	431	RIP1202	238
RDTSCWG156(L/R)	367	RFTCWA3718	120	RGAL791	431	RIP1241	237
RDTSCWT142(L/R)	367	RFTCWA3720	120	RGAL792	431	RIP1242	238
RDTSCWT156(L/R)	367	RFTCWA3724	120	RGAL793	431	RIP1301	237
RDTSHWG142(L/R)	366	RFTCWA3730	120	RGAL851	431	RIP1302	238
RDTSHWG156(L/R)	366	RFTCWA3736	120	RGAL852	431	RIP1361	237
RDTSHWT142(L/R)	366	RFTCWA3742	120	RGAL853	431	RIP1362	238
RDTSHWT156(L/R)	366	RFTCWA3748	120	RGAL911	431	RIP0201	237
RDTSTE33120	460	RFTCWB2130	118	RGAL912	431	RIP0202	238
RDTSTE3372	460	RFTCWB2136	118	RGAL913	431	RIP0241	237
RDTSTE33H	460	RFTCWB2142	118	RGAL971	431	RIP0242	238
RE12F	253	RFTCWB2148	118	RGAL972	431	RIP0301	237
RE15F	253	RFTCWB2530	119	RGAL973	431	RIP0302	238
RE19F	253	RFTCWB2536	119	RGAR431	430	RIP0361	237
RE23F	253	RFTCWB2542	119	RGAR432	430	RIP0362	238
RE29F	253	RFTCWB2548	119	RGAR433	430	RIP0G201	237
RE30	253	RFTCWB3730	120	RGAR491	430	RIP0G202	238
RE36	253	RFTCWB3736	120	RGAR492	430	RIP0G241	237
REBA6030	149	RFTCWB3742	120	RGAR493	430	RIP0G242	238
REBA7242	149	RFTCWB3748	120	RGAR551	430	RIP0G301	237
REBA7848	149	RFTCWS21S	125	RGAR552	430	RIP0G302	238
REBA(A/B/C/D/E/F/G)A6030	166	RFTCWS25S	125	RGAR553	430	RIP0G361	237
REBA(A/B/C/D/E/F/G)A7242	166	RFTCWS37S	125	RGAR611	430	RIP0G362	238
REBA(A/B/C/D/E/F/G)A7848	166	RFTCWT (Pair)	125	RGAR612	430	RIPPEI202	223
REBAWA6030	185	RGAB421	429	RGAR613	430	RIPPEI242	223
REBAWA7242	185	RGAB481	429	RGAR671	430	RIPPEI302	223
REBAWA7848	185	RGAB541	429	RGAR672	430	RIPPEI362	223
REBH24	185	RGAB601	429	RGAR673	430	RIPPEO202	223
REBH30	185	RGAB661	429	RGAR731	430	RIPPEO242	223
REDH12F	255	RGAB721	429	RGAR732	430	RIPPEO302	223
REDH15F	255	RGAB781	429	RGAR733	430	RIPPEO362	223
REDH19F	255	RGAB841	429	RGAR791	430	RIPPEOC202	223
REDH23F	255	RGAB901	429	RGAR792	430	RIPPEOC242	223
REDH29F	255	RGAB961	429	RGAR793	430	RIPPEOC302	223
REDH30	255	RGAF622	429	RGAR851	430	RIPPEOC362	223
REDH36	255	RGAF623	429	RGAR852	430	RJBU24	459
REDHBH124	256	RGAF682	429	RGAR853	430	RJBU30	459
REDHBH130	256	RGAF683	429	RGAR911	430	RJBU36	459
RFDR30	469	RGAF742	429	RGAR912	430	RJBU42	459
RFDR36	469	RGAF743	429	RGAR913	430	RJBU48	459
RFDR42	469	RGAF802	429	RGAR971	430	RJBU54	459

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RJBU60	459	RM9A(A/B/C/D/E/F/G)F8430	165	RMDA(A/B/C/D/E/F/G)F9630	164	RO3-ON36	414
RJBU66	459	RM9A(A/B/C/D/E/F/G)F9630	165	RMDA(A/B/C/D/E/F/G)F9636	164	RO3-ON42	414
RJBU72	459	RM9AWF4230	183	RMDAWF4221	182	RO3-ON48	414
RJBW24	459	RM9AWF8430	183	RMDAWF4230	182	RO3-ON60	414
RJBW30	459	RM9AWF9630	183	RMDAWF4236	182	RO3-ON72	414
RJBW36	459	RMB(A)7230	150	RMDAWF4830	182	RO3-VP	411, 414
RJBW42	459	RMB(A)7236	150	RMDAWF4836	182	ROAF60S0DH	385
RJBW48	459	RMB(A)8430	150	RMDAWF5025	182	ROAF60S0()	377
RJBW54	459	RMB(A)8436	150	RMDAWF5430	182	ROAF60S1DH	385
RJBW60	459	RMB(A)9630	150	RMDAWF5436	182	ROAF60S1()	377
RJBW66	459	RMB(A)9636	150	RMDAWF6030	182	ROAF72S0DH	385
RJBW72	459	RMBA(A/B/C/D/E/F/G)A7230	166	RMDAWF6036	182	ROAF72S0()	377
RKA 363611	139	RMBA(A/B/C/D/E/F/G)A7236	166	RMDAWF6630	182	ROAF72S1DH	385
RKA 363612	139	RMBA(A/B/C/D/E/F/G)A8430	166	RMDAWF6636	182	ROAF72S1()	377
RKA 363621	140	RMBA(A/B/C/D/E/F/G)A8436	166	RMDAWF7230	182	ROAF84S0DH	385
RKA 363622	139	RMBA(A/B/C/D/E/F/G)A9630	166	RMDAWF7236	182	ROAF84S0()	377
RKA 364211	139	RMBA(A/B/C/D/E/F/G)A9636	166	RMDAWF7830	182	ROAF84S1DH	385
RKA 364212	139	RMBAWA7230	184	RMDAWF7836	182	ROAF84S1()	377
RKA 364221	140	RMBAWA7236	184	RMDAWF8430	182	ROAF96S0DH	385
RKA 364222	139	RMBAWA8430	184	RMDAWF8436	182	ROAF96S0()	377
RKA 364811	139	RMBAWA8436	184	RMDAWF9030	182	ROAF96S1DH	385
RKA 364812	139	RMBAWA9630	184	RMDAWF9036	182	ROAF96S1()	377
RKA 364821	140	RMBAWA9636	184	RMDAWF9630	182	ROAH60T0DH	384
RKA 364822	139	RMDA4221	147	RMDAWF9636	182	ROAH60T0()	377
RKA 423611	139	RMDA4230	147	RMPA4230	148	ROAH60T1DH	384
RKA 423612	139	RMDA4236	147	RMPA4836	148	ROAH60T1()	377
RKA 423621	140	RMDA4830	147	RMPA8430	149	ROAH72T0DH	384
RKA 423622	139	RMDA4836	147	RMPA9630	149	ROAH72T0()	377
RKA 424211	139	RMDA5025	147	RMPA(A/B/C/D/E/F/G)F4230	165	ROAH72T1DH	384
RKA 424212	139	RMDA5430	147	RMPA(A/B/C/D/E/F/G)F4836	165	ROAH72T1()	377
RKA 424221	140	RMDA5436	147	RMPA(A/B/C/D/E/F/G)F8430	165	ROAH90T0DH	384
RKA 424222	139	RMDA6030	147	RMPA(A/B/C/D/E/F/G)F9630	165	ROAH90T0()	377
RKA 424811	139	RMDA6036	147	RMPAWF4230	183	ROAH90T1DH	384
RKA 424812	139	RMDA6630	147	RMPAWF8430	183	ROAH90T1()	377
RKA 424821	140	RMDA6636	147	RMPAWF9630	183	ROAH96T0DH	384
RKA 424822	139	RMDA7230	147	RMPU	298	ROAH96T0()	377
RKA 483611	139	RMDA7236	147	RMSCB	249	ROAH96T1DH	384
RKA 483612	139	RMDA7830	147	RO1-GB	416	ROAH96T1()	377
RKA 483621	140	RMDA7836	147	RO1-HP12	411, 413, 414	ROAO60T0DH	384
RKA 483622	139	RMDA8430	147	RO1-HP15	411, 413, 414	ROAO60T0()	377
RKA 484211	139	RMDA8436	147	RO1-HP6	411, 413, 414	ROAO60T1DH	384
RKA 484212	139	RMDA9030	147	RO1-HP9	411, 413, 414	ROAO60T1()	377
RKA 484221	140	RMDA9036	147	RO1-PULL	416	ROAO72T0DH	384
RKA 484222	139	RMDA9630	147	RO1-RCB	415	ROAO72T0()	377
RKA 484811	139	RMDA9636	147	RO1-RPB	415	ROAO72T1DH	384
RKA 484812	139	RMDA(A/B/C/D/E/F/G)F4221	164	RO1-WMF2	416	ROAO72T1()	377
RKA 484821	140	RMDA(A/B/C/D/E/F/G)F4230	164	RO1-WMF3	416	ROAO90T0DH	384
RKA 484822	139	RMDA(A/B/C/D/E/F/G)F4236	164	RO1-WMF4	416	ROAO90T0()	377
RKBA1020	456	RMDA(A/B/C/D/E/F/G)F4830	164	RO3-M24	410	ROAO90T1DH	384
RKBA1022	456	RMDA(A/B/C/D/E/F/G)F4836	164	RO3-M30	410	ROAO90T1()	377
RKT31	456	RMDA(A/B/C/D/E/F/G)F5025	164	RO3-M36	410	ROAO96T0DH	384
RLCCT301	303	RMDA(A/B/C/D/E/F/G)F5430	164	RO3-M42	410	ROAO96T0()	377
RLCCT361	303	RMDA(A/B/C/D/E/F/G)F5436	164	RO3-M48	410	ROAO96T1DH	384
RLCCT601	303	RMDA(A/B/C/D/E/F/G)F6030	164	RO3-M60	410, 411	ROAO96T1()	377
RLCCT721	303	RMDA(A/B/C/D/E/F/G)F6036	164	RO3-M66	410, 411	ROBF60S0DH	387
RM111J	281, 282	RMDA(A/B/C/D/E/F/G)F6630	164	RO3-M72	410, 411	ROBF60S0()	378
RM112J	281, 282	RMDA(A/B/C/D/E/F/G)F6636	164	RO3-N24	412	ROBF60S1DH	387
RM212J	281, 282	RMDA(A/B/C/D/E/F/G)F7230	164	RO3-N30	412	ROBF60S1()	378
RM212K	281, 282	RMDA(A/B/C/D/E/F/G)F7236	164	RO3-N36	412	ROBF72S0DH	387
RM9A4230	148	RMDA(A/B/C/D/E/F/G)F7830	164	RO3-N42	412	ROBF72S0()	378
RM9A4836	148	RMDA(A/B/C/D/E/F/G)F7836	164	RO3-N48	412	ROBF72S1DH	387
RM9A8430	148	RMDA(A/B/C/D/E/F/G)F8430	164	RO3-N60	412	ROBF72S1()	378
RM9A9630	148	RMDA(A/B/C/D/E/F/G)F8436	164	RO3-N66	412	ROBF84S0DH	387
RM9A(A/B/C/D/E/F/G)F4230	165	RMDA(A/B/C/D/E/F/G)F9030	164	RO3-N72	412	ROBF84S0()	378
RM9A(A/B/C/D/E/F/G)F4836	165	RMDA(A/B/C/D/E/F/G)F9036	164	RO3-ON30	414	ROBF84S1DH	387

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROBF84S1()	378	ROCGHCDHP541	406	ROCGHSHHP601	397	ROCHSHP781	396
ROBF96S0DH	387	ROCGHCDHP601	406	ROCGHSHHP661	397	ROCHSHP841	396
ROBF96S0()	378	ROCGHCDHP661	406	ROCGHSHHP721	397	ROCHSHP901	396
ROBF96S1DH	387	ROCGHCDHP721	406	ROCGHSHHP781	397	ROCHSHP961	396
ROBF96S1()	378	ROCGHCDHP781	406	ROCGHSHHP841	397	ROCOCDHP301	407
ROBH60T0DH	386	ROCGHCDHP841	406	ROCGHSHHP901	397	ROCOCDHP361	407
ROBH60T0()	378	ROCGHCDHP901	406	ROCGHSHHP961	397	ROCOCDHP421	407
ROBH60T1DH	386	ROCGHCDHP961	406	ROCHCDHP301	405	ROCOCDHP481	407
ROBH60T1()	378	ROCGHCSHP301	397	ROCHCDHP361	405	ROCOCDHP541	407
ROBH72T0DH	386	ROCGHCSHP361	397	ROCHCDHP421	405	ROCOCDHP601	407
ROBH72T0()	378	ROCGHCSHP421	397	ROCHCDHP481	405	ROCOCDHP661	407
ROBH72T1DH	386	ROCGHCSHP481	397	ROCHCDHP541	405	ROCOCDHP721	407
ROBH72T1()	378	ROCGHCSHP541	397	ROCHCDHP601	405	ROCOCDHP781	407
ROBH90T0DH	386	ROCGHCSHP601	397	ROCHCDHP661	405	ROCOCDHP841	407
ROBH90T0()	378	ROCGHCSHP661	397	ROCHCDHP721	405	ROCOCDHP901	407
ROBH90T1DH	386	ROCGHCSHP721	397	ROCHCDHP781	405	ROCOCDHP961	407
ROBH90T1()	378	ROCGHCSHP781	397	ROCHCDHP841	405	ROCOCSHP301	395
ROBH96T0DH	386	ROCGHCSHP841	397	ROCHCDHP901	405	ROCOCSHP361	395
ROBH96T0()	378	ROCGHCSHP901	397	ROCHCDHP961	405	ROCOCSHP421	395
ROBH96T1DH	386	ROCGHCSHP961	397	ROCHCSHP301	396	ROCOCSHP481	395
ROBH96T1()	378	ROCGHDHP301	406	ROCHCSHP361	396	ROCOCSHP541	395
ROBO60T0DH	386	ROCGHDHP361	406	ROCHCSHP421	396	ROCOCSHP601	395
ROBO60T0()	378	ROCGHDHP421	406	ROCHCSHP481	396	ROCOCSHP661	395
ROBO60T1DH	386	ROCGHDHP481	406	ROCHCSHP541	396	ROCOCSHP721	395
ROBO60T1()	378	ROCGHDHP541	406	ROCHCSHP601	396	ROCOCSHP781	395
ROBO72T0DH	386	ROCGHDHP601	406	ROCHCSHP661	396	ROCOCSHP841	395
ROBO72T0()	378	ROCGHDHP661	406	ROCHCSHP721	396	ROCOCSHP901	395
ROBO72T1DH	386	ROCGHDHP721	406	ROCHCSHP781	396	ROCOCSHP961	395
ROBO72T1()	378	ROCGHDHP781	406	ROCHCSHP841	396	ROHDR30	469
ROBO90T0DH	386	ROCGHDHP841	406	ROCHCSHP901	396	ROHDR36	469
ROBO90T0()	378	ROCGHDHP901	406	ROCHCSHP961	396	ROHDR42	469
ROBO90T1DH	386	ROCGHDHP961	406	ROCHDHP301	405	ROHDR48	469
ROBO90T1()	378	ROCGHODHP601	409	ROCHDHP361	405	ROHDR60	469
ROBO96T0DH	386	ROCGHODHP661	409	ROCHDHP421	405	ROHDR72	469
ROBO96T0()	378	ROCGHODHP721	409	ROCHDHP481	405	ROHDR90	469
ROBO96T1DH	386	ROCGHODHP781	409	ROCHDHP541	405	ROHDR96	469
ROBO96T1()	378	ROCGHODHP841	409	ROCHDHP601	405	ROMCGDHP301	402
ROCCGDHP301	407	ROCGHODHP901	409	ROCHDHP661	405	ROMCGDHP361	402
ROCCGDHP361	407	ROCGHODHP961	409	ROCHDHP721	405	ROMCGDHP421	402
ROCCGDHP421	407	ROCGHOCSP601	399	ROCHDHP781	405	ROMCGDHP481	402
ROCCGDHP481	407	ROCGHOCSP661	399	ROCHDHP841	405	ROMCGDHP541	402
ROCCGDHP541	407	ROCGHOCSP721	399	ROCHDHP901	405	ROMCGDHP601	402
ROCCGDHP601	407	ROCGHOCSP781	399	ROCHDHP961	405	ROMCGDHP661	402
ROCCGDHP661	407	ROCGHOCSP841	399	ROCHODHP601	408	ROMCGDHP721	402
ROCCGDHP721	407	ROCGHOCSP901	399	ROCHODHP661	408	ROMCGDHP781	402
ROCCGDHP781	407	ROCGHOCSP961	399	ROCHODHP721	408	ROMCGDHP841	402
ROCCGDHP841	407	ROCGHODHP601	409	ROCHODHP781	408	ROMCGDHP901	402
ROCCGDHP901	407	ROCGHODHP661	409	ROCHODHP841	408	ROMCGDHP961	402
ROCCGDHP961	407	ROCGHODHP721	409	ROCHODHP901	408	ROMCGSHP301	390
ROCCGSHHP301	395	ROCGHODHP781	409	ROCHODHP961	408	ROMCGSHP361	390
ROCCGSHHP361	395	ROCGHODHP841	409	ROCHOCSHP601	398	ROMCGSHP421	390
ROCCGSHHP421	395	ROCGHODHP901	409	ROCHOCSHP661	398	ROMCGSHP481	390
ROCCGSHHP481	395	ROCGHODHP961	409	ROCHOCSHP721	398	ROMCGSHP541	390
ROCCGSHHP541	395	ROCGHOSHHP601	399	ROCHOCSHP781	398	ROMCGSHP601	390
ROCCGSHHP601	395	ROCGHOSHHP661	399	ROCHOCSHP841	398	ROMCGSHP661	390
ROCCGSHHP661	395	ROCGHOSHHP721	399	ROCHOCSHP901	398	ROMCGSHP721	390
ROCCGSHHP721	395	ROCGHOSHHP781	399	ROCHOCSHP961	398	ROMCGSHP781	390
ROCCGSHHP781	395	ROCGHOSHHP841	399	ROCHSHP301	396	ROMCGSHP841	390
ROCCGSHHP841	395	ROCGHOSHHP901	399	ROCHSHP361	396	ROMCGSHP901	390
ROCCGSHHP901	395	ROCGHOSHHP961	399	ROCHSHP421	396	ROMCGSHP961	390
ROCCGSHHP961	395	ROCGHSHHP301	397	ROCHSHP481	396	ROMDHMTF130RB	465
ROCGHCDHP301	406	ROCGHSHHP361	397	ROCHSHP541	396	ROMDHMTF130RL	465
ROCGHCDHP361	406	ROCGHSHHP421	397	ROCHSHP601	396	ROMDHMTF130RN	465
ROCGHCDHP421	406	ROCGHSHHP481	397	ROCHSHP661	396	ROMDHMTF130RR	466
ROCGHCDHP481	406	ROCGHSHHP541	397	ROCHSHP721	396	ROMDHMTF136RB	465

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROMDHMTF136RL	465	ROMDHWTF160RN	467	ROMCHDHP841	401	ROMHCSHP661	391
ROMDHMTF136RN	465	ROMDHWTF160RR	468	ROMCHDHP901	401	ROMHCSHP721	391
ROMDHMTF136RR	466	ROMDHWTF166RB	467	ROMCHDHP961	401	ROMHCSHP781	391
ROMDHMTF142RB	465	ROMDHWTF166RL	467	ROMCHODHP601	404	ROMHCSHP841	391
ROMDHMTF142RL	465	ROMDHWTF166RN	467	ROMCHODHP661	404	ROMHCSHP901	391
ROMDHMTF142RN	465	ROMDHWTF166RR	468	ROMCHODHP721	404	ROMHCSHP961	391
ROMDHMTF142RR	466	ROMDHWTF172RB	467	ROMCHODHP781	404	ROMHDHP301	400
ROMDHMTF148RB	465	ROMDHWTF172RL	467	ROMCHODHP841	404	ROMHDHP361	400
ROMDHMTF148RL	465	ROMDHWTF172RN	467	ROMCHODHP901	404	ROMHDHP421	400
ROMDHMTF148RN	465	ROMDHWTF172RR	468	ROMCHODHP961	404	ROMHDHP481	400
ROMDHMTF148RR	466	ROMDHWTF178RB	467	ROMCHOCSDHP601	394	ROMHDHP541	400
ROMDHMTF154RB	465	ROMDHWTF178RL	467	ROMCHOCSDHP661	394	ROMHDHP601	400
ROMDHMTF154RL	465	ROMDHWTF178RN	467	ROMCHOCSDHP721	394	ROMHDHP661	400
ROMDHMTF154RN	465	ROMDHWTF178RR	468	ROMCHOCSDHP781	394	ROMHDHP721	400
ROMDHMTF154RR	466	ROMDHWTF184RB	467	ROMCHOCSDHP841	394	ROMHDHP781	400
ROMDHMTF160RB	465	ROMDHWTF184RL	467	ROMCHOCSDHP901	394	ROMHDHP841	400
ROMDHMTF160RL	465	ROMDHWTF184RN	467	ROMCHOCSDHP961	394	ROMHDHP901	400
ROMDHMTF160RN	465	ROMDHWTF184RR	468	ROMCHODHP601	404	ROMHDHP961	400
ROMDHMTF160RR	466	ROMDHWTF190RB	467	ROMCHODHP661	404	ROMHOCSDHP601	403
ROMDHMTF166RB	465	ROMDHWTF190RL	467	ROMCHODHP721	404	ROMHOCSDHP661	403
ROMDHMTF166RL	465	ROMDHWTF190RN	467	ROMCHODHP781	404	ROMHOCSDHP721	403
ROMDHMTF166RN	465	ROMDHWTF190RR	468	ROMCHODHP841	404	ROMHOCSDHP781	403
ROMDHMTF166RR	466	ROMDHWTF196RB	467	ROMCHODHP901	404	ROMHOCSDHP841	403
ROMDHMTF172RB	465	ROMDHWTF196RL	467	ROMCHODHP961	404	ROMHOCSDHP901	403
ROMDHMTF172RL	465	ROMDHWTF196RN	467	ROMGHOSHHP601	394	ROMHOCSDHP961	403
ROMDHMTF172RN	465	ROMDHWTF196RR	468	ROMGHOSHHP661	394	ROMHOCSDHP601	393
ROMDHMTF172RR	466	ROMF30S0()	372	ROMGHOSHHP721	394	ROMHOCSDHP661	393
ROMDHMTF178RB	465	ROMF36S0()	372	ROMGHOSHHP781	394	ROMHOCSDHP721	393
ROMDHMTF178RL	465	ROMF42S0()	372	ROMGHOSHHP841	394	ROMHOCSDHP781	393
ROMDHMTF178RN	465	ROMF48S0()	372	ROMGHOSHHP901	394	ROMHOCSDHP841	393
ROMDHMTF178RR	466	ROMF60S0()	372	ROMGHOSHHP961	394	ROMHOCSDHP901	393
ROMDHMTF184RB	465	ROMF72S0()	372	ROMCHSHP301	392	ROMHOCSDHP961	393
ROMDHMTF184RL	465	ROMGHCDHP301	401	ROMGHSHP361	392	ROMHSHP301	391
ROMDHMTF184RN	465	ROMGHCDHP361	401	ROMGHSHP421	392	ROMHSHP361	391
ROMDHMTF184RR	466	ROMGHCDHP421	401	ROMGHSHP481	392	ROMHSHP421	391
ROMDHMTF190RB	465	ROMGHCDHP481	401	ROMGHSHP541	392	ROMHSHP481	391
ROMDHMTF190RL	465	ROMGHCDHP541	401	ROMGHSHP601	392	ROMHSHP541	391
ROMDHMTF190RN	465	ROMGHCDHP601	401	ROMGHSHP661	392	ROMHSHP601	391
ROMDHMTF190RR	466	ROMGHCDHP661	401	ROMGHSHP721	392	ROMHSHP661	391
ROMDHMTF196RB	465	ROMGHCDHP721	401	ROMGHSHP781	392	ROMHSHP721	391
ROMDHMTF196RL	465	ROMGHCDHP781	401	ROMGHSHP841	392	ROMHSHP781	391
ROMDHMTF196RN	465	ROMGHCDHP841	401	ROMGHSHP901	392	ROMHSHP841	391
ROMDHMTF196RR	466	ROMGHCDHP901	401	ROMGHSHP961	392	ROMHSHP901	391
ROMDHWTF130RB	467	ROMGHCDHP961	401	ROMH30S0()	372	ROMHSHP961	391
ROMDHWTF130RL	467	ROMGHCSHP301	392	ROMH36S0()	372	ROMO30S0()	372
ROMDHWTF130RN	467	ROMGHCSHP361	392	ROMH60S0()	372	ROMO36S0()	372
ROMDHWTF130RR	468	ROMGHCSHP421	392	ROMH72S0()	372	ROMO42S0()	372
ROMDHWTF136RB	467	ROMGHCSHP481	392	ROMHCDHP301	400	ROMO48S0()	372
ROMDHWTF136RL	467	ROMGHCSHP541	392	ROMHCDHP361	400	ROMO60S0()	372
ROMDHWTF136RN	467	ROMGHCSHP601	392	ROMHCDHP421	400	ROMO72S0()	372
ROMDHWTF136RR	468	ROMGHCSHP661	392	ROMHCDHP481	400	ROMOCDHP301	402
ROMDHWTF142RB	467	ROMGHCSHP721	392	ROMHCDHP541	400	ROMOCDHP361	402
ROMDHWTF142RL	467	ROMGHCSHP781	392	ROMHCDHP601	400	ROMOCDHP421	402
ROMDHWTF142RN	467	ROMGHCSHP841	392	ROMHCDHP661	400	ROMOCDHP481	402
ROMDHWTF142RR	468	ROMGHCSHP901	392	ROMHCDHP721	400	ROMOCDHP541	402
ROMDHWTF148RB	467	ROMGHCSHP961	392	ROMHCDHP781	400	ROMOCDHP601	402
ROMDHWTF148RL	467	ROMGHDHP301	401	ROMHCDHP841	400	ROMOCDHP661	402
ROMDHWTF148RN	467	ROMGHDHP361	401	ROMHCDHP901	400	ROMOCDHP721	402
ROMDHWTF148RR	468	ROMGHDHP421	401	ROMHCDHP961	400	ROMOCDHP781	402
ROMDHWTF154RB	467	ROMGHDHP481	401	ROMHCSHP301	391	ROMOCDHP841	402
ROMDHWTF154RL	467	ROMGHDHP541	401	ROMHCSHP361	391	ROMOCDHP901	402
ROMDHWTF154RN	467	ROMGHDHP601	401	ROMHCSHP421	391	ROMOCDHP961	402
ROMDHWTF154RR	468	ROMGHDHP661	401	ROMHCSHP481	391	ROMOCSHP301	390
ROMDHWTF160RB	467	ROMGHDHP721	401	ROMHCSHP541	391	ROMOCSHP361	390
ROMDHWTF160RL	467	ROMGHDHP781	401	ROMHCSHP601	391	ROMOCSHP421	390

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROMOCSHP431	390	ROWH72T0DH	382	RP163M	287, 288	RP362K	283, 285
ROMOCSHP541	390	ROWH72T0()	375	RP191J	284, 286	RP362L	287, 288
ROMOCSHP601	390	ROWH72T1DH	382	RP191K	284, 286	RP362M	287, 288
ROMOCSHP661	390	ROWH72T1()	375	RP191R	292, 293	RP362R	292, 293
ROMOCSHP721	390	ROWH90S0DH	382	RP192J	284, 286	RP362S	292, 293
ROMOCSHP781	390	ROWH90S0()	375	RP192K	284, 286	RP362T	292, 293
ROMOCSHP841	390	ROWH90S1DH	382	RP192R	292, 293	RPAB16	282
ROMOCSHP901	390	ROWH90S1()	375	RP193J	284, 286	RPAB19	282
ROMOCSHP961	390	ROWH90T0DH	382	RP193K	284, 286	RPAB30	282
ROPF30S0J	374	ROWH90T0()	375	RP211J	271, 274	RPAB36	282
ROPF36S0J	374	ROWH90T1DH	382	RP211K	271, 274	RPAD	456
ROPF42S0J	374	ROWH90T1()	375	RP211L(L/R)	277, 279	RPADSS	462
ROPF48S0J	374	ROWH96S0DH	382	RP211M	277, 279	RPAHFB16	462
ROPF60S0J	374	ROWH96S0()	375	RP212J	271, 274	RPAHFB30	462
ROPF72S0J	374	ROWH96S1DH	382	RP212K	271, 274	RPAHFB36	462
ROPF84S0J	374	ROWH96S1()	375	RP212L(L/R)	277, 279	RPAHFM162	463
ROPF96S0J	374	ROWH96T0DH	382	RP212M	277, 279	RPAHFM30	463
ROPH30S0()	373	ROWH96T0()	375	RP213J	271, 274	RPAHFM36	463
ROPH36S0()	373	ROWH96T1DH	382	RP213K	271, 274	RPAPT	463
ROPH60S0()	373	ROWH96T1()	375	RP213L(L/R)	277, 279	RPB211J	272, 275
ROPH60T0()	373	ROWO60S0DH	381	RP213M	277, 279	RPB211K	272, 275
ROPH72S0()	373	ROWO60S0()	375	RP221J	273, 276	RPB211L(L/R)	278, 280
ROPH72T0()	373	ROWO60S1DH	381	RP221K	273, 276	RPB211M	278, 280
ROPH90S0()	373	ROWO60S1()	375	RP222J	273, 276	RPB212J	272, 275
ROPH90T0()	373	ROWO60T0DH	381	RP222K	273, 276	RPB212K	272, 275
ROPH96S0()	373	ROWO60T0()	375	RP223J	273, 276	RPB212L(L/R)	278, 280
ROPH96T0()	373	ROWO60T1DH	381	RP223K	273, 276	RPB212M	278, 280
ROPO30S0()	373	ROWO60T1()	375	RP231K	271, 274	RPB213J	272, 275
ROPO36S0()	373	ROWO72S0DH	381	RP231L	277, 279	RPB213K	272, 275
ROPO42S0()	373	ROWO72S0()	375	RP231M	277, 279	RPB213L(L/R)	278, 280
ROPO48S0()	373	ROWO72S1DH	381	RP232K	271, 274	RPB213M	278, 280
ROPO60S0()	373	ROWO72S1()	375	RP232L	277, 279	RPB231K	272, 275
ROPO60T0()	373	ROWO72T0DH	381	RP232M	277, 279	RPB231L	278, 280
ROPO72S0()	373	ROWO72T0()	375	RP261K	271, 274	RPB231M	278, 280
ROPO72T0()	373	ROWO72T1DH	381	RP261L	277, 279	RPB232K	272, 275
ROPO90S0()	373	ROWO72T1()	375	RP261M	277, 279	RPB232L	278, 280
ROPO90T0()	373	ROWO90S0DH	381	RP262K	271, 274	RPB232M	278, 280
ROPO96S0()	373	ROWO90S0()	375	RP262L	277, 279	RPB261K	272, 275
ROPO96T0()	373	ROWO90S1DH	381	RP262M	277, 279	RPB261L	278, 280
ROPS30S0NN	374	ROWO90S1()	375	RP301A	295	RPB261M	278, 280
ROPS36S0NN	374	ROWO90T0DH	381	RP301E(L/R)	296	RPB262K	272, 275
ROPS42S0NN	374	ROWO90T0()	375	RP301K	283, 285	RPB262L	278, 280
ROPS48S0NN	374	ROWO90T1DH	381	RP301L	287, 288	RPB262M	278, 280
ROPS54S0NN	374	ROWO90T1()	375	RP301M	287, 288	RPCB16	297
ROPS60S0NN	374	ROWO96S0DH	381	RP301R	292, 293	RPCB19	297
ROPS66S0NN	374	ROWO96S0()	375	RP301S	292, 293	RPCB30	297
ROPS72S0NN	374	ROWO96S1DH	381	RP301T	292, 293	RPCB36	297
ROPS78S0NN	374	ROWO96S1()	375	RP302A	295	RPCG	461
ROPS84S0NN	374	ROWO96T0DH	381	RP302E(L/R)	296	RPCST	461
ROPS90S0NN	374	ROWO96T0()	375	RP302K	283, 285	RPD11	463
ROPS96S0NN	374	ROWO96T1DH	381	RP302L	287, 288	RPD14	463
ROSDH821	409	ROWO96T1()	375	RP302M	287, 288	RPDH301A	289
ROSSH681	409	RP161J	283, 285	RP302R	292, 293	RPDH301E(L/R)	290
ROWH60S0DH	382	RP161K	283, 285	RP302S	292, 293	RPDH302A	289
ROWH60S0()	375	RP161L(L/R)	287, 288	RP302T	292, 293	RPDH302E(L/R)	290
ROWH60S1DH	382	RP161M	287, 288	RP361A	295	RPDH361A	289
ROWH60S1()	375	RP161R	292, 293	RP361E(L/R)	296	RPDH361E(L/R)	290
ROWH60T0DH	382	RP162J	283, 285	RP361K	283, 285	RPDH362A	289
ROWH60T0()	375	RP162K	283, 285	RP361L	287, 288	RPDH362E(L/R)	290
ROWH60T1DH	382	RP162L(L/R)	287, 288	RP361M	287, 288	RPDHB16	288
ROWH60T1()	375	RP162M	287, 288	RP361R	292, 293	RPDHB19	288
ROWH72S0DH	382	RP162R	292, 293	RP361S	292, 293	RPDHB30	288
ROWH72S0()	375	RP163J	283, 285	RP361T	292, 293	RPDHB36	288
ROWH72S1DH	382	RP163K	283, 285	RP362A	295	RPDHBFB6	297
ROWH72S1()	375	RP163L(L/R)	287, 288	RP362E(L/R)	296	RPDHC42MF	297

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPDHC48MF	297	RPTDCFM9630	231	RPTDEST(L/R)7220	225	RPTDLPC(L/R)8424	207
RPDHC54MF	297	RPTDEFM(L/R)3620	226	RPTDEST(L/R)7224	225	RPTDLPC(L/R)8430	207
RPDHC60MF	297	RPTDEFM(L/R)3624	226	RPTDEST(L/R)7230	225	RPTDLPC(L/R)8436	207
RPDHC66MF	297	RPTDEFM(L/R)3630	227	RPTDEST(L/R)7236	225	RPTDLST(L/R)6020	208
RPDHC72MF	297	RPTDEFM(L/R)3636	227	RPTDEST(L/R)7820	225	RPTDLST(L/R)6024	208
RPDHC78MF	297	RPTDEFM(L/R)4220	226	RPTDEST(L/R)7824	225	RPTDLST(L/R)6030	208
RPDHC84MF	297	RPTDEFM(L/R)4224	226	RPTDEST(L/R)7830	225	RPTDLST(L/R)6036	208
RPDHC90MF	297	RPTDEFM(L/R)4230	227	RPTDEST(L/R)7836	225	RPTDLST(L/R)6620	208
RPDHC96MF	297	RPTDEFM(L/R)4236	227	RPTDEST(L/R)8420	225	RPTDLST(L/R)6624	208
RPDHH301A	289	RPTDEFM(L/R)4820	226	RPTDEST(L/R)8424	225	RPTDLST(L/R)6630	208
RPDHH302A	289	RPTDEFM(L/R)4824	226	RPTDEST(L/R)8430	225	RPTDLST(L/R)6636	208
RPDHH361A	289	RPTDEFM(L/R)4830	227	RPTDEST(L/R)8436	225	RPTDLST(L/R)7220	208
RPDHH362A	289	RPTDEFM(L/R)4836	227	RPTDLFM(L/R)3620	209	RPTDLST(L/R)7224	208
RPECC10	556	RPTDEFM(L/R)5420	226	RPTDLFM(L/R)3624	209	RPTDLST(L/R)7230	208
RPEDK1	555	RPTDEFM(L/R)5424	226	RPTDLFM(L/R)3630	210	RPTDLST(L/R)7236	208
RPEDK2	555	RPTDEFM(L/R)5430	227	RPTDLFM(L/R)3636	210	RPTDLST(L/R)7820	208
RPEHC	555	RPTDEFM(L/R)5436	227	RPTDLFM(L/R)4220	209	RPTDLST(L/R)7824	208
RPEJ12	555	RPTDEFM(L/R)6020	226	RPTDLFM(L/R)4224	209	RPTDLST(L/R)7830	208
RPEJ24	555	RPTDEFM(L/R)6024	226	RPTDLFM(L/R)4230	210	RPTDLST(L/R)7836	208
RPEJ36	555	RPTDEFM(L/R)6030	227	RPTDLFM(L/R)4236	210	RPTDLST(L/R)8420	208
RPEJ48	555	RPTDEFM(L/R)6036	227	RPTDLFM(L/R)4820	209	RPTDLST(L/R)8424	208
RPEJ60	555	RPTDEFM(L/R)6620	226	RPTDLFM(L/R)4824	209	RPTDLST(L/R)8430	208
RPEJ72	555	RPTDEFM(L/R)6624	226	RPTDLFM(L/R)4830	210	RPTDLST(L/R)8436	208
RPEJ84	555	RPTDEFM(L/R)6630	227	RPTDLFM(L/R)4836	210	RPTDOFM(L/R)3620	221
RPEJ96	555	RPTDEFM(L/R)6636	227	RPTDLFM(L/R)5420	209	RPTDOFM(L/R)3624	221
RPEPE10	555	RPTDEFM(L/R)7220	226	RPTDLFM(L/R)5424	209	RPTDOFM(L/R)3630	221
RPEPE5	555	RPTDEFM(L/R)7224	226	RPTDLFM(L/R)5430	210	RPTDOFM(L/R)3636	221
RPER2RC	556	RPTDEFM(L/R)7230	227	RPTDLFM(L/R)5436	210	RPTDOFM(L/R)4220	221
RPETAD	463	RPTDEFM(L/R)7236	227	RPTDLFM(L/R)6020	209	RPTDOFM(L/R)4224	221
RPETRAYS3C	463	RPTDEFM(L/R)7820	226	RPTDLFM(L/R)6024	209	RPTDOFM(L/R)4230	221
RPETRAYS3N	463	RPTDEFM(L/R)7824	226	RPTDLFM(L/R)6030	210	RPTDOFM(L/R)4236	221
RPFC6	297	RPTDEFM(L/R)7830	227	RPTDLFM(L/R)6036	210	RPTDOFM(L/R)4820	221
RPH301A	294	RPTDEFM(L/R)7836	227	RPTDLFM(L/R)6620	209	RPTDOFM(L/R)4824	221
RPH302A	294	RPTDEFM(L/R)8420	226	RPTDLFM(L/R)6624	209	RPTDOFM(L/R)4830	221
RPH361A	294	RPTDEFM(L/R)8424	226	RPTDLFM(L/R)6630	210	RPTDOFM(L/R)4836	221
RPH362A	294	RPTDEFM(L/R)8430	227	RPTDLFM(L/R)6636	210	RPTDOFM(L/R)5420	221
RPHCHH	462	RPTDEFM(L/R)8436	227	RPTDLFM(L/R)7220	209	RPTDOFM(L/R)5424	221
RPHCHT	462	RPTDEPC(L/R)6020	224	RPTDLFM(L/R)7224	209	RPTDOFM(L/R)5430	221
RPHL3442(F/T)	114	RPTDEPC(L/R)6024	224	RPTDLFM(L/R)7230	210	RPTDOFM(L/R)5436	221
RPHL3449(F/T)	114	RPTDEPC(L/R)6030	224	RPTDLFM(L/R)7236	210	RPTDOFM(L/R)6020	221
RPHL3464(F/T)	114	RPTDEPC(L/R)6036	224	RPTDLFM(L/R)7820	209	RPTDOFM(L/R)6024	221
RPHL3479(F/T)	114	RPTDEPC(L/R)6620	224	RPTDLFM(L/R)7824	209	RPTDOFM(L/R)6030	221
RPHL4249(F/T)	114	RPTDEPC(L/R)6624	224	RPTDLFM(L/R)7830	210	RPTDOFM(L/R)6036	221
RPHL4249S	114	RPTDEPC(L/R)6630	224	RPTDLFM(L/R)7836	210	RPTDOFM(L/R)6620	221
RPHL4264(F/T)	114	RPTDEPC(L/R)6636	224	RPTDLFM(L/R)8420	209	RPTDOFM(L/R)6624	221
RPHL4264S	114	RPTDEPC(L/R)7220	224	RPTDLFM(L/R)8424	209	RPTDOFM(L/R)6630	221
RPHL4279(F/T)	114	RPTDEPC(L/R)7224	224	RPTDLFM(L/R)8430	210	RPTDOFM(L/R)6636	222
RPHL4279S	114	RPTDEPC(L/R)7230	224	RPTDLFM(L/R)8436	210	RPTDOFM(L/R)7220	221
RPHL4964(F/T)	114	RPTDEPC(L/R)7236	224	RPTDLPC(L/R)6020	207	RPTDOFM(L/R)7224	221
RPHL4964S	114	RPTDEPC(L/R)7820	224	RPTDLPC(L/R)6024	207	RPTDOFM(L/R)7230	221
RPHL4979(F/T)	114	RPTDEPC(L/R)7824	224	RPTDLPC(L/R)6030	207	RPTDOFM(L/R)7236	222
RPHL4979S	114	RPTDEPC(L/R)7830	224	RPTDLPC(L/R)6036	207	RPTDOFM(L/R)7820	221
RPHL6479(F/T)	114	RPTDEPC(L/R)7836	224	RPTDLPC(L/R)6620	207	RPTDOFM(L/R)7824	221
RPHL6479S	114	RPTDEPC(L/R)8420	224	RPTDLPC(L/R)6624	207	RPTDOFM(L/R)7830	221
RPHTB3024	462	RPTDEPC(L/R)8424	224	RPTDLPC(L/R)6630	207	RPTDOFM(L/R)7836	222
RPHTB4224	462	RPTDEPC(L/R)8430	224	RPTDLPC(L/R)6636	207	RPTDOFM(L/R)8420	221
RPHTB3024	462	RPTDEPC(L/R)8436	224	RPTDLPC(L/R)7220	207	RPTDOFM(L/R)8424	221
RPHWB4224	462	RPTDEST(L/R)6020	225	RPTDLPC(L/R)7224	207	RPTDOFM(L/R)8430	221
RPL1	258	RPTDEST(L/R)6024	225	RPTDLPC(L/R)7230	207	RPTDOFM(L/R)8436	222
RPL2	262	RPTDEST(L/R)6030	225	RPTDLPC(L/R)7236	207	RPTDOPC(L/R)6020	219
RPRL1	258	RPTDEST(L/R)6036	225	RPTDLPC(L/R)7820	207	RPTDOPC(L/R)6024	219
RPRL2	262	RPTDEST(L/R)6620	225	RPTDLPC(L/R)7824	207	RPTDOPC(L/R)6030	219
RPS1	258	RPTDEST(L/R)6624	225	RPTDLPC(L/R)7830	207	RPTDOPC(L/R)6036	219
RPS2	262	RPTDEST(L/R)6630	225	RPTDLPC(L/R)7836	207	RPTDOPC(L/R)6620	219
RPTDCFM8430	231	RPTDEST(L/R)6636	225	RPTDLPC(L/R)8420	207	RPTDOPC(L/R)6624	219

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPTDOPC(L/R)6630	219	RPTDRFM(L/R)7836	214	RPTDSFM(L/R)6620	217	RR3CHI242	130
RPTDOPC(L/R)6636	219	RPTDRFM(L/R)8420	213	RPTDSFM(L/R)6624	217	RR3CHI301	130
RPTDOPC(L/R)7220	219	RPTDRFM(L/R)8424	213	RPTDSFM(L/R)6630	217	RR3CHI302	130
RPTDOPC(L/R)7224	219	RPTDRFM(L/R)8430	214	RPTDSFM(L/R)6636	218	RR3CHI361	130
RPTDOPC(L/R)7230	219	RPTDRFM(L/R)8436	214	RPTDSFM(L/R)7220	217	RR3CHI362	130
RPTDOPC(L/R)7236	219	RPTDRPC(L/R)6020	211	RPTDSFM(L/R)7224	217	RR3CHI421	130
RPTDOPC(L/R)7820	219	RPTDRPC(L/R)6024	211	RPTDSFM(L/R)7230	217	RR3CHI422	130
RPTDOPC(L/R)7824	219	RPTDRPC(L/R)6030	211	RPTDSFM(L/R)7236	218	RR3CHI481	130
RPTDOPC(L/R)7830	219	RPTDRPC(L/R)6036	211	RPTDSFM(L/R)7820	217	RR3CHI482	130
RPTDOPC(L/R)7836	219	RPTDRPC(L/R)6620	211	RPTDSFM(L/R)7824	217	RR3-DA	126, 128
RPTDOPC(L/R)8420	219	RPTDRPC(L/R)6624	211	RPTDSFM(L/R)7830	217	RR3-DATSHD	126, 128
RPTDOPC(L/R)8424	219	RPTDRPC(L/R)6630	211	RPTDSFM(L/R)7836	218	RR3-DB	126, 128
RPTDOPC(L/R)8430	219	RPTDRPC(L/R)6636	211	RPTDSFM(L/R)8420	217	RR3-DC	128
RPTDOPC(L/R)8436	219	RPTDRPC(L/R)7220	211	RPTDSFM(L/R)8424	217	RR3-DICON	133
RPTDOST(L/R)6020	220	RPTDRPC(L/R)7224	211	RPTDSFM(L/R)8430	217	RR3-DX	126, 128
RPTDOST(L/R)6024	220	RPTDRPC(L/R)7230	211	RPTDSFM(L/R)8436	218	RR3-DXO	126, 128
RPTDOST(L/R)6030	220	RPTDRPC(L/R)7236	211	RPTDSPC(L/R)6020	215	RR3-DY	126, 128
RPTDOST(L/R)6036	220	RPTDRPC(L/R)7820	211	RPTDSPC(L/R)6024	215	RR3-DYO	126, 128
RPTDOST(L/R)6620	220	RPTDRPC(L/R)7824	211	RPTDSPC(L/R)6030	215	RR3-DZ	128
RPTDOST(L/R)6624	220	RPTDRPC(L/R)7830	211	RPTDSPC(L/R)6036	215	RR3-DZO	128
RPTDOST(L/R)6630	220	RPTDRPC(L/R)7836	211	RPTDSPC(L/R)6620	215	RR3-E24	126
RPTDOST(L/R)6636	220	RPTDRPC(L/R)8420	211	RPTDSPC(L/R)6624	215	RR3-E24S	131
RPTDOST(L/R)7220	220	RPTDRPC(L/R)8424	211	RPTDSPC(L/R)6630	215	RR3-E30NS	126
RPTDOST(L/R)7224	220	RPTDRPC(L/R)8430	211	RPTDSPC(L/R)6636	215	RR3-E30S	131
RPTDOST(L/R)7230	220	RPTDRPC(L/R)8436	211	RPTDSPC(L/R)7220	215	RR3-E36NS	126
RPTDOST(L/R)7236	220	RPTDRST(L/R)6020	212	RPTDSPC(L/R)7224	215	RR3-E36S	131
RPTDOST(L/R)7820	220	RPTDRST(L/R)6024	212	RPTDSPC(L/R)7230	215	RR3-E42NS	126
RPTDOST(L/R)7824	220	RPTDRST(L/R)6030	212	RPTDSPC(L/R)7236	215	RR3-E42S	131
RPTDOST(L/R)7830	220	RPTDRST(L/R)6036	212	RPTDSPC(L/R)7820	215	RR3-E48NS	126
RPTDOST(L/R)7836	220	RPTDRST(L/R)6620	212	RPTDSPC(L/R)7824	215	RR3-E48S	131
RPTDOST(L/R)8420	220	RPTDRST(L/R)6624	212	RPTDSPC(L/R)7830	215	RR3-E60-4	126
RPTDOST(L/R)8424	220	RPTDRST(L/R)6630	212	RPTDSPC(L/R)7836	215	RR3-E66-4	126
RPTDOST(L/R)8430	220	RPTDRST(L/R)6636	212	RPTDSPC(L/R)8420	215	RR3-E72-4	126
RPTDOST(L/R)8436	220	RPTDRST(L/R)7220	212	RPTDSPC(L/R)8424	215	RR3-EBBCL	131
RPTDRFM(L/R)3620	213	RPTDRST(L/R)7224	212	RPTDSPC(L/R)8430	215	RR3-EBBCS	131
RPTDRFM(L/R)3624	213	RPTDRST(L/R)7230	212	RPTDSPC(L/R)8436	215	RR3EBVC50	135
RPTDRFM(L/R)3630	214	RPTDRST(L/R)7236	212	RPTDSST(L/R)6020	216	RR3EBVC62	135
RPTDRFM(L/R)3636	214	RPTDRST(L/R)7820	212	RPTDSST(L/R)6024	216	RR3EBVC64	135
RPTDRFM(L/R)4220	213	RPTDRST(L/R)7824	212	RPTDSST(L/R)6030	216	RR3EBVC76	135
RPTDRFM(L/R)4224	213	RPTDRST(L/R)7830	212	RPTDSST(L/R)6036	216	RR3EBVC78	135
RPTDRFM(L/R)4230	214	RPTDRST(L/R)7836	212	RPTDSST(L/R)6620	216	RR3EBVC90	135
RPTDRFM(L/R)4236	214	RPTDRST(L/R)8420	212	RPTDSST(L/R)6624	216	RR3-EJ18	127
RPTDRFM(L/R)4820	213	RPTDRST(L/R)8424	212	RPTDSST(L/R)6630	216	RR3-EJ18P	127
RPTDRFM(L/R)4824	213	RPTDRST(L/R)8430	212	RPTDSST(L/R)6636	216	RR3-EJ20	127
RPTDRFM(L/R)4830	214	RPTDRST(L/R)8436	212	RPTDSST(L/R)7220	216	RR3-EJ20P	127
RPTDRFM(L/R)4836	214	RPTDSFM(L/R)3620	217	RPTDSST(L/R)7224	216	RR3-EJ24	127
RPTDRFM(L/R)5420	213	RPTDSFM(L/R)3624	217	RPTDSST(L/R)7230	216	RR3-EJ24P	127
RPTDRFM(L/R)5424	213	RPTDSFM(L/R)3630	217	RPTDSST(L/R)7236	216	RR3-EJ30	127
RPTDRFM(L/R)5430	214	RPTDSFM(L/R)3636	217	RPTDSST(L/R)7820	216	RR3-EJ30P	127
RPTDRFM(L/R)5436	214	RPTDSFM(L/R)4220	217	RPTDSST(L/R)7824	216	RR3-EJ36	127
RPTDRFM(L/R)6020	213	RPTDSFM(L/R)4224	217	RPTDSST(L/R)7830	216	RR3-EJ36P	127
RPTDRFM(L/R)6024	213	RPTDSFM(L/R)4230	217	RPTDSST(L/R)7836	216	RR3-EJ42	127
RPTDRFM(L/R)6030	214	RPTDSFM(L/R)4236	217	RPTDSST(L/R)8420	216	RR3-EJ42P	127
RPTDRFM(L/R)6036	214	RPTDSFM(L/R)4820	217	RPTDSST(L/R)8424	216	RR3-EJ48	127
RPTDRFM(L/R)6620	213	RPTDSFM(L/R)4824	217	RPTDSST(L/R)8430	216	RR3EJ48	132
RPTDRFM(L/R)6624	213	RPTDSFM(L/R)4830	217	RPTDSST(L/R)8436	216	RR3-EJ48P	127
RPTDRFM(L/R)6630	214	RPTDSFM(L/R)4836	217	RR3-2PF	133	RR3-EJ54P	127
RPTDRFM(L/R)6636	214	RPTDSFM(L/R)5420	217	RR3-3PF	133	RR3-EJ60P	127
RPTDRFM(L/R)7220	213	RPTDSFM(L/R)5424	217	RR3-BNC	133	RR3EJ60P	132
RPTDRFM(L/R)7224	213	RPTDSFM(L/R)5430	217	RR3-C3C	133	RR3-EJ66P	127
RPTDRFM(L/R)7230	214	RPTDSFM(L/R)5436	217	RR3-C5C	133	RR3EJ66P	132
RPTDRFM(L/R)7236	214	RPTDSFM(L/R)6020	217	RR3-C5C4A	133	RR3-EJ72P	127
RPTDRFM(L/R)7820	213	RPTDSFM(L/R)6024	217	RR3-C5C4B	133	RR3EJ72P	132
RPTDRFM(L/R)7824	213	RPTDSFM(L/R)6030	217	RR3-C6C	133	RR3-EJ78P	127
RPTDRFM(L/R)7830	214	RPTDSFM(L/R)6036	217	RR3CHI241	130	RR3-EJ84P	127

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-EJ90P	127	RR3-TJ42	129	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	168	RRLCO2060	300
RR3-EJ96P	127	RR3-TJ42P	129	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	168	RRLCO2072	300
RR3-EPC	126	RR3-TJ48	129	RRA(A/B/C/D/E/F/G)14448-(1/2/3)	168	RRLCO2090	300
RR3-EPC24	126	RR3TJ48	132	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	168	RRLCSGD20108	301
RR3-EPCP	126	RR3-TJ48P	129	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	168	RRLCSGD2090	301
RR3-EPCP24	126	RR3-TJ54P	129	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	168	RRLCSGDL2060	301
RR3-EPCPS	126	RR3-TJ60P	129	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	168	RRLCSGDL2072	301
RR3-EPCS	126	RR3TJ60P	132	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	168	RRLCSGDR2060	301
RR3-EPI	127	RR3-TJ66P	129	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	168	RRLCSGDR2072	301
RR3-EPNY1	127	RR3TJ66P	132	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	168	RRLCSWD20108	302
RR3-EPNY2	127	RR3-TJ72P	129	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	168	RRLCSWD2090	302
RR3-EPVR	113, 127	RR3TJ72P	132	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	168	RRLCSWDL2060	302
RR3EVJ	136	RR3-TJ78P	129	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	168	RRLCSWDL2072	302
RR3EVJ110	136	RR3-TJ84P	129	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	168	RRLCSWDR2060	302
RR3EVJ82	136	RR3-TJ90P	129	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	168	RRLCSWDR2072	302
RR3EVJ96	136	RR3-TJ96P	129	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	168	RRMC3010	525
RR3-FB	133	RR3-TPC	128	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	168	RRMC3610	525
RR3FDP	135	RR3-TPC24	128	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	168	RRMC6010	525
RR3-FE	133	RR3-TPCP	128	RRA(A/B/C/D/E/F/G)9636-(1/2/3)	168	RRMC7210	525
RR3-FOSC	133	RR3-TPCP24	128	RRA(A/B/C/D/E/F/G)9642-(1/2/3)	168	RRML108	425
RR3-FOST	133	RR3-TPCPS	128	RRAW12036-(1/2/3)	187	RRML60	425
RR3-FV	133	RR3-TPCS	128	RRAW12042-(1/2/3)	187	RRML72	425
RR3-LTPC	131	RR3-TPI	129	RRAW14442-(1/2/3)	187	RRML90	425
RR3-LTPC24	131	RR3-TPNY1	129	RRAW16842-(1/2/3)	187	RROC2GSD108	418
RR3-LTPCP	131	RR3-TPNY2	129	RRAW19242-(1/2/3)	187	RROC2GSD90	418
RR3-MICON	133	RR3-TPVR	113, 129	RRAW3636-(1/2/3)	187	RROC2WSD108	419
RR3MP4	457	RR3TVJ	136	RRAW4242-(1/2/3)	187	RROC2WSD90	419
RR3MP6	457	RR3TVJ110	136	RRAW6060-(1/2/3)	187	RROCGSD108GB	418
RR3PICON	133	RR3TVJ82	136	RRAW7230-(1/2/3)	187	RROCGSD90GB	418
RR3-REPI	127	RR3TVJ96	136	RRAW7236-(1/2/3)	187	RROCGSDL60GB	418
RR3-RTPI	129	RR3VDA	135	RRAW7272-(1/2/3)	187	RROCGSDL72GB	418
RR3-SP-(A, B, C, X, Y, Z)	129	RR3VDB	135	RRAW8430-(1/2/3)	187	RROCGSDR60GB	418
RR3-SP-(A,B,X,Y)	127	RR3VDC	135	RRAW8436-(1/2/3)	187	RROCGSDR72GB	418
RR3-ST	133	RR3VDX	135	RRAW8442-(1/2/3)	187	RROCOS108GB	420
RR3-T24	128	RR3VDXO	135	RRAW9630-(1/2/3)	187	RROCOS60GB	420
RR3-T24S	131	RR3VDY	135	RRAW9636-(1/2/3)	187	RROCOS72GB	420
RR3-T30NS	128	RR3VDYO	135	RRAW9642-(1/2/3)	187	RROCOS90GB	420
RR3-T30S	131	RR3VDZ	135	RRBRD2712	457	RROCWSD108GB	419
RR3-T36NS	128	RR3VDZO	135	RRD3FTCPPL(L/R)7936	116	RROCWSD90GB	419
RR3-T36S	131	RR3VPBK	135	RRD3FTCPPL(L/R)7942	116	RROCWSDL60GB	419
RR3-T42NS	128	RRA12036	151	RRD3PPL(L/R)7936	116	RROCWSDL72GB	419
RR3-T42S	131	RRA12042	151	RRD3PPL(L/R)7942	116	RROCWSDR60GB	419
RR3-T48NS	128	RRA12048	151	RRDPPL(L/R)6436	116	RROCWSDR72GB	419
RR3-T48S	131	RRA14442	151	RRDPPL(L/R)6442	116	RROM2GSD108	422
RR3-T60-4	128	RRA14448	151	RRDTH	116	RROM2GSD90	422
RR3-T66-4	128	RRA16842	151	RRDTH(L/R)	116	RROM2WSD108	424
RR3-T72-4	128	RRA16848	151	RREP3624(A,B,W)	443, 444, 445	RROM2WSD90	424
RR3-TBBCL	131	RRA19242	151	RREP3630(A,B,W)	443, 444, 445	RROMGSD108GB	422
RR3-TBBCS	131	RRA19248	151	RREP4224(A,B,W)	443, 444, 445	RROMGSD108GN	421
RR3TBVC50	135	RRA3636	151	RREP4230(A,B,W)	443, 444, 445	RROMGSD60GL	421
RR3TBVC62	135	RRA4242	151	RREP4824(A,B,W)	443, 444, 445	RROMGSD60GR	421
RR3TBVC64	135	RRA4848	151	RREP4830(A,B,W)	443, 444, 445	RROMGSD72CL	421
RR3TBVC76	135	RRA6060	151	RREP5424(A,B,W)	443, 444, 445	RROMGSD72GR	421
RR3TBVC78	135	RRA7230	151	RREP5430(A,B,W)	443, 444, 445	RROMGSD90GB	422
RR3TBVC90	135	RRA7236	151	RREP6024(A,B,W)	443, 444, 445	RROMGSD90GN	421
RR3-TJ18	129	RRA7272	151	RREP6030(A,B,W)	443, 444, 445	RROMGSDL60GB	422
RR3-TJ18P	129	RRA8430	151	RRLCFDC20108	299	RROMGSDL72GB	422
RR3-TJ20	129	RRA8436	151	RRLCFDC2090	299	RROMGSDR60GB	422
RR3-TJ20P	129	RRA8442	151	RRLCFDC20108	299	RROMGSDR72GB	422
RR3-TJ24	129	RRA9630	151	RRLCFDC2090	299	RROMOS108GB	426
RR3-TJ24P	129	RRA9636	151	RRLCFDC2060	299	RROMOS108GN	426
RR3-TJ30	129	RRA9642	151	RRLCFDC2072	299	RROMOS60GB	426
RR3-TJ30P	129	RRA9648	151	RRLCFDCR2060	299	RROMOS60GL	426
RR3-TJ36	129	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	168	RRLCFDCR2072	299	RROMOS60GR	426
RR3-TJ36P	129	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	168	RRLCO20108	300	RROMOS72GB	426

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RRMOS72GL	426	RSA721	137	RSA(A/B/C/D/E/F/G)B422	158	RSAMP1616	457
RRMOS72GR	426	RSA722	137	RSA(A/B/C/D/E/F/G)B481	158	RSAR361(H/V)	388
RRMOS90GB	426	RSA723	138	RSA(A/B/C/D/E/F/G)B482	158	RSAR362(H/V)	388
RRMOS90GN	426	RSA724	138	RSA(A/B/C/D/E/F/G)F241	154	RSAR421(H/V)	388
RRMOSD108GB	423	RSA781	137	RSA(A/B/C/D/E/F/G)F242	154	RSAR422(H/V)	388
RRMOSD108GN	423	RSA782	137	RSA(A/B/C/D/E/F/G)F243	155	RSAR481(H/V)	388
RRMOSD60GL	423	RSA783	138	RSA(A/B/C/D/E/F/G)F301	154	RSAR482(H/V)	388
RRMOSD60GR	423	RSA841	137	RSA(A/B/C/D/E/F/G)F302	154	RSAR541(H/V)	388
RRMOSD72GL	423	RSA842	137	RSA(A/B/C/D/E/F/G)F303	155	RSAR542(H/V)	388
RRMOSD72GR	423	RSA843	138	RSA(A/B/C/D/E/F/G)F361	154	RSAR601(H/V)	388
RRMOSD90GB	423	RSA901	137	RSA(A/B/C/D/E/F/G)F362	154	RSAR602(H/V)	388
RRMOSD90GN	423	RSA902	137	RSA(A/B/C/D/E/F/G)F363	155	RSAR661(H/V)	388
RRMOSDL60GB	424	RSA903	138	RSA(A/B/C/D/E/F/G)F421	154	RSAR662(H/V)	388
RRMOSDL72GB	424	RSA961	137	RSA(A/B/C/D/E/F/G)F422	154	RSAR721(H/V)	388
RRMOSDR60GB	424	RSA962	137	RSA(A/B/C/D/E/F/G)F423	155	RSAR722(H/V)	388
RRMOSDR72GB	424	RSA963	138	RSA(A/B/C/D/E/F/G)F481	154	RSAWA241	171
RRSP3624K(A,B,W)	443, 444, 445	RSA(A/B/C/D/E/F/G)A241	156	RSA(A/B/C/D/E/F/G)F482	154	RSAWA242	171
RRSP3630K(A,B,W)	443, 444, 445	RSA(A/B/C/D/E/F/G)A242	156	RSA(A/B/C/D/E/F/G)F483	155	RSAWA243	172
RRSP4224K(A,B,W)	443, 444, 445	RSA(A/B/C/D/E/F/G)A243	157	RSA(A/B/C/D/E/F/G)F541	154	RSAWA301	171
RRSP4230K(A,B,W)	443, 444, 445	RSA(A/B/C/D/E/F/G)A301	156	RSA(A/B/C/D/E/F/G)F542	154	RSAWA302	171
RRSP4824K(A,B,W)	443, 444, 445	RSA(A/B/C/D/E/F/G)A302	156	RSA(A/B/C/D/E/F/G)F543	155	RSAWA303	172
RRSP4830K(A,B,W)	443, 444, 445	RSA(A/B/C/D/E/F/G)A303	157	RSA(A/B/C/D/E/F/G)F601	154	RSAWA361	171
RRSP5424K(A,B,W)	443, 444, 445	RSA(A/B/C/D/E/F/G)A361	156	RSA(A/B/C/D/E/F/G)F602	154	RSAWA362	171
RRSP5430K(A,B,W)	443, 444, 445	RSA(A/B/C/D/E/F/G)A362	156	RSA(A/B/C/D/E/F/G)F603	155	RSAWA363	172
RRSP6024K(A,B,W)	443, 444, 445	RSA(A/B/C/D/E/F/G)A363	157	RSA(A/B/C/D/E/F/G)F604	155	RSAWA421	171
RRSP6030K(A,B,W)	443, 444, 445	RSA(A/B/C/D/E/F/G)A421	156	RSA(A/B/C/D/E/F/G)F661	154	RSAWA422	171
RS1-N30	413	RSA(A/B/C/D/E/F/G)A422	156	RSA(A/B/C/D/E/F/G)F662	154	RSAWA423	172
RS1-N36	413	RSA(A/B/C/D/E/F/G)A423	157	RSA(A/B/C/D/E/F/G)F663	155	RSAWA481	171
RS1-N42	413	RSA(A/B/C/D/E/F/G)A481	156	RSA(A/B/C/D/E/F/G)F664	155	RSAWA482	171
RS1-N48	413	RSA(A/B/C/D/E/F/G)A482	156	RSA(A/B/C/D/E/F/G)F721	154	RSAWA483	172
RS1-N60	413	RSA(A/B/C/D/E/F/G)A483	157	RSA(A/B/C/D/E/F/G)F722	154	RSAWA541	171
RS1-RPB	415	RSA(A/B/C/D/E/F/G)A541	156	RSA(A/B/C/D/E/F/G)F723	155	RSAWA542	171
RS1-VP	413	RSA(A/B/C/D/E/F/G)A542	156	RSA(A/B/C/D/E/F/G)F724	155	RSAWA543	172
RS1-WMF24	416	RSA(A/B/C/D/E/F/G)A543	157	RSA(A/B/C/D/E/F/G)F781	154	RSAWA601	171
RS1-WMF30	416	RSA(A/B/C/D/E/F/G)A601	156	RSA(A/B/C/D/E/F/G)F782	154	RSAWA602	171
RS1-WMF36	416	RSA(A/B/C/D/E/F/G)A602	156	RSA(A/B/C/D/E/F/G)F783	155	RSAWA603	172
RS1-WMF42	416	RSA(A/B/C/D/E/F/G)A603	157	RSA(A/B/C/D/E/F/G)F841	154	RSAWA604	172
RS1-WMF48	416	RSA(A/B/C/D/E/F/G)A604	157	RSA(A/B/C/D/E/F/G)F842	154	RSAWA661	171
RS1-WMF60	416	RSA(A/B/C/D/E/F/G)A661	156	RSA(A/B/C/D/E/F/G)F843	155	RSAWA662	171
RSA241	137	RSA(A/B/C/D/E/F/G)A662	156	RSA(A/B/C/D/E/F/G)F901	154	RSAWA663	172
RSA242	137	RSA(A/B/C/D/E/F/G)A663	157	RSA(A/B/C/D/E/F/G)F902	154	RSAWA664	172
RSA243	138	RSA(A/B/C/D/E/F/G)A664	157	RSA(A/B/C/D/E/F/G)F903	155	RSAWA721	171
RSA301	137	RSA(A/B/C/D/E/F/G)A721	156	RSA(A/B/C/D/E/F/G)F961	154	RSAWA722	171
RSA302	137	RSA(A/B/C/D/E/F/G)A722	156	RSA(A/B/C/D/E/F/G)F962	154	RSAWA723	172
RSA303	138	RSA(A/B/C/D/E/F/G)A723	157	RSA(A/B/C/D/E/F/G)F963	155	RSAWA724	172
RSA361	137	RSA(A/B/C/D/E/F/G)A724	157	RSA(A/B/C/D/E/F/G)J241	158	RSAWA781	171
RSA362	137	RSA(A/B/C/D/E/F/G)A781	156	RSA(A/B/C/D/E/F/G)J242	158	RSAWA782	171
RSA363	138	RSA(A/B/C/D/E/F/G)A782	156	RSA(A/B/C/D/E/F/G)J301	158	RSAWA783	172
RSA421	137	RSA(A/B/C/D/E/F/G)A783	157	RSA(A/B/C/D/E/F/G)J302	158	RSAWA841	171
RSA422	137	RSA(A/B/C/D/E/F/G)A841	156	RSA(A/B/C/D/E/F/G)J361	158	RSAWA842	171
RSA423	138	RSA(A/B/C/D/E/F/G)A842	156	RSA(A/B/C/D/E/F/G)J362	158	RSAWA843	172
RSA481	137	RSA(A/B/C/D/E/F/G)A843	157	RSA(A/B/C/D/E/F/G)J421	158	RSAWA901	171
RSA482	137	RSA(A/B/C/D/E/F/G)A901	156	RSA(A/B/C/D/E/F/G)J422	158	RSAWA902	171
RSA483	138	RSA(A/B/C/D/E/F/G)A902	156	RSA(A/B/C/D/E/F/G)J481	158	RSAWA903	172
RSA541	137	RSA(A/B/C/D/E/F/G)A903	157	RSA(A/B/C/D/E/F/G)J482	158	RSAWA961	171
RSA542	137	RSA(A/B/C/D/E/F/G)A961	156	RSA(A/B/C/D/E/F/G)R241	159	RSAWA962	171
RSA543	138	RSA(A/B/C/D/E/F/G)A962	156	RSA(A/B/C/D/E/F/G)R242	159	RSAWA963	172
RSA601	137	RSA(A/B/C/D/E/F/G)A963	157	RSA(A/B/C/D/E/F/G)R301	159	RSAWB241	173
RSA602	137	RSA(A/B/C/D/E/F/G)B241	158	RSA(A/B/C/D/E/F/G)R302	159	RSAWB242	173
RSA603	138	RSA(A/B/C/D/E/F/G)B242	158	RSA(A/B/C/D/E/F/G)R361	159	RSAWB243	174
RSA604	138	RSA(A/B/C/D/E/F/G)B301	158	RSA(A/B/C/D/E/F/G)R362	159	RSAWB301	173
RSA661	137	RSA(A/B/C/D/E/F/G)B302	158	RSA(A/B/C/D/E/F/G)R421	159	RSAWB302	173
RSA662	137	RSA(A/B/C/D/E/F/G)B361	158	RSA(A/B/C/D/E/F/G)R422	159	RSAWB303	174
RSA663	138	RSA(A/B/C/D/E/F/G)B362	158	RSA(A/B/C/D/E/F/G)R481	159	RSAWB361	173
RSA664	138	RSA(A/B/C/D/E/F/G)B421	158	RSA(A/B/C/D/E/F/G)R482	159	RSAWB362	173

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWB363	174	RSAWF782	169	RSAWR481	177	RSD542	194
RSAWB421	173	RSAWF783	170	RSAWR482	177	RSD543	195
RSAWB422	173	RSAWF841	169	RSAWR483	178	RSD601	194
RSAWB423	174	RSAWF842	169	RSAWR541	177	RSD602	194
RSAWB481	173	RSAWF843	170	RSAWR542	177	RSD603	195
RSAWB482	173	RSAWF901	169	RSAWR543	178	RSD604	195
RSAWB483	174	RSAWF902	169	RSAWR601	177	RSD661	194
RSAWB541	173	RSAWF903	170	RSAWR602	177	RSD662	194
RSAWB542	173	RSAWF961	169	RSAWR603	178	RSD663	195
RSAWB543	174	RSAWF962	169	RSAWR604	178	RSD664	195
RSAWB601	173	RSAWF963	170	RSAWR661	177	RSD721	194
RSAWB602	173	RSAWL241	175	RSAWR662	177	RSD722	194
RSAWB603	174	RSAWL242	175	RSAWR663	178	RSD723	195
RSAWB604	174	RSAWL243	176	RSAWR664	178	RSD724	195
RSAWB661	173	RSAWL301	175	RSAWR721	177	RSD781	194
RSAWB662	173	RSAWL302	175	RSAWR722	177	RSD782	194
RSAWB663	174	RSAWL303	176	RSAWR723	178	RSD783	195
RSAWB664	174	RSAWL361	175	RSAWR724	178	RSD841	194
RSAWB721	173	RSAWL362	175	RSAWR781	177	RSD842	194
RSAWB722	173	RSAWL363	176	RSAWR782	177	RSD843	195
RSAWB723	174	RSAWL421	175	RSAWR783	178	RSD901	194
RSAWB724	174	RSAWL422	175	RSAWR841	177	RSD902	194
RSAWB781	173	RSAWL423	176	RSAWR842	177	RSD903	195
RSAWB782	173	RSAWL481	175	RSAWR843	178	RSD961	194
RSAWB783	174	RSAWL482	175	RSAWR901	177	RSD962	194
RSAWB841	173	RSAWL483	176	RSAWR902	177	RSD963	195
RSAWB842	173	RSAWL541	175	RSAWR903	178	RSDHC	261
RSAWB843	174	RSAWL542	175	RSAWR961	177	RSDHC3	263
RSAWB901	173	RSAWL543	176	RSAWR962	177	RSDHC4	261
RSAWB902	173	RSAWL601	175	RSAWR963	178	RSDHD1428	263, 264
RSAWB903	174	RSAWL602	175	RSBWH20	250	RSDHD1828	263, 264
RSAWB961	173	RSAWL603	176	RSBWH24	250	RSDHD2028	263, 264
RSAWB962	173	RSAWL604	176	RSBWH30	250	RSDHD2428	263, 264
RSAWB963	174	RSAWL661	175	RSBWH36	250	RSDHD3028	263, 264
RSAWF241	169	RSAWL662	175	RSBWH42	250	RSDHL12	264
RSAWF242	169	RSAWL663	176	RSBWH48	250	RSDHL15	264
RSAWF243	170	RSAWL664	176	RSC	257	RSDHL20	264
RSAWF301	169	RSAWL721	175	RSC4	257	RSDHL24	264
RSAWF302	169	RSAWL722	175	RSD1021	194	RSDHL30	264
RSAWF303	170	RSAWL723	176	RSD1022	194	RSDHL36	264
RSAWF361	169	RSAWL724	176	RSD1023	195	RSDHL42	264
RSAWF362	169	RSAWL781	175	RSD1081	194	RSDHL48	264
RSAWF363	170	RSAWL782	175	RSD1082	194	RSDHT1	264
RSAWF421	169	RSAWL783	176	RSD1083	195	RSDHT2	264
RSAWF422	169	RSAWL841	175	RSD1427	259, 260	RSDHT3	264
RSAWF423	170	RSAWL842	175	RSD1827	259, 260	RSDHT4	264
RSAWF481	169	RSAWL843	176	RSD2027	259, 260	RSDHT5	264
RSAWF482	169	RSAWL901	175	RSD241	194	RSDHT6	264
RSAWF483	170	RSAWL902	175	RSD242	194	RSDR30	469
RSAWF541	169	RSAWL903	176	RSD2427	259, 260	RSDR36	469
RSAWF542	169	RSAWL961	175	RSD243	195	RSDR361(H/V)	388
RSAWF543	170	RSAWL962	175	RSD301	194	RSDR362(H/V)	388
RSAWF601	169	RSAWL963	176	RSD302	194	RSDR42	469
RSAWF602	169	RSAWR241	177	RSD3027	259, 260	RSDR421(H/V)	388
RSAWF603	170	RSAWR242	177	RSD303	195	RSDR422(H/V)	388
RSAWF604	170	RSAWR243	178	RSD361	194	RSDR48	469
RSAWF661	169	RSAWR301	177	RSD362	194	RSDR481(H/V)	388
RSAWF662	169	RSAWR302	177	RSD363	195	RSDR482(H/V)	388
RSAWF663	170	RSAWR303	178	RSD421	194	RSDR54	469
RSAWF664	170	RSAWR361	177	RSD422	194	RSDR541(H/V)	388
RSAWF721	169	RSAWR362	177	RSD423	195	RSDR542(H/V)	388
RSAWF722	169	RSAWR363	178	RSD481	194	RSDR60	469
RSAWF723	170	RSAWR421	177	RSD482	194	RSDR601(H/V)	388
RSAWF724	170	RSAWR422	177	RSD483	195	RSDR602(H/V)	388
RSAWF781	169	RSAWR423	178	RSD541	194	RSDR66	469

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSDR661(H/V)	388	RSTDCFM(L/R)8430	230	RSWAD1572	102	RTA7272	152
RSDR662(H/V)	388	RSTDCFM(L/R)8436	230	RSWAD1584	102	RTA8430	152
RSDR72	469	RSTDCPC(L/R)6030	228	RSWAD1596	102	RTA8436	152
RSDR721(H/V)	388	RSTDCPC(L/R)6036	228	RSWAD2260	102	RTA8442	152
RSDR722(H/V)	388	RSTDCPC(L/R)6630	228	RSWAD2272	102	RTA9630	152
RSDR78	469	RSTDCPC(L/R)6636	228	RSWAD2284	102	RTA9636	152
RSDR84	469	RSTDCPC(L/R)7230	228	RSWAD2296	102	RTA9642	152
RSDR90	469	RSTDCPC(L/R)7236	228	RSWB15 30	101	RTA9648	152
RSDR96	469	RSTDCPC(L/R)7830	228	RSWB15 36	101	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	167
RSE1(L/R)	253	RSTDCPC(L/R)7836	228	RSWB15 42	101	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	167
RSE2(L/R)	253	RSTDCPC(L/R)8430	228	RSWB15 48	101	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	167
RSE3(L/R)	253	RSTDCPC(L/R)8436	228	RSWC30 18	101	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	167
RSE4(L/R)	253	RSTDCST(L/R)6030	229	RSWC30 20	101	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	167
RSE5(L/R)	253	RSTDCST(L/R)6036	229	RSWC30 24	101	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	167
RSE6(L/R)	253	RSTDCST(L/R)6630	229	RSWC30 30	101	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	167
RSEDH1(L/R)	255	RSTDCST(L/R)6636	229	RSWC30 36	101	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	167
RSEDH2(L/R)	255	RSTDCST(L/R)7230	229	RSWC30 42	101	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	167
RSEDH3(L/R)	255	RSTDCST(L/R)7236	229	RSWC30 48	101	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	167
RSEDH4(L/R)	255	RSTDCST(L/R)7830	229	RSWVA601	379	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	167
RSEDH5(L/R)	255	RSTDCST(L/R)7836	229	RSWVA602	379	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	167
RSEDH6(L/R)	255	RSTDCST(L/R)8430	229	RSWVA721	379	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	167
RSL12	260	RSTDCST(L/R)8436	229	RSWVA722	379	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	167
RSL15	260	RSTRLE361	246	RSWVA901	379	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	167
RSL20	260	RSTRLE362	246	RSWVA902	379	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	167
RSL24	260	RSTRLE421	246	RSWVA961	379	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	167
RSL30	260	RSTRLE422	246	RSWVA962	379	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	167
RSL36	260	RSTRSE361	248	RSWVA(A/B/C/D/E/F/G)601	379	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	167
RSL42	260	RSTRSE362	248	RSWVA(A/B/C/D/E/F/G)602	379	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	167
RSL48	260	RSTRSE421	248	RSWVA(A/B/C/D/E/F/G)721	379	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	167
RSNTT18(A/B/C/E)	110	RSTRSE422	248	RSWVA(A/B/C/D/E/F/G)722	379	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	167
RSNTT20(A/B/C/E)	110	RSTRWE361	247	RSWVA(A/B/C/D/E/F/G)901	379	RTAT5E19S	417
RSNTT24(A/B/C/E)	110	RSTRWE362	247	RSWVA(A/B/C/D/E/F/G)902	379	RTAT5E25A	417
RSNTT30(A/B/C/E)	110	RSTRWE421	247	RSWVA(A/B/C/D/E/F/G)961	379	RTAT5E25S	417
RSNTT33(A/B/C/E) (66" wide panels one only)	110	RSTRWE422	247	RSWVA(A/B/C/D/E/F/G)962	379	RTAT5E37A	417
RSNTT36(A/B/C/E)	110	RSTSLE361	246	RSWVAWF601	379	RTAT5E37S	417
RSNTT42(A/B/C/E)	110	RSTSLE362	246	RSWVAWF602	379	RTAT5E49A	417
RSNTT48(A/B/C/E)	110	RSTSLE421	246	RSWVAWF721	379	RTAT5E49S	417
RSPABPD	115	RSTSLE422	246	RSWVAWF722	379	RTAT5E61A	417
RSPABPP	115	RSTSSE361	248	RSWVAWF901	379	RTAT5E61S	417
RSPABPT	115	RSTSSE362	248	RSWVAWF902	379	RTAW12036-(1/2/3)	186
RSPABPW	115	RSTSSE421	248	RSWVAWF961	379	RTAW12042-(1/2/3)	186
RSPABTD	115	RSTSWE361	247	RSWVAWF962	379	RTAW14442-(1/2/3)	186
RSPABTT	115	RSTSWE362	247	RSWVB601	380	RTAW16842-(1/2/3)	186
RSPABTW	115	RSTSWE421	247	RSWVB602	380	RTAW19242-(1/2/3)	186
RSPABWD	115	RSTSWE422	247	RSWVB721	380	RTAW3636-(1/2/3)	186
RSPABWW	115	RSTTLE30481	246	RSWVB722	380	RTAW4242-(1/2/3)	186
RST	461	RSTTLE30482	246	RSWVB901	380	RTAW6060-(1/2/3)	186
RST1	260	RSTTLE36541	246	RSWVB902	380	RTAW7230-(1/2/3)	186
RST2	260	RSTTLE36542	246	RSWVB961	380	RTAW7236-(1/2/3)	186
RST3	260	RSTTSE30481	248	RSWVB962	380	RTAW7272-(1/2/3)	186
RST4	260	RSTTSE30482	248	RTA12036	152	RTAW8430-(1/2/3)	186
RST5	260	RSTTSE36541	248	RTA12042	152	RTAW8436-(1/2/3)	186
RST6	260	RSTTSE36542	248	RTA12048	152	RTAW8442-(1/2/3)	186
RSTDCFM(L/R)4830	230	RSTTWE30481	247	RTA14442	152	RTAW9630-(1/2/3)	186
RSTDCFM(L/R)4836	230	RSTTWE30482	247	RTA14448	152	RTAW9636-(1/2/3)	186
RSTDCFM(L/R)5430	230	RSTTWE36541	247	RTA16842	152	RTAW9642-(1/2/3)	186
RSTDCFM(L/R)5436	230	RSTTWE36542	247	RTA16848	152	RTLL193W	470
RSTDCFM(L/R)6030	230	RSWA15 18	101	RTA19242	152	RTLL196W	470
RSTDCFM(L/R)6036	230	RSWA15 20	101	RTA19248	152	RTLL199W	470
RSTDCFM(L/R)6630	230	RSWA15 24	101	RTA3636	152	RTLL3712W	470
RSTDCFM(L/R)6636	230	RSWA15 30	101	RTA4242	152	RTLL3718W	470
RSTDCFM(L/R)7230	230	RSWA15 36	101	RTA4848	152	RTLL376W	470
RSTDCFM(L/R)7236	230	RSWA15 42	101	RTA6060	152	RTLT5E19S	470
RSTDCFM(L/R)7830	230	RSWA15 48	101	RTA7230	152	RTLT5E25A	470
RSTDCFM(L/R)7836	230	RSWAD1560	102	RTA7236	152	RTLT5E25S	470

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RRTL5E37A	470	RTPNM66H4	492, 493	RTPRS54H1	479, 480, 481	RTRDOF60302	236
RRTL5E37S	470	RTPNM66H5	497, 498	RTPRS54H2	484, 485, 486	RTRDOF60361	235
RRTL5E49A	470	RTPNM66H6	502	RTPRS54H3	489, 490, 491	RTRDOF60362	236
RRTL5E49S	470	RTPNM72H1	477, 478	RTPRS54H4	494, 495, 496	RTRDOF66241	235
RRTL5E61A	470	RTPNM72H2	482, 483	RTPRS54H5	499, 500, 501	RTRDOF66242	236
RRTL5E61S	470	RTPNM72H3	487, 488	RTPRS54H6	504, 505, 506	RTRDOF66301	235
RRTL5E73A	470	RTPNM72H4	492, 493	RTPRS54H7	508, 510	RTRDOF66302	236
RRTL5E73S	470	RTPNM72H5	497, 498	RTPRS54H8	512, 514	RTRDOF66361	235
RRTL5E85A	470	RTPNM72H6	502	RTPRS60H1	479, 480, 481	RTRDOF66362	236
RRTL5E85S	470	RTPNM78H1	477, 478	RTPRS60H2	484, 485, 486	RTRDOF72241	235
RTNDC361	245	RTPNM78H2	482, 483	RTPRS60H3	489, 490, 491	RTRDOF72242	236
RTNDC362	245	RTPNM78H3	487, 488	RTPRS60H4	494, 495, 496	RTRDOF72301	235
RTNDC421	245	RTPNM78H4	492, 493	RTPRS60H5	499, 500, 501	RTRDOF72302	236
RTNDC422	245	RTPNM78H5	497, 498	RTPRS60H6	504, 505, 506	RTRDOF72361	235
RTNDC481	245	RTPNM78H6	502	RTPRS60H7	508, 510	RTRDOF72362	236
RTNDC482	245	RTPNM84H1	477, 478	RTPRS60H8	512, 514	RTRDOF78241	235
RTOP1	457	RTPNM84H2	482, 483	RTPRS66H1	479, 480, 481	RTRDOF78242	236
RTOP2	457	RTPNM84H3	487, 488	RTPRS66H2	484, 485, 486	RTRDOF78301	235
RTPNM30H1	477, 478	RTPNM84H4	492, 493	RTPRS66H3	489, 490, 491	RTRDOF78302	236
RTPNM30H2	482, 483	RTPNM84H5	497, 498	RTPRS66H4	494, 495, 496	RTRDOF78361	235
RTPNM30H3	487, 488	RTPNM84H6	502	RTPRS66H5	499, 500, 501	RTRDOF78362	236
RTPNM30H4	492, 493	RTPNM90H1	477, 478	RTPRS66H6	504, 505, 506	RTRDOF84241	235
RTPNM30H5	497, 498	RTPNM90H2	482, 483	RTPRS66H8	512	RTRDOF84242	236
RTPNM30H6	502, 503	RTPNM90H3	487, 488	RTPRS72H1	479, 480, 481	RTRDOF84301	235
RTPNM30H7	507	RTPNM90H4	492, 493	RTPRS72H2	484, 485, 486	RTRDOF84302	236
RTPNM30H8	511	RTPNM90H5	497, 498	RTPRS72H3	489, 490, 491	RTRDOF84361	235
RTPNM36H1	477, 478	RTPNM90H6	502	RTPRS72H4	494, 495, 496	RTRDOF84362	236
RTPNM36H2	482, 483	RTPNM96H1	477, 478	RTPRS72H5	499, 500, 501	RTRDRL48301	240
RTPNM36H3	487, 488	RTPNM96H2	482, 483	RTPRS72H6	504, 506	RTRDRL48302	240
RTPNM36H4	492, 493	RTPNM96H3	487, 488	RTPRS72H8	512	RTRDRL60301	240
RTPNM36H5	497, 498	RTPNM96H4	492, 493	RTPRS78H1	481	RTRDRL60302	240
RTPNM36H6	502, 503	RTPNM96H5	497, 498	RTPRS78H2	486	RTRDRL72301	240
RTPNM36H7	507	RTPNM96H6	502	RTPRS78H3	491	RTRDRL72302	240
RTPNM36H8	511	RTPRS30H1	479, 480, 481	RTPRS78H4	496	RTRDRL72361	240
RTPNM42H1	477, 478	RTPRS30H2	484, 485, 486	RTPRS78H5	501	RTRDRL72362	240
RTPNM42H2	482, 483	RTPRS30H3	489, 490, 491	RTPRS78H6	506	RTRDS48301	241
RTPNM42H3	487, 488	RTPRS30H4	494, 495, 496	RTPRS84H1	481	RTRDS48302	241
RTPNM42H4	492, 493	RTPRS30H5	499, 500, 501	RTPRS84H2	486	RTRDS60301	241
RTPNM42H5	497, 498	RTPRS30H6	504, 505, 506	RTPRS84H3	491	RTRDS60302	241
RTPNM42H6	502, 503	RTPRS30H7	508, 509, 510	RTPRS84H4	496	RTRDS72301	241
RTPNM42H7	507	RTPRS30H8	512, 513, 514	RTPRS84H5	501	RTRDS72302	241
RTPNM42H8	511	RTPRS36H1	479, 480, 481	RTPRS84H6	506	RTRDS72361	241
RTPNM48H1	477, 478	RTPRS36H2	484, 485, 486	RTPRS90H1	481	RTRDS72362	241
RTPNM48H2	482, 483	RTPRS36H3	489, 490, 491	RTPRS90H2	486	RTSDL42421	242
RTPNM48H3	487, 488	RTPRS36H4	494, 495, 496	RTPRS90H3	491	RTSDL42422	242
RTPNM48H4	492, 493	RTPRS36H5	499, 500, 501	RTPRS90H4	496	RTSDL48481	242
RTPNM48H5	497, 498	RTPRS36H6	504, 505, 506	RTPRS90H5	501	RTSDL48482	242
RTPNM48H6	502, 503	RTPRS36H7	508, 509, 510	RTPRS90H6	506	RTSDRL42421	243
RTPNM48H7	507	RTPRS36H8	512, 513, 514	RTPRS96H1	481	RTSDRL42422	243
RTPNM48H8	511	RTPRS42H1	479, 480, 481	RTPRS96H2	486	RTSDRL48481	243
RTPNM54H1	477, 478	RTPRS42H2	484, 485, 486	RTPRS96H3	491	RTSDRL48482	243
RTPNM54H2	482, 483	RTPRS42H3	489, 490, 491	RTPRS96H4	496	RTSDS42421	244
RTPNM54H3	487, 488	RTPRS42H4	494, 495, 496	RTPRS96H5	501	RTSDS42422	244
RTPNM54H4	492, 493	RTPRS42H5	499, 500, 501	RTPRS96H6	506	RTSDS48481	244
RTPNM54H5	497, 498	RTPRS42H6	504, 505, 506	RTRDL48301	239	RTSDS48482	244
RTPNM54H6	502	RTPRS42H7	508, 509, 510	RTRDL48302	239	RTSF14	464
RTPNM60H1	477, 478	RTPRS42H8	512, 513, 514	RTRDL60301	239	RTSF28	464
RTPNM60H2	482, 483	RTPRS48H1	479, 480, 481	RTRDL60302	239	RTST14	463
RTPNM60H3	487, 488	RTPRS48H2	484, 485, 486	RTRDL72301	239	RTTA24()	427
RTPNM60H4	492, 493	RTPRS48H3	489, 490, 491	RTRDL72302	239	RTTA30()	427
RTPNM60H5	497, 498	RTPRS48H4	494, 495, 496	RTRDL72361	239	RTTA36()	427
RTPNM60H6	502	RTPRS48H5	499, 500, 501	RTRDL72362	239	RTTA42()	427
RTPNM66H1	477, 478	RTPRS48H6	504, 505, 506	RTRDOF60241	235	RRTA48()	427
RTPNM66H2	482, 483	RTPRS48H7	508, 509, 510	RTRDOF60242	236	RTTA54()	427
RTPNM66H3	487, 488	RTPRS48H8	512, 513, 514	RTRDOF60301	235	RTTA60()	427

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTTA66()	427	RWA(A/B/C/D/E/F/G)F7232	162	RWEB7220(L/R)	376	RWHDHTB84H5	519
RTTA72()	427	RWAWF4212	179	RWEB7224(L/R)	376	RWHDHTB90H1	515
RTTAWF24()	427	RWAWF4221	179	RWEB7520(L/R)	383	RWHDHTB90H2	516
RTTAWF30()	427	RWAWF4223	179	RWEB7524(L/R)	383	RWHDHTB90H3	517
RTTAWF36()	427	RWAWF4232	179	RWEC7220(L/R)	376	RWHDHTB90H4	518
RTTAWF42()	427	RWAWF4812	179	RWEC7224(L/R)	376	RWHDHTB90H5	519
RTTAWF48()	427	RWAWF4821	179	RWEC7520(L/R)	383	RWHDHTB96H1	515
RTTAWF54()	427	RWAWF4823	179	RWEC7524(L/R)	383	RWHDHTB96H2	516
RTTAWF60()	427	RWAWF4832	179	RWED7220(L/R)	376	RWHDHTB96H3	517
RTTAWF66()	427	RWAWF5412	179	RWED7224(L/R)	376	RWHDHTB96H4	518
RTTAWF72()	427	RWAWF5421	179	RWED7520(L/R)	383	RWHDHTB96H5	519
RUMC3010	525	RWAWF5423	179	RWED7524(L/R)	383	RWHRA	457
RUMC3610	525	RWAWF5432	179	RWHDHTB3026	462	RWHRB	457
RUMC6010	526	RWAWF6012	179	RWHDHTB30H1	515	RWHRC	457
RUMC7210	526	RWAWF6021	179	RWHDHTB30H2	516	RWHRD	457
RUTB	251	RWAWF6023	179	RWHDHTB30H3	517	RWHRE	457
RWA3623	141	RWAWF6032	179	RWHDHTB30H4	518	RWHRF	457
RWA3632	141	RWAWF6612	179	RWHDHTB30H5	519	RWHRC	457
RWA4212	141	RWAWF6621	179	RWHDHTB3626	462	RWHTB3024	462
RWA4221	141	RWAWF6623	179	RWHDHTB36H1	515	RWHTB3624	462
RWA4223	141	RWAWF6632	179	RWHDHTB36H2	516	RWHTB4224	462
RWA4232	141	RWAWF7212	179	RWHDHTB36H3	517	RWHTB4824	462
RWA4812	141	RWAWF7221	179	RWHDHTB36H4	518	RW MCT24	459
RWA4821	141	RWAWF7223	179	RWHDHTB36H5	519	RW MMP24	458
RWA4823	141	RWAWF7232	179	RWHDHTB4226	462	RW MMP30	458
RWA4832	141	RWEA3613	142	RWHDHTB42H1	515	RW MMP36	458
RWA5412	141	RWEA3626	142	RWHDHTB42H2	516	RW MPB	458
RWA5421	141	RWEA3631	142	RWHDHTB42H3	517	RW MV24	458
RWA5423	141	RWEA3662	142	RWHDHTB42H4	518	RW MVH24	458
RWA5432	141	RWEA4213	142	RWHDHTB42H5	519	RW MVH30	458
RWA6012	141	RWEA4226	142	RWHDHTB4826	462	RW MVH36	458
RWA6021	141	RWEA4231	142	RWHDHTB48H1	515	RW MVP24	458
RWA6023	141	RWEA4262	142	RWHDHTB48H2	516	RW MWT24	458
RWA6032	141	RWEA4813	142	RWHDHTB48H3	517	RW MWT30	458
RWA6612	141	RWEA4826	142	RWHDHTB48H4	518	RW MWT36	458
RWA6621	141	RWEA4831	142	RWHDHTB48H5	519	YPSB2024	523
RWA6623	141	RWEA4862	142	RWHDHTB54H1	515	YPSB2024F	521
RWA6632	141	RWEA7220(L/R)	376	RWHDHTB54H2	516	YPSB2027	523
RWA7212	141	RWEA7224(L/R)	376	RWHDHTB54H3	517	YPSB2027F	521
RWA7221	141	RWEA7520(L/R)	383	RWHDHTB54H4	518	YPSB2030	523
RWA7223	141	RWEA7524(L/R)	383	RWHDHTB54H5	519	YPSB2030F	521
RWA7232	141	RWEA(A/B/C/D/E/F/G)F3613	163	RWHDHTB60H1	515	YPSB2036	523
RWA(A/B/C/D/E/F/G)F4212	162	RWEA(A/B/C/D/E/F/G)F3626	163	RWHDHTB60H2	516	YPSB2036F	521
RWA(A/B/C/D/E/F/G)F4221	162	RWEA(A/B/C/D/E/F/G)F3631	162	RWHDHTB60H3	517	YPSB2042	523
RWA(A/B/C/D/E/F/G)F4223	162	RWEA(A/B/C/D/E/F/G)F3662	163	RWHDHTB60H4	518	YPSB2042F	521
RWA(A/B/C/D/E/F/G)F4232	162	RWEA(A/B/C/D/E/F/G)F4213	163	RWHDHTB60H5	519	YPSB2048	523
RWA(A/B/C/D/E/F/G)F4812	162	RWEA(A/B/C/D/E/F/G)F4226	163	RWHDHTB66H1	515	YPSB2048F	521
RWA(A/B/C/D/E/F/G)F4821	162	RWEA(A/B/C/D/E/F/G)F4231	162	RWHDHTB66H2	516	YPSB2054	523
RWA(A/B/C/D/E/F/G)F4823	162	RWEA(A/B/C/D/E/F/G)F4262	163	RWHDHTB66H3	517	YPSB2054F	521
RWA(A/B/C/D/E/F/G)F4832	162	RWEA(A/B/C/D/E/F/G)F4813	163	RWHDHTB66H4	518	YPSB2060	523
RWA(A/B/C/D/E/F/G)F5412	162	RWEA(A/B/C/D/E/F/G)F4826	163	RWHDHTB66H5	519	YPSB2060F	521
RWA(A/B/C/D/E/F/G)F5421	162	RWEA(A/B/C/D/E/F/G)F4831	162	RWHDHTB72H1	515	YPSB2066	523
RWA(A/B/C/D/E/F/G)F5423	162	RWEA(A/B/C/D/E/F/G)F4862	163	RWHDHTB72H2	516	YPSB2066FRR	521
RWA(A/B/C/D/E/F/G)F5432	162	RWEAWF3613	180	RWHDHTB72H3	517	YPSB2072	523
RWA(A/B/C/D/E/F/G)F6012	162	RWEAWF3626	180	RWHDHTB72H4	518	YPSB2072FRR	521
RWA(A/B/C/D/E/F/G)F6021	162	RWEAWF3631	179	RWHDHTB72H5	519	YPSB2624	524
RWA(A/B/C/D/E/F/G)F6023	162	RWEAWF3662	180	RWHDHTB78H1	515	YPSB2624F	522
RWA(A/B/C/D/E/F/G)F6032	162	RWEAWF4213	180	RWHDHTB78H2	516	YPSB2627	524
RWA(A/B/C/D/E/F/G)F6612	162	RWEAWF4226	180	RWHDHTB78H3	517	YPSB2627F	522
RWA(A/B/C/D/E/F/G)F6621	162	RWEAWF4231	179	RWHDHTB78H4	518	YPSB2630	524
RWA(A/B/C/D/E/F/G)F6623	162	RWEAWF4262	180	RWHDHTB78H5	519	YPSB2630F	522
RWA(A/B/C/D/E/F/G)F6632	162	RWEAWF4813	180	RWHDHTB84H1	515	YPSB2636	524
RWA(A/B/C/D/E/F/G)F7212	162	RWEAWF4826	180	RWHDHTB84H2	516	YPSB2636F	522
RWA(A/B/C/D/E/F/G)F7221	162	RWEAWF4831	179	RWHDHTB84H3	517	YPSB2642	524
RWA(A/B/C/D/E/F/G)F7223	162	RWEAWF4862	180	RWHDHTB84H4	518	YPSB2642F	522

<i>pattern no.</i>	<i>page</i>
YPSB2648	524
YPSB2648F	522
YPSB2654	524
YPSB2654F	522
YPSB2660	524
YPSB2660F	522
YPSB2666	524
YPSB2666FRR	522
YPSB2672	524
YPSB2672FRR	522
YPSB3224	523
YPSB3224F	521
YPSB3227	523
YPSB3227F	521
YPSB3230	523
YPSB3230F	521
YPSB3236	523
YPSB3236F	521
YPSB3242	523
YPSB3242F	521
YPSB3248	523
YPSB3248F	521
YPSB3254	523
YPSB3254F	521
YPSB3260	523
YPSB3260F	521
YPSB3266	523
YPSB3266FRR	521
YPSB3272	523
YPSB3272FRR	521
YPSB3824	524
YPSB3824F	522
YPSB3827	524
YPSB3827F	522
YPSB3830	524
YPSB3830F	522
YPSB3836	524
YPSB3836F	522
YPSB3842	524
YPSB3842F	522
YPSB3848	524
YPSB3848F	522
YPSB3854	524
YPSB3854F	522
YPSB3860	524
YPSB3860F	522
YPSB3866	524
YPSB3866FRR	522
YPSB3872	524
YPSB3872FRR	522

Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
Freight Prepaid	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.</p>
Seller's Security Interest	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
Returns	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
Held Orders/Storage	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

Selling Policy

Customer's Own Material	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template, Antenna Workspaces and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, RPM and Sapper seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Antenna Workspaces, AutoStrada, Crinion Open Table, Reff Profiles wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (Magnusson, The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, CPU storage and all universal storage drawers.</i></p> <p><i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i></p> <p><i>2 Years: All other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Changes in surface finishes, including colorfastness due to aging or exposure to light.• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
Compliance with Law	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
Patents	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$5
HLKRKMASTER*	Master Key	\$7

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."