

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	7
Panels	Monolithic panels 34" H	10
	Monolithic panels 42" H	16
	Monolithic panels 49" H	23
	Monolithic panels 64" H	30
	Monolithic panels 79" H	37
	Tiled panels 34" H	44
	Tiled panels 42" H	49
	Tiled panels 49" H	56
	Tiled panels 64" H	63
	Tiled panels 79" H	70
	Aluminum Reveal kits	77
	Beltway one side, window panel 49" H	84
	Beltway two sides, window panel 49" H	98
	Stacking modules	100
	Panel connection posts	105
	Panel trims and post covers	110
	Panel Accessories	112
	Ceiling cable entry posts, poles and cable infeed	113
	Ceiling cable entry post covers	115
	Rolling door and hinged door	117
	Attachment kits	118
	Floor to ceiling modules	119
	Required components	126
Power distribution components	127	
Beltway electrical components	132	
Data and Communications	134	
Reff Ported Panel Components	135	
Worksurfaces	Worksurface 1 1/4	138
	Conference 1 1/4"	154
	Optional edge details 1 1/4"	156
	Optional edge 1 1/4	157
	Waterfall Edge 1 1/4"	172
	Cascade Edge 1 1/4"	191
	Worksurface 1 1/2"	197
	Worksurface Credenza	200
	Peninsula 1 1/2	203
	Tables, 1 1/2"	238
Tables, 1"	249	
Support components	Top support components	252
	Modesty	270
Cabinetry	Pedestals, 26 1/2" planning	276
	Pedestals, 28 3/8 planning	288
	Credenzas, 28 3/8" planning	304
	Cabinets, 26 1/2" planning	309
	Cabinets, 28 3/8" planning	331
	Cabinets Progressive	359
Desktop towers	Desktop Towers	371

Overhead storage	Overhead, 26 1/2" planning	378
	Overhead, 28 3/8" planning	387
	Reuter overhead cabinet	416
	Reuter open shelf	419
	Reuter open overhead	420
	Reuter overhead storage	421
	Task Lights for Reuter Overhead Storage	423
	Progressive Overheads	424
Transaction tops, regular and waterfall edge	Transaction tops	433
Gallery desk surrounds	Gallery desk surrounds	435
Classic Desks	Classic Desks, 26 1/2"h and 28 3/8"h	439
Preconfigured Reff Desking	Single pedestal desks	443
	Double pedestal desks	446
	Desk returns	449
	Single pedestal credenzas	452
	Bridge assemblies	455
	Double pedestal credenzas	458
Accessories and Client Samples	Accessories	461
	Task Panels	477
	Tackboards	521
	Desk Screens	526
	Cubbies	531
Administrative / Reception	Single Wide Desk	533
	Double Wide Desk	535
	Bridge	537
	Return	539
	Shared Return One Sided	541
	Shared Return Two Sided	543
	Technology Island Peninsula	545
	Infill Panel	547
	Transaction Tops	551
	Accent Tops	554
	Cabinets	556
	Supports	560
	Accessories	561
	Tackboards	564
Wall Mounting of Knoll Products		565
Horizons Planning	Horizons - 28 3/8" Planning	567
	Side Elevations - 28 3/8" Planning	570
Alpha-Numeric Index		572
Selling Policy		597
KnollKey Lock Program		599
General Ordering Information		600

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 5/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. PolyurTM provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes:

V1 Techwood

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

**Not available on Reff optional Edges and Waterfall Edge.*

V1 - Techwood Surface with matching synthetic edge:

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Natural Veneers/Premium Techwood Veneers

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V439	Straight Anigre
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)

Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are rift cut)

V2 Natural Veneer with synthetic edge

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

V3 Premium Veneer

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

(all above are quarter cut)

Glass

TEMP	Clear Tempered (G1)
------	---------------------

Architectural Glass Options: (G2)

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Back Painted Glass (G3)

GL11	Back Painted Black
GL14	Folkstone Grey
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass (G3)

GL35	Grey
GL85	Star Clear

Locks

Black and Silver

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Chery *
125	Natural Maple *
126	Natural Cherry *
127	Walnut *
128	Fog
129	Micro Sand with 119 Pumice edge band

**Woodgrain Laminate. Not available on all components.*

Paint

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver

Plated

PD	Polish Chrome
PT	Brushed Pewter
PN	Black Nickel
PU	Satin Nickel

Anodized

AN	Anodized Black
AP	Anodized Polished
AU	Anodized Satin
AA	Anodized Aluminum

See matrix next page for finishes applicable by component

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Solid Surface

AW	Artic White
----	-------------

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
39	for V439
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V449
52	for V512
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427
85	for Y851
Y1	for Y341
62	for Y342
44	for Y344

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options

Grade 10
 Broadcloth II (W1619)
 Foundation (W351)
 Growth Spurt (W692)
 Symbolic Detail (W693)
 Tailor Made II (W1610/6)
 Versatility (W432)

Grade 20
 Bauhaus Block (W296A)
 Circle Line (W1146)
 Clarity (W281)
 Criss Cross (W305)
 Labyrinth (W352)★ ∅
 Logic (W1318)
 Photon (W1293)
 Reflect (W884) ∅
 Resolution (W280)
 Weave Three (W298)

Grade 30
 Basket Draft (W249)
 Flow (W565)
 Harmony (W232)
 Interknit (W1090)
 Match Point (W1145)
 Micro (W465)*
 Progression (W403)
 Relay (W1020) ▲

Grade 40
 Clarkson (W1218)
 Ornament (W1078)
 Palladium (W1030)

Grade 45
 Dristi (K872)* ∅

*with backing only

▲ Monolithic panels and tackboards only

∅ May not be available in all colors.

★Non-merchandized available for purchase but samples not available.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50
 Knoll Hopsack (K1206)
 Ricochet (W498)

Grade 55
 Knoll Felt (K1207)
 Transition (W816)

Customers Own Material

Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Non-Wood Finishes

26 1/2" h planning with 1 1/4" worksurfaces


Finishes	<i>Panel Tiles, Worksurfaces & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Pulls</i>	<i>Grommets</i>
Jet Black	111	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	n/a	113
Medium grey	115	115	115	115	115	115	115	115
Soft grey	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ●	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT●	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD

n/a = not available


* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only

● PZ and PT Pulls only for 'D' Pulls.


Panel Trim Profiles




Flat (Option A)



Square (Option B)



Bullnose (Option C)




Extruded Aluminum (Option E)


Worksurface Profiles




1 1/2", 1 1/4" and 1" Thick Standard



1 1/4" Thick Waterfall




1 1/4" Thick Cascade




1" Thick Sliding Table

NOTE: See page 156 for 7 Optional Edges which are also available.


Pull Options




Integral Wood J-Pull




C-Pull (Nickle Plated Finish Only)
7³/₈"W x 1⁵/₃₂"D




S-Pull (Stainless Steel Finish Only)
6⁵/₃₂"W x 1¹/₁₆"D




D-Pull Painted and the following Plated Finishes;
PT = Brushed Pewter
PZ = Satin Brass
7³/₄"W x 1¹³/₃₂"D




R-Cylinder
 1" diameter
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center position for 16" & 19" drawers
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from end, 1 1/2" down from top of drawers




H-Out Line
 4" wide x 1" deep
 Protrudes 1" from the drawer front
 Available in painted and plated finishes
 1 pull per 16" & 19" wide pedestal drawer
 Position: center, 1 1/2" down from the top of drawer
 2 pulls per 30" & 36" lateral drawers
 Position: 6" in from left/right, 1 1/2" down from top of drawers




T-Tab
 short Tab: 2" wide x 1 3/4" deep
 Long Tab: 10" wide x 1 3/4" deep
 Protrudes 3/4" from drawer front
 Available in painted or plated finishes
 Position: Center line position on drawers



F-Bar Pull
 Short bar pull: 3 3/8" wide x .3" thick
 Long bar pull: 10 1/2" wide x .3" thick
 Protrudes 1" from drawer front
 Available in painted and plated finishes




G-Grommet Pull
 1 7/32" diameter
 Flush with the drawer front
 Available in painted and plated finishes
 1 pull per 60" & 72" sliding doors
 Position: 1.656" from left or right, center line vertical
 2 pulls per 90" & 108" sliding doors
 Position: 1.656" from left and right, center line vertical
 Position: Center line position on drawers



Monolithic panels 34" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	R3B0PFF3418-()()	\$606.	\$622.	\$664.	\$750.	\$802.	\$880.	\$934.
Regular acoustics	20"	34"	R3B0PFF3420-()()	606.	622.	664.	750.	802.	882.	934.
	24"	34"	R3B0PFF3424-()()	654.	670.	712.	798.	850.	928.	982.
	30"	34"	R3B0PFF3430-()()	698.	714.	756.	842.	894.	972.	1,026.
	36"	34"	R3B0PFF3436-()()	742.	758.	800.	886.	938.	1,016.	1,070.
	42"	34"	R3B0PFF3442-()()	852.	868.	910.	996.	1,048.	1,126.	1,180.
	48"	34"	R3B0PFF3448-()()	884.	900.	942.	1,028.	1,080.	1,180.	1,212.



Order Code

Example:	R3B0PFF3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
34	34" high
18	18" wide
(A)	Flat style top trim profile
(4)	4" base height
(K)	Include knockouts in base
W281	Fabric Side 1
W281	Fabric Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum
2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	R3B0PFL3418-()()	\$580.	\$588.	\$607.	\$645.	\$669.	\$702.	\$726.
	20"	34"	R3B0PFL3420-()()	580.	588.	607.	645.	669.	702.	726.
	24"	34"	R3B0PFL3424-()()	617.	625.	644.	682.	706.	739.	763.
	30"	34"	R3B0PFL3430-()()	658.	666.	685.	723.	747.	780.	804.
	36"	34"	R3B0PFL3436-()()	694.	702.	721.	759.	783.	816.	840.
	42"	34"	R3B0PFL3442-()()	790.	798.	817.	855.	879.	912.	936.
	48"	34"	R3B0PFL3448-()()	814.	822.	840.	879.	903.	936.	960.

Order Code

Example:	R3B0PFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option).

Applicable finishes are listed on page 5 and 6.

List price for wood grain laminate options will be; current published laminate list price plus 10%.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF13418-()()	\$681.	\$688.	\$710.	\$753.	\$780.	\$819.	\$848.
Regular acoustics	20"	34"	R3B0PF13420-()()	684.	691.	713.	756.	783.	822.	851.
	24"	34"	R3B0PF13424-()()	728.	735.	757.	800.	827.	866.	895.
	30"	34"	R3B0PF13430-()()	774.	781.	803.	846.	873.	912.	941.
	36"	34"	R3B0PF13436-()()	821.	828.	850.	893.	920.	959.	988.
	42"	34"	R3B0PF13442-()()	931.	938.	960.	1,003.	1,030.	1,069.	1,098.
	48"	34"	R3B0PF13448-()()	962.	969.	991.	1,034.	1,061.	1,100.	1,129.



Order Code

Example:	R3B0PF13418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF234 18-() ()	\$694.	\$701.	\$723.	\$766.	\$793.	\$832.	\$861.
Regular acoustics	20"	34"	R3B0PF234 20-() ()	697.	704.	726.	769.	796.	835.	864.
	24"	34"	R3B0PF234 24-() ()	740.	747.	769.	812.	839.	878.	907.
	30"	34"	R3B0PF234 30-() ()	790.	797.	819.	862.	889.	928.	957.
	36"	34"	R3B0PF234 36-() ()	835.	842.	864.	907.	934.	973.	1,002.
	42"	34"	R3B0PF234 42-() ()	952.	959.	981.	1,024.	1,051.	1,090.	1,119.
	48"	34"	R3B0PF234 48-() ()	980.	987.	1,009.	1,052.	1,079.	1,118.	1,147.



Order Code

Example:	R3B0PF23418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other side
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric Side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded aluminum

2. Base height:
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H


fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF334 18-() ()	\$923.	\$930.	\$952.	\$995.	\$1,022.	\$1,061.	\$1,090.
Regular acoustics	20"	34"	R3B0PF334 20-() ()	927.	934.	956.	999.	1,026.	1,065.	1,094.
	24"	34"	R3B0PF334 24-() ()	986.	993.	1,015.	1,058.	1,085.	1,124.	1,153.
	30"	34"	R3B0PF334 30-() ()	1,054.	1,061.	1,083.	1,126.	1,153.	1,192.	1,221.
	36"	34"	R3B0PF334 36-() ()	1,113.	1,120.	1,142.	1,185.	1,212.	1,251.	1,280.
	42"	34"	R3B0PF334 42-() ()	1,270.	1,277.	1,299.	1,342.	1,369.	1,408.	1,437.
	48"	34"	R3B0PF334 48-() ()	1,308.	1,315.	1,337.	1,380.	1,407.	1,446.	1,475.

Order Code	Specification Information	Application Notes
Example: R3B0PF33418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 one side	(K = with knockouts, N = without knockouts)	E = Extruded aluminum
34 34" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric Side 1	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	All panels on this page accept stacking modules.
V512 Figured Anigre surface - side 2	7. Base finish	6" Raceway option increases panel height by 2 3/4".
V512 Figured Anigre (top trim finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	All panels on this page have no high acoustical option or Beltway option.
111 Jet Black (base finish)		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.
M Optional milled frame		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
		Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H



Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	34"	R3B0PLL3418 () ()	\$595.
	20"	34"	R3B0PLL3420 () ()	595.
	24"	34"	R3B0PLL3424 () ()	649.
	30"	34"	R3B0PLL3430 () ()	727.
	36"	34"	R3B0PLL3436 () ()	786.
	42"	34"	R3B0PLL3442 () ()	810.
	48"	34"	R3B0PLL3448 () ()	848.

Order Code	Specification Information	Application Notes
Example: R3B0PLL3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
LL Laminate both sides	4. Panel side 1 laminate inside	List price for wood grain laminate options will be; current published laminate list price plus 10%.
34 34" high	5. Panel side 2 laminate outside	
18 18" wide	6. Top trim finish <i>i</i>)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 ³ / ₄ ". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
A Flat style top trim profile	7. Base finish	
4 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
K Include knockouts in base		
118 Laminate - side 1		
118 Laminate - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Monolithic panels 42" H fabric both sides

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B0PFF42 18-() ()	\$552.	\$570.	\$614.	\$706.	\$776.	\$856.	\$912.
Regular acoustics	20"	42"	R3B0PFF42 20-() ()	552.	570.	614.	706.	776.	856.	912.
	24"	42"	R3B0PFF42 24-() ()	589.	607.	651.	743.	813.	893.	949.
	30"	42"	R3B0PFF42 30-() ()	642.	660.	704.	796.	886.	946.	1,002.
	36"	42"	R3B0PFF42 36-() ()	691.	709.	753.	845.	915.	995.	1,051.
	42"	42"	R3B0PFF42 42-() ()	742.	760.	804.	896.	966.	1,046.	1,102.
	48"	42"	R3B0PFF42 48-() ()	797.	815.	859.	951.	1,021.	1,101.	1,157.
	60"	42"	R3B0PFF42 60-() () *	901.	949.	1,041.	1,217.	1,347.	1,515.	1,619.
	66"	42"	R3B0PFF42 66-() () *	933.	981.	1,073.	1,249.	1,379.	1,547.	1,651.
	72"	42"	R3B0PFF42 72-() () *	963.	1,011.	1,103.	1,279.	1,409.	1,577.	1,681.
Monolithic, fabric both sides	18"	42"	R3B0PAA42 18-() ()	606.	624.	668.	760.	830.	910.	966.
High acoustics	20"	42"	R3B0PAA42 20-() ()	606.	624.	668.	760.	830.	910.	966.
	24"	42"	R3B0PAA42 24-() ()	645.	663.	707.	799.	869.	949.	1,005.
	30"	42"	R3B0PAA42 30-() ()	700.	718.	762.	854.	924.	1,004.	1,060.
	36"	42"	R3B0PAA42 36-() ()	757.	775.	819.	911.	981.	1,061.	1,117.
	42"	42"	R3B0PAA42 42-() ()	816.	834.	878.	970.	1,040.	1,120.	1,176.
	48"	42"	R3B0PAA42 48-() ()	875.	893.	937.	1,029.	1,099.	1,179.	1,235.
	60"	42"	R3B0PAA42 60-() () *	984.	1,032.	1,124.	1,300.	1,430.	1,598.	1,702.
	66"	42"	R3B0PAA42 66-() () *	1,017.	1,065.	1,157.	1,333.	1,463.	1,631.	1,735.
	72"	42"	R3B0PAA42 72-() () *	1,050.	1,098.	1,190.	1,366.	1,496.	1,664.	1,768.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 433).
R3 Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 118.
42 42" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish	Remember to specify Beltway paint finish when applicable.
(A) Flat style top trim profile	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
(4) 4" base height	7. Base finish	*These panel widths do not accept stacking modules.
(K) Include knockouts in base	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	*Fabric inserts of these panels are two pieces, split vertically.
W281 Fabric - Side 1		
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	



Monolithic panels 42" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-() ()	\$1,088.	\$1,114.	\$1,176.	\$1,292.	\$1,362.	\$1,460.	\$1,528.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-() ()	1,088.	1,114.	1,176.	1,292.	1,362.	1,460.	1,528.
	24"	42"	R3B2PFF42 24-() ()	1,111.	1,137.	1,199.	1,315.	1,385.	1,483.	1,551.
	30"	42"	R3B2PFF42 30-() ()	1,165.	1,191.	1,253.	1,369.	1,439.	1,537.	1,605.
	36"	42"	R3B2PFF42 36-() ()	1,363.	1,389.	1,451.	1,567.	1,637.	1,735.	1,803.
	42"	42"	R3B2PFF42 42-() ()	1,466.	1,492.	1,554.	1,670.	1,740.	1,838.	1,906.
	48"	42"	R3B2PFF42 48-() ()	1,519.	1,545.	1,607.	1,723.	1,793.	1,891.	1,959.
	Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-() ()	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.
Beltway one side	20"	42"	R3B1PFF42 20-() ()	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.	1,472.
	24"	42"	R3B1PFF42 24-() ()	1,090.	1,112.	1,165.	1,269.	1,339.	1,428.	1,490.
	30"	42"	R3B1PFF42 30-() ()	1,145.	1,167.	1,220.	1,324.	1,394.	1,483.	1,545.
	36"	42"	R3B1PFF42 36-() ()	1,338.	1,360.	1,413.	1,517.	1,587.	1,676.	1,738.
	42"	42"	R3B1PFF42 42-() ()	1,439.	1,461.	1,514.	1,618.	1,688.	1,777.	1,839.
	48"	42"	R3B1PFF42 48-() ()	1,485.	1,507.	1,560.	1,664.	1,734.	1,823.	1,885.

Order Code	Specification Information	Application Notes
Example: R3B2PFF4218	<i>To order please specify pattern number including:</i>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 433).</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 118.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>*Fabric inserts of these panels are two pieces, split vertically.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R3 Reff Generation 3	1. Top trim profile	
B2 Beltway two sides	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside below belt	
42 42" high	5. Panel side 1 finish(s) inside above belt	
18 18" wide	6. Panel side 2 finish(s) outside below belt	
(A) Flat style top trim profile	7. Panel side 2 finish(s) outside above belt	
(4) 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
(K) Include knockouts in base	9. Base finish	
W281 Fabric - Side 1 below belt	10. Beltway finish	
W281 Fabric - Side 1 above belt	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
W281 Fabric - Side 2 below belt		
W281 Fabric - Side 2 above belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black Beltway finish		

Monolithic panels 42" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PFL42 18-()()	\$475.	\$483.	\$504.	\$542.	\$574.	\$609.	\$635.
	20"	42"	R3B0PFL42 20-()()	475.	483.	504.	542.	574.	609.	635.
	24"	42"	R3B0PFL42 24-()()	481.	489.	510.	548.	580.	615.	641.
	30"	42"	R3B0PFL42 30-()()	577.	585.	606.	644.	676.	711.	737.
	36"	42"	R3B0PFL42 36-()()	624.	632.	653.	691.	723.	758.	784.
	42"	42"	R3B0PFL42 42-()()	701.	709.	730.	768.	800.	835.	861.
	48"	42"	R3B0PFL42 48-()()	763.	771.	792.	830.	862.	897.	923.
	60"	42"	R3B0PFL42 60-()()	829.	850.	889.	968.	1,026.	1,101.	1,146.
	66"	42"	R3B0PFL42 66-()()	859.	880.	919.	998.	1,056.	1,131.	1,176.
	72"	42"	R3B0PFL42 72-()()	891.	912.	951.	1,030.	1,088.	1,163.	1,208.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PFL42 18-()()	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
	20"	42"	R3B1PFL42 20-()()	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
	24"	42"	R3B1PFL42 24-()()	958.	970.	997.	1,048.	1,078.	1,121.	1,153.
	30"	42"	R3B1PFL42 30-()()	1,030.	1,042.	1,069.	1,120.	1,150.	1,193.	1,225.
	36"	42"	R3B1PFL42 36-()()	1,202.	1,214.	1,241.	1,292.	1,322.	1,365.	1,397.
	42"	42"	R3B1PFL42 42-()()	1,230.	1,242.	1,269.	1,320.	1,350.	1,393.	1,425.
	48"	42"	R3B1PFL42 48-()()	1,383.	1,395.	1,422.	1,473.	1,503.	1,546.	1,578.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	BO=No Beltway	A = Flat
B0 No Beltway	B1=Beltway one side	B = Square
P Monolithic panel		C = Bullnose
FL Fabric one side, laminate other		E = Extruded Aluminum
42 42" high	1. Top trim profile	<i>2. Base height:</i>
18 18" wide	2. Base height	4 = 4" base height
A Flat style top trim profile	3. Knockout option (K = with knockouts, N = without knockouts)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	4. Panel side 1 finish(s) inside (for panel with beltway specify: Side 1-below belt Side 2-above belt)	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
114 Folkstone grey - side 2	i)Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	List price for wood grain laminate options will be; current published laminate list price plus 10%.
111 Jet Black (base finish)	ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
M Optional milled frame	7. Base finish	
	8. Beltway finish-only for panel with beltway option	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.)

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.



Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF142 18-()	\$558.	\$568.	\$590.	\$637.	\$673.	\$713.	\$742.
	20"	42"	R3B0PF142 20-()	558.	568.	590.	637.	673.	713.	742.
	24"	42"	R3B0PF142 24-()	563.	573.	595.	642.	678.	718.	747.
	30"	42"	R3B0PF142 30-()	678.	688.	710.	757.	793.	833.	862.
	36"	42"	R3B0PF142 36-()	734.	744.	766.	813.	849.	889.	918.
	42"	42"	R3B0PF142 42-()	827.	837.	859.	906.	942.	982.	1,011.
	48"	42"	R3B0PF142 48-()	898.	908.	930.	977.	1,013.	1,053.	1,082.
	60"	42"	R3B0PF142 60-()*	977.	1,000.	1,047.	1,138.	1,203.	1,292.	1,344.
	66"	42"	R3B0PF142 66-()*	1,015.	1,038.	1,085.	1,176.	1,241.	1,330.	1,382.
	72"	42"	R3B0PF142 72-()*	1,050.	1,073.	1,120.	1,211.	1,276.	1,365.	1,417.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF142 18-()	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
	20"	42"	R3B1PF142 20-()	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
	24"	42"	R3B1PF142 24-()	1,127.	1,140.	1,171.	1,231.	1,264.	1,315.	1,351.
	30"	42"	R3B1PF142 30-()	1,211.	1,224.	1,255.	1,315.	1,348.	1,399.	1,435.
	36"	42"	R3B1PF142 36-()	1,409.	1,422.	1,453.	1,513.	1,546.	1,597.	1,633.
	42"	42"	R3B1PF142 42-()	1,447.	1,460.	1,490.	1,551.	1,584.	1,635.	1,671.
	48"	42"	R3B1PF142 48-()	1,628.	1,641.	1,672.	1,732.	1,765.	1,816.	1,852.

Order Code	Specification Information	Application Notes
Example: R3B0PF14218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway specify: Side 1, Below belt Side 2, Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF242 18-() ()	\$566.	\$576.	\$598.	\$645.	\$681.	\$721.	\$750.
	20"	42"	R3B0PF242 20-() ()	566.	576.	598.	645.	681.	721.	750.
	24"	42"	R3B0PF242 24-() ()	575.	585.	607.	654.	690.	730.	759.
	30"	42"	R3B0PF242 30-() ()	691.	701.	723.	770.	806.	846.	875.
	36"	42"	R3B0PF242 36-() ()	746.	756.	778.	825.	861.	901.	930.
	42"	42"	R3B0PF242 42-() ()	841.	851.	873.	920.	956.	996.	1,025.
	48"	42"	R3B0PF242 48-() ()	916.	926.	948.	995.	1,031.	1,071.	1,100.
	60"	42"	R3B0PF242 60-() (*)	990.	1,013.	1,060.	1,151.	1,216.	1,305.	1,357.
	66"	42"	R3B0PF242 66-() (*)	1,031.	1,054.	1,101.	1,192.	1,257.	1,346.	1,398.
	72"	42"	R3B0PF242 72-() (*)	1,065.	1,088.	1,135.	1,226.	1,291.	1,380.	1,432.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF242 18-() ()	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	20"	42"	R3B1PF242 20-() ()	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	24"	42"	R3B1PF242 24-() ()	1,144.	1,157.	1,188.	1,248.	1,281.	1,332.	1,368.
	30"	42"	R3B1PF242 30-() ()	1,236.	1,249.	1,280.	1,340.	1,373.	1,424.	1,460.
	36"	42"	R3B1PF242 36-() ()	1,437.	1,450.	1,481.	1,541.	1,574.	1,625.	1,661.
	42"	42"	R3B1PF242 42-() ()	1,475.	1,488.	1,519.	1,579.	1,612.	1,663.	1,699.
	48"	42"	R3B1PF242 48-() ()	1,656.	1,669.	1,700.	1,760.	1,793.	1,844.	1,880.

Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1- Below Beltway Side 2- Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish - (only for panels with Beltway option) 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF342 18- () ()	\$749.	\$759.	\$781.	\$828.	\$864.	\$904.	\$933.
	20"	42"	R3B0PF342 20- () ()	749.	759.	781.	828.	864.	904.	933.
	24"	42"	R3B0PF342 24- () ()	761.	771.	793.	840.	876.	916.	945.
	30"	42"	R3B0PF342 30- () ()	916.	926.	948.	995.	1,031.	1,071.	1,100.
	36"	42"	R3B0PF342 36- () ()	992.	1,002.	1,024.	1,071.	1,107.	1,147.	1,176.
	42"	42"	R3B0PF342 42- () ()	1,119.	1,129.	1,151.	1,198.	1,234.	1,274.	1,303.
	48"	42"	R3B0PF342 48- () ()	1,221.	1,231.	1,253.	1,300.	1,336.	1,376.	1,405.
	60"	42"	R3B0PF342 60- () (*)	1,306.	1,329.	1,376.	1,467.	1,532.	1,621.	1,673.
	66"	42"	R3B0PF342 66- () (*)	1,361.	1,384.	1,431.	1,522.	1,587.	1,676.	1,728.
	72"	42"	R3B0PF342 72- () (*)	1,408.	1,431.	1,478.	1,569.	1,634.	1,723.	1,775.
Monolithic, fabric one side Beltway fabric side 	18"	42"	R3B1PF342 18- () ()	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	20"	42"	R3B1PF342 20- () ()	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	24"	42"	R3B1PF342 24- () ()	1,528.	1,541.	1,572.	1,633.	1,665.	1,716.	1,752.
	30"	42"	R3B1PF342 30- () ()	1,652.	1,665.	1,696.	1,756.	1,789.	1,840.	1,876.
	36"	42"	R3B1PF342 36- () ()	1,925.	1,938.	1,969.	2,029.	2,062.	2,113.	2,149.
	42"	42"	R3B1PF342 42- () ()	1,975.	1,988.	2,019.	2,079.	2,112.	2,163.	2,199.
	48"	42"	R3B1PF342 48- () ()	2,221.	2,234.	2,265.	2,325.	2,359.	2,409.	2,445.

Order Code	Specification Information	Application Notes
Example: R3B0PF34218-A4K R3 Reff Generation 3 B0 No Beltway, B1=Beltway, one side P Monolithic panel F3 Fabric one side, V3 other 42 42" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1=Below Beltway Side 2=Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway option) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	R3B0PLL4218() ()	\$630.
	20"	42"	R3B0PLL4220() ()	630.
	24"	42"	R3B0PLL4224() ()	687.
	30"	42"	R3B0PLL4230() ()	769.
	36"	42"	R3B0PLL4236() ()	831.
	42"	42"	R3B0PLL4242() ()	914.
	48"	42"	R3B0PLL4248() ()	1,023.
	60"	42"	R3B0PLL4260() ()*	1,105.
	66"	42"	R3B0PLL4266() ()*	1,139.
72"	42"	R3B0PLL4272() ()*	1,172.	

Order Code	Specification Information	Application Notes
Example: R3B0PLL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
LL Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A,B or C options:	<i>3. Beltway:</i>
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	B0 = No Beltway
118 Laminate - side 1	ii) Top trim profile E options:	B1 = Beltway 1 side
118 Laminate - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
V512 Figured Anigre (top trim finish)	7. Base finish	List price for wood grain laminate options will be; current published laminate list price plus 10%.
111 Jet Black (base finish)	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
M Optional milled frame		

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".



Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 49" H fabric both sides

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	49"	R3B0PFF49 18-() ()	\$619.	\$647.	\$699.	\$809.	\$881.	\$979.	\$1,041.	
Regular acoustics	20"	49"	R3B0PFF49 20-() ()	619.	647.	699.	809.	881.	979.	1,041.	
	24"	49"	R3B0PFF49 24-() ()	660.	688.	740.	850.	922.	1,020.	1,082.	
	30"	49"	R3B0PFF49 30-() ()	717.	745.	797.	907.	979.	1,077.	1,139.	
	36"	49"	R3B0PFF49 36-() ()	750.	778.	830.	940.	1,012.	1,110.	1,172.	
	42"	49"	R3B0PFF49 42-() ()	809.	837.	889.	999.	1,071.	1,169.	1,231.	
	48"	49"	R3B0PFF49 48-() ()	888.	916.	968.	1,078.	1,150.	1,248.	1,310.	
	60"	49"	R3B0PFF49 60-() ()*	1,026.	1,072.	1,176.	1,396.	1,546.	1,740.	1,860.	
	66"	49"	R3B0PFF49 66-() ()*	1,059.	1,105.	1,209.	1,429.	1,579.	1,773.	1,893.	
	72"	49"	R3B0PFF49 72-() ()*	1,090.	1,136.	1,240.	1,460.	1,610.	1,804.	1,924.	
	Monolithic, fabric both sides	18"	49"	R3B0PAA49 18-() ()	675.	703.	755.	865.	937.	1,035.	1,097.
	High acoustics	20"	49"	R3B0PAA49 20-() ()	675.	703.	755.	865.	937.	1,035.	1,097.
	24"	49"	R3B0PAA49 24-() ()	722.	750.	802.	912.	984.	1,082.	1,144.	
	30"	49"	R3B0PAA49 30-() ()	782.	811.	863.	973.	1,045.	1,143.	1,205.	
	36"	49"	R3B0PAA49 36-() ()	821.	849.	901.	1,011.	1,083.	1,181.	1,243.	
	42"	49"	R3B0PAA49 42-() ()	887.	915.	967.	1,077.	1,149.	1,247.	1,309.	
	48"	49"	R3B0PAA49 48-() ()	974.	1,002.	1,054.	1,164.	1,236.	1,334.	1,396.	
	60"	49"	R3B0PAA49 60-() ()*	1,114.	1,160.	1,264.	1,484.	1,634.	1,828.	1,948.	
	66"	49"	R3B0PAA49 66-() ()*	1,153.	1,199.	1,303.	1,523.	1,673.	1,867.	1,987.	
	72"	49"	R3B0PAA49 72-() ()*	1,192.	1,237.	1,342.	1,562.	1,712.	1,906.	2,026.	

Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Applicable finishes are listed on page 5 and 6.
49 49" high	5. Panel side 2 finish(s) outside	*Fabric inserts of these panels are two pieces, split vertically.
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
A Flat style top trim profile	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Remember to specify Beltway paint finish when applicable.
K Include knockouts in base		*These panel widths do not accept stacking modules.
W281 Fabric - Side 1		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		



Monolithic panels 49" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B2PFF49 18-()()	\$1,118.	\$1,154.	\$1,226.	\$1,344.	\$1,428.	\$1,550.	\$1,626.
Beltway two sides, regular acoustics	20"	49"	R3B2PFF49 20-()()	1,118.	1,154.	1,226.	1,344.	1,428.	1,550.	1,626.
	24"	49"	R3B2PFF49 24-()()	1,141.	1,177.	1,249.	1,367.	1,451.	1,573.	1,649.
	30"	49"	R3B2PFF49 30-()()	1,199.	1,235.	1,307.	1,425.	1,509.	1,631.	1,707.
	36"	49"	R3B2PFF49 36-()()	1,415.	1,451.	1,523.	1,641.	1,725.	1,847.	1,923.
	42"	49"	R3B2PFF49 42-()()	1,523.	1,559.	1,631.	1,749.	1,833.	1,955.	2,031.
	48"	49"	R3B2PFF49 48-()()	1,577.	1,613.	1,685.	1,803.	1,887.	2,009.	2,085.
	Monolithic, fabric both sides	18"	49"	R3B1PFF49 18-()()	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.
Beltway one side	20"	49"	R3B1PFF49 20-()()	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.	1,563.
	24"	49"	R3B1PFF49 24-()()	1,120.	1,152.	1,214.	1,328.	1,406.	1,516.	1,585.
	30"	49"	R3B1PFF49 30-()()	1,174.	1,206.	1,268.	1,382.	1,460.	1,570.	1,639.
	36"	49"	R3B1PFF49 36-()()	1,388.	1,420.	1,482.	1,596.	1,674.	1,784.	1,853.
	42"	49"	R3B1PFF49 42-()()	1,491.	1,523.	1,585.	1,699.	1,777.	1,887.	1,956.
	48"	49"	R3B1PFF49 48-()()	1,544.	1,576.	1,638.	1,752.	1,830.	1,940.	2,009.

Order Code	Specification Information	Application Notes
Example: R3B2PFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B2 Beltway, both sides	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
FF Fabric on both sides	4. Panel 1 finish(s) Below Belt	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
49 49" high	5. Panel 2 finish(s) Above Belt	6" Raceway option increases panel height by 2 ³ / ₄ ".
18 18" wide	6. Panel 2 finish(s) Below Belt	Applicable finishes are listed on page 5 and 6.
A Flat style top trim profile	7. Panel 2 finish(s) Above Belt	*Fabric inserts of these panels are two pieces, split vertically.
4 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
K Include knockouts in base	9. Base finish	
W281 Side 1 - Below Belt	10. Beltway finish	
W281 Side 1 - Above Belt		
W281 Side 2 - Below Belt		
W281 Side 2 - Above Belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
111 Beltway finish		

Monolithic panels 49" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PFL49 18-() ()	\$525.	\$540.	\$561.	\$611.	\$643.	\$686.	\$713.
	20"	49"	R3B0PFL49 20-() ()	525.	540.	561.	611.	643.	686.	713.
	24"	49"	R3B0PFL49 24-() ()	574.	589.	610.	660.	692.	735.	762.
	30"	49"	R3B0PFL49 30-() ()	651.	666.	687.	737.	769.	812.	839.
	36"	49"	R3B0PFL49 36-() ()	702.	717.	738.	788.	820.	863.	890.
	42"	49"	R3B0PFL49 42-() ()	775.	790.	811.	861.	893.	936.	963.
	48"	49"	R3B0PFL49 48-() ()	872.	887.	908.	958.	990.	1,033.	1,060.
	60"	49"	R3B0PFL49 60-() () *	951.	971.	1,019.	1,114.	1,180.	1,268.	1,319.
	66"	49"	R3B0PFL49 66-() () *	978.	998.	1,046.	1,141.	1,207.	1,295.	1,346.
	72"	49"	R3B0PFL49 72-() () *	1,012.	1,032.	1,080.	1,175.	1,241.	1,329.	1,380.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PFL49 18-() ()	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
	20"	49"	R3B1PFL49 20-() ()	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
	24"	49"	R3B1PFL49 24-() ()	989.	1,005.	1,035.	1,089.	1,125.	1,177.	1,214.
	30"	49"	R3B1PFL49 30-() ()	1,063.	1,079.	1,109.	1,163.	1,199.	1,251.	1,288.
	36"	49"	R3B1PFL49 36-() ()	1,277.	1,293.	1,323.	1,377.	1,413.	1,465.	1,502.
	42"	49"	R3B1PFL49 42-() ()	1,394.	1,410.	1,440.	1,494.	1,530.	1,582.	1,619.
	48"	49"	R3B1PFL49 48-() ()	1,470.	1,486.	1,516.	1,570.	1,606.	1,658.	1,695.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option, please specify, Side 1 - Below Beltway Side 1 - Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. List price for wood grain laminate options will be; current published laminate list price plus 10%. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 49" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF149 18-() ()	\$619.	\$635.	\$660.	\$716.	\$755.	\$802.	\$836.
	20"	49"	R3B0PF149 20-() ()	619.	635.	660.	716.	755.	802.	836.
	24"	49"	R3B0PF149 24-() ()	676.	692.	717.	772.	812.	859.	893.
	30"	49"	R3B0PF149 30-() ()	770.	786.	811.	867.	906.	953.	987.
	36"	49"	R3B0PF149 36-() ()	825.	841.	866.	922.	961.	1,008.	1,042.
	42"	49"	R3B0PF149 42-() ()	913.	929.	954.	1,010.	1,049.	1,096.	1,130.
	48"	49"	R3B0PF149 48-() ()	1,026.	1,042.	1,067.	1,123.	1,162.	1,209.	1,243.
	60"	49"	R3B0PF149 60-() () *	1,116.	1,141.	1,196.	1,307.	1,383.	1,481.	1,543.
	66"	49"	R3B0PF149 66-() () *	1,148.	1,173.	1,228.	1,339.	1,415.	1,513.	1,575.
	72"	49"	R3B0PF149 72-() () *	1,188.	1,213.	1,268.	1,379.	1,455.	1,553.	1,615.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF149 18-() ()	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	20"	49"	R3B1PF149 20-() ()	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	24"	49"	R3B1PF149 24-() ()	1,161.	1,178.	1,216.	1,276.	1,317.	1,379.	1,419.
	30"	49"	R3B1PF149 30-() ()	1,248.	1,265.	1,303.	1,363.	1,404.	1,466.	1,506.
	36"	49"	R3B1PF149 36-() ()	1,500.	1,517.	1,555.	1,615.	1,656.	1,718.	1,758.
	42"	49"	R3B1PF149 42-() ()	1,641.	1,658.	1,696.	1,756.	1,797.	1,859.	1,899.
	48"	49"	R3B1PF149 48-() ()	1,726.	1,743.	1,781.	1,841.	1,882.	1,944.	1,984.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top rim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panel with Beltway, please specify:	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 49" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF249 18-() ()	\$629.	\$645.	\$670.	\$726.	\$765.	\$812.	\$846.
	20"	49"	R3B0PF249 20-() ()	629.	645.	670.	726.	765.	812.	846.
	24"	49"	R3B0PF249 24-() ()	689.	705.	730.	786.	825.	872.	906.
	30"	49"	R3B0PF249 30-() ()	781.	797.	822.	878.	917.	964.	998.
	36"	49"	R3B0PF249 36-() ()	840.	856.	881.	937.	976.	1,023.	1,057.
	42"	49"	R3B0PF249 42-() ()	929.	945.	970.	1,026.	1,065.	1,112.	1,146.
	48"	49"	R3B0PF249 48-() ()	1,048.	1,064.	1,089.	1,145.	1,184.	1,231.	1,265.
	60"	49"	R3B0PF249 60-() () *	1,136.	1,161.	1,216.	1,327.	1,403.	1,501.	1,563.
	66"	49"	R3B0PF249 66-() () *	1,173.	1,198.	1,253.	1,364.	1,440.	1,538.	1,600.
	72"	49"	R3B0PF249 72-() () *	1,209.	1,234.	1,289.	1,400.	1,476.	1,574.	1,636.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF249 18-() ()	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	20"	49"	R3B1PF249 20-() ()	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	24"	49"	R3B1PF249 24-() ()	1,182.	1,199.	1,237.	1,297.	1,338.	1,400.	1,440.
	30"	49"	R3B1PF249 30-() ()	1,275.	1,292.	1,330.	1,390.	1,431.	1,493.	1,533.
	36"	49"	R3B1PF249 36-() ()	1,531.	1,548.	1,586.	1,646.	1,687.	1,749.	1,789.
	42"	49"	R3B1PF249 42-() ()	1,669.	1,686.	1,724.	1,784.	1,825.	1,887.	1,927.
	48"	49"	R3B1PF249 48-() ()	1,755.	1,772.	1,810.	1,870.	1,911.	1,973.	2,013.

Order Code	Specification Information	Application Notes
Example: R3B0PF24918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 49 49" high 18 18" wide A Flat style top trim option 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 49" H


fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF349 18-() ()	\$831.	\$847.	\$872.	\$928.	\$967.	\$1,014.	\$1,048.
	20"	49"	R3B0PF349 20-() ()	831.	847.	872.	928.	967.	1,014.	1,048.
	24"	49"	R3B0PF349 24-() ()	911.	927.	952.	1,008.	1,047.	1,094.	1,128.
	30"	49"	R3B0PF349 30-() ()	1,037.	1,053.	1,078.	1,134.	1,173.	1,220.	1,254.
	36"	49"	R3B0PF349 36-() ()	1,117.	1,133.	1,158.	1,214.	1,253.	1,300.	1,334.
	42"	49"	R3B0PF349 42-() ()	1,235.	1,251.	1,276.	1,332.	1,371.	1,418.	1,452.
	48"	49"	R3B0PF349 48-() ()	1,395.	1,411.	1,436.	1,492.	1,531.	1,578.	1,612.
	60"	49"	R3B0PF349 60-() ()*	1,497.	1,522.	1,577.	1,688.	1,764.	1,862.	1,924.
	66"	49"	R3B0PF349 66-() ()*	1,546.	1,571.	1,626.	1,737.	1,813.	1,911.	1,973.
	72"	49"	R3B0PF349 72-() ()*	1,593.	1,618.	1,673.	1,784.	1,860.	1,958.	2,020.
Monolithic, fabric one side Beltway fabric side 	18"	49"	R3B1PF349 18-() ()	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	20"	49"	R3B1PF349 20-() ()	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	24"	49"	R3B1PF349 24-() ()	1,578.	1,595.	1,633.	1,693.	1,734.	1,796.	1,836.
	30"	49"	R3B1PF349 30-() ()	1,701.	1,718.	1,756.	1,816.	1,857.	1,919.	1,959.
	36"	49"	R3B1PF349 36-() ()	2,049.	2,066.	2,104.	2,164.	2,205.	2,267.	2,307.
	42"	49"	R3B1PF349 42-() ()	2,235.	2,252.	2,290.	2,350.	2,391.	2,453.	2,493.
	48"	49"	R3B1PF349 48-() ()	2,352.	2,369.	2,407.	2,467.	2,508.	2,570.	2,610.

Order Code	Specification Information	Application Notes
Example: R3B0PF34918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
F3 Fabric one side, V3 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt	6" Raceway option increases panel height by 2 3/4".
49 49" high	5. Panel side 2 finish(s) outside	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
A Flat style top trim option	7. Base finish	Remember to specify Beltway paint finish when applicable.
4 4" base height	8. Beltway finish - only for panels with Beltway	*These panel widths do not accept stacking modules.
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric - Side 1		
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		



Monolithic panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	49"	R3B0PLL4918() ()	\$748.
	20"	49"	R3B0PLL4920() ()	748.
	24"	49"	R3B0PLL4924() ()	816.
	30"	49"	R3B0PLL4930() ()	914.
	36"	49"	R3B0PLL4936() ()	987.
	42"	49"	R3B0PLL4942() ()	1,085.
	48"	49"	R3B0PLL4948() ()	1,215.
	60"	49"	R3B0PLL4960() ()*	1,312.
	66"	49"	R3B0PLL4966() ()*	1,351.
	72"	49"	R3B0PLL4972() ()*	1,392.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. List price for wood grain laminate options will be; current published laminate list price plus 10%. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 64" H fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B0PFF64 18-() ()	\$713.	\$745.	\$815.	\$953.	\$1,051.	\$1,179.	\$1,261.
Regular acoustics	20"	64"	R3B0PFF64 20-() ()	713.	745.	815.	953.	1,051.	1,179.	1,261.
	24"	64"	R3B0PFF64 24-() ()	756.	788.	858.	996.	1,094.	1,222.	1,304.
	30"	64"	R3B0PFF64 30-() ()	812.	844.	914.	1,052.	1,150.	1,278.	1,360.
	36"	64"	R3B0PFF64 36-() ()	833.	865.	935.	1,073.	1,171.	1,299.	1,381.
	42"	64"	R3B0PFF64 42-() ()	969.	1,001.	1,071.	1,209.	1,307.	1,435.	1,517.
	48"	64"	R3B0PFF64 48-() ()	1,026.	1,058.	1,128.	1,266.	1,364.	1,492.	1,574.
	60"	64"	R3B0PFF64 60-() () *	1,189.	1,265.	1,395.	1,687.	1,889.	2,141.	2,307.
	66"	64"	R3B0PFF64 66-() () *	1,227.	1,303.	1,433.	1,725.	1,927.	2,179.	2,345.
	72"	64"	R3B0PFF64 72-() () *	1,267.	1,343.	1,473.	1,765.	1,967.	2,219.	2,385.
Monolithic, fabric both sides	18"	64"	R3B0PAA64 18-() ()	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
High acoustics	20"	64"	R3B0PAA64 20-() ()	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
	24"	64"	R3B0PAA64 24-() ()	828.	860.	930.	1,068.	1,166.	1,294.	1,376.
	30"	64"	R3B0PAA64 30-() ()	888.	920.	990.	1,128.	1,226.	1,354.	1,436.
	36"	64"	R3B0PAA64 36-() ()	910.	942.	1,012.	1,150.	1,248.	1,376.	1,458.
	42"	64"	R3B0PAA64 42-() ()	1,064.	1,096.	1,166.	1,304.	1,402.	1,530.	1,612.
	48"	64"	R3B0PAA64 48-() ()	1,126.	1,158.	1,228.	1,366.	1,464.	1,592.	1,674.
	60"	64"	R3B0PAA64 60-() () *	1,291.	1,367.	1,497.	1,789.	1,991.	2,243.	2,409.
	66"	64"	R3B0PAA64 66-() () *	1,334.	1,410.	1,540.	1,832.	2,034.	2,286.	2,452.
	72"	64"	R3B0PAA64 72-() () *	1,377.	1,453.	1,583.	1,875.	2,077.	2,329.	2,495.

Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p>
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) inside	
64 64" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
A Flat style top trim profile	7. Base finish	
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
K Include knockouts in base		
W281 Fabric - Side 1		
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 64" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-() ()	\$1,221.	\$1,257.	\$1,341.	\$1,511.	\$1,619.	\$1,775.	\$1,879.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-() ()	1,221.	1,257.	1,341.	1,511.	1,619.	1,775.	1,879.
	24"	64"	R3B2PFF64 24-() ()	1,281.	1,317.	1,401.	1,571.	1,679.	1,835.	1,939.
	30"	64"	R3B2PFF64 30-() ()	1,311.	1,347.	1,431.	1,601.	1,709.	1,865.	1,969.
	36"	64"	R3B2PFF64 36-() ()	1,586.	1,622.	1,706.	1,876.	1,984.	2,140.	2,244.
	42"	64"	R3B2PFF64 42-() ()	1,697.	1,733.	1,817.	1,987.	2,095.	2,251.	2,355.
	48"	64"	R3B2PFF64 48-() ()	1,754.	1,790.	1,874.	2,044.	2,152.	2,308.	2,412.





Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-() ()	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
Beltway one side	20"	64"	R3B1PFF64 20-() ()	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
	24"	64"	R3B1PFF64 24-() ()	1,250.	1,284.	1,361.	1,515.	1,618.	1,760.	1,853.
	30"	64"	R3B1PFF64 30-() ()	1,279.	1,313.	1,390.	1,544.	1,647.	1,789.	1,882.
	36"	64"	R3B1PFF64 36-() ()	1,553.	1,587.	1,664.	1,818.	1,921.	2,063.	2,156.
	42"	64"	R3B1PFF64 42-() ()	1,660.	1,694.	1,771.	1,925.	2,028.	2,170.	2,263.
	48"	64"	R3B1PFF64 48-() ()	1,712.	1,746.	1,823.	1,977.	2,080.	2,222.	2,315.

Order Code	Specification Information	Application Notes
Example: R3B2PFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>Beltways; B1 = Beltway 1 side B2 = Beltway 2 side</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R3 Reff Generation 3	1. Top trim profile	
B2 Beltway both sides, B1=Beltway, one side	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Panel side 1 finish(s) Below Belt	
64 64" high	5. Panel side 1 finish(s) Above Belt	
18 18" wide	6. Panel side 2 finish(s) Below Belt	
A Flat style top trim profile	7. Panel side 2 finish(s) Above Belt	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
W281 Fabric - Side 1 Below belt	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p>
W281 Fabric - Side 1 Above belt		
W281 Fabric - Side 2 Below belt		
W281 Fabric - Side 2 Above belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		

Monolithic panels 64" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PFL64 18-() ()	\$625.	\$640.	\$669.	\$732.	\$774.	\$831.	\$868.
	20"	64"	R3B0PFL64 20-() ()	625.	640.	669.	732.	774.	831.	868.
	24"	64"	R3B0PFL64 24-() ()	687.	702.	731.	794.	836.	893.	930.
	30"	64"	R3B0PFL64 30-() ()	776.	791.	820.	883.	925.	982.	1,019.
	36"	64"	R3B0PFL64 36-() ()	836.	851.	880.	943.	985.	1,042.	1,079.
	42"	64"	R3B0PFL64 42-() ()	927.	942.	971.	1,034.	1,076.	1,133.	1,170.
	48"	64"	R3B0PFL64 48-() ()	1,043.	1,058.	1,087.	1,150.	1,192.	1,249.	1,286.
	60"	64"	R3B0PFL64 60-() () *	1,129.	1,163.	1,221.	1,351.	1,438.	1,551.	1,624.
	66"	64"	R3B0PFL64 66-() () *	1,168.	1,201.	1,260.	1,390.	1,477.	1,590.	1,663.
	72"	64"	R3B0PFL64 72-() () *	1,206.	1,239.	1,298.	1,428.	1,515.	1,628.	1,701.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PFL64 18-() ()	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
	20"	64"	R3B1PFL64 20-() ()	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
	24"	64"	R3B1PFL64 24-() ()	1,131.	1,148.	1,185.	1,261.	1,308.	1,375.	1,423.
	30"	64"	R3B1PFL64 30-() ()	1,198.	1,215.	1,252.	1,328.	1,375.	1,442.	1,490.
	36"	64"	R3B1PFL64 36-() ()	1,489.	1,506.	1,543.	1,619.	1,666.	1,733.	1,781.
	42"	64"	R3B1PFL64 42-() ()	1,546.	1,563.	1,600.	1,676.	1,723.	1,790.	1,838.
	48"	64"	R3B1PFL64 48-() ()	1,672.	1,689.	1,726.	1,802.	1,849.	1,916.	1,964.

Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify:	4 = 4" base height
A Flat style top trim profile	Side 1-Below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1-Above belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
114 Folkstone grey - side 2	i) Top trim profile A, B or C	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	options:	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	List price for wood grain laminate options will be; current published laminate list price plus 10%.
M Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 64" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF164 18-() ()	\$734.	\$750.	\$787.	\$858.	\$906.	\$972.	\$1,015.
	20"	64"	R3B0PF164 20-() ()	734.	750.	787.	858.	906.	972.	1,015.
	24"	64"	R3B0PF164 24-() ()	805.	821.	858.	929.	977.	1,043.	1,086.
	30"	64"	R3B0PF164 30-() ()	912.	928.	965.	1,036.	1,084.	1,150.	1,193.
	36"	64"	R3B0PF164 36-() ()	985.	1,001.	1,038.	1,109.	1,157.	1,223.	1,266.
	42"	64"	R3B0PF164 42-() ()	1,090.	1,106.	1,143.	1,214.	1,262.	1,328.	1,371.
	48"	64"	R3B0PF164 48-() ()	1,228.	1,244.	1,281.	1,352.	1,400.	1,466.	1,509.
	60"	64"	R3B0PF164 60-() () *	1,328.	1,367.	1,434.	1,583.	1,684.	1,815.	1,900.
	66"	64"	R3B0PF164 66-() () *	1,374.	1,413.	1,480.	1,629.	1,730.	1,861.	1,946.
	72"	64"	R3B0PF164 72-() () *	1,419.	1,458.	1,525.	1,674.	1,775.	1,906.	1,991.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF164 18-() ()	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
	20"	64"	R3B1PF164 20-() ()	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
	24"	64"	R3B1PF164 24-() ()	1,327.	1,343.	1,387.	1,473.	1,527.	1,606.	1,662.
	30"	64"	R3B1PF164 30-() ()	1,409.	1,425.	1,469.	1,555.	1,609.	1,688.	1,744.
	36"	64"	R3B1PF164 36-() ()	1,750.	1,766.	1,810.	1,896.	1,950.	2,029.	2,085.
	42"	64"	R3B1PF164 42-() ()	1,820.	1,836.	1,880.	1,966.	2,020.	2,099.	2,155.
	48"	64"	R3B1PF164 48-() ()	1,966.	1,982.	2,026.	2,112.	2,166.	2,245.	2,301.

Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 64" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF264 18-() ()	\$749.	\$765.	\$802.	\$873.	\$921.	\$987.	\$1,030.
	20"	64"	R3B0PF264 20-() ()	749.	765.	802.	873.	921.	987.	1,030.
	24"	64"	R3B0PF264 24-() ()	820.	836.	873.	944.	992.	1,058.	1,101.
	30"	64"	R3B0PF264 30-() ()	928.	944.	981.	1,052.	1,100.	1,166.	1,209.
	36"	64"	R3B0PF264 36-() ()	1,000.	1,016.	1,053.	1,124.	1,172.	1,238.	1,281.
	42"	64"	R3B0PF264 42-() ()	1,108.	1,124.	1,161.	1,232.	1,280.	1,346.	1,389.
	48"	64"	R3B0PF264 48-() ()	1,251.	1,267.	1,304.	1,375.	1,423.	1,489.	1,532.
	60"	64"	R3B0PF264 60-() () *	1,348.	1,387.	1,454.	1,603.	1,704.	1,835.	1,920.
	66"	64"	R3B0PF264 66-() () *	1,396.	1,435.	1,502.	1,651.	1,752.	1,883.	1,968.
	72"	64"	R3B0PF264 72-() () *	1,445.	1,484.	1,551.	1,700.	1,801.	1,932.	2,017.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF264 18-() ()	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
	20"	64"	R3B1PF264 20-() ()	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
	24"	64"	R3B1PF264 24-() ()	1,353.	1,369.	1,413.	1,499.	1,553.	1,632.	1,688.
	30"	64"	R3B1PF264 30-() ()	1,435.	1,451.	1,495.	1,581.	1,635.	1,714.	1,770.
	36"	64"	R3B1PF264 36-() ()	1,779.	1,795.	1,839.	1,925.	1,979.	2,058.	2,114.
	42"	64"	R3B1PF264 42-() ()	1,853.	1,869.	1,913.	1,999.	2,053.	2,132.	2,188.
	48"	64"	R3B1PF264 48-() ()	2,002.	2,018.	2,062.	2,148.	2,202.	2,281.	2,337.

Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Top trim profile E options:	Remember to specify Beltway paint finish when applicable.
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF364 18-() ()	\$988.	\$1,004.	\$1,041.	\$1,112.	\$1,160.	\$1,226.	\$1,269.
	20"	64"	R3B0PF364 20-() ()	988.	1,004.	1,041.	1,112.	1,160.	1,226.	1,269.
	24"	64"	R3B0PF364 24-() ()	1,084.	1,100.	1,137.	1,208.	1,256.	1,322.	1,365.
	30"	64"	R3B0PF364 30-() ()	1,227.	1,243.	1,280.	1,351.	1,399.	1,465.	1,508.
	36"	64"	R3B0PF364 36-() ()	1,326.	1,342.	1,379.	1,450.	1,498.	1,564.	1,607.
	42"	64"	R3B0PF364 42-() ()	1,473.	1,489.	1,526.	1,597.	1,645.	1,711.	1,754.
	48"	64"	R3B0PF364 48-() ()	1,664.	1,680.	1,717.	1,788.	1,836.	1,902.	1,945.
	60"	64"	R3B0PF364 60-() ()*	1,773.	1,812.	1,879.	2,028.	2,129.	2,260.	2,345.
	66"	64"	R3B0PF364 66-() ()*	1,838.	1,877.	1,944.	2,093.	2,194.	2,325.	2,410.
	72"	64"	R3B0PF364 72-() ()*	1,903.	1,942.	2,009.	2,158.	2,259.	2,390.	2,475.

Monolithic, fabric one side Beltway fabric side 	18"	64"	R3B1PF364 18-() ()	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
	20"	64"	R3B1PF364 20-() ()	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
	24"	64"	R3B1PF364 24-() ()	1,799.	1,815.	1,859.	1,945.	1,999.	2,078.	2,134.
	30"	64"	R3B1PF364 30-() ()	1,910.	1,926.	1,970.	2,056.	2,110.	2,189.	2,245.
	36"	64"	R3B1PF364 36-() ()	2,376.	2,392.	2,436.	2,522.	2,576.	2,655.	2,711.
	42"	64"	R3B1PF364 42-() ()	2,474.	2,490.	2,534.	2,620.	2,674.	2,753.	2,809.
	48"	64"	R3B1PF364 48-() ()	2,677.	2,693.	2,737.	2,823.	2,877.	2,956.	3,012.

Order Code	Specification Information
Example: R3B0PF36418-A4K	
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside For panels with beltway, please specify: Side 1 - Below belt Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
6" Raceway option increases panel height by 2 3/4".
Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 64" H


Laminate/Laminate


Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	64"	R3B0PLL6418() ()	\$833.
	20"	64"	R3B0PLL6420() ()	833.
	24"	64"	R3B0PLL6424() ()	908.
	30"	64"	R3B0PLL6430() ()	1,017.
	36"	64"	R3B0PLL6436() ()	1,098.
	42"	64"	R3B0PLL6442() ()	1,207.
	48"	64"	R3B0PLL6448() ()	1,352.
	60"	64"	R3B0PLL6460() ()*	1,461.
	66"	64"	R3B0PLL6466() ()*	1,505.
	72"	64"	R3B0PLL6472() ()*	1,550.

Order Code	Specification Information	Application Notes
Example: R3B0PLL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	79"	R3B0PFF79 18-() ()	\$889.	\$937.	\$1,019.	\$1,193.	\$1,311.	\$1,471.	\$1,565.
	20"	79"	R3B0PFF79 20-() ()	889.	937.	1,019.	1,193.	1,311.	1,471.	1,565.
	24"	79"	R3B0PFF79 24-() ()	946.	994.	1,076.	1,250.	1,368.	1,528.	1,622.
	30"	79"	R3B0PFF79 30-() ()	1,021.	1,069.	1,151.	1,325.	1,443.	1,603.	1,697.
	36"	79"	R3B0PFF79 36-() ()	1,047.	1,095.	1,177.	1,351.	1,469.	1,629.	1,723.
	42"	79"	R3B0PFF79 42-() ()	1,125.	1,173.	1,255.	1,429.	1,547.	1,707.	1,801.
	48"	79"	R3B0PFF79 48-() ()	1,247.	1,295.	1,377.	1,551.	1,669.	1,829.	1,923.
	60"	79"	R3B0PFF79 60-() ()	1,442.	1,536.	1,700.	2,048.	2,294.	2,608.	2,800.
	66"	79"	R3B0PFF79 66-() ()	1,476.	1,570.	1,773.	2,082.	2,328.	2,642.	2,834.
	72"	79"	R3B0PFF79 72-() ()	1,509.	1,603.	1,767.	2,115.	2,361.	2,675.	2,867.


Monolithic, fabric both sides High acoustics 	18"	79"	R3B0PAA79 18-() ()	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
	20"	79"	R3B0PAA79 20-() ()	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
	24"	79"	R3B0PAA79 24-() ()	1,032.	1,080.	1,162.	1,336.	1,454.	1,614.	1,708.
	30"	79"	R3B0PAA79 30-() ()	1,116.	1,164.	1,246.	1,420.	1,538.	1,698.	1,792.
	36"	79"	R3B0PAA79 36-() ()	1,150.	1,198.	1,280.	1,454.	1,572.	1,732.	1,826.
	42"	79"	R3B0PAA79 42-() ()	1,233.	1,281.	1,363.	1,537.	1,655.	1,815.	1,909.
	48"	79"	R3B0PAA79 48-() ()	1,371.	1,419.	1,501.	1,675.	1,793.	1,953.	2,047.
	60"	79"	R3B0PAA79 60-() ()	1,570.	1,664.	1,828.	2,176.	2,422.	2,736.	2,928.
	66"	79"	R3B0PAA79 66-() ()	1,606.	1,700.	1,864.	2,212.	2,458.	2,772.	2,964.
	72"	79"	R3B0PAA79 72-() ()	1,640.	1,734.	1,898.	2,246.	2,492.	2,806.	2,998.

Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FF Fabric on both sides 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 W281 Fabric - Side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled profile	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional</i> : specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile</i> : A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height</i> : 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6.
		The panels on this page are not designed to be stacked upon. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


Monolithic panels 79" H

fabric both sides with Beltway

description	w	h	pattern n	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway one side	18"	79"	R3B1PFF79 18-() ()	\$1,280.	\$1,329.	\$1,421.	\$1,616.	\$1,742.	\$1,921.	\$2,033.
	20"	79"	R3B1PFF79 20-() ()	1,280.	1,329.	1,421.	1,616.	1,742.	1,921.	2,033.
	24"	79"	R3B1PFF79 24-() ()	1,339.	1,388.	1,480.	1,675.	1,801.	1,980.	2,092.
	30"	79"	R3B1PFF79 30-() ()	1,366.	1,415.	1,507.	1,702.	1,828.	2,007.	2,119.
	36"	79"	R3B1PFF79 36-() ()	1,639.	1,688.	1,780.	1,975.	2,101.	2,280.	2,392.
	42"	79"	R3B1PFF79 42-() ()	1,746.	1,795.	1,887.	2,082.	2,208.	2,387.	2,499.
	48"	79"	R3B1PFF79 48-() ()	1,798.	1,847.	1,939.	2,134.	2,260.	2,439.	2,551.



Monolithic, fabric both sides Beltway two sides	18"	79"	R3B2PFF79 18-() ()	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
	20"	79"	R3B2PFF79 20-() ()	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
	24"	79"	R3B2PFF79 24-() ()	1,405.	1,455.	1,557.	1,773.	1,907.	2,105.	2,235.
	30"	79"	R3B2PFF79 30-() ()	1,433.	1,483.	1,585.	1,801.	1,935.	2,133.	2,263.
	36"	79"	R3B2PFF79 36-() ()	1,710.	1,760.	1,862.	2,078.	2,212.	2,410.	2,540.
	42"	79"	R3B2PFF79 42-() ()	1,820.	1,870.	1,972.	2,188.	2,322.	2,520.	2,650.
	48"	79"	R3B2PFF79 48-() ()	1,876.	1,926.	2,028.	2,244.	2,378.	2,576.	2,706.



Order Code	Specification Information	Application Notes
Example: R3B1PFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum
B1 Beltway one side	2. Base height	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	3. Beltway: B1 = Beltway 1 side B2 = Beltway 2 sides
FF Fabric on both sides	4. Panel side 1 below belt	Applicable finishes are listed on page 5 and 6.
79 79" high	5. Panel side 1 above belt	
18 18" wide	6. Panel side 2 below belt	
A Flat style top trim	7. Panel side 2 above belt	
4 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
K Include knockouts in base	9. Base finish	
W281 Fabric - Side 1 below belt	10. Beltway finish	
W281 Fabric - Side 1 above belt	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
W281 Fabric - Side 2 below belt		
W281 Fabric - Side 2 above belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 79" H

fabric one side, laminate other side



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PFL79 18-() ()	\$789.	\$810.	\$846.	\$923.	\$975.	\$1,046.	\$1,088.
	20"	79"	R3B0PFL79 20-() ()	789.	810.	846.	923.	975.	1,046.	1,088.
	24"	79"	R3B0PFL79 24-() ()	864.	885.	921.	998.	1,050.	1,121.	1,163.
	30"	79"	R3B0PFL79 30-() ()	972.	993.	1,029.	1,106.	1,158.	1,229.	1,271.
	36"	79"	R3B0PFL79 36-() ()	1,060.	1,081.	1,117.	1,194.	1,246.	1,317.	1,359.
	42"	79"	R3B0PFL79 42-() ()	1,173.	1,194.	1,230.	1,307.	1,359.	1,430.	1,472.
	48"	79"	R3B0PFL79 48-() ()	1,311.	1,332.	1,368.	1,445.	1,497.	1,568.	1,610.
	60"	79"	R3B0PFL79 60-() ()	1,412.	1,454.	1,526.	1,679.	1,788.	1,927.	2,011.
	66"	79"	R3B0PFL79 66-() ()	1,440.	1,482.	1,554.	1,707.	1,816.	1,955.	2,039.
	72"	79"	R3B0PFL79 72-() ()	1,469.	1,511.	1,583.	1,736.	1,845.	1,984.	2,068.

Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PFL79 18-() ()	1,139.	1,163.	1,208.	1,303.	1,362.	1,450.	1,508.
	20"	79"	R3B1PFL79 20-() ()	1,139.	1,163.	1,208.	1,303.	1,363.	1,450.	1,508.
	24"	79"	R3B1PFL79 24-() ()	1,218.	1,242.	1,287.	1,382.	1,441.	1,529.	1,587.
	30"	79"	R3B1PFL79 30-() ()	1,290.	1,314.	1,359.	1,454.	1,513.	1,601.	1,659.
	36"	79"	R3B1PFL79 36-() ()	1,599.	1,623.	1,668.	1,763.	1,822.	1,910.	1,968.
	42"	79"	R3B1PFL79 42-() ()	1,745.	1,769.	1,814.	1,909.	1,968.	2,056.	2,114.
	48"	79"	R3B1PFL79 48-() ()	1,825.	1,849.	1,894.	1,989.	2,048.	2,136.	2,194.

Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below belt Side 1 - Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. List price for wood grain laminate options will be; current published laminate list price plus 10%. The panels on this page are not designed to be stacked upon. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 79" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF179 18-() ()	\$926.	\$950.	\$992.	\$1,081.	\$1,142.	\$1,222.	\$1,273.
	20"	79"	R3B0PF179 20-() ()	926.	950.	992.	1,081.	1,142.	1,222.	1,273.
	24"	79"	R3B0PF179 24-() ()	1,012.	1,036.	1,078.	1,167.	1,228.	1,308.	1,359.
	30"	79"	R3B0PF179 30-() ()	1,145.	1,169.	1,211.	1,300.	1,361.	1,441.	1,492.
	36"	79"	R3B0PF179 36-() ()	1,247.	1,271.	1,313.	1,402.	1,463.	1,543.	1,594.
	42"	79"	R3B0PF179 42-() ()	1,377.	1,401.	1,443.	1,532.	1,593.	1,673.	1,724.
	48"	79"	R3B0PF179 48-() ()	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	60"	79"	R3B0PF179 60-() ()	1,658.	1,706.	1,790.	1,967.	2,094.	2,252.	2,350.
	66"	79"	R3B0PF179 66-() ()	1,694.	1,742.	1,826.	2,003.	2,130.	2,288.	2,386.
	72"	79"	R3B0PF179 72-() ()	1,722.	1,770.	1,854.	2,031.	2,158.	2,316.	2,414.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF179 18-() ()	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
	20"	79"	R3B1PF179 20-() ()	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
	24"	79"	R3B1PF179 24-() ()	1,430.	1,455.	1,507.	1,618.	1,686.	1,787.	1,855.
	30"	79"	R3B1PF179 30-() ()	1,519.	1,544.	1,596.	1,707.	1,775.	1,876.	1,944.
	36"	79"	R3B1PF179 36-() ()	1,882.	1,907.	1,959.	2,070.	2,138.	2,239.	2,307.
	42"	79"	R3B1PF179 42-() ()	2,050.	2,075.	2,127.	2,238.	2,306.	2,407.	2,475.
	48"	79"	R3B1PF179 48-() ()	2,143.	2,168.	2,220.	2,331.	2,399.	2,500.	2,568.

Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 2	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
W281 Fabric - Side 1	6. Top trim finish	Remember to specify Beltway paint finish when applicable.
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 79" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF279 18-() ()	\$942.	\$966.	\$1,008.	\$1,097.	\$1,158.	\$1,238.	\$1,289.
	20"	79"	R3B0PF279 20-() ()	942.	966.	1,008.	1,097.	1,158.	1,238.	1,289.
	24"	79"	R3B0PF279 24-() ()	1,032.	1,056.	1,098.	1,187.	1,248.	1,328.	1,379.
	30"	79"	R3B0PF279 30-() ()	1,165.	1,189.	1,231.	1,320.	1,381.	1,461.	1,512.
	36"	79"	R3B0PF279 36-() ()	1,269.	1,293.	1,335.	1,424.	1,485.	1,565.	1,616.
	42"	79"	R3B0PF279 42-() ()	1,403.	1,427.	1,469.	1,558.	1,619.	1,699.	1,750.
	48"	79"	R3B0PF279 48-() ()	1,570.	1,594.	1,636.	1,725.	1,786.	1,866.	1,917.
	60"	79"	R3B0PF279 60-() ()	1,689.	1,737.	1,821.	1,998.	2,125.	2,283.	2,381.
	66"	79"	R3B0PF279 66-() ()	1,721.	1,769.	1,853.	2,030.	2,157.	2,315.	2,413.
72"	79"	R3B0PF279 72-() ()	1,757.	1,805.	1,889.	2,066.	2,193.	2,351.	2,449.	
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF279 18-() ()	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
	20"	79"	R3B1PF279 20-() ()	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
	24"	79"	R3B1PF279 24-() ()	1,456.	1,481.	1,533.	1,644.	1,712.	1,813.	1,881.
	30"	79"	R3B1PF279 30-() ()	1,544.	1,569.	1,621.	1,732.	1,800.	1,901.	1,969.
	36"	79"	R3B1PF279 36-() ()	1,913.	1,938.	1,990.	2,101.	2,169.	2,270.	2,338.
	42"	79"	R3B1PF279 42-() ()	2,087.	2,112.	2,164.	2,275.	2,343.	2,444.	2,512.
	48"	79"	R3B1PF279 48-() ()	2,182.	2,207.	2,259.	2,370.	2,438.	2,539.	2,607.

Order Code	Specification Information	Application Notes
Example: R3B0PF27918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 = Below Belt Side 1 = Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Monolithic panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF379 18-() ()	\$1,241.	\$1,265.	\$1,307.	\$1,396.	\$1,457.	\$1,537.	\$1,588.
	20"	79"	R3B0PF379 20-() ()	1,241.	1,265.	1,307.	1,396.	1,457.	1,537.	1,587.
	24"	79"	R3B0PF379 24-() ()	1,365.	1,389.	1,431.	1,520.	1,581.	1,661.	1,712.
	30"	79"	R3B0PF379 30-() ()	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	36"	79"	R3B0PF379 36-() ()	1,686.	1,710.	1,752.	1,841.	1,901.	1,982.	2,033.
	42"	79"	R3B0PF379 42-() ()	1,866.	1,890.	1,932.	2,021.	2,082.	2,162.	2,213.
	48"	79"	R3B0PF379 48-() ()	2,094.	2,118.	2,160.	2,249.	2,310.	2,390.	2,441.
	60"	79"	R3B0PF379 60-() ()*	2,221.	2,269.	2,353.	2,530.	2,657.	2,815.	2,913.
	66"	79"	R3B0PF379 66-() ()*	2,266.	2,314.	2,398.	2,575.	2,702.	2,860.	2,958.
	72"	79"	R3B0PF379 72-() ()*	2,315.	2,363.	2,447.	2,624.	2,751.	2,909.	3,007.

Monolithic, fabric one side Beltway fabric side 	18"	79"	R3B1PF379 18-() ()	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
	20"	79"	R3B1PF379 20-() ()	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
	24"	79"	R3B1PF379 24-() ()	1,921.	1,946.	1,998.	2,109.	2,177.	2,278.	2,346.
	30"	79"	R3B1PF379 30-() ()	2,040.	2,065.	2,117.	2,228.	2,296.	2,397.	2,465.
	36"	79"	R3B1PF379 36-() ()	2,537.	2,562.	2,614.	2,725.	2,793.	2,894.	2,962.
	42"	79"	R3B1PF379 42-() ()	2,771.	2,796.	2,848.	2,959.	3,027.	3,128.	3,196.
	48"	79"	R3B1PF379 48-() ()	2,902.	2,927.	2,979.	3,090.	3,158.	3,259.	3,327.

Order Code	Specification Information	Application Notes
Example: R3B0PF37918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side I - Below Belt Side I - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


Monolithic panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918() ()	\$909.
	20"	79"	R3B0PLL7920() ()	909.
	24"	79"	R3B0PLL7924() ()	991.
	30"	79"	R3B0PLL7930() ()	1,109.
	36"	79"	R3B0PLL7936() ()	1,199.
	42"	79"	R3B0PLL7942() ()	1,318.
	48"	79"	R3B0PLL7948() ()	1,477.
	60"	79"	R3B0PLL7960() ()*	1,594.
	66"	79"	R3B0PLL7966() ()*	1,642.
	72"	79"	R3B0PLL7972() ()*	1,691.

Order Code	Specification Information	Application Notes
Example: R3B0PLL7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose E = Extruded Aluminum
LL Laminate both sides	4. Panel side 1 inside	2. <i>Base height:</i> 4 = 4" base height
79 79" high	5. Panel side 2 outside	6 = 6" base height (add \$47 per panel for this option)
18 18" wide	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
A Flat style top trim profile	i) Top trim profile A,B or C options:	List price for wood grain laminate options will be; current published laminate list price plus 10%.
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	
K Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
118 Laminate - side 1	7. Base finish	
118 Laminate - side 2	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
V512 Figured Anigre (top trim finish)		The panels on this page are not designed to be stacked upon.
111 Jet Black (base finish)		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
M Optional milled frame		6" Raceway option increases panel height by 2 ³ / ₄ ".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.




Tiled panels 34" H fabric

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-()()	\$592.	\$624.	\$684.	\$752.	\$808.	\$896.	\$948.
Regular acoustics	20"	34"	R3B0TFF34 20-()()	592.	624.	684.	752.	808.	896.	948.
	24"	34"	R3B0TFF34 24-()()	640.	672.	732.	800.	856.	944.	996.
	30"	34"	R3B0TFF34 30-()()	684.	716.	776.	844.	900.	988.	1,040.
	36"	34"	R3B0TFF34 36-()()	728.	760.	820.	888.	944.	1,032.	1,084.
	42"	34"	R3B0TFF34 42-()()	838.	870.	930.	998.	1,054.	1,142.	1,194.
	48"	34"	R3B0TFF34 48-()()	870.	902.	962.	1,030.	1,086.	1,174.	1,226.

Order Code	Specification Information	Application Notes
Example: R3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel)	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 118.
B0 No Beltway	1. Top trim profile	
T Tiled panel	2. Base height	
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 ³ / ₄ ".
34 34" high	4. Panel side 1A	
18 18" wide	5. Panel side 1B	
A Flat style top trim profile	6. Panel side 2A	
4 4" base height	7. Panel side 2B	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	8. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric - Side 1A	9. Base finish	
W281 Fabric - Side 1B	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	

Tiled panels 34" H glass

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A)	18"	34"	R2B0TWA34 18- () ()	\$930.	\$1,106.	\$37.	\$74.	\$93.
	20"	34"	R2B0TWA34 20- () ()	930.	1,106.	37.	74.	93.
	24"	34"	R2B0TWA34 24- () ()	973.	1,183.	37.	74.	98.
	30"	34"	R2B0TWA34 30- () ()	1,129.	1,389.	37.	74.	112.
	36"	34"	R2B0TWA34 36- () ()	1,171.	1,483.	37.	74.	114.
	42"	34"	R2B0TWA34 42- () ()	1,229.	1,600.	37.	74.	121.
	48"	34"	R2B0TWA34 48- () ()	1,273.	1,695.	37.	74.	126.
Tiled, two 15" high glass sections with center mullion (type B)	30"	34"	R2B0TWB34 30- () ()	1,351.	1,614.	37.	74.	135.
	36"	34"	R2B0TWB34 36- () ()	1,407.	1,723.	37.	74.	139.
	42"	34"	R2B0TWB34 42- () ()	1,474.	1,840.	37.	74.	144.
	48"	34"	R2B0TWB34 48- () ()	1,529.	1,956.	37.	74.	150.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C	18"	34"	R2B0TWC34 18- () ()	733.	956.	29.	60.	112.
	20"	34"	R2B0TWC34 20- () ()	733.	956.	29.	60.	112.
	24"	34"	R2B0TWC34 24- () ()	773.	1,007.	29.	60.	121.
	30"	34"	R2B0TWC34 30- () ()	954.	1,240.	37.	74.	152.
	36"	34"	R2B0TWC34 36- () ()	1,062.	1,378.	37.	74.	171.
	42"	34"	R2B0TWC34 42- () ()	1,123.	1,458.	37.	74.	186.
	48"	34"	R2B0TWC34 48- () ()	1,177.	1,534.	37.	74.	195.



Order Code

Example:	R2B0TWA3418-A4K
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
111	Tile Divider
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information



- To order please specify pattern number including:*
1. Top trim profile
 2. Base height
 3. Knockout option (K = with knockouts, N = without knockouts)
 4. Divider option (applicable R2B0TWA and R2B0TWB)
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
 5. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
 6. Base finish
 7. Window frame finish (Painted or Anodized aluminum finishes)
If AA finish (anodized) upcharge applicable as noted in AA price column
 8. Glass type

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel)
 4. *Extruded aluminum tile divider:*
Add for:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w
 3. *Glass type*
Temp = Cleared tempered glass
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass
- All panels on this page accept stacking modules.
- 6" Raceway option increases panel height by 2 3/4".
- Applicable finishes are listed on page 5 and 6.
- All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 118.
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.
- 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 34" H



fabric one side, laminate or techwood opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	R3B0TFL34 18-() ()	\$646.	\$662.	\$690.	\$724.	\$752.	\$792.	\$818.
	20"	34"	R3B0TFL34 20-() ()	646.	662.	690.	724.	752.	792.	818.
	24"	34"	R3B0TFL34 24-() ()	687.	703.	731.	765.	793.	833.	859.
	30"	34"	R3B0TFL34 30-() ()	731.	747.	775.	809.	837.	877.	903.
	36"	34"	R3B0TFL34 36-() ()	774.	790.	818.	852.	880.	920.	946.
	42"	34"	R3B0TFL34 42-() ()	881.	897.	925.	959.	987.	1,027.	1,053.
	48"	34"	R3B0TFL34 48-() ()	911.	927.	955.	989.	1,017.	1,057.	1,083.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	R3B0TF134 18-() ()	693.	709.	741.	775.	803.	847.	873.
	20"	34"	R3B0TF134 20-() ()	693.	709.	741.	775.	803.	847.	873.
	24"	34"	R3B0TF134 24-() ()	740.	756.	788.	822.	850.	894.	920.
	30"	34"	R3B0TF134 30-() ()	788.	804.	836.	870.	898.	942.	968.
	36"	34"	R3B0TF134 36-() ()	831.	847.	879.	913.	941.	985.	1,011.
	42"	34"	R3B0TF134 42-() ()	950.	966.	998.	1,032.	1,060.	1,104.	1,130.
	48"	34"	R3B0TF134 48-() ()	980.	995.	1,028.	1,062.	1,090.	1,134.	1,160.

Order Code	Specification Information	Application Notes
Example: R3B0TFL3418-A4K R3 Reff Generation 3 B0 No Beltway T Tiled panel FL Fabric one side, laminate other 34 34" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base B Tile divider, black W281 Fabric - Side 1A W281 Fabric - Side 1B 114 Folkstone grey - side 2A 114 Folkstone grey - side 2B V316 Maple (top trim finish) 111 Jet Black (base finish) M Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) 5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top 6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert) 7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	8. Base finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable 1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel) 4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w Applicable finishes are listed on page 5 and 6. List price for wood grain laminate options will be; current published laminate list price plus 10%.
		All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 ³ / ₄ ". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 118. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 34" H

fabric one side, conventional or exotic opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	R3B0TF234 18-() ()	\$707.	\$723.	\$755.	\$789.	\$817.	\$861.	\$887.
	20"	34"	R3B0TF234 20-() ()	707.	723.	755.	789.	817.	861.	887.
	24"	34"	R3B0TF234 24-() ()	753.	769.	801.	835.	863.	907.	933.
	30"	34"	R3B0TF234 30-() ()	801.	817.	849.	883.	911.	955.	981.
	36"	34"	R3B0TF234 36-() ()	846.	862.	894.	928.	956.	1,000.	1,026.
	42"	34"	R3B0TF234 42-() ()	964.	980.	1,012.	1,046.	1,074.	1,118.	1,144.
	48"	34"	R3B0TF234 48-() ()	998.	1,014.	1,046.	1,080.	1,108.	1,152.	1,178.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	R3B0TF334 18-() ()	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	20"	34"	R3B0TF334 20-() ()	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	24"	34"	R3B0TF334 24-() ()	1,006.	1,022.	1,054.	1,088.	1,116.	1,160.	1,186.
	30"	34"	R3B0TF334 30-() ()	1,070.	1,086.	1,118.	1,152.	1,180.	1,224.	1,250.
	36"	34"	R3B0TF334 36-() ()	1,131.	1,147.	1,179.	1,213.	1,241.	1,285.	1,311.
	42"	34"	R3B0TF334 42-() ()	1,292.	1,308.	1,340.	1,374.	1,402.	1,446.	1,472.
	48"	34"	R3B0TF334 48-() ()	1,336.	1,352.	1,384.	1,418.	1,446.	1,490.	1,516.

Order Code

Example:	R3B0TF23418-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, conventional other
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric - Side 1A
W281	Fabric - Side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel)

4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)
34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

List price for wood grain laminate options will be; current published laminate list price plus 10%.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 118.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 34" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18"	34"	R3B0TLL3418 () ()	\$731.
	20"	34"	R3B0TLL3420 () ()	731.
	24"	34"	R3B0TLL3424 () ()	796.
	30"	34"	R3B0TLL3430 () ()	892.
	36"	34"	R3B0TLL3436 () ()	964.
	42"	34"	R3B0TLL3442 () ()	993.
	48"	34"	R3B0TLL3448 () ()	1,023.

Order Code

Example:	R3B0TLL3418-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 2A
118	Laminate - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts,
N = without knockouts)
- Tile divider
B = black steel divider or specify
AA-anodized aluminum or
painted option excluding silver
from page 5 for extruded
aluminum divider (upcharge
applicable for extruded
aluminum divider)
- Laminate, finish (specify
selection per insert)
i) tile 1A bottom
ii) tile 1B top
- Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood
finish, one finish per side (not
per insert)
- Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or P1,
P2, P3 painted finishes from
page 5 excluding silver

- Base finish
- Optional non-beltway panels:
specify (M) for panel frame to be
milled for ported components,
\$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 per
panel for this option)

4. Extruded aluminum tile divider:

- Optional for non fabric side only**
(fabric side always black)
- 34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on
page 5 and 6.

List price for wood grain laminate
options will be; current published
laminate list price plus 10%.

Application Notes

All panels on this page accept
stacking modules.


All panels on this page have no high
acoustical option or Beltway option.


Product on this page can be
attached to posts 34"H and higher
as well as 34", 42", 49", 64", and
79" panels. To attach 34" Beltway
panels to posts order appropriate
attachment kit from page 118.

79"H hookstrip reveal strips are
ordered separately from page 118 at
no charge.

Ported panel components to be
installed below worksurface if panel
34" h.

Tiled panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics 	18"	42"	R3B0TFF42 18- () ()	\$662.	\$700.	\$780.	\$880.	\$950.	\$1,058.	\$1,128.
	20"	42"	R3B0TFF42 20- () ()	662.	700.	780.	880.	950.	1,058.	1,128.
	24"	42"	R3B0TFF42 24- () ()	711.	749.	829.	929.	999.	1,107.	1,177.
	30"	42"	R3B0TFF42 30- () ()	762.	800.	880.	980.	1,050.	1,158.	1,228.
	36"	42"	R3B0TFF42 36- () ()	811.	849.	929.	1,029.	1,099.	1,207.	1,277.
	42"	42"	R3B0TFF42 42- () ()	917.	955.	1,035.	1,135.	1,205.	1,313.	1,383.
	48"	42"	R3B0TFF42 48- () ()	964.	1,002.	1,082.	1,182.	1,252.	1,360.	1,430.

Tiled, fabric both sides High acoustics 	18"	42"	R3B0TAA42 18- () ()	725.	763.	843.	943.	1,013.	1,121.	1,191.
	20"	42"	R3B0TAA42 20- () ()	725.	763.	843.	943.	1,013.	1,121.	1,191.
	24"	42"	R3B0TAA42 24- () ()	780.	818.	898.	998.	1,068.	1,176.	1,246.
	30"	42"	R3B0TAA42 30- () ()	839.	877.	957.	1,057.	1,127.	1,235.	1,305.
	36"	42"	R3B0TAA42 36- () ()	894.	932.	1,012.	1,112.	1,182.	1,290.	1,360.
	42"	42"	R3B0TAA42 42- () ()	1,012.	1,050.	1,130.	1,230.	1,300.	1,408.	1,478.
	48"	42"	R3B0TAA42 48- () ()	1,066.	1,104.	1,184.	1,284.	1,354.	1,462.	1,532.

Order Code	Specification Information
Example: R3B0TFF4218-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
42	42" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C top
5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C top
6. Top trim finish <i>i</i>) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 42" H

fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side 	18"	42"	R3B1TFF42 18-()()	\$1,191.	\$1,229.	\$1,306.	\$1,409.	\$1,479.	\$1,587.	\$1,657.
	20"	42"	R3B1TFF42 20-()()	1,191.	1,229.	1,306.	1,409.	1,479.	1,587.	1,657.
	24"	42"	R3B1TFF42 24-()()	1,218.	1,256.	1,333.	1,436.	1,506.	1,614.	1,684.
	30"	42"	R3B1TFF42 30-()()	1,282.	1,320.	1,397.	1,500.	1,570.	1,678.	1,748.
	36"	42"	R3B1TFF42 36-()()	1,514.	1,552.	1,629.	1,732.	1,802.	1,910.	1,980.
	42"	42"	R3B1TFF42 42-()()	1,635.	1,673.	1,750.	1,853.	1,923.	2,031.	2,101.
	48"	42"	R3B1TFF42 48-()()	1,692.	1,730.	1,807.	1,910.	1,980.	2,088.	2,158.

Tiled, fabric both sides Beltway two sides 	18"	42"	R3B2TFF42 18-()()	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	20"	42"	R3B2TFF42 20-()()	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	24"	42"	R3B2TFF42 24-()()	1,189.	1,227.	1,301.	1,407.	1,477.	1,585.	1,655.
	30"	42"	R3B2TFF42 30-()()	1,307.	1,345.	1,419.	1,525.	1,595.	1,703.	1,773.
	36"	42"	R3B2TFF42 36-()()	1,540.	1,578.	1,652.	1,758.	1,828.	1,936.	2,006.
	42"	42"	R3B2TFF42 42-()()	1,666.	1,704.	1,778.	1,884.	1,954.	2,062.	2,132.
	48"	42"	R3B2TFF42 48-()()	1,726.	1,764.	1,838.	1,944.	2,014.	2,122.	2,192.

Order Code	Specification Information	Application Notes
Example: R3B2TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 42" H

fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TFL42 18-() ()	\$722.	\$742.	\$779.	\$828.	\$862.	\$913.	\$947.
Regular acoustics	20"	42"	R3B0TFL42 20-() ()	722.	742.	779.	828.	862.	913.	947.
	24"	42"	R3B0TFL42 24-() ()	769.	789.	826.	875.	909.	960.	994.
	30"	42"	R3B0TFL42 30-() ()	820.	840.	877.	926.	960.	1,011.	1,045.
	36"	42"	R3B0TFL42 36-() ()	867.	887.	924.	973.	1,007.	1,058.	1,092.
	42"	42"	R3B0TFL42 42-() ()	966.	986.	1,023.	1,072.	1,106.	1,157.	1,191.
	48"	42"	R3B0TFL42 48-() ()	1,016.	1,036.	1,073.	1,122.	1,156.	1,207.	1,241.


Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
	24"	42"	R3B1TFL42 24-() ()	1,259.	1,279.	1,315.	1,365.	1,399.	1,450.	1,484.
	30"	42"	R3B1TFL42 30-() ()	1,321.	1,341.	1,377.	1,427.	1,461.	1,512.	1,546.
	36"	42"	R3B1TFL42 36-() ()	1,546.	1,566.	1,602.	1,652.	1,686.	1,737.	1,771.
	42"	42"	R3B1TFL42 42-() ()	1,662.	1,682.	1,718.	1,768.	1,802.	1,853.	1,887.
	48"	42"	R3B1TFL42 48-() ()	1,716.	1,736.	1,772.	1,822.	1,856.	1,907.	1,941.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w</i>
K Include knockouts in base	ii) tile 1B middle	6" Raceway option increases panel height by 2 3/4".
B Tile divider, black reveal	iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1A	6. Laminate side, finish (specify selection per insert)	List price for wood grain laminate options will be; current published laminate list price plus 10%.
W281 Fabric - Side 1B	i) tile 2A bottom	
W281 Fabric - Side 1C	ii) tile 2B middle	
114 Folkstone grey - side 2A	iii) tile 2C top	
114 Folkstone grey - side 2B	7. Top trim finish	
114 Folkstone grey - side 2C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
111 Jet Black (base finish)	8. Base finish	
M Optional milled frame	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 42" H

fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18-()()	\$775.	\$795.	\$836.	\$887.	\$921.	\$976.	\$1,011.
Regular acoustics	20"	42"	R3B0TF142 20-()()	775.	795.	836.	887.	921.	976.	1,011.
	24"	42"	R3B0TF142 24-()()	827.	847.	888.	939.	973.	1,028.	1,063.
	30"	42"	R3B0TF142 30-()()	882.	902.	943.	994.	1,028.	1,083.	1,118.
	36"	42"	R3B0TF142 36-()()	932.	952.	993.	1,044.	1,078.	1,133.	1,168.
	42"	42"	R3B0TF142 42-()()	1,042.	1,062.	1,103.	1,154.	1,188.	1,243.	1,278.
	48"	42"	R3B0TF142 48-()()	1,090.	1,110.	1,151.	1,202.	1,236.	1,291.	1,326.


Tiled, fabric one side	18"	42"	R3B1TF142 18-()()	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20-()()	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
	24"	42"	R3B1TF142 24-()()	1,353.	1,373.	1,414.	1,465.	1,499.	1,554.	1,589.
	30"	42"	R3B1TF142 30-()()	1,418.	1,438.	1,479.	1,530.	1,564.	1,619.	1,654.
	36"	42"	R3B1TF142 36-()()	1,657.	1,677.	1,718.	1,769.	1,803.	1,858.	1,893.
	42"	42"	R3B1TF142 42-()()	1,786.	1,806.	1,847.	1,898.	1,932.	1,987.	2,022.
	48"	42"	R3B1TF142 48-()()	1,847.	1,867.	1,908.	1,958.	1,993.	2,048.	2,083.

Order Code	Specification Information	Application Notes
Example: R3B0TF14218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Remember to specify Beltway paint finish when applicable.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
4 4" base height	8. Base finish	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
Y328 Mahogany - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18- () ()	\$789.	\$809.	\$850.	\$901.	\$935.	\$990.	\$1,025.
Regular acoustics	20"	42"	R3B0TF242 20- () ()	789.	809.	850.	901.	935.	990.	1,025.
	24"	42"	R3B0TF242 24- () ()	841.	861.	902.	953.	987.	1,042.	1,077.
	30"	42"	R3B0TF242 30- () ()	897.	917.	958.	1,009.	1,043.	1,098.	1,133.
	36"	42"	R3B0TF242 36- () ()	953.	973.	1,014.	1,065.	1,099.	1,154.	1,189.
	42"	42"	R3B0TF242 42- () ()	1,060.	1,080.	1,121.	1,172.	1,206.	1,261.	1,296.
	48"	42"	R3B0TF242 48- () ()	1,112.	1,132.	1,173.	1,224.	1,258.	1,313.	1,348.

Tiled, fabric one side	18"	42"	R3B1TF242 18- () ()	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20- () ()	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
	24"	42"	R3B1TF242 24- () ()	1,376.	1,396.	1,437.	1,488.	1,522.	1,577.	1,612.
	30"	42"	R3B1TF242 30- () ()	1,445.	1,465.	1,506.	1,557.	1,591.	1,646.	1,681.
	36"	42"	R3B1TF242 36- () ()	1,691.	1,711.	1,752.	1,803.	1,837.	1,892.	1,927.
	42"	42"	R3B1TF242 42- () ()	1,819.	1,839.	1,880.	1,931.	1,965.	2,020.	2,055.
	48"	42"	R3B1TF242 48- () ()	1,881.	1,901.	1,942.	1,993.	2,027.	2,082.	2,117.

Order Code

Example: R3B0TF24218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F2 Fabric one side, V2 other
42 42" high
18 18" wide
A Flat style top trim profile
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric - Side 1A
W281 Fabric - Side 1B
W281 Fabric - Side 1C
V316 Maple surface - side 2 tiled
V316 Maple (top trim finish)
111 Jet Black (base finish)
M Optional milled frame

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
 - tile 1A bottom
 - tile 1B middle
 - tile 1C top
- Conventional veneer, finish (specify one V2 finish for side)
- Top trim finish
 - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider:*
Optional for non fabric side only (fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w
- 6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 433).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 42" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-() ()	\$1,052.	\$1,072.	\$1,113.	\$1,164.	\$1,198.	\$1,253.	\$1,288.
Regular acoustics	20"	42"	R3B0TF342 20-() ()	1,052.	1,072.	1,113.	1,164.	1,198.	1,253.	1,288.
	24"	42"	R3B0TF342 24-() ()	1,120.	1,140.	1,181.	1,232.	1,266.	1,321.	1,356.
	30"	42"	R3B0TF342 30-() ()	1,197.	1,217.	1,258.	1,309.	1,343.	1,398.	1,433.
	36"	42"	R3B0TF342 36-() ()	1,271.	1,291.	1,332.	1,383.	1,417.	1,472.	1,507.
	42"	42"	R3B0TF342 42-() ()	1,416.	1,436.	1,477.	1,528.	1,562.	1,617.	1,652.
	48"	42"	R3B0TF342 48-() ()	1,487.	1,507.	1,548.	1,599.	1,633.	1,688.	1,723.


Tiled, fabric one side	18"	42"	R3B1TF342 18-() ()	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
Beltway fabric side	20"	42"	R3B1TF342 20-() ()	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
	24"	42"	R3B1TF342 24-() ()	1,845.	1,865.	1,906.	1,957.	1,991.	2,046.	2,081.
	30"	42"	R3B1TF342 30-() ()	1,935.	1,955.	1,996.	2,047.	2,081.	2,136.	2,171.
	36"	42"	R3B1TF342 36-() ()	2,269.	2,289.	2,330.	2,381.	2,415.	2,470.	2,505.
	42"	42"	R3B1TF342 42-() ()	2,440.	2,460.	2,501.	2,552.	2,586.	2,641.	2,676.
	48"	42"	R3B1TF342 48-() ()	2,524.	2,544.	2,585.	2,636.	2,670.	2,725.	2,760.

Order Code	Specification Information	Application Notes
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 433).
W281 Fabric - Side 1B		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
W281 Fabric - Side 1C		Remember to specify Beltway paint finish when applicable.
V512 Figured Anigre surface - side 2 tiled		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H

Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	42"	R3B0TLL4218() ()	\$881.
	20"	42"	R3B0TLL4220() ()	881.
	24"	42"	R3B0TLL4224() ()	961.
	30"	42"	R3B0TLL4230() ()	1,075.
	36"	42"	R3B0TLL4236() ()	1,161.
	42"	42"	R3B0TLL4242() ()	1,197.
	48"	42"	R3B0TLL4248() ()	1,232.




Order Code	Specification Information	Application Notes
Example: R3B0TLL4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Applicable finishes are listed on page 5 and 6.
42 42" high	5. Laminate side, finish (specify selection per insert)	List price for wood grain laminate options will be; current published laminate list price plus 10%.
18 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	
A Flat style top trim profile	6. Laminate, finish	
4 4" base height	7. Top trim finish	
K Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
B Tile divider, black reveal	8. Base finish	
118 Laminate - side 1A	9. Beltway finish	
118 Laminate - side 1B	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
118 Laminate - side 1C		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B0TFF49 18- () ()	\$742.	\$790.	\$880.	\$982.	\$1,066.	\$1,198.	\$1,276.
Regular acoustics	20"	49"	R3B0TFF49 20- () ()	742.	790.	880.	982.	1,066.	1,198.	1,276.
	24"	49"	R3B0TFF49 24- () ()	793.	841.	931.	1,033.	1,117.	1,249.	1,327.
	30"	49"	R3B0TFF49 30- () ()	853.	901.	991.	1,093.	1,177.	1,309.	1,387.
	36"	49"	R3B0TFF49 36- () ()	909.	957.	1,047.	1,149.	1,233.	1,365.	1,443.
	42"	49"	R3B0TFF49 42- () ()	1,026.	1,074.	1,164.	1,266.	1,350.	1,482.	1,560.
	48"	49"	R3B0TFF49 48- () ()	1,083.	1,131.	1,221.	1,323.	1,407.	1,539.	1,617.

Tiled, fabric both sides	18"	49"	R3B0TAA49 18- () ()	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
High acoustics	20"	49"	R3B0TAA49 20- () ()	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
	24"	49"	R3B0TAA49 24- () ()	869.	917.	1,007.	1,109.	1,193.	1,325.	1,403.
	30"	49"	R3B0TAA49 30- () ()	938.	986.	1,076.	1,178.	1,262.	1,394.	1,472.
	36"	49"	R3B0TAA49 36- () ()	998.	1,046.	1,136.	1,238.	1,322.	1,454.	1,532.
	42"	49"	R3B0TAA49 42- () ()	1,125.	1,173.	1,263.	1,365.	1,449.	1,581.	1,659.
	48"	49"	R3B0TAA49 48- () ()	1,191.	1,239.	1,329.	1,431.	1,515.	1,647.	1,725.

Order Code	Specification Information
Example: R3B0TFF4918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame


Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top
5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top
6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 ³ / ₄ ".
Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
Remember to specify Beltway paint finish when applicable.
79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 49" H

fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B1TFF49 18-() ()	\$1,224.	\$1,272.	\$1,359.	\$1,464.	\$1,548.	\$1,680.	\$1,758.
Beltway one side	20"	49"	R3B1TFF49 20-() ()	1,224.	1,272.	1,359.	1,464.	1,548.	1,680.	1,758.
	24"	49"	R3B1TFF49 24-() ()	1,249.	1,297.	1,384.	1,489.	1,573.	1,705.	1,783.
	30"	49"	R3B1TFF49 30-() ()	1,316.	1,364.	1,451.	1,556.	1,640.	1,772.	1,850.
	36"	49"	R3B1TFF49 36-() ()	1,575.	1,623.	1,710.	1,815.	1,899.	2,031.	2,109.
	42"	49"	R3B1TFF49 42-() ()	1,701.	1,749.	1,836.	1,941.	2,025.	2,157.	2,235.
	48"	49"	R3B1TFF49 48-() ()	1,761.	1,809.	1,896.	2,001.	2,085.	2,217.	2,295.

Tiled, fabric both sides	18"	49"	R3B2TFF49 18-() ()	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
Beltway two sides	20"	49"	R3B2TFF49 20-() ()	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
	24"	49"	R3B2TFF49 24-() ()	1,270.	1,318.	1,402.	1,510.	1,594.	1,726.	1,804.
	30"	49"	R3B2TFF49 30-() ()	1,340.	1,388.	1,472.	1,580.	1,664.	1,796.	1,874.
	36"	49"	R3B2TFF49 36-() ()	1,603.	1,651.	1,735.	1,843.	1,927.	2,059.	2,137.
	42"	49"	R3B2TFF49 42-() ()	1,730.	1,778.	1,862.	1,970.	2,054.	2,186.	2,264.
	48"	49"	R3B2TFF49 48-() ()	1,796.	1,844.	1,928.	2,036.	2,120.	2,252.	2,330.

Order Code	Specification Information	Application Notes
Example: R3B2TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 with Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	i) tile 2A bottom	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 49" H

fabric one side, laminate opposite side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TFL49 18-() ()	\$810.	\$834.	\$876.	\$927.	\$969.	\$1,029.	\$1,068.
Regular acoustics	20"	49"	R3B0TFL49 20-() ()	810.	834.	876.	927.	969.	1,029.	1,068.
	24"	49"	R3B0TFL49 24-() ()	857.	881.	923.	974.	1,016.	1,076.	1,115.
	30"	49"	R3B0TFL49 30-() ()	917.	941.	983.	1,034.	1,076.	1,136.	1,175.
	36"	49"	R3B0TFL49 36-() ()	968.	992.	1,034.	1,085.	1,127.	1,187.	1,226.
	42"	49"	R3B0TFL49 42-() ()	1,079.	1,103.	1,145.	1,196.	1,238.	1,298.	1,337.
	48"	49"	R3B0TFL49 48-() ()	1,137.	1,161.	1,203.	1,254.	1,296.	1,356.	1,395.


Tiled, fabric one side	18"	49"	R3B1TFL49 18-() ()	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
Beltway one side (fabric side)	20"	49"	R3B1TFL49 20-() ()	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
	24"	49"	R3B1TFL49 24-() ()	1,299.	1,323.	1,364.	1,416.	1,458.	1,518.	1,557.
	30"	49"	R3B1TFL49 30-() ()	1,364.	1,388.	1,429.	1,481.	1,523.	1,583.	1,622.
	36"	49"	R3B1TFL49 36-() ()	1,612.	1,636.	1,677.	1,729.	1,771.	1,831.	1,870.
	42"	49"	R3B1TFL49 42-() ()	1,730.	1,754.	1,795.	1,847.	1,889.	1,949.	1,988.
	48"	49"	R3B1TFL49 48-() ()	1,795.	1,819.	1,860.	1,912.	1,954.	2,014.	2,053.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
FL Fabric one side. laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
49 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
18 18" wide	6. Laminate side finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
4 4" base height	8. Base finish	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 5 and 6.
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	List price for wood grain laminate options will be; current published laminate list price plus 10%.
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
114 Folkstone grey - side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18- () ()	\$867.	\$891.	\$939.	\$990.	\$1,032.	\$1,098.	\$1,137.
Regular acoustics	20"	49"	R3B0TF149 20- () ()	867.	891.	939.	990.	1,032.	1,098.	1,137.
	24"	49"	R3B0TF149 24- () ()	921.	945.	993.	1,044.	1,086.	1,152.	1,191.
	30"	49"	R3B0TF149 30- () ()	983.	1,007.	1,055.	1,106.	1,148.	1,214.	1,253.
	36"	49"	R3B0TF149 36- () ()	1,042.	1,066.	1,114.	1,165.	1,207.	1,273.	1,312.
	42"	49"	R3B0TF149 42- () ()	1,166.	1,190.	1,238.	1,289.	1,331.	1,397.	1,436.
	48"	49"	R3B0TF149 48- () ()	1,221.	1,245.	1,293.	1,344.	1,386.	1,452.	1,491.


Tiled, fabric one side	18"	49"	R3B1TF149 18- () ()	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20- () ()	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
	24"	49"	R3B1TF149 24- () ()	1,398.	1,422.	1,470.	1,521.	1,563.	1,629.	1,668.
	30"	49"	R3B1TF149 30- () ()	1,466.	1,490.	15,338.	1,589.	1,631.	1,697.	1,736.
	36"	49"	R3B1TF149 36- () ()	1,735.	1,759.	1,807.	1,858.	1,900.	1,966.	2,005.
	42"	49"	R3B1TF149 42- () ()	1,864.	1,888.	1,936.	1,987.	2,029.	2,095.	2,134.
	48"	49"	R3B1TF149 48- () ()	1,928.	1,952.	2,000.	2,051.	2,093.	2,159.	2,198.

Order Code	Specification Information	Application Notes
Example: R3B0TF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F1 Fabric one side, V1 other	4. Tile divider (B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider))	E = Extruded Aluminum
49 49" high	5. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
K Include knockouts in base	6. Techwood side, finish (specify one V1 finish for side)	49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
B Tile divider, black reveal	7. Top trim finish	6" Raceway option increases panel height by 2 3/4".
W281 Fabric - Side 1A	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
W281 Fabric - Side 1C	8. Base finish	
Y328 Mahogany - side 2 tiled	9. Beltway finish, for panels with Beltway	
V316 Maple (top trim finish)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 49" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF249 18-() ()	\$885.	\$909.	\$957.	\$1,008.	\$1,050.	\$1,116.	\$1,155.
Regular acoustics	20"	49"	R3B0TF249 20-() ()	885.	909.	957.	1,008.	1,050.	1,116.	1,155.
	24"	49"	R3B0TF249 24-() ()	938.	962.	1,010.	1,061.	1,103.	1,169.	1,208.
	30"	49"	R3B0TF249 30-() ()	1,007.	1,031.	1,079.	1,130.	1,172.	1,238.	1,277.
	36"	49"	R3B0TF249 36-() ()	1,062.	1,086.	1,134.	1,185.	1,227.	1,293.	1,332.
	42"	49"	R3B0TF249 42-() ()	1,182.	1,206.	1,254.	1,305.	1,347.	1,413.	1,452.
	48"	49"	R3B0TF249 48-() ()	1,244.	1,268.	1,316.	1,367.	1,409.	1,475.	1,514.

Tiled, fabric one side	18"	49"	R3B1TF249 18-() ()	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
Beltway one side (fabric side)	20"	49"	R3B1TF249 20-() ()	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
	24"	49"	R3B1TF249 24-() ()	1,423.	1,447.	1,495.	1,546.	1,588.	1,654.	1,693.
	30"	49"	R3B1TF249 30-() ()	1,492.	1,516.	1,564.	1,615.	1,657.	1,723.	1,762.
	36"	49"	R3B1TF249 36-() ()	1,764.	1,788.	1,836.	1,887.	1,929.	1,995.	2,034.
	42"	49"	R3B1TF249 42-() ()	1,896.	1,920.	1,968.	2,019.	2,061.	2,127.	2,166.
	48"	49"	R3B1TF249 48-() ()	1,964.	1,988.	2,036.	2,087.	2,129.	2,195.	2,234.

Order Code	Specification Information	Application Notes
Example: R3B0TF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	i) tile 1A bottom	49"h add per panel:
W281 Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1C	6. Conventional veneer, finish (specify one V2 finish for side)	\$34 for 36w and 42w
V316 Maple surface - side 2 tiled	7. Top trim finish	\$42 for 48w
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 49" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF349 18-() ()	\$1,177.	\$1,201.	\$1,249.	\$1,300.	\$1,342.	\$1,408.	\$1,447.
Regular acoustics	20"	49"	R3B0TF349 20-() ()	1,177.	1,201.	1,249.	1,300.	1,342.	1,408.	1,447.
	24"	49"	R3B0TF349 24-() ()	1,249.	1,273.	1,321.	1,372.	1,414.	1,480.	1,519.
	30"	49"	R3B0TF349 30-() ()	1,342.	1,366.	1,414.	1,465.	1,507.	1,573.	1,612.
	36"	49"	R3B0TF349 36-() ()	1,417.	1,441.	1,489.	1,540.	1,582.	1,648.	1,687.
	42"	49"	R3B0TF349 42-() ()	1,579.	1,603.	1,651.	1,702.	1,744.	1,810.	1,849.
	48"	49"	R3B0TF349 48-() ()	1,661.	1,685.	1,733.	1,784.	1,826.	1,892.	1,931.

Tiled, fabric one side	18"	49"	R3B1TF349 18-() ()	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
Beltway fabric side	20"	49"	R3B1TF349 20-() ()	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
	24"	49"	R3B1TF349 24-() ()	1,905.	1,929.	1,977.	2,028.	2,070.	2,136.	2,175.
	30"	49"	R3B1TF349 30-() ()	1,997.	2,021.	2,069.	2,120.	2,162.	2,228.	2,267.
	36"	49"	R3B1TF349 36-() ()	2,366.	2,390.	2,438.	2,489.	2,531.	2,597.	2,636.
	42"	49"	R3B1TF349 42-() ()	2,544.	2,568.	2,616.	2,667.	2,709.	2,775.	2,814.
	48"	49"	R3B1TF349 48-() ()	2,636.	2,660.	2,708.	2,759.	2,801.	2,867.	2,906.

Order Code	Specification Information	Application Notes
Example: R3B0TF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	ii) tile 1B middle	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	iii) tile 1C top	49" h add per panel:
W281 Fabric - Side 1A	6. Exotic veneer, finish (specify one V3 finish for side)	\$25 for 18w and 20w
W281 Fabric - Side 1B	7. Top trim finish	\$28 for 24w and 30w
W281 Fabric - Side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$34 for 36w and 42w
V512 Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$42 for 48w
V512 Figured Anigre (top trim finish)	8. Base finish	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18"	49"	R3B0TLL4918() ()	\$921.
	20"	49"	R3B0TLL4920() ()	921.
	24"	49"	R3B0TLL4924() ()	1,003.
	30"	49"	R3B0TLL4930() ()	1,124.
	36"	49"	R3B0TLL4936() ()	1,214.
	42"	49"	R3B0TLL4942() ()	1,250.
	48"	49"	R3B0TLL4948() ()	1,288.

Order Code

Example:	R3B0TLL4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
49	49" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

- To order please specify pattern number including:*
1. Top trim profile
 2. Base height
 3. Knockout option
(K = with knockouts, N = without knockouts)
 4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 5. Laminate side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
 6. Laminate, finish
 7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 8. Base finish
 9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. *Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
49"h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

Applicable finishes are listed on page 5 and 6.

List price for wood grain laminate options will be; current published laminate list price plus 10%.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


Tiled panels 64" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B0TFF64 18-() ()	\$849.	\$913.	\$1,033.	\$1,169.	\$1,281.	\$1,457.	\$1,561.
Regular acoustics	20"	64"	R3B0TFF64 20-() ()	849.	913.	1,033.	1,169.	1,281.	1,457.	1,561.
	24"	64"	R3B0TFF64 24-() ()	610.	974.	1,094.	1,230.	1,342.	1,518.	1,622.
	30"	64"	R3B0TFF64 30-() ()	97.	1,041.	1,161.	1,297.	1,409.	1,585.	1,689.
	36"	64"	R3B0TFF64 36-() ()	1,034.	1,098.	1,218.	1,354.	1,466.	1,642.	1,746.
	42"	64"	R3B0TFF64 42-() ()	1,183.	1,247.	1,367.	1,503.	1,615.	1,791.	1,895.
	48"	64"	R3B0TFF64 48-() ()	1,242.	1,306.	1,426.	1,562.	1,674.	1,850.	1,954.



Tiled, fabric both sides	18"	64"	R3B0TAA64 18-() ()	929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
High acoustics	20"	64"	R3B0TAA64 20-() ()	929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
	24"	64"	R3B0TAA64 24-() ()	996.	1,060.	1,180.	1,316.	1,428.	1,604.	1,708.
	30"	64"	R3B0TAA64 30-() ()	1,071.	1,135.	1,255.	1,391.	1,503.	1,679.	1,783.
	36"	64"	R3B0TAA64 36-() ()	1,142.	1,206.	1,326.	1,462.	1,574.	1,750.	1,854.
	42"	64"	R3B0TAA64 42-() ()	1,300.	1,364.	1,484.	1,620.	1,732.	1,908.	2,012.
	48"	64"	R3B0TAA64 48-() ()	1,370.	1,434.	1,554.	1,690.	1,802.	1,978.	2,082.



Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C middle	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	iv) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	i) tile 2A bottom	
W281 Fabric - Side 1C	ii) tile 2B middle	
W281 Fabric - Side 2A	iii) tile 2C middle	
W281 Fabric - Side 2B	iv) tile 2D top	
W281 Fabric - Side 2C	6. Top trim finish	
V316 Maple (top trim finish)	i) Top trim profile A,B or C options:	
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 64" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B1TFF64 18-() ()	\$1,326.	\$1,390.	\$1,507.	\$1,646.	\$1,758.	\$1,934.	\$2,038.
Beltway one side	20"	64"	R3B1TFF64 20-() ()	1,326.	1,390.	1,507.	1,646.	1,758.	1,934.	2,038.
	24"	64"	R3B1TFF64 24-() ()	1,394.	1,458.	1,575.	1,714.	1,826.	2,002.	2,106.
	30"	64"	R3B1TFF64 30-() ()	1,428.	1,492.	1,609.	1,748.	1,860.	2,036.	2,140.
	36"	64"	R3B1TFF64 36-() ()	1,754.	1,818.	1,935.	2,074.	2,186.	2,362.	2,466.
	42"	64"	R3B1TFF64 42-() ()	1,884.	1,948.	2,065.	2,204.	2,316.	2,492.	2,596.
	48"	64"	R3B1TFF64 48-() ()	1,951.	2,015.	2,132.	2,271.	2,383.	2,559.	2,663.

Tiled, fabric both sides	18"	64"	R3B2TFF64 18-() ()	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
Beltway two sides	20"	64"	R3B2TFF64 20-() ()	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
	24"	64"	R3B2TFF64 24-() ()	1,416.	1,480.	1,594.	1,736.	1,848.	2,024.	2,128.
	30"	64"	R3B2TFF64 30-() ()	1,451.	1,515.	1,629.	1,771.	1,883.	2,059.	2,163.
	36"	64"	R3B2TFF64 36-() ()	1,785.	1,849.	1,963.	2,105.	2,217.	2,393.	2,497.
	42"	64"	R3B2TFF64 42-() ()	1,913.	1,977.	2,091.	2,233.	2,345.	2,521.	2,625.
	48"	64"	R3B2TFF64 48-() ()	1,985.	2,049.	2,163.	2,305.	2,417.	2,593.	2,697.

Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	6. Top trim finish
B1 Beltway one side	2. Base height	i) Top trim profile A, B or C options:
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	V1, V2, V3, P1, P2, P3 finishes
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
79 79" high	i) tile 1A bottom	7. Base finish
18 18" wide	ii) tile 1B middle	8. Beltway finish
A Flat style top trim profile	iii) tile 1C middle	1. <i>Top trim profile:</i>
4 4" base height	iv) tile 1D middle	A = Flat
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	B = Square
W281 Fabric - Side 1A	i) tile 2A bottom	C = Bullnose
W281 Fabric - Side 1B	ii) tile 2B middle	E = Extruded Aluminum
W281 Fabric - Side 1C	iii) tile 2C middle	2. <i>Base height:</i>
W281 Fabric - Side 1D	iv) tile 2D middle	4 = 4" base height
W281 Fabric - Side 2A		6 = 6" base height (add \$47 per panel for this option)
W281 Fabric - Side 2B		Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 2C		Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 2D		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


Tiled panels 64" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-() ()	\$943.	\$975.	\$1,031.	\$1,099.	\$1,155.	\$1,235.	\$1,287.
Regular acoustics	20"	64"	R3B0TFL64 20-() ()	943.	975.	1,031.	1,099.	1,155.	1,235.	1,287.
	24"	64"	R3B0TFL64 24-() ()	999.	1,031.	1,087.	1,155.	1,211.	1,291.	1,343.
	30"	64"	R3B0TFL64 30-() ()	1,066.	1,098.	1,154.	1,222.	1,278.	1,358.	1,410.
	36"	64"	R3B0TFL64 36-() ()	1,126.	1,158.	1,214.	1,282.	1,338.	1,418.	1,470.
	42"	64"	R3B0TFL64 42-() ()	1,266.	1,298.	1,354.	1,422.	1,478.	1,558.	1,610.
	48"	64"	R3B0TFL64 48-() ()	1,326.	1,358.	1,414.	1,482.	1,538.	1,618.	1,670.



Tiled, fabric one side	18"	64"	R3B1TFL64 18-() ()	1,402.	1,434.	1,489.	1,558.	1,614.	1,694.	1,746.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-() ()	1,402.	1,434.	1,489.	1,558.	1,614.	1,692.	1,746.
	24"	64"	R3B1TFL64 24-() ()	1,470.	1,502.	1,557.	1,626.	1,682.	1,762.	1,814.
	30"	64"	R3B1TFL64 30-() ()	1,501.	1,533.	1,588.	1,567.	1,713.	1,793.	1,845.
	36"	64"	R3B1TFL64 36-() ()	1,821.	1,853.	1,908.	1,977.	2,033.	2,113.	2,165.
	42"	64"	R3B1TFL64 42-() ()	1,942.	1,974.	2,029.	2,098.	2,154.	2,234.	2,286.
	48"	64"	R3B1TFL64 48-() ()	2,007.	2,039.	2,094.	2,163.	2,219.	2,299.	2,351.



Order Code

Specification Information

Application Notes

Example: R3B0TFL6418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
114	Folkstone grey - side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
6. Laminate side, finish (specify selection per insert)
i) tile 2A bottom
ii) tile 2B middle
iii) tile 2C middle
iv) tile 2D top
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver

8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. *Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
64" h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

List price for wood grain laminate options will be; current published laminate list price plus 10%.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 64" H

fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18-() ()	\$1,013.	\$1,045.	\$1,109.	\$1,177.	\$1,233.	\$1,321.	\$1,373.
Regular acoustics	20"	64"	R3B0TF164 20-() ()	1,013.	1,045.	1,109.	1,177.	1,233.	1,321.	1,373.
	24"	64"	R3B0TF164 24-() ()	1,074.	1,106.	1,170.	1,238.	1,294.	1,382.	1,434.
	30"	64"	R3B0TF164 30-() ()	1,146.	1,178.	1,242.	1,310.	1,366.	1,454.	1,506.
	36"	64"	R3B0TF164 36-() ()	1,208.	1,240.	1,304.	1,372.	1,428.	1,516.	1,568.
	42"	64"	R3B0TF164 42-() ()	1,361.	1,393.	1,457.	1,525.	1,581.	1,669.	1,721.
	48"	64"	R3B0TF164 48-() ()	1,424.	1,456.	1,520.	1,588.	1,644.	1,732.	1,784.


Tiled, fabric one side	18"	64"	R3B1TF164 18-() ()	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20-() ()	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
	24"	64"	R3B1TF164 24-() ()	1,579.	1,611.	1,675.	1,743.	1,799.	1,887.	1,939.
	30"	64"	R3B1TF164 30-() ()	1,613.	1,645.	1,709.	1,777.	1,833.	1,921.	1,973.
	36"	64"	R3B1TF164 36-() ()	1,955.	1,987.	2,051.	2,119.	2,175.	2,263.	2,315.
	42"	64"	R3B1TF164 42-() ()	2,086.	2,118.	2,182.	2,250.	2,306.	2,294.	2,446.
	48"	64"	R3B1TF164 48-() ()	2,161.	2,193.	2,257.	2,325.	2,381.	2,469.	2,521.

Order Code	Specification Information	Application Notes
Example: R3B0TF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Optional for non fabric side only
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	(fabric side always black)
W281 Fabric - Side 1A	i) tile 1A bottom	64" h add per panel:
W281 Fabric - Side 1B	ii) tile 1B middle	\$39 for 18w and 20w
W281 Fabric - Side 1C	iii) tile 1C middle	\$43 for 24w and 30w
Y328 Mahogany - side 2 tiled	iv) tile 1D top	\$48 for 36w and 42w
V316 Maple (top trim finish)	6. Techwood side, finish (specify one V1 finish for side)	\$64 for 48w
111 Jet Black (base finish)	7. Top trim finish	<i>6" Raceway option increases panel height by 2 3/4".</i>
M Optional milled frame	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 64" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18-() ()	\$1,032.	\$1,064.	\$1,128.	\$1,196.	\$1,252.	\$1,340.	\$1,392.
Regular acoustics	20"	64"	R3B0TF264 20-() ()	1,032.	1,064.	1,128.	1,196.	1,252.	1,340.	1,392.
	24"	64"	R3B0TF264 24-() ()	1,092.	1,124.	1,188.	1,256.	1,312.	1,400.	1,452.
	30"	64"	R3B0TF264 30-() ()	1,163.	1,195.	1,259.	1,327.	1,383.	1,471.	1,523.
	36"	64"	R3B0TF264 36-() ()	1,230.	1,262.	1,326.	1,394.	1,450.	1,538.	1,590.
	42"	64"	R3B0TF264 42-() ()	1,384.	1,416.	1,480.	1,548.	1,604.	1,692.	1,744.
	48"	64"	R3B0TF264 48-() ()	1,449.	1,481.	1,545.	1,613.	1,669.	1,757.	1,809.

Tiled, fabric one side	18"	64"	R3B1TF264 18-() ()	1,534.	1,566.	1,630.	1,696.	1,754.	1,842.	1,894.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20-() ()	1,534.	1,566.	1,630.	1,698.	1,754.	1,842.	1,894.
	24"	64"	R3B1TF264 24-() ()	1,608.	1,640.	1,704.	1,772.	1,828.	1,916.	1,968.
	30"	64"	R3B1TF264 30-() ()	1,642.	1,674.	1,738.	1,806.	1,862.	1,950.	2,002.
	36"	64"	R3B1TF264 36-() ()	1,993.	2,025.	2,089.	2,157.	2,213.	2,301.	2,353.
	42"	64"	R3B1TF264 42-() ()	2,126.	2,158.	2,222.	2,290.	2,346.	2,434.	2,486.
	48"	64"	R3B1TF264 48-() ()	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.

Order Code

Specification Information

Application Notes

Example: R3B0TF26418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, V2 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
V316	Maple surface - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
- Conventional veneer, finish (specify one V2 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" raceway option increases panel height by 2 3/4".
- Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
64" h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-() ()	\$1,371.	\$1,403.	\$1,467.	\$1,535.	\$1,591.	\$1,679.	\$1,731.
Regular acoustics	20"	64"	R3B0TF364 20-() ()	1,371.	1,403.	1,467.	1,535.	1,591.	1,679.	1,731.
	24"	64"	R3B0TF364 24-() ()	1,451.	1,483.	1,547.	1,615.	1,671.	1,759.	1,811.
	30"	64"	R3B0TF364 30-() ()	1,547.	1,579.	1,643.	1,711.	1,767.	1,855.	1,907.
	36"	64"	R3B0TF364 36-() ()	1,639.	1,671.	1,735.	1,803.	1,859.	1,947.	1,999.
	42"	64"	R3B0TF364 42-() ()	1,847.	1,879.	1,943.	2,011.	2,067.	2,155.	2,207.
	48"	64"	R3B0TF364 48-() ()	1,933.	1,965.	2,029.	2,097.	2,153.	2,241.	2,293.

Tiled, fabric one side	18"	64"	R3B1TF364 18-() ()	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
Beltway fabric side	20"	64"	R3B1TF364 20-() ()	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
	24"	64"	R3B1TF364 24-() ()	2,151.	2,183.	2,247.	2,313.	2,371.	2,459.	2,511.
	30"	64"	R3B1TF364 30-() ()	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.
	36"	64"	R3B1TF364 36-() ()	2,668.	2,700.	2,764.	2,832.	2,888.	2,976.	3,028.
	42"	64"	R3B1TF364 42-() ()	2,847.	2,879.	2,943.	3,011.	3,067.	3,155.	3,207.
	48"	64"	R3B1TF364 48-() ()	2,941.	2,973.	3,037.	3,105.	3,161.	3,249.	3,301.

Order Code

Example: R3B0TF36418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
64	64" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

- To order please specify pattern number including:*
- Top trim profile
 - Base height
 - Knockout option (K = with knockouts, N = without knockouts)
 - Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 - Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
 - Exotic veneer, finish (specify one V3 finish for side)
 - Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 - Base finish
 - Beltway finish, for panels with Beltway
 - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes


- Top trim profile:**
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 - Base height:**
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" raceway option increases panel height by 2 3/4".
 - Extruded aluminum tile divider: Optional for non fabric side only** (fabric side always black)
64"h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$64 for 48w
- Applicable finishes are listed on page 5 and 6.
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 64" H

Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	64"	R3B0TLL6418 () ()	\$1,145.
	20"	64"	R3B0TLL6420 () ()	1,145.
	24"	64"	R3B0TLL6424 () ()	1,248.
	30"	64"	R3B0TLL6430 () ()	1,399.
	36"	64"	R3B0TLL6436 () ()	1,510.
	42"	64"	R3B0TLL6442 () ()	1,555.
	48"	64"	R3B0TLL6448 () ()	1,618.




Order Code	Specification Information	Application Notes
Example: R3B0TLL6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
64 64" high	5. Laminate side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D top	Remember to specify Beltway paint finish when applicable.
18 18" wide	6. Laminate, finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
A Flat style top trim profile	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
4 4" base height	8. Base finish	List price for wood grain laminate options will be; current published laminate list price plus 10%.
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
B Tile divider, black reveal		
118 Laminate - side 1A		
118 Laminate - side 1B		
118 Laminate - side 1C		
118 Laminate - side 1D		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
118 Laminate - side 2D		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18- () ()	\$1,056.	\$1,136.	\$1,286.	\$1,456.	\$1,596.	\$1,816.	\$1,946.
Regular acoustics	20"	79"	R3B0TFF79 20- () ()	1,056.	1,136.	1,286.	1,456.	1,596.	1,816.	1,946.
	24"	79"	R3B0TFF79 24- () ()	1,123.	1,203.	1,353.	1,523.	1,663.	1,883.	2,013.
	30"	79"	R3B0TFF79 30- () ()	1,188.	1,268.	1,418.	1,588.	1,728.	1,948.	2,078.
	36"	79"	R3B0TFF79 36- () ()	1,256.	1,336.	1,486.	1,656.	1,796.	2,016.	2,146.
	42"	79"	R3B0TFF79 42- () ()	1,427.	1,507.	1,657.	1,827.	1,967.	2,187.	2,317.
	48"	79"	R3B0TFF79 48- () ()	1,499.	1,579.	1,729.	1,899.	2,039.	2,259.	2,389.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18- () ()	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
High acoustics	20"	79"	R3B0TAA79 20- () ()	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
	24"	79"	R3B0TAA79 24- () ()	1,232.	1,312.	1,462.	1,632.	1,772.	1,992.	2,122.
	30"	79"	R3B0TAA79 30- () ()	1,303.	1,383.	1,533.	1,703.	1,843.	2,063.	2,193.
	36"	79"	R3B0TAA79 36- () ()	1,377.	1,457.	1,607.	1,777.	1,917.	2,137.	2,267.
	42"	79"	R3B0TAA79 42- () ()	1,567.	1,647.	1,797.	1,967.	2,107.	2,327.	2,457.
	48"	79"	R3B0TAA79 48- () ()	1,649.	1,729.	1,879.	2,049.	2,189.	2,409.	2,539.



Order Code

Example: R3B0TFF7918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
 - v) tile 1E top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C middle
 - iv) tile 2D middle
 - v) tile 2E top

6. Top trim finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
 1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2³/₄".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 79" H fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18- () ()	\$1,376.	\$1,456.	\$1,603.	\$1,776.	\$1,916.	\$2,136.	\$2,266.
Beltway one side	20"	79"	R3B1TFF79 20- () ()	1,376.	1,456.	1,603.	1,776.	1,916.	2,136.	2,266.
	24"	79"	R3B1TFF79 24- () ()	1,444.	1,524.	1,671.	1,844.	1,984.	2,204.	2,334.
	30"	79"	R3B1TFF79 30- () ()	1,477.	1,557.	1,704.	1,877.	2,017.	2,237.	2,367.
	36"	79"	R3B1TFF79 36- () ()	1,804.	1,884.	2,031.	2,204.	2,344.	2,564.	2,694.
	42"	79"	R3B1TFF79 42- () ()	1,936.	2,016.	2,163.	2,336.	2,476.	2,696.	2,826.
	48"	79"	R3B1TFF79 48- () ()	2,000.	2,080.	2,227.	2,400.	2,540.	2,760.	2,890.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18- () ()	1,395.	1,475.	1,619.	1,795.	1,935.	2,155.	2,285.
Beltway two sides	20"	79"	R3B2TFF79 20- () ()	1,395.	1,475.	1,619.	1,795.	1,935.	2,155.	2,285.
	24"	79"	R3B2TFF79 24- () ()	1,467.	1,547.	1,691.	1,867.	2,007.	2,227.	2,357.
	30"	79"	R3B2TFF79 30- () ()	1,498.	1,578.	1,722.	1,898.	2,038.	2,258.	2,388.
	36"	79"	R3B2TFF79 36- () ()	1,831.	1,911.	2,055.	2,231.	2,371.	2,591.	2,721.
	42"	79"	R3B2TFF79 42- () ()	1,965.	2,045.	2,189.	2,365.	2,505.	2,725.	2,855.
	48"	79"	R3B2TFF79 48- () ()	2,037.	2,117.	2,261.	2,437.	2,577.	2,797.	2,927.



Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3	1. Top trim profile	6. Top trim finish
B1	2. Base height	i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
T	3. Knockout option (K = with knockouts, N = without knockouts)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
FF	4. Fabric side, finish (specify selection per insert)	7. Base finish
79	i) tile 1A bottom	8. Beltway finish
18	ii) tile 1B middle	
A	iii) tile 1C middle	1. <i>Top trim profile:</i>
4	iv) tile 1D middle	A = Flat
K	v) tile 1E top	B = Square
W281	5. Fabric side, finish (specify selection per insert)	C = Bullnose
W281	i) tile 2A bottom	E = Extruded Aluminum
W281	ii) tile 2B middle	
W281	iii) tile 2C middle	2. <i>Base height:</i>
W281	iv) tile 2D middle	4 = 4" base height
W281	v) tile 2E top	6 = 6" base height (add \$47 per panel for this option)
W281		Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281		Applicable finishes are listed on page 5 and 6.
W281		
W281		
W281		
W281		
W281		
W281		
W281		
W281		
V316	Maple (top trim finish)	
111	Jet Black (base finish)	
111	Beltway finish	

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


Tiled panels 79" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TFL79 18-() ()	\$1,171.	\$1,211.	\$1,281.	\$1,366.	\$1,436.	\$1,536.	\$1,601.
Regular acoustics	20"	79"	R3B0TFL79 20-() ()	1,171.	1,211.	1,281.	1,366.	1,436.	1,536.	1,601.
	24"	79"	R3B0TFL79 24-() ()	1,242.	1,282.	1,352.	1,437.	1,507.	1,607.	1,672.
	30"	79"	R3B0TFL79 30-() ()	1,302.	1,342.	1,412.	1,497.	1,567.	1,667.	1,732.
	36"	79"	R3B0TFL79 36-() ()	1,367.	1,407.	1,477.	1,562.	1,632.	1,732.	1,797.
	42"	79"	R3B0TFL79 42-() ()	1,531.	1,571.	1,641.	1,726.	1,796.	1,896.	1,961.
	48"	79"	R3B0TFL79 48-() ()	1,602.	1,642.	1,712.	1,797.	1,867.	1,967.	2,032.



Tiled, fabric one side	18"	79"	R3B1TFL79 18-() ()	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
Beltway one side (fabric side)	20"	79"	R3B1TFL79 20-() ()	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
	24"	79"	R3B1TFL79 24-() ()	1,548.	1,588.	1,657.	1,743.	1,813.	1,913.	1,978.
	30"	79"	R3B1TFL79 30-() ()	1,582.	1,622.	1,691.	1,777.	1,847.	1,947.	2,012.
	36"	79"	R3B1TFL79 36-() ()	1,899.	1,939.	2,008.	2,094.	2,164.	2,264.	2,329.
	42"	79"	R3B1TFL79 42-() ()	2,022.	2,062.	2,131.	2,217.	2,287.	2,387.	2,452.
	48"	79"	R3B1TFL79 48-() ()	2,086.	2,126.	2,195.	2,281.	2,351.	2,451.	2,516.



Order Code

Example: R3B0TFL7918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
114	Folkstone grey - side 2C
114	Folkstone grey - side 2D
114	Folkstone grey - side 2E
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
6. Laminate side, finish (specify selection per insert)
i) tile 2A bottom
ii) tile 2B middle
iii) tile 2C middle
iv) tile 2D middle
v) tile 2E top
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver

8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:

Optional for non fabric side only (fabric side always black)
79" h add per panel:
\$48 for 18w and 20w
\$57 for 24w and 30w
\$62 for 36w and 42w
\$84 for 48w

Applicable finishes are listed on page 5 and 6.

List price for wood grain laminate options will be; current published laminate list price plus 10%.

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 79" H as well as panels 42", 49", 64" and 79" H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79" H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 79" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,259.	\$1,299.	\$1,379.	\$1,464.	\$1,534.	\$1,644.	\$1,709.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,259.	1,299.	1,379.	1,464.	1,534.	1,644.	1,709.
	24"	79"	R3B0TF179 24-() ()	1,331.	1,371.	1,451.	1,536.	1,606.	1,716.	1,781.
	30"	79"	R3B0TF179 30-() ()	1,399.	1,439.	1,519.	1,604.	1,674.	1,784.	1,849.
	36"	79"	R3B0TF179 36-() ()	1,468.	1,508.	1,588.	1,673.	1,743.	1,853.	1,918.
	42"	79"	R3B0TF179 42-() ()	1,648.	1,688.	1,768.	1,853.	1,923.	2,033.	2,098.
	48"	79"	R3B0TF179 48-() ()	1,724.	1,764.	1,844.	1,929.	1,999.	2,109.	2,174.


Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
	24"	79"	R3B1TF179 24-() ()	1,664.	1,704.	1,784.	1,869.	1,939.	2,049.	2,114.
	30"	79"	R3B1TF179 30-() ()	1,695.	1,735.	1,815.	1,900.	1,970.	2,080.	2,145.
	36"	79"	R3B1TF179 36-() ()	2,040.	2,080.	2,160.	2,245.	2,315.	2,425.	2,490.
	42"	79"	R3B1TF179 42-() ()	2,173.	2,213.	2,293.	2,378.	2,448.	2,558.	2,623.
	48"	79"	R3B1TF179 48-() ()	2,241.	2,281.	2,361.	2,446.	2,516.	2,626.	2,691.

Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Ref Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish, for panels with beltway
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2A		
Y328 Mahogany - side 2B		
Y328 Mahogany - side 2C		
Y328 Mahogany - side 2D		
Y328 Mahogany - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optimal milled frame		


Tiled panels 79" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-() ()	\$1,281.	\$1,321.	\$1,401.	\$1,486.	\$1,556.	\$1,666.	\$1,731.
Regular acoustics	20"	79"	R3B0TF279 20-() ()	1,281.	1,321.	1,401.	1,486.	1,556.	1,666.	1,731.
	24"	79"	R3B0TF279 24-() ()	1,355.	1,395.	1,475.	1,560.	1,630.	1,740.	1,805.
	30"	79"	R3B0TF279 30-() ()	1,422.	1,462.	1,542.	1,627.	1,697.	1,807.	1,872.
	36"	79"	R3B0TF279 36-() ()	1,494.	1,534.	1,614.	1,699.	1,769.	1,879.	1,944.
	42"	79"	R3B0TF279 42-() ()	1,674.	1,714.	1,794.	1,879.	1,949.	2,059.	2,124.
	48"	79"	R3B0TF279 48-() ()	1,753.	1,793.	1,873.	1,958.	2,028.	2,138.	2,203.




Tiled, fabric one side	18"	79"	R3B1TF279 18-() ()	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-() ()	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
	24"	79"	R3B1TF279 24-() ()	1,693.	1,733.	1,813.	1,898.	1,968.	2,078.	2,143.
	30"	79"	R3B1TF279 30-() ()	1,729.	1,769.	1,849.	1,934.	2,004.	2,114.	2,179.
	36"	79"	R3B1TF279 36-() ()	2,078.	2,118.	2,198.	2,283.	2,353.	2,463.	2,528.
	42"	79"	R3B1TF279 42-() ()	2,209.	2,249.	2,329.	2,414.	2,484.	2,594.	2,659.
	48"	79"	R3B1TF279 48-() ()	2,281.	2,321.	2,401.	2,486.	2,556.	2,666.	2,731.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3 Ref Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B0 No Beltway	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
B Tile divider, black reveal	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
W281 Fabric - Side 1A	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	
W281 Fabric - Side 1B	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79"h add per panel: \$52 for 18w and 20w \$60 for 24w and 30w \$64 for 36w and 42w \$86 for 48w	
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2 Tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-() ()	\$1,700.	\$1,740.	\$1,820.	\$1,905.	\$1,975.	\$2,085.	\$2,150.
Regular acoustics	20"	79"	R3B0TF379 20-() ()	1,700.	1,740.	1,820.	1,905.	1,975.	2,085.	2,150.
	24"	79"	R3B0TF379 24-() ()	1,801.	1,841.	1,921.	2,006.	2,076.	2,186.	2,251.
	30"	79"	R3B0TF379 30-() ()	1,894.	1,934.	2,014.	2,099.	2,169.	2,279.	2,344.
	36"	79"	R3B0TF379 36-() ()	1,991.	2,031.	2,111.	2,196.	2,266.	2,376.	2,441.
	42"	79"	R3B0TF379 42-() ()	2,234.	2,274.	2,354.	2,439.	2,509.	2,619.	2,684.
	48"	79"	R3B0TF379 48-() ()	2,339.	2,379.	2,459.	2,544.	2,614.	2,724.	2,789.

Tiled, fabric one side	18"	79"	R3B1TF379 18-() ()	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
Beltway fabric side	20"	79"	R3B1TF379 20-() ()	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
	24"	79"	R3B1TF379 24-() ()	2,258.	2,298.	2,378.	2,463.	2,533.	2,643.	2,708.
	30"	79"	R3B1TF379 30-() ()	2,307.	2,347.	2,427.	2,512.	2,582.	2,692.	2,757.
	36"	79"	R3B1TF379 36-() ()	2,778.	2,818.	2,898.	2,983.	3,053.	3,163.	3,228.
	42"	79"	R3B1TF379 42-() ()	2,957.	2,997.	3,077.	3,162.	3,232.	3,342.	3,407.
	48"	79"	R3B1TF379 48-() ()	3,054.	3,094.	3,174.	3,259.	3,329.	3,439.	3,504.

Order Code

Specification Information

Application Notes

Example: R3B0TF37918-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
6. Exotic veneer, finish (specify one V3 finish for side)
7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
4. *Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
79"h add per panel:
\$52 for 18w and 20w
\$60 for 24w and 30w
\$64 for 36w and 42w
\$86 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Tiled panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	79"	R3B0TLL7918 () ()	\$1,337.
	20"	79"	R3B0TLL7920 () ()	1,337.
	24"	79"	R3B0TLL7924 () ()	1,457.
	30"	79"	R3B0TLL7930 () ()	1,633.
	36"	79"	R3B0TLL7936 () ()	1,763.
	42"	79"	R3B0TLL7942 () ()	1,816.
	48"	79"	R3B0TLL7948 () ()	1,908.



Order Code	Specification Information	Application Notes
Example: R3B0TLL7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$52 for 18w and 20w \$60 for 24w and 30w \$64 for 36w and 42w \$86 for 48w
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Applicable finishes are listed on page 5 and 6.
79 79" high	5. Laminate side, finish (specify selection per insert)	List price for wood grain laminate options will be; current published laminate list price plus 10%.
18 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
A Flat style top trim profile	6. Laminate, finish	
4 4" base height	7. Top trim finish	
K Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
B Tile divider, black reveal	8. Base finish	
118 Laminate - side 1A	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
118 Laminate - side 1B		
118 Laminate - side 1C		
118 Laminate - side 1D		
118 Laminate - side 1E		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
118 Laminate - side 2D		
118 Laminate - side 2E		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	R2APT3418 ()	\$102.	
	20"	34"	R2APT3420 ()	102.	
	24"	34"	R2APT3424 ()	105.	
	30"	34"	R2APT3430 ()	107.	
	36"	34"	R2APT3436 ()	112.	
	42"	34"	R2APT3442 ()	114.	
	48"	34"	R2APT3448 ()	119.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	R2APT4218 ()	157.	
	20"	42"	R2APT4220 ()	157.	
	24"	42"	R2APT4224 ()	162.	
	30"	42"	R2APT4230 ()	164.	
	36"	42"	R2APT4236 ()	173.	
	42"	42"	R2APT4242 ()	178.	
	48"	42"	R2APT4248 ()	186.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i> 1. Specify Finish : Fabric	
RA		Reff Administrative
WH		Wall hung
DH		Desk hight planning
TB		Tack board
S		Single desk
66		width
	Fabric	

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49" h tiled with 4" or 6" h base raceway	18"	49"	R2APT4918 ()	\$168.	
	20"	49"	R2APT4920 ()	168.	
	24"	49"	R2APT4924 ()	174.	
	30"	49"	R2APT4930 ()	176.	
	36"	49"	R2APT4936 ()	185.	
	42"	49"	R2APT4942 ()	193.	
	48"	49"	R2APT4948 ()	199.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64" h tiled with 4" or 6" h base raceway	18"	64"	R2APT6418 ()	237.	
	20"	64"	R2APT6420 ()	237.	
	24"	64"	R2APT6424 ()	246.	
	30"	64"	R2APT6430 ()	251.	
	36"	64"	R2APT6436 ()	263.	
	42"	64"	R2APT6442 ()	273.	
	48"	64"	R2APT6448 ()	283.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	1. Specify Finish : Fabric
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	R2APT7918 ()	\$307.	
	20"	79"	R2APT7920 ()	307.	
	24"	79"	R2APT7924 ()	317.	
	30"	79"	R2APT7930 ()	323.	
	36"	79"	R2APT7936 ()	341.	
	42"	79"	R2APT7942 ()	352.	
	48"	79"	R2APT7948 ()	370.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"	R2ATPK34 ()	68.
	42"	R2ATPK42 ()	85.
	49"	R2ATPK49 ()	97.
	64"	R2ATPK64 ()	134.
	79"	R2ATPK79 ()	168.

Order Code

Example:	R2APT3418 AA
RA	Reff Administrative
WH	Wall hung
DH	Desk hight planning
TB	Tack board
S	Single desk
66	width
	Fabric

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify Finish : Fabric

Application Notes

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6" h raceway		34"	R2ALPK34 ()		\$67.
		42"	R2ALPK42 ()		93.
		49"	R2ALPK49 ()		102.
		64"	R2ALPK64 ()		141.
		79"	R2ALPK79 ()		178.
Alum vertical reveal for end trim with 4" or 6" h raceway		34"	R2AETK34 ()		66.
		42"	R2AETK42 ()		80.
		49"	R2AETK49 ()		94.
		64"	R2AETK64 ()		125.
		79"	R2AETK79 ()		158.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i> 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	R2AHCR34 ()		\$66.
		38"	R2AHCR42 ()		80.
		45"	R2AHCR49 ()		94.
		60"	R2AHCR64 ()		125.
		75"	R2AHCR79 ()		158.

for use with generation 2 or 3 installations

Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18 ()		45.
	20"		R2AHTR20 ()		45.
	24"		R2AHTR24 ()		47.
	30"		R2AHTR30 ()		52.
	36"		R2AHTR36 ()		56.
	42"		R2AHTR42 ()		58.
	48"		R2AHTR48 ()		65.

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	To order specify pattern number including height and width as applicable. 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18 ()	\$39.	
	20"		R2AHWR20 ()	39.	
	24"		R2AHWR24 ()	41.	
	30"		R2AHWR30 ()	42.	
	36"		R2AHWR36 ()	46.	
	42"		R2AHWR42 ()	48.	
	48"		R2AHWR48 ()	54.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18 ()	39.	
	20"		R2AHBW20 ()	39.	
	24"		R2AHBW24 ()	41.	
	30"		R2AHBW30 ()	42.	
	36"		R2AHBW36 ()	46.	
	42"		R2AHBW42 ()	48.	
	48"		R2AHBW48 ()	54.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i> 1. Specify Finish : Fabric	
RA Reff Administrative		
WH Wall hung		
DH Desk hight planning		
TB Tack board		
S Single desk		
66 width Fabric		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()		\$39.
	20"		R2AHSR20 ()		39.
	24"		R2AHSR24 ()		41.
	30"		R2AHSR30 ()		42.
	36"		R2AHSR36 ()		46.
	42"		R2AHSR42 ()		48.
	48"		R2AHSR48 ()		54.

horizontal reveal only

Order Code

Example: R2APT3418 AA
RA Reff Administrative
WH Wall hung
DH Desk hight planning
TB Tack board
S Single desk
66 width
Fabric

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify Finish : Fabric

Application Notes

Beltway one side, window panel 49" H tiled panel with glass type "A" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-() ()	\$1,279.	\$1,311.	\$1,368.	\$1,439.	\$1,495.	\$1,583.	\$1,635.
	20"	49"	R3B1TFFA49 20-() ()	1,279.	1,311.	1,368.	1,439.	1,495.	1,583.	1,635.
	24"	49"	R3B1TFFA49 24-() ()	1,323.	1,355.	1,412.	1,483.	1,539.	1,627.	1,679.
	30"	49"	R3B1TFFA49 30-() ()	1,414.	1,446.	1,503.	1,574.	1,630.	1,718.	1,770.
	36"	49"	R3B1TFFA49 36-() ()	1,702.	1,734.	1,791.	1,862.	1,918.	2,006.	2,058.
	42"	49"	R3B1TFFA49 42-() ()	1,854.	1,886.	1,943.	2,014.	2,070.	2,158.	2,210.
	48"	49"	R3B1TFFA49 48-() ()	1,940.	1,972.	2,029.	2,100.	2,156.	2,244.	2,296.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1A	9. Glass window frame finish	
W281 Fabric selection - side 1B	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)


Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$65 per panel for P3 paint class options.



Beltway one side, window panel 49" H tiled panel with glass type "B" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,525.	\$1,557.	\$1,614.	\$1,685.	\$1,741.	\$1,829.	\$1,881.
	36"	49"	R3B1TFFB49 36-() ()	1,822.	1,854.	1,911.	1,982.	2,038.	2,126.	2,178.
	42"	49"	R3B1TFFB49 42-() ()	1,974.	2,006.	2,063.	2,134.	2,190.	2,278.	2,330.
	48"	49"	R3B1TFFB49 48-() ()	2,069.	2,101.	2,158.	2,229.	2,285.	2,373.	2,425.



Order Code	Specification Information	Application Notes
Example: R3B1TFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
FF Fabric both sides		E = Extruded Aluminum
B Type B window		2. Base height:
49 49" high		4 = 4" base height
30 30" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
Y328 Mahogany - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	R3B1PFFA49 18-() ()	\$1,156.	\$1,174.	\$1,216.	\$1,301.	\$1,355.	\$1,433.	\$1,512.
	20"	49"	R3B1PFFA49 20-() ()	1,156.	1,174.	1,216.	1,301.	1,355.	1,433.	1,512.
	24"	49"	R3B1PFFA49 24-() ()	1,197.	1,215.	1,257.	1,342.	1,396.	1,474.	1,553.
	30"	49"	R3B1PFFA49 30-() ()	1,275.	1,293.	1,335.	1,420.	1,474.	1,552.	1,631.
	36"	49"	R3B1PFFA49 36-() ()	1,518.	1,536.	1,578.	1,663.	1,717.	1,795.	1,874.
	42"	49"	R3B1PFFA49 42-() ()	1,647.	1,665.	1,707.	1,792.	1,846.	1,924.	2,003.
	48"	49"	R3B1PFFA49 48-() ()	1,726.	1,744.	1,786.	1,871.	1,925.	2,003.	2,082.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	R3B1PFFB49 30-() ()	1,386.	1,404.	1,446.	1,531.	1,585.	1,663.	1,742.
	36"	49"	R3B1PFFB49 36-() ()	1,638.	1,656.	1,698.	1,783.	1,837.	1,915.	1,994.
	42"	49"	R3B1PFFB49 42-() ()	1,767.	1,785.	1,827.	1,912.	1,966.	2,044.	2,123.
	48"	49"	R3B1PFFB49 48-() ()	1,855.	1,873.	1,915.	2,000.	2,054.	2,132.	2,211.

Order Code	Specification Information	Application Notes
Example: R3B1PFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 ³ / ₄ ".
B1 Beltway 1 side	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
A Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
49 49" high	6. Top trim finish	
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. Glass window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	
		Add upcharge for architectural glass: (as applicable by width) Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Beltway one side, window panel 49" H tiled with glass type "A" at top, fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-() ()	\$1,417.	\$1,433.	\$1,465.	\$1,499.	\$1,527.	\$1,571.	\$1,610.
	20"	49"	R3B1TFLA49 20-() ()	1,417.	1,432.	1,465.	1,499.	1,527.	1,571.	1,610.
	24"	49"	R3B1TFLA49 24-() ()	1,462.	1,478.	1,510.	1,544.	1,572.	1,616.	1,655.
	30"	49"	R3B1TFLA49 30-() ()	1,555.	1,571.	1,603.	1,637.	1,665.	1,709.	1,748.
	36"	49"	R3B1TFLA49 36-() ()	1,847.	1,863.	1,895.	1,929.	1,957.	2,001.	2,040.
	42"	49"	R3B1TFLA49 42-() ()	2,000.	2,016.	2,048.	2,082.	2,110.	2,154.	2,193.
	48"	49"	R3B1TFLA49 48-() ()	2,091.	2,107.	2,139.	2,173.	2,201.	2,245.	2,284.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
FL Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Add upcharge for architectural glass: (as applicable by width)
W281 Fabric selection - side 1B		Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198
114 Folkstone grey - side 2A		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
114 Folkstone grey - side 2B		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
V316 Maple (top trim finish)		Width Add 18" \$14 20" \$14 24" \$15 30" \$15 36" \$16 42" \$16 48" \$21
111 Jet Black (base finish)		List price for wood grain laminate options will be; current published laminate list price plus 10%.
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H
 tiled with glass type "B" at top,
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-()()	\$1,670.	\$1,686.	\$1,718.	\$1,752.	\$1,780.	\$1,824.	\$1,863.
	36"	49"	R3B1TFLB49 36-()()	1,967.	1,983.	2,015.	2,049.	2,077.	2,121.	2,160.
	42"	49"	R3B1TFLB49 42-()()	2,120.	2,136.	2,168.	2,202.	2,230.	2,274.	2,313.
	48"	49"	R3B1TFLB49 48-()()	2,222.	2,238.	2,270.	2,304.	2,332.	2,376.	2,415.



Order Code	Specification Information	Application Notes
Example: R3B1TFLB4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
FL Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	8. Base finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
B Tile divider, black reveal	9. Beltway finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	10. Window frame finish	
W281 Fabric selection - side 1B	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
114 Folkstone grey - side 2A		Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198
114 Folkstone grey - side 2B		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
V316 Maple (top trim finish)		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
111 Jet Black (base finish)		Width Add 18" \$14 20" \$14 24" \$15 30" \$15 36" \$16 42" \$16 48" \$21
111 Jet Black (beltway finish)		List price for wood grain laminate options will be; current published laminate list price plus 10%.
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PFLA49 18-() ()	\$1,171.	\$1,181.	\$1,203.	\$1,246.	\$1,273.	\$1,313.	\$1,340.
	20"	49"	R3B1PFLA49 20-() ()	1,172.	1,181.	1,203.	1,246.	1,273.	1,313.	1,340.
	24"	49"	R3B1PFLA49 24-() ()	1,232.	1,241.	1,263.	1,306.	1,333.	1,373.	1,400.
	30"	49"	R3B1PFLA49 30-() ()	1,342.	1,351.	1,373.	1,416.	1,443.	1,483.	1,510.
	36"	49"	R3B1PFLA49 36-() ()	1,620.	1,629.	1,651.	1,694.	1,721.	1,761.	1,788.
	42"	49"	R3B1PFLA49 42-() ()	1,781.	1,790.	1,812.	1,855.	1,882.	1,922.	1,949.
	48"	49"	R3B1PFLA49 48-() ()	1,894.	1,903.	1,925.	1,968.	1,995.	2,035.	2,062.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PFLB49 30-() ()	1,457.	1,466.	1,488.	1,531.	1,558.	1,598.	1,625.
	36"	49"	R3B1PFLB49 36-() ()	1,740.	1,749.	1,771.	1,814.	1,841.	1,881.	1,908.
	42"	49"	R3B1PFLB49 42-() ()	1,901.	1,910.	1,932.	1,975.	2,002.	2,042.	2,069.
	48"	49"	R3B1PFLB49 48-() ()	2,025.	2,034.	2,056.	2,099.	2,126.	2,166.	2,193.

Order Code	Specification Information	Application Notes																																
Example: R3B1PFLA4918-A4K R3 Reff Generation 3 B1 Beltway one side P Monolithic panel FL Fabric BW side, laminate other A Type A window 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base B Tile divider, black reveal W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) 111 Jet Black (beltway finish) 111 Jet Black (window frame finish) TEMP Glass option	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only) 5. Fabric side, finish (specify selection per insert; bottom up.) 6. Laminate side finish (specify selection per insert; bottom up.) 7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 8. Base finish 9. Beltway finish 10. Window frame finish 11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Applicable finishes are listed on page 5 and 6.																																
		Add upcharge for architectural glass: (as applicable by width) <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$86</td></tr> <tr><td>20"</td><td>\$86</td></tr> <tr><td>24"</td><td>\$101</td></tr> <tr><td>30"</td><td>\$121</td></tr> <tr><td>36"</td><td>\$145</td></tr> <tr><td>42"</td><td>\$173</td></tr> <tr><td>48"</td><td>\$198</td></tr> </tbody> </table> Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options. Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$14</td></tr> <tr><td>20"</td><td>\$14</td></tr> <tr><td>24"</td><td>\$15</td></tr> <tr><td>30"</td><td>\$15</td></tr> <tr><td>36"</td><td>\$16</td></tr> <tr><td>42"</td><td>\$16</td></tr> <tr><td>48"</td><td>\$21</td></tr> </tbody> </table> List price for wood grain laminate options will be; current published laminate list price plus 10%.	Width	Add	18"	\$86	20"	\$86	24"	\$101	30"	\$121	36"	\$145	42"	\$173	48"	\$198	Width	Add	18"	\$14	20"	\$14	24"	\$15	30"	\$15	36"	\$16	42"	\$16	48"	\$21
Width	Add																																	
18"	\$86																																	
20"	\$86																																	
24"	\$101																																	
30"	\$121																																	
36"	\$145																																	
42"	\$173																																	
48"	\$198																																	
Width	Add																																	
18"	\$14																																	
20"	\$14																																	
24"	\$15																																	
30"	\$15																																	
36"	\$16																																	
42"	\$16																																	
48"	\$21																																	

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-() ()	\$1,440.	\$1,456.	\$1,488.	\$1,522.	\$1,550.	\$1,594.	\$1,633.
	20"	49"	R3B1TF1A49 20-() ()	1,440.	1,456.	1,488.	1,522.	1,550.	1,594.	1,633.
	24"	49"	R3B1TF1A49 24-() ()	1,489.	1,505.	1,537.	1,571.	1,599.	1,643.	1,682.
	30"	49"	R3B1TF1A49 30-() ()	1,582.	1,598.	1,630.	1,664.	1,692.	1,736.	1,775.
	36"	49"	R3B1TF1A49 36-() ()	1,881.	1,897.	1,929.	1,963.	1,991.	2,035.	2,074.
	42"	49"	R3B1TF1A49 42-() ()	2,038.	2,054.	2,086.	2,120.	2,148.	2,192.	2,231.
	48"	49"	R3B1TF1A49 48-() ()	2,127.	2,143.	2,175.	2,209.	2,237.	2,281.	2,320.



Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
F1 Fabric one side, V1 other		E = Extruded Aluminum
A Type A window		2. Base height:
49 49" high		4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
Y328 Mahogany - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		
	1. Top trim profile	Width Add
	2. Base height	18" \$86
	3. Knockout option	20" \$86
	(K = with knockouts,	24" \$101
	N = without knockouts)	30" \$121
	4. Tile divider (where optional)	36" \$145
	B = black steel divider or specify	42" \$173
	AA-anodized aluminum or	48" \$198
	painted option excluding silver	
	from page 5 for extruded	
	aluminum divider (upcharge	
	applicable, optional "tiled" style	
	products only)	
	5. Fabric side, finish (specify	
	selection per insert; bottom up.)	
	6. Techwood side, finish (specify	
	one V1 finish for side)	
	7. Top trim finish	
	i) Top trim profile A,B or C	
	options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options:	
	AA-anodized aluminum or P1,	
	P2, P3 finish listed on page	
	5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-() ()	\$1,697.	\$1,713.	\$1,745.	\$1,779.	\$1,807.	\$1,851.	\$1,890.
	36"	49"	R3B1TF1B49 36-() ()	2,001.	2,017.	2,049.	2,083.	2,111.	2,155.	2,194.
	42"	49"	R3B1TF1B49 42-() ()	2,158.	2,174.	2,206.	2,240.	2,268.	2,312.	2,351.
	48"	49"	R3B1TF1B49 48-() ()	2,258.	2,274.	2,306.	2,340.	2,368.	2,412.	2,451.



Order Code	Specification Information	Application Notes
Example: R3B1TF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F1 Fabric one side, V1 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
B Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
49 49" high	6. Techwood side, finish (specify one V1 finish for side)	4 = 4" base height
30 30" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
B Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric selection - side 1B	11. Glass option	Applicable finishes are listed on page 5 and 6.
Y328 Mahogany - side 2 tiled	Temp = Clear temp	
V316 Maple (top trim finish)	Architectural options:	
111 Jet Black (base finish)	GL13 = Powder glass	
111 Jet Black (beltway finish)	GL6 = Block matrix glass	
111 Jet Black (window frame finish)	GL8 = Wafer glass	
TEMP Glass option		


Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF1A49 18-() ()	\$1,194.	\$1,203.	\$1,225.	\$1,268.	\$1,295.	\$1,335.	\$1,362.
	20"	49"	R3B1PF1A49 20-() ()	1,194.	1,203.	1,225.	1,268.	1,295.	1,335.	1,362.
	24"	49"	R3B1PF1A49 24-() ()	1,252.	1,261.	1,283.	1,326.	1,353.	1,393.	1,420.
	30"	49"	R3B1PF1A49 30-() ()	1,364.	1,373.	1,395.	1,438.	1,465.	1,505.	1,532.
	36"	49"	R3B1PF1A49 36-() ()	1,646.	1,655.	1,677.	1,720.	1,747.	1,787.	1,814.
	42"	49"	R3B1PF1A49 42-() ()	1,815.	1,824.	1,846.	1,889.	1,916.	1,956.	1,983.
	48"	49"	R3B1PF1A49 48-() ()	1,925.	1,934.	1,956.	1,999.	2,026.	2,066.	2,093.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF1B49 30-() ()	1,479.	1,488.	1,510.	1,553.	1,580.	1,620.	1,647.
	36"	49"	R3B1PF1B49 36-() ()	1,766.	1,775.	1,797.	1,840.	1,867.	1,907.	1,934.
	42"	49"	R3B1PF1B49 42-() ()	1,935.	1,944.	1,966.	2,009.	2,036.	2,076.	2,103.
	48"	49"	R3B1PF1B49 48-() ()	2,056.	2,065.	2,087.	2,130.	2,157.	2,197.	2,224.

Order Code	Specification Information	Application Notes
Example: R3B1PF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
30 30" wide	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
Y328 Mahogany - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,467.	\$1,483.	\$1,515.	\$1,549.	\$1,577.	\$1,621.	\$1,660.
	20"	49"	R3B1TF2A49 20-() ()	1,467.	1,483.	1,515.	1,549.	1,577.	1,621.	1,660.
	24"	49"	R3B1TF2A49 24-() ()	1,514.	1,530.	1,562.	1,596.	1,624.	1,668.	1,707.
	30"	49"	R3B1TF2A49 30-() ()	1,608.	1,624.	1,656.	1,690.	1,718.	1,762.	1,801.
	36"	49"	R3B1TF2A49 36-() ()	1,910.	1,926.	1,958.	1,992.	2,020.	2,064.	2,103.
	42"	49"	R3B1TF2A49 42-() ()	2,070.	2,086.	2,118.	2,152.	2,180.	2,224.	2,263.
	48"	49"	R3B1TF2A49 48-() ()	2,163.	2,179.	2,211.	2,245.	2,273.	2,317.	2,356.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
F2 Fabric one side, V2 other	1. Top trim profile	E = Extruded Aluminum
A Type A window	2. Base height	2. Base height:
49 49" high	3. Knockout option	4 = 4" base height
18 18" wide	(K = with knockouts, N = without knockouts)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	4. Tile divider (where optional)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
B Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric selection - side 1B	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple surface - side 2 tiled	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (beltway finish)	8. Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21


Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-() ()	\$1,723.	\$1,739.	\$1,771.	\$1,805.	\$1,833.	\$1,877.	\$1,916.
	36"	49"	R3B1TF2B49 36-() ()	2,030.	2,046.	2,078.	2,112.	2,140.	2,184.	2,223.
	42"	49"	R3B1TF2B49 42-() ()	2,190.	2,206.	2,238.	2,272.	2,300.	2,344.	2,383.
	48"	49"	R3B1TF2B49 48-() ()	2,294.	2,310.	2,342.	2,376.	2,404.	2,448.	2,487.



Order Code	Specification Information	Application Notes
Example: R3B1TF2B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F2 Fabric one side, V2 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
B Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
49 49" high	6. Conventional veneer side, finish (specify one V2 finish for side)	4 = 4" base height
30 30" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
B Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric selection - side 1B	11. Glass option	Applicable finishes are listed on page 5 and 6.
V316 Maple surface - side 2 tiled	Temp = Clear temp	
V316 Maple (top trim finish)	Architectural options:	
111 Jet Black (base finish)	GL13 = Powder glass	
111 Jet Black (beltway finish)	GL6 = Block matrix glass	
111 Jet Black (window frame finish)	GL8 = Wafer glass	
TEMP Glass option		

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF2A49 18-() ()	\$1,214.	\$1,223.	\$1,245.	\$1,288.	\$1,315.	\$1,355.	\$1,382.
	20"	49"	R3B1PF2A49 20-() ()	1,214.	1,223.	1,245.	1,288.	1,315.	1,355.	1,382.
	24"	49"	R3B1PF2A49 24-() ()	1,273.	1,282.	1,304.	1,347.	1,374.	1,414.	1,441.
	30"	49"	R3B1PF2A49 30-() ()	1,391.	1,400.	1,422.	1,465.	1,492.	1,532.	1,559.
	36"	49"	R3B1PF2A49 36-() ()	1,677.	1,686.	1,708.	1,751.	1,778.	1,818.	1,845.
	42"	49"	R3B1PF2A49 42-() ()	1,843.	1,852.	1,874.	1,917.	1,944.	1,984.	2,011.
	48"	49"	R3B1PF2A49 48-() ()	1,954.	1,963.	1,985.	2,028.	2,055.	2,095.	2,122.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF2B49 30-() ()	1,506.	1,515.	1,537.	1,580.	1,607.	1,647.	1,674.
	36"	49"	R3B1PF2B49 36-() ()	1,797.	1,806.	1,828.	1,871.	1,898.	1,938.	1,965.
	42"	49"	R3B1PF2B49 42-() ()	1,963.	1,972.	1,994.	2,037.	2,064.	2,104.	2,131.
	48"	49"	R3B1PF2B49 48-() ()	2,085.	2,094.	2,116.	2,159.	2,186.	2,226.	2,253.

Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	6. Conventional veneer side, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
B Tile divider, black reveal	8. Base finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	9. Beltway finish	
V316 Maple surface - side 2	10. Window frame finish	
V316 Maple (top trim finish)	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by widths)


Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H tiled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics 	18"	49"	R3B1TF3A49 18-()	\$1,938.	\$1,954.	\$1,986.	\$2,020.	\$2,048.	\$2,092.	\$2,131.
	20"	49"	R3B1TF3A49 20-()	1,938.	1,954.	1,986.	2,020.	2,048.	2,092.	2,131.
	24"	49"	R3B1TF3A49 24-()	1,996.	2,012.	2,044.	2,078.	2,106.	2,150.	2,189.
	30"	49"	R3B1TF3A49 30-()	2,113.	2,129.	2,161.	2,195.	2,223.	2,267.	2,306.
	36"	49"	R3B1TF3A49 36-()	2,512.	2,528.	2,560.	2,594.	2,622.	2,666.	2,705.
	42"	49"	R3B1TF3A49 42-()	2,718.	2,734.	2,766.	2,800.	2,828.	2,872.	2,911.
	48"	49"	R3B1TF3A49 48-()	2,835.	2,851.	2,883.	2,917.	2,945.	2,989.	3,028.


Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics 	30"	49"	R3B1TF3B49 30-()	2,228.	2,244.	2,276.	2,310.	2,338.	2,382.	2,421.
	36"	49"	R3B1TF3B49 36-()	2,632.	2,648.	2,680.	2,714.	2,742.	2,786.	2,825.
	42"	49"	R3B1TF3B49 42-()	2,838.	2,854.	2,886.	2,920.	2,948.	2,992.	3,031.
	48"	49"	R3B1TF3B49 48-()	2,966.	2,982.	3,014.	3,048.	3,076.	3,120.	3,159.

Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1A	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1B		
V512 Figured Anigre surface - side 2 tiled		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		


Beltway one side, window panel 49" H

monolithic with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,593.	\$1,602.	\$1,624.	\$1,667.	\$1,694.	\$1,734.	\$1,761.
	20"	49"	R3B1PF3A49 20-() ()	1,593.	1,602.	1,624.	1,667.	1,694.	1,734.	1,761.
	24"	49"	R3B1PF3A49 24-() ()	1,669.	1,678.	1,700.	1,743.	1,770.	1,810.	1,837.
	30"	49"	R3B1PF3A49 30-() ()	1,817.	1,826.	1,848.	1,891.	1,918.	1,958.	1,985.
	36"	49"	R3B1PF3A49 36-() ()	2,195.	2,204.	2,226.	2,269.	2,296.	2,336.	2,363.
	42"	49"	R3B1PF3A49 42-() ()	2,409.	2,418.	2,440.	2,483.	2,510.	2,550.	2,577.
	48"	49"	R3B1PF3A49 48-() ()	2,551.	2,560.	2,582.	2,625.	2,652.	2,692.	2,719.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	1,932.	1,941.	1,963.	2,006.	2,033.	2,073.	2,100.
	36"	49"	R3B1PF3B49 36-() ()	2,315.	2,324.	2,346.	2,389.	2,416.	2,456.	2,483.
	42"	49"	R3B1PF3B49 42-() ()	2,529.	2,538.	2,560.	2,603.	2,630.	2,670.	2,697.
	48"	49"	R3B1PF3B49 48-() ()	2,682.	2,691.	2,713.	2,756.	2,783.	2,823.	2,850.



Order Code	Specification Information	Application Notes
Example: R3B1PF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim profile		
4 4" base height		
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
B Tile divider, black reveal	6. Exotic veneer side, finish (specify one V3 finish for side)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	7. Top trim finish	
V512 Figured Anigre surface - side 2	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
V512 Figured Anigre (top trim finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (base finish)	8. Base finish	
111 Jet Black (beltway finish)	9. Beltway finish	
111 Jet Black (window frame finish)	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
TEMP Glass option	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black


Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway two sides, window panel 49" H tiled with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,297.	\$1,329.	\$1,383.	\$1,457.	\$1,513.	\$1,601.	\$1,653.
	20"	49"	R3B2TFFA49 20-() ()	1,297.	1,329.	1,383.	1,457.	1,513.	1,601.	1,653.
	24"	49"	R3B2TFFA49 24-() ()	1,344.	1,376.	1,430.	1,504.	1,560.	1,648.	1,700.
	30"	49"	R3B2TFFA49 30-() ()	1,438.	1,470.	1,524.	1,598.	1,654.	1,742.	1,794.
	36"	49"	R3B2TFFA49 36-() ()	1,730.	1,752.	1,816.	1,890.	1,946.	2,034.	2,086.
	42"	49"	R3B2TFFA49 42-() ()	1,883.	1,915.	1,969.	2,043.	2,099.	2,187.	2,239.
	48"	49"	R3B2TFFA49 48-() ()	1,975.	2,007.	2,061.	2,135.	2,191.	2,279.	2,331.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	1,549.	1,581.	1,635.	1,709.	1,765.	1,853.	1,905.
	36"	49"	R3B2TFFB49 36-() ()	1,850.	1,882.	1,936.	2,010.	2,066.	2,154.	2,206.
	42"	49"	R3B2TFFB49 42-() ()	2,003.	2,035.	2,089.	2,163.	2,219.	2,307.	2,359.
	48"	49"	R3B2TFFB49 48-() ()	2,104.	2,136.	2,190.	2,264.	2,320.	2,408.	2,460.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	ii) Top trim profile E options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
W281 Fabric selection - side 1A	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1B	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
W281 Fabric selection - side 2A	8. Beltway finish	
W281 Fabric selection - side 2B	9. Window frame finish	
V316 Maple (top trim finish)	10. Glass option	
111 Jet Black (base finish)	Temp = clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	
TEMP Glass option		

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Beltway two sides, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	R3B2PFFA49 18-() ()	\$1,173.	\$1,193.	\$1,235.	\$1,319.	\$1,375.	\$1,453.	\$1,503.
	20"	49"	R3B2PFFA49 20-() ()	1,173.	1,193.	1,235.	1,319.	1,375.	1,453.	1,503.
	24"	49"	R3B2PFFA49 24-() ()	1,215.	1,235.	1,277.	1,361.	1,417.	1,495.	1,545.
	30"	49"	R3B2PFFA49 30-() ()	1,297.	1,317.	1,359.	1,443.	1,499.	1,577.	1,627.
	36"	49"	R3B2PFFA49 36-() ()	1,542.	1,562.	1,604.	1,688.	1,744.	1,822.	1,872.
	42"	49"	R3B2PFFA49 42-() ()	1,676.	1,696.	1,738.	1,822.	1,878.	1,956.	2,006.
	48"	49"	R3B2PFFA49 48-() ()	1,756.	1,776.	1,818.	1,902.	1,958.	2,036.	2,086.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	R3B2PFFB49 30-() ()	1,408.	1,428.	1,470.	1,554.	1,610.	1,688.	1,738.
	36"	49"	R3B2PFFB49 36-() ()	1,662.	1,682.	1,724.	1,808.	1,864.	1,942.	1,992.
	42"	49"	R3B2PFFB49 42-() ()	1,796.	1,816.	1,858.	1,942.	1,998.	2,076.	2,126.
	48"	49"	R3B2PFFB49 48-() ()	1,885.	1,905.	1,947.	2,031.	2,087.	2,165.	2,215.

Order Code	Specification Information	Application Notes
Example: R3B2PFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
30 30" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
W281 Fabric selection - side 1	8. Beltway finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	9. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
V316 Maple (top trim finish)	10. Glass option	
111 Jet Black (base finish)	Temp = clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Stacking modules *fabric*

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	R3SFF08 18	\$210.	\$216.	\$236.	\$268.	\$280.	\$302.	\$316.
	20"	8"	R3SFF08 20	210.	216.	236.	268.	280.	302.	316.
	24"	8"	R3SFF08 24	220.	226.	246.	278.	290.	312.	326.
	30"	8"	R3SFF08 30	245.	251.	271.	303.	315.	337.	351.
	36"	8"	R3SFF08 36	267.	273.	293.	325.	337.	358.	373.
	42"	8"	R3SFF08 42	291.	297.	317.	349.	361.	383.	397.
	48"	8"	R3SFF08 48	313.	319.	339.	371.	383.	405.	419.
Stacking modules* Fabric both sides	18"	15"	R3SFF15 18	283.	299.	329.	363.	391.	435.	459.
	20"	15"	R3SFF15 20	283.	299.	329.	363.	391.	435.	459.
	24"	15"	R3SFF15 24	299.	315.	345.	379.	407.	451.	475.
	30"	15"	R3SFF15 30	329.	345.	375.	409.	437.	481.	505.
	36"	15"	R3SFF15 36	363.	379.	409.	443.	471.	515.	539.
	42"	15"	R3SFF15 42	391.	407.	437.	471.	499.	543.	567.
	48"	15"	R3SFF15 48	423.	439.	469.	503.	531.	575.	599.

Order Code

Example: R3SFF0818	
R3	Reff Generation 3
S	Stacking module
FF	Fabric/fabric
08	8" high
18	18" wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2

Specification Information

To order please specify:

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

Application Notes

* Not for use on 79"H panels.





* * Suitable only for top of any panel. Cannot be stacked upon.

8" module will not accept additional modules on top.

Use of 8" module on panel heights other than 34"h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window


description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	RSWA15 18	\$462.	\$555.	\$15.	\$29.	\$47.
	20"	15"	RSWA15 20	462.	555.	15.	29.	47.
	24"	15"	RSWA15 24	487.	592.	15.	29.	50.
	30"	15"	RSWA15 30	564.	660.	15.	29.	56.
	36"	15"	RSWA15 36	585.	744.	15.	29.	57.
	42"	15"	RSWA15 42	616.	797.	15.	29.	60.
	48"	15"	RSWA15 48	638.	849.	15.	29.	63.
Stacking window module* Center mullion, type "B" 	30"	15"	RSWB15 30	675.	808.	15.	29.	67.
	36"	15"	RSWB15 36	707.	862.	15.	29.	70.
	42"	15"	RSWB15 42	736.	919.	15.	29.	73.
	48"	15"	RSWB15 48	765.	974.	15.	29.	75.
Stacking window module*   18" - 24" 30" - 48"	18"	30"	RSWC30 18	557.	646.	24.	37.	56.
	20"	30"	RSWC30 20	557.	646.	24.	37.	56.
	24"	30"	RSWC30 24	594.	703.	24.	37.	60.
	30"	30"	RSWC30 30	774.	905.	24.	37.	77.
	36"	30"	RSWC30 36	881.	1,041.	24.	37.	85.
	42"	30"	RSWC30 42	945.	1,129.	24.	37.	93.
	48"	30"	RSWC30 48	1,000.	1,214.	24.	37.	97.

Order Code	Specification Information	Application Notes
Example: RSWA1518 111 TEMP	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
A Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection on page 5.
18 18" wide	3. Glass type	
111 Jet Black, window frame finish	Temp = Clear tempered glass	
TEMP Clear tempered glass option	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Stacking modules

Double Window






description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA
Stacking window module* Single glass, type "A"	15"	60"	RSWAD1560 () ()	\$723.	\$827.					
		72"	RSWAD1572 () ()	805.	965.					
		84"	RSWAD1584 () ()	815.	1,006.					
		96"	RSWAD1596 () ()	829.	1,050.					
	22"	60"	RSWAD2260 () ()	902.	1,103.					
		72"	RSWAD2272 () ()	1,015.	1,256.					
		84"	RSWAD2284 () ()	1,034.	1,315.					
		96"	RSWAD2296 () ()	1,055.	1,377.					
Top trim for double wide stacking window modules		60"	R3CRTT60 () ()			78.	160.	177.	229.	131.
		72"	R3CRTT72 ()			83.	171.	187.	241.	177.
		84"	R3CRTT84 ()			101.	193.	210.	267.	194.
		96"	R3CRTT96 ()			106.	203.	221.	281.	199.



Order Code	Specification Information	Application Notes
<i>Example:</i> RSWAD1560	<i>To order please specify:</i>	Panel glass is mounted flush to one side of the window module.
R Reff	1. Pattern number	All window modules incorporate tempered glass 4mm thick.
SW Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	Stabilizing kit is included with the window and is required with all double wide window installation.
A Type A	<i>If P2 or P3 paint finish upcharge add \$25</i>	
D Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$45</i>	Full length top trim is optional and can be ordered separately.
15 15" high	3. Glass type	Not for use on 79" h panels.
60 60" wide	Temp = Clear tempered glass	Applicable finishes are listed on page 5
111 Jet Black, windowframe finish	<i>Architectural options:</i>	
TEMP Clear tempered glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade							Lam.
				10	15	20	30	35	40	45	
Stacking modules *,** Fabric and laminate 	18"	8"	R3SFL0818	\$239.	\$244.	\$262.	\$295.	\$310.	\$330.	\$349.	
	20"	8"	R3SFL0820	239.	244.	262.	295.	310.	330.	349.	
	24"	8"	R3SFL0824	259.	264.	282.	315.	330.	350.	369.	
	30"	8"	R3SFL0830	291.	296.	314.	347.	362.	382.	401.	
	36"	8"	R3SFL0836	319.	324.	342.	375.	390.	410.	429.	
	42"	8"	R3SFL0842	345.	350.	368.	401.	416.	436.	455.	
	48"	8"	R3SFL0848	375.	380.	398.	431.	446.	466.	485.	
Stacking modules *,** Fabric and techwood 	18"	8"	R3SF10818	246.	251.	269.	302.	317.	337.	356.	
	20"	8"	R3SF10820	246.	251.	269.	302.	317.	337.	356.	
	24"	8"	R3SF10824	263.	268.	286.	319.	334.	354.	373.	
	30"	8"	R3SF10830	295.	300.	318.	351.	366.	386.	405.	
	36"	8"	R3SF10836	323.	328.	346.	379.	394.	414.	433.	
	42"	8"	R3SF10842	353.	359.	377.	410.	424.	445.	464.	
	48"	8"	R3SF10848	380.	385.	403.	436.	451.	471.	490.	
Stacking modules*,** Fabric and conventional veneer 	18"	8"	R3SF20818	249.	254.	272.	305.	320.	340.	359.	
	20"	8"	R3SF20820	249.	254.	272.	305.	320.	340.	359.	
	24"	8"	R3SF20824	269.	274.	292.	325.	340.	360.	379.	
	30"	8"	R3SF20830	300.	305.	323.	356.	371.	391.	410.	
	36"	8"	R3SF20836	330.	335.	353.	386.	401.	421.	440.	
	42"	8"	R3SF20842	360.	365.	383.	416.	431.	451.	470.	
	48"	8"	R3SF20848	386.	391.	409.	442.	456.	477.	496.	
Stacking modules*,** Fabric and exotic veneer 	18"	8"	R3SF30818	327.	332.	350.	383.	398.	418.	437.	
	20"	8"	R3SF30820	327.	332.	350.	383.	398.	418.	437.	
	24"	8"	R3SF30824	357.	362.	380.	413.	428.	448.	467.	
	30"	8"	R3SF30830	396.	401.	419.	452.	467.	487.	506.	
	36"	8"	R3SF30836	438.	443.	461.	494.	509.	529.	548.	
	42"	8"	R3SF30842	478.	483.	501.	534.	549.	569.	588.	
	48"	8"	R3SF30848	514.	519.	538.	570.	585.	605.	624.	
Stacking modules*,** Laminate both sides 	18"	8"	R3SLL0818							231.	
	20"	8"	R3SLL0820							231.	
	24"	8"	R3SLL0824							251.	
	30"	8"	R3SLL0830							281.	
	36"	8"	R3SLL0836							304.	
	42"	8"	R3SLL0842							313.	
	48"	8"	R3SLL0848							323.	

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

List price for wood grain laminate options will be; current published laminate list price plus 10%.

Application Notes

* Not for use on 79"H panels.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.






Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.

Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.
				10	15	20	30	35	40	
Stacking modules* Fabric and laminate 	18"	15"	R3SFL1518	\$342.	\$357.	\$387.	\$422.	\$454.	\$498.	\$523.
	20"	15"	R3SFL1520	342.	357.	387.	422.	454.	498.	523.
	24"	15"	R3SFL1524	356.	371.	401.	436.	468.	512.	537.
	30"	15"	R3SFL1530	390.	405.	435.	470.	502.	546.	571.
	36"	15"	R3SFL1536	423.	438.	468.	503.	535.	579.	604.
	42"	15"	R3SFL1542	456.	471.	501.	539.	568.	612.	637.
	48"	15"	R3SFL1548	488.	503.	533.	568.	600.	644.	669.
Stacking modules* Fabric and techwood 	18"	15"	R3SF11518	350.	365.	395.	430.	462.	506.	531.
	20"	15"	R3SF11520	350.	365.	395.	430.	462.	506.	531.
	24"	15"	R3SF11524	365.	380.	410.	445.	477.	521.	546.
	30"	15"	R3SF11530	396.	411.	441.	476.	508.	552.	577.
	36"	15"	R3SF11536	431.	446.	476.	511.	543.	587.	612.
	42"	15"	R3SF11542	464.	479.	509.	544.	576.	620.	645.
	48"	15"	R3SF11548	495.	511.	541.	576.	608.	652.	677.
Stacking modules* Fabric and conventional veneer 	18"	15"	R3SF21518	354.	369.	399.	434.	466.	510.	535.
	20"	15"	R3SF21520	354.	369.	399.	434.	466.	510.	535.
	24"	15"	R3SF21524	371.	386.	416.	451.	483.	527.	552.
	30"	15"	R3SF21530	406.	421.	451.	486.	518.	562.	587.
	36"	15"	R3SF21536	440.	455.	485.	520.	552.	596.	621.
	42"	15"	R3SF21542	474.	489.	519.	554.	586.	630.	655.
	48"	15"	R3SF21548	503.	518.	548.	583.	615.	659.	684.
Stacking modules* Fabric and exotic veneer 	18"	15"	R3SF315 18	467.	482.	512.	547.	579.	623.	648.
	20"	15"	R3SF315 20	467.	482.	512.	547.	579.	623.	648.
	24"	15"	R3SF315 24	489.	504.	534.	569.	601.	645.	670.
	30"	15"	R3SF315 30	536.	551.	581.	616.	648.	692.	717.
	36"	15"	R3SF315 36	583.	598.	628.	663.	695.	739.	764.
	42"	15"	R3SF315 42	627.	642.	672.	707.	739.	786.	808.
	48"	15"	R3SF315 48	670.	685.	715.	750.	782.	826.	851.
Stacking modules* Laminate both sides 	18"	15	R3SLL1518							327.
	20"	15	R3SLL1520							327.
	24"	15	R3SLL1524							355.
	30"	15	R3SLL1530							399.
	36"	15	R3SLL1536							431.
	42"	15	R3SLL1542							443.
	48"	15	R3SLL1548							445.

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

List price for wood grain laminate options will be; current published laminate list price plus 10%.

Application Notes

* Not for use on 79"H panels.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.



Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$65.	n/a
	15"	stacking module post	R3L15TT	127.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	162.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	244.	281.
	49"		R3L49(B)(F/T)(F/T)-() () ()	271.	311.
	64"		R3L64(B)(F/T)(F/T)-() () ()	300.	343.
	79"		R3L79(B)(F/T)(F/T)-() () ()	335.	384.
 T-Post	8"	stacking module post	R3T08T	81.	n/a
	15"	stacking module post	R3T15T	150.	n/a
	34"		R3T34(F/T)-() () ()	197.	n/a
	42"		R3T42(B)(F/T)-() () ()	215.	246.
	49"		R3T49(B)(F/T)-() () ()	244.	281.
	64"		R3T64(B)(F/T)-() () ()	271.	311.
	79"		R3T79(B)(F/T)-() () ()	301.	346.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 118. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.



Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	R3X08	\$72.	n/a
	15"	stacking module post	R3X15	138.	n/a
	34"		R3X34-() ()	183.	n/a
	42"		R3X42(B)-() ()	199.	230.
	49"		R3X49(B)-() ()	215.	246.
	64"		R3X64(B)-() ()	244.	281.
	79"		R3X79(B)-() ()	278.	316.
 Straight post	8"	stacking module post	R3S08TT	65.	n/a
	15"	stacking module post	R3S15TT	127.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	162.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	244.	281.
	49"		R3S49(B)(F/T)(F/T)-() () ()	271.	311.
	64"		R3S64(B)(F/T)(F/T)-() () ()	300.	343.
	79"		R3S79(B)(F/T)(F/T)-() () ()	335.	384.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 118. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV	n/c



Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 118. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 135°

Reff Profiles

description	h	pattern no.	Reg. post list (A/B/C profile)
135° Tiled Post 	34"	R3135V34T () () () () () ()	\$544.
	42"	R3135V42T () () () () () ()	681.
	49"	R3135V49T () () () () () ()	689.
	64"	R3135V64T () () () () () ()	844.
	79"	R3135V79T () () () () () ()	995.
135° Mono Post 	34"	R3135V34F () () () () () ()	544.
	42"	R3135V42F () () () () () ()	681.
	49"	R3135V49F () () () () () ()	689.
	64"	R3135V64F () () () () () ()	844.
	79"	R3135V79F () () () () () ()	995.

Order Code

Example:	R3135V34T
R3	Reff Generation 3
135V	135° post
34	Height
T	Tiled
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

- Top cap profile
- Top cap configuration
- If L post, cover configuration
1 = one piece
- Base height option
- Base infeed knock-out (optional)
- Tile divider option/finish, if face type T
- Finish, face covers
(*fabric, V1, V2, V3 or painted to match laminate*)
- Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
- Base finish

1. Face type:

(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)
3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)

5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. Base height:

4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 120°

Reff Profiles

Panels

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34 () () ()	\$379.
	42"	R3120Y42 () () ()	399.
	49"	R3120Y49 () () ()	411.
	64"	R3120Y64 () () ()	451.
	79"	R3120Y79 () () ()	492.

Order Code

Example: R3120Y34
R3 Reff Generation 3
120V 120° post
34 Height
T Tiled
(A) Top profile
(4) Base height
V316 Top cap finish, Maple
111 Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Base height option
3. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
4. Base finish

1. Top profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum
(Add \$25 list for this option)


2. Base height:


- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)

Specify AA for anodized aluminum look or painted option from page 5excluding silver.


Panel trims and post covers for all applications

Reff Profiles

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34"		R2ES34(A/B/C/E)(4/6)(E/N)	\$222.	\$134.
	–	42"		R2ES42(A/B/C/E)(4/6)(E/N)	248.	157.
	–	49"		R2ES49(A/B/C/E)(4/6)(E/N)	275.	179.
	–	64"		R2ES64(A/B/C/E)(4/6)(E/N)	291.	202.
	–	79"		R2ES79(A/B/C/E)(4/6)(E/N)	357.	229.

End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		R2HL3442ES(A/B/C/E)	116.	118.
	34"	49"		R2HL3449ES(A/B/C/E)	162.	121.
	34"	64"		R2HL3464ES(A/B/C/E)	207.	124.
	34"	79"		R2HL3479ES(A/B/C/E)	222.	136.
	42"	49"		R2HL4249ES(A/B/C/E)	116.	118.
	42"	64"		R2HL4264ES(A/B/C/E)	280.	121.
	42"	79"		R2HL4279ES(A/B/C/E)	321.	136.
	49"	64"		R2HL4964ES(A/B/C/E)	162.	124.
	49"	79"		R2HL4979ES(A/B/C/E)	207.	136.
	64"	79"		R2HL6479ES(A/B/C/E)	162.	121.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side)	–		18"	RSNTT18(A/B/C/E)	82.	23.
	–	–	20"	RSNTT20(A/B/C/E)	82.	25.
	–	–	24"	RSNTT24(A/B/C/E)	92.	28.
	–	–	30"	RSNTT30(A/B/C/E)	102.	33.
	–	–	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	106.	44.
	–	–	36"	RSNTT36(A/B/C/E)	113.	44.
	–	–	42"	RSNTT42(A/B/C/E)	129.	45.
	–	–	48"	RSNTT48(A/B/C/E)	139.	63.

Order Code

Example: R2ES34A6N	
R2	Reff Generation 2
ES	End trim
34	34" high
A	Flat profile
6	6" base height
N	Non electrical base
V311	Beech
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

- Trim profile
A = flat
B = square
C = bullnose
E = extruded aluminum
- Base height option
4 = 4"
6 = 6"
- Base type
E = electrical entry
N = standard base
- Finish, end trim
If profile A, B or C specify V1, V2, V3 or painted to match laminate
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base
painted or plated finish

Applicable finishes are listed on page 5 and 6.

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
or select P1, P2, P3 painted finish from pg. 5

Select paint or plated finish from page 5.

Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$116.	\$118.
	42"	64"		R2HL4264ETS(A/B/C/E)	280.	121.
	42"	79"		R2HL4279ETS(A/B/C/E)	321.	136.



Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		R2HL3442(F)CS ()	33.	
	34"	49"		R2HL3449(F)CS ()	48.	
	34"	64"		R2HL3464(F/T)CS ()()	96.	
	34"	79"		R2HL3479(F/T)CS ()()	142.	
	42"	49"		R2HL4249(F)CS ()	33.	
	42"	64"		R2HL4264(F/T)CS ()()	79.	
	42"	79"		R2HL4279(F/T)CS ()()	129.	
	49"	64"		R2HL4964(F)CS ()	48.	
	49"	79"		R2HL4979(F/T)CS ()()	96.	
	64"	79"		R2HL6479(F)CS ()	48.	



Application: for height changes involving a post

Order Code	Specification Information
Example: R2ES34A6N	<i>To order please specify pattern number including:</i>
R2 Ref Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	<i>A = flat</i>
A Flat profile	<i>B = square</i>
6 6" base height	<i>C = bullnose</i>
N Non electrical base	<i>E = extruded aluminum</i>
V311 Beech	2. Base height option
111 Jet Black (base finish)	<i>4 = 4"</i>
	<i>6 = 6"</i>
	3. Base type
	<i>E = electrical entry</i>
	<i>N = standard base</i>
	4. Finish, end trim
	<i>If profile A, B or C specify V1, V2, V3 or painted to match laminate</i>
	<i>If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver</i>
	5. Finish, end trim base
	<i>painted or plated finish</i>
	Applicable finishes are listed on page 5 and 6.
	Post cover trim:
	1. Specify full or tiled face type
	<i>F = full (monolithic)</i>
	<i>T = tiled</i>
	2. Finish, post cover
	<i>fabric, V1, V2, V3 or painted to match laminate</i>
	3. If tiled cover set, specify reveal finish
	<i>B = black reveal</i>
	<i>or select P1, P2, P3 painted finish from pg. 5</i>
	Select paint or plated finish from page 5.
	Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel Accessories

hookstrips and top caps

Reff Profiles

description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$43.
	15"	R2HK0015	70.
	34"	R2HK0034	95.
	42"	R2HK0042	101.
	49"	R2HK0049	109.
	64"	R2HK0064	118.
	79"	R2HK0079	124.
Beltway hookstrips	42"	R2HKB042	109.
	49"	R2HKB049	118.
	64"	R2HKB064	124.
	79"	R2HKB079	130.

Order Code

Example: R2HK0008
R2 Reff generation 2
HK Hook Strip
008 Height

Specification Information

To order please specify pattern number including:


Applicable finishes are listed on page 5 and 6.

Application Notes


An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.

Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.


New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

description	type	h	pattern no.	list price
 Ceiling entry L-post.		42"	R2L42C(F/T)(F/T)-(4/6)	\$244.
		49"	R2L49C(F/T)(F/T)-(4/6)	261.
		64"	R2L64C(F/T)(F/T)-(4/6)	277.
		79"	R2L79C(F/T)(F/T)-(4/6)	329.


Cable not included

 Ceiling entry T-post.		42"	R2T42C(F/T)-(4/6)	215.
		49"	R2T49C(F/T)-(4/6)	244.
		64"	R2T64C(F/T)-(4/6)	261.
		79"	R2T79C(F/T)-(4/6)	304.

Cable not included

 Ceiling entry X-post.		42"	R2X42C	199.
		49"	R2X49C	215.
		64"	R2X64C	244.
		79"	R2X79C	288.

Cable not included

 Ceiling entry straight line post.		42"	R2S42C(F/T)(F/T)-(4/6)	244.
		49"	R2S49C(F/T)(F/T)-(4/6)	261.
		64"	R2S64C(F/T)(F/T)-(4/6)	277.
		79"	R2S79C(F/T)(F/T)-(4/6)	329.

Cable not included

Order Code	
Example: R2L42CTT4	
R2	Reff Generation 2
L	L-post
42	42" high
C	Ceiling power entry
T	Tiled style face
T	Tiled style face
4	Base height
W230	Fabric selection
111	Jet Black (base finish)

Applicable finishes are listed on page 5 and 6.

Specification Information
<i>To order please specify pattern number including:</i>
1. Post face option
2. Base height option
3. Finish type, where applicable
4. Finish, where applicable
5. Base finish
6. Canopy finish (ceiling entry pole only)
<i>1. Face type:</i>
F = Full height
T = Tiled
<i>2. Base height:</i>
4 = 4" base height
6 = 6" base height
<i>3. Finish type:</i>
F = Fabric
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes
Data cable application requires the post and the pole only.
*Must order post, pole and cable for electrical application.
The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
Hi-lo ceiling post covers must be ordered in hi-lo applications from 115.

description	type	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet		41"	RCP41-(F/L/1/2/3)*	\$487.
		56"	RCP56-(F/L/1/2/3)*	506.
		71"	RCP71-(F/L/1/2/3)*	568.
		78"	RCP78-(F/L/1/2/3)*	586.



Cable not included

Power infeeds	Ceiling power cable infeed. Eight-wire	RR3-EPVR	284.
	Ceiling power cable infeed. Ten-wire	RR3-TPVR	344.
One size fits all post sizes (13' of cable) For use with Ceiling entry Pole and Pole combinations			



Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	
42 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
T Tiled style face	5. Base finish	6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
T Tiled style face	6. Canopy finish (ceiling entry pole only)	
4 Base height	1. <i>Face type:</i>	
W230 Fabric selection	F = Full height	
111 Jet Black (base finish)	T = Tiled	
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height	
	3. <i>Finish type:</i>	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).



Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 115.

Applicable finishes are listed on page 5 and 6.

Ceiling cable entry post covers

Alignment kits and wall starters


description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$33.
	34"	49"			RPHL3449(F/T)	48.
	34"	64"			RPHL3464(F/T)	96.
	34"	79"			RPHL3479(F/T)	142.
	42"	49"			RPHL4249(F/T)	66.
	42"	64"			RPHL4264(F/T)	92.
	42"	79"			RPHL4279(F/T)	100.
	49"	64"			RPHL4964(F/T)	92.
	49"	79"			RPHL4979(F/T)	100.
	64"	79"			RPHL6479(F/T)	72.
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	33.
	42"	64"			RPHL4264S	79.
	42"	79"			RPHL4279S	129.
	49"	64"			RPHL4964S	48.
	49"	79"			RPHL4979S	96.
	64"	79"			RPHL6479S	48.
Wall starter			7/8"	15"	R2SWS0015 () () ()	61.
			7/8"	34"	R2SWS0034 () () ()	121.
			7/8"	42"	R2SWS0042 () () ()	147.
			7/8"	49"	R2SWS0049 () () ()	172.
			7/8"	64"	R2SWS0064 () () ()	226.
			7/8"	79"	R2SWS0079 () () ()	278.
			7/8"	8"	R2SWS0008 () () ()	46.

*Wall starters come with extended top trim from adjoining panel.

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
42 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
49 49" high panel	F = Full	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
T Tiled face type	T = Tiled	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	Wall starter:	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	1. Pattern number including height	Wall starters come with extended top trim from adjoining panel.
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

Ceiling cable entry post covers

Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
					R3SPABPT	\$7.
					R3SPABTD	7.
					R3SPABTT	7.
					R3SPABTW	7.
					RSPABPD	7.
					RSPABPP	7.
					RSPABPT	7.
					RSPABPW	7.
					RSPABTD	7.
					RSPABTT	7.
					RSPABTW	7.
					RSPABWD	7.
				RSPABWW	7.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
42 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
49 49" high panel	F = Full	
T Tiled face type	T = Tiled	
	Wall starter:	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64'	RRDPPL(L/R)6436()		\$2,967.	\$3,072.	\$4,108.
		36"	79"	RRD3PPL(L/R)7936()()		3,236.	3,352.	4,525.
		42"	64"	RRDPPL(L/R)6442()		3,024.	3,128.	4,159.
		42"	79"	RRD3PPL(L/R)7942()()		3,286.	3,401.	4,574.
Floor to ceiling rolling door		36"	79"	RRD3FTCPPL(L/R)7936()		3,236.	3,352.	4,525.
		42"	79"	RRD3FTCPPL(L/R)7942()		3,286.	3,401.	4,574.
Partial width threshold (full width threshold)		3"	50"	RRDTH()		343.		
		3"	96"	RRDTH(L/R)()		441.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()			3,865.
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()			4,492.
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()			3,865.
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()			4,492.



Woodgrain Laminate not available on Panel Door

Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose

2. Base height:

- 4 = 4" base
- 6 = 6" base (add \$47 for this option)

3. Lock option:

- N = Not drilled
- D = Drilled *
- L = Drilled lock set included
- D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

- GL13 = Powdered glass
- GL6 = Block matrix
- GL8 = Wafer glass
- P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 5 and 6.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 115).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			R234PKIT	\$111.	
Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	111.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c	
Generation 1 panels to Generation 3 posts			R3AK	n/c	
R3/R2 stacking post sleeve			R3R2SLV	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	10 Rolls	$\frac{3}{8}$ "	79"	RHSC70	n/c
	2 Rolls	$\frac{3}{8}$ "	79"	RHSC15	n/c
	30 Rolls	$\frac{3}{8}$ "	79"	RHSC250	n/c
Carpet gripper (Pack fo 10)			R2CG	20.	

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Application Notes

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.


Refer to Planning Guide for details.


*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.


Floor to ceiling modules

21" high, for 104" ceiling height and 79" high panels
fabric and glass

Panels

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	R3FTCFF2118			\$353.	\$359.	\$373.	\$437.	\$461.	\$525.	\$589.
	20"	21"	R3FTCFF2120			353.	359.	373.	437.	461.	525.	589.
	24"	21"	R3FTCFF2124			372.	378.	392.	456.	480.	544.	608.
	30"	21"	R3FTCFF2130			411.	417.	431.	495.	519.	583.	647.
	36"	21"	R3FTCFF2136			441.	447.	461.	525.	549.	613.	677.
	42"	21"	R3FTCFF2142			481.	487.	501.	565.	589.	653.	717.
	48"	21"	R3FTCFF2148			516.	522.	536.	600.	624.	688.	752.




Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	RFTCWA2118	495.	584.							
	20"	21"	RFTCWA2120	495.	584.							
	24"	21"	RFTCWA2124	520.	629.							
	30"	21"	RFTCWA2130	606.	737.							
	36"	21"	RFTCWA2136	633.	787.							
	42"	21"	RFTCWA2142	666.	852.							
	48"	21"	RFTCWA2148	698.	903.							

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	RFTCWB2130	707.	836.							
	36"	21"	RFTCWB2136	766.	922.							
	42"	21"	RFTCWB2142	810.	989.							
	48"	21"	RFTCWB2148	847.	1,057.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2118 R3 Reff Generation 3 FTC Floor to ceiling FF Fabric/fabric 21 21" high 18 18" wide W281 Fabric selection - side 1 W281 Fabric selection - side 2 111 Jet Black soffit	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) <p><i>For window panel:</i></p> <ol style="list-style-type: none"> 1. Pattern number 2. Frame finish 3. Glass type 	<p>Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).</p> <p>Specify the finish for frames from paint selection on page 5.</p> <p>Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.</p> <p>Provide elevation drawing for mixed fabrics or veneers.</p> <p>Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.</p> <p>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</p> <p>Use of Reff FTC modules must be approved by local building authorities.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p> <p>No additional acoustic rating occurs on FTC installations.</p>

Floor to ceiling modules


*25" high, for 108" ceiling height and 79" high panels
fabric and glass*


description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$394.	\$400.	\$412.	\$498.	\$516.	\$600.	\$672.
	20"	25"	R3FTCFF2520			394.	400.	412.	498.	516.	600.	672.
	24"	25"	R3FTCFF2524			417.	423.	435.	521.	539.	623.	695.
	30"	25"	R3FTCFF2530			453.	459.	471.	557.	575.	659.	731.
	36"	25"	R3FTCFF2536			494.	501.	513.	599.	617.	701.	773.
	42"	25"	R3FTCFF2542			534.	540.	552.	638.	656.	740.	812.
	48"	25"	R3FTCFF2548			573.	579.	591.	677.	695.	779.	851.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	517.	607.							
	20"	25"	RFTCWA2520	517.	607.							
	24"	25"	RFTCWA2524	553.	658.							
	30"	25"	RFTCWA2530	639.	770.							
	36"	25"	RFTCWA2536	670.	824.							
	42"	25"	RFTCWA2542	713.	892.							
	48"	25"	RFTCWA2548	743.	949.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	734.	862.							
	36"	25"	RFTCWB2536	813.	969.							
	42"	25"	RFTCWB2542	863.	1,044.							
	48"	25"	RFTCWB2548	912.	1,120.							


Order Code	Specification Information	Application Notes
Example: R3FTCFF2518	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick). Specify the finish for frames from paint selection on page 5.
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
25 25" high	4. Soffit finish (paint)	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options. Provide elevation drawing for mixed fabrics or veneers.
18 18" wide	<i>For window panel:</i>	
W281 Fabric selection - side 1		
W281 Fabric selection - side 2	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim.
111 Jet Black soffit	2. Frame finish	
	3. Glass type	
		Metal top side plates allow for 2" adjustment downwards to allow for uneven floors. Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components. Use of Reff FTC modules must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying. No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	R3FTCFF3718			\$517.	\$521.	\$531.	\$659.	\$681.	\$807.	\$925.
	20"	37"	R3FTCFF3720			517.	521.	531.	659.	681.	807.	925.
	24"	37"	R3FTCFF3724			547.	551.	561.	689.	711.	837.	955.
	30"	37"	R3FTCFF3730			594.	598.	608.	736.	758.	884.	1,002.
	36"	37"	R3FTCFF3736			645.	649.	659.	787.	809.	935.	1,053.
	42"	37"	R3FTCFF3742			694.	698.	709.	836.	858.	984.	1,102.
	48"	37"	R3FTCFF3748			741.	745.	755.	883.	905.	1,031.	1,149.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	592.	680.
	20"	37"	RFTCWA3720	592.	680.
	24"	37"	RFTCWA3724	638.	742.
	30"	37"	RFTCWA3730	752.	867.
	36"	37"	RFTCWA3736	783.	936.
	42"	37"	RFTCWA3742	834.	1,014.
	48"	37"	RFTCWA3748	878.	1,090.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	811.	942.
	36"	37"	RFTCWB3736	956.	1,110.
	42"	37"	RFTCWB3742	1,030.	1,210.
	48"	37"	RFTCWB3748	1,096.	1,306.

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
37 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

21" and 25" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	R3FTCFL2118	\$403.	\$405.	\$410.	\$445.	\$457.	\$490.	\$525.
	20"	21"	R3FTCFL2120	403.	405.	410.	445.	456.	490.	525.
	24"	21"	R3FTCFL2124	417.	419.	424.	459.	471.	504.	539.
	30"	21"	R3FTCFL2130	468.	470.	475.	510.	522.	555.	590.
	36"	21"	R3FTCFL2136	508.	510.	515.	550.	562.	595.	630.
	42"	21"	R3FTCFL2142	553.	555.	560.	595.	607.	640.	675.
	48"	21"	R3FTCFL2148	595.	597.	602.	637.	649.	682.	717.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	R3FTCF12118	410.	412.	417.	452.	464.	497.	532.
	20"	21"	R3FTCF12120	410.	412.	417.	452.	464.	497.	532.
	24"	21"	R3FTCF12124	426.	428.	433.	468.	480.	513.	548.
	30"	21"	R3FTCF12130	475.	477.	482.	517.	529.	562.	597.
	36"	21"	R3FTCF12136	516.	518.	523.	558.	570.	603.	638.
	42"	21"	R3FTCF12142	558.	560.	565.	600.	612.	645.	680.
	48"	21"	R3FTCF12148	608.	610.	615.	650.	662.	695.	730.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	R3FTCF22118	418.	420.	425.	460.	472.	505.	540.
	20"	21"	R3FTCF22120	418.	420.	425.	460.	472.	505.	540.
	24"	21"	R3FTCF22124	431.	433.	438.	473.	485.	518.	553.
	30"	21"	R3FTCF22130	485.	487.	492.	527.	539.	572.	607.
	36"	21"	R3FTCF22136	524.	526.	531.	566.	578.	611.	646.
	42"	21"	R3FTCF22142	570.	572.	577.	612.	624.	657.	692.
	48"	21"	R3FTCF22148	616.	618.	623.	658.	670.	703.	738.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21" 	18"	21"	R3FTCF321 18	551.	553.	558.	593.	605.	638.	673.
	20"	21"	R3FTCF321 20	551.	553.	558.	593.	605.	638.	673.
	24"	21"	R3FTCF321 24	569.	571.	576.	611.	623.	656.	691.
	30"	21"	R3FTCF321 30	642.	644.	649.	684.	695.	729.	764.
	36"	21"	R3FTCF321 36	694.	696.	701.	736.	748.	781.	816.
	42"	21"	R3FTCF321 42	756.	758.	763.	798.	810.	843.	878.
	48"	21"	R3FTCF321 48	816.	818.	823.	858.	870.	903.	938.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 21 21" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6. List price for wood grain laminate options will be; current published laminate list price plus 10%.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

21" and 25" high modules, fabric one side,
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	R3FTCFL2518	\$432.	\$435.	\$443.	\$488.	\$497.	\$540.	\$579.
	20"	25"	R3FTCFL2520	433.	435.	443.	488.	497.	540.	579.
	24"	25"	R3FTCFL2524	448.	451.	459.	504.	513.	556.	595.
	30"	25"	R3FTCFL2530	509.	512.	520.	565.	574.	617.	656.
	36"	25"	R3FTCFL2536	552.	555.	563.	608.	617.	660.	699.
	42"	25"	R3FTCFL2542	605.	608.	616.	661.	670.	713.	752.
	48"	25"	R3FTCFL2548	654.	657.	665.	710.	719.	762.	801.

Stack-on floor to ceiling module Fabric one side, techwood other side, 25" 	18"	25"	R3FTCF12518	438.	441.	449.	494.	503.	546.	585.
	20"	25"	R3FTCF12520	438.	441.	449.	494.	503.	546.	585.
	24"	25"	R3FTCF12524	453.	456.	464.	509.	518.	561.	600.
	30"	25"	R3FTCF12530	519.	522.	530.	575.	584.	627.	666.
	36"	25"	R3FTCF12536	559.	562.	570.	615.	624.	667.	706.
	42"	25"	R3FTCF12542	616.	619.	627.	672.	681.	724.	763.
	48"	25"	R3FTCF12548	664.	667.	675.	720.	729.	772.	811.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25" 	18"	25"	R3FTCF22518	448.	451.	459.	504.	513.	556.	595.
	20"	25"	R3FTCF22520	448.	451.	459.	504.	513.	556.	595.
	24"	25"	R3FTCF22524	461.	464.	472.	517.	526.	569.	608.
	30"	25"	R3FTCF22530	527.	530.	538.	583.	592.	635.	674.
	36"	25"	R3FTCF22536	571.	574.	582.	627.	636.	679.	718.
	42"	25"	R3FTCF22542	626.	629.	637.	682.	691.	734.	773.
	48"	25"	R3FTCF22548	676.	679.	687.	732.	741.	784.	823.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25" 	18"	25"	R3FTCF325 18	586.	589.	597.	642.	651.	694.	733.
	20"	25"	R3FTCF325 20	586.	589.	597.	642.	651.	694.	733.
	24"	25"	R3FTCF325 24	608.	611.	619.	664.	673.	716.	755.
	30"	25"	R3FTCF325 30	694.	697.	705.	750.	759.	802.	841.
	36"	25"	R3FTCF325 36	756.	759.	767.	812.	821.	864.	903.
	42"	25"	R3FTCF325 42	829.	832.	840.	885.	894.	937.	976.
	48"	25"	R3FTCF325 48	897.	900.	908.	953.	962.	1,005.	1,044.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 21 21" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6. List price for wood grain laminate options will be; current published laminate list price plus 10%.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

37" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side 	18"	37"	R3FTCFL3718	\$527.	\$529.	\$535.	\$601.	\$612.	\$678.	\$739.
	20"	37"	R3FTCFL3720	527.	529.	535.	601.	612.	678.	739.
	24"	37"	R3FTCFL3724	537.	539.	545.	611.	622.	688.	749.
	30"	37"	R3FTCFL3730	638.	640.	646.	712.	723.	789.	850.
	36"	37"	R3FTCFL3736	690.	692.	698.	764.	775.	841.	902.
	42"	37"	R3FTCFL3742	770.	772.	778.	844.	855.	921.	982.
	48"	37"	R3FTCFL3748	840.	842.	848.	914.	925.	991.	1,052.

Stack-on floor to ceiling module Fabric one side, techwood other side 	18"	37"	R3FTCF13718	536.	538.	544.	610.	621.	687.	748.
	20"	37"	R3FTCF13720	536.	538.	544.	610.	621.	687.	748.
	24"	37"	R3FTCF13724	545.	547.	553.	619.	630.	696.	757.
	30"	37"	R3FTCF13730	648.	650.	656.	722.	733.	799.	860.
	36"	37"	R3FTCF13736	704.	706.	712.	778.	789.	855.	916.
	42"	37"	R3FTCF13742	787.	789.	795.	861.	872.	938.	999.
	48"	37"	R3FTCF13748	856.	858.	864.	930.	941.	1,007.	1,068.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side 	18"	37"	R3FTCF23718	544.	546.	552.	618.	629.	695.	756.
	20"	37"	R3FTCF23720	544.	546.	552.	618.	629.	695.	756.
	24"	37"	R3FTCF23724	556.	558.	564.	630.	641.	707.	768.
	30"	37"	R3FTCF23730	658.	660.	666.	732.	743.	809.	870.
	36"	37"	R3FTCF23736	713.	715.	721.	787.	798.	864.	925.
	42"	37"	R3FTCF23742	798.	800.	806.	872.	883.	949.	1,010.
	48"	37"	R3FTCF23748	872.	874.	880.	946.	957.	1,023.	1,084.






Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37" 	18"	37"	R3FTCF337 18	710.	712.	718.	784.	795.	861.	922.
	20"	37"	R3FTCF337 20	710.	712.	718.	784.	795.	861.	922.
	24"	37"	R3FTCF337 24	728.	730.	736.	802.	813.	879.	940.
	30"	37"	R3FTCF337 30	865.	867.	873.	939.	950.	1,016.	1,077.
	36"	37"	R3FTCF337 36	939.	941.	948.	1,013.	1,024.	1,090.	1,151.
	42"	37"	R3FTCF337 42	1,055.	1,057.	1,063.	1,129.	1,140.	1,206.	1,267.
	48"	37"	R3FTCF337 48	1,154.	1,156.	1,162.	1,228.	1,239.	1,305.	1,366.

Order Code	Specification Information	Application Notes
Example: R3FTCFL3718	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	Ceiling height includes 4" allowance for trim.
FL Fabric/laminate	3. Panel side 2 finish	Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
37 37" high	4. Soffit finish (paint)	Modules on this page will not support the hanging of panel mount product.
18 18" wide	Applicable finishes are listed on page 5 and 6.	Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.
W281 Fabric selection - side 1		Use of Reff FTC modules must be approved by local building authorities.
114 Folkstone grey - side 2		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
111 Jet Black soffit		

Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$185.
	add on	25"	R3FTCL25	206.
	add on	37"	R3FTCL37	266.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	420.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	420.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	420.
 T-Post	add on	21"	R3FTCT21	201.
	add on	25"	R3FTCT25	219.
	add on	37"	R3FTCT37	281.
	full height	104"	R3FTCT104(F/T)-() ()	378.
	full height	108"	R3FTCT108(F/T)-() ()	378.
	full height	120"	R3FTCT120(F/T)-() ()	378.
 X-Post	add on	21"	R3FTCX21	183.
	add on	25"	R3FTCX25	203.
	add on	37"	R3FTCX37	265.
	full height	104"	R3FTCX104	347.
	full height	108"	R3FTCX108	347.
	full height	120"	R3FTCX120	347.
 Straight post	add on	21"	R3FTCS21	185.
	add on	25"	R3FTCS25	206.
	add on	37"	R3FTCS37	266.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	420.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	420.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	420.
 End post	add on	21"	R3FTCE21	201.
	add on	25"	R3FTCE25	219.
	add on	37"	R3FTCE37	281.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	378.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	378.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	378.

Order Code

Example:	R3FTCL104TT-6N
R3FTC	Reff Gen 3 Floor to ceiling
L	Corner post
104	104" high (one piece)
TT	Tiled appearance
6	6" base height
N	No base infeed raceway knock-out
W808	Fabric selection
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Post face option
2. Base height option
3. Base infeed raceway knock-out, (optional)
4. Fabric selection
5. Base color

1. *Face type:*
F = Full height (monolithic look)
T = Tiled

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

3. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

Application Notes

The posts on this page do not support the hanging of panel mount product above the 79"H panels.

The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.

If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.

Left and Right hand locations are determined by facing the post in question from the outside of the station.

Hookstrip cover reveal strips are no charge but must be ordered separately from page 118.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.





Required components for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$60.
	25"	RFTCWS25S	76.
	37"	RFTCWS37S	92.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	219.
Caddy clips (box of 100)		RFTCCLIPS	317.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSpace	100.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		RFTCSM (Pair) for G2 only	7.
		R3FTCSM (Pair) for G3 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.

*These brackets are to be used with hinge doors only.

Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Fabric/laminate/wood options 2. Paint option for metal soffit <p>All floor to ceiling posts mimic the panel system post application.</p>	<p>*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.</p> <p>Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.</p> <p>Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.</p> <p>Use of Reff FTC components must be approved by local building authorities.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>
R Reff		
FTC Floor to ceiling		
WS Wall starter		
21 21" high		

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-E24	\$142.	
	30" panel	12"	2"	2"	RR3-E30NS	157.	
	36" panel	18"	2"	2"	RR3-E36NS	172.	
	42" panel	24"	2"	2"	RR3-E42NS	179.	
	48" panel	30"	2"	2"	RR3-E48NS	187.	
	60" panel	42"	2"	2"	RR3-E60-4	284.	
	66" panel	48"	2"	2"	RR3-E66-4	300.	
	72" panel	54"	2"	2"	RR3-E72-4	321.	
	Straight	16 1/2"	2"	2"	RR3-EPC24	82.	
		18 1/2"	2"	2"	RR3-EPCSM	82.	
		20 1/4"	2"	2"	RR3-EPCM	82.	
	Use RR3-EPC24 for straight 24" to 24" wide panel. Use RR3-EPCS for straight 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPC for all other straight power connection configurations.						
	Through post	19"	2"	2"	RR3-EPCP24	82.	
		21"	2"	2"	RR3-EPCPSM	82.	
		22 3/4"	2"	2"	RR3-EPCPM	82.	
Use RR3-EPCP24 for through post 24" to 24" wide panels. Use RR3-EPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCP for all other through post power connection configurations.							
	Circuit A				RR3-DA	39.	
	Circuit B				RR3-DB	39.	
	Circuit X				RR3-DX	39.	
	Circuit Y				RR3-DY	39.	
	Circuit X				RR3-DXO	44.	
	Circuit Y				RR3-DYO	44.	
Data Shield	1 pair				RR3-DATSHD	27.	

Order Code

Example: RR3-E-24	
RR3	Reff raceway
E	Eight wire 2+2
24	for 24" panel

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.




Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.

*Power connectors must be specified according to the panel widths in the specified orientation.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
 2+2 Base Raceway
 four circuit, eight-wire raceway for panels
 jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-EJ18	\$103.
	20" panel	40"	2"	2"	RR3-EJ20	103.
	24" panel	44"	2"	2"	RR3-EJ24	111.
	30" panel	50"	2"	2"	RR3-EJ30	119.
	36" panel	56"	2"	2"	RR3-EJ36	129.
	42" panel	62"	2"	2"	RR3-EJ42	135.
	48" panel	68"	2"	2"	RR3-EJ48	142.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	149.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	157.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	165.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	172.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	179.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	187.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	196.
96" panel run	118 1/2"	2"	2"	RR3-EJ96P	203.	
 Extended jumper (through one post)	18" + post	40 1/2"	2"	2"	RR3-EJ18P	103.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	103.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	111.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	119.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	129.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	135.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	142.
 Power infeeds	Ceiling power cable infeed. Eight-wire				RR3-EPVR	284.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	208.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	312.
	Panel base end feed				RR3-REPI	247.
	Panel base side infeed				RR3-EPI	247.
	Surge suppressors				RR3-SP-(A,B,X,Y)	179.




Order Code	Specification Information	Application Notes
Example: RR3-EPVR RR3 Reff raceway E Eight wire 2+2 P power infeed VR for vertical raceway	<p>Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.</p> <p>For use in Canada, all circuits are CGA rated 15 amp capacity.</p> <p><i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection</p> <p>into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.</p> <p>Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. RR3-EPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-EPNY1 includes only one power connector.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p>

Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels

power rails and connectors

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-T24	\$165.	
	30" panel	12"	2"	2"	RR3-T30NS	179.	
	36" panel	18"	2"	2"	RR3-T36NS	196.	
	42" panel	24"	2"	2"	RR3-T42NS	208.	
	48" panel	30"	2"	2"	RR3-T48NS	216.	
	60" panel	42"	2"	2"	RR3-T60-4	337.	
	66" panel	48"	2"	2"	RR3-T66-4	351.	
	72" panel	54"	2"	2"	RR3-T72-4	375.	
	Straight	16 1/2"	2"	2"	RR3-TPC24	103.	
		18 1/2"	2"	2"	RR3-TPCS	103.	
		20 1/4"	2"	2"	RR3-TPCM	103.	
	Use RR3-TPC24 for through post 24" to 24" wide panels. Use RR3-TPCS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPC for all other through post power connection configurations.						
	Through post	19"	2"	2"	RR3-TPCP24	103.	
		21"	2"	2"	RR3-TPCPS	103.	
		22 3/4"	2"	2"	RR3-TPCPM	103.	
	Use RR3-TPCP24 for through post 24" to 24" wide panels. Use RR3-TPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPCP for all other through post power connection configurations.						
	Duplex outlets, black	Circuit A				RR3-DA	39.
		Circuit B				RR3-DB	39.
Circuit C					RR3-DC	39.	
Circuit X					RR3-DX	39.	
Circuit Y					RR3-DY	39.	
Circuit Z					RR3-DZ	39.	
	Circuit X				RR3-DXO	44.	
	Circuit Y				RR3-DYO	44.	
	Circuit Z				RR3-DZO	44.	
Data Shield	1 pair				RR3-DATSHD	27.	

Order Code

Example: RR3-T-24	
RR3	Reff raceway
T	Ten wire 3+3
24	for 24" panel

Specification Information

Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

Note:

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.




*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	RR3-TJ18	\$119.
	20" panel	40"	2"	2"	RR3-TJ20	119.
	24" panel	44"	2"	2"	RR3-TJ24	129.
	30" panel	50"	2"	2"	RR3-TJ30	135.
	36" panel	56"	2"	2"	RR3-TJ36	142.
	42" panel	62"	2"	2"	RR3-TJ42	157.
	48" panel	68"	2"	2"	RR3-TJ48	172.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	179.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	187.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	196.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	203.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	208.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	227.
90" panel run	112 1/2"	2"	2"	RR3-TJ90P	232.	
96" panel run	118 1/2"	2"	2"	RR3-TJ96P	238.	
	18" + post	40 1/2"	2"	2"	RR3-TJ18P	119.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	119.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	129.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	135.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	142.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	157.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	172.
	Ceiling power cable infeed. Ten-wire				RR3-TPVR	344.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	238.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	344.
	Panel base end feed				RR3-RTPI	284.
	Panel base side infeed				RR3-TPI	284.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	179.



* Select which circuit needs protecting and order the specified surge processor.

** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>

Power distribution components

Hardwire box


description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$222.
	30" panel	RR3CHI301	258.
	36" panel	RR3CHI361	278.
	42" panel	RR3CHI421	281.
	48" panel	RR3CHI481	301.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	230.
	30" panel	RR3CHI302	275.
	36" panel	RR3CHI362	282.
	42" panel	RR3CHI422	286.
	48" panel	RR3CHI482	320.

Order Code	
Example:	RR3CHI24
RR3	Reff/AutoStrada raceway G3
CHI	Chicago Hardwire Box
24	For 24" wide panel
1	One sided raceway


Specification Information
Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.

Application Notes
Certified electrician to install.
Reff Hardwire Box
Installation instruction sheet available on Knoll Exchange. Part number 6TR45715.

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$149.
	30" panel		RR3-E30S	172.
	36" panel		RR3-E36S	187.
	42" panel		RR3-E42S	203.
	48" panel		RR3-E48S	208.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	179.
	30" panel		RR3-T30S	196.
	36" panel		RR3-T36S	208.
	42" panel		RR3-T42S	227.
	48" panel		RR3-T48S	232.



Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	103.
	Beltway post	19 1/2"	RR3-LTPC	103.
	Beltway post	21 1/2"	RR3-LTPCP	103.



Only necessary for post applications where cable will turn 90° rec.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		RR3-TBBCS	149.
	For 30" wide Beltway panels (8 Wire)		RR3-EBBCS	141.
	For 36" to 48" wide Beltway panels (10 Wire)		RR3-TBBCL	158.
	For 36" to 48" wide Beltway panels (8 Wire)		RR3-EBBCL	149.

Order Code

Example: RR3-T42S
RR3 Reff raceway
T Ten wire 3+3
42 For 42" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.


Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper

* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper


When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		RR3EJ48	\$142.
	24" wide Ten Wire		RR3TJ48	172.
	30" wide Eight Wire		RR3EJ60P	157.
	30" wide Ten Wire		RR3TJ60P	187.
	36" wide Eight Wire		RR3EJ60P	157.
	36" wide Ten Wire		RR3TJ60P	187.
	42" wide Eight Wire		RR3EJ66P	165.
	42" wide Ten Wire		RR3TJ66P	196.
	48" wide Eight Wire		RR3EJ72P	172.
48" wide Ten Wire		RR3TJ72P	203.	

Order Code	Specification Information	Application Notes
Example: RR3-T42S RR3 Reff raceway T Ten wire 3+3 42 For 42" panel S Single sided power	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector. Two side beltway panels use power rail for base. Single side beltway panel use one sided power rail for base. <i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages. Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.
		Vertical Adjacent Jumper **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers. Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$14.
	Faceplate extender, black	RR3-FE	34.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
Snap in module (must be used with faceplate)	BNC coupler, black	RR3-BNC	21.
	Cat 3 RJ11/14/25, black	RR3-C3C	13.
	CAT 5 RJ45 universal	RR3-C5C	21.
	CAT 6 universal	RR3-C6C	35.
	F series video coupler, black	RR3-FV	21.
	ST style coupler, black	RR3-ST	35.
Icons (sets of 10)	Data icons, 16 piece black	RR3-DICON	14.
	Mixed icons, 16 piece black	RR3-MICON	14.
	Phone icons, 16 piece black	RR3PICON	14.
Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	139.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	139.
Fiber optics	Sc style dual fiber optic side mount	RR3-FOSC	176.
	ST style dual fiber optic side mount	RR3-FOST	100.
Desktop duplex monument	2-RJ11 (telephone)	RGMD6	106.
	2-RJ45's (phone and intercom)	RGMD8	118.
	Duplex outlet (electrical)	RGMDE	128.

Order Code	Specification Information	Application Notes
Example: RR3-2PF	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
RR3 Reff raceway		
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
RR3 Reff raceway		
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.






Vertical power port bracket kit and duplex.

Reff Ported Panel Components

port, vertical duplex and panel jumpers

Reff Profiles


description	type	pattern no.	list price
Port 	Floating data port	RR3FDP	\$56.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	87.
Vertical Duplex 	Vertical Duplex A (8/10 wire applications)	RR3VDA	29.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	29.
	Vertical Duplex C (10 wire applications)	RR3VDC	29.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	29.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	29.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	29.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	29.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	29.
Same Panel Jumper, 8w 	30" same Panel Jumper 50" 8w	RR3EBVC50	149.
	30" same Panel Jumper 64" 8w	RR3EBVC64	162.
	30" same Panel Jumper 78" 8w	RR3EBVC78	176.
	36" + same Panel Jumper 62" 8w	RR3EBVC62	161.
	36" + same Panel Jumper 76" 8w	RR3EBVC76	175.
	36" + same Panel Jumper 90" 8w	RR3EBVC90	191.
Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	RR3TBVC50	171.
	30" same Panel Jumper 64" 10w	RR3TBVC64	187.
	30" same Panel Jumper 78" 10w	RR3TBVC78	205.
	36" + same Panel Jumper 62" 10w	RR3TBVC62	183.
	36" + same Panel Jumper 76" 10w	RR3TBVC76	201.
	36" + same Panel Jumper 90" 10w	RR3TBVC90	216.

Order Code	Specification Information	Application Note
Example: RR3VPBK RR3 Reff VP Vertical port BK Bracket kit	For data and communications specify product listed on page 134.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

Reff Ported Panel Components


port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	\$234.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	202.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	219.




Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	206.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	179.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	195.

Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	150.
	Internal Panel Jumper 8 w	RR3EVJ	139.



Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 134.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
RR3 Reff		
VP Vertical port		
BK Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

Worksurface 1 1/4
 rectilinear
 20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241-() ()	\$318.	\$348.	\$401.	\$539.
		30"	RSA301-() ()	349.	382.	438.	591.
		36"	RSA361-() ()	369.	403.	462.	625.
		42"	RSA421-() ()	383.	422.	484.	654.
		48"	RSA481-() ()	403.	437.	503.	678.
		54"	RSA541-() ()	418.	454.	525.	711.
		60"	RSA601-() ()	452.	491.	565.	765.
		66"	RSA661-() ()	462.	507.	584.	788.
		72"	RSA721-() ()	489.	534.	612.	826.
		78"	RSA781-() ()	495.	539.	621.	839.
		84"	RSA841-() ()	525.	577.	661.	892.
		90"	RSA901-() ()	550.	598.	687.	929.
	96"	RSA961-() ()	570.	621.	714.	963.	
	24"	24"	RSA242-() ()	335.	365.	422.	569.
		30"	RSA302-() ()	379.	412.	477.	642.
		36"	RSA362-() ()	391.	432.	493.	666.
		42"	RSA422-() ()	408.	443.	510.	687.
		48"	RSA482-() ()	433.	477.	547.	737.
		54"	RSA542-() ()	462.	507.	584.	788.
		60"	RSA602-() ()	500.	545.	624.	844.
		66"	RSA662-() ()	512.	561.	647.	872.
		72"	RSA722-() ()	538.	586.	676.	914.
78"		RSA782-() ()	561.	614.	710.	956.	
84"	RSA842-() ()	585.	640.	735.	993.		
90"	RSA902-() ()	614.	667.	767.	1,034.		
96"	RSA962-() ()	636.	693.	798.	1,077.		

Order Code	
Example: RSA241RL	
R	Reff
S	Straight top
A	1 1/4" thick
24	24" wide
1	20" deep
R	Recessed grommet option
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Thickness options:
 A = 1 1/4"

2. Grommet options:
 N = No grommets
 F = Flush front grommet location
 R = Recessed front (not recommended for 20"D and 24"D tops)

3. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

4. Top finish

5. Grommet finish:
 Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.


Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface 1 1/4
 rectilinear
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSA243-() ()	\$366.	\$398.	\$455.	\$615.
		30"	RSA303-() ()	411.	448.	515.	696.
		36"	RSA363-() ()	441.	483.	554.	747.
		42"	RSA423-() ()	459.	502.	578.	781.
		48"	RSA483-() ()	491.	536.	615.	831.
		54"	RSA543-() ()	531.	580.	664.	896.
		60"	RSA603-() ()	551.	599.	689.	931.
		66"	RSA663-() ()	560.	613.	709.	955.
		72"	RSA723-() ()	577.	628.	722.	974.
		78"	RSA783-() ()	603.	658.	757.	1,021.
		84"	RSA843-() ()	625.	684.	787.	1,063.
		90"	RSA903-() ()	656.	715.	824.	1,113.
		96"	RSA963-() ()	679.	742.	853.	1,152.
		36"	60"	RSA604-() ()	634.	692.	794.
66"	RSA664-() ()		656.	716.	825.	1,114.	
72"	RSA724-() ()		678.	741.	852.	1,151.	

Worksurfaces

Order Code

Example: RSA243RL
R Reff
S Straight top
A 1 1/4" thick
24 24" wide
3 30" deep
R Recessed grommet option
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Thickness options:
 A = 1 1/4"

2. Grommet options:
 N = No grommets
 F = Flush front grommet location
 R = Recessed front (not recommended for 20"D and 24"D tops)
 A = Alternate location (for 36"D tops only)

3. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

4. Top finish

5. Grommet finish:
 Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.


Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface 1 1/4
 Return and Bridge rectilinear
 Horizontal or vertical grain direction

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 1/4" thick 	20"	36"	RSAR361(H/V)()()	\$369.	\$403.	\$462.	\$625.
		42"	RSAR421(H/V)()()	383.	422.	484.	654.
		48"	RSAR481(H/V)()()	403.	437.	503.	678.
		54"	RSAR541(H/V)()()	418.	454.	525.	711.
		60"	RSAR601(H/V)()()	452.	491.	565.	765.
		66"	RSAR661(H/V)()()	462.	507.	584.	788.
		72"	RSAR721(H/V)()()	489.	534.	612.	826.
	24"	36"	RSAR362(H/V)()()	391.	432.	493.	666.
		42"	RSAR422(H/V)()()	408.	443.	510.	687.
		48"	RSAR482(H/V)()()	433.	477.	547.	737.
		54"	RSAR542(H/V)()()	462.	507.	584.	788.
		60"	RSAR602(H/V)()()	500.	545.	624.	844.
		66"	RSAR662(H/V)()()	512.	561.	647.	872.
		72"	RSAR722(H/V)()()	538.	586.	676.	914.

Order Code

Example:	RSAR361(H/V)()()
R	Reff
S	Straight top
A	1 1/4" thick top
R	Return
36	36" wide
1	20" deep
H/V	Horizontal or Vertical grain
()	Grommet type
()	Grommet finish
()	Worksurface finish

Specification Information


To order please specify pattern number including:

- Grommet type:
F = Flush
N = No Grommet
- Grommet finish:
Painted or Plated
- Worksurface finish:
L, V1, V2, V3


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces






U-shaped / Triple: Spanning 3 worksurfaces



Worksurface 1 1/4

rectilinear corner tops


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611- () ()	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	RKA 364211- () ()	692.	782.	895.	1,208.
	20"	20"	36"	48"	RKA 364811- () ()	735.	827.	953.	1,286.
	20"	20"	42"	36"	RKA 423611- () ()	692.	782.	895.	1,208.
	20"	20"	42"	42"	RKA 424211- () ()	735.	827.	953.	1,286.
	20"	20"	42"	48"	RKA 424811- () ()	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	RKA 483611- () ()	735.	827.	953.	1,286.
	20"	20"	48"	42"	RKA 484211- () ()	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	RKA 484811- () ()	845.	953.	1,094.	1,477.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622- () ()	744.	834.	960.	1,296.
	24"	24"	36"	42"	RKA 364222- () ()	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	RKA 364822- () ()	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	RKA 423622- () ()	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	RKA 424222- () ()	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	RKA 424822- () ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	RKA 483622- () ()	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	RKA 484222- () ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	RKA 484822- () ()	934.	1,052.	1,207.	1,628.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612- () ()	682.	767.	885.	1,193.
	20"	24"	36"	42"	RKA 364212- () ()	721.	813.	932.	1,259.
	20"	24"	36"	48"	RKA 364812- () ()	765.	860.	990.	1,335.
	20"	24"	42"	36"	RKA 423612- () ()	721.	813.	932.	1,259.
	20"	24"	42"	42"	RKA 424212- () ()	765.	860.	990.	1,335.
	20"	24"	42"	48"	RKA 424812- () ()	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	RKA 483612- () ()	765.	860.	990.	1,335.
	20"	24"	48"	42"	RKA 484212- () ()	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	RKA 484812- () ()	874.	986.	1,132.	1,529.

Order Code	
Example: RKA363611N1	
R	Reff
K	Straight front corner
A	1 1/4" top thickness
36	36" wide on left back
36	36" wide on right back
1	20" deep on left side
1	20" deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information
<i>To order please specify pattern number including:</i>
1. Top thickness
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Finish type
8. Top finish
9. Grommet finish
<i>1. Top thickness:</i> A = 1 1/4"
<i>2. Grommet options:</i> N = No grommets F = Standard corner location or Flush
<i>3. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3
<i>4. Top finish</i>
<i>5. Grommet finish:</i> Painted or Plated

Application Notes
Please call Custom Product Development for special grommet locations.
Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
These worksurfaces are predrilled with pilot holes for use with wood screws.
Actual widths are 1/16" less all around on corner worksurfaces.
Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4 rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKA 363621-()()	\$682.	\$767.	\$885.	\$1,193.
	24"	20"	36"	42"	RKA 364221-()()	721.	813.	932.	1,259.
	24"	20"	36"	48"	RKA 364821-()()	765.	860.	990.	1,335.
	24"	20"	42"	36"	RKA 423621-()()	721.	813.	932.	1,259.
	24"	20"	42"	42"	RKA 424221-()()	765.	860.	990.	1,335.
	24"	20"	42"	48"	RKA 424821-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	RKA 483621-()()	765.	860.	990.	1,335.
	24"	20"	48"	42"	RKA 484221-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	RKA 484821-()()	874.	986.	1,132.	1,529.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	These worksurfaces are predrilled with pilot holes for use with wood screws.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	
Y324 Ash		

To order please specify pattern number including:

1. Top thickness
A = 1 1/4"
2. Grommet options:
N = No grommets
F = Standard corner location or Flush
3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3
4. Top finish
5. Grommet finish:
Painted or Plated





Application Notes

Actual widths are 1/16" less all around on corner worksurfaces.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4 transition wave tops

Reff Profiles

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	RWA4221-() ()	\$392.	\$445.	\$512.	\$692.
	24"	48"	20"	RWA4821-() ()	415.	467.	537.	724.
	24"	54"	20"	RWA5421-() ()	446.	500.	577.	779.
	24"	60"	20"	RWA6021-() ()	475.	535.	614.	829.
	24"	66"	20"	RWA6621-() ()	490.	552.	633.	854.
	24"	72"	20"	RWA7221-() ()	511.	578.	662.	894.
Wave top transition (left 24") 	24"	36"	30"	RWA3623-() ()	409.	461.	531.	716.
	24"	42"	30"	RWA4223-() ()	426.	481.	552.	743.
	24"	48"	30"	RWA4823-() ()	445.	497.	573.	774.
	24"	54"	30"	RWA5423-() ()	477.	537.	618.	834.
	24"	60"	30"	RWA6023-() ()	510.	577.	661.	892.
	24"	66"	30"	RWA6623-() ()	529.	595.	685.	927.
	24"	72"	30"	RWA7223-() ()	556.	625.	719.	969.
Wave top transition (left 20") 	20"	42"	24"	RWA4212-() ()	392.	445.	512.	692.
	20"	48"	24"	RWA4812-() ()	415.	467.	537.	724.
	20"	54"	24"	RWA5412-() ()	446.	500.	577.	779.
	20"	60"	24"	RWA6012-() ()	475.	535.	614.	829.
	20"	66"	24"	RWA6612-() ()	490.	552.	633.	854.
	20"	72"	24"	RWA7212-() ()	511.	578.	662.	894.
Wave top transition (right 24") 	30"	36"	24"	RWA3632-() ()	409.	461.	531.	716.
	30"	42"	24"	RWA4232-() ()	426.	481.	552.	743.
	30"	48"	24"	RWA4832-() ()	445.	497.	573.	774.
	30"	54"	24"	RWA5432-() ()	477.	537.	618.	834.
	30"	60"	24"	RWA6032-() ()	510.	577.	661.	892.
	30"	66"	24"	RWA6632-() ()	529.	595.	685.	927.
	30"	72"	24"	RWA7232-() ()	556.	625.	719.	969.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWA4221FL R Reff W Wave top transition A 1 1/4" thick 42 42" wide 2 24" deep on left side 1 20" deep on right side F Flush grommet option L Laminate finish 114 Folkstone grey 111 Jet Black (grommet)	To order please specify pattern number including: 1. Left hand depth 2. Right hand depth 3. Grommet option 4. Top finish type 5. Top finish 6. Grommet finish 3. Grommet options: N = No grommet F = Flush front grommet location 4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3 5. Top finish 6. Grommet finish: Painted or Plated	32"D wave end top requires 20"D end panel for freestanding support. 36"D wave end top requires 24"D end panel for support. Products on this page are shipped without hardware which must be ordered separately from the support components section. These worksurfaces are predrilled with pilot holes for use with wood screws. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.





Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface 1 1/4 transition wave top ends

Reff Profiles

description	depth1	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	20"	36"	32"	RWEA3631-()()	\$523.	\$589.	\$679.	\$916.
	20"	42"	32"	RWEA4231-()()	545.	613.	709.	955.
	20"	48"	32"	RWEA4831-()()	574.	648.	743.	1,003.
Wave top end, (right 24") 	24"	36"	36"	RWEA3662-()()	542.	611.	701.	947.
	24"	42"	36"	RWEA4262-()()	559.	629.	724.	977.
	24"	48"	36"	RWEA4862-()()	594.	666.	766.	1,033.
Wave top end, (left 20") 	32"	36"	20"	RWEA3613-()()	523.	589.	679.	916.
	32"	42"	20"	RWEA4213-()()	545.	613.	709.	955.
	32"	48"	20"	RWEA4813-()()	574.	648.	743.	1,003.
Wave top end, (left 24") 	36"	36"	24"	RWEA3626-()()	542.	611.	701.	947.
	36"	42"	24"	RWEA4226-()()	559.	629.	724.	977.
	36"	48"	24"	RWEA4826-()()	594.	666.	766.	1,033.

Order Code

Example: RWEA3631FL
R Reff
E Wave top ends
A 1 1/4" thick
36 36" wide
3 32" deep on left side
1 20" deep on right side
F Flush grommet option
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. Grommet options:
N = No grommet
F = Flush front grommet location

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

5. Top finish

6. Grommet finish:
Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

32"D wave end top requires 20"D end panel for freestanding support.

36"D wave end top requires 24"D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.


Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4

curvilinear corner tops - 20" Deep

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611-()()	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	RCA364211-()()	692.	782.	895.	1,208.
	20"	20"	36"	48"	RCA364811-()()	735.	827.	953.	1,286.
	20"	20"	42"	36"	RCA423611-()()	692.	782.	895.	1,208.
	20"	20"	42"	42"	RCA424211-()()	735.	827.	953.	1,286.
	20"	20"	42"	48"	RCA424811-()()	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	RCA483611-()()	735.	827.	953.	1,286.
	20"	20"	48"	42"	RCA484211-()()	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	RCA484811-()()	845.	953.	1,094.	1,477.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621-()()	682.	767.	885.	1,193.
	24"	20"	36"	42"	RCA364221-()()	721.	813.	932.	1,259.
	24"	20"	36"	48"	RCA364821-()()	765.	860.	990.	1,335.
	24"	20"	42"	36"	RCA423621-()()	721.	813.	932.	1,259.
	24"	20"	42"	42"	RCA424221-()()	765.	860.	990.	1,335.
	24"	20"	42"	48"	RCA424821-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	RCA483621-()()	765.	860.	990.	1,335.
	24"	20"	48"	42"	RCA484221-()()	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	RCA484821-()()	874.	986.	1,132.	1,529.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCA363611N1 R Reff C Curved front corner A 1 1/4" thick 36 36" wide on left back 36 36" wide on right back 1 20" deep on left side 1 20" deep on right side N No grommet 1 V1 finish Y324 Ash	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Left hand width Right hand width Return left hand depth Return right hand depth Grommet option Top finish type Top finish Grommet finish <p><i>5. Grommet options:</i> N = No grommets F = Standard corner location</p> <p><i>6. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p><i>7. Top finish</i></p> <p><i>8. Grommet finish:</i> Painted or Plated</p>	<p>Radius of curved front changes with overall top size. See Planning Guide.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>Curvilinear worksurfaces only available in 1 1/4" thick.</p> <p>See Planning Guide for grommet locations.</p> <p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.</p> <p>Please call Custom Product Development for special grommet locations.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Worksurface 1 1/4 curvilinear corner tops - 24" Deep

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612-()()	\$682.	\$767.	\$885.	\$1,193.
	20"	24"	36"	42"	RCA364212-()()	721.	813.	932.	1,259.
	20"	24"	36"	48"	RCA364812-()()	765.	860.	990.	1,335.
	20"	24"	42"	36"	RCA423612-()()	721.	813.	932.	1,259.
	20"	24"	42"	42"	RCA424212-()()	765.	860.	990.	1,335.
	20"	24"	42"	48"	RCA424812-()()	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	RCA483612-()()	765.	860.	990.	1,335.
	20"	24"	48"	42"	RCA484212-()()	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	RCA484812-()()	874.	986.	1,132.	1,529.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622-()()	744.	834.	960.	1,296.
	24"	24"	36"	42"	RCA364222-()()	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	RCA364822-()()	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	RCA423622-()()	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	RCA424222-()()	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	RCA424822-()()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	RCA483622-()()	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	RCA484222-()()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	RCA484822-()()	934.	1,052.	1,207.	1,628.



Order Code	Specification Information	Application Notes
Example: RCA363612	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Curved front corner	2. Right hand width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Return left hand depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
36 36" wide on left back	4. Return right hand depth	These worksurfaces are predrilled with pilot holes for use with wood screws.
36 36" wide on right back	5. Grommet option	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	6. Top finish type	See Planning Guide for grommet locations.
2 24" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	<i>5. Grommet options:</i>	
Y324 Ash	N = No grommets	
	F = Standard corner location	
	<i>6. Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>7. Top finish</i>	
	<i>8. Grommet finish:</i>	
	Painted or Plated	

Worksurface 1 1/4

extended curvilinear corner tops

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	RCCDLA23672 () () ()	\$1,809.	\$2,400.	\$3,388.	\$4,571.
	36"	78"	RCCDLA23678 () () ()	1,881.	2,496.	3,521.	4,753.
	36"	84"	RCCDLA23684 () () ()	1,956.	2,597.	3,662.	4,943.
	36"	96"	RCCDLA23696 () () ()	2,035.	2,700.	3,809.	5,143.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 () () ()	1,811.	2,406.	3,396.	4,585.
	36"	78"	RCCDLA33678 () () ()	1,883.	2,503.	3,534.	4,771.
	36"	84"	RCCDLA33684 () () ()	1,959.	2,604.	3,674.	4,959.
	36"	96"	RCCDLA33696 () () ()	2,037.	2,707.	3,822.	5,158.
Extended corner worktop, RH curved front corner (return 24")	36"	72"	RCCDRA23672 () () ()	1,809.	2,400.	3,388.	4,571.
	36"	78"	RCCDRA23678 () () ()	1,881.	2,496.	3,521.	4,753.
	36"	84"	RCCDRA23684 () () ()	1,956.	2,597.	3,662.	4,943.
	36"	96"	RCCDRA23696 () () ()	2,035.	2,700.	3,809.	5,143.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 () () ()	1,811.	2,406.	3,396.	4,585.
	36"	78"	RCCDRA33678 () () ()	1,883.	2,503.	3,534.	4,771.
	36"	84"	RCCDRA33684 () () ()	1,959.	2,604.	3,674.	4,959.
	36"	96"	RCCDRA33696 () () ()	2,037.	2,707.	3,822.	5,158.



Worksurfaces

Order Code

Example:	RCCDLA23672N2
R	Reff
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
72	72" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Depth
2. Grommet option
N = No grommets
F = Flush front grommet location
3. Finish type:
L = Laminate
M = Mixed (laminated surface with wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Worksurface 1 1/4 extended straight corner tops

Reff Profiles

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24")	36"	60"	24"	RCEAL223660() () ()	\$670.	\$989.	\$1,338.	\$1,810.
	36"	72"	24"	RCEAL223672() () ()	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAL224260() () ()	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAL224272() () ()	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAL224872() () ()	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAL224884() () ()	1,071.	1,619.	2,183.	2,947.
48"	96"	24"	RCEAL224896() () ()	1,231.	1,866.	2,511.	3,391.	



Extended straight corner top, RH curved front corner (returns 24")	36"	60"	24"	RCEAR223660() () ()	670.	989.	1,338.	1,810.
	36"	72"	24"	RCEAR223672() () ()	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAR224260() () ()	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAR224272() () ()	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAR224872() () ()	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAR224884() () ()	1,071.	1,619.	2,183.	2,947.
	48"	96"	24"	RCEAR224896() () ()	1,231.	1,866.	2,511.	3,391.



Order Code

Example:	RCEAL223660N2
R	Reff
C	Corner
E	Extended
A	1 1/4" thick
L	Left Hand
22	24" returns
36	36" d at corner straight edge
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

- N = No grommets
- F = Flush front grommet location

6. Finish type:

- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4

Reff Profiles

Rectilinear and curvilinear corners for C-Leg and T-Leg bases 24", 30" and 36" deep

description	type	d*	d	w*	w	pattern no.	L	V1	V2	V3	
	C-Leg and T-Leg Rectangular Tops For use with 24" Deep C-Leg base	24"	23"	36"	34"	RSA3423N() ()	\$391.	\$432.	\$493.	\$666.	
		24"	23"	42"	40"	RSA4023N() ()	408.	443.	510.	687.	
		24"	23"	48"	46"	RSA4623N() ()	433.	477.	547.	737.	
		24"	23"	54"	52"	RSA5223N() ()	462.	507.	584.	788.	
		24"	23"	60"	58"	RSA5823N() ()	500.	545.	624.	844.	
		24"	23"	66"	64"	RSA6423N() ()	512.	561.	647.	872.	
	For use with 30" Deep C-Leg base	30"	29"	36"	34"	RSA3429N() ()	441.	483.	554.	747.	
		30"	29"	42"	40"	RSA4029N() ()	459.	502.	578.	781.	
		For use with 30" Deep C-Leg or T-Leg base	30"	29"	48"	46"	RSA4629N() ()	491.	536.	615.	831.
			30"	29"	54"	52"	RSA5229N() ()	531.	580.	664.	896.
			30"	29"	60"	58"	RSA5829N() ()	551.	599.	689.	931.
			30"	29"	66"	64"	RSA6429N() ()	560.	613.	709.	955.
	30"		29"	72"	70"	RSA7029N() ()	577.	628.	722.	974.	
	For use with 30" Deep T-Leg base	36"	35"	48"	46"	RSA4635N() ()	556.	609.	700.	941.	
		36"	35"	54"	52"	RSA5235N() ()	606.	663.	759.	1,021.	
		36"	35"	60"	58"	RSA5835N() ()	634.	692.	794.	1,072.	
		36"	35"	66"	64"	RSA6435N() ()	656.	716.	825.	1,114.	
		36"	35"	72"	70"	RSA7035N() ()	678.	741.	852.	1,151.	
C-Leg Corner Tops, 24" or 30" Deep	For use with C-Leg Corner base	24"	23"	48"	46"	RCA464623N() ()	934.	1,052.	1,207.	1,628.	
		30"	29"	48"	46"	RCA464629N() ()	1,045.	1,177.	1,350.	1,820.	



Order Code	Specification Information	Application Notes
Example: RSA 5829N, L, 118	<i>To order please specify pattern number including:</i>	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables.
R Reff	<i>1. Finish Type:</i>	
S Straight Rectangular	(L) = Laminate	23", 29" and 35" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.
A 1 1/4" thick	(1) = V1	
58 Width	(2) = V2	48"x48" curvilinear corner worksurfaces are for use with 16"D 3-legged fixed and height adjustable corner bases.
29 Depth	(3) = V3	
N No Grommets	<i>2. Finish:</i>	
L Finish type	Applicable finishes are listed on page 5 and 6.	
118 Bright White Laminate	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.



w * and d * = nominal dimensions

Worksurfaces

Worksurface 1 1/4

Meeting tops 'D'

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3		
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	RMDA4230-()()	\$579.	\$627.	\$721.	\$973.		
		48"	30"	RMDA4830-()()	622.	678.	781.	1,054.		
		54"	30"	RMDA5430-()()	666.	726.	834.	1,127.		
		60"	30"	RMDA6030-()()	714.	778.	890.	1,203.		
		66"	30"	RMDA6630-()()	760.	826.	952.	1,285.		
		72"	30"	RMDA7230-()()	809.	879.	1,010.	1,364.		
		78"	30"	RMDA7830-()()	914.	992.	1,142.	1,540.		
		84"	30"	RMDA8430-()()	1,018.	1,106.	1,274.	1,719.		
		90"	30"	RMDA9030-()()	1,136.	1,236.	1,422.	1,918.		
		96"	30"	RMDA9630-()()	1,255.	1,365.	1,569.	2,118.		
			36" deep	42"	36"	RMDA4236-()()	636.	691.	793.	1,071.
				48"	36"	RMDA4836-()()	696.	756.	868.	1,171.
				54"	36"	RMDA5436-()()	793.	864.	995.	1,342.
				60"	36"	RMDA6036-()()	891.	967.	1,114.	1,505.
66"	36"			RMDA6636-()()	909.	987.	1,134.	1,533.		
72"	36"			RMDA7236-()()	921.	1,003.	1,155.	1,557.		
78"	36"			RMDA7836-()()	1,039.	1,129.	1,299.	1,754.		
84"	36"			RMDA8436-()()	1,155.	1,257.	1,445.	1,949.		
90"	36"			RMDA9036-()()	1,217.	1,323.	1,522.	2,055.		
96"	36"			RMDA9636-()()	1,335.	1,449.	1,667.	2,251.		
 <p>Wrap around panel top</p>	(20" panels)	42 1/2"	21 1/4"	RMDA4221-()()	744.	809.	928.	1,252.		
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-()()	813.	885.	1,017.	1,374.		

Please specify mating trim profile

No Grommets


Order Code	Specification Information	Application Notes
<p>Example: RMDA4230N1</p> <p>R Reff</p> <p>MD Meeting D-top</p> <p>A 1 1/4" thick</p> <p>42 42" wide</p> <p>30 30" deep</p> <p>N No grommet</p> <p>1 V1</p> <p>Y311 Beech</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Top thickness Width Depth Grommet option Top finish type Top finish Grommet finish Trim profile <p>1. Thickness options: A = 1 1/4"</p> <p>4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Additional spec option required for wrap around panel tops; specify mating trim profile.</p> <p>8. Trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p> <p>1 3/4" laminate tops on this page are edge banded to match post-formed contours.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>

Worksurface 1 1/4

Meeting tops P and 9

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230- () ()	\$792.	\$862.	\$991.	\$1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836- () ()	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230- () ()	792.	862.	991.	1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836- () ()	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9A8430- () ()	1,613.	1,753.	2,017.	2,724.
		96"	30"	RM9A9630- () ()	1,680.	1,829.	2,100.	2,836.





42" diameter

Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Applicable finishes are listed on page 5 and 6.
M9 Meeting 9-top	2. Width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
42 42" wide	4. Grommet option	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
30 30" deep	5. Top finish type	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
N No grommet	6. Top finish	Refer to Planning Guide for modesty panel size requirements and all other support options.
1 V1	7. Grommet finish	
Y311 Beech	<p>1. <i>Thickness options:</i> A = 1 1/4"</p> <p>4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p>7. <i>Grommet finish:</i> Painted or Plated</p>	<p>1 3/4" laminate tops on this page are edge banded to match post-formed contours.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>

Worksurface 1 1/4

Meeting tops



Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
 Worksurface P-top 42" diameter		84"	30"	RMPA8430- () ()	\$1,613.	\$1,753.	\$2,017.	\$2,724.
		96"	30"	RMPA9630- () ()	1,680.	1,829.	2,100.	2,836.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
 Elliptical tops		60"	30"	REBA6030- () *	1,109.	1,229.	1,410.	1,906.
		72"	42"	REBA7242- () *	1,580.	1,747.	2,011.	2,713.
		78"	48"	REBA7848- () *	1,730.	1,917.	2,204.	2,976.

Order Code	Specification Information	Application Notes
Example: RMDA4230N1 R Reff MD Meeting D-top A 1 1/4" thick 42 42" wide 30 30" deep N No grommet 1 V1 Y311 Beech	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Top thickness Width Depth Grommet option Top finish type Top finish Grommet finish Trim profile <p><i>1. Thickness options:</i> A = 1 1/4"</p> <p><i>4. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p><i>5. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p><i>7. Grommet finish:</i> Painted or Plated</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p> <p>1 3/4" laminate tops on this page are edge banded to match post-formed contours.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>

Worksurface 1 1/4






Bow front and support

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top 	72"	30"		RMB(A)7230-() ()	\$926.	\$1,045.	\$1,203.	\$1,623.
	84"	30"		RMB(A)8430-() ()	1,020.	1,154.	1,325.	1,788.
	96"	30"		RMB(A)9630-() ()	1,133.	1,278.	1,467.	1,983.
				Use 29" deep pedestals or end panels. Do not use 23" deep pedestals if using recessed modesty.				
Bow shaped top - 36"D 	72"	36"		RMB(A)7236-() ()	985.	1,109.	1,277.	1,723.
	84"	36"		RMB(A)8436-() ()	1,079.	1,218.	1,401.	1,890.
	96"	36"		RMB(A)9636-() ()	1,196.	1,350.	1,550.	2,093.
				Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance). Can also be used with 36" deep end panel and recessed modesty.				

Order Code	Specification Information	Application Notes
Example: RMBA7230R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet option	6. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
V319 Medium cherry	<i>1. Thickness options:</i> A = 1 1/4"	List price for woodgrain laminate options will be current published laminate list price plus 10%.
111 Jet Black (grommet)	<i>4. Grommet options:</i> N = No grommet F = Flush front grommet R = Recessed grommet A = Alternate location (only for 36" deep bow front tops)	These worksurfaces are predrilled with pilot holes for use with wood screws. See Planning Guide for grommet locations. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference 1 1/4" Square and rectangular

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RRR7230(-)	\$597.	\$650.	\$747.	\$1,008.
	72"	36"	RRR7236(-)	649.	707.	812.	1,096.
	84"	30"	RRR8430(-)	661.	717.	826.	1,115.
	84"	36"	RRR8436(-)	711.	771.	886.	1,197.
	84"	42"	RRR8442(-)	1,050.	1,142.	1,310.	1,769.
	96"	30"	RRR9630(-)	742.	808.	927.	1,251.
	96"	36"	RRR9636(-)	818.	889.	1,024.	1,382.
	96"	42"	RRR9642(-)	1,205.	1,308.	1,505.	2,032.
Rectangular top 2 piece 	120"	36"	RRR12036(-)	1,313.	1,427.	1,642.	2,217.
	120"	42"	RRR12042(-)	1,811.	1,969.	2,265.	3,058.
	120"	48"	RRR12048(-)	1,968.	2,141.	2,461.	3,323.
	144"	42"	RRR14442(-)	2,035.	2,212.	2,544.	3,434.
	144"	48"	RRR14448(-)	2,179.	2,372.	2,727.	3,681.
Rectangular top 3 piece 	168"	42"	RRR16842(-)	2,667.	2,899.	3,337.	4,505.
	168"	48"	RRR16848(-)	2,898.	3,151.	3,624.	4,890.
	192"	42"	RRR19242(-)	2,892.	3,144.	3,613.	4,878.
	192"	48"	RRR19248(-)	3,114.	3,383.	3,888.	5,248.
Square tops  	*	60"	RRR6060(-)	1,224.	1,329.	1,532.	2,066.
	*	72"	RRR7272(-)	1,442.	1,569.	1,804.	2,436.
	-	36"	RRR3636(-)	460.	502.	578.	781.
	-	42"	RRR4242(-)	597.	650.	747.	1,008.
	-	48"	RRR4848(-)	786.	852.	981.	1,323.

Order Code

Example:	RRAG72302
R	Reff
R	Rectangular
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1 1/4"

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Square tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.






Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Conference 1 1/4" Round and racetrack

Reff Profiles

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece 	72"	30"	RTA7230-()	\$1,131.	\$1,229.	\$1,410.	\$1,906.
	84"	30"	RTA8430-()	1,258.	1,368.	1,573.	2,122.
	96"	30"	RTA9630-()	1,398.	1,522.	1,751.	2,363.
	72"	36"	RTA7236-()	1,290.	1,401.	1,610.	2,173.
	84"	36"	RTA8436-()	1,448.	1,576.	1,811.	2,443.
	96"	36"	RTA9636-()	1,607.	1,747.	2,011.	2,713.
	84"	42"	RTA8442-()	1,761.	1,917.	2,204.	2,976.
	96"	42"	RTA9642-()	1,975.	2,147.	2,467.	3,331.
	96"	48"	RTA9648-()	2,166.	2,351.	2,705.	3,650.
Racetrack top 2 piece 	120"	36"	RTA12036-()	2,074.	2,257.	2,597.	3,504.
	120"	42"	RTA12042-()	2,240.	2,432.	2,800.	3,779.
	144"	42"	RTA14442-()	2,470.	2,683.	3,086.	4,164.
	120"	48"	RTA12048-()	2,380.	2,587.	2,976.	4,017.
	144"	48"	RTA14448-()	2,531.	2,753.	3,163.	4,269.
Racetrack top 3 piece 	168"	42"	RTA16842-()	3,096.	3,364.	3,870.	5,224.
	192"	42"	RTA19242-()	3,325.	3,614.	4,159.	5,615.
	168"	48"	RTA16848-()	3,314.	3,599.	4,138.	5,588.
	192"	48"	RTA19248-()	3,462.	3,765.	4,327.	5,842.
Round tops  	-	36"	RTA3636-()	636.	691.	793.	1,071.
	-	42"	RTA4242-()	739.	799.	920.	1,241.
	-	48"	RTA4848-()	1,215.	1,319.	1,516.	2,047.
	*	60"	RTA6060-()	1,902.	2,068.	2,378.	3,211.
	*	72"	RTA7272-()	2,353.	2,557.	2,945.	3,976.

Worksurfaces

Order Code

Example: RTA72302	
R	Reff
R	Round
A	1 1/4" thick
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:

A = 1 1/4"

4. Finish type:

L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

*Round tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Top to top brackets included with multiple piece conference tops only.

See table base matrix in Planning Guide pages 140 and 141.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 0 through 0.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma




Alpha



Beta



Chi




Delta



Epsilon




Phi




Gamma

Optional edge 1 1/4
front only, 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2/3)	\$401.	\$457.	\$618.	
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2/3)	439.	505.	681.	
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2/3)	462.	533.	719.	
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2/3)	484.	556.	751.	
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2/3)	504.	578.	781.	
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2/3)	522.	606.	817.	
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2/3)	565.	651.	879.	
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2/3)	582.	671.	904.	
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2/3)	613.	706.	951.	
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2/3)	621.	714.	963.	
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2/3)	661.	759.	1,025.	
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2/3)	687.	791.	1,068.	
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2/3)	714.	822.	1,109.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-()(1/2/3)	422.	484.	654.
			30"	RSA(A/B/C/D/E/F/G)F302-()(1/2/3)	477.	548.	739.
			36"	RSA(A/B/C/D/E/F/G)F362-()(1/2/3)	494.	569.	769.
			42"	RSA(A/B/C/D/E/F/G)F422-()(1/2/3)	510.	585.	789.
48"	RSA(A/B/C/D/E/F/G)F482-()(1/2/3)		548.	627.	846.		
54"	RSA(A/B/C/D/E/F/G)F542-()(1/2/3)		582.	671.	904.		
60"	RSA(A/B/C/D/E/F/G)F602-()(1/2/3)		624.	717.	968.		
66"	RSA(A/B/C/D/E/F/G)F662-()(1/2/3)		648.	742.	1,002.		
72"	RSA(A/B/C/D/E/F/G)F722-()(1/2/3)		675.	779.	1,050.		
78"	RSA(A/B/C/D/E/F/G)F782-()(1/2/3)		709.	815.	1,100.		
84"	RSA(A/B/C/D/E/F/G)F842-()(1/2/3)		735.	845.	1,142.		
90"	RSA(A/B/C/D/E/F/G)F902-()(1/2/3)	767.	885.	1,193.			
96"	RSA(A/B/C/D/E/F/G)F962-()(1/2/3)	797.	920.	1,241.			


Order Code	Specification Information	Application Notes
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4
front only, 30" and 36" deep

description	d	width	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$455.	\$525.	\$711.	
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	515.	591.	797.	
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	555.	636.	858.	
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	577.	662.	894.	
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	615.	711.	959.	
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	666.	765.	1,031.	
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	689.	792.	1,069.	
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	707.	813.	1,097.	
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	723.	829.	1,121.	
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	757.	873.	1,178.	
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	787.	906.	1,225.	
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	823.	949.	1,281.	
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	853.	983.	1,326.	
		36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	796.	916.	1,235.
			66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	824.	951.	1,284.
			72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	852.	982.	1,324.


Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4
front and back edge, 20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	504.	578.	781.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	522.	606.	817.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	565.	651.	879.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	582.	671.	904.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	613.	706.	951.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	621.	714.	963.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	661.	759.	1,025.
	90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	687.	791.	1,068.	
	96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	714.	822.	1,109.	
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	548.	627.	846.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	582.	671.	904.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	624.	717.	968.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	648.	742.	1,002.
72"		RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	675.	779.	1,050.	
78"		RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	709.	815.	1,100.	
84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	735.	845.	1,142.		
90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	767.	885.	1,193.		
96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	797.	920.	1,241.		



Order Code	Specification Information	Application Notes
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position A = Edge front and back	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
A Edge front and back	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4
front and back edge, 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$455.	\$525.	\$711.
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	515.	591.	797.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	555.	636.	858.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	577.	662.	894.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	615.	711.	959.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	666.	765.	1,031.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	689.	792.	1,069.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	707.	813.	1,097.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	723.	829.	1,121.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	757.	873.	1,178.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	787.	906.	1,225.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	823.	949.	1,281.
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	853.	983.	1,326.
		36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	796.	916.
66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)		824.	951.	1,284.	
72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)		852.	982.	1,324.	

Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<i>}>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position A = Edge front and back	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
A Edge front and back	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	1. <i>Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. <i>Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. <i>Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	


Optional edge 1 1/4 front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	548.	627.	846.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	401.	457.	618.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	548.	627.	846.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 5 and 6.
G Gamma	4. Depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
B Both ends accept edge	5. Grommet option	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge 1 1/4 front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	548.	627.	846.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p> <p>Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position indicates how and which edges profiled	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
B Both ends accept edge	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>2. 5th position options:</i></p> <p>B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating</p> <p><i>5. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p><i>6. Finish type:</i></p> <p>1 = V1 2 = V2 3 = V3</p>	

Optional edge 1 1/4 curvilinear corner front edge only

description	width1	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$847.	\$973.	\$1,314.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	895.	1,030.	1,391.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	953.	1,094.	1,477.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	895.	1,030.	1,391.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	953.	1,094.	1,477.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	1,040.	1,195.	1,613.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	953.	1,094.	1,477.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	1,040.	1,195.	1,613.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,094.	1,259.	1,698.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	885.	1,017.	1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	991.	1,136.	1,536.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	1,078.	1,238.	1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,132.	1,303.	1,759.

Worksurfaces






Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	<ol style="list-style-type: none"> Edge profile Left hand width Right hand width Return left hand depth Return right hand depth Grommet option Top finish type Top finish Grommet finish 	
C Corner top		Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick		
G Gamma		Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
F Edge Front only		
36 36" wide		
36 36" wide		
1 20" deep		
1 20" deep		
F Flush grommet	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		
	<i>6. Grommet options:</i> N = No grommet F = Flush front grommet location	
	<i>7. Finish type:</i> 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge 1 1/4
curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	\$885.	\$1,017.	\$1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	991.	1,136.	1,536.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	1,078.	1,238.	1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,132.	1,303.	1,759.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	960.	1,104.	1,491.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	1,011.	1,160.	1,566.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	1,065.	1,224.	1,653.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	1,011.	1,160.	1,566.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	1,065.	1,224.	1,653.
	42"	48"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	1,155.	1,328.	1,792.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	1,065.	1,224.	1,653.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,155.	1,328.	1,792.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,209.	1,388.	1,875.

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	
R Reff	1. Edge profile	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
C Corner top	2. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Right hand width	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	7. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	




Optional edge 1 1/4
wave end tops
front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-()(1/2/3)	\$511.	\$588.	\$793.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-()(1/2/3)	537.	618.	834.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-()(1/2/3)	574.	661.	892.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-()(1/2/3)	614.	709.	955.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-()(1/2/3)	633.	727.	985.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-()(1/2/3)	662.	763.	1,029.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-()(1/2/3)	553.	633.	854.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-()(1/2/3)	573.	658.	888.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-()(1/2/3)	618.	712.	960.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-()(1/2/3)	661.	759.	1,025.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-()(1/2/3)	684.	788.	1,064.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-()(1/2/3)	721.	827.	1,118.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-()(1/2/3)	511.	588.	793.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-()(1/2/3)	537.	618.	834.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-()(1/2/3)	574.	661.	892.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-()(1/2/3)	614.	709.	955.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-()(1/2/3)	633.	727.	985.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-()(1/2/3)	662.	763.	1,029.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-()(1/2/3)	553.	633.	854.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-()(1/2/3)	573.	658.	888.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-()(1/2/3)	618.	712.	960.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-()(1/2/3)	661.	759.	1,025.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-()(1/2/3)	684.	788.	1,064.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-()(1/2/3)	721.	827.	1,118.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-()(1/2/3)	679.	782.	1,055.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-()(1/2/3)	707.	813.	1,097.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-()(1/2/3)	743.	854.	1,155.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	


Optional edge 1 1/4
wave end tops
front edge only

description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$703.	\$809.	\$1,091.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	724.	832.	1,124.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	766.	884.	1,192.
Wave end top with profile edge front only (20" left) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	679.	782.	1,055.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	707.	813.	1,097.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	743.	854.	1,155.
Wave end top with profile edge front only (24" left) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	703.	809.	1,091.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	724.	832.	1,124.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	766.	884.	1,192.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4 meeting tops

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$722.	\$828.	\$1,119.
	30"	48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	781.	894.	1,207.
	30"	54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	834.	960.	1,296.
	30"	60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	892.	1,025.	1,383.
	30"	66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	952.	1,093.	1,476.
	30"	72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	1,010.	1,159.	1,565.
	30"	78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,141.	1,311.	1,771.
	30"	84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,274.	1,464.	1,977.
	30"	90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,423.	1,636.	2,207.
	30"	96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,569.	1,804.	2,436.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	794.	914.	1,233.
	36"	48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	868.	999.	1,349.
	36"	54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	993.	1,144.	1,543.
	36"	60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,114.	1,282.	1,731.
	36"	66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,134.	1,306.	1,763.
	36"	72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,155.	1,328.	1,792.
	36"	78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,299.	1,492.	2,015.
	36"	84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,445.	1,663.	2,245.
	36"	90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,522.	1,751.	2,363.
	36"	96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,668.	1,915.	2,586.
Wrap-around panel top	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	928.	1,067.	1,439.
*No Grommet option	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	1,017.	1,170.	1,579.






Please specify mating end trim profile option.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	
MD Peninsula D-shaped top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Depth	
G Gamma	4. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
F Edge front only	5. Top finish type	
42 42" wide	6. Top finish	Applicable finishes are listed on page 5 and 6.
30 30" deep	7. Grommet finish	
C Centered grommet	8. Applicable "wrap around panel tops" only specify mating panel end trim profile	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish		
V319 Medium cherry	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Grommet options:</i>	
	N = No grommet	
	C = Centered grommet (applicable RMDA product only)	
	F = Flush front grommet location (for worksurfaces 9 or P tops)	
	R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)	
	<i>5. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>8. Additional specification option required for wrap around panel tops only, specify mating trim profile</i>	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	

Optional edge 1 1/4

Bow front tops

description	w	d	pattern no.	V1	V2	V3
Profile edge on front and back (30"d) 	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)	\$1,203.	\$1,381.	\$1,866.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430-()(1/2/3)	1,325.	1,524.	2,058.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630-()(1/2/3)	1,468.	1,686.	2,277.
Profile edge on front and back (36"d) 	72"	36"	RMBA(A/B/C/D/E/F/G)A7236-()(1/2/3)	1,277.	1,467.	1,983.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436-()(1/2/3)	1,400.	1,611.	2,175.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)	1,551.	1,785.	2,408.
Profile elliptical tops 	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,411.	1,623.	2,191.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	2,012.	2,310.	3,119.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	2,204.	2,535.	3,422.

grommet options for elliptical tops, N or R

Worksurfaces

Order Code	Specification Information
Example: RMBAGA7230F2	
R Reff	
MB Bow front top	
A 1 1/4" thick	
G Gamma	
A Edge front and back	
72 72" wide	
30 30" deep	
F Flush grommet	
2 V2 finish	
V319 Medium cherry	
111 Jet Black (grommet)	





Specification Information	Application Notes
<i>To order please specify pattern number including:</i> 1. Edge profile 2. Width 3. Depth 4. Grommet option 5. Top finish type 6. Top finish 7. Grommet finish <i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front A = Alternate location (only for 36" deep bow front tops) 5. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4 round and racetrack conference tops

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,411.	\$1,623.	\$2,191.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,611.	1,849.	2,497.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,571.	1,810.	2,442.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,813.	2,079.	2,809.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,204.	2,535.	3,422.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,751.	2,014.	2,717.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	2,012.	2,310.	3,119.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,467.	2,837.	3,830.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,597.	2,985.	4,029.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,800.	3,218.	4,345.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	2,976.	3,421.	4,617.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	3,085.	3,549.	4,790.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	3,164.	3,636.	4,910.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,869.	4,450.	6,007.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	4,138.	4,759.	6,423.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	4,159.	4,781.	6,455.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,327.	4,977.	6,717.
Round tops Profile edge on all sides except on parting lines. 	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,378.	2,735.	3,690.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	2,943.	3,385.	4,570.
	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	794.	914.	1,233.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	921.	1,058.	1,430.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,516.	1,743.	2,353.

Order Code	Specification Information
Example: RTAG72302	
R Reff	
T Racetrack top	
A 1 1/4" thick	
G Gamma	
72 22" wide	
30 30" deep	
2 V2 finish	
V319 Medium cherry	

Specification Information

To order please specify pattern number including:

- Edge profile
- Width
- Depth
- Finish type
- Finish

1. Edge profile options:
 A = Alpha
 B = Beta
 C = Chi
 D = Delta
 E = Epsilon
 F = Phi
 G = Gamma

4. Finish type:
 1 = V1
 2 = V2
 3 = V3

*Round tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak





Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4 square and rectangular conference tops

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	RRR(A/B/C/D/E/F/G)7230-(1/2/3)	\$747.	\$858.	\$1,159.
	72"	36"	RRR(A/B/C/D/E/F/G)7236-(1/2/3)	812.	931.	1,258.
	84"	30"	RRR(A/B/C/D/E/F/G)8430-(1/2/3)	825.	952.	1,285.
	84"	36"	RRR(A/B/C/D/E/F/G)8436-(1/2/3)	886.	1,018.	1,375.
	84"	42"	RRR(A/B/C/D/E/F/G)8442-(1/2/3)	1,311.	1,507.	2,034.
	96"	30"	RRR(A/B/C/D/E/F/G)9630-(1/2/3)	927.	1,065.	1,438.
	96"	36"	RRR(A/B/C/D/E/F/G)9636-(1/2/3)	1,024.	1,177.	1,591.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRR(A/B/C/D/E/F/G)12036-(1/2/3)	1,642.	1,888.	2,549.
	120"	42"	RRR(A/B/C/D/E/F/G)12042-(1/2/3)	2,265.	2,604.	3,512.
	120"	48"	RRR(A/B/C/D/E/F/G)12048-(1/2/3)	2,461.	2,830.	3,822.
	144"	42"	RRR(A/B/C/D/E/F/G)14442-(1/2/3)	2,542.	2,928.	3,953.
	144"	48"	RRR(A/B/C/D/E/F/G)14448-(1/2/3)	2,727.	3,134.	4,232.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRR(A/B/C/D/E/F/G)16842-(1/2/3)	3,336.	3,837.	5,179.
	168"	48"	RRR(A/B/C/D/E/F/G)16848-(1/2/3)	3,623.	4,169.	5,629.
	192"	42"	RRR(A/B/C/D/E/F/G)19242-(1/2/3)	3,613.	4,158.	5,612.
	192"	48"	RRR(A/B/C/D/E/F/G)19248-(1/2/3)	3,890.	4,474.	6,038.
Square top Profile edge on all sides except on parting lines 	*	60"	RRR(A/B/C/D/E/F/G)6060-(1/2/3)	1,530.	1,759.	2,376.
	*	72"	RRR(A/B/C/D/E/F/G)7272-(1/2/3)	1,804.	2,074.	2,801.
	-	36"	RRR(A/B/C/D/E/F/G)3636-(1/2/3)	577.	662.	894.
	-	42"	RRR(A/B/C/D/E/F/G)4242-(1/2/3)	747.	858.	1,159.
	-	48"	RRR(A/B/C/D/E/F/G)4848-(1/2/3)	982.	1,127.	1,521.

Worksurfaces

Order Code

Example:	RRAG72302
R	Reff
R	Conference Room top
A	1 1/4" thick
G	Gamma
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- 1 = V1
- 2 = V2
- 3 = V3

* Square tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Application Notes


Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front only
20" and 24" deep

Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-()(1/2/3)	\$758.	\$873.	\$1,178.	
		30"	RSAWF301-()(1/2/3)	834.	961.	1,299.	
		36"	RSAWF361-()(1/2/3)	883.	1,012.	1,366.	
		42"	RSAWF421-()(1/2/3)	921.	1,056.	1,426.	
		48"	RSAWF481-()(1/2/3)	957.	1,101.	1,486.	
		54"	RSAWF541-()(1/2/3)	999.	1,151.	1,553.	
		60"	RSAWF601-()(1/2/3)	1,076.	1,236.	1,670.	
		66"	RSAWF661-()(1/2/3)	1,109.	1,277.	1,723.	
		72"	RSAWF721-()(1/2/3)	1,164.	1,338.	1,810.	
		78"	RSAWF781-()(1/2/3)	1,183.	1,359.	1,833.	
		84"	RSAWF841-()(1/2/3)	1,259.	1,447.	1,953.	
		90"	RSAWF901-()(1/2/3)	1,308.	1,505.	2,032.	
		96"	RSAWF961-()(1/2/3)	1,359.	1,559.	2,105.	
		24"	24"	RSAWF242-()(1/2/3)	798.	921.	1,243.
			30"	RSAWF302-()(1/2/3)	903.	1,040.	1,403.
			36"	RSAWF362-()(1/2/3)	940.	1,078.	1,457.
			42"	RSAWF422-()(1/2/3)	968.	1,112.	1,502.
			48"	RSAWF482-()(1/2/3)	1,040.	1,195.	1,613.
54"	RSAWF542-()(1/2/3)		1,109.	1,277.	1,723.		
60"	RSAWF602-()(1/2/3)		1,188.	1,365.	1,842.		
66"	RSAWF662-()(1/2/3)		1,229.	1,410.	1,906.		
72"	RSAWF722-()(1/2/3)		1,284.	1,477.	1,992.		
78"	RSAWF782-()(1/2/3)		1,346.	1,547.	2,089.		
84"	RSAWF842-()(1/2/3)		1,398.	1,607.	2,169.		
90"	RSAWF902-()(1/2/3)		1,464.	1,683.	2,273.		
96"	RSAWF962-()(1/2/3)	1,521.	1,748.	2,362.			

Order Code	Specification Information	Application Notes
Example: RSAWF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	Applicable finishes are listed on page 5 and 6.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
V319 Medium cherry		
111 Jet Black (grommet)	<i>2. Finish type:</i> 1 = V1 2 = V2 3 = V3	Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4" with 2" Waterfall edge front only 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243- ()(1/2/3)	\$869.	\$1,002.	\$1,353.
		30"	RSAWF303- ()(1/2/3)	976.	1,125.	1,518.
		36"	RSAWF363- ()(1/2/3)	1,054.	1,210.	1,635.
		42"	RSAWF423- ()(1/2/3)	1,098.	1,261.	1,703.
		48"	RSAWF483- ()(1/2/3)	1,171.	1,349.	1,821.
		54"	RSAWF543- ()(1/2/3)	1,266.	1,458.	1,968.
		60"	RSAWF603- ()(1/2/3)	1,314.	1,510.	2,039.
		66"	RSAWF663- ()(1/2/3)	1,343.	1,543.	2,086.
		72"	RSAWF723- ()(1/2/3)	1,376.	1,581.	2,133.
		78"	RSAWF783- ()(1/2/3)	1,440.	1,655.	2,233.
		84"	RSAWF843- ()(1/2/3)	1,497.	1,723.	2,326.
		90"	RSAWF903- ()(1/2/3)	1,568.	1,798.	2,428.
		96"	RSAWF963- ()(1/2/3)	1,624.	1,867.	2,520.
36"	60"	RSAWF604- ()(1/2/3)	1,517.	1,741.	2,349.	
		RSAWF664- ()(1/2/3)	1,570.	1,804.	2,436.	
		RSAWF724- ()(1/2/3)	1,621.	1,863.	2,514.	

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241- ()(1/2/3)	\$948.	\$1,094.	\$1,477.	
		30"	RSAWA301- ()(1/2/3)	1,045.	1,201.	1,619.	
		36"	RSAWA361- ()(1/2/3)	1,102.	1,264.	1,709.	
		42"	RSAWA421- ()(1/2/3)	1,152.	1,323.	1,786.	
		48"	RSAWA481- ()(1/2/3)	1,195.	1,376.	1,857.	
		54"	RSAWA541- ()(1/2/3)	1,248.	1,437.	1,941.	
		60"	RSAWA601- ()(1/2/3)	1,347.	1,545.	2,087.	
		66"	RSAWA661- ()(1/2/3)	1,387.	1,595.	2,155.	
		72"	RSAWA721- ()(1/2/3)	1,458.	1,678.	2,265.	
		78"	RSAWA781- ()(1/2/3)	1,480.	1,696.	2,292.	
		84"	RSAWA841- ()(1/2/3)	1,573.	1,809.	2,441.	
		90"	RSAWA901- ()(1/2/3)	1,638.	1,883.	2,540.	
		96"	RSAWA961- ()(1/2/3)	1,696.	1,953.	2,636.	
		24"	24"	RSAWA242- ()(1/2/3)	999.	1,152.	1,554.
			30"	RSAWA302- ()(1/2/3)	1,129.	1,300.	1,755.
			36"	RSAWA362- ()(1/2/3)	1,175.	1,352.	1,825.
			42"	RSAWA422- ()(1/2/3)	1,210.	1,391.	1,880.
48"	RSAWA482- ()(1/2/3)		1,300.	1,496.	2,018.		
54"	RSAWA542- ()(1/2/3)		1,387.	1,595.	2,155.		
60"	RSAWA602- ()(1/2/3)		1,486.	1,710.	2,307.		
66"	RSAWA662- ()(1/2/3)		1,537.	1,764.	2,381.		
72"	RSAWA722- ()(1/2/3)		1,604.	1,845.	2,493.		
78"	RSAWA782- ()(1/2/3)		1,683.	1,937.	2,613.		
84"	RSAWA842- ()(1/2/3)		1,748.	2,013.	2,715.		
90"	RSAWA902- ()(1/2/3)	1,831.	2,104.	2,841.			
96"	RSAWA962- ()(1/2/3)	1,900.	2,184.	2,948.			

Order Code	Specification Information	Application Notes
Example: RSAWA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-() (1/2/3)	\$1,090.	\$1,252.	\$1,690.	
		30"	RSAWA303-() (1/2/3)	1,223.	1,408.	1,901.	
		36"	RSAWA363-() (1/2/3)	1,318.	1,516.	2,047.	
		42"	RSAWA423-() (1/2/3)	1,374.	1,578.	2,129.	
		48"	RSAWA483-() (1/2/3)	1,465.	1,685.	2,275.	
		54"	RSAWA543-() (1/2/3)	1,584.	1,822.	2,460.	
		60"	RSAWA603-() (1/2/3)	1,642.	1,889.	2,551.	
		66"	RSAWA663-() (1/2/3)	1,680.	1,932.	2,608.	
		72"	RSAWA723-() (1/2/3)	1,720.	1,977.	2,669.	
		78"	RSAWA783-() (1/2/3)	1,798.	2,071.	2,794.	
		84"	RSAWA843-() (1/2/3)	1,872.	2,155.	2,909.	
		90"	RSAWA903-() (1/2/3)	1,957.	2,251.	3,040.	
		96"	RSAWA963-() (1/2/3)	2,028.	2,333.	3,150.	
		36"	60"	RSAWA604-() (1/2/3)	1,896.	2,176.	2,939.
			66"	RSAWA664-() (1/2/3)	1,961.	2,257.	3,046.
			72"	RSAWA724-() (1/2/3)	2,025.	2,329.	3,144.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-()(1/2/3)	\$1,142.	\$1,310.	\$1,769.	
		30"	RSAWB301-()(1/2/3)	1,252.	1,438.	1,942.	
		36"	RSAWB361-()(1/2/3)	1,320.	1,518.	2,050.	
		42"	RSAWB421-()(1/2/3)	1,380.	1,585.	2,140.	
		48"	RSAWB481-()(1/2/3)	1,434.	1,651.	2,228.	
		54"	RSAWB541-()(1/2/3)	1,498.	1,724.	2,329.	
		60"	RSAWB601-()(1/2/3)	1,618.	1,858.	2,508.	
		66"	RSAWB661-()(1/2/3)	1,666.	1,914.	2,585.	
		72"	RSAWB721-()(1/2/3)	1,748.	2,012.	2,714.	
		78"	RSAWB781-()(1/2/3)	1,770.	2,036.	2,749.	
		84"	RSAWB841-()(1/2/3)	1,886.	2,171.	2,930.	
		90"	RSAWB901-()(1/2/3)	1,965.	2,259.	3,049.	
		96"	RSAWB961-()(1/2/3)	2,036.	2,343.	3,163.	
		24"	24"	RSAWB242-()(1/2/3)	1,200.	1,380.	1,863.
			30"	RSAWB302-()(1/2/3)	1,357.	1,555.	2,101.
			36"	RSAWB362-()(1/2/3)	1,409.	1,621.	2,190.
			42"	RSAWB422-()(1/2/3)	1,453.	1,672.	2,259.
			48"	RSAWB482-()(1/2/3)	1,555.	1,793.	2,422.
			54"	RSAWB542-()(1/2/3)	1,666.	1,914.	2,585.
60"	RSAWB602-()(1/2/3)		1,785.	2,049.	2,767.		
66"	RSAWB662-()(1/2/3)		1,842.	2,118.	2,858.		
72"	RSAWB722-()(1/2/3)		1,925.	2,217.	2,990.		
78"	RSAWB782-()(1/2/3)		2,018.	2,324.	3,136.		
84"	RSAWB842-()(1/2/3)		2,098.	2,410.	3,256.		
90"	RSAWB902-()(1/2/3)	2,195.	2,525.	3,407.			
96"	RSAWB962-()(1/2/3)	2,277.	2,623.	3,542.			

Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-()(1/2/3)	\$1,306.	\$1,503.	\$2,028.	
		30"	RSAWB303-()(1/2/3)	1,468.	1,689.	2,279.	
		36"	RSAWB363-()(1/2/3)	1,581.	1,818.	2,454.	
		42"	RSAWB423-()(1/2/3)	1,647.	1,891.	2,553.	
		48"	RSAWB483-()(1/2/3)	1,759.	2,021.	2,730.	
		54"	RSAWB543-()(1/2/3)	1,901.	2,184.	2,948.	
		60"	RSAWB603-()(1/2/3)	1,969.	2,265.	3,058.	
		66"	RSAWB663-()(1/2/3)	2,015.	2,318.	3,127.	
		72"	RSAWB723-()(1/2/3)	2,062.	2,372.	3,201.	
		78"	RSAWB783-()(1/2/3)	2,162.	2,487.	3,357.	
		84"	RSAWB843-()(1/2/3)	2,243.	2,582.	3,486.	
		90"	RSAWB903-()(1/2/3)	2,347.	2,702.	3,648.	
		96"	RSAWB963-()(1/2/3)	2,437.	2,800.	3,779.	
		36"	60"	RSAWB604-()(1/2/3)	2,273.	2,613.	3,529.
			66"	RSAWB664-()(1/2/3)	2,350.	2,706.	3,652.
			72"	RSAWB724-()(1/2/3)	2,434.	2,794.	3,774.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWB243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-()(1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWL301-()(1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWL361-()(1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWL421-()(1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWL481-()(1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWL541-()(1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWL601-()(1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWL661-()(1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWL721-()(1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWL781-()(1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWL841-()(1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWL901-()(1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWL961-()(1/2/3)	1,868.	2,149.	2,899.
			24"	24"	RSAWL242-()(1/2/3)	1,099.
		30"	RSAWL302-()(1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWL362-()(1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWL422-()(1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWL482-()(1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWL542-()(1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWL602-()(1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWL662-()(1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWL722-()(1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWL782-()(1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWL842-()(1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWL902-()(1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWL962-()(1/2/3)	2,089.	2,404.	3,246.

Order Code	Specification Information	Application Notes
Example: RSAWL241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WL Waterfall front and left	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	


Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-()(1/2/3)	\$1,200.	\$1,378.	\$1,860.
		30"	RSAWL303-()(1/2/3)	1,346.	1,547.	2,089.
		36"	RSAWL363-()(1/2/3)	1,449.	1,667.	2,251.
		42"	RSAWL423-()(1/2/3)	1,508.	1,735.	2,340.
		48"	RSAWL483-()(1/2/3)	1,612.	1,857.	2,507.
		54"	RSAWL543-()(1/2/3)	1,741.	2,005.	2,708.
		60"	RSAWL603-()(1/2/3)	1,807.	2,075.	2,803.
		66"	RSAWL663-()(1/2/3)	1,844.	2,125.	2,870.
		72"	RSAWL723-()(1/2/3)	1,891.	2,173.	2,933.
		78"	RSAWL783-()(1/2/3)	1,980.	2,277.	3,075.
		84"	RSAWL843-()(1/2/3)	2,058.	2,369.	3,198.
		90"	RSAWL903-()(1/2/3)	2,155.	2,478.	3,345.
		96"	RSAWL963-()(1/2/3)	2,232.	2,565.	3,464.
36"	60"	RSAWL604-()(1/2/3)	2,085.	2,396.	3,235.	
	66"	RSAWL664-()(1/2/3)	2,158.	2,480.	3,348.	
	72"	RSAWL724-()(1/2/3)	2,229.	2,562.	3,459.	

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAWL243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-()(1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWR301-()(1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWR361-()(1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWR421-()(1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWR481-()(1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWR541-()(1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWR601-()(1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWR661-()(1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWR721-()(1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWR781-()(1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWR841-()(1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWR901-()(1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWR961-()(1/2/3)	1,868.	2,149.	2,899.
			24"	24"	RSAWR242-()(1/2/3)	1,099.
		30"	RSAWR302-()(1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWR362-()(1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWR422-()(1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWR482-()(1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWR542-()(1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWR602-()(1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWR662-()(1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWR722-()(1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWR782-()(1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWR842-()(1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWR902-()(1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWR962-()(1/2/3)	2,089.	2,404.	3,246.

Order Code	Specification Information	Application Notes
Example: RSAWR241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WR Waterfall front and right	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	<i>2. Finish type:</i>	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-()(1/2/3)	\$1,200.	\$1,378.	\$1,860.
		30"	RSAWR303-()(1/2/3)	1,346.	1,547.	2,089.
		36"	RSAWR363-()(1/2/3)	1,449.	1,667.	2,251.
		42"	RSAWR423-()(1/2/3)	1,508.	1,735.	2,340.
		48"	RSAWR483-()(1/2/3)	1,612.	1,857.	2,507.
		54"	RSAWR543-()(1/2/3)	1,741.	2,005.	2,708.
		60"	RSAWR603-()(1/2/3)	1,807.	2,075.	2,803.
		66"	RSAWR663-()(1/2/3)	1,844.	2,125.	2,870.
		72"	RSAWR723-()(1/2/3)	1,891.	2,173.	2,933.
		78"	RSAWR783-()(1/2/3)	1,980.	2,277.	3,075.
		84"	RSAWR843-()(1/2/3)	2,058.	2,369.	3,198.
		90"	RSAWR903-()(1/2/3)	2,155.	2,478.	3,345.
		96"	RSAWR963-()(1/2/3)	2,232.	2,565.	3,464.
			36"	60"	RSAWR604-()(1/2/3)	2,085.
		66"	RSAWR664-()(1/2/3)	2,158.	2,480.	3,348.
		72"	RSAWR724-()(1/2/3)	2,229.	2,562.	3,459.






Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWR243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WR Waterfall front and right	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	2. <i>Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"

Reff Profiles

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	RWAWF4223- ()(1/2/3)	\$1,101.	\$1,264.	\$1,709.
	24"	48"	30"	RWAWF4823- ()(1/2/3)	1,146.	1,317.	1,778.
	24"	54"	30"	RWAWF5423- ()(1/2/3)	1,234.	1,423.	1,920.
	24"	60"	30"	RWAWF6023- ()(1/2/3)	1,320.	1,522.	2,055.
	24"	66"	30"	RWAWF6623- ()(1/2/3)	1,370.	1,575.	2,125.
	24"	72"	30"	RWAWF7223- ()(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232- ()(1/2/3)	1,101.	1,264.	1,709.
	30"	48"	24"	RWAWF4832- ()(1/2/3)	1,146.	1,317.	1,778.
	30"	54"	24"	RWAWF5432- ()(1/2/3)	1,234.	1,423.	1,920.
	30"	60"	24"	RWAWF6032- ()(1/2/3)	1,320.	1,522.	2,055.
	30"	66"	24"	RWAWF6632- ()(1/2/3)	1,370.	1,575.	2,125.
	30"	72"	24"	RWAWF7232- ()(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212- ()(1/2/3)	1,020.	1,175.	1,587.
	20"	48"	24"	RWAWF4812- ()(1/2/3)	1,073.	1,234.	1,667.
	20"	54"	24"	RWAWF5412- ()(1/2/3)	1,149.	1,320.	1,783.
	20"	60"	24"	RWAWF6012- ()(1/2/3)	1,228.	1,411.	1,908.
	20"	66"	24"	RWAWF6612- ()(1/2/3)	1,264.	1,453.	1,962.
	20"	72"	24"	RWAWF7212- ()(1/2/3)	1,325.	1,524.	2,058.
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	RWAWF4221- ()(1/2/3)	1,020.	1,175.	1,587.
	24"	48"	20"	RWAWF4821- ()(1/2/3)	1,073.	1,234.	1,667.
	24"	54"	20"	RWAWF5421- ()(1/2/3)	1,149.	1,320.	1,783.
	24"	60"	20"	RWAWF6021- ()(1/2/3)	1,228.	1,411.	1,908.
	24"	66"	20"	RWAWF6621- ()(1/2/3)	1,264.	1,453.	1,962.
	24"	72"	20"	RWAWF7221- ()(1/2/3)	1,325.	1,524.	2,058.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631- ()(1/2/3)	1,357.	1,555.	2,101.
	32"	42"	20"	RWEAWF4231- ()(1/2/3)	1,409.	1,623.	2,191.
	32"	48"	20"	RWEAWF4831- ()(1/2/3)	1,486.	1,711.	2,308.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	
42 42" wide	<i>1. Grommet options:</i>	
2 24" deep on left side	N = No grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	<i>2. Finish type:</i>	
2 V2 finish	1 = V1	See Planning Guide for grommet locations.
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	Waterfall tops cannot be specified with semi-open pore finish.
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.




Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
 Wave end top with waterfall edge front (right 24")	36"	36"	24"	RWEAWF3662-()(1/2/3)	\$1,401.	\$1,611.	\$2,175.
	36"	42"	24"	RWEAWF4262-()(1/2/3)	1,446.	1,664.	2,246.
	36"	48"	24"	RWEAWF4862-()(1/2/3)	1,536.	1,764.	2,381.
 Wave end top with waterfall edge front (left 20")	20"	36"	32"	RWEAWF3613-()(1/2/3)	1,357.	1,555.	2,101.
	20"	42"	32"	RWEAWF4213-()(1/2/3)	1,409.	1,623.	2,191.
	20"	48"	32"	RWEAWF4813-()(1/2/3)	1,486.	1,711.	2,308.
 Wave end top with waterfall edge front (left 24")	24"	36"	36"	RWEAWF3626-()(1/2/3)	1,401.	1,611.	2,175.
	24"	42"	36"	RWEAWF4226-()(1/2/3)	1,446.	1,664.	2,246.
	24"	48"	36"	RWEAWF4826-()(1/2/3)	1,536.	1,764.	2,381.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2 R Reff W Wave top transition A 1 1/4" thick WF Waterfall front 42 42" wide 2 24" deep on left side 1 20" deep on left side F Flush grommet location 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	To order please specify pattern number including: 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish I. Grommet options: N = No grommet F = Flush front grommet location 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	32"D wave end top requires 20"D end panel for freestanding support. 36"D wave end top requires 24"D end panel for support. Products on this page are shipped without hardware which must be ordered separately from the support components section. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Waterfall tops cannot be specified with semi-open pore finish.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear corner tops



description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	RCAWF363611-()(1/2/3)	\$1,611.	\$1,855.	\$2,503.
	36"	42"	RCAWF364211-()(1/2/3)	1,706.	1,961.	2,649.
	36"	48"	RCAWF364811-()(1/2/3)	1,810.	2,082.	2,812.
	42"	36"	RCAWF423611-()(1/2/3)	1,706.	1,961.	2,649.
	42"	42"	RCAWF424211-()(1/2/3)	1,810.	2,082.	2,812.
	42"	48"	RCAWF424811-()(1/2/3)	1,977.	2,274.	3,070.
	48"	36"	RCAWF483611-()(1/2/3)	1,810.	2,082.	2,812.
	48"	42"	RCAWF484211-()(1/2/3)	1,977.	2,274.	3,070.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	RCAWF363622-()(1/2/3)	1,825.	2,103.	2,840.
	36"	42"	RCAWF364222-()(1/2/3)	1,919.	2,212.	2,986.
	36"	48"	RCAWF364822-()(1/2/3)	2,025.	2,331.	3,147.
	42"	36"	RCAWF423622-()(1/2/3)	1,919.	2,212.	2,986.
	42"	42"	RCAWF424222-()(1/2/3)	2,025.	2,331.	3,147.
	42"	48"	RCAWF424822-()(1/2/3)	2,193.	2,525.	3,407.
	48"	36"	RCAWF483622-()(1/2/3)	2,025.	2,331.	3,147.
	48"	42"	RCAWF484222-()(1/2/3)	2,193.	2,525.	3,407.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	RCAWF363612-()(1/2/3)	1,683.	1,935.	2,612.
	36"	42"	RCAWF364212-()(1/2/3)	1,781.	2,045.	2,760.
	36"	48"	RCAWF364812-()(1/2/3)	1,883.	2,165.	2,923.
	42"	36"	RCAWF423612-()(1/2/3)	1,781.	2,045.	2,760.
	42"	42"	RCAWF424212-()(1/2/3)	1,883.	2,165.	2,923.
	42"	48"	RCAWF424812-()(1/2/3)	2,050.	2,356.	3,180.
	48"	36"	RCAWF483612-()(1/2/3)	1,883.	2,165.	2,923.
	48"	42"	RCAWF484212-()(1/2/3)	2,050.	2,356.	3,180.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	RCAWF363621-()(1/2/3)	1,683.	1,935.	2,612.
	36"	42"	RCAWF364221-()(1/2/3)	1,781.	2,045.	2,760.
	36"	48"	RCAWF364821-()(1/2/3)	1,883.	2,165.	2,923.
	42"	36"	RCAWF423621-()(1/2/3)	1,781.	2,045.	2,760.
	42"	42"	RCAWF424221-()(1/2/3)	1,883.	2,165.	2,923.
	42"	48"	RCAWF424821-()(1/2/3)	2,050.	2,356.	3,180.
	48"	36"	RCAWF483621-()(1/2/3)	1,883.	2,165.	2,923.
	48"	42"	RCAWF484221-()(1/2/3)	2,050.	2,356.	3,180.

Order Code	Specification Information	Application Notes
Example: RCAWF363611F2 R Reff C Curved front corner A 1 1/4" thick WF Waterfall front 36 36" wide on left back 36 36" wide on right back 1 20" deep on left side 1 20" deep on right side F Standard grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	To order please specify pattern number including: 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish 1. Grommet options: N = No grommet F = Standard corner location or Flush 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Radius of curved front changes with overall top size. See Planning Guide. Products on this page are shipped without hardware which must be ordered separately from the support components section. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Waterfall tops cannot be specified with semi-open pore finish. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230-()(1/2/3)	\$2,058.	\$2,368.	\$3,195.
		48"	RMDAWF4830-()(1/2/3)	2,220.	2,552.	3,445.
		54"	RMDAWF5430-()(1/2/3)	2,382.	2,740.	3,700.
		60"	RMDAWF6030-()(1/2/3)	2,546.	2,927.	3,950.
		66"	RMDAWF6630-()(1/2/3)	2,711.	3,119.	4,211.
		72"	RMDAWF7230-()(1/2/3)	2,878.	3,311.	4,469.
		78"	RMDAWF7830-()(1/2/3)	3,259.	3,742.	5,054.
		84"	RMDAWF8430-()(1/2/3)	3,636.	4,180.	5,643.
		90"	RMDAWF9030-()(1/2/3)	4,058.	4,667.	6,301.
	96"	RMDAWF9630-()(1/2/3)	4,481.	5,151.	6,954.	
	36"	42"	RMDAWF4236-()(1/2/3)	2,270.	2,608.	3,520.
		48"	RMDAWF4836-()(1/2/3)	2,480.	2,852.	3,851.
		54"	RMDAWF5436-()(1/2/3)	2,834.	3,263.	4,404.
		60"	RMDAWF6036-()(1/2/3)	3,181.	3,658.	4,939.
		66"	RMDAWF6636-()(1/2/3)	3,236.	3,723.	5,026.
		72"	RMDAWF7236-()(1/2/3)	3,290.	3,784.	5,109.
		78"	RMDAWF7836-()(1/2/3)	3,703.	4,259.	5,746.
		84"	RMDAWF8436-()(1/2/3)	4,121.	4,738.	6,396.
		90"	RMDAWF9036-()(1/2/3)	4,341.	4,998.	6,744.
96"	RMDAWF9636-()(1/2/3)	4,759.	5,469.	7,385.		
Wrap around panel top 	21 1/2"	42 1/2"	RMDAWF4221-()(1/2/3)()	2,649.	3,044.	4,109.
	25 1/2"	50 1/2"	RMDAWF5025-()(1/2/3)()	2,903.	3,338.	4,506.





*specify mating end trim profile

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	Refer to Planning Guide for modesty panel size requirements and all other support options.
WF Waterfall all except flat side	4. Top finish	
42 42" wide	5. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
N No grommet	2. <i>Grommet options:</i> N = No grommet	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
2 V2 finish	F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
V319 Medium cherry	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	Note wrap around panel tops only, require specification of mating trim profile.	
	A = Flat B = Square C = Bullnose E = Extruded Aluminum	Applicable finishes are listed on page 5 and 6.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"


2" Waterfall edge meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230-()(1/2/3)	\$2,829.	\$3,252.	\$4,390.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230-()(1/2/3)	2,829.	3,252.	4,390.
						
Worksurface 9-top	30"	84"	RM9AWF8430-()(1/2/3)	5,756.	6,620.	8,936.
	30"	96"	RM9AWF9630-()(1/2/3)	5,998.	6,893.	9,306.
Worksurface P-top	30"	84"	RMPAWF8430-()(1/2/3)	5,756.	6,620.	8,936.
	30"	96"	RMPAWF9630-()(1/2/3)	5,998.	6,893.	9,306.


Order Code	Specification Information	Application Notes
Example: RM9AWF8430N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
M9 Meeting 9-shaped top	2. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
WF Waterfall all except flat side	4. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
84 84" wide	5. Grommet finish	Applicable finishes are listed on page 5 and 6.
30 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
N No grommet	2. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
2 V2 finish	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	
V319 Medium cherry	Note wrap around panel tops only, require specification of mating trim profile.	

Waterfall Edge 1 1/4"


2" Waterfall edge bow front tops

description	w	d	h	pattern no.	L	V1	V2	V3
 30"D	72"	30"		RMBAWA7230-()(1/2/3)		\$2,854.	\$3,287.	\$4,437.
	84"	30"		RMBAWA8430-()(1/2/3)		3,151.	3,625.	4,891.
	96"	30"		RMBAWA9630-()(1/2/3)		3,496.	4,019.	5,427.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

 36"D	72"	36"		RMBAWA7236-()(1/2/3)		3,036.	3,492.	4,712.
	84"	36"		RMBAWA8436-()(1/2/3)		3,332.	3,832.	5,172.
	96"	36"		RMBAWA9636-()(1/2/3)		3,696.	4,245.	5,731.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	w	d	h	pattern no.	L	V1	V2	V3
	40"	1"	26 1/2"	RB40MR-()	332.	427.	489.	661.
	52"	1"	26 1/2"	RB52MR-()	390.	503.	578.	781.
	64"	1"	26 1/2"	RB64MR-()	422.	541.	625.	845.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.



Order Code	Specification Information	Application Notes
Example: RMBAWA7230(F)2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	Shipped with hardware. Refer to page 99 of planning guide for application details.
MB Bow front with Waterfall edge	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	3. Top finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
WA Waterfall front/back	4. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
72 72" wide	<i>1. Grommet options:</i>	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
30 30" deep	N = No grommet	
F Flush front grommet position	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
111 Jet Black (grommet)	<i>2. Finish type:</i>	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
	1 = V1	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	2 = V2	
	3 = V3	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

Waterfall elliptical tops and bulkhead

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall elliptical tops 	60"	30"		REBAWA6030()		\$4,033.	\$4,636.	\$6,260.
	72"	42"		REBAWA7242()		5,733.	6,597.	8,906.
	78"	48"		REBAWA7848()		6,291.	7,237.	9,771.
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	468.	707.	819.	1,105.
	16"	30"	26 1/2"	REBH30	484.	720.	839.	1,132.





Order Code	Specification Information	Application Notes
Example: REBAWA6030	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
EB Elliptical Waterfall	2. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
WA Waterfall front/back	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
60 60" wide	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 99 of planning guide for application details.
30 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge conference room tops round and racetrack






description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	RTAW7230-(1/2/3)	\$4,033.	\$4,636.	\$6,260.
	72"	36"	RTAW7236-(1/2/3)	4,597.	5,284.	7,133.
	84"	30"	RTAW8430-(1/2/3)	4,489.	5,162.	6,970.
	84"	36"	RTAW8436-(1/2/3)	5,168.	5,943.	8,021.
	84"	42"	RTAW8442-(1/2/3)	6,291.	7,237.	9,771.
	96"	30"	RTAW9630-(1/2/3)	4,998.	5,745.	7,758.
	96"	42"	RTAW9642-(1/2/3)	7,044.	8,099.	10,932.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RTAW12036-(1/2/3)	7,407.	8,515.	11,497.
	120"	42"	RTAW12042-(1/2/3)	7,987.	9,182.	12,398.
	144"	42"	RTAW14442-(1/2/3)	8,807.	10,127.	13,672.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RTAW16842-(1/2/3)	11,043.	12,701.	17,146.
	192"	42"	RTAW19242-(1/2/3)	11,864.	13,645.	18,423.
RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center						
Round tops, Waterfall edge on all sides except on parting lines 	*	60"	RTAW6060-(1/2/3)	6,788.	7,801.	10,533.
	*	72"	RTAW7272-(1/2/3)	8,401.	9,659.	13,040.
	-	36"	RTAW3636-(1/2/3)	2,270.	3,043.	4,108.
	-	42"	RTAW4242-(1/2/3)	2,628.	3,526.	4,761.

Order Code	Specification Information	Application Notes
Example: RTAW72302	<i>To order please specify pattern number including:</i>	Top to top brackets included.
R Reff	1. Top thickness	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
T Rounded top	2. Finish type	Applicable finishes are listed on page 5 and 6.
A 1 1/4" thick	3. Finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
W Waterfall all sides	<i>1. Thickness option:</i> A = 1 1/4"	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
72 72" wide	<i>2. Finish type:</i> 1 = V1	Tops have no radius on edges that adjoin.
30 30" deep	2 = V2	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
2 V2 finish	3 = V3	Waterfall tops cannot be specified with semi-open pore finish.
V319 Medium cherry	*Round tops in two pieces.	

Waterfall Edge 1 1/4"



2" Waterfall edge conference room tops square and rectangular

Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	RRAW7230-(1/2/3)	\$2,129.	\$2,451.	\$3,310.
	72"	36"	RRAW7236-(1/2/3)	2,314.	2,662.	3,593.
	84"	30"	RRAW8430-(1/2/3)	2,356.	2,711.	3,660.
	84"	36"	RRAW8436-(1/2/3)	2,532.	2,908.	3,926.
	84"	42"	RRAW8442-(1/2/3)	3,742.	4,301.	5,808.
	96"	30"	RRAW9630-(1/2/3)	2,643.	3,041.	4,105.
	96"	42"	RRAW9642-(1/2/3)	4,291.	4,935.	6,662.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RRAW12036-(1/2/3)	4,681.	5,389.	7,275.
	120"	42"	RRAW12042-(1/2/3)	6,462.	7,432.	10,034.
	144"	42"	RRAW14442-(1/2/3)	7,259.	8,349.	11,270.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RRAW16842-(1/2/3)	9,518.	10,949.	14,784.
	192"	42"	RRAW19242-(1/2/3)	10,314.	11,859.	16,011.
RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center						
Square top - one piece 	-	36"	RRAW3636-(1/2/3)	1,647.	2,206.	2,981.
	-	42"	RRAW4242-(1/2/3)	2,129.	2,857.	3,857.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	RRAW6060-(1/2/3)	4,362.	5,014.	6,769.
	-	72"	RRAW7272-(1/2/3)	5,151.	5,925.	7,997.

Order Code	Specification Information	Application Notes	
Example: RRAW72302 R Reff R Rectangular A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Top to top brackets included. Tops have no radius on edges that adjoin. See table base matrix in Planning Guide for base supports recommended. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w. Waterfall tops cannot be specified with semi-open pore finish.	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Cascade Edge 1 1/4" Rectilinear 24" and 30" deep

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  <i>shown with grommet</i>	24"	24"	RCE1R2424N	\$245.	\$213.
	24"	30"	RCE1R3024N	282.	245.
	24"	36"	RCE1R3624N	312.	270.
	24"	42"	RCE1R4224N	359.	312.
	24"	48"	RCE1R4824N	403.	350.
	24"	54"	RCE1R5424N	432.	376.
	24"	60"	RCE1R6024N	469.	408.
	24"	66"	RCE1R6624N	506.	441.
	24"	72"	RCE1R7224N	530.	461.
	24"	78"	RCE1R7824N	568.	495.
	24"	84"	RCE1R8424N	601.	523.
	24"	90"	RCE1R9024N	677.	590.
24"	96"	RCE1R9624N	740.	644.	
30"D Rectangular  <i>shown with grommet</i>	30"	24"	RCE1R2430N	313.	271.
	30"	30"	RCE1R3030N	350.	305.
	30"	36"	RCE1R3630N	390.	339.
	30"	42"	RCE1R4230N	422.	368.
	30"	48"	RCE1R4830N	469.	408.
	30"	54"	RCE1R5430N	531.	462.
	30"	60"	RCE1R6030N	583.	508.
	30"	66"	RCE1R6630N	651.	566.
	30"	72"	RCE1R7230N	677.	590.
	30"	78"	RCE1R7830N	723.	629.
	30"	84"	RCE1R8430N	769.	669.
	30"	90"	RCE1R9030N	827.	719.
30"	96"	RCE1R9630N	884.	769.	

Order Code

Example:	RCE1R3024N 118
R	Reff
CE1	Cascade edge
R	Rectangular
30	Width
24	Depth
N	No grommet
118	Finish

Specification Information

To order please specify pattern number including finish:

Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, pthalates and lead content.

Cascade Edge 1 1/4" Blended "D"

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	48"	24"	66"	RCE1BD6648S(L/R)	\$992.	\$863.
	48"	24"	72"	RCE1BD7248S(L/R)	1,016.	882.
	48"	24"	78"	RCE1BD7848S(L/R)	1,172.	1,019.
	48"	24"	84"	RCE1BD8448S(L/R)	1,204.	1,047.
	48"	30"	66"	RCE1BD6648D(L/R)	1,044.	907.
	48"	30"	72"	RCE1BD7248D(L/R)	1,082.	940.
	48"	30"	78"	RCE1BD7848D(L/R)	1,211.	1,054.
	48"	30"	84"	RCE1BD8448D(L/R)	1,279.	1,113.

Order Code

Example:	RCE1BD6648SR 118
R	Reff
CE1	Cascade edge
BD	Blended "D"
66	Width
48	Depth
S	24" return
R	right hand
118	Finish

Specification Information

To order please specify pattern number including:

1. Return depth (dimension C on line art, hard coded in pattern number)
 S = 24" return
 D = 30" return

2. Hand (left or right)

3. Finish
Solid:
 114 Folkstone Grey
 117 Soft Grey
 118 Bright White
 119 Pumice

Woodgrain:
 124 Medium Cherry
 125 Natural Maple
 126 Natural Cherry
 127 Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
 Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4" Curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	24"	24"	36"	RCE1L3636SSN	\$614.	\$533.
	24"	24"	42"	RCE1L4242SSN	740.	644.
	24"	24"	48"	RCE1L4848SSN	832.	723.
	24"	30"	42"	RCE1L4242DSN	878.	765.
	24"	30"	48"	RCE1L4848DSN	996.	866.
	30"	24"	42"	RCE1L4242SDN	878.	765.
	30"	24"	48"	RCE1L4848SDN	996.	866.
	30"	30"	48"	RCE1L4848DDN	894.	777.


Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: RCE1L3636SSN 114</p> <p>RCE1 Reff Cascade Edge worksurface</p> <p>L Curvilinear Corner top</p> <p>36 Width</p> <p>36 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>N No grommet</p> <p>114 Folkstone Grey finish</p> <p>Grain Direction</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number)</p> <p>SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right</p> <p>2. Grommets (hard coded in pattern number)</p> <p>N= no grommets G= grommets</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p> <p>3. Finish</p> <p>Solid:</p> <p>114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain:</p> <p>124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p> <p>Graing Direction:</p> <p>D = Diagonal L = Left hand N = Not required R = Right hand</p>	<p>Center-located edge grommets, located on center of sides marked A.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p> <p>Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p> <p>Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.</p>

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.

Cascade Edge 1 1/4" Blended "L"

Reff Profiles





description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	RCE1L4260SSN	\$1,017.	\$884.
	42"	66"	24"	24"	RCE1L4266SSN	1,044.	907.
	42"	72"	24"	24"	RCE1L4272SSN	1,084.	941.
	42"	78"	24"	24"	RCE1L4278SSN	1,094.	953.
	48"	60"	24"	24"	RCE1L4860SSN	1,029.	896.
	48"	60"	24"	30"	RCE1L4860SDN	1,012.	878.
	48"	60"	30"	24"	RCE1L4860DSN	1,012.	878.
	48"	66"	24"	24"	RCE1L4866SSN	1,066.	928.
	48"	66"	24"	30"	RCE1L4866SDN	1,063.	924.
	48"	66"	30"	24"	RCE1L4866DSN	1,063.	924.
	48"	72"	24"	24"	RCE1L4872SSN	1,106.	962.
	48"	72"	24"	30"	RCE1L4872SDN	1,113.	967.
	48"	72"	30"	24"	RCE1L4872DSN	1,113.	967.
	48"	78"	24"	24"	RCE1L4878SSN	1,219.	1,060.
	48"	84"	24"	24"	RCE1L4884SSN	1,371.	1,191.
	60"	42"	24"	24"	RCE1L6042SSN	1,017.	884.
	60"	48"	24"	24"	RCE1L6048SSN	1,029.	896.
	60"	48"	24"	30"	RCE1L6048SDN	1,012.	878.
	60"	48"	30"	24"	RCE1L6048DSN	1,012.	878.
	66"	42"	24"	24"	RCE1L6642SSN	1,044.	907.
	66"	48"	24"	24"	RCE1L6648SSN	1,066.	928.
	66"	48"	24"	30"	RCE1L6648SDN	1,063.	924.
	66"	48"	30"	24"	RCE1L6648DSN	1,063.	924.
	72"	42"	24"	24"	RCE1L7242SSN	1,084.	941.
	72"	48"	24"	24"	RCE1L7248SSN	1,106.	962.
	72"	48"	24"	30"	RCE1L7248SDN	1,113.	967.
	72"	48"	30"	24"	RCE1L7248DSN	1,113.	967.
	78"	42"	24"	24"	RCE1L7842SSN	1,094.	953.
	78"	48"	24"	24"	RCE1L7848SSN	1,219.	1,060.
	84"	48"	24"	24"	RCE1L8448SSN	1,371.	1,191.

Order Code	Specification Information	Application Notes
<p>Example: RCE1L4260SSG 114</p> <p>RCE1 Cascade edge worksurface</p> <p>L Blended "L" top</p> <p>42 Width</p> <p>60 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>G Grommets</p> <p>114 Top finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number): SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right</p> <p>2. Grommets (hard coded in pattern number): N= no grommets G= grommets</p> <p>3. Finishes: Solid: 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p>
<p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p>		<p>Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p> <p>Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.</p>

Cascade Edge 1 1/4"

Half round and corner round

Reff Profiles

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	RCE1H4818	\$530.	\$461.
	50 1/2"	18"	RCE1H4818P	530.	461.
	60"	24"	RCE1H6024	731.	634.
	62 1/2"	24"	RCE1H6024P	731.	634.
 LH Corner Round	24"	24"	RCE1CR24L	282.	245.
 RH Corner Round	24"	24"	RCE1CR24R	282.	245.
 Notched Corner Round	24"	24"	RCE1CR24N	282.	245.

Worksurfaces

Order Code

Example:	RCE1H4818P 118
R	Reff
CE1	Cascade edge
H	Half round
48	Width
18	Depth
P	Notch for panel trim
118	Finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Half round tops with suffix P, notched for panel end trim profile B square only.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal.


Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4" Wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	3"	15"	RCE1W363024N	\$659.	\$573.
	42"	24"	30"	9"	15"	RCE1W423024N	693.	602.
	48"	24"	30"	15"	15"	RCE1W483024N	742.	645.
	72"	24"	30"	30 1/2"	23 1/2"	RCE1W723024N	942.	821.

shown with grommet

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, RH 	36"	30"	24"	15"	3"	RCE1W362430N	659.	573.
	42"	30"	24"	15"	9"	RCE1W422430N	693.	602.
	48"	30"	24"	15"	15"	RCE1W482430N	742.	645.
	72"	30"	24"	23 1/2"	30 1/2"	RCE1W722430N	942.	821.

shown with grommet

Order Code

Example:	RCE1W483024N 118
RCE1	Cascade edge worksurface
W	Wave end
48	Width
30	Depth, left side
24	Depth, right side
N	No grommet
118	Top finish

Specification Information

To order please specify pattern number including finish:

Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 252 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.


Worksurface 1 1/2"
rectilinear
20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSD241-()()()	\$346.	\$377.	\$434.	\$584.
		30"	RSD301-()()()	378.	414.	475.	642.
		36"	RSD361-()()()	401.	437.	502.	679.
		42"	RSD421-()()()	415.	457.	525.	709.
		48"	RSD481-()()()	437.	474.	545.	734.
		54"	RSD541-()()()	454.	492.	570.	770.
		60"	RSD601-()()()	513.	534.	614.	830.
		66"	RSD661-()()()	502.	549.	633.	854.
		72"	RSD721-()()()	530.	579.	663.	896.
		78"	RSD781-()()()	538.	584.	674.	911.
		84"	RSD841-()()()	570.	625.	717.	967.
		90"	RSD901-()()()	596.	650.	745.	1,008.
		96"	RSD961-()()()	618.	674.	774.	1,044.
		102"	RSD1021-()()()	680.	742.	852.	1,148.
	108"	RSD1081-()()()	748.	816.	936.	1,263.	
	24"	24"	RSD242-()()()	364.	396.	457.	617.
		30"	RSD302-()()()	411.	447.	517.	696.
		36"	RSD362-()()()	424.	468.	536.	723.
		42"	RSD422-()()()	442.	481.	553.	745.
		48"	RSD482-()()()	469.	517.	593.	799.
		54"	RSD542-()()()	502.	549.	633.	854.
		60"	RSD602-()()()	541.	591.	678.	915.
		66"	RSD662-()()()	555.	619.	701.	947.
		72"	RSD722-()()()	583.	636.	733.	991.
78"		RSD782-()()()	612.	665.	769.	1,037.	
84"		RSD842-()()()	634.	693.	797.	1,076.	
90"		RSD902-()()()	665.	724.	832.	1,122.	
96"		RSD962-()()()	689.	752.	866.	1,169.	
102"		RSD1022-()()()	758.	827.	953.	1,285.	
108"	RSD1082-()()()	833.	909.	1,048.	1,414.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSD241RL	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. Grommet option: F=Flush front grommet location N=No grommet R=Recessed front (not recommended for 20"D and 24"D tops)	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
S Straight top	2. Grommet finish: Painted, Plated	Products on this page are shipped without hardware which must be ordered separately from the support components section.
D 1 1/2" thick	3. Top finish: L, V1, V2, V3	These worksurfaces are predrilled with pilot holes for use with wood screws.
24 24" wide		Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.
1 20" deep		
R Recessed grommet location		
111 Jet Black (grommet)		
V316 Top finish		

Worksurface 1 1/2"
 rectilinear
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSD243-()()()	\$397.	\$431.	\$493.	\$666.
		30"	RSD303-()()()	446.	485.	558.	755.
		36"	RSD363-()()()	478.	524.	600.	810.
		42"	RSD423-()()()	499.	544.	626.	847.
		48"	RSD483-()()()	534.	581.	666.	901.
		54"	RSD543-()()()	576.	628.	720.	972.
		60"	RSD603-()()()	597.	651.	747.	1,010.
		66"	RSD663-()()()	608.	664.	768.	1,036.
		72"	RSD723-()()()	625.	681.	783.	1,057.
		78"	RSD783-()()()	653.	714.	821.	1,107.
		84"	RSD843-()()()	679.	742.	853.	1,153.
		90"	RSD903-()()()	711.	776.	894.	1,207.
		96"	RSD963-()()()	735.	804.	925.	1,248.
		102"	RSD1023-()()()	810.	885.	1,018.	1,374.
		108"	RSD1083-()()()	890.	973.	1,120.	1,511.
	36"	60"	RSD604-()()()	688.	751.	861.	1,153.
		66"	RSD664-()()()	711.	777.	895.	1,208.
		72"	RSD724-()()()	734.	803.	924.	1,247.

Order Code

Example:	RSD243RL
R	Reff
S	Straight top
D	1 1/2" thick
36	36" wide
3	30" deep
R	Recessed grommet location
111	Jet Black (grommet)
V316	Top finish

Specification Information

To order please specify pattern number including:

- Grommet options:
 N = No grommets
 F = Flush front grommet location
 R = Recessed front (not recommended for 20"D and 24"D tops)
 A = Alternate location (for 36"D tops only)
- Grommet finish:
 Painted, Plated
- Finish:
 L, V1, V2, V3

Applicable finishes are listed on page 5 and 6.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.


Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.

Worksurface 1 1/2"
Return and Bridge rectilinear
Horizontal or vertical grain direction

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 1/2" thick 	20"	36"	RSDR361(H/V)()()	\$401.	\$437.	\$502.	\$679.
		36"	RSDR362(H/V)()()	424.	468.	536.	723.
		42"	RSDR421(H/V)()()	415.	457.	525.	709.
		48"	RSDR481(H/V)()()	437.	474.	545.	734.
		54"	RSDR541(H/V)()()	454.	492.	570.	770.
		60"	RSDR601(H/V)()()	513.	534.	614.	830.
		66"	RSDR661(H/V)()()	502.	549.	633.	854.
	24"	42"	RSDR422(H/V)()()	442.	481.	553.	745.
		48"	RSDR482(H/V)()()	469.	517.	593.	799.
		54"	RSDR542(H/V)()()	502.	549.	633.	854.
		60"	RSDR602(H/V)()()	541.	591.	678.	915.
		66"	RSDR662(H/V)()()	555.	619.	701.	947.
		72"	RSDR721(H/V)()()	530.	579.	663.	896.
		72"	RSDR722(H/V)()()	583.	636.	733.	991.

Order Code

Example: RSDR361(H/V)()()	
R	Reff
S	Straight top
D	1 1/2" top
R	Return
36	36" wide
1	20" deep
H/V	Horizontal or Vertical grain
()	Grommet type
()	Grommet finish
()	Worksurface finish

Specification Information


To order please specify pattern number including:

- Grommet type:
F = Flush
N = No Grommet
- Grommet finish:
Painted or Plated
- Worksurface finish:
L, V1, V2, V3


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces




U-shaped / Triple: Spanning 3 worksurfaces



Worksurface Credenza

1" No grommet

Reff Profiles


description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCE601()	\$472.	\$472.	\$543.	\$734.
		66"	RCE661()	486.	486.	560.	756.
		72"	RCE721()	512.	512.	587.	793.
		78"	RCE781()	517.	517.	596.	805.
		84"	RCE841()	553.	553.	634.	856.
		90"	RCE901()	575.	575.	659.	892.
		96"	RCE961()	596.	596.	685.	924.
		102"	RCE1021()	656.	656.	754.	1,017.
		108"	RCE1081()	722.	722.	829.	1,118.
	24"	60"	RCE602()	523.	523.	599.	810.
		66"	RCE662()	539.	539.	621.	837.
		72"	RCE722()	562.	562.	649.	877.
		78"	RCE782()	589.	589.	681.	918.
		84"	RCE842()	614.	614.	706.	953.
		90"	RCE902()	641.	641.	736.	993.
		96"	RCE962()	665.	665.	766.	1,034.
102"		RCE1022()	732.	732.	843.	1,137.	
108"		RCE1082()	805.	805.	927.	1,251.	

Order Code	Specification Information	Application Notes
Example: RCE601	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	No grommet options Credenza tops are drilled to accept pedestals and end panels. Credenza tops are predrilled with pilot holes for use with wood screws. 1" Credenza tops are recommended to work with the Task Panel application. Credenza tops are intended to be supported by full lower storage.
R Reff		
C Credenza Top		
E 1"		
60 width		
1 20"		
V316 Finish		

Worksurface Credenza

1" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20"	60"	RCEEG601()	\$660.	\$660.	\$760.	\$1,028.
		66"	RCEEG661()	681.	681.	785.	1,059.
		72"	RCEEG721()	717.	717.	822.	1,110.
		78"	RCEEG781()	724.	724.	835.	1,128.
		84"	RCEEG841()	775.	775.	888.	1,198.
		90"	RCEEG901()	804.	804.	923.	1,248.
		96"	RCEEG961()	835.	835.	959.	1,294.
		102"	RCEEG1021()	919.	919.	1,055.	1,422.
	108"	RCEEG1081()	1,010.	1,010.	1,161.	1,566.	
	24"	60"	RCEEG602()	732.	732.	839.	1,133.
		66"	RCEEG662()	754.	754.	869.	1,172.
		72"	RCEEG722()	787.	787.	908.	1,227.
		78"	RCEEG782()	825.	825.	953.	1,284.
		84"	RCEEG842()	859.	859.	988.	1,334.
		90"	RCEEG902()	897.	897.	1,031.	1,391.
		96"	RCEEG962()	931.	931.	1,073.	1,448.
102"		RCEEG1022()	1,025.	1,025.	1,180.	1,592.	
108"	RCEEG1082()	1,127.	1,127.	1,298.	1,752.		

Worksurfaces

Order Code

Example: RCEEG601
R Reff
C Credenza Top
E 1"
EG Edge Grommet
60 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:
 1. Top finish
 L,V1,V2,V3

Application Notes


These tops will always come with a cut out (notch) at the back of top.
 No grommet option.

Credenza tops are drilled to accept pedestals.
 Credenza tops are predrilled with pilot holes for use with wood screws.
 1" Credenza tops are recommended to work with the Task Panel application.
 Credenza tops are intended to be supported by full lower storage.
 Edge grommet: 35mm deep, 6" in from back corner.

Worksurface Credenza

1 1/2" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCD601()	\$726.	\$726.	\$836.	\$1,131.
		66"	RCD661()	749.	749.	863.	1,164.
		72"	RCD721()	788.	579.	904.	1,222.
		78"	RCD781()	796.	796.	919.	1,240.
		84"	RCD841()	852.	852.	977.	1,318.
		90"	RCD901()	885.	885.	1,016.	1,374.
		96"	RCD961()	919.	919.	1,055.	1,422.
		102"	RCD1021()	1,010.	1,010.	1,161.	1,566.
		108"	RCD1081()	1,111.	1,111.	1,276.	1,721.
	24"	60"	RCD602()	805.	805.	923.	1,246.
		66"	RCD662()	829.	829.	957.	1,290.
		72"	RCD722()	866.	866.	999.	1,350.
		78"	RCD782()	907.	907.	1,049.	1,413.
		84"	RCD842()	946.	946.	1,087.	1,468.
		90"	RCD902()	987.	987.	1,134.	1,530.
		96"	RCD962()	1,025.	1,025.	1,180.	1,592.
		102"	RCD1022()	1,127.	1,127.	1,298.	1,752.
108"		RCD1082()	1,240.	1,240.	1,428.	1,927.	

Order Code

Example: RCEEG601
R Reff
C Credenza
D 1 1/2" top
60 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:
 1. Finish
 L,V1,V2,V3

Application Notes

These tops will always come with a cut out (notch) at the back of top.
 No grommet option.
 Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Credenza tops are drilled to accept pedestals.
 Credenza tops are predrilled with pilot holes for use with wood screws.
 1" Credenza tops are recommended to work with the Task Panel application.
 Credenza tops are intended to be supported by full lower storage.
 Edge grommet: 35mm deep, 6" in from back corner.

Peninsula 1 1/2


Planning Guidelines and Specifications

Peninsulas

Peninsulas for Reff Profiles are a central element in private office planning. Peninsulas are available in two styles; flush mounted and over-sailing. The flush mounted style is intended to connect tops which use full height pedestals for support, creating a flush transition

between the peninsula and the adjoining top. The over-sailing style of peninsula is designed to overlap low storage made up of $\frac{3}{4}$ height cabinets with 1" credenza tops or Progressive low credenzas by using a stand-off to support the peninsula top and create a space between the top and the low storage element.

See diagrams below and page following for descriptions. Peninsulas are offered as complete assemblies including worksurface, leg(s), credenza support, and grommet options.



Peninsula 1 1/2

Planning Guidelines and Specifications

Specification Options

Peninsulas are available with a variety of worksurface shapes including rectilinear, asymmetrical and symmetrical bullet, P, 9 and D shapes.

Peninsula tops are available in any Reff Profiles core laminate or veneer finish; see Reff Profiles finish options pages for further information.

Laminate tops are offered with color-matched edges or wood veneer edges as a mixed finish option. Edge material for veneer tops is wood.


Flush mounted peninsulas, previous page below right, come with Flush Mounting kit including two flush plates and connection hardware.

Over-sailing peninsulas are offered with two stand-off options; Power Center, previous page middle, and Simple stand-off, previous page left.


The Power Center kit is supplied with power center grommet, stand-off, round cable grommet and connection hardware. When specified with a Power Center, the peninsula

top is pre-drilled to accept the Power Center grommet. The Power Center stand-off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.


In the recommended mounting location, the peninsula top will be 2 1/2" from the wall or the back edge of the 1" credenza top (over 3/4 height pedestals). Refer to elevation diagrams below for details.



Over-Sailing Style
Peninsula with Power Center



Flush Mounted Style
Peninsula with Flush Mount



Over-Sailing Style
Peninsula with Simple Stand-Off

Peninsula 1 1/2


Planning Guidelines and Specifications

The Simple Stand-Off kit is supplied with a simple stand-off, stand-off mount, round cable grommet and connection hardware. When specified, the peninsula top is pre-drilled to accept the 2 x 3 grommet. The Simple Stand-Off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.

Power center and 2 x 3 grommets are offered in three plated finishes; Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU) and all core paint finishes.

Stand-Off's are offered in all Reff Profiles core paint finishes.

Rectilinear Tops Right Hand Shown



Peninsula 1 1/2

Planning Guidelines and Specifications

Leg options for Peninsulas include L-leg, reverse L-leg, soft rectangular leg, open frame leg and cylindrical column leg. L, reverse L, soft rectangular and open frame legs are offered with anodized finishes: Black (AN), Polished (AP) and Satin (AU).








Cylindrical column leg is offered with plated finishes: Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU).

All legs are available in all Reff Profiles core paint finishes.

Rectilinear peninsula tops are offered with L, reverse L, soft rectangular, and open frame leg options. All other peninsula tops are offered with cylindrical column leg.

Refer to figures on previous page and following for grommet locations and order codes.

Asymmetric Bullet Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>N</p>		<p>Flush Plates</p>  <p>N</p>
<p>Grommet</p>  <p>S</p>	<p>Power Center</p>  <p>P</p>	
 <p>E</p>		 <p>E</p>
 <p>SE</p>		

Peninsula 1 1/2

Planning Guidelines and Specifications

Construction

Reff Profiles peninsula tops are nominal 1 1/2" thick, consisting of 1 7/16" thick substrate with a laminate or veneer surface finish.

Laminate tops have a laminate top surface with an FSC-certified particle board core and a paper backer sheet for balanced construction. Edges can match the top or are available in a selection

of veneers. Matching edges are in 2.0mm ABS with 2.0mm radius top and bottom edges. End edges overlap the front and back edges with the outside corners minimally radiused.


Edges on veneer tops are 2.4mm thick wood with 2.4mm radius top and bottom edges. Ends overlap front and back edges

with 2.4mm radius on outside corners.

All tops are supplied with pilot holes for hardware inserts for attachment of specified leg options.

Legs are shipped separately, fully assembled with connection hardware included.

Symmetric Bullet Tops Right Hand Shown



Peninsula 1 1/2

Planning Guidelines and Specifications

Planning Notes

1. Partial height modesty is available, sold separately and field installed.
2. J-wire manager is available, sold separately and field installed.
3. Peninsula tops require additional stiffening for spans greater than 54".
4. Peninsula top is right handed when the leg is on the right hand side (from the users perspective) and vice versa.
5. Power center electrical components are not included with the Peninsula and are ordered separately.

P and 9 Tops

Flush Mount Options:

P-Shaped









9-Shaped

<p>No Grommet</p>		
<p>Single Grommet</p>		
<p>Double Grommet</p>		


Peninsula 1 1/2

Planning Guidelines and Specifications

D Tops Right Hand Shown


Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>N</p>		<p>Flush Plates</p>  <p>N</p>
 <p>S</p>	<p>Power Center</p>  <p>P</p>	
 <p>M</p>		 <p>M</p>
 <p>SM</p>	 <p>PM</p>	

Peninsula 1 1/2
 Worksurface with L-leg
 Stand-Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDLPC(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDLPC(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDLPC(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDLPC(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDLPC(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDLPC(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDLPC(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDLPC(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDLPC(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDLPC(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDLPC(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDLPC(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDLPC(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDLPC(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDLPC(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDLPC(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDLPC(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDLPC(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDLPC(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDLPC(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Order Code	Specification Information	Application Notes
Example: RPTDLPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center, PE= Power center grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet option Painted or plated	Refer to grommet page for location option.
L L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		


Peninsula 1 1/2
 Worksurface with L-leg
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	20"	60"	1 1/2"	RPTDLST(L/R)6020() () () ()	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDLST(L/R)6620() () () ()	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDLST(L/R)7220() () () ()	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDLST(L/R)7820() () () ()	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDLST(L/R)8420() () () ()	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDLST(L/R)6024() () () ()	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDLST(L/R)6624() () () ()	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDLST(L/R)7224() () () ()	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDLST(L/R)7824() () () ()	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDLST(L/R)8424() () () ()	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDLST(L/R)6030() () () ()	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDLST(L/R)6630() () () ()	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDLST(L/R)7230() () () ()	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDLST(L/R)7830() () () ()	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDLST(L/R)8430() () () ()	1,580.	1,643.	1,754.	2,054.
	36"	60"	1 1/2"	RPTDLST(L/R)6036() () () ()	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDLST(L/R)6636() () () ()	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDLST(L/R)7236() () () ()	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDLST(L/R)7836() () () ()	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDLST(L/R)8436() () () ()	1,682.	1,751.	1,884.	2,230.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDLST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
L L-Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off grommet with end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
E Grommet Type	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet option	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	


Peninsula 1 1/2
 Worksurface with L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top	20"	36"	1 1/2"	RPTDLFM(L/R)3620() () ()	\$957.	\$1,089.	\$1,131.	\$1,277.
		42"	1 1/2"	RPTDLFM(L/R)4220() () ()	970.	1,112.	1,159.	1,323.
		48"	1 1/2"	RPTDLFM(L/R)4820() () ()	1,173.	1,210.	1,281.	1,471.
		54"	1 1/2"	RPTDLFM(L/R)5420() () ()	1,191.	1,229.	1,306.	1,507.
		60"	1 1/2"	RPTDLFM(L/R)6020() () ()	1,227.	1,270.	1,350.	1,567.
		66"	1 1/2"	RPTDLFM(L/R)6620() () ()	1,238.	1,285.	1,370.	1,590.
		72"	1 1/2"	RPTDLFM(L/R)7220() () ()	1,267.	1,315.	1,400.	1,633.
		78"	1 1/2"	RPTDLFM(L/R)7820() () ()	1,274.	1,320.	1,410.	1,647.
		84"	1 1/2"	RPTDLFM(L/R)8420() () ()	1,306.	1,362.	1,453.	1,704.
		24"	36"	1 1/2"	RPTDLFM(L/R)3624() () ()	969.	1,121.	1,167.
42"	1 1/2"		RPTDLFM(L/R)4224() () ()	991.	1,145.	1,196.	1,381.	
48"	1 1/2"		RPTDLFM(L/R)4824() () ()	1,205.	1,254.	1,330.	1,536.	
54"	1 1/2"		RPTDLFM(L/R)5424() () ()	1,238.	1,285.	1,370.	1,590.	
60"	1 1/2"		RPTDLFM(L/R)6024() () ()	1,277.	1,328.	1,414.	1,651.	
66"	1 1/2"		RPTDLFM(L/R)6624() () ()	1,292.	1,345.	1,438.	1,683.	
72"	1 1/2"		RPTDLFM(L/R)7224() () ()	1,319.	1,372.	1,470.	1,727.	
78"	1 1/2"		RPTDLFM(L/R)7824() () ()	1,345.	1,402.	1,506.	1,774.	
84"	1 1/2"		RPTDLFM(L/R)8424() () ()	1,371.	1,430.	1,534.	1,813.	

Left hand shown

Order Code	Specification Information	Application Notes
Example: RPTDLFM(L/R)3620() () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
IL L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	Peninsula worksurfaces with power center do not come with Electrical Components.
L Left hand/ Right hand		For electrical components please refer to page 466.
36 Width		Products on this page work with 28 3/8" height planning.
20 Depth		Product on this page will accept woodgrain laminate where laminate is currently an option.
M Grommet Option		List price for woodgrain laminate options will be current published laminate list price plus 10%.
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


Peninsula 1 1/2
 Worksurface with L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3	
 Peninsula Rectilinear Top Left hand shown	30"	36"	1 1/2"	RPTDLFM(L/R)3630() () () ()	\$1,009.	\$1,153.	\$1,206.	\$1,397.	
		42"	1 1/2"	RPTDLFM(L/R)4230() () () ()	1,023.	1,176.	1,237.	1,451.	
		48"	1 1/2"	RPTDLFM(L/R)4830() () () ()	1,286.	1,340.	1,426.	1,666.	
		54"	1 1/2"	RPTDLFM(L/R)5430() () () ()	1,310.	1,364.	1,454.	1,706.	
		60"	1 1/2"	RPTDLFM(L/R)6030() () () ()	1,334.	1,387.	1,483.	1,747.	
		66"	1 1/2"	RPTDLFM(L/R)6630() () () ()	1,344.	1,401.	1,505.	1,773.	
		72"	1 1/2"	RPTDLFM(L/R)7230() () () ()	1,362.	1,417.	1,519.	1,793.	
		78"	1 1/2"	RPTDLFM(L/R)7830() () () ()	1,389.	1,450.	1,557.	1,844.	
		84"	1 1/2"	RPTDLFM(L/R)8430() () () ()	1,415.	1,478.	1,589.	1,889.	
		36"	36"	1 1/2"	RPTDLFM(L/R)3636() () () ()	1,043.	1,179.	1,241.	1,458.
		42"	42"	1 1/2"	RPTDLFM(L/R)4236() () () ()	1,061.	1,216.	1,286.	1,531.
		48"	48"	1 1/2"	RPTDLFM(L/R)4836() () () ()	1,378.	1,441.	1,540.	1,808.
		54"	54"	1 1/2"	RPTDLFM(L/R)5436() () () ()	1,401.	1,464.	1,569.	1,848.
		60"	60"	1 1/2"	RPTDLFM(L/R)6036() () () ()	1,424.	1,487.	1,598.	1,889.
		66"	66"	1 1/2"	RPTDLFM(L/R)6636() () () ()	1,447.	1,513.	1,632.	1,945.
		72"	72"	1 1/2"	RPTDLFM(L/R)7236() () () ()	1,471.	1,540.	1,660.	1,984.
78"	78"	1 1/2"	RPTDLFM(L/R)7836() () () ()	1,495.	1,563.	1,689.	2,025.		
84"	84"	1 1/2"	RPTDLFM(L/R)8436() () () ()	1,517.	1,586.	1,719.	2,065.		

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDLFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
IL L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	Peninsula worksurfaces with power center do not come with Electrical Components. For electrical components please refer to page 466. Products on this page work with 28 3/8" height planning. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Left hand/ Right hand		
36 Width		
20 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

*Worksurface with Reverse L-leg
Stand Off with Power Center, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRPC(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDRPC(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDRPC(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDRPC(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDRPC(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDRPC(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDRPC(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDRPC(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDRPC(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDRPC(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDRPC(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDRPC(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDRPC(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDRPC(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDRPC(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDRPC(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDRPC(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDRPC(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDRPC(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDRPC(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Order Code	Specification Information	Application Notes
Example: RPTDRPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center, PE=Power center plus end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
30 Depth		
40 Width		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-off finish		


Peninsula 1 1/2
 Worksurface with Reverse L-leg
 Simple Stand Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRST(L/R)6020() () ()	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDRST(L/R)6620() () ()	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDRST(L/R)7220() () ()	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDRST(L/R)7820() () ()	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDRST(L/R)8420() () ()	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDRST(L/R)6024() () ()	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDRST(L/R)6624() () ()	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDRST(L/R)7224() () ()	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDRST(L/R)7824() () ()	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDRST(L/R)8424() () ()	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDRST(L/R)6030() () ()	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDRST(L/R)6630() () ()	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDRST(L/R)7230() () ()	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDRST(L/R)7830() () ()	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDRST(L/R)8430() () ()	1,580.	1,643.	1,105.	2,054.
	36"	60"	1 1/2"	RPTDRST(L/R)6036() () ()	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDRST(L/R)6636() () ()	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDRST(L/R)7236() () ()	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDRST(L/R)7836() () ()	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDRST(L/R)8436() () ()	1,682.	1,751.	1,884.	2,230.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDRST(L/R)6030() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
R Reverse L-leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off and end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
SE Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

*Worksurface with Reverse L-leg
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDRFM(L/R)3620() () () ()	\$957.	\$1,089.	\$1,131.	\$1,277.
		42"	1 1/2"	RPTDRFM(L/R)4220() () () ()	970.	1,112.	1,159.	1,323.
		48"	1 1/2"	RPTDRFM(L/R)4820() () () ()	1,173.	1,210.	1,281.	1,471.
		54"	1 1/2"	RPTDRFM(L/R)5420() () () ()	1,191.	1,229.	1,306.	1,507.
		60"	1 1/2"	RPTDRFM(L/R)6020() () () ()	1,227.	1,270.	1,350.	1,567.
		66"	1 1/2"	RPTDRFM(L/R)6620() () () ()	1,238.	1,285.	1,370.	1,590.
		72"	1 1/2"	RPTDRFM(L/R)7220() () () ()	1,267.	1,315.	1,400.	1,633.
		78"	1 1/2"	RPTDRFM(L/R)7820() () () ()	1,274.	1,320.	1,410.	1,647.
		84"	1 1/2"	RPTDRFM(L/R)8420() () () ()	1,306.	1,362.	1,453.	1,704.
		24"	36"	1 1/2"	RPTDRFM(L/R)3624() () () ()	969.	1,121.	1,167.
42"	1 1/2"		RPTDRFM(L/R)4224() () () ()	991.	1,145.	1,196.	1,381.	
48"	1 1/2"		RPTDRFM(L/R)4824() () () ()	1,205.	1,254.	1,330.	1,536.	
54"	1 1/2"		RPTDRFM(L/R)5424() () () ()	1,238.	1,285.	1,370.	1,590.	
60"	1 1/2"		RPTDRFM(L/R)6024() () () ()	1,277.	1,328.	1,414.	1,651.	
66"	1 1/2"		RPTDRFM(L/R)6624() () () ()	1,292.	1,345.	1,438.	1,683.	
72"	1 1/2"		RPTDRFM(L/R)7224() () () ()	1,319.	1,372.	1,470.	1,727.	
78"	1 1/2"		RPTDRFM(L/R)7824() () () ()	1,345.	1,402.	1,506.	1,774.	
84"	1 1/2"		RPTDRFM(L/R)8424() () () ()	1,371.	1,430.	1,534.	1,813.	


Order Code	Specification Information	Application Notes
Example: RPTDRFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Leg	5. Leg finish Painted or Anodized	Peninsula worksurfaces with power center do not come with Electrical Components. For electrical components please refer to page 466. Products on this page work with 28 3/8" height planning. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Left hand/ Right hand		
36 Width		
20 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2
 Worksurface with Reverse L-leg
 Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3	
 <p>Left hand shown</p>	30"	36"	1 1/2"	RPTDRFM(L/R)3630() () () ()	\$1,009.	\$1,153.	\$1,206.	\$1,397.	
		42"	1 1/2"	RPTDRFM(L/R)4230() () () ()	1,023.	1,176.	1,237.	1,451.	
		48"	1 1/2"	RPTDRFM(L/R)4830() () () ()	1,286.	1,340.	1,426.	1,666.	
		54"	1 1/2"	RPTDRFM(L/R)5430() () () ()	1,310.	1,364.	1,454.	1,706.	
		60"	1 1/2"	RPTDRFM(L/R)6030() () () ()	1,334.	1,387.	1,483.	1,747.	
		66"	1 1/2"	RPTDRFM(L/R)6630() () () ()	1,344.	1,401.	1,505.	1,773.	
		72"	1 1/2"	RPTDRFM(L/R)7230() () () ()	1,362.	1,417.	1,519.	1,793.	
		78"	1 1/2"	RPTDRFM(L/R)7830() () () ()	1,389.	1,450.	1,557.	1,844.	
		84"	1 1/2"	RPTDRFM(L/R)8430() () () ()	1,415.	1,478.	1,589.	1,889.	
		36"	36"	1 1/2"	RPTDRFM(L/R)3636() () () ()	1,043.	1,179.	1,141.	1,458.
		42"	42"	1 1/2"	RPTDRFM(L/R)4236() () () ()	1,061.	1,216.	1,286.	1,531.
		48"	48"	1 1/2"	RPTDRFM(L/R)4836() () () ()	1,378.	1,441.	1,540.	1,808.
		54"	54"	1 1/2"	RPTDRFM(L/R)5436() () () ()	1,401.	1,464.	1,569.	1,848.
		54"	54"	1 1/2"	RPTDRFM(L/R)6036() () () ()	1,424.	1,487.	1,598.	1,889.
		66"	66"	1 1/2"	RPTDRFM(L/R)6636() () () ()	1,447.	1,513.	1,632.	1,945.
		72"	72"	1 1/2"	RPTDRFM(L/R)7236() () () ()	1,471.	1,540.	1,660.	1,984.
78"	78"	1 1/2"	RPTDRFM(L/R)7836() () () ()	1,495.	1,563.	1,689.	2,025.		
84"	84"	1 1/2"	RPTDRFM(L/R)8436() () () ()	1,517.	1,586.	1,719.	2,065.		


Order Code	Specification Information	Application Notes
Example: RPTDRFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Leg	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		Peninsula worksurfaces with power center do not come with Electrical Components.
36 Width		For electrical components please refer to page 466.
20 Depth		Products on this page work with 28 3/8" height planning.
M Grommet Option		Product on this page will accept woodgrain laminate where laminate is currently an option.
115 Grommet Finish		List price for woodgrain laminate options will be current published laminate list price plus 10%.
114 Worksurface Finish		
115 Leg Finish		

*Worksurface with Soft Rectangular Leg
Stand Off with Power Center, Rectilinear top*

description	d	w	th	pattern number	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDSPC(L/R)6020() () () ()	\$1,510.	\$1,553.	\$1,634.	\$1,850.
		66"	1 1/2"	RPTDSPC(L/R)6620() () () ()	1,521.	1,569.	1,653.	1,874.
		72"	1 1/2"	RPTDSPC(L/R)7220() () () ()	1,550.	1,599.	1,683.	1,916.
		78"	1 1/2"	RPTDSPC(L/R)7820() () () ()	1,557.	1,604.	1,693.	1,930.
		84"	1 1/2"	RPTDSPC(L/R)8420() () () ()	1,589.	1,645.	1,737.	1,987.
	24"	60"	1 1/2"	RPTDSPC(L/R)6024() () () ()	1,560.	1,611.	1,697.	1,934.
		66"	1 1/2"	RPTDSPC(L/R)6624() () () ()	1,575.	1,628.	1,721.	1,966.
		72"	1 1/2"	RPTDSPC(L/R)7224() () () ()	1,603.	1,655.	1,753.	2,011.
		78"	1 1/2"	RPTDSPC(L/R)7824() () () ()	1,628.	1,685.	1,789.	2,057.
		84"	1 1/2"	RPTDSPC(L/R)8424() () () ()	1,654.	1,713.	1,817.	2,096.
	30"	60"	1 1/2"	RPTDSPC(L/R)6030() () () ()	1,617.	1,671.	1,766.	2,030.
		66"	1 1/2"	RPTDSPC(L/R)6630() () () ()	1,627.	1,684.	1,788.	2,056.
		72"	1 1/2"	RPTDSPC(L/R)7230() () () ()	1,645.	1,701.	1,803.	2,076.
		78"	1 1/2"	RPTDSPC(L/R)7830() () () ()	1,673.	1,733.	1,841.	2,127.
		84"	1 1/2"	RPTDSPC(L/R)8430() () () ()	1,698.	1,761.	1,873.	2,172.
	36"	60"	1 1/2"	RPTDSPC(L/R)6036() () () ()	1,708.	1,771.	1,881.	2,172.
		66"	1 1/2"	RPTDSPC(L/R)6636() () () ()	1,730.	1,796.	1,915.	2,228.
		72"	1 1/2"	RPTDSPC(L/R)7236() () () ()	1,754.	1,823.	1,944.	2,267.
		78"	1 1/2"	RPTDSPC(L/R)7836() () () ()	1,778.	1,846.	1,972.	2,308.
		84"	1 1/2"	RPTDSPC(L/R)8436() () () ()	1,800.	1,869.	2,002.	2,348.


Order Code	Specification Information	Application Notes
Example: RPTDSPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		Peninsula worksurfaces with power center do not come with Electrical Components.
30 Depth		For electrical components please refer to page 466.
P Grommet Option		Products on this page work with 28 3/8" height planning.
115 Grommet Finish		Product on this page will accept woodgrain laminate where laminate is currently an option.
114 Worksurface Finish		List price for woodgrain laminate options will be current published laminate list price plus 10%.
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2
 Worksurface with Soft Rectangular Leg
 Simple Stand Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top Left hand shown	20"	60"	1 1/2"	RPTDSST(L/R)6020() () () ()	\$1,438.	\$1,481.	\$1,561.	\$1,778.
		66"	1 1/2"	RPTDSST(L/R)6620() () () ()	1,449.	1,497.	1,581.	1,801.
		72"	1 1/2"	RPTDSST(L/R)7220() () () ()	1,478.	1,526.	1,611.	1,844.
		78"	1 1/2"	RPTDSST(L/R)7820() () () ()	1,485.	1,532.	1,621.	1,858.
		84"	1 1/2"	RPTDSST(L/R)8420() () () ()	1,517.	1,573.	1,664.	1,915.
	24"	60"	1 1/2"	RPTDSST(L/R)6024() () () ()	1,488.	1,539.	1,625.	1,862.
		66"	1 1/2"	RPTDSST(L/R)6624() () () ()	1,503.	1,556.	1,649.	1,894.
		72"	1 1/2"	RPTDSST(L/R)7224() () () ()	1,531.	1,583.	1,681.	1,938.
		78"	1 1/2"	RPTDSST(L/R)7824() () () ()	1,556.	1,613.	1,717.	1,985.
		84"	1 1/2"	RPTDSST(L/R)8424() () () ()	1,582.	1,641.	1,745.	2,024.
	30"	60"	1 1/2"	RPTDSST(L/R)6030() () () ()	1,545.	1,599.	1,694.	1,958.
		66"	1 1/2"	RPTDSST(L/R)6630() () () ()	1,555.	1,612.	1,716.	1,984.
		72"	1 1/2"	RPTDSST(L/R)7230() () () ()	1,573.	1,628.	1,730.	2,004.
		78"	1 1/2"	RPTDSST(L/R)7830() () () ()	1,601.	1,661.	1,769.	2,055.
		84"	1 1/2"	RPTDSST(L/R)8430() () () ()	1,626.	1,689.	1,800.	2,100.
	36"	60"	1 1/2"	RPTDSST(L/R)6036() () () ()	1,636.	1,698.	1,809.	2,100.
		66"	1 1/2"	RPTDSST(L/R)6636() () () ()	1,658.	1,724.	1,843.	2,156.
		72"	1 1/2"	RPTDSST(L/R)7236() () () ()	1,682.	1,751.	1,872.	2,195.
		78"	1 1/2"	RPTDSST(L/R)7836() () () ()	1,706.	1,774.	1,900.	2,236.
		84"	1 1/2"	RPTDSST(L/R)8436() () () ()	1,728.	1,797.	1,930.	2,276.


Order Code	Specification Information	Application Notes
Example: RPTDSST(L/R)6030() () () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
S Soft Rectangular Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand Off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off and end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
E Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

*Worksurface with Soft Rectangular Leg
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDSFM(L/R)3620() () () ()	\$1,094.	\$1,226.	\$1,268.	\$1,414.
		42"	1 1/2"	RPTDSFM(L/R)4220() () () ()	1,107.	1,249.	1,296.	1,460.
		48"	1 1/2"	RPTDSFM(L/R)4820() () () ()	1,220.	1,257.	1,328.	1,517.
		54"	1 1/2"	RPTDSFM(L/R)5420() () () ()	1,237.	1,275.	1,352.	1,553.
		60"	1 1/2"	RPTDSFM(L/R)6020() () () ()	1,273.	1,316.	1,397.	1,613.
		66"	1 1/2"	RPTDSFM(L/R)6620() () () ()	1,284.	1,332.	1,416.	1,637.
		72"	1 1/2"	RPTDSFM(L/R)7220() () () ()	1,313.	1,362.	1,446.	1,679.
		78"	1 1/2"	RPTDSFM(L/R)7820() () () ()	1,320.	1,367.	1,456.	1,693.
		84"	1 1/2"	RPTDSFM(L/R)8420() () () ()	1,352.	1,408.	1,500.	1,750.
		24"	36"	1 1/2"	RPTDSFM(L/R)3624() () () ()	1,106.	1,258.	1,304.
42"	1 1/2"		RPTDSFM(L/R)4224() () () ()	1,128.	1,282.	1,333.	1,518.	
48"	1 1/2"		RPTDSFM(L/R)4824() () () ()	1,251.	1,300.	1,376.	1,582.	
54"	1 1/2"		RPTDSFM(L/R)5424() () () ()	1,284.	1,332.	1,416.	1,637.	
60"	1 1/2"		RPTDSFM(L/R)6024() () () ()	1,324.	1,374.	1,461.	1,697.	
66"	1 1/2"		RPTDSFM(L/R)6624() () () ()	1,338.	1,392.	1,484.	1,729.	
72"	1 1/2"		RPTDSFM(L/R)7224() () () ()	1,366.	1,418.	1,516.	1,774.	
78"	1 1/2"		RPTDSFM(L/R)7824() () () ()	1,392.	1,448.	1,552.	1,820.	
84"	1 1/2"		RPTDSFM(L/R)8424() () () ()	1,417.	1,476.	1,580.	1,859.	
30"	36"		1 1/2"	RPTDSFM(L/R)3630() () () ()	1,146.	1,290.	1,343.	1,534.
	42"	1 1/2"	RPTDSFM(L/R)4230() () () ()	1,160.	1,313.	1,373.	1,588.	
	48"	1 1/2"	RPTDSFM(L/R)4830() () () ()	1,333.	1,386.	1,472.	1,712.	
	54"	1 1/2"	RPTDSFM(L/R)5430() () () ()	1,357.	1,410.	1,501.	1,752.	
	60"	1 1/2"	RPTDSFM(L/R)6030() () () ()	1,380.	1,434.	1,530.	1,793.	
	66"	1 1/2"	RPTDSFM(L/R)6630() () () ()	1,391.	1,447.	1,551.	1,819.	
	72"	1 1/2"	RPTDSFM(L/R)7230() () () ()	1,408.	1,464.	1,566.	1,840.	
	78"	1 1/2"	RPTDSFM(L/R)7830() () () ()	1,436.	1,497.	1,604.	1,890.	
	84"	1 1/2"	RPTDSFM(L/R)8430() () () ()	1,462.	1,524.	1,636.	1,935.	
	36"	36"	1 1/2"	RPTDSFM(L/R)3636() () () ()	1,180.	1,316.	1,378.	1,595.
42"		1 1/2"	RPTDSFM(L/R)4236() () () ()	1,198.	1,353.	1,423.	1,668.	
48"		1 1/2"	RPTDSFM(L/R)4836() () () ()	1,424.	1,487.	1,586.	1,854.	
54"		1 1/2"	RPTDSFM(L/R)5436() () () ()	1,447.	1,510.	1,615.	1,894.	
60"		1 1/2"	RPTDSFM(L/R)6036() () () ()	1,471.	1,534.	1,644.	1,935.	

Order Code	Specification Information	Application Notes
Example: RPTDSFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End N=No grommet M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Platef	5. Leg finish Painted or Anodized	Peninsula worksurfaces with power center do not come with Electrical Components. For electrical components please refer to page 466. Products on this page work with 28 3/8" height planning. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Left hand/ Right hand		
48 Width		
30 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		


*Worksurface with Soft Rectangular Leg
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
	36"	66"	1 1/2"	RPTDSFM(L/R)6636() () () ()	\$1,494.	\$1,559.	\$1,678.	\$1,991.
		72"	1 1/2"	RPTDSFM(L/R)7236() () () ()	1,517.	1,586.	1,707.	2,030.
		78"	1 1/2"	RPTDSFM(L/R)7836() () () ()	1,541.	1,609.	1,736.	2,071.
		84"	1 1/2"	RPTDSFM(L/R)8436() () () ()	1,564.	1,633.	1,765.	2,112.

Left hand shown


Order Code	Specification Information	Application Notes
Example: RPTDSFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End N=No grommet M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Platef	5. Leg finish Painted or Anodized	Peninsula worksurfaces with power center do not come with Electrical Components. For electrical components please refer to page 466. Products on this page work with 28 3/8" height planning. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Left hand/ Right hand		
48 Width		
30 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

*Worksurface with Open Frame Leg
Stand-Off with Power Center, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	60"	1 1/2"	RPTDOPC(L/R)6020() () () ()	\$1,536.	\$1,579.	\$1,659.	\$1,876.
		66"	1 1/2"	RPTDOPC(L/R)6620() () () ()	1,547.	1,594.	1,679.	1,899.
		72"	1 1/2"	RPTDOPC(L/R)7220() () () ()	1,576.	1,624.	1,709.	1,942.
		78"	1 1/2"	RPTDOPC(L/R)7820() () () ()	1,583.	1,629.	1,719.	1,956.
		84"	1 1/2"	RPTDOPC(L/R)8420() () () ()	1,615.	1,671.	1,762.	2,013.
	24"	60"	1 1/2"	RPTDOPC(L/R)6024() () () ()	1,586.	1,637.	1,723.	1,960.
		66"	1 1/2"	RPTDOPC(L/R)6624() () () ()	1,601.	1,654.	1,747.	1,992.
		72"	1 1/2"	RPTDOPC(L/R)7224() () () ()	1,628.	1,681.	1,779.	2,036.
		78"	1 1/2"	RPTDOPC(L/R)7824() () () ()	1,654.	1,711.	1,815.	2,083.
		84"	1 1/2"	RPTDOPC(L/R)8424() () () ()	1,680.	1,739.	1,843.	2,122.
	30"	60"	1 1/2"	RPTDOPC(L/R)6030() () () ()	1,643.	1,696.	1,792.	2,056.
		66"	1 1/2"	RPTDOPC(L/R)6630() () () ()	1,653.	1,710.	1,814.	2,082.
		72"	1 1/2"	RPTDOPC(L/R)7230() () () ()	1,671.	1,726.	1,828.	2,102.
		78"	1 1/2"	RPTDOPC(L/R)7830() () () ()	1,698.	1,759.	1,866.	2,153.
		84"	1 1/2"	RPTDOPC(L/R)8430() () () ()	1,724.	1,787.	1,898.	2,198.
	36"	60"	1 1/2"	RPTDOPC(L/R)6036() () () ()	1,733.	1,796.	1,907.	2,198.
		66"	1 1/2"	RPTDOPC(L/R)6636() () () ()	1,756.	1,822.	1,941.	2,254.
		72"	1 1/2"	RPTDOPC(L/R)7236() () () ()	1,780.	1,849.	1,969.	2,293.
		78"	1 1/2"	RPTDOPC(L/R)7836() () () ()	1,804.	1,872.	1,998.	2,334.
		84"	1 1/2"	RPTDOPC(L/R)8436() () () ()	1,826.	1,895.	2,028.	2,374.

Order Code	Specification Information	Application Notes
Example: RPTDOPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		Peninsula worksurfaces with power center do not come with Electrical Components.
30 Depth		For electrical components please refer to page 466.
P Grommet Option		Products on this page work with 28 3/8" height planning.
115 Grommet Finish		Product on this page will accept woodgrain laminate where laminate is currently an option.
114 Worksurface Finish		List price for woodgrain laminate options will be current published laminate list price plus 10%.
115 Leg Finish		
115 Stand-Off Finish		


Peninsula 1 1/2
 Worksurface with Open Frame Leg
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDOST(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDOST(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDOST(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDOST(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDOST(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDOST(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDOST(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDOST(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDOST(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDOST(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDOST(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDOST(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDOST(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDOST(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDOST(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDOST(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDOST(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDOST(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDOST(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDOST(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDOST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	M=Mid. grommet	Refer to grommet page for location option.
O Open Frame Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	S=Stand-off	
L Left hand/ Right hand	SE=Stand-off and end location	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
S Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

*Worksurface with Open Frame Leg
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	36"	1 1/2"	RPTDOFM(L/R)3620() () () ()	\$1,292.	\$1,424.	\$1,466.	\$1,612.
		42"	1 1/2"	RPTDOFM(L/R)4220() () () ()	1,305.	1,447.	1,488.	1,652.
		48"	1 1/2"	RPTDOFM(L/R)4820() () () ()	1,245.	1,282.	1,353.	1,543.
		54"	1 1/2"	RPTDOFM(L/R)5420() () () ()	1,263.	1,301.	1,378.	1,579.
		60"	1 1/2"	RPTDOFM(L/R)6020() () () ()	1,299.	1,342.	1,422.	1,639.
		66"	1 1/2"	RPTDOFM(L/R)6620() () () ()	1,310.	1,358.	1,442.	1,662.
		72"	1 1/2"	RPTDOFM(L/R)7220() () () ()	1,339.	1,387.	1,472.	1,705.
		78"	1 1/2"	RPTDOFM(L/R)7820() () () ()	1,346.	1,393.	1,482.	1,719.
		84"	1 1/2"	RPTDOFM(L/R)8420() () () ()	1,378.	1,434.	1,525.	1,776.
		<hr/>						
	24"	36"	1 1/2"	RPTDOFM(L/R)3624() () () ()	1,345.	1,497.	1,543.	1,708.
		42"	1 1/2"	RPTDOFM(L/R)4224() () () ()	1,366.	1,521.	1,572.	1,756.
		48"	1 1/2"	RPTDOFM(L/R)4824() () () ()	1,277.	1,326.	1,402.	1,608.
		54"	1 1/2"	RPTDOFM(L/R)5424() () () ()	1,310.	1,358.	1,442.	1,662.
		60"	1 1/2"	RPTDOFM(L/R)6024() () () ()	1,349.	1,400.	1,486.	1,723.
		66"	1 1/2"	RPTDOFM(L/R)6624() () () ()	1,364.	1,417.	1,510.	1,755.
		72"	1 1/2"	RPTDOFM(L/R)7224() () () ()	1,392.	1,444.	1,542.	1,799.
		78"	1 1/2"	RPTDOFM(L/R)7824() () () ()	1,417.	1,474.	1,578.	1,846.
		84"	1 1/2"	RPTDOFM(L/R)8424() () () ()	1,443.	1,502.	1,606.	1,885.
		<hr/>						
	30"	36"	1 1/2"	RPTDOFM(L/R)3630() () () ()	1,446.	1,589.	1,643.	1,834.
		42"	1 1/2"	RPTDOFM(L/R)4230() () () ()	1,460.	1,613.	1,673.	1,888.
		48"	1 1/2"	RPTDOFM(L/R)4830() () () ()	1,359.	1,412.	1,498.	1,738.
		54"	1 1/2"	RPTDOFM(L/R)5430() () () ()	1,382.	1,436.	1,526.	1,778.
		60"	1 1/2"	RPTDOFM(L/R)6030() () () ()	1,406.	1,460.	1,555.	1,819.
		66"	1 1/2"	RPTDOFM(L/R)6630() () () ()	1,416.	1,473.	1,577.	1,845.
		72"	1 1/2"	RPTDOFM(L/R)7230() () () ()	1,434.	1,489.	1,591.	1,865.
		78"	1 1/2"	RPTDOFM(L/R)7830() () () ()	1,462.	1,522.	1,629.	1,916.
		84"	1 1/2"	RPTDOFM(L/R)8430() () () ()	1,487.	1,550.	1,661.	1,961.
		<hr/>						
	36"	36"	1 1/2"	RPTDOFM(L/R)3636() () () ()	1,581.	1,718.	1,779.	1,997.
		42"	1 1/2"	RPTDOFM(L/R)4236() () () ()	1,599.	1,755.	1,825.	2,070.
		48"	1 1/2"	RPTDOFM(L/R)4836() () () ()	1,450.	1,513.	1,612.	1,880.
		54"	1 1/2"	RPTDOFM(L/R)5436() () () ()	1,473.	1,536.	1,641.	1,920.
		60"	1 1/2"	RPTDOFM(L/R)6036() () () ()	1,507.	1,559.	1,670.	1,961.

Order Code	Specification Information	Application Notes
Example: RPTDOFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End M=Mid. grommet N=No grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	Peninsula worksurfaces with power center do not come with Electrical Components. For electrical components please refer to page 466. Products on this page work with 28 3/8" height planning. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Left hand/ Right hand		
36 Width		
20 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		




Peninsula 1 1/2
Worksurface with Open Frame Leg
Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
	36"	66"	1 1/2"	RPTDOFM(L/R)6636() () () ()	\$1,519.	\$1,585.	\$1,704.	\$2,017.
		72"	1 1/2"	RPTDOFM(L/R)7236() () () ()	1,543.	1,612.	1,732.	2,056.
		78"	1 1/2"	RPTDOFM(L/R)7836() () () ()	1,567.	1,635.	1,761.	2,097.
		84"	1 1/2"	RPTDOFM(L/R)8436() () () ()	1,589.	1,658.	1,791.	2,137.

Left hand shown

Order Code	Specification Information	Application Notes
Example: RPTDOFM(L/R)3620() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End M=Mid. grommet N=No grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	Peninsula worksurfaces with power center do not come with Electrical Components.
L Left hand/ Right hand		For electrical components please refer to page 466.
36 Width		Products on this page work with 28 3/8" height planning.
20 Depth		Product on this page will accept woodgrain laminate where laminate is currently an option.
E Grommet Option		List price for woodgrain laminate options will be current published laminate list price plus 10%.
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2
 Open Frame Leg Infill Options
 Infills for Peninsulas only


description	th	w	h	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEI202()	\$296.	\$376.	\$433.	\$563.	
	1"	24"	28 3/8"	RIPPEI242()	304.	386.	444.	578.	
	1"	30"	28 3/8"	RIPPEI302()	320.	406.	467.	608.	
	1"	36"	28 3/8"	RIPPEI362()	339.	431.	495.	644.	
Outside Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEO202()	297.	378.	434.	565.	
	1"	24"	28 3/8"	RIPPEO242()	305.	388.	446.	579.	
	1"	30"	28 3/8"	RIPPEO302()	322.	409.	470.	611.	
	1"	36"	28 3/8"	RIPPEO362()	340.	432.	497.	646.	
Outside Glass Infill Options for Open Frame Legs 	1"	20"	28 3/8"	RIPPEOG202()					750.
	1"	24"	28 3/8"	RIPPEOG242()					846.
	1"	30"	28 3/8"	RIPPEOG302()					995.
	1"	36"	28 3/8"	RIPPEOG362()					1,148.

Order Code	Specification Information	Application Notes
Example: RIPPEI202 R Reff Profiles IP Infill Panel PE Peninsula End I Inside 20 Width 2 28 3/8" h: Desk Height () Finish	<i>To order please specify pattern number including:</i> 1. Finish: L, V1,V2,V3,Glass I=Inside O=Outside OG=Outside Glass Glass options: GL11, GL14, GL15, GL18	Both Inside and Outside infill panels are required and must be ordered separately. Infills; fill entire opening of open frame legs. Infills connect to each other. Can be removed without any damage to the frame legs. Glass Option is only available for outside infill. Inside infill options are wood or laminate.

Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


*Worksurface with Thick End Panel
Stand-Off with Power Center, Rectilinear top*

description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	L/V1	L/V2	L/V3
 Peninsula, Rectilinear Top <i>Left hand shown</i>	20"	60"	1 1/2"	RPTDEPC(L/R)6020() () () ()	\$1,369.	\$1,805.	\$2,076.	\$2,698.	\$2,203.	\$2,288.	\$2,387.
		66"	1 1/2"	RPTDEPC(L/R)6620() () () ()	1,379.	1,823.	2,096.	2,725.	2,218.	2,303.	2,402.
		72"	1 1/2"	RPTDEPC(L/R)7220() () () ()	1,389.	1,850.	2,128.	2,766.	2,243.	2,329.	2,427.
		78"	1 1/2"	RPTDEPC(L/R)7820() () () ()	1,400.	1,868.	2,148.	2,793.	2,258.	2,343.	2,442.
		84"	1 1/2"	RPTDEPC(L/R)8420() () () ()	1,410.	1,903.	2,189.	2,845.	2,293.	2,379.	2,478.
	24"	60"	1 1/2"	RPTDEPC(L/R)6024() () () ()	1,403.	1,851.	2,129.	2,768.	2,243.	2,328.	2,427.
		66"	1 1/2"	RPTDEPC(L/R)6624() () () ()	1,415.	1,873.	2,154.	2,800.	2,261.	2,346.	2,445.
		72"	1 1/2"	RPTDEPC(L/R)7224() () () ()	1,455.	1,894.	2,178.	2,831.	2,278.	2,364.	2,462.
		78"	1 1/2"	RPTDEPC(L/R)7824() () () ()	1,467.	1,924.	2,212.	2,876.	2,305.	2,391.	2,489.
		84"	1 1/2"	RPTDEPC(L/R)8424() () () ()	1,479.	1,961.	2,255.	2,932.	2,342.	2,428.	2,526.
	30"	60"	1 1/2"	RPTDEPC(L/R)6030() () () ()	1,569.	1,908.	2,194.	2,852.	2,291.	2,377.	2,476.
		66"	1 1/2"	RPTDEPC(L/R)6630() () () ()	1,582.	1,933.	2,223.	2,890.	2,312.	2,397.	2,496.
		72"	1 1/2"	RPTDEPC(L/R)7230() () () ()	1,597.	1,967.	2,263.	2,941.	2,343.	2,429.	2,527.
		78"	1 1/2"	RPTDEPC(L/R)7830() () () ()	1,611.	1,994.	2,293.	2,981.	2,365.	2,451.	2,549.
		84"	1 1/2"	RPTDEPC(L/R)8430() () () ()	1,625.	2,044.	2,350.	3,056.	2,414.	2,500.	2,599.
	36"	60"	1 1/2"	RPTDEPC(L/R)6036() () () ()	1,634.	1,964.	2,258.	2,936.	2,340.	2,425.	2,524.
		66"	1 1/2"	RPTDEPC(L/R)6636() () () ()	1,650.	1,994.	2,293.	2,982.	2,365.	2,450.	2,549.
		72"	1 1/2"	RPTDEPC(L/R)7236() () () ()	1,667.	2,032.	2,337.	3,038.	2,399.	2,484.	2,583.
		78"	1 1/2"	RPTDEPC(L/R)7836() () () ()	1,686.	2,063.	2,372.	3,084.	2,424.	2,509.	2,608.
		84"	1 1/2"	RPTDEPC(L/R)8436() () () ()	1,701.	2,109.	2,426.	3,154.	2,468.	2,553.	2,652.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDEPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i> P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. <i>Grommet finish:</i> Painted or plated	Refer to grommet page for location option.
E Thick End Panel Leg	4. <i>Worksurface finish:</i> L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. <i>Leg finish:</i> Wood or Laminate	Peninsula worksurfaces with power center do not come with Electrical Components.
L Left hand/ Right hand	6. <i>Stand-off finish:</i> Painted	For electrical components please refer to page 466.
60 Width		Products on this page work with 28 3/8" height planning.
20 Depth		Product on this page will accept woodgrain laminate where laminate is currently an option.
P Grommet Option		List price for woodgrain laminate options will be current published laminate list price plus 10%.
115 Grommet Finish		
V316 Worksurface Finish		
V316 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2
 Worksurface with Thick End Panel
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	L/V1	L/V2	L/V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDEST(L/R)6020() () () ()	\$1,213.	\$1,659.	\$1,908.	\$2,480.	\$2,035.	\$2,120.	\$2,219.
		66"	1 1/2"	RPTDEST(L/R)6620() () () ()	1,223.	1,677.	1,928.	2,507.	2,050.	2,135.	2,234.
		72"	1 1/2"	RPTDEST(L/R)7220() () () ()	1,233.	1,704.	1,960.	2,547.	2,075.	2,161.	2,259.
		78"	1 1/2"	RPTDEST(L/R)7820() () () ()	1,243.	1,722.	1,980.	2,575.	2,090.	2,175.	2,274.
		84"	1 1/2"	RPTDEST(L/R)8420() () () ()	1,253.	1,758.	2,022.	2,628.	2,125.	2,211.	2,310.
	24"	60"	1 1/2"	RPTDEST(L/R)6024() () () ()	1,247.	1,705.	1,961.	2,549.	2,075.	2,160.	2,259.
		66"	1 1/2"	RPTDEST(L/R)6624() () () ()	1,259.	1,727.	1,986.	2,582.	2,093.	2,178.	2,277.
		72"	1 1/2"	RPTDEST(L/R)7224() () () ()	1,299.	1,748.	2,010.	2,613.	2,110.	2,196.	2,294.
		78"	1 1/2"	RPTDEST(L/R)7824() () () ()	1,311.	1,778.	2,044.	2,657.	2,137.	2,223.	2,321.
		84"	1 1/2"	RPTDEST(L/R)8424() () () ()	1,323.	1,815.	2,087.	2,714.	2,174.	2,260.	2,358.
	30"	60"	1 1/2"	RPTDEST(L/R)6030() () () ()	1,412.	1,762.	2,026.	2,634.	2,123.	2,209.	2,308.
		66"	1 1/2"	RPTDEST(L/R)6630() () () ()	1,426.	1,787.	2,055.	2,672.	2,144.	2,229.	2,328.
		72"	1 1/2"	RPTDEST(L/R)7230() () () ()	1,441.	1,821.	2,095.	2,723.	2,175.	2,261.	2,359.
		78"	1 1/2"	RPTDEST(L/R)7830() () () ()	1,455.	1,848.	2,125.	2,752.	2,197.	2,283.	2,381.
		84"	1 1/2"	RPTDEST(L/R)8430() () () ()	1,469.	1,898.	2,182.	2,837.	2,246.	2,332.	2,431.
	36"	60"	1 1/2"	RPTDEST(L/R)6036() () () ()	1,477.	1,818.	2,090.	2,717.	2,172.	2,257.	2,356.
		66"	1 1/2"	RPTDEST(L/R)6636() () () ()	1,494.	1,848.	2,125.	2,763.	2,197.	2,582.	2,381.
		72"	1 1/2"	RPTDEST(L/R)7236() () () ()	1,511.	1,886.	2,169.	2,820.	2,231.	2,316.	2,415.
		78"	1 1/2"	RPTDEST(L/R)7836() () () ()	1,529.	1,917.	2,204.	2,866.	2,256.	2,341.	2,440.
		84"	1 1/2"	RPTDEST(L/R)8436() () () ()	1,544.	1,963.	2,258.	2,935.	2,300.	2,385.	2,484.

Order Code	Specification Information	Application Notes
Example: RPTDEST(L/R)6030() () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option: E = End grommet N = No grommet S = Stand-off SE = Stand-off and end location SD = Stand-off with drop in box SDR = Right hand stand-off with drop in box SDL = Left hand stand-off with drop in box	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish: Painted or plated	Refer to grommet page for location option.
E Thick End Panel Leg	4. Worksurface finish: L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	5. Leg finish: Wood or Laminate	Peninsula worksurfaces with power center do not come with Electrical Components.
L Left hand/ Right hand	6. Stand-off finish: Painted	For electrical components please refer to page 466.
60 Width		Products on this page work with 28 3/8" height planning.
20 Depth		Product on this page will accept woodgrain laminate where laminate is currently an option.
S Grommet Option		List price for woodgrain laminate options will be current published laminate list price plus 10%.
115 Grommet Finish		
V316 Worksurface Finish		
V316 Leg Finish		
115 Stand-Off Finish		

*Worksurface with Thick End Panel
Flush Mount Attachment, Rectilinear top*


description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	M/V1	M/V2	M/V3
 Left hand shown	20"	36"	1 1/2"	RPTDEFM(L/R)3620()	\$988.	\$1,378.	\$1,585.	\$2,060.	\$1,734.	\$1,820.	\$1,919.
		42"	1 1/2"	RPTDEFM(L/R)4220()	1,002.	1,402.	1,613.	2,096.	1,757.	1,842.	1,941.
		48"	1 1/2"	RPTDEFM(L/R)4820()	1,025.	1,425.	1,638.	2,130.	1,776.	1,862.	1,960.
		54"	1 1/2"	RPTDEFM(L/R)5420()	1,028.	1,443.	1,659.	2,157.	1,791.	1,876.	1,975.
		60"	1 1/2"	RPTDEFM(L/R)6020()	1,085.	1,538.	1,768.	2,299.	1,895.	1,981.	2,080.
		66"	1 1/2"	RPTDEFM(L/R)6620()	1,096.	1,556.	1,789.	2,326.	1,910.	1,996.	2,094.
		72"	1 1/2"	RPTDEFM(L/R)7220()	1,106.	1,583.	1,820.	2,366.	1,936.	2,021.	2,120.
		78"	1 1/2"	RPTDEFM(L/R)7820()	1,116.	1,601.	1,841.	2,393.	1,951.	2,036.	2,135.
		84"	1 1/2"	RPTDEFM(L/R)8420()	1,126.	1,636.	1,881.	2,446.	1,986.	2,072.	2,170.
24"	36"	1 1/2"	RPTDEFM(L/R)3624()	1,020.	1,410.	1,622.	2,108.	1,761.	1,847.	1,945.	
	42"	1 1/2"	RPTDEFM(L/R)4224()	1,042.	1,435.	1,650.	2,145.	1,784.	1,869.	1,968.	
	48"	1 1/2"	RPTDEFM(L/R)4824()	1,064.	1,456.	1,674.	2,176.	1,801.	1,887.	1,985.	
	54"	1 1/2"	RPTDEFM(L/R)5424()	1,076.	1,478.	1,700.	2,210.	1,820.	1,906.	2,005.	
	60"	1 1/2"	RPTDEFM(L/R)6024()	1,120.	1,584.	1,822.	2,368.	1,936.	2,021.	2,120.	
	66"	1 1/2"	RPTDEFM(L/R)6624()	1,132.	1,606.	1,847.	2,401.	1,953.	2,039.	2,137.	
	72"	1 1/2"	RPTDEFM(L/R)7224()	1,172.	1,627.	1,871.	2,432.	1,971.	2,057.	2,155.	
	78"	1 1/2"	RPTDEFM(L/R)7824()	1,183.	1,656.	1,905.	2,476.	1,998.	2,083.	2,182.	
	84"	1 1/2"	RPTDEFM(L/R)8424()	1,195.	1,694.	1,948.	2,533.	2,035.	2,121.	2,219.	

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDEFM(L/R)4830()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R	1. <i>Left or Right hand:</i>	Wire chase sold separately.
PT	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D	E = End	Refer to grommet page for location option.
E	M = Mid. grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM	N = No grommet	
L	3. <i>Grommet finish:</i>	
60	Painted or plated	
20	4. <i>Worksurface finish:</i>	
E	L, V1, V2, V3	
115	5. <i>Leg finish:</i>	
V316	Wood or Laminate	
V316	6. <i>Stand Off finish:</i>	
115	Painted	

Peninsula worksurfaces with power center do not come with Electrical Components.
For electrical components please refer to page 466.
Products on this page work with 28 3/8" height planning.
Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.



*Worksurface with Thick End Panel
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L/L	V1/V1	V2/V2	V3/V3	M/V1	M/V2	M/V3
 <p>Left hand shown</p>	30"	36"	1 1/2"	RPTDEFM(L/R)3630() () () ()	\$1,100.	\$1,444.	\$1,661.	\$2,159.	\$1,791.	\$1,876.	\$1,975.
		42"	1 1/2"	RPTDEFM(L/R)4230() () () ()	1,114.	1,470.	1,691.	2,198.	1,813.	1,898.	1,997.
		48"	1 1/2"	RPTDEFM(L/R)4830() () () ()	1,145.	1,504.	1,730.	2,249.	1,844.	1,929.	2,028.
		54"	1 1/2"	RPTDEFM(L/R)5430() () () ()	1,159.	1,530.	1,759.	2,287.	1,864.	1,950.	2,049.
		60"	1 1/2"	RPTDEFM(L/R)6030() () () ()	1,284.	1,641.	1,887.	2,453.	1,984.	2,070.	2,168.
		66"	1 1/2"	RPTDEFM(L/R)6630() () () ()	1,299.	1,666.	1,916.	2,491.	2,005.	2,090.	2,189.
		72"	1 1/2"	RPTDEFM(L/R)7230() () () ()	1,313.	1,700.	1,955.	2,542.	2,036.	2,121.	2,220.
		78"	1 1/2"	RPTDEFM(L/R)7830() () () ()	1,327.	1,726.	1,985.	2,581.	2,058.	2,143.	2,242.
		84"	1 1/2"	RPTDEFM(L/R)8430() () () ()	1,342.	1,777.	2,043.	2,656.	2,107.	2,193.	2,291.
		<hr/>									
	36"	36"	1 1/2"	RPTDEFM(L/R)3636() () () ()	1,170.	1,475.	1,697.	2,206.	1,817.	1,903.	2,001.
		42"	1 1/2"	RPTDEFM(L/R)4236() () () ()	1,204.	1,513.	1,740.	2,262.	1,851.	1,937.	2,035.
		48"	1 1/2"	RPTDEFM(L/R)4836() () () ()	1,206.	1,551.	1,784.	2,319.	1,885.	1,971.	2,069.
		54"	1 1/2"	RPTDEFM(L/R)5436() () () ()	1,222.	1,582.	1,819.	2,365.	1,910.	1,996.	2,094.
		60"	1 1/2"	RPTDEFM(L/R)6036() () () ()	1,350.	1,696.	1,951.	2,536.	2,033.	2,118.	2,217.
		66"	1 1/2"	RPTDEFM(L/R)6636() () () ()	1,367.	1,727.	1,986.	2,582.	2,057.	2,143.	2,242.
		72"	1 1/2"	RPTDEFM(L/R)7236() () () ()	1,383.	1,765.	2,030.	2,639.	2,092.	2,177.	2,276.
		78"	1 1/2"	RPTDEFM(L/R)7836() () () ()	1,402.	1,796.	2,065.	2,684.	2,116.	2,202.	2,301.
		84"	1 1/2"	RPTDEFM(L/R)8436() () () ()	1,417.	1,842.	2,119.	2,754.	2,161.	2,246.	2,345.

Order Code	Specification Information	Application Notes
Example: RPTDEFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. <i>Left or Right hand:</i>	Wire chase sold separately.
PT Peninsula	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	E = End	Refer to grommet page for location option.
E Thick End Panel Leg	M = Mid. grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	N = No grommet	
L Left hand/ Right hand	3. <i>Grommet finish:</i>	
60 Width	Painted or plated	
20 Depth	4. <i>Worksurface finish:</i>	
E Grommet Option	L, V1, V2, V3	
115 Grommet Finish	5. <i>Leg finish:</i>	
V316 Worksurface Finish	Wood or Laminate	
V316 Leg Finish	6. <i>Stand Off finish:</i>	
115 Stand-Off Finish	Painted	

Worksurface with Column Leg

Stand-Off with Power Center, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	V1	V2	V3
 Peninsula, Asymmetrical Bullet Top Left handed peninsula shown	30"	60"	1 1/2"	RATDCPC(L/R)6030() () () ()	\$1,690.	\$1,781.	\$1,863.	\$2,186.
		66"	1 1/2"	RATDCPC(L/R)6630() () () ()	1,711.	1,803.	1,891.	2,240.
		66"	1 1/2"	RATDCPC(L/R)7230() () () ()	1,739.	1,831.	1,927.	2,304.
		78"	1 1/2"	RATDCPC(L/R)7830() () () ()	1,758.	1,853.	1,956.	2,361.
		84"	1 1/2"	RATDCPC(L/R)8430() () () ()	1,785.	1,881.	1,991.	2,424.
	36"	60"	1 1/2"	RATDCPC(L/R)6036() () () ()	1,737.	1,827.	1,923.	2,292.
		66"	1 1/2"	RATDCPC(L/R)6636() () () ()	1,760.	1,852.	1,956.	2,358.
		72"	1 1/2"	RATDCPC(L/R)7236() () () ()	1,791.	1,884.	1,996.	2,429.
		78"	1 1/2"	RATDCPC(L/R)7836() () () ()	1,814.	1,909.	2,030.	2,495.
		84"	1 1/2"	RATDCPC(L/R)8436() () () ()	1,838.	1,933.	2,062.	2,557.
 Peninsula, Symmetrical Bullet Top Left hand shown	30"	60"	1 1/2"	RSTDCPC(L/R)6030() () () ()	1,907.	2,028.	2,109.	2,432.
		66"	1 1/2"	RSTDCPC(L/R)6630() () () ()	1,932.	2,056.	2,145.	2,495.
		72"	1 1/2"	RSTDCPC(L/R)7230() () () ()	1,953.	2,078.	2,173.	2,551.
		78"	1 1/2"	RSTDCPC(L/R)7830() () () ()	1,973.	2,099.	2,202.	2,607.
		84"	1 1/2"	RSTDCPC(L/R)8430() () () ()	2,000.	2,128.	2,237.	2,670.
	36"	60"	1 1/2"	RSTDCPC(L/R)6036() () () ()	1,949.	2,073.	2,169.	2,538.
		66"	1 1/2"	RSTDCPC(L/R)6636() () () ()	1,973.	2,099.	2,203.	2,604.
		72"	1 1/2"	RSTDCPC(L/R)7236() () () ()	2,003.	2,131.	2,243.	2,675.
		78"	1 1/2"	RSTDCPC(L/R)7836() () () ()	2,026.	2,156.	2,276.	2,741.
		84"	1 1/2"	RSTDCPC(L/R)8436() () () ()	2,050.	2,181.	2,309.	2,805.

Worksurfaces

Order Code

Example:	RATDCPC(L/R)6030() () () ()
R	Reff
AT	Asymmetrical Top
D	1 1/2"
C	Column Leg
PC	Power Center
L	Left hand/ Right hand
60	Width
30	Depth
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-off Finish

Specification Information

To order please specify pattern number including:

- Grommet finish: Painted or Plated
- Top finish: L, V1, V2, V3
- Leg finish: Painted or Plated
- Stand-off finish: Painted

Grommet type: P only

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.



For electrical components please refer to page 466.

Products on this page work with 28 3/8" height planning.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface with Column Leg



Simple Stand-Off, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, Asymmetrical Bullet Top 	30"	60"	1 1/2"	RATDCST(L/R)6030() () () ()	\$1,499.	\$1,589.	\$1,672.	\$1,994.
		66"	1 1/2"	RATDCST(L/R)6630() () () ()	1,519.	1,611.	1,700.	2,049.
		72"	1 1/2"	RATDCST(L/R)7230() () () ()	1,547.	1,640.	1,736.	2,113.
		78"	1 1/2"	RATDCST(L/R)7830() () () ()	1,567.	1,661.	1,764.	2,169.
		84"	1 1/2"	RATDCST(L/R)8430() () () ()	1,593.	1,689.	1,799.	2,232.
Left handed peninsula shown	36"	60"	1 1/2"	RATDCST(L/R)6036() () () ()	1,545.	1,636.	1,731.	2,100.
		66"	1 1/2"	RATDCST(L/R)6636() () () ()	1,569.	1,660.	1,764.	2,166.
		72"	1 1/2"	RATDCST(L/R)7236() () () ()	1,600.	1,692.	1,805.	2,237.
		78"	1 1/2"	RATDCST(L/R)7836() () () ()	1,622.	1,717.	1,839.	2,303.
		84"	1 1/2"	RATDCST(L/R)8436() () () ()	1,646.	1,742.	1,870.	2,366.
Peninsula, Symmetrical Bullet Top 	30"	60"	1 1/2"	RSTDCST(L/R)6030() () () ()	1,781.	1,894.	1,977.	2,298.
		66"	1 1/2"	RSTDCST(L/R)6630() () () ()	1,799.	1,915.	2,004.	2,354.
		72"	1 1/2"	RSTDCST(L/R)7230() () () ()	1,827.	1,944.	2,040.	2,417.
		78"	1 1/2"	RSTDCST(L/R)7830() () () ()	1,848.	1,966.	2,069.	2,474.
		84"	1 1/2"	RSTDCST(L/R)8430() () () ()	1,875.	1,994.	2,104.	2,537.
Left hand shown	36"	60"	1 1/2"	RSTDCST(L/R)6036() () () ()	1,824.	1,941.	2,035.	2,405.
		66"	1 1/2"	RSTDCST(L/R)6636() () () ()	1,848.	1,965.	2,069.	2,471.
		72"	1 1/2"	RSTDCST(L/R)7236() () () ()	1,878.	1,997.	2,109.	2,541.
		78"	1 1/2"	RSTDCST(L/R)7836() () () ()	1,900.	1,994.	2,142.	2,608.
		84"	1 1/2"	RSTDCST(L/R)8436() () () ()	1,924.	2,047.	2,175.	2,671.

Order Code	Specification Information	Application Notes
Example: RATDCST (L/R)6030	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff		
AT Asymmetrical Top	1. Grommet option: N=No grommet E=End grommet S=Grommet over Stand-Off SE=Grommet over Stand-off plus end grommet	Wire chase sold separately.
D 1 1/2"	SD=Stand-off with drop in box	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg	SDR=Right hand stand-off with drop in box	Refer to grommet page for location option.
ST Stand-Off	SDL=Left hand stand-off with drop in box	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L/R Left/Right Hand	2. Grommet finish: Painted or Plated	Peninsula worksurfaces with power center do not come with Electrical Components.
60 Width	3. Top finish: L, V1, V2, V3	For electrical components please refer to page 466.
30 Depth	4. Leg finish: Painted or Plated	Products on this page work with 28 3/8" height planning.
N Grommet Option	5. Stand-off finish: Painted	
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Worksurface with Column Leg

Flush Mount Attachment, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	V1	V2	V3
Peninsula, Asymmetrical Bullet Top  Left handed peninsula shown	30"	48"	1 1/2"	RATDCFM(L/R)4830() () ()	\$1,341.	\$1,427.	\$1,495.	\$1,761.
		54"	1 1/2"	RATDCFM(L/R)5430() () ()	1,361.	1,447.	1,522.	1,817.
		60"	1 1/2"	RATDCFM(L/R)6030() () ()	1,412.	1,503.	1,585.	1,908.
		66"	1 1/2"	RATDCFM(L/R)6630() () ()	1,433.	1,524.	1,613.	1,962.
		72"	1 1/2"	RATDCFM(L/R)7230() () ()	1,461.	1,553.	1,649.	2,026.
		78"	1 1/2"	RATDCFM(L/R)7830() () ()	1,480.	1,575.	1,678.	2,083.
		84"	1 1/2"	RATDCFM(L/R)8430() () ()	1,507.	1,603.	1,713.	2,145.
	36"	48"	1 1/2"	RATDCFM(L/R)4836() () ()	1,378.	1,466.	1,544.	1,850.
		54"	1 1/2"	RATDCFM(L/R)5436() () ()	1,401.	1,490.	1,578.	1,916.
		60"	1 1/2"	RATDCFM(L/R)6036() () ()	1,456.	1,549.	1,645.	2,014.
		66"	1 1/2"	RATDCFM(L/R)6636() () ()	1,479.	1,574.	1,678.	2,080.
		72"	1 1/2"	RATDCFM(L/R)7236() () ()	1,509.	1,606.	1,718.	2,151.
		78"	1 1/2"	RATDCFM(L/R)7836() () ()	1,533.	1,630.	1,752.	2,217.
		84"	1 1/2"	RATDCFM(L/R)8436() () ()	1,556.	1,655.	1,784.	2,280.
Peninsula, Symmetrical Bullet Top  Left hand shown	30"	48"	1 1/2"	RSTDCFM(L/R)4830() () ()	1,593.	1,695.	1,763.	2,030.
		54"	1 1/2"	RSTDCFM(L/R)5430() () ()	1,613.	1,716.	1,791.	2,085.
		60"	1 1/2"	RSTDCFM(L/R)6030() () ()	1,666.	1,772.	1,854.	2,175.
		66"	1 1/2"	RSTDCFM(L/R)6630() () ()	1,685.	1,792.	1,881.	2,231.
		72"	1 1/2"	RSTDCFM(L/R)7230() () ()	1,712.	1,821.	1,918.	2,295.
		78"	1 1/2"	RSTDCFM(L/R)7830() () ()	1,732.	1,843.	1,946.	2,350.
		84"	1 1/2"	RSTDCFM(L/R)8430() () ()	1,759.	1,872.	1,982.	2,413.
	36"	48"	1 1/2"	RSTDCFM(L/R)4836() () ()	1,629.	1,733.	1,813.	2,119.
		54"	1 1/2"	RSTDCFM(L/R)5436() () ()	1,654.	1,759.	1,847.	2,185.
		60"	1 1/2"	RSTDCFM(L/R)6036() () ()	1,708.	1,817.	1,913.	2,281.
		66"	1 1/2"	RSTDCFM(L/R)6636() () ()	1,732.	1,843.	1,947.	2,347.
		72"	1 1/2"	RSTDCFM(L/R)7236() () ()	1,762.	1,875.	1,987.	2,418.
		78"	1 1/2"	RSTDCFM(L/R)7836() () ()	1,785.	1,899.	2,020.	2,484.
		84"	1 1/2"	RSTDCFM(L/R)8436() () ()	1,809.	1,924.	2,053.	2,548.

Worksurfaces


Order Code	Specification Information	Application Notes	
Example: RATDCFM (L/R)4830	To order please specify pattern number including: 1. Grommet option: E=End grommet N=No grommet 2. Grommet finish: Painted or Plated 3. Top finish: L, V1, V2, V3 4. Leg finish: Painted or Plated	Modesty sold separately and can be field installed. Wire chase sold separately. Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w. Refer to grommet page for location option. From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.	
R Reff			Peninsula worksurfaces with power center do not come with Electrical Components. For electrical components please refer to page 466. Products on this page work with 28 3/8" height planning. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
AT Asymmetrical Top			
D 1 1/2"			
C Column Leg			
FM Flush Mount Plate			
L/R Left/Right Hand			
48 Width			
30 Depth			
N Grommet Option			
115 Grommet Finish			
V316 Worksurface Finish			
115 Leg Finish			

Peninsula 1 1/2
Worksurface with Column Leg
Flush Mount Attachment, P and 9 tops

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, P Shaped Top 	30"	84"	1 1/2"	RPTDCFM8430 () () ()	\$2,026.	\$2,177.	\$2,464.	\$3,231.
	30"	96"	1 1/2"	RPTDCFM9630 () () ()	2,098.	2,261.	2,554.	3,352.
Peninsula, 9 Shaped Top 	30"	84"	1 1/2"	R9TDCFM8430 () () ()	2,026.	2,177.	2,464.	3,231.
	30"	96"	1 1/2"	R9TDCFM9630 () () ()	2,098.	2,261.	2,554.	3,352.

Order Code	Specification Information	Application Notes
Example: RPTDCFM8430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: F=Flush M=Mid. Grommet N=No grommet	Wire chase sold separately.
PT P-Shaped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
84 Width		For electrical components please refer to page 466.
30 Depth		Products on this page work with 28 3/8" height planning.
N Grommet Option		Product on this page will accept woodgrain laminate where laminate is currently an option.
115 Grommet Finish		List price for woodgrain laminate options will be current published laminate list price plus 10%.
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2
 Worksurface with Column Leg
 Stand-Off with Power Center, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula, D-Shaped Top Left hand shown	30"	66"	1 1/2"	RDTDCPC(L/R)6630() () () ()	\$1,688.	\$1,876.	\$1,958.	\$2,282.
		72"	1 1/2"	RDTDCPC(L/R)7230() () () ()	1,712.	1,902.	1,992.	2,342.
		78"	1 1/2"	RDTDCPC(L/R)7830() () () ()	1,730.	1,923.	2,019.	2,395.
		84"	1 1/2"	RDTDCPC(L/R)8430() () () ()	1,754.	1,949.	2,051.	2,453.
		90"	1 1/2"	RDTDCPC(L/R)9030() () () ()	1,773.	1,969.	2,078.	2,505.
		96"	1 1/2"	RDTDCPC(L/R)9630() () () ()	1,789.	1,988.	2,102.	2,554.
	36"	66"	1 1/2"	RDTDCPC(L/R)6636() () () ()	1,729.	1,922.	2,019.	2,392.
		72"	1 1/2"	RDTDCPC(L/R)7236() () () ()	1,757.	1,952.	2,056.	2,458.
		78"	1 1/2"	RDTDCPC(L/R)7836() () () ()	1,777.	1,975.	2,087.	2,519.
		84"	1 1/2"	RDTDCPC(L/R)8436() () () ()	1,797.	1,997.	2,118.	2,578.
		90"	1 1/2"	RDTDCPC(L/R)9036() () () ()	1,819.	2,021.	2,149.	2,638.
		96"	1 1/2"	RDTDCPC(L/R)9636() () () ()	1,841.	2,045.	2,179.	2,699.

Order Code

Example:	RDTDCPCL6630 () () ()
R	Reff
DT	P-Shaped top
D	1 1/2"
C	Column Leg
PC	Power Center
L	Width
66	Width
30	Depth
P	Grommet option
115	Grommet finish
V316	Top finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

- Grommet option:
 P=Power center
 PM=Power center and middle grommet
- Grommet finish:
 Painted or Plated
- Top finish:
 L, V1, V2, V3
- Leg finish:
 Painted or Plated
- Stand-off finish:
 Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.


For electrical components please refer to page 466.

Products on this page work with 28 3/8" height planning.

Product on this page will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

Peninsula 1 1/2
 Worksurface with Column Leg
 Simple Stand-Off, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	66"	1 1/2"	RDTDCST(L/R)6630() () () ()	\$1,544.	\$1,715.	\$1,797.	\$2,122.
		72"	1 1/2"	RDTDCST(L/R)7230() () () ()	1,568.	1,742.	1,831.	2,182.
		78"	1 1/2"	RDTDCST(L/R)7830() () () ()	1,586.	1,762.	1,858.	2,234.
		84"	1 1/2"	RDTDCST(L/R)8430() () () ()	1,609.	1,788.	1,890.	2,293.
		90"	1 1/2"	RDTDCST(L/R)9030() () () ()	1,627.	1,809.	1,917.	2,344.
		96"	1 1/2"	RDTDCST(L/R)9630() () () ()	1,645.	1,827.	1,942.	2,394.
	36"	66"	1 1/2"	RDTDCST(L/R)6636() () () ()	1,585.	1,761.	1,858.	2,231.
		72"	1 1/2"	RDTDCST(L/R)7236() () () ()	1,612.	1,791.	1,895.	2,297.
		78"	1 1/2"	RDTDCST(L/R)7836() () () ()	1,633.	1,814.	1,926.	2,359.
		84"	1 1/2"	RDTDCST(L/R)8436() () () ()	1,653.	1,836.	1,957.	2,417.
		90"	1 1/2"	RDTDCST(L/R)9036() () () ()	1,674.	1,860.	1,988.	2,477.
		96"	1 1/2"	RDTDCST(L/R)9636() () () ()	1,695.	1,884.	2,019.	2,538.

Order Code	Specification Information	Application Notes
Example: RDTDCST6630 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff		
DT D-Shaped top	1. Grommet option: M=Mid. Grommet N=No grommet S=Stand-off SM=Stand-off plus grommet SD=Stand-off with drop in box SDL=Left hand Stand-off with drop in box SDR=Right hand Stand-off with drop in box	Wire chase sold separately.
D 1 1/2"		Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg		Refer to grommet page for location option.
ST Stand-Off	2. Grommet finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
66 Width	3. Top finish: L, V1, V2, V3	
30 Depth	4. Leg finish: Painted or Plated	
N Grommet Option	5. Stand-off finish: Painted	
115 Grommet Finish		Peninsula worksurfaces with power center do not come with Electrical Components.
V316 Worksurface Finish		For electrical components please refer to page 466.
115 Leg Finish		Products on this page work with 28 3/8" height planning.
115 Stand-Off Finish		Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Peninsula 1 1/2
 Worksurface with Column Leg
 Flush Mount Attachment, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	54"	1 1/2"	RDTDCFM(L/R)5430() () () ()	\$1,369.	\$1,521.	\$1,591.	\$1,864.
		60"	1 1/2"	RDTDCFM(L/R)6030() () () ()	1,423.	1,581.	1,657.	1,957.
		66"	1 1/2"	RDTDCFM(L/R)6630() () () ()	1,441.	1,601.	1,683.	2,009.
		72"	1 1/2"	RDTDCFM(L/R)7230() () () ()	1,465.	1,627.	1,717.	2,067.
		78"	1 1/2"	RDTDCFM(L/R)7830() () () ()	1,483.	1,648.	1,744.	2,120.
		84"	1 1/2"	RDTDCFM(L/R)8430() () () ()	1,507.	1,674.	1,777.	2,178.
	36"	54"	1 1/2"	RDTDCFM(L/R)5436() () () ()	1,405.	1,561.	1,643.	1,957.
		60"	1 1/2"	RDTDCFM(L/R)6036() () () ()	1,462.	1,624.	1,713.	2,056.
		66"	1 1/2"	RDTDCFM(L/R)6636() () () ()	1,482.	1,647.	1,744.	2,117.
		72"	1 1/2"	RDTDCFM(L/R)7236() () () ()	1,509.	1,677.	1,781.	2,183.
		78"	1 1/2"	RDTDCFM(L/R)7836() () () ()	1,531.	1,701.	1,813.	2,244.
		84"	1 1/2"	RDTDCFM(L/R)8436() () () ()	1,551.	1,723.	1,843.	2,303.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RDTDCFM5430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: N=None M=Middle	Wire chase sold separately.
DT P-Shapped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Worksurface finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
54 Width		For electrical components please refer to page 466.
30 Depth		Products on this page work with 28 3/8" height planning.
M Grommet Option		Product on this page will accept woodgrain laminate where laminate is currently an option.
115 Grommet Finish		List price for woodgrain laminate options will be current published laminate list price plus 10%.
V316 Worksurface Finish		
115 Leg Finish		

Tables, 1 1/2"
 Rectangle with Open Frame Leg
 24", 30" and 36" deep - 26 1/2" High


description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 26 1/2" height leg 	1 1/2"	24"	60"	RTRDOF60241()()	\$1,750.	\$1,895.	\$1,962.	\$2,208.
	1 1/2"	24"	66"	RTRDOF66241()()	1,762.	1,914.	1,987.	2,254.
	1 1/2"	24"	72"	RTRDOF72241()()	1,775.	1,928.	2,009.	2,272.
	1 1/2"	24"	78"	RTRDOF78241()()	1,793.	1,970.	2,054.	2,363.
	1 1/2"	24"	84"	RTRDOF84241()()	1,805.	2,008.	2,096.	2,426.

Table Top Rectangle 30" Deep with 26 1/2" height leg 	1 1/2"	30"	60"	RTRDOF60301()()	1,845.	1,964.	2,044.	2,331.
	1 1/2"	30"	66"	RTRDOF66301()()	1,858.	1,986.	2,074.	2,384.
	1 1/2"	30"	72"	RTRDOF72301()()	1,875.	2,002.	2,115.	2,450.
	1 1/2"	30"	78"	RTRDOF78301()()	1,895.	2,051.	2,152.	2,511.
	1 1/2"	30"	84"	RTRDOF84301()()	1,909.	2,101.	2,209.	2,592.

Table Top Rectangle 36" Deep with 26 1/2" height leg 	1 1/2"	36"	60"	RTRDOF60361()()	1,871.	2,015.	2,108.	2,435.
	1 1/2"	36"	66"	RTRDOF66361()()	1,887.	2,042.	2,144.	2,498.
	1 1/2"	36"	72"	RTRDOF72361()()	1,906.	2,080.	2,190.	2,570.
	1 1/2"	36"	78"	RTRDOF78361()()	1,929.	2,113.	2,232.	2,640.
	1 1/2"	36"	84"	RTRDOF84361()()	1,945.	2,158.	2,284.	2,719.

Order Code	
Example: R	Reff
TR	Table Rectangular
D	1 1/2"
OF	Open Frame Leg
60	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Open Frame Leg finish
Painted and Anodized

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

1 1/2" top will come with appropriate stiffener support.

Grommets are NOT optional for these tables.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Tables, 1 1/2"

Rectangle with Open Frame Leg

24", 30" and 36" deep - 28 3/8" High

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 28 3/8" height leg	1 1/2"	24"	60"	RTRDOF60242() ()	\$1,750.	\$1,895.	\$1,962.	\$2,208.
	1 1/2"	24"	66"	RTRDOF66242() ()	1,762.	1,914.	1,987.	2,254.
	1 1/2"	24"	72"	RTRDOF72242() ()	1,775.	1,928.	2,009.	2,272.
	1 1/2"	24"	78"	RTRDOF78242() ()	1,793.	1,970.	2,054.	2,363.
	1 1/2"	24"	84"	RTRDOF84242() ()	1,805.	2,008.	2,096.	2,426.




Table Top Rectangle 30" Deep with 28 3/8" height leg	1 1/2"	30"	60"	RTRDOF60302() ()	1,845.	1,964.	2,044.	2,331.
	1 1/2"	30"	66"	RTRDOF66302() ()	1,858.	1,986.	2,074.	2,384.
	1 1/2"	30"	72"	RTRDOF72302() ()	1,875.	2,002.	2,115.	2,450.
	1 1/2"	30"	78"	RTRDOF78302() ()	1,895.	2,051.	2,152.	2,511.
	1 1/2"	30"	84"	RTRDOF84302() ()	1,909.	2,101.	2,209.	2,592.






Table Top Rectangle 36" Deep with 28 3/8" height leg	1 1/2"	36"	60"	RTRDOF60362() ()	1,871.	2,015.	2,108.	2,435.
	1 1/2"	36"	66"	RTRDOF66362() ()	1,887.	2,042.	2,144.	2,498.
	1 1/2"	36"	72"	RTRDOF72362() ()	1,906.	2,080.	2,190.	2,570.
	1 1/2"	36"	78"	RTRDOF78362() ()	1,929.	2,113.	2,232.	2,640.
	1 1/2"	36"	84"	RTRDOF84362() ()	1,945.	2,158.	2,284.	2,719.





Worksurfaces

Order Code	Specification Information	Application Notes
Example: R TSDRL42421 () () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff		
TR Table Rectangular	1. Worksurface finish L, V1, V2, V3	Modesty sold separately.
D 1 1/2"		
OF Open Frame Leg	2. Open Frame Leg finish Painted and Anodized	1 1/2" top will come with appropriate stiffener support.
60 Width		
30 Depth		Grommets are NOT optional for these tables.
2 28 3/8" height leg		
V316 Finish		Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
111 Leg Finish		

*Open Frame Leg Infill Options - 26 1/2" High
Infills for Tables only*

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 26 1/2" h 	24"	20"	RIPI201()	\$296.	\$376.	\$433.	\$563.	
	24"	24"	RIPI241()	304.	386.	444.	578.	
	24"	30"	RIPI301()	320.	406.	467.	608.	
	24"	36"	RIPI361()	339.	431.	495.	644.	

Outside Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	RIPO201()	297.	378.	434.	565.	
	25"	24"	RIPO241()	305.	388.	446.	579.	
	25"	30"	RIPO301()	322.	409.	470.	611.	
	25"	36"	RIPO361()	340.	432.	497.	646.	




Outside Glass Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	RIPOG201()					750.
	25"	24"	RIPOG241()					846.
	25"	30"	RIPOG301()					995.
	25"	36"	RIPOG361()					1,148.

Order Code	
Example: RIPEI202	
R	Reff Profiles
IP	Infill Panel
PE	Peninsula End
I	Inside
20	Width
2	28 3/8" h: Desk Height
()	Finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Finish: L, V1,V2,V3, Glass
I=Inside
O=Outside
OG=Outside Glass
Glass options: GL11, GL14, GL15, GL18

Application Notes
Both Inside and Outside infill panels are required and must be ordered separately.
Infills; fill entire opening of open frame legs.
Infills connect to each other. Can be removed without any damage to the frame legs.
Glass Option is only available for outside infill.
Inside infill options are wood or laminate.
Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.
Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

*Open Frame Leg Infill Options - 28³/₈" High
Infills for Tables only*

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 28 ³ / ₈ " h 	26"	20"	RIPI202()	\$296.	\$376.	\$433.	\$563.	
	26"	24"	RIPI242()	304.	386.	444.	578.	
	26"	30"	RIPI302()	320.	406.	467.	608.	
	26"	36"	RIPI362()	339.	431.	495.	644.	
Outside Infill Options for Open Frame Legs 28 ³ / ₈ " h 	27"	20"	RIPO202()	297.	378.	434.	565.	
	27"	24"	RIPO242()	305.	388.	446.	579.	
	27"	30"	RIPO302()	322.	409.	470.	611.	
	27"	36"	RIPO362()	340.	432.	497.	646.	
Outside Glass Infill Options for Open Frame Legs 28 ³ / ₈ " h 	27"	20"	RIPOG202()					750.
	27"	24"	RIPOG242()					846.
	27"	30"	RIPOG302()					995.
	27"	36"	RIPOG362()					1,148.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RIPEI202 R Reff Profiles IP Infill Panel PE Peninsula End I Inside 20 Width 2 28 ³ / ₈ "h: Desk Height () Finish	To order please specify pattern number including: 1. Finish: L, V1,V2,V3, Glass I=Inside O=Outside OG=Outside Glass Glass options: GL11, GL14, GL15, GL18	Both Inside and Outside infill panels are required and must be ordered separately. Infills; fill entire opening of open frame legs. Infills connect to each other. Can be removed without any damage to the frame legs. Glass Option is only available for outside infill. Inside infill options are wood or laminate.

Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.

Tables, 1 1/2"
Rectangle with L-Leg
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDL48301 () ()	\$1,484.	\$1,575.	\$1,643.	\$1,910.
	30"	60"	1 1/2"	RTRDL60301 () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDL72301 () ()	1,603.	1,702.	1,798.	2,174.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDL72361 () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDL48302 () ()	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	RTRDL60302 () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDL72302 () ()	1,603.	1,702.	1,798.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDL72362 () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------



Order Code	
Example:	RTRDL48301 () ()
R	Reff
TR	Table Rectangular
D	1 1/2"
L	L-Leg
48	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
Grommets are NOT optional for these tables.

Tables, 1 1/2"
Rectangle with Reverse L-Leg
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDRL48301 () () ()	\$1,484.	\$1,575.	\$1,643.	\$1,910.
	30"	60"	1 1/2"	RTRDRL60301 () () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDRL72301 () () ()	1,603.	1,702.	1,797.	2,174.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDRL72361 () () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDRL48302 () () ()	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	RTRDRL60302 () () ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDRL72302 () () ()	1,603.	1,702.	1,797.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDRL72362 () () ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------



Order Code	
Example: RTRDRL48301 () () ()	
R	Reff
TR	Table Rectangular
D	1 1/2"
RL	Reverse L-Leg
48	Width
30	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:
 1. Worksurface finish
 L, V1, V2, V3
 2. Leg finish
 Painted / Anodized

Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
 Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Rectangle with Soft Rectangular Leg
 30" and 36" deep

description	depth	width	thickness	pattern number	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDS48301 () () ()	\$1,377.	\$1,462.	\$1,530.	\$1,796.
	30"	60"	1 1/2"	RTRDS60301 () () ()	1,450.	1,539.	1,620.	1,943.
	30"	72"	1 1/2"	RTRDS72301 () () ()	1,497.	1,588.	1,684.	2,062.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDS72361 () () ()	1,546.	1,641.	1,753.	2,186.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDS48302 () () ()	1,377.	1,462.	1,530.	1,796.
	30"	60"	1 1/2"	RTRDS60302 () () ()	1,450.	1,539.	1,620.	1,943.
	30"	72"	1 1/2"	RTRDS72302 () () ()	1,497.	1,588.	1,684.	2,062.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDS72362 () () ()	1,546.	1,641.	1,753.	2,186.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------

**Order Code**

Example: RTRDS48301 () () ()
R Reff
TR Table Rectangular
D 1 1/2"
S Soft Rectangular Leg
48 Width
30 Depth
1 26 1/2" height leg
V316 Finish
111 Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Anodized

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with L-Leg
 42" and 48" deep

description	w	d	th	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDL42421()()()	\$1,520.	\$1,617.	\$1,697.	\$2,009.
	48"	48"	1 1/2"	RTSDL48481()()()	1,584.	1,685.	1,787.	2,173.





Table Top Square with 28 3/8" height legs	42"	42"	1 1/2"	RTSDL42422()()()	1,520.	1,617.	1,697.	2,009.
	48"	48"	1 1/2"	RTSDL48482()()()	1,584.	1,685.	1,787.	2,173.



Order Code

Example:	RTSDL42421 ()()()
R	Reff
TS	Table Square
D	1 1/2"
L	L-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Anodized

Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Grommets are NOT optional for these tables.

Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Tables, 1 1/2"
 Square with Reverse L-Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDRL42421 () () ()	\$1,520.	\$1,617.	\$1,697.	\$2,009.
	1 1/2"	48"	48"	RTSDRL48481 () () ()	1,584.	1,685.	1,787.	2,173.





Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDRL42422 () () ()	1,520.	1,617.	1,697.	2,009.
	1 1/2"	48"	48"	RTSDRL48482 () () ()	1,584.	1,685.	1,787.	2,173.



Order Code	
Example: RTSDRL42421 () () ()	
R	Reff
TS	Table Square
D	1 1/2"
RL	Reverse L-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Tables, 1 1/2"
 Square with Soft Rectangular Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDS42421 () () ()	\$1,557.	\$1,657.	\$1,738.	\$2,048.
	1 1/2"	48"	48"	RTSDS48481 () () ()	1,622.	1,725.	1,826.	2,213.





Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDS42422 () () ()	1,557.	1,657.	1,738.	2,048.
	1 1/2"	48"	48"	RTSDS48482 () () ()	1,622.	1,725.	1,826.	2,213.



Order Code

Example:	RTSDS42421 () () ()
R	Reff
TS	Table Square
D	1 1/2"
S	Soft Rectangular-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:


1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Anodized


Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Grommets are NOT optional for these tables.

Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Tables, 1 1/2"
 Round with Column Leg
 36", 42" and 48" diameter

description	th	dia.	pattern no.	L	V1	V2	V3
 Table Top Round with 26 1/2" height legs	1 1/2"	36"	RTNDC361 () () ()	\$2,498.	\$2,657.	\$2,718.	\$2,937.
	1 1/2"	42"	RTNDC421 () () ()	2,560.	2,723.	2,803.	3,084.
	1 1/2"	48"	RTNDC481 () () ()	2,622.	2,789.	2,889.	3,242.

 Table Top Round with 28 3/8" height legs	1 1/2"	36"	RTNDC362 () () ()	2,498.	2,657.	2,718.	2,937.
	1 1/2"	42"	RTNDC422 () () ()	2,560.	2,723.	2,803.	3,084.
	1 1/2"	48"	RTNDC482 () () ()	2,622.	2,789.	2,889.	3,242.

Order Code

Example:	RTNDC361 () () ()
R	Reff
TN	Table Round
D	1 1/2"
C	Column Leg
36	Diameter
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:







1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Plated

Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Grommets are NOT optional for these tables.

Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Tables, 1" Sliding, Laminate

description	d	w	th	pattern no.	L
 Round Table with 26 1/2" height legs	36"		1"	RSTRLE361 () ()	\$3,006.
	42"		1"	RSTRLE421 () ()	3,065.
 Round Table with 28 3/8" height legs	36"		1"	RSTRLE362 () ()	3,063.
	42"		1"	RSTRLE422 () ()	3,123.
 Soft Square Table with 26 1/2" height legs	36"		1"	RSTSLE361 () ()	2,979.
	42"		1"	RSTSLE421 () ()	3,043.
 Soft Square Table with 28 3/8" height legs	36"		1"	RSTSLE362 () ()	3,037.
	42"		1"	RSTSLE422 () ()	3,101.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTLE30481 () ()	2,807.
	36"	54"	1"	RSTTLE36541 () ()	2,881.
 Soft Rectangle Table with 28 3/8" height legs	30"	48"	1"	RSTTLE30482 () ()	2,864.
	36"	54"	1"	RSTTLE36542 () ()	2,939.

Order Code	
Example: RSTRLE361 () ()	
R	Reff
ST	Sliding Table
R	Round
L	Laminate surface
E	1" thick
42	42" diameter
1	26 1/2" height leg
114	Finish
118T	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish: Laminate only
2. Leg Textured finish: 111T, 115T, 118T

Application Notes

Assembly required.

Ships knocked down.

Grommets are not an option for these tables.







Column and base are color matched

Column = smooth

Base = textured







Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Tables, 1" Sliding, Wood

description	d	w	th	pattern no.	V1	V2	V3
Round Table with 26 1/2" height legs 	36"		1"	RSTRWE361 () ()	\$3,197.	\$3,247.	\$3,498.
	42"		1"	RSTRWE421 () ()	3,261.	3,327.	3,639.
Round Table with 28 3/8" height legs 	36"		1"	RSTRWE362 () ()	3,259.	3,308.	3,560.
	42"		1"	RSTRWE422 () ()	3,323.	3,389.	3,701.
Soft Square Table with 26 1/2" height legs 	36"		1"	RSTSWE361 () ()	3,169.	3,219.	3,492.
	42"		1"	RSTSWE421 () ()	3,237.	3,302.	3,639.
Soft Square Table with 28 3/8" height legs 	36"		1"	RSTSWE362 () ()	3,231.	3,281.	3,554.
	42"		1"	RSTSWE422 () ()	3,299.	3,364.	3,701.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	RSTTWE30481 () ()	2,986.	3,040.	3,335.
	36"	54"	1"	RSTTWE36541 () ()	3,064.	3,135.	3,499.
Soft Rectangle Table with 28 3/8" height legs 	30"	48"	1"	RSTTWE30482 () ()	3,048.	3,101.	3,397.
	36"	54"	1"	RSTTWE36542 () ()	3,126.	3,197.	3,561.

Order Code	Specification Information	Application Notes
Example: RSTRWE361 () ()	To order please specify pattern number including:	Column and base are color matched.
R Reff	1. Worksurface finish V1, V2, V3 wood only	Column=smooth
ST Sliding Table	2. Leg Textured finish: 111T, 115T, 118T	Base=textured
R Round		Assembly required, ships knock down.
W Wood surface		Grommets are not an option for these tables.
E 1" thick		
42 42" diameter		
1 26 1/2" height leg		
V316 Finish		
111T Leg Finish		

Tables, 1" Sliding, Solid

description	d	w	th	pattern no.	Solid
 Round Table with 26 1/2" height legs	36"		1"	RSTRSE361 ()()	\$8,198.
	42"		1"	RSTRSE421 ()()	9,393.
 Round Table with 28 3/8" height legs	36"		1"	RSTRSE362 ()()	8,198.
	42"		1"	RSTRSE422 ()()	9,393.
 Soft Square Table with 26 1/2" height legs	36"		1"	RSTSSE361 ()()	7,329.
	42"		1"	RSTSSE421 ()()	8,645.
 Soft Square Table with 28 3/8" height legs	36"		1"	RSTSSE362 ()()	7,329.
	36"		1"	RSTSSE362 ()()	7,329.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTSE30481 ()()	9,032.
	36"	54"	1"	RSTTSE36541 ()()	10,016.
 Soft Rectangle Table with 28 3/8" height legs	30"	48"	1"	RSTTSE30482 ()()	9,032.
	36"	54"	1"	RSTTSE36542 ()()	10,016.

Order Code	
Example: RSTRSE361 ()()	
R	Reff
ST	Sliding Table
R	Round
S	Solid
E	1" thick
42	42" diameter
1	26 1/2" height leg
AW	Worksurface finish
111T	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish:
AW=Artic White, only
2. Leg finish Textured:
111T, 115T, 118T

Application Notes

Assembly required.

Ships knocked down.

Grommets are not an option for these tables.

Artic White finish available for solid tops.

Column and base are color matched.


Column=smooth

Base=textured

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$93.	\$97.	\$101.
	24"	RBC24 (L/R)	101.	107.	113.




Specify paint finish
 18" for 20" and 24"d tops
 24" for 30" and 36"d tops
 Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	93.	98.	102.
	24"	ASBC24 (L/R) ()	102.	110.	115.



Specify paint finish
 18" for 24"d tops
 24" for 30" d tops
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)






Mid-span cantilever bracket, free standing	17"	RMSCB ()	74.	79.	83.
--	-----	------------------	-----	-----	-----



Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	<p>Refer to page 464 for replacement hardware.</p> <p>Cantilever should be specified with top to top brackets.</p> <p>Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.</p> <p>Knoll takes no responsibility for the installation or security of tops to the wall.</p>
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components




Bracketry

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		RBCC	\$19.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	40.	42.	43.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	8.		
	Black only				
Top to top bracket 	6" x 1"	RBF (Pair)	5.		
	Black only				
Wall hung support bracket 	20" 24" 30" 36" 42" 48"	RSBWH20 RSBWH24 RSBWH30 RSBWH36 RSBWH42 RSBWH48	42. 44. 48. 53. 56. 68.	44. 48. 50. 56. 59. 71.	46. 50. 53. 59. 62. 74.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	35.		
	Black only				

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 464 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$7.	\$7.	\$8.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	13.	13.
		Specify paint finish			
Utility bracket		RUTB	11.		
		Black only			
L Bracket for off-module applications		R113B	5.		
		One by one by three bracket			
Worksurface to cabinet bracket for 24" worksurface		RBWC24	54.	0.	0.
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		RBWC30	59.	0.	0.
		bracket can be used with 30" and 36" worksurfaces			


Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand		
	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 464 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
26 1/2" high planning
Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$155.	\$219.	\$250.	\$339.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	279.	391.	451.	609.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	308.	430.	494.	666.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	332.	467.	536.	724.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	373.	525.	604.	815.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	390.	551.	632.	854.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	406.	568.	653.	880.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	422.	592.	684.	925.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	464.	653.	750.	1,014.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	495.	694.	801.	1,083.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	523.	737.	846.	1,142.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	555.	781.	895.	1,209.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	569.	799.	918.	1,238.



description	d	w	h	pattern no.	L	V1	V2	V3
Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	RB3636-()	1,005.	1,491.	1,716.	2,318.
	36"	42"	26 1/2"	RB3642-()	1,028.	1,531.	1,761.	2,377.
	36"	48"	26 1/2"	RB3648-()	1,072.	1,589.	1,822.	2,461.
	42"	36"	26 1/2"	RB4236-()	1,028.	1,531.	1,761.	2,377.
	42"	42"	26 1/2"	RB4242-()	1,055.	1,568.	1,807.	2,439.
	42"	48"	26 1/2"	RB4248-()	1,096.	1,624.	1,869.	2,524.
	48"	36"	26 1/2"	RB4836-()	1,072.	1,589.	1,822.	2,461.
	48"	42"	26 1/2"	RB4842-()	1,096.	1,624.	1,869.	2,524.
	48"	48"	26 1/2"	RB4848-()	1,138.	1,684.	1,949.	2,631.



Order Code	Specification Information
Example: RB24MFL	
R	Reff
B	Back panel
24	48" panel dimension
M	Full height modesty
F	Flush modesty placement
L	Laminate
114	Folkstone grey

Specification Information
To order please specify pattern number including:
1. Modesty type
2. Modesty placement
3. Finish type
4. Finish
1. Modesty type: M = Standard height (26 1/2"H) H = Half height
2. Modesty placement: F = Flush, cantilevered R = Recessed
3. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3


Application Notes
Applicable finishes are listed on page 5 and 6.
Product on this page Excluding any vertical surface, ie; modesty panels over 48" , will accept wood grain laminate where laminate is currently an option.
List price for wood grain laminate options will be current published laminate list price plus 10%.
Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
Modesty panel lengths are nominal - length changes on option selected.
Glides ship with all supports on this page except the recessed modesty panel.
Please see Planning Guide for freestanding planning instruction.

Top support components


26 1/2" high planning

End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	\$476.	\$773.	\$890.	\$1,201.
	36"	1"	26 1/2"	RE36-()	503.	810.	931.	1,257.




Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	182.	315.	363.	490.
	16"	1"	26 1/2"	RSE2(L/R)-()	196.	336.	386.	521.
	20"	1"	26 1/2"	RSE3(L/R)-()	211.	353.	405.	546.
	24"	1"	26 1/2"	RSE4(L/R)-()	222.	368.	425.	573.
	30"	1"	26 1/2"	RSE5(L/R)-()	236.	388.	446.	604.
	36"	1"	26 1/2"	RSE6(L/R)-()	250.	405.	467.	631.



left hand shown

Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	182.	315.	363.	490.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	196.	336.	386.	521.
	19"	1"	26 1/2"	RE19F-()	211.	353.	405.	546.
	23"	1"	26 1/2"	RE23F-()	222.	368.	425.	573.
	29"	1"	26 1/2"	RE29F-()	236.	388.	446.	604.




Order Code	Specification Information	Application Notes
Example: RSE1(L)114	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff		
SE End panel	<i>1. Finish type:</i>	Product on this page Excluding any vertical surface, over 48" will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
1 13" deep	L = Laminate 1 = V1 2 = V2 3 = V3	
L Left hand		Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
L Laminate		
114 Folkstone grey	<i>2. Finish</i>	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.


Glides ship with all supports on this page except the recessed modesty panel.

Please see Planning Guide for freestanding planning instruction.

Top support components
28³/₈" high planning
Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	1"	24"	28 ³ / ₈ "	RBDH24M(F/R) ()()	\$162.	\$231.	\$263.	\$354.
	1"	30"	28 ³ / ₈ "	RBDH30M(F/R) ()()	291.	413.	475.	640.
	1"	36"	28 ³ / ₈ "	RBDH36M(F/R) ()()	324.	451.	517.	698.
	1"	42"	28 ³ / ₈ "	RBDH42M(F/R) ()()	348.	489.	564.	761.
	1"	48"	28 ³ / ₈ "	RBDH48M(F/R) ()()	391.	551.	633.	855.
	1"	54"	28 ³ / ₈ "	RBDH54M(F/R) ()()	410.	578.	662.	894.
	1"	60"	28 ³ / ₈ "	RBDH60M(F/R) ()()	426.	593.	684.	925.
	1"	66"	28 ³ / ₈ "	RBDH66M(F/R) ()()	441.	622.	719.	970.
	1"	72"	28 ³ / ₈ "	RBDH72M(F/R) ()()	487.	684.	787.	1,062.
	1"	78"	28 ³ / ₈ "	RBDH78M(F/R) ()()	520.	727.	843.	1,138.
	1"	84"	28 ³ / ₈ "	RBDH84M(F/R) ()()	551.	773.	888.	1,199.
	1"	90"	28 ³ / ₈ "	RBDH90M(F/R) ()()	583.	818.	941.	1,270.
	1"	96"	28 ³ / ₈ "	RBDH96M(F/R) ()()	594.	840.	963.	1,301.

Desk height corner worksurface support



36"	36"	28 ³ / ₈ "	RBDH3636 ()()	1,056.	1,567.	1,805.	2,435.
36"	42"	28 ³ / ₈ "	RBDH3642 ()()	1,079.	1,608.	1,849.	2,497.
36"	48"	28 ³ / ₈ "	RBDH3648 ()()	1,125.	1,668.	1,915.	2,586.
42"	36"	28 ³ / ₈ "	RBDH4236 ()()	1,079.	1,608.	1,849.	2,497.
42"	42"	28 ³ / ₈ "	RBDH4242 ()()	1,106.	1,646.	1,894.	2,557.
42"	48"	28 ³ / ₈ "	RBDH4248 ()()	1,151.	1,704.	1,965.	2,654.
48"	36"	28 ³ / ₈ "	RBDH4836 ()()	1,125.	1,668.	1,915.	2,586.
48"	42"	28 ³ / ₈ "	RBDH4842 ()()	1,151.	1,704.	1,965.	2,654.
48"	48"	28 ³ / ₈ "	RBDH4848 ()()	1,194.	1,769.	2,048.	2,765.

depth = left return, width = right return

Order Code

Example:	RBDH24MFL114
R	Reff
B	Back panel/modesty
DH	Desk height (28 ³ / ₈ ")
24	24"
M	Full height modesty
F	Modesty placement, flush
L	Finish type, laminate
114	Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Modesty placement*
F = Flush, cantilevered
R = Recessed
2. *Finish type*
L = laminate
1 = V1
2 = V2
3 = V3
3. *Finish*

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding any vertical surface, ie; modesty panels over 48"** will accept wood grain laminate where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.


* Half depth end panels

Glides ship with all supports on this page except the recessed modesty panel.


Please see Reff Planning Guide for freestanding planning instructions.

Top support components
28³/₈" high planning
End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)	1"	30"	28 ³ / ₈ "	REDH30 () ()	\$500.	\$813.	\$934.	\$1,261.
	1"	36"	28 ³ / ₈ "	REDH36 () ()	527.	851.	976.	1,319.




Desk height end panel for panel (hardware included)	1"	13"	28 ³ / ₈ "	RSEDH1(L/R) () ()	190.	335.	381.	515.
	1"	16"	28 ³ / ₈ "	RSEDH2(L/R) () ()	205.	352.	408.	551.
	1"	20"	28 ³ / ₈ "	RSEDH3(L/R) () ()	221.	369.	425.	573.
	1"	24"	28 ³ / ₈ "	RSEDH4(L/R) () ()	234.	386.	446.	604.
	1"	30"	28 ³ / ₈ "	RSEDH5(L/R) () ()	248.	410.	468.	632.
	1"	36"	28 ³ / ₈ "	RSEDH6(L/R) () ()	264.	425.	489.	661.



left hand shown

Desk height end panels with hardware for building flush or cantilevered worksurfaces	1"	12"	28 ³ / ₈ "	REDH12F () () *	190.	335.	381.	515.
	1"	15"	28 ³ / ₈ "	REDH15F () () *	205.	352.	408.	551.
	1"	19"	28 ³ / ₈ "	REDH19F () ()	221.	369.	425.	573.
	1"	23"	28 ³ / ₈ "	REDH23F () ()	234.	386.	446.	604.
	1"	29"	28 ³ / ₈ "	REDH29F () ()	248.	410.	468.	632.




Order Code	Specification Information	Application Notes
Example: REDH30	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
E End panel	2. <i>Finish</i>	Modesty panel lengths are nominal, length changes on option selected.
DH Desk height (28 ³ / ₈ "	Applicable finishes are listed on page 5 and 6.	* Half depth end panels
30 30"	Product on this page Excluding any vertical surface, ie; modesty panels over 48" , will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	Glides ship with all supports on this page except the recessed modesty panel.
L Left hand		Please see Reff Planning Guide for freestanding planning instructions.
L Finish type, laminate		
114 Finish, Folkstone grey		

Top support components

28³/₈" high planning

Modesty and Bulkhead

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bow top front, short modesty (pedestals ordered separately)	1"	40"	28 ³ / ₈ "	RBDH40MR () ()	\$348.	\$489.	\$564.	\$761.
	1"	52"	28 ³ / ₈ "	RBDH52MR () ()	410.	578.	662.	894.
	1"	64"	28 ³ / ₈ "	RBDH64MR () ()	441.	622.	719.	970.



Use of short modesty panel

Pedestals and finished back for pedestal must each be ordered separately
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

Desk height bulkhead (false pedestal)	24"	16"	28 ³ / ₈ "	REDHBH124 () ()	491.	811.	941.	1,270.
	30"	16"	28 ³ / ₈ "	REDHBH130 () ()	509.	827.	963.	1,301.



Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application

Support components

Order Code	
Example: RBDH24MFL114	
R	Reff
B	Back panel/modesty
DH	Desk height (28 ³ / ₈ "
24	24"
M	Full height modesty
F	Modesty placement, flush
L	Finish type, laminate
114	Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Modesty placement*
 F = Flush, cantilevered
 R = Recessed
2. *Finish type*
 L = laminate
 1 = V1
 2 = V2
 3 = V3
3. *Finish*

Applicable finishes are listed on page 5 and 6.

Products on this page **Excluding any vertical surface, ie; modesty panels over 48"** will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.

* Half depth end panels






Glides ship with all supports on this page except the recessed modesty panel.

Please see Reff Planning Guide for freestanding planning instructions.

Top support components

Painted or Plated Legs 26 1/2" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	P1	P2	P3
Column leg, Interaction style (rectangular plate) 	4"	-	26 1/2"	-	RSC	\$250.	\$264.	\$277.
Ships with wood screws for fasening to underside of worksurface into pilot hole location. Painted finish only.								
4" Plain Cylinder (26 1/2" high) 	4"	-	26 1/2"	-	RCB	263.	276.	288.
Painted and PD, PT and PZ plated finishes.								
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	-	26 1/2"	-	RSC4(-)	976.	1,024.	1,077.
Painted finishes only.								
T-leg, Interaction style 	-		26 1/2"	24"	RIB24T	358.	376.	396.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted options only								
T-Leg, plain tube style 	-		26 1/2"	20"	RCB20T(-)	387.	407.	426.
	-		26 1/2"	24"	RCB24T(-)	393.	416.	436.
	-		26 1/2"	30"	RCB30T(-)	436.	456.	481.
	-		26 1/2"	40"	RCB40T(-)	458.	483.	508.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finish options.								

Order Code

Example: **RSC**
R Reff
S Support
C Cylinder

Specification Information

To order please specify pattern number including:
 1. Finish type, where applicable
 2. Finish
Finish type options:
 P = Paint (P1, P2, P3)




Application Notes

Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
 Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.
 Refer to Planning Guide for top-base matrix, pages 140 and 141.
 All bases include 1 1/2" leveller.

Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
 Interaction style legs are only available in painted finishes.
 Applicable finishes are listed on page 5 and 6.

Top support components

Painted or Anodized Legs 26 1/2" high planning

description	h	pattern no.	list
L-Leg 	26 1/2"	RPL1()	\$611.
Reverse L-Leg 	26 1/2"	RPRL1()	611.
Soft Rectangular Leg 	26 1/2"	RPS1()	632.

Order Code	
Example: RPL1 ()	
RP	Reff Profiles
L	Leg
1	26 1/2"h
AN	Leg finish

RL = Reverse Leg
S = Soft Rectangular Leg




Specification Information
<i>To order please specify pattern number including:</i>
1. Finish: Painted or Anodized (AA, AN, AP, AU)

Application Notes
Legs are sold in pairs. These legs include 1" leveller.
Products on this page are 26 1/2"h. Products should not be mixed with 28 3/8"h components.
For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs, when referencing the planning guide; pages 140 and 141.
Applicable finishes are listed on pages 5 and 6.

Top support components

Painted or Plated Bases 26 1/2" high planning

Reff Profiles




description	h	dia.	pattern no.	P1	P2	P3
X-base 	26 1/2"	28"	RIB28X-()	\$591.	\$622.	\$654.
	26 1/2"	32"	RIB32X-()	801.	844.	886.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.						
Spider base, plain tube style 	26 1/2"	24"	RCB24X	606.	637.	667.
	26 1/2"	28"	RCB28X	634.	665.	698.
	26 1/2"	36"	RCB36X	687.	723.	758.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finishes.						
Drum base 	26 1/2"	–	RSD1427-()	1,143.	1,201.	1,260.
	26 1/2"	–	RSD1827-()	1,242.	1,305.	1,369.
	26 1/2"	–	RSD2027-()	1,281.	1,345.	1,411.
	26 1/2"	–	RSD2427-()	1,534.	1,612.	1,691.
	26 1/2"	–	RSD3027-()	1,715.	1,799.	1,889.
Painted finishes only.						

Order Code	Specification Information	Application Notes
Example: RIB28X	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. Finish type, where applicable	
I Interaction	2. Finish	Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.
B Base	<i>Finish type options:</i>	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
28 Diameter	P = Paint (P1, P2, P3)	Interaction style legs are only available in painted finishes.
X X-base		Applicable finishes are listed on page 5 and 6.
		Refer to Planning Guide for top-base matrix, pages 140 and 141.
		All bases include 1 1/2" leveller.

Top support components

Laminate or Wood Bases 26¹/₂" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum base	14"		26 ¹ / ₂ "	–	RSD1427-()	n/a	\$1,336.	\$1,538.	\$2,076.
	18"		26 ¹ / ₂ "	–	RSD1827-()	n/a	1,451.	1,670.	2,256.
	20"		26 ¹ / ₂ "	–	RSD2027-()	n/a	1,499.	1,723.	2,326.
	24"		26 ¹ / ₂ "	–	RSD2427-()	n/a	1,796.	2,066.	2,789.
	30"		26 ¹ / ₂ "	–	RSD3027-()	n/a	2,007.	2,305.	3,112.
 T-base (hardware included)*	20"	26 ¹ / ₂ "	12"		RST1-()	427.	484.	565.	765.
	24"	26 ¹ / ₂ "	12"		RST2-()	457.	521.	598.	809.
	30"	26 ¹ / ₂ "	12"		RST3-()	538.	604.	699.	945.
	36"	26 ¹ / ₂ "	12"		RST4-()	611.	693.	795.	1,074.
	42"	26 ¹ / ₂ "	12"		RST5-()	678.	771.	889.	1,202.
	48"	26 ¹ / ₂ "	12"		RST6-()	756.	851.	983.	1,327.
 L-base (hardware included), non-handed*	12"	26 ¹ / ₂ "	12"		RSL12-()	427.	484.	565.	765.
	15"	26 ¹ / ₂ "	12"		RSL15-()	437.	495.	571.	770.
	20"	26 ¹ / ₂ "	12"		RSL20-()	457.	512.	591.	798.
	24"	26 ¹ / ₂ "	12"		RSL24-()	465.	521.	598.	809.
	30"	26 ¹ / ₂ "	12"		RSL30-()	538.	604.	699.	945.
	36"	26 ¹ / ₂ "	12"		RSL36-()	611.	693.	795.	1,074.
	42"	26 ¹ / ₂ "	12"		RSL42-()	678.	771.	889.	1,202.
	48"	26 ¹ / ₂ "	12"		RSL48-()	756.	851.	983.	1,327.

Support components

Order Code

Example: RSD1427	
R	Reff
S	Support
D	Drum base
14	Diameter
27	Height
2	Finish type
R319	V2- Med. Cherry

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:

- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3

Application Notes

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1¹/₂" leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.






T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 5 and 6.

Top support components

Painted or Plated Legs 28³/₈" high planning

Reff Profiles

description	dia.	w	he	d	pattern no.	P1	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	-	28 ³ / ₈ "		RSDHC () ()	\$264.	\$277.	\$289.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								
4" Plain Cylinder (desk height) 	4" dia	-	28 ³ / ₈ "		RCDHB () ()	276.	288.	304.
Painted and PD, PT and PZ plated finishes.								
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	-	28 ³ / ₈ "		RSDHC4 () ()	1,026.	1,076.	1,131.
Painted finishes only.								
T-Leg, plain tube style (desk height) 	-		28 ³ / ₈ "	20"	RCDHB20T () ()	407.	427.	448.
	-		28 ³ / ₈ "	24"	RCDHB24T () ()	415.	436.	457.
	-		28 ³ / ₈ "	30"	RCDHB30T () ()	457.	481.	505.
	-		28 ³ / ₈ "	40"	RCDHB40T () ()	483.	508.	533.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finishes.								
T-Leg, Interaction style (desk height) 	-		28 ³ / ₈ "	24"	RIBDH24T () ()	376.	396.	416.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								




Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Interaction style legs and bases are not available in plated finishes.
S Support	2. <i>Finish</i> see matrix on page 5	Only the plain cylinder and the tube legs can be ordered in plated and painted finishes.
DH Desk Height	Applicable finishes are listed on page 5 and 6.	All bases include 1 1/2" leveller.
C Column Leg		
P Finish type, paint		
111 Finish, Jet Black		

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Top support components

Painted or Anodized Legs 28³/₈" high planning

description	h	pattern no.	list
L-Leg 	28 ³ / ₈ "	RPL2()	\$611.
Reverse L-Leg 	28 ³ / ₈ "	RPRL2()	611.
Soft Rectangular Leg 	28 ³ / ₈ "	RPS2()	632.

Order Code	
Example: RPL1 ()	
RP	Reff Profiles
L	Leg
1	26 ¹ / ₂ "h
AN	Leg finish

RL = Reverse Leg
S = Soft Rectangular Leg

Specification Information
<i>To order please specify pattern number including:</i>
1. Finish: Painted or Anodized (AA, AN, AP, AU)

Application Notes
Legs are sold in pairs. These legs include 1" leveller.
Products on this page are 28 ³ / ₈ "h. Products should not be mixed with 26 ¹ / ₂ "h components.
For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs, when referencing the planning guide; pages 140 and 141.
Applicable finishes are listed on pages 5 and 6.

Top support components

Painted or Plated Bases 28³/₈" high planning

description	dia.	w	h	d	pattern no.	P1	P2	P3
X-base (desk height)		–	28 ³ / ₈ "	28"	RIBDH28X () ()	\$622.	\$653.	\$686.
		–	28 ³ / ₈ "	32"	RIBDH32X () ()	844.	885.	928.



Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted finishes only.

Spider base, plain tube style (desk height)		–	28 ³ / ₈ "	24"	RCBDH24X () ()	637.	667.	700.
		–	28 ³ / ₈ "	28"	RCBDH28X () ()	665.	698.	734.
		–	28 ³ / ₈ "	36"	RCBDH36X () ()	723.	759.	795.




Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted and PD, PT and PZ plated finishes.

Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 () ()	1,201.	1,260.	1,325.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 () ()	1,305.	1,369.	1,437.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 () ()	1,345.	1,411.	1,481.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 () ()	1,612.	1,691.	1,777.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 () ()	1,799.	1,890.	1,984.



Painted finishes only.

Base Support Column, 3" dia.			28 ³ / ₈ "		RSDHC3 () ()	319.	319.	447.
------------------------------	--	--	----------------------------------	--	-----------------------	------	------	------






Painted and PD, PN and PU plated finishes.

Order Code	Specification Information	Application Notes
Example: RCBDH24X	<i>To order please specify pattern number including:</i>	Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
I Interaction	2. <i>Finish</i> see matrix on page 5	
B Base	Applicable finishes are listed on page 5 and 6.	Interaction style legs and bases are only available in painted finishes. Only plain cylinder and tube style legs can be ordered in plated and painted finishes.
DH Desk height		
28 Diameter		
X X-base		
P Finish type, paint		
111 Finish, Jet Black		

Top support components

Laminate or Wood Bases 28³/₈" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 ()()	N/A	\$1,404.	\$1,614.	\$2,178.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 ()()	N/A	1,525.	1,753.	2,368.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 ()()	N/A	1,573.	1,808.	2,442.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 ()()	N/A	1,885.	2,170.	2,930.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 ()()	N/A	2,107.	2,421.	3,268.
 T-base, desk height (hardware included)	20"		28 ³ / ₈ "	12"	RSDHT1 ()()	449.	510.	592.	801.
	24"		28 ³ / ₈ "	12"	RSDHT2 ()()	482.	547.	629.	849.
	30"		28 ³ / ₈ "	12"	RSDHT3 ()()	564.	637.	734.	992.
	36"		28 ³ / ₈ "	12"	RSDHT4 ()()	642.	729.	836.	1,128.
	42"		28 ³ / ₈ "	12"	RSDHT5 ()()	712.	810.	934.	1,261.
	48"		28 ³ / ₈ "	12"	RSDHT6 ()()	793.	895.	1,032.	1,395.
 L-base, desk height (hardware included, non-handed)	12"		28 ³ / ₈ "	12"	RSDHL12 ()()	449.	510.	592.	801.
	15"		28 ³ / ₈ "	12"	RSDHL15 ()()	458.	517.	598.	809.
	20"		28 ³ / ₈ "	12"	RSDHL20 ()()	482.	537.	623.	842.
	24"		28 ³ / ₈ "	12"	RSDHL24 ()()	488.	547.	629.	849.
	30"		28 ³ / ₈ "	12"	RSDHL30 ()()	564.	637.	734.	992.
	36"		28 ³ / ₈ "	12"	RSDHL36 ()()	642.	729.	836.	1,128.
	42"		28 ³ / ₈ "	12"	RSDHL42 ()()	712.	810.	934.	1,261.
	48"		28 ³ / ₈ "	12"	RSDHL48 ()()	793.	895.	1,032.	1,395.



Support components

Order Code	Specification Information	Application Notes
Example: RSDHD1428 R Reff S Support DH Desk Height D Drum base 14 Diameter 28 Height 2 Finish type, V2 V316 Finish, Maple	To order please specify pattern number including: 1. <i>Finish Type, where applicable</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Finish</i> see matrix on page 5 Applicable finishes are listed on page 5 and 6.	Wood T and L bases are not recommended for supporting conference tops. All bases include 1 1/2" leveller. Product on this page Excluding any vertical surface, ie; modesty panels over 48" , will accept wood grain laminate where laminate is currently an option. Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide. Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Top support components

Reff Profiles

Fixed Height and Height Adjustable C-Leg and T-Leg Bases

description	type	w*	w	d	pattern no.	Fixed (F)	Pin-Set (P)	Handcrank (H)	Electric (E)	Advanced Electric (A)
	For use with 36"W, 24"D Reff Profiles C-Leg Top	36"	34"	23"	RSBC3423 () () ()	\$955.	\$1,273.	\$1,909.	\$3,316.	\$3,491.
	For use with 42"W, 24"D Reff Profiles C-Leg Top	42"	40"	23"	RSBC4023 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 48"W, 24"D Reff Profiles C-Leg Top	48"	46"	23"	RSBC4623 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 54"W, 24"D Reff Profiles C-Leg Top	54"	52"	23"	RSBC5223 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 60"W, 24"D Reff Profiles C-Leg Top	60"	58"	23"	RSBC5823 () () ()	955.	1,273.	1,909.	3,316.	3,491.
	For use with 66"W, 24"D Reff Profiles C-Leg Top	66"	64"	23"	RSBC6423 () () ()	977.	1,295.	1,932.	3,338.	3,514.
	For use with 72"W, 24"D Reff Profiles C-Leg Top	72"	70"	23"	RSBC7023 () () ()	977.	1,295.	1,932.	3,338.	3,514.
<i>Fixed Shown</i>										
	For use with 36"W, 30"D Reff Profiles C-Leg Top	36"	34"	29"	RSBC3429 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 42"W, 30"D Reff Profiles C-Leg Top	42"	40"	29"	RSBC4029 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 48"W, 30"D Reff Profiles C-Leg Top	48"	46"	29"	RSBC4629 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 54"W, 30"D Reff Profiles C-Leg Top	54"	52"	29"	RSBC5229 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 60"W, 30"D Reff Profiles C-Leg Top	60"	58"	29"	RSBC5829 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 66"W, 30"D Reff Profiles C-Leg Top	66"	64"	29"	RSBC6429 () () ()	1,023.	1,341.	1,977.	3,381.	3,559.
	For use with 72"W, 30"D Reff Profiles C-Leg Top	72"	70"	29"	RSBC7029 () () ()	1,023.	1,341.	1,977.	3,381.	3,559.

Fixed Shown


Order Code	Specification Information	Application Notes
Example: RSBC5829HS, 9005, 613	1. <i>Base Type:</i>	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
RSB Universal Base	(F) = Fixed (27" High)	Base comes with worksurface mounting hardware and leveling glides with 1/4" of height adjustability.
C C-Leg	(P) = Pin-Set (22" - 35" High)	
58 Width	(H) = Handcrank (22" - 35" High)	
29 Depth	(E) = Electric (27" - 46 1/2" High)	
H Handcrank	(A) = Advanced Electric (21" - 47 1/2" High)	
S Shroud	Base height ranges shown do not include worksurface thickness.	23"D C-Leg bases support rectangular tops up to 24"D. 29"D C-Leg bases support rectangular tops up to 30"D. 29"D T-Leg bases support rectangular tops up to 36"D centered over feet. 16"D Corner bases support 48"x48" curvilinear corner tops up to 30"D.
9005 Black Base Finish		36"W C-Leg bases (except for Pin-set) support tops up to 60"w centered over feet (max 12" overhang on each side). 36"W Pin-Set C-Leg bases cannot support tops wider than the base. 42"W C-Leg bases support tops up to 66"W centered over feet (max 12" overhang on each side).
613 Shroud/Feet Paint Finish	2. <i>Shroud Options:</i>	48", 54", 60" and 66"W C-Leg and T-Leg bases support tops up to 30" wider than the base centered over feet (max 15" overhang on each side). 72"W C-Leg and T-Leg bases support tops up to 96"W centered over feet (max 12" overhang on each side).
	(N) = Leg without a metal shroud	Bases have a default black paint finish (9005). Painted lower leg shroud and feet can be specified in Knoll Core paint finishes.
	(S) = Painted metal shroud to surround lower leg with matching foot. Add \$100 to the list price.	Fixed and Pin-Set bases support up to 440lbs. Handcrank bases support up to 260lbs. Electric bases support up to 300lbs.
	3. <i>Base Finish:</i> default black paint (9005)	Pin-Set base adjusts on 1" increments.
	4. <i>Shroud/Feet Paint Finish</i> , when applicable	Crank handle is located on the right side of the base. Five turns of the handle adjust worksurface 1".

w* = nominal width


Top support components

Fixed Height and Height Adjustable C-Leg and T-Leg Bases

Reff Profiles

description	type	w*	w	d	pattern no.	Fixed (F)	Pin-Set (P)	Handcrank (H)	Electric (E)	Advanced Electric (A)
 <p>Pin-Set Shown</p>	For use with 48"W, 30" or 36"D Reff Profiles T-Leg Top	48"	46"	29"	RSBT4629 (X)(X)(X)	\$1,000.	\$1,318.	\$1,955.	\$3,360.	\$3,536.
	For use with 54"W, 30" or 36"D Reff Profiles T-Leg Top	54"	52"	29"	RSBT5229 (X)(X)(X)	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 60"W, 30" or 36"D Reff Profiles T-Leg Top	60"	58"	29"	RSBT5829 (X)(X)(X)	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 66"W, 30" or 36"D Reff Profiles T-Leg Top	66"	60"	29"	RSBT6429 (X)(X)(X)	1,023.	1,341.	1,977.	3,381.	3,559.
	For use with 72"W, 30" or 36"D Reff Profiles T-Leg Top	72"	70"	29"	RSBT7029 (X)(X)(X)	1,023.	1,341.	1,977.	3,381.	3,559.

C-Leg Corner Base	For use with Reff Profiles Corner C-Leg Top	48"	46"	16"	RSBK464616 (X)(X)(X)	1,545.	2,023.	n/a	5,087.	5,355.
-------------------	---	-----	-----	-----	-----------------------------	--------	--------	-----	--------	--------




Fixed Shown

Order Code	Specification Information	Application Notes
<p>Example: RSBC5829HS, 9005, 613</p> <p>RSB Universal Base</p> <p>C C-Leg</p> <p>58 Width</p> <p>29 Depth</p> <p>H Handcrank</p> <p>S Shroud</p> <p>9005 Black Base Finish</p> <p>613 Shroud/Feet Paint Finish</p>	<p>1. <i>Base Type:</i></p> <p>(F) = Fixed (27" High) (P) = Pin-Set (22" - 35" High) (H) = Handcrank (22" - 35" High) (E) = Electric (27" - 46 1/2" High) (A) = Advanced Electric (21" - 47 1/2" High)</p> <p>Base height ranges shown do not include worksurface thickness.</p> <p>2. <i>Shroud Options:</i></p> <p>(N) = Leg without a metal shroud (S) = Painted metal shroud to surround lower leg with matching foot. Add \$100 to the list price.</p> <p>3. <i>Base Finish:</i> default black paint (9005)</p> <p>4. <i>Shroud/Feet Paint Finish</i>, when applicable</p>	<p>Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.</p> <p>Base comes with worksurface mounting hardware and leveling glides with 1/4" of height adjustability.</p> <p>23"D C-Leg bases support rectangular tops up to 24"D. 29"D C-Leg bases support rectangular tops up to 30"D. 29"D T-Leg bases support rectangular tops up to 36"D centered over feet. 16"D Corner bases support 48"x48" curvilinear corner tops up to 30"D.</p> <p>36"W C-Leg bases (except for Pin-set) support tops up to 60"w centered over feet (max 12" overhang on each side). 36"W Pin-Set C-Leg bases cannot support tops wider than the base. 42"W C-Leg bases support tops up to 66"W centered over feet (max 12" overhang on each side).</p> <p>48", 54", 60" and 66"W C-Leg and T-Leg bases support tops up to 30" wider than the base centered over feet (max 15" overhang on each side). 72"W C-Leg and T-Leg bases support tops up to 96"W centered over feet (max 12" overhang on each side).</p> <p>Bases have a default black paint finish (9005). Painted lower leg shroud and feet can be specified in Knoll Core paint finishes.</p> <p>Fixed and Pin-Set bases support up to 440lbs. Handcrank bases support up to 260lbs. Electric bases support up to 300lbs.</p> <p>Pin-Set base adjusts on 1" increments.</p> <p>Crank handle is located on the right side of the base. Five turns of the handle adjust worksurface 1".</p>


w* = nominal width

Modesty
Removable
28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for End panel and Storage Unit 	72" wide assembly - 36" storage	1"	72"	25"	RDHMR7240	\$320.	\$401.	\$460.	\$599.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMR7230	332.	414.	476.	619.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMR7220	356.	445.	512.	665.
	72" wide assembly - 16" storage	1"	72"	25"	RDHMR7210	362.	452.	520.	676.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMR7840	332.	414.	476.	619.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMR7830	342.	427.	491.	639.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMR7820	367.	458.	526.	685.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMR7810	372.	465.	535.	694.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMR8440	342.	427.	491.	639.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMR8430	357.	446.	513.	667.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMR8420	377.	472.	542.	705.
	84" wide assembly - 16" storage	1"	84"	25"	RDHMR8410	387.	484.	557.	724.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMR9040	357.	446.	513.	667.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMR9030	368.	459.	528.	687.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMR9020	392.	490.	563.	733.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMR9010	398.	497.	572.	744.
	96" wide assembly - 36" storage	1"	96"	25"	RDHMR9640	368.	459.	528.	687.
	96" wide assembly - 30" storage	1"	96"	25"	RDHMR9630	378.	473.	544.	707.
	96" wide assembly - 19" storage	1"	96"	25"	RDHMR9620	403.	504.	579.	753.
	96" wide assembly - 16" storage	1"	96"	25"	RDHMR9610	413.	516.	594.	773.
102" wide assembly - 36" storage	1"	102"	25"	RDHMR10240	393.	485.	554.	713.	
102" wide assembly - 30" storage	1"	102"	25"	RDHMR10230	404.	499.	570.	732.	
102" wide assembly - 19" storage	1"	102"	25"	RDHMR10220	428.	529.	605.	779.	
102" wide assembly - 16" storage	1"	102"	25"	RDHMR10210	439.	542.	620.	798.	
108" wide assembly - 36" storage	1"	108"	25"	RDHMR10840	419.	511.	580.	739.	
108" wide assembly - 30" storage	1"	108"	25"	RDHMR10830	430.	524.	595.	758.	
108" wide assembly - 19" storage	1"	108"	25"	RDHMR10820	454.	555.	630.	804.	
108" wide assembly - 16" storage	1"	108"	25"	RDHMR10810	465.	568.	646.	824.	

Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty End panel and storage unit.
DH Desk height	2. <i>Finish</i> V316	10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units.
M Modesty	Installation instruction sheets available on Knoll Exchange.	11= 16"/16" storage 12= 16"/16" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
R Removable	For removable modesty refer to part number 6TP00084.	List price for wood grain laminate options will be current published laminate list price plus 10%.
72 Width		Modesty panel lengths are nominal - length changes on option selected.
10 16" storage		Please see Planning Guide for freestanding planning instruction.
V2 Finish type		
V316 Light Maple		


Modesty Removable 28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMR7212	\$320.	\$410.	\$460.	\$599.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMR7222	325.	407.	468.	609.
	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMR7211	331.	414.	476.	619.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMR7822	331.	414.	476.	619.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMR7812	336.	420.	483.	628.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMR7811	341.	426.	490.	638.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMR8423	321.	402.	462.	600.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMR8414	328.	409.	471.	612.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMR8422	341.	426.	490.	638.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMR8412	347.	434.	499.	648.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMR8411	356.	446.	513.	666.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMR9024	321.	402.	462.	600.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMR9013	328.	409.	471.	612.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMR9023	332.	415.	478.	621.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMR9014	337.	421.	484.	629.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMR9022	356.	446.	513.	666.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMR9012	363.	453.	521.	678.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMR9011	368.	459.	528.	687.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMR9633	322.	403.	464.	603.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMR9624	332.	415.	478.	621.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMR9613	337.	421.	484.	629.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMR9623	343.	428.	493.	641.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMR9614	353.	441.	508.	659.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMR9622	368.	459.	528.	687.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMR9612	372.	466.	536.	696.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMR9611	378.	473.	544.	707.
	102" wide assembly - 30"/30" storage	1"	102"	25"	RDHMR10233	348.	428.	489.	628.
	102" wide assembly - 19"/36" storage	1"	102"	25"	RDHMR10224	357.	441.	504.	647.
	102" wide assembly - 16"/36" storage	1"	102"	25"	RDHMR10213	363.	447.	510.	655.
	102" wide assembly - 19"/30" storage	1"	102"	25"	RDHMR10223	369.	454.	519.	666.
	102" wide assembly - 16"/30" storage	1"	102"	25"	RDHMR10214	379.	467.	534.	685.
	102" wide assembly - 19"/19" storage	1"	102"	25"	RDHMR10222	393.	485.	554.	713.
	102" wide assembly - 16"/19" storage	1"	102"	25"	RDHMR10212	398.	491.	561.	722.
102" wide assembly - 16"/16" storage	1"	102"	25"	RDHMR10211	404.	499.	570.	732.	
108" wide assembly - 30"/30" storage	1"	108"	25"	RDHMR10833	374.	454.	515.	654.	

Support components


Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty End panel and storage unit.
DH Desk height	2. <i>Finish</i> V316	10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units.
M Modesty	Installation instruction sheets available on Knoll Exchange.	11= 16"/16" storage 12= 16"/16" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
R Removable	For removable modesty refer to part number 6TP00084.	List price for wood grain laminate options will be current published laminate list price plus 10%.
72 Width		Modesty panel lengths are nominal - length changes on option selected.
10 16" storage		Please see Planning Guide for freestanding planning instruction.
V2 Finish type		
V316 Light Maple		

Modesty
Removable
28^{3/8}" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	108" wide assembly - 19"/36" storage	1"	108"	25"	RDHMR10824	\$383.	\$467.	\$529.	\$673.
	108" wide assembly - 16"/36" storage	1"	108"	25"	RDHMR10813	388.	473.	536.	681.
	108" wide assembly - 19"/30" storage	1"	108"	25"	RDHMR10823	394.	480.	545.	692.
	108" wide assembly - 16"/30" storage	1"	108"	25"	RDHMR10814	405.	492.	559.	711.
	108" wide assembly - 19"/19" storage	1"	108"	25"	RDHMR10822	419.	511.	580.	739.
	108" wide assembly - 16"/19" storage	1"	108"	25"	RDHMR10812	423.	517.	587.	748.
	108" wide assembly - 16"/16" storage	1"	108"	25"	RDHMR10811	430.	524.	595.	758.

Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Products on this page Excluding any vertical surface, ie; modesty panels over 48" will accept wood grain laminate, where laminate is currently an option.
DH Desk height	2. <i>Finish</i> V316	List price for wood grain laminate options will be current published laminate list price plus 10%.
M Modesty	Installation instruction sheets available on Knoll Exchange.	Modesty panel lengths are nominal - length changes on option selected.
R Removable	For removable modesty refer to part number 6TP00084.	Please see Planning Guide for freestanding planning instruction.
72 Width		Modesty End panel and storage unit.
10 16" storage		10= 16" storage
V2 Finish type		20= 19" storage
V316 Light Maple		30= 30" storage
		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/16" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage


Modesty
Hinged
28³/₈" planning - Between Two Storage Elements

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for Between Two Storage Elements 	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMH7211	\$629.	\$801.	\$844.	\$1,012.
	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMH7222	619.	791.	828.	994.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMH7212	623.	796.	835.	1,002.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMH7811	641.	817.	859.	1,031.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMH7812	634.	812.	852.	1,022.
	78" wide assembly - 16"/30" storage	1"	78"	25"	RDHMH7813	614.	787.	817.	981.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMH7822	629.	801.	844.	1,012.
	78" wide assembly - 19"/30" storage	1"	78"	25"	RDHMH7823	609.	782.	804.	965.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMH8411	784.	960.	1,007.	1,209.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMH8412	778.	955.	999.	1,199.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMH8414	614.	787.	817.	981.
	84" wide assembly - 16"/36" storage	1"	84"	25"	RDHMH8413	625.	797.	837.	1,005.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMH8422	641.	817.	859.	1,031.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMH8423	619.	791.	830.	996.
	84" wide assembly - 19"/36" storage	1"	84"	25"	RDHMH8424	609.	782.	804.	965.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMH9011	795.	970.	1,022.	1,226.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMH9012	789.	965.	1,015.	1,217.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMH9014	625.	797.	837.	1,005.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMH9013	636.	813.	853.	1,024.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMH9022	784.	960.	1,007.	1,209.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMH9023	630.	802.	845.	1,014.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMH9024	619.	791.	830.	996.
	90" wide assembly - 30"/30" storage	1"	90"	25"	RDHMH9033	610.	783.	806.	968.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMH9611	810.	980.	1,043.	1,252.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMH9612	804.	975.	1,030.	1,236.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMH9614	636.	813.	853.	1,024.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMH9613	780.	956.	1,000.	1,200.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMH9622	795.	970.	1,022.	1,226.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMH9623	682.	818.	860.	1,032.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMH9624	641.	802.	845.	1,014.
96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMH9633	621.	793.	831.	997.	

Support components


Order Code	Specification Information	Application Notes
Example: RDHMH7222	<i>To order please specify pattern number including:</i>	Modesty may prohibit the adjacent drawer from opening.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty End panel and storage unit.
DH Desk height	2. <i>Finish</i> V316	Recommended that when using a modesty the adjacent ped is an open configuration.
M Modesty		Hardware shipped with modesty to attach to worksurface.
H Hinged		J-Extrusion Wire Trough sold separately.
72 Width	Installation instruction sheets available on Knoll Exchange.	
22 19"/19" storage	For removable modesty refer to part number 6TP00084.	
V2 Finish type		
V316 Light Maple		

Modesty
 Hinged
 28³/₈" planning - End Panel and Storage Unit

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for End panel and Storage Unit 	72" wide assembly - 16" storage	1"	72"	25"	RDHMH7210	\$789.	\$964.	\$1,014.	\$1,216.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMH7220	783.	960.	1,006.	1,207.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMH7230	629.	801.	845.	1,014.
	72" wide assembly - 36" storage	1"	72"	25"	RDHMH7240	619.	791.	828.	994.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMH7810	803.	974.	1,029.	1,235.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMH7820	793.	969.	1,021.	1,225.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMH7830	641.	817.	859.	1,031.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMH7840	629.	801.	845.	1,014.
	84" wide assembly - 16" storage	1"	84"	25"	RDHMH8410	818.	992.	1,050.	1,260.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMH8420	809.	979.	1,042.	1,250.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMH8430	784.	960.	1,007.	1,209.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMH8440	641.	817.	859.	1,031.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMH9010	828.	1,001.	1,065.	1,278.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMH9020	822.	996.	1,058.	1,269.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMH9030	795.	970.	1,022.	1,226.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMH9040	784.	960.	1,007.	1,209.
	96" wide assembly - 16" storage	1"	96"	25"	RDHMH9610	839.	1,011.	1,080.	1,297.
	96" wide assembly - 19" storage	1"	96"	25"	RDHMH9620	833.	1,006.	1,072.	1,286.
	96" wide assembly - 30" storage	1"	96"	25"	RDHMH9630	810.	981.	1,044.	1,254.
96" wide assembly - 36" storage	1"	96"	25"	RDHMH9640	795.	970.	1,022.	1,226.	

Order Code	Specification Information	Application Notes
Example: RDHMH7222	<i>To order please specify pattern number including:</i>	Modesty may prohibit the adjacent drawer from opening.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty End panel and storage unit.
DH Desk height	2. <i>Finish</i> V316	Recommended that when using a modesty the adjacent ped is an open configuration.
M Modesty		Hardware shipped with modesty to attach to worksurface.
H Hinged		J-Extrusion Wire Trough sold separately.
72 Width	Installation instruction sheets available on Knoll Exchange.	
22 19"/19" storage		
V2 Finish type	For removable modesty refer to part number 6TP00084.	
V316 Light Maple		

Modesty
Partial
28³/₈" planning

description	th	w	h	pattern no.	L	V1	V2	V3
Partial / Half Height Modesty	1"	26"	12"	RDHPM26 ()	\$288.	\$403.	\$464.	\$603.
	1"	32"	12"	RDHPM32 ()	298.	416.	479.	622.
	1"	38"	12"	RDHPM38 ()	313.	439.	505.	655.
	1"	44"	12"	RDHPM44 ()	330.	461.	530.	690.
	1"	50"	12"	RDHPM50 ()	353.	494.	569.	740.
	1"	56"	12"	RDHPM56 ()	363.	508.	584.	760.
	1"	62"	12"	RDHPM62 ()	389.	545.	627.	815.
	1"	68"	12"	RDHPM68 ()	411.	576.	662.	860.
	1"	74"	12"	RDHPM74 ()	420.	589.	677.	880.

Order Code

Example:	RDHPM26 ()
R	Reff
DH	Desk height
PM	Partial Modesty
26	Width
V316	Light Maple

Specification Information

To order please specify pattern number including:

1. Finish
L, V1, V2, V3

Application Notes

Modesty may prohibit the adjacent drawer from opening.

Recommended that when using a modesty the adjacent ped is an open configuration.

Hardware shipped with modesty to attach to worksurface.


J-Extrusion Wire Trough sold separately.

Products on this page **Excluding any vertical surface, ie; modesty panels over 48"** will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Pedestals, 26 1/2" planning

BBF/FF

Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,165.	\$1,246.	\$1,430.	\$1,923.
	16"	23"	26 1/2"	RP212J-() () L	1,216.	1,303.	1,497.	2,013.
	16"	29"	26 1/2"	RP213J-() () L	1,268.	1,357.	1,558.	2,097.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 Counter weights required per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,067.	1,144.	1,315.	1,777.
	16"	23"	26 1/2"	RP212K-() () L	1,144.	1,226.	1,409.	1,902.
	16"	29"	26 1/2"	RP213K-() () L	1,217.	1,302.	1,500.	2,023.
	30"	19"	26 1/2"	RP231K-() () L	1,220.	1,309.	1,505.	2,032.
	30"	23"	26 1/2"	RP232K-() () L	1,285.	1,380.	1,584.	2,138.
	36"	19"	26 1/2"	RP261K-() () L	1,301.	1,395.	1,605.	2,166.
	36"	23"	26 1/2"	RP262K-() () L	1,364.	1,462.	1,682.	2,271.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 Counter weights required per pedestal.

Order Code

Example:	RP211JLMDL
R	Reff
P	Pedestal
2	26 1/2"H
1	16" wide
1	19" deep
J	Box box file config.
L	Laminate finish type
M	Metal interior option
D	Metal D-pull
L	Lock option files
114	Cabinet Finish, Folkstone Grey
612	Pull Finish, Folkstone Grey

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, Files
5. Cabinet Finish
6. Pull Finish
Painted or Plated

***After specifying product code, provide keying instructions.**

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
M = Metal interior

3. *Pull options:*
B = No pull, No drilling, Customer's Own Pull
C = Nickel C-pull (nickel finish only)
D = D-pull (PT, PZ only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-pull (stainless steel finish only)
T = Tab pull

4. *Lock options:*
L = Drilled to accept lock
5. Refer to page 599 for keying instructions.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 468.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Application Notes

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding).

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


List price for wood grain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,296.	\$1,386.	\$1,597.	\$2,147.
	16"	24"	26 1/2"	RPB212J () () L	1,347.	1,444.	1,659.	2,232.
	16"	30"	26 1/2"	RPB213J () () L	1,400.	1,500.	1,723.	2,321.



*Pencil Tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,199.	1,284.	1,480.	1,999.
	16"	24"	26 1/2"	RPB212K () () L	1,275.	1,366.	1,576.	2,126.
	16"	30"	26 1/2"	RPB213K () () L	1,351.	1,446.	1,663.	2,246.
	30"	20"	26 1/2"	RPB231K () () L	1,483.	1,591.	1,826.	2,467.
	30"	24"	26 1/2"	RPB232K () () L	1,549.	1,661.	1,906.	2,572.
	36"	20"	26 1/2"	RPB261K () () L	1,611.	1,731.	1,988.	2,684.
	36"	24"	26 1/2"	RPB262K () () L	1,678.	1,797.	2,066.	2,788.



*Pencil Tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RPB211JLMDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
PB Pedestal with back	2. Finish type	Customer's Own Pull
2 26 1/2"H	3. Interior option	C = C-Pull,
1 16" wide	4. Pull option	(Nickel finish only)
1 20" deep	5. Lock option, files	D = D-Pull (PT, PZ only)
J Box box file config.	6. Cabinet finish	F = Bar pull
L Laminate finish type	7. Pull Finish	H = Outline Pull
M Metal interior option	Painted or Plated	J = J (Routed) Pull
D Metal D-pull	*After specifying product code, provide keying instructions.	R = Cylinder Pull
L Lock hole drilled		S = S-Pull,
114 Cabint finish		(stainless steel finish only)
612 Pull finish		T = Tab Pull

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

1. Finish type:
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

2. Interior options:
 M = Metal interior

4. Lock options:
 Pedestals with drawers always lock drilled.
 L = Drilled to accept lock
 Lock default is Black

5. Refer to page 599 for keying instructions.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 468.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals must be ordered with back-panel to achieve full depth, without a modesty panel.


1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning
BBF/FF
Metal interiors legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
	19"	19"	26 1/2"	RP221J() () ()	\$1,222.	\$1,307.	\$1,501.	\$2,019.
	19"	23"	26 1/2"	RP222J() () ()	1,276.	1,368.	1,571.	2,113.
	19"	29"	26 1/2"	RP223J() () ()	1,330.	1,423.	1,636.	2,222.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
	19"	19"	26 1/2"	RP221K() () ()	1,121.	1,201.	1,381.	1,865.
	19"	23"	26 1/2"	RP222K() () ()	1,201.	1,286.	1,480.	1,998.
	19"	29"	26 1/2"	RP223K() () ()	1,278.	1,368.	1,575.	2,124.

*Pencil tray not included
 *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP221JLMDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
P Pedestal	2. Interior option	Customer's Own Pull
2 26 1/2"H	3. Pull option	C = C-Pull,
2 19" wide	4. Lock option, Files	(Nickel finish only)
1 19" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull Finish	F = Bar pull
L Laminate finish type	Painted or Plated	H = Outline Pull
M Metal interior option		J = J (Routed) Pull
D Metal D-pull		R = Cylinder Pull
L Lock option		S = S-Pull,
114 Cabinet Finish, Folkstone grey		(stainless steel finish only)
612 Pull Finish, Med. grey		T = Tab Pull
	*After specifying product code, provide keying instructions.	<i>4. Lock options:</i>
	1. <i>Finish type:</i>	L = Drilled to accept lock
	L = Laminate	
	1 = V1	<i>5. Cabinet Finish</i>
	2 = V2	
	3 = V3	<i>6. Pull Finish</i>
	2. <i>Interior options:</i>	
	M = Metal interior	7. Refer to page 599 for keying instructions.
		Pencil trays not included in pedestals with metal interiors.
		Pencil tray to be ordered separately; see page 468.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Pedestals, 26 1/2" planning

BBF/FF

Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,235.	\$1,319.	\$1,517.	\$2,039.
	16"	23"	26 1/2"	RP212J-() () L	1,372.	1,470.	1,686.	2,270.
	16"	29"	26 1/2"	RP213J-() () L	1,492.	1,599.	1,835.	2,470.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,130.	1,211.	1,391.	1,879.
	16"	23"	26 1/2"	RP212K-() () L	1,333.	1,429.	1,640.	2,213.
	16"	29"	26 1/2"	RP213K-() () L	1,453.	1,559.	1,792.	2,421.
	30"	19"	26 1/2"	RP231K-() () L	1,461.	1,566.	1,800.	2,430.
	30"	23"	26 1/2"	RP232K-() () L	1,718.	1,840.	2,112.	2,851.
	36"	19"	26 1/2"	RP261K-() () L	1,807.	1,935.	2,227.	3,006.
	36"	23"	26 1/2"	RP262K-() () L	2,104.	2,257.	2,596.	3,503.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
P Pedestal	2. Interior option	Customer's Own Pull
2 26 1/2"H	3. Pull option	C = C-Pull,
1 16" wide	4. Lock option, file	(Nickel finish only)
1 19" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull finish	F = Bar pull
L Laminate finish		H = Outline Pull
W Wood interior		J = J (Routed) Pull
D Metal D-pull	*After specifying product code, provide keying instructions.	R = Cylinder Pull
L Lock hole drilled	1. <i>Finish type:</i>	S = S-Pull,
114 Cabinet finish	L = Laminate	(stainless steel finish only)
612 Pull finish	1 = V1	T = Tab Pull
	2 = V2	
	3 = V3	<i>4. Lock options:</i>
	2. <i>Interior options:</i>	Pedestals with drawers always lock drilled.
	W = Wood interior	L = Drilled to accept lock
		5. Refer to page 599 for keying instructions.
		Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
		1 counterweight = 10 lbs.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Pedestals, 26 1/2" planning

BBF/FF

Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,370.	\$1,463.	\$1,681.	\$2,263.
	16"	24"	26 1/2"	RPB212J () () L	1,503.	1,611.	1,853.	2,495.
	16"	30"	26 1/2"	RPB213J () () L	1,625.	1,739.	1,997.	2,689.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,261.	1,351.	1,555.	2,100.
	16"	24"	26 1/2"	RPB212K () () L	1,464.	1,569.	1,807.	2,439.
	16"	30"	26 1/2"	RPB213K () () L	1,587.	1,701.	1,959.	2,643.
	30"	20"	26 1/2"	RPB231K () () L	1,724.	1,849.	2,125.	2,870.
	30"	24"	26 1/2"	RPB232K () () L	1,921.	2,124.	2,435.	3,288.
	36"	20"	26 1/2"	RPB261K () () L	2,120.	2,271.	2,611.	3,527.
	36"	24"	26 1/2"	RPB262K () () L	2,419.	2,595.	2,982.	4,026.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
 *3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RPB211JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
PB Pedestal with back	2. Interior option	Customer's Own Pull
2 26 1/2"H	3. Pull option	C = C-Pull,
1 16" wide	4. Lock option, applicable hinged doors only	(Nickel finish only)
1 20" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull finish	F = Bar pull
L Laminate finish	Painted or Plated	H = Outline Pull
W Wood interior		J = J (Routed) Pull
D Metal D-pull		R = Cylinder Pull
L Lock option		S = S-Pull,
114 Cabinet finish		(stainless steel finish only)
612 Pull finish		T = Tab Pull

***After specifying product code, provide keying instructions.**

1. *Finish type:*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

2. *Interior options:*
 W = Wood interiors

3. *Pull options:*
 B = No Pull, No Drilling,
 Customer's Own Pull
 C = C-Pull,
 (Nickel finish only)
 D = D-Pull (PT, PZ only)
 F = Bar pull
 H = Outline Pull
 J = J (Routed) Pull
 R = Cylinder Pull
 S = S-Pull,
 (stainless steel finish only)
 T = Tab Pull

4. *Lock options:*
 Pedestals with drawers always lock drilled
 L = Drilled to accept lock

5. Refer to page 599 for keying instructions.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Pedestals, 26 1/2" planning

BBF/FF

Wood interiors legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J() () ()	\$1,296.	\$1,384.	\$1,591.	\$2,140.
	19"	23"	26 1/2"	RP222J() () ()	1,440.	1,543.	1,770.	2,382.
	19"	29"	26 1/2"	RP223J() () ()	1,566.	1,678.	1,927.	2,593.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K() () ()	1,187.	1,272.	1,461.	1,972.
	19"	23"	26 1/2"	RP222K() () ()	1,400.	1,501.	1,721.	2,324.
	19"	29"	26 1/2"	RP223K() () ()	1,526.	1,638.	1,883.	2,541.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RP221JLWDL R Reff P Pedestal 2 26 1/2"H 2 19" wide 1 19" deep J Box box file config. L Laminate finish W Wood interior D Metal D-pull L Lock option 114 Cabinet finish, Folkstone grey 612 Pull finish	<i>To order please specify pattern number including:</i> 1. Finish type 2. Interior option 3. Pull option 4. Lock option, files 5. Keying instructions 6. Cabinet finish 7. Pull finish Painted or Plated *After specifying product code, provide keying instructions. <i>1. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>2. Interior options:</i> W = Wood interior	<i>3. Pull options:</i> B = No Pull, No Drilling C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull <i>4. Lock options:</i> Pedestals with drawers always lock drilled. L = Drilled to accept lock <i>5. Cabinet finish</i> <i>6. Pull finish</i> 7. Refer to page 599 for keying instructions. Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors


Reff Profiles

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$936.	\$1,002.	\$1,154.	\$1,556.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,138.	1,217.	1,402.	1,892.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,301.	1,395.	1,605.	2,166.
	30"	19"	26 1/2"	RP231L-() () ()	1,210.	1,296.	1,489.	2,012.
	30"	23"	26 1/2"	RP232L-() () ()	1,413.	1,516.	1,743.	2,353.
	36"	19"	26 1/2"	RP261L-() () ()	1,534.	1,643.	1,891.	2,553.
	36"	23"	26 1/2"	RP262L-() () ()	1,792.	1,921.	2,209.	2,984.

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf is metal

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	713.	765.	878.	1,185.
	16"	23"	26 1/2"	RP212M-() () ()	828.	891.	1,024.	1,382.
	16"	29"	26 1/2"	RP213M-() () ()	981.	1,051.	1,210.	1,635.
	30"	19"	26 1/2"	RP231M-() () ()	826.	889.	1,021.	1,378.
	30"	23"	26 1/2"	RP232M-() () ()	1,006.	1,080.	1,240.	1,675.
	36"	19"	26 1/2"	RP261M-() () ()	1,057.	1,136.	1,306.	1,763.
	36"	23"	26 1/2"	RP262M-() () ()	1,280.	1,373.	1,578.	2,129.

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means metal shelf.

Order Code

Example:	RP211LLMDL
R	Reff
P	Pedestal
2	26 1/2"H
1	16" wide
1	19" deep
L	Hinge door config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock option
114	Cabinet Finish
612	Pull Finish

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, applicable hinged doors only
- Cabinet finish
- Pull Finish
Painted or Plated

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal interior

Application Notes

4. Pull options:
B = No Pull, No Drilling, Customer's Own Pull
C = C-Pull, (Nickel finish only)
D = D-Pull (PT, PZ only)
F = Bar pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-Pull, (stainless steel finish only)
T = Tab Pull (1 pull per door set)

5. Lock options:
L = Drilled to accept lock
N = No drilling

6. Refer to page 599 for keying instructions.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 468.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

For Open Pedestals;

- Finish type
- Interior Option
- Cabinet Finish


Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

Applicable finishes are listed on page 5 and 6.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning
 Open / Hinge Door
 Metal interiors and wood backs

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R) () () ()	\$1,069.	\$1,143.	\$1,319.	\$1,782.
	16"	24"	26 1/2"	RPB212L(L/R) () () ()	1,272.	1,361.	1,566.	2,113.
	16"	30"	26 1/2"	RPB213L(L/R) () () ()	1,434.	1,536.	1,770.	2,391.
	30"	20"	26 1/2"	RPB231L () () ()	1,474.	1,578.	1,813.	2,447.
	30"	24"	26 1/2"	RPB232L () () ()	1,678.	1,797.	2,065.	2,787.
	36"	20"	26 1/2"	RPB261L () () ()	1,844.	1,977.	2,273.	3,069.
	36"	24"	26 1/2"	RPB262L () () ()	2,103.	2,256.	2,595.	3,502.

*Pencil Tray not included
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf metal.

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M () () ()	846.	902.	1,042.	1,408.
	16"	24"	26 1/2"	RPB212M () () ()	966.	1,031.	1,190.	1,606.
	16"	30"	26 1/2"	RPB213M () () ()	1,112.	1,193.	1,373.	1,854.
	30"	20"	26 1/2"	RPB231M () () ()	1,092.	1,171.	1,345.	1,816.
	30"	24"	26 1/2"	RPB232M () () ()	1,270.	1,361.	1,560.	2,107.
	36"	20"	26 1/2"	RPB261M () () ()	1,373.	1,469.	1,690.	2,281.
	36"	24"	26 1/2"	RPB262M () () ()	1,592.	1,708.	1,962.	2,648.

*Pencil Tray not included
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB211LL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
PB Pedestal with back	2. Finish type	Customer's Own Pull
2 26 1/2"H	3. Interior option	C = C-Pull,
1 16" wide	4. Pull option	(Nickel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	D = D-Pull (PT, PZ only)
L Hinge door	6. Cabinet finish	F = Bar pull (1 pull per door set)
L Hinge Left	7. Pull finish	H = Outline Pull
L Laminate finish	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
M Metal interior	<i>1. Hinge location:</i>	R = Cylinder Pull
D Metal D-pull	L = Left hand	S = S-Pull,
L Lock option	R = Right hand	(stainless steel finish only)
118 Cabinet finish	<i>2. Finish type:</i>	T = Tab Pull (1 pull per door set)
118 Pull finish	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	<i>5. Lock options:</i>
	M = Metal interior	Optional hinge door configuration only.
		L = Drilled to accept lock
		N = No drilling
		<i>6. Refer to page 599 for keying instructions.</i>
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
		Pencil trays not included in pedestals with metal interiors.
		Pencil tray to be ordered separately; see page 468.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

For Open Pedestals;

1. Finish type
2. Interior Option
3. Cabinet Finish


Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

Applicable finishes are listed on page 5 and 6.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning
Open / Hinge Door
Wood interior

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$1,024.	\$1,096.	\$1,264.	\$1,709.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,230.	1,319.	1,515.	2,046.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,392.	1,491.	1,714.	2,314.
	30"	19"	26 1/2"	RP231L-() () ()	1,298.	1,391.	1,603.	2,163.
	30"	23"	26 1/2"	RP232L-() () ()	1,504.	1,616.	1,858.	2,507.
	36"	19"	26 1/2"	RP261L-() () ()	1,623.	1,739.	2,000.	2,700.
	36"	23"	26 1/2"	RP262L-() () ()	1,883.	2,018.	2,320.	3,131.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position
N=No Lock option

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	801.	857.	986.	1,329.
	16"	23"	26 1/2"	RP212M-() () ()	923.	990.	1,139.	1,536.
	16"	29"	26 1/2"	RP213M-() () ()	1,072.	1,147.	1,321.	1,785.
	30"	19"	26 1/2"	RP231M-() () ()	921.	985.	1,131.	1,527.
	30"	23"	26 1/2"	RP232M-() () ()	1,095.	1,174.	1,351.	1,822.
	36"	19"	26 1/2"	RP261M-() () ()	1,147.	1,233.	1,419.	1,915.
	36"	23"	26 1/2"	RP262M-() () ()	1,372.	1,466.	1,687.	2,277.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RP211LLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
P Pedestal	2. Finish type	Customer's Own Pull
2 26 1/2"H	3. Interior option	C = C-Pull,
1 16" wide	4. Pull option	(Nickel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	D = D-Pull (PT, PZ only)
L Hinge door	6. Cabinet finish	F = Bar pull (1 pull per door set)
L Laminate finish	7. Pull finish	H = Outline Pull
W Wood interior	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
D Metal D-pull	<i>1. Hinge location:</i>	R = Cylinder Pull
L Lock hole drilled	L = Left hand	S = S-Pull,
118 Cabinet finish	R = Right hand	(stainless steel finish only)
118 Pull finish	<i>2. Finish type:</i>	T = Tab Pull (1 pull per door set)

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Application Notes

4. Pull options:
B = No Pull, No Drilling, Customer's Own Pull
C = C-Pull, (Nickel finish only)
D = D-Pull (PT, PZ only)
F = Bar pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-Pull, (stainless steel finish only)
T = Tab Pull (1 pull per door set)

5. Lock options:
Optional hinge door configuration only.
L = Drilled to accept lock
N = No drilling

6. Refer to page 599 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Application Notes

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


For Open Pedestals;
1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.


Pedestals, 26 1/2" planning

Open / Hinge Door

Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,158.	\$1,240.	\$1,429.	\$1,928.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,361.	1,457.	1,679.	2,266.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,524.	1,632.	1,877.	2,534.
	30"	20"	26 1/2"	RPB231L() () ()	1,560.	1,672.	1,926.	2,601.
	30"	24"	26 1/2"	RPB232L() () ()	1,766.	1,895.	2,177.	2,940.
	36"	20"	26 1/2"	RPB261L() () ()	1,935.	2,073.	2,381.	3,216.
	36"	24"	26 1/2"	RPB262L() () ()	2,196.	2,351.	2,705.	3,651.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() ()	934.	999.	1,153.	1,555.
	16"	24"	26 1/2"	RPB212M() ()	1,054.	1,130.	1,302.	1,757.
	16"	30"	26 1/2"	RPB213M() ()	1,204.	1,286.	1,484.	2,004.
	30"	20"	26 1/2"	RPB231M() ()	1,181.	1,266.	1,453.	1,963.
	30"	24"	26 1/2"	RPB232M() ()	1,360.	1,456.	1,672.	2,256.
	36"	20"	26 1/2"	RPB261M() ()	1,461.	1,568.	1,800.	2,430.
	36"	24"	26 1/2"	RPB262M() ()	1,682.	1,800.	2,070.	2,793.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code

Example:	RPB211LLWDL
R	Reff
PB	Pedestal with back
2	26 1/2"H
1	16" wide
1	20" deep
L	Hinged door
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock option
118	Cabinet finish
118	Pull finish

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, applicable hinged doors only
- Cabinet finish
- Pull finish
Painted or Plated

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:

W = Wood interior

Application Notes

4. Pull options:

B = No Pull, No Drilling,
Customer's Own Pull
C = C-Pull,
(Nickel finish only)
D = D-Pull (PT, PZ only)
F = Bar pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-Pull,
(stainless steel finish only)
T = Tab Pull (1 pull per door set)

5. Lock options:

Optional hinge door configuration
L = Drilled to accept lock
N = No drilling

6. Refer to page 599 for keying instructions.

Pedestals must be ordered with back panels to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

For Open Pedestals;

- Finish Type
- Interior Option
- Cabinet Finish

Pedestals, 26 1/2" planning

Mobile Pedestal

Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors L	interiors V1	interiors V2	interiors V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J- () () L () ()	\$1,144.	\$1,226.	\$1,409.	\$1,902.	
	16"	23"	21"	RM112J- () () L () ()	1,196.	1,282.	1,476.	1,992.	
	16"	23"	26 1/2"	RM212J- () () L () ()	1,606.	1,723.	1,979.	2,673.	
	16"	23"	26 1/2"	RM212K- () () L () ()	1,606.	1,723.	1,979.	2,673.	



*Pencil tray not included
*Glue and dowel construction

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT					100.
---	---	---	---	-----------------	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling,
M Mobile Pedestal	2. Interior option	Customer's Own Pull
1 21"H	3. Pull option	C = C-Pull,
1 16" wide	4. Lock option, files	(Nickel finish only)
1 19" deep	5. Cabinet Finish	D = D-Pull (PT, PZ only)
J Box box file config.	6. Pull Finish	F = Bar pull
L Laminate finish	Painted or Plated	H = Outline Pull
M Metal interior	*After specifying product code, provide keying instructions.	J = J (Routed) Pull
D Metal D-pull	<i>1. Finish type:</i>	R = Cylinder Pull
L Lock option	L = Laminate	S = S-Pull,
114 Cabinet Finish	1 = V1	(stainless steel finish only)
612 Pull Finish	2 = V2	T = Tab Pull
	3 = V3	<i>4. Lock options:</i>
	<i>2. Interior options:</i>	L = Drilled to accept lock
	M = Metal interior	<i>5. Case Finish:</i> Laminate, V1,V2,V3
		<i>6. Pull Finish:</i> Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pencil trays not included in mobile pedestals with metal interiors.

Pencil tray to be ordered separately.

Pedestals, 26 1/2" planning

Mobile Pedestal


Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood	list
					interiors	interiors	interiors	interiors	
					L	V1	V2	V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L () ()	\$1,353.	\$1,452.	\$1,671.	\$2,255.	
	16"	23"	21"	RM112J-() () L () ()	1,429.	1,531.	1,760.	2,376.	
	16"	23"	26 1/2"	RM212K-() () L () ()	1,933.	2,071.	2,381.	3,216.	
	16"	23"	26 1/2"	RM212J-() () L () ()	1,933.	2,071.	2,381.	3,216.	



Glue and dowel construction

Pedestal backs	w	d	h	pattern no.	wood	wood	wood	wood
					L	V1	V2	V3
	16"	1"	26 1/2"	RPAB16-() ()	123.	127.	147.	199.
	19"	1"	26 1/2"	RPAB19-() ()	129.	133.	155.	210.
	30"	1"	26 1/2"	RPAB30-() ()	245.	251.	287.	388.
	36"	1"	26 1/2"	RPAB36-() ()	288.	299.	343.	464.



pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	w	d	h	pattern no.	wood	wood	wood	wood	list
					L	V1	V2	V3	
	-	-	-	RCOUNTWT					100.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	B = No Pull, No Drilling, Customer's Own Pull
M Mobile Pedestal	2. Interior option	C = C-Pull, (Nickel finish only)
1 21"H	3. Pull option	D = D-Pull (PT, PZ only)
1 16" wide	4. Lock option, files	F = Bar pull
1 19" deep	5. Cabinet Finish	H = Outline Pull
J Box box file config.	6. Pull Finish	J = J (Routed) Pull
L Laminate finish	Painted or Plated	R = Cylinder Pull
W Wood interior	After specifying product code, provide keying instructions.	S = S-Pull, (stainless steel finish only)
D Metal D-pull	<i>1. Finish type:</i>	T = Tab Pull
L Lock option	L = Laminate	<i>4. Lock options:</i>
114 Cabinet Finish	1 = V1	L = Drilled to accept lock
612 Pull Finish	2 = V2	<i>5. Case Finish:</i> Wood or Laminate
	3 = V3	<i>6. Pull Finish:</i> Painted or Plated
	<i>2. Interior options:</i>	Refer to page 599 for keying instructions.
	M = Metal interior	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Applicable finishes are listed on page 5 and 6.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Random locks are factory installed. Keyalike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pedestals, 28 3/8 planning

BBF/FF


Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 3/8"	RP161J () () L () ()	\$1,220.	\$1,305.	\$1,501.	\$2,020.
	16"	23"	28 3/8"	RP162J () () L () ()	1,276.	1,368.	1,572.	2,115.
	16"	29"	28 3/8"	RP163J () () L () ()	1,330.	1,424.	1,638.	2,203.

*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height) file/file configuration	16"	19"	28 3/8"	RP161K () () L () ()	1,120.	1,201.	1,381.	1,866.
	16"	23"	28 3/8"	RP162K () () L () ()	1,199.	1,284.	1,480.	1,999.
	16"	29"	28 3/8"	RP163K () () L () ()	1,279.	1,368.	1,576.	2,126.
	30"	19"	28 3/8"	RP301K () () L () ()	1,281.	1,375.	1,579.	2,130.
	30"	23"	28 3/8"	RP302K () () L () ()	1,351.	1,448.	1,663.	2,246.
	36"	19"	28 3/8"	RP361K () () L () ()	1,364.	1,466.	1,685.	2,276.
	36"	23"	28 3/8"	RP362K () () L () ()	1,434.	1,535.	1,766.	2,385.

*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118) R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) J Box/Box/File config. L Finish type, laminate M Interior option, metal J Pull option, J L Lock option 118 Cabinet finish 118 Pull finish	To order please specify pattern number including: 1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior option</i> M = metal interior 3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Out Line J = routed J-pull (finish matches case) R = Cylinder S = S-pull (stainless steel finish only) T = Tab	4. <i>Lock option</i> Lock default is black. Pedestals with drawers always lock drilled L = drilled to accept lock 5. <i>Cabinet finish</i> Painted or Plated 6. <i>Pull finish</i> Painted or Plated Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%. Keying instructions must accompany all orders, refer to page 599 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Pencil trays not included in pedestals with metal interiors. Pencil tray to be ordered separately; see page 468. Finished back must be ordered separately to achieve full depth without a modesty. (page 293)

Products on this page are 28-3/8" high. 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning

BBF/FF


Metal interior legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191J() () L () ()	\$1,279.	\$1,370.	\$1,575.	\$2,120.
box/box/file configuration	19"	23"	28 3/8"	RP192J() () L () ()	1,340.	1,401.	1,649.	2,220.
	19"	29"	28 3/8"	RP193J() () L () ()	1,396.	1,495.	1,718.	2,313.



Pencil tray not included
 Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
 *3 counterweights per pedestal

Pedestal, (desk height)	19"	19"	28 3/8"	RP191K() () L () ()	1,175.	1,261.	1,450.	1,960.
file/file configuration	19"	23"	28 3/8"	RP192K() () L () ()	1,259.	1,349.	1,554.	2,099.
	19"	29"	28 3/8"	RP193K() () L () ()	1,344.	1,436.	1,654.	2,232.




Pencil tray not included
 Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
 *3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP191J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	
R Reff		
P Pedestal		
19 19" wide (nominal)		
1 19" deep (nominal)		
J Box/Box/File configuration		
L Finish type, laminate		
M Interior option, metal		
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		
	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior option</i> M = metal interior 3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Out Line J = routed J-pull (finish matches case) R = Cylinder S = S-pull (stainless steel finish only) T = Tab	4. <i>Lock option</i> Lock default is Black Pedestals with drawers always lock drilled L = drilled to accept lock 5. <i>Cabinet finish</i> 6. <i>Pull finish</i> Painted or Plated Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%. Keying instructions must accompany all orders, refer to page 599 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Pencil trays not included in pedestals with metal interiors. Pencil tray to be ordered separately; see page 468. Finished back must be ordered separately to achieve full depth without a modesty. (page0)
		Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Applicable finishes are listed on page 5 and 6. Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding) 1 counterweight = 10 lbs. Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Pedestals, 28 3/8 planning

BBF/FF

Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal, (desk height) box/box/file configuration	16"	19"	28 3/8"	RP161J () () L () ()	\$1,296.	\$1,384.	\$1,589.	\$2,138.
	16"	23"	28 3/8"	RP162J () () L () ()	1,438.	1,543.	1,772.	2,383.
	16"	29"	28 3/8"	RP163J () () L () ()	1,565.	1,679.	1,925.	2,590.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal, (desk height) file/file configuration	16"	19"	28 3/8"	RP161K () () L () ()	1,188.	1,272.	1,462.	1,973.
	16"	23"	28 3/8"	RP162K () () L () ()	1,399.	1,500.	1,723.	2,326.
	16"	29"	28 3/8"	RP163K () () L () ()	1,525.	1,638.	1,883.	2,541.
	30"	19"	28 3/8"	RP301K () () L () ()	1,535.	1,644.	1,892.	2,554.
	30"	23"	28 3/8"	RP302K () () L () ()	1,803.	1,933.	2,218.	2,993.
	36"	19"	28 3/8"	RP361K () () L () ()	1,895.	2,030.	2,339.	3,158.
	36"	23"	28 3/8"	RP362K () () L () ()	2,209.	2,372.	2,726.	3,679.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code	Specification Information
Example: RP161J(L)(W)(J)L(118)	
R Reff	
P Pedestal	
16 16" wide (nominal)	
1 19" deep (nominal)	
J Box/Box/File configuration	
L Finish type, laminate	
W Interior option, wood	
D Pull option	
L Lock option	
118 Cabinet finish	
118 Pull finish	

Specification Information

To order please specify pattern number including:

- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
- Interior option**
W = wood interior
- Pull option**
B = No pull, No drilling
Customer's own pull
C = nickel finish C-pull (nickel finish only)
D = metal D-pull (finish optional)
F = Bar
H = Out Line
J = routed J-pull (finish matches case)
R = Cylinder
S = S-pull (stainless steel finish only)
T = Tab
- Lock option**
Pedestals with drawers always lock drilled
Lock default is Black
L = drilled for lock

Application Notes

- Cabinet finish**
- Pull finish**
Painted or Plated

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
List price for wood grain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 599 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty.(page0)

Products on this page are 28-3/8" high. 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning

BBF/FF


Wood interior legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191J()()L()()	\$1,359.	\$1,453.	\$1,668.	\$2,244.
box/box/file configuration	19"	23"	28 3/8"	RP192J()()L()()	1,509.	1,619.	1,859.	2,502.
	19"	29"	28 3/8"	RP193J()()L()()	1,642.	1,761.	2,020.	2,719.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal


Pedestal, (desk height)	19"	19"	28 3/8"	RP191K()()L()()	1,319.	1,335.	1,535.	2,072.
file/file configuration	19"	23"	28 3/8"	RP192K()()L()()	1,468.	1,575.	1,810.	2,442.
	19"	29"	28 3/8"	RP193K()()L()()	1,602.	1,719.	1,977.	2,668.




Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP191J(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	5. <i>Cabinet finish</i>	File drawers include file bars for front to back and side to side filing.
P Pedestal	6. <i>Pull finish</i> Painted or Plated	File drawers support bottom loading.
19 19" wide (<i>nominal</i>)	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Applicable finishes are listed on page 5 and 6.
1 19" deep (<i>nominal</i>)	2. <i>Interior option</i> W = wood interior	Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
J Box/Box/File configuration	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Out Line J = routed J-pull (finish matches case) R = Cylinder S = S-pull (stainless steel finish only) T = Tab	1 counterweight = 10 lbs.
L Finish type, laminate	4. <i>Lock option</i> Pedestals with drawers always lock drilled Lock default is Black L = drilled to accept lock N = no drilling	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
W Interior option, wood		
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		
	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.	
	Keying instructions must accompany all orders, refer to page 599 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	
	Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.	
	Finished back must be ordered separately to achieve full depth without a modesty.(page0)	

Pedestals, 28 3/8 planning
 Open / Hinge Door
 Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 3/8"	RP161L(L/R) () () () ()	\$983.	\$1,052.	\$1,211.	\$1,636.
	16"	23"	28 3/8"	RP162L(L/R) () () () ()	1,194.	1,280.	1,471.	1,986.
	16"	29"	28 3/8"	RP163L(L/R) () () () ()	1,364.	1,466.	1,685.	2,276.
	30"	19"	28 3/8"	RP301L () () () ()	1,270.	1,361.	1,565.	2,112.
	30"	23"	28 3/8"	RP302L () () () ()	1,483.	1,592.	1,828.	2,469.
	36"	19"	28 3/8"	RP361L () () () ()	1,609.	1,724.	1,985.	2,680.
	36"	23"	28 3/8"	RP362L () () () ()	1,881.	2,018.	2,321.	3,133.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
 Metal interior means shelf metal.

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 3/8"	RP161M () ()	746.	803.	922.	1,244.
	16"	23"	28 3/8"	RP162M () ()	872.	935.	1,075.	1,451.
	16"	29"	28 3/8"	RP163M () ()	1,028.	1,103.	1,270.	1,715.
	30"	19"	28 3/8"	RP301M () ()	869.	932.	1,072.	1,447.
	30"	23"	28 3/8"	RP302M () ()	1,056.	1,132.	1,302.	1,757.
	36"	19"	28 3/8"	RP361M () ()	1,110.	1,194.	1,370.	1,848.
	36"	23"	28 3/8"	RP362M () ()	1,345.	1,442.	1,658.	2,238.


Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
 Metal interior means shelf metal.
 N=No lock option

Order Code	Specification Information	Application Notes
Example: RP161LL(L)(M)(J)L(118) R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) L Hinge door config. L Left hand hinge location L Finish type, laminate M Interior option, metal J Pull option, J L Lock option 118 Cabinet finish 118 Pull finish	To order please specify pattern number including: 1. Hinge location, where applicable L = left hand R = right hand 2. Finish type L = laminate 1 = V1 2 = V2 3 = V3 3. Interior option M = metal interior 4. Pull option B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar (1 pull per door set) H = Out Line J = routed J-pull (finish matches case) R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	5. Lock option Optional for hinged door configurations only L = drilled to accept lock N = no drilling 6. Lock Finish: B = Black S = Matte Silver 7. Cabinet finish 8. Pull finish Painted or Plated Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%. Keying instructions must accompany all orders, refer to page 599 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
		Products on this page are 28-3/8" high. 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications. Applicable finishes are listed on page 5 and 6. Finished back must be ordered separately to achieve full depth without a modesty. (page 293) For Open pedestals; 1. Finish type 2. Interior option 3. Cabinet finish Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning

Open / Hinge Door

Wood interiors


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 3/8"	RP161L(L/R) () () () ()	\$1,075.	\$1,153.	\$1,326.	\$1,790.
	16"	23"	28 3/8"	RP162L(L/R) () () () ()	1,292.	1,382.	1,591.	2,149.
	16"	29"	28 3/8"	RP163L(L/R) () () () ()	1,462.	1,566.	1,798.	2,428.
	30"	19"	28 3/8"	RP301L () () () ()	1,361.	1,462.	1,682.	2,271.
	30"	23"	28 3/8"	RP302L () () () ()	1,579.	1,695.	1,948.	2,630.
	36"	19"	28 3/8"	RP361L () () () ()	1,706.	1,825.	2,098.	2,833.
	36"	23"	28 3/8"	RP362L () () () ()	1,977.	2,119.	2,434.	3,286.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 3/8"	RP161M () ()	845.	899.	1,037.	1,400.
	16"	23"	28 3/8"	RP162M () ()	968.	1,040.	1,197.	1,616.
	16"	29"	28 3/8"	RP163M () ()	1,125.	1,203.	1,388.	1,875.
	30"	19"	28 3/8"	RP301M () ()	966.	1,034.	1,188.	1,604.
	30"	23"	28 3/8"	RP302M () ()	1,151.	1,234.	1,421.	1,916.
	36"	19"	28 3/8"	RP361M () ()	1,204.	1,296.	1,487.	2,011.
	36"	23"	28 3/8"	RP362M () ()	1,439.	1,538.	1,771.	2,392.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

N=No Lock option

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height) finished back 	16"	1"	28 3/8"	RPDHB16 () ()	130.	132.	153.	207.
	19"	1"	28 3/8"	RPDHB19 () ()	136.	138.	161.	218.
	30"	1"	28 3/8"	RPDHB30 () ()	256.	265.	303.	409.
	36"	1"	28 3/8"	RPDHB36 () ()	305.	314.	361.	487.

pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information	Application Notes
Example: RP161LL(L)(W)(J)L(118) R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) L Hinge door config. L Left hand hinge location L Finish type, laminate W Interior option, wood J Pull option, J L Lock option 118 Cabinet finish 118 Pull finish	To order please specify pattern number including: 1. <i>Hinge location, were applicable</i> L = left hand R = right hand 2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior option</i> W = wood interior 4. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = nickel finish C-pull D = metal D-pull F = Bar (1 pull per door set) H = Out Line J = routed J-pull R = Cylinder S = S-pull T = Tab (1 pull per door set) 5. <i>Lock option</i> Optional for hinged door configurations only Lock default is Black L = drilled to accept lock N = no drilling 6. <i>Lock Finish:</i> B = Black S = Matte Silver 7. <i>Cabinet finish</i> 8. <i>Pull finish</i> Painted or Plated Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%. Keying instructions must accompany all orders, refer to page 599 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications. Applicable finishes are listed on page 5 and 6. For Open pedestals; 1. Finish type 2. Interior option 3. Cabinet finish Finished back must be ordered separately to achieve full depth without a modesty.(page293) Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning
Removable Back
Wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height) hinge door configuration	30"	19"	28 3/8"	RPDHH301A () () () ()	\$1,541.	\$1,722.	\$2,134.	\$2,957.
Access with removable back	30"	23"	28 3/8"	RPDHH302A () () () ()	1,579.	1,997.	2,452.	3,383.
(wood interior only)	36"	19"	28 3/8"	RPDHH361A () () () ()	1,587.	2,082.	2,550.	3,517.
	36"	23"	28 3/8"	RPDHH362A () () () ()	1,624.	2,418.	2,938.	4,041.



Pedestal, (desk height) open book case	30"	20"	28 3/8"	RPDH301A () ()	1,183.	1,264.	1,453.	1,962.
Access with removable back	30"	24"	28 3/8"	RPDH302A () ()	1,406.	1,508.	1,735.	2,340.
(wood interior only)	36"	20"	28 3/8"	RPDH361A () ()	1,762.	1,883.	2,167.	2,926.
	36"	24"	28 3/8"	RPDH362A () ()	1,474.	1,584.	1,823.	2,459.



Order Code	Specification Information	Application Notes
Example: RPDHH301A	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Lock Option:</i> L/N	4. <i>Pull Finish:</i> Painted Plated
P Pedestal	2. <i>Lock Finish:</i> B = Black S = Matte Silver	5. <i>Pedestal Finish:</i> L, V1, V2, V3
DH Desk Height	3. <i>Pull option:</i> B = no pull, no drilling Customer's own pull C = nickel finish C-pull D = metal D-pull F = Bar pull (1 pull per door set) H = Outline pull J = routed J-pull R = Cylinder pull S = S-pull T = Tab pull (1 pull per door set)	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
H Hinge doors		Hinge doors only
30 30" wide (<i>nominal</i>)		One adjustable shelf
1 19" deep (<i>nominal</i>)		Wood shelf only
A Access		No metal interior
L Lock option		Removable back is above adjustable shelf
B Lock finish		Key hole construction
B Pull option, B		30" and 36" wide x 19" deep
() Pull finish		Always comes with applied pull
118 Cabinet finish		No touch latch option
		Works the same way as the 3/4" access ped
		Inside height clearance top shelf = 10.9"
		Inside height clearance bottom shelf = 11.6"
		Use with 28 3/8" high planning

Pedestals, 28 3/8 planning
Equipment Pedestal, 28 3/4" high
Wood interior




description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal, (desk height)	30"	19"	28 3/8"	RPDH301E(L/R) () () () () () ()	\$2,238.	\$2,945.	\$3,256.	\$3,884.
Equipment configuration	30"	23"	28 3/8"	RPDH302E(L/R) () () () () () ()	2,279.	2,999.	3,308.	4,066.
(wood interior only)	36"	19"	28 3/8"	RPDH361E(L/R) () () () () () ()	2,293.	3,006.	3,324.	3,998.
	36"	23"	28 3/8"	RPDH362E(L/R) () () () () () ()	2,332.	3,052.	3,392.	4,120.



Order Code	Specification Information	Application Notes
Example: RPDH301E(L/R)	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
R Reff		
P Pedestal	1. <i>Finish type:</i>	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
DH Desk height	L = laminate	
30 30" wide	1 = V1	
1 19" deep (nominal)	2 = V2	Applied back can be ordered separately but NOT recommended, for it restricts ventilation.
E Equipment Ped.	3 = V3	
L Left hand	2. <i>Interior option: W (wood)</i>	
V2 Case finish type	3. <i>Pull option</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
W Interior option, wood	B = No pull, No drilling	List price for wood grain laminate options will be current published laminate list price plus 10%.
H Pull option	Customer's own pull	
V316 Case finish	C = Nickel finish C-pull	
111 Pull finish	D = Metal D-pull	
L Lock option	F = Bar pull	
B Lock finish	H = Outline pull	
	J = Rounded J-pull	
	R = Cylinder pull	
	S = S-pull	
	(Stainless Steel Finish only)	
	T = Tab pull	
	4. Case finish	
	5. Pull finish:	
	Painted or Plated	
	6. <i>Lock option</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	7. Lock finish:	
	B = Black	
	S = Matte Silver	


Pedestals, 28 3/8 planning

Metal accessories for pedestals


description	w	d	h	pattern no.	list
Metal box divider, for desk height products 				RDHMBD	\$29.
	for 16" w desk height metal box drawer				
Metal file drawer divider, for desk height products 				RDHMFD	29.
	for 16" w desk height metal file drawer				
Metal lateral file drawer divider, for desk height products 				RDHMLD	23.
	for 20" and 24" deep metal lateral drawers				
Counter weight (for file/file configuration pedestals when used in freestanding applications)	—	—	—	RCOUNTWT	100.
	1 counter weight = 10 lbs.				

Order Code	Specification Information	Application Notes
Example: RDHMBD		The dividers come in black paint only.
R Reff		
DH Desk height		
M Metal		
B Box		
D Divider		


Pedestals, 28 3/8 planning
22 3/8" high
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height planning) box/file configuration	16"	19"	22 3/8"	RP161R () () (L) () ()	\$1,119.	\$1,197.	\$1,373.	\$1,847.
	16"	23"	22 3/8"	RP162R () () (L) () ()	1,168.	1,251.	1,437.	1,932.
	19"	19"	22 3/8"	RP191R () () (L) () ()	1,173.	1,256.	1,441.	1,938.
	19"	23"	22 3/8"	RP192R () () (L) () ()	1,226.	1,313.	1,508.	2,028.
	30"	19"	22 3/8"	RP301R () () (L) () ()	1,191.	1,277.	1,465.	1,970.
	30"	23"	22 3/8"	RP302R () () (L) () ()	1,255.	1,345.	1,541.	2,072.
	36"	19"	22 3/8"	RP361R () () (L) () ()	1,269.	1,359.	1,560.	2,099.
	36"	23"	22 3/8"	RP362R () () (L) () ()	1,330.	1,423.	1,635.	2,200.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal
Pencil tray not included.

 Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf	30"	19"	22 3/8"	RP301S () () ()	793.	853.	980.	1,323.
	30"	23"	22 3/8"	RP302S () () ()	966.	1,037.	1,190.	1,607.
	36"	19"	22 3/8"	RP361S () () ()	1,015.	1,091.	1,254.	1,692.
	36"	23"	22 3/8"	RP362S () () ()	1,229.	1,317.	1,514.	2,044.

Supplied with hardware kit includes wood screws for attachment to underside of worksurface


 Pedestal, (desk height planning) open file configuration	30"	19"	22 3/8"	RP301T () () (L) () ()	853.	913.	1,039.	1,382.
	30"	23"	22 3/8"	RP302T () () (L) () ()	1,026.	1,097.	1,249.	1,667.
	36"	19"	22 3/8"	RP361T () () (L) () ()	1,074.	1,151.	1,313.	1,752.
	36"	23"	22 3/8"	RP362T () () (L) () ()	1,289.	1,377.	1,574.	2,103.

Order Code	Specification Information	Application Notes
Example: RP161R () () (L) () ()	To order please specify pattern number including:	Use 28 3/8" desk height planning.
R Reff		Pedestals with drawers always lock drilled
P Pedestal	1. Finish type	L = drilled to accept lock
16 16" wide (nominal)	L = Laminate	
1 19" deep (nominal)	1 = V1	
R Box/File configuration	2 = V2	File drawer support bottom loading
2 Finish type	3 = V3	File drawers include bars for front to back and side to side filing.
M Interior option	2. Interior option: M= Metal interior	Pencil trays not included in pedestals with metal interiors.
H Pull option	3. Pull option	Pencil tray to be ordered separately; see page 468.
L Lock option	B = No pull, No drilling	
B Lock finish	Customer's own pull	
V316 Cabinet finish	C = Metal C-pull	Open book case:
PU Satin Nickel	D = Metal D-pull	1. Finish type
	F = Bar (1 pull / Door set)	L = Laminate
	H = Outline	1 = V1
	J = Routed J-pull	2 = V2
	S = Metal S-pull	3 = V3
	R = Cylinder	2. Interior option
	T = Tab (1 pull / Door set)	3. Cabinet finish
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Pedestals, 28 3/8 planning

22 3/8" high


Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning) box/file configuration 	16"	19"	22 3/8"	RP161R () () L () ()	\$1,186.	\$1,267.	\$1,456.	\$1,958.
	16"	23"	22 3/8"	RP162R () () L () ()	1,317.	1,411.	1,619.	2,179.
	19"	19"	22 3/8"	RP191R () () L () ()	1,244.	1,330.	1,529.	2,055.
	19"	23"	22 3/8"	RP192R () () L () ()	1,382.	1,481.	1,700.	2,288.
	30"	19"	22 3/8"	RP301R () () L () ()	1,422.	1,523.	1,749.	2,353.
	30"	23"	22 3/8"	RP302R () () L () ()	1,670.	1,786.	2,047.	2,756.
	36"	19"	22 3/8"	RP361R () () L () ()	1,754.	1,878.	2,158.	2,905.
	36"	23"	22 3/8"	RP362R () () L () ()	2,040.	2,187.	2,508.	3,383.


Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

* Pencil trays available in 16" and 19" w box drawers only.

Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf 	30"	19"	22 3/8"	RP301S () ()	884.	945.	1,086.	1,466.
	30"	23"	22 3/8"	RP302S () ()	1,051.	1,127.	1,297.	1,749.
	36"	19"	22 3/8"	RP361S () ()	1,101.	1,183.	1,362.	1,838.
	36"	23"	22 3/8"	RP362S () ()	1,316.	1,407.	1,619.	2,186.

Pedestals are supplied with hardware kit including wood screws for attachments to underside of worksurface.

Pedestal, (desk height planning) open file configuration 	30"	19"	22 3/8"	RP301T () () L () ()	943.	1,004.	1,145.	1,525.
	30"	23"	22 3/8"	RP302T () () L () ()	1,110.	1,187.	1,357.	1,809.
	36"	19"	22 3/8"	RP361T () () L () ()	1,161.	1,243.	1,421.	1,897.
	36"	23"	22 3/8"	RP362T () () L () ()	1,376.	1,467.	1,679.	2,245.

Order Code

Specification Information

Example:	RP161R () () L () ()
R	Reff
P	Pedestal
16	16" wide (nominal)
1	19" deep (nominal)
R	Box/File configuration
2	Finish type
W	Interior option
H	Pull option
L	Lock option
B	Lock finish
V316	Cabinet finish
PU	Satin Nickel

To order please specify pattern number including:

1. *Finish type*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior option: W = Wood interior*
3. *Pull option*
B = No pull, No drilling
Customer's own pull
C = Metal C-pull
D = Metal D-pull
F = Bar (1 pull / Door set)
H = Outline
J = Routed J-pull
S = Metal S-pull
R = Cylinder
T = Tab (1 pull / Door set)

4. *Lock option*
Pedestals with drawers always lock drilled
L = drilled to accept lock
5. *Lock finish*
B = Black
S = Matte silver
6. *Cabinet finish:*
L, V1, V2, V3
7. *Pull finish*
Painted or Plated

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

- Use 28 3/8" desk height planning.
- Applied back ordered separately for finished back.
- File drawer support bottom loading
- File drawers include bars for front to back and side to side filing.
- Pencil trays not included in pedestals with metal interiors.
- Pencil tray to be ordered separately; see page 468.
- Open book case:
 1. *Finish type*
L = Laminate
1 = V1
2 = V2
3 = V3
 2. Interior option
 3. Cabinet finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning
Hinge door with access, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Desk Height (22 3/8") Access Pedestal, Hinge doors	30"	19"	22 3/8"	RPH301A () () () ()	\$1,464.	\$1,636.	\$2,027.	\$2,809.
	30"	23"	22 3/8"	RPH302A () () () ()	1,500.	1,897.	2,329.	3,214.
	36"	19"	22 3/8"	RPH361A () () () ()	1,508.	1,978.	2,423.	3,341.
	36"	23"	22 3/8"	RPH362A () () () ()	1,543.	2,297.	2,791.	3,839.



Order Code	Specification Information	Application Notes
Example: RPH301A () () () ()	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
R Reff		One adjustable shelf.
P Pedestal		Wood shelf only, no metal interior.
H Hinge doors		Keyhole construction.
30 30" wide	1. <i>Lock option</i>	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 19" deep	L = Drilled for lock	Open access is above adjustable shelf.
A Access	N = No lock drilling	
L Lock option	2. <i>Lock finish:</i>	
B Lock finish	B = Black	
B Pull option	S = Matte Silver	
111 Pull finish	3. <i>Pull option</i>	
118 Finish	B = No pull, No drilling	
	Customer's own pull	
	C = Metal C-pull	
	D = Metal D-pull	
	F = Bar (1 pull / Door set)	
	H = Outline	
	J = Routed J-pull	
	S = Metal S-pull	
	R = Cylinder	
	T = Tab (1 pull / Door set)	
	4. <i>Pull finish:</i>	
	Painted or Plated	
	5. <i>Finish:</i> Wood or Laminate	

Pedestals, 28 3/8 planning
Removable Back, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 3/8"	RP301A ()()	\$986.	\$1,053.	\$1,211.	\$1,635.
cabinet access bookcase	30"	23"	22 3/8"	RP302A ()()	1,172.	1,257.	1,446.	1,950.
* with removable back	36"	19"	22 3/8"	RP361A ()()	1,228.	1,320.	1,519.	2,049.
	36"	23"	22 3/8"	RP362A ()()	1,468.	1,569.	1,806.	2,438.



*available in wood interior only.

Order Code	Specification Information	Application Notes
Example: RP301A	<i>To order the bookcase, please specify pattern number including:</i>	Bookcase
R Reff	1. <i>Finish type</i>	Always open configuration.
P Pedestal	L = Laminate	One adjustable Shelf.
30 30" wide	1 = V1	Bottom shelf fixed.
1 19" deep (<i>nominal</i>)	2 = V2	Removable back.
A Access pedestal	3 = V3	Inside height clearance;
2 Finish type	2. <i>Cabinet finish:</i>	Top shelf: 4.9"
V316 Cabinet finish	Laminate, V1, V2, V3	Bottom shelf: 11.6"
		Use 28 3/8" desk height planning.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
		List price for wood grain laminate options will be current published laminate list price plus 10%.

Pedestals, 28 3/8 planning
Equipment Pedestal, 22 3/8" high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 3/8"	RP301E(L/R) () () () () ()	\$1,865.	\$2,454.	\$2,713.	\$3,237.
equipment configuration	30"	23"	22 3/8"	RP302E(L/R) () () () () ()	1,899.	2,499.	2,757.	3,338.
(wood interior only)	36"	19"	22 3/8"	RP361E(L/R) () () () () ()	1,911.	2,505.	2,770.	3,332.
	36"	23"	22 3/8"	RP362E(L/R) () () () () ()	1,943.	2,543.	2,827.	3,433.



Left hand shown




Order Code	Specification Information	Application Notes
Example: RP301E(L/R)	<i>To order please specify pattern number including:</i>	Lock default is black
R Reff	1. <i>Finish type:</i> L = laminate 1 = V1 2 = V2 3 = V3	Use 28 3/8" desk height planning.
P Pedestal	2. <i>Interior option: W (wood)</i>	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
30 30" wide	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull F = Bar pull H = Outline pull R = Cylinder pull T = Tab pull	Applied back can be ordered separately, but <u>NOT</u> recommended for it restricts ventilation.
1 19" deep (nominal)	4. Case finish	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
E Equipment Ped.	5. Pull finish: Painted or Plated	List price for wood grain laminate options will be current published laminate list price plus 10%.
L Left hand	6. <i>Lock option</i> L = Lock hole drilled N = No lock drilling	
V2 Case finish type	7. <i>Lock finish:</i> B = Black S = Silver	
V2 Front finish type		
W Interior option, wood		
H Pull option		
V316 Case finish		
V316 Front finish		
111 Pull finish		
L Lock option		
B Lock finish		

Equipment Pedestal's Clearance:

Enclosed Area:
 For 30" w X 19" d 22.5" w X 16.5" d X 14.25" h
 For 30" w X 23" d 22.5" w X 20.5" d X 14.25" h
 For 36" w X 19" d 26.5" w X 16.5" d X 14.25" h
 For 36" w X 23" d 26.5" w X 20.5" d X 14.25" h

Open Area:
 For 30" w X 19" d 8" w X 17" d X 17.5" h
 For 30" w X 23" d 8" w X 21" d X 17.5" h
 For 36" w X 19" d 8" w X 17" d X 17.5" h
 For 36" w X 23" d 8" w X 21" d X 17.5" h

Pedestals, 28 3/8 planning
 22 3/8" high
 Pedestal back, filler and flush modesty

description	w	th	h	pattern no.	L	V1	V2	V3
 Pedestal Back	16"		22 3/8"	RPCB16 () ()	\$236.	\$283.	\$325.	\$423.
	19"		22 3/8"	RPCB19 () ()	241.	289.	333.	433.
	30"		22 3/8"	RPCB30 () ()	265.	317.	365.	475.
	36"		22 3/8"	RPCB36 () ()	278.	333.	383.	499.
 Pedestal Filler	6"		22 3/8"	RPFC6 () ()	165.	198.	216.	258.
	6"		28 3/8"	RPDHF6 () ()	199.	233.	252.	296.
 Flush Modesty Panel	42"	1"	22 3/8"	RPDHC42MF () ()	342.	410.	472.	613.
	48"	1"	22 3/8"	RPDHC48MF () ()	357.	428.	493.	642.
	54"	1"	22 3/8"	RPDHC54MF () ()	373.	447.	515.	668.
	60"	1"	22 3/8"	RPDHC60MF () ()	411.	493.	568.	737.
	66"	1"	22 3/8"	RPDHC66MF () ()	426.	511.	588.	764.
	72"	1"	22 3/8"	RPDHC72MF () ()	441.	529.	609.	792.
	78"	1"	22 3/8"	RPDHC78MF () ()	462.	554.	638.	829.
	84"	1"	22 3/8"	RPDHC84MF () ()	478.	573.	659.	857.
	90"	1"	22 3/8"	RPDHC90MF () ()	513.	615.	708.	920.
	96"	1"	22 3/8"	RPDHC96MF () ()	527.	632.	727.	946.

Order Code	
Example: RPCB16() ()	
R	Reff
P	Pedestal
C	For use with 22 3/8" pedestal
B	Back
16	Width
2	Finish type
V316	Finish

Specification Information
1. <i>Finish type</i>
L = Laminate
1 = V1
2 = V2
3 = V3
2. <i>Finish:</i>
Laminate or V1, V2, V3

Application Notes
Lock default is black.
Use 28 3/8" desk height planning.
Applied back ordered separately for finished back.
Products on this page Excluding any vertical surface, ie; modesty panels over 48" will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Pedestals, 28 3/8 planning
Mobile Pedestal, 23" high
Wood interiors

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	L/L	V1	V2	V3
Mobile Pedestal	16"	19"	23"	RMPU () () () () () ()	\$2,251.	\$2,297.	\$2,354.	\$2,197.	\$2,346.	\$2,685.	\$3,458.




Order Code	Specification Information	Application Notes
Example: RMPU () () () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
R Reff	1. Lock option Pedestals with drawers always lock drilled.	Always comes with lock.
M Mobile	2. Lock finish B = Black S = Matte silver	Always comes with finished back
P Pedestal	3. Pull option G = Grommet pull only	Grommet pull only.
U Cubby above with drawer/box/file	4. Pull finish: Painted or Plated	Actual width = 15.94"
L Lock Option	5. Case finish	Actual depth = 19.06"
B Lock Finish	6. Front finish	Actual total height = 23.37"
G Pull Finish	7. Pencil tray finish Painted / Anodized	
V316 Case Finish		
V316 Front Drawer Finish		
111 Pencil Tray Finish		

Credenzas, 28³/₈" planning 23³/₈" high, file drawer


Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, file drawer left and right and cubby	90"	20"	23 ³ / ₈ "	RRLCFDC2090	\$3,436.	\$3,780.	\$3,952.	\$4,124.	\$5,154.	\$5,928.	\$7,706.
	108"	20"	23 ³ / ₈ "	RRLCFDC20108	3,592.	3,951.	4,130.	4,311.	5,388.	6,196.	8,055.




*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, file drawer center with cubby	90"	20"	23 ³ / ₈ "	RRLCFDCC2090	3,062.	3,368.	3,522.	3,674.	4,593.	5,282.	6,866.
	108"	20"	23 ³ / ₈ "	RRLCFDCC20108	3,228.	3,551.	3,712.	3,874.	4,938.	5,569.	7,240.



*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, left	60"	20"	23 ³ / ₈ "	RRLCFDCL2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.
	72"	20"	23 ³ / ₈ "	RRLCFDCL2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.




*60" and 72"w credenzas with file drawer require 3 counter weights

*Left hand credenza; File drawer is on left.

Left hand credenza shown

Low credenza, right	60"	20"	23 ³ / ₈ "	RRLCFDCR2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.
	72"	20"	23 ³ / ₈ "	RRLCFDCR2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.



*60" and 72"w credenzas with file drawer require 3 counter weights

*Right hand credenza; File drawer is on right.

Right hand credenza shown

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT	100.
---	---	---	---	-----------------	------


*Available in Black only.

Order Code	Specification Information	Application Notes
Example: RRLCFDC2090	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff		Nominal depth 20"
LC Low Credenza		Actual depth 19"
FDC File Drawer with cubby	1. Lock option: Drawers are always lock drilled. L=drilled to accept lock	Grommet Pull option for these products.
20 20" deep	2. Lock finish: B=Black S=Matte Silver	Locks on wood and Laminate doors. No locks on glass doors.
90 90" wide	3. Pull option Grommet pull, only	Legs shipped with credenza.
L Lock option	4. Pull finish Painted / Plated	Legs available in painted finish only.
S Lock finish	5. Leg finish Painted only	Shelves are fixed.
G Pull option	6. Case finish: V316	Glass top and cushion sold separately.
115 Pull finish	7. Front finish: V316	
115 Leg finish		
V316 Case option		
V316 Case finish		

All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).
If file drawer on right side, credenza is right handed.
Product on this page **Excluding any vertical surface, over 48"**, will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Credenzas, 28³/₈" planning 23³/₈" high, open

Reff Profiles


description	w	d	h	pattern no.	L	V1	V2	V3
	60"	20"	23 ³ / ₈ "	RRLCO2060 () ()	\$2,105.	\$2,989.	\$3,438.	\$4,470.
	72"	20"	23 ³ / ₈ "	RRLCO2072 () ()	2,109.	3,122.	3,591.	4,668.
	90"	20"	23 ³ / ₈ "	RRLCO2090 () ()	2,574.	3,886.	4,469.	5,809.
	108"	20"	23 ³ / ₈ "	RRLCO20108 () ()	2,734.	4,128.	4,747.	6,172.

Cabinetry


Order Code	Specification Information	Application Notes
Example: RRLCO2060 () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reffresh	1. Leg finish Painted only	Nominal depth 20"
LC Low Credenza	2. Case finish type: L = Laminate	Actual depth 19"
O Open	1 = V1	All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).
20 20" deep	2 = V2	Product on this page Excluding any vertical surface, over 48" , will accept woodgrain laminate where laminate is currently an option.
60 60" wide	3 = V3	List price for woodgrain laminate options will be current published laminate list price plus 10%.
115 Leg finish	3. Case finish: V316	
2 Finish type		Legs shipped with credenza.
V316 Case finish		Legs available in painted finish only.
		Shelves are fixed.
		Glass top and cushion sold separately.

Credenzas, 28³/₈" planning
 23³/₈" high sliding door
 Glass door

description	w	d	h	pattern no.	L/GL	V1/GL	V2/GL	V3/GL
Low credenza, sliding glass door	90"	20"	23 ³ / ₈ "	RRLCSGD2090 () () () ()	\$4,709.	\$5,652.	\$6,499.	\$8,449.
	108"	20"	23 ³ / ₈ "	RRLCSGD20108 () () () ()	5,244.	6,292.	7,236.	9,407.




Low credenza, sliding glass door left	60"	20"	23 ³ / ₈ "	RRLCSGDL2060 () () () ()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 ³ / ₈ "	RRLCSGDL2072 () () () ()	3,315.	3,978.	4,574.	5,947.



Left hand shown

Low credenza, sliding glass door right	60"	20"	23 ³ / ₈ "	RRLCSGDR2060 () () () ()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 ³ / ₈ "	RRLCSGDR2072 () () () ()	3,315.	3,978.	4,574.	5,947.




right hand shown

Order Code	Specification Information	Application Notes
Example: RRLCSGD2090 () () () ()	To order please specify pattern number including:	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Nominal depth 20"
LC Low Credenza	Grommet pull	Actual depth 19"
SGD Sliding Glass Door	2. Pull finish	Product on this page Excluding any vertical surface, over 48" , will accept woodgrain laminate where laminate is currently an option.
20 20" deep	Painted / Plated	List price for woodgrain laminate options will be current published laminate list price plus 10%.
90 90" wide	3. Leg finish	
G Pull tpe	Painted only	
PN Pull finish	4. Case finish	
115 Leg finish	L, V1, V2, V3	
V316 Case finish	5. Glass frame finish:	
AN Glass frame finish, Anodized black	Anodized or Painted	
GL11 Door / front finish	6. Glass finish:	
	GL11, GL14, GL15, GL18	


Credenzas, 28³/₈" planning
 23³/₈" high sliding door
 Wood / Laminate door

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, sliding wood/ laminate door	90"	20"	23 ³ / ₈ "	RRLCSWD2090 () () () ()	\$3,660.	\$4,026.	\$4,209.	\$4,392.	\$5,307.	\$6,103.	\$7,934.
	108"	20"	23 ³ / ₈ "	RRLCSWD20108 () () () ()	4,044.	4,449.	4,650.	4,852.	5,864.	6,743.	8,766.




Low credenza, sliding wood/ laminate door left	60"	20"	23 ³ / ₈ "	RRLCSWDL2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 ³ / ₈ "	RRLCSWDL2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.



Left hand shown

Low credenza, sliding wood/ laminate door right	60"	20"	23 ³ / ₈ "	RRLCSWDR2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 ³ / ₈ "	RRLCSWDR2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.




right hand shown

Cabinetry

Order Code	Specification Information	Application Notes
Example: RRLCSWD2090 () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Nominal depth 20"
LC Low Credenza	Grommet	Actual depth 19"
SWD Sliding Wood Door	2. Pull finish	All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).
20 20" deep	Painted / Plated	
90 90" wide	3. Leg finish	Legs shipped with credenza.
G Pull option	Painted only	Legs available in painted finishes only.
115 Pull finish	4. Case finish	Shelves are fixed.
115 Leg finish	L, V1, V2, V3	Glass top and cushion sold separately.
V316 Case finish	5. Door finish	All sliding doors including wood, laminate and glass are non-locking.
V316 Door / front glass finish	L, V1, V2, V3	

Credenzas, 28^{3/8}" planning
Glass top

description	d	w	pattern no.	list
Lower Credenza Glass Top 	20"	30"	RLCGT301()	\$397.
	20"	36"	RLCGT361()	474.
	20"	60"	RLCGT601()	762.
	20"	72"	RLCGT721()	901.

Order Code

<i>Example:</i> RLCGT301()
R Reff
LC Lower Credenza
GT Glass Top
30 Width
1 20" deep
GL35 Glass finish

Specification Information


To order please specify pattern number including:

- Glass finish
 GL35 Grey
 GL85 Star Clear


Application Notes

Grommet not an option.

Cabinets, 26 1/2" planning
49" high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B- () ()	\$1,197.	\$1,568.	\$1,807.	\$2,439.
	30"	20"	49"	RC432B- () ()	1,350.	1,771.	2,035.	2,748.
	30"	24"	49"	RC433B- () ()	1,524.	1,995.	2,296.	3,098.
	36"	15"	49"	RC461B- () ()	1,328.	1,743.	2,003.	2,705.
	36"	20"	49"	RC462B- () ()	1,500.	1,965.	2,260.	3,051.
	36"	24"	49"	RC463B- () ()	1,686.	2,215.	2,545.	3,434.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)- () () () ()	1,205.	1,579.	1,817.	2,452.
	16"	24"	49"	RC413C(L/R)- () () () ()	1,326.	1,735.	1,996.	2,694.
	30"	20"	49"	RC432C- () () () ()	1,764.	2,314.	2,662.	3,593.
	30"	24"	49"	RC433C- () () () ()	1,952.	2,559.	2,944.	3,975.
	36"	20"	49"	RC462C- () () () ()	1,956.	2,565.	2,949.	3,982.
	36"	24"	49"	RC463C- () () () ()	2,156.	2,835.	3,259.	4,398.

Metal interiors mean shelves metal.

Order Code	Specification Information
Example: RC431B () ()	
R	Reff
C	Cabinets
4	49" high
3	30" wide
1	15" deep
B	Open Bookcase
2	V2 finish Type
M	Metal interior
V316	Cabinet finish: Maple

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type*
L=Laminate
1=V1
2=V2
3=V3
2. *Interior option*
M=Metal interior
(If laminate case finish-shelves painted to match. If V1, V2 or V3 case finish- shelves are painted black)
3. *Cabinet finish*
Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

To order the Cabinet with Hinge Doors, please specify pattern number including:

1. *Hinge location where applicable:*
L = Left hand
R = Right hand
2. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
3. *Interior options:*
M=Metal Interior
4. *Pull options:*
B=No pull, No Drilling, Customer's own Pull
C= C-Pull (nickel finish only)
D = D-Pull (PT or PZ only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull (1 pull per door set)
5. *Lock options Doors:*
L = Lock hole drilled
N = No lock drilling
6. *Cabinet Finish:*
Laminate or Wood
7. *Pull Finish:*
Painted / Plated

After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.


Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Cabinets, 26 1/2" planning
49" high, metal interior
4 Lateral files

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-() () L () ()	\$2,056.	\$2,694.	\$3,101.	\$4,188.
	30"	24"	49"	RC433F-() () L () ()	2,269.	2,975.	3,421.	4,619.
	36"	20"	49"	RC462F-() () L () ()	2,608.	3,418.	3,929.	5,305.
	36"	24"	49"	RC463F-() () L () ()	2,879.	3,776.	4,342.	5,862.



Order Code

Example:	RC432F() () L () ()
R	Reff
C	Cabinets
4	49" high
3	30" wide
2	20" deep
F	4 drawer lateral file
2	V2 finish type
M	Metal interior option
T	Tab pull option
L	Lock option
V316	Cabinet finish
118	Pull finish


Specification Information

- To order please specify pattern number including:
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black)
 - Pull options:**
B = No pull, No Drilling, Customer's own pull.
C = Nickel C-pull (nickel finish only)
D = Metal D-pull
F = Bar pull
H = Outline pull
J = Routed pull
R = Cylinder pull
S = S-pull (stainless steel finish only)
T = Tab pull
 - Lock options:**
Drawers are always lock drilled
L = Lock hole drilled
 - Cabinet finish:**
Wood or Laminate
 - Pull finish:**
Painted or Plated


Application Notes

- Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
- *After specifying product code, provide keying instructions.**
- Refer to page 599 for keying instructions.
- Key alike are field installed using the KnollKey order form. Random locks are factory installed.
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
List price for wood grain laminate options will be current published laminate list price plus 10%.
- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**
- File drawers include file bars for front to back and side to side filing.
- File drawers do not support bottom loading.

Cabinets, 26 1/2" planning 49" high, wood interior Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B- () () () ()	\$1,342.	\$1,757.	\$2,020.	\$2,727.
	30"	20"	49"	RC432B- () () () ()	1,496.	1,961.	2,253.	3,042.
	30"	24"	49"	RC433B- () () () ()	1,666.	2,183.	2,512.	3,392.
	36"	15"	49"	RC461B- () () () ()	1,474.	1,932.	2,222.	2,998.
	36"	20"	49"	RC462B- () () () ()	1,644.	2,157.	2,477.	3,343.
	36"	24"	49"	RC463B- () () () ()	1,833.	2,404.	2,762.	3,729.

Open cabinets require no keying instructions


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)- () () () () () ()	1,349.	1,769.	2,032.	2,743.
	16"	24"	49"	RC413C(L/R)- () () () () () ()	1,472.	1,928.	2,218.	2,993.
	30"	20"	49"	RC432C- () () () () () ()	1,908.	2,501.	2,877.	3,883.
	30"	24"	49"	RC433C- () () () () () ()	2,096.	2,750.	3,160.	4,265.
	36"	20"	49"	RC462C- () () () () () ()	2,101.	2,753.	3,169.	4,278.
	36"	24"	49"	RC463C- () () () () () ()	2,305.	3,023.	3,478.	4,696.

Order Code	Specification Information	Application Notes
Example: RC431B R Reff C Cabinets 4 49" high 3 30" wide 1 15" deep B Open Bookcase 2 Finish Type: V2 W Wood interior V316 Cabinet Finish: Maple	<p>To order the Open Bookcase, please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> W = Wood Interior 3. <i>Cabinet Finish:</i> Laminate or Wood <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.</p>	<p>To order the Cabinet with Hinge Doors, please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand 2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> W = Wood Interior 4. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set) 5. <i>Lock Options Doors:</i> <i>Drawers are always lock drilled</i> L = Lock hole drilled 6. <i>Cabinet finish:</i> Laminate or Wood 7. <i>Pull finish:</i> Painted or Plated <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p>

After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.

Cabinets, 26 1/2" planning
49" high, wood interior
Wardrobe cabinet

description	w	d	height	pattern number	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-()W() () ()	\$1,742.	\$2,281.	\$2,624.	\$3,544.
	30"	24"	49"	RC433D-()W() () ()	1,901.	2,495.	2,871.	3,875.
	36"	20"	49"	RC462D-()W() () ()	1,914.	2,511.	2,887.	3,898.
	36"	24"	49"	RC463D-()W() () ()	2,093.	2,746.	3,157.	4,262.




Available with wood interior only.

Order Code	Specification Information	Application Notes
Example: RC432D	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
R Reff		
C Cabinets		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
4 49" high		
3 30" wide	1. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
2 20" deep, 3-24" deep	2. <i>Interior options:</i> W = Wood Interior	
D Wardrobe Cabinet	3. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PZ and PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.
2 Finish Type: V2		Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 461.
W Wood interior		
V316 Cabinet Finish: Maple	4. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	20" deep wardrobe cabinets provide only 18" of clear storage space.
	5. <i>Cabinet finish:</i> Wood or Laminate	
	6. <i>Pull finish:</i> Painted or Plated	

Cabinets, 26 1/2" planning
49" high, wood interior
4 Lateral files

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L()()	\$2,200.	\$2,885.	\$3,318.	\$4,478.
	30"	24"	49"	RC433F-()()L()()	2,416.	3,171.	3,640.	4,914.
	36"	20"	49"	RC462F-()()L()()	2,752.	3,605.	4,145.	5,597.
	36"	24"	49"	RC463F-()()L()()	3,023.	3,961.	4,556.	6,151.



Order Code

Example:	RC432F()()L()()
R	Reff
C	Cabinets
4	49" high
3	30" wide
2	20" deep
F	Cabinet w/ 4 File Open bookcase
2	Finish Type: V2
W	Wood Interior
D	D-pull Option
L	Drilled for Lock (Not Optional)
V316	Cabinet finish: Maple
PT	Pull finish

To order please specify pattern number including:

1. *Finish Type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior Option*
W = Wood Interior
3. *Pull options:*
B = No Pull, No Drilling, Customer's own Pull
C = C-Pull (Nickel Finish Only)
D = D-Pull (PT or PZ only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-pull (Stainless Steel Finish Only)
T = Tab Pull (1 pull per door set)
4. Lock option doors
L = Drilled for Lock
Drawers are always drilled for locks
5. Cabinet Finish:
Laminate or Wood
6. Pull Finish:
Painted / Plated

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
List price for wood grain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Please refer to page 599 for keying instructions.


Key alike are field installed using the KnollKey order form. Random locks are factory installed.

File drawers are always drilled for lock.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning
64" high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () () ()	\$1,536.	\$2,016.	\$2,320.	\$3,131.
	30"	20"	64"	RC632B- () () ()	1,729.	2,267.	2,607.	3,518.
	30"	24"	64"	RC633B- () () ()	1,922.	2,521.	2,902.	3,915.
	36"	15"	64"	RC661B- () () ()	1,763.	2,310.	2,658.	3,587.
	36"	20"	64"	RC662B- () () ()	1,961.	2,567.	2,956.	3,988.
	36"	24"	64"	RC663B- () () ()	2,160.	2,831.	3,255.	4,395.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H- () () () () ()	2,125.	2,788.	3,205.	4,327.
	30"	24"	64"	RC633H- () () () () ()	2,349.	3,076.	3,540.	4,779.
	36"	20"	64"	RC662H- () () () () ()	2,349.	3,076.	3,540.	4,779.
	36"	24"	64"	RC663H- () () () () ()	2,572.	3,371.	3,877.	5,234.

Requires one lock core per cabinet
Shelves painted metal

Order Code

Example:	RC631B
R	Reff
C	Cabinets
6	64" high
3	30" wide
1	15" deep
B	Open Bookcase
2	V2 finish type
M	Metal interior option
V316	Cabinet finish

- To order the Open Bookcase, specify pattern number including:
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves are painted black)
 - Cabinet finish:**
Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.


Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.

Applicable finishes are listed on pages 5 and 6 .

- To order the Cabinet with Hnge Doors, specify pattern number including:
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
 - Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Cabinet finish:**
Wood or Laminate
 - Pull finish:**
Painted or Plated

Cabinets, 26 1/2" planning
64" high, metal interior
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F -() () () () ()	\$2,856.	\$3,747.	\$4,307.	\$5,816.
	30"	24"	64"	RC633F -() () () () ()	3,157.	4,136.	4,759.	6,422.
	36"	20"	64"	RC662F -() () () () ()	3,157.	4,136.	4,759.	6,422.
	36"	24"	64"	RC663F -() () () () ()	3,487.	4,569.	5,253.	7,093.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R) -() () () () ()	2,168.	2,838.	3,265.	4,407.
	16"	24"	64"	RC613G(L/R) -() () () () ()	2,394.	3,137.	3,606.	4,869.
	30"	20"	64"	RC632G -() () () () ()	2,745.	3,598.	4,136.	5,585.
	30"	24"	64"	RC633G -() () () () ()	3,055.	4,001.	4,601.	6,212.
	36"	20"	64"	RC662G -() () () () ()	3,033.	3,973.	4,570.	6,170.
	36"	24"	64"	RC663G -() () () () ()	3,373.	4,421.	5,083.	6,860.


Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R) -() () () () ()	2,234.	2,927.	3,366.	4,544.
	16"	24"	64"	RC613P(L/R) -() () () () ()	2,480.	3,253.	3,736.	5,044.
	30"	20"	64"	RC632P -() () () () ()	2,631.	3,447.	3,964.	5,352.
	30"	24"	64"	RC633P -() () () () ()	2,903.	3,806.	4,375.	5,907.
	36"	20"	64"	RC662P -() () () () ()	2,910.	3,813.	4,386.	5,921.
	36"	24"	64"	RC663P -() () () () ()	3,208.	4,202.	4,837.	6,530.


Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC632F () () () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinets	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)	
6 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
2 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
F Hinge door with 4 file drawers	6. <i>Cabinet Finish:</i> Wood or Laminate	
L Finish Type: Laminate	7. <i>Pull Finish:</i> Painted or Plated	
M Metal interior	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
T Tab pull option	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
L Lock option, files	List price for wood grain laminate options will be current published laminate list price plus 10%.	
N Lock Optino, Doors		
118 Cabinet finish		
111 Pull finish		
F = Hinge door cabinet with 4 File drawers		
G = Hinge door cabinet with FF		
P = Hinge door cabinet with BBF		

Cabinets, 26 1/2" planning
64" high, metal interior
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$1,799.	\$2,354.	\$2,709.	\$3,657.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,005.	2,630.	3,023.	4,082.
	30"	20"	64"	RC632C-() () () ()	2,385.	3,127.	3,596.	4,854.
	30"	24"	64"	RC633C-() () () ()	2,635.	3,456.	3,969.	5,358.
	36"	20"	64"	RC662C-() () () ()	2,608.	3,418.	3,929.	5,305.
	36"	24"	64"	RC663C-() () () ()	2,856.	3,747.	4,307.	5,816.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.


Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	2,771.	3,631.	4,174.	5,636.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,074.	4,028.	4,633.	6,254.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,062.	4,012.	4,619.	6,234.
	36"	24"	64"	RC663E(L/R)-() () () ()	3,396.	4,452.	5,118.	6,909.

Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	5. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
C Cabinets	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
1 15" wide	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted balck)	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep	4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
C Hinge Door Cab. w/ adjustable shelves		*Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 461.
L Finish Type: Laminate		
M Metal Interior		20" deep Wardrobe Cabinets provide only 18" of clear storage space.
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning
64" high, wood interior
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B -() () ()	\$1,681.	\$2,202.	\$2,535.	\$3,423.
	30"	20"	64"	RC632B -() () ()	1,874.	2,457.	2,826.	3,816.
	30"	24"	64"	RC633B -() () ()	2,067.	2,709.	3,116.	4,207.
	36"	15"	64"	RC661B -() () ()	1,907.	2,499.	2,876.	3,880.
	36"	20"	64"	RC662B -() () ()	2,103.	2,756.	3,172.	4,283.
	36"	24"	64"	RC663B -() () ()	2,303.	3,020.	3,471.	4,687.


Open cabinets require no keying instructions

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H -() () () ()	2,270.	2,979.	3,425.	4,624.
	30"	24"	64"	RC633H -() () () ()	2,493.	3,267.	3,758.	5,074.
	36"	20"	64"	RC662H -() () () ()	2,493.	3,267.	3,758.	5,074.
	36"	24"	64"	RC663H -() () () ()	2,714.	3,560.	4,091.	5,523.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC631B R Reff C Cabinets 6 64" high 3 30" wide 1 15" deep B Open Bookcase 2 Finish Type: V2 W Wood Interior W316 Cabinet finish: Maple	<p><i>To order Open Bookcase, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>Interior option:</i> W = Wood Interior <i>Cabinet Finish:</i> Wood or Laminate <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.</p>	<p><i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>Interior option:</i> W = Wood <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set) <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling <i>Cabinet Finish:</i> Wood or Laminate <i>Pull Finish:</i> Painted or Plated <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.</p>

Cabinets, 26 1/2" planning
64" high, wood interior
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	RC632F -() () () () ()	\$3,001.	\$3,935.	\$4,525.	\$6,108.
	30"	24"	64"	RC633F -() () () () ()	3,300.	4,324.	4,973.	6,713.
	36"	20"	64"	RC662F -() () () () ()	3,300.	4,324.	4,973.	6,713.
	36"	24"	64"	RC663F -() () () () ()	3,631.	4,761.	5,472.	7,388.

Requires two lock cores per cabinet
Interior height clearance top drawer 10", all others 10 3/4"

Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers 	16"	20"	64"	RC612G(L/R) -() () () () ()	2,309.	3,027.	3,481.	4,700.
	16"	24"	64"	RC613G(L/R) -() () () () ()	2,539.	3,325.	3,826.	5,164.
	30"	20"	64"	RC632G -() () () () ()	2,889.	3,786.	4,353.	5,876.
	30"	24"	64"	RC633G -() () () () ()	3,196.	4,189.	4,818.	6,505.
	36"	20"	64"	RC662G -() () () () ()	3,178.	4,163.	4,788.	6,465.
	36"	24"	64"	RC663G -() () () () ()	3,516.	4,608.	5,301.	7,159.

Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above 	16"	20"	64"	RC612P(L/R) -() () () () ()	2,379.	3,116.	3,582.	4,837.
	16"	24"	64"	RC613P(L/R) -() () () () ()	2,624.	3,439.	3,956.	5,342.
	30"	20"	64"	RC632P -() () () () ()	2,776.	3,638.	4,185.	5,649.
	30"	24"	64"	RC633P -() () () () ()	3,049.	3,995.	4,592.	6,199.
	36"	20"	64"	RC662P -() () () () ()	3,056.	4,002.	4,603.	6,215.
	36"	24"	64"	RC663P -() () () () ()	3,350.	4,396.	5,053.	6,821.

Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC632F () () () () ()		
R	Reff	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C	Cabinets	
6	64" high	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3	30" wide	
2	20" deep	File drawers are always drilled for locks.
F	Hinge door with 4 file drawers	
L	Finish Type: Laminate	After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.
W	Wood Interior	
T	Tab pull option	File drawers include file bars for front to back and side to side filing.
L	Lock option, files	
N	Lock option, doors	File drawers do not support bottom loading. Applicable finishes are listed on page and .
118	Cabinet finish	
118	Pull finish	Applicable finishes are listed on page 5 and 6.
F	= Hinge door cabinet with 4 File drawers	
G	= Hinge door cabinet with FF	
P	= Hinge door cabinet with BBF	

Specification Information
<i>To order the Cabinet with Hinge Doors and File Drawers, please specify pattern number including:</i>
1. <i>Hinge location where applicable:</i>
2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
3. <i>Interior option:</i> W = Wood Interior
4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)

- Lock Option Files:**
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Cabinet Finish:**
Wood or Laminate
 - Pull Finish:**
Painted or Plated
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
List price for wood grain laminate options will be current published laminate list price plus 10%.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers are always drilled for locks.


After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading. Applicable finishes are listed on page and .

Applicable finishes are listed on page 5 and 6.


Cabinets, 26 1/2" planning
64" high, wood interior
Hinge door with shelves and wardrobe

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$1,942.	\$2,545.	\$2,927.	\$3,951.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,152.	2,818.	3,239.	4,372.
	30"	20"	64"	RC632C-() () () ()	2,529.	3,315.	3,813.	5,146.
	30"	24"	64"	RC633C-() () () ()	2,779.	3,644.	4,189.	5,655.
	36"	20"	64"	RC662C-() () () ()	2,752.	3,605.	4,145.	5,597.
	36"	24"	64"	RC663C-() () () ()	3,001.	3,935.	4,525.	6,108.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	2,916.	3,821.	4,393.	5,931.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,217.	4,218.	4,849.	6,546.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,206.	4,200.	4,836.	6,528.
	36"	24"	64"	RC663E(L/R)-() () () ()	3,538.	4,641.	5,336.	7,205.

Requires one lock core per cabinet

Left hand shown


Cabinet with hinged doors for coat rod and boot tray* 	16"	20"	64"	RC612D(L/R)-() () () ()	1,701.	2,227.	2,560.	3,457.
	16"	24"	64"	RC613D(L/R)-() () () ()	1,862.	2,441.	2,808.	3,789.
	30"	20"	64"	RC632D-() () () ()	2,076.	2,720.	3,131.	4,227.
	30"	24"	64"	RC633D-() () () ()	2,139.	2,808.	3,226.	4,355.
	36"	20"	64"	RC662D-() () () ()	2,299.	3,015.	3,468.	4,680.
	36"	24"	64"	RC663D-() () () ()	2,349.	3,100.	3,563.	4,809.

Requires one lock core per cabinet
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	
R Reff	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	6. <i>Cabinet Finish:</i> Wood or Laminate	
6 64" high	7. <i>Pull Finish:</i> Painted or Plated	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
1 15" wide	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
2 20" deep	List price for wood grain laminate options will be current published laminate list price plus 10%.	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Hinge Door Cab. w/ adjustable shelves	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	* <i>Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 461.
L Finish Type: Laminate	2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
W Wood Interior	3. <i>Interior Option:</i> W = Wood Interior	20" deep Wardrobe Cabinets provide only 18" of clear storage space.
D Pull option; D	4. <i>Pull Options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		
D = Hinge door cabinet with full height wardrobe. Available only with wood interior.		

Cabinets, 26 1/2" planning
64" high, wood interior
Audio Visual Cabinet


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC632I-() () () () ()	\$3,183.	\$4,169.	\$4,796.	\$6,474.
	30"	24"	64"	RC633I-() () () () ()	3,502.	4,590.	5,282.	7,129.
	36"	20"	64"	RC662I-() () () () ()	3,403.	4,463.	5,131.	6,927.
	36"	24"	64"	RC663I-() () () () ()	3,724.	4,883.	5,612.	7,578.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes	Application Notes
Example: RC632I () () () () ()	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. * Audio Visual cabinets require two lock cores per cabinet.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3		
C Cabinets	2. <i>Interior option:</i> W = Wood Interior		
6 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)		
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling		
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate		
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated		
2 Finish Type: V2			
W Wood Interior			
D Pull option; D			
N Lock option; No			
N Lock option, doors			
V316 Cabinet finish			
PZ Pull finish			

Cabinets, 26 1/2" planning 72" high, metal interiors Bookcase and hinge doors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with open shelving	30"	20"	72"	RC732B- () () () ()	\$1,921.	\$2,520.	\$2,898.	\$3,914.
	30"	24"	72"	RC733B- () () () ()	2,130.	2,790.	3,212.	4,336.
	36"	20"	72"	RC762B- () () () ()	2,174.	2,850.	3,277.	4,425.
	36"	24"	72"	RC763B- () () () ()	2,383.	3,122.	3,592.	4,850.

Open cabinets require no keying instructions
Shelves painted metal

 Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H- () () () () () ()	2,539.	3,324.	3,824.	5,162.
	30"	24"	72"	RC733H- () () () () () ()	2,807.	3,674.	4,225.	5,705.
	36"	20"	72"	RC762H- () () () () () ()	2,789.	3,653.	4,199.	5,670.
	36"	24"	72"	RC763H- () () () () () ()	3,059.	4,003.	4,604.	6,216.

Requires one lock core per cabinet
Shelves painted metal

Order Code

Example:	RC732B () () () ()
R	Reff
C	Cabinets
7	72" high
3	30" wide
2	20" deep, 3 = 24" deep
B	Open Bookcase
2	Finish Type: V2
M	Metal Interior
V316	Cabinet Finish: Maple
N	Left hand drill
N	Right hand drill

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

To order the Open Bookcase, please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
- Cabinet Finish:**
Wood or Laminate
- Left hand drill:**
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:**
Same as above

To order the Cabinet with Hnge Doors, specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
- Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Cabinet finish:**
Wood or Laminate
- Pull finish:**
Painted or Plated
- Left hand drill:**
- Right hand drill:**

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.


Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Cabinets, 26 1/2" planning
72" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F- () () () () () () ()	\$3,157.	\$4,136.	\$4,759.	\$6,422.
	30"	24"	72"	RC733F- () () () () () () ()	3,507.	4,595.	5,285.	7,134.
	36"	20"	72"	RC762F- () () () () () () ()	3,487.	4,569.	5,253.	7,093.
	36"	24"	72"	RC763F- () () () () () () ()	3,870.	5,075.	5,834.	7,875.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"
Shelves painted metal

 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)- () () () () () () ()	2,294.	3,003.	3,457.	4,666.
	16"	24"	72"	RC713G(L/R)- () () () () () () ()	2,513.	3,333.	3,834.	5,174.
	30"	20"	72"	RC732G- () () () () () () ()	2,911.	3,817.	4,388.	5,925.
	30"	24"	72"	RC733G- () () () () () () ()	3,201.	4,195.	4,822.	6,512.
	36"	20"	72"	RC762G- () () () () () () ()	3,162.	4,143.	4,767.	6,434.
	36"	24"	72"	RC763G- () () () () () () ()	3,453.	4,526.	5,205.	7,026.


Requires two lock cores per cabinet
Shelves painted metal

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)- () () () () () () ()	2,381.	3,118.	3,586.	4,843.
	16"	24"	72"	RC713P(L/R)- () () () () () () ()	2,624.	3,439.	3,956.	5,342.
	30"	20"	72"	RC732P- () () () () () () ()	2,810.	3,681.	4,235.	5,719.
	30"	24"	72"	RC733P- () () () () () () ()	3,099.	4,063.	4,672.	6,307.
	36"	20"	72"	RC762P- () () () () () () ()	3,105.	4,069.	4,677.	6,315.
	36"	24"	72"	RC763P- () () () () () () ()	3,426.	4,486.	5,160.	6,967.


Requires two lock cores per cabinet
Shelves and drawer interiors metal

Order Code	Specification Information	Application Notes
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading. Applicable finishes are listed on page and .</p> <p>Applicable finishes are listed on pages 5 and 6.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p>
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> M = Metal Interior	
3 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
2 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
F Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
L Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
M Metal Interior	8. <i>Pull finish:</i> Painted or Plated	
T Tab Pull option	9. <i>Left hand drill:</i> 10. <i>Right hand drill:</i>	
L Lock option, files	F = Hinge door cabinet with 4 File drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF	
N Lock option, doors	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.	
118 Cabinet Finish		
118 Pull Finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning
72" high, metal interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R) -() () () () () ()	\$2,025.	\$2,653.	\$3,053.	\$4,122.
	16"	24"	72"	RC713C(L/R) -() () () () () ()	2,248.	2,947.	3,389.	4,573.
	30"	20"	72"	RC732C -() () () () () ()	2,643.	3,467.	3,986.	5,383.
	30"	24"	72"	RC733C -() () () () () ()	2,933.	3,843.	4,421.	5,968.
	36"	20"	72"	RC762C -() () () () () ()	2,922.	3,833.	4,406.	5,948.
	36"	24"	72"	RC763C -() () () () () ()	3,243.	4,247.	4,886.	6,597.

Requires one lock core per cabinet
Shelves painted metal


 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R) -() () () () () ()	3,109.	4,072.	4,687.	6,326.
	30"	24"	72"	RC733E(L/R) -() () () () () ()	3,476.	4,555.	5,241.	7,074.
	36"	20"	72"	RC762E(L/R) -() () () () () ()	3,407.	4,465.	5,135.	6,930.
	36"	24"	72"	RC763E(L/R) -() () () () () ()	3,803.	4,990.	5,734.	7,743.

Requires one lock core per cabinet
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC712C(L/R)	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 461.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> M = Metal Interior	
1 15" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
2 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
C Hinge Door Cab. w/ adjustable shelves	6. <i>Cabinet finish:</i> Wood or Laminate	
L Finish Type: Laminate	7. <i>Pull finish:</i> Painted or Plated	
M Metal Interior	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
D Pull option; D	9. <i>Right hand drill:</i> Same as above	
N Lock option; No	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.	
118 Cabinet Finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning
72" high, wood interiors
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with open shelving 	30"	20"	72"	RC732B-() () () ()	\$2,065.	\$2,708.	\$3,114.	\$4,202.
	30"	24"	72"	RC733B-() () () ()	2,273.	2,982.	3,427.	4,627.
	36"	20"	72"	RC762B-() () () ()	2,320.	3,040.	3,495.	4,717.
	36"	24"	72"	RC763B-() () () ()	2,527.	3,312.	3,808.	5,142.

Open cabinets require no keying instructions

Cabinet with hinged doors below and open shelf above. 	30"	20"	72"	RC732H-() () () () () ()	2,677.	3,510.	4,039.	5,451.
	30"	24"	72"	RC733H-() () () () () ()	2,944.	3,861.	4,440.	5,995.
	36"	20"	72"	RC762H-() () () () () ()	2,930.	3,838.	4,415.	5,960.
	36"	24"	72"	RC763H-() () () () () ()	3,196.	4,189.	4,818.	6,505.

Requires one lock core per cabinet

Order Code

Example:	RC732B () () () ()
R	Reff
C	Cabinets
7	72" high
3	30" wide
2	20" deep, 3 = 24" deep
B	Open Bookcase
2	Finish Type: V2
W	Wood Interior
V316	Cabinet Finish: Maple
N	Left hand drilled
N	Right hand drilled

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
 2. *Interior options:*
W = Wood
 3. *Cabinet Finish:*
Wood or Laminate
 4. *Left hand drill:*
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
 5. *Right hand drill:*
Same as above
- Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

To order the Cabinet with Hinge Doors, specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
W = Wood Interior
3. *Pull options:*
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
4. *Lock Option Doors:*
L = Lock hole drilled
N = No lock drilling
5. *Cabinet finish:*
Wood or Laminate
6. *Pull finish:*
Painted or Plated
7. *Left hand drill:*
8. *Right hand drill:*

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Cabinets, 26 1/2" planning

72" high, wood interiors

Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F- () () () () () () ()	\$3,300.	\$4,324.	\$4,973.	\$6,713.
	30"	24"	72"	RC733F- () () () () () () ()	3,651.	4,784.	5,500.	7,425.
	36"	20"	72"	RC762F- () () () () () () ()	3,631.	4,761.	5,487.	7,407.
	36"	24"	72"	RC763F- () () () () () () ()	4,013.	5,261.	6,053.	8,173.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)- () () () () () () ()	2,438.	3,195.	3,674.	4,958.
	16"	24"	72"	RC713G(L/R)- () () () () () () ()	2,687.	3,522.	4,049.	5,466.
	30"	20"	72"	RC732G- () () () () () () ()	3,057.	4,003.	4,604.	6,216.
	30"	24"	72"	RC733G- () () () () () () ()	3,344.	4,385.	5,040.	6,805.
	36"	20"	72"	RC762G- () () () () () () ()	3,306.	4,333.	4,983.	6,727.
	36"	24"	72"	RC763G- () () () () () () ()	3,599.	4,716.	5,423.	7,320.


Requires two lock cores per cabinet

 Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)- () () () () () () ()	2,524.	3,307.	3,804.	5,137.
	16"	24"	72"	RC713P(L/R)- () () () () () () ()	2,769.	3,630.	4,173.	5,635.
	30"	20"	72"	RC732P- () () () () () () ()	2,956.	3,874.	4,454.	6,013.
	30"	24"	72"	RC733P- () () () () () () ()	3,245.	4,251.	4,887.	6,599.
	36"	20"	72"	RC762P- () () () () () () ()	3,249.	4,257.	4,896.	6,610.
	36"	24"	72"	RC763P- () () () () () () ()	3,569.	4,676.	5,378.	7,262.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on pages 5 and 6.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>F = Hinge door cabinet with 4 file drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF</p>
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
7 72" high	3. <i>Interior options:</i> W = Wood Interior	
3 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
2 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
F Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
L Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
W Wood Interior	8. <i>Pull finish:</i> Painted or Plated	
T Tab Pull option	9. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
L Lock option, files	10. <i>Right hand drill:</i> Same as above	
N Lock option, doors	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.	
118 Cabinet Finish		
111 Pull Finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning
72" high, wood interiors
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	16"	20"	72"	RC712C(L/R)-() () () () () ()	\$2,171.	\$2,843.	\$3,269.	\$4,414.
	16"	24"	72"	RC713C(L/R)-() () () () () ()	2,392.	3,136.	3,605.	4,866.
	30"	20"	72"	RC732C-() () () () () ()	2,788.	3,653.	4,199.	5,670.
	30"	24"	72"	RC733C-() () () () () ()	3,078.	4,035.	4,640.	6,263.
	36"	20"	72"	RC762C-() () () () () ()	3,065.	4,019.	4,623.	6,240.
	36"	24"	72"	RC763C-() () () () () ()	3,388.	4,439.	5,104.	6,891.

Requires one lock core per cabinet

	30"	20"	72"	RC732E(L/R)-() () () () () ()	3,251.	4,262.	4,901.	6,616.
	30"	24"	72"	RC733E(L/R)-() () () () () ()	3,619.	4,745.	5,457.	7,366.
	36"	20"	72"	RC762E(L/R)-() () () () () ()	3,551.	4,654.	5,353.	7,228.
	36"	24"	72"	RC763E(L/R)-() () () () () ()	3,950.	5,177.	5,954.	8,038.

Requires one lock core per cabinet

Left hand shown

	16"	20"	72"	RC712D(L/R)-() () () ()	1,823.	2,392.	2,750.	3,712.
	16"	24"	72"	RC713D(L/R)-() () () ()	2,007.	2,631.	3,024.	4,083.
	30"	20"	72"	RC732D-() () () ()	2,297.	3,011.	3,460.	4,671.
	30"	24"	72"	RC733D-() () () ()	2,524.	3,307.	3,804.	5,137.
	36"	20"	72"	RC762D-() () () ()	2,525.	3,310.	3,807.	5,141.
	36"	24"	72"	RC763D-() () () ()	2,776.	3,638.	4,185.	5,649.

Requires one lock core per cabinet.
Order coat rod and boot tray from accessories.

Wood interior only

Order Code	Specification Information	Application Notes
Example: RC712C(L/R) () () () () () ()	<i>To order, please specify pattern number including:</i>	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
R Reff	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
C Cabinets	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	*Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 461.
7 72" high	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
1 15" wide	3. <i>Interior options:</i> W = Wood Interior	20" deep Wardrobe Cabinets provide only 18" of clear storage space.
2 20" deep	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull	
C Hinge Door Cab. w/ adjustable shelves		C = Hinge door cabinet with full height doors and 3 adjustable shelves. E = Hinge door cabinet with full height doors, half wardrobe and half shelves. D = Hinge door cabinet with full height wardrobe. Available only with wood interior.
L Finish Type: Laminate		
W Wood Interior		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Cabinets, 26 1/2" planning
72" high, wood interiors
Audio Visual Cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I-() () () () () ()	\$3,527.	\$4,621.	\$5,313.	\$7,173.
	30"	24"	72"	RC733I-() () () () () ()	3,891.	5,102.	5,869.	7,922.
	36"	20"	72"	RC762I-() () () () () ()	3,825.	5,014.	5,768.	7,787.
	36"	24"	72"	RC763I-() () () () () ()	4,223.	5,537.	6,368.	8,596.



Requires two lock cores per cabinet
Hinge opening 110°
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC732I () () () () () ()	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. <i>Interior option:</i> W = Wood Interior	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
7 72" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	* Audio Visual cabinets require two lock cores per cabinet.
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated	
2 Finish Type: V2		
W Wood Interior		
D Pull option; D		
N Lock option; No		
V316 Cabinet finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		


Cabinets, 26 1/2" planning

49", 64" and 72" high metal interior


Freestanding Multifunction Cabinets

Reff Profiles

description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M(L/R)() () () () () ()	\$2,804.	\$3,891.	\$4,508.	\$5,411.
	Box/Box/File	24"	24"	49"	RC423N(L/R)() () () () () ()	3,000.	4,097.	4,741.	5,689.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M(L/R)() () () () () ()	3,020.	4,230.	5,019.	6,023.
	Box/Box/File	24"	24"	64"	RC623N(L/R)() () () () () ()	3,219.	4,436.	5,222.	6,267.



Order Code

Example:	RC423ML () () () () () ()
R	Reff
C	Cabinets
4	49" high
2	24" wide
3	24" deep
M	Multifunction Cabinet
L/R	Left or Right hand
L	Finish Type: Laminate
M	Metal Interior
D	Pull option: D
L	Lock option files
N	Lock options Doors
118	Cabinet Finish: Maple
PT	Pull Finish

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

- To order, please specify pattern number including:
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
 - Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
 - Lock Option Files:**
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Cabinet finish:**
Wood or Laminate
 - Pull Finish:**
Painted or Plated

Application Notes


- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
- Refer to page 599 for keying instructions.
- Drawers are always drilled for locks.
- File drawers include file bars for front to back and side to side filing.
- File drawers do not support bottom loading.
- Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 461
- Coat rod is included.
- Applicable finishes are listed on page 5 and 6.
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
- List price for wood grain laminate options will be current published laminate list price plus 10%.

Cabinets, 26 1/2" planning

49", 64" and 72" high metal interior

Freestanding Multifunction Cabinets

description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M(L/R)()()()()()	\$3,173.	\$4,444.	\$5,309.	\$6,370.
	Box/Box/File	24"	24"	72"	RC723N()()()	3,371.	4,651.	5,519.	6,622.



Order Code

Example:	RC423ML ()()()()
R	Reff
C	Cabinets
4	49" high
2	24" wide
3	24" deep
M	Multifunction Cabinet
L/R	Left or Right hand
L	Finish Type: Laminate
M	Metal Interior
D	Pull option: D
L	Lock option files
N	Lock options Doors
118	Cabinet Finish: Maple
PT	Pull Finish

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

- To order, please specify pattern number including:*
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal Interior
 - Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
 - Lock Option Files:**
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Cabinet finish:**
Wood or Laminate
 - Pull Finish:**
Painted or Plated


Application Notes

- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
- Refer to page 599 for keying instructions.
- Drawers are always drilled for locks.
- File drawers include file bars for front to back and side to side filing.
- File drawers do not support bottom loading.
- Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 461
- Coat rod is included.
- Applicable finishes are listed on page 5 and 6.
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
- List price for wood grain laminate options will be current published laminate list price plus 10%.


Cabinets, 26 1/2" planning 49", 64" and 72" high wood interior Freestanding Multifunction Cabinet

Reff Profiles


description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M(L/R)() () () () () ()	\$3,226.	\$4,316.	\$4,933.	\$5,919.
	Box/Box/File	24"	24"	49"	RC423N(L/R)() () () () () ()	3,618.	4,715.	5,358.	6,429.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M(L/R)() () () () () ()	3,444.	4,654.	5,444.	6,532.
	Box/Box/File	24"	24"	64"	RC623N(L/R)() () () () () ()	3,835.	5,053.	5,840.	7,007.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M(L/R)() () () () () ()	3,597.	4,869.	5,731.	6,877.
	Box/Box/File	24"	24"	72"	RC723N() () ()	3,988.	5,268.	6,136.	7,362.




Order Code	Specification Information	Application Notes
Example: RC423ML () () () () ()	<i>To order, please specify pattern number including:</i>	
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinets	2. <i>Interior options:</i> W = Wood Interior	
4 49" high	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
2 24" wide	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
3 24" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
M Multifunction Cabinet	6. <i>Cabinet finish:</i> Wood or Laminate	Refer to page 599 for keying instructions.
L/R Left or Right hand	7. <i>Pull Finish:</i> Painted or Plated	Drawers are always drilled for locks.
L Finish Type: Laminate		File drawers include file bars for front to back and side to side filing.
W Wood Interior		File drawers do not support bottom loading.
D Pull option: D		Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 461.
L Lock option files		Coat rod is included.
N Lock options Doors		Applicable finishes are listed on page and .
118 Cabinet Finish: Maple		
PT Pull Finish		

Cabinets, 28³/₈" planning 53" high, metal interiors


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,206.	\$1,580.	\$1,819.	\$2,456.
	30"	20"	53"	RC532DHB () () ()	1,361.	1,785.	2,052.	2,771.
	30"	24"	53"	RC533DHB () () ()	1,535.	2,010.	2,311.	3,121.
	36"	15"	53"	RC561DHB () () ()	1,339.	1,754.	2,020.	2,726.
	36"	20"	53"	RC562DHB () () ()	1,510.	1,980.	2,278.	3,076.
	36"	24"	53"	RC563DHB () () ()	1,700.	2,231.	2,565.	3,462.



Interior shelves painted metal

description	w	d	h	pattern no.	L	V1	V2	V3
4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () () L () ()	2,073.	2,718.	3,125.	4,219.
	30"	24"	53"	RC533DHF () () () L () ()	2,288.	2,996.	3,446.	4,655.
	36"	20"	53"	RC562DHF () () () L () ()	2,629.	3,443.	3,961.	5,348.
	36"	24"	53"	RC563DHF () () () L () ()	2,902.	3,805.	4,375.	5,908.




Drawer interiors painted metal

Cabinetry


Order Code	Specification Information	Application Notes
<p>Example: RC531DHB</p> <p>R Reff</p> <p>C Cabinet</p> <p>5 53" high</p> <p>3 30" wide</p> <p>1 15" deep</p> <p>DH Desk height</p> <p>B Open Bookcase</p> <p>2 Finish Type, V2</p> <p>M Metal Interior</p> <p>V316 Cabinet Finish: Maple</p> <p>B = Open Bookcase</p> <p>F = 4 Drawer Lateral File</p>	<p><i>To order the Open Bookcase, please specify pattern number including:</i></p> <ol style="list-style-type: none"> Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 Interior options: M = Metal Cabinet Finish: Wood or Laminate <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.</p>	<p><i>To order the cabinet with 4 Lateral files, please specify pattern number including:</i></p> <ol style="list-style-type: none"> Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 Interior options: M = Metal Interior Pull options: B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull Lock Option Files: L = Lock hole drilled Drawers are always drilled for locks Cabinet finish: Wood or Laminate Pull Finish: Painted or Plated <p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Cabinets do not come with lock included.</p> <p>Keying instructions must accompany all cabinet orders.</p> <p>53" nominal height - actual height 52.625"</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p>

Cabinets, 28³/₈" planning
53" high, wood interiors
Bookcase and Lateral File

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,352.	\$1,774.	\$2,034.	\$2,745.
	30"	20"	53"	RC532DHB () () ()	1,505.	1,975.	2,271.	3,065.
	30"	24"	53"	RC533DHB () () ()	1,679.	2,202.	2,531.	3,417.
	36"	15"	53"	RC561DHB () () ()	1,485.	1,946.	2,239.	3,022.
	36"	20"	53"	RC562DHB () () ()	1,656.	2,172.	2,498.	3,371.
	36"	24"	53"	RC563DHB () () ()	1,846.	2,421.	2,784.	3,757.



4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () L () ()	2,217.	2,907.	3,342.	4,512.
	30"	24"	53"	RC533DHF () () L () ()	2,435.	3,193.	3,667.	4,950.
	36"	20"	53"	RC562DHF () () L () ()	2,772.	3,633.	4,178.	5,639.
	36"	24"	53"	RC563DHF () () L () ()	3,047.	3,991.	4,592.	6,199.



Order Code	
Example: RC531DHB	
R	Reff
C	Cabinet
5	53" high
3	30" wide
1	15" deep
DH	Desk height
B	Open Bookcase
2	Finish Type, V2
W	Wood Interior
V316	Cabinet Finish: Maple
B	= Open Bookcase
F	= 4 Drawer Lateral File

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
W = Wood
3. *Cabinet Finish:*
Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

To order the cabinet with 4 Lateral files, please specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
W = Wood Interior
3. *Pull options:*
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull
4. *Lock Option Files:*
L = Lock hole drilled
Drawers are always drilled for locks
5. *Cabinet finish:*
Wood or Laminate
6. *Pull Finish:*
Painted or Plated

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Cabinets do not come with lock included.

53" nominal height - actual height 52.625"


File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.

Cabinets, 28³/₈" planning
53" high, wood interiors
Wardrobe

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged doors with coat rod (wood interior only)	30"	15"	53"	RC531DHH () () () ()	\$1,622.	\$2,129.	\$2,441.	\$3,294.
	30"	20"	53"	RC532DHH () () () ()	1,768.	2,317.	2,668.	3,599.
	30"	24"	53"	RC533DHH () () () ()	1,942.	2,544.	2,928.	3,951.
	36"	15"	53"	RC561DHH () () () ()	1,782.	2,335.	2,687.	3,626.
	36"	20"	53"	RC562DHH () () () ()	1,936.	2,534.	2,908.	3,912.
	36"	24"	53"	RC563DHH () () () ()	2,126.	2,783.	3,194.	4,298.



Requires one lock core per cabinet

Order Code

Example: RC531DHH
R Reff
C Cabinet
5 53" high
3 30" wide
1 15" deep
DH Desk height
H Hinge Door Cabinet
2 Finish Type, V2
W Wood Interior
V316 Cabinet Finish: Maple

To order the Cabinet with hinge Doors, please specify pattern number including:

- Lock Option:**
L = Lock hole drilled
N = No lock drilled
- Lock Finish:**
B = Black
S = Matte Silver
- Pull options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = Metal D-pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab pull (1 pull per door set)
- Pull Finish:**
Painted or Plated
- Cabinet finish:**
Wood or Laminate

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

53" nominal height - actual height 52.625"

After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.


15" wardrobe cabinets come with 2 coat hooks.

20" and 24" deep wardrobe cabinet comes with a coat rod.

20" deep Wardrobe Cabinets provides only 18" of clear storage space.

Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 461.

Cabinets, 28³/₈" planning
72" high, metal interiors
Bookcase

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase (for desk height planning)	30"	15"	72"	RC7231DHB () () ()	\$1,789.	\$2,345.	\$2,699.	\$3,643.
	30"	20"	72"	RC7232DHB () () ()	1,844.	2,418.	2,782.	3,756.
	30"	24"	72"	RC7233DHB () () ()	2,045.	2,678.	3,082.	4,161.
	36"	15"	72"	RC7261DHB () () ()	2,024.	2,653.	3,052.	4,120.
	36"	20"	72"	RC7262DHB () () ()	2,087.	2,735.	3,146.	4,247.
	36"	24"	72"	RC7263DHB () () ()	2,288.	2,996.	3,446.	4,655.

Order Code

Example:	RC731B () () () ()
R	Reff
C	Cabinets
72	72" high
3	30" wide
1	15" deep, 2 = 20" deep, 3 = 24" deep
DH	Desk height
B	Open Bookcase
2	Finish Type: V2
M	Metal Interior
V316	Cabinet Finish: Maple

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
M = Metal
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
3. *Cabinet Finish:*
Wood or Laminate

Application Notes


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
List price for wood grain laminate options will be current published laminate list price plus 10%.

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.**


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 28³/₈" planning
72" high, metal interiors
Bookcase and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	72"	RC7232DHK()	\$3,182.	\$4,175.	\$4,784.	\$6,410.
	30"	24"	72"	RC7233DHK()	3,518.	4,609.	5,288.	7,091.
	36"	20"	72"	RC7262DHK()	3,469.	4,550.	5,221.	7,001.
	36"	24"	72"	RC7263DHK()	3,782.	4,992.	5,728.	7,685.




Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	72"	RC7232DHO()	3,394.	4,500.	5,169.	6,991.
	30"	24"	72"	RC7233DHO()	3,798.	5,028.	5,777.	7,814.
	36"	20"	72"	RC7262DHO()	3,775.	5,002.	5,743.	7,768.
	36"	24"	72"	RC7263DHO()	4,220.	5,581.	6,412.	8,671.




Order Code	Specification Information	Application Notes
Example: RC7232DHK()	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
R Reff	1. <i>Interior options:</i> M = Metal	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Lock Option:</i> L = Lock hole drilled Drawers are always drilled for lock. Not optional.	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
72 72" high	3. <i>Lock Finish:</i> B = Black S = Matte Silver	* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull (nickel finish only) D = Metal D-Pull (finish optional) F = Bar Pull H = Outline Pull J = routed J-pull (finish matches case) R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Applicable finishes are listed on page 5 and 6.
2 20" deep, 3 = 24" deep	5. <i>Pull Finish:</i> Painted and Plated	
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
K Open Shelves with 2 File drawers		
M Metal Interior		
L Lock Option		
B Lock Finish		
T Pull Option		
111 Pull Finish		
V316 Cabinet Finish: Maple		
K = Open shelves and 2 file drawers		
O = Open shelves and 4 file drawers		

Cabinets, 28³/₈" planning
72" high, metal interiors
Hinge doors and file drawers

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () () () ()	\$3,029.	\$3,970.	\$4,567.	\$6,164.
	30"	24"	72"	RC7233DHFH () () () () () ()	3,366.	4,345.	5,072.	6,846.
	36"	20"	72"	RC7262DHFH () () () () () ()	3,346.	4,385.	5,041.	6,806.
	36"	24"	72"	RC7263DHFH () () () () () ()	3,714.	4,870.	5,627.	7,558.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () () () () ()	2,201.	2,882.	3,318.	4,477.
	16"	24"	72"	RC7213DHGH(L/R) () () () () () ()	2,412.	3,199.	3,679.	4,966.
	30"	20"	72"	RC7232DHGH () () () () () ()	2,793.	3,664.	4,211.	5,686.
	30"	24"	72"	RC7233DHGH () () () () () ()	3,072.	4,026.	4,628.	6,249.
	36"	20"	72"	RC7262DHGH () () () () () ()	3,034.	3,976.	4,574.	6,175.
	36"	24"	72"	RC7263DHGH () () () () () ()	3,314.	4,344.	4,994.	6,742.



Order Code

Example: RC723DHFH	
R	Reff
C	Cabinet
7	72" high
3	30" wide
2	20" deep
DH	Desk Height
F	Storage with Hinge Door with 4 file drawers
H	Wood hinge doors
L	Finish Type: Laminate
M	Metal Interior
T	Tab pull option
L	Lock option, files
N	Lock option, doors
B	Lock Finish
118	Cabinet Finish
111	Pull Finish

F = Hinge door cabinet with 4 file drawers
G = Hinge door cabinet with FF

Specification Information

- To order, please specify pattern number including:
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
 - Interior options:**
M = Metal
 - Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = Nickel Finish C-Pull
D = Metal D-pull
F = Bar Pull (1 pull per door set)
H = Outline Pull
JN = J (Routed) Pull on Drawers and Touch latch on hinge doors
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull (1 pull per door set)
 - Lock options Files:**
L = Lock hole drilled (not optional)
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
 - Lock Finish:**
B = Black
S = Matte Silver
 - Cabinet Finish:**
Wood or Laminate
 - Pull Finish:**
Painted or Plated

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.

Drawers are always drilled for locks.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
72" high, metal interiors
Hinge doors and Box/Box/File

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors & 1 adj shelf, bottom box/box/file (for desk height planning)	16"	20"	72"	RC7212DHPH(L/R) () () () () ()	\$2,631.	\$3,418.	\$3,936.	\$5,218.
	16"	24"	72"	RC7213DHPH(L/R) () () () () ()	2,874.	3,739.	4,306.	5,717.



Order Code

Example: RC7212DHPH(L/R)	
R	Reff
C	Cabinet
72	72" high
1	16" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
P	Storage with Hinge Door with Box/Box/File
H	Wood hinge doors
L/R	Left or Right hand
M	Metal Interior
L	Lock option, door
111	Lock finish
T	Pull option
111	Pull finish
118	Cabinet finish

P =Hinge door cabinet with Box/Box/File

Specification Information

- To order, please specify pattern number including:*
- Interior options:**
M = Metal
 - Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
Drawers are always drilled for lock. Not optional.
 - Lock Finish:**
B = Black
S = Matte Silver
 - Pull Options:**
B = No pull, No Drilling,
C = Nickel finish C-pull (nickel finish only)
D = Metal D-pull (finish optional)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = Routed J-pull (finish matches case)
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull (1 pull per door set)
 - Pull Finish:**
Painted and Plated
 - Cabinet Finish:**
Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
72" high, metal interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) () () () () ()	\$2,983.	\$3,908.	\$4,498.	\$6,071.
	30"	24"	72"	RC7233DHEH(L/R) () () () () ()	3,336.	4,371.	5,029.	6,789.
	36"	20"	72"	RC7262DHEH(L/R) () () () () ()	3,270.	4,285.	4,928.	6,651.
	36"	24"	72"	RC7263DHEH(L/R) () () () () ()	3,649.	4,790.	5,503.	7,430.




Left hand shown

Requires one lock core per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC7232DHEH (L/R)	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders. Refer to page 599 for keying instructions.
72 72" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull D = Metal finish C-pull F = Bar Pull (1 pull per door set) H = Outline Pull J = Routed J-pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	* Note: 72" high Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 461. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
2 20" deep	5. <i>Lock Finish:</i> B = Black S = Matte Silver	Applicable finishes are listed on page 5 and 6.
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
E Wardrobe / Bookcase combo	7. <i>Pull Finish:</i> Painted or Plated	
H Wood hinge doors		
L Finish Type: Laminate		
M Metal Interior		
T Tab pull option		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		
E = Hinge door cabinet with full height doors, half wardrobe and shelves		


Cabinets, 28³/₈" planning
72" high, wood interiors
Bookcase

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Open bookcase (for desk height planning)	30"	15"	72"	RC7231DHB () () ()	\$1,923.	\$2,521.	\$2,898.	\$3,912.
	30"	20"	72"	RC7232DHB () () ()	1,982.	2,599.	2,988.	4,033.
	30"	24"	72"	RC7233DHB () () ()	2,182.	2,861.	3,289.	4,440.
	36"	15"	72"	RC7261DHB () () ()	2,159.	2,829.	3,253.	4,391.
	36"	20"	72"	RC7262DHB () () ()	2,226.	2,917.	3,354.	4,527.
	36"	24"	72"	RC7263DHB () () ()	2,425.	3,179.	3,654.	4,935.


Order Code	Specification Information	Application Notes
Example: RC7232DHB () () ()	<p>To order the Open Bookcase, please specify pattern number including:</p> <ol style="list-style-type: none"> Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 Interior options: W = Wood Interior Cabinet Finish: Wood or Laminate 	<p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.</p> <p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p>
R Reff		
C Cabinets		
72 72" high		
3 30" wide		
1 15" deep, 2 = 20" deep, 3 = 24" deep		
DH Desk Height		
B Open Bookcase		
2 Finish Type: V2		
W Wood Interior		
V316 Cabinet Finish: Maple		

Cabinets, 28³/₈" planning
72" high, wood interiors
Bookcase and file drawers

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	72"	RC7232DHK()	\$3,349.	\$4,389.	\$5,033.	\$6,747.
	30"	24"	72"	RC7233DHK()	3,682.	4,828.	5,540.	7,431.
	36"	20"	72"	RC7262DHK()	3,636.	4,771.	5,472.	7,341.
	36"	24"	72"	RC7263DHK()	3,973.	5,212.	5,979.	8,024.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	72"	RC7232DHO()	3,577.	4,733.	5,436.	7,345.
	30"	24"	72"	RC7233DHO()	3,982.	5,266.	6,043.	8,167.
	36"	20"	72"	RC7262DHO()	3,958.	5,236.	6,029.	8,149.
	36"	24"	72"	RC7263DHO()	4,400.	5,813.	6,681.	9,029.



Order Code

Example:	RC7232DHK()
R	Reff
C	Cabinet
72	72" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
K	Open Shelves with 2 File drawers
W	Wood Interior
L	Lock option door
B	Lock Finish
T	Pull Option
111	Pull Finish
V316	Cabinet Finish

K = Open shelves and 2 file drawers
O = Open shelves and 4 file drawers

Specification Information

To order, please specify pattern number including:

- Interior options:**
M = Metal
- Lock Option:**
L = Lock hole drilled
Drawers are always drilled for lock. Not optional.
- Lock Finish:**
B = Black
S = Matte Silver
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = Nickel finish C-pull (nickel finish only)
D = Metal D-pull (finish optional)
F = Bar Pull
H = Outline Pull
J = rounded J-pull (finish matches case)
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull
- Pull Finish:**
Painted and Plated
- Cabinet Finish:**
Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
72" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () () () () ()	\$3,167.	\$4,150.	\$4,772.	\$6,442.
	30"	24"	72"	RC7233DHFH () () () () () () ()	3,504.	4,592.	5,279.	7,126.
	36"	20"	72"	RC7262DHFH () () () () () () ()	3,484.	4,569.	5,265.	7,108.
	36"	24"	72"	RC7263DHFH () () () () () () ()	3,851.	5,049.	5,809.	7,843.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () () () () () ()	2,340.	3,066.	3,526.	4,759.
	16"	24"	72"	RC7213DHGH(L/R) () () () () () () ()	2,579.	3,379.	3,886.	5,246.
	30"	20"	72"	RC7232DHGH () () () () () () ()	2,933.	3,841.	4,419.	5,966.
	30"	24"	72"	RC7233DHGH () () () () () () ()	3,209.	4,208.	4,837.	6,531.
	36"	20"	72"	RC7262DHGH () () () () () () ()	3,173.	4,158.	4,782.	6,456.
	36"	24"	72"	RC7263DHGH () () () () () () ()	3,454.	4,526.	5,205.	7,026.



Order Code

Example:	RC7232DHFH
R	Reff
C	Cabinet
72	72" high
3	30" wide
2	20" deep
DH	Desk Height
F	Storage with Hinge Door with 4 file drawers
H	Wood hinge doors
L	Finish Type: Laminate
W	Wood Interior
T	Tab pull option
L	Lock option, files
N	Lock option, doors
118	Cabinet Finish
111	Pull Finish

F =Hinge door cabinet with 4 file drawers

G= Hinge door cabinet with FF

Specification Information

- To order, please specify pattern number including:
1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
 2. *Interior options:*
W = Wood Interior
 3. *Pull Options:*
B = No pull, No Drilling, Customer's own Pull
C = Nickel finish C-pull
D = Metal D-pull
F = Bar Pull (1 pull per door set)
H = Outline Pull
JN = J (Routed) Pull on Drawers and Touch latch on hinge doors
R = Cylinder Pull
S = S pull (Stainless Steel Finish only)
T = Tab Pull (1 pull per door set)
 4. *Lock options Files:*
L = Lock hole drilled (not optional)
 5. *Lock Option Doors:*
L = Lock hole drilled
N = No lock drilling
 6. *Lock Finish:*
B = Black
S = Matte Silver
 7. *Pull Finish:*
Painted or Plated

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
List price for wood grain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.


After specifying product code, provide keying instructions. Refer to page599 for keying instructions.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
72" high, wood interiors
Hinge doors and Box/Box/File


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Storage w/upper hinged doors & 1 adj shelf, bottom box/box/file (for desk height planning)	16"	20"	72"	RC7212DHPH(L/R) () () () () ()	\$2,774.	\$3,607.	\$4,154.	\$5,512.
	16"	24"	72"	RC7213DHPH(L/R) () () () () ()	3,046.	3,930.	4,523.	6,010.



Order Code	Specification Information	Application Notes
Example: RC723DHF	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Interior options:</i> M = Metal	File drawers include file bars for front to back and side to side filing.
C Cabinet	2. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling Drawers are always drilled for lock. Not optional.	File drawers do not support bottom loading.
7 72" high	3. <i>Lock Finish:</i> B = Black S = Matte Silver	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull (nickel finish only) D = Metal D-pull (finish optional) F = Bar Pull (1 pull per door set) H = Outline Pull J = rounded J-pull (finish matches case) R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	List price for wood grain laminate options will be current published laminate list price plus 10%.
2 20" deep	5. <i>Pull Finish:</i> Painted and Plated	Applicable finishes are listed on page 5 and 6.
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
P Storage with Hinge Door with Box/Box/File		
H Wood hinge doors		
L Finish Type: Laminate		
M Metal Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
B Lock Finish		
111 Pull Finish		
P =Hinge door cabinet with Box/Box/File		

Cabinets, 28³/₈" planning
72" high, wood interiors
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) () () () () ()	\$3,120.	\$4,090.	\$4,703.	\$6,349.
	30"	24"	72"	RC7233DHEH(L/R) () () () () ()	3,473.	4,554.	5,237.	7,069.
	36"	20"	72"	RC7262DHEH(L/R) () () () () ()	3,408.	4,466.	5,138.	6,936.
	36"	24"	72"	RC7263DHEH(L/R) () () () () ()	3,790.	4,968.	5,714.	7,714.



Left hand shown

Requires one lock core per cabinet.
Shelves painted metal

Wardrobe cabinet (for desk height planning)	16"	20"	72"	RC7212DHDH(L/R) () () () () ()	1,750.	2,295.	2,639.	3,563.
	16"	24"	72"	RC7213DHDH(L/R) () () () () ()	1,926.	2,525.	2,903.	3,918.
	30"	20"	72"	RC7232DHDH () () () () ()	2,204.	2,889.	3,321.	4,483.
	30"	24"	72"	RC7233DHDH () () () () ()	2,422.	3,174.	3,650.	4,930.
	36"	20"	72"	RC7262DHDH () () () () ()	2,423.	3,177.	3,653.	4,934.
	36"	24"	72"	RC7263DHDH () () () () ()	2,664.	3,492.	4,016.	5,421.



Wood interior only


Requires one lock core per cabinet.
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC7232DHEH (L/R)	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
R Reff	1. <i>Hinge Location, where applicable:</i> L = Left hand R = Right hand	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
7 72" high	3. <i>Interior options:</i> W = Wood Interior	After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull D = Metal D-pull F = Bar Pull (1 pull per door set) H = Outline Pull J = Rounted J-pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	* Note: 72" high Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 461. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	Applicable finishes are listed on page 5 and 6.
E Wardrobe / Bookcase combo	7. <i>Cabinet Finish:</i> Wood or Laminate	
H Wood hinge doors	8. <i>Pull Finish:</i> Painted or Plated	
L Left hand		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
N Lock option, doors		
B Lock Finish		
118 Cabinet Finish		
111 Pull Finish		

E = Hinge door cabinet with full height doors, half wardrobe and shelves.
D = Wardrobe cabinet


Cabinets, 28³/₈" planning
75" high, metal interiors
Bookcase

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$2,019.	\$2,644.	\$3,042.	\$4,108.
	30"	24"	75"	RC733DHB () () () ()	2,237.	2,930.	3,370.	4,551.
	36"	20"	75"	RC762DHB () () () ()	2,284.	2,992.	3,441.	4,645.
	36"	24"	75"	RC763DHB () () () ()	2,502.	3,281.	3,772.	5,091.



Shelves painted metal

Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () () () () ()	2,961.	3,886.	4,486.	6,054.
	30"	24"	75"	RC733DHK () () () () () ()	3,266.	4,282.	4,943.	6,673.
	36"	20"	75"	RC762DHK () () () () () ()	3,222.	4,227.	4,883.	6,592.
	36"	24"	75"	RC763DHK () () () () () ()	3,529.	4,630.	5,344.	7,213.



Requires one lock core per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC732DHB () () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Open Bookcase with 2 file drawers, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinets	2. <i>Interior Options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
7 75" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.
3 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)
2 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above	5. <i>Cabinet Finish:</i> Wood or Laminate 6. <i>Pull Finish:</i> Painted or Plated 7. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall
DH Desk Height		8. <i>Right hand drill:</i> Same as above
B Open Bookcase		
2 Finish Type: V2		
M Metal Interior		
V316 Cabinet Finish: Maple		
N Left hand drill		
N Right hand drill		
B = Bookcase K = Bookcase with FF		

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

These 75" cabinets are intended to be used with the overdesk units only.

75" nominal height = 75.125" actual height


Cabinets, 28³/₈" planning
75" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () (L) () () ()	\$3,315.	\$4,342.	\$4,997.	\$6,744.
	30"	24"	75"	RC733DHF () () (L) () () ()	3,681.	4,823.	5,549.	7,491.
	36"	20"	75"	RC762DHF () () (L) () () ()	3,661.	4,799.	5,518.	7,450.
	36"	24"	75"	RC763DHF () () (L) () () ()	4,065.	5,326.	6,126.	8,271.



Requires two lock cores per cabinet
Drawer interiors painted black metal

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () (L) () () ()	2,408.	3,155.	3,630.	4,901.
	16"	24"	75"	RC713DHG(L/R) () () (L) () () ()	2,639.	3,498.	4,023.	5,433.
	30"	20"	75"	RC732DHG () () (L) () () ()	3,058.	4,008.	4,606.	6,219.
	30"	24"	75"	RC733DHG () () (L) () () ()	3,363.	4,404.	5,067.	6,839.
	36"	20"	75"	RC762DHG () () (L) () () ()	3,319.	4,350.	5,005.	6,757.
	36"	24"	75"	RC763DHG () () (L) () () ()	3,626.	4,751.	5,465.	7,379.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC732DHF	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	File drawers include file bars for front to back and side to side.
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	File drawers to not support bottom loading.
7 75" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
3 30" wide	4. <i>Lock Options Files:</i> L = Lock hole drilled (not optional)	These 75" cabinets are intended to be used with the overdesk units only.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	75" nominal height = 75.125" actual height
DH Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
F Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	
L Finish Type: Laminate	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
M Metal Interior	9. <i>Right hand drill:</i> Same as above	
T Tab pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		

F = Hinge door cabinet with 4 file drawers

G = Hinge door cabinet with FF

Cabinets, 28³/₈" planning
75" high, metal interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () () ()	\$3,264.	\$4,272.	\$4,920.	\$6,640.
	30"	24"	75"	RC733DHE(L/R) () () () () () ()	3,648.	4,782.	5,503.	7,429.
	36"	20"	75"	RC762DHE(L/R) () () () () () ()	3,578.	4,691.	5,391.	7,278.
	36"	24"	75"	RC763DHE(L/R) () () () () () ()	3,991.	5,240.	6,020.	8,127.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal

Order Code

Example:	RC732DHE (L/R)
R	Reff
C	Cabinets
7	75" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
E	Wardrobe / Bookcase Combo
L/R	Left / Right hand
L	Finish type; Laminate
M	Metal Interior
T	Tab pull
N	Lock option, doors
B	Lock finish
118	Cabinet Finish
111	Pull Finish

Specification Information

To order, please specify pattern number including:

- Hinge Location where applicable:**
L = Left hand
R = Right hand
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = Nickel finish C-pull (nickel finish only)
D = Metal D-pull (finish optional)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull (1 pull per door set)
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Lock Finish:**
B = Black
S = Matte Silver
- Cabinet Finish:**
Wood or Laminate
- Pull Finish:**
Painted or Plated
- Left hand drill:**
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
- Right hand drill:**
Same as above

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

* Note: 75" high Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 461. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

These 75" cabinets are intended to be used with the overdesk units only.

75" nominal height = 75.125" actual height

Cabinets, 28³/₈" planning
75" high, wood interiors
Bookcase

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$2,169.	\$2,841.	\$3,268.	\$4,413.
	30"	24"	75"	RC733DHB () () () ()	2,388.	3,129.	3,599.	4,856.
	36"	20"	75"	RC762DHB () () () ()	2,436.	3,192.	3,671.	4,954.
	36"	24"	75"	RC763DHB () () () ()	2,653.	3,479.	4,001.	5,400.
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () () ()	3,113.	4,081.	4,711.	6,360.
	30"	24"	75"	RC733DHK () () L () () ()	3,417.	4,479.	5,172.	6,981.
	36"	20"	75"	RC762DHK () () L () () ()	3,374.	4,427.	5,111.	6,901.
	36"	24"	75"	RC763DHK () () L () () ()	3,680.	4,829.	5,571.	7,521.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC732DHB () () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Open Bookcase with 2 file drawers, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinets	2. <i>Interior options:</i> W = Wood Interior	2. <i>Interior options:</i> W = Wood Interior
7 75" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.
3 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)
2 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above	5. <i>Cabinet Finish:</i> Wood or Laminate 6. <i>Pull Finish:</i> Painted or Plated 7. <i>Left hand drill:</i> 8. <i>Right hand drill:</i>
DH Desk Height		
B Open Bookcase		
2 Finish Type: V2		
W Wood Interior		
V316 Cabinet Finish: Maple		
N Left hand drill		
N Right hand drill		
B = Bookcase K = Bookcase with FF		

Cabinets on this page are engineered to align with front sets of 28³/₈" h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
List price for wood grain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

These 75" cabinets are intended to be used with the overdesk units only.

75" nominal height = 75.125" actual height

Cabinets, 28³/₈" planning
75" high, wood interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () () ()	\$3,414.	\$4,473.	\$5,145.	\$6,946.
	30"	24"	75"	RC733DHE(L/R) () () () () () ()	3,801.	4,983.	5,730.	7,736.
	36"	20"	75"	RC762DHE(L/R) () () () () () ()	3,730.	4,886.	5,621.	7,588.
	36"	24"	75"	RC763DHE(L/R) () () () () () ()	4,147.	5,438.	6,252.	8,440.



Left hand shown

Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: RC732DHE(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	* Note: 75" high Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 461. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
C Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
7 75" h (nominal)	3. <i>Interior options:</i> W = Wood Interior	Applicable finishes are listed on page 5 and 6.
3 30" w (nominal)	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.
2 20" d (nominal)	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
DH Desk height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	These 75" cabinets are intended to be used with the overdesk units only. 75" nominal height = 75.125" actual height
E Wardrobe / Bookcase	7. <i>Cabinet Finish:</i> Wood or Laminate	
L Left hand	8. <i>Pull Finish:</i> Painted or Plated	
2 Finish type, V2	9. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
W Interior option, wood	10. <i>Right hand drill:</i> Same as above	
F Pull option; Bar		
N Lock option, doors		
B Lock Finish		
V316 Cabinet finish		
111 Pull finish		
N Left hand drill		
N Right hand drill		

E = Hinge door cabinet with full height doors, half wardrobe and shelves

D = Wardrobe cabinet

Cabinets, 28³/₈" planning 75" high, wood interiors Hinge doors and wardrobe

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors for coat rod and boot tray	30"	20"	75"	RC732DHD () W () () () () () ()	\$2,411.	\$3,161.	\$3,633.	\$4,905.
	30"	24"	75"	RC733DHD () W () () () () () ()	2,650.	3,473.	3,993.	5,393.
	36"	20"	75"	RC762DHD () W () () () () () ()	2,651.	3,475.	3,996.	5,398.
	36"	24"	75"	RC763DHD () W () () () () () ()	2,914.	3,821.	4,394.	5,931.



Requires one lock core per cabinet
Wood interior only

Wood interior only


Order Code	Specification Information	Application Notes
Example: RC732DHE(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	* Note: 75" high Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 461. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
C Cabinet	2. <i>Finish type:</i> L = Laminated 1 = V1 2 = V2 3 = V3	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
7 75" h (nominal)	3. <i>Interior options:</i> W = Wood Interior	Applicable finishes are listed on page 5 and 6.
3 30" w (nominal)	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.
2 20" d (nominal)	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
DH Desk height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	These 75" cabinets are intended to be used with the overdesk units only. 75" nominal height = 75.125" actual height
E Wardrobe / Bookcase	7. <i>Cabinet Finish:</i> Wood or Laminate	
L Left hand	8. <i>Pull Finish:</i> Painted or Plated	
2 Finish type, V2	9. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
W Interior option, wood	10. <i>Right hand drill:</i> Same as above	
F Pull option; Bar		
N Lock option, doors		
B Lock Finish		
V316 Cabinet finish		
111 Pull finish		
N Left hand drill		
N Right hand drill		

E = Hinge door cabinet with full height doors, half wardrobe and shelves

D = Wardrobe cabinet


Cabinets, 28³/₈" planning
75" high, wood interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () (L) () () () ()	\$3,467.	\$4,540.	\$5,223.	\$7,051.
	30"	24"	75"	RC733DHF () () (L) () () () ()	3,835.	5,025.	5,777.	7,798.
	36"	20"	75"	RC762DHF () () (L) () () () ()	3,813.	4,998.	5,764.	7,782.
	36"	24"	75"	RC763DHF () () (L) () () () ()	4,215.	5,522.	6,357.	8,582.



Requires two lock cores per cabinet
Drawer interiors painted black metal

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () (L) () () () ()	2,560.	3,353.	3,856.	5,207.
	16"	24"	75"	RC713DHG(L/R) () () (L) () () () ()	2,822.	3,697.	4,252.	5,741.
	30"	20"	75"	RC732DHG () () (L) () () () ()	3,209.	4,201.	4,835.	6,526.
	30"	24"	75"	RC733DHG () () (L) () () () ()	3,512.	4,603.	5,293.	7,145.
	36"	20"	75"	RC762DHG () () (L) () () () ()	3,471.	4,550.	5,231.	7,062.
	36"	24"	75"	RC763DHG () () (L) () () () ()	3,777.	4,951.	5,694.	7,688.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Specification Information

Example: RC723DHF () () (L) () () () ()	
R	Reff
C	Cabinet
7	75" high
3	30" wide
2	20" deep
DH	Desk Height
F	Storage with Hinge Door with 4 file drawers
L	Finish Type: Laminate
W	Wood Interior
T	Tab pull option
L	Lock option, files
N	Lock option, doors
118	Cabinet Finish
111	Pull Finish
N	Left hand drilling
N	Right hand drilling

F = Hinge door cabinet with 4 file drawers
G = Hinge door cabinet with FF

To order, please specify pattern number including:

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior options:*
W = Wood Interior
3. *Pull Options:*
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = D - Pull (PZ or PT)
F = Bar Pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull (1 pull per door set)
4. *Lock options Files:*
L = Lock hole drilled (not optional)
5. *Lock Option Doors:*
L = Lock hole drilled
N = No lock drilling
6. *Cabinet Finish:* Wood or Laminate
7. *Pull Finish:* Painted or Plated
8. *Left hand drill:*
N = No drilling
SO = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
TO = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
9. *Right hand drill:*
Same as above

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.

Drawers are always drilled for locks.

File drawers include file bars for front to back and side to side.

File drawers do not support bottom loading.

These 75" cabinets are intended to be used with the overdesk units only.


75" nominal height = 75.125" actual height

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning
86" high, metal interiors
Bookcase

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, with shelving	30"	15"	86"	RC831DHB () ()	\$2,167.	\$2,856.	\$3,288.	\$4,860.
	36"	15"	86"	RC861DHB () ()	2,465.	3,230.	3,717.	5,492.



Order Code

Example:	RC832DHB () ()
R	Reff
C	Cabinet
8	86" high
3	30" wide
1	15" deep
DH	Desk Height
B	Open Bookcase
2	Finish Type: V2
M	Metal Interior
V316	Cabinet Finish: Maple

Specification Information

To order, please specify pattern number including:

- Finish Type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior Options:**
M = Metal Interior
- Cabinet Finish:** Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

86" Nominal Height = 85.500"
Actual Height


Anchor brackets are included.

Cabinets, 28³/₈" planning
86" high, metal interiors
Bookcase and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK() () () () ()	\$3,257.	\$4,275.	\$4,934.	\$6,660.
	30"	24"	86"	RC833DHK() () () () ()	3,593.	4,709.	5,438.	7,341.
	36"	20"	86"	RC862DHK() () () () ()	3,544.	4,650.	5,371.	7,251.
	36"	24"	86"	RC863DHK() () () () ()	3,882.	5,092.	5,878.	7,935.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO() () () () ()	3,469.	4,600.	5,319.	7,241.
	30"	24"	86"	RC833DHO() () () () ()	3,873.	5,128.	5,927.	8,064.
	36"	20"	86"	RC862DHO() () () () ()	3,850.	5,102.	5,893.	8,018.
	36"	24"	86"	RC863DHO() () () () ()	4,295.	5,681.	6,562.	8,921.



Order Code

Example:	RC832DHK() () () () ()
R	Reff
C	Cabinet
8	86" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
K	Open Shelves with 2 File drawers
2	Finish Type: 2
M	Metal Interior
T	Pull Option
L	Lock Option, files
V316	Cabinet Finish: Maple
111	Pull Finish

K = Open shelves and 2 file drawers
O = Open shelves and 4 file drawers

Specification Information

To order, please specify pattern number including:

- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = D - Pull (PZ or PT)
F = Bar Pull
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull.
- Lock options Files:**
L = Lock hole drilled (not optional)
- Cabinet Finish:**
Wood or Laminate
- Pull Finish:**
Painted or Plated

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.


86" Nominal Height = 85.500" Actual Height

Cabinets, 28³/₈" planning
86" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF () () (L) () () ()	\$3,646.	\$4,777.	\$5,496.	\$7,418.
	30"	24"	86"	RC833DHF () () (L) () () ()	4,049.	5,306.	6,104.	8,240.
	36"	20"	86"	RC862DHF () () (L) () () ()	4,027.	5,279.	6,070.	8,195.




Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG () () (L) () () ()	3,364.	4,407.	5,067.	6,842.
	30"	24"	86"	RC833DHG () () (L) () () ()	3,699.	4,845.	5,573.	7,522.
	36"	20"	86"	RC862DHG () () (L) () () ()	3,650.	4,784.	5,504.	7,434.
	36"	24"	86"	RC863DHG () () (L) () () ()	3,988.	5,227.	6,011.	8,117.



Order Code	Specification Information	Application Notes
Example: RC862DHF () () (L) () () ()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinet	2. <i>Interior options:</i> M = Metal Interior	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Drawers are always drilled for locks.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.
F Storage with Hinge Door with 4 file drawers	7. <i>Cabinet Finish:</i> Wood or Laminate	
L Finish Type: Laminate	8. <i>Pull Finish:</i> Painted or Plated	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
M Metal Interior		
T Tab pull option		Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
L Lock option, files		
N Lock option, doors		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
B Lock Finish		
118 Cabinet Finish		Applicable finishes are listed on page 5 and 6.
111 Pull Finish		
F = Hinge door cabinet with 4 file drawers		86" Nominal Height = 85.500" Actual Height
G = Hinge door cabinet with FF		

Cabinets, 28³/₈" planning
86" high, metal interiors
Hinge doors with shelves and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () ()	\$3,394.	\$4,452.	\$5,114.	\$6,905.
	30"	24"	86"	RC833DHEH(L/R)() () () ()	3,762.	4,935.	5,670.	7,656.
	36"	20"	86"	RC862DHEH(L/R)() () () ()	3,695.	4,844.	5,567.	7,517.
	36"	24"	86"	RC863DHEH(L/R)() () () ()	4,092.	5,366.	6,168.	8,328.



Left hand shown

Shelves; painted metal.

Order Code

Example:	RC832DHEH (L/R)
R	Reff
C	Cabinet
8	86" high
3	30" wide
2	20" deep
DH	Desk Height
E	Wardrobe / Bookcase combo
H	Wood hinge doors
(L/R)	Left hand or Right hand
L	Finish Type: Laminate
M	Metal Interior
T	Tab pull option
N	Lock option, doors
B	Lock Finish
118	Cabinet Finish
111	Pull Finish

E = Hinge door cabinet with full height doors, half wardrobe and shelves

Specification Information

To order, please specify pattern number including:

- Hinge Location where applicable:**
L = Left hand
R = Right hand
- Finish type:**
L = Laminate
1 = V1
2 = V2
3 = V3
- Interior options:**
M = Metal Interior
- Pull Options:**
B = No pull, No Drilling, Customer's own Pull
C = C-Pull, (Nickel finish only)
D = D-Pull (PZ or PT only)
F = Bar Pull (1 pull per door set)
H = Outline Pull
N = No pull, Touch Latch
R = Cylinder Pull
S = S Pull (Stainless Steel Finish only)
T = Tab Pull (1 pull per door set)
- Lock Option Doors:**
L = Lock hole drilled
N = No lock drilling
- Lock Finish:**
B = Black
S = Matte Silver
- Cabinet Finish:**
Wood or Laminate
- Pull Finish:**
Painted or Plated

Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Applicable finishes are listed on page and .

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

86" Nominal Height = 85.500" Actual Height

*Note:
86" high wardrobe cabinets come equipped with a coat rod.

20" deep wardrobe cabinets provide only 18" of clear storage space.

Cabinets, 28³/₈" planning
86" high, wood interiors
Bookcase

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet, with shelving	30"	15"	86"	RC831DHB () ()	\$2,302.	\$3,031.	\$3,488.	\$5,135.
	30"	20"	86"	RC832DHB () ()	2,373.	3,125.	3,596.	5,294.
	30"	24"	86"	RC833DHB () ()	2,628.	3,443.	3,958.	5,828.
	36"	15"	86"	RC861DHB () ()	2,600.	3,405.	3,917.	5,767.
	36"	20"	86"	RC862DHB () ()	2,680.	3,510.	4,038.	5,945.
	36"	24"	86"	RC863DHB () ()	2,918.	3,827.	4,400.	6,481.

Order Code

Example:	RC832DHB () ()
R	Reff
C	Cabinet
8	86" high
3	30" wide
2	20" deep, 3 = 24" deep
DH	Desk Height
B	Open Bookcase
2	Finish Type: V2
W	Wood Interior
V316	Cabinet Finish: Maple

Specification Information

To order, please specify pattern number including:

1. *Finish Type:*
L = Laminate
1 = V1
2 = V2
3 = V3
2. *Interior Options:*
W = Wood Interior
3. *Cabinet Finish:* Wood or Laminate

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2" h (standard ht.) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Anchor brackets are included.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.


86" Nominal Height = 85.500"
Actual Height

Cabinets, 28³/₈" planning 86" high, wood interiors Bookcase and File drawers

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK () () () () ()	\$3,424.	\$4,489.	\$5,183.	\$6,997.
	30"	24"	86"	RC833DHK () () () () ()	3,757.	4,928.	5,690.	7,681.
	36"	20"	86"	RC862DHK () () () () ()	3,711.	4,871.	5,622.	7,591.
	36"	24"	86"	RC863DHK () () () () ()	4,048.	5,312.	6,129.	8,274.




Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO () () () () ()	3,652.	4,833.	5,586.	7,595.
	30"	24"	86"	RC833DHO () () () () ()	4,057.	5,366.	6,193.	8,417.
	36"	20"	86"	RC862DHO () () () () ()	4,033.	5,336.	6,179.	8,399.
	36"	24"	86"	RC863DHO () () () () ()	4,475.	5,913.	6,831.	9,279.




Order Code	Specification Information	Application Notes
Example: RC832DHK () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning application. Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinet	2. <i>Interior options:</i> W = Wood Interior	* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.	
3 30" wide		Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep, 3 = 24" deep		
DH Desk Height		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
K Open Shelves with 2 File drawers		
2 Finish Type: 2		Applicable finishes are listed on page 5 and 6.
W Wood Interior		
T Tab pull option		86" Nominal Height = 85.500" Actual Height
L Lock option, files		
V316 Cabinet Finish		
111 Pull Finish		
K = Open shelves and 2 file drawers	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	
O = Open shelves and 4 file drawers	5. <i>Cabinet Finish:</i> Wood or Laminate	
	6. <i>Pull Finish:</i> Painted or Plated	

Cabinets, 28³/₈" planning 86" high, wood interiors Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF () () (L) () () ()	\$3,813.	\$4,993.	\$5,746.	\$7,757.
	30"	24"	86"	RC833DHF () () (L) () () ()	4,218.	5,527.	6,355.	8,579.
	36"	20"	86"	RC862DHF () () (L) () () ()	4,194.	5,497.	6,340.	8,559.




Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG () () (L) () () ()	3,530.	4,623.	5,319.	7,179.
	30"	24"	86"	RC833DHG () () (L) () () ()	3,864.	5,063.	5,823.	7,860.
	36"	20"	86"	RC862DHG () () (L) () () ()	3,817.	5,005.	5,754.	7,768.
	36"	24"	86"	RC863DHG () () (L) () () ()	4,155.	5,446.	6,263.	8,456.



Order Code	Specification Information	Application Notes
Example: RC862DHF () () (L) () () ()	<i>To order, please specify pattern number including:</i>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.</p> <p>Drawers are always drilled for locks.</p> <p>After specifying product code, provide keying instructions. Refer to page 599 for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.</p> <p>List price for wood grain laminate options will be current published laminate list price plus 10%.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>86" Nominal Height = 85.500" Actual Height</p>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
C Cabinet	2. <i>Interior options:</i> W = Wood Interior	
8 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
3 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	
F Storage with Hinge Door with 4 file drawers	7. <i>Cabinet Finish:</i> Wood or Laminate	
H Wood hinge doors	8. <i>Pull Finish:</i> Painted or Plated	
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
L Lock option, files		
N Lock option, doors		
B Lock Finish		
118 Cabinet Finish		
111 Pull Finish		
F = Hinge door cabinet with 4 file drawers		
G = Hinge door cabinet with FF		

Cabinets, 28³/₈" planning
86" high, wood interiors
Hinge doors with shelves and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () () ()	\$3,576.	\$4,688.	\$5,391.	\$7,277.
	30"	24"	86"	RC833DHEH(L/R)() () () () ()	3,981.	5,219.	6,002.	8,102.
	36"	20"	86"	RC862DHEH(L/R)() () () () ()	3,907.	5,119.	5,889.	7,950.
	36"	24"	86"	RC863DHEH(L/R)() () () () ()	4,345.	5,694.	6,550.	8,842.



Left hand shown

Requires one lock core per cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet, wardrobe (for desk height planning)	16"	20"	86"	RC812DHDH(L/R)() () () () ()	2,361.	3,541.	4,073.	5,294.
	16"	24"	86"	RC813DHDH(L/R)() () () () ()	2,447.	3,671.	4,221.	5,488.
	19"	20"	86"	RC822DHDH(L/R)() () () () ()	2,453.	3,681.	4,233.	5,503.
	19"	24"	86"	RC823DHDH(L/R)() () () () ()	2,542.	3,813.	4,385.	5,700.
	30"	20"	86"	RC832DHDH() () () () ()	2,804.	4,205.	4,837.	6,288.
	30"	24"	86"	RC833DHDH() () () () ()	2,900.	4,350.	5,003.	6,503.
	36"	20"	86"	RC862DHDH() () () () ()	3,023.	4,534.	5,214.	6,778.
	36"	24"	86"	RC863DHDH() () () () ()	3,127.	4,692.	5,395.	7,013.







Wood interior only

Requires one lock core per cabinet.
Coat rod included. Order boot tray from accessories

Order Code	Specification Information	Application Notes
Example: RC832DHEH (L/R)	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
C Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Applicable finishes are listed on page and .
8 86" high	3. <i>Interior options:</i> W = Wood Interior	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
3 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = Nickel Finish C-pull D = Metal D-pull F = Bar Pull (1 pull per door set) H = Outline Pull J = Routed J-pull N = No pull, Touch Latch R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	List price for wood grain laminate options will be current published laminate list price plus 10%.
2 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Applicable finishes are listed on page 5 and 6.
DH Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	86" Nominal Height = 85.500" Actual Height
E Wardrobe / Bookcase combo	7. <i>Cabinet Finish:</i> Wood or Laminate	*Note: 86" high wardrobe cabinets come equipped with a coat rod.
H Wood hinge doors	8. <i>Pull Finish:</i> Painted or Plated	20" deep cabinets provide 18" clear storage space.
(L/R) Left hand or Right hand		
L Finish Type: Laminate		
W Wood Interior		
T Tab pull option		
N Lock option, doors		
B Lock Finish		
118 Cabinet Finish		
111 Pull Finish		
E = Hinge door cabinet with full height doors, half wardrobe and shelves		
D = Wardrobe Cabinet		

Cabinets Progressive
 49" high, metal interior
 28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)M () () () () ()	\$1,790.	\$1,968.	\$2,058.	\$2,148.	\$2,719.	\$3,127.	\$4,064.
	24"	18"	49"	RCFS4913C(L/R)M () () () () ()	1,844.	2,028.	2,120.	2,212.	2,812.	3,234.	4,204.
Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)M () () () () ()	2,306.	2,537.	2,651.	2,767.	3,459.	3,978.	5,171.
	24"	18"	49"	RCFS4913Y(L/R)M () () () () ()	2,379.	2,617.	2,737.	2,855.	3,569.	4,105.	5,336.
Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)M () () () () ()	2,382.	2,620.	2,740.	2,859.	3,574.	4,110.	5,343.
	24"	18"	49"	RCFS4913Z(L/R)M () () () () ()	2,460.	2,706.	2,829.	2,952.	3,690.	4,336.	5,517.
Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)M () () () () ()	2,141.	2,356.	2,463.	2,570.	3,324.	3,822.	4,970.
	24"	24"	49"	RCFS4933V(L/R)M () () () () ()	2,208.	2,429.	2,539.	2,650.	3,449.	3,968.	5,116.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
49 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish	Product on this page will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
		These products are Glue and Dowel Construction
		Grommet pulls only
		Shelves and File Front will default to the case finish
		49" h cabinets are compatible with panel height.
		When case finish is Laminate, shelves are painted to match.
		When case finish is wood, shelves are painted black.
		Drawer interiors always painted black.
		Cabinets with wardrobe come with a coat rod.


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 49" high, metal interior
 28³/₈" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)M () () () () ()	\$2,475.	\$2,722.	\$2,846.	\$2,969.	\$3,834.	\$4,409.	\$5,732.
	24"	24"	49"	RCFS4933W(L/R)M () () () () ()	2,547.	2,802.	2,929.	3,057.	3,969.	4,564.	5,933.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)M () () () () ()	2,631.	2,894.	3,025.	3,157.	3,998.	4,598.	5,977.
	24"	24"	49"	RCFS4933X(L/R)M () () () () ()	2,709.	2,980.	3,115.	3,251.	4,139.	4,759.	6,186.





Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	Product on this page will accept woodgrain laminate where laminate is currently an option.	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	List price for woodgrain laminate options will be current published laminate list price plus 10%.	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior		These products are Glue and Dowel Construction
N Lock		Grommet pulls only
S Lock finish		Shelves and File Front will default to the case finish
G Pull option		49" h cabinets are compatible with panel height.
115 Pull finish option		When case finish is Laminate, shelves are painted to match.
114 Case finish		When case finish is wood, shelves are painted black.
115 Door finish		Drawer interiors always painted black.
		Cabinets with wardrobe come with a coat rod.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 64" high, metal interior
 28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves 	20"	18"	64"	RCFS6412C(L/R)M () () () () ()	\$1,944.	\$2,137.	\$2,235.	\$2,332.	\$2,976.	\$3,423.	\$4,449.
	24"	18"	64"	RCFS6413C(L/R)M () () () () ()	2,011.	2,211.	2,312.	2,412.	3,108.	3,574.	4,646.

Cabinets, hinge door with shelves&File/File 	20"	18"	64"	RCFS6412Y(L/R)M () () () () ()	2,483.	2,732.	2,856.	2,980.	3,726.	4,284.	5,569.
	24"	18"	64"	RCFS6413Y(L/R)M () () () () ()	2,621.	2,884.	3,015.	3,147.	3,933.	4,523.	5,879.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	64"	RCFS6412Z(L/R)M () () () () ()	2,561.	2,817.	2,945.	3,072.	3,841.	4,417.	5,742.
	24"	18"	64"	RCFS6413Z(L/R)M () () () () ()	2,703.	2,973.	3,108.	3,243.	4,054.	4,662.	6,061.

Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
64 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	Grommet	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	4. Pull finish	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Paint / Plated	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	5. Case finish	
N Lock	L, V1, V2, V3	
S Lock finish	6. Door finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	Product on this page will accept woodgrain laminate where laminate is currently an option.	
114 Case finish	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 64" high, metal interior
 28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)M () () () () ()	\$2,312.	\$2,544.	\$2,659.	\$2,776.	\$3,648.	\$4,196.	\$5,455.
	24"	24"	64"	RCFS6433V(L/R)M () () () () ()	2,396.	2,636.	2,755.	2,875.	3,826.	4,401.	5,721.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)M () () () () ()	2,646.	2,911.	3,043.	3,175.	4,158.	4,782.	6,217.
	24"	24"	64"	RCFS6433W(L/R)M () () () () ()	2,806.	3,086.	3,227.	3,367.	4,411.	5,074.	6,596.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)M () () () () ()	2,803.	3,083.	3,223.	3,363.	4,323.	4,971.	6,462.
	24"	24"	64"	RCFS6433X(L/R)M () () () () ()	2,967.	3,264.	3,412.	3,561.	4,581.	5,268.	6,848.





Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
64 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	6. Door finish	
N Lock	L, V1, V2, V3	
S Lock finish	Product on this page will accept woodgrain laminate where laminate is currently an option.	
G Pull option	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
115 Pull finish option		
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68" high, metal interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves 	20"	18"	68"	RCFS6812C(L/R)M () () () () ()	\$1,965.	\$2,162.	\$2,261.	\$2,359.	\$3,046.	\$3,503.	\$4,554.
	24"	18"	68"	RCFS6813C(L/R)M () () () () ()	2,034.	2,238.	2,340.	2,441.	3,170.	3,646.	4,740.


Cabinets, hinge door with shelves&File/File 	20"	18"	68"	RCFS6812Y(L/R)M () () () () ()	2,536.	2,790.	2,917.	3,044.	3,805.	4,375.	5,688.
	24"	18"	68"	RCFS6813Y(L/R)M () () () () ()	2,670.	2,938.	3,070.	3,204.	4,005.	4,606.	5,987.

Cabinets, hinge door with shelves&Box/File/File 	20"	18"	68"	RCFS6812Z(L/R)M () () () () ()	2,613.	2,875.	3,006.	3,136.	3,920.	4,508.	5,861.
	24"	18"	68"	RCFS6813Z(L/R)M () () () () ()	2,751.	3,026.	3,163.	3,301.	4,126.	4,745.	6,169.


Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
68 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	Product on this page will accept woodgrain laminate where laminate is currently an option.	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	List price for woodgrain laminate options will be current published laminate list price plus 10%.	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior		These products are Glue and Dowel Construction
L Lock		Grommet pulls only.
S Lock finish		Shelves and files front will default to the case finish.
G Pull option		68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
115 Pull finish option		No wardrobe options for 18" w cabinets.
114 Case finish		When case finish is Laminate, shelves are painted to match.
115 Door finish		When case finish is wood, shelves are painted black.
		Drawer interiors always painted black.
		Cabinets with wardrobe come with coat rod.

Cabinets Progressive
 68" high, metal interior
 28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)M () () () () ()	\$2,342.	\$2,576.	\$2,693.	\$2,810.	\$3,739.	\$4,300.	\$5,590.
	24"	24"	68"	RCFS6833V(L/R)M () () () () ()	2,427.	2,670.	2,791.	2,912.	3,914.	4,501.	5,851.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)M () () () () ()	2,685.	2,954.	3,088.	3,222.	4,275.	4,916.	6,391.
	24"	24"	68"	RCFS6833W(L/R)M () () () () ()	2,847.	3,131.	3,274.	3,417.	4,508.	5,185.	6,740.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)M () () () () ()	2,841.	3,125.	3,267.	3,409.	4,423.	5,086.	6,612.
	24"	24"	68"	RCFS6833X(L/R)M () () () () ()	3,009.	3,309.	3,460.	3,610.	4,678.	5,380.	6,994.





Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
68 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	6. Door finish	
L Lock	L, V1, V2, V3	
S Lock finish	Product on this page will accept woodgrain laminate where laminate is currently an option.	
G Pull option	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
49" high, wood interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)W () () () () ()	\$1,927.	\$2,120.	\$2,216.	\$2,312.	\$3,213.	\$3,695.	\$4,804.
	24"	18"	49"	RCFS4913C(L/R)W () () () () ()	1,971.	2,168.	2,267.	2,365.	3,314.	3,811.	4,954.

Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)W () () () () ()	2,765.	3,042.	3,180.	3,318.	4,147.	4,769.	6,200.
	24"	18"	49"	RCFS4913Y(L/R)W () () () () ()	2,806.	3,086.	3,226.	3,366.	4,208.	4,839.	6,291.

Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)W () () () () ()	3,205.	3,526.	3,686.	3,846.	4,488.	5,160.	6,708.
	24"	18"	49"	RCFS4913Z(L/R)W () () () () ()	3,277.	3,605.	3,769.	3,933.	4,588.	5,276.	6,859.


Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)W () () () () ()	2,272.	2,500.	2,613.	2,726.	3,803.	4,372.	5,685.
	24"	24"	49"	RCFS4933V(L/R)W () () () () ()	2,331.	2,564.	2,680.	2,796.	3,936.	4,527.	5,940.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
49 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish	
L/R Left/Right hinge	L, V1, V2, V3	
W Wood interior	6. Door finish	
L Lock	L, V1, V2, V3	
S Lock finish		The images on this page are shown as a right hand cabinets.
G Pull option	Product on this page will accept woodgrain laminate where laminate is currently an option.	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
115 Pull finish option	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 49" high, wood interior
 28³/₈" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)W() () () () () ()	\$3,079.	\$3,387.	\$3,540.	\$3,695.	\$4,518.	\$5,195.	\$6,754.
	24"	24"	49"	RCFS4933W(L/R)W() () () () () ()	3,086.	3,394.	3,548.	3,703.	4,596.	5,285.	6,871.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)W() () () () () ()	3,476.	3,823.	3,997.	4,170.	4,908.	5,643.	7,337.
	24"	24"	49"	RCFS4933X(L/R)W() () () () () ()	3,524.	3,876.	4,052.	4,228.	5,024.	5,778.	7,512.





Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W ()() () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	Product on this page will accept woodgrain laminate where laminate is currently an option.	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	List price for woodgrain laminate options will be current published laminate list price plus 10%.	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
64" high, wood interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves 	20"	18"	64"	RCFS6412C(L/R)W (X)(X)(X)(X)(X)	\$2,126.	\$2,338.	\$2,445.	\$2,551.	\$3,635.	\$4,180.	\$5,434.
	24"	18"	64"	RCFS6413C(L/R)W (X)(X)(X)(X)(X)	2,181.	2,399.	2,508.	2,617.	3,776.	4,342.	5,645.

Cabinets, hinge door with shelves&File/File 	20"	18"	64"	RCFS6412Y(L/R)W (X)(X)(X)(X)(X)	3,052.	3,357.	3,509.	3,662.	4,577.	5,264.	6,843.
	24"	18"	64"	RCFS6413Y(L/R)W (X)(X)(X)(X)(X)	3,163.	3,479.	3,638.	3,796.	4,745.	5,457.	7,094.

Cabinets, hinge door with shelves&Box/File/File 	20"	18"	64"	RCFS6412Z(L/R)W (X)(X)(X)(X)(X)	3,513.	3,865.	4,041.	4,216.	4,918.	5,657.	7,353.
	24"	18"	64"	RCFS6413Z(L/R)W (X)(X)(X)(X)(X)	3,661.	4,026.	4,210.	4,393.	5,125.	5,894.	7,662.


Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W (X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
64 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish	
L/R Left/Right hinge	L, V1, V2, V3	
W Wood interior	6. Door finish	
L Lock	L, V1, V2, V3	
S Lock finish		The images on this page are shown as a right hand cabinets.
G Pull option	Product on this page will accept woodgrain laminate where laminate is currently an option.	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
115 Pull finish option	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.


Cabinets Progressive
 64" high, wood interior
 28^{3/8}" high planning

Reff Profiles


description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)W () () () () ()	\$2,487.	\$2,736.	\$2,860.	\$2,985.	\$4,287.	\$4,930.	\$6,409.
	24"	24"	64"	RCFS6433V(L/R)W () () () () ()	2,559.	2,815.	2,943.	3,070.	4,475.	5,146.	6,690.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)W () () () () ()	3,294.	3,623.	3,787.	3,952.	5,002.	5,752.	7,478.
	24"	24"	64"	RCFS6433W(L/R)W () () () () ()	3,385.	3,723.	3,892.	4,061.	5,202.	5,981.	7,775.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)W () () () () ()	3,690.	4,060.	4,245.	4,429.	5,392.	6,201.	8,061.
	24"	24"	64"	RCFS6433X(L/R)W () () () () ()	3,823.	4,205.	4,396.	4,588.	5,630.	6,475.	8,416.





Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
64 Height	S=Silver B=Black	V = all shelves for 24" w cabinets
1 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	5. Case finish	
L/R Left/Right hinge	L, V1, V2, V3	
W Wood interior	6. Door finish	
L Lock	L, V1, V2, V3	
S Lock finish		The images on this page are shown as a right hand cabinets.
G Pull option	Product on this page will accept woodgrain laminate where laminate is currently an option.	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
115 Pull finish option	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68" high wood interior
28^{3/8}" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves 	20"	18"	68"	RCFS6812C(L/R)W () () () () ()	\$2,149.	\$2,363.	\$2,471.	\$2,578.	\$3,705.	\$4,260.	\$5,538.
	24"	18"	68"	RCFS6813C(L/R)W () () () () ()	2,205.	2,426.	2,536.	2,646.	3,839.	4,415.	5,739.

Cabinets, hinge door with shelves&File/File 	20"	18"	68"	RCFS6812Y(L/R)W () () () () ()	3,104.	3,414.	3,570.	3,726.	4,657.	5,355.	6,962.
	24"	18"	68"	RCFS6813Y(L/R)W () () () () ()	3,212.	3,533.	3,694.	3,854.	4,817.	5,540.	7,202.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	68"	RCFS6812Z(L/R)W () () () () ()	3,570.	3,927.	4,106.	4,284.	4,998.	5,747.	7,472.
	24"	18"	68"	RCFS6813Z(L/R)W () () () () ()	3,712.	4,084.	4,269.	4,455.	5,197.	5,977.	7,770.

Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
68 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	Product on this page will accept woodgrain laminate where laminate is currently an option.	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	List price for woodgrain laminate options will be current published laminate list price plus 10%.	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		These products are Glue and Dowel Construction
L Lock		Grommet pulls only.
S Lock finish		Shelves and files front will default to the case finish.
G Pull option		68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
115 Pull finish option		No wardrobe option in the 18" w cabinets.
114 Case finish		Cabinets with wardrobe come with a coat rod.
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 68" high wood interior
 28³/₈" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)W () () () () ()	\$2,516.	\$2,768.	\$2,893.	\$3,019.	\$4,376.	\$5,034.	\$6,544.
	24"	24"	68"	RCFS6833V(L/R)W () () () () ()	2,589.	2,849.	2,979.	3,108.	4,562.	5,247.	6,821.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)W () () () () ()	3,333.	3,666.	3,833.	3,999.	5,102.	5,867.	7,627.
	24"	24"	68"	RCFS6833W(L/R)W () () () () ()	3,426.	3,769.	3,940.	4,111.	5,297.	6,092.	7,921.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)W () () () () ()	3,730.	4,102.	4,289.	4,475.	5,492.	6,315.	8,210.
	24"	24"	68"	RCFS6833X(L/R)W () () () () ()	3,865.	4,251.	4,443.	4,637.	5,727.	6,586.	8,561.



Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
68 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	Product on this page will accept woodgrain laminate where laminate is currently an option.	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	List price for woodgrain laminate options will be current published laminate list price plus 10%.	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Desktop Towers


28³/₈" high planning

Single Wide, 42" and 56" High Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSBWT142 () ()	\$1,190.	\$2,040.	\$2,346.	\$3,050.
	19"	15"	42"	RDTSBWG142 () ()	1,221.	2,092.	2,405.	3,127.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSBWT156 () ()	1,376.	2,360.	2,714.	3,528.
	19"	15"	56"	RDTSBWG156 () ()	1,411.	2,418.	2,781.	3,615.



Order Code	Specification Information	Application Notes
Example: RDTSBWT142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
DT Reff Desktop Tower		
S Single width	1. <i>Case finish type:</i>	Shelves to match case finish.
B Bookcase	L = Laminate	Shelves on single height available with 2 adjustable shelves.
W Wood Shelves	1 = V1	
T Letter width 16" nominal	2 = V2	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
1 Letter depth 15" nominal	3 = V3	
42 42" high nominal	2. <i>Case finish:</i>	
V2 Case finish type	Wood or Laminate	
V316 Case finish		

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Desktop Towers

28³/₈" high planning

Single Wide, 42" and 56" High

Wood Hinge Door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, single width	16"	15"	42"	RDTSHWT142(L/R) () () () () ()	\$1,548.	\$1,703.	\$1,780.	\$1,935.	\$2,653.	\$3,052.	\$3,968.
wood shelves behind wood hinge door	19"	15"	42"	RDTSHWG142(L/R) () () () () ()	1,591.	1,751.	1,830.	1,990.	2,728.	3,138.	4,079.



56" h Desk top tower, single width	16"	15"	56"	RDTSHWT156(L/R) () () () () ()	1,764.	1,941.	2,135.	2,348.	3,025.	3,478.	4,523.
wood shelves behind wood hinge door	19"	15"	56"	RDTSHWG156(L/R) () () () () ()	1,814.	1,995.	2,194.	2,413.	3,109.	3,575.	4,647.



Order Code	Specification Information	Application Notes
Example: RDTSHWT142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
DT Reff Desktop Tower		
S Single width	1. Case finish type	Shelves to match case finish.
H Hinge Door	L = Laminate	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
W Wood Shelves	1 = V1	
T Letter width 16" nominal	2 = V2	
1 Letter depth 15" nominal	3 = V3	
42 42" high nominal	2. Front finish type	Shelves on single wide available with 2 adjustable shelves.
2 Finish type	L = Laminate	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
T Pull option	1 = V1	
L Lock option	2 = V2	
B Lock finish	3 = V3	
V316 Case finish	3. Pull option:	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
V316 Front finish	B=No pull, No drilling	List price for wood grain laminate options will be current published laminate list price plus 10%.
111 Pull finish	Customer's own pull.	
	F=Bar pull (1 pull per door set)	
	H=Outline pull	
	N=No pull, touch latch	
	R=Cylinder pull	
	T=Tab pull (1 pull per door set)	
	4. Lock option L or N	
	5. Lock finish	
	B=Black	
	S=Matte Silver	
	6. Case finish= *V316	
	7. Front finish=V316	
	8. Pull finish=111	

Desktop Towers

28³/₈" high planning
Single Wide, 42" and 56" High
Glass hinge door

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSJWT142(L/R)() () ()	\$2,211.	\$2,875.	\$3,306.	\$4,298.
	19"	15"	42"	RDTSJWT142(L/R)() () ()	2,304.	2,995.	3,444.	4,516.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSJWT156(L/R)() () ()	2,560.	3,327.	3,826.	4,975.
	19"	15"	56"	RDTSJWT156(L/R)() () ()	2,673.	3,474.	3,995.	5,194.



Desktop towers


Order Code	Specification Information	Application Notes	
Example: RDTSJWT142 () () ()	<p>To order please specify pattern number including: Left or right hand as applicable and embedded in the pattern number.</p> <ol style="list-style-type: none"> Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3 Case finish: V316 Door frame type: Anodized or Painted Door glass finish: GL11, GL14, GL15, GL18 	<p>Heights to work with 28³/₈" desk height planning and 1 1/2" worksurface.</p> <p>Shelves to match case finish.</p> <p>Shelves on single height available with 2 adjustable shelves.</p> <p>Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.</p>	
R Reff			<p>42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.</p> <p>56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.</p> <p>Glass hinge doors available only with touch latch.</p> <p>These products are Glue and Dowel Construction</p>
DT Reff Desktop Tower			
S Single width			
G Hinge glass door			
W Wood Shelves			
T Letter width 16" nominal			
1 Letter depth 15" nominal			
42 42" high nominal			
L Left / Right hand			
2 Case finish type			
V316 Case finish			
AU Door frame finish			
GL11 Door glass finish			

Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, double width bookcase / open shelves	30"	15"	42"	RDTDBW3142 () ()	\$1,810.	\$2,895.	\$3,329.	\$4,328.
	36"	15"	42"	RDTDBW6142 () ()	1,861.	2,979.	3,425.	4,453.




56" h Desk top tower, double width bookcase / open shelves	30"	15"	56"	RDTDBW3156 () ()	2,160.	3,455.	3,974.	5,165.
	36"	15"	56"	RDTDBW6156 () ()	2,219.	3,549.	4,082.	5,307.

Order Code	Specification Information	Application Notes
Example: RDTDBW3142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
DT Reff Desktop Tower		
D Double width	1. Case finish type	Shelves to match case finish.
B Bookcase	L = Laminate	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
W Wood Shelves	1 = V1	Shelves with door option on single height available with 2 adjustable shelves.
3 30" wide	2 = V2	Hinge doors feature <u>no</u> pulls only touch latch.
1 Letter depth 15" nominal	3 = V3	These products are Glue and Dowel Construction
42 42" high nominal	2. Case finish V316	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
2 Case finish type	3. Pull option Plated / Painted	List price for wood grain laminate options will be current published laminate list price plus 10%.
V316 Case finish	4. Lock option L, N	
	5. Lock finish	
	S=Matte Silver	
	B=Black	
	6. Case finish V316	
	7. Front finish V313	
	8. Pull finish 111	
		Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.


Desktop Towers

28³/₈" high planning
 Double Wide, 42" and 56" High
 Wood shelves behind doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, double width	30"	15"	42"	RDTDHW3142()	\$2,125.	\$2,444.	\$2,550.	\$2,763.	\$3,400.	\$3,910.	\$5,083.
wood shelves behind wood hinge door	36"	15"	42"	RDTDHW6142()	2,206.	2,537.	2,647.	2,869.	3,530.	4,059.	5,278.



56" h Desk top tower, double width	30"	15"	56"	RDTDHW3156()	2,458.	2,704.	2,975.	3,271.	3,933.	4,523.	5,879.
wood shelves behind wood hinge door	36"	15"	56"	RDTDHW6156()	2,571.	2,827.	3,111.	3,422.	4,113.	4,730.	6,149.



Order Code

Example: RDTDHW3142 ()
RDT Reff Desktop Tower
D Double width
H Hinge door wood
W Wood Shelves
3 30" wide
1 Letter depth 15" nominal
42 42" high nominal
L Left/ Right hand option
V2 Case finish type
V2 Font finish type
F Pull option
L Lock option doors
B Lock finish
V316 Case finish
V316 Front finish
111 Pull finish

Specification Information

To order please specify pattern number including:
 Left or right hand as applicable and embedded in the pattern number.

- Case finish type
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
- Case finish V316
- Pull option:
 B=No pull (Customer's own pull)
 F=Bar pull (1 pull per door set)
 H=Outline pull
 R=Cylinder pull
 T=Tab pull (1 pull per door set)
- Lock option L, N
- Lock finish
 S=Matte Silver
 B=Black
- Case finish V316
- Front finish V313
- Pull finish 111

Application Notes

Heights to work with 28³/₈" desk height planning and 1¹/₂" worksurface.

Shelves to match case finish.

Shelves with door option on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Desktop towers


Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High


Asymmetrical, with Glass door

description	w	d	h	pattern no.	L	V1	V2	V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAGW3142(L/R)() () ()	\$2,951.	\$3,836.	\$4,411.	\$5,735.
Split glass hinged door / open shelves all wood	30"	15"	56"	RDTAGW3156(L/R)() () ()	3,501.	4,552.	5,234.	6,805.
	36"	15"	42"	RDTAGW6142(L/R)() () ()	3,144.	4,086.	4,699.	6,109.
	36"	15"	56"	RDTAGW6156(L/R)() () ()	3,750.	4,875.	5,606.	7,288.




Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAGG3142(L/R)() () ()	2,829.	3,678.	4,230.	5,499.
Split glass hinged door / open shelves all glass	30"	15"	56"	RDTAGG3156(L/R)() () ()	3,320.	4,316.	4,964.	6,452.
	36"	15"	42"	RDTAGG6142(L/R)() () ()	3,022.	3,928.	4,519.	5,873.
	36"	15"	56"	RDTAGG6156(L/R)() () ()	3,569.	4,639.	5,335.	6,936.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width	30"	15"	42"	RDTDGW3142() () ()	3,712.	4,455.	5,123.	6,660.
wood shelves behind glass hinge door	30"	15"	56"	RDTDGW3156() () ()	4,282.	5,138.	5,908.	7,681.
	36"	15"	42"	RDTDGW6142() () ()	3,873.	4,647.	5,345.	6,948.
	36"	15"	56"	RDTDGW6156() () ()	4,560.	5,471.	6,292.	8,180.



Order Code	Specification Information	Application Notes
Example: RDTAGW3142	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 ¹ / ₂ " worksurface.
RDT Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
A Asymmetrical split		
G Hinge door glass		
W Wood Shelves	1. <i>Case finish type:</i>	Shelves to match case finish.
3 30" wide nominal	L = Laminate	Shelves on single height available with 2 adjustable shelves.
1 Letter depth 15" nominal	1 = V1	
42 42" high nominal	2 = V2	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
(L) Left / Right hand option	3 = V3	
V2 Case finish type	2. <i>Case finish:</i>	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
V316 Case finish	Wood or Laminate	
AU Door frame finish	3. <i>Door frame finish:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
GL11 Door glass finish	Anodized or Painted	List price for wood grain laminate options will be current published laminate list price plus 10%.
	4. <i>Door glass finish:</i>	
	GL11, GL14, GL15, GL18	

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge glass doors feature no pulls only touch latch.

Desk top tower backs.

These products are Glue and Dowel Construction.

From users perspective, the open shelves' location determines handedness.
ie. Right hand - open shelves on right hand


Desktop Towers

28³/₈" high planning

Double Wide, 42" and 56" High


Asymmetrical with mix casing

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAHW3142(L/R) () () () () ()	\$2,254.	\$2,478.	\$2,591.	\$2,704.	\$3,447.	\$3,964.	\$5,154.
Split hinged door / open shelves all wood	30"	15"	56"	RDTAHW3156(L/R) () () () () ()	2,631.	2,893.	3,025.	3,157.	4,024.	4,628.	6,017.
	36"	15"	42"	RDTAHW6142(L/R) () () () () ()	2,341.	2,575.	2,691.	2,809.	3,581.	4,118.	5,354.
	36"	15"	56"	RDTAHW6156(L/R) () () () () ()	2,748.	3,023.	3,161.	3,298.	4,205.	4,836.	6,287.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAHG3142(L/R) () () () () ()	2,439.	2,664.	2,777.	2,889.	3,633.	4,150.	5,340.
Split hinged door / open shelves all glass	30"	15"	56"	RDTAHG3156(L/R) () () () () ()	2,909.	3,171.	3,303.	3,435.	4,302.	4,906.	6,295.
	36"	15"	42"	RDTAHG6142(L/R) () () () () ()	2,527.	2,760.	2,877.	2,994.	3,767.	4,303.	5,539.
	36"	15"	56"	RDTAHG6156(L/R) () () () () ()	3,026.	3,301.	3,439.	3,576.	4,484.	5,114.	6,565.



Left hand Desktop Tower shown. Hinged off of the center gable.

Order Code	Specification Information	Application Notes
Example: RDTAHW3142(L/R) () () () () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
RDT Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
A Asymmetrical split	1. Case finish type: L, V1, V2, V3	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
H Hinge door wood	2. Front finish type: L, V1, V2, V3	Hinge doors feature <u>no</u> pulls only touch latch.
W Wood Shelves	3. Pull option: B=No pull (Customer's own pull) F=Bar pull (1 pull per door set) H=Outline pull N=No pull, touch latch R=Cylinder pull T=Tab pull (1 pull per door set)	These products are Glue and Dowel Construction.
3 30" wide nominal	4. Lock option: L, N	From users perspective, the open shelves' location determines handedness. ie. Right hand - open shelves on right hand
1 Letter depth 15" nominal	5. Lock finish: B=Black S=Matte Silver	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
42 42" high nominal	6. Case finish: V316	
L Left / Right hand option	7. Front finish: V316	
V2 Case finish type	8. Pull finish: Painted or Plated	
V2 Front finish type		
F Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
111 Pull finish		
GL35 Glass finish		


Desktop towers

Overhead, 26 1/2" planning


Wall hung, Single high

Reff Profiles

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back	30"	15"	19"			ROMO30S0(-)(-)(-)	\$1,782.	\$1,845.	\$2,120.	\$2,860.
	36"	15"	19"			ROMO36S0(-)(-)(-)	1,828.	1,892.	2,174.	2,934.
	42"	15"	19"			ROMO42S0(-)(-)(-)	1,875.	1,941.	2,230.	3,011.
	48"	15"	19"			ROMO48S0(-)(-)(-)	1,927.	1,988.	2,292.	3,093.
	60"	15"	19"			ROMO60S0(-)(-)(-)	2,127.	2,197.	2,529.	3,413.
	72"	15"	19"			ROMO72S0(-)(-)(-)	2,245.	2,326.	2,673.	3,607.



Wall-hung overhead cabinet (hinged door) with back	30"	15"	19"	1	2	ROMH30S0(-)(-)(-)	2,591.	2,678.	3,076.	4,154.
	36"	15"	19"	1	2	ROMH36S0(-)(-)(-)	2,758.	2,854.	3,281.	4,429.
	60"	15"	19"	2	4	ROMH60S0(-)(-)(-)	3,098.	3,201.	3,683.	4,973.
	72"	15"	19"	2	4	ROMH72S0(-)(-)(-)	3,278.	3,389.	3,899.	5,262.





Wall-hung overhead cabinet flip door) with back	30"	15"	19"	1	1	ROMF30S0(-)(-)(-)	1,898.	1,963.	2,256.	3,047.
	36"	15"	19"	1	1	ROMF36S0(-)(-)(-)	2,021.	2,090.	2,404.	3,246.
	42"	15"	19"	1	1	ROMF42S0(-)(-)(-)	2,139.	2,217.	2,548.	3,440.
	48"	15"	19"	1	1	ROMF48S0(-)(-)(-)	2,265.	2,341.	2,692.	3,635.
	60"	15"	19"	2	2	ROMF60S0(-)(-)(-)	2,497.	2,583.	2,969.	4,010.
	72"	15"	19"	2	2	ROMF72S0(-)(-)(-)	2,642.	2,732.	3,142.	4,242.

Order Code	Specification Information	Application Notes															
<p>Example: ROMO30S0</p> <table border="1"> <tr><td>R</td><td>Reff</td></tr> <tr><td>O</td><td>Overhead</td></tr> <tr><td>M</td><td>Wall hung</td></tr> <tr><td>O</td><td>Open</td></tr> <tr><td>30</td><td>30" wide</td></tr> <tr><td>S</td><td>Standard height, 19"h</td></tr> <tr><td>0</td><td>15" deep</td></tr> </table>	R	Reff	O	Overhead	M	Wall hung	O	Open	30	30" wide	S	Standard height, 19"h	0	15" deep	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Configuration option (<i>embedded in pattern no.</i>) H = Hinged door O = Open F = Flip door Storage option (<i>embedded in pattern no.</i>) S0 = 19"h x 14"d open/15"d hinged door Finish type Pull option <i>applicable hinged doors only</i> Lock option Lock Finish Finish, case Pull Finish Keying instructions <p>*After specifying product code, provide keying instructions.</p> <p>Dimensions are nominal.</p> <p>Product not available where prices do not appear.</p> <p>3. <i>Finish type options:</i> L = Laminated 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer</p>	<p>4. <i>Pull Options:</i> D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)</p> <p>5. <i>Lock options:</i> L = Lock hole drilled N = No lockdrilling</p> <p>8. Refer to page 599 for keying instructions.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Sliding rails order separately on page 475.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.</p>	<p>Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.</p> <p>Open cabinets require no locks.</p> <p>Tasklights are not included.</p> <p>D-Pulls are not available for flip door units.</p> <p>Hardware included for overhead cabinets.</p> <p>The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.</p> <p>*Keying instructions must accompany all cabinet orders.</p> <p>Random keys are factory installed.</p> <p>Order overheads with a KnollKey order form.</p>
R	Reff																
O	Overhead																
M	Wall hung																
O	Open																
30	30" wide																
S	Standard height, 19"h																
0	15" deep																

Overhead, 26 1/2" planning

Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	30"	14"	19"			ROPO30S0(-)(-)(-)	\$1,278.	\$1,319.	\$1,517.	\$2,049.
	36"	14"	19"			ROPO36S0(-)(-)(-)	1,564.	1,616.	1,859.	2,510.
	42"	14"	19"			ROPO42S0(-)(-)(-)	1,718.	1,777.	2,045.	2,760.
	48"	14"	19"			ROPO48S0(-)(-)(-)	1,782.	1,840.	2,118.	2,858.
	60"	14"	19"			ROPO60S0(-)(-)(-)	1,820.	1,883.	2,168.	2,927.
	60"	14"	23"			ROPO60T0(-)(-)(-)	1,945.	2,013.	2,314.	3,123.
	72"	14"	19"			ROPO72S0(-)(-)(-)	2,232.	2,305.	2,652.	3,579.
	72"	14"	23"			ROPO72T0(-)(-)(-)	2,652.	2,745.	3,155.	4,261.
	90"	14"	19"			ROPO90S0(-)(-)(-)	2,456.	2,537.	2,917.	3,939.
	90"	14"	23"			ROPO90T0(-)(-)(-)	3,011.	3,110.	3,577.	4,831.
Panel-hung overhead cabinet (hinged door) no back 	30"	14"	19"	1	2	ROPH30S0(-)(-)(-)	1,419.	1,464.	1,682.	2,271.
	36"	14"	19"	1	2	ROPH36S0(-)(-)(-)	1,733.	1,793.	2,065.	2,787.
	60"	14"	19"	2	4	ROPH60S0(-)(-)(-)	2,023.	2,091.	2,405.	3,248.
	60"	14"	23"	2	4	ROPH60T0(-)(-)(-)	2,165.	2,237.	2,574.	3,476.
	72"	14"	19"	2	4	ROPH72S0(-)(-)(-)	2,479.	2,565.	2,949.	3,982.
	72"	14"	23"	2	4	ROPH72T0(-)(-)(-)	2,947.	3,049.	3,504.	4,731.
	90"	14"	19"	3	6	ROPH90S0(-)(-)(-)	2,730.	2,819.	3,242.	4,375.
	90"	14"	23"	3	6	ROPH90T0(-)(-)(-)	3,342.	3,457.	3,971.	5,361.
	96"	14"	19"	3	6	ROPH96S0(-)(-)(-)	2,826.	2,920.	3,362.	4,538.
	96"	14"	23"	3	6	ROPH96T0(-)(-)(-)	3,468.	3,583.	4,120.	5,563.

Order Code

Example: ROPH60S0DLL	
R	Reff
O	Overhead
P	Panel hung
H	Hinge door
60	60" wide
S	Standard height, 19"h
0	15" deep
D	D-pull
L	Lock hole drilled
L	Laminate finish

Specification Information

To order please specify pattern number including:

- Configuration option (*embedded in pattern no.*)
H = Hinged door
O = Open
F = Flip door
- Storage option (*embedded in pattern no.*)
S0 = 19"h x 14"d open/15"d hinged door
T0 = 23"h x 14"d open/15"d hinged door
- Finish type
- Lock option
- Finish, case

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
 L = Laminate
 1 = V1 techwood
 2 = V2 conventional veneer
 3 = V3 exotic veneer

4. *Pull Options:*
 D = Metal D-pull for hinged door only
 J = Routed pull
 C = Nickel finish C-pull for hinged door only (nickel finish only)
 S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*
 L = Lock hole drilled
 N = No lockdrilling

8. Refer to page 599 for keying instructions.

Woodgrain Laminate is not available on any flip door units.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 475.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
 List price for wood grain laminate options will be current published laminate list price plus 10%.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
 A certified building contractor should be consulted.
 Please refer to wall mounting information on page 565.

***Keying instructions must accompany all cabinet orders.**

Panel hung overheads come with no backs.



Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2" planning

Panel hung, Single high


Reff Profiles

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	30"	14"	18"	1	1	ROPF30S0J-() ()	\$1,066.	\$1,400.	\$1,608.	\$2,171.
	36"	14"	18"	1	1	ROPF36S0J-() ()	1,084.	1,424.	1,640.	2,213.
	42"	14"	18"	1	1	ROPF42S0J-() ()	1,160.	1,527.	1,757.	2,373.
	48"	14"	18"	1	1	ROPF48S0J-() ()	1,203.	1,588.	1,825.	2,465.
	60"	14"	18"	2	2	ROPF60S0J-() ()	1,397.	1,836.	2,114.	2,854.
	72"	14"	18"	2	2	ROPF72S0J-() ()	1,651.	2,173.	2,497.	3,370.
	84"	14"	18"	2	2	ROPF84S0J-() ()	1,845.	2,427.	2,790.	3,768.
	96"	14"	18"	2	2	ROPF96S0J-() ()	1,967.	2,589.	2,980.	4,021.
Panel-hung shelves 	30"	13"	9"			ROPS30S0NN-()	286.	590.	678.	916.
	36"	13"	9"			ROPS36S0NN-()	309.	613.	705.	951.
	42"	13"	9"			ROPS42S0NN-()	335.	633.	730.	986.
	48"	13"	9"			ROPS48S0NN-()	357.	656.	752.	1,016.
	54"	13"	9"			ROPS54S0NN-()	382.	705.	809.	1,092.
	60"	13"	9"			ROPS60S0NN-()	408.	758.	871.	1,176.
	66"	13"	9"			ROPS66S0NN-()	432.	806.	927.	1,251.
	72"	13"	9"			ROPS72S0NN-()	456.	859.	985.	1,328.
	78"	13"	9"			ROPS78S0NN-()	481.	930.	1,069.	1,442.
	84"	13"	9"			ROPS84S0NN-()	504.	1,001.	1,153.	1,556.
	90"	13"	9"			ROPS90S0NN-()	529.	1,074.	1,234.	1,667.
96"	13"	9"			ROPS96S0NN-()	537.	1,129.	1,301.	1,756.	


Order Code	Specification Information	Application Notes	
Example: ROPH60S0DLL R Reff O Overhead P Panel hung H Hinge door 60 60" wide S Standard height, 19"h 0 15" deep D D-pull L Lock hole drilled L Laminate finish	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Configuration option (<i>embedded in pattern no.</i>) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i> Storage option (<i>embedded in pattern no.</i>) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i> Finish type Lock option Finish, case <p>*After specifying product code, provide keying instructions.</p> <p>Dimensions are nominal.</p> <p>Product not available where prices do not appear.</p> <p>3. <i>Finish type options:</i> L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer</p>	<p>4. <i>Pull Options:</i> D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)</p> <p>5. <i>Lock options:</i> L = Lock hole drilled N = No lockdrilling</p> <p>8. Refer to page 599 for keying instructions.</p> <p>Woodgrain Laminate is not available on any flip door units.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Sliding rails order separately on page 475.</p> <p>Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.</p>	<p>Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.</p> <p>Open cabinets require no locks.</p> <p>Tasklights are not included.</p> <p>D-Pulls are not available for flip door units.</p> <p>Hardware included for overhead cabinets.</p> <p>Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 565.</p> <p>*Keying instructions must accompany all cabinet orders.</p> <p>Panel hung overheads come with no backs.</p> <p>Random keys are factory installed.</p> <p>Order overheads with a KnollKey order form.</p>

Overhead, 26 1/2" planning Workwalls

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open)	60"	15"	19"	4	1.8	ROWO60S0(-)(X)(X)	\$2,033.	\$2,123.	\$2,488.	\$3,361.
	60"	15"	23"	4	1.8	ROWO60T0(-)(X)(X)	2,208.	2,305.	2,703.	3,649.
	60"	20"	19"	4	1.8	ROWO60S1(-)(X)(X)	2,186.	2,282.	2,675.	3,610.
	60"	20"	23"	4	1.8	ROWO60T1(-)(X)(X)	2,362.	2,464.	2,886.	3,894.
	72"	15"	19"		2.1	ROWO72S0(-)(X)(X)	2,613.	2,730.	3,192.	4,308.
	72"	15"	23"		2.1	ROWO72T0(-)(X)(X)	2,967.	3,095.	3,615.	4,880.
	72"	20"	19"		2.1	ROWO72S1(-)(X)(X)	2,807.	2,927.	3,421.	4,619.
	72"	20"	23"		2.1	ROWO72T1(-)(X)(X)	3,270.	3,409.	3,975.	5,365.
	90"	15"	19"		2.6	ROWO90S0(-)(X)(X)	2,880.	3,012.	3,544.	4,783.
	90"	15"	23"		2.6	ROWO90T0(-)(X)(X)	3,328.	3,478.	4,075.	5,502.
	90"	20"	19"		2.6	ROWO90S1(-)(X)(X)	3,199.	3,345.	3,927.	5,301.
	90"	20"	23"		2.6	ROWO90T1(-)(X)(X)	3,536.	3,695.	4,326.	5,840.
	96"	15"	19"		2.8	ROWO96S0(-)(X)(X)	2,949.	3,091.	3,639.	4,913.
	96"	15"	23"		2.8	ROWO96T0(-)(X)(X)	3,397.	3,554.	4,172.	5,633.
96"	20"	19"		2.8	ROWO96S1(-)(X)(X)	3,273.	3,424.	4,023.	5,433.	
96"	20"	23"		2.8	ROWO96T1(-)(X)(X)	3,610.	3,770.	4,421.	5,968.	



72" h workwall overhead cabinet (hinged door)	60"	15"	19"	4	1.8	ROWH60S0(-)(X)(X)	2,623.	2,734.	3,193.	4,310.
	60"	15"	23"	4	1.8	ROWH60T0(-)(X)(X)	2,844.	2,963.	3,459.	4,669.
	60"	20"	19"	4	1.8	ROWH60S1(-)(X)(X)	2,816.	2,933.	3,424.	4,623.
	60"	20"	23"	4	1.8	ROWH60T1(-)(X)(X)	3,039.	3,164.	3,686.	4,977.
	72"	15"	19"	4	2.1	ROWH72S0(-)(X)(X)	3,362.	3,499.	4,081.	5,509.
	72"	15"	23"	4	2.1	ROWH72T0(-)(X)(X)	3,806.	3,960.	4,607.	6,221.
	72"	20"	19"	4	2.1	ROWH72S1(-)(X)(X)	3,603.	3,750.	4,366.	5,894.
	72"	20"	23"	4	2.1	ROWH72T1(-)(X)(X)	4,184.	4,351.	5,057.	6,828.
	90"	15"	19"	6	2.6	ROWH90S0(-)(X)(X)	3,732.	3,899.	4,562.	6,157.
	90"	15"	23"	6	2.6	ROWH90T0(-)(X)(X)	4,294.	4,475.	5,227.	7,056.
	90"	20"	19"	6	2.6	ROWH90S1(-)(X)(X)	4,136.	4,315.	5,038.	6,802.
	90"	20"	23"	6	2.6	ROWH90T1(-)(X)(X)	4,558.	4,748.	5,538.	7,478.
	96"	15"	19"	6	2.8	ROWH96S0(-)(X)(X)	3,836.	4,006.	4,695.	6,337.
	96"	15"	23"	6	2.8	ROWH96T0(-)(X)(X)	4,396.	4,586.	5,360.	7,236.
	96"	20"	19"	6	2.8	ROWH96S1(-)(X)(X)	4,239.	4,422.	5,173.	6,983.
	96"	20"	23"	6	2.8	ROWH96T1(-)(X)(X)	4,658.	4,855.	5,671.	7,656.



60" w and 72" w units have four hinged doors, two lock cores required.
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19" h x 15" d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19" h x 20" d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23" h x 15" d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23" h x 20" d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	Product on this page excluding J-pull and any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	

Y = Yardage required

Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

***After specifying product code, provide keying instructions. 1. Configuration options:**
O = Open
H = Hinged door

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

4. Pull Options:
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:
L = Lockhole drilled
N = No lock drilling

Keying instructions *
See Planning Guide for keying examples.

Overhead storage

Overhead, 26 1/2" planning Shoulders

description	w	d	h	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	-	15"	19"	RWEA7220(L/R)-()	\$379.	\$390.	\$448.	\$605.
	-	15"	23"	RWEB7220(L/R)-()	379.	390.	448.	605.
	-	20"	19"	RWEC7220(L/R)-()	379.	390.	448.	605.
	-	20"	23"	RWED7220(L/R)-()	379.	390.	448.	605.




Workwall support endpanels for 72"H x 24"D workwall cabinets	-	15"	19"	RWEA7224(L/R)-()	412.	427.	490.	662.
	-	15"	23"	RWEB7224(L/R)-()	412.	427.	490.	662.
	-	20"	19"	RWEC7224(L/R)-()	412.	427.	490.	662.
	-	20"	23"	RWED7224(L/R)-()	412.	427.	490.	662.



Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions. 1. Configuration options:	
	O = Open	
	H = Hinged door	
	3. Finish type:	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. Pull Options:	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options:	
	L = Lockhole drilled	
	N = No lock drilling	
	Keying instructions *	
	See Planning Guide for keying examples.	


Overhead, 26 1/2" planning Overdesk Unit Use with 1 1/4" worksurfaces

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	60"	15"	44 1/4"	1.7	2	4	ROAH60T0(-)(-)(-)	\$2,567.	\$3,222.	\$3,765.	\$5,083.
	60"	20"	44 1/4"	1.7	2	4	ROAH60T1(-)(-)(-)	2,716.	3,407.	3,973.	5,362.
	72"	15"	44 1/4"	2.0	2	4	ROAH72T0(-)(-)(-)	3,253.	4,075.	4,753.	6,418.
	72"	20"	44 1/4"	2.0	2	4	ROAH72T1(-)(-)(-)	3,434.	4,301.	5,012.	6,766.
	90"	15"	44 1/4"	2.5	3	6	ROAH90T0(-)(-)(-)	3,617.	4,535.	5,312.	7,171.
	90"	20"	44 1/4"	2.5	3	6	ROAH90T1(-)(-)(-)	3,826.	4,799.	5,612.	7,578.
	96"	15"	44 1/4"	2.7	3	6	ROAH96T0(-)(-)(-)	3,767.	4,731.	5,546.	7,486.
	96"	20"	44 1/4"	2.7	3	6	ROAH96T1(-)(-)(-)	3,988.	5,006.	5,859.	7,910.



For 1 1/4" worksurfaces (open)	60"	15"	44 1/4"	1.7			ROAO60T0(-)(-)(-)	1,697.	2,136.	2,518.	3,399.
	60"	20"	44 1/4"	1.7			ROAO60T1(-)(-)(-)	1,804.	2,266.	2,665.	3,599.
	72"	15"	44 1/4"	2.0			ROAO72T0(-)(-)(-)	2,166.	2,720.	3,196.	4,315.
	72"	20"	44 1/4"	2.0			ROAO72T1(-)(-)(-)	2,293.	2,880.	3,378.	4,562.
	90"	15"	44 1/4"	2.5			ROAO90T0(-)(-)(-)	2,370.	2,988.	3,534.	4,771.
	90"	20"	44 1/4"	2.5			ROAO90T1(-)(-)(-)	2,515.	3,172.	3,737.	5,046.
	96"	15"	44 1/4"	2.7			ROAO96T0(-)(-)(-)	2,460.	3,105.	3,674.	4,958.
	96"	20"	44 1/4"	2.7			ROAO96T1(-)(-)(-)	2,612.	3,298.	3,892.	5,254.

For 1 1/4" worksurfaces (flip door)	60"	15"	44 1/4"	1.7	2	2	ROAF60S0(-)(-)(-)	2,197.	2,993.	3,499.	4,725.
	60"	20"	44 1/4"	1.7	2	2	ROAF60S1(-)(-)(-)	2,326.	3,169.	3,702.	4,999.
	72"	15"	44 1/4"	2.0	2	2	ROAF72S0(-)(-)(-)	2,609.	3,793.	4,428.	5,978.
	72"	20"	44 1/4"	2.0	2	2	ROAF72S1(-)(-)(-)	2,756.	4,006.	4,673.	6,309.
	84"	15"	44 1/4"	2.5	2	2	ROAF84S0(-)(-)(-)	3,380.	4,324.	5,056.	6,825.
	84"	20"	44 1/4"	2.5	2	2	ROAF84S1(-)(-)(-)	3,574.	4,573.	5,344.	7,213.
	96"	15"	44 1/4"	2.7	2	2	ROAF96S0(-)(-)(-)	3,462.	4,441.	5,211.	7,034.
	96"	20"	44 1/4"	2.7	2	2	ROAF96S1(-)(-)(-)	3,666.	4,704.	5,513.	7,441.




Order Code	Specification Information	Application Notes
Example: ROAF60S0LJLBF118(-)	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. <i>Configuration option</i> O = Open H = Hinged door F = Flip door	Open cabinets require no locks.
O Overhead	2. <i>Width</i>	Tasklights not included.
A For 1 1/4" top mounting	3. <i>Storage option</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Tackboard included, fabric railroded.
F Flip door	4. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	C, D and S pulls are not available for flip door units.
60 60" wide	5. <i>Pull option for hinged door only</i> D = Metal D-pull (for hinged doors only) J = Routed pull C = Nickel C-pull (nickel finish only, for hinged doors only) S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height		Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep		Locks are not factory installed.
L Finish type, laminate		Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull		Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included		
BF Cord escape, back feed		
118 Finish, Bright White		
(W250) Fabric		

Y = Yardage required

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Overhead, 26 1/2" planning
Overdesk Unit
Use with 1 3/4" worksurfaces

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 3/4" worksurfaces (hinged door)	60"	15"	43 3/4"	1.7	2	4	ROBH60T0(-)(-)(-)	\$2,597.	\$3,256.	\$3,804.	\$5,137.
	60"	20"	43 3/4"	1.7	2	4	ROBH60T1(-)(-)(-)	2,749.	3,441.	4,019.	5,427.
	72"	15"	43 3/4"	2.1	2	4	ROBH72T0(-)(-)(-)	3,291.	4,120.	4,806.	6,489.
	72"	20"	43 3/4"	2.1	2	4	ROBH72T1(-)(-)(-)	3,474.	4,350.	5,069.	6,842.
	90"	15"	43 3/4"	2.5	3	6	ROBH90T0(-)(-)(-)	3,657.	4,589.	5,370.	7,250.
	90"	20"	43 3/4"	2.5	3	6	ROBH90T1(-)(-)(-)	3,869.	4,855.	5,674.	7,660.
	96"	15"	43 3/4"	2.7	3	6	ROBH96T0(-)(-)(-)	3,813.	4,785.	5,607.	7,571.
	96"	20"	43 3/4"	2.7	3	6	ROBH96T1(-)(-)(-)	4,033.	5,062.	5,928.	8,001.



For 1 3/4" worksurfaces (open)	60"	15"	43 3/4"	1.7			ROBO60T0(-)(-)(-)	1,716.	2,165.	2,545.	3,434.
	60"	20"	43 3/4"	1.7			ROBO60T1(-)(-)(-)	1,821.	2,295.	2,694.	3,638.
	72"	15"	43 3/4"	2.1			ROBO72T0(-)(-)(-)	2,175.	2,753.	3,233.	4,363.
	72"	20"	43 3/4"	2.1			ROBO72T1(-)(-)(-)	2,320.	2,913.	3,415.	4,609.
	90"	15"	43 3/4"	2.5			ROBO90T0(-)(-)(-)	2,397.	3,024.	3,574.	4,825.
	90"	20"	43 3/4"	2.5			ROBO90T1(-)(-)(-)	2,491.	3,146.	3,723.	5,026.
	96"	15"	43 3/4"	2.7			ROBO96T0(-)(-)(-)	2,487.	3,143.	3,716.	5,017.
	96"	20"	43 3/4"	2.7			ROBO96T1(-)(-)(-)	2,549.	3,212.	3,786.	5,111.

For 1 3/4" worksurfaces (flip door)	60"	15"	43 3/4"	1.7	2	2	ROBF60S0(-)(-)(-)	2,222.	3,029.	3,541.	4,780.
	60"	20"	43 3/4"	1.7	2	2	ROBF60S1(-)(-)(-)	2,354.	3,201.	3,742.	5,052.
	72"	15"	43 3/4"	2.1	2	2	ROBF72S0(-)(-)(-)	2,639.	3,837.	4,478.	6,046.
	72"	20"	43 3/4"	2.1	2	2	ROBF72S1(-)(-)(-)	2,788.	4,051.	4,726.	6,380.
	84"	15"	43 3/4"	2.5	2	2	ROBF84S0(-)(-)(-)	3,420.	4,369.	5,111.	6,901.
	84"	20"	43 3/4"	2.5	2	2	ROBF84S1(-)(-)(-)	3,618.	4,628.	5,409.	7,303.
	96"	15"	43 3/4"	2.7	2	2	ROBF96S0(-)(-)(-)	3,503.	4,496.	5,272.	7,117.
	96"	20"	43 3/4"	2.7	2	2	ROBF96S1(-)(-)(-)	3,710.	4,758.	5,571.	7,521.






Order Code	Specification Information	Application Notes
Example: ROBF60S0LJLBF118(-)	To order please specify pattern number including:	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	O = Open	Tasklights not included.
B For 1 3/4" top mounting	H = Hinged door	Tackboard included, fabric railroded.
F Flip door	F = Flip door	C, D and S pulls are not available for flip door units.
60 60" wide	2. Width	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	3. Storage option	Open/hinge doors are nominal 23"H, actual 22 3/8".
o 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	T0 = 23"h x 15"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. Finish type	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. Pull option for hinged door only	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. Lock option	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 20 3/4".	
	Applicable finishes are listed on page 5 and 6.	
	Woodgrain Laminate is not available on any flip door units.	

Y = Yardage required

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Overhead, 26 1/2" planning
 Workwall units
 Rectilinear worksurfaces - 1 1/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$592.	\$611.	\$700.	\$947.
	60"	24"	RSWWA602()	637.	656.	756.	1,020.
	72"	20"	RSWWA721()	644.	665.	764.	1,030.
	72"	24"	RSWWA722()	688.	713.	816.	1,102.
	90"	20"	RSWWA901()	746.	771.	887.	1,197.
	90"	24"	RSWWA902()	791.	816.	941.	1,270.
	96"	20"	RSWWA961()	847.	874.	1,005.	1,358.
	96"	24"	RSWWA962()	893.	923.	1,060.	1,431.
Waterfall edge workwall tops 	60"	20"	RSWWAWF601()	n/a	1,834.	2,110.	2,848.
	60"	24"	RSWWAWF602()	n/a	1,969.	2,266.	3,059.
	72"	20"	RSWWAWF721()	n/a	1,994.	2,294.	3,095.
	72"	24"	RSWWAWF722()	n/a	2,132.	2,454.	3,315.
	90"	20"	RSWWAWF901()	n/a	2,315.	2,663.	3,596.
	90"	24"	RSWWAWF902()	n/a	2,454.	2,824.	3,811.
	96"	20"	RSWWAWF961()	n/a	2,699.	3,017.	4,073.
	96"	24"	RSWWAWF962()	n/a	2,767.	3,183.	4,295.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	n/a	700.	809.	1,092.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	n/a	755.	870.	1,175.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	n/a	764.	879.	1,187.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	n/a	817.	941.	1,270.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	n/a	887.	1,020.	1,377.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	n/a	940.	1,082.	1,460.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	n/a	1,005.	1,158.	1,563.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	n/a	1,060.	1,220.	1,646.

Order Code	Specification Information
Example: RSWWA60100L	
R	Reff
S	Straight top
WW	Workwall top
A	1 1/4" thick
60	60" wide
1	20" deep
(L)	Laminate finish

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:
 A = 1 1/4"

2. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

3. Specify edge detail where applicable, for RSWWA(). See page0 for available profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.


Applicable finishes are listed on page 5 and 6.

Hardware included.

Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Workwall units

Rectilinear worksurfaces - 1 3/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWB601()	\$740.	\$768.	\$881.	\$1,190.
	60"	24"	RSWWB602()	793.	825.	949.	1,281.
	72"	20"	RSWWB721()	805.	837.	963.	1,300.
	72"	24"	RSWWB722()	859.	894.	1,028.	1,388.
	90"	20"	RSWWB901()	931.	969.	1,114.	1,506.
	90"	24"	RSWWB902()	991.	1,029.	1,182.	1,597.
	96"	20"	RSWWB961()	1,057.	1,098.	1,261.	1,703.
	96"	24"	RSWWB962()	1,115.	1,159.	1,332.	1,798.

Order Code

Example:	RSWWB60100L
R	Reff
S	Straight top
WW	Workwall top
B	1 3/4" thick
60	60" wide
1	20" deep
(L)	Laminate finish

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:
B = 1 3/4"

2. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

3. Specify edge detail where applicable, for RSWWA(). See page 0 for available profiles.

Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.


Applicable finishes are listed on page 5 and 6.

Hardware included.


Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Overhead, 28³/₈" planning Workwalls

description	w	d	h	dr	y	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (open)	60"	15"	19"		1.8	75"	ROWO60S0DH () () () ()	\$2,133.	\$2,229.	\$2,613.	\$3,530.
	60"	20"	19"		1.8	75"	ROWO60S1DH () () () ()	2,296.	2,396.	2,808.	3,789.
	72"	15"	19"		2.1	75"	ROWO72S0DH () () () ()	2,745.	2,865.	3,352.	4,525.
	72"	20"	19"		2.1	75"	ROWO72S1DH () () () ()	2,947.	3,071.	3,589.	4,847.
	90"	15"	19"		2.6	75"	ROWO90S0DH () () () ()	3,026.	3,163.	3,719.	5,020.
	90"	20"	19"		2.6	75"	ROWO90S1DH () () () ()	3,359.	3,512.	4,124.	5,568.
	96"	15"	19"		2.8	75"	ROWO96S0DH () () () ()	3,098.	3,247.	3,821.	5,158.
	96"	20"	19"		2.8	75"	ROWO96S1DH () () () ()	3,439.	3,596.	4,225.	5,705.



Workwall, (for "desk height") 23"h storage (open)	60"	15"	23"		1.8	75"	ROWO60T0DH () () () ()	2,321.	2,422.	2,839.	3,833.
	60"	20"	23"		1.8	75"	ROWO60T1DH () () () ()	2,481.	2,587.	3,031.	4,090.
	72"	15"	23"		2.1	75"	ROWO72T0DH () () () ()	3,118.	3,250.	3,797.	5,125.
	72"	20"	23"		2.1	75"	ROWO72T1DH () () () ()	3,434.	3,580.	4,172.	5,633.
	90"	15"	23"		2.6	75"	ROWO90T0DH () () () ()	3,495.	3,652.	4,280.	5,778.
	90"	20"	23"		2.6	75"	ROWO90T1DH () () () ()	3,712.	3,879.	4,544.	6,134.
	96"	15"	23"		2.8	75"	ROWO96T0DH () () () ()	3,568.	3,732.	4,382.	5,914.
	96"	20"	23"		2.8	75"	ROWO96T1DH () () () ()	3,789.	3,957.	4,642.	6,265.



Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products; do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	75" nominal height - actual height 75.125"
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Taskboard included with workwall; fabric applied railroded.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Tasklights to be ordered separately
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Products on this page, shipped knocked-down.
S 19" storage height	6. <i>Finish</i>	Applicable finishes are listed on page 5 and 6.
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
L Finish type, laminate	Product on this page excluding J-pull option and any vertical surface over 48" will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 599. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection		


Y = Yardage required

dimensions noted nominal

Overhead storage


Overhead, 28³/₈" planning Workwalls

description	w	d	h	dr	y	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (hinged door)	60"	15"	19"	4	1.8	75"	ROWH60S0DH () () () ()	\$2,754.	\$2,871.	\$3,353.	\$4,527.
	60"	20"	19"	4	1.8	75"	ROWH60S1DH () () () ()	2,958.	3,082.	3,596.	4,854.
	72"	15"	19"	4	2.1	75"	ROWH72S0DH () () () ()	3,530.	3,676.	4,286.	5,786.
	72"	20"	19"	4	2.1	75"	ROWH72S1DH () () () ()	3,782.	3,938.	4,585.	6,189.
	90"	15"	19"	6	2.6	75"	ROWH90S0DH () () () ()	3,919.	4,092.	4,788.	6,465.
	90"	20"	19"	6	2.6	75"	ROWH90S1DH () () () ()	4,344.	4,529.	5,290.	7,141.
	96"	15"	19"	6	2.8	75"	ROWH96S0DH () () () ()	4,028.	4,207.	4,930.	6,655.
	96"	20"	19"	6	2.8	75"	ROWH96S1DH () () () ()	4,451.	4,643.	5,431.	7,332.



60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

Workwall, (for "desk height") 23"h storage (hinged door)	60"	15"	23"	4	1.8	75"	ROWH60T0DH () () () ()	2,987.	3,111.	3,633.	4,905.
	60"	20"	23"	4	1.8	75"	ROWH60T1DH () () () ()	3,192.	3,323.	3,870.	5,225.
	72"	15"	23"	4	2.1	75"	ROWH72T0DH () () () ()	3,995.	4,157.	4,838.	6,532.
	72"	20"	23"	4	2.1	75"	ROWH72T1DH () () () ()	4,392.	4,570.	5,311.	7,170.
	90"	15"	23"	6	2.6	75"	ROWH90T0DH () () () ()	4,508.	4,699.	5,487.	7,407.
	90"	20"	23"	6	2.6	75"	ROWH90T1DH () () () ()	4,786.	4,985.	5,816.	7,852.
	96"	15"	23"	6	2.8	75"	ROWH96T0DH () () () ()	4,616.	4,815.	5,627.	7,598.
	96"	20"	23"	6	2.8	75"	ROWH96T1DH () () () ()	4,890.	5,099.	5,954.	8,038.



60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75" h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	75" nominal height - actual height 75.125"
O Overhead	6. <i>Finish</i>	If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.
W Workwall	7. <i>Optional pull finish, where applicable</i>	Taskboard included with workwall; fabric applied railroaded.
O Open	8. <i>Fabric for tackboard</i>	Tasklights to be ordered separately
60 60" wide	Product on this page excluding J-pull option and any vertical surface over 48" will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
S 19" storage height	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 599. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
0 15" storage depth	Products on this page, shipped knocked-down.	
DH desk height, 75" height overall	Applicable finishes are listed on page 5 and 6.	
L Finish type, laminate		
118 Finish, Bright White		
() Fabric selection		

Y = Yardage required
dimensions noted nominal

Overhead, 28³/₈" planning Shoulders and End Panels for Workwalls

description	w	d	h	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 20"d workwall cabinets	15"	1"	19"	75"	RWEA7520(L/R) () ()	\$398.	\$411.	\$470.	\$637.
	15"	1"	23"	75"	RWEB7520(L/R) () ()	398.	411.	470.	637.
	20"	1"	19"	75"	RWEC7520(L/R) () ()	398.	411.	470.	637.
	20"	1"	23"	75"	RWED7520(L/R) () ()	398.	411.	470.	637.



depth and width indicate drilled to support workwall with corresponding storage dimensions

Workwall support end panels for 75"h x 24"d workwall cabinets	15"	1"	19"	75"	RWEA7524(L/R) () ()	432.	449.	515.	695.
	15"	1"	23"	75"	RWEB7524(L/R) () ()	432.	449.	515.	695.
	20"	1"	19"	75"	RWEC7524(L/R) () ()	432.	449.	515.	695.
	20"	1"	23"	75"	RWED7524(L/R) () ()	432.	449.	515.	695.



depth and width indicate drilled to support workwall with corresponding storage dimensions

Order Code

Example: ROWO60S0DHL118()
R Reff
O Overhead
W Workwall
O Open
60 60" wide
S 19" storage height
0 15" storage depth
DH desk height, 75" height overall
L Finish type, laminate
118 Finish, Bright White
() Fabric selection

dimensions noted nominal

Specification Information

- To order please specify pattern number including:
- Configuration option (embedded in pattern number)**
O = Open
H = Hinged doors
 - Storage option (embedded in pattern number)**
S0 = 19"h x 15"d
S1 = 19"h x 20"d
T0 = 23"h x 15"d
T1 = 23"h x 20"d
 - Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
 - Pull option**
(Optional hinged door configurations only)
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

- Lock option**
(Optional hinged door configurations only)
L = drilled to accept lock
N = no drilling
- Finish**
- Optional pull finish, where applicable**
- Fabric for tackboard**

Product on this page excluding J-pull option and any vertical surface over 48" will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 599. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Products on this page, shipped knocked-down.

Applicable finishes are listed on page 5 and 6.

Application Notes

Products on this page are engineered to align with 75"h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈"h product; **do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

75" nominal height - actual height 75.125"

If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.

Tackboard included with workwall; fabric applied railroaded.

Tasklights to be ordered separately

Overhead, 28³/₈" planning

Reff Profiles

Overdesk unit

Use with 1¹/₄" worksurfaces

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45 1/2"		1.7	ROAO60T0DH (X)(X)(X)(X)	\$1,784.	\$2,243.	\$2,643.	\$3,570.
(for 1 1/4" worksurface at "desk height")	60"	20"	45 1/2"		1.7	ROAO60T1DH (X)(X)(X)(X)	1,893.	2,379.	2,800.	3,778.
O=Open	72"	15"	45 1/2"		2.0	ROAO72T0DH (X)(X)(X)(X)	2,273.	2,858.	3,354.	4,528.
	72"	20"	45 1/2"		2.0	ROAO72T1DH (X)(X)(X)(X)	2,408.	3,026.	3,548.	4,788.
	90"	15"	45 1/2"		2.5	ROAO90T0DH (X)(X)(X)(X)	2,486.	3,138.	3,710.	5,009.
	90"	20"	45 1/2"		2.5	ROAO90T1DH (X)(X)(X)(X)	2,640.	3,330.	3,926.	5,299.
	96"	15"	45 1/2"		2.7	ROAO96T0DH (X)(X)(X)(X)	2,583.	3,260.	3,856.	5,207.
	96"	20"	45 1/2"		2.7	ROAO96T1DH (X)(X)(X)(X)	2,744.	3,462.	4,087.	5,518.
Overdesk unit	60"	15"	45 1/2"	4	1.7	ROAH60T0DH (X)(X)(X)(X)	2,693.	3,384.	3,951.	5,334.
(for 1 1/4" worksurface at "desk height")	60"	20"	45 1/2"	4	1.7	ROAH60T1DH (X)(X)(X)(X)	2,853.	3,577.	4,173.	5,635.
H=Hinged Door	72"	15"	45 1/2"	4	2.0	ROAH72T0DH (X)(X)(X)(X)	3,417.	4,280.	4,992.	6,740.
	72"	20"	45 1/2"	4	2.0	ROAH72T1DH (X)(X)(X)(X)	3,607.	4,518.	5,263.	7,106.
	90"	15"	45 1/2"	6	2.5	ROAH90T0DH (X)(X)(X)(X)	3,798.	4,763.	5,578.	7,531.
	90"	20"	45 1/2"	6	2.5	ROAH90T1DH (X)(X)(X)(X)	4,015.	5,038.	5,893.	7,956.
	96"	15"	45 1/2"	6	2.7	ROAH96T0DH (X)(X)(X)(X)	3,956.	4,967.	5,822.	7,859.
	96"	20"	45 1/2"	6	2.7	ROAH96T1DH (X)(X)(X)(X)	4,188.	5,254.	6,154.	8,306.

60" w and 72" w hinged door units have four hinged doors, two lock cores required

90" w and 96" w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h product : do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
O Overhead	7. <i>Finish</i>	
A For mounting on 1 1/4" thick top	8. <i>Optional pull finish, where applicable</i>	
O Open	9. <i>Fabric for tackboard</i>	
60 60" wide	Woodgrain Laminate is not available on any flip door units.	
T 23" h storage	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 599. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
0 15" d storage		
DH desk height, 75" height overall		
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		
Y = Yardage required		
<i>dimensions noted nominal</i>		
Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.	<ol style="list-style-type: none"> <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling 	

Overhead, 28³/₈" planning

Overdesk unit

Use with 1¹/₄" worksurfaces

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45 ¹ / ₂ "	2	1.7	ROAF60S0DH () () () ()	\$2,306.	\$3,143.	\$3,676.	\$4,962.
(for 1 ¹ / ₄ " worksurface at "desk height")	60"	20"	45 ¹ / ₂ "	2	1.7	ROAF60S1DH () () () ()	2,444.	3,325.	3,887.	5,247.
F=Flip door	72"	15"	45 ¹ / ₂ "	2	2.0	ROAF72S0DH () () () ()	2,739.	3,984.	4,650.	6,278.
	72"	20"	45 ¹ / ₂ "	2	2.0	ROAF72S1DH () () () ()	2,895.	4,205.	4,907.	6,623.
	84"	15"	45 ¹ / ₂ "	2	2.4	ROAF84S0DH () () () ()	3,549.	4,540.	5,311.	7,170.
	84"	20"	45 ¹ / ₂ "	2	2.4	ROAF84S1DH () () () ()	3,752.	4,802.	5,608.	7,572.
	96"	15"	45 ¹ / ₂ "	2	2.7	ROAF96S0DH () () () ()	3,636.	4,663.	5,471.	7,387.
	96"	20"	45 ¹ / ₂ "	2	2.7	ROAF96S1DH () () () ()	3,850.	4,940.	5,789.	7,815.

all flip door units have two flip doors, two lock cores required
 J-pull only, C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h product : do not mix products from 26¹/₂" (standard height) planning model with 28³/₈" (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23¹/₈" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff		
O Overhead		
A For mounting on 1 ¹ / ₄ " thick top	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
O Open	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
60 60" wide	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
T 23" h storage	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
0 15" d storage	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
DH desk height, 75" height overall	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
L Finish type, laminate	7. <i>Finish</i>	
BF Cord escape, back feed	8. <i>Optional pull finish, where applicable</i>	
118 Finish, Bright White	9. <i>Fabric for tackboard</i>	
() Fabric selection	Woodgrain Laminate is not available on any flip door units.	
Y = Yardage required	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 599. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
<i>dimensions noted nominal</i>	Products on this page shipped knocked-down.	
Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.	Tasklights not included.	
	Tackboard included, fabric orientation applied railroaded.	
	Wire manager included and mounts adjacent to tackboard. Specify color.	
	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	


Overhead storage

Overhead, 28³/₈" planning

Overdesk unit

Use with 1³/₄" worksurfaces

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45"	4	1.7	ROBH60T0DH () () () () ()	\$2,730.	\$3,420.	\$3,995.	\$5,393.
(for 1 ³ / ₄ " worksurface at "desk height")	60"	20"	45"	4	1.7	ROBH60T1DH () () () () ()	2,886.	3,612.	4,218.	5,695.
H=Hinged Door	72"	15"	45"	4	2.0	ROBH72T0DH () () () () ()	3,456.	4,329.	5,049.	6,816.
	72"	20"	45"	4	2.0	ROBH72T1DH () () () () ()	3,647.	4,567.	5,321.	7,183.
	90"	15"	45"	4	2.5	ROBH90T0DH () () () () ()	3,841.	4,818.	5,639.	7,612.
	90"	20"	45"	4	2.5	ROBH90T1DH () () () () ()	4,063.	5,094.	5,960.	8,046.
	96"	15"	45"	4	2.7	ROBH96T0DH () () () () ()	4,004.	5,027.	5,889.	7,950.
	96"	20"	45"	4	2.7	ROBH96T1DH () () () () ()	4,234.	5,316.	6,224.	8,402.



60" w and 72" w hinged door units have four hinged doors, two lock cores required
 90" w and 96" w hinged door units have six hinged doors, three lock cores required

Overdesk unit	60"	15"	45"		1.7	ROBO60T0DH () () () () ()	1,803.	2,272.	2,673.	3,607.
(for 1 ³ / ₄ " worksurface at "desk height")	60"	20"	45"		1.7	ROBO60T1DH () () () () ()	1,913.	2,407.	2,833.	3,823.
O=Open	72"	15"	45"		2.0	ROBO72T0DH () () () () ()	2,284.	2,892.	3,394.	4,581.
	72"	20"	45"		2.0	ROBO72T1DH () () () () ()	2,434.	3,057.	3,586.	4,843.
	90"	15"	45"		2.5	ROBO90T0DH () () () () ()	2,518.	3,174.	3,752.	5,066.
	90"	20"	45"		2.5	ROBO90T1DH () () () () ()	2,617.	3,302.	3,908.	5,276.
	96"	15"	45"		2.7	ROBO96T0DH () () () () ()	2,612.	3,299.	3,905.	5,271.
	96"	20"	45"		2.7	ROBO96T1DH () () () () ()	2,677.	3,370.	3,975.	5,365.

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75" h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h product; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
O Overhead	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 599. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
B For mounting on 1 ³ / ₄ " thick top	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
O Open	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.
60 60" wide	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
T 23" h storage	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Clearance below overhead storage to top of worksurface is approximately 22 5/8" h.
0 15" d storage		
DH desk height, 75" height overall		Applicable finishes are listed on page 5 and 6.
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

Y = Yardage required


dimensions noted nominal

Overhead, 28³/₈" planning

Overdesk unit

Use with 1³/₄" worksurfaces

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45"	2	1.7	ROBF60S0DH () () () ()	\$2,333.	\$3,181.	\$3,717.	\$5,019.
(for 1 ³ / ₄ " worksurface	60"	20"	45"	2	1.7	ROBF60S1DH () () () ()	2,471.	3,363.	3,929.	5,305.
at "desk height")	72"	15"	45"	2	2.0	ROBF72S0DH () () () ()	2,770.	4,029.	4,702.	6,348.
F=Flip door	72"	20"	45"	2	2.0	ROBF72S1DH () () () ()	2,929.	4,256.	4,960.	6,697.
	84"	15"	45"	2	2.4	ROBF84S0DH () () () ()	3,587.	4,588.	5,366.	7,245.
	84"	20"	45"	2	2.4	ROBF84S1DH () () () ()	3,799.	4,860.	5,676.	7,664.
	96"	15"	45"	2	2.7	ROBF96S0DH () () () ()	3,678.	4,720.	5,537.	7,477.
	96"	20"	45"	2	2.7	ROBF96S1DH () () () ()	3,898.	4,993.	5,849.	7,895.



all flip door units have two flip doors, two lock cores required
J-pull only; C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	To order please specify pattern number including:	Products on this page are engineered to align with 75" h cabinets. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h product; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
R Reff	6. Tasklight cord escape BF = back feed FF = front feed	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 599. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Overhead	7. Finish	Products on this page shipped knocked-down.
B For mounting on 1 ³ / ₄ " thick top	8. Optional pull finish, where applicable	Tasklights not included.
O Open	9. Fabric for tackboard	Tackboard included, fabric orientation applied railroaded.
60 60" wide	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	Wire manager included and mounts adjacent to tackboard. Specify color.
T 23" h storage	2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".
0 15" d storage	3. Finish type L = laminate 1 = V1 2 = V2 3 = V3	Woodgrain Laminate is not available on any flip door units.
DH desk height, 75" height overall	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
L Finish type, laminate	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

Y = Yardage required

dimensions noted nominal



Overhead, 28³/₈" planning

Reff Profiles

Overdesk unit

Use with 1¹/₄" and 1¹/₂" worksurfaces

L and U Configuration

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 ¹ / ₄ " thick 	20"	36"	RSAR361(H/V)() ()	\$369.	\$403.	\$462.	\$625.
	20"	42"	RSAR421(H/V)() ()	383.	422.	484.	654.
	20"	48"	RSAR481(H/V)() ()	403.	437.	503.	678.
	20"	54"	RSAR541(H/V)() ()	418.	454.	525.	711.
	20"	60"	RSAR601(H/V)() ()	452.	491.	565.	765.
	20"	66"	RSAR661(H/V)() ()	462.	507.	584.	788.
	20"	72"	RSAR721(H/V)() ()	489.	534.	612.	826.
	24"	36"	RSAR362(H/V)() ()	391.	432.	493.	666.
	24"	42"	RSAR422(H/V)() ()	408.	443.	510.	687.
	24"	48"	RSAR482(H/V)() ()	433.	477.	547.	737.
	24"	54"	RSAR542(H/V)() ()	462.	507.	584.	788.
	24"	60"	RSAR602(H/V)() ()	500.	545.	624.	844.
	24"	66"	RSAR662(H/V)() ()	512.	561.	647.	872.
	24"	72"	RSAR722(H/V)() ()	538.	586.	676.	914.
	Return / Bridge 1 ¹ / ₂ " thick 	20"	36"	RSDR361(H/V)() ()	401.	437.	502.
20"		36"	RSDR362(H/V)() ()	424.	468.	536.	723.
20"		42"	RSDR421(H/V)() ()	415.	457.	525.	709.
20"		48"	RSDR481(H/V)() ()	437.	474.	545.	734.
20"		54"	RSDR541(H/V)() ()	454.	492.	570.	770.
20"		60"	RSDR601(H/V)() ()	513.	534.	614.	830.
20"		66"	RSDR661(H/V)() ()	502.	549.	633.	854.
24"		42"	RSDR422(H/V)() ()	442.	481.	553.	745.
24"		48"	RSDR482(H/V)() ()	469.	517.	593.	799.
24"		54"	RSDR542(H/V)() ()	502.	549.	633.	854.
24"		60"	RSDR602(H/V)() ()	541.	591.	678.	915.
24"		66"	RSDR662(H/V)() ()	555.	619.	701.	947.
24"		72"	RSDR721(H/V)() ()	530.	579.	663.	896.
24"		72"	RSDR722(H/V)() ()	583.	636.	733.	991.

Order Code

Example:	RSDR361(H/V)() ()
R	Reff
S	Straight top
D	1 ¹ / ₂ " top
R	Return
36	36" wide
1	20" deep
H/V	Horizontal or Vertical grain
()	Grommet type
()	Grommet finish
()	Worksurface finish

Specification Information


To order please specify pattern number including:

- Grommet type:
F = Flush
N = No Grommet
- Grommet finish:
Painted or Plated
- Worksurface finish:
L, V1, V2, V3


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces






Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Overdesk unit

Use with 1¹/₄" and 1¹/₂" worksurfaces

Modesty Panels for L and U Configuration, both 26¹/₂" and 28³/₈"

description	w	h	th	pattern no.	L	V1	V2	V3
Half Height Modesty, 26 ¹ / ₂ "h 	36"	17"	1"	RBR36H()	\$283.	\$405.	\$469.	\$641.
	42"	17"	1"	RBR42H()	307.	442.	511.	699.
	48"	17"	1"	RBR48H()	348.	500.	579.	790.
	54"	17"	1"	RBR54H()	365.	526.	607.	829.
	60"	17"	1"	RBR60H()	381.	543.	628.	855.
	66"	17"	1"	RBR66H()	397.	567.	659.	900.
	72"	17"	1"	RBR72H()	439.	628.	725.	989.
Full Height Modesty, 26 ¹ / ₂ "h 	36"	26"	1"	RBR36M()	308.	430.	494.	666.
	42"	26"	1"	RBR42M()	332.	467.	536.	724.
	48"	26"	1"	RBR48M()	373.	525.	604.	815.
	54"	26"	1"	RBR54M()	390.	551.	632.	854.
	60"	26"	1"	RBR60M()	406.	568.	653.	880.
	66"	26"	1"	RBR66M()	422.	592.	684.	925.
	72"	26"	1"	RBR72M()	464.	653.	750.	1,014.
Full Height Modesty, 28 ³ / ₈ "h 	36"	28"	1"	RBR36MS()	324.	451.	517.	698.
	42"	28"	1"	RBR42MS()	348.	489.	564.	761.
	48"	28"	1"	RBR48MS()	391.	551.	633.	855.
	54"	28"	1"	RBR54MS()	410.	578.	662.	894.
	60"	28"	1"	RBR60MS()	426.	593.	684.	925.
	66"	28"	1"	RBR66MS()	441.	622.	719.	970.
	72"	28"	1"	RBR72MS()	487.	684.	787.	1,062.

Order Code

Example: RBR36	
R	Reff
B	Bridge
R	Return
36	36" wide
M	Full Height Modesty Placement for 26 ¹ / ₂ "
()	Finish

Specification Information

To order please specify pattern number including:


- Modesty Finish:
L, V1, V2, V3

Products on this page **Excluding any vertical surface, ie; modesty panels over 48"** will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces




U-shaped / Triple: Spanning 3 worksurfaces




Overhead, 28³/₈" planning

Single high

Wall hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		ROMCGSHP301()()	\$1,213.	\$1,698.	\$1,953.	\$2,539.
	36"	15"	20"	1		ROMCGSHP361()()	1,251.	1,752.	2,015.	2,619.
	42"	15"	20"	2		ROMCGSHP421()()	1,360.	1,903.	2,190.	2,846.
	48"	15"	20"	2		ROMCGSHP481()()	1,414.	1,980.	2,276.	2,959.
	54"	15"	20"	2		ROMCGSHP541()()	1,658.	2,322.	2,671.	3,471.
	60"	15"	20"	2	1	ROMCGSHP601()()	1,924.	2,694.	3,098.	4,027.
	66"	15"	20"	2	1	ROMCGSHP661()()	1,960.	2,744.	3,155.	4,102.
	72"	15"	20"	2	1	ROMCGSHP721()()	1,998.	2,797.	3,218.	4,183.
	78"	15"	20"	2	1	ROMCGSHP781()()	2,098.	2,938.	3,378.	4,392.
	84"	15"	20"	3	2	ROMCGSHP841()()	2,440.	3,417.	3,928.	5,107.
90"	15"	20"	3	2	ROMCGSHP901()()	2,481.	3,474.	3,995.	5,193.	
96"	15"	20"	3	2	ROMCGSHP961()()	2,520.	3,529.	4,058.	5,276.	

Wall-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			ROMOCSHP301()()	1,092.	1,529.	1,757.	2,286.
	36"	15"	20"			ROMOCSHP361()()	1,127.	1,577.	1,813.	2,358.
	42"	15"	20"	1		ROMOCSHP421()()	1,224.	1,713.	1,970.	2,562.
	48"	15"	20"	1		ROMOCSHP481()()	1,273.	1,782.	2,049.	2,664.
	54"	15"	20"	1		ROMOCSHP541()()	1,492.	2,090.	2,404.	3,124.
	60"	15"	20"		1	ROMOCSHP601()()	1,731.	2,425.	2,788.	3,625.
	66"	15"	20"		1	ROMOCSHP661()()	1,764.	2,470.	2,840.	3,693.
	72"	15"	20"		1	ROMOCSHP721()()	1,798.	2,517.	2,896.	3,765.
	78"	15"	20"		1	ROMOCSHP781()()	1,888.	2,644.	3,041.	3,953.
	84"	15"	20"		2	ROMOCSHP841()()	2,196.	3,075.	3,536.	4,596.
90"	15"	20"		2	ROMOCSHP901()()	2,233.	3,127.	3,596.	4,674.	
96"	15"	20"		2	ROMOCSHP961()()	2,268.	3,175.	3,652.	4,748.	


Without center gable


Order Code	Specification Information	Application Notes
Example: ROMCGSHP301	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Finish type:	Letter depth is 15" nominal.
O Overhead	L = Laminate	Fascias ordered separately
M Wall mount	1 = V1	Tasklights ordered separately
CG Center Gable	2 = V2	Tack/Task panel order separately
SH Single high	3 = V3	Wall hung cabinets come with wall hung cleates
P Planning	2. Case finish	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 30" width	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
1 Letter depth	List price for wood grain laminate options will be current published laminate list price plus 10%.	A certified building contractor should be consulted.
2 Case finish type		Please refer to wall mounting information on page 565.
V316 V2 finish		Cubby Dividers: 3"h x 12"d Interior Gable: 18"h x 13"d

dimensions noted nominal

Single high

Wall hung with doors

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed 	30"	15"	20"	2	ROMHSHP301()	\$1,872.	\$2,058.	\$2,152.	\$2,245.	\$2,619.	\$3,013.	\$3,916.
	36"	15"	20"	2	ROMHSHP361()	1,920.	2,112.	2,207.	2,303.	2,687.	3,090.	4,018.
	42"	15"	20"	3	ROMHSHP421()	2,464.	2,710.	2,834.	2,956.	3,449.	3,967.	5,156.
	48"	15"	20"	3	ROMHSHP481()	2,529.	2,782.	2,909.	3,034.	3,541.	4,072.	5,293.
	54"	15"	20"	4	ROMHSHP541()	2,687.	2,956.	3,090.	3,224.	3,762.	4,326.	5,624.
	60"	15"	20"	4	ROMHSHP601()	3,033.	3,337.	3,489.	3,641.	4,248.	4,884.	6,350.
	66"	15"	20"	4	ROMHSHP661()	3,084.	3,392.	3,546.	3,701.	4,317.	4,965.	6,454.
	72"	15"	20"	4	ROMHSHP721()	3,135.	3,449.	3,606.	3,763.	4,390.	5,049.	6,563.
	78"	15"	20"	4	ROMHSHP781()	3,249.	3,574.	3,736.	3,899.	4,548.	5,230.	6,800.
	84"	15"	20"	6	ROMHSHP841()	4,091.	4,500.	4,704.	4,909.	5,727.	6,586.	8,561.
90"	15"	20"	6	ROMHSHP901()	4,141.	4,555.	4,762.	4,969.	5,797.	6,667.	8,666.	
96"	15"	20"	6	ROMHSHP961()	4,195.	4,614.	4,825.	5,035.	5,873.	6,755.	8,781.	



Wall-hung overhead cabinet hinge door, cubby exposed 	30"	15"	20"	2	ROMHCSHP301()	1,775.	1,953.	2,041.	2,130.	2,485.	2,858.	3,715.
	36"	15"	20"	2	ROMHCSHP361()	1,822.	2,004.	2,096.	2,187.	2,551.	2,934.	3,814.
	42"	15"	20"	3	ROMHCSHP421()	2,405.	2,645.	2,766.	2,886.	3,367.	3,872.	5,033.
	48"	15"	20"	3	ROMHCSHP481()	2,500.	2,750.	2,876.	3,000.	3,500.	4,025.	5,233.
	54"	15"	20"	3	ROMHCSHP541()	2,555.	2,811.	2,939.	3,066.	3,577.	4,114.	5,348.
	60"	15"	20"	4	ROMHCSHP601()	2,837.	3,121.	3,262.	3,404.	3,972.	4,567.	5,937.
	66"	15"	20"	4	ROMHCSHP661()	2,881.	3,169.	3,312.	3,457.	4,033.	4,638.	6,030.
	72"	15"	20"	4	ROMHCSHP721()	2,931.	3,224.	3,370.	3,517.	4,104.	4,718.	6,135.
	78"	15"	20"	4	ROMHCSHP781()	2,994.	3,294.	3,443.	3,593.	4,192.	4,820.	6,267.
	84"	15"	20"	6	ROMHCSHP841()	3,781.	4,159.	4,349.	4,537.	5,293.	6,087.	7,913.
90"	15"	20"	6	ROMHCSHP901()	3,846.	4,230.	4,423.	4,614.	5,384.	6,191.	8,049.	
96"	15"	20"	6	ROMHCSHP961()	3,895.	4,285.	4,479.	4,674.	5,454.	6,272.	8,152.	

Order Code	Specification Information	Application Notes
Example: ROMHSHP301 () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	1 = V1	Letter depth is 15" nominal.
M Wall mount	2 = V2	Fascias ordered separately
H Hinge door	3 = V3	Tasklights not included
SH Single High	2. <i>Front finish type:</i> L = Laminate	Tasklights not included
P Planning	1 = V1	Tack/Task panel order separately
30 Width	2 = V2	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
1 Depth (letter)	3 = V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
2 Case finish type	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull	Wall hung cabinets come with wall hung cleats
2 Front finish type	C = nickel finish C-pull (nickel finish only)	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
H Pull option	D = metal D-pull (PZ or PT)	List price for wood grain laminate options will be current published laminate list price plus 10%.
L Lock option	F = Bar (1 pull per door set)	
B Lock finish	H = Outline	
V316 Case finish	R = Cylinder	
V316 Front finish	S = S-pull (stainless steel finish only)	
PU Pull finish	T = Tab (1 pull per door set)	
	4. <i>Lock option:</i> N=no drilling L=locking	
	5. <i>Lock finish:</i> B=Black S=Matte silver	
	6. <i>Case finish:</i> V316	
	7. <i>Front finish:</i> V316	
	8. <i>Pull finish:</i> Painted or plated	

dimensions noted nominal

Overhead storage

Overhead, 28³/₈" planning
Single high
Wall hung with glass doors

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, <i>cubby exposed</i> 	30"	15"	20"	2	ROMGHCSHP301 () () ()	\$2,544.	\$2,773.	\$3,189.	\$4,146.
	36"	15"	20"	2	ROMGHCSHP361 () () ()	2,662.	2,902.	3,336.	4,337.
	42"	15"	20"	3	ROMGHCSHP421 () () ()	3,413.	3,721.	4,280.	5,563.
	48"	15"	20"	3	ROMGHCSHP481 () () ()	3,529.	3,847.	4,424.	5,750.
	54"	15"	20"	3	ROMGHCSHP541 () () ()	3,780.	4,120.	4,738.	6,159.
	60"	15"	20"	4	ROMGHCSHP601 () () ()	4,201.	4,579.	5,266.	6,846.
	66"	15"	20"	4	ROMGHCSHP661 () () ()	4,328.	4,717.	5,425.	7,052.
	72"	15"	20"	4	ROMGHCSHP721 () () ()	4,436.	4,835.	5,560.	7,229.
	78"	15"	20"	4	ROMGHCSHP781 () () ()	4,622.	5,038.	5,794.	7,531.
	84"	15"	20"	6	ROMGHCSHP841 () () ()	5,696.	6,208.	7,139.	9,281.
	90"	15"	20"	6	ROMGHCSHP901 () () ()	5,765.	6,283.	7,225.	9,394.
96"	15"	20"	6	ROMGHCSHP961 () () ()	5,892.	6,422.	7,386.	9,602.	
Wall-hung overhead cabinet glass hinge door, <i>cubby concealed</i> 	30"	15"	20"	2	ROMGHSHP301 () () ()	2,865.	3,380.	3,887.	5,053.
	36"	15"	20"	2	ROMGHSHP361 () () ()	3,005.	3,546.	4,078.	5,302.
	42"	15"	20"	3	ROMGHSHP421 () () ()	3,842.	4,533.	5,213.	6,777.
	48"	15"	20"	3	ROMGHSHP481 () () ()	3,958.	4,671.	5,371.	6,983.
	54"	15"	20"	3	ROMGHSHP541 () () ()	4,238.	5,001.	5,751.	7,476.
	60"	15"	20"	4	ROMGHSHP601 () () ()	4,544.	5,362.	6,167.	8,017.
	66"	15"	20"	4	ROMGHSHP661 () () ()	4,669.	5,510.	6,336.	8,237.
	72"	15"	20"	4	ROMGHSHP721 () () ()	4,802.	5,666.	6,516.	8,471.
	78"	15"	20"	4	ROMGHSHP781 () () ()	5,043.	5,951.	6,844.	8,897.
	84"	15"	20"	6	ROMGHSHP841 () () ()	5,992.	7,071.	8,131.	10,571.
	90"	15"	20"	6	ROMGHSHP901 () () ()	6,132.	7,236.	8,322.	10,818.
96"	15"	20"	6	ROMGHSHP961 () () ()	6,251.	7,376.	8,483.	11,027.	

Order Code	Specification Information	Application Notes
Example: ROMGHCSHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
GHC Glass hinge door/ cubby	3 = V3	Tack/Task panel order separately
SH Single High	2. Case finish: Laminate, V1, V2, V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	3. Door frame finish: Anodized or painted	Wall hung cabinets come with wall hung cleats
30 Width	4. Glass door finish: GL11	No pull option on Glass doors. Glass doors project below shelf for opening.
1 Depth (letter)	GL14	
2 Case finish type	GL15	
V316 Case finish	GL18	
AU Door frame finish		
GL11 Door glass finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 565.


The single door in a 3 door unit, such as 42" w and 48" w units, is hinged on the left hand side.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Wall hung with doors, open


description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet	60"	15"	20"	2	ROMHOC SHP601 () () () () () ()	\$2,560.	\$2,816.	\$2,944.	\$3,071.	\$3,712.	\$4,268.	\$5,549.
hinge door / open /	66"	15"	20"	2	ROMHOC SHP661 () () () () () ()	2,598.	2,857.	2,988.	3,118.	3,767.	4,332.	5,632.
cubby exposed	72"	15"	20"	2	ROMHOC SHP721 () () () () () ()	2,640.	2,905.	3,036.	3,168.	3,829.	4,402.	5,724.
	78"	15"	20"	2	ROMHOC SHP781 () () () () () ()	2,706.	2,977.	3,113.	3,248.	3,924.	4,512.	5,867.
	84"	15"	20"	4	ROMHOC SHP841 () () () () () ()	3,145.	3,459.	3,615.	3,773.	4,559.	5,243.	6,816.
	90"	15"	20"	4	ROMHOC SHP901 () () () () () ()	3,193.	3,512.	3,672.	3,832.	4,630.	5,324.	6,921.
	96"	15"	20"	4	ROMHOC SHP961 () () () () () ()	3,233.	3,557.	3,718.	3,880.	4,689.	5,391.	7,009.




Order Code	Specification Information	Application Notes
Example: ROMHOCSHP601 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. <i>Front finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
M Wall mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	Tasklights not included
HOC Hinge door/Open/Cubby	4. <i>Lock Option:</i> N = no lock drilling L = locking	Tack/Task panel order separately
SH Single high	5. <i>Lock finish:</i> B=Black S=Matte silver	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	6. <i>Case Finish:</i>	Wall hung cabinets come with wall hung cleats
60 Width	7. <i>Front Finish:</i>	Doors project below shelf for openings
1 Letter depth	8. <i>Pull Finish:</i> Painted or plated	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
2 Case finish type		
2 Front finish type		
L Locked		
B Lock Finish		
B Black lock		
V316 Case finish		
V316 Front finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Wall hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet glass hinge door / open / <i>cubby exposed</i> 	60"	15"	20"	2	ROMGHOC SHP601 () () ()	\$3,142.	\$3,927.	\$4,516.	\$5,871.
	66"	15"	20"	2	ROMGHOC SHP661 () () ()	3,216.	4,020.	4,623.	6,010.
	72"	15"	20"	2	ROMGHOC SHP721 () () ()	3,283.	4,104.	4,718.	6,135.
	78"	15"	20"	2	ROMGHOC SHP781 () () ()	3,374.	4,218.	4,851.	6,307.
	84"	15"	20"	4	ROMGHOC SHP841 () () ()	4,135.	4,963.	5,706.	7,419.
	90"	15"	20"	4	ROMGHOC SHP901 () () ()	4,186.	5,023.	5,777.	7,510.
	96"	15"	20"	4	ROMGHOC SHP961 () () ()	4,273.	5,127.	5,897.	7,666.

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet glass hinge door / open / <i>cubby concealed</i> 	60"	15"	20"	2	ROMGHOSH P601 () () ()	3,822.	4,778.	5,494.	7,143.
	66"	15"	20"	2	ROMGHOSH P661 () () ()	3,903.	4,878.	5,610.	7,293.
	72"	15"	20"	2	ROMGHOSH P721 () () ()	4,001.	5,001.	5,751.	7,476.
	78"	15"	20"	2	ROMGHOSH P781 () () ()	4,114.	5,143.	5,914.	7,689.
	84"	15"	20"	4	ROMGHOSH P841 () () ()	4,825.	6,032.	6,937.	9,018.
	90"	15"	20"	4	ROMGHOSH P901 () () ()	4,928.	6,161.	7,085.	9,210.
	96"	15"	20"	4	ROMGHOSH P961 () () ()	5,008.	6,260.	7,199.	9,358.

Order Code	Specification Information	Application Notes
Example: ROMGHOC SHP601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
GHOC Glass hinge door/Open/Cubby	3 = V3	Tack/Task panel order separately
SH Single high	2. <i>Case finish:</i> Laminate, V1, V2, V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	3. <i>Door Frame finish:</i> Painted or Anodized	Wall hung cabinets come with wall hung cleats
60 Width	4. <i>Door Glass finish:</i> GL11, GL14, GL15, GL18	Doors project below shelf for openings
1 Depth, Letter		No pull options on glass doors.
2 Case finish type, V2		Glass doors project below shelf for opening.
V316 Case finish		
AA Door frame finish		
GL11 Back painted glass door finish		


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 565.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

dimensions noted nominal

Single high

Cabinet hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		ROCCGSH301 ()()	\$1,286.	\$1,801.	\$2,071.	\$2,692.
	36"	15"	20"	1		ROCCGSH361 ()()	1,323.	1,852.	2,129.	2,769.
	42"	15"	20"	2		ROCCGSH421 ()()	1,430.	2,002.	2,302.	2,993.
	48"	15"	20"	2		ROCCGSH481 ()()	1,470.	2,057.	2,366.	3,076.
	54"	15"	20"	2		ROCCGSH541 ()()	1,712.	2,397.	2,756.	3,583.
	60"	15"	20"	2	1	ROCCGSH601 ()()	1,977.	2,768.	3,183.	4,138.
	66"	15"	20"	2	1	ROCCGSH661 ()()	2,011.	2,814.	3,236.	4,208.
	72"	15"	20"	2	1	ROCCGSH721 ()()	2,050.	2,870.	3,299.	4,289.
	78"	15"	20"	2	1	ROCCGSH781 ()()	2,133.	2,986.	3,434.	4,464.
	84"	15"	20"	3	2	ROCCGSH841 ()()	2,472.	3,462.	3,981.	5,175.
	90"	15"	20"	3	2	ROCCGSH901 ()()	2,512.	3,516.	4,044.	5,257.
96"	15"	20"	3	2	ROCCGSH961 ()()	2,550.	3,570.	4,106.	5,337.	

Cabinet-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			ROCOSH301 ()()	1,158.	1,621.	1,864.	2,424.
	36"	15"	20"			ROCOSH361 ()()	1,191.	1,667.	1,916.	2,492.
	42"	15"	20"	1		ROCOSH421 ()()	1,286.	1,803.	2,072.	2,693.
	48"	15"	20"	1		ROCOSH481 ()()	1,323.	1,851.	2,129.	2,768.
	54"	15"	20"	1		ROCOSH541 ()()	1,541.	2,157.	2,480.	3,225.
	60"	15"	20"		1	ROCOSH601 ()()	1,779.	2,491.	2,864.	3,723.
	66"	15"	20"		1	ROCOSH661 ()()	1,810.	2,533.	2,913.	3,787.
	72"	15"	20"		1	ROCOSH721 ()()	1,845.	2,582.	2,969.	3,860.
	78"	15"	20"		1	ROCOSH781 ()()	1,920.	2,687.	3,091.	4,018.
	84"	15"	20"		2	ROCOSH841 ()()	2,225.	3,116.	3,583.	4,658.
	90"	15"	20"		2	ROCOSH901 ()()	2,261.	3,165.	3,639.	4,732.
96"	15"	20"		2	ROCOSH961 ()()	2,295.	3,213.	3,695.	4,804.	

Without center gable

Order Code	Specification Information	Application Notes
Example: ROCCGSH301S0 ()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type:	Cubby Dividers: 3"h x 12"d
O Overhead	L = Laminate	Interior Gable: 18"h x 13"d.
C Cabinet hung	1 = V1	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
CG Center Gable	2 = V2	List price for wood grain laminate options will be current published laminate list price plus 10%.
SH Single high	3 = V3	
30 30" width	2. Case finish:	Fascias ordered separately
P Planning	Laminate, V1, V2, V3	Tasklights ordered separately
1 Depth (letter)		Tack/Task panel order separately
2 Case finish		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
V316 Case finish		Installation instruction sheets available on Knoll Exchange.
		For Cabinet hung overheads, refer to part number 6TP00080.


dimensions noted nominal


Overhead, 28³/₈" planning

Reff Profiles

Single high

Cabinet hung with doors



description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door, cubby concealed 	30"	15"	20"	2	ROCHSHP301 () () () () () ()	\$1,933.	\$2,126.	\$2,223.	\$2,320.	\$2,706.	\$3,112.	\$4,046.
	36"	15"	20"	2	ROCHSHP361 () () () () () ()	1,979.	2,177.	2,276.	2,375.	2,771.	3,187.	4,143.
	42"	15"	20"	3	ROCHSHP421 () () () () () ()	2,522.	2,774.	2,900.	3,026.	3,531.	4,060.	5,279.
	48"	15"	20"	3	ROCHSHP481 () () () () () ()	2,573.	2,830.	2,959.	3,088.	3,602.	4,143.	5,385.
	54"	15"	20"	3	ROCHSHP541 () () () () () ()	2,728.	3,001.	3,138.	3,274.	3,820.	4,393.	5,711.
	60"	15"	20"	4	ROCHSHP601 () () () () () ()	3,075.	3,381.	3,536.	3,689.	4,304.	4,950.	6,434.
	66"	15"	20"	4	ROCHSHP661 () () () () () ()	3,122.	3,434.	3,591.	3,747.	4,371.	5,026.	6,535.
	72"	15"	20"	4	ROCHSHP721 () () () () () ()	3,173.	3,491.	3,649.	3,808.	4,442.	5,109.	6,641.
	78"	15"	20"	4	ROCHSHP781 () () () () () ()	3,271.	3,599.	3,763.	3,926.	4,580.	5,267.	6,641.
	84"	15"	20"	6	ROCHSHP841 () () () () () ()	4,113.	4,524.	4,729.	4,935.	5,758.	6,621.	8,607.
	90"	15"	20"	6	ROCHSHP901 () () () () () ()	4,160.	4,576.	4,784.	4,992.	5,825.	6,698.	8,708.
96"	15"	20"	6	ROCHSHP961 () () () () () ()	4,213.	4,634.	4,845.	5,055.	5,898.	6,783.	8,817.	

Cabinet-hung overhead cabinet hinge door, cubby exposed 	30"	15"	20"	2	ROCHCSHP301 () () () () () ()	1,836.	2,021.	2,113.	2,204.	2,572.	2,957.	3,844.
	36"	15"	20"	2	ROCHCSHP361 () () () () () ()	1,882.	2,070.	2,164.	2,259.	2,635.	3,030.	3,939.
	42"	15"	20"	3	ROCHCSHP421 () () () () () ()	2,463.	2,710.	2,833.	2,956.	3,448.	3,966.	5,155.
	48"	15"	20"	3	ROCHCSHP481 () () () () () ()	2,544.	2,799.	2,925.	3,053.	3,562.	4,096.	5,325.
	54"	15"	20"	3	ROCHCSHP541 () () () () () ()	2,597.	2,856.	2,986.	3,116.	3,636.	4,181.	5,435.
	60"	15"	20"	4	ROCHCSHP601 () () () () () ()	2,878.	3,165.	3,309.	3,453.	4,028.	4,633.	6,022.
	66"	15"	20"	4	ROCHCSHP661 () () () () () ()	2,919.	3,212.	3,357.	3,503.	4,087.	4,700.	6,110.
	72"	15"	20"	4	ROCHCSHP721 () () () () () ()	2,968.	3,265.	3,413.	3,562.	4,156.	4,779.	6,213.
	78"	15"	20"	4	ROCHCSHP781 () () () () () ()	3,017.	3,319.	3,469.	3,620.	4,224.	4,857.	6,315.
	84"	15"	20"	6	ROCHCSHP841 () () () () () ()	3,803.	4,183.	4,373.	4,563.	5,324.	6,122.	7,959.
	90"	15"	20"	6	ROCHCSHP901 () () () () () ()	3,866.	4,252.	4,445.	4,638.	5,412.	6,223.	8,090.
96"	15"	20"	6	ROCHCSHP961 () () () () () ()	3,913.	4,304.	4,500.	4,696.	5,478.	6,299.	8,190.	

Order Code	Specification Information	Application Notes
Example: ROCHSHP30 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
C Cabinet mount	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	Tasklights not included
H Hinge door		Tack/Task panel order separately
SH Single High		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning		Installation instruction sheets available on Knoll Exchange.
30 Width		For Cabinet hung overheads, refer to part number 6TP00080.
1 Depth (letter)		
2 Case finish type		
2 Front finish type		
H Pull option		
L Lock option		
B Lock finish		
PU Pull finish		
	4. Lock option: N = no drilling, L = locking (wood or laminate doors only)	
	5. Lock finish: B=Black, S=Matte silver	
	6. Case finish: Laminate or Wood	
	7. Front finish: Laminate or Wood	
	8. Pull finish: Painted or Plated	

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Cabinet hung with glass doors

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, <i>cubby exposed</i> 	30"	15"	20"	2	ROCGHCSHP301 () () ()	\$2,622.	\$2,858.	\$3,288.	\$4,273.
	36"	15"	20"	2	ROCGHCSHP361 () () ()	2,738.	2,984.	3,432.	4,461.
	42"	15"	20"	3	ROCGHCSHP421 () () ()	3,489.	3,803.	4,372.	5,685.
	48"	15"	20"	3	ROCGHCSHP481 () () ()	3,585.	3,908.	4,494.	5,842.
	54"	15"	20"	3	ROCGHCSHP541 () () ()	3,834.	4,179.	4,805.	6,247.
	60"	15"	20"	4	ROCGHCSHP601 () () ()	4,253.	4,636.	5,331.	6,931.
	66"	15"	20"	4	ROCGHCSHP661 () () ()	4,378.	4,771.	5,487.	7,133.
	72"	15"	20"	4	ROCGHCSHP721 () () ()	4,484.	4,887.	5,621.	7,307.
	78"	15"	20"	4	ROCGHCSHP781 () () ()	4,651.	5,070.	5,830.	7,579.
	84"	15"	20"	6	ROCGHCSHP841 () () ()	5,723.	6,238.	7,174.	9,326.
90"	15"	20"	6	ROCGHCSHP901 () () ()	5,790.	6,311.	7,257.	9,434.	
96"	15"	20"	6	ROCGHCSHP961 () () ()	5,914.	6,447.	7,414.	9,638.	
Cabinet-hung overhead cabinet glass hinge door, <i>cubby concealed</i> 	30"	15"	20"	2	ROCGHSHP301 () () ()	2,833.	3,343.	3,844.	4,997.
	36"	15"	20"	2	ROCGHSHP361 () () ()	2,971.	3,505.	4,031.	5,240.
	42"	15"	20"	3	ROCGHSHP421 () () ()	3,805.	4,490.	5,164.	6,713.
	48"	15"	20"	3	ROCGHSHP481 () () ()	3,928.	4,635.	5,330.	6,930.
	54"	15"	20"	3	ROCGHSHP541 () () ()	4,179.	4,931.	5,671.	7,372.
	60"	15"	20"	4	ROCGHSHP601 () () ()	4,484.	5,291.	6,085.	7,910.
	66"	15"	20"	4	ROCGHSHP661 () () ()	4,606.	5,435.	6,250.	8,125.
	72"	15"	20"	4	ROCGHSHP721 () () ()	4,737.	5,590.	6,428.	8,356.
	78"	15"	20"	4	ROCGHSHP781 () () ()	4,959.	5,852.	6,729.	8,748.
	84"	15"	20"	6	ROCGHSHP841 () () ()	5,906.	6,969.	8,015.	10,419.
90"	15"	20"	6	ROCGHSHP901 () () ()	6,039.	7,126.	8,195.	10,653.	
96"	15"	20"	6	ROCGHSHP961 () () ()	6,135.	7,239.	8,325.	10,823.	

Order Code	Specification Information	Application Notes
Example: ROCGHCSHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
C Cabinet mount	2 = V2	Tasklights not included
GHC Glas hinge door/ cubby	3 = V3	Tack/Task panel order separately
SH Single High	2. Case finish: Laminate, V1, V2, V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	3. Door frame finish: Anodized or Painted	No pull option for glass doors. Doors project below shelf for opening.
30 Width	4. Glass door finish: GL11, GL14, GL15, GL18	Installation instruction sheets available on Knoll Exchange.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

The single door in a 3 door unit, such as 42" w and 48" w units, is hinged on the left hand side.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

dimensions noted nominal

Overhead, 28³/₈" planning
 Single high
 Cabinet hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	
Cabinet Hung overhead cabinet	60"	15"	20"	2	ROCHOCSH601	(X)(X)(X)(X)(X)(X)	\$2,539.	\$2,793.	\$2,920.	\$3,047.	\$3,682.	\$4,234.	\$5,504.
hinge door / open /	66"	15"	20"	2	ROCHOCSH661	(X)(X)(X)(X)(X)(X)	2,575.	2,834.	2,962.	3,091.	3,735.	4,295.	5,583.
cubby exposed	72"	15"	20"	2	ROCHOCSH721	(X)(X)(X)(X)(X)(X)	2,617.	2,879.	3,010.	3,140.	3,795.	4,364.	5,673.
	78"	15"	20"	2	ROCHOCSH781	(X)(X)(X)(X)(X)(X)	2,669.	2,936.	3,069.	3,202.	3,870.	4,451.	5,786.
	84"	15"	20"	4	ROCHOCSH841	(X)(X)(X)(X)(X)(X)	3,105.	3,417.	3,572.	3,727.	4,503.	5,179.	6,733.
	90"	15"	20"	4	ROCHOCSH901	(X)(X)(X)(X)(X)(X)	3,153.	3,468.	3,626.	3,783.	4,571.	5,257.	6,834.
	96"	15"	20"	4	ROCHOCSH961	(X)(X)(X)(X)(X)(X)	3,191.	3,510.	3,670.	3,830.	4,627.	5,321.	6,917.




Order Code	Specification Information	Application Notes
Example: ROCHOCSH601 (X)(X)(X)(X)(X)(X)	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. <i>Front finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
C Cabinet mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	Tasklights not included
HOC Hinge door / Open / Cubby	4. <i>Lock option:</i> N=no drilling, L=locking (wood or laminate doors only)	Tack/Task panel order separately
SH Single High	5. <i>Lock finish:</i> B=Black, S=Matte silver	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	6. <i>Case finish:</i> Wood or Laminate	Doors project below shelf for opening
60 Width	7. <i>Front finish:</i> Wood or Laminate	Installation instruction sheets available on Knoll Exchange.
1 Depth (letter)	8. <i>Pull finish:</i> Painted or Plated	For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
2 Front finish type		
T Tab pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		


dimensions noted nominal

Overhead, 28³/₈" planning
 Single high
 Cabinet hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	20"	2	ROCGHOC SHP 601() () ()	\$3,118.	\$3,898.	\$4,482.	\$5,827.
	66"	15"	20"	2	ROCGHOC SHP 661() () ()	3,190.	3,987.	4,586.	5,962.
	72"	15"	20"	2	ROCGHOC SHP 721() () ()	3,256.	4,070.	4,680.	6,084.
	78"	15"	20"	2	ROCGHOC SHP 781() () ()	3,331.	4,164.	4,788.	6,225.
	84"	15"	20"	4	ROCGHOC SHP 841() () ()	4,089.	4,907.	5,642.	7,336.
	90"	15"	20"	4	ROCGHOC SHP 901() () ()	4,138.	4,965.	5,710.	7,423.
	96"	15"	20"	4	ROCGHOC SHP 961() () ()	4,222.	5,067.	5,827.	7,575.



description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	20"	2	ROCGHOSH P 601() () ()	3,767.	4,709.	5,415.	7,039.
	66"	15"	20"	2	ROCGHOSH P 661() () ()	3,845.	4,806.	5,527.	7,185.
	72"	15"	20"	2	ROCGHOSH P 721() () ()	3,942.	4,927.	5,666.	7,366.
	78"	15"	20"	2	ROCGHOSH P 781() () ()	4,037.	5,046.	5,803.	7,543.
	84"	15"	20"	4	ROCGHOSH P 841() () ()	4,746.	5,933.	6,823.	8,870.
	90"	15"	20"	4	ROCGHOSH P 901() () ()	4,847.	6,059.	6,968.	9,058.
	96"	15"	20"	4	ROCGHOSH P 961() () ()	4,924.	6,155.	7,078.	9,202.



Order Code	Specification Information	Application Notes
Example: ROCGHOC SHP 601() () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Case finish: Laminate, V1, V2, V3	Fascias ordered separately
C Cabinet mount	3. Door Frame finish: Painted or Anodized	Tasklights not included
GHOC Glass hinge door / Open / Cubby	4. Door Glass finish: GL11, GL14, GL15, GL18	Tack/Task panel order separately
SH Single High		Overhead backs are finished in Veneer/Laminate on the inside and paper finished on the outside.
P Planning		No pull option on glass doors.
60 Width		Doors project below shelf for opening
1 Depth (letter)		Installation instruction sheets available on Knoll Exchange.
2 Case finish type; V2		For Cabinet hung overheads, refer to part number 6TP00080.
V316 Case finish		
AA Door frame finish		
GL11 Back painted glass door		


dimensions noted nominal


Overhead, 28³/₈" planning

Reff Profiles

Double high

Wall hung

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed 	30"	15"	33"	2	ROMHDHP301()	\$2,197.	\$2,416.	\$2,527.	\$2,637.	\$3,076.	\$3,537.	\$4,598.
	36"	15"	33"	2	ROMHDHP361()	2,271.	2,499.	2,612.	2,725.	3,180.	3,657.	4,753.
	42"	15"	33"	3	ROMHDHP421()	3,043.	3,346.	3,499.	3,651.	4,260.	4,899.	6,368.
	48"	15"	33"	3	ROMHDHP481()	3,131.	3,443.	3,600.	3,756.	4,383.	5,041.	6,553.
	54"	15"	33"	3	ROMHDHP541()	3,321.	3,653.	3,819.	3,985.	4,649.	5,347.	6,951.
	60"	15"	33"	4	ROMHDHP601()	3,657.	4,022.	4,204.	4,387.	5,118.	5,886.	7,652.
	66"	15"	33"	4	ROMHDHP661()	3,772.	4,149.	4,338.	4,527.	5,281.	6,073.	7,895.
	72"	15"	33"	4	ROMHDHP721()	3,849.	4,234.	4,427.	4,620.	5,389.	6,198.	8,057.
	78"	15"	33"	4	ROMHDHP781()	3,977.	4,374.	4,573.	4,772.	5,567.	6,401.	8,322.
	84"	15"	33"	6	ROMHDHP841()	5,024.	5,527.	5,778.	6,030.	7,034.	8,090.	10,516.
90"	15"	33"	6	ROMHDHP901()	5,114.	5,626.	5,881.	6,137.	7,160.	8,234.	10,704.	
96"	15"	33"	6	ROMHDHP961()	5,181.	5,699.	5,959.	6,217.	7,253.	8,342.	10,844.	

Wall-hung overhead cabinet hinge door, cubby exposed 	30"	15"	33"	2	ROMHCDHP301()	2,103.	2,313.	2,418.	3,554.	2,944.	3,386.	4,401.
	36"	15"	33"	2	ROMHCDHP361()	2,173.	2,391.	2,499.	2,608.	3,043.	3,499.	4,548.
	42"	15"	33"	3	ROMHCDHP421()	2,952.	3,248.	3,395.	3,543.	4,133.	4,753.	6,179.
	48"	15"	33"	3	ROMHCDHP481()	3,063.	3,370.	3,523.	3,676.	4,289.	4,932.	6,412.
	54"	15"	33"	3	ROMHCDHP541()	3,150.	3,465.	3,623.	3,780.	4,409.	5,071.	6,592.
	60"	15"	33"	4	ROMHCDHP601()	3,458.	3,803.	3,976.	4,149.	4,840.	5,566.	7,237.
	66"	15"	33"	4	ROMHCDHP661()	3,569.	3,926.	4,105.	4,283.	4,997.	5,746.	7,471.
	72"	15"	33"	4	ROMHCDHP721()	3,643.	4,008.	4,189.	4,371.	5,101.	5,865.	7,625.
	78"	15"	33"	4	ROMHCDHP781()	3,722.	4,095.	4,281.	4,467.	5,212.	5,994.	7,792.
	84"	15"	33"	6	ROMHCDHP841()	4,729.	5,202.	5,438.	5,675.	6,621.	7,614.	9,897.
90"	15"	33"	6	ROMHCDHP901()	4,816.	5,298.	5,539.	5,780.	6,743.	7,755.	10,082.	
96"	15"	33"	6	ROMHCDHP961()	4,881.	5,369.	5,612.	5,857.	6,833.	7,858.	10,216.	

Order Code	Specification Information	Application Notes
Example: ROMHDHP30 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case Finish type:</i> L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
H Hinge door	3 = V3	Tack/Task panel order separately
DH Double High	2. <i>Front Finish type:</i> L = Laminate	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning	1 = V1	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
30 Width	2 = V2	
1 Depth (letter)	3 = V3	
2 Case finish type	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull	
2 Front finish type	C = C-pull (nickel finish only)	
H Pull option	D = metal D-pull (PZ or PT only)	
L Lock option	F = Bar (1 pull per door set)	
B Lock finish	H = Outline	
PU Pull finish	R = Cylinder	
	S = S-pull (stainless steel finish only)	
	T = Tab (1 pull per door set)	
	4. <i>Lock option:</i> N=no drilling, L=locking (wood or laminate doors only)	
	5. Lock finish: B=Black, S=Matte silver	
	6. <i>Case finish:</i>	
	7. <i>Front finish:</i>	
	8. <i>Pull finish:</i> Painted or Plated	


dimensions noted nominal


Overhead, 28³/₈" planning

Reff Profiles

Double high

Wall hung with glass door

description	w	d	h	dr	pattern n	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, cubby exposed 	30"	15"	33"	2	ROMGHCDHP301()()()	\$3,158.	\$3,473.	\$3,994.	\$5,193.
	36"	15"	33"	2	ROMGHCDHP361()()()	3,328.	3,661.	4,210.	5,472.
	42"	15"	33"	2	ROMGHCDHP421()()()	4,372.	4,809.	5,530.	7,189.
	48"	15"	33"	2	ROMGHCDHP481()()()	4,529.	4,981.	5,729.	7,447.
	54"	15"	33"	2	ROMGHCDHP541()()()	4,842.	5,326.	6,125.	7,963.
	60"	15"	33"	4	ROMGHCDHP601()()()	5,408.	5,948.	6,840.	8,893.
	66"	15"	33"	4	ROMGHCDHP661()()()	5,639.	6,204.	7,134.	9,274.
	72"	15"	33"	4	ROMGHCDHP721()()()	5,794.	6,373.	7,328.	9,526.
	78"	15"	33"	4	ROMGHCDHP781()()()	6,034.	6,637.	7,633.	9,923.
	84"	15"	33"	6	ROMGHCDHP841()()()	7,488.	8,237.	9,473.	12,315.
	90"	15"	33"	6	ROMGHCDHP901()()()	7,608.	8,369.	9,623.	12,510.
96"	15"	33"	6	ROMGHCDHP961()()()	7,778.	8,556.	9,839.	12,791.	

description	w	d	h	dr	pattern n	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, cubby concealed 	30"	15"	33"	2	ROMGHDHP301()()()	3,452.	4,073.	4,684.	6,089.
	36"	15"	33"	2	ROMGHDHP361()()()	3,649.	4,306.	4,953.	6,438.
	42"	15"	33"	2	ROMGHDHP421()()()	4,799.	5,662.	6,512.	8,465.
	48"	15"	33"	2	ROMGHDHP481()()()	4,976.	5,872.	6,752.	8,778.
	54"	15"	33"	2	ROMGHDHP541()()()	5,312.	6,268.	7,208.	9,371.
	60"	15"	33"	4	ROMGHDHP601()()()	5,778.	6,818.	7,841.	10,193.
	66"	15"	33"	4	ROMGHDHP661()()()	5,967.	7,041.	8,097.	10,526.
	72"	15"	33"	4	ROMGHDHP721()()()	6,152.	7,259.	8,348.	10,852.
	78"	15"	33"	4	ROMGHDHP781()()()	6,466.	7,630.	8,774.	11,407.
	84"	15"	33"	6	ROMGHDHP841()()()	7,754.	9,149.	10,522.	13,687.
	90"	15"	33"	6	ROMGHDHP901()()()	7,942.	9,371.	10,777.	14,010.
96"	15"	33"	6	ROMGHDHP961()()()	8,095.	9,552.	10,985.	14,281.	

Order Code	Specification Information	Application Notes
Example: ROMGHCDHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	No glass shelves
M Wall mount	2 = V2	Fascias ordered separately
GHC Glass hinge door / cubby	3 = V3	Tasklights not included
DH Double High	2. <i>Case finish:</i> Laminate or Wood	Tack/Task panel order separately
P Planning	3. <i>Door frame finish:</i> Anodized / Painted	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width	4. <i>Door glass finish:</i> GL11	No pull option for glass doors. Doors project below shelf for opening.
1 Depth (letter)	GL14	
2 Case finish type	GL15	
V316 Caese finish	GL18	
AN Door frame finish		
GL11 Door glass finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 565.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


Overhead storage


dimensions noted nominal

Overhead, 28³/₈" planning

Double high

Wall hung with and without center gable

description	w	h	d	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30"	33"	15"		1	ROMCGDHP301() ()	\$1,830.	\$2,562.	\$2,946.	\$3,831.
	36"	33"	15"		1	ROMCGDHP361() ()	1,879.	2,630.	3,024.	3,932.
	42"	33"	15"		2	ROMCGDHP421() ()	2,309.	3,233.	3,718.	4,834.
	48"	33"	15"		2	ROMCGDHP481() ()	2,369.	3,316.	3,813.	4,957.
	54"	33"	15"		2	ROMCGDHP541() ()	2,629.	3,680.	4,232.	5,502.
	60"	33"	15"		3	ROMCGDHP601() ()	3,122.	4,371.	5,027.	6,535.
	66"	33"	15"		3	ROMCGDHP661() ()	3,217.	4,504.	5,180.	6,733.
	72"	33"	15"		3	ROMCGDHP721() ()	3,266.	4,573.	5,259.	6,837.
	78"	33"	15"		3	ROMCGDHP781() ()	3,380.	4,732.	5,443.	7,075.
	84"	33"	15"		5	ROMCGDHP841() ()	4,259.	5,963.	6,857.	8,914.
	90"	33"	15"		5	ROMCGDHP901() ()	4,312.	6,036.	6,941.	9,024.
96"	33"	15"		5	ROMCGDHP961() ()	4,358.	6,101.	7,016.	9,121.	

Wall-hung overhead cabinet open /cubby without center gable 	30"	33"	15"			ROMOCDHP301() ()	1,647.	2,305.	2,651.	3,447.
	36"	33"	15"			ROMOCDHP361() ()	1,691.	2,367.	2,721.	3,538.
	42"	33"	15"		1	ROMOCDHP421() ()	2,079.	2,910.	3,346.	4,351.
	48"	33"	15"		1	ROMOCDHP481() ()	2,132.	2,984.	3,432.	4,462.
	54"	33"	15"		1	ROMOCDHP541() ()	2,366.	3,312.	3,809.	4,952.
	60"	33"	15"		1	ROMOCDHP601() ()	2,810.	3,935.	4,525.	5,882.
	66"	33"	15"		1	ROMOCDHP661() ()	2,895.	4,054.	4,662.	6,059.
	72"	33"	15"		1	ROMOCDHP721() ()	2,940.	4,116.	4,733.	6,153.
	78"	33"	15"		1	ROMOCDHP781() ()	3,043.	4,259.	4,899.	6,367.
	84"	33"	15"		2	ROMOCDHP841() ()	3,834.	5,366.	6,171.	8,023.
	90"	33"	15"		2	ROMOCDHP901() ()	3,880.	5,432.	6,247.	8,122.
	96"	33"	15"		2	ROMOCDHP961() ()	3,922.	5,491.	6,315.	8,209.

Without center gable

Order Code	Specification Information	Application Notes
Example: ROMCGDHP301 () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case finish type:</i> L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Place holder for legal depth if required.
M Wall mount	2 = V2	Fascias ordered separately
CG Center Gable	3 = V3	Tasklights not included
DH Double High	2. <i>Case finish:</i> Wood or Laminate	Tack/Task panel order separately
P Planning		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width		
1 Depth (letter)		
2 Case finish type		
V316 Case finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 565.

Cubby Dividers: 3"h x 12"d


Interior Gable: 30"h x 13"d.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

dimensions noted nominal

Overhead, 28³/₈" planning
 Double high
 Wall hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	
Wall Hung overhead cabinet	60"	15"	33"	2	ROMHOC DHP601	(X)(X)(X)(X)(X)(X)	\$3,269.	\$3,597.	\$3,760.	\$3,923.	\$4,740.	\$5,452.	\$7,087.
hinge door / open /	66"	15"	33"	2	ROMHOC DHP661	(X)(X)(X)(X)(X)(X)	3,324.	3,657.	3,822.	3,988.	4,819.	5,542.	7,205.
cubby exposed	72"	15"	33"	2	ROMHOC DHP721	(X)(X)(X)(X)(X)(X)	3,387.	3,726.	3,894.	4,064.	4,911.	5,647.	7,342.
	78"	15"	33"	2	ROMHOC DHP781	(X)(X)(X)(X)(X)(X)	3,453.	3,798.	3,971.	4,144.	5,007.	5,758.	7,485.
	84"	15"	33"	4	ROMHOC DHP841	(X)(X)(X)(X)(X)(X)	3,977.	4,374.	4,573.	4,772.	5,766.	6,631.	8,621.
	90"	15"	33"	4	ROMHOC DHP901	(X)(X)(X)(X)(X)(X)	4,044.	4,448.	4,650.	4,852.	5,863.	6,742.	8,765.
	96"	15"	33"	4	ROMHOC DHP961	(X)(X)(X)(X)(X)(X)	4,102.	4,512.	4,717.	4,923.	5,948.	6,841.	8,893.



Order Code	Specification Information	Application Notes
Example: ROMHOC DHP601 (X)(X)(X)(X)(X)(X)	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. <i>Case Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
O Overhead	2. <i>Front Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
M Wall mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	Doors project below shelf for opening
HOC Hinge door / open / cubby	4. <i>Lock Option:</i> N=no drilling, L=locking (wood or laminate doors only)	
DH Double High	5. <i>Lock finish:</i> B=Black, S=Matte silver	
P Planning	6. <i>Case Finish</i>	
60 Width	7. <i>Front Finish</i>	
1 Depth (letter)	8. <i>Pull finish:</i> Painted or Plated	
2 Case finish type		
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		


dimensions noted nominal

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 565.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Overhead, 28³/₈" planning
 Double high
 Wall hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	33"	2	ROMGHODHP601()	\$4,883.	\$6,104.	\$7,019.	\$9,125.
glass hinge door / open / cubby concealed	66"	15"	33"	2	ROMGHODHP661()	5,015.	6,269.	7,210.	9,373.
	72"	15"	33"	2	ROMGHODHP721()	5,138.	6,422.	7,386.	9,601.
	78"	15"	33"	2	ROMGHODHP781()	5,296.	6,619.	7,612.	9,896.
	84"	15"	33"	4	ROMGHODHP841()	6,202.	7,753.	8,916.	11,590.
	90"	15"	33"	4	ROMGHODHP901()	6,337.	7,922.	9,110.	11,843.
	96"	15"	33"	4	ROMGHODHP961()	6,462.	8,078.	9,289.	12,076.



Wall Hung overhead cabinet	60"	15"	33"	2	ROMGHODHP601()	4,156.	5,194.	5,974.	7,766.
glass hinge door / open / cubby exposed	66"	15"	33"	2	ROMGHODHP661()	4,264.	5,331.	6,131.	7,969.
	72"	15"	33"	2	ROMGHODHP721()	4,363.	5,454.	6,272.	8,152.
	78"	15"	33"	2	ROMGHODHP781()	4,495.	5,595.	6,434.	8,365.
	84"	15"	33"	4	ROMGHODHP841()	5,397.	6,638.	7,634.	9,924.
	90"	15"	33"	4	ROMGHODHP901()	5,481.	6,741.	7,753.	10,079.
	96"	15"	33"	4	ROMGHODHP961()	5,602.	6,891.	7,924.	10,301.




Order Code	Specification Information	Application Notes
Example: ROMGHODHP601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	1 = V1	A certified building contractor should be consulted.
M Wall mount	2 = V2	Please refer to wall mounting information on page 565.
GHOC Glass hinge door / open / cubby	3 = V3	
DH Double High	2. Case finish: Laminate or Wood	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
P Planning	3. Door Frame finish: Anodized or Painted	List price for wood grain laminate options will be current published laminate list price plus 10%.
60 Width	4. Door Glass finish: GL11, GL14, GL15, GL18	
1 Depth (letter)		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
		Doors project below shelf for opening
		No pull option on glass doors.


dimensions noted nominal

Double high
Cabinet hung

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door, cubby concealed	30"	15"	33"	2	ROCHDHP301()	\$2,270.	\$2,498.	\$2,611.	\$2,724.	\$3,179.	\$3,655.	\$4,751.
	36"	15"	33"	2	ROCHDHP361()	2,342.	2,577.	2,693.	2,811.	3,280.	3,772.	4,903.
	42"	15"	33"	3	ROCHDHP421()	3,113.	3,424.	3,579.	3,736.	4,358.	5,012.	6,515.
	48"	15"	33"	3	ROCHDHP481()	3,186.	3,505.	3,664.	3,823.	4,461.	5,129.	6,668.
	54"	15"	33"	3	ROCHDHP541()	3,374.	3,712.	3,881.	4,049.	4,725.	5,433.	7,063.
	60"	15"	33"	4	ROCHDHP601()	3,708.	4,079.	4,264.	4,450.	5,192.	5,971.	7,762.
	66"	15"	33"	4	ROCHDHP661()	3,822.	4,204.	4,396.	4,587.	5,351.	6,154.	8,000.
	72"	15"	33"	4	ROCHDHP721()	3,901.	4,290.	4,486.	4,680.	5,460.	6,280.	8,164.
	78"	15"	33"	4	ROCHDHP781()	4,011.	4,411.	4,612.	4,813.	5,616.	6,457.	8,395.
	84"	15"	33"	6	ROCHDHP841()	5,057.	5,563.	5,815.	6,069.	7,079.	8,141.	10,584.
90"	15"	33"	6	ROCHDHP901()	5,145.	5,659.	5,916.	6,174.	7,203.	8,282.	10,768.	
96"	15"	33"	6	ROCHDHP961()	5,211.	5,731.	5,992.	6,252.	7,294.	8,388.	10,906.	




Cabinet-hung overhead cabinet hinge door, cubby exposed	30"	15"	33"	2	ROCHCDHP301()	2,175.	2,393.	2,501.	2,610.	3,045.	3,502.	4,552.
	36"	15"	33"	2	ROCHCDHP361()	2,243.	2,468.	2,579.	2,691.	3,140.	3,611.	4,695.
	42"	15"	33"	3	ROCHCDHP421()	3,044.	3,349.	3,500.	3,652.	4,261.	4,901.	6,371.
	48"	15"	33"	3	ROCHCDHP481()	3,117.	3,429.	3,584.	3,741.	4,364.	5,019.	6,524.
	54"	15"	33"	3	ROCHCDHP541()	3,201.	3,522.	3,681.	3,842.	4,483.	5,154.	6,701.
	60"	15"	33"	4	ROCHCDHP601()	3,507.	3,857.	4,033.	4,209.	4,910.	5,646.	7,340.
	66"	15"	33"	4	ROCHCDHP661()	3,616.	3,979.	4,159.	4,340.	5,063.	5,823.	7,569.
	72"	15"	33"	4	ROCHCDHP721()	3,692.	4,060.	4,245.	4,429.	5,168.	5,943.	7,725.
	78"	15"	33"	4	ROCHCDHP781()	3,754.	4,129.	4,318.	4,505.	5,256.	6,044.	7,858.
	84"	15"	33"	6	ROCHCDHP841()	4,758.	5,233.	5,471.	5,709.	6,660.	7,659.	9,957.
90"	15"	33"	6	ROCHCDHP901()	4,843.	5,327.	5,569.	5,811.	6,780.	7,797.	10,136.	
96"	15"	33"	6	ROCHCDHP961()	4,906.	5,396.	5,641.	5,887.	6,868.	7,898.	10,268.	




Order Code	Specification Information	Application Notes
Example: ROCH-DHP301()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
C Cabinet Hung	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	Tasklights not included
H Hinge door		Tack/Task panel order separately
DH Double High		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning		Installation instruction sheets available on Knoll Exchange.
30 Width		For Cabinet hung overheads, refer to part number 6TP00080.
1 Depth (letter)		
2 Case finish type		
2 Front finish type		
H Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
PN Pull finish		
	4. Lock option: N=no drilling, L=locking (wood or laminate doors only)	
	5. Lock finish: B=Black, S=Matte silver	
	6. Case finish: Wood or Laminate	
	7. Front finish: Wood or Laminate	
	8. Pull finish: Painted or Plated	

dimensions noted nominal

Overhead, 28³/₈" planning
 Double high
 Cabinet hung with glass door

description	w	d	h	dr	pattern n	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, cubby exposed 	30"	15"	33"	2	ROCGHCDHP301()()()	\$3,201.	\$3,489.	\$4,012.	\$5,216.
	36"	15"	33"	2	ROCGHCDHP361()()()	3,370.	3,673.	4,224.	5,492.
	42"	15"	33"	3	ROCGHCDHP421()()()	4,422.	4,820.	5,543.	7,206.
	48"	15"	33"	3	ROCGHCDHP481()()()	4,562.	4,972.	5,718.	7,432.
	54"	15"	33"	3	ROCGHCDHP541()()()	4,875.	5,314.	6,111.	7,944.
	60"	15"	33"	4	ROCGHCDHP601()()()	5,235.	5,707.	6,563.	8,533.
	66"	15"	33"	4	ROCGHCDHP661()()()	5,459.	5,950.	6,843.	8,896.
	72"	15"	33"	4	ROCGHCDHP721()()()	5,635.	6,143.	7,064.	9,183.
	78"	15"	33"	4	ROCGHCDHP781()()()	5,860.	6,387.	7,345.	9,548.
	84"	15"	33"	6	ROCGHCDHP841()()()	7,132.	7,773.	8,939.	11,621.
90"	15"	33"	6	ROCGHCDHP901()()()	7,249.	7,902.	9,088.	11,813.	
96"	15"	33"	6	ROCGHCDHP961()()()	7,419.	8,087.	9,299.	12,089.	

Cabinet-hung overhead cabinet glass hinge door, cubby concealed 	30"	15"	33"	2	ROCGHDHP301()()()	3,437.	4,056.	4,664.	6,063.
	36"	15"	33"	2	ROCGHDHP361()()()	3,632.	4,285.	4,928.	6,406.
	42"	15"	33"	3	ROCGHDHP421()()()	4,779.	5,640.	6,486.	8,431.
	48"	15"	33"	3	ROCGHDHP481()()()	4,952.	5,843.	6,719.	8,734.
	54"	15"	33"	3	ROCGHDHP541()()()	5,270.	6,219.	7,152.	9,297.
	60"	15"	33"	4	ROCGHDHP601()()()	5,719.	6,749.	7,761.	10,089.
	66"	15"	33"	4	ROCGHDHP661()()()	5,899.	6,960.	8,004.	10,406.
	72"	15"	33"	4	ROCGHDHP721()()()	6,104.	7,203.	8,283.	10,768.
	78"	15"	33"	4	ROCGHDHP781()()()	6,398.	7,550.	8,683.	11,288.
	84"	15"	33"	6	ROCGHDHP841()()()	7,685.	9,068.	10,428.	13,557.
90"	15"	33"	6	ROCGHDHP901()()()	7,870.	9,287.	10,680.	13,884.	
96"	15"	33"	6	ROCGHDHP961()()()	8,021.	9,464.	10,884.	14,149.	

Order Code	Specification Information	Application Notes
Example: ROCGHCDHP301 ()()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish Type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	No glass shelves
C Cabinet Hung	2 = V2	Fascias ordered separately
GHC Glass hinge door / cubby	3 = V3	Tasklights not included
DH Double High	2. Case Finish: V316	Tack/Task panel order separately
P Planning	3. Door frame finish: Anotized or Painted	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
30 Width	4. Door Glass finish: GL11, GL14, GL15, GL18	No pull option for glass doors. Doors project below shelf for opening.
1 Depth (letter)		Installation instruction sheets available on Knoll Exchange.
2 Case finish type		For Cabinet hung overheads, refer to part number 6TP00080.
2 Caese finish		
AN Door frame finish		
GL11 Door glass finish		


dimensions noted nominal

Overhead, 28³/₈" planning


Double high

Cabinet hung with and without center gable

description	w	d	h	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable	30"	15"	33"	1	ROCCGDHP301 ()()	\$1,904.	\$2,666.	\$3,065.	\$3,985.
	36"	15"	33"	1	ROCCGDHP361 ()()	1,951.	2,731.	3,140.	4,082.
	42"	15"	33"	2	ROCCGDHP421 ()()	2,380.	3,332.	3,833.	4,982.
	48"	15"	33"	2	ROCCGDHP481 ()()	2,425.	3,394.	3,904.	5,075.
	54"	15"	33"	2	ROCCGDHP541 ()()	2,683.	3,755.	4,319.	5,615.
	60"	15"	33"	3	ROCCGDHP601 ()()	3,175.	4,445.	5,112.	6,646.
	66"	15"	33"	3	ROCCGDHP661 ()()	3,268.	4,575.	5,261.	6,839.
	72"	15"	33"	3	ROCCGDHP721 ()()	3,318.	4,645.	5,342.	6,944.
	78"	15"	33"	3	ROCCGDHP781 ()()	3,415.	4,781.	5,498.	7,147.
	84"	15"	33"	5	ROCCGDHP841 ()()	4,291.	6,008.	6,909.	8,982.
	90"	15"	33"	5	ROCCGDHP901 ()()	4,341.	6,078.	6,991.	9,088.
96"	15"	33"	5	ROCCGDHP961 ()()	4,388.	6,142.	7,064.	9,182.	



Cabinet-hung overhead cabinet open /cubby without center gable	30"	15"	33"		ROCOCDHP301 ()()	1,714.	2,399.	2,758.	3,586.
	36"	15"	33"		ROCOCDHP361 ()()	1,756.	2,458.	2,826.	3,674.
	42"	15"	33"	1	ROCOCDHP421 ()()	2,142.	2,999.	3,449.	4,484.
	48"	15"	33"	1	ROCOCDHP481 ()()	2,183.	3,055.	3,513.	4,567.
	54"	15"	33"	1	ROCOCDHP541 ()()	2,415.	3,379.	3,887.	5,053.
	60"	15"	33"	1	ROCOCDHP601 ()()	2,858.	4,001.	4,601.	5,981.
	66"	15"	33"	1	ROCOCDHP661 ()()	2,942.	4,118.	4,735.	6,155.
	72"	15"	33"	1	ROCOCDHP721 ()()	2,986.	4,181.	4,807.	6,250.
	78"	15"	33"	1	ROCOCDHP781 ()()	3,074.	4,303.	4,948.	6,432.
	84"	15"	33"	2	ROCOCDHP841 ()()	3,861.	5,408.	6,218.	8,083.
	90"	15"	33"	2	ROCOCDHP901 ()()	3,908.	5,470.	6,291.	8,179.
	96"	15"	33"	2	ROCOCDHP961 ()()	3,949.	5,528.	6,357.	8,265.



Without center gable

Order Code	Specification Information
Example: ROCCGDHP301 ()()	<i>To order please specify:</i>
R Reff	1. Case finish type:
O Overhead	L = Laminate
C Cabinet hung	1 = V1
CG Center gable	2 = V2
DH Double High	3 = V3
P Planning	2. Case finish: Wood or Laminate
30 Width	
1 Depth (letter)	
2 Case finish type	
V316 Case finish	

To order please specify:

- Case finish type:
 - L = Laminate
 - 1 = V1
 - 2 = V2
 - 3 = V3
- Case finish: Wood or Laminate

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15" nominal.

Place holder for legal depth if required.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Installation instruction sheets available on Knoll Exchange.

For Cabinet hung overheads, refer to part number 6TP00080.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 565.

Cubby Dividers: 3" h x 12" d

Interior Gable: 30" h x 13" d.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

dimensions noted nominal

Overhead, 28³/₈" planning
 Double high
 Cabinet hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	33"	2	ROCH OCDHP601()	\$3,260.	\$3,585.	\$3,748.	\$3,912.	\$4,727.	\$5,435.	\$7,066.
hinge door / open /	66"	15"	33"	2	ROCH OCDHP661()	3,312.	3,643.	3,809.	3,975.	4,803.	5,523.	7,180.
cubby exposed	72"	15"	33"	2	ROCH OCDHP721()	3,374.	3,711.	3,880.	4,049.	4,893.	5,627.	7,314.
	78"	15"	33"	2	ROCH OCDHP781()	3,426.	3,769.	3,940.	4,111.	4,968.	5,712.	7,426.
	84"	15"	33"	4	ROCH OCDHP841()	3,949.	4,344.	4,541.	4,739.	5,726.	5,555.	8,560.
	90"	15"	33"	4	ROCH OCDHP901()	4,014.	4,415.	4,615.	4,816.	5,820.	6,693.	8,700.
	96"	15"	33"	4	ROCH OCDHP961()	4,071.	4,477.	4,681.	4,884.	5,902.	6,788.	8,824.




Order Code	Specification Information	Application Notes
Example: ROCH-OCDHP601()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
O Overhead	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
C Cabinet Hung	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar (1 pull per door set) H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Doors project below shelf for opening
HOC Hinge door / open / cubby	4. Lock option: N=no drilling, L=locking (wood or laminate doors only)	Installation instruction sheets available on Knoll Exchange.
DH Double High	5. Lock finish: B=Black, S=Matte silver	For Cabinet hung overheads, refer to part number 6TP00080.
P Planning	6. Case finish: Wood or Laminate	
30 Width	7. Front finish: Wood or Laminate	
1 Depth (letter)	8. Pull finish: Painted or Plated	
2 Case finish type		
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		


dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Cabinet hung with glass doors, open

description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	33"	2	ROCGHOCDHP601()()())	\$4,145.	\$5,181.	\$5,958.	\$7,746.
	66"	15"	33"	2	ROCGHOCDHP661()()())	4,251.	5,314.	6,111.	7,944.
	72"	15"	33"	2	ROCGHOCDHP721()()())	4,348.	5,435.	6,250.	8,126.
	78"	15"	33"	2	ROCGHOCDHP781()()())	4,445.	5,559.	6,390.	8,307.
	84"	15"	33"	4	ROCGHOCDHP841()()())	5,364.	6,598.	7,587.	9,863.
	90"	15"	33"	4	ROCGHOCDHP901()()())	5,446.	6,698.	7,702.	10,014.
	96"	15"	33"	4	ROCGHOCDHP961()()())	5,564.	6,844.	7,871.	10,232.



description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	33"	2	ROCGHODHP601()()())	4,842.	6,052.	6,960.	9,048.
	66"	15"	33"	2	ROCGHODHP661()()())	4,972.	6,215.	7,147.	9,291.
	72"	15"	33"	2	ROCGHODHP721()()())	5,093.	6,366.	7,321.	9,517.
	78"	15"	33"	2	ROCGHODHP781()()())	5,232.	6,540.	7,521.	9,777.
	84"	15"	33"	4	ROCGHODHP841()()())	6,137.	7,671.	8,822.	11,469.
	90"	15"	33"	4	ROCGHODHP901()()())	6,279.	7,849.	9,026.	11,734.
	96"	15"	33"	4	ROCGHODHP961()()())	6,393.	7,991.	9,190.	11,947.



description	w	d	h	pattern no.	L	V1	V2	V3
Overhead shoulder	2"	15"	68"	ROSSH681()()	379.	390.	448.	605.
	2"	15"	82"	ROSDH821()()	412.	427.	490.	662.




To be used with Single and Double high overheads

Order Code	Specification Information	Application Notes
Example: ROCG-HOCDHP601()()())	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Case finish: Laminate or Wood	Fascias ordered separately
C Cabinet Hung	3. Door Frame finish: Anodized or Painted	Tasklights not included
GHOC Glass hinge door / open / cubby	4. Door Glass finish: GL11, GL14, GL15, GL18	Tack/Task panel order separately
DH Double High		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
P Planning		Doors project below shelf for opening
60 Width		Installation instruction sheets available on Knoll Exchange.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.


dimensions noted nominal

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()L		\$699.	\$699.	\$733.	\$1,050.
		30"	14 1/4"	14 3/4"	RO3-M30() ()L		782.	782.	818.	1,130.
		36"	14 1/4"	14 3/4"	RO3-M36() ()L		901.	901.	945.	1,265.
		42"	14 1/4"	14 3/4"	RO3-M42() ()L		1,041.	1,041.	1,091.	1,404.
		48"	14 1/4"	14 3/4"	RO3-M48() ()L		1,158.	1,158.	1,216.	1,538.



Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() ()L		1,469.	1,469.	1,539.	2,115.
		66"	14 1/4"	14 3/4"	RO3-M66() ()L		1,598.	1,598.	1,681.	2,266.
		72"	14 1/4"	14 3/4"	RO3-M72() ()L		1,711.	1,711.	1,796.	2,390.



Enclosed cabinet, no lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()N		632.	632.	663.	
		30"	14 1/4"	14 3/4"	RO3-M30() ()N		715.	715.	751.	
		36"	14 1/4"	14 3/4"	RO3-M36() ()N		835.	835.	874.	
		42"	14 1/4"	14 3/4"	RO3-M42() ()N		973.	973.	1,021.	
		48"	14 1/4"	14 3/4"	RO3-M48() ()N		1,090.	1,090.	1,145.	



Order Code

Example: RO3-M48-612-M-L	
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.
Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 422) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.

Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() (JN)		\$1,331.	\$1,331.	\$1,397.	n/a
		66"	14 1/4"	14 3/4"	RO3-M66() (JN)		1,466.	1,466.	1,535.	n/a
		72"	14 1/4"	14 3/4"	RO3-M72() (JN)		1,572.	1,572.	1,653.	n/a



description	type	w	d	h	pattern no.	black
Interior partitions	Horizontal, set of 10	6"	11"	-	RO1-HP6	134.
	Horizontal, set of 10	9"	11"	-	RO1-HP9	169.
	Horizontal, set of 10	12"	11"	-	RO1-HP12	201.
	Horizontal, set of 10	15"	11"	-	RO1-HP15	234.
	Vertical, set of 5	-	11"	12"	RO3-VP	87.



Order Code

Example:	RO3-M48-612-M-L
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.
Specify finish for case and door:
 Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 422) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.


Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()L	\$686.	\$686.	\$719.	\$1,032.
		30"	14 1/4"	14 3/4"	RO3-N30() ()L	763.	763.	804.	1,114.
		36"	14 1/4"	14 3/4"	RO3-N36() ()L	883.	883.	928.	1,249.
		42"	14 1/4"	14 3/4"	RO3-N42() ()L	1,024.	1,024.	1,077.	1,389.
		48"	14 1/4"	14 3/4"	RO3-N48() ()L	1,145.	1,145.	1,200.	1,525.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()L	1,448.	1,448.	1,523.	2,101.
		66"	14 1/4"	14 3/4"	RO3-N66() ()L	1,586.	1,586.	1,661.	2,252.
		72"	14 1/4"	14 3/4"	RO3-N72() ()L	1,693.	1,693.	1,778.	2,376.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()N	616.	616.	646.	n/a
		30"	14 1/4"	14 3/4"	RO3-N30() ()N	698.	698.	732.	n/a
		36"	14 1/4"	14 3/4"	RO3-N36() ()N	816.	816.	857.	n/a
		42"	14 1/4"	14 3/4"	RO3-N42() ()N	958.	958.	1,006.	n/a
		48"	14 1/4"	14 3/4"	RO3-N48() ()N	1,075.	1,075.	1,130.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()N	1,313.	1,313.	1,380.	n/a
		66"	14 1/4"	14 3/4"	RO3-N66() ()N	1,447.	1,447.	1,520.	n/a
		72"	14 1/4"	14 3/4"	RO3-N72() ()N	1,561.	1,561.	1,639.	n/a



Order Code

Example:	RO3-N48-613-613-L
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.



Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter open shelf

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf no mounting hardware		30"	13"	8"	RS1-N30()		\$328.	\$328.	\$343.
		36"	13"	8"	RS1-N36()		371.	371.	389.
		42"	13"	8"	RS1-N42()		400.	400.	419.
		48"	13"	8"	RS1-N48()		430.	430.	451.
		60"	13"	8"	RS1-N60()		504.	504.	530.
 Interior partitions	Vertical, set of 5	–	12"	6"	RS1-VP	81.			
	Horizontal, set of 10	6"	12"	–	RO1-HP6	134.			
		9"	12"	–	RO1-HP9	169.			
		12"	12"	–	RO1-HP12	201.			
		15"	12"	–	RO1-HP15	234.			

Order Code

Example:	RS1-N48-612
RS1	Reuter shelf
N	No mounting hardware
48	Width
612	Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.



Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter open overhead

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open overhead no mounting hardware		30"	13"	14 ³ / ₄ "	RO3-ON30()	\$490.	\$490.	\$513.	
		36"	13"	14 ³ / ₄ "	RO3-ON36()	562.	562.	590.	
		42"	13"	14 ³ / ₄ "	RO3-ON42()	638.	638.	670.	
		48"	13"	14 ³ / ₄ "	RO3-ON48()	713.	713.	747.	
		60"	13"	14 ³ / ₄ "	RO3-ON60()	829.	829.	872.	
		72"	13"	14 ³ / ₄ "	RO3-ON72()	977.	977.	1,025.	
 Interior partitions	Vertical, set of 5	–	11"	12"	RO3-VP	87.			
	Horizontal, set of 10	6"	11"	–	RO1-HP6	134.			
		9"	11"	–	RO1-HP9	169.			
		12"	11"	–	RO1-HP12	201.			
		15"	11"	–	RO1-HP15	234.			

Order Code

Example:	RO3-ON30-612
RO3-O	Reuter open overhead
N	No mounting hardware
30	Width
612	Finish

Specification Information

Specify finish for case and door.

Application Notes

Interior partitions are black painted steel finish.

Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.

Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.




Reuter overhead storage
desk and panel mounting options
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				RO1-RPB	\$45.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				RS1-RPB	37.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Reff / AutoStrada panels				RO1-RCB()		96.



Order Code	Specification Information	Application Notes
Example: RO2-NS21-612	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
RO2 Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
NS Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
21 Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
612 Paint finish		For Morrison Network desk mount applications, overhead cabinet or shelf width must correspond to desk support width and worksurface with grommet. Stanchions bolt to desk support corner leg. Top of cabinet or stanchions aligns with adjacent 64"H vertical panels or vertical storage.
		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	\$84.
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	91.
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	96.
Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	RS1-WMF24	84.
	30"W shelf	29"	1 1/2"	6"	RS1-WMF30	89.
	36"W shelf	35"	1 1/2"	6"	RS1-WMF36	91.
	42"W shelf	41"	1 1/2"	6"	RS1-WMF42	94.
	48"W shelf	47"	1 1/2"	6"	RS1-WMF48	96.
	60"W shelf	59"	1 1/2"	6"	RS1-WMF60	102.
Wall mount wire manager, set of 10					MWM-J	150.
						
	Ganging bracket				RO1-GB	12.
ADA pull					RO1-PULL	49.
						

Order Code

Example:	RO1-GB
RO1	Reuter overhead
GB	Ganging bracket




Specification Information

Wall mount frames are painted black finish.
 ADA pull is stainless steel.

Application Notes

Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66" - and 72"-wide Reuter overheads.
 Reuter open shelves 66" and 72"W are for stanchion support only.
 Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).
 Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.


ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".
 ADA pull cannot be mounted on wood front Reuter doors.

description	type	w	d	h	pattern no.	list
 <p>T5 Standard Task Light</p>	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19S	\$225.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25S	242.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37S	261.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49S	283.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61S	301.
 <p>T5 Advanced Task Light</p>	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25A	417.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37A	439.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49A	456.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61A	475.
 <p>LED Task Light</p>	Use with 24" and wider overhead (3 LED's)	19"	2"	5/8"	ML3L193M	301.
	Use with 24" and wider overhead (6 LED's)	19"	2"	5/8"	ML3L196M	380.
	Use with 24" and wider overhead (9 LED's)	19"	2"	5/8"	ML3L199M	517.
	Use with 42" and wider overhead (6 LED's)	37"	2"	5/8"	ML3L376M	607.
	Use with 42" and wider overhead (12 LED's)	37"	2"	5/8"	ML3L3712M	686.
	Use with 42" and wider overhead (18 LED's)	37"	2"	5/8"	ML3L3718M	850.


Order Code	Specification Information	Application Notes
<p>T5 Standard Task Light</p> <p>Example: RTAT5E25S</p> <p>RTA Task Light</p> <p>T5 T5 lamp</p> <p>E Electronic ballast</p> <p>25 Width</p> <p>S Standard</p> <p>LED Task Light</p> <p>Example: ML3L193M</p> <p>ML3 Task Light</p> <p>L LED</p> <p>19 Width</p> <p>3 # of LED's</p> <p>M Metal Overhead Attachment</p>	<p>T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.</p> <p>LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.</p>	<p>T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH</p> <p>Cordset is center exit. On smaller units cord exit is off-center, but still not handed.</p> <p>T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.</p> <p>LED Task Lights: Power cord is able to attach to either end of fixture.</p> <p>Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.</p> <p>All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.</p>

Progressive Overheads
 28³/₈" planning
 Cabinet Hung with glass door


description	w	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung Shelf	90"	15"	14 ³ / ₄ "	1	RROCGSD90GB() () () ()	\$3,023.	\$3,628.	\$4,172.	\$5,424.
Glass Sliding Doors Closed Ends	108"	15"	14 ³ / ₄ "	1	RROCGSD108GB() () () ()	3,307.	3,969.	4,564.	5,933.




Cabinet Hung Shelf with 2 Glass Sliding Doors	90"	15"	14 ⁷ / ₈ "	2	RROC2GSD90() () () ()	4,160.	4,701.	5,119.	6,654.
	108"	15"	14 ⁷ / ₈ "	2	RROC2GSD108() () () ()	4,696.	5,307.	5,710.	7,423.



Cabinet Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ³ / ₄ "	1	RROCGSDL60GB() () () ()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ³ / ₄ "	1	RROCGSDL72GB() () () ()	2,754.	3,167.	3,643.	4,736.



Cabinet Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ³ / ₄ "	1	RROCGSDR60GB() () () ()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ³ / ₄ "	1	RROCGSDR72GB() () () ()	2,754.	3,167.	3,643.	4,736.




Order Code	Specification Information	Application Notes
Example: RROCGSD90GB() () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction.
RR Reffresh	1. Pull option=G Grommet pull	Above sizes are nominal.
O Overhead	2. Pull finish = Painted/plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish = V316	Installation instruction sheets available on Knoll Exchange.
GSD Glass Sliding Door	4. Door frame finish = Anodized / painted	For Cabinet hung overheads, refer to part number 6TP00080.
90 90" wide	5. Door Glass finish	For overhead with sliding doors, refer to part number 6TP00088.
GB Gable Both	GL11 = Black	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
G Pull option	GL14 = Folkstone Grey	A certified building contractor should be consulted.
111 Pull finish	GL15 = Med. Grey	Please refer to wall mounting information on page 565.
V316 Case finish	GL18 = White	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
AN Door frame finish	Product on this page will accept wood grain laminate, where laminate is currently an option.	For progressive overheads, LED light is recommended without fascia.
GL11 Glass finish	List price for wood grain laminate options will be current published laminate list price plus 10%.	


Progressive Overheads
 28³/₈" planning
 Cabinet Hung with wood door

Reff Profiles


description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung Shelf	90"	15"	14 ³ / ₄ "	1	RROCWSD90GB () () ()	\$2,597.	\$2,857.	\$2,987.	\$3,117.	\$3,376.	\$3,882.	\$5,047.
Sliding Doors Closed Ends	108"	15"	14 ³ / ₄ "	1	RROCWSD108GB () () ()	2,816.	3,097.	3,238.	3,379.	3,661.	4,210.	5,472.




Cabinet Hung Shelf with 2 Wood/Laminate Sliding Doors	90"	15"	14 ³ / ₄ "	2	RROC2WSD90 () () ()	3,136.	3,450.	3,606.	3,763.	4,077.	4,584.	5,959.
	108"	15"	14 ³ / ₄ "	2	RROC2WSD108 () () ()	3,501.	3,851.	4,026.	4,201.	4,551.	5,053.	6,569.



Cabinet Hung Shelf with Wood/Laminate Sliding Door Right Hand	60"	15"	14 ³ / ₄ "	1	RROCWSDR60GB () () ()	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	1	RROCWSDR72GB () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.




Cabinet Hung Shelf with Wood/Laminate Sliding Door Left Hand	60"	15"	14 ³ / ₄ "	1	RROCWSDL60GB () () ()	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	1	RROCWSDL72GB () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.



Order Code	Specification Information	Application Notes
Example: RROCWSDR60GB	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet pull only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted or Plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish: L, V1, V2, V3	Installation instruction sheets available on Knoll Exchange.
WSDR Wood/Lam. Sliding Door	4. Front finish: L, V1, V2, V3	For Cabinet hung overheads, refer to part number 6TP00080.
60 60" wide	Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.	For overhead with sliding doors, refer to part number 6TP00088.
GB Gable Both		All sliding doors including wood, laminate and glass are non-locking. Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 565.
G Pull Option		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
115 Pull Finish		For progressive overheads, LED light is recommended without fascia.
V316 Case Finish		
V316 Front Finish		

Overhead storage


Progressive Overheads
 28³/₈" planning
 Cabinet Hung with open shelf

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Open Shelf Closed Ends 	60"	15"	14 ³ / ₄ "	RROCOS60GB () ()	\$1,568.	\$2,037.	\$2,343.	\$3,046.
	72"	15"	14 ³ / ₄ "	RROCOS72GB () ()	1,671.	2,172.	2,498.	3,248.
	90"	15"	14 ³ / ₄ "	RROCOS90GB () ()	1,821.	2,368.	2,723.	3,540.
	108"	15"	14 ³ / ₄ "	RROCOS108GB () ()	2,071.	2,693.	3,097.	4,026.


Order Code	Specification Information	Application Notes
Example: RROCOS60GB () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Finish type: L = Laminate	
O Overhead	1 = V1	Above sizes are nominal.
C Cabinet Hung	2 = V2	Installation instruction sheets available on Knoll Exchange.
OS Open shelf	3 = V3	For Cabinet hung overheads, refer to part number 6TP00080.
60 60" wide	2. Finish	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
2 Finish type	Product on this page will accept wood grain laminate, where laminate is currently an option.	
V316 Case Finish	List price for wood grain laminate options will be current published laminate list price plus 10%.	

Progressive Overheads
 28³/₈" planning
 Wall Hung with glass door


description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ³ / ₄ "	1	RROMGSD90GN () () () () ()	\$2,861.	\$3,434.	\$3,949.	\$5,134.
	108"	15"	14 ³ / ₄ "	1	RROMGSD108GN () () () () ()	3,246.	3,894.	4,479.	5,823.



Wall Hung Shelf with Glass Sliding Door Gable Right	60"	15"	14 ³ / ₄ "	1	RROMGSD60GR () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	1	RROMGSD72GR () () () () ()	2,726.	3,271.	3,763.	4,890.



Wall Hung Shelf with Glass Sliding Door Gable Left	60"	15"	14 ³ / ₄ "	1	RROMGSD60GL () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	1	RROMGSD72GL () () () () ()	2,726.	3,271.	3,763.	4,890.



Order Code	
Example: RROMGSD90GN ()	
RR	Reff
O	Overhead
M	Wall hung
GSD	Glass sliding door
90	90" wide
GN	No gable
G	Pull Option
115	Pull Finish
V319	Case Finish
AP	Door Frame Finish
GL11	Glass Finish

Specification Information
To order please specify
1. Pull option: Grommet
2. Pull finish: 115
3. Case finish: V319
4. Door frame: Anodized / painted
5. Glass finish:
GL11 = Black
GL14 = Folkstone Grey
GL15 = Med. Grey
GL18 = White
Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Application Notes
These products are Glue and Dowel Construction.
Above sizes are nominal.
All sliding doors including wood, laminate and glass are non-locking.
Installation instruction sheets available on Knoll Exchange.
For overheads with sliding doors, refer to part number 6TP00088.
For progressive overheads, LED light is recommended without fascia.
Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 565.
Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.


Progressive Overheads

Reff Profiles


28^{3/8}" planning

Wall Hung with glass door closed ends


description	w	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ^{3/4} "	1	RROMGSD90GB () () () ()	\$3,203.	\$3,684.	\$4,236.	\$5,507.
	108"	15"	14 ^{3/4} "	1	RROMGSD108GB () () () ()	3,598.	4,138.	4,758.	6,185.




Wall Hung Shelf with 2 Glass Sliding Doors	90"	15"	14 ^{3/4} "	2	RROM2GSD90 () () () () ()	4,450.	4,895.	5,313.	6,907.
	108"	15"	14 ^{3/4} "	2	RROM2GSD108 () () () () ()	5,046.	5,550.	5,953.	7,739.



Wall Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ^{3/4} "	1	RROMGSDR60GB () () () ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ^{3/4} "	1	RROMGSDR72GB () () () ()	2,834.	3,259.	3,747.	4,872.




Wall Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ^{3/4} "	1	RROMGSDL60GB () () () ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ^{3/4} "	1	RROMGSDL72GB () () () ()	2,834.	3,259.	3,747.	4,872.




Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet	For progressive overheads, LED light is recommended without fascia.
O Overhead	2. Pull finish: 115	Above sizes are nominal.
M Wall hung	3. Case finish: V319	All sliding doors including wood, laminate and glass are non-locking.
GSD Glass sliding door	4. Door frame: Anodized / painted	Installation instruction sheets available on Knoll Exchange.
90 90" wide	5. Glass finish:	For overheads with sliding doors, refer to part number 6TP00088.
GN No gable	GL11 = Black	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
G Pull Option	GL14 = Folkstone Grey	
115 Pull Finish	GL15 = Med. Grey	
V319 Case Finish	GL18 = White	
AP Door Frame Finish	Product on this page will accept wood grain laminate, where laminate is currently an option.	
GL11 Glass Finish	List price for wood grain laminate options will be current published laminate list price plus 10%.	

Progressive Overheads
 28³/₈" planning
 Wall Hung with wood door


description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood / Laminate Sliding Door	90"	15"	14 ³ / ₄ "	1	RROMWSD90GN() () () () () ()	\$2,651.	\$2,917.	\$3,050.	\$3,182.	\$3,182.	\$3,660.	\$4,758.
	108"	15"	14 ³ / ₄ "	1	RROMWSD108GN() () () () () ()	2,989.	3,288.	3,437.	3,586.	3,586.	4,126.	5,362.




Wall Hung Shelf with Wood/Laminate Sliding Door Gable Right	60"	15"	14 ³ / ₄ "	1	RROMWSD60GR() () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	1	RROMWSD72GR() () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.



Wall Hung Shelf with Wood/Laminate Sliding Door Gable Left	60"	15"	14 ³ / ₄ "	1	RROMWSD60GL() () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 ³ / ₄ "	1	RROMWSD72GL() () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.



Wall Hung Shelf with Wood/Laminate Sliding Door Closed Ends	90"	15"	14 ³ / ₄ "	1	RROMWSD90GB() () () () () ()	2,746.	3,021.	3,158.	3,295.	3,433.	3,947.	5,131.
	108"	15"	14 ³ / ₄ "	1	RROMWSD108GB() () () () () ()	3,063.	3,370.	3,523.	3,676.	3,830.	4,403.	5,725.




Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	No lock option at this time.
M Wall mount	3. Case finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	Installation instruction sheets available on Knoll Exchange.
90 90" wide	Product on this page will accept wood grain laminate, where laminate is currently an option.	For overheads with sliding doors, refer to part number 6TP00088.
GB Gable both	List price for wood grain laminate options will be current published laminate list price plus 10%.	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 565.
G Pull Option		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
115 Pull Finish		For progressive overheads, LED light is recommended without fascia.
V319 Case Finish		
V319 Door Finish		


Progressive Overheads
 28³/₈" planning
 Wall Hung with wood door

Reff Profiles


description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood/Laminate Sliding Door right Closed Ends	60"	15"	14 ³ / ₄ "	1	RROMWSDR60GB () () () ()	\$2,213.	\$2,435.	\$2,546.	\$2,656.	\$2,767.	\$3,182.	\$4,136.
	72"	15"	14 ³ / ₄ "	1	RROMWSDR72GB () () () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.



Wall Hung Shelf with Wood/Laminate Sliding Door left Closed Ends	60"	15"	14 ³ / ₄ "	1	RROMWSDL60GB () () () ()	2,213.	2,435.	2,546.	2,656.	2,767.	3,182.	4,136.
	72"	15"	14 ³ / ₄ "	1	RROMWSDL72GB () () () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.




Wall Hung Shelf with 2 Wood/Laminate Sliding Doors	90"	15"	14 ³ / ₄ "	2	RROM2WSD90 () () () () () ()	3,390.	3,729.	3,898.	4,068.	4,271.	4,778.	6,212.
	108"	15"	14 ³ / ₄ "	2	RROM2WSD108 () () () () () ()	3,805.	4,186.	4,376.	4,567.	4,795.	5,297.	6,886.



Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	No lock option at this time.
M Wall mount	3. Case finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	Installation instruction sheets available on Knoll Exchange.
90 90" wide	Product on this page will accept wood grain laminate, where laminate is currently an option.	For overheads with sliding doors, refer to part number 6TP00088.
GB Gable both	List price for wood grain laminate options will be current published laminate list price plus 10%.	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 565.
G Pull Option		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
115 Pull Finish		For progressive overheads, LED light is recommended without fascia.
V319 Case Finish		
V319 Door Finish		

Progressive Overheads
 28³/₈" planning
 Wall Hung L-Shelf

description	w	d	h	pattern no.	L	V1	V2	V3
 L-Shelf	60"	15"	14 ³ / ₄ "	RRML60() ()	\$850.	\$1,020.	\$1,173.	\$1,525.
	72"	15"	14 ³ / ₄ "	RRML72() ()	945.	1,143.	1,303.	1,694.
	90"	15"	14 ³ / ₄ "	RRML90() ()	1,068.	1,282.	1,474.	1,917.
	108"	15"	14 ³ / ₄ "	RRML108() ()	1,223.	1,468.	1,688.	2,194.

Order Code

Example:	RRML60() ()
RR	Reff Refresh
M	Wall Hung
L	L-Shelf
60	60" Wide
L	Finish Type
114	Finish

Specification Information

To order please specify pattern number including:

1. Finish type: L, V1, V2, V3
2. Finish = 114

Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Application Notes

These products are Glue and Dowel Construction

Shipped knocked down.

Hardware kit included.

Installation instruction sheets available on Knoll Exchange.

Installation instruction sheet, refer to part number 6TP00083

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 565.


The woodgrain on the L-Shelves, run perpendicular to the length.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.


For progressive overheads, LED light is recommended without fascia.

Progressive Overheads
 28³/₈" planning
 Wall Hung Open Shelf


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Open Shelf Left Gable	60"	15"	14 ³ / ₄ "	RROMOS60GL()	\$1,689.	\$1,943.	\$2,234.	\$2,904.
	72"	15"	14 ³ / ₄ "	RROMOS72GL()	1,879.	2,161.	2,485.	3,231.




Wall Hung Open Shelf Right Gable	60"	15"	14 ³ / ₄ "	RROMOS60GR()	1,689.	1,943.	2,234.	2,904.
	72"	15"	14 ³ / ₄ "	RROMOS72GR()	1,879.	2,161.	2,485.	3,231.



Wall Hung Open Shelf Closed Ends Left&Right Gable	60"	15"	14 ³ / ₄ "	RROMOS60GB()()	1,609.	2,091.	2,405.	3,126.
	72"	15"	14 ³ / ₄ "	RROMOS72GB()()	1,748.	2,273.	2,614.	3,398.
	90"	15"	14 ³ / ₄ "	RROMOS90GB()()	2,058.	2,675.	3,077.	3,999.
	108"	15"	14 ³ / ₄ "	RROMOS108GB()()	2,212.	2,876.	3,307.	4,299.



Wall Hung Open Shelf No Gable	90"	15"	14 ³ / ₄ "	RROMOS90GN()	2,138.	2,459.	2,827.	3,676.
	108"	15"	14 ³ / ₄ "	RROMOS108GN()	2,364.	2,718.	3,126.	4,063.



Example: RROMOS60GL()()
RR Reff
O Overhead
M Wall Hung
OS Open shelf
60 60" wide
GL Gable Left
V316 Case Finish

To order please specify *pattern number including:*

1. Case finish:

Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

These products are Glue and Dowel Construction.

Above sizes are nominal.

Sliding door is non-locking.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

For progressive overheads, LED light is recommended without fascia.



Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.



Please refer to wall mounting information on page 565.

Transaction tops for use with 42" H panel heights

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24(-)(-)	\$333.	\$344.	\$344.	\$396.	\$535.
	30"	15"	1 1/4"	RTTA30(-)(-)	364.	374.	374.	433.	584.
	36"	15"	1 1/4"	RTTA36(-)(-)	396.	410.	410.	470.	637.
	42"	15"	1 1/4"	RTTA42(-)(-)	428.	441.	441.	507.	683.
	48"	15"	1 1/4"	RTTA48(-)(-)	456.	475.	475.	545.	735.
	54"	15"	1 1/4"	RTTA54(-)(-)	488.	506.	506.	580.	783.
	60"	15"	1 1/4"	RTTA60(-)(-)	520.	537.	537.	620.	837.
	66"	15"	1 1/4"	RTTA66(-)(-)	552.	569.	569.	654.	883.
	72"	15"	1 1/4"	RTTA72(-)(-)	581.	602.	602.	692.	934.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	RTTAWF24(-)(-)			687.	790.	1,067.
	30"	15"	1 1/4"	RTTAWF30(-)(-)			753.	867.	1,171.
	36"	15"	1 1/4"	RTTAWF36(-)(-)			816.	941.	1,270.
	42"	15"	1 1/4"	RTTAWF42(-)(-)			880.	1,012.	1,366.
	48"	15"	1 1/4"	RTTAWF48(-)(-)			948.	1,090.	1,471.
	54"	15"	1 1/4"	RTTAWF54(-)(-)			1,010.	1,160.	1,566.
	60"	15"	1 1/4"	RTTAWF60(-)(-)			1,076.	1,237.	1,671.
	66"	15"	1 1/4"	RTTAWF66(-)(-)			1,138.	1,310.	1,769.
	72"	15"	1 1/4"	RTTAWF72(-)(-)			1,204.	1,383.	1,867.



Not available in laminate or mixed finishes

Order Code	Specification Information	Application Notes
Example: RTTA24 (-)(-)	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42" h panel or overall panel height achieved from 34" h base panel plus 8" h stacking module. Transaction tops ship with necessary bracketry included.
R Reff	1. Width	No grommets included.
TT Transaction top	2. Type: L = Left side Mitre R = Right side Mitre S = Straight	Tops may be used to span more than one consecutive panel.
24 24" wide	3. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the tops. This can be done in the field or through Custom Product Development.
L Type, left side Mitre	4. Finish = Laminate or Veneer	Applicable finishes are listed on page 5 and 6.
2 V2 finish		Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
V316 Light Maple finish		

Transaction tops

Brackets for Alternative Material

Reff Profiles


description	w	h	pattern no.	list
Attachment Bracketry			RAMTB	\$59.
* Each panel need 2 brackets				
Foam Tape			RAMTT	23.
Transaction Top Bracket			RAMTC24()	43.
Cover			RAMTC30()	46.
			RAMTC36()	49.
			RAMTC42()	53.
			RAMTC48()	56.
			RAMTC54()	59.
			RAMTC60()	62.
			RAMTC66()	66.
			RAMTC72()	68.
Transaction Top Bracket			RAMTCH24()	59.
Cover Hilo			RAMTCH30()	62.
			RAMTCH36()	66.
			RAMTCH42()	69.
			RAMTCH48()	72.
			RAMTCH54()	75.
			RAMTCH60()	78.
			RAMTCH66()	81.
			RAMTCH72()	83.

Order Code	Specification Information	Application Notes
Example: RAMTC	<i>To order please specify pattern number including:</i>	Spline piece included in the right "R" hand pattern number.
R Reff		When a solid material is installed the "RAMTB" is required.
A Alternative	1. End treatment option	When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.
M Material	2. Finish type: Core paint finishes	
T Transaction Top		
C Cover		
24 Width		
L/R/M Left/Right/Mitered		

Gallery desk surrounds


1 1/4" worksurface

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,369.	\$1,630.	\$1,630.	\$1,792.	\$1,877.	\$2,421.	\$2,534.
	68"	25"	42"	RGAF682-()	1,416.	1,689.	1,689.	1,856.	1,945.	2,504.	2,625.
	74"	25"	42"	RGAF742-()	1,469.	1,754.	1,754.	1,926.	2,016.	2,601.	2,719.
	80"	25"	42"	RGAF802-()	1,522.	1,811.	1,811.	1,987.	2,086.	2,683.	2,815.
	86"	25"	42"	RGAF862-()	1,569.	1,874.	1,874.	2,052.	2,155.	2,770.	2,909.
	92"	25"	42"	RGAF922-()	1,621.	1,935.	1,935.	2,118.	2,225.	2,858.	3,001.
	98"	25"	42"	RGAF982-()	1,673.	1,995.	1,995.	2,186.	2,297.	2,950.	3,100.
	62"	31"	42"	RGAF623-()	1,455.	1,735.	1,735.	1,901.	1,996.	2,567.	2,694.
	68"	31"	42"	RGAF683-()	1,511.	1,805.	1,805.	1,977.	2,075.	2,669.	2,803.
	74"	31"	42"	RGAF743-()	1,568.	1,873.	1,873.	2,052.	2,153.	2,770.	2,906.
	80"	31"	42"	RGAF803-()	1,625.	1,935.	1,935.	2,124.	2,229.	2,868.	3,009.
	86"	31"	42"	RGAF863-()	1,684.	2,007.	2,007.	2,199.	2,309.	2,969.	3,119.
	92"	31"	42"	RGAF923-()	1,740.	2,076.	2,076.	2,271.	2,387.	3,066.	3,222.
	98"	31"	42"	RGAF983-()	1,797.	2,143.	2,143.	2,349.	2,463.	3,172.	3,325.




If shelf is not ordered and no drillings are required, you must order through specials.

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Shelf for above (uses keyhole) attachment hardware	60"	12"	1"	RGS60-()	331.	n/a	394.	n/a	456.	n/a	616.
	66"	12"	1"	RGS66-()	343.	n/a	409.	n/a	470.	n/a	637.
	72"	12"	1"	RGS72-()	354.	n/a	423.	n/a	485.	n/a	655.
	78"	12"	1"	RGS78-()	365.	n/a	435.	n/a	502.	n/a	676.
	84"	12"	1"	RGS84-()	373.	n/a	449.	n/a	515.	n/a	695.
	90"	12"	1"	RGS90-()	386.	n/a	459.	n/a	528.	n/a	713.
	96"	12"	1"	RGS96-()	396.	n/a	471.	n/a	542.	n/a	733.



description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Bridge top assembly	42"	21"	42"	RGAB421-()	781.	929.	929.	1,003.	1,068.	1,355.	1,441.
	48"	21"	42"	RGAB481-()	836.	994.	994.	1,071.	1,143.	1,446.	1,542.
	54"	21"	42"	RGAB541-()	890.	1,059.	1,059.	1,145.	1,218.	1,545.	1,645.
	60"	21"	42"	RGAB601-()	943.	1,124.	1,124.	1,218.	1,297.	1,645.	1,749.
	66"	21"	42"	RGAB661-()	999.	1,191.	1,191.	1,286.	1,370.	1,737.	1,848.
	72"	21"	42"	RGAB721-()	1,052.	1,254.	1,254.	1,359.	1,441.	1,834.	1,946.
	78"	21"	42"	RGAB781-()	1,103.	1,318.	1,318.	1,431.	1,516.	1,932.	2,047.
	84"	21"	42"	RGAB841-()	1,158.	1,379.	1,379.	1,494.	1,587.	2,016.	2,143.
	90"	21"	42"	RGAB901-()	1,209.	1,442.	1,442.	1,566.	1,659.	2,113.	2,241.
	96"	21"	42"	RGAB961-()	1,259.	1,502.	1,502.	1,629.	1,729.	2,200.	2,334.



Order Code	Specification Information	Application Notes
Example: RGAF622NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, components: (surround components)</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type, top	1 = V1
A 1 1/4" top thickness	3. Finish type, components	2 = V2
F Freestanding	4. Finish, top	3 = V3
62 62" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
2 25" deep	<i>1. Grommet options:</i>	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type top, laminate	F = Flush front grommet	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
L Finish type components		Hardware included.
114 Folkstone grey (top)	<i>2. Finish type, top:</i>	Shipped knocked-down.
114 Folkstone grey (components)	L = Laminate	
	M = Mixed (laminate top w/wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.

Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.


Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

Reff Profiles

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431- () ()	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	RGAR491- () ()	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	RGAR551- () ()	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	RGAR611- () ()	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	RGAR671- () ()	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	RGAR731- () ()	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	RGAR791- () ()	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	RGAR851- () ()	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	RGAR911- () ()	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	RGAR971- () ()	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
25"	43"	42"	RGAR432- () ()	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.	
	49"	42"	RGAR492- () ()	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.	
	55"	42"	RGAR552- () ()	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.	
	61"	42"	RGAR612- () ()	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.	
	67"	42"	RGAR672- () ()	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.	
	73"	42"	RGAR732- () ()	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.	
	79"	42"	RGAR792- () ()	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.	
	85"	42"	RGAR852- () ()	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.	
	91"	42"	RGAR912- () ()	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.	
	97"	42"	RGAR972- () ()	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.	
31"	43"	42"	RGAR433- () ()	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.	
	49"	42"	RGAR493- () ()	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.	
	55"	42"	RGAR553- () ()	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.	
	61"	42"	RGAR613- () ()	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.	
	67"	42"	RGAR673- () ()	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.	
	73"	42"	RGAR733- () ()	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.	
	79"	42"	RGAR793- () ()	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.	
	85"	42"	RGAR853- () ()	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.	
	91"	42"	RGAR913- () ()	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.	
	97"	42"	RGAR973- () ()	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.	




Order Code	Specification Information	Application Notes
Example: RGAR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components	<i>2. Finish type top:</i>	Hardware included.
	L = Laminate	Gallery desk surrounds are available with waterfall edge as a standard special.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431- () ()	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	RGAL491- () ()	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	RGAL551- () ()	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	RGAL611- () ()	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	RGAL671- () ()	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	RGAL731- () ()	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	RGAL791- () ()	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	RGAL851- () ()	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	RGAL911- () ()	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	RGAL971- () ()	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
25"	43"	42"	RGAL432- () ()	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.	
	49"	42"	RGAL492- () ()	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.	
	55"	42"	RGAL552- () ()	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.	
	61"	42"	RGAL612- () ()	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.	
	67"	42"	RGAL672- () ()	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.	
	73"	42"	RGAL732- () ()	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.	
	79"	42"	RGAL792- () ()	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.	
	85"	42"	RGAL852- () ()	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.	
	91"	42"	RGAL912- () ()	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.	
	97"	42"	RGAL972- () ()	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.	
31"	43"	42"	RGAL433- () ()	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.	
	49"	42"	RGAL493- () ()	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.	
	55"	42"	RGAL553- () ()	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.	
	61"	42"	RGAL613- () ()	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.	
	67"	42"	RGAL673- () ()	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.	
	73"	42"	RGAL733- () ()	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.	
	79"	42"	RGAL793- () ()	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.	
	85"	42"	RGAL853- () ()	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.	
	91"	42"	RGAL913- () ()	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.	
	97"	42"	RGAL973- () ()	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.	




Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components	2. <i>Finish type top:</i>	Hardware included.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		Gallery desk surrounds are available with waterfall edge as a standard special.
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

gallery towers

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	RGTL4636() () () ()	\$2,545.	\$3,143.	\$3,612.	\$4,877.



Actual depth of Gallery Tower is 32"

Gallery Tower, right hand	32"	12"	46"	RGTR4636() () () ()	2,545.	3,143.	3,612.	4,877.
---------------------------	-----	-----	-----	-------------------------------	--------	--------	--------	--------

Actual depth of Gallery Tower is 32"

Order Code

Example: RGTL46362V319CL	
R	Reff
GT	Gallery Tower
L	Left hand
46	46" h
36	36" d
2	V2 finish type
V319	Medium Cherry
C	C-pull
L	Lock

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. Pull option
4. Pull finish (if applicable)
5. Lock option

1. *Finish type:*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

3. *Pull options:*
 D = Metal D-pull
 J = Routed J-pull
 C = Nickel finish C-pull (nickel finish only)
 S = Stainless steel finish S-pull (stainless steel finish only)

Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 3/8" desk height products.

Application Notes

Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .

Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d



Overall depth includes top overhang, accommodates 30" d worksurfaces.

Gallery towers are to be used with panel applications.

Classic Desks, 26½" h and 28⅜" h With Full Recessed Modesty

Reff Profiles

Classic Desks

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26½"	RCDFMR60301 () () ()	\$1,616.	\$2,667.	\$3,067.	\$3,987.
	30"	72"	26½"	RCDFMR72301 () () ()	1,696.	2,799.	3,219.	4,184.
	30"	84"	26½"	RCDFMR84301 () () ()	1,771.	2,922.	3,360.	4,369.
	30"	96"	26½"	RCDFMR96301 () () ()	1,840.	3,036.	3,492.	4,539.
	36"	60"	26½"	RCDFMR60361 () () ()	1,711.	2,823.	3,246.	4,220.
	36"	72"	26½"	RCDFMR72361 () () ()	1,795.	2,962.	3,407.	4,429.
	36"	84"	26½"	RCDFMR84361 () () ()	1,875.	3,094.	3,558.	4,626.
	36"	96"	26½"	RCDFMR96361 () () ()	1,951.	3,218.	3,701.	4,811.
	30"	60"	28⅜"	RCDFMR60302 () () ()	1,641.	2,708.	3,114.	4,048.
	30"	72"	28⅜"	RCDFMR72302 () () ()	1,723.	2,843.	3,269.	4,250.
	30"	84"	28⅜"	RCDFMR84302 () () ()	1,799.	2,969.	3,414.	4,438.
	30"	96"	28⅜"	RCDFMR96302 () () ()	1,870.	3,086.	3,549.	4,614.
	36"	60"	28⅜"	RCDFMR60362 () () ()	1,738.	2,868.	3,298.	4,287.
	36"	72"	28⅜"	RCDFMR72362 () () ()	1,825.	3,011.	3,467.	4,501.
	36"	84"	28⅜"	RCDFMR84362 () () ()	1,906.	3,145.	3,417.	4,702.
	36"	96"	28⅜"	RCDFMR96362 () () ()	1,983.	3,273.	3,763.	4,893.

Order Code

Example:	RCDFMR60301
R	Reff
CD	Classic Desk
FMR	Full Modesty Recessed
60	Width
30	Depth
1	26½" high, 2 = 28⅜" high
()	Grommet Option
()	Grommet Finish
()	Finish

Specification Information

To order please specify pattern number including:

- Grommet Option
F=Flush or Standard Corner location
N=No Grommet
R=Recessed Grommet
- Grommet Finish:
Painted or Plated
- Finish: L,V1,V2,V3

Classic Desks ship knocked down, with all hardware.

Worksurface is 1½" thick.

Grommets are located 20" in from the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Lower storage sold separately.

26½" high desk will only work with 26½" high lower storage.

28⅜" high desk will only work with 28⅜" high lower storage.

30" deep desk with recessed modesty will accept 20" and 24" deep pedestals.



36" deep desk with recessed modesty will accept 20", 24" and 30" deep pedestals.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Classic Desks, 26 1/2" h and 28 3/8" h With Half Recessed Modesty



Reff Profiles

description	d	w	h	y	pattern number	L	V1	V2	V3	
	Classic Desk Half Modesty Recessed 26 1/2"									
	30"	60"	26 1/2"	1.8	RCDHMR60301() ()	\$1,567.	\$2,586.	\$2,973.	\$3,865.	
	30"	72"	26 1/2"	2.1	RCDHMR72301() ()	1,634.	2,696.	3,100.	4,030.	
	30"	84"	26 1/2"	2.6	RCDHMR84301() ()	1,700.	2,804.	3,225.	4,192.	
	30"	96"	26 1/2"	2.8	RCDHMR96301() ()	1,756.	2,897.	3,332.	4,331.	
	36"	60"	26 1/2"	1.8	RCDHMR60361() ()	1,661.	2,741.	3,152.	4,098.	
	36"	72"	26 1/2"	2.1	RCDHMR72361() ()	1,733.	2,859.	3,288.	4,275.	
	36"	84"	26 1/2"	2.6	RCDHMR84361() ()	1,804.	2,976.	3,423.	4,450.	
	36"	96"	26 1/2"	2.8	RCDHMR96361() ()	1,866.	3,079.	3,541.	4,603.	
	Classic Desk Half Modesty Recessed 28 3/8"									
	30"	60"	28 3/8"	1.8	RCDHMR60302() ()	1,583.	2,612.	3,003.	3,904.	
	30"	72"	28 3/8"	2.1	RCDHMR72302() ()	1,650.	2,722.	3,130.	4,069.	
	30"	84"	28 3/8"	2.6	RCDHMR84302() ()	1,715.	2,830.	3,255.	4,231.	
	30"	96"	28 3/8"	2.8	RCDHMR96302() ()	1,772.	2,923.	3,362.	4,370.	
	36"	60"	28 3/8"	1.8	RCDHMR60362() ()	1,680.	2,771.	3,187.	4,143.	
	36"	72"	28 3/8"	2.1	RCDHMR72362() ()	1,751.	2,890.	3,323.	4,320.	
	36"	84"	28 3/8"	2.6	RCDHMR84362() ()	1,822.	3,007.	3,458.	4,495.	
	36"	96"	28 3/8"	2.8	RCDHMR96362() ()	1,885.	3,109.	3,576.	4,649.	

Order Code	Specification Information	Application Notes
Example: RCDFMR60301	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
R Reff	1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet	Worksurface is 1 1/2" thick.
CD Classic Desk	2. Grommet Finish: Painted or Plated	Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.
FMR Full Modesty Recessed	3. Finish: L,V1,V2,V3	Lower storage sold separately.
60 Width		26 1/2" high desk will only work with 26 1/2" high lower storage.
30 Depth		28 3/8" high desk will only work with 28 3/8" high lower storage.
1 26 1/2" high, 2 = 28 3/8" high		Classic desks with quarter recessed modesty, accepts <u>NO</u> lower storage.
() Grommet Option		Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
() Grommet Finish		Product on this page Excluding any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
() Finish		

Classic Desks, 26 1/2" h and 28 3/8" h With Quarter Recessed Modesty

Reff Profiles



description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	RCDQMR60301() () ()	\$1,497.	\$2,470.	\$2,841.	\$3,693.
	30"	72"	26 1/2"	RCDQMR72301() () ()	1,554.	2,565.	2,949.	3,824.
	30"	84"	26 1/2"	RCDQMR84301() () ()	1,608.	2,654.	3,052.	3,967.
	30"	96"	26 1/2"	RCDQMR96301() () ()	1,655.	2,731.	3,141.	4,083.
	36"	60"	26 1/2"	RCDQMR60361() () ()	1,591.	2,626.	3,020.	3,925.
	36"	72"	26 1/2"	RCDQMR72361() () ()	1,654.	2,728.	3,138.	4,079.
	36"	84"	26 1/2"	RCDQMR84361() () ()	1,712.	2,826.	3,249.	4,224.
	36"	96"	26 1/2"	RCDQMR96361() () ()	1,766.	2,913.	3,350.	4,355.
	30"	60"	28 3/8"	RCDQMR60302() () ()	1,513.	2,496.	2,871.	3,732.
	30"	72"	28 3/8"	RCDQMR72302() () ()	1,570.	2,591.	2,979.	3,873.
	30"	84"	28 3/8"	RCDQMR84302() () ()	1,624.	2,680.	3,082.	4,006.
	30"	96"	28 3/8"	RCDQMR96302() () ()	1,671.	2,757.	3,171.	4,122.
	36"	60"	28 3/8"	RCDQMR72362() () ()	1,610.	2,656.	3,054.	3,971.
	36"	72"	28 3/8"	RCDQMR60362() () ()	1,672.	2,759.	3,172.	4,124.
	36"	84"	28 3/8"	RCDQMR84362() () ()	1,731.	2,856.	3,284.	4,270.
	36"	96"	28 3/8"	RCDQMR96362() () ()	1,784.	2,944.	3,385.	4,401.

Classic Desks

Order Code	Specification Information	Application Notes
Example: RCDFMR60301	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
R Reff	1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet	Worksurface is 1 1/2" thick.
CD Classic Desk	2. Grommet Finish: Painted or Plated	Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.
FMR Full Modesty Recessed	3. Finish: L,V1,V2,V3	Lower storage sold separately.
60 Width		26 1/2" high desk will only work with 26 1/2" high lower storage.
30 Depth		28 3/8" high desk will only work with 28 3/8" high lower storage.
1 26 1/2" high, 2 = 28 3/8" high		Classic desks with quarter recessed modesty accepts <u>NO</u> lower storage.
() Grommet Option		Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
() Grommet Finish		Product on this page Excluding any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
() Finish		

Classic Desks, 26½" h and 28⅜" h With Full Flush Modesty

Reff Profiles


description	d	w	h	pattern no.	L	V1	V2	V3
 Classic Desk Full Modesty Flush 26½"	30"	60"	26½"	RCDFMF60301 () ()	\$1,616.	\$2,667.	\$3,067.	\$3,987.
	30"	72"	26½"	RCDFMF72301 () ()	1,696.	2,799.	3,219.	4,184.
	30"	84"	26½"	RCDFMF84301 () ()	1,771.	2,922.	3,360.	4,369.
	30"	96"	26½"	RCDFMF96301 () ()	1,840.	3,036.	3,492.	4,539.
	36"	60"	26½"	RCDFMF60361 () ()	1,616.	2,667.	3,067.	3,987.
	36"	72"	26½"	RCDFMF72361 () ()	1,696.	2,799.	3,219.	4,184.
	36"	84"	26½"	RCDFMF84361 () ()	1,771.	2,922.	3,360.	4,369.
	36"	96"	26½"	RCDFMF96361 () ()	1,840.	3,036.	3,492.	4,539.
 Classic Desk Full Modesty Flush 28⅜"	30"	60"	28⅜"	RCDFMF60302 () ()	1,641.	2,708.	3,114.	4,048.
	30"	72"	28⅜"	RCDFMF72302 () ()	1,723.	2,843.	3,269.	4,250.
	30"	84"	28⅜"	RCDFMF84302 () ()	1,799.	2,969.	3,414.	4,438.
	30"	96"	28⅜"	RCDFMF96302 () ()	1,870.	3,086.	3,549.	4,614.
	36"	60"	28⅜"	RCDFMF60362 () ()	1,641.	2,708.	3,114.	4,048.
	36"	72"	28⅜"	RCDFMF72362 () ()	1,723.	2,843.	3,269.	4,250.
	36"	84"	28⅜"	RCDFMF84362 () ()	1,799.	2,969.	3,414.	4,438.
	36"	96"	28⅜"	RCDFMF96362 () ()	1,870.	3,086.	3,549.	4,614.


Order Code	
Example: RCDFMR60301	
R	Reff
CD	Classic Desk
FMR	Full Modesty Recessed
60	Width
30	Depth
1	26½" high, 2 = 28⅜" high
()	Grommet Option
()	Grommet Finish
()	Finish


Specification Information
<i>To order please specify pattern number including:</i>
1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet
2. Grommet Finish: Painted or Plated
3. Finish: L,V1,V2,V3

Application Notes
Classic Desks ship knocked down, with all hardware.
Worksurface is 1½" thick.
Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.
Lower storage sold separately.
26½" high desk will only work with 26½" high lower storage.
28⅜" high desk will only work with 28⅜" high lower storage.
30" deep desk with flush modesty can accept up to 29" deep pedestals.
36" deep desk with flush modesty can accept up to 30" deep pedestals.
Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
Product on this page Excluding any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Single pedestal desks
27³/₄" high overall
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W)()1() () () () ()	\$2,448.	\$2,804.	\$3,325.	\$2,588.	\$2,944.	\$3,464.
	72"	30"	RDSP7230J(A,B,W)()1() () () () ()	2,546.	2,948.	3,464.	2,686.	3,087.	3,605.
	84"	30"	RDSP8430J(A,B,W)()1() () () () ()	2,672.	3,115.	3,672.	2,812.	3,254.	3,811.
	96"	30"	RDSP9630J(A,B,W)()1() () () () ()	2,781.	3,263.	3,864.	2,920.	3,403.	4,003.

Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W)()1() () () () ()	2,598.	2,975.	3,610.	2,801.	3,176.	3,812.
	72"	36"	RDSP7236J(A,B,W)()1() () () () ()	2,718.	3,160.	3,799.	2,920.	3,362.	4,001.
	84"	36"	RDSP8436J(A,B,W)()1() () () () ()	2,841.	3,356.	3,995.	3,042.	3,557.	4,196.
	96"	36"	RDSP9636J(A,B,W)()1() () () () ()	2,950.	3,548.	4,183.	3,151.	3,749.	4,385.

Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W)()1() () () () ()	3,210.	3,440.	4,588.	3,411.	3,642.	4,789.
	72"	30"	RBSP7230J(A,B,W)()1() () () () ()	3,321.	3,575.	4,845.	3,523.	3,776.	5,045.
	84"	30"	RBSP8430J(A,B,W)()1() () () () ()	3,495.	3,773.	5,175.	3,696.	3,975.	5,376.
	96"	30"	RBSP9630J(A,B,W)()1() () () () ()	3,655.	3,966.	5,522.	3,856.	4,169.	5,724.

Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 1 = V1	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 599 for keying instructions.
R Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
Y316 Finish		
111 Pull Finish		
111 Grommet Finish		

30"D rectilinear desk pedestals are 24"D including modesty panel.

36"D rectilinear desk pedestals are 30"D including modesty panel.

Pedestals are 16"W when calculating knee space subtract 16" per pedestal.

Bowed front desk pedestals are 30"D with finished backs.

All desks are non-handed.


All hardware included.


All waterfall desks have waterfall detail on front and back.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Single pedestal desks
27³/₄" high overall
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W) ()2() () () () ()	\$2,911.	\$3,331.	\$3,947.	\$3,077.	\$3,496.	\$4,110.
	72"	30"	RDSP7230J(A,B,W) ()2() () () () ()	3,027.	3,501.	4,110.	3,192.	3,666.	4,277.
	84"	30"	RDSP8430J(A,B,W) ()2() () () () ()	3,174.	3,698.	4,356.	3,340.	3,861.	4,520.
	96"	30"	RDSP9630J(A,B,W) ()2() () () () ()	3,303.	3,873.	4,582.	3,468.	4,038.	4,746.

Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W) ()2() () () () ()	3,088.	3,533.	4,283.	3,327.	3,771.	4,521.
	72"	36"	RDSP7236J(A,B,W) ()2() () () () ()	3,230.	3,751.	4,506.	3,468.	3,989.	4,744.
	84"	36"	RDSP8436J(A,B,W) ()2() () () () ()	3,374.	3,983.	4,738.	3,612.	4,220.	4,975.
	96"	36"	RDSP9636J(A,B,W) ()2() () () () ()	3,503.	4,210.	4,958.	3,741.	4,447.	5,197.

Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W) ()2() () () () ()	3,810.	4,082.	5,437.	4,048.	4,320.	5,674.
	72"	30"	RBSP7230J(A,B,W) ()2() () () () ()	3,941.	4,242.	5,740.	4,180.	4,478.	5,977.
	84"	30"	RBSP8430J(A,B,W) ()2() () () () ()	4,147.	4,474.	6,131.	4,385.	4,713.	6,367.
	96"	30"	RBSP9630J(A,B,W) ()2() () () () ()	4,335.	4,703.	6,539.	4,573.	4,943.	6,777.

Order Code	Specification Information
Example: RDSP6030J (A,B,W)	
RD Reff desk	
SP Single pedestal	
60 60" wide	
30 30" deep	
J Box/box/file	
A 1 1/4" regular edge top	
R Recessed grommets	
2 Finish type	
W Wood interiors	
J Routed pulls	
L Lock	
V316 Finish	
111 Pull Finish	
111 Grommet Finish	

Order Code	Specification Information
	<i>To order, please specify pattern number including:</i>
1.	Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
2.	Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
3.	Finish type: 2 = V2
4.	Interior option: M = Metal W = Wood
5.	Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)

- Lock option:
L = Locks are always drilled for lock
- Veneer finish
- Pull Finish: Painted or plated
- Grommet finish: Painted or plated

Applicable finishes are listed on page 5 and 6.

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 599 for keying instructions.

These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Application Notes

30"D rectilinear desk pedestals are 24"D including modesty panel.

36"D rectilinear desk pedestals are 30"D including modesty panel.

Pedestals are 16"W when calculating knee space subtract 16" per pedestal.

Bowed front desk pedestals are 30"D with finished backs.

All desks are non-handed.

All hardware included.


All waterfall desks have waterfall detail on front and back.


These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Single pedestal desks
27³/₄" high overall
V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W) ()3() () () () ()	\$3,366.	\$3,855.	\$4,573.	\$3,559.	\$4,048.	\$4,763.
	72"	30"	RDSP7230J(A,B,W) ()3() () () () ()	3,501.	4,054.	4,763.	3,694.	4,245.	4,956.
	84"	30"	RDSP8430J(A,B,W) ()3() () () () ()	3,674.	4,283.	5,049.	3,866.	4,474.	5,240.
	96"	30"	RDSP9630J(A,B,W) ()3() () () () ()	3,824.	4,486.	5,313.	4,015.	4,679.	5,504.

Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W) ()3() () () () ()	3,573.	4,091.	4,964.	3,851.	4,368.	5,241.
	72"	36"	RDSP7236J(A,B,W) ()3() () () () ()	3,738.	4,345.	5,224.	4,015.	4,623.	5,501.
	84"	36"	RDSP8436J(A,B,W) ()3() () () () ()	3,906.	4,615.	5,494.	4,183.	4,891.	5,770.
	96"	36"	RDSP9636J(A,B,W) ()3() () () () ()	4,056.	4,879.	5,751.	4,333.	5,155.	6,444.

Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W) ()3() () () () ()	4,414.	4,730.	6,309.	4,690.	5,008.	6,585.
	72"	30"	RBSP7230J(A,B,W) ()3() () () () ()	4,566.	4,916.	6,661.	4,844.	5,193.	6,938.
	84"	30"	RBSP8430J(A,B,W) ()3() () () () ()	4,806.	5,188.	7,116.	5,083.	5,465.	7,393.
	96"	30"	RBSP9630J(A,B,W) ()3() () () () ()	5,025.	5,454.	7,593.	5,303.	5,733.	7,870.

Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
60 60" wide	3. Finish type: 3 = V3	8. Pull Finish: Painted or plated
30 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 599 for keying instructions.
R Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
3 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

30"D rectilinear desk pedestals are 24"D including modesty panel.

36"D rectilinear desk pedestals are 30"D including modesty panel.

Pedestals are 16"W when calculating knee space subtract 16" per pedestal.

Bowed front desk pedestals are 30"D with finished backs.

All desks are non-handed.


All hardware included.


All waterfall desks have waterfall detail on front and back.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

List price for wood grain laminate options will be current published laminate list price plus 10%.

Double pedestal desks
27³/₄" high overall
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)()1() () () () ()	\$3,165.	\$3,521.	\$4,042.	\$3,473.	\$3,828.	\$4,350.
	72"	30"	RDDP7230JK(A,B,W)()1() () () () ()	3,265.	3,665.	4,182.	3,572.	3,973.	4,489.
	84"	30"	RDDP8430JK(A,B,W)()1() () () () ()	3,389.	3,831.	4,388.	3,696.	4,137.	4,695.
	96"	30"	RDDP9630JK(A,B,W)()1() () () () ()	3,498.	3,981.	4,580.	3,805.	4,288.	4,887.

 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)()1() () () () ()	3,366.	3,742.	4,375.	3,366.	4,156.	4,792.
	72"	36"	RDDP7236JK(A,B,W)()1() () () () ()	3,486.	3,927.	4,565.	3,900.	4,342.	4,981.
	84"	36"	RDDP8436JK(A,B,W)()1() () () () ()	3,607.	4,122.	4,760.	4,022.	4,537.	5,175.
	96"	36"	RDDP9636JK(A,B,W)()1() () () () ()	3,715.	4,314.	4,948.	4,131.	4,729.	5,364.

 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)()1() () () () ()	3,749.	3,980.	5,126.	4,165.	4,394.	5,542.
	72"	30"	RBDP7230JK(A,B,W)()1() () () () ()	3,860.	4,114.	5,384.	4,274.	4,529.	5,797.
	84"	30"	RBDP8430JK(A,B,W)()1() () () () ()	4,035.	4,312.	5,714.	4,448.	4,727.	6,129.
	96"	30"	RBDP9630JK(A,B,W)()1() () () () ()	4,194.	4,506.	6,060.	4,609.	4,920.	6,475.


Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	36"D rectilinear desk pedestals are 30"D including modesty panel.
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	3. Finish type: 1 = V1	Bowed front desk pedestals are 30"D with finished backs.
30 30" deep	4. Interior option: M = Metal W = Wood	All desks are non-handed.
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	All hardware included.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	All waterfall desks have waterfall detail on front and back.
R Recessed grommet option	7. Veneer finish	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
1 Finish type	8. Pull Finish: Painted or plated	List price for wood grain laminate options will be current published laminate list price plus 10%.
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option	Applicable finishes are listed on page 5 and 6.	
L Lock option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 599 for keying instructions.	
Y319 Finish	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	
111 Pull Finish		
111 Grommet Finish		


Double pedestal desks


27³/₄" high overall

V2 finish options

Reff Profiles

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	RDDP6030JK(A,B,W)()2() () () ()	\$3,757.	\$4,178.	\$4,793.	\$4,120.	\$4,540.	\$5,156.
	72"	30"	RDDP7230JK(A,B,W)()2() () () ()	3,875.	4,348.	4,957.	4,237.	4,711.	5,320.
	84"	30"	RDDP8430JK(A,B,W)()2() () () ()	4,022.	4,543.	5,202.	4,385.	4,905.	5,564.
	96"	30"	RDDP9630JK(A,B,W)()2() () () ()	4,151.	4,720.	5,428.	4,513.	5,083.	5,791.

	60"	36"	RDDP6036JK(A,B,W)()2() () () ()	3,995.	4,438.	5,186.	4,484.	4,928.	5,677.
	72"	36"	RDDP7236JK(A,B,W)()2() () () ()	4,136.	4,657.	5,410.	4,625.	5,147.	5,901.
	84"	36"	RDDP8436JK(A,B,W)()2() () () ()	4,280.	4,886.	5,640.	4,769.	5,378.	6,131.
	96"	36"	RDDP9636JK(A,B,W)()2() () () ()	4,407.	5,113.	5,863.	4,898.	5,603.	6,353.

	60"	30"	RBDP6030JK(A,B,W)()2() () () ()	4,447.	4,719.	6,073.	4,938.	5,208.	6,563.
	72"	30"	RBDP7230JK(A,B,W)()2() () () ()	4,577.	4,877.	6,377.	5,066.	5,367.	6,865.
	84"	30"	RBDP8430JK(A,B,W)()2() () () ()	4,783.	5,111.	6,766.	5,273.	5,601.	7,256.
	96"	30"	RBDP9630JK(A,B,W)()2() () () ()	4,972.	5,341.	7,175.	5,462.	5,829.	7,664.


Preconfigured Refr
Desking


Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RD Reff desk	6. Lock option: L = Locks are always drilled for lock	36"D rectilinear desk pedestals are 30"D including modesty panel.
DP Double pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	8. Pull Finish: Painted or plated	Bowed front desk pedestals are 30"D with finished backs.
30 30" deep	9. Grommet finish: Painted or plated	All desks are non-handed.
J Box/box/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	All hardware included.
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	All waterfall desks have waterfall detail on front and back.
R Recessed grommet option	3. Finish type: 2 = V2	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
2 Finish type	4. Interior option: M = Metal W = Wood	List price for wood grain laminate options will be current published laminate list price plus 10%.
W Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		


Double pedestal desks

27³/₄" high overall

V3 finish options




description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)()3() () () () ()	\$4,353.	\$4,841.	\$5,558.	\$4,775.	\$5,264.	\$5,981.
	72"	30"	RDDP7230JK(A,B,W)()3() () () () ()	4,489.	5,040.	5,750.	4,911.	5,463.	6,173.
	84"	30"	RDDP8430JK(A,B,W)()3() () () () ()	4,660.	5,268.	6,034.	5,083.	5,689.	6,456.
	96"	30"	RDDP9630JK(A,B,W)()3() () () () ()	4,810.	5,474.	6,298.	5,233.	5,896.	6,720.

 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)()3() () () () ()	4,629.	5,145.	6,016.	5,198.	5,715.	6,589.
	72"	36"	RDDP7236JK(A,B,W)()3() () () () ()	4,794.	5,400.	6,276.	5,363.	5,970.	6,849.
	84"	36"	RDDP8436JK(A,B,W)()3() () () () ()	4,960.	5,668.	6,545.	5,530.	6,239.	7,116.
	96"	36"	RDDP9636JK(A,B,W)()3() () () () ()	5,109.	5,931.	6,804.	5,680.	6,503.	7,375.

 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)()3() () () () ()	5,155.	5,473.	7,049.	5,728.	6,041.	7,620.
	72"	30"	RBDP7230JK(A,B,W)()3() () () () ()	5,308.	5,656.	7,403.	5,876.	6,228.	7,971.
	84"	30"	RBDP8430JK(A,B,W)()3() () () () ()	5,548.	5,929.	7,856.	6,116.	6,500.	8,428.
	96"	30"	RBDP9630JK(A,B,W)()3() () () () ()	5,766.	6,196.	8,333.	6,338.	6,765.	8,903.

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	30"D rectilinear desk pedestals are 24"D including modesty panel.
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	3. Finish type: 3 = V3	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	4. Interior option: M = Metal W = Wood	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	All desks are non-handed.
A 1 1/4" regular edge top		All hardware included.
R Recessed grommet option		All waterfall desks have waterfall detail on front and back.
3 Finish type		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
W Wood interior option		List price for wood grain laminate options will be current published laminate list price plus 10%.
J Pull option		
L Lock option	6. Lock option: L = Locks are always drilled for lock	
V512 Finish	7. Veneer finish	
111 Pull Finish	8. Pull Finish: Painted or plated	
111 Grommet Finish	9. Grommet finish: Painted or plated	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 599 for keying instructions.	
	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	




Desk returns
27³/₄" high overall
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)()1() () () () ()	\$1,814.	\$2,098.	\$2,649.	\$1,982.	\$2,265.	\$2,817.
	42"	24"	RRSP4224K(A,B,W)()1() () () () ()	1,860.	2,180.	2,719.	2,028.	2,347.	2,887.
	48"	24"	RRSP4824K(A,B,W)()1() () () () ()	1,938.	2,282.	2,863.	2,105.	2,448.	3,030.
	54"	24"	RRSP5424K(A,B,W)()1() () () () ()	1,990.	2,338.	2,976.	2,158.	2,505.	3,144.
	60"	24"	RRSP6024K(A,B,W)()1() () () () ()	2,040.	2,390.	3,096.	2,208.	2,558.	3,265.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)()1() () () () ()	1,930.	2,246.	2,868.	2,144.	2,458.	3,080.
	42"	30"	RRSP4230K(A,B,W)()1() () () () ()	1,982.	2,320.	2,955.	2,194.	2,532.	3,169.
	48"	30"	RRSP4830K(A,B,W)()1() () () () ()	2,064.	2,408.	3,104.	2,276.	2,622.	3,318.
	54"	30"	RRSP5430K(A,B,W)()1() () () () ()	2,125.	2,465.	3,250.	2,337.	2,678.	3,463.
	60"	30"	RRSP6030K(A,B,W)()1() () () () ()	2,162.	2,515.	3,327.	2,375.	2,729.	3,542.
 End panel return	36"	24"	RREP3624(A,B,W)()1() ()				1,097.	1,380.	1,933.
	42"	24"	RREP4224(A,B,W)()1() ()				1,143.	1,463.	2,003.
	48"	24"	RREP4824(A,B,W)()1() ()				1,221.	1,563.	2,145.
	54"	24"	RREP5424(A,B,W)()1() ()				1,274.	1,621.	2,259.
	60"	24"	RREP6024(A,B,W)()1() ()				1,324.	1,673.	2,379.
	36"	30"	RREP3630(A,B,W)()1() ()				1,165.	1,479.	2,101.
	42"	30"	RREP4230(A,B,W)()1() ()				1,215.	1,553.	2,189.
	48"	30"	RREP4830(A,B,W)()1() ()				1,297.	1,642.	2,338.
	54"	30"	RREP5430(A,B,W)()1() ()				1,358.	1,698.	2,485.
60"	30"	RREP6030(A,B,W)()1() ()				1,395.	1,749.	2,562.	

Preconfigured Refr Desking




Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 1 = V1	3. Finish type: 1 = V1
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 599 for keying instructions.
R Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		

Desk returns
27³/₄" high overall
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)(J2)(X)(X)(X)(X)	\$2,141.	\$2,477.	\$3,127.	\$2,340.	\$2,675.	\$3,326.
	42"	24"	RRSP4224K(A,B,W)(J2)(X)(X)(X)(X)	2,196.	2,574.	3,211.	2,395.	2,771.	3,408.
	48"	24"	RRSP4824K(A,B,W)(J2)(X)(X)(X)(X)	2,289.	2,693.	3,379.	2,485.	2,890.	3,577.
	54"	24"	RRSP5424K(A,B,W)(J2)(X)(X)(X)(X)	2,349.	2,760.	3,514.	2,548.	2,958.	3,711.
	60"	24"	RRSP6024K(A,B,W)(J2)(X)(X)(X)(X)	2,408.	2,821.	3,655.	2,607.	3,020.	3,854.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)(J2)(X)(X)(X)(X)	2,278.	2,652.	3,387.	2,531.	2,903.	3,636.
	42"	30"	RRSP4230K(A,B,W)(J2)(X)(X)(X)(X)	2,340.	2,739.	3,489.	2,589.	2,989.	3,741.
	48"	30"	RRSP4830K(A,B,W)(J2)(X)(X)(X)(X)	2,436.	2,843.	3,664.	2,687.	3,095.	3,917.
	54"	30"	RRSP5430K(A,B,W)(J2)(X)(X)(X)(X)	2,509.	2,910.	3,837.	2,759.	3,162.	4,088.
	60"	30"	RRSP6030K(A,B,W)(J2)(X)(X)(X)(X)	2,552.	2,969.	3,928.	2,804.	3,222.	4,182.
 End panel return	36"	24"	RREP3624(A,B,W)(J2)(X)				1,296.	1,629.	2,281.
	42"	24"	RREP4224(A,B,W)(J2)(X)				1,349.	1,727.	2,365.
	48"	24"	RREP4824(A,B,W)(J2)(X)				1,441.	1,845.	2,533.
	54"	24"	RREP5424(A,B,W)(J2)(X)				1,504.	1,914.	2,667.
	60"	24"	RREP6024(A,B,W)(J2)(X)				1,563.	1,975.	2,809.
	36"	30"	RREP3630(A,B,W)(J2)(X)				1,376.	1,746.	2,480.
	42"	30"	RREP4230(A,B,W)(J2)(X)				1,435.	1,833.	2,584.
	48"	30"	RREP4830(A,B,W)(J2)(X)				1,532.	1,938.	2,760.
	54"	30"	RREP5430(A,B,W)(J2)(X)				1,604.	2,004.	2,933.
60"	30"	RREP6030(A,B,W)(J2)(X)				1,646.	2,065.	3,024.	

Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 2 = V2	3. Finish type: 2 = V2
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 599 for keying instructions.
R Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
2 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		

Desk returns
27³/₄" high overall
V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24" d	36"	24"	RRSP3624K(A,B,W)(J3)(X)(X)(X)(X)	\$2,494.	\$2,885.	\$3,643.	\$2,725.	\$3,115.	\$3,874.
	42"	24"	RRSP4224K(A,B,W)(J3)(X)(X)(X)(X)	2,558.	2,998.	3,739.	2,789.	3,228.	3,970.
	48"	24"	RRSP4824K(A,B,W)(J3)(X)(X)(X)(X)	2,665.	3,138.	3,936.	2,895.	3,366.	4,166.
	54"	24"	RRSP5424K(A,B,W)(J3)(X)(X)(X)(X)	2,736.	3,215.	4,093.	2,968.	3,445.	4,323.
	60"	24"	RRSP6024K(A,B,W)(J3)(X)(X)(X)(X)	2,805.	3,289.	4,258.	3,036.	3,518.	4,489.
 Single pedestal return, 30" d	36"	30"	RRSP3630K(A,B,W)(J3)(X)(X)(X)(X)	2,654.	3,089.	3,944.	2,948.	3,380.	4,235.
	42"	30"	RRSP4230K(A,B,W)(J3)(X)(X)(X)(X)	2,725.	3,190.	4,063.	3,016.	3,481.	4,358.
	48"	30"	RRSP4830K(A,B,W)(J3)(X)(X)(X)(X)	2,838.	3,311.	4,268.	3,130.	3,605.	4,563.
	54"	30"	RRSP5430K(A,B,W)(J3)(X)(X)(X)(X)	2,923.	3,389.	4,469.	3,214.	3,683.	4,761.
	60"	30"	RRSP6030K(A,B,W)(J3)(X)(X)(X)(X)	2,973.	3,459.	4,575.	3,265.	3,753.	4,870.
 End panel return	36"	24"	RREP3624(A,B,W)(J3)(X)				1,509.	1,898.	2,658.
	42"	24"	RREP4224(A,B,W)(J3)(X)				1,571.	2,011.	2,754.
	48"	24"	RREP4824(A,B,W)(J3)(X)				1,679.	2,149.	2,950.
	54"	24"	RREP5424(A,B,W)(J3)(X)				1,751.	2,229.	3,106.
	60"	24"	RREP6024(A,B,W)(J3)(X)				1,820.	2,300.	3,271.
	36"	30"	RREP3630(A,B,W)(J3)(X)				1,603.	2,034.	2,889.
	42"	30"	RREP4230(A,B,W)(J3)(X)				1,671.	2,135.	3,010.
	48"	30"	RREP4830(A,B,W)(J3)(X)				1,784.	2,258.	3,215.
	54"	30"	RREP5430(A,B,W)(J3)(X)				1,868.	2,335.	3,416.
	60"	30"	RREP6030(A,B,W)(J3)(X)				1,918.	2,405.	3,523.


Preconfigured Refr Desking


Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 3 = V3	3. Finish type: 3 = V3
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 599 for keying instructions.
R Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
3 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		


Single pedestal credenzas

27³/₄" high overall

V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W)()1() () () () ()	\$2,345.	\$2,695.	\$2,873.	\$2,513.	\$2,863.	\$3,040.
	72"	24"	RCSP7224K(A,B,W)()1() () () () ()	2,461.	2,840.	3,031.	2,629.	3,007.	3,199.
	84"	24"	RCSP8424K(A,B,W)()1() () () () ()	2,581.	3,005.	3,200.	2,749.	3,174.	3,368.
	96"	24"	RCSP9624K(A,B,W)()1() () () () ()	2,688.	3,155.	3,364.	2,855.	3,324.	3,530.

Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W)()1() () () () ()	2,473.	2,822.	3,000.	2,857.	3,206.	3,385.
	72"	24"	RCS3L7224K(A,B,W)()1() () () () ()	2,588.	2,967.	3,158.	2,972.	3,352.	3,544.
	84"	24"	RCS3L8424K(A,B,W)()1() () () () ()	2,708.	3,134.	3,327.	3,092.	3,517.	3,712.
	96"	24"	RCS3L9624K(A,B,W)()1() () () () ()	2,815.	3,283.	3,492.	3,199.	3,667.	3,876.

Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W)()1() () () () ()	2,543.	2,894.	3,071.	3,209.	3,559.	3,737.
	72"	24"	RCS6L7224K(A,B,W)()1() () () () ()	2,659.	3,038.	3,231.	3,325.	3,705.	3,895.
	84"	24"	RCS6L8424K(A,B,W)()1() () () () ()	2,779.	3,205.	3,398.	3,445.	3,870.	4,065.
	96"	24"	RCS6L9624K(A,B,W)()1() () () () ()	2,885.	3,355.	3,561.	3,553.	4,020.	4,227.


Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	
RC Reff Credenza		6. Lock option: L = Locks are always drilled for lock
SP Single pedestal	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	30"D rectilinear desk pedestals are 24"D including modesty panel.
60 60" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Credenzas with lateral files or pedestals are non handed.
24 24" deep	3. Finish type: 1 = V1	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
K File/file	4. Interior option: M = Metal W = Wood	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
A 1 1/4" regular edge top	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	All waterfall credenzas have waterfall detail on front only.
R Recessed grommet option		
1 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		


S3L = Single 30"w lateral file
S6L = Single 36"w lateral file


Single pedestal credenzas

27³/₄" high overall

V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCSP6024K(A,B,W) ()2() () () () ()	\$2,769.	\$3,181.	\$3,392.	\$2,966.	\$3,379.	\$3,589.
	72"	24"	RCSP7224K(A,B,W) ()2() () () () ()	2,906.	3,353.	3,578.	3,103.	3,550.	3,777.
	84"	24"	RCSP8424K(A,B,W) ()2() () () () ()	3,047.	3,548.	3,778.	3,246.	3,747.	3,977.
	96"	24"	RCSP9624K(A,B,W) ()2() () () () ()	3,173.	3,726.	3,971.	3,370.	3,924.	4,167.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCS3L6024K(A,B,W) ()2() () () () ()	2,919.	3,331.	3,542.	3,373.	3,785.	3,995.
	72"	24"	RCS3L7224K(A,B,W) ()2() () () () ()	3,056.	3,503.	3,729.	3,508.	3,957.	4,184.
	84"	24"	RCS3L8424K(A,B,W) ()2() () () () ()	3,197.	3,700.	3,928.	3,650.	4,152.	4,382.
	96"	24"	RCS3L9624K(A,B,W) ()2() () () () ()	3,323.	3,876.	4,122.	3,777.	4,329.	4,576.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCS6L6024K(A,B,W) ()2() () () () ()	3,001.	3,417.	3,626.	3,788.	4,201.	4,413.
	72"	24"	RCS6L7224K(A,B,W) ()2() () () () ()	3,139.	3,586.	3,814.	3,926.	4,373.	4,599.
	84"	24"	RCS6L8424K(A,B,W) ()2() () () () ()	3,281.	3,783.	4,012.	4,067.	4,569.	4,799.
	96"	24"	RCS6L9624K(A,B,W) ()2() () () () ()	3,406.	3,960.	4,204.	4,194.	4,746.	4,990.

Preconfigured Ref
Deskings


Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
SP Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
24 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
K File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
R Recessed grommet option	3. Finish type: 2 = V2	
2 Finish type	4. Interior option: M = Metal W = Wood	
W Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		


S3L = Single 30"w lateral file
S6L = Single 36"w lateral file


Single pedestal credenzas

27³/₄" high overall

V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCSP6024K(A,B,W) ()3() () () () ()	\$3,225.	\$3,705.	\$3,950.	\$3,455.	\$3,936.	\$4,180.
	72"	24"	RCSP7224K(A,B,W) ()3() () () () ()	3,384.	3,905.	4,168.	3,615.	4,135.	4,399.
	84"	24"	RCSP8424K(A,B,W) ()3() () () () ()	3,549.	4,133.	4,400.	3,780.	4,364.	4,631.
	96"	24"	RCSP9624K(A,B,W) ()3() () () () ()	3,696.	4,339.	4,625.	3,925.	4,570.	4,854.


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCS3L6024K(A,B,W) ()3() () () () ()	3,400.	3,880.	4,125.	3,929.	4,409.	4,654.
	72"	24"	RCS3L7224K(A,B,W) ()3() () () () ()	3,559.	4,080.	4,343.	4,086.	4,609.	4,873.
	84"	24"	RCS3L8424K(A,B,W) ()3() () () () ()	3,724.	4,309.	4,575.	4,251.	4,836.	5,104.
	96"	24"	RCS3L9624K(A,B,W) ()3() () () () ()	3,323.	3,876.	4,122.	3,777.	4,329.	4,576.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCS6L6024K(A,B,W) ()3() () () () ()	3,496.	3,979.	4,223.	4,413.	4,894.	5,139.
	72"	24"	RCS6L7224K(A,B,W) ()3() () () () ()	3,656.	4,178.	4,443.	4,573.	5,094.	5,356.
	84"	24"	RCS6L8424K(A,B,W) ()3() () () () ()	3,821.	4,406.	4,673.	4,738.	5,321.	5,589.
	96"	24"	RCS6L9624K(A,B,W) ()3() () () () ()	3,968.	4,613.	4,896.	4,885.	5,528.	5,813.

Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
SP Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
24 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
K File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
R Recessed grommet option	3. Finish type: 3 = V3	
3 Finish type	4. Interior option: M = Metal W = Wood	
W Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Bridge assemblies
27³/₄" high overall
V1 finish options

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)()1()	\$785.	\$1,069.	\$1,622.
	42"	24"	RBR4224(A,B,W)()1()	832.	1,152.	1,693.
	48"	24"	RBR4824(A,B,W)()1()	910.	1,252.	1,834.
	36"	30"	RBR3630(A,B,W)()1()	837.	1,152.	1,774.
	42"	30"	RBR4230(A,B,W)()1()	886.	1,225.	1,862.
	48"	30"	RBR4830(A,B,W)()1()	969.	1,315.	2,012.

Order Code

Example:	RBR3624 (A,B,W)
RBR	Reff Bridge Assembly
48	48" wide
30	30" deep
W	Waterfall edge 1 1/4"
A	1 1/4" regular edge top
F	Flush grommet option
1	Finish type
Y319	Finish
111	Grommet Finish

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Specification Information

To order, please specify pattern number including:

- Top thickness option:
A = 1 1/4"
B = 1 3/4"
C = 1 1/4" waterfall
- Grommet options:
F = Flush or standard corner location
N = No Grommet
R = Recessed
- Finish type:
1 = V1
- Finish: V1
- Grommet finish: Painted or plated


Applicable finishes are listed on page 5 and 6.

Application Notes

Bridge assemblies are non-handed.
All hardware included.
Waterfall option on all 3 sides.
Shipped with full height modesty.


Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Bridge assemblies
 27³/₄" high overall
 V2 finish options

description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	RBR3624(A,B,W)()2() ()	\$927.	\$1,262.	\$1,915.
	42"	24"	RBR4224(A,B,W)()2() ()	982.	1,360.	1,998.
	48"	24"	RBR4824(A,B,W)()2() ()	1,074.	1,478.	2,165.
	36"	30"	RBR3630(A,B,W)()2() ()	989.	1,360.	2,094.
	42"	30"	RBR4230(A,B,W)()2() ()	1,046.	1,446.	2,198.
	48"	30"	RBR4830(A,B,W)()2() ()	1,144.	1,552.	2,375.

Order Code	Specification Information	Application Notes
Example: RBR3624 (A,B,W)	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed. All hardware included. Waterfall option on all 3 sides. Shipped with full height modesty.
RBR Reff Bridge Assembly		
48 48" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
30 30" deep	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
W Waterfall edge 1 1/4"	3. Finish type: 2 = V2	
A 1 1/4" regular edge top	4. Finish: V2	Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.
F Flush grommet option	5. Grommet finish: Painted or plated	
2 Finish type		
V316 Finish		
111 Grommet Finish		
S3L = Single 30"w lateral file S6L = Single 36"w lateral file	Applicable finishes are listed on page 5 and 6.	

Bridge assemblies
 27³/₄" high overall
 V3 finish options

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)()3() ()	\$1,080.	\$1,470.	\$2,230.
	42"	24"	RBR4224(A,B,W)()3() ()	1,144.	1,584.	2,328.
	48"	24"	RBR4824(A,B,W)()3() ()	1,251.	1,721.	2,521.
	36"	30"	RBR3630(A,B,W)()3() ()	1,151.	1,584.	2,439.
	42"	30"	RBR4230(A,B,W)()3() ()	1,219.	1,684.	2,560.
	48"	30"	RBR4830(A,B,W)()3() ()	1,333.	1,808.	2,766.


Order Code	Specification Information	Application Notes
Example: RBR3624 (A,B,W) RBR Reff Bridge Assembly 48 48" wide 30 30" deep W Waterfall edge 1 ¹ / ₄ " A 1 ¹ / ₄ " regular edge top F Flush grommet option 3 Finish type V512 Finish 111 Grommet Finish	<i>To order, please specify pattern number including:</i> 1. Top thickness option: A = 1 ¹ / ₄ " B = 1 ³ / ₄ " C = 1 ¹ / ₄ " waterfall 2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed 3. Finish type: 3 = V3 4. Finish: V3 5. Grommet finish: Painted or plated Applicable finishes are listed on page 5 and 6.	Bridge assemblies are non-handed. All hardware included. Waterfall option on all 3 sides. Shipped with full height modesty. Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.


S3L = Single 30"w lateral file
 S6L = Single 36"w lateral file

Double pedestal credenzas


27³/₄" high overall

V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCDP6024K(A,B,W) ()1() () () () ()	\$3,064.	\$3,411.	\$3,590.	\$3,397.	\$3,747.	\$3,926.
	72"	24"	RCDP7224K(A,B,W) ()1() () () () ()	3,064.	3,411.	3,590.	3,397.	3,747.	3,926.
	84"	24"	RCDP8424K(A,B,W) ()1() () () () ()	3,177.	3,557.	3,748.	3,513.	3,893.	4,084.
	96"	24"	RCDP9624K(A,B,W) ()1() () () () ()	3,405.	3,872.	4,081.	3,741.	4,207.	4,415.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCD3L6024K(A,B,W) ()1() () () () ()	3,317.	3,666.	3,845.	4,085.	4,435.	4,613.
	84"	24"	RCD3L8424K(A,B,W) ()1() () () () ()	3,554.	3,979.	4,173.	4,321.	4,746.	4,940.
	96"	24"	RCD3L9624K(A,B,W) ()1() () () () ()	3,661.	4,126.	4,335.	4,428.	4,895.	5,105.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	RCD6L7224K(A,B,W) ()1() () () () ()	3,575.	3,954.	4,145.	4,907.	5,285.	5,476.
	96"	24"	RCD6L9624K(A,B,W) ()1() () () () ()	3,801.	4,269.	4,477.	5,133.	5,600.	5,809.

96" w shown; 72" w has no knee space


Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza		Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal		Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4"	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	C = 1 1/4" waterfall	All waterfall credenzas have waterfall detail on front only.
K File/file	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
A 1 1/4" regular edge top	3. Finish type: 1 = V1	
R Recessed grommet option	4. Interior option: M = Metal W = Wood	
1 Finish type	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
W Wood interior option		
J Pull option		
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		


S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Double pedestal credenzas


27³/₄" high overall

V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCDP6024K(A,B,W) ()2() () () () ()	\$3,617.	\$4,027.	\$4,238.	\$4,011.	\$4,424.	\$4,635.
	72"	24"	RCDP7224K(A,B,W) ()2() () () () ()	3,751.	4,199.	4,425.	4,147.	4,596.	4,821.
	84"	24"	RCDP8424K(A,B,W) ()2() () () () ()	3,893.	4,396.	4,625.	4,289.	4,791.	5,020.
	96"	24"	RCDP9624K(A,B,W) ()2() () () () ()	4,019.	4,571.	4,818.	4,417.	4,967.	5,213.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCD3L6024K(A,B,W) ()2() () () () ()	3,916.	4,328.	4,540.	4,823.	5,237.	5,446.
	84"	24"	RCD3L8424K(A,B,W) ()2() () () () ()	4,195.	4,698.	4,926.	5,102.	5,603.	5,832.
	96"	24"	RCD3L9624K(A,B,W) ()2() () () () ()	4,322.	4,872.	5,118.	5,228.	5,779.	6,027.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	72"	24"	RCD6L7224K(A,B,W) ()2() () () () ()	4,220.	4,668.	4,895.	5,794.	6,240.	6,465.
	96"	24"	RCD6L9624K(A,B,W) ()2() () () () ()	4,488.	5,040.	5,286.	6,059.	6,612.	6,858.

96" w shown; 72" w has no knee space


Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	7. Finish: V1	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	8. Pull Finish: Painted or plated	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
K File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
R Recessed grommet option	3. Finish type: 2 = V2	
2 Finish type	4. Interior option: M = Metal W = Wood	
W Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
J Pull option		
L Lock option		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		


S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Double pedestal credenzas


27³/₄" high overall

V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCDP6024K(A,B,W) ()3() () () () ()	\$4,213.	\$4,690.	\$4,936.	\$4,671.	\$5,153.	\$5,399.
	72"	24"	RCDP7224K(A,B,W) ()3() () () () ()	4,369.	4,891.	5,154.	4,830.	5,353.	5,615.
	84"	24"	RCDP8424K(A,B,W) ()3() () () () ()	4,535.	5,120.	5,386.	4,995.	5,580.	5,848.
	96"	24"	RCDP9624K(A,B,W) ()3() () () () ()	4,681.	5,324.	5,611.	5,144.	5,785.	6,071.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	RCD3L6024K(A,B,W) ()3() () () () ()	4,561.	5,041.	5,288.	5,618.	6,099.	6,343.
	84"	24"	RCD3L8424K(A,B,W) ()3() () () () ()	4,886.	5,471.	5,738.	5,941.	6,526.	6,793.
	96"	24"	RCD3L9624K(A,B,W) ()3() () () () ()	5,034.	5,674.	5,961.	6,089.	6,731.	7,019.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	RCD6L7224K(A,B,W) ()3() () () () ()	4,915.	5,436.	5,700.	6,748.	7,268.	7,530.
	96"	24"	RCD6L9624K(A,B,W) ()3() () () () ()	5,226.	5,870.	6,156.	7,058.	7,700.	7,988.

96" w shown; 72" w has no knee space








Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza		Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	3. Finish type: 3 = V3	All waterfall credenzas have waterfall detail on front only.
K File/file	4. Interior option: M = Metal W = Wood	
A 1 1/4" regular edge top	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
R Recessed grommet option		
3 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

Accessories

cabinet extras and undermount accessories

Reff Profiles

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		RCABT1417						\$73.
	29"	17"		RCABT2917						122.
Cabinet coat rod 	Half of 30" cabinets			RCACR30H						71.
	Half of 36" cabinets			RCACR36H						77.
	16" cabinets			RCACR16						73.
	30" cabinets			RCACR30						97.
	36" cabinets			RCACR36						109.
Articulated keyboard arm 	10" x 22 1/4" keyboard tray			RKBA1022()						865.
	10" x 20" keyboard tray			RKBA1020()						865.
Available in laminate, techwood (V1), or veneer (V2)										
CRT turntable 	31" diameter			RKT31						534.
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		RCAS1620-()	74.	139.	148.	171.	230.	
	16"	24"		RCAS1624-()	82.	156.	168.	195.	262.	
	30"	15"		RCAS3015-()	91.	182.	196.	224.	302.	
	30"	20"		RCAS3020-()	88.	156.	168.	195.	262.	
	30"	24"		RCAS3024-()	98.	182.	196.	224.	302.	
	36"	15"		RCAS3615-()	100.	194.	205.	232.	313.	
	36"	20"		RCAS3620-()	100.	167.	178.	205.	277.	
	36"	24"		RCAS3624-()	105.	196.	209.	239.	323.	
Pencil drawer used under worktop 	16"	17"	1"	RPAD-()		296.	526.	526.	682.	
Specify wood or laminate finish										
Reff Profiles Spacer kit for Pencil drawer				RPADKIT						32.

Accessories and Client Samples

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

Specification Information

Pencil drawer includes slides.




Applicable finishes are listed on page 5 and 6.

Application Notes

See Reff Planning Guide for more information.

Note: The spacer kit (RPADKIT) is required to mount pencil drawer (RPAD) to a table with an open frame leg.

Accessories
presentation samples
Worksurfaces

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only) 	–	–	8 ⁷ / ₈ "	RWHRA- ()					\$37.
	–	–	17 ³ / ₈ "	RWHRB- ()					40.
	–	–	18 ¹ / ₄ "	RWHRC- ()					40.
	–	–	21 ¹ / ₁₆ "	RWHRD- ()					42.
	–	–	22"	RWHRE- ()					42.
	–	–	59 ¹ / ₂ "	RWHRF- ()					95.
	–	–	67"	RWHRG- ()					95.
Striplight (black only) for transaction tops 	26"	2"	2"	RCASL					338.
Presentation wood sample, 16" x 16" Optional edge details available	16"	16"	–	RSAMP1616- () ()	134.	187.	241.	279.	
Presentation stackable/tiled mini panel (for demonstrations) Specify trim profile, base height, base type and applicable finishes	24"	–	34"	R3SMP () ()					1,078.
Presentation monolithic mini panel Specify trim profile and applicable finishes	4"H base			RR3MP4 ()					590.
	6"H base			RR3MP6 ()					631.
Presentation worksurface cutaway sample	12"	12"	1 ¹ / ₄ "	RTOP2 ()	110.	165.	220.	259.	
	12"	12"	1 ³ / ₄ "	RTOP1 ()	110.	165.	220.	259.	
Presentation waterfall edge sample	11"	8 ¹ / ₂ "		R921655 ()					328.
Sample, cascade edge worksurface 	12"	12"		RCE1R1212G	127.				
Rangeboard Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)	27"	12"	1 ¹ / ₄ "	RRBRD2712 ()					296.

Order Code

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = Laminate

1 = V1

2 = V2

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.

Applicable finishes are listed on page 5 and 6.






Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Striplights come with brackets, and will work with all transaction tops.

The wall rails will accept two sets of brackets for panel hung components.

Accessories
presentation samples
Pull Samples

description	type	w	d	pattern no.	L	V1	V2	V3	list price
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				R917762 ()					\$432.
Presentation drawer front with pull samples	Grommet pull	8"	8"	RPULLSMPG()()	145.	180.	195.	225.	
									
	Bar pull	8"	8"	RPULLSMPF()()	145.	180.	195.	225.	
									
	Outline pull	8"	8"	RPULLSMPH()()	145.	180.	195.	225.	
									
	Cylinder pull	8"	8"	RPULLSMPR()()	145.	180.	195.	225.	
									
	Tab pull	8"	8"	RPULLSMPT()()	145.	180.	195.	225.	
									

Accessories and Client Samples

Order Code

Example:	RPULLSMPG()()
RP	Reff Profiles
SM	Sample
PG	Pull Grommet

Specification Information

To order please specify pattern number including:







1. Drawer Front finish:
Wood or Laminate
2. Pull Finish:
Painted or plated

Applicable finishes are listed on page 5 and 6

Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Accessories




wire management

description	w	d	h	pattern no.	list price
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	RWMWT24	\$42.
	30"	4 1/2"	5 3/4"	RWMWT30	48.
	36"	4 1/2"	5 3/4"	RWMWT36	53.
	Available black only				
 Hinged vertical wire	24"	1"	3/8"	RWMV24 ()	34.
	Ships with overdesk unit. Specify paint finish.				
 Multi-purpose manager*	24"	2 1/2"	1 1/4"	RWMMP24	37.
	30"	2 1/2"	1 1/4"	RWMMP30	42.
	36"	2 1/2"	1 1/4"	RWMMP36	43.
	Available black only				
 Panel-hung vertical wire	24"	-	-	RWMVP24	34.
	not available in finish codes: 112,116,117,611, 612, 613				
 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	RWMVH24	40.
	30"	1 1/2"	3/4"	RWMVH30	44.
	36"	1 1/2"	3/4"	RWMVH36	48.
	Available black only				
 Power bar, fits into wire manager				RWMPB	146.
Replacement hardware	Top to endpanel disk			RBDD	5.
	Top to workwall endpanel disk			RBDW	5.
	Panel to endpanel bracket			RBPE(L/R)()	20.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				

Order Code	Specification Information	Application Notes
Example: RJBW24	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 5.
R Reff	1. Pattern number	
JB J-Bracket	2. Finish: painted finishes	
W Wall and Modesty mount		
24		

Accessories

wire management

description	w	d	h	pattern no.	list price
Tree wire manager package of 10 2 shipped per panel	2"			RBWM	\$11.
	used in Beltway				
J-Wire Trough Wall Mount	24"			RJBW24()	63.
	30"			RJBW30()	65.
	36"			RJBW36()	71.
	42"			RJBW42()	83.
	48"			RJBW48()	88.
	54"			RJBW54()	90.
	60"			RJBW60()	91.
	66"			RJBW66()	103.
	72"			RJBW72()	104.
*Installation Instruction Sheet: 6TP00078					
J-Wire Trough Under Mount	24"			RJBU24()	76.
	30"			RJBU30()	78.
	36"			RJBU36()	85.
	42"			RJBU42()	98.
	48"			RJBU48()	105.
	54"			RJBU54()	107.
	60"			RJBU60()	109.
	66"			RJBU66()	121.
	72"			RJBU72()	123.
*Installation Instruction Sheet: 6TP00079					
*Available in painted colors.					
Wire manager for credenza top	24"			RWMCT24	125.
					


Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: RJBW24	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 5.
R Reff	1. Pattern number	
JB J-Bracket	2. Finish: painted finishes	
W Wall and Modesty mount		
24		

Accessories

Power and Data

Reff Profiles

description	type	w	d	h	pattern no.	list
 Desktop Outlet - Power Center stand off					RDTE22120	\$345.
					RDTE2272	321.
					RDTE22H	353.

 Electrical component Clamp on	2 x 2				RDTC2272	400.
	2 x 2				RDTC22120	416.
	2 x 2				RDTC22H	475.
	3 x 3				RDTC3372	510.
	3 x 3				RDTC33120	526.
	3 x 3				RDTC33H	585.

3 x 3 shown





 Electrical component for Simple Stand-Off Drop-In	3 x 3				RDST3372	679.
	3 x 3				RDST33120	695.
	3 x 3				RDST33H	754.

Order Code	Specification Information	Application Notes
Example: RDTE2272		
R	Reff	H = Hard wire
DT	Desktop Outlet	Installation instruction sheet available on Knoll Exchange.
E	Electrical component	For Power Center stand off, refer to part number 6TP00081.
2	2 Electrical	
2	2 Data	
72	72" cord	

Accessories

Grommet and Stand off

Reff Profiles

description	type	w	d	h	pattern no.	list
Simple Stand Off		12"	5"	5"	RST()	\$105.
						
Stand Off for Power Center (Electrical component not included)		8"	5"	5"	RPCST()	134.
						
Power Center Grommet (Electrical component not included)		8"	5"	1 1/2"	RPCG()	153.
						
Desktop Grommet		For 1 1/2" thick top		1 1/2"	RDTGA()	33.
		For 1 1/4" thick top		1 1/4"	RDTGB()	33.
		For 1" thick top		1"	RDTGC()	33.
						



Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RST	<i>To order please specify pattern number including;</i> 1. Stand Off Finish: Painted options only For Grommets; 1. Grommet Finish: Painted or plated options	Installation instruction sheet available on Knoll Exchange. For Power Center stand off, refer to part number 6TP00081.
R Reff		
ST Stand Off		
() Finish		

Accessories

interior components

Reff Profiles

description	y	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)					RPHCHH	\$34.
Not intended to work with (AA) Aluminum top trim						
Panel-hung coat hook (panel top)					RPHCHT	34.
Panel-hung tackboard	0.9		30"	24"	RPHTB3024	286.
Note: Fabric railroaded	1.3		42"	24"	RPHTB4224	352.
All standard grades of fabric						
						
Panel-hung whiteboard			30"	24"	RPHWB3024	444.
			42"	24"	RPHWB4224	543.
Wall-hung tackboard	0.9		30"	24"	RWHTB3024	317.
Note: Fabric railroaded Velcro supplied	1.1		36"	24"	RWHTB3624	352.
	1.3		42"	24"	RWHTB4224	386.
	1.5		48"	24"	RWHTB4824	420.
for use with 26 1/2" h support planning module						
Wall-hung tackboard for desk height (28 3/8" h) planning	0.9		30"	26"	RWHDHTB3026	334.
Note: Fabric railroaded Velcro supplied	1.1		36"	26"	RWHDHTB3626	369.
	1.3		42"	26"	RWHDHTB4226	407.
	1.5		48"	26"	RWHDHTB4826	441.
for use with 28 3/8" h support planning module						
						
Box drawer dividers, wood box drawers (Acrylic)			16"	–	RPADSS	50.
File bars, wood file drawers (replacement)			16"	–	RPAHFB16	28.
			30"	–	RPAHFB30	54.
			36"	–	RPAHFB36	83.

Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

Y = Yardage required

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

Reff Profiles

description	y	type	w	h	pattern no.	list price
File bars, metal file drawers (replacement)			16"	–	RPAHFM162 *	\$20.
			30"	–	RPAHFM30	28.
			36"	–	RPAHFM36	28.

Sold as individuals


Plate divider					RPD11	22.
					RPD14	22.



RPD11 to be used with 15" D open cabinet/bookcase with metal shelves.
RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.


Pencil tray, wood (ordered separately)			12"	–	RPAPT	97.
--	--	--	-----	---	--------------	-----

Pencil tray, plastic		black	13 1/4"	–	RPETRAY3N	37.
		clear	12"	–	RPETRAY3C	44.




Recommended for use with metal drawer interiors on 16" w peds.
Letter width pedestal.

Pencil tray adapter					RPETAD	80.
---------------------	--	--	--	--	---------------	-----



Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals.
Available in painted and anodized finishes.

Task Panel shelf			14"		RTST14	163.
------------------	--	--	-----	--	---------------	------



Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

Y = Yardage required

Application Notes

See Reff Planning Guide for more information.



Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

Reff Profiles

description	y	type	w	h	pattern no.	list price
Task Panel flat tray 			14"		RTSF14	\$163.
			28"		RTSF28	194.
Utility Hook 					RAUH	19.

Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

Y = Yardage required




Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.


Accessories
Fascias
Metal

description	w	pattern no.	P1/P2	P3
Metal Fascia - Both left and right recess 	30"	ROMDHMTF130RB	\$141.	\$169.
	36"	ROMDHMTF136RB	144.	173.
	42"	ROMDHMTF142RB	145.	174.
	48"	ROMDHMTF148RB	147.	177.
	54"	ROMDHMTF154RB	150.	180.
	60"	ROMDHMTF160RB	152.	183.
	66"	ROMDHMTF166RB	161.	193.
	72"	ROMDHMTF172RB	163.	196.
	78"	ROMDHMTF178RB	165.	198.
	84"	ROMDHMTF184RB	167.	200.
	90"	ROMDHMTF190RB	169.	203.
96"	ROMDHMTF196RB	171.	205.	
Metal Fascia - Left recess 	30"	ROMDHMTF130RL	141.	169.
	36"	ROMDHMTF136RL	144.	173.
	42"	ROMDHMTF142RL	145.	174.
	48"	ROMDHMTF148RL	147.	177.
	54"	ROMDHMTF154RL	150.	180.
	60"	ROMDHMTF160RL	152.	183.
	66"	ROMDHMTF166RL	161.	193.
	72"	ROMDHMTF172RL	163.	196.
	78"	ROMDHMTF178RL	165.	198.
	84"	ROMDHMTF184RL	167.	200.
	90"	ROMDHMTF190RL	169.	203.
96"	ROMDHMTF196RL	171.	205.	
Metal Fascia - No recess 	30"	ROMDHMTF130RN	141.	169.
	36"	ROMDHMTF136RN	144.	173.
	42"	ROMDHMTF142RN	145.	174.
	48"	ROMDHMTF148RN	147.	177.
	54"	ROMDHMTF154RN	150.	180.
	60"	ROMDHMTF160RN	152.	183.
	66"	ROMDHMTF166RN	161.	193.
	72"	ROMDHMTF172RN	163.	196.
	78"	ROMDHMTF178RN	165.	198.
	84"	ROMDHMTF184RN	167.	200.
	90"	ROMDHMTF190RN	169.	203.
96"	ROMDHMTF196RN	171.	205.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	To order please specify pattern number including: 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		




Accessories
Fascias
Metal

description	w	pattern no.	P1/P2	P3
Metal Fascia - Right recess 	30"	ROMDHMTF130RR	\$141.	\$169.
	36"	ROMDHMTF136RR	144.	173.
	42"	ROMDHMTF142RR	145.	174.
	48"	ROMDHMTF148RR	147.	177.
	54"	ROMDHMTF154RR	150.	180.
	60"	ROMDHMTF160RR	152.	183.
	66"	ROMDHMTF166RR	161.	193.
	72"	ROMDHMTF172RR	163.	196.
	78"	ROMDHMTF178RR	165.	198.
	84"	ROMDHMTF184RR	167.	200.
	90"	ROMDHMTF190RR	169.	203.
	96"	ROMDHMTF196RR	171.	205.

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	<i>To order please specify pattern number including:</i> 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		

Accessories
Fascias
Wood


Reff Profiles

description	w	pattern no.	V1	V2	V3
Wood Fascia - Both left and right recess 	30"	ROMDHWTF130RB	\$260.	\$281.	\$351.
	36"	ROMDHWTF136RB	262.	284.	355.
	42"	ROMDHWTF142RB	264.	287.	359.
	48"	ROMDHWTF148RB	266.	290.	364.
	54"	ROMDHWTF154RB	268.	294.	368.
	60"	ROMDHWTF160RB	386.	408.	510.
	66"	ROMDHWTF166RB	388.	411.	514.
	72"	ROMDHWTF172RB	390.	414.	518.
	78"	ROMDHWTF178RB	392.	417.	522.
	84"	ROMDHWTF184RB	394.	420.	526.
	90"	ROMDHWTF190RB	397.	423.	530.
96"	ROMDHWTF196RB	542.	564.	706.	
Wood Fascia - Left recess 	30"	ROMDHWTF130RL	260.	281.	351.
	36"	ROMDHWTF136RL	262.	284.	355.
	42"	ROMDHWTF142RL	264.	287.	359.
	48"	ROMDHWTF148RL	266.	290.	364.
	54"	ROMDHWTF154RL	268.	294.	368.
	60"	ROMDHWTF160RL	386.	408.	510.
	66"	ROMDHWTF166RL	388.	411.	514.
	72"	ROMDHWTF172RL	390.	414.	518.
	78"	ROMDHWTF178RL	392.	417.	522.
	84"	ROMDHWTF184RL	394.	420.	526.
	90"	ROMDHWTF190RL	397.	423.	530.
96"	ROMDHWTF196RL	542.	564.	706.	
Wood Fascia - No recess 	30"	ROMDHWTF130RN	260.	281.	351.
	36"	ROMDHWTF136RN	262.	284.	355.
	42"	ROMDHWTF142RN	264.	287.	359.
	48"	ROMDHWTF148RN	266.	290.	364.
	54"	ROMDHWTF154RN	268.	294.	368.
	60"	ROMDHWTF160RN	386.	408.	510.
	66"	ROMDHWTF166RN	388.	411.	514.
	72"	ROMDHWTF172RN	390.	414.	518.
	78"	ROMDHWTF178RN	392.	417.	522.
	84"	ROMDHWTF184RN	394.	420.	526.
	90"	ROMDHWTF190RN	397.	423.	530.
96"	ROMDHWTF196RN	542.	564.	706.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i> 1. Finish Type: 1 = V1 2 = V2 3 = V3 2. Finish V1, V2, V3	For single and double high overheads.
R Reff		Wood and metal options.
O Overhead		Letter depth only.
M Wall hung		
DH Desk height		
W Wood		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		





Accessories
Fascias
Wood

description	w	pattern no.	V1	V2	V3
Wood Fascia - Right recess 	30"	ROMDHWTF130RR	\$260.	\$281.	\$351.
	36"	ROMDHWTF136RR	262.	284.	355.
	42"	ROMDHWTF142RR	264.	287.	359.
	48"	ROMDHWTF148RR	266.	290.	364.
	54"	ROMDHWTF154RR	268.	294.	368.
	60"	ROMDHWTF160RR	386.	408.	510.
	66"	ROMDHWTF166RR	388.	411.	514.
	72"	ROMDHWTF172RR	390.	414.	518.
	78"	ROMDHWTF178RR	392.	417.	522.
	84"	ROMDHWTF184RR	394.	420.	526.
	90"	ROMDHWTF190RR	397.	423.	530.
	96"	ROMDHWTF196RR	542.	564.	706.

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i>	For single and double high overheads.
R Reff	1. Finish Type:	Wood and metal options.
O Overhead	1 = V1	Letter depth only.
M Wall hung	2 = V2	
DH Desk height	3 = V3	
W Wood	2. Finish	
T Task light	V1, V2, V3	
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		

Accessories

Sliding Rails

description	width	pattern no.	list price	
Sliding rail for open shelves 	30"	RSDR30	\$53.	
	36"	RSDR36	53.	
	42"	RSDR42	53.	
	48"	RSDR48	53.	
	54"	RSDR54	53.	
	60"	RSDR60	83.	
	66"	RSDR66	83.	
	72"	RSDR72	83.	
	78"	RSDR78	83.	
	84"	RSDR84	93.	
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	53.	
	36"	ROHDR36	53.	
	42"	ROHDR42	53.	
	48"	ROHDR48	53.	
	60"	ROHDR60	93.	
	72"	ROHDR72	93.	
	90"	ROHDR90	126.	
	96"	ROHDR96	126.	
	Sliding rail for flip door overhead cabinets 	30"	RFDR30	53.
		36"	RFDR36	53.
42"		RFDR42	53.	
48"		RFDR48	53.	
60"		RFDR60	93.	
72"		RFDR72	93.	
84"		RFDR84	93.	
Sliding rail divider 		R5ZNNE (3 dividers)	22.	




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RSDR30	<i>To order please specify pattern number.</i>	Match cabinet width to rail width.
R Reff		Parts come in black only.
SDR Sliding rail for open shelves		These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.
30 For 30" shelf		

Accessories

Task Light

Reff

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTL5E19S	\$270.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25S	276.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37S	281.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49S	286.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61S	303.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73S	330.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85S	412.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25A	396.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37A	417.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49A	434.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61A	451.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73A	467.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85A	484.
	Use with 24" and wider overhead (3 LED's)	19"	2"	3/16"	RTL193W	306.
	Use with 24" and wider overhead (6 LED's)	19"	2"	3/16"	RTL196W	386.
	Use with 24" and wider overhead (9 LED's)	19"	2"	3/16"	RTL199W	526.
	Use with 42" and wider overhead (6 LED's)	37"	2"	3/16"	RTL376W	617.
	Use with 42" and wider overhead (12 LED's)	37"	2"	3/16"	RTL3712W	697.
	Use with 42" and wider overhead (18 LED's)	37"	2"	3/16"	RTL3718W	864.

Order Code	Specification Information	Application Notes
T5 Standard Task Light Example: RTL5E19S RTL Task Light T5 T5 lamp E Electronic ballast 19 Width S Standard	T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black. LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.	T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed. T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content. LED Task Lights: Power cord is able to attach to either end of fixture. Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Task Panels

Planning Guidelines and Specifications

Task Panels

The high performance Task Panel is designed to augment the utility of the zone immediately above the credenza in a Private Office setting, by offering tool rail capability and cable management features in addition to tackable and decorative inserts. All Task Panels have a cable curtain along the full length of the bottom edge which, when used in conjunction with notched back credenza tops, provides access to in-wall power sources and for cable concealment. See figure on following page for cable management details. The optional tool rail is designed to accept slatwall accessories and the Reff Profiles Task Panel Shelf. Slatwall accessories are available from KnollExtra. Insert panels may be conveniently removed, exposing a 7/8" wire clearance space which allows cable drops at any point along the entire width of the Task Panel. Check local electrical codes for suitability.

Task Panels are configured in eight heights (H1 – H8) to correspond to their application. See application diagrams on the following pages. H1 and H2 are designed for focused work applications whereas H3 through H8 are designed for collaborative or team work applications.


Construction

The Task Panel consists of a framework and optional tool rail, with decorative trims and a variety of functional and decorative inserts. See figures below for breakdown of components. Bottom right; The frame assembly consists of two vertical members, a bottom and top frame member and an optional tool rail. These are connected together and supported by mounting brackets. Edges have decorative trims; a top cover and two end covers.

Connected to the bottom frame member is a nylon brush which forms the cable curtain. Frames are clad with either one or two inserts depending upon the use of the tool rail. Bottom left (upper); single monolithic insert with spacers. Bottom left (lower); top segmented insert and bottom segmented insert and spacers.

Task Panels are shipped with frame and trim components, cable curtain and hardware in one container and inserts and spacers in a separate container.

The unit is field-assembled; fastened together using brackets and screws in pre-punched holes. See part #6TP00085 for assembly and installations instructions.



Accessories and Client Samples

Task Panels

Planning Guidelines and Specifications

Specification Options

Task Panels are offered in widths from 30" to 96" in 6" increments; and in eight application heights, H1 to H8. Overall thickness of the Task Panel is 1 1/2".

Task Panels are available in two basic configurations; monolithic (with a single insert) and segmented (with two inserts divided by the horizontal tool rail). See diagrams, previous page, for description.


The Task Panel cover trims and optional tool rail are offered in three anodized metallic finishes; Black (AN), Polished (AP) and Satin (AU) as well as all core paint colors. Refer to Reff Profiles finish options page for more information.

Task Panel inserts are available in a variety of finishes including fabric (tackable), Forbo™ (tackable linoleum), laminate, veneer, glass and marker board.

Note that segmented Task Panels with fabric lower inserts are available up to 72" wide.



Planning Notes

1. H1, H3, H5 and H7 Task Panels are intended for use with 1 1/2" thick credenza tops. H2, H4, H6 and H8 Task Panels are intended for use with 1" credenza tops.
2. Fabric is applied to inserts railroad style only
3. Forbo™ is available on lower segmented inserts only
4. Grain direction for veneer inserts is vertical
5. Glass is not available for lower segmented inserts.



Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H1 Task Panel is intended for use with 1 1/2" thick tops.
- H2 Task Panel is intended for use with 1" thick credenza tops.

Accessories and Client Samples

Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H3 Task Panel is intended for use with 1 1/2" thick tops.
- H4 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H5 Task Panel is intended for use with 1 1/2" thick tops.
- H6 Task Panel is intended for use with 1" thick credenza tops.

Task Panels


Planning Guidelines and Specifications



Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H7 Task Panel is intended for use with 1 1/2" thick tops.
- H8 Task Panel is intended for use with 1" thick credenza tops.

Task Panels
H1 23 1/8" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	23 1/8"	30"	0.9	RTPNM30H1() ()	\$727.	\$742.	\$757.	\$771.	\$794.	\$809.	\$827.
Without tool rail	1 1/2"	23 1/8"	36"	1.1	RTPNM36H1() ()	781.	799.	818.	836.	861.	877.	896.
	1 1/2"	23 1/8"	42"	1.3	RTPNM42H1() ()	1,024.	1,045.	1,067.	1,089.	1,122.	1,141.	1,167.
	1 1/2"	23 1/8"	48"	1.4	RTPNM48H1() ()	1,036.	1,060.	1,084.	1,107.	1,140.	1,160.	1,187.
	1 1/2"	23 1/8"	54"	1.6	RTPNM54H1() ()	1,054.	1,080.	1,107.	1,134.	1,168.	1,189.	1,215.
	1 1/2"	23 1/8"	60"	1.8	RTPNM60H1() ()	1,117.	1,146.	1,176.	1,206.	1,242.	1,264.	1,293.
	1 1/2"	23 1/8"	66"	1.9	RTPNM66H1() ()	1,351.	1,383.	1,414.	1,446.	1,489.	1,515.	1,550.
	1 1/2"	23 1/8"	72"	2.1	RTPNM72H1() ()	1,371.	1,406.	1,441.	1,476.	1,520.	1,547.	1,582.
	1 1/2"	23 1/8"	78"	2.3	RTPNM78H1() ()	1,541.	1,579.	1,617.	1,655.	1,705.	1,735.	1,774.
	1 1/2"	23 1/8"	84"	2.4	RTPNM84H1() ()	1,550.	1,590.	1,630.	1,671.	1,721.	1,751.	1,791.
	1 1/2"	23 1/8"	90"	2.6	RTPNM90H1() ()	1,613.	1,656.	1,701.	1,744.	1,796.	1,827.	1,869.
	1 1/2"	23 1/8"	96"	2.8	RTPNM96H1() ()	1,632.	1,679.	1,725.	1,773.	1,826.	1,857.	1,900.

Order Code	Specification Information	Application Notes
Example: RTPNM30H1() ()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection		Tool rails are not supplied to this Task Panel.

Y = Yardage required

All Fabric to be applied railroded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels

Reff Profiles

H1 23 1/8" high

Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	23 1/8"	30"	RTPNM30H1() ()	\$972.	\$781.	\$774.	\$873.	\$935.	\$1,077.
Without tool rail	1 1/2"	23 1/8"	36"	RTPNM36H1() ()	1,088.	828.	819.	921.	991.	1,159.
	1 1/2"	23 1/8"	42"	RTPNM42H1() ()	1,327.	1,018.	1,006.	1,111.	1,186.	1,380.
	1 1/2"	23 1/8"	48"	RTPNM48H1() ()	1,421.	1,030.	1,018.	1,125.	1,207.	1,430.
	1 1/2"	23 1/8"	54"	RTPNM54H1() ()	1,500.	1,039.	1,026.	1,134.	1,226.	1,476.
	1 1/2"	23 1/8"	60"	RTPNM60H1() ()	1,623.	1,094.	1,079.	1,189.	1,291.	1,568.
	1 1/2"	23 1/8"	66"	RTPNM66H1() ()	1,927.	1,360.	1,343.	1,455.	1,571.	1,876.
	1 1/2"	23 1/8"	72"	RTPNM72H1() ()	2,007.	1,371.	1,353.	1,468.	1,597.	1,936.
	1 1/2"	23 1/8"	78"	RTPNM78H1() ()	2,239.	1,534.	1,514.	1,630.	1,762.	2,122.
	1 1/2"	23 1/8"	84"	RTPNM84H1() ()	2,319.	1,550.	1,529.	1,652.	1,788.	2,174.
	1 1/2"	23 1/8"	90"	RTPNM90H1() ()	2,442.	1,604.	1,581.	1,700.	1,852.	2,266.
	1 1/2"	23 1/8"	96"	RTPNM96H1() ()	2,522.	1,622.	1,599.	1,721.	1,876.	2,316.


Order Code	Specification Information	Application Notes
Example: RTPNM30H1() ()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Insert Finish: Veneer	Always supplied including all trim pieces.
N No tool rail		LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H1 23 1/8" high		All Fabric to be applied railroaded as current tackboard
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection		

*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Task Panels
H1 23 1/8" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1 () ()	\$1,128.	\$1,158.	\$1,189.	\$1,218.	\$1,247.	\$1,277.	\$1,306.
	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1 () ()	1,214.	1,251.	1,288.	1,325.	1,357.	1,388.	1,419.
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1 () ()	1,466.	1,509.	1,552.	1,595.	1,634.	1,672.	1,710.
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1 () ()	1,486.	1,533.	1,580.	1,626.	1,666.	1,705.	1,743.
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1 () ()	1,517.	1,571.	1,624.	1,678.	1,718.	1,758.	1,798.
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1 () ()	1,548.	1,608.	1,669.	1,728.	1,770.	1,811.	1,853.
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1 () ()	1,894.	1,958.	2,021.	2,085.	2,134.	2,185.	2,234.
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1 () ()	1,927.	1,997.	2,068.	2,138.	2,190.	2,240.	2,292.

Order Code	Specification Information	Application Notes
Example: RTPRS30H1 () ()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H1 23 1/8" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade							
						LW10	LW15	LW20	LW30	LW35	LW40	LW45	
Task Panel, segmented With tool rail 	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1 () ()	\$1,189.	\$1,204.	\$1,218.	\$1,234.	\$1,271.	\$1,293.	\$1,323.	
	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1 () ()	1,266.	1,284.	1,302.	1,320.	1,360.	1,383.	1,415.	
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1 () ()	1,450.	1,472.	1,494.	1,515.	1,560.	1,587.	1,624.	
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1 () ()	1,468.	1,491.	1,514.	1,538.	1,584.	1,612.	1,648.	
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1 () ()	1,495.	1,521.	1,548.	1,575.	1,622.	1,650.	1,688.	
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1 () ()	1,519.	1,549.	1,579.	1,609.	1,657.	1,686.	1,724.	
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1 () ()	1,888.	1,920.	1,952.	1,984.	2,044.	2,079.	2,126.	
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1 () ()	1,913.	1,948.	1,984.	2,019.	2,080.	2,116.	2,164.	

Order Code

Specification Information

Application Notes

Example:	RTPRS30H1 () ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmentated
30	Width
H1	23 1/8" high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

To order please specify pattern number including:
 1. Trim Finish: Painted or Anodized
 2. Top insert finish: Marker board
 3. Bottom insert finish: Fabric

H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
 Installation instruction sheets available on Knoll Exchange.
 For Task Panels refer to part number 6TP00085.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroaded as current tackboard
 When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H1 23 1/8" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below


description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1()()	\$1,262.	\$1,134.	\$1,227.	\$1,271.	\$1,286.	\$1,319.
With tool rail	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1()()	1,387.	1,272.	1,354.	1,354.	1,372.	1,412.
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1()()	1,620.	1,426.	1,503.	1,547.	1,567.	1,614.
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1()()	1,694.	1,454.	1,521.	1,604.	1,624.	1,678.
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1()()	1,765.	1,490.	1,550.	1,633.	1,654.	1,713.
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1()()	1,835.	1,527.	1,579.	1,661.	1,685.	1,750.
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1()()	2,236.	1,883.	1,959.	2,041.	2,068.	2,139.
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1()()	2,309.	1,922.	1,990.	2,073.	2,101.	2,179.
	1 1/2"	23 1/8"	78"	2.3	RTPRS78H1()()	2,487.	2,067.	2,126.	2,210.	2,240.	2,325.
	1 1/2"	23 1/8"	84"	2.4	RTPRS84H1()()	2,557.	2,092.	2,143.	2,228.	2,260.	2,351.
	1 1/2"	23 1/8"	90"	2.6	RTPRS90H1()()	2,629.	2,129.	2,172.	2,257.	2,291.	2,390.
	1 1/2"	23 1/8"	96"	2.8	RTPRS96H1()()	2,702.	2,167.	2,202.	2,288.	2,324.	2,429.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H1()()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
S Segmented		LH & RH side full height trims. (no hi-lo trims)
30 Width		All trims supplied with the same finish specification.
H1 23 1/8" high		All Fabric to be applied railroded as current tackboard
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection top insert		
V319 Veneer selection bottom insert		

Y = Yardage required

Task Panels
H2 29³/₄" high
Monolithic, Without Tool Rail
Fabric


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	29 3/4"	30"	0.9	RTPNM30H2()()	\$801.	\$817.	\$831.	\$847.	\$872.	\$887.	\$907.
Without tool rail	1 1/2"	29 3/4"	36"	1.1	RTPNM36H2()()	857.	876.	894.	913.	940.	956.	979.
	1 1/2"	29 3/4"	42"	1.3	RTPNM42H2()()	1,048.	1,069.	1,092.	1,113.	1,146.	1,167.	1,194.
	1 1/2"	29 3/4"	48"	1.4	RTPNM48H2()()	1,062.	1,086.	1,108.	1,132.	1,166.	1,187.	1,213.
	1 1/2"	29 3/4"	54"	1.6	RTPNM54H2()()	1,080.	1,107.	1,133.	1,160.	1,195.	1,215.	1,243.
	1 1/2"	29 3/4"	60"	1.8	RTPNM60H2()()	1,143.	1,173.	1,204.	1,234.	1,271.	1,293.	1,323.
	1 1/2"	29 3/4"	66"	1.9	RTPNM66H2()()	1,379.	1,411.	1,443.	1,475.	1,519.	1,546.	1,581.
	1 1/2"	29 3/4"	72"	2.1	RTPNM72H2()()	1,400.	1,435.	1,470.	1,505.	1,550.	1,577.	1,613.
	1 1/2"	29 3/4"	78"	2.3	RTPNM78H2()()	1,571.	1,609.	1,648.	1,686.	1,737.	1,766.	1,808.
	1 1/2"	29 3/4"	84"	2.4	RTPNM84H2()()	1,582.	1,622.	1,662.	1,703.	1,753.	1,784.	1,825.
	1 1/2"	29 3/4"	90"	2.6	RTPNM90H2()()	1,645.	1,688.	1,732.	1,776.	1,829.	1,861.	1,903.
	1 1/2"	29 3/4"	96"	2.8	RTPNM96H2()()	1,666.	1,712.	1,759.	1,806.	1,859.	1,892.	1,935.

Order Code	Specification Information	Application Notes
Example: RTPNM30H2()()	To order please specify pattern number including: 1. Trim Finish: Painted or Anodized 2. Top Insert Finish: Fabric 3. Insert Finish: Fabric	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza. Always supplied including cable curtain. Always supplied including all trim pieces. LH & RH side full height trims. (no hi-lo trims) All trims supplied with the same finish specification. Tool rails are not supplied to this Task Panel. All Fabric to be applied railroded as current tackboard. When ordering 54" or wider Task Panel, please check width of fabric specified.
R Reff		
TP Task Panel		
N No tool rail		
M Monolithic		
30 Width		
H2 29 3/4" high		
111 Trim finish		
W281 Fabric selection		

Y = Yardage required

Task Panels
H2 29³/₄" high
Monolithic, Without Tool Rail
Wood, Laminate, Marker board or Glass Inserts

Reff Profiles

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	29 ³ / ₄ "	30"	RTPNM30H2 () ()	\$1,121.	\$817.	\$806.	\$911.	\$981.	\$1,163.
Without tool rail	1 1/2"	29 ³ / ₄ "	36"	RTPNM36H2 () ()	1,263.	870.	858.	964.	1,045.	1,263.
	1 1/2"	29 ³ / ₄ "	42"	RTPNM42H2 () ()	1,540.	1,054.	1,040.	1,149.	1,243.	1,497.
	1 1/2"	29 ³ / ₄ "	48"	RTPNM48H2 () ()	1,648.	1,076.	1,061.	1,172.	1,282.	1,571.
	1 1/2"	29 ³ / ₄ "	54"	RTPNM54H2 () ()	1,753.	1,088.	1,070.	1,185.	1,306.	1,630.
	1 1/2"	29 ³ / ₄ "	60"	RTPNM60H2 () ()	1,903.	1,145.	1,127.	1,242.	1,376.	1,737.
	1 1/2"	29 ³ / ₄ "	66"	RTPNM66H2 () ()	2,233.	1,414.	1,393.	1,512.	1,657.	2,053.
	1 1/2"	29 ³ / ₄ "	72"	RTPNM72H2 () ()	2,340.	1,429.	1,406.	1,526.	1,683.	2,114.
	1 1/2"	29 ³ / ₄ "	78"	RTPNM78H2 () ()	2,598.	1,600.	1,575.	1,698.	1,862.	2,328.
	1 1/2"	29 ³ / ₄ "	84"	RTPNM84H2 () ()	2,703.	1,612.	1,585.	1,712.	1,887.	2,389.
	1 1/2"	29 ³ / ₄ "	90"	RTPNM90H2 () ()	2,852.	1,676.	1,647.	1,805.	1,968.	2,505.
	1 1/2"	29 ³ / ₄ "	96"	RTPNM96H2 () ()	2,959.	1,690.	1,660.	1,791.	1,994.	2,566.

Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: RTPNM30H2 () ()	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Top Insert Finish: Fabric	Always supplied including all trim pieces.
N No tool rail	3. Bottom Insert Finish: G, LW, L, V1, V2, V3	LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H2 29 ³ / ₄ " high		All Fabric to be applied railroded as current tackboard.
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection		

*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Task Panels
H2 29³/₄" high
Segmented With Tool Rail
Fabric Insert Above / Fabric Insert Below


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2 () ()	\$1,260.	\$1,270.	\$1,281.	\$1,570.	\$1,331.	\$1,353.	\$1,384.
	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2 () ()	1,292.	1,329.	1,365.	1,402.	1,444.	1,469.	1,503.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2 () ()	1,485.	1,529.	1,573.	1,616.	1,664.	1,693.	1,732.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2 () ()	1,508.	1,554.	1,602.	1,648.	1,697.	1,727.	1,766.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2 () ()	1,539.	1,592.	1,646.	1,700.	1,750.	1,781.	1,822.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2 () ()	1,571.	1,630.	1,691.	1,751.	1,804.	1,834.	1,877.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2 () ()	1,919.	1,982.	2,046.	2,108.	2,171.	2,209.	2,260.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2 () ()	2,019.	2,069.	2,120.	2,170.	2,235.	2,274.	2,326.

Order Code	Specification Information	Application Notes
Example: RTPRS30H2 () ()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085.
R Tool rail	3. Bottom Insert Finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including cable curtain.
H2 29 3/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top insert		All trims supplied with the same finish specification.
W281 Fabric selection bottom insert		All Fabric to be applied railroaded as current tackboard.

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H2 29³/₄" high
Segmented With Tool Rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2() ()	\$1,207.	\$1,223.	\$1,237.	\$1,252.	\$1,290.	\$1,312.	\$1,342.
	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2() ()	1,289.	1,307.	1,326.	1,344.	1,384.	1,409.	1,441.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2() ()	1,474.	1,496.	1,518.	1,540.	1,586.	1,614.	1,650.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2() ()	1,494.	1,517.	1,540.	1,564.	1,610.	1,639.	1,676.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2() ()	1,520.	1,547.	1,574.	1,601.	1,649.	1,677.	1,716.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2() ()	1,546.	1,576.	1,607.	1,637.	1,686.	1,715.	1,754.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2() ()	1,917.	1,949.	1,980.	2,012.	2,071.	2,108.	2,156.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2() ()	1,744.	1,848.	1,951.	2,055.	2,117.	2,154.	2,202.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H2() ()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H2 29 3/4" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard.
LW Marker board top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selectin bottom insert		


Y = Yardage required

Task Panels

H2 29³/₄" high

Segmented With Tool Rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2()()	\$1,369.	\$1,155.	\$1,236.	\$1,304.	\$1,343.	\$1,418.
With tool rail	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2()()	1,517.	1,355.	1,326.	1,394.	1,439.	1,529.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2()()	1,769.	1,573.	1,523.	1,592.	1,642.	1,746.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2()()	1,861.	1,621.	1,545.	1,645.	1,698.	1,819.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2()()	1,951.	1,676.	1,576.	1,676.	1,735.	1,868.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2()()	2,039.	1,732.	1,607.	1,708.	1,771.	1,919.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2()()	2,459.	2,105.	1,980.	2,083.	2,150.	2,313.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2()()	2,557.	2,254.	2,024.	2,129.	2,196.	2,373.
	1 1/2"	29 3/4"	78"	2.3	RTPRS78H2()()	2,748.	2,327.	2,156.	2,261.	2,332.	2,524.
	1 1/2"	29 3/4"	84"	2.4	RTPRS84H2()()	2,837.	2,370.	2,177.	2,284.	2,360.	2,568.
	1 1/2"	29 3/4"	90"	2.6	RTPRS90H2()()	2,926.	2,426.	2,208.	2,315.	2,397.	2,618.
	1 1/2"	29 3/4"	96"	2.8	RTPRS96H2()()	3,017.	2,483.	2,240.	2,349.	2,434.	2,670.

Order Code

Example:	RTPRS30H2()()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H2	29 3/4" high
111	Trim finish
W281	Fabric selectin top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including:

1. Trim Finish: Painted or Anodized
2. Top Insert Finish: Glass or Fabric
3. Bottom Insert Finish: Forbo, L, V1, V2, V3

Application Notes

H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

*Installation instruction sheets available on Knoll Exchange.


For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Y = Yardage required

Task Panels
H3 37⁷/₈" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	37 7/8"	30"	0.9	RTPNM30H3()()	\$839.	\$854.	\$869.	\$884.	\$911.	\$926.	\$948.
Without tool rail	1 1/2"	37 7/8"	36"	1.1	RTPNM36H3()()	896.	915.	932.	951.	980.	996.	1,019.
	1 1/2"	37 7/8"	42"	1.3	RTPNM42H3()()	1,088.	1,109.	1,131.	1,153.	1,188.	1,208.	1,236.
	1 1/2"	37 7/8"	48"	1.4	RTPNM48H3()()	1,103.	1,127.	1,149.	1,173.	1,208.	1,230.	1,258.
	1 1/2"	37 7/8"	54"	1.6	RTPNM54H3()()	1,123.	1,149.	1,176.	1,203.	1,239.	1,261.	1,290.
	1 1/2"	37 7/8"	60"	1.8	RTPNM60H3()()	1,187.	1,216.	1,247.	1,277.	1,315.	1,339.	1,369.
	1 1/2"	37 7/8"	66"	1.9	RTPNM66H3()()	1,424.	1,456.	1,487.	1,519.	1,565.	1,592.	1,628.
	1 1/2"	37 7/8"	72"	2.1	RTPNM72H3()()	1,445.	1,480.	1,516.	1,551.	1,598.	1,625.	1,662.
	1 1/2"	37 7/8"	78"	2.3	RTPNM78H3()()	1,618.	1,656.	1,695.	1,733.	1,785.	1,817.	1,858.
	1 1/2"	37 7/8"	84"	2.4	RTPNM84H3()()	1,630.	1,671.	1,711.	1,751.	1,804.	1,835.	1,877.
	1 1/2"	37 7/8"	90"	2.6	RTPNM90H3()()	1,695.	1,739.	1,782.	1,825.	1,880.	1,913.	1,957.
	1 1/2"	37 7/8"	96"	2.8	RTPNM96H3()()	1,716.	1,762.	1,810.	1,856.	1,912.	1,945.	1,990.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H3()()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H3 37 7/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection		Tool rails are not supplied to this Task Panel.

Y = Yardage required

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H3 37⁷/₈" high


Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	37 ⁷ / ₈ "	30"	RTPNM30H3()	\$1,299.	\$867.	\$854.	\$962.	\$1,049.	\$1,284.
Without tool rail	1 1/2"	37 ⁷ / ₈ "	36"	RTPNM36H3()	1,471.	920.	904.	1,015.	1,118.	1,399.
	1 1/2"	37 ⁷ / ₈ "	42"	RTPNM42H3()	1,756.	1,114.	1,097.	1,210.	1,333.	1,659.
	1 1/2"	37 ⁷ / ₈ "	48"	RTPNM48H3()	1,916.	1,139.	1,120.	1,237.	1,374.	1,747.
	1 1/2"	37 ⁷ / ₈ "	54"	RTPNM54H3()	2,051.	1,155.	1,133.	1,252.	1,405.	1,823.
	1 1/2"	37 ⁷ / ₈ "	60"	RTPNM60H3()	2,231.	1,223.	1,198.	1,321.	1,484.	1,949.
	1 1/2"	37 ⁷ / ₈ "	66"	RTPNM66H3()	2,590.	1,487.	1,461.	1,587.	1,765.	2,275.
	1 1/2"	37 ⁷ / ₈ "	72"	RTPNM72H3()	2,727.	1,697.	1,482.	1,612.	1,811.	2,366.
	1 1/2"	37 ⁷ / ₈ "	78"	RTPNM78H3()	3,016.	1,680.	1,649.	1,781.	1,995.	2,596.
	1 1/2"	37 ⁷ / ₈ "	84"	RTPNM84H3()	3,150.	1,695.	1,661.	1,797.	2,026.	2,673.
	1 1/2"	37 ⁷ / ₈ "	90"	RTPNM90H3()	3,330.	1,756.	1,720.	1,859.	2,108.	2,811.
	1 1/2"	37 ⁷ / ₈ "	96"	RTPNM96H3()	3,467.	1,774.	1,735.	1,878.	2,135.	2,873.

Order Code	Specification Information	Application Notes
Example: RTPNM30H3()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H3 37 ⁷ / ₈ " high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H3 37⁷/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	37 ⁷ / ₈ "	30"	0.9	RTPRS30H3() ()	\$1,242.	\$1,272.	\$1,303.	\$1,333.	\$1,373.	\$1,397.	\$1,429.
	1 1/2"	37 ⁷ / ₈ "	36"	1.1	RTPRS36H3() ()	1,330.	1,367.	1,403.	1,440.	1,483.	1,509.	1,543.
	1 1/2"	37 ⁷ / ₈ "	42"	1.3	RTPRS42H3() ()	1,525.	1,569.	1,613.	1,656.	1,706.	1,736.	1,776.
	1 1/2"	37 ⁷ / ₈ "	48"	1.4	RTPRS48H3() ()	1,548.	1,594.	1,642.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	37 ⁷ / ₈ "	54"	1.6	RTPRS54H3() ()	1,581.	1,635.	1,688.	1,742.	1,794.	1,825.	1,867.
	1 1/2"	37 ⁷ / ₈ "	60"	1.8	RTPRS60H3() ()	1,614.	1,675.	1,735.	1,795.	1,849.	1,881.	1,924.
	1 1/2"	37 ⁷ / ₈ "	66"	1.9	RTPRS66H3() ()	1,963.	2,027.	2,090.	2,154.	2,219.	2,257.	2,308.
	1 1/2"	37 ⁷ / ₈ "	72"	2.1	RTPRS72H3() ()	1,999.	2,069.	2,139.	2,209.	2,275.	2,315.	2,368.

Order Code	Specification Information	Application Notes
Example: RTPRS30H3() ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H3 37 ⁷ / ₈ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H3 37⁷/₈" high

Segmented With Tool rail

Marker Board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	37 ⁷ / ₈ "	30"	0.9	RTPRS30H3 () ()	\$1,275.	\$1,290.	\$1,305.	\$1,319.	\$1,359.	\$1,382.	\$1,414.
	1 1/2"	37 ⁷ / ₈ "	36"	1.1	RTPRS36H3 () ()	1,358.	1,376.	1,395.	1,413.	1,455.	1,481.	1,515.
	1 1/2"	37 ⁷ / ₈ "	42"	1.3	RTPRS42H3 () ()	1,554.	1,576.	1,599.	1,620.	1,669.	1,697.	1,737.
	1 1/2"	37 ⁷ / ₈ "	48"	1.4	RTPRS48H3 () ()	1,578.	1,602.	1,625.	1,649.	1,698.	1,728.	1,767.
	1 1/2"	37 ⁷ / ₈ "	54"	1.6	RTPRS54H3 () ()	1,613.	1,640.	1,667.	1,693.	1,744.	1,775.	1,815.
	1 1/2"	37 ⁷ / ₈ "	60"	1.8	RTPRS60H3 () ()	1,641.	1,671.	1,702.	1,731.	1,783.	1,815.	1,856.
	1 1/2"	37 ⁷ / ₈ "	66"	1.9	RTPRS66H3 () ()	2,017.	2,049.	2,080.	2,112.	2,174.	2,212.	2,263.
	1 1/2"	37 ⁷ / ₈ "	72"	2.1	RTPRS72H3 () ()	2,053.	2,088.	2,123.	2,158.	2,223.	2,261.	2,313.

Order Code

Specification Information

Application Notes

Example:	RTPRS30H3 () ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H3	37 ⁷ / ₈ " high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

To order please specify pattern number including:
 1. Trim Finish: Painted or Anodized
 2. Top Insert Finish: Marker board
 3. Bottom Insert Finish: Fabric

H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
 *Installation instruction sheets available on Knoll Exchange.
 For Task Panels refer to part number 6TP00085
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroaded as current tackboard.
 When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required


Task Panels

Reff Profiles

H3 37⁷/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	37 ⁷ / ₈ "	30"	0.9	RTPRS30H3 () ()	\$1,589.	\$1,194.	\$1,286.	\$1,331.	\$1,345.	\$1,379.
With tool rail	1 1/2"	37 ⁷ / ₈ "	36"	1.1	RTPRS36H3 () ()	1,771.	1,288.	1,372.	1,416.	1,434.	1,474.
	1 1/2"	37 ⁷ / ₈ "	42"	1.3	RTPRS42H3 () ()	2,059.	1,489.	1,567.	1,612.	1,630.	1,678.
	1 1/2"	37 ⁷ / ₈ "	48"	1.4	RTPRS48H3 () ()	2,190.	1,520.	1,588.	1,670.	1,690.	1,744.
	1 1/2"	37 ⁷ / ₈ "	54"	1.6	RTPRS54H3 () ()	2,316.	1,559.	1,618.	1,701.	1,722.	1,781.
	1 1/2"	37 ⁷ / ₈ "	60"	1.8	RTPRS60H3 () ()	2,443.	1,599.	1,649.	1,731.	1,756.	1,821.
	1 1/2"	37 ⁷ / ₈ "	66"	1.9	RTPRS66H3 () ()	2,899.	1,955.	2,032.	2,115.	2,140.	2,212.
	1 1/2"	37 ⁷ / ₈ "	72"	2.1	RTPRS72H3 () ()	3,029.	1,997.	2,065.	2,149.	2,176.	2,255.
	1 1/2"	37 ⁷ / ₈ "	78"	2.3	RTPRS78H3 () ()	3,263.	2,144.	2,203.	2,288.	2,318.	2,403.
	1 1/2"	37 ⁷ / ₈ "	84"	2.4	RTPRS84H3 () ()	3,390.	2,068.	2,223.	2,308.	2,339.	2,431.
	1 1/2"	37 ⁷ / ₈ "	90"	2.6	RTPRS90H3 () ()	3,516.	2,210.	2,254.	2,339.	2,373.	2,471.
	1 1/2"	37 ⁷ / ₈ "	96"	2.8	RTPRS96H3 () ()	3,645.	2,252.	2,287.	2,372.	2,408.	2,512.


Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H3 () ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
S Segmented		List price for woodgrain laminate options will be current published laminate list price plus 10%.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H3 37 ⁷ / ₈ " high		Always supplied including all trim pieces.
111 Trim finish		Always supplied including the same finish specification.
W281 Fabric selection top		All trims supplied with the same finish specification.
V319 Veneer selection bottom		All Fabric to be applied railroaded as current tackboard.

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H4 44 1/2" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	0.9	RTPNM30H4()	\$907.	\$922.	\$937.	\$952.	\$981.	\$997.	\$1,021.
	1 1/2"	44 1/2"	36"	1.1	RTPNM36H4()	965.	984.	1,001.	1,020.	1,051.	1,069.	1,093.
	1 1/2"	44 1/2"	42"	1.3	RTPNM42H4()	1,158.	1,179.	1,201.	1,223.	1,260.	1,281.	1,310.
	1 1/2"	44 1/2"	48"	1.4	RTPNM48H4()	1,174.	1,198.	1,221.	1,244.	1,281.	1,304.	1,334.
	1 1/2"	44 1/2"	54"	1.6	RTPNM54H4()	1,195.	1,222.	1,248.	1,275.	1,313.	1,336.	1,367.
	1 1/2"	44 1/2"	60"	1.8	RTPNM60H4()	1,260.	1,290.	1,320.	1,350.	1,391.	1,415.	1,447.
	1 1/2"	44 1/2"	66"	1.9	RTPNM66H4()	1,499.	1,531.	1,561.	1,593.	1,641.	1,670.	1,708.
	1 1/2"	44 1/2"	72"	2.1	RTPNM72H4()	1,521.	1,556.	1,591.	1,626.	1,675.	1,705.	1,744.
	1 1/2"	44 1/2"	78"	2.3	RTPNM78H4()	1,694.	1,671.	1,646.	1,622.	1,671.	1,701.	1,739.
	1 1/2"	44 1/2"	84"	2.4	RTPNM84H4()	1,708.	1,748.	1,788.	1,828.	1,883.	1,916.	1,960.
	1 1/2"	44 1/2"	90"	2.6	RTPNM90H4()	1,773.	1,816.	1,860.	1,903.	1,960.	1,995.	2,040.
	1 1/2"	44 1/2"	96"	2.8	RTPNM96H4()	1,795.	1,842.	1,889.	1,935.	1,993.	2,028.	2,074.

Order Code	Specification Information	Application Notes
Example: RTPNM30H4()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H4 44 1/2" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.

Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels

Reff Profiles

H4 44 1/2" high

Monolithic, Without Tool rail


Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	RTPNM30H4 ()	\$1,474.	\$945.	\$929.	\$1,039.	\$1,141.	\$1,419.
	1 1/2"	44 1/2"	36"	RTPNM36H4 ()	1,669.	1,006.	989.	1,102.	1,227.	1,419.
	1 1/2"	44 1/2"	42"	RTPNM42H4 ()	1,972.	1,205.	1,185.	1,301.	1,444.	1,829.
	1 1/2"	44 1/2"	48"	RTPNM48H4 ()	2,159.	1,225.	1,202.	1,324.	1,483.	1,922.
	1 1/2"	44 1/2"	54"	RTPNM54H4 ()	2,316.	1,250.	1,225.	1,349.	1,522.	2,016.
	1 1/2"	44 1/2"	60"	RTPNM60H4 ()	2,519.	1,313.	1,284.	1,413.	1,604.	2,150.
	1 1/2"	44 1/2"	66"	RTPNM66H4 ()	2,902.	1,588.	1,556.	1,689.	1,902.	2,503.
	1 1/2"	44 1/2"	72"	RTPNM72H4 ()	3,060.	1,609.	1,574.	1,710.	1,942.	2,597.
	1 1/2"	44 1/2"	78"	RTPNM78H4 ()	3,371.	1,779.	1,742.	1,882.	2,131.	2,839.
	1 1/2"	44 1/2"	84"	RTPNM84H4 ()	3,528.	1,797.	1,757.	1,901.	2,168.	2,930.
	1 1/2"	44 1/2"	90"	RTPNM90H4 ()	3,731.	1,860.	1,818.	1,965.	2,250.	3,065.
	1 1/2"	44 1/2"	96"	RTPNM96H4 ()	3,889.	1,880.	1,834.	1,987.	2,289.	3,159.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H4 ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
M Monolithic		List price for woodgrain laminate options will be current published laminate list price plus 10%.
30 Width		Always supplied including cable curtain.
H4 44 1/2" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
V319 Veneer selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H4 44 1/2" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4 () ()	\$1,310.	\$1,340.	\$1,371.	\$1,401.	\$1,443.	\$1,468.	\$1,502.
	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4 () ()	1,400.	1,437.	1,473.	1,510.	1,555.	1,582.	1,618.
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4 () ()	1,595.	1,639.	1,683.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4 () ()	1,619.	1,667.	1,713.	1,760.	1,813.	1,845.	1,887.
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4 () ()	1,653.	1,707.	1,760.	1,814.	1,868.	1,900.	1,945.
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4 () ()	1,687.	1,748.	1,808.	1,868.	1,924.	1,958.	2,002.
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4 () ()	2,037.	2,101.	2,164.	2,228.	2,295.	2,335.	2,388.
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4 () ()	2,073.	2,143.	2,215.	2,285.	2,353.	2,394.	2,448.

Order Code	Specification Information	Application Notes
Example: RTPRS30H4 () ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		
H4 44 1/2" high		
111 Trim finish		
W281 Fabric selection top		
W281 Fabric selection bottom		


Y = Yardage required

Task Panels

H4 44 1/2" high

Segmented With Tool rail

Marker Board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade							
						LW10	LW15	LW20	LW30	LW35	LW40	LW45	
Task Panel, segmented	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4 () ()	\$1,343.	\$1,359.	\$1,373.	\$1,388.	\$1,430.	\$1,455.	\$1,488.	
With tool rail	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4 () ()	1,427.	1,445.	1,464.	1,482.	1,526.	1,553.	1,588.	
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4 () ()	1,625.	1,647.	1,669.	1,690.	1,741.	1,772.	1,812.	
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4 () ()	1,650.	1,674.	1,696.	1,720.	1,772.	1,803.	1,844.	
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4 () ()	1,685.	1,712.	1,739.	1,765.	1,818.	1,850.	1,892.	
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4 () ()	1,714.	1,744.	1,775.	1,805.	1,858.	1,891.	1,934.	
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4 () ()	2,091.	2,123.	2,154.	2,186.	2,252.	2,291.	2,342.	
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4 () ()	2,128.	2,163.	2,198.	2,233.	2,300.	2,340.	2,394.	

Order Code	Specification Information	Application Notes
Example: RTPRS30H4 () ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H4 44 1/2" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker Board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required


Task Panels

Reff Profiles

H4 44 1/2" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	44 1/2"	30"	0.9	RTPRS30H4() ()	\$1,746.	\$1,350.	\$1,346.	\$1,413.	\$1,452.	\$1,527.
With tool rail	1 1/2"	44 1/2"	36"	1.1	RTPRS36H4() ()	1,946.	1,463.	1,434.	1,502.	1,546.	1,637.
	1 1/2"	44 1/2"	42"	1.3	RTPRS42H4() ()	2,254.	1,683.	1,634.	1,703.	1,752.	1,856.
	1 1/2"	44 1/2"	48"	1.4	RTPRS48H4() ()	2,403.	1,732.	1,657.	1,757.	1,811.	1,930.
	1 1/2"	44 1/2"	54"	1.6	RTPRS54H4() ()	2,548.	1,791.	1,690.	1,791.	1,849.	1,984.
	1 1/2"	44 1/2"	60"	1.8	RTPRS60H4() ()	2,693.	1,849.	1,723.	1,825.	1,888.	2,035.
	1 1/2"	44 1/2"	66"	1.9	RTPRS66H4() ()	3,168.	2,224.	2,098.	2,196.	2,269.	2,433.
	1 1/2"	44 1/2"	72"	2.1	RTPRS72H4() ()	3,317.	2,285.	2,133.	2,238.	2,309.	2,487.
	1 1/2"	44 1/2"	78"	2.3	RTPRS78H4() ()	3,569.	2,450.	2,279.	2,384.	2,456.	2,647.
	1 1/2"	44 1/2"	84"	2.4	RTPRS84H4() ()	3,715.	2,496.	2,303.	2,409.	2,485.	2,693.
	1 1/2"	44 1/2"	90"	2.6	RTPRS90H4() ()	3,860.	2,554.	2,336.	2,443.	2,525.	2,746.
	1 1/2"	44 1/2"	96"	2.8	RTPRS96H4() ()	4,008.	2,614.	2,370.	2,479.	2,565.	2,800.

Order Code

Example:	RTPRS30H4() ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H4	44 1/2" high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Anodized
2. Top Insert Finish: Glass or Fabric
3. Bottom Insert Finish: Forbo, L, V1, V2, V3

Application Notes

H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.


*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Y = Yardage required

Task Panels
H5 42⁵/₈" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono without tool rail 	1 1/2"	42 5/8"	30"	0.9	RTPNM30H5 ()	\$897.	\$913.	\$927.	\$942.	\$970.	\$988.	\$1,010.
	1 1/2"	42 5/8"	36"	1.1	RTPNM36H5 ()	955.	973.	992.	1,010.	1,040.	1,059.	1,084.
	1 1/2"	42 5/8"	42"	1.3	RTPNM42H5 ()	1,147.	1,169.	1,191.	1,212.	1,248.	1,270.	1,300.
	1 1/2"	42 5/8"	48"	1.4	RTPNM48H5 ()	1,164.	1,188.	1,210.	1,234.	1,271.	1,294.	1,323.
	1 1/2"	42 5/8"	54"	1.6	RTPNM54H5 ()	1,183.	1,210.	1,237.	1,264.	1,302.	1,325.	1,354.
	1 1/2"	42 5/8"	60"	1.8	RTPNM60H5 ()	1,248.	1,278.	1,309.	1,339.	1,379.	1,403.	1,436.
	1 1/2"	42 5/8"	66"	1.9	RTPNM66H5 ()	1,487.	1,519.	1,550.	1,582.	1,629.	1,658.	1,696.
	1 1/2"	42 5/8"	72"	2.1	RTPNM72H5 ()	1,509.	1,544.	1,579.	1,614.	1,662.	1,691.	1,730.
	1 1/2"	42 5/8"	78"	2.3	RTPNM78H5 ()	1,682.	1,720.	1,759.	1,797.	1,851.	1,884.	1,927.
	1 1/2"	42 5/8"	84"	2.4	RTPNM84H5 ()	1,695.	1,736.	1,776.	1,816.	1,870.	1,903.	1,947.
	1 1/2"	42 5/8"	90"	2.6	RTPNM90H5 ()	1,760.	1,804.	1,848.	1,891.	1,948.	1,982.	2,027.
	1 1/2"	42 5/8"	96"	2.8	RTPNM96H5 ()	1,783.	1,828.	1,875.	1,920.	1,978.	2,012.	2,058.

Order Code	Specification Information	Application Notes
Example: RTPNM30H5 ()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H5 42 5/8" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.

Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H5 42⁵/₈" high

Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3	
Task Panel, mono without tool rail 	1 1/2"	42 5/8"	30"	RTPNM30H5()		\$1,447.	\$932.	\$918.	\$1,027.	\$1,125.	\$1,391.
	1 1/2"	42 5/8"	36"	RTPNM36H5()		1,638.	993.	976.	1,090.	1,209.	1,526.
	1 1/2"	42 5/8"	42"	RTPNM42H5()		1,938.	1,191.	1,170.	1,288.	1,423.	1,793.
	1 1/2"	42 5/8"	48"	RTPNM48H5()		2,121.	1,210.	1,189.	1,308.	1,463.	1,883.
	1 1/2"	42 5/8"	54"	RTPNM54H5()		2,274.	1,235.	1,210.	1,334.	1,500.	1,971.
	1 1/2"	42 5/8"	60"	RTPNM60H5()		2,473.	1,298.	1,270.	1,397.	1,580.	2,103.
	1 1/2"	42 5/8"	66"	RTPNM66H5()		2,852.	1,572.	1,541.	1,672.	1,878.	2,454.
	1 1/2"	42 5/8"	72"	RTPNM72H5()		3,008.	1,591.	1,558.	1,692.	1,915.	2,543.
	1 1/2"	42 5/8"	78"	RTPNM78H5()		3,314.	1,761.	1,725.	1,863.	2,103.	2,782.
	1 1/2"	42 5/8"	84"	RTPNM84H5()		3,467.	1,779.	1,741.	1,882.	2,138.	2,870.
	1 1/2"	42 5/8"	90"	RTPNM90H5()		3,666.	1,841.	1,799.	1,945.	2,219.	3,000.
	1 1/2"	42 5/8"	96"	RTPNM96H5()		3,821.	1,859.	1,816.	1,965.	2,256.	3,109.


Order Code	Specification Information	Application Notes
Example: RTPNM30H5()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	Always supplied including all trim pieces.
N No tool rail		LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H5 42 5/8" high		All Fabric to be applied railroded as current tackboard
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection		

*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Task Panels
H5 42⁵/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5() ()	\$1,301.	\$1,331.	\$1,361.	\$1,391.	\$1,432.	\$1,457.	\$1,490.
With tool rail	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5() ()	1,389.	1,427.	1,463.	1,500.	1,545.	1,572.	1,608.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5() ()	1,585.	1,628.	1,673.	1,716.	1,767.	1,798.	1,840.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5() ()	1,609.	1,655.	1,703.	1,749.	1,801.	1,832.	1,875.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5() ()	1,643.	1,696.	1,750.	1,804.	1,857.	1,890.	1,933.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5() ()	1,676.	1,737.	1,796.	1,857.	1,913.	1,946.	1,991.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5() ()	2,026.	2,090.	2,153.	2,217.	2,282.	2,323.	2,376.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5() ()	2,063.	2,133.	2,203.	2,273.	2,341.	2,382.	2,437.

Order Code	Specification Information	Application Notes
Example: RTPRS30H5() ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H5 42⁵/₈" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5() ()	\$1,340.	\$1,355.	\$1,370.	\$1,385.	\$1,427.	\$1,451.	\$1,485.
With tool rail	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5() ()	1,424.	1,443.	1,462.	1,480.	1,524.	1,551.	1,586.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5() ()	1,623.	1,645.	1,667.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5() ()	1,656.	1,680.	1,703.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5() ()	1,686.	1,713.	1,740.	1,766.	1,819.	1,851.	1,893.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5() ()	1,723.	1,753.	1,783.	1,813.	1,867.	1,899.	1,943.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5() ()	2,099.	2,131.	2,163.	2,195.	2,261.	2,300.	2,353.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5() ()	2,139.	2,174.	2,209.	2,244.	2,311.	2,351.	2,406.

Order Code	Specification Information	Application Notes
Example: RTPRS30H5() ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required


Task Panels

Reff Profiles

H5 42⁵/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below


description	th	h	w	y	pattern no.	FAB/L	G/FORB	FAB/FORB	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	42 5/8"	30"	0.9	RTPRS30H5()()	\$1,345.	\$1,738.	\$1,252.	\$1,389.	\$1,404.	\$1,438.
With tool rail	1 1/2"	42 5/8"	36"	1.1	RTPRS36H5()()	1,431.	1,937.	1,347.	1,476.	1,492.	1,534.
	1 1/2"	42 5/8"	42"	1.3	RTPRS42H5()()	1,626.	2,245.	1,549.	1,672.	1,691.	1,738.
	1 1/2"	42 5/8"	48"	1.4	RTPRS48H5()()	1,649.	2,395.	1,581.	1,730.	1,751.	1,619.
	1 1/2"	42 5/8"	54"	1.6	RTPRS54H5()()	1,680.	2,540.	1,621.	1,762.	1,784.	1,843.
	1 1/2"	42 5/8"	60"	1.8	RTPRS60H5()()	1,711.	2,685.	1,660.	1,793.	1,818.	1,883.
	1 1/2"	42 5/8"	66"	1.9	RTPRS66H5()()	2,095.	3,160.	2,018.	2,177.	2,204.	2,275.
	1 1/2"	42 5/8"	72"	2.1	RTPRS72H5()()	2,129.	3,308.	2,061.	2,212.	2,240.	2,319.
	1 1/2"	42 5/8"	78"	2.3	RTPRS78H5()()	2,267.	2,532.	2,208.	2,351.	2,381.	2,467.
	1 1/2"	42 5/8"	84"	2.4	RTPRS84H5()()	2,288.	3,707.	2,236.	2,373.	2,405.	2,497.
	1 1/2"	42 5/8"	90"	2.6	RTPRS90H5()()	2,320.	3,852.	2,276.	2,405.	2,438.	2,537.
	1 1/2"	42 5/8"	96"	2.8	RTPRS96H5()()	2,353.	3,999.	2,319.	2,439.	2,474.	2,579.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H5()()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work surface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
S Segmented		LH & RH side full height trims. (no hi-lo trims)
30 Width		All trims supplied with the same finish specification.
H5 42 5/8" high		All Fabric to be applied railroded as current tackboard
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection top insert		
V319 Veneer selection bottom insert		

Y = Yardage required

Task Panels
H6 49 1/4" high
Monolithic, Without Tool rail
Fabric

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	49 1/4"	30"	0.9	RTPNM30H6()()	\$945.	\$959.	\$974.	\$989.	\$1,019.	\$1,036.	\$1,060.
Without tool rail	1 1/2"	49 1/4"	36"	1.1	RTPNM36H6()()	1,003.	1,022.	1,039.	1,058.	1,090.	1,108.	1,134.
	1 1/2"	49 1/4"	42"	1.3	RTPNM42H6()()	1,196.	1,217.	1,240.	1,262.	1,300.	1,323.	1,352.
	1 1/2"	49 1/4"	48"	1.4	RTPNM48H6()()	1,213.	1,237.	1,260.	1,283.	1,321.	1,345.	1,376.
	1 1/2"	49 1/4"	54"	1.6	RTPNM54H6()()	1,234.	1,261.	1,288.	1,314.	1,353.	1,377.	1,409.
	1 1/2"	49 1/4"	60"	1.8	RTPNM60H6()()	1,301.	1,331.	1,362.	1,392.	1,434.	1,458.	1,491.
	1 1/2"	49 1/4"	66"	1.9	RTPNM66H6()()	1,540.	1,572.	1,603.	1,635.	1,684.	1,713.	1,752.
	1 1/2"	49 1/4"	72"	2.1	RTPNM72H6()()	1,563.	1,598.	1,633.	1,668.	1,718.	1,748.	1,788.
	1 1/2"	49 1/4"	78"	2.3	RTPNM78H6()()	1,737.	1,775.	1,814.	1,852.	1,908.	1,941.	1,985.
	1 1/2"	49 1/4"	84"	2.4	RTPNM84H6()()	1,751.	1,791.	1,831.	1,872.	1,928.	1,961.	2,006.
	1 1/2"	49 1/4"	90"	2.6	RTPNM90H6()()	1,817.	1,860.	1,904.	1,948.	2,006.	2,041.	2,088.
	1 1/2"	49 1/4"	96"	2.8	RTPNM96H6()()	1,841.	1,887.	1,934.	1,981.	2,040.	2,075.	2,123.

Order Code	Specification Information	Application Notes
Example: RTPNM30H6()()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H6 49 1/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.

Y = Yardage required

Tool rails are not supplied to this Task Panel.

All Fabric to be applied railroded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts


description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	49 1/4"	30"	RTPNM30H6()	\$1,602.	\$995.	\$979.	\$1,091.	\$1,207.	\$1,516.
Without tool rail	1 1/2"	49 1/4"	36"	RTPNM36H6()	1,815.	1,060.	1,039.	1,156.	1,293.	1,660.
	1 1/2"	49 1/4"	42"	RTPNM42H6()	2,134.	1,229.	1,251.	1,349.	1,506.	1,934.
	1 1/2"	49 1/4"	48"	RTPNM48H6()	2,342.	1,281.	1,256.	1,380.	1,551.	2,038.



Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H6()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
M Monolithic		List price for woodgrain laminate options will be current published laminate list price plus 10%.
30 Width		Always supplied including cable curtain.
H6 49 1/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
V319 Veneer selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below


description	th	h	w	y	pattern no.	10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6 () ()	\$1,348.	\$1,378.	\$1,408.	\$1,438.	\$1,472.	\$1,507.	\$1,541.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6 () ()	1,437.	1,474.	1,510.	1,547.	1,584.	1,621.	1,658.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6 () ()	1,635.	1,678.	1,721.	1,764.	1,807.	1,849.	1,891.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6 () ()	1,659.	1,706.	1,753.	1,799.	1,935.	1,886.	1,929.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6 () ()	1,693.	1,747.	1,800.	1,854.	1,898.	1,943.	1,987.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6 () ()	1,728.	1,788.	1,849.	1,909.	1,954.	2,000.	2,046.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6 () ()	2,079.	2,142.	2,205.	2,269.	2,324.	2,378.	2,432.
	1 1/2"	49 1/4"	72"	2.1	RTPRS72H6 () ()	2,116.	2,186.	2,257.	2,327.	2,397.	2,438.	2,494.

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Top insert finish: Fabric	Always supplied including all trim pieces.
N No tool rail	3. Bottom insert finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
S Segmented		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard.
H6 49 1/4" high		When ordering 54" or wider Task Panel, please check width of fabric specified.
111 Trim finish		
W281 Fabric selection top		
W281 Fabric selection bottom		

Y = Yardage required

*Installation instruction sheets available on Knoll Exchange.
 For Task Panels refer to part number 6TP00085
Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.

Task Panels
H6 49 1/4" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6 () ()	\$1,387.	\$1,402.	\$1,417.	\$1,432.	\$1,475.	\$1,501.	\$1,535.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6 () ()	1,473.	1,491.	1,509.	1,527.	1,573.	1,601.	1,638.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6 () ()	1,672.	1,693.	1,715.	1,737.	1,788.	1,820.	1,861.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6 () ()	1,707.	1,730.	1,753.	1,777.	1,830.	1,862.	1,904.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6 () ()	1,737.	1,763.	1,790.	1,817.	1,872.	1,904.	1,948.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6 () ()	1,775.	1,805.	1,835.	1,865.	1,921.	1,955.	1,999.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6 () ()	2,152.	2,184.	2,216.	2,247.	2,314.	2,356.	2,409.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H6 49 1/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required


Task Panels

Reff Profiles

H6 49 1/4" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6() ()	\$1,873.	\$1,387.	\$1,383.	\$1,450.	\$1,489.	\$1,565.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6() ()	2,092.	1,501.	1,471.	1,539.	1,584.	1,675.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6() ()	2,418.	1,722.	1,672.	1,742.	1,790.	1,894.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6() ()	2,585.	1,772.	1,696.	1,796.	1,850.	1,970.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6() ()	2,750.	1,830.	1,730.	1,830.	1,889.	2,023.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6() ()	2,914.	1,889.	1,763.	1,865.	1,928.	2,075.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6() ()	3,407.	2,265.	2,140.	2,242.	2,310.	2,474.
	1 1/2"	49 1/4"	72"	2.1	RTPRS72H6() ()	3,574.	2,327.	2,175.	2,280.	2,351.	2,530.
	1 1/2"	49 1/4"	78"	2.3	RTPRS78H6() ()	3,846.	2,493.	2,322.	2,427.	2,498.	2,689.
	1 1/2"	49 1/4"	84"	2.4	RTPRS84H6() ()	4,010.	2,540.	2,346.	2,452.	2,530.	2,737.
	1 1/2"	49 1/4"	90"	2.6	RTPRS90H6() ()	4,175.	2,598.	2,380.	2,487.	2,568.	2,789.
	1 1/2"	49 1/4"	96"	2.8	RTPRS96H6() ()	4,340.	2,658.	2,415.	2,525.	2,609.	2,845.

Order Code

Example:	RTPRS30H6() ()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmentated
30	Width
H6	49 1/4" high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Anodized
2. Top insert finish: Glass or Fabric
3. Bottom insert finish: Forbo, L, V1, V2, V3

Application Notes

H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.


*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Y = Yardage required

Task Panels
H7 56 1/8" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern n	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	56 1/8"	30"	RTPNM30H7() ()	\$1,733.	\$1,011.	\$993.	\$1,099.	\$1,239.	\$1,604.
Without tool rail	1 1/2"	56 1/8"	36"	RTPNM36H7() ()	1,973.	1,078.	1,056.	1,176.	1,330.	1,762.
	1 1/2"	56 1/8"	42"	RTPNM42H7() ()	2,314.	1,281.	1,256.	1,380.	1,564.	2,066.
	1 1/2"	56 1/8"	48"	RTPNM48H7() ()	2,553.	1,313.	1,284.	1,414.	1,613.	2,186.


Order Code	Specification Information	Application Notes
Example: RTPNM30H7() ()	To order please specify pattern number including;	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Insert Finish: Veneer	Always supplied including all trim pieces.
N No tool rail		LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H7 56 1/8" high		All Fabric to be applied railroaded as current tackboard
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection		

*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Task Panels
H7 56 1/8" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7 () ()	\$1,354.	\$1,384.	\$1,414.	\$1,444.	\$1,479.	\$1,513.	\$1,548.
	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7 () ()	1,445.	1,482.	1,518.	1,555.	1,592.	1,629.	1,668.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7 () ()	1,643.	1,686.	1,730.	1,774.	1,816.	1,859.	1,901.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7 () ()	1,669.	1,715.	1,762.	1,809.	1,852.	1,895.	1,938.
	1 1/2"	56 1/8"	54"	1.6	RTPRS54H7 () ()	1,705.	1,758.	1,811.	1,864.	1,909.	1,954.	1,998.
	1 1/2"	56 1/8"	60"	1.8	RTPRS60H7 () ()	1,740.	1,799.	1,860.	1,920.	1,966.	2,012.	2,058.

Order Code	Specification Information	Application Notes
Example: RTPRS30H7 () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
S Segmented		
30 Width		Always supplied including all trim pieces.
H7 56 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.

Y = Yardage required

Task Panels
H7 56 1/8" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7 () ()	\$1,419.	\$1,435.	\$1,449.	\$1,465.	\$1,500.	\$1,535.	\$1,570.
With tool rail	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7 () ()	1,516.	1,535.	1,552.	1,571.	1,609.	1,646.	1,684.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7 () ()	1,720.	1,742.	1,764.	1,786.	1,829.	1,872.	1,915.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7 () ()	1,752.	1,776.	1,798.	1,822.	1,865.	1,910.	1,953.



Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H7 () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H7 56 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Y = Yardage required

Task Panels

H7 56 1/8" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	RTPRS30H7() ()()	\$2,024.	\$1,305.	\$1,398.	\$1,442.	\$1,457.	\$1,491.
With tool rail	1 1/2"	56 1/8"	36"	1.1	RTPRS36H7() ()()	2,273.	1,402.	1,486.	1,531.	1,548.	1,588.
	1 1/2"	56 1/8"	42"	1.3	RTPRS42H7() ()()	2,630.	1,607.	1,746.	1,729.	1,748.	1,795.
	1 1/2"	56 1/8"	48"	1.4	RTPRS48H7() ()()	2,827.	1,640.	1,708.	1,790.	1,811.	1,864.
	1 1/2"	56 1/8"	54"	1.6	RTPRS54H7() ()()	n/a	n/a	1,742.	1,823.	1,846.	1,904.
	1 1/2"	56 1/8"	60"	1.8	RTPRS60H7() ()()	n/a	n/a	1,775.	1,857.	1,881.	1,947.

Order Code

Example:	RTPRS30H7() ()()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmentated
30	Width
H7	56 1/8" high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including:

1. Trim Finish: Painted or Anodized
2. Top insert finish: Glass or Fabric
3. Bottom insert finish: Forbo, L, V1, V2, V3

Application Notes

H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

When ordering 54" or wider Task Panel, please check width of fabric specified.

*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to part number 6TP00085

Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Y = Yardage required


Task Panels
H8 62³/₄" high
Monolithic, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	62 3/4"	30"	RTPNM30H8 () ()	\$2,028.	\$1,220.	\$1,199.	\$1,317.	\$1,463.	\$1,858.
Without tool rail	1 1/2"	62 3/4"	36"	RTPNM36H8 () ()	2,294.	1,291.	1,266.	1,388.	1,554.	2,025.
	1 1/2"	62 3/4"	42"	RTPNM42H8 () ()	2,656.	1,496.	1,467.	1,595.	1,791.	2,338.
	1 1/2"	62 3/4"	48"	RTPNM48H8 () ()	2,926.	1,523.	1,490.	1,625.	1,847.	2,471.



Order Code	Specification Information	Application Notes
Example: RTPNM30H8 () ()	To order please specify pattern number including;	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
M Monolithic		List price for woodgrain laminate options will be current published laminate list price plus 10%.
30 Width		Always supplied including all trim pieces.
H8 62 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H8 62³/₄" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	62 3/4"	30"	0.9	RTPRS30H8 () ()	\$1,522.	\$1,552.	\$1,583.	\$1,613.	\$1,661.	\$1,690.	\$1,729.
	1 1/2"	62 3/4"	36"	1.1	RTPRS36H8 () ()	1,614.	1,651.	1,687.	1,724.	1,776.	1,807.	1,849.
	1 1/2"	62 3/4"	42"	1.3	RTPRS42H8 () ()	1,813.	1,856.	1,900.	1,944.	2,002.	2,037.	2,084.
	1 1/2"	62 3/4"	48"	1.4	RTPRS48H8 () ()	1,840.	1,886.	1,933.	1,980.	2,039.	2,074.	2,122.
	1 1/2"	62 3/4"	54"	1.6	RTPRS54H8 () ()	1,877.	1,930.	1,983.	2,036.	2,097.	2,134.	2,183.
	1 1/2"	62 3/4"	60"	1.8	RTPRS60H8 () ()	1,913.	1,972.	2,033.	2,093.	2,156.	2,194.	2,243.
	1 1/2"	62 3/4"	66"	1.9	RTPRS66H8 () ()	2,266.	2,330.	2,393.	2,457.	2,531.	2,574.	2,634.
	1 1/2"	62 3/4"	72"	2.1	RTPRS72H8 () ()	2,307.	3,298.	2,434.	2,498.	2,573.	2,617.	2,678.


Order Code	Specification Information	Application Notes
Example: RTPRS30H8 () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom insert finish: Fabric	Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.
M Monolithic		
30 Width		Always supplied including cable curtain.
H8 62 3/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top		All trims supplied with the same finish specification.
W281 Fabric selection bottom		All Fabric to be applied railroaded as current tackboard

Y = Yardage required

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H8 62³/₄" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	62 3/4"	30"	0.9	RTPRS30H8() () ()	\$1,587.	\$1,603.	\$1,617.	\$1,633.	\$1,672.	\$1,711.	\$1,750.
With tool rail	1 1/2"	62 3/4"	36"	1.1	RTPRS36H8() () ()	1,685.	1,704.	1,721.	1,740.	1,782.	1,823.	1,865.
	1 1/2"	62 3/4"	42"	1.3	RTPRS42H8() () ()	1,891.	1,913.	1,934.	1,956.	2,003.	2,050.	2,097.
	1 1/2"	62 3/4"	48"	1.4	RTPRS48H8() () ()	1,923.	1,947.	1,969.	1,993.	2,040.	2,089.	2,136.



Order Code	Specification Information	Application Notes
Example: RTPRS30H8() () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on Knoll Exchange.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		
30 Width		Always supplied including cable curtain.
H8 62 3/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
LW Marker board top insert		All trims supplied with the same finish specification.
W281 Fabric selection bottom insert		All Fabric to be applied railroaded as current tackboard

Y = Yardage required


When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

H8 62³/₄" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	62 ³ / ₄ "	30"	0.9	RTPRS30H8() ()()	\$2,280.	\$1,563.	\$1,557.	\$1,625.	\$1,664.	\$1,739.
With tool rail	1 1/2"	62 ³ / ₄ "	36"	1.1	RTPRS36H8() ()()	2,548.	1,677.	1,648.	1,716.	1,760.	1,851.
	1 1/2"	62 ³ / ₄ "	42"	1.3	RTPRS42H8() ()()	2,923.	1,900.	1,851.	1,920.	1,968.	2,073.
	1 1/2"	62 ³ / ₄ "	48"	1.4	RTPRS48H8() ()()	3,139.	1,953.	1,878.	1,977.	2,031.	2,151.
	1 1/2"	62 ³ / ₄ "	54"	1.6	RTPRS54H8() ()()	3,353.	2,014.	1,942.	2,014.	2,072.	2,206.
	1 1/2"	62 ³ / ₄ "	60"	1.8	RTPRS60H8() ()()	3,565.	2,073.	1,949.	2,050.	2,113.	2,261.

Order Code

Specification Information

Application Notes

Example:	RTPRS30H8() ()()
R	Reff
TP	Task Panel
R	Tool rail
S	Segmentated
30	Width
H8	62 ³ / ₄ " high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert


To order please specify pattern number including:
 1. Trim Finish: Painted or Anodized
 2. Top insert finish: Glass or Fabric
 3. Bottom insert finish: Forbo, L, V1, V2, V3

H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroded as current tackboard
 When ordering 54" or wider Task Panel, please check width of fabric specified.

*Installation instruction sheets available on Knoll Exchange.
 For Task Panels refer to part number 6TP00085
 Product on this page **Excluding any vertical surface over 48"**, will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Y = Yardage required

Tackboards
H1 23 1/8" high
Wall hung, fabric


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard, wall hung	1"	23 1/8"	30"	1.0	RWHDHTB30H1()	\$262.	\$287.	\$314.	\$340.	\$345.	\$350.	\$355.
	1"	23 1/8"	36"	1.1	RWHDHTB36H1()	279.	308.	336.	365.	371.	376.	382.
	1"	23 1/8"	42"	1.3	RWHDHTB42H1()	307.	341.	374.	408.	415.	421.	428.
	1"	23 1/8"	48"	1.5	RWHDHTB48H1()	334.	373.	411.	450.	458.	466.	474.
	1"	23 1/8"	54"	1.6	RWHDHTB54H1()	352.	393.	435.	476.	484.	493.	502.
	1"	23 1/8"	60"	1.8	RWHDHTB60H1()	379.	425.	473.	519.	528.	538.	547.
	1"	23 1/8"	66"	1.9	RWHDHTB66H1()	398.	447.	495.	545.	555.	564.	575.
	1"	23 1/8"	72"	2.1	RWHDHTB72H1()	425.	480.	534.	588.	599.	610.	621.
	1"	23 1/8"	78"	2.3	RWHDHTB78H1()	452.	512.	571.	630.	643.	654.	666.
	1"	23 1/8"	84"	2.5	RWHDHTB84H1()	480.	545.	609.	674.	687.	699.	713.
	1"	23 1/8"	90"	2.6	RWHDHTB90H1()	497.	564.	631.	698.	712.	726.	740.
	1"	23 1/8"	96"	2.8	RWHDHTB96H1()	525.	597.	671.	743.	757.	771.	786.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H1()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H1 23 1/8" high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H2 29³/₄" high
Wall hung, fabric

Reff Profiles


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	29 ³ / ₄ "	30"	1.0	RWHDHTB30H2()	\$277.	\$302.	\$327.	\$351.	\$356.	\$362.	\$367.
	1"	29 ³ / ₄ "	36"	1.1	RWHDHTB36H2()	298.	325.	352.	380.	386.	391.	398.
	1"	29 ³ / ₄ "	42"	1.3	RWHDHTB42H2()	328.	361.	392.	425.	432.	439.	445.
	1"	29 ³ / ₄ "	48"	1.5	RWHDHTB48H2()	358.	396.	433.	470.	478.	485.	493.
	1"	29 ³ / ₄ "	54"	1.6	RWHDHTB54H2()	379.	419.	458.	499.	507.	515.	523.
	1"	29 ³ / ₄ "	60"	1.8	RWHDHTB60H2()	409.	454.	499.	544.	553.	562.	572.
	1"	29 ³ / ₄ "	66"	1.9	RWHDHTB66H2()	430.	477.	524.	572.	582.	591.	602.
	1"	29 ³ / ₄ "	72"	2.1	RWHDHTB72H2()	460.	513.	564.	617.	628.	639.	650.
	1"	29 ³ / ₄ "	78"	2.3	RWHDHTB78H2()	490.	548.	605.	662.	675.	686.	698.
	1"	29 ³ / ₄ "	84"	2.5	RWHDHTB84H2()	520.	583.	645.	708.	721.	733.	747.
	1"	29 ³ / ₄ "	90"	2.6	RWHDHTB90H2()	542.	607.	671.	735.	749.	763.	777.
	1"	29 ³ / ₄ "	96"	2.8	RWHDHTB96H2()	572.	642.	711.	781.	795.	811.	825.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H2()	To order please specify pattern number including: 1. Finish: Fabric	H2 Height = Underside of overhead to top of 1" thick credenza top for 3/4 height cabinets.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H2 29 ³ / ₄ " high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H3 37⁷/₈" high
Wall hung, fabric

Reff Profiles


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	37 ⁷ / ₈ "	30"	1.0	RWHDHTB30H3()	\$291.	\$316.	\$342.	\$367.	\$372.	\$377.	\$382.
	1"	37 ⁷ / ₈ "	36"	1.1	RWHDHTB36H3()	315.	343.	370.	398.	404.	409.	415.
	1"	37 ⁷ / ₈ "	42"	1.3	RWHDHTB42H3()	348.	380.	413.	445.	452.	458.	466.
	1"	37 ⁷ / ₈ "	48"	1.5	RWHDHTB48H3()	382.	419.	456.	493.	502.	509.	517.
	1"	37 ⁷ / ₈ "	54"	1.6	RWHDHTB54H3()	405.	445.	484.	524.	533.	542.	550.
	1"	37 ⁷ / ₈ "	60"	1.8	RWHDHTB60H3()	439.	483.	528.	573.	582.	592.	602.
	1"	37 ⁷ / ₈ "	66"	1.9	RWHDHTB66H3()	461.	509.	556.	604.	614.	623.	633.
	1"	37 ⁷ / ₈ "	72"	2.1	RWHDHTB72H3()	495.	548.	599.	652.	663.	674.	685.
	1"	37 ⁷ / ₈ "	78"	2.3	RWHDHTB78H3()	528.	586.	643.	700.	713.	724.	736.
	1"	37 ⁷ / ₈ "	84"	2.5	RWHDHTB84H3()	562.	624.	687.	749.	762.	775.	788.
	1"	37 ⁷ / ₈ "	90"	2.6	RWHDHTB90H3()	585.	650.	714.	779.	792.	806.	820.
	1"	37 ⁷ / ₈ "	96"	2.8	RWHDHTB96H3()	619.	688.	758.	827.	842.	857.	871.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H3()	To order please specify pattern number including: 1. Finish: Fabric	H3 Height = Top of U-shelf or L-shelf overhead to top of 1 1/2" thick desk height worksurface.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H3 37 ⁷ / ₈ " high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H4 44 1/2" high
Wall hung, fabric


description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	44 1/2"	30"	1.0	RWHDHTB30H4()	\$304.	\$329.	\$354.	\$379.	\$384.	\$389.	\$394.
	1"	44 1/2"	36"	1.1	RWHDHTB36H4()	330.	357.	384.	412.	418.	423.	430.
	1"	44 1/2"	42"	1.3	RWHDHTB42H4()	366.	398.	431.	462.	470.	476.	483.
	1"	44 1/2"	48"	1.5	RWHDHTB48H4()	401.	438.	476.	513.	521.	528.	537.
	1"	44 1/2"	54"	1.6	RWHDHTB54H4()	427.	468.	507.	547.	555.	563.	572.
	1"	44 1/2"	60"	1.8	RWHDHTB60H4()	462.	507.	552.	596.	606.	616.	625.
	1"	44 1/2"	66"	1.9	RWHDHTB66H4()	488.	536.	583.	630.	641.	650.	660.
	1"	44 1/2"	72"	2.1	RWHDHTB72H4()	524.	577.	628.	681.	692.	702.	714.
	1"	44 1/2"	78"	2.3	RWHDHTB78H4()	560.	617.	675.	731.	744.	756.	768.
	1"	44 1/2"	84"	2.5	RWHDHTB84H4()	595.	657.	720.	782.	795.	808.	821.
	1"	44 1/2"	90"	2.6	RWHDHTB90H4()	621.	686.	751.	816.	829.	844.	857.
	1 1/2"	44 1/2"	96"	2.8	RWHDHTB96H4()	656.	726.	795.	865.	880.	895.	909.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H4()	To order please specify pattern number including:	H4 Height = Top of U-shelf or L-shelf overhead to top of 1" thick credenza top for 3/4" height cabinet.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H4 44 1/2" high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H5 42⁵/₈" high
Wall hung, fabric

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	42 ⁵ / ₈ "	30"	1.0	RWHDHTB30H5()	\$301.	\$325.	\$350.	\$375.	\$380.	\$386.	\$391.
	1"	42 ⁵ / ₈ "	36"	1.1	RWHDHTB36H5()	327.	353.	381.	408.	414.	419.	425.
	1"	42 ⁵ / ₈ "	42"	1.3	RWHDHTB42H5()	361.	392.	425.	457.	465.	471.	478.
	1"	42 ⁵ / ₈ "	48"	1.5	RWHDHTB48H5()	396.	433.	471.	508.	516.	523.	531.
	1"	42 ⁵ / ₈ "	54"	1.6	RWHDHTB54H5()	421.	461.	501.	541.	549.	557.	565.
	1"	42 ⁵ / ₈ "	60"	1.8	RWHDHTB60H5()	455.	501.	545.	590.	599.	609.	618.
	1"	42 ⁵ / ₈ "	66"	1.9	RWHDHTB66H5()	481.	528.	575.	622.	632.	643.	653.
	1"	42 ⁵ / ₈ "	72"	2.1	RWHDHTB72H5()	516.	569.	620.	673.	684.	694.	706.
	1"	42 ⁵ / ₈ "	78"	2.3	RWHDHTB78H5()	551.	608.	665.	722.	734.	746.	758.
	1"	42 ⁵ / ₈ "	84"	2.5	RWHDHTB84H5()	586.	658.	711.	773.	786.	798.	812.
	1"	42 ⁵ / ₈ "	90"	2.6	RWHDHTB90H5()	611.	676.	741.	805.	819.	832.	846.
	1"	42 ⁵ / ₈ "	96"	2.8	RWHDHTB96H5()	647.	716.	786.	855.	869.	885.	899.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H5()	To order please specify pattern number including: 1. Finish: Fabric	H5 Height = Top of Single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H5 42 ⁵ / ₈ " high		
W281 Fabric selection		

Y = Yardage required

Desk Screens

Planning Guidelines and Specifications

Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".


Bracket and frame paint finish codes with suffix "T" indicate textured.

Construction


Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.


Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.



Screen always at back



For applications with work surface 26 1/2" off the floor



For applications with work surface 28 3/8" off the floor


Desk Screens

Fabric


For 42" High Horizon

Reff Profiles

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon	24"	1 1/4"	20"	YPSB2024F	\$556.	\$584.	\$612.	\$640.	\$667.
	27"	1 1/4"	20"	YPSB2027F	572.	600.	629.	657.	686.
	30"	1 1/4"	20"	YPSB2030F	587.	617.	646.	676.	705.
	36"	1 1/4"	20"	YPSB2036F	654.	687.	720.	752.	785.
	42"	1 1/4"	20"	YPSB2042F	680.	714.	748.	782.	816.
	48"	1 1/4"	20"	YPSB2048F	700.	735.	770.	805.	840.
	54"	1 1/4"	20"	YPSB2054F	752.	790.	827.	865.	902.
	60"	1 1/4"	20"	YPSB2060F	798.	838.	879.	918.	958.
	66"	1 1/4"	20"	YPSB2066FRR	834.	877.	918.	960.	1,001.
72"	1 1/4"	20"	YPSB2072FRR	860.	903.	947.	989.	1,032.	



Fabric Screens with Half Modesty For Desks, 42" High Horizon	24"	1 1/4"	32"	YPSB3224F	644.	676.	709.	741.	773.
	27"	1 1/4"	32"	YPSB3227F	690.	725.	759.	794.	828.
	30"	1 1/4"	32"	YPSB3230F	711.	747.	782.	818.	853.
	36"	1 1/4"	32"	YPSB3236F	803.	844.	884.	924.	964.
	42"	1 1/4"	32"	YPSB3242F	850.	892.	935.	977.	1,020.
	48"	1 1/4"	32"	YPSB3248F	855.	898.	940.	984.	1,026.
	54"	1 1/4"	32"	YPSB3254F	927.	973.	1,020.	1,066.	1,112.
	60"	1 1/4"	32"	YPSB3260F	1,004.	1,055.	1,105.	1,155.	1,205.
	66"	1 1/4"	32"	YPSB3266FRR	1,143.	1,201.	1,258.	1,315.	1,372.
	72"	1 1/4"	32"	YPSB3272FRR	1,205.	1,266.	1,326.	1,386.	1,446.



Accessories and Client
Samples

Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2048F, W351, 118T, 118T**

YPSB	Desk Screen
20	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With

Desk Screens
Brackets
Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.



Desk Screens

Fabric

For 49" High Horizon

Reff Profiles

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon	24"	1 1/4"	26"	YPSB2624F	\$608.	\$639.	\$668.	\$699.	\$729.
	27"	1 1/4"	26"	YPSB2627F	633.	665.	697.	728.	760.
	30"	1 1/4"	26"	YPSB2630F	649.	682.	714.	747.	779.
	36"	1 1/4"	26"	YPSB2636F	726.	762.	799.	835.	871.
	42"	1 1/4"	26"	YPSB2642F	762.	800.	838.	877.	915.
	48"	1 1/4"	26"	YPSB2648F	819.	860.	901.	941.	983.
	54"	1 1/4"	26"	YPSB2654F	876.	920.	963.	1,007.	1,051.
	60"	1 1/4"	26"	YPSB2660F	912.	957.	1,003.	1,049.	1,094.
	66"	1 1/4"	26"	YPSB2666FRR	953.	1,000.	1,049.	1,096.	1,143.
	72"	1 1/4"	26"	YPSB2672FRR	994.	1,043.	1,094.	1,143.	1,193.
Fabric Screens with Half Modesty For Desks, 49" High Horizon	24"	1 1/4"	38"	YPSB3824F	695.	730.	765.	799.	834.
	27"	1 1/4"	38"	YPSB3827F	747.	784.	822.	859.	896.
	30"	1 1/4"	38"	YPSB3830F	767.	805.	845.	883.	921.
	36"	1 1/4"	38"	YPSB3836F	876.	920.	963.	1,007.	1,051.
	42"	1 1/4"	38"	YPSB3842F	927.	973.	1,020.	1,066.	1,112.
	48"	1 1/4"	38"	YPSB3848F	999.	1,050.	1,099.	1,149.	1,199.
	54"	1 1/4"	38"	YPSB3854F	1,051.	1,103.	1,156.	1,208.	1,261.
	60"	1 1/4"	38"	YPSB3860F	1,107.	1,163.	1,218.	1,273.	1,329.
	66"	1 1/4"	38"	YPSB3866FRR	1,241.	1,303.	1,366.	1,428.	1,489.
	72"	1 1/4"	38"	YPSB3872FRR	1,308.	1,374.	1,439.	1,505.	1,570.



Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648F, W351, W351, 118T, 118T**

YPSB	Desk Screen
26	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With

Desk Screens
Brackets
Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.



Desk Screens

Laminate, Markerboard or Veneer

For 42" High Horizon

Reff Profiles

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42" High Horizon	24"	3/4"	20"	YPSB2024()	\$228.	\$393.	\$436.	\$502.	\$652.
	27"	3/4"	20"	YPSB2027()	231.	397.	445.	512.	666.
	30"	3/4"	20"	YPSB2030()	233.	399.	455.	524.	681.
	36"	3/4"	20"	YPSB2036()	262.	504.	475.	546.	711.
	42"	3/4"	20"	YPSB2042()	268.	509.	510.	586.	762.
	48"	3/4"	20"	YPSB2048()	346.	815.	533.	613.	796.
	54"	3/4"	20"	YPSB2054()	352.	821.	553.	637.	827.
	60"	3/4"	20"	YPSB2060()	357.	826.	598.	688.	895.
	66"	3/4"	20"	YPSB2066()	364.	831.	625.	719.	934.
	72"	3/4"	20"	YPSB2072()	369.	837.	645.	742.	963.
Screens with Half Modesty For Desks, 42" High Horizon	24"	3/4"	32"	YPSB3224()	255.	604.	507.	583.	758.
	27"	3/4"	32"	YPSB3227()	260.	608.	529.	609.	792.
	30"	3/4"	32"	YPSB3230()	296.	612.	545.	627.	815.
	36"	3/4"	32"	YPSB3236()	349.	818.	577.	663.	862.
	42"	3/4"	32"	YPSB3242()	357.	826.	632.	727.	946.
	48"	3/4"	32"	YPSB3248()	376.	1,431.	663.	762.	992.
	54"	3/4"	32"	YPSB3254()	384.	1,439.	700.	805.	1,048.
	60"	3/4"	32"	YPSB3260()	524.	1,445.	773.	888.	1,155.
	66"	3/4"	32"	YPSB3266()	533.	1,453.	810.	931.	1,210.
	72"	3/4"	32"	YPSB3272()	541.	1,463.	840.	966.	1,257.





Accessories and Client Samples

Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2048V, V316,	Brackets	Finish Options:
2. Surface Finish	118T	Hardware	(L)= Laminate
3. Bracket Paint Finish	YPSB Desk Screen		(LM)= Markerboard
	20 Height		(V)= Veneer
	48 Width		
	V Veneer		
	V316 Maple		
	118T Bright White Paint		

Desk Screens
Laminate, Markerboard or Veneer
For 49" High Horizon

Reff Profiles

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 49" High Horizon 	24"	3/4"	26"	YPSB2624()	\$249.	\$597.	\$484.	\$557.	\$724.
	27"	3/4"	26"	YPSB2627()	252.	602.	496.	571.	743.
	30"	3/4"	26"	YPSB2630()	256.	605.	517.	595.	774.
	36"	3/4"	26"	YPSB2636()	263.	612.	543.	624.	812.
	42"	3/4"	26"	YPSB2642()	302.	619.	588.	676.	879.
	48"	3/4"	26"	YPSB2648()	330.	1,420.	620.	714.	928.
	54"	3/4"	26"	YPSB2654()	337.	1,428.	646.	742.	965.
	60"	3/4"	26"	YPSB2660()	355.	1,432.	719.	827.	1,074.
	66"	3/4"	26"	YPSB2666()	363.	1,441.	745.	856.	1,113.
	72"	3/4"	26"	YPSB2672()	465.	1,446.	770.	886.	1,152.
Screens with Half Modesty For Desks, 49" High Horizon 	24"	3/4"	38"	YPSB3824()	295.	612.	541.	622.	809.
	27"	3/4"	38"	YPSB3827()	300.	616.	559.	644.	836.
	30"	3/4"	38"	YPSB3830()	304.	621.	578.	664.	863.
	36"	3/4"	38"	YPSB3836()	359.	827.	622.	715.	930.
	42"	3/4"	38"	YPSB3842()	370.	837.	684.	787.	1,023.
	48"	3/4"	38"	YPSB3848()	460.	1,442.	721.	829.	1,077.
	54"	3/4"	38"	YPSB3854()	471.	1,452.	764.	879.	1,142.
	60"	3/4"	38"	YPSB3860()	541.	1,463.	862.	991.	1,289.
	66"	3/4"	38"	YPSB3866()	550.	1,473.	905.	1,041.	1,353.
	72"	3/4"	38"	YPSB3872()	560.	1,483.	942.	1,084.	1,409.

Ordering Information

- Desk Screens**
1. Pattern Number
2. Surface Finish
3. Bracket Paint Finish

Order Code

Desk Screens
Example: **YPSB2648V, V316, 118T**

YPSB	Desk Screen
26	Height
48	Width
V	Veneer
V316	Maple
118T	Bright White Paint

Included With

Desk Screens
Brackets
Hardware

Options

Desk Screens
Finish Options:
(L)= Laminate
(LM)= Markerboard
(V)= Veneer

description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies 30" and 36"	30"	10"	RDTC3010()	\$854.	\$1,067.	\$1,227.	\$1,594.
	36"	10"	RDTC3610()	864.	1,076.	1,238.	1,609.



Desk Top Cubbies 60" and 72"	60"	10"	RDTC6010()	1,048.	1,310.	1,506.	1,958.
	72"	10"	RDTC7210()	1,069.	1,337.	1,537.	1,998.



Desk Top Cubbies Open	60"	10"	RDTCO6010()	1,158.	1,448.	1,664.	2,164.
	72"	10"	RDTCO7210()	1,174.	1,467.	1,687.	2,193.



Wall Mounted Cubbies 30" and 36"	30"	10"	RRMC3010()	936.	1,170.	1,345.	1,749.
	36"	10"	RRMC3610()	945.	1,180.	1,358.	1,764.



Wall Mounted Cubbies 60" and 72"	60"	10"	RRMC6010()	1,077.	1,345.	1,549.	2,014.
	72"	10"	RRMC7210()	1,099.	1,374.	1,580.	2,055.




Under Mounted Cubbies 30" and 36"	30"	10"	RUMC3010()	905.	1,132.	1,302.	1,692.
	36"	10"	RUMC3610()	916.	1,145.	1,317.	1,712.



Order Code	Specification Information	Application Notes
Example: RDTC3010() ()		
R Reff		Installation instruction sheets available on Knoll Exchange.
DT Desk Top		
C Cubby		For Wall Mounted cubbies, please refer to part number 6TP00086.
30 Width		For Under Mounted cubbies, please refer to part number 6TP00087.
10 Depth		
Finish		
		Product on this page Excluding any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

description	w	d	pattern no.	L	V1	V2	V3
Under Mounted Cubbies 60" and 72"	60"	10"	RUMC6010()	\$1,028.	\$1,284.	\$1,477.	\$1,921.
	72"	10"	RUMC7210()	1,054.	1,316.	1,514.	1,968.



Order Code

Specification Information

Application Notes

Example: **RDTC3010()**()

R	Reff
DT	Desk Top
C	Cubby
30	Width
10	Depth
	Finish

Installation instruction sheets available on Knoll Exchange.


For Wall Mounted cubbies, please refer to part number 6TP00086.

For Under Mounted cubbies, please refer to part number 6TP00087.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Single Wide Desk

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Single Wide Desk 	66"	30"	42"	RASW6630 () ()	\$1,201.	\$1,381.	\$1,588.	\$2,065.
	72"	30"	42"	RASW7230 () ()	1,254.	1,442.	1,658.	2,156.
	78"	30"	42"	RASW7830 () ()	1,293.	1,487.	1,710.	2,223.
	84"	30"	42"	RASW8430 () ()	1,366.	1,571.	1,807.	2,349.
	90"	30"	42"	RASW9030 () ()	1,405.	1,616.	1,859.	2,416.
	96"	30"	42"	RASW9630 () ()	1,450.	1,668.	1,918.	2,494.

Order Code

Example:	
RA	Reff Administrative
SW	Single Wide with worksurface
66	66" wide, Nominal
30	30" deep, Nominal
()	Modesty finish
()	Worksurface finish

Nominal vs Actual sizes

N=66/A=62 - Top = 61.8 x 27.9
 N=72/A=68 - Top = 67.8 x 27.9
 N=78/A=74 - Top = 73.8 x 27.9
 N=84/A= 80 - Top = 79.8 x 27.9
 N=90/A=86 - Top = 85.8 x 27.9
 N=96/A=92 - Top = 91.8 x 27.9
 above dimension allow for 2 end supports


Specification Information

To order please specify pattern number including:
 1. Modesty Finish: Wood or Laminate
 2. Worksurface Finish: Wood or Laminate
 66" to 96" wide Nominal.
 No Drilling Options.
 No Grommet Options.
 To be used with end support, return, or bridge.
 Includes front modesty and worksurface.
 Stations up to 96" wide.
 Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes


Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
 Products on this page are engineered to work with 28^{3/8}" planning.
 All worksurfaces are 1 1/2" thick.
 Products on this page will accept all Laminates except "wood grain laminates".
 Note: All installation instructions are available on the Knoll Exchange.
 42" height is Nominal.

Comes with hardware kit, including attachment kit.
 Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.
 Pencil Lip will be assembled to the top.
 Pencil Lip dimension: 1/4"H above worksurface.
 Pencil Lip is located along the back edge.
 Pencil Lip is available in black only.
 Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).
 The approach side needs to be completed with an additional infill panel.



Single Wide Desk

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 Single Wide Desk	66"	30"	42"	RASW6630 () ()	\$1,292.	\$1,363.	\$1,623.	\$1,344.	\$1,458.	\$1,687.
	72"	30"	42"	RASW7230 () ()	1,337.	1,414.	1,696.	1,382.	1,505.	1,756.
	78"	30"	42"	RASW7830 () ()	1,373.	1,456.	1,759.	1,410.	1,542.	1,815.
	84"	30"	42"	RASW8430 () ()	1,454.	1,543.	1,867.	1,457.	1,598.	1,893.
	90"	30"	42"	RASW9030 () ()	1,490.	1,585.	1,930.	1,486.	1,636.	1,953.
	96"	30"	42"	RASW9630 () ()	1,534.	1,634.	2,001.	1,514.	1,673.	2,012.

Order Code

Example:	
RA	Reff Administrative
SW	Single Wide with worksurface
66	66" wide, Nominal
30	30" deep, Nominal
()	Modesty finish
()	Worksurface finish

Nominal vs Actual sizes

N=66/A=62 - Top = 61.8 x 27.9
 N=72/A=68 - Top = 67.8 x 27.9
 N=78/A=74 - Top = 73.8 x 27.9
 N=84/A= 80 - Top = 79.8 x 27.9
 N=90/A=86 - Top = 85.8 x 27.9
 N=96/A=92 - Top = 91.8 x 27.9
 above dimension allow for 2 end supports


Specification Information

To order please specify pattern number including:
 1. Modesty Finish: Wood or Laminate
 2. Worksurface Finish: Wood or Laminate
 66" to 96" wide Nominal.
 No Drilling Options.
 No Grommet Options.
 To be used with end support, return, or bridge.
 Includes front modesty and worksurface.
 Stations up to 96" wide.
 Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes


Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
 Products on this page are engineered to work with 28^{3/8}" planning.
 All worksurfaces are 1 1/2" thick.
 Products on this page will accept all Laminates except "wood grain laminates".
 Note: All installation instructions are available on the Knoll Exchange.
 42" height is Nominal.

Comes with hardware kit, including attachment kit.
 Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.
 Pencil Lip will be assembled to the top.
 Pencil Lip dimension: 1/4"H above worksurface.
 Pencil Lip is located along the back edge.
 Pencil Lip is available in black only.
 Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).
 The approach side needs to be completed with an additional infill panel.



Double Wide Desk

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
 <p>Left hand shown</p>	51"	30"	42"	RADW(L/R)5130 () ()	\$1,162.	\$1,336.	\$1,536.	\$1,997.
	54"	30"	42"	RADW(L/R)5430 () ()	1,188.	1,366.	1,571.	2,042.
	57"	30"	42"	RADW(L/R)5730 () ()	1,214.	1,396.	1,605.	2,087.
	60"	30"	42"	RADW(L/R)6030 () ()	1,295.	1,489.	1,713.	2,227.
	63"	30"	42"	RADW(L/R)6330 () ()	1,316.	1,514.	1,741.	2,263.
	66"	30"	42"	RADW(L/R)6630 () ()	1,345.	1,547.	1,779.	2,313.
	69"	30"	42"	RADW(L/R)6930 () ()	1,371.	1,576.	1,813.	2,356.
	72"	30"	42"	RADW(L/R)7230 () ()	1,391.	1,600.	1,840.	2,392.
	75"	30"	42"	RADW(L/R)7530 () ()	1,410.	1,621.	1,864.	2,424.
	78"	30"	42"	RADW(L/R)7830 () ()	1,429.	1,644.	1,890.	2,458.
	81"	30"	42"	RADW(L/R)8130 () ()	1,455.	1,673.	1,924.	2,501.
	84"	30"	42"	RADW(L/R)8430 () ()	1,504.	1,729.	1,989.	2,586.
	87"	30"	42"	RADW(L/R)8730 () ()	1,522.	1,750.	2,013.	2,617.
	90"	30"	42"	RADW(L/R)9030 () ()	1,542.	1,774.	2,040.	2,651.
	93"	30"	42"	RADW(L/R)9330 () ()	1,568.	1,803.	2,074.	2,696.
96"	30"	42"	RADW(L/R)9630 () ()	1,587.	1,825.	2,099.	2,729.	

Order Code

Example:	
RA	Reff Administrative
DW	Double Wide with worksurface
L	Left hand
51	51" wide, Nominal
30	30" deep (only) worksurface
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

51" to 96" wide, Nominal.
30" deep worksurface, Nominal.
No Drilling Options.
No Grommet Options.

Product on this page do not include infill panels, returns or supports. Supports need to be ordered separately.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height, Nominal.

Left hand and Right hand units are sold separately (not as set), therefore the veneer side will not match.

Left hand unit includes 2 kits;
Kit #1: Joinery hardware to connect 2 units together.
Kit #2: Multi clips.

Products on this page do not include infill panels, returns and supports, need to be order separately.


Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with an additional infill panel.

Worksurfaces include a 2" gap along the back edge to accommodate full length wire access and Pencil Lip. Pencil lip will be assembled to the top.
Pencil Lip dimensions: 1/4"H above worksurface.
Pencil Lip is available in black only.

To complete your double wide unit, you must order 2 pieces. Nominal double vs Actual double sizes
Actual is 2" less than Nominal.


- N=102/ A=98 (2x49) - Top = 49
- N=108/ A=104 (2x52) - Top = 52
- N=114/ A=110 (2x55) - Top = 55
- N=120/ A=116 (2x58) - Top = 58
- N=126/ A=122 (2x61) - Top = 61
- N=132/ A=128 (2x64) - Top = 64
- N=138/ A=134 (2x67) - Top = 67
- N=144/ A=140 (2x70) - Top = 70
- N=150/ A=146 (2x73) - Top = 73
- N=156/ A=152 (2x76) - Top = 76
- N=162/ A=158 (2x79) - Top = 79
- N=168/ A=164 (2x82) - Top = 82
- N=174/ A=170 (2x85) - Top = 85
- N=180/ A=176 (2x88) - Top = 88
- N=186/ A=182 (2x91) - Top = 91
- N=192/ A=188 (2x94) - Top = 94



Administrative / Reception

Double Wide Desk

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 <p>right hand shown</p>	51"	30"	42"	RADW(L/R)5130() ()	\$1,240.	\$1,299.	\$1,514.	\$1,351.	\$1,445.	\$1,653.
	54"	30"	42"	RADW(L/R)5430() ()	1,266.	1,328.	1,553.	1,366.	1,464.	1,683.
	57"	30"	42"	RADW(L/R)5730() ()	1,283.	1,348.	1,585.	1,389.	1,491.	1,721.
	60"	30"	42"	RADW(L/R)6030() ()	1,383.	1,451.	1,698.	1,443.	1,550.	1,791.
	63"	30"	42"	RADW(L/R)6330() ()	1,403.	1,474.	1,732.	1,472.	1,583.	1,835.
	66"	30"	42"	RADW(L/R)6630() ()	1,424.	1,498.	1,766.	1,499.	1,615.	1,878.
	69"	30"	42"	RADW(L/R)6930() ()	1,450.	1,526.	1,805.	1,513.	1,634.	1,907.
	72"	30"	42"	RADW(L/R)7230() ()	1,470.	1,549.	1,838.	1,528.	1,653.	1,938.
	75"	30"	42"	RADW(L/R)7530() ()	1,487.	1,568.	1,868.	1,570.	1,699.	1,994.
	78"	30"	42"	RADW(L/R)7830() ()	1,504.	1,589.	1,900.	1,584.	1,718.	2,025.
	81"	30"	42"	RADW(L/R)8130() ()	1,531.	1,618.	1,939.	1,598.	1,737.	2,054.
	84"	30"	42"	RADW(L/R)8430() ()	1,587.	1,677.	2,010.	1,632.	1,775.	2,103.
	87"	30"	42"	RADW(L/R)8730() ()	1,604.	1,697.	2,039.	1,646.	1,793.	2,132.
	90"	30"	42"	RADW(L/R)9030() ()	1,622.	1,718.	2,072.	1,660.	1,812.	2,163.
	93"	30"	42"	RADW(L/R)9330() ()	1,649.	1,748.	2,112.	1,674.	1,830.	2,191.
96"	30"	42"	RADW(L/R)9630() ()	1,666.	1,767.	2,141.	1,688.	1,849.	2,222.	

Order Code

Example:	
RA	Reff Administrative
DW	Double Wide with worksurface
L	Left hand
51	51" wide, Nominal
30	30" deep (only) worksurface
()	Modesty finish
()	Worksurface finish

To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes

Actual is 2" less than Nominal.

- N=102/ A=98 (2x49) - Top = 49
- N=108/ A=104 (2x52) - Top = 52
- N=114/ A=110 (2x55) - Top = 55
- N=120/ A=116 (2x58) - Top = 58
- N=126/ A=122 (2x61) - Top = 61
- N=132/ A=128 (2x64) - Top = 64
- N=138/ A=134 (2x67) - Top = 67
- N=144/ A=140 (2x70) - Top = 70
- N=150/ A=164 (2x73) - Top = 73
- N=156/ A=152 (2x76) - Top = 76
- N=162/ A=158 (2x79) - Top = 79
- N=168/ A=164 (2x82) - Top = 82
- N=174/ A=170 (2x85) - Top = 85
- N=180/ A=176 (2x88) - Top = 88
- N=186/ A=182 (2x91) - Top = 91
- N=192/ A=188 (2x94) - Top = 94

Specification Information

To order please specify pattern number including:

1. Modesty Finish: Wood or Laminate
2. Worksurface Finish: Wood or Laminate

51" to 96" wide, Nominal.
30" deep worksurface, Nominal.
No Drilling Options.
No Grommet Options.

Product on this page do not include infill panels, returns or supports. Supports need to be ordered separately.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height, Nominal.

Left hand and Right hand units are sold separately (not as set), therefore the veneer side will not match.


Left hand unit includes 2 kits;
Kit #1: Joinery hardware to connect 2 units together.
Kit #2: Multi clips.

Products on this page do not include infill panels, returns and supports, need to be order separately.

Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).


The approach side needs to be completed with an additional infill panel.

Worksurfaces include a 2" gap along the back edge to accommodate full length wire access and Pencil Lip. Pencil lip will be assembled to the top. Pencil Lip dimensions: 1/4"H above worksurface. Pencil Lip is available in black only.



Bridge

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
	72"	20"	42"	RABR(L/R)7220 () () ()	\$1,090.	\$1,744.	\$2,006.	\$2,608.
	78"	20"	42"	RABR(L/R)7820 () () ()	1,183.	1,892.	2,176.	2,829.
	84"	20"	42"	RABR(L/R)8420 () () ()	1,236.	1,977.	2,274.	2,956.
	90"	20"	42"	RABR(L/R)9020 () () ()	1,286.	2,058.	2,366.	3,076.
	96"	20"	42"	RABR(L/R)9620 () () ()	1,336.	2,137.	2,458.	3,195.

Left hand shown

Order Code

Example:	
RA	Reff Administrative
BR	Bridge Return
R	Right hand
72	72" wide
20	20" deep
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Grommet Option:
F = Flush
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.


Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal

Includes a 20"d nominal work surface.
Includes thick modesty panel. Use in conjunction with end cabinets.
Bridge + Cabinet + End Panel = Nominals.

Cabinet to be ordered separately.



left hand / right hand

Nominal vs Actual sizes

N=72/A=54.5 - top 24.5

N=78/A=60.5 - top 30.5


N=84/A=66.5 - top 36.5

N=90/A=72.5 - top 42.5

N=96/A=78.5 - top 48.5

Bridge

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
	72"	20"	42"	RABR(L/R)7220 () () ()	\$1,198.	\$1,231.	\$1,338.	\$1,603.	\$1,834.	\$2,228.
	78"	20"	42"	RABR(L/R)7820 () () ()	1,320.	1,357.	1,482.	1,749.	2,001.	2,438.
	84"	20"	42"	RABR(L/R)8420 () () ()	1,378.	1,420.	1,563.	1,808.	2,081.	2,562.
	90"	20"	42"	RABR(L/R)9020 () () ()	1,431.	1,477.	1,638.	1,870.	2,163.	2,690.
	96"	20"	42"	RABR(L/R)9620 () () ()	1,479.	1,528.	1,707.	1,927.	2,241.	2,811.

Left hand shown

Order Code

Example:	
RA	Reff Administrative
BR	Bridge Return
R	Right hand
72	72" wide
20	20" deep
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Grommet Option:
F = Flush
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.


Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal

Includes a 20"d nominal work surface.
Includes thick modesty panel. Use in conjunction with end cabinets.
Bridge + Cabinet + End Panel = Nominals.

Cabinet to be ordered separately.



left hand / right hand

Nominal vs Actual sizes

N=72/A=54.5 - top 24.5


N=78/A=60.5 - top 30.5

N=84/A=66.5 - top 36.5

N=90/A=72.5 - top 42.5

N=96/A=78.5 - top 48.5

Return Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
 Full Return Panel Left hand shown	54"	20"	42"	RAFR(L/R)5420() () () ()	\$1,201.	\$1,825.	\$2,099.	\$2,728.
	60"	20"	42"	RAFR(L/R)6020() () () ()	1,250.	1,900.	2,186.	2,841.
	66"	20"	42"	RAFR(L/R)6620() () () ()	1,351.	2,054.	2,362.	3,070.
	72"	20"	42"	RAFR(L/R)7220() () () ()	1,402.	2,131.	2,451.	3,186.
	78"	20"	42"	RAFR(L/R)7820() () () ()	1,461.	2,221.	2,554.	3,321.
	84"	20"	42"	RAFR(L/R)8420() () () ()	1,529.	2,325.	2,673.	3,475.
	90"	20"	42"	RAFR(L/R)9020() () () ()	1,591.	2,418.	2,780.	3,614.
	96"	20"	42"	RAFR(L/R)9620() () () ()	1,657.	2,518.	2,896.	3,764.

Order Code	Specification Information
Example:	To order please specify pattern number including:
RA Reff Administrative	1. Grommet Option: F = Flush N = No Grommet
FR Full Return	2. Grommet Finish: Painted or Plated
L Left hand	3. Modesty Finish: Laminate or Wood
54 54" wide, Nominal	4. Worksurface Finish: Laminate or Wood
20 20" deep, Nominal	5. Drilling Options: E = End Support drilling 28 ³ / ₈ " G = Gable Support drilling 42"
() Grommet option	
() Grommet finish	
() Modesty finish	
() Worksurface finish	
G Drilling options	

Nominal vs Actual sizes

- N=54/A=52, Top = 22" w x 19" d
- N=60/A=58, Top = 28" w x 19" d
- N=66/A=64, Top = 34" w x 19" d
- N=72/A=70, Top = 40" w x 19" d
- N=78/A=76, Top = 46" w x 19" d
- N=84/A=82, Top = 52" w x 19" d
- N=90/A=88, Top = 58" w x 19" d
- N=96/A=94, Top = 64" w x 19" d

Specification Information

1. Grommet Option:
F = Flush
N = No Grommet
2. Grommet Finish: Painted or Plated
3. Modesty Finish: Laminate or Wood
4. Worksurface Finish: Laminate or Wood
5. Drilling Options:
E = End Support drilling 28³/₈"
G = Gable Support drilling 42"

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".


Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal


Application Notes

Includes a 20" d (nominal) worksurface.
Includes thick modesty.

Return with Cabinet support (TG)




Return with "end support" - 28³/₈" h



Return with Gable support - 42" h

Return

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 <p>Left hand shown</p>	54"	20"	42"	RAFR(L/R)5420 () () () ()	\$1,308.	\$1,339.	\$1,438.	\$1,729.	\$1,952.	\$2,328.
	60"	20"	42"	RAFR(L/R)6020 () () () ()	1,355.	1,390.	1,509.	1,788.	2,031.	2,451.
	66"	20"	42"	RAFR(L/R)6620 () () () ()	1,484.	1,523.	1,658.	1,935.	2,199.	2,663.
	72"	20"	42"	RAFR(L/R)7220 () () () ()	1,534.	1,578.	1,732.	1,996.	2,280.	2,788.
	78"	20"	42"	RAFR(L/R)7820 () () () ()	1,599.	1,646.	1,819.	2,061.	2,366.	2,917.
	84"	20"	42"	RAFR(L/R)8420 () () () ()	1,678.	1,730.	1,920.	2,119.	2,445.	3,041.
	90"	20"	42"	RAFR(L/R)9020 () () () ()	1,745.	1,802.	2,011.	2,195.	2,542.	3,181.
	96"	20"	42"	RAFR(L/R)9620 () () () ()	1,822.	1,883.	2,109.	2,268.	2,636.	3,319.

Order Code

Example:	
RA	Reff Administrative
FR	Full Return
L	Left hand
54	54" wide, Nominal
20	20" deep, Nominal
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish
G	Drilling options

Specification Information

To order please specify pattern number including:

- Grommet Option:
F = Flush
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Laminate or Wood
- Worksurface Finish: Laminate or Wood
- Drilling Options:
E = End Support drilling 28^{3/8}"
G = Gable Support drilling 42"

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".


Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal


Application Notes

Includes a 20" (nominal) worksurface.
Includes thick modesty.

Return with Cabinet support. (TG)



Return with "end support" - 28^{3/8}"h




Return with Gable support - 42"h

Nominal vs Actual sizes


N=54/A=52, Top = 22" w x 19" d
 N=60/A=58, Top = 28" w x 19" d
 N=66/A=64, Top = 34" w x 19" d
 N=72/A=70, Top = 40" w x 19" d
 N=78/A=76, Top = 46" w x 19" d
 N=84/A=82, Top = 52" w x 19" d
 N=90/A=88, Top = 58" w x 19" d
 N=96/A=94, Top = 64" w x 19" d

Shared Return One Sided

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
	66"	20"	42"	RASRS(L/R)6620() () () ()	\$954.	\$1,527.	\$1,756.	\$2,282.
	72"	20"	42"	RASRS(L/R)7220() () () ()	1,024.	1,638.	1,884.	2,449.
	78"	20"	42"	RASRS(L/R)7820() () () ()	1,076.	1,722.	1,980.	2,574.
	84"	20"	42"	RASRS(L/R)8420() () () ()	1,159.	1,855.	2,133.	2,773.
	90"	20"	42"	RASRS(L/R)9020() () () ()	1,206.	1,930.	2,219.	2,885.
	96"	20"	42"	RASRS(L/R)9620() () () ()	1,313.	2,101.	2,416.	3,141.

Left hand shown


Order Code	Specification Information	Application Notes
<p>Example:</p> <p>RA Reff Administrative</p> <p>SR Shared Return</p> <p>S Single</p> <p>R Right hand</p> <p>66 66" wide</p> <p>() Grommet option</p> <p>() Grommet finish</p> <p>() Modesty finish</p> <p>() Worksurface finish</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Grommet Option: F = Flush N = No Grommet Grommet Finish: Painted or Plated Modesty Finish: Wood or Laminate Worksurface Finish: Wood or Laminate 	<p>Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.</p> <p>Products on this page are engineered to work with 28^{3/8}" planning.</p> <p>All worksurfaces are 1 1/2" thick.</p> <p>Products on this page will accept all Laminates except "wood grain laminates".</p> <p>Note: All installation instructions available on the Knoll Exchange.</p> <p>42" height is Nominal</p> <p>Must be used with end support. Always comes with drilling to accept 28^{3/8}"H, only, end suport component. End support must be ordered separately. 42" high Gable cannot be used in this application. Hardware for attachment included.</p> 

Nominal vs Actual sizes

- N=66/A=64, Top = 34" actual
- N=72/A=70, Top = 40" actual
- N=78/A=76, Top = 46" actual
- N=84/A=82, Top = 52" actual
- N=90/A=88, Top = 58" actual
- N=96/A=94, Top = 64" actual


Shared Return One Sided

Mixed Finishes

description	w	d	h	pattern no.	L/V1 *	L/V2	L/V3	V1/L	V2/L	V3/L
 Shared Return One Side	66"	20"	42"	RASRS(L/R)6620() () () ()	\$1,078.	\$1,117.	\$1,253.	\$1,413.	\$1,574.	\$1,819.
	72"	20"	42"	RASRS(L/R)7220() () () ()	1,158.	1,201.	1,356.	1,510.	1,691.	1,980.
	78"	20"	42"	RASRS(L/R)7820() () () ()	1,215.	1,263.	1,435.	1,564.	1,766.	2,099.
	84"	20"	42"	RASRS(L/R)8420() () () ()	1,318.	1,370.	1,560.	1,688.	1,911.	2,288.
	90"	20"	42"	RASRS(L/R)9020() () () ()	1,366.	1,423.	1,631.	1,742.	1,985.	2,407.
	96"	20"	42"	RASRS(L/R)9620() () () ()	1,515.	1,576.	1,802.	1,901.	2,166.	2,631.

Left hand shown

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative SR Shared Return S Single R Right hand 66 66" wide () Grommet option () Grommet finish () Modesty finish () Worksurface finish	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Wood or Laminate 4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 ^{3/8} " planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal




Nominal vs Actual sizes

- N=66/A=64, Top = 34" actual
- N=72/A=70, Top = 40" actual
- N=78/A=76, Top = 46" actual
- N=84/A=82, Top = 52" actual
- N=90/A=88, Top = 58" actual
- N=96/A=94, Top = 64" actual

Shared Return Two Sided


Single Finishes

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
 Shared Return Two Sided	66"	20"	42"	RASRD6620 () () () ()	\$1,269.	\$1,967.	\$2,262.	\$2,940.
	72"	20"	42"	RASRD7220 () () () ()	1,353.	2,097.	2,411.	3,135.
	78"	20"	42"	RASRD7820 () () () ()	1,424.	2,207.	2,538.	3,299.
	84"	20"	42"	RASRD8420 () () () ()	1,516.	2,350.	2,703.	3,514.
	90"	20"	42"	RASRD9020 () () () ()	1,577.	2,444.	2,811.	3,654.
	96"	20"	42"	RASRD9620 () () () ()	1,709.	2,650.	3,047.	3,961.

Administrative / Reception

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative SR Shared Return D Double 66 66" wide () Grommet option () Grommet finish () Modesty finish () Worksurface finish	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Wood or Laminate 4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 ^{3/8} " planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal




Nominal vs Actual sizes

N=66/A=64, Top = 34" actual
 N=72/A=70, Top = 40" actual
 N=78/A=76, Top = 46" actual
 N=84/A=82, Top = 52" actual
 N=90/A=88, Top = 58" actual
 N=96/A=94, Top = 64" actual

Shared Return Two Sided

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 Shared Return Two Sided	66"	20"	42"	RASRD6620()()()()	\$1,545.	\$1,623.	\$1,895.	\$1,738.	\$1,898.	\$2,144.
	72"	20"	42"	RASRD7220()()()()	1,641.	1,729.	2,038.	1,844.	2,025.	2,314.
	78"	20"	42"	RASRD7820()()()()	1,725.	1,821.	2,165.	1,907.	2,109.	2,442.
	84"	20"	42"	RASRD8420()()()()	1,837.	1,941.	2,320.	2,036.	2,259.	2,636.
	90"	20"	42"	RASRD9020()()()()	1,900.	2,014.	2,431.	2,099.	2,343.	2,764.
	96"	20"	42"	RASRD9620()()()()	2,085.	2,206.	2,659.	2,281.	2,546.	3,011.

Order Code

Example:	
RA	Reff Administrative
SR	Shared Return
R	Right hand
S	Single
66	66" wide
20	20" deep
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:

- Grommet Option:
F = Flush
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8}" planning.


All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Must be used with end support. Always comes with drilling to accept 28^{3/8}"H, only, end support component. End support must be ordered separately. 42" high Gable cannot be used in this application. Hardware for attachment included.




Nominal vs Actual sizes

N=66/A=64, Top = 34" actual
 N=72/A=70, Top = 40" actual
 N=78/A=76, Top = 46" actual
 N=84/A=82, Top = 52" actual
 N=90/A=88, Top = 58" actual
 N=96/A=94, Top = 64" actual

Technology Island Peninsula

Single Finish

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Peninsula 	62"	40"	22 ³ / ₈ "	RAIE6240 () ()	\$1,106.	\$1,603.	\$1,844.	\$2,397.
	68"	40"	22 ³ / ₈ "	RAIE6840 () ()	1,128.	1,636.	1,882.	2,446.
	74"	40"	22 ³ / ₈ "	RAIE7440 () ()	1,146.	1,661.	1,910.	2,483.
	62"	48"	22 ³ / ₈ "	RAIE6248 () ()	1,193.	1,729.	1,989.	2,585.
	68"	48"	22 ³ / ₈ "	RAIE6848 () ()	1,212.	1,758.	2,022.	2,628.
	74"	48"	22 ³ / ₈ "	RAIE7448 () ()	1,233.	1,788.	2,056.	2,673.

Order Code

Example:	
RA	Reff Administrative
I	Island Peninsula
E	1" thick top
62	Width
40	Depth
()	Grommet Finish
()	Top Finish
()	End Panel Finish

Specification Information

To order please specify pattern number including:

1. Grommet Finish:
Painted or plated
2. Worksurface finish:
Wood or Laminate
3. End panel finish:

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Always comes with standard grommet. 12" inset from back edge, center or depth.


Drilled to accept 30" and 36" wide x 22³/₈" high storage units.

Intended to have full storage under tops.

(30 x 30, 30 x 36, 36 x 36)

Lower storage to be used with this product is 22³/₈"H.


Intended to be freestanding and slide or sit under the primary worksurface.



Technology Island Peninsula

Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Peninsula 	62"	40"	22 ³ / ₈ "	RAIE6240 () ()	\$1,194.	\$1,295.	\$1,642.	\$1,532.	\$1,647.	\$1,800.
	68"	40"	22 ³ / ₈ "	RAIE6840 () ()	1,223.	1,333.	1,708.	1,552.	1,688.	1,820.
	74"	40"	22 ³ / ₈ "	RAIE7440 () ()	1,243.	1,361.	1,764.	1,573.	1,689.	1,841.
	62"	48"	22 ³ / ₈ "	RAIE6248 () ()	1,283.	1,402.	1,803.	1,686.	1,818.	2,001.
	68"	48"	22 ³ / ₈ "	RAIE6848 () ()	1,306.	1,435.	1,868.	1,711.	1,843.	2,025.
	74"	48"	22 ³ / ₈ "	RAIE7448 () ()	1,330.	1,470.	1,936.	1,735.	1,867.	2,050.

Order Code

Example:	
RA	Reff Administrative
I	Island Peninsula
E	1" thick top
62	Width
40	Depth
()	Grommet Finish
()	Top Finish
()	End Panel Finish

Specification Information

To order please specify pattern number including:

1. Grommet Finish:
Painted or plated
2. Worksurface finish:
Wood or Laminate
3. End panel finish:

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Always comes with standard grommet. 12" inset from back edge, center or depth.


Drilled to accept 30" and 36" wide x 22³/₈" high storage units.

Intended to have full storage under tops.

(30 x 30, 30 x 36, 36 x 36)

Lower storage to be used with this product is 22³/₈"H.

Intended to be freestanding and slide or sit under the primary worksurface.





Infill Panel

Flush Single / Double

Type A

Reff Profiles

description	w	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece 	66"	39"	2 1/2"	RAIPFAWS66()	\$834.	\$959.	\$1,103.	\$1,434.
	72"	39"	2 1/2"	RAIPFAWS72()	869.	999.	1,149.	1,494.
	78"	39"	2 1/2"	RAIPFAWS78()	941.	1,082.	1,244.	1,617.
	84"	39"	2 1/2"	RAIPFAWS84()	968.	1,113.	1,280.	1,664.
	90"	39"	2 1/2"	RAIPFAWS90()	1,007.	1,158.	1,332.	1,732.
	96"	39"	2 1/2"	RAIPFAWS96()	1,035.	1,190.	1,369.	1,779.
Flush Infill Panel, 2 pieces 	102"	39"	2 1/2"	RAIPFAWD102()	1,670.	1,921.	2,209.	2,872.
	108"	39"	2 1/2"	RAIPFAWD108()	1,706.	1,962.	2,257.	2,934.
	114"	39"	2 1/2"	RAIPFAWD114()	1,756.	2,020.	2,323.	3,019.
	120"	39"	2 1/2"	RAIPFAWD120()	1,792.	2,061.	2,370.	3,081.
	126"	39"	2 1/2"	RAIPFAWD126()	1,902.	2,187.	2,515.	3,270.
	132"	39"	2 1/2"	RAIPFAWD132()	1,937.	2,228.	2,562.	3,331.
	138"	39"	2 1/2"	RAIPFAWD138()	1,987.	2,285.	2,628.	3,417.
	144"	39"	2 1/2"	RAIPFAWD144()	2,111.	2,427.	2,791.	3,629.
	150"	39"	2 1/2"	RAIPFAWD150()	2,147.	2,469.	2,840.	3,692.
	156"	39"	2 1/2"	RAIPFAWD156()	2,183.	2,510.	2,887.	3,753.
	162"	39"	2 1/2"	RAIPFAWD162()	2,219.	2,551.	2,934.	3,814.
	168"	39"	2 1/2"	RAIPFAWD168()	2,254.	2,593.	2,981.	3,876.
	174"	39"	2 1/2"	RAIPFAWD174()	2,311.	2,658.	3,056.	3,973.
	180"	39"	2 1/2"	RAIPFAWD180()	2,346.	2,698.	3,103.	4,034.
	186"	39"	2 1/2"	RAIPFAWD186()	2,382.	2,740.	3,151.	4,096.
	192"	39"	2 1/2"	RAIPFAWD192()	2,418.	2,781.	3,158.	4,157.

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative IP Infill Panel FA Flush Type A WS Wood, single (1pc) 66 Width () Finish	To order please specify pattern number including: 1. Infill Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal
		Type A = recessed on top only. These infill panels sit flush to both end supports with a reveal at the top of the infill. Double wide = Two equal width pieces Veneer finishes come matched.

To complete your double wide unit, you must order 2 pieces. *Nominal double vs Actual double sizes*



Actual is 2" less than Nominal.

- N=102/ A=98 (2x49)
- N=108/ A=104 (2x52)
- N=114/ A=110 (2x55)
- N=120/ A=116 (2x58)
- N=126/ A=122 (2x61)
- N=132/ A=128 (2x64)
- N=138/ A=134 (2x67)
- N=144/ A=140 (2x70)
- N=150/ A=146 (2x73)
- N=156/ A=152 (2x76)
- N=162/ A=158 (2x79)
- N=168/ A=164 (2x82)
- N=174/ A=170 (2x85)
- N=180/ A=176 (2x88)
- N=186/ A=182 (2x91)
- N=192/ A=188 (2x94)

Infill Panel

Flush Single / Double

Type B

description	w	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece 	66"	39"	2 1/2"	RAIPFBWS66()	\$918.	\$1,056.	\$1,215.	\$1,579.
	72"	39"	2 1/2"	RAIPFBWS72()	947.	1,088.	1,252.	1,627.
	78"	39"	2 1/2"	RAIPFBWS78()	1,026.	1,180.	1,357.	1,764.
	84"	39"	2 1/2"	RAIPFBWS84()	1,053.	1,211.	1,393.	1,811.
	90"	39"	2 1/2"	RAIPFBWS90()	1,093.	1,257.	1,446.	1,880.
	96"	39"	2 1/2"	RAIPFBWS96()	1,121.	1,290.	1,483.	1,928.
Flush Infill Panel, 2 pieces 	102"	39"	2 1/2"	RAIPFBWD102()	1,843.	2,119.	2,437.	3,169.
	108"	39"	2 1/2"	RAIPFBWD114()	1,880.	2,162.	2,487.	3,233.
	114"	39"	2 1/2"	RAIPFBWD114()	1,933.	2,223.	2,557.	3,324.
	120"	39"	2 1/2"	RAIPFBWD120()	1,968.	2,263.	2,603.	3,384.
	126"	39"	2 1/2"	RAIPFBWD126()	2,080.	2,392.	2,751.	3,576.
	132"	39"	2 1/2"	RAIPFBWD132()	2,115.	2,432.	2,797.	3,637.
	138"	39"	2 1/2"	RAIPFBWD138()	2,167.	2,493.	2,865.	3,725.
	144"	39"	2 1/2"	RAIPFBWD144()	2,289.	2,632.	3,027.	3,935.
	150"	39"	2 1/2"	RAIPFBWD150()	2,328.	2,677.	3,079.	4,002.
	156"	39"	2 1/2"	RAIPFBWD156()	2,362.	2,716.	3,123.	4,060.
	162"	39"	2 1/2"	RAIPFBWD162()	2,399.	2,759.	3,173.	4,125.
	168"	39"	2 1/2"	RAIPFBWD168()	2,436.	2,801.	3,221.	4,187.
	174"	39"	2 1/2"	RAIPFBWD174()	2,491.	2,865.	3,295.	4,283.
	180"	39"	2 1/2"	RAIPFBWD180()	2,525.	2,904.	3,340.	4,341.
	186"	39"	2 1/2"	RAIPFBWD186()	2,564.	2,949.	3,391.	4,408.
	192"	39"	2 1/2"	RAIPFBWD192()	2,599.	2,989.	3,437.	4,468.

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative IP Infill Panel FB Flush Type B WS Wood 66 Width () Finish	<i>To order please specify pattern number including:</i> 1. Infill Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal



Type B = recessed on top and bottom.
 Does not extend to the floor.
 Type B infill panels, sit flush between both end supports and has a reveal at the top and bottom of the infill panel.
 Double wide = two equal width pieces.
 Veneer finishes come matched.

To complete your double wide unit, you must order 2 pieces. *Nominal double vs Actual double sizes*
Actual is 2" less than Nominal.
 N=102/ A=98 (2x49)
 N=108/ A=104 (2x52)
 N=114/ A=110 (2x55)
 N=120/ A=116 (2x58)
 N=126/ A=122 (2x61)
 N=132/ A=128 (2x64)
 N=138/ A=134 (2x67)
 N=144/ A=140 (2x70)
 N=150/ A=146 (2x73)
 N=156/ A=152 (2x76)
 N=162/ A=158 (2x79)
 N=168/ A=164 (2x82)
 N=174/ A=170 (2x85)
 N=180/ A=176 (2x88)
 N=186/ A=182 (2x91)
 N=192/ A=188 (2x94)

Infill Panel

Recessed Single / Double

Wood

description	w	h	th	pattern no.	L	V1	V2	V3
Recessed Infill Panel, 1 piece 	66"	39"	1"	RAIPRWS66()	\$621.	\$714.	\$821.	\$1,067.
	72"	39"	1"	RAIPRWS72()	648.	745.	857.	1,114.
	78"	39"	1"	RAIPRWS78()	705.	811.	933.	1,212.
	84"	39"	1"	RAIPRWS84()	725.	833.	958.	1,246.
	90"	39"	1"	RAIPRWS90()	759.	872.	1,003.	1,304.
	96"	39"	1"	RAIPRWS96()	778.	895.	1,029.	1,338.
Recessed Infill Panel, 2 pieces 	102"	39"	1"	RAIPRWD102()	1,302.	1,497.	1,721.	2,238.
	108"	39"	1"	RAIPRWD108()	1,328.	1,527.	1,756.	2,282.
	114"	39"	1"	RAIPRWD114()	1,371.	1,576.	1,813.	2,356.
	120"	39"	1"	RAIPRWD120()	1,396.	1,606.	1,847.	2,401.
	126"	39"	1"	RAIPRWD126()	1,470.	1,690.	1,944.	2,527.
	132"	39"	1"	RAIPRWD132()	1,510.	1,736.	1,996.	2,595.
	138"	39"	1"	RAIPRWD138()	1,539.	1,769.	2,035.	2,645.
	144"	39"	1"	RAIPRWD144()	1,639.	1,885.	2,168.	2,818.
	150"	39"	1"	RAIPRWD150()	1,665.	1,915.	2,202.	2,863.
	156"	39"	1"	RAIPRWD156()	1,694.	1,948.	2,240.	2,913.
	162"	39"	1"	RAIPRWD162()	1,720.	1,978.	2,275.	2,957.
	168"	39"	1"	RAIPRWD168()	1,748.	2,010.	2,312.	3,006.
	174"	39"	1"	RAIPRWD174()	1,802.	2,072.	2,383.	3,098.
	180"	39"	1"	RAIPRWD180()	1,831.	2,106.	2,422.	3,148.
	186"	39"	1"	RAIPRWD186()	1,857.	2,136.	2,456.	3,193.
	192"	39"	1"	RAIPRWD192()	1,885.	2,168.	2,493.	3,241.

Pattern number includes 2 pieces

Order Code

Example:	
RA	Reff Administrative
IP	Infill Panel
R	Recessed
W	Wood
S	Single (1 pc)
66	Width
()	Finish

Specification Information

To order please specify pattern number including:
 1. Finish:
 Wood or Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Double wide = Two equal width pieces
 Natural Veneer finishes come matched.

This product sits recessed between both end supports. This product has no reveal.

To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes


Actual is 2" less than Nominal.

- N=102/ A=98 (2x49)
- N=108/ A=104 (2x52)
- N=114/ A=110 (2x55)
- N=120/ A=116 (2x58)
- N=126/ A=122 (2x61)
- N=132/ A=128 (2x64)
- N=138/ A=134 (2x67)
- N=144/ A=140 (2x70)
- N=150/ A=164 (2x73)
- N=156/ A=152 (2x76)
- N=162/ A=158 (2x79)
- N=168/ A=164 (2x82)
- N=174/ A=170 (2x85)
- N=180/ A=176 (2x88)
- N=186/ A=182 (2x91)
- N=192/ A=188 (2x94)


Infill Panel

Recessed Single / Double Glass

Reff Profiles

description	w	h	th	pattern no.	glass
 Recessed Infill Panel, 1 piece	66"	39"	1"	RAIPRGS66()	\$2,577.
	72"	39"	1"	RAIPRGS72()	2,761.
	78"	39"	1"	RAIPRGS78()	3,048.
	84"	39"	1"	RAIPRGS84()	3,234.
	90"	39"	1"	RAIPRGS90()	3,400.
	96"	39"	1"	RAIPRGS96()	3,565.

pattern number includes 1 piece

 Recessed Infill Panel, 2 pieces	102"	39"	1"	RAIPRGD51()	2,219.
	108"	39"	1"	RAIPRGD54()	2,301.
	114"	39"	1"	RAIPRGD57()	2,385.
	120"	39"	1"	RAIPRGD60()	2,467.
	126"	39"	1"	RAIPRGD63()	2,549.
	132"	39"	1"	RAIPRGD66()	2,632.
	138"	39"	1"	RAIPRGD69()	2,733.
	144"	39"	1"	RAIPRGD72()	2,937.
	150"	39"	1"	RAIPRGD75()	3,020.
	156"	39"	1"	RAIPRGD78()	3,102.
	162"	39"	1"	RAIPRGD81()	3,206.
	168"	39"	1"	RAIPRGD84()	3,289.
	174"	39"	1"	RAIPRGD87()	3,372.
	180"	39"	1"	RAIPRGD90()	3,454.
	186"	39"	1"	RAIPRGD93()	3,537.
	192"	39"	1"	RAIPRGD96()	3,619.

Order Code

Example:	
RA	Reff Administrative
IP	Infill Panel
R	Recessed
G	Glass
S	Single
66	Width
()	Frame Finish
()	Glass Finish

Specification Information

To order please specify pattern number including:

1. Frame Finish:
Painted and Anodized
2. Glass Finish:
GL11, GL14, GL15, GL18

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Application Notes

To complete your double wide unit, you must order 2 pieces.

Glass Infill thickness, including frame = ¹³/₁₆" overall.

Same hardware as the wood infill.

Glass infill panels are available in inset flush type, only.


This product sits recessed between both end supports with no reveal at top or bottom.

To complete your double wide unit, you must order 2 pieces. *Nominal double vs Actual double sizes*

Actual is 2" less than Nominal.

N=102/ A=98 (2x49)
 N=108/ A=104 (2x52)
 N=114/ A=110 (2x55)
 N=120/ A=116 (2x58)
 N=126/ A=122 (2x61)
 N=132/ A=128 (2x64)
 N=138/ A=134 (2x67)
 N=144/ A=140 (2x70)
 N=150/ A=164 (2x73)
 N=156/ A=152 (2x76)
 N=162/ A=158 (2x79)
 N=168/ A=164 (2x82)
 N=174/ A=170 (2x85)
 N=180/ A=176 (2x88)
 N=186/ A=182 (2x91)
 N=192/ A=188 (2x94)

Transaction Tops Bridge


description	w	d	th	pattern no.	L	V1	V2	V3
Bridge	72"	8"	1 1/2"	RATTBR72()	\$385.	\$398.	\$458.	\$596.
	78"	8"	1 1/2"	RATTBR78()	403.	414.	476.	618.
	84"	8"	1 1/2"	RATTBR84()	414.	425.	489.	635.
	90"	8"	1 1/2"	RATTBR90()	433.	462.	531.	690.
	96"	8"	1 1/2"	RATTBR96()	444.	473.	544.	707.

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Between front shelf and end support.
RA Reff Administrative	1. Transaction Top Finish: Wood and Laminate	Used on full Bridge Return Units Only.
TT Transaction Tops		This unit is not intended to be used on its own.
BR Bridge Return		Retro fit kit included to attach to the accompanying unit.
72 72" wide		Hardware kit included.
() Finish		All transaction tops are manufactured to fit within the end supports components.
	Products on this page will accept all Laminates except "wood grain laminates".	
	Note: All installation instructions available on the Knoll Exchange.	

Nominal double vs Actual sizes
 N=72/A = 44.5
 N=78/A = 50.5
 N=84/A = 56.5
 N=90/A = 62.5
 N=96/A = 68.5

Transaction Tops

Return

description	w	d	th	pattern no.	L	V1	V2	V3
Full Return 	54"	8"	1 1/2"	RATTFR54()	\$381.	\$394.	\$453.	\$589.
	60"	8"	1 1/2"	RATTFR60()	398.	408.	469.	609.
	66"	8"	1 1/2"	RATTFR66()	409.	420.	483.	628.
	72"	8"	1 1/2"	RATTFR72()	425.	458.	526.	684.
	78"	8"	1 1/2"	RATTFR78()	440.	469.	539.	701.
	84"	8"	1 1/2"	RATTFR84()	460.	479.	551.	716.
	90"	8"	1 1/2"	RATTFR90()	470.	494.	568.	739.
	96"	8"	1 1/2"	RATTFR96()	481.	521.	599.	779.

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative TT Transaction Tops FR Full Return 54 54" wide, Nominal () Finish	To order please specify pattern number including: 1. Transaction Top Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange.
		All transaction tops are manufactured to fit within the end supports components. Between front shelf and end support Used on full Return Units Only This unit is not intended to be used on its own Retro fit kit included to attach to the accompanying unit Hardware kit included



Nominal double vs Actual sizes
 N=54/A=42
 N=60/A=48
 N=66/A=54
 N=72/A=60
 N=78/A=66
 N=84/A=72
 N=90/A=78
 N=96/A=84

Transaction Tops

Single and Double

Wood / Laminate

Reff Profiles

description	w	d	th	pattern no.	L	V1	V2	V3
Front Single 	66"	10"	1 1/2"	RATTDS66()	\$475.	\$493.	\$567.	\$737.
	72"	10"	1 1/2"	RATTDS72()	482.	506.	582.	757.
	78"	10"	1 1/2"	RATTDS78()	489.	520.	597.	777.
	84"	10"	1 1/2"	RATTDS84()	496.	542.	623.	810.
	90"	10"	1 1/2"	RATTDS90()	503.	571.	657.	854.
	96"	10"	1 1/2"	RATTDS96()	509.	584.	672.	874.
Front Double 	102"	10"	1 1/2"	RATTDD102()	832.	933.	1,072.	1,394.
	108"	10"	1 1/2"	RATTDD108()	839.	950.	1,092.	1,420.
	114"	10"	1 1/2"	RATTDD114()	846.	968.	1,113.	1,447.
	120"	10"	1 1/2"	RATTDD120()	853.	986.	1,134.	1,475.
	126"	10"	1 1/2"	RATTDD126()	893.	1,056.	1,215.	1,579.
	132"	10"	1 1/2"	RATTDD132()	900.	1,074.	1,235.	1,605.
	138"	10"	1 1/2"	RATTDD138()	907.	1,092.	1,256.	1,632.
	144"	10"	1 1/2"	RATTDD144()	914.	1,110.	1,277.	1,660.
	150"	10"	1 1/2"	RATTDD150()	927.	1,128.	1,298.	1,687.
	156"	10"	1 1/2"	RATTDD156()	934.	1,154.	1,327.	1,725.
	162"	10"	1 1/2"	RATTDD162()	941.	1,182.	1,360.	1,767.
	168"	10"	1 1/2"	RATTDD168()	948.	1,200.	1,381.	1,795.
	174"	10"	1 1/2"	RATTDD174()	955.	1,251.	1,439.	1,870.
	180"	10"	1 1/2"	RATTDD180()	962.	1,266.	1,456.	1,893.
	186"	10"	1 1/2"	RATTDD186()	968.	1,285.	1,477.	1,921.
	192"	10"	1 1/2"	RATTDD192()	975.	1,305.	1,500.	1,951.

Order Code

Example:	
RA	Reff Administrative
TT	Transaction Tops
DS	Desk Single
66	66" wide
()	Finish

Specification Information

To order please specify pattern number including:
 1. Transaction Top Finish: Wood and Laminate

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

No grommet options.

Double comes in two pieces, Veneer matched.

Hardware kit included for each unit.

All transaction tops are manufactured to fit within the end supports.

Nominal double (two pieces) vs




Actual sizes

- 102 = N=51/A=49
- 108 = N=54/A=52
- 114 = N=57/A=55
- 120 = N=60/A=58
- 126 = N=63/A=61
- 132 = N=66/A=64
- 138 = N=69/A=67
- 144 = N=72/A=70
- 150 = N=75/A=73
- 156 = N=78/A=76
- 162 = N=81/A=79
- 168 = N=84/A=82
- 174 = N=87/A=85
- 180 = N=90/A=88
- 186 = N=93/A=91
- 192 = N=96/A=94

Accent Tops

Glass Finish

Reff Profiles

description	w	d	th	pattern no.	glass
Accent top for Desk 	51"	10"	1/2"	RAATDG51()	\$452.
	54"	10"	1/2"	RAATDG54()	477.
	57"	10"	1/2"	RAATDG57()	501.
	60"	10"	1/2"	RAATDG60()	526.
	63"	10"	1/2"	RAATDG63()	551.
	66"	10"	1/2"	RAATDG66()	576.
	69"	10"	1/2"	RAATDG69()	601.
	72"	10"	1/2"	RAATDG72()	625.
	75"	10"	1/2"	RAATDG75()	650.
	78"	10"	1/2"	RAATDG78()	675.
	81"	10"	1/2"	RAATDG81()	699.
	84"	10"	1/2"	RAATDG84()	724.
	87"	10"	1/2"	RAATDG87()	749.
	90"	10"	1/2"	RAATDG90()	773.
	93"	10"	1/2"	RAATDG93()	797.
96"	10"	1/2"	RAATDG96()	822.	
Accent top for Return Full 	54"	10"	1/2"	RAATFRG54()	395.
	60"	10"	1/2"	RAATFRG60()	444.
	66"	10"	1/2"	RAATFRG66()	493.
	72"	10"	1/2"	RAATFRG72()	543.
	78"	10"	1/2"	RAATFRG78()	592.
	84"	10"	1/2"	RAATFRG84()	641.
	90"	10"	1/2"	RAATFRG90()	691.
Accent top for Bridge Return 	72"	10"	1/2"	RAATBRG72()	403.
	78"	10"	1/2"	RAATBRG78()	452.
	84"	10"	1/2"	RAATBRG84()	501.
	90"	10"	1/2"	RAATBRG90()	551.
	96"	10"	1/2"	RAATBRG96()	601.

Order Code

Example:	
RA	Reff Administrative
AT	Accent for Transaction Tops
D	Desk
G	Glass
51	Width
()	Glass finish

Specification Information

To order please specify pattern number including:
 1. Glass Finish:
 GL35, GL85

D=Desk
 RF=Return Full
 BR=Bridge Return

Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Note: All installation instructions available on the Knoll Exchange.

All accent tops are manufactured to fit over the end supports and are intended to be placed on top of transaction top.




Comes with anti-skid bumper; 1/4" thick.

Glass has a Polished edge, 1/2" thick.

Overall thickness = 3/4" thick.

Accent Tops

Solid Finish

description	w	d	th	pattern no.	Solid
Accent top for Desk 	51"	10"	1/2"	RAATDS51()	\$2,018.
	54"	10"	1/2"	RAATDS54()	2,075.
	57"	10"	1/2"	RAATDS57()	2,246.
	60"	10"	1/2"	RAATDS60()	2,304.
	63"	10"	1/2"	RAATDS63()	2,476.
	66"	10"	1/2"	RAATDS66()	2,533.
	69"	10"	1/2"	RAATDS69()	2,704.
	72"	10"	1/2"	RAATDS72()	2,762.
	75"	10"	1/2"	RAATDS75()	3,137.
	78"	10"	1/2"	RAATDS78()	3,198.
	81"	10"	1/2"	RAATDS81()	3,321.
	84"	10"	1/2"	RAATDS84()	3,383.
	87"	10"	1/2"	RAATDS87()	3,506.
	90"	10"	1/2"	RAATDS90()	3,567.
	93"	10"	1/2"	RAATDS93()	3,629.
96"	10"	1/2"	RAATDS96()	3,690.	
Accent top for Return Full 	54"	10"	1/2"	RAATFRS54()	1,563.
	60"	10"	1/2"	RAATFRS60()	1,904.
	66"	10"	1/2"	RAATFRS66()	2,132.
	72"	10"	1/2"	RAATFRS72()	2,362.
	78"	10"	1/2"	RAATFRS78()	2,590.
	84"	10"	1/2"	RAATFRS84()	3,075.
	90"	10"	1/2"	RAATFRS90()	3,260.
Accent top for Bridge Return 	72"	10"	1/2"	RAATBRS72()	1,610.
	78"	10"	1/2"	RAATBRS78()	1,961.
	84"	10"	1/2"	RAATBRS84()	2,189.
	90"	10"	1/2"	RAATBRS90()	2,419.
	96"	10"	1/2"	RAATBRS96()	2,647.

Administrative / Reception

Order Code

Example:	
RA	Reff Administrative
AT	Accent Transaction Tops
D	Desk
S	Solid Formica
51	Width

Specification Information

To order please specify pattern number including:
 1. Transaction Top Finish:
 Solid Option: AW = Artic White
 D=Desk
 RF=Return Full
 BR=Bridge Return

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
 Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

Application Notes


All accent tops are manufactured to fit over the end supports components.
 1. Comes with "Anti Skid" bottoms; 1/4" thick.
 2. Solid formica; AW = 1/2" thick.
 3. Overall Accent top thickness is 3/4" thick.

Cabinets

16" Wide, Hinge Door - Both Sides

Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Transaction Cabinet with Trays	16"	20"	42"	RAC(L/R)HT4212() () () () () ()	\$2,882.	\$4,034.	\$4,639.	\$6,031.



Left hand shown

Transaction Cabinet with Cubby	16"	20"	42"	RAC(L/R)HC4212() () () () () ()	2,882.	4,034.	4,639.	6,031.
--------------------------------	-----	-----	-----	---	--------	--------	--------	--------



Left hand shown

Gable for Transaction Cabinet	2"	22"	42"	RACG4220()	617.	853.	1,080.	1,403.
-------------------------------	----	-----	-----	-------------------	------	------	--------	--------



Order Code

Example:	
RA	Reff Administrative
C	Cabinet
R	Right Hand
HT	Hinge Door with Trays
42	Height, Nominal
1	16" wide, Nominal
2	20" deep, Nominal
()	Lock option
()	Lock finish
()	Pull option
()	Pull finish
()	Case finish
()	Top finish
()	Drilling options

Specification Information

- To order please specify pattern number including:
- Lock option:
L / N
 - Lock finish:
B = Black
S = Matte Black
 - Pull option:
B = No pull, No drilling
Customer's own pull
C = C Pull (Nickel finish only)
D = D Pull (Metal Finishes only)
F = Bar Pull
H = Outline Pull
N = Touch Latch, No pull
R = Cylinder Pull
S = S Pull (Stainless Steel finish only)
T = Tab Pull
 - Pull Finish: Core Paint Finishes and Plated
 - Case Finish: Wood or Laminate
 - Top Finish: Wood or Laminate
 - Drilling Options:
N = None, Stand alone unit
T = Drilled to accept worksurface
TT = Drill to accept worksurface on both sides
TG = Worksurface and Gable drilling.
Gable ordered separately

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28^{3/8"} planning.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height is Nominal.

These products are glue and dowel construction.



shown with gable

Application Notes

Wood interior only, no metal shelves.

When choose lock, it will lock both hinge doors.

Adjustable shelf above.

Fixed shelves below Hinged doors.

HT = Hinge Door with Trays
HC = Hinge door with Cubby

On the approach side, the doors only have the Touch Latch option.

Base board only on the user's side.

On the User's side, the door has lock and pull options.

"T" Drilling option:

Left hand units are drilled on the right hand side, and right hand units are drilled on left side for worksurface attachments.


From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed.

Cabinets

16" Wide, Hinge Door - Both Sides

Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Transaction Cabinet with Trays	16"	20"	42"	RAC(L/R)HT4212 () () () () ()	\$3,013.	\$3,063.	\$3,136.	\$4,041.	\$4,472.	\$5,187.



right hand shown

Transaction Cabinet with Cubby	16"	20"	42"	RAC(L/R)HC4212 () () () () ()	3,013.	3,063.	3,136.	4,041.	4,472.	5,187.
--------------------------------	-----	-----	-----	---	--------	--------	--------	--------	--------	--------



right hand shown

Order Code

Example:	
RA	Reff Administrative
C	Cabinet
R	Right Hand
HT	Hinge Door with Trays
42	Height, Nominal
1	16" wide, Nominal
2	20" deep, Nominal
()	Lock option
()	Lock finish
()	Pull option
()	Pull finish
()	Case finish
()	Top finish
()	Drilling options

Specification Information

- To order please specify pattern number including:
- Lock option:
L / N
 - Lock finish:
B = Black
S = Matte Silver
 - Pull option:
B = No pull, No drilling
Customer's own pull
C = C Pull (Nickel finish only)
D = D Pull (Metal Finishes only)
F = Bar Pull
H = Outline Pull
N = Touch Latch, No pull
R = Cylinder Pull
S = S Pull (Stainless Steel finish only)
T = Tab Pull
 - Pull Finish: Core Paint Finishes and Plated
 - Case Finish: Wood or Laminate
 - Top Finish: Wood or Laminate
 - Drilling Options:
N = None, Stand alone unit
T = Drilled to accept worksurface
TT = Drill to accept worksurface on both sides
TG = Work surface and Gable drilling.
Gable ordered separately

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.


Products on this page are engineered to work with 28^{3/8"} planning.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height is Nominal.

These products are glue and dowel construction.



shown with gable

Application Notes

Wood interior only, no metal shelves.

When choose lock, it will lock both hinge doors.

Adjustable shelf above.

Fixed shelves below Hinge doors.

Mixed Finishes:
Case = wood, Top = laminate
Case = laminate, Top = wood

HT = Hinge Door with Trays
HC = Hinge door with Cubby

On the approach side, the doors only have the Touch Latch option.

Base board only on the user's side.


On the User's side, the door has lock and pull options.

"T" Drilling option:
Left hand units are drilled on the right hand side, and right hand units are drilled on left side for worksurface attachments.


From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed

Cabinets

Shelves and Coat Rod

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h 	24"	20"	72"	RAC7242DH(L/R)H() () ()	\$2,599.	\$4,158.	\$4,781.	\$6,216.
	24"	24"	72"	RAC7243DH(L/R)H() () ()	2,704.	4,326.	4,975.	6,467.
	33"	20"	72"	RAC7232DH(L/R)H() () ()	2,839.	4,542.	5,223.	6,790.
	33"	24"	72"	RAC7233DH(L/R)H() () ()	2,969.	4,751.	5,463.	7,102.

Left hand shown

Storage Cabinet 86"h 	24"	20"	86"	RAC8642DH(L/R)H() () ()	2,868.	4,589.	6,277.	6,860.
	24"	24"	86"	RAC8643DH(L/R)H() () ()	2,992.	4,788.	5,506.	7,157.
	33"	20"	86"	RAC8632DH(L/R)H() () ()	3,150.	5,040.	5,796.	7,535.
	33"	24"	86"	RAC8633DH(L/R)H() () ()	3,300.	5,280.	6,072.	7,894.

Left hand shown

Order Code

Example:	
RA	Reff Administrative
C	Cabinet
72	Height nominal
4	Width nominal
2	Depth nominal
DH	Desk Height
R	Right handed
H	Hinged door
()	Lock Option
()	Lock Finish
()	Cabinet Finish

Specification Information

To order please specify pattern number including:

- Lock option:
L=Lock hold drill
N=No drilling
- Lock finish:
B= Black
S= Matte Silver
- Cabinet Finish:
Laminate or Wood

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

These products are glue and dowel construction.

If hinges are on left gable, the cabinet is left handed.

Application Notes

Inset doors.

Inset face - same as 42" cabinet.

Hinge door with touch latch.

Note: Side access cabinet only.

No pulls.

No visible base board, Full length door.

Left/right hand.

Comes with coat rod and hat rack (shelf) 72"h Cabinet comes with 3 adjustable shelves.

86"h Cabinet comes with 4 adjustable shelves.


No mixed finishes.

Available with Wood interior only.

Cabinets


Coat Rod Only

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h	24"	20"	72"	RAC7242WDH(L/R)H() () ()	\$2,030.	\$3,247.	\$3,735.	\$4,855.
Without shelves	24"	24"	72"	RAC7243WDH(L/R)H() () ()	2,135.	3,415.	3,928.	5,106.
	33"	20"	72"	RAC7232WDH(L/R)H() () ()	2,270.	3,631.	4,176.	5,429.
	33"	24"	72"	RAC7233WDH(L/R)H() () ()	2,400.	3,840.	4,416.	5,741.



Left hand shown

Storage Cabinet 86"h	24"	20"	86"	RAC8642WDH(L/R)H() () ()	2,474.	3,958.	4,552.	5,918.
Without shelves	24"	24"	86"	RAC8643WDH(L/R)H() () ()	2,608.	4,172.	4,798.	6,238.
	33"	20"	86"	RAC8632WDH(L/R)H() () ()	2,778.	4,444.	5,111.	6,644.
	33"	24"	86"	RAC8633WDH(L/R)H() () ()	2,939.	4,703.	5,408.	7,030.



Left hand shown

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Inset doors.
RA Reff Administrative		Inset face - same as 42" cabinet.
C Cabinet	1. Lock option: L = Lock hold drill N = No drilling	Hinge door with touch latch.
72 Height nominal	2. Lock finish: B = Black S = Matte Silver	Note: Side access cabinet only.
4 Width nominal	3. Cabinet Finish: Laminate or Wood	No pulls.
2 Depth nominal		No visible base board, Full length door.
W Wardrobe		Left/right hand.
DH Desk Height		72"H cabinet comes with coat road.
R Right handed		86"h Cabinet comes with a hat rack (shelf).
H Hinged door		No mixed finishes.
() Lock Option	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.	Available with Wood interior only.
() Lock Finish	Note: All installation instructions are available on the Knoll Exchange.	
() Cabinet Finish	Note: All installation instructions are available on the Knoll Exchange.	
	These products are glue and dowel construction.	
	If hinges are on left gable, the cabinet is left handed.	

Supports

Gables / End Panels

description	w	d	h	pattern no.	L	V1	V2	V3
End Support for Return	2"	20"	42"	RAGS(L/R)20()	\$524.	\$891.	\$1,024.	\$1,332.



Left hand shown

End Support for Desks	2"	30"	42"	RAGS(L/R)30()	579.	985.	1,132.	1,472.
-----------------------	----	-----	-----	-----------------------	------	------	--------	--------



Left hand shown

Desk height End Support	2"	20	28 ³ / ₈ "	RAESDH(L/R)20()	461.	784.	901.	1,171.
-------------------------	----	----	----------------------------------	-------------------------	------	------	------	--------








Left hand shown

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative GS Gable Support R Right hand 20 20" deep () Finish	To order please specify pattern number including: 1. Finish: Wood or Laminate	Solid Finishes only: L, V1, V2, V3 Always drilled to attach to returns or desks. 20" = for Returns 30" = for Desks Hardware kit includes brackets.
	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 ³ / ₈ " planning. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions are available on the Knoll Exchange.	

Accessories

Electrical

Reff Profiles



description	type	d	h	pattern no.	list
Electrical Duplex Kit - Cir 1				RPEDK1	\$92.
					
Electrical Duplex Kit - Cir 2				RPEDK2	92.
					
Electrical "H" Connector				RPEHC	45.
					
Electrical Power Entry	10 Feet			RPEPE10	211.
	5 Feet			RPEPE5	156.
					
Electrical Jumper	12"			RPEJ12	87.
	24"			RPEJ24	97.
	36"			RPEJ36	106.
	48"			RPEJ48	120.
	60"			RPEJ60	132.
	72"			RPEJ72	143.
	84"			RPEJ84	154.
	96"			RPEJ96	165.
					

Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Note: All installation instructions are available on the Knoll Exchange.
RP Reff Profiles		
E Electrical		
DK Duplex Kit Cir 1		
		No finish options for the Utility hook.
		Features 4 wire, 2 circuit, 20 amps each.
		UL listed as a manufactured wiring system.

Accessories

Electrical

description	type	d	h	pattern no.	list
Electrical, Rec - 2 and Rec Connector				RPER2RC	\$36.
					
Electrical Cable clips, 10 per pack				RPECC10	27.
					

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Note: All installation instructions are available on the Knoll Exchange.
RP Reff Profiles		
E Electrical		
DK Duplex Kit Cir 1		
		No finish options for the Utility hook.
		Features 4 wire, 2 circuit, 20 amps each.
		UL listed as a manufactured wiring system.

Accessories

COM Hardware Kits

Reff Profiles

description	type	pattern no.	list
Hardware Kits for COM materials	Transaction Tops for Single Wide Desks part # 6TP00301	RACDTTDS2	\$25.
		RACDTTDS1	25.
	Transaction Tops for Double Wide Desks Left Hand part # 6TP00301	RACDTTDL1	25.
		RACDTTDL2	25.
		RACDTTDL3	25.
	Transaction Tops for Double Wide Desks Right Hand part # 6TP00301	RACDTTDR3	25.
		RACDTTDR1	25.
		RACDTTDR2	25.
	Infill Panels for Single/Double Wide Desk part # 6TP00302	RACDIPF1	200.
		RACDIPF2	200.
	Accent Transaction Tops, Single/Double Wide part # 6TP00303	RACDAT1	25.
		RACDAT2	25.

Order Code

Example:	
RA	Reff Administrative
CD	Customer own Drawings
TT	Transaction Top
DS	Desk Single
1	Kit # 1

Specification Information

To order please specify pattern number including:

Application Notes

The above Hardware Kits must be purchased when using "COM" Material.



All Installation Instruction for the COM material is available on Knoll Exchange. Please refer to the part number indicated in the description.

Tackboards

11" high

Wall hung , fabric

Reff Profiles

description	th	w	h	y	pattern no.	grade									
						10	15	20	30	35	40	45	50	55	
Wall Hung Tackboard For a Single Wide desk 	3/4"	66"	11"	1.8	RAWHDHTBS66()	\$275.	\$302.	\$330.	\$357.	\$363.	\$369.	\$375.	\$381.	\$387.	
	3/4"	72"	11"	2	RAWHDHTBS72()	292.	322.	353.	383.	389.	396.	402.	408.	415.	
	3/4"	78"	11"	2.2	RAWHDHTBS78()	311.	344.	378.	411.	418.	425.	432.	439.	446.	
	3/4"	84"	11"	2.3	RAWHDHTBS84()	321.	356.	391.	426.	433.	441.	448.	455.	463.	
	3/4"	90"	11"	2.5	RAWHDHTBS90()	337.	375.	413.	451.	459.	467.	475.	483.	491.	
	3/4"	96"	11"	2.7	RAWHDHTBS96()	353.	394.	435.	476.	485.	493.	502.	511.	519.	
Wall Hung Tackboard For a Double Wide desk 	3/4"	51"	11"	1.4	RAWHDHTBD51()	239.	260.	282.	303.	308.	312.	317.	322.	326.	
	3/4"	54"	11"	1.5	RAWHDHTBD54()	250.	273.	296.	319.	324.	328.	333.	338.	342.	
	3/4"	57"	11"	1.6	RAWHDHTBD57()	258.	282.	307.	331.	336.	341.	346.	351.	356.	
	3/4"	60"	11"	1.7	RAWHDHTBD60()	266.	292.	317.	343.	349.	354.	360.	366.	371.	
	3/4"	63"	11"	1.8	RAWHDHTBD63()	275.	302.	330.	357.	363.	368.	374.	380.	385.	
	3/4"	66"	11"	1.8	RAWHDHTBD66()	282.	311.	340.	369.	375.	381.	387.	393.	399.	
	3/4"	69"	11"	1.9	RAWHDHTBD69()	284.	313.	342.	371.	377.	383.	389.	395.	401.	
	3/4"	72"	11"	2	RAWHDHTBD72()	296.	326.	357.	387.	393.	400.	406.	412.	419.	
	3/4"	75"	11"	2.1	RAWHDHTBD75()	307.	339.	371.	403.	410.	416.	423.	430.	436.	
	3/4"	78"	11"	2.2	RAWHDHTBD78()	315.	349.	382.	416.	423.	430.	437.	444.	451.	
	3/4"	81"	11"	2.3	RAWHDHTBD81()	323.	358.	393.	428.	435.	443.	450.	457.	465.	
	3/4"	84"	11"	2.3	RAWHDHTBD84()	325.	360.	395.	430.	437.	445.	452.	459.	467.	
	3/4"	87"	11"	2.4	RAWHDHTBD87()	333.	369.	406.	442.	450.	457.	465.	473.	480.	
	3/4"	90"	11"	2.5	RAWHDHTBD90()	341.	379.	417.	455.	463.	471.	479.	487.	495.	
	3/4"	93"	11"	2.6	RAWHDHTBD93()	349.	389.	428.	468.	476.	485.	493.	501.	510.	
3/4"	96"	11"	2.7	RAWHDHTBD96()	357.	398.	439.	480.	489.	497.	506.	515.	523.		

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative WH Wall hung DH Desk Height TB Tackboard S Single 66 Width () Fabric Grade	To order please specify pattern number including: 1. Finish: Fabric	To complete your double wide unit, you must order 2 pieces. <i>Nominal double vs Actual double sizes</i> <i>Actual is 2" less than Nominal.</i> N=51/ A=49 N=54/ A=52 N=57/ A=55 N=60/ A=58 N=63/ A=61 N=66/ A=64 N=69/ A=67 N=72/ A=70 N=75/ A=73 N=78/ A=76 N=81/ A=79 N=84/ A=82 N=87/ A=85 N=90/ A=88 N=93/ A=91 N=96/ A=94
Y = Yardage required N=66/ A=62 N=72/ A=68 N=78/ A=74 N=84/ A=80 N=90/ A=86 N=96/ A=92		

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.


It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

	EXISTING CONSTRUCTION					
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking


Horizons - 28³/₈" Planning

Planning Guidelines and Specifications

Nominal
Planning Horizons



Nominal
Planning Horizons




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.


Horizons - 28³/₈" Planning

Planning Guidelines and Specifications

Nominal
Planning Horizons



Nominal
Planning Horizons




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Horizons - 28³/₈" Planning

Planning Guidelines and Specifications




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Side Elevations - 28^{3/8}" Planning
 Planning Guidelines and Specifications
 Classic


Reff Profiles



Planning Side Elevations are nominal. Dimensions are actual.

Side Elevations - 28³/₈" Planning
Planning Guidelines and Specifications
Progressive

Reff Profiles



Note: Planning Side Elevations are nominal. Dimensions are actual.

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	252	R2APT3448	77	R2ES79(A/B/C/E)(4/6)(E/N)	110	R3120Y64	109
ASBC24 (L/R)	252	R2APT4218	77	R2HK0008	112	R3120Y79	109
ML3L193M	423	R2APT4220	77	R2HK0015	112	R3135V34F	108
ML3L196M	423	R2APT4224	77	R2HK0034	112	R3135V34T	108
ML3L199M	423	R2APT4230	77	R2HK0042	112	R3135V42F	108
ML3L3712M	423	R2APT4236	77	R2HK0049	112	R3135V42T	108
ML3L3718M	423	R2APT4242	77	R2HK0064	112	R3135V49F	108
ML3L376M	423	R2APT4248	77	R2HK0079	112	R3135V49T	108
MWM-J	422	R2APT4918	78	R2HKB042	112	R3135V64F	108
R113B	254	R2APT4920	78	R2HKB049	112	R3135V64T	108
R234PKIT	118	R2APT4924	78	R2HKB064	112	R3135V79F	108
R2AETK34	80	R2APT4930	78	R2HKB079	112	R3135V79T	108
R2AETK42	80	R2APT4936	78	R2HL3442ES(A/B/C/E)	110	R334PKIT	118
R2AETK49	80	R2APT4942	78	R2HL3442(F)CS	111	R3AK	118
R2AETK64	80	R2APT4948	78	R2HL3449ES(A/B/C/E)	110	R3BOPAA42 18	16
R2AETK79	80	R2APT6418	78	R2HL3449(F)CS	111	R3BOPAA42 20	16
R2AHBW18	82	R2APT6420	78	R2HL3464ES(A/B/C/E)	110	R3BOPAA42 24	16
R2AHBW20	82	R2APT6424	78	R2HL3464(F/T)CS	111	R3BOPAA42 30	16
R2AHBW24	82	R2APT6430	78	R2HL3479ES(A/B/C/E)	110	R3BOPAA42 36	16
R2AHBW30	82	R2APT6436	78	R2HL3479(F/T)CS	111	R3BOPAA42 42	16
R2AHBW36	82	R2APT6442	78	R2HL4249ES(A/B/C/E)	110	R3BOPAA42 48	16
R2AHBW42	82	R2APT6448	78	R2HL4249ETS(A/B/C/E)	111	R3BOPAA42 60	16
R2AHBW48	82	R2APT7918	79	R2HL4249(F)CS	111	R3BOPAA42 66	16
R2AHCR34	81	R2APT7920	79	R2HL4264ES(A/B/C/E)	110	R3BOPAA42 72	16
R2AHCR42	81	R2APT7924	79	R2HL4264ETS(A/B/C/E)	111	R3BOPAA49 18	23
R2AHCR49	81	R2APT7930	79	R2HL4264(F/T)CS	111	R3BOPAA49 20	23
R2AHCR64	81	R2APT7936	79	R2HL4279ES(A/B/C/E)	110	R3BOPAA49 24	23
R2AHCR79	81	R2APT7942	79	R2HL4279ETS(A/B/C/E)	111	R3BOPAA49 30	23
R2AHSR18	83	R2APT7948	79	R2HL4279(F/T)CS	111	R3BOPAA49 36	23
R2AHSR20	83	R2ATPK34	79	R2HL4964ES(A/B/C/E)	110	R3BOPAA49 42	23
R2AHSR24	83	R2ATPK42	79	R2HL4964(F)CS	111	R3BOPAA49 48	23
R2AHSR30	83	R2ATPK49	79	R2HL4979ES(A/B/C/E)	110	R3BOPAA49 60	23
R2AHSR36	83	R2ATPK64	79	R2HL4979(F/T)CS	111	R3BOPAA49 66	23
R2AHSR42	83	R2ATPK79	79	R2HL6479ES(A/B/C/E)	110	R3BOPAA49 72	23
R2AHSR48	83	R2BOTWA34 18	45	R2HL6479(F)CS	111	R3BOPAA64 18	30
R2AHTR18	81	R2BOTWA34 20	45	R2L42C(F/T)(F/T)-(4/6)	113	R3BOPAA64 20	30
R2AHTR20	81	R2BOTWA34 24	45	R2L49C(F/T)(F/T)-(4/6)	113	R3BOPAA64 24	30
R2AHTR24	81	R2BOTWA34 30	45	R2L64C(F/T)(F/T)-(4/6)	113	R3BOPAA64 30	30
R2AHTR30	81	R2BOTWA34 36	45	R2L79C(F/T)(F/T)-(4/6)	113	R3BOPAA64 36	30
R2AHTR36	81	R2BOTWA34 42	45	R2S42C(F/T)(F/T)-(4/6)	113	R3BOPAA64 42	30
R2AHTR42	81	R2BOTWA34 48	45	R2S49C(F/T)(F/T)-(4/6)	113	R3BOPAA64 48	30
R2AHTR48	81	R2BOTWB34 30	45	R2S64C(F/T)(F/T)-(4/6)	113	R3BOPAA64 60	30
R2AHWR18	82	R2BOTWB34 36	45	R2S79C(F/T)(F/T)-(4/6)	113	R3BOPAA64 66	30
R2AHWR20	82	R2BOTWB34 42	45	R2SWS0008	115	R3BOPAA64 72	30
R2AHWR24	82	R2BOTWB34 48	45	R2SWS0015	115	R3BOPAA79 18	37
R2AHWR30	82	R2BOTWC34 18	45	R2SWS0034	115	R3BOPAA79 20	37
R2AHWR36	82	R2BOTWC34 20	45	R2SWS0042	115	R3BOPAA79 24	37
R2AHWR42	82	R2BOTWC34 24	45	R2SWS0049	115	R3BOPAA79 30	37
R2AHWR48	82	R2BOTWC34 30	45	R2SWS0064	115	R3BOPAA79 36	37
R2AK	118	R2BOTWC34 36	45	R2SWS0079	115	R3BOPAA79 42	37
R2ALPK34	80	R2BOTWC34 42	45	R2T42C(F/T)-(4/6)	113	R3BOPAA79 48	37
R2ALPK42	80	R2BOTWC34 48	45	R2T49C(F/T)-(4/6)	113	R3BOPAA79 60	37
R2ALPK49	80	R2CCG	118	R2T64C(F/T)-(4/6)	113	R3BOPAA79 66	37
R2ALPK64	80	R2DLS7936	117	R2T79C(F/T)-(4/6)	113	R3BOPAA79 72	37
R2ALPK79	80	R2DLS7942	117	R2X42C	113	R3BOPF13418	12
R2APT3418	77	R2DRS7936	117	R2X49C	113	R3BOPF13420	12
R2APT3420	77	R2DRS7942	117	R2X64C	113	R3BOPF13424	12
R2APT3424	77	R2ES34(A/B/C/E)(4/6)(E/N)	110	R2X79C	113	R3BOPF13430	12
R2APT3430	77	R2ES42(A/B/C/E)(4/6)(E/N)	110	R3120Y34	109	R3BOPF13436	12
R2APT3436	77	R2ES49(A/B/C/E)(4/6)(E/N)	110	R3120Y42	109	R3BOPF13442	12
R2APT3442	77	R2ES64(A/B/C/E)(4/6)(E/N)	110	R3120Y49	109	R3BOPF13448	12

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF142 18	19	R3BOPF249 66	27	R3BOPF379 48	42	R3BOPFL42 60	18
R3BOPF142 20	19	R3BOPF249 72	27	R3BOPF379 60	42	R3BOPFL42 66	18
R3BOPF142 24	19	R3BOPF264 18	34	R3BOPF379 66	42	R3BOPFL42 72	18
R3BOPF142 30	19	R3BOPF264 20	34	R3BOPF379 72	42	R3BOPFL49 18	25
R3BOPF142 36	19	R3BOPF264 24	34	R3BOPFF3418	10	R3BOPFL49 20	25
R3BOPF142 42	19	R3BOPF264 30	34	R3BOPFF3420	10	R3BOPFL49 24	25
R3BOPF142 48	19	R3BOPF264 36	34	R3BOPFF3424	10	R3BOPFL49 30	25
R3BOPF142 60	19	R3BOPF264 42	34	R3BOPFF3430	10	R3BOPFL49 36	25
R3BOPF142 66	19	R3BOPF264 48	34	R3BOPFF3436	10	R3BOPFL49 42	25
R3BOPF142 72	19	R3BOPF264 60	34	R3BOPFF3442	10	R3BOPFL49 48	25
R3BOPF149 18	26	R3BOPF264 66	34	R3BOPFF3448	10	R3BOPFL49 60	25
R3BOPF149 20	26	R3BOPF264 72	34	R3BOPFF42 18	16	R3BOPFL49 66	25
R3BOPF149 24	26	R3BOPF279 18	41	R3BOPFF42 20	16	R3BOPFL49 72	25
R3BOPF149 30	26	R3BOPF279 20	41	R3BOPFF42 24	16	R3BOPFL64 18	32
R3BOPF149 36	26	R3BOPF279 24	41	R3BOPFF42 30	16	R3BOPFL64 20	32
R3BOPF149 42	26	R3BOPF279 30	41	R3BOPFF42 36	16	R3BOPFL64 24	32
R3BOPF149 48	26	R3BOPF279 36	41	R3BOPFF42 42	16	R3BOPFL64 30	32
R3BOPF149 60	26	R3BOPF279 42	41	R3BOPFF42 48	16	R3BOPFL64 36	32
R3BOPF149 66	26	R3BOPF279 48	41	R3BOPFF42 60	16	R3BOPFL64 42	32
R3BOPF149 72	26	R3BOPF279 60	41	R3BOPFF42 66	16	R3BOPFL64 48	32
R3BOPF164 18	33	R3BOPF279 66	41	R3BOPFF42 72	16	R3BOPFL64 60	32
R3BOPF164 20	33	R3BOPF279 72	41	R3BOPFF49 18	23	R3BOPFL64 66	32
R3BOPF164 24	33	R3BOPF334 18	14	R3BOPFF49 20	23	R3BOPFL64 72	32
R3BOPF164 30	33	R3BOPF334 20	14	R3BOPFF49 24	23	R3BOPFL79 18	39
R3BOPF164 36	33	R3BOPF334 24	14	R3BOPFF49 30	23	R3BOPFL79 20	39
R3BOPF164 42	33	R3BOPF334 30	14	R3BOPFF49 36	23	R3BOPFL79 24	39
R3BOPF164 48	33	R3BOPF334 36	14	R3BOPFF49 42	23	R3BOPFL79 30	39
R3BOPF164 60	33	R3BOPF334 42	14	R3BOPFF49 48	23	R3BOPFL79 36	39
R3BOPF164 66	33	R3BOPF334 48	14	R3BOPFF49 60	23	R3BOPFL79 42	39
R3BOPF164 72	33	R3BOPF342 18	21	R3BOPFF49 66	23	R3BOPFL79 48	39
R3BOPF179 18	40	R3BOPF342 20	21	R3BOPFF49 72	23	R3BOPFL79 60	39
R3BOPF179 20	40	R3BOPF342 24	21	R3BOPFF64 18	30	R3BOPFL79 66	39
R3BOPF179 24	40	R3BOPF342 30	21	R3BOPFF64 20	30	R3BOPFL79 72	39
R3BOPF179 30	40	R3BOPF342 36	21	R3BOPFF64 24	30	R3BOPLL3418	15
R3BOPF179 36	40	R3BOPF342 42	21	R3BOPFF64 30	30	R3BOPLL3420	15
R3BOPF179 42	40	R3BOPF342 48	21	R3BOPFF64 36	30	R3BOPLL3424	15
R3BOPF179 48	40	R3BOPF342 60	21	R3BOPFF64 42	30	R3BOPLL3430	15
R3BOPF179 60	40	R3BOPF342 66	21	R3BOPFF64 48	30	R3BOPLL3436	15
R3BOPF179 66	40	R3BOPF342 72	21	R3BOPFF64 60	30	R3BOPLL3442	15
R3BOPF179 72	40	R3BOPF349 18	28	R3BOPFF64 66	30	R3BOPLL3448	15
R3BOPF234 18	13	R3BOPF349 20	28	R3BOPFF64 72	30	R3BOPLL4218	22
R3BOPF234 20	13	R3BOPF349 24	28	R3BOPFF79 18	37	R3BOPLL4220	22
R3BOPF234 24	13	R3BOPF349 30	28	R3BOPFF79 20	37	R3BOPLL4224	22
R3BOPF234 30	13	R3BOPF349 36	28	R3BOPFF79 24	37	R3BOPLL4230	22
R3BOPF234 36	13	R3BOPF349 42	28	R3BOPFF79 30	37	R3BOPLL4236	22
R3BOPF234 42	13	R3BOPF349 48	28	R3BOPFF79 36	37	R3BOPLL4242	22
R3BOPF234 48	13	R3BOPF349 60	28	R3BOPFF79 42	37	R3BOPLL4248	22
R3BOPF242 18	20	R3BOPF349 66	28	R3BOPFF79 48	37	R3BOPLL4260	22
R3BOPF242 20	20	R3BOPF349 72	28	R3BOPFF79 60	37	R3BOPLL4266	22
R3BOPF242 24	20	R3BOPF364 18	35	R3BOPFF79 66	37	R3BOPLL4272	22
R3BOPF242 30	20	R3BOPF364 20	35	R3BOPFF79 72	37	R3BOPLL4918	29
R3BOPF242 36	20	R3BOPF364 24	35	R3BOPFL3418	11	R3BOPLL4920	29
R3BOPF242 42	20	R3BOPF364 30	35	R3BOPFL3420	11	R3BOPLL4924	29
R3BOPF242 48	20	R3BOPF364 36	35	R3BOPFL3424	11	R3BOPLL4930	29
R3BOPF242 60	20	R3BOPF364 42	35	R3BOPFL3430	11	R3BOPLL4936	29
R3BOPF242 66	20	R3BOPF364 48	35	R3BOPFL3436	11	R3BOPLL4942	29
R3BOPF242 72	20	R3BOPF364 60	35	R3BOPFL3442	11	R3BOPLL4948	29
R3BOPF249 18	27	R3BOPF364 66	35	R3BOPFL3448	11	R3BOPLL4960	29
R3BOPF249 20	27	R3BOPF364 72	35	R3BOPFL42 18	18	R3BOPLL4966	29
R3BOPF249 24	27	R3BOPF379 18	42	R3BOPFL42 20	18	R3BOPLL4972	29
R3BOPF249 30	27	R3BOPF379 20	42	R3BOPFL42 24	18	R3BOPLL6418	36
R3BOPF249 36	27	R3BOPF379 24	42	R3BOPFL42 30	18	R3BOPLL6420	36
R3BOPF249 42	27	R3BOPF379 30	42	R3BOPFL42 36	18	R3BOPLL6424	36
R3BOPF249 48	27	R3BOPF379 36	42	R3BOPFL42 42	18	R3BOPLL6430	36
R3BOPF249 60	27	R3BOPF379 42	42	R3BOPFL42 48	18	R3BOPLL6436	36

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1PF149 18	26	R3B1PF2A49 42	95	R3B1PFF64 48	31	R3B1TF149 18	59
R3B1PF149 20	26	R3B1PF2A49 48	95	R3B1PFF79 18	38	R3B1TF149 20	59
R3B1PF149 24	26	R3B1PF2B49 30	95	R3B1PFF79 20	38	R3B1TF149 24	59
R3B1PF149 30	26	R3B1PF2B49 36	95	R3B1PFF79 24	38	R3B1TF149 30	59
R3B1PF149 36	26	R3B1PF2B49 42	95	R3B1PFF79 30	38	R3B1TF149 36	59
R3B1PF149 42	26	R3B1PF2B49 48	95	R3B1PFF79 36	38	R3B1TF149 42	59
R3B1PF149 48	26	R3B1PF342 18	21	R3B1PFF79 42	38	R3B1TF149 48	59
R3B1PF164 18	33	R3B1PF342 20	21	R3B1PFF79 48	38	R3B1TF164 18	66
R3B1PF164 20	33	R3B1PF342 24	21	R3B1PFFA49 18	86	R3B1TF164 20	66
R3B1PF164 24	33	R3B1PF342 30	21	R3B1PFFA49 20	86	R3B1TF164 24	66
R3B1PF164 30	33	R3B1PF342 36	21	R3B1PFFA49 24	86	R3B1TF164 30	66
R3B1PF164 36	33	R3B1PF342 42	21	R3B1PFFA49 30	86	R3B1TF164 36	66
R3B1PF164 42	33	R3B1PF342 48	21	R3B1PFFA49 36	86	R3B1TF164 42	66
R3B1PF164 48	33	R3B1PF349 18	28	R3B1PFFA49 42	86	R3B1TF164 48	66
R3B1PF179 18	40	R3B1PF349 20	28	R3B1PFFA49 48	86	R3B1TF179 18	73
R3B1PF179 20	40	R3B1PF349 24	28	R3B1PFFB49 30	86	R3B1TF179 20	73
R3B1PF179 24	40	R3B1PF349 30	28	R3B1PFFB49 36	86	R3B1TF179 24	73
R3B1PF179 30	40	R3B1PF349 36	28	R3B1PFFB49 42	86	R3B1TF179 30	73
R3B1PF179 36	40	R3B1PF349 42	28	R3B1PFFB49 48	86	R3B1TF179 36	73
R3B1PF179 42	40	R3B1PF349 48	28	R3B1PFL42 18	18	R3B1TF179 42	73
R3B1PF179 48	40	R3B1PF364 18	35	R3B1PFL42 20	18	R3B1TF179 48	73
R3B1PFA49 18	92	R3B1PF364 20	35	R3B1PFL42 24	18	R3B1TF1A49 18	90
R3B1PFA49 20	92	R3B1PF364 24	35	R3B1PFL42 30	18	R3B1TF1A49 20	90
R3B1PFA49 24	92	R3B1PF364 30	35	R3B1PFL42 36	18	R3B1TF1A49 24	90
R3B1PFA49 30	92	R3B1PF364 36	35	R3B1PFL42 42	18	R3B1TF1A49 30	90
R3B1PFA49 36	92	R3B1PF364 42	35	R3B1PFL42 48	18	R3B1TF1A49 36	90
R3B1PFA49 42	92	R3B1PF364 48	35	R3B1PFL49 18	25	R3B1TF1A49 42	90
R3B1PFA49 48	92	R3B1PF379 18	42	R3B1PFL49 20	25	R3B1TF1A49 48	90
R3B1PFB49 30	92	R3B1PF379 20	42	R3B1PFL49 24	25	R3B1TF1B49 30	91
R3B1PFB49 36	92	R3B1PF379 24	42	R3B1PFL49 30	25	R3B1TF1B49 36	91
R3B1PFB49 42	92	R3B1PF379 30	42	R3B1PFL49 36	25	R3B1TF1B49 42	91
R3B1PFB49 48	92	R3B1PF379 36	42	R3B1PFL49 42	25	R3B1TF1B49 48	91
R3B1PF242 18	20	R3B1PF379 42	42	R3B1PFL49 48	25	R3B1TF242 18	53
R3B1PF242 20	20	R3B1PF379 48	42	R3B1PFL64 18	32	R3B1TF242 20	53
R3B1PF242 24	20	R3B1PF3A49 18	97	R3B1PFL64 20	32	R3B1TF242 24	53
R3B1PF242 30	20	R3B1PF3A49 20	97	R3B1PFL64 24	32	R3B1TF242 30	53
R3B1PF242 36	20	R3B1PF3A49 24	97	R3B1PFL64 30	32	R3B1TF242 36	53
R3B1PF242 42	20	R3B1PF3A49 30	97	R3B1PFL64 36	32	R3B1TF242 42	53
R3B1PF242 48	20	R3B1PF3A49 36	97	R3B1PFL64 42	32	R3B1TF242 48	53
R3B1PF249 18	27	R3B1PF3A49 42	97	R3B1PFL64 48	32	R3B1TF249 18	60
R3B1PF249 20	27	R3B1PF3A49 48	97	R3B1PFL79 18	39	R3B1TF249 20	60
R3B1PF249 24	27	R3B1PF3B49 30	97	R3B1PFL79 20	39	R3B1TF249 24	60
R3B1PF249 30	27	R3B1PF3B49 36	97	R3B1PFL79 24	39	R3B1TF249 30	60
R3B1PF249 36	27	R3B1PF3B49 42	97	R3B1PFL79 30	39	R3B1TF249 36	60
R3B1PF249 42	27	R3B1PF3B49 48	97	R3B1PFL79 36	39	R3B1TF249 42	60
R3B1PF249 48	27	R3B1PFF42 18	17	R3B1PFL79 42	39	R3B1TF249 48	60
R3B1PF264 18	34	R3B1PFF42 20	17	R3B1PFL79 48	39	R3B1TF264 18	67
R3B1PF264 20	34	R3B1PFF42 24	17	R3B1PFLA49 18	89	R3B1TF264 20	67
R3B1PF264 24	34	R3B1PFF42 30	17	R3B1PFLA49 20	89	R3B1TF264 24	67
R3B1PF264 30	34	R3B1PFF42 36	17	R3B1PFLA49 24	89	R3B1TF264 30	67
R3B1PF264 36	34	R3B1PFF42 42	17	R3B1PFLA49 30	89	R3B1TF264 36	67
R3B1PF264 42	34	R3B1PFF42 48	17	R3B1PFLA49 36	89	R3B1TF264 42	67
R3B1PF264 48	34	R3B1PFF49 18	24	R3B1PFLA49 42	89	R3B1TF264 48	67
R3B1PF279 18	41	R3B1PFF49 20	24	R3B1PFLA49 48	89	R3B1TF279 18	74
R3B1PF279 20	41	R3B1PFF49 24	24	R3B1PFLB49 30	89	R3B1TF279 20	74
R3B1PF279 24	41	R3B1PFF49 30	24	R3B1PFLB49 36	89	R3B1TF279 24	74
R3B1PF279 30	41	R3B1PFF49 36	24	R3B1PFLB49 42	89	R3B1TF279 30	74
R3B1PF279 36	41	R3B1PFF49 42	24	R3B1PFLB49 48	89	R3B1TF279 36	74
R3B1PF279 42	41	R3B1PFF49 48	24	R3B1TF142 18	52	R3B1TF279 42	74
R3B1PF279 48	41	R3B1PFF64 18	31	R3B1TF142 20	52	R3B1TF279 48	74
R3B1PF2A49 18	95	R3B1PFF64 20	31	R3B1TF142 24	52	R3B1TF2A49 18	93
R3B1PF2A49 20	95	R3B1PFF64 24	31	R3B1TF142 30	52	R3B1TF2A49 20	93
R3B1PF2A49 24	95	R3B1PFF64 30	31	R3B1TF142 36	52	R3B1TF2A49 24	93
R3B1PF2A49 30	95	R3B1PFF64 36	31	R3B1TF142 42	52	R3B1TF2A49 30	93
R3B1PF2A49 36	95	R3B1PFF64 42	31	R3B1TF142 48	52	R3B1TF2A49 36	93

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITF2A49 42	93	R3BITFF64 48	64	R3B2PFF49 18	24	R3B2TFFA49 42	98
R3BITF2A49 48	93	R3BITFF79 18	71	R3B2PFF49 20	24	R3B2TFFA49 48	98
R3BITF2B49 30	94	R3BITFF79 20	71	R3B2PFF49 24	24	R3B2TFFB49 30	98
R3BITF2B49 36	94	R3BITFF79 24	71	R3B2PFF49 30	24	R3B2TFFB49 36	98
R3BITF2B49 42	94	R3BITFF79 30	71	R3B2PFF49 36	24	R3B2TFFB49 42	98
R3BITF2B49 48	94	R3BITFF79 36	71	R3B2PFF49 42	24	R3B2TFFB49 48	98
R3BITF342 18	54	R3BITFF79 42	71	R3B2PFF49 48	24	R3CRTT60	102
R3BITF342 20	54	R3BITFF79 48	71	R3B2PFF64 18	31	R3CRTT72	102
R3BITF342 24	54	R3BITFFA49 18	84	R3B2PFF64 20	31	R3CRTT84	102
R3BITF342 30	54	R3BITFFA49 20	84	R3B2PFF64 24	31	R3CRTT96	102
R3BITF342 36	54	R3BITFFA49 24	84	R3B2PFF64 30	31	R3FTCE104(F/T)(F/T)(F/T)	125
R3BITF342 42	54	R3BITFFA49 30	84	R3B2PFF64 36	31	R3FTCE108(F/T)(F/T)(F/T)	125
R3BITF342 48	54	R3BITFFA49 36	84	R3B2PFF64 42	31	R3FTCE120(F/T)(F/T)(F/T)	125
R3BITF349 18	61	R3BITFFA49 42	84	R3B2PFF64 48	31	R3FTCE21	125
R3BITF349 20	61	R3BITFFA49 48	84	R3B2PFF79 18	38	R3FTCE25	125
R3BITF349 24	61	R3BITFFB49 30	85	R3B2PFF79 20	38	R3FTCE37	125
R3BITF349 30	61	R3BITFFB49 36	85	R3B2PFF79 24	38	R3FTCF12118	122
R3BITF349 36	61	R3BITFFB49 42	85	R3B2PFF79 30	38	R3FTCF12120	122
R3BITF349 42	61	R3BITFFB49 48	85	R3B2PFF79 36	38	R3FTCF12124	122
R3BITF349 48	61	R3BITFL42 18	51	R3B2PFF79 42	38	R3FTCF12130	122
R3BITF364 18	68	R3BITFL42 20	51	R3B2PFF79 48	38	R3FTCF12136	122
R3BITF364 20	68	R3BITFL42 24	51	R3B2PFFA49 18	99	R3FTCF12142	122
R3BITF364 24	68	R3BITFL42 30	51	R3B2PFFA49 20	99	R3FTCF12148	122
R3BITF364 30	68	R3BITFL42 36	51	R3B2PFFA49 24	99	R3FTCF12518	123
R3BITF364 36	68	R3BITFL42 42	51	R3B2PFFA49 30	99	R3FTCF12520	123
R3BITF364 42	68	R3BITFL42 48	51	R3B2PFFA49 36	99	R3FTCF12524	123
R3BITF364 48	68	R3BITFL49 18	58	R3B2PFFA49 42	99	R3FTCF12530	123
R3BITF379 18	75	R3BITFL49 20	58	R3B2PFFA49 48	99	R3FTCF12536	123
R3BITF379 20	75	R3BITFL49 24	58	R3B2PFFB49 30	99	R3FTCF12542	123
R3BITF379 24	75	R3BITFL49 30	58	R3B2PFFB49 36	99	R3FTCF12548	123
R3BITF379 30	75	R3BITFL49 36	58	R3B2PFFB49 42	99	R3FTCF13718	124
R3BITF379 36	75	R3BITFL49 42	58	R3B2PFFB49 48	99	R3FTCF13720	124
R3BITF379 42	75	R3BITFL49 48	58	R3B2TFF42 18	50	R3FTCF13724	124
R3BITF379 48	75	R3BITFL64 18	65	R3B2TFF42 20	50	R3FTCF13730	124
R3BITF3A49 18	96	R3BITFL64 20	65	R3B2TFF42 24	50	R3FTCF13736	124
R3BITF3A49 20	96	R3BITFL64 24	65	R3B2TFF42 30	50	R3FTCF13742	124
R3BITF3A49 24	96	R3BITFL64 30	65	R3B2TFF42 36	50	R3FTCF13748	124
R3BITF3A49 30	96	R3BITFL64 36	65	R3B2TFF42 42	50	R3FTCF2118	122
R3BITF3A49 36	96	R3BITFL64 42	65	R3B2TFF42 48	50	R3FTCF22120	122
R3BITF3A49 42	96	R3BITFL64 48	65	R3B2TFF49 18	57	R3FTCF22124	122
R3BITF3A49 48	96	R3BITFL79 18	72	R3B2TFF49 20	57	R3FTCF22130	122
R3BITF3B49 30	96	R3BITFL79 20	72	R3B2TFF49 24	57	R3FTCF22136	122
R3BITF3B49 36	96	R3BITFL79 24	72	R3B2TFF49 30	57	R3FTCF22142	122
R3BITF3B49 42	96	R3BITFL79 30	72	R3B2TFF49 36	57	R3FTCF22148	122
R3BITF3B49 48	96	R3BITFL79 36	72	R3B2TFF49 42	57	R3FTCF22518	123
R3BITFF42 18	50	R3BITFL79 42	72	R3B2TFF49 48	57	R3FTCF22520	123
R3BITFF42 20	50	R3BITFL79 48	72	R3B2TFF64 18	64	R3FTCF22524	123
R3BITFF42 24	50	R3BITFLA49 18	87	R3B2TFF64 20	64	R3FTCF22530	123
R3BITFF42 30	50	R3BITFLA49 20	87	R3B2TFF64 24	64	R3FTCF22536	123
R3BITFF42 36	50	R3BITFLA49 24	87	R3B2TFF64 30	64	R3FTCF22542	123
R3BITFF42 42	50	R3BITFLA49 30	87	R3B2TFF64 36	64	R3FTCF22548	123
R3BITFF42 48	50	R3BITFLA49 36	87	R3B2TFF64 42	64	R3FTCF23718	124
R3BITFF49 18	57	R3BITFLA49 42	87	R3B2TFF64 48	64	R3FTCF23720	124
R3BITFF49 20	57	R3BITFLA49 48	87	R3B2TFF79 18	71	R3FTCF23724	124
R3BITFF49 24	57	R3BITFLB49 30	88	R3B2TFF79 20	71	R3FTCF23730	124
R3BITFF49 30	57	R3BITFLB49 36	88	R3B2TFF79 24	71	R3FTCF23736	124
R3BITFF49 36	57	R3BITFLB49 42	88	R3B2TFF79 30	71	R3FTCF23742	124
R3BITFF49 42	57	R3BITFLB49 48	88	R3B2TFF79 36	71	R3FTCF23748	124
R3BITFF49 48	57	R3B2PFF42 18	17	R3B2TFF79 42	71	R3FTCF321 18	122
R3BITFF64 18	64	R3B2PFF42 20	17	R3B2TFF79 48	71	R3FTCF321 20	122
R3BITFF64 20	64	R3B2PFF42 24	17	R3B2TFFA49 18	98	R3FTCF321 24	122
R3BITFF64 24	64	R3B2PFF42 30	17	R3B2TFFA49 20	98	R3FTCF321 30	122
R3BITFF64 30	64	R3B2PFF42 36	17	R3B2TFFA49 24	98	R3FTCF321 36	122
R3BITFF64 36	64	R3B2PFF42 42	17	R3B2TFFA49 30	98	R3FTCF321 42	122
R3BITFF64 42	64	R3B2PFF42 48	17	R3B2TFFA49 36	98	R3FTCF321 48	122

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF325 18	123	R3FTCS21	125	R3SF30848	103	R3X42(B)	106
R3FTCF325 20	123	R3FTCS25	125	R3SF315 18	104	R3X49(B)	106
R3FTCF325 24	123	R3FTCS37	125	R3SF315 20	104	R3X64(B)	106
R3FTCF325 30	123	R3FTCSM (Pair) for G3 only	126	R3SF315 24	104	R3X79(B)	106
R3FTCF325 36	123	R3FTCT104(F/T)	125	R3SF315 30	104	R5ZNN (3 dividers)	475
R3FTCF325 42	123	R3FTCT108(F/T)	125	R3SF315 36	104	R917762	463
R3FTCF325 48	123	R3FTCT120(F/T)	125	R3SF315 42	104	R921655	462
R3FTCF337 18	124	R3FTCT21	125	R3SF315 48	104	R9TDCFM8430	234
R3FTCF337 20	124	R3FTCT25	125	R3SFF08 18	100	R9TDCFM9630	234
R3FTCF337 24	124	R3FTCT37	125	R3SFF08 20	100	RAATBRC72	554
R3FTCF337 30	124	R3FTCX104	125	R3SFF08 24	100	RAATBRC78	554
R3FTCF337 36	124	R3FTCX108	125	R3SFF08 30	100	RAATBRC84	554
R3FTCF337 42	124	R3FTCX120	125	R3SFF08 36	100	RAATBRC90	554
R3FTCF337 48	124	R3FTCX21	125	R3SFF08 42	100	RAATBRC96	554
R3FTCF2118	119	R3FTCX25	125	R3SFF08 48	100	RAATBRS72	555
R3FTCF2120	119	R3FTCX37	125	R3SFF15 18	100	RAATBRS78	555
R3FTCF2124	119	R3L08TT	105	R3SFF15 20	100	RAATBRS84	555
R3FTCF2130	119	R3L15TT	105	R3SFF15 24	100	RAATBRS90	555
R3FTCF2136	119	R3L34(F/T)(F/T)	105	R3SFF15 30	100	RAATBRS96	555
R3FTCF2142	119	R3L42(B)(F/T)(F/T)	105	R3SFF15 36	100	RAATDCG51	554
R3FTCF2148	119	R3L49(B)(F/T)(F/T)	105	R3SFF15 42	100	RAATDCG54	554
R3FTCF2518	120	R3L64(B)(F/T)(F/T)	105	R3SFF15 48	100	RAATDCG57	554
R3FTCF2520	120	R3L79(B)(F/T)(F/T)	105	R3SFL0818	103	RAATDCG60	554
R3FTCF2524	120	R3R2SLV	107, 118	R3SFL0820	103	RAATDCG63	554
R3FTCF2530	120	R3S08TT	106	R3SFL0824	103	RAATDCG66	554
R3FTCF2536	120	R3S15TT	106	R3SFL0830	103	RAATDCG69	554
R3FTCF2542	120	R3S34(F/T)(F/T)	106	R3SFL0836	103	RAATDCG72	554
R3FTCF2548	120	R3S42(B)(F/T)(F/T)	106	R3SFL0842	103	RAATDCG75	554
R3FTCF3718	121	R3S49(B)(F/T)(F/T)	106	R3SFL0848	103	RAATDCG78	554
R3FTCF3720	121	R3S64(B)(F/T)(F/T)	106	R3SFL1518	104	RAATDCG81	554
R3FTCF3724	121	R3S79(B)(F/T)(F/T)	106	R3SFL1520	104	RAATDCG84	554
R3FTCF3730	121	R3SF10818	103	R3SFL1524	104	RAATDCG87	554
R3FTCF3736	121	R3SF10820	103	R3SFL1530	104	RAATDCG90	554
R3FTCF3742	121	R3SF10824	103	R3SFL1536	104	RAATDCG93	554
R3FTCF3748	121	R3SF10830	103	R3SFL1542	104	RAATDCG96	554
R3FTCFL2118	122	R3SF10836	103	R3SFL1548	104	RAATDS51	555
R3FTCFL2120	122	R3SF10842	103	R3SLL0818	103	RAATDS54	555
R3FTCFL2124	122	R3SF10848	103	R3SLL0820	103	RAATDS57	555
R3FTCFL2130	122	R3SF11518	104	R3SLL0824	103	RAATDS60	555
R3FTCFL2136	122	R3SF11520	104	R3SLL0830	103	RAATDS63	555
R3FTCFL2142	122	R3SF11524	104	R3SLL0836	103	RAATDS66	555
R3FTCFL2148	122	R3SF11530	104	R3SLL0842	103	RAATDS69	555
R3FTCFL2518	123	R3SF11536	104	R3SLL0848	103	RAATDS72	555
R3FTCFL2520	123	R3SF11542	104	R3SLL1518	104	RAATDS75	555
R3FTCFL2524	123	R3SF11548	104	R3SLL1520	104	RAATDS78	555
R3FTCFL2530	123	R3SF20818	103	R3SLL1524	104	RAATDS81	555
R3FTCFL2536	123	R3SF20820	103	R3SLL1530	104	RAATDS84	555
R3FTCFL2542	123	R3SF20824	103	R3SLL1536	104	RAATDS87	555
R3FTCFL2548	123	R3SF20830	103	R3SLL1542	104	RAATDS90	555
R3FTCFL3718	124	R3SF20836	103	R3SLL1548	104	RAATDS93	555
R3FTCFL3720	124	R3SF20842	103	R3SMP	462	RAATDS96	555
R3FTCFL3724	124	R3SF20848	103	R3SPABPT	116	RAATFRG54	554
R3FTCFL3730	124	R3SF21518	104	R3SPABTD	116	RAATFRG60	554
R3FTCFL3736	124	R3SF21520	104	R3SPABTT	116	RAATFRG66	554
R3FTCFL3742	124	R3SF21524	104	R3SPABTW	116	RAATFRG72	554
R3FTCFL3748	124	R3SF21530	104	R3T08T	105	RAATFRG78	554
R3FTCL104(F/T)(F/T)	125	R3SF21536	104	R3T15T	105	RAATFRG84	554
R3FTCL108(F/T)(F/T)	125	R3SF21542	104	R3T34(F/T)	105	RAATFRG90	554
R3FTCL120(F/T)(F/T)	125	R3SF21548	104	R3T42(B)(F/T)	105	RAATFRG96	554
R3FTCL21	125	R3SF30818	103	R3T49(B)(F/T)	105	RAATFRS54	555
R3FTCL25	125	R3SF30820	103	R3T64(B)(F/T)	105	RAATFRS60	555
R3FTCL37	125	R3SF30824	103	R3T79(B)(F/T)	105	RAATFRS66	555
R3FTCS104(F/T)(F/T)	125	R3SF30830	103	R3X08	106	RAATFRS72	555
R3FTCS108(F/T)(F/T)	125	R3SF30836	103	R3X15	106	RAATFRS78	555
R3FTCS120(F/T)(F/T)	125	R3SF30842	103	R3X34	106	RAATFRS84	555

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RAATFRS90	555	RAIPFAWD108	547	RAIPRWD108	549	RATDCFM(L/R)6630	233
RAATFRS96	555	RAIPFAWD114	547	RAIPRWD114	549	RATDCFM(L/R)6636	233
RABR(L/R)7220	537, 538	RAIPFAWD120	547	RAIPRWD120	549	RATDCFM(L/R)7230	233
RABR(L/R)7820	537, 538	RAIPFAWD126	547	RAIPRWD126	549	RATDCFM(L/R)7236	233
RABR(L/R)8420	537, 538	RAIPFAWD132	547	RAIPRWD132	549	RATDCFM(L/R)7830	233
RABR(L/R)9020	537, 538	RAIPFAWD138	547	RAIPRWD138	549	RATDCFM(L/R)7836	233
RABR(L/R)9620	537, 538	RAIPFAWD144	547	RAIPRWD144	549	RATDCFM(L/R)8430	233
RAC7232DH(L/R)H	558	RAIPFAWD150	547	RAIPRWD150	549	RATDCFM(L/R)8436	233
RAC7232WDH(L/R)H	559	RAIPFAWD156	547	RAIPRWD156	549	RATDCPC(L/R)6030	231
RAC7233DH(L/R)H	558	RAIPFAWD162	547	RAIPRWD162	549	RATDCPC(L/R)6036	231
RAC7233WDH(L/R)H	559	RAIPFAWD168	547	RAIPRWD168	549	RATDCPC(L/R)6630	231
RAC7242DH(L/R)H	558	RAIPFAWD174	547	RAIPRWD174	549	RATDCPC(L/R)6636	231
RAC7242WDH(L/R)H	559	RAIPFAWD180	547	RAIPRWD180	549	RATDCPC(L/R)7230	231
RAC7243DH(L/R)H	558	RAIPFAWD186	547	RAIPRWD186	549	RATDCPC(L/R)7236	231
RAC7243WDH(L/R)H	559	RAIPFAWD192	547	RAIPRWD192	549	RATDCPC(L/R)7830	231
RAC8632DH(L/R)H	558	RAIPFAWS66	547	RAIPRWS66	549	RATDCPC(L/R)7836	231
RAC8632WDH(L/R)H	559	RAIPFAWS72	547	RAIPRWS72	549	RATDCPC(L/R)8430	231
RAC8633DH(L/R)H	558	RAIPFAWS78	547	RAIPRWS78	549	RATDCPC(L/R)8436	231
RAC8633WDH(L/R)H	559	RAIPFAWS84	547	RAIPRWS84	549	RATDCST(L/R)6030	232
RAC8642DH(L/R)H	558	RAIPFAWS90	547	RAIPRWS90	549	RATDCST(L/R)6036	232
RAC8642WDH(L/R)H	559	RAIPFAWS96	547	RAIPRWS96	549	RATDCST(L/R)6630	232
RAC8643DH(L/R)H	558	RAIPFBWD102	548	RAMTB	434	RATDCST(L/R)6636	232
RAC8643WDH(L/R)H	559	RAIPFBWD114	548	RAMTC24	434	RATDCST(L/R)7230	232
RACDAT1	563	RAIPFBWD120	548	RAMTC30	434	RATDCST(L/R)7236	232
RACDIPF1	563	RAIPFBWD126	548	RAMTC36	434	RATDCST(L/R)7830	232
RACDTTDL1	563	RAIPFBWD132	548	RAMTC42	434	RATDCST(L/R)7836	232
RACDTTDR3	563	RAIPFBWD138	548	RAMTC48	434	RATDCST(L/R)8430	232
RACDTTDS2	563	RAIPFBWD144	548	RAMTC54	434	RATDCST(L/R)8436	232
RACG4220	556	RAIPFBWD150	548	RAMTC60	434	RATTBR72	551
RAC(L/R)HC4212	556, 557	RAIPFBWD156	548	RAMTC66	434	RATTBR78	551
RAC(L/R)HT4212	556, 557	RAIPFBWD162	548	RAMTC72	434	RATTBR84	551
RADW(L/R)5130	535, 536	RAIPFBWD168	548	RAMTCH24	434	RATTBR90	551
RADW(L/R)5430	535, 536	RAIPFBWD174	548	RAMTCH30	434	RATTBR96	551
RADW(L/R)5730	535, 536	RAIPFBWD180	548	RAMTCH36	434	RATTDD102	553
RADW(L/R)6030	535, 536	RAIPFBWD186	548	RAMTCH42	434	RATTDD108	553
RADW(L/R)6330	535, 536	RAIPFBWD192	548	RAMTCH48	434	RATTDD114	553
RADW(L/R)6630	535, 536	RAIPFBWS66	548	RAMTCH54	434	RATTDD120	553
RADW(L/R)6930	535, 536	RAIPFBWS72	548	RAMTCH60	434	RATTDD126	553
RADW(L/R)7230	535, 536	RAIPFBWS78	548	RAMTCH66	434	RATTDD132	553
RADW(L/R)7530	535, 536	RAIPFBWS84	548	RAMTCH72	434	RATTDD138	553
RADW(L/R)7830	535, 536	RAIPFBWS90	548	RAMTT	434	RATTDD144	553
RADW(L/R)8130	535, 536	RAIPFBWS96	548	RASRD6620	543, 544	RATTDD150	553
RADW(L/R)8430	535, 536	RAIPRGD51	550	RASRD7220	543, 544	RATTDD156	553
RADW(L/R)8730	535, 536	RAIPRGD54	550	RASRD7820	543, 544	RATTDD162	553
RADW(L/R)9030	535, 536	RAIPRGD57	550	RASRD8420	543, 544	RATTDD168	553
RADW(L/R)9330	535, 536	RAIPRGD60	550	RASRD9020	543, 544	RATTDD174	553
RADW(L/R)9630	535, 536	RAIPRGD63	550	RASRD9620	543, 544	RATTDD180	553
RAESDH(L/R)20	560	RAIPRGD66	550	RASRS(L/R)6620	541, 542	RATTDD186	553
RAFR(L/R)5420	539, 540	RAIPRGD69	550	RASRS(L/R)7220	541, 542	RATTDD192	553
RAFR(L/R)6020	539, 540	RAIPRGD72	550	RASRS(L/R)7820	541, 542	RATTDS66	553
RAFR(L/R)6620	539, 540	RAIPRGD75	550	RASRS(L/R)8420	541, 542	RATTDS72	553
RAFR(L/R)7220	539, 540	RAIPRGD78	550	RASRS(L/R)9020	541, 542	RATTDS78	553
RAFR(L/R)7820	539, 540	RAIPRGD81	550	RASRS(L/R)9620	541, 542	RATTDS84	553
RAFR(L/R)8420	539, 540	RAIPRGD84	550	RASW6630	533, 534	RATTDS90	553
RAFR(L/R)9020	539, 540	RAIPRGD87	550	RASW7230	533, 534	RATTDS96	553
RAFR(L/R)9620	539, 540	RAIPRGD90	550	RASW7830	533, 534	RATTFR54	552
RAGS(L/R)20	560	RAIPRGD93	550	RASW8430	533, 534	RATTFR60	552
RAGS(L/R)30	560	RAIPRGD96	550	RASW9030	533, 534	RATTFR66	552
RAIE6240	545, 546	RAIPRGS66	550	RASW9630	533, 534	RATTFR72	552
RAIE6248	545, 546	RAIPRGS72	550	RATDCFM(L/R)4830	233	RATTFR78	552
RAIE6840	545, 546	RAIPRGS78	550	RATDCFM(L/R)4836	233	RATTFR84	552
RAIE6848	545, 546	RAIPRGS84	550	RATDCFM(L/R)5430	233	RATTFR90	552
RAIE7440	545, 546	RAIPRGS90	550	RATDCFM(L/R)5436	233	RATTFR96	552
RAIE7448	545, 546	RAIPRGS96	550	RATDCFM(L/R)6030	233	RAUH	470
RAIPFAWD102	547	RAIPRWD102	549	RATDCFM(L/R)6036	233	RAWHDHBTBD51	564

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RAWHDHTBD54	564	RBDH48M(F/R)	257	RC433B	309, 311	RC662H	314, 317
RAWHDHTBD57	564	RBDH52MR	259	RC433C	309, 311	RC662I	320
RAWHDHTBD60	564	RBDH54M(F/R)	257	RC433D	312	RC662P	315, 318
RAWHDHTBD63	564	RBDH60M(F/R)	257	RC433F	310, 313	RC663B	314, 317
RAWHDHTBD66	564	RBDH64MR	259	RC461B	309, 311	RC663C	316, 319
RAWHDHTBD69	564	RBDH66M(F/R)	257	RC462B	309, 311	RC663D	319
RAWHDHTBD72	564	RBDH72M(F/R)	257	RC462C	309, 311	RC663E(L/R)	316, 319
RAWHDHTBD75	564	RBDH78M(F/R)	257	RC462D	312	RC663F	315, 318
RAWHDHTBD78	564	RBDH84M(F/R)	257	RC462F	310, 313	RC663G	315, 318
RAWHDHTBD81	564	RBDH90M(F/R)	257	RC463B	309, 311	RC663H	314, 317
RAWHDHTBD84	564	RBDH96M(F/R)	257	RC463C	309, 311	RC663I	320
RAWHDHTBD87	564	RBDP6030JK(A,B,W)	446, 447, 448	RC463D	312	RC663P	315, 318
RAWHDHTBD90	564	RBDP7230JK(A,B,W)	446, 447, 448	RC463F	310, 313	RC712C(L/R)	323, 326
RAWHDHTBD93	564	RBDP8430JK(A,B,W)	446, 447, 448	RC531DHB	331, 332	RC712DHG(L/R)	345, 350
RAWHDHTBD96	564	RBDP9630JK(A,B,W)	446, 447, 448	RC531DHH	333	RC712D(L/R)	326
RAWHDHTBS66	564	RBDW	464	RC532DHB	331, 332	RC712G(L/R)	322, 325
RAWHDHTBS72	564	RBF (Pair)	253	RC532DHF	331, 332	RC712P(L/R)	322, 325
RAWHDHTBS78	564	RBPE(L/R)	464	RC532DHH	333	RC713C(L/R)	323, 326
RAWHDHTBS84	564	RBPP (L/R)	253	RC533DHB	331, 332	RC713DHG(L/R)	345, 350
RAWHDHTBS90	564	RBPR (Pair)	254	RC533DHF	331, 332	RC713D(L/R)	326
RAWHDHTBS96	564	RBPS (L/R)	254	RC533DHH	333	RC713G(L/R)	322, 325
RB24(M/H)(F/R)	255	RBR3624(A,B,W)	455, 456, 457	RC561DHB	331, 332	RC713P(L/R)	322, 325
RB30(M/H)(F/R)	255	RBR3630(A,B,W)	455, 456, 457	RC561DHH	333	RC7212DHDH(L/R)	343
RB3636	255	RBR36H	395	RC562DHB	331, 332	RC7212DHGH(L/R)	336, 341
RB3642	255	RBR36M	395	RC562DHF	331, 332	RC7212DHPH(L/R)	337, 342
RB3648	255	RBR36MS	395	RC562DHH	333	RC7213DHDH(L/R)	343
RB36(M/H)(F/R)	255	RBR4224(A,B,W)	455, 456, 457	RC563DHB	331, 332	RC7213DHGH(L/R)	336, 341
RB40MR	187	RBR4230(A,B,W)	455, 456, 457	RC563DHF	331, 332	RC7213DHPH(L/R)	337, 342
RB4236	255	RBR42H	395	RC563DHH	333	RC7231DHB	334, 339
RB4242	255	RBR42M	395	RC612C(L/R)	316, 319	RC7232DHB	334, 339
RB4248	255	RBR42MS	395	RC612D(L/R)	319	RC7232DHDH	343
RB42(M/H)(F/R)	255	RBR4824(A,B,W)	455, 456, 457	RC612G(L/R)	315, 318	RC7232DHEH(L/R)	338, 343
RB4836	255	RBR4830(A,B,W)	455, 456, 457	RC612P(L/R)	315, 318	RC7232DHFH	336, 341
RB4842	255	RBR48H	395	RC613C(L/R)	316, 319	RC7232DHGH	336, 341
RB4848	255	RBR48M	395	RC613D(L/R)	319	RC7232DHK	335, 340
RB48(M/H)(F/R)	255	RBR48MS	395	RC613G(L/R)	315, 318	RC7232DHO	335, 340
RB52MR	187	RBR54H	395	RC613P(L/R)	315, 318	RC7233DHB	334, 339
RB54(M/H)(F/R)	255	RBR54M	395	RC623M(L/R)	328, 330	RC7233DHDH	343
RB60(M/H)(F/R)	255	RBR54MS	395	RC623N(L/R)	328, 330	RC7233DHEH(L/R)	338, 343
RB64MR	187	RBR60H	395	RC631B	314, 317	RC7233DHFH	336, 341
RB66(M/H)(F/R)	255	RBR60M	395	RC632B	314, 317	RC7233DHGH	336, 341
RB72(M/H)(F/R)	255	RBR60MS	395	RC632C	316, 319	RC7233DHK	335, 340
RB78(M/H)(F/R)	255	RBR66H	395	RC632D	319	RC7233DHO	335, 340
RB84(M/H)(F/R)	255	RBR66M	395	RC632E(L/R)	316, 319	RC723M(L/R)	329, 330
RB90(M/H)(F/R)	255	RBR66MS	395	RC632F	315, 318	RC723N	329, 330
RB96(M/H)(F/R)	255	RBR72H	395	RC632G	315, 318	RC7261DHB	334, 339
RBC18 (L/R)	252	RBR72M	395	RC632H	314, 317	RC7262DHB	334, 339
RBC24 (L/R)	252	RBR72MS	395	RC632I	320	RC7262DHDH	343
RBCC	253	RBSP6030J(A,B,W)	443, 444, 445	RC632P	315, 318	RC7262DHEH(L/R)	338, 343
RBCCP (Pair)	253	RBSP7230J(A,B,W)	443, 444, 445	RC633B	314, 317	RC7262DHFH	336, 341
RBDD	464	RBSP8430J(A,B,W)	443, 444, 445	RC633C	316, 319	RC7262DHGH	336, 341
RBDH24M(F/R)	257	RBSP9630J(A,B,W)	443, 444, 445	RC633D	319	RC7262DHK	335, 340
RBDH30M(F/R)	257	RBWC24	254	RC633E(L/R)	316, 319	RC7262DHO	335, 340
RBDH3636	257	RBWC30	254	RC633F	315, 318	RC7263DHB	334, 339
RBDH3642	257	RBWM	465	RC633G	315, 318	RC7263DHDH	343
RBDH3648	257	RBZ (A/B) (Pair)	253	RC633H	314, 317	RC7263DHEH(L/R)	338, 343
RBDH36M(F/R)	257	RC412C(L/R)	309, 311	RC633I	320	RC7263DHFH	336, 341
RBDH40MR	259	RC413C(L/R)	309, 311	RC633P	315, 318	RC7263DHGH	336, 341
RBDH4236	257	RC423M(L/R)	328, 330	RC661B	314, 317	RC7263DHK	335, 340
RBDH4242	257	RC423N(L/R)	328, 330	RC662B	314, 317	RC7263DHO	335, 340
RBDH4248	257	RC431B	309, 311	RC662C	316, 319	RC732B	321, 324
RBDH42M(F/R)	257	RC432B	309, 311	RC662D	319	RC732C	323, 326
RBDH4836	257	RC432C	309, 311	RC662E(L/R)	316, 319	RC732D	326
RBDH4842	257	RC432D	312	RC662F	315, 318	RC732DHB	344, 347
RBDH4848	257	RC432F	310, 313	RC662G	315, 318	RC732DHD	349

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RC732DHE(L/R)	346, 348	RC832DHK	352, 356	RCA(A/B/C/D/E/F/G)F364211	163	RCAWF424212	184
RC732DHF	345, 350	RC832DHO	352, 356	RCA(A/B/C/D/E/F/G)F364212	163	RCAWF424221	184
RC732DHG	345, 350	RC833DHB	355	RCA(A/B/C/D/E/F/G)F364221	164	RCAWF424222	184
RC732DHK	344, 347	RC833DHDH	358	RCA(A/B/C/D/E/F/G)F364222	164	RCAWF424811	184
RC732E(L/R)	323, 326	RC833DHEH(L/R)	354, 358	RCA(A/B/C/D/E/F/G)F364811	163	RCAWF424812	184
RC732F	322, 325	RC833DHF	353, 357	RCA(A/B/C/D/E/F/G)F364812	163	RCAWF424821	184
RC732G	322, 325	RC833DHG	353, 357	RCA(A/B/C/D/E/F/G)F364821	164	RCAWF424822	184
RC732H	321, 324	RC833DHK	352, 356	RCA(A/B/C/D/E/F/G)F364822	164	RCAWF483611	184
RC732I	327	RC833DHO	352, 356	RCA(A/B/C/D/E/F/G)F423611	163	RCAWF483612	184
RC732P	322, 325	RC861DHB	351, 355	RCA(A/B/C/D/E/F/G)F423612	163	RCAWF483621	184
RC733B	321, 324	RC862DHB	355	RCA(A/B/C/D/E/F/G)F423621	164	RCAWF483622	184
RC733C	323, 326	RC862DHDH	358	RCA(A/B/C/D/E/F/G)F423622	164	RCAWF484211	184
RC733D	326	RC862DHEH(L/R)	354, 358	RCA(A/B/C/D/E/F/G)F424211	163	RCAWF484212	184
RC733DHB	344, 347	RC862DHF	353, 357	RCA(A/B/C/D/E/F/G)F424212	163	RCAWF484221	184
RC733DHD	349	RC862DHG	353, 357	RCA(A/B/C/D/E/F/G)F424221	164	RCAWF484222	184
RC733DHE(L/R)	346, 348	RC862DHK	352, 356	RCA(A/B/C/D/E/F/G)F424222	164	RCB	260
RC733DHF	345, 350	RC862DHO	352, 356	RCA(A/B/C/D/E/F/G)F424811	163	RCB20T	260
RC733DHG	345, 350	RC863DHB	355	RCA(A/B/C/D/E/F/G)F424812	163	RCB24T	260
RC733DHK	344, 347	RC863DHDH	358	RCA(A/B/C/D/E/F/G)F424821	164	RCB24X	262
RC733E(L/R)	323, 326	RC863DHEH(L/R)	354, 358	RCA(A/B/C/D/E/F/G)F424822	164	RCB28X	262
RC733F	322, 325	RC863DHG	353, 357	RCA(A/B/C/D/E/F/G)F483611	163	RCB30T	260
RC733G	322, 325	RC863DHK	352, 356	RCA(A/B/C/D/E/F/G)F483612	163	RCB36X	262
RC733H	321, 324	RC863DHO	352, 356	RCA(A/B/C/D/E/F/G)F483621	164	RCB40T	260
RC733I	327	RCA363611	145	RCA(A/B/C/D/E/F/G)F483622	164	RCBDH24X	266
RC733P	322, 325	RCA363612	146	RCA(A/B/C/D/E/F/G)F484211	163	RCBDH28X	266
RC762B	321, 324	RCA363621	145	RCA(A/B/C/D/E/F/G)F484212	163	RCBDH36X	266
RC762C	323, 326	RCA363622	146	RCA(A/B/C/D/E/F/G)F484221	164	RCCDLA23672	147
RC762D	326	RCA364211	145	RCA(A/B/C/D/E/F/G)F484222	164	RCCDLA23678	147
RC762DHB	344, 347	RCA364212	146	RCA(A/B/C/D/E/F/G)F484811	163	RCCDLA23684	147
RC762DHD	349	RCA364221	145	RCA(A/B/C/D/E/F/G)F484812	163	RCCDLA23696	147
RC762DHE(L/R)	346, 348	RCA364222	146	RCA(A/B/C/D/E/F/G)F484821	164	RCCDLA33672	147
RC762DHF	345, 350	RCA364811	145	RCA(A/B/C/D/E/F/G)F484822	164	RCCDLA33678	147
RC762DHG	345, 350	RCA364812	146	RCABT1417	461	RCCDLA33684	147
RC762DHK	344, 347	RCA364821	145	RCABT2917	461	RCCDLA33696	147
RC762E(L/R)	323, 326	RCA364822	146	RCACR16	461	RCCDLA33696	147
RC762F	322, 325	RCA423611	145	RCACR30	461	RCCDRA23672	147
RC762G	322, 325	RCA423612	146	RCACR30H	461	RCCDRA23678	147
RC762H	321, 324	RCA423621	145	RCACR36	461	RCCDRA23684	147
RC762I	327	RCA423622	146	RCACR36H	461	RCCDRA23696	147
RC762P	322, 325	RCA424211	145	RCASI620	461	RCCDRA33672	147
RC763B	321, 324	RCA424212	146	RCASI624	461	RCCDRA33678	147
RC763C	323, 326	RCA424221	145	RCASI624	461	RCCDRA33684	147
RC763D	326	RCA424222	146	RCAS015	461	RCCDRA33696	147
RC763DHB	344, 347	RCA424811	145	RCAS3020	461	RCD1021	202
RC763DHD	349	RCA424812	146	RCAS3024	461	RCD1022	202
RC763DHE(L/R)	346, 348	RCA424821	145	RCAS3615	461	RCD1081	202
RC763DHF	345, 350	RCA424822	146	RCAS3620	461	RCD1082	202
RC763DHG	345, 350	RCA464623N	149	RCAS3624	461	RCD3L6024K(A,B,W)	458, 459, 460
RC763DHK	344, 347	RCA464629N	149	RCASL	462	RCD3L8424K(A,B,W)	458, 459, 460
RC763E(L/R)	323, 326	RCA483611	145	RCAWF363611	184	RCD3L9624K(A,B,W)	458, 459, 460
RC763F	322, 325	RCA483612	146	RCAWF363612	184	RCD601	202
RC763G	322, 325	RCA483621	145	RCAWF363621	184	RCD602	202
RC763H	321, 324	RCA483622	146	RCAWF363622	184	RCD661	202
RC763I	327	RCA484211	145	RCAWF364211	184	RCD662	202
RC763P	322, 325	RCA484212	146	RCAWF364212	184	RCD6L7224K(A,B,W)	458, 459, 460
RC812DHDH(L/R)	358	RCA484221	145	RCAWF364221	184	RCD6L9624K(A,B,W)	458, 459, 460
RC813DHDH(L/R)	358	RCA484222	146	RCAWF364222	184	RCD721	202
RC822DHDH(L/R)	358	RCA484811	145	RCAWF364811	184	RCD722	202
RC823DHDH(L/R)	358	RCA484812	146	RCAWF364812	184	RCD781	202
RC831DHB	351, 355	RCA484821	145	RCAWF364821	184	RCD782	202
RC832DHB	355	RCA484822	146	RCAWF364822	184	RCD841	202
RC832DHDH	358	RCA(A/B/C/D/E/F/G)F363611	163	RCAWF423611	184	RCD842	202
RC832DHEH(L/R)	354, 358	RCA(A/B/C/D/E/F/G)F363612	163	RCAWF423612	184	RCD901	202
RC832DHF	353, 357	RCA(A/B/C/D/E/F/G)F363621	164	RCAWF423621	184	RCD902	202
RC832DHG	353, 357	RCA(A/B/C/D/E/F/G)F363622	164	RCAWF423622	184	RCD961	202
				RCAWF424211	184	RCD962	202

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCDFMF60301	442	RCDQMR84301	441	RCE1R1212G	462	RCEEG1081	201
RCDFMF60302	442	RCDQMR84302	441	RCE1R2424N	191	RCEEG1082	201
RCDFMF60361	442	RCDQMR84361	441	RCE1R2430N	191	RCEEG601	201
RCDFMF60362	442	RCDQMR84362	441	RCE1R3024N	191	RCEEG602	201
RCDFMF72301	442	RCDQMR96301	441	RCE1R3030N	191	RCEEG661	201
RCDFMF72302	442	RCDQMR96302	441	RCE1R3624N	191	RCEEG662	201
RCDFMF72361	442	RCDQMR96361	441	RCE1R3630N	191	RCEEG721	201
RCDFMF72362	442	RCDQMR96362	441	RCE1R4224N	191	RCEEG722	201
RCDFMF84301	442	RCE1021	200	RCE1R4230N	191	RCEEG781	201
RCDFMF84302	442	RCE1022	200	RCE1R4824N	191	RCEEG782	201
RCDFMF84361	442	RCE1081	200	RCE1R4830N	191	RCEEG841	201
RCDFMF84362	442	RCE1082	200	RCE1R5424N	191	RCEEG842	201
RCDFMF96301	442	RCE1BD6648D(L/R)	192	RCE1R5430N	191	RCEEG901	201
RCDFMF96302	442	RCE1BD6648S(L/R)	192	RCE1R6024N	191	RCEEG902	201
RCDFMF96361	442	RCE1BD7248D(L/R)	192	RCE1R6030N	191	RCEEG961	201
RCDFMF96362	442	RCE1BD7248S(L/R)	192	RCE1R6624N	191	RCEEG962	201
RCDFMR60301	439	RCE1BD7848D(L/R)	192	RCE1R6630N	191	RCFS4912C(L/R)M	359
RCDFMR60302	439	RCE1BD7848S(L/R)	192	RCE1R7224N	191	RCFS4912C(L/R)W	365
RCDFMR60361	439	RCE1BD8448D(L/R)	192	RCE1R7230N	191	RCFS4912Y(L/R)M	359
RCDFMR60362	439	RCE1BD8448S(L/R)	192	RCE1R7824N	191	RCFS4912Y(L/R)W	365
RCDFMR72301	439	RCE1CR24L	195	RCE1R7830N	191	RCFS4912Z(L/R)M	359
RCDFMR72302	439	RCE1CR24N	195	RCE1R8424N	191	RCFS4912Z(L/R)W	365
RCDFMR72361	439	RCE1CR24R	195	RCE1R8430N	191	RCFS4913C(L/R)M	359
RCDFMR72362	439	RCE1H4818	195	RCE1R9024N	191	RCFS4913C(L/R)W	365
RCDFMR84301	439	RCE1H4818P	195	RCE1R9030N	191	RCFS4913Y(L/R)M	359
RCDFMR84302	439	RCE1H6024	195	RCE1R9624N	191	RCFS4913Y(L/R)W	365
RCDFMR84361	439	RCE1H6024P	195	RCE1R9630N	191	RCFS4913Z(L/R)M	359
RCDFMR84362	439	RCE1L3636SSN	193	RCE1W362430N	196	RCFS4913Z(L/R)W	365
RCDFMR96301	439	RCE1L4242DSN	193	RCE1W363024N	196	RCFS4932V(L/R)M	359
RCDFMR96302	439	RCE1L4242SDN	193	RCE1W422430N	196	RCFS4932V(L/R)W	365
RCDFMR96361	439	RCE1L4242SSN	193	RCE1W423024N	196	RCFS4932W(L/R)M	360
RCDFMR96362	439	RCE1L4260SSN	194	RCE1W482430N	196	RCFS4932W(L/R)W	366
RCDHB	264	RCE1L4266SSN	194	RCE1W483024N	196	RCFS4932X(L/R)M	360
RCDHB20T	264	RCE1L4272SSN	194	RCE1W722430N	196	RCFS4932X(L/R)W	366
RCDHB24T	264	RCE1L4278SSN	194	RCE1W723024N	196	RCFS4933V(L/R)M	359
RCDHB30T	264	RCE1L4848DDN	193	RCE601	200	RCFS4933V(L/R)W	365
RCDHB40T	264	RCE1L4848DSN	193	RCE602	200	RCFS4933W(L/R)M	360
RCDHMR60301	440	RCE1L4848SDN	193	RCE661	200	RCFS4933W(L/R)W	366
RCDHMR60302	440	RCE1L4848SSN	193	RCE662	200	RCFS4933X(L/R)M	360
RCDHMR60361	440	RCE1L4860DSN	194	RCE721	200	RCFS4933X(L/R)W	366
RCDHMR60362	440	RCE1L4860SDN	194	RCE722	200	RCFS6412C(L/R)M	361
RCDHMR72301	440	RCE1L4860SSN	194	RCE781	200	RCFS6412C(L/R)W	367
RCDHMR72302	440	RCE1L4866DSN	194	RCE782	200	RCFS6412Y(L/R)M	361
RCDHMR72361	440	RCE1L4866SDN	194	RCE841	200	RCFS6412Y(L/R)W	367
RCDHMR72362	440	RCE1L4866SSN	194	RCE842	200	RCFS6412Z(L/R)M	361
RCDHMR84301	440	RCE1L4872DSN	194	RCE901	200	RCFS6412Z(L/R)W	367
RCDHMR84302	440	RCE1L4872SDN	194	RCE902	200	RCFS6413C(L/R)M	361
RCDHMR84361	440	RCE1L4872SSN	194	RCE961	200	RCFS6413C(L/R)W	367
RCDHMR84362	440	RCE1L4878SSN	194	RCE962	200	RCFS6413Y(L/R)M	361
RCDHMR96301	440	RCE1L4884SSN	194	RCEAL223660	148	RCFS6413Y(L/R)W	367
RCDHMR96302	440	RCE1L6042SSN	194	RCEAL223672	148	RCFS6413Z(L/R)M	361
RCDHMR96361	440	RCE1L6048DSN	194	RCEAL224260	148	RCFS6413Z(L/R)W	367
RCDHMR96362	440	RCE1L6048SDN	194	RCEAL224272	148	RCFS6432V(L/R)M	362
RCDP6024K(A,B,W)	458, 459, 460	RCE1L6048SSN	194	RCEAL224872	148	RCFS6432V(L/R)W	368
RCDP7224K(A,B,W)	458, 459, 460	RCE1L6642SSN	194	RCEAL224884	148	RCFS6432W(L/R)M	362
RCDP8424K(A,B,W)	458, 459, 460	RCE1L6648DSN	194	RCEAL224896	148	RCFS6432W(L/R)W	368
RCDP9624K(A,B,W)	458, 459, 460	RCE1L6648SDN	194	RCEAR223660	148	RCFS6432X(L/R)M	362
RCDQMR60301	441	RCE1L6648SSN	194	RCEAR223672	148	RCFS6432X(L/R)W	368
RCDQMR60302	441	RCE1L7242SSN	194	RCEAR224260	148	RCFS6433V(L/R)M	362
RCDQMR60361	441	RCE1L7248DSN	194	RCEAR224272	148	RCFS6433V(L/R)W	368
RCDQMR60362	441	RCE1L7248SDN	194	RCEAR224872	148	RCFS6433W(L/R)M	362
RCDQMR72301	441	RCE1L7248SSN	194	RCEAR224884	148	RCFS6433W(L/R)W	368
RCDQMR72302	441	RCE1L7842SSN	194	RCEAR224896	148	RCFS6433X(L/R)M	362
RCDQMR72361	441	RCE1L7848SSN	194	RCEEG1021	201	RCFS6433X(L/R)W	368
RCDQMR72362	441	RCE1L8448SSN	194	RCEEG1022	201	RCFS6812C(L/R)M	363

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCFS6812C(L/R)W	369	RDHMH7840	274	RDHMR7222	271	RDTAGW6142(L/R)	376
RCFS6812Y(L/R)M	363	RDHMH8410	274	RDHMR7230	270	RDTAGW6156(L/R)	376
RCFS6812Y(L/R)W	369	RDHMH8411	273	RDHMR7240	270	RDTAHC3142(L/R)	377
RCFS6812Z(L/R)M	363	RDHMH8412	273	RDHMR7810	270	RDTAHC3156(L/R)	377
RCFS6812Z(L/R)W	369	RDHMH8413	273	RDHMR7811	271	RDTAHC6142(L/R)	377
RCFS6813C(L/R)M	363	RDHMH8414	273	RDHMR7812	271	RDTAHC6156(L/R)	377
RCFS6813C(L/R)W	369	RDHMH8420	274	RDHMR7820	270	RDTAHW3142(L/R)	377
RCFS6813Y(L/R)M	363	RDHMH8422	273	RDHMR7822	271	RDTAHW3156(L/R)	377
RCFS6813Y(L/R)W	369	RDHMH8423	273	RDHMR7830	270	RDTAHW6142(L/R)	377
RCFS6813Z(L/R)M	363	RDHMH8424	273	RDHMR7840	270	RDTAHW6156(L/R)	377
RCFS6813Z(L/R)W	369	RDHMH8430	274	RDHMR8410	270	RDTCE3010	531
RCFS6832V(L/R)M	364	RDHMH8440	274	RDHMR8411	271	RDTCE3610	531
RCFS6832V(L/R)W	370	RDHMH9010	274	RDHMR8412	271	RDTCE6010	531
RCFS6832W(L/R)M	364	RDHMH9011	273	RDHMR8414	271	RDTCE7210	531
RCFS6832W(L/R)W	370	RDHMH9012	273	RDHMR8420	270	RDTCE22120	466
RCFS6832X(L/R)M	364	RDHMH9013	273	RDHMR8422	271	RDTCE2272	466
RCFS6832X(L/R)W	370	RDHMH9014	273	RDHMR8423	271	RDTCE22H	466
RCFS6833V(L/R)M	364	RDHMH9020	274	RDHMR8430	270	RDTCE33120	466
RCFS6833V(L/R)W	370	RDHMH9022	273	RDHMR8440	270	RDTCE3372	466
RCFS6833W(L/R)M	364	RDHMH9023	273	RDHMR9010	270	RDTCE33H	466
RCFS6833W(L/R)W	370	RDHMH9024	273	RDHMR9011	271	RDTCE6010	531
RCFS6833X(L/R)M	364	RDHMH9030	274	RDHMR9012	271	RDTCE7210	531
RCFS6833X(L/R)W	370	RDHMH9033	273	RDHMR9013	271	RDTDBW3142	374
RCOUNTWT	286, 287, 296, 304	RDHMH9040	274	RDHMR9014	271	RDTDBW3156	374
RCP41-(F/L/1/2/3)*	114	RDHMH9610	274	RDHMR9020	270	RDTDBW6142	374
RCP56-(F/L/1/2/3)*	114	RDHMH9611	273	RDHMR9022	271	RDTDBW6156	374
RCP71-(F/L/1/2/3)*	114	RDHMH9612	273	RDHMR9023	271	RDTDCFM(L/R)5430	237
RCP78-(F/L/1/2/3)*	114	RDHMH9613	273	RDHMR9024	271	RDTDCFM(L/R)5436	237
RCS3L6024K(A,B,W)	452, 453, 454	RDHMH9614	273	RDHMR9030	270	RDTDCFM(L/R)6030	237
RCS3L7224K(A,B,W)	452, 453, 454	RDHMH9620	274	RDHMR9040	270	RDTDCFM(L/R)6036	237
RCS3L8424K(A,B,W)	452, 453, 454	RDHMH9622	273	RDHMR9610	270	RDTDCFM(L/R)6630	237
RCS3L9624K(A,B,W)	452, 453, 454	RDHMH9623	273	RDHMR9611	271	RDTDCFM(L/R)6636	237
RCS6L6024K(A,B,W)	452, 453, 454	RDHMH9624	273	RDHMR9612	271	RDTDCFM(L/R)7230	237
RCS6L7224K(A,B,W)	452, 453, 454	RDHMH9630	274	RDHMR9613	271	RDTDCFM(L/R)7236	237
RCS6L8424K(A,B,W)	452, 453, 454	RDHMH9633	273	RDHMR9614	271	RDTDCFM(L/R)7830	237
RCS6L9624K(A,B,W)	452, 453, 454	RDHMH9640	274	RDHMR9620	270	RDTDCFM(L/R)7836	237
RCS6L6024K(A,B,W)	452, 453, 454	RDHMLD	296	RDHMR9622	271	RDTDCFM(L/R)8430	237
RCS6L7224K(A,B,W)	452, 453, 454	RDHMR10210	270	RDHMR9623	271	RDTDCFM(L/R)8436	237
RCS6L8424K(A,B,W)	452, 453, 454	RDHMR10211	271	RDHMR9624	271	RDTDCPC(L/R)6630	235
RCS6L9624K(A,B,W)	452, 453, 454	RDHMR10212	271	RDHMR9630	270	RDTDCPC(L/R)6636	235
RDDP6030JK(A,B,W)	446, 447, 448	RDHMR10213	271	RDHMR9633	271	RDTDCPC(L/R)7230	235
RDDP6036JK(A,B,W)	446, 447, 448	RDHMR10214	271	RDHMR9640	270	RDTDCPC(L/R)7236	235
RDDP7230JK(A,B,W)	446, 447, 448	RDHMR10220	270	RDHPM26	275	RDTDCPC(L/R)7830	235
RDDP7236JK(A,B,W)	446, 447, 448	RDHMR10222	271	RDHPM32	275	RDTDCPC(L/R)7836	235
RDDP8430JK(A,B,W)	446, 447, 448	RDHMR10223	271	RDHPM38	275	RDTDCPC(L/R)8430	235
RDDP8436JK(A,B,W)	446, 447, 448	RDHMR10224	271	RDHPM44	275	RDTDCPC(L/R)8436	235
RDDP9630JK(A,B,W)	446, 447, 448	RDHMR10230	270	RDHPM50	275	RDTDCPC(L/R)9030	235
RDDP9636JK(A,B,W)	446, 447, 448	RDHMR10233	271	RDHPM56	275	RDTDCPC(L/R)9036	235
RDHMBD	296	RDHMR10240	270	RDHPM62	275	RDTDCPC(L/R)9630	235
RDHMGD	296	RDHMR10810	270	RDHPM68	275	RDTDCPC(L/R)9636	235
RDHMH7210	274	RDHMR10811	272	RDHPM74	275	RDTDCST(L/R)6630	236
RDHMH7211	273	RDHMR10812	272	RDSP6030J(A,B,W)	443, 444, 445	RDTDCST(L/R)6636	236
RDHMH7212	273	RDHMR10813	272	RDSP6036J(A,B,W)	443, 444, 445	RDTDCST(L/R)7230	236
RDHMH7220	274	RDHMR10814	272	RDSP7230J(A,B,W)	443, 444, 445	RDTDCST(L/R)7236	236
RDHMH7222	273	RDHMR10820	270	RDSP7236J(A,B,W)	443, 444, 445	RDTDCST(L/R)7830	236
RDHMH7230	274	RDHMR10822	272	RDSP8430J(A,B,W)	443, 444, 445	RDTDCST(L/R)7836	236
RDHMH7240	274	RDHMR10823	272	RDSP8436J(A,B,W)	443, 444, 445	RDTDCST(L/R)8430	236
RDHMH7810	274	RDHMR10824	272	RDSP9630J(A,B,W)	443, 444, 445	RDTDCST(L/R)8436	236
RDHMH7811	273	RDHMR10830	270	RDSP9636J(A,B,W)	443, 444, 445	RDTDCST(L/R)9030	236
RDHMH7812	273	RDHMR10833	271	RDTAGG3142(L/R)	376	RDTDCST(L/R)9036	236
RDHMH7813	273	RDHMR10840	270	RDTAGG3156(L/R)	376	RDTDCST(L/R)9630	236
RDHMH7820	274	RDHMR7210	270	RDTAGG6142(L/R)	376	RDTDCST(L/R)9636	236
RDHMH7822	273	RDHMR7211	271	RDTAGG6156(L/R)	376	RDTDCW3142	376
RDHMH7823	273	RDHMR7212	271	RDTAGW3142(L/R)	376	RDTDCW3156	376
RDHMH7830	274	RDHMR7220	270	RDTAGW3156(L/R)	376	RDTDCW6142	376

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RDTDGCW6156	376	RFTCSM (Pair) for G2 only	126	RGAL433	437	RCS84	435
RDTDHW3142	375	RFTCSM (Pair) for G2 only	126	RGAL491	437	RCS90	435
RDTDHW3156	375	RFTCSM (Pair) for G2 only	126	RGAL492	437	RCS96	435
RDTDHW6142	375	RFTCSM (Pair) for G2 only	126	RGAL493	437	RCTLA636	438
RDTDHW6156	375	RFTCSM (Pair) for G2 only	126	RGAL551	437	RCTRA4636	438
RDTE22120	466	RFTCSM (Pair) for G2 only	126	RGAL552	437	RHSC15	118
RDTE2272	466	RFTCSM (Pair) for G2 only	126	RGAL553	437	RHSC250	118
RDTE22H	466	RFTCSM (Pair) for G2 only	126	RGAL611	437	RHSC70	118
RDTGA	467	RFTCSM (Pair) for G2 only	126	RGAL612	437	RIB24T	260
RDTGB	467	RFTCSM (Pair) for G2 only	126	RGAL613	437	RIB28X	262
RDTGC	467	RFTCSM (Pair) for G2 only	126	RGAL671	437	RIB32X	262
RDTSBWG142	371	RFTCSM (Pair) for G2 only	126	RGAL672	437	RIBDH24T	264
RDTSBWG156	371	RFTCSM (Pair) for G2 only	126	RGAL673	437	RIBDH28X	266
RDTSBWT142	371	RFTCSM (Pair) for G2 only	126	RGAL731	437	RIBDH32X	266
RDTSBWT156	371	RFTCSM (Pair) for G2 only	126	RGAL732	437	RIP1201	240
RDTSCWG142(L/R)	373	RFTCSM (Pair) for G2 only	126	RGAL733	437	RIP1202	241
RDTSCWG156(L/R)	373	RFTCSM (Pair) for G2 only	126	RGAL791	437	RIP1241	240
RDTSCWT142(L/R)	373	RFTCSM (Pair) for G2 only	126	RGAL792	437	RIP1242	241
RDTSCWT156(L/R)	373	RFTCSM (Pair) for G2 only	126	RGAL793	437	RIP1301	240
RDTSHWG142(L/R)	372	RFTCSM (Pair) for G2 only	126	RGAL851	437	RIP1302	241
RDTSHWG156(L/R)	372	RFTCSM (Pair) for G2 only	126	RGAL852	437	RIP1361	240
RDTSHWT142(L/R)	372	RFTCSM (Pair) for G2 only	126	RGAL853	437	RIP1362	241
RDTSHWT156(L/R)	372	RFTCSM (Pair) for G2 only	126	RGAL911	437	RIP0201	240
RDTSTE33120	466	RFTCSM (Pair) for G2 only	126	RGAL912	437	RIP0202	241
RDTSTE3372	466	RFTCSM (Pair) for G2 only	126	RGAL913	437	RIP0241	240
RDTSTE33H	466	RFTCSM (Pair) for G2 only	126	RGAL971	437	RIP0242	241
RE12F	256	RFTCSM (Pair) for G2 only	126	RGAL972	437	RIP0301	240
RE15F	256	RFTCSM (Pair) for G2 only	126	RGAL973	437	RIP0302	241
RE19F	256	RFTCSM (Pair) for G2 only	126	RGAR431	436	RIP0361	240
RE23F	256	RFTCSM (Pair) for G2 only	126	RGAR432	436	RIP0362	241
RE29F	256	RFTCSM (Pair) for G2 only	126	RGAR433	436	RIP0C201	240
RE30	256	RFTCSM (Pair) for G2 only	126	RGAR491	436	RIP0C202	241
RE36	256	RFTCSM (Pair) for G2 only	126	RGAR492	436	RIP0C241	240
REBA6030	152	RFTCSM (Pair) for G2 only	126	RGAR493	436	RIP0C242	241
REBA7242	152	RFTCSM (Pair) for G2 only	126	RGAR551	436	RIP0C301	240
REBA7848	152	RFTCSM (Pair) for G2 only	126	RGAR552	436	RIP0C302	241
REBA(A/B/C/D/E/F/G)A6030	169	RFTCSM (Pair) for G2 only	126	RGAR553	436	RIP0C361	240
REBA(A/B/C/D/E/F/G)A7242	169	RFTCSM (Pair) for G2 only	126	RGAR611	436	RIP0C362	241
REBA(A/B/C/D/E/F/G)A7848	169	RFTCSM (Pair) for G2 only	126	RGAR612	436	RIPPEI202	226
REBAWA6030	188	RFTCSM (Pair) for G2 only	126	RGAR613	436	RIPPEI242	226
REBAWA7242	188	RFTCSM (Pair) for G2 only	126	RGAR671	436	RIPPEI302	226
REBAWA7848	188	RFTCSM (Pair) for G2 only	126	RGAR672	436	RIPPEI362	226
REBH24	188	RFTCSM (Pair) for G2 only	126	RGAR673	436	RIPPEO202	226
REBH30	188	RFTCSM (Pair) for G2 only	126	RGAR731	436	RIPPEO242	226
REDH12F	258	RFTCSM (Pair) for G2 only	126	RGAR732	436	RIPPEO302	226
REDH15F	258	RFTCSM (Pair) for G2 only	126	RGAR733	436	RIPPEO362	226
REDH19F	258	RFTCSM (Pair) for G2 only	126	RGAR791	436	RIPPEOC202	226
REDH23F	258	RFTCSM (Pair) for G2 only	126	RGAR792	436	RIPPEOC242	226
REDH29F	258	RFTCSM (Pair) for G2 only	126	RGAR793	436	RIPPEOC302	226
REDH30	258	RFTCSM (Pair) for G2 only	126	RGAR851	436	RIPPEOC362	226
REDH36	258	RFTCSM (Pair) for G2 only	126	RGAR852	436	RJBU24	465
REDHBH124	259	RFTCSM (Pair) for G2 only	126	RGAR853	436	RJBU30	465
REDHBH130	259	RFTCSM (Pair) for G2 only	126	RGAR911	436	RJBU36	465
RFDR30	475	RFTCSM (Pair) for G2 only	126	RGAR912	436	RJBU42	465
RFDR36	475	RFTCSM (Pair) for G2 only	126	RGAR913	436	RJBU48	465
RFDR42	475	RFTCSM (Pair) for G2 only	126	RGAR971	436	RJBU54	465
RFDR48	475	RFTCSM (Pair) for G2 only	126	RGAR972	436	RJBU60	465
RFDR60	475	RFTCSM (Pair) for G2 only	126	RGAR973	436	RJBU66	465
RFDR72	475	RFTCSM (Pair) for G2 only	126	RGMD6	134	RJBU72	465
RFDR84	475	RFTCSM (Pair) for G2 only	126	RGMD8	134	RJBW24	465
RFDR96	475	RFTCSM (Pair) for G2 only	126	RGMD8	134	RJBW30	465
RFTCC108	126	RFTCSM (Pair) for G2 only	126	RGMD8	134	RJBW36	465
RFTCC1IPS	126	RFTCSM (Pair) for G2 only	126	RGS60	435	RJBW42	465
RFTCCR (Pair)	126	RFTCSM (Pair) for G2 only	126	RGS66	435	RJBW48	465
RFTCC1 (Pair)	126	RFTCSM (Pair) for G2 only	126	RGS72	435	RJBW54	465
		RFTCSM (Pair) for G2 only	126	RGS78	435		

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RJBW60	465	RMB(A)9630	153	RMDAWF5436	185	ROAF60S1()	383
RJBW66	465	RMB(A)9636	153	RMDAWF6030	185	ROAF72S0DH	391
RJBW72	465	RMBA(A/B/C/D/E/F/G)A7230	169	RMDAWF6036	185	ROAF72S0()	383
RKA 363611	141	RMBA(A/B/C/D/E/F/G)A7236	169	RMDAWF6630	185	ROAF72S1DH	391
RKA 363612	141	RMBA(A/B/C/D/E/F/G)A8430	169	RMDAWF6636	185	ROAF72S1()	383
RKA 363621	142	RMBA(A/B/C/D/E/F/G)A8436	169	RMDAWF7230	185	ROAF84S0DH	391
RKA 363622	141	RMBA(A/B/C/D/E/F/G)A9630	169	RMDAWF7236	185	ROAF84S0()	383
RKA 364211	141	RMBA(A/B/C/D/E/F/G)A9636	169	RMDAWF7830	185	ROAF84S1DH	391
RKA 364212	141	RMBAWA7230	187	RMDAWF7836	185	ROAF84S1()	383
RKA 364221	142	RMBAWA7236	187	RMDAWF8430	185	ROAF96S0DH	391
RKA 364222	141	RMBAWA8430	187	RMDAWF8436	185	ROAF96S0()	383
RKA 364811	141	RMBAWA8436	187	RMDAWF9030	185	ROAF96S1DH	391
RKA 364812	141	RMBAWA9630	187	RMDAWF9036	185	ROAF96S1()	383
RKA 364821	142	RMBAWA9636	187	RMDAWF9630	185	ROAH60T0DH	390
RKA 364822	141	RMDA4221	150	RMDAWF9636	185	ROAH60T0()	383
RKA 423611	141	RMDA4230	150	RMPA4230	151	ROAH60T1DH	390
RKA 423612	141	RMDA4236	150	RMPA4836	151	ROAH60T1()	383
RKA 423621	142	RMDA4830	150	RMPA8430	152	ROAH72T0DH	390
RKA 423622	141	RMDA4836	150	RMPA9630	152	ROAH72T0()	383
RKA 424211	141	RMDA5025	150	RMPA(A/B/C/D/E/F/G)F4230	168	ROAH72T1DH	390
RKA 424212	141	RMDA5430	150	RMPA(A/B/C/D/E/F/G)F4836	168	ROAH72T1()	383
RKA 424221	142	RMDA5436	150	RMPA(A/B/C/D/E/F/G)F8430	168	ROAH90T0DH	390
RKA 424222	141	RMDA6030	150	RMPA(A/B/C/D/E/F/G)F9630	168	ROAH90T0()	383
RKA 424811	141	RMDA6036	150	RMPAWF4230	186	ROAH90T1DH	390
RKA 424812	141	RMDA6630	150	RMPAWF8430	186	ROAH90T1()	383
RKA 424821	142	RMDA6636	150	RMPAWF9630	186	ROAH96T0DH	390
RKA 424822	141	RMDA7230	150	RMPU	303	ROAH96T0()	383
RKA 483611	141	RMDA7236	150	RMSCB	252	ROAH96T1DH	390
RKA 483612	141	RMDA7830	150	RO1-GB	422	ROAH96T1()	383
RKA 483621	142	RMDA7836	150	RO1-HP12	417, 419, 420	ROAO60T0DH	390
RKA 483622	141	RMDA8430	150	RO1-HP15	417, 419, 420	ROAO60T0()	383
RKA 484211	141	RMDA8436	150	RO1-HP6	417, 419, 420	ROAO60T1DH	390
RKA 484212	141	RMDA9030	150	RO1-HP9	417, 419, 420	ROAO60T1()	383
RKA 484221	142	RMDA9036	150	RO1-PULL	422	ROAO72T0DH	390
RKA 484222	141	RMDA9630	150	RO1-RCB	421	ROAO72T0()	383
RKA 484811	141	RMDA9636	150	RO1-RPB	421	ROAO72T1DH	390
RKA 484812	141	RMDA(A/B/C/D/E/F/G)F4221	167	RO1-WMF2	422	ROAO72T1()	383
RKA 484821	142	RMDA(A/B/C/D/E/F/G)F4230	167	RO1-WMF3	422	ROAO90T0DH	390
RKA 484822	141	RMDA(A/B/C/D/E/F/G)F4236	167	RO1-WMF4	422	ROAO90T0()	383
RKBA1020	461	RMDA(A/B/C/D/E/F/G)F4830	167	RO3-M24	416	ROAO90T1DH	390
RKBA1022	461	RMDA(A/B/C/D/E/F/G)F4836	167	RO3-M30	416	ROAO90T1()	383
RKT31	461	RMDA(A/B/C/D/E/F/G)F5025	167	RO3-M36	416	ROAO96T0DH	390
RLCGT301	308	RMDA(A/B/C/D/E/F/G)F5430	167	RO3-M42	416	ROAO96T0()	383
RLCGT361	308	RMDA(A/B/C/D/E/F/G)F5436	167	RO3-M48	416	ROAO96T1DH	390
RLCGT601	308	RMDA(A/B/C/D/E/F/G)F6030	167	RO3-M60	416, 417	ROAO96T1()	383
RLCGT721	308	RMDA(A/B/C/D/E/F/G)F6036	167	RO3-M66	416, 417	ROBF60S0DH	393
RM111J	286, 287	RMDA(A/B/C/D/E/F/G)F6630	167	RO3-M72	416, 417	ROBF60S0()	384
RM112J	286, 287	RMDA(A/B/C/D/E/F/G)F6636	167	RO3-N24	418	ROBF60S1DH	393
RM212J	286, 287	RMDA(A/B/C/D/E/F/G)F7230	167	RO3-N30	418	ROBF60S1()	384
RM212K	286, 287	RMDA(A/B/C/D/E/F/G)F7236	167	RO3-N36	418	ROBF72S0DH	393
RM9A4230	151	RMDA(A/B/C/D/E/F/G)F7830	167	RO3-N42	418	ROBF72S0()	384
RM9A4836	151	RMDA(A/B/C/D/E/F/G)F7836	167	RO3-N48	418	ROBF72S1DH	393
RM9A8430	151	RMDA(A/B/C/D/E/F/G)F8430	167	RO3-N60	418	ROBF72S1()	384
RM9A9630	151	RMDA(A/B/C/D/E/F/G)F8436	167	RO3-N66	418	ROBF84S0DH	393
RM9A(A/B/C/D/E/F/G)F4230	168	RMDA(A/B/C/D/E/F/G)F9030	167	RO3-N72	418	ROBF84S0()	384
RM9A(A/B/C/D/E/F/G)F4836	168	RMDA(A/B/C/D/E/F/G)F9036	167	RO3-ON30	420	ROBF84S1DH	393
RM9A(A/B/C/D/E/F/G)F8430	168	RMDA(A/B/C/D/E/F/G)F9630	167	RO3-ON36	420	ROBF84S1()	384
RM9A(A/B/C/D/E/F/G)F9630	168	RMDA(A/B/C/D/E/F/G)F9636	167	RO3-ON42	420	ROBF96S0DH	393
RM9AWF4230	186	RMDAWF4221	185	RO3-ON48	420	ROBF96S0()	384
RM9AWF8430	186	RMDAWF4230	185	RO3-ON60	420	ROBF96S1DH	393
RM9AWF9630	186	RMDAWF4236	185	RO3-ON72	420	ROBF96S1()	384
RMB(A)7230	153	RMDAWF4830	185	RO3-VP	417, 420	ROBH60T0DH	392
RMB(A)7236	153	RMDAWF4836	185	ROAF60S0DH	391	ROBH60T0()	384
RMB(A)8430	153	RMDAWF5025	185	ROAF60S0()	383	ROBH60T1DH	392
RMB(A)8436	153	RMDAWF5430	185	ROAF60S1DH	391	ROBH60T1()	384

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROBH72T0DH	392	ROCGHCSHP361	403	ROCHCDHP421	411	ROCOCDHP601	413
ROBH72T0()	384	ROCGHCSHP421	403	ROCHCDHP481	411	ROCOCDHP661	413
ROBH72T1DH	392	ROCGHCSHP481	403	ROCHCDHP541	411	ROCOCDHP721	413
ROBH72T1()	384	ROCGHCSHP541	403	ROCHCDHP601	411	ROCOCDHP781	413
ROBH90T0DH	392	ROCGHCSHP601	403	ROCHCDHP661	411	ROCOCDHP841	413
ROBH90T0()	384	ROCGHCSHP661	403	ROCHCDHP721	411	ROCOCDHP901	413
ROBH90T1DH	392	ROCGHCSHP721	403	ROCHCDHP781	411	ROCOCDHP961	413
ROBH90T1()	384	ROCGHCSHP781	403	ROCHCDHP841	411	ROCOCSHP301	401
ROBH96T0DH	392	ROCGHCSHP841	403	ROCHCDHP901	411	ROCOCSHP361	401
ROBH96T0()	384	ROCGHCSHP901	403	ROCHCDHP961	411	ROCOCSHP421	401
ROBH96T1DH	392	ROCGHCSHP961	403	ROCHCSHP301	402	ROCOCSHP481	401
ROBH96T1()	384	ROCGHDHP301	412	ROCHCSHP361	402	ROCOCSHP541	401
ROBO60T0DH	392	ROCGHDHP361	412	ROCHCSHP421	402	ROCOCSHP601	401
ROBO60T0()	384	ROCGHDHP421	412	ROCHCSHP481	402	ROCOCSHP661	401
ROBO60T1DH	392	ROCGHDHP481	412	ROCHCSHP541	402	ROCOCSHP721	401
ROBO60T1()	384	ROCGHDHP541	412	ROCHCSHP601	402	ROCOCSHP781	401
ROBO72T0DH	392	ROCGHDHP601	412	ROCHCSHP661	402	ROCOCSHP841	401
ROBO72T0()	384	ROCGHDHP661	412	ROCHCSHP721	402	ROCOCSHP901	401
ROBO72T1DH	392	ROCGHDHP721	412	ROCHCSHP781	402	ROCOCSHP961	401
ROBO72T1()	384	ROCGHDHP781	412	ROCHCSHP841	402	ROHDR30	475
ROBO90T0DH	392	ROCGHDHP841	412	ROCHCSHP901	402	ROHDR36	475
ROBO90T0()	384	ROCGHDHP901	412	ROCHCSHP961	402	ROHDR42	475
ROBO90T1DH	392	ROCGHDHP961	412	ROCHDHP301	411	ROHDR48	475
ROBO90T1()	384	ROCGHOCDHP601	415	ROCHDHP361	411	ROHDR60	475
ROBO96T0DH	392	ROCGHOCDHP661	415	ROCHDHP421	411	ROHDR72	475
ROBO96T0()	384	ROCGHOCDHP721	415	ROCHDHP481	411	ROHDR90	475
ROBO96T1DH	392	ROCGHOCDHP781	415	ROCHDHP541	411	ROHDR96	475
ROBO96T1()	384	ROCGHOCDHP841	415	ROCHDHP601	411	ROMCGDHP301	408
ROCCGDHP301	413	ROCGHOCDHP901	415	ROCHDHP661	411	ROMCGDHP361	408
ROCCGDHP361	413	ROCGHOCDHP961	415	ROCHDHP721	411	ROMCGDHP421	408
ROCCGDHP421	413	ROCGHOCSHHP601	405	ROCHDHP781	411	ROMCGDHP481	408
ROCCGDHP481	413	ROCGHOCSHHP661	405	ROCHDHP841	411	ROMCGDHP541	408
ROCCGDHP541	413	ROCGHOCSHHP721	405	ROCHDHP901	411	ROMCGDHP601	408
ROCCGDHP601	413	ROCGHOCSHHP781	405	ROCHDHP961	411	ROMCGDHP661	408
ROCCGDHP661	413	ROCGHOCSHHP841	405	ROCHOCDHP601	414	ROMCGDHP721	408
ROCCGDHP721	413	ROCGHOCSHHP901	405	ROCHOCDHP661	414	ROMCGDHP781	408
ROCCGDHP781	413	ROCGHOCSHHP961	405	ROCHOCDHP721	414	ROMCGDHP841	408
ROCCGDHP841	413	ROCGHODHP601	415	ROCHOCDHP781	414	ROMCGDHP901	408
ROCCGDHP901	413	ROCGHODHP661	415	ROCHOCDHP841	414	ROMCGDHP961	408
ROCCGDHP961	413	ROCGHODHP721	415	ROCHOCDHP901	414	ROMCGSHP301	396
ROCCGSHHP301	401	ROCGHODHP781	415	ROCHOCDHP961	414	ROMCGSHP361	396
ROCCGSHHP361	401	ROCGHODHP841	415	ROCHOCSHP601	404	ROMCGSHP421	396
ROCCGSHHP421	401	ROCGHODHP901	415	ROCHOCSHP661	404	ROMCGSHP481	396
ROCCGSHHP481	401	ROCGHODHP961	415	ROCHOCSHP721	404	ROMCGSHP541	396
ROCCGSHHP541	401	ROCGHOSHP601	405	ROCHOCSHP781	404	ROMCGSHP601	396
ROCCGSHHP601	401	ROCGHOSHP661	405	ROCHOCSHP841	404	ROMCGSHP661	396
ROCCGSHHP661	401	ROCGHOSHP721	405	ROCHOCSHP901	404	ROMCGSHP721	396
ROCCGSHHP721	401	ROCGHOSHP781	405	ROCHOCSHP961	404	ROMCGSHP781	396
ROCCGSHHP781	401	ROCGHOSHP841	405	ROCHSHP301	402	ROMCGSHP841	396
ROCCGSHHP841	401	ROCGHOSHP901	405	ROCHSHP361	402	ROMCGSHP901	396
ROCCGSHHP901	401	ROCGHOSHP961	405	ROCHSHP421	402	ROMCGSHP961	396
ROCCGSHHP961	401	ROCGHSHHP301	403	ROCHSHP481	402	ROMDHMTF130RB	471
ROCGHCDHP301	412	ROCGHSHHP361	403	ROCHSHP541	402	ROMDHMTF130RL	471
ROCGHCDHP361	412	ROCGHSHHP421	403	ROCHSHP601	402	ROMDHMTF130RN	471
ROCGHCDHP421	412	ROCGHSHHP481	403	ROCHSHP661	402	ROMDHMTF130RR	472
ROCGHCDHP481	412	ROCGHSHHP541	403	ROCHSHP721	402	ROMDHMTF136RB	471
ROCGHCDHP541	412	ROCGHSHHP601	403	ROCHSHP781	402	ROMDHMTF136RL	471
ROCGHCDHP601	412	ROCGHSHHP661	403	ROCHSHP841	402	ROMDHMTF136RN	471
ROCGHCDHP661	412	ROCGHSHHP721	403	ROCHSHP901	402	ROMDHMTF136RR	472
ROCGHCDHP721	412	ROCGHSHHP781	403	ROCHSHP961	402	ROMDHMTF142RB	471
ROCGHCDHP781	412	ROCGHSHHP841	403	ROCOCDHP301	413	ROMDHMTF142RL	471
ROCGHCDHP841	412	ROCGHSHHP901	403	ROCOCDHP361	413	ROMDHMTF142RN	471
ROCGHCDHP901	412	ROCGHSHHP961	403	ROCOCDHP421	413	ROMDHMTF142RR	472
ROCGHCDHP961	412	ROCHCDHP301	411	ROCOCDHP481	413	ROMDHMTF148RB	471
ROCGHCSHP301	403	ROCHCDHP361	411	ROCOCDHP541	413	ROMDHMTF148RL	471

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROMDHMTF148RN	471	ROMDHWTF172RR	474	ROMGHODHP961	410	ROMHDHP481	406
ROMDHMTF148RR	472	ROMDHWTF178RB	473	ROMGHOCSDHP601	400	ROMHDHP541	406
ROMDHMTF154RB	471	ROMDHWTF178RL	473	ROMGHOCSDHP661	400	ROMHDHP601	406
ROMDHMTF154RL	471	ROMDHWTF178RN	473	ROMGHOCSDHP721	400	ROMHDHP661	406
ROMDHMTF154RN	471	ROMDHWTF178RR	474	ROMGHOCSDHP781	400	ROMHDHP721	406
ROMDHMTF154RR	472	ROMDHWTF184RB	473	ROMGHOCSDHP841	400	ROMHDHP781	406
ROMDHMTF160RB	471	ROMDHWTF184RL	473	ROMGHOCSDHP901	400	ROMHDHP841	406
ROMDHMTF160RL	471	ROMDHWTF184RN	473	ROMGHOCSDHP961	400	ROMHDHP901	406
ROMDHMTF160RN	471	ROMDHWTF184RR	474	ROMGHODHP601	410	ROMHDHP961	406
ROMDHMTF160RR	472	ROMDHWTF190RB	473	ROMGHODHP661	410	ROMHOCSDHP601	409
ROMDHMTF166RB	471	ROMDHWTF190RL	473	ROMGHODHP721	410	ROMHOCSDHP661	409
ROMDHMTF166RL	471	ROMDHWTF190RN	473	ROMGHODHP781	410	ROMHOCSDHP721	409
ROMDHMTF166RN	471	ROMDHWTF190RR	474	ROMGHODHP841	410	ROMHOCSDHP781	409
ROMDHMTF166RR	472	ROMDHWTF196RB	473	ROMGHODHP901	410	ROMHOCSDHP841	409
ROMDHMTF172RB	471	ROMDHWTF196RL	473	ROMGHODHP961	410	ROMHOCSDHP901	409
ROMDHMTF172RL	471	ROMDHWTF196RN	473	ROMGHOSHDP601	400	ROMHOCSDHP961	409
ROMDHMTF172RN	471	ROMDHWTF196RR	474	ROMGHOSHDP661	400	ROMHOCSDHP601	399
ROMDHMTF172RR	472	ROMF30S0()	378	ROMGHOSHDP721	400	ROMHOCSDHP661	399
ROMDHMTF178RB	471	ROMF36S0()	378	ROMGHOSHDP781	400	ROMHOCSDHP721	399
ROMDHMTF178RL	471	ROMF42S0()	378	ROMGHOSHDP841	400	ROMHOCSDHP781	399
ROMDHMTF178RN	471	ROMF48S0()	378	ROMGHOSHDP901	400	ROMHOCSDHP841	399
ROMDHMTF178RR	472	ROMF60S0()	378	ROMGHOSHDP961	400	ROMHOCSDHP901	399
ROMDHMTF184RB	471	ROMF72S0()	378	ROMGHSHP301	398	ROMHOCSDHP961	399
ROMDHMTF184RL	471	ROMGHCDHP301	407	ROMGHSHP361	398	ROMHSHP301	397
ROMDHMTF184RN	471	ROMGHCDHP361	407	ROMGHSHP421	398	ROMHSHP361	397
ROMDHMTF184RR	472	ROMGHCDHP421	407	ROMGHSHP481	398	ROMHSHP421	397
ROMDHMTF190RB	471	ROMGHCDHP481	407	ROMGHSHP541	398	ROMHSHP481	397
ROMDHMTF190RL	471	ROMGHCDHP541	407	ROMGHSHP601	398	ROMHSHP541	397
ROMDHMTF190RN	471	ROMGHCDHP601	407	ROMGHSHP661	398	ROMHSHP601	397
ROMDHMTF190RR	472	ROMGHCDHP661	407	ROMGHSHP721	398	ROMHSHP661	397
ROMDHMTF196RB	471	ROMGHCDHP721	407	ROMGHSHP781	398	ROMHSHP721	397
ROMDHMTF196RL	471	ROMGHCDHP781	407	ROMGHSHP841	398	ROMHSHP781	397
ROMDHMTF196RN	471	ROMGHCDHP841	407	ROMGHSHP901	398	ROMHSHP841	397
ROMDHMTF196RR	472	ROMGHCDHP901	407	ROMGHSHP961	398	ROMHSHP901	397
ROMDHWTF130RB	473	ROMGHCDHP961	407	ROMH30S0()	378	ROMHSHP961	397
ROMDHWTF130RL	473	ROMGHCSHP301	398	ROMH36S0()	378	ROMO30S0()	378
ROMDHWTF130RN	473	ROMGHCSHP361	398	ROMH60S0()	378	ROMO36S0()	378
ROMDHWTF130RR	474	ROMGHCSHP421	398	ROMH72S0()	378	ROMO42S0()	378
ROMDHWTF136RB	473	ROMGHCSHP481	398	ROMHCDHP301	406	ROMO48S0()	378
ROMDHWTF136RL	473	ROMGHCSHP541	398	ROMHCDHP361	406	ROMO60S0()	378
ROMDHWTF136RN	473	ROMGHCSHP601	398	ROMHCDHP421	406	ROMO72S0()	378
ROMDHWTF136RR	474	ROMGHCSHP661	398	ROMHCDHP481	406	ROMOCDHP301	408
ROMDHWTF142RB	473	ROMGHCSHP721	398	ROMHCDHP541	406	ROMOCDHP361	408
ROMDHWTF142RL	473	ROMGHCSHP781	398	ROMHCDHP601	406	ROMOCDHP421	408
ROMDHWTF142RN	473	ROMGHCSHP841	398	ROMHCDHP661	406	ROMOCDHP481	408
ROMDHWTF142RR	474	ROMGHCSHP901	398	ROMHCDHP721	406	ROMOCDHP541	408
ROMDHWTF148RB	473	ROMGHCSHP961	398	ROMHCDHP781	406	ROMOCDHP601	408
ROMDHWTF148RL	473	ROMGHDHP301	407	ROMHCDHP841	406	ROMOCDHP661	408
ROMDHWTF148RN	473	ROMGHDHP361	407	ROMHCDHP901	406	ROMOCDHP721	408
ROMDHWTF148RR	474	ROMGHDHP421	407	ROMHCDHP961	406	ROMOCDHP781	408
ROMDHWTF154RB	473	ROMGHDHP481	407	ROMHCSHP301	397	ROMOCDHP841	408
ROMDHWTF154RL	473	ROMGHDHP541	407	ROMHCSHP361	397	ROMOCDHP901	408
ROMDHWTF154RN	473	ROMGHDHP601	407	ROMHCSHP421	397	ROMOCDHP961	408
ROMDHWTF154RR	474	ROMGHDHP661	407	ROMHCSHP481	397	ROMOCSHP301	396
ROMDHWTF160RB	473	ROMGHDHP721	407	ROMHCSHP541	397	ROMOCSHP361	396
ROMDHWTF160RL	473	ROMGHDHP781	407	ROMHCSHP601	397	ROMOCSHP421	396
ROMDHWTF160RN	473	ROMGHDHP841	407	ROMHCSHP661	397	ROMOCSHP481	396
ROMDHWTF160RR	474	ROMGHDHP901	407	ROMHCSHP721	397	ROMOCSHP541	396
ROMDHWTF166RB	473	ROMGHDHP961	407	ROMHCSHP781	397	ROMOCSHP601	396
ROMDHWTF166RL	473	ROMGHODHP601	410	ROMHCSHP841	397	ROMOCSHP661	396
ROMDHWTF166RN	473	ROMGHODHP661	410	ROMHCSHP901	397	ROMOCSHP721	396
ROMDHWTF166RR	474	ROMGHODHP721	410	ROMHCSHP961	397	ROMOCSHP781	396
ROMDHWTF172RB	473	ROMGHODHP781	410	ROMHDHP301	406	ROMOCSHP841	396
ROMDHWTF172RL	473	ROMGHODHP841	410	ROMHDHP361	406	ROMOCSHP901	396
ROMDHWTF172RN	473	ROMGHODHP901	410	ROMHDHP421	406	ROMOCSHP961	396

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROPF30S0J	380	ROWH90T0()	381	RP211J	276, 279	RPAB36	287
ROPF36S0J	380	ROWH90T1DH	388	RP211K	276, 279	RPAD	461
ROPF42S0J	380	ROWH90T1()	381	RP211L(L/R)	282, 284	RPADKIT	461
ROPF48S0J	380	ROWH96S0DH	388	RP211M	282, 284	RPADSS	468
ROPF60S0J	380	ROWH96S0()	381	RP212J	276, 279	RPAHFB16	468
ROPF72S0J	380	ROWH96S1DH	388	RP212K	276, 279	RPAHFB30	468
ROPF84S0J	380	ROWH96S1()	381	RP212L(L/R)	282, 284	RPAHFB36	468
ROPF96S0J	380	ROWH96T0DH	388	RP212M	282, 284	RPAHFM162	469
ROPH30S0()	379	ROWH96T0()	381	RP213J	276, 279	RPAHFM30	469
ROPH36S0()	379	ROWH96T1DH	388	RP213K	276, 279	RPAHFM36	469
ROPH60S0()	379	ROWH96T1()	381	RP213L(L/R)	282, 284	RPAPT	469
ROPH60T0()	379	ROWO60S0DH	387	RP213M	282, 284	RPB211J	277, 280
ROPH72S0()	379	ROWO60S0()	381	RP221J	278, 281	RPB211K	277, 280
ROPH72T0()	379	ROWO60S1DH	387	RP221K	278, 281	RPB211L(L/R)	283, 285
ROPH90S0()	379	ROWO60S1()	381	RP222J	278, 281	RPB211M	283, 285
ROPH90T0()	379	ROWO60T0DH	387	RP222K	278, 281	RPB212J	277, 280
ROPH96S0()	379	ROWO60T0()	381	RP223J	278, 281	RPB212K	277, 280
ROPH96T0()	379	ROWO60T1DH	387	RP223K	278, 281	RPB212L(L/R)	283, 285
ROPO30S0()	379	ROWO60T1()	381	RP231K	276, 279	RPB212M	283, 285
ROPO36S0()	379	ROWO72S0DH	387	RP231L	282, 284	RPB213J	277, 280
ROPO42S0()	379	ROWO72S0()	381	RP231M	282, 284	RPB213K	277, 280
ROPO48S0()	379	ROWO72S1DH	387	RP232K	276, 279	RPB213L(L/R)	283, 285
ROPO60S0()	379	ROWO72S1()	381	RP232L	282, 284	RPB213M	283, 285
ROPO60T0()	379	ROWO72T0DH	387	RP232M	282, 284	RPB231K	277, 280
ROPO72S0()	379	ROWO72T0()	381	RP261K	276, 279	RPB231L	283, 285
ROPO72T0()	379	ROWO72T1DH	387	RP261L	282, 284	RPB231M	283, 285
ROPO90S0()	379	ROWO72T1()	381	RP261M	282, 284	RPB232K	277, 280
ROPO90T0()	379	ROWO90S0DH	387	RP262K	276, 279	RPB232L	283, 285
ROPO96S0()	379	ROWO90S0()	381	RP262L	282, 284	RPB232M	283, 285
ROPO96T0()	379	ROWO90S1DH	387	RP262M	282, 284	RPB261K	277, 280
ROPS30S0NN	380	ROWO90S1()	381	RP301A	300	RPB261L	283, 285
ROPS36S0NN	380	ROWO90T0DH	387	RP301E(L/R)	301	RPB261M	283, 285
ROPS42S0NN	380	ROWO90T0()	381	RP301K	288, 290	RPB262K	277, 280
ROPS48S0NN	380	ROWO90T1DH	387	RP301L	292, 293	RPB262L	283, 285
ROPS54S0NN	380	ROWO90T1()	381	RP301M	292, 293	RPB262M	283, 285
ROPS60S0NN	380	ROWO96S0DH	387	RP301R	297, 298	RPCB16	302
ROPS66S0NN	380	ROWO96S0()	381	RP301S	297, 298	RPCB19	302
ROPS72S0NN	380	ROWO96S1DH	387	RP301T	297, 298	RPCB30	302
ROPS78S0NN	380	ROWO96S1()	381	RP302A	300	RPCB36	302
ROPS84S0NN	380	ROWO96T0DH	387	RP302E(L/R)	301	RPCG	467
ROPS90S0NN	380	ROWO96T0()	381	RP302K	288, 290	RPCST	467
ROPS96S0NN	380	ROWO96T1DH	387	RP302L	292, 293	RPD11	469
ROSDH821	415	ROWO96T1()	381	RP302M	292, 293	RPD14	469
ROSSH681	415	RP161J	288, 290	RP302R	297, 298	RPDH301A	294
ROWH60S0DH	388	RP161K	288, 290	RP302S	297, 298	RPDH301E(L/R)	295
ROWH60S0()	381	RP161L(L/R)	292, 293	RP302T	297, 298	RPDH302A	294
ROWH60S1DH	388	RP161M	292, 293	RP361A	300	RPDH302E(L/R)	295
ROWH60S1()	381	RP161R	297, 298	RP361E(L/R)	301	RPDH361A	294
ROWH60T0DH	388	RP162J	288, 290	RP361K	288, 290	RPDH361E(L/R)	295
ROWH60T0()	381	RP162K	288, 290	RP361L	292, 293	RPDH362A	294
ROWH60T1DH	388	RP162L(L/R)	292, 293	RP361M	292, 293	RPDH362E(L/R)	295
ROWH60T1()	381	RP162M	292, 293	RP361R	297, 298	RPDHB16	293
ROWH72S0DH	388	RP162R	297, 298	RP361S	297, 298	RPDHB19	293
ROWH72S0()	381	RP163J	288, 290	RP361T	297, 298	RPDHB30	293
ROWH72S1DH	388	RP163K	288, 290	RP362A	300	RPDHB36	293
ROWH72S1()	381	RP163L(L/R)	292, 293	RP362E(L/R)	301	RPDHBFB6	302
ROWH72T0DH	388	RP163M	292, 293	RP362K	288, 290	RPDHC42MF	302
ROWH72T0()	381	RP191J	289, 291	RP362L	292, 293	RPDHC48MF	302
ROWH72T1DH	388	RP191K	289, 291	RP362M	292, 293	RPDHC54MF	302
ROWH72T1()	381	RP191R	297, 298	RP362R	297, 298	RPDHC60MF	302
ROWH90S0DH	388	RP192J	289, 291	RP362S	297, 298	RPDHC66MF	302
ROWH90S0()	381	RP192K	289, 291	RP362T	297, 298	RPDHC72MF	302
ROWH90S1DH	388	RP192R	297, 298	RPAB16	287	RPDHC78MF	302
ROWH90S1()	381	RP193J	289, 291	RPAB19	287	RPDHC84MF	302
ROWH90T0DH	388	RP193K	289, 291	RPAB30	287	RPDHC90MF	302

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPDHC96MF	302	RPTDEFM(L/R)4236	230	RPTDEST(L/R)8420	228	RPTDLST(L/R)6624	211
RPDHH301A	294	RPTDEFM(L/R)4820	229	RPTDEST(L/R)8424	228	RPTDLST(L/R)6630	211
RPDHH302A	294	RPTDEFM(L/R)4824	229	RPTDEST(L/R)8430	228	RPTDLST(L/R)6636	211
RPDHH361A	294	RPTDEFM(L/R)4830	230	RPTDEST(L/R)8436	228	RPTDLST(L/R)7220	211
RPDHH362A	294	RPTDEFM(L/R)4836	230	RPTDLFM(L/R)3620	212	RPTDLST(L/R)7224	211
RPECC10	562	RPTDEFM(L/R)5420	229	RPTDLFM(L/R)3624	212	RPTDLST(L/R)7230	211
RPEDK1	561	RPTDEFM(L/R)5424	229	RPTDLFM(L/R)3630	213	RPTDLST(L/R)7236	211
RPEDK2	561	RPTDEFM(L/R)5430	230	RPTDLFM(L/R)3636	213	RPTDLST(L/R)7820	211
RPEHC	561	RPTDEFM(L/R)5436	230	RPTDLFM(L/R)4220	212	RPTDLST(L/R)7824	211
RPEJ12	561	RPTDEFM(L/R)6020	229	RPTDLFM(L/R)4224	212	RPTDLST(L/R)7830	211
RPEJ24	561	RPTDEFM(L/R)6024	229	RPTDLFM(L/R)4230	213	RPTDLST(L/R)7836	211
RPEJ36	561	RPTDEFM(L/R)6030	230	RPTDLFM(L/R)4236	213	RPTDLST(L/R)8420	211
RPEJ48	561	RPTDEFM(L/R)6036	230	RPTDLFM(L/R)4820	212	RPTDLST(L/R)8424	211
RPEJ60	561	RPTDEFM(L/R)6620	229	RPTDLFM(L/R)4824	212	RPTDLST(L/R)8430	211
RPEJ72	561	RPTDEFM(L/R)6624	229	RPTDLFM(L/R)4830	213	RPTDLST(L/R)8436	211
RPEJ84	561	RPTDEFM(L/R)6630	230	RPTDLFM(L/R)4836	213	RPTDOFM(L/R)3620	224
RPEJ96	561	RPTDEFM(L/R)6636	230	RPTDLFM(L/R)5420	212	RPTDOFM(L/R)3624	224
RPEPE10	561	RPTDEFM(L/R)7220	229	RPTDLFM(L/R)5424	212	RPTDOFM(L/R)3630	224
RPEPE5	561	RPTDEFM(L/R)7224	229	RPTDLFM(L/R)5430	213	RPTDOFM(L/R)3636	224
RPER2RC	562	RPTDEFM(L/R)7230	230	RPTDLFM(L/R)5436	213	RPTDOFM(L/R)4220	224
RPETAD	469	RPTDEFM(L/R)7236	230	RPTDLFM(L/R)6020	212	RPTDOFM(L/R)4224	224
RPETRAY3C	469	RPTDEFM(L/R)7820	229	RPTDLFM(L/R)6024	212	RPTDOFM(L/R)4230	224
RPETRAY3N	469	RPTDEFM(L/R)7824	229	RPTDLFM(L/R)6030	213	RPTDOFM(L/R)4236	224
RPFC6	302	RPTDEFM(L/R)7830	230	RPTDLFM(L/R)6036	213	RPTDOFM(L/R)4820	224
RPH301A	299	RPTDEFM(L/R)7836	230	RPTDLFM(L/R)6620	212	RPTDOFM(L/R)4824	224
RPH302A	299	RPTDEFM(L/R)8420	229	RPTDLFM(L/R)6624	212	RPTDOFM(L/R)4830	224
RPH361A	299	RPTDEFM(L/R)8424	229	RPTDLFM(L/R)6630	213	RPTDOFM(L/R)4836	224
RPH362A	299	RPTDEFM(L/R)8430	230	RPTDLFM(L/R)6636	213	RPTDOFM(L/R)5420	224
RPHCHH	468	RPTDEFM(L/R)8436	230	RPTDLFM(L/R)7220	212	RPTDOFM(L/R)5424	224
RPHCHT	468	RPTDEPC(L/R)6020	227	RPTDLFM(L/R)7224	212	RPTDOFM(L/R)5430	224
RPHL3442(F/T)	115	RPTDEPC(L/R)6024	227	RPTDLFM(L/R)7230	213	RPTDOFM(L/R)5436	224
RPHL3449(F/T)	115	RPTDEPC(L/R)6030	227	RPTDLFM(L/R)7236	213	RPTDOFM(L/R)6020	224
RPHL3464(F/T)	115	RPTDEPC(L/R)6036	227	RPTDLFM(L/R)7820	212	RPTDOFM(L/R)6024	224
RPHL3479(F/T)	115	RPTDEPC(L/R)6620	227	RPTDLFM(L/R)7824	212	RPTDOFM(L/R)6030	224
RPHL4249(F/T)	115	RPTDEPC(L/R)6624	227	RPTDLFM(L/R)7830	213	RPTDOFM(L/R)6036	224
RPHL4249S	115	RPTDEPC(L/R)6630	227	RPTDLFM(L/R)7836	213	RPTDOFM(L/R)6620	224
RPHL4264(F/T)	115	RPTDEPC(L/R)6636	227	RPTDLFM(L/R)8420	212	RPTDOFM(L/R)6624	224
RPHL4264S	115	RPTDEPC(L/R)7220	227	RPTDLFM(L/R)8424	212	RPTDOFM(L/R)6630	224
RPHL4279(F/T)	115	RPTDEPC(L/R)7224	227	RPTDLFM(L/R)8430	213	RPTDOFM(L/R)6636	225
RPHL4279S	115	RPTDEPC(L/R)7230	227	RPTDLFM(L/R)8436	213	RPTDOFM(L/R)7220	224
RPHL4964(F/T)	115	RPTDEPC(L/R)7236	227	RPTDLPC(L/R)6020	210	RPTDOFM(L/R)7224	224
RPHL4964S	115	RPTDEPC(L/R)7820	227	RPTDLPC(L/R)6024	210	RPTDOFM(L/R)7230	224
RPHL4979(F/T)	115	RPTDEPC(L/R)7824	227	RPTDLPC(L/R)6030	210	RPTDOFM(L/R)7236	225
RPHL4979S	115	RPTDEPC(L/R)7830	227	RPTDLPC(L/R)6036	210	RPTDOFM(L/R)7820	224
RPHL6479(F/T)	115	RPTDEPC(L/R)7836	227	RPTDLPC(L/R)6620	210	RPTDOFM(L/R)7824	224
RPHL6479S	115	RPTDEPC(L/R)8420	227	RPTDLPC(L/R)6624	210	RPTDOFM(L/R)7830	224
RPHTB3024	468	RPTDEPC(L/R)8424	227	RPTDLPC(L/R)6630	210	RPTDOFM(L/R)7836	225
RPHTB4224	468	RPTDEPC(L/R)8430	227	RPTDLPC(L/R)6636	210	RPTDOFM(L/R)8420	224
RPHWB3024	468	RPTDEPC(L/R)8436	227	RPTDLPC(L/R)7220	210	RPTDOFM(L/R)8424	224
RPHWB4224	468	RPTDEST(L/R)6020	228	RPTDLPC(L/R)7224	210	RPTDOFM(L/R)8430	224
RPL1	261	RPTDEST(L/R)6024	228	RPTDLPC(L/R)7230	210	RPTDOFM(L/R)8436	225
RPL2	265	RPTDEST(L/R)6030	228	RPTDLPC(L/R)7236	210	RPTDOPC(L/R)6020	222
RPRL1	261	RPTDEST(L/R)6036	228	RPTDLPC(L/R)7820	210	RPTDOPC(L/R)6024	222
RPRL2	265	RPTDEST(L/R)6620	228	RPTDLPC(L/R)7824	210	RPTDOPC(L/R)6030	222
RPS1	261	RPTDEST(L/R)6624	228	RPTDLPC(L/R)7830	210	RPTDOPC(L/R)6036	222
RPS2	265	RPTDEST(L/R)6630	228	RPTDLPC(L/R)7836	210	RPTDOPC(L/R)6620	222
RPTDCFM8430	234	RPTDEST(L/R)6636	228	RPTDLPC(L/R)8420	210	RPTDOPC(L/R)6624	222
RPTDCFM9630	234	RPTDEST(L/R)7220	228	RPTDLPC(L/R)8424	210	RPTDOPC(L/R)6630	222
RPTDEFM(L/R)3620	229	RPTDEST(L/R)7224	228	RPTDLPC(L/R)8430	210	RPTDOPC(L/R)6636	222
RPTDEFM(L/R)3624	229	RPTDEST(L/R)7230	228	RPTDLPC(L/R)8436	210	RPTDOPC(L/R)7220	222
RPTDEFM(L/R)3630	230	RPTDEST(L/R)7236	228	RPTDLST(L/R)6020	211	RPTDOPC(L/R)7224	222
RPTDEFM(L/R)3636	230	RPTDEST(L/R)7820	228	RPTDLST(L/R)6024	211	RPTDOPC(L/R)7230	222
RPTDEFM(L/R)4220	229	RPTDEST(L/R)7824	228	RPTDLST(L/R)6030	211	RPTDOPC(L/R)7236	222
RPTDEFM(L/R)4224	229	RPTDEST(L/R)7830	228	RPTDLST(L/R)6036	211	RPTDOPC(L/R)7820	222
RPTDEFM(L/R)4230	230	RPTDEST(L/R)7836	228	RPTDLST(L/R)6620	211	RPTDOPC(L/R)7824	222

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPTDOPC(L/R)7830	222	RPTDRPC(L/R)6036	214	RPTDSFM(L/R)7820	220	RR3CHI361	131
RPTDOPC(L/R)7836	222	RPTDRPC(L/R)6620	214	RPTDSFM(L/R)7824	220	RR3CHI362	131
RPTDOPC(L/R)8420	222	RPTDRPC(L/R)6624	214	RPTDSFM(L/R)7830	220	RR3CHI421	131
RPTDOPC(L/R)8424	222	RPTDRPC(L/R)6630	214	RPTDSFM(L/R)7836	221	RR3CHI422	131
RPTDOPC(L/R)8430	222	RPTDRPC(L/R)6636	214	RPTDSFM(L/R)8420	220	RR3CHI481	131
RPTDOPC(L/R)8436	222	RPTDRPC(L/R)7220	214	RPTDSFM(L/R)8424	220	RR3CHI482	131
RPTDOST(L/R)6020	223	RPTDRPC(L/R)7224	214	RPTDSFM(L/R)8430	220	RR3-DA	127, 129
RPTDOST(L/R)6024	223	RPTDRPC(L/R)7230	214	RPTDSFM(L/R)8436	221	RR3-DATSHD	127, 129
RPTDOST(L/R)6030	223	RPTDRPC(L/R)7236	214	RPTDSPC(L/R)6020	218	RR3-DB	127, 129
RPTDOST(L/R)6036	223	RPTDRPC(L/R)7820	214	RPTDSPC(L/R)6024	218	RR3-DC	129
RPTDOST(L/R)6620	223	RPTDRPC(L/R)7824	214	RPTDSPC(L/R)6030	218	RR3-DICON	134
RPTDOST(L/R)6624	223	RPTDRPC(L/R)7830	214	RPTDSPC(L/R)6036	218	RR3-DX	127, 129
RPTDOST(L/R)6630	223	RPTDRPC(L/R)7836	214	RPTDSPC(L/R)6620	218	RR3-DXO	127, 129
RPTDOST(L/R)6636	223	RPTDRPC(L/R)8420	214	RPTDSPC(L/R)6624	218	RR3-DY	127, 129
RPTDOST(L/R)7220	223	RPTDRPC(L/R)8424	214	RPTDSPC(L/R)6630	218	RR3-DYO	127, 129
RPTDOST(L/R)7224	223	RPTDRPC(L/R)8430	214	RPTDSPC(L/R)6636	218	RR3-DZ	129
RPTDOST(L/R)7230	223	RPTDRPC(L/R)8436	214	RPTDSPC(L/R)7220	218	RR3-DZO	129
RPTDOST(L/R)7236	223	RPTDRST(L/R)6020	215	RPTDSPC(L/R)7224	218	RR3-E24	127
RPTDOST(L/R)7820	223	RPTDRST(L/R)6024	215	RPTDSPC(L/R)7230	218	RR3-E24S	132
RPTDOST(L/R)7824	223	RPTDRST(L/R)6030	215	RPTDSPC(L/R)7236	218	RR3-E30NS	127
RPTDOST(L/R)7830	223	RPTDRST(L/R)6036	215	RPTDSPC(L/R)7820	218	RR3-E30S	132
RPTDOST(L/R)7836	223	RPTDRST(L/R)6620	215	RPTDSPC(L/R)7824	218	RR3-E36NS	127
RPTDOST(L/R)8420	223	RPTDRST(L/R)6624	215	RPTDSPC(L/R)7830	218	RR3-E36S	132
RPTDOST(L/R)8424	223	RPTDRST(L/R)6630	215	RPTDSPC(L/R)7836	218	RR3-E42NS	127
RPTDOST(L/R)8430	223	RPTDRST(L/R)6636	215	RPTDSPC(L/R)8420	218	RR3-E42S	132
RPTDOST(L/R)8436	223	RPTDRST(L/R)7220	215	RPTDSPC(L/R)8424	218	RR3-E48NS	127
RPTDRFM(L/R)3620	216	RPTDRST(L/R)7224	215	RPTDSPC(L/R)8430	218	RR3-E48S	132
RPTDRFM(L/R)3624	216	RPTDRST(L/R)7230	215	RPTDSPC(L/R)8436	218	RR3-E60-4	127
RPTDRFM(L/R)3630	217	RPTDRST(L/R)7236	215	RPTDSST(L/R)6020	219	RR3-E66-4	127
RPTDRFM(L/R)3636	217	RPTDRST(L/R)7820	215	RPTDSST(L/R)6024	219	RR3-E72-4	127
RPTDRFM(L/R)4220	216	RPTDRST(L/R)7824	215	RPTDSST(L/R)6030	219	RR3-EBBCL	132
RPTDRFM(L/R)4224	216	RPTDRST(L/R)7830	215	RPTDSST(L/R)6036	219	RR3-EBBCS	132
RPTDRFM(L/R)4230	217	RPTDRST(L/R)7836	215	RPTDSST(L/R)6620	219	RR3EBVC50	136
RPTDRFM(L/R)4236	217	RPTDRST(L/R)8420	215	RPTDSST(L/R)6624	219	RR3EBVC62	136
RPTDRFM(L/R)4820	216	RPTDRST(L/R)8424	215	RPTDSST(L/R)6630	219	RR3EBVC64	136
RPTDRFM(L/R)4824	216	RPTDRST(L/R)8430	215	RPTDSST(L/R)6636	219	RR3EBVC76	136
RPTDRFM(L/R)4830	217	RPTDRST(L/R)8436	215	RPTDSST(L/R)7220	219	RR3EBVC78	136
RPTDRFM(L/R)4836	217	RPTDSFM(L/R)3620	220	RPTDSST(L/R)7224	219	RR3EBVC90	136
RPTDRFM(L/R)5420	216	RPTDSFM(L/R)3624	220	RPTDSST(L/R)7230	219	RR3-EJ18	128
RPTDRFM(L/R)5424	216	RPTDSFM(L/R)3630	220	RPTDSST(L/R)7236	219	RR3-EJ18P	128
RPTDRFM(L/R)5430	217	RPTDSFM(L/R)3636	220	RPTDSST(L/R)7820	219	RR3-EJ20	128
RPTDRFM(L/R)5436	217	RPTDSFM(L/R)4220	220	RPTDSST(L/R)7824	219	RR3-EJ20P	128
RPTDRFM(L/R)6020	216	RPTDSFM(L/R)4224	220	RPTDSST(L/R)7830	219	RR3-EJ24	128
RPTDRFM(L/R)6024	216	RPTDSFM(L/R)4230	220	RPTDSST(L/R)7836	219	RR3-EJ24P	128
RPTDRFM(L/R)6030	217	RPTDSFM(L/R)4236	220	RPTDSST(L/R)8420	219	RR3-EJ30	128
RPTDRFM(L/R)6036	217	RPTDSFM(L/R)4820	220	RPTDSST(L/R)8424	219	RR3-EJ30P	128
RPTDRFM(L/R)6620	216	RPTDSFM(L/R)4824	220	RPTDSST(L/R)8430	219	RR3-EJ36	128
RPTDRFM(L/R)6624	216	RPTDSFM(L/R)4830	220	RPTDSST(L/R)8436	219	RR3-EJ36P	128
RPTDRFM(L/R)6630	217	RPTDSFM(L/R)4836	220	RPULLSMPF	463	RR3-EJ42	128
RPTDRFM(L/R)6636	217	RPTDSFM(L/R)5420	220	RPULLSMPG	463	RR3-EJ42P	128
RPTDRFM(L/R)7220	216	RPTDSFM(L/R)5424	220	RPULLSMPH	463	RR3-EJ48	128
RPTDRFM(L/R)7224	216	RPTDSFM(L/R)5430	220	RPULLSMPR	463	RR3EJ48	133
RPTDRFM(L/R)7230	217	RPTDSFM(L/R)5436	220	RPULLSMPT	463	RR3-EJ48P	128
RPTDRFM(L/R)7236	217	RPTDSFM(L/R)6020	220	RR3-2PF	134	RR3-EJ54P	128
RPTDRFM(L/R)7820	216	RPTDSFM(L/R)6024	220	RR3-3PF	134	RR3-EJ60P	128
RPTDRFM(L/R)7824	216	RPTDSFM(L/R)6030	220	RR3-BNC	134	RR3EJ60P	133
RPTDRFM(L/R)7830	217	RPTDSFM(L/R)6036	220	RR3-C3C	134	RR3-EJ66P	128
RPTDRFM(L/R)7836	217	RPTDSFM(L/R)6620	220	RR3-C5C	134	RR3EJ66P	133
RPTDRFM(L/R)8420	216	RPTDSFM(L/R)6624	220	RR3-C5C4A	134	RR3-EJ72P	128
RPTDRFM(L/R)8424	216	RPTDSFM(L/R)6630	220	RR3-C5C4B	134	RR3EJ72P	133
RPTDRFM(L/R)8430	217	RPTDSFM(L/R)6636	221	RR3-C6C	134	RR3-EJ78P	128
RPTDRFM(L/R)8436	217	RPTDSFM(L/R)7220	220	RR3CHI241	131	RR3-EJ84P	128
RPTDRPC(L/R)6020	214	RPTDSFM(L/R)7224	220	RR3CHI242	131	RR3-EJ90P	128
RPTDRPC(L/R)6024	214	RPTDSFM(L/R)7230	220	RR3CHI301	131	RR3-EJ96P	128
RPTDRPC(L/R)6030	214	RPTDSFM(L/R)7236	221	RR3CHI302	131	RR3-EPC24	127

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-EPCM	127	RR3TJ48	133	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	171	RRLCSGD20108	306
RR3-EPCP24	127	RR3-TJ48P	130	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	171	RRLCSGD2090	306
RR3-EPCPM	127	RR3-TJ54P	130	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	171	RRLCSGDL2060	306
RR3-EPCPSM	127	RR3-TJ60P	130	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	171	RRLCSGDL2072	306
RR3-EPCSM	127	RR3TJ60P	133	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	171	RRLCSGDR2060	306
RR3-EPI	128	RR3-TJ66P	130	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	171	RRLCSGDR2072	306
RR3-EPNY1	128	RR3TJ66P	133	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	171	RRLCSWD20108	307
RR3-EPNY2	128	RR3-TJ72P	130	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	171	RRLCSWD2090	307
RR3-EPVR	114, 128	RR3TJ72P	133	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	171	RRLCSWDL2060	307
RR3EVJ	137	RR3-TJ78P	130	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	171	RRLCSWDL2072	307
RR3EVJ110	137	RR3-TJ84P	130	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	171	RRLCSWDR2060	307
RR3EVJ82	137	RR3-TJ90P	130	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	171	RRLCSWDR2072	307
RR3EVJ96	137	RR3-TJ96P	130	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	171	RRMC3010	531
RR3-FB	134	RR3-TPC24	129	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	171	RRMC3610	531
RR3FDP	136	RR3-TPCM	129	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	171	RRMC6010	531
RR3-FE	134	RR3-TPC24	129	RRA(A/B/C/D/E/F/G)9636-(1/2/3)	171	RRMC7210	531
RR3-FOSC	134	RR3-TPCPM	129	RRA(A/B/C/D/E/F/G)9642-(1/2/3)	171	RRML108	431
RR3-FOST	134	RR3-TPCPS	129	RRAW12036-(1/2/3)	190	RRML60	431
RR3-FV	134	RR3-TPCS	129	RRAW12042-(1/2/3)	190	RRML72	431
RR3-LTPC	132	RR3-TPI	130	RRAW14442-(1/2/3)	190	RRML90	431
RR3-LTPC24	132	RR3-TPNY1	130	RRAW16842-(1/2/3)	190	RROC2GSD108	424
RR3-LTPCP	132	RR3-TPNY2	130	RRAW19242-(1/2/3)	190	RROC2GSD90	424
RR3-MICON	134	RR3-TPVR	114, 130	RRAW3636-(1/2/3)	190	RROC2WSD108	425
RR3MP4	462	RR3TVJ	137	RRAW4242-(1/2/3)	190	RROC2WSD90	425
RR3MP6	462	RR3TVJ110	137	RRAW6060-(1/2/3)	190	RROCGSD108GB	424
RR3PICON	134	RR3TVJ82	137	RRAW7230-(1/2/3)	190	RROCGSD90GB	424
RR3-REPI	128	RR3TVJ96	137	RRAW7236-(1/2/3)	190	RROCGSDL60GB	424
RR3-RTPI	130	RR3VDA	136	RRAW7272-(1/2/3)	190	RROCGSDL72GB	424
RR3-SP-(A, B, C, X, Y, Z)	130	RR3VDB	136	RRAW8430-(1/2/3)	190	RROCGSDR60GB	424
RR3-SP-(A,B,X,Y)	128	RR3VDC	136	RRAW8436-(1/2/3)	190	RROCGSDR72GB	424
RR3-ST	134	RR3VDX	136	RRAW8442-(1/2/3)	190	RROCOS108GB	426
RR3-T24	129	RR3VDXO	136	RRAW9630-(1/2/3)	190	RROCOS60GB	426
RR3-T24S	132	RR3VDY	136	RRAW9636-(1/2/3)	190	RROCOS72GB	426
RR3-T30NS	129	RR3VDYO	136	RRAW9642-(1/2/3)	190	RROCOS90GB	426
RR3-T30S	132	RR3VDZ	136	RRBRD2712	462	RROCWSD108GB	425
RR3-T36NS	129	RR3VDZO	136	RRD3FTCPPL(L/R)7936	117	RROCWSD90GB	425
RR3-T36S	132	RR3VPBK	136	RRD3FTCPPL(L/R)7942	117	RROCWSDL60GB	425
RR3-T42NS	129	RR3V2036	154	RRD3PPL(L/R)7936	117	RROCWSDL72GB	425
RR3-T42S	132	RRA12042	154	RRD3PPL(L/R)7942	117	RROCWSDR60GB	425
RR3-T48NS	129	RRA12048	154	RRDPPL(L/R)6436	117	RROCWSDR72GB	425
RR3-T48S	132	RRA14442	154	RRDPPL(L/R)6442	117	RROM2GSD108	428
RR3-T60-4	129	RRA14448	154	RRDTH	117	RROM2GSD90	428
RR3-T66-4	129	RRA16842	154	RRDTH(L/R)	117	RROM2WSD108	430
RR3-T72-4	129	RRA16848	154	RREP3624(A,B,W)	449, 450, 451	RROM2WSD90	430
RR3-TBBCL	132	RRA19242	154	RREP3630(A,B,W)	449, 450, 451	RROMGSD108GB	428
RR3-TBBCS	132	RRA19248	154	RREP4224(A,B,W)	449, 450, 451	RROMGSD108GN	427
RR3TBVC50	136	RRA3636	154	RREP4230(A,B,W)	449, 450, 451	RROMGSD60GL	427
RR3TBVC62	136	RRA4242	154	RREP4824(A,B,W)	449, 450, 451	RROMGSD60GR	427
RR3TBVC64	136	RRA4848	154	RREP4830(A,B,W)	449, 450, 451	RROMGSD72GL	427
RR3TBVC76	136	RRA6060	154	RREP5424(A,B,W)	449, 450, 451	RROMGSD72GR	427
RR3TBVC78	136	RRA7230	154	RREP5430(A,B,W)	449, 450, 451	RROMGSD90GB	428
RR3TBVC90	136	RRA7236	154	RREP6024(A,B,W)	449, 450, 451	RROMGSD90GN	427
RR3-TJ18	130	RRA7272	154	RREP6030(A,B,W)	449, 450, 451	RROMGSDL60GB	428
RR3-TJ18P	130	RRA8430	154	RRLCFDC20108	304	RROMGSDL72GB	428
RR3-TJ20	130	RRA8436	154	RRLCFDC2090	304	RROMGSDR60GB	428
RR3-TJ20P	130	RRA8442	154	RRLCFDC20108	304	RROMGSDR72GB	428
RR3-TJ24	130	RRA9630	154	RRLCFDC2090	304	RROMOS108GB	432
RR3-TJ24P	130	RRA9636	154	RRLCFDCL2060	304	RROMOS108GN	432
RR3-TJ30	130	RRA9642	154	RRLCFDCL2072	304	RROMOS60GB	432
RR3-TJ30P	130	RRA9648	154	RRLCFDCR2060	304	RROMOS60GL	432
RR3-TJ36	130	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	171	RRLCFDCR2072	304	RROMOS60GR	432
RR3-TJ36P	130	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	171	RRLCO20108	305	RROMOS72GB	432
RR3-TJ42	130	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	171	RRLCO2060	305	RROMOS72GL	432
RR3-TJ42P	130	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	171	RRLCO2072	305	RROMOS72CR	432
RR3-TJ48	130	RRA(A/B/C/D/E/F/G)14448-(1/2/3)	171	RRLCO2090	305	RROMOS90GB	432

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR0MOS90GN	432	RSA5829N	149	RSA(A/B/C/D/E/F/G)A841	159	RSA(A/B/C/D/E/F/G)L361	161
RR0MWS108GB	429	RSA5835N	149	RSA(A/B/C/D/E/F/G)A842	159	RSA(A/B/C/D/E/F/G)L362	161
RR0MWS108GN	429	RSA601	138	RSA(A/B/C/D/E/F/G)A843	160	RSA(A/B/C/D/E/F/G)LA21	161
RR0MWS160GL	429	RSA602	138	RSA(A/B/C/D/E/F/G)A901	159	RSA(A/B/C/D/E/F/G)LA22	161
RR0MWS160GR	429	RSA603	139	RSA(A/B/C/D/E/F/G)A902	159	RSA(A/B/C/D/E/F/G)LA31	161
RR0MWS172GL	429	RSA604	139	RSA(A/B/C/D/E/F/G)A903	160	RSA(A/B/C/D/E/F/G)LA32	161
RR0MWS172GR	429	RSA6423N	149	RSA(A/B/C/D/E/F/G)A961	159	RSA(A/B/C/D/E/F/G)R241	162
RR0MWS190GB	429	RSA6429N	149	RSA(A/B/C/D/E/F/G)A962	159	RSA(A/B/C/D/E/F/G)R242	162
RR0MWS190GN	429	RSA6435N	149	RSA(A/B/C/D/E/F/G)A963	160	RSA(A/B/C/D/E/F/G)R301	162
RR0MWS160GB	430	RSA661	138	RSA(A/B/C/D/E/F/G)B241	161	RSA(A/B/C/D/E/F/G)R302	162
RR0MWS172GB	430	RSA662	138	RSA(A/B/C/D/E/F/G)B242	161	RSA(A/B/C/D/E/F/G)R361	162
RR0MWS160GB	430	RSA663	139	RSA(A/B/C/D/E/F/G)B301	161	RSA(A/B/C/D/E/F/G)R362	162
RR0MWS172GB	430	RSA664	139	RSA(A/B/C/D/E/F/G)B302	161	RSA(A/B/C/D/E/F/G)R421	162
RRSP3624K(A,B,W)	449, 450, 451	RSA7023N	149	RSA(A/B/C/D/E/F/G)B361	161	RSA(A/B/C/D/E/F/G)R422	162
RRSP3630K(A,B,W)	449, 450, 451	RSA7029N	149	RSA(A/B/C/D/E/F/G)B362	161	RSA(A/B/C/D/E/F/G)R481	162
RRSP4224K(A,B,W)	449, 450, 451	RSA7035N	149	RSA(A/B/C/D/E/F/G)B421	161	RSA(A/B/C/D/E/F/G)R482	162
RRSP4230K(A,B,W)	449, 450, 451	RSA721	138	RSA(A/B/C/D/E/F/G)B422	161	RSAMP1616	462
RRSP4824K(A,B,W)	449, 450, 451	RSA722	138	RSA(A/B/C/D/E/F/G)B481	161	RSAR361(H/V)	394
RRSP4830K(A,B,W)	449, 450, 451	RSA723	139	RSA(A/B/C/D/E/F/G)B482	161	RSAR361(H/V)	140
RRSP5424K(A,B,W)	449, 450, 451	RSA724	139	RSA(A/B/C/D/E/F/G)F241	157	RSAR362(H/V)	394
RRSP5430K(A,B,W)	449, 450, 451	RSA781	138	RSA(A/B/C/D/E/F/G)F242	157	RSAR362(H/V)	140
RRSP6024K(A,B,W)	449, 450, 451	RSA782	138	RSA(A/B/C/D/E/F/G)F243	158	RSAR421(H/V)	394
RRSP6030K(A,B,W)	449, 450, 451	RSA783	139	RSA(A/B/C/D/E/F/G)F301	157	RSAR421(H/V)	140
RS1-N30	419	RSA841	138	RSA(A/B/C/D/E/F/G)F302	157	RSAR422(H/V)	394
RS1-N36	419	RSA842	138	RSA(A/B/C/D/E/F/G)F303	158	RSAR422(H/V)	140
RS1-N42	419	RSA843	139	RSA(A/B/C/D/E/F/G)F361	157	RSAR481(H/V)	394
RS1-N48	419	RSA901	138	RSA(A/B/C/D/E/F/G)F362	157	RSAR481(H/V)	140
RS1-N60	419	RSA902	138	RSA(A/B/C/D/E/F/G)F363	158	RSAR482(H/V)	394
RS1-RPB	421	RSA903	139	RSA(A/B/C/D/E/F/G)F421	157	RSAR482(H/V)	140
RS1-VP	419	RSA961	138	RSA(A/B/C/D/E/F/G)F422	157	RSAR541(H/V)	394
RS1-WMF24	422	RSA962	138	RSA(A/B/C/D/E/F/G)F423	158	RSAR541(H/V)	140
RS1-WMF30	422	RSA963	139	RSA(A/B/C/D/E/F/G)F481	157	RSAR542(H/V)	394
RS1-WMF36	422	RSA(A/B/C/D/E/F/G)A241	159	RSA(A/B/C/D/E/F/G)F482	157	RSAR542(H/V)	140
RS1-WMF42	422	RSA(A/B/C/D/E/F/G)A242	159	RSA(A/B/C/D/E/F/G)F483	158	RSAR601(H/V)	394
RS1-WMF48	422	RSA(A/B/C/D/E/F/G)A243	160	RSA(A/B/C/D/E/F/G)F541	157	RSAR601(H/V)	140
RS1-WMF60	422	RSA(A/B/C/D/E/F/G)A301	159	RSA(A/B/C/D/E/F/G)F542	157	RSAR602(H/V)	394
RSA241	138	RSA(A/B/C/D/E/F/G)A302	159	RSA(A/B/C/D/E/F/G)F543	158	RSAR602(H/V)	140
RSA242	138	RSA(A/B/C/D/E/F/G)A303	160	RSA(A/B/C/D/E/F/G)F601	157	RSAR661(H/V)	394
RSA243	139	RSA(A/B/C/D/E/F/G)A361	159	RSA(A/B/C/D/E/F/G)F602	157	RSAR661(H/V)	140
RSA301	138	RSA(A/B/C/D/E/F/G)A362	159	RSA(A/B/C/D/E/F/G)F603	158	RSAR662(H/V)	394
RSA302	138	RSA(A/B/C/D/E/F/G)A363	160	RSA(A/B/C/D/E/F/G)F604	158	RSAR662(H/V)	140
RSA303	139	RSA(A/B/C/D/E/F/G)A421	159	RSA(A/B/C/D/E/F/G)F661	157	RSAR721(H/V)	394
RSA3423N	149	RSA(A/B/C/D/E/F/G)A422	159	RSA(A/B/C/D/E/F/G)F662	157	RSAR721(H/V)	140
RSA3429N	149	RSA(A/B/C/D/E/F/G)A423	160	RSA(A/B/C/D/E/F/G)F663	158	RSAR722(H/V)	394
RSA361	138	RSA(A/B/C/D/E/F/G)A481	159	RSA(A/B/C/D/E/F/G)F664	158	RSAR722(H/V)	140
RSA362	138	RSA(A/B/C/D/E/F/G)A482	159	RSA(A/B/C/D/E/F/G)F721	157	RSAWA241	174
RSA363	139	RSA(A/B/C/D/E/F/G)A483	160	RSA(A/B/C/D/E/F/G)F722	157	RSAWA242	174
RSA4023N	149	RSA(A/B/C/D/E/F/G)A541	159	RSA(A/B/C/D/E/F/G)F723	158	RSAWA243	175
RSA4029N	149	RSA(A/B/C/D/E/F/G)A542	159	RSA(A/B/C/D/E/F/G)F724	158	RSAWA301	174
RSA421	138	RSA(A/B/C/D/E/F/G)A543	160	RSA(A/B/C/D/E/F/G)F781	157	RSAWA302	174
RSA422	138	RSA(A/B/C/D/E/F/G)A601	159	RSA(A/B/C/D/E/F/G)F782	157	RSAWA303	175
RSA423	139	RSA(A/B/C/D/E/F/G)A602	159	RSA(A/B/C/D/E/F/G)F783	158	RSAWA361	174
RSA4623N	149	RSA(A/B/C/D/E/F/G)A603	160	RSA(A/B/C/D/E/F/G)F841	157	RSAWA362	174
RSA4629N	149	RSA(A/B/C/D/E/F/G)A604	160	RSA(A/B/C/D/E/F/G)F842	157	RSAWA363	175
RSA4635N	149	RSA(A/B/C/D/E/F/G)A661	159	RSA(A/B/C/D/E/F/G)F843	158	RSAWA421	174
RSA481	138	RSA(A/B/C/D/E/F/G)A662	159	RSA(A/B/C/D/E/F/G)F901	157	RSAWA422	174
RSA482	138	RSA(A/B/C/D/E/F/G)A663	160	RSA(A/B/C/D/E/F/G)F902	157	RSAWA423	175
RSA483	139	RSA(A/B/C/D/E/F/G)A664	160	RSA(A/B/C/D/E/F/G)F903	158	RSAWA481	174
RSA5223N	149	RSA(A/B/C/D/E/F/G)A721	159	RSA(A/B/C/D/E/F/G)F961	157	RSAWA482	174
RSA5229N	149	RSA(A/B/C/D/E/F/G)A722	159	RSA(A/B/C/D/E/F/G)F962	157	RSAWA483	175
RSA5235N	149	RSA(A/B/C/D/E/F/G)A723	160	RSA(A/B/C/D/E/F/G)F963	158	RSAWA541	174
RSA541	138	RSA(A/B/C/D/E/F/G)A724	160	RSA(A/B/C/D/E/F/G)L241	161	RSAWA542	174
RSA542	138	RSA(A/B/C/D/E/F/G)A781	159	RSA(A/B/C/D/E/F/G)L242	161	RSAWA543	175
RSA543	139	RSA(A/B/C/D/E/F/G)A782	159	RSA(A/B/C/D/E/F/G)L301	161	RSAWA601	174
RSA5823N	149	RSA(A/B/C/D/E/F/G)A783	160	RSA(A/B/C/D/E/F/G)L302	161	RSAWA602	174

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWA603	175	RSAWF242	172	RSAWL663	179	RSBC4629	268
RSAWA604	175	RSAWF243	173	RSAWL664	179	RSBC5223	268
RSAWA661	174	RSAWF301	172	RSAWL721	178	RSBC5229	268
RSAWA662	174	RSAWF302	172	RSAWL722	178	RSBC5823	268
RSAWA663	175	RSAWF303	173	RSAWL723	179	RSBC5829	268
RSAWA664	175	RSAWF361	172	RSAWL724	179	RSBC6423	268
RSAWA721	174	RSAWF362	172	RSAWL781	178	RSBC6429	268
RSAWA722	174	RSAWF363	173	RSAWL782	178	RSBC7023	268
RSAWA723	175	RSAWF421	172	RSAWL783	179	RSBC7029	268
RSAWA724	175	RSAWF422	172	RSAWL841	178	RSBK464616	269
RSAWA781	174	RSAWF423	173	RSAWL842	178	RSBT4629	269
RSAWA782	174	RSAWF481	172	RSAWL843	179	RSBT5229	269
RSAWA783	175	RSAWF482	172	RSAWL901	178	RSBT5829	269
RSAWA841	174	RSAWF483	173	RSAWL902	178	RSBT6429	269
RSAWA842	174	RSAWF541	172	RSAWL903	179	RSBT7029	269
RSAWA843	175	RSAWF542	172	RSAWL961	178	RSBWH20	253
RSAWA901	174	RSAWF543	173	RSAWL962	178	RSBWH24	253
RSAWA902	174	RSAWF601	172	RSAWL963	179	RSBWH30	253
RSAWA903	175	RSAWF602	172	RSAWR241	180	RSBWH36	253
RSAWA961	174	RSAWF603	173	RSAWR242	180	RSBWH42	253
RSAWA962	174	RSAWF604	173	RSAWR243	181	RSBWH48	253
RSAWA963	175	RSAWF661	172	RSAWR301	180	RSC	260
RSAWB241	176	RSAWF662	172	RSAWR302	180	RSBWH48	253
RSAWB242	176	RSAWF663	173	RSAWR303	181	RSC4	260
RSAWB243	177	RSAWF664	173	RSAWR361	180	RSD1021	197
RSAWB301	176	RSAWF721	172	RSAWR362	180	RSD1022	197
RSAWB302	176	RSAWF722	172	RSAWR363	181	RSD1023	198
RSAWB303	177	RSAWF723	173	RSAWR421	180	RSD1081	197
RSAWB361	176	RSAWF724	173	RSAWR422	180	RSD1082	197
RSAWB362	176	RSAWF781	172	RSAWR423	181	RSD1083	198
RSAWB363	177	RSAWF782	172	RSAWR481	180	RSD1427	262, 263
RSAWB421	176	RSAWF783	173	RSAWR482	180	RSD1827	262, 263
RSAWB422	176	RSAWF841	172	RSAWR483	181	RSD2027	262, 263
RSAWB423	177	RSAWF842	172	RSAWR541	180	RSD241	197
RSAWB481	176	RSAWF843	173	RSAWR542	180	RSD242	197
RSAWB482	176	RSAWF901	172	RSAWR543	181	RSD2427	262, 263
RSAWB483	177	RSAWF902	172	RSAWR601	180	RSD243	198
RSAWB541	176	RSAWF903	173	RSAWR602	180	RSD301	197
RSAWB542	176	RSAWF961	172	RSAWR603	181	RSD302	197
RSAWB543	177	RSAWF962	172	RSAWR604	181	RSD3027	262, 263
RSAWB601	176	RSAWF963	173	RSAWR661	180	RSD303	198
RSAWB602	176	RSAWL241	178	RSAWR662	180	RSD361	197
RSAWB603	177	RSAWL242	178	RSAWR663	181	RSD362	197
RSAWB604	177	RSAWL243	179	RSAWR664	181	RSD363	198
RSAWB661	176	RSAWL301	178	RSAWR721	180	RSD421	197
RSAWB662	176	RSAWL302	178	RSAWR722	180	RSD422	197
RSAWB663	177	RSAWL303	179	RSAWR723	181	RSD423	198
RSAWB664	177	RSAWL361	178	RSAWR724	181	RSD481	197
RSAWB721	176	RSAWL362	178	RSAWR781	180	RSD482	197
RSAWB722	176	RSAWL363	179	RSAWR782	180	RSD483	198
RSAWB723	177	RSAWL421	178	RSAWR783	181	RSD541	197
RSAWB724	177	RSAWL422	178	RSAWR841	180	RSD542	197
RSAWB781	176	RSAWL423	179	RSAWR842	180	RSD543	198
RSAWB782	176	RSAWL481	178	RSAWR843	181	RSD601	197
RSAWB783	177	RSAWL482	178	RSAWR901	180	RSD602	197
RSAWB841	176	RSAWL483	179	RSAWR902	180	RSD603	198
RSAWB842	176	RSAWL541	178	RSAWR903	181	RSD604	198
RSAWB843	177	RSAWL542	178	RSAWR961	180	RSD661	197
RSAWB901	176	RSAWL543	179	RSAWR962	180	RSD662	197
RSAWB902	176	RSAWL601	178	RSAWR963	181	RSD663	198
RSAWB903	177	RSAWL602	178	RSBC3423	268	RSD664	198
RSAWB961	176	RSAWL603	179	RSBC3429	268	RSD721	197
RSAWB962	176	RSAWL604	179	RSBC4023	268	RSD722	197
RSAWB963	177	RSAWL661	178	RSBC4029	268	RSD723	198
RSAWF241	172	RSAWL662	178	RSBC4623	268	RSD724	198
						RSD781	197

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSD782	197	RSDR721(H/V)	394	RSTDCFM(L/R)8436	233	RSWAD1584	102
RSD783	198	RSDR721(H/V)	199	RSTDCPC(L/R)6030	231	RSWAD1596	102
RSD841	197	RSDR722(H/V)	394	RSTDCPC(L/R)6036	231	RSWAD2260	102
RSD842	197	RSDR722(H/V)	199	RSTDCPC(L/R)6630	231	RSWAD2272	102
RSD843	198	RSDR78	475	RSTDCPC(L/R)6636	231	RSWAD2284	102
RSD901	197	RSDR84	475	RSTDCPC(L/R)7230	231	RSWAD2296	102
RSD902	197	RSDR90	475	RSTDCPC(L/R)7236	231	RSWB15 30	101
RSD903	198	RSDR96	475	RSTDCPC(L/R)7830	231	RSWB15 36	101
RSD961	197	RSE1(L/R)	256	RSTDCPC(L/R)7836	231	RSWB15 42	101
RSD962	197	RSE2(L/R)	256	RSTDCPC(L/R)8430	231	RSWB15 48	101
RSD963	198	RSE3(L/R)	256	RSTDCPC(L/R)8436	231	RSWC30 18	101
RSDHC	264	RSE4(L/R)	256	RSTDCST(L/R)6030	232	RSWC30 20	101
RSDHC3	266	RSE5(L/R)	256	RSTDCST(L/R)6036	232	RSWC30 24	101
RSDHC4	264	RSE6(L/R)	256	RSTDCST(L/R)6630	232	RSWC30 30	101
RSDHD1428	266, 267	RSEDH1(L/R)	258	RSTDCST(L/R)6636	232	RSWC30 36	101
RSDHD1828	266, 267	RSEDH2(L/R)	258	RSTDCST(L/R)7230	232	RSWC30 42	101
RSDHD2028	266, 267	RSEDH3(L/R)	258	RSTDCST(L/R)7236	232	RSWC30 48	101
RSDHD2428	266, 267	RSEDH4(L/R)	258	RSTDCST(L/R)7830	232	RSWWA601	385
RSDHD3028	266, 267	RSEDH5(L/R)	258	RSTDCST(L/R)7836	232	RSWWA602	385
RSDHL12	267	RSEDH6(L/R)	258	RSTDCST(L/R)8430	232	RSWWA721	385
RSDHL15	267	RSL12	263	RSTDCST(L/R)8436	232	RSWWA722	385
RSDHL20	267	RSL15	263	RSTRLE361	249	RSWWA901	385
RSDHL24	267	RSL20	263	RSTRLE362	249	RSWWA902	385
RSDHL30	267	RSL24	263	RSTRLE421	249	RSWWA961	385
RSDHL36	267	RSL30	263	RSTRLE422	249	RSWWA962	385
RSDHL42	267	RSL36	263	RSTRSE361	251	RSWWA(A/B/C/D/E/F/G)601	385
RSDHL48	267	RSL42	263	RSTRSE362	251	RSWWA(A/B/C/D/E/F/G)602	385
RSDHT1	267	RSL48	263	RSTRSE421	251	RSWWA(A/B/C/D/E/F/G)721	385
RSDHT2	267	RSNTT18(A/B/C/E)	110	RSTRSE422	251	RSWWA(A/B/C/D/E/F/G)722	385
RSDHT3	267	RSNTT20(A/B/C/E)	110	RSTRWE361	250	RSWWA(A/B/C/D/E/F/G)901	385
RSDHT4	267	RSNTT24(A/B/C/E)	110	RSTRWE362	250	RSWWA(A/B/C/D/E/F/G)902	385
RSDHT5	267	RSNTT30(A/B/C/E)	110	RSTRWE421	250	RSWWA(A/B/C/D/E/F/G)961	385
RSDHT6	267	RSNTT33(A/B/C/E) (66" wide panels one only)	110	RSTRWE422	250	RSWWA(A/B/C/D/E/F/G)962	385
RSDR30	475	RSNTT36(A/B/C/E)	110	RSTSLE361	249	RSWWAWF601	385
RSDR36	475	RSNTT42(A/B/C/E)	110	RSTSLE362	249	RSWWAWF602	385
RSDR361(H/V)	394	RSNTT48(A/B/C/E)	110	RSTSLE421	249	RSWWAWF721	385
RSDR361(H/V)	199	RSPABPD	116	RSTSLE422	249	RSWWAWF722	385
RSDR362(H/V)	394	RSPABPP	116	RSTSSE361	251	RSWWAWF901	385
RSDR362(H/V)	199	RSPABPT	116	RSTSSE362	251	RSWWAWF902	385
RSDR42	475	RSPABPW	116	RSTSSE421	251	RSWWAWF961	385
RSDR421(H/V)	394	RSPABTD	116	RSTSWE361	250	RSWWAWF962	385
RSDR421(H/V)	199	RSPABTT	116	RSTSWE362	250	RSWWB601	386
RSDR422(H/V)	394	RSPABTW	116	RSTSWE421	250	RSWWB602	386
RSDR422(H/V)	199	RSPABWD	116	RSTSWE422	250	RSWWB721	386
RSDR48	475	RSPABWW	116	RSTTLE30481	249	RSWWB722	386
RSDR481(H/V)	394	RST	467	RSTTLE30482	249	RSWWB901	386
RSDR481(H/V)	199	RST1	263	RSTTLE36541	249	RSWWB902	386
RSDR482(H/V)	394	RST2	263	RSTTLE36542	249	RSWWB961	386
RSDR482(H/V)	199	RST3	263	RSTTSE30481	251	RSWWB962	386
RSDR54	475	RST4	263	RSTTSE30482	251	RTA12036	155
RSDR541(H/V)	394	RST5	263	RSTTSE36541	251	RTA12042	155
RSDR541(H/V)	199	RST6	263	RSTTSE36542	251	RTA12048	155
RSDR542(H/V)	394	RSTDCFM(L/R)4830	233	RSTTWE30481	250	RTA14442	155
RSDR542(H/V)	199	RSTDCFM(L/R)4836	233	RSTTWE30482	250	RTA14448	155
RSDR60	475	RSTDCFM(L/R)5430	233	RSTTWE36541	250	RTA16842	155
RSDR601(H/V)	394	RSTDCFM(L/R)5436	233	RSTTWE36542	250	RTA16848	155
RSDR601(H/V)	199	RSTDCFM(L/R)6030	233	RSWA15 18	101	RTA19242	155
RSDR602(H/V)	394	RSTDCFM(L/R)6036	233	RSWA15 20	101	RTA19248	155
RSDR602(H/V)	199	RSTDCFM(L/R)6630	233	RSWA15 24	101	RTA3636	155
RSDR66	475	RSTDCFM(L/R)6636	233	RSWA15 30	101	RTA4242	155
RSDR661(H/V)	394	RSTDCFM(L/R)7230	233	RSWA15 36	101	RTA4848	155
RSDR661(H/V)	199	RSTDCFM(L/R)7236	233	RSWA15 42	101	RTA6060	155
RSDR662(H/V)	394	RSTDCFM(L/R)7830	233	RSWA15 48	101	RTA7230	155
RSDR662(H/V)	199	RSTDCFM(L/R)7836	233	RSWAD1560	102	RTA7236	155
RSDR72	475	RSTDCFM(L/R)7836	233	RSWAD1572	102	RTA7272	155
		RSTDCFM(L/R)8430	233				

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTA8430	155	RTLT5E37S	476	RTPNM66H5	503, 504	RTPRS54H2	490, 491, 492
RTA8436	155	RTLT5E49A	476	RTPNM66H6	508	RTPRS54H3	495, 496, 497
RTA8442	155	RTLT5E49S	476	RTPNM72H1	483, 484	RTPRS54H4	500, 501, 502
RTA9630	155	RTLT5E61A	476	RTPNM72H2	488, 489	RTPRS54H5	505, 506, 507
RTA9636	155	RTLT5E61S	476	RTPNM72H3	493, 494	RTPRS54H6	510, 511, 512
RTA9642	155	RTLT5E73A	476	RTPNM72H4	498, 499	RTPRS54H7	514, 516
RTA9648	155	RTLT5E73S	476	RTPNM72H5	503, 504	RTPRS54H8	518, 520
RTA(A/B/C/D/E/F/G)12036-(1/2/3)	170	RTLT5E85A	476	RTPNM72H6	508	RTPRS60H1	485, 486, 487
RTA(A/B/C/D/E/F/G)12042-(1/2/3)	170	RTLT5E85S	476	RTPNM78H1	483, 484	RTPRS60H2	490, 491, 492
RTA(A/B/C/D/E/F/G)12048-(1/2/3)	170	RTNDC361	248	RTPNM78H2	488, 489	RTPRS60H3	495, 496, 497
RTA(A/B/C/D/E/F/G)14442-(1/2/3)	170	RTNDC362	248	RTPNM78H3	493, 494	RTPRS60H4	500, 501, 502
RTA(A/B/C/D/E/F/G)14448-(1/2/3)	170	RTNDC421	248	RTPNM78H4	498, 499	RTPRS60H5	505, 506, 507
RTA(A/B/C/D/E/F/G)16842-(1/2/3)	170	RTNDC422	248	RTPNM78H5	503, 504	RTPRS60H6	510, 511, 512
RTA(A/B/C/D/E/F/G)16848-(1/2/3)	170	RTNDC481	248	RTPNM78H6	508	RTPRS60H7	514, 516
RTA(A/B/C/D/E/F/G)19242-(1/2/3)	170	RTNDC482	248	RTPNM84H1	483, 484	RTPRS60H8	518, 520
RTA(A/B/C/D/E/F/G)19248-(1/2/3)	170	RTOP1	462	RTPNM84H2	488, 489	RTPRS66H1	485, 486, 487
RTA(A/B/C/D/E/F/G)3636-(1/2/3)	170	RTOP2	462	RTPNM84H3	493, 494	RTPRS66H2	490, 491, 492
RTA(A/B/C/D/E/F/G)4242-(1/2/3)	170	RTPNM30H1	483, 484	RTPNM84H4	498, 499	RTPRS66H3	495, 496, 497
RTA(A/B/C/D/E/F/G)4848-(1/2/3)	170	RTPNM30H2	488, 489	RTPNM84H5	503, 504	RTPRS66H4	500, 501, 502
RTA(A/B/C/D/E/F/G)6060-(1/2/3)	170	RTPNM30H3	493, 494	RTPNM84H6	508	RTPRS66H5	505, 506, 507
RTA(A/B/C/D/E/F/G)7230-(1/2/3)	170	RTPNM30H4	498, 499	RTPNM90H1	483, 484	RTPRS66H6	510, 511, 512
RTA(A/B/C/D/E/F/G)7236-(1/2/3)	170	RTPNM30H5	503, 504	RTPNM90H2	488, 489	RTPRS66H8	518
RTA(A/B/C/D/E/F/G)7272-(1/2/3)	170	RTPNM30H6	508, 509	RTPNM90H3	493, 494	RTPRS72H1	485, 486, 487
RTA(A/B/C/D/E/F/G)8430-(1/2/3)	170	RTPNM30H7	513	RTPNM90H4	498, 499	RTPRS72H2	490, 491, 492
RTA(A/B/C/D/E/F/G)8436-(1/2/3)	170	RTPNM30H8	517	RTPNM90H5	503, 504	RTPRS72H3	495, 496, 497
RTA(A/B/C/D/E/F/G)8442-(1/2/3)	170	RTPNM36H1	483, 484	RTPNM90H6	508	RTPRS72H4	500, 501, 502
RTA(A/B/C/D/E/F/G)9630-(1/2/3)	170	RTPNM36H2	488, 489	RTPNM96H1	483, 484	RTPRS72H5	505, 506, 507
RTA(A/B/C/D/E/F/G)9636-(1/2/3)	170	RTPNM36H3	493, 494	RTPNM96H2	488, 489	RTPRS72H6	510, 512
RTA(A/B/C/D/E/F/G)9642-(1/2/3)	170	RTPNM36H4	498, 499	RTPNM96H3	493, 494	RTPRS72H8	518
RTAT5E19S	423	RTPNM36H5	503, 504	RTPNM96H4	498, 499	RTPRS78H1	487
RTAT5E25A	423	RTPNM36H6	508, 509	RTPNM96H5	503, 504	RTPRS78H2	492
RTAT5E25S	423	RTPNM36H7	513	RTPNM96H6	508	RTPRS78H3	497
RTAT5E37A	423	RTPNM36H8	517	RTPRS30H1	485, 486, 487	RTPRS78H4	502
RTAT5E37S	423	RTPNM42H1	483, 484	RTPRS30H2	490, 491, 492	RTPRS78H5	507
RTAT5E49A	423	RTPNM42H2	488, 489	RTPRS30H3	495, 496, 497	RTPRS78H6	512
RTAT5E49S	423	RTPNM42H3	493, 494	RTPRS30H4	500, 501, 502	RTPRS84H1	487
RTAT5E61A	423	RTPNM42H4	498, 499	RTPRS30H5	505, 506, 507	RTPRS84H2	492
RTAT5E61S	423	RTPNM42H5	503, 504	RTPRS30H6	510, 511, 512	RTPRS84H3	497
RTAW12036-(1/2/3)	189	RTPNM42H6	508, 509	RTPRS30H7	514, 515, 516	RTPRS84H4	502
RTAW12042-(1/2/3)	189	RTPNM42H7	513	RTPRS30H8	518, 519, 520	RTPRS84H5	507
RTAW14442-(1/2/3)	189	RTPNM42H8	517	RTPRS36H1	485, 486, 487	RTPRS84H6	512
RTAW16842-(1/2/3)	189	RTPNM48H1	483, 484	RTPRS36H2	490, 491, 492	RTPRS90H1	487
RTAW19242-(1/2/3)	189	RTPNM48H2	488, 489	RTPRS36H3	495, 496, 497	RTPRS90H2	492
RTAW3636-(1/2/3)	189	RTPNM48H3	493, 494	RTPRS36H4	500, 501, 502	RTPRS90H3	497
RTAW4242-(1/2/3)	189	RTPNM48H4	498, 499	RTPRS36H5	505, 506, 507	RTPRS90H4	502
RTAW6060-(1/2/3)	189	RTPNM48H5	503, 504	RTPRS36H6	510, 511, 512	RTPRS90H5	507
RTAW7230-(1/2/3)	189	RTPNM48H6	508, 509	RTPRS36H7	514, 515, 516	RTPRS90H6	512
RTAW7236-(1/2/3)	189	RTPNM48H7	513	RTPRS36H8	518, 519, 520	RTPRS96H1	487
RTAW7272-(1/2/3)	189	RTPNM48H8	517	RTPRS42H1	485, 486, 487	RTPRS96H2	492
RTAW8430-(1/2/3)	189	RTPNM54H1	483, 484	RTPRS42H2	490, 491, 492	RTPRS96H3	497
RTAW8436-(1/2/3)	189	RTPNM54H2	488, 489	RTPRS42H3	495, 496, 497	RTPRS96H4	502
RTAW8442-(1/2/3)	189	RTPNM54H3	493, 494	RTPRS42H4	500, 501, 502	RTPRS96H5	507
RTAW9630-(1/2/3)	189	RTPNM54H4	498, 499	RTPRS42H5	505, 506, 507	RTPRS96H6	512
RTAW9636-(1/2/3)	189	RTPNM54H5	503, 504	RTPRS42H6	510, 511, 512	RTRDL48301	242
RTAW9642-(1/2/3)	189	RTPNM54H6	508	RTPRS42H7	514, 515, 516	RTRDL48302	242
RTL1193W	476	RTPNM60H1	483, 484	RTPRS42H8	518, 519, 520	RTRDL60301	242
RTL1196W	476	RTPNM60H2	488, 489	RTPRS48H1	485, 486, 487	RTRDL60302	242
RTL1199W	476	RTPNM60H3	493, 494	RTPRS48H2	490, 491, 492	RTRDL72301	242
RTL13712W	476	RTPNM60H4	498, 499	RTPRS48H3	495, 496, 497	RTRDL72302	242
RTL13718W	476	RTPNM60H5	503, 504	RTPRS48H4	500, 501, 502	RTRDL72361	242
RTL1376W	476	RTPNM60H6	508	RTPRS48H5	505, 506, 507	RTRDL72362	242
RTL5E19S	476	RTPNM66H1	483, 484	RTPRS48H6	510, 511, 512	RTRDOF60241	238
RTL5E25A	476	RTPNM66H2	488, 489	RTPRS48H7	514, 515, 516	RTRDOF60242	239
RTL5E25S	476	RTPNM66H3	493, 494	RTPRS48H8	518, 519, 520	RTRDOF60301	238
RTL5E37A	476	RTPNM66H4	498, 499	RTPRS54H1	485, 486, 487	RTRDOF60302	239

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTRDOF60361	238	RTTA72()	433	RWAWF4212	182	RWEB7224(L/R)	382
RTRDOF60362	239	RTTAWF24()	433	RWAWF4221	182	RWEB7520(L/R)	389
RTRDOF66241	238	RTTAWF30()	433	RWAWF4223	182	RWEB7524(L/R)	389
RTRDOF66242	239	RTTAWF36()	433	RWAWF4232	182	RWEC7220(L/R)	382
RTRDOF66301	238	RTTAWF42()	433	RWAWF4812	182	RWEC7224(L/R)	382
RTRDOF66302	239	RTTAWF48()	433	RWAWF4821	182	RWEC7520(L/R)	389
RTRDOF66361	238	RTTAWF54()	433	RWAWF4823	182	RWEC7524(L/R)	389
RTRDOF66362	239	RTTAWF60()	433	RWAWF4832	182	RWED7220(L/R)	382
RTRDOF72241	238	RTTAWF66()	433	RWAWF5412	182	RWED7224(L/R)	382
RTRDOF72242	239	RTTAWF72()	433	RWAWF5421	182	RWED7520(L/R)	389
RTRDOF72301	238	RUMC3010	531	RWAWF5423	182	RWED7524(L/R)	389
RTRDOF72302	239	RUMC3610	531	RWAWF5432	182	RWHDHTB3026	468
RTRDOF72361	238	RUMC6010	532	RWAWF6012	182	RWHDHTB30H1	521
RTRDOF72362	239	RUMC7210	532	RWAWF6021	182	RWHDHTB30H2	522
RTRDOF78241	238	RUTB	254	RWAWF6023	182	RWHDHTB30H3	523
RTRDOF78242	239	RWA3623	143	RWAWF6032	182	RWHDHTB30H4	524
RTRDOF78301	238	RWA3632	143	RWAWF6612	182	RWHDHTB30H5	525
RTRDOF78302	239	RWA4212	143	RWAWF6621	182	RWHDHTB3626	468
RTRDOF78361	238	RWA4221	143	RWAWF6623	182	RWHDHTB36H1	521
RTRDOF78362	239	RWA4223	143	RWAWF6632	182	RWHDHTB36H2	522
RTRDOF84241	238	RWA4232	143	RWAWF7212	182	RWHDHTB36H3	523
RTRDOF84242	239	RWA4812	143	RWAWF7221	182	RWHDHTB36H4	524
RTRDOF84301	238	RWA4821	143	RWAWF7223	182	RWHDHTB36H5	525
RTRDOF84302	239	RWA4823	143	RWAWF7232	182	RWHDHTB4226	468
RTRDOF84361	238	RWA4832	143	RWEA3613	144	RWHDHTB42H1	521
RTRDOF84362	239	RWA5412	143	RWEA3626	144	RWHDHTB42H2	522
RTRDRL48301	243	RWA5421	143	RWEA3631	144	RWHDHTB42H3	523
RTRDRL48302	243	RWA5423	143	RWEA3662	144	RWHDHTB42H4	524
RTRDRL60301	243	RWA5432	143	RWEA4213	144	RWHDHTB42H5	525
RTRDRL60302	243	RWA6012	143	RWEA4226	144	RWHDHTB4826	468
RTRDRL72301	243	RWA6021	143	RWEA4231	144	RWHDHTB48H1	521
RTRDRL72302	243	RWA6023	143	RWEA4262	144	RWHDHTB48H2	522
RTRDRL72361	243	RWA6032	143	RWEA4813	144	RWHDHTB48H3	523
RTRDRL72362	243	RWA6612	143	RWEA4826	144	RWHDHTB48H4	524
RTRDS48301	244	RWA6621	143	RWEA4831	144	RWHDHTB48H5	525
RTRDS48302	244	RWA6623	143	RWEA4862	144	RWHDHTB54H1	521
RTRDS60301	244	RWA6632	143	RWEA7220(L/R)	382	RWHDHTB54H2	522
RTRDS60302	244	RWA7212	143	RWEA7224(L/R)	382	RWHDHTB54H3	523
RTRDS72301	244	RWA7221	143	RWEA7520(L/R)	389	RWHDHTB54H4	524
RTRDS72302	244	RWA7223	143	RWEA7524(L/R)	389	RWHDHTB54H5	525
RTRDS72361	244	RWA7232	143	RWEA(A/B/C/D/E/F/G)F3613	166	RWHDHTB60H1	521
RTRDS72362	244	RWA(A/B/C/D/E/F/G)F4212	165	RWEA(A/B/C/D/E/F/G)F3626	166	RWHDHTB60H2	522
RTSDL42421	245	RWA(A/B/C/D/E/F/G)F4221	165	RWEA(A/B/C/D/E/F/G)F3631	165	RWHDHTB60H3	523
RTSDL42422	245	RWA(A/B/C/D/E/F/G)F4223	165	RWEA(A/B/C/D/E/F/G)F3662	166	RWHDHTB60H4	524
RTSDL48481	245	RWA(A/B/C/D/E/F/G)F4232	165	RWEA(A/B/C/D/E/F/G)F4213	166	RWHDHTB60H5	525
RTSDL48482	245	RWA(A/B/C/D/E/F/G)F4812	165	RWEA(A/B/C/D/E/F/G)F4226	166	RWHDHTB66H1	521
RTSDRL42421	246	RWA(A/B/C/D/E/F/G)F4821	165	RWEA(A/B/C/D/E/F/G)F4231	165	RWHDHTB66H2	522
RTSDRL42422	246	RWA(A/B/C/D/E/F/G)F4823	165	RWEA(A/B/C/D/E/F/G)F4262	166	RWHDHTB66H3	523
RTSDRL48481	246	RWA(A/B/C/D/E/F/G)F4832	165	RWEA(A/B/C/D/E/F/G)F4813	166	RWHDHTB66H4	524
RTSDRL48482	246	RWA(A/B/C/D/E/F/G)F5412	165	RWEA(A/B/C/D/E/F/G)F4826	166	RWHDHTB66H5	525
RTSDS42421	247	RWA(A/B/C/D/E/F/G)F5421	165	RWEA(A/B/C/D/E/F/G)F4831	165	RWHDHTB72H1	521
RTSDS42422	247	RWA(A/B/C/D/E/F/G)F5423	165	RWEA(A/B/C/D/E/F/G)F4862	166	RWHDHTB72H2	522
RTSDS48481	247	RWA(A/B/C/D/E/F/G)F5432	165	RWEAWF3613	183	RWHDHTB72H3	523
RTSDS48482	247	RWA(A/B/C/D/E/F/G)F6012	165	RWEAWF3626	183	RWHDHTB72H4	524
RTSF14	470	RWA(A/B/C/D/E/F/G)F6021	165	RWEAWF3631	182	RWHDHTB72H5	525
RTSF28	470	RWA(A/B/C/D/E/F/G)F6023	165	RWEAWF3662	183	RWHDHTB78H1	521
RTST14	469	RWA(A/B/C/D/E/F/G)F6032	165	RWEAWF4213	183	RWHDHTB78H2	522
RTTA24()	433	RWA(A/B/C/D/E/F/G)F6612	165	RWEAWF4226	183	RWHDHTB78H3	523
RTTA30()	433	RWA(A/B/C/D/E/F/G)F6621	165	RWEAWF4231	182	RWHDHTB78H4	524
RTTA36()	433	RWA(A/B/C/D/E/F/G)F6623	165	RWEAWF4262	183	RWHDHTB78H5	525
RTTA42()	433	RWA(A/B/C/D/E/F/G)F6632	165	RWEAWF4813	183	RWHDHTB84H1	521
RTTA48()	433	RWA(A/B/C/D/E/F/G)F7212	165	RWEAWF4826	183	RWHDHTB84H2	522
RTTA54()	433	RWA(A/B/C/D/E/F/G)F7221	165	RWEAWF4831	182	RWHDHTB84H3	523
RTTA60()	433	RWA(A/B/C/D/E/F/G)F7223	165	RWEAWF4862	183	RWHDHTB84H4	524
RTTA66()	433	RWA(A/B/C/D/E/F/G)F7232	165	RWEB7220(L/R)	382	RWHDHTB84H5	525

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RWHDHTB90H1	521	YPSB2648F	528
RWHDHTB90H2	522	YPSB2654	530
RWHDHTB90H3	523	YPSB2654F	528
RWHDHTB90H4	524	YPSB2660	530
RWHDHTB90H5	525	YPSB2660F	528
RWHDHTB96H1	521	YPSB2666	530
RWHDHTB96H2	522	YPSB2666FRR	528
RWHDHTB96H3	523	YPSB2672	530
RWHDHTB96H4	524	YPSB2672FRR	528
RWHDHTB96H5	525	YPSB3224	529
RWHRA	462	YPSB3224F	527
RWHRB	462	YPSB3227	529
RWHRC	462	YPSB3227F	527
RWHRD	462	YPSB3230	529
RWHRE	462	YPSB3230F	527
RWHRF	462	YPSB3236	529
RWHRG	462	YPSB3236F	527
RWHTB3024	468	YPSB3242	529
RWHTB3624	468	YPSB3242F	527
RWHTB4224	468	YPSB3248	529
RWHTB4824	468	YPSB3248F	527
RWMCT24	465	YPSB3254	529
RWMMP24	464	YPSB3254F	527
RWMMP30	464	YPSB3260	529
RWMMP36	464	YPSB3260F	527
RWMPB	464	YPSB3266	529
RWMV24	464	YPSB3266FRR	527
RWMVH24	464	YPSB3272	529
RWMVH30	464	YPSB3272FRR	527
RWMVH36	464	YPSB3824	530
RWMVP24	464	YPSB3824F	528
RWMWT24	464	YPSB3827	530
RWMWT30	464	YPSB3827F	528
RWMWT36	464	YPSB3830	530
YPSB2024	529	YPSB3830F	528
YPSB2024F	527	YPSB3836	530
YPSB2027	529	YPSB3836F	528
YPSB2027F	527	YPSB3842	530
YPSB2030	529	YPSB3842F	528
YPSB2030F	527	YPSB3848	530
YPSB2036	529	YPSB3848F	528
YPSB2036F	527	YPSB3854	530
YPSB2042	529	YPSB3854F	528
YPSB2042F	527	YPSB3860	530
YPSB2048	529	YPSB3860F	528
YPSB2048F	527	YPSB3866	530
YPSB2054	529	YPSB3866FRR	528
YPSB2054F	527	YPSB3872	530
YPSB2060	529	YPSB3872FRR	528
YPSB2060F	527		
YPSB2066	529		
YPSB2066FRR	527		
YPSB2072	529		
YPSB2072FRR	527		
YPSB2624	530		
YPSB2624F	528		
YPSB2627	530		
YPSB2627F	528		
YPSB2630	530		
YPSB2630F	528		
YPSB2636	530		
YPSB2636F	528		
YPSB2642	530		
YPSB2642F	528		
YPSB2648	530		

Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
Freight Prepaid	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>
Seller's Security Interest	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
Returns	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
Held Orders/Storage	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

Selling Policy

Customer's Own Material	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, RPM and Sapper seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Antenna Workspaces, AutoStrada, Crinion Open Table, Reff Profiles wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (Magnusson, The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, CPU storage and all universal storage drawers.</i></p> <p><i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i></p> <p><i>2 Years: All other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Changes in surface finishes, including colorfastness due to aging or exposure to light.• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
Compliance with Law	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
Patents	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."