

# REFF PROFILES

**26 1/2" PLANNING  
VOLUME ONE**

Price List  
July 2012

**Knoll**

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	7
Panels	Monolithic panels 34" H	10
	Monolithic panels 42" H	16
	Monolithic panels 49" H	23
	Monolithic panels 64" H	30
	Monolithic panels 79" H	37
	Tiled panels 34" H	44
	Tiled panels 42" H	49
	Tiled panels 49" H	56
	Tiled panels 64" H	63
	Tiled panels 79" H	70
	Aluminum Reveal kits	77
	Beltway one side, window panel 49" H	84
	Beltway two sides, window panel 49" H	98
	Stacking modules	100
	Panel connection posts	105
	Panel trims and post covers	110
	Panel Accessories	112
	Ceiling cable entry posts, poles and cable infeed	113
	Ceiling cable entry post covers	115
	Rolling door and hinged door	117
	Attachment kits	118
	Floor to ceiling modules	119
	Required components	126
Power distribution components	127	
Beltway electrical components	132	
Data and Communications	134	
Reff Ported Panel Components	135	
Worksurfaces	Worksurface 1 1/4	138
	Conference 1 1/4"	154
	Optional edge details 1 1/4"	156
	Optional edge 1 1/4	157
	Waterfall Edge 1 1/4"	172
	Cascade Edge 1 1/4"	191
	Tables, 1 1/2	197
	Tables, 1"	206
Support components	Top support components	209
Cabinetry	Pedestals, 26 1/2" planning	220
	Cabinets, 26 1/2" planning	232
Overhead storage	Overhead, 26 1/2" planning	253
	Reuter overhead cabinet	260
	Reuter open shelf	264
	Reuter open overhead	265
	Reuter overhead storage	266
	Task Lights for Reuter Overhead Storage	268
Transaction tops, regular and waterfall edge	Transaction tops	269
Gallery desk surrounds	Gallery desk surrounds	271
Classic Desks	Classic Desks	275

Preconfigured Reff Desking	Single pedestal desks	279
	Double pedestal desks	282
	Desk returns	285
	Single pedestal credenzas	288
	Bridge assemblies	291
	Double pedestal credenzas	294
	Credenza Cushions	297
Accessories and Client Samples	Accessories	298
	Cubbies	311
	Desk Screens	313
Wall Mounting of Knoll Products		318
Alpha-Numeric Index		320
Selling Policy		335
KnollKey Lock Program		337
General Ordering Information		338

# Knoll and Sustainable Design

---

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

## Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

## Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

## Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

*For more information about Knoll and sustainable design, visit [knoll.com/environment](http://knoll.com/environment).*

### Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

### Note:

**Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.**

### Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 5/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

### Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

### Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

### Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

### Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

**All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.**

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

**Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.**

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

### Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. Polyur<sup>TM</sup> provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

**Wood Finishes:**

**V1 Techwood**

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

*\*Not available on Reff optional Edges and Waterfall Edge.*

**V1 - Techwood Surface with matching synthetic edge:**

*Options applicable for 1/4" thick worksurfaces with standard flat edge only.*

S319	Cherry
S316	Maple
S323	Medium Walnut

**V2 Natural Veneers/Premium Techwood Veneers**

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V439	Straight Anigre
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)

Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

*(all above V2's are flat cut)*

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

*(all V2 Oak's are rift cut)*

**V2 Natural Veneer with synthetic edge**

*Options applicable for 1/4" thick worksurfaces with standard flat edge only.*

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

**V3 Premium Veneer**

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

*(all above are quarter cut)*

**Glass**

TEMP	Clear Tempered (G1)
------	---------------------

*Architectural Glass Options: (G2)*

GL13	Powder
GL8	Wafer
GL6	Block Matrix

*Back Painted Glass (G3)*

GL11	Back Painted Black
GL14	Folkstone Grey
GL15	Back Painted Medium Grey
GL18	Back Painted White

*Colored Glass (G3)*

GL35	Grey
GL85	Star Clear

**Locks**

Black and Silver

**Laminate**

*Matching edge band unless noted otherwise*

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Chery *
125	Natural Maple *
126	Natural Cherry *
127	Walnut *
128	Fog
129	Micro Sand with 119 Pumice edge band

*\*Woodgrain Laminate. Not available on all components.*

**Paint**

*Upcharge as applicable for paint class noted on applicable product pages*

**P1**

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

**P2**

611	Beige Mist Metallic
612	Medium Metallic Grey

**P3**

118	Bright White
613	Silver

**Plated**

PD	Polish Chrome
PT	Brushed Pewter
PN	Black Nickel
PU	Satin Nickel

**Anodized**

AN	Anodized Black
AP	Anodized Polished
AU	Anodized Satin
AA	Anodized Aluminum

*See matrix next page for finishes applicable by component*

**Forbo**

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

**Solid Surface**

AW	Artic White
----	-------------

**Mixed Finishes: (where applicable for work surfaces only)**

*To order mixed finishes, enter four digit finish code as follows:*

*Use 2 digit prefix to indicate surface finish (laminate)*

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

*Use 2 digit suffix to indicate edge finish (wood)*

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
39	for V439
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V449
52	for V512
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427
85	for Y851
Y1	for Y341
62	for Y342
44	for Y344

**Example:**

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

**Fabric Options For Panels**

*Grade 10*  
 Broadcloth II (W1619)  
 Foundation (W351)  
 Growth Spurt (W692)  
 Symbolic Detail (W693)  
 Tailor Made II (W1610/6)  
 Versatility (W432)

*Grade 20*  
 Bauhaus Block (W296A)  
 Circle Line (W1146)  
 Clarity (W281)  
 Criss Cross (W305)  
 Labyrinth (W352)★ ∅  
 Logic (W1318)  
 Photon (W1293)  
 Reflect (W884) ∅  
 Resolution (W280)  
 Weave Three (W298)

*Grade 30*  
 Basket Draft (W249)  
 Flow (W565)  
 Harmony (W232)  
 Interknit (W1090)  
 Match Point (W1145)  
 Micro (W465)\*  
 Progression (W403)  
 Relay (W1020) ▲

*Grade 40*  
 Clarkson (W1218)  
 Ornament (W1078)  
 Palladium (W1030)

*Grade 45*  
 Dristi (K872)\* ∅

\*with backing only

▲ Monolithic panels and tackboards only

∅ May not be available in all colors.

★Non-merchandized available for purchase but samples not available.

*The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:*

*Grade 50*  
 Knoll Hopsack (K1206)  
 Ricochet (W498)

*Grade 55*  
 Knoll Felt (K1207)  
 Transition (W816)

**Customers Own Material**

Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

**Fabric Options For Cushions**

**A**  
 Analogy (K614)  
 Bocce (K1255)  
 Cats Cradle (K1290)  
 Chance (K1552)  
 Common Ground (K448)  
 Hourglass (K1523)  
 Mariner (K642)  
 Metaphor (K612)  
 Monarch (K1149)  
 Prep (K1076)  
 Presto (K1000)  
 Soliloquy (K1458)  
 Sonnet (K1460)  
 Stacks (K528)

**B**  
 Abacus (K715)  
 Bank Shot (K134)  
 Belize (K1165)  
 Cameo (K1443)  
 Chroma (K345)  
 Chronicle (K1525)  
 Classic Boucle (K162)  
 Close Knit (K201)  
 Dovetail (K1150)  
 Fast Forward (W301)

**B** cont.  
 Field Day (K124)  
 Framework (K1447)  
 Gala II (K1520)  
 Grande (K180)  
 Grandview (K1463)  
 Knoll Felt (K1207)  
 Knoll Hopsack (K1206)  
 Lyric (K698)  
 Mini Stitch (K1130)  
 Night Life (K181)  
 Paradigm (K1101)  
 Pogo (K1100)  
 Pop (K782)  
 Ransom (K1298)  
 Ricochet (K498)  
 Ricochet (K498)  
 Spark (K1075)  
 Spotlight (K772)  
 Utmost (K1325)  
 Vinyl (K242)  
 Zephyr (K724)  
 Zipline (K1448)

**C**  
 Atlas (K1236)  
 Baxter (K1557)  
 Biota (K1297)  
 Charm (K1049)  
 Circa (K1054)  
 Cricket (HC1279)  
 Decade (K1053)  
 Earthwork (K1238)  
 Echo (K1019)  
 Empire Stripe (K1025)  
 Enmesh (K1092)  
 Entourage (K1389)  
 Fable CR (HC1122)  
 Fibra (K1105)  
 Fox Trot CR (HC777)  
 Highline CR (HC1064)  
 Hula Hoop (K753)  
 Kora CR (HC1010)  
 Lore CR (HC1123)  
 Moto CR (HC1002)  
 Panache CR (HC1047)  
 Parasol (HC1257)  
 Pony Up (K1323)  
 Prompt (K1505)

**C** cont.  
 Quark (K781)  
 Regard CR (HC1063)  
 Rio (K1164)  
 Roundtrip (K1430)  
 Sahara (HC1269)  
 Sandpiper CR (HC1258)  
 Sequin CR (HC1009)  
 Smart (K1268)  
 Spectator (K1391)  
 Spot On (K1324)  
 Star Struck (K1048)  
 Stepping Stones (K346)  
 Swing (K479)  
 Treble CR (HC1062)  
 Vibe (K1029)  
 Zari CR (HC1008)

**D**  
 Cavalier (K217)  
 Compass CR (HC1183)  
 Eclat Weave (K1104)  
 Harrison (K1084)  
 Hologram (K500)  
 Masquerade (K806)  
 Menagerie (K1322)  
 Obi (K1175)  
 Satellite (K503)

**E**  
 Cross Stitch (K1026)  
 Katazome (K1459)  
 Kimono (K1174)  
 Mamba (K549)  
 Whip (K1386)


**F**  
 Century (K1051)  
 Cornaro (K1320)  
 Cuddle Cloth (K231)  
 Groove Line (K488)  
 Icon (K1028)  
 Intrigue (K1551)  
 Jubilee (K1445)  
 Kinship (K1465)  
 Rivington (K1080)  
 Topography (K1052)

**G**  
 Gibson (K1086)  
 Haze (K109)  
 Rattan (K138)  
 Serendipity (K1528)  
 Ultrasuede®(K1021)


**H**  
 Haiku (K1479)

---


## Panel Trim Profiles




Flat (Option A)



Square (Option B)



Bullnose (Option C)




Extruded Aluminum (Option E)

## Worksurface Profiles




1 1/2", 1 1/4" and 1" Thick Standard



1 1/4" Thick Waterfall



1 1/4" Thick Cascade




1" Thick Sliding Table

**NOTE:** See page 156 for 7 Optional Edges which are also available.




---


## Pull Options




Integral Wood J-Pull




C-Pull (Nickle Plated Finish Only)  
7<sup>3</sup>/<sub>8</sub>"W x 1<sup>5</sup>/<sub>32</sub>"D




S-Pull (Stainless Steel Finish Only)  
6<sup>5</sup>/<sub>32</sub>"W x 1<sup>1</sup>/<sub>16</sub>"D




D-Pull Painted and the following Plated Finishes;  
PT = Brushed Pewter  
PZ = Satin Brass  
7<sup>3</sup>/<sub>4</sub>"W x 1<sup>13</sup>/<sub>32</sub>"D




**R-Cylinder**  
 1" diameter  
 Protrudes 1" from the drawer front  
 Available in painted and plated finishes  
 1 pull per 16" & 19" wide pedestal drawer  
 Position: center position for 16" & 19" drawers  
 2 pulls per 30" & 36" lateral drawers  
 Position: 6" in from end, 1 1/2" down from top of drawers




**H-Out Line**  
 4" wide x 1" deep  
 Protrudes 1" from the drawer front  
 Available in painted and plated finishes  
 1 pull per 16" & 19" wide pedestal drawer  
 Position: center, 1 1/2" down from the top of drawer  
 2 pulls per 30" & 36" lateral drawers  
 Position: 6" in from left/right, 1 1/2" down from top of drawers






**T-Tab**  
 short Tab: 2" wide x 1 3/4" deep  
 Long Tab: 10" wide x 1 3/4" deep  
 Protrudes 3/4" from drawer front  
 Available in painted or plated finishes  
 Position: Center line position on drawers



**F-Bar Pull**  
 Short bar pull: 3 3/8" wide x .3" thick  
 Long bar pull: 10 1/2" wide x .3" thick  
 Protrudes 1" from drawer front  
 Available in painted and plated finishes




**G-Grommet Pull**  
 1 7/32" diameter  
 Flush with the drawer front  
 Available in painted and plated finishes  
 1 pull per 60" & 72" sliding doors  
 Position: 1.656" from left or right, center line vertical  
 2 pulls per 90" & 108" sliding doors  
 Position: 1.656" from left and right, center line vertical  
 Position: Center line position on drawers



# Monolithic panels 34" H *fabric both sides*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	<b>R3B0PFF3418-()()</b>	\$619.	\$635.	\$677.	\$765.	\$819.	\$899.	\$953.
Regular acoustics	20"	34"	<b>R3B0PFF3420-()()</b>	619.	635.	677.	765.	819.	899.	953.
	24"	34"	<b>R3B0PFF3424-()()</b>	668.	684.	726.	814.	868.	948.	1,002.
	30"	34"	<b>R3B0PFF3430-()()</b>	712.	728.	770.	858.	912.	992.	1,046.
	36"	34"	<b>R3B0PFF3436-()()</b>	757.	773.	815.	903.	957.	1,037.	1,091.
	42"	34"	<b>R3B0PFF3442-()()</b>	869.	885.	927.	1,015.	1,069.	1,149.	1,203.
	48"	34"	<b>R3B0PFF3448-()()</b>	902.	918.	960.	1,048.	1,102.	1,182.	1,236.



### Order Code

Example:	<b>R3B0PFF3418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>FF</b>	Fabric on both sides
<b>34</b>	34" high
<b>18</b>	18" wide
<b>(A)</b>	Flat style top trim profile
<b>(4)</b>	4" base height
<b>(K)</b>	Include knockouts in base
<b>W281</b>	Fabric Side 1
<b>W281</b>	Fabric Side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Milled for ported components

### Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option  
(*K* = with knockouts,  
*N* = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish  
i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

### Application Notes

1. Top trim profile:  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded aluminum
2. Base height:  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on Reff Profiles and Reff Profiles.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

# Monolithic panels 34" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	<b>R3B0PFL3418-()()</b>	\$592.	\$600.	\$619.	\$658.	\$682.	\$716.	\$741.
	20"	34"	<b>R3B0PFL3420-()()</b>	592.	600.	619.	658.	682.	716.	741.
	24"	34"	<b>R3B0PFL3424-()()</b>	630.	638.	657.	696.	720.	754.	779.
	30"	34"	<b>R3B0PFL3430-()()</b>	672.	680.	699.	738.	762.	796.	821.
	36"	34"	<b>R3B0PFL3436-()()</b>	708.	716.	735.	774.	798.	832.	857.
	42"	34"	<b>R3B0PFL3442-()()</b>	806.	814.	833.	872.	896.	930.	955.
	48"	34"	<b>R3B0PFL3448-()()</b>	831.	839.	858.	897.	921.	955.	980.

### Order Code

Example:	<b>R3B0PFL3418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>FL</b>	Fabric one side
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric Side 1
<b>114</b>	Folkstone grey - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Milled for ported components

### Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish  
i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

### 1. Top trim profile:

A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

### 2. Base height:

4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option).

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.

### Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

# Monolithic panels 34" H

*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PF13418-( )()</b>	\$695.	\$702.	\$724.	\$768.	\$796.	\$836.	\$865.
Regular acoustics	20"	34"	<b>R3B0PF13420-( )()</b>	698.	705.	727.	771.	799.	839.	868.
	24"	34"	<b>R3B0PF13424-( )()</b>	743.	750.	772.	816.	844.	884.	913.
	30"	34"	<b>R3B0PF13430-( )()</b>	790.	797.	819.	863.	891.	931.	960.
	36"	34"	<b>R3B0PF13436-( )()</b>	838.	845.	867.	911.	939.	979.	1,008.
	42"	34"	<b>R3B0PF13442-( )()</b>	950.	957.	979.	1,023.	1,051.	1,091.	1,120.
	48"	34"	<b>R3B0PF13448-( )()</b>	981.	988.	1,010.	1,054.	1,082.	1,122.	1,151.

## Order Code

Example:	<b>R3B0PF13418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>F1</b>	Fabric one side, V1 other side
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric Side 1
<b>Y328</b>	Mahogany - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

## Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. *Top trim profile*:  
 A = Flat  
 B = Square  
 C = Bullnose  
 E = Extruded Aluminum

2. *Base height*:  
 4 = 4" base height  
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on Reff Profiles and Reff Profiles.

## Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

# Monolithic panels 34" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PF234 18-( ) ( )</b>	\$708.	\$715.	\$737.	\$781.	\$809.	\$849.	\$878.
Regular acoustics	20"	34"	<b>R3B0PF234 20-( ) ( )</b>	711.	718.	740.	784.	812.	852.	881.
	24"	34"	<b>R3B0PF234 24-( ) ( )</b>	755.	762.	784.	828.	856.	896.	925.
	30"	34"	<b>R3B0PF234 30-( ) ( )</b>	806.	813.	835.	879.	907.	947.	976.
	36"	34"	<b>R3B0PF234 36-( ) ( )</b>	852.	859.	881.	925.	953.	993.	1,022.
	42"	34"	<b>R3B0PF234 42-( ) ( )</b>	971.	978.	1,000.	1,044.	1,072.	1,112.	1,141.
	48"	34"	<b>R3B0PF234 48-( ) ( )</b>	1,000.	1,007.	1,029.	1,073.	1,101.	1,141.	1,170.



### Order Code

Example:	<b>R3B0PF23418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>F2</b>	Fabric one side, V2 other side
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric Side 1
<b>V316</b>	Maple surface - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

### Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
  - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

*1. Top trim profile:*  
 A = Flat  
 B = Square  
 C = Bullnose  
 E = Extruded aluminum

*2. Base height:*  
 4 = 4" base height  
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on Reff Profiles and Reff Profiles.

### Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

# Monolithic panels 34" H

*fabric one side, exotic veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PF334 18-()</b> ( )	\$942.	\$949.	\$971.	\$1,015.	\$1,043.	\$1,083.	\$1,112.
Regular acoustics	20"	34"	<b>R3B0PF334 20-()</b> ( )	946.	953.	975.	1,019.	1,047.	1,087.	1,116.
	24"	34"	<b>R3B0PF334 24-()</b> ( )	1,006.	1,013.	1,035.	1,079.	1,107.	1,147.	1,176.
	30"	34"	<b>R3B0PF334 30-()</b> ( )	1,075.	1,082.	1,104.	1,148.	1,176.	1,216.	1,245.
	36"	34"	<b>R3B0PF334 36-()</b> ( )	1,135.	1,142.	1,164.	1,208.	1,236.	1,276.	1,305.
	42"	34"	<b>R3B0PF334 42-()</b> ( )	1,296.	1,303.	1,325.	1,369.	1,397.	1,437.	1,466.
	48"	34"	<b>R3B0PF334 48-()</b> ( )	1,334.	1,341.	1,363.	1,407.	1,435.	1,475.	1,504.



Order Code	Specification Information	Application Notes
Example: <b>R3B0PF33418-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>F3</b> Fabric one side, V3 one side	(K = with knockouts, N = without knockouts)	E = Extruded aluminum
<b>34</b> 34" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
<b>A</b> Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
<b>W281</b> Fabric Side 1	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	All panels on this page accept stacking modules.
<b>V512</b> Figured Anigre surface - side 2	7. Base finish	6" Raceway option increases panel height by 2 3/4".
<b>V512</b> Figured Anigre (top trim finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	All panels on this page have no high acoustical option or Beltway option.
<b>111</b> Jet Black (base finish)		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.
<b>M</b> Optional milled frame		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
		Ported panel components to be installed below worksurface if panel 34"h.

# Monolithic panels 34" H



## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	34"	<b>R3B0PLL3418</b> ( ) ( )	\$595.
	20"	34"	<b>R3B0PLL3420</b> ( ) ( )	595.
	24"	34"	<b>R3B0PLL3424</b> ( ) ( )	649.
	30"	34"	<b>R3B0PLL3430</b> ( ) ( )	727.
	36"	34"	<b>R3B0PLL3436</b> ( ) ( )	786.
	42"	34"	<b>R3B0PLL3442</b> ( ) ( )	810.
	48"	34"	<b>R3B0PLL3448</b> ( ) ( )	848.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL3418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>LL</b> Laminate both sides <b>34</b> 34" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>118</b> Laminate - side 1 <b>118</b> Laminate - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 laminate inside 5. Panel side 2 laminate outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum  2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)  Applicable finishes are listed on Reff Profiles and Reff Profiles.  Product on this page will accept woodgrain laminate where laminate is currently an option.  All panels on this page accept stacking modules.  6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".  All panels on this page have no high acoustical option or Beltway option.  Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 118.  79"H hookstrip reveal strips are ordered separately from page 118 at no charge.  Ported panel components to be installed below worksurface if panel 34"h.




# Monolithic panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	<b>R3B0PFF42 18-()</b> ( )	\$563.	\$581.	\$627.	\$719.	\$791.	\$873.	\$931.
Regular acoustics	20"	42"	<b>R3B0PFF42 20-()</b> ( )	563.	581.	627.	719.	791.	873.	931.
	24"	42"	<b>R3B0PFF42 24-()</b> ( )	601.	619.	665.	757.	829.	911.	969.
	30"	42"	<b>R3B0PFF42 30-()</b> ( )	655.	673.	719.	811.	883.	965.	1,023.
	36"	42"	<b>R3B0PFF42 36-()</b> ( )	705.	723.	769.	861.	933.	1,015.	1,073.
	42"	42"	<b>R3B0PFF42 42-()</b> ( )	757.	775.	821.	913.	985.	1,067.	1,125.
	48"	42"	<b>R3B0PFF42 48-()</b> ( )	813.	831.	877.	969.	1,041.	1,123.	1,181.
	60"	42"	<b>R3B0PFF42 60-()</b> ( )	920.	968.	1,062.	1,242.	1,374.	1,546.	1,652.
	66"	42"	<b>R3B0PFF42 66-()</b> ( ) *	952.	1,000.	1,094.	1,274.	1,406.	1,578.	1,684.
	72"	42"	<b>R3B0PFF42 72-()</b> ( ) *	983.	1,031.	1,125.	1,305.	1,437.	1,609.	1,715.
Monolithic, fabric both sides	18"	42"	<b>R3B0PAA42 18-()</b> ( )	618.	636.	682.	774.	846.	928.	986.
High acoustics	20"	42"	<b>R3B0PAA42 20-()</b> ( )	618.	636.	682.	774.	846.	928.	986.
	24"	42"	<b>R3B0PAA42 24-()</b> ( )	658.	676.	722.	814.	886.	968.	1,026.
	30"	42"	<b>R3B0PAA42 30-()</b> ( )	714.	732.	778.	870.	942.	1,024.	1,082.
	36"	42"	<b>R3B0PAA42 36-()</b> ( )	772.	790.	836.	928.	1,000.	1,082.	1,140.
	42"	42"	<b>R3B0PAA42 42-()</b> ( )	832.	850.	896.	988.	1,060.	1,142.	1,200.
	48"	42"	<b>R3B0PAA42 48-()</b> ( )	893.	911.	957.	1,049.	1,121.	1,203.	1,261.
	60"	42"	<b>R3B0PAA42 60-()</b> ( ) *	1,004.	1,052.	1,146.	1,326.	1,458.	1,630.	1,736.
	66"	42"	<b>R3B0PAA42 66-()</b> ( ) *	1,038.	1,086.	1,180.	1,360.	1,492.	1,664.	1,770.
	72"	42"	<b>R3B0PAA42 72-()</b> ( ) *	1,072.	1,120.	1,214.	1,394.	1,526.	1,698.	1,804.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF4218-A4K</b>	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 269).
<b>R3</b> Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>B0</b> No Beltway	2. Base height	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 118.
<b>42</b> 42" high	5. Panel side 2 finish(s) outside	Remember to specify Beltway paint finish when applicable.
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	*These panel widths do not accept stacking modules.
<b>(A)</b> Flat style top trim profile	7. Base finish	*Fabric inserts of these panels are two pieces, split vertically.
<b>(4)</b> 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
<b>(K)</b> Include knockouts in base		
<b>W281</b> Fabric - Side 1		
<b>W281</b> Fabric - Side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	



# Monolithic panels 42" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	<b>R3B2PFF42 18-( ) ( )</b>	\$1,110.	\$1,136.	\$1,198.	\$1,318.	\$1,390.	\$1,488.	\$1,558.
Beltway two sides, regular acoustics	20"	42"	<b>R3B2PFF42 20-( ) ( )</b>	1,110.	1,136.	1,198.	1,318.	1,390.	1,488.	1,558.
	24"	42"	<b>R3B2PFF42 24-( ) ( )</b>	1,133.	1,159.	1,221.	1,341.	1,413.	1,511.	1,581.
	30"	42"	<b>R3B2PFF42 30-( ) ( )</b>	1,189.	1,215.	1,277.	1,397.	1,469.	1,567.	1,637.
	36"	42"	<b>R3B2PFF42 36-( ) ( )</b>	1,391.	1,417.	1,479.	1,599.	1,671.	1,769.	1,839.
	42"	42"	<b>R3B2PFF42 42-( ) ( )</b>	1,496.	1,522.	1,584.	1,704.	1,776.	1,874.	1,944.
	48"	42"	<b>R3B2PFF42 48-( ) ( )</b>	1,550.	1,576.	1,638.	1,758.	1,830.	1,928.	1,998.
	Monolithic, fabric both sides	18"	42"	<b>R3B1PFF42 18-( ) ( )</b>	1,094.	1,116.	1,170.	1,276.	1,348.	1,438.
Beltway one side	20"	42"	<b>R3B1PFF42 20-( ) ( )</b>	1,094.	1,116.	1,170.	1,276.	1,348.	1,438.	1,502.
	24"	42"	<b>R3B1PFF42 24-( ) ( )</b>	1,112.	1,134.	1,188.	1,294.	1,366.	1,456.	1,520.
	30"	42"	<b>R3B1PFF42 30-( ) ( )</b>	1,168.	1,190.	1,244.	1,350.	1,422.	1,512.	1,576.
	36"	42"	<b>R3B1PFF42 36-( ) ( )</b>	1,365.	1,387.	1,441.	1,547.	1,619.	1,709.	1,773.
	42"	42"	<b>R3B1PFF42 42-( ) ( )</b>	1,468.	1,490.	1,544.	1,650.	1,722.	1,812.	1,876.
	48"	42"	<b>R3B1PFF42 48-( ) ( )</b>	1,515.	1,537.	1,591.	1,697.	1,769.	1,859.	1,923.

Order Code	Specification Information	Application Notes
Example: <b>R3B2PFF4218</b>	<i>To order please specify pattern number including:</i>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 269).</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 118.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>*Fabric inserts of these panels are two pieces, split vertically.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p> <p>Applicable finishes are listed on Reff Profiles and Reff Profiles.</p>
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B2</b> Beltway two sides	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside below belt	
<b>42</b> 42" high	5. Panel side 1 finish(s) inside above belt	
<b>18</b> 18" wide	6. Panel side 2 finish(s) outside below belt	
<b>(A)</b> Flat style top trim profile	7. Panel side 2 finish(s) outside above belt	
<b>(4)</b> 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>(K)</b> Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
<b>W281</b> Fabric - Side 1 below belt	9. Base finish	
<b>W281</b> Fabric - Side 1 above belt	10. Beltway finish	
<b>W281</b> Fabric - Side 2 below belt	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
<b>W281</b> Fabric - Side 2 above belt		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black Beltway finish		

# Monolithic panels 42" H



*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PFL42 18-( )()</b>	\$485.	\$493.	\$514.	\$553.	\$586.	\$621.	\$648.
	20"	42"	<b>R3B0PFL42 20-( )()</b>	485.	493.	514.	553.	586.	621.	648.
	24"	42"	<b>R3B0PFL42 24-( )()</b>	491.	499.	520.	559.	592.	627.	654.
	30"	42"	<b>R3B0PFL42 30-( )()</b>	589.	597.	618.	657.	690.	725.	752.
	36"	42"	<b>R3B0PFL42 36-( )()</b>	637.	645.	666.	705.	738.	773.	800.
	42"	42"	<b>R3B0PFL42 42-( )()</b>	715.	723.	745.	783.	816.	851.	878.
	48"	42"	<b>R3B0PFL42 48-( )()</b>	778.	786.	808.	846.	879.	914.	941.
	60"	42"	<b>R3B0PFL42 60-( )()</b>	846.	867.	907.	987.	1,046.	1,123.	1,169.
	66"	42"	<b>R3B0PFL42 66-( )()</b>	877.	898.	937.	1,018.	1,077.	1,154.	1,200.
	72"	42"	<b>R3B0PFL42 72-( )()</b>	909.	930.	970.	1,050.	1,109.	1,186.	1,232.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PFL42 18-( )()</b>	953.	965.	992.	1,045.	1,075.	1,119.	1,152.
	20"	42"	<b>R3B1PFL42 20-( )()</b>	953.	965.	992.	1,045.	1,075.	1,119.	1,152.
	24"	42"	<b>R3B1PFL42 24-( )()</b>	977.	989.	1,016.	1,069.	1,099.	1,143.	1,176.
	30"	42"	<b>R3B1PFL42 30-( )()</b>	1,051.	1,063.	1,090.	1,143.	1,173.	1,217.	1,250.
	36"	42"	<b>R3B1PFL42 36-( )()</b>	1,226.	1,238.	1,265.	1,318.	1,348.	1,392.	1,425.
	42"	42"	<b>R3B1PFL42 42-( )()</b>	1,255.	1,267.	1,294.	1,347.	1,377.	1,421.	1,454.
	48"	42"	<b>R3B1PFL42 48-( )()</b>	1,411.	1,423.	1,450.	1,503.	1,533.	1,577.	1,610.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL4218-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	BO=No Beltway	A = Flat
<b>B0</b> No Beltway	B1=Beltway one side	B = Square
<b>P</b> Monolithic panel		C = Bullnose
<b>FL</b> Fabric one side, laminate other		E = Extruded Aluminum
<b>42</b> 42" high	1. Top trim profile	<i>2. Base height:</i>
<b>18</b> 18" wide	2. Base height	4 = 4" base height
<b>A</b> Flat style top trim profile	3. Knockout option (K = with knockouts, N = without knockouts)	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	4. Panel side 1 finish(s) inside (for panel with beltway specify: Side 1-below belt Side 2-above belt)	<i>3. Beltway:</i>
<b>K</b> Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
<b>W281</b> Fabric - Side 1	6. Top trim finish <i>i</i> )Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	B1 = Beltway 1 side
<b>114</b> Folkstone grey - side 2	<i>ii</i> )Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>V316</b> Maple (top trim finish)	7. Base finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>111</b> Jet Black (base finish)	8. Beltway finish-only for panel with beltway option	
<b>M</b> Optional milled frame	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.)
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
		Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H



*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF142 18-( )</b>	\$569.	\$579.	\$602.	\$650.	\$686.	\$727.	\$757.
	20"	42"	<b>R3B0PF142 20-( )</b>	569.	579.	602.	650.	686.	727.	757.
	24"	42"	<b>R3B0PF142 24-( )</b>	574.	584.	607.	655.	691.	732.	762.
	30"	42"	<b>R3B0PF142 30-( )</b>	692.	702.	725.	773.	809.	850.	880.
	36"	42"	<b>R3B0PF142 36-( )</b>	749.	759.	782.	830.	866.	907.	937.
	42"	42"	<b>R3B0PF142 42-( )</b>	844.	854.	877.	925.	961.	1,002.	1,032.
	48"	42"	<b>R3B0PF142 48-( )</b>	916.	926.	949.	997.	1,033.	1,074.	1,104.
	60"	42"	<b>R3B0PF142 60-( )*</b>	997.	1,020.	1,068.	1,161.	1,227.	1,318.	1,371.
	66"	42"	<b>R3B0PF142 66-( )*</b>	1,036.	1,059.	1,107.	1,200.	1,266.	1,357.	1,410.
	72"	42"	<b>R3B0PF142 72-( )*</b>	1,071.	1,094.	1,142.	1,235.	1,301.	1,392.	1,445.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PF142 18-( )</b>	1,117.	1,130.	1,161.	1,223.	1,257.	1,309.	1,345.
	20"	42"	<b>R3B1PF142 20-( )</b>	1,117.	1,130.	1,161.	1,223.	1,257.	1,309.	1,345.
	24"	42"	<b>R3B1PF142 24-( )</b>	1,150.	1,163.	1,194.	1,256.	1,290.	1,342.	1,378.
	30"	42"	<b>R3B1PF142 30-( )</b>	1,235.	1,248.	1,279.	1,341.	1,375.	1,427.	1,463.
	36"	42"	<b>R3B1PF142 36-( )</b>	1,437.	1,450.	1,481.	1,543.	1,577.	1,629.	1,665.
	42"	42"	<b>R3B1PF142 42-( )</b>	1,476.	1,489.	1,520.	1,582.	1,616.	1,668.	1,704.
	48"	42"	<b>R3B1PF142 48-( )</b>	1,661.	1,674.	1,705.	1,767.	1,801.	1,853.	1,889.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF14218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F1</b> Fabric one side, V1 other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>Y328</b> Mahogany - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway specify: Side 1, Below belt Side 2, Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on Reff Profiles and Reff Profiles. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H



*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF242 18-( )</b> ( )	\$577.	\$587.	\$610.	\$658.	\$694.	\$735.	\$765.
	20"	42"	<b>R3B0PF242 20-( )</b> ( )	577.	587.	610.	658.	694.	735.	765.
	24"	42"	<b>R3B0PF242 24-( )</b> ( )	587.	597.	620.	668.	704.	745.	775.
	30"	42"	<b>R3B0PF242 30-( )</b> ( )	705.	715.	738.	786.	822.	863.	893.
	36"	42"	<b>R3B0PF242 36-( )</b> ( )	761.	771.	794.	842.	878.	919.	949.
	42"	42"	<b>R3B0PF242 42-( )</b> ( )	858.	868.	891.	939.	975.	1,016.	1,046.
	48"	42"	<b>R3B0PF242 48-( )</b> ( )	934.	944.	967.	1,015.	1,051.	1,092.	1,122.
	60"	42"	<b>R3B0PF242 60-( )</b> (*)	1,010.	1,033.	1,081.	1,174.	1,240.	1,331.	1,384.
	66"	42"	<b>R3B0PF242 66-( )</b> (*)	1,052.	1,075.	1,123.	1,216.	1,282.	1,373.	1,426.
	72"	42"	<b>R3B0PF242 72-( )</b> (*)	1,087.	1,110.	1,158.	1,251.	1,317.	1,408.	1,461.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PF242 18-( )</b> ( )	1,143.	1,156.	1,187.	1,249.	1,283.	1,335.	1,371.
	20"	42"	<b>R3B1PF242 20-( )</b> ( )	1,143.	1,156.	1,187.	1,249.	1,283.	1,335.	1,371.
	24"	42"	<b>R3B1PF242 24-( )</b> ( )	1,167.	1,180.	1,211.	1,273.	1,307.	1,359.	1,395.
	30"	42"	<b>R3B1PF242 30-( )</b> ( )	1,261.	1,274.	1,305.	1,367.	1,401.	1,453.	1,489.
	36"	42"	<b>R3B1PF242 36-( )</b> ( )	1,466.	1,479.	1,510.	1,572.	1,606.	1,658.	1,694.
	42"	42"	<b>R3B1PF242 42-( )</b> ( )	1,505.	1,518.	1,549.	1,611.	1,645.	1,697.	1,733.
	48"	42"	<b>R3B1PF242 48-( )</b> ( )	1,689.	1,702.	1,733.	1,795.	1,829.	1,881.	1,917.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF24218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F2</b> Fabric one side, V2 other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V316</b> Maple surface - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1- Below Beltway Side 2- Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish - (only for panels with Beltway option) 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on Reff Profiles and Reff Profiles. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H


*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF342 18-( ) ( )</b>	\$764.	\$774.	\$797.	\$845.	\$881.	\$922.	\$952.
	20"	42"	<b>R3B0PF342 20-( ) ( )</b>	764.	774.	797.	845.	881.	922.	952.
	24"	42"	<b>R3B0PF342 24-( ) ( )</b>	776.	786.	809.	857.	893.	934.	964.
	30"	42"	<b>R3B0PF342 30-( ) ( )</b>	934.	944.	967.	1,015.	1,051.	1,092.	1,122.
	36"	42"	<b>R3B0PF342 36-( ) ( )</b>	1,012.	1,022.	1,045.	1,093.	1,129.	1,170.	1,200.
	42"	42"	<b>R3B0PF342 42-( ) ( )</b>	1,141.	1,151.	1,174.	1,222.	1,258.	1,299.	1,329.
	48"	42"	<b>R3B0PF342 48-( ) ( )</b>	1,246.	1,256.	1,279.	1,327.	1,363.	1,404.	1,434.
	60"	42"	<b>R3B0PF342 60-( ) ( )*</b>	1,332.	1,355.	1,403.	1,496.	1,562.	1,653.	1,706.
	66"	42"	<b>R3B0PF342 66-( ) ( )*</b>	1,388.	1,411.	1,459.	1,552.	1,618.	1,709.	1,762.
	72"	42"	<b>R3B0PF342 72-( ) ( )*</b>	1,436.	1,459.	1,507.	1,600.	1,666.	1,757.	1,810.
Monolithic, fabric one side Beltway fabric side 	18"	42"	<b>R3B1PF342 18-( ) ( )</b>	1,526.	1,539.	1,570.	1,632.	1,666.	1,718.	1,754.
	20"	42"	<b>R3B1PF342 20-( ) ( )</b>	1,526.	1,539.	1,570.	1,632.	1,666.	1,718.	1,754.
	24"	42"	<b>R3B1PF342 24-( ) ( )</b>	1,559.	1,572.	1,603.	1,665.	1,699.	1,751.	1,787.
	30"	42"	<b>R3B1PF342 30-( ) ( )</b>	1,685.	1,698.	1,729.	1,791.	1,825.	1,877.	1,913.
	36"	42"	<b>R3B1PF342 36-( ) ( )</b>	1,964.	1,977.	2,008.	2,070.	2,104.	2,156.	2,192.
	42"	42"	<b>R3B1PF342 42-( ) ( )</b>	2,015.	2,028.	2,059.	2,121.	2,155.	2,207.	2,243.
	48"	42"	<b>R3B1PF342 48-( ) ( )</b>	2,266.	2,279.	2,310.	2,372.	2,406.	2,458.	2,494.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF34218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway, B1=Beltway, one side <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1=Below Beltway Side 2=Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway option) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on Reff Profiles and Reff Profiles. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H



## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	<b>R3B0PLL4218</b> ( ) ( )	\$630.
	20"	42"	<b>R3B0PLL4220</b> ( ) ( )	630.
	24"	42"	<b>R3B0PLL4224</b> ( ) ( )	687.
	30"	42"	<b>R3B0PLL4230</b> ( ) ( )	769.
	36"	42"	<b>R3B0PLL4236</b> ( ) ( )	831.
	42"	42"	<b>R3B0PLL4242</b> ( ) ( )	914.
	48"	42"	<b>R3B0PLL4248</b> ( ) ( )	1,023.
	60"	42"	<b>R3B0PLL4260</b> ( ) ( )*	1,105.
	66"	42"	<b>R3B0PLL4266</b> ( ) ( )*	1,139.
	72"	42"	<b>R3B0PLL4272</b> ( ) ( )*	1,172.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL4218-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>LL</b> Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>42</b> 42" high	4. Panel side 1 inside	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 2 outside	4 = 4" base height
<b>A</b> Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) Top trim profile A,B or C options:	<i>3. Beltway:</i>
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	B0 = No Beltway
<b>118</b> Laminate - side 1	ii) Top trim profile E options:	B1 = Beltway 1 side
<b>118</b> Laminate - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>V512</b> Figured Anigre (top trim finish)	7. Base finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>111</b> Jet Black (base finish)	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Remember to specify Beltway paint finish when applicable.
<b>M</b> Optional milled frame		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 49" H fabric both sides

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	49"	<b>R3B0PFF49 18-()</b> ( )	\$631.	\$659.	\$713.	\$825.	\$899.	\$999.	\$1,061.	
Regular acoustics	20"	49"	<b>R3B0PFF49 20-()</b> ( )	631.	659.	713.	825.	899.	999.	1,061.	
	24"	49"	<b>R3B0PFF49 24-()</b> ( )	673.	701.	755.	867.	941.	1,041.	1,103.	
	30"	49"	<b>R3B0PFF49 30-()</b> ( )	731.	759.	813.	925.	999.	1,099.	1,161.	
	36"	49"	<b>R3B0PFF49 36-()</b> ( )	765.	793.	847.	959.	1,033.	1,133.	1,195.	
	42"	49"	<b>R3B0PFF49 42-()</b> ( )	825.	853.	907.	1,019.	1,093.	1,193.	1,255.	
	48"	49"	<b>R3B0PFF49 48-()</b> ( )	906.	934.	988.	1,100.	1,174.	1,274.	1,336.	
	60"	49"	<b>R3B0PFF49 60-()</b> ( )*	1,046.	1,094.	1,200.	1,424.	1,576.	1,774.	1,896.	
	66"	49"	<b>R3B0PFF49 66-()</b> ( )*	1,080.	1,128.	1,234.	1,458.	1,610.	1,808.	1,930.	
	72"	49"	<b>R3B0PFF49 72-()</b> ( )*	1,112.	1,160.	1,266.	1,490.	1,642.	1,840.	1,962.	
	Monolithic, fabric both sides	18"	49"	<b>R3B0PAA49 18-()</b> ( )	688.	716.	770.	882.	956.	1,056.	1,118.
	High acoustics	20"	49"	<b>R3B0PAA49 20-()</b> ( )	688.	716.	770.	882.	956.	1,056.	1,118.
	24"	49"	<b>R3B0PAA49 24-()</b> ( )	736.	764.	818.	930.	1,004.	1,104.	1,166.	
	30"	49"	<b>R3B0PAA49 30-()</b> ( )	799.	827.	881.	993.	1,067.	1,167.	1,229.	
	36"	49"	<b>R3B0PAA49 36-()</b> ( )	837.	865.	919.	1,031.	1,105.	1,205.	1,267.	
	42"	49"	<b>R3B0PAA49 42-()</b> ( )	905.	933.	987.	1,099.	1,173.	1,273.	1,335.	
	48"	49"	<b>R3B0PAA49 48-()</b> ( )	993.	1,021.	1,075.	1,187.	1,261.	1,361.	1,423.	
	60"	49"	<b>R3B0PAA49 60-()</b> ( )*	1,136.	1,184.	1,290.	1,514.	1,666.	1,864.	1,986.	
	66"	49"	<b>R3B0PAA49 66-()</b> ( )*	1,176.	1,224.	1,330.	1,554.	1,706.	1,904.	2,026.	
	72"	49"	<b>R3B0PAA49 72-()</b> ( )*	1,216.	1,264.	1,370.	1,594.	1,746.	1,944.	2,066.	

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF4918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>49</b> 49" high	5. Panel side 2 finish(s) outside	*Fabric inserts of these panels are two pieces, split vertically.
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
<b>A</b> Flat style top trim profile	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>4</b> 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Remember to specify Beltway paint finish when applicable.
<b>K</b> Include knockouts in base		*These panel widths do not accept stacking modules.
<b>W281</b> Fabric - Side 1		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>W281</b> Fabric - Side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		




# Monolithic panels 49" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	<b>R3B2PFF49 18-( )()</b>	\$1,140.	\$1,176.	\$1,250.	\$1,370.	\$1,456.	\$1,580.	\$1,658.
Beltway two sides, regular acoustics	20"	49"	<b>R3B2PFF49 20-( )()</b>	1,140.	1,176.	1,250.	1,370.	1,456.	1,580.	1,658.
	24"	49"	<b>R3B2PFF49 24-( )()</b>	1,164.	1,200.	1,274.	1,394.	1,480.	1,604.	1,682.
	30"	49"	<b>R3B2PFF49 30-( )()</b>	1,223.	1,259.	1,333.	1,453.	1,539.	1,663.	1,741.
	36"	49"	<b>R3B2PFF49 36-( )()</b>	1,443.	1,479.	1,553.	1,673.	1,759.	1,883.	1,961.
	42"	49"	<b>R3B2PFF49 42-( )()</b>	1,553.	1,589.	1,663.	1,783.	1,869.	1,993.	2,071.
	48"	49"	<b>R3B2PFF49 48-( )()</b>	1,609.	1,645.	1,719.	1,839.	1,925.	2,049.	2,127.



Monolithic, fabric both sides	18"	49"	<b>R3B1PFF49 18-( )()</b>	1,120.	1,152.	1,216.	1,332.	1,412.	1,524.	1,594.
Beltway one side	20"	49"	<b>R3B1PFF49 20-( )()</b>	1,120.	1,152.	1,216.	1,332.	1,412.	1,524.	1,594.
	24"	49"	<b>R3B1PFF49 24-( )()</b>	1,142.	1,174.	1,238.	1,354.	1,434.	1,546.	1,616.
	30"	49"	<b>R3B1PFF49 30-( )()</b>	1,197.	1,229.	1,293.	1,409.	1,489.	1,601.	1,671.
	36"	49"	<b>R3B1PFF49 36-( )()</b>	1,416.	1,448.	1,512.	1,628.	1,708.	1,820.	1,890.
	42"	49"	<b>R3B1PFF49 42-( )()</b>	1,521.	1,553.	1,617.	1,733.	1,813.	1,925.	1,995.
	48"	49"	<b>R3B1PFF49 48-( )()</b>	1,576.	1,607.	1,671.	1,787.	1,867.	1,979.	2,049.



Order Code	Specification Information	Application Notes
Example: <b>R3B2PFF4918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B2</b> Beltway, both sides	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FF</b> Fabric on both sides	4. Panel 1 finish(s) Below Belt	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high	5. Panel 2 finish(s) Above Belt	
<b>18</b> 18" wide	6. Panel 2 finish(s) Below Belt	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
<b>A</b> Flat style top trim profile	7. Panel 2 finish(s) Above Belt	
<b>4</b> 4" base height	8. Top trim finish i) Top trim profile A, B or C options:	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
<b>W281</b> Side 1 - Below Belt	9. Base finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>W281</b> Side 1 - Above Belt	10. Beltway finish	
<b>W281</b> Side 2 - Below Belt		*These panel widths do not accept stacking modules.
<b>W281</b> Side 2 - Above Belt		
<b>V316</b> Maple (top trim finish)		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		
<b>111</b> Beltway finish		

# Monolithic panels 49" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PFL49 18-( ) ( )</b>	\$536.	\$551.	\$573.	\$624.	\$656.	\$700.	\$728.
	20"	49"	<b>R3B0PFL49 20-( ) ( )</b>	536.	551.	573.	624.	656.	700.	728.
	24"	49"	<b>R3B0PFL49 24-( ) ( )</b>	586.	601.	623.	674.	706.	750.	778.
	30"	49"	<b>R3B0PFL49 30-( ) ( )</b>	664.	679.	701.	752.	784.	828.	856.
	36"	49"	<b>R3B0PFL49 36-( ) ( )</b>	716.	731.	753.	804.	836.	880.	908.
	42"	49"	<b>R3B0PFL49 42-( ) ( )</b>	791.	806.	828.	879.	911.	955.	983.
	48"	49"	<b>R3B0PFL49 48-( ) ( )</b>	890.	905.	927.	978.	1,010.	1,054.	1,082.
	60"	49"	<b>R3B0PFL49 60-( ) ( ) *</b>	970.	990.	1,039.	1,136.	1,203.	1,293.	1,345.
	66"	49"	<b>R3B0PFL49 66-( ) ( ) *</b>	998.	1,018.	1,067.	1,164.	1,231.	1,321.	1,373.
	72"	49"	<b>R3B0PFL49 72-( ) ( ) *</b>	1,032.	1,052.	1,101.	1,198.	1,265.	1,355.	1,407.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PFL49 18-( ) ( )</b>	969.	985.	1,016.	1,071.	1,107.	1,161.	1,199.
	20"	49"	<b>R3B1PFL49 20-( ) ( )</b>	969.	985.	1,016.	1,071.	1,107.	1,161.	1,199.
	24"	49"	<b>R3B1PFL49 24-( ) ( )</b>	1,009.	1,025.	1,056.	1,111.	1,147.	1,201.	1,239.
	30"	49"	<b>R3B1PFL49 30-( ) ( )</b>	1,084.	1,100.	1,131.	1,186.	1,222.	1,276.	1,314.
	36"	49"	<b>R3B1PFL49 36-( ) ( )</b>	1,303.	1,319.	1,350.	1,405.	1,441.	1,495.	1,533.
	42"	49"	<b>R3B1PFL49 42-( ) ( )</b>	1,422.	1,438.	1,469.	1,524.	1,560.	1,614.	1,652.
	48"	49"	<b>R3B1PFL49 48-( ) ( )</b>	1,500.	1,516.	1,547.	1,602.	1,638.	1,692.	1,730.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL4918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FL</b> Fabric one side, laminate other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option, please specify, Side 1 - Below Beltway Side 1 - Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. Beltway finish - only for panels with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on Reff Profiles and Reff Profiles. Product on this page will accept woodgrain laminate where laminate is currently an option.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.



Remember to specify Beltway paint finish when applicable.

\*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Monolithic panels 49" H



*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF149 18-( )</b> ( )	\$631.	\$647.	\$673.	\$730.	\$770.	\$818.	\$852.
	20"	49"	<b>R3B0PF149 20-( )</b> ( )	631.	647.	673.	730.	770.	818.	852.
	24"	49"	<b>R3B0PF149 24-( )</b> ( )	689.	705.	731.	788.	828.	876.	910.
	30"	49"	<b>R3B0PF149 30-( )</b> ( )	785.	801.	827.	884.	924.	972.	1,006.
	36"	49"	<b>R3B0PF149 36-( )</b> ( )	841.	857.	883.	940.	980.	1,028.	1,062.
	42"	49"	<b>R3B0PF149 42-( )</b> ( )	931.	947.	973.	1,030.	1,070.	1,118.	1,152.
	48"	49"	<b>R3B0PF149 48-( )</b> ( )	1,046.	1,062.	1,088.	1,145.	1,185.	1,233.	1,267.
	60"	49"	<b>R3B0PF149 60-( )</b> ( ) *	1,138.	1,164.	1,220.	1,333.	1,410.	1,510.	1,574.
	66"	49"	<b>R3B0PF149 66-( )</b> ( ) *	1,171.	1,197.	1,253.	1,366.	1,443.	1,543.	1,607.
	72"	49"	<b>R3B0PF149 72-( )</b> ( ) *	1,212.	1,238.	1,294.	1,407.	1,484.	1,584.	1,648.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PF149 18-( )</b> ( )	1,143.	1,160.	1,199.	1,260.	1,302.	1,366.	1,406.
	20"	49"	<b>R3B1PF149 20-( )</b> ( )	1,143.	1,160.	1,199.	1,260.	1,302.	1,366.	1,406.
	24"	49"	<b>R3B1PF149 24-( )</b> ( )	1,184.	1,201.	1,240.	1,301.	1,343.	1,407.	1,447.
	30"	49"	<b>R3B1PF149 30-( )</b> ( )	1,273.	1,290.	1,329.	1,390.	1,432.	1,496.	1,536.
	36"	49"	<b>R3B1PF149 36-( )</b> ( )	1,530.	1,547.	1,586.	1,647.	1,689.	1,753.	1,793.
	42"	49"	<b>R3B1PF149 42-( )</b> ( )	1,674.	1,691.	1,730.	1,791.	1,833.	1,897.	1,937.
	48"	49"	<b>R3B1PF149 48-( )</b> ( )	1,761.	1,778.	1,817.	1,878.	1,920.	1,984.	2,024.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF14918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F1</b> Fabric one side, V1 other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>Y328</b> Mahogany - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top rim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on Reff Profiles and Reff Profiles. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Monolithic panels 49" H



*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF249 18-( )</b> ( )	\$642.	\$658.	\$684.	\$741.	\$781.	\$829.	\$863.
	20"	49"	<b>R3B0PF249 20-( )</b> ( )	642.	658.	684.	741.	781.	829.	863.
	24"	49"	<b>R3B0PF249 24-( )</b> ( )	703.	719.	745.	802.	842.	890.	924.
	30"	49"	<b>R3B0PF249 30-( )</b> ( )	797.	813.	839.	896.	936.	984.	1,018.
	36"	49"	<b>R3B0PF249 36-( )</b> ( )	857.	873.	899.	956.	996.	1,044.	1,078.
	42"	49"	<b>R3B0PF249 42-( )</b> ( )	948.	964.	990.	1,047.	1,087.	1,135.	1,169.
	48"	49"	<b>R3B0PF249 48-( )</b> ( )	1,069.	1,085.	1,111.	1,168.	1,208.	1,256.	1,290.
	60"	49"	<b>R3B0PF249 60-( )</b> * ( )	1,159.	1,185.	1,241.	1,354.	1,431.	1,531.	1,595.
	66"	49"	<b>R3B0PF249 66-( )</b> * ( )	1,196.	1,222.	1,278.	1,391.	1,468.	1,568.	1,632.
	72"	49"	<b>R3B0PF249 72-( )</b> * ( )	1,233.	1,259.	1,315.	1,428.	1,505.	1,605.	1,669.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PF249 18-( )</b> ( )	1,164.	1,181.	1,220.	1,281.	1,323.	1,387.	1,427.
	20"	49"	<b>R3B1PF249 20-( )</b> ( )	1,164.	1,181.	1,220.	1,281.	1,323.	1,387.	1,427.
	24"	49"	<b>R3B1PF249 24-( )</b> ( )	1,206.	1,223.	1,262.	1,323.	1,365.	1,429.	1,469.
	30"	49"	<b>R3B1PF249 30-( )</b> ( )	1,300.	1,317.	1,356.	1,417.	1,459.	1,523.	1,563.
	36"	49"	<b>R3B1PF249 36-( )</b> ( )	1,562.	1,579.	1,618.	1,679.	1,721.	1,785.	1,825.
	42"	49"	<b>R3B1PF249 42-( )</b> ( )	1,702.	1,719.	1,758.	1,819.	1,861.	1,925.	1,965.
	48"	49"	<b>R3B1PF249 48-( )</b> ( )	1,790.	1,807.	1,846.	1,907.	1,949.	2,013.	2,053.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF24918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F2</b> Fabric one side, V2 other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim option <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V316</b> Maple surface - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on Reff Profiles and Reff Profiles. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Monolithic panels 49" H


*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF349 18-()</b> ( )	\$848.	\$864.	\$890.	\$947.	\$987.	\$1,035.	\$1,069.
	20"	49"	<b>R3B0PF349 20-()</b> ( )	848.	864.	890.	947.	987.	1,035.	1,069.
	24"	49"	<b>R3B0PF349 24-()</b> ( )	929.	945.	971.	1,028.	1,068.	1,116.	1,150.
	30"	49"	<b>R3B0PF349 30-()</b> ( )	1,058.	1,074.	1,100.	1,157.	1,197.	1,245.	1,279.
	36"	49"	<b>R3B0PF349 36-()</b> ( )	1,139.	1,155.	1,181.	1,238.	1,278.	1,326.	1,361.
	42"	49"	<b>R3B0PF349 42-()</b> ( )	1,260.	1,276.	1,302.	1,359.	1,399.	1,447.	1,481.
	48"	49"	<b>R3B0PF349 48-()</b> ( )	1,423.	1,439.	1,465.	1,522.	1,562.	1,610.	1,644.
	60"	49"	<b>R3B0PF349 60-()</b> ( )*	1,527.	1,553.	1,609.	1,722.	1,799.	1,899.	1,963.
	66"	49"	<b>R3B0PF349 66-()</b> ( )*	1,577.	1,603.	1,659.	1,772.	1,849.	1,949.	2,013.
	72"	49"	<b>R3B0PF349 72-()</b> ( )*	1,625.	1,651.	1,707.	1,820.	1,897.	1,997.	2,061.
Monolithic, fabric one side Beltway fabric side 	18"	49"	<b>R3B1PF349 18-()</b> ( )	1,550.	1,567.	1,606.	1,667.	1,709.	1,773.	1,813.
	20"	49"	<b>R3B1PF349 20-()</b> ( )	1,550.	1,567.	1,606.	1,667.	1,709.	1,773.	1,813.
	24"	49"	<b>R3B1PF349 24-()</b> ( )	1,610.	1,627.	1,666.	1,727.	1,769.	1,833.	1,873.
	30"	49"	<b>R3B1PF349 30-()</b> ( )	1,735.	1,752.	1,791.	1,852.	1,894.	1,958.	1,998.
	36"	49"	<b>R3B1PF349 36-()</b> ( )	2,090.	2,107.	2,146.	2,207.	2,249.	2,313.	2,353.
	42"	49"	<b>R3B1PF349 42-()</b> ( )	2,280.	2,297.	2,336.	2,397.	2,439.	2,503.	2,543.
	48"	49"	<b>R3B1PF349 48-()</b> ( )	2,399.	2,416.	2,455.	2,516.	2,558.	2,622.	2,662.

Order Code	Specification Information	Application Notes	
Example: <b>R3B0PF34918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim option <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on Reff Profiles and Reff Profiles.	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.



# Monolithic panels 49" H

## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides  	18"	49"	<b>R3B0PLL4918( )()</b>	\$748.
	20"	49"	<b>R3B0PLL4920( )()</b>	748.
	24"	49"	<b>R3B0PLL4924( )()</b>	816.
	30"	49"	<b>R3B0PLL4930( )()</b>	914.
	36"	49"	<b>R3B0PLL4936( )()</b>	987.
	42"	49"	<b>R3B0PLL4942( )()</b>	1,085.
	48"	49"	<b>R3B0PLL4948( )()</b>	1,215.
	60"	49"	<b>R3B0PLL4960( )()*</b>	1,312.
	66"	49"	<b>R3B0PLL4966( )()*</b>	1,351.
	72"	49"	<b>R3B0PLL4972( )()*</b>	1,392.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL4918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>LL</b> Laminate both sides <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>118</b> Laminate - side 1 <b>118</b> Laminate - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum  2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)  Applicable finishes are listed on Reff Profiles and Reff Profiles.  Product on this page will accept woodgrain laminate where laminate is currently an option.  The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically  Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.  Remember to specify Beltway paint finish when applicable.  *These panel widths do not accept stacking modules.  79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Monolithic panels 64" H fabric both sides


description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	64"	<b>R3B0PFF64 18-( ) ( )</b>	\$727.	\$761.	\$831.	\$973.	\$1,073.	\$1,203.	\$1,287.	
Regular acoustics	20"	64"	<b>R3B0PFF64 20-( ) ( )</b>	727.	761.	831.	973.	1,073.	1,203.	1,287.	
	24"	64"	<b>R3B0PFF64 24-( ) ( )</b>	770.	804.	874.	1,016.	1,116.	1,246.	1,330.	
	30"	64"	<b>R3B0PFF64 30-( ) ( )</b>	828.	862.	932.	1,074.	1,174.	1,304.	1,387.	
	36"	64"	<b>R3B0PFF64 36-( ) ( )</b>	849.	883.	953.	1,095.	1,195.	1,325.	1,409.	
	42"	64"	<b>R3B0PFF64 42-( ) ( )</b>	988.	1,022.	1,092.	1,234.	1,334.	1,464.	1,548.	
	48"	64"	<b>R3B0PFF64 48-( ) ( )</b>	1,046.	1,080.	1,150.	1,292.	1,392.	1,522.	1,606.	
	60"	64"	<b>R3B0PFF64 60-( ) ( ) *</b>	1,213.	1,289.	1,423.	1,721.	1,927.	2,183.	2,353.	
	66"	64"	<b>R3B0PFF64 66-( ) ( ) *</b>	1,252.	1,328.	1,462.	1,760.	1,966.	2,222.	2,392.	
	72"	64"	<b>R3B0PFF64 72-( ) ( ) *</b>	1,293.	1,369.	1,503.	1,801.	2,007.	2,263.	2,433.	
	Monolithic, fabric both sides	18"	64"	<b>R3B0PAA64 18-( ) ( )</b>	791.	825.	895.	1,037.	1,137.	1,267.	1,351.
	High acoustics	20"	64"	<b>R3B0PAA64 20-( ) ( )</b>	791.	825.	895.	1,037.	1,137.	1,267.	1,351.
	24"	64"	<b>R3B0PAA64 24-( ) ( )</b>	844.	878.	948.	1,090.	1,190.	1,320.	1,404.	
	30"	64"	<b>R3B0PAA64 30-( ) ( )</b>	905.	939.	1,009.	1,151.	1,251.	1,381.	1,465.	
	36"	64"	<b>R3B0PAA64 36-( ) ( )</b>	927.	961.	1,031.	1,173.	1,273.	1,403.	1,487.	
	42"	64"	<b>R3B0PAA64 42-( ) ( )</b>	1,085.	1,119.	1,189.	1,331.	1,431.	1,561.	1,645.	
	48"	64"	<b>R3B0PAA64 48-( ) ( )</b>	1,148.	1,182.	1,252.	1,394.	1,494.	1,624.	1,708.	
	60"	64"	<b>R3B0PAA64 60-( ) ( ) *</b>	1,317.	1,393.	1,527.	1,825.	2,031.	2,287.	2,457.	
	66"	64"	<b>R3B0PAA64 66-( ) ( ) *</b>	1,361.	1,437.	1,571.	1,869.	2,075.	2,331.	2,501.	
	72"	64"	<b>R3B0PAA64 72-( ) ( ) *</b>	1,405.	1,481.	1,615.	1,913.	2,119.	2,375.	2,545.	

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on Reff Profiles and Reff Profiles.</p> <p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p>
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B0</b> No Beltway	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside	
<b>64</b> 64" high	5. Panel side 2 finish(s) outside	
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>A</b> Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
<b>4</b> 4" base height	7. Base finish	
<b>K</b> Include knockouts in base	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>W281</b> Fabric - Side 1		
<b>W281</b> Fabric - Side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Monolithic panels 64" H

*fabric both sides, with Beltway*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	<b>R3B2PFF64 18-( )()</b>	\$1,247.	\$1,283.	\$1,367.	\$1,541.	\$1,653.	\$1,811.	\$1,917.
Beltway two sides, regular acoustics	20"	64"	<b>R3B2PFF64 20-( )()</b>	1,247.	1,283.	1,367.	1,541.	1,653.	1,811.	1,917.
	24"	64"	<b>R3B2PFF64 24-( )()</b>	1,308.	1,344.	1,428.	1,602.	1,714.	1,872.	1,978.
	30"	64"	<b>R3B2PFF64 30-( )()</b>	1,338.	1,374.	1,458.	1,632.	1,744.	1,902.	2,008.
	36"	64"	<b>R3B2PFF64 36-( )()</b>	1,619.	1,655.	1,739.	1,913.	2,025.	2,183.	2,289.
	42"	64"	<b>R3B2PFF64 42-( )()</b>	1,732.	1,768.	1,852.	2,026.	2,138.	2,296.	2,402.
	48"	64"	<b>R3B2PFF64 48-( )()</b>	1,790.	1,826.	1,910.	2,084.	2,196.	2,354.	2,460.





Monolithic, fabric both sides	18"	64"	<b>R3B1PFF64 18-( )()</b>	1,220.	1,255.	1,332.	1,490.	1,596.	1,740.	1,835.
Beltway one side	20"	64"	<b>R3B1PFF64 20-( )()</b>	1,220.	1,255.	1,332.	1,490.	1,596.	1,740.	1,835.
	24"	64"	<b>R3B1PFF64 24-( )()</b>	1,275.	1,310.	1,387.	1,545.	1,651.	1,795.	1,890.
	30"	64"	<b>R3B1PFF64 30-( )()</b>	1,305.	1,340.	1,417.	1,575.	1,681.	1,825.	1,920.
	36"	64"	<b>R3B1PFF64 36-( )()</b>	1,584.	1,619.	1,696.	1,854.	1,960.	2,104.	2,199.
	42"	64"	<b>R3B1PFF64 42-( )()</b>	1,693.	1,728.	1,805.	1,963.	2,069.	2,213.	2,308.
	48"	64"	<b>R3B1PFF64 48-( )()</b>	1,746.	1,781.	1,858.	2,016.	2,122.	2,266.	2,361.

Order Code	Specification Information	Application Notes
Example: <b>R3B2PFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p>
<b>R3</b>	Reff Generation 3	
<b>B2</b>	Beltway both sides, B1=Beltway, one side	
<b>P</b>	Monolithic panel	
<b>FF</b>	Fabric on both sides	
<b>64</b>	64" high	
<b>18</b>	18" wide	
<b>A</b>	Flat style top trim profile	
<b>4</b>	4" base height	
<b>K</b>	Include knockouts in base	
<b>W281</b>	Fabric - Side 1 Below belt	
<b>W281</b>	Fabric - Side 1 Above belt	
<b>W281</b>	Fabric - Side 2 Below belt	
<b>W281</b>	Fabric - Side 2 Above belt	
<b>V316</b>	Maple (top trim finish)	
<b>111</b>	Jet Black (base finish)	
<b>111</b>	Beltway finish	



# Monolithic panels 64" H


*fabric one side, laminate other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PFL64 18-( )</b>	\$637.	\$653.	\$682.	\$746.	\$789.	\$847.	\$885.
	20"	64"	<b>R3B0PFL64 20-( )</b>	637.	653.	682.	746.	789.	847.	885.
	24"	64"	<b>R3B0PFL64 24-( )</b>	701.	717.	746.	810.	853.	911.	949.
	30"	64"	<b>R3B0PFL64 30-( )</b>	791.	807.	836.	900.	943.	1,001.	1,039.
	36"	64"	<b>R3B0PFL64 36-( )</b>	853.	859.	898.	962.	1,005.	1,063.	1,101.
	42"	64"	<b>R3B0PFL64 42-( )</b>	945.	961.	990.	1,054.	1,097.	1,155.	1,193.
	48"	64"	<b>R3B0PFL64 48-( )</b>	1,064.	1,080.	1,109.	1,173.	1,216.	1,274.	1,312.
	60"	64"	<b>R3B0PFL64 60-( )</b> *	1,151.	1,185.	1,245.	1,378.	1,467.	1,582.	1,656.
	66"	64"	<b>R3B0PFL64 66-( )</b> *	1,191.	1,225.	1,285.	1,418.	1,507.	1,622.	1,696.
	72"	64"	<b>R3B0PFL64 72-( )</b>	1,230.	1,264.	1,324.	1,454.	1,546.	1,661.	1,735.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PFL64 18-( )</b>	1,081.	1,098.	1,135.	1,213.	1,260.	1,329.	1,379.
	20"	64"	<b>R3B1PFL64 20-( )</b>	1,081.	1,098.	1,135.	1,213.	1,260.	1,329.	1,379.
	24"	64"	<b>R3B1PFL64 24-( )</b>	1,154.	1,171.	1,208.	1,286.	1,333.	1,402.	1,452.
	30"	64"	<b>R3B1PFL64 30-( )</b>	1,223.	1,240.	1,277.	1,355.	1,402.	1,471.	1,521.
	36"	64"	<b>R3B1PFL64 36-( )</b>	1,520.	1,537.	1,574.	1,652.	1,699.	1,768.	1,818.
	42"	64"	<b>R3B1PFL64 42-( )</b>	1,578.	1,595.	1,632.	1,710.	1,757.	1,826.	1,876.
	48"	64"	<b>R3B1PFL64 48-( )</b>	1,706.	1,723.	1,760.	1,838.	1,885.	1,954.	2,004.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL6418-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FL</b> Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>64</b> 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	For panels with Beltway, please specify:	4 = 4" base height
<b>A</b> Flat style top trim profile	Side 1-Below belt	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	Side 1-Above belt	<i>3. Beltway:</i>
<b>K</b> Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
<b>W281</b> Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
<b>114</b> Folkstone grey - side 2	i) Top trim profile A, B or C	<i>6" Raceway option increases panel height by 2 3/4".</i>
<b>V316</b> Maple (top trim finish)	options:	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>111</b> Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>M</b> Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	*These panel widths do not accept stacking modules.
	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Monolithic panels 64" H

*fabric one side, techwood other side*



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PF164 18-()</b> ( )	\$748.	\$765.	\$802.	\$875.	\$924.	\$991.	\$1,035.
	20"	64"	<b>R3B0PF164 20-()</b> ( )	748.	765.	802.	875.	924.	991.	1,035.
	24"	64"	<b>R3B0PF164 24-()</b> ( )	821.	838.	875.	948.	997.	1,064.	1,108.
	30"	64"	<b>R3B0PF164 30-()</b> ( )	930.	947.	984.	1,057.	1,106.	1,173.	1,217.
	36"	64"	<b>R3B0PF164 36-()</b> ( )	1,004.	1,021.	1,058.	1,131.	1,180.	1,247.	1,291.
	42"	64"	<b>R3B0PF164 42-()</b> ( )	1,111.	1,128.	1,165.	1,238.	1,287.	1,354.	1,398.
	48"	64"	<b>R3B0PF164 48-()</b> ( )	1,252.	1,269.	1,306.	1,379.	1,428.	1,495.	1,539.
	60"	64"	<b>R3B0PF164 60-()</b> ( ) *	1,355.	1,395.	1,463.	1,615.	1,718.	1,851.	1,938.
	66"	64"	<b>R3B0PF164 66-()</b> ( ) *	1,402.	1,442.	1,510.	1,662.	1,765.	1,898.	1,985.
	72"	64"	<b>R3B0PF164 72-()</b> ( ) *	1,448.	1,488.	1,556.	1,708.	1,811.	1,944.	2,031.

Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PF164 18-()</b> ( )	1,271.	1,287.	1,331.	1,419.	1,475.	1,556.	1,612.
	20"	64"	<b>R3B1PF164 20-()</b> ( )	1,271.	1,287.	1,331.	1,419.	1,475.	1,556.	1,612.
	24"	64"	<b>R3B1PF164 24-()</b> ( )	1,354.	1,370.	1,414.	1,502.	1,558.	1,639.	1,695.
	30"	64"	<b>R3B1PF164 30-()</b> ( )	1,438.	1,454.	1,498.	1,586.	1,642.	1,723.	1,779.
	36"	64"	<b>R3B1PF164 36-()</b> ( )	1,786.	1,802.	1,846.	1,934.	1,990.	2,071.	2,127.
	42"	64"	<b>R3B1PF164 42-()</b> ( )	1,857.	1,873.	1,917.	2,005.	2,061.	2,142.	2,198.
	48"	64"	<b>R3B1PF164 48-()</b> ( )	2,006.	2,022.	2,066.	2,154.	2,210.	2,291.	2,347.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF16418-A4K</b>	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i>                      A = Flat                      B = Square                      C = Bullnose                      E = Extruded Aluminum</p> <p>2. <i>Base height:</i>                      4 = 4" base height                      6 = 6" base height (add \$47 per panel for this option)</p> <p>3. <i>Beltway:</i>                      B0 = No Beltway                      B1 = Beltway 1 side</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on Reff Profiles and Reff Profiles.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p>
<b>R3</b>	Reff Generation 3	
<b>B0</b>	No Beltway	
<b>P</b>	Monolithic panel	
<b>F1</b>	Fabric one side, V1 other	
<b>64</b>	64" high	
<b>18</b>	18" wide	
<b>A</b>	Flat style top trim profile	
<b>4</b>	4" base height	
<b>K</b>	Include knockouts in base	
<b>W281</b>	Fabric - Side 1	
<b>Y328</b>	Mahogany - side 2	
<b>V316</b>	Maple (top trim finish)	
<b>111</b>	Jet Black (base finish)	
<b>M</b>	Optional milled frame	
	<ol style="list-style-type: none"> <li>Top trim profile</li> <li>Base height</li> <li>Knockout option (K = with knockouts, N = without knockouts)</li> <li>Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt</li> <li>Panel side 2 finish(s) outside</li> <li>Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver</li> <li>Base finish</li> <li>Beltway finish - only for panels with Beltway</li> <li><i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable</li> </ol>	

# Monolithic panels 64" H


*fabric one side, conventional veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PF264 18-( ) ( )</b>	\$764.	\$781.	\$818.	\$891.	\$940.	\$1,007.	\$1,051.
	20"	64"	<b>R3B0PF264 20-( ) ( )</b>	764.	781.	818.	891.	940.	1,007.	1,051.
	24"	64"	<b>R3B0PF264 24-( ) ( )</b>	836.	853.	890.	963.	1,012.	1,079.	1,123.
	30"	64"	<b>R3B0PF264 30-( ) ( )</b>	946.	963.	1,000.	1,073.	1,122.	1,189.	1,233.
	36"	64"	<b>R3B0PF264 36-( ) ( )</b>	1,020.	1,037.	1,074.	1,147.	1,196.	1,263.	1,307.
	42"	64"	<b>R3B0PF264 42-( ) ( )</b>	1,130.	1,147.	1,184.	1,257.	1,306.	1,373.	1,417.
	48"	64"	<b>R3B0PF264 48-( ) ( )</b>	1,276.	1,293.	1,330.	1,403.	1,452.	1,519.	1,563.
	60"	64"	<b>R3B0PF264 60-( ) ( ) *</b>	1,375.	1,415.	1,483.	1,635.	1,738.	1,871.	1,958.
	66"	64"	<b>R3B0PF264 66-( ) ( ) *</b>	1,424.	1,464.	1,532.	1,684.	1,787.	1,920.	2,007.
	72"	64"	<b>R3B0PF264 72-( ) ( ) *</b>	1,474.	1,514.	1,582.	1,734.	1,837.	1,970.	2,057.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PF264 18-( ) ( )</b>	1,294.	1,310.	1,354.	1,442.	1,498.	1,579.	1,635.
	20"	64"	<b>R3B1PF264 20-( ) ( )</b>	1,294.	1,310.	1,354.	1,442.	1,498.	1,579.	1,635.
	24"	64"	<b>R3B1PF264 24-( ) ( )</b>	1,381.	1,397.	1,441.	1,529.	1,585.	1,666.	1,722.
	30"	64"	<b>R3B1PF264 30-( ) ( )</b>	1,464.	1,480.	1,524.	1,612.	1,668.	1,749.	1,805.
	36"	64"	<b>R3B1PF264 36-( ) ( )</b>	1,815.	1,831.	1,875.	1,963.	2,019.	2,100.	2,156.
	42"	64"	<b>R3B1PF264 42-( ) ( )</b>	1,891.	1,907.	1,951.	2,039.	2,095.	2,176.	2,232.
	48"	64"	<b>R3B1PF264 48-( ) ( )</b>	2,043.	2,059.	2,103.	2,191.	2,247.	2,328.	2,384.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF26418-A4K</b>	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on Reff Profiles and Reff Profiles.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p>
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B0</b> No Beltway	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>F2</b> Fabric one side, V2 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify;	
<b>64</b> 64" high	Side 1 - Below Belt	
<b>18</b> 18" wide	Side 1 - Above Belt	
<b>A</b> Flat style top trim profile	5. Panel side 2 finish(s) outside	
<b>4</b> 4" base height	6. Top trim finish	
<b>K</b> Include knockouts in base	i) Top trim profile A, B or C options:	
<b>W281</b> Fabric - Side 1	V1, V2, V3, P1, P2, P3 finishes	
<b>V316</b> Maple surface - side 2	ii) Top trim profile E options:	
<b>V316</b> Maple (top trim finish)	AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
<b>111</b> Jet Black (base finish)	7. Base finish	
<b>M</b> Optional milled frame	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Monolithic panels 64" H

*fabric one side, exotic veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PF364 18-( )()</b>	\$1,007.	\$1,024.	\$1,061.	\$1,134.	\$1,183.	\$1,250.	\$1,294.
	20"	64"	<b>R3B0PF364 20-( )()</b>	1,007.	1,024.	1,061.	1,134.	1,183.	1,250.	1,294.
	24"	64"	<b>R3B0PF364 24-( )()</b>	1,107.	1,122.	1,159.	1,232.	1,281.	1,348.	1,392.
	30"	64"	<b>R3B0PF364 30-( )()</b>	1,251.	1,268.	1,305.	1,378.	1,427.	1,494.	1,538.
	36"	64"	<b>R3B0PF364 36-( )()</b>	1,352.	1,369.	1,406.	1,479.	1,528.	1,595.	1,639.
	42"	64"	<b>R3B0PF364 42-( )()</b>	1,502.	1,519.	1,556.	1,629.	1,678.	1,745.	1,789.
	48"	64"	<b>R3B0PF364 48-( )()</b>	1,697.	1,714.	1,751.	1,824.	1,873.	1,940.	1,984.
	60"	64"	<b>R3B0PF364 60-( )()*</b>	1,809.	1,849.	1,917.	2,069.	2,172.	2,305.	2,392.
	66"	64"	<b>R3B0PF364 66-( )()*</b>	1,875.	1,915.	1,983.	2,135.	2,238.	2,371.	2,458.
	72"	64"	<b>R3B0PF364 72-( )()*</b>	1,941.	1,981.	2,049.	2,201.	2,304.	2,437.	2,524.

Monolithic, fabric one side Beltway fabric side 	18"	64"	<b>R3B1PF364 18-( )()</b>	1,719.	1,735.	1,779.	1,867.	1,923.	2,004.	2,060.
	20"	64"	<b>R3B1PF364 20-( )()</b>	1,719.	1,735.	1,779.	1,867.	1,923.	2,004.	2,060.
	24"	64"	<b>R3B1PF364 24-( )()</b>	1,835.	1,851.	1,895.	1,983.	2,039.	2,120.	2,177.
	30"	64"	<b>R3B1PF364 30-( )()</b>	1,949.	1,965.	2,009.	2,097.	2,153.	2,234.	2,290.
	36"	64"	<b>R3B1PF364 36-( )()</b>	2,424.	2,440.	2,484.	2,572.	2,628.	2,709.	2,765.
	42"	64"	<b>R3B1PF364 42-( )()</b>	2,524.	2,540.	2,584.	2,672.	2,728.	2,809.	2,865.
	48"	64"	<b>R3B1PF364 48-( )()</b>	2,731.	2,747.	2,791.	2,879.	2,935.	3,016.	3,072.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF36418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>64</b> 64" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with beltway, please specify: Side 1 - Below belt Side 1 - Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on Reff Profiles and Reff Profiles. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


# Monolithic panels 64" H


## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	64"	<b>R3B0PLL6418( )()</b>	\$833.
	20"	64"	<b>R3B0PLL6420( )()</b>	833.
	24"	64"	<b>R3B0PLL6424( )()</b>	908.
	30"	64"	<b>R3B0PLL6430( )()</b>	1,017.
	36"	64"	<b>R3B0PLL6436( )()</b>	1,098.
	42"	64"	<b>R3B0PLL6442( )()</b>	1,207.
	48"	64"	<b>R3B0PLL6448( )()</b>	1,352.
	60"	64"	<b>R3B0PLL6460( )()*</b>	1,461.
	66"	64"	<b>R3B0PLL6466( )()*</b>	1,505.
	72"	64"	<b>R3B0PLL6472( )()*</b>	1,550.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL6418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>LL</b> Laminate both sides <b>64</b> 64" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>118</b> Laminate - side 1 <b>118</b> Laminate - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on Reff Profiles and Reff Profiles. Product on this page will accept woodgrain laminate where laminate is currently an option. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Monolithic panels 79" H fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	79"	<b>R3B0PFF79 18-()</b> ( )	\$908.	\$956.	\$1,040.	\$1,218.	\$1,338.	\$1,500.	\$1,596.
	20"	79"	<b>R3B0PFF79 20-()</b> ( )	908.	956.	1,040.	1,218.	1,338.	1,500.	1,596.
	24"	79"	<b>R3B0PFF79 24-()</b> ( )	966.	1,014.	1,098.	1,276.	1,396.	1,558.	1,654.
	30"	79"	<b>R3B0PFF79 30-()</b> ( )	1,042.	1,090.	1,174.	1,352.	1,472.	1,634.	1,730.
	36"	79"	<b>R3B0PFF79 36-()</b> ( )	1,069.	1,117.	1,201.	1,379.	1,499.	1,661.	1,757.
	42"	79"	<b>R3B0PFF79 42-()</b> ( )	1,148.	1,196.	1,280.	1,458.	1,578.	1,740.	1,836.
	48"	79"	<b>R3B0PFF79 48-()</b> ( )	1,273.	1,321.	1,405.	1,583.	1,703.	1,865.	1,961.
	60"	79"	<b>R3B0PFF79 60-()</b> ( )	1,470.	1,566.	1,734.	2,088.	2,340.	2,660.	2,856.
	66"	79"	<b>R3B0PFF79 66-()</b> ( )	1,505.	1,601.	1,769.	2,123.	2,375.	2,695.	2,891.
	72"	79"	<b>R3B0PFF79 72-()</b> ( )	1,539.	1,635.	1,803.	2,157.	2,409.	2,729.	2,925.


Monolithic, fabric both sides High acoustics 	18"	79"	<b>R3B0PAA79 18-()</b> ( )	990.	1,038.	1,122.	1,300.	1,420.	1,582.	1,678.
	20"	79"	<b>R3B0PAA79 20-()</b> ( )	990.	1,038.	1,122.	1,300.	1,420.	1,582.	1,678.
	24"	79"	<b>R3B0PAA79 24-()</b> ( )	1,053.	1,101.	1,185.	1,363.	1,483.	1,645.	1,741.
	30"	79"	<b>R3B0PAA79 30-()</b> ( )	1,139.	1,187.	1,271.	1,449.	1,569.	1,731.	1,827.
	36"	79"	<b>R3B0PAA79 36-()</b> ( )	1,174.	1,222.	1,306.	1,484.	1,604.	1,766.	1,862.
	42"	79"	<b>R3B0PAA79 42-()</b> ( )	1,258.	1,306.	1,390.	1,568.	1,688.	1,850.	1,948.
	48"	79"	<b>R3B0PAA79 48-()</b> ( )	1,399.	1,447.	1,531.	1,709.	1,829.	1,991.	2,087.
	60"	79"	<b>R3B0PAA79 60-()</b> ( )	1,601.	1,697.	1,865.	2,219.	2,471.	2,791.	2,987.
	66"	79"	<b>R3B0PAA79 66-()</b> ( )	1,638.	1,734.	1,902.	2,256.	2,508.	2,828.	3,024.
	72"	79"	<b>R3B0PAA79 72-()</b> ( )	1,672.	1,768.	1,936.	2,290.	2,542.	2,862.	3,058.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF7918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FF</b> Fabric on both sides <b>79</b> 79" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>W281</b> Fabric - Side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled profile	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. <i>Optional</i> : specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile</i> : A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height</i> : 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on Reff Profiles and Reff Profiles. The panels on this page are not designed to be stacked upon. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Monolithic panels 79" H

*fabric both sides with Beltway*

description	w	h	pattern n	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway one side 	18"	79"	<b>R3B1PFF79 18-()</b> ( )	\$1,306.	\$1,355.	\$1,449.	\$1,648.	\$1,777.	\$1,958.	\$2,073.
	20"	79"	<b>R3B1PFF79 20-()</b> ( )	1,306.	1,355.	1,449.	1,648.	1,777.	1,958.	2,073.
	24"	79"	<b>R3B1PFF79 24-()</b> ( )	1,367.	1,416.	1,510.	1,709.	1,838.	2,019.	2,134.
	30"	79"	<b>R3B1PFF79 30-()</b> ( )	1,394.	1,443.	1,537.	1,736.	1,865.	2,046.	2,161.
	36"	79"	<b>R3B1PFF79 36-()</b> ( )	1,672.	1,722.	1,816.	2,015.	2,144.	2,325.	2,440.
	42"	79"	<b>R3B1PFF79 42-()</b> ( )	1,782.	1,831.	1,925.	2,124.	2,253.	2,434.	2,549.
	48"	79"	<b>R3B1PFF79 48-()</b> ( )	1,835.	1,884.	1,978.	2,177.	2,306.	2,487.	2,602.

Monolithic, fabric both sides Beltway two sides 	18"	79"	<b>R3B2PFF79 18-()</b> ( )	1,375.	1,425.	1,529.	1,749.	1,887.	2,087.	2,221.
	20"	79"	<b>R3B2PFF79 20-()</b> ( )	1,375.	1,425.	1,529.	1,749.	1,887.	2,087.	2,221.
	24"	79"	<b>R3B2PFF79 24-()</b> ( )	1,434.	1,484.	1,588.	1,808.	1,946.	2,146.	2,280.
	30"	79"	<b>R3B2PFF79 30-()</b> ( )	1,463.	1,513.	1,617.	1,837.	1,975.	2,175.	2,309.
	36"	79"	<b>R3B2PFF79 36-()</b> ( )	1,745.	1,795.	1,899.	2,119.	2,257.	2,457.	2,591.
	42"	79"	<b>R3B2PFF79 42-()</b> ( )	1,857.	1,907.	2,011.	2,231.	2,369.	2,569.	2,703.
	48"	79"	<b>R3B2PFF79 48-()</b> ( )	1,914.	1,964.	2,068.	2,288.	2,426.	2,626.	2,760.

Order Code	Specification Information	Application Notes
Example: <b>R3B1PFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Panel side 1 below belt	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 1 above belt	4 = 4" base height
<b>A</b> Flat style top trim	6. Panel side 2 below belt	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	7. Panel side 2 above belt	<i>3. Beltway:</i>
<b>K</b> Include knockouts in base	8. Top trim finish	B1 = Beltway 1 side
<b>W281</b> Fabric - Side 1 below belt	i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	B2 = Beltway 2 sides
<b>W281</b> Fabric - Side 1 above belt	ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>W281</b> Fabric - Side 2 below belt	9. Base finish	
<b>W281</b> Fabric - Side 2 above belt	10. Beltway finish	
<b>V316</b> Maple (top trim finish)	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
<b>111</b> Jet Black (base finish)		
<b>111</b> Beltway finish		

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Monolithic panels 79" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PFL79 18-()</b> ( )	\$804.	\$826.	\$863.	\$941.	\$994.	\$1,067.	\$1,109.
	20"	79"	<b>R3B0PFL79 20-()</b> ( )	804.	826.	863.	941.	994.	1,067.	1,109.
	24"	79"	<b>R3B0PFL79 24-()</b> ( )	881.	903.	940.	1,018.	1,071.	1,144.	1,186.
	30"	79"	<b>R3B0PFL79 30-()</b> ( )	991.	1,013.	1,050.	1,128.	1,181.	1,254.	1,296.
	36"	79"	<b>R3B0PFL79 36-()</b> ( )	1,081.	1,103.	1,140.	1,218.	1,271.	1,344.	1,386.
	42"	79"	<b>R3B0PFL79 42-()</b> ( )	1,196.	1,218.	1,255.	1,333.	1,386.	1,459.	1,501.
	48"	79"	<b>R3B0PFL79 48-()</b> ( )	1,337.	1,359.	1,396.	1,474.	1,527.	1,600.	1,642.
	60"	79"	<b>R3B0PFL79 60-()</b> ( )	1,440.	1,483.	1,556.	1,712.	1,823.	1,965.	2,051.
	66"	79"	<b>R3B0PFL79 66-()</b> ( )	1,469.	1,512.	1,585.	1,741.	1,852.	1,994.	2,080.
	72"	79"	<b>R3B0PFL79 72-()</b> ( )	1,498.	1,541.	1,614.	1,770.	1,881.	2,023.	2,109.



Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	<b>R3B1PFL79 18-()</b> ( )	1,163.	1,187.	1,232.	1,330.	1,389.	1,479.	1,539.
	20"	79"	<b>R3B1PFL79 20-()</b> ( )	1,163.	1,187.	1,232.	1,330.	1,389.	1,479.	1,539.
	24"	79"	<b>R3B1PFL79 24-()</b> ( )	1,243.	1,267.	1,312.	1,410.	1,469.	1,559.	1,619.
	30"	79"	<b>R3B1PFL79 30-()</b> ( )	1,317.	1,341.	1,386.	1,484.	1,543.	1,633.	1,693.
	36"	79"	<b>R3B1PFL79 36-()</b> ( )	1,632.	1,656.	1,701.	1,799.	1,858.	1,948.	2,008.
	42"	79"	<b>R3B1PFL79 42-()</b> ( )	1,781.	1,805.	1,850.	1,948.	2,007.	2,097.	2,157.
	48"	79"	<b>R3B1PFL79 48-()</b> ( )	1,862.	1,886.	1,931.	2,029.	2,088.	2,178.	2,238.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL7918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FL</b> Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	For panels with Beltway, please specify;	4 = 4" base height
<b>A</b> Flat style top trim profile	Side 1 - Below belt	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	Side 1 - Above belt	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>K</b> Include knockouts in base	5. Panel side 2 finish(s) outside	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>W281</b> Fabric - Side 1	6. Top trim finish	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>114</b> Folkstone grey - side 2	i) Top trim profile A, B or C options:	Remember to specify Beltway paint finish when applicable.
<b>V316</b> Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>111</b> Jet Black (base finish)	ii) Top trim profile E options:	
<b>M</b> Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
	7. Base finish	
	8. Beltway finish only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	



# Monolithic panels 79" H



*fabric one side, techwood other side*

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric one side	18"	79"	<b>R3B0PF179 18-</b> ( ) ( )	\$945.	\$969.	\$1,012.	\$1,103.	\$1,165.	\$1,247.	\$1,299.	
Regular acoustics	20"	79"	<b>R3B0PF179 20-</b> ( ) ( )	945.	969.	1,012.	1,103.	1,165.	1,247.	1,299.	
	24"	79"	<b>R3B0PF179 24-</b> ( ) ( )	1,033.	1,057.	1,100.	1,191.	1,253.	1,335.	1,387.	
	30"	79"	<b>R3B0PF179 30-</b> ( ) ( )	1,168.	1,192.	1,235.	1,326.	1,388.	1,470.	1,522.	
	36"	79"	<b>R3B0PF179 36-</b> ( ) ( )	1,272.	1,296.	1,339.	1,430.	1,492.	1,574.	1,626.	
	42"	79"	<b>R3B0PF179 42-</b> ( ) ( )	1,405.	1,429.	1,472.	1,563.	1,625.	1,707.	1,759.	
	48"	79"	<b>R3B0PF179 48-</b> ( ) ( )	1,574.	1,598.	1,641.	1,732.	1,794.	1,876.	1,928.	
	60"	79"	<b>R3B0PF179 60-</b> ( ) ( )	1,691.	1,740.	1,826.	2,007.	2,136.	2,297.	2,397.	
	66"	79"	<b>R3B0PF179 66-</b> ( ) ( )	1,728.	1,777.	1,863.	2,044.	2,173.	2,334.	2,434.	
	72"	79"	<b>R3B0PF179 72-</b> ( ) ( )	1,756.	1,805.	1,891.	2,072.	2,201.	2,362.	2,462.	
	Monolithic, fabric one side	18"	79"	<b>R3B1PF179 18-</b> ( ) ( )	1,365.	1,390.	1,443.	1,556.	1,626.	1,729.	1,798.
	Beltway one side (fabric side)	20"	79"	<b>R3B1PF179 20-</b> ( ) ( )	1,365.	1,390.	1,443.	1,556.	1,626.	1,729.	1,798.
	24"	79"	<b>R3B1PF179 24-</b> ( ) ( )	1,459.	1,484.	1,537.	1,650.	1,720.	1,823.	1,892.	
	30"	79"	<b>R3B1PF179 30-</b> ( ) ( )	1,550.	1,575.	1,628.	1,741.	1,811.	1,914.	1,983.	
	36"	79"	<b>R3B1PF179 36-</b> ( ) ( )	1,920.	1,945.	1,998.	2,111.	2,181.	2,284.	2,353.	
	42"	79"	<b>R3B1PF179 42-</b> ( ) ( )	2,091.	2,116.	2,169.	2,282.	2,352.	2,455.	2,524.	
	48"	79"	<b>R3B1PF179 48-</b> ( ) ( )	2,186.	2,211.	2,264.	2,377.	2,447.	2,550.	2,619.	

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF17918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 2	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>F1</b> Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	For panels with Beltway, please specify;	4 = 4" base height
<b>A</b> Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	Side 1 - Above Belt	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>K</b> Include knockouts in base	5. Panel side 2 finish(s) outside	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>W281</b> Fabric - Side 1	6. Top trim finish	Remember to specify Beltway paint finish when applicable.
<b>Y328</b> Mahogany - side 2	i) Top trim profile A, B or C options:	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>V316</b> Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
<b>111</b> Jet Black (base finish)	ii) Top trim profile E options:	
<b>M</b> Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Monolithic panels 79" H


*fabric one side, conventional veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PF279 18-( ) ( )</b>	\$961.	\$985.	\$1,028.	\$1,119.	\$1,181.	\$1,263.	\$1,315.
	20"	79"	<b>R3B0PF279 20-( ) ( )</b>	961.	985.	1,028.	1,119.	1,181.	1,263.	1,315.
	24"	79"	<b>R3B0PF279 24-( ) ( )</b>	1,053.	1,077.	1,120.	1,211.	1,273.	1,355.	1,407.
	30"	79"	<b>R3B0PF279 30-( ) ( )</b>	1,189.	1,213.	1,256.	1,347.	1,409.	1,491.	1,543.
	36"	79"	<b>R3B0PF279 36-( ) ( )</b>	1,295.	1,319.	1,362.	1,453.	1,515.	1,597.	1,649.
	42"	79"	<b>R3B0PF279 42-( ) ( )</b>	1,431.	1,455.	1,498.	1,589.	1,651.	1,733.	1,785.
	48"	79"	<b>R3B0PF279 48-( ) ( )</b>	1,602.	1,626.	1,669.	1,760.	1,822.	1,904.	1,956.
	60"	79"	<b>R3B0PF279 60-( ) ( )</b>	1,722.	1,771.	1,857.	2,038.	2,167.	2,328.	2,428.
	66"	79"	<b>R3B0PF279 66-( ) ( )</b>	1,755.	1,804.	1,890.	2,071.	2,200.	2,361.	2,461.
	72"	79"	<b>R3B0PF279 72-( ) ( )</b>	1,792.	1,841.	1,927.	2,108.	2,237.	2,398.	2,498.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	<b>R3B1PF279 18-( ) ( )</b>	1,390.	1,415.	1,468.	1,581.	1,651.	1,754.	1,823.
	20"	79"	<b>R3B1PF279 20-( ) ( )</b>	1,390.	1,415.	1,468.	1,581.	1,651.	1,754.	1,823.
	24"	79"	<b>R3B1PF279 24-( ) ( )</b>	1,486.	1,511.	1,564.	1,677.	1,747.	1,850.	1,919.
	30"	79"	<b>R3B1PF279 30-( ) ( )</b>	1,575.	1,600.	1,653.	1,766.	1,836.	1,939.	2,008.
	36"	79"	<b>R3B1PF279 36-( ) ( )</b>	1,952.	1,977.	2,030.	2,143.	2,213.	2,316.	2,385.
	42"	79"	<b>R3B1PF279 42-( ) ( )</b>	2,129.	2,154.	2,207.	2,320.	2,390.	2,493.	2,562.
	48"	79"	<b>R3B1PF279 48-( ) ( )</b>	2,226.	2,251.	2,304.	2,417.	2,487.	2,590.	2,659.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF27918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>F2</b> Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	For panels with Beltway, please specify;	4 = 4" base height
<b>A</b> Flat style top trim profile	Side 1 = Below Belt	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	Side 1 = Above Belt	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>K</b> Include knockouts in base	5. Panel side 2 finish(s) outside	The panels on this page are not designed to be stacked upon.
<b>W281</b> Fabric - Side 1	6. Top trim finish	Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
<b>V316</b> Maple surface - side 2	i) Top trim profile A, B or C options:	6" Raceway option increases panel height by 2 3/4".
<b>V316</b> Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>111</b> Jet Black (base finish)	ii) Top trim profile E options:	Remember to specify Beltway paint finish when applicable.
<b>M</b> Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Monolithic panels 79" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PF379 18-()</b> ( )	\$1,266.	\$1,290.	\$1,333.	\$1,424.	\$1,486.	\$1,568.	\$1,620.
	20"	79"	<b>R3B0PF379 20-()</b> ( )	1,266.	1,290.	1,333.	1,424.	1,486.	1,568.	1,620.
	24"	79"	<b>R3B0PF379 24-()</b> ( )	1,393.	1,417.	1,460.	1,551.	1,613.	1,695.	1,747.
	30"	79"	<b>R3B0PF379 30-()</b> ( )	1,574.	1,598.	1,641.	1,732.	1,794.	1,876.	1,928.
	36"	79"	<b>R3B0PF379 36-()</b> ( )	1,720.	1,744.	1,787.	1,878.	1,940.	2,022.	2,074.
	42"	79"	<b>R3B0PF379 42-()</b> ( )	1,904.	1,928.	1,971.	2,062.	2,124.	2,206.	2,258.
	48"	79"	<b>R3B0PF379 48-()</b> ( )	2,136.	2,160.	2,203.	2,294.	2,356.	2,438.	2,490.
	60"	79"	<b>R3B0PF379 60-()</b> ( )*	2,265.	2,314.	2,400.	2,581.	2,710.	2,871.	2,971.
	66"	79"	<b>R3B0PF379 66-()</b> ( )*	2,311.	2,360.	2,446.	2,627.	2,756.	2,917.	3,017.
	72"	79"	<b>R3B0PF379 72-()</b> ( )*	2,361.	2,410.	2,496.	2,677.	2,806.	2,967.	3,067.

Monolithic, fabric one side Beltway fabric side 	18"	79"	<b>R3B1PF379 18-()</b> ( )	1,831.	1,856.	1,909.	2,022.	2,092.	2,195.	2,264.
	20"	79"	<b>R3B1PF379 20-()</b> ( )	1,831.	1,856.	1,909.	2,022.	2,092.	2,195.	2,264.
	24"	79"	<b>R3B1PF379 24-()</b> ( )	1,960.	1,985.	2,038.	2,151.	2,221.	2,324.	2,393.
	30"	79"	<b>R3B1PF379 30-()</b> ( )	2,081.	2,106.	2,159.	2,272.	2,342.	2,445.	2,514.
	36"	79"	<b>R3B1PF379 36-()</b> ( )	2,588.	2,613.	2,666.	2,779.	2,849.	2,952.	3,021.
	42"	79"	<b>R3B1PF379 42-()</b> ( )	2,827.	2,852.	2,905.	3,018.	3,088.	3,191.	3,260.
	48"	79"	<b>R3B1PF379 48-()</b> ( )	2,960.	2,985.	3,038.	3,151.	3,221.	3,324.	3,395.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF37918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>79</b> 79" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side I - Below Belt Side I - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on Reff Profiles and Reff Profiles.
		The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


# Monolithic panels 79" H

## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918( ) ( )	\$909.
	20"	79"	R3B0PLL7920( ) ( )	909.
	24"	79"	R3B0PLL7924( ) ( )	991.
	30"	79"	R3B0PLL7930( ) ( )	1,109.
	36"	79"	R3B0PLL7936( ) ( )	1,199.
	42"	79"	R3B0PLL7942( ) ( )	1,318.
	48"	79"	R3B0PLL7948( ) ( )	1,477.
	60"	79"	R3B0PLL7960( ) ( )*	1,594.
	66"	79"	R3B0PLL7966( ) ( )*	1,642.
	72"	79"	R3B0PLL7972( ) ( )*	1,691.




Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL7918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose E = Extruded Aluminum
<b>LL</b> Laminate both sides	4. Panel side 1 inside	2. <i>Base height:</i> 4 = 4" base height
<b>79</b> 79" high	5. Panel side 2 outside	6 = 6" base height (add \$47 per panel for this option)
<b>18</b> 18" wide	6. Top trim finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>K</b> Include knockouts in base	7. Base finish	Remember to specify Beltway paint finish when applicable.
<b>118</b> Laminate - side 1	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>118</b> Laminate - side 2		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 34" H fabric

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	<b>R3B0TFF34 18-()()</b>	\$603.	\$635.	\$699.	\$767.	\$823.	\$915.	\$967.
Regular acoustics	20"	34"	<b>R3B0TFF34 20-()()</b>	603.	635.	699.	767.	823.	915.	967.
	24"	34"	<b>R3B0TFF34 24-()()</b>	652.	684.	748.	816.	872.	964.	1,016.
	30"	34"	<b>R3B0TFF34 30-()()</b>	696.	728.	792.	860.	916.	1,008.	1,060.
	36"	34"	<b>R3B0TFF34 36-()()</b>	741.	773.	837.	905.	961.	1,053.	1,105.
	42"	34"	<b>R3B0TFF34 42-()()</b>	853.	885.	949.	1,017.	1,073.	1,165.	1,217.
	48"	34"	<b>R3B0TFF34 48-()()</b>	886.	918.	982.	1,050.	1,106.	1,198.	1,250.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF3418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel)	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 118.
<b>B0</b> No Beltway	1. Top trim profile	
<b>T</b> Tiled panel	2. Base height	All panels on this page accept stacking modules.  6" Raceway option increases panel height by 2 3/4".
<b>FF</b> Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>34</b> 34" high	4. Panel side 1A	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>18</b> 18" wide	5. Panel side 1B	
<b>A</b> Flat style top trim profile	6. Panel side 2A	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
<b>4</b> 4" base height	7. Panel side 2B	
<b>K</b> Include knockouts in base	8. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>W281</b> Fabric - Side 1A	9. Base finish	
<b>W281</b> Fabric - Side 1B	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
<b>W281</b> Fabric - Side 2A		
<b>W281</b> Fabric - Side 2B		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	

# Tiled panels 34" H glass

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A) 	18"	34"	<b>R2B0TWA34 18-</b> ( ) ( )	\$949.	\$1,128.	\$38.	\$75.	\$95.
	20"	34"	<b>R2B0TWA34 20-</b> ( ) ( )	949.	1,128.	38.	75.	95.
	24"	34"	<b>R2B0TWA34 24-</b> ( ) ( )	992.	1,207.	38.	75.	100.
	30"	34"	<b>R2B0TWA34 30-</b> ( ) ( )	1,152.	1,417.	38.	75.	114.
	36"	34"	<b>R2B0TWA34 36-</b> ( ) ( )	1,194.	1,513.	38.	75.	116.
	42"	34"	<b>R2B0TWA34 42-</b> ( ) ( )	1,254.	1,632.	38.	75.	123.
	48"	34"	<b>R2B0TWA34 48-</b> ( ) ( )	1,298.	1,729.	38.	75.	129.
Tiled, two 15" high glass sections with center mullion (type B) 	30"	34"	<b>R2B0TWB34 30-</b> ( ) ( )	1,378.	1,646.	38.	75.	138.
	36"	34"	<b>R2B0TWB34 36-</b> ( ) ( )	1,435.	1,757.	38.	75.	142.
	42"	34"	<b>R2B0TWB34 42-</b> ( ) ( )	1,503.	1,877.	38.	75.	147.
	48"	34"	<b>R2B0TWB34 48-</b> ( ) ( )	1,560.	1,995.	38.	75.	153.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C 	18"	34"	<b>R2B0TWC34 18-</b> ( ) ( )	748.	975.	30.	61.	114.
	20"	34"	<b>R2B0TWC34 20-</b> ( ) ( )	748.	975.	30.	61.	114.
	24"	34"	<b>R2B0TWC34 24-</b> ( ) ( )	788.	1,027.	30.	61.	123.
	30"	34"	<b>R2B0TWC34 30-</b> ( ) ( )	973.	1,265.	38.	75.	155.
	36"	34"	<b>R2B0TWC34 36-</b> ( ) ( )	1,083.	1,406.	38.	75.	174.
	42"	34"	<b>R2B0TWC34 42-</b> ( ) ( )	1,145.	1,487.	38.	75.	190.
	48"	34"	<b>R2B0TWC34 48-</b> ( ) ( )	1,201.	1,565.	38.	75.	199.

## Order Code

Example:	<b>R2B0TWA3418-A4K</b>
<b>R2</b>	Reff Generation 2
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>WA</b>	Window, type A
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>111</b>	Tile Divider
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>111</b>	Jet Black (window frame finish)
<b>GL13</b>	Glass option

## Specification Information



- To order please specify pattern number including:*
1. Top trim profile
  2. Base height
  3. Knockout option (K = with knockouts, N = without knockouts)
  4. Divider option (applicable R2B0TWA and R2B0TWB)  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
  5. Top trim finish  
i) Top trim profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 painted finish from Reff Profiles excluding silver
  6. Base finish
  7. Window frame finish (Painted or Anodized aluminum finishes)  
*If AA finish (anodized) upcharge applicable as noted in AA price column*
  8. Glass type

## Application Notes

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
  2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel)
  4. *Extruded aluminum tile divider:*  
Add for:  
\$14 for 18w and 20w  
\$15 for 24w and 30w  
\$16 for 36w and 42w  
\$22 for 48w
  3. *Glass type*  
Temp = Cleared tempered glass  
*Architectural options:*  
GL13 = Powder glass  
GL6 = Block matrix glass  
GL8 = Wafer glass
- All panels on this page accept stacking modules.
- 6" Raceway option increases panel height by 2 3/4".
- Applicable finishes are listed on Reff Profiles and Reff Profiles.
- All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 118.
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.
- 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Tiled panels 34" H



*fabric one side, laminate or techwood opposite side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	<b>R3B0TFL34 18-()</b> ( )	\$652.	\$668.	\$696.	\$732.	\$760.	\$800.	\$826.
	20"	34"	<b>R3B0TFL34 20-()</b> ( )	652.	668.	696.	732.	760.	800.	826.
	24"	34"	<b>R3B0TFL34 24-()</b> ( )	694.	710.	738.	774.	802.	842.	868.
	30"	34"	<b>R3B0TFL34 30-()</b> ( )	738.	754.	782.	818.	846.	886.	912.
	36"	34"	<b>R3B0TFL34 36-()</b> ( )	781.	797.	825.	861.	889.	929.	955.
	42"	34"	<b>R3B0TFL34 42-()</b> ( )	890.	906.	934.	970.	998.	1,038.	1,064.
	48"	34"	<b>R3B0TFL34 48-()</b> ( )	920.	936.	964.	1,000.	1,028.	1,068.	1,094.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	<b>R3B0TF134 18-()</b> ( )	706.	722.	756.	790.	818.	864.	890.
	20"	34"	<b>R3B0TF134 20-()</b> ( )	706.	722.	756.	790.	818.	864.	890.
	24"	34"	<b>R3B0TF134 24-()</b> ( )	754.	770.	804.	838.	866.	912.	938.
	30"	34"	<b>R3B0TF134 30-()</b> ( )	803.	819.	853.	887.	915.	961.	987.
	36"	34"	<b>R3B0TF134 36-()</b> ( )	847.	863.	897.	931.	959.	1,005.	1,031.
	42"	34"	<b>R3B0TF134 42-()</b> ( )	968.	984.	1,018.	1,052.	1,080.	1,126.	1,152.
	48"	34"	<b>R3B0TF134 48-()</b> ( )	999.	1,015.	1,049.	1,083.	1,111.	1,157.	1,183.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL3418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>T</b> Tiled panel <b>FL</b> Fabric one side, laminate other <b>34</b> 34" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>B</b> Tile divider, black <b>W281</b> Fabric - Side 1A <b>W281</b> Fabric - Side 1B <b>114</b> Folkstone grey - side 2A <b>114</b> Folkstone grey - side 2B <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider) 5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top 6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert) 7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from Reff Profiles excluding silver	8. Base finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable  1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum  2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)  4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w  Applicable finishes are listed on Reff Profiles and Reff Profiles.  Product on this page will accept woodgrain laminate where laminate is currently an option.
		All panels on this page accept stacking modules.  6" Raceway option increases panel height by 2 3/4".  All panels on this page have no high acoustical option or Beltway option.  Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 118.  79"H hookstrip reveal strips are ordered separately from page 118 at no charge.  Ported panel components to be installed below worksurface if panel 34" h.

# Tiled panels 34" H

*fabric one side, conventional or exotic opposite side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	<b>R3B0TF234 18-()</b> ( )	\$721.	\$737.	\$771.	\$805.	\$833.	\$879.	\$905.
	20"	34"	<b>R3B0TF234 20-()</b> ( )	721.	737.	771.	805.	833.	879.	905.
	24"	34"	<b>R3B0TF234 24-()</b> ( )	767.	783.	817.	851.	879.	925.	951.
	30"	34"	<b>R3B0TF234 30-()</b> ( )	816.	832.	866.	900.	928.	974.	1,000.
	36"	34"	<b>R3B0TF234 36-()</b> ( )	862.	878.	912.	946.	974.	1,020.	1,046.
	42"	34"	<b>R3B0TF234 42-()</b> ( )	983.	999.	1,033.	1,067.	1,095.	1,141.	1,167.
	48"	34"	<b>R3B0TF234 48-()</b> ( )	1,017.	1,033.	1,067.	1,101.	1,129.	1,175.	1,201.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	<b>R3B0TF334 18-()</b> ( )	963.	979.	1,013.	1,047.	1,075.	1,121.	1,147.
	20"	34"	<b>R3B0TF334 20-()</b> ( )	963.	979.	1,013.	1,047.	1,075.	1,121.	1,147.
	24"	34"	<b>R3B0TF334 24-()</b> ( )	1,025.	1,041.	1,075.	1,109.	1,137.	1,183.	1,209.
	30"	34"	<b>R3B0TF334 30-()</b> ( )	1,091.	1,107.	1,141.	1,175.	1,203.	1,249.	1,275.
	36"	34"	<b>R3B0TF334 36-()</b> ( )	1,153.	1,169.	1,203.	1,237.	1,265.	1,311.	1,337.
	42"	34"	<b>R3B0TF334 42-()</b> ( )	1,317.	1,333.	1,367.	1,401.	1,429.	1,475.	1,501.
	48"	34"	<b>R3B0TF334 48-()</b> ( )	1,362.	1,378.	1,412.	1,446.	1,474.	1,520.	1,546.

## Order Code

Example: <b>R3B0TF23418-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F2</b> Fabric one side, conventional other
<b>34</b> 34" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim profile
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black
<b>W281</b> Fabric - Side 1A
<b>W281</b> Fabric - Side 1B
<b>114</b> Folkstone grey - side 2A
<b>114</b> Folkstone grey - side 2B
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)
<b>M</b> Optional milled frame

## Specification Information

- To order please specify pattern number including:*
- Top trim profile
  - Base height
  - Knockout option (K = with knockouts, N = without knockouts)
  - Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
  - Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B top
  - Hard side, finish  
If laminate:  
i) tile 2A bottom  
ii) tile 2B top  
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
  - Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from Reff Profiles excluding silver

- Base finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

### 1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

### 2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 per panel)

### 4. Extruded aluminum tile divider:

- Optional for non fabric side only** (fabric side always black)
- 34" h add per panel: \$14 for 18w and 20w
- \$15 for 24w and 30w
- \$16 for 36w and 42w
- \$22 for 48w

Applicable finishes are listed on Reff Profiles and Reff Profiles.

## Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 118.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.



# Tiled panels 34" H Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides	18"	34"	<b>R3B0TLL3418( ) ( )</b>	\$738.
with raceway both sides	20"	34"	<b>R3B0TLL3420( ) ( )</b>	738.
	24"	34"	<b>R3B0TLL3424( ) ( )</b>	804.
	30"	34"	<b>R3B0TLL3430( ) ( )</b>	901.
	36"	34"	<b>R3B0TLL3436( ) ( )</b>	974.
	42"	34"	<b>R3B0TLL3442( ) ( )</b>	1,003.
	48"	34"	<b>R3B0TLL3448( ) ( )</b>	1,033.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TLL3418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B0</b> No Beltway	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>LL</b> Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
<b>34</b> 34" high	5. Laminate, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	
<b>18</b> 18" wide	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from Reff Profiles excluding silver	
<b>4</b> 4" base height		
<b>K</b> Include knockouts in base		
<b>B</b> Tile divider, black		
<b>118</b> Laminate - side 1A		
<b>118</b> Laminate - side 1B		
<b>118</b> Laminate - side 2A		
<b>118</b> Laminate - side 2B		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		
	8. Base finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	
	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w	
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	
	Product on this page will accept woodgrain laminate where laminate is currently an option.	
		All panels on this page accept stacking modules.
		All panels on this page have no high acoustical option or Beltway option.
		Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 118.
		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
		Ported panel components to be installed below worksurface if panel 34" h.

# Tiled panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18"	42"	<b>R3B0TFF42 18-( )()</b>	\$674.	\$712.	\$796.	\$898.	\$969.	\$1,080.	\$1,150.
	20"	42"	<b>R3B0TFF42 20-( )()</b>	674.	712.	796.	898.	969.	1,080.	1,150.
	24"	42"	<b>R3B0TFF42 24-( )()</b>	724.	762.	846.	948.	1,018.	1,130.	1,200.
	30"	42"	<b>R3B0TFF42 30-( )()</b>	776.	814.	898.	1,000.	1,070.	1,182.	1,252.
	36"	42"	<b>R3B0TFF42 36-( )()</b>	826.	864.	948.	1,050.	1,120.	1,232.	1,302.
	42"	42"	<b>R3B0TFF42 42-( )()</b>	934.	972.	1,056.	1,158.	1,228.	1,340.	1,410.
	48"	42"	<b>R3B0TFF42 48-( )()</b>	982.	1,020.	1,104.	1,206.	1,276.	1,388.	1,458.





Tiled, fabric both sides High acoustics	18"	42"	<b>R3B0TAA42 18-( )()</b>	738.	776.	860.	962.	1,032.	1,144.	1,214.
	20"	42"	<b>R3B0TAA42 20-( )()</b>	738.	776.	860.	962.	1,032.	1,144.	1,214.
	24"	42"	<b>R3B0TAA42 24-( )()</b>	794.	832.	916.	1,018.	1,088.	1,200.	1,270.
	30"	42"	<b>R3B0TAA42 30-( )()</b>	854.	892.	976.	1,078.	1,148.	1,260.	1,330.
	36"	42"	<b>R3B0TAA42 36-( )()</b>	910.	948.	1,032.	1,134.	1,204.	1,316.	1,386.
	42"	42"	<b>R3B0TAA42 42-( )()</b>	1,031.	1,069.	1,153.	1,255.	1,325.	1,437.	1,507.
	48"	42"	<b>R3B0TAA42 48-( )()</b>	1,086.	1,124.	1,208.	1,310.	1,380.	1,492.	1,562.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF4218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert) <i>i</i> ) tile 1A bottom <i>ii</i> ) tile 1B middle <i>iii</i> ) tile 1C top	
<b>42</b> 42" high	5. Fabric side, finish (specify selection per insert) <i>i</i> ) tile 2A bottom <i>ii</i> ) tile 2B middle <i>iii</i> ) tile 2C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
<b>18</b> 18" wide	6. Top trim finish <i>i</i> ) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i> ) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
<b>A</b> Flat style top trim profile	7. Base finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>4</b> 4" base height	8. Beltway finish	
<b>K</b> Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).</p> <p>6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 118 at no charge.</p>
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>W281</b> Fabric - Side 2A		
<b>W281</b> Fabric - Side 2B		
<b>W281</b> Fabric - Side 2C		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 42" H fabric both sides with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side 	18"	42"	<b>R3B1TFF42 18-( )</b> ( )	\$1,213.	\$1,251.	\$1,332.	\$1,437.	\$1,507.	\$1,619.	\$1,689.
	20"	42"	<b>R3B1TFF42 20-( )</b> ( )	1,213.	1,251.	1,332.	1,437.	1,507.	1,619.	1,689.
	24"	42"	<b>R3B1TFF42 24-( )</b> ( )	1,241.	1,279.	1,360.	1,465.	1,535.	1,647.	1,717.
	30"	42"	<b>R3B1TFF42 30-( )</b> ( )	1,306.	1,344.	1,425.	1,530.	1,600.	1,712.	1,782.
	36"	42"	<b>R3B1TFF42 36-( )</b> ( )	1,543.	1,581.	1,662.	1,767.	1,837.	1,949.	2,019.
	42"	42"	<b>R3B1TFF42 42-( )</b> ( )	1,666.	1,704.	1,785.	1,890.	1,960.	2,072.	2,142.
	48"	42"	<b>R3B1TFF42 48-( )</b> ( )	1,724.	1,762.	1,843.	1,948.	2,018.	2,130.	2,200.

Tiled, fabric both sides Beltway two sides 	18"	42"	<b>R3B2TFF42 18-( )</b> ( )	1,237.	1,275.	1,353.	1,461.	1,531.	1,643.	1,713.
	20"	42"	<b>R3B2TFF42 20-( )</b> ( )	1,237.	1,275.	1,353.	1,461.	1,531.	1,643.	1,713.
	24"	42"	<b>R3B2TFF42 24-( )</b> ( )	1,211.	1,249.	1,327.	1,435.	1,505.	1,617.	1,687.
	30"	42"	<b>R3B2TFF42 30-( )</b> ( )	1,332.	1,370.	1,448.	1,556.	1,626.	1,738.	1,808.
	36"	42"	<b>R3B2TFF42 36-( )</b> ( )	1,569.	1,607.	1,685.	1,793.	1,863.	1,975.	2,045.
	42"	42"	<b>R3B2TFF42 42-( )</b> ( )	1,698.	1,736.	1,814.	1,922.	1,992.	2,104.	2,174.
	48"	42"	<b>R3B2TFF42 48-( )</b> ( )	1,759.	1,797.	1,875.	1,983.	2,053.	2,165.	2,235.

Order Code	Specification Information	Application Notes
Example: <b>R3B2TFF4218-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B2</b> Beltway two sides	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>42</b> 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
<b>18</b> 18" wide	i) tile 1A bottom	4 = 4" base height
<b>A</b> Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>W281</b> Fabric - Side 1A	i) tile 2A bottom	
<b>W281</b> Fabric - Side 1B	ii) tile 2B middle	
<b>W281</b> Fabric - Side 1C	iii) tile 2C top	
<b>W281</b> Fabric - Side 2A	6. Top trim finish	
<b>W281</b> Fabric - Side 2B	i) Top trim profile A,B or C options:	
<b>W281</b> Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
<b>V316</b> Maple (top trim finish)	ii) Top trim profile E options:	
<b>111</b> Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
<b>111</b> Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Tiled panels 42" H

*fabric one side, laminate other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TFL42 18-( ) ( )</b>	\$729.	\$749.	\$786.	\$837.	\$871.	\$923.	\$957.
Regular acoustics	20"	42"	<b>R3B0TFL42 20-( ) ( )</b>	729.	749.	786.	837.	871.	923.	957.
	24"	42"	<b>R3B0TFL42 24-( ) ( )</b>	776.	796.	833.	884.	918.	970.	1,004.
	30"	42"	<b>R3B0TFL42 30-( ) ( )</b>	828.	848.	885.	936.	970.	1,022.	1,056.
	36"	42"	<b>R3B0TFL42 36-( ) ( )</b>	875.	895.	932.	983.	1,017.	1,069.	1,103.
	42"	42"	<b>R3B0TFL42 42-( ) ( )</b>	975.	995.	1,032.	1,083.	1,117.	1,169.	1,203.
	48"	42"	<b>R3B0TFL42 48-( ) ( )</b>	1,026.	1,046.	1,083.	1,134.	1,168.	1,220.	1,254.


Tiled, fabric one side	18"	42"	<b>R3B1TFL42 18-( ) ( )</b>	1,257.	1,277.	1,315.	1,366.	1,400.	1,453.	1,487.
Beltway one side (fabric side)	20"	42"	<b>R3B1TFL42 20-( ) ( )</b>	1,257.	1,277.	1,315.	1,366.	1,400.	1,453.	1,487.
	24"	42"	<b>R3B1TFL42 24-( ) ( )</b>	1,283.	1,303.	1,341.	1,392.	1,426.	1,479.	1,513.
	30"	42"	<b>R3B1TFL42 30-( ) ( )</b>	1,347.	1,367.	1,405.	1,456.	1,490.	1,543.	1,577.
	36"	42"	<b>R3B1TFL42 36-( ) ( )</b>	1,576.	1,596.	1,634.	1,685.	1,719.	1,772.	1,806.
	42"	42"	<b>R3B1TFL42 42-( ) ( )</b>	1,694.	1,714.	1,752.	1,803.	1,837.	1,890.	1,924.
	48"	42"	<b>R3B1TFL42 48-( ) ( )</b>	1,750.	1,770.	1,808.	1,859.	1,893.	1,946.	1,980.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL4218-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>FL</b> Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>42</b> 42" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
<b>A</b> Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
<b>K</b> Include knockouts in base	ii) tile 1B middle	42"h add per panel:
<b>B</b> Tile divider, black reveal	iii) tile 1C top	\$25 for 18w and 20w
<b>W281</b> Fabric - Side 1A	6. Laminate side, finish (specify selection per insert)	\$28 for 24w and 30w
<b>W281</b> Fabric - Side 1B	i) tile 2A bottom	\$34 for 36w and 42w
<b>W281</b> Fabric - Side 1C	ii) tile 2B middle	\$42 for 48w
<b>114</b> Folkstone grey - side 2A	iii) tile 2C top	<i>6" Raceway option increases panel height by 2 3/4".</i>
<b>114</b> Folkstone grey - side 2B	7. Top trim finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>114</b> Folkstone grey - side 2C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>V316</b> Maple (top trim finish)	ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	
<b>111</b> Jet Black (base finish)	8. Base finish	
<b>M</b> Optional milled frame	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Tiled panels 42" H

*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF142 18-</b> ( ) ( )	\$790.	\$810.	\$853.	\$905.	\$939.	\$996.	\$1,031.
Regular acoustics	20"	42"	<b>R3B0TF142 20-</b> ( ) ( )	790.	810.	853.	905.	939.	996.	1,031.
	24"	42"	<b>R3B0TF142 24-</b> ( ) ( )	843.	863.	906.	958.	992.	1,049.	1,084.
	30"	42"	<b>R3B0TF142 30-</b> ( ) ( )	899.	919.	962.	1,014.	1,048.	1,105.	1,140.
	36"	42"	<b>R3B0TF142 36-</b> ( ) ( )	950.	970.	1,013.	1,065.	1,099.	1,156.	1,191.
	42"	42"	<b>R3B0TF142 42-</b> ( ) ( )	1,062.	1,082.	1,125.	1,177.	1,211.	1,268.	1,303.
	48"	42"	<b>R3B0TF142 48-</b> ( ) ( )	1,111.	1,131.	1,174.	1,226.	1,260.	1,317.	1,352.

Tiled, fabric one side	18"	42"	<b>R3B1TF142 18-</b> ( ) ( )	1,353.	1,373.	1,416.	1,468.	1,502.	1,559.	1,594.
Beltway one side (fabric side)	20"	42"	<b>R3B1TF142 20-</b> ( ) ( )	1,353.	1,373.	1,416.	1,468.	1,502.	1,559.	1,594.
	24"	42"	<b>R3B1TF142 24-</b> ( ) ( )	1,379.	1,399.	1,442.	1,494.	1,528.	1,585.	1,620.
	30"	42"	<b>R3B1TF142 30-</b> ( ) ( )	1,446.	1,466.	1,509.	1,561.	1,595.	1,652.	1,687.
	36"	42"	<b>R3B1TF142 36-</b> ( ) ( )	1,689.	1,709.	1,752.	1,804.	1,838.	1,895.	1,930.
	42"	42"	<b>R3B1TF142 42-</b> ( ) ( )	1,821.	1,841.	1,884.	1,936.	1,970.	2,027.	2,062.
	48"	42"	<b>R3B1TF142 48-</b> ( ) ( )	1,883.	1,903.	1,946.	1,998.	2,032.	2,089.	2,124.

## Order Code

Example: <b>R3B0TF14218-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F1</b> Fabric one side, V1 other
<b>42</b> 42" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim profile
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric - Side 1A
<b>W281</b> Fabric - Side 1B
<b>W281</b> Fabric - Side 1C
<b>Y328</b> Mahogany - side 2 tiled
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)
<b>M</b> Optional milled frame

## Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option  
(K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
  - tile 1A bottom
  - tile 1B middle
  - tile 1C top
- Techwood side, finish (specify one V1 finish for side)
  - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
  - Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

## Application Notes

### 1. Top trim profile:

A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

### 2. Base height:

4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

### 4. Extruded aluminum tile divider:

(fabric side always black)  
42" h add per panel:  
\$25 for 18w and 20w  
\$28 for 24w and 30w  
\$34 for 36w and 42w  
\$42 for 48w

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on Reff Profiles and Reff Profiles.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 269).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Tiled panels 42" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF242 18-()</b> ( )	\$804.	\$824.	\$867.	\$919.	\$953.	\$1,010.	\$1,045.
Regular acoustics	20"	42"	<b>R3B0TF242 20-()</b> ( )	804.	824.	867.	919.	953.	1,010.	1,045.
	24"	42"	<b>R3B0TF242 24-()</b> ( )	857.	877.	920.	972.	1,006.	1,063.	1,098.
	30"	42"	<b>R3B0TF242 30-()</b> ( )	914.	934.	977.	1,029.	1,063.	1,120.	1,155.
	36"	42"	<b>R3B0TF242 36-()</b> ( )	971.	991.	1,034.	1,086.	1,120.	1,177.	1,212.
	42"	42"	<b>R3B0TF242 42-()</b> ( )	1,080.	1,100.	1,143.	1,195.	1,229.	1,286.	1,321.
	48"	42"	<b>R3B0TF242 48-()</b> ( )	1,133.	1,153.	1,196.	1,248.	1,282.	1,339.	1,374.

Tiled, fabric one side	18"	42"	<b>R3B1TF242 18-()</b> ( )	1,377.	1,397.	1,440.	1,492.	1,526.	1,583.	1,618.
Beltway one side (fabric side)	20"	42"	<b>R3B1TF242 20-()</b> ( )	1,377.	1,397.	1,440.	1,492.	1,526.	1,583.	1,618.
	24"	42"	<b>R3B1TF242 24-()</b> ( )	1,403.	1,423.	1,466.	1,518.	1,552.	1,609.	1,644.
	30"	42"	<b>R3B1TF242 30-()</b> ( )	1,473.	1,493.	1,536.	1,588.	1,622.	1,679.	1,714.
	36"	42"	<b>R3B1TF242 36-()</b> ( )	1,724.	1,744.	1,787.	1,839.	1,873.	1,930.	1,965.
	42"	42"	<b>R3B1TF242 42-()</b> ( )	1,855.	1,875.	1,918.	1,970.	2,004.	2,061.	2,096.
	48"	42"	<b>R3B1TF242 48-()</b> ( )	1,918.	1,938.	1,981.	2,033.	2,067.	2,124.	2,159.

## Order Code

Example: <b>R3B0TF24218-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F2</b> Fabric one side, V2 other
<b>42</b> 42" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim profile
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric - Side 1A
<b>W281</b> Fabric - Side 1B
<b>W281</b> Fabric - Side 1C
<b>V316</b> Maple surface - side 2 tiled
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)
<b>M</b> Optional milled frame

## Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
  - i) tile 1A bottom
  - ii) tile 1B middle
  - iii) tile 1C top
6. Conventional veneer, finish (specify one V2 finish for side)
7. Top trim finish
  - i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

## Application Notes

*1. Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

*2. Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

*4. Extruded aluminum tile divider:*  
**Optional for non fabric side only** (fabric side always black)  
42" h add per panel:  
\$25 for 18w and 20w  
\$28 for 24w and 30w  
\$34 for 36w and 42w  
\$42 for 48w

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on Reff Profiles and Reff Profiles.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 269).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Tiled panels 42" H

*fabric one side, exotic veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF342 18-()</b> ( )	\$1,072.	\$1,092.	\$1,135.	\$1,187.	\$1,221.	\$1,278.	\$1,313.
Regular acoustics	20"	42"	<b>R3B0TF342 20-()</b> ( )	1,072.	1,092.	1,135.	1,187.	1,221.	1,278.	1,313.
	24"	42"	<b>R3B0TF342 24-()</b> ( )	1,142.	1,162.	1,205.	1,257.	1,291.	1,348.	1,383.
	30"	42"	<b>R3B0TF342 30-()</b> ( )	1,220.	1,240.	1,283.	1,335.	1,369.	1,426.	1,461.
	36"	42"	<b>R3B0TF342 36-()</b> ( )	1,296.	1,316.	1,359.	1,411.	1,445.	1,502.	1,537.
	42"	42"	<b>R3B0TF342 42-()</b> ( )	1,443.	1,463.	1,506.	1,558.	1,592.	1,649.	1,684.
	48"	42"	<b>R3B0TF342 48-()</b> ( )	1,516.	1,536.	1,579.	1,631.	1,665.	1,722.	1,757.

Tiled, fabric one side	18"	42"	<b>R3B1TF342 18-()</b> ( )	1,846.	1,866.	1,909.	1,961.	1,995.	2,052.	2,087.
Beltway fabric side	20"	42"	<b>R3B1TF342 20-()</b> ( )	1,846.	1,866.	1,909.	1,961.	1,995.	2,052.	2,087.
	24"	42"	<b>R3B1TF342 24-()</b> ( )	1,881.	1,901.	1,944.	1,996.	2,030.	2,087.	2,122.
	30"	42"	<b>R3B1TF342 30-()</b> ( )	1,973.	1,993.	2,036.	2,088.	2,122.	2,179.	2,214.
	36"	42"	<b>R3B1TF342 36-()</b> ( )	2,314.	2,334.	2,377.	2,429.	2,463.	2,520.	2,555.
	42"	42"	<b>R3B1TF342 42-()</b> ( )	2,488.	2,508.	2,551.	2,603.	2,637.	2,694.	2,729.
	48"	42"	<b>R3B1TF342 48-()</b> ( )	2,574.	2,594.	2,637.	2,689.	2,723.	2,780.	2,815.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF34218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
<b>F3</b> Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
<b>42</b> 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>18</b> 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>W281</b> Fabric - Side 1A		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 269).
<b>W281</b> Fabric - Side 1B		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>W281</b> Fabric - Side 1C		Remember to specify Beltway paint finish when applicable.
<b>V512</b> Figured Anigre surface - side 2 tiled		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 42" H Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	42"	<b>R3B0TLL4218( ) ( )</b>	\$890.
	20"	42"	<b>R3B0TLL4220( ) ( )</b>	890.
	24"	42"	<b>R3B0TLL4224( ) ( )</b>	971.
	30"	42"	<b>R3B0TLL4230( ) ( )</b>	1,086.
	36"	42"	<b>R3B0TLL4236( ) ( )</b>	1,173.
	42"	42"	<b>R3B0TLL4242( ) ( )</b>	1,209.
	48"	42"	<b>R3B0TLL4248( ) ( )</b>	1,244.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TLL4218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
<b>LL</b> Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>42</b> 42" high	5. Laminate side, finish (specify selection per insert)	Product on this page can be attached to posts 42", 49", 64", and 79" H as well as panels 42", 49", 64" and 79" H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>18</b> 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Remember to specify Beltway paint finish when applicable.
<b>A</b> Flat style top trim profile	6. Laminate, finish	79" H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>4</b> 4" base height	7. Top trim finish	
<b>K</b> Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>B</b> Tile divider, black reveal	8. Base finish	
<b>118</b> Laminate - side 1A	9. Beltway finish	
<b>118</b> Laminate - side 1B	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>118</b> Laminate - side 1C		
<b>118</b> Laminate - side 2A		
<b>118</b> Laminate - side 2B		
<b>118</b> Laminate - side 2C		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		



# Tiled panels 49" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	<b>R3B0TFF49 18-()</b> ( )	\$755.	\$803.	\$899.	\$1,001.	\$1,085.	\$1,223.	\$1,301.
Regular acoustics	20"	49"	<b>R3B0TFF49 20-()</b> ( )	755.	803.	899.	1,001.	1,085.	1,223.	1,301.
	24"	49"	<b>R3B0TFF49 24-()</b> ( )	807.	855.	951.	1,053.	1,137.	1,275.	1,353.
	30"	49"	<b>R3B0TFF49 30-()</b> ( )	869.	916.	1,012.	1,114.	1,198.	1,336.	1,414.
	36"	49"	<b>R3B0TFF49 36-()</b> ( )	925.	973.	1,069.	1,171.	1,255.	1,393.	1,471.
	42"	49"	<b>R3B0TFF49 42-()</b> ( )	1,045.	1,093.	1,189.	1,291.	1,375.	1,513.	1,591.
	48"	49"	<b>R3B0TFF49 48-()</b> ( )	1,103.	1,151.	1,247.	1,349.	1,433.	1,571.	1,649.

Tiled, fabric both sides	18"	49"	<b>R3B0TAA49 18-()</b> ( )	827.	875.	971.	1,073.	1,157.	1,295.	1,373.
High acoustics	20"	49"	<b>R3B0TAA49 20-()</b> ( )	827.	875.	971.	1,073.	1,157.	1,295.	1,373.
	24"	49"	<b>R3B0TAA49 24-()</b> ( )	884.	932.	1,028.	1,130.	1,214.	1,352.	1,430.
	30"	49"	<b>R3B0TAA49 30-()</b> ( )	955.	1,003.	1,099.	1,201.	1,285.	1,423.	1,501.
	36"	49"	<b>R3B0TAA49 36-()</b> ( )	1,016.	1,064.	1,160.	1,262.	1,346.	1,484.	1,562.
	42"	49"	<b>R3B0TAA49 42-()</b> ( )	1,146.	1,194.	1,290.	1,392.	1,476.	1,614.	1,692.
	48"	49"	<b>R3B0TAA49 48-()</b> ( )	1,213.	1,261.	1,357.	1,459.	1,543.	1,681.	1,759.

Order Code	Specification Information
Example: <b>R3B0TFF4918-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 2A
<b>W281</b>	Fabric - Side 2B
<b>W281</b>	Fabric - Side 2C
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame


Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top
5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top
6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
7. Base finish
8. Beltway finish
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)  6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
Applicable finishes are listed on Reff Profiles and Reff Profiles.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
Remember to specify Beltway paint finish when applicable.
79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Tiled panels 49" H

## *fabric both sides with Beltway*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	<b>R3B1TFF49 18-( )</b> ( )	\$1,247.	\$1,295.	\$1,388.	\$1,493.	\$1,577.	\$1,715.	\$1,793.
Beltway one side	20"	49"	<b>R3B1TFF49 20-( )</b> ( )	1,247.	1,295.	1,388.	1,493.	1,577.	1,715.	1,793.
	24"	49"	<b>R3B1TFF49 24-( )</b> ( )	1,272.	1,320.	1,413.	1,518.	1,602.	1,740.	1,818.
	30"	49"	<b>R3B1TFF49 30-( )</b> ( )	1,340.	1,388.	1,481.	1,586.	1,670.	1,808.	1,886.
	36"	49"	<b>R3B1TFF49 36-( )</b> ( )	1,605.	1,653.	1,749.	1,851.	1,935.	2,073.	2,151.
	42"	49"	<b>R3B1TFF49 42-( )</b> ( )	1,733.	1,781.	1,874.	1,979.	2,063.	2,201.	2,279.
	48"	49"	<b>R3B1TFF49 48-( )</b> ( )	1,794.	1,842.	1,935.	2,040.	2,124.	2,262.	2,340.

Tiled, fabric both sides	18"	49"	<b>R3B2TFF49 18-( )</b> ( )	1,265.	1,313.	1,403.	1,511.	1,595.	1,733.	1,811.
Beltway two sides	20"	49"	<b>R3B2TFF49 20-( )</b> ( )	1,265.	1,313.	1,403.	1,511.	1,595.	1,733.	1,811.
	24"	49"	<b>R3B2TFF49 24-( )</b> ( )	1,294.	1,342.	1,432.	1,540.	1,624.	1,762.	1,840.
	30"	49"	<b>R3B2TFF49 30-( )</b> ( )	1,365.	1,413.	1,503.	1,611.	1,695.	1,833.	1,911.
	36"	49"	<b>R3B2TFF49 36-( )</b> ( )	1,633.	1,681.	1,771.	1,879.	1,963.	2,101.	2,179.
	42"	49"	<b>R3B2TFF49 42-( )</b> ( )	1,763.	1,811.	1,901.	2,009.	2,093.	2,231.	2,309.
	48"	49"	<b>R3B2TFF49 48-( )</b> ( )	1,830.	1,878.	1,968.	2,076.	2,160.	2,298.	2,376.

**Order Code**

Example: <b>R3B2TFF4918-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B2</b>	with Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 2A
<b>W281</b>	Fabric - Side 2B
<b>W281</b>	Fabric - Side 2C
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>111</b>	Beltway finish

**Specification Information**

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Fabric side finish (specify selection per insert)
  - tile 1A bottom
  - tile 1B middle
  - tile 1C top
- Fabric side, finish (specify selection per insert)
  - tile 2A bottom
  - tile 2B middle
  - tile 2C top
- Top trim finish
  - Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

**Application Notes**

1. Top trim profile:  
 A = Flat  
 B = Square  
 C = Bullnose  
 E = Extruded Aluminum

2. Base height:  
 4 = 4" base height  
 6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Tiled panels 49" H

*fabric one side, laminate opposite side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TFL49 18-()</b> ( )	\$818.	\$842.	\$884.	\$938.	\$980.	\$1,040.	\$1,079.
Regular acoustics	20"	49"	<b>R3B0TFL49 20-()</b> ( )	818.	842.	844.	938.	980.	1,040.	1,079.
	24"	49"	<b>R3B0TFL49 24-()</b> ( )	865.	889.	931.	985.	1,027.	1,087.	1,126.
	30"	49"	<b>R3B0TFL49 30-()</b> ( )	926.	950.	992.	1,046.	1,088.	1,148.	1,187.
	36"	49"	<b>R3B0TFL49 36-()</b> ( )	977.	1,001.	1,043.	1,097.	1,139.	1,199.	1,238.
	42"	49"	<b>R3B0TFL49 42-()</b> ( )	1,089.	1,113.	1,155.	1,209.	1,251.	1,311.	1,350.
	48"	49"	<b>R3B0TFL49 48-()</b> ( )	1,148.	1,172.	1,214.	1,268.	1,310.	1,370.	1,409.


Tiled, fabric one side	18"	49"	<b>R3B1TFL49 18-()</b> ( )	1,298.	1,322.	1,366.	1,418.	1,460.	1,523.	1,568.
Beltway one side (fabric side)	20"	49"	<b>R3B1TFL49 20-()</b> ( )	1,298.	1,322.	1,366.	1,418.	1,460.	1,523.	1,568.
	24"	49"	<b>R3B1TFL49 24-()</b> ( )	1,324.	1,348.	1,392.	1,444.	1,486.	1,549.	1,588.
	30"	49"	<b>R3B1TFL49 30-()</b> ( )	1,390.	1,414.	1,453.	1,510.	1,552.	1,615.	1,654.
	36"	49"	<b>R3B1TFL49 36-()</b> ( )	1,643.	1,667.	1,711.	1,763.	1,805.	1,868.	1,907.
	42"	49"	<b>R3B1TFL49 42-()</b> ( )	1,764.	1,788.	1,832.	1,884.	1,926.	1,989.	2,028.
	48"	49"	<b>R3B1TFL49 48-()</b> ( )	1,830.	1,854.	1,898.	1,950.	1,998.	2,055.	2,094.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL4918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
<b>FL</b> Fabric one side. laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>18</b> 18" wide	6. Laminate side finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top	Remember to specify Beltway paint finish when applicable.
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>4</b> 4" base height	8. Base finish	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>114</b> Folkstone grey - side 2A		
<b>114</b> Folkstone grey - side 2B		
<b>114</b> Folkstone grey - side 2C		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 49" H

*fabric one side, techwood other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TF149 18-</b> ( ) ( )	\$883.	\$907.	\$958.	\$1,009.	\$1,051.	\$1,120.	\$1,159.
Regular acoustics	20"	49"	<b>R3B0TF149 20-</b> ( ) ( )	883.	907.	958.	1,009.	1,051.	1,120.	1,159.
	24"	49"	<b>R3B0TF149 24-</b> ( ) ( )	938.	962.	1,013.	1,064.	1,106.	1,175.	1,214.
	30"	49"	<b>R3B0TF149 30-</b> ( ) ( )	1,002.	1,026.	1,077.	1,128.	1,170.	1,239.	1,278.
	36"	49"	<b>R3B0TF149 36-</b> ( ) ( )	1,062.	1,086.	1,137.	1,188.	1,230.	1,299.	1,338.
	42"	49"	<b>R3B0TF149 42-</b> ( ) ( )	1,188.	1,212.	1,263.	1,314.	1,356.	1,425.	1,464.
	48"	49"	<b>R3B0TF149 48-</b> ( ) ( )	1,244.	1,268.	1,319.	1,370.	1,412.	1,481.	1,520.


Tiled, fabric one side	18"	49"	<b>R3B1TF149 18-</b> ( ) ( )	1,393.	1,417.	1,468.	1,519.	1,561.	1,630.	1,669.
Beltway one side (fabric side)	20"	49"	<b>R3B1TF149 20-</b> ( ) ( )	1,393.	1,417.	1,468.	1,519.	1,561.	1,630.	1,669.
	24"	49"	<b>R3B1TF149 24-</b> ( ) ( )	1,425.	1,449.	1,500.	1,551.	1,593.	1,662.	1,701.
	30"	49"	<b>R3B1TF149 30-</b> ( ) ( )	1,494.	1,518.	1,569.	1,620.	1,662.	1,731.	1,770.
	36"	49"	<b>R3B1TF149 36-</b> ( ) ( )	1,769.	1,793.	1,844.	1,895.	1,937.	2,006.	2,045.
	42"	49"	<b>R3B1TF149 42-</b> ( ) ( )	1,900.	1,924.	1,975.	2,026.	2,068.	2,137.	2,176.
	48"	49"	<b>R3B1TF149 48-</b> ( ) ( )	1,966.	1,990.	2,041.	2,092.	2,134.	2,203.	2,242.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF14918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>F1</b> Fabric one side, V1 other	4. Tile divider (B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider))	E = Extruded Aluminum
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
<b>18</b> 18" wide	i) tile 1A bottom	4 = 4" base height
<b>A</b> Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	iii) tile 1C top	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
<b>K</b> Include knockouts in base	6. Techwood side, finish (specify one V1 finish for side)	49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
<b>B</b> Tile divider, black reveal	7. Top trim finish	6" Raceway option increases panel height by 2 3/4".
<b>W281</b> Fabric - Side 1A	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>W281</b> Fabric - Side 1B	ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	
<b>W281</b> Fabric - Side 1C	8. Base finish	
<b>Y328</b> Mahogany - side 2 tiled	9. Beltway finish, for panels with Beltway	Remember to specify Beltway paint finish when applicable.
<b>V316</b> Maple (top trim finish)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 49" H

*fabric one side, conventional veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TF249 18-</b> ( ) ( )	\$902.	\$926.	\$977.	\$1,028.	\$1,070.	\$1,139.	\$1,178.
Regular acoustics	20"	49"	<b>R3B0TF249 20-</b> ( ) ( )	902.	926.	977.	1,028.	1,070.	1,139.	1,178.
	24"	49"	<b>R3B0TF249 24-</b> ( ) ( )	956.	980.	1,031.	1,082.	1,124.	1,193.	1,232.
	30"	49"	<b>R3B0TF249 30-</b> ( ) ( )	1,026.	1,050.	1,101.	1,152.	1,194.	1,263.	1,302.
	36"	49"	<b>R3B0TF249 36-</b> ( ) ( )	1,082.	1,106.	1,157.	1,208.	1,250.	1,319.	1,358.
	42"	49"	<b>R3B0TF249 42-</b> ( ) ( )	1,205.	1,229.	1,280.	1,331.	1,373.	1,442.	1,481.
	48"	49"	<b>R3B0TF249 48-</b> ( ) ( )	1,268.	1,292.	1,343.	1,394.	1,436.	1,505.	1,544.


Tiled, fabric one side	18"	49"	<b>R3B1TF249 18-</b> ( ) ( )	1,421.	1,445.	1,496.	1,547.	1,589.	1,658.	1,697.
Beltway one side (fabric side)	20"	49"	<b>R3B1TF249 20-</b> ( ) ( )	1,421.	1,445.	1,496.	1,547.	1,589.	1,658.	1,697.
	24"	49"	<b>R3B1TF249 24-</b> ( ) ( )	1,451.	1,475.	1,526.	1,577.	1,619.	1,688.	1,727.
	30"	49"	<b>R3B1TF249 30-</b> ( ) ( )	1,521.	1,545.	1,596.	1,647.	1,689.	1,758.	1,797.
	36"	49"	<b>R3B1TF249 36-</b> ( ) ( )	1,798.	1,822.	1,873.	1,924.	1,966.	2,035.	2,074.
	42"	49"	<b>R3B1TF249 42-</b> ( ) ( )	1,933.	1,957.	2,008.	2,059.	2,101.	2,170.	2,209.
	48"	49"	<b>R3B1TF249 48-</b> ( ) ( )	2,002.	2,026.	2,077.	2,128.	2,170.	2,239.	2,278.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF24918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F2</b> Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>49</b> 49" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify	4 = 4" base height
<b>A</b> Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	<b>Optional for non fabric side only</b> (fabric side always black)
<b>B</b> Tile divider, black reveal	i) tile 1A bottom	49"h add per panel:
<b>W281</b> Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
<b>W281</b> Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
<b>W281</b> Fabric - Side 1C	6. Conventional veneer, finish (specify one V2 finish for side)	\$34 for 36w and 42w
<b>V316</b> Maple surface - side 2 tiled	7. Top trim finish	\$42 for 48w
<b>V316</b> Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
<b>111</b> Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>M</b> Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Tiled panels 49" H

*fabric one side, exotic veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TF349 18-()</b> ( )	\$1,200.	\$1,224.	\$1,275.	\$1,326.	\$1,368.	\$1,437.	\$1,476.
Regular acoustics	20"	49"	<b>R3B0TF349 20-()</b> ( )	1,200.	1,224.	1,275.	1,326.	1,368.	1,437.	1,476.
	24"	49"	<b>R3B0TF349 24-()</b> ( )	1,273.	1,297.	1,348.	1,399.	1,441.	1,510.	1,549.
	30"	49"	<b>R3B0TF349 30-()</b> ( )	1,368.	1,392.	1,443.	1,494.	1,536.	1,605.	1,644.
	36"	49"	<b>R3B0TF349 36-()</b> ( )	1,444.	1,468.	1,519.	1,570.	1,612.	1,681.	1,720.
	42"	49"	<b>R3B0TF349 42-()</b> ( )	1,610.	1,634.	1,685.	1,736.	1,778.	1,847.	1,886.
	48"	49"	<b>R3B0TF349 48-()</b> ( )	1,693.	1,717.	1,768.	1,819.	1,861.	1,930.	1,969.

Tiled, fabric one side	18"	49"	<b>R3B1TF349 18-()</b> ( )	1,901.	1,925.	1,976.	2,027.	2,069.	2,138.	2,177.
Beltway fabric side	20"	49"	<b>R3B1TF349 20-()</b> ( )	1,901.	1,925.	1,976.	2,027.	2,069.	2,138.	2,177.
	24"	49"	<b>R3B1TF349 24-()</b> ( )	1,942.	1,966.	2,017.	2,068.	2,110.	2,179.	2,218.
	30"	49"	<b>R3B1TF349 30-()</b> ( )	2,036.	2,060.	2,111.	2,162.	2,204.	2,273.	2,312.
	36"	49"	<b>R3B1TF349 36-()</b> ( )	2,412.	2,436.	2,487.	2,538.	2,580.	2,649.	2,688.
	42"	49"	<b>R3B1TF349 42-()</b> ( )	2,594.	2,618.	2,669.	2,720.	2,762.	2,831.	2,870.
	48"	49"	<b>R3B1TF349 48-()</b> ( )	2,688.	2,712.	2,763.	2,814.	2,856.	2,925.	2,964.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF34918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F3</b> Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>49</b> 49" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
<b>A</b> Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
<b>K</b> Include knockouts in base	ii) tile 1B middle	<b>Optional for non fabric side only</b> (fabric side always black)
<b>B</b> Tile divider, black reveal	iii) tile 1C top	49" h add per panel:
<b>W281</b> Fabric - Side 1A	6. Exotic veneer, finish (specify one V3 finish for side)	\$25 for 18w and 20w
<b>W281</b> Fabric - Side 1B	7. Top trim finish	\$28 for 24w and 30w
<b>W281</b> Fabric - Side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$34 for 36w and 42w
<b>V512</b> Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	\$42 for 48w
<b>V512</b> Figured Anigre (top trim finish)	8. Base finish	6" Raceway option increases panel height by 2 3/4".
<b>111</b> Jet Black (base finish)	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>M</b> Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Tiled panels 49" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18"	49"	<b>R3B0TLL4918( ) ( )</b>	\$930.
	20"	49"	<b>R3B0TLL4920( ) ( )</b>	930.
	24"	49"	<b>R3B0TLL4924( ) ( )</b>	1,013.
	30"	49"	<b>R3B0TLL4930( ) ( )</b>	1,135.
	36"	49"	<b>R3B0TLL4936( ) ( )</b>	1,226.
	42"	49"	<b>R3B0TLL4942( ) ( )</b>	1,263.
	48"	49"	<b>R3B0TLL4948( ) ( )</b>	1,301.

### Order Code

Example:	<b>R3B0TLL4918-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>LL</b>	Laminate both sides
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>118</b>	Laminate - side 1A
<b>118</b>	Laminate - side 1B
<b>118</b>	Laminate - side 1C
<b>118</b>	Laminate - side 2A
<b>118</b>	Laminate - side 2B
<b>118</b>	Laminate - side 2C
<b>V512</b>	Figured Anigre (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

### Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C top
6. Laminate, finish
7. Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver
8. Base finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

### Application Notes

*1. Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

*2. Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

*4. Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)  
49"h add per panel:  
\$25 for 18w and 20w  
\$28 for 24w and 30w  
\$34 for 36w and 42w  
\$42 for 48w

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Tiled panels 64" H

## *fabric both sides*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	<b>R3B0TFF64 18-()</b> ( )	\$863.	\$927.	\$1,055.	\$1,191.	\$1,303.	\$1,487.	\$1,591.
Regular acoustics	20"	64"	<b>R3B0TFF64 20-()</b> ( )	863.	927.	1,055.	1,191.	1,303.	1,487.	1,591.
	24"	64"	<b>R3B0TFF64 24-()</b> ( )	926.	990.	1,118.	1,254.	1,366.	1,550.	1,654.
	30"	64"	<b>R3B0TFF64 30-()</b> ( )	994.	1,058.	1,186.	1,322.	1,434.	1,618.	1,722.
	36"	64"	<b>R3B0TFF64 36-()</b> ( )	1,052.	1,116.	1,244.	1,380.	1,492.	1,676.	1,780.
	42"	64"	<b>R3B0TFF64 42-()</b> ( )	1,204.	1,268.	1,396.	1,532.	1,644.	1,828.	1,932.
	48"	64"	<b>R3B0TFF64 48-()</b> ( )	1,264.	1,338.	1,456.	1,592.	1,704.	1,888.	1,992.


Tiled, fabric both sides	18"	64"	<b>R3B0TAA64 18-()</b> ( )	945.	1,009.	1,137.	1,273.	1,385.	1,569.	1,673.
High acoustics	20"	64"	<b>R3B0TAA64 20-()</b> ( )	945.	1,009.	1,137.	1,273.	1,385.	1,569.	1,673.
	24"	64"	<b>R3B0TAA64 24-()</b> ( )	1,013.	1,077.	1,205.	1,341.	1,453.	1,637.	1,741.
	30"	64"	<b>R3B0TAA64 30-()</b> ( )	1,090.	1,154.	1,282.	1,418.	1,530.	1,714.	1,818.
	36"	64"	<b>R3B0TAA64 36-()</b> ( )	1,162.	1,226.	1,354.	1,490.	1,602.	1,786.	1,890.
	42"	64"	<b>R3B0TAA64 42-()</b> ( )	1,323.	1,387.	1,515.	1,651.	1,763.	1,947.	2,051.
	48"	64"	<b>R3B0TAA64 48-()</b> ( )	1,395.	1,459.	1,587.	1,723.	1,835.	2,019.	2,123.


Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>64</b> 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
<b>18</b> 18" wide	i) tile 1A bottom	4 = 4" base height
<b>A</b> Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	iii) tile 1C middle	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	iv) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>W281</b> Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>W281</b> Fabric - Side 1B	i) tile 2A bottom	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>W281</b> Fabric - Side 1C	ii) tile 2B middle	
<b>W281</b> Fabric - Side 2A	iii) tile 2C middle	
<b>W281</b> Fabric - Side 2B	iv) tile 2D top	
<b>W281</b> Fabric - Side 2C	6. Top trim finish	
<b>V316</b> Maple (top trim finish)	i) Top trim profile A,B or C options:	
<b>111</b> Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
<b>M</b> Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
	7. Base finish	
	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	



# Tiled panels 64" H

*fabric both sides, with Beltway*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	<b>R3B1TFF64 18-( )</b> ( )	\$1,350.	\$1,414.	\$1,539.	\$1,678.	\$1,790.	\$1,974.	\$2,078.
Beltway one side	20"	64"	<b>R3B1TFF64 20-( )</b> ( )	1,350.	1,414.	1,539.	1,678.	1,790.	1,974.	2,078.
	24"	64"	<b>R3B1TFF64 24-( )</b> ( )	1,419.	1,483.	1,608.	1,747.	1,859.	2,043.	2,147.
	30"	64"	<b>R3B1TFF64 30-( )</b> ( )	1,454.	1,518.	1,643.	1,782.	1,894.	2,078.	2,182.
	36"	64"	<b>R3B1TFF64 36-( )</b> ( )	1,787.	1,851.	1,976.	2,115.	2,227.	2,411.	2,515.
	42"	64"	<b>R3B1TFF64 42-( )</b> ( )	1,919.	1,983.	2,108.	2,247.	2,359.	2,543.	2,647.
	48"	64"	<b>R3B1TFF64 48-( )</b> ( )	1,987.	2,051.	2,176.	2,315.	2,427.	2,611.	2,715.

Tiled, fabric both sides	18"	64"	<b>R3B2TFF64 18-( )</b> ( )	1,371.	1,435.	1,557.	1,699.	1,811.	1,995.	2,099.
Beltway two sides	20"	64"	<b>R3B2TFF64 20-( )</b> ( )	1,371.	1,435.	1,557.	1,699.	1,811.	1,995.	2,099.
	24"	64"	<b>R3B2TFF64 24-( )</b> ( )	1,442.	1,506.	1,628.	1,770.	1,882.	2,066.	2,170.
	30"	64"	<b>R3B2TFF64 30-( )</b> ( )	1,478.	1,542.	1,664.	1,806.	1,918.	2,102.	2,206.
	36"	64"	<b>R3B2TFF64 36-( )</b> ( )	1,818.	1,882.	2,004.	2,146.	2,258.	2,442.	2,546.
	42"	64"	<b>R3B2TFF64 42-( )</b> ( )	1,949.	2,013.	2,135.	2,277.	2,389.	2,573.	2,677.
	48"	64"	<b>R3B2TFF64 48-( )</b> ( )	2,022.	2,086.	2,208.	2,350.	2,462.	2,646.	2,750.

Order Code	Specification Information	Application Notes
Example: <b>R3B1TFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
<b>R3</b> Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
<b>B1</b> Beltway one side	2. Base height	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H .
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
<b>64</b> 64" high	i) tile 1A bottom	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>18</b> 18" wide	ii) tile 1B middle	
<b>A</b> Flat style top trim profile	iii) tile 1C middle	
<b>4</b> 4" base height	iv) tile 1D middle	
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	
<b>W281</b> Fabric - Side 1A	i) tile 2A bottom	
<b>W281</b> Fabric - Side 1B	ii) tile 2B middle	
<b>W281</b> Fabric - Side 1C	iii) tile 2C middle	
<b>W281</b> Fabric - Side 1D	iv) tile 2D middle	
<b>W281</b> Fabric - Side 2A		
<b>W281</b> Fabric - Side 2B		
<b>W281</b> Fabric - Side 2C		
<b>W281</b> Fabric - Side 2D		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Beltway finish		


- Top trim finish
    - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
    - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
  - Base finish
  - Beltway finish
1. Top trim profile:  
 A = Flat  
 B = Square  
 C = Bullnose  
 E = Extruded Aluminum
2. Base height:  
 4 = 4" base height  
 6 = 6" base height (add \$47 per panel for this option)


Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

# Tiled panels 64" H

*fabric one side, laminate other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TFL64 18-</b> ( ) ( )	\$952.	\$984.	\$1,040.	\$1,112.	\$1,168.	\$1,248.	\$1,300.
Regular acoustics	20"	64"	<b>R3B0TFL64 20-</b> ( ) ( )	952.	984.	1,040.	1,112.	1,168.	1,248.	1,300.
	24"	64"	<b>R3B0TFL64 24-</b> ( ) ( )	1,008.	1,040.	1,096.	1,168.	1,224.	1,304.	1,356.
	30"	64"	<b>R3B0TFL64 30-</b> ( ) ( )	1,076.	1,108.	1,164.	1,236.	1,292.	1,372.	1,424.
	36"	64"	<b>R3B0TFL64 36-</b> ( ) ( )	1,137.	1,169.	1,225.	1,297.	1,353.	1,433.	1,485.
	42"	64"	<b>R3B0TFL64 42-</b> ( ) ( )	1,278.	1,310.	1,366.	1,438.	1,494.	1,574.	1,626.
	48"	64"	<b>R3B0TFL64 48-</b> ( ) ( )	1,339.	1,371.	1,427.	1,499.	1,555.	1,635.	1,687.


Tiled, fabric one side	18"	64"	<b>R3B1TFL64 18-</b> ( ) ( )	1,429.	1,461.	1,520.	1,589.	1,645.	1,729.	1,781.
Beltway one side (fabric side)	20"	64"	<b>R3B1TFL64 20-</b> ( ) ( )	1,429.	1,461.	1,520.	1,589.	1,645.	1,729.	1,781.
	24"	64"	<b>R3B1TFL64 24-</b> ( ) ( )	1,498.	1,530.	1,589.	1,658.	1,714.	1,798.	1,850.
	30"	64"	<b>R3B1TFL64 30-</b> ( ) ( )	1,530.	1,562.	1,621.	1,690.	1,746.	1,830.	1,882.
	36"	64"	<b>R3B1TFL64 36-</b> ( ) ( )	1,856.	1,888.	1,947.	2,016.	2,072.	2,156.	2,208.
	42"	64"	<b>R3B1TFL64 42-</b> ( ) ( )	1,980.	2,012.	2,071.	2,140.	2,196.	2,280.	2,332.
	48"	64"	<b>R3B1TFL64 48-</b> ( ) ( )	2,046.	2,078.	2,137.	2,206.	2,262.	2,346.	2,398.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL6418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B0</b> No Beltway	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FL</b> Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
<b>64</b> 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	
<b>18</b> 18" wide	6. Laminate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D top	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish, for panels with Beltway	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>W281</b> Fabric - Side 1A		1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>W281</b> Fabric - Side 1B		2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>W281</b> Fabric - Side 1C		4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
<b>114</b> Folkstone grey - side 2A		6" Raceway option increases panel height by 2 3/4".
<b>114</b> Folkstone grey - side 2B		Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>114</b> Folkstone grey - side 2C		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 64" H

*fabric one side, techwood other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF164 18-()</b> ( )	\$1,032.	\$1,064.	\$1,132.	\$1,200.	\$1,256.	\$1,348.	\$1,400.
Regular acoustics	20"	64"	<b>R3B0TF164 20-()</b> ( )	1,032.	1,064.	1,132.	1,200.	1,256.	1,348.	1,400.
	24"	64"	<b>R3B0TF164 24-()</b> ( )	1,094.	1,126.	1,194.	1,262.	1,318.	1,410.	1,462.
	30"	64"	<b>R3B0TF164 30-()</b> ( )	1,168.	1,200.	1,268.	1,336.	1,392.	1,484.	1,536.
	36"	64"	<b>R3B0TF164 36-()</b> ( )	1,231.	1,263.	1,331.	1,399.	1,455.	1,547.	1,599.
	42"	64"	<b>R3B0TF164 42-()</b> ( )	1,387.	1,419.	1,487.	1,555.	1,611.	1,703.	1,755.
	48"	64"	<b>R3B0TF164 48-()</b> ( )	1,451.	1,483.	1,551.	1,619.	1,675.	1,767.	1,819.


Tiled, fabric one side	18"	64"	<b>R3B1TF164 18-()</b> ( )	1,535.	1,567.	1,635.	1,703.	1,759.	1,851.	1,903.
Beltway one side (fabric side)	20"	64"	<b>R3B1TF164 20-()</b> ( )	1,535.	1,577.	1,635.	1,703.	1,759.	1,851.	1,903.
	24"	64"	<b>R3B1TF164 24-()</b> ( )	1,609.	1,641.	1,709.	1,777.	1,833.	1,925.	1,977.
	30"	64"	<b>R3B1TF164 30-()</b> ( )	1,644.	1,676.	1,744.	1,812.	1,868.	1,960.	2,012.
	36"	64"	<b>R3B1TF164 36-()</b> ( )	1,993.	2,025.	2,093.	2,161.	2,217.	2,309.	2,361.
	42"	64"	<b>R3B1TF164 42-()</b> ( )	2,126.	2,158.	2,226.	2,294.	2,350.	2,442.	2,494.
	48"	64"	<b>R3B1TF164 48-()</b> ( )	2,203.	2,235.	2,303.	2,371.	2,427.	2,519.	2,571.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF16418-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F1</b> Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>64</b> 64" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify	4 = 4" base height
<b>A</b> Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	64"h add per panel:
<b>B</b> Tile divider, black reveal	i) tile 1A bottom	\$39 for 18w and 20w
<b>W281</b> Fabric - Side 1A	ii) tile 1B middle	\$43 for 24w and 30w
<b>W281</b> Fabric - Side 1B	iii) tile 1C middle	\$48 for 36w and 42w
<b>W281</b> Fabric - Side 1C	iv) tile 1D top	\$64 for 48w
<b>Y328</b> Mahogany - side 2 tiled	6. Techwood side, finish (specify one V1 finish for side)	<i>6" Raceway option increases panel height by 2 3/4".</i>
<b>V316</b> Maple (top trim finish)	7. Top trim finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>111</b> Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>M</b> Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Tiled panels 64" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF264 18-()</b> ( )	\$1,051.	\$1,083.	\$1,151.	\$1,219.	\$1,275.	\$1,367.	\$1,419.
Regular acoustics	20"	64"	<b>R3B0TF264 20-()</b> ( )	1,051.	1,083.	1,151.	1,219.	1,275.	1,367.	1,419.
	24"	64"	<b>R3B0TF264 24-()</b> ( )	1,113.	1,145.	1,213.	1,281.	1,337.	1,429.	1,481.
	30"	64"	<b>R3B0TF264 30-()</b> ( )	1,185.	1,217.	1,285.	1,353.	1,409.	1,501.	1,553.
	36"	64"	<b>R3B0TF264 36-()</b> ( )	1,253.	1,285.	1,353.	1,421.	1,477.	1,569.	1,621.
	42"	64"	<b>R3B0TF264 42-()</b> ( )	1,410.	1,442.	1,510.	1,578.	1,634.	1,726.	1,778.
	48"	64"	<b>R3B0TF264 48-()</b> ( )	1477'	1,509.	1,577.	1,645.	1,701.	1,793.	1,845.

Tiled, fabric one side	18"	64"	<b>R3B1TF264 18-()</b> ( )	1,563.	1,595.	1,663.	1,731.	1,787.	1,879.	1,931.
Beltway one side (fabric side)	20"	64"	<b>R3B1TF264 20-()</b> ( )	1,563.	1,595.	1,663.	1,731.	1,787.	1,879.	1,931.
	24"	64"	<b>R3B1TF264 24-()</b> ( )	1,639.	1,671.	1,739.	1,807.	1,863.	1,955.	2,007.
	30"	64"	<b>R3B1TF264 30-()</b> ( )	1,674.	1,706.	1,774.	1,842.	1,898.	1,990.	2,042.
	36"	64"	<b>R3B1TF264 36-()</b> ( )	2,032.	2,064.	2,132.	2,200.	2,256.	2,348.	2,400.
	42"	64"	<b>R3B1TF264 42-()</b> ( )	2,167.	2,199.	2,267.	2,335.	2,391.	2,483.	2,535.
	48"	64"	<b>R3B1TF264 48-()</b> ( )	2,236.	2,268.	2,336.	2,404.	2,460.	2,552.	2,604.

**Order Code**

Example: <b>R3B0TF26418-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>F2</b>	Fabric one side, V2 other
<b>64</b>	64" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 1D
<b>V316</b>	Maple surface - side 2 tiled
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

**Specification Information**

*To order please specify pattern number including:*

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C middle  
iv) tile 1D top
- Conventional veneer, finish (specify one V2 finish for side)
- Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

**Application Notes**

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
- Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)  
  
6" raceway option increases panel height by 2 3/4".
- Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)  
64" h add per panel:  
\$39 for 18w and 20w  
\$43 for 24w and 30w  
\$48 for 36w and 42w  
\$64 for 48w

Applicable finishes are listed on Reff Profiles and Reff Profiles.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Tiled panels 64" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF364 18-()</b> ( )	\$1,397.	\$1,429.	\$1,497.	\$1,565.	\$1,621.	\$1,713.	\$1,765.
Regular acoustics	20"	64"	<b>R3B0TF364 20-()</b> ( )	1,397.	1,429.	1,497.	1,565.	1,621.	1,713.	1,765.
	24"	64"	<b>R3B0TF364 24-()</b> ( )	1,479.	1,511.	1,579.	1,647.	1,703.	1,795.	1,847.
	30"	64"	<b>R3B0TF364 30-()</b> ( )	1,577.	1,609.	1,677.	1,745.	1,801.	1,893.	1,945.
	36"	64"	<b>R3B0TF364 36-()</b> ( )	1,671.	1,703.	1,771.	1,839.	1,895.	1,987.	2,039.
	42"	64"	<b>R3B0TF364 42-()</b> ( )	1,883.	1,915.	1,983.	2,051.	2,107.	2,199.	2,251.
	48"	64"	<b>R3B0TF364 48-()</b> ( )	1,970.	2,002.	2,070.	2,138.	2,194.	2,286.	2,338.

Tiled, fabric one side	18"	64"	<b>R3B1TF364 18-()</b> ( )	2,089.	2,121.	2,189.	2,257.	2,313.	2,405.	2,457.
Beltway fabric side	20"	64"	<b>R3B1TF364 20-()</b> ( )	2,089.	2,121.	2,189.	2,257.	2,313.	2,405.	2,457.
	24"	64"	<b>R3B1TF364 24-()</b> ( )	2,193.	2,225.	2,293.	2,361.	2,417.	2,509.	2,561.
	30"	64"	<b>R3B1TF364 30-()</b> ( )	2,236.	2,268.	2,336.	2,404.	2,460.	2,552.	2,604.
	36"	64"	<b>R3B1TF364 36-()</b> ( )	2,720.	2,752.	2,820.	2,888.	2,944.	3,036.	3,088.
	42"	64"	<b>R3B1TF364 42-()</b> ( )	2,903.	2,935.	3,003.	3,071.	3,127.	3,219.	3,271.
	48"	64"	<b>R3B1TF364 48-()</b> ( )	2,999.	3,031.	3,099.	3,167.	3,223.	3,315.	3,367.

## Order Code

Example: <b>R3B0TF36418-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>F3</b>	Fabric one side, V3 other
<b>64</b>	64" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 1D
<b>V512</b>	Figured Anigre surface - side 2 tiled
<b>V512</b>	Figured Anigre (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

## Specification Information

- To order please specify pattern number including:*
- Top trim profile
  - Base height
  - Knockout option (K = with knockouts, N = without knockouts)
  - Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
  - Fabric side, finish (specify selection per insert)  
*i*) tile 1A bottom  
*ii*) tile 1B middle  
*iii*) tile 1C middle  
*iv*) tile 1D top
  - Exotic veneer, finish (specify one V3 finish for side)
  - Top trim finish  
*i*) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
*ii*) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver
  - Base finish
  - Beltway finish, for panels with Beltway
  - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


## Application Notes

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
  - Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)  
  
6" raceway option increases panel height by 2 3/4".
  - Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)  
64"h add per panel:  
\$39 for 18w and 20w  
\$43 for 24w and 30w  
\$48 for 36w and 42w  
\$64 for 48w
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
- Applicable finishes are listed on Reff Profiles and Reff Profiles.

# Tiled panels 64" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	64"	<b>R3B0TLL6418</b> ( ) ( )	\$1,156.
	20"	64"	<b>R3B0TLL6420</b> ( ) ( )	1,156.
	24"	64"	<b>R3B0TLL6424</b> ( ) ( )	1,260.
	30"	64"	<b>R3B0TLL6430</b> ( ) ( )	1,413.
	36"	64"	<b>R3B0TLL6436</b> ( ) ( )	1,525.
	42"	64"	<b>R3B0TLL6442</b> ( ) ( )	1,571.
	48"	64"	<b>R3B0TLL6448</b> ( ) ( )	1,634.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TLL6418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
<b>LL</b> Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>64</b> 64" high	5. Laminate side, finish (specify selection per insert) <i>i</i> ) tile 1A bottom <i>ii</i> ) tile 1B middle <i>iii</i> ) tile 1C middle <i>iv</i> ) tile 1D top	Remember to specify Beltway paint finish when applicable.
<b>18</b> 18" wide	6. Laminate, finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>A</b> Flat style top trim profile	7. Top trim finish <i>i</i> ) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i> ) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>4</b> 4" base height	8. Base finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>K</b> Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>B</b> Tile divider, black reveal		
<b>118</b> Laminate - side 1A		
<b>118</b> Laminate - side 1B		
<b>118</b> Laminate - side 1C		
<b>118</b> Laminate - side 1D		
<b>118</b> Laminate - side 2A		
<b>118</b> Laminate - side 2B		
<b>118</b> Laminate - side 2C		
<b>118</b> Laminate - side 2D		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		


# Tiled panels 79" H

## fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	<b>R3B0TFF79 18-()</b> ( )	\$1,074.	\$154.	\$1,314.	\$1,484.	\$1,624.	\$1,854.	\$1,984.
Regular acoustics	20"	79"	<b>R3B0TFF79 20-()</b> ( )	1,074.	1,154.	1,314.	1,484.	1,624.	1,854.	1,984.
	24"	79"	<b>R3B0TFF79 24-()</b> ( )	1,142.	1,222.	1,382.	1,552.	1,692.	1,922.	2,052.
	30"	79"	<b>R3B0TFF79 30-()</b> ( )	1,209.	1,289.	1,449.	1,619.	1,759.	1,989.	2,119.
	36"	79"	<b>R3B0TFF79 36-()</b> ( )	1,278.	1,358.	1,518.	1,688.	1,828.	2,058.	2,188.
	42"	79"	<b>R3B0TFF79 42-()</b> ( )	1,452.	1,532.	1,692.	1,862.	2,002.	2,232.	2,362.
	48"	79"	<b>R3B0TFF79 48-()</b> ( )	1,526.	1,606.	1,766.	1,936.	2,076.	2,306.	2,436.



Tiled, fabric both sides	18"	79"	<b>R3B0TAA79 18-()</b> ( )	1,175.	1,255.	1,415.	1,585.	1,725.	1,955.	2,085.
High acoustics	20"	79"	<b>R3B0TAA79 20-()</b> ( )	1,175.	1,255.	1,415.	1,585.	1,725.	1,955.	2,085.
	24"	79"	<b>R3B0TAA79 24-()</b> ( )	1,253.	1,333.	1,493.	1,663.	1,803.	2,033.	2,163.
	30"	79"	<b>R3B0TAA79 30-()</b> ( )	1,326.	1,406.	1,566.	1,736.	1,876.	2,106.	2,236.
	36"	79"	<b>R3B0TAA79 36-()</b> ( )	1,401.	1,481.	1,641.	1,811.	1,951.	2,181.	2,311.
	42"	79"	<b>R3B0TAA79 42-()</b> ( )	1,585.	1,675.	1,835.	2,005.	2,145.	2,375.	2,505.
	48"	79"	<b>R3B0TAA79 48-()</b> ( )	1,679.	1,759.	1,919.	2,089.	2,229.	2,459.	2,589.



### Order Code

Example: <b>R3B0TFF7918-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>79</b>	79" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 1D
<b>W281</b>	Fabric - Side 2A
<b>W281</b>	Fabric - Side 2B
<b>W281</b>	Fabric - Side 2C
<b>W281</b>	Fabric - Side 2D
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

### Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
  - i) tile 1A bottom
  - ii) tile 1B middle
  - iii) tile 1C middle
  - iv) tile 1D middle
  - v) tile 1E top
5. Fabric side, finish (specify selection per insert)
  - i) tile 2A bottom
  - ii) tile 2B middle
  - iii) tile 2C middle
  - iv) tile 2D middle
  - v) tile 2E top

6. Top trim finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
7. Base finish
  - 1. Top trim profile: A = Flat, B = Square, C = Bullnose, E = Extruded Aluminum
  - 2. Base height: 4 = 4" base height, 6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

### Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by  $2\frac{3}{4}$ ".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

# Tiled panels 79" H fabric both sides, with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	<b>R3B1TFF79 18-</b> ( ) ( )	\$1,400.	\$1,480.	\$1,637.	\$1,810.	\$1,950.	\$2,180.	\$2,310.
Beltway one side	20"	79"	<b>R3B1TFF79 20-</b> ( ) ( )	1,400.	1,480.	1,637.	1,810.	1,950.	2,180.	2,310.
	24"	79"	<b>R3B1TFF79 24-</b> ( ) ( )	1,470.	1,550.	1,707.	1,880.	2,020.	2,250.	2,380.
	30"	79"	<b>R3B1TFF79 30-</b> ( ) ( )	1,503.	1,583.	1,740.	1,913.	2,053.	2,283.	2,413.
	36"	79"	<b>R3B1TFF79 36-</b> ( ) ( )	1,837.	1,917.	2,074.	2,247.	2,387.	2,617.	2,747.
	42"	79"	<b>R3B1TFF79 42-</b> ( ) ( )	1,972.	2,052.	2,209.	2,382.	2,522.	2,752.	2,882.
	48"	79"	<b>R3B1TFF79 48-</b> ( ) ( )	2,037.	2,117.	2,274.	2,447.	2,587.	2,817.	2,947.



Tiled, fabric both sides	18"	79"	<b>R3B2TFF79 18-</b> ( ) ( )	1,420.	1,500.	1,654.	1,830.	1,970.	2,200.	2,330.
Beltway two sides	20"	79"	<b>R3B2TFF79 20-</b> ( ) ( )	1,420.	1,500.	1,654.	1,830.	1,970.	2,200.	2,330.
	24"	79"	<b>R3B2TFF79 24-</b> ( ) ( )	1,493.	1,573.	1,727.	1,903.	2,043.	2,273.	2,403.
	30"	79"	<b>R3B2TFF79 30-</b> ( ) ( )	1,525.	1,605.	1,759.	1,935.	2,075.	2,305.	2,435.
	36"	79"	<b>R3B2TFF79 36-</b> ( ) ( )	1,864.	1,944.	2,098.	2,274.	2,414.	2,644.	2,774.
	42"	79"	<b>R3B2TFF79 42-</b> ( ) ( )	2,001.	2,081.	2,235.	2,411.	2,551.	2,781.	2,911.
	48"	79"	<b>R3B2TFF79 48-</b> ( ) ( )	2,075.	2,155.	2,309.	2,485.	2,625.	2,855.	2,985.




Order Code	Specification Information	Application Notes
<b>Example: R3B1TFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
<b>R3</b>	1. Top trim profile	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>B1</b>	2. Base height	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H .
<b>T</b>	3. Knockout option (K = with knockouts, N = without knockouts)	Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>FF</b>	4. Fabric side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
<b>79</b>	i) tile 1A bottom	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>18</b>	ii) tile 1B middle	
<b>A</b>	iii) tile 1C middle	
<b>4</b>	iv) tile 1D middle	
<b>K</b>	v) tile 1E top	
<b>W281</b>	5. Fabric side, finish (specify selection per insert)	
<b>W281</b>	i) tile 2A bottom	
<b>W281</b>	ii) tile 2B middle	
<b>W281</b>	iii) tile 2C middle	
<b>W281</b>	iv) tile 2D middle	
<b>W281</b>	v) tile 2E top	
<b>W281</b>		
<b>W281</b>		
<b>W281</b>		
<b>W281</b>		
<b>W281</b>		
<b>W281</b>		
<b>W281</b>		
<b>W281</b>		
<b>W281</b>		
<b>W281</b>		
<b>W281</b>		
<b>W281</b>		
<b>V316</b>		
<b>111</b>		
<b>111</b>		




# Tiled panels 79" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TFL79 18-()</b> ( )	\$1,182.	\$1,222.	\$1,292.	\$1,382.	\$1,452.	\$1,552.	\$1,617.
Regular acoustics	20"	79"	<b>R3B0TFL79 20-()</b> ( )	1,182.	1,222.	1,292.	1,382.	1,452.	1,552.	1,617.
	24"	79"	<b>R3B0TFL79 24-()</b> ( )	1,254.	1,294.	1,364.	1,454.	1,524.	1,624.	1,689.
	30"	79"	<b>R3B0TFL79 30-()</b> ( )	1,314.	1,354.	1,424.	1,514.	1,584.	1,684.	1,749.
	36"	79"	<b>R3B0TFL79 36-()</b> ( )	1,380.	1,420.	1,490.	1,580.	1,650.	1,750.	1,815.
	42"	79"	<b>R3B0TFL79 42-()</b> ( )	1,546.	1,586.	1,656.	1,746.	1,816.	1,916.	1,981.
	48"	79"	<b>R3B0TFL79 48-()</b> ( )	1,617.	1,657.	1,727.	1,817.	1,887.	1,987.	2,052.



Tiled, fabric one side	18"	79"	<b>R3B1TFL79 18-()</b> ( )	1,509.	1,549.	1,623.	1,709.	1,779.	1,884.	1,949.
Beltway one side (fabric side)	20"	79"	<b>R3B1TFL79 20-()</b> ( )	1,509.	1,549.	1,623.	1,709.	1,779.	1,884.	1,949.
	24"	79"	<b>R3B1TFL79 24-()</b> ( )	1,577.	1,617.	1,691.	1,777.	1,847.	1,952.	2,017.
	30"	79"	<b>R3B1TFL79 30-()</b> ( )	1,612.	1,652.	1,726.	1,812.	1,882.	1,987.	2,052.
	36"	79"	<b>R3B1TFL79 36-()</b> ( )	1,936.	1,976.	2,050.	2,136.	2,206.	2,311.	2,376.
	42"	79"	<b>R3B1TFL79 42-()</b> ( )	2,061.	2,101.	2,175.	2,261.	2,331.	2,436.	2,501.
	48"	79"	<b>R3B1TFL79 48-()</b> ( )	2,126.	2,166.	2,240.	2,326.	2,396.	2,501.	2,566.



## Order Code

Example: <b>R3B0TFL7918-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>FL</b> Fabric one side, laminate other
<b>79</b> 79" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim profile
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric - Side 1A
<b>W281</b> Fabric - Side 1B
<b>W281</b> Fabric - Side 1C
<b>W281</b> Fabric - Side 1D
<b>W281</b> Fabric - Side 1E
<b>114</b> Folkstone grey - side 2A
<b>114</b> Folkstone grey - side 2B
<b>114</b> Folkstone grey - side 2C
<b>114</b> Folkstone grey - side 2D
<b>114</b> Folkstone grey - side 2E
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)
<b>M</b> Optional milled frame

## Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C middle  
iv) tile 1D middle  
v) tile 1E top
6. Laminate side, finish (specify selection per insert)  
i) tile 2A bottom  
ii) tile 2B middle  
iii) tile 2C middle  
iv) tile 2D middle  
v) tile 2E top
7. Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver

8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

### 1. Top trim profile:

A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

### 2. Base height:

4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

### 4. Extruded aluminum tile divider:

**Optional for non fabric side only** (fabric side always black)  
79" h add per panel:  
\$48 for 18w and 20w  
\$57 for 24w and 30w  
\$62 for 36w and 42w  
\$84 for 48w

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.

## Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.


# Tiled panels 79" H

*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF179 18-()</b> ( )	\$1,283.	\$1,323.	\$1,408.	\$1,493.	\$1,563.	\$1,678.	\$1,743.
Regular acoustics	20"	79"	<b>R3B0TF179 20-()</b> ( )	1,283.	1,323.	1,408.	1,493.	1,563.	1,678.	1,743.
	24"	79"	<b>R3B0TF179 24-()</b> ( )	1,356.	1,396.	1,481.	1,566.	1,636.	1,751.	1,816.
	30"	79"	<b>R3B0TF179 30-()</b> ( )	1,425.	1,465.	1,550.	1,635.	1,705.	1,820.	1,885.
	36"	79"	<b>R3B0TF179 36-()</b> ( )	1,496.	1,536.	1,621.	1,706.	1,776.	1,891.	1,956.
	42"	79"	<b>R3B0TF179 42-()</b> ( )	1,679.	1,719.	1,804.	1,889.	1,959.	2,074.	2,139.
	48"	79"	<b>R3B0TF179 48-()</b> ( )	1,757.	1,797.	1,882.	1,967.	2,037.	2,152.	2,217.



Tiled, fabric one side	18"	79"	<b>R3B1TF179 18-()</b> ( )	1,622.	1,662.	1,747.	1,832.	1,902.	2,017.	2,082.
Beltway one side (fabric side)	20"	79"	<b>R3B1TF179 20-()</b> ( )	1,622.	1,662.	1,747.	1,832.	1,902.	2,017.	2,082.
	24"	79"	<b>R3B1TF179 24-()</b> ( )	1,696.	1,736.	1,821.	1,906.	1,976.	2,091.	2,156.
	30"	79"	<b>R3B1TF179 30-()</b> ( )	1,727.	1,767.	1,852.	1,937.	2,007.	2,122.	2,187.
	36"	79"	<b>R3B1TF179 36-()</b> ( )	2,079.	2,119.	2,204.	2,289.	2,359.	2,474.	2,539.
	42"	79"	<b>R3B1TF179 42-()</b> ( )	2,215.	2,255.	2,340.	2,425.	2,495.	2,610.	2,675.
	48"	79"	<b>R3B1TF179 48-()</b> ( )	2,284.	2,324.	2,409.	2,494.	2,564.	2,679.	2,744.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TF17918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Ref Generation 3	1. Top trim profile	8. Base finish
<b>B0</b> No Beltway	2. Base height	9. Beltway finish, for panels with beltway
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
<b>F1</b> Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
<b>79</b> 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>18</b> 18" wide	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish when applicable.
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>4</b> 4" base height		
<b>K</b> Include knockouts in base		
<b>B</b> Tile divider, black reveal		
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>W281</b> Fabric - Side 1D		
<b>W281</b> Fabric - Side 1E		
<b>Y328</b> Mahogany - side 2A		
<b>Y328</b> Mahogany - side 2B		
<b>Y328</b> Mahogany - side 2C		
<b>Y328</b> Mahogany - side 2D		
<b>Y328</b> Mahogany - side 2E		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optimal milled frame		


# Tiled panels 79" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF279 18-()</b> ( )	\$1,305.	\$1,345.	\$1,430.	\$1,515.	\$1,585.	\$1,700.	\$1,765.
Regular acoustics	20"	79"	<b>R3B0TF279 20-()</b> ( )	1,305.	1,345.	1,430.	1,515.	1,585.	1,700.	1,765.
	24"	79"	<b>R3B0TF279 24-()</b> ( )	1,381.	1,421.	1,506.	1,591.	1,661.	1,776.	1,841.
	30"	79"	<b>R3B0TF279 30-()</b> ( )	1,449.	1,489.	1,574.	1,659.	1,729.	1,844.	1,909.
	36"	79"	<b>R3B0TF279 36-()</b> ( )	1,522.	1,562.	1,647.	1,732.	1,802.	1,917.	1,982.
	42"	79"	<b>R3B0TF279 42-()</b> ( )	1,706.	1,746.	1,831.	1,916.	1,986.	2,101.	2,166.
	48"	79"	<b>R3B0TF279 48-()</b> ( )	1,786.	1,826.	1,911.	1,996.	2,066.	2,181.	2,246.



Tiled, fabric one side	18"	79"	<b>R3B1TF279 18-()</b> ( )	1,651.	1,691.	1,776.	1,861.	1,931.	2,046.	2,111.
Beltway one side (fabric side)	20"	79"	<b>R3B1TF279 20-()</b> ( )	1,651.	1,691.	1,776.	1,861.	1,931.	2,046.	2,111.
	24"	79"	<b>R3B1TF279 24-()</b> ( )	1,725.	1,765.	1,850.	1,935.	2,005.	2,120.	2,185.
	30"	79"	<b>R3B1TF279 30-()</b> ( )	1,762.	1,802.	1,887.	1,972.	2,042.	2,157.	2,222.
	36"	79"	<b>R3B1TF279 36-()</b> ( )	2,118.	2,158.	2,243.	2,328.	2,398.	2,513.	2,578.
	42"	79"	<b>R3B1TF279 42-()</b> ( )	2,252.	2,292.	2,377.	2,462.	2,532.	2,647.	2,712.
	48"	79"	<b>R3B1TF279 48-()</b> ( )	2,325.	2,365.	2,450.	2,535.	2,605.	2,720.	2,785.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TF17918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
<b>R3</b> Ref Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
<b>B0</b> No Beltway	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>F1</b> Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
<b>79</b> 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>18</b> 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>4</b> 4" base height	8. Base finish 9. Beltway finish, for panels with Beltway 10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>K</b> Include knockouts in base		
<b>B</b> Tile divider, black reveal		
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>W281</b> Fabric - Side 1D		
<b>W281</b> Fabric - Side 1E		
<b>Y328</b> Mahogany - side 2 Tiled		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		


# Tiled panels 79" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF379 18-()</b> ( )	\$1,732.	\$1,772.	\$1,857.	\$1,942.	\$2,012.	\$2,127.	\$2,192.
Regular acoustics	20"	79"	<b>R3B0TF379 20-()</b> ( )	1,732.	1,772.	1,857.	1,942.	2,012.	2,127.	2,192.
	24"	79"	<b>R3B0TF379 24-()</b> ( )	1,835.	1,875.	1,960.	2,045.	2,115.	2,230.	2,295.
	30"	79"	<b>R3B0TF379 30-()</b> ( )	1,930.	1,970.	2,055.	2,140.	2,210.	2,325.	2,390.
	36"	79"	<b>R3B0TF379 36-()</b> ( )	2,029.	2,069.	2,154.	2,239.	2,309.	2,424.	2,489.
	42"	79"	<b>R3B0TF379 42-()</b> ( )	2,277.	2,317.	2,402.	2,487.	2,557.	2,672.	2,737.
	48"	79"	<b>R3B0TF379 48-()</b> ( )	2,384.	2,424.	2,509.	2,594.	2,664.	2,779.	2,844.



Tiled, fabric one side	18"	79"	<b>R3B1TF379 18-()</b> ( )	2,203.	2,243.	2,328.	2,413.	2,483.	2,598.	2,663.
Beltway fabric side	20"	79"	<b>R3B1TF379 20-()</b> ( )	2,203.	2,243.	2,328.	2,413.	2,483.	2,598.	2,663.
	24"	79"	<b>R3B1TF379 24-()</b> ( )	2,302.	2,342.	2,427.	2,512.	2,582.	2,697.	2,762.
	30"	79"	<b>R3B1TF379 30-()</b> ( )	2,352.	2,392.	2,477.	2,562.	2,632.	2,747.	2,812.
	36"	79"	<b>R3B1TF379 36-()</b> ( )	2,832.	2,872.	2,957.	3,042.	3,112.	3,227.	3,292.
	42"	79"	<b>R3B1TF379 42-()</b> ( )	3,015.	3,055.	3,140.	3,225.	3,295.	3,410.	3,475.
	48"	79"	<b>R3B1TF379 48-()</b> ( )	3,114.	3,154.	3,239.	3,324.	3,394.	3,509.	3,574.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TF37918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F3</b> Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
<b>A</b> Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black)
<b>K</b> Include knockouts in base	ii) tile 1B middle	79" h add per panel:
<b>B</b> Tile divider, black reveal	iii) tile 1C middle	\$52 for 18w and 20w
<b>W281</b> Fabric - Side 1A	iv) tile 1D middle	\$60 for 24w and 30w
<b>W281</b> Fabric - Side 1B	v) tile 1E top	\$64 for 36w and 42w
<b>W281</b> Fabric - Side 1C	6. Exotic veneer, finish (specify one V3 finish for side)	\$86 for 48w
<b>W281</b> Fabric - Side 1D	7. Top trim finish	
<b>W281</b> Fabric - Side 1E	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>V512</b> Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	
<b>V512</b> Figured Anigre (top trim finish)	8. Base finish	
<b>111</b> Jet Black (base finish)	9. Beltway finish, for panels with Beltway	
<b>M</b> Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

# Tiled panels 79" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	79"	<b>R3B0TLL7918</b> ( ) ( )	\$1,350.
	20"	79"	<b>R3B0TLL7920</b> ( ) ( )	1,350.
	24"	79"	<b>R3B0TLL7924</b> ( ) ( )	1,472.
	30"	79"	<b>R3B0TLL7930</b> ( ) ( )	1,649.
	36"	79"	<b>R3B0TLL7936</b> ( ) ( )	1,781.
	42"	79"	<b>R3B0TLL7942</b> ( ) ( )	1,834.
	48"	79"	<b>R3B0TLL7948</b> ( ) ( )	1,927.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TLL7918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>LL</b> Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	E = Extruded Aluminum
<b>79</b> 79" high	5. Laminate side, finish (specify selection per insert)	<i>2. Base height:</i>
<b>18</b> 18" wide	i) tile 1A bottom	4 = 4" base height
<b>A</b> Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	iii) tile 1C middle	<i>4. Extruded aluminum tile divider:</i>
<b>K</b> Include knockouts in base	iv) tile 1D middle	<b>Optional for non fabric side only</b> (fabric side always black)
<b>B</b> Tile divider, black reveal	v) tile 1E top	79" h add per panel:
<b>118</b> Laminate - side 1A	6. Laminate, finish	\$52 for 18w and 20w
<b>118</b> Laminate - side 1B	7. Top trim finish	\$60 for 24w and 30w
<b>118</b> Laminate - side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$64 for 36w and 42w
<b>118</b> Laminate - side 1D	ii) Profile E options: AA-anodized aluminum or painted finish from Reff Profiles excluding silver	\$86 for 48w
<b>118</b> Laminate - side 1E	8. Base finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>118</b> Laminate - side 2A	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>118</b> Laminate - side 2B		
<b>118</b> Laminate - side 2C		
<b>118</b> Laminate - side 2D		
<b>118</b> Laminate - side 2E		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	<b>R2APT3418 ( )</b>	\$104.	
	20"	34"	<b>R2APT3420 ( )</b>	104.	
	24"	34"	<b>R2APT3424 ( )</b>	107.	
	30"	34"	<b>R2APT3430 ( )</b>	109.	
	36"	34"	<b>R2APT3436 ( )</b>	114.	
	42"	34"	<b>R2APT3442 ( )</b>	116.	
	48"	34"	<b>R2APT3448 ( )</b>	121.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	<b>R2APT4218 ( )</b>	160.	
	20"	42"	<b>R2APT4220 ( )</b>	160.	
	24"	42"	<b>R2APT4224 ( )</b>	165.	
	30"	42"	<b>R2APT4230 ( )</b>	167.	
	36"	42"	<b>R2APT4236 ( )</b>	176.	
	42"	42"	<b>R2APT4242 ( )</b>	182.	
	48"	42"	<b>R2APT4248 ( )</b>	190.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>	1. Specify Finish : Fabric
<b>RA</b> Reff Administrative		
<b>WH</b> Wall hung		
<b>DH</b> Desk hight planning		
<b>TB</b> Tack board		
<b>S</b> Single desk		
<b>66</b> width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49"h tiled with 4" or 6"h base raceway	18"	49"	<b>R2APT4918 ( )</b>	\$171.	
	20"	49"	<b>R2APT4920 ( )</b>	171.	
	24"	49"	<b>R2APT4924 ( )</b>	177.	
	30"	49"	<b>R2APT4930 ( )</b>	180.	
	36"	49"	<b>R2APT4936 ( )</b>	189.	
	42"	49"	<b>R2APT4942 ( )</b>	197.	
	48"	49"	<b>R2APT4948 ( )</b>	203.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64"h tiled with 4" or 6"h base raceway	18"	64"	<b>R2APT6418 ( )</b>	242.	
	20"	64"	<b>R2APT6420 ( )</b>	242.	
	24"	64"	<b>R2APT6424 ( )</b>	251.	
	30"	64"	<b>R2APT6430 ( )</b>	256.	
	36"	64"	<b>R2APT6436 ( )</b>	268.	
	42"	64"	<b>R2APT6442 ( )</b>	278.	
	48"	64"	<b>R2APT6448 ( )</b>	289.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>	1. Specify Finish : Fabric
<b>RA</b> Reff Administrative		
<b>WH</b> Wall hung		
<b>DH</b> Desk hight planning		
<b>TB</b> Tack board		
<b>S</b> Single desk		
<b>66</b> width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	<b>R2APT7918</b> ( )	\$313.	
	20"	79"	<b>R2APT7920</b> ( )	313.	
	24"	79"	<b>R2APT7924</b> ( )	323.	
	30"	79"	<b>R2APT7930</b> ( )	329.	
	36"	79"	<b>R2APT7936</b> ( )	348.	
	42"	79"	<b>R2APT7942</b> ( )	359.	
	48"	79"	<b>R2APT7948</b> ( )	377.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"		<b>R2ATPK34</b> ( )		69.
	42"		<b>R2ATPK42</b> ( )		87.
	49"		<b>R2ATPK49</b> ( )		99.
	64"		<b>R2ATPK64</b> ( )		137.
	79"		<b>R2ATPK79</b> ( )		171.

**Order Code**

Example:	<b>R2APT3418 AA</b>
<b>RA</b>	Reff Administrative
<b>WH</b>	Wall hung
<b>DH</b>	Desk hight planning
<b>TB</b>	Tack board
<b>S</b>	Single desk
<b>66</b>	width
	Fabric

**Specification Information**

*To order specify pattern number including height and width as applicable.*

1. Specify Finish : Fabric

**Application Notes**



description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6" h raceway		34"	<b>R2ALPK34 ( )</b>		\$68.
		42"	<b>R2ALPK42 ( )</b>		95.
		49"	<b>R2ALPK49 ( )</b>		104.
		64"	<b>R2ALPK64 ( )</b>		144.
		79"	<b>R2ALPK79 ( )</b>		182.
Alum vertical reveal for end trim with 4" or 6" h raceway		34"	<b>R2AETK34 ( )</b>		67.
		42"	<b>R2AETK42 ( )</b>		82.
		49"	<b>R2AETK49 ( )</b>		96.
		64"	<b>R2AETK64 ( )</b>		128.
		79"	<b>R2AETK79 ( )</b>		161.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>  1. Specify Finish : Fabric	
<b>RA</b> Reff Administrative		
<b>WH</b> Wall hung		
<b>DH</b> Desk hight planning		
<b>TB</b> Tack board		
<b>S</b> Single desk		
<b>66</b> width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	<b>R2AHCR34</b> ( )		\$67.
		38"	<b>R2AHCR42</b> ( )		82.
		45"	<b>R2AHCR49</b> ( )		96.
		60"	<b>R2AHCR64</b> ( )		128.
		75"	<b>R2AHCR79</b> ( )		161.

for use with generation 2 or 3 installations

Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		<b>R2AHTR18</b> ( )		46.
	20"		<b>R2AHTR20</b> ( )		46.
	24"		<b>R2AHTR24</b> ( )		48.
	30"		<b>R2AHTR30</b> ( )		53.
	36"		<b>R2AHTR36</b> ( )		57.
	42"		<b>R2AHTR42</b> ( )		59.
	48"		<b>R2AHTR48</b> ( )		66.

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	To order specify pattern number including height and width as applicable.  1. Specify Finish : Fabric	
<b>RA</b> Reff Administrative		
<b>WH</b> Wall hung		
<b>DH</b> Desk hight planning		
<b>TB</b> Tack board		
<b>S</b> Single desk		
<b>66</b> width Fabric		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal	18"		<b>R2AHWR18 ( )</b>	\$40.	
for between base panel and stacking window module	20"		<b>R2AHWR20 ( )</b>	40.	
	24"		<b>R2AHWR24 ( )</b>	42.	
or stacking and window modules	30"		<b>R2AHWR30 ( )</b>	43.	
or between two stacking modules	36"		<b>R2AHWR36 ( )</b>	47.	
	42"		<b>R2AHWR42 ( )</b>	49.	
	48"		<b>R2AHWR48 ( )</b>	55.	

horizontal reveal only

Alum horizontal reveal	18"		<b>R2AHBW18 ( )</b>	40.	
for between two stacking window modules	20"		<b>R2AHBW20 ( )</b>	40.	
	24"		<b>R2AHBW24 ( )</b>	42.	
	30"		<b>R2AHBW30 ( )</b>	43.	
	36"		<b>R2AHBW36 ( )</b>	47.	
	42"		<b>R2AHBW42 ( )</b>	49.	
	48"		<b>R2AHBW48 ( )</b>	55.	

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	To order specify pattern number including height and width as applicable.  1. Specify Finish : Fabric	
<b>RA</b> Reff Administrative		
<b>WH</b> Wall hung		
<b>DH</b> Desk hight planning		
<b>TB</b> Tack board		
<b>S</b> Single desk		
<b>66</b> width Fabric		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		<b>R2AHSR18 ( )</b>		\$40.
	20"		<b>R2AHSR20 ( )</b>		40.
	24"		<b>R2AHSR24 ( )</b>		42.
	30"		<b>R2AHSR30 ( )</b>		43.
	36"		<b>R2AHSR36 ( )</b>		47.
	42"		<b>R2AHSR42 ( )</b>		49.
	48"		<b>R2AHSR48 ( )</b>		55.

horizontal reveal only

**Order Code**

Example: <b>R2APT3418 AA</b>
<b>RA</b> Reff Administrative
<b>WH</b> Wall hung
<b>DH</b> Desk hight planning
<b>TB</b> Tack board
<b>S</b> Single desk
<b>66</b> width
Fabric

**Specification Information**

*To order specify pattern number including height and width as applicable.*

1. Specify Finish : Fabric

**Application Notes**

# Beltway one side, window panel 49" H tiled panel with glass type "A" at top


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	<b>R3B1TFFA49 18-()</b> ( )	\$1,304.	\$1,336.	\$1,397.	\$1,468.	\$1,524.	\$1,616.	\$1,668.
	20"	49"	<b>R3B1TFFA49 20-()</b> ( )	1,304.	1,336.	1,397.	1,468.	1,524.	1,616.	1,668.
	24"	49"	<b>R3B1TFFA49 24-()</b> ( )	1,348.	1,380.	1,441.	1,512.	1,568.	1,660.	1,712.
	30"	49"	<b>R3B1TFFA49 30-()</b> ( )	1,441.	1,473.	1,534.	1,605.	1,661.	1,753.	1,805.
	36"	49"	<b>R3B1TFFA49 36-()</b> ( )	1,735.	1,767.	1,828.	1,899.	1,955.	2,047.	2,099.
	42"	49"	<b>R3B1TFFA49 42-()</b> ( )	1,890.	1,922.	1,983.	2,054.	2,110.	2,202.	2,254.
	48"	49"	<b>R3B1TFFA49 48-()</b> ( )	1,977.	2,009.	2,070.	2,141.	2,197.	2,289.	2,341.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>R3</b> Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
<b>B1</b> Beltway 1 side	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>FF</b> Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
<b>A</b> Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
<b>49</b> 49" high	6. Top trim finish	
<b>18</b> 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>A</b> Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
<b>4</b> 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>K</b> Include knockouts in base	8. Beltway finish	
<b>W281</b> Fabric selection - side 1A	9. Glass window frame finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>W281</b> Fabric selection - side 1B	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>W281</b> Fabric selection - side 2A		
<b>W281</b> Fabric selection - side 2B		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		



# Beltway one side, window panel 49" H tiled panel with glass type "B" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	<b>R3B1TFFB49 30-()</b> ( )	\$1,554.	\$1,586.	\$1,647.	\$1,718.	\$1,774.	\$1,866.	\$1,918.
	36"	49"	<b>R3B1TFFB49 36-()</b> ( )	1,858.	1,890.	1,951.	2,022.	2,078.	2,170.	2,222.
	42"	49"	<b>R3B1TFFB49 42-()</b> ( )	2,012.	2,044.	2,105.	2,176.	2,232.	2,324.	2,376.
	48"	49"	<b>R3B1TFFB49 48-()</b> ( )	2,109.	2,141.	2,202.	2,273.	2,329.	2,421.	2,473.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFFB4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side		B = Square
<b>T</b> Tiled panel		C = Bullnose
<b>FF</b> Fabric both sides		E = Extruded Aluminum
<b>B</b> Type B window		2. Base height:
<b>49</b> 49" high		4 = 4" base height
<b>30</b> 30" wide		6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height		6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>B</b> Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>W281</b> Fabric selection - side 1B		Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>W281</b> Fabric selection - side 2A		
<b>W281</b> Fabric selection - side 2B		
<b>Y328</b> Mahogany - side 2 tiled		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		


# Beltway one side, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	<b>R3B1PFFA49 18-()</b> ( )	\$1,180.	\$1,198.	\$1,240.	\$1,327.	\$1,383.	\$1,462.	\$1,543.
	20"	49"	<b>R3B1PFFA49 20-()</b> ( )	1,180.	1,198.	1,240.	1,327.	1,383.	1,462.	1,543.
	24"	49"	<b>R3B1PFFA49 24-()</b> ( )	1,221.	1,239.	1,281.	1,368.	1,424.	1,503.	1,584.
	30"	49"	<b>R3B1PFFA49 30-()</b> ( )	1,301.	1,319.	1,361.	1,448.	1,504.	1,583.	1,664.
	36"	49"	<b>R3B1PFFA49 36-()</b> ( )	1,549.	1,567.	1,609.	1,696.	1,752.	1,831.	1,912.
	42"	49"	<b>R3B1PFFA49 42-()</b> ( )	1,681.	1,699.	1,741.	1,828.	1,884.	1,963.	2,044.
	48"	49"	<b>R3B1PFFA49 48-()</b> ( )	1,761.	1,779.	1,821.	1,908.	1,964.	2,043.	2,124.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	<b>R3B1PFFB49 30-()</b> ( )	1,414.	1,432.	1,474.	1,561.	1,617.	1,696.	1,777.
	36"	49"	<b>R3B1PFFB49 36-()</b> ( )	1,672.	1,690.	1,732.	1,819.	1,875.	1,954.	2,035.
	42"	49"	<b>R3B1PFFB49 42-()</b> ( )	1,803.	1,821.	1,863.	1,950.	2,006.	2,085.	2,166.
	48"	49"	<b>R3B1PFFB49 48-()</b> ( )	1,893.	1,911.	1,953.	2,040.	2,096.	2,175.	2,256.

Order Code	Specification Information	Application Notes
Example: <b>R3B1PFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>R3</b> Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>B1</b> Beltway 1 side	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>FF</b> Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
<b>A</b> Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
<b>49</b> 49" high	6. Top trim finish	
<b>18</b> 18" wide	i) Top trim profile A,B or C options:	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>A</b> Flat style top trim profile	ii) Top trim profile E options:	
<b>4</b> 4" base height	AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>K</b> Include knockouts in base	7. Base finish	
<b>W281</b> Fabric selection - side 1	8. Beltway finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>W281</b> Fabric selection - side 2	9. Glass window frame finish	
<b>V316</b> Maple (top trim finish)	10. Glass type	
<b>111</b> Jet Black (base finish)	Temp = Clear temp	
<b>111</b> Jet Black (beltway finish)	<i>Architectural options:</i>	
<b>111</b> Jet Black (window frame finish)	GL13 = Powder glass	
<b>TEMP</b> Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	
	<i>1. Top trim profile:</i>	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
	<i>2. Base height:</i>	
	4 = 4" base height	
	6 = 6" base height (add \$47 per panel for this option)	

Beltway one side, window panel 49" H  
 tiled with glass type "A" at top,  
 fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TFLA49 18-()</b> ( )	\$1,431.	\$1,447.	\$1,479.	\$1,515.	\$1,543.	\$1,587.	\$1,626.
	20"	49"	<b>R3B1TFLA49 20-()</b> ( )	1,431.	1,447.	1,479.	1,515.	1,543.	1,587.	1,626.
	24"	49"	<b>R3B1TFLA49 24-()</b> ( )	1,476.	1,492.	1,524.	1,560.	1,588.	1,632.	1,671.
	30"	49"	<b>R3B1TFLA49 30-()</b> ( )	1,570.	1,586.	1,618.	1,654.	1,682.	1,726.	1,765.
	36"	49"	<b>R3B1TFLA49 36-()</b> ( )	1,866.	1,882.	1,914.	1,950.	1,978.	2,022.	2,061.
	42"	49"	<b>R3B1TFLA49 42-()</b> ( )	2,020.	2,036.	2,068.	2,104.	2,132.	2,176.	2,215.
	48"	49"	<b>R3B1TFLA49 48-()</b> ( )	2,111.	2,127.	2,159.	2,195.	2,223.	2,267.	2,306.




Order Code	Specification Information	Application Notes
Example: <b>R3B1TFLA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>FL</b> Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height:
<b>49</b> 49" high		4 = 4" base height
<b>18</b> 18" wide		6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height		6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>B</b> Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>W281</b> Fabric selection - side 1B	6. Laminate side finish (specify selection per insert; bottom up.)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>114</b> Folkstone grey - side 2A	7. Top trim finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>114</b> Folkstone grey - side 2B	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>V316</b> Maple (top trim finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
<b>111</b> Jet Black (base finish)	8. Base finish	
<b>111</b> Jet Black (beltway finish)	9. Beltway finish	
<b>111</b> Jet Black (window frame finish)	10. Window frame finish	
<b>TEMP</b> Glass option	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	




Beltway one side, window panel 49" H  
 tiled with glass type "B" at top,  
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1TFLB49 30-()</b> ( )	\$1,686.	\$1,702.	\$1,734.	\$1,770.	\$1,798.	\$1,842.	\$1,881.
	36"	49"	<b>R3B1TFLB49 36-()</b> ( )	1,987.	2,003.	2,035.	2,071.	2,099.	2,143.	2,182.
	42"	49"	<b>R3B1TFLB49 42-()</b> ( )	2,141.	2,157.	2,189.	2,225.	2,253.	2,297.	2,336.
	48"	49"	<b>R3B1TFLB49 48-()</b> ( )	2,243.	2,259.	2,291.	2,327.	2,355.	2,399.	2,438.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFLB4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side		B = Square
<b>T</b> Tiled panel		C = Bullnose
<b>FL</b> Fabric BW side, laminate other	1. Top trim profile	E = Extruded Aluminum
<b>B</b> Type B window	2. Base height	2. Base height:
<b>49</b> 49" high	3. Knockout option (K = with knockouts, N = without knockouts)	18" \$86
<b>18</b> 18" wide	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	20" \$86
<b>A</b> Flat style top trim profile		24" \$101
<b>4</b> 4" base height		30" \$121
<b>K</b> Include knockouts in base		36" \$145
<b>B</b> Tile divider, black reveal		42" \$173
<b>W281</b> Fabric selection - side 1A		48" \$198
<b>W281</b> Fabric selection - side 1B		
<b>114</b> Folkstone grey - side 2A	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>114</b> Folkstone grey - side 2B	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
<b>V316</b> Maple (top trim finish)	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>111</b> Jet Black (base finish)	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>111</b> Jet Black (beltway finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>111</b> Jet Black (window frame finish)	8. Base finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>TEMP</b> Glass option	9. Beltway finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H  
*monolithic with glass at top,*  
*fabric one side, laminate other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	<b>R3B1PFLA49 18-()</b> ( )	\$1,183.	\$1,192.	\$1,215.	\$1,258.	\$1,285.	\$1,326.	\$1,353.
	20"	49"	<b>R3B1PFLA49 20-()</b> ( )	1,184.	1,192.	1,215.	1,258.	1,285.	1,326.	1,353.
	24"	49"	<b>R3B1PFLA49 24-()</b> ( )	1,244.	1,253.	1,276.	1,319.	1,346.	1,387.	1,414.
	30"	49"	<b>R3B1PFLA49 30-()</b> ( )	1,355.	1,364.	1,387.	1,430.	1,457.	1,498.	1,525.
	36"	49"	<b>R3B1PFLA49 36-()</b> ( )	1,636.	1,645.	1,668.	1,711.	1,738.	1,779.	1,806.
	42"	49"	<b>R3B1PFLA49 42-()</b> ( )	1,799.	1,808.	1,831.	1,874.	1,901.	1,942.	1,969.
	48"	49"	<b>R3B1PFLA49 48-()</b> ( )	1,912.	1,921.	1,944.	1,987.	2,014.	2,055.	2,082.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	<b>R3B1PFLB49 30-()</b> ( )	1,471.	1,480.	1,503.	1,546.	1,573.	1,614.	1,641.
	36"	49"	<b>R3B1PFLB49 36-()</b> ( )	1,757.	1,766.	1,789.	1,832.	1,859.	1,900.	1,927.
	42"	49"	<b>R3B1PFLB49 42-()</b> ( )	1,920.	1,929.	1,952.	1,995.	2,022.	2,063.	2,090.
	48"	49"	<b>R3B1PFLB49 48-()</b> ( )	2,044.	2,053.	2,076.	2,119.	2,146.	2,187.	2,214.

Order Code	Specification Information	Application Notes																																
Example: <b>R3B1PFLA4918-A4K</b> <b>R3</b> Reff Generation 3 <b>B1</b> Beltway one side <b>P</b> Monolithic panel <b>FL</b> Fabric BW side, laminate other <b>A</b> Type A window <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>B</b> Tile divider, black reveal <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>111</b> Jet Black (beltway finish) <b>111</b> Jet Black (window frame finish) <b>TEMP</b> Glass option	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable, optional "tiled" style products only) 5. Fabric side, finish (specify selection per insert; bottom up.) 6. Laminate side finish (specify selection per insert; bottom up.) 7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver 8. Base finish 9. Beltway finish 10. Window frame finish 11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118. Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list. 79"H hookstrip reveal strips are ordered separately from page 118 at no charge. Applicable finishes are listed on Reff Profiles and Reff Profiles.																																
		Add upcharge for architectural glass: (as applicable by width) <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$86</td></tr> <tr><td>20"</td><td>\$86</td></tr> <tr><td>24"</td><td>\$101</td></tr> <tr><td>30"</td><td>\$121</td></tr> <tr><td>36"</td><td>\$145</td></tr> <tr><td>42"</td><td>\$173</td></tr> <tr><td>48"</td><td>\$198</td></tr> </tbody> </table> Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options. Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$14</td></tr> <tr><td>20"</td><td>\$14</td></tr> <tr><td>24"</td><td>\$15</td></tr> <tr><td>30"</td><td>\$15</td></tr> <tr><td>36"</td><td>\$16</td></tr> <tr><td>42"</td><td>\$16</td></tr> <tr><td>48"</td><td>\$21</td></tr> </tbody> </table> Product on this page will accept woodgrain laminate where laminate is currently an option.	Width	Add	18"	\$86	20"	\$86	24"	\$101	30"	\$121	36"	\$145	42"	\$173	48"	\$198	Width	Add	18"	\$14	20"	\$14	24"	\$15	30"	\$15	36"	\$16	42"	\$16	48"	\$21
Width	Add																																	
18"	\$86																																	
20"	\$86																																	
24"	\$101																																	
30"	\$121																																	
36"	\$145																																	
42"	\$173																																	
48"	\$198																																	
Width	Add																																	
18"	\$14																																	
20"	\$14																																	
24"	\$15																																	
30"	\$15																																	
36"	\$16																																	
42"	\$16																																	
48"	\$21																																	

Beltway one side, window panel 49" H  
 tiled with type "A" glass at top,  
 fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TF1A49 18-()</b> ( )	\$1,468.	\$1,484.	\$1,518.	\$1,552.	\$1,580.	\$1,626.	\$1,665.
	20"	49"	<b>R3B1TF1A49 20-()</b> ( )	1,468.	1,484.	1,518.	1,552.	1,580.	1,626.	1,665.
	24"	49"	<b>R3B1TF1A49 24-()</b> ( )	1,518.	1,534.	1,568.	1,602.	1,630.	1,676.	1,715.
	30"	49"	<b>R3B1TF1A49 30-()</b> ( )	1,613.	1,629.	1,663.	1,697.	1,725.	1,771.	1,810.
	36"	49"	<b>R3B1TF1A49 36-()</b> ( )	1,918.	1,934.	1,968.	2,002.	2,030.	2,076.	2,115.
	42"	49"	<b>R3B1TF1A49 42-()</b> ( )	2,078.	2,094.	2,128.	2,162.	2,190.	2,236.	2,275.
	48"	49"	<b>R3B1TF1A49 48-()</b> ( )	2,169.	2,185.	2,219.	2,253.	2,281.	2,327.	2,366.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF1A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F1</b> Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48" W panels only.
<b>18</b> 18" wide		6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79" H as well as panels 42", 49", 64" and 79" H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>4</b> 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base		79" H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>B</b> Tile divider, black reveal		Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>W281</b> Fabric selection - side 1A	5. Fabric side, finish (specify selection per insert; bottom up.)	
<b>W281</b> Fabric selection - side 1B	6. Techwood side, finish (specify one V1 finish for side)	
<b>Y328</b> Mahogany - side 2 tiled	7. Top trim finish	
<b>V316</b> Maple (top trim finish)	i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>111</b> Jet Black (base finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)	8. Base finish	
<b>TEMP</b> Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H  
 tiled with type "B" glass at top,  
 fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1TF1B49 30-()</b> ( )	\$1,730.	\$1,746.	\$1,780.	\$1,814.	\$1,842.	\$1,888.	\$1,927.
	36"	49"	<b>R3B1TF1B49 36-()</b> ( )	2,041.	2,057.	2,091.	2,125.	2,153.	2,199.	2,238.
	42"	49"	<b>R3B1TF1B49 42-()</b> ( )	2,200.	2,216.	2,250.	2,284.	2,312.	2,358.	2,397.
	48"	49"	<b>R3B1TF1B49 48-()</b> ( )	2,303.	2,319.	2,353.	2,387.	2,415.	2,461.	2,500.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF1B4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>F1</b> Fabric one side, V1 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
<b>B</b> Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
<b>49</b> 49" high	6. Techwood side, finish (specify one V1 finish for side)	4 = 4" base height
<b>30</b> 30" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>B</b> Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>W281</b> Fabric selection - side 1B	11. Glass option	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>Y328</b> Mahogany - side 2 tiled	Temp = Clear temp	
<b>V316</b> Maple (top trim finish)	Architectural options:	
<b>111</b> Jet Black (base finish)	GL13 = Powder glass	
<b>111</b> Jet Black (beltway finish)	GL6 = Block matrix glass	
<b>111</b> Jet Black (window frame finish)	GL8 = Wafer glass	
<b>TEMP</b> Glass option		

Add upcharge for architectural glass: (as applicable by width)


Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:  
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)  
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H  
*monolithic with glass at top,*  
*fabric one side, techwood other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1PF1A49 18-()</b> ( )	\$1,218.	\$1,227.	\$1,249.	\$1,293.	\$1,321.	\$1,362.	\$1,389.
	20"	49"	<b>R3B1PF1A49 20-()</b> ( )	1,218.	1,227.	1,249.	1,293.	1,321.	1,362.	1,389.
	24"	49"	<b>R3B1PF1A49 24-()</b> ( )	1,277.	1,286.	1,308.	1,352.	1,380.	1,421.	1,448.
	30"	49"	<b>R3B1PF1A49 30-()</b> ( )	1,392.	1,401.	1,423.	1,467.	1,495.	1,536.	1,563.
	36"	49"	<b>R3B1PF1A49 36-()</b> ( )	1,679.	1,688.	1,710.	1,754.	1,782.	1,823.	1,850.
	42"	49"	<b>R3B1PF1A49 42-()</b> ( )	1,852.	1,861.	1,883.	1,927.	1,955.	1,996.	2,023.
	48"	49"	<b>R3B1PF1A49 48-()</b> ( )	1,964.	1,973.	1,995.	2,039.	2,067.	2,108.	2,135.

 Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1PF1B49 30-()</b> ( )	1,509.	1,518.	1,540.	1,584.	1,612.	1,653.	1,680.
	36"	49"	<b>R3B1PF1B49 36-()</b> ( )	1,802.	1,811.	1,833.	1,877.	1,905.	1,946.	1,973.
	42"	49"	<b>R3B1PF1B49 42-()</b> ( )	1,974.	1,983.	2,005.	2,049.	2,077.	2,118.	2,145.
	48"	49"	<b>R3B1PF1B49 48-()</b> ( )	2,098.	2,107.	2,129.	2,173.	2,201.	2,242.	2,269.

Order Code	Specification Information	Application Notes
Example: <b>R3B1PF1B4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>F1</b> Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>B</b> Type B window	4. Tile divider (where optional)	2. Base height:
<b>49</b> 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	4 = 4" base height
<b>30</b> 30" wide	5. Fabric side, finish (specify selection per insert; bottom up.)	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile	6. Techwood side, finish (specify one V1 finish for side)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	7. Top trim finish	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	i) Top trim profile A,B or C options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>B</b> Tile divider, black reveal	V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>Y328</b> Mahogany - side 2	8. Base finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>V316</b> Maple (top trim finish)	9. Beltway finish	
<b>111</b> Jet Black (base finish)	10. Window frame finish	
<b>111</b> Jet Black (beltway finish)	11. Glass option	
<b>111</b> Jet Black (window frame finish)	Temp = Clear temp	
<b>TEMP</b> Glass option	Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Beltway one side, window panel 49" H  
 tiled with type "A" glass at top,  
 fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TF2A49 18-()</b> ( )	\$1,496.	\$1,512.	\$1,546.	\$1,580.	\$1,608.	\$1,654.	\$1,693.
	20"	49"	<b>R3B1TF2A49 20-()</b> ( )	1,496.	1,512.	1,546.	1,580.	1,608.	1,654.	1,693.
	24"	49"	<b>R3B1TF2A49 24-()</b> ( )	1,544.	1,560.	1,594.	1,628.	1,656.	1,702.	1,741.
	30"	49"	<b>R3B1TF2A49 30-()</b> ( )	1,640.	1,656.	1,690.	1,724.	1,752.	1,798.	1,837.
	36"	49"	<b>R3B1TF2A49 36-()</b> ( )	1,947.	1,963.	1,997.	2,031.	2,059.	2,105.	2,144.
	42"	49"	<b>R3B1TF2A49 42-()</b> ( )	2,111.	2,127.	2,161.	2,195.	2,223.	2,269.	2,308.
	48"	49"	<b>R3B1TF2A49 48-()</b> ( )	2,205.	2,221.	2,255.	2,289.	2,317.	2,363.	2,402.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF2A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F2</b> Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48" W panels only.
<b>18</b> 18" wide		6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>4</b> 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base		79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>B</b> Tile divider, black reveal		Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>W281</b> Fabric selection - side 1A	5. Fabric side, finish (specify selection per insert; bottom up.)	
<b>W281</b> Fabric selection - side 1B	6. Conventional veneer side, finish (specify one V2 finish for side)	
<b>V316</b> Maple surface - side 2 tiled	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)	8. Base finish	
<b>111</b> Jet Black (beltway finish)	9. Beltway finish	
<b>111</b> Jet Black (window frame finish)	10. Window frame finish	
<b>TEMP</b> Glass option	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:  
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H  
 tiled with type "B" glass at top,  
 fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-()()	\$1,757.	\$1,773.	\$1,807.	\$1,841.	\$1,869.	\$1,915.	\$1,954.
	36"	49"	R3B1TF2B49 36-()()	2,070.	2,086.	2,120.	2,154.	2,182.	2,228.	2,267.
	42"	49"	R3B1TF2B49 42-()()	2,233.	2,249.	2,283.	2,317.	2,345.	2,391.	2,430.
	48"	49"	R3B1TF2B49 48-()()	2,339.	2,355.	2,389.	2,423.	2,451.	2,497.	2,536.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF2B4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>F2</b> Fabric one side, V2 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
<b>B</b> Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
<b>49</b> 49" high	6. Conventional veneer side, finish (specify one V2 finish for side)	4 = 4" base height
<b>30</b> 30" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>B</b> Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>W281</b> Fabric selection - side 1B	11. Glass option	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>V316</b> Maple surface - side 2 tiled	Temp = Clear temp	
<b>V316</b> Maple (top trim finish)	Architectural options:	
<b>111</b> Jet Black (base finish)	GL13 = Powder glass	
<b>111</b> Jet Black (beltway finish)	GL6 = Block matrix glass	
<b>111</b> Jet Black (window frame finish)	GL8 = Wafer glass	
<b>TEMP</b> Glass option		

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:  
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)  
 Optional non fabric tiled side only, fabric side always black


Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H  
*monolithic with glass at top,*  
*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1PF2A49 18-()</b> ( )	\$1,239.	\$1,248.	\$1,270.	\$1,314.	\$1,342.	\$1,383.	\$1,410.
	20"	49"	<b>R3B1PF2A49 20-()</b> ( )	1,239.	1,248.	1,270.	1,314.	1,342.	1,383.	1,410.
	24"	49"	<b>R3B1PF2A49 24-()</b> ( )	1,299.	1,308.	1,330.	1,374.	1,402.	1,443.	1,470.
	30"	49"	<b>R3B1PF2A49 30-()</b> ( )	1,419.	1,428.	1,450.	1,494.	1,522.	1,563.	1,590.
	36"	49"	<b>R3B1PF2A49 36-()</b> ( )	1,711.	1,720.	1,742.	1,786.	1,814.	1,855.	1,882.
	42"	49"	<b>R3B1PF2A49 42-()</b> ( )	1,880.	1,889.	1,911.	1,955.	1,983.	2,024.	2,051.
	48"	49"	<b>R3B1PF2A49 48-()</b> ( )	1,993.	2,002.	2,024.	2,068.	2,096.	2,137.	2,164.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1PF2B49 30-()</b> ( )	1,536.	1,545.	1,567.	1,611.	1,639.	1,680.	1,707.
	36"	49"	<b>R3B1PF2B49 36-()</b> ( )	1,834.	1,843.	1,865.	1,909.	1,937.	1,978.	2,005.
	42"	49"	<b>R3B1PF2B49 42-()</b> ( )	2,002.	2,011.	2,033.	2,077.	2,105.	2,146.	2,173.
	48"	49"	<b>R3B1PF2B49 48-()</b> ( )	2,127.	2,136.	2,158.	2,202.	2,230.	2,271.	2,298.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF2A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>F2</b> Fabric one side, V2 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
<b>A</b> Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
<b>49</b> 49" high	6. Conventional veneer side, finish (specify one V2 finish for side)	4 = 4" base height
<b>18</b> 18" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>B</b> Tile divider, black reveal	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>V316</b> Maple surface - side 2	10. Window frame finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>V316</b> Maple (top trim finish)	11. Glass option	
<b>111</b> Jet Black (base finish)	Temp = Clear temp	
<b>111</b> Jet Black (beltway finish)	Architectural options:	
<b>111</b> Jet Black (window frame finish)	GL13 = Powder glass	
<b>TEMP</b> Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:  
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)  
*Optional non fabric tiled side only, fabric side always black*

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21




# Beltway one side, window panel 49" H tiled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	<b>R3B1TF3A49 18-</b> ( ) ( )	\$1,976.	\$1,992.	\$2,026.	\$2,060.	\$2,088.	\$2,134.	\$2,173.
	20"	49"	<b>R3B1TF3A49 20-</b> ( ) ( )	1,976.	1,992.	2,026.	2,060.	2,088.	2,134.	2,173.
	24"	49"	<b>R3B1TF3A49 24-</b> ( ) ( )	2,035.	2,051.	2,085.	2,119.	2,147.	2,193.	2,232.
	30"	49"	<b>R3B1TF3A49 30-</b> ( ) ( )	2,155.	2,171.	2,205.	2,239.	2,267.	2,313.	2,352.
	36"	49"	<b>R3B1TF3A49 36-</b> ( ) ( )	2,561.	2,577.	2,611.	2,645.	2,673.	2,719.	2,758.
	42"	49"	<b>R3B1TF3A49 42-</b> ( ) ( )	2,772.	2,788.	2,822.	2,856.	2,884.	2,930.	2,969.
	48"	49"	<b>R3B1TF3A49 48-</b> ( ) ( )	2,891.	2,907.	2,941.	2,975.	3,003.	3,049.	3,088.



Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	<b>R3B1TF3B49 30-</b> ( ) ( )	2,272.	2,288.	2,322.	2,356.	2,384.	2,430.	2,469.
	36"	49"	<b>R3B1TF3B49 36-</b> ( ) ( )	2,684.	2,700.	2,734.	2,768.	2,796.	2,842.	2,881.
	42"	49"	<b>R3B1TF3B49 42-</b> ( ) ( )	2,894.	2,910.	2,944.	2,978.	3,006.	3,052.	3,091.
	48"	49"	<b>R3B1TF3B49 48-</b> ( ) ( )	3,025.	3,041.	3,075.	3,109.	3,137.	3,183.	3,222.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF3A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>F3</b> Fabric one side, V3 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
<b>A</b> Type A window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
<b>49</b> 49" high	6. Exotic veneer side, finish (specify one V3 finish for side)	4 = 4" base height
<b>18</b> 18" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>B</b> Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>W281</b> Fabric selection - side 1B	11. Glass option	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>V512</b> Figured Anigre surface - side 2 tiled	Temp = Clear temp	
<b>V512</b> Figured Anigre (top trim finish)	Architectural options:	
<b>111</b> Jet Black (base finish)	GL13 = Powder glass	
<b>111</b> Jet Black (beltway finish)	GL6 = Block matrix glass	
<b>111</b> Jet Black (window frame finish)	GL8 = Wafer glass	
<b>TEMP</b> Glass option		

Add upcharge for architectural glass: (as applicable by widths)


Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:  
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)  
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	<b>R3B1PF3A49 18-</b> ( ) ( )	\$1,625.	\$1,634.	\$1,656.	\$1,700.	\$1,728.	\$1,769.	\$1,796.
	20"	49"	<b>R3B1PF3A49 20-</b> ( ) ( )	1,625.	1,634.	1,656.	1,700.	1,728.	1,769.	1,796.
	24"	49"	<b>R3B1PF3A49 24-</b> ( ) ( )	1,703.	1,712.	1,734.	1,778.	1,806.	1,847.	1,874.
	30"	49"	<b>R3B1PF3A49 30-</b> ( ) ( )	1,854.	1,863.	1,885.	1,929.	1,957.	1,998.	2,025.
	36"	49"	<b>R3B1PF3A49 36-</b> ( ) ( )	2,239.	2,248.	2,270.	2,314.	2,342.	2,383.	2,410.
	42"	49"	<b>R3B1PF3A49 42-</b> ( ) ( )	2,458.	2,467.	2,489.	2,533.	2,561.	2,602.	2,629.
	48"	49"	<b>R3B1PF3A49 48-</b> ( ) ( )	2,602.	2,611.	2,633.	2,677.	2,705.	2,746.	2,773.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	<b>R3B1PF3B49 30-</b> ( ) ( )	1,971.	1,980.	2,002.	2,046.	2,074.	2,115.	2,142.
	36"	49"	<b>R3B1PF3B49 36-</b> ( ) ( )	2,362.	2,371.	2,393.	2,437.	2,465.	2,506.	2,533.
	42"	49"	<b>R3B1PF3B49 42-</b> ( ) ( )	2,580.	2,589.	2,611.	2,655.	2,683.	2,724.	2,751.
	48"	49"	<b>R3B1PF3B49 48-</b> ( ) ( )	2,736.	2,745.	2,767.	2,811.	2,839.	2,880.	2,907.



**Order Code**

**Specification Information**

**Application Notes**

Example:	<b>R3B1PF3A4918-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B1</b>	Beltway one side
<b>P</b>	Monolithic panel
<b>F3</b>	Fabric one side, V3 other
<b>A</b>	Type A window
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>W281</b>	Fabric selection - side 1
<b>V512</b>	Figured Anigre surface - side 2
<b>V512</b>	Figured Anigre (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>111</b>	Jet Black (beltway finish)
<b>111</b>	Jet Black (window frame finish)
<b>TEMP</b>	Glass option

*To order please specify pattern number including:*

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page Reff Profiles for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)
- Fabric side, finish (specify selection per insert; bottom up.)
- Exotic veneer side, finish (specify one V3 finish for side)
- Top trim finish
  - Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
- Base finish
- Beltway finish
- Window frame finish
- Glass option
 

Temp = Clear temp  
*Architectural options:*  
 GL13 = Powder glass  
 GL6 = Block matrix glass  
 GL8 = Wafer glass

*1. Top trim profile:*  
 A = Flat  
 B = Square  
 C = Bullnose  
 E = Extruded Aluminum

*2. Base height:*  
 4 = 4" base height  
 6 = 6" base height (add \$47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79"H hookstrip reveal strips are ordered separately from page 118 at no charge.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:  
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)  
*Optional non fabric tiled side only, fabric side always black*


Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

# Beltway two sides, window panel 49" H tiled with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	<b>R3B2TFFA49 18-</b> ( ) ( )	\$1,322.	\$1,354.	\$1,412.	\$1,486.	\$1,542.	\$1,634.	\$1,686.
	20"	49"	<b>R3B2TFFA49 20-</b> ( ) ( )	1,322.	1,354.	1,412.	1,486.	1,542.	1,634.	1,686.
	24"	49"	<b>R3B2TFFA49 24-</b> ( ) ( )	1,370.	1,402.	1,460.	1,534.	1,590.	1,682.	1,734.
	30"	49"	<b>R3B2TFFA49 30-</b> ( ) ( )	1,466.	1,498.	1,556.	1,630.	1,686.	1,778.	1,830.
	36"	49"	<b>R3B2TFFA49 36-</b> ( ) ( )	1,763.	1,795.	1,853.	1,927.	1,983.	2,075.	2,127.
	42"	49"	<b>R3B2TFFA49 42-</b> ( ) ( )	1,920.	1,952.	2,010.	2,084.	2,140.	2,232.	2,284.
	48"	49"	<b>R3B2TFFA49 48-</b> ( ) ( )	2,013.	2,045.	2,103.	2,177.	2,233.	2,325.	2,377.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	<b>R3B2TFFB49 30-</b> ( ) ( )	1,579.	1,611.	1,669.	1,743.	1,799.	1,891.	1,943.
	36"	49"	<b>R3B2TFFB49 36-</b> ( ) ( )	1,886.	1,918.	1,976.	2,050.	2,106.	2,198.	2,250.
	42"	49"	<b>R3B2TFFB49 42-</b> ( ) ( )	2,042.	2,074.	2,132.	2,206.	2,262.	2,352.	2,406.
	48"	49"	<b>R3B2TFFB49 48-</b> ( ) ( )	2,145.	2,177.	2,235.	2,309.	2,365.	2,457.	2,509.



Order Code	Specification Information	Application Notes
Example: <b>R3B2TFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>R3</b> Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>B2</b> Beltway two sides	2. Base height	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>FF</b> Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>A</b> Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>49</b> 49" high	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>18</b> 18" wide	7. Base finish	
<b>A</b> Flat style top trim profile	8. Beltway finish	
<b>4</b> 4" base height	9. Window frame finish	
<b>K</b> Include knockouts in base	10. Glass option Temp = clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>W281</b> Fabric selection - side 1A		
<b>W281</b> Fabric selection - side 1B		
<b>W281</b> Fabric selection - side 2A		
<b>W281</b> Fabric selection - side 2B		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on Reff Profiles and Reff Profiles.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:  
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

# Beltway two sides, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	<b>R3B2PFFA49 18-()</b> ( )	\$1,197.	\$1,217.	\$1,259.	\$1,345.	\$1,403.	\$1,481.	\$1,533.
	20"	49"	<b>R3B2PFFA49 20-()</b> ( )	1,197.	1,217.	1,259.	1,345.	1,403.	1,481.	1,533.
	24"	49"	<b>R3B2PFFA49 24-()</b> ( )	1,240.	1,260.	1,302.	1,388.	1,446.	1,524.	1,576.
	30"	49"	<b>R3B2PFFA49 30-()</b> ( )	1,324.	1,344.	1,386.	1,472.	1,530.	1,608.	1,660.
	36"	49"	<b>R3B2PFFA49 36-()</b> ( )	1,573.	1,593.	1,635.	1,721.	1,779.	1,857.	1,909.
	42"	49"	<b>R3B2PFFA49 42-()</b> ( )	1,710.	1,730.	1,772.	1,858.	1,916.	1,994.	2,046.
	48"	49"	<b>R3B2PFFA49 48-()</b> ( )	1,792.	1,812.	1,854.	1,940.	1,998.	2,076.	2,128.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	<b>R3B2PFFB49 30-()</b> ( )	1,437.	1,457.	1,499.	1,585.	1,643.	1,721.	1,773.
	36"	49"	<b>R3B2PFFB49 36-()</b> ( )	1,696.	1,716.	1,758.	1,844.	1,902.	1,980.	2,032.
	42"	49"	<b>R3B2PFFB49 42-()</b> ( )	1,832.	1,852.	1,894.	1,980.	2,038.	2,116.	2,168.
	48"	49"	<b>R3B2PFFB49 48-()</b> ( )	1,924.	1,944.	1,986.	2,072.	2,130.	2,208.	2,260.

Order Code	Specification Information	Application Notes
Example: <b>R3B2PFFB4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B2</b> Beltway two sides	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>B</b> Type B window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
<b>49</b> 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
<b>30</b> 30" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>K</b> Include knockouts in base	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 118.
<b>W281</b> Fabric selection - side 1	8. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 2	9. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 118 at no charge.
<b>V316</b> Maple (top trim finish)	10. Glass option	
<b>111</b> Jet Black (base finish)	Temp = clear temp	
<b>111</b> Jet Black (beltway finish)	<i>Architectural options:</i>	
<b>111</b> Jet Black (window frame finish)	GL13 = Powder glass	
<b>TEMP</b> Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on Reff Profiles and Reff Profiles.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:  
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

# Stacking modules *fabric*

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	<b>R3SFF08 18</b>	\$214.	\$220.	\$240.	\$274.	\$286.	\$308.	\$322.
	20"	8"	<b>R3SFF08 20</b>	214.	220.	240.	274.	286.	308.	322.
	24"	8"	<b>R3SFF08 24</b>	224.	230.	250.	284.	296.	318.	332.
	30"	8"	<b>R3SFF08 30</b>	250.	256.	276.	310.	322.	344.	358.
	36"	8"	<b>R3SFF08 36</b>	272.	278.	298.	332.	344.	366.	380.
	42"	8"	<b>R3SFF08 42</b>	296.	302.	322.	356.	368.	390.	404.
	48"	8"	<b>R3SFF08 48</b>	319.	325.	345.	379.	391.	413.	427.
Stacking modules* Fabric both sides	18"	15"	<b>R3SFF15 18</b>	388.	304.	336.	370.	398.	444.	468.
	20"	15"	<b>R3SFF15 20</b>	288.	304.	336.	370.	398.	444.	468.
	24"	15"	<b>R3SFF15 24</b>	304.	320.	352.	386.	414.	460.	484.
	30"	15"	<b>R3SFF15 30</b>	335.	351.	383.	417.	445.	491.	515.
	36"	15"	<b>R3SFF15 36</b>	370.	286.	418.	452.	480.	526.	550.
	42"	15"	<b>R3SFF15 42</b>	398.	414.	446.	480.	508.	554.	578.
	48"	15"	<b>R3SFF15 48</b>	431.	447.	479.	513.	541.	587.	611.

### Order Code

Example: <b>R3SFF0818</b>	
<b>R3</b>	Reff Generation 3
<b>S</b>	Stacking module
<b>FF</b>	Fabric/fabric
<b>08</b>	8" high
<b>18</b>	18" wide
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2

### Specification Information

*To order please specify:*

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

### Application Notes

\* Not for use on 79"H panels.





\* \* Suitable only for top of any panel. Cannot be stacked upon.

8" h module will not accept additional modules on top.

Use of 8" module on panel heights other than 34" h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

# Stacking modules window


description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	<b>RSWA15 18</b>	\$471.	\$566.	\$15.	\$30.	\$48.
	20"	15"	<b>RSWA15 20</b>	471.	566.	15.	30.	48.
	24"	15"	<b>RSWA15 24</b>	497.	604.	15.	30.	51.
	30"	15"	<b>RSWA15 30</b>	575.	673.	15.	30.	57.
	36"	15"	<b>RSWA15 36</b>	597.	759.	15.	30.	58.
	42"	15"	<b>RSWA15 42</b>	628.	813.	15.	30.	61.
	48"	15"	<b>RSWA15 48</b>	651.	866.	15.	30.	64.
Stacking window module* Center mullion, type "B" 	30"	15"	<b>RSWB15 30</b>	689.	824.	15.	30.	68.
	36"	15"	<b>RSWB15 36</b>	721.	879.	15.	30.	71.
	42"	15"	<b>RSWB15 42</b>	751.	937.	15.	30.	74.
	48"	15"	<b>RSWB15 48</b>	780.	993.	15.	30.	77.
Stacking window module*   18" - 24"      30" - 48"	18"	30"	<b>RSWC30 18</b>	568.	659.	24.	38.	57.
	20"	30"	<b>RSWC30 20</b>	568.	659.	24.	38.	57.
	24"	30"	<b>RSWC30 24</b>	606.	717.	24.	38.	61.
	30"	30"	<b>RSWC30 30</b>	789.	923.	24.	38.	79.
	36"	30"	<b>RSWC30 36</b>	899.	1,062.	24.	38.	87.
	42"	30"	<b>RSWC30 42</b>	964.	1,152.	24.	38.	95.
	48"	30"	<b>RSWC30 48</b>	1,020.	1,238.	24.	38.	99.

Order Code	Specification Information	Application Notes
Example: <b>RSWA1518 111 TEMP</b>	<i>To order please specify:</i>	* Not for use on 79"H panels.
<b>R</b> Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
<b>SW</b> Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
<b>A</b> Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
<b>15</b> 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection on Reff Profiles.
<b>18</b> 18" wide	3. Glass type	
<b>111</b> Jet Black, window frame finish	Temp = Clear tempered glass	
<b>TEMP</b> Clear tempered glass option	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

# Stacking modules

## Double Window






description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA	
Stacking window module* Single glass, type "A"	15"	60"	<b>RSWAD1560</b> ( ) ( )	\$737.	\$844.						
		72"	<b>RSWAD1572</b> ( ) ( )	821.	984.						
		84"	<b>RSWAD1584</b> ( ) ( )	831.	1,026.						
		96"	<b>RSWAD1596</b> ( ) ( )	846.	1,071.						
	22"	60"	<b>RSWAD2260</b> ( ) ( )	920.	1,125.						
		72"	<b>RSWAD2272</b> ( ) ( )	1,035.	1,281.						
		84"	<b>RSWAD2284</b> ( ) ( )	1,055.	1,341.						
		96"	<b>RSWAD2296</b> ( ) ( )	1,076.	1,405.						
	Top trim for double wide stacking window modules	60"	<b>R3CRTT60</b> ( ) ( )				78.	163.	181.	234.	134.
		72"	<b>R3CRTT72</b> ( ) ( )				83.	174.	191.	246.	181.
		84"	<b>R3CRTT84</b> ( ) ( )				101.	197.	214.	272.	198.
		96"	<b>R3CRTT96</b> ( ) ( )				106.	207.	225.	287.	203.



Order Code	Specification Information	Application Notes
<i>Example:</i> <b>RSWAD1560</b>	<i>To order please specify:</i>	Panel glass is mounted flush to one side of the window module.
<b>R</b> Reff	1. Pattern number	All window modules incorporate tempered glass 4mm thick.
<b>SW</b> Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	Stabilizing kit is included with the window and is required with all double wide window installation.
<b>A</b> Type A	<i>If P2 or P3 paint finish upcharge add \$25</i>	
<b>D</b> Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$45</i>	Full length top trim is optional and can be ordered separately.
<b>15</b> 15" high	3. Glass type	Not for use on 79" h panels.
<b>60</b> 60" wide	Temp = Clear tempered glass	Applicable finishes are listed on Reff Profiles
<b>111</b> Jet Black, windowframe finish	<i>Architectural options:</i>	
<b>TEMP</b> Clear tempered glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

# Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer  
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.
				10	15	20	30	35	40	
Stacking modules **, ** Fabric and laminate 	18"	8"	<b>R3SFL0818</b>	\$241.	\$246.	\$264.	\$298.	\$313.	\$333.	\$352.
	20"	8"	<b>R3SFL0820</b>	241.	246.	264.	298.	313.	333.	352.
	24"	8"	<b>R3SFL0824</b>	261.	266.	284.	318.	333.	353.	372.
	30"	8"	<b>R3SFL0830</b>	294.	299.	317.	351.	366.	386.	405.
	36"	8"	<b>R3SFL0836</b>	322.	327.	345.	379.	394.	414.	433.
	42"	8"	<b>R3SFL0842</b>	348.	353.	371.	405.	420.	440.	459.
	48"	8"	<b>R3SFL0848</b>	379.	384.	402.	436.	451.	471.	490.
Stacking modules **, ** Fabric and techwood 	18"	8"	<b>R3SF10818</b>	251.	257.	275.	309.	324.	344.	364.
	20"	8"	<b>R3SF10820</b>	251.	257.	275.	309.	324.	344.	364.
	24"	8"	<b>R3SF10824</b>	268.	274.	292.	326.	341.	361.	381.
	30"	8"	<b>R3SF10830</b>	300.	306.	324.	358.	373.	393.	413.
	36"	8"	<b>R3SF10836</b>	329.	335.	353.	387.	402.	422.	442.
	42"	8"	<b>R3SF10842</b>	361.	367.	385.	419.	434.	454.	474.
	48"	8"	<b>R3SF10848</b>	387.	393.	411.	445.	460.	480.	500.
Stacking modules **, ** Fabric and conventional veneer 	18"	8"	<b>R3SF20818</b>	254.	260.	278.	312.	327.	347.	367.
	20"	8"	<b>R3SF20820</b>	254.	260.	278.	312.	327.	347.	367.
	24"	8"	<b>R3SF20824</b>	274.	280.	298.	332.	347.	367.	387.
	30"	8"	<b>R3SF20830</b>	306.	312.	330.	364.	379.	399.	419.
	36"	8"	<b>R3SF20836</b>	336.	342.	360.	394.	409.	429.	449.
	42"	8"	<b>R3SF20842</b>	367.	373.	391.	425.	440.	460.	480.
	48"	8"	<b>R3SF20848</b>	393.	399.	417.	451.	466.	486.	506.
Stacking modules **, ** Fabric and exotic veneer 	18"	8"	<b>R3SF30818</b>	333.	339.	357.	391.	406.	426.	446.
	20"	8"	<b>R3SF30820</b>	333.	339.	357.	391.	406.	426.	446.
	24"	8"	<b>R3SF30824</b>	364.	370.	388.	422.	437.	457.	477.
	30"	8"	<b>R3SF30830</b>	404.	410.	428.	462.	477.	497.	517.
	36"	8"	<b>R3SF30836</b>	446.	452.	470.	504.	519.	539.	559.
	42"	8"	<b>R3SF30842</b>	487.	493.	511.	545.	560.	580.	600.
	48"	8"	<b>R3SF30848</b>	524.	530.	548.	582.	597.	617.	637.
Stacking modules **, ** Laminate both sides 	18"	8"	<b>R3SLL0818</b>							233.
	20"	8"	<b>R3SLL0820</b>							233.
	24"	8"	<b>R3SLL0824</b>							254.
	30"	8"	<b>R3SLL0830</b>							284.
	36"	8"	<b>R3SLL0836</b>							307.
	42"	8"	<b>R3SLL0842</b>							316.
	48"	8"	<b>R3SLL0848</b>							326.

**Order Code**

Example:	<b>R3SFL0818</b>
<b>R3</b>	Reff Generation 3
<b>S</b>	Stacking module
<b>FL</b>	Fabric/Laminate
<b>08</b>	8" high
<b>18</b>	18" wide
<b>W281</b>	Fabric selection - side 1
<b>114</b>	Folkstone Grey - side 2

**Specification Information**

*To order please specify:*

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept woodgrain laminate where laminate is currently an option.

**Application Notes**

\* Not for use on 79"H panels.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.






Applicable finishes are listed on Reff Profiles and Reff Profiles.

Frameless glass add-ups cannot be installed on these modules.



# Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer  
other side and laminate both sides*

description	w	h	pattern no.	grade							Lam.
				10	15	20	30	35	40	45	
Stacking modules* Fabric and laminate 	18"	15"	<b>R3SFL1518</b>	\$345.	\$360.	\$391.	\$426.	\$458.	\$503.	\$528.	
	20"	15"	<b>R3SFL1520</b>	345.	360.	391.	426.	458.	503.	528.	
	24"	15"	<b>R3SFL1524</b>	359.	374.	405.	440.	472.	517.	542.	
	30"	15"	<b>R3SFL1530</b>	394.	409.	440.	475.	507.	552.	577.	
	36"	15"	<b>R3SFL1536</b>	427.	442.	473.	508.	540.	585.	610.	
	42"	15"	<b>R3SFL1542</b>	460.	475.	506.	541.	573.	618.	643.	
	48"	15"	<b>R3SFL1548</b>	493.	508.	539.	574.	606.	651.	676.	
Stacking modules* Fabric and techwood 	18"	15"	<b>R3SF11518</b>	357.	372.	403.	438.	471.	516.	541.	
	20"	15"	<b>R3SF11520</b>	357.	372.	403.	438.	471.	516.	541.	
	24"	15"	<b>R3SF11524</b>	373.	388.	419.	454.	487.	532.	557.	
	30"	15"	<b>R3SF11530</b>	404.	419.	450.	485.	518.	563.	588.	
	36"	15"	<b>R3SF11536</b>	440.	455.	486.	521.	554.	599.	624.	
	42"	15"	<b>R3SF11542</b>	474.	489.	520.	555.	588.	633.	658.	
	48"	15"	<b>R3SF11548</b>	506.	521.	552.	587.	620.	665.	690.	
Stacking modules* Fabric and conventional veneer 	18"	15"	<b>R3SF21518</b>	361.	376.	407.	442.	475.	520.	545.	
	20"	15"	<b>R3SF21520</b>	361.	387.	407.	442.	475.	520.	545.	
	24"	15"	<b>R3SF21524</b>	379.	394.	425.	460.	493.	538.	563.	
	30"	15"	<b>R3SF21530</b>	414.	429.	460.	495.	528.	573.	598.	
	36"	15"	<b>R3SF21536</b>	449.	464.	495.	530.	563.	608.	633.	
	42"	15"	<b>R3SF21542</b>	484.	499.	530.	565.	598.	643.	668.	
	48"	15"	<b>R3SF21548</b>	513.	528.	559.	594.	627.	672.	697.	
Stacking modules* Fabric and exotic veneer 	18"	15"	<b>R3SF315 18</b>	477.	492.	523.	558.	591.	636.	661.	
	20"	15"	<b>R3SF315 20</b>	477.	492.	523.	558.	591.	636.	661.	
	24"	15"	<b>R3SF315 24</b>	499.	514.	545.	580.	613.	658.	683.	
	30"	15"	<b>R3SF315 30</b>	547.	562.	593.	628.	661.	706.	731.	
	36"	15"	<b>R3SF315 36</b>	595.	610.	641.	676.	709.	754.	779.	
	42"	15"	<b>R3SF315 42</b>	640.	655.	686.	721.	754.	799.	824.	
	48"	15"	<b>R3SF315 48</b>	684.	699.	703.	765.	798.	843.	868.	
Stacking modules* Laminate both sides 	18"	15	<b>R3SLL1518</b>								330.
	20"	15	<b>R3SLL1520</b>								330.
	24"	15	<b>R3SLL1524</b>								359.
	30"	15	<b>R3SLL1530</b>								403.
	36"	15	<b>R3SLL1536</b>								435.
	42"	15	<b>R3SLL1542</b>								447.
	48"	15	<b>R3SLL1548</b>								449.

## Order Code

Example:	<b>R3SFL0818</b>
<b>R3</b>	Reff Generation 3
<b>S</b>	Stacking module
<b>FL</b>	Fabric/Laminate
<b>08</b>	8" high
<b>18</b>	18" wide
<b>W281</b>	Fabric selection - side 1
<b>114</b>	Folkstone Grey - side 2

## Specification Information

*To order please specify:*

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept woodgrain laminate where laminate is currently an option.

## Application Notes

\* Not for use on 79"H panels.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.



Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Frameless glass add-ups cannot be installed on these modules.

# Panel connection posts

## Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	<b>R3L08TT</b>	\$66.	n/a
	15"	stacking module post	<b>R3L15TT</b>	130.	n/a
	34"		<b>R3L34(F/T)(F/T)-( ) ( ) ( )</b>	165.	n/a
	42"		<b>R3L42(B)(F/T)(F/T)-( ) ( ) ( )</b>	249.	287.
	49"		<b>R3L49(B)(F/T)(F/T)-( ) ( ) ( )</b>	276.	317.
	64"		<b>R3L64(B)(F/T)(F/T)-( ) ( ) ( )</b>	306.	350.
	79"		<b>R3L79(B)(F/T)(F/T)-( ) ( ) ( )</b>	342.	392.
 T-Post	8"	stacking module post	<b>R3T08T</b>	83.	n/a
	15"	stacking module post	<b>R3T15T</b>	153.	n/a
	34"		<b>R3T34(F/T)-( ) ( ) ( )</b>	201.	n/a
	42"		<b>R3T42(B)(F/T)-( ) ( ) ( )</b>	219.	251.
	49"		<b>R3T49(B)(F/T)-( ) ( ) ( )</b>	249.	287.
	64"		<b>R3T64(B)(F/T)-( ) ( ) ( )</b>	276.	317.
	79"		<b>R3T79(B)(F/T)-( ) ( ) ( )</b>	307.	353.

### Order Code

Example:	<b>R3L64(B)TT-A16NB</b>
<b>R3</b>	Reff Generation 3
<b>L64</b>	90° post; 64" h connector
<b>(B)</b>	with Beltway channel
<b>(T)(T)</b>	Tiled appearance 2 sides
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

### Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
  - 1 = one piece (same finish both sides)
  - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
10. Base finish

1. Face type:  
(F) = Full height (monolithic look)  
(T) = Tiled

2. Top profile:  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$25 list for this option)

3. Top cap configuration:  
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)  
2 = Regular T or cap finish 1 side (applicable for T or X posts only)  
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)  
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)  
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:  
4 = 4" base height  
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:  
L = Base infeed left face  
M = Base infeed middle face  
R = Base infeed right face  
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"  
B = Black steel reveal or  
Specify AA for anodized aluminum look or painted option from Reff Profiles excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from Reff Profiles.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 118. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.



Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

# Panel connection posts

## Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	<b>R3X08</b>	\$73.	n/a
	15"	stacking module post	<b>R3X15</b>	141.	n/a
	34"		<b>R3X34-( ) ( )</b>	187.	n/a
	42"		<b>R3X42(B)-( ) ( )</b>	203.	235.
	49"		<b>R3X49(B)-( ) ( )</b>	219.	251.
	64"		<b>R3X64(B)-( ) ( )</b>	249.	287.
	79"		<b>R3X79(B)-( ) ( )</b>	284.	322.
 Straight post	8"	stacking module post	<b>R3S08TT</b>	66.	n/a
	15"	stacking module post	<b>R3S15TT</b>	130.	n/a
	34"		<b>R3S34(F/T)(F/T)-( ) ( ) ( )</b>	165.	n/a
	42"		<b>R3S42(B)(F/T)(F/T)-( ) ( ) ( )</b>	249.	287.
	49"		<b>R3S49(B)(F/T)(F/T)-( ) ( ) ( )</b>	276.	317.
	64"		<b>R3S64(B)(F/T)(F/T)-( ) ( ) ( )</b>	306.	350.
	79"		<b>R3S79(B)(F/T)(F/T)-( ) ( ) ( )</b>	342.	392.

### Order Code

Example:	<b>R3L64(B)TT-A16NB</b>
<b>R3</b>	Reff Generation 3
<b>L64</b>	90° post; 64" h connector
<b>(B)</b>	with Beltway channel
<b>(T)(T)</b>	Tiled appearance 2 sides
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

### Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
  - 1 = one piece (same finish both sides)
  - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
10. Base finish

1. Face type:  
(F) = Full height (monolithic look)  
(T) = Tiled

2. Top profile:  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$25 list for this option)

3. Top cap configuration:  
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)  
2 = Regular T or cap finish 1 side (applicable for T or X posts only)  
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)  
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)  
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:  
4 = 4" base height  
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:  
L = Base infeed left face  
M = Base infeed middle face  
R = Base infeed right face  
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"  
B = Black steel reveal or  
Specify AA for anodized aluminum look or painted option from Reff Profiles excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from Reff Profiles.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 118. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	<b>R3R2SLV</b>	n/c



### Order Code

Example:	<b>R3L64(B)TT-A16NB</b>
<b>R3</b>	Reff Generation 3
<b>L64</b>	90° post; 64" h connector
<b>(B)</b>	with Beltway channel
<b>(T)(T)</b>	Tiled appearance 2 sides
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

### Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
  - 1 = one piece (same finish both sides)
  - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
  - i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver
10. Base finish

1. *Face type:*  
(F) = Full height (monolithic look)  
(T) = Tiled

2. *Top profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$25 list for this option)

3. *Top cap configuration:*

- 1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)  
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)  
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)  
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)  
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*

- 4 = 4" base height  
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*

- L = Base infeed left face  
M = Base infeed middle face  
R = Base infeed right face  
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*  
B = Black steel reveal or  
Specify AA for anodized aluminum look or painted option from Reff Profiles excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from Reff Profiles.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 118. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.



Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

# Panel connection posts

## Generation 3 135°

description	h	pattern no.	Reg. post list (A/B/C profile)
 135° Tiled Post	34"	<b>R3135V34T</b> ( ) ( ) ( ) ( ) ( ) ( )	\$555.
	42"	<b>R3135V42T</b> ( ) ( ) ( ) ( ) ( ) ( )	695.
	49"	<b>R3135V49T</b> ( ) ( ) ( ) ( ) ( ) ( )	703.
	64"	<b>R3135V64T</b> ( ) ( ) ( ) ( ) ( ) ( )	861.
	79"	<b>R3135V79T</b> ( ) ( ) ( ) ( ) ( ) ( )	1,015.
 135° Mono Post	34"	<b>R3135V34F</b> ( ) ( ) ( ) ( ) ( ) ( )	555.
	42"	<b>R3135V42F</b> ( ) ( ) ( ) ( ) ( ) ( )	695.
	49"	<b>R3135V49F</b> ( ) ( ) ( ) ( ) ( ) ( )	703.
	64"	<b>R3135V64F</b> ( ) ( ) ( ) ( ) ( ) ( )	861.
	79"	<b>R3135V79F</b> ( ) ( ) ( ) ( ) ( ) ( )	1,015.

### Order Code

Example: <b>R3135V34T</b>	
<b>R3</b>	Reff Generation 3
<b>135V</b>	135° post
<b>34</b>	Height
<b>T</b>	Tiled
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

### Specification Information

<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Top cap profile</li> <li>Top cap configuration</li> <li>If L post, cover configuration 1 = one piece</li> <li>Base height option</li> <li>Base infeed knock-out (optional)</li> <li>Tile divider option/finish, if face type T</li> <li>Finish, face covers (<i>fabric, V1, V2, V3 or painted to match laminate</i>)</li> <li>Top cap finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profiles excluding silver</li> <li>Base finish</li> </ol>	<ol style="list-style-type: none"> <li><b>Face type:</b> (F) = Full height (monolithic look) (T) = Tiled</li> <li><b>Top profile:</b> A = Flat B = Square C = Bullnose E = Extruded Aluminum (Add \$25 list for this option)</li> <li><b>Top cap configuration:</b> 1 = Regular L or cap finish 2 adjacent sides (<i>applicable for L, T or X posts only</i>) 2 = Regular T or cap finish 1 side (<i>applicable for T or X posts only</i>) 3 = Regular X cap unfinished all 4 sides (<i>applicable for X posts only</i>) 4 = Cap finished 3 sides/high-low (<i>applicable for L, T, X or straight posts</i>) 5 = Cap finished 2 opposite sides/high-low (<i>applicable for X or straight posts only</i>)</li> <li><b>Base height:</b> 4 = 4" base height 6 = 6" base height (add \$47 list for this option)</li> </ol>	<ol style="list-style-type: none"> <li><b>Tile divider, optional if face type "tiled" and face finish "non-fabric"</b> B = Black steel reveal or Specify AA for anodized aluminum look or painted option from Reff Profiles excluding silver.  Specify AA-anodized aluminum or painted options excluding silver from Reff Profiles.  Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).  Applicable finishes are listed on Reff Profiles and Reff Profiles.</li> </ol>
--	--	---

# Panel connection posts

## Generation 3 120°

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	<b>R3120Y34</b> ( ) ( ) ( )	\$387.
	42"	<b>R3120Y42</b> ( ) ( ) ( )	407.
	49"	<b>R3120Y49</b> ( ) ( ) ( )	419.
	64"	<b>R3120Y64</b> ( ) ( ) ( )	460.
	79"	<b>R3120Y79</b> ( ) ( ) ( )	502.

### Order Code

Example: <b>R3120Y34</b>
<b>R3</b> Reff Generation 3
<b>120V</b> 120° post
<b>34</b> Height
<b>T</b> Tiled
<b>(A)</b> Top profile
<b>(4)</b> Base height
<b>V316</b> Top cap finish, Maple
<b>111</b> Base finish, Jet black

### Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Base height option
3. Top cap finish
  - i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on Reff Profilesexcluding silver
4. Base finish

1. Top profile:


- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum  
(Add \$25 list for this option)


2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)


Specify AA for anodized aluminum look or painted option from Reff Profilesexcluding silver.

# Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34"		<b>R2ES34(A/B/C/E)(4/6)(E/N)</b>	\$226.	\$137.
	–	42"		<b>R2ES42(A/B/C/E)(4/6)(E/N)</b>	253.	160.
	–	49"		<b>R2ES49(A/B/C/E)(4/6)(E/N)</b>	281.	183.
	–	64"		<b>R2ES64(A/B/C/E)(4/6)(E/N)</b>	297.	206.
	–	79"		<b>R2ES79(A/B/C/E)(4/6)(E/N)</b>	364.	234.

End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		<b>R2HL3442ES(A/B/C/E)</b>	118.	120.
	34"	49"		<b>R2HL3449ES(A/B/C/E)</b>	165.	123.
	34"	64"		<b>R2HL3464ES(A/B/C/E)</b>	211.	126.
	34"	79"		<b>R2HL3479ES(A/B/C/E)</b>	226.	139.
	42"	49"		<b>R2HL4249ES(A/B/C/E)</b>	118.	120.
	42"	64"		<b>R2HL4264ES(A/B/C/E)</b>	286.	123.
	42"	79"		<b>R2HL4279ES(A/B/C/E)</b>	327.	139.
	49"	64"		<b>R2HL4964ES(A/B/C/E)</b>	165.	126.
	49"	79"		<b>R2HL4979ES(A/B/C/E)</b>	211.	139.
	64"	79"		<b>R2HL6479ES(A/B/C/E)</b>	165.	123.

\*\*Application: for height changes that DO NOT involve a post\*\*

Top trim for Hi-Lo conditions (Notched one side)	–		18"	<b>RSNTT18(A/B/C/E)</b>	84.	23.
	–	–	20"	<b>RSNTT20(A/B/C/E)</b>	84.	26.
	–	–	24"	<b>RSNTT24(A/B/C/E)</b>	94.	29.
	–	–	30"	<b>RSNTT30(A/B/C/E)</b>	104.	34.
	–	–	33"	<b>RSNTT33(A/B/C/E) (66" wide panels one only)</b>	108.	45.
	–	–	36"	<b>RSNTT36(A/B/C/E)</b>	115.	45.
	–	–	42"	<b>RSNTT42(A/B/C/E)</b>	132.	46.
	–	–	48"	<b>RSNTT48(A/B/C/E)</b>	142.	64.

## Order Code

Example: <b>R2ES34A6N</b>	
<b>R2</b>	Reff Generation 2
<b>ES</b>	End trim
<b>34</b>	34" high
<b>A</b>	Flat profile
<b>6</b>	6" base height
<b>N</b>	Non electrical base
<b>V311</b>	Beech
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

End trim:

- Trim profile  
A = flat  
B = square  
C = bullnose  
E = extruded aluminum
- Base height option  
4 = 4"  
6 = 6"
- Base type  
E = electrical entry  
N = standard base
- Finish, end trim  
If profile A, B or C specify V1, V2, V3 or painted to match laminate  
If profile E specify AA-anodized aluminum or painted finish from page Reff Profiles excluding silver
- Finish, end trim base  
painted or plated finish

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Post cover trim:

- Specify full or tiled face type  
F = full (monolithic)  
T = tiled
- Finish, post cover  
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish  
B = black reveal  
or select P1, P2, P3 painted finish from pg. Reff Profiles

Select paint or plated finish from Reff Profiles.

**Add \$24 list for each end trim with 6"H base option.** Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

\*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

# Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		<b>R2HL4249ETS(A/B/C/E)</b>	\$118.	\$120.
	42"	64"		<b>R2HL4264ETS(A/B/C/E)</b>	286.	123.
	42"	79"		<b>R2HL4279ETS(A/B/C/E)</b>	327.	139.



Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		<b>R2HL3442(F)CS ( )</b>	34.	
	34"	49"		<b>R2HL3449(F)CS ( )</b>	49.	
	34"	64"		<b>R2HL3464(F/T)CS ( )( )</b>	98.	
	34"	79"		<b>R2HL3479(F/T)CS ( )( )</b>	145.	
	42"	49"		<b>R2HL4249(F)CS ( )</b>	34.	
	42"	64"		<b>R2HL4264(F/T)CS ( )( )</b>	81.	
	42"	79"		<b>R2HL4279(F/T)CS ( )( )</b>	132.	
	49"	64"		<b>R2HL4964(F)CS ( )</b>	49.	
	49"	79"		<b>R2HL4979(F/T)CS ( )( )</b>	98.	
	64"	79"		<b>R2HL6479(F)CS ( )</b>	49.	



\*\*Application: for height changes involving a post\*\*

## Order Code

Example: <b>R2ES34A6N</b>	
<b>R2</b>	Reff Generation 2
<b>ES</b>	End trim
<b>34</b>	34" high
<b>A</b>	Flat profile
<b>6</b>	6" base height
<b>N</b>	Non electrical base
<b>V311</b>	Beech
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

End trim:

- Trim profile  
A = flat  
B = square  
C = bullnose  
E = extruded aluminum
- Base height option  
4 = 4"  
6 = 6"
- Base type  
E = electrical entry  
N = standard base
- Finish, end trim  
If profile A, B or C specify V1, V2, V3 or painted to match laminate  
If profile E specify AA-anodized aluminum or painted finish from page Reff Profiles excluding silver
- Finish, end trim base  
painted or plated finish

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Post cover trim:

- Specify full or tiled face type  
F = full (monolithic)  
T = tiled
- Finish, post cover  
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish  
B = black reveal  
or select P1, P2, P3 painted finish from pg. Reff Profiles

Select paint or plated finish from Reff Profiles.

**Add \$24 list for each end trim with 6"H base option.** Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

\*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.




# Panel Accessories


## *hookstrips and top caps*

description	w	pattern no.	list price
Panel hookstrips	8"	<b>R2HK0008</b>	\$44.
	15"	<b>R2HK0015</b>	71.
	34"	<b>R2HK0034</b>	97.
	42"	<b>R2HK0042</b>	103.
	49"	<b>R2HK0049</b>	111.
	64"	<b>R2HK0064</b>	120.
	79"	<b>R2HK0079</b>	126.
Beltway hookstrips	42"	<b>R2HKB042</b>	111.
	49"	<b>R2HKB049</b>	120.
	64"	<b>R2HKB064</b>	126.
	79"	<b>R2HKB079</b>	133.


Order Code	Specification Information	Application Notes
Example: <b>R2HK0008</b>	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>R2</b> Reff generation 2		
<b>HK</b> Hook Strip		
<b>008</b> Height		
		An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.
		Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.
		New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

description	type	h	pattern no.	list price
 Ceiling entry L-post.		42"	<b>R2L42C(F/T)(F/T)-(4/6)</b>	\$249.
		49"	<b>R2L49C(F/T)(F/T)-(4/6)</b>	266.
		64"	<b>R2L64C(F/T)(F/T)-(4/6)</b>	283.
		79"	<b>R2L79C(F/T)(F/T)-(4/6)</b>	336.


*Cable not included*

 Ceiling entry T-post.		42"	<b>R2T42C(F/T)-(4/6)</b>	219.
		49"	<b>R2T49C(F/T)-(4/6)</b>	249.
		64"	<b>R2T64C(F/T)-(4/6)</b>	266.
		79"	<b>R2T79C(F/T)-(4/6)</b>	310.

*Cable not included*

 Ceiling entry X-post.		42"	<b>R2X42C</b>	203.
		49"	<b>R2X49C</b>	219.
		64"	<b>R2X64C</b>	249.
		79"	<b>R2X79C</b>	294.

*Cable not included*

 Ceiling entry straight line post.		42"	<b>R2S42C(F/T)(F/T)-(4/6)</b>	249.
		49"	<b>R2S49C(F/T)(F/T)-(4/6)</b>	266.
		64"	<b>R2S64C(F/T)(F/T)-(4/6)</b>	283.
		79"	<b>R2S79C(F/T)(F/T)-(4/6)</b>	336.

*Cable not included*

Order Code	
Example: <b>R2L42CTT4</b>	
<b>R2</b>	Reff Generation 2
<b>L</b>	L-post
<b>42</b>	42" high
<b>C</b>	Ceiling power entry
<b>T</b>	Tiled style face
<b>T</b>	Tiled style face
<b>4</b>	Base height
<b>W230</b>	Fabric selection
<b>111</b>	Jet Black (base finish)

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Specification Information
<i>To order please specify pattern number including:</i>
1. Post face option
2. Base height option
3. Finish type, where applicable
4. Finish, where applicable
5. Base finish
6. Canopy finish (ceiling entry pole only)
<i>1. Face type:</i>
F = Full height
T = Tiled
<i>2. Base height:</i>
4 = 4" base height
6 = 6" base height
<i>3. Finish type:</i>
F = Fabric
L = Laminate
1 = V1
2 = V2
3 = V3


Application Notes
Data cable application requires the post and the pole only.
*Must order post, pole and cable for electrical application.
The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
Hi-lo ceiling post covers must be ordered in hi-lo applications from 115.

description	type	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet		41"	<b>RCP41-(F/L/1/2/3)*</b>	\$497.
		56"	<b>RCP56-(F/L/1/2/3)*</b>	516.
		71"	<b>RCP71-(F/L/1/2/3)*</b>	579.
		78"	<b>RCP78-(F/L/1/2/3)*</b>	598.



*Cable not included*



Power infeeds	Ceiling power cable infeed. Eight-wire	<b>RR3-EPVR</b>	290.
	Ceiling power cable infeed. Ten-wire	<b>RR3-TPVR</b>	351.
One size fits all post sizes (13' of cable) For use with Ceiling entry Pole and Pole combinations			



Order Code	Specification Information	Application Notes
Example: <b>R2L42CTT4</b>	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
<b>R2</b> Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
<b>L</b> L-post	2. Base height option	
<b>42</b> 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
<b>C</b> Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
<b>T</b> Tiled style face	5. Base finish	
<b>T</b> Tiled style face	6. Canopy finish (ceiling entry pole only)	
<b>4</b> Base height	1. <i>Face type:</i>	
<b>W230</b> Fabric selection	F = Full height	
<b>111</b> Jet Black (base finish)	T = Tiled	
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height	
	3. <i>Finish type:</i>	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
Applicable finishes are listed on Reff Profiles and Reff Profiles.		6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
		The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
		Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
		Hi-lo ceiling post covers must be ordered in hi-lo applications from 115.

# Ceiling cable entry post covers

## Alignment kits and wall starters


description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			<b>RPHL3442(F/T)</b>	\$34.
	34"	49"			<b>RPHL3449(F/T)</b>	49.
	34"	64"			<b>RPHL3464(F/T)</b>	98.
	34"	79"			<b>RPHL3479(F/T)</b>	145.
	42"	49"			<b>RPHL4249(F/T)</b>	67.
	42"	64"			<b>RPHL4264(F/T)</b>	94.
	42"	79"			<b>RPHL4279(F/T)</b>	102.
	49"	64"			<b>RPHL4964(F/T)</b>	94.
	49"	79"			<b>RPHL4979(F/T)</b>	102.
	64"	79"			<b>RPHL6479(F/T)</b>	73.
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			<b>RPHL4249S</b>	34.
	42"	64"			<b>RPHL4264S</b>	81.
	42"	79"			<b>RPHL4279S</b>	132.
	49"	64"			<b>RPHL4964S</b>	49.
	49"	79"			<b>RPHL4979S</b>	98.
	64"	79"			<b>RPHL6479S</b>	49.
Wall starter			7/8"	15"	<b>R2SWS0015 ( ) ( ) ( )</b>	62.
			7/8"	34"	<b>R2SWS0034 ( ) ( ) ( )</b>	123.
			7/8"	42"	<b>R2SWS0042 ( ) ( ) ( )</b>	150.
			7/8"	49"	<b>R2SWS0049 ( ) ( ) ( )</b>	175.
			7/8"	64"	<b>R2SWS0064 ( ) ( ) ( )</b>	231.
			7/8"	79"	<b>R2SWS0079 ( ) ( ) ( )</b>	284.
			7/8"	8"	<b>R2SWS0008 ( ) ( ) ( )</b>	47.

\*Wall starters come with extended top trim from adjoining panel.

Order Code	Specification Information	Application Notes
Example: <b>RPHL4249T</b>	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
<b>R</b> Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
<b>P</b> Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
<b>HL</b> Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
<b>42</b> 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
<b>49</b> 49" high panel	F = Full	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
<b>T</b> Tiled face type	T = Tiled	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	Wall starter:	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	1. Pattern number including height	Wall starters come with extended top trim from adjoining panel.
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	

# Ceiling cable entry post covers

## Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
					<b>R3SPABPT</b>	\$7.
					<b>R3SPABTD</b>	7.
					<b>R3SPABTT</b>	7.
					<b>R3SPABTW</b>	7.
					<b>RSPABPD</b>	7.
					<b>RSPABPP</b>	7.
					<b>RSPABPT</b>	7.
					<b>RSPABPW</b>	7.
					<b>RSPABTD</b>	7.
					<b>RSPABTT</b>	7.
					<b>RSPABTW</b>	7.
					<b>RSPABWD</b>	7.
				<b>RSPABWW</b>	7.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: <b>RPHL4249T</b>	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
<b>R</b> Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
<b>P</b> Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
<b>HL</b> Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
<b>42</b> 42" low panel	1. Face type options: F = Full T = Tiled	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
<b>49</b> 49" high panel	Wall starter:	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
<b>T</b> Tiled face type	1. Pattern number including height 2. Adjoining panel width 3. Adjoining panel top trim profile (A, B, C or E) 4. Base height (4=4" or 6=6") 5. Top trim finish	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	Wall starters come with extended top trim from adjoining panel.

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64"	<b>RRDPPL(L/R)6436( )</b>		\$3,026.	\$3,133.	\$4,190.
		36"	79"	<b>RRD3PPL(L/R)7936( )( )</b>		3,301.	3,419.	4,616.
		42"	64"	<b>RRDPPL(L/R)6442( )</b>		3,084.	3,191.	4,242.
		42"	79"	<b>RRD3PPL(L/R)7942( )( )</b>		3,352.	3,469.	4,665.
Floor to ceiling rolling door		36"	79"	<b>RRD3FTCPPL(L/R)7936( )</b>		3,301.	3,419.	4,616.
		42"	79"	<b>RRD3FTCPPL(L/R)7942( )</b>		3,352.	3,469.	4,665.
Partial width threshold (full width threshold)		3"	50"	<b>RRDTH( )</b>		350.		
		3"	96"	<b>RRDTH(L/R)( )</b>		450.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	<b>R2DRS7936( )( )</b>			3,942.
	(36" opening)	1 1/2"	42"	79"	<b>R2DRS7942( )( )</b>			4,582.
*Panel door left	(30" opening)	1 1/2"	36"	79"	<b>R2DLS7936( )( )</b>			3,942.
	(36" opening)	1 1/2"	42"	79"	<b>R2DLS7942( )( )</b>			4,582.



\*Woodgrain Laminate not available on Panel Door\*

### Order Code

Example:	<b>RRDPPL(L)6436(A)(4)</b>
<b>RRD</b>	Reff rolling door
<b>PPL</b>	Monolithic frame
<b>L</b>	Left hand
<b>64</b>	64" high
<b>36</b>	36" wide
<b>A</b>	Flat style top trim
<b>4"</b>	4" base height

### Specification Information

#### Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose

#### 2. Base height:

- 4 = 4" base
- 6 = 6" base (add \$47 for this option)

#### 3. Lock option:

- N = Not drilled
- D = Drilled \*
- L = Drilled lock set included
- D = \*Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

#### Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

#### Frame Insert Finish

Temp = Cleared tempered glass

#### Architectural options:

- GL13 = Powdered glass
- GL6 = Block matrix
- GL8 = Wafer glass
- P5 = Polycarbonate

### Application Notes

Applicable finishes are listed on Reff Profiles and Reff Profiles.

#### Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 115).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

#### Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			<b>R234PKIT</b>	\$113.	
Generation 1 34"H panels to Generation 3 Beltway posts			<b>R334PKIT</b>	113.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			<b>R2AK</b>	n/c	
Generation 1 panels to Generation 3 posts			<b>R3AK</b>	n/c	
R3/R2 stacking post sleeve			<b>R3R2SLV</b>	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	10 Rolls	3/8"	79"	<b>RHSC70</b>	n/c
	2 Rolls	3/8"	79"	<b>RHSC15</b>	n/c
	30 Rolls	3/8"	79"	<b>RHSC250</b>	n/c
Carpet gripper (Pack fo 10)			<b>R2CG</b>	20.	

**Order Code**

Example:	<b>R234PKIT</b>
<b>R2</b>	Reff, generation 2
<b>34</b>	34" h panel to
<b>P</b>	Beltway post
<b>KIT</b>	Attachment kit

\*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

**Application Notes**

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.




R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

\*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

# Floor to ceiling modules

21" high, for 104" ceiling height and 79" high panels  
fabric and glass




description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	<b>R3FTCFF2118</b>			\$361.	\$367.	\$381.	\$447.	\$471.	\$535.	\$601.
	20"	21"	<b>R3FTCFF2120</b>			361.	367.	381.	447.	471.	535.	601.
	24"	21"	<b>R3FTCFF2124</b>			380.	386.	400.	466.	490.	554.	620.
	30"	21"	<b>R3FTCFF2130</b>			420.	426.	440.	506.	530.	594.	660.
	36"	21"	<b>R3FTCFF2136</b>			450.	456.	470.	536.	560.	624.	690.
	42"	21"	<b>R3FTCFF2142</b>			491.	497.	511.	577.	601.	665.	731.
	48"	21"	<b>R3FTCFF2148</b>			527.	533.	547.	613.	637.	701.	767.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	<b>RFTCWA2118</b>	505.	596.							
	20"	21"	<b>RFTCWA2120</b>	505.	596.							
	24"	21"	<b>RFTCWA2124</b>	530.	642.							
	30"	21"	<b>RFTCWA2130</b>	618.	752.							
	36"	21"	<b>RFTCWA2136</b>	646.	803.							
	42"	21"	<b>RFTCWA2142</b>	679.	869.							
	48"	21"	<b>RFTCWA2148</b>	712.	921.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	<b>RFTCWB2130</b>	721.	853.							
	36"	21"	<b>RFTCWB2136</b>	781.	940.							
	42"	21"	<b>RFTCWB2142</b>	826.	1,009.							
	48"	21"	<b>RFTCWB2148</b>	864.	1,078.							

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF2118</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).  Specify the finish for frames from paint selection on Reff Profiles.  Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.  Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>R3</b> Reff Generation 3	1. Pattern number	
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	
<b>21</b> 21" high	4. Soffit finish (paint)	<b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>  <b>Use of Reff FTC modules must be approved by local building authorities.</b>  Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.  No additional acoustic rating occurs on FTC installations.
<b>18</b> 18" wide	<i>For window panel:</i>	
<b>W281</b> Fabric selection - side 1	1. Pattern number	
<b>W281</b> Fabric selection - side 2	2. Frame finish	
<b>111</b> Jet Black soffit	3. Glass type	



# Floor to ceiling modules


*25" high, for 108" ceiling height and 79" high panels  
fabric and glass*


description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	<b>R3FTCFF2518</b>			\$402.	\$408.	\$420.	\$508.	\$526.	\$612.	\$686.
	20"	25"	<b>R3FTCFF2520</b>			402.	408.	420.	508.	526.	612.	686.
	24"	25"	<b>R3FTCFF2524</b>			426.	432.	444.	532.	550.	636.	710.
	30"	25"	<b>R3FTCFF2530</b>			462.	468.	480.	568.	586.	672.	746.
	36"	25"	<b>R3FTCFF2536</b>			505.	511.	523.	611.	629.	715.	789.
	42"	25"	<b>R3FTCFF2542</b>			545.	551.	563.	651.	669.	755.	829.
	48"	25"	<b>R3FTCFF2548</b>			585.	591.	603.	691.	709.	795.	869.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	<b>RFTCWA2518</b>	527.	619.							
	20"	25"	<b>RFTCWA2520</b>	527.	619.							
	24"	25"	<b>RFTCWA2524</b>	564.	671.							
	30"	25"	<b>RFTCWA2530</b>	652.	785.							
	36"	25"	<b>RFTCWA2536</b>	683.	840.							
	42"	25"	<b>RFTCWA2542</b>	727.	910.							
	48"	25"	<b>RFTCWA2548</b>	758.	968.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	<b>RFTCWB2530</b>	749.	879.							
	36"	25"	<b>RFTCWB2536</b>	829.	988.							
	42"	25"	<b>RFTCWB2542</b>	880.	1,065.							
	48"	25"	<b>RFTCWB2548</b>	930.	1,142.							


Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF2518</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).  Specify the finish for frames from paint selection on Reff Profiles.  Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.  Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.
<b>R3</b> Reff Generation 3	1. Pattern number	
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	
<b>25</b> 25" high	4. Soffit finish (paint)	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.  <b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>  <b>Use of Reff FTC modules must be approved by local building authorities.</b>  Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.  No additional acoustic rating occurs on FTC installations.
<b>18</b> 18" wide	<i>For window panel:</i>	
<b>W281</b> Fabric selection - side 1	1. Pattern number	
<b>W281</b> Fabric selection - side 2	2. Frame finish	
<b>111</b> Jet Black soffit	3. Glass type	

# Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels  
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	<b>R3FTCFF3718</b>			\$527.	\$531.	\$541.	\$673.	\$695.	\$823.	\$943.
	20"	37"	<b>R3FTCFF3720</b>			527.	531.	541.	673.	695.	823.	943.
	24"	37"	<b>R3FTCFF3724</b>			557.	561.	571.	703.	725.	853.	973.
	30"	37"	<b>R3FTCFF3730</b>			605.	609.	619.	751.	773.	901.	1,021.
	36"	37"	<b>R3FTCFF3736</b>			657.	661.	671.	803.	825.	953.	1,073.
	42"	37"	<b>R3FTCFF3742</b>			707.	711.	721.	853.	875.	1,003.	1,123.
	48"	37"	<b>R3FTCFF3748</b>			755.	759.	769.	901.	923.	1,051.	1,171.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	<b>RFTCWA3718</b>	604.	694.
	20"	37"	<b>RFTCWA3720</b>	604.	694.
	24"	37"	<b>RFTCWA3724</b>	651.	757.
	30"	37"	<b>RFTCWA3730</b>	767.	884.
	36"	37"	<b>RFTCWA3736</b>	799.	955.
	42"	37"	<b>RFTCWA3742</b>	851.	1,034.
	48"	37"	<b>RFTCWA3748</b>	896.	1,112.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	<b>RFTCWB3730</b>	827.	961.
	36"	37"	<b>RFTCWB3736</b>	975.	1,132.
	42"	37"	<b>RFTCWB3742</b>	1,051.	1,234.
	48"	37"	<b>RFTCWB3748</b>	1,118.	1,332.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF3718</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
<b>R3</b> Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on Reff Profiles.
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	
<b>37</b> 37" high	4. Soffit finish (paint)	
<b>18</b> 18" wide		Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.
<b>W281</b> Fabric selection - side 1	<i>For window panel:</i>	Provide elevation drawing for mixed fabrics or veneers.
<b>W281</b> Fabric selection - side 2	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>111</b> Jet Black soffit	2. Frame finish	
	3. Glass type	
		Ceiling height includes 4" allowance for trim.

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.


**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**


**Use of Reff FTC modules must be approved by local building authorities.**


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


# Floor to ceiling modules

*21" and 25" high modules, fabric one side,  
laminate, techwood, conventional or exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	<b>R3FTCFL2118</b>	\$407.	\$409.	\$414.	\$450.	\$462.	\$495.	\$531.
	20"	21"	<b>R3FTCFL2120</b>	407.	409.	414.	450.	462.	495.	531.
	24"	21"	<b>R3FTCFL2124</b>	421.	423.	428.	464.	476.	509.	545.
	30"	21"	<b>R3FTCFL2130</b>	472.	474.	479.	515.	527.	560.	596.
	36"	21"	<b>R3FTCFL2136</b>	513.	515.	520.	556.	568.	601.	637.
	42"	21"	<b>R3FTCFL2142</b>	558.	560.	565.	601.	613.	646.	682.
	48"	21"	<b>R3FTCFL2148</b>	601.	603.	608.	644.	656.	689.	725.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	<b>R3FTCF12118</b>	418.	420.	425.	461.	473.	507.	542.
	20"	21"	<b>R3FTCF12120</b>	418.	420.	425.	461.	473.	507.	542.
	24"	21"	<b>R3FTCF12124</b>	435.	437.	442.	478.	490.	524.	559.
	30"	21"	<b>R3FTCF12130</b>	485.	487.	492.	528.	540.	574.	609.
	36"	21"	<b>R3FTCF12136</b>	527.	529.	534.	570.	582.	616.	651.
	42"	21"	<b>R3FTCF12142</b>	569.	571.	576.	612.	624.	658.	693.
	48"	21"	<b>R3FTCF12148</b>	620.	622.	627.	663.	675.	709.	744.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	<b>R3FTCF22118</b>	427.	429.	434.	470.	482.	516.	551.
	20"	21"	<b>R3FTCF22120</b>	427.	429.	434.	470.	482.	516.	551.
	24"	21"	<b>R3FTCF22124</b>	440.	442.	447.	483.	495.	529.	564.
	30"	21"	<b>R3FTCF22130</b>	495.	497.	502.	538.	550.	584.	619.
	36"	21"	<b>R3FTCF22136</b>	535.	537.	542.	578.	590.	624.	659.
	42"	21"	<b>R3FTCF22142</b>	582.	584.	589.	625.	637.	671.	706.
	48"	21"	<b>R3FTCF22148</b>	629.	631.	636.	672.	684.	718.	753.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21" 	18"	21"	<b>R3FTCF321 18</b>	562.	564.	569.	605.	617.	651.	686.
	20"	21"	<b>R3FTCF321 20</b>	562.	564.	569.	605.	617.	651.	686.
	24"	21"	<b>R3FTCF321 24</b>	581.	583.	588.	624.	636.	670.	705.
	30"	21"	<b>R3FTCF321 30</b>	655.	657.	662.	698.	710.	744.	779.
	36"	21"	<b>R3FTCF321 36</b>	708.	710.	715.	751.	763.	797.	832.
	42"	21"	<b>R3FTCF321 42</b>	771.	773.	778.	814.	826.	860.	895.
	48"	21"	<b>R3FTCF321 48</b>	833.	835.	840.	876.	888.	922.	957.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL2118</b> <b>R3</b> Reff Generation 3 <b>FTC</b> Floor to ceiling <b>FL</b> Fabric/laminate <b>21</b> 21" high <b>18</b> 18" wide <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>111</b> Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint)  Applicable finishes are listed on Reff Profiles and Reff Profiles.  Product on this page will accept woodgrain laminate where laminate is currently an option.	Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.  Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.  Modules on this page will not support the hanging of panel mount product.


**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**


**Use of Reff FTC modules must be approved by local building authorities.**


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


# Floor to ceiling modules

21" and 25" high modules, fabric one side,  
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	<b>R3FTCFL2518</b>	\$436.	\$439.	\$448.	\$493.	\$502.	\$546.	\$585.
	20"	25"	<b>R3FTCFL2520</b>	436.	439.	448.	493.	502.	546.	585.
	24"	25"	<b>R3FTCFL2524</b>	452.	455.	464.	509.	518.	562.	601.
	30"	25"	<b>R3FTCFL2530</b>	514.	517.	526.	571.	580.	624.	663.
	36"	25"	<b>R3FTCFL2536</b>	557.	560.	569.	614.	623.	667.	706.
	42"	25"	<b>R3FTCFL2542</b>	611.	614.	623.	668.	677.	721.	760.
	48"	25"	<b>R3FTCFL2548</b>	660.	633.	672.	717.	726.	770.	809.

Stack-on floor to ceiling module Fabric one side, techwood other side, 25" 	18"	25"	<b>R3FTCF12518</b>	447.	450.	458.	504.	513.	557.	597.
	20"	25"	<b>R3FTCF12520</b>	447.	450.	458.	504.	513.	557.	597.
	24"	25"	<b>R3FTCF12524</b>	462.	465.	473.	519.	528.	572.	612.
	30"	25"	<b>R3FTCF12530</b>	530.	533.	541.	587.	596.	640.	680.
	36"	25"	<b>R3FTCF12536</b>	570.	573.	581.	627.	636.	680.	720.
	42"	25"	<b>R3FTCF12542</b>	628.	631.	639.	685.	694.	738.	778.
	48"	25"	<b>R3FTCF12548</b>	677.	680.	688.	734.	743.	787.	827.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25" 	18"	25"	<b>R3FTCF22518</b>	457.	460.	468.	514.	523.	567.	607.
	20"	25"	<b>R3FTCF22520</b>	457.	460.	468.	514.	523.	567.	607.
	24"	25"	<b>R3FTCF22524</b>	470.	473.	481.	527.	536.	580.	620.
	30"	25"	<b>R3FTCF22530</b>	538.	541.	549.	595.	604.	648.	688.
	36"	25"	<b>R3FTCF22536</b>	583.	586.	594.	640.	649.	693.	733.
	42"	25"	<b>R3FTCF22542</b>	639.	642.	650.	696.	705.	749.	789.
	48"	25"	<b>R3FTCF22548</b>	690.	693.	701.	747.	756.	800.	840.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25" 	18"	25"	<b>R3FTCF325 18</b>	598.	601.	609.	655.	664.	708.	748.
	20"	25"	<b>R3FTCF325 20</b>	598.	601.	609.	655.	664.	708.	748.
	24"	25"	<b>R3FTCF325 24</b>	620.	623.	631.	677.	686.	730.	770.
	30"	25"	<b>R3FTCF325 30</b>	708.	711.	719.	765.	774.	818.	858.
	36"	25"	<b>R3FTCF325 36</b>	771.	774.	782.	828.	837.	881.	921.
	42"	25"	<b>R3FTCF325 42</b>	846.	849.	857.	903.	912.	956.	996.
	48"	25"	<b>R3FTCF325 48</b>	915.	918.	926.	972.	981.	1,025.	1,065.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL2118</b> <b>R3</b> Reff Generation 3 <b>FTC</b> Floor to ceiling <b>FL</b> Fabric/laminate <b>21</b> 21" high <b>18</b> 18" wide <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>111</b> Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint)  Applicable finishes are listed on Reff Profiles and Reff Profiles.  Product on this page will accept woodgrain laminate where laminate is currently an option.	Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.  Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.  Modules on this page will not support the hanging of panel mount product.


**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**


**Use of Reff FTC modules must be approved by local building authorities.**


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


# Floor to ceiling modules

*37" high modules, fabric one side,  
laminate, techwood, conventional or exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side 	18"	37"	<b>R3FTCFL3718</b>	\$533.	\$535.	\$541.	\$607.	\$619.	\$685.	\$747.
	20"	37"	<b>R3FTCFL3720</b>	533.	535.	541.	607.	619.	685.	747.
	24"	37"	<b>R3FTCFL3724</b>	543.	545.	551.	617.	629.	695.	757.
	30"	37"	<b>R3FTCFL3730</b>	645.	647.	653.	719.	731.	797.	859.
	36"	37"	<b>R3FTCFL3736</b>	697.	699.	705.	771.	783.	849.	911.
	42"	37"	<b>R3FTCFL3742</b>	778.	780.	786.	852.	864.	930.	992.
	48"	37"	<b>R3FTCFL3748</b>	849.	851.	857.	923.	935.	1,001.	1,063.

Stack-on floor to ceiling module Fabric one side, techwood other side 	18"	37"	<b>R3FTCF13718</b>	546.	548.	555.	622.	633.	700.	763.
	20"	37"	<b>R3FTCF13720</b>	546.	548.	555.	622.	633.	700.	763.
	24"	37"	<b>R3FTCF13724</b>	556.	558.	565.	632.	643.	710.	773.
	30"	37"	<b>R3FTCF13730</b>	661.	663.	670.	737.	748.	815.	878.
	36"	37"	<b>R3FTCF13736</b>	718.	720.	727.	794.	805.	872.	935.
	42"	37"	<b>R3FTCF13742</b>	802.	804.	811.	878.	889.	956.	1,019.
	48"	37"	<b>R3FTCF13748</b>	873.	875.	882.	949.	960.	1,027.	1,090.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side 	18"	37"	<b>R3FTCF23718</b>	555.	557.	564.	631.	642.	709.	772.
	20"	37"	<b>R3FTCF23720</b>	555.	557.	564.	631.	642.	709.	772.
	24"	37"	<b>R3FTCF23724</b>	567.	569.	576.	643.	654.	721.	784.
	30"	37"	<b>R3FTCF23730</b>	671.	673.	680.	747.	758.	825.	888.
	36"	37"	<b>R3FTCF23736</b>	727.	729.	736.	803.	814.	881.	944.
	42"	37"	<b>R3FTCF23742</b>	814.	816.	823.	890.	901.	968.	1,031.
	48"	37"	<b>R3FTCF23748</b>	889.	891.	898.	965.	976.	1,043.	1,106.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37" 	18"	37"	<b>R3FTCF337 18</b>	724.	726.	733.	800.	811.	878.	941.
	20"	37"	<b>R3FTCF337 20</b>	724.	726.	733.	800.	811.	878.	941.
	24"	37"	<b>R3FTCF337 24</b>	742.	744.	751.	818.	829.	896.	959.
	30"	37"	<b>R3FTCF337 30</b>	882.	884.	891.	958.	969.	1,036.	1,099.
	36"	37"	<b>R3FTCF337 36</b>	957.	959.	966.	1,033.	1,044.	1,111.	1,174.
	42"	37"	<b>R3FTCF337 42</b>	1,076.	1,078.	1,085.	1,152.	1,163.	1,230.	1,293.
	48"	37"	<b>R3FTCF337 48</b>	1,177.	1,179.	1,186.	1,253.	1,264.	1,331.	1,394.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL3718</b> <b>R3</b> Reff Generation 3 <b>FTC</b> Floor to ceiling <b>FL</b> Fabric/laminate <b>37</b> 37" high <b>18</b> 18" wide <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>111</b> Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint)  Applicable finishes are listed on Reff Profiles and Reff Profiles.  Product on this page will accept woodgrain laminate where laminate is currently an option.	Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.  Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.  Modules on this page will not support the hanging of panel mount product.

**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**






**Use of Reff FTC modules must be approved by local building authorities.**

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

# Floor to ceiling modules

## Panel connection posts

### for floor to ceiling applications

description		h	pattern no.	list price
L-Post 	add on	21"	<b>R3FTCL21</b>	\$189.
	add on	25"	<b>R3FTCL25</b>	210.
	add on	37"	<b>R3FTCL37</b>	271.
	full height	104"	<b>R3FTCL104(F/T)(F/T)-( ) ( )</b>	428.
	full height	108"	<b>R3FTCL108(F/T)(F/T)-( ) ( )</b>	428.
	full height	120"	<b>R3FTCL120(F/T)(F/T)-( ) ( )</b>	428.
T-Post 	add on	21"	<b>R3FTCT21</b>	205.
	add on	25"	<b>R3FTCT25</b>	223.
	add on	37"	<b>R3FTCT37</b>	287.
	full height	104"	<b>R3FTCT104(F/T)-( ) ( )</b>	386.
	full height	108"	<b>R3FTCT108(F/T)-( ) ( )</b>	386.
	full height	120"	<b>R3FTCT120(F/T)-( ) ( )</b>	386.
X-Post 	add on	21"	<b>R3FTCX21</b>	187.
	add on	25"	<b>R3FTCX25</b>	207.
	add on	37"	<b>R3FTCX37</b>	270.
	full height	104"	<b>R3FTCX104</b>	354.
	full height	108"	<b>R3FTCX108</b>	354.
	full height	120"	<b>R3FTCX120</b>	354.
Straight post 	add on	21"	<b>R3FTCS21</b>	189.
	add on	25"	<b>R3FTCS25</b>	210.
	add on	37"	<b>R3FTCS37</b>	271.
	full height	104"	<b>R3FTCS104(F/T)(F/T)-( ) ( )</b>	428.
	full height	108"	<b>R3FTCS108(F/T)(F/T)-( ) ( )</b>	428.
	full height	120"	<b>R3FTCS120(F/T)(F/T)-( ) ( )</b>	428.
End post 	add on	21"	<b>R3FTCE21</b>	205.
	add on	25"	<b>R3FTCE25</b>	223.
	add on	37"	<b>R3FTCE37</b>	287.
	full height	104"	<b>R3FTCE104(F/T)(F/T)(F/T)-( ) ( )</b>	386.
	full height	108"	<b>R3FTCE108(F/T)(F/T)(F/T)-( ) ( )</b>	386.
	full height	120"	<b>R3FTCE120(F/T)(F/T)(F/T)-( ) ( )</b>	386.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCL104TT-6N</b> <b>R3FTC</b> Reff Gen 3 Floor to ceiling <b>L</b> Corner post <b>104</b> 104" high (one piece) <b>TT</b> Tiled appearance <b>6</b> 6" base height <b>N</b> No base infeed raceway knock-out <b>W808</b> Fabric selection <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Post face option 2. Base height option 3. Base infeed raceway knock-out, (optional) 4. Fabric selection 5. Base color  1. <i>Face type:</i> F = Full height (monolithic look) T = Tiled  2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 list for this option)  3. <i>Electrical infeed post:</i> L = Base infeed left face M = Base infeed middle face R = Base infeed right face N = None	The posts on this page do not support the hanging of panel mount product above the 79"H panels.  The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.  If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.  Left and Right hand locations are determined by facing the post in question from the outside of the station.  Hookstrip cover reveal strips are no charge but must be ordered separately from page 118.
		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.




# Required components for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21"	<b>RFTCWS21S</b>	\$61.
	25"	<b>RFTCWS25S</b>	78.
	37"	<b>RFTCWS37S</b>	94.
Ceiling channel 108* and stabilizer beam	108"	<b>RFTCC108</b>	223.
Caddy clips (box of 100)		<b>RFTCCLIPS</b>	323.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		<b>RFTCSpace</b>	102.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		<b>RFTCWT (Pair)</b>	7.
Floor to ceiling beam bracket for top of a stacking module		<b>RFTCSM (Pair) for G2 only</b>	7.
		<b>R3FTCSM (Pair) for G3 only</b>	7.
Floor to ceiling beam bracket for top of a G1 panel		<b>RFTCG1 (Pair)</b>	7.
Floor to ceiling beam bracket for top of a door panel		<b>RFTCDR (Pair)</b>	7.

\*These brackets are to be used with hinge doors only.

Order Code	Specification Information	Application Notes
Example: <b>RFTCWS21S</b>	<i>To order please specify pattern number including:</i> 1. Fabric/laminate/wood options 2. Paint option for metal soffit  All floor to ceiling posts mimic the panel system post application.	*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.  Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.  <b>Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.</b>  <b>Use of Reff FTC components must be approved by local building authorities.</b>  Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
<b>R</b> Reff		
<b>FTC</b> Floor to ceiling		
<b>WS</b> Wall starter		
<b>21</b> 21" high		Floor to ceiling stabilizer brackets ship with bolts to connect the stabilizer beam, brackets and FTC module to the 79"H panel.

Power distribution components  
**2+2 Base Raceway**  
*four circuit, eight-wire raceway for panels*  
*power rails and connector*

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	<b>RR3-E24</b>	\$145.	
	30" panel	12"	2"	2"	<b>RR3-E30NS</b>	160.	
	36" panel	18"	2"	2"	<b>RR3-E36NS</b>	175.	
	42" panel	24"	2"	2"	<b>RR3-E42NS</b>	183.	
	48" panel	30"	2"	2"	<b>RR3-E48NS</b>	191.	
	60" panel	42"	2"	2"	<b>RR3-E60-4</b>	290.	
	66" panel	48"	2"	2"	<b>RR3-E66-4</b>	306.	
	72" panel	54"	2"	2"	<b>RR3-E72-4</b>	327.	
	Straight	16 1/2"	2"	2"	<b>RR3-EPC24</b>	84.	
		18 1/2"	2"	2"	<b>RR3-EPCSM</b>	84.	
		20 1/4"	2"	2"	<b>RR3-EPCM</b>	84.	
	Use <b>RR3-EPC24</b> for straight 24" to 24" wide panel. Use <b>RR3-EPCS</b> for straight 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-EPC</b> for all other straight power connection configurations.						
	Through post	19"	2"	2"	<b>RR3-EPCP24</b>	84.	
		21"	2"	2"	<b>RR3-EPCPSM</b>	84.	
		22 3/4"	2"	2"	<b>RR3-EPCPM</b>	84.	
	Use <b>RR3-EPCP24</b> for through post 24" to 24" wide panels. Use <b>RR3-EPCPS</b> for through post 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-EPCP</b> for all other through post power connection configurations.						
	Duplex outlets, black	Circuit A				<b>RR3-DA</b>	40.
		Circuit B				<b>RR3-DB</b>	40.
Circuit X					<b>RR3-DX</b>	40.	
Circuit Y					<b>RR3-DY</b>	40.	
	Circuit X				<b>RR3-DXO</b>	45.	
	Circuit Y				<b>RR3-DYO</b>	45.	
Data Shield	1 pair				<b>RR3-DATSHD</b>	28.	

**Order Code**

Example: <b>RR3-E-24</b>	
<b>RR3</b>	Reff raceway
<b>E</b>	Eight wire 2+2
<b>24</b>	for 24" panel

**Specification Information**

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

**Application Notes**

Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.




Power connectors are enclosed in steel flexible conduit.

\*Power connectors must be specified according to the panel widths in the specified orientation.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.



Power distribution components  
 2+2 Base Raceway  
 four circuit, eight-wire raceway for panels  
 jumpers and infeed

description	type	w	d	h	pattern no.	list price
 <p>Jumper</p>	18" panel	38"	2"	2"	<b>RR3-EJ18</b>	\$105.
	20" panel	40"	2"	2"	<b>RR3-EJ20</b>	105.
	24" panel	44"	2"	2"	<b>RR3-EJ24</b>	113.
	30" panel	50"	2"	2"	<b>RR3-EJ30</b>	121.
	36" panel	56"	2"	2"	<b>RR3-EJ36</b>	132.
	42" panel	62"	2"	2"	<b>RR3-EJ42</b>	138.
	48" panel	68"	2"	2"	<b>RR3-EJ48</b>	145.
	54" panel run	76 1/2"	2"	2"	<b>RR3-EJ54P</b>	152.
	60" panel run	82 1/2"	2"	2"	<b>RR3-EJ60P</b>	160.
	66" panel run	88 1/2"	2"	2"	<b>RR3-EJ66P</b>	168.
	72" panel run	94 1/2"	2"	2"	<b>RR3-EJ72P</b>	175.
	78" panel run	100 1/2"	2"	2"	<b>RR3-EJ78P</b>	183.
	84" panel run	106 1/2"	2"	2"	<b>RR3-EJ84P</b>	191.
	90" panel run	112 1/2"	2"	2"	<b>RR3-EJ90P</b>	200.
96" panel run	118 1/2"	2"	2"	<b>RR3-EJ96P</b>	207.	
 <p>Extended jumper (through one post)</p>	18" + post	40 1/2"	2"	2"	<b>RR3-EJ18P</b>	105.
	20" + post	42 1/2"	2"	2"	<b>RR3-EJ20P</b>	105.
	24" + post	46 1/2"	2"	2"	<b>RR3-EJ24P</b>	113.
	30" + post	52 1/2"	2"	2"	<b>RR3-EJ30P</b>	121.
	36" + post	58 1/2"	2"	2"	<b>RR3-EJ36P</b>	132.
	42" + post	64 1/2"	2"	2"	<b>RR3-EJ42P</b>	138.
	48" + post	70 1/2"	2"	2"	<b>RR3-EJ48P</b>	145.
 <p>Power infeeds</p>	Ceiling power cable infeed. Eight-wire				<b>RR3-EPVR</b>	290.
	Hardwire infeed (NYC) one direction				<b>RR3-EPNY1</b>	212.
	Hardwire infeed (NYC) two directions				<b>RR3-EPNY2</b>	318.
	Panel base end feed				<b>RR3-REPI</b>	252.
	Panel base side infeed				<b>RR3-EPI</b>	252.
	Surge suppressors				<b>RR3-SP-(A,B,X,Y)</b>	183.




Order Code	Specification Information	Application Notes
Example: <b>RR3-EPVR</b> <b>RR3</b> Reff raceway <b>E</b> Eight wire 2+2 <b>P</b> power infeed <b>VR</b> for vertical raceway	<p>Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.</p> <p>For use in Canada, all circuits are CGA rated 15 amp capacity.</p> <p><i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection</p> <p>into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.</p> <p>Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. <b>RR3-EPNY2</b> includes two power connectors to power panels on both sides of infeed panel; <b>RR3-EPNY1</b> includes only one power connector.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p>

# Power distribution components

## 3+3 Base Raceway

### six circuit, ten-wire raceway for panels

### power rails and connectors

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	<b>RR3-T24</b>	\$168.	
	30" panel	12"	2"	2"	<b>RR3-T30NS</b>	183.	
	36" panel	18"	2"	2"	<b>RR3-T36NS</b>	200.	
	42" panel	24"	2"	2"	<b>RR3-T42NS</b>	212.	
	48" panel	30"	2"	2"	<b>RR3-T48NS</b>	220.	
	60" panel	42"	2"	2"	<b>RR3-T60-4</b>	344.	
	66" panel	48"	2"	2"	<b>RR3-T66-4</b>	358.	
	72" panel	54"	2"	2"	<b>RR3-T72-4</b>	383.	
	Straight	16 1/2"	2"	2"	<b>RR3-TPC24</b>	105.	
		18 1/2"	2"	2"	<b>RR3-TPCS</b>	105.	
		20 1/4"	2"	2"	<b>RR3-TPCM</b>	105.	
	Use <b>RR3-TPC24</b> for through post 24" to 24" wide panels. Use <b>RR3-TPCS</b> for through post 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-TPC</b> for all other through post power connection configurations.						
	Through post	19"	2"	2"	<b>RR3-TPCP24</b>	105.	
		21"	2"	2"	<b>RR3-TPCPS</b>	105.	
		22 3/4"	2"	2"	<b>RR3-TPCPM</b>	105.	
	Use <b>RR3-TPCP24</b> for through post 24" to 24" wide panels. Use <b>RR3-TPCPS</b> for through post 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-TPCP</b> for all other through post power connection configurations.						
	Duplex outlets, black	Circuit A				<b>RR3-DA</b>	40.
		Circuit B				<b>RR3-DB</b>	40.
Circuit C					<b>RR3-DC</b>	40.	
Circuit X					<b>RR3-DX</b>	40.	
Circuit Y					<b>RR3-DY</b>	40.	
Circuit Z					<b>RR3-DZ</b>	40.	
	Circuit X				<b>RR3-DXO</b>	45.	
	Circuit Y				<b>RR3-DYO</b>	45.	
	Circuit Z				<b>RR3-DZO</b>	45.	
Data Shield	1 pair				<b>RR3-DATSHD</b>	28.	

#### Order Code

Example: <b>RR3-T-24</b>	
<b>RR3</b>	Reff raceway
<b>T</b>	Ten wire 3+3
<b>24</b>	for 24" panel

#### Specification Information

Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

#### Note:

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

#### Application Notes

Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.




\*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components  
**3+3 Base Raceway**  
*six circuit, ten-wire raceway for panels*  
*jumpers and infeed*

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	<b>RR3-TJ18</b>	\$121.
	20" panel	40"	2"	2"	<b>RR3-TJ20</b>	121.
	24" panel	44"	2"	2"	<b>RR3-TJ24</b>	132.
	30" panel	50"	2"	2"	<b>RR3-TJ30</b>	138.
	36" panel	56"	2"	2"	<b>RR3-TJ36</b>	145.
	42" panel	62"	2"	2"	<b>RR3-TJ42</b>	160.
	48" panel	68"	2"	2"	<b>RR3-TJ48</b>	175.
	54" panel run	76 1/2"	2"	2"	<b>RR3-TJ54P</b>	183.
	60" panel	82 1/2"	2"	2"	<b>RR3-TJ60P</b>	191.
	66" panel run	86 1/2"	2"	2"	<b>RR3-TJ66P</b>	200.
	72" panel run	94 1/2"	2"	2"	<b>RR3-TJ72P</b>	207.
	78" panel run	100 1/2"	2"	2"	<b>RR3-TJ78P</b>	212.
	84" panel run	106 1/2"	2"	2"	<b>RR3-TJ84P</b>	232.
90" panel run	112 1/2"	2"	2"	<b>RR3-TJ90P</b>	237.	
96" panel run	118 1/2"	2"	2"	<b>RR3-TJ96P</b>	243.	
	18" + post	40 1/2"	2"	2"	<b>RR3-TJ18P</b>	121.
	20" + post	46 1/2"	2"	2"	<b>RR3-TJ20P</b>	121.
	24" + post	46 1/2"	2"	2"	<b>RR3-TJ24P</b>	132.
	30" + post	52 1/2"	2"	2"	<b>RR3-TJ30P</b>	138.
	36" + post	58 1/2"	2"	2"	<b>RR3-TJ36P</b>	145.
	42" + post	64 1/2"	2"	2"	<b>RR3-TJ42P</b>	160.
	48" + post	70 1/2"	2"	2"	<b>RR3-TJ48P</b>	175.
	Ceiling power cable infeed. Ten-wire				<b>RR3-TPVR</b>	351.
	Hardwire infeed (NYC) one direction **				<b>RR3-TPNY1</b>	243.
	Hardwire infeed (NYC) two directions **				<b>RR3-TPNY2</b>	351.
	Panel base end feed				<b>RR3-RTPI</b>	290.
	Panel base side infeed				<b>RR3-TPI</b>	290.
	Surge suppressors *				<b>RR3-SP-(A, B, C, X, Y, Z)</b>	183.



\* Select which circuit needs protecting and order the specified surge processor.

\*\* For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: <b>RR3-TPVR</b> <b>RR3</b> Reff raceway <b>T</b> Ten wire 3+3 <b>P</b> power infeed <b>VR</b> for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>


# Power distribution components

## Hardwire box


description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	<b>RR3CHI241</b>	\$226.
	30" panel	<b>RR3CHI301</b>	263.
	36" panel	<b>RR3CHI361</b>	284.
	42" panel	<b>RR3CHI421</b>	287.
	48" panel	<b>RR3CHI481</b>	307.
Chicago Hardwire Box 2 Sided 	24" panel	<b>RR3CHI242</b>	235.
	30" panel	<b>RR3CHI302</b>	281.
	36" panel	<b>RR3CHI362</b>	288.
	42" panel	<b>RR3CHI422</b>	292.
	48" panel	<b>RR3CHI482</b>	326.

Order Code	Specification Information	Application Notes
Example: <b>RR3CHI24</b>	Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.	Certified electrician to install.  Reff Hardwire Box Installation instruction sheet available on Knoll Exchange. Part number 6TR45715.
<b>RR3</b> Reff/AutoStrada raceway G3		
<b>CHI</b> Chicago Hardwire Box		
<b>24</b> For 24" wide panel		
<b>1</b> One sided raceway		

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		<b>RR3-E24S</b>	\$152.
	30" panel		<b>RR3-E30S</b>	175.
	36" panel		<b>RR3-E36S</b>	191.
	42" panel		<b>RR3-E42S</b>	207.
	48" panel		<b>RR3-E48S</b>	212.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		<b>RR3-T24S</b>	183.
	30" panel		<b>RR3-T30S</b>	200.
	36" panel		<b>RR3-T36S</b>	212.
	42" panel		<b>RR3-T42S</b>	232.
	48" panel		<b>RR3-T48S</b>	237.




Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	<b>RR3-LTPC24</b>	105.
	Beltway post	19 1/2"	<b>RR3-LTPC</b>	105.
	Beltway post	21 1/2"	<b>RR3-LTPCP</b>	105.








Only necessary for post applications where cable will turn 90°ree.  
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		<b>RR3-TBBCS</b>	152.
	For 30" wide Beltway panels (8 Wire)		<b>RR3-EBBCS</b>	144.
	For 36" to 48" wide Beltway panels (10 Wire)		<b>RR3-TBBCL</b>	161.
	For 36" to 48" wide Beltway panels (8 Wire)		<b>RR3-EBBCL</b>	152.


Order Code	Specification Information	Application Notes
Example: <b>RR3-T42S</b>		
<b>RR3</b> Reff raceway	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.
<b>T</b> Ten wire 3+3	Two side beltway panels use power rail for base.	
<b>42</b> For 42" panel	Single side beltway panel use one sided power rail for base.	Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.
<b>S</b> Single sided power	<i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	<b>Vertical Adjacent Jumper</b> * *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.  <b>Vertical Jumper</b> When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.
*Power connectors must be specified according to the panel widths in the specified orientation.		

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		<b>RR3EJ48</b>	\$145.
	24" wide Ten Wire		<b>RR3TJ48</b>	175.
	30" wide Eight Wire		<b>RR3EJ60P</b>	160.
	30" wide Ten Wire		<b>RR3TJ60P</b>	191.
	36" wide Eight Wire		<b>RR3EJ60P</b>	160.
	36" wide Ten Wire		<b>RR3TJ60P</b>	191.
	42" wide Eight Wire		<b>RR3EJ66P</b>	168.
	42" wide Ten Wire		<b>RR3TJ66P</b>	200.
	48" wide Eight Wire		<b>RR3EJ72P</b>	175.
	48" wide Ten Wire		<b>RR3TJ72P</b>	207.

Order Code	Specification Information	Application Notes
Example: <b>RR3-T42S</b> <b>RR3</b> Reff raceway <b>T</b> Ten wire 3+3 <b>42</b> For 42" panel <b>S</b> Single sided power	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.  Two side beltway panels use power rail for base.  Single side beltway panel use one sided power rail for base.  <i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.  Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.
		<b>Vertical Adjacent Jumper</b> **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.  <b>Vertical Jumper</b> When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	<b>RR3-FB</b>	\$14.
	Faceplate extender, black	<b>RR3-FE</b>	35.
	Three port faceplate, black	<b>RR3-3PF</b>	10.
	Two port faceplate, black	<b>RR3-2PF</b>	10.
 Snap in module (must be used with faceplate)	BNC coupler, black	<b>RR3-BNC</b>	21.
	Cat 3 RJ11/14/25, black	<b>RR3-C3C</b>	13.
	CAT 5 RJ45 universal	<b>RR3-C5C</b>	21.
	CAT 6 universal	<b>RR3-C6C</b>	36.
	F series video coupler, black	<b>RR3-FV</b>	21.
	ST style coupler, black	<b>RR3-ST</b>	36.
 Icons (sets of 10)	Data icons, 16 piece black	<b>RR3-DICON</b>	14.
	Mixed icons, 16 piece black	<b>RR3-MICON</b>	14.
	Phone icons, 16 piece black	<b>RR3PICON</b>	14.
 Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	<b>RR3-C5C4A</b>	142.
	4 Cat 5 RJ45-T568B extended face, black	<b>RR3-C5C4B</b>	142.
 Fiber optics	Sc style dual fiber optic side mount	<b>RR3-FOSC</b>	180.
	ST style dual fiber optic side mount	<b>RR3-FOST</b>	102.
 Desktop duplex monument	2-RJ11 (telephone)	<b>RGMD6</b>	108.
	2-RJ45's (phone and intercom)	<b>RGMD8</b>	120.
	Duplex outlet (electrical)	<b>RGMDE</b>	131.

Order Code	Specification Information	Application Notes
Example: <b>RR3-2PF</b>	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
<b>RR3</b> Reff raceway		
<b>2PF</b> Two port face	Icons can be ordered to distinguish intended use.	
Example: <b>RR3-C5CA</b>	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
<b>RR3</b> Reff raceway		
<b>C5CA</b> Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





### Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.





**Vertical power port bracket kit and duplex.**




# Reff Ported Panel Components

## port, vertical duplex and panel jumpers

description	type	pattern no.	list price
	Floating data port	<b>RR3FDP</b>	\$57.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	<b>RR3VPBK</b>	89.

Vertical Duplex			
	Vertical Duplex A (8/10 wire applications)	<b>RR3VDA</b>	30.
	Vertical Duplex B (8/10 wire applications)	<b>RR3VDB</b>	30.
	Vertical Duplex C (10 wire applications)	<b>RR3VDC</b>	30.
	Vertical Duplex X (8/10 wire applications)	<b>RR3VDX</b>	30.
	Vertical Duplex X Iso (8/10 wire applications)	<b>RR3VDXO</b>	30.
	Vertical Duplex Y (8/10 wire applications)	<b>RR3VDY</b>	30.
	Vertical Duplex Y Iso (8/10 wire applications)	<b>RR3VDYO</b>	30.
	Vertical Duplex Z (10 wire applications)	<b>RR3VDZ</b>	30.
	Vertical Duplex Z Iso (10 wire applications)	<b>RR3VDZO</b>	30.

Same Panel Jumper, 8w			
	30" same Panel Jumper 50" 8w	<b>RR3EBVC50</b>	152.
	30" same Panel Jumper 64" 8w	<b>RR3EBVC64</b>	165.
	30" same Panel Jumper 78" 8w	<b>RR3EBVC78</b>	180.
	36" + same Panel Jumper 62" 8w	<b>RR3EBVC62</b>	164.
	36" + same Panel Jumper 76" 8w	<b>RR3EBVC76</b>	179.
	36" + same Panel Jumper 90" 8w	<b>RR3EBVC90</b>	195.


Same Panel Jumper, 10w			
	30" same Panel Jumper 50" 10w	<b>RR3TBVC50</b>	174.
	30" same Panel Jumper 64" 10w	<b>RR3TBVC64</b>	191.
	30" same Panel Jumper 78" 10w	<b>RR3TBVC78</b>	209.
	36" + same Panel Jumper 62" 10w	<b>RR3TBVC62</b>	187.
	36" + same Panel Jumper 76" 10w	<b>RR3TBVC76</b>	205.
	36" + same Panel Jumper 90" 10w	<b>RR3TBVC90</b>	220.

Order Code	Specification Information	Application Note
Example: <b>RR3VPBK</b> <b>RR3</b> Reff <b>VP</b> Vertical port <b>BK</b> Bracket kit	For data and communications specify product listed on page 134.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h                      64" will support port location in extreme top corner of 64"h                      78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h                      76" will support port location in extreme top corner of 64"h                      90" will support port location in extreme top corner of 79"h</p>
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers:                      82" is max for 49" high panel                      96" is max if panel is 64" high                      110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

# Reff Ported Panel Components


## port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	<b>RR3TVJ110</b>	\$239.
	Adjacent Panel Jumper 82" 10w	<b>RR3TVJ82</b>	206.
	Adjacent Panel Jumper 96" 10w	<b>RR3TVJ96</b>	223.




Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	<b>RR3EVJ110</b>	210.
	Adjacent Panel Jumper 82" 8w	<b>RR3EVJ82</b>	183.
	Adjacent Panel Jumper 96" 8w	<b>RR3EVJ96</b>	199.

Internal Panel Jumper	Internal Panel Jumper 10 w	<b>RR3TVJ</b>	153.
	Internal Panel Jumper 8 w	<b>RR3EVJ</b>	142.




Order Code	Specification Information	Application Note
Example: <b>RR3VPBK</b>	For data and communications specify product listed on page 134.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
<b>RR3</b> Reff		
<b>VP</b> Vertical port		
<b>BK</b> Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

Worksurface 1 1/4  
 rectilinear  
 20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	<b>RSA241-</b> ( ) ( )	\$318.	\$355.	\$409.	\$550.
		30"	<b>RSA301-</b> ( ) ( )	349.	390.	447.	603.
		36"	<b>RSA361-</b> ( ) ( )	369.	411.	471.	638.
		42"	<b>RSA421-</b> ( ) ( )	383.	430.	494.	667.
		48"	<b>RSA481-</b> ( ) ( )	403.	446.	513.	692.
		54"	<b>RSA541-</b> ( ) ( )	418.	463.	536.	725.
		60"	<b>RSA601-</b> ( ) ( )	452.	501.	576.	780.
		66"	<b>RSA661-</b> ( ) ( )	462.	517.	596.	804.
		72"	<b>RSA721-</b> ( ) ( )	489.	545.	624.	843.
		78"	<b>RSA781-</b> ( ) ( )	495.	550.	633.	856.
		84"	<b>RSA841-</b> ( ) ( )	525.	589.	674.	910.
		90"	<b>RSA901-</b> ( ) ( )	550.	610.	701.	948.
	96"	<b>RSA961-</b> ( ) ( )	570.	633.	728.	982.	
	24"	24"	<b>RSA242-</b> ( ) ( )	335.	372.	430.	580.
		30"	<b>RSA302-</b> ( ) ( )	379.	420.	487.	655.
		36"	<b>RSA362-</b> ( ) ( )	391.	441.	503.	679.
		42"	<b>RSA422-</b> ( ) ( )	408.	452.	520.	701.
		48"	<b>RSA482-</b> ( ) ( )	433.	487.	558.	752.
		54"	<b>RSA542-</b> ( ) ( )	462.	517.	596.	804.
		60"	<b>RSA602-</b> ( ) ( )	500.	556.	636.	861.
		66"	<b>RSA662-</b> ( ) ( )	512.	572.	660.	889.
		72"	<b>RSA722-</b> ( ) ( )	538.	598.	690.	932.
78"		<b>RSA782-</b> ( ) ( )	561.	626.	724.	975.	
84"	<b>RSA842-</b> ( ) ( )	585.	653.	750.	1,013.		
90"	<b>RSA902-</b> ( ) ( )	614.	680.	782.	1,055.		
96"	<b>RSA962-</b> ( ) ( )	636.	707.	814.	1,099.		

Order Code	Specification Information	Application Notes
Example: <b>RSA241RL</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Top thickness	4. Top finish
<b>S</b> Straight top	2. Grommet option	5. Grommet finish: Painted or Plated
<b>A</b> 1 1/4" thick	3. Top finish type	Applicable finishes are listed on page 5 and 6.
<b>24</b> 24" wide	4. Top finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>1</b> 20" deep	5. Grommet finish	<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Recessed grommet option	1. Thickness options: A = 1 1/4"	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
<b>L</b> Laminate finish	2. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>114</b> Folkstone grey	3. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)		These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface 1 1/4  
*rectilinear*  
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	<b>RSA243-()</b> ( )	\$366.	\$406.	\$464.	\$627.
		30"	<b>RSA303-()</b> ( )	411.	457.	525.	710.
		36"	<b>RSA363-()</b> ( )	441.	493.	565.	762.
		42"	<b>RSA423-()</b> ( )	459.	512.	590.	797.
		48"	<b>RSA483-()</b> ( )	491.	547.	627.	848.
		54"	<b>RSA543-()</b> ( )	531.	592.	677.	914.
		60"	<b>RSA603-()</b> ( )	551.	611.	703.	950.
		66"	<b>RSA663-()</b> ( )	560.	625.	723.	974.
		72"	<b>RSA723-()</b> ( )	577.	641.	736.	993.
		78"	<b>RSA783-()</b> ( )	603.	671.	772.	1,041.
		84"	<b>RSA843-()</b> ( )	625.	698.	803.	1,084.
		90"	<b>RSA903-()</b> ( )	656.	729.	840.	1,135.
		96"	<b>RSA963-()</b> ( )	679.	757.	870.	1,175.
		36"	60"	<b>RSA604-()</b> ( )	634.	706.	810.
66"	<b>RSA664-()</b> ( )		656.	730.	842.	1,136.	
72"	<b>RSA724-()</b> ( )		678.	756.	869.	1,174.	

Worksurfaces

**Order Code**

Example: <b>RSA243RL</b>
<b>R</b> Reff
<b>S</b> Straight top
<b>A</b> 1 1/4" thick
<b>24</b> 24" wide
<b>3</b> 30" deep
<b>R</b> Recessed grommet option
<b>L</b> Laminate finish
<b>114</b> Folkstone grey
<b>111</b> Jet Black (grommet)

**Specification Information**

*To order please specify pattern number including:*

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

*1. Thickness options:*  
 A = 1 1/4"

*2. Grommet options:*  
 N = No grommets  
 F = Flush front grommet location  
 R = Recessed front (not recommended for 20"D and 24"D tops)  
 A = Alternate location (for 36"D tops only)

*3. Finish type:*  
 L = Laminate  
 M = Wood/laminate mixed  
 1 = V1  
 2 = V2  
 3 = V3

*4. Top finish*

*5. Grommet finish:*  
 Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

**Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.**


**Application Notes**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface 1 1/4  
 Return and Bridge rectilinear  
 Horizontal or vertical grain direction

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 1/4" thick 	20"	36"	<b>RSAR361(H/V)()()</b>	\$369.	\$411.	\$471.	\$638.
		42"	<b>RSAR421(H/V)()()</b>	383.	430.	494.	667.
		48"	<b>RSAR481(H/V)()()</b>	403.	446.	513.	692.
		54"	<b>RSAR541(H/V)()()</b>	418.	463.	536.	725.
		60"	<b>RSAR601(H/V)()()</b>	452.	501.	576.	780.
		66"	<b>RSAR661(H/V)()()</b>	462.	517.	596.	804.
		72"	<b>RSAR721(H/V)()()</b>	489.	545.	624.	843.
	24"	36"	<b>RSAR362(H/V)()()</b>	391.	441.	503.	679.
		42"	<b>RSAR422(H/V)()()</b>	408.	452.	520.	701.
		48"	<b>RSAR482(H/V)()()</b>	433.	487.	558.	752.
		54"	<b>RSAR542(H/V)()()</b>	462.	517.	596.	804.
		60"	<b>RSAR602(H/V)()()</b>	500.	556.	636.	861.
		66"	<b>RSAR662(H/V)()()</b>	512.	572.	660.	889.
		72"	<b>RSAR722(H/V)()()</b>	538.	598.	690.	932.

**Order Code**

Example:	<b>RSAR361(H/V)()()</b>
<b>R</b>	Reff
<b>S</b>	Straight top
<b>A</b>	1 1/4" thick top
<b>R</b>	Return
<b>36</b>	36" wide
<b>1</b>	20" deep
<b>H/V</b>	Horizontal or Vertical grain
<b>()</b>	Grommet type
<b>()</b>	Grommet finish
<b>()</b>	Worksurface finish

**Specification Information**


To order please specify pattern number including:

- Grommet type:  
F = Flush  
N = No Grommet
- Grommet finish:  
Painted or Plated
- Worksurface finish:  
L, V1, V2, V3


**Application Notes**

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces






U-shaped / Triple: Spanning 3 worksurfaces




# Worksurface 1 1/4

## rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	<b>RKA 363611-()</b> ( )	\$655.	\$751.	\$864.	\$1,167.
	20"	20"	36"	42"	<b>RKA 364211-()</b> ( )	692.	798.	913.	1,232.
	20"	20"	36"	48"	<b>RKA 364811-()</b> ( )	735.	844.	972.	1,312.
	20"	20"	42"	36"	<b>RKA 423611-()</b> ( )	692.	798.	913.	1,232.
	20"	20"	42"	42"	<b>RKA 424211-()</b> ( )	735.	844.	972.	1,312.
	20"	20"	42"	48"	<b>RKA 424811-()</b> ( )	801.	921.	1,061.	1,431.
	20"	20"	48"	36"	<b>RKA 483611-()</b> ( )	735.	844.	972.	1,312.
	20"	20"	48"	42"	<b>RKA 484211-()</b> ( )	801.	921.	1,061.	1,431.
	20"	20"	48"	48"	<b>RKA 484811-()</b> ( )	845.	972.	1,116.	1,507.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	<b>RKA 363622-()</b> ( )	744.	851.	979.	1,322.
	24"	24"	36"	42"	<b>RKA 364222-()</b> ( )	782.	898.	1,031.	1,392.
	24"	24"	36"	48"	<b>RKA 364822-()</b> ( )	823.	946.	1,085.	1,465.
	24"	24"	42"	36"	<b>RKA 423622-()</b> ( )	782.	898.	1,031.	1,392.
	24"	24"	42"	42"	<b>RKA 424222-()</b> ( )	823.	946.	1,085.	1,465.
	24"	24"	42"	48"	<b>RKA 424822-()</b> ( )	889.	1,023.	1,178.	1,588.
	24"	24"	48"	36"	<b>RKA 483622-()</b> ( )	823.	946.	1,085.	1,465.
	24"	24"	48"	42"	<b>RKA 484222-()</b> ( )	889.	1,023.	1,178.	1,588.
	24"	24"	48"	48"	<b>RKA 484822-()</b> ( )	934.	1,073.	1,231.	1,661.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	<b>RKA 363612-()</b> ( )	682.	782.	903.	1,217.
	20"	24"	36"	42"	<b>RKA 364212-()</b> ( )	721.	829.	951.	1,284.
	20"	24"	36"	48"	<b>RKA 364812-()</b> ( )	765.	877.	1,010.	1,362.
	20"	24"	42"	36"	<b>RKA 423612-()</b> ( )	721.	829.	951.	1,284.
	20"	24"	42"	42"	<b>RKA 424212-()</b> ( )	765.	877.	1,010.	1,362.
	20"	24"	42"	48"	<b>RKA 424812-()</b> ( )	834.	954.	1,100.	1,486.
	20"	24"	48"	36"	<b>RKA 483612-()</b> ( )	765.	877.	1,010.	1,362.
	20"	24"	48"	42"	<b>RKA 484212-()</b> ( )	834.	954.	1,100.	1,486.
	20"	24"	48"	48"	<b>RKA 484812-()</b> ( )	874.	1,006.	1,155.	1,560.

Order Code	Specification Information	Application Notes
Example: <b>RKA363611N1</b>	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
<b>R</b> Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
<b>K</b> Straight front corner	2. Left hand width	
<b>A</b> 1 1/4" top thickness	3. Right hand width	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>36</b> 36" wide on left back	4. Return left hand depth	
<b>36</b> 36" wide on right back	5. Return right hand depth	<b>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</b>
<b>1</b> 20" deep on left side	6. Grommet option	
<b>1</b> 20" deep on right side	7. Finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>N</b> No grommet	8. Top finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>1</b> V1 finish	9. Grommet finish	
<b>Y324</b> Ash	1. <i>Top thickness:</i> A = 1 1/4"	These worksurfaces are predrilled with pilot holes for use with wood screws.
	2. <i>Grommet options:</i> N = No grommets F = Standard corner location or Flush	
	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	4. <i>Top finish</i>	
	5. <i>Grommet finish:</i> Painted or Plated	

# Worksurface 1 1/4 rectilinear corner tops





description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	<b>RKA 363621-()()</b>	\$682.	\$782.	\$903.	\$1,217.
	24"	20"	36"	42"	<b>RKA 364221-()()</b>	721.	829.	951.	1,284.
	24"	20"	36"	48"	<b>RKA 364821-()()</b>	765.	877.	1,010.	1,362.
	24"	20"	42"	36"	<b>RKA 423621-()()</b>	721.	829.	951.	1,284.
	24"	20"	42"	42"	<b>RKA 424221-()()</b>	765.	877.	1,010.	1,362.
	24"	20"	42"	48"	<b>RKA 424821-()()</b>	834.	954.	1,100.	1,486.
	24"	20"	48"	36"	<b>RKA 483621-()()</b>	765.	877.	1,010.	1,362.
	24"	20"	48"	42"	<b>RKA 484221-()()</b>	834.	954.	1,100.	1,486.
	24"	20"	48"	48"	<b>RKA 484821-()()</b>	874.	1,006.	1,155.	1,560.

Order Code	
Example: <b>RKA363611N1</b>	
<b>R</b>	Reff
<b>K</b>	Straight front corner
<b>A</b>	1 1/4" top thickness
<b>36</b>	36" wide on left back
<b>36</b>	36" wide on right back
<b>1</b>	20" deep on left side
<b>1</b>	20" deep on right side
<b>N</b>	No grommet
<b>1</b>	V1 finish
<b>Y324</b>	Ash

Specification Information
<i>To order please specify pattern number including:</i>
1. Top thickness
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Finish type
8. Top finish
9. Grommet finish
<i>1. Top thickness:</i> A = 1 1/4"
<i>2. Grommet options:</i> N = No grommets F = Standard corner location or Flush
<i>3. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3
<i>4. Top finish</i>
<i>5. Grommet finish:</i> Painted or Plated

Application Notes
Please call Custom Product Development for special grommet locations.
<b>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</b>
Products on this page are shipped without hardware which must be ordered separately from the support components section.
Product on this page will accept woodgrain laminate where laminate is currently an option.
These worksurfaces are predrilled with pilot holes for use with wood screws.
Actual widths are 1/16" less all around on corner worksurfaces.
Applicable finishes are listed on Reff Profiles and Reff Profiles.

# Worksurface 1 1/4 transition wave tops

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	<b>RWA4221-()</b> ( )	\$392.	\$454.	\$522.	\$706.
	24"	48"	20"	<b>RWA4821-()</b> ( )	415.	476.	548.	738.
	24"	54"	20"	<b>RWA5421-()</b> ( )	446.	510.	589.	795.
	24"	60"	20"	<b>RWA6021-()</b> ( )	475.	546.	626.	846.
	24"	66"	20"	<b>RWA6621-()</b> ( )	490.	563.	646.	871.
	24"	72"	20"	<b>RWA7221-()</b> ( )	511.	590.	675.	912.
Wave top transition (left 24") 	24"	36"	30"	<b>RWA3623-()</b> ( )	409.	470.	542.	730.
	24"	42"	30"	<b>RWA4223-()</b> ( )	426.	491.	563.	758.
	24"	48"	30"	<b>RWA4823-()</b> ( )	445.	507.	584.	789.
	24"	54"	30"	<b>RWA5423-()</b> ( )	477.	548.	630.	851.
	24"	60"	30"	<b>RWA6023-()</b> ( )	510.	589.	674.	910.
	24"	66"	30"	<b>RWA6623-()</b> ( )	529.	607.	699.	946.
	24"	72"	30"	<b>RWA7223-()</b> ( )	556.	638.	733.	988.
Wave top transition (left 20") 	20"	42"	24"	<b>RWA4212-()</b> ( )	392.	454.	522.	706.
	20"	48"	24"	<b>RWA4812-()</b> ( )	415.	476.	548.	738.
	20"	54"	24"	<b>RWA5412-()</b> ( )	446.	510.	589.	795.
	20"	60"	24"	<b>RWA6012-()</b> ( )	475.	546.	626.	846.
	20"	66"	24"	<b>RWA6612-()</b> ( )	490.	563.	646.	871.
	20"	72"	24"	<b>RWA7212-()</b> ( )	511.	590.	675.	912.
Wave top transition (right 24") 	30"	36"	24"	<b>RWA3632-()</b> ( )	409.	470.	542.	730.
	30"	42"	24"	<b>RWA4232-()</b> ( )	426.	491.	563.	758.
	30"	48"	24"	<b>RWA4832-()</b> ( )	445.	507.	584.	789.
	30"	54"	24"	<b>RWA5432-()</b> ( )	477.	548.	630.	851.
	30"	60"	24"	<b>RWA6032-()</b> ( )	510.	589.	674.	910.
	30"	66"	24"	<b>RWA6632-()</b> ( )	529.	607.	699.	946.
	30"	72"	24"	<b>RWA7232-()</b> ( )	556.	638.	733.	988.

Order Code	Specification Information	Application Notes
Example: <b>RWA4221FL</b> <b>R</b> Reff <b>W</b> Wave top transition <b>A</b> 1 1/4" thick <b>42</b> 42" wide <b>2</b> 24" deep on left side <b>1</b> 20" deep on right side <b>F</b> Flush grommet option <b>L</b> Laminate finish <b>114</b> Folkstone grey <b>111</b> Jet Black (grommet)	To order please specify pattern number including: 1. Left hand depth 2. Right hand depth 3. Grommet option 4. Top finish type 5. Top finish 6. Grommet finish  3. <i>Grommet options:</i> N = No grommet F = Flush front grommet location  4. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3  5. <i>Top finish</i>  6. <i>Grommet finish:</i> Painted or Plated	32"D wave end top requires 20"D end panel for freestanding support.  36"D wave end top requires 24"D end panel for support.  Products on this page are shipped without hardware which must be ordered separately from the support components section.  These worksurfaces are predrilled with pilot holes for use with wood screws.  Curvilinear worksurfaces only available in 1 1/4" thick.  See Planning Guide for grommet locations.  Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Please call Custom Product Development for special grommet locations.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.**

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.





Worksurface stiffeners recommended to provide additional support for open spans greater than 48'w.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.



# Worksurface 1 1/4 transition wave top ends


description	depth	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	20"	36"	32"	<b>RWEA3631-()()</b>	\$523.	\$601.	\$693.	\$934.
	20"	42"	32"	<b>RWEA4231-()()</b>	545.	625.	723.	974.
	20"	48"	32"	<b>RWEA4831-()()</b>	574.	661.	758.	1,023.
Wave top end, (right 24") 	24"	36"	36"	<b>RWEA3662-()()</b>	542.	623.	715.	966.
	24"	42"	36"	<b>RWEA4262-()()</b>	559.	642.	738.	997.
	24"	48"	36"	<b>RWEA4862-()()</b>	594.	679.	781.	1,054.
Wave top end, (left 20") 	32"	36"	20"	<b>RWEA3613-()()</b>	523.	601.	693.	934.
	32"	42"	20"	<b>RWEA4213-()()</b>	545.	625.	723.	974.
	32"	48"	20"	<b>RWEA4813-()()</b>	574.	661.	758.	1,023.
Wave top end, (left 24") 	36"	36"	24"	<b>RWEA3626-()()</b>	542.	623.	715.	966.
	36"	42"	24"	<b>RWEA4226-()()</b>	559.	642.	738.	997.
	36"	48"	24"	<b>RWEA4826-()()</b>	594.	679.	781.	1,054.

Order Code	Specification Information	Application Notes
Example: <b>RWEA3631FL</b>	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
<b>R</b> Reff	1. Left hand depth	36"D wave end top requires 24"D end panel for support.
<b>E</b> Wave top ends	2. Right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Grommet option	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>36</b> 36" wide	4. Top finish type	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>3</b> 32" deep on left side	5. Top finish	See Planning Guide for grommet locations.
<b>1</b> 20" deep on right side	6. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>F</b> Flush grommet option	3. <i>Grommet options:</i>	
<b>L</b> Laminate finish	N = No grommet	
<b>114</b> Folkstone grey	F = Flush front grommet location	
<b>111</b> Jet Black (grommet)	4. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	5. <i>Top finish</i>	
	6. <i>Grommet finish:</i>	
	Painted or Plated	
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	
	Product on this page will accept woodgrain laminate where laminate is currently an option.	

# Worksurface 1 1/4

## curvilinear corner tops - 20" Deep

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20")	20"	20"	36"	36"	<b>RCA363611-</b> ( ) ( )	\$655.	\$751.	\$864.	\$1,167.
	20"	20"	36"	42"	<b>RCA364211-</b> ( ) ( )	692.	798.	913.	1,232.
	20"	20"	36"	48"	<b>RCA364811-</b> ( ) ( )	735.	844.	972.	1,312.
	20"	20"	42"	36"	<b>RCA423611-</b> ( ) ( )	692.	798.	913.	1,232.
	20"	20"	42"	42"	<b>RCA424211-</b> ( ) ( )	735.	844.	972.	1,312.
	20"	20"	42"	48"	<b>RCA424811-</b> ( ) ( )	801.	921.	1,061.	1,431.
	20"	20"	48"	36"	<b>RCA483611-</b> ( ) ( )	735.	844.	972.	1,312.
	20"	20"	48"	42"	<b>RCA484211-</b> ( ) ( )	801.	921.	1,061.	1,431.
	20"	20"	48"	48"	<b>RCA484811-</b> ( ) ( )	845.	972.	1,116.	1,507.



Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	<b>RCA363621-</b> ( ) ( )	682.	782.	903.	1,217.
	24"	20"	36"	42"	<b>RCA364221-</b> ( ) ( )	721.	829.	951.	1,284.
	24"	20"	36"	48"	<b>RCA364821-</b> ( ) ( )	765.	877.	1,010.	1,362.
	24"	20"	42"	36"	<b>RCA423621-</b> ( ) ( )	721.	829.	951.	1,284.
	24"	20"	42"	42"	<b>RCA424221-</b> ( ) ( )	765.	877.	1,010.	1,362.
	24"	20"	42"	48"	<b>RCA424821-</b> ( ) ( )	834.	954.	1,100.	1,486.
	24"	20"	48"	36"	<b>RCA483621-</b> ( ) ( )	765.	877.	1,010.	1,362.
	24"	20"	48"	42"	<b>RCA484221-</b> ( ) ( )	834.	954.	1,100.	1,486.
	24"	20"	48"	48"	<b>RCA484821-</b> ( ) ( )	874.	1,006.	1,155.	1,560.

Order Code	Specification Information	Application Notes
Example: <b>RCA363611N1</b> <b>R</b> Reff <b>C</b> Curved front corner <b>A</b> 1 1/4" thick <b>36</b> 36" wide on left back <b>36</b> 36" wide on right back <b>1</b> 20" deep on left side <b>1</b> 20" deep on right side <b>N</b> No grommet <b>1</b> V1 finish <b>Y324</b> Ash	To order please specify pattern number including: 1. Left hand width 2. Right hand width 3. Return left hand depth 4. Return right hand depth 5. Grommet option 6. Top finish type 7. Top finish 8. Grommet finish  5. Grommet options: N = No grommets F = Standard corner location  6. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3  7. Top finish  8. Grommet finish: Painted or Plated	Radius of curved front changes with overall top size. See Planning Guide.  Products on this page are shipped without hardware which must be ordered separately from the support components section.  Product on this page will accept woodgrain laminate where laminate is currently an option.  These worksurfaces are predrilled with pilot holes for use with wood screws.  Curvilinear worksurfaces only available in 1 1/4" thick.  See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.**

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

# Worksurface 1 1/4

## *curvilinear corner tops - 24" Deep*



description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	<b>RCA363612-( )()</b>	\$682.	\$782.	\$903.	\$1,217.
	20"	24"	36"	42"	<b>RCA364212-( )()</b>	721.	829.	951.	1,284.
	20"	24"	36"	48"	<b>RCA364812-( )()</b>	765.	877.	1,010.	1,362.
	20"	24"	42"	36"	<b>RCA423612-( )()</b>	721.	829.	951.	1,284.
	20"	24"	42"	42"	<b>RCA424212-( )()</b>	765.	877.	1,010.	1,362.
	20"	24"	42"	48"	<b>RCA424812-( )()</b>	834.	954.	1,100.	1,486.
	20"	24"	48"	36"	<b>RCA483612-( )()</b>	765.	877.	1,010.	1,362.
	20"	24"	48"	42"	<b>RCA484212-( )()</b>	834.	954.	1,100.	1,486.
	20"	24"	48"	48"	<b>RCA484812-( )()</b>	874.	1,006.	1,155.	1,560.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	<b>RCA363622-( )()</b>	744.	851.	979.	1,322.
	24"	24"	36"	42"	<b>RCA364222-( )()</b>	782.	898.	1,031.	1,392.
	24"	24"	36"	48"	<b>RCA364822-( )()</b>	823.	946.	1,085.	1,465.
	24"	24"	42"	36"	<b>RCA423622-( )()</b>	782.	898.	1,031.	1,392.
	24"	24"	42"	42"	<b>RCA424222-( )()</b>	823.	946.	1,085.	1,465.
	24"	24"	42"	48"	<b>RCA424822-( )()</b>	889.	1,023.	1,178.	1,588.
	24"	24"	48"	36"	<b>RCA483622-( )()</b>	823.	946.	1,085.	1,465.
	24"	24"	48"	42"	<b>RCA484222-( )()</b>	889.	1,023.	1,178.	1,588.
	24"	24"	48"	48"	<b>RCA484822-( )()</b>	934.	1,073.	1,231.	1,661.

Order Code	Specification Information	Application Notes
Example: <b>RCA363612</b>	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
<b>R</b> Reff	1. Left hand width	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>C</b> Curved front corner	2. Right hand width	<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>A</b> 1 1/4" thick	3. Return left hand depth	
<b>36</b> 36" wide on left back	4. Return right hand depth	Please call Custom Product Development for special grommet locations.
<b>36</b> 36" wide on right back	5. Grommet option	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>1</b> 20" deep on left side	6. Top finish type	
<b>2</b> 24" deep on right side	7. Top finish	
<b>N</b> No grommet	8. Grommet finish	
<b>1</b> V1 finish	<i>5. Grommet options:</i>	
<b>Y324</b> Ash	N = No grommets	
	F = Standard corner location	
	<i>6. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
	L = Laminate	Product on this page will accept woodgrain laminate where laminate is currently an option.
	M = Wood/laminate mixed	These worksurfaces are predrilled with pilot holes for use with wood screws.
	1 = V1	Curvilinear worksurfaces only available in 1 1/4" thick.
	2 = V2	See Planning Guide for grommet locations.
	3 = V3	
	<i>7. Top finish</i>	
	<i>8. Grommet finish:</i>	
	Painted or Plated	

# Worksurface 1 1/4

## *extended curvilinear corner tops*

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	<b>RCCDLA23672</b> ( ) ( ) ( )	\$1,809.	\$2,448.	\$3,456.	\$4,662.
	36"	78"	<b>RCCDLA23678</b> ( ) ( ) ( )	1,881.	2,546.	3,591.	4,848.
	36"	84"	<b>RCCDLA23684</b> ( ) ( ) ( )	1,956.	2,649.	3,735.	5,042.
	36"	96"	<b>RCCDLA23696</b> ( ) ( ) ( )	2,035.	2,754.	3,885.	5,246.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	<b>RCCDLA33672</b> ( ) ( ) ( )	1,811.	2,454.	3,464.	4,677.
	36"	78"	<b>RCCDLA33678</b> ( ) ( ) ( )	1,883.	2,553.	3,605.	4,866.
	36"	84"	<b>RCCDLA33684</b> ( ) ( ) ( )	1,959.	2,656.	3,747.	5,058.
	36"	96"	<b>RCCDLA33696</b> ( ) ( ) ( )	2,037.	2,761.	3,898.	5,261.
Extended corner worktop, RH curved front corner (return 24")	36"	72"	<b>RCCDRA23672</b> ( ) ( ) ( )	1,809.	2,448.	3,456.	4,662.
	36"	78"	<b>RCCDRA23678</b> ( ) ( ) ( )	1,881.	2,546.	3,591.	4,848.
	36"	84"	<b>RCCDRA23684</b> ( ) ( ) ( )	1,956.	2,649.	3,735.	5,042.
	36"	96"	<b>RCCDRA23696</b> ( ) ( ) ( )	2,035.	2,754.	3,885.	5,246.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	<b>RCCDRA33672</b> ( ) ( ) ( )	1,811.	2,454.	3,464.	4,677.
	36"	78"	<b>RCCDRA33678</b> ( ) ( ) ( )	1,883.	2,553.	3,605.	4,866.
	36"	84"	<b>RCCDRA33684</b> ( ) ( ) ( )	1,959.	2,656.	3,747.	5,058.
	36"	96"	<b>RCCDRA33696</b> ( ) ( ) ( )	2,037.	2,761.	3,898.	5,261.



### Order Code

### Specification Information

Example:	<b>RCCDLA23672N2</b>
<b>R</b>	Reff
<b>CC</b>	Curved corner
<b>D</b>	D top
<b>L</b>	Left Hand
<b>A</b>	1 1/4" thick
<b>2</b>	24" return
<b>36</b>	36" d at straight edge of corner, 30" across "D"
<b>72</b>	72" wide
<b>N</b>	No grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium Cherry

*To order please specify pattern number including:*

1. Depth
2. Grommet option
3. Finish type
4. Finish
5. Grommet finish

*2. Grommet options:*  
 N = No grommets  
 F = Flush front grommet location

*3. Finish type:*  
 L = Laminate  
 M = Mixed (laminated surface with wood edge)  
 1 = V1  
 2 = V2  
 3 = V3

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


# Worksurface 1 1/4

## *extended straight corner tops*

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24")	36"	60"	24"	<b>RCEAL223660</b> ( ) ( ) ( )	\$670.	\$1,009.	\$1,365.	\$1,846.
	36"	72"	24"	<b>RCEAL223672</b> ( ) ( ) ( )	802.	1,223.	1,651.	2,231.
	42"	60"	24"	<b>RCEAL224260</b> ( ) ( ) ( )	736.	1,114.	1,509.	2,036.
	42"	72"	24"	<b>RCEAL224272</b> ( ) ( ) ( )	870.	1,330.	1,797.	2,426.
	48"	72"	24"	<b>RCEAL224872</b> ( ) ( ) ( )	938.	1,437.	1,939.	2,618.
	48"	84"	24"	<b>RCEAL224884</b> ( ) ( ) ( )	1,071.	1,651.	2,227.	3,006.
	48"	96"	24"	<b>RCEAL224896</b> ( ) ( ) ( )	1,231.	1,903.	2,561.	3,459.



Extended straight corner top, RH curved front corner (returns 24")	36"	60"	24"	<b>RCEAR223660</b> ( ) ( ) ( )	670.	1,009.	1,365.	1,846.
	36"	72"	24"	<b>RCEAR223672</b> ( ) ( ) ( )	802.	1,223.	1,651.	2,231.
	42"	60"	24"	<b>RCEAR224260</b> ( ) ( ) ( )	736.	1,114.	1,509.	2,036.
	42"	72"	24"	<b>RCEAR224272</b> ( ) ( ) ( )	870.	1,330.	1,797.	2,426.
	48"	72"	24"	<b>RCEAR224872</b> ( ) ( ) ( )	938.	1,437.	1,939.	2,618.
	48"	84"	24"	<b>RCEAR224884</b> ( ) ( ) ( )	1,071.	1,651.	2,227.	3,006.
	48"	96"	24"	<b>RCEAR224896</b> ( ) ( ) ( )	1,231.	1,903.	2,561.	3,459.



### Order Code

Example:	<b>RCEAL223660N2</b>
<b>R</b>	Reff
<b>C</b>	Corner
<b>E</b>	Extended
<b>A</b>	1 1/4" thick
<b>L</b>	Left Hand
<b>22</b>	24" returns
<b>36</b>	36" d at corner straight edge
<b>60</b>	60" wide
<b>N</b>	No grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium Cherry

### Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

#### 5. Grommet options:

- N = No grommets
- F = Flush front grommet location

#### 6. Finish type:

- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on Reff Profiles and Reff Profiles.


Product on this page will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

*Rectilinear and curvilinear corners for C-Leg and T-Leg bases  
24", 30" and 36" deep*

description	type	d*	d	w*	w	pattern no.	L	V1	V2	V3	
 <p>C-Leg and T-Leg Rectangular Tops</p>	For use with 24" Deep C-Leg base	24"	23"	36"	34"	<b>RSA3423N()</b> ( )	\$391.	\$441.	\$503.	\$679.	
		24"	23"	42"	40"	<b>RSA4023N()</b> ( )	408.	452.	520.	701.	
		24"	23"	48"	46"	<b>RSA4623N()</b> ( )	433.	487.	558.	752.	
		24"	23"	54"	52"	<b>RSA5223N()</b> ( )	462.	517.	596.	804.	
		24"	23"	60"	58"	<b>RSA5823N()</b> ( )	500.	556.	636.	861.	
		24"	23"	66"	64"	<b>RSA6423N()</b> ( )	512.	572.	660.	889.	
	For use with 30" Deep C-Leg base	30"	29"	36"	34"	<b>RSA3429N()</b> ( )	441.	493.	565.	762.	
		30"	29"	42"	40"	<b>RSA4029N()</b> ( )	459.	512.	590.	797.	
	For use with 30" Deep C-Leg or T-Leg base	30"	29"	48"	46"	<b>RSA4629N()</b> ( )	491.	547.	627.	848.	
		30"	29"	54"	52"	<b>RSA5229N()</b> ( )	531.	592.	677.	914.	
		30"	29"	60"	58"	<b>RSA5829N()</b> ( )	551.	611.	703.	950.	
		30"	29"	66"	64"	<b>RSA6429N()</b> ( )	560.	625.	723.	974.	
		30"	29"	72"	70"	<b>RSA7029N()</b> ( )	577.	641.	736.	993.	
	For use with 30" Deep T-Leg base	36"	35"	48"	46"	<b>RSA4635N()</b> ( )	556.	621.	714.	960.	
		36"	35"	54"	52"	<b>RSA5235N()</b> ( )	606.	676.	774.	1,041.	
		36"	35"	60"	58"	<b>RSA5835N()</b> ( )	634.	706.	810.	1,093.	
		36"	35"	66"	64"	<b>RSA6435N()</b> ( )	656.	730.	842.	1,136.	
	C-Leg Corner Tops, 24" or 30" Deep	For use with C-Leg Corner base	24"	23"	48"	46"	<b>RCA464623N()</b> ( )	934.	1,073.	1,231.	1,661.
			30"	29"	48"	46"	<b>RCA464629N()</b> ( )	1,045.	1,201.	1,377.	1,856.



Worksurfaces

Order Code	
Example:	<b>RSA 5829N, L, 118</b>
<b>R</b>	Reff
<b>S</b>	Straight Rectangular
<b>A</b>	1 1/4" thick
<b>58</b>	Width
<b>29</b>	Depth
<b>N</b>	No Grommets
<b>L</b>	Finish type
<b>118</b>	Bright White Laminate

**Specification Information**

*To order please specify pattern number including:*

**1. Finish Type:**  
(L) = Laminate  
(1) = V1  
(2) = V2  
(3) = V3

**2. Finish:**  
Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

**Application Notes**

Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables.

23", 29" and 35" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.

48"x48" curvilinear corner worksurfaces are for use with 16"D 3-legged fixed and height adjustable corner bases.


Worksurfaces are pre-drilled with pilot holes for use with wood screws.

Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.

w \* and d \* = nominal dimensions

# Worksurface 1 1/4

## Meeting tops 'D'

description	type	w	d	pattern no.	L	M/V1	V2	V3
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	<b>RMDA4230-()()</b>	\$579.	\$640.	\$735.	\$992.
		48"	30"	<b>RMDA4830-()()</b>	622.	692.	797.	1,075.
		54"	30"	<b>RMDA5430-()()</b>	666.	741.	851.	1,150.
		60"	30"	<b>RMDA6030-()()</b>	714.	794.	908.	1,227.
		66"	30"	<b>RMDA6630-()()</b>	760.	843.	971.	1,311.
		72"	30"	<b>RMDA7230-()()</b>	809.	897.	1,030.	1,391.
		78"	30"	<b>RMDA7830-()()</b>	914.	1,012.	1,165.	1,571.
		84"	30"	<b>RMDA8430-()()</b>	1,018.	1,128.	1,299.	1,753.
		90"	30"	<b>RMDA9030-()()</b>	1,136.	1,261.	1,450.	1,956.
		96"	30"	<b>RMDA9630-()()</b>	1,255.	1,392.	1,600.	2,160.
	36" deep	42"	36"	<b>RMDA4236-()()</b>	636.	705.	809.	1,092.
		48"	36"	<b>RMDA4836-()()</b>	696.	771.	885.	1,194.
		54"	36"	<b>RMDA5436-()()</b>	793.	881.	1,015.	1,369.
		60"	36"	<b>RMDA6036-()()</b>	891.	986.	1,136.	1,535.
		66"	36"	<b>RMDA6636-()()</b>	909.	1,007.	1,157.	1,564.
		72"	36"	<b>RMDA7236-()()</b>	921.	1,023.	1,178.	1,588.
		78"	36"	<b>RMDA7836-()()</b>	1,039.	1,152.	1,325.	1,789.
84"		36"	<b>RMDA8436-()()</b>	1,155.	1,282.	1,474.	1,988.	
90"		36"	<b>RMDA9036-()()</b>	1,217.	1,349.	1,552.	2,096.	
96"		36"	<b>RMDA9636-()()</b>	1,335.	1,478.	1,700.	2,296.	
Wrap around panel top	(20" panels)	42 1/2"	21 1/4"	<b>RMDA4221-()()</b>	744.	825.	947.	1,277.
	(24" panels)	50 1/2"	25 1/4"	<b>RMDA5025-()()</b>	813.	903.	1,037.	1,401.



No Grommets

Please specify mating trim profile

Order Code	Specification Information	Application Notes
<p>Example: <b>RMDA4230N1</b></p> <p><b>R</b> Reff</p> <p><b>MD</b> Meeting D-top</p> <p><b>A</b> 1 1/4" thick</p> <p><b>42</b> 42" wide</p> <p><b>30</b> 30" deep</p> <p><b>N</b> No grommet</p> <p><b>1</b> V1</p> <p><b>Y311</b> Beech</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>Top thickness</li> <li>Width</li> <li>Depth</li> <li>Grommet option</li> <li>Top finish type</li> <li>Top finish</li> <li>Grommet finish</li> <li>Trim profile</li> </ol> <p>1. Thickness options: A = 1 1/4"</p> <p>4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p><b>Additional spec option required for wrap around panel tops; specify mating trim profile.</b></p> <p>8. Trim profile <b>A = Flat</b> <b>B = Square</b> <b>C = Bullnose</b> <b>E = Extruded Aluminum</b></p> <p>Applicable finishes are listed on Reff Profiles and Reff Profiles.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p>

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

\*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

# Worksurface 1 1/4


## Meeting tops P and 9

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	<b>RM9A4230-</b> ( ) ( )	\$792.	\$879.	\$1,011.	\$1,363.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	<b>RM9A4836-</b> ( ) ( )	881.	976.	1,124.	1,519.



No Grommets 42" diameter

Meeting P-top		42"	30"	<b>RMPA4230-</b> ( ) ( )	792.	879.	1,011.	1,363.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	<b>RMPA4836-</b> ( ) ( )	881.	976.	1,124.	1,519.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	<b>RM9A8430-</b> ( ) ( )	1,613.	1,788.	2,057.	2,778.
		96"	30"	<b>RM9A9630-</b> ( ) ( )	1,680.	1,866.	2,142.	2,893.



42" diameter



Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RM9A4230N1</b>	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>R</b> Reff	1. Top thickness	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
<b>M9</b> Meeting 9-top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Depth	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>42</b> 42" wide	4. Grommet option	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
<b>30</b> 30" deep	5. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>N</b> No grommet	6. Top finish	
<b>1</b> V1	7. Grommet finish	
<b>Y311</b> Beech	1. <i>Thickness options:</i> A = 1 1/4"	
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
	7. <i>Grommet finish:</i> Painted or Plated	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b> Refer to Planning Guide for modesty panel size requirements and all other support options.



# Worksurface 1 1/4



## Meeting tops

description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top 		84"	30"	<b>RMPA8430-</b> ( ) ( )	\$1,613.	\$1,788.	\$2,057.	\$2,778.
		96"	30"	<b>RMPA9630-</b> ( ) ( )	1,680.	1,866.	2,142.	2,893.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
42" diameter								
Elliptical tops 		60"	30"	<b>REBA6030-</b> ( ) *	1,109.	1,254.	1,438.	1,944.
		72"	42"	<b>REBA7242-</b> ( ) *	1,580.	1,782.	2,051.	2,767.
		78"	48"	<b>REBA7848-</b> ( ) *	1,730.	1,955.	2,248.	3,036.

Order Code	Specification Information	Application Notes
Example: <b>RMDA4230N1</b> <b>R</b> Reff <b>MD</b> Meeting D-top <b>A</b> 1 1/4" thick <b>42</b> 42" wide <b>30</b> 30" deep <b>N</b> No grommet <b>1</b> V1 <b>Y311</b> Beech	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Top thickness</li> <li>Width</li> <li>Depth</li> <li>Grommet option</li> <li>Top finish type</li> <li>Top finish</li> <li>Grommet finish</li> <li>Trim profile</li> </ol> <p><i>1. Thickness options:</i> A = 1 1/4"</p> <p><i>4. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p><i>5. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p><i>7. Grommet finish:</i> Painted or Plated</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Applicable finishes are listed on Reff Profiles and Reff Profiles.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b></p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p> <p>1 3/4" laminate tops on this page are edge banded to match post-formed contours.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>






# Worksurface 1 1/4

## Bow front and support

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top 	72"	30"		<b>RMB(A)7230-( ) ( )</b>	\$926.	\$1,066.	\$1,227.	\$1,655.
	84"	30"		<b>RMB(A)8430-( ) ( )</b>	1,020.	1,177.	1,352.	1,824.
	96"	30"		<b>RMB(A)9630-( ) ( )</b>	1,133.	1,304.	1,496.	2,023.
Use 29" deep pedestals or end panels. <b>Do not</b> use 23" deep pedestals if using recessed modesty.								
Bow shaped top - 36"D 	72"	36"		<b>RMB(A)7236-( ) ( )</b>	985.	1,131.	1,303.	1,757.
	84"	36"		<b>RMB(A)8436-( ) ( )</b>	1,079.	1,242.	1,429.	1,928.
	96"	36"		<b>RMB(A)9636-( ) ( )</b>	1,196.	1,377.	1,581.	2,135.
Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance). Can also be used with 36" deep end panel and recessed modesty.								

Order Code	Specification Information	Application Notes
Example: <b>RMBA7230R2</b>	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
<b>R</b> Reff	1. Top thickness	L = Laminate
<b>MB</b> Bowed front	2. Width	M = Wood/laminate mixed
<b>A</b> 1 1/4" thick	3. Depth	1 = V1
<b>72</b> 72" wide	4. Grommet option	2 = V2
<b>30</b> 30" wide	5. Top finish type	3 = V3
<b>R</b> Recessed grommet option	6. Top finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>2</b> V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>V319</b> Medium cherry	<i>1. Thickness options:</i>	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>111</b> Jet Black (grommet)	A = 1 1/4"	See Planning Guide for grommet locations.
	<i>4. Grommet options:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
	N = No grommet	
	F = Flush front grommet	
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
		<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.

# Conference 1 1/4" Square and rectangular

description	w	d	pattern no.	L	M/V1	V2	V3	
Rectangular top 1 piece 	72"	30"	<b>RAA7230(-)</b>	\$597.	\$663.	\$762.	\$1,028.	
	72"	36"	<b>RAA7236(-)</b>	649.	721.	828.	1,118.	
	84"	30"	<b>RAA8430(-)</b>	661.	731.	843.	1,137.	
	84"	36"	<b>RAA8436(-)</b>	711.	786.	904.	1,221.	
	84"	42"	<b>RAA8442(-)</b>	1,050.	1,165.	1,336.	1,804.	
	96"	30"	<b>RAA9630(-)</b>	742.	824.	946.	1,276.	
	96"	36"	<b>RAA9636(-)</b>	818.	907.	1,044.	1,410.	
	96"	42"	<b>RAA9642(-)</b>	1,205.	1,334.	1,535.	2,073.	
Rectangular top 2 piece 	120"	36"	<b>RAA12036(-)</b>	1,313.	1,456.	1,675.	2,261.	
	120"	42"	<b>RAA12042(-)</b>	1,811.	2,008.	2,310.	3,119.	
	120"	48"	<b>RAA12048(-)</b>	1,968.	2,184.	2,510.	3,389.	
	144"	42"	<b>RAA14442(-)</b>	2,035.	2,256.	2,595.	3,503.	
	144"	48"	<b>RAA14448(-)</b>	2,179.	2,419.	2,782.	3,755.	
	Rectangular top 3 piece 	168"	42"	<b>RAA16842(-)</b>	2,667.	2,957.	3,404.	4,595.
		168"	48"	<b>RAA16848(-)</b>	2,898.	3,214.	3,696.	4,988.
		192"	42"	<b>RAA19242(-)</b>	2,892.	3,207.	3,685.	4,976.
192"		48"	<b>RAA19248(-)</b>	3,114.	3,451.	3,966.	5,353.	
Square tops  	*	60"	<b>RAA6060(-)</b>	1,224.	1,356.	1,563.	2,107.	
	*	72"	<b>RAA7272(-)</b>	1,442.	1,600.	1,840.	2,485.	
	-	36"	<b>RAA3636(-)</b>	460.	512.	590.	797.	
	-	42"	<b>RAA4242(-)</b>	597.	663.	762.	1,028.	
	-	48"	<b>RAA4848(-)</b>	786.	869.	1,001.	1,349.	

### Order Code

Example:	<b>RRAG72302</b>
<b>R</b>	Reff
<b>R</b>	Rectangular
<b>A</b>	1 1/4" thick
<b>72</b>	72" wide
<b>30</b>	30" deep
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry

### Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:  
A = 1 1/4"

4. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

\*Square tops in two pieces.

### Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.






See table base matrix in Planning Guide, pages 140 and 141.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Conference 1 1/4"  
Round and racetrack

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece 	72"	30"	<b>RTA7230-()</b>	\$1,131.	\$1,254.	\$1,438.	\$1,944.
	84"	30"	<b>RTA8430-()</b>	1,258.	1,395.	1,604.	2,164.
	96"	30"	<b>RTA9630-()</b>	1,398.	1,552.	1,786.	2,410.
	72"	36"	<b>RTA7236-()</b>	1,290.	1,429.	1,642.	2,216.
	84"	36"	<b>RTA8436-()</b>	1,448.	1,608.	1,847.	2,492.
	96"	36"	<b>RTA9636-()</b>	1,607.	1,782.	2,051.	2,767.
	84"	42"	<b>RTA8442-()</b>	1,761.	1,955.	2,248.	3,036.
	96"	42"	<b>RTA9642-()</b>	1,975.	2,190.	2,516.	3,398.
	96"	48"	<b>RTA9648-()</b>	2,166.	2,398.	2,759.	3,723.
Racetrack top 2 piece 	120"	36"	<b>RTA12036-()</b>	2,074.	2,302.	2,649.	3,574.
	120"	42"	<b>RTA12042-()</b>	2,240.	2,481.	2,856.	3,855.
	144"	42"	<b>RTA14442-()</b>	2,470.	2,737.	3,148.	4,247.
	120"	48"	<b>RTA12048-()</b>	2,380.	2,639.	3,036.	4,097.
	144"	48"	<b>RTA14448-()</b>	2,531.	2,808.	3,226.	4,354.
Racetrack top 3 piece 	168"	42"	<b>RTA16842-()</b>	3,096.	3,431.	3,947.	5,328.
	192"	42"	<b>RTA19242-()</b>	3,325.	3,686.	4,242.	5,727.
	168"	48"	<b>RTA16848-()</b>	3,314.	3,671.	4,221.	5,700.
	192"	48"	<b>RTA19248-()</b>	3,462.	3,840.	4,414.	5,959.
Round tops  	-	36"	<b>RTA3636-()</b>	636.	705.	809.	1,092.
	-	42"	<b>RTA4242-()</b>	739.	815.	938.	1,266.
	-	48"	<b>RTA4848-()</b>	1,215.	1,345.	1,546.	2,088.
	*	60"	<b>RTA6060-()</b>	1,902.	2,109.	2,426.	3,275.
	*	72"	<b>RTA7272-()</b>	2,353.	2,608.	3,004.	4,056.

Worksurfaces

**Order Code**

Example: <b>RTA72302</b>	
<b>R</b>	Reff
<b>R</b>	Round
<b>A</b>	1 1/4" thick
<b>72</b>	72" wide
<b>30</b>	30" deep
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry

**Specification Information**

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:  
A = 1 1/4"

4. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

\*Round tops in two pieces.

**Application Notes**

Product on this page will accept woodgrain laminate where laminate is currently an option.

Top to top brackets included with multiple piece conference tops only.

See table base matrix in Planning Guide pages 140 and 141.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on Reff Profiles and Reff Profiles.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 0 through 0.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma




Alpha



Beta



Chi




Delta



Epsilon




Phi




Gamma

Optional edge 1 1/4  
front only, 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-( )(1/2/3)	\$409.	\$466.	\$630.	
		30"	RSA(A/B/C/D/E/F/G)F301-( )(1/2/3)	448.	515.	695.	
		36"	RSA(A/B/C/D/E/F/G)F361-( )(1/2/3)	471.	544.	733.	
		42"	RSA(A/B/C/D/E/F/G)F421-( )(1/2/3)	494.	567.	766.	
		48"	RSA(A/B/C/D/E/F/G)F481-( )(1/2/3)	514.	590.	797.	
		54"	RSA(A/B/C/D/E/F/G)F541-( )(1/2/3)	532.	618.	833.	
		60"	RSA(A/B/C/D/E/F/G)F601-( )(1/2/3)	576.	664.	897.	
		66"	RSA(A/B/C/D/E/F/G)F661-( )(1/2/3)	594.	684.	922.	
		72"	RSA(A/B/C/D/E/F/G)F721-( )(1/2/3)	625.	720.	970.	
		78"	RSA(A/B/C/D/E/F/G)F781-( )(1/2/3)	633.	728.	982.	
		84"	RSA(A/B/C/D/E/F/G)F841-( )(1/2/3)	674.	774.	1,046.	
		90"	RSA(A/B/C/D/E/F/G)F901-( )(1/2/3)	701.	807.	1,089.	
		96"	RSA(A/B/C/D/E/F/G)F961-( )(1/2/3)	728.	838.	1,131.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-( )(1/2/3)	430.	494.	667.
			30"	RSA(A/B/C/D/E/F/G)F302-( )(1/2/3)	487.	559.	754.
			36"	RSA(A/B/C/D/E/F/G)F362-( )(1/2/3)	504.	580.	784.
			42"	RSA(A/B/C/D/E/F/G)F422-( )(1/2/3)	520.	597.	805.
48"	RSA(A/B/C/D/E/F/G)F482-( )(1/2/3)		559.	640.	863.		
54"	RSA(A/B/C/D/E/F/G)F542-( )(1/2/3)		594.	684.	922.		
60"	RSA(A/B/C/D/E/F/G)F602-( )(1/2/3)		636.	731.	987.		
66"	RSA(A/B/C/D/E/F/G)F662-( )(1/2/3)		661.	757.	1,022.		
72"	RSA(A/B/C/D/E/F/G)F722-( )(1/2/3)		689.	795.	1,071.		
78"	RSA(A/B/C/D/E/F/G)F782-( )(1/2/3)		723.	831.	1,122.		
84"	RSA(A/B/C/D/E/F/G)F842-( )(1/2/3)		750.	862.	1,165.		
90"	RSA(A/B/C/D/E/F/G)F902-( )(1/2/3)	782.	903.	1,217.			
96"	RSA(A/B/C/D/E/F/G)F962-( )(1/2/3)	813.	938.	1,266.			


Order Code	Specification Information	Application Notes
Example: <b>RSAGF241F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. F = Front edge with profile only	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>F</b> Edge front only	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>1</b> 20" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	
<b>111</b> Jet black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4  
front only, 30" and 36" deep

description	d	width	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-( )(1/2/3)	\$464.	\$536.	\$725.
		30"	RSA(A/B/C/D/E/F/G)F303-( )(1/2/3)	525.	603.	813.
		36"	RSA(A/B/C/D/E/F/G)F363-( )(1/2/3)	566.	649.	875.
		42"	RSA(A/B/C/D/E/F/G)F423-( )(1/2/3)	589.	675.	912.
		48"	RSA(A/B/C/D/E/F/G)F483-( )(1/2/3)	627.	725.	978.
		54"	RSA(A/B/C/D/E/F/G)F543-( )(1/2/3)	679.	780.	1,052.
		60"	RSA(A/B/C/D/E/F/G)F603-( )(1/2/3)	703.	808.	1,090.
		66"	RSA(A/B/C/D/E/F/G)F663-( )(1/2/3)	721.	829.	1,119.
		72"	RSA(A/B/C/D/E/F/G)F723-( )(1/2/3)	737.	846.	1,143.
		78"	RSA(A/B/C/D/E/F/G)F783-( )(1/2/3)	772.	890.	1,202.
		84"	RSA(A/B/C/D/E/F/G)F843-( )(1/2/3)	803.	924.	1,250.
		90"	RSA(A/B/C/D/E/F/G)F903-( )(1/2/3)	839.	968.	1,307.
		96"	RSA(A/B/C/D/E/F/G)F963-( )(1/2/3)	870.	1,003.	1,353.
		36"	60"	RSA(A/B/C/D/E/F/G)F604-( )(1/2/3)	812.	934.
RSA(A/B/C/D/E/F/G)F664-( )(1/2/3)	840.			970.	1,310.	
RSA(A/B/C/D/E/F/G)F724-( )(1/2/3)	869.			1,002.	1,350.	

Order Code	Specification Information	Application Notes
Example: <b>RSAGF243F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. F = Front edge with profile only	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>F</b> Edge front only	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>3</b> 30" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	<p>5. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p>6. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3</p>
<b>V319</b> Medium cherry	A = Alpha	<p>Applicable finishes are listed on Reff Profiles and Reff Profiles.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
<b>111</b> Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge 1 1/4  
front and back edge, 20" and 24" deep


description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-( )(1/2/3)	\$409.	\$466.	\$630.
		30"	RSA(A/B/C/D/E/F/G)A301-( )(1/2/3)	448.	515.	695.
		36"	RSA(A/B/C/D/E/F/G)A361-( )(1/2/3)	471.	544.	733.
		42"	RSA(A/B/C/D/E/F/G)A421-( )(1/2/3)	494.	567.	766.
		48"	RSA(A/B/C/D/E/F/G)A481-( )(1/2/3)	514.	590.	797.
		54"	RSA(A/B/C/D/E/F/G)A541-( )(1/2/3)	532.	618.	833.
		60"	RSA(A/B/C/D/E/F/G)A601-( )(1/2/3)	576.	664.	897.
		66"	RSA(A/B/C/D/E/F/G)A661-( )(1/2/3)	594.	684.	922.
		72"	RSA(A/B/C/D/E/F/G)A721-( )(1/2/3)	625.	720.	970.
		78"	RSA(A/B/C/D/E/F/G)A781-( )(1/2/3)	633.	728.	982.
		84"	RSA(A/B/C/D/E/F/G)A841-( )(1/2/3)	674.	774.	1,046.
		90"	RSA(A/B/C/D/E/F/G)A901-( )(1/2/3)	701.	807.	1,089.
96"	RSA(A/B/C/D/E/F/G)A961-( )(1/2/3)	728.	838.	1,131.		
	24"	24"	RSA(A/B/C/D/E/F/G)A242-( )(1/2/3)	430.	494.	667.
		30"	RSA(A/B/C/D/E/F/G)A302-( )(1/2/3)	487.	559.	754.
		36"	RSA(A/B/C/D/E/F/G)A362-( )(1/2/3)	504.	580.	784.
		42"	RSA(A/B/C/D/E/F/G)A422-( )(1/2/3)	520.	597.	805.
		48"	RSA(A/B/C/D/E/F/G)A482-( )(1/2/3)	559.	640.	863.
		54"	RSA(A/B/C/D/E/F/G)A542-( )(1/2/3)	594.	684.	922.
		60"	RSA(A/B/C/D/E/F/G)A602-( )(1/2/3)	636.	731.	987.
		66"	RSA(A/B/C/D/E/F/G)A662-( )(1/2/3)	661.	757.	1,022.
		72"	RSA(A/B/C/D/E/F/G)A722-( )(1/2/3)	689.	795.	1,071.
		78"	RSA(A/B/C/D/E/F/G)A782-( )(1/2/3)	723.	831.	1,122.
		84"	RSA(A/B/C/D/E/F/G)A842-( )(1/2/3)	750.	862.	1,165.
		90"	RSA(A/B/C/D/E/F/G)A902-( )(1/2/3)	782.	903.	1,217.
96"	RSA(A/B/C/D/E/F/G)A962-( )(1/2/3)	813.	938.	1,266.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAGA241F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. 5th position A = Edge front and back	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>A</b> Edge front and back	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>1</b> 20" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	
<b>111</b> Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	





Optional edge 1 1/4  
front and back edge, 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-( )(1/2/3)	\$464.	\$536.	\$725.
		30"	RSA(A/B/C/D/E/F/G)A303-( )(1/2/3)	525.	603.	813.
		36"	RSA(A/B/C/D/E/F/G)A363-( )(1/2/3)	566.	649.	875.
		42"	RSA(A/B/C/D/E/F/G)A423-( )(1/2/3)	589.	675.	912.
		48"	RSA(A/B/C/D/E/F/G)A483-( )(1/2/3)	627.	725.	978.
		54"	RSA(A/B/C/D/E/F/G)A543-( )(1/2/3)	679.	780.	1,052.
		60"	RSA(A/B/C/D/E/F/G)A603-( )(1/2/3)	703.	808.	1,090.
		66"	RSA(A/B/C/D/E/F/G)A663-( )(1/2/3)	721.	829.	1,119.
		72"	RSA(A/B/C/D/E/F/G)A723-( )(1/2/3)	737.	846.	1,143.
		78"	RSA(A/B/C/D/E/F/G)A783-( )(1/2/3)	772.	890.	1,202.
		84"	RSA(A/B/C/D/E/F/G)A843-( )(1/2/3)	803.	924.	1,250.
		90"	RSA(A/B/C/D/E/F/G)A903-( )(1/2/3)	839.	968.	1,307.
		96"	RSA(A/B/C/D/E/F/G)A963-( )(1/2/3)	870.	1,003.	1,353.
		36"	60"	RSA(A/B/C/D/E/F/G)A604-( )(1/2/3)	812.	934.
66"	RSA(A/B/C/D/E/F/G)A664-( )(1/2/3)		840.	970.	1,310.	
72"	RSA(A/B/C/D/E/F/G)A724-( )(1/2/3)		869.	1,002.	1,350.	

Order Code	Specification Information	Application Notes
Example: <b>RSAGA243F2</b>	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Edge profile</li> <li>5th position A = Edge front and back</li> <li>Width</li> <li>Depth</li> <li>Grommet option</li> <li>Top finish type</li> <li>Top finish</li> <li>Grommet finish</li> </ol> <p><i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>5. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p><i>6. Finish type:</i> 1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on Reff Profiles and Reff Profiles.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff		
<b>S</b> Straight top		
<b>A</b> 1 1/4" thick		
<b>G</b> Gamma		
<b>A</b> Edge front and back		
<b>24</b> 24" wide		
<b>3</b> 30" deep		
<b>F</b> Flush grommet		
<b>2</b> V2 finish		
<b>V319</b> Medium cherry		
<b>111</b> Jet Black (grommet)		


# Optional edge 1 1/4 front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-( )(1/2/3)	\$409.	\$466.	\$630.
		30"	RSA(A/B/C/D/E/F/G)B301-( )(1/2/3)	448.	515.	695.
		36"	RSA(A/B/C/D/E/F/G)B361-( )(1/2/3)	471.	544.	733.
		42"	RSA(A/B/C/D/E/F/G)B421-( )(1/2/3)	494.	567.	766.
		48"	RSA(A/B/C/D/E/F/G)B481-( )(1/2/3)	514.	590.	797.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-( )(1/2/3)	430.	494.	667.
		30"	RSA(A/B/C/D/E/F/G)B302-( )(1/2/3)	487.	559.	754.
		36"	RSA(A/B/C/D/E/F/G)B362-( )(1/2/3)	504.	580.	784.
		42"	RSA(A/B/C/D/E/F/G)B422-( )(1/2/3)	520.	597.	805.
		48"	RSA(A/B/C/D/E/F/G)B482-( )(1/2/3)	559.	640.	863.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-( )(1/2/3)	409.	466.	630.
		30"	RSA(A/B/C/D/E/F/G)L301-( )(1/2/3)	448.	515.	695.
		36"	RSA(A/B/C/D/E/F/G)L361-( )(1/2/3)	471.	544.	733.
		42"	RSA(A/B/C/D/E/F/G)L421-( )(1/2/3)	494.	567.	766.
		48"	RSA(A/B/C/D/E/F/G)L481-( )(1/2/3)	514.	590.	797.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-( )(1/2/3)	430.	494.	667.
		30"	RSA(A/B/C/D/E/F/G)L302-( )(1/2/3)	487.	559.	754.
		36"	RSA(A/B/C/D/E/F/G)L362-( )(1/2/3)	504.	580.	784.
		42"	RSA(A/B/C/D/E/F/G)L422-( )(1/2/3)	520.	597.	805.
		48"	RSA(A/B/C/D/E/F/G)L482-( )(1/2/3)	559.	640.	863.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RSAGB241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	2. 5th position options: B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating	
<b>S</b> Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	2. 5th position indicates how and which edges profiled	
<b>G</b> Gamma	3. Width	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>B</b> Both ends accept edge	4. Depth	
<b>24</b> 24" wide	5. Grommet option	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>1</b> 20" deep	6. Top finish type	
<b>F</b> Flush grommet	7. Top finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	8. Grommet finish	
<b>V319</b> Medium cherry	1. <i>Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
<b>111</b> Jet Black (grommet)	5. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	

# Optional edge 1 1/4 front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	<b>RSA(A/B/C/D/E/F/G)R241-( )(1/2/3)</b>	\$409.	\$466.	\$630.
		30"	<b>RSA(A/B/C/D/E/F/G)R301-( )(1/2/3)</b>	448.	515.	695.
		36"	<b>RSA(A/B/C/D/E/F/G)R361-( )(1/2/3)</b>	471.	544.	733.
		42"	<b>RSA(A/B/C/D/E/F/G)R421-( )(1/2/3)</b>	494.	567.	766.
		48"	<b>RSA(A/B/C/D/E/F/G)R481-( )(1/2/3)</b>	514.	590.	797.
	24"	24"	<b>RSA(A/B/C/D/E/F/G)R242-( )(1/2/3)</b>	430.	494.	667.
		30"	<b>RSA(A/B/C/D/E/F/G)R302-( )(1/2/3)</b>	487.	559.	754.
		36"	<b>RSA(A/B/C/D/E/F/G)R362-( )(1/2/3)</b>	504.	580.	784.
		42"	<b>RSA(A/B/C/D/E/F/G)R422-( )(1/2/3)</b>	520.	597.	805.
		48"	<b>RSA(A/B/C/D/E/F/G)R482-( )(1/2/3)</b>	559.	640.	863.

Order Code	Specification Information	Application Notes
Example: <b>RSAGB241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	<i>2. 5th position options:</i> B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating	
<b>S</b> Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	2. 5th position indicates how and which edges profiled	
<b>G</b> Gamma	3. Width	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>B</b> Both ends accept edge	4. Depth	
<b>24</b> 24" wide	5. Grommet option	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>1</b> 20" deep	6. Top finish type	
<b>F</b> Flush grommet	7. Top finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	8. Grommet finish	
<b>V319</b> Medium cherry	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
<b>111</b> Jet Black (grommet)	<i>5. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i> 1 = V1 2 = V2 3 = V3	

# Optional edge 1 1/4 curvilinear corner front edge only

description	width1	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-( )(1/2/3)	\$864.	\$992.	\$1,340.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-( )(1/2/3)	913.	1,051.	1,419.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-( )(1/2/3)	972.	1,116.	1,507.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-( )(1/2/3)	913.	1,051.	1,419.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-( )(1/2/3)	972.	1,116.	1,507.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-( )(1/2/3)	1,061.	1,219.	1,645.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-( )(1/2/3)	972.	1,116.	1,507.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-( )(1/2/3)	1,061.	1,219.	1,645.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-( )(1/2/3)	1,116.	1,284.	1,732.

Radii of front edge varies with top dimensions

Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-( )(1/2/3)	903.	1,037.	1,401.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-( )(1/2/3)	951.	1,093.	1,477.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-( )(1/2/3)	1,011.	1,159.	1,567.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-( )(1/2/3)	951.	1,093.	1,477.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-( )(1/2/3)	1,011.	1,159.	1,567.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-( )(1/2/3)	1,100.	1,263.	1,706.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-( )(1/2/3)	1,011.	1,159.	1,567.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-( )(1/2/3)	1,100.	1,263.	1,706.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-( )(1/2/3)	1,155.	1,329.	1,794.

Worksurfaces






Order Code	Specification Information	Application Notes
Example: <b>RCAGF363611</b>	To order please specify pattern number including:	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>  Products on this page are shipped without hardware which must be ordered separately from the support components section.  Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
<b>R</b> Reff	1. Edge profile	
<b>C</b> Corner top	2. Left hand width	
<b>A</b> 1 1/4" thick	3. Right hand width	
<b>G</b> Gamma	4. Return left hand depth	
<b>F</b> Edge Front only	5. Return right hand depth	
<b>36</b> 36" wide	6. Grommet option	
<b>36</b> 36" wide	7. Top finish type	
<b>1</b> 20" deep	8. Top finish	
<b>1</b> 20" deep	9. Grommet finish	
<b>F</b> Flush grommet	1. Edge profile options:	
<b>2</b> V2 finish	A = Alpha	
<b>V319</b> Medium cherry	B = Beta	
<b>111</b> Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	7. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4  
*curvilinear corner front edge only*

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-( )(1/2/3)	\$903.	\$1,037.	\$1,401.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-( )(1/2/3)	951.	1,093.	1,477.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-( )(1/2/3)	1,011.	1,159.	1,567.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-( )(1/2/3)	951.	1,093.	1,477.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-( )(1/2/3)	1,011.	1,159.	1,567.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-( )(1/2/3)	1,100.	1,263.	1,706.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-( )(1/2/3)	1,011.	1,159.	1,567.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-( )(1/2/3)	1,100.	1,263.	1,706.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-( )(1/2/3)	1,155.	1,329.	1,794.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-( )(1/2/3)	979.	1,126.	1,521.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-( )(1/2/3)	1,031.	1,183.	1,597.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-( )(1/2/3)	1,086.	1,248.	1,686.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-( )(1/2/3)	1,031.	1,183.	1,597.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-( )(1/2/3)	1,086.	1,248.	1,686.
	42"	48"	RCA(A/B/C/D/E/F/G)F484222-( )(1/2/3)	1,178.	1,355.	1,828.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-( )(1/2/3)	1,086.	1,248.	1,686.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-( )(1/2/3)	1,178.	1,355.	1,828.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-( )(1/2/3)	1,233.	1,416.	1,913.

Order Code	Specification Information	Application Notes
Example: <b>RCAGF363611</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>C</b> Corner top	2. Left hand width	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
<b>A</b> 1 1/4" thick	3. Right hand width	
<b>G</b> Gamma	4. Return left hand depth	
<b>F</b> Edge Front only	5. Return right hand depth	
<b>36</b> 36" wide	6. Grommet option	
<b>36</b> 36" wide	7. Top finish type	
<b>1</b> 20" deep	8. Top finish	
<b>1</b> 20" deep	9. Grommet finish	
<b>F</b> Flush grommet	<i>1. Edge profile options:</i>	
<b>2</b> V2 finish	A = Alpha	
<b>V319</b> Medium cherry	B = Beta	
<b>111</b> Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	7. Finish type:	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	




Optional edge 1 1/4  
wave end tops  
front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-( )(1/2/3)	\$521.	\$600.	\$809.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-( )(1/2/3)	548.	630.	851.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-( )(1/2/3)	585.	674.	910.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-( )(1/2/3)	626.	723.	974.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-( )(1/2/3)	646.	742.	1,005.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-( )(1/2/3)	675.	778.	1,050.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-( )(1/2/3)	564.	646.	871.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-( )(1/2/3)	584.	671.	906.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-( )(1/2/3)	630.	726.	979.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-( )(1/2/3)	674.	774.	1,046.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-( )(1/2/3)	698.	804.	1,085.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-( )(1/2/3)	735.	844.	1,140.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-( )(1/2/3)	521.	600.	809.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-( )(1/2/3)	548.	630.	851.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-( )(1/2/3)	585.	674.	910.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-( )(1/2/3)	626.	723.	974.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-( )(1/2/3)	646.	742.	1,005.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-( )(1/2/3)	675.	778.	1,050.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-( )(1/2/3)	564.	646.	871.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-( )(1/2/3)	584.	671.	906.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-( )(1/2/3)	630.	726.	979.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-( )(1/2/3)	674.	774.	1,046.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-( )(1/2/3)	698.	804.	1,085.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-( )(1/2/3)	735.	844.	1,140.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-( )(1/2/3)	693.	798.	1,076.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-( )(1/2/3)	721.	829.	1,119.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-( )(1/2/3)	758.	871.	1,178.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RWAGF422-1F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Edge profile	
<b>W</b> Wave transition top	2. 5th position F = front edge with profile only	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Left hand depth	
<b>F</b> Edge front only	5. Right hand depth	
<b>42</b> 42" wide	6. Grommet option	
<b>2</b> 20" deep	7. Top finish type	
<b>1</b> 20" deep	8. Top finish	
<b>F</b> Flush grommet	9. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	
<b>111</b> Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	


Optional edge 1 1/4  
*wave end tops*  
*front edge only*

description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	24"	36"	36"	<b>RWEA(A/B/C/D/E/F/G)F3662-( )(1/2/3)</b>	\$717.	\$825.	\$1,113.
	24"	36"	42"	<b>RWEA(A/B/C/D/E/F/G)F4262-( )(1/2/3)</b>	738.	849.	1,146.
	24"	36"	48"	<b>RWEA(A/B/C/D/E/F/G)F4862-( )(1/2/3)</b>	781.	902.	1,216.
Wave end top with profile edge front only (20" left) 	32"	20"	36"	<b>RWEA(A/B/C/D/E/F/G)F3613-( )(1/2/3)</b>	693.	798.	1,076.
	32"	20"	42"	<b>RWEA(A/B/C/D/E/F/G)F4213-( )(1/2/3)</b>	721.	829.	1,119.
	32"	20"	48"	<b>RWEA(A/B/C/D/E/F/G)F4813-( )(1/2/3)</b>	758.	871.	1,178.
Wave end top with profile edge front only (24" left) 	36"	24"	36"	<b>RWEA(A/B/C/D/E/F/G)F3626-( )(1/2/3)</b>	717.	825.	1,113.
	36"	24"	42"	<b>RWEA(A/B/C/D/E/F/G)F4226-( )(1/2/3)</b>	738.	849.	1,146.
	36"	24"	48"	<b>RWEA(A/B/C/D/E/F/G)F4826-( )(1/2/3)</b>	781.	902.	1,216.

Order Code	Specification Information	Application Notes
Example: <b>RWAGF422-1F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Edge profile	
<b>W</b> Wave transition top	2. 5th position F = front edge with profile only	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Left hand depth	
<b>F</b> Edge front only	5. Right hand depth	
<b>42</b> 42" wide	6. Grommet option	
<b>2</b> 20" deep	7. Top finish type	
<b>1</b> 20" deep	8. Top finish	
<b>F</b> Flush grommet	9. Grommet finish	<p>6. Grommet options:  N = No grommet  F = Flush front grommet location</p> <p>7. Finish type:  1 = V1  2 = V2  3 = V3</p> <p>Applicable finishes are listed on Reff Profiles and Reff Profiles.</p> <p>Products on this page do not accept the following finishes:  Y341 Wenge  Y342 Medium Teak  Y343 Dark Grey Oak</p>
<b>2</b> V2 finish	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
<b>V319</b> Medium cherry		
<b>111</b> Jet Black (grommet)		

# Optional edge 1 1/4 meeting tops

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. <b>Grommet choices are centered (as shown) or none</b>	30"	42"	<b>RMDA(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	\$736.	\$845.	\$1,141.
	30"	48"	<b>RMDA(A/B/C/D/E/F/G)F4830-( )(1/2/3)</b>	797.	912.	1,231.
	30"	54"	<b>RMDA(A/B/C/D/E/F/G)F5430-( )(1/2/3)</b>	851.	979.	1,322.
	30"	60"	<b>RMDA(A/B/C/D/E/F/G)F6030-( )(1/2/3)</b>	910.	1,046.	1,411.
	30"	66"	<b>RMDA(A/B/C/D/E/F/G)F6630-( )(1/2/3)</b>	971.	1,115.	1,506.
	30"	72"	<b>RMDA(A/B/C/D/E/F/G)F7230-( )(1/2/3)</b>	1,030.	1,182.	1,596.
	30"	78"	<b>RMDA(A/B/C/D/E/F/G)F7830-( )(1/2/3)</b>	1,164.	1,337.	1,806.
	30"	84"	<b>RMDA(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	1,299.	1,493.	2,017.
	30"	90"	<b>RMDA(A/B/C/D/E/F/G)F9030-( )(1/2/3)</b>	1,451.	1,669.	2,251.
	30"	96"	<b>RMDA(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	1,600.	1,840.	2,485.
	36"	42"	<b>RMDA(A/B/C/D/E/F/G)F4236-( )(1/2/3)</b>	810.	932.	1,258.
	36"	48"	<b>RMDA(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	885.	1,019.	1,376.
	36"	54"	<b>RMDA(A/B/C/D/E/F/G)F5436-( )(1/2/3)</b>	1,013.	1,167.	1,574.
	36"	60"	<b>RMDA(A/B/C/D/E/F/G)F6036-( )(1/2/3)</b>	1,136.	1,308.	1,766.
	36"	66"	<b>RMDA(A/B/C/D/E/F/G)F6636-( )(1/2/3)</b>	1,157.	1,332.	1,798.
	36"	72"	<b>RMDA(A/B/C/D/E/F/G)F7236-( )(1/2/3)</b>	1,178.	1,355.	1,828.
	36"	78"	<b>RMDA(A/B/C/D/E/F/G)F7836-( )(1/2/3)</b>	1,325.	1,522.	2,055.
	36"	84"	<b>RMDA(A/B/C/D/E/F/G)F8436-( )(1/2/3)</b>	1,474.	1,696.	2,290.
	36"	90"	<b>RMDA(A/B/C/D/E/F/G)F9036-( )(1/2/3)</b>	1,552.	1,786.	2,410.
	36"	96"	<b>RMDA(A/B/C/D/E/F/G)F9636-( )(1/2/3)</b>	1,701.	1,953.	2,638.
Wrap-around panel top	21 1/4"	42 1/2"	<b>RMDA(A/B/C/D/E/F/G)F4221-( )(1/2/3)( )</b>	947.	1,088.	1,468.
*No Grommet option	25 1/4"	50 1/2"	<b>RMDA(A/B/C/D/E/F/G)F5025-( )(1/2/3)( )</b>	1,037.	1,193.	1,611.



Please specify mating end trim profile option.

Worksurfaces





Order Code	Specification Information	Application Notes
Example: <b>RMDAGF4230F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
<b>R</b> Reff <b>MD</b> Peninsula D-shaped top <b>A</b> 1 1/4" thick <b>G</b> Gamma <b>F</b> Edge front only <b>42</b> 42" wide <b>30</b> 30" deep <b>C</b> Centered grommet <b>2</b> V2 finish <b>V319</b> Medium cherry <b>111</b> Jet Black (grommet)	<ol style="list-style-type: none"> <li>Edge profile</li> <li>Width</li> <li>Depth</li> <li>Grommet option</li> <li>Top finish type</li> <li>Top finish</li> <li>Grommet finish</li> <li>Applicable "wrap around panel tops" only specify mating panel end trim profile</li> </ol> <p><i>1. Edge profile options:</i>                      A = Alpha                      B = Beta                      C = Chi                      D = Delta                      E = Epsilon                      F = Phi                      G = Gamma</p> <p><i>4. Grommet options:</i>                      N = No grommet                      C = Centered grommet (applicable RMDA product only)                      F = Flush front grommet location (for worksurfaces 9 or P tops)                      R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)</p> <p><i>5. Finish type:</i>                      1 = V1                      2 = V2                      3 = V3</p> <p><i>8. Additional specification option required for wrap around panel tops only, specify mating trim profile</i>                      A = Flat                      B = Square                      C = Bullnose                      E = Extruded Aluminum</p>	

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak






# Optional edge 1 1/4 meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Worksurface P-top 	30"	84"	<b>RMPA(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	\$2,056.	\$2,368.	\$3,196.
	30"	96"	<b>RMPA(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	2,144.	2,465.	3,328.
Worksurface 9-top 	30"	84"	<b>RM9A(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	2,056.	2,368.	3,196.
	30"	96"	<b>RM9A(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	2,144.	2,465.	3,328.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support) <b>*No Grommet option</b> 	30"	42"	<b>RM9A(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	1,012.	1,163.	1,568.
	36"	48"	<b>RM9A(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	1,124.	1,292.	1,746.
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) <b>*No Grommet option</b> 	30"	42"	<b>RMPA(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	1,012.	1,163.	1,568.
	36"	48"	<b>RMPA(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	1,124.	1,292.	1,746.

Order Code	Specification Information	Application Notes	
Example: <b>RMPAGF4230F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>	
<b>R</b> Reff	4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)		
<b>MP</b> Peninsula P-shaped top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.	
<b>A</b> 1 1/4" thick	2. Width		
<b>G</b> Gamma	3. Depth		
<b>F</b> Edge front only	4. Grommet option		
<b>42</b> 42" wide	5. Top finish type		
<b>30</b> 30" deep	6. Top finish		
<b>C</b> Centered grommet	7. Grommet finish		
<b>2</b> V2 finish	8. Applicable "wrap around panel tops" only specify mating panel end trim profile		
<b>V319</b> Medium cherry	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma		Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	5. Finish type: 1 = V1 2 = V2 3 = V3		
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

# Optional edge 1 1/4

## Bow front tops

description	w	d	pattern no.	V1	V2	V3
Profile edge on front and back (30"d) 	72"	30"	<b>RMBA(A/B/C/D/E/F/G)A7230-( )(1/2/3)</b>	\$1,227.	\$1,409.	\$1,903.
	84"	30"	<b>RMBA(A/B/C/D/E/F/G)A8430-( )(1/2/3)</b>	1,352.	1,554.	2,099.
	96"	30"	<b>RMBA(A/B/C/D/E/F/G)A9630-( )(1/2/3)</b>	1,497.	1,720.	2,323.
Profile edge on front and back (36"d) 	72"	36"	<b>RMBA(A/B/C/D/E/F/G)A7236-( )(1/2/3)</b>	1,303.	1,496.	2,023.
	84"	36"	<b>RMBA(A/B/C/D/E/F/G)A8436-( )(1/2/3)</b>	1,428.	1,643.	2,219.
	96"	36"	<b>RMBA(A/B/C/D/E/F/G)A9636-( )(1/2/3)</b>	1,582.	1,821.	2,456.
Profile elliptical tops 	60"	30"	<b>REBA(A/B/C/D/E/F/G)A6030</b>	1,439.	1,655.	2,235.
	72"	42"	<b>REBA(A/B/C/D/E/F/G)A7242</b>	2,052.	2,356.	3,181.
	78"	48"	<b>REBA(A/B/C/D/E/F/G)A7848</b>	2,248.	2,586.	3,490.

grommet options for elliptical tops, N or R

Worksurfaces

Order Code	Specification Information
Example: <b>RMBAGA7230F2</b>	
<b>R</b> Reff	
<b>MB</b> Bow front top	
<b>A</b> 1 1/4" thick	
<b>G</b> Gamma	
<b>A</b> Edge front and back	
<b>72</b> 72" wide	
<b>30</b> 30" deep	
<b>F</b> Flush grommet	
<b>2</b> V2 finish	
<b>V319</b> Medium cherry	
<b>111</b> Jet Black (grommet)	





Specification Information	Application Notes
<i>To order please specify pattern number including:</i>	
1. Edge profile	
2. Width	
3. Depth	
4. Grommet option	
5. Top finish type	
6. Top finish	
7. Grommet finish	
<i>1. Edge profile options:</i>	
A = Alpha	
B = Beta	
C = Chi	
D = Delta	
E = Epsilon	
F = Phi	
G = Gamma	
	4. Grommet options:
	N = No grommet
	F = Flush front grommet location
	R = Recessed front
	A = Alternate location (only for 36" deep bow front tops)
	5. Finish type:
	1 = V1
	2 = V2
	3 = V3
	Applicable finishes are listed on Reff Profiles and Reff Profiles.
	Products on this page do not accept the following finishes:
	Y341 Wenge
	Y342 Medium Teak
	Y343 Dark Grey Oak

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

# Optional edge 1 1/4 round and racetrack conference tops

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72"	30"	<b>RTA(A/B/C/D/E/F/G)7230-(1/2/3)</b>	\$1,439.	\$1,655.	\$2,235.
	72"	36"	<b>RTA(A/B/C/D/E/F/G)7236-(1/2/3)</b>	1,643.	1,886.	2,547.
	84"	30"	<b>RTA(A/B/C/D/E/F/G)8430-(1/2/3)</b>	1,602.	1,846.	2,491.
	84"	36"	<b>RTA(A/B/C/D/E/F/G)8436-(1/2/3)</b>	1,849.	2,121.	2,865.
	84"	42"	<b>RTA(A/B/C/D/E/F/G)8442-(1/2/3)</b>	2,248.	2,586.	3,490.
	96"	30"	<b>RTA(A/B/C/D/E/F/G)9630-(1/2/3)</b>	1,786.	2,054.	2,771.
	96"	36"	<b>RTA(A/B/C/D/E/F/G)9636-(1/2/3)</b>	2,052.	2,356.	3,181.
	96"	42"	<b>RTA(A/B/C/D/E/F/G)9642-(1/2/3)</b>	2,516.	2,894.	3,907.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	<b>RTA(A/B/C/D/E/F/G)12036-(1/2/3)</b>	2,649.	3,045.	4,110.
	120"	42"	<b>RTA(A/B/C/D/E/F/G)12042-(1/2/3)</b>	2,856.	3,282.	4,432.
	120"	48"	<b>RTA(A/B/C/D/E/F/G)12048-(1/2/3)</b>	3,036.	3,489.	4,709.
	144"	42"	<b>RTA(A/B/C/D/E/F/G)14442-(1/2/3)</b>	3,147.	3,620.	4,886.
	144"	48"	<b>RTA(A/B/C/D/E/F/G)14448-(1/2/3)</b>	3,227.	3,709.	5,008.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	<b>RTA(A/B/C/D/E/F/G)16842-(1/2/3)</b>	3,946.	4,539.	6,127.
	168"	48"	<b>RTA(A/B/C/D/E/F/G)16848-(1/2/3)</b>	4,221.	4,854.	6,551.
	192"	42"	<b>RTA(A/B/C/D/E/F/G)19242-(1/2/3)</b>	4,242.	4,877.	6,584.
	192"	48"	<b>RTA(A/B/C/D/E/F/G)19248-(1/2/3)</b>	4,414.	5,077.	6,851.
Round tops Profile edge on all sides except on parting lines. 	*	60"	<b>RTA(A/B/C/D/E/F/G)6060-(1/2/3)</b>	2,426.	2,790.	3,764.
	*	72"	<b>RTA(A/B/C/D/E/F/G)7272-(1/2/3)</b>	3,002.	3,453.	4,661.
	-	36"	<b>RTA(A/B/C/D/E/F/G)3636-(1/2/3)</b>	810.	932.	1,258.
	-	42"	<b>RTA(A/B/C/D/E/F/G)4242-(1/2/3)</b>	939.	1,079.	1,459.
	-	48"	<b>RTA(A/B/C/D/E/F/G)4848-(1/2/3)</b>	1,546.	1,778.	2,400.

Order Code	Specification Information
Example: <b>RTAG72302</b>	
<b>R</b> Reff	
<b>T</b> Racetrack top	
<b>A</b> 1 1/4" thick	
<b>G</b> Gamma	
<b>72</b> 22" wide	
<b>30</b> 30" deep	
<b>2</b> V2 finish	
<b>V319</b> Medium cherry	





Specification Information	Application Notes
<i>To order please specify pattern number including:</i>	
1. Edge profile	
2. Width	
3. Depth	
4. Finish type	
5. Finish	
<i>1. Edge profile options:</i>	
A = Alpha	
B = Beta	
C = Chi	
D = Delta	
E = Epsilon	
F = Phi	
G = Gamma	
	4. Finish type: 1 = V1 2 = V2 3 = V3
	*Round tops in two pieces.
	Applicable finishes are listed on Reff Profiles and Reff Profiles.
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

# Optional edge 1 1/4 square and rectangular conference tops

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	<b>RRR(A/B/C/D/E/F/G)7230-(1/2/3)</b>	\$762.	\$875.	\$1,182.
	72"	36"	<b>RRR(A/B/C/D/E/F/G)7236-(1/2/3)</b>	828.	950.	1,283.
	84"	30"	<b>RRR(A/B/C/D/E/F/G)8430-(1/2/3)</b>	842.	971.	1,311.
	84"	36"	<b>RRR(A/B/C/D/E/F/G)8436-(1/2/3)</b>	904.	1,038.	1,403.
	84"	42"	<b>RRR(A/B/C/D/E/F/G)8442-(1/2/3)</b>	1,337.	1,537.	2,075.
	96"	30"	<b>RRR(A/B/C/D/E/F/G)9630-(1/2/3)</b>	946.	1,086.	1,467.
	96"	36"	<b>RRR(A/B/C/D/E/F/G)9636-(1/2/3)</b>	1,044.	1,201.	1,623.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	<b>RRR(A/B/C/D/E/F/G)12036-(1/2/3)</b>	1,675.	1,926.	2,600.
	120"	42"	<b>RRR(A/B/C/D/E/F/G)12042-(1/2/3)</b>	2,310.	2,656.	3,582.
	120"	48"	<b>RRR(A/B/C/D/E/F/G)12048-(1/2/3)</b>	2,510.	2,887.	3,898.
	144"	42"	<b>RRR(A/B/C/D/E/F/G)14442-(1/2/3)</b>	2,593.	2,987.	4,032.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	<b>RRR(A/B/C/D/E/F/G)16842-(1/2/3)</b>	3,403.	3,914.	5,283.
	168"	48"	<b>RRR(A/B/C/D/E/F/G)16848-(1/2/3)</b>	3,695.	4,252.	5,742.
	192"	42"	<b>RRR(A/B/C/D/E/F/G)19242-(1/2/3)</b>	3,685.	4,241.	5,724.
	192"	48"	<b>RRR(A/B/C/D/E/F/G)19248-(1/2/3)</b>	3,968.	4,563.	6,159.
Square top Profile edge on all sides except on parting lines 	*	60"	<b>RRR(A/B/C/D/E/F/G)6060-(1/2/3)</b>	1,561.	1,794.	2,424.
	*	72"	<b>RRR(A/B/C/D/E/F/G)7272-(1/2/3)</b>	1,840.	2,115.	2,857.
	-	36"	<b>RRR(A/B/C/D/E/F/G)3636-(1/2/3)</b>	589.	675.	912.
	-	42"	<b>RRR(A/B/C/D/E/F/G)4242-(1/2/3)</b>	762.	875.	1,182.
	-	48"	<b>RRR(A/B/C/D/E/F/G)4848-(1/2/3)</b>	1,002.	1,150.	1,551.

Worksurfaces

### Order Code

Example: <b>RRAG72302</b>	
<b>R</b>	Reff
<b>R</b>	Conference Room top
<b>A</b>	1 1/4" thick
<b>G</b>	Gamma
<b>72</b>	72" wide
<b>30</b>	30" deep
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry

### Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- 1 = V1
- 2 = V2
- 3 = V3

\* Square tops in two pieces.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak


### Application Notes

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front only  
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	20"	24"	<b>RSAWF241-( )(1/2/3)</b>	\$773.	\$890.	\$1,202.	
		30"	<b>RSAWF301-( )(1/2/3)</b>	851.	980.	1,325.	
		36"	<b>RSAWF361-( )(1/2/3)</b>	901.	1,032.	1,393.	
		42"	<b>RSAWF421-( )(1/2/3)</b>	939.	1,077.	1,455.	
		48"	<b>RSAWF481-( )(1/2/3)</b>	976.	1,123.	1,516.	
		54"	<b>RSAWF541-( )(1/2/3)</b>	1,019.	1,174.	1,584.	
		60"	<b>RSAWF601-( )(1/2/3)</b>	1,098.	1,261.	1,703.	
		66"	<b>RSAWF661-( )(1/2/3)</b>	1,131.	1,303.	1,757.	
		72"	<b>RSAWF721-( )(1/2/3)</b>	1,187.	1,365.	1,846.	
		78"	<b>RSAWF781-( )(1/2/3)</b>	1,207.	1,386.	1,870.	
		84"	<b>RSAWF841-( )(1/2/3)</b>	1,284.	1,476.	1,992.	
		90"	<b>RSAWF901-( )(1/2/3)</b>	1,334.	1,535.	2,073.	
		96"	<b>RSAWF961-( )(1/2/3)</b>	1,386.	1,590.	2,147.	
		24"	24"	<b>RSAWF242-( )(1/2/3)</b>	814.	939.	1,268.
			30"	<b>RSAWF302-( )(1/2/3)</b>	921.	1,061.	1,431.
			36"	<b>RSAWF362-( )(1/2/3)</b>	959.	1,100.	1,486.
42"	<b>RSAWF422-( )(1/2/3)</b>		987.	1,134.	1,532.		
48"	<b>RSAWF482-( )(1/2/3)</b>		1,061.	1,219.	1,645.		
54"	<b>RSAWF542-( )(1/2/3)</b>		1,131.	1,303.	1,757.		
60"	<b>RSAWF602-( )(1/2/3)</b>		1,212.	1,392.	1,879.		
66"	<b>RSAWF662-( )(1/2/3)</b>		1,254.	1,438.	1,944.		
72"	<b>RSAWF722-( )(1/2/3)</b>		1,310.	1,507.	2,032.		
78"	<b>RSAWF782-( )(1/2/3)</b>		1,373.	1,578.	2,131.		
84"	<b>RSAWF842-( )(1/2/3)</b>		1,426.	1,639.	2,212.		
90"	<b>RSAWF902-( )(1/2/3)</b>		1,493.	1,717.	2,318.		
96"	<b>RSAWF962-( )(1/2/3)</b>	1,551.	1,783.	2,409.			


Order Code	Specification Information	Application Notes
Example: <b>RSAWF241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WF</b> Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	
<b>1</b> 20" deep	N = No grommet	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>V319</b> Medium cherry		
<b>111</b> Jet Black (grommet)	2. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Products on this page are shipped without hardware which must be ordered separately from the support components section.  Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front only  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	30"	24"	<b>RSAWF243-</b> ( )(1/2/3)	\$886.	\$1,022.	\$1,380.	
		30"	<b>RSAWF303-</b> ( )(1/2/3)	996.	1,148.	1,548.	
		36"	<b>RSAWF363-</b> ( )(1/2/3)	1,075.	1,234.	1,668.	
		42"	<b>RSAWF423-</b> ( )(1/2/3)	1,120.	1,286.	1,737.	
		48"	<b>RSAWF483-</b> ( )(1/2/3)	1,194.	1,376.	1,857.	
		54"	<b>RSAWF543-</b> ( )(1/2/3)	1,291.	1,487.	2,007.	
		60"	<b>RSAWF603-</b> ( )(1/2/3)	1,340.	1,540.	2,080.	
		66"	<b>RSAWF663-</b> ( )(1/2/3)	1,370.	1,574.	2,128.	
		72"	<b>RSAWF723-</b> ( )(1/2/3)	1,404.	1,613.	2,176.	
		78"	<b>RSAWF783-</b> ( )(1/2/3)	1,469.	1,688.	2,278.	
		84"	<b>RSAWF843-</b> ( )(1/2/3)	1,527.	1,757.	2,373.	
		90"	<b>RSAWF903-</b> ( )(1/2/3)	1,599.	1,834.	2,477.	
		96"	<b>RSAWF963-</b> ( )(1/2/3)	1,656.	1,904.	2,570.	
		36"	60"	<b>RSAWF604-</b> ( )(1/2/3)	1,547.	1,776.	2,396.
			66"	<b>RSAWF664-</b> ( )(1/2/3)	1,601.	1,840.	2,485.
			72"	<b>RSAWF724-</b> ( )(1/2/3)	1,653.	1,900.	2,564.


Order Code	Specification Information	Application Notes
Example: <b>RSAWF243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WF</b> Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>111</b> Jet black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and back  
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	<b>RSAWA241-</b> ( )(1/2/3)	\$967.	\$1,116.	\$1,507.	
		30"	<b>RSAWA301-</b> ( )(1/2/3)	1,066.	1,225.	1,651.	
		36"	<b>RSAWA361-</b> ( )(1/2/3)	1,124.	1,289.	1,743.	
		42"	<b>RSAWA421-</b> ( )(1/2/3)	1,175.	1,349.	1,822.	
		48"	<b>RSAWA481-</b> ( )(1/2/3)	1,219.	1,404.	1,894.	
		54"	<b>RSAWA541-</b> ( )(1/2/3)	1,273.	1,466.	1,980.	
		60"	<b>RSAWA601-</b> ( )(1/2/3)	1,374.	1,576.	2,129.	
		66"	<b>RSAWA661-</b> ( )(1/2/3)	1,415.	1,627.	2,198.	
		72"	<b>RSAWA721-</b> ( )(1/2/3)	1,487.	1,712.	2,310.	
		78"	<b>RSAWA781-</b> ( )(1/2/3)	1,510.	1,730.	2,338.	
		84"	<b>RSAWA841-</b> ( )(1/2/3)	1,604.	1,845.	2,490.	
		90"	<b>RSAWA901-</b> ( )(1/2/3)	1,671.	1,921.	2,591.	
		96"	<b>RSAWA961-</b> ( )(1/2/3)	1,730.	1,992.	2,689.	
		24"	24"	<b>RSAWA242-</b> ( )(1/2/3)	1,019.	1,175.	1,585.
			30"	<b>RSAWA302-</b> ( )(1/2/3)	1,152.	1,326.	1,790.
			36"	<b>RSAWA362-</b> ( )(1/2/3)	1,199.	1,379.	1,862.
			42"	<b>RSAWA422-</b> ( )(1/2/3)	1,234.	1,419.	1,918.
			48"	<b>RSAWA482-</b> ( )(1/2/3)	1,326.	1,526.	2,058.
			54"	<b>RSAWA542-</b> ( )(1/2/3)	1,415.	1,627.	2,198.
60"	<b>RSAWA602-</b> ( )(1/2/3)		1,516.	1,744.	2,353.		
66"	<b>RSAWA662-</b> ( )(1/2/3)		1,568.	1,799.	2,429.		
72"	<b>RSAWA722-</b> ( )(1/2/3)		1,636.	1,882.	2,543.		
78"	<b>RSAWA782-</b> ( )(1/2/3)		1,717.	1,976.	2,665.		
84"	<b>RSAWA842-</b> ( )(1/2/3)		1,783.	2,053.	2,769.		
90"	<b>RSAWA902-</b> ( )(1/2/3)		1,868.	2,146.	2,898.		
96"	<b>RSAWA962-</b> ( )(1/2/3)	1,938.	2,228.	3,007.			

Order Code	Specification Information	Application Notes
Example: <b>RSAWA241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WA</b> Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and back  
30" and 36" deep


description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	<b>RSAWA243-( ) (1/2/3)</b>	\$1,112.	\$1,277.	\$1,724.
		30"	<b>RSAWA303-( ) (1/2/3)</b>	1,247.	1,436.	1,939.
		36"	<b>RSAWA363-( ) (1/2/3)</b>	1,344.	1,546.	2,088.
		42"	<b>RSAWA423-( ) (1/2/3)</b>	1,401.	1,610.	2,172.
		48"	<b>RSAWA483-( ) (1/2/3)</b>	1,494.	1,719.	2,321.
		54"	<b>RSAWA543-( ) (1/2/3)</b>	1,616.	1,858.	2,509.
		60"	<b>RSAWA603-( ) (1/2/3)</b>	1,675.	1,927.	2,602.
		66"	<b>RSAWA663-( ) (1/2/3)</b>	1,714.	1,971.	2,660.
		72"	<b>RSAWA723-( ) (1/2/3)</b>	1,754.	2,017.	2,722.
		78"	<b>RSAWA783-( ) (1/2/3)</b>	1,834.	2,112.	2,850.
		84"	<b>RSAWA843-( ) (1/2/3)</b>	1,909.	2,198.	2,967.
		90"	<b>RSAWA903-( ) (1/2/3)</b>	1,996.	2,296.	3,101.
	96"	<b>RSAWA963-( ) (1/2/3)</b>	2,069.	2,380.	3,213.	
	36"	60"	<b>RSAWA604-( ) (1/2/3)</b>	1,934.	2,220.	2,998.
		66"	<b>RSAWA664-( ) (1/2/3)</b>	2,000.	2,302.	3,107.
		72"	<b>RSAWA724-( ) (1/2/3)</b>	2,066.	2,376.	3,207.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAWA243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WA</b> Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.




Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and two sides  
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-( )(1/2/3)	\$1,165.	\$1,336.	\$1,804.	
		30"	RSAWB301-( )(1/2/3)	1,277.	1,467.	1,981.	
		36"	RSAWB361-( )(1/2/3)	1,346.	1,548.	2,091.	
		42"	RSAWB421-( )(1/2/3)	1,408.	1,617.	2,183.	
		48"	RSAWB481-( )(1/2/3)	1,463.	1,684.	2,273.	
		54"	RSAWB541-( )(1/2/3)	1,528.	1,758.	2,376.	
		60"	RSAWB601-( )(1/2/3)	1,650.	1,895.	2,558.	
		66"	RSAWB661-( )(1/2/3)	1,699.	1,952.	2,637.	
		72"	RSAWB721-( )(1/2/3)	1,783.	2,052.	2,768.	
		78"	RSAWB781-( )(1/2/3)	1,805.	2,077.	2,804.	
		84"	RSAWB841-( )(1/2/3)	1,924.	2,214.	2,989.	
		90"	RSAWB901-( )(1/2/3)	2,004.	2,304.	3,110.	
		96"	RSAWB961-( )(1/2/3)	2,077.	2,390.	3,226.	
		24"	24"	RSAWB242-( )(1/2/3)	1,224.	1,408.	1,900.
			30"	RSAWB302-( )(1/2/3)	1,384.	1,586.	2,143.
			36"	RSAWB362-( )(1/2/3)	1,437.	1,653.	2,234.
			42"	RSAWB422-( )(1/2/3)	1,482.	1,705.	2,304.
			48"	RSAWB482-( )(1/2/3)	1,586.	1,829.	2,470.
			54"	RSAWB542-( )(1/2/3)	1,699.	1,952.	2,637.
60"	RSAWB602-( )(1/2/3)		1,821.	2,090.	2,822.		
66"	RSAWB662-( )(1/2/3)		1,879.	2,160.	2,915.		
72"	RSAWB722-( )(1/2/3)		1,964.	2,261.	3,050.		
78"	RSAWB782-( )(1/2/3)		2,058.	2,370.	3,199.		
84"	RSAWB842-( )(1/2/3)		2,140.	2,458.	3,321.		
90"	RSAWB902-( )(1/2/3)	2,239.	2,576.	3,475.			
96"	RSAWB962-( )(1/2/3)	2,323.	2,675.	3,613.			

Order Code	Specification Information	Application Notes
Example: <b>RSAWB241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WB</b> Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


# Waterfall Edge 1 1/4" with 2" Waterfall edge front and two sides 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	<b>RSAWB243-( )(1/2/3)</b>	\$1,332.	\$1,533.	\$2,069.	
		30"	<b>RSAWB303-( )(1/2/3)</b>	1,497.	1,723.	2,325.	
		36"	<b>RSAWB363-( )(1/2/3)</b>	1,613.	1,854.	2,503.	
		42"	<b>RSAWB423-( )(1/2/3)</b>	1,680.	1,929.	2,604.	
		48"	<b>RSAWB483-( )(1/2/3)</b>	1,794.	2,061.	2,785.	
		54"	<b>RSAWB543-( )(1/2/3)</b>	1,939.	2,228.	3,007.	
		60"	<b>RSAWB603-( )(1/2/3)</b>	2,008.	2,310.	3,119.	
		66"	<b>RSAWB663-( )(1/2/3)</b>	2,055.	2,364.	3,190.	
		72"	<b>RSAWB723-( )(1/2/3)</b>	2,103.	2,419.	3,265.	
		78"	<b>RSAWB783-( )(1/2/3)</b>	2,205.	2,537.	3,424.	
		84"	<b>RSAWB843-( )(1/2/3)</b>	2,288.	2,634.	3,556.	
		90"	<b>RSAWB903-( )(1/2/3)</b>	2,394.	2,756.	3,721.	
		96"	<b>RSAWB963-( )(1/2/3)</b>	2,486.	2,856.	3,855.	
		36"	60"	<b>RSAWB604-( )(1/2/3)</b>	2,318.	2,665.	3,600.
			66"	<b>RSAWB664-( )(1/2/3)</b>	2,397.	2,760.	3,725.
			72"	<b>RSAWB724-( )(1/2/3)</b>	2,483.	2,850.	3,849.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RSAWB243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall tops cannot be specified with semi-open pore finish.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WB</b> Waterfall front and 2 sides	4. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	
<b>3</b> 30" deep	N = No grommet	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>V319</b> Medium cherry	2. <i>Finish type:</i>	
<b>111</b> Jet Black (grommet)	1 = V1	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	2 = V2	
	3 = V3	Applicable finishes are listed on Reff Profiles and Reff Profiles.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and left side  
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-( )(1/2/3)	\$1,066.	\$1,226.	\$1,652.
		30"	RSAWL301-( )(1/2/3)	1,172.	1,345.	1,818.
		36"	RSAWL361-( )(1/2/3)	1,234.	1,419.	1,918.
		42"	RSAWL421-( )(1/2/3)	1,289.	1,482.	2,001.
		48"	RSAWL481-( )(1/2/3)	1,341.	1,542.	2,083.
		54"	RSAWL541-( )(1/2/3)	1,403.	1,612.	2,175.
		60"	RSAWL601-( )(1/2/3)	1,512.	1,737.	2,345.
		66"	RSAWL661-( )(1/2/3)	1,556.	1,792.	2,420.
		72"	RSAWL721-( )(1/2/3)	1,634.	1,879.	2,537.
		78"	RSAWL781-( )(1/2/3)	1,659.	1,905.	2,571.
		84"	RSAWL841-( )(1/2/3)	1,765.	2,029.	2,739.
		90"	RSAWL901-( )(1/2/3)	1,834.	2,112.	2,850.
		96"	RSAWL961-( )(1/2/3)	1,905.	2,192.	2,957.
	24"	24"	RSAWL242-( )(1/2/3)	1,121.	1,289.	1,743.
		30"	RSAWL302-( )(1/2/3)	1,268.	1,459.	1,967.
		36"	RSAWL362-( )(1/2/3)	1,319.	1,516.	2,045.
		42"	RSAWL422-( )(1/2/3)	1,359.	1,563.	2,107.
		48"	RSAWL482-( )(1/2/3)	1,459.	1,676.	2,263.
		54"	RSAWL542-( )(1/2/3)	1,556.	1,792.	2,420.
		60"	RSAWL602-( )(1/2/3)	1,668.	1,914.	2,585.
		66"	RSAWL662-( )(1/2/3)	1,721.	1,981.	2,673.
		72"	RSAWL722-( )(1/2/3)	1,799.	2,069.	2,793.
		78"	RSAWL782-( )(1/2/3)	1,884.	2,171.	2,931.
		84"	RSAWL842-( )(1/2/3)	1,957.	2,256.	3,046.
		90"	RSAWL902-( )(1/2/3)	2,054.	2,361.	3,185.
		96"	RSAWL962-( )(1/2/3)	2,131.	2,452.	3,311.

Order Code	Specification Information	Application Notes
Example: <b>RSAWL241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>S</b> Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>A</b> 1 1/4" thick	3. Top finish	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>WL</b> Waterfall front and left	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>24</b> 24" wide	<i>1. Grommet options:</i>	
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>V319</b> Medium cherry		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	


Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and left side  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-( )(1/2/3)	\$1,224.	\$1,406.	\$1,897.	
		30"	RSAWL303-( )(1/2/3)	1,373.	1,578.	2,131.	
		36"	RSAWL363-( )(1/2/3)	1,478.	1,700.	2,296.	
		42"	RSAWL423-( )(1/2/3)	1,538.	1,770.	2,387.	
		48"	RSAWL483-( )(1/2/3)	1,644.	1,894.	2,557.	
		54"	RSAWL543-( )(1/2/3)	1,776.	2,045.	2,762.	
		60"	RSAWL603-( )(1/2/3)	1,843.	2,117.	2,859.	
		66"	RSAWL663-( )(1/2/3)	1,881.	2,168.	2,927.	
		72"	RSAWL723-( )(1/2/3)	1,929.	2,216.	2,992.	
		78"	RSAWL783-( )(1/2/3)	2,020.	2,323.	3,137.	
		84"	RSAWL843-( )(1/2/3)	2,099.	2,416.	3,262.	
		90"	RSAWL903-( )(1/2/3)	2,198.	2,528.	3,412.	
		96"	RSAWL963-( )(1/2/3)	2,277.	2,616.	3,533.	
		36"	60"	RSAWL604-( )(1/2/3)	2,127.	2,444.	3,300.
			66"	RSAWL664-( )(1/2/3)	2,201.	2,530.	3,415.
			72"	RSAWL724-( )(1/2/3)	2,274.	2,613.	3,528.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RSAWL243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WL</b> Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and right side  
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-( )(1/2/3)	\$1,066.	\$1,226.	\$1,652.
		30"	RSAWR301-( )(1/2/3)	1,172.	1,345.	1,818.
		36"	RSAWR361-( )(1/2/3)	1,234.	1,419.	1,918.
		42"	RSAWR421-( )(1/2/3)	1,289.	1,482.	2,001.
		48"	RSAWR481-( )(1/2/3)	1,341.	1,542.	2,083.
		54"	RSAWR541-( )(1/2/3)	1,403.	1,612.	2,175.
		60"	RSAWR601-( )(1/2/3)	1,512.	1,737.	2,345.
		66"	RSAWR661-( )(1/2/3)	1,556.	1,792.	2,420.
		72"	RSAWR721-( )(1/2/3)	1,634.	1,879.	2,537.
		78"	RSAWR781-( )(1/2/3)	1,659.	1,905.	2,571.
		84"	RSAWR841-( )(1/2/3)	1,765.	2,029.	2,739.
		90"	RSAWR901-( )(1/2/3)	1,834.	2,112.	2,850.
		96"	RSAWR961-( )(1/2/3)	1,905.	2,192.	2,957.
	24"	24"	RSAWR242-( )(1/2/3)	1,121.	1,289.	1,743.
		30"	RSAWR302-( )(1/2/3)	1,268.	1,459.	1,967.
		36"	RSAWR362-( )(1/2/3)	1,319.	1,516.	2,045.
		42"	RSAWR422-( )(1/2/3)	1,359.	1,563.	2,107.
		48"	RSAWR482-( )(1/2/3)	1,459.	1,676.	2,263.
		54"	RSAWR542-( )(1/2/3)	1,556.	1,792.	2,420.
		60"	RSAWR602-( )(1/2/3)	1,668.	1,914.	2,585.
		66"	RSAWR662-( )(1/2/3)	1,721.	1,981.	2,673.
		72"	RSAWR722-( )(1/2/3)	1,799.	2,069.	2,793.
		78"	RSAWR782-( )(1/2/3)	1,884.	2,171.	2,931.
		84"	RSAWR842-( )(1/2/3)	1,957.	2,256.	3,046.
		90"	RSAWR902-( )(1/2/3)	2,054.	2,361.	3,185.
		96"	RSAWR962-( )(1/2/3)	2,131.	2,452.	3,311.

Order Code	Specification Information	Application Notes
Example: <b>RSAWR241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WR</b> Waterfall front and right	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.






Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and right side  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-( )(1/2/3)	\$1,224.	\$1,406.	\$1,897.
		30"	RSAWR303-( )(1/2/3)	1,373.	1,578.	2,131.
		36"	RSAWR363-( )(1/2/3)	1,478.	1,700.	2,296.
		42"	RSAWR423-( )(1/2/3)	1,538.	1,770.	2,387.
		48"	RSAWR483-( )(1/2/3)	1,644.	1,894.	2,557.
		54"	RSAWR543-( )(1/2/3)	1,776.	2,045.	2,762.
		60"	RSAWR603-( )(1/2/3)	1,843.	2,117.	2,859.
		66"	RSAWR663-( )(1/2/3)	1,881.	2,168.	2,927.
		72"	RSAWR723-( )(1/2/3)	1,929.	2,216.	2,992.
		78"	RSAWR783-( )(1/2/3)	2,020.	2,323.	3,137.
		84"	RSAWR843-( )(1/2/3)	2,099.	2,416.	3,262.
		90"	RSAWR903-( )(1/2/3)	2,198.	2,528.	3,412.
		96"	RSAWR963-( )(1/2/3)	2,277.	2,616.	3,533.
			36"	60"	RSAWR604-( )(1/2/3)	2,127.
		66"	RSAWR664-( )(1/2/3)	2,201.	2,530.	3,415.
		72"	RSAWR724-( )(1/2/3)	2,274.	2,613.	3,528.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAWR243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WR</b> Waterfall front and right	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 24") 	24"	42"	30"	<b>RWAWF4223-</b> ( )(1/2/3)	\$1,123.	\$1,289.	\$1,743.
	24"	48"	30"	<b>RWAWF4823-</b> ( )(1/2/3)	1,169.	1,343.	1,814.
	24"	54"	30"	<b>RWAWF5423-</b> ( )(1/2/3)	1,259.	1,451.	1,958.
	24"	60"	30"	<b>RWAWF6023-</b> ( )(1/2/3)	1,346.	1,552.	2,096.
	24"	66"	30"	<b>RWAWF6623-</b> ( )(1/2/3)	1,397.	1,607.	2,168.
	24"	72"	30"	<b>RWAWF7223-</b> ( )(1/2/3)	1,466.	1,687.	2,277.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	<b>RWAWF4232-</b> ( )(1/2/3)	1,123.	1,289.	1,743.
	30"	48"	24"	<b>RWAWF4832-</b> ( )(1/2/3)	1,169.	1,343.	1,814.
	30"	54"	24"	<b>RWAWF5432-</b> ( )(1/2/3)	1,259.	1,451.	1,958.
	30"	60"	24"	<b>RWAWF6032-</b> ( )(1/2/3)	1,346.	1,552.	2,096.
	30"	66"	24"	<b>RWAWF6632-</b> ( )(1/2/3)	1,397.	1,607.	2,168.
	30"	72"	24"	<b>RWAWF7232-</b> ( )(1/2/3)	1,466.	1,687.	2,277.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	<b>RWAWF4212-</b> ( )(1/2/3)	1,040.	1,199.	1,619.
	20"	48"	24"	<b>RWAWF4812-</b> ( )(1/2/3)	1,094.	1,259.	1,700.
	20"	54"	24"	<b>RWAWF5412-</b> ( )(1/2/3)	1,172.	1,346.	1,819.
	20"	60"	24"	<b>RWAWF6012-</b> ( )(1/2/3)	1,253.	1,439.	1,946.
	20"	66"	24"	<b>RWAWF6612-</b> ( )(1/2/3)	1,289.	1,482.	2,001.
	20"	72"	24"	<b>RWAWF7212-</b> ( )(1/2/3)	1,352.	1,554.	2,099.
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	<b>RWAWF4221-</b> ( )(1/2/3)	1,040.	1,199.	1,619.
	24"	48"	20"	<b>RWAWF4821-</b> ( )(1/2/3)	1,094.	1,259.	1,700.
	24"	54"	20"	<b>RWAWF5421-</b> ( )(1/2/3)	1,172.	1,346.	1,819.
	24"	60"	20"	<b>RWAWF6021-</b> ( )(1/2/3)	1,253.	1,439.	1,946.
	24"	66"	20"	<b>RWAWF6621-</b> ( )(1/2/3)	1,289.	1,482.	2,001.
	24"	72"	20"	<b>RWAWF7221-</b> ( )(1/2/3)	1,352.	1,554.	2,099.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	<b>RWEAWF3631-</b> ( )(1/2/3)	1,384.	1,586.	2,143.
	32"	42"	20"	<b>RWEAWF4231-</b> ( )(1/2/3)	1,437.	1,655.	2,235.
	32"	48"	20"	<b>RWEAWF4831-</b> ( )(1/2/3)	1,516.	1,745.	2,354.

Order Code	Specification Information	Application Notes
Example: <b>RWAWF4221F2</b>	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
<b>R</b> Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
<b>W</b> Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WF</b> Waterfall front	4. Grommet finish	
<b>42</b> 42" wide	<i>1. Grommet options:</i>	
<b>2</b> 24" deep on left side	N = No grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>1</b> 20" deep on left side	F = Flush front grommet location	
<b>F</b> Flush grommet location		
<b>2</b> V2 finish	2. <i>Finish type:</i>	See Planning Guide for grommet locations.
<b>V319</b> Medium cherry	1 = V1	Waterfall tops cannot be specified with semi-open pore finish.
<b>111</b> Jet Black (grommet)	2 = V2	
	3 = V3	
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	




**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave end top with waterfall edge front (right 24") 	36"	36"	24"	<b>RWEAWF3662-( )(1/2/3)</b>	\$1,429.	\$1,643.	\$2,219.
	36"	42"	24"	<b>RWEAWF4262-( )(1/2/3)</b>	1,475.	1,697.	2,291.
	36"	48"	24"	<b>RWEAWF4862-( )(1/2/3)</b>	1,567.	1,799.	2,429.
Wave end top with waterfall edge front (left 20") 	20"	36"	32"	<b>RWEAWF3613-( )(1/2/3)</b>	1,384.	1,586.	2,143.
	20"	42"	32"	<b>RWEAWF4213-( )(1/2/3)</b>	1,437.	1,655.	2,235.
	20"	48"	32"	<b>RWEAWF4813-( )(1/2/3)</b>	1,516.	1,745.	2,354.
Wave end top with waterfall edge front (left 24") 	24"	36"	36"	<b>RWEAWF3626-( )(1/2/3)</b>	1,429.	1,643.	2,219.
	24"	42"	36"	<b>RWEAWF4226-( )(1/2/3)</b>	1,475.	1,697.	2,291.
	24"	48"	36"	<b>RWEAWF4826-( )(1/2/3)</b>	1,567.	1,799.	2,429.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RWAWF4221F2</b>	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
<b>R</b> Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
<b>W</b> Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WF</b> Waterfall front	4. Grommet finish	
<b>42</b> 42" wide	<i>1. Grommet options:</i>	
<b>2</b> 24" deep on left side	N = No grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>1</b> 20" deep on left side	F = Flush front grommet location	
<b>F</b> Flush grommet location		
<b>2</b> V2 finish	2. <i>Finish type:</i>	See Planning Guide for grommet locations.
<b>V319</b> Medium cherry	1 = V1	
<b>111</b> Jet Black (grommet)	2 = V2	
	3 = V3	Waterfall tops cannot be specified with semi-open pore finish.
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.





2" Waterfall edge front only curvilinear corner tops

description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	<b>RCAWF363611-( )(1/2/3)</b>	\$1,643.	\$1,892.	\$2,553.
	36"	42"	<b>RCAWF364211-( )(1/2/3)</b>	1,740.	2,000.	2,702.
	36"	48"	<b>RCAWF364811-( )(1/2/3)</b>	1,846.	2,124.	2,868.
	42"	36"	<b>RCAWF423611-( )(1/2/3)</b>	1,740.	2,000.	2,702.
	42"	42"	<b>RCAWF424211-( )(1/2/3)</b>	1,846.	2,124.	2,868.
	42"	48"	<b>RCAWF424811-( )(1/2/3)</b>	2,017.	2,319.	3,131.
	48"	36"	<b>RCAWF483611-( )(1/2/3)</b>	1,846.	2,124.	2,868.
	48"	42"	<b>RCAWF484211-( )(1/2/3)</b>	2,017.	2,319.	3,131.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	<b>RCAWF363622-( )(1/2/3)</b>	1,862.	2,145.	2,897.
	36"	42"	<b>RCAWF364222-( )(1/2/3)</b>	1,957.	2,256.	3,046.
	36"	48"	<b>RCAWF364822-( )(1/2/3)</b>	2,066.	2,378.	3,210.
	42"	36"	<b>RCAWF423622-( )(1/2/3)</b>	1,957.	2,256.	3,046.
	42"	42"	<b>RCAWF424222-( )(1/2/3)</b>	2,066.	2,378.	3,210.
	42"	48"	<b>RCAWF424822-( )(1/2/3)</b>	2,237.	2,576.	3,475.
	48"	36"	<b>RCAWF483622-( )(1/2/3)</b>	2,066.	2,378.	3,210.
	48"	42"	<b>RCAWF484222-( )(1/2/3)</b>	2,237.	2,576.	3,475.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	<b>RCAWF363612-( )(1/2/3)</b>	1,717.	1,974.	2,664.
	36"	42"	<b>RCAWF364212-( )(1/2/3)</b>	1,817.	2,086.	2,815.
	36"	48"	<b>RCAWF364812-( )(1/2/3)</b>	1,921.	2,208.	2,981.
	42"	36"	<b>RCAWF423612-( )(1/2/3)</b>	1,817.	2,086.	2,815.
	42"	42"	<b>RCAWF424212-( )(1/2/3)</b>	1,921.	2,208.	2,981.
	42"	48"	<b>RCAWF424812-( )(1/2/3)</b>	2,091.	2,403.	3,244.
	48"	36"	<b>RCAWF483612-( )(1/2/3)</b>	1,921.	2,208.	2,981.
	48"	42"	<b>RCAWF484212-( )(1/2/3)</b>	2,091.	2,403.	3,244.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	<b>RCAWF363621-( )(1/2/3)</b>	1,717.	1,974.	2,664.
	36"	42"	<b>RCAWF364221-( )(1/2/3)</b>	1,817.	2,086.	2,815.
	36"	48"	<b>RCAWF364821-( )(1/2/3)</b>	1,921.	2,208.	2,981.
	42"	36"	<b>RCAWF423621-( )(1/2/3)</b>	1,817.	2,086.	2,815.
	42"	42"	<b>RCAWF424221-( )(1/2/3)</b>	1,921.	2,208.	2,981.
	42"	48"	<b>RCAWF424821-( )(1/2/3)</b>	2,091.	2,403.	3,244.
	48"	36"	<b>RCAWF483621-( )(1/2/3)</b>	1,921.	2,208.	2,981.
	48"	42"	<b>RCAWF484221-( )(1/2/3)</b>	2,091.	2,403.	3,244.

Order Code	Specification Information	Application Notes
Example: <b>RCAWF363611F2</b> <b>R</b> Reff <b>C</b> Curved front corner <b>A</b> 1 1/4" thick <b>WF</b> Waterfall front <b>36</b> 36" wide on left back <b>36</b> 36" wide on right back <b>1</b> 20" deep on left side <b>1</b> 20" deep on right side <b>F</b> Standard grommet <b>2</b> V2 finish <b>V319</b> Medium cherry <b>111</b> Jet Black (grommet)	To order please specify pattern number including: 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish  1. Grommet options: N = No grommet F = Standard corner location or Flush  2. Finish type: 1 = V1 2 = V2 3 = V3  Applicable finishes are listed on Reff Profiles and Reff Profiles.  Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Radius of curved front changes with overall top size. See Planning Guide.  Products on this page are shipped without hardware which must be ordered separately from the support components section.  Curvilinear worksurfaces only available in 1 1/4" thick.  See Planning Guide for grommet locations.  Waterfall tops cannot be specified with semi-open pore finish.  <b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>  Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.  Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

# Waterfall Edge 1 1/4"

## 2" Waterfall edge meeting tops

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	<b>RMDAWF4230-( )(1/2/3)</b>	\$2,099.	\$2,415.	\$3,259.
		48"	<b>RMDAWF4830-( )(1/2/3)</b>	2,264.	2,603.	3,514.
		54"	<b>RMDAWF5430-( )(1/2/3)</b>	2,430.	2,795.	3,774.
		60"	<b>RMDAWF6030-( )(1/2/3)</b>	2,597.	2,986.	4,029.
		66"	<b>RMDAWF6630-( )(1/2/3)</b>	2,765.	3,181.	4,295.
		72"	<b>RMDAWF7230-( )(1/2/3)</b>	2,936.	3,377.	4,558.
		78"	<b>RMDAWF7830-( )(1/2/3)</b>	3,324.	3,817.	5,155.
		84"	<b>RMDAWF8430-( )(1/2/3)</b>	3,709.	4,264.	5,756.
		90"	<b>RMDAWF9030-( )(1/2/3)</b>	4,139.	4,760.	6,427.
	96"	<b>RMDAWF9630-( )(1/2/3)</b>	4,571.	5,254.	7,093.	
	36"	42"	<b>RMDAWF4236-( )(1/2/3)</b>	2,315.	2,660.	3,590.
		48"	<b>RMDAWF4836-( )(1/2/3)</b>	2,530.	2,909.	3,928.
		54"	<b>RMDAWF5436-( )(1/2/3)</b>	2,891.	3,328.	4,492.
		60"	<b>RMDAWF6036-( )(1/2/3)</b>	3,245.	3,731.	5,038.
		66"	<b>RMDAWF6636-( )(1/2/3)</b>	3,301.	3,797.	5,127.
		72"	<b>RMDAWF7236-( )(1/2/3)</b>	3,356.	3,860.	5,211.
		78"	<b>RMDAWF7836-( )(1/2/3)</b>	3,777.	4,344.	5,861.
		84"	<b>RMDAWF8436-( )(1/2/3)</b>	4,203.	4,833.	6,524.
		90"	<b>RMDAWF9036-( )(1/2/3)</b>	4,428.	5,098.	6,879.
96"	<b>RMDAWF9636-( )(1/2/3)</b>	4,854.	5,578.	7,533.		
Wrap around panel top 	21 1/2"	42 1/2"	<b>RMDAWF4221-( )(1/2/3)( )</b>	2,702.	3,105.	4,191.
	25 1/2"	50 1/2"	<b>RMDAWF5025-( )(1/2/3)( )</b>	2,961.	3,405.	4,596.





\*specify mating end trim profile

Order Code	Specification Information	Application Notes
Example: <b>RMDAWF4230N2</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
<b>R</b> Reff	1. Top thickness	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>MD</b> Meeting D-shaped top	2. Grommet option	
<b>A</b> 1 1/4" thick	3. Top finish type	Refer to Planning Guide for modesty panel size requirements and all other support options.
<b>WF</b> Waterfall all except flat side	4. Top finish	
<b>42</b> 42" wide	5. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
<b>30</b> 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
<b>N</b> No grommet	2. <i>Grommet options:</i> N = No grommet	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
<b>2</b> V2 finish	F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
<b>V319</b> Medium cherry	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	Note wrap around panel tops only, require specification of mating trim profile.	
	A = Flat B = Square C = Bullnose E = Extruded Aluminum	Applicable finishes are listed on Reff Profiles and Reff Profiles.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Worksurfaces

# Waterfall Edge 1 1/4"


## 2" Waterfall edge meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	<b>RMPAWF4230-( )(1/2/3)</b>	\$2,886.	\$3,317.	\$4,478.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	<b>RM9AWF4230-( )(1/2/3)</b>	2,886.	3,317.	4,478.
						
Worksurface 9-top	30"	84"	<b>RM9AWF8430-( )(1/2/3)</b>	5,871.	6,752.	9,115.
	30"	96"	<b>RM9AWF9630-( )(1/2/3)</b>	6,118.	7,031.	9,492.
Worksurface P-top	30"	84"	<b>RMPAWF8430-( )(1/2/3)</b>	5,871.	6,752.	9,115.
	30"	96"	<b>RMPAWF9630-( )(1/2/3)</b>	6,118.	7,031.	9,492.


Order Code	Specification Information	Application Notes
Example: <b>RM9AWF8430N2</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
<b>R</b> Reff	1. Top thickness	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>M9</b> Meeting 9-shaped top	2. Grommet option	
<b>A</b> 1 1/4" thick	3. Top finish type	
<b>WF</b> Waterfall all except flat side	4. Top finish	
<b>84</b> 84" wide	5. Grommet finish	
<b>30</b> 30" deep	<i>1. Thickness option:</i> A = 1 1/4"	Refer to Planning Guide for modesty panel size requirements and all other support options.
<b>N</b> No grommet	<i>2. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	Waterfall tops cannot be specified with semi-open pore finish.
<b>2</b> V2 finish	<i>3. Finish type:</i> 1 = V1 2 = V2 3 = V3	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
<b>V319</b> Medium cherry	Note wrap around panel tops only, require specification of mating trim profile.	Products on this page are shipped without hardware which must be ordered separately from the support components section.  Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.  Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.  Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.  Applicable finishes are listed on Reff Profiles and Reff Profiles.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

# Waterfall Edge 1 1/4"

## 2" Waterfall edge bow front tops

description	w	d	h	pattern no.	L	V1	V2	V3
 30"D	72"	30"		<b>RMBAWA7230-( )(1/2/3)</b>		\$2,911.	\$3,353.	\$4,526.
	84"	30"		<b>RMBAWA8430-( )(1/2/3)</b>		3,214.	3,698.	4,989.
	96"	30"		<b>RMBAWA9630-( )(1/2/3)</b>		3,566.	4,099.	5,536.

Use 29" deep pedestals or end panels.  
**Do not** use 23" deep pedestals if using recessed modesty.

 36"D	72"	36"		<b>RMBAWA7236-( )(1/2/3)</b>		3,097.	3,562.	4,806.
	84"	36"		<b>RMBAWA8436-( )(1/2/3)</b>		3,399.	3,909.	5,275.
	96"	36"		<b>RMBAWA9636-( )(1/2/3)</b>		3,770.	4,330.	5,846.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).  
 Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	w	d	h	pattern no.	L	V1	V2	V3
	40"	1"	26 1/2"	<b>RB40MR-( )</b>	332.	436.	499.	674.
	52"	1"	26 1/2"	<b>RB52MR-( )</b>	390.	513.	590.	797.
	64"	1"	26 1/2"	<b>RB64MR-( )</b>	422.	552.	638.	862.

**Use of short modesty panel**

Pedestals must be ordered separately with individual back panels.  
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.  
 Order:  
 40" modesty for 72" bow top  
 52" modesty for 84" bow top  
 64" modesty for 96" bow top  
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.  
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.



Order Code	Specification Information	Application Notes
Example: <b>RMBAWA7230(F)2</b> <b>R</b> Reff <b>MB</b> Bow front with Waterfall edge <b>A</b> 1 1/4" thick <b>WA</b> Waterfall front/back <b>72</b> 72" wide <b>30</b> 30" deep <b>F</b> Flush front grommet position <b>2</b> V2 finish <b>V319</b> Medium cherry <b>111</b> Jet Black (grommet)	To order please specify pattern number including: 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish  1. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front A = Alternate location (for 36"D tops only)  2. Finish type: 1 = V1 2 = V2 3 = V3	See Planning Guide for grommet locations.  *Grommet options for elliptical tops are Recessed (R) or None (N).  Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.  <b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>  *Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak

# Waterfall Edge 1 1/4"

## *Waterfall elliptical tops and bulkhead*

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall elliptical tops 	60"	30"		<b>REBAWA6030( )</b>		\$4,114.	\$4,729.	\$6,385.
	72"	42"		<b>REBAWA7242( )</b>		5,848.	6,729.	9,084.
	78"	48"		<b>REBAWA7848( )</b>		6,417.	7,382.	9,966.
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	<b>REBH24</b>	468.	714.	827.	1,116.
	16"	30"	26 1/2"	<b>REBH30</b>	484.	727.	847.	1,143.





Order Code	Specification Information	Application Notes
Example: <b>REBAWA6030</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
<b>R</b> Reff	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
<b>EB</b> Elliptical Waterfall	2. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>A</b> 1 1/4" thick	3. Top finish	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>WA</b> Waterfall front/back	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
<b>60</b> 60" wide	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 99 of planning guide for application details.
<b>30</b> 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
<b>F</b> Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
<b>2</b> V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>V319</b> Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>111</b> Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak

# Waterfall Edge 1 1/4"

## 2" Waterfall edge conference room tops round and racetrack

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	<b>RTAW7230-(1/2/3)</b>	\$4,114.	\$4,729.	\$6,385.
	72"	36"	<b>RTAW7236-(1/2/3)</b>	4,689.	5,390.	7,276.
	84"	30"	<b>RTAW8430-(1/2/3)</b>	4,579.	5,265.	7,109.
	84"	36"	<b>RTAW8436-(1/2/3)</b>	5,271.	6,062.	8,181.
	84"	42"	<b>RTAW8442-(1/2/3)</b>	6,417.	7,382.	9,966.
	96"	30"	<b>RTAW9630-(1/2/3)</b>	5,098.	5,860.	7,913.
	96"	36"	<b>RTAW9636-(1/2/3)</b>	5,848.	6,729.	9,084.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	<b>RTAW12036-(1/2/3)</b>	7,555.	8,685.	11,727.
	120"	42"	<b>RTAW12042-(1/2/3)</b>	8,147.	9,366.	12,646.
	144"	42"	<b>RTAW14442-(1/2/3)</b>	8,983.	10,330.	13,945.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	<b>RTAW16842-(1/2/3)</b>	11,264.	12,955.	17,489.
	192"	42"	<b>RTAW19242-(1/2/3)</b>	12,101.	13,918.	18,791.
RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center						
Round tops, Waterfall edge on all sides except on parting lines 	*	60"	<b>RTAW6060-(1/2/3)</b>	6,924.	7,957.	10,744.
	*	72"	<b>RTAW7272-(1/2/3)</b>	8,569.	9,852.	13,302.
	-	36"	<b>RTAW3636-(1/2/3)</b>	2,315.	3,104.	4,190.
	-	42"	<b>RTAW4242-(1/2/3)</b>	2,681.	3,597.	4,856.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RTAW72302</b> <b>R</b> Reff <b>T</b> Rounded top <b>A</b> 1 1/4" thick <b>W</b> Waterfall all sides <b>72</b> 72" wide <b>30</b> 30" deep <b>2</b> V2 finish <b>V319</b> Medium cherry	<i>To order please specify pattern number including:</i> 1. Top thickness 2. Finish type 3. Finish  <i>1. Thickness option:</i> A = 1 1/4"  <i>2. Finish type:</i> 1 = V1 2 = V2 3 = V3  *Round tops in two pieces.	Top to top brackets included.  See table base matrix in Planning Guide for base supports recommended.  Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.  Tops have no radius on edges that adjoin.  All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.  Waterfall tops cannot be specified with semi-open pore finish.






Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak



# Waterfall Edge 1 1/4"

## 2" Waterfall edge conference room tops square and rectangular

description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	<b>RRAW7230-(1/2/3)</b>	\$2,172.	\$2,500.	\$3,376.
	72"	36"	<b>RRAW7236-(1/2/3)</b>	2,360.	2,715.	3,665.
	84"	30"	<b>RRAW8430-(1/2/3)</b>	2,403.	2,765.	3,733.
	84"	36"	<b>RRAW8436-(1/2/3)</b>	2,583.	2,966.	4,005.
	84"	42"	<b>RRAW8442-(1/2/3)</b>	3,817.	4,387.	5,924.
	96"	30"	<b>RRAW9630-(1/2/3)</b>	2,696.	3,102.	4,187.
	96"	36"	<b>RRAW9636-(1/2/3)</b>	2,981.	3,426.	4,626.
	96"	42"	<b>RRAW9642-(1/2/3)</b>	4,377.	5,034.	6,795.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	<b>RRAW12036-(1/2/3)</b>	4,775.	5,497.	7,421.
	120"	42"	<b>RRAW12042-(1/2/3)</b>	6,591.	7,581.	10,235.
	144"	42"	<b>RRAW14442-(1/2/3)</b>	7,404.	8,516.	11,495.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	<b>RRAW16842-(1/2/3)</b>	9,708.	11,168.	15,080.
	192"	42"	<b>RRAW19242-(1/2/3)</b>	10,520.	12,096.	16,331.
	RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Square top - one piece 	-	36"	<b>RRAW3636-(1/2/3)</b>	1,680.	2,250.	3,041.
	-	42"	<b>RRAW4242-(1/2/3)</b>	2,172.	2,914.	3,934.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	<b>RRAW6060-(1/2/3)</b>	4,449.	5,114.	6,904.
	-	72"	<b>RRAW7272-(1/2/3)</b>	5,254.	6,044.	8,157.

Order Code	Specification Information	Application Notes
Example: <b>RRAW72302</b> <b>R</b> Reff <b>R</b> Rectangular <b>A</b> 1 1/4" thick <b>W</b> Waterfall all sides <b>72</b> 72" wide <b>30</b> 30" deep <b>2</b> V2 finish <b>V319</b> Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish  1. Thickness option: A = 1 1/4"  2. Finish type: 1 = V1 2 = V2 3 = V3  Applicable finishes are listed on Reff Profiles and Reff Profiles.  Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.  Top to top brackets included.  Tops have no radius on edges that adjoin.  See table base matrix in Planning Guide for base supports recommended.  Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.  Waterfall tops cannot be specified with semi-open pore finish.

# Cascade Edge 1 1/4" Rectilinear 24" and 30" deep

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  <i>shown with grommet</i>	24"	24"	<b>RCE1R2424N</b>	\$245.	\$213.
	24"	30"	<b>RCE1R3024N</b>	282.	245.
	24"	36"	<b>RCE1R3624N</b>	312.	270.
	24"	42"	<b>RCE1R4224N</b>	359.	312.
	24"	48"	<b>RCE1R4824N</b>	403.	350.
	24"	54"	<b>RCE1R5424N</b>	432.	376.
	24"	60"	<b>RCE1R6024N</b>	469.	408.
	24"	66"	<b>RCE1R6624N</b>	506.	441.
	24"	72"	<b>RCE1R7224N</b>	530.	461.
	24"	78"	<b>RCE1R7824N</b>	568.	495.
	24"	84"	<b>RCE1R8424N</b>	601.	523.
24"	90"	<b>RCE1R9024N</b>	677.	590.	
24"	96"	<b>RCE1R9624N</b>	740.	644.	
30"D Rectangular  <i>shown with grommet</i>	30"	24"	<b>RCE1R2430N</b>	313.	271.
	30"	30"	<b>RCE1R3030N</b>	350.	305.
	30"	36"	<b>RCE1R3630N</b>	390.	339.
	30"	42"	<b>RCE1R4230N</b>	422.	368.
	30"	48"	<b>RCE1R4830N</b>	469.	408.
	30"	54"	<b>RCE1R5430N</b>	531.	462.
	30"	60"	<b>RCE1R6030N</b>	583.	508.
	30"	66"	<b>RCE1R6630N</b>	651.	566.
	30"	72"	<b>RCE1R7230N</b>	677.	590.
	30"	78"	<b>RCE1R7830N</b>	723.	629.
	30"	84"	<b>RCE1R8430N</b>	769.	669.
30"	90"	<b>RCE1R9030N</b>	827.	719.	
30"	96"	<b>RCE1R9630N</b>	884.	769.	

Worksurfaces

### Order Code

Example:	<b>RCE1R3024N 118</b>
<b>R</b>	Reff
<b>CE1</b>	Cascade edge
<b>R</b>	Rectangular
<b>30</b>	Width
<b>24</b>	Depth
<b>N</b>	No grommet
<b>118</b>	Finish

### Specification Information

To order please specify pattern number including finish:

Available finishes:

Solid:

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

Woodgrain:

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

### Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 209 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.


Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, pthalates and lead content.



# Cascade Edge 1 1/4" Blended "D"

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	48"	24"	66"	<b>RCE1BD6648S(L/R)</b>	\$992.	\$863.
	48"	24"	72"	<b>RCE1BD7248S(L/R)</b>	1,016.	882.
	48"	24"	78"	<b>RCE1BD7848S(L/R)</b>	1,172.	1,019.
	48"	24"	84"	<b>RCE1BD8448S(L/R)</b>	1,204.	1,047.
	48"	30"	66"	<b>RCE1BD6648D(L/R)</b>	1,044.	907.
	48"	30"	72"	<b>RCE1BD7248D(L/R)</b>	1,082.	940.
	48"	30"	78"	<b>RCE1BD7848D(L/R)</b>	1,211.	1,054.
	48"	30"	84"	<b>RCE1BD8448D(L/R)</b>	1,279.	1,113.

### Order Code

Example:	<b>RCE1BD6648SR 118</b>
<b>R</b>	Reff
<b>CE1</b>	Cascade edge
<b>BD</b>	Blended "D"
<b>66</b>	Width
<b>48</b>	Depth
<b>S</b>	24" return
<b>R</b>	right hand
<b>118</b>	Finish

### Specification Information

*To order please specify pattern number including:*

1. Return depth (dimension C on line art, hard coded in pattern number )  
 S = 24" return  
 D = 30" return

2. Hand ( left or right )

3. Finish  
**Solid:**  
 114 Folkstone Grey  
 117 Soft Grey  
 118 Bright White  
 119 Pumice

Woodgrain:  
 124 Medium Cherry  
 125 Natural Maple  
 126 Natural Cherry  
 127 Walnut

### Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 209 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.


Actual width 1/16" less nominal.  
 Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

# Cascade Edge 1 1/4"


## Curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	24"	24"	36"	<b>RCE1L3636SSN</b>	\$614.	\$533.
	24"	24"	42"	<b>RCE1L4242SSN</b>	740.	644.
	24"	24"	48"	<b>RCE1L4848SSN</b>	832.	723.
	24"	30"	42"	<b>RCE1L4242DSN</b>	878.	765.
	24"	30"	48"	<b>RCE1L4848DSN</b>	996.	866.
	30"	24"	42"	<b>RCE1L4242SDN</b>	878.	765.
	30"	24"	48"	<b>RCE1L4848SDN</b>	996.	866.
	30"	30"	48"	<b>RCE1L4848DDN</b>	894.	777.

Order Code	Specification Information	Application Notes
<p>Example: <b>RCE1L3636SSN 114</b></p> <p><b>RCE1</b> Reff Cascade Edge worksurface</p> <p><b>L</b> Curvilinear Corner top</p> <p><b>36</b> Width</p> <p><b>36</b> Depth</p> <p><b>S</b> 24"d, left side</p> <p><b>S</b> 24"d, right side</p> <p><b>N</b> No grommet</p> <p><b>114</b> Folkstone Grey finish</p> <p>Grain Direction</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number)</p> <p>SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right</p> <p>2. Grommets ( hard coded in pattern number )</p> <p>N= no grommets G= grommets</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p> <p>3. Finish</p> <p><b>Solid:</b></p> <p>114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain:</p> <p>124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p> <p>Graing Direction:</p> <p>D = Diagonal L = Left hand N = Not required R = Right hand</p>	<p>Center-located edge grommets, located on center of sides marked A.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 209 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p> <p>Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p> <p>Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.</p>

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.

# Cascade Edge 1 1/4" Blended "L"

description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	<b>RCE1L4260SSN</b>	\$1,017.	\$884.
	42"	66"	24"	24"	<b>RCE1L4266SSN</b>	1,044.	907.
	42"	72"	24"	24"	<b>RCE1L4272SSN</b>	1,084.	941.
	42"	78"	24"	24"	<b>RCE1L4278SSN</b>	1,094.	953.
	48"	60"	24"	24"	<b>RCE1L4860SSN</b>	1,029.	896.
	48"	60"	24"	30"	<b>RCE1L4860SDN</b>	1,012.	878.
	48"	60"	30"	24"	<b>RCE1L4860DSN</b>	1,012.	878.
	48"	66"	24"	24"	<b>RCE1L4866SSN</b>	1,066.	928.
	48"	66"	24"	30"	<b>RCE1L4866SDN</b>	1,063.	924.
	48"	66"	30"	24"	<b>RCE1L4866DSN</b>	1,063.	924.
	48"	72"	24"	24"	<b>RCE1L4872SSN</b>	1,106.	962.
	48"	72"	24"	30"	<b>RCE1L4872SDN</b>	1,113.	967.
	48"	72"	30"	24"	<b>RCE1L4872DSN</b>	1,113.	967.
	48"	78"	24"	24"	<b>RCE1L4878SSN</b>	1,219.	1,060.
	48"	84"	24"	24"	<b>RCE1L4884SSN</b>	1,371.	1,191.
	60"	42"	24"	24"	<b>RCE1L6042SSN</b>	1,017.	884.
	60"	48"	24"	24"	<b>RCE1L6048SSN</b>	1,029.	896.
	60"	48"	24"	30"	<b>RCE1L6048SDN</b>	1,012.	878.
	60"	48"	30"	24"	<b>RCE1L6048DSN</b>	1,012.	878.
	66"	42"	24"	24"	<b>RCE1L6642SSN</b>	1,044.	907.
	66"	48"	24"	24"	<b>RCE1L6648SSN</b>	1,066.	928.
	66"	48"	24"	30"	<b>RCE1L6648SDN</b>	1,063.	924.
	66"	48"	30"	24"	<b>RCE1L6648DSN</b>	1,063.	924.
	72"	42"	24"	24"	<b>RCE1L7242SSN</b>	1,084.	941.
	72"	48"	24"	24"	<b>RCE1L7248SSN</b>	1,106.	962.
	72"	48"	24"	30"	<b>RCE1L7248SDN</b>	1,113.	967.
	72"	48"	30"	24"	<b>RCE1L7248DSN</b>	1,113.	967.
	78"	42"	24"	24"	<b>RCE1L7842SSN</b>	1,094.	953.
	78"	48"	24"	24"	<b>RCE1L7848SSN</b>	1,219.	1,060.
	84"	48"	24"	24"	<b>RCE1L8448SSN</b>	1,371.	1,191.

Order Code	Specification Information	Application Notes
<p>Example: <b>RCE1L4260SSG 114</b></p> <p><b>RCE1</b> Cascade edge worksurface</p> <p><b>L</b> Blended "L" top</p> <p><b>42</b> Width</p> <p><b>60</b> Depth</p> <p><b>S</b> 24"d, left side</p> <p><b>S</b> 24"d, right side</p> <p><b>G</b> Grommets</p> <p><b>114</b> Top finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number):            SS = 24"d left and right            SD = 24"d left, 30"d right            DS = 30"d left, 24"d right</p> <p>2. Grommets ( hard coded in pattern number):            N= no grommets            G= grommets</p> <p>3. Finishes:  <b>Solid:</b>            114 Folkstone Grey            117 Soft Grey            118 Bright White            119 Pumice</p> <p>Woodgrain:            124 Medium Cherry            125 Natural Maple            126 Natural Cherry            127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 209 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal.            Actual depth 3/8" less nominal for cord drop.</p>





To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

# Cascade Edge 1 1/4"

## Half round and corner round

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	<b>RCE1H4818</b>	\$530.	\$461.
	50 1/2"	18"	<b>RCE1H4818P</b>	530.	461.
	60"	24"	<b>RCE1H6024</b>	731.	634.
	62 1/2"	24"	<b>RCE1H6024P</b>	731.	634.
 LH Corner Round	24"	24"	<b>RCE1CR24L</b>	282.	245.
 RH Corner Round	24"	24"	<b>RCE1CR24R</b>	282.	245.
 Notched Corner Round	24"	24"	<b>RCE1CR24N</b>	282.	245.

Worksurfaces

### Order Code

Example:	<b>RCE1H4818P 118</b>
<b>R</b>	Reff
<b>CE1</b>	Cascade edge
<b>H</b>	Half round
<b>48</b>	Width
<b>18</b>	Depth
<b>P</b>	Notch for panel trim
<b>118</b>	Finish

### Specification Information

To order please specify pattern number including finish:  
 Available finishes:

**Solid:**

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

**Woodgrain:**

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

### Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket from page 209 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Half round tops with suffix P, notched for panel end trim profile B square only.


Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.  
 Actual depth 3/8" less nominal.


Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

# Cascade Edge 1 1/4" Wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	3"	15"	<b>RCE1W363024N</b>	\$659.	\$573.
	42"	24"	30"	9"	15"	<b>RCE1W423024N</b>	693.	602.
	48"	24"	30"	15"	15"	<b>RCE1W483024N</b>	742.	645.
	72"	24"	30"	30 1/2"	23 1/2"	<b>RCE1W723024N</b>	942.	821.

shown with grommet

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, RH 	36"	30"	24"	15"	3"	<b>RCE1W362430N</b>	659.	573.
	42"	30"	24"	15"	9"	<b>RCE1W422430N</b>	693.	602.
	48"	30"	24"	15"	15"	<b>RCE1W482430N</b>	742.	645.
	72"	30"	24"	23 1/2"	30 1/2"	<b>RCE1W722430N</b>	942.	821.

shown with grommet

## Order Code

Example:	<b>RCE1W483024N 118</b>
<b>RCE1</b>	Cascade edge worksurface
<b>W</b>	Wave end
<b>48</b>	Width
<b>30</b>	Depth, left side
<b>24</b>	Depth, right side
<b>N</b>	No grommet
<b>118</b>	Top finish

## Specification Information

To order please specify pattern number including finish:

Available finishes:

*Solid:*

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

*Woodgrain:*

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

## Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Specify cantilever bracket (ASBC18( L/R ) or ASBC24 (L/R)) from page 209 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.  
Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Tables, 1 1/2  
 Rectangle with Open Frame Leg  
 24", 30" and 36" deep - 26 1/2" High

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 26 1/2" height leg	1 1/2"	24"	60"	RTRDOF60241( ) ( )	\$1,750.	\$1,933.	\$2,001.	\$2,252.
	1 1/2"	24"	66"	RTRDOF66241( ) ( )	1,762.	1,952.	2,027.	2,299.
	1 1/2"	24"	72"	RTRDOF72241( ) ( )	1,775.	1,967.	2,049.	2,317.
	1 1/2"	24"	78"	RTRDOF78241( ) ( )	1,793.	2,009.	2,095.	2,410.
	1 1/2"	24"	84"	RTRDOF84241( ) ( )	1,805.	2,048.	2,138.	2,475.




Table Top Rectangle 30" Deep with 26 1/2" height leg	1 1/2"	30"	60"	RTRDOF60301( ) ( )	1,845.	2,003.	2,085.	2,378.
	1 1/2"	30"	66"	RTRDOF66301( ) ( )	1,858.	2,026.	2,115.	2,432.
	1 1/2"	30"	72"	RTRDOF72301( ) ( )	1,875.	2,042.	2,157.	2,499.
	1 1/2"	30"	78"	RTRDOF78301( ) ( )	1,895.	2,092.	2,195.	2,561.
	1 1/2"	30"	84"	RTRDOF84301( ) ( )	1,909.	2,143.	2,253.	2,644.







Table Top Rectangle 36" Deep with 26 1/2" height leg	1 1/2"	36"	60"	RTRDOF60361( ) ( )	1,871.	2,055.	2,150.	2,484.
	1 1/2"	36"	66"	RTRDOF66361( ) ( )	1,887.	2,083.	2,187.	2,548.
	1 1/2"	36"	72"	RTRDOF72361( ) ( )	1,906.	2,122.	2,234.	2,621.
	1 1/2"	36"	78"	RTRDOF78361( ) ( )	1,929.	2,155.	2,277.	2,693.
	1 1/2"	36"	84"	RTRDOF84361( ) ( )	1,945.	2,201.	2,330.	2,773.




Order Code	Specification Information	Application Notes
Example: <b>R</b> TSDRL42421 ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
<b>R</b> Reff		
<b>TR</b> Table Rectangular	1. Worksurface finish L, V1, V2, V3	Modesty sold separately.
<b>D</b> 1 1/2"		
<b>OF</b> Open Frame Leg	2. Open Frame Leg finish Painted and Anodized	1 1/2" top will come with appropriate stiffener support.
<b>60</b> Width		
<b>30</b> Depth		Grommets are NOT optional for these tables.
<b>1</b> 26 1/2" height leg		
<b>V316</b> Finish		
<b>111</b> Leg Finish		

*Open Frame Leg Infill Options - 26 1/2" High  
Infills for Tables only*

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 26 1/2" h 	24"	20"	<b>RIPI201()</b>	\$296.	\$384.	\$442.	\$574.	
	24"	24"	<b>RIPI241()</b>	304.	394.	453.	590.	
	24"	30"	<b>RIPI301()</b>	320.	414.	476.	620.	
	24"	36"	<b>RIPI361()</b>	339.	440.	505.	657.	

Outside Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	<b>RIPO201()</b>	297.	386.	443.	576.	
	25"	24"	<b>RIPO241()</b>	305.	396.	455.	591.	
	25"	30"	<b>RIPO301()</b>	322.	417.	479.	623.	
	25"	36"	<b>RIPO361()</b>	340.	441.	507.	659.	

Outside Glass Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	<b>RIPOG201()</b>					765.
	25"	24"	<b>RIPOG241()</b>					863.
	25"	30"	<b>RIPOG301()</b>					1,015.
	25"	36"	<b>RIPOG361()</b>					1,171.

Order Code	
Example: <b>RIPEI202</b>	
<b>R</b>	Reff Profiles
<b>IP</b>	Infill Panel
<b>PE</b>	Peninsula End
<b>I</b>	Inside
<b>20</b>	Width
<b>2</b>	28 3/8" h: Desk Height
<b>()</b>	Finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Finish: L, V1,V2,V3, Glass
I=Inside
O=Outside
OG=Outside Glass
Glass options: GL11, GL14, GL15, GL18

Application Notes
Both Inside and Outside infill panels are required and must be ordered separately.
Infills; fill entire opening of open frame legs.
Infills connect to each other. Can be removed without any damage to the frame legs.
Glass Option is only available for outside infill.
Inside infill options are wood or laminate.
Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.
Product on this page will accept woodgrain laminate where laminate is currently an option.

Tables, 1 1/2  
*Rectangle with L-Leg*  
*30" and 36" deep*

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	<b>RTRDL48301()</b> ( )	\$1,484.	\$1,607.	\$1,676.	\$1,948.
	30"	60"	1 1/2"	<b>RTRDL60301()</b> ( )	1,556.	1,685.	1,768.	2,097.
	30"	72"	1 1/2"	<b>RTRDL72301()</b> ( )	1,603.	1,736.	1,834.	2,217.





Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	<b>RTRDL72361()</b> ( )	1,652.	1,789.	1,903.	2,345.
---	-----	-----	--------	-------------------------	--------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: <b>RTRDL48301()</b> ( )	<i>To order please specify pattern number including:</i> 1. Worksurface finish L, V1, V2, V3 2. Leg finish Painted / Anodized	Product on this page will accept woodgrain laminate where laminate is currently an option.  Assembly required, ships knock down.  Modesty sold separately.  Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.  Grommets are NOT optional for these tables.
<b>R</b> Reff		
<b>TR</b> Table Rectangular		
<b>D</b> 1 1/2"		
<b>L</b> L-Leg		
<b>48</b> Width		
<b>30</b> Depth		
<b>1</b> 26 1/2" height leg, 2 = 28 3/8" height		
<b>V316</b> Finish		
<b>111</b> Leg Finish		



Tables, 1 1/2  
*Rectangle with Reverse L-Leg*  
*30" and 36" deep*

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	<b>RTRDRL48301</b> ( ) ( ) ( )	\$1,484.	\$1,607.	\$1,676.	\$1,948.
	30"	60"	1 1/2"	<b>RTRDRL60301</b> ( ) ( ) ( )	1,556.	1,685.	1,768.	2,097.
	30"	72"	1 1/2"	<b>RTRDRL72301</b> ( ) ( ) ( )	1,603.	1,736.	1,834.	2,217.





Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	<b>RTRDRL72361</b> ( ) ( ) ( )	1,652.	1,789.	1,903.	2,345.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: <b>RTRDRL48301</b> ( ) ( ) ( )	To order please specify pattern number including:	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>R</b> Reff		Assembly required, ships knock down.
<b>TR</b> Table Rectangular	1. Worksurface finish	Modesty sold separately.
<b>D</b> 1 1/2"	L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>RL</b> Reverse L-Leg	2. Leg finish	Grommets are NOT optional for these tables.
<b>48</b> Width	Painted / Anodized	
<b>30</b> Depth		
<b>1</b> 26 1/2" height leg, 2 = 28 3/8" height		
<b>V316</b> Finish		
<b>111</b> Leg Finish		

Tables, 1 1/2  
*Rectangle with Soft Rectangular Leg*  
*30" and 36" deep*

description	depth	width	thickness	pattern number	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	<b>RTRDS48301</b> ( ) ( ) ( )	\$1,377.	\$1,491.	\$1,561.	\$1,832.
	30"	60"	1 1/2"	<b>RTRDS60301</b> ( ) ( ) ( )	1,450.	1,570.	1,652.	1,982.
	30"	72"	1 1/2"	<b>RTRDS72301</b> ( ) ( ) ( )	1,497.	1,620.	1,718.	2,103.






Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	<b>RTRDS72361</b> ( ) ( ) ( )	1,546.	1,674.	1,788.	2,230.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: <b>RTRDS48301</b> ( ) ( ) ( )	To order please specify pattern number including:	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>R</b> Reff		
<b>TR</b> Table Rectangular	1. Worksurface finish L, V1, V2, V3	Assembly required, ships knock down. Modesty sold separately.
<b>D</b> 1 1/2"		
<b>S</b> Soft Rectangular Leg	2. Leg finish Painted / Anodized	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>48</b> Width		
<b>30</b> Depth		Grommets are NOT optional for these tables.
<b>1</b> 26 1/2" height leg, 2 = 28 3/8" height		
<b>V316</b> Finish		
<b>111</b> Leg Finish		

Tables, 1 1/2  
 Square with L-Leg  
 42" and 48" deep


description	w	d	th	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	<b>RTSDL42421</b> ( ) ( ) ( )	\$1,520.	\$1,649.	\$1,731.	\$2,049.
	48"	48"	1 1/2"	<b>RTSDL48481</b> ( ) ( ) ( )	1,584.	1,719.	1,823.	2,216.



Order Code	Specification Information	Application Notes
Example: <b>RTSDL42421</b> ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
<b>R</b> Reff		Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>TS</b> Table Square	1. Worksurface finish	Modesty sold separately.
<b>D</b> 1 1/2"	L, V1, V2, V3	Grommets are NOT optional for these tables.
<b>L</b> L-Leg	2. Leg finish	
<b>42</b> Width	Painted / Anodized	
<b>42</b> Depth		
<b>1</b> 26 1/2" height leg, 2 = 28 3/8" height		
<b>V316</b> Finish		
<b>111</b> Leg Finish		

Tables, 1 1/2  
 Square with Reverse L-Leg  
 42" and 48" deep


description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	1 1/2"	42"	42"	<b>RTSDRL42421</b> ( ) ( ) ( )	\$1,520.	\$1,649.	\$1,731.	\$2,049.
	1 1/2"	48"	48"	<b>RTSDRL48481</b> ( ) ( ) ( )	1,584.	1,719.	1,823.	2,216.



Order Code	Specification Information	Application Notes
Example: <b>RTSDRL42421</b> ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
<b>R</b> Reff		
<b>TS</b> Table Square		Modesty sold separately.
<b>D</b> 1 1/2"	1. Worksurface finish L, V1, V2, V3	Grommets are NOT optional for these tables.
<b>RL</b> Reverse L-Leg	2. Leg finish Painted / Anodized	
<b>42</b> Width		
<b>42</b> Depth		
<b>1</b> 26 1/2" height leg, 2 = 28 3/8" height		Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>V316</b> Finish		
<b>111</b> Leg Finish		


Tables, 1 1/2  
*Square with Soft Rectangular Leg*  
*42" and 48" deep*

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	1 1/2"	42"	42"	<b>RTSDS42421</b> ( ) ( ) ( )	\$1,557.	\$1,690.	\$1,773.	\$2,089.
	1 1/2"	48"	48"	<b>RTSDS48481</b> ( ) ( ) ( )	1,622.	1,760.	1,863.	2,257.






Order Code	Specification Information	Application Notes	
Example: <b>RTSDS42421</b> ( ) ( ) ( )	<i>To order please specify pattern number including:</i> 1. Worksurface finish L, V1, V2, V3 2. Leg finish Painted / Anodized	Assembly required, ships knock down.  Modesty sold separately.  Grommets are NOT optional for these tables.	
<b>R</b> Reff			Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>TS</b> Table Square			
<b>D</b> 1 1/2"			
<b>S</b> Soft Rectangular-Leg			
<b>42</b> Width			
<b>42</b> Depth			
<b>1</b> 26 1/2" height leg, 2 = 28 3/8" height			
<b>V316</b> Finish			
<b>111</b> Leg Finish			

Tables, 1 1/2  
 Round with Column Leg  
 36", 42" and 48" diameter

description	th	dia.	pattern no.	L	V1	V2	V3
 Table Top Round with 26 1/2" height legs	1 1/2"	36"	<b>RTNDC361</b> ( ) ( ) ( )	\$2,498.	\$2,710.	\$2,772.	\$2,996.
	1 1/2"	42"	<b>RTNDC421</b> ( ) ( ) ( )	2,560.	2,777.	2,859.	3,146.
	1 1/2"	48"	<b>RTNDC481</b> ( ) ( ) ( )	2,622.	2,845.	2,947.	3,307.




Order Code	Specification Information	Application Notes
Example: <b>RTNDC361</b> ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
<b>R</b> Reff	1. Worksurface finish	Modesty sold separately.
<b>TN</b> Table Round	L, V1, V2, V3	Grommets are NOT optional for these tables.
<b>D</b> 1 1/2"	2. Leg finish	
<b>C</b> Column Leg	Painted / Plated	
<b>36</b> Diameter		
<b>1</b> 26 1/2" height leg, 2 = 28 3/8" height		Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>V316</b> Finish		
<b>111</b> Leg Finish		

# Tables, 1" Sliding, Laminate

description	d	w	th	pattern no.	L
 Round Table with 26 1/2" height legs	36"		1"	<b>RSTRLE361</b> ( ) ( )	\$3,006.
	42"		1"	<b>RSTRLE421</b> ( ) ( )	3,065.
 Soft Square Table with 26 1/2" height legs	36"		1"	<b>RSTSLE361</b> ( ) ( )	2,979.
	42"		1"	<b>RSTSLE421</b> ( ) ( )	3,043.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	<b>RSTTLE30481</b> ( ) ( )	2,807.
	36"	54"	1"	<b>RSTTLE36541</b> ( ) ( )	2,881.

Order Code	Specification Information	Application Notes
Example: <b>RSTRLE361</b> ( ) ( )	To order please specify pattern number including:	Assembly required.
<b>R</b> Reff	1. Worksurface finish:	Ships knocked down.
<b>ST</b> Sliding Table	Laminate only	Grommets are <u>not</u> an option for these tables.
<b>R</b> Round	2. Leg Textured finish:	Column and base are color matched
<b>L</b> Laminate surface	111T, 115T, 118T	Column = smooth
<b>E</b> 1" thick		Base = textured
<b>42</b> 42" diameter		
<b>1</b> 26 1/2" height leg, 2 = 28 3/8" height		
<b>114</b> Finish		
<b>118T</b> Leg Finish		

# Tables, 1" Sliding, Wood




description	d	w	th	pattern no.	V1	V2	V3
 Round Table with 26 1/2" height legs	36"		1"	<b>RSTRWE361</b> ( )()	\$3,261.	\$3,312.	\$3,568.
	42"		1"	<b>RSTRWE421</b> ( )()	3,326.	3,394.	3,712.
 Soft Square Table with 26 1/2" height legs	36"		1"	<b>RSTSWE361</b> ( )()	3,232.	3,283.	3,562.
	42"		1"	<b>RSTSWE421</b> ( )()	3,302.	3,368.	3,712.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	<b>RSTTWE30481</b> ( )()	3,046.	3,101.	3,402.
	36"	54"	1"	<b>RSTTWE36541</b> ( )()	3,125.	3,198.	3,569.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSTRWE361</b> ( )()	To order please specify pattern number including:	Column and base are color matched.
<b>R</b> Reff	1. Worksurface finish	Assembly required, ships knock down.
<b>ST</b> Sliding Table	V1, V2, V3 wood only	
<b>R</b> Round	2. Leg Textured finish:	Grommets are not an option for these tables.
<b>W</b> Wood surface	111T, 115T, 118T	
<b>E</b> 1" thick		
<b>42</b> 42" diameter		
<b>1</b> 26 1/2" height leg, 2 = 28 3/8" height		
<b>V316</b> Finish		
<b>111T</b> Leg Finish		



# Tables, 1" Sliding, Solid


description	d	w	th	pattern no.	Solid
 Round Table with 26 1/2" height legs	36"		1"	<b>RSTRSE361</b> ( ) ( )	\$8,362.
	42"		1"	<b>RSTRSE421</b> ( ) ( )	9,581.
 Soft Square Table with 26 1/2" height legs	36"		1"	<b>RSTSSE361</b> ( ) ( )	7,476.
	42"		1"	<b>RSTSSE421</b> ( ) ( )	8,818.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	<b>RSTTSE30481</b> ( ) ( )	9,213.
	36"	54"	1"	<b>RSTTSE36541</b> ( ) ( )	10,216.

Order Code	Specification Information	Application Notes
Example: <b>RSTRSE361</b> ( ) ( )	To order please specify pattern number including:	Assembly required.
<b>R</b> Reff	1. Worksurface finish: AW=Artic White, only	Ships knocked down.
<b>ST</b> Sliding Table	2. Leg finish Textured: 111T, 115T, 118T	Grommets are <u>not</u> an option for these tables.
<b>R</b> Round		Artic White finish available for solid tops.
<b>S</b> Solid		Column and base are color matched.
<b>E</b> 1" thick		Column=smooth
<b>42</b> 42" diameter		Base=textured
<b>1</b> 26 1/2" height leg, 2 = 28 3/8" height		
<b>AW</b> Worksurface finish		
<b>111T</b> Leg Finish		

# Top support components


## Bracketry

description	d	pattern no.	P1& black only	P2	P3
Cantilever bracket, panel hung	18"	<b>RBC18 (L/R)</b>	\$94.	\$98.	\$102.
	24"	<b>RBC24 (L/R)</b>	102.	108.	114.




Specify paint finish  
 18" for 20" and 24"d tops  
 24" for 30" and 36"d tops  
 Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	<b>ASBC18 (L/R) ( )</b>	95.	100.	104.
	24"	<b>ASBC24 (L/R) ( )</b>	104.	112.	117.



Specify paint finish  
 18" for 24"d tops  
 24" for 30" d tops  
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)






Mid-span cantilever bracket, free standing	17"	<b>RMSCB ( )</b>	75.	80.	84.
--	-----	------------------	-----	-----	-----



Order Code	Specification Information	Application Notes
Example: <b>RBC18L</b>	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
<b>R</b> Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
<b>B</b> Bracket	2. Top thickness, where applicable.	Refer to page 304 for replacement hardware.
<b>C</b> Cantilever	3. Finish type	
<b>18</b> 18" deep	4. Finish, where applicable	Cantilever should be specified with top to top brackets.
<b>L</b> Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	<b>Knoll takes no responsibility for the installation or security of tops to the wall.</b>

# Top support components




## Bracketry

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		<b>RBCC</b>	\$19.		
	Black only				
Side hung support bracket 		<b>RBCCP (Pair)</b>	40.	42.	43.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		<b>RBPP (L/R)</b>	8.		
	Black only				
Top to top bracket 	6" x 1"	<b>RBF (Pair)</b>	5.		
	Black only				
Wall hung support bracket 	20"	<b>RSBWH20</b>	42.	44.	46.
	24"	<b>RSBWH24</b>	44.	48.	51.
	30"	<b>RSBWH30</b>	48.	51.	54.
	36"	<b>RSBWH36</b>	54.	57.	60.
	42"	<b>RSBWH42</b>	57.	60.	63.
	48"	<b>RSBWH48</b>	69.	72.	75.
	Specify paint finish				
Z-bracket for bridge applications 		<b>RBZ (A/B) (Pair)</b>	35.		
	Black only				

Order Code	Specification Information	Application Notes
Example: <b>RBC18L</b>	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
<b>R</b> Reff	1. Left or right-hand, where applicable.	Refer to page 304 for replacement hardware.
<b>B</b> Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
<b>C</b> Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
<b>18</b> 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
<b>L</b> Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	<b>Knoll takes no responsibility for the installation or security of tops to the wall.</b>
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

# Top support components


## Bracketry

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		<b>RBPR (Pair)</b>	\$7.	\$7.	\$8.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		<b>RBPS (L/R)</b>	11.	13.	13.
		Specify paint finish			
Utility bracket		<b>RUTB</b>	11.		
		Black only			
L Bracket for off-module applications		<b>R113B</b>	5.		
		One by one by three bracket			
Worksurface to cabinet bracket for 24" worksurface		<b>RBWC24</b>	55.	0.	0.
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		<b>RBWC30</b>	60.	0.	0.
		bracket can be used with 30" and 36" worksurfaces			


Order Code	Specification Information	Application Notes
Example: <b>RBC18L</b>	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
<b>R</b> Reff	1. Left or right-hand, where applicable.	Refer to page 304 for replacement hardware.
<b>B</b> Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
<b>C</b> Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
<b>18</b> 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
<b>L</b> Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	<b>Knoll takes no responsibility for the installation or security of tops to the wall.</b>
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components  
 26 1/2" high planning  
 Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. <sup>15</sup> / <sub>16</sub> " actual thickness	24"	1"	26 1/2"	<b>RB24(M/H)(F/R)-()</b>	\$155.	\$221.	\$253.	\$342.
	30"	1"	26 1/2"	<b>RB30(M/H)(F/R)-()</b>	279.	395.	456.	615.
	36"	1"	26 1/2"	<b>RB36(M/H)(F/R)-()</b>	308.	434.	499.	673.
	42"	1"	26 1/2"	<b>RB42(M/H)(F/R)-()</b>	332.	472.	541.	731.
	48"	1"	26 1/2"	<b>RB48(M/H)(F/R)-()</b>	373.	530.	610.	823.
	54"	1"	26 1/2"	<b>RB54(M/H)(F/R)-()</b>	390.	557.	638.	863.
	60"	1"	26 1/2"	<b>RB60(M/H)(F/R)-()</b>	406.	574.	660.	889.
	66"	1"	26 1/2"	<b>RB66(M/H)(F/R)-()</b>	422.	598.	691.	934.
	72"	1"	26 1/2"	<b>RB72(M/H)(F/R)-()</b>	464.	660.	758.	1,024.
	78"	1"	26 1/2"	<b>RB78(M/H)(F/R)-()</b>	495.	701.	809.	1,094.
	84"	1"	26 1/2"	<b>RB84(M/H)(F/R)-()</b>	523.	744.	854.	1,153.
	90"	1"	26 1/2"	<b>RB90(M/H)(F/R)-()</b>	555.	789.	904.	1,221.
	96"	1"	26 1/2"	<b>RB96(M/H)(F/R)-()</b>	569.	807.	927.	1,250.



description	d	w	h	pattern no.	L	V1	V2	V3
Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	<b>RB3636-()</b>	1,005.	1,506.	1,733.	2,341.
	36"	42"	26 1/2"	<b>RB3642-()</b>	1,028.	1,546.	1,779.	2,401.
	36"	48"	26 1/2"	<b>RB3648-()</b>	1,072.	1,605.	1,840.	2,486.
	42"	36"	26 1/2"	<b>RB4236-()</b>	1,028.	1,546.	1,779.	2,401.
	42"	42"	26 1/2"	<b>RB4242-()</b>	1,055.	1,584.	1,825.	2,463.
	42"	48"	26 1/2"	<b>RB4248-()</b>	1,096.	1,640.	1,888.	2,549.
	48"	36"	26 1/2"	<b>RB4836-()</b>	1,072.	1,605.	1,840.	2,486.
	48"	42"	26 1/2"	<b>RB4842-()</b>	1,096.	1,640.	1,888.	2,549.
	48"	48"	26 1/2"	<b>RB4848-()</b>	1,138.	1,701.	1,968.	2,657.



Order Code	
Example: <b>RB24MFL</b>	
<b>R</b>	Reff
<b>B</b>	Back panel
<b>24</b>	48" panel dimension
<b>M</b>	Full height modesty
<b>F</b>	Flush modesty placement
<b>L</b>	Laminate
<b>114</b>	Folkstone grey

Specification Information
<i>To order please specify pattern number including:</i>
1. <i>Modesty type</i>
2. <i>Modesty placement</i>
3. <i>Finish type</i>
4. <i>Finish</i>
<i>1. Modesty type:</i>
M = Standard height (26 1/2"H)
H = Half height
<i>2. Modesty placement:</i>
F = Flush, cantilevered
R = Recessed
<i>3. Finish type:</i>
L = Laminate
1 = V1
2 = V2
3 = V3


Application Notes
Applicable finishes are listed on Reff Profiles and Reff Profiles.
Product on this page <b>Excluding any vertical surface, ie; modesty panels over 48"</b> , will accept wood grain laminate where laminate is currently an option.
Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
Modesty panel lengths are nominal - length changes on option selected.
Glides ship with all supports on this page except the recessed modesty panel.
Please see Planning Guide for freestanding planning instruction.

# Top support components


## 26 1/2" high planning

### End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	<b>RE30-( )</b>	\$476.	\$781.	\$899.	\$1,213.
	36"	1"	26 1/2"	<b>RE36-( )</b>	503.	818.	940.	1,270.




Panel end panels. All hardware included.	13"	1"	26 1/2"	<b>RSE1(L/R)-( )</b>	182.	318.	367.	495.
	16"	1"	26 1/2"	<b>RSE2(L/R)-( )</b>	196.	339.	390.	526.
	20"	1"	26 1/2"	<b>RSE3(L/R)-( )</b>	211.	357.	409.	551.
	24"	1"	26 1/2"	<b>RSE4(L/R)-( )</b>	222.	372.	429.	579.
	30"	1"	26 1/2"	<b>RSE5(L/R)-( )</b>	236.	392.	450.	610.
	36"	1"	26 1/2"	<b>RSE6(L/R)-( )</b>	250.	409.	472.	637.



left hand shown






Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	<b>RE12F-( ) Half depth end panel</b>	182.	318.	367.	495.
	15"	1"	26 1/2"	<b>RE15F-( ) Half depth end panel</b>	196.	339.	390.	526.
	19"	1"	26 1/2"	<b>RE19F-( )</b>	211.	357.	409.	551.
	23"	1"	26 1/2"	<b>RE23F-( )</b>	222.	372.	429.	579.
	29"	1"	26 1/2"	<b>RE29F-( )</b>	236.	392.	450.	610.



Order Code	Specification Information	Application Notes	
Example: <b>RSE1(L)114</b>	<p>To order please specify pattern number including:</p> <p>1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p>2. <i>Finish</i></p>	<p>Applicable finishes are listed on Reff Profiles and Reff Profiles.</p> <p>Product on this page <b>Excluding any vertical surface, over 48"</b> will accept woodgrain laminate where laminate is currently an option.</p> <p>Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.</p> <p>Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.</p>	
<b>R</b> Reff			Modesty panel lengths are nominal - length changes on option selected.
<b>SE</b> End panel			Glides ship with all supports on this page except the recessed modesty panel.
<b>1</b> 13" deep			Please see Planning Guide for freestanding planning instruction.
<b>L</b> Left hand			
<b>L</b> Laminate			
<b>114</b> Folkstone grey			

# Top support components




## *Painted or Plated Legs 26 1/2" high planning*

description	dia.	w	h	d	pattern no.	P1	P2	P3
Column leg, Interaction style (rectangular plate) 	4"	-	26 1/2"	-	<b>RSC</b>	\$253.	\$267.	\$280.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finish only.								
4" Plain Cylinder (26 1/2" high) 	4"	-	26 1/2"	-	<b>RCB</b>	266.	279.	291.
Painted and PD, PT and PZ plated finishes.								
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	-	26 1/2"	-	<b>RSC4-()</b>	986.	1,034.	1,088.
Painted finishes only.								
T-leg, Interaction style 	-		26 1/2"	24"	<b>RIB24T</b>	362.	380.	400.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted options only								
T-Leg, plain tube style 	-		26 1/2"	20"	<b>RCB20T-()</b>	391.	411.	430.
	-		26 1/2"	24"	<b>RCB24T-()</b>	397.	420.	440.
	-		26 1/2"	30"	<b>RCB30T-()</b>	440.	461.	486.
	-		26 1/2"	40"	<b>RCB40T-()</b>	463.	488.	513.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finish options.								

Order Code	Specification Information	Application Notes
Example: <b>RSC</b>	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
<b>R</b> Reff	1. Finish type, where applicable	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
<b>S</b> Support	2. Finish	Interaction style legs are only available in painted finishes.
<b>C</b> Cylinder	<i>Finish type options:</i> P = Paint (P1, P2, P3)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
		Refer to Planning Guide for top-base matrix, pages 140 and 141.
		All bases include 1 1/2" leveller.

# Top support components

## *Painted or Anodized Legs 26 1/2" high planning*

description	h	pattern no.	list
L-Leg 	26 1/2"	<b>RPL1()</b>	\$617.
Reverse L-Leg 	26 1/2"	<b>RPRL1()</b>	617.
Soft Rectangular Leg 	26 1/2"	<b>RPS1()</b>	638.

Order Code	
Example: <b>RPL1 ( )</b>	
<b>RP</b>	Reff Profiles
<b>L</b>	Leg
<b>1</b>	26 1/2"h
<b>AN</b>	Leg finish

RL = Reverse Leg  
S = Soft Rectangular Leg




Specification Information
<i>To order please specify pattern number including:</i>
1. Finish: Painted or Anodized (AA, AN, AP, AU)

Application Notes
Legs are sold in pairs. These legs include 1" leveller.
Products on this page are 26 1/2"h. Products should not be mixed with 28 3/8"h components.
For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs, when referencing the planning guide; pages 140 and 141.
Applicable finishes are listed on Reff Profiles and Reff Profiles.



# Top support components




## *Painted or Plated Bases 26 1/2" high planning*

description	h	dia.	pattern no.	P1	P2	P3
X-base 	26 1/2"	28"	<b>RIB28X-( )</b>	\$597.	\$628.	\$661.
	26 1/2"	32"	<b>RIB32X-( )</b>	809.	852.	895.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.						
Spider base, plain tube style 	26 1/2"	24"	<b>RCB24X</b>	612.	643.	674.
	26 1/2"	28"	<b>RCB28X</b>	640.	672.	705.
	26 1/2"	36"	<b>RCB36X</b>	694.	730.	766.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finishes.						
Drum base 	26 1/2"	–	<b>RSD1427-( )</b>	1,154.	1,213.	1,273.
	26 1/2"	–	<b>RSD1827-( )</b>	1,254.	1,318.	1,383.
	26 1/2"	–	<b>RSD2027-( )</b>	1,294.	1,358.	1,425.
	26 1/2"	–	<b>RSD2427-( )</b>	1,549.	1,628.	1,708.
	26 1/2"	–	<b>RSD3027-( )</b>	1,732.	1,817.	1,908.
Painted finishes only.						

Order Code	Specification Information	Application Notes
Example: <b>RIB28X</b> <b>R</b> Ref <b>I</b> Interaction <b>B</b> Base <b>28</b> Diameter <b>X</b> X-base	To order please specify pattern number including: 1. Finish type, where applicable 2. Finish  Finish type options: P = Paint (P1, P2, P3)	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.  Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.  Refer to Planning Guide for top-base matrix, pages 140 and 141.  All bases include 1 1/2" leveller.
		Only the plain cylinder and tube legs can be ordered in plated and painted finishes.  Interaction style legs are only available in painted finishes.  Applicable finishes are listed on Ref Profiles and Ref Profiles.

# Top support components



## Laminate or Wood Bases 26<sup>1</sup>/<sub>2</sub>" high planning

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum base	14"		26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD1427-()</b>	n/a	\$1,349.	\$1,553.	\$2,097.
	18"		26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD1827-()</b>	n/a	1,466.	1,687.	2,279.
	20"		26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD2027-()</b>	n/a	1,514.	1,740.	2,349.
	24"		26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD2427-()</b>	n/a	1,814.	2,087.	2,817.
	30"		26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD3027-()</b>	n/a	2,027.	2,328.	3,143.
 T-base (hardware included)*	20"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST1-()</b>	427.	489.	571.	773.
	24"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST2-()</b>	457.	526.	604.	817.
	30"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST3-()</b>	538.	610.	706.	954.
	36"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST4-()</b>	611.	700.	803.	1,085.
	42"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST5-()</b>	678.	779.	898.	1,214.
	48"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST6-()</b>	756.	860.	993.	1,340.
 L-base (hardware included), non-handed*	12"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL12-()</b>	427.	489.	571.	773.
	15"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL15-()</b>	437.	500.	577.	778.
	20"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL20-()</b>	457.	517.	597.	806.
	24"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL24-()</b>	465.	526.	604.	817.
	30"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL30-()</b>	538.	610.	706.	954.
	36"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL36-()</b>	611.	700.	803.	1,085.
	42"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL42-()</b>	678.	779.	898.	1,214.
	48"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL48-()</b>	756.	860.	993.	1,340.

Support components

Order Code	Specification Information	Application Notes
Example: <b>RSD1427</b>	<i>To order please specify pattern number including:</i>	Refer to Planning Guide for top-base matrix, pages 140 and 141.
<b>R</b> Reff	1. Finish type	All bases include 1 <sup>1</sup> / <sub>2</sub> " leveller.
<b>S</b> Support	2. Finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>D</b> Drum base	<i>Finish type options:</i>	T and L bases are not recommended for supporting conference tops.
<b>14</b> Diameter	L = Laminate	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>27</b> Height	1 = V1	
<b>2</b> Finish type	2 = V2	
<b>R319</b> V2- Med. Cherry	3 = V3	

*Fixed Height and Height Adjustable C-Leg and T-Leg Bases*


description	type	w*	w	d	pattern no.	Fixed (F)	Pin-Set (P)	Handcrank (H)	Electric (E)	Advanced Electric (A)
	For use with 36"W, 24"D Reff Profiles C-Leg Top	36"	34"	23"	<b>RSBC3423</b> ( ) ( ) ( )	\$955.	\$1,273.	\$1,909.	\$3,316.	\$3,491.
	For use with 42"W, 24"D Reff Profiles C-Leg Top	42"	40"	23"	<b>RSBC4023</b> ( ) ( ) ( )	955.	1,273.	1,909.	3,316.	3,491.
	For use with 48"W, 24"D Reff Profiles C-Leg Top	48"	46"	23"	<b>RSBC4623</b> ( ) ( ) ( )	955.	1,273.	1,909.	3,316.	3,491.
	For use with 54"W, 24"D Reff Profiles C-Leg Top	54"	52"	23"	<b>RSBC5223</b> ( ) ( ) ( )	955.	1,273.	1,909.	3,316.	3,491.
	For use with 60"W, 24"D Reff Profiles C-Leg Top	60"	58"	23"	<b>RSBC5823</b> ( ) ( ) ( )	955.	1,273.	1,909.	3,316.	3,491.
	For use with 66"W, 24"D Reff Profiles C-Leg Top	66"	64"	23"	<b>RSBC6423</b> ( ) ( ) ( )	977.	1,295.	1,932.	3,338.	3,514.
	For use with 72"W, 24"D Reff Profiles C-Leg Top	72"	70"	23"	<b>RSBC7023</b> ( ) ( ) ( )	977.	1,295.	1,932.	3,338.	3,514.
<i>Fixed Shown</i>										
	For use with 36"W, 30"D Reff Profiles C-Leg Top	36"	34"	29"	<b>RSBC3429</b> ( ) ( ) ( )	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 42"W, 30"D Reff Profiles C-Leg Top	42"	40"	29"	<b>RSBC4029</b> ( ) ( ) ( )	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 48"W, 30"D Reff Profiles C-Leg Top	48"	46"	29"	<b>RSBC4629</b> ( ) ( ) ( )	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 54"W, 30"D Reff Profiles C-Leg Top	54"	52"	29"	<b>RSBC5229</b> ( ) ( ) ( )	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 60"W, 30"D Reff Profiles C-Leg Top	60"	58"	29"	<b>RSBC5829</b> ( ) ( ) ( )	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 66"W, 30"D Reff Profiles C-Leg Top	66"	64"	29"	<b>RSBC6429</b> ( ) ( ) ( )	1,023.	1,341.	1,977.	3,381.	3,559.
	For use with 72"W, 30"D Reff Profiles C-Leg Top	72"	70"	29"	<b>RSBC7029</b> ( ) ( ) ( )	1,023.	1,341.	1,977.	3,381.	3,559.

*Fixed Shown*


Order Code	Specification Information	Application Notes
Example: <b>RSBC5829HS, 9005, 613</b>	1. <i>Base Type:</i>	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
<b>RSB</b> Universal Base	(F) = Fixed (27" High)	Base comes with worksurface mounting hardware and leveling glides with 1/4" of height adjustability.
<b>C</b> C-Leg	(P) = Pin-Set (22" - 35" High)	
<b>58</b> Width	(H) = Handcrank (22" - 35" High)	23"D C-Leg bases support rectangular tops up to 24"D. 29"D C-Leg bases support rectangular tops up to 30"D. 29"D T-Leg bases support rectangular tops up to 36"D centered over feet. 16"D Corner bases support 48"x48" curvilinear corner tops up to 30"D.
<b>29</b> Depth	(E) = Electric (27" - 46 1/2" High)	
<b>H</b> Handcrank	(A) = Advanced Electric (21" - 47 1/2" High)	36"W C-Leg bases (except for Pin-set) support tops up to 60"w centered over feet (max 12" overhang on each side). 36"W Pin-Set C-Leg bases cannot support tops wider than the base. 42"W C-Leg bases support tops up to 66"W centered over feet (max 12" overhang on each side).
<b>S</b> Shroud	Base height ranges shown do not include worksurface thickness.	Bases have a default black paint finish (9005). Painted lower leg shroud and feet can be specified in Knoll Core paint finishes.
<b>9005</b> Black Base Finish	2. <i>Shroud Options:</i>	Fixed and Pin-Set bases support up to 440lbs. Handcrank bases support up to 260lbs. Electric bases support up to 300lbs.
<b>613</b> Shroud/Feet Paint Finish	(N) = Leg without a metal shroud	Pin-Set base adjusts on 1" increments.
	(S) = Painted metal shroud to surround lower leg with matching foot. Add \$100 to the list price.	Crank handle is located on the right side of the base. Five turns of the handle adjust worksurface 1".
	3. <i>Base Finish:</i> default black paint (9005)	
	4. <i>Shroud/Feet Paint Finish,</i> when applicable	

w\* = nominal width

*Fixed Height and Height Adjustable C-Leg and T-Leg Bases*

description	type	w*	w	d	pattern no.	Fixed (F)	Pin-Set (P)	Handcrank (H)	Electric (E)	Advanced Electric (A)
 <p>Pin-Set Shown</p>	30" Deep T-Leg Bases For use with 48"W, 30" or 36"D Reff Profiles T-Leg Top	48"	46"	29"	<b>RSBT4629</b> (X)(X)(X)	\$1,000.	\$1,318.	\$1,955.	\$3,360.	\$3,536.
	For use with 54"W, 30" or 36"D Reff Profiles T-Leg Top	54"	52"	29"	<b>RSBT5229</b> (X)(X)(X)	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 60"W, 30" or 36"D Reff Profiles T-Leg Top	60"	58"	29"	<b>RSBT5829</b> (X)(X)(X)	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 66"W, 30" or 36"D Reff Profiles T-Leg Top	66"	60"	29"	<b>RSBT6429</b> (X)(X)(X)	1,023.	1,341.	1,977.	3,381.	3,559.
	For use with 72"W, 30" or 36"D Reff Profiles T-Leg Top	72"	70"	29"	<b>RSBT7029</b> (X)(X)(X)	1,023.	1,341.	1,977.	3,381.	3,559.

C-Leg Corner Base	For use with Reff Profiles Corner C-Leg Top	48"	46"	16"	<b>RSBK464616</b> (X)(X)(X)	1,545.	2,023.	3,000.	5,087.	5,355.
-------------------	---	-----	-----	-----	-----------------------------	--------	--------	--------	--------	--------




Fixed Shown

Order Code	Specification Information	Application Notes
Example: <b>RSBC5829HS, 9005, 613</b>	1. <i>Base Type:</i>	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
<b>RSB</b> Universal Base	(F) = Fixed (27" High)	Base comes with worksurface mounting hardware and leveling glides with 1/4" of height adjustability.
<b>C</b> C-Leg	(P) = Pin-Set (22" - 35" High)	
<b>58</b> Width	(H) = Handcrank (22" - 35" High)	23"D C-Leg bases support rectangular tops up to 24"D. 29"D C-Leg bases support rectangular tops up to 30"D. 29"D T-Leg bases support rectangular tops up to 36"D centered over feet. 16"D Corner bases support 48"x48" curvilinear corner tops up to 30"D.
<b>29</b> Depth	(E) = Electric (27" - 46 1/2" High)	
<b>H</b> Handcrank	(A) = Advanced Electric (21" - 47 1/2" High)	36"W C-Leg bases (except for Pin-set) support tops up to 60"w centered over feet (max 12" overhang on each side). 36"W Pin-Set C-Leg bases cannot support tops wider than the base. 42"W C-Leg bases support tops up to 66"W centered over feet (max 12" overhang on each side).
<b>S</b> Shroud	Base height ranges shown do not include worksurface thickness.	Bases have a default black paint finish (9005). Painted lower leg shroud and feet can be specified in Knoll Core paint finishes.
<b>9005</b> Black Base Finish	2. <i>Shroud Options:</i>	Fixed and Pin-Set bases support up to 440lbs. Handcrank bases support up to 260lbs. Electric bases support up to 300lbs.
<b>613</b> Shroud/Feet Paint Finish	(N) = Leg without a metal shroud	Pin-Set base adjusts on 1" increments.
	(S) = Painted metal shroud to surround lower leg with matching foot. Add \$100 to the list price.	Crank handle is located on the right side of the base. Five turns of the handle adjust worksurface 1".
	3. <i>Base Finish:</i> default black paint (9005)	
	4. <i>Shroud/Feet Paint Finish,</i> when applicable	


w\* = nominal width

BBF/FF

Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-( ) ( ) L	\$1,177.	\$1,358.	\$1,559.	\$2,096.
	16"	23"	26 1/2"	RP212J-( ) ( ) L	1,228.	1,420.	1,632.	2,194.
	16"	29"	26 1/2"	RP213J-( ) ( ) L	1,281.	1,479.	1,698.	2,286.

\*Pencil tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 Counter weights required per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-( ) ( ) L	1,078.	1,247.	1,433.	1,937.
	16"	23"	26 1/2"	RP212K-( ) ( ) L	1,155.	1,336.	1,536.	2,073.
	16"	29"	26 1/2"	RP213K-( ) ( ) L	1,229.	1,419.	1,635.	2,205.
	30"	19"	26 1/2"	RP231K-( ) ( ) L	1,232.	1,427.	1,640.	2,215.
	30"	23"	26 1/2"	RP232K-( ) ( ) L	1,298.	1,504.	1,727.	2,330.
	36"	19"	26 1/2"	RP261K-( ) ( ) L	1,314.	1,521.	1,749.	2,361.
	36"	23"	26 1/2"	RP262K-( ) ( ) L	1,378.	1,594.	1,833.	2,475.

\*Pencil tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 Counter weights required per pedestal.

Order Code	Specification Information
Example: <b>RP211JLMDL</b>	
<b>R</b> Reff	
<b>P</b> Pedestal	
<b>2</b> 26 1/2"H	
<b>1</b> 16" wide	
<b>1</b> 19" deep	
<b>J</b> Box box file config.	
<b>L</b> Laminate finish type	
<b>M</b> Metal interior option	
<b>D</b> Metal D-pull	
<b>L</b> Lock option files	
<b>114</b> Cabinet Finish, Folkstone Grey	
<b>612</b> Pull Finish, Folkstone Grey	

Specification Information	Application Notes
To order please specify pattern number including: 1. Finish type 2. Interior option 3. Pull option 4. Lock option, Files 5. Cabinet Finish 6. Pull Finish Painted or Plated  <b>*After specifying product code, provide keying instructions.</b> 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> M = Metal interior	3. <i>Pull options:</i> B = No pull, No drilling, Customer's Own Pull C = Nickel C-pull (nickel finish only) D = D-pull (PT, PZ only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (stainless steel finish only) T = Tab pull 4. <i>Lock options:</i> L = Drilled to accept lock 5. Refer to Reff Profiles for keying instructions.  Pencil trays not included in pedestals with metal interiors.  Pencil tray to be ordered separately; see page 307.  Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Application Notes
<b>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</b>  Mobile pedestals are always equipped with finished backs.  File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.  Random locks are factory installed.  Keyalike are field installed using the KnollKey order form.  Each locking pedestal on this page counts for one lock core.  Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding).  1 counterweight = 10 lbs.  Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on Reff Profiles and Reff Profiles.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

# Pedestals, 26 1/2" planning

## BBF/FF


### Metal interiors and wood backs

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	<b>RPB211J</b> ( ) ( ) ( ) <b>L</b>	\$1,309.	\$1,511.	\$1,741.	\$2,340.
	16"	24"	26 1/2"	<b>RPB212J</b> ( ) ( ) ( ) <b>L</b>	1,360.	1,574.	1,808.	2,433.
	16"	30"	26 1/2"	<b>RPB213J</b> ( ) ( ) ( ) <b>L</b>	1,414.	1,635.	1,878.	2,530.



\*Pencil Tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal.

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	<b>RPB211K</b> ( ) ( ) ( ) <b>L</b>	1,211.	1,400.	1,613.	2,179.
	16"	24"	26 1/2"	<b>RPB212K</b> ( ) ( ) ( ) <b>L</b>	1,288.	1,489.	1,718.	2,317.
	16"	30"	26 1/2"	<b>RPB213K</b> ( ) ( ) ( ) <b>L</b>	1,365.	1,576.	1,813.	2,448.
	30"	20"	26 1/2"	<b>RPB231K</b> ( ) ( ) ( ) <b>L</b>	1,498.	1,734.	1,990.	2,689.
	30"	24"	26 1/2"	<b>RPB232K</b> ( ) ( ) ( ) <b>L</b>	1,564.	1,810.	2,078.	2,803.
	36"	20"	26 1/2"	<b>RPB261K</b> ( ) ( ) ( ) <b>L</b>	1,627.	1,887.	2,167.	2,926.
	36"	24"	26 1/2"	<b>RPB262K</b> ( ) ( ) ( ) <b>L</b>	1,695.	1,959.	2,252.	3,039.



\*Pencil Tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: <b>RPB211JLMDL</b>	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
<b>R</b> Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
<b>PB</b> Pedestal with back	2. Finish type	Customer's Own Pull
<b>2</b> 26 1/2"H	3. Interior option	C = C-Pull,
<b>1</b> 16" wide	4. Pull option	(Nickel finish only)
<b>1</b> 20" deep	5. Lock option, files	D = D-Pull (PT, PZ only)
<b>J</b> Box box file config.	6. Cabinet finish	F = Bar pull
<b>L</b> Laminate finish type	7. Pull Finish	H = Outline Pull
<b>M</b> Metal interior option	Painted or Plated	J = J (Routed) Pull
<b>D</b> Metal D-pull	<b>*After specifying product code, provide keying instructions.</b>	R = Cylinder Pull
<b>L</b> Lock hole drilled		S = S-Pull,
<b>114</b> Cabint finish	<i>1. Finish type:</i>	(stainless steel finish only)
<b>612</b> Pull finish	L = Laminate	T = Tab Pull
	1 = V1	
	2 = V2	<i>4. Lock options:</i>
	3 = V3	Pedestals with drawers always lock drilled.
	<i>2. Interior options:</i>	L = Drilled to accept lock
	M = Metal interior	Lock default is Black
		5. Refer to Reff Profiles for keying instructions.
		Pencil trays not included in pedestals with metal interiors.
		Pencil tray to be ordered separately; see page 307.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


Pedestals must be ordered with back-panel to achieve full depth, without a modesty panel.

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

BBF/FF

Metal interiors legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
	19"	19"	26 1/2"	RP221J( ) ( ) ( )	\$1,234.	\$1,425.	\$1,636.	\$2,201.
	19"	23"	26 1/2"	RP222J( ) ( ) ( )	1,289.	1,491.	1,712.	2,303.
	19"	29"	26 1/2"	RP223J( ) ( ) ( )	1,343.	1,551.	1,783.	2,422.

\*Pencil tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
	19"	19"	26 1/2"	RP221K( ) ( ) ( )	1,132.	1,309.	1,505.	2,033.
	19"	23"	26 1/2"	RP222K( ) ( ) ( )	1,213.	1,402.	1,613.	2,178.
	19"	29"	26 1/2"	RP223K( ) ( ) ( )	1,291.	1,491.	1,717.	2,315.

\*Pencil tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: <b>RP221JLMDL</b>	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
<b>R</b> Reff	1. Finish type	B = No Pull, No Drilling,
<b>P</b> Pedestal	2. Interior option	Customer's Own Pull
<b>2</b> 26 1/2"H	3. Pull option	C = C-Pull,
<b>2</b> 19" wide	4. Lock option, Files	(Nickel finish only)
<b>1</b> 19" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
<b>J</b> Box box file config.	6. Pull Finish	F = Bar pull
<b>L</b> Laminate finish type	Painted or Plated	H = Outline Pull
<b>M</b> Metal interior option	<b>*After specifying product code, provide keying instructions.</b>	J = J (Routed) Pull
<b>D</b> Metal D-pull	<i>1. Finish type:</i>	R = Cylinder Pull
<b>L</b> Lock option	L = Laminate	S = S-Pull,
<b>114</b> Cabinet Finish, Folkstone grey	1 = V1	(stainless steel finish only)
<b>612</b> Pull Finish, Med. grey	2 = V2	T = Tab Pull
	3 = V3	<i>4. Lock options:</i>
	<i>2. Interior options:</i>	L = Drilled to accept lock
	M = Metal interior	<i>5. Cabinet Finish</i>
		<i>6. Pull Finish</i>
		<i>7. Refer to Reff Profiles for keying instructions.</i>

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 307.


Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

# Pedestals, 26 1/2" planning

## BBF/FF


### Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-( ) ( ) L	\$1,247.	\$1,438.	\$1,654.	\$2,223.
	16"	23"	26 1/2"	RP212J-( ) ( ) L	1,386.	1,602.	1,838.	2,474.
	16"	29"	26 1/2"	RP213J-( ) ( ) L	1,507.	1,743.	2,000.	2,692.



\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-( ) ( ) L	1,141.	1,320.	1,516.	2,048.
	16"	23"	26 1/2"	RP212K-( ) ( ) L	1,346.	1,558.	1,788.	2,412.
	16"	29"	26 1/2"	RP213K-( ) ( ) L	1,468.	1,699.	1,953.	2,639.
	30"	19"	26 1/2"	RP231K-( ) ( ) L	1,476.	1,707.	1,962.	2,649.
	30"	23"	26 1/2"	RP232K-( ) ( ) L	1,735.	2,006.	2,302.	3,108.
	36"	19"	26 1/2"	RP261K-( ) ( ) L	1,825.	2,109.	2,427.	3,277.
	36"	23"	26 1/2"	RP262K-( ) ( ) L	2,125.	2,460.	2,830.	3,818.



\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: <b>RP211JLWDL</b>	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
<b>R</b> Reff	1. Finish type	B = No Pull, No Drilling,
<b>P</b> Pedestal	2. Interior option	Customer's Own Pull
<b>2</b> 26 1/2"H	3. Pull option	C = C-Pull,
<b>1</b> 16" wide	4. Lock option, file	(Nickel finish only)
<b>1</b> 19" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
<b>J</b> Box box file config.	6. Pull finish	F = Bar pull
<b>L</b> Laminate finish		H = Outline Pull
<b>W</b> Wood interior		J = J (Routed) Pull
<b>D</b> Metal D-pull		R = Cylinder Pull
<b>L</b> Lock hole drilled		S = S-Pull,
<b>114</b> Cabinet finish		(stainless steel finish only)
<b>612</b> Pull finish		T = Tab Pull
	<b>*After specifying product code, provide keying instructions.</b>	<i>4. Lock options:</i>
	1. <i>Finish type:</i>	Pedestals with drawers always lock drilled.
	L = Laminate	L = Drilled to accept lock
	1 = V1	
	2 = V2	
	3 = V3	
	2. <i>Interior options:</i>	
	W = Wood interior	
		5. Refer to Reff Profiles for keying instructions.
		Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
		<b>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
		1 counterweight = 10 lbs.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on Reff Profiles and Reff Profiles.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.



# Pedestals, 26 1/2" planning

## BBF/FF

### Wood interiors and wood backs

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Pedestal with box box file configuration	16"	20"	26 1/2"	<b>RPB211J</b> ( ) ( ) ( ) <b>L</b>	\$1,384.	\$1,595.	\$1,832.	\$2,467.
	16"	24"	26 1/2"	<b>RPB212J</b> ( ) ( ) ( ) <b>L</b>	1,518.	1,756.	2,020.	2,720.
	16"	30"	26 1/2"	<b>RPB213J</b> ( ) ( ) ( ) <b>L</b>	1,641.	1,896.	2,177.	2,931.

\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Pedestal with file file configuration	16"	20"	26 1/2"	<b>RPB211K</b> ( ) ( ) ( ) <b>L</b>	1,274.	1,473.	1,695.	2,289.
	16"	24"	26 1/2"	<b>RPB212K</b> ( ) ( ) ( ) <b>L</b>	1,479.	1,710.	1,970.	2,659.
	16"	30"	26 1/2"	<b>RPB213K</b> ( ) ( ) ( ) <b>L</b>	1,603.	1,854.	2,135.	2,881.
	30"	20"	26 1/2"	<b>RPB231K</b> ( ) ( ) ( ) <b>L</b>	1,741.	2,015.	2,316.	3,128.
	30"	24"	26 1/2"	<b>RPB232K</b> ( ) ( ) ( ) <b>L</b>	1,940.	2,315.	2,654.	3,584.
	36"	20"	26 1/2"	<b>RPB261K</b> ( ) ( ) ( ) <b>L</b>	2,141.	2,475.	2,846.	3,844.
	36"	24"	26 1/2"	<b>RPB262K</b> ( ) ( ) ( ) <b>L</b>	2,443.	2,829.	3,250.	4,388.

\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal.

Order Code	Specification Information
Example: <b>RPB211JLWDL</b>	
<b>R</b>	Reff
<b>PB</b>	Pedestal with back
<b>2</b>	26 1/2"H
<b>1</b>	16" wide
<b>1</b>	20" deep
<b>J</b>	Box box file config.
<b>L</b>	Laminate finish
<b>W</b>	Wood interior
<b>D</b>	Metal D-pull
<b>L</b>	Lock option
<b>114</b>	Cabinet finish
<b>612</b>	Pull finish

**Specification Information**

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, applicable hinged doors only
5. Cabinet finish
6. Pull finish  
Painted or Plated

**\*After specifying product code, provide keying instructions.**

1. *Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

2. *Interior options:*  
W = Wood interiors

**Application Notes**

3. *Pull options:*  
B = No Pull, No Drilling, Customer's Own Pull  
C = C-Pull, (Nickel finish only)  
D = D-Pull (PT, PZ only)  
F = Bar pull  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S-Pull, (stainless steel finish only)  
T = Tab Pull

4. *Lock options:*  
Pedestals with drawers always lock drilled  
L = Drilled to accept lock

5. Refer to Reff Profiles for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on Reff Profiles and Reff Profiles.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

# Pedestals, 26 1/2" planning

## BBF/FF


### Wood interiors legal width

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J( ) ( ) ( )	\$1,309.	\$1,509.	\$1,734.	\$2,333.
	19"	23"	26 1/2"	RP222J( ) ( ) ( )	1,454.	1,682.	1,929.	2,596.
	19"	29"	26 1/2"	RP223J( ) ( ) ( )	1,582.	1,829.	2,100.	2,826.



\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with file file configuration	19"	19"	26 1/2"	RP221K( ) ( ) ( )	1,199.	1,386.	1,592.	2,149.
	19"	23"	26 1/2"	RP222K( ) ( ) ( )	1,414.	1,636.	1,876.	2,533.
	19"	29"	26 1/2"	RP223K( ) ( ) ( )	1,541.	1,785.	2,052.	2,770.



\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: <b>RP221JLWDL</b>	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
<b>R</b> Reff	1. Finish type	B = No Pull, No Drilling
<b>P</b> Pedestal	2. Interior option	C = C-Pull, (Nickel finish only)
<b>2</b> 26 1/2"H	3. Pull option	D = D-Pull (PT, PZ only)
<b>2</b> 19" wide	4. Lock option, files	F = Bar pull
<b>1</b> 19" deep	5. Keying instructions	H = Outline Pull
<b>J</b> Box box file config.	6. Cabinet finish	J = J (Routed) Pull
<b>L</b> Laminate finish	7. Pull finish	R = Cylinder Pull
<b>W</b> Wood interior	Painted or Plated	S = S-Pull, (stainless steel finish only)
<b>D</b> Metal D-pull	<b>*After specifying product code, provide keying instructions.</b>	T = Tab Pull
<b>L</b> Lock option	<i>1. Finish type:</i>	<i>4. Lock options:</i>
<b>114</b> Cabinet finish, Folkstone grey	L = Laminate	Pedestals with drawers always lock drilled.
<b>612</b> Pull finish	1 = V1	L = Drilled to accept lock
	2 = V2	<i>5. Cabinet finish</i>
	3 = V3	<i>6. Pull finish</i>
	<i>2. Interior options:</i>	<i>7. Refer to Reff Profiles for keying instructions.</i>
	W = Wood interior	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

# Pedestals, 26 1/2" planning

## Open / Hinge Door


### Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	<b>RP211L(L/R)-( ) ( ) ( )</b>	\$945.	\$1,092.	\$1,258.	\$1,696.
	16"	23"	26 1/2"	<b>RP212L(L/R)-( ) ( ) ( )</b>	1,149.	1,327.	1,528.	2,062.
	16"	29"	26 1/2"	<b>RP213L(L/R)-( ) ( ) ( )</b>	1,314.	1,521.	1,749.	2,361.
	30"	19"	26 1/2"	<b>RP231L-( ) ( ) ( )</b>	1,222.	1,413.	1,623.	2,193.
	30"	23"	26 1/2"	<b>RP232L-( ) ( ) ( )</b>	1,427.	1,652.	1,900.	2,565.
	36"	19"	26 1/2"	<b>RP261L-( ) ( ) ( )</b>	1,549.	1,791.	2,061.	2,783.
	36"	23"	26 1/2"	<b>RP262L-( ) ( ) ( )</b>	1,810.	2,094.	2,408.	3,253.

\*Pencil tray not included

\*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf is metal

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	<b>RP211M-( ) ( ) ( )</b>	720.	834.	957.	1,292.
	16"	23"	26 1/2"	<b>RP212M-( ) ( ) ( )</b>	836.	971.	1,116.	1,506.
	16"	29"	26 1/2"	<b>RP213M-( ) ( ) ( )</b>	991.	1,146.	1,319.	1,782.
	30"	19"	26 1/2"	<b>RP231M-( ) ( ) ( )</b>	834.	969.	1,113.	1,502.
	30"	23"	26 1/2"	<b>RP232M-( ) ( ) ( )</b>	1,016.	1,177.	1,352.	1,826.
	36"	19"	26 1/2"	<b>RP261M-( ) ( ) ( )</b>	1,068.	1,238.	1,424.	1,922.
	36"	23"	26 1/2"	<b>RP262M-( ) ( ) ( )</b>	1,293.	1,497.	1,720.	2,321.

\*Pencil tray not included

\*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means metal shelf.

Order Code	Specification Information	Application Notes
Example: <b>RP211LLMDL</b>	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
<b>R</b> Reff	1. Hinge location, where applicable	B = No Pull, No Drilling, Customer's Own Pull
<b>P</b> Pedestal	2. Finish type	C = C-Pull, (Nickel finish only)
<b>2</b> 26 1/2"H	3. Interior option	D = D-Pull (PT, PZ only)
<b>1</b> 16" wide	4. Pull option	F = Bar pull (1 pull per door set)
<b>1</b> 19" deep	5. Lock option, applicable hinged doors only	H = Outline Pull
<b>L</b> Hinge door config.	6. Cabinet finish	J = J (Routed) Pull
<b>L</b> Laminate finish	7. Pull Finish	R = Cylinder Pull
<b>M</b> Metal interior	Painted or Plated	S = S-Pull, (stainless steel finish only)
<b>D</b> Metal D-pull	<b>*After specifying product code, provide keying instructions.</b>	T = Tab Pull (1 pull per door set)
<b>L</b> Lock option	<i>1. Hinge location:</i>	<i>5. Lock options:</i>
<b>114</b> Cabinet Finish	L = Left hand	L = Drilled to accept lock
<b>612</b> Pull Finish	R = Right hand	N = No drilling

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

#### Specification Information

*To order please specify pattern number including:*

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, applicable hinged doors only
- Cabinet finish
- Pull Finish  
Painted or Plated

**\*After specifying product code, provide keying instructions.**

#### *1. Hinge location:*

L = Left hand  
R = Right hand

#### *2. Finish type:*

L = Laminate  
1 = V1  
2 = V2  
3 = V3

#### *3. Interior options:*

M = Metal interior

#### Application Notes

*4. Pull options:*  
B = No Pull, No Drilling, Customer's Own Pull  
C = C-Pull, (Nickel finish only)  
D = D-Pull (PT, PZ only)  
F = Bar pull (1 pull per door set)  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S-Pull, (stainless steel finish only)  
T = Tab Pull (1 pull per door set)

*5. Lock options:*  
L = Drilled to accept lock  
N = No drilling

6. Refer to Reff Profiles for keying instructions.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 307.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

#### **For Open Pedestals;**


- Finish type
- Interior Option
- Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.


# Pedestals, 26 1/2" planning

## Open / Hinge Door

### Metal interiors and wood backs

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	<b>RPB211L(L/R)( ) ( ) ( )</b>	\$1,080.	\$1,246.	\$1,438.	\$1,942.
	16"	24"	26 1/2"	<b>RPB212L(L/R)( ) ( ) ( )</b>	1,285.	1,483.	1,707.	2,303.
	16"	30"	26 1/2"	<b>RPB213L(L/R)( ) ( ) ( )</b>	1,448.	1,674.	1,929.	2,606.
	30"	20"	26 1/2"	<b>RPB231L( ) ( ) ( )</b>	1,489.	1,720.	1,976.	2,667.
	30"	24"	26 1/2"	<b>RPB232L( ) ( ) ( )</b>	1,695.	1,959.	2,251.	3,038.
	36"	20"	26 1/2"	<b>RPB261L( ) ( ) ( )</b>	1,862.	2,155.	2,478.	3,345.
	36"	24"	26 1/2"	<b>RPB262L( ) ( ) ( )</b>	2,124.	2,459.	2,829.	3,817.

\*Pencil Tray not included  
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
 Metal interior means shelf metal.

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	<b>RPB211M( ) ( ) ( )</b>	854.	983.	1,136.	1,535.
	16"	24"	26 1/2"	<b>RPB212M( ) ( ) ( )</b>	976.	1,124.	1,297.	1,751.
	16"	30"	26 1/2"	<b>RPB213M( ) ( ) ( )</b>	1,123.	1,300.	1,497.	2,021.
	30"	20"	26 1/2"	<b>RPB231M( ) ( ) ( )</b>	1,103.	1,276.	1,466.	1,979.
	30"	24"	26 1/2"	<b>RPB232M( ) ( ) ( )</b>	1,283.	1,483.	1,700.	2,297.
	36"	20"	26 1/2"	<b>RPB261M( ) ( ) ( )</b>	1,387.	1,601.	1,842.	2,486.
	36"	24"	26 1/2"	<b>RPB262M( ) ( ) ( )</b>	1,608.	1,862.	2,139.	2,886.

\*Pencil Tray not included  
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
 Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: <b>RPB211LL</b>	<i>To order please specify pattern number including:</i>	<b>4. Pull options:</b>
<b>R</b> Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
<b>PB</b> Pedestal with back	2. Finish type	Customer's Own Pull
<b>2</b> 26 1/2"H	3. Interior option	C = C-Pull,
<b>1</b> 16" wide	4. Pull option	(Nickel finish only)
<b>1</b> 20" deep	5. Lock option, applicable hinged doors only	D = D-Pull (PT, PZ only)
<b>L</b> Hinge door	6. Cabinet finish	F = Bar pull (1 pull per door set)
<b>L</b> Hinge Left	7. Pull finish	H = Outline Pull
<b>L</b> Laminate finish	<b>*After specifying product code, provide keying instructions.</b>	J = J (Routed) Pull
<b>M</b> Metal interior	<i>1. Hinge location:</i>	R = Cylinder Pull
<b>D</b> Metal D-pull	L = Left hand	S = S-Pull,
<b>L</b> Lock option	R = Right hand	(stainless steel finish only)
<b>118</b> Cabinet finish	<i>2. Finish type:</i>	T = Tab Pull (1 pull per door set)
<b>118</b> Pull finish	L = Laminate	<b>5. Lock options:</b>
	1 = V1	Optional hinge door configuration only.
	2 = V2	L = Drilled to accept lock
	3 = V3	N = No drilling
	<i>3. Interior options:</i>	<b>6. Refer to Reff Profiles for keying instructions.</b>
	M = Metal interior	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


**For Open Pedestals;**

1. Finish type
2. Interior Option
3. Cabinet Finish


Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

Pencil trays not included in pedestals with metal interiors.  
 Pencil tray to be ordered separately; see page 307.

Pedestals, 26 1/2" planning  
Open / Hinge Door  
Wood interior

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-( ) ( ) ( )	\$1,034.	\$1,195.	\$1,378.	\$1,863.
	16"	23"	26 1/2"	RP212L(L/R)-( ) ( ) ( )	1,242.	1,438.	1,651.	2,230.
	16"	29"	26 1/2"	RP213L(L/R)-( ) ( ) ( )	1,406.	1,625.	1,868.	2,522.
	30"	19"	26 1/2"	RP231L-( ) ( ) ( )	1,311.	1,516.	1,747.	2,358.
	30"	23"	26 1/2"	RP232L-( ) ( ) ( )	1,519.	1,761.	2,025.	2,733.
	36"	19"	26 1/2"	RP261L-( ) ( ) ( )	1,639.	1,896.	2,180.	2,943.
	36"	23"	26 1/2"	RP262L-( ) ( ) ( )	1,902.	2,200.	2,529.	3,413.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position  
N=No Lock option

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-( ) ( ) ( )	809.	934.	1,075.	1,449.
	16"	23"	26 1/2"	RP212M-( ) ( ) ( )	932.	1,079.	1,242.	1,674.
	16"	29"	26 1/2"	RP213M-( ) ( ) ( )	1,083.	1,250.	1,440.	1,946.
	30"	19"	26 1/2"	RP231M-( ) ( ) ( )	930.	1,074.	1,233.	1,664.
	30"	23"	26 1/2"	RP232M-( ) ( ) ( )	1,106.	1,280.	1,473.	1,986.
	36"	19"	26 1/2"	RP261M-( ) ( ) ( )	1,158.	1,344.	1,547.	2,087.
	36"	23"	26 1/2"	RP262M-( ) ( ) ( )	1,386.	1,598.	1,839.	2,482.


Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: <b>RP211LLWDL</b>	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
<b>R</b> Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
<b>P</b> Pedestal	2. Finish type	Customer's Own Pull
<b>2</b> 26 1/2"H	3. Interior option	C = C-Pull,
<b>1</b> 16" wide	4. Pull option	(Nickel finish only)
<b>1</b> 19" deep	5. Lock option, applicable hinged doors only	D = D-Pull (PT, PZ only)
<b>L</b> Hinge door	6. Cabinet finish	F = Bar pull (1 pull per door set)
<b>L</b> Laminate finish	7. Pull finish	H = Outline Pull
<b>W</b> Wood interior	<b>*After specifying product code, provide keying instructions.</b>	J = J (Routed) Pull
<b>D</b> Metal D-pull	<i>1. Hinge location:</i>	R = Cylinder Pull
<b>L</b> Lock hole drilled	L = Left hand	S = S-Pull,
<b>118</b> Cabinet finish	R = Right hand	(stainless steel finish only)
<b>118</b> Pull finish	<i>2. Finish type:</i>	T = Tab Pull (1 pull per door set)
	L = Laminate	<i>5. Lock options:</i>
	1 = V1	Optional hinge door configuration only.
	2 = V2	L = Drilled to accept lock
	3 = V3	N = No drilling
	<i>3. Interior options:</i>	6. Refer to Reff Profiles for keying instructions.
	W = Wood interior	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
		<b>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		<b>For Open Pedestals;</b>
		1. Finish type
		2. Interior Option
		3. Cabinet Finish
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning  
Open / Hinge Door  
Wood interiors and wood backs

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	<b>RPB211L(L/R)( ) ( ) ( )</b>	\$1,170.	\$1,352.	\$1,558.	\$2,102.
	16"	24"	26 1/2"	<b>RPB212L(L/R)( ) ( ) ( )</b>	1,375.	1,588.	1,830.	2,470.
	16"	30"	26 1/2"	<b>RPB213L(L/R)( ) ( ) ( )</b>	1,539.	1,779.	2,046.	2,762.
	30"	20"	26 1/2"	<b>RPB231L( ) ( ) ( )</b>	1,576.	1,822.	2,099.	2,835.
	30"	24"	26 1/2"	<b>RPB232L( ) ( ) ( )</b>	1,784.	2,066.	2,373.	3,205.
	36"	20"	26 1/2"	<b>RPB261L( ) ( ) ( )</b>	1,954.	2,260.	2,595.	3,505.
	36"	24"	26 1/2"	<b>RPB262L( ) ( ) ( )</b>	2,218.	2,563.	2,948.	3,980.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Pedestal with open configuration including shelf 	16"	20"	26 1/2"	<b>RPB211M( ) ( ) ( )</b>	943.	1,089.	1,257.	1,695.
	16"	24"	26 1/2"	<b>RPB212M( ) ( ) ( )</b>	1,065.	1,232.	1,419.	1,915.
	16"	30"	26 1/2"	<b>RPB213M( ) ( ) ( )</b>	1,216.	1,402.	1,618.	2,184.
	30"	20"	26 1/2"	<b>RPB231M( ) ( ) ( )</b>	1,193.	1,380.	1,584.	2,140.
	30"	24"	26 1/2"	<b>RPB232M( ) ( ) ( )</b>	1,374.	1,587.	1,822.	2,459.
	36"	20"	26 1/2"	<b>RPB261M( ) ( ) ( )</b>	1,476.	1,709.	1,962.	2,649.
	36"	24"	26 1/2"	<b>RPB262M( ) ( ) ( )</b>	1,699.	1,962.	2,256.	3,044.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information
Example: <b>RPB211LLWDL</b>	
<b>R</b>	Reff
<b>PB</b>	Pedestal with back
<b>2</b>	26 1/2"H
<b>1</b>	16" wide
<b>1</b>	20" deep
<b>L</b>	Hinged door
<b>L</b>	Laminate finish
<b>W</b>	Wood interior
<b>D</b>	Metal D-pull
<b>L</b>	Lock option
<b>118</b>	Cabinet finish
<b>118</b>	Pull finish

**Specification Information**

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, applicable hinged doors only
- Cabinet finish
- Pull finish  
Painted or Plated

**\*After specifying product code, provide keying instructions.**

1. Hinge location:  
L = Left hand  
R = Right hand

2. Finish type:  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

3. Interior options:  
W = Wood interior

**Application Notes**

4. Pull options:  
B = No Pull, No Drilling, Customer's Own Pull  
C = C-Pull, (Nickel finish only)  
D = D-Pull (PT, PZ only)  
F = Bar pull (1 pull per door set)  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S-Pull, (stainless steel finish only)  
T = Tab Pull (1 pull per door set)

5. Lock options:  
Optional hinge door configuration  
L = Drilled to accept lock  
N = No drilling

6. Refer to Reff Profiles for keying instructions.

Pedestals must be ordered with back panels to achieve full depth without a modesty panel.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

For Open Pedestals;  
1. Finish Type  
2. Interior Option  
3. Cabinet Finish

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Mobile Pedestal

Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors L	interiors V1	interiors V2	interiors V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-( ) ( ) L ( ) ( )	\$1,155.	\$1,336.	\$1,536.	\$2,073.	
	16"	23"	21"	RM112J-( ) ( ) L ( ) ( )	1,208.	1,397.	1,609.	2,171.	
	16"	23"	26 1/2"	RM212J-( ) ( ) L ( ) ( )	1,622.	1,878.	2,157.	2,914.	
	16"	23"	26 1/2"	RM212K-( ) ( ) L ( ) ( )	1,622.	1,878.	2,157.	2,914.	



\*Pencil tray not included  
\*Glue and dowel construction

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT					102.
---	---	---	---	----------	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: <b>RM111J</b>	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
<b>R</b> Reff	1. Finish type	B = No Pull, No Drilling,
<b>M</b> Mobile Pedestal	2. Interior option	Customer's Own Pull
<b>1</b> 21"H	3. Pull option	C = C-Pull,
<b>1</b> 16" wide	4. Lock option, files	(Nickel finish only)
<b>1</b> 19" deep	5. Cabinet Finish	D = D-Pull (PT, PZ only)
<b>J</b> Box box file config.	6. Pull Finish	F = Bar pull
<b>L</b> Laminate finish	Painted or Plated	H = Outline Pull
<b>M</b> Metal interior	<b>*After specifying product code, provide keying instructions.</b>	J = J (Routed) Pull
<b>D</b> Metal D-pull		R = Cylinder Pull
<b>L</b> Lock option	<i>1. Finish type:</i>	S = S-Pull,
<b>114</b> Cabinet Finish	L = Laminate	(stainless steel finish only)
<b>612</b> Pull Finish	1 = V1	T = Tab Pull
	2 = V2	<i>4. Lock options:</i>
	3 = V3	L = Drilled to accept lock
	<i>2. Interior options:</i>	<i>5. Case Finish:</i> Laminate, V1,V2,V3
	M = Metal interior	<i>6. Pull Finish:</i> Painted or Plated

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pencil trays not included in mobile pedestals with metal interiors.

Pencil tray to be ordered separately.

Mobile Pedestal


Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood	list
					interiors	interiors	interiors	interiors	
					L	V1	V2	V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-( ) ( ) L ( ) ( )	\$1,367.	\$1,583.	\$1,821.	\$2,458.	
	16"	23"	21"	RM112J-( ) ( ) L ( ) ( )	1,443.	1,669.	1,918.	2,590.	
	16"	23"	26 1/2"	RM212K-( ) ( ) L ( ) ( )	1,952.	2,257.	2,595.	3,505.	
	16"	23"	26 1/2"	RM212J-( ) ( ) L ( ) ( )	1,952.	2,257.	2,595.	3,505.	



Glue and dowel construction

Pedestal backs	w	d	h	pattern no.	wood	wood	wood	wood
					L	V1	V2	V3
	16"	1"	26 1/2"	RPAB16-( ) ( )	123.	138.	160.	217.
	19"	1"	26 1/2"	RPAB19-( ) ( )	129.	145.	169.	229.
	30"	1"	26 1/2"	RPAB30-( ) ( )	245.	274.	313.	423.
	36"	1"	26 1/2"	RPAB36-( ) ( )	288.	326.	374.	506.



pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	w	d	h	pattern no.	wood	wood	wood	wood
					L	V1	V2	V3
	-	-	-	RCOUNTWT				102.

Order Code	Specification Information	Application Notes
Example: <b>RM111J</b>	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
<b>R</b> Reff	1. Finish type	B = No Pull, No Drilling,
<b>M</b> Mobile Pedestal	2. Interior option	Customer's Own Pull
<b>1</b> 21"H	3. Pull option	C = C-Pull,
<b>1</b> 16" wide	4. Lock option, files	(Nickel finish only)
<b>1</b> 19" deep	5. Cabinet Finish	D = D-Pull (PT, PZ only)
<b>J</b> Box box file config.	6. Pull Finish	F = Bar pull
<b>L</b> Laminate finish	Painted or Plated	H = Outline Pull
<b>W</b> Wood interior	<b>After specifying product code, provide keying instructions.</b>	J = J (Routed) Pull
<b>D</b> Metal D-pull	<i>1. Finish type:</i>	R = Cylinder Pull
<b>L</b> Lock option	L = Laminate	S = S-Pull,
<b>114</b> Cabinet Finish	1 = V1	(stainless steel finish only)
<b>612</b> Pull Finish	2 = V2	T = Tab Pull
	3 = V3	<i>4. Lock options:</i>
	<i>2. Interior options:</i>	L = Drilled to accept lock
	M = Metal interior	<i>5. Case Finish:</i> Wood or Laminate
		<i>6. Pull Finish:</i> Painted or Plated

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**


Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.



Cabinets, 26 1/2" planning  
49" high, metal interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	<b>RC431B-</b> ( ) ( )	\$1,209.	\$1,646.	\$1,897.	\$2,561.
	30"	20"	49"	<b>RC432B-</b> ( ) ( )	1,364.	1,860.	2,137.	2,885.
	30"	24"	49"	<b>RC433B-</b> ( ) ( )	1,539.	2,095.	2,411.	3,253.
	36"	15"	49"	<b>RC461B-</b> ( ) ( )	1,341.	1,830.	2,103.	2,840.
	36"	20"	49"	<b>RC462B-</b> ( ) ( )	1,515.	2,063.	2,373.	3,204.
	36"	24"	49"	<b>RC463B-</b> ( ) ( )	1,703.	2,326.	2,672.	3,606.

Open cabinets require no keying instructions.  
Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	<b>RC412C(L/R)-</b> ( ) ( ) ( ) ( )	1,217.	1,658.	1,908.	2,575.
	16"	24"	49"	<b>RC413C(L/R)-</b> ( ) ( ) ( ) ( )	1,339.	1,822.	2,096.	2,829.
	30"	20"	49"	<b>RC432C-</b> ( ) ( ) ( ) ( )	1,782.	2,430.	2,795.	3,773.
	30"	24"	49"	<b>RC433C-</b> ( ) ( ) ( ) ( )	1,972.	2,687.	3,091.	4,174.
	36"	20"	49"	<b>RC462C-</b> ( ) ( ) ( ) ( )	1,976.	2,693.	3,096.	4,181.
	36"	24"	49"	<b>RC463C-</b> ( ) ( ) ( ) ( )	2,178.	2,977.	3,422.	4,618.


Metal interiors mean shelves metal.

Order Code	Specification Information	Application Notes
Example: <b>RC431B</b> ( ) ( ) <b>R</b> Reff <b>C</b> Cabinets <b>4</b> 49" high <b>3</b> 30" wide <b>1</b> 15" deep <b>B</b> Open Bookcase <b>2</b> V2 finish Type <b>M</b> Metal interior <b>V316</b> Cabinet finish: Maple	<p><i>To order the Open Bookcase, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><i>Finish type</i> L=Laminate 1=V1 2=V2 3=V3</li> <li><i>Interior option</i> M=Metal interior (If laminate case finish-shelves painted to match. If V1, V2 or V3 case finish- shelves are painted black)</li> <li><i>Cabinet finish</i> Wood or Laminate</li> </ol> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b>, will accept wood grain laminate, where laminate is currently an option.</p>	<p><i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><i>Hinge location where applicable:</i> L = Left hand R = Right hand</li> <li><i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li><i>Interior options:</i> M=Metal Interior</li> <li><i>Pull options:</i> B=No pull, No Drilling, Customer's own Pull C= C-Pull (nickel finish only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed ) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)</li> <li><i>Lock options Doors:</i> L = Lock hole drilled N = No lock drilling</li> <li><i>Cabinet Finish:</i> Laminate or Wood</li> <li><i>Pull Finish:</i> Painted / Plated</li> </ol>

After specifying product code, provide keying instructions. Refer to Reff Profiles for keying instructions.

Cabinets, 26 1/2" planning  
49" high, metal interior  
4 Lateral files

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-( ) ( ) L ( ) ( )	\$2,077.	\$2,829.	\$3,256.	\$4,397.
	30"	24"	49"	RC433F-( ) ( ) L ( ) ( )	2,292.	3,124.	3,592.	4,850.
	36"	20"	49"	RC462F-( ) ( ) L ( ) ( )	2,634.	3,589.	4,125.	5,570.
	36"	24"	49"	RC463F-( ) ( ) L ( ) ( )	2,908.	3,965.	4,559.	6,155.



Order Code

Example:	RC432F( ) ( ) L ( ) ( )
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>4</b>	49" high
<b>3</b>	30" wide
<b>2</b>	20" deep
<b>F</b>	4 drawer lateral file
<b>2</b>	V2 finish type
<b>M</b>	Metal interior option
<b>T</b>	Tab pull option
<b>L</b>	Lock option
<b>V316</b>	Cabinet finish
<b>118</b>	Pull finish

Specification Information

To order please specify pattern number including:

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
M = Metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black)
- Pull options:**  
B = No pull, No Drilling, Customer's own pull.  
C = Nickel C-pull (nickel finish only)  
D = Metal D-pull  
F = Bar pull  
H = Outline pull  
J = Routed pull  
R = Cylinder pull  
S = S-pull (stainless steel finish only)  
T = Tab pull
- Lock options:**  
*Drawers are always lock drilled*  
L = Lock hole drilled
- Cabinet finish:**  
Wood or Laminate
- Pull finish:**  
Painted or Plated

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

**\*After specifying product code, provide keying instructions.**

Refer to Reff Profiles for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Application Notes

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning  
49" high, wood interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Open bookcase with two adjustable shelves	30"	15"	49"	<b>RC431B-</b> ( ) ( ) ( ) ( )	\$1,355.	\$1,845.	\$2,121.	\$2,863.
	30"	20"	49"	<b>RC432B-</b> ( ) ( ) ( ) ( )	1,511.	2,059.	2,366.	3,194.
	30"	24"	49"	<b>RC433B-</b> ( ) ( ) ( ) ( )	1,683.	2,292.	2,638.	3,562.
	36"	15"	49"	<b>RC461B-</b> ( ) ( ) ( ) ( )	1,489.	2,029.	2,333.	3,148.
	36"	20"	49"	<b>RC462B-</b> ( ) ( ) ( ) ( )	1,660.	2,265.	2,601.	3,510.
	36"	24"	49"	<b>RC463B-</b> ( ) ( ) ( ) ( )	1,851.	2,524.	2,900.	3,915.

Open cabinets require no keying instructions


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	<b>RC412C(L/R)-</b> ( ) ( ) ( ) ( ) ( )	1,362.	1,857.	2,134.	2,880.
	16"	24"	49"	<b>RC413C(L/R)-</b> ( ) ( ) ( ) ( ) ( )	1,487.	2,024.	2,329.	3,143.
	30"	20"	49"	<b>RC432C-</b> ( ) ( ) ( ) ( ) ( )	1,927.	2,626.	3,021.	4,077.
	30"	24"	49"	<b>RC433C-</b> ( ) ( ) ( ) ( ) ( )	2,117.	2,888.	3,318.	4,478.
	36"	20"	49"	<b>RC462C-</b> ( ) ( ) ( ) ( ) ( )	2,122.	2,891.	3,327.	4,492.
	36"	24"	49"	<b>RC463C-</b> ( ) ( ) ( ) ( ) ( )	2,328.	3,174.	3,652.	4,931.

Order Code	Specification Information	Application Notes
Example: <b>RC431B</b> <b>R</b> Reff <b>C</b> Cabinets <b>4</b> 49" high <b>3</b> 30" wide <b>1</b> 15" deep <b>B</b> Open Bookcase <b>2</b> Finish Type: V2 <b>W</b> Wood interior <b>V316</b> Cabinet Finish: Maple	<p>To order the Open Bookcase, please specify pattern number including:</p> <ol style="list-style-type: none"> <li>1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li>2. <i>Interior options:</i> W = Wood Interior</li> <li>3. <i>Cabinet Finish:</i> Laminate or Wood</li> </ol> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b>, will accept wood grain laminate, where laminate is currently an option.</p>	<p>To order the Cabinet with Hinge Doors, please specify pattern number including:</p> <ol style="list-style-type: none"> <li>1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand</li> <li>2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li>3. <i>Interior options:</i> W = Wood Interior</li> <li>4. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)</li> <li>5. <i>Lock Options Doors:</i> <i>Drawers are always lock drilled</i> L = Lock hole drilled</li> <li>6. <i>Cabinet finish:</i> Laminate or Wood</li> <li>7. <i>Pull finish:</i> Painted or Plated</li> </ol> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p>

After specifying product code, provide keying instructions. Refer to Reff Profiles for keying instructions.

Cabinets, 26 1/2" planning  
49" high, wood interior  
Wardrobe cabinet

description	w	d	height	pattern number	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-( )W( ) ( ) ( )	\$1,759.	\$2,395.	\$2,755.	\$3,721.
	30"	24"	49"	RC433D-( )W( ) ( ) ( )	1,920.	2,620.	3,015.	4,069.
	36"	20"	49"	RC462D-( )W( ) ( ) ( )	1,933.	2,637.	3,031.	4,093.
	36"	24"	49"	RC463D-( )W( ) ( ) ( )	2,114.	2,883.	3,315.	4,475.




Available with wood interior only.

Order Code	Specification Information	Application Notes
Example: <b>RC432D</b>	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.
<b>R</b> Reff		<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>C</b> Cabinets		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>4</b> 49" high	1. <i>Finish Type:</i>	After specifying product code, provide keying instructions. Refer to Reff Profiles for keying instructions.
<b>3</b> 30" wide	L = Laminate	<b>Note:</b> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 301.
<b>2</b> 20" deep, 3-24" deep	1 = V1	
<b>D</b> Wardrobe Cabinet	2 = V2	
<b>2</b> Finish Type: V2	3 = V3	
<b>W</b> Wood interior	2. <i>Interior options:</i>	
<b>V316</b> Cabinet Finish: Maple	W = Wood Interior	
	3. <i>Pull options:</i>	
	B = No pull	
	C = C-Pull (Nickel Finish Only)	
	D = D-Pull (PZ and PT only)	
	F = Bar Pull (1 pull per door set)	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-pull (Stainless Steel Finish only)	
	T = Tab Pull (1 pull per door set)	
	4. <i>Lock Options Doors:</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	5. <i>Cabinet finish:</i>	
	Wood or Laminate	
	6. <i>Pull finish:</i>	
	Painted or Plated	

Cabinets, 26 1/2" planning  
49" high, wood interior  
4 Lateral files

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-( ) ( ) L ( ) ( )	\$2,222.	\$3,029.	\$3,484.	\$4,702.
	30"	24"	49"	RC433F-( ) ( ) L ( ) ( )	2,440.	3,330.	3,822.	5,160.
	36"	20"	49"	RC462F-( ) ( ) L ( ) ( )	2,780.	3,785.	4,352.	5,877.
	36"	24"	49"	RC463F-( ) ( ) L ( ) ( )	3,053.	4,159.	4,784.	6,459.



**Order Code**

Example:	RC432F( ) ( ) L ( ) ( )
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>4</b>	49" high
<b>3</b>	30" wide
<b>2</b>	20" deep
<b>F</b>	Cabinet w/ 4 File Open bookcase
<b>2</b>	Finish Type: V2
<b>W</b>	Wood Interior
<b>D</b>	D-pull Option
<b>L</b>	Drilled for Lock (Not Optional)
<b>V316</b>	Cabinet finish: Maple
<b>PT</b>	Pull finish

To order please specify pattern number including:

- Finish Type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior Option**  
W = Wood Interior
- Pull options:**  
B = No Pull, No Drilling, Customer's own Pull  
C = C-Pull (Nickel Finish Only)  
D = D-Pull (PT or PZ only)  
F = Bar Pull (1 pull per door set)  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S-pull (Stainless Steel Finish Only)  
T = Tab Pull (1 pull per door set)
- Lock option doors**  
L = Drilled for Lock  
Drawers are always drilled for locks
- Cabinet Finish:**  
Laminate or Wood
- Pull Finish:**  
Painted / Plated

**Application Notes**

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Please refer to page Reff Profiles for keying instructions.


Key alike are field installed using the KnollKey order form. Random locks are factory installed.

File drawers are always drilled for lock.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning  
64" high, metal interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	<b>RC631B-</b> ( ) ( ) ( )	\$1,551.	\$2,117.	\$2,436.	\$3,288.
	30"	20"	64"	<b>RC632B-</b> ( ) ( ) ( )	1,746.	2,380.	2,737.	3,694.
	30"	24"	64"	<b>RC633B-</b> ( ) ( ) ( )	1,941.	2,647.	3,047.	4,111.
	36"	15"	64"	<b>RC661B-</b> ( ) ( ) ( )	1,781.	2,426.	2,791.	3,766.
	36"	20"	64"	<b>RC662B-</b> ( ) ( ) ( )	1,981.	2,695.	3,104.	4,187.
	36"	24"	64"	<b>RC663B-</b> ( ) ( ) ( )	2,182.	2,973.	3,418.	4,615.

Open cabinets require no keying instructions.  
Metal interiors mean shelves metal.

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	<b>RC632H-</b> ( ) ( ) ( ) ( ) ( )	2,146.	2,927.	3,365.	4,543.
	30"	24"	64"	<b>RC633H-</b> ( ) ( ) ( ) ( ) ( )	2,372.	3,230.	3,717.	5,018.
	36"	20"	64"	<b>RC662H-</b> ( ) ( ) ( ) ( ) ( )	2,372.	3,230.	3,717.	5,018.
	36"	24"	64"	<b>RC663H-</b> ( ) ( ) ( ) ( ) ( )	2,598.	3,540.	4,071.	5,496.

Requires one lock core per cabinet  
Shelves painted metal

Order Code

Example:	<b>RC631B</b>
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>6</b>	64" high
<b>3</b>	30" wide
<b>1</b>	15" deep
<b>B</b>	Open Bookcase
<b>2</b>	V2 finish type
<b>M</b>	Metal interior option
<b>V316</b>	Cabinet finish

To order the Open Bookcase, specify pattern number including:

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
M = Metal Interior  
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves are painted black)
- Cabinet finish:**  
Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Application Notes

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


After specifying product code, provide keying instructions. Refer to Reff Profiles for keying instructions.

Applicable finishes are listed on pages 5 and 6 .


To order the Cabinet with Hnge Doors, specify pattern number including:

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
M = Metal Interior
- Pull options:**  
B = No pull, No Drilling, Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = Metal D-pull (PZ or PT only)  
F = Bar Pull (1 pull per door set)  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull (Stainless Steel Finish only)  
T = Tab pull (1 pull per door set)
- Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
- Cabinet finish:**  
Wood or Laminate
- Pull finish:**  
Painted or Plated

Cabinets, 26 1/2" planning  
64" high, metal interior  
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	<b>RC632F</b> -( ) ( ) ( ) ( ) ( ) ( )	\$2,885.	\$3,934.	\$4,522.	\$6,107.
	30"	24"	64"	<b>RC633F</b> -( ) ( ) ( ) ( ) ( ) ( )	3,189.	4,343.	4,997.	6,743.
	36"	20"	64"	<b>RC662F</b> -( ) ( ) ( ) ( ) ( ) ( )	3,189.	4,343.	4,997.	6,743.
	36"	24"	64"	<b>RC663F</b> -( ) ( ) ( ) ( ) ( ) ( )	3,522.	4,797.	5,516.	7,448.

Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"

Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers 	16"	20"	64"	<b>RC612G(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( )	2,190.	2,980.	3,428.	4,627.
	16"	24"	64"	<b>RC613G(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( )	2,418.	3,294.	3,786.	5,112.
	30"	20"	64"	<b>RC632G</b> -( ) ( ) ( ) ( ) ( ) ( )	2,772.	3,778.	4,343.	5,864.
	30"	24"	64"	<b>RC633G</b> -( ) ( ) ( ) ( ) ( ) ( )	3,086.	4,201.	4,831.	6,523.
	36"	20"	64"	<b>RC662G</b> -( ) ( ) ( ) ( ) ( ) ( )	3,063.	4,172.	4,799.	6,479.
	36"	24"	64"	<b>RC663G</b> -( ) ( ) ( ) ( ) ( ) ( )	3,407.	4,642.	5,337.	7,203.


Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal

Cabinet with BBF below and hinged doors above 	16"	20"	64"	<b>RC612P(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( )	2,256.	3,073.	3,534.	4,771.
	16"	24"	64"	<b>RC613P(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( )	2,505.	3,416.	3,923.	5,296.
	30"	20"	64"	<b>RC632P</b> -( ) ( ) ( ) ( ) ( ) ( )	2,657.	3,619.	4,162.	5,620.
	30"	24"	64"	<b>RC633P</b> -( ) ( ) ( ) ( ) ( ) ( )	2,932.	3,996.	4,594.	6,202.
	36"	20"	64"	<b>RC662P</b> -( ) ( ) ( ) ( ) ( ) ( )	2,939.	4,004.	4,605.	6,217.
	36"	24"	64"	<b>RC663P</b> -( ) ( ) ( ) ( ) ( ) ( )	3,240.	4,412.	5,079.	6,857.


Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: <b>RC632F</b> ( ) ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading. Applicable finishes are listed on Reff Profiles and Reff Profiles.</p>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>C</b> Cabinets	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves painted balck)	
<b>6</b> 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
<b>3</b> 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
<b>2</b> 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>F</b> Hinge door with 4 file drawers	6. <i>Cabinet Finish:</i> Wood or Laminate	
<b>L</b> Finish Type: Laminate	7. <i>Pull Finish:</i> Painted or Plated	
<b>M</b> Metal interior	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
<b>T</b> Tab pull option	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	
<b>L</b> Lock option, files		
<b>N</b> Lock Optino, Doors		
<b>118</b> Cabinet finish		
<b>111</b> Pull finish		
F = Hinge door cabinet with 4 File drawers		
G = Hinge door cabinet with FF		
P = Hinge door cabinet with BBF		

Cabinets, 26 1/2" planning  
64" high, metal interior  
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	<b>RC612C(L/R)-( ) ( ) ( ) ( )</b>	\$1,817.	\$2,472.	\$2,844.	\$3,840.
	16"	24"	64"	<b>RC613C(L/R)-( ) ( ) ( ) ( )</b>	2,025.	2,762.	3,174.	4,286.
	30"	20"	64"	<b>RC632C-( ) ( ) ( ) ( )</b>	2,409.	3,283.	3,776.	5,097.
	30"	24"	64"	<b>RC633C-( ) ( ) ( ) ( )</b>	2,661.	3,629.	4,167.	5,626.
	36"	20"	64"	<b>RC662C-( ) ( ) ( ) ( )</b>	2,634.	3,589.	4,125.	5,570.
	36"	24"	64"	<b>RC663C-( ) ( ) ( ) ( )</b>	2,885.	3,934.	4,522.	6,107.

Open cabinets require no keying instructions.  
Metal interiors mean shelves metal.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	<b>RC632E(L/R)-( ) ( ) ( ) ( )</b>	2,799.	3,813.	4,383.	5,918.
	30"	24"	64"	<b>RC633E(L/R)-( ) ( ) ( ) ( )</b>	3,105.	4,229.	4,865.	6,567.
	36"	20"	64"	<b>RC662E(L/R)-( ) ( ) ( ) ( )</b>	3,093.	4,213.	4,850.	6,546.
	36"	24"	64"	<b>RC663E(L/R)-( ) ( ) ( ) ( )</b>	3,430.	4,675.	5,374.	7,254.


Requires one lock core per cabinet  
Shelves painted metal

Left hand shown


Order Code	Specification Information	Application Notes
Example: <b>RC612C(L/R)</b>	<i>To order, please specify pattern number including:</i>	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>R</b> Reff	5. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
<b>C</b> Cabinets	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>6</b> 64" high	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>1</b> 15" wide	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted balck)	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>2</b> 20" deep	4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
<b>C</b> Hinge Door Cab. w/ adjustable shelves		*Note: Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 301.
<b>L</b> Finish Type: Laminate		
<b>M</b> Metal Interior		20" deep Wardrobe Cabinets provide only 18" of clear storage space.
<b>D</b> Pull option; D		
<b>N</b> Lock option; No		
<b>118</b> Cabinet Finish		
<b>PZ</b> Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		



Cabinets, 26 1/2" planning  
64" high, wood interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	<b>RC631B-</b> ( ) ( ) ( )	\$1,698.	\$2,312.	\$2,662.	\$3,594.
	30"	20"	64"	<b>RC632B-</b> ( ) ( ) ( )	1,893.	2,580.	2,967.	4,007.
	30"	24"	64"	<b>RC633B-</b> ( ) ( ) ( )	2,088.	2,844.	3,272.	4,417.
	36"	15"	64"	<b>RC661B-</b> ( ) ( ) ( )	1,926.	2,624.	3,020.	4,074.
	36"	20"	64"	<b>RC662B-</b> ( ) ( ) ( )	2,124.	2,894.	3,331.	4,497.
	36"	24"	64"	<b>RC663B-</b> ( ) ( ) ( )	2,326.	3,171.	3,645.	4,921.


Open cabinets require no keying instructions

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	<b>RC632H-</b> ( ) ( ) ( ) ( )	2,293.	3,128.	3,596.	4,855.
	30"	24"	64"	<b>RC633H-</b> ( ) ( ) ( ) ( )	2,518.	3,430.	3,946.	5,328.
	36"	20"	64"	<b>RC662H-</b> ( ) ( ) ( ) ( )	2,518.	3,430.	3,946.	5,328.
	36"	24"	64"	<b>RC663H-</b> ( ) ( ) ( ) ( )	2,741.	3,738.	4,296.	5,799.

Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: <b>RC631B</b> <b>R</b> Reff <b>C</b> Cabinets <b>6</b> 64" high <b>3</b> 30" wide <b>1</b> 15" deep <b>B</b> Open Bookcase <b>2</b> Finish Type: V2 <b>W</b> Wood Interior <b>W316</b> Cabinet finish: Maple	<p><i>To order Open Bookcase, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li><i>Interior option:</i> W = Wood Interior</li> <li><i>Cabinet Finish:</i> Wood or Laminate</li> </ol> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b>, will accept wood grain laminate, where laminate is currently an option.</p>	<p><i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li><i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li><i>Interior option:</i> W = Wood</li> <li><i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)</li> <li><i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling</li> <li><i>Cabinet Finish:</i> Wood or Laminate</li> <li><i>Pull Finish:</i> Painted or Plated</li> </ol>
		<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to Reff Profiles for keying instructions.</p>


# Cabinets, 26 1/2" planning 64" high, wood interior Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	<b>RC632F</b> -( ) ( ) ( ) ( ) ( )	\$3,031.	\$4,132.	\$4,751.	\$6,413.
	30"	24"	64"	<b>RC633F</b> -( ) ( ) ( ) ( ) ( )	3,333.	4,540.	5,222.	7,049.
	36"	20"	64"	<b>RC662F</b> -( ) ( ) ( ) ( ) ( )	3,333.	4,540.	5,222.	7,049.
	36"	24"	64"	<b>RC663F</b> -( ) ( ) ( ) ( ) ( )	3,667.	4,999.	5,746.	7,757.

Requires two lock cores per cabinet  
Interior height clearance top drawer 10", all others 10 3/4"

Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers 	16"	20"	64"	<b>RC612G</b> (L/R)-( ) ( ) ( ) ( ) ( )	2,332.	3,178.	3,655.	4,935.
	16"	24"	64"	<b>RC613G</b> (L/R)-( ) ( ) ( ) ( ) ( )	2,564.	3,491.	4,017.	5,422.
	30"	20"	64"	<b>RC632G</b> -( ) ( ) ( ) ( ) ( )	2,918.	3,975.	4,571.	6,170.
	30"	24"	64"	<b>RC633G</b> -( ) ( ) ( ) ( ) ( )	3,228.	4,398.	5,059.	6,830.
	36"	20"	64"	<b>RC662G</b> -( ) ( ) ( ) ( ) ( )	3,210.	4,371.	5,027.	6,788.
	36"	24"	64"	<b>RC663G</b> -( ) ( ) ( ) ( ) ( )	3,551.	4,838.	5,566.	7,517.

Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above 	16"	20"	64"	<b>RC612P</b> (L/R)-( ) ( ) ( ) ( ) ( )	2,403.	3,272.	3,761.	5,079.
	16"	24"	64"	<b>RC613P</b> (L/R)-( ) ( ) ( ) ( ) ( )	2,650.	3,611.	4,154.	5,609.
	30"	20"	64"	<b>RC632P</b> -( ) ( ) ( ) ( ) ( )	2,804.	3,820.	4,394.	5,931.
	30"	24"	64"	<b>RC633P</b> -( ) ( ) ( ) ( ) ( )	3,079.	4,195.	4,822.	6,509.
	36"	20"	64"	<b>RC662P</b> -( ) ( ) ( ) ( ) ( )	3,087.	4,202.	4,833.	6,526.
	36"	24"	64"	<b>RC663P</b> -( ) ( ) ( ) ( ) ( )	3,384.	4,616.	5,306.	7,162.

Requires two lock cores per cabinet


Order Code	Specification Information
Example: <b>RC632F</b> ( ) ( ) ( ) ( ) ( )	
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>6</b>	64" high
<b>3</b>	30" wide
<b>2</b>	20" deep
<b>F</b>	Hinge door with 4 file drawers
<b>L</b>	Finish Type: Laminate
<b>W</b>	Wood Interior
<b>T</b>	Tab pull option
<b>L</b>	Lock option, files
<b>N</b>	Lock option, doors
<b>118</b>	Cabinet finish
<b>118</b>	Pull finish
<b>F</b>	= Hinge door cabinet with 4 File drawers
<b>G</b>	= Hinge door cabinet with FF
<b>P</b>	= Hinge door cabinet with BBF


Specification Information
<i>To order the Cabinet with Hinge Doors and File Drawers, please specify pattern number including:</i>
1. <i>Hinge location where applicable:</i>
2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
3. <i>Interior option:</i> W = Wood Interior
4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)

- Lock Option Files:**  
L = Lock hole drilled  
Drawers are always drilled for locks
  - Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
  - Cabinet Finish:**  
Wood or Laminate
  - Pull Finish:**  
Painted or Plated
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Application Notes
<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
File drawers are always drilled for locks.
After specifying product code, provide keying instructions. Refer to Reff Profiles for keying instructions.
File drawers include file bars for front to back and side to side filing.
File drawers do not support bottom loading. Applicable finishes are listed on page and .
Applicable finishes are listed on page 5 and 6.


Cabinets, 26 1/2" planning  
64" high, wood interior  
Hinge door with shelves and wardrobe

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	<b>RC612C(L/R)-( ) ( ) ( ) ( )</b>	\$1,961.	\$2,672.	\$3,073.	\$4,149.
	16"	24"	64"	<b>RC613C(L/R)-( ) ( ) ( ) ( )</b>	2,174.	2,959.	3,401.	4,591.
	30"	20"	64"	<b>RC632C-( ) ( ) ( ) ( )</b>	2,554.	3,481.	4,004.	5,403.
	30"	24"	64"	<b>RC633C-( ) ( ) ( ) ( )</b>	2,807.	3,826.	4,398.	5,938.
	36"	20"	64"	<b>RC662C-( ) ( ) ( ) ( )</b>	2,780.	3,785.	4,352.	5,877.
	36"	24"	64"	<b>RC663C-( ) ( ) ( ) ( )</b>	3,031.	4,132.	4,751.	6,413.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	<b>RC632E(L/R)-( ) ( ) ( ) ( )</b>	2,945.	4,012.	4,613.	6,228.
	30"	24"	64"	<b>RC633E(L/R)-( ) ( ) ( ) ( )</b>	3,249.	4,429.	5,091.	6,873.
	36"	20"	64"	<b>RC662E(L/R)-( ) ( ) ( ) ( )</b>	3,238.	4,410.	5,078.	6,854.
	36"	24"	64"	<b>RC663E(L/R)-( ) ( ) ( ) ( )</b>	3,573.	4,873.	5,603.	7,565.

Requires one lock core per cabinet

Left hand shown


Cabinet with hinged doors for coat rod and boot tray* 	16"	20"	64"	<b>RC612D(L/R)-( ) ( ) ( ) ( )</b>	1,718.	2,338.	2,688.	3,630.
	16"	24"	64"	<b>RC613D(L/R)-( ) ( ) ( ) ( )</b>	1,881.	2,563.	2,948.	3,978.
	30"	20"	64"	<b>RC632D-( ) ( ) ( ) ( )</b>	2,097.	2,856.	3,288.	4,438.
	30"	24"	64"	<b>RC633D-( ) ( ) ( ) ( )</b>	2,160.	2,948.	3,387.	4,573.
	36"	20"	64"	<b>RC662D-( ) ( ) ( ) ( )</b>	2,322.	3,166.	3,641.	4,914.
	36"	24"	64"	<b>RC663D-( ) ( ) ( ) ( )</b>	2,372.	3,255.	3,741.	5,049.

Requires one lock core per cabinet  
Wood interior only

Order Code	Specification Information	Application Notes
Example: <b>RC612C(L/R)</b>	<i>To order, please specify pattern number including:</i>	<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 301.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
<b>R</b> Reff	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>C</b> Cabinets	6. <i>Cabinet Finish:</i> Wood or Laminate	
<b>6</b> 64" high	7. <i>Pull Finish:</i> Painted or Plated	
<b>1</b> 15" wide	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	
<b>2</b> 20" deep		
<b>C</b> Hinge Door Cab. w/ adjustable shelves	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
<b>L</b> Finish Type: Laminate	2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>W</b> Wood Interior	3. <i>Interior Option:</i> W = Wood Interior	
<b>D</b> Pull option; D	4. <i>Pull Options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
<b>N</b> Lock option; No		
<b>118</b> Cabinet Finish		
<b>PZ</b> Pull finish		
<b>C</b> = Hinge door cabinet with full height doors and 3 adjustable shelves		
<b>E</b> = Hinge door cabinet with full height doors, half wardrobe and half shelves		
<b>D</b> = Hinge door cabinet with full height wardrobe. Available only with wood interior.		

Cabinets, 26 1/2" planning  
64" high, wood interior  
Audio Visual Cabinet


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC632I-( ) ( ) ( ) ( ) ( )	\$3,215.	\$4,377.	\$5,036.	\$6,798.
	30"	24"	64"	RC633I-( ) ( ) ( ) ( ) ( )	3,537.	4,820.	5,546.	7,485.
	36"	20"	64"	RC662I-( ) ( ) ( ) ( ) ( )	3,437.	4,686.	5,388.	7,273.
	36"	24"	64"	RC663I-( ) ( ) ( ) ( ) ( )	3,761.	5,127.	5,893.	7,957.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes	Application Notes
Example: <b>RC632I</b> ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>  Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.  * Audio Visual cabinets require two lock cores per cabinet.
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3		
<b>C</b> Cabinets	2. <i>Interior option:</i> W = Wood Interior		
<b>6</b> 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)		
<b>3</b> 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling		
<b>2</b> 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate		
<b>I</b> Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated		
<b>2</b> Finish Type: V2			
<b>W</b> Wood Interior			
<b>D</b> Pull option; D			
<b>N</b> Lock option; No			
<b>N</b> Lock option, doors			
<b>V316</b> Cabinet finish			
<b>PZ</b> Pull finish			

Cabinets, 26 1/2" planning  
72" high, metal interiors  
Bookcase and hinge doors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
	30"	20"	72"	<b>RC732B-</b> ( ) ( ) ( ) ( )	\$1,940.	\$2,646.	\$3,043.	\$4,110.
	30"	24"	72"	<b>RC733B-</b> ( ) ( ) ( ) ( )	2,151.	2,930.	3,373.	4,553.
	36"	20"	72"	<b>RC762B-</b> ( ) ( ) ( ) ( )	2,196.	2,993.	3,441.	4,646.
	36"	24"	72"	<b>RC763B-</b> ( ) ( ) ( ) ( )	2,407.	3,278.	3,772.	5,093.

Open cabinets require no keying instructions  
Shelves painted metal

	30"	20"	72"	<b>RC732H-</b> ( ) ( ) ( ) ( ) ( ) ( )	2,564.	3,490.	4,015.	5,420.
	30"	24"	72"	<b>RC733H-</b> ( ) ( ) ( ) ( ) ( ) ( )	2,835.	3,858.	4,436.	5,990.
	36"	20"	72"	<b>RC762H-</b> ( ) ( ) ( ) ( ) ( ) ( )	2,817.	3,836.	4,409.	5,954.
	36"	24"	72"	<b>RC763H-</b> ( ) ( ) ( ) ( ) ( ) ( )	3,090.	4,203.	4,834.	6,527.

Requires one lock core per cabinet  
Shelves painted metal

Order Code

Example:	<b>RC732B</b> ( ) ( ) ( ) ( )
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>7</b>	72" high
<b>3</b>	30" wide
<b>2</b>	20" deep, 3 = 24" deep
<b>B</b>	Open Bookcase
<b>2</b>	Finish Type: V2
<b>M</b>	Metal Interior
<b>V316</b>	Cabinet Finish: Maple
<b>N</b>	Left hand drill
<b>N</b>	Right hand drill

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

*To order the Open Bookcase, please specify pattern number including:*

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
M = Metal  
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
- Cabinet Finish:**  
Wood or Laminate
- Left hand drill:**  
N = No drilling  
SO = Drilling 19h / 15d workwall  
S1 = Drilling 19h / 20d workwall  
TO = Drilling 23h / 15d workwall  
T1 = Drilling 23h / 20d workwall
- Right hand drill:**  
Same as above

Application Notes

*To order the Cabinet with Hnge Doors, specify pattern number including:*

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
M = Metal Interior
- Pull options:**  
B = No pull, No Drilling, Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = Metal D-pull (PZ or PT only)  
F = Bar Pull (1 pull per door set)  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull (Stainless Steel Finish only)  
T = Tab pull (1 pull per door set)
- Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
- Cabinet finish:**  
Wood or Laminate
- Pull finish:**  
Painted or Plated
- Left hand drill:**
- Right hand drill:**


**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to Reff Profiles for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

# Cabinets, 26 1/2" planning 72" high, metal interiors Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	<b>RC732F-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$3,189.	\$4,343.	\$4,997.	\$6,743.
	30"	24"	72"	<b>RC733F-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,542.	4,825.	5,549.	7,491.
	36"	20"	72"	<b>RC762F-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,522.	4,797.	5,516.	7,448.
	36"	24"	72"	<b>RC763F-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,909.	5,329.	6,126.	8,269.

Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"  
Shelves painted metal

 Cabinet with two files and hinged doors above	16"	20"	72"	<b>RC712G(L/R)-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,317.	3,153.	3,630.	4,899.
	16"	24"	72"	<b>RC713G(L/R)-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,538.	3,500.	4,026.	5,433.
	30"	20"	72"	<b>RC732G-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,940.	4,008.	4,607.	6,221.
	30"	24"	72"	<b>RC733G-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,233.	4,405.	5,063.	6,838.
	36"	20"	72"	<b>RC762G-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,194.	4,350.	5,005.	6,756.
	36"	24"	72"	<b>RC763G-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,488.	4,752.	5,465.	7,377.


Requires two lock cores per cabinet  
Shelves painted metal

 Cabinet with BBF below and hinged doors above	16"	20"	72"	<b>RC712P(L/R)-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,405.	3,274.	3,765.	5,085.
	16"	24"	72"	<b>RC713P(L/R)-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,650.	3,611.	4,154.	5,609.
	30"	20"	72"	<b>RC732P-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,838.	3,865.	4,447.	6,005.
	30"	24"	72"	<b>RC733P-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,130.	4,266.	4,906.	6,622.
	36"	20"	72"	<b>RC762P-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,136.	4,272.	4,911.	6,631.
	36"	24"	72"	<b>RC763P-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,460.	4,710.	5,418.	7,315.


Requires two lock cores per cabinet  
Shelves and drawer interiors metal

Order Code	Specification Information	Application Notes
Example: <b>RC732F</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading. Applicable finishes are listed on page and .</p> <p>Applicable finishes are listed on pages 5 and 6.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p>
<b>R</b> Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
<b>C</b> Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>7</b> 72" high	3. <i>Interior options:</i> M = Metal Interior	
<b>3</b> 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
<b>2</b> 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
<b>F</b> Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>L</b> Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
<b>M</b> Metal Interior	8. <i>Pull finish:</i> Painted or Plated	
<b>T</b> Tab Pull option	9. <i>Left hand drill:</i> 10. <i>Right hand drill:</i>	
<b>L</b> Lock option, files	F = Hinge door cabinet with 4 File drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF	
<b>N</b> Lock option, doors	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	

Cabinets, 26 1/2" planning  
72" high, metal interiors  
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	<b>RC712C(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( )	\$2,045.	\$2,786.	\$3,206.	\$4,328.
	16"	24"	72"	<b>RC713C(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( )	2,270.	3,094.	3,558.	4,802.
	30"	20"	72"	<b>RC732C</b> -( ) ( ) ( ) ( ) ( ) ( )	2,669.	3,640.	4,185.	5,652.
	30"	24"	72"	<b>RC733C</b> -( ) ( ) ( ) ( ) ( ) ( )	2,962.	4,035.	4,642.	6,266.
	36"	20"	72"	<b>RC762C</b> -( ) ( ) ( ) ( ) ( ) ( )	2,951.	4,025.	4,626.	6,245.
	36"	24"	72"	<b>RC763C</b> -( ) ( ) ( ) ( ) ( ) ( )	3,275.	4,459.	5,130.	6,927.

Requires one lock core per cabinet  
Shelves painted metal


 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	<b>RC732E(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( )	3,140.	4,276.	4,921.	6,642.
	30"	24"	72"	<b>RC733E(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( )	3,511.	4,783.	5,503.	7,428.
	36"	20"	72"	<b>RC762E(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( )	3,441.	4,688.	5,392.	7,277.
	36"	24"	72"	<b>RC763E(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( )	3,841.	5,240.	6,021.	8,130.

Requires one lock core per cabinet  
Shelves painted metal


Left hand shown

Order Code	Specification Information	Application Notes
Example: <b>RC712C(L/R)</b>	<i>To order, please specify pattern number including:</i>	<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 301.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
<b>R</b> Reff	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>C</b> Cabinets	6. <i>Cabinet finish:</i> Wood or Laminate	
<b>7</b> 72" high	7. <i>Pull finish:</i> Painted or Plated	
<b>1</b> 15" wide	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall	
<b>2</b> 20" deep	9. <i>Right hand drill:</i> Same as above	
<b>C</b> Hinge Door Cab. w/ adjustable shelves	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	
<b>L</b> Finish Type: Laminate		
<b>M</b> Metal Interior		
<b>D</b> Pull option; D		
<b>N</b> Lock option; No		
<b>118</b> Cabinet Finish		
<b>PZ</b> Pull finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		
<b>C</b> = Hinge door cabinet with full height doors and 3 adjustable shelves		
<b>E</b> = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning  
72" high, wood interiors  
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with open shelving	30"	20"	72"	RC732B-( ) ( ) ( ) ( )	\$2,086.	\$2,843.	\$3,270.	\$4,412.
	30"	24"	72"	RC733B-( ) ( ) ( ) ( )	2,296.	3,131.	3,598.	4,858.
	36"	20"	72"	RC762B-( ) ( ) ( ) ( )	2,343.	3,192.	3,670.	4,953.
	36"	24"	72"	RC763B-( ) ( ) ( ) ( )	2,552.	3,478.	3,998.	5,399.

Open cabinets require no keying instructions

 Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H-( ) ( ) ( ) ( ) ( ) ( )	2,704.	3,686.	4,241.	5,724.
	30"	24"	72"	RC733H-( ) ( ) ( ) ( ) ( ) ( )	2,973.	4,054.	4,662.	6,295.
	36"	20"	72"	RC762H-( ) ( ) ( ) ( ) ( ) ( )	2,959.	4,030.	4,636.	6,258.
	36"	24"	72"	RC763H-( ) ( ) ( ) ( ) ( ) ( )	3,228.	4,398.	5,059.	6,830.

Requires one lock core per cabinet

Order Code

Example:	RC732B ( ) ( ) ( ) ( )
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>7</b>	72" high
<b>3</b>	30" wide
<b>2</b>	20" deep, 3 = 24" deep
<b>B</b>	Open Bookcase
<b>2</b>	Finish Type: V2
<b>W</b>	Wood Interior
<b>V316</b>	Cabinet Finish: Maple
<b>N</b>	Left hand drilled
<b>N</b>	Right hand drilled

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
2. *Interior options:*  
W = Wood
3. *Cabinet Finish:*  
Wood or Laminate
4. *Left hand drill:*  
N = No drilling  
SO = Drilling 19h / 15d workwall  
S1 = Drilling 19h / 20d workwall  
TO = Drilling 23h / 15d workwall  
T1 = Drilling 23h / 20d workwall
5. *Right hand drill:*  
Same as above

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

To order the Cabinet with Hinge Doors, specify pattern number including:

1. *Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
2. *Interior options:*  
W = Wood Interior
3. *Pull options:*  
B = No pull, No Drilling, Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = Metal D-pull (PZ or PT only)  
F = Bar Pull (1 pull per door set)  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull (Stainless Steel Finish only)  
T = Tab pull (1 pull per door set)
4. *Lock Option Doors:*  
L = Lock hole drilled  
N = No lock drilling
5. *Cabinet finish:*  
Wood or Laminate
6. *Pull finish:*  
Painted or Plated
7. *Left hand drill:*
8. *Right hand drill:*

Application Notes

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**


Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to Reff Profiles for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.



Cabinets, 26 1/2" planning  
72" high, wood interiors  
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	<b>RC732F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	\$3,333.	\$4,540.	\$5,222.	\$7,049.
	30"	24"	72"	<b>RC733F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,688.	5,023.	5,775.	7,796.
	36"	20"	72"	<b>RC762F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,667.	4,999.	5,761.	7,777.
	36"	24"	72"	<b>RC763F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	4,053.	5,524.	6,356.	8,582.

Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with two files and hinged doors above	16"	20"	72"	<b>RC712G(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,462.	3,355.	3,858.	5,206.
	16"	24"	72"	<b>RC713G(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,714.	3,698.	4,251.	5,739.
	30"	20"	72"	<b>RC732G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,088.	4,203.	4,834.	6,527.
	30"	24"	72"	<b>RC733G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,377.	4,604.	5,292.	7,145.
	36"	20"	72"	<b>RC762G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,339.	4,550.	5,232.	7,063.
	36"	24"	72"	<b>RC763G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,635.	4,952.	5,694.	7,686.


Requires two lock cores per cabinet

 Cabinet with BBF below and hinged doors above	16"	20"	72"	<b>RC712P(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,549.	3,472.	3,994.	5,394.
	16"	24"	72"	<b>RC713P(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,797.	3,812.	4,382.	5,917.
	30"	20"	72"	<b>RC732P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,986.	4,068.	4,677.	6,314.
	30"	24"	72"	<b>RC733P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,277.	4,464.	5,131.	6,929.
	36"	20"	72"	<b>RC762P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,281.	4,470.	5,141.	6,941.
	36"	24"	72"	<b>RC763P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,605.	4,910.	5,647.	7,625.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: <b>RC732F</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. After specifying product code, provide keying instructions. Refer to Reff Profiles for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on pages 5 and 6.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>F = Hinge door cabinet with 4 file drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF</p>
<b>R</b> Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
<b>C</b> Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>7</b> 72" high	3. <i>Interior options:</i> W = Wood Interior	
<b>3</b> 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
<b>2</b> 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
<b>F</b> Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>L</b> Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
<b>W</b> Wood Interior	8. <i>Pull finish:</i> Painted or Plated	
<b>T</b> Tab Pull option	9. <i>Left hand drill:</i> N = No drilling S0 = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
<b>L</b> Lock option, files	10. <i>Right hand drill:</i> Same as above	
<b>N</b> Lock option, doors	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.	
<b>118</b> Cabinet Finish		
<b>111</b> Pull Finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		

Cabinets, 26 1/2" planning  
72" high, wood interiors  
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	<b>RC712C(L/R)-( ) ( ) ( ) ( ) ( ) ( )</b>	\$2,193.	\$2,985.	\$3,432.	\$4,635.
	16"	24"	72"	<b>RC713C(L/R)-( ) ( ) ( ) ( ) ( ) ( )</b>	2,416.	3,293.	3,785.	5,109.
	30"	20"	72"	<b>RC732C-( ) ( ) ( ) ( ) ( ) ( )</b>	2,816.	3,836.	4,409.	5,954.
	30"	24"	72"	<b>RC733C-( ) ( ) ( ) ( ) ( ) ( )</b>	3,109.	4,237.	4,872.	6,576.
	36"	20"	72"	<b>RC762C-( ) ( ) ( ) ( ) ( ) ( )</b>	3,096.	4,220.	4,854.	6,552.
	36"	24"	72"	<b>RC763C-( ) ( ) ( ) ( ) ( ) ( )</b>	3,422.	4,661.	5,359.	7,236.

Requires one lock core per cabinet

 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	<b>RC732E(L/R)-( ) ( ) ( ) ( ) ( ) ( )</b>	3,284.	4,475.	5,146.	6,947.
	30"	24"	72"	<b>RC733E(L/R)-( ) ( ) ( ) ( ) ( ) ( )</b>	3,655.	4,982.	5,730.	7,734.
	36"	20"	72"	<b>RC762E(L/R)-( ) ( ) ( ) ( ) ( ) ( )</b>	3,587.	4,887.	5,621.	7,589.
	36"	24"	72"	<b>RC763E(L/R)-( ) ( ) ( ) ( ) ( ) ( )</b>	3,990.	5,436.	6,252.	8,440.

Requires one lock core per cabinet

Left hand shown

 Wardrobe cabinet	16"	20"	72"	<b>RC712D(L/R)-( ) ( ) ( )</b>	1,841.	2,512.	2,888.	3,898.
	16"	24"	72"	<b>RC713D(L/R)-( ) ( ) ( )</b>	2,027.	2,763.	3,175.	4,287.
	30"	20"	72"	<b>RC732D-( ) ( ) ( )</b>	2,320.	3,162.	3,633.	4,905.
	30"	24"	72"	<b>RC733D-( ) ( ) ( )</b>	2,549.	3,472.	3,994.	5,394.
	36"	20"	72"	<b>RC762D-( ) ( ) ( )</b>	2,550.	3,476.	3,997.	5,398.
	36"	24"	72"	<b>RC763D-( ) ( ) ( )</b>	2,804.	3,820.	4,394.	5,931.

Wood interior only

Requires one lock core per cabinet.  
Order coat rod and boot tray from accessories.

Order Code	Specification Information	Application Notes
Example: <b>RC712C(L/R)</b> <b>( ) ( ) ( ) ( ) ( ) ( )</b>	<i>To order, please specify pattern number including:</i>	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>R</b> Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 301.
<b>C</b> Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	20" deep Wardrobe Cabinets provide only 18" of clear storage space.
<b>7</b> 72" high	3. <i>Interior options:</i> W = Wood Interior	<b>C</b> = Hinge door cabinet with full height doors and 3 adjustable shelves.
<b>1</b> 15" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	<b>E</b> = Hinge door cabinet with full height doors, half wardrobe and half shelves. <b>D</b> = Hinge door cabinet with full height wardrobe. Available only with wood interior.
<b>2</b> 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.
<b>C</b> Hinge Door Cab. w/ adjustable shelves	6. <i>Cabinet finish:</i> Wood or Laminate	
<b>L</b> Finish Type: Laminate	7. <i>Pull finish:</i> Painted or Plated	
<b>W</b> Wood Interior	8. <i>Left hand drill:</i> N = No drilling S0 = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall T0 = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
<b>D</b> Pull option; D	9. <i>Right hand drill:</i> Same as above	
<b>N</b> Lock option; No		
<b>118</b> Cabinet Finish		
<b>PZ</b> Pull finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**  
Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Cabinets, 26 1/2" planning  
72" high, wood interiors  
Audio Visual Cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I-( ) ( ) ( ) ( ) ( ) ( )	\$2,562.	\$4,852.	\$5,579.	\$7,532.
	30"	24"	72"	RC733I-( ) ( ) ( ) ( ) ( ) ( )	3,930.	5,357.	6,162.	8,318.
	36"	20"	72"	RC762I-( ) ( ) ( ) ( ) ( ) ( )	3,863.	5,265.	6,056.	8,176.
	36"	24"	72"	RC763I-( ) ( ) ( ) ( ) ( ) ( )	4,265.	5,814.	6,686.	9,026.



Requires two lock cores per cabinet  
Hinge opening 110°  
Wood interior only


Order Code	Specification Information	Application Notes
Example: <b>RC732I</b> ( ) ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>C</b> Cabinets	2. <i>Interior option:</i> W = Wood Interior	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.  Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.  * Audio Visual cabinets require two lock cores per cabinet.
<b>7</b> 72" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
<b>3</b> 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>2</b> 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	
<b>I</b> Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated	
<b>2</b> Finish Type: V2		
<b>W</b> Wood Interior		
<b>D</b> Pull option; D		
<b>N</b> Lock option; No		
<b>V316</b> Cabinet finish		
<b>PZ</b> Pull finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		

# Cabinets, 26 1/2" planning


## 49", 64" and 72" high metal interior

### Freestanding Multifunction Cabinets


description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	<b>RC423M(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	\$2,832.	\$4,086.	\$4,733.	\$5,682.
	Box/Box/File	24"	24"	49"	<b>RC423N(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	3,030.	4,302.	4,978.	5,973.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	<b>RC623M(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	3,050.	4,442.	5,270.	6,324.
	Box/Box/File	24"	24"	64"	<b>RC623N(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	3,251.	4,658.	5,483.	6,580.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	<b>RC723M(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	3,205.	4,666.	5,574.	6,689.
	Box/Box/File	24"	24"	72"	<b>RC723N( ) ( ) ( )</b>	3,405.	4,884.	5,795.	6,953.



#### Order Code

Example:	<b>RC423ML</b> <b>( ) ( ) ( ) ( ) ( ) ( )</b>
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>4</b>	49" high
<b>2</b>	24" wide
<b>3</b>	24" deep
<b>M</b>	Multifunction Cabinet
<b>L/R</b>	Left or Right hand
<b>L</b>	Finish Type: Laminate
<b>M</b>	Metal Interior
<b>D</b>	Pull option: D
<b>L</b>	Lock option files
<b>N</b>	Lock options Doors
<b>118</b>	Cabinet Finish: Maple
<b>PT</b>	Pull Finish

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

#### Specification Information


- To order, please specify pattern number including:*
- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
  - Interior options:**  
M = Metal Interior
  - Pull options:**  
B = No pull, No Drilling, Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = Metal D-pull (PZ or PT only)  
F = Bar Pull (1 pull per door set)  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull (Stainless Steel Finish only)  
T = Tab pull (1 pull per door set)
  - Lock Option Files:**  
L = Lock hole drilled  
Drawers are always drilled for locks
  - Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
  - Cabinet finish:**  
Wood or Laminate
  - Pull Finish:**  
Painted or Plated

#### Application Notes


- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
- Refer to Reff Profiles for keying instructions.
- Drawers are always drilled for locks.
- File drawers include file bars for front to back and side to side filing.
- File drawers do not support bottom loading.
- Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 301
- Coat rod is included.
- Applicable finishes are listed on Reff Profiles and Reff Profiles.

# Cabinets, 26 1/2" planning 49", 64" and 72" high wood interior Freestanding Multifunction Cabinet


description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	<b>RC423M(L/R)( ) ( ) ( ) ( ) ( ) ( )</b>	\$3,258.	\$4,532.	\$5,180.	\$6,215.
	Box/Box/File	24"	24"	49"	<b>RC423N(L/R)( ) ( ) ( ) ( ) ( ) ( ) ( )</b>	3,654.	4,951.	5,626.	6,750.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	<b>RC623M(L/R)( ) ( ) ( ) ( ) ( ) ( ) ( )</b>	3,478.	4,887.	5,716.	6,859.
	Box/Box/File	24"	24"	64"	<b>RC623N(L/R)( ) ( ) ( ) ( ) ( ) ( ) ( )</b>	3,873.	5,306.	6,132.	7,357.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	<b>RC723M(L/R)( ) ( ) ( ) ( ) ( ) ( ) ( )</b>	3,633.	5,112.	6,018.	7,221.
	Box/Box/File	24"	24"	72"	<b>RC723N( ) ( ) ( ) ( ) ( ) ( ) ( )</b>	4,028.	5,531.	6,443.	7,730.




Order Code	Specification Information	Application Notes
Example: <b>RC423ML</b> <b>( ) ( ) ( ) ( ) ( ) ( )</b>	<i>To order, please specify pattern number including:</i>	
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks
<b>C</b> Cabinets	2. <i>Interior options:</i> W = Wood Interior	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
<b>4</b> 49" high	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	6. <i>Cabinet finish:</i> Wood or Laminate
<b>2</b> 24" wide		7. <i>Pull Finish:</i> Painted or Plated
<b>3</b> 24" deep		<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>M</b> Multifunction Cabinet		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>L/R</b> Left or Right hand		Refer to Reff Profiles for keying instructions.
<b>L</b> Finish Type: Laminate		Drawers are always drilled for locks.
<b>W</b> Wood Interior		File drawers include file bars for front to back and side to side filing.
<b>D</b> Pull option: D		File drawers do not support bottom loading.
<b>L</b> Lock option files		Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 301.
<b>N</b> Lock options Doors		Coat rod is included.
<b>118</b> Cabinet Finish: Maple		Applicable finishes are listed on page and .
<b>PT</b> Pull Finish		


# Overhead, 26 1/2" planning

## Wall hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back	30"	15"	19"			<b>ROMO30S0(-)(-)(-)</b>	\$1,782.	\$1,882.	\$2,162.	\$2,917.
	36"	15"	19"			<b>ROMO36S0(-)(-)(-)</b>	1,828.	1,930.	2,217.	2,993.
	42"	15"	19"			<b>ROMO42S0(-)(-)(-)</b>	1,875.	1,980.	2,275.	3,071.
	48"	15"	19"			<b>ROMO48S0(-)(-)(-)</b>	1,927.	2,028.	2,338.	3,155.
	60"	15"	19"			<b>ROMO60S0(-)(-)(-)</b>	2,127.	2,241.	2,580.	3,481.
	72"	15"	19"			<b>ROMO72S0(-)(-)(-)</b>	2,245.	2,373.	2,726.	3,679.



Wall-hung overhead cabinet (hinged door) with back	30"	15"	19"	1	2	<b>ROMH30S0(-)(-)(-)</b>	2,591.	2,732.	3,138.	4,237.
	36"	15"	19"	1	2	<b>ROMH36S0(-)(-)(-)</b>	2,758.	2,911.	3,347.	4,518.
	60"	15"	19"	2	4	<b>ROMH60S0(-)(-)(-)</b>	3,098.	3,265.	3,757.	5,072.
	72"	15"	19"	2	4	<b>ROMH72S0(-)(-)(-)</b>	3,278.	3,457.	3,977.	5,367.



Wall-hung overhead cabinet (flip door) with back	30"	15"	19"	1	1	<b>ROMF30S0(-)(-)(-)</b>	1,898.	2,002.	2,301.	3,108.
	36"	15"	19"	1	1	<b>ROMF36S0(-)(-)(-)</b>	2,021.	2,132.	2,452.	3,311.
	42"	15"	19"	1	1	<b>ROMF42S0(-)(-)(-)</b>	2,139.	2,261.	2,599.	3,509.
	48"	15"	19"	1	1	<b>ROMF48S0(-)(-)(-)</b>	2,265.	2,388.	2,746.	3,708.
	60"	15"	19"	2	2	<b>ROMF60S0(-)(-)(-)</b>	2,497.	2,635.	3,028.	4,090.
	72"	15"	19"	2	2	<b>ROMF72S0(-)(-)(-)</b>	2,642.	2,787.	3,205.	4,327.

Order Code	
Example: <b>ROMO30S0</b>	
<b>R</b>	Reff
<b>O</b>	Overhead
<b>M</b>	Wall hung
<b>O</b>	Open
<b>30</b>	30" wide
<b>S</b>	Standard height, 19"h
<b>0</b>	15" deep

- Specification Information**
- To order please specify pattern number including:
- Configuration option (*embedded in pattern no.*)  
H = Hinged door  
O = Open  
F = Flip door
  - Storage option (*embedded in pattern no.*)  
S0 = 19"h x 14"d open/15"d hinged door  
T0 = 23"h x 14"d open/15"d hinged door
  - Finish type
  - Pull option applicable hinged doors only
  - Lock option
  - Lock Finish
  - Finish, case
  - Pull Finish
  - Keying instructions

**\*After specifying product code, provide keying instructions.**

**Dimensions are nominal.**

Product not available where prices do not appear.

3. *Finish type options:*  
L = Laminated  
1 = V1 techwood  
2 = V2 conventional veneer  
3 = V3 exotic veneer

4. *Pull Options:*  
D = Metal D-pull for hinged door only  
J = Routed pull  
C = Nickel finish C-pull for hinged door only (nickel finish only)  
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)
5. *Lock options:*  
L = Lock hole drilled  
N = No lockdrilling

8. Refer to Reff Profiles for keying instructions.

Woodgrain Laminate is not available on any flip door units.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Sliding rails order separately on page 309.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

- Application Notes**
- Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.
- Open cabinets require no locks.
- Tasklights are not included.
- D-Pulls are not available for flip door units.
- Hardware included for overhead cabinets.
- Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
- A certified building contractor should be consulted.
- Please refer to wall mounting information on Reff Profiles.

**\*Keying instructions must accompany all cabinet orders.**



Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead storage

# Overhead, 26 1/2" planning

## Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	30"	14"	19"			<b>ROPO30S0(-)(-)(-)</b>	\$1,278.	\$1,345.	\$1,547.	\$2,090.
	36"	14"	19"			<b>ROPO36S0(-)(-)(-)</b>	1,564.	1,648.	1,896.	2,560.
	42"	14"	19"			<b>ROPO42S0(-)(-)(-)</b>	1,718.	1,813.	2,086.	2,815.
	48"	14"	19"			<b>ROPO48S0(-)(-)(-)</b>	1,782.	1,877.	2,160.	2,915.
	60"	14"	19"			<b>ROPO60S0(-)(-)(-)</b>	1,820.	1,921.	2,211.	2,986.
	60"	14"	23"			<b>ROPO60T0(-)(-)(-)</b>	1,945.	2,053.	2,360.	3,185.
	72"	14"	19"			<b>ROPO72S0(-)(-)(-)</b>	2,232.	2,351.	2,705.	3,651.
	72"	14"	23"			<b>ROPO72T0(-)(-)(-)</b>	2,652.	2,800.	3,218.	4,346.
	90"	14"	19"			<b>ROPO90S0(-)(-)(-)</b>	2,456.	2,588.	2,975.	4,018.
	90"	14"	23"			<b>ROPO90T0(-)(-)(-)</b>	3,011.	3,172.	3,649.	4,928.
	96"	14"	19"			<b>ROPO96S0(-)(-)(-)</b>	2,545.	2,684.	3,084.	4,165.
96"	14"	23"			<b>ROPO96T0(-)(-)(-)</b>	3,120.	3,290.	3,784.	5,109.	
Panel-hung overhead cabinet (hinged door) no back 	30"	14"	19"	1	2	<b>ROPH30S0(-)(-)(-)</b>	1,419.	1,493.	1,716.	2,316.
	36"	14"	19"	1	2	<b>ROPH36S0(-)(-)(-)</b>	1,733.	1,829.	2,106.	2,843.
	60"	14"	19"	2	4	<b>ROPH60S0(-)(-)(-)</b>	2,023.	2,133.	2,453.	3,313.
	60"	14"	23"	2	4	<b>ROPH60T0(-)(-)(-)</b>	2,165.	2,282.	2,625.	3,546.
	72"	14"	19"	2	4	<b>ROPH72S0(-)(-)(-)</b>	2,479.	2,616.	3,008.	4,062.
	72"	14"	23"	2	4	<b>ROPH72T0(-)(-)(-)</b>	2,947.	3,110.	3,574.	4,826.
	90"	14"	19"	3	6	<b>ROPH90S0(-)(-)(-)</b>	2,730.	2,875.	3,307.	4,463.
	90"	14"	23"	3	6	<b>ROPH90T0(-)(-)(-)</b>	3,342.	3,526.	4,050.	5,468.
	96"	14"	19"	3	6	<b>ROPH96S0(-)(-)(-)</b>	2,826.	2,978.	3,429.	4,629.
	96"	14"	23"	3	6	<b>ROPH96T0(-)(-)(-)</b>	3,468.	3,655.	4,202.	5,674.

Order Code	Specification Information
Example: <b>ROPH60S0DLL</b>	
<b>R</b> Reff	
<b>O</b> Overhead	
<b>P</b> Panel hung	
<b>H</b> Hinge door	
<b>60</b> 60" wide	
<b>S</b> Standard height, 19"h	
<b>0</b> 15" deep	
<b>D</b> D-pull	
<b>L</b> Lock hole drilled	
<b>L</b> Laminate finish	

**To order please specify pattern number including:**

- Configuration option (*embedded in pattern no.*)  
*H = Hinged door*  
*O = Open*  
*F = Flip door*
- Storage option (*embedded in pattern no.*)  
*S0 = 19"h x 14"d open/15"d hinged door*  
*T0 = 23"h x 14"d open/15"d hinged door*
- Finish type
- Lock option
- Finish, case

**\*After specifying product code, provide keying instructions.**

**Dimensions are nominal.**

Product not available where prices do not appear.

3. *Finish type options:*  
 L = Laminate  
 1 = V1 techwood  
 2 = V2 conventional veneer  
 3 = V3 exotic veneer

4. *Pull Options:*  
 D = Metal D-pull for hinged door only  
 J = Routed pull  
 C = Nickel finish C-pull for hinged door only (nickel finish only)  
 S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*  
 L = Lock hole drilled  
 N = No lockdrilling

8. Refer to Reff Profiles for keying instructions.

Woodgrain Laminate is not available on any flip door units.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Sliding rails order separately on page 309.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

### Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on Reff Profiles.

**\*Keying instructions must accompany all cabinet orders.**



Panel hung overheads come with no backs.

Random keys are factory installed.

Order overheads with a KnollKey order form.

# Overhead, 26 1/2" planning

## Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	30"	14"	18"	1	1	ROPF30S0J-( )()	\$1,066.	\$1,428.	\$1,640.	\$2,214.
	36"	14"	18"	1	1	ROPF36S0J-( )()	1,084.	1,452.	1,673.	2,257.
	42"	14"	18"	1	1	ROPF42S0J-( )()	1,160.	1,558.	1,792.	2,420.
	48"	14"	18"	1	1	ROPF48S0J-( )()	1,203.	1,620.	1,862.	2,514.
	60"	14"	18"	2	2	ROPF60S0J-( )()	1,397.	1,873.	2,156.	2,911.
	72"	14"	18"	2	2	ROPF72S0J-( )()	1,651.	2,216.	2,547.	3,437.
	84"	14"	18"	2	2	ROPF84S0J-( )()	1,845.	2,476.	2,846.	3,843.
	96"	14"	18"	2	2	ROPF96S0J-( )()	1,967.	2,641.	3,040.	4,101.
Panel-hung shelves 	30"	13"	9"			ROPS30S0NN-( )	286.	602.	692.	934.
	36"	13"	9"			ROPS36S0NN-( )	309.	625.	719.	970.
	42"	13"	9"			ROPS42S0NN-( )	335.	646.	745.	1,006.
	48"	13"	9"			ROPS48S0NN-( )	357.	669.	767.	1,036.
	54"	13"	9"			ROPS54S0NN-( )	382.	719.	825.	1,114.
	60"	13"	9"			ROPS60S0NN-( )	408.	773.	888.	1,200.
	66"	13"	9"			ROPS66S0NN-( )	432.	822.	946.	1,276.
	72"	13"	9"			ROPS72S0NN-( )	456.	876.	1,005.	1,355.
	78"	13"	9"			ROPS78S0NN-( )	481.	949.	1,090.	1,471.
	84"	13"	9"			ROPS84S0NN-( )	504.	1,021.	1,176.	1,587.
	90"	13"	9"			ROPS90S0NN-( )	529.	1,095.	1,259.	1,700.
96"	13"	9"			ROPS96S0NN-( )	537.	1,152.	1,327.	1,791.	

Order Code	Specification Information
Example: <b>ROPH60S0DLL</b>	
<b>R</b> Reff	
<b>O</b> Overhead	
<b>P</b> Panel hung	
<b>H</b> Hinge door	
<b>60</b> 60" wide	
<b>S</b> Standard height, 19"h	
<b>0</b> 15" deep	
<b>D</b> D-pull	
<b>L</b> Lock hole drilled	
<b>L</b> Laminate finish	

**Specification Information**

To order please specify pattern number including:

1. Configuration option (embedded in pattern no.)  
H = Hinged door  
O = Open  
F = Flip door
2. Storage option (embedded in pattern no.)  
S0 = 19"h x 14"d open/15"d hinged door  
T0 = 23"h x 14"d open/15"d hinged door
3. Finish type
4. Lock option
5. Finish, case

**\*After specifying product code, provide keying instructions.**

**Dimensions are nominal.**

Product not available where prices do not appear.

3. Finish type options:  
L = Laminate  
1 = V1 techwood  
2 = V2 conventional veneer  
3 = V3 exotic veneer

4. Pull Options:  
D = Metal D-pull for hinged door only  
J = Routed pull  
C = Nickel finish C-pull for hinged door only (nickel finish only)  
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:  
L = Lock hole drilled  
N = No lockdrilling

8. Refer to Reff Profiles for keying instructions.

Woodgrain Laminate is not available on any flip door units.

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Sliding rails order separately on page 309.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

### Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on Reff Profiles.

**\*Keying instructions must accompany all cabinet orders.**

Panel hung overheads come with no backs.


Random keys are factory installed.

Order overheads with a KnollKey order form.




# Overhead, 26 1/2" planning Workwalls

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open)	60"	15"	19"	4	1.8	ROWO60S0(-)(X)(X)	\$2,033.	\$2,165.	\$2,538.	\$3,428.
	60"	15"	23"	4	1.8	ROWO60T0(-)(X)(X)	2,208.	2,351.	2,757.	3,722.
	60"	20"	19"	4	1.8	ROWO60S1(-)(X)(X)	2,186.	2,328.	2,729.	3,682.
	60"	20"	23"	4	1.8	ROWO60T1(-)(X)(X)	2,362.	2,513.	2,944.	3,972.
	72"	15"	19"		2.1	ROWO72S0(-)(X)(X)	2,613.	2,785.	3,256.	4,394.
	72"	15"	23"		2.1	ROWO72T0(-)(X)(X)	2,967.	3,157.	3,687.	4,978.
	72"	20"	19"		2.1	ROWO72S1(-)(X)(X)	2,807.	2,986.	3,489.	4,711.
	72"	20"	23"		2.1	ROWO72T1(-)(X)(X)	3,270.	3,477.	4,055.	5,472.
	90"	15"	19"		2.6	ROWO90S0(-)(X)(X)	2,880.	3,072.	3,615.	4,879.
	90"	15"	23"		2.6	ROWO90T0(-)(X)(X)	3,328.	3,548.	4,157.	5,612.
	90"	20"	19"		2.6	ROWO90S1(-)(X)(X)	3,199.	3,412.	4,006.	5,407.
	90"	20"	23"		2.6	ROWO90T1(-)(X)(X)	3,536.	3,769.	4,413.	5,957.
	96"	15"	19"		2.8	ROWO96S0(-)(X)(X)	2,949.	3,153.	3,712.	5,011.
	96"	15"	23"		2.8	ROWO96T0(-)(X)(X)	3,397.	3,625.	4,255.	5,746.
	96"	20"	19"		2.8	ROWO96S1(-)(X)(X)	3,273.	3,492.	4,103.	5,542.
	96"	20"	23"		2.8	ROWO96T1(-)(X)(X)	3,610.	3,845.	4,509.	6,087.



72" h workwall overhead cabinet (hinged door)	60"	15"	19"	4	1.8	ROWH60S0(-)(X)(X)	2,623.	2,789.	3,257.	4,396.
	60"	15"	23"	4	1.8	ROWH60T0(-)(X)(X)	2,844.	3,022.	3,528.	4,762.
	60"	20"	19"	4	1.8	ROWH60S1(-)(X)(X)	2,816.	2,992.	3,492.	4,715.
	60"	20"	23"	4	1.8	ROWH60T1(-)(X)(X)	3,039.	3,227.	3,760.	5,077.
	72"	15"	19"	4	2.1	ROWH72S0(-)(X)(X)	3,362.	3,569.	4,163.	5,619.
	72"	15"	23"	4	2.1	ROWH72T0(-)(X)(X)	3,806.	4,039.	4,699.	6,345.
	72"	20"	19"	4	2.1	ROWH72S1(-)(X)(X)	3,603.	3,825.	4,453.	6,012.
	72"	20"	23"	4	2.1	ROWH72T1(-)(X)(X)	4,184.	4,438.	5,158.	6,965.
	90"	15"	19"	6	2.6	ROWH90S0(-)(X)(X)	3,732.	3,977.	4,653.	6,280.
	90"	15"	23"	6	2.6	ROWH90T0(-)(X)(X)	4,294.	4,565.	5,332.	7,197.
	90"	20"	19"	6	2.6	ROWH90S1(-)(X)(X)	4,136.	4,401.	5,139.	6,938.
	90"	20"	23"	6	2.6	ROWH90T1(-)(X)(X)	4,558.	4,843.	5,649.	7,628.
	96"	15"	19"	6	2.8	ROWH96S0(-)(X)(X)	3,836.	4,086.	4,789.	6,464.
	96"	15"	23"	6	2.8	ROWH96T0(-)(X)(X)	4,396.	4,678.	5,467.	7,381.
	96"	20"	19"	6	2.8	ROWH96S1(-)(X)(X)	4,239.	4,510.	5,276.	7,123.
	96"	20"	23"	6	2.8	ROWH96T1(-)(X)(X)	4,658.	4,952.	5,784.	7,809.



60" w and 72" w units have four hinged doors, two lock cores required.  
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0L</b>	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
<b>R</b> Reff	1. Configuration option	Open cabinets require no locks.
<b>O</b> Overhead	2. Storage option ( <i>embedded in pattern no.</i> )	Tasklights not included.
<b>W</b> Workwall	<i>S0 = 19" h x 15" d</i>	Tackboard included, fabric railroaded.
<b>O</b> Open	<i>S1 = 19" h x 20" d</i>	Locks are not factory installed.
<b>60</b> 60" wide	<i>T0 = 23" h x 15" d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
<b>S</b> Standard height	<i>T1 = 23" h x 20" d</i>	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>0</b> 15" deep	3. Finish type	Product on this page excluding J-pull and any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.
<b>L</b> Laminate finish	4. Pull option for hinged door only.	
<b>(W250)</b> Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	

Y = Yardage required

Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

**\*After specifying product code, provide keying instructions. 1.**  
*Configuration options:*  
O = Open  
H = Hinged door

3. *Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

4. *Pull Options:*  
D = Metal D-pull for hinged door only  
J = Routed pull  
C = Nickel C-pull for hinged door only (nickel finish only)  
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*  
L = Lockhole drilled  
N = No lock drilling

*Keying instructions \**  
**See Planning Guide for keying examples.**

# Overhead, 26 1/2" planning Shoulders

description	w	d	h	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	-	15"	19"	<b>RWEA7220(L/R)-( )</b>	\$379.	\$398.	\$457.	\$617.
	-	15"	23"	<b>RWEB7220(L/R)-( )</b>	379.	398.	457.	617.
	-	20"	19"	<b>RWEC7220(L/R)-( )</b>	379.	398.	457.	617.
	-	20"	23"	<b>RWED7220(L/R)-( )</b>	379.	398.	457.	617.



Workwall support endpanels for 72"H x 24"D workwall cabinets	-	15"	19"	<b>RWEA7224(L/R)-( )</b>	412.	436.	500.	675.
	-	15"	23"	<b>RWEB7224(L/R)-( )</b>	412.	436.	500.	675.
	-	20"	19"	<b>RWEC7224(L/R)-( )</b>	412.	436.	500.	675.
	-	20"	23"	<b>RWED7224(L/R)-( )</b>	412.	436.	500.	675.




Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0L</b>	<i>To order please specify pattern number including:</i>	3. <i>Finish type:</i>
<b>R</b> Reff	1. Configuration option	L = Laminate
<b>O</b> Overhead	2. Storage option ( <i>embedded in pattern no.</i> )	1 = V1
<b>W</b> Workwall	<i>S0 = 19"h x 15"d</i>	2 = V2
<b>O</b> Open	<i>S1 = 19"h x 20"d</i>	3 = V3
<b>60</b> 60" wide	<i>T0 = 23"h x 15"d</i>	4. <i>Pull Options:</i>
<b>S</b> Standard height	<i>T1 = 23"h x 20"d</i>	D = Metal D-pull for hinged door only
<b>0</b> 15" deep	3. Finish type	J = Routed pull
<b>L</b> Laminate finish	4. Pull option for hinged door only.	C = Nickel C-pull for hinged door only (nickel finish only)
<b>(W250)</b> Fabric finish Regency	5. Lock option	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	<b>*After specifying product code, provide keying instructions. 1.</b>	
	<i>Configuration options:</i>	5. <i>Lock options:</i>
	O = Open	L = Lockhole drilled
	H = Hinged door	N = No lock drilling
		<i>Keying instructions *</i>
		<b>See Planning Guide for keying examples.</b>

Shipped knocked-down.  
Open cabinets require no locks.  
Tasklights not included.  
Tackboard included, fabric railroded.  
Locks are not factory installed.  
If attaching workwall to 72" high cabinets for support, please provide drawing of layout.  
Applicable finishes are listed on Reff Profiles and Reff Profiles.  
Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.


# Overhead, 26 1/2" planning Overdesk Unit Use with 1 1/4" worksurfaces

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	60"	15"	44 1/4"	1.7	2	4	ROAH60T0(-)(-)(-)	\$2,567.	\$3,286.	\$3,840.	\$5,185.
	60"	20"	44 1/4"	1.7	2	4	ROAH60T1(-)(-)(-)	2,716.	3,475.	4,052.	5,469.
	72"	15"	44 1/4"	2.0	2	4	ROAH72T0(-)(-)(-)	3,253.	4,157.	4,848.	6,546.
	72"	20"	44 1/4"	2.0	2	4	ROAH72T1(-)(-)(-)	3,434.	4,387.	5,112.	6,901.
	90"	15"	44 1/4"	2.5	3	6	ROAH90T0(-)(-)(-)	3,617.	4,626.	5,418.	7,314.
	90"	20"	44 1/4"	2.5	3	6	ROAH90T1(-)(-)(-)	3,826.	4,895.	5,724.	7,730.
	96"	15"	44 1/4"	2.7	3	6	ROAH96T0(-)(-)(-)	3,767.	4,826.	5,657.	7,636.
	96"	20"	44 1/4"	2.7	3	6	ROAH96T1(-)(-)(-)	3,988.	5,106.	5,976.	8,068.



For 1 1/4" worksurfaces (open)	60"	15"	44 1/4"	1.7			ROAO60T0(-)(-)(-)	1,697.	2,179.	2,568.	3,467.
	60"	20"	44 1/4"	1.7			ROAO60T1(-)(-)(-)	1,804.	2,311.	2,718.	3,671.
	72"	15"	44 1/4"	2.0			ROAO72T0(-)(-)(-)	2,166.	2,774.	3,260.	4,401.
	72"	20"	44 1/4"	2.0			ROAO72T1(-)(-)(-)	2,293.	2,938.	3,446.	4,653.
	90"	15"	44 1/4"	2.5			ROAO90T0(-)(-)(-)	2,370.	3,048.	3,605.	4,866.
	90"	20"	44 1/4"	2.5			ROAO90T1(-)(-)(-)	2,515.	3,235.	3,812.	5,147.
	96"	15"	44 1/4"	2.7			ROAO96T0(-)(-)(-)	2,460.	3,167.	3,747.	5,057.
	96"	20"	44 1/4"	2.7			ROAO96T1(-)(-)(-)	2,612.	3,364.	3,970.	5,359.




For 1 1/4" worksurfaces (flip door)	60"	15"	44 1/4"	1.7	2	2	ROAF60S0(-)(-)(-)	2,197.	3,053.	3,569.	4,820.
	60"	20"	44 1/4"	1.7	2	2	ROAF60S1(-)(-)(-)	2,326.	3,232.	3,776.	5,099.
	72"	15"	44 1/4"	2.0	2	2	ROAF72S0(-)(-)(-)	2,609.	3,869.	4,517.	6,098.
	72"	20"	44 1/4"	2.0	2	2	ROAF72S1(-)(-)(-)	2,756.	4,086.	4,766.	6,435.
	84"	15"	44 1/4"	2.5	2	2	ROAF84S0(-)(-)(-)	3,380.	4,410.	5,157.	6,962.
	84"	20"	44 1/4"	2.5	2	2	ROAF84S1(-)(-)(-)	3,574.	4,664.	5,451.	7,357.
	96"	15"	44 1/4"	2.7	2	2	ROAF96S0(-)(-)(-)	3,462.	4,530.	5,315.	7,175.
	96"	20"	44 1/4"	2.7	2	2	ROAF96S1(-)(-)(-)	3,666.	4,798.	5,623.	7,590.



Order Code	Specification Information	Application Notes
Example: <b>ROAF60S0LJLBF118(-)</b>	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
<b>R</b> Reff	1. <i>Configuration option</i> O = Open H = Hinged door F = Flip door	Open cabinets require no locks.
<b>O</b> Overhead	2. <i>Width</i>	Tasklights not included.
<b>A</b> For 1 1/4" top mounting	3. <i>Storage option</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Tackboard included, fabric railroaded.
<b>F</b> Flip door	4. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	C, D and S pulls are not available for flip door units.
<b>60</b> 60" wide	5. <i>Pull option for hinged door only</i> D = Metal D-pull (for hinged doors only) J = Routed pull C = Nickel C-pull (nickel finish only, for hinged doors only) S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	All flip door cabinets on this page are nominal 19"H not 23"H.
<b>S</b> Standard height		Open/hinge doors are nominal 23"H, actual 22 3/8".
<b>0</b> 15" deep		Locks are not factory installed.
<b>L</b> Finish type, laminate		Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
<b>J</b> J-pull		Wire manager is included and mounts adjacent to tackboard. Specify color.
<b>L</b> Locks included		
<b>BF</b> Cord escape, back feed		
<b>118</b> Finish, Bright White		
<b>(W250)</b> Fabric		
Y = Yardage required		
Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.		
	6. <i>Lock option</i> L = Lockhole drilled N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Woodgrain Laminate is not available on any flip door units.	
	<b>*After specifying product code, provide keying instructions.</b>	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on Reff Profiles and Reff Profiles.	

## Workwall units

## Rectilinear worksurfaces - 1 1/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	<b>RSWWA601( )</b>	\$592.	\$623.	\$714.	\$966.
	60"	24"	<b>RSWWA602( )</b>	637.	669.	771.	1,040.
	72"	20"	<b>RSWWA721( )</b>	644.	678.	779.	1,051.
	72"	24"	<b>RSWWA722( )</b>	688.	727.	832.	1,124.
	90"	20"	<b>RSWWA901( )</b>	746.	786.	905.	1,221.
	90"	24"	<b>RSWWA902( )</b>	791.	832.	960.	1,295.
	96"	20"	<b>RSWWA961( )</b>	847.	891.	1,025.	1,385.
	96"	24"	<b>RSWWA962( )</b>	893.	941.	1,081.	1,460.
Waterfall edge workwall tops 	60"	20"	<b>RSWWAWF601( )</b>	0.	1,871.	2,152.	2,905.
	60"	24"	<b>RSWWAWF602( )</b>	0.	2,008.	2,311.	3,120.
	72"	20"	<b>RSWWAWF721( )</b>	0.	2,034.	2,340.	3,157.
	72"	24"	<b>RSWWAWF722( )</b>	0.	2,175.	2,503.	3,381.
	90"	20"	<b>RSWWAWF901( )</b>	0.	2,361.	2,716.	3,668.
	90"	24"	<b>RSWWAWF902( )</b>	0.	2,503.	2,880.	3,887.
	96"	20"	<b>RSWWAWF961( )</b>	0.	2,753.	3,077.	4,154.
	96"	24"	<b>RSWWAWF962( )</b>	0.	2,822.	3,247.	4,381.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	<b>RSWWA(A/B/C/D/E/F/G)601( )</b>	0.	714.	825.	1,114.
	60"	24"	<b>RSWWA(A/B/C/D/E/F/G)602( )</b>	0.	770.	887.	1,199.
	72"	20"	<b>RSWWA(A/B/C/D/E/F/G)721( )</b>	0.	779.	897.	1,211.
	72"	24"	<b>RSWWA(A/B/C/D/E/F/G)722( )</b>	0.	833.	960.	1,295.
	90"	20"	<b>RSWWA(A/B/C/D/E/F/G)901( )</b>	0.	905.	1,040.	1,405.
	90"	24"	<b>RSWWA(A/B/C/D/E/F/G)902( )</b>	0.	959.	1,104.	1,489.
	96"	20"	<b>RSWWA(A/B/C/D/E/F/G)961( )</b>	0.	1,025.	1,181.	1,594.
	96"	24"	<b>RSWWA(A/B/C/D/E/F/G)962( )</b>	0.	1,081.	1,244.	1,679.

## Order Code

Example:	<b>RSWWA60100L</b>
<b>R</b>	Reff
<b>S</b>	Straight top
<b>WW</b>	Workwall top
<b>A</b>	1 1/4" thick
<b>60</b>	60" wide
<b>1</b>	20" deep
<b>(L)</b>	Laminate finish

## Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

## 1. Thickness options:

A = 1 1/4"

## 2. Finish type:

L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

3. Specify edge detail where applicable, for RSWWA(.). See page0 for available profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.

## Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.


Applicable finishes are listed on Reff Profiles and Reff Profiles.

## Hardware included.


Product on this page will accept wood grain laminate, where laminate is currently an option. List price for wood grain laminate options will be current published laminate list price plus 10%.

Reuter overhead cabinet  
*Morrison panel mounted*  
*Designed by Robert Reuter*


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	<b>RO3-M24( ) ( )L</b>		\$734.	\$734.	\$770.	\$1,103.
		30"	14 1/4"	14 3/4"	<b>RO3-M30( ) ( )L</b>		821.	821.	859.	1,187.
		36"	14 1/4"	14 3/4"	<b>RO3-M36( ) ( )L</b>		946.	946.	992.	1,328.
		42"	14 1/4"	14 3/4"	<b>RO3-M42( ) ( )L</b>		1,093.	1,093.	1,146.	1,474.
		48"	14 1/4"	14 3/4"	<b>RO3-M48( ) ( )L</b>		1,216.	1,216.	1,277.	1,615.



Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-M60( ) ( )L</b>		1,542.	1,542.	1,616.	2,221.
		66"	14 1/4"	14 3/4"	<b>RO3-M66( ) ( )L</b>		1,678.	1,678.	1,765.	2,379.
		72"	14 1/4"	14 3/4"	<b>RO3-M72( ) ( )L</b>		1,797.	1,797.	1,886.	2,510.



Enclosed cabinet, no lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	<b>RO3-M24( ) ( )N</b>		664.	664.	696.	
		30"	14 1/4"	14 3/4"	<b>RO3-M30( ) ( )N</b>		751.	751.	789.	
		36"	14 1/4"	14 3/4"	<b>RO3-M36( ) ( )N</b>		877.	877.	918.	
		42"	14 1/4"	14 3/4"	<b>RO3-M42( ) ( )N</b>		1,022.	1,022.	1,072.	
		48"	14 1/4"	14 3/4"	<b>RO3-M48( ) ( )N</b>		1,145.	1,145.	1,202.	



**Order Code**

Example: <b>RO3-M48-612-M-L</b>	
<b>RO3</b>	Reuter overhead cabinet
<b>M</b>	Morrison panel mounted
<b>48</b>	Width
<b>612</b>	Case finish
<b>M</b>	Front finish
<b>L</b>	With lock

**Specification Information**

First suffix is for case, second is door finish.  
*Specify finish for case and door:*  
 Interior partitions are black painted steel finish.

**Application Notes**

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 267) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.

Insert may be removed to retrofit a lock later.

Reuter overhead cabinet  
*Morrison panel mounted*  
*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60"	14 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-M60( ) (JN)</b>		\$1,398.	\$1,398.	\$1,467.	n/a
		66"	14 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-M66( ) (JN)</b>		1,539.	1,539.	1,612.	n/a
		72"	14 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-M72( ) (JN)</b>		1,651.	1,651.	1,736.	n/a



description	type	w	d	h	pattern no.	black
Interior partitions	Horizontal, set of 10	6"	11"	-	<b>RO1-HP6</b>	141.
	Horizontal, set of 10	9"	11"	-	<b>RO1-HP9</b>	177.
	Horizontal, set of 10	12"	11"	-	<b>RO1-HP12</b>	211.
	Horizontal, set of 10	15"	11"	-	<b>RO1-HP15</b>	246.
	Vertical, set of 5	-	11"	12"	<b>RO3-VP</b>	91.



**Order Code**

Example:	<b>RO3-M48-612-M-L</b>
<b>RO3</b>	Reuter overhead cabinet
<b>M</b>	Morrison panel mounted
<b>48</b>	Width
<b>612</b>	Case finish
<b>M</b>	Front finish
<b>L</b>	With lock

**Specification Information**

First suffix is for case, second is door finish.  
*Specify finish for case and door:*  
 Interior partitions are black painted steel finish.

**Application Notes**

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1<sup>1</sup>/<sub>2</sub>" increments of width anywhere across shelf, 1<sup>1</sup>/<sub>2</sub>" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 267) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.


Insert may be removed to retrofit a lock later.

Reuter overhead cabinet  
*desk, wall, or other Knoll system mounted*  
*Designed by Robert Reuter*


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	<b>RO3-N24( )L</b>		\$720.	\$720.	\$755.	\$1,084.
		30"	14 1/4"	14 3/4"	<b>RO3-N30( )L</b>		801.	801.	844.	1,170.
		36"	14 1/4"	14 3/4"	<b>RO3-N36( )L</b>		927.	927.	974.	1,311.
		42"	14 1/4"	14 3/4"	<b>RO3-N42( )L</b>		1,075.	1,075.	1,131.	1,458.
		48"	14 1/4"	14 3/4"	<b>RO3-N48( )L</b>		1,202.	1,202.	1,260.	1,601.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-N60( )L</b>		1,520.	1,520.	1,599.	2,206.
		66"	14 1/4"	14 3/4"	<b>RO3-N66( )L</b>		1,665.	1,665.	1,744.	2,365.
		72"	14 1/4"	14 3/4"	<b>RO3-N72( )L</b>		1,778.	1,778.	1,867.	2,495.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	<b>RO3-N24( )N</b>		647.	647.	678.	n/a
		30"	14 1/4"	14 3/4"	<b>RO3-N30( )N</b>		733.	733.	769.	n/a
		36"	14 1/4"	14 3/4"	<b>RO3-N36( )N</b>		857.	857.	900.	n/a
		42"	14 1/4"	14 3/4"	<b>RO3-N42( )N</b>		1,006.	1,006.	1,056.	n/a
		48"	14 1/4"	14 3/4"	<b>RO3-N48( )N</b>		1,129.	1,129.	1,187.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-N60( )N</b>		1,379.	1,379.	1,449.	n/a
		66"	14 1/4"	14 3/4"	<b>RO3-N66( )N</b>		1,519.	1,519.	1,596.	n/a
		72"	14 1/4"	14 3/4"	<b>RO3-N72( )N</b>		1,639.	1,639.	1,721.	n/a



**Order Code**

Example:	<b>RO3-N48-613-613-L</b>
<b>RO3</b>	Reuter overhead cabinet
<b>N</b>	No brackets
<b>48</b>	Width
<b>613</b>	Case finish
<b>613</b>	Front finish
<b>L</b>	With lock

**Specification Information**

*Specify finish for case and door.*

**Application Notes**

Reuter storage is a universal product applicable on Knoll systems.


Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter overhead cabinet  
*desk, wall, or other Knoll system mounted*  
*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Interior partitions 	Vertical, set of 5	–	11"	12"	<b>RO3-VP</b>	\$91.				
	Horizontal, set of 10	6"	11"	–	<b>RO1-HP6</b>	141.				
	Horizontal, set of 10	9"	11"	–	<b>RO1-HP9</b>	177.				
	Horizontal, set of 10	12"	11"	–	<b>RO1-HP12</b>	211.				
	Horizontal, set of 10	15"	11"	–	<b>RO1-HP15</b>	246.				

**Order Code**

Example: <b>RO3-N48-613-613-L</b>	
<b>RO3</b>	Reuter overhead cabinet
<b>N</b>	No brackets
<b>48</b>	Width
<b>613</b>	Case finish
<b>613</b>	Front finish
<b>L</b>	With lock

**Specification Information**

*Specify finish for case and door.*

**Application Notes**

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.




Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.



# Reuter open shelf

*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf Morrison panel brackets		24"	13"	8"	<b>RS1-M24( )</b>		\$326.	\$326.	\$343.
		30"	13"	8"	<b>RS1-M30( )</b>		357.	357.	375.
		36"	13"	8"	<b>RS1-M36( )</b>		403.	403.	424.
		42"	13"	8"	<b>RS1-M42( )</b>		436.	436.	457.
		48"	13"	8"	<b>RS1-M48( )</b>		467.	467.	490.
		60"	13"	8"	<b>RS1-M60( )</b>		545.	545.	573.
 Open shelf no mounting hardware		24"	13"	8"	<b>RS1-N24( )</b>		311.	311.	326.
		30"	13"	8"	<b>RS1-N30( )</b>		344.	344.	360.
		36"	13"	8"	<b>RS1-N36( )</b>		390.	390.	408.
		42"	13"	8"	<b>RS1-N42( )</b>		420.	420.	440.
		48"	13"	8"	<b>RS1-N48( )</b>		452.	452.	474.
		60"	13"	8"	<b>RS1-N60( )</b>		529.	529.	557.
 Interior partitions	Vertical, set of 5	–	12"	6"	<b>RS1-VP</b>	85.			
	Horizontal, set of 10	6"	12"	–	<b>RO1-HP6</b>	141.			
		9"	12"	–	<b>RO1-HP9</b>	177.			
		12"	12"	–	<b>RO1-HP12</b>	211.			
		15"	12"	–	<b>RO1-HP15</b>	246.			

## Order Code

Example:	<b>RS1-N48-612</b>
<b>RS1</b>	Reuter shelf
<b>N</b>	No mounting hardware
<b>48</b>	Width
<b>612</b>	Finish

## Specification Information

*Specify paint finishes for shelf.*

## Application Notes

Interior partitions are black painted steel finish.




Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

# Reuter open overhead

*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
 Open overhead Morrison panel brackets		30"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM30( )</b>		\$529.	\$529.	\$557.	
		36"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM36( )</b>		607.	607.	636.	
		42"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM42( )</b>		685.	685.	720.	
		48"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM48( )</b>		761.	761.	800.	
		60"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM60( )</b>		887.	887.	930.	
		72"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-OM72( )</b>		1,043.	1,043.	1,095.	
 Open overhead no mounting hardware		30"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON30( )</b>		515.	515.	539.	
		36"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON36( )</b>		590.	590.	620.	
		42"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON42( )</b>		670.	670.	704.	
		48"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON48( )</b>		749.	749.	784.	
		60"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON60( )</b>		870.	870.	916.	
		72"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON72( )</b>		1,026.	1,026.	1,076.	
 Interior partitions	Vertical, set of 5	–	11"	12"	<b>RO3-VP</b>		91.			
	Horizontal, set of 10	6"	11"	–	<b>RO1-HP6</b>		141.			
		9"	11"	–	<b>RO1-HP9</b>		177.			
		12"	11"	–	<b>RO1-HP12</b>		211.			
		15"	11"	–	<b>RO1-HP15</b>		246.			
Door retrofit kit, with lock	For open overhead	30"			<b>RO3-RD30( )L</b>		360.	360.	380.	695.
		36"			<b>RO3-RD36( )L</b>		390.	390.	408.	755.
		42"			<b>RO3-RD42( )L</b>		455.	455.	476.	819.
		48"			<b>RO3-RD48( )L</b>		498.	498.	521.	879.
		60"			<b>RO3-RD60( )L</b>		760.	760.	798.	1,412.
		72"			<b>RO3-RD72( )L</b>		854.	854.	896.	1,539.
Door retrofit kit, no lock	For open overhead	30"			<b>RO3-RD30( )N</b>		275.	275.	289.	n/a
		36"			<b>RO3-RD36( )N</b>		318.	318.	334.	n/a
		42"			<b>RO3-RD42( )N</b>		385.	385.	403.	n/a
		48"			<b>RO3-RD48( )N</b>		426.	426.	447.	n/a
		60"			<b>RO3-RD60( )N</b>		618.	618.	651.	n/a
		72"			<b>RO3-RD72( )N</b>		714.	714.	751.	n/a

Order Code	Specification Information	Application Notes
Example: <b>RO3-ON30-612</b>	<i>Specify finish for case and door.</i>	Interior partitions are black painted steel finish.
<b>RO3-O</b> Reuter open overhead		Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.
<b>N</b> No mounting hardware		Reuter storage is a universal product applicable to Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.
<b>30</b> Width		Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.
<b>612</b> Finish		Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.




Reuter overhead storage  
*desk and panel mounting options*  
*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	paint
Stanchions for Network desk mount, pair	1 1/4" worksurface	5"	5"	20 1/2"	<b>RO2-NS21( )</b>		\$488.
	1 3/4" worksurface	5"	5"	20"	<b>RO2-NS20( )</b>		488.
Stanchion outlets cover	1 1/4" worksurface	7"	1/2"	15 1/2"	<b>MN2SO21( )</b>	44.	
	1 3/4" worksurface	7"	1/2"	15"	<b>MN2SO20( )</b>	44.	
Panel mount brackets, pair, overhead cabinet	For Dividends panels				<b>RO1-DPB</b>	58.	
	For Equity panels				<b>RO1-EPB</b>	47.	
	For Morrison panels				<b>RO1-MPB</b>	47.	
	For Reff System panels				<b>RO1-RPB</b>	47.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Dividends panels				<b>RS1-DPB</b>	58.	
	For Equity panels				<b>RS1-EPB</b>	39.	
	For Morrison panels				<b>RS1-MPB</b>	39.	
	For Reff / AutoStrada panels				<b>RS1-RPB</b>	39.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Equity panels				<b>RO1-ECB( )</b>		101.
	For Morrison panels	1/2"	10"	10"	<b>RO1-CB( )</b>		101.
	For Reff / AutoStrada panels				<b>RO1-RCB( )</b>		101.



Order Code	Specification Information	Application Notes
Example: <b>RO2-NS21-612</b>	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
<b>RO2</b> Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
<b>NS</b> Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
<b>21</b> Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
<b>612</b> Paint finish		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage  
*wall-mounting options and ADA pull*  
*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	<b>RO1-WMF2</b>	\$88.
	36" or 42"W overheads	35"	1/2"	13"	<b>RO1-WMF3</b>	96.
	48" or 60"W overheads	47"	1/2"	13"	<b>RO1-WMF4</b>	101.
Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	<b>RS1-WMF24</b>	88.
	30"W shelf	29"	1 1/2"	6"	<b>RS1-WMF30</b>	93.
	36"W shelf	35"	1 1/2"	6"	<b>RS1-WMF36</b>	96.
	42"W shelf	41"	1 1/2"	6"	<b>RS1-WMF42</b>	99.
	48"W shelf	47"	1 1/2"	6"	<b>RS1-WMF48</b>	101.
	60"W shelf	59"	1 1/2"	6"	<b>RS1-WMF60</b>	107.
Wall mount wire manager, set of 10					<b>MWM-J</b>	161.
						
	Ganging bracket				<b>RO1-GB</b>	13.
ADA pull					<b>RO1-PULL</b>	51.
						

**Order Code**

Example: <b>RO1-GB</b>	
<b>RO1</b>	Reuter overhead
<b>GB</b>	Ganging bracket




**Specification Information**

Wall mount frames are painted black finish.  
 ADA pull is stainless steel.

**Application Notes**

Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66" - and 72"-wide Reuter overheads.  
 Reuter open shelves 66" and 72"W are for stanchion support only.  
 Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).  
 Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.



ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".  
 ADA pull cannot be mounted on wood front Reuter doors.

description	type	w	d	h	pattern no.	list
 <p>T5 Standard Task Light</p>	Use with 24" and wider overhead	19"	4"	1 1/2"	<b>RTAT5E19S</b>	\$232.
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTAT5E25S</b>	249.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTAT5E37S</b>	269.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTAT5E49S</b>	291.
	Use with 66" and wider overhead	61"	4"	1 1/2"	<b>RTAT5E61S</b>	310.
 <p>T5 Advanced Task Light</p>	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTAT5E25A</b>	430.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTAT5E37A</b>	452.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTAT5E49A</b>	470.
	Use with 66" and wider overhead	61"	4"	1 1/2"	<b>RTAT5E61A</b>	489.
 <p>LED Task Light</p>	Use with 24" and wider overhead (3 LED's)	19"	2"	5/8"	<b>ML3L193M</b>	310.
	Use with 24" and wider overhead (6 LED's)	19"	2"	5/8"	<b>ML3L196M</b>	391.
	Use with 24" and wider overhead (9 LED's)	19"	2"	5/8"	<b>ML3L199M</b>	533.
	Use with 42" and wider overhead (6 LED's)	37"	2"	5/8"	<b>ML3L376M</b>	625.
	Use with 42" and wider overhead (12 LED's)	37"	2"	5/8"	<b>ML3L3712M</b>	707.
	Use with 42" and wider overhead (18 LED's)	37"	2"	5/8"	<b>ML3L3718M</b>	876.



Order Code	Specification Information	Application Notes
<p><b>T5 Standard Task Light</b></p> <p>Example: <b>RTAT5E25S</b></p> <p><b>RTA</b> Task Light</p> <p><b>T5</b> T5 lamp</p> <p><b>E</b> Electronic ballast</p> <p><b>25</b> Width</p> <p><b>S</b> Standard</p> <p><b>LED Task Light</b></p> <p>Example: <b>ML3L193M</b></p> <p><b>ML3</b> Task Light</p> <p><b>L</b> LED</p> <p><b>19</b> Width</p> <p><b>3</b> # of LED's</p> <p><b>M</b> Metal Overhead Attachment</p>	<p><b>T5 Task Lights:</b> 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.</p> <p><b>LED Task Lights:</b> Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.</p>	<p><b>T5 Task Lights:</b> Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH</p> <p>Cordset is center exit. On smaller units cord exit is off-center, but still not handed.</p> <p>T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.</p> <p><b>LED Task Lights:</b> Power cord is able to attach to either end of fixture.</p> <p><b>Notes:</b> All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.</p> <p>All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.</p>

# Transaction tops for use with 42" H panel heights

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	<b>RTTA24(-)(-)</b>	\$333.	\$351.	\$351.	\$404.	\$546.
	30"	15"	1 1/4"	<b>RTTA30(-)(-)</b>	364.	381.	381.	442.	596.
	36"	15"	1 1/4"	<b>RTTA36(-)(-)</b>	396.	418.	418.	479.	650.
	42"	15"	1 1/4"	<b>RTTA42(-)(-)</b>	428.	450.	450.	517.	697.
	48"	15"	1 1/4"	<b>RTTA48(-)(-)</b>	456.	485.	485.	556.	750.
	54"	15"	1 1/4"	<b>RTTA54(-)(-)</b>	488.	516.	516.	592.	799.
	60"	15"	1 1/4"	<b>RTTA60(-)(-)</b>	520.	548.	548.	632.	854.
	66"	15"	1 1/4"	<b>RTTA66(-)(-)</b>	552.	580.	580.	667.	901.
	72"	15"	1 1/4"	<b>RTTA72(-)(-)</b>	581.	614.	614.	706.	953.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	<b>RTTAWF24(-)(-)</b>			701.	806.	1,088.
	30"	15"	1 1/4"	<b>RTTAWF30(-)(-)</b>			768.	884.	1,194.
	36"	15"	1 1/4"	<b>RTTAWF36(-)(-)</b>			832.	960.	1,295.
	42"	15"	1 1/4"	<b>RTTAWF42(-)(-)</b>			898.	1,032.	1,393.
	48"	15"	1 1/4"	<b>RTTAWF48(-)(-)</b>			967.	1,112.	1,500.
	54"	15"	1 1/4"	<b>RTTAWF54(-)(-)</b>			1,030.	1,183.	1,597.
	60"	15"	1 1/4"	<b>RTTAWF60(-)(-)</b>			1,098.	1,262.	1,704.
	66"	15"	1 1/4"	<b>RTTAWF66(-)(-)</b>			1,161.	1,336.	1,804.
	72"	15"	1 1/4"	<b>RTTAWF72(-)(-)</b>			1,228.	1,411.	1,904.



Not available in laminate or mixed finishes

Order Code	
Example: <b>RTTA24 (-)(-)</b>	
<b>R</b>	Reff
<b>TT</b>	Transaction top
<b>24</b>	24" wide
<b>L</b>	Type, left side Mitre
<b>2</b>	V2 finish
<b>V316</b>	Light Maple finish

Specification Information
To order please specify pattern number including:
1. Width
2. Type: L = Left side Mitre R = Right side Mitre S = Straight
3. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
4. Finish = Laminate or Veneer

Application Notes
Transaction tops are for mounting to 42" h panel or overall panel height achieved from 34" h base panel plus 8" h stacking module. Transaction tops ship with necessary bracketry included.
No grommets included.
Tops may be used to span more than one consecutive panel.
Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the tops. This can be done in the field or through Custom Product Development.
Applicable finishes are listed on Reff Profiles and Reff Profiles.
Product on this page will accept wood grain laminate, where laminate is currently an option.

Transaction tops, regular and waterfall edge

# Transaction tops

## *Brackets for Alternative Material*


description	w	h	pattern no.	list
Attachment Bracketry			<b>RAMTB</b>	\$60.
	* Each panel need 2 brackets			
Foam Tape			<b>RAMTT</b>	23.
Transaction Top Bracket			<b>RAMTC24()</b>	44.
Cover			<b>RAMTC30()</b>	47.
			<b>RAMTC36()</b>	50.
			<b>RAMTC42()</b>	54.
			<b>RAMTC48()</b>	57.
			<b>RAMTC54()</b>	60.
			<b>RAMTC60()</b>	63.
			<b>RAMTC66()</b>	67.
			<b>RAMTC72()</b>	69.
Transaction Top Bracket			<b>RAMTCH24()</b>	60.
Cover Hilo			<b>RAMTCH30()</b>	63.
			<b>RAMTCH36()</b>	67.
			<b>RAMTCH42()</b>	70.
			<b>RAMTCH48()</b>	73.
			<b>RAMTCH54()</b>	77.
			<b>RAMTCH60()</b>	80.
			<b>RAMTCH66()</b>	83.
			<b>RAMTCH72()</b>	85.

Order Code	Specification Information	Application Notes
Example: <b>RAMTC</b>	<i>To order please specify pattern number including:</i>	Spline piece included in the right "R" hand pattern number.
<b>R</b> Reff		When a solid material is installed the "RAMTB" is required.
<b>A</b> Alternative	1. End treatment option	When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.
<b>M</b> Material	2. Finish type: Core paint finishes	
<b>T</b> Transaction Top		
<b>C</b> Cover		
<b>24</b> Width		
<b>L/R/M</b> Left/Right/Mitered		

# Gallery desk surrounds


## 1 1/4" worksurface

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	<b>RGAF622-()</b>	\$1,369.	\$1,663.	\$1,663.	\$1,828.	\$1,915.	\$2,469.	\$2,585.
	68"	25"	42"	<b>RGAF682-()</b>	1,416.	1,723.	1,723.	1,893.	1,984.	2,554.	2,678.
	74"	25"	42"	<b>RGAF742-()</b>	1,469.	1,789.	1,789.	1,965.	2,056.	2,653.	2,773.
	80"	25"	42"	<b>RGAF802-()</b>	1,522.	1,847.	1,847.	2,027.	2,128.	2,737.	2,871.
	86"	25"	42"	<b>RGAF862-()</b>	1,569.	1,911.	1,911.	2,093.	2,198.	2,825.	2,967.
	92"	25"	42"	<b>RGAF922-()</b>	1,621.	1,974.	1,974.	2,160.	2,270.	2,915.	3,061.
	98"	25"	42"	<b>RGAF982-()</b>	1,673.	2,035.	2,035.	2,230.	2,343.	3,009.	3,162.
	62"	31"	42"	<b>RGAF623-()</b>	1,455.	1,770.	1,770.	1,939.	2,036.	2,618.	2,748.
	68"	31"	42"	<b>RGAF683-()</b>	1,511.	1,841.	1,841.	2,017.	2,117.	2,722.	2,859.
	74"	31"	42"	<b>RGAF743-()</b>	1,568.	1,910.	1,910.	2,093.	2,196.	2,825.	2,964.
	80"	31"	42"	<b>RGAF803-()</b>	1,625.	1,974.	1,974.	2,166.	2,274.	2,925.	3,069.
	86"	31"	42"	<b>RGAF863-()</b>	1,684.	2,047.	2,047.	2,243.	2,355.	3,028.	3,181.
	92"	31"	42"	<b>RGAF923-()</b>	1,740.	2,118.	2,118.	2,316.	2,435.	3,127.	3,286.
	98"	31"	42"	<b>RGAF983-()</b>	1,797.	2,186.	2,186.	2,396.	2,512.	3,235.	3,392.




If shelf is not ordered and no drillings are required, you must order through specials.

Shelf for above (uses keyhole attachment hardware)	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
60"	12"	1"		<b>RGS60-()</b>	331.		402.		465.		628.
66"	12"	1"		<b>RGS66-()</b>	343.		417.		479.		650.
72"	12"	1"		<b>RGS72-()</b>	354.		431.		495.		668.
78"	12"	1"		<b>RGS78-()</b>	365.		444.		512.		690.
84"	12"	1"		<b>RGS84-()</b>	373.		458.		525.		709.
90"	12"	1"		<b>RGS90-()</b>	386.		468.		539.		727.
96"	12"	1"		<b>RGS96-()</b>	396.		480.		553.		748.



Bridge top assembly	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
54"	21"	42"		<b>RGAB541-()</b>	390.	1,080.	1,080.	1,168.	1,242.	1,576.	1,678.
42"	21"	42"		<b>RGAB421-()</b>	781.	948.	948.	1,023.	1,089.	1,382.	1,470.
48"	21"	42"		<b>RGAB481-()</b>	836.	1,014.	1,014.	1,092.	1,166.	1,475.	1,573.
60"	21"	42"		<b>RGAB601-()</b>	943.	1,146.	1,146.	1,242.	1,323.	1,678.	1,784.
66"	21"	42"		<b>RGAB661-()</b>	999.	1,215.	1,215.	1,312.	1,397.	1,772.	1,885.
72"	21"	42"		<b>RGAB721-()</b>	1,052.	1,279.	1,279.	1,386.	1,470.	1,871.	1,985.
78"	21"	42"		<b>RGAB781-()</b>	1,103.	1,344.	1,344.	1,460.	1,546.	1,971.	2,088.
84"	21"	42"		<b>RGAB841-()</b>	1,158.	1,407.	1,407.	1,524.	1,619.	2,056.	2,186.
90"	21"	42"		<b>RGAB901-()</b>	1,209.	1,471.	1,471.	1,597.	1,692.	2,155.	2,286.
96"	21"	42"		<b>RGAB961-()</b>	1,259.	1,532.	1,532.	1,662.	1,764.	2,244.	2,381.



Order Code	Specification Information	Application Notes
Example: <b>RGAF622NLL</b>	To order please specify pattern number including:	3. Finish type, components: (surround components)
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type, top	1 = V1
<b>A</b> 1 1/4" top thickness	3. Finish type, components	2 = V2
<b>F</b> Freestanding	4. Finish, top	3 = V3
<b>62</b> 62" wide	5. Finish, components	If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.
<b>2</b> 25" deep	1. Grommet options:	Product on this page <b>Excluding any vertical surface over 48"</b> , will accept woodgrain laminate where laminate is currently an option.
<b>N</b> No grommet	N = No grommets	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
<b>L</b> Finish type top, laminate	F = Flush front grommet	Hardware included.
<b>L</b> Finish type components		Shipped knocked-down.
<b>114</b> Folkstone grey (top)	2. Finish type, top:	
<b>114</b> Folkstone grey (components)	L = Laminate	
	M = Mixed (laminate top w/wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.

**Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.**


Applicable finishes are listed on Reff Profiles and Reff Profiles.



# Gallery desk surrounds

## right hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	<b>RGAR431-</b> ( ) ( )	\$955.	\$1,162.	\$1,162.	\$1,267.	\$1,333.	\$1,711.	\$1,799.
		49"	42"	<b>RGAR491-</b> ( ) ( )	1,002.	1,221.	1,221.	1,333.	1,405.	1,799.	1,896.
		55"	42"	<b>RGAR551-</b> ( ) ( )	1,054.	1,280.	1,280.	1,399.	1,471.	1,889.	1,986.
		61"	42"	<b>RGAR611-</b> ( ) ( )	1,101.	1,338.	1,338.	1,462.	1,543.	1,973.	2,082.
		67"	42"	<b>RGAR671-</b> ( ) ( )	1,151.	1,403.	1,403.	1,530.	1,613.	2,063.	2,176.
		73"	42"	<b>RGAR731-</b> ( ) ( )	1,200.	1,460.	1,460.	1,595.	1,677.	2,151.	2,264.
		79"	42"	<b>RGAR791-</b> ( ) ( )	1,248.	1,517.	1,517.	1,661.	1,750.	2,242.	2,364.
		85"	42"	<b>RGAR851-</b> ( ) ( )	1,298.	1,579.	1,579.	1,722.	1,817.	2,324.	2,451.
		91"	42"	<b>RGAR911-</b> ( ) ( )	1,348.	1,641.	1,641.	1,790.	1,896.	2,418.	2,560.
		97"	42"	<b>RGAR971-</b> ( ) ( )	1,401.	1,701.	1,701.	1,854.	1,953.	2,502.	2,638.
25"	43"	42"	<b>RGAR432-</b> ( ) ( )	1,048.	1,273.	1,273.	1,393.	1,464.	1,880.	1,977.	
		49"	42"	<b>RGAR492-</b> ( ) ( )	1,094.	1,332.	1,332.	1,457.	1,531.	1,966.	2,066.
		55"	42"	<b>RGAR552-</b> ( ) ( )	1,144.	1,391.	1,391.	1,517.	1,602.	2,051.	2,163.
		61"	42"	<b>RGAR612-</b> ( ) ( )	1,195.	1,452.	1,452.	1,581.	1,669.	2,135.	2,250.
		67"	42"	<b>RGAR672-</b> ( ) ( )	1,243.	1,512.	1,512.	1,650.	1,737.	2,228.	2,346.
		73"	42"	<b>RGAR732-</b> ( ) ( )	1,293.	1,571.	1,571.	1,716.	1,808.	2,316.	2,443.
		79"	42"	<b>RGAR792-</b> ( ) ( )	1,339.	1,627.	1,627.	1,776.	1,876.	2,396.	2,532.
		85"	42"	<b>RGAR852-</b> ( ) ( )	1,388.	1,692.	1,692.	1,843.	1,946.	2,488.	2,625.
		91"	42"	<b>RGAR912-</b> ( ) ( )	1,441.	1,753.	1,753.	1,906.	2,016.	2,574.	2,720.
		97"	42"	<b>RGAR972-</b> ( ) ( )	1,492.	1,814.	1,814.	1,974.	2,086.	2,664.	2,815.
31"	43"	42"	<b>RGAR433-</b> ( ) ( )	1,113.	1,354.	1,354.	1,476.	1,556.	1,991.	2,100.	
		49"	42"	<b>RGAR493-</b> ( ) ( )	1,161.	1,410.	1,410.	1,541.	1,623.	2,080.	2,192.
		55"	42"	<b>RGAR553-</b> ( ) ( )	1,209.	1,471.	1,471.	1,600.	1,692.	2,160.	2,286.
		61"	42"	<b>RGAR613-</b> ( ) ( )	1,256.	1,530.	1,530.	1,662.	1,762.	2,244.	2,378.
		67"	42"	<b>RGAR673-</b> ( ) ( )	1,304.	1,590.	1,590.	1,727.	1,828.	2,332.	2,469.
		73"	42"	<b>RGAR733-</b> ( ) ( )	1,354.	1,649.	1,649.	1,791.	1,893.	2,419.	2,554.
		79"	42"	<b>RGAR793-</b> ( ) ( )	1,404.	1,705.	1,705.	1,854.	1,964.	2,502.	2,652.
		85"	42"	<b>RGAR853-</b> ( ) ( )	1,451.	1,766.	1,766.	1,921.	2,031.	2,592.	2,742.
		91"	42"	<b>RGAR913-</b> ( ) ( )	1,501.	1,826.	1,826.	1,983.	2,095.	2,675.	2,829.
		97"	42"	<b>RGAR973-</b> ( ) ( )	1,549.	1,882.	1,882.	2,047.	2,166.	2,764.	2,925.



Order Code	Specification Information	Application Notes
Example: <b>RGAR431NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type top	1 = V1
<b>A</b> 1 1/4" top thickness	3. Finish type components	2 = V2
<b>R</b> Right hand return	4. Finish, top	3 = V3
<b>43</b> 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
<b>1</b> 21" deep	<i>1. Grommet options:</i>	Product on this page <b>Excluding any vertical surface over 48"</b> , will accept woodgrain laminate where laminate is currently an option.
<b>N</b> No grommet	N = No grommets	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>L</b> Finish type, top	F = Flush front grommet	<b>Hardware included.</b>
<b>L</b> Finish type, components	<i>2. Finish type top:</i>	Gallery desk surrounds are available with waterfall edge as a standard special.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

**All requests for special grommet locations must be approved through custom product development.**

M (mixed finish) includes laminate worksurface, wood edge and wood surround.


**Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.**

Applicable finishes are listed on Reff Profiles and Reff Profiles.

# Gallery desk surrounds

## left hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	<b>RGAL431-</b> ( ) ( )	\$955.	\$1,162.	\$1,162.	\$1,267.	\$1,333.	\$1,711.	\$1,799.
		49"	42"	<b>RGAL491-</b> ( ) ( )	1,002.	1,221.	1,221.	1,333.	1,405.	1,799.	1,896.
		55"	42"	<b>RGAL551-</b> ( ) ( )	1,054.	1,280.	1,280.	1,399.	1,471.	1,889.	1,986.
		61"	42"	<b>RGAL611-</b> ( ) ( )	1,101.	1,338.	1,338.	1,462.	1,543.	1,973.	2,082.
		67"	42"	<b>RGAL671-</b> ( ) ( )	1,151.	1,403.	1,403.	1,530.	1,613.	2,063.	2,176.
		73"	42"	<b>RGAL731-</b> ( ) ( )	1,200.	1,460.	1,460.	1,595.	1,677.	2,151.	2,264.
		79"	42"	<b>RGAL791-</b> ( ) ( )	1,248.	1,517.	1,517.	1,661.	1,750.	2,242.	2,364.
		85"	42"	<b>RGAL851-</b> ( ) ( )	1,298.	1,579.	1,579.	1,722.	1,817.	2,324.	2,451.
		91"	42"	<b>RGAL911-</b> ( ) ( )	1,348.	1,641.	1,641.	1,790.	1,896.	2,418.	2,560.
		97"	42"	<b>RGAL971-</b> ( ) ( )	1,401.	1,701.	1,701.	1,854.	1,953.	2,502.	2,638.
25"	43"	42"	<b>RGAL432-</b> ( ) ( )	1,048.	1,273.	1,273.	1,393.	1,464.	1,880.	1,977.	
	49"	42"	<b>RGAL492-</b> ( ) ( )	1,094.	1,332.	1,332.	1,457.	1,531.	1,966.	2,066.	
	55"	42"	<b>RGAL552-</b> ( ) ( )	1,144.	1,391.	1,391.	1,517.	1,602.	2,051.	2,163.	
	61"	42"	<b>RGAL612-</b> ( ) ( )	1,195.	1,452.	1,452.	1,581.	1,669.	2,135.	2,250.	
	67"	42"	<b>RGAL672-</b> ( ) ( )	1,243.	1,512.	1,512.	1,650.	1,737.	2,228.	2,346.	
	73"	42"	<b>RGAL732-</b> ( ) ( )	1,293.	1,571.	1,571.	1,716.	1,808.	2,316.	2,443.	
	79"	42"	<b>RGAL792-</b> ( ) ( )	1,339.	1,627.	1,627.	1,776.	1,876.	2,396.	2,532.	
	85"	42"	<b>RGAL852-</b> ( ) ( )	1,388.	1,692.	1,692.	1,843.	1,946.	2,488.	2,625.	
	91"	42"	<b>RGAL912-</b> ( ) ( )	1,441.	1,753.	1,753.	1,906.	2,016.	2,574.	2,720.	
	97"	42"	<b>RGAL972-</b> ( ) ( )	1,492.	1,814.	1,814.	1,974.	2,086.	2,664.	2,815.	
31"	43"	42"	<b>RGAL433-</b> ( ) ( )	1,113.	1,354.	1,354.	1,476.	1,556.	1,991.	2,100.	
	49"	42"	<b>RGAL493-</b> ( ) ( )	1,161.	1,410.	1,410.	1,541.	1,623.	2,080.	2,192.	
	55"	42"	<b>RGAL553-</b> ( ) ( )	1,209.	1,471.	1,471.	1,600.	1,692.	2,160.	2,286.	
	61"	42"	<b>RGAL613-</b> ( ) ( )	1,256.	1,530.	1,530.	1,662.	1,762.	2,244.	2,378.	
	67"	42"	<b>RGAL673-</b> ( ) ( )	1,304.	1,590.	1,590.	1,727.	1,828.	2,332.	2,469.	
	73"	42"	<b>RGAL733-</b> ( ) ( )	1,354.	1,649.	1,649.	1,791.	1,893.	2,419.	2,554.	
	79"	42"	<b>RGAL793-</b> ( ) ( )	1,404.	1,705.	1,705.	1,854.	1,964.	2,502.	2,652.	
	85"	42"	<b>RGAL853-</b> ( ) ( )	1,451.	1,766.	1,766.	1,921.	2,031.	2,592.	2,742.	
	91"	42"	<b>RGAL913-</b> ( ) ( )	1,501.	1,826.	1,826.	1,983.	2,095.	2,675.	2,829.	
	97"	42"	<b>RGAL973-</b> ( ) ( )	1,549.	1,882.	1,882.	2,047.	2,166.	2,764.	2,925.	




Order Code	Specification Information	Application Notes
Example: <b>RGAL431NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type top	1 = V1
<b>A</b> 1 1/4" top thickness	3. Finish type components	2 = V2
<b>L</b> Left hand return	4. Finish, top	3 = V3
<b>43</b> 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
<b>1</b> 21" deep	<i>1. Grommet options:</i>	<b>Product on this page Excluding any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.</b>
<b>N</b> No grommet	N = No grommets	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>L</b> Finish type, top	F = Flush front grommet	<b>Hardware included.</b>
<b>L</b> Finish type, components	2. <i>Finish type top:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		Gallery desk surrounds are available with waterfall edge as a standard special.
		<b>All requests for special grommet locations must be approved through custom product development.</b>
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		<b>Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.</b>
		Applicable finishes are listed on Reff Profiles and Reff Profiles.

# Gallery desk surrounds

## gallery towers

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	<b>RGTL4636</b> ( ) ( ) ( ) ( )	\$2,570.	\$3,206.	\$3,684.	\$4,975.



Actual depth of Gallery Tower is 32"

Gallery Tower, right hand	32"	12"	46"	<b>RGTR4636</b> ( ) ( ) ( ) ( )	2,570.	3,206.	3,684.	4,975.
---------------------------	-----	-----	-----	---------------------------------	--------	--------	--------	--------

Actual depth of Gallery Tower is 32"


Order Code	Specification Information	Application Notes
Example: <b>RGTL46362V319CL</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff		
<b>GT</b> Gallery Tower		
<b>L</b> Left hand		
<b>46</b> 46" h		
<b>36</b> 36" d		
<b>2</b> V2 finish type		
<b>V319</b> Medium Cherry		
<b>C</b> C-pull		
<b>L</b> Lock		
	<p>1. Finish type</p> <p>2. Finish</p> <p>3. Pull option</p> <p>4. Pull finish (if applicable)</p> <p>5. Lock option</p> <p>3. Pull options:            D = Metal D-pull            J = Routed J-pull            C = Nickel finish C-pull (nickel finish only)            S = Stainless steel finish S-pull (stainless steel finish only)</p> <p><b>Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 7/8" desk height products.</b></p>	<p>Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .</p> <p>Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d</p> <p>Overall depth includes top overhang, accommodates 30" d worksurfaces.</p> <p>Gallery towers are to be used with panel applications.</p>

Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.

# Classic Desks

## With Full Recessed Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	<b>RCDFMR60301</b> ( ) ( )	\$1,616.	\$2,720.	\$3,128.	\$4,067.
	30"	72"	26 1/2"	<b>RCDFMR72301</b> ( ) ( )	1,696.	2,855.	3,283.	4,268.
	30"	84"	26 1/2"	<b>RCDFMR84301</b> ( ) ( )	1,771.	2,980.	3,427.	4,456.
	30"	96"	26 1/2"	<b>RCDFMR96301</b> ( ) ( )	1,840.	3,097.	3,562.	4,630.
	36"	60"	26 1/2"	<b>RCDFMR60361</b> ( ) ( )	1,711.	2,879.	3,311.	4,304.
	36"	72"	26 1/2"	<b>RCDFMR72361</b> ( ) ( )	1,795.	3,021.	3,475.	4,518.
	36"	84"	26 1/2"	<b>RCDFMR84361</b> ( ) ( )	1,875.	3,156.	3,629.	4,719.
	36"	96"	26 1/2"	<b>RCDFMR96361</b> ( ) ( )	1,951.	3,282.	3,775.	4,907.

### Order Code

Example:	<b>RCDFMR60301</b>
<b>R</b>	Reff
<b>CD</b>	Classic Desk
<b>FMR</b>	Full Modesty Recessed
<b>60</b>	Width
<b>30</b>	Depth
<b>1</b>	26 1/2" high, 2 = 28 3/8" high
<b>( )</b>	Grommet Option
<b>( )</b>	Grommet Finish
<b>( )</b>	Finish

### Specification Information

To order please specify pattern number including:

- Grommet Option  
F=Flush or Standard Corner location  
N=No Grommet  
R=Recessed Grommet
- Grommet Finish:  
Painted or Plated
- Finish: L,V1,V2,V3

Classic Desks ship knocked down, with all hardware.

Worksurface is 1 1/2" thick.

Grommets are located 20" in from the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Lower storage sold separately.

26 1/2" high desk will only work with 26 1/2" high lower storage.

28 3/8" high desk will only work with 28 3/8" high lower storage.

30" deep desk with recessed modesty will accept 20" and 24" deep pedestals.


36" deep desk with recessed modesty will accept 20", 24" and 30" deep pedestals.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

# Classic Desks


## *With Half Recessed Modesty*

description	d	w	h	y	pattern number	L	V1	V2	V3
	30"	60"	26 1/2"	1.8	<b>RCDHMR60301()</b> ( ) ( )	\$1,567.	\$2,638.	\$3,032.	\$3,942.
	30"	72"	26 1/2"	2.1	<b>RCDHMR72301()</b> ( ) ( )	1,634.	2,750.	3,162.	4,111.
	30"	84"	26 1/2"	2.6	<b>RCDHMR84301()</b> ( ) ( )	1,700.	2,860.	3,290.	4,276.
	30"	96"	26 1/2"	2.8	<b>RCDHMR96301()</b> ( ) ( )	1,756.	2,955.	3,399.	4,418.
	36"	60"	26 1/2"	1.8	<b>RCDHMR60361()</b> ( ) ( )	1,661.	2,796.	3,215.	4,180.
	36"	72"	26 1/2"	2.1	<b>RCDHMR72361()</b> ( ) ( )	1,733.	2,916.	3,354.	4,361.
	36"	84"	26 1/2"	2.6	<b>RCDHMR84361()</b> ( ) ( )	1,804.	3,036.	3,491.	4,539.
	36"	96"	26 1/2"	2.8	<b>RCDHMR96361()</b> ( ) ( )	1,866.	3,141.	3,612.	4,695.

Order Code	Specification Information	Application Notes
Example: <b>RCDFMR60301</b>	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
<b>R</b> Reff	1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet	Worksurface is 1 1/2" thick.
<b>CD</b> Classic Desk	2. Grommet Finish: Painted or Plated	Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.
<b>FMR</b> Full Modesty Recessed	3. Finish: L,V1,V2,V3	Lower storage sold separately.
<b>60</b> Width		26 1/2" high desk will only work with 26 1/2" high lower storage.
<b>30</b> Depth		28 3/8" high desk will only work with 28 3/8" high lower storage.
<b>1</b> 26 1/2" high, 2 = 28 3/8" high		Classic desks with quarter recessed modesty, accepts <u>NO</u> lower storage.
<b>()</b> Grommet Option		<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>()</b> Grommet Finish		Product on this page <b>Excluding any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.
<b>()</b> Finish		


# Classic Desks

## With Quarter Recessed Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	<b>RCDQMR60301</b> ( ) ( ) ( )	\$1,497.	\$2,519.	\$2,898.	\$3,767.
	30"	72"	26 1/2"	<b>RCDQMR72301</b> ( ) ( ) ( )	1,554.	2,616.	3,008.	3,900.
	30"	84"	26 1/2"	<b>RCDQMR84301</b> ( ) ( ) ( )	1,608.	2,707.	3,113.	4,046.
	30"	96"	26 1/2"	<b>RCDQMR96301</b> ( ) ( ) ( )	1,655.	2,786.	3,204.	4,165.
	36"	60"	26 1/2"	<b>RCDQMR60361</b> ( ) ( ) ( )	1,591.	2,679.	3,080.	4,004.
	36"	72"	26 1/2"	<b>RCDQMR72361</b> ( ) ( ) ( )	1,654.	2,783.	3,201.	4,161.
	36"	84"	26 1/2"	<b>RCDQMR84361</b> ( ) ( ) ( )	1,712.	2,883.	3,314.	4,308.
	36"	96"	26 1/2"	<b>RCDQMR96361</b> ( ) ( ) ( )	1,766.	2,971.	3,417.	4,442.

Order Code	Specification Information	Application Notes
Example: <b>RCDFMR60301</b>	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
<b>R</b> Reff		
<b>CD</b> Classic Desk	1. Grommet Option F=Flush or Standard Corner location N=No Grommet R=Recessed Grommet	Worksurface is 1 1/2" thick.
<b>FMR</b> Full Modesty Recessed		Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.
<b>60</b> Width		Lower storage sold separately.
<b>30</b> Depth	2. Grommet Finish: Painted or Plated	26 1/2" high desk will only work with 26 1/2" high lower storage.
<b>1</b> 26 1/2" high, 2 = 28 3/8" high	3. Finish: L,V1,V2,V3	28 3/8" high desk will only work with 28 3/8" high lower storage.
<b>( )</b> Grommet Option		Classic desks with quarter recessed modesty accepts <u>NO</u> lower storage.
<b>( )</b> Grommet Finish		
<b>( )</b> Finish		<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>  Product on this page <b>Excluding any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.

# Classic Desks With Full Flush Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26 1/2"	<b>RCDFMF60301</b> ( ) ( )	\$1,616.	\$2,720.	\$3,128.	\$4,067.
	30"	72"	26 1/2"	<b>RCDFMF72301</b> ( ) ( )	1,696.	2,855.	3,283.	4,268.
	30"	84"	26 1/2"	<b>RCDFMF84301</b> ( ) ( )	1,771.	2,980.	3,427.	4,456.
	30"	96"	26 1/2"	<b>RCDFMF96301</b> ( ) ( )	1,840.	3,097.	3,562.	4,630.
	36"	60"	26 1/2"	<b>RCDFMF60361</b> ( ) ( )	1,616.	2,720.	3,128.	4,067.
	36"	72"	26 1/2"	<b>RCDFMF72361</b> ( ) ( )	1,696.	2,855.	3,283.	4,268.
	36"	84"	26 1/2"	<b>RCDFMF84361</b> ( ) ( )	1,771.	2,980.	3,427.	4,456.
	36"	96"	26 1/2"	<b>RCDFMF96361</b> ( ) ( )	1,840.	3,097.	3,562.	4,630.

### Order Code

Example:	<b>RCDFMR60301</b>
<b>R</b>	Reff
<b>CD</b>	Classic Desk
<b>FMR</b>	Full Modesty Recessed
<b>60</b>	Width
<b>30</b>	Depth
<b>1</b>	26 1/2" high, 2 = 28 3/8" high
<b>( )</b>	Grommet Option
<b>( )</b>	Grommet Finish
<b>( )</b>	Finish

### Specification Information

To order please specify pattern number including:

- Grommet Option  
F=Flush or Standard Corner location  
N=No Grommet  
R=Recessed Grommet
- Grommet Finish:  
Painted or Plated
- Finish: L,V1,V2,V3

### Application Notes

Classic Desks ship knocked down, with all hardware.

Worksurface is 1 1/2" thick.

Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.

Lower storage sold separately.

26 1/2" high desk will only work with 26 1/2" high lower storage.

28 3/8" high desk will only work with 28 3/8" high lower storage.


30" deep desk with flush modesty can accept up to 29" deep pedestals.


36" deep desk with flush modesty can accept up to 30" deep pedestals.


**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Single pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	<b>RDSP6030J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	\$2,701.	\$3,091.	\$3,662.	\$2,855.	\$3,245.	\$3,813.
	72"	30"	<b>RDSP7230J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	2,808.	3,249.	3,813.	2,962.	3,401.	3,967.
	84"	30"	<b>RDSP8430J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	2,946.	3,431.	4,040.	3,100.	3,583.	4,193.
	96"	30"	<b>RDSP9630J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,066.	3,593.	4,250.	3,218.	3,746.	4,403.

Single pedestal cantilevered desk, 36"d 	60"	36"	<b>RDSP6036J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	2,865.	3,278.	3,973.	3,088.	3,498.	4,194.
	72"	36"	<b>RDSP7236J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	2,997.	3,480.	4,180.	3,218.	3,702.	4,401.
	84"	36"	<b>RDSP8436J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,130.	3,695.	4,394.	3,352.	3,915.	4,614.
	96"	36"	<b>RDSP9636J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,251.	3,906.	4,600.	3,470.	4,125.	4,822.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	<b>RBSP6030J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,535.	3,786.	5,044.	3,755.	4,008.	5,263.
	72"	30"	<b>RBSP7230J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,656.	3,934.	5,324.	3,878.	4,155.	5,544.
	84"	30"	<b>RBSP8430J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	3,847.	4,151.	5,685.	4,067.	4,373.	5,907.
	96"	30"	<b>RBSP9630J(A,B,W)( )1( ) ( ) ( ) ( ) ( )</b>	4,023.	4,364.	6,066.	4,242.	4,585.	6,287.


Preconfigured Reff  
Deskings


Order Code	Specification Information	Application Notes
Example: <b>RDSP6030J (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
<b>SP</b> Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
<b>60</b> 60" wide	3. Finish type: 1 = V1	8. Pull Finish: Painted or plated
<b>30</b> 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
<b>J</b> Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>A</b> 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to Reff Profiles for keying instructions.
<b>R</b> Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>1</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>Y316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		



Single pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V2 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	<b>RDSP6030J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	\$2,969.	\$3,398.	\$4,026.	\$3,139.	\$3,566.	\$4,192.
	72"	30"	<b>RDSP7230J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,088.	3,571.	4,192.	3,256.	3,739.	4,363.
	84"	30"	<b>RDSP8430J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,237.	3,772.	4,443.	3,407.	3,938.	4,610.
	96"	30"	<b>RDSP9630J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,369.	3,950.	4,674.	3,537.	4,119.	4,841.


Single pedestal cantilevered desk, 36"d 	60"	36"	<b>RDSP6036J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,150.	3,604.	4,369.	3,394.	3,846.	4,611.
	72"	36"	<b>RDSP7236J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,295.	3,826.	4,596.	3,537.	4,069.	4,839.
	84"	36"	<b>RDSP8436J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,441.	4,063.	4,833.	3,684.	4,304.	5,075.
	96"	36"	<b>RDSP9636J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,573.	4,294.	5,057.	3,816.	4,536.	5,301.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	<b>RBSP6030J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,886.	4,164.	5,546.	4,129.	4,406.	5,787.
	72"	30"	<b>RBSP7230J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,020.	4,327.	5,855.	4,264.	4,568.	6,097.
	84"	30"	<b>RBSP8430J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,230.	4,563.	6,254.	4,473.	4,807.	6,494.
	96"	30"	<b>RBSP9630J(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,422.	4,797.	6,670.	4,664.	5,042.	6,913.

Order Code	Specification Information	Application Notes
Example: <b>RDSP6030J (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
<b>SP</b> Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
<b>60</b> 60" wide	3. Finish type: 2 = V2	8. Pull Finish: Painted or plated
<b>30</b> 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
<b>J</b> Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on Reff Profiles and Reff Profiles.  Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to Reff Profiles for keying instructions.  These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>A</b> 1 1/4" regular edge top		30"D rectilinear desk pedestals are 24"D including modesty panel.  36"D rectilinear desk pedestals are 30"D including modesty panel.  Pedestals are 16"W when calculating knee space subtract 16" per pedestal.  Bowed front desk pedestals are 30"D with finished backs.
<b>R</b> Recessed grommets		All desks are non-handed.
<b>2</b> Finish type		All hardware included.
<b>W</b> Wood interiors		All waterfall desks have waterfall detail on front and back.
<b>J</b> Routed pulls		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>L</b> Lock		Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.
<b>V316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Single pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	<b>RDSP6030J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	\$3,706.	\$4,241.	\$5,028.	\$3,917.	\$4,452.	\$5,235.
	72"	30"	<b>RDSP7230J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	3,854.	4,458.	5,235.	4,065.	4,668.	5,447.
	84"	30"	<b>RDSP8430J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,042.	4,709.	5,548.	4,252.	4,918.	5,757.
	96"	30"	<b>RDSP9630J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,208.	4,932.	5,837.	4,417.	5,144.	6,047.


Single pedestal cantilevered desk, 36"d 	60"	36"	<b>RDSP6036J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	3,932.	4,499.	5,455.	4,237.	4,802.	5,758.
	72"	36"	<b>RDSP7236J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,113.	4,777.	5,740.	4,417.	5,082.	6,044.
	84"	36"	<b>RDSP8436J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,297.	5,073.	6,035.	4,600.	5,374.	6,337.
	96"	36"	<b>RDSP9636J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,460.	5,362.	6,317.	4,764.	5,665.	7,076.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	<b>RBSP6030J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,853.	5,199.	6,928.	5,155.	5,503.	7,230.
	72"	30"	<b>RBSP7230J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,019.	5,402.	7,313.	5,323.	5,706.	7,615.
	84"	30"	<b>RBSP8430J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,283.	5,701.	7,811.	5,585.	6,004.	8,115.
	96"	30"	<b>RBSP9630J(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,522.	5,991.	8,333.	5,826.	6,297.	8,637.


Preconfigured Reff  
Deskings

Order Code	Specification Information	Application Notes
Example: <b>RDSP6030J (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
<b>SP</b> Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
<b>60</b> 60" wide	3. Finish type: 3 = V3	8. Pull Finish: Painted or plated
<b>30</b> 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
<b>J</b> Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>A</b> 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to Reff Profiles for keying instructions.
<b>R</b> Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>3</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V512</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Double pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V1 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	\$3,486.	\$3,876.	\$4,446.	\$3,823.	\$4,212.	\$4,784.
	72"	30"	RDDP7230JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	3,596.	4,033.	4,599.	3,931.	4,371.	4,936.
	84"	30"	RDDP8430JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	3,731.	4,215.	4,825.	4,067.	4,550.	5,160.
	96"	30"	RDDP9630JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	3,851.	4,379.	5,035.	4,187.	4,715.	5,370.


 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	3,706.	4,118.	4,810.	3,706.	4,572.	5,266.
	72"	36"	RDDP7236JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	3,837.	4,320.	5,018.	4,291.	4,774.	5,473.
	84"	36"	RDDP8436JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	3,969.	4,533.	5,232.	4,424.	4,988.	5,685.
	96"	36"	RDDP9636JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,088.	4,743.	5,438.	4,544.	5,198.	5,893.


 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,125.	4,378.	5,632.	4,581.	4,832.	6,088.
	72"	30"	RBDP7230JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,246.	4,525.	5,915.	4,700.	4,979.	6,367.
	84"	30"	RBDP8430JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,438.	4,741.	6,276.	4,891.	5,196.	6,730.
	96"	30"	RBDP9630JK(A,B,W)( )1( ) ( ) ( ) ( ) ( )	4,612.	4,953.	6,656.	5,067.	5,407.	7,109.

Order Code	Specification Information	Application Notes
Example: <b>RDDP6030JK (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
<b>DP</b> Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
<b>60</b> 60" wide	3. Finish type: 1 = V1	8. Pull Finish: Painted or plated
<b>30</b> 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
<b>J</b> Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>A</b> 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to Reff Profiles for keying instructions.
<b>R</b> Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>1</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>Y319</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Double pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	RDDP6030JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	\$3,832.	\$4,262.	\$4,889.	\$4,202.	\$4,631.	\$5,259.
	72"	30"	RDDP7230JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	3,953.	4,435.	5,056.	4,322.	4,805.	5,426.
	84"	30"	RDDP8430JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	4,102.	4,634.	5,306.	4,473.	5,003.	5,675.
	96"	30"	RDDP9630JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	4,234.	4,814.	5,537.	4,603.	5,185.	5,907.


	60"	36"	RDDP6036JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	4,075.	4,527.	5,290.	4,574.	5,027.	5,791.
	72"	36"	RDDP7236JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	4,219.	4,750.	5,518.	4,718.	5,250.	6,019.
	84"	36"	RDDP8436JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	4,366.	4,984.	5,753.	4,864.	5,486.	6,254.
	96"	36"	RDDP9636JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	4,495.	5,215.	5,980.	4,996.	5,715.	6,480.


	60"	30"	RBDP6030JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	4,536.	4,813.	6,194.	5,037.	5,312.	6,694.
	72"	30"	RBDP7230JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	4,669.	4,975.	6,505.	5,167.	5,474.	7,002.
	84"	30"	RBDP8430JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	4,879.	5,213.	6,901.	5,378.	5,713.	7,401.
	96"	30"	RBDP9630JK(A,B,W)( )2( ) ( ) ( ) ( ) ( )	5,071.	5,448.	7,319.	5,571.	5,946.	7,817.


Preconfigured Reff  
Deskings

Order Code	Specification Information	Application Notes
Example: <b>RDDP6030JK (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
<b>DP</b> Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
<b>60</b> 60" wide	3. Finish type: 2 = V2	8. Pull Finish: Painted or plated
<b>30</b> 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
<b>J</b> Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>A</b> 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to Reff Profiles for keying instructions.
<b>R</b> Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>2</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Double pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
V3 finish options




description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	\$4,787.	\$5,320.	\$6,105.	\$5,249.	\$5,783.	\$6,569.
	72"	30"	RDDP7230JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	4,936.	5,539.	6,316.	5,397.	6,001.	6,779.
	84"	30"	RDDP8430JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,122.	5,787.	6,626.	5,585.	6,249.	7,088.
	96"	30"	RDDP9630JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,287.	6,014.	6,916.	5,750.	6,476.	7,378.

 Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,088.	5,653.	6,608.	5,711.	6,277.	7,235.
	72"	36"	RDDP7236JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,268.	5,932.	6,892.	5,892.	6,557.	7,519.
	84"	36"	RDDP8436JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,451.	6,226.	7,186.	6,074.	6,851.	7,811.
	96"	36"	RDDP9636JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,614.	6,514.	7,469.	6,239.	7,140.	8,095.

 Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,665.	6,013.	7,738.	6,292.	6,634.	8,363.
	72"	30"	RBDP7230JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	5,832.	6,213.	8,125.	6,454.	6,839.	8,748.
	84"	30"	RBDP8430JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	6,095.	6,512.	8,621.	6,717.	7,137.	9,247.
	96"	30"	RBDP9630JK(A,B,W)( )3( ) ( ) ( ) ( ) ( )	6,333.	6,803.	9,143.	6,959.	7,427.	9,768.

Order Code	Specification Information	Application Notes
Example: <b>RDDP6030JK (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RD</b> Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	6. Lock option: L = Locks are always drilled for lock
<b>DP</b> Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	7. Veneer finish
<b>60</b> 60" wide	3. Finish type: 3 = V3	8. Pull Finish: Painted or plated
<b>30</b> 30" deep	4. Interior option: M = Metal W = Wood	9. Grommet finish: Painted or plated
<b>J</b> Box/box/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>A</b> 1 1/4" regular edge top		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to Reff Profiles for keying instructions.
<b>R</b> Recessed grommet option		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>3</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V512</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		




Desk returns  
27<sup>3</sup>/<sub>4</sub>" high overall  
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	\$1,986.	\$2,297.	\$2,900.	\$2,170.	\$2,480.	\$3,083.
	42"	24"	RRSP4224K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,036.	2,387.	2,976.	2,220.	2,569.	3,160.
	48"	24"	RRSP4824K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,122.	2,498.	3,133.	2,304.	2,681.	3,317.
	54"	24"	RRSP5424K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,179.	2,559.	3,258.	2,362.	2,742.	3,441.
	60"	24"	RRSP6024K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,234.	2,616.	3,389.	2,417.	2,800.	3,574.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,112.	2,458.	3,140.	2,347.	2,691.	3,371.
	42"	30"	RRSP4230K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,170.	2,540.	3,234.	2,402.	2,771.	3,469.
	48"	30"	RRSP4830K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,260.	2,636.	3,398.	2,492.	2,870.	3,632.
	54"	30"	RRSP5430K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,326.	2,699.	3,559.	2,558.	2,931.	3,790.
	60"	30"	RRSP6030K(A,B,W)( )1( ) ( ) ( ) ( ) ( )	2,367.	2,754.	3,642.	2,600.	2,988.	3,878.
 End panel return	36"	24"	RREP3624(A,B,W)( )1( ) ( )				1,201.	1,511.	2,115.
	42"	24"	RREP4224(A,B,W)( )1( ) ( )				1,252.	1,601.	2,193.
	48"	24"	RREP4824(A,B,W)( )1( ) ( )				1,336.	1,712.	2,348.
	54"	24"	RREP5424(A,B,W)( )1( ) ( )				1,395.	1,775.	2,474.
	60"	24"	RREP6024(A,B,W)( )1( ) ( )				1,449.	1,831.	2,604.
	36"	30"	RREP3630(A,B,W)( )1( ) ( )				1,275.	1,619.	2,300.
	42"	30"	RREP4230(A,B,W)( )1( ) ( )				1,330.	1,700.	2,396.
	48"	30"	RREP4830(A,B,W)( )1( ) ( )				1,420.	1,797.	2,559.
	54"	30"	RREP5430(A,B,W)( )1( ) ( )				1,486.	1,858.	2,720.
	60"	30"	RREP6030(A,B,W)( )1( ) ( )				1,528.	1,915.	2,805.

Preconfigured Reff Desking




Order Code	Specification Information	Application Notes
Example: <b>RRSP3624K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
<b>RR</b> Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
<b>SP</b> Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
<b>36</b> 36" wide	3. Finish type: 1 = V1	3. Finish type: 1 = V1
<b>24</b> 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
<b>K</b> File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on Reff Profiles and Reff Profiles.  Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to Reff Profiles for keying instructions.
<b>A</b> 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>R</b> Recessed grommet option	7. Veneer finish	
<b>1</b> Finish type	8. Pull Finish: Painted or plated	
<b>W</b> Wood interior option	9. Grommet finish: Painted or plated	
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>Y319</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Desk returns  
27<sup>3</sup>/<sub>4</sub>" high overall  
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)(J)(X)(X)(X)(X)	\$2,184.	\$2,527.	\$3,190.	\$2,387.	\$2,729.	\$3,393.
	42"	24"	RRSP4224K(A,B,W)(J)(X)(X)(X)(X)	2,240.	2,625.	3,275.	2,443.	2,826.	3,476.
	48"	24"	RRSP4824K(A,B,W)(J)(X)(X)(X)(X)	2,335.	2,747.	3,447.	2,535.	2,948.	3,649.
	54"	24"	RRSP5424K(A,B,W)(J)(X)(X)(X)(X)	2,396.	2,815.	3,584.	2,599.	3,017.	3,785.
	60"	24"	RRSP6024K(A,B,W)(J)(X)(X)(X)(X)	2,456.	2,877.	3,728.	2,659.	3,080.	3,931.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)(J)(X)(X)(X)(X)	2,324.	2,705.	3,455.	2,582.	2,961.	3,709.
	42"	30"	RRSP4230K(A,B,W)(J)(X)(X)(X)(X)	2,387.	2,794.	3,559.	2,641.	3,049.	3,816.
	48"	30"	RRSP4830K(A,B,W)(J)(X)(X)(X)(X)	2,485.	2,900.	3,737.	2,741.	3,157.	3,995.
	54"	30"	RRSP5430K(A,B,W)(J)(X)(X)(X)(X)	2,559.	2,968.	3,914.	2,814.	3,225.	4,170.
	60"	30"	RRSP6030K(A,B,W)(J)(X)(X)(X)(X)	2,603.	3,028.	4,007.	2,860.	3,286.	4,266.
 End panel return	36"	24"	RREP3624(A,B,W)(J)(X)				1,322.	1,662.	2,327.
	42"	24"	RREP4224(A,B,W)(J)(X)				1,376.	1,762.	2,412.
	48"	24"	RREP4824(A,B,W)(J)(X)				1,470.	1,882.	2,584.
	54"	24"	RREP5424(A,B,W)(J)(X)				1,534.	1,952.	2,720.
	60"	24"	RREP6024(A,B,W)(J)(X)				1,594.	2,015.	2,865.
	36"	30"	RREP3630(A,B,W)(J)(X)				1,404.	1,781.	2,530.
	42"	30"	RREP4230(A,B,W)(J)(X)				1,464.	1,870.	2,636.
	48"	30"	RREP4830(A,B,W)(J)(X)				1,563.	1,977.	2,815.
	54"	30"	RREP5430(A,B,W)(J)(X)				1,636.	2,044.	2,992.
	60"	30"	RREP6030(A,B,W)(J)(X)				1,679.	2,106.	3,084.

Order Code	Specification Information	Application Notes
Example: <b>RRSP3624K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
<b>RR</b> Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
<b>SP</b> Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
<b>36</b> 36" wide	3. Finish type: 2 = V2	3. Finish type: 2 = V2
<b>24</b> 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
<b>K</b> File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>A</b> 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to Reff Profiles for keying instructions.
<b>R</b> Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>2</b> Finish type	8. Pull Finish: Painted or plated	
<b>W</b> Wood interior option	9. Grommet finish: Painted or plated	
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

Desk returns  
27<sup>3</sup>/<sub>4</sub>" high overall  
V3 finish options


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24" d	36"	24"	RRSP3624K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	\$2,731.	\$3,158.	\$3,988.	\$2,982.	\$3,410.	\$4,241.
	42"	24"	RRSP4224K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	2,800.	3,282.	4,093.	3,053.	3,534.	4,346.
	48"	24"	RRSP4824K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	2,917.	3,435.	4,308.	3,170.	3,684.	4,560.
	60"	24"	RRSP6024K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,071.	3,598.	4,661.	3,324.	3,852.	4,914.
	54"	24"	RRSP5424K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,996.	3,520.	4,481.	3,250.	3,772.	4,733.
 Single pedestal return, 30" d	36"	30"	RRSP3630K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	2,905.	3,382.	4,318.	3,227.	3,701.	4,636.
	42"	30"	RRSP4230K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	2,982.	3,492.	4,448.	3,302.	3,811.	4,771.
	48"	30"	RRSP4830K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,107.	3,625.	4,672.	3,426.	3,946.	4,996.
	54"	30"	RRSP5430K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,200.	3,710.	4,893.	3,518.	4,032.	5,212.
	60"	30"	RRSP6030K(A,B,W)( )3( ) ( ) ( ) ( ) ( )	3,255.	3,786.	5,008.	3,574.	4,109.	5,332.
 End panel return	36"	24"	RREP3624(A,B,W)( )3( ) ( )				1,651.	2,078.	2,910.
	42"	24"	RREP4224(A,B,W)( )3( ) ( )				1,720.	2,201.	3,015.
	48"	24"	RREP4824(A,B,W)( )3( ) ( )				1,839.	2,352.	3,229.
	54"	24"	RREP5424(A,B,W)( )3( ) ( )				1,918.	2,441.	3,400.
	60"	24"	RREP6024(A,B,W)( )3( ) ( )				1,992.	2,518.	3,580.
	36"	30"	RREP3630(A,B,W)( )3( ) ( )				1,754.	2,227.	3,162.
	42"	30"	RREP4230(A,B,W)( )3( ) ( )				1,829.	2,338.	3,295.
	48"	30"	RREP4830(A,B,W)( )3( ) ( )				1,953.	2,472.	3,520.
	54"	30"	RREP5430(A,B,W)( )3( ) ( )				2,044.	2,556.	3,739.
60"	30"	RREP6030(A,B,W)( )3( ) ( )				2,100.	2,633.	3,857.	


Preconfigured Reff  
Deskings


Order Code	Specification Information	Application Notes
Example: <b>RRSP3624K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
<b>RR</b> Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall
<b>SP</b> Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
<b>36</b> 36" wide	3. Finish type: 3 = V3	3. Finish type: 3 = V3
<b>24</b> 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
<b>K</b> File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>A</b> 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to Reff Profiles for keying instructions.
<b>R</b> Recessed grommet option	7. Veneer finish	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>3</b> Finish type	8. Pull Finish: Painted or plated	
<b>W</b> Wood interior option	9. Grommet finish: Painted or plated	
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V512</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		



Single pedestal credenzas  
27<sup>3</sup>/<sub>4</sub>" high overall  
V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W)1()()()()()	\$2,566.	\$2,950.	\$3,146.	\$2,752.	\$3,133.	\$3,328.
	72"	24"	RCSP7224K(A,B,W)1()()()()()	2,694.	3,109.	3,318.	2,877.	3,292.	3,502.
	84"	24"	RCSP8424K(A,B,W)1()()()()()	2,825.	3,290.	3,503.	3,009.	3,474.	3,686.
	96"	24"	RCSP9624K(A,B,W)1()()()()()	2,943.	3,455.	3,682.	3,125.	3,639.	3,864.


Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W)1()()()()()	2,707.	3,090.	3,284.	3,127.	3,510.	3,706.
	72"	24"	RCS3L7224K(A,B,W)1()()()()()	2,834.	3,249.	3,458.	3,254.	3,670.	3,880.
	84"	24"	RCS3L8424K(A,B,W)1()()()()()	2,965.	3,431.	3,642.	3,385.	3,851.	4,064.
	96"	24"	RCS3L9624K(A,B,W)1()()()()()	3,081.	3,594.	3,823.	3,502.	4,015.	4,243.


Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W)1()()()()()	2,785.	3,168.	3,362.	3,513.	3,895.	4,091.
	72"	24"	RCS6L7224K(A,B,W)1()()()()()	2,911.	3,326.	3,537.	3,640.	4,057.	4,265.
	84"	24"	RCS6L8424K(A,B,W)1()()()()()	3,043.	3,509.	3,720.	3,772.	4,237.	4,450.
	96"	24"	RCS6L9624K(A,B,W)1()()()()()	3,158.	3,673.	3,898.	3,889.	4,401.	4,628.


Order Code	Specification Information	Application Notes
Example: <b>RCSP6024K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	
<b>RC</b> Reff Credenza		6. Lock option: L = Locks are always drilled for lock
<b>SP</b> Single pedestal	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	30"D rectilinear desk pedestals are 24"D including modesty panel.  Credenzas with lateral files or pedestals are non handed.
<b>60</b> 60" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>24</b> 24" deep	3. Finish type: 1 = V1	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>K</b> File/file	4. Interior option: M = Metal W = Wood	All waterfall credenzas have waterfall detail on front only.
<b>A</b> 1 1/4" regular edge top	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>R</b> Recessed grommet option		Applicable finishes are listed on Reff Profiles and Reff Profiles.
<b>1</b> Finish type		Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to Reff Profiles for keying instructions.
<b>W</b> Wood interior option		Product on this page <b>Excluding J-pull option and any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>Y319</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

S3L = Single 30"w lateral file  
S6L = Single 36"w lateral file

Single pedestal credenzas  
27<sup>3</sup>/<sub>4</sub>" high overall  
V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	<b>RCSP6024K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	\$2,824.	\$3,245.	\$3,460.	\$3,025.	\$3,447.	\$3,661.
	72"	24"	<b>RCSP7224K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	2,964.	3,420.	3,650.	3,165.	3,621.	3,853.
	84"	24"	<b>RCSP8424K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,108.	3,619.	3,854.	3,311.	3,822.	4,057.
	96"	24"	<b>RCSP9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,236.	3,801.	4,050.	3,437.	4,002.	4,250.

Single lateral file credenza (30" wide lateral file) 	60"	24"	<b>RCS3L6024K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	2,977.	3,398.	3,613.	3,440.	3,861.	4,075.
	72"	24"	<b>RCS3L7224K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,117.	3,573.	3,804.	3,578.	4,036.	4,268.
	84"	24"	<b>RCS3L8424K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,261.	3,774.	4,007.	3,723.	4,235.	4,470.
	96"	24"	<b>RCS3L9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,389.	3,954.	4,204.	3,853.	4,416.	4,668.


Single lateral file credenza (36" wide lateral file) 	60"	24"	<b>RCS6L6024K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,061.	3,485.	3,699.	3,864.	4,285.	4,501.
	72"	24"	<b>RCS6L7224K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,202.	3,658.	3,890.	4,005.	4,460.	4,691.
	84"	24"	<b>RCS6L8424K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,347.	3,859.	4,092.	4,148.	4,660.	4,895.
	96"	24"	<b>RCS6L9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,474.	4,039.	4,288.	4,278.	4,841.	5,090.


Preconfigured Reff  
Deskings


Order Code	Specification Information	Application Notes
Example: <b>RCSP6024K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RC</b> Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
<b>SP</b> Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>60</b> 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
<b>24</b> 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
<b>K</b> File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
<b>A</b> 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
<b>R</b> Recessed grommet option	3. Finish type: 2 = V2	
<b>2</b> Finish type	4. Interior option: M = Metal W = Wood	
<b>W</b> Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

S3L = Single 30"w lateral file  
S6L = Single 36"w lateral file

Single pedestal credenzas  
27<sup>3</sup>/<sub>4</sub>" high overall  
V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCSP6024K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	\$3,530.	\$4,057.	\$4,324.	\$3,782.	\$4,308.	\$4,577.
	72"	24"	<b>RCSP7224K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	3,705.	4,275.	4,562.	3,958.	4,527.	4,816.
	84"	24"	<b>RCSP8424K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	3,885.	4,525.	4,817.	4,138.	4,777.	5,070.
	96"	24"	<b>RCSP9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,046.	4,750.	5,063.	4,297.	5,003.	5,314.


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCS3L6024K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	3,722.	4,247.	4,516.	4,301.	4,827.	5,094.
	72"	24"	<b>RCS3L7224K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	3,895.	4,467.	4,754.	4,474.	5,046.	5,335.
	84"	24"	<b>RCS3L8424K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,076.	4,718.	5,008.	4,654.	5,294.	5,588.
	96"	24"	<b>RCS3L9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,237.	4,942.	5,256.	4,816.	5,521.	5,835.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCS6L6024K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	3,827.	4,355.	4,623.	4,831.	5,358.	5,626.
	72"	24"	<b>RCS6L7224K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,002.	4,574.	4,864.	5,006.	5,576.	5,863.
	84"	24"	<b>RCS6L8424K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,182.	4,824.	5,115.	5,187.	5,824.	6,119.
	96"	24"	<b>RCS6L9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,344.	5,050.	5,360.	5,348.	6,052.	6,364.

Order Code	Specification Information	Application Notes
Example: <b>RCSP6024K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RC</b> Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
<b>SP</b> Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>60</b> 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
<b>24</b> 24" deep	9. Grommet finish: Painted or plated	All waterfall credenzas have waterfall detail on front only.
<b>K</b> File/file	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	
<b>A</b> 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
<b>R</b> Recessed grommet option	3. Finish type: 3 = V3	
<b>3</b> Finish type	4. Interior option: M = Metal W = Wood	
<b>W</b> Wood interior option	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V512</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

S3L = Single 30"w lateral file  
S6L = Single 36"w lateral file

Bridge assemblies  
27<sup>3</sup>/<sub>4</sub>" high overall  
V1 finish options

description	w	d	pattern no.	A	B	W
	36"	24"	<b>RBR3624(A,B,W)( )1( )</b>	\$860.	\$1,170.	\$1,176.
	42"	24"	<b>RBR4224(A,B,W)( )1( )</b>	911.	1,261.	1,853.
	48"	24"	<b>RBR4824(A,B,W)( )1( )</b>	996.	1,371.	2,007.
	36"	30"	<b>RBR3630(A,B,W)( )1( )</b>	916.	1,261.	1,942.
	42"	30"	<b>RBR4230(A,B,W)( )1( )</b>	970.	1,340.	2,038.
	48"	30"	<b>RBR4830(A,B,W)( )1( )</b>	1,061.	1,439.	2,203.

**Order Code**

Example:	<b>RBR3624 (A,B,W)</b>
<b>RBR</b>	Reff Bridge Assembly
<b>48</b>	48" wide
<b>30</b>	30" deep
<b>W</b>	Waterfall edge 1 1/4"
<b>A</b>	1 1/4" regular edge top
<b>F</b>	Flush grommet option
<b>1</b>	Finish type
<b>Y319</b>	Finish
<b>111</b>	Grommet Finish

S3L = Single 30"w lateral file  
S6L = Single 36"w lateral file

**Specification Information**

*To order, please specify pattern number including:*

- Top thickness option:  
A = 1 1/4"  
B = 1 3/4"  
C = 1 1/4" waterfall
- Grommet options:  
F = Flush or standard corner location  
N = No Grommet  
R = Recessed
- Finish type:  
1 = V1
- Finish: V1
- Grommet finish: Painted or plated


Applicable finishes are listed on Reff Profiles and Reff Profiles.

**Application Notes**

Bridge assemblies are non-handed.  
All hardware included.  
Waterfall option on all 3 sides.  
Shipped with full height modesty.

Product on this page will accept wood grain laminate, where laminate is currently an option.

Bridge assemblies  
 27<sup>3</sup>/<sub>4</sub>" high overall  
 V2 finish options

description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	<b>RBR3624(A,B,W)( )2( ) ( )</b>	\$946.	\$1,287.	\$1,953.
	42"	24"	<b>RBR4224(A,B,W)( )2( ) ( )</b>	1,002.	1,387.	2,038.
	48"	24"	<b>RBR4824(A,B,W)( )2( ) ( )</b>	1,095.	1,508.	2,208.
	36"	30"	<b>RBR3630(A,B,W)( )2( ) ( )</b>	1,009.	1,387.	2,136.
	42"	30"	<b>RBR4230(A,B,W)( )2( ) ( )</b>	1,067.	1,475.	2,242.
	48"	30"	<b>RBR4830(A,B,W)( )2( ) ( )</b>	1,167.	1,583.	2,423.

**Order Code**

Example: <b>RBR3624 (A,B,W)</b>
<b>RBR</b> Reff Bridge Assembly
<b>48</b> 48" wide
<b>30</b> 30" deep
<b>W</b> Waterfall edge 1 1/4"
<b>A</b> 1 1/4" regular edge top
<b>F</b> Flush grommet option
<b>2</b> Finish type
<b>V316</b> Finish
<b>111</b> Grommet Finish

S3L = Single 30"w lateral file  
 S6L = Single 36"w lateral file

**Specification Information**

*To order, please specify pattern number including:*

- Top thickness option:  
 A = 1 1/4"  
 B = 1 3/4"  
 C = 1 1/4" waterfall
- Grommet options:  
 F = Flush or standard corner location  
 N = No Grommet  
 R = Recessed
- Finish type:  
 2 = V2
- Finish: V2
- Grommet finish: Painted or plated


Applicable finishes are listed on Reff Profiles and Reff Profiles.

**Application Notes**

Bridge assemblies are non-handed.  
 All hardware included.  
 Waterfall option on all 3 sides.  
 Shipped with full height modesty.

Product on this page will accept wood grain laminate, where laminate is currently an option.

Bridge assemblies  
 27<sup>3</sup>/<sub>4</sub>" high overall  
 V3 finish options

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	<b>RBR3624(A,B,W)( )3( ) ( )</b>	\$1,182.	\$1,610.	\$2,442.
	42"	24"	<b>RBR4224(A,B,W)( )3( ) ( )</b>	1,253.	1,735.	2,549.
	48"	24"	<b>RBR4824(A,B,W)( )3( ) ( )</b>	1,370.	1,884.	2,760.
	36"	30"	<b>RBR3630(A,B,W)( )3( ) ( )</b>	1,260.	1,735.	2,669.
	42"	30"	<b>RBR4230(A,B,W)( )3( ) ( )</b>	1,334.	1,844.	2,803.
	48"	30"	<b>RBR4830(A,B,W)( )3( ) ( )</b>	1,460.	1,980.	3,027.

Preconfigured Reff  
Deskings


Order Code	Specification Information	Application Notes
Example: <b>RBR3624 (A,B,W)</b> <b>RBR</b> Reff Bridge Assembly <b>48</b> 48" wide <b>30</b> 30" deep <b>W</b> Waterfall edge 1 <sup>1</sup> / <sub>4</sub> " <b>A</b> 1 <sup>1</sup> / <sub>4</sub> " regular edge top <b>F</b> Flush grommet option <b>3</b> Finish type <b>V512</b> Finish <b>111</b> Grommet Finish	<i>To order, please specify pattern number including:</i> 1. Top thickness option: A = 1 <sup>1</sup> / <sub>4</sub> " B = 1 <sup>3</sup> / <sub>4</sub> " C = 1 <sup>1</sup> / <sub>4</sub> " waterfall 2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed 3. Finish type: 3 = V3 4. Finish: V3 5. Grommet finish: Painted or plated  Applicable finishes are listed on Reff Profiles and Reff Profiles.	Bridge assemblies are non-handed. All hardware included. Waterfall option on all 3 sides. Shipped with full height modesty.  Product on this page will accept wood grain laminate, where laminate is currently an option.


S3L = Single 30"w lateral file  
 S6L = Single 36"w lateral file

# Double pedestal credenzas


## 27<sup>3</sup>/<sub>4</sub>" high overall

### V1 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCDP6024K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	\$3,355.	\$3,734.	\$3,930.	\$3,719.	\$4,101.	\$4,298.
	72"	24"	<b>RCDP7224K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,477.	3,893.	4,102.	3,452.	4,263.	4,472.
	84"	24"	<b>RCDP8424K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,611.	4,076.	4,288.	3,978.	4,442.	4,656.
	96"	24"	<b>RCDP9624K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,727.	4,239.	4,468.	4,095.	4,606.	4,833.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCD3L6024K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,631.	4,014.	4,209.	4,473.	4,855.	5,050.
	84"	24"	<b>RCD3L8424K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,890.	4,355.	4,568.	4,730.	5,195.	5,407.
	96"	24"	<b>RCD3L9624K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	4,008.	4,517.	4,746.	4,847.	5,359.	5,589.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	<b>RCD6L7224K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	3,914.	4,329.	4,538.	5,371.	5,785.	5,995.
	96"	24"	<b>RCD6L9624K(A,B,W)</b> ( )1( ) ( ) ( ) ( ) ( )	4,162.	4,673.	4,901.	5,619.	6,130.	6,360.

96" w shown; 72" w has no knee space


Order Code	Specification Information	Application Notes
Example: <b>RCDP6024K (A,B,W)</b>	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RC</b> Ref Credenza		Credenzas with lateral files or pedestals are non handed.
<b>DP</b> Double Pedestal		Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>60</b> 60" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4"	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
<b>24</b> 24" deep	C = 1 1/4" waterfall	All waterfall credenzas have waterfall detail on front only.
<b>K</b> File/file	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
<b>A</b> 1 1/4" regular edge top	3. Finish type: 1 = V1	
<b>R</b> Recessed grommet option	4. Interior option: M = Metal W = Wood	
<b>1</b> Finish type	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>Y319</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		


S3L = Single 30" w lateral file  
S6L = Single 36" w lateral file

# Double pedestal credenzas


## 27<sup>3</sup>/<sub>4</sub>" high overall

### V2 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCDP6024K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	\$3,689.	\$4,108.	\$4,323.	\$4,091.	\$4,512.	\$4,728.
	72"	24"	<b>RCDP7224K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,826.	4,283.	4,514.	4,230.	4,688.	4,917.
	84"	24"	<b>RCDP8424K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,971.	4,484.	4,718.	4,375.	4,887.	5,120.
	96"	24"	<b>RCDP9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,099.	4,662.	4,914.	4,505.	5,066.	5,317.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCD3L6024K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	3,994.	4,415.	4,631.	4,919.	5,342.	5,555.
	84"	24"	<b>RCD3L8424K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,279.	4,792.	5,025.	5,204.	5,715.	5,949.
	96"	24"	<b>RCD3L9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,408.	4,969.	5,220.	5,333.	5,895.	6,148.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	<b>RCD6L7224K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,304.	4,761.	4,993.	5,910.	6,365.	6,594.
	96"	24"	<b>RCD6L9624K(A,B,W)</b> ( )2( ) ( ) ( ) ( ) ( )	4,578.	5,141.	5,392.	6,180.	6,744.	6,995.

96" w shown; 72" w has no knee space

Preconfigured Reff  
Deskings


Order Code	Specification Information	Application Notes
Example: <b>RCDP6024K (A,B,W)</b>	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RC</b> Reff Credenza		Credenzas with lateral files or pedestals are non handed.
<b>DP</b> Double Pedestal	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>60</b> 60" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>24</b> 24" deep	3. Finish type: 2 = V2	All waterfall credenzas have waterfall detail on front only.
<b>K</b> File/file	4. Interior option: M = Metal W = Wood	
<b>A</b> 1 1/4" regular edge top	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>R</b> Recessed grommet option		
<b>2</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V316</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		
S3L = Single 30" w lateral file		
S6L = Single 36" w lateral file		



# Double pedestal credenzas


## 27<sup>3</sup>/<sub>4</sub>" high overall

### V3 finish options

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCDP6024K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	\$4,612.	\$5,135.	\$5,403.	\$5,113.	\$5,641.	\$5,911.
	72"	24"	<b>RCDP7224K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,783.	5,354.	5,642.	5,288.	5,860.	6,148.
	84"	24"	<b>RCDP8424K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,964.	5,605.	5,896.	5,468.	6,108.	6,403.
	96"	24"	<b>RCDP9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,124.	5,828.	6,142.	5,631.	6,333.	6,646.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	60"	24"	<b>RCD3L6024K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	4,994.	5,519.	5,789.	6,151.	6,677.	6,943.
	84"	24"	<b>RCD3L8424K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,349.	5,989.	6,281.	6,505.	7,144.	7,436.
	96"	24"	<b>RCD3L9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,510.	6,211.	6,525.	6,666.	7,368.	7,684.


96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
	72"	24"	<b>RCD6L7224K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,381.	5,951.	6,239.	7,387.	7,956.	8,243.
	96"	24"	<b>RCD6L9624K(A,B,W)</b> ( )3( ) ( ) ( ) ( ) ( )	5,720.	6,427.	6,739.	7,727.	8,429.	8,744.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: <b>RCDP6024K (A,B,W)</b>	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>RC</b> Reff Credenza		Credenzas with lateral files or pedestals are non handed.
<b>DP</b> Double Pedestal	1. Top thickness option: A = 1 1/4" B = 1 3/4" C = 1 1/4" waterfall	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>60</b> 60" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of work surface.
<b>24</b> 24" deep	3. Finish type: 3 = V3	All waterfall credenzas have waterfall detail on front only.
<b>K</b> File/file	4. Interior option: M = Metal W = Wood	
<b>A</b> 1 1/4" regular edge top	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
<b>R</b> Recessed grommet option		
<b>3</b> Finish type		
<b>W</b> Wood interior option		
<b>J</b> Pull option		
<b>L</b> Lock option		
<b>V512</b> Finish		
<b>111</b> Pull Finish		
<b>111</b> Grommet Finish		

S3L = Single 30" w lateral file  
S6L = Single 36" w lateral file

description	w	d	th	pattern no.	A	B	C	D	E	F	G	H	I
 Lower Credenza Cushion Top	30"	18"		<b>RLCCT3018()</b>	\$375.	\$407.	\$430.	\$467.	\$477.	\$522.	\$550.	\$597.	\$674.
	30"	22"		<b>RLCCT3022()</b>	382.	414.	437.	474.	484.	529.	557.	604.	680.
	36"	18"	1 1/4"	<b>RLCCT3618()</b>	393.	425.	449.	485.	495.	540.	569.	616.	692.
	36"	22"	1 1/4"	<b>RLCCT3622()</b>	402.	434.	457.	494.	504.	549.	577.	624.	701.

Preconfigured Reff  
Deskings

**Order Code**

<i>Example:</i> <b>RLCCT3018</b>
<b>R</b> Reff
<b>LC</b> Lower Credenza
<b>CT</b> Cushion Top
<b>30</b> Width
<b>18</b> 18" deep
Fabric

**Specification Information**

*To order please specify pattern number including:*  
 1. Fabric : See matrix on page 6.

**Application Notes**

These Cushions are for use on lower credenzas only.  
 18" deep cushions recommended to be used on 20" credenzas  
 22" deep cushions recommended to be used on 24" credenzas tops  
 Suitable only for the lower credenza  
 Includes anti slip pad on bottom

J-Wire Troughs are available in two types, Wall Mount & Under Mount. Wall mount J-wire troughs may be attached to both architectural walls and fixed modesty panels. Under mount J-wire troughs may be attached directly under worksurfaces.

Both types are available in 6" increments, in lengths ranging from 24" to 72". Troughs are 3" high by 3" deep. They are constructed of 18-gauge cold rolled steel. Wall mount is available in black. Under mount is available in all Reff Profiles core paint finishes.

**Application notes:**

Wires may run along the length of the trough and may exit at the trough ends or over the open front of the trough at any point. Under mount troughs also have a 1 1/2" diameter, U-shaped mouse hole for wire entry/exit.

Wall mount J-wire troughs are attached to a vertical surface such as a full modesty panel, suspended modesty panel, or architectural wall. Refer to Figure 1 and 2.

Fasteners are not included with wall mount J-wire troughs. Attachment fasteners should be selected with consideration given to the vertical surface's material type and thickness. Care should be taken so that screws will not protrude through or damage the visitor side of a modesty panel.




Figure 1: Partial Height Modesty Applications

Figure 2: Wire Trough Wall Mounted Applications

Under mount J-wire troughs have two tabs at the top that allow them to be attached to the underside of a worksurface. Wood screws are included with under mount J-wire troughs.

Under mount J-wire troughs are designed to work with worksurfaces specified with flush, recessed, edge or no grommets. When edge grommets are specified, the trough is attached

with the opening towards the wall which will enable the ability to run wires anywhere along the opening in the worksurface while still allowing the ability to run wires through the grommet of the wire manager. Refer to Figure 5.

Under mount J-wire troughs may be specified when a desk screen (i.e. Antenna) is to be used as a modesty panel. Refer to Figure 6.

The width of the J-wire trough should be specified so that the trough spans and falls beneath grommet locations, but does not interfere with leg or pedestal positions. (i.e. A 72" w double letter-wide pedestal desk with flush grommets would be get a 36" trough.) Refer to Figure 3 and 4.

Wire troughs may not be used to stiffen a worksurface.




Figure 3: Peninsula




Figure 4: Top with Desktop Grommet




Figure 5: Top with Edge Grommet




Figure 6: Desk Screen

Accessories and Client Samples

The wire manager for credenza may be specified for use with a 1" or 1 1/2" thick credenza top with edge grommet. Wires, transformers, or personal accessory chargers may then be pushed off the worksurface, but will not drop all the way to the floor.


The wire manager for credenza top is 24" wide, 1" high and 1 1/4" deep, and will fit any standard width credenza top with edge grommet. It is constructed of 24-gauge cold rolled steel and is available in black.

**Application notes:**


The wire manager for credenza is intended to be mounted to the inside edge of the edge grommet. Wires may run along the length of the trough, exiting at the trough ends between the trough and the un-notched portion of the worksurface top.

**Note:** There will be a visible black lip (approx. 1/8" wide) at the edge of the worksurface where the wire manager is mounted.


For installation, wood screws and double sided tape are included with the wire manager.



**Application of Wire Manager for Credenza Top**










**Wire Manager Dimensions**



**Wire Manager**

# Accessories

## *cabinet extras and undermount accessories*

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		<b>RCABT1417</b>						\$74.
	29"	17"		<b>RCABT2917</b>						124.
Cabinet coat rod 	Half of 30" cabinets			<b>RCACR30H</b>						72.
	Half of 36" cabinets			<b>RCACR36H</b>						79.
	16" cabinets			<b>RCACR16</b>						74.
	30" cabinets			<b>RCACR30</b>						99.
	36" cabinets			<b>RCACR36</b>						111.
Articulated keyboard arm 	10" x 22 1/4" keyboard tray			<b>RKBA1022()</b>						882.
	10" x 20" keyboard tray			<b>RKBA1020()</b>						882.
Available in laminate, techwood (V1), or veneer (V2)										
CRT turntable 	31" diameter			<b>RKT31</b>						545.
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		<b>RCAS1620-()</b>	75.	142.	151.	174.	235.	
	16"	24"		<b>RCAS1624-()</b>	84.	159.	171.	199.	267.	
	30"	15"		<b>RCAS3015-()</b>	93.	186.	200.	228.	308.	
	30"	20"		<b>RCAS3020-()</b>	90.	159.	171.	199.	267.	
	30"	24"		<b>RCAS3024-()</b>	100.	186.	200.	228.	308.	
	36"	15"		<b>RCAS3615-()</b>	102.	198.	209.	237.	319.	
	36"	20"		<b>RCAS3620-()</b>	102.	170.	182.	209.	283.	
	36"	24"		<b>RCAS3624-()</b>	107.	200.	213.	244.	329.	
Pencil drawer used under worktop 	16"	17"	1"	<b>RPAD-()</b>		305.	542.	542.	702.	
Specify wood or laminate finish										
Reff Profiles Spacer kit for Pencil drawer				<b>RPADKIT</b>						33.

**Order Code**

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

**Specification Information**

Pencil drawer includes slides.




Applicable finishes are listed on Reff Profiles and Reff Profiles.

**Application Notes**

See Reff Planning Guide for more information.

**Note:** The spacer kit (RPADKIT) is required to mount pencil drawer (RPAD) to a table with an open frame leg.

Accessories  
*presentation samples*  
*Worksurfaces*

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only) 	–	–	8 <sup>7</sup> / <sub>8</sub> "	<b>RWHRA-( )</b>					\$38.
	–	–	17 <sup>3</sup> / <sub>8</sub> "	<b>RWHRB-( )</b>					41.
	–	–	18 <sup>1</sup> / <sub>4</sub> "	<b>RWHRC-( )</b>					41.
	–	–	21 <sup>1</sup> / <sub>16</sub> "	<b>RWHRD-( )</b>					43.
	–	–	22"	<b>RWHRE-( )</b>					43.
	–	–	59 <sup>1</sup> / <sub>2</sub> "	<b>RWHRF-( )</b>					97.
	–	–	67"	<b>RWHRG-( )</b>					97.
Striplight (black only) for transaction tops 	26"	2"	2"	<b>RCASL</b>					345.
Presentation wood sample, 16" x 16" Optional edge details available	16"	16"	–	<b>RSAMP1616-( )( )</b>	134.	191.	246.	285.	
Presentation stackable/tiled mini panel (for demonstrations)	24"	–	34"	<b>R3SMP ( )( )</b>					1,100.
	Specify trim profile, base height, base type and applicable finishes								
Presentation monolithic mini panel	4"H base			<b>RR3MP4 ( )</b>					602.
	6"H base			<b>RR3MP6 ( )</b>					644.
	Specify trim profile and applicable finishes								
Presentation worksurface cutaway sample	12"	12"	1 <sup>1</sup> / <sub>4</sub> "	<b>RTOP2 ( )</b>	110.	168.	224.	264.	
	12"	12"	1 <sup>3</sup> / <sub>4</sub> "	<b>RTOP1 ( )</b>	110.	168.	224.	264.	
Presentation waterfall edge sample	11"	8 <sup>1</sup> / <sub>2</sub> "		<b>R921655 ( )</b>					335.
Sample, cascade edge worksurface 	12"	12"		<b>RCE1R1212G</b>	125.				
Rangeboard	27"	12"	1 <sup>1</sup> / <sub>4</sub> "	<b>RRBRD2712 ( )</b>					302.
	Recommended for natural veneer with clear coat (V311, V316) and Light finishes ( such as V312, V315)								

**Order Code**

**Specification Information**

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = Laminate

1 = V1

2 = V2

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes ( PT, 111, 118, 611, 612, 613 )

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.






Applicable finishes are listed on Reff Profiles and Reff Profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Striplights come with brackets, and will work with all transaction tops.

The wall rails will accept twosets of brackets for panel hung components.

Accessories  
*presentation samples*  
*Pull Samples*

description	type	w	d	pattern no.	L	V1	V2	V3	list price
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				<b>R917762 ( )</b>					\$441.
Presentation drawer front with pull samples	Grommet pull	8"	8"	<b>RPULLSMPG( ) ( )</b>	145.	184.	199.	230.	
									
	Bar pull	8"	8"	<b>RPULLSMPF( ) ( )</b>	145.	184.	199.	230.	
									
	Outline pull	8"	8"	<b>RPULLSMPH( ) ( )</b>	145.	184.	199.	230.	
									
	Cylinder pull	8"	8"	<b>RPULLSMPR( ) ( )</b>	145.	184.	199.	230.	
									
	Tab pull	8"	8"	<b>RPULLSMPT( ) ( )</b>	145.	184.	199.	230.	
									

Accessories and Client Samples

**Order Code**

Example:	<b>RPULLSMPG( ) ( )</b>
<b>RP</b>	Reff Profiles
<b>SM</b>	Sample
<b>PG</b>	Pull Grommet

**Specification Information**

*To order please specify pattern number including:*

1. Drawer Front finish:  
Wood or Laminate
2. Pull Finish:  
Painted or plated







Applicable finishes are listed on Reff Profiles and Reff Profiles

Product on this page will accept wood grain laminate, where laminate is currently an option.



# Accessories




## wire management

description	w	d	h	pattern no.	list price
Wire manager used under any top in kneespace* 	24"	4 1/2"	5 3/4"	<b>RWMWT24</b>	\$43.
	30"	4 1/2"	5 3/4"	<b>RWMWT30</b>	49.
	36"	4 1/2"	5 3/4"	<b>RWMWT36</b>	54.
	Available black only				
Hinged vertical wire	24"	1"	3/8"	<b>RWMV24 ( )</b>	35.
	Ships with overdesk unit. Specify paint finish.				
Multi-purpose manager* 	24"	2 1/2"	1 1/4"	<b>RWMMP24</b>	38.
	30"	2 1/2"	1 1/4"	<b>RWMMP30</b>	43.
	36"	2 1/2"	1 1/4"	<b>RWMMP36</b>	44.
	Available black only				
Panel-hung vertical wire	24"	-	-	<b>RWMVP24</b>	35.
	not available in finish codes: 112,116,117,611, 612, 613				
Worksurface vertical/horizontal wire manager* 	24"	1 1/2"	3/4"	<b>RWMVH24</b>	41.
	30"	1 1/2"	3/4"	<b>RWMVH30</b>	45.
	36"	1 1/2"	3/4"	<b>RWMVH36</b>	49.
	Available black only				
Power bar, fits into wire manager				<b>RWMPB</b>	149.
					
Replacement hardware	Top to endpanel disk			<b>RBDD</b>	5.
	Top to workwall endpanel disk			<b>RBDW</b>	5.
	Panel to endpanel bracket			<b>RBPE(L/R)( )</b>	20.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				

Order Code	Specification Information	Application Notes
Example: <b>RJBW24</b>	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page Reff Profiles.
<b>R</b> Reff	1. Pattern number	
<b>JB</b> J-Bracket	2. Finish: painted finishes	
<b>W</b> Wall and Modesty mount		
<b>24</b>		

# Accessories

## wire management





description	w	d	h	pattern no.	list price
Tree wire manager package of 10 2 shipped per panel	2"			<b>RBWM</b>	\$11.
	used in Beltway				
J-Wire Trough Wall Mount	24"			<b>RJBW24( )</b>	64.
	30"			<b>RJBW30( )</b>	66.
	36"			<b>RJBW36( )</b>	72.
	42"			<b>RJBW42( )</b>	85.
	48"			<b>RJBW48( )</b>	90.
	54"			<b>RJBW54( )</b>	92.
	60"			<b>RJBW60( )</b>	93.
	66"			<b>RJBW66( )</b>	105.
	72"			<b>RJBW72( )</b>	106.
	*Installation Instruction Sheet: 6TP00078				
J-Wire Trough Under Mount	24"			<b>RJBU24( )</b>	78.
	30"			<b>RJBU30( )</b>	80.
	36"			<b>RJBU36( )</b>	87.
	42"			<b>RJBU42( )</b>	100.
	48"			<b>RJBU48( )</b>	107.
	54"			<b>RJBU54( )</b>	109.
	60"			<b>RJBU60( )</b>	111.
	66"			<b>RJBU66( )</b>	123.
	72"			<b>RJBU72( )</b>	125.
	*Installation Instruction Sheet: 6TP00079				
	*Available in painted colors.				
Wire manager for credenza top	24"			<b>RWMCT24</b>	128.
					

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: <b>RJBW24</b>	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page Reff Profiles.
<b>R</b> Reff	1. Pattern number	
<b>JB</b> J-Bracket	2. Finish: painted finishes	
<b>W</b> Wall and Modesty mount		
<b>24</b>		

# Accessories

## *Grommet and Stand off*

description	type	w	d	h	pattern no.	list
Simple Stand Off		12"	5"	5"	<b>RST()</b>	\$107.
						
Stand Off for Power Center (Electrical component not included)		8"	5"	5"	<b>RPCST()</b>	137.
						
Power Center Grommet (Electrical component not included)		8"	5"	1 1/2"	<b>RPCG()</b>	156.
						
Desktop Grommet		For 1 1/2" thick top		1 1/2"	<b>RDTGA()</b>	34.
		For 1 1/4" thick top		1 1/4"	<b>RDTGB()</b>	34.
		For 1" thick top		1"	<b>RDTGC()</b>	34.
						

Order Code	
Example: <b>RST</b>	
<b>R</b>	Reff
<b>ST</b>	Stand Off
<b>()</b>	Finish

**Specification Information**

*To order please specify pattern number including;*

1. Stand Off Finish: Painted options only

For Grommets;

1. Grommet Finish: Painted or plated options



**Application Notes**

Installation instruction sheet available on Knoll Exchange.

For Power Center stand off, refer to part number 6TP00081.

# Accessories




## *interior components*

description	y	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)					<b>RPHCHH</b>	\$35.
Not intended to work with (AA) Aluminum top trim						
Panel-hung coat hook (panel top)					<b>RPHCHT</b>	35.
Panel-hung tackboard	0.9		30"	24"	<b>RPHTB3024</b>	292.
Note: Fabric railroaded	1.3		42"	24"	<b>RPHTB4224</b>	359.
All standard grades of fabric						
						
Panel-hung whiteboard			30"	24"	<b>RPHWB3024</b>	453.
			42"	24"	<b>RPHWB4224</b>	554.
Wall-hung tackboard	0.9		30"	24"	<b>RWHTB3024</b>	323.
Note: Fabric railroaded Velcro supplied	1.1		36"	24"	<b>RWHTB3624</b>	359.
	1.3		42"	24"	<b>RWHTB4224</b>	394.
	1.5		48"	24"	<b>RWHTB4824</b>	428.
for use with 26 1/2" h support planning module						
						
Box drawer dividers, wood box drawers (Acrylic)			16"	–	<b>RPADSS</b>	51.
File bars, wood file drawers (replacement)			16"	–	<b>RPAHFB16</b>	29.
			30"	–	<b>RPAHFB30</b>	55.
			36"	–	<b>RPAHFB36</b>	85.
File bars, metal file drawers (replacement)			16"	–	<b>RPAHFM162 *</b>	20.
			30"	–	<b>RPAHFM30</b>	29.
			36"	–	<b>RPAHFM36</b>	29.
Sold as individuals						

Order Code	Specification Information	Application Notes
Example: <b>RPHCHH</b>	<i>To order please specify pattern number including:</i> 1. Finish: Painted or plated	See Reff Planning Guide for more information.  Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.
<b>R</b> Reff		
<b>PR</b> Panel Hung		
<b>CH</b> Coat Hook		
<b>H</b> Hook Strip		

# Accessories

## *interior components*

description	y	type	w	h	pattern no.	list price
Plate divider 					<b>RPD11</b>	\$22.
					<b>RPD14</b>	22.
<p>RPD11 to be used with 15" D open cabinet/bookcase with metal shelves.                      RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.</p>						
Pencil tray, wood (ordered separately)			12"	–	<b>RPAPT</b>	99.
Pencil tray, plastic 		black	13 1/4"	–	<b>RPETRAY3N</b>	38.
		clear	12"	–	<b>RPETRAY3C</b>	45.
<p>Recommended for use with metal drawer interiors on 16" w peds.                      Letter width pedestal.</p>						
Pencil tray adapter 					<b>RPETAD</b>	82.
<p>Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals.                      Available in painted and anodized finishes.</p>						

### Order Code

Example:	<b>RPHCHH</b>
<b>R</b>	Reff
<b>PR</b>	Panel Hung
<b>CH</b>	Coat Hook
<b>H</b>	Hook Strip

### Specification Information

To order please specify pattern number including:  
 1. Finish: Painted or plated





### Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

# Accessories

## Sliding Rails

description	width	pattern no.	list price	
Sliding rail for open shelves 	30"	<b>RSDR30</b>	\$54.	
	36"	<b>RSDR36</b>	54.	
	42"	<b>RSDR42</b>	54.	
	48"	<b>RSDR48</b>	54.	
	54"	<b>RSDR54</b>	54.	
	60"	<b>RSDR60</b>	85.	
	66"	<b>RSDR66</b>	85.	
	72"	<b>RSDR72</b>	85.	
	78"	<b>RSDR78</b>	85.	
	84"	<b>RSDR84</b>	95.	
Sliding rail for open or hinged door overhead cabinets 	30"	<b>ROHDR30</b>	54.	
	36"	<b>ROHDR36</b>	54.	
	42"	<b>ROHDR42</b>	54.	
	48"	<b>ROHDR48</b>	54.	
	60"	<b>ROHDR60</b>	95.	
	72"	<b>ROHDR72</b>	95.	
	90"	<b>ROHDR90</b>	129.	
	96"	<b>ROHDR96</b>	129.	
	Sliding rail for flip door overhead cabinets 	30"	<b>RFDR30</b>	54.
		36"	<b>RFDR36</b>	54.
42"		<b>RFDR42</b>	54.	
48"		<b>RFDR48</b>	54.	
60"		<b>RFDR60</b>	95.	
72"		<b>RFDR72</b>	95.	
84"		<b>RFDR84</b>	95.	
Sliding rail divider 		<b>R5ZNNE (3 dividers)</b>	22.	

Order Code	
Example: <b>RSDR30</b>	
<b>R</b>	Reff
<b>SDR</b>	Sliding rail for open shelves
<b>30</b>	For 30" shelf




**Specification Information**  
*To order please specify pattern number.*

**Application Notes**  
 Match cabinet width to rail width.  
 Parts come in black only.  
 These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

# Accessories

## Task Light

### Reff

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	<b>RTL5E19S</b>	\$275.
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTL5E25S</b>	282.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTL5E37S</b>	287.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTL5E49S</b>	292.
	Use with 72" and wider overhead	61"	4"	1 1/2"	<b>RTL5E61S</b>	309.
	Use with 84" and wider overhead	73"	4"	1 1/2"	<b>RTL5E73S</b>	337.
	Use with 96" and wider overhead	85"	4"	1 1/2"	<b>RTL5E85S</b>	420.
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTL5E25A</b>	404.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTL5E37A</b>	425.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTL5E49A</b>	443.
	Use with 72" and wider overhead	61"	4"	1 1/2"	<b>RTL5E61A</b>	460.
	Use with 84" and wider overhead	73"	4"	1 1/2"	<b>RTL5E73A</b>	476.
	Use with 96" and wider overhead	85"	4"	1 1/2"	<b>RTL5E85A</b>	494.
	Use with 24" and wider overhead (3 LED's)	19"	2"	3/16"	<b>RTL193W</b>	312.
	Use with 24" and wider overhead (6 LED's)	19"	2"	3/16"	<b>RTL196W</b>	394.
	Use with 24" and wider overhead (9 LED's)	19"	2"	3/16"	<b>RTL199W</b>	537.
	Use with 42" and wider overhead (6 LED's)	37"	2"	3/16"	<b>RTL376W</b>	629.
	Use with 42" and wider overhead (12 LED's)	37"	2"	3/16"	<b>RTL3712W</b>	711.
	Use with 42" and wider overhead (18 LED's)	37"	2"	3/16"	<b>RTL3718W</b>	881.

Order Code	Specification Information	Application Notes
<b>T5 Standard Task Light</b> Example: <b>RTL5E19S</b> <b>RTL</b> Task Light <b>T5</b> T5 lamp <b>E</b> Electronic ballast <b>19</b> Width <b>S</b> Standard	<b>T5 Task Lights:</b> 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.  <b>LED Task Lights:</b> Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.	<b>T5 Task Lights:</b> Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH  Cordset is center exit. On smaller units cord exit is off-center, but still not handed.  T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.  <b>LED Task Lights:</b> Power cord is able to attach to either end of fixture.  <b>Notes:</b> All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.  All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.


description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies 30" and 36"	30"	10"	<b>RDTC3010( )</b>	\$854.	\$1,067.	\$1,227.	\$1,594.
	36"	10"	<b>RDTC3610( )</b>	964.	1,076.	1,238.	1,609.



Desk Top Cubbies 60" and 72"	60"	10"	<b>RDTC6010( )</b>	1,048.	1,310.	1,506.	1,958.
	72"	10"	<b>RDTC7210( )</b>	1,069.	1,337.	1,537.	1,998.



Desk Top Cubbies Open	60"	10"	<b>RDTCO6010( )</b>	1,158.	1,448.	1,664.	2,164.
	72"	10"	<b>RDTCO7210( )</b>	1,174.	1,467.	1,687.	2,193.



Wall Mounted Cubbies 30" and 36"	30"	10"	<b>RRMC3010( )</b>	936.	1,170.	1,345.	1,749.
	36"	10"	<b>RRMC3610( )</b>	945.	1,180.	1,358.	1,764.



Wall Mounted Cubbies 60" and 72"	60"	10"	<b>RRMC6010( )</b>	1,077.	1,345.	1,549.	2,014.
	72"	10"	<b>RRMC7210( )</b>	1,099.	1,374.	1,580.	2,055.



Under Mounted Cubbies 30" and 36"	30"	10"	<b>RUMC3010( )</b>	905.	1,132.	1,302.	1,692.
	36"	10"	<b>RUMC3610( )</b>	916.	1,145.	1,317.	1,712.




Order Code	Specification Information	Application Notes
Example: <b>RDTC3010( ) ( )</b>		
<b>R</b> Reff		Installation instruction sheets available on Knoll Exchange.
<b>DT</b> Desk Top		
<b>C</b> Cubby		For Wall Mounted cubbies, please refer to part number 6TP00086.
<b>30</b> Width		For Under Mounted cubbies, please refer to part number 6TP00087.
<b>10</b> Depth		
Finish		

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.



description	w	d	pattern no.	L	V1	V2	V3
Under Mounted Cubbies 60" and 72"	60"	10"	<b>RUMC6010()</b>	\$1,028.	\$1,284.	\$1,477.	\$1,921.
	72"	10"	<b>RUMC7210()</b>	1,054.	1,316.	1,514.	1,968.



Order Code	Specification Information	Application Notes
Example: <b>RDTC3010()</b> ( )		
<b>R</b> Reff		Installation instruction sheets available on Knoll Exchange.
<b>DT</b> Desk Top		
<b>C</b> Cubby		For Wall Mounted cubbies, please refer to part number 6TP00086.
<b>30</b> Width		For Under Mounted cubbies, please refer to part number 6TP00087.
<b>10</b> Depth		
Finish		
		Product on this page <b>Excluding any vertical surface over 48"</b> , will accept wood grain laminate, where laminate is currently an option.

### Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

### Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

### Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

### Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".


Bracket and frame paint finish codes with suffix "T" indicate textured.

### Construction


Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.


Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.



Screen always at back





For applications with work surface 26 1/2" off the floor



For applications with work surface 28 3/8" off the floor

Desk Screens  
*Fabric*  
 For 42" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon 	24"	1 1/4"	20"	<b>YPSB2024F</b>	\$584.	\$613.	\$643.	\$672.	\$700.
	27"	1 1/4"	20"	<b>YPSB2027F</b>	601.	630.	660.	690.	720.
	30"	1 1/4"	20"	<b>YPSB2030F</b>	616.	648.	678.	710.	740.
	36"	1 1/4"	20"	<b>YPSB2036F</b>	687.	721.	756.	790.	824.
	42"	1 1/4"	20"	<b>YPSB2042F</b>	714.	750.	785.	821.	857.
	48"	1 1/4"	20"	<b>YPSB2048F</b>	735.	772.	809.	845.	882.
	54"	1 1/4"	20"	<b>YPSB2054F</b>	790.	830.	868.	908.	947.
	60"	1 1/4"	20"	<b>YPSB2060F</b>	838.	880.	923.	964.	1,006.
	66"	1 1/4"	20"	<b>YPSB2066FRR</b>	876.	921.	964.	1,008.	1,051.
	72"	1 1/4"	20"	<b>YPSB2072FRR</b>	903.	948.	994.	1,038.	1,084.
Fabric Screens with Half Modesty For Desks, 42" High Horizon 	24"	1 1/4"	32"	<b>YPSB3224F</b>	676.	710.	744.	778.	812.
	27"	1 1/4"	32"	<b>YPSB3227F</b>	725.	761.	797.	834.	869.
	30"	1 1/4"	32"	<b>YPSB3230F</b>	747.	784.	821.	859.	896.
	36"	1 1/4"	32"	<b>YPSB3236F</b>	843.	886.	928.	970.	1,012.
	42"	1 1/4"	32"	<b>YPSB3242F</b>	893.	937.	982.	1,026.	1,071.
	48"	1 1/4"	32"	<b>YPSB3248F</b>	898.	943.	987.	1,033.	1,077.
	54"	1 1/4"	32"	<b>YPSB3254F</b>	973.	1,022.	1,071.	1,119.	1,168.
	60"	1 1/4"	32"	<b>YPSB3260F</b>	1,054.	1,108.	1,160.	1,213.	1,265.
	66"	1 1/4"	32"	<b>YPSB3266FRR</b>	1,200.	1,261.	1,321.	1,381.	1,441.
	72"	1 1/4"	32"	<b>YPSB3272FRR</b>	1,265.	1,329.	1,392.	1,455.	1,518.

**Ordering Information**

**Desk Screens**

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

**Order Code**

**Desk Screens**

*Example:* **YPSB2048F, W351, W351, 118T, 118T**

<b>YPSB</b>	Desk Screen
<b>20</b>	Height
<b>48</b>	Width
<b>F</b>	Fabric
<b>W351</b>	Foundation
<b>W351</b>	Foundation
<b>118T</b>	Bright White Paint
<b>118T</b>	Bright White Paint

**Included With**

**Desk Screens**  
 Brackets  
 Hardware


**Options**

**Desk Screens**


The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens  
Fabric  
For 49" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon	24"	1 1/4"	26"	<b>YPSB2624F</b>	\$638.	\$671.	\$701.	\$734.	\$765.
	27"	1 1/4"	26"	<b>YPSB2627F</b>	665.	698.	732.	764.	798.
	30"	1 1/4"	26"	<b>YPSB2630F</b>	681.	716.	750.	784.	818.
	36"	1 1/4"	26"	<b>YPSB2636F</b>	762.	800.	839.	877.	915.
	42"	1 1/4"	26"	<b>YPSB2642F</b>	800.	840.	880.	921.	961.
	48"	1 1/4"	26"	<b>YPSB2648F</b>	860.	903.	946.	988.	1,032.
	54"	1 1/4"	26"	<b>YPSB2654F</b>	920.	966.	1,011.	1,057.	1,104.
	60"	1 1/4"	26"	<b>YPSB2660F</b>	958.	1,005.	1,053.	1,101.	1,149.
	66"	1 1/4"	26"	<b>YPSB2666FRR</b>	1,001.	1,050.	1,101.	1,151.	1,200.
	72"	1 1/4"	26"	<b>YPSB2672FRR</b>	1,044.	1,095.	1,149.	1,200.	1,253.



Fabric Screens with Half Modesty For Desks, 49" High Horizon	24"	1 1/4"	38"	<b>YPSB3824F</b>	730.	767.	803.	839.	876.
	27"	1 1/4"	38"	<b>YPSB3827F</b>	784.	823.	863.	902.	941.
	30"	1 1/4"	38"	<b>YPSB3830F</b>	805.	845.	887.	927.	967.
	36"	1 1/4"	38"	<b>YPSB3836F</b>	920.	966.	1,011.	1,057.	1,104.
	42"	1 1/4"	38"	<b>YPSB3842F</b>	973.	1,022.	1,071.	1,119.	1,168.
	48"	1 1/4"	38"	<b>YPSB3848F</b>	1,049.	1,103.	1,154.	1,206.	1,259.
	54"	1 1/4"	38"	<b>YPSB3854F</b>	1,104.	1,158.	1,214.	1,268.	1,324.
	60"	1 1/4"	38"	<b>YPSB3860F</b>	1,162.	1,221.	1,279.	1,337.	1,395.
	66"	1 1/4"	38"	<b>YPSB3866FRR</b>	1,303.	1,368.	1,434.	1,499.	1,563.
	72"	1 1/4"	38"	<b>YPSB3872FRR</b>	1,373.	1,443.	1,511.	1,580.	1,649.



Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648F, W351, W351, 118T, 118T**

<b>YPSB</b>	Desk Screen
<b>26</b>	Height
<b>48</b>	Width
<b>F</b>	Fabric
<b>W351</b>	Foundation
<b>W351</b>	Foundation
<b>118T</b>	Bright White Paint
<b>118T</b>	Bright White Paint

Included With



Desk Screens  
Brackets  
Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens  
Laminate, Markerboard or Veneer  
For 42" High Horizon

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42" High Horizon 	24"	3/4"	20"	<b>YPSB2024( )</b>	\$239.	\$413.	\$458.	\$527.	\$685.
	27"	3/4"	20"	<b>YPSB2027( )</b>	243.	417.	467.	538.	699.
	30"	3/4"	20"	<b>YPSB2030( )</b>	245.	419.	478.	550.	715.
	36"	3/4"	20"	<b>YPSB2036( )</b>	275.	529.	499.	573.	747.
	42"	3/4"	20"	<b>YPSB2042( )</b>	281.	534.	536.	615.	800.
	48"	3/4"	20"	<b>YPSB2048( )</b>	363.	856.	560.	644.	836.
	54"	3/4"	20"	<b>YPSB2054( )</b>	370.	862.	581.	669.	868.
	60"	3/4"	20"	<b>YPSB2060( )</b>	375.	867.	628.	722.	940.
	66"	3/4"	20"	<b>YPSB2066( )</b>	382.	873.	656.	755.	981.
	72"	3/4"	20"	<b>YPSB2072( )</b>	387.	879.	677.	779.	1,011.
Screens with Half Modesty For Desks, 42" High Horizon 	24"	3/4"	32"	<b>YPSB3224( )</b>	268.	634.	532.	612.	796.
	27"	3/4"	32"	<b>YPSB3227( )</b>	273.	638.	555.	639.	832.
	30"	3/4"	32"	<b>YPSB3230( )</b>	311.	643.	572.	658.	856.
	36"	3/4"	32"	<b>YPSB3236( )</b>	366.	859.	606.	696.	905.
	42"	3/4"	32"	<b>YPSB3242( )</b>	375.	867.	664.	763.	993.
	48"	3/4"	32"	<b>YPSB3248( )</b>	395.	1,503.	696.	800.	1,042.
	54"	3/4"	32"	<b>YPSB3254( )</b>	403.	1,511.	735.	845.	1,100.
	60"	3/4"	32"	<b>YPSB3260( )</b>	550.	1,517.	812.	932.	1,213.
	66"	3/4"	32"	<b>YPSB3266( )</b>	560.	1,526.	851.	978.	1,271.
	72"	3/4"	32"	<b>YPSB3272( )</b>	568.	1,536.	882.	1,014.	1,320.

Ordering Information

- Desk Screens**  
1. Pattern Number  
2. Surface Finish  
3. Bracket Paint Finish

Order Code

**Desk Screens**  
*Example:* **YPSB2048V, V316, 118T**  
**YPSB** Desk Screen  
**20** Height  
**48** Width  
**V** Veneer  
**V316** Maple  
**118T** Bright White Paint

Included With

**Desk Screens**  
Brackets  
Hardware

Options


**Desk Screens**  
**Finish Options:**  
(L)= Laminate  
(LM)= Markerboard  
(V)= Veneer

# Desk Screens


## Laminate, Markerboard or Veneer

### For 49" High Horizon

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 49" High Horizon	24"	3/4"	26"	<b>YPSB2624( )</b>	\$261.	\$627.	\$508.	\$585.	\$760.
	27"	3/4"	26"	<b>YPSB2627( )</b>	265.	632.	521.	600.	780.
	30"	3/4"	26"	<b>YPSB2630( )</b>	269.	635.	543.	625.	813.
	36"	3/4"	26"	<b>YPSB2636( )</b>	276.	643.	570.	655.	853.
	42"	3/4"	26"	<b>YPSB2642( )</b>	317.	650.	617.	710.	923.
	48"	3/4"	26"	<b>YPSB2648( )</b>	347.	1,491.	651.	750.	974.
	54"	3/4"	26"	<b>YPSB2654( )</b>	354.	1,499.	678.	779.	1,013.
	60"	3/4"	26"	<b>YPSB2660( )</b>	373.	1,504.	755.	868.	1,128.
	66"	3/4"	26"	<b>YPSB2666( )</b>	381.	1,513.	782.	899.	1,169.
	72"	3/4"	26"	<b>YPSB2672( )</b>	488.	1,518.	809.	930.	1,210.



Screens with Half Modesty For Desks, 49" High Horizon	24"	3/4"	38"	<b>YPSB3824( )</b>	310.	643.	568.	653.	849.
	27"	3/4"	38"	<b>YPSB3827( )</b>	315.	647.	587.	676.	878.
	30"	3/4"	38"	<b>YPSB3830( )</b>	319.	652.	607.	697.	906.
	36"	3/4"	38"	<b>YPSB3836( )</b>	377.	868.	653.	751.	977.
	42"	3/4"	38"	<b>YPSB3842( )</b>	389.	879.	718.	826.	1,074.
	48"	3/4"	38"	<b>YPSB3848( )</b>	483.	1,514.	757.	870.	1,131.
	54"	3/4"	38"	<b>YPSB3854( )</b>	495.	1,525.	802.	923.	1,199.
	60"	3/4"	38"	<b>YPSB3860( )</b>	568.	1,536.	905.	1,041.	1,353.
	66"	3/4"	38"	<b>YPSB3866( )</b>	578.	1,547.	950.	1,093.	1,421.
	72"	3/4"	38"	<b>YPSB3872( )</b>	588.	1,557.	989.	1,138.	1,479.



Accessories and Client Samples

#### Ordering Information

- Desk Screens**
1. Pattern Number
  2. Surface Finish
  3. Bracket Paint Finish

#### Order Code

**Desk Screens**

*Example:* **YPSB2648V, V316, 118T**

---

**YPSB** Desk Screen

---

**26** Height

---

**48** Width

---

**V** Veneer

---

**V316** Maple

---

**118T** Bright White Paint

#### Included With

**Desk Screens**  
Brackets  
Hardware

#### Options

**Desk Screens**

**Finish Options:**  
(L)= Laminate  
(LM)= Markerboard  
(V)= Veneer

**Wall Mounting Suggestions**

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

**NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.**

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

	EXISTING CONSTRUCTION					
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
<b>Stud Specification</b>	Wood studs, grade #2 or better, 3 1/2" minimum width, <b>OR</b> Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
<b>Stud Centers</b>	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
<b>Stud Height</b>	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above  Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above  Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
<b>Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*</b>	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, <b>and beyond to the next stud.</b>  Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer)  Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
<b>*Graham Wall Hung Shelf</b>	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
<b>Fasten the Knoll supplied wall cleat with...</b>	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking



# Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	209	R2APT3436	77	R2ES49(A/B/C/E)(4/6)(E/N)	110	R3120Y42	109
ASBC24 (L/R)	209	R2APT3442	77	R2ES64(A/B/C/E)(4/6)(E/N)	110	R3120Y49	109
ML3L193M	268	R2APT3448	77	R2ES79(A/B/C/E)(4/6)(E/N)	110	R3120Y64	109
ML3L196M	268	R2APT4218	77	R2HK0008	112	R3120Y79	109
ML3L199M	268	R2APT4220	77	R2HK0015	112	R3135V34F	108
ML3L3712M	268	R2APT4224	77	R2HK0034	112	R3135V34T	108
ML3L3718M	268	R2APT4230	77	R2HK0042	112	R3135V42F	108
ML3L376M	268	R2APT4236	77	R2HK0049	112	R3135V42T	108
MN2SO20	266	R2APT4242	77	R2HK0064	112	R3135V49F	108
MN2SO21	266	R2APT4248	77	R2HK0079	112	R3135V49T	108
MWM-J	267	R2APT4918	78	R2HKB042	112	R3135V64F	108
R113B	211	R2APT4920	78	R2HKB049	112	R3135V64T	108
R234PKIT	118	R2APT4924	78	R2HKB064	112	R3135V79F	108
R2AETK34	80	R2APT4930	78	R2HKB079	112	R3135V79T	108
R2AETK42	80	R2APT4936	78	R2HL3442ES(A/B/C/E)	110	R334PKIT	118
R2AETK49	80	R2APT4942	78	R2HL3442(F)CS	111	R3AK	118
R2AETK64	80	R2APT4948	78	R2HL3449ES(A/B/C/E)	110	R3BOPAA42 18	16
R2AETK79	80	R2APT6418	78	R2HL3449(F)CS	111	R3BOPAA42 20	16
R2AHBW18	82	R2APT6420	78	R2HL3464ES(A/B/C/E)	110	R3BOPAA42 24	16
R2AHBW20	82	R2APT6424	78	R2HL3464(F/T)CS	111	R3BOPAA42 30	16
R2AHBW24	82	R2APT6430	78	R2HL3479ES(A/B/C/E)	110	R3BOPAA42 36	16
R2AHBW30	82	R2APT6436	78	R2HL3479(F/T)CS	111	R3BOPAA42 42	16
R2AHBW36	82	R2APT6442	78	R2HL4249ES(A/B/C/E)	110	R3BOPAA42 48	16
R2AHBW42	82	R2APT6448	78	R2HL4249ETS(A/B/C/E)	111	R3BOPAA42 60	16
R2AHBW48	82	R2APT7918	79	R2HL4249(F)CS	111	R3BOPAA42 66	16
R2AHCR34	81	R2APT7920	79	R2HL4264ES(A/B/C/E)	110	R3BOPAA42 72	16
R2AHCR42	81	R2APT7924	79	R2HL4264ETS(A/B/C/E)	111	R3BOPAA49 18	23
R2AHCR49	81	R2APT7930	79	R2HL4264(F/T)CS	111	R3BOPAA49 20	23
R2AHCR64	81	R2APT7936	79	R2HL4279ES(A/B/C/E)	110	R3BOPAA49 24	23
R2AHCR79	81	R2APT7942	79	R2HL4279ETS(A/B/C/E)	111	R3BOPAA49 30	23
R2AHSR18	83	R2APT7948	79	R2HL4279(F/T)CS	111	R3BOPAA49 36	23
R2AHSR20	83	R2ATPK34	79	R2HL4964ES(A/B/C/E)	110	R3BOPAA49 42	23
R2AHSR24	83	R2ATPK42	79	R2HL4964(F)CS	111	R3BOPAA49 48	23
R2AHSR30	83	R2ATPK49	79	R2HL4979ES(A/B/C/E)	110	R3BOPAA49 60	23
R2AHSR36	83	R2ATPK64	79	R2HL4979(F/T)CS	111	R3BOPAA49 66	23
R2AHSR42	83	R2ATPK79	79	R2HL6479ES(A/B/C/E)	110	R3BOPAA49 72	23
R2AHSR48	83	R2BOTWA34 18	45	R2HL6479(F)CS	111	R3BOPAA64 18	30
R2AHTR18	81	R2BOTWA34 20	45	R2L42C(F/T)(F/T)-(4/6)	113	R3BOPAA64 20	30
R2AHTR20	81	R2BOTWA34 24	45	R2L49C(F/T)(F/T)-(4/6)	113	R3BOPAA64 24	30
R2AHTR24	81	R2BOTWA34 30	45	R2L64C(F/T)(F/T)-(4/6)	113	R3BOPAA64 30	30
R2AHTR30	81	R2BOTWA34 36	45	R2L79C(F/T)(F/T)-(4/6)	113	R3BOPAA64 36	30
R2AHTR36	81	R2BOTWA34 42	45	R2S42C(F/T)(F/T)-(4/6)	113	R3BOPAA64 42	30
R2AHTR42	81	R2BOTWA34 48	45	R2S49C(F/T)(F/T)-(4/6)	113	R3BOPAA64 48	30
R2AHTR48	81	R2BOTWB34 30	45	R2S64C(F/T)(F/T)-(4/6)	113	R3BOPAA64 60	30
R2AHWR18	82	R2BOTWB34 36	45	R2S79C(F/T)(F/T)-(4/6)	113	R3BOPAA64 66	30
R2AHWR20	82	R2BOTWB34 42	45	R2SWS0008	115	R3BOPAA64 72	30
R2AHWR24	82	R2BOTWB34 48	45	R2SWS0015	115	R3BOPAA79 18	37
R2AHWR30	82	R2BOTWC34 18	45	R2SWS0034	115	R3BOPAA79 20	37
R2AHWR36	82	R2BOTWC34 20	45	R2SWS0042	115	R3BOPAA79 24	37
R2AHWR42	82	R2BOTWC34 24	45	R2SWS0049	115	R3BOPAA79 30	37
R2AHWR48	82	R2BOTWC34 30	45	R2SWS0064	115	R3BOPAA79 36	37
R2AK	118	R2BOTWC34 36	45	R2SWS0079	115	R3BOPAA79 42	37
R2ALPK34	80	R2BOTWC34 42	45	R2T42C(F/T)-(4/6)	113	R3BOPAA79 48	37
R2ALPK42	80	R2BOTWC34 48	45	R2T49C(F/T)-(4/6)	113	R3BOPAA79 60	37
R2ALPK49	80	R2CCG	118	R2T64C(F/T)-(4/6)	113	R3BOPAA79 66	37
R2ALPK64	80	R2DLS7936	117	R2T79C(F/T)-(4/6)	113	R3BOPAA79 72	37
R2ALPK79	80	R2DLS7942	117	R2X42C	113	R3BOPFI3418	12
R2APT3418	77	R2DRS7936	117	R2X49C	113	R3BOPFI3420	12
R2APT3420	77	R2DRS7942	117	R2X64C	113	R3BOPFI3424	12
R2APT3424	77	R2ES34(A/B/C/E)(4/6)(E/N)	110	R2X79C	113	R3BOPFI3430	12
R2APT3430	77	R2ES42(A/B/C/E)(4/6)(E/N)	110	R3120Y34	109	R3BOPFI3436	12

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF13442	12	R3BOPF249 48	27	R3BOPF379 36	42	R3BOPFL42 42	18
R3BOPF13448	12	R3BOPF249 60	27	R3BOPF379 42	42	R3BOPFL42 48	18
R3BOPF142 18	19	R3BOPF249 66	27	R3BOPF379 48	42	R3BOPFL42 60	18
R3BOPF142 20	19	R3BOPF249 72	27	R3BOPF379 60	42	R3BOPFL42 66	18
R3BOPF142 24	19	R3BOPF264 18	34	R3BOPF379 66	42	R3BOPFL42 72	18
R3BOPF142 30	19	R3BOPF264 20	34	R3BOPF379 72	42	R3BOPFL49 18	25
R3BOPF142 36	19	R3BOPF264 24	34	R3BOPFF3418	10	R3BOPFL49 20	25
R3BOPF142 42	19	R3BOPF264 30	34	R3BOPFF3420	10	R3BOPFL49 24	25
R3BOPF142 48	19	R3BOPF264 36	34	R3BOPFF3424	10	R3BOPFL49 30	25
R3BOPF142 60	19	R3BOPF264 42	34	R3BOPFF3430	10	R3BOPFL49 36	25
R3BOPF142 66	19	R3BOPF264 48	34	R3BOPFF3436	10	R3BOPFL49 42	25
R3BOPF142 72	19	R3BOPF264 60	34	R3BOPFF3442	10	R3BOPFL49 48	25
R3BOPF149 18	26	R3BOPF264 66	34	R3BOPFF3448	10	R3BOPFL49 60	25
R3BOPF149 20	26	R3BOPF264 72	34	R3BOPFF42 18	16	R3BOPFL49 66	25
R3BOPF149 24	26	R3BOPF279 18	41	R3BOPFF42 20	16	R3BOPFL49 72	25
R3BOPF149 30	26	R3BOPF279 20	41	R3BOPFF42 24	16	R3BOPFL64 18	32
R3BOPF149 36	26	R3BOPF279 24	41	R3BOPFF42 30	16	R3BOPFL64 20	32
R3BOPF149 42	26	R3BOPF279 30	41	R3BOPFF42 36	16	R3BOPFL64 24	32
R3BOPF149 48	26	R3BOPF279 36	41	R3BOPFF42 42	16	R3BOPFL64 30	32
R3BOPF149 60	26	R3BOPF279 42	41	R3BOPFF42 48	16	R3BOPFL64 36	32
R3BOPF149 66	26	R3BOPF279 48	41	R3BOPFF42 60	16	R3BOPFL64 42	32
R3BOPF149 72	26	R3BOPF279 60	41	R3BOPFF42 66	16	R3BOPFL64 48	32
R3BOPF164 18	33	R3BOPF279 66	41	R3BOPFF42 72	16	R3BOPFL64 60	32
R3BOPF164 20	33	R3BOPF279 72	41	R3BOPFF49 18	23	R3BOPFL64 66	32
R3BOPF164 24	33	R3BOPF334 18	14	R3BOPFF49 20	23	R3BOPFL64 72	32
R3BOPF164 30	33	R3BOPF334 20	14	R3BOPFF49 24	23	R3BOPFL79 18	39
R3BOPF164 36	33	R3BOPF334 24	14	R3BOPFF49 30	23	R3BOPFL79 20	39
R3BOPF164 42	33	R3BOPF334 30	14	R3BOPFF49 36	23	R3BOPFL79 24	39
R3BOPF164 48	33	R3BOPF334 36	14	R3BOPFF49 42	23	R3BOPFL79 30	39
R3BOPF164 60	33	R3BOPF334 42	14	R3BOPFF49 48	23	R3BOPFL79 36	39
R3BOPF164 66	33	R3BOPF334 48	14	R3BOPFF49 60	23	R3BOPFL79 42	39
R3BOPF164 72	33	R3BOPF342 18	21	R3BOPFF49 66	23	R3BOPFL79 48	39
R3BOPF179 18	40	R3BOPF342 20	21	R3BOPFF49 72	23	R3BOPFL79 60	39
R3BOPF179 20	40	R3BOPF342 24	21	R3BOPFF64 18	30	R3BOPFL79 66	39
R3BOPF179 24	40	R3BOPF342 30	21	R3BOPFF64 20	30	R3BOPFL79 72	39
R3BOPF179 30	40	R3BOPF342 36	21	R3BOPFF64 24	30	R3BOPLL3418	15
R3BOPF179 36	40	R3BOPF342 42	21	R3BOPFF64 30	30	R3BOPLL3420	15
R3BOPF179 42	40	R3BOPF342 48	21	R3BOPFF64 36	30	R3BOPLL3424	15
R3BOPF179 48	40	R3BOPF342 60	21	R3BOPFF64 42	30	R3BOPLL3430	15
R3BOPF179 60	40	R3BOPF342 66	21	R3BOPFF64 48	30	R3BOPLL3436	15
R3BOPF179 66	40	R3BOPF342 72	21	R3BOPFF64 60	30	R3BOPLL3442	15
R3BOPF179 72	40	R3BOPF349 18	28	R3BOPFF64 66	30	R3BOPLL3448	15
R3BOPF234 18	13	R3BOPF349 20	28	R3BOPFF64 72	30	R3BOPLL4218	22
R3BOPF234 20	13	R3BOPF349 24	28	R3BOPFF79 18	37	R3BOPLL4220	22
R3BOPF234 24	13	R3BOPF349 30	28	R3BOPFF79 20	37	R3BOPLL4224	22
R3BOPF234 30	13	R3BOPF349 36	28	R3BOPFF79 24	37	R3BOPLL4230	22
R3BOPF234 36	13	R3BOPF349 42	28	R3BOPFF79 30	37	R3BOPLL4236	22
R3BOPF234 42	13	R3BOPF349 48	28	R3BOPFF79 36	37	R3BOPLL4242	22
R3BOPF234 48	13	R3BOPF349 60	28	R3BOPFF79 42	37	R3BOPLL4248	22
R3BOPF242 18	20	R3BOPF349 66	28	R3BOPFF79 48	37	R3BOPLL4260	22
R3BOPF242 20	20	R3BOPF349 72	28	R3BOPFF79 60	37	R3BOPLL4266	22
R3BOPF242 24	20	R3BOPF364 18	35	R3BOPFF79 66	37	R3BOPLL4272	22
R3BOPF242 30	20	R3BOPF364 20	35	R3BOPFF79 72	37	R3BOPLL4918	29
R3BOPF242 36	20	R3BOPF364 24	35	R3BOPFL3418	11	R3BOPLL4920	29
R3BOPF242 42	20	R3BOPF364 30	35	R3BOPFL3420	11	R3BOPLL4924	29
R3BOPF242 48	20	R3BOPF364 36	35	R3BOPFL3424	11	R3BOPLL4930	29
R3BOPF242 60	20	R3BOPF364 42	35	R3BOPFL3430	11	R3BOPLL4936	29
R3BOPF242 66	20	R3BOPF364 48	35	R3BOPFL3436	11	R3BOPLL4942	29
R3BOPF242 72	20	R3BOPF364 60	35	R3BOPFL3442	11	R3BOPLL4948	29
R3BOPF249 18	27	R3BOPF364 66	35	R3BOPFL3448	11	R3BOPLL4960	29
R3BOPF249 20	27	R3BOPF364 72	35	R3BOPFL42 18	18	R3BOPLL4966	29
R3BOPF249 24	27	R3BOPF379 18	42	R3BOPFL42 20	18	R3BOPLL4972	29
R3BOPF249 30	27	R3BOPF379 20	42	R3BOPFL42 24	18	R3BOPLL6418	36
R3BOPF249 36	27	R3BOPF379 24	42	R3BOPFL42 30	18	R3BOPLL6420	36
R3BOPF249 42	27	R3BOPF379 30	42	R3BOPFL42 36	18	R3BOPLL6424	36

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPLL6430	36	R3B0TF149 48	59	R3B0TF349 20	61	R3B0TF42 30	51
R3BOPLL6436	36	R3B0TF164 18	66	R3B0TF349 24	61	R3B0TF42 36	51
R3BOPLL6442	36	R3B0TF164 20	66	R3B0TF349 30	61	R3B0TF42 42	51
R3BOPLL6448	36	R3B0TF164 24	66	R3B0TF349 36	61	R3B0TF42 48	51
R3BOPLL6460	36	R3B0TF164 30	66	R3B0TF349 42	61	R3B0TFL49 18	58
R3BOPLL6466	36	R3B0TF164 36	66	R3B0TF349 48	61	R3B0TFL49 20	58
R3BOPLL6472	36	R3B0TF164 42	66	R3B0TF364 18	68	R3B0TFL49 24	58
R3BOPLL7918	43	R3B0TF164 48	66	R3B0TF364 20	68	R3B0TFL49 30	58
R3BOPLL7920	43	R3B0TF179 18	73	R3B0TF364 24	68	R3B0TFL49 36	58
R3BOPLL7924	43	R3B0TF179 20	73	R3B0TF364 30	68	R3B0TFL49 42	58
R3BOPLL7930	43	R3B0TF179 24	73	R3B0TF364 36	68	R3B0TFL49 48	58
R3BOPLL7936	43	R3B0TF179 30	73	R3B0TF364 42	68	R3B0TFL64 18	65
R3BOPLL7942	43	R3B0TF179 36	73	R3B0TF364 48	68	R3B0TFL64 20	65
R3BOPLL7948	43	R3B0TF179 42	73	R3B0TF379 18	75	R3B0TFL64 24	65
R3BOPLL7960	43	R3B0TF179 48	73	R3B0TF379 20	75	R3B0TFL64 30	65
R3BOPLL7966	43	R3B0TF234 18	47	R3B0TF379 24	75	R3B0TFL64 36	65
R3BOPLL7972	43	R3B0TF234 20	47	R3B0TF379 30	75	R3B0TFL64 42	65
R3BOTAA42 18	49	R3B0TF234 24	47	R3B0TF379 36	75	R3B0TFL64 48	65
R3BOTAA42 20	49	R3B0TF234 30	47	R3B0TF379 42	75	R3B0TFL79 18	72
R3BOTAA42 24	49	R3B0TF234 36	47	R3B0TF379 48	75	R3B0TFL79 20	72
R3BOTAA42 30	49	R3B0TF234 42	47	R3B0TFF34 18	44	R3B0TFL79 24	72
R3BOTAA42 36	49	R3B0TF234 48	47	R3B0TFF34 20	44	R3B0TFL79 30	72
R3BOTAA42 42	49	R3B0TF242 18	53	R3B0TFF34 24	44	R3B0TFL79 36	72
R3BOTAA42 48	49	R3B0TF242 20	53	R3B0TFF34 30	44	R3B0TFL79 42	72
R3BOTAA49 18	56	R3B0TF242 24	53	R3B0TFF34 36	44	R3B0TFL79 48	72
R3BOTAA49 20	56	R3B0TF242 30	53	R3B0TFF34 42	44	R3BOTLL3418	48
R3BOTAA49 24	56	R3B0TF242 36	53	R3B0TFF34 48	44	R3BOTLL3420	48
R3BOTAA49 30	56	R3B0TF242 42	53	R3B0TFF42 18	49	R3BOTLL3424	48
R3BOTAA49 36	56	R3B0TF242 48	53	R3B0TFF42 20	49	R3BOTLL3430	48
R3BOTAA49 42	56	R3B0TF249 18	60	R3B0TFF42 24	49	R3BOTLL3436	48
R3BOTAA49 48	56	R3B0TF249 20	60	R3B0TFF42 30	49	R3BOTLL3442	48
R3BOTAA64 18	63	R3B0TF249 24	60	R3B0TFF42 36	49	R3BOTLL3448	48
R3BOTAA64 20	63	R3B0TF249 30	60	R3B0TFF42 42	49	R3BOTLL4218	55
R3BOTAA64 24	63	R3B0TF249 36	60	R3B0TFF42 48	49	R3BOTLL4220	55
R3BOTAA64 30	63	R3B0TF249 42	60	R3B0TFF49 18	56	R3BOTLL4224	55
R3BOTAA64 36	63	R3B0TF249 48	60	R3B0TFF49 20	56	R3BOTLL4230	55
R3BOTAA64 42	63	R3B0TF264 18	67	R3B0TFF49 24	56	R3BOTLL4236	55
R3BOTAA64 48	63	R3B0TF264 20	67	R3B0TFF49 30	56	R3BOTLL4242	55
R3BOTAA79 18	70	R3B0TF264 24	67	R3B0TFF49 36	56	R3BOTLL4248	55
R3BOTAA79 20	70	R3B0TF264 30	67	R3B0TFF49 42	56	R3BOTLL4918	62
R3BOTAA79 24	70	R3B0TF264 36	67	R3B0TFF49 48	56	R3BOTLL4920	62
R3BOTAA79 30	70	R3B0TF264 42	67	R3B0TFF64 18	63	R3BOTLL4924	62
R3BOTAA79 36	70	R3B0TF264 48	67	R3B0TFF64 20	63	R3BOTLL4930	62
R3BOTAA79 42	70	R3B0TF279 18	74	R3B0TFF64 24	63	R3BOTLL4936	62
R3BOTAA79 48	70	R3B0TF279 20	74	R3B0TFF64 30	63	R3BOTLL4942	62
R3B0TF134 18	46	R3B0TF279 24	74	R3B0TFF64 36	63	R3BOTLL4948	62
R3B0TF134 20	46	R3B0TF279 30	74	R3B0TFF64 42	63	R3BOTLL6418	69
R3B0TF134 24	46	R3B0TF279 36	74	R3B0TFF64 48	63	R3BOTLL6420	69
R3B0TF134 30	46	R3B0TF279 42	74	R3B0TFF79 18	70	R3BOTLL6424	69
R3B0TF134 36	46	R3B0TF279 48	74	R3B0TFF79 20	70	R3BOTLL6430	69
R3B0TF134 42	46	R3B0TF334 18	47	R3B0TFF79 24	70	R3BOTLL6436	69
R3B0TF134 48	46	R3B0TF334 20	47	R3B0TFF79 30	70	R3BOTLL6442	69
R3B0TF142 18	52	R3B0TF334 24	47	R3B0TFF79 36	70	R3BOTLL6448	69
R3B0TF142 20	52	R3B0TF334 30	47	R3B0TFF79 42	70	R3BOTLL7918	76
R3B0TF142 24	52	R3B0TF334 36	47	R3B0TFF79 48	70	R3BOTLL7920	76
R3B0TF142 30	52	R3B0TF334 42	47	R3B0TFL34 18	46	R3BOTLL7924	76
R3B0TF142 36	52	R3B0TF334 48	47	R3B0TFL34 20	46	R3BOTLL7930	76
R3B0TF142 42	52	R3B0TF342 18	54	R3B0TFL34 24	46	R3BOTLL7936	76
R3B0TF142 48	52	R3B0TF342 20	54	R3B0TFL34 30	46	R3BOTLL7942	76
R3B0TF149 18	59	R3B0TF342 24	54	R3B0TFL34 36	46	R3BOTLL7948	76
R3B0TF149 20	59	R3B0TF342 30	54	R3B0TFL34 42	46	R3B1PF142 18	19
R3B0TF149 24	59	R3B0TF342 36	54	R3B0TFL34 48	46	R3B1PF142 20	19
R3B0TF149 30	59	R3B0TF342 42	54	R3B0TFL42 18	51	R3B1PF142 24	19
R3B0TF149 36	59	R3B0TF342 48	54	R3B0TFL42 20	51	R3B1PF142 30	19
R3B0TF149 42	59	R3B0TF349 18	61	R3B0TFL42 24	51	R3B1PF142 36	19

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1PF142 42	19	R3B1PF2A49 30	95	R3B1PFF64 36	31	R3B1TF142 42	52
R3B1PF142 48	19	R3B1PF2A49 36	95	R3B1PFF64 42	31	R3B1TF142 48	52
R3B1PF149 18	26	R3B1PF2A49 42	95	R3B1PFF64 48	31	R3B1TF149 18	59
R3B1PF149 20	26	R3B1PF2A49 48	95	R3B1PFF79 18	38	R3B1TF149 20	59
R3B1PF149 24	26	R3B1PF2B49 30	95	R3B1PFF79 20	38	R3B1TF149 24	59
R3B1PF149 30	26	R3B1PF2B49 36	95	R3B1PFF79 24	38	R3B1TF149 30	59
R3B1PF149 36	26	R3B1PF2B49 42	95	R3B1PFF79 30	38	R3B1TF149 36	59
R3B1PF149 42	26	R3B1PF2B49 48	95	R3B1PFF79 36	38	R3B1TF149 42	59
R3B1PF149 48	26	R3B1PF342 18	21	R3B1PFF79 42	38	R3B1TF149 48	59
R3B1PF164 18	33	R3B1PF342 20	21	R3B1PFF79 48	38	R3B1TF164 18	66
R3B1PF164 20	33	R3B1PF342 24	21	R3B1PFFA49 18	86	R3B1TF164 20	66
R3B1PF164 24	33	R3B1PF342 30	21	R3B1PFFA49 20	86	R3B1TF164 24	66
R3B1PF164 30	33	R3B1PF342 36	21	R3B1PFFA49 24	86	R3B1TF164 30	66
R3B1PF164 36	33	R3B1PF342 42	21	R3B1PFFA49 30	86	R3B1TF164 36	66
R3B1PF164 42	33	R3B1PF342 48	21	R3B1PFFA49 36	86	R3B1TF164 42	66
R3B1PF164 48	33	R3B1PF349 18	28	R3B1PFFA49 42	86	R3B1TF164 48	66
R3B1PF179 18	40	R3B1PF349 20	28	R3B1PFFA49 48	86	R3B1TF179 18	73
R3B1PF179 20	40	R3B1PF349 24	28	R3B1PFFB49 30	86	R3B1TF179 20	73
R3B1PF179 24	40	R3B1PF349 30	28	R3B1PFFB49 36	86	R3B1TF179 24	73
R3B1PF179 30	40	R3B1PF349 36	28	R3B1PFFB49 42	86	R3B1TF179 30	73
R3B1PF179 36	40	R3B1PF349 42	28	R3B1PFFB49 48	86	R3B1TF179 36	73
R3B1PF179 42	40	R3B1PF349 48	28	R3B1PFL42 18	18	R3B1TF179 42	73
R3B1PF179 48	40	R3B1PF364 18	35	R3B1PFL42 20	18	R3B1TF179 48	73
R3B1PFA49 18	92	R3B1PF364 20	35	R3B1PFL42 24	18	R3B1TFA49 18	90
R3B1PFA49 20	92	R3B1PF364 24	35	R3B1PFL42 30	18	R3B1TFA49 20	90
R3B1PFA49 24	92	R3B1PF364 30	35	R3B1PFL42 36	18	R3B1TFA49 24	90
R3B1PFA49 30	92	R3B1PF364 36	35	R3B1PFL42 42	18	R3B1TFA49 30	90
R3B1PFA49 36	92	R3B1PF364 42	35	R3B1PFL42 48	18	R3B1TFA49 36	90
R3B1PFA49 42	92	R3B1PF364 48	35	R3B1PFL49 18	25	R3B1TFA49 42	90
R3B1PFA49 48	92	R3B1PF379 18	42	R3B1PFL49 20	25	R3B1TFA49 48	90
R3B1PFB49 30	92	R3B1PF379 20	42	R3B1PFL49 24	25	R3B1TF1B49 30	91
R3B1PFB49 36	92	R3B1PF379 24	42	R3B1PFL49 30	25	R3B1TF1B49 36	91
R3B1PFB49 42	92	R3B1PF379 30	42	R3B1PFL49 36	25	R3B1TF1B49 42	91
R3B1PFB49 48	92	R3B1PF379 36	42	R3B1PFL49 42	25	R3B1TF1B49 48	91
R3B1PF242 18	20	R3B1PF379 42	42	R3B1PFL49 48	25	R3B1TF242 18	53
R3B1PF242 20	20	R3B1PF379 48	42	R3B1PFL64 18	32	R3B1TF242 20	53
R3B1PF242 24	20	R3B1PF3A49 18	97	R3B1PFL64 20	32	R3B1TF242 24	53
R3B1PF242 30	20	R3B1PF3A49 20	97	R3B1PFL64 24	32	R3B1TF242 30	53
R3B1PF242 36	20	R3B1PF3A49 24	97	R3B1PFL64 30	32	R3B1TF242 36	53
R3B1PF242 42	20	R3B1PF3A49 30	97	R3B1PFL64 36	32	R3B1TF242 42	53
R3B1PF242 48	20	R3B1PF3A49 36	97	R3B1PFL64 42	32	R3B1TF242 48	53
R3B1PF249 18	27	R3B1PF3A49 42	97	R3B1PFL64 48	32	R3B1TF249 18	60
R3B1PF249 20	27	R3B1PF3A49 48	97	R3B1PFL79 18	39	R3B1TF249 20	60
R3B1PF249 24	27	R3B1PF3B49 30	97	R3B1PFL79 20	39	R3B1TF249 24	60
R3B1PF249 30	27	R3B1PF3B49 36	97	R3B1PFL79 24	39	R3B1TF249 30	60
R3B1PF249 36	27	R3B1PF3B49 42	97	R3B1PFL79 30	39	R3B1TF249 36	60
R3B1PF249 42	27	R3B1PF3B49 48	97	R3B1PFL79 36	39	R3B1TF249 42	60
R3B1PF249 48	27	R3B1PFF42 18	17	R3B1PFL79 42	39	R3B1TF249 48	60
R3B1PF264 18	34	R3B1PFF42 20	17	R3B1PFL79 48	39	R3B1TF264 18	67
R3B1PF264 20	34	R3B1PFF42 24	17	R3B1PFLA49 18	89	R3B1TF264 20	67
R3B1PF264 24	34	R3B1PFF42 30	17	R3B1PFLA49 20	89	R3B1TF264 24	67
R3B1PF264 30	34	R3B1PFF42 36	17	R3B1PFLA49 24	89	R3B1TF264 30	67
R3B1PF264 36	34	R3B1PFF42 42	17	R3B1PFLA49 30	89	R3B1TF264 36	67
R3B1PF264 42	34	R3B1PFF42 48	17	R3B1PFLA49 36	89	R3B1TF264 42	67
R3B1PFF264 48	34	R3B1PFF49 18	24	R3B1PFLA49 42	89	R3B1TF264 48	67
R3B1PF279 18	41	R3B1PFF49 20	24	R3B1PFLA49 48	89	R3B1TF279 18	74
R3B1PF279 20	41	R3B1PFF49 24	24	R3B1PFLB49 30	89	R3B1TF279 20	74
R3B1PF279 24	41	R3B1PFF49 30	24	R3B1PFLB49 36	89	R3B1TF279 24	74
R3B1PF279 30	41	R3B1PFF49 36	24	R3B1PFLB49 42	89	R3B1TF279 30	74
R3B1PF279 36	41	R3B1PFF49 42	24	R3B1PFLB49 48	89	R3B1TF279 36	74
R3B1PF279 42	41	R3B1PFF49 48	24	R3B1TF142 18	52	R3B1TF279 42	74
R3B1PF279 48	41	R3B1PFF64 18	31	R3B1TF142 20	52	R3B1TF279 48	74
R3B1PF2A49 18	95	R3B1PFF64 20	31	R3B1TF142 24	52	R3B1TF2A49 18	93
R3B1PF2A49 20	95	R3B1PFF64 24	31	R3B1TF142 30	52	R3B1TF2A49 20	93
R3B1PF2A49 24	95	R3B1PFF64 30	31	R3B1TF142 36	52	R3B1TF2A49 24	93

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITF2A49 30	93	R3BITFF64 36	64	R3B2PFF42 42	17	R3B2TFFA49 30	98
R3BITF2A49 36	93	R3BITFF64 42	64	R3B2PFF42 48	17	R3B2TFFA49 36	98
R3BITF2A49 42	93	R3BITFF64 48	64	R3B2PFF49 18	24	R3B2TFFA49 42	98
R3BITF2A49 48	93	R3BITFF79 18	71	R3B2PFF49 20	24	R3B2TFFA49 48	98
R3BITF2B49 30	94	R3BITFF79 20	71	R3B2PFF49 24	24	R3B2TFFB49 30	98
R3BITF2B49 36	94	R3BITFF79 24	71	R3B2PFF49 30	24	R3B2TFFB49 36	98
R3BITF2B49 42	94	R3BITFF79 30	71	R3B2PFF49 36	24	R3B2TFFB49 42	98
R3BITF2B49 48	94	R3BITFF79 36	71	R3B2PFF49 42	24	R3B2TFFB49 48	98
R3BITF342 18	54	R3BITFF79 42	71	R3B2PFF49 48	24	R3CRTT60	102
R3BITF342 20	54	R3BITFF79 48	71	R3B2PFF64 18	31	R3CRTT72	102
R3BITF342 24	54	R3BITTFFA49 18	84	R3B2PFF64 20	31	R3CRTT84	102
R3BITF342 30	54	R3BITTFFA49 20	84	R3B2PFF64 24	31	R3CRTT96	102
R3BITF342 36	54	R3BITTFFA49 24	84	R3B2PFF64 30	31	R3FTCE104(F/T)(F/T)(F/T)	125
R3BITF342 42	54	R3BITTFFA49 30	84	R3B2PFF64 36	31	R3FTCE108(F/T)(F/T)(F/T)	125
R3BITF342 48	54	R3BITTFFA49 36	84	R3B2PFF64 42	31	R3FTCE120(F/T)(F/T)(F/T)	125
R3BITF349 18	61	R3BITTFFA49 42	84	R3B2PFF64 48	31	R3FTCE21	125
R3BITF349 20	61	R3BITTFFA49 48	84	R3B2PFF79 18	38	R3FTCE25	125
R3BITF349 24	61	R3BITTFFB49 30	85	R3B2PFF79 20	38	R3FTCE37	125
R3BITF349 30	61	R3BITTFFB49 36	85	R3B2PFF79 24	38	R3FTCF12118	122
R3BITF349 36	61	R3BITTFFB49 42	85	R3B2PFF79 30	38	R3FTCF12120	122
R3BITF349 42	61	R3BITTFFB49 48	85	R3B2PFF79 36	38	R3FTCF12124	122
R3BITF349 48	61	R3BITTFL42 18	51	R3B2PFF79 42	38	R3FTCF12130	122
R3BITF364 18	68	R3BITTFL42 20	51	R3B2PFF79 48	38	R3FTCF12136	122
R3BITF364 20	68	R3BITTFL42 24	51	R3B2PFFA49 18	99	R3FTCF12142	122
R3BITF364 24	68	R3BITTFL42 30	51	R3B2PFFA49 20	99	R3FTCF12148	122
R3BITF364 30	68	R3BITTFL42 36	51	R3B2PFFA49 24	99	R3FTCF12518	123
R3BITF364 36	68	R3BITTFL42 42	51	R3B2PFFA49 30	99	R3FTCF12520	123
R3BITF364 42	68	R3BITTFL42 48	51	R3B2PFFA49 36	99	R3FTCF12524	123
R3BITF364 48	68	R3BITTFL49 18	58	R3B2PFFA49 42	99	R3FTCF12530	123
R3BITF379 18	75	R3BITTFL49 20	58	R3B2PFFA49 48	99	R3FTCF12536	123
R3BITF379 20	75	R3BITTFL49 24	58	R3B2PFFB49 30	99	R3FTCF12542	123
R3BITF379 24	75	R3BITTFL49 30	58	R3B2PFFB49 36	99	R3FTCF12548	123
R3BITF379 30	75	R3BITTFL49 36	58	R3B2PFFB49 42	99	R3FTCF13718	124
R3BITF379 36	75	R3BITTFL49 42	58	R3B2PFFB49 48	99	R3FTCF13720	124
R3BITF379 42	75	R3BITTFL49 48	58	R3B2TFF42 18	50	R3FTCF13724	124
R3BITF379 48	75	R3BITTFL64 18	65	R3B2TFF42 20	50	R3FTCF13730	124
R3BITF3A49 18	96	R3BITTFL64 20	65	R3B2TFF42 24	50	R3FTCF13736	124
R3BITF3A49 20	96	R3BITTFL64 24	65	R3B2TFF42 30	50	R3FTCF13742	124
R3BITF3A49 24	96	R3BITTFL64 30	65	R3B2TFF42 36	50	R3FTCF13748	124
R3BITF3A49 30	96	R3BITTFL64 36	65	R3B2TFF42 42	50	R3FTCF22118	122
R3BITF3A49 36	96	R3BITTFL64 42	65	R3B2TFF42 48	50	R3FTCF22120	122
R3BITF3A49 42	96	R3BITTFL64 48	65	R3B2TFF49 18	57	R3FTCF22124	122
R3BITF3A49 48	96	R3BITTFL79 18	72	R3B2TFF49 20	57	R3FTCF22130	122
R3BITF3B49 30	96	R3BITTFL79 20	72	R3B2TFF49 24	57	R3FTCF22136	122
R3BITF3B49 36	96	R3BITTFL79 24	72	R3B2TFF49 30	57	R3FTCF22142	122
R3BITF3B49 42	96	R3BITTFL79 30	72	R3B2TFF49 36	57	R3FTCF22148	122
R3BITF3B49 48	96	R3BITTFL79 36	72	R3B2TFF49 42	57	R3FTCF22518	123
R3BITFF42 18	50	R3BITTFL79 42	72	R3B2TFF49 48	57	R3FTCF22520	123
R3BITFF42 20	50	R3BITTFL79 48	72	R3B2TFF64 18	64	R3FTCF22524	123
R3BITFF42 24	50	R3BITTFLA49 18	87	R3B2TFF64 20	64	R3FTCF22530	123
R3BITFF42 30	50	R3BITTFLA49 20	87	R3B2TFF64 24	64	R3FTCF22536	123
R3BITFF42 36	50	R3BITTFLA49 24	87	R3B2TFF64 30	64	R3FTCF22542	123
R3BITFF42 42	50	R3BITTFLA49 30	87	R3B2TFF64 36	64	R3FTCF22548	123
R3BITFF42 48	50	R3BITTFLA49 36	87	R3B2TFF64 42	64	R3FTCF23718	124
R3BITFF49 18	57	R3BITTFLA49 42	87	R3B2TFF64 48	64	R3FTCF23720	124
R3BITFF49 20	57	R3BITTFLA49 48	87	R3B2TFF79 18	71	R3FTCF23724	124
R3BITFF49 24	57	R3BITTFLB49 30	88	R3B2TFF79 20	71	R3FTCF23730	124
R3BITFF49 30	57	R3BITTFLB49 36	88	R3B2TFF79 24	71	R3FTCF23736	124
R3BITFF49 36	57	R3BITTFLB49 42	88	R3B2TFF79 30	71	R3FTCF23742	124
R3BITFF49 42	57	R3BITTFLB49 48	88	R3B2TFF79 36	71	R3FTCF23748	124
R3BITFF49 48	57	R3B2PFF42 18	17	R3B2TFF79 42	71	R3FTCF321 18	122
R3BITFF64 18	64	R3B2PFF42 20	17	R3B2TFF79 48	71	R3FTCF321 20	122
R3BITFF64 20	64	R3B2PFF42 24	17	R3B2TFFA49 18	98	R3FTCF321 24	122
R3BITFF64 24	64	R3B2PFF42 30	17	R3B2TFFA49 20	98	R3FTCF321 30	122
R3BITFF64 30	64	R3B2PFF42 36	17	R3B2TFFA49 24	98	R3FTCF321 36	122

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF321 42	122	R3FTCS108(F/T)(F/T)	125	R3SF30836	103	R3X15	106
R3FTCF321 48	122	R3FTCS120(F/T)(F/T)	125	R3SF30842	103	R3X34	106
R3FTCF325 18	123	R3FTCS21	125	R3SF30848	103	R3X42(B)	106
R3FTCF325 20	123	R3FTCS25	125	R3SF315 18	104	R3X49(B)	106
R3FTCF325 24	123	R3FTCS37	125	R3SF315 20	104	R3X64(B)	106
R3FTCF325 30	123	R3FTCSM (Pair) for G3 only	126	R3SF315 24	104	R3X79(B)	106
R3FTCF325 36	123	R3FTCT104(F/T)	125	R3SF315 30	104	R5ZNNE (3 dividers)	309
R3FTCF325 42	123	R3FTCT108(F/T)	125	R3SF315 36	104	R917762	303
R3FTCF325 48	123	R3FTCT120(F/T)	125	R3SF315 42	104	R921655	302
R3FTCF337 18	124	R3FTCT21	125	R3SF315 48	104	RAMTB	270
R3FTCF337 20	124	R3FTCT25	125	R3SFF08 18	100	RAMTC24	270
R3FTCF337 24	124	R3FTCT37	125	R3SFF08 20	100	RAMTC30	270
R3FTCF337 30	124	R3FTCX104	125	R3SFF08 24	100	RAMTC36	270
R3FTCF337 36	124	R3FTCX108	125	R3SFF08 30	100	RAMTC42	270
R3FTCF337 42	124	R3FTCX120	125	R3SFF08 36	100	RAMTC48	270
R3FTCF337 48	124	R3FTCX21	125	R3SFF08 42	100	RAMTC54	270
R3FTCF2118	119	R3FTCX25	125	R3SFF08 48	100	RAMTC60	270
R3FTCF2120	119	R3FTCX37	125	R3SFF15 18	100	RAMTC66	270
R3FTCF2124	119	R3L08TT	105	R3SFF15 20	100	RAMTC72	270
R3FTCF2130	119	R3L15TT	105	R3SFF15 24	100	RAMTCH24	270
R3FTCF2136	119	R3L34(F/T)(F/T)	105	R3SFF15 30	100	RAMTCH30	270
R3FTCF2142	119	R3L42(B)(F/T)(F/T)	105	R3SFF15 36	100	RAMTCH36	270
R3FTCF2148	119	R3L49(B)(F/T)(F/T)	105	R3SFF15 42	100	RAMTCH42	270
R3FTCF2518	120	R3L64(B)(F/T)(F/T)	105	R3SFF15 48	100	RAMTCH48	270
R3FTCF2520	120	R3L79(B)(F/T)(F/T)	105	R3SFL0818	103	RAMTCH54	270
R3FTCF2524	120	R3R2SLV	107, 118	R3SFL0820	103	RAMTCH60	270
R3FTCF2530	120	R3S08TT	106	R3SFL0824	103	RAMTCH66	270
R3FTCF2536	120	R3S15TT	106	R3SFL0830	103	RAMTCH72	270
R3FTCF2542	120	R3S34(F/T)(F/T)	106	R3SFL0836	103	RAMTT	270
R3FTCF2548	120	R3S42(B)(F/T)(F/T)	106	R3SFL0842	103	RB24(M/H)(F/R)	212
R3FTCF3718	121	R3S49(B)(F/T)(F/T)	106	R3SFL0848	103	RB30(M/H)(F/R)	212
R3FTCF3720	121	R3S64(B)(F/T)(F/T)	106	R3SFL1518	104	RB3636	212
R3FTCF3724	121	R3S79(B)(F/T)(F/T)	106	R3SFL1520	104	RB3642	212
R3FTCF3730	121	R3SF10818	103	R3SFL1524	104	RB3648	212
R3FTCF3736	121	R3SF10820	103	R3SFL1530	104	RB36(M/H)(F/R)	212
R3FTCF3742	121	R3SF10824	103	R3SFL1536	104	RB40MR	187
R3FTCF3748	121	R3SF10830	103	R3SFL1542	104	RB4236	212
R3FTCFL2118	122	R3SF10836	103	R3SFL1548	104	RB4242	212
R3FTCFL2120	122	R3SF10842	103	R3SLL0818	103	RB4248	212
R3FTCFL2124	122	R3SF10848	103	R3SLL0820	103	RB42(M/H)(F/R)	212
R3FTCFL2130	122	R3SF11518	104	R3SLL0824	103	RB4836	212
R3FTCFL2136	122	R3SF11520	104	R3SLL0830	103	RB4842	212
R3FTCFL2142	122	R3SF11524	104	R3SLL0836	103	RB4848	212
R3FTCFL2148	122	R3SF11530	104	R3SLL0842	103	RB48(M/H)(F/R)	212
R3FTCFL2518	123	R3SF11536	104	R3SLL0848	103	RB52MR	187
R3FTCFL2520	123	R3SF11542	104	R3SLL1518	104	RB54(M/H)(F/R)	212
R3FTCFL2524	123	R3SF11548	104	R3SLL1520	104	RB60(M/H)(F/R)	212
R3FTCFL2530	123	R3SF20818	103	R3SLL1524	104	RB64MR	187
R3FTCFL2536	123	R3SF20820	103	R3SLL1530	104	RB66(M/H)(F/R)	212
R3FTCFL2542	123	R3SF20824	103	R3SLL1536	104	RB72(M/H)(F/R)	212
R3FTCFL2548	123	R3SF20830	103	R3SLL1542	104	RB78(M/H)(F/R)	212
R3FTCFL3718	124	R3SF20836	103	R3SLL1548	104	RB84(M/H)(F/R)	212
R3FTCFL3720	124	R3SF20842	103	R3SMP	302	RB90(M/H)(F/R)	212
R3FTCFL3724	124	R3SF20848	103	R3SPABPT	116	RB96(M/H)(F/R)	212
R3FTCFL3730	124	R3SF21518	104	R3SPABTD	116	RBC18 (L/R)	209
R3FTCFL3736	124	R3SF21520	104	R3SPABTT	116	RBC24 (L/R)	209
R3FTCFL3742	124	R3SF21524	104	R3SPABTW	116	RBCC	210
R3FTCFL3748	124	R3SF21530	104	R3T08T	105	RBCCP (Pair)	210
R3FTCL104(F/T)(F/T)	125	R3SF21536	104	R3T15T	105	RBDD	304
R3FTCL108(F/T)(F/T)	125	R3SF21542	104	R3T34(F/T)	105	RBDP6030JK(A,B,W)	282, 283, 284
R3FTCL120(F/T)(F/T)	125	R3SF21548	104	R3T42(B)(F/T)	105	RBDP7230JK(A,B,W)	282, 283, 284
R3FTCL21	125	R3SF30818	103	R3T49(B)(F/T)	105	RBDP8430JK(A,B,W)	282, 283, 284
R3FTCL25	125	R3SF30820	103	R3T64(B)(F/T)	105	RBDP9630JK(A,B,W)	282, 283, 284
R3FTCL37	125	R3SF30824	103	R3T79(B)(F/T)	105	RBDW	304
R3FTCS104(F/T)(F/T)	125	R3SF30830	103	R3X08	106	RBF (Pair)	210

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RBPE(L/R)	304	RC633G	238, 241	RC763G	245, 248	RCA(A/B/C/D/E/F/G)F424822	164
RBPP (L/R)	210	RC633H	237, 240	RC763H	244, 247	RCA(A/B/C/D/E/F/G)F483611	163
RBPR (Pair)	211	RC633I	243	RC763I	250	RCA(A/B/C/D/E/F/G)F483612	163
RBPS (L/R)	211	RC633P	238, 241	RC763P	245, 248	RCA(A/B/C/D/E/F/G)F483621	164
RBR3624(A,B,W)	291, 292, 293	RC661B	237, 240	RCA363611	145	RCA(A/B/C/D/E/F/G)F483622	164
RBR3630(A,B,W)	291, 292, 293	RC662B	237, 240	RCA363612	146	RCA(A/B/C/D/E/F/G)F484211	163
RBR4224(A,B,W)	291, 292, 293	RC662C	239, 242	RCA363621	145	RCA(A/B/C/D/E/F/G)F484212	163
RBR4230(A,B,W)	291, 292, 293	RC662D	242	RCA363622	146	RCA(A/B/C/D/E/F/G)F484221	164
RBR4824(A,B,W)	291, 292, 293	RC662E(L/R)	239, 242	RCA364211	145	RCA(A/B/C/D/E/F/G)F484222	164
RBR4830(A,B,W)	291, 292, 293	RC662F	238, 241	RCA364212	146	RCA(A/B/C/D/E/F/G)F484811	163
RBSF6030J(A,B,W)	279, 280, 281	RC662G	238, 241	RCA364221	145	RCA(A/B/C/D/E/F/G)F484812	163
RBSF7230J(A,B,W)	279, 280, 281	RC662H	237, 240	RCA364222	146	RCA(A/B/C/D/E/F/G)F484821	164
RBSF8430J(A,B,W)	279, 280, 281	RC662I	243	RCA364811	145	RCA(A/B/C/D/E/F/G)F484822	164
RBSF9630J(A,B,W)	279, 280, 281	RC662P	238, 241	RCA364812	146	RCABT1417	301
RBWC24	211	RC663B	237, 240	RCA364821	145	RCABT2917	301
RBWC30	211	RC663C	239, 242	RCA364822	146	RCACR16	301
RBWM	305	RC663D	242	RCA423611	145	RCACR30	301
RBZ (A/B) (Pair)	210	RC663E(L/R)	239, 242	RCA423612	146	RCACR30H	301
RC412C(L/R)	232, 234	RC663F	238, 241	RCA423621	145	RCACR36	301
RC413C(L/R)	232, 234	RC663G	238, 241	RCA423622	146	RCACR36H	301
RC423M(L/R)	251, 252	RC663H	237, 240	RCA424211	145	RCAS1620	301
RC423N(L/R)	251, 252	RC663I	243	RCA424212	146	RCAS1624	301
RC431B	232, 234	RC663P	238, 241	RCA424221	145	RCAS3015	301
RC432B	232, 234	RC712C(L/R)	246, 249	RCA424222	146	RCAS3020	301
RC432C	232, 234	RC712D(L/R)	249	RCA424811	145	RCAS3024	301
RC432D	235	RC712G(L/R)	245, 248	RCA424812	146	RCAS3615	301
RC432F	233, 236	RC712P(L/R)	245, 248	RCA424821	145	RCAS3620	301
RC433B	232, 234	RC713C(L/R)	246, 249	RCA424822	146	RCAS3624	301
RC433C	232, 234	RC713D(L/R)	249	RCA464623N	149	RCASL	302
RC433D	235	RC713G(L/R)	245, 248	RCA464629N	149	RCAWF363611	184
RC433F	233, 236	RC713P(L/R)	245, 248	RCA483611	145	RCAWF363612	184
RC461B	232, 234	RC723M(L/R)	251, 252	RCA483612	146	RCAWF363621	184
RC462B	232, 234	RC723N	251, 252	RCA483621	145	RCAWF363622	184
RC462C	232, 234	RC732B	244, 247	RCA483622	146	RCAWF364211	184
RC462D	235	RC732C	246, 249	RCA484211	145	RCAWF364212	184
RC462F	233, 236	RC732D	249	RCA484212	146	RCAWF364221	184
RC463B	232, 234	RC732E(L/R)	246, 249	RCA484221	145	RCAWF364222	184
RC463C	232, 234	RC732F	245, 248	RCA484222	146	RCAWF364811	184
RC463D	235	RC732G	245, 248	RCA484811	145	RCAWF364812	184
RC463F	233, 236	RC732H	244, 247	RCA484812	146	RCAWF364821	184
RC612C(L/R)	239, 242	RC732I	250	RCA484821	145	RCAWF364822	184
RC612D(L/R)	242	RC732P	245, 248	RCA484822	146	RCAWF423611	184
RC612C(L/R)	238, 241	RC733B	244, 247	RCA(A/B/C/D/E/F/G)F363611	163	RCAWF423612	184
RC612P(L/R)	238, 241	RC733C	246, 249	RCA(A/B/C/D/E/F/G)F363612	163	RCAWF423621	184
RC613C(L/R)	239, 242	RC733D	249	RCA(A/B/C/D/E/F/G)F363621	164	RCAWF423622	184
RC613D(L/R)	242	RC733E(L/R)	246, 249	RCA(A/B/C/D/E/F/G)F363622	164	RCAWF424211	184
RC613G(L/R)	238, 241	RC733F	245, 248	RCA(A/B/C/D/E/F/G)F364211	163	RCAWF424212	184
RC613P(L/R)	238, 241	RC733G	245, 248	RCA(A/B/C/D/E/F/G)F364212	163	RCAWF424221	184
RC623M(L/R)	251, 252	RC733H	244, 247	RCA(A/B/C/D/E/F/G)F364221	164	RCAWF424222	184
RC623N(L/R)	251, 252	RC733I	250	RCA(A/B/C/D/E/F/G)F364222	164	RCAWF424811	184
RC631B	237, 240	RC733P	245, 248	RCA(A/B/C/D/E/F/G)F364811	163	RCAWF424812	184
RC632B	237, 240	RC762B	244, 247	RCA(A/B/C/D/E/F/G)F364812	163	RCAWF424821	184
RC632C	239, 242	RC762C	246, 249	RCA(A/B/C/D/E/F/G)F364821	164	RCAWF424822	184
RC632D	242	RC762D	249	RCA(A/B/C/D/E/F/G)F364822	164	RCAWF483611	184
RC632E(L/R)	239, 242	RC762E(L/R)	246, 249	RCA(A/B/C/D/E/F/G)F423611	163	RCAWF483612	184
RC632F	238, 241	RC762F	245, 248	RCA(A/B/C/D/E/F/G)F423612	163	RCAWF483621	184
RC632G	238, 241	RC762G	245, 248	RCA(A/B/C/D/E/F/G)F423621	164	RCAWF483622	184
RC632H	237, 240	RC762H	244, 247	RCA(A/B/C/D/E/F/G)F423622	164	RCAWF484211	184
RC632I	243	RC762I	250	RCA(A/B/C/D/E/F/G)F424211	163	RCAWF484212	184
RC632P	238, 241	RC762P	245, 248	RCA(A/B/C/D/E/F/G)F424212	163	RCAWF484221	184
RC633B	237, 240	RC763B	244, 247	RCA(A/B/C/D/E/F/G)F424221	164	RCAWF484222	184
RC633C	239, 242	RC763C	246, 249	RCA(A/B/C/D/E/F/G)F424222	164	RCB	214
RC633D	242	RC763D	249	RCA(A/B/C/D/E/F/G)F424811	163	RCB20T	214
RC633E(L/R)	239, 242	RC763E(L/R)	246, 249	RCA(A/B/C/D/E/F/G)F424812	163	RCB24T	214
RC633F	238, 241	RC763F	245, 248	RCA(A/B/C/D/E/F/G)F424821	164	RCB24X	216

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCB28X	216	RCE1BD7848D(L/R)	192	RCE1R6630N	191	RDSP9636J(A,B,W)	279, 280, 281
RCB30T	214	RCE1BD7848S(L/R)	192	RCE1R7224N	191	RDTC3010	311
RCB36X	216	RCE1BD8448D(L/R)	192	RCE1R7230N	191	RDTC3610	311
RCB40T	214	RCE1BD8448S(L/R)	192	RCE1R7824N	191	RDTCC6010	311
RCCDLA23672	147	RCE1CR24L	195	RCE1R7830N	191	RDTCC7210	311
RCCDLA23678	147	RCE1CR24N	195	RCE1R8424N	191	RDTCC06010	311
RCCDLA23684	147	RCE1CR24R	195	RCE1R8430N	191	RDTCC07210	311
RCCDLA23696	147	RCE1H4818	195	RCE1R9024N	191	RDTGA	306
RCCDLA33672	147	RCE1H4818P	195	RCE1R9030N	191	RDTGB	306
RCCDLA33678	147	RCE1H6024	195	RCE1R9624N	191	RDTGC	306
RCCDLA33684	147	RCE1H6024P	195	RCE1R9630N	191	RE12F	213
RCCDLA33696	147	RCE1L3636SSN	193	RCE1W362430N	196	RE15F	213
RCCDRA23672	147	RCE1L4242DSN	193	RCE1W363024N	196	RE19F	213
RCCDRA23678	147	RCE1L4242SDN	193	RCE1W422430N	196	RE23F	213
RCCDRA23684	147	RCE1L4242SSN	193	RCE1W423024N	196	RE29F	213
RCCDRA23696	147	RCE1L4260SSN	194	RCE1W482430N	196	RE30	213
RCCDRA33672	147	RCE1L4266SSN	194	RCE1W483024N	196	RE36	213
RCCDRA33678	147	RCE1L4272SSN	194	RCE1W722430N	196	REBA6030	152
RCCDRA33684	147	RCE1L4278SSN	194	RCE1W723024N	196	REBA7242	152
RCCDRA33696	147	RCE1L4848DDN	193	RCEAL223660	148	REBA7848	152
RCD3L6024K(A,B,W)	294, 295, 296	RCE1L4848DSN	193	RCEAL223672	148	REBA(A/B/C/D/E/F/G)A6030	169
RCD3L8424K(A,B,W)	294, 295, 296	RCE1L4848SDN	193	RCEAL224260	148	REBA(A/B/C/D/E/F/G)A7242	169
RCD3L9624K(A,B,W)	294, 295, 296	RCE1L4848SSN	193	RCEAL224272	148	REBA(A/B/C/D/E/F/G)A7848	169
RCD6L7224K(A,B,W)	294, 295, 296	RCE1L4860DSN	194	RCEAL224872	148	REBAWA6030	188
RCD6L9624K(A,B,W)	294, 295, 296	RCE1L4860SDN	194	RCEAL224884	148	REBAWA7242	188
RCDFMF60301	278	RCE1L4860SSN	194	RCEAL224896	148	REBAWA7848	188
RCDFMF60361	278	RCE1L4866DSN	194	RCEAR223660	148	REBH24	188
RCDFMF72301	278	RCE1L4866SDN	194	RCEAR223672	148	REBH30	188
RCDFMF72361	278	RCE1L4866SSN	194	RCEAR224260	148	RFDR30	309
RCDFMF84301	278	RCE1L4872DSN	194	RCEAR224272	148	RFDR36	309
RCDFMF84361	278	RCE1L4872SDN	194	RCEAR224872	148	RFDR42	309
RCDFMF96301	278	RCE1L4872SSN	194	RCEAR224884	148	RFDR48	309
RCDFMF96361	278	RCE1L4878SSN	194	RCEAR224896	148	RFDR60	309
RCDFMR60301	275	RCE1L4884SSN	194	RCOUNTWT	230, 231	RFDR72	309
RCDFMR60361	275	RCE1L6042SSN	194	RCP41-(F/L)1/2/3)*	114	RFDR84	309
RCDFMR72301	275	RCE1L6048DSN	194	RCP56-(F/L)1/2/3)*	114	RFDR96	309
RCDFMR72361	275	RCE1L6048SDN	194	RCP71-(F/L)1/2/3)*	114	RFTCC108	126
RCDFMR84301	275	RCE1L6048SSN	194	RCP78-(F/L)1/2/3)*	114	RFTCCCLIPS	126
RCDFMR84361	275	RCE1L6642SSN	194	RCS3L6024K(A,B,W)	288, 289, 290	RFTCDR (Pair)	126
RCDFMR96301	275	RCE1L6648DSN	194	RCS3L7224K(A,B,W)	288, 289, 290	RFTCCG1 (Pair)	126
RCDFMR96361	275	RCE1L6648SDN	194	RCS3L8424K(A,B,W)	288, 289, 290	RFTCSCM (Pair) for G2 only	126
RCDHMR60301	276	RCE1L6648SSN	194	RCS3L9624K(A,B,W)	288, 289, 290	RFTCSPACE	126
RCDHMR60361	276	RCE1L7242SSN	194	RCS6L6024K(A,B,W)	288, 289, 290	RFTCWA2118	119
RCDHMR72301	276	RCE1L7248DSN	194	RCS6L7224K(A,B,W)	288, 289, 290	RFTCWA2120	119
RCDHMR72361	276	RCE1L7248SDN	194	RCS6L8424K(A,B,W)	288, 289, 290	RFTCWA2124	119
RCDHMR84301	276	RCE1L7248SSN	194	RCS6L9624K(A,B,W)	288, 289, 290	RFTCWA2130	119
RCDHMR84361	276	RCE1L7842SSN	194	RCSP6024K(A,B,W)	288, 289, 290	RFTCWA2136	119
RCDHMR96301	276	RCE1L7848SSN	194	RCSP7224K(A,B,W)	288, 289, 290	RFTCWA2142	119
RCDHMR96361	276	RCE1L8448SSN	194	RCSP8424K(A,B,W)	288, 289, 290	RFTCWA2148	119
RCDP6024K(A,B,W)	294, 295, 296	RCE1R1212G	302	RCSP9624K(A,B,W)	288, 289, 290	RFTCWA2518	120
RCDP7224K(A,B,W)	294, 295, 296	RCE1R2424N	191	RDDP6030JK(A,B,W)	282, 283, 284	RFTCWA2520	120
RCDP8424K(A,B,W)	294, 295, 296	RCE1R2430N	191	RDDP6036JK(A,B,W)	282, 283, 284	RFTCWA2524	120
RCDP9624K(A,B,W)	294, 295, 296	RCE1R3024N	191	RDDP7230JK(A,B,W)	282, 283, 284	RFTCWA2530	120
RCDQMR60301	277	RCE1R3030N	191	RDDP7236JK(A,B,W)	282, 283, 284	RFTCWA2536	120
RCDQMR60361	277	RCE1R3624N	191	RDDP8430JK(A,B,W)	282, 283, 284	RFTCWA2542	120
RCDQMR72301	277	RCE1R3630N	191	RDDP8436JK(A,B,W)	282, 283, 284	RFTCWA2548	120
RCDQMR72361	277	RCE1R4224N	191	RDDP9630JK(A,B,W)	282, 283, 284	RFTCWA3718	121
RCDQMR84301	277	RCE1R4230N	191	RDDP9636JK(A,B,W)	282, 283, 284	RFTCWA3720	121
RCDQMR84361	277	RCE1R4824N	191	RDSP6030J(A,B,W)	279, 280, 281	RFTCWA3724	121
RCDQMR96301	277	RCE1R4830N	191	RDSP6036J(A,B,W)	279, 280, 281	RFTCWA3730	121
RCDQMR96361	277	RCE1R5424N	191	RDSP7230J(A,B,W)	279, 280, 281	RFTCWA3736	121
RCE1BD6648D(L/R)	192	RCE1R5430N	191	RDSP7236J(A,B,W)	279, 280, 281	RFTCWA3742	121
RCE1BD6648S(L/R)	192	RCE1R6024N	191	RDSP8430J(A,B,W)	279, 280, 281	RFTCWA3748	121
RCE1BD7248D(L/R)	192	RCE1R6030N	191	RDSP8436J(A,B,W)	279, 280, 281	RFTCWB2130	119
RCE1BD7248S(L/R)	192	RCE1R6624N	191	RDSP9630J(A,B,W)	279, 280, 281	RFTCWB2136	119



<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RFTCW2142	119	RGAL971	273	RJBU36	305	RM9A8430	151
RFTCW2148	119	RGAL972	273	RJBU42	305	RM9A9630	151
RFTCW2530	120	RGAL973	273	RJBU48	305	RM9A(A/B/C/D/E/F/G)F4230	168
RFTCW2536	120	RGAR431	272	RJBU54	305	RM9A(A/B/C/D/E/F/G)F4836	168
RFTCW2542	120	RGAR432	272	RJBU60	305	RM9A(A/B/C/D/E/F/G)F8430	168
RFTCW2548	120	RGAR433	272	RJBU66	305	RM9A(A/B/C/D/E/F/G)F9630	168
RFTCW3730	121	RGAR491	272	RJBU72	305	RM9AWF4230	186
RFTCW3736	121	RGAR492	272	RJBW24	305	RM9AWF8430	186
RFTCW3742	121	RGAR493	272	RJBW30	305	RM9AWF9630	186
RFTCW3748	121	RGAR551	272	RJBW36	305	RMB(A)7230	153
RFTCWS21S	126	RGAR552	272	RJBW42	305	RMB(A)7236	153
RFTCWS25S	126	RGAR553	272	RJBW48	305	RMB(A)8430	153
RFTCWS37S	126	RGAR611	272	RJBW54	305	RMB(A)8436	153
RFTCWT (Pair)	126	RGAR612	272	RJBW60	305	RMB(A)9630	153
RCAB421	271	RGAR613	272	RJBW66	305	RMB(A)9636	153
RCAB481	271	RGAR671	272	RJBW72	305	RMB(A/B/C/D/E/F/G)A7230	169
RCAB541	271	RGAR672	272	RKA 363611	141	RMB(A/B/C/D/E/F/G)A7236	169
RCAB601	271	RGAR673	272	RKA 363612	141	RMB(A/B/C/D/E/F/G)A8430	169
RCAB661	271	RGAR731	272	RKA 363621	142	RMB(A/B/C/D/E/F/G)A8436	169
RCAB721	271	RGAR732	272	RKA 363622	141	RMB(A/B/C/D/E/F/G)A9630	169
RCAB781	271	RGAR733	272	RKA 364211	141	RMB(A/B/C/D/E/F/G)A9636	169
RCAB841	271	RGAR791	272	RKA 364212	141	RMBAWA7230	187
RCAB901	271	RGAR792	272	RKA 364221	142	RMBAWA7236	187
RCAB961	271	RGAR793	272	RKA 364222	141	RMBAWA8430	187
RCAF622	271	RGAR851	272	RKA 364811	141	RMBAWA8436	187
RCAF623	271	RGAR852	272	RKA 364812	141	RMBAWA9630	187
RCAF682	271	RGAR853	272	RKA 364821	142	RMBAWA9636	187
RCAF683	271	RGAR911	272	RKA 364822	141	RMDA4221	150
RCAF742	271	RGAR912	272	RKA 423611	141	RMDA4230	150
RCAF743	271	RGAR913	272	RKA 423612	141	RMDA4236	150
RCAF802	271	RGAR971	272	RKA 423621	142	RMDA4830	150
RCAF803	271	RGAR972	272	RKA 423622	141	RMDA4836	150
RCAF862	271	RGAR973	272	RKA 424211	141	RMDA5025	150
RCAF863	271	RGMD6	134	RKA 424212	141	RMDA5430	150
RCAF922	271	RGMD8	134	RKA 424221	142	RMDA5436	150
RCAF923	271	RGMD8	134	RKA 424222	141	RMDA6030	150
RCAF982	271	RGS60	271	RKA 424811	141	RMDA6036	150
RCAF983	271	RGS66	271	RKA 424812	141	RMDA6630	150
RGAL431	273	RGS72	271	RKA 424821	142	RMDA6636	150
RGAL432	273	RGS78	271	RKA 424822	141	RMDA7230	150
RGAL433	273	RGS84	271	RKA 483611	141	RMDA7236	150
RGAL491	273	RCS90	271	RKA 483612	141	RMDA7830	150
RGAL492	273	RCS96	271	RKA 483621	142	RMDA7836	150
RGAL493	273	RCTL4636	274	RKA 483622	141	RMDA8430	150
RGAL551	273	RCTR4636	274	RKA 484211	141	RMDA8436	150
RGAL552	273	RHSC15	118	RKA 484212	141	RMDA9030	150
RGAL553	273	RHSC250	118	RKA 484221	142	RMDA9036	150
RGAL611	273	RHSC70	118	RKA 484222	141	RMDA9630	150
RGAL612	273	RIB24T	214	RKA 484811	141	RMDA9636	150
RGAL613	273	RIB28X	216	RKA 484812	141	RMDA(A/B/C/D/E/F/G)F4221	167
RGAL671	273	RIB32X	216	RKA 484821	142	RMDA(A/B/C/D/E/F/G)F4230	167
RGAL672	273	RIPI201	198	RKA 484822	141	RMDA(A/B/C/D/E/F/G)F4236	167
RGAL673	273	RIPI241	198	RKBA1020	301	RMDA(A/B/C/D/E/F/G)F4830	167
RGAL731	273	RIPI301	198	RKBA1022	301	RMDA(A/B/C/D/E/F/G)F4836	167
RGAL732	273	RIPI361	198	RKT31	301	RMDA(A/B/C/D/E/F/G)F5025	167
RGAL733	273	RIPO201	198	RLCCT3018	297	RMDA(A/B/C/D/E/F/G)F5430	167
RGAL791	273	RIPO241	198	RLCCT3022	297	RMDA(A/B/C/D/E/F/G)F5436	167
RGAL792	273	RIPO301	198	RLCCT3618	297	RMDA(A/B/C/D/E/F/G)F6030	167
RGAL793	273	RIPO361	198	RLCCT3622	297	RMDA(A/B/C/D/E/F/G)F6036	167
RGAL851	273	RIPOG201	198	RM111J	230, 231	RMDA(A/B/C/D/E/F/G)F6630	167
RGAL852	273	RIPOG241	198	RM112J	230, 231	RMDA(A/B/C/D/E/F/G)F6636	167
RGAL853	273	RIPOG301	198	RM212J	230, 231	RMDA(A/B/C/D/E/F/G)F7230	167
RGAL911	273	RIPOG361	198	RM212K	230, 231	RMDA(A/B/C/D/E/F/G)F7236	167
RGAL912	273	RJBU24	305	RM9A4230	151	RMDA(A/B/C/D/E/F/G)F7830	167
RGAL913	273	RJBU30	305	RM9A4836	151	RMDA(A/B/C/D/E/F/G)F7836	167

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RMDA(A/B/C/D/E/F/G)F8430	167	RO3-M72	260, 261	ROMF72S0()	253	ROWH96S0()	256
RMDA(A/B/C/D/E/F/G)F8436	167	RO3-N24	262	ROMH30S0()	253	ROWH96S1()	256
RMDA(A/B/C/D/E/F/G)F9030	167	RO3-N30	262	ROMH36S0()	253	ROWH96T0()	256
RMDA(A/B/C/D/E/F/G)F9036	167	RO3-N36	262	ROMH60S0()	253	ROWH96T1()	256
RMDA(A/B/C/D/E/F/G)F9630	167	RO3-N42	262	ROMH72S0()	253	ROWO60S0()	256
RMDA(A/B/C/D/E/F/G)F9636	167	RO3-N48	262	ROMO30S0()	253	ROWO60S1()	256
RMDAWF4221	185	RO3-N60	262	ROMO36S0()	253	ROWO60T0()	256
RMDAWF4230	185	RO3-N66	262	ROMO42S0()	253	ROWO60T1()	256
RMDAWF4236	185	RO3-N72	262	ROMO48S0()	253	ROWO72S0()	256
RMDAWF4830	185	RO3-OM30	265	ROMO60S0()	253	ROWO72S1()	256
RMDAWF4836	185	RO3-OM36	265	ROMO72S0()	253	ROWO72T0()	256
RMDAWF5025	185	RO3-OM42	265	ROPF30S0J	255	ROWO72T1()	256
RMDAWF5430	185	RO3-OM48	265	ROPF36S0J	255	ROWO90S0()	256
RMDAWF5436	185	RO3-OM60	265	ROPF42S0J	255	ROWO90S1()	256
RMDAWF6030	185	RO3-OM72	265	ROPF48S0J	255	ROWO90T0()	256
RMDAWF6036	185	RO3-ON30	265	ROPF60S0J	255	ROWO90T1()	256
RMDAWF6630	185	RO3-ON36	265	ROPF72S0J	255	ROWO96S0()	256
RMDAWF6636	185	RO3-ON42	265	ROPF84S0J	255	ROWO96S1()	256
RMDAWF7230	185	RO3-ON48	265	ROPF96S0J	255	ROWO96T0()	256
RMDAWF7236	185	RO3-ON60	265	ROPH30S0()	254	ROWO96T1()	256
RMDAWF7830	185	RO3-ON72	265	ROPH36S0()	254	RP211J	220, 223
RMDAWF7836	185	RO3-RD30	265	ROPH60S0()	254	RP211K	220, 223
RMDAWF8430	185	RO3-RD36	265	ROPH60T0()	254	RP211L(L/R)	226, 228
RMDAWF8436	185	RO3-RD42	265	ROPH72S0()	254	RP211M	226, 228
RMDAWF9030	185	RO3-RD48	265	ROPH72T0()	254	RP212J	220, 223
RMDAWF9036	185	RO3-RD60	265	ROPH90S0()	254	RP212K	220, 223
RMDAWF9630	185	RO3-RD72	265	ROPH90T0()	254	RP212L(L/R)	226, 228
RMDAWF9636	185	RO3-VP	261, 263, 265	ROPH96S0()	254	RP212M	226, 228
RMPA4230	151	ROAF60S0()	258	ROPH96T0()	254	RP213J	220, 223
RMPA4836	151	ROAF60S1()	258	ROPO30S0()	254	RP213K	220, 223
RMPA8430	152	ROAF72S0()	258	ROPO36S0()	254	RP213L(L/R)	226, 228
RMPA9630	152	ROAF72S1()	258	ROPO42S0()	254	RP213M	226, 228
RMPA(A/B/C/D/E/F/G)F4230	168	ROAF84S0()	258	ROPO48S0()	254	RP221J	222, 225
RMPA(A/B/C/D/E/F/G)F4836	168	ROAF84S1()	258	ROPO60S0()	254	RP221K	222, 225
RMPA(A/B/C/D/E/F/G)F8430	168	ROAF96S0()	258	ROPO60T0()	254	RP222J	222, 225
RMPA(A/B/C/D/E/F/G)F9630	168	ROAF96S1()	258	ROPO72S0()	254	RP222K	222, 225
RMPAWF4230	186	ROAH60T0()	258	ROPO72T0()	254	RP223J	222, 225
RMPAWF8430	186	ROAH60T1()	258	ROPO90S0()	254	RP223K	222, 225
RMPAWF9630	186	ROAH72T0()	258	ROPO90T0()	254	RP231K	220, 223
RMSCB	209	ROAH72T1()	258	ROPO96S0()	254	RP231L	226, 228
RO1-CB	266	ROAH90T0()	258	ROPO96T0()	254	RP231M	226, 228
RO1-DPB	266	ROAH90T1()	258	ROPS30S0NN	255	RP232K	220, 223
RO1-ECB	266	ROAH96T0()	258	ROPS36S0NN	255	RP232L	226, 228
RO1-EPB	266	ROAH96T1()	258	ROPS42S0NN	255	RP232M	226, 228
RO1-CB	267	ROAO60T0()	258	ROPS48S0NN	255	RP261K	220, 223
RO1-HP12	261, 263, 264, 265	ROAO60T1()	258	ROPS54S0NN	255	RP261L	226, 228
RO1-HP15	261, 263, 264, 265	ROAO72T0()	258	ROPS60S0NN	255	RP261M	226, 228
RO1-HP6	261, 263, 264, 265	ROAO72T1()	258	ROPS66S0NN	255	RP262K	220, 223
RO1-HP9	261, 263, 264, 265	ROAO90T0()	258	ROPS72S0NN	255	RP262L	226, 228
RO1-MPB	266	ROAO90T1()	258	ROPS78S0NN	255	RP262M	226, 228
RO1-PULL	267	ROAO96T0()	258	ROPS84S0NN	255	RPAB16	231
RO1-RCB	266	ROAO96T1()	258	ROPS90S0NN	255	RPAB19	231
RO1-RPB	266	ROHDR30	309	ROPS96S0NN	255	RPAB30	231
RO1-WMF2	267	ROHDR36	309	ROWH60S0()	256	RPAB36	231
RO1-WMF3	267	ROHDR42	309	ROWH60S1()	256	RPAD	301
RO1-WMF4	267	ROHDR48	309	ROWH60T0()	256	RPADKIT	301
RO2-NS20	266	ROHDR60	309	ROWH60T1()	256	RPADSS	307
RO2-NS21	266	ROHDR72	309	ROWH72S0()	256	RPAHFB16	307
RO3-M24	260	ROHDR90	309	ROWH72S1()	256	RPAHFB30	307
RO3-M30	260	ROHDR96	309	ROWH72T0()	256	RPAHFB36	307
RO3-M36	260	ROMF30S0()	253	ROWH72T1()	256	RPAHFM162	307
RO3-M42	260	ROMF36S0()	253	ROWH90S0()	256	RPAHFM30	307
RO3-M48	260	ROMF42S0()	253	ROWH90S1()	256	RPAHFM36	307
RO3-M60	260, 261	ROMF48S0()	253	ROWH90T0()	256	RPAPT	308
RO3-M66	260, 261	ROMF60S0()	253	ROWH90T1()	256	RPB211J	221, 224

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPB211K	221, 224	RR3-C5C4A	134	RR3-EJ72P	128	RR3-TJ30	130
RPB211L(L/R)	227, 229	RR3-C5C4B	134	RR3EJ72P	133	RR3-TJ30P	130
RPB211M	227, 229	RR3-C6C	134	RR3-EJ78P	128	RR3-TJ36	130
RPB212J	221, 224	RR3CHI241	131	RR3-EJ84P	128	RR3-TJ36P	130
RPB212K	221, 224	RR3CHI242	131	RR3-EJ90P	128	RR3-TJ42	130
RPB212L(L/R)	227, 229	RR3CHI301	131	RR3-EJ96P	128	RR3-TJ42P	130
RPB212M	227, 229	RR3CHI302	131	RR3-EPC24	127	RR3-TJ48	130
RPB213J	221, 224	RR3CHI361	131	RR3-EPCM	127	RR3TJ48	133
RPB213K	221, 224	RR3CHI362	131	RR3-EPCP24	127	RR3-TJ48P	130
RPB213L(L/R)	227, 229	RR3CHI421	131	RR3-EPCPM	127	RR3-TJ54P	130
RPB213M	227, 229	RR3CHI422	131	RR3-EPCPSM	127	RR3-TJ60P	130
RPB231K	221, 224	RR3CHI481	131	RR3-EPCSM	127	RR3TJ60P	133
RPB231L	227, 229	RR3CHI482	131	RR3-EPI	128	RR3-TJ66P	130
RPB231M	227, 229	RR3-DA	127, 129	RR3-EPNY1	128	RR3TJ66P	133
RPB232K	221, 224	RR3-DATSHD	127, 129	RR3-EPNY2	128	RR3-TJ72P	130
RPB232L	227, 229	RR3-DB	127, 129	RR3-EPVR	114, 128	RR3TJ72P	133
RPB232M	227, 229	RR3-DC	129	RR3EVJ	137	RR3-TJ78P	130
RPB261K	221, 224	RR3-DICON	134	RR3EVJ110	137	RR3-TJ84P	130
RPB261L	227, 229	RR3-DX	127, 129	RR3EVJ82	137	RR3-TJ90P	130
RPB261M	227, 229	RR3-DXO	127, 129	RR3EVJ96	137	RR3-TJ96P	130
RPB262K	221, 224	RR3-DY	127, 129	RR3-FB	134	RR3-TPC24	129
RPB262L	227, 229	RR3-DYO	127, 129	RR3FDP	136	RR3-TPCM	129
RPB262M	227, 229	RR3-DZ	129	RR3-FE	134	RR3-TPCP24	129
RPCG	306	RR3-DZO	129	RR3-FOSC	134	RR3-TPCCPM	129
RPCST	306	RR3-E24	127	RR3-FOST	134	RR3-TPCPS	129
RPD11	308	RR3-E24S	132	RR3-FV	134	RR3-TPCS	129
RPD14	308	RR3-E30NS	127	RR3-LTPC	132	RR3-TPI	130
RPETAD	308	RR3-E30S	132	RR3-LTPC24	132	RR3-TPNY1	130
RPETRAY3C	308	RR3-E36NS	127	RR3-LTPCP	132	RR3-TPNY2	130
RPETRAY3N	308	RR3-E36S	132	RR3-MICON	134	RR3-TPVR	114, 130
RPHCHH	307	RR3-E42NS	127	RR3MP4	302	RR3TVJ	137
RPHCHT	307	RR3-E42S	132	RR3MP6	302	RR3TVJ110	137
RPHL3442(F/T)	115	RR3-E48NS	127	RR3PICON	134	RR3TVJ82	137
RPHL3449(F/T)	115	RR3-E48S	132	RR3-REPI	128	RR3TVJ96	137
RPHL3464(F/T)	115	RR3-E60-4	127	RR3-RTPI	130	RR3VDA	136
RPHL3479(F/T)	115	RR3-E66-4	127	RR3-SP-(A, B, C, X, Y, Z)	130	RR3VDB	136
RPHL4249(F/T)	115	RR3-E72-4	127	RR3-SP-(A,B,X,Y)	128	RR3VDC	136
RPHL4249S	115	RR3-EBBCL	132	RR3-ST	134	RR3VDX	136
RPHL4264(F/T)	115	RR3-EBBCS	132	RR3-T24	129	RR3VDXO	136
RPHL4264S	115	RR3EBVC50	136	RR3-T24S	132	RR3VDY	136
RPHL4279(F/T)	115	RR3EBVC62	136	RR3-T30NS	129	RR3VDYO	136
RPHL4279S	115	RR3EBVC64	136	RR3-T30S	132	RR3VDZ	136
RPHL4964(F/T)	115	RR3EBVC76	136	RR3-T36NS	129	RR3VDZO	136
RPHL4964S	115	RR3EBVC78	136	RR3-T36S	132	RR3VPBK	136
RPHL4979(F/T)	115	RR3EBVC90	136	RR3-T42NS	129	RAA12036	154
RPHL4979S	115	RR3-EJ18	128	RR3-T42S	132	RAA12042	154
RPHL6479(F/T)	115	RR3-EJ18P	128	RR3-T48NS	129	RAA12048	154
RPHL6479S	115	RR3-EJ20	128	RR3-T48S	132	RAA14442	154
RPHTB3024	307	RR3-EJ20P	128	RR3-T60-4	129	RAA14448	154
RPHTB4224	307	RR3-EJ24	128	RR3-T66-4	129	RAA16842	154
RPHWB3024	307	RR3-EJ24P	128	RR3-T72-4	129	RAA16848	154
RPHWB4224	307	RR3-EJ30	128	RR3-TBBCL	132	RAA19242	154
RPL1	215	RR3-EJ30P	128	RR3-TBBCS	132	RAA19248	154
RPRL1	215	RR3-EJ36	128	RR3TBVC50	136	RAA3636	154
RPS1	215	RR3-EJ36P	128	RR3TBVC62	136	RAA4242	154
RPULLSMPF	303	RR3-EJ42	128	RR3TBVC64	136	RAA4848	154
RPULLSMPG	303	RR3-EJ42P	128	RR3TBVC76	136	RAA6060	154
RPULLSMPH	303	RR3-EJ48	128	RR3TBVC78	136	RAA7230	154
RPULLSMPR	303	RR3EJ48	133	RR3TBVC90	136	RAA7236	154
RPULLSMPT	303	RR3-EJ48P	128	RR3-TJ18	130	RAA7272	154
RR3-2PF	134	RR3-EJ54P	128	RR3-TJ18P	130	RAA8430	154
RR3-3PF	134	RR3-EJ60P	128	RR3-TJ20	130	RAA8436	154
RR3-BNC	134	RR3EJ60P	133	RR3-TJ20P	130	RAA8442	154
RR3-C3C	134	RR3-EJ66P	128	RR3-TJ24	130	RAA9630	154
RR3-C5C	134	RR3EJ66P	133	RR3-TJ24P	130	RAA9636	154

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RRA9642	154	RRSP3630K(A,B,W)	285, 286, 287	RSA603	139	RSA(A/B/C/D/E/F/G)A902	159
RRA9648	154	RRSP4224K(A,B,W)	285, 286, 287	RSA604	139	RSA(A/B/C/D/E/F/G)A903	160
RRA(A/B/C/D/E/F/G)12036-(1/2/3)	171	RRSP4230K(A,B,W)	285, 286, 287	RSA6423N	149	RSA(A/B/C/D/E/F/G)A961	159
RRA(A/B/C/D/E/F/G)12042-(1/2/3)	171	RRSP4824K(A,B,W)	285, 286, 287	RSA6429N	149	RSA(A/B/C/D/E/F/G)A962	159
RRA(A/B/C/D/E/F/G)12048-(1/2/3)	171	RRSP4830K(A,B,W)	285, 286, 287	RSA6435N	149	RSA(A/B/C/D/E/F/G)A963	160
RRA(A/B/C/D/E/F/G)14442-(1/2/3)	171	RRSP5424K(A,B,W)	285, 286, 287	RSA661	138	RSA(A/B/C/D/E/F/G)B241	161
RRA(A/B/C/D/E/F/G)14448-(1/2/3)	171	RRSP5430K(A,B,W)	285, 286, 287	RSA662	138	RSA(A/B/C/D/E/F/G)B242	161
RRA(A/B/C/D/E/F/G)16842-(1/2/3)	171	RRSP6024K(A,B,W)	285, 286, 287	RSA663	139	RSA(A/B/C/D/E/F/G)B301	161
RRA(A/B/C/D/E/F/G)16848-(1/2/3)	171	RRSP6030K(A,B,W)	285, 286, 287	RSA664	139	RSA(A/B/C/D/E/F/G)B302	161
RRA(A/B/C/D/E/F/G)19242-(1/2/3)	171	RS1-DPB	266	RSA7023N	149	RSA(A/B/C/D/E/F/G)B361	161
RRA(A/B/C/D/E/F/G)19248-(1/2/3)	171	RS1-EPB	266	RSA7029N	149	RSA(A/B/C/D/E/F/G)B362	161
RRA(A/B/C/D/E/F/G)3636-(1/2/3)	171	RS1-M24	264	RSA7035N	149	RSA(A/B/C/D/E/F/G)B421	161
RRA(A/B/C/D/E/F/G)4242-(1/2/3)	171	RS1-M30	264	RSA721	138	RSA(A/B/C/D/E/F/G)B422	161
RRA(A/B/C/D/E/F/G)4848-(1/2/3)	171	RS1-M36	264	RSA722	138	RSA(A/B/C/D/E/F/G)B481	161
RRA(A/B/C/D/E/F/G)6060-(1/2/3)	171	RS1-M42	264	RSA723	139	RSA(A/B/C/D/E/F/G)B482	161
RRA(A/B/C/D/E/F/G)7230-(1/2/3)	171	RS1-M48	264	RSA724	139	RSA(A/B/C/D/E/F/G)F241	157
RRA(A/B/C/D/E/F/G)7236-(1/2/3)	171	RS1-M60	264	RSA781	138	RSA(A/B/C/D/E/F/G)F242	157
RRA(A/B/C/D/E/F/G)7272-(1/2/3)	171	RS1-MPB	266	RSA782	138	RSA(A/B/C/D/E/F/G)F243	158
RRA(A/B/C/D/E/F/G)8430-(1/2/3)	171	RS1-N24	264	RSA783	139	RSA(A/B/C/D/E/F/G)F301	157
RRA(A/B/C/D/E/F/G)8436-(1/2/3)	171	RS1-N30	264	RSA841	138	RSA(A/B/C/D/E/F/G)F302	157
RRA(A/B/C/D/E/F/G)8442-(1/2/3)	171	RS1-N36	264	RSA842	138	RSA(A/B/C/D/E/F/G)F303	158
RRA(A/B/C/D/E/F/G)9630-(1/2/3)	171	RS1-N42	264	RSA843	139	RSA(A/B/C/D/E/F/G)F361	157
RRA(A/B/C/D/E/F/G)9636-(1/2/3)	171	RS1-N48	264	RSA901	138	RSA(A/B/C/D/E/F/G)F362	157
RRA(A/B/C/D/E/F/G)9642-(1/2/3)	171	RS1-N60	264	RSA902	138	RSA(A/B/C/D/E/F/G)F363	158
RRAW12036-(1/2/3)	190	RS1-RPB	266	RSA903	139	RSA(A/B/C/D/E/F/G)F421	157
RRAW12042-(1/2/3)	190	RS1-VP	264	RSA961	138	RSA(A/B/C/D/E/F/G)F422	157
RRAW14442-(1/2/3)	190	RS1-WMF24	267	RSA962	138	RSA(A/B/C/D/E/F/G)F423	158
RRAW16842-(1/2/3)	190	RS1-WMF30	267	RSA963	139	RSA(A/B/C/D/E/F/G)F481	157
RRAW19242-(1/2/3)	190	RS1-WMF36	267	RSA(A/B/C/D/E/F/G)A241	159	RSA(A/B/C/D/E/F/G)F482	157
RRAW3636-(1/2/3)	190	RS1-WMF42	267	RSA(A/B/C/D/E/F/G)A242	159	RSA(A/B/C/D/E/F/G)F483	158
RRAW4242-(1/2/3)	190	RS1-WMF48	267	RSA(A/B/C/D/E/F/G)A243	160	RSA(A/B/C/D/E/F/G)F541	157
RRAW6060-(1/2/3)	190	RS1-WMF60	267	RSA(A/B/C/D/E/F/G)A301	159	RSA(A/B/C/D/E/F/G)F542	157
RRAW7230-(1/2/3)	190	RSA241	138	RSA(A/B/C/D/E/F/G)A302	159	RSA(A/B/C/D/E/F/G)F543	158
RRAW7236-(1/2/3)	190	RSA242	138	RSA(A/B/C/D/E/F/G)A303	160	RSA(A/B/C/D/E/F/G)F601	157
RRAW7272-(1/2/3)	190	RSA243	139	RSA(A/B/C/D/E/F/G)A361	159	RSA(A/B/C/D/E/F/G)F602	157
RRAW8430-(1/2/3)	190	RSA301	138	RSA(A/B/C/D/E/F/G)A362	159	RSA(A/B/C/D/E/F/G)F603	158
RRAW8436-(1/2/3)	190	RSA302	138	RSA(A/B/C/D/E/F/G)A363	160	RSA(A/B/C/D/E/F/G)F604	158
RRAW8442-(1/2/3)	190	RSA303	139	RSA(A/B/C/D/E/F/G)A421	159	RSA(A/B/C/D/E/F/G)F661	157
RRAW9630-(1/2/3)	190	RSA3423N	149	RSA(A/B/C/D/E/F/G)A422	159	RSA(A/B/C/D/E/F/G)F662	157
RRAW9636-(1/2/3)	190	RSA3429N	149	RSA(A/B/C/D/E/F/G)A423	160	RSA(A/B/C/D/E/F/G)F663	158
RRAW9642-(1/2/3)	190	RSA361	138	RSA(A/B/C/D/E/F/G)A481	159	RSA(A/B/C/D/E/F/G)F664	158
RRBRD2712	302	RSA362	138	RSA(A/B/C/D/E/F/G)A482	159	RSA(A/B/C/D/E/F/G)F721	157
RRD3FTCPPL(L/R)7936	117	RSA363	139	RSA(A/B/C/D/E/F/G)A483	160	RSA(A/B/C/D/E/F/G)F722	157
RRD3FTCPPL(L/R)7942	117	RSA4023N	149	RSA(A/B/C/D/E/F/G)A541	159	RSA(A/B/C/D/E/F/G)F723	158
RRD3PPL(L/R)7936	117	RSA4029N	149	RSA(A/B/C/D/E/F/G)A542	159	RSA(A/B/C/D/E/F/G)F724	158
RRD3PPL(L/R)7942	117	RSA421	138	RSA(A/B/C/D/E/F/G)A543	160	RSA(A/B/C/D/E/F/G)F781	157
RRDPPL(L/R)6436	117	RSA422	138	RSA(A/B/C/D/E/F/G)A601	159	RSA(A/B/C/D/E/F/G)F782	157
RRDPPL(L/R)6442	117	RSA423	139	RSA(A/B/C/D/E/F/G)A602	159	RSA(A/B/C/D/E/F/G)F783	158
RRDTH	117	RSA4623N	149	RSA(A/B/C/D/E/F/G)A603	160	RSA(A/B/C/D/E/F/G)F841	157
RRDTH(L/R)	117	RSA4629N	149	RSA(A/B/C/D/E/F/G)A604	160	RSA(A/B/C/D/E/F/G)F842	157
RREP3624(A,B,W)	285, 286, 287	RSA4635N	149	RSA(A/B/C/D/E/F/G)A661	159	RSA(A/B/C/D/E/F/G)F843	158
RREP3630(A,B,W)	285, 286, 287	RSA481	138	RSA(A/B/C/D/E/F/G)A662	159	RSA(A/B/C/D/E/F/G)F901	157
RREP4224(A,B,W)	285, 286, 287	RSA482	138	RSA(A/B/C/D/E/F/G)A663	160	RSA(A/B/C/D/E/F/G)F902	157
RREP4230(A,B,W)	285, 286, 287	RSA483	139	RSA(A/B/C/D/E/F/G)A664	160	RSA(A/B/C/D/E/F/G)F903	158
RREP4824(A,B,W)	285, 286, 287	RSA5223N	149	RSA(A/B/C/D/E/F/G)A721	159	RSA(A/B/C/D/E/F/G)F961	157
RREP4830(A,B,W)	285, 286, 287	RSA5229N	149	RSA(A/B/C/D/E/F/G)A722	159	RSA(A/B/C/D/E/F/G)F962	157
RREP5424(A,B,W)	285, 286, 287	RSA5235N	149	RSA(A/B/C/D/E/F/G)A723	160	RSA(A/B/C/D/E/F/G)F963	158
RREP5430(A,B,W)	285, 286, 287	RSA541	138	RSA(A/B/C/D/E/F/G)A724	160	RSA(A/B/C/D/E/F/G)L241	161
RREP6024(A,B,W)	285, 286, 287	RSA542	138	RSA(A/B/C/D/E/F/G)A781	159	RSA(A/B/C/D/E/F/G)L242	161
RREP6030(A,B,W)	285, 286, 287	RSA543	139	RSA(A/B/C/D/E/F/G)A782	159	RSA(A/B/C/D/E/F/G)L301	161
RRMC3010	311	RSA5823N	149	RSA(A/B/C/D/E/F/G)A783	160	RSA(A/B/C/D/E/F/G)L302	161
RRMC3610	311	RSA5829N	149	RSA(A/B/C/D/E/F/G)A841	159	RSA(A/B/C/D/E/F/G)L361	161
RRMC6010	311	RSA5835N	149	RSA(A/B/C/D/E/F/G)A842	159	RSA(A/B/C/D/E/F/G)L362	161
RRMC7210	311	RSA601	138	RSA(A/B/C/D/E/F/G)A843	160	RSA(A/B/C/D/E/F/G)L421	161
RRSP3624K(A,B,W)	285, 286, 287	RSA602	138	RSA(A/B/C/D/E/F/G)A901	159	RSA(A/B/C/D/E/F/G)L422	161

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA(A/B/C/D/E/F/G)L481	161	RSAWA903	175	RSAWF602	172	RSAWR241	180
RSA(A/B/C/D/E/F/G)L482	161	RSAWA961	174	RSAWF603	173	RSAWR242	180
RSA(A/B/C/D/E/F/G)R241	162	RSAWA962	174	RSAWF604	173	RSAWR243	181
RSA(A/B/C/D/E/F/G)R242	162	RSAWA963	175	RSAWF661	172	RSAWR301	180
RSA(A/B/C/D/E/F/G)R301	162	RSAWB241	176	RSAWF662	172	RSAWR302	180
RSA(A/B/C/D/E/F/G)R302	162	RSAWB242	176	RSAWF663	173	RSAWR303	181
RSA(A/B/C/D/E/F/G)R361	162	RSAWB243	177	RSAWF664	173	RSAWR361	180
RSA(A/B/C/D/E/F/G)R362	162	RSAWB301	176	RSAWF721	172	RSAWR362	180
RSA(A/B/C/D/E/F/G)R421	162	RSAWB302	176	RSAWF722	172	RSAWR363	181
RSA(A/B/C/D/E/F/G)R422	162	RSAWB303	177	RSAWF723	173	RSAWR421	180
RSA(A/B/C/D/E/F/G)R481	162	RSAWB361	176	RSAWF724	173	RSAWR422	180
RSA(A/B/C/D/E/F/G)R482	162	RSAWB362	176	RSAWF781	172	RSAWR423	181
RSAMP1616	302	RSAWB363	177	RSAWF782	172	RSAWR481	180
RSAR361(H/V)	140	RSAWB421	176	RSAWF783	173	RSAWR482	180
RSAR362(H/V)	140	RSAWB422	176	RSAWF841	172	RSAWR483	181
RSAR421(H/V)	140	RSAWB423	177	RSAWF842	172	RSAWR541	180
RSAR422(H/V)	140	RSAWB481	176	RSAWF843	173	RSAWR542	180
RSAR481(H/V)	140	RSAWB482	176	RSAWF901	172	RSAWR543	181
RSAR482(H/V)	140	RSAWB483	177	RSAWF902	172	RSAWR601	180
RSAR541(H/V)	140	RSAWB541	176	RSAWF903	173	RSAWR602	180
RSAR542(H/V)	140	RSAWB542	176	RSAWF961	172	RSAWR603	181
RSAR601(H/V)	140	RSAWB543	177	RSAWF962	172	RSAWR604	181
RSAR602(H/V)	140	RSAWB601	176	RSAWF963	173	RSAWR661	180
RSAR661(H/V)	140	RSAWB602	176	RSAWL241	178	RSAWR662	180
RSAR662(H/V)	140	RSAWB603	177	RSAWL242	178	RSAWR663	181
RSAR721(H/V)	140	RSAWB604	177	RSAWL243	179	RSAWR664	181
RSAR722(H/V)	140	RSAWB661	176	RSAWL301	178	RSAWR721	180
RSAWA241	174	RSAWB662	176	RSAWL302	178	RSAWR722	180
RSAWA242	174	RSAWB663	177	RSAWL303	179	RSAWR723	181
RSAWA243	175	RSAWB664	177	RSAWL361	178	RSAWR724	181
RSAWA301	174	RSAWB721	176	RSAWL362	178	RSAWR781	180
RSAWA302	174	RSAWB722	176	RSAWL363	179	RSAWR782	180
RSAWA303	175	RSAWB723	177	RSAWL421	178	RSAWR783	181
RSAWA361	174	RSAWB724	177	RSAWL422	178	RSAWR841	180
RSAWA362	174	RSAWB781	176	RSAWL423	179	RSAWR842	180
RSAWA363	175	RSAWB782	176	RSAWL481	178	RSAWR843	181
RSAWA421	174	RSAWB783	177	RSAWL482	178	RSAWR901	180
RSAWA422	174	RSAWB841	176	RSAWL483	179	RSAWR902	180
RSAWA423	175	RSAWB842	176	RSAWL541	178	RSAWR903	181
RSAWA481	174	RSAWB843	177	RSAWL542	178	RSAWR961	180
RSAWA482	174	RSAWB901	176	RSAWL543	179	RSAWR962	180
RSAWA483	175	RSAWB902	176	RSAWL601	178	RSAWR963	181
RSAWA541	174	RSAWB903	177	RSAWL602	178	RSBC3423	218
RSAWA542	174	RSAWB961	176	RSAWL603	179	RSBC3429	218
RSAWA543	175	RSAWB962	176	RSAWL604	179	RSBC4023	218
RSAWA601	174	RSAWB963	177	RSAWL661	178	RSBC4029	218
RSAWA602	174	RSAWF241	172	RSAWL662	178	RSBC4623	218
RSAWA603	175	RSAWF242	172	RSAWL663	179	RSBC4629	218
RSAWA604	175	RSAWF243	173	RSAWL664	179	RSBC5223	218
RSAWA661	174	RSAWF301	172	RSAWL721	178	RSBC5229	218
RSAWA662	174	RSAWF302	172	RSAWL722	178	RSBC5823	218
RSAWA663	175	RSAWF303	173	RSAWL723	179	RSBC5829	218
RSAWA664	175	RSAWF361	172	RSAWL724	179	RSBC6423	218
RSAWA721	174	RSAWF362	172	RSAWL781	178	RSBC6429	218
RSAWA722	174	RSAWF363	173	RSAWL782	178	RSBC7023	218
RSAWA723	175	RSAWF421	172	RSAWL783	179	RSBC7029	218
RSAWA724	175	RSAWF422	172	RSAWL841	178	RSBK464616	219
RSAWA781	174	RSAWF423	173	RSAWL842	178	RSBT4629	219
RSAWA782	174	RSAWF481	172	RSAWL843	179	RSBT5229	219
RSAWA783	175	RSAWF482	172	RSAWL901	178	RSBT5829	219
RSAWA841	174	RSAWF483	173	RSAWL902	178	RSBT6429	219
RSAWA842	174	RSAWF541	172	RSAWL903	179	RSBT7029	219
RSAWA843	175	RSAWF542	172	RSAWL961	178	RSBWH20	210
RSAWA901	174	RSAWF543	173	RSAWL962	178	RSBWH24	210
RSAWA902	174	RSAWF601	172	RSAWL963	179	RSBWH30	210

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSBWH36	210	RSTRWE421	207	RTA12048	155	RTAW8442-(1/2/3)	189
RSBWH42	210	RSTSL361	206	RTA14442	155	RTAW9630-(1/2/3)	189
RSBWH48	210	RSTSL421	206	RTA14448	155	RTAW9636-(1/2/3)	189
RSC	214	RSTSSE361	208	RTA16842	155	RTAW9642-(1/2/3)	189
RSC4	214	RSTSSE421	208	RTA16848	155	RTLL193W	310
RSD1427	216, 217	RSTSWE361	207	RTA19242	155	RTLL196W	310
RSD1827	216, 217	RSTSWE421	207	RTA19248	155	RTLL199W	310
RSD2027	216, 217	RSTTLE30481	206	RTA3636	155	RTLL3712W	310
RSD2427	216, 217	RSTTLE36541	206	RTA4242	155	RTLL3718W	310
RSD3027	216, 217	RSTTSE30481	208	RTA4848	155	RTLL376W	310
RSDR30	309	RSTTSE36541	208	RTA6060	155	RTLT5E19S	310
RSDR36	309	RSTTWE30481	207	RTA7230	155	RTLT5E25A	310
RSDR42	309	RSTTWE36541	207	RTA7236	155	RTLT5E25S	310
RSDR48	309	RSWA15 18	101	RTA7272	155	RTLT5E37A	310
RSDR54	309	RSWA15 20	101	RTA8430	155	RTLT5E37S	310
RSDR60	309	RSWA15 24	101	RTA8436	155	RTLT5E49A	310
RSDR66	309	RSWA15 30	101	RTA8442	155	RTLT5E49S	310
RSDR72	309	RSWA15 36	101	RTA9630	155	RTLT5E61A	310
RSDR78	309	RSWA15 42	101	RTA9636	155	RTLT5E61S	310
RSDR84	309	RSWA15 48	101	RTA9642	155	RTLT5E73A	310
RSDR90	309	RSWAD1560	102	RTA9648	155	RTLT5E73S	310
RSDR96	309	RSWAD1572	102	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	170	RTLT5E85A	310
RSE1(L/R)	213	RSWAD1584	102	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	170	RTLT5E85S	310
RSE2(L/R)	213	RSWAD1596	102	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	170	RTNDC361	205
RSE3(L/R)	213	RSWAD2260	102	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	170	RTNDC421	205
RSE4(L/R)	213	RSWAD2272	102	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	170	RTNDC481	205
RSE5(L/R)	213	RSWAD2284	102	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	170	RTOP1	302
RSE6(L/R)	213	RSWAD2296	102	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	170	RTOP2	302
RSL12	217	RSWB15 30	101	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	170	RTRDL48301	199
RSL15	217	RSWB15 36	101	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	170	RTRDL60301	199
RSL20	217	RSWB15 42	101	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	170	RTRDL72301	199
RSL24	217	RSWB15 48	101	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	170	RTRDL72361	199
RSL30	217	RSWC30 18	101	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	170	RTRDOF60241	197
RSL36	217	RSWC30 20	101	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	170	RTRDOF60301	197
RSL42	217	RSWC30 24	101	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	170	RTRDOF60361	197
RSL48	217	RSWC30 30	101	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	170	RTRDOF66241	197
RSNTT18(A/B/C/E)	110	RSWC30 36	101	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	170	RTRDOF66301	197
RSNTT20(A/B/C/E)	110	RSWC30 42	101	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	170	RTRDOF66361	197
RSNTT24(A/B/C/E)	110	RSWC30 48	101	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	170	RTRDOF72241	197
RSNTT30(A/B/C/E)	110	RSWVA601	259	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	170	RTRDOF72301	197
RSNTT33(A/B/C/E) (66" wide panels one only)	110	RSWVA602	259	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	170	RTRDOF72361	197
RSNTT36(A/B/C/E)	110	RSWVA721	259	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	170	RTRDOF78241	197
RSNTT42(A/B/C/E)	110	RSWVA722	259	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	170	RTRDOF78301	197
RSNTT48(A/B/C/E)	110	RSWVA901	259	RTAT5E19S	268	RTRDOF78361	197
RSPABPD	116	RSWVA902	259	RTAT5E25A	268	RTRDOF84241	197
RSPABPP	116	RSWVA961	259	RTAT5E25S	268	RTRDOF84301	197
RSPABPT	116	RSWVA962	259	RTAT5E37A	268	RTRDOF84361	197
RSPABPW	116	RSWVA(A/B/C/D/E/F/G)601	259	RTAT5E37S	268	RTRDRL48301	200
RSPABTD	116	RSWVA(A/B/C/D/E/F/G)602	259	RTAT5E49A	268	RTRDRL60301	200
RSPABTT	116	RSWVA(A/B/C/D/E/F/G)721	259	RTAT5E49S	268	RTRDRL72301	200
RSPABTW	116	RSWVA(A/B/C/D/E/F/G)722	259	RTAT5E61A	268	RTRDRL72361	200
RSPABWD	116	RSWVA(A/B/C/D/E/F/G)901	259	RTAT5E61S	268	RTRDS48301	201
RSPABWW	116	RSWVA(A/B/C/D/E/F/G)902	259	RTAW12036-(1/2/3)	189	RTRDS60301	201
RST	306	RSWVA(A/B/C/D/E/F/G)961	259	RTAW12042-(1/2/3)	189	RTRDS72301	201
RST1	217	RSWVA(A/B/C/D/E/F/G)962	259	RTAW14442-(1/2/3)	189	RTRDS72361	201
RST2	217	RSWWAF601	259	RTAW16842-(1/2/3)	189	RTSDL42421	202
RST3	217	RSWWAF602	259	RTAW19242-(1/2/3)	189	RTSDL48481	202
RST4	217	RSWWAF721	259	RTAW3636-(1/2/3)	189	RTSDRL42421	203
RST5	217	RSWWAF722	259	RTAW4242-(1/2/3)	189	RTSDRL48481	203
RST6	217	RSWWAF901	259	RTAW6060-(1/2/3)	189	RTSDS42421	204
RSTRLE361	206	RSWWAF902	259	RTAW7230-(1/2/3)	189	RTSDS48481	204
RSTRLE421	206	RSWWAF961	259	RTAW7236-(1/2/3)	189	RTTA24( )	269
RSTRSE361	208	RSWWAF962	259	RTAW7272-(1/2/3)	189	RTTA30( )	269
RSTRSE421	208	RTA12036	155	RTAW8430-(1/2/3)	189	RTTA36( )	269
RSTRWE361	207	RTA12042	155	RTAW8436-(1/2/3)	189	RTTA42( )	269

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTTA48()	269	RWA(A/B/C/D/E/F/G)F7212	165	RWEAWF4862	183	YPSB2660	317
RTTA54()	269	RWA(A/B/C/D/E/F/G)F7221	165	RWEB7220(L/R)	257	YPSB2660F	315
RTTA60()	269	RWA(A/B/C/D/E/F/G)F7223	165	RWEB7224(L/R)	257	YPSB2666	317
RTTA66()	269	RWA(A/B/C/D/E/F/G)F7232	165	RWEC7220(L/R)	257	YPSB2666FRR	315
RTTA72()	269	RWAWF4212	182	RWEC7224(L/R)	257	YPSB2672	317
RTTAWF24()	269	RWAWF4221	182	RWED7220(L/R)	257	YPSB2672FRR	315
RTTAWF30()	269	RWAWF4223	182	RWED7224(L/R)	257	YPSB3224	316
RTTAWF36()	269	RWAWF4232	182	RWHRA	302	YPSB3224F	314
RTTAWF42()	269	RWAWF4812	182	RWHRB	302	YPSB3227	316
RTTAWF48()	269	RWAWF4821	182	RWHRC	302	YPSB3227F	314
RTTAWF54()	269	RWAWF4823	182	RWHRD	302	YPSB3230	316
RTTAWF60()	269	RWAWF4832	182	RWHRE	302	YPSB3230F	314
RTTAWF66()	269	RWAWF5412	182	RWHRF	302	YPSB3236	316
RTTAWF72()	269	RWAWF5421	182	RWHRG	302	YPSB3236F	314
RUMC3010	311	RWAWF5423	182	RWHTB3024	307	YPSB3242	316
RUMC3610	311	RWAWF5432	182	RWHTB3624	307	YPSB3242F	314
RUMC6010	312	RWAWF6012	182	RWHTB4224	307	YPSB3248	316
RUMC7210	312	RWAWF6021	182	RWHTB4824	307	YPSB3248F	314
RUTB	211	RWAWF6023	182	RWMCT24	305	YPSB3254	316
RWA3623	143	RWAWF6032	182	RWMMP24	304	YPSB3254F	314
RWA3632	143	RWAWF6612	182	RWMMP30	304	YPSB3260	316
RWA4212	143	RWAWF6621	182	RWMMP36	304	YPSB3260F	314
RWA4221	143	RWAWF6623	182	RWMPB	304	YPSB3266	316
RWA4223	143	RWAWF6632	182	RWMV24	304	YPSB3266FRR	314
RWA4232	143	RWAWF7212	182	RWMVH24	304	YPSB3272	316
RWA4812	143	RWAWF7221	182	RWMVH30	304	YPSB3272FRR	314
RWA4821	143	RWAWF7223	182	RWMVH36	304	YPSB3824	317
RWA4823	143	RWAWF7232	182	RWMVP24	304	YPSB3824F	315
RWA4832	143	RWEA3613	144	RWMWT24	304	YPSB3827	317
RWA5412	143	RWEA3626	144	RWMWT30	304	YPSB3827F	315
RWA5421	143	RWEA3631	144	RWMWT36	304	YPSB3830	317
RWA5423	143	RWEA3662	144	YPSB2024	316	YPSB3830F	315
RWA5432	143	RWEA4213	144	YPSB2024F	314	YPSB3836	317
RWA6012	143	RWEA4226	144	YPSB2027	316	YPSB3836F	315
RWA6021	143	RWEA4231	144	YPSB2027F	314	YPSB3842	317
RWA6023	143	RWEA4262	144	YPSB2030	316	YPSB3842F	315
RWA6032	143	RWEA4813	144	YPSB2030F	314	YPSB3848	317
RWA6612	143	RWEA4826	144	YPSB2036	316	YPSB3848F	315
RWA6621	143	RWEA4831	144	YPSB2036F	314	YPSB3854	317
RWA6623	143	RWEA4862	144	YPSB2042	316	YPSB3854F	315
RWA6632	143	RWEA7220(L/R)	257	YPSB2042F	314	YPSB3860	317
RWA7212	143	RWEA7224(L/R)	257	YPSB2048	316	YPSB3860F	315
RWA7221	143	RWEA(A/B/C/D/E/F/G)F3613	166	YPSB2048F	314	YPSB3866	317
RWA7223	143	RWEA(A/B/C/D/E/F/G)F3626	166	YPSB2054	316	YPSB3866FRR	315
RWA7232	143	RWEA(A/B/C/D/E/F/G)F3631	165	YPSB2054F	314	YPSB3872	317
RWA(A/B/C/D/E/F/G)F4212	165	RWEA(A/B/C/D/E/F/G)F3662	166	YPSB2060	316	YPSB3872FRR	315
RWA(A/B/C/D/E/F/G)F4221	165	RWEA(A/B/C/D/E/F/G)F4213	166	YPSB2060F	314		
RWA(A/B/C/D/E/F/G)F4223	165	RWEA(A/B/C/D/E/F/G)F4226	166	YPSB2066	316		
RWA(A/B/C/D/E/F/G)F4232	165	RWEA(A/B/C/D/E/F/G)F4231	165	YPSB2066FRR	314		
RWA(A/B/C/D/E/F/G)F4812	165	RWEA(A/B/C/D/E/F/G)F4262	166	YPSB2072	316		
RWA(A/B/C/D/E/F/G)F4821	165	RWEA(A/B/C/D/E/F/G)F4813	166	YPSB2072FRR	314		
RWA(A/B/C/D/E/F/G)F4823	165	RWEA(A/B/C/D/E/F/G)F4826	166	YPSB2624	317		
RWA(A/B/C/D/E/F/G)F4832	165	RWEA(A/B/C/D/E/F/G)F4831	165	YPSB2624F	315		
RWA(A/B/C/D/E/F/G)F5412	165	RWEA(A/B/C/D/E/F/G)F4862	166	YPSB2627	317		
RWA(A/B/C/D/E/F/G)F5421	165	RWEAWF3613	183	YPSB2627F	315		
RWA(A/B/C/D/E/F/G)F5423	165	RWEAWF3626	183	YPSB2630	317		
RWA(A/B/C/D/E/F/G)F5432	165	RWEAWF3631	182	YPSB2630F	315		
RWA(A/B/C/D/E/F/G)F6012	165	RWEAWF3662	183	YPSB2636	317		
RWA(A/B/C/D/E/F/G)F6021	165	RWEAWF4213	183	YPSB2636F	315		
RWA(A/B/C/D/E/F/G)F6023	165	RWEAWF4226	183	YPSB2642	317		
RWA(A/B/C/D/E/F/G)F6032	165	RWEAWF4231	182	YPSB2642F	315		
RWA(A/B/C/D/E/F/G)F6612	165	RWEAWF4262	183	YPSB2648	317		
RWA(A/B/C/D/E/F/G)F6621	165	RWEAWF4813	183	YPSB2648F	315		
RWA(A/B/C/D/E/F/G)F6623	165	RWEAWF4826	183	YPSB2654	317		
RWA(A/B/C/D/E/F/G)F6632	165	RWEAWF4831	182	YPSB2654F	315		

# Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
<b>Terms &amp; Conditions of Sales</b>	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
<b>Ordering Information</b>	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
<b>Order Confirmation</b>	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
<b>Pricing Policies</b>	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
<b>Taxes</b>	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
<b>Terms of Payment</b>	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
<b>Changes and Cancellation</b>	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
<b>Freight Prepaid</b>	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
<b>Delivery/Freight Charges</b>	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
<b>Claims</b>	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>
<b>Seller's Security Interest</b>	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
<b>Returns</b>	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
<b>Held Orders/Storage</b>	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>



# Selling Policy

<b>Customer's Own Material</b>	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
<b>Warranty</b>	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, RPM and Sapper seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Reff Profiles, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, Spark Series seating structural elements, Richard Schultz outdoor products, KnollExtra CPU storage and all universal storage drawers.</i></p> <p><i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i></p> <p><i>2 Years: All other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces. KnollStudio Maya Lin and Spark Series seating finishes.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none"><li>• Damage caused by a carrier other than the Seller.</li><li>• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).</li><li>• COM or other third party materials applied to Products.</li><li>• Products not installed by or under the auspices of a Knoll Dealer.</li><li>• Dramatic temperature variations or exposure to unusual conditions.</li><li>• Changes in surface finishes, including colorfastness due to aging or exposure to light.</li><li>• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty).</li></ul> <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
<b>Delay/Force Majeure</b>	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
<b>Compliance with Law</b>	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
<b>Patents</b>	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none"><li>• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.</li><li>• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.</li><li>• Any settlements of a suit or proceeding made without Seller's written consent.</li></ul>
<b>Limitations of Liability</b>	<p><b>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</b></p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

# KnollKey Lock Program

## KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

### Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

**IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.**

**If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.**

### Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

### Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

### Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

### Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


### Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

## How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

**Step 1** - Using the project floorplan, count the number of locks in each workstation.



**Step 2** - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station  
3 workstations with 4 locks per station  
2 workstations with 5 locks per station

**Step 3** - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

**Step 4** - Then enter the pattern number "KSPEC\_ \_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

**Step 5** - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

## Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

\*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

# General Ordering Information

---

## **The Products**

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

## **Pricing**

All prices shown are list.

## **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

## **Mail all orders to:**

Knoll, Inc.  
1235 Water Street  
P.O. Box 157  
East Greenville, PA 18041  
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

## Sustainability Statement

---

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to [knoll.com](http://knoll.com), click on "About Knoll" and then "Environmental Focus."