

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	7
Panels	Monolithic panels 34" H	10
	Monolithic panels 42" H	16
	Monolithic panels 49" H	23
	Monolithic panels 64" H	30
	Monolithic panels 79" H	37
	Tiled panels 34" H	44
	Tiled panels 42" H	49
	Tiled panels 49" H	56
	Tiled panels 64" H	63
	Tiled panels 79" H	70
	Aluminum Reveal kits	77
	Beltway one side, window panel 49" H	84
	Beltway two sides, window panel 49" H	98
	Stacking modules	100
	Panel connection posts	105
	Panel trims and post covers	110
	Ceiling cable entry posts, poles and cable infeed	112
	Ceiling cable entry post covers	114
	Rolling door and hinged door	116
	Attachment kits	117
	Floor to ceiling modules	118
	Required components	125
	Power distribution components	126
Beltway electrical components	131	
Data and Communications	133	
Reff Ported Panel Components	134	
Worksurfaces	Worksurface 1 1/4"	137
	Conference 1 1/4"	151
	Optional edge details 1 1/4"	153
	Optional edge 1 1/4"	154
	Waterfall Edge 1 1/4"	169
	Cascade Edge 1 1/4"	188
	Worksurface 1 1/2"	194
	Worksurface Credenza	197
	Peninsula 1 1/2	200
	Tables, 1 1/2"	231
	Tables, 1"	242
Support components	Top support components	245
	Modesty	259
Cabinetry	Pedestals, 26 1/2" planning	265
	Pedestals, 28 3/8" planning	277
	Credenzas, 28 3/8" planning	293
	Cabinets, 26 1/2" planning	298
	Cabinets, 28 3/8" planning	320
	Cabinets Progressive	342
Desktop towers	Desktop Towers	354
Overhead storage	Overhead, 26 1/2" planning	361
	Overhead, 28 3/8" planning	370
	Reuter overhead cabinet	399
	Reuter open shelf	402
	Reuter open overhead	403
	Reuter overhead storage	404
	Task Lights for Reuter Overhead Storage	406
	Progressive Overheads	407

Transaction tops, regular and waterfall edge	Transaction tops	416
Gallery desk surrounds	Gallery desk surrounds	418
Classic Desks	Classic Desks, 26 1/2" h and 28 3/8" h	422
Preconfigured Reff Desking	Single pedestal desks	426
	Double pedestal desks	427
	Desk returns	428
	Single pedestal credenzas	429
	Bridge assemblies	430
	Double pedestal credenzas	431
Accessories and Client Samples	Accessories	432
	Task Panels	448
	Tackboards	492
	Desk Screens	497
	Cubbies	502
Administrative / Reception	Single Wide Desk	504
	Double Wide Desk	506
	Bridge	508
	Return	510
	Shared Return One Sided	512
	Shared Return Two Sided	514
	Technology Island Peninsula	516
	Infill Panel	518
	Transaction Tops	522
	Accent Tops	525
	Cabinets	527
	Supports	531
	Accessories	532
	Tackboards	534
Wall Mounting of Knoll Products		535
Horizons Planning	Horizons - 28 3/8" Planning	537
Alpha-Numeric Index		540
Selling Policy		564
KnollKey Lock Program		566
General Ordering Information		567

# Knoll and Sustainable Design

---

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level™ certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

## Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

## Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

## Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level™ sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

*For more information about Knoll and sustainable design, visit [knoll.com/environment](http://knoll.com/environment).*

### Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

#### Note:

**Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.**

#### Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 5/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

#### Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

#### Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

#### Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

#### Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

**All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.**

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

**Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.**

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

### Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. Polyur<sup>TM</sup> provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

**Wood Finishes:**

**V1 Techwood**

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

\*Not available on Reff optional Edges and Waterfall Edge.

**V1 - Techwood Surface with matching synthetic edge:**

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

S319	Cherry
S316	Maple
S323	Medium Walnut

**V2 Natural Veneers/Premium Techwood Veneers**

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V439	Straight Anigre
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)

Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are rift cut)

**V2 Natural Veneer with synthetic edge**

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

**V3 Premium Veneer**

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

**Glass Options:**

TEMP	Clear Tempered (G1)
------	---------------------

Architectural Glass Options: (G2)

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Back Painted Glass (G3)

GL11	Back Painted Black
GL14	Folkstone Grey
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass (G3)

GL35	Grey
GL85	Star Clear

**Locks**

Black and Silver

**Laminate**

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Chery *
125	Natural Maple *
126	Natural Cherry *
127	Walnut *
128	Fog
129	Micro Sand with 119 Pumice edge band

\*Woodgrain Laminate. Not available on all components.

**Paint Classifications:**

Upcharge as applicable for paint class noted on applicable product pages

<b>P1</b>	
111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

<b>P2</b>	
611	Beige Mist Metallic
612	Medium Metallic Grey

<b>P3</b>	
118	Bright White
613	Silver
PD	Polish Chrome
PT	Brushed Pewter
PN	Black Nickel
PU	Satin Nickel
AN	Anodized Black
AP	Anodized Polished
AU	Anodized Satin
AA	Anodized Aluminum

See matrix next page for finishes applicable by component

**Forbo**

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

**Solid Surface**

AW	Artic White
----	-------------

**Mixed Finishes: (where applicable for work surfaces only)**

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V449
52	for V512
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427
85	for Y851
Y1	for Y341
62	for Y342
44	for Y344

**Example:**

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

**Fabric Options**

*Grade 10*

Bailey II (W359) ø  
 Broadcloth (W288)  
 Foundation (W351)  
 Growth Spurt (W692)  
 Newbury (W812) ø  
 Solid Crepe (W257) ø  
 Symbolic Detail (W693A)  
 Tailor Made (W133)  
 Versatility (W432)

*Grade 15*

Regency (W210)

*Grade 20*

Banyan (W443)  
 Bauhaus Block (W296A)  
 Circle Line (W1146)  
 Clarity (W281)  
 Criss Cross (W305)  
 Devon (W809) ø  
 Labyrinth (W352)  
 Melbourne (W228)  
 Outback (W229)  
 Reflect (W884) ø  
 Resolution (W280)  
 Walkabout (W230)  
 Weave Three (W298)

*Grade 30*

Basket Draft (W249)  
 Flow (W565)  
 Harmony (W232)  
 Interknit (W1090)  
 Match Point (W1145)  
 Micro (W465)\*  
 Progression (W403)  
 Raku Cloth (W566) ø  
 Relay (W1020) ▲

*Grade 40*

Clarkson (W1218)  
 Ornament (W1078)  
 Palladium (W1030)  
 Sennit (W337)  
 Spinoff Nuance (W319)

*Grade 45*

Casual Elegance (W920)  
 Dristi (K872)\* ø

*\*with backing only*

▲ Monolithic panels and tackboards only

ø May not be available in all colors.

*The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:*

*Grade 50*

Knoll Hopsack (K1206)  
 Ricochet (W498)

*Grade 55*

Knoll Felt (K1207)  
 Transition (W816)

**Customers Own Material**

Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

**Non-Wood Finishes**

**26 1/2" h planning with 1 1/4" worksurfaces**


<b>Finishes</b>	<i>Panel Tiles, Worksurfaces &amp; Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Pulls</i>	<i>Grommets</i>
Jet Black	111	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	n/a	113
Medium grey	115	115	115	115	115	115	115	115
Soft grey	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<b>Plated Finishes</b>								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ●	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT●	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD

n/a = not available


\* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only

● PZ and PT Pulls only for 'D' Pulls.


## Panel Trim Profiles




Flat (Option A)



Square (Option B)



Bullnose (Option C)




Extruded Aluminum (Option E)


## Worksurface Profiles




1 1/2", 1 1/4" and 1" Thick Standard



1 1/4" Thick Waterfall



1 1/4" Thick Cascade




1" Thick Sliding Table


**NOTE:** See page 153 for 7 Optional Edges which are also available.

---


**Pull Options**




Integral Wood J-Pull



C-Pull (Nickle Plated Finish Only)  
7<sup>3</sup>/<sub>8</sub>"W x 1<sup>5</sup>/<sub>32</sub>"D




S-Pull (Stainless Steel Finish Only)  
6<sup>5</sup>/<sub>32</sub>"W x 1<sup>1</sup>/<sub>16</sub>"D




D-Pull Painted and the following Plated Finishes;  
PT = Brushed Pewter  
PZ = Satin Brass  
7<sup>3</sup>/<sub>4</sub>"W x 1<sup>13</sup>/<sub>32</sub>"D






*R-Cylinder*

1" diameter  
 Protrudes 1" from the drawer front  
 Available in painted and plated finishes  
 1 pull per 16" & 19" wide pedestal drawer  
 Position: center position for 16" & 19" drawers  
 2 pulls per 30" & 36" lateral drawers  
 Position: 6" in from end, 1 1/2" down from top of drawers




*H-Out Line*

4" wide x 1" deep  
 Protrudes 1" from the drawer front  
 Available in painted and plated finishes  
 1 pull per 16" & 19" wide pedestal drawer  
 Position: center, 1 1/2" down from the top of drawer  
 2 pulls per 30" & 36" lateral drawers  
 Position: 6" in from left/right, 1 1/2" down from top of drawers




*T-Tab*

short Tab: 2" wide x 1 3/4" deep  
 Long Tab: 10" wide x 1 3/4" deep  
 Protrudes 3/4" from drawer front  
 Available in painted or plated finishes  
 Position: Center line position on drawers






*F-Bar Pull*

Short bar pull: 3 3/8" wide x .3" thick  
 Long bar pull: 10 1/2" wide x .3" thick  
 Protrudes 1" from drawer front  
 Available in painted and plated finishes




*G-Grommet Pull*

1 7/32" diameter  
 Flush with the drawer front  
 Available in painted and plated finishes  
 1 pull per 60" & 72" sliding doors  
 Position: 1.656" from left or right, center line vertical  
 2 pulls per 90" & 108" sliding doors  
 Position: 1.656" from left and right, center line vertical  
 Position: Center line position on drawers



# Monolithic panels 34" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	<b>R3B0PFF3418-()()</b>	\$606.	\$622.	\$664.	\$750.	\$802.	\$880.	\$934.
Regular acoustics	20"	34"	<b>R3B0PFF3420-()()</b>	606.	622.	664.	750.	802.	882.	934.
	24"	34"	<b>R3B0PFF3424-()()</b>	654.	670.	712.	798.	850.	928.	982.
	30"	34"	<b>R3B0PFF3430-()()</b>	698.	714.	756.	842.	894.	972.	1,026.
	36"	34"	<b>R3B0PFF3436-()()</b>	742.	758.	800.	886.	938.	1,016.	1,070.
	42"	34"	<b>R3B0PFF3442-()()</b>	852.	868.	910.	996.	1,048.	1,126.	1,180.
	48"	34"	<b>R3B0PFF3448-()()</b>	884.	900.	942.	1,028.	1,080.	1,180.	1,212.



### Order Code

Example:	<b>R3B0PFF3418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>FF</b>	Fabric on both sides
<b>34</b>	34" high
<b>18</b>	18" wide
<b>(A)</b>	Flat style top trim profile
<b>(4)</b>	4" base height
<b>(K)</b>	Include knockouts in base
<b>W281</b>	Fabric Side 1
<b>W281</b>	Fabric Side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Milled for ported components

### Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish  
i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

### Application Notes

1. Top trim profile:  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded aluminum
2. Base height:  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

# Monolithic panels 34" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	<b>R3B0PFL3418-()()</b>	\$580.	\$588.	\$607.	\$645.	\$669.	\$702.	\$726.
	20"	34"	<b>R3B0PFL3420-()()</b>	580.	588.	607.	645.	669.	702.	726.
	24"	34"	<b>R3B0PFL3424-()()</b>	617.	625.	644.	682.	706.	739.	763.
	30"	34"	<b>R3B0PFL3430-()()</b>	658.	666.	685.	723.	747.	780.	804.
	36"	34"	<b>R3B0PFL3436-()()</b>	694.	702.	721.	759.	783.	816.	840.
	42"	34"	<b>R3B0PFL3442-()()</b>	790.	798.	817.	855.	879.	912.	936.
	48"	34"	<b>R3B0PFL3448-()()</b>	814.	822.	840.	879.	903.	936.	960.

**Order Code**

Example:	<b>R3B0PFL3418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>FL</b>	Fabric one side
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric Side 1
<b>114</b>	Folkstone grey - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Milled for ported components

**Specification Information**

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish  
i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

*1. Top trim profile:*

A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

*2. Base height:*

4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option).

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

**Application Notes**

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

# Monolithic panels 34" H

*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PF13418-()()</b>	\$681.	\$688.	\$710.	\$753.	\$780.	\$819.	\$848.
Regular acoustics	20"	34"	<b>R3B0PF13420-()()</b>	684.	691.	713.	756.	783.	822.	851.
	24"	34"	<b>R3B0PF13424-()()</b>	728.	735.	757.	800.	827.	866.	895.
	30"	34"	<b>R3B0PF13430-()()</b>	774.	781.	803.	846.	873.	912.	941.
	36"	34"	<b>R3B0PF13436-()()</b>	821.	828.	850.	893.	920.	959.	988.
	42"	34"	<b>R3B0PF13442-()()</b>	931.	938.	960.	1,003.	1,030.	1,069.	1,098.
	48"	34"	<b>R3B0PF13448-()()</b>	962.	969.	991.	1,034.	1,061.	1,100.	1,129.

### Order Code

Example:	<b>R3B0PF13418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>F1</b>	Fabric one side, V1 other side
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric Side 1
<b>Y328</b>	Mahogany - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

### Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

### Application Notes

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

# Monolithic panels 34" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PF234 18-()</b> ( )	\$694.	\$701.	\$723.	\$766.	\$793.	\$832.	\$861.
Regular acoustics	20"	34"	<b>R3B0PF234 20-()</b> ( )	697.	704.	726.	769.	796.	835.	864.
	24"	34"	<b>R3B0PF234 24-()</b> ( )	740.	747.	769.	812.	839.	878.	907.
	30"	34"	<b>R3B0PF234 30-()</b> ( )	790.	797.	819.	862.	889.	928.	957.
	36"	34"	<b>R3B0PF234 36-()</b> ( )	835.	842.	864.	907.	934.	973.	1,002.
	42"	34"	<b>R3B0PF234 42-()</b> ( )	952.	959.	981.	1,024.	1,051.	1,090.	1,119.
	48"	34"	<b>R3B0PF234 48-()</b> ( )	980.	987.	1,009.	1,052.	1,079.	1,118.	1,147.

**Order Code**

Example:	<b>R3B0PF23418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>F2</b>	Fabric one side, V2 other side
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric Side 1
<b>V316</b>	Maple surface - side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

**Specification Information**

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
  - i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

*1. Top trim profile:*  
 A = Flat  
 B = Square  
 C = Bullnose  
 E = Extruded aluminum

*2. Base height:*  
 4 = 4" base height  
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

**Application Notes**

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

# Monolithic panels 34" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	<b>R3B0PF334 18-()</b> ( )	\$923.	\$930.	\$952.	\$995.	\$1,022.	\$1,061.	\$1,090.
Regular acoustics	20"	34"	<b>R3B0PF334 20-()</b> ( )	927.	934.	956.	999.	1,026.	1,065.	1,094.
	24"	34"	<b>R3B0PF334 24-()</b> ( )	986.	993.	1,015.	1,058.	1,085.	1,124.	1,153.
	30"	34"	<b>R3B0PF334 30-()</b> ( )	1,054.	1,061.	1,083.	1,126.	1,153.	1,192.	1,221.
	36"	34"	<b>R3B0PF334 36-()</b> ( )	1,113.	1,120.	1,142.	1,185.	1,212.	1,251.	1,280.
	42"	34"	<b>R3B0PF334 42-()</b> ( )	1,270.	1,277.	1,299.	1,342.	1,369.	1,408.	1,437.
	48"	34"	<b>R3B0PF334 48-()</b> ( )	1,308.	1,315.	1,337.	1,380.	1,407.	1,446.	1,475.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF33418-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>F3</b> Fabric one side, V3 one side	(K = with knockouts, N = without knockouts)	E = Extruded aluminum
<b>34</b> 34" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
<b>A</b> Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
<b>W281</b> Fabric Side 1	ii) Top trim profile E options:	
<b>V512</b> Figured Anigre surface - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>V512</b> Figured Anigre (top trim finish)	7. Base finish	
<b>111</b> Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
<b>M</b> Optional milled frame		

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.



# Monolithic panels 34" H

## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides  	18"	34"	<b>R3B0PLL3418</b> ( ) ( )	\$595.
	20"	34"	<b>R3B0PLL3420</b> ( ) ( )	595.
	24"	34"	<b>R3B0PLL3424</b> ( ) ( )	649.
	30"	34"	<b>R3B0PLL3430</b> ( ) ( )	727.
	36"	34"	<b>R3B0PLL3436</b> ( ) ( )	786.
	42"	34"	<b>R3B0PLL3442</b> ( ) ( )	810.
	48"	34"	<b>R3B0PLL3448</b> ( ) ( )	848.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL3418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>LL</b> Laminate both sides <b>34</b> 34" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>118</b> Laminate - side 1 <b>118</b> Laminate - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 laminate inside 5. Panel side 2 laminate outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum  2. <i>Base height:</i> 4 = 4" base height  Applicable finishes are listed on page 5 and 6.  Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.  All panels on this page accept stacking modules.  6" Raceway option increases panel height by 2 3/4".  All panels on this page have no high acoustical option or Beltway option.  Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.  Ported panel components to be installed below worksurface if panel 34"h.


# Monolithic panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	<b>R3B0PFF42 18-()</b> ( )	\$552.	\$570.	\$614.	\$706.	\$776.	\$856.	\$912.
Regular acoustics	20"	42"	<b>R3B0PFF42 20-()</b> ( )	552.	570.	614.	706.	776.	856.	912.
	24"	42"	<b>R3B0PFF42 24-()</b> ( )	589.	607.	651.	743.	813.	893.	949.
	30"	42"	<b>R3B0PFF42 30-()</b> ( )	642.	660.	704.	796.	886.	946.	1,002.
	36"	42"	<b>R3B0PFF42 36-()</b> ( )	691.	709.	753.	845.	915.	995.	1,051.
	42"	42"	<b>R3B0PFF42 42-()</b> ( )	742.	760.	804.	896.	966.	1,046.	1,102.
	48"	42"	<b>R3B0PFF42 48-()</b> ( )	797.	815.	859.	951.	1,021.	1,101.	1,157.
	60"	42"	<b>R3B0PFF42 60-()</b> ( ) *	901.	949.	1,041.	1,217.	1,347.	1,515.	1,619.
	66"	42"	<b>R3B0PFF42 66-()</b> ( ) *	933.	981.	1,073.	1,249.	1,379.	1,547.	1,651.
	72"	42"	<b>R3B0PFF42 72-()</b> ( ) *	963.	1,011.	1,103.	1,279.	1,409.	1,577.	1,681.
Monolithic, fabric both sides	18"	42"	<b>R3B0PAA42 18-()</b> ( )	606.	624.	668.	760.	830.	910.	966.
High acoustics	20"	42"	<b>R3B0PAA42 20-()</b> ( )	606.	624.	668.	760.	830.	910.	966.
	24"	42"	<b>R3B0PAA42 24-()</b> ( )	645.	663.	707.	799.	869.	949.	1,005.
	30"	42"	<b>R3B0PAA42 30-()</b> ( )	700.	718.	762.	854.	924.	1,004.	1,060.
	36"	42"	<b>R3B0PAA42 36-()</b> ( )	757.	775.	819.	911.	981.	1,061.	1,117.
	42"	42"	<b>R3B0PAA42 42-()</b> ( )	816.	834.	878.	970.	1,040.	1,120.	1,176.
	48"	42"	<b>R3B0PAA42 48-()</b> ( )	875.	893.	937.	1,029.	1,099.	1,179.	1,235.
	60"	42"	<b>R3B0PAA42 60-()</b> ( ) *	984.	1,032.	1,124.	1,300.	1,430.	1,598.	1,702.
	66"	42"	<b>R3B0PAA42 66-()</b> ( ) *	1,017.	1,065.	1,157.	1,333.	1,463.	1,631.	1,735.
	72"	42"	<b>R3B0PAA42 72-()</b> ( ) *	1,050.	1,098.	1,190.	1,366.	1,496.	1,664.	1,768.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF4218-A4K</b>	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 416).
<b>R3</b> Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B0</b> No Beltway	2. Base height	Applicable finishes are listed on page 5 and 6.
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.
<b>42</b> 42" high	5. Panel side 2 finish(s) outside	Remember to specify Beltway paint finish when applicable.
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
<b>(A)</b> Flat style top trim profile	7. Base finish	*Fabric inserts of these panels are two pieces, split vertically.
<b>(4)</b> 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
<b>(K)</b> Include knockouts in base		
<b>W281</b> Fabric - Side 1		
<b>W281</b> Fabric - Side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	





# Monolithic panels 42" H with Beltway

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	<b>R3B2PFF42 18-( ) ( )</b>	\$1,088.	\$1,114.	\$1,176.	\$1,292.	\$1,362.	\$1,460.	\$1,528.
Beltway two sides, regular acoustics	20"	42"	<b>R3B2PFF42 20-( ) ( )</b>	1,088.	1,114.	1,176.	1,292.	1,362.	1,460.	1,528.
	24"	42"	<b>R3B2PFF42 24-( ) ( )</b>	1,111.	1,137.	1,199.	1,315.	1,385.	1,483.	1,551.
	30"	42"	<b>R3B2PFF42 30-( ) ( )</b>	1,165.	1,191.	1,253.	1,369.	1,439.	1,537.	1,605.
	36"	42"	<b>R3B2PFF42 36-( ) ( )</b>	1,363.	1,389.	1,451.	1,567.	1,637.	1,735.	1,803.
	42"	42"	<b>R3B2PFF42 42-( ) ( )</b>	1,466.	1,492.	1,554.	1,670.	1,740.	1,838.	1,906.
	48"	42"	<b>R3B2PFF42 48-( ) ( )</b>	1,519.	1,545.	1,607.	1,723.	1,793.	1,891.	1,959.
	Monolithic, fabric both sides	18"	42"	<b>R3B1PFF42 18-( ) ( )</b>	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.
Beltway one side	20"	42"	<b>R3B1PFF42 20-( ) ( )</b>	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.	1,472.
	24"	42"	<b>R3B1PFF42 24-( ) ( )</b>	1,090.	1,112.	1,165.	1,269.	1,339.	1,428.	1,490.
	30"	42"	<b>R3B1PFF42 30-( ) ( )</b>	1,145.	1,167.	1,220.	1,324.	1,394.	1,483.	1,545.
	36"	42"	<b>R3B1PFF42 36-( ) ( )</b>	1,338.	1,360.	1,413.	1,517.	1,587.	1,676.	1,738.
	42"	42"	<b>R3B1PFF42 42-( ) ( )</b>	1,439.	1,461.	1,514.	1,618.	1,688.	1,777.	1,839.
	48"	42"	<b>R3B1PFF42 48-( ) ( )</b>	1,485.	1,507.	1,560.	1,664.	1,734.	1,823.	1,885.

Order Code	Specification Information	Application Notes
Example: <b>R3B2PFF4218</b>	<i>To order please specify pattern number including:</i>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 416).</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>*Fabric inserts of these panels are two pieces, split vertically.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B2</b> Beltway two sides	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside below belt	
<b>42</b> 42" high	5. Panel side 1 finish(s) inside above belt	
<b>18</b> 18" wide	6. Panel side 2 finish(s) outside below belt	
<b>(A)</b> Flat style top trim profile	7. Panel side 2 finish(s) outside above belt	
<b>(4)</b> 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>(K)</b> Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>W281</b> Fabric - Side 1 below belt	9. Base finish	
<b>W281</b> Fabric - Side 1 above belt	10. Beltway finish	
<b>W281</b> Fabric - Side 2 below belt	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
<b>W281</b> Fabric - Side 2 above belt		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black Beltway finish		

# Monolithic panels 42" H



*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PFL42 18-( )()</b>	\$475.	\$483.	\$504.	\$542.	\$574.	\$609.	\$635.
	20"	42"	<b>R3B0PFL42 20-( )()</b>	475.	483.	504.	542.	574.	609.	635.
	24"	42"	<b>R3B0PFL42 24-( )()</b>	481.	489.	510.	548.	580.	615.	641.
	30"	42"	<b>R3B0PFL42 30-( )()</b>	577.	585.	606.	644.	676.	711.	737.
	36"	42"	<b>R3B0PFL42 36-( )()</b>	624.	632.	653.	691.	723.	758.	784.
	42"	42"	<b>R3B0PFL42 42-( )()</b>	701.	709.	730.	768.	800.	835.	861.
	48"	42"	<b>R3B0PFL42 48-( )()</b>	763.	771.	792.	830.	862.	897.	923.
	60"	42"	<b>R3B0PFL42 60-( )()</b>	829.	850.	889.	968.	1,026.	1,101.	1,146.
	66"	42"	<b>R3B0PFL42 66-( )()</b>	859.	880.	919.	998.	1,056.	1,131.	1,176.
	72"	42"	<b>R3B0PFL42 72-( )()</b>	891.	912.	951.	1,030.	1,088.	1,163.	1,208.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PFL42 18-( )()</b>	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
	20"	42"	<b>R3B1PFL42 20-( )()</b>	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
	24"	42"	<b>R3B1PFL42 24-( )()</b>	958.	970.	997.	1,048.	1,078.	1,121.	1,153.
	30"	42"	<b>R3B1PFL42 30-( )()</b>	1,030.	1,042.	1,069.	1,120.	1,150.	1,193.	1,225.
	36"	42"	<b>R3B1PFL42 36-( )()</b>	1,202.	1,214.	1,241.	1,292.	1,322.	1,365.	1,397.
	42"	42"	<b>R3B1PFL42 42-( )()</b>	1,230.	1,242.	1,269.	1,320.	1,350.	1,393.	1,425.
	48"	42"	<b>R3B1PFL42 48-( )()</b>	1,383.	1,395.	1,422.	1,473.	1,503.	1,546.	1,578.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL4218-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	BO=No Beltway	A = Flat
<b>B0</b> No Beltway	B1=Beltway one side	B = Square
<b>P</b> Monolithic panel		C = Bullnose
<b>FL</b> Fabric one side, laminate other		E = Extruded Aluminum
<b>42</b> 42" high	1. Top trim profile	<i>2. Base height:</i>
<b>18</b> 18" wide	2. Base height	4 = 4" base height
<b>A</b> Flat style top trim profile	3. Knockout option (K = with knockouts, N = without knockouts)	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	4. Panel side 1 finish(s) inside (for panel with beltway specify: Side 1-below belt Side 2-above belt)	<i>3. Beltway:</i>
<b>K</b> Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
<b>W281</b> Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
<b>114</b> Folkstone grey - side 2	<i>i</i> )Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
<b>V316</b> Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Product on this page will accept wood grain laminate where laminate is currently an option.
<b>111</b> Jet Black (base finish)	<i>ii</i> )Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>M</b> Optional milled frame	7. Base finish	
	8. Beltway finish-only for panel with beltway option	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.)
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
		Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H



*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF142 18-( )</b>	\$558.	\$568.	\$590.	\$637.	\$673.	\$713.	\$742.
	20"	42"	<b>R3B0PF142 20-( )</b>	558.	568.	590.	637.	673.	713.	742.
	24"	42"	<b>R3B0PF142 24-( )</b>	563.	573.	595.	642.	678.	718.	747.
	30"	42"	<b>R3B0PF142 30-( )</b>	678.	688.	710.	757.	793.	833.	862.
	36"	42"	<b>R3B0PF142 36-( )</b>	734.	744.	766.	813.	849.	889.	918.
	42"	42"	<b>R3B0PF142 42-( )</b>	827.	837.	859.	906.	942.	982.	1,011.
	48"	42"	<b>R3B0PF142 48-( )</b>	898.	908.	930.	977.	1,013.	1,053.	1,082.
	60"	42"	<b>R3B0PF142 60-( )*</b>	977.	1,000.	1,047.	1,138.	1,203.	1,292.	1,344.
	66"	42"	<b>R3B0PF142 66-( )*</b>	1,015.	1,038.	1,085.	1,176.	1,241.	1,330.	1,382.
	72"	42"	<b>R3B0PF142 72-( )*</b>	1,050.	1,073.	1,120.	1,211.	1,276.	1,365.	1,417.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PF142 18-( )</b>	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
	20"	42"	<b>R3B1PF142 20-( )</b>	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
	24"	42"	<b>R3B1PF142 24-( )</b>	1,127.	1,140.	1,171.	1,231.	1,264.	1,315.	1,351.
	30"	42"	<b>R3B1PF142 30-( )</b>	1,211.	1,224.	1,255.	1,315.	1,348.	1,399.	1,435.
	36"	42"	<b>R3B1PF142 36-( )</b>	1,409.	1,422.	1,453.	1,513.	1,546.	1,597.	1,633.
	42"	42"	<b>R3B1PF142 42-( )</b>	1,447.	1,460.	1,490.	1,551.	1,584.	1,635.	1,671.
	48"	42"	<b>R3B1PF142 48-( )</b>	1,628.	1,641.	1,672.	1,732.	1,765.	1,816.	1,852.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF14218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F1</b> Fabric one side, V1 other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>Y328</b> Mahogany - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway specify: Side 1, Below belt Side 2, Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H



*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF242 18-( )</b> ( )	\$566.	\$576.	\$598.	\$645.	\$681.	\$721.	\$750.
	20"	42"	<b>R3B0PF242 20-( )</b> ( )	566.	576.	598.	645.	681.	721.	750.
	24"	42"	<b>R3B0PF242 24-( )</b> ( )	575.	585.	607.	654.	690.	730.	759.
	30"	42"	<b>R3B0PF242 30-( )</b> ( )	691.	701.	723.	770.	806.	846.	875.
	36"	42"	<b>R3B0PF242 36-( )</b> ( )	746.	756.	778.	825.	861.	901.	930.
	42"	42"	<b>R3B0PF242 42-( )</b> ( )	841.	851.	873.	920.	956.	996.	1,025.
	48"	42"	<b>R3B0PF242 48-( )</b> ( )	916.	926.	948.	995.	1,031.	1,071.	1,100.
	60"	42"	<b>R3B0PF242 60-( )</b> (*)	990.	1,013.	1,060.	1,151.	1,216.	1,305.	1,357.
	66"	42"	<b>R3B0PF242 66-( )</b> (*)	1,031.	1,054.	1,101.	1,192.	1,257.	1,346.	1,398.
	72"	42"	<b>R3B0PF242 72-( )</b> (*)	1,065.	1,088.	1,135.	1,226.	1,291.	1,380.	1,432.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	<b>R3B1PF242 18-( )</b> ( )	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	20"	42"	<b>R3B1PF242 20-( )</b> ( )	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	24"	42"	<b>R3B1PF242 24-( )</b> ( )	1,144.	1,157.	1,188.	1,248.	1,281.	1,332.	1,368.
	30"	42"	<b>R3B1PF242 30-( )</b> ( )	1,236.	1,249.	1,280.	1,340.	1,373.	1,424.	1,460.
	36"	42"	<b>R3B1PF242 36-( )</b> ( )	1,437.	1,450.	1,481.	1,541.	1,574.	1,625.	1,661.
	42"	42"	<b>R3B1PF242 42-( )</b> ( )	1,475.	1,488.	1,519.	1,579.	1,612.	1,663.	1,699.
	48"	42"	<b>R3B1PF242 48-( )</b> ( )	1,656.	1,669.	1,700.	1,760.	1,793.	1,844.	1,880.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF24218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F2</b> Fabric one side, V2 other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V316</b> Maple surface - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1- Below Beltway Side 2- Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish - (only for panels with Beltway option) 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H

*fabric one side, exotic veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	<b>R3B0PF342 18-</b> ( ) ( )	\$749.	\$759.	\$781.	\$828.	\$864.	\$904.	\$933.
	20"	42"	<b>R3B0PF342 20-</b> ( ) ( )	749.	759.	781.	828.	864.	904.	933.
	24"	42"	<b>R3B0PF342 24-</b> ( ) ( )	761.	771.	793.	840.	876.	916.	945.
	30"	42"	<b>R3B0PF342 30-</b> ( ) ( )	916.	926.	948.	995.	1,031.	1,071.	1,100.
	36"	42"	<b>R3B0PF342 36-</b> ( ) ( )	992.	1,002.	1,024.	1,071.	1,107.	1,147.	1,176.
	42"	42"	<b>R3B0PF342 42-</b> ( ) ( )	1,119.	1,129.	1,151.	1,198.	1,234.	1,274.	1,303.
	48"	42"	<b>R3B0PF342 48-</b> ( ) ( )	1,221.	1,231.	1,253.	1,300.	1,336.	1,376.	1,405.
	60"	42"	<b>R3B0PF342 60-</b> ( ) (*)	1,306.	1,329.	1,376.	1,467.	1,532.	1,621.	1,673.
	66"	42"	<b>R3B0PF342 66-</b> ( ) (*)	1,361.	1,384.	1,431.	1,522.	1,587.	1,676.	1,728.
	72"	42"	<b>R3B0PF342 72-</b> ( ) (*)	1,408.	1,431.	1,478.	1,569.	1,634.	1,723.	1,775.
Monolithic, fabric one side Beltway fabric side 	18"	42"	<b>R3B1PF342 18-</b> ( ) ( )	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	20"	42"	<b>R3B1PF342 20-</b> ( ) ( )	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	24"	42"	<b>R3B1PF342 24-</b> ( ) ( )	1,528.	1,541.	1,572.	1,633.	1,665.	1,716.	1,752.
	30"	42"	<b>R3B1PF342 30-</b> ( ) ( )	1,652.	1,665.	1,696.	1,756.	1,789.	1,840.	1,876.
	36"	42"	<b>R3B1PF342 36-</b> ( ) ( )	1,925.	1,938.	1,969.	2,029.	2,062.	2,113.	2,149.
	42"	42"	<b>R3B1PF342 42-</b> ( ) ( )	1,975.	1,988.	2,019.	2,079.	2,112.	2,163.	2,199.
	48"	42"	<b>R3B1PF342 48-</b> ( ) ( )	2,221.	2,234.	2,265.	2,325.	2,359.	2,409.	2,445.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF34218-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway, B1=Beltway, one side <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>42</b> 42" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1=Below Beltway Side 2=Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish (only for panels with Beltway option) 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 42" H

## Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	<b>R3B0PLL4218</b> ( ) ( )	\$630.
	20"	42"	<b>R3B0PLL4220</b> ( ) ( )	630.
	24"	42"	<b>R3B0PLL4224</b> ( ) ( )	687.
	30"	42"	<b>R3B0PLL4230</b> ( ) ( )	769.
	36"	42"	<b>R3B0PLL4236</b> ( ) ( )	831.
	42"	42"	<b>R3B0PLL4242</b> ( ) ( )	914.
	48"	42"	<b>R3B0PLL4248</b> ( ) ( )	1,023.
	60"	42"	<b>R3B0PLL4260</b> ( ) ( )*	1,105.
	66"	42"	<b>R3B0PLL4266</b> ( ) ( )*	1,139.
72"	42"	<b>R3B0PLL4272</b> ( ) ( )*	1,172.	

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL4218-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>LL</b> Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>42</b> 42" high	4. Panel side 1 inside	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 2 outside	4 = 4" base height
<b>A</b> Flat style top trim profile	6. Top trim finish	<i>3. Beltway:</i>
<b>4</b> 4" base height	i) Top trim profile A,B or C options:	B0 = No Beltway
<b>K</b> Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	B1 = Beltway 1 side
<b>118</b> Laminate - side 1	ii) Top trim profile E options:	Applicable finishes are listed on page 5 and 6.
<b>118</b> Laminate - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page will accept wood grain laminate where laminate is currently an option.
<b>V512</b> Figured Anigre (top trim finish)	7. Base finish	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>111</b> Jet Black (base finish)	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>M</b> Optional milled frame		

The Reff System does not support the stacking of modules onto 42" H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".



Product on this page can be attached to posts 42", 49", 64", and 79" H as well as panels 42", 49", 64" and 79" H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79" H hookstrip reveal strips are ordered separately from page 117 at no charge.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

# Monolithic panels 49" H fabric both sides

description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	49"	<b>R3B0PFF49 18-()</b> ( )	\$619.	\$647.	\$699.	\$809.	\$881.	\$979.	\$1,041.	
Regular acoustics	20"	49"	<b>R3B0PFF49 20-()</b> ( )	619.	647.	699.	809.	881.	979.	1,041.	
	24"	49"	<b>R3B0PFF49 24-()</b> ( )	660.	688.	740.	850.	922.	1,020.	1,082.	
	30"	49"	<b>R3B0PFF49 30-()</b> ( )	717.	745.	797.	907.	979.	1,077.	1,139.	
	36"	49"	<b>R3B0PFF49 36-()</b> ( )	750.	778.	830.	940.	1,012.	1,110.	1,172.	
	42"	49"	<b>R3B0PFF49 42-()</b> ( )	809.	837.	889.	999.	1,071.	1,169.	1,231.	
	48"	49"	<b>R3B0PFF49 48-()</b> ( )	888.	916.	968.	1,078.	1,150.	1,248.	1,310.	
	60"	49"	<b>R3B0PFF49 60-()</b> ( )*	1,026.	1,072.	1,176.	1,396.	1,546.	1,740.	1,860.	
	66"	49"	<b>R3B0PFF49 66-()</b> ( )*	1,059.	1,105.	1,209.	1,429.	1,579.	1,773.	1,893.	
	72"	49"	<b>R3B0PFF49 72-()</b> ( )*	1,090.	1,136.	1,240.	1,460.	1,610.	1,804.	1,924.	
	Monolithic, fabric both sides	18"	49"	<b>R3B0PAA49 18-()</b> ( )	675.	703.	755.	865.	937.	1,035.	1,097.
	High acoustics	20"	49"	<b>R3B0PAA49 20-()</b> ( )	675.	703.	755.	865.	937.	1,035.	1,097.
	24"	49"	<b>R3B0PAA49 24-()</b> ( )	722.	750.	802.	912.	984.	1,082.	1,144.	
	30"	49"	<b>R3B0PAA49 30-()</b> ( )	782.	811.	863.	973.	1,045.	1,143.	1,205.	
	36"	49"	<b>R3B0PAA49 36-()</b> ( )	821.	849.	901.	1,011.	1,083.	1,181.	1,243.	
	42"	49"	<b>R3B0PAA49 42-()</b> ( )	887.	915.	967.	1,077.	1,149.	1,247.	1,309.	
	48"	49"	<b>R3B0PAA49 48-()</b> ( )	974.	1,002.	1,054.	1,164.	1,236.	1,334.	1,396.	
	60"	49"	<b>R3B0PAA49 60-()</b> ( )*	1,114.	1,160.	1,264.	1,484.	1,634.	1,828.	1,948.	
	66"	49"	<b>R3B0PAA49 66-()</b> ( )*	1,153.	1,199.	1,303.	1,523.	1,673.	1,867.	1,987.	
	72"	49"	<b>R3B0PAA49 72-()</b> ( )*	1,192.	1,237.	1,342.	1,562.	1,712.	1,906.	2,026.	

**Order Code**

Example:	<b>R3B0PFF4918-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>FF</b>	Fabric on both sides
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1
<b>W281</b>	Fabric - Side 2
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

**Specification Information**

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish  
i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

**Application Notes**

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

\*Fabric inserts of these panels are two pieces, split vertically.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

\*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.



# Monolithic panels 49" H with Beltway



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	<b>R3B2PFF49 18-( )()</b>	\$1,118.	\$1,154.	\$1,226.	\$1,344.	\$1,428.	\$1,550.	\$1,626.
Beltway two sides, regular acoustics	20"	49"	<b>R3B2PFF49 20-( )()</b>	1,118.	1,154.	1,226.	1,344.	1,428.	1,550.	1,626.
	24"	49"	<b>R3B2PFF49 24-( )()</b>	1,141.	1,177.	1,249.	1,367.	1,451.	1,573.	1,649.
	30"	49"	<b>R3B2PFF49 30-( )()</b>	1,199.	1,235.	1,307.	1,425.	1,509.	1,631.	1,707.
	36"	49"	<b>R3B2PFF49 36-( )()</b>	1,415.	1,451.	1,523.	1,641.	1,725.	1,847.	1,923.
	42"	49"	<b>R3B2PFF49 42-( )()</b>	1,523.	1,559.	1,631.	1,749.	1,833.	1,955.	2,031.
	48"	49"	<b>R3B2PFF49 48-( )()</b>	1,577.	1,613.	1,685.	1,803.	1,887.	2,009.	2,085.
	Monolithic, fabric both sides	18"	49"	<b>R3B1PFF49 18-( )()</b>	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.
Beltway one side	20"	49"	<b>R3B1PFF49 20-( )()</b>	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.	1,563.
	24"	49"	<b>R3B1PFF49 24-( )()</b>	1,120.	1,152.	1,214.	1,328.	1,406.	1,516.	1,585.
	30"	49"	<b>R3B1PFF49 30-( )()</b>	1,174.	1,206.	1,268.	1,382.	1,460.	1,570.	1,639.
	36"	49"	<b>R3B1PFF49 36-( )()</b>	1,388.	1,420.	1,482.	1,596.	1,674.	1,784.	1,853.
	42"	49"	<b>R3B1PFF49 42-( )()</b>	1,491.	1,523.	1,585.	1,699.	1,777.	1,887.	1,956.
	48"	49"	<b>R3B1PFF49 48-( )()</b>	1,544.	1,576.	1,638.	1,752.	1,830.	1,940.	2,009.

Order Code	Specification Information	Application Notes
Example: <b>R3B2PFF4918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B2</b> Beltway, both sides	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
<b>FF</b> Fabric on both sides	4. Panel 1 finish(s) Below Belt	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>49</b> 49" high	5. Panel 2 finish(s) Above Belt	Applicable finishes are listed on page 5 and 6.
<b>18</b> 18" wide	6. Panel 2 finish(s) Below Belt	*Fabric inserts of these panels are two pieces, split vertically.
<b>A</b> Flat style top trim profile	7. Panel 2 finish(s) Above Belt	
<b>4</b> 4" base height	8. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>K</b> Include knockouts in base	9. Base finish	
<b>W281</b> Side 1 - Below Belt	10. Beltway finish	
<b>W281</b> Side 1 - Above Belt		
<b>W281</b> Side 2 - Below Belt		
<b>W281</b> Side 2 - Above Belt		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		
<b>111</b> Beltway finish		



# Monolithic panels 49" H



*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PFL49 18-( ) ( )</b>	\$525.	\$540.	\$561.	\$611.	\$643.	\$686.	\$713.
	20"	49"	<b>R3B0PFL49 20-( ) ( )</b>	525.	540.	561.	611.	643.	686.	713.
	24"	49"	<b>R3B0PFL49 24-( ) ( )</b>	574.	589.	610.	660.	692.	735.	762.
	30"	49"	<b>R3B0PFL49 30-( ) ( )</b>	651.	666.	687.	737.	769.	812.	839.
	36"	49"	<b>R3B0PFL49 36-( ) ( )</b>	702.	717.	738.	788.	820.	863.	890.
	42"	49"	<b>R3B0PFL49 42-( ) ( )</b>	775.	790.	811.	861.	893.	936.	963.
	48"	49"	<b>R3B0PFL49 48-( ) ( )</b>	872.	887.	908.	958.	990.	1,033.	1,060.
	60"	49"	<b>R3B0PFL49 60-( ) ( ) *</b>	951.	971.	1,019.	1,114.	1,180.	1,268.	1,319.
	66"	49"	<b>R3B0PFL49 66-( ) ( ) *</b>	978.	998.	1,046.	1,141.	1,207.	1,295.	1,346.
	72"	49"	<b>R3B0PFL49 72-( ) ( ) *</b>	1,012.	1,032.	1,080.	1,175.	1,241.	1,329.	1,380.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PFL49 18-( ) ( )</b>	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
	20"	49"	<b>R3B1PFL49 20-( ) ( )</b>	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
	24"	49"	<b>R3B1PFL49 24-( ) ( )</b>	989.	1,005.	1,035.	1,089.	1,125.	1,177.	1,214.
	30"	49"	<b>R3B1PFL49 30-( ) ( )</b>	1,063.	1,079.	1,109.	1,163.	1,199.	1,251.	1,288.
	36"	49"	<b>R3B1PFL49 36-( ) ( )</b>	1,277.	1,293.	1,323.	1,377.	1,413.	1,465.	1,502.
	42"	49"	<b>R3B1PFL49 42-( ) ( )</b>	1,394.	1,410.	1,440.	1,494.	1,530.	1,582.	1,619.
	48"	49"	<b>R3B1PFL49 48-( ) ( )</b>	1,470.	1,486.	1,516.	1,570.	1,606.	1,658.	1,695.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL4918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FL</b> Fabric one side, laminate other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway option, please specify, Side 1 - Below Beltway Side 1 - Above Beltway 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with beltway option 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 49" H



*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF149 18-( )</b> ( )	\$619.	\$635.	\$660.	\$716.	\$755.	\$802.	\$836.
	20"	49"	<b>R3B0PF149 20-( )</b> ( )	619.	635.	660.	716.	755.	802.	836.
	24"	49"	<b>R3B0PF149 24-( )</b> ( )	676.	692.	717.	772.	812.	859.	893.
	30"	49"	<b>R3B0PF149 30-( )</b> ( )	770.	786.	811.	867.	906.	953.	987.
	36"	49"	<b>R3B0PF149 36-( )</b> ( )	825.	841.	866.	922.	961.	1,008.	1,042.
	42"	49"	<b>R3B0PF149 42-( )</b> ( )	913.	929.	954.	1,010.	1,049.	1,096.	1,130.
	48"	49"	<b>R3B0PF149 48-( )</b> ( )	1,026.	1,042.	1,067.	1,123.	1,162.	1,209.	1,243.
	60"	49"	<b>R3B0PF149 60-( )</b> * ( )	1,116.	1,141.	1,196.	1,307.	1,383.	1,481.	1,543.
	66"	49"	<b>R3B0PF149 66-( )</b> * ( )	1,148.	1,173.	1,228.	1,339.	1,415.	1,513.	1,575.
	72"	49"	<b>R3B0PF149 72-( )</b> * ( )	1,188.	1,213.	1,268.	1,379.	1,455.	1,553.	1,615.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PF149 18-( )</b> ( )	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	20"	49"	<b>R3B1PF149 20-( )</b> ( )	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	24"	49"	<b>R3B1PF149 24-( )</b> ( )	1,161.	1,178.	1,216.	1,276.	1,317.	1,379.	1,419.
	30"	49"	<b>R3B1PF149 30-( )</b> ( )	1,248.	1,265.	1,303.	1,363.	1,404.	1,466.	1,506.
	36"	49"	<b>R3B1PF149 36-( )</b> ( )	1,500.	1,517.	1,555.	1,615.	1,656.	1,718.	1,758.
	42"	49"	<b>R3B1PF149 42-( )</b> ( )	1,641.	1,658.	1,696.	1,756.	1,797.	1,859.	1,899.
	48"	49"	<b>R3B1PF149 48-( )</b> ( )	1,726.	1,743.	1,781.	1,841.	1,882.	1,944.	1,984.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF14918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F1</b> Fabric one side, V1 other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>Y328</b> Mahogany - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top rim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panel with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 49" H



*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF249 18-( ) ( )</b>	\$629.	\$645.	\$670.	\$726.	\$765.	\$812.	\$846.
	20"	49"	<b>R3B0PF249 20-( ) ( )</b>	629.	645.	670.	726.	765.	812.	846.
	24"	49"	<b>R3B0PF249 24-( ) ( )</b>	689.	705.	730.	786.	825.	872.	906.
	30"	49"	<b>R3B0PF249 30-( ) ( )</b>	781.	797.	822.	878.	917.	964.	998.
	36"	49"	<b>R3B0PF249 36-( ) ( )</b>	840.	856.	881.	937.	976.	1,023.	1,057.
	42"	49"	<b>R3B0PF249 42-( ) ( )</b>	929.	945.	970.	1,026.	1,065.	1,112.	1,146.
	48"	49"	<b>R3B0PF249 48-( ) ( )</b>	1,048.	1,064.	1,089.	1,145.	1,184.	1,231.	1,265.
	60"	49"	<b>R3B0PF249 60-( ) ( ) *</b>	1,136.	1,161.	1,216.	1,327.	1,403.	1,501.	1,563.
	66"	49"	<b>R3B0PF249 66-( ) ( ) *</b>	1,173.	1,198.	1,253.	1,364.	1,440.	1,538.	1,600.
	72"	49"	<b>R3B0PF249 72-( ) ( ) *</b>	1,209.	1,234.	1,289.	1,400.	1,476.	1,574.	1,636.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	<b>R3B1PF249 18-( ) ( )</b>	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	20"	49"	<b>R3B1PF249 20-( ) ( )</b>	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	24"	49"	<b>R3B1PF249 24-( ) ( )</b>	1,182.	1,199.	1,237.	1,297.	1,338.	1,400.	1,440.
	30"	49"	<b>R3B1PF249 30-( ) ( )</b>	1,275.	1,292.	1,330.	1,390.	1,431.	1,493.	1,533.
	36"	49"	<b>R3B1PF249 36-( ) ( )</b>	1,531.	1,548.	1,586.	1,646.	1,687.	1,749.	1,789.
	42"	49"	<b>R3B1PF249 42-( ) ( )</b>	1,669.	1,686.	1,724.	1,784.	1,825.	1,887.	1,927.
	48"	49"	<b>R3B1PF249 48-( ) ( )</b>	1,755.	1,772.	1,810.	1,870.	1,911.	1,973.	2,013.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF24918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F2</b> Fabric one side, V2 other <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim option <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V316</b> Maple surface - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 49" H


*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	<b>R3B0PF349 18-()</b> ( )	\$831.	\$847.	\$872.	\$928.	\$967.	\$1,014.	\$1,048.
	20"	49"	<b>R3B0PF349 20-()</b> ( )	831.	847.	872.	928.	967.	1,014.	1,048.
	24"	49"	<b>R3B0PF349 24-()</b> ( )	911.	927.	952.	1,008.	1,047.	1,094.	1,128.
	30"	49"	<b>R3B0PF349 30-()</b> ( )	1,037.	1,053.	1,078.	1,134.	1,173.	1,220.	1,254.
	36"	49"	<b>R3B0PF349 36-()</b> ( )	1,117.	1,133.	1,158.	1,214.	1,253.	1,300.	1,334.
	42"	49"	<b>R3B0PF349 42-()</b> ( )	1,235.	1,251.	1,276.	1,332.	1,371.	1,418.	1,452.
	48"	49"	<b>R3B0PF349 48-()</b> ( )	1,395.	1,411.	1,436.	1,492.	1,531.	1,578.	1,612.
	60"	49"	<b>R3B0PF349 60-()</b> ( )*	1,497.	1,522.	1,577.	1,688.	1,764.	1,862.	1,924.
	66"	49"	<b>R3B0PF349 66-()</b> ( )*	1,546.	1,571.	1,626.	1,737.	1,813.	1,911.	1,973.
	72"	49"	<b>R3B0PF349 72-()</b> ( )*	1,593.	1,618.	1,673.	1,784.	1,860.	1,958.	2,020.
Monolithic, fabric one side Beltway fabric side 	18"	49"	<b>R3B1PF349 18-()</b> ( )	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	20"	49"	<b>R3B1PF349 20-()</b> ( )	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	24"	49"	<b>R3B1PF349 24-()</b> ( )	1,578.	1,595.	1,633.	1,693.	1,734.	1,796.	1,836.
	30"	49"	<b>R3B1PF349 30-()</b> ( )	1,701.	1,718.	1,756.	1,816.	1,857.	1,919.	1,959.
	36"	49"	<b>R3B1PF349 36-()</b> ( )	2,049.	2,066.	2,104.	2,164.	2,205.	2,267.	2,307.
	42"	49"	<b>R3B1PF349 42-()</b> ( )	2,235.	2,252.	2,290.	2,350.	2,391.	2,453.	2,493.
	48"	49"	<b>R3B1PF349 48-()</b> ( )	2,352.	2,369.	2,407.	2,467.	2,508.	2,570.	2,610.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF34918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
<b>F3</b> Fabric one side, V3 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt	6" Raceway option increases panel height by 2 3/4".
<b>49</b> 49" high	5. Panel side 2 finish(s) outside	Applicable finishes are listed on page 5 and 6.
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>A</b> Flat style top trim option	7. Base finish	Remember to specify Beltway paint finish when applicable.
<b>4</b> 4" base height	8. Beltway finish - only for panels with Beltway	*These panel widths do not accept stacking modules.
<b>K</b> Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric - Side 1		
<b>V512</b> Figured Anigre surface - side 2		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		



# Monolithic panels 49" H

## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides  	18"	49"	<b>R3B0PLL4918( ) ( )</b>	\$748.
	20"	49"	<b>R3B0PLL4920( ) ( )</b>	748.
	24"	49"	<b>R3B0PLL4924( ) ( )</b>	816.
	30"	49"	<b>R3B0PLL4930( ) ( )</b>	914.
	36"	49"	<b>R3B0PLL4936( ) ( )</b>	987.
	42"	49"	<b>R3B0PLL4942( ) ( )</b>	1,085.
	48"	49"	<b>R3B0PLL4948( ) ( )</b>	1,215.
	60"	49"	<b>R3B0PLL4960( ) ( )*</b>	1,312.
	66"	49"	<b>R3B0PLL4966( ) ( )*</b>	1,351.
	72"	49"	<b>R3B0PLL4972( ) ( )*</b>	1,392.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL4918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>LL</b> Laminate both sides <b>49</b> 49" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>118</b> Laminate - side 1 <b>118</b> Laminate - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum  2. <i>Base height:</i> 4 = 4" base height  Applicable finishes are listed on page 5 and 6.  Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.  The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically  Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.  Remember to specify Beltway paint finish when applicable.  *These panel widths do not accept stacking modules.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 64" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	<b>R3B0PFF64 18-( ) ( )</b>	\$713.	\$745.	\$815.	\$953.	\$1,051.	\$1,179.	\$1,261.
Regular acoustics	20"	64"	<b>R3B0PFF64 20-( ) ( )</b>	713.	745.	815.	953.	1,051.	1,179.	1,261.
	24"	64"	<b>R3B0PFF64 24-( ) ( )</b>	756.	788.	858.	996.	1,094.	1,222.	1,304.
	30"	64"	<b>R3B0PFF64 30-( ) ( )</b>	812.	844.	914.	1,052.	1,150.	1,278.	1,360.
	36"	64"	<b>R3B0PFF64 36-( ) ( )</b>	833.	865.	935.	1,073.	1,171.	1,299.	1,381.
	42"	64"	<b>R3B0PFF64 42-( ) ( )</b>	969.	1,001.	1,071.	1,209.	1,307.	1,435.	1,517.
	48"	64"	<b>R3B0PFF64 48-( ) ( )</b>	1,026.	1,058.	1,128.	1,266.	1,364.	1,492.	1,574.
	60"	64"	<b>R3B0PFF64 60-( ) ( ) *</b>	1,189.	1,265.	1,395.	1,687.	1,889.	2,141.	2,307.
	66"	64"	<b>R3B0PFF64 66-( ) ( ) *</b>	1,227.	1,303.	1,433.	1,725.	1,927.	2,179.	2,345.
	72"	64"	<b>R3B0PFF64 72-( ) ( ) *</b>	1,267.	1,343.	1,473.	1,765.	1,967.	2,219.	2,385.
Monolithic, fabric both sides	18"	64"	<b>R3B0PAA64 18-( ) ( )</b>	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
High acoustics	20"	64"	<b>R3B0PAA64 20-( ) ( )</b>	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
	24"	64"	<b>R3B0PAA64 24-( ) ( )</b>	828.	860.	930.	1,068.	1,166.	1,294.	1,376.
	30"	64"	<b>R3B0PAA64 30-( ) ( )</b>	888.	920.	990.	1,128.	1,226.	1,354.	1,436.
	36"	64"	<b>R3B0PAA64 36-( ) ( )</b>	910.	942.	1,012.	1,150.	1,248.	1,376.	1,458.
	42"	64"	<b>R3B0PAA64 42-( ) ( )</b>	1,064.	1,096.	1,166.	1,304.	1,402.	1,530.	1,612.
	48"	64"	<b>R3B0PAA64 48-( ) ( )</b>	1,126.	1,158.	1,228.	1,366.	1,464.	1,592.	1,674.
	60"	64"	<b>R3B0PAA64 60-( ) ( ) *</b>	1,291.	1,367.	1,497.	1,789.	1,991.	2,243.	2,409.
	66"	64"	<b>R3B0PAA64 66-( ) ( ) *</b>	1,334.	1,410.	1,540.	1,832.	2,034.	2,286.	2,452.
	72"	64"	<b>R3B0PAA64 72-( ) ( ) *</b>	1,377.	1,453.	1,583.	1,875.	2,077.	2,329.	2,495.


Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B0</b> No Beltway	2. Base height	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside	Remember to specify Beltway paint finish when applicable.  *These panel widths do not accept stacking modules.
<b>64</b> 64" high	5. Panel side 2 finish(s) outside	
<b>18</b> 18" wide	6. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options:	
<b>4</b> 4" base height	V1, V2, V3, P1, P2, P3 finishes	
<b>K</b> Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>W281</b> Fabric - Side 1	7. Base finish	
<b>W281</b> Fabric - Side 2	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		



# Monolithic panels 64" H

*fabric both sides, with Beltway*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	<b>R3B2PFF64 18-()</b> ( )	\$1,221.	\$1,257.	\$1,341.	\$1,511.	\$1,619.	\$1,775.	\$1,879.
Beltway two sides, regular acoustics	20"	64"	<b>R3B2PFF64 20-()</b> ( )	1,221.	1,257.	1,341.	1,511.	1,619.	1,775.	1,879.
	24"	64"	<b>R3B2PFF64 24-()</b> ( )	1,281.	1,317.	1,401.	1,571.	1,679.	1,835.	1,939.
	30"	64"	<b>R3B2PFF64 30-()</b> ( )	1,311.	1,347.	1,431.	1,601.	1,709.	1,865.	1,969.
	36"	64"	<b>R3B2PFF64 36-()</b> ( )	1,586.	1,622.	1,706.	1,876.	1,984.	2,140.	2,244.
	42"	64"	<b>R3B2PFF64 42-()</b> ( )	1,697.	1,733.	1,817.	1,987.	2,095.	2,251.	2,355.
	48"	64"	<b>R3B2PFF64 48-()</b> ( )	1,754.	1,790.	1,874.	2,044.	2,152.	2,308.	2,412.





Monolithic, fabric both sides	18"	64"	<b>R3B1PFF64 18-()</b> ( )	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
Beltway one side	20"	64"	<b>R3B1PFF64 20-()</b> ( )	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
	24"	64"	<b>R3B1PFF64 24-()</b> ( )	1,250.	1,284.	1,361.	1,515.	1,618.	1,760.	1,853.
	30"	64"	<b>R3B1PFF64 30-()</b> ( )	1,279.	1,313.	1,390.	1,544.	1,647.	1,789.	1,882.
	36"	64"	<b>R3B1PFF64 36-()</b> ( )	1,553.	1,587.	1,664.	1,818.	1,921.	2,063.	2,156.
	42"	64"	<b>R3B1PFF64 42-()</b> ( )	1,660.	1,694.	1,771.	1,925.	2,028.	2,170.	2,263.
	48"	64"	<b>R3B1PFF64 48-()</b> ( )	1,712.	1,746.	1,823.	1,977.	2,080.	2,222.	2,315.

Order Code	Specification Information	Application Notes
Example: <b>R3B2PFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	<p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>Beltways; B1 = Beltway 1 side B2 = Beltway 2 side</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Applicable finishes are listed on page 5 and 6.</p>
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B2</b> Beltway both sides, B1=Beltway, one side	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) Below Belt	
<b>64</b> 64" high	5. Panel side 1 finish(s) Above Belt	
<b>18</b> 18" wide	6. Panel side 2 finish(s) Below Belt	
<b>A</b> Flat style top trim profile	7. Panel side 2 finish(s) Above Belt	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish	
<b>W281</b> Fabric - Side 1 Below belt	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>
<b>W281</b> Fabric - Side 1 Above belt		
<b>W281</b> Fabric - Side 2 Below belt		
<b>W281</b> Fabric - Side 2 Above belt		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Beltway finish		

# Monolithic panels 64" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PFL64 18-( ) ( )</b>	\$625.	\$640.	\$669.	\$732.	\$774.	\$831.	\$868.
	20"	64"	<b>R3B0PFL64 20-( ) ( )</b>	625.	640.	669.	732.	774.	831.	868.
	24"	64"	<b>R3B0PFL64 24-( ) ( )</b>	687.	702.	731.	794.	836.	893.	930.
	30"	64"	<b>R3B0PFL64 30-( ) ( )</b>	776.	791.	820.	883.	925.	982.	1,019.
	36"	64"	<b>R3B0PFL64 36-( ) ( )</b>	836.	851.	880.	943.	985.	1,042.	1,079.
	42"	64"	<b>R3B0PFL64 42-( ) ( )</b>	927.	942.	971.	1,034.	1,076.	1,133.	1,170.
	48"	64"	<b>R3B0PFL64 48-( ) ( )</b>	1,043.	1,058.	1,087.	1,150.	1,192.	1,249.	1,286.
	60"	64"	<b>R3B0PFL64 60-( ) ( ) *</b>	1,129.	1,163.	1,221.	1,351.	1,438.	1,551.	1,624.
	66"	64"	<b>R3B0PFL64 66-( ) ( ) *</b>	1,168.	1,201.	1,260.	1,390.	1,477.	1,590.	1,663.
	72"	64"	<b>R3B0PFL64 72-( ) ( ) *</b>	1,206.	1,239.	1,298.	1,428.	1,515.	1,628.	1,701.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PFL64 18-( ) ( )</b>	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
	20"	64"	<b>R3B1PFL64 20-( ) ( )</b>	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
	24"	64"	<b>R3B1PFL64 24-( ) ( )</b>	1,131.	1,148.	1,185.	1,261.	1,308.	1,375.	1,423.
	30"	64"	<b>R3B1PFL64 30-( ) ( )</b>	1,198.	1,215.	1,252.	1,328.	1,375.	1,442.	1,490.
	36"	64"	<b>R3B1PFL64 36-( ) ( )</b>	1,489.	1,506.	1,543.	1,619.	1,666.	1,733.	1,781.
	42"	64"	<b>R3B1PFL64 42-( ) ( )</b>	1,546.	1,563.	1,600.	1,676.	1,723.	1,790.	1,838.
	48"	64"	<b>R3B1PFL64 48-( ) ( )</b>	1,672.	1,689.	1,726.	1,802.	1,849.	1,916.	1,964.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL6418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>FL</b> Fabric one side, laminate other <b>64</b> 64" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>114</b> Folkstone grey - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1-Below belt Side 1-Above belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.



\*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.



# Monolithic panels 64" H



*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PF164 18-()</b> ( )	\$734.	\$750.	\$787.	\$858.	\$906.	\$972.	\$1,015.
	20"	64"	<b>R3B0PF164 20-()</b> ( )	734.	750.	787.	858.	906.	972.	1,015.
	24"	64"	<b>R3B0PF164 24-()</b> ( )	805.	821.	858.	929.	977.	1,043.	1,086.
	30"	64"	<b>R3B0PF164 30-()</b> ( )	912.	928.	965.	1,036.	1,084.	1,150.	1,193.
	36"	64"	<b>R3B0PF164 36-()</b> ( )	985.	1,001.	1,038.	1,109.	1,157.	1,223.	1,266.
	42"	64"	<b>R3B0PF164 42-()</b> ( )	1,090.	1,106.	1,143.	1,214.	1,262.	1,328.	1,371.
	48"	64"	<b>R3B0PF164 48-()</b> ( )	1,228.	1,244.	1,281.	1,352.	1,400.	1,466.	1,509.
	60"	64"	<b>R3B0PF164 60-()</b> ( ) *	1,328.	1,367.	1,434.	1,583.	1,684.	1,815.	1,900.
	66"	64"	<b>R3B0PF164 66-()</b> ( ) *	1,374.	1,413.	1,480.	1,629.	1,730.	1,861.	1,946.
	72"	64"	<b>R3B0PF164 72-()</b> ( ) *	1,419.	1,458.	1,525.	1,674.	1,775.	1,906.	1,991.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PF164 18-()</b> ( )	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
	20"	64"	<b>R3B1PF164 20-()</b> ( )	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
	24"	64"	<b>R3B1PF164 24-()</b> ( )	1,327.	1,343.	1,387.	1,473.	1,527.	1,606.	1,662.
	30"	64"	<b>R3B1PF164 30-()</b> ( )	1,409.	1,425.	1,469.	1,555.	1,609.	1,688.	1,744.
	36"	64"	<b>R3B1PF164 36-()</b> ( )	1,750.	1,766.	1,810.	1,896.	1,950.	2,029.	2,085.
	42"	64"	<b>R3B1PF164 42-()</b> ( )	1,820.	1,836.	1,880.	1,966.	2,020.	2,099.	2,155.
	48"	64"	<b>R3B1PF164 48-()</b> ( )	1,966.	1,982.	2,026.	2,112.	2,166.	2,245.	2,301.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF16418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F1</b> Fabric one side, V1 other <b>64</b> 64" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>Y328</b> Mahogany - side 2 <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 64" H


*fabric one side, conventional veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	<b>R3B0PF264 18-()</b> ( )	\$749.	\$765.	\$802.	\$873.	\$921.	\$987.	\$1,030.
	20"	64"	<b>R3B0PF264 20-()</b> ( )	749.	765.	802.	873.	921.	987.	1,030.
	24"	64"	<b>R3B0PF264 24-()</b> ( )	820.	836.	873.	944.	992.	1,058.	1,101.
	30"	64"	<b>R3B0PF264 30-()</b> ( )	928.	944.	981.	1,052.	1,100.	1,166.	1,209.
	36"	64"	<b>R3B0PF264 36-()</b> ( )	1,000.	1,016.	1,053.	1,124.	1,172.	1,238.	1,281.
	42"	64"	<b>R3B0PF264 42-()</b> ( )	1,108.	1,124.	1,161.	1,232.	1,280.	1,346.	1,389.
	48"	64"	<b>R3B0PF264 48-()</b> ( )	1,251.	1,267.	1,304.	1,375.	1,423.	1,489.	1,532.
	60"	64"	<b>R3B0PF264 60-()</b> ( ) *	1,348.	1,387.	1,454.	1,603.	1,704.	1,835.	1,920.
	66"	64"	<b>R3B0PF264 66-()</b> ( ) *	1,396.	1,435.	1,502.	1,651.	1,752.	1,883.	1,968.
	72"	64"	<b>R3B0PF264 72-()</b> ( ) *	1,445.	1,484.	1,551.	1,700.	1,801.	1,932.	2,017.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	<b>R3B1PF264 18-()</b> ( )	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
	20"	64"	<b>R3B1PF264 20-()</b> ( )	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
	24"	64"	<b>R3B1PF264 24-()</b> ( )	1,353.	1,369.	1,413.	1,499.	1,553.	1,632.	1,688.
	30"	64"	<b>R3B1PF264 30-()</b> ( )	1,435.	1,451.	1,495.	1,581.	1,635.	1,714.	1,770.
	36"	64"	<b>R3B1PF264 36-()</b> ( )	1,779.	1,795.	1,839.	1,925.	1,979.	2,058.	2,114.
	42"	64"	<b>R3B1PF264 42-()</b> ( )	1,853.	1,869.	1,913.	1,999.	2,053.	2,132.	2,188.
	48"	64"	<b>R3B1PF264 48-()</b> ( )	2,002.	2,018.	2,062.	2,148.	2,202.	2,281.	2,337.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF26418-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>F2</b> Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>64</b> 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	For panels with Beltway, please specify;	4 = 4" base height
<b>A</b> Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
<b>K</b> Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
<b>W281</b> Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
<b>V316</b> Maple surface - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
<b>V316</b> Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
<b>111</b> Jet Black (base finish)	ii) Top trim profile E options:	
<b>M</b> Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
		Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		*These panel widths do not accept stacking modules.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 64" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	<b>R3B0PF364 18-()</b> ( )	\$988.	\$1,004.	\$1,041.	\$1,112.	\$1,160.	\$1,226.	\$1,269.
Regular acoustics	20"	64"	<b>R3B0PF364 20-()</b> ( )	988.	1,004.	1,041.	1,112.	1,160.	1,226.	1,269.
	24"	64"	<b>R3B0PF364 24-()</b> ( )	1,084.	1,100.	1,137.	1,208.	1,256.	1,322.	1,365.
	30"	64"	<b>R3B0PF364 30-()</b> ( )	1,227.	1,243.	1,280.	1,351.	1,399.	1,465.	1,508.
	36"	64"	<b>R3B0PF364 36-()</b> ( )	1,326.	1,342.	1,379.	1,450.	1,498.	1,564.	1,607.
	42"	64"	<b>R3B0PF364 42-()</b> ( )	1,473.	1,489.	1,526.	1,597.	1,645.	1,711.	1,754.
	48"	64"	<b>R3B0PF364 48-()</b> ( )	1,664.	1,680.	1,717.	1,788.	1,836.	1,902.	1,945.
	60"	64"	<b>R3B0PF364 60-()</b> ( )*	1,773.	1,812.	1,879.	2,028.	2,129.	2,260.	2,345.
	66"	64"	<b>R3B0PF364 66-()</b> ( )*	1,838.	1,877.	1,944.	2,093.	2,194.	2,325.	2,410.
	72"	64"	<b>R3B0PF364 72-()</b> ( )*	1,903.	1,942.	2,009.	2,158.	2,259.	2,390.	2,475.

Monolithic, fabric one side	18"	64"	<b>R3B1PF364 18-()</b> ( )	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
Beltway fabric side	20"	64"	<b>R3B1PF364 20-()</b> ( )	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
	24"	64"	<b>R3B1PF364 24-()</b> ( )	1,799.	1,815.	1,859.	1,945.	1,999.	2,078.	2,134.
	30"	64"	<b>R3B1PF364 30-()</b> ( )	1,910.	1,926.	1,970.	2,056.	2,110.	2,189.	2,245.
	36"	64"	<b>R3B1PF364 36-()</b> ( )	2,376.	2,392.	2,436.	2,522.	2,576.	2,655.	2,711.
	42"	64"	<b>R3B1PF364 42-()</b> ( )	2,474.	2,490.	2,534.	2,620.	2,674.	2,753.	2,809.
	48"	64"	<b>R3B1PF364 48-()</b> ( )	2,677.	2,693.	2,737.	2,823.	2,877.	2,956.	3,012.

Order Code	Specification Information
Example: <b>R3B0PF36418-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>F3</b>	Fabric one side, V3 other
<b>64</b>	64" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1
<b>V512</b>	Figured Anigre surface - side 2
<b>V512</b>	Figured Anigre (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside For panels with beltway, please specify: Side 1 - Below belt Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
6" Raceway option increases panel height by 2 3/4".
Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


\*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 64" H

## Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	64"	<b>R3B0PLL6418( )()</b>	\$833.
	20"	64"	<b>R3B0PLL6420( )()</b>	833.
	24"	64"	<b>R3B0PLL6424( )()</b>	908.
	30"	64"	<b>R3B0PLL6430( )()</b>	1,017.
	36"	64"	<b>R3B0PLL6436( )()</b>	1,098.
	42"	64"	<b>R3B0PLL6442( )()</b>	1,207.
	48"	64"	<b>R3B0PLL6448( )()</b>	1,352.
	60"	64"	<b>R3B0PLL6460( )()*</b>	1,461.
	66"	64"	<b>R3B0PLL6466( )()*</b>	1,505.
	72"	64"	<b>R3B0PLL6472( )()*</b>	1,550.

### Order Code

Example:	<b>R3B0PLL6418-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>P</b>	Monolithic panel
<b>LL</b>	Laminate both sides
<b>64</b>	64" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>118</b>	Laminate - side 1
<b>118</b>	Laminate - side 2
<b>V512</b>	Figured Anigre (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

### Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Panel side 1 inside
5. Panel side 2 outside
6. Top trim finish  
i) Top trim profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

### Application Notes

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

2. *Base height:*  
4 = 4" base height

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.



Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

\*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 79" H fabric both sides


description	w	h	pattern no.	grade							
				10	15	20	30	35	40	45	
Monolithic, fabric both sides	18"	79"	<b>R3B0PFF79 18-()</b> ( )	\$889.	\$937.	\$1,019.	\$1,193.	\$1,311.	\$1,471.	\$1,565.	
Regular acoustics	20"	79"	<b>R3B0PFF79 20-()</b> ( )	889.	937.	1,019.	1,193.	1,311.	1,471.	1,565.	
	24"	79"	<b>R3B0PFF79 24-()</b> ( )	946.	994.	1,076.	1,250.	1,368.	1,528.	1,622.	
	30"	79"	<b>R3B0PFF79 30-()</b> ( )	1,021.	1,069.	1,151.	1,325.	1,443.	1,603.	1,697.	
	36"	79"	<b>R3B0PFF79 36-()</b> ( )	1,047.	1,095.	1,177.	1,351.	1,469.	1,629.	1,723.	
	42"	79"	<b>R3B0PFF79 42-()</b> ( )	1,125.	1,173.	1,255.	1,429.	1,547.	1,707.	1,801.	
	48"	79"	<b>R3B0PFF79 48-()</b> ( )	1,247.	1,295.	1,377.	1,551.	1,669.	1,829.	1,923.	
	60"	79"	<b>R3B0PFF79 60-()</b> ( )	1,442.	1,536.	1,700.	2,048.	2,294.	2,608.	2,800.	
	66"	79"	<b>R3B0PFF79 66-()</b> ( )	1,476.	1,570.	1,773.	2,082.	2,328.	2,642.	2,834.	
	72"	79"	<b>R3B0PFF79 72-()</b> ( )	1,509.	1,603.	1,767.	2,115.	2,361.	2,675.	2,867.	
	Monolithic, fabric both sides	18"	79"	<b>R3B0PAA79 18-()</b> ( )	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
	High acoustics	20"	79"	<b>R3B0PAA79 20-()</b> ( )	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
	24"	79"	<b>R3B0PAA79 24-()</b> ( )	1,032.	1,080.	1,162.	1,336.	1,454.	1,614.	1,708.	
	30"	79"	<b>R3B0PAA79 30-()</b> ( )	1,116.	1,164.	1,246.	1,420.	1,538.	1,698.	1,792.	
	36"	79"	<b>R3B0PAA79 36-()</b> ( )	1,150.	1,198.	1,280.	1,454.	1,572.	1,732.	1,826.	
	42"	79"	<b>R3B0PAA79 42-()</b> ( )	1,233.	1,281.	1,363.	1,537.	1,655.	1,815.	1,909.	
	48"	79"	<b>R3B0PAA79 48-()</b> ( )	1,371.	1,419.	1,501.	1,675.	1,793.	1,953.	2,047.	
	60"	79"	<b>R3B0PAA79 60-()</b> ( )	1,570.	1,664.	1,828.	2,176.	2,422.	2,736.	2,928.	
	66"	79"	<b>R3B0PAA79 66-()</b> ( )	1,606.	1,700.	1,864.	2,212.	2,458.	2,772.	2,964.	
	72"	79"	<b>R3B0PAA79 72-()</b> ( )	1,640.	1,734.	1,898.	2,246.	2,492.	2,806.	2,998.	

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page are not designed to be stacked upon.
<b>R3</b> Reff Generation 3	1. Top trim profile	
<b>B0</b> No Beltway	2. Base height	Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>FF</b> Fabric on both sides	4. Panel side 1 finish(s) inside	6" Raceway option increases panel height by 2 3/4".
<b>79</b> 79" high	5. Panel side 2 finish(s) outside	
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>A</b> Flat style top trim profile	7. Base finish	
<b>4</b> 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Remember to specify Beltway paint finish when applicable.
<b>K</b> Include knockouts in base		
<b>W281</b> Fabric - Side 1		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric - Side 2		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled profile		


# Monolithic panels 79" H

*fabric both sides with Beltway*

description	w	h	pattern n	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway one side	18"	79"	<b>R3B1PFF79 18-()</b> ( )	\$1,280.	\$1,329.	\$1,421.	\$1,616.	\$1,742.	\$1,921.	\$2,033.
	20"	79"	<b>R3B1PFF79 20-()</b> ( )	1,280.	1,329.	1,421.	1,616.	1,742.	1,921.	2,033.
	24"	79"	<b>R3B1PFF79 24-()</b> ( )	1,339.	1,388.	1,480.	1,675.	1,801.	1,980.	2,092.
	30"	79"	<b>R3B1PFF79 30-()</b> ( )	1,366.	1,415.	1,507.	1,702.	1,828.	2,007.	2,119.
	36"	79"	<b>R3B1PFF79 36-()</b> ( )	1,639.	1,688.	1,780.	1,975.	2,101.	2,280.	2,392.
	42"	79"	<b>R3B1PFF79 42-()</b> ( )	1,746.	1,795.	1,887.	2,082.	2,208.	2,387.	2,499.
	48"	79"	<b>R3B1PFF79 48-()</b> ( )	1,798.	1,847.	1,939.	2,134.	2,260.	2,439.	2,551.



Monolithic, fabric both sides Beltway two sides	18"	79"	<b>R3B2PFF79 18-()</b> ( )	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
	20"	79"	<b>R3B2PFF79 20-()</b> ( )	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
	24"	79"	<b>R3B2PFF79 24-()</b> ( )	1,405.	1,455.	1,557.	1,773.	1,907.	2,105.	2,235.
	30"	79"	<b>R3B2PFF79 30-()</b> ( )	1,433.	1,483.	1,585.	1,801.	1,935.	2,133.	2,263.
	36"	79"	<b>R3B2PFF79 36-()</b> ( )	1,710.	1,760.	1,862.	2,078.	2,212.	2,410.	2,540.
	42"	79"	<b>R3B2PFF79 42-()</b> ( )	1,820.	1,870.	1,972.	2,188.	2,322.	2,520.	2,650.
	48"	79"	<b>R3B2PFF79 48-()</b> ( )	1,876.	1,926.	2,028.	2,244.	2,378.	2,576.	2,706.



Order Code	Specification Information	Application Notes
Example: <b>R3B1PFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Panel side 1 below belt	<i>2. Base height:</i>
<b>18</b> 18" wide	5. Panel side 1 above belt	4 = 4" base height
<b>A</b> Flat style top trim	6. Panel side 2 below belt	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	7. Panel side 2 above belt	<i>3. Beltway:</i>
<b>K</b> Include knockouts in base	8. Top trim finish	B1 = Beltway 1 side
<b>W281</b> Fabric - Side 1 below belt	i)Top trim profile A,B or C options:	B2 = Beltway 2 sides
<b>W281</b> Fabric - Side 1 above belt	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric - Side 2 below belt	ii)Top trim profile E options:	
<b>W281</b> Fabric - Side 2 above belt	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>V316</b> Maple (top trim finish)	9. Base finish	
<b>111</b> Jet Black (base finish)	10. Beltway finish	
<b>111</b> Beltway finish	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".



Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Monolithic panels 79" H

*fabric one side, laminate other side*



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PFL79 18-()</b> ( )	\$789.	\$810.	\$846.	\$923.	\$975.	\$1,046.	\$1,088.
	20"	79"	<b>R3B0PFL79 20-()</b> ( )	789.	810.	846.	923.	975.	1,046.	1,088.
	24"	79"	<b>R3B0PFL79 24-()</b> ( )	864.	885.	921.	998.	1,050.	1,121.	1,163.
	30"	79"	<b>R3B0PFL79 30-()</b> ( )	972.	993.	1,029.	1,106.	1,158.	1,229.	1,271.
	36"	79"	<b>R3B0PFL79 36-()</b> ( )	1,060.	1,081.	1,117.	1,194.	1,246.	1,317.	1,359.
	42"	79"	<b>R3B0PFL79 42-()</b> ( )	1,173.	1,194.	1,230.	1,307.	1,359.	1,430.	1,472.
	48"	79"	<b>R3B0PFL79 48-()</b> ( )	1,311.	1,332.	1,368.	1,445.	1,497.	1,568.	1,610.
	60"	79"	<b>R3B0PFL79 60-()</b> ( )	1,412.	1,454.	1,526.	1,679.	1,788.	1,927.	2,011.
	66"	79"	<b>R3B0PFL79 66-()</b> ( )	1,440.	1,482.	1,554.	1,707.	1,816.	1,955.	2,039.
	72"	79"	<b>R3B0PFL79 72-()</b> ( )	1,469.	1,511.	1,583.	1,736.	1,845.	1,984.	2,068.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	<b>R3B1PFL79 18-()</b> ( )	1,139.	1,163.	1,208.	1,303.	1,362.	1,450.	1,508.
	20"	79"	<b>R3B1PFL79 20-()</b> ( )	1,139.	1,163.	1,208.	1,303.	1,363.	1,450.	1,508.
	24"	79"	<b>R3B1PFL79 24-()</b> ( )	1,218.	1,242.	1,287.	1,382.	1,441.	1,529.	1,587.
	30"	79"	<b>R3B1PFL79 30-()</b> ( )	1,290.	1,314.	1,359.	1,454.	1,513.	1,601.	1,659.
	36"	79"	<b>R3B1PFL79 36-()</b> ( )	1,599.	1,623.	1,668.	1,763.	1,822.	1,910.	1,968.
	42"	79"	<b>R3B1PFL79 42-()</b> ( )	1,745.	1,769.	1,814.	1,909.	1,968.	2,056.	2,114.
	48"	79"	<b>R3B1PFL79 48-()</b> ( )	1,825.	1,849.	1,894.	1,989.	2,048.	2,136.	2,194.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PFL7918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FL</b> Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	For panels with Beltway, please specify;	4 = 4" base height
<b>A</b> Flat style top trim profile	Side 1 - Below belt	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	Side 1 - Above belt	Applicable finishes are listed on page 5 and 6.
<b>K</b> Include knockouts in base	5. Panel side 2 finish(s) outside	Product on this page will accept wood grain laminate where laminate is currently an option.
<b>W281</b> Fabric - Side 1	6. Top trim finish	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>114</b> Folkstone grey - side 2	i) Top trim profile A, B or C options:	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>V316</b> Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish when applicable.
<b>111</b> Jet Black (base finish)	ii) Top trim profile E options:	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>M</b> Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	



# Monolithic panels 79" H

*fabric one side, techwood other side*



description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PF179 18-()</b> ( )	\$926.	\$950.	\$992.	\$1,081.	\$1,142.	\$1,222.	\$1,273.
	20"	79"	<b>R3B0PF179 20-()</b> ( )	926.	950.	992.	1,081.	1,142.	1,222.	1,273.
	24"	79"	<b>R3B0PF179 24-()</b> ( )	1,012.	1,036.	1,078.	1,167.	1,228.	1,308.	1,359.
	30"	79"	<b>R3B0PF179 30-()</b> ( )	1,145.	1,169.	1,211.	1,300.	1,361.	1,441.	1,492.
	36"	79"	<b>R3B0PF179 36-()</b> ( )	1,247.	1,271.	1,313.	1,402.	1,463.	1,543.	1,594.
	42"	79"	<b>R3B0PF179 42-()</b> ( )	1,377.	1,401.	1,443.	1,532.	1,593.	1,673.	1,724.
	48"	79"	<b>R3B0PF179 48-()</b> ( )	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	60"	79"	<b>R3B0PF179 60-()</b> ( )	1,658.	1,706.	1,790.	1,967.	2,094.	2,252.	2,350.
	66"	79"	<b>R3B0PF179 66-()</b> ( )	1,694.	1,742.	1,826.	2,003.	2,130.	2,288.	2,386.
	72"	79"	<b>R3B0PF179 72-()</b> ( )	1,722.	1,770.	1,854.	2,031.	2,158.	2,316.	2,414.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	<b>R3B1PF179 18-()</b> ( )	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
	20"	79"	<b>R3B1PF179 20-()</b> ( )	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
	24"	79"	<b>R3B1PF179 24-()</b> ( )	1,430.	1,455.	1,507.	1,618.	1,686.	1,787.	1,855.
	30"	79"	<b>R3B1PF179 30-()</b> ( )	1,519.	1,544.	1,596.	1,707.	1,775.	1,876.	1,944.
	36"	79"	<b>R3B1PF179 36-()</b> ( )	1,882.	1,907.	1,959.	2,070.	2,138.	2,239.	2,307.
	42"	79"	<b>R3B1PF179 42-()</b> ( )	2,050.	2,075.	2,127.	2,238.	2,306.	2,407.	2,475.
	48"	79"	<b>R3B1PF179 48-()</b> ( )	2,143.	2,168.	2,220.	2,331.	2,399.	2,500.	2,568.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF17918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 2	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>F1</b> Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	For panels with Beltway, please specify;	4 = 4" base height
<b>A</b> Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	Side 1 - Above Belt	Applicable finishes are listed on page 5 and 6.
<b>K</b> Include knockouts in base	5. Panel side 2 finish(s) outside	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>W281</b> Fabric - Side 1	6. Top trim finish	Remember to specify Beltway paint finish when applicable.
<b>Y328</b> Mahogany - side 2	i) Top trim profile A, B or C options:	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>V316</b> Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
<b>111</b> Jet Black (base finish)	ii) Top trim profile E options:	
<b>M</b> Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	



# Monolithic panels 79" H


*fabric one side, conventional veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PF279 18-( ) ( )</b>	\$942.	\$966.	\$1,008.	\$1,097.	\$1,158.	\$1,238.	\$1,289.
	20"	79"	<b>R3B0PF279 20-( ) ( )</b>	942.	966.	1,008.	1,097.	1,158.	1,238.	1,289.
	24"	79"	<b>R3B0PF279 24-( ) ( )</b>	1,032.	1,056.	1,098.	1,187.	1,248.	1,328.	1,379.
	30"	79"	<b>R3B0PF279 30-( ) ( )</b>	1,165.	1,189.	1,231.	1,320.	1,381.	1,461.	1,512.
	36"	79"	<b>R3B0PF279 36-( ) ( )</b>	1,269.	1,293.	1,335.	1,424.	1,485.	1,565.	1,616.
	42"	79"	<b>R3B0PF279 42-( ) ( )</b>	1,403.	1,427.	1,469.	1,558.	1,619.	1,699.	1,750.
	48"	79"	<b>R3B0PF279 48-( ) ( )</b>	1,570.	1,594.	1,636.	1,725.	1,786.	1,866.	1,917.
	60"	79"	<b>R3B0PF279 60-( ) ( )</b>	1,689.	1,737.	1,821.	1,998.	2,125.	2,283.	2,381.
	66"	79"	<b>R3B0PF279 66-( ) ( )</b>	1,721.	1,769.	1,853.	2,030.	2,157.	2,315.	2,413.
	72"	79"	<b>R3B0PF279 72-( ) ( )</b>	1,757.	1,805.	1,889.	2,066.	2,193.	2,351.	2,449.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	<b>R3B1PF279 18-( ) ( )</b>	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
	20"	79"	<b>R3B1PF279 20-( ) ( )</b>	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
	24"	79"	<b>R3B1PF279 24-( ) ( )</b>	1,456.	1,481.	1,533.	1,644.	1,712.	1,813.	1,881.
	30"	79"	<b>R3B1PF279 30-( ) ( )</b>	1,544.	1,569.	1,621.	1,732.	1,800.	1,901.	1,969.
	36"	79"	<b>R3B1PF279 36-( ) ( )</b>	1,913.	1,938.	1,990.	2,101.	2,169.	2,270.	2,338.
	42"	79"	<b>R3B1PF279 42-( ) ( )</b>	2,087.	2,112.	2,164.	2,275.	2,343.	2,444.	2,512.
	48"	79"	<b>R3B1PF279 48-( ) ( )</b>	2,182.	2,207.	2,259.	2,370.	2,438.	2,539.	2,607.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF27918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>F2</b> Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>79</b> 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
<b>18</b> 18" wide	For panels with Beltway, please specify;	4 = 4" base height
<b>A</b> Flat style top trim profile	Side 1 = Below Belt	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	Side 1 = Above Belt	Applicable finishes are listed on page 5 and 6.
<b>K</b> Include knockouts in base	5. Panel side 2 finish(s) outside	
<b>W281</b> Fabric - Side 1	6. Top trim finish	<i>1. Top trim profile:</i>
<b>V316</b> Maple surface - side 2	i) Top trim profile A, B or C options:	The panels on this page are not designed to be stacked upon.
<b>V316</b> Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
<b>111</b> Jet Black (base finish)	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
<b>M</b> Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
	7. Base finish	Remember to specify Beltway paint finish when applicable.
	8. Beltway finish - only for panels with Beltway	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Monolithic panels 79" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	<b>R3B0PF379 18-()</b> ( )	\$1,241.	\$1,265.	\$1,307.	\$1,396.	\$1,457.	\$1,537.	\$1,588.
	20"	79"	<b>R3B0PF379 20-()</b> ( )	1,241.	1,265.	1,307.	1,396.	1,457.	1,537.	1,587.
	24"	79"	<b>R3B0PF379 24-()</b> ( )	1,365.	1,389.	1,431.	1,520.	1,581.	1,661.	1,712.
	30"	79"	<b>R3B0PF379 30-()</b> ( )	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	36"	79"	<b>R3B0PF379 36-()</b> ( )	1,686.	1,710.	1,752.	1,841.	1,901.	1,982.	2,033.
	42"	79"	<b>R3B0PF379 42-()</b> ( )	1,866.	1,890.	1,932.	2,021.	2,082.	2,162.	2,213.
	48"	79"	<b>R3B0PF379 48-()</b> ( )	2,094.	2,118.	2,160.	2,249.	2,310.	2,390.	2,441.
	60"	79"	<b>R3B0PF379 60-()</b> ( )*	2,221.	2,269.	2,353.	2,530.	2,657.	2,815.	2,913.
	66"	79"	<b>R3B0PF379 66-()</b> ( )*	2,266.	2,314.	2,398.	2,575.	2,702.	2,860.	2,958.
	72"	79"	<b>R3B0PF379 72-()</b> ( )*	2,315.	2,363.	2,447.	2,624.	2,751.	2,909.	3,007.

Monolithic, fabric one side Beltway fabric side 	18"	79"	<b>R3B1PF379 18-()</b> ( )	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
	20"	79"	<b>R3B1PF379 20-()</b> ( )	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
	24"	79"	<b>R3B1PF379 24-()</b> ( )	1,921.	1,946.	1,998.	2,109.	2,177.	2,278.	2,346.
	30"	79"	<b>R3B1PF379 30-()</b> ( )	2,040.	2,065.	2,117.	2,228.	2,296.	2,397.	2,465.
	36"	79"	<b>R3B1PF379 36-()</b> ( )	2,537.	2,562.	2,614.	2,725.	2,793.	2,894.	2,962.
	42"	79"	<b>R3B1PF379 42-()</b> ( )	2,771.	2,796.	2,848.	2,959.	3,027.	3,128.	3,196.
	48"	79"	<b>R3B1PF379 48-()</b> ( )	2,902.	2,927.	2,979.	3,090.	3,158.	3,259.	3,327.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PF37918-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>P</b> Monolithic panel <b>F3</b> Fabric one side, V3 other <b>79</b> 79" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>W281</b> Fabric - Side 1 <b>V512</b> Figured Anigre surface - side 2 <b>V512</b> Figured Anigre (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


# Monolithic panels 79" H

## Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	<b>R3B0PLL7918( )()</b>	\$909.
	20"	79"	<b>R3B0PLL7920( )()</b>	909.
	24"	79"	<b>R3B0PLL7924( )()</b>	991.
	30"	79"	<b>R3B0PLL7930( )()</b>	1,109.
	36"	79"	<b>R3B0PLL7936( )()</b>	1,199.
	42"	79"	<b>R3B0PLL7942( )()</b>	1,318.
	48"	79"	<b>R3B0PLL7948( )()</b>	1,477.
	60"	79"	<b>R3B0PLL7960( )()*</b>	1,594.
	66"	79"	<b>R3B0PLL7966( )()*</b>	1,642.
	72"	79"	<b>R3B0PLL7972( )()*</b>	1,691.

Order Code	Specification Information	Application Notes
Example: <b>R3B0PLL7918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
<b>LL</b> Laminate both sides	4. Panel side 1 inside	Product on this page will accept wood grain laminate where laminate is currently an option.
<b>79</b> 79" high	5. Panel side 2 outside	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>18</b> 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page are not designed to be stacked upon.
<b>A</b> Flat style top trim profile	7. Base finish	Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
<b>4</b> 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>118</b> Laminate - side 1		Remember to specify Beltway paint finish when applicable.
<b>118</b> Laminate - side 2		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		




# Tiled panels 34" H fabric

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	<b>R3B0TFF34 18-()()</b>	\$592.	\$624.	\$684.	\$752.	\$808.	\$896.	\$948.
Regular acoustics	20"	34"	<b>R3B0TFF34 20-()()</b>	592.	624.	684.	752.	808.	896.	948.
	24"	34"	<b>R3B0TFF34 24-()()</b>	640.	672.	732.	800.	856.	944.	996.
	30"	34"	<b>R3B0TFF34 30-()()</b>	684.	716.	776.	844.	900.	988.	1,040.
	36"	34"	<b>R3B0TFF34 36-()()</b>	728.	760.	820.	888.	944.	1,032.	1,084.
	42"	34"	<b>R3B0TFF34 42-()()</b>	838.	870.	930.	998.	1,054.	1,142.	1,194.
	48"	34"	<b>R3B0TFF34 48-()()</b>	870.	902.	962.	1,030.	1,086.	1,174.	1,226.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF3418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel)	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.
<b>B0</b> No Beltway	1. Top trim profile	
<b>T</b> Tiled panel	2. Base height	
<b>FF</b> Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	All panels on this page accept stacking modules.  6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>34</b> 34" high	4. Panel side 1A	
<b>18</b> 18" wide	5. Panel side 1B	
<b>A</b> Flat style top trim profile	6. Panel side 2A	
<b>4</b> 4" base height	7. Panel side 2B	Applicable finishes are listed on page 5 and 6.
<b>K</b> Include knockouts in base	8. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric - Side 1A	9. Base finish	
<b>W281</b> Fabric - Side 1B	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
<b>W281</b> Fabric - Side 2A		
<b>W281</b> Fabric - Side 2B		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	

# Tiled panels 34" H glass

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A)	18"	34"	<b>R2B0TWA34 18-</b> ( ) ( )	\$930.	\$1,106.	\$37.	\$74.	\$93.
	20"	34"	<b>R2B0TWA34 20-</b> ( ) ( )	930.	1,106.	37.	74.	93.
	24"	34"	<b>R2B0TWA34 24-</b> ( ) ( )	973.	1,183.	37.	74.	98.
	30"	34"	<b>R2B0TWA34 30-</b> ( ) ( )	1,129.	1,389.	37.	74.	112.
	36"	34"	<b>R2B0TWA34 36-</b> ( ) ( )	1,171.	1,483.	37.	74.	114.
	42"	34"	<b>R2B0TWA34 42-</b> ( ) ( )	1,229.	1,600.	37.	74.	121.
	48"	34"	<b>R2B0TWA34 48-</b> ( ) ( )	1,273.	1,695.	37.	74.	126.
Tiled, two 15" high glass sections with center mullion (type B)	30"	34"	<b>R2B0TWB34 30-</b> ( ) ( )	1,351.	1,614.	37.	74.	135.
	36"	34"	<b>R2B0TWB34 36-</b> ( ) ( )	1,407.	1,723.	37.	74.	139.
	42"	34"	<b>R2B0TWB34 42-</b> ( ) ( )	1,474.	1,840.	37.	74.	144.
	48"	34"	<b>R2B0TWB34 48-</b> ( ) ( )	1,529.	1,956.	37.	74.	150.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C	18"	34"	<b>R2B0TWC34 18-</b> ( ) ( )	733.	956.	29.	60.	112.
	20"	34"	<b>R2B0TWC34 20-</b> ( ) ( )	733.	956.	29.	60.	112.
	24"	34"	<b>R2B0TWC34 24-</b> ( ) ( )	773.	1,007.	29.	60.	121.
	30"	34"	<b>R2B0TWC34 30-</b> ( ) ( )	954.	1,240.	37.	74.	152.
	36"	34"	<b>R2B0TWC34 36-</b> ( ) ( )	1,062.	1,378.	37.	74.	171.
	42"	34"	<b>R2B0TWC34 42-</b> ( ) ( )	1,123.	1,458.	37.	74.	186.
	48"	34"	<b>R2B0TWC34 48-</b> ( ) ( )	1,177.	1,534.	37.	74.	195.



## Order Code

Example:	<b>R2B0TWA3418-A4K</b>
<b>R2</b>	Reff Generation 2
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>WA</b>	Window, type A
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>111</b>	Tile Divider
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>111</b>	Jet Black (window frame finish)
<b>GL13</b>	Glass option

## Specification Information



- To order please specify pattern number including:*
1. Top trim profile
  2. Base height
  3. Knockout option (K = with knockouts, N = without knockouts)
  4. Divider option (applicable R2B0TWA and R2B0TWB)  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
  5. Top trim finish  
i) Top trim profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
  6. Base finish
  7. Window frame finish (Painted or Anodized aluminum finishes)  
*If AA finish (anodized) upcharge applicable as noted in AA price column*
  8. Glass type

## Application Notes

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
  2. *Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel)
  4. *Extruded aluminum tile divider:*  
Add for:  
\$14 for 18w and 20w  
\$15 for 24w and 30w  
\$16 for 36w and 42w  
\$22 for 48w
  3. *Glass type*  
Temp = Cleared tempered glass  
*Architectural options:*  
GL13 = Powder glass  
GL6 = Block matrix glass  
GL8 = Wafer glass
- All panels on this page accept stacking modules.
- 6" Raceway option increases panel height by 2 3/4".
- Applicable finishes are listed on page 5 and 6.
- All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.
- The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
- Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.
- 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 34" H



*fabric one side, laminate or techwood opposite side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	<b>R3B0TFL34 18-()</b> ( )	\$646.	\$662.	\$690.	\$724.	\$752.	\$792.	\$818.
	20"	34"	<b>R3B0TFL34 20-()</b> ( )	646.	662.	690.	724.	752.	792.	818.
	24"	34"	<b>R3B0TFL34 24-()</b> ( )	687.	703.	731.	765.	793.	833.	859.
	30"	34"	<b>R3B0TFL34 30-()</b> ( )	731.	747.	775.	809.	837.	877.	903.
	36"	34"	<b>R3B0TFL34 36-()</b> ( )	774.	790.	818.	852.	880.	920.	946.
	42"	34"	<b>R3B0TFL34 42-()</b> ( )	881.	897.	925.	959.	987.	1,027.	1,053.
	48"	34"	<b>R3B0TFL34 48-()</b> ( )	911.	927.	955.	989.	1,017.	1,057.	1,083.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	<b>R3B0TF134 18-()</b> ( )	693.	709.	741.	775.	803.	847.	873.
	20"	34"	<b>R3B0TF134 20-()</b> ( )	693.	709.	741.	775.	803.	847.	873.
	24"	34"	<b>R3B0TF134 24-()</b> ( )	740.	756.	788.	822.	850.	894.	920.
	30"	34"	<b>R3B0TF134 30-()</b> ( )	788.	804.	836.	870.	898.	942.	968.
	36"	34"	<b>R3B0TF134 36-()</b> ( )	831.	847.	879.	913.	941.	985.	1,011.
	42"	34"	<b>R3B0TF134 42-()</b> ( )	950.	966.	998.	1,032.	1,060.	1,104.	1,130.
	48"	34"	<b>R3B0TF134 48-()</b> ( )	980.	995.	1,028.	1,062.	1,090.	1,134.	1,160.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL3418-A4K</b> <b>R3</b> Reff Generation 3 <b>B0</b> No Beltway <b>T</b> Tiled panel <b>FL</b> Fabric one side, laminate other <b>34</b> 34" high <b>18</b> 18" wide <b>A</b> Flat style top trim profile <b>4</b> 4" base height <b>K</b> Include knockouts in base <b>B</b> Tile divider, black <b>W281</b> Fabric - Side 1A <b>W281</b> Fabric - Side 1B <b>114</b> Folkstone grey - side 2A <b>114</b> Folkstone grey - side 2B <b>V316</b> Maple (top trim finish) <b>111</b> Jet Black (base finish) <b>M</b> Optional milled frame	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) 5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top 6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert) 7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	8. Base finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable  1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum  2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)  4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34" h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w  Applicable finishes are listed on page 5 and 6.  Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
		All panels on this page accept stacking modules.  6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".  All panels on this page have no high acoustical option or Beltway option.  Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.  79"H hookstrip reveal strips are ordered separately from page 117 at no charge.  Ported panel components to be installed below worksurface if panel 34" h.

# Tiled panels 34" H

*fabric one side, conventional or exotic opposite side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	<b>R3B0TF234 18-()</b> ( )	\$707.	\$723.	\$755.	\$789.	\$817.	\$861.	\$887.
	20"	34"	<b>R3B0TF234 20-()</b> ( )	707.	723.	755.	789.	817.	861.	887.
	24"	34"	<b>R3B0TF234 24-()</b> ( )	753.	769.	801.	835.	863.	907.	933.
	30"	34"	<b>R3B0TF234 30-()</b> ( )	801.	817.	849.	883.	911.	955.	981.
	36"	34"	<b>R3B0TF234 36-()</b> ( )	846.	862.	894.	928.	956.	1,000.	1,026.
	42"	34"	<b>R3B0TF234 42-()</b> ( )	964.	980.	1,012.	1,046.	1,074.	1,118.	1,144.
	48"	34"	<b>R3B0TF234 48-()</b> ( )	998.	1,014.	1,046.	1,080.	1,108.	1,152.	1,178.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	<b>R3B0TF334 18-()</b> ( )	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	20"	34"	<b>R3B0TF334 20-()</b> ( )	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	24"	34"	<b>R3B0TF334 24-()</b> ( )	1,006.	1,022.	1,054.	1,088.	1,116.	1,160.	1,186.
	30"	34"	<b>R3B0TF334 30-()</b> ( )	1,070.	1,086.	1,118.	1,152.	1,180.	1,224.	1,250.
	36"	34"	<b>R3B0TF334 36-()</b> ( )	1,131.	1,147.	1,179.	1,213.	1,241.	1,285.	1,311.
	42"	34"	<b>R3B0TF334 42-()</b> ( )	1,292.	1,308.	1,340.	1,374.	1,402.	1,446.	1,472.
	48"	34"	<b>R3B0TF334 48-()</b> ( )	1,336.	1,352.	1,384.	1,418.	1,446.	1,490.	1,516.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF23418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	8. Base finish
<b>B0</b> No Beltway	2. Base height	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
<b>F2</b> Fabric one side, conventional other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>34</b> 34" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)
<b>18</b> 18" wide	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	3. All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Ported panel components to be installed below worksurface if panel 34" h.
<b>4</b> 4" base height		Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>K</b> Include knockouts in base		
<b>B</b> Tile divider, black		
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>114</b> Folkstone grey - side 2A		
<b>114</b> Folkstone grey - side 2B		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		



# Tiled panels 34" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18"	34"	<b>R3B0TLL3418</b> ( ) ( )	\$731.
	20"	34"	<b>R3B0TLL3420</b> ( ) ( )	731.
	24"	34"	<b>R3B0TLL3424</b> ( ) ( )	796.
	30"	34"	<b>R3B0TLL3430</b> ( ) ( )	892.
	36"	34"	<b>R3B0TLL3436</b> ( ) ( )	964.
	42"	34"	<b>R3B0TLL3442</b> ( ) ( )	993.
	48"	34"	<b>R3B0TLL3448</b> ( ) ( )	1,023.

Example: **R3B0TLL3418-A4K**

<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>LL</b>	Laminate both sides
<b>34</b>	34" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black
<b>118</b>	Laminate - side 1A
<b>118</b>	Laminate - side 1B
<b>118</b>	Laminate - side 2A
<b>118</b>	Laminate - side 2B
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B top
6. Hard side, finish  
If laminate:  
i) tile 2A bottom  
ii) tile 2B top  
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish  
i) Profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options:  
AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:*  
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

*1. Top trim profile:*

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

*2. Base height:*  
4 = 4" base height

*4. Extruded aluminum tile divider:*

- Optional for non fabric side only**  
(fabric side always black)  
34"h add per panel:  
\$14 for 18w and 20w  
\$15 for 24w and 30w  
\$16 for 36w and 42w  
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.  
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

All panels on this page accept stacking modules.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Ported panel components to be installed below worksurface if panel 34" h.




# Tiled panels 42" H

## *fabric both sides*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18"	42"	<b>R3B0TFF42 18-</b> ( ) ( )	\$662.	\$700.	\$780.	\$880.	\$950.	\$1,058.	\$1,128.
	20"	42"	<b>R3B0TFF42 20-</b> ( ) ( )	662.	700.	780.	880.	950.	1,058.	1,128.
	24"	42"	<b>R3B0TFF42 24-</b> ( ) ( )	711.	749.	829.	929.	999.	1,107.	1,177.
	30"	42"	<b>R3B0TFF42 30-</b> ( ) ( )	762.	800.	880.	980.	1,050.	1,158.	1,228.
	36"	42"	<b>R3B0TFF42 36-</b> ( ) ( )	811.	849.	929.	1,029.	1,099.	1,207.	1,277.
	42"	42"	<b>R3B0TFF42 42-</b> ( ) ( )	917.	955.	1,035.	1,135.	1,205.	1,313.	1,383.
	48"	42"	<b>R3B0TFF42 48-</b> ( ) ( )	964.	1,002.	1,082.	1,182.	1,252.	1,360.	1,430.



Tiled, fabric both sides High acoustics	18"	42"	<b>R3B0TAA42 18-</b> ( ) ( )	725.	763.	843.	943.	1,013.	1,121.	1,191.
	20"	42"	<b>R3B0TAA42 20-</b> ( ) ( )	725.	763.	843.	943.	1,013.	1,121.	1,191.
	24"	42"	<b>R3B0TAA42 24-</b> ( ) ( )	780.	818.	898.	998.	1,068.	1,176.	1,246.
	30"	42"	<b>R3B0TAA42 30-</b> ( ) ( )	839.	877.	957.	1,057.	1,127.	1,235.	1,305.
	36"	42"	<b>R3B0TAA42 36-</b> ( ) ( )	894.	932.	1,012.	1,112.	1,182.	1,290.	1,360.
	42"	42"	<b>R3B0TAA42 42-</b> ( ) ( )	1,012.	1,050.	1,130.	1,230.	1,300.	1,408.	1,478.
	48"	42"	<b>R3B0TAA42 48-</b> ( ) ( )	1,066.	1,104.	1,184.	1,284.	1,354.	1,462.	1,532.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF4218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	<b>1. Top trim profile:</b> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	<b>2. Base height:</b> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
<b>42</b> 42" high	<i>i</i> ) tile 1A bottom	Applicable finishes are listed on page 5 and 6.
<b>18</b> 18" wide	<i>ii</i> ) tile 1B middle	
<b>A</b> Flat style top trim profile	<i>iii</i> ) tile 1C top	
<b>4</b> 4" base height	5. Fabric side, finish (specify selection per insert)	
<b>K</b> Include knockouts in base	<i>i</i> ) tile 2A bottom	
<b>W281</b> Fabric - Side 1A	<i>ii</i> ) tile 2B middle	
<b>W281</b> Fabric - Side 1B	<i>iii</i> ) tile 2C top	
<b>W281</b> Fabric - Side 1C	6. Top trim finish	
<b>W281</b> Fabric - Side 2A	<i>i</i> ) Top trim profile A,B or C options:	
<b>W281</b> Fabric - Side 2B	V1, V2, V3, P1, P2, P3 finishes	
<b>W281</b> Fabric - Side 2C	<i>ii</i> ) Top trim profile E options:	
<b>V316</b> Maple (top trim finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>111</b> Jet Black (base finish)	7. Base finish	
<b>M</b> Optional milled frame	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 42" H

*fabric both sides with Beltway*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side 	18"	42"	<b>R3B1TFF42 18-( )()</b>	\$1,191.	\$1,229.	\$1,306.	\$1,409.	\$1,479.	\$1,587.	\$1,657.
	20"	42"	<b>R3B1TFF42 20-( )()</b>	1,191.	1,229.	1,306.	1,409.	1,479.	1,587.	1,657.
	24"	42"	<b>R3B1TFF42 24-( )()</b>	1,218.	1,256.	1,333.	1,436.	1,506.	1,614.	1,684.
	30"	42"	<b>R3B1TFF42 30-( )()</b>	1,282.	1,320.	1,397.	1,500.	1,570.	1,678.	1,748.
	36"	42"	<b>R3B1TFF42 36-( )()</b>	1,514.	1,552.	1,629.	1,732.	1,802.	1,910.	1,980.
	42"	42"	<b>R3B1TFF42 42-( )()</b>	1,635.	1,673.	1,750.	1,853.	1,923.	2,031.	2,101.
	48"	42"	<b>R3B1TFF42 48-( )()</b>	1,692.	1,730.	1,807.	1,910.	1,980.	2,088.	2,158.

Tiled, fabric both sides Beltway two sides 	18"	42"	<b>R3B2TFF42 18-( )()</b>	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	20"	42"	<b>R3B2TFF42 20-( )()</b>	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	24"	42"	<b>R3B2TFF42 24-( )()</b>	1,189.	1,227.	1,301.	1,407.	1,477.	1,585.	1,655.
	30"	42"	<b>R3B2TFF42 30-( )()</b>	1,307.	1,345.	1,419.	1,525.	1,595.	1,703.	1,773.
	36"	42"	<b>R3B2TFF42 36-( )()</b>	1,540.	1,578.	1,652.	1,758.	1,828.	1,936.	2,006.
	42"	42"	<b>R3B2TFF42 42-( )()</b>	1,666.	1,704.	1,778.	1,884.	1,954.	2,062.	2,132.
	48"	42"	<b>R3B2TFF42 48-( )()</b>	1,726.	1,764.	1,838.	1,944.	2,014.	2,122.	2,192.

Order Code	Specification Information	Application Notes
Example: <b>R3B2TFF4218-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B2</b> Beltway two sides	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>42</b> 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
<b>18</b> 18" wide	i) tile 1A bottom	4 = 4" base height
<b>A</b> Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric - Side 1A	i) tile 2A bottom	
<b>W281</b> Fabric - Side 1B	ii) tile 2B middle	
<b>W281</b> Fabric - Side 1C	iii) tile 2C top	
<b>W281</b> Fabric - Side 2A	6. Top trim finish	
<b>W281</b> Fabric - Side 2B	i) Top trim profile A,B or C options:	
<b>W281</b> Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
<b>V316</b> Maple (top trim finish)	ii) Top trim profile E options:	
<b>111</b> Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>111</b> Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 42" H

*fabric one side, laminate other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TFL42 18-( ) ( )</b>	\$722.	\$742.	\$779.	\$828.	\$862.	\$913.	\$947.
Regular acoustics	20"	42"	<b>R3B0TFL42 20-( ) ( )</b>	722.	742.	779.	828.	862.	913.	947.
	24"	42"	<b>R3B0TFL42 24-( ) ( )</b>	769.	789.	826.	875.	909.	960.	994.
	30"	42"	<b>R3B0TFL42 30-( ) ( )</b>	820.	840.	877.	926.	960.	1,011.	1,045.
	36"	42"	<b>R3B0TFL42 36-( ) ( )</b>	867.	887.	924.	973.	1,007.	1,058.	1,092.
	42"	42"	<b>R3B0TFL42 42-( ) ( )</b>	966.	986.	1,023.	1,072.	1,106.	1,157.	1,191.
	48"	42"	<b>R3B0TFL42 48-( ) ( )</b>	1,016.	1,036.	1,073.	1,122.	1,156.	1,207.	1,241.


Tiled, fabric one side	18"	42"	<b>R3B1TFL42 18-( ) ( )</b>	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
Beltway one side (fabric side)	20"	42"	<b>R3B1TFL42 20-( ) ( )</b>	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
	24"	42"	<b>R3B1TFL42 24-( ) ( )</b>	1,259.	1,279.	1,315.	1,365.	1,399.	1,450.	1,484.
	30"	42"	<b>R3B1TFL42 30-( ) ( )</b>	1,321.	1,341.	1,377.	1,427.	1,461.	1,512.	1,546.
	36"	42"	<b>R3B1TFL42 36-( ) ( )</b>	1,546.	1,566.	1,602.	1,652.	1,686.	1,737.	1,771.
	42"	42"	<b>R3B1TFL42 42-( ) ( )</b>	1,662.	1,682.	1,718.	1,768.	1,802.	1,853.	1,887.
	48"	42"	<b>R3B1TFL42 48-( ) ( )</b>	1,716.	1,736.	1,772.	1,822.	1,856.	1,907.	1,941.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL4218-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>FL</b> Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>42</b> 42" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify	4 = 4" base height
<b>A</b> Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	42" h add per panel:
<b>B</b> Tile divider, black reveal	i) tile 1A bottom	\$25 for 18w and 20w
<b>W281</b> Fabric - Side 1A	ii) tile 1B middle	\$28 for 24w and 30w
<b>W281</b> Fabric - Side 1B	iii) tile 1C top	\$34 for 36w and 42w
<b>W281</b> Fabric - Side 1C	6. Laminate side, finish (specify selection per insert)	\$42 for 48w
<b>114</b> Folkstone grey - side 2A	i) tile 2A bottom	<i>6" Raceway option increases panel height by 2 3/4".</i>
<b>114</b> Folkstone grey - side 2B	ii) tile 2B middle	Applicable finishes are listed on page 5 and 6.
<b>114</b> Folkstone grey - side 2C	iii) tile 2C top	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option.
<b>V316</b> Maple (top trim finish)	7. Top trim finish	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>111</b> Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>M</b> Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Tiled panels 42" H

*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF142 18-( )()</b>	\$775.	\$795.	\$836.	\$887.	\$921.	\$976.	\$1,011.
Regular acoustics	20"	42"	<b>R3B0TF142 20-( )()</b>	775.	795.	836.	887.	921.	976.	1,011.
	24"	42"	<b>R3B0TF142 24-( )()</b>	827.	847.	888.	939.	973.	1,028.	1,063.
	30"	42"	<b>R3B0TF142 30-( )()</b>	882.	902.	943.	994.	1,028.	1,083.	1,118.
	36"	42"	<b>R3B0TF142 36-( )()</b>	932.	952.	993.	1,044.	1,078.	1,133.	1,168.
	42"	42"	<b>R3B0TF142 42-( )()</b>	1,042.	1,062.	1,103.	1,154.	1,188.	1,243.	1,278.
	48"	42"	<b>R3B0TF142 48-( )()</b>	1,090.	1,110.	1,151.	1,202.	1,236.	1,291.	1,326.

Tiled, fabric one side	18"	42"	<b>R3B1TF142 18-( )()</b>	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
Beltway one side (fabric side)	20"	42"	<b>R3B1TF142 20-( )()</b>	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
	24"	42"	<b>R3B1TF142 24-( )()</b>	1,353.	1,373.	1,414.	1,465.	1,499.	1,554.	1,589.
	30"	42"	<b>R3B1TF142 30-( )()</b>	1,418.	1,438.	1,479.	1,530.	1,564.	1,619.	1,654.
	36"	42"	<b>R3B1TF142 36-( )()</b>	1,657.	1,677.	1,718.	1,769.	1,803.	1,858.	1,893.
	42"	42"	<b>R3B1TF142 42-( )()</b>	1,786.	1,806.	1,847.	1,898.	1,932.	1,987.	2,022.
	48"	42"	<b>R3B1TF142 48-( )()</b>	1,847.	1,867.	1,908.	1,958.	1,993.	2,048.	2,083.

## Order Code

Example: <b>R3B0TF14218-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F1</b> Fabric one side, V1 other
<b>42</b> 42" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim profile
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric - Side 1A
<b>W281</b> Fabric - Side 1B
<b>W281</b> Fabric - Side 1C
<b>Y328</b> Mahogany - side 2 tiled
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)
<b>M</b> Optional milled frame

## Specification Information

*To order please specify pattern number including:*

- Top trim profile
- Base height
- Knockout option  
(K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
  - tile 1A bottom
  - tile 1B middle
  - tile 1C top
- Techwood side, finish (specify one V1 finish for side)
  - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
  - Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

## Application Notes

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
- Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider:*  
**Optional for non fabric side only**  
(fabric side always black)  
42" h add per panel:  
\$25 for 18w and 20w  
\$28 for 24w and 30w  
\$34 for 36w and 42w  
\$42 for 48w

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 416).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 42" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF242 18-</b> ( ) ( )	\$789.	\$809.	\$850.	\$901.	\$935.	\$990.	\$1,025.
Regular acoustics	20"	42"	<b>R3B0TF242 20-</b> ( ) ( )	789.	809.	850.	901.	935.	990.	1,025.
	24"	42"	<b>R3B0TF242 24-</b> ( ) ( )	841.	861.	902.	953.	987.	1,042.	1,077.
	30"	42"	<b>R3B0TF242 30-</b> ( ) ( )	897.	917.	958.	1,009.	1,043.	1,098.	1,133.
	36"	42"	<b>R3B0TF242 36-</b> ( ) ( )	953.	973.	1,014.	1,065.	1,099.	1,154.	1,189.
	42"	42"	<b>R3B0TF242 42-</b> ( ) ( )	1,060.	1,080.	1,121.	1,172.	1,206.	1,261.	1,296.
	48"	42"	<b>R3B0TF242 48-</b> ( ) ( )	1,112.	1,132.	1,173.	1,224.	1,258.	1,313.	1,348.

Tiled, fabric one side	18"	42"	<b>R3B1TF242 18-</b> ( ) ( )	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
Beltway one side (fabric side)	20"	42"	<b>R3B1TF242 20-</b> ( ) ( )	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
	24"	42"	<b>R3B1TF242 24-</b> ( ) ( )	1,376.	1,396.	1,437.	1,488.	1,522.	1,577.	1,612.
	30"	42"	<b>R3B1TF242 30-</b> ( ) ( )	1,445.	1,465.	1,506.	1,557.	1,591.	1,646.	1,681.
	36"	42"	<b>R3B1TF242 36-</b> ( ) ( )	1,691.	1,711.	1,752.	1,803.	1,837.	1,892.	1,927.
	42"	42"	<b>R3B1TF242 42-</b> ( ) ( )	1,819.	1,839.	1,880.	1,931.	1,965.	2,020.	2,055.
	48"	42"	<b>R3B1TF242 48-</b> ( ) ( )	1,881.	1,901.	1,942.	1,993.	2,027.	2,082.	2,117.

**Order Code**

Example: <b>R3B0TF24218-A4K</b>
<b>R3</b> Reff Generation 3
<b>B0</b> No Beltway
<b>T</b> Tiled panel
<b>F2</b> Fabric one side, V2 other
<b>42</b> 42" high
<b>18</b> 18" wide
<b>A</b> Flat style top trim profile
<b>4</b> 4" base height
<b>K</b> Include knockouts in base
<b>B</b> Tile divider, black reveal
<b>W281</b> Fabric - Side 1A
<b>W281</b> Fabric - Side 1B
<b>W281</b> Fabric - Side 1C
<b>V316</b> Maple surface - side 2 tiled
<b>V316</b> Maple (top trim finish)
<b>111</b> Jet Black (base finish)
<b>M</b> Optional milled frame

**Specification Information**

*To order please specify pattern number including:*

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
  - tile 1A bottom
  - tile 1B middle
  - tile 1C top
- Conventional veneer, finish (specify one V2 finish for side)
- Top trim finish
  - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
  - Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

**Application Notes**

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
- Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider:*  
**Optional for non fabric side only** (fabric side always black)  
42" h add per panel:  
\$25 for 18w and 20w  
\$28 for 24w and 30w  
\$34 for 36w and 42w  
\$42 for 48w
- 6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 416).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 42" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	<b>R3B0TF342 18-()</b> ( )	\$1,052.	\$1,072.	\$1,113.	\$1,164.	\$1,198.	\$1,253.	\$1,288.
Regular acoustics	20"	42"	<b>R3B0TF342 20-()</b> ( )	1,052.	1,072.	1,113.	1,164.	1,198.	1,253.	1,288.
	24"	42"	<b>R3B0TF342 24-()</b> ( )	1,120.	1,140.	1,181.	1,232.	1,266.	1,321.	1,356.
	30"	42"	<b>R3B0TF342 30-()</b> ( )	1,197.	1,217.	1,258.	1,309.	1,343.	1,398.	1,433.
	36"	42"	<b>R3B0TF342 36-()</b> ( )	1,271.	1,291.	1,332.	1,383.	1,417.	1,472.	1,507.
	42"	42"	<b>R3B0TF342 42-()</b> ( )	1,416.	1,436.	1,477.	1,528.	1,562.	1,617.	1,652.
	48"	42"	<b>R3B0TF342 48-()</b> ( )	1,487.	1,507.	1,548.	1,599.	1,633.	1,688.	1,723.

Tiled, fabric one side	18"	42"	<b>R3B1TF342 18-()</b> ( )	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
Beltway fabric side	20"	42"	<b>R3B1TF342 20-()</b> ( )	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
	24"	42"	<b>R3B1TF342 24-()</b> ( )	1,845.	1,865.	1,906.	1,957.	1,991.	2,046.	2,081.
	30"	42"	<b>R3B1TF342 30-()</b> ( )	1,935.	1,955.	1,996.	2,047.	2,081.	2,136.	2,171.
	36"	42"	<b>R3B1TF342 36-()</b> ( )	2,269.	2,289.	2,330.	2,381.	2,415.	2,470.	2,505.
	42"	42"	<b>R3B1TF342 42-()</b> ( )	2,440.	2,460.	2,501.	2,552.	2,586.	2,641.	2,676.
	48"	42"	<b>R3B1TF342 48-()</b> ( )	2,524.	2,544.	2,585.	2,636.	2,670.	2,725.	2,760.


Order Code	Specification Information	Application Notes
Example: <b>R3B0TF34218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
<b>F3</b> Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
<b>42</b> 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
<b>18</b> 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>W281</b> Fabric - Side 1A		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 416).
<b>W281</b> Fabric - Side 1B		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>W281</b> Fabric - Side 1C		Remember to specify Beltway paint finish when applicable.
<b>V512</b> Figured Anigre surface - side 2 tiled		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		



# Tiled panels 42" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	42"	<b>R3B0TLL4218( ) ( )</b>	\$881.
	20"	42"	<b>R3B0TLL4220( ) ( )</b>	881.
	24"	42"	<b>R3B0TLL4224( ) ( )</b>	961.
	30"	42"	<b>R3B0TLL4230( ) ( )</b>	1,075.
	36"	42"	<b>R3B0TLL4236( ) ( )</b>	1,161.
	42"	42"	<b>R3B0TLL4242( ) ( )</b>	1,197.
	48"	42"	<b>R3B0TLL4248( ) ( )</b>	1,232.





Order Code	Specification Information	Application Notes
Example: <b>R3B0TLL4218-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
<b>LL</b> Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Applicable finishes are listed on page 5 and 6.
<b>42</b> 42" high	5. Laminate side, finish (specify selection per insert)	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>18</b> 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	
<b>A</b> Flat style top trim profile	6. Laminate, finish	
<b>4</b> 4" base height	7. Top trim finish	
<b>K</b> Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>B</b> Tile divider, black reveal	8. Base finish	
<b>118</b> Laminate - side 1A	9. Beltway finish	
<b>118</b> Laminate - side 1B	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>118</b> Laminate - side 1C		
<b>118</b> Laminate - side 2A		
<b>118</b> Laminate - side 2B		
<b>118</b> Laminate - side 2C		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		



# Tiled panels 49" H

## *fabric both sides*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics 	18"	49"	<b>R3B0TFF49 18-</b> ( ) ( )	\$742.	\$790.	\$880.	\$982.	\$1,066.	\$1,198.	\$1,276.
	20"	49"	<b>R3B0TFF49 20-</b> ( ) ( )	742.	790.	880.	982.	1,066.	1,198.	1,276.
	24"	49"	<b>R3B0TFF49 24-</b> ( ) ( )	793.	841.	931.	1,033.	1,117.	1,249.	1,327.
	30"	49"	<b>R3B0TFF49 30-</b> ( ) ( )	853.	901.	991.	1,093.	1,177.	1,309.	1,387.
	36"	49"	<b>R3B0TFF49 36-</b> ( ) ( )	909.	957.	1,047.	1,149.	1,233.	1,365.	1,443.
	42"	49"	<b>R3B0TFF49 42-</b> ( ) ( )	1,026.	1,074.	1,164.	1,266.	1,350.	1,482.	1,560.
	48"	49"	<b>R3B0TFF49 48-</b> ( ) ( )	1,083.	1,131.	1,221.	1,323.	1,407.	1,539.	1,617.

Tiled, fabric both sides High acoustics 	18"	49"	<b>R3B0TAA49 18-</b> ( ) ( )	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
	20"	49"	<b>R3B0TAA49 20-</b> ( ) ( )	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
	24"	49"	<b>R3B0TAA49 24-</b> ( ) ( )	869.	917.	1,007.	1,109.	1,193.	1,325.	1,403.
	30"	49"	<b>R3B0TAA49 30-</b> ( ) ( )	938.	986.	1,076.	1,178.	1,262.	1,394.	1,472.
	36"	49"	<b>R3B0TAA49 36-</b> ( ) ( )	998.	1,046.	1,136.	1,238.	1,322.	1,454.	1,532.
	42"	49"	<b>R3B0TAA49 42-</b> ( ) ( )	1,125.	1,173.	1,263.	1,365.	1,449.	1,581.	1,659.
	48"	49"	<b>R3B0TAA49 48-</b> ( ) ( )	1,191.	1,239.	1,329.	1,431.	1,515.	1,647.	1,725.

Order Code	Specification Information
Example: <b>R3B0TFF4918-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 2A
<b>W281</b>	Fabric - Side 2B
<b>W281</b>	Fabric - Side 2C
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame


Specification Information
<i>To order please specify pattern number including:</i>
1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top
5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top
6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


Application Notes
1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)  6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
Remember to specify Beltway paint finish when applicable.
79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 49" H

## *fabric both sides with Beltway*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	<b>R3B1TFF49 18-( )</b> ( )	\$1,224.	\$1,272.	\$1,359.	\$1,464.	\$1,548.	\$1,680.	\$1,758.
Beltway one side	20"	49"	<b>R3B1TFF49 20-( )</b> ( )	1,224.	1,272.	1,359.	1,464.	1,548.	1,680.	1,758.
	24"	49"	<b>R3B1TFF49 24-( )</b> ( )	1,249.	1,297.	1,384.	1,489.	1,573.	1,705.	1,783.
	30"	49"	<b>R3B1TFF49 30-( )</b> ( )	1,316.	1,364.	1,451.	1,556.	1,640.	1,772.	1,850.
	36"	49"	<b>R3B1TFF49 36-( )</b> ( )	1,575.	1,623.	1,710.	1,815.	1,899.	2,031.	2,109.
	42"	49"	<b>R3B1TFF49 42-( )</b> ( )	1,701.	1,749.	1,836.	1,941.	2,025.	2,157.	2,235.
	48"	49"	<b>R3B1TFF49 48-( )</b> ( )	1,761.	1,809.	1,896.	2,001.	2,085.	2,217.	2,295.

Tiled, fabric both sides	18"	49"	<b>R3B2TFF49 18-( )</b> ( )	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
Beltway two sides	20"	49"	<b>R3B2TFF49 20-( )</b> ( )	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
	24"	49"	<b>R3B2TFF49 24-( )</b> ( )	1,270.	1,318.	1,402.	1,510.	1,594.	1,726.	1,804.
	30"	49"	<b>R3B2TFF49 30-( )</b> ( )	1,340.	1,388.	1,472.	1,580.	1,664.	1,796.	1,874.
	36"	49"	<b>R3B2TFF49 36-( )</b> ( )	1,603.	1,651.	1,735.	1,843.	1,927.	2,059.	2,137.
	42"	49"	<b>R3B2TFF49 42-( )</b> ( )	1,730.	1,778.	1,862.	1,970.	2,054.	2,186.	2,264.
	48"	49"	<b>R3B2TFF49 48-( )</b> ( )	1,796.	1,844.	1,928.	2,036.	2,120.	2,252.	2,330.

Order Code	Specification Information	Application Notes
Example: <b>R3B2TFF4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B2</b> with Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>49</b> 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
<b>18</b> 18" wide	i) tile 1A bottom	4 = 4" base height
<b>A</b> Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>W281</b> Fabric - Side 1A	i) tile 2A bottom	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric - Side 1B	ii) tile 2B middle	
<b>W281</b> Fabric - Side 1C	iii) tile 2C top	
<b>W281</b> Fabric - Side 2A	6. Top trim finish	
<b>W281</b> Fabric - Side 2B	i) Top trim profile A,B or C options:	
<b>W281</b> Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
<b>V316</b> Maple (top trim finish)	ii) Top trim profile E options:	
<b>111</b> Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>111</b> Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 49" H

*fabric one side, laminate opposite side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TFL49 18-()</b> ( )	\$810.	\$834.	\$876.	\$927.	\$969.	\$1,029.	\$1,068.
Regular acoustics	20"	49"	<b>R3B0TFL49 20-()</b> ( )	810.	834.	876.	927.	969.	1,029.	1,068.
	24"	49"	<b>R3B0TFL49 24-()</b> ( )	857.	881.	923.	974.	1,016.	1,076.	1,115.
	30"	49"	<b>R3B0TFL49 30-()</b> ( )	917.	941.	983.	1,034.	1,076.	1,136.	1,175.
	36"	49"	<b>R3B0TFL49 36-()</b> ( )	968.	992.	1,034.	1,085.	1,127.	1,187.	1,226.
	42"	49"	<b>R3B0TFL49 42-()</b> ( )	1,079.	1,103.	1,145.	1,196.	1,238.	1,298.	1,337.
	48"	49"	<b>R3B0TFL49 48-()</b> ( )	1,137.	1,161.	1,203.	1,254.	1,296.	1,356.	1,395.


Tiled, fabric one side	18"	49"	<b>R3B1TFL49 18-()</b> ( )	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
Beltway one side (fabric side)	20"	49"	<b>R3B1TFL49 20-()</b> ( )	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
	24"	49"	<b>R3B1TFL49 24-()</b> ( )	1,299.	1,323.	1,364.	1,416.	1,458.	1,518.	1,557.
	30"	49"	<b>R3B1TFL49 30-()</b> ( )	1,364.	1,388.	1,429.	1,481.	1,523.	1,583.	1,622.
	36"	49"	<b>R3B1TFL49 36-()</b> ( )	1,612.	1,636.	1,677.	1,729.	1,771.	1,831.	1,870.
	42"	49"	<b>R3B1TFL49 42-()</b> ( )	1,730.	1,754.	1,795.	1,847.	1,889.	1,949.	1,988.
	48"	49"	<b>R3B1TFL49 48-()</b> ( )	1,795.	1,819.	1,860.	1,912.	1,954.	2,014.	2,053.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL4918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
<b>FL</b> Fabric one side. laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>18</b> 18" wide	6. Laminate side finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top	Remember to specify Beltway paint finish when applicable.
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>4</b> 4" base height	8. Base finish	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 5 and 6.
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>114</b> Folkstone grey - side 2A		
<b>114</b> Folkstone grey - side 2B		
<b>114</b> Folkstone grey - side 2C		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 49" H

*fabric one side, techwood other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TF149 18-</b> ( ) ( )	\$867.	\$891.	\$939.	\$990.	\$1,032.	\$1,098.	\$1,137.
Regular acoustics	20"	49"	<b>R3B0TF149 20-</b> ( ) ( )	867.	891.	939.	990.	1,032.	1,098.	1,137.
	24"	49"	<b>R3B0TF149 24-</b> ( ) ( )	921.	945.	993.	1,044.	1,086.	1,152.	1,191.
	30"	49"	<b>R3B0TF149 30-</b> ( ) ( )	983.	1,007.	1,055.	1,106.	1,148.	1,214.	1,253.
	36"	49"	<b>R3B0TF149 36-</b> ( ) ( )	1,042.	1,066.	1,114.	1,165.	1,207.	1,273.	1,312.
	42"	49"	<b>R3B0TF149 42-</b> ( ) ( )	1,166.	1,190.	1,238.	1,289.	1,331.	1,397.	1,436.
	48"	49"	<b>R3B0TF149 48-</b> ( ) ( )	1,221.	1,245.	1,293.	1,344.	1,386.	1,452.	1,491.


Tiled, fabric one side	18"	49"	<b>R3B1TF149 18-</b> ( ) ( )	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
Beltway one side (fabric side)	20"	49"	<b>R3B1TF149 20-</b> ( ) ( )	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
	24"	49"	<b>R3B1TF149 24-</b> ( ) ( )	1,398.	1,422.	1,470.	1,521.	1,563.	1,629.	1,668.
	30"	49"	<b>R3B1TF149 30-</b> ( ) ( )	1,466.	1,490.	15,338.	1,589.	1,631.	1,697.	1,736.
	36"	49"	<b>R3B1TF149 36-</b> ( ) ( )	1,735.	1,759.	1,807.	1,858.	1,900.	1,966.	2,005.
	42"	49"	<b>R3B1TF149 42-</b> ( ) ( )	1,864.	1,888.	1,936.	1,987.	2,029.	2,095.	2,134.
	48"	49"	<b>R3B1TF149 48-</b> ( ) ( )	1,928.	1,952.	2,000.	2,051.	2,093.	2,159.	2,198.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF14918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>F1</b> Fabric one side, V1 other	4. Tile divider (B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider))	E = Extruded Aluminum
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
<b>18</b> 18" wide	i) tile 1A bottom	4 = 4" base height
<b>A</b> Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	iii) tile 1C top	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
<b>K</b> Include knockouts in base	6. Techwood side, finish (specify one V1 finish for side)	49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
<b>B</b> Tile divider, black reveal	7. Top trim finish	6" Raceway option increases panel height by 2 3/4".
<b>W281</b> Fabric - Side 1A	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric - Side 1B	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>W281</b> Fabric - Side 1C	8. Base finish	
<b>Y328</b> Mahogany - side 2 tiled	9. Beltway finish, for panels with Beltway	
<b>V316</b> Maple (top trim finish)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 49" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TF249 18-</b> ( ) ( )	\$885.	\$909.	\$957.	\$1,008.	\$1,050.	\$1,116.	\$1,155.
Regular acoustics	20"	49"	<b>R3B0TF249 20-</b> ( ) ( )	885.	909.	957.	1,008.	1,050.	1,116.	1,155.
	24"	49"	<b>R3B0TF249 24-</b> ( ) ( )	938.	962.	1,010.	1,061.	1,103.	1,169.	1,208.
	30"	49"	<b>R3B0TF249 30-</b> ( ) ( )	1,007.	1,031.	1,079.	1,130.	1,172.	1,238.	1,277.
	36"	49"	<b>R3B0TF249 36-</b> ( ) ( )	1,062.	1,086.	1,134.	1,185.	1,227.	1,293.	1,332.
	42"	49"	<b>R3B0TF249 42-</b> ( ) ( )	1,182.	1,206.	1,254.	1,305.	1,347.	1,413.	1,452.
	48"	49"	<b>R3B0TF249 48-</b> ( ) ( )	1,244.	1,268.	1,316.	1,367.	1,409.	1,475.	1,514.

Tiled, fabric one side	18"	49"	<b>R3B1TF249 18-</b> ( ) ( )	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
Beltway one side (fabric side)	20"	49"	<b>R3B1TF249 20-</b> ( ) ( )	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
	24"	49"	<b>R3B1TF249 24-</b> ( ) ( )	1,423.	1,447.	1,495.	1,546.	1,588.	1,654.	1,693.
	30"	49"	<b>R3B1TF249 30-</b> ( ) ( )	1,492.	1,516.	1,564.	1,615.	1,657.	1,723.	1,762.
	36"	49"	<b>R3B1TF249 36-</b> ( ) ( )	1,764.	1,788.	1,836.	1,887.	1,929.	1,995.	2,034.
	42"	49"	<b>R3B1TF249 42-</b> ( ) ( )	1,896.	1,920.	1,968.	2,019.	2,061.	2,127.	2,166.
	48"	49"	<b>R3B1TF249 48-</b> ( ) ( )	1,964.	1,988.	2,036.	2,087.	2,129.	2,195.	2,234.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF24918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F2</b> Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>49</b> 49" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify	4 = 4" base height
<b>A</b> Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	<b>Optional for non fabric side only</b> (fabric side always black)
<b>B</b> Tile divider, black reveal	i) tile 1A bottom	49"h add per panel:
<b>W281</b> Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
<b>W281</b> Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
<b>W281</b> Fabric - Side 1C	6. Conventional veneer, finish (specify one V2 finish for side)	\$34 for 36w and 42w
<b>V316</b> Maple surface - side 2 tiled	7. Top trim finish	\$42 for 48w
<b>V316</b> Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	<i>6" Raceway option increases panel height by 2 3/4".</i>
<b>111</b> Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
<b>M</b> Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 49" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	<b>R3B0TF349 18-()</b> ( )	\$1,177.	\$1,201.	\$1,249.	\$1,300.	\$1,342.	\$1,408.	\$1,447.
Regular acoustics	20"	49"	<b>R3B0TF349 20-()</b> ( )	1,177.	1,201.	1,249.	1,300.	1,342.	1,408.	1,447.
	24"	49"	<b>R3B0TF349 24-()</b> ( )	1,249.	1,273.	1,321.	1,372.	1,414.	1,480.	1,519.
	30"	49"	<b>R3B0TF349 30-()</b> ( )	1,342.	1,366.	1,414.	1,465.	1,507.	1,573.	1,612.
	36"	49"	<b>R3B0TF349 36-()</b> ( )	1,417.	1,441.	1,489.	1,540.	1,582.	1,648.	1,687.
	42"	49"	<b>R3B0TF349 42-()</b> ( )	1,579.	1,603.	1,651.	1,702.	1,744.	1,810.	1,849.
	48"	49"	<b>R3B0TF349 48-()</b> ( )	1,661.	1,685.	1,733.	1,784.	1,826.	1,892.	1,931.

Tiled, fabric one side	18"	49"	<b>R3B1TF349 18-()</b> ( )	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
Beltway fabric side	20"	49"	<b>R3B1TF349 20-()</b> ( )	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
	24"	49"	<b>R3B1TF349 24-()</b> ( )	1,905.	1,929.	1,977.	2,028.	2,070.	2,136.	2,175.
	30"	49"	<b>R3B1TF349 30-()</b> ( )	1,997.	2,021.	2,069.	2,120.	2,162.	2,228.	2,267.
	36"	49"	<b>R3B1TF349 36-()</b> ( )	2,366.	2,390.	2,438.	2,489.	2,531.	2,597.	2,636.
	42"	49"	<b>R3B1TF349 42-()</b> ( )	2,544.	2,568.	2,616.	2,667.	2,709.	2,775.	2,814.
	48"	49"	<b>R3B1TF349 48-()</b> ( )	2,636.	2,660.	2,708.	2,759.	2,801.	2,867.	2,906.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF34918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F3</b> Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>49</b> 49" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
<b>A</b> Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
<b>K</b> Include knockouts in base	ii) tile 1B middle	<b>Optional for non fabric side only</b> (fabric side always black)
<b>B</b> Tile divider, black reveal	iii) tile 1C top	49" h add per panel:
<b>W281</b> Fabric - Side 1A	6. Exotic veneer, finish (specify one V3 finish for side)	\$25 for 18w and 20w
<b>W281</b> Fabric - Side 1B	7. Top trim finish	\$28 for 24w and 30w
<b>W281</b> Fabric - Side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$34 for 36w and 42w
<b>V512</b> Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$42 for 48w
<b>V512</b> Figured Anigre (top trim finish)	8. Base finish	6" Raceway option increases panel height by 2 3/4".
<b>111</b> Jet Black (base finish)	9. Beltway finish, for panels with Beltway	Applicable finishes are listed on page 5 and 6.
<b>M</b> Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.



# Tiled panels 49" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18"	49"	<b>R3B0TLL4918( ) ( )</b>	\$921.
	20"	49"	<b>R3B0TLL4920( ) ( )</b>	921.
	24"	49"	<b>R3B0TLL4924( ) ( )</b>	1,003.
	30"	49"	<b>R3B0TLL4930( ) ( )</b>	1,124.
	36"	49"	<b>R3B0TLL4936( ) ( )</b>	1,214.
	42"	49"	<b>R3B0TLL4942( ) ( )</b>	1,250.
	48"	49"	<b>R3B0TLL4948( ) ( )</b>	1,288.

### Order Code

Example:	<b>R3B0TLL4918-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>LL</b>	Laminate both sides
<b>49</b>	49" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>118</b>	Laminate - side 1A
<b>118</b>	Laminate - side 1B
<b>118</b>	Laminate - side 1C
<b>118</b>	Laminate - side 2A
<b>118</b>	Laminate - side 2B
<b>118</b>	Laminate - side 2C
<b>V512</b>	Figured Anigre (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

### Specification Information

*To order please specify pattern number including:*

1. Top trim profile
2. Base height
3. Knockout option  
(K = with knockouts, N = without knockouts)
4. Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C top
6. Laminate, finish
7. Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

### Application Notes

1. *Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

2. *Base height:*  
4 = 4" base height

4. *Extruded aluminum tile divider:*  
**Optional for non fabric side only** (fabric side always black)  
49"h add per panel:  
\$25 for 18w and 20w  
\$28 for 24w and 30w  
\$34 for 36w and 42w  
\$42 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.




# Tiled panels 64" H

## *fabric both sides*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	<b>R3B0TFF64 18-()</b> ( )	\$849.	\$913.	\$1,033.	\$1,169.	\$1,281.	\$1,457.	\$1,561.
Regular acoustics	20"	64"	<b>R3B0TFF64 20-()</b> ( )	849.	913.	1,033.	1,169.	1,281.	1,457.	1,561.
	24"	64"	<b>R3B0TFF64 24-()</b> ( )	610.	974.	1,094.	1,230.	1,342.	1,518.	1,622.
	30"	64"	<b>R3B0TFF64 30-()</b> ( )	97.	1,041.	1,161.	1,297.	1,409.	1,585.	1,689.
	36"	64"	<b>R3B0TFF64 36-()</b> ( )	1,034.	1,098.	1,218.	1,354.	1,466.	1,642.	1,746.
	42"	64"	<b>R3B0TFF64 42-()</b> ( )	1,183.	1,247.	1,367.	1,503.	1,615.	1,791.	1,895.
	48"	64"	<b>R3B0TFF64 48-()</b> ( )	1,242.	1,306.	1,426.	1,562.	1,674.	1,850.	1,954.



Tiled, fabric both sides	18"	64"	<b>R3B0TAA64 18-()</b> ( )	929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
High acoustics	20"	64"	<b>R3B0TAA64 20-()</b> ( )	929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
	24"	64"	<b>R3B0TAA64 24-()</b> ( )	996.	1,060.	1,180.	1,316.	1,428.	1,604.	1,708.
	30"	64"	<b>R3B0TAA64 30-()</b> ( )	1,071.	1,135.	1,255.	1,391.	1,503.	1,679.	1,783.
	36"	64"	<b>R3B0TAA64 36-()</b> ( )	1,142.	1,206.	1,326.	1,462.	1,574.	1,750.	1,854.
	42"	64"	<b>R3B0TAA64 42-()</b> ( )	1,300.	1,364.	1,484.	1,620.	1,732.	1,908.	2,012.
	48"	64"	<b>R3B0TAA64 48-()</b> ( )	1,370.	1,434.	1,554.	1,690.	1,802.	1,978.	2,082.



Order Code	Specification Information	Application Notes
Example: <b>R3B0TFF6418-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>64</b> 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
<b>18</b> 18" wide	i) tile 1A bottom	4 = 4" base height
<b>A</b> Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	iii) tile 1C middle	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	iv) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>W281</b> Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric - Side 1B	i) tile 2A bottom	
<b>W281</b> Fabric - Side 1C	ii) tile 2B middle	
<b>W281</b> Fabric - Side 2A	iii) tile 2C middle	
<b>W281</b> Fabric - Side 2B	iv) tile 2D top	
<b>W281</b> Fabric - Side 2C	6. Top trim finish	
<b>V316</b> Maple (top trim finish)	i) Top trim profile A,B or C options:	
<b>111</b> Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
<b>M</b> Optional milled frame	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 64" H

*fabric both sides, with Beltway*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	<b>R3B1TFF64 18-( )</b> ( )	\$1,326.	\$1,390.	\$1,507.	\$1,646.	\$1,758.	\$1,934.	\$2,038.
Beltway one side	20"	64"	<b>R3B1TFF64 20-( )</b> ( )	1,326.	1,390.	1,507.	1,646.	1,758.	1,934.	2,038.
	24"	64"	<b>R3B1TFF64 24-( )</b> ( )	1,394.	1,458.	1,575.	1,714.	1,826.	2,002.	2,106.
	30"	64"	<b>R3B1TFF64 30-( )</b> ( )	1,428.	1,492.	1,609.	1,748.	1,860.	2,036.	2,140.
	36"	64"	<b>R3B1TFF64 36-( )</b> ( )	1,754.	1,818.	1,935.	2,074.	2,186.	2,362.	2,466.
	42"	64"	<b>R3B1TFF64 42-( )</b> ( )	1,884.	1,948.	2,065.	2,204.	2,316.	2,492.	2,596.
	48"	64"	<b>R3B1TFF64 48-( )</b> ( )	1,951.	2,015.	2,132.	2,271.	2,383.	2,559.	2,663.

Tiled, fabric both sides	18"	64"	<b>R3B2TFF64 18-( )</b> ( )	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
Beltway two sides	20"	64"	<b>R3B2TFF64 20-( )</b> ( )	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
	24"	64"	<b>R3B2TFF64 24-( )</b> ( )	1,416.	1,480.	1,594.	1,736.	1,848.	2,024.	2,128.
	30"	64"	<b>R3B2TFF64 30-( )</b> ( )	1,451.	1,515.	1,629.	1,771.	1,883.	2,059.	2,163.
	36"	64"	<b>R3B2TFF64 36-( )</b> ( )	1,785.	1,849.	1,963.	2,105.	2,217.	2,393.	2,497.
	42"	64"	<b>R3B2TFF64 42-( )</b> ( )	1,913.	1,977.	2,091.	2,233.	2,345.	2,521.	2,625.
	48"	64"	<b>R3B2TFF64 48-( )</b> ( )	1,985.	2,049.	2,163.	2,305.	2,417.	2,593.	2,697.

Order Code	Specification Information	Application Notes
Example: <b>R3B1TFF7918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	6. Top trim finish
<b>B1</b> Beltway one side	2. Base height	i) Top trim profile A, B or C options:
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	V1, V2, V3, P1, P2, P3 finishes
<b>FF</b> Fabric on both sides	4. Fabric side, finish (specify selection per insert)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
<b>79</b> 79" high	i) tile 1A bottom	7. Base finish
<b>18</b> 18" wide	ii) tile 1B middle	8. Beltway finish
<b>A</b> Flat style top trim profile	iii) tile 1C middle	1. <i>Top trim profile:</i>
<b>4</b> 4" base height	iv) tile 1D middle	A = Flat
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert)	B = Square
<b>W281</b> Fabric - Side 1A	i) tile 2A bottom	C = Bullnose
<b>W281</b> Fabric - Side 1B	ii) tile 2B middle	E = Extruded Aluminum
<b>W281</b> Fabric - Side 1C	iii) tile 2C middle	2. <i>Base height:</i>
<b>W281</b> Fabric - Side 1D	iv) tile 2D middle	4 = 4" base height
<b>W281</b> Fabric - Side 2A		6 = 6" base height (add \$47 per panel for this option)
<b>W281</b> Fabric - Side 2B		Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>W281</b> Fabric - Side 2C		Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric - Side 2D		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Beltway finish		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


# Tiled panels 64" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TFL64 18-( ) ( )</b>	\$943.	\$975.	\$1,031.	\$1,099.	\$1,155.	\$1,235.	\$1,287.
Regular acoustics	20"	64"	<b>R3B0TFL64 20-( ) ( )</b>	943.	975.	1,031.	1,099.	1,155.	1,235.	1,287.
	24"	64"	<b>R3B0TFL64 24-( ) ( )</b>	999.	1,031.	1,087.	1,155.	1,211.	1,291.	1,343.
	30"	64"	<b>R3B0TFL64 30-( ) ( )</b>	1,066.	1,098.	1,154.	1,222.	1,278.	1,358.	1,410.
	36"	64"	<b>R3B0TFL64 36-( ) ( )</b>	1,126.	1,158.	1,214.	1,282.	1,338.	1,418.	1,470.
	42"	64"	<b>R3B0TFL64 42-( ) ( )</b>	1,266.	1,298.	1,354.	1,422.	1,478.	1,558.	1,610.
	48"	64"	<b>R3B0TFL64 48-( ) ( )</b>	1,326.	1,358.	1,414.	1,482.	1,538.	1,618.	1,670.




Tiled, fabric one side	18"	64"	<b>R3B1TFL64 18-( ) ( )</b>	1,402.	1,434.	1,489.	1,558.	1,614.	1,694.	1,746.
Beltway one side (fabric side)	20"	64"	<b>R3B1TFL64 20-( ) ( )</b>	1,402.	1,434.	1,489.	1,558.	1,614.	1,692.	1,746.
	24"	64"	<b>R3B1TFL64 24-( ) ( )</b>	1,470.	1,502.	1,557.	1,626.	1,682.	1,762.	1,814.
	30"	64"	<b>R3B1TFL64 30-( ) ( )</b>	1,501.	1,533.	1,588.	1,567.	1,713.	1,793.	1,845.
	36"	64"	<b>R3B1TFL64 36-( ) ( )</b>	1,821.	1,853.	1,908.	1,977.	2,033.	2,113.	2,165.
	42"	64"	<b>R3B1TFL64 42-( ) ( )</b>	1,942.	1,974.	2,029.	2,098.	2,154.	2,234.	2,286.
	48"	64"	<b>R3B1TFL64 48-( ) ( )</b>	2,007.	2,039.	2,094.	2,163.	2,219.	2,299.	2,351.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL6418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	8. Base finish
<b>B0</b> No Beltway	2. Base height	9. Beltway finish, for panels with Beltway
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
<b>FL</b> Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>64</b> 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>18</b> 18" wide	6. Laminate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D top	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>4</b> 4" base height		Applicable finishes are listed on page 5 and 6.
<b>K</b> Include knockouts in base		Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>B</b> Tile divider, black reveal		
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>114</b> Folkstone grey - side 2A		
<b>114</b> Folkstone grey - side 2B		
<b>114</b> Folkstone grey - side 2C		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 64" H

*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF164 18-()</b> ( )	\$1,013.	\$1,045.	\$1,109.	\$1,177.	\$1,233.	\$1,321.	\$1,373.
Regular acoustics	20"	64"	<b>R3B0TF164 20-()</b> ( )	1,013.	1,045.	1,109.	1,177.	1,233.	1,321.	1,373.
	24"	64"	<b>R3B0TF164 24-()</b> ( )	1,074.	1,106.	1,170.	1,238.	1,294.	1,382.	1,434.
	30"	64"	<b>R3B0TF164 30-()</b> ( )	1,146.	1,178.	1,242.	1,310.	1,366.	1,454.	1,506.
	36"	64"	<b>R3B0TF164 36-()</b> ( )	1,208.	1,240.	1,304.	1,372.	1,428.	1,516.	1,568.
	42"	64"	<b>R3B0TF164 42-()</b> ( )	1,361.	1,393.	1,457.	1,525.	1,581.	1,669.	1,721.
	48"	64"	<b>R3B0TF164 48-()</b> ( )	1,424.	1,456.	1,520.	1,588.	1,644.	1,732.	1,784.

Tiled, fabric one side	18"	64"	<b>R3B1TF164 18-()</b> ( )	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
Beltway one side (fabric side)	20"	64"	<b>R3B1TF164 20-()</b> ( )	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
	24"	64"	<b>R3B1TF164 24-()</b> ( )	1,579.	1,611.	1,675.	1,743.	1,799.	1,887.	1,939.
	30"	64"	<b>R3B1TF164 30-()</b> ( )	1,613.	1,645.	1,709.	1,777.	1,833.	1,921.	1,973.
	36"	64"	<b>R3B1TF164 36-()</b> ( )	1,955.	1,987.	2,051.	2,119.	2,175.	2,263.	2,315.
	42"	64"	<b>R3B1TF164 42-()</b> ( )	2,086.	2,118.	2,182.	2,250.	2,306.	2,294.	2,446.
	48"	64"	<b>R3B1TF164 48-()</b> ( )	2,161.	2,193.	2,257.	2,325.	2,381.	2,469.	2,521.

**Order Code**

Example: <b>R3B0TF16418-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>F1</b>	Fabric one side, V1 other
<b>64</b>	64" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>Y328</b>	Mahogany - side 2 tiled
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

**Specification Information**

*To order please specify pattern number including:*

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C middle  
iv) tile 1D top
- Techwood side, finish (specify one V1 finish for side)
- Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

**Application Notes**

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
- Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)  
64" h add per panel:  
\$39 for 18w and 20w  
\$43 for 24w and 30w  
\$48 for 36w and 42w  
\$64 for 48w
- 6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

# Tiled panels 64" H

*fabric one side, conventional veneer other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF264 18-()</b> ( )	\$1,032.	\$1,064.	\$1,128.	\$1,196.	\$1,252.	\$1,340.	\$1,392.
Regular acoustics	20"	64"	<b>R3B0TF264 20-()</b> ( )	1,032.	1,064.	1,128.	1,196.	1,252.	1,340.	1,392.
	24"	64"	<b>R3B0TF264 24-()</b> ( )	1,092.	1,124.	1,188.	1,256.	1,312.	1,400.	1,452.
	30"	64"	<b>R3B0TF264 30-()</b> ( )	1,163.	1,195.	1,259.	1,327.	1,383.	1,471.	1,523.
	36"	64"	<b>R3B0TF264 36-()</b> ( )	1,230.	1,262.	1,326.	1,394.	1,450.	1,538.	1,590.
	42"	64"	<b>R3B0TF264 42-()</b> ( )	1,384.	1,416.	1,480.	1,548.	1,604.	1,692.	1,744.
	48"	64"	<b>R3B0TF264 48-()</b> ( )	1,449.	1,481.	1,545.	1,613.	1,669.	1,757.	1,809.


Tiled, fabric one side	18"	64"	<b>R3B1TF264 18-()</b> ( )	1,534.	1,566.	1,630.	1,696.	1,754.	1,842.	1,894.
Beltway one side (fabric side)	20"	64"	<b>R3B1TF264 20-()</b> ( )	1,534.	1,566.	1,630.	1,698.	1,754.	1,842.	1,894.
	24"	64"	<b>R3B1TF264 24-()</b> ( )	1,608.	1,640.	1,704.	1,772.	1,828.	1,916.	1,968.
	30"	64"	<b>R3B1TF264 30-()</b> ( )	1,642.	1,674.	1,738.	1,806.	1,862.	1,950.	2,002.
	36"	64"	<b>R3B1TF264 36-()</b> ( )	1,993.	2,025.	2,089.	2,157.	2,213.	2,301.	2,353.
	42"	64"	<b>R3B1TF264 42-()</b> ( )	2,126.	2,158.	2,222.	2,290.	2,346.	2,434.	2,486.
	48"	64"	<b>R3B1TF264 48-()</b> ( )	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF26418-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B0</b> No Beltway	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>F2</b> Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>64</b> 64" high	4. Tile divider	<i>2. Base height:</i>
<b>18</b> 18" wide	B = black steel divider or specify	4 = 4" base height
<b>A</b> Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
<b>4</b> 4" base height	painted option excluding silver	6" raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 64" h add per panel:</i>
<b>B</b> Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	\$39 for 18w and 20w
<b>W281</b> Fabric - Side 1A	i) tile 1A bottom	\$43 for 24w and 30w
<b>W281</b> Fabric - Side 1B	ii) tile 1B middle	\$48 for 36w and 42w
<b>W281</b> Fabric - Side 1C	iii) tile 1C middle	\$64 for 48w
<b>W281</b> Fabric - Side 1D	iv) tile 1D top	
<b>V316</b> Maple surface - side 2 tiled	6. Conventional veneer, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
<b>V316</b> Maple (top trim finish)	7. Top trim finish	
<b>111</b> Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
<b>M</b> Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

# Tiled panels 64" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	<b>R3B0TF364 18-()</b> ( )	\$1,371.	\$1,403.	\$1,467.	\$1,535.	\$1,591.	\$1,679.	\$1,731.
Regular acoustics	20"	64"	<b>R3B0TF364 20-()</b> ( )	1,371.	1,403.	1,467.	1,535.	1,591.	1,679.	1,731.
	24"	64"	<b>R3B0TF364 24-()</b> ( )	1,451.	1,483.	1,547.	1,615.	1,671.	1,759.	1,811.
	30"	64"	<b>R3B0TF364 30-()</b> ( )	1,547.	1,579.	1,643.	1,711.	1,767.	1,855.	1,907.
	36"	64"	<b>R3B0TF364 36-()</b> ( )	1,639.	1,671.	1,735.	1,803.	1,859.	1,947.	1,999.
	42"	64"	<b>R3B0TF364 42-()</b> ( )	1,847.	1,879.	1,943.	2,011.	2,067.	2,155.	2,207.
	48"	64"	<b>R3B0TF364 48-()</b> ( )	1,933.	1,965.	2,029.	2,097.	2,153.	2,241.	2,293.

Tiled, fabric one side	18"	64"	<b>R3B1TF364 18-()</b> ( )	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
Beltway fabric side	20"	64"	<b>R3B1TF364 20-()</b> ( )	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
	24"	64"	<b>R3B1TF364 24-()</b> ( )	2,151.	2,183.	2,247.	2,313.	2,371.	2,459.	2,511.
	30"	64"	<b>R3B1TF364 30-()</b> ( )	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.
	36"	64"	<b>R3B1TF364 36-()</b> ( )	2,668.	2,700.	2,764.	2,832.	2,888.	2,976.	3,028.
	42"	64"	<b>R3B1TF364 42-()</b> ( )	2,847.	2,879.	2,943.	3,011.	3,067.	3,155.	3,207.
	48"	64"	<b>R3B1TF364 48-()</b> ( )	2,941.	2,973.	3,037.	3,105.	3,161.	3,249.	3,301.

## Order Code

Example: <b>R3B0TF36418-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>F3</b>	Fabric one side, V3 other
<b>64</b>	64" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 1D
<b>V512</b>	Figured Anigre surface - side 2 tiled
<b>V512</b>	Figured Anigre (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

## Specification Information

- To order please specify pattern number including:*
- Top trim profile
  - Base height
  - Knockout option (K = with knockouts, N = without knockouts)
  - Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
  - Fabric side, finish (specify selection per insert)  
*i*) tile 1A bottom  
*ii*) tile 1B middle  
*iii*) tile 1C middle  
*iv*) tile 1D top
  - Exotic veneer, finish (specify one V3 finish for side)
  - Top trim finish  
*i*) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
*ii*) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
  - Base finish
  - Beltway finish, for panels with Beltway
  - Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

## Application Notes

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

- Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)

6" raceway option increases panel height by 2 3/4".

- Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)*  
64"h add per panel:  
\$39 for 18w and 20w  
\$43 for 24w and 30w  
\$48 for 36w and 42w  
\$64 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.



# Tiled panels 64" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	64"	<b>R3B0TLL6418</b> ( ) ( )	\$1,145.
	20"	64"	<b>R3B0TLL6420</b> ( ) ( )	1,145.
	24"	64"	<b>R3B0TLL6424</b> ( ) ( )	1,248.
	30"	64"	<b>R3B0TLL6430</b> ( ) ( )	1,399.
	36"	64"	<b>R3B0TLL6436</b> ( ) ( )	1,510.
	42"	64"	<b>R3B0TLL6442</b> ( ) ( )	1,555.
	48"	64"	<b>R3B0TLL6448</b> ( ) ( )	1,618.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TLL6418-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<b>B0</b> No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> <b>Optional for non fabric side only</b> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
<b>LL</b> Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>64</b> 64" high	5. Laminate side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
<b>18</b> 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Flat style top trim profile	6. Laminate, finish	Applicable finishes are listed on page 5 and 6.
<b>4</b> 4" base height	7. Top trim finish	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>K</b> Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>B</b> Tile divider, black reveal	8. Base finish	
<b>118</b> Laminate - side 1A	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>118</b> Laminate - side 1B		
<b>118</b> Laminate - side 1C		
<b>118</b> Laminate - side 1D		
<b>118</b> Laminate - side 2A		
<b>118</b> Laminate - side 2B		
<b>118</b> Laminate - side 2C		
<b>118</b> Laminate - side 2D		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		




# Tiled panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	<b>R3B0TFF79 18-</b> ( ) ( )	\$1,056.	\$1,136.	\$1,286.	\$1,456.	\$1,596.	\$1,816.	\$1,946.
Regular acoustics	20"	79"	<b>R3B0TFF79 20-</b> ( ) ( )	1,056.	1,136.	1,286.	1,456.	1,596.	1,816.	1,946.
	24"	79"	<b>R3B0TFF79 24-</b> ( ) ( )	1,123.	1,203.	1,353.	1,523.	1,663.	1,883.	2,013.
	30"	79"	<b>R3B0TFF79 30-</b> ( ) ( )	1,188.	1,268.	1,418.	1,588.	1,728.	1,948.	2,078.
	36"	79"	<b>R3B0TFF79 36-</b> ( ) ( )	1,256.	1,336.	1,486.	1,656.	1,796.	2,016.	2,146.
	42"	79"	<b>R3B0TFF79 42-</b> ( ) ( )	1,427.	1,507.	1,657.	1,827.	1,967.	2,187.	2,317.
	48"	79"	<b>R3B0TFF79 48-</b> ( ) ( )	1,499.	1,579.	1,729.	1,899.	2,039.	2,259.	2,389.



Tiled, fabric both sides	18"	79"	<b>R3B0TAA79 18-</b> ( ) ( )	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
High acoustics	20"	79"	<b>R3B0TAA79 20-</b> ( ) ( )	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
	24"	79"	<b>R3B0TAA79 24-</b> ( ) ( )	1,232.	1,312.	1,462.	1,632.	1,772.	1,992.	2,122.
	30"	79"	<b>R3B0TAA79 30-</b> ( ) ( )	1,303.	1,383.	1,533.	1,703.	1,843.	2,063.	2,193.
	36"	79"	<b>R3B0TAA79 36-</b> ( ) ( )	1,377.	1,457.	1,607.	1,777.	1,917.	2,137.	2,267.
	42"	79"	<b>R3B0TAA79 42-</b> ( ) ( )	1,567.	1,647.	1,797.	1,967.	2,107.	2,327.	2,457.
	48"	79"	<b>R3B0TAA79 48-</b> ( ) ( )	1,649.	1,729.	1,879.	2,049.	2,189.	2,409.	2,539.



## Order Code

Example: <b>R3B0TFF7918-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>FF</b>	Fabric on both sides
<b>79</b>	79" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 1D
<b>W281</b>	Fabric - Side 2A
<b>W281</b>	Fabric - Side 2B
<b>W281</b>	Fabric - Side 2C
<b>W281</b>	Fabric - Side 2D
<b>V316</b>	Maple (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

## Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
  - i) tile 1A bottom
  - ii) tile 1B middle
  - iii) tile 1C middle
  - iv) tile 1D middle
  - v) tile 1E top
5. Fabric side, finish (specify selection per insert)
  - i) tile 2A bottom
  - ii) tile 2B middle
  - iii) tile 2C middle
  - iv) tile 2D middle
  - v) tile 2E top

6. Top trim finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
  - 1. Top trim profile: A = Flat, B = Square, C = Bullnose, E = Extruded Aluminum
  - 2. Base height: 4 = 4" base height, 6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

## Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2<sup>3</sup>/<sub>4</sub>".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.




# Tiled panels 79" H

*fabric one side, laminate other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TFL79 18-()</b> ( )	\$1,171.	\$1,211.	\$1,281.	\$1,366.	\$1,436.	\$1,536.	\$1,601.
Regular acoustics	20"	79"	<b>R3B0TFL79 20-()</b> ( )	1,171.	1,211.	1,281.	1,366.	1,436.	1,536.	1,601.
	24"	79"	<b>R3B0TFL79 24-()</b> ( )	1,242.	1,282.	1,352.	1,437.	1,507.	1,607.	1,672.
	30"	79"	<b>R3B0TFL79 30-()</b> ( )	1,302.	1,342.	1,412.	1,497.	1,567.	1,667.	1,732.
	36"	79"	<b>R3B0TFL79 36-()</b> ( )	1,367.	1,407.	1,477.	1,562.	1,632.	1,732.	1,797.
	42"	79"	<b>R3B0TFL79 42-()</b> ( )	1,531.	1,571.	1,641.	1,726.	1,796.	1,896.	1,961.
	48"	79"	<b>R3B0TFL79 48-()</b> ( )	1,602.	1,642.	1,712.	1,797.	1,867.	1,967.	2,032.




Tiled, fabric one side	18"	79"	<b>R3B1TFL79 18-()</b> ( )	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
Beltway one side (fabric side)	20"	79"	<b>R3B1TFL79 20-()</b> ( )	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
	24"	79"	<b>R3B1TFL79 24-()</b> ( )	1,548.	1,588.	1,657.	1,743.	1,813.	1,913.	1,978.
	30"	79"	<b>R3B1TFL79 30-()</b> ( )	1,582.	1,622.	1,691.	1,777.	1,847.	1,947.	2,012.
	36"	79"	<b>R3B1TFL79 36-()</b> ( )	1,899.	1,939.	2,008.	2,094.	2,164.	2,264.	2,329.
	42"	79"	<b>R3B1TFL79 42-()</b> ( )	2,022.	2,062.	2,131.	2,217.	2,287.	2,387.	2,452.
	48"	79"	<b>R3B1TFL79 48-()</b> ( )	2,086.	2,126.	2,195.	2,281.	2,351.	2,451.	2,516.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TFL7918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
<b>R3</b> Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
<b>B0</b> No Beltway	2. Base height	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish when applicable.
<b>FL</b> Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>79</b> 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
<b>18</b> 18" wide	6. Laminate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish, for panels with Beltway	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>W281</b> Fabric - Side 1A	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
<b>W281</b> Fabric - Side 1B	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	
<b>W281</b> Fabric - Side 1C	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79"h add per panel: \$48 for 18w and 20w \$57 for 24w and 30w \$62 for 36w and 42w \$84 for 48w	
<b>W281</b> Fabric - Side 1D	Applicable finishes are listed on page 5 and 6.	
<b>W281</b> Fabric - Side 1E	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	
<b>114</b> Folkstone grey - side 2A		
<b>114</b> Folkstone grey - side 2B		
<b>114</b> Folkstone grey - side 2C		
<b>114</b> Folkstone grey - side 2D		
<b>114</b> Folkstone grey - side 2E		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 79" H

*fabric one side, techwood other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF179 18-()</b> ( )	\$1,259.	\$1,299.	\$1,379.	\$1,464.	\$1,534.	\$1,644.	\$1,709.
Regular acoustics	20"	79"	<b>R3B0TF179 20-()</b> ( )	1,259.	1,299.	1,379.	1,464.	1,534.	1,644.	1,709.
	24"	79"	<b>R3B0TF179 24-()</b> ( )	1,331.	1,371.	1,451.	1,536.	1,606.	1,716.	1,781.
	30"	79"	<b>R3B0TF179 30-()</b> ( )	1,399.	1,439.	1,519.	1,604.	1,674.	1,784.	1,849.
	36"	79"	<b>R3B0TF179 36-()</b> ( )	1,468.	1,508.	1,588.	1,673.	1,743.	1,853.	1,918.
	42"	79"	<b>R3B0TF179 42-()</b> ( )	1,648.	1,688.	1,768.	1,853.	1,923.	2,033.	2,098.
	48"	79"	<b>R3B0TF179 48-()</b> ( )	1,724.	1,764.	1,844.	1,929.	1,999.	2,109.	2,174.


Tiled, fabric one side	18"	79"	<b>R3B1TF179 18-()</b> ( )	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
Beltway one side (fabric side)	20"	79"	<b>R3B1TF179 20-()</b> ( )	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
	24"	79"	<b>R3B1TF179 24-()</b> ( )	1,664.	1,704.	1,784.	1,869.	1,939.	2,049.	2,114.
	30"	79"	<b>R3B1TF179 30-()</b> ( )	1,695.	1,735.	1,815.	1,900.	1,970.	2,080.	2,145.
	36"	79"	<b>R3B1TF179 36-()</b> ( )	2,040.	2,080.	2,160.	2,245.	2,315.	2,425.	2,490.
	42"	79"	<b>R3B1TF179 42-()</b> ( )	2,173.	2,213.	2,293.	2,378.	2,448.	2,558.	2,623.
	48"	79"	<b>R3B1TF179 48-()</b> ( )	2,241.	2,281.	2,361.	2,446.	2,516.	2,626.	2,691.

Order Code	Specification Information	Application Notes
Example: <b>R3B0TF17918-A4K</b>	<i>To order please specify pattern number including:</i>	
<b>R3</b> Ref Generation 3	1. Top trim profile	8. Base finish
<b>B0</b> No Beltway	2. Base height	9. Beltway finish, for panels with beltway
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
<b>F1</b> Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
<b>79</b> 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>18</b> 18" wide	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish when applicable.
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>4</b> 4" base height		
<b>K</b> Include knockouts in base		
<b>B</b> Tile divider, black reveal		
<b>W281</b> Fabric - Side 1A		
<b>W281</b> Fabric - Side 1B		
<b>W281</b> Fabric - Side 1C		
<b>W281</b> Fabric - Side 1D		
<b>W281</b> Fabric - Side 1E		
<b>Y328</b> Mahogany - side 2A		
<b>Y328</b> Mahogany - side 2B		
<b>Y328</b> Mahogany - side 2C		
<b>Y328</b> Mahogany - side 2D		
<b>Y328</b> Mahogany - side 2E		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optimal milled frame		

# Tiled panels 79" H

*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF279 18-()</b> ( )	\$1,281.	\$1,321.	\$1,401.	\$1,486.	\$1,556.	\$1,666.	\$1,731.
Regular acoustics	20"	79"	<b>R3B0TF279 20-()</b> ( )	1,281.	1,321.	1,401.	1,486.	1,556.	1,666.	1,731.
	24"	79"	<b>R3B0TF279 24-()</b> ( )	1,355.	1,395.	1,475.	1,560.	1,630.	1,740.	1,805.
	30"	79"	<b>R3B0TF279 30-()</b> ( )	1,422.	1,462.	1,542.	1,627.	1,697.	1,807.	1,872.
	36"	79"	<b>R3B0TF279 36-()</b> ( )	1,494.	1,534.	1,614.	1,699.	1,769.	1,879.	1,944.
	42"	79"	<b>R3B0TF279 42-()</b> ( )	1,674.	1,714.	1,794.	1,879.	1,949.	2,059.	2,124.
	48"	79"	<b>R3B0TF279 48-()</b> ( )	1,753.	1,793.	1,873.	1,958.	2,028.	2,138.	2,203.




Tiled, fabric one side	18"	79"	<b>R3B1TF279 18-()</b> ( )	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
Beltway one side (fabric side)	20"	79"	<b>R3B1TF279 20-()</b> ( )	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
	24"	79"	<b>R3B1TF279 24-()</b> ( )	1,693.	1,733.	1,813.	1,898.	1,968.	2,078.	2,143.
	30"	79"	<b>R3B1TF279 30-()</b> ( )	1,729.	1,769.	1,849.	1,934.	2,004.	2,114.	2,179.
	36"	79"	<b>R3B1TF279 36-()</b> ( )	2,078.	2,118.	2,198.	2,283.	2,353.	2,463.	2,528.
	42"	79"	<b>R3B1TF279 42-()</b> ( )	2,209.	2,249.	2,329.	2,414.	2,484.	2,594.	2,659.
	48"	79"	<b>R3B1TF279 48-()</b> ( )	2,281.	2,321.	2,401.	2,486.	2,556.	2,666.	2,731.




Order Code	Specification Information	Application Notes
Example: <b>R3B0TF17918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
<b>R3</b> Ref Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
<b>B0</b> No Beltway	2. Base height	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish when applicable.
<b>F1</b> Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>79</b> 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
<b>18</b> 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
<b>A</b> Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish on page 5 excluding silver	
<b>4</b> 4" base height	8. Base finish	
<b>K</b> Include knockouts in base	9. Beltway finish, for panels with Beltway	
<b>B</b> Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
<b>W281</b> Fabric - Side 1A	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
<b>W281</b> Fabric - Side 1B	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	
<b>W281</b> Fabric - Side 1C	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79"h add per panel: \$52 for 18w and 20w \$60 for 24w and 30w \$64 for 36w and 42w \$86 for 48w	
<b>W281</b> Fabric - Side 1D	Applicable finishes are listed on page 5 and 6.	
<b>W281</b> Fabric - Side 1E		
<b>Y328</b> Mahogany - side 2 Tiled		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>M</b> Optional milled frame		

# Tiled panels 79" H

*fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	<b>R3B0TF379 18-()</b> ( )	\$1,700.	\$1,740.	\$1,820.	\$1,905.	\$1,975.	\$2,085.	\$2,150.
Regular acoustics	20"	79"	<b>R3B0TF379 20-()</b> ( )	1,700.	1,740.	1,820.	1,905.	1,975.	2,085.	2,150.
	24"	79"	<b>R3B0TF379 24-()</b> ( )	1,801.	1,841.	1,921.	2,006.	2,076.	2,186.	2,251.
	30"	79"	<b>R3B0TF379 30-()</b> ( )	1,894.	1,934.	2,014.	2,099.	2,169.	2,279.	2,344.
	36"	79"	<b>R3B0TF379 36-()</b> ( )	1,991.	2,031.	2,111.	2,196.	2,266.	2,376.	2,441.
	42"	79"	<b>R3B0TF379 42-()</b> ( )	2,234.	2,274.	2,354.	2,439.	2,509.	2,619.	2,684.
	48"	79"	<b>R3B0TF379 48-()</b> ( )	2,339.	2,379.	2,459.	2,544.	2,614.	2,724.	2,789.

Tiled, fabric one side	18"	79"	<b>R3B1TF379 18-()</b> ( )	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
Beltway fabric side	20"	79"	<b>R3B1TF379 20-()</b> ( )	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
	24"	79"	<b>R3B1TF379 24-()</b> ( )	2,258.	2,298.	2,378.	2,463.	2,533.	2,643.	2,708.
	30"	79"	<b>R3B1TF379 30-()</b> ( )	2,307.	2,347.	2,427.	2,512.	2,582.	2,692.	2,757.
	36"	79"	<b>R3B1TF379 36-()</b> ( )	2,778.	2,818.	2,898.	2,983.	3,053.	3,163.	3,228.
	42"	79"	<b>R3B1TF379 42-()</b> ( )	2,957.	2,997.	3,077.	3,162.	3,232.	3,342.	3,407.
	48"	79"	<b>R3B1TF379 48-()</b> ( )	3,054.	3,094.	3,174.	3,259.	3,329.	3,439.	3,504.

**Order Code**

**Specification Information**

**Application Notes**

Example: <b>R3B0TF37918-A4K</b>	
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>F3</b>	Fabric one side, V3 other
<b>79</b>	79" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>W281</b>	Fabric - Side 1A
<b>W281</b>	Fabric - Side 1B
<b>W281</b>	Fabric - Side 1C
<b>W281</b>	Fabric - Side 1D
<b>W281</b>	Fabric - Side 1E
<b>V512</b>	Figured Anigre surface - side 2 tiled
<b>V512</b>	Figured Anigre (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

*To order please specify pattern number including:*

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C middle  
iv) tile 1D middle  
v) tile 1E top
- Exotic veneer, finish (specify one V3 finish for side)
- Top trim finish  
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish, for panels with Beltway
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

- Top trim profile:*  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum
- Base height:*  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)
- Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)  
79" h add per panel:  
\$52 for 18w and 20w  
\$60 for 24w and 30w  
\$64 for 36w and 42w  
\$86 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.



# Tiled panels 79" H

## Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	79"	<b>R3B0TLL7918</b> ( ) ( )	\$1,337.
with raceway both sides	20"	79"	<b>R3B0TLL7920</b> ( ) ( )	1,337.
	24"	79"	<b>R3B0TLL7924</b> ( ) ( )	1,457.
	30"	79"	<b>R3B0TLL7930</b> ( ) ( )	1,633.
	36"	79"	<b>R3B0TLL7936</b> ( ) ( )	1,763.
	42"	79"	<b>R3B0TLL7942</b> ( ) ( )	1,816.
	48"	79"	<b>R3B0TLL7948</b> ( ) ( )	1,908.



Example:	<b>R3B0TLL7918-A4K</b>
<b>R3</b>	Reff Generation 3
<b>B0</b>	No Beltway
<b>T</b>	Tiled panel
<b>LL</b>	Laminate both sides
<b>79</b>	79" high
<b>18</b>	18" wide
<b>A</b>	Flat style top trim profile
<b>4</b>	4" base height
<b>K</b>	Include knockouts in base
<b>B</b>	Tile divider, black reveal
<b>118</b>	Laminate - side 1A
<b>118</b>	Laminate - side 1B
<b>118</b>	Laminate - side 1C
<b>118</b>	Laminate - side 1D
<b>118</b>	Laminate - side 1E
<b>118</b>	Laminate - side 2A
<b>118</b>	Laminate - side 2B
<b>118</b>	Laminate - side 2C
<b>118</b>	Laminate - side 2D
<b>118</b>	Laminate - side 2E
<b>V512</b>	Figured Anigre (top trim finish)
<b>111</b>	Jet Black (base finish)
<b>M</b>	Optional milled frame

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option  
(K = with knockouts, N = without knockouts)
- Tile divider  
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Laminate side, finish (specify selection per insert)  
i) tile 1A bottom  
ii) tile 1B middle  
iii) tile 1C middle  
iv) tile 1D middle  
v) tile 1E top
- Laminate, finish
- Top trim finish  
i) Profile A, B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Profile E options:  
AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height

4. Extruded aluminum tile divider:

- Optional for non fabric side only** (fabric side always black)
- 79"h add per panel:
- \$52 for 18w and 20w
- \$60 for 24w and 30w
- \$64 for 36w and 42w
- \$86 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will not accept stacking modules.

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.



description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	<b>R2APT3418 ( )</b>	\$102.	
	20"	34"	<b>R2APT3420 ( )</b>	102.	
	24"	34"	<b>R2APT3424 ( )</b>	105.	
	30"	34"	<b>R2APT3430 ( )</b>	107.	
	36"	34"	<b>R2APT3436 ( )</b>	112.	
	42"	34"	<b>R2APT3442 ( )</b>	114.	
	48"	34"	<b>R2APT3448 ( )</b>	119.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	<b>R2APT4218 ( )</b>	157.	
	20"	42"	<b>R2APT4220 ( )</b>	157.	
	24"	42"	<b>R2APT4224 ( )</b>	162.	
	30"	42"	<b>R2APT4230 ( )</b>	164.	
	36"	42"	<b>R2APT4236 ( )</b>	173.	
	42"	42"	<b>R2APT4242 ( )</b>	178.	
	48"	42"	<b>R2APT4248 ( )</b>	186.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<p>To order specify pattern number including height and width as applicable.</p> <p>1. Specify Finish : Fabric</p>	
<b>RA</b> Reff Administrative		
<b>WH</b> Wall hung		
<b>DH</b> Desk hight planning		
<b>TB</b> Tack board		
<b>S</b> Single desk		
<b>66</b> width Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49"h tiled with 4" or 6"h base raceway	18"	49"	<b>R2APT4918 ( )</b>	\$168.	
	20"	49"	<b>R2APT4920 ( )</b>	168.	
	24"	49"	<b>R2APT4924 ( )</b>	174.	
	30"	49"	<b>R2APT4930 ( )</b>	176.	
	36"	49"	<b>R2APT4936 ( )</b>	185.	
	42"	49"	<b>R2APT4942 ( )</b>	193.	
	48"	49"	<b>R2APT4948 ( )</b>	199.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64"h tiled with 4" or 6"h base raceway	18"	64"	<b>R2APT6418 ( )</b>	237.	
	20"	64"	<b>R2APT6420 ( )</b>	237.	
	24"	64"	<b>R2APT6424 ( )</b>	246.	
	30"	64"	<b>R2APT6430 ( )</b>	251.	
	36"	64"	<b>R2APT6436 ( )</b>	263.	
	42"	64"	<b>R2APT6442 ( )</b>	273.	
	48"	64"	<b>R2APT6448 ( )</b>	283.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>	1. Specify Finish : Fabric
<b>RA</b> Reff Administrative		
<b>WH</b> Wall hung		
<b>DH</b> Desk hight planning		
<b>TB</b> Tack board		
<b>S</b> Single desk		
<b>66</b> width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	<b>R2APT7918</b> ( )	\$307.	
	20"	79"	<b>R2APT7920</b> ( )	307.	
	24"	79"	<b>R2APT7924</b> ( )	317.	
	30"	79"	<b>R2APT7930</b> ( )	323.	
	36"	79"	<b>R2APT7936</b> ( )	341.	
	42"	79"	<b>R2APT7942</b> ( )	352.	
	48"	79"	<b>R2APT7948</b> ( )	370.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".  
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"	<b>R2ATPK34</b> ( )	68.
	42"	<b>R2ATPK42</b> ( )	85.
	49"	<b>R2ATPK49</b> ( )	97.
	64"	<b>R2ATPK64</b> ( )	134.
	79"	<b>R2ATPK79</b> ( )	168.

**Order Code**

Example:	<b>R2APT3418 AA</b>
<b>RA</b>	Reff Administrative
<b>WH</b>	Wall hung
<b>DH</b>	Desk hight planning
<b>TB</b>	Tack board
<b>S</b>	Single desk
<b>66</b>	width
	Fabric

**Specification Information**

*To order specify pattern number including height and width as applicable.*

1. Specify Finish : Fabric

**Application Notes**

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6" h raceway		34"	<b>R2ALPK34</b> ( )		\$67.
		42"	<b>R2ALPK42</b> ( )		93.
		49"	<b>R2ALPK49</b> ( )		102.
		64"	<b>R2ALPK64</b> ( )		141.
		79"	<b>R2ALPK79</b> ( )		178.
Alum vertical reveal for end trim with 4" or 6" h raceway		34"	<b>R2AETK34</b> ( )		66.
		42"	<b>R2AETK42</b> ( )		80.
		49"	<b>R2AETK49</b> ( )		94.
		64"	<b>R2AETK64</b> ( )		125.
		79"	<b>R2AETK79</b> ( )		158.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>  1. Specify Finish : Fabric	
<b>RA</b> Reff Administrative		
<b>WH</b> Wall hung		
<b>DH</b> Desk hight planning		
<b>TB</b> Tack board		
<b>S</b> Single desk		
<b>66</b> width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	<b>R2AHCR34</b> ( )		\$66.
		38"	<b>R2AHCR42</b> ( )		80.
		45"	<b>R2AHCR49</b> ( )		94.
		60"	<b>R2AHCR64</b> ( )		125.
		75"	<b>R2AHCR79</b> ( )		158.

for use with generation 2 or 3 installations

Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		<b>R2AHTR18</b> ( )		45.
	20"		<b>R2AHTR20</b> ( )		45.
	24"		<b>R2AHTR24</b> ( )		47.
	30"		<b>R2AHTR30</b> ( )		52.
	36"		<b>R2AHTR36</b> ( )		56.
	42"		<b>R2AHTR42</b> ( )		58.
	48"		<b>R2AHTR48</b> ( )		65.

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<p><i>To order specify pattern number including height and width as applicable.</i></p> <p>1. Specify Finish : Fabric</p>	
<b>RA</b> Reff Administrative		
<b>WH</b> Wall hung		
<b>DH</b> Desk hight planning		
<b>TB</b> Tack board		
<b>S</b> Single desk		
<b>66</b> width		
Fabric		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		<b>R2AHWR18 ( )</b>	\$39.	
	20"		<b>R2AHWR20 ( )</b>	39.	
	24"		<b>R2AHWR24 ( )</b>	41.	
	30"		<b>R2AHWR30 ( )</b>	42.	
	36"		<b>R2AHWR36 ( )</b>	46.	
	42"		<b>R2AHWR42 ( )</b>	48.	
	48"		<b>R2AHWR48 ( )</b>	54.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		<b>R2AHBW18 ( )</b>	39.	
	20"		<b>R2AHBW20 ( )</b>	39.	
	24"		<b>R2AHBW24 ( )</b>	41.	
	30"		<b>R2AHBW30 ( )</b>	42.	
	36"		<b>R2AHBW36 ( )</b>	46.	
	42"		<b>R2AHBW42 ( )</b>	48.	
	48"		<b>R2AHBW48 ( )</b>	54.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>  1. Specify Finish : Fabric	
<b>RA</b> Reff Administrative		
<b>WH</b> Wall hung		
<b>DH</b> Desk hight planning		
<b>TB</b> Tack board		
<b>S</b> Single desk		
<b>66</b> width Fabric		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		<b>R2AHSR18 ( )</b>		\$39.
	20"		<b>R2AHSR20 ( )</b>		39.
	24"		<b>R2AHSR24 ( )</b>		41.
	30"		<b>R2AHSR30 ( )</b>		42.
	36"		<b>R2AHSR36 ( )</b>		46.
	42"		<b>R2AHSR42 ( )</b>		48.
	48"		<b>R2AHSR48 ( )</b>		54.

horizontal reveal only

**Order Code**

Example: <b>R2APT3418 AA</b>
<b>RA</b> Reff Administrative
<b>WH</b> Wall hung
<b>DH</b> Desk hight planning
<b>TB</b> Tack board
<b>S</b> Single desk
<b>66</b> width
Fabric

**Specification Information**

*To order specify pattern number including height and width as applicable.*

1. Specify Finish : Fabric

**Application Notes**



# Beltway one side, window panel 49" H tiled panel with glass type "A" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	<b>R3B1TFFA49 18-()</b> ( )	\$1,279.	\$1,311.	\$1,368.	\$1,439.	\$1,495.	\$1,583.	\$1,635.
	20"	49"	<b>R3B1TFFA49 20-()</b> ( )	1,279.	1,311.	1,368.	1,439.	1,495.	1,583.	1,635.
	24"	49"	<b>R3B1TFFA49 24-()</b> ( )	1,323.	1,355.	1,412.	1,483.	1,539.	1,627.	1,679.
	30"	49"	<b>R3B1TFFA49 30-()</b> ( )	1,414.	1,446.	1,503.	1,574.	1,630.	1,718.	1,770.
	36"	49"	<b>R3B1TFFA49 36-()</b> ( )	1,702.	1,734.	1,791.	1,862.	1,918.	2,006.	2,058.
	42"	49"	<b>R3B1TFFA49 42-()</b> ( )	1,854.	1,886.	1,943.	2,014.	2,070.	2,158.	2,210.
	48"	49"	<b>R3B1TFFA49 48-()</b> ( )	1,940.	1,972.	2,029.	2,100.	2,156.	2,244.	2,296.




Order Code	Specification Information	Application Notes
Example: <b>R3B1TFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>R3</b> Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
<b>B1</b> Beltway 1 side	2. Base height	
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>FF</b> Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
<b>A</b> Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
<b>49</b> 49" high	6. Top trim finish	
<b>18</b> 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>4</b> 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>K</b> Include knockouts in base	8. Beltway finish	
<b>W281</b> Fabric selection - side 1A	9. Glass window frame finish	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1B	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>W281</b> Fabric selection - side 2A		
<b>W281</b> Fabric selection - side 2B		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

1. Top trim profile:  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum

2. Base height:  
4 = 4" base height  
6 = 6" base height (add \$47 per panel for this option)



# Beltway one side, window panel 49" H tiled panel with glass type "B" at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	<b>R3B1TFFB49 30-()</b> ( )	\$1,525.	\$1,557.	\$1,614.	\$1,685.	\$1,741.	\$1,829.	\$1,881.
	36"	49"	<b>R3B1TFFB49 36-()</b> ( )	1,822.	1,854.	1,911.	1,982.	2,038.	2,126.	2,178.
	42"	49"	<b>R3B1TFFB49 42-()</b> ( )	1,974.	2,006.	2,063.	2,134.	2,190.	2,278.	2,330.
	48"	49"	<b>R3B1TFFB49 48-()</b> ( )	2,069.	2,101.	2,158.	2,229.	2,285.	2,373.	2,425.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFFB4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side		B = Square
<b>T</b> Tiled panel		C = Bullnose
<b>FF</b> Fabric both sides		E = Extruded Aluminum
<b>B</b> Type B window		2. Base height:
<b>49</b> 49" high		4 = 4" base height
<b>30</b> 30" wide		6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height		6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>B</b> Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 2A		
<b>W281</b> Fabric selection - side 2B		
<b>Y328</b> Mahogany - side 2 tiled		
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		


# Beltway one side, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	<b>R3B1PFFA49 18-()</b> ( )	\$1,156.	\$1,174.	\$1,216.	\$1,301.	\$1,355.	\$1,433.	\$1,512.
	20"	49"	<b>R3B1PFFA49 20-()</b> ( )	1,156.	1,174.	1,216.	1,301.	1,355.	1,433.	1,512.
	24"	49"	<b>R3B1PFFA49 24-()</b> ( )	1,197.	1,215.	1,257.	1,342.	1,396.	1,474.	1,553.
	30"	49"	<b>R3B1PFFA49 30-()</b> ( )	1,275.	1,293.	1,335.	1,420.	1,474.	1,552.	1,631.
	36"	49"	<b>R3B1PFFA49 36-()</b> ( )	1,518.	1,536.	1,578.	1,663.	1,717.	1,795.	1,874.
	42"	49"	<b>R3B1PFFA49 42-()</b> ( )	1,647.	1,665.	1,707.	1,792.	1,846.	1,924.	2,003.
	48"	49"	<b>R3B1PFFA49 48-()</b> ( )	1,726.	1,744.	1,786.	1,871.	1,925.	2,003.	2,082.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	<b>R3B1PFFB49 30-()</b> ( )	1,386.	1,404.	1,446.	1,531.	1,585.	1,663.	1,742.
	36"	49"	<b>R3B1PFFB49 36-()</b> ( )	1,638.	1,656.	1,698.	1,783.	1,837.	1,915.	1,994.
	42"	49"	<b>R3B1PFFB49 42-()</b> ( )	1,767.	1,785.	1,827.	1,912.	1,966.	2,044.	2,123.
	48"	49"	<b>R3B1PFFB49 48-()</b> ( )	1,855.	1,873.	1,915.	2,000.	2,054.	2,132.	2,211.

Order Code	Specification Information	Application Notes
Example: <b>R3B1PFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>R3</b> Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>B1</b> Beltway 1 side	2. Base height	
<b>P</b> Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>FF</b> Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
<b>A</b> Type A window	5. Panel side 2 finish (specify selection per insert)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
<b>49</b> 49" high	6. Top trim finish	
<b>18</b> 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>A</b> Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>4</b> 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
<b>K</b> Include knockouts in base	8. Beltway finish	
<b>W281</b> Fabric selection - side 1	9. Glass window frame finish	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 2	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>V316</b> Maple (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		
	<b>1. Top trim profile:</b> A = Flat B = Square C = Bullnose E = Extruded Aluminum  <b>2. Base height:</b> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	Add upcharge for architectural glass: (as applicable by width) Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198  Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Beltway one side, window panel 49" H  
 tiled with glass type "A" at top,  
 fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TFLA49 18-()</b> ( )	\$1,417.	\$1,433.	\$1,465.	\$1,499.	\$1,527.	\$1,571.	\$1,610.
	20"	49"	<b>R3B1TFLA49 20-()</b> ( )	1,417.	1,432.	1,465.	1,499.	1,527.	1,571.	1,610.
	24"	49"	<b>R3B1TFLA49 24-()</b> ( )	1,462.	1,478.	1,510.	1,544.	1,572.	1,616.	1,655.
	30"	49"	<b>R3B1TFLA49 30-()</b> ( )	1,555.	1,571.	1,603.	1,637.	1,665.	1,709.	1,748.
	36"	49"	<b>R3B1TFLA49 36-()</b> ( )	1,847.	1,863.	1,895.	1,929.	1,957.	2,001.	2,040.
	42"	49"	<b>R3B1TFLA49 42-()</b> ( )	2,000.	2,016.	2,048.	2,082.	2,110.	2,154.	2,193.
	48"	49"	<b>R3B1TFLA49 48-()</b> ( )	2,091.	2,107.	2,139.	2,173.	2,201.	2,245.	2,284.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFLA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>FL</b> Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B</b> Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1A	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Add upcharge for architectural glass: (as applicable by width)
<b>W281</b> Fabric selection - side 1B		Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198
<b>114</b> Folkstone grey - side 2A		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
<b>114</b> Folkstone grey - side 2B		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
<b>V316</b> Maple (top trim finish)		Width Add 18" \$14 20" \$14 24" \$15 30" \$15 36" \$16 42" \$16 48" \$21
<b>111</b> Jet Black (base finish)		Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

Beltway one side, window panel 49" H  
 tiled with glass type "B" at top,  
 fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1TFLB49 30-()</b> ( )	\$1,670.	\$1,686.	\$1,718.	\$1,752.	\$1,780.	\$1,824.	\$1,863.
	36"	49"	<b>R3B1TFLB49 36-()</b> ( )	1,967.	1,983.	2,015.	2,049.	2,077.	2,121.	2,160.
	42"	49"	<b>R3B1TFLB49 42-()</b> ( )	2,120.	2,136.	2,168.	2,202.	2,230.	2,274.	2,313.
	48"	49"	<b>R3B1TFLB49 48-()</b> ( )	2,222.	2,238.	2,270.	2,304.	2,332.	2,376.	2,415.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TFLB4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>FL</b> Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>B</b> Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 18" \$86
<b>49</b> 49" high		20" \$86
<b>18</b> 18" wide		24" \$101
<b>A</b> Flat style top trim profile		30" \$121
<b>4</b> 4" base height		36" \$145
<b>K</b> Include knockouts in base		42" \$173
<b>B</b> Tile divider, black reveal		48" \$198
<b>W281</b> Fabric selection - side 1A	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>W281</b> Fabric selection - side 1B	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
<b>114</b> Folkstone grey - side 2A	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>114</b> Folkstone grey - side 2B	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>V316</b> Maple (top trim finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>111</b> Jet Black (base finish)	8. Base finish	Applicable finishes are listed on page 5 and 6.
<b>111</b> Jet Black (beltway finish)	9. Beltway finish	
<b>111</b> Jet Black (window frame finish)	10. Window frame finish	
<b>TEMP</b> Glass option	11. Glass option Temp = Clear temp Architectoral options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width Add

18" \$86

20" \$86

24" \$101

30" \$121

36" \$145

42" \$173

48" \$198

Frame finish:  
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)  
Optional non fabric tiled side only, fabric side always black

Width Add

18" \$14

20" \$14

24" \$15

30" \$15

36" \$16


42" \$16

48" \$21


Product on this page will accept wood grain laminate where laminate is currently an option.  
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Beltway one side, window panel 49" H  
 monolithic with glass at top,  
 fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1PFLA49 18-()</b> ( )	\$1,171.	\$1,181.	\$1,203.	\$1,246.	\$1,273.	\$1,313.	\$1,340.
	20"	49"	<b>R3B1PFLA49 20-()</b> ( )	1,172.	1,181.	1,203.	1,246.	1,273.	1,313.	1,340.
	24"	49"	<b>R3B1PFLA49 24-()</b> ( )	1,232.	1,241.	1,263.	1,306.	1,333.	1,373.	1,400.
	30"	49"	<b>R3B1PFLA49 30-()</b> ( )	1,342.	1,351.	1,373.	1,416.	1,443.	1,483.	1,510.
	36"	49"	<b>R3B1PFLA49 36-()</b> ( )	1,620.	1,629.	1,651.	1,694.	1,721.	1,761.	1,788.
	42"	49"	<b>R3B1PFLA49 42-()</b> ( )	1,781.	1,790.	1,812.	1,855.	1,882.	1,922.	1,949.
	48"	49"	<b>R3B1PFLA49 48-()</b> ( )	1,894.	1,903.	1,925.	1,968.	1,995.	2,035.	2,062.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1PFLB49 30-()</b> ( )	1,457.	1,466.	1,488.	1,531.	1,558.	1,598.	1,625.
	36"	49"	<b>R3B1PFLB49 36-()</b> ( )	1,740.	1,749.	1,771.	1,814.	1,841.	1,881.	1,908.
	42"	49"	<b>R3B1PFLB49 42-()</b> ( )	1,901.	1,910.	1,932.	1,975.	2,002.	2,042.	2,069.
	48"	49"	<b>R3B1PFLB49 48-()</b> ( )	2,025.	2,034.	2,056.	2,099.	2,126.	2,166.	2,193.



Order Code	Specification Information	Application Notes
Example: <b>R3B1PFLA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>P</b> Monolithic panel	2. Base height	C = Bullnose
<b>FL</b> Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height:
<b>49</b> 49" high		4 = 4" base height
<b>18</b> 18" wide		6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height		6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>B</b> Tile divider, black reveal	6. Laminate side finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>114</b> Folkstone grey - side 2	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
<b>V316</b> Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
<b>111</b> Jet Black (base finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>111</b> Jet Black (beltway finish)	8. Base finish	
<b>111</b> Jet Black (window frame finish)	9. Beltway finish	
<b>TEMP</b> Glass option	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:  
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)  
 Optional non fabric tiled side only, fabric side always black


Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Product on this page will accept wood grain laminate where laminate is currently an option.  
 Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.



Beltway one side, window panel 49" H  
 tiled with type "A" glass at top,  
 fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TF1A49 18-()</b> ( )	\$1,440.	\$1,456.	\$1,488.	\$1,522.	\$1,550.	\$1,594.	\$1,633.
	20"	49"	<b>R3B1TF1A49 20-()</b> ( )	1,440.	1,456.	1,488.	1,522.	1,550.	1,594.	1,633.
	24"	49"	<b>R3B1TF1A49 24-()</b> ( )	1,489.	1,505.	1,537.	1,571.	1,599.	1,643.	1,682.
	30"	49"	<b>R3B1TF1A49 30-()</b> ( )	1,582.	1,598.	1,630.	1,664.	1,692.	1,736.	1,775.
	36"	49"	<b>R3B1TF1A49 36-()</b> ( )	1,881.	1,897.	1,929.	1,963.	1,991.	2,035.	2,074.
	42"	49"	<b>R3B1TF1A49 42-()</b> ( )	2,038.	2,054.	2,086.	2,120.	2,148.	2,192.	2,231.
	48"	49"	<b>R3B1TF1A49 48-()</b> ( )	2,127.	2,143.	2,175.	2,209.	2,237.	2,281.	2,320.




Order Code	Specification Information	Application Notes
Example: <b>R3B1TF1A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F1</b> Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide		6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B</b> Tile divider, black reveal	6. Techwood side, finish (specify one V1 finish for side)	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>W281</b> Fabric selection - side 1B	8. Base finish	
<b>Y328</b> Mahogany - side 2 tiled	9. Beltway finish	
<b>V316</b> Maple (top trim finish)	10. Window frame finish	
<b>111</b> Jet Black (base finish)	11. Glass option Temp = Clear temp	
<b>111</b> Jet Black (beltway finish)	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		



Beltway one side, window panel 49" H  
 tiled with type "B" glass at top,  
 fabric one side, techwood other side

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-()()	\$1,697.	\$1,713.	\$1,745.	\$1,779.	\$1,807.	\$1,851.	\$1,890.
	36"	49"	R3B1TF1B49 36-()()	2,001.	2,017.	2,049.	2,083.	2,111.	2,155.	2,194.
	42"	49"	R3B1TF1B49 42-()()	2,158.	2,174.	2,206.	2,240.	2,268.	2,312.	2,351.
	48"	49"	R3B1TF1B49 48-()()	2,258.	2,274.	2,306.	2,340.	2,368.	2,412.	2,451.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF1B4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B1</b> Beltway one side	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
<b>F1</b> Fabric one side, V1 other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum
<b>B</b> Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	2. Base height:
<b>49</b> 49" high	6. Techwood side, finish (specify one V1 finish for side)	4 = 4" base height
<b>30</b> 30" wide	7. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
<b>K</b> Include knockouts in base	8. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>B</b> Tile divider, black reveal	9. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1A	10. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric selection - side 1B	11. Glass option	Applicable finishes are listed on page 5 and 6.
<b>Y328</b> Mahogany - side 2 tiled	Temp = Clear temp	
<b>V316</b> Maple (top trim finish)	Architectural options:	
<b>111</b> Jet Black (base finish)	GL13 = Powder glass	
<b>111</b> Jet Black (beltway finish)	GL6 = Block matrix glass	
<b>111</b> Jet Black (window frame finish)	GL8 = Wafer glass	
<b>TEMP</b> Glass option		

Add upcharge for architectural glass: (as applicable by width)


Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198


Frame finish:  
 Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)  
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H  
*monolithic with glass at top,*  
*fabric one side, techwood other side*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1PF1A49 18-()</b> ( )	\$1,194.	\$1,203.	\$1,225.	\$1,268.	\$1,295.	\$1,335.	\$1,362.
	20"	49"	<b>R3B1PF1A49 20-()</b> ( )	1,194.	1,203.	1,225.	1,268.	1,295.	1,335.	1,362.
	24"	49"	<b>R3B1PF1A49 24-()</b> ( )	1,252.	1,261.	1,283.	1,326.	1,353.	1,393.	1,420.
	30"	49"	<b>R3B1PF1A49 30-()</b> ( )	1,364.	1,373.	1,395.	1,438.	1,465.	1,505.	1,532.
	36"	49"	<b>R3B1PF1A49 36-()</b> ( )	1,646.	1,655.	1,677.	1,720.	1,747.	1,787.	1,814.
	42"	49"	<b>R3B1PF1A49 42-()</b> ( )	1,815.	1,824.	1,846.	1,889.	1,916.	1,956.	1,983.
	48"	49"	<b>R3B1PF1A49 48-()</b> ( )	1,925.	1,934.	1,956.	1,999.	2,026.	2,066.	2,093.

 Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1PF1B49 30-()</b> ( )	1,479.	1,488.	1,510.	1,553.	1,580.	1,620.	1,647.
	36"	49"	<b>R3B1PF1B49 36-()</b> ( )	1,766.	1,775.	1,797.	1,840.	1,867.	1,907.	1,934.
	42"	49"	<b>R3B1PF1B49 42-()</b> ( )	1,935.	1,944.	1,966.	2,009.	2,036.	2,076.	2,103.
	48"	49"	<b>R3B1PF1B49 48-()</b> ( )	2,056.	2,065.	2,087.	2,130.	2,157.	2,197.	2,224.

Order Code	Specification Information	Application Notes
Example: <b>R3B1PF1B4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>P</b> Monolithic panel	2. Base height	C = Bullnose
<b>F1</b> Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>B</b> Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>30</b> 30" wide	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B</b> Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>Y328</b> Mahogany - side 2		Add upcharge for architectural glass: (as applicable by width)
<b>V316</b> Maple (top trim finish)		Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198
<b>111</b> Jet Black (base finish)		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
<b>111</b> Jet Black (beltway finish)		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) <i>Optional non fabric tiled side only, fabric side always black</i>
<b>111</b> Jet Black (window frame finish)		Width Add 18" \$14 20" \$14 24" \$15 30" \$15 36" \$16 42" \$16 48" \$21
<b>TEMP</b> Glass option		

Beltway one side, window panel 49" H  
 tiled with type "A" glass at top,  
 fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1TF2A49 18-()</b> ( )	\$1,467.	\$1,483.	\$1,515.	\$1,549.	\$1,577.	\$1,621.	\$1,660.
	20"	49"	<b>R3B1TF2A49 20-()</b> ( )	1,467.	1,483.	1,515.	1,549.	1,577.	1,621.	1,660.
	24"	49"	<b>R3B1TF2A49 24-()</b> ( )	1,514.	1,530.	1,562.	1,596.	1,624.	1,668.	1,707.
	30"	49"	<b>R3B1TF2A49 30-()</b> ( )	1,608.	1,624.	1,656.	1,690.	1,718.	1,762.	1,801.
	36"	49"	<b>R3B1TF2A49 36-()</b> ( )	1,910.	1,926.	1,958.	1,992.	2,020.	2,064.	2,103.
	42"	49"	<b>R3B1TF2A49 42-()</b> ( )	2,070.	2,086.	2,118.	2,152.	2,180.	2,224.	2,263.
	48"	49"	<b>R3B1TF2A49 48-()</b> ( )	2,163.	2,179.	2,211.	2,245.	2,273.	2,317.	2,356.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF2A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F2</b> Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide		6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B</b> Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>W281</b> Fabric selection - side 1B		
<b>V316</b> Maple surface - side 2 tiled	8. Base finish	
<b>V316</b> Maple (top trim finish)	9. Beltway finish	
<b>111</b> Jet Black (base finish)	10. Window frame finish	
<b>111</b> Jet Black (beltway finish)	11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

Beltway one side, window panel 49" H  
 tiled with type "B" glass at top,  
 fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-()()	\$1,723.	\$1,739.	\$1,771.	\$1,805.	\$1,833.	\$1,877.	\$1,916.
	36"	49"	R3B1TF2B49 36-()()	2,030.	2,046.	2,078.	2,112.	2,140.	2,184.	2,223.
	42"	49"	R3B1TF2B49 42-()()	2,190.	2,206.	2,238.	2,272.	2,300.	2,344.	2,383.
	48"	49"	R3B1TF2B49 48-()()	2,294.	2,310.	2,342.	2,376.	2,404.	2,448.	2,487.




Order Code	Specification Information	Application Notes
Example: <b>R3B1TF2B4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F2</b> Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>B</b> Type B window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>30</b> 30" wide		6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B</b> Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1A	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
<b>W281</b> Fabric selection - side 1B		
<b>V316</b> Maple surface - side 2 tiled	8. Base finish	
<b>V316</b> Maple (top trim finish)	9. Beltway finish	
<b>111</b> Jet Black (base finish)	10. Window frame finish	
<b>111</b> Jet Black (beltway finish)	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		

Beltway one side, window panel 49" H  
*monolithic with glass at top,*  
*fabric one side, conventional veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	<b>R3B1PF2A49 18-()</b> ( )	\$1,214.	\$1,223.	\$1,245.	\$1,288.	\$1,315.	\$1,355.	\$1,382.
	20"	49"	<b>R3B1PF2A49 20-()</b> ( )	1,214.	1,223.	1,245.	1,288.	1,315.	1,355.	1,382.
	24"	49"	<b>R3B1PF2A49 24-()</b> ( )	1,273.	1,282.	1,304.	1,347.	1,374.	1,414.	1,441.
	30"	49"	<b>R3B1PF2A49 30-()</b> ( )	1,391.	1,400.	1,422.	1,465.	1,492.	1,532.	1,559.
	36"	49"	<b>R3B1PF2A49 36-()</b> ( )	1,677.	1,686.	1,708.	1,751.	1,778.	1,818.	1,845.
	42"	49"	<b>R3B1PF2A49 42-()</b> ( )	1,843.	1,852.	1,874.	1,917.	1,944.	1,984.	2,011.
	48"	49"	<b>R3B1PF2A49 48-()</b> ( )	1,954.	1,963.	1,985.	2,028.	2,055.	2,095.	2,122.





Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	<b>R3B1PF2B49 30-()</b> ( )	1,506.	1,515.	1,537.	1,580.	1,607.	1,647.	1,674.
	36"	49"	<b>R3B1PF2B49 36-()</b> ( )	1,797.	1,806.	1,828.	1,871.	1,898.	1,938.	1,965.
	42"	49"	<b>R3B1PF2B49 42-()</b> ( )	1,963.	1,972.	1,994.	2,037.	2,064.	2,104.	2,131.
	48"	49"	<b>R3B1PF2B49 48-()</b> ( )	2,085.	2,094.	2,116.	2,159.	2,186.	2,226.	2,253.



Order Code	Specification Information	Application Notes
Example: <b>R3B1TF2A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F2</b> Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 18" \$86
<b>49</b> 49" high		20" \$86
<b>18</b> 18" wide		24" \$101
<b>A</b> Flat style top trim profile		30" \$121
<b>4</b> 4" base height		36" \$145
<b>K</b> Include knockouts in base		42" \$173
<b>B</b> Tile divider, black reveal		48" \$198
<b>W281</b> Fabric selection - side 1	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>V316</b> Maple surface - side 2	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
<b>V316</b> Maple (top trim finish)	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>111</b> Jet Black (base finish)	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
<b>111</b> Jet Black (beltway finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>111</b> Jet Black (window frame finish)	8. Base finish	Applicable finishes are listed on page 5 and 6.
<b>TEMP</b> Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

# Beltway one side, window panel 49" H tiled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics 	18"	49"	<b>R3B1TF3A49 18-( )</b>	\$1,938.	\$1,954.	\$1,986.	\$2,020.	\$2,048.	\$2,092.	\$2,131.
	20"	49"	<b>R3B1TF3A49 20-( )</b>	1,938.	1,954.	1,986.	2,020.	2,048.	2,092.	2,131.
	24"	49"	<b>R3B1TF3A49 24-( )</b>	1,996.	2,012.	2,044.	2,078.	2,106.	2,150.	2,189.
	30"	49"	<b>R3B1TF3A49 30-( )</b>	2,113.	2,129.	2,161.	2,195.	2,223.	2,267.	2,306.
	36"	49"	<b>R3B1TF3A49 36-( )</b>	2,512.	2,528.	2,560.	2,594.	2,622.	2,666.	2,705.
	42"	49"	<b>R3B1TF3A49 42-( )</b>	2,718.	2,734.	2,766.	2,800.	2,828.	2,872.	2,911.
	48"	49"	<b>R3B1TF3A49 48-( )</b>	2,835.	2,851.	2,883.	2,917.	2,945.	2,989.	3,028.

Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics 	30"	49"	<b>R3B1TF3B49 30-( )</b>	2,228.	2,244.	2,276.	2,310.	2,338.	2,382.	2,421.
	36"	49"	<b>R3B1TF3B49 36-( )</b>	2,632.	2,648.	2,680.	2,714.	2,742.	2,786.	2,825.
	42"	49"	<b>R3B1TF3B49 42-( )</b>	2,838.	2,854.	2,886.	2,920.	2,948.	2,992.	3,031.
	48"	49"	<b>R3B1TF3B49 48-( )</b>	2,966.	2,982.	3,014.	3,048.	3,076.	3,120.	3,159.


Order Code	Specification Information	Application Notes
Example: <b>R3B1TF3A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>T</b> Tiled panel	2. Base height	C = Bullnose
<b>F3</b> Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B</b> Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1A	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>W281</b> Fabric selection - side 1B		
<b>V512</b> Figured Anigre surface - side 2 tiled		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		




# Beltway one side, window panel 49" H

*monolithic with glass at top, fabric one side, exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	<b>R3B1PF3A49 18-( ) ( )</b>	\$1,593.	\$1,602.	\$1,624.	\$1,667.	\$1,694.	\$1,734.	\$1,761.
	20"	49"	<b>R3B1PF3A49 20-( ) ( )</b>	1,593.	1,602.	1,624.	1,667.	1,694.	1,734.	1,761.
	24"	49"	<b>R3B1PF3A49 24-( ) ( )</b>	1,669.	1,678.	1,700.	1,743.	1,770.	1,810.	1,837.
	30"	49"	<b>R3B1PF3A49 30-( ) ( )</b>	1,817.	1,826.	1,848.	1,891.	1,918.	1,958.	1,985.
	36"	49"	<b>R3B1PF3A49 36-( ) ( )</b>	2,195.	2,204.	2,226.	2,269.	2,296.	2,336.	2,363.
	42"	49"	<b>R3B1PF3A49 42-( ) ( )</b>	2,409.	2,418.	2,440.	2,483.	2,510.	2,550.	2,577.
	48"	49"	<b>R3B1PF3A49 48-( ) ( )</b>	2,551.	2,560.	2,582.	2,625.	2,652.	2,692.	2,719.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	<b>R3B1PF3B49 30-( ) ( )</b>	1,932.	1,941.	1,963.	2,006.	2,033.	2,073.	2,100.
	36"	49"	<b>R3B1PF3B49 36-( ) ( )</b>	2,315.	2,324.	2,346.	2,389.	2,416.	2,456.	2,483.
	42"	49"	<b>R3B1PF3B49 42-( ) ( )</b>	2,529.	2,538.	2,560.	2,603.	2,630.	2,670.	2,697.
	48"	49"	<b>R3B1PF3B49 48-( ) ( )</b>	2,682.	2,691.	2,713.	2,756.	2,783.	2,823.	2,850.




Order Code	Specification Information	Application Notes
Example: <b>R3B1PF3A4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3		A = Flat
<b>B1</b> Beltway one side	1. Top trim profile	B = Square
<b>P</b> Monolithic panel	2. Base height	C = Bullnose
<b>F3</b> Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
<b>49</b> 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>18</b> 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
<b>A</b> Flat style top trim profile	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>4</b> 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>K</b> Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>B</b> Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
<b>V512</b> Figured Anigre surface - side 2		
<b>V512</b> Figured Anigre (top trim finish)		
<b>111</b> Jet Black (base finish)		
<b>111</b> Jet Black (beltway finish)		
<b>111</b> Jet Black (window frame finish)		
<b>TEMP</b> Glass option		




# Beltway two sides, window panel 49" H tiled with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	<b>R3B2TFFA49 18-()</b> ( )	\$1,297.	\$1,329.	\$1,383.	\$1,457.	\$1,513.	\$1,601.	\$1,653.
	20"	49"	<b>R3B2TFFA49 20-()</b> ( )	1,297.	1,329.	1,383.	1,457.	1,513.	1,601.	1,653.
	24"	49"	<b>R3B2TFFA49 24-()</b> ( )	1,344.	1,376.	1,430.	1,504.	1,560.	1,648.	1,700.
	30"	49"	<b>R3B2TFFA49 30-()</b> ( )	1,438.	1,470.	1,524.	1,598.	1,654.	1,742.	1,794.
	36"	49"	<b>R3B2TFFA49 36-()</b> ( )	1,730.	1,752.	1,816.	1,890.	1,946.	2,034.	2,086.
	42"	49"	<b>R3B2TFFA49 42-()</b> ( )	1,883.	1,915.	1,969.	2,043.	2,099.	2,187.	2,239.
	48"	49"	<b>R3B2TFFA49 48-()</b> ( )	1,975.	2,007.	2,061.	2,135.	2,191.	2,279.	2,331.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	<b>R3B2TFFB49 30-()</b> ( )	1,549.	1,581.	1,635.	1,709.	1,765.	1,853.	1,905.
	36"	49"	<b>R3B2TFFB49 36-()</b> ( )	1,850.	1,882.	1,936.	2,010.	2,066.	2,154.	2,206.
	42"	49"	<b>R3B2TFFB49 42-()</b> ( )	2,003.	2,035.	2,089.	2,163.	2,219.	2,307.	2,359.
	48"	49"	<b>R3B2TFFB49 48-()</b> ( )	2,104.	2,136.	2,190.	2,264.	2,320.	2,408.	2,460.



Order Code	Specification Information	Application Notes
Example: <b>R3B2TFFA4918-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B2</b> Beltway two sides	2. Base height	B = Square
<b>T</b> Tiled panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>A</b> Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
<b>49</b> 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
<b>18</b> 18" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>K</b> Include knockouts in base	ii) Top trim profile E options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>W281</b> Fabric selection - side 1A	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 1B	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>W281</b> Fabric selection - side 2A	8. Beltway finish	
<b>W281</b> Fabric selection - side 2B	9. Window frame finish	
<b>V316</b> Maple (top trim finish)	10. Glass option	
<b>111</b> Jet Black (base finish)	Temp = clear temp	
<b>111</b> Jet Black (beltway finish)	<i>Architectural options:</i>	
<b>111</b> Jet Black (window frame finish)	GL13 = Powder glass	
<b>TEMP</b> Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:  
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

# Beltway two sides, window panel 49" H monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	<b>R3B2PFFA49 18-()</b> ( )	\$1,173.	\$1,193.	\$1,235.	\$1,319.	\$1,375.	\$1,453.	\$1,503.
	20"	49"	<b>R3B2PFFA49 20-()</b> ( )	1,173.	1,193.	1,235.	1,319.	1,375.	1,453.	1,503.
	24"	49"	<b>R3B2PFFA49 24-()</b> ( )	1,215.	1,235.	1,277.	1,361.	1,417.	1,495.	1,545.
	30"	49"	<b>R3B2PFFA49 30-()</b> ( )	1,297.	1,317.	1,359.	1,443.	1,499.	1,577.	1,627.
	36"	49"	<b>R3B2PFFA49 36-()</b> ( )	1,542.	1,562.	1,604.	1,688.	1,744.	1,822.	1,872.
	42"	49"	<b>R3B2PFFA49 42-()</b> ( )	1,676.	1,696.	1,738.	1,822.	1,878.	1,956.	2,006.
	48"	49"	<b>R3B2PFFA49 48-()</b> ( )	1,756.	1,776.	1,818.	1,902.	1,958.	2,036.	2,086.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	<b>R3B2PFFB49 30-()</b> ( )	1,408.	1,428.	1,470.	1,554.	1,610.	1,688.	1,738.
	36"	49"	<b>R3B2PFFB49 36-()</b> ( )	1,662.	1,682.	1,724.	1,808.	1,864.	1,942.	1,992.
	42"	49"	<b>R3B2PFFB49 42-()</b> ( )	1,796.	1,816.	1,858.	1,942.	1,998.	2,076.	2,126.
	48"	49"	<b>R3B2PFFB49 48-()</b> ( )	1,885.	1,905.	1,947.	2,031.	2,087.	2,165.	2,215.

Order Code	Specification Information	Application Notes
Example: <b>R3B2PFFB4930-A4K</b>	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
<b>R3</b> Reff Generation 3	1. Top trim profile	A = Flat
<b>B2</b> Beltway two sides	2. Base height	B = Square
<b>P</b> Monolithic panel	3. Knockout option	C = Bullnose
<b>FF</b> Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
<b>B</b> Type B window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
<b>49</b> 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
<b>30</b> 30" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
<b>A</b> Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
<b>4</b> 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	6" Raceway option increases panel height by 2 <sup>3</sup> / <sub>4</sub> ".
<b>K</b> Include knockouts in base	7. Base finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
<b>W281</b> Fabric selection - side 1	8. Beltway finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
<b>W281</b> Fabric selection - side 2	9. Window frame finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
<b>V316</b> Maple (top trim finish)	10. Glass option	
<b>111</b> Jet Black (base finish)	Temp = clear temp	
<b>111</b> Jet Black (beltway finish)	<i>Architectural options:</i>	
<b>111</b> Jet Black (window frame finish)	GL13 = Powder glass	
<b>TEMP</b> Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.



Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:  
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

# Stacking modules *fabric*

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	<b>R3SFF08 18</b>	\$210.	\$216.	\$236.	\$268.	\$280.	\$302.	\$316.
	20"	8"	<b>R3SFF08 20</b>	210.	216.	236.	268.	280.	302.	316.
	24"	8"	<b>R3SFF08 24</b>	220.	226.	246.	278.	290.	312.	326.
	30"	8"	<b>R3SFF08 30</b>	245.	251.	271.	303.	315.	337.	351.
	36"	8"	<b>R3SFF08 36</b>	267.	273.	293.	325.	337.	358.	373.
	42"	8"	<b>R3SFF08 42</b>	291.	297.	317.	349.	361.	383.	397.
	48"	8"	<b>R3SFF08 48</b>	313.	319.	339.	371.	383.	405.	419.
Stacking modules* Fabric both sides	18"	15"	<b>R3SFF15 18</b>	283.	299.	329.	363.	391.	435.	459.
	20"	15"	<b>R3SFF15 20</b>	283.	299.	329.	363.	391.	435.	459.
	24"	15"	<b>R3SFF15 24</b>	299.	315.	345.	379.	407.	451.	475.
	30"	15"	<b>R3SFF15 30</b>	329.	345.	375.	409.	437.	481.	505.
	36"	15"	<b>R3SFF15 36</b>	363.	379.	409.	443.	471.	515.	539.
	42"	15"	<b>R3SFF15 42</b>	391.	407.	437.	471.	499.	543.	567.
	48"	15"	<b>R3SFF15 48</b>	423.	439.	469.	503.	531.	575.	599.

## Order Code

Example: <b>R3SFF0818</b>	
<b>R3</b>	Reff Generation 3
<b>S</b>	Stacking module
<b>FF</b>	Fabric/fabric
<b>08</b>	8" high
<b>18</b>	18" wide
<b>W281</b>	Fabric selection - side 1
<b>W281</b>	Fabric selection - side 2

## Specification Information

To order please specify:

1. Pattern number including height and width
2. Panel side 1 finish fabric only
3. Panel side 2 finish fabric only

## Application Notes

\* Not for use on 79"H panels.





\* \* Suitable only for top of any panel. Cannot be stacked upon.

8" h module will not accept additional modules on top.

Use of 8" module on panel heights other than 34" h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

# Stacking modules window

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	<b>RSWA15 18</b>	\$462.	\$555.	\$15.	\$29.	\$47.
	20"	15"	<b>RSWA15 20</b>	462.	555.	15.	29.	47.
	24"	15"	<b>RSWA15 24</b>	487.	592.	15.	29.	50.
	30"	15"	<b>RSWA15 30</b>	564.	660.	15.	29.	56.
	36"	15"	<b>RSWA15 36</b>	585.	744.	15.	29.	57.
	42"	15"	<b>RSWA15 42</b>	616.	797.	15.	29.	60.
	48"	15"	<b>RSWA15 48</b>	638.	849.	15.	29.	63.
Stacking window module* Center mullion, type "B" 	30"	15"	<b>RSWB15 30</b>	675.	808.	15.	29.	67.
	36"	15"	<b>RSWB15 36</b>	707.	862.	15.	29.	70.
	42"	15"	<b>RSWB15 42</b>	736.	919.	15.	29.	73.
	48"	15"	<b>RSWB15 48</b>	765.	974.	15.	29.	75.
Stacking window module*   18" - 24"      30" - 48"	18"	30"	<b>RSWC30 18</b>	557.	646.	24.	37.	56.
	20"	30"	<b>RSWC30 20</b>	557.	646.	24.	37.	56.
	24"	30"	<b>RSWC30 24</b>	594.	703.	24.	37.	60.
	30"	30"	<b>RSWC30 30</b>	774.	905.	24.	37.	77.
	36"	30"	<b>RSWC30 36</b>	881.	1,041.	24.	37.	85.
	42"	30"	<b>RSWC30 42</b>	945.	1,129.	24.	37.	93.
	48"	30"	<b>RSWC30 48</b>	1,000.	1,214.	24.	37.	97.

Order Code	Specification Information	Application Notes
Example: <b>RSWA1518 111 TEMP</b>	<i>To order please specify:</i>	* Not for use on 79"H panels.
<b>R</b> Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
<b>SW</b> Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
<b>A</b> Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
<b>15</b> 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection on page 5.
<b>18</b> 18" wide	3. Glass type	
<b>111</b> Jet Black, window frame finish	Temp = Clear tempered glass	
<b>TEMP</b> Clear tempered glass option	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

# Stacking modules

## Double Window

description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA	
Stacking window module* Single glass, type "A"	15"	60"	<b>RSWAD1560</b> ( ) ( )	\$723.	\$827.						
		72"	<b>RSWAD1572</b> ( ) ( )	805.	965.						
		84"	<b>RSWAD1584</b> ( ) ( )	815.	1,006.						
		96"	<b>RSWAD1596</b> ( ) ( )	829.	1,050.						
	22"	60"	<b>RSWAD2260</b> ( ) ( )	902.	1,103.						
		72"	<b>RSWAD2272</b> ( ) ( )	1,015.	1,256.						
		84"	<b>RSWAD2284</b> ( ) ( )	1,034.	1,315.						
		96"	<b>RSWAD2296</b> ( ) ( )	1,055.	1,377.						
	Top trim for double wide stacking window modules		60"	<b>R3CRTT60</b> ( ) ( )			78.	160.	177.	229.	131.
			72"	<b>R3CRTT72</b> ( )			83.	171.	187.	241.	177.
		84"	<b>R3CRTT84</b> ( )			101.	193.	210.	267.	194.	
		96"	<b>R3CRTT96</b> ( )			106.	203.	221.	281.	199.	








Order Code	Specification Information	Application Notes
<i>Example:</i> <b>RSWAD1560</b>	<i>To order please specify:</i>	Panel glass is mounted flush to one side of the window module. All window modules incorporate tempered glass 4mm thick. Stabilizing kit is included with the window and is required with all double wide window installation.
<b>R</b> Reff	1. Pattern number	
<b>SW</b> Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	Full length top trim is optional and can be ordered separately. Not for use on 79" h panels. Applicable finishes are listed on page 5
<b>A</b> Type A	<i>If P2 or P3 paint finish upcharge add \$25</i>	
<b>D</b> Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$45</i>	
<b>15</b> 15" high	3. Glass type	
<b>60</b> 60" wide	Temp = Clear tempered glass	
<b>111</b> Jet Black, windowframe finish	<i>Architectural options:</i>	
<b>TEMP</b> Clear tempered glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

# Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer  
other side and laminate both sides*






Panels

description	w	h	pattern no.	grade	10	15	20	30	35	40	45	Lam.
Stacking modules *,** Fabric and laminate 	18"	8"	<b>R3SFL0818</b>	\$239.	\$244.	\$262.	\$295.	\$310.	\$330.	\$349.		
	20"	8"	<b>R3SFL0820</b>	239.	244.	262.	295.	310.	330.	349.		
	24"	8"	<b>R3SFL0824</b>	259.	264.	282.	315.	330.	350.	369.		
	30"	8"	<b>R3SFL0830</b>	291.	296.	314.	347.	362.	382.	401.		
	36"	8"	<b>R3SFL0836</b>	319.	324.	342.	375.	390.	410.	429.		
	42"	8"	<b>R3SFL0842</b>	345.	350.	368.	401.	416.	436.	455.		
	48"	8"	<b>R3SFL0848</b>	375.	380.	398.	431.	446.	466.	485.		
Stacking modules *,** Fabric and techwood 	18"	8"	<b>R3SF10818</b>	246.	251.	269.	302.	317.	337.	356.		
	20"	8"	<b>R3SF10820</b>	246.	251.	269.	302.	317.	337.	356.		
	24"	8"	<b>R3SF10824</b>	263.	268.	286.	319.	334.	354.	373.		
	30"	8"	<b>R3SF10830</b>	295.	300.	318.	351.	366.	386.	405.		
	36"	8"	<b>R3SF10836</b>	323.	328.	346.	379.	394.	414.	433.		
	42"	8"	<b>R3SF10842</b>	353.	359.	377.	410.	424.	445.	464.		
	48"	8"	<b>R3SF10848</b>	380.	385.	403.	436.	451.	471.	490.		
Stacking modules*,** Fabric and conventional veneer 	18"	8"	<b>R3SF20818</b>	249.	254.	272.	305.	320.	340.	359.		
	20"	8"	<b>R3SF20820</b>	249.	254.	272.	305.	320.	340.	359.		
	24"	8"	<b>R3SF20824</b>	269.	274.	292.	325.	340.	360.	379.		
	30"	8"	<b>R3SF20830</b>	300.	305.	323.	356.	371.	391.	410.		
	36"	8"	<b>R3SF20836</b>	330.	335.	353.	386.	401.	421.	440.		
	42"	8"	<b>R3SF20842</b>	360.	365.	383.	416.	431.	451.	470.		
	48"	8"	<b>R3SF20848</b>	386.	391.	409.	442.	456.	477.	496.		
Stacking modules*,** Fabric and exotic veneer 	18"	8"	<b>R3SF30818</b>	327.	332.	350.	383.	398.	418.	437.		
	20"	8"	<b>R3SF30820</b>	327.	332.	350.	383.	398.	418.	437.		
	24"	8"	<b>R3SF30824</b>	357.	362.	380.	413.	428.	448.	467.		
	30"	8"	<b>R3SF30830</b>	396.	401.	419.	452.	467.	487.	506.		
	36"	8"	<b>R3SF30836</b>	438.	443.	461.	494.	509.	529.	548.		
	42"	8"	<b>R3SF30842</b>	478.	483.	501.	534.	549.	569.	588.		
	48"	8"	<b>R3SF30848</b>	514.	519.	538.	570.	585.	605.	624.		
Stacking modules*,** Laminate both sides 	18"	8"	<b>R3SLL0818</b>									231.
	20"	8"	<b>R3SLL0820</b>									231.
	24"	8"	<b>R3SLL0824</b>									251.
	30"	8"	<b>R3SLL0830</b>									281.
	36"	8"	<b>R3SLL0836</b>									304.
	42"	8"	<b>R3SLL0842</b>									313.
	48"	8"	<b>R3SLL0848</b>									323.

Order Code	Specification Information	Application Notes
Example: <b>R3SFL0818</b>	<i>To order please specify:</i>	* Not for use on 79"H panels.
<b>R3</b> Reff Generation 3	1. Pattern number	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
<b>S</b> Stacking module	2. Panel side 1 finish(s)	8" module will not accept additional modules.
<b>FL</b> Fabric/Laminate	3. Panel side 2 finish(s)	15" module will accept additional module.
<b>08</b> 8" high	Product on this page will accept wood grain laminate where laminate is currently an option.	Stacking modules on this page are high acoustic with a hard board septum and fiberglass.
<b>18</b> 18" wide	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	Applicable finishes are listed on page 5 and 6.
<b>W281</b> Fabric selection - side 1		Frameless glass add-ups cannot be installed on these modules.
<b>114</b> Folkstone Grey - side 2		

# Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer  
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.
				10	15	20	30	35	40	
Stacking modules* Fabric and laminate 	18"	15"	<b>R3SFL1518</b>	\$342.	\$357.	\$387.	\$422.	\$454.	\$498.	\$523.
	20"	15"	<b>R3SFL1520</b>	342.	357.	387.	422.	454.	498.	523.
	24"	15"	<b>R3SFL1524</b>	356.	371.	401.	436.	468.	512.	537.
	30"	15"	<b>R3SFL1530</b>	390.	405.	435.	470.	502.	546.	571.
	36"	15"	<b>R3SFL1536</b>	423.	438.	468.	503.	535.	579.	604.
	42"	15"	<b>R3SFL1542</b>	456.	471.	501.	539.	568.	612.	637.
	48"	15"	<b>R3SFL1548</b>	488.	503.	533.	568.	600.	644.	669.
Stacking modules* Fabric and techwood 	18"	15"	<b>R3SF11518</b>	350.	365.	395.	430.	462.	506.	531.
	20"	15"	<b>R3SF11520</b>	350.	365.	395.	430.	462.	506.	531.
	24"	15"	<b>R3SF11524</b>	365.	380.	410.	445.	477.	521.	546.
	30"	15"	<b>R3SF11530</b>	396.	411.	441.	476.	508.	552.	577.
	36"	15"	<b>R3SF11536</b>	431.	446.	476.	511.	543.	587.	612.
	42"	15"	<b>R3SF11542</b>	464.	479.	509.	544.	576.	620.	645.
	48"	15"	<b>R3SF11548</b>	495.	511.	541.	576.	608.	652.	677.
Stacking modules* Fabric and conventional veneer 	18"	15"	<b>R3SF21518</b>	354.	369.	399.	434.	466.	510.	535.
	20"	15"	<b>R3SF21520</b>	354.	369.	399.	434.	466.	510.	535.
	24"	15"	<b>R3SF21524</b>	371.	386.	416.	451.	483.	527.	552.
	30"	15"	<b>R3SF21530</b>	406.	421.	451.	486.	518.	562.	587.
	36"	15"	<b>R3SF21536</b>	440.	455.	485.	520.	552.	596.	621.
	42"	15"	<b>R3SF21542</b>	474.	489.	519.	554.	586.	630.	655.
	48"	15"	<b>R3SF21548</b>	503.	518.	548.	583.	615.	659.	684.
Stacking modules* Fabric and exotic veneer 	18"	15"	<b>R3SF315 18</b>	467.	482.	512.	547.	579.	623.	648.
	20"	15"	<b>R3SF315 20</b>	467.	482.	512.	547.	579.	623.	648.
	24"	15"	<b>R3SF315 24</b>	489.	504.	534.	569.	601.	645.	670.
	30"	15"	<b>R3SF315 30</b>	536.	551.	581.	616.	648.	692.	717.
	36"	15"	<b>R3SF315 36</b>	583.	598.	628.	663.	695.	739.	764.
	42"	15"	<b>R3SF315 42</b>	627.	642.	672.	707.	739.	786.	808.
	48"	15"	<b>R3SF315 48</b>	670.	685.	715.	750.	782.	826.	851.
Stacking modules* Laminate both sides 	18"	15	<b>R3SLL1518</b>							327.
	20"	15	<b>R3SLL1520</b>							327.
	24"	15	<b>R3SLL1524</b>							355.
	30"	15	<b>R3SLL1530</b>							399.
	36"	15	<b>R3SLL1536</b>							431.
	42"	15	<b>R3SLL1542</b>							443.
	48"	15	<b>R3SLL1548</b>							445.

## Order Code

Example:	<b>R3SFL0818</b>
<b>R3</b>	Reff Generation 3
<b>S</b>	Stacking module
<b>FL</b>	Fabric/Laminate
<b>08</b>	8" high
<b>18</b>	18" wide
<b>W281</b>	Fabric selection - side 1
<b>114</b>	Folkstone Grey - side 2

## Specification Information

*To order please specify:*

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

## Application Notes

\* Not for use on 79"H panels.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.



Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.



# Panel connection posts

## Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	<b>R3L08TT</b>	\$65.	n/a
	15"	stacking module post	<b>R3L15TT</b>	127.	n/a
	34"		<b>R3L34(F/T)(F/T)-( ) ( ) ( )</b>	162.	n/a
	42"		<b>R3L42(B)(F/T)(F/T)-( ) ( ) ( )</b>	244.	281.
	49"		<b>R3L49(B)(F/T)(F/T)-( ) ( ) ( )</b>	271.	311.
	64"		<b>R3L64(B)(F/T)(F/T)-( ) ( ) ( )</b>	300.	343.
	79"		<b>R3L79(B)(F/T)(F/T)-( ) ( ) ( )</b>	335.	384.
 T-Post	8"	stacking module post	<b>R3T08T</b>	81.	n/a
	15"	stacking module post	<b>R3T15T</b>	150.	n/a
	34"		<b>R3T34(F/T)-( ) ( ) ( )</b>	197.	n/a
	42"		<b>R3T42(B)(F/T)-( ) ( ) ( )</b>	215.	246.
	49"		<b>R3T49(B)(F/T)-( ) ( ) ( )</b>	244.	281.
	64"		<b>R3T64(B)(F/T)-( ) ( ) ( )</b>	271.	311.
	79"		<b>R3T79(B)(F/T)-( ) ( ) ( )</b>	301.	346.

### Order Code

Example:	<b>R3L64(B)TT-A16NB</b>
<b>R3</b>	Reff Generation 3
<b>L64</b>	90° post; 64" h connector
<b>(B)</b>	with Beltway channel
<b>(T)(T)</b>	Tiled appearance 2 sides
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

\*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

**Note: New top caps are required in these two applications. Refer to page 432.**

### Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
  - 1 = one piece (same finish both sides)
  - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:  
(F) = Full height (monolithic look)  
(T) = Tiled

2. Top profile:  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$25 list for this option)

3. Top cap configuration:  
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)  
2 = Regular T or cap finish 1 side (applicable for T or X posts only)  
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)  
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)  
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:  
4 = 4" base height  
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:  
L = Base infeed left face  
M = Base infeed middle face  
R = Base infeed right face  
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"  
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.



Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

# Panel connection posts

## Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	<b>R3X08</b>	\$72.	n/a
	15"	stacking module post	<b>R3X15</b>	138.	n/a
	34"		<b>R3X34-( ) ( )</b>	183.	n/a
	42"		<b>R3X42(B)-( ) ( )</b>	199.	230.
	49"		<b>R3X49(B)-( ) ( )</b>	215.	246.
	64"		<b>R3X64(B)-( ) ( )</b>	244.	281.
	79"		<b>R3X79(B)-( ) ( )</b>	278.	316.
 Straight post	8"	stacking module post	<b>R3S08TT</b>	65.	n/a
	15"	stacking module post	<b>R3S15TT</b>	127.	n/a
	34"		<b>R3S34(F/T)(F/T)-( ) ( ) ( )</b>	162.	n/a
	42"		<b>R3S42(B)(F/T)(F/T)-( ) ( ) ( )</b>	244.	281.
	49"		<b>R3S49(B)(F/T)(F/T)-( ) ( ) ( )</b>	271.	311.
	64"		<b>R3S64(B)(F/T)(F/T)-( ) ( ) ( )</b>	300.	343.
	79"		<b>R3S79(B)(F/T)(F/T)-( ) ( ) ( )</b>	335.	384.

### Order Code

Example:	<b>R3L64(B)TT-A16NB</b>
<b>R3</b>	Reff Generation 3
<b>L64</b>	90° post; 64" h connector
<b>(B)</b>	with Beltway channel
<b>(T)(T)</b>	Tiled appearance 2 sides
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

\*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

**Note: New top caps are required in these two applications. Refer to page 432.**

### Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
  - 1 = one piece (same finish both sides)
  - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:  
(F) = Full height (monolithic look)  
(T) = Tiled

2. Top profile:  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$25 list for this option)

3. Top cap configuration:  
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)  
2 = Regular T or cap finish 1 side (applicable for T or X posts only)  
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)  
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)  
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:  
4 = 4" base height  
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:  
L = Base infeed left face  
M = Base infeed middle face  
R = Base infeed right face  
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"  
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

# Panel connection posts

## Generation 3

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	<b>R3R2SLV</b>	n/c



### Order Code

Example:	<b>R3L64(B)TT-A16NB</b>
<b>R3</b>	Reff Generation 3
<b>L64</b>	90° post; 64" h connector
<b>(B)</b>	with Beltway channel
<b>(T)(T)</b>	Tiled appearance 2 sides
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

\*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

**Note: New top caps are required in these two applications. Refer to page 432.**

### Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
  - 1 = one piece (same finish both sides)
  - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
  - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:  
(F) = Full height (monolithic look)  
(T) = Tiled

2. Top profile:  
A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$25 list for this option)

3. Top cap configuration:  
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)  
2 = Regular T or cap finish 1 side (applicable for T or X posts only)  
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)  
4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)  
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:  
4 = 4" base height  
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:  
L = Base infeed left face  
M = Base infeed middle face  
R = Base infeed right face  
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"  
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

# Panel connection posts

## Generation 3 135°

Reff Profiles

description	h	pattern no.	Reg. post list (A/B/C profile)
 135° Tiled Post	34"	<b>R3135V34T</b> ( ) ( ) ( ) ( ) ( ) ( )	\$544.
	42"	<b>R3135V42T</b> ( ) ( ) ( ) ( ) ( ) ( )	681.
	49"	<b>R3135V49T</b> ( ) ( ) ( ) ( ) ( ) ( )	689.
	64"	<b>R3135V64T</b> ( ) ( ) ( ) ( ) ( ) ( )	844.
	79"	<b>R3135V79T</b> ( ) ( ) ( ) ( ) ( ) ( )	995.
 135° Mono Post	34"	<b>R3135V34F</b> ( ) ( ) ( ) ( ) ( ) ( )	544.
	42"	<b>R3135V42F</b> ( ) ( ) ( ) ( ) ( ) ( )	681.
	49"	<b>R3135V49F</b> ( ) ( ) ( ) ( ) ( ) ( )	689.
	64"	<b>R3135V64F</b> ( ) ( ) ( ) ( ) ( ) ( )	844.
	79"	<b>R3135V79F</b> ( ) ( ) ( ) ( ) ( ) ( )	995.

### Order Code

Example:	<b>R3135V34T</b>
<b>R3</b>	Reff Generation 3
<b>135V</b>	135° post
<b>34</b>	Height
<b>T</b>	Tiled
<b>(A)</b>	Flat top profile
<b>(1)</b>	Regular L top cap
<b>(6)</b>	6" base height
<b>(N)</b>	No base infeed raceway knock-out
<b>(B)</b>	Tile divider, black reveal
<b>W808</b>	Face side 1, fabric selection
<b>W808</b>	Face side 2, fabric selection
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

\*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

**Note: New top caps are required in these two applications. Refer to page 432.**

### Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Top cap configuration
3. If L post, cover configuration  
1 = one piece
4. Base height option
5. Base infeed knock-out (optional)
6. Tile divider option/finish, if face type T
7. Finish, face covers  
(*fabric, V1, V2, V3 or painted to match laminate*)
8. Top cap finish  
i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes  
ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
9. Base finish

#### 1. Face type:

(F) = Full height (monolithic look)  
(T) = Tiled

#### 2. Top profile:

A = Flat  
B = Square  
C = Bullnose  
E = Extruded Aluminum  
(Add \$25 list for this option)  
3. Top cap configuration:  
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)  
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)  
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)

5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

#### 5. Base height:

4 = 4" base height  
6 = 6" base height (add \$47 list for this option)

6. Tile divider, optional if face type "tiled" and face finish "non-fabric"  
B = Black steel reveal or  
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 5 and 6.

# Panel connection posts

## Generation 3 120°

Reff Profiles

Panels

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	<b>R3120Y34</b> ( ) ( ) ( )	\$379.
	42"	<b>R3120Y42</b> ( ) ( ) ( )	399.
	49"	<b>R3120Y49</b> ( ) ( ) ( )	411.
	64"	<b>R3120Y64</b> ( ) ( ) ( )	451.
	79"	<b>R3120Y79</b> ( ) ( ) ( )	492.

### Order Code

Example: <b>R3120Y34</b>	
<b>R3</b>	Reff Generation 3
<b>120V</b>	120° post
<b>34</b>	Height
<b>T</b>	Tiled
<b>(A)</b>	Top profile
<b>(4)</b>	Base height
<b>V316</b>	Top cap finish, Maple
<b>111</b>	Base finish, Jet black

### Specification Information

*To order please specify pattern number including:*

1. Top cap profile
2. Base height option
3. Top cap finish
  - i) Top trim profile A,B or C options:  
V1, V2, V3, P1, P2, P3 finishes
  - ii) Top trim profile E options:  
AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
4. Base finish

*1. Top profile:*

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum  
(Add \$25 list for this option)


*2. Base height:*


- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)

Specify AA for anodized aluminum look or painted option from page 5excluding silver.


# Panel trims and post covers for all applications

Reff Profiles

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34"		<b>R2ES34(A/B/C/E)(4/6)(E/N)</b>	\$222.	\$134.
	–	42"		<b>R2ES42(A/B/C/E)(4/6)(E/N)</b>	248.	157.
	–	49"		<b>R2ES49(A/B/C/E)(4/6)(E/N)</b>	275.	179.
	–	64"		<b>R2ES64(A/B/C/E)(4/6)(E/N)</b>	291.	202.
	–	79"		<b>R2ES79(A/B/C/E)(4/6)(E/N)</b>	357.	229.

End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		<b>R2HL3442ES(A/B/C/E)</b>	116.	118.
	34"	49"		<b>R2HL3449ES(A/B/C/E)</b>	162.	121.
	34"	64"		<b>R2HL3464ES(A/B/C/E)</b>	207.	124.
	34"	79"		<b>R2HL3479ES(A/B/C/E)</b>	222.	136.
	42"	49"		<b>R2HL4249ES(A/B/C/E)</b>	116.	118.
	42"	64"		<b>R2HL4264ES(A/B/C/E)</b>	280.	121.
	42"	79"		<b>R2HL4279ES(A/B/C/E)</b>	321.	136.
	49"	64"		<b>R2HL4964ES(A/B/C/E)</b>	162.	124.
	49"	79"		<b>R2HL4979ES(A/B/C/E)</b>	207.	136.
	64"	79"		<b>R2HL6479ES(A/B/C/E)</b>	162.	121.

\*\*Application: for height changes that DO NOT involve a post\*\*

Top trim for Hi-Lo conditions (Notched one side)	–		18"	<b>RSNTT18(A/B/C/E)</b>	82.	23.
	–	–	20"	<b>RSNTT20(A/B/C/E)</b>	82.	25.
	–	–	24"	<b>RSNTT24(A/B/C/E)</b>	92.	28.
	–	–	30"	<b>RSNTT30(A/B/C/E)</b>	102.	33.
	–	–	33"	<b>RSNTT33(A/B/C/E) (66" wide panels one only)</b>	106.	44.
	–	–	36"	<b>RSNTT36(A/B/C/E)</b>	113.	44.
	–	–	42"	<b>RSNTT42(A/B/C/E)</b>	129.	45.
	–	–	48"	<b>RSNTT48(A/B/C/E)</b>	139.	63.

## Order Code

Example: <b>R2ES34A6N</b>	
<b>R2</b>	Reff Generation 2
<b>ES</b>	End trim
<b>34</b>	34" high
<b>A</b>	Flat profile
<b>6</b>	6" base height
<b>N</b>	Non electrical base
<b>V311</b>	Beech
<b>111</b>	Jet Black (base finish)

## Specification Information

To order please specify pattern number including:

End trim:

- Trim profile  
A = flat  
B = square  
C = bullnose  
E = extruded aluminum
- Base height option  
4 = 4"  
6 = 6"
- Base type  
E = electrical entry  
N = standard base
- Finish, end trim  
If profile A, B or C specify V1, V2, V3 or painted to match laminate  
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base  
painted or plated finish

Applicable finishes are listed on page 5 and 6.

Post cover trim:

- Specify full or tiled face type  
F = full (monolithic)  
T = tiled
- Finish, post cover  
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish  
B = black reveal  
or select P1, P2, P3 painted finish from pg. 5

Select paint or plated finish from page 5.

**Add \$24 list for each end trim with 6"H base option.** Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

\*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

# Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		<b>R2HL4249ETS(A/B/C/E)</b>	\$116.	\$118.
	42"	64"		<b>R2HL4264ETS(A/B/C/E)</b>	280.	121.
	42"	79"		<b>R2HL4279ETS(A/B/C/E)</b>	321.	136.




Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		<b>R2HL3442(F)CS ( )</b>	33.	
	34"	49"		<b>R2HL3449(F)CS ( )</b>	48.	
	34"	64"		<b>R2HL3464(F/T)CS ( )( )</b>	96.	
	34"	79"		<b>R2HL3479(F/T)CS ( )( )</b>	142.	
	42"	49"		<b>R2HL4249(F)CS ( )</b>	33.	
	42"	64"		<b>R2HL4264(F/T)CS ( )( )</b>	79.	
	42"	79"		<b>R2HL4279(F/T)CS ( )( )</b>	129.	
	49"	64"		<b>R2HL4964(F)CS ( )</b>	48.	
	49"	79"		<b>R2HL4979(F/T)CS ( )( )</b>	96.	
	64"	79"		<b>R2HL6479(F)CS ( )</b>	48.	




\*\*Application: for height changes involving a post\*\*

Order Code	Specification Information
Example: <b>R2ES34A6N</b>	<i>To order please specify pattern number including:</i>
<b>R2</b> Ref Generation 2	End trim:
<b>ES</b> End trim	1. Trim profile
<b>34</b> 34" high	<i>A = flat</i>
<b>A</b> Flat profile	<i>B = square</i>
<b>6</b> 6" base height	<i>C = bullnose</i>
<b>N</b> Non electrical base	<i>E = extruded aluminum</i>
<b>V311</b> Beech	2. Base height option
<b>111</b> Jet Black (base finish)	<i>4 = 4"</i>
	<i>6 = 6"</i>
	3. Base type
	<i>E = electrical entry</i>
	<i>N = standard base</i>
	4. Finish, end trim
	<i>If profile A, B or C specify V1, V2, V3 or painted to match laminate</i>
	<i>If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver</i>
	5. Finish, end trim base
	<i>painted or plated finish</i>
	Applicable finishes are listed on page 5 and 6.
	Post cover trim:
	1. Specify full or tiled face type
	<i>F = full (monolithic)</i>
	<i>T = tiled</i>
	2. Finish, post cover
	<i>fabric, V1, V2, V3 or painted to match laminate</i>
	3. If tiled cover set, specify reveal finish
	<i>B = black reveal</i>
	<i>or select P1, P2, P3 painted finish from pg. 5</i>
	Select paint or plated finish from page 5.
	<b>Add \$24 list for each end trim with 6"H base option.</b> Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.




description	type	h	pattern no.	list price
 Ceiling entry L-post.		42"	<b>R2L42C(F/T)(F/T)-(4/6)</b>	\$244.
		49"	<b>R2L49C(F/T)(F/T)-(4/6)</b>	261.
		64"	<b>R2L64C(F/T)(F/T)-(4/6)</b>	277.
		79"	<b>R2L79C(F/T)(F/T)-(4/6)</b>	329.


*Cable not included*

 Ceiling entry T-post.		42"	<b>R2T42C(F/T)-(4/6)</b>	215.
		49"	<b>R2T49C(F/T)-(4/6)</b>	244.
		64"	<b>R2T64C(F/T)-(4/6)</b>	261.
		79"	<b>R2T79C(F/T)-(4/6)</b>	304.

*Cable not included*

 Ceiling entry X-post.		42"	<b>R2X42C</b>	199.
		49"	<b>R2X49C</b>	215.
		64"	<b>R2X64C</b>	244.
		79"	<b>R2X79C</b>	288.

*Cable not included*

 Ceiling entry straight line post.		42"	<b>R2S42C(F/T)(F/T)-(4/6)</b>	244.
		49"	<b>R2S49C(F/T)(F/T)-(4/6)</b>	261.
		64"	<b>R2S64C(F/T)(F/T)-(4/6)</b>	277.
		79"	<b>R2S79C(F/T)(F/T)-(4/6)</b>	329.

*Cable not included*

Order Code	Specification Information	Application Notes
Example: <b>R2L42CTT4</b> <b>R2</b> Reff Generation 2 <b>L</b> L-post <b>42</b> 42" high <b>C</b> Ceiling power entry <b>T</b> Tiled style face <b>T</b> Tiled style face <b>4</b> Base height <b>W230</b> Fabric selection <b>111</b> Jet Black (base finish)	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>1. Post face option</li> <li>2. Base height option</li> <li>3. Finish type, where applicable</li> <li>4. Finish, where applicable</li> <li>5. Base finish</li> <li>6. Canopy finish (ceiling entry pole only)</li> </ol> <p>1. <i>Face type:</i>                      F = Full height                      T = Tiled</p> <p>2. <i>Base height:</i>                      4 = 4" base height                      6 = 6" base height</p> <p>3. <i>Finish type:</i>                      F = Fabric                      L = Laminate                      1 = V1                      2 = V2                      3 = V3</p>	<p>Data cable application requires the post and the pole only.</p> <p>*Must order post, pole and cable for electrical application.</p> <p>The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.</p> <p>To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.</p> <p>6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.</p> <p>The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).</p> <p>Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.</p> <p>Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.</p>

Applicable finishes are listed on page 5 and 6.

description	type	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet		41"	<b>RCP41-(F/L/1/2/3)*</b>	\$487.
		56"	<b>RCP56-(F/L/1/2/3)*</b>	506.
		71"	<b>RCP71-(F/L/1/2/3)*</b>	568.
		78"	<b>RCP78-(F/L/1/2/3)*</b>	586.



*Cable not included*

Power infeeds	Ceiling power cable infeed. Eight-wire	<b>RR3-EPVR</b>	284.
	Ceiling power cable infeed. Ten-wire	<b>RR3-TPVR</b>	344.
One size fits all post sizes (13' of cable) For use with Ceiling entry Pole and Pole combinations			





Order Code	Specification Information	Application Notes
Example: <b>R2L42CTT4</b>	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
<b>R2</b> Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
<b>L</b> L-post	2. Base height option	
<b>42</b> 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
<b>C</b> Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
<b>T</b> Tiled style face	5. Base finish	6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
<b>T</b> Tiled style face	6. Canopy finish (ceiling entry pole only)	
<b>4</b> Base height	1. <i>Face type:</i> F = Full height T = Tiled	The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
<b>W230</b> Fabric selection	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height	Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
<b>111</b> Jet Black (base finish)	3. <i>Finish type:</i> F = Fabric L = Laminate 1 = V1 2 = V2 3 = V3	Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.

Applicable finishes are listed on page 5 and 6.

# Ceiling cable entry post covers

## Alignment kits and wall starters

Reff Profiles


description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			<b>RPHL3442(F/T)</b>	\$33.
	34"	49"			<b>RPHL3449(F/T)</b>	48.
	34"	64"			<b>RPHL3464(F/T)</b>	96.
	34"	79"			<b>RPHL3479(F/T)</b>	142.
	42"	49"			<b>RPHL4249(F/T)</b>	66.
	42"	64"			<b>RPHL4264(F/T)</b>	92.
	42"	79"			<b>RPHL4279(F/T)</b>	100.
	49"	64"			<b>RPHL4964(F/T)</b>	92.
	49"	79"			<b>RPHL4979(F/T)</b>	100.
	64"	79"			<b>RPHL6479(F/T)</b>	72.
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			<b>RPHL4249S</b>	33.
	42"	64"			<b>RPHL4264S</b>	79.
	42"	79"			<b>RPHL4279S</b>	129.
	49"	64"			<b>RPHL4964S</b>	48.
	49"	79"			<b>RPHL4979S</b>	96.
	64"	79"			<b>RPHL6479S</b>	48.
Wall starter			7/8"	15"	<b>R2SWS0015 ( ) ( )</b>	61.
			7/8"	34"	<b>R2SWS0034 ( ) ( ) ( )</b>	121.
			7/8"	42"	<b>R2SWS0042 ( ) ( ) ( )</b>	147.
			7/8"	49"	<b>R2SWS0049 ( ) ( ) ( )</b>	172.
			7/8"	64"	<b>R2SWS0064 ( ) ( ) ( )</b>	226.
			7/8"	79"	<b>R2SWS0079 ( ) ( ) ( )</b>	278.
			7/8"	8"	<b>R2SWS0008 ( ) ( )</b>	46.

\*Wall starters come with extended top trim from adjoining panel.

Order Code	Specification Information	Application Notes
Example: <b>RPHL4249T</b>	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
<b>R</b> Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
<b>P</b> Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
<b>HL</b> Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
<b>42</b> 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
<b>49</b> 49" high panel	F = Full	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
<b>T</b> Tiled face type	T = Tiled	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	Wall starter:	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	1. Pattern number including height	Wall starters come with extended top trim from adjoining panel.
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

# Ceiling cable entry post covers

## Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
					<b>R3SPABPT</b>	\$7.
					<b>R3SPABTD</b>	7.
					<b>R3SPABTT</b>	7.
					<b>R3SPABTW</b>	7.
					<b>RSPABPD</b>	7.
					<b>RSPABPP</b>	7.
					<b>RSPABPT</b>	7.
					<b>RSPABPW</b>	7.
					<b>RSPABTD</b>	7.
					<b>RSPABTT</b>	7.
					<b>RSPABTW</b>	7.
					<b>RSPABWD</b>	7.
				<b>RSPABWW</b>	7.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: <b>RPHL4249T</b>	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
<b>R</b> Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
<b>P</b> Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
<b>HL</b> Hi lo cover	2. Select finish fabric, laminate or veneer	Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
<b>42</b> 42" low panel	<i>1. Face type options:</i>	RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
<b>49</b> 49" high panel	F = Full	RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
<b>T</b> Tiled face type	T = Tiled	R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.
	Wall starter:	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	1. Pattern number including height	Wall starters come with extended top trim from adjoining panel.
	2. Adjoining panel width	
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64"	<b>RRDPPL(L/R)6436( )</b>		\$2,967.	\$3,072.	\$4,108.
		36"	79"	<b>RRD3PPL(L/R)7936( )( )</b>		3,236.	3,352.	4,525.
		42"	64"	<b>RRDPPL(L/R)6442( )</b>		3,024.	3,128.	4,159.
		42"	79"	<b>RRD3PPL(L/R)7942( )( )</b>		3,286.	3,401.	4,574.
Floor to ceiling rolling door		36"	79"	<b>RRD3FTCPPL(L/R)7936( )</b>		3,236.	3,352.	4,525.
		42"	79"	<b>RRD3FTCPPL(L/R)7942( )</b>		3,286.	3,401.	4,574.
Partial width threshold (full width threshold)		3"	50"	<b>RRDTH( )</b>		343.		
		3"	96"	<b>RRDTH(L/R)( )</b>		441.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	<b>R2DRS7936( )( )</b>			3,865.
	(36" opening)	1 1/2"	42"	79"	<b>R2DRS7942( )( )</b>			4,492.
*Panel door left	(30" opening)	1 1/2"	36"	79"	<b>R2DLS7936( )( )</b>			3,865.
	(36" opening)	1 1/2"	42"	79"	<b>R2DLS7942( )( )</b>			4,492.



\*Woodgrain Laminate not available on Panel Door\*

### Order Code

Example:	<b>RRDPPL(L)6436(A)(4)</b>
<b>RRD</b>	Reff rolling door
<b>PPL</b>	Monolithic frame
<b>L</b>	Left hand
<b>64</b>	64" high
<b>36</b>	36" wide
<b>A</b>	Flat style top trim
<b>4"</b>	4" base height

### Specification Information

#### Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose

#### 2. Base height:

- 4 = 4" base
- 6 = 6" base (add \$47 for this option)

#### 3. Lock option:

- N = Not drilled
- D = Drilled \*
- L = Drilled lock set included
- D = \*Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

#### Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

#### Frame Insert Finish

Temp = Cleared tempered glass

#### Architectural options:

- GL13 = Powdered glass
- GL6 = Block matrix
- GL8 = Wafer glass
- P5 = Polycarbonate

### Application Notes

Applicable finishes are listed on page 5 and 6.

#### Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 114).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

#### Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			<b>R234PKIT</b>	\$111.	
Generation 1 34"H panels to Generation 3 Beltway posts			<b>R334PKIT</b>	111.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			<b>R2AK</b>	n/c	
Generation 1 panels to Generation 3 posts			<b>R3AK</b>	n/c	
R3/R2 stacking post sleeve			<b>R3R2SLV</b>	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	10 Rolls	3/8"	79"	<b>RHSCN70</b>	n/c
	2 Rolls	3/8"	79"	<b>RHSCN15</b>	n/c
	30 Rolls	3/8"	79"	<b>RHSCN250</b>	n/c
	Carpet gripper(Pack of 10)			<b>R2CG</b>	20.

**Order Code**

Example:	<b>R234PKIT</b>
<b>R2</b>	Reff, generation 2
<b>34</b>	34" h panel to
<b>P</b>	Beltway post
<b>KIT</b>	Attachment kit

**Application Notes**




When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

# Floor to ceiling modules

21" high, for 104" ceiling height and 79" high panels  
fabric and glass




description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	<b>R3FTCFF2118</b>			\$353.	\$359.	\$373.	\$437.	\$461.	\$525.	\$589.
	20"	21"	<b>R3FTCFF2120</b>			353.	359.	373.	437.	461.	525.	589.
	24"	21"	<b>R3FTCFF2124</b>			372.	378.	392.	456.	480.	544.	608.
	30"	21"	<b>R3FTCFF2130</b>			411.	417.	431.	495.	519.	583.	647.
	36"	21"	<b>R3FTCFF2136</b>			441.	447.	461.	525.	549.	613.	677.
	42"	21"	<b>R3FTCFF2142</b>			481.	487.	501.	565.	589.	653.	717.
	48"	21"	<b>R3FTCFF2148</b>			516.	522.	536.	600.	624.	688.	752.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	<b>RFTCWA2118</b>	495.	584.							
	20"	21"	<b>RFTCWA2120</b>	495.	584.							
	24"	21"	<b>RFTCWA2124</b>	520.	629.							
	30"	21"	<b>RFTCWA2130</b>	606.	737.							
	36"	21"	<b>RFTCWA2136</b>	633.	787.							
	42"	21"	<b>RFTCWA2142</b>	666.	852.							
	48"	21"	<b>RFTCWA2148</b>	698.	903.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	<b>RFTCWB2130</b>	707.	836.							
	36"	21"	<b>RFTCWB2136</b>	766.	922.							
	42"	21"	<b>RFTCWB2142</b>	810.	989.							
	48"	21"	<b>RFTCWB2148</b>	847.	1,057.							

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF2118</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).  Specify the finish for frames from paint selection on page 5.  Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.  Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>R3</b> Reff Generation 3	1. Pattern number	
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	
<b>21</b> 21" high	4. Soffit finish (paint)	<b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>  <b>Use of Reff FTC modules must be approved by local building authorities.</b>  Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.  No additional acoustic rating occurs on FTC installations.
<b>18</b> 18" wide	<i>For window panel:</i>	
<b>W281</b> Fabric selection - side 1	1. Pattern number	
<b>W281</b> Fabric selection - side 2	2. Frame finish	
<b>111</b> Jet Black soffit	3. Glass type	



# Floor to ceiling modules


25" high, for 108" ceiling height and 79" high panels  
fabric and glass


description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	<b>R3FTCFF2518</b>			\$394.	\$400.	\$412.	\$498.	\$516.	\$600.	\$672.
	20"	25"	<b>R3FTCFF2520</b>			394.	400.	412.	498.	516.	600.	672.
	24"	25"	<b>R3FTCFF2524</b>			417.	423.	435.	521.	539.	623.	695.
	30"	25"	<b>R3FTCFF2530</b>			453.	459.	471.	557.	575.	659.	731.
	36"	25"	<b>R3FTCFF2536</b>			494.	501.	513.	599.	617.	701.	773.
	42"	25"	<b>R3FTCFF2542</b>			534.	540.	552.	638.	656.	740.	812.
	48"	25"	<b>R3FTCFF2548</b>			573.	579.	591.	677.	695.	779.	851.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	<b>RFTCWA2518</b>	517.	607.							
	20"	25"	<b>RFTCWA2520</b>	517.	607.							
	24"	25"	<b>RFTCWA2524</b>	553.	658.							
	30"	25"	<b>RFTCWA2530</b>	639.	770.							
	36"	25"	<b>RFTCWA2536</b>	670.	824.							
	42"	25"	<b>RFTCWA2542</b>	713.	892.							
	48"	25"	<b>RFTCWA2548</b>	743.	949.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	<b>RFTCWB2530</b>	734.	862.							
	36"	25"	<b>RFTCWB2536</b>	813.	969.							
	42"	25"	<b>RFTCWB2542</b>	863.	1,044.							
	48"	25"	<b>RFTCWB2548</b>	912.	1,120.							


Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF2518</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).  Specify the finish for frames from paint selection on page 5.  Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.  Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.
<b>R3</b> Reff Generation 3	1. Pattern number	
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	
<b>25</b> 25" high	4. Soffit finish (paint)	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.  <b>Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.</b>  <b>Use of Reff FTC modules must be approved by local building authorities.</b>  Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.  No additional acoustic rating occurs on FTC installations.
<b>18</b> 18" wide	<i>For window panel:</i>	
<b>W281</b> Fabric selection - side 1	1. Pattern number	
<b>W281</b> Fabric selection - side 2	2. Frame finish	
<b>111</b> Jet Black soffit	3. Glass type	

# Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels  
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	<b>R3FTCFF3718</b>			\$517.	\$521.	\$531.	\$659.	\$681.	\$807.	\$925.
	20"	37"	<b>R3FTCFF3720</b>			517.	521.	531.	659.	681.	807.	925.
	24"	37"	<b>R3FTCFF3724</b>			547.	551.	561.	689.	711.	837.	955.
	30"	37"	<b>R3FTCFF3730</b>			594.	598.	608.	736.	758.	884.	1,002.
	36"	37"	<b>R3FTCFF3736</b>			645.	649.	659.	787.	809.	935.	1,053.
	42"	37"	<b>R3FTCFF3742</b>			694.	698.	709.	836.	858.	984.	1,102.
	48"	37"	<b>R3FTCFF3748</b>			741.	745.	755.	883.	905.	1,031.	1,149.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	<b>RFTCWA3718</b>	592.	680.
	20"	37"	<b>RFTCWA3720</b>	592.	680.
	24"	37"	<b>RFTCWA3724</b>	638.	742.
	30"	37"	<b>RFTCWA3730</b>	752.	867.
	36"	37"	<b>RFTCWA3736</b>	783.	936.
	42"	37"	<b>RFTCWA3742</b>	834.	1,014.
	48"	37"	<b>RFTCWA3748</b>	878.	1,090.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	<b>RFTCWB3730</b>	811.	942.
	36"	37"	<b>RFTCWB3736</b>	956.	1,110.
	42"	37"	<b>RFTCWB3742</b>	1,030.	1,210.
	48"	37"	<b>RFTCWB3748</b>	1,096.	1,306.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFF3718</b>	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
<b>R3</b> Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
<b>FTC</b> Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.
<b>FF</b> Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
<b>37</b> 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
<b>18</b> 18" wide	<i>For window panel:</i>	Ceiling height includes 4" allowance for trim.
<b>W281</b> Fabric selection - side 1	1. Pattern number	
<b>W281</b> Fabric selection - side 2	2. Frame finish	
<b>111</b> Jet Black soffit	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.


**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**


**Use of Reff FTC modules must be approved by local building authorities.**


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


# Floor to ceiling modules

21" and 25" high modules, fabric one side,  
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	<b>R3FTCFL2118</b>	\$403.	\$405.	\$410.	\$445.	\$457.	\$490.	\$525.
	20"	21"	<b>R3FTCFL2120</b>	403.	405.	410.	445.	456.	490.	525.
	24"	21"	<b>R3FTCFL2124</b>	417.	419.	424.	459.	471.	504.	539.
	30"	21"	<b>R3FTCFL2130</b>	468.	470.	475.	510.	522.	555.	590.
	36"	21"	<b>R3FTCFL2136</b>	508.	510.	515.	550.	562.	595.	630.
	42"	21"	<b>R3FTCFL2142</b>	553.	555.	560.	595.	607.	640.	675.
	48"	21"	<b>R3FTCFL2148</b>	595.	597.	602.	637.	649.	682.	717.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	<b>R3FTCF12118</b>	410.	412.	417.	452.	464.	497.	532.
	20"	21"	<b>R3FTCF12120</b>	410.	412.	417.	452.	464.	497.	532.
	24"	21"	<b>R3FTCF12124</b>	426.	428.	433.	468.	480.	513.	548.
	30"	21"	<b>R3FTCF12130</b>	475.	477.	482.	517.	529.	562.	597.
	36"	21"	<b>R3FTCF12136</b>	516.	518.	523.	558.	570.	603.	638.
	42"	21"	<b>R3FTCF12142</b>	558.	560.	565.	600.	612.	645.	680.
	48"	21"	<b>R3FTCF12148</b>	608.	610.	615.	650.	662.	695.	730.


Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	<b>R3FTCF22118</b>	418.	420.	425.	460.	472.	505.	540.
	20"	21"	<b>R3FTCF22120</b>	418.	420.	425.	460.	472.	505.	540.
	24"	21"	<b>R3FTCF22124</b>	431.	433.	438.	473.	485.	518.	553.
	30"	21"	<b>R3FTCF22130</b>	485.	487.	492.	527.	539.	572.	607.
	36"	21"	<b>R3FTCF22136</b>	524.	526.	531.	566.	578.	611.	646.
	42"	21"	<b>R3FTCF22142</b>	570.	572.	577.	612.	624.	657.	692.
	48"	21"	<b>R3FTCF22148</b>	616.	618.	623.	658.	670.	703.	738.


Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21" 	18"	21"	<b>R3FTCF321 18</b>	551.	553.	558.	593.	605.	638.	673.
	20"	21"	<b>R3FTCF321 20</b>	551.	553.	558.	593.	605.	638.	673.
	24"	21"	<b>R3FTCF321 24</b>	569.	571.	576.	611.	623.	656.	691.
	30"	21"	<b>R3FTCF321 30</b>	642.	644.	649.	684.	695.	729.	764.
	36"	21"	<b>R3FTCF321 36</b>	694.	696.	701.	736.	748.	781.	816.
	42"	21"	<b>R3FTCF321 42</b>	756.	758.	763.	798.	810.	843.	878.
	48"	21"	<b>R3FTCF321 48</b>	816.	818.	823.	858.	870.	903.	938.


Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL2118</b>	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint)  Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.  Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.  Modules on this page will not support the hanging of panel mount product.
<b>R3</b> Reff Generation 3		
<b>FTC</b> Floor to ceiling		
<b>FL</b> Fabric/laminate		
<b>21</b> 21" high		
<b>18</b> 18" wide		
<b>W281</b> Fabric selection - side 1		
<b>114</b> Folkstone grey - side 2		
<b>111</b> Jet Black soffit		


# Floor to ceiling modules

21" and 25" high modules, fabric one side,  
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	<b>R3FTCFL2518</b>	\$432.	\$435.	\$443.	\$488.	\$497.	\$540.	\$579.
	20"	25"	<b>R3FTCFL2520</b>	433.	435.	443.	488.	497.	540.	579.
	24"	25"	<b>R3FTCFL2524</b>	448.	451.	459.	504.	513.	556.	595.
	30"	25"	<b>R3FTCFL2530</b>	509.	512.	520.	565.	574.	617.	656.
	36"	25"	<b>R3FTCFL2536</b>	552.	555.	563.	608.	617.	660.	699.
	42"	25"	<b>R3FTCFL2542</b>	605.	608.	616.	661.	670.	713.	752.
	48"	25"	<b>R3FTCFL2548</b>	654.	657.	665.	710.	719.	762.	801.

Stack-on floor to ceiling module Fabric one side, techwood other side, 25" 	18"	25"	<b>R3FTCF12518</b>	438.	441.	449.	494.	503.	546.	585.
	20"	25"	<b>R3FTCF12520</b>	438.	441.	449.	494.	503.	546.	585.
	24"	25"	<b>R3FTCF12524</b>	453.	456.	464.	509.	518.	561.	600.
	30"	25"	<b>R3FTCF12530</b>	519.	522.	530.	575.	584.	627.	666.
	36"	25"	<b>R3FTCF12536</b>	559.	562.	570.	615.	624.	667.	706.
	42"	25"	<b>R3FTCF12542</b>	616.	619.	627.	672.	681.	724.	763.
	48"	25"	<b>R3FTCF12548</b>	664.	667.	675.	720.	729.	772.	811.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25" 	18"	25"	<b>R3FTCF22518</b>	448.	451.	459.	504.	513.	556.	595.
	20"	25"	<b>R3FTCF22520</b>	448.	451.	459.	504.	513.	556.	595.
	24"	25"	<b>R3FTCF22524</b>	461.	464.	472.	517.	526.	569.	608.
	30"	25"	<b>R3FTCF22530</b>	527.	530.	538.	583.	592.	635.	674.
	36"	25"	<b>R3FTCF22536</b>	571.	574.	582.	627.	636.	679.	718.
	42"	25"	<b>R3FTCF22542</b>	626.	629.	637.	682.	691.	734.	773.
	48"	25"	<b>R3FTCF22548</b>	676.	679.	687.	732.	741.	784.	823.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25" 	18"	25"	<b>R3FTCF325 18</b>	586.	589.	597.	642.	651.	694.	733.
	20"	25"	<b>R3FTCF325 20</b>	586.	589.	597.	642.	651.	694.	733.
	24"	25"	<b>R3FTCF325 24</b>	608.	611.	619.	664.	673.	716.	755.
	30"	25"	<b>R3FTCF325 30</b>	694.	697.	705.	750.	759.	802.	841.
	36"	25"	<b>R3FTCF325 36</b>	756.	759.	767.	812.	821.	864.	903.
	42"	25"	<b>R3FTCF325 42</b>	829.	832.	840.	885.	894.	937.	976.
	48"	25"	<b>R3FTCF325 48</b>	897.	900.	908.	953.	962.	1,005.	1,044.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL2118</b> <b>R3</b> Reff Generation 3 <b>FTC</b> Floor to ceiling <b>FL</b> Fabric/laminate <b>21</b> 21" high <b>18</b> 18" wide <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>111</b> Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint)  Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.  Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.  Modules on this page will not support the hanging of panel mount product.


**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**


**Use of Reff FTC modules must be approved by local building authorities.**


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


# Floor to ceiling modules

37" high modules, fabric one side,  
laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side 	18"	37"	<b>R3FTCFL3718</b>	\$527.	\$529.	\$535.	\$601.	\$612.	\$678.	\$739.
	20"	37"	<b>R3FTCFL3720</b>	527.	529.	535.	601.	612.	678.	739.
	24"	37"	<b>R3FTCFL3724</b>	537.	539.	545.	611.	622.	688.	749.
	30"	37"	<b>R3FTCFL3730</b>	638.	640.	646.	712.	723.	789.	850.
	36"	37"	<b>R3FTCFL3736</b>	690.	692.	698.	764.	775.	841.	902.
	42"	37"	<b>R3FTCFL3742</b>	770.	772.	778.	844.	855.	921.	982.
	48"	37"	<b>R3FTCFL3748</b>	840.	842.	848.	914.	925.	991.	1,052.

Stack-on floor to ceiling module Fabric one side, techwood other side 	18"	37"	<b>R3FTCF13718</b>	536.	538.	544.	610.	621.	687.	748.
	20"	37"	<b>R3FTCF13720</b>	536.	538.	544.	610.	621.	687.	748.
	24"	37"	<b>R3FTCF13724</b>	545.	547.	553.	619.	630.	696.	757.
	30"	37"	<b>R3FTCF13730</b>	648.	650.	656.	722.	733.	799.	860.
	36"	37"	<b>R3FTCF13736</b>	704.	706.	712.	778.	789.	855.	916.
	42"	37"	<b>R3FTCF13742</b>	787.	789.	795.	861.	872.	938.	999.
	48"	37"	<b>R3FTCF13748</b>	856.	858.	864.	930.	941.	1,007.	1,068.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side 	18"	37"	<b>R3FTCF23718</b>	544.	546.	552.	618.	629.	695.	756.
	20"	37"	<b>R3FTCF23720</b>	544.	546.	552.	618.	629.	695.	756.
	24"	37"	<b>R3FTCF23724</b>	556.	558.	564.	630.	641.	707.	768.
	30"	37"	<b>R3FTCF23730</b>	658.	660.	666.	732.	743.	809.	870.
	36"	37"	<b>R3FTCF23736</b>	713.	715.	721.	787.	798.	864.	925.
	42"	37"	<b>R3FTCF23742</b>	798.	800.	806.	872.	883.	949.	1,010.
	48"	37"	<b>R3FTCF23748</b>	872.	874.	880.	946.	957.	1,023.	1,084.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37" 	18"	37"	<b>R3FTCF337 18</b>	710.	712.	718.	784.	795.	861.	922.
	20"	37"	<b>R3FTCF337 20</b>	710.	712.	718.	784.	795.	861.	922.
	24"	37"	<b>R3FTCF337 24</b>	728.	730.	736.	802.	813.	879.	940.
	30"	37"	<b>R3FTCF337 30</b>	865.	867.	873.	939.	950.	1,016.	1,077.
	36"	37"	<b>R3FTCF337 36</b>	939.	941.	948.	1,013.	1,024.	1,090.	1,151.
	42"	37"	<b>R3FTCF337 42</b>	1,055.	1,057.	1,063.	1,129.	1,140.	1,206.	1,267.
	48"	37"	<b>R3FTCF337 48</b>	1,154.	1,156.	1,162.	1,228.	1,239.	1,305.	1,366.

Order Code	Specification Information	Application Notes
Example: <b>R3FTCFL3718</b> <b>R3</b> Reff Generation 3 <b>FTC</b> Floor to ceiling <b>FL</b> Fabric/laminate <b>37</b> 37" high <b>18</b> 18" wide <b>W281</b> Fabric selection - side 1 <b>114</b> Folkstone grey - side 2 <b>111</b> Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint)  Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers.  Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.  Ceiling height includes 4" allowance for trim.  Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.  Modules on this page will not support the hanging of panel mount product.

**Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.**






**Use of Reff FTC modules must be approved by local building authorities.**

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

# Floor to ceiling modules

## Panel connection posts

### for floor to ceiling applications

description		h	pattern no.	list price
 L-Post	add on	21"	<b>R3FTCL21</b>	\$185.
	add on	25"	<b>R3FTCL25</b>	206.
	add on	37"	<b>R3FTCL37</b>	266.
	full height	104"	<b>R3FTCL104(F/T)(F/T)-( ) ( )</b>	420.
	full height	108"	<b>R3FTCL108(F/T)(F/T)-( ) ( )</b>	420.
	full height	120"	<b>R3FTCL120(F/T)(F/T)-( ) ( )</b>	420.
 T-Post	add on	21"	<b>R3FTCT21</b>	201.
	add on	25"	<b>R3FTCT25</b>	219.
	add on	37"	<b>R3FTCT37</b>	281.
	full height	104"	<b>R3FTCT104(F/T)-( ) ( )</b>	378.
	full height	108"	<b>R3FTCT108(F/T)-( ) ( )</b>	378.
	full height	120"	<b>R3FTCT120(F/T)-( ) ( )</b>	378.
 X-Post	add on	21"	<b>R3FTCX21</b>	183.
	add on	25"	<b>R3FTCX25</b>	203.
	add on	37"	<b>R3FTCX37</b>	265.
	full height	104"	<b>R3FTCX104</b>	347.
	full height	108"	<b>R3FTCX108</b>	347.
	full height	120"	<b>R3FTCX120</b>	347.
 Straight post	add on	21"	<b>R3FTCS21</b>	185.
	add on	25"	<b>R3FTCS25</b>	206.
	add on	37"	<b>R3FTCS37</b>	266.
	full height	104"	<b>R3FTCS104(F/T)(F/T)-( ) ( )</b>	420.
	full height	108"	<b>R3FTCS108(F/T)(F/T)-( ) ( )</b>	420.
	full height	120"	<b>R3FTCS120(F/T)(F/T)-( ) ( )</b>	420.
 End post	add on	21"	<b>R3FTCE21</b>	201.
	add on	25"	<b>R3FTCE25</b>	219.
	add on	37"	<b>R3FTCE37</b>	281.
	full height	104"	<b>R3FTCE104(F/T)(F/T)(F/T)-( ) ( )</b>	378.
	full height	108"	<b>R3FTCE108(F/T)(F/T)(F/T)-( ) ( )</b>	378.
	full height	120"	<b>R3FTCE120(F/T)(F/T)(F/T)-( ) ( )</b>	378.

Order Code	Specification Information	Application Notes
<b>Example: R3FTCL104TT-6N</b> <b>R3FTC</b> Reff Gen 3 Floor to ceiling <b>L</b> Corner post <b>104</b> 104" high (one piece) <b>TT</b> Tiled appearance <b>6</b> 6" base height <b>N</b> No base infeed raceway knock-out <b>W808</b> Fabric selection <b>111</b> Jet Black (base finish)	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>Post face option</li> <li>Base height option</li> <li>Base infeed raceway knock-out, (optional)</li> <li>Fabric selection</li> <li>Base color</li> </ol> <p>1. Face type:            F = Full height (monolithic look)            T = Tiled</p> <p>2. Base height:            4 = 4" base height            6 = 6" base height (add \$47 list for this option)</p> <p>3. Electrical infeed post:            L = Base infeed left face            M = Base infeed middle face            R = Base infeed right face            N = None</p>	<p>The posts on this page do not support the hanging of panel mount product above the 79"H panels.</p> <p>The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.</p> <p>If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.</p> <p>Left and Right hand locations are determined by facing the post in question from the outside of the station.</p> <p>Hookstrip cover reveal strips are no charge but must be ordered separately from page 117.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>

# Required components for floor to ceiling applications





description	h	pattern no.	list price
FTC wall starter	21"	<b>RFTCWS21S</b>	\$60.
	25"	<b>RFTCWS25S</b>	76.
	37"	<b>RFTCWS37S</b>	92.
Ceiling channel 108* and stabilizer beam	108"	<b>RFTCC108</b>	219.
Caddy clips (box of 100)		<b>RFTCCLIPS</b>	317.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		<b>RFTCSpace</b>	100.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		<b>RFTCWT (Pair)</b>	7.
Floor to ceiling beam bracket for top of a stacking module		<b>RFTCSM (Pair) for G2 only</b>	7.
		<b>R3FTCSM (Pair) for G3 only</b>	7.
Floor to ceiling beam bracket for top of a G1 panel		<b>RFTCG1 (Pair)</b>	7.
Floor to ceiling beam bracket for top of a door panel		<b>RFTCDR (Pair)</b>	7.

\*These brackets are to be used with hinge doors only.

Order Code	Specification Information	Application Notes
Example: <b>RFTCWS21S</b>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>1. Fabric/laminate/wood options</li> <li>2. Paint option for metal soffit</li> </ol> <p>All floor to ceiling posts mimic the panel system post application.</p>	<p>*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.</p> <p>Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.</p> <p><b>Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.</b></p> <p><b>Use of Reff FTC components must be approved by local building authorities.</b></p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>
<b>R</b> Reff		
<b>FTC</b> Floor to ceiling		
<b>WS</b> Wall starter		
<b>21</b> 21" high		



Power distribution components  
**2+2 Base Raceway**  
*four circuit, eight-wire raceway for panels*  
*power rails and connector*

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	<b>RR3-E24</b>	\$142.	
	30" panel	12"	2"	2"	<b>RR3-E30NS</b>	157.	
	36" panel	18"	2"	2"	<b>RR3-E36NS</b>	172.	
	42" panel	24"	2"	2"	<b>RR3-E42NS</b>	179.	
	48" panel	30"	2"	2"	<b>RR3-E48NS</b>	187.	
	60" panel	42"	2"	2"	<b>RR3-E60-4</b>	284.	
	66" panel	48"	2"	2"	<b>RR3-E66-4</b>	300.	
72" panel	54"	2"	2"	<b>RR3-E72-4</b>	321.		
	Straight	16 1/2"	2"	2"	<b>RR3-EPC24</b>	82.	
		18 1/2"	2"	2"	<b>RR3-EPCS</b>	82.	
		20 1/4"	2"	2"	<b>RR3-EPC</b>	82.	
	Use <b>RR3-EPC24</b> for straight 24" to 24" wide panel. Use <b>RR3-EPCS</b> for straight 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-EPC</b> for all other straight power connection configurations.						
	Through post	19"	2"	2"	<b>RR3-EPCP24</b>	82.	
		21"	2"	2"	<b>RR3-EPCPS</b>	82.	
		22 3/4"	2"	2"	<b>RR3-EPCP</b>	82.	
Use <b>RR3-EPCP24</b> for through post 24" to 24" wide panels. Use <b>RR3-EPCPS</b> for through post 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-EPCP</b> for all other through post power connection configurations.							
	Circuit A				<b>RR3-DA</b>	39.	
	Circuit B				<b>RR3-DB</b>	39.	
	Circuit X				<b>RR3-DX</b>	39.	
	Circuit Y				<b>RR3-DY</b>	39.	
	Circuit X				<b>RR3-DXO</b>	44.	
	Circuit Y				<b>RR3-DYO</b>	44.	
Data Shield	1 pair				<b>RR3-DATSHD</b>	27.	

**Order Code**

Example: <b>RR3-E-24</b>	
<b>RR3</b>	Reff raceway
<b>E</b>	Eight wire 2+2
<b>24</b>	for 24" panel

**Specification Information**

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

**Application Notes**

Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.

\*Power connectors must be specified according to the panel widths in the specified orientation.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

# Power distribution components

## 2+2 Base Raceway

### four circuit, eight-wire raceway for panels

### jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	<b>RR3-EJ18</b>	\$103.
	20" panel	40"	2"	2"	<b>RR3-EJ20</b>	103.
	24" panel	44"	2"	2"	<b>RR3-EJ24</b>	111.
	30" panel	50"	2"	2"	<b>RR3-EJ30</b>	119.
	36" panel	56"	2"	2"	<b>RR3-EJ36</b>	129.
	42" panel	62"	2"	2"	<b>RR3-EJ42</b>	135.
	48" panel	68"	2"	2"	<b>RR3-EJ48</b>	142.
	54" panel run	76 1/2"	2"	2"	<b>RR3-EJ54P</b>	149.
	60" panel run	82 1/2"	2"	2"	<b>RR3-EJ60P</b>	157.
	66" panel run	88 1/2"	2"	2"	<b>RR3-EJ66P</b>	165.
	72" panel run	94 1/2"	2"	2"	<b>RR3-EJ72P</b>	172.
	78" panel run	100 1/2"	2"	2"	<b>RR3-EJ78P</b>	179.
	84" panel run	106 1/2"	2"	2"	<b>RR3-EJ84P</b>	187.
	90" panel run	112 1/2"	2"	2"	<b>RR3-EJ90P</b>	196.
96" panel run	118 1/2"	2"	2"	<b>RR3-EJ96P</b>	203.	
 Extended jumper (through one post)	18" + post	40 1/2"	2"	2"	<b>RR3-EJ18P</b>	103.
	20" + post	42 1/2"	2"	2"	<b>RR3-EJ20P</b>	103.
	24" + post	46 1/2"	2"	2"	<b>RR3-EJ24P</b>	111.
	30" + post	52 1/2"	2"	2"	<b>RR3-EJ30P</b>	119.
	36" + post	58 1/2"	2"	2"	<b>RR3-EJ36P</b>	129.
	42" + post	64 1/2"	2"	2"	<b>RR3-EJ42P</b>	135.
	48" + post	70 1/2"	2"	2"	<b>RR3-EJ48P</b>	142.
 Power infeeds	Ceiling power cable infeed. Eight-wire				<b>RR3-EPVR</b>	284.
	Hardwire infeed (NYC) one direction				<b>RR3-EPNY1</b>	208.
	Hardwire infeed (NYC) two directions				<b>RR3-EPNY2</b>	312.
	Panel base end feed				<b>RR3-REPI</b>	247.
	Panel base side infeed				<b>RR3-EPI</b>	247.
	Surge suppressors				<b>RR3-SP-(A,B,X,Y)</b>	179.

**Order Code**

Example:	<b>RR3-EPVR</b>
<b>RR3</b>	Reff raceway
<b>E</b>	Eight wire 2+2
<b>P</b>	power infeed
<b>VR</b>	for vertical raceway

**Specification Information**

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.

For use in Canada, all circuits are CGA rated 15 amp capacity.

*Note:*

For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.

Beltway panels can use jumpers at the panel base in a straight run or around a corner.

**Application Notes**

Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.

Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection

into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-EPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-EPNY1** includes only one power connector.



Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

# Power distribution components

## 3+3 Base Raceway

### six circuit, ten-wire raceway for panels

### power rails and connectors

description	type	w	d	h	pattern no.	list price		
	24" panel	6"	2"	2"	<b>RR3-T24</b>	\$165.		
	30" panel	12"	2"	2"	<b>RR3-T30NS</b>	179.		
	36" panel	18"	2"	2"	<b>RR3-T36NS</b>	196.		
	42" panel	24"	2"	2"	<b>RR3-T42NS</b>	208.		
	48" panel	30"	2"	2"	<b>RR3-T48NS</b>	216.		
	60" panel	42"	2"	2"	<b>RR3-T60-4</b>	337.		
	66" panel	48"	2"	2"	<b>RR3-T66-4</b>	351.		
	72" panel	54"	2"	2"	<b>RR3-T72-4</b>	375.		
	Straight	16 1/2"	2"	2"	<b>RR3-TPC24</b>	103.		
		18 1/2"	2"	2"	<b>RR3-TPCS</b>	103.		
		20 1/4"	2"	2"	<b>RR3-TPC</b>	103.		
	Use <b>RR3-TPC24</b> for through post 24" to 24" wide panels. Use <b>RR3-TPCS</b> for through post 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-TPC</b> for all other through post power connection configurations.							
	Through post	19"	2"	2"	<b>RR3-TPCP24</b>	103.		
		21"	2"	2"	<b>RR3-TPCPS</b>	103.		
		22 3/4"	2"	2"	<b>RR3-TPCP</b>	103.		
	Use <b>RR3-TPCP24</b> for through post 24" to 24" wide panels. Use <b>RR3-TPCPS</b> for through post 24" to any other width panel and for 30" to 30" wide panels. Use <b>RR3-TPCP</b> for all other through post power connection configurations.							
	Duplex outlets, black	Circuit A					<b>RR3-DA</b>	39.
							<b>RR3-DB</b>	39.
				<b>RR3-DC</b>	39.			
				<b>RR3-DX</b>	39.			
				<b>RR3-DY</b>	39.			
				<b>RR3-DZ</b>	39.			
Duplex outlets, orange	Circuit X					<b>RR3-DXO</b>	44.	
						<b>RR3-DYO</b>	44.	
						<b>RR3-DZO</b>	44.	
Data Shield	1 pair					<b>RR3-DATSHD</b>	27.	

**Order Code**

Example: <b>RR3-T-24</b>	
<b>RR3</b>	Reff raceway
<b>T</b>	Ten wire 3+3
<b>24</b>	for 24" panel

**Specification Information**

Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

*Note:*

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

**Application Notes**

Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.

\*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

# Power distribution components

## 3+3 Base Raceway

### six circuit, ten-wire raceway for panels

### jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	<b>RR3-TJ18</b>	\$119.
	20" panel	40"	2"	2"	<b>RR3-TJ20</b>	119.
	24" panel	44"	2"	2"	<b>RR3-TJ24</b>	129.
	30" panel	50"	2"	2"	<b>RR3-TJ30</b>	135.
	36" panel	56"	2"	2"	<b>RR3-TJ36</b>	142.
	42" panel	62"	2"	2"	<b>RR3-TJ42</b>	157.
	48" panel	68"	2"	2"	<b>RR3-TJ48</b>	172.
	54" panel run	76 1/2"	2"	2"	<b>RR3-TJ54P</b>	179.
	60" panel	82 1/2"	2"	2"	<b>RR3-TJ60P</b>	187.
	66" panel run	86 1/2"	2"	2"	<b>RR3-TJ66P</b>	196.
	72" panel run	94 1/2"	2"	2"	<b>RR3-TJ72P</b>	203.
	78" panel run	100 1/2"	2"	2"	<b>RR3-TJ78P</b>	208.
	84" panel run	106 1/2"	2"	2"	<b>RR3-TJ84P</b>	227.
90" panel run	112 1/2"	2"	2"	<b>RR3-TJ90P</b>	232.	
96" panel run	118 1/2"	2"	2"	<b>RR3-TJ96P</b>	238.	
	18" + post	40 1/2"	2"	2"	<b>RR3-TJ18P</b>	119.
	20" + post	46 1/2"	2"	2"	<b>RR3-TJ20P</b>	119.
	24" + post	46 1/2"	2"	2"	<b>RR3-TJ24P</b>	129.
	30" + post	52 1/2"	2"	2"	<b>RR3-TJ30P</b>	135.
	36" + post	58 1/2"	2"	2"	<b>RR3-TJ36P</b>	142.
	42" + post	64 1/2"	2"	2"	<b>RR3-TJ42P</b>	157.
	48" + post	70 1/2"	2"	2"	<b>RR3-TJ48P</b>	172.
	Ceiling power cable infeed. Ten-wire				<b>RR3-TPVR</b>	344.
	Hardwire infeed (NYC) one direction **				<b>RR3-TPNY1</b>	238.
	Hardwire infeed (NYC) two directions **				<b>RR3-TPNY2</b>	344.
	Panel base end feed				<b>RR3-RTPI</b>	284.
	Panel base side infeed				<b>RR3-TPI</b>	284.
	Surge suppressors *				<b>RR3-SP-(A, B, C, X, Y, Z)</b>	179.



\* Select which circuit needs protecting and order the specified surge processor.

\*\* For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: <b>RR3-TPVR</b> <b>RR3</b> Reff raceway <b>T</b> Ten wire 3+3 <b>P</b> power infeed <b>VR</b> for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>

# Power distribution components

## Hardwire box

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	<b>RR3CHI241</b>	\$222.
	30" panel	<b>RR3CHI301</b>	258.
	36" panel	<b>RR3CHI361</b>	278.
	42" panel	<b>RR3CHI421</b>	281.
	48" panel	<b>RR3CHI481</b>	301.
Chicago Hardwire Box 2 Sided 	24" panel	<b>RR3CHI242</b>	230.
	30" panel	<b>RR3CHI302</b>	275.
	36" panel	<b>RR3CHI362</b>	282.
	42" panel	<b>RR3CHI422</b>	286.
	48" panel	<b>RR3CHI482</b>	320.

### Order Code

Example:	<b>RR3CHI24</b>
<b>RR3</b>	Reff/AutoStrada raceway G3
<b>CHI</b>	Chicago Hardwire Box
<b>24</b>	For 24" wide panel
<b>1</b>	One sided raceway


### Specification Information

Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.


### Application Notes

Certified electrician to install.  
Reff Hardwire Box  
Installation instruction sheet available. Part number 6TR45715.

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		<b>RR3-E24S</b>	\$149.
	30" panel		<b>RR3-E30S</b>	172.
	36" panel		<b>RR3-E36S</b>	187.
	42" panel		<b>RR3-E42S</b>	203.
	48" panel		<b>RR3-E48S</b>	208.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		<b>RR3-T24S</b>	179.
	30" panel		<b>RR3-T30S</b>	196.
	36" panel		<b>RR3-T36S</b>	208.
	42" panel		<b>RR3-T42S</b>	227.
	48" panel		<b>RR3-T48S</b>	232.



Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	<b>RR3-LTPC24</b>	103.
	Beltway post	19 1/2"	<b>RR3-LTPC</b>	103.
	Beltway post	21 1/2"	<b>RR3-LTPCP</b>	103.



Only necessary for post applications where cable will turn 90°ree.  
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		<b>RR3-TBBCS</b>	149.
	For 30" wide Beltway panels (8 Wire)		<b>RR3-EBBCS</b>	141.
	For 36" to 48" wide Beltway panels (10 Wire)		<b>RR3-TBBCL</b>	158.
	For 36" to 48" wide Beltway panels (8 Wire)		<b>RR3-EBBCL</b>	149.

## Order Code

Example: <b>RR3-T42S</b>
<b>RR3</b> Reff raceway
<b>T</b> Ten wire 3+3
<b>42</b> For 42" panel
<b>S</b> Single sided power

\*Power connectors must be specified according to the panel widths in the specified orientation.

## Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

### Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

## Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.


Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

### Vertical Adjacent Jumper

\* \*Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

### Vertical Jumper

When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.


description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel  	24" wide Eight Wire		<b>RR3EJ48</b>	\$142.
	24" wide Ten Wire		<b>RR3TJ48</b>	172.
	30" wide Eight Wire		<b>RR3EJ60P</b>	157.
	30" wide Ten Wire		<b>RR3TJ60P</b>	187.
	36" wide Eight Wire		<b>RR3EJ60P</b>	157.
	36" wide Ten Wire		<b>RR3TJ60P</b>	187.
	42" wide Eight Wire		<b>RR3EJ66P</b>	165.
	42" wide Ten Wire		<b>RR3TJ66P</b>	196.
	48" wide Eight Wire		<b>RR3EJ72P</b>	172.
48" wide Ten Wire		<b>RR3TJ72P</b>	203.	

Order Code	Specification Information	Application Notes
Example: <b>RR3-T42S</b> <b>RR3</b> Reff raceway <b>T</b> Ten wire 3+3 <b>42</b> For 42" panel <b>S</b> Single sided power	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.  Two side beltway panels use power rail for base.  Single side beltway panel use one sided power rail for base.  <i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.  Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.
		<b>Vertical Adjacent Jumper</b> **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.  <b>Vertical Jumper</b> When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.



description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	<b>RR3-FB</b>	\$14.
	Faceplate extender, black	<b>RR3-FE</b>	34.
	Three port faceplate, black	<b>RR3-3PF</b>	10.
	Two port faceplate, black	<b>RR3-2PF</b>	10.
Snap in module (must be used with faceplate)	BNC coupler, black	<b>RR3-BNC</b>	21.
	Cat 3 RJ11/14/25, black	<b>RR3-C3C</b>	13.
	CAT 5 RJ45 universal	<b>RR3-C5C</b>	21.
	CAT 6 universal	<b>RR3-C6C</b>	35.
	F series video coupler, black	<b>RR3-FV</b>	21.
	ST style coupler, black	<b>RR3-ST</b>	35.
Icons (sets of 10)	Data icons, 16 piece black	<b>RR3-DICON</b>	14.
	Mixed icons, 16 piece black	<b>RR3-MICON</b>	14.
	Phone icons, 16 piece black	<b>RR3PICON</b>	14.
Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	<b>RR3-C5C4A</b>	139.
	4 Cat 5 RJ45-T568B extended face, black	<b>RR3-C5C4B</b>	139.
Fiber optics	Sc style dual fiber optic side mount	<b>RR3-FOSC</b>	176.
	ST style dual fiber optic side mount	<b>RR3-FOST</b>	100.
Desktop duplex monument	2-RJ11 (telephone)	<b>RGMD6</b>	106.
	2-RJ45's (phone and intercom)	<b>RGMD8</b>	118.
	Duplex outlet (electrical)	<b>RGMDE</b>	128.

Order Code	Specification Information	Application Notes
Example: <b>RR3-2PF</b>	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
<b>RR3</b> Reff raceway		
<b>2PF</b> Two port face	Icons can be ordered to distinguish intended use.	
Example: <b>RR3-C5CA</b>	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
<b>RR3</b> Reff raceway		
<b>C5CA</b> Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





### Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.




**Vertical power port bracket kit and duplex.**


# Reff Ported Panel Components

## port, vertical duplex and panel jumpers


description	type	pattern no.	list price
Port	Floating data port	<b>RR3FDP</b>	\$56.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	<b>RR3VPBK</b>	87.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	<b>RR3VDA</b>	29.
	Vertical Duplex B (8/10 wire applications)	<b>RR3VDB</b>	29.
	Vertical Duplex C (10 wire applications)	<b>RR3VDC</b>	29.
	Vertical Duplex X (8/10 wire applications)	<b>RR3VDX</b>	29.
	Vertical Duplex X Iso (8/10 wire applications)	<b>RR3VDXO</b>	29.
	Vertical Duplex Y (8/10 wire applications)	<b>RR3VDY</b>	29.
	Vertical Duplex Y Iso (8/10 wire applications)	<b>RR3VDYO</b>	29.
	Vertical Duplex Z (10 wire applications)	<b>RR3VDZ</b>	29.
	Vertical Duplex Z Iso (10 wire applications)	<b>RR3VDZO</b>	29.



Same Panel Jumper, 8w	30" same Panel Jumper 50" 8w	<b>RR3EBVC50</b>	149.
	30" same Panel Jumper 64" 8w	<b>RR3EBVC64</b>	162.
	30" same Panel Jumper 78" 8w	<b>RR3EBVC78</b>	176.
	36" + same Panel Jumper 62" 8w	<b>RR3EBVC62</b>	161.
	36" + same Panel Jumper 76" 8w	<b>RR3EBVC76</b>	175.
	36" + same Panel Jumper 90" 8w	<b>RR3EBVC90</b>	191.



Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	<b>RR3TBVC50</b>	171.
	30" same Panel Jumper 64" 10w	<b>RR3TBVC64</b>	187.
	30" same Panel Jumper 78" 10w	<b>RR3TBVC78</b>	205.
	36" + same Panel Jumper 62" 10w	<b>RR3TBVC62</b>	183.
	36" + same Panel Jumper 76" 10w	<b>RR3TBVC76</b>	201.
	36" + same Panel Jumper 90" 10w	<b>RR3TBVC90</b>	216.


Order Code	Specification Information	Application Note
Example: <b>RR3VPBK</b>	For data and communications specify product listed on page 133.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h
<b>RR3</b> Reff		
<b>VP</b> Vertical port		
<b>BK</b> Bracket kit		
	36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness.  A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.  Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.  Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high  All covers plates and snap in modules are black.

# Reff Ported Panel Components

## *port, vertical duplex and panel jumpers*


Reff Profiles

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	<b>RR3TVJ110</b>	\$234.
	Adjacent Panel Jumper 82" 10w	<b>RR3TVJ82</b>	202.
	Adjacent Panel Jumper 96" 10w	<b>RR3TVJ96</b>	219.




Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	<b>RR3EVJ110</b>	206.
	Adjacent Panel Jumper 82" 8w	<b>RR3EVJ82</b>	179.
	Adjacent Panel Jumper 96" 8w	<b>RR3EVJ96</b>	195.

Internal Panel Jumper	Internal Panel Jumper 10 w	<b>RR3TVJ</b>	150.
	Internal Panel Jumper 8 w	<b>RR3EVJ</b>	139.



Order Code	Specification Information	Application Note
Example: <b>RR3VPBK</b>	For data and communications specify product listed on page 133.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
<b>RR3</b> Reff		
<b>VP</b> Vertical port		
<b>BK</b> Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>


Worksurface 1 1/4"  
 rectilinear  
 20" and 24" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	<b>RSA241-()</b> ( )	\$318.	\$348.	\$401.	\$539.
		30"	<b>RSA301-()</b> ( )	349.	382.	438.	591.
		36"	<b>RSA361-()</b> ( )	369.	403.	462.	625.
		42"	<b>RSA421-()</b> ( )	383.	422.	484.	654.
		48"	<b>RSA481-()</b> ( )	403.	437.	503.	678.
		54"	<b>RSA541-()</b> ( )	418.	454.	525.	711.
		60"	<b>RSA601-()</b> ( )	452.	491.	565.	765.
		66"	<b>RSA661-()</b> ( )	462.	507.	584.	788.
		72"	<b>RSA721-()</b> ( )	489.	534.	612.	826.
		78"	<b>RSA781-()</b> ( )	495.	539.	621.	839.
		84"	<b>RSA841-()</b> ( )	525.	577.	661.	892.
		90"	<b>RSA901-()</b> ( )	550.	598.	687.	929.
	96"	<b>RSA961-()</b> ( )	570.	621.	714.	963.	
	24"	24"	<b>RSA242-()</b> ( )	335.	365.	422.	569.
		30"	<b>RSA302-()</b> ( )	379.	412.	477.	642.
		36"	<b>RSA362-()</b> ( )	391.	432.	493.	666.
		42"	<b>RSA422-()</b> ( )	408.	443.	510.	687.
		48"	<b>RSA482-()</b> ( )	433.	477.	547.	737.
		54"	<b>RSA542-()</b> ( )	462.	507.	584.	788.
		60"	<b>RSA602-()</b> ( )	500.	545.	624.	844.
		66"	<b>RSA662-()</b> ( )	512.	561.	647.	872.
		72"	<b>RSA722-()</b> ( )	538.	586.	676.	914.
78"		<b>RSA782-()</b> ( )	561.	614.	710.	956.	
84"	<b>RSA842-()</b> ( )	585.	640.	735.	993.		
90"	<b>RSA902-()</b> ( )	614.	667.	767.	1,034.		
96"	<b>RSA962-()</b> ( )	636.	693.	798.	1,077.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSA241RL</b>	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>R</b> Reff	1. Top thickness	
<b>S</b> Straight top	2. Grommet option	Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.
<b>A</b> 1 1/4" thick	3. Top finish type	
<b>24</b> 24" wide	4. Top finish	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>1</b> 20" deep	5. Grommet finish	
<b>R</b> Recessed grommet option	1. <i>Thickness options:</i> A = 1 1/4"	<p><b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p><b>Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.</b></p>
<b>L</b> Laminate finish	2. <i>Grommet options:</i> N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
<b>114</b> Folkstone grey	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed	
<b>111</b> Jet Black (grommet)	1 = V1 2 = V2 3 = V3	

Worksurface 1 1/4"  
 rectilinear  
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	<b>RSA243-</b> ( ) ( )	\$366.	\$398.	\$455.	\$615.
		30"	<b>RSA303-</b> ( ) ( )	411.	448.	515.	696.
		36"	<b>RSA363-</b> ( ) ( )	441.	483.	554.	747.
		42"	<b>RSA423-</b> ( ) ( )	459.	502.	578.	781.
		48"	<b>RSA483-</b> ( ) ( )	491.	536.	615.	831.
		54"	<b>RSA543-</b> ( ) ( )	531.	580.	664.	896.
		60"	<b>RSA603-</b> ( ) ( )	551.	599.	689.	931.
		66"	<b>RSA663-</b> ( ) ( )	560.	613.	709.	955.
		72"	<b>RSA723-</b> ( ) ( )	577.	628.	722.	974.
		78"	<b>RSA783-</b> ( ) ( )	603.	658.	757.	1,021.
		84"	<b>RSA843-</b> ( ) ( )	625.	684.	787.	1,063.
		90"	<b>RSA903-</b> ( ) ( )	656.	715.	824.	1,113.
		96"	<b>RSA963-</b> ( ) ( )	679.	742.	853.	1,152.
	36"	60"	<b>RSA604-</b> ( ) ( )	634.	692.	794.	1,072.
		66"	<b>RSA664-</b> ( ) ( )	656.	716.	825.	1,114.
		72"	<b>RSA724-</b> ( ) ( )	678.	741.	852.	1,151.

**Order Code**

Example: <b>RSA243RL</b>
<b>R</b> Reff
<b>S</b> Straight top
<b>A</b> 1 1/4" thick
<b>24</b> 24" wide
<b>3</b> 30" deep
<b>R</b> Recessed grommet option
<b>L</b> Laminate finish
<b>114</b> Folkstone grey
<b>111</b> Jet Black (grommet)

**Specification Information**

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Thickness options:  
 A = 1 1/4"

2. Grommet options:  
 N = No grommets  
 F = Flush front grommet location  
 R = Recessed front (not recommended for 20"D and 24"D tops)  
 A = Alternate location (for 36"D tops only)

3. Finish type:  
 L = Laminate  
 M = Wood/laminate mixed  
 1 = V1  
 2 = V2  
 3 = V3

4. Top finish

5. Grommet finish:  
 Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.  
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

**Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.**

**Application Notes**




Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.

These worksurfaces are predrilled with pilot holes for use with wood screws.

# Worksurface 1 1/4" rectilinear corner tops

Worksurfaces

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	<b>RKA 363611-()</b> ( )	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	<b>RKA 364211-()</b> ( )	692.	782.	895.	1,208.
	20"	20"	36"	48"	<b>RKA 364811-()</b> ( )	735.	827.	953.	1,286.
	20"	20"	42"	36"	<b>RKA 423611-()</b> ( )	692.	782.	895.	1,208.
	20"	20"	42"	42"	<b>RKA 424211-()</b> ( )	735.	827.	953.	1,286.
	20"	20"	42"	48"	<b>RKA 424811-()</b> ( )	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	<b>RKA 483611-()</b> ( )	735.	827.	953.	1,286.
	20"	20"	48"	42"	<b>RKA 484211-()</b> ( )	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	<b>RKA 484811-()</b> ( )	845.	953.	1,094.	1,477.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	<b>RKA 363622-()</b> ( )	744.	834.	960.	1,296.
	24"	24"	36"	42"	<b>RKA 364222-()</b> ( )	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	<b>RKA 364822-()</b> ( )	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	<b>RKA 423622-()</b> ( )	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	<b>RKA 424222-()</b> ( )	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	<b>RKA 424822-()</b> ( )	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	<b>RKA 483622-()</b> ( )	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	<b>RKA 484222-()</b> ( )	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	<b>RKA 484822-()</b> ( )	934.	1,052.	1,207.	1,628.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	<b>RKA 363612-()</b> ( )	682.	767.	885.	1,193.
	20"	24"	36"	42"	<b>RKA 364212-()</b> ( )	721.	813.	932.	1,259.
	20"	24"	36"	48"	<b>RKA 364812-()</b> ( )	765.	860.	990.	1,335.
	20"	24"	42"	36"	<b>RKA 423612-()</b> ( )	721.	813.	932.	1,259.
	20"	24"	42"	42"	<b>RKA 424212-()</b> ( )	765.	860.	990.	1,335.
	20"	24"	42"	48"	<b>RKA 424812-()</b> ( )	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	<b>RKA 483612-()</b> ( )	765.	860.	990.	1,335.
	20"	24"	48"	42"	<b>RKA 484212-()</b> ( )	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	<b>RKA 484812-()</b> ( )	874.	986.	1,132.	1,529.


Order Code	
Example: <b>RKA363611N1</b>	
<b>R</b>	Reff
<b>K</b>	Straight front corner
<b>A</b>	1 1/4" top thickness
<b>36</b>	36" wide on left back
<b>36</b>	36" wide on right back
<b>1</b>	20" deep on left side
<b>1</b>	20" deep on right side
<b>N</b>	No grommet
<b>1</b>	V1 finish
<b>Y324</b>	Ash

Specification Information
<i>To order please specify pattern number including:</i>
1. Top thickness
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Finish type
8. Top finish
9. Grommet finish
<i>1. Top thickness:</i> A = 1 1/4"
<i>2. Grommet options:</i> N = No grommets F = Standard corner location or Flush
<i>3. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3
<i>4. Top finish</i>
<i>5. Grommet finish:</i> Painted or Plated

Application Notes
Please call Custom Product Development for special grommet locations.
<b>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</b>
Products on this page are shipped without hardware which must be ordered separately from the support components section.
Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
These worksurfaces are predrilled with pilot holes for use with wood screws.
Actual widths are 1/16" less all around on corner worksurfaces.
Applicable finishes are listed on page 5 and 6.



# Worksurface 1 1/4" rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	<b>RKA 363621-()()</b>	\$682.	\$767.	\$885.	\$1,193.
	24"	20"	36"	42"	<b>RKA 364221-()()</b>	721.	813.	932.	1,259.
	24"	20"	36"	48"	<b>RKA 364821-()()</b>	765.	860.	990.	1,335.
	24"	20"	42"	36"	<b>RKA 423621-()()</b>	721.	813.	932.	1,259.
	24"	20"	42"	42"	<b>RKA 424221-()()</b>	765.	860.	990.	1,335.
	24"	20"	42"	48"	<b>RKA 424821-()()</b>	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	<b>RKA 483621-()()</b>	765.	860.	990.	1,335.
	24"	20"	48"	42"	<b>RKA 484221-()()</b>	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	<b>RKA 484821-()()</b>	874.	986.	1,132.	1,529.

Order Code	Specification Information	Application Notes
Example: <b>RKA363611N1</b>	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
<b>R</b> Reff	1. Top thickness	<b>Knoll accepts no responsibility for special grommet locations which interfere with support hardware.</b>
<b>K</b> Straight front corner	2. Left hand width	
<b>A</b> 1 1/4" top thickness	3. Right hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>36</b> 36" wide on left back	4. Return left hand depth	
<b>36</b> 36" wide on right back	5. Return right hand depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>1</b> 20" deep on left side	6. Grommet option	
<b>1</b> 20" deep on right side	7. Finish type	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>N</b> No grommet	8. Top finish	
<b>1</b> V1 finish	9. Grommet finish	
<b>Y324</b> Ash		

*To order please specify pattern number including:*

1. Top thickness  
A = 1 1/4"
2. Grommet options:  
N = No grommets  
F = Standard corner location or Flush
3. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3
4. Top finish
5. Grommet finish:  
Painted or Plated

### Application Notes

Actual widths are 1/16" less all around on corner worksurfaces.

Applicable finishes are listed on page 5 and 6.





Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with pilot holes for use with wood screws.

# Worksurface 1 1/4" transition wave tops

Reff Profiles

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	<b>RWA4221-</b> ( ) ( )	\$392.	\$445.	\$512.	\$692.
	24"	48"	20"	<b>RWA4821-</b> ( ) ( )	415.	467.	537.	724.
	24"	54"	20"	<b>RWA5421-</b> ( ) ( )	446.	500.	577.	779.
	24"	60"	20"	<b>RWA6021-</b> ( ) ( )	475.	535.	614.	829.
	24"	66"	20"	<b>RWA6621-</b> ( ) ( )	490.	552.	633.	854.
	24"	72"	20"	<b>RWA7221-</b> ( ) ( )	511.	578.	662.	894.
Wave top transition (left 24") 	24"	36"	30"	<b>RWA3623-</b> ( ) ( )	409.	461.	531.	716.
	24"	42"	30"	<b>RWA4223-</b> ( ) ( )	426.	481.	552.	743.
	24"	48"	30"	<b>RWA4823-</b> ( ) ( )	445.	497.	573.	774.
	24"	54"	30"	<b>RWA5423-</b> ( ) ( )	477.	537.	618.	834.
	24"	60"	30"	<b>RWA6023-</b> ( ) ( )	510.	577.	661.	892.
	24"	66"	30"	<b>RWA6623-</b> ( ) ( )	529.	595.	685.	927.
	24"	72"	30"	<b>RWA7223-</b> ( ) ( )	556.	625.	719.	969.
Wave top transition (left 20") 	20"	42"	24"	<b>RWA4212-</b> ( ) ( )	392.	445.	512.	692.
	20"	48"	24"	<b>RWA4812-</b> ( ) ( )	415.	467.	537.	724.
	20"	54"	24"	<b>RWA5412-</b> ( ) ( )	446.	500.	577.	779.
	20"	60"	24"	<b>RWA6012-</b> ( ) ( )	475.	535.	614.	829.
	20"	66"	24"	<b>RWA6612-</b> ( ) ( )	490.	552.	633.	854.
	20"	72"	24"	<b>RWA7212-</b> ( ) ( )	511.	578.	662.	894.
Wave top transition (right 24") 	30"	36"	24"	<b>RWA3632-</b> ( ) ( )	409.	461.	531.	716.
	30"	42"	24"	<b>RWA4232-</b> ( ) ( )	426.	481.	552.	743.
	30"	48"	24"	<b>RWA4832-</b> ( ) ( )	445.	497.	573.	774.
	30"	54"	24"	<b>RWA5432-</b> ( ) ( )	477.	537.	618.	834.
	30"	60"	24"	<b>RWA6032-</b> ( ) ( )	510.	577.	661.	892.
	30"	66"	24"	<b>RWA6632-</b> ( ) ( )	529.	595.	685.	927.
	30"	72"	24"	<b>RWA7232-</b> ( ) ( )	556.	625.	719.	969.

Order Code	Specification Information
Example: <b>RWA4221FL</b>	
<b>R</b> Reff	
<b>W</b> Wave top transition	
<b>A</b> 1 1/4" thick	
<b>42</b> 42" wide	
<b>2</b> 24" deep on left side	
<b>1</b> 20" deep on right side	
<b>F</b> Flush grommet option	
<b>L</b> Laminate finish	
<b>114</b> Folkstone grey	
<b>111</b> Jet Black (grommet)	





Specification Information
<i>To order please specify pattern number including:</i>
1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish
3. <i>Grommet options:</i>
N = No grommet
F = Flush front grommet location
4. <i>Finish type:</i>
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3
5. <i>Top finish</i>
6. <i>Grommet finish:</i>
Painted or Plated

Application Notes
32"D wave end top requires 20"D end panel for freestanding support.
36"D wave end top requires 24"D end panel for support.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
These worksurfaces are predrilled with pilot holes for use with wood screws.
Curvilinear worksurfaces only available in 1 1/4" thick.
See Planning Guide for grommet locations.
Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
Please call Custom Product Development for special grommet locations.
<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.</b>
Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.
Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
Applicable finishes are listed on page 5 and 6.
Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurfaces

# Worksurface 1 1/4" transition wave top ends

Reff Profiles

description	depth	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	20"	36"	32"	<b>RWEA3631-()()</b>	\$523.	\$589.	\$679.	\$916.
	20"	42"	32"	<b>RWEA4231-()()</b>	545.	613.	709.	955.
	20"	48"	32"	<b>RWEA4831-()()</b>	574.	648.	743.	1,003.
Wave top end, (right 24") 	24"	36"	36"	<b>RWEA3662-()()</b>	542.	611.	701.	947.
	24"	42"	36"	<b>RWEA4262-()()</b>	559.	629.	724.	977.
	24"	48"	36"	<b>RWEA4862-()()</b>	594.	666.	766.	1,033.
Wave top end, (left 20") 	32"	36"	20"	<b>RWEA3613-()()</b>	523.	589.	679.	916.
	32"	42"	20"	<b>RWEA4213-()()</b>	545.	613.	709.	955.
	32"	48"	20"	<b>RWEA4813-()()</b>	574.	648.	743.	1,003.
Wave top end, (left 24") 	36"	36"	24"	<b>RWEA3626-()()</b>	542.	611.	701.	947.
	36"	42"	24"	<b>RWEA4226-()()</b>	559.	629.	724.	977.
	36"	48"	24"	<b>RWEA4826-()()</b>	594.	666.	766.	1,033.

## Order Code

Example:	<b>RWEA3631FL</b>
<b>R</b>	Reff
<b>E</b>	Wave top ends
<b>A</b>	1 1/4" thick
<b>36</b>	36" wide
<b>3</b>	32" deep on left side
<b>1</b>	20" deep on right side
<b>F</b>	Flush grommet option
<b>L</b>	Laminate finish
<b>114</b>	Folkstone grey
<b>111</b>	Jet Black (grommet)

## Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. Grommet options:  
N = No grommet  
F = Flush front grommet location

4. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

5. Top finish

6. Grommet finish:  
Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

## Application Notes

32"D wave end top requires 20"D end panel for freestanding support.

36"D wave end top requires 24"D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Please call Custom Product Development for special grommet locations.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.**


Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.

# Worksurface 1 1/4"

## curvilinear corner tops - 20" Deep

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	<b>RCA363611-()()</b>	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	<b>RCA364211-()()</b>	692.	782.	895.	1,208.
	20"	20"	36"	48"	<b>RCA364811-()()</b>	735.	827.	953.	1,286.
	20"	20"	42"	36"	<b>RCA423611-()()</b>	692.	782.	895.	1,208.
	20"	20"	42"	42"	<b>RCA424211-()()</b>	735.	827.	953.	1,286.
	20"	20"	42"	48"	<b>RCA424811-()()</b>	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	<b>RCA483611-()()</b>	735.	827.	953.	1,286.
	20"	20"	48"	42"	<b>RCA484211-()()</b>	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	<b>RCA484811-()()</b>	845.	953.	1,094.	1,477.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	<b>RCA363621-()()</b>	682.	767.	885.	1,193.
	24"	20"	36"	42"	<b>RCA364221-()()</b>	721.	813.	932.	1,259.
	24"	20"	36"	48"	<b>RCA364821-()()</b>	765.	860.	990.	1,335.
	24"	20"	42"	36"	<b>RCA423621-()()</b>	721.	813.	932.	1,259.
	24"	20"	42"	42"	<b>RCA424221-()()</b>	765.	860.	990.	1,335.
	24"	20"	42"	48"	<b>RCA424821-()()</b>	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	<b>RCA483621-()()</b>	765.	860.	990.	1,335.
	24"	20"	48"	42"	<b>RCA484221-()()</b>	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	<b>RCA484821-()()</b>	874.	986.	1,132.	1,529.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RCA363611N1</b> <b>R</b> Reff <b>C</b> Curved front corner <b>A</b> 1 1/4" thick <b>36</b> 36" wide on left back <b>36</b> 36" wide on right back <b>1</b> 20" deep on left side <b>1</b> 20" deep on right side <b>N</b> No grommet <b>1</b> V1 finish <b>Y324</b> Ash	<i>To order please specify pattern number including:</i> <ol style="list-style-type: none"> <li>Left hand width</li> <li>Right hand width</li> <li>Return left hand depth</li> <li>Return right hand depth</li> <li>Grommet option</li> <li>Top finish type</li> <li>Top finish</li> <li>Grommet finish</li> </ol> <p>5. <i>Grommet options:</i>            N = No grommets            F = Standard corner location</p> <p>6. <i>Finish type:</i>            L = Laminate            M = Wood/laminate mixed            1 = V1            2 = V2            3 = V3</p> <p>7. <i>Top finish</i></p> <p>8. <i>Grommet finish:</i>            Painted or Plated</p>	<p>Radius of curved front changes with overall top size. See Planning Guide.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>Curvilinear worksurfaces only available in 1 1/4" thick.</p> <p>See Planning Guide for grommet locations.</p>

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.**

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

# Worksurface 1 1/4" curvilinear corner tops - 24" Deep

Reff Profiles



description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	<b>RCA363612-( )()</b>	\$682.	\$767.	\$885.	\$1,193.
	20"	24"	36"	42"	<b>RCA364212-( )()</b>	721.	813.	932.	1,259.
	20"	24"	36"	48"	<b>RCA364812-( )()</b>	765.	860.	990.	1,335.
	20"	24"	42"	36"	<b>RCA423612-( )()</b>	721.	813.	932.	1,259.
	20"	24"	42"	42"	<b>RCA424212-( )()</b>	765.	860.	990.	1,335.
	20"	24"	42"	48"	<b>RCA424812-( )()</b>	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	<b>RCA483612-( )()</b>	765.	860.	990.	1,335.
	20"	24"	48"	42"	<b>RCA484212-( )()</b>	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	<b>RCA484812-( )()</b>	874.	986.	1,132.	1,529.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	<b>RCA363622-( )()</b>	744.	834.	960.	1,296.
	24"	24"	36"	42"	<b>RCA364222-( )()</b>	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	<b>RCA364822-( )()</b>	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	<b>RCA423622-( )()</b>	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	<b>RCA424222-( )()</b>	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	<b>RCA424822-( )()</b>	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	<b>RCA483622-( )()</b>	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	<b>RCA484222-( )()</b>	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	<b>RCA484822-( )()</b>	934.	1,052.	1,207.	1,628.

Order Code	Specification Information	Application Notes
Example: <b>RCA363612</b>	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
<b>R</b> Reff	1. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>C</b> Curved front corner	2. Right hand width	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>A</b> 1 1/4" thick	3. Return left hand depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>36</b> 36" wide on left back	4. Return right hand depth	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>36</b> 36" wide on right back	5. Grommet option	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>1</b> 20" deep on left side	6. Top finish type	See Planning Guide for grommet locations.
<b>2</b> 24" deep on right side	7. Top finish	
<b>N</b> No grommet	8. Grommet finish	
<b>1</b> V1 finish	<i>5. Grommet options:</i>	
<b>Y324</b> Ash	N = No grommets	
	F = Standard corner location	
	<i>6. Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>7. Top finish</i>	
	<i>8. Grommet finish:</i>	
	Painted or Plated	

# Worksurface 1 1/4" extended curvilinear corner tops

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	<b>RCCDLA23672</b> ( ) ( ) ( )	\$1,809.	\$2,400.	\$3,388.	\$4,571.
	36"	78"	<b>RCCDLA23678</b> ( ) ( ) ( )	1,881.	2,496.	3,521.	4,753.
	36"	84"	<b>RCCDLA23684</b> ( ) ( ) ( )	1,956.	2,597.	3,662.	4,943.
	36"	96"	<b>RCCDLA23696</b> ( ) ( ) ( )	2,035.	2,700.	3,809.	5,143.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	<b>RCCDLA33672</b> ( ) ( ) ( )	1,811.	2,406.	3,396.	4,585.
	36"	78"	<b>RCCDLA33678</b> ( ) ( ) ( )	1,883.	2,503.	3,534.	4,771.
	36"	84"	<b>RCCDLA33684</b> ( ) ( ) ( )	1,959.	2,604.	3,674.	4,959.
	36"	96"	<b>RCCDLA33696</b> ( ) ( ) ( )	2,037.	2,707.	3,822.	5,158.
Extended corner worktop, RH curved front corner (return 24")	36"	72"	<b>RCCDRA23672</b> ( ) ( ) ( )	1,809.	2,400.	3,388.	4,571.
	36"	78"	<b>RCCDRA23678</b> ( ) ( ) ( )	1,881.	2,496.	3,521.	4,753.
	36"	84"	<b>RCCDRA23684</b> ( ) ( ) ( )	1,956.	2,597.	3,662.	4,943.
	36"	96"	<b>RCCDRA23696</b> ( ) ( ) ( )	2,035.	2,700.	3,809.	5,143.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	<b>RCCDRA33672</b> ( ) ( ) ( )	1,811.	2,406.	3,396.	4,585.
	36"	78"	<b>RCCDRA33678</b> ( ) ( ) ( )	1,883.	2,503.	3,534.	4,771.
	36"	84"	<b>RCCDRA33684</b> ( ) ( ) ( )	1,959.	2,604.	3,674.	4,959.
	36"	96"	<b>RCCDRA33696</b> ( ) ( ) ( )	2,037.	2,707.	3,822.	5,158.



Worksurfaces

## Order Code

Example:	<b>RCCDLA23672N2</b>
<b>R</b>	Reff
<b>CC</b>	Curved corner
<b>D</b>	D top
<b>L</b>	Left Hand
<b>A</b>	1 1/4" thick
<b>2</b>	24" return
<b>36</b>	36" d at straight edge of corner, 30" across "D"
<b>72</b>	72" wide
<b>N</b>	No grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium Cherry

## Specification Information

To order please specify pattern number including:

1. Depth
2. Grommet option
3. Finish type
4. Finish
5. Grommet finish

2. Grommet options:  
N = No grommets  
F = Flush front grommet location

3. Finish type:  
L = Laminate  
M = Mixed (laminated surface with wood edge)  
1 = V1  
2 = V2  
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.


List price for woodgrain laminate options will be current published laminate list price plus 10%.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

# Worksurface 1 1/4" extended straight corner tops

Reff Profiles

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24") 	36"	60"	24"	RCEAL223660( ) ( ) ( )	\$670.	\$989.	\$1,338.	\$1,810.
	36"	72"	24"	RCEAL223672( ) ( ) ( )	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAL224260( ) ( ) ( )	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAL224272( ) ( ) ( )	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAL224872( ) ( ) ( )	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAL224884( ) ( ) ( )	1,071.	1,619.	2,183.	2,947.
48"	96"	24"	RCEAL224896( ) ( ) ( )	1,231.	1,866.	2,511.	3,391.	

Extended straight corner top, RH curved front corner (returns 24") 	36"	60"	24"	RCEAR223660( ) ( ) ( )	670.	989.	1,338.	1,810.
	36"	72"	24"	RCEAR223672( ) ( ) ( )	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAR224260( ) ( ) ( )	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAR224272( ) ( ) ( )	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAR224872( ) ( ) ( )	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAR224884( ) ( ) ( )	1,071.	1,619.	2,183.	2,947.
	48"	96"	24"	RCEAR224896( ) ( ) ( )	1,231.	1,866.	2,511.	3,391.

## Order Code

Example:	<b>RCEAL223660N2</b>
<b>R</b>	Reff
<b>C</b>	Corner
<b>E</b>	Extended
<b>A</b>	1 1/4" thick
<b>L</b>	Left Hand
<b>22</b>	24" returns
<b>36</b>	36" d at corner straight edge
<b>60</b>	60" wide
<b>N</b>	No grommet
<b>2</b>	V2 finish
<b>V319</b>	Medium Cherry

## Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

### 5. Grommet options:

- N = No grommets
- F = Flush front grommet location

### 6. Finish type:

- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.



# Worksurface 1 1/4" Meeting tops 'D'

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	<b>RMDA4230-()()</b>	\$579.	\$627.	\$721.	\$973.
		48"	30"	<b>RMDA4830-()()</b>	622.	678.	781.	1,054.
		54"	30"	<b>RMDA5430-()()</b>	666.	726.	834.	1,127.
		60"	30"	<b>RMDA6030-()()</b>	714.	778.	890.	1,203.
		66"	30"	<b>RMDA6630-()()</b>	760.	826.	952.	1,285.
		72"	30"	<b>RMDA7230-()()</b>	809.	879.	1,010.	1,364.
		78"	30"	<b>RMDA7830-()()</b>	914.	992.	1,142.	1,540.
		84"	30"	<b>RMDA8430-()()</b>	1,018.	1,106.	1,274.	1,719.
		90"	30"	<b>RMDA9030-()()</b>	1,136.	1,236.	1,422.	1,918.
	96"	30"	<b>RMDA9630-()()</b>	1,255.	1,365.	1,569.	2,118.	
	36" deep	42"	36"	<b>RMDA4236-()()</b>	636.	691.	793.	1,071.
		48"	36"	<b>RMDA4836-()()</b>	696.	756.	868.	1,171.
		54"	36"	<b>RMDA5436-()()</b>	793.	864.	995.	1,342.
		60"	36"	<b>RMDA6036-()()</b>	891.	967.	1,114.	1,505.
		66"	36"	<b>RMDA6636-()()</b>	909.	987.	1,134.	1,533.
		72"	36"	<b>RMDA7236-()()</b>	921.	1,003.	1,155.	1,557.
		78"	36"	<b>RMDA7836-()()</b>	1,039.	1,129.	1,299.	1,754.
		84"	36"	<b>RMDA8436-()()</b>	1,155.	1,257.	1,445.	1,949.
90"		36"	<b>RMDA9036-()()</b>	1,217.	1,323.	1,522.	2,055.	
Wrap around panel top	(20" panels)	42 1/2"	21 1/4"	<b>RMDA4221-()()</b>	744.	809.	928.	1,252.
	(24" panels)	50 1/2"	25 1/4"	<b>RMDA5025-()()</b>	813.	885.	1,017.	1,374.



No Grommets

Please specify mating trim profile

## Order Code

Example: <b>RMDA4230N1</b>	
<b>R</b>	Reff
<b>MD</b>	Meeting D-top
<b>A</b>	1 1/4" thick
<b>42</b>	42" wide
<b>30</b>	30" deep
<b>N</b>	No grommet
<b>1</b>	V1
<b>Y311</b>	Beech

## Specification Information

To order please specify pattern number including:

- Top thickness
- Width
- Depth
- Grommet option
- Top finish type
- Top finish
- Grommet finish
- Trim profile

1. Thickness options:  
A = 1 1/4"

4. Grommet options:  
N = No grommet  
F = Flush front grommet location  
R = Recessed grommet location  
C = Centered (only on D-tops)

5. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

## Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

**Additional spec option required for wrap around panel tops; specify mating trim profile.**

8. Trim profile  
**A = Flat**  
**B = Square**  
**C = Bullnose**  
**E = Extruded Aluminum**

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

\*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Worksurfaces

# Worksurface 1 1/4"

## Meeting tops P and 9

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	<b>RM9A4230-</b> ( ) ( )	\$792.	\$862.	\$991.	\$1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	<b>RM9A4836-</b> ( ) ( )	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Meeting P-top		42"	30"	<b>RMPA4230-</b> ( ) ( )	792.	862.	991.	1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	<b>RMPA4836-</b> ( ) ( )	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	<b>RM9A8430-</b> ( ) ( )	1,613.	1,753.	2,017.	2,724.
		96"	30"	<b>RM9A9630-</b> ( ) ( )	1,680.	1,829.	2,100.	2,836.





42" diameter

Order Code	Specification Information	Application Notes
Example: <b>RM9A4230N1</b>	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>R</b> Reff	1. Top thickness	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
<b>M9</b> Meeting 9-top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Depth	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>42</b> 42" wide	4. Grommet option	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
<b>30</b> 30" deep	5. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>N</b> No grommet	6. Top finish	
<b>1</b> V1	7. Grommet finish	
<b>Y311</b> Beech	<p>1. <i>Thickness options:</i> A = 1 1/4"</p> <p>4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p>7. <i>Grommet finish:</i> Painted or Plated</p>	<p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b></p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p>

# Worksurface 1 1/4"

## Meeting tops

Reff Profiles


description	type	w	d	pattern no.	L	M/V1	V2	V3
 Worksurface P-top 42" diameter		84"	30"	<b>RMPA8430-</b> ( ) ( )	\$1,613.	\$1,753.	\$2,017.	\$2,724.
		96"	30"	<b>RMPA9630-</b> ( ) ( )	1,680.	1,829.	2,100.	2,836.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
 Elliptical tops		60"	30"	<b>REBA6030-</b> ( ) *	1,109.	1,229.	1,410.	1,906.
		72"	42"	<b>REBA7242-</b> ( ) *	1,580.	1,747.	2,011.	2,713.
		78"	48"	<b>REBA7848-</b> ( ) *	1,730.	1,917.	2,204.	2,976.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RMDA4230N1</b> <b>R</b> Reff <b>MD</b> Meeting D-top <b>A</b> 1 1/4" thick <b>42</b> 42" wide <b>30</b> 30" deep <b>N</b> No grommet <b>1</b> V1 <b>Y311</b> Beech	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <li>Top thickness</li> <li>Width</li> <li>Depth</li> <li>Grommet option</li> <li>Top finish type</li> <li>Top finish</li> <li>Grommet finish</li> <li>Trim profile</li> </ol> <p><i>1. Thickness options:</i> A = 1 1/4"</p> <p><i>4. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p><i>5. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p> <p><i>7. Grommet finish:</i> Painted or Plated</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b></p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p> <p>1 3/4" laminate tops on this page are edge banded to match post-formed contours.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>These worksurfaces are predrilled with pilot holes for use with wood screws.</p> <p>*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>


# Worksurface 1 1/4" Bow front and support

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top	72"	30"		<b>RMB(A)7230-( ) ( )</b>	\$926.	\$1,045.	\$1,203.	\$1,623.
	84"	30"		<b>RMB(A)8430-( ) ( )</b>	1,020.	1,154.	1,325.	1,788.
	96"	30"		<b>RMB(A)9630-( ) ( )</b>	1,133.	1,278.	1,467.	1,983.



Use 29" deep pedestals or end panels.  
**Do not** use 23" deep pedestals if using recessed modesty.

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top - 36"D	72"	36"		<b>RMB(A)7236-( ) ( )</b>	985.	1,109.	1,277.	1,723.
	84"	36"		<b>RMB(A)8436-( ) ( )</b>	1,079.	1,218.	1,401.	1,890.
	96"	36"		<b>RMB(A)9636-( ) ( )</b>	1,196.	1,350.	1,550.	2,093.



Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).  
Can also be used with 36" deep end panel and recessed modesty.

Order Code	Specification Information	Application Notes
Example: <b>RMBA7230R2</b>	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
<b>R</b> Reff	1. Top thickness	L = Laminate
<b>MB</b> Bowed front	2. Width	M = Wood/laminate mixed
<b>A</b> 1 1/4" thick	3. Depth	1 = V1
<b>72</b> 72" wide	4. Grommet option	2 = V2
<b>30</b> 30" wide	5. Top finish type	3 = V3
<b>R</b> Recessed grommet option	6. Top finish	Applicable finishes are listed on page 5 and 6.
<b>2</b> V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>V319</b> Medium cherry	<i>1. Thickness options:</i> A = 1 1/4"	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>111</b> Jet Black (grommet)	<i>4. Grommet options:</i> N = No grommet F = Flush front grommet R = Recessed grommet A = Alternate location (only for 36" deep bow front tops)	These worksurfaces are predrilled with pilot holes for use with wood screws.  See Planning Guide for grommet locations.  Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

\*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.






**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Shipped with hardware. Refer to page 119 of Planning Guide for application details.

# Conference 1 1/4" Square and rectangular

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	<b>RRR7230(-)</b>	\$597.	\$650.	\$747.	\$1,008.
	72"	36"	<b>RRR7236(-)</b>	649.	707.	812.	1,096.
	84"	30"	<b>RRR8430(-)</b>	661.	717.	826.	1,115.
	84"	36"	<b>RRR8436(-)</b>	711.	771.	886.	1,197.
	84"	42"	<b>RRR8442(-)</b>	1,050.	1,142.	1,310.	1,769.
	96"	30"	<b>RRR9630(-)</b>	742.	808.	927.	1,251.
	96"	36"	<b>RRR9636(-)</b>	818.	889.	1,024.	1,382.
	96"	42"	<b>RRR9642(-)</b>	1,205.	1,308.	1,505.	2,032.
Rectangular top 2 piece 	120"	36"	<b>RRR12036(-)</b>	1,313.	1,427.	1,642.	2,217.
	120"	42"	<b>RRR12042(-)</b>	1,811.	1,969.	2,265.	3,058.
	120"	48"	<b>RRR12048(-)</b>	1,968.	2,141.	2,461.	3,323.
	144"	42"	<b>RRR14442(-)</b>	2,035.	2,212.	2,544.	3,434.
	144"	48"	<b>RRR14448(-)</b>	2,179.	2,372.	2,727.	3,681.
Rectangular top 3 piece 	168"	42"	<b>RRR16842(-)</b>	2,667.	2,899.	3,337.	4,505.
	168"	48"	<b>RRR16848(-)</b>	2,898.	3,151.	3,624.	4,890.
	192"	42"	<b>RRR19242(-)</b>	2,892.	3,144.	3,613.	4,878.
	192"	48"	<b>RRR19248(-)</b>	3,114.	3,383.	3,888.	5,248.
Square tops  	*	60"	<b>RRR6060(-)</b>	1,224.	1,329.	1,532.	2,066.
	*	72"	<b>RRR7272(-)</b>	1,442.	1,569.	1,804.	2,436.
	-	36"	<b>RRR3636(-)</b>	460.	502.	578.	781.
	-	42"	<b>RRR4242(-)</b>	597.	650.	747.	1,008.
	-	48"	<b>RRR4848(-)</b>	786.	852.	981.	1,323.

Worksurfaces

## Order Code

Example:	<b>RRAG72302</b>
<b>R</b>	Reff
<b>R</b>	Rectangular
<b>A</b>	1 1/4" thick
<b>72</b>	72" wide
<b>30</b>	30" deep
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry

## Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:  
A = 1 1/4"

4. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

\*Square tops in two pieces.

## Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.






Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Conference 1 1/4"  
Round and racetrack

Reff Profiles

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece 	72"	30"	<b>RTA7230-()</b>	\$1,131.	\$1,229.	\$1,410.	\$1,906.
	84"	30"	<b>RTA8430-()</b>	1,258.	1,368.	1,573.	2,122.
	96"	30"	<b>RTA9630-()</b>	1,398.	1,522.	1,751.	2,363.
	72"	36"	<b>RTA7236-()</b>	1,290.	1,401.	1,610.	2,173.
	84"	36"	<b>RTA8436-()</b>	1,448.	1,576.	1,811.	2,443.
	96"	36"	<b>RTA9636-()</b>	1,607.	1,747.	2,011.	2,713.
	84"	42"	<b>RTA8442-()</b>	1,761.	1,917.	2,204.	2,976.
	96"	42"	<b>RTA9642-()</b>	1,975.	2,147.	2,467.	3,331.
	96"	48"	<b>RTA9648-()</b>	2,166.	2,351.	2,705.	3,650.
Racetrack top 2 piece 	120"	36"	<b>RTA12036-()</b>	2,074.	2,257.	2,597.	3,504.
	120"	42"	<b>RTA12042-()</b>	2,240.	2,432.	2,800.	3,779.
	144"	42"	<b>RTA14442-()</b>	2,470.	2,683.	3,086.	4,164.
	120"	48"	<b>RTA12048-()</b>	2,380.	2,587.	2,976.	4,017.
	144"	48"	<b>RTA14448-()</b>	2,531.	2,753.	3,163.	4,269.
Racetrack top 3 piece 	168"	42"	<b>RTA16842-()</b>	3,096.	3,364.	3,870.	5,224.
	192"	42"	<b>RTA19242-()</b>	3,325.	3,614.	4,159.	5,615.
	168"	48"	<b>RTA16848-()</b>	3,314.	3,599.	4,138.	5,588.
	192"	48"	<b>RTA19248-()</b>	3,462.	3,765.	4,327.	5,842.
Round tops  	-	36"	<b>RTA3636-()</b>	636.	691.	793.	1,071.
	-	42"	<b>RTA4242-()</b>	739.	799.	920.	1,241.
	-	48"	<b>RTA4848-()</b>	1,215.	1,319.	1,516.	2,047.
	*	60"	<b>RTA6060-()</b>	1,902.	2,068.	2,378.	3,211.
	*	72"	<b>RTA7272-()</b>	2,353.	2,557.	2,945.	3,976.

Order Code

Example:	<b>RTA72302</b>
<b>R</b>	Reff
<b>R</b>	Round
<b>A</b>	1 1/4" thick
<b>72</b>	72" wide
<b>30</b>	30" deep
<b>2</b>	V2 finish
<b>V319</b>	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:  
A = 1 1/4"

4. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

\*Round tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Top to top brackets included with multiple piece conference tops only.

See table base matrix in Planning Guide pages 140 and 141.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 0 and 0.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 0 through 0.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma



Alpha



Beta



Chi




Delta



Epsilon




Phi



Gamma




Optional edge 1 1/4"  
front only, 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-( )(1/2/3)	\$401.	\$457.	\$618.	
		30"	RSA(A/B/C/D/E/F/G)F301-( )(1/2/3)	439.	505.	681.	
		36"	RSA(A/B/C/D/E/F/G)F361-( )(1/2/3)	462.	533.	719.	
		42"	RSA(A/B/C/D/E/F/G)F421-( )(1/2/3)	484.	556.	751.	
		48"	RSA(A/B/C/D/E/F/G)F481-( )(1/2/3)	504.	578.	781.	
		54"	RSA(A/B/C/D/E/F/G)F541-( )(1/2/3)	522.	606.	817.	
		60"	RSA(A/B/C/D/E/F/G)F601-( )(1/2/3)	565.	651.	879.	
		66"	RSA(A/B/C/D/E/F/G)F661-( )(1/2/3)	582.	671.	904.	
		72"	RSA(A/B/C/D/E/F/G)F721-( )(1/2/3)	613.	706.	951.	
		78"	RSA(A/B/C/D/E/F/G)F781-( )(1/2/3)	621.	714.	963.	
		84"	RSA(A/B/C/D/E/F/G)F841-( )(1/2/3)	661.	759.	1,025.	
		90"	RSA(A/B/C/D/E/F/G)F901-( )(1/2/3)	687.	791.	1,068.	
		96"	RSA(A/B/C/D/E/F/G)F961-( )(1/2/3)	714.	822.	1,109.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-( )(1/2/3)	422.	484.	654.
			30"	RSA(A/B/C/D/E/F/G)F302-( )(1/2/3)	477.	548.	739.
			36"	RSA(A/B/C/D/E/F/G)F362-( )(1/2/3)	494.	569.	769.
			42"	RSA(A/B/C/D/E/F/G)F422-( )(1/2/3)	510.	585.	789.
			48"	RSA(A/B/C/D/E/F/G)F482-( )(1/2/3)	548.	627.	846.
			54"	RSA(A/B/C/D/E/F/G)F542-( )(1/2/3)	582.	671.	904.
60"	RSA(A/B/C/D/E/F/G)F602-( )(1/2/3)		624.	717.	968.		
66"	RSA(A/B/C/D/E/F/G)F662-( )(1/2/3)		648.	742.	1,002.		
72"	RSA(A/B/C/D/E/F/G)F722-( )(1/2/3)		675.	779.	1,050.		
78"	RSA(A/B/C/D/E/F/G)F782-( )(1/2/3)		709.	815.	1,100.		
84"	RSA(A/B/C/D/E/F/G)F842-( )(1/2/3)		735.	845.	1,142.		
90"	RSA(A/B/C/D/E/F/G)F902-( )(1/2/3)		767.	885.	1,193.		
96"	RSA(A/B/C/D/E/F/G)F962-( )(1/2/3)	797.	920.	1,241.			

Order Code	Specification Information	Application Notes
Example: <b>RSAGF241F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. F = Front edge with profile only	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>F</b> Edge front only	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>1</b> 20" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	
<b>111</b> Jet black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type:	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	


Optional edge 1 1/4"  
front only, 30" and 36" deep

description	d	width	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-( )(1/2/3)	\$455.	\$525.	\$711.	
		30"	RSA(A/B/C/D/E/F/G)F303-( )(1/2/3)	515.	591.	797.	
		36"	RSA(A/B/C/D/E/F/G)F363-( )(1/2/3)	555.	636.	858.	
		42"	RSA(A/B/C/D/E/F/G)F423-( )(1/2/3)	577.	662.	894.	
		48"	RSA(A/B/C/D/E/F/G)F483-( )(1/2/3)	615.	711.	959.	
		54"	RSA(A/B/C/D/E/F/G)F543-( )(1/2/3)	666.	765.	1,031.	
		60"	RSA(A/B/C/D/E/F/G)F603-( )(1/2/3)	689.	792.	1,069.	
		66"	RSA(A/B/C/D/E/F/G)F663-( )(1/2/3)	707.	813.	1,097.	
		72"	RSA(A/B/C/D/E/F/G)F723-( )(1/2/3)	723.	829.	1,121.	
		78"	RSA(A/B/C/D/E/F/G)F783-( )(1/2/3)	757.	873.	1,178.	
		84"	RSA(A/B/C/D/E/F/G)F843-( )(1/2/3)	787.	906.	1,225.	
		90"	RSA(A/B/C/D/E/F/G)F903-( )(1/2/3)	823.	949.	1,281.	
		96"	RSA(A/B/C/D/E/F/G)F963-( )(1/2/3)	853.	983.	1,326.	
		36"	60"	RSA(A/B/C/D/E/F/G)F604-( )(1/2/3)	796.	916.	1,235.
			66"	RSA(A/B/C/D/E/F/G)F664-( )(1/2/3)	824.	951.	1,284.
			72"	RSA(A/B/C/D/E/F/G)F724-( )(1/2/3)	852.	982.	1,324.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RSAGF243F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. F = Front edge with profile only	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>F</b> Edge front only	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>3</b> 30" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	<p>5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)</p> <p>6. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
<b>111</b> Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge 1 1/4"  
front and back edge, 20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-( )(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)A301-( )(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)A361-( )(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)A421-( )(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)A481-( )(1/2/3)	504.	578.	781.
		54"	RSA(A/B/C/D/E/F/G)A541-( )(1/2/3)	522.	606.	817.
		60"	RSA(A/B/C/D/E/F/G)A601-( )(1/2/3)	565.	651.	879.
		66"	RSA(A/B/C/D/E/F/G)A661-( )(1/2/3)	582.	671.	904.
		72"	RSA(A/B/C/D/E/F/G)A721-( )(1/2/3)	613.	706.	951.
		78"	RSA(A/B/C/D/E/F/G)A781-( )(1/2/3)	621.	714.	963.
		84"	RSA(A/B/C/D/E/F/G)A841-( )(1/2/3)	661.	759.	1,025.
		90"	RSA(A/B/C/D/E/F/G)A901-( )(1/2/3)	687.	791.	1,068.
96"	RSA(A/B/C/D/E/F/G)A961-( )(1/2/3)	714.	822.	1,109.		
	24"	24"	RSA(A/B/C/D/E/F/G)A242-( )(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)A302-( )(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)A362-( )(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)A422-( )(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)A482-( )(1/2/3)	548.	627.	846.
		54"	RSA(A/B/C/D/E/F/G)A542-( )(1/2/3)	582.	671.	904.
		60"	RSA(A/B/C/D/E/F/G)A602-( )(1/2/3)	624.	717.	968.
		66"	RSA(A/B/C/D/E/F/G)A662-( )(1/2/3)	648.	742.	1,002.
		72"	RSA(A/B/C/D/E/F/G)A722-( )(1/2/3)	675.	779.	1,050.
		78"	RSA(A/B/C/D/E/F/G)A782-( )(1/2/3)	709.	815.	1,100.
		84"	RSA(A/B/C/D/E/F/G)A842-( )(1/2/3)	735.	845.	1,142.
		90"	RSA(A/B/C/D/E/F/G)A902-( )(1/2/3)	767.	885.	1,193.
96"	RSA(A/B/C/D/E/F/G)A962-( )(1/2/3)	797.	920.	1,241.		

Order Code	Specification Information	Application Notes	
Example: <b>RSAGA241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>	
<b>R</b> Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)		
<b>S</b> Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.	
<b>A</b> 1 1/4" thick	2. 5th position A = Edge front and back		
<b>G</b> Gamma	3. Width		
<b>A</b> Edge front and back	4. Depth		
<b>24</b> 24" wide	5. Grommet option		
<b>1</b> 20" deep	6. Top finish type		
<b>F</b> Flush grommet	7. Top finish		
<b>2</b> V2 finish	8. Grommet finish		
<b>V319</b> Medium cherry	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	<i>6. Finish type:</i> M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3  Applicable finishes are listed on page 5 and 6.  Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak		



Optional edge 1 1/4"  
front and back edge, 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-( )(1/2/3)	\$455.	\$525.	\$711.
		30"	RSA(A/B/C/D/E/F/G)A303-( )(1/2/3)	515.	591.	797.
		36"	RSA(A/B/C/D/E/F/G)A363-( )(1/2/3)	555.	636.	858.
		42"	RSA(A/B/C/D/E/F/G)A423-( )(1/2/3)	577.	662.	894.
		48"	RSA(A/B/C/D/E/F/G)A483-( )(1/2/3)	615.	711.	959.
		54"	RSA(A/B/C/D/E/F/G)A543-( )(1/2/3)	666.	765.	1,031.
		60"	RSA(A/B/C/D/E/F/G)A603-( )(1/2/3)	689.	792.	1,069.
		66"	RSA(A/B/C/D/E/F/G)A663-( )(1/2/3)	707.	813.	1,097.
		72"	RSA(A/B/C/D/E/F/G)A723-( )(1/2/3)	723.	829.	1,121.
		78"	RSA(A/B/C/D/E/F/G)A783-( )(1/2/3)	757.	873.	1,178.
		84"	RSA(A/B/C/D/E/F/G)A843-( )(1/2/3)	787.	906.	1,225.
		90"	RSA(A/B/C/D/E/F/G)A903-( )(1/2/3)	823.	949.	1,281.
		96"	RSA(A/B/C/D/E/F/G)A963-( )(1/2/3)	853.	983.	1,326.
	36"	60"	RSA(A/B/C/D/E/F/G)A604-( )(1/2/3)	796.	916.	1,235.
		66"	RSA(A/B/C/D/E/F/G)A664-( )(1/2/3)	824.	951.	1,284.
		72"	RSA(A/B/C/D/E/F/G)A724-( )(1/2/3)	852.	982.	1,324.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RSAGA243F2</b>	<i>}&gt;To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Edge profile	
<b>S</b> Straight top	2. 5th position A = Edge front and back	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>A</b> Edge front and back	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>3</b> 30" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)
<b>111</b> Jet Black (grommet)	B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	6. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3
		Applicable finishes are listed on page 5 and 6.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

# Optional edge 1 1/4" front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-( )(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)B301-( )(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)B361-( )(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)B421-( )(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)B481-( )(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-( )(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)B302-( )(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)B362-( )(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)B422-( )(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)B482-( )(1/2/3)	548.	627.	846.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-( )(1/2/3)	401.	457.	618.
		30"	RSA(A/B/C/D/E/F/G)L301-( )(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)L361-( )(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)L421-( )(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)L481-( )(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-( )(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)L302-( )(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)L362-( )(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)L422-( )(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)L482-( )(1/2/3)	548.	627.	846.


Order Code	Specification Information	Application Notes
Example: <b>RSAGB241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>S</b> Straight top	2. 5th position indicates how and which edges profiled	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>A</b> 1 1/4" thick	3. Width	Applicable finishes are listed on page 5 and 6.
<b>G</b> Gamma	4. Depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>B</b> Both ends accept edge	5. Grommet option	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
<b>24</b> 24" wide	6. Top finish type	
<b>1</b> 20" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	
<b>111</b> Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

# Optional edge 1 1/4" front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	<b>RSA(A/B/C/D/E/F/G)R241-( )(1/2/3)</b>	\$401.	\$457.	\$618.
		30"	<b>RSA(A/B/C/D/E/F/G)R301-( )(1/2/3)</b>	439.	505.	681.
		36"	<b>RSA(A/B/C/D/E/F/G)R361-( )(1/2/3)</b>	462.	533.	719.
		42"	<b>RSA(A/B/C/D/E/F/G)R421-( )(1/2/3)</b>	484.	556.	751.
		48"	<b>RSA(A/B/C/D/E/F/G)R481-( )(1/2/3)</b>	504.	578.	781.
	24"	24"	<b>RSA(A/B/C/D/E/F/G)R242-( )(1/2/3)</b>	422.	484.	654.
		30"	<b>RSA(A/B/C/D/E/F/G)R302-( )(1/2/3)</b>	477.	548.	739.
		36"	<b>RSA(A/B/C/D/E/F/G)R362-( )(1/2/3)</b>	494.	569.	769.
		42"	<b>RSA(A/B/C/D/E/F/G)R422-( )(1/2/3)</b>	510.	585.	789.
		48"	<b>RSA(A/B/C/D/E/F/G)R482-( )(1/2/3)</b>	548.	627.	846.

Order Code	Specification Information	Application Notes
Example: <b>RSAGB241F2</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Edge profile	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p> <p>Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.</p>
<b>S</b> Straight top	2. 5th position indicates how and which edges profiled	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Depth	
<b>B</b> Both ends accept edge	5. Grommet option	
<b>24</b> 24" wide	6. Top finish type	
<b>1</b> 20" deep	7. Top finish	
<b>F</b> Flush grommet	8. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	
<b>111</b> Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

# Optional edge 1 1/4" curvilinear corner front edge only

description	width l	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-( )(1/2/3)	\$847.	\$973.	\$1,314.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-( )(1/2/3)	895.	1,030.	1,391.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-( )(1/2/3)	953.	1,094.	1,477.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-( )(1/2/3)	895.	1,030.	1,391.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-( )(1/2/3)	953.	1,094.	1,477.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-( )(1/2/3)	1,040.	1,195.	1,613.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-( )(1/2/3)	953.	1,094.	1,477.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-( )(1/2/3)	1,040.	1,195.	1,613.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-( )(1/2/3)	1,094.	1,259.	1,698.
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-( )(1/2/3)	885.	1,017.	1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-( )(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-( )(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-( )(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-( )(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-( )(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-( )(1/2/3)	991.	1,136.	1,536.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-( )(1/2/3)	1,078.	1,238.	1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-( )(1/2/3)	1,132.	1,303.	1,759.
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-( )(1/2/3)	885.	1,017.	1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-( )(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-( )(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-( )(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-( )(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-( )(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-( )(1/2/3)	991.	1,136.	1,536.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-( )(1/2/3)	1,078.	1,238.	1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-( )(1/2/3)	1,132.	1,303.	1,759.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-( )(1/2/3)	960.	1,104.	1,491.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-( )(1/2/3)	1,011.	1,160.	1,566.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-( )(1/2/3)	1,065.	1,224.	1,653.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-( )(1/2/3)	1,011.	1,160.	1,566.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-( )(1/2/3)	1,065.	1,224.	1,653.

Radii of front edge varies with top dimensions

Order Code	Specification Information	Application Notes
Example: <b>RCAGF363611</b>	To order please specify pattern number including:	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>  Products on this page are shipped without hardware which must be ordered separately from the support components section.  Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.
<b>R</b> Reff	1. Edge profile	
<b>C</b> Corner top	2. Left hand width	
<b>A</b> 1 1/4" thick	3. Right hand width	
<b>G</b> Gamma	4. Return left hand depth	
<b>F</b> Edge Front only	5. Return right hand depth	
<b>36</b> 36" wide	6. Grommet option	
<b>36</b> 36" wide	7. Top finish type	
<b>1</b> 20" deep	8. Top finish	
<b>1</b> 20" deep	9. Grommet finish	
<b>F</b> Flush grommet	1. Edge profile options:	
<b>2</b> V2 finish	A = Alpha	
<b>V319</b> Medium cherry	B = Beta	
<b>111</b> Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	7. Finish type:	
	M = Mixed (laminata surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	








# Optional edge 1 1/4" curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 24"	42"	48"	<b>RCA(A/B/C/D/E/F/G)F484222-( )(1/2/3)</b>	\$1,155.	\$1,328.	\$1,792.
	48"	36"	<b>RCA(A/B/C/D/E/F/G)F364822-( )(1/2/3)</b>	1,065.	1,224.	1,653.
	48"	42"	<b>RCA(A/B/C/D/E/F/G)F424822-( )(1/2/3)</b>	1,155.	1,328.	1,792.
	48"	48"	<b>RCA(A/B/C/D/E/F/G)F484822-( )(1/2/3)</b>	1,209.	1,388.	1,875.




Order Code	Specification Information	Application Notes
Example: <b>RCAGF363611</b>	<i>To order please specify pattern number including:</i>	<i>6. Grommet options:</i>
<b>R</b> Reff	1. Edge profile	N = No grommet
<b>C</b> Corner top	2. Left hand width	F = Flush front grommet location
<b>A</b> 1 1/4" thick	3. Right hand width	<i>7. Finish type:</i>
<b>G</b> Gamma	4. Return left hand depth	M = Mixed (laminated surface / wood edge)
<b>F</b> Edge Front only	5. Return right hand depth	1 = V1
<b>36</b> 36" wide	6. Grommet option	2 = V2
<b>36</b> 36" wide	7. Top finish type	3 = V3
<b>1</b> 20" deep	8. Top finish	Applicable finishes are listed on page 5 and 6.
<b>1</b> 20" deep	9. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>F</b> Flush grommet	<i>1. Edge profile options:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>2</b> V2 finish	A = Alpha	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>V319</b> Medium cherry	B = Beta	Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.
<b>111</b> Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge 1 1/4"  
 wave end tops  
 front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	<b>RWA(A/B/C/D/E/F/G)F4221-( )(1/2/3)</b>	\$511.	\$588.	\$793.
	20"	24"	48"	<b>RWA(A/B/C/D/E/F/G)F4821-( )(1/2/3)</b>	537.	618.	834.
	20"	24"	54"	<b>RWA(A/B/C/D/E/F/G)F5421-( )(1/2/3)</b>	574.	661.	892.
	20"	24"	60"	<b>RWA(A/B/C/D/E/F/G)F6021-( )(1/2/3)</b>	614.	709.	955.
	20"	24"	66"	<b>RWA(A/B/C/D/E/F/G)F6621-( )(1/2/3)</b>	633.	727.	985.
	20"	24"	72"	<b>RWA(A/B/C/D/E/F/G)F7221-( )(1/2/3)</b>	662.	763.	1,029.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	<b>RWA(A/B/C/D/E/F/G)F4232-( )(1/2/3)</b>	553.	633.	854.
	24"	30"	48"	<b>RWA(A/B/C/D/E/F/G)F4832-( )(1/2/3)</b>	573.	658.	888.
	24"	30"	54"	<b>RWA(A/B/C/D/E/F/G)F5432-( )(1/2/3)</b>	618.	712.	960.
	24"	30"	60"	<b>RWA(A/B/C/D/E/F/G)F6032-( )(1/2/3)</b>	661.	759.	1,025.
	24"	30"	66"	<b>RWA(A/B/C/D/E/F/G)F6632-( )(1/2/3)</b>	684.	788.	1,064.
	24"	30"	72"	<b>RWA(A/B/C/D/E/F/G)F7232-( )(1/2/3)</b>	721.	827.	1,118.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	<b>RWA(A/B/C/D/E/F/G)F4212-( )(1/2/3)</b>	511.	588.	793.
	24"	20"	48"	<b>RWA(A/B/C/D/E/F/G)F4812-( )(1/2/3)</b>	537.	618.	834.
	24"	20"	54"	<b>RWA(A/B/C/D/E/F/G)F5412-( )(1/2/3)</b>	574.	661.	892.
	24"	20"	60"	<b>RWA(A/B/C/D/E/F/G)F6012-( )(1/2/3)</b>	614.	709.	955.
	24"	20"	66"	<b>RWA(A/B/C/D/E/F/G)F6612-( )(1/2/3)</b>	633.	727.	985.
	24"	20"	72"	<b>RWA(A/B/C/D/E/F/G)F7212-( )(1/2/3)</b>	662.	763.	1,029.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	<b>RWA(A/B/C/D/E/F/G)F4223-( )(1/2/3)</b>	553.	633.	854.
	30"	24"	48"	<b>RWA(A/B/C/D/E/F/G)F4823-( )(1/2/3)</b>	573.	658.	888.
	30"	24"	54"	<b>RWA(A/B/C/D/E/F/G)F5423-( )(1/2/3)</b>	618.	712.	960.
	30"	24"	60"	<b>RWA(A/B/C/D/E/F/G)F6023-( )(1/2/3)</b>	661.	759.	1,025.
	30"	24"	66"	<b>RWA(A/B/C/D/E/F/G)F6623-( )(1/2/3)</b>	684.	788.	1,064.
	30"	24"	72"	<b>RWA(A/B/C/D/E/F/G)F7223-( )(1/2/3)</b>	721.	827.	1,118.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	<b>RWEA(A/B/C/D/E/F/G)F3631-( )(1/2/3)</b>	679.	782.	1,055.
	20"	32"	42"	<b>RWEA(A/B/C/D/E/F/G)F4231-( )(1/2/3)</b>	707.	813.	1,097.
	20"	32"	48"	<b>RWEA(A/B/C/D/E/F/G)F4831-( )(1/2/3)</b>	743.	854.	1,155.

Order Code	Specification Information	Application Notes
Example: <b>RWAGF422-1F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Edge profile	
<b>W</b> Wave transition top	2. 5th position F = front edge with profile only	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Left hand depth	
<b>F</b> Edge front only	5. Right hand depth	
<b>42</b> 42" wide	6. Grommet option	
<b>2</b> 20" deep	7. Top finish type	
<b>1</b> 20" deep	8. Top finish	
<b>F</b> Flush grommet	9. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	
<b>111</b> Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge 1 1/4"  
 wave end tops  
 front edge only


description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3662-( )(1/2/3)	\$703.	\$809.	\$1,091.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4262-( )(1/2/3)	724.	832.	1,124.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4862-( )(1/2/3)	766.	884.	1,192.
Wave end top with profile edge front only (20" left) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3613-( )(1/2/3)	679.	782.	1,055.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4213-( )(1/2/3)	707.	813.	1,097.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4813-( )(1/2/3)	743.	854.	1,155.
Wave end top with profile edge front only (24" left) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3626-( )(1/2/3)	703.	809.	1,091.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4226-( )(1/2/3)	724.	832.	1,124.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4826-( )(1/2/3)	766.	884.	1,192.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RWAGF422-1F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Edge profile	
<b>W</b> Wave transition top	2. 5th position F = front edge with profile only	
<b>A</b> 1 1/4" thick	3. Width	
<b>G</b> Gamma	4. Left hand depth	
<b>F</b> Edge front only	5. Right hand depth	
<b>42</b> 42" wide	6. Grommet option	
<b>2</b> 20" deep	7. Top finish type	
<b>1</b> 20" deep	8. Top finish	
<b>F</b> Flush grommet	9. Grommet finish	
<b>2</b> V2 finish	<i>1. Edge profile options:</i>	
<b>V319</b> Medium cherry	A = Alpha	
<b>111</b> Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>6. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	<i>7. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

# Optional edge 1 1/4" meeting tops





description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. <b>Grommet choices are centered (as shown) or none</b>	30"	42"	<b>RMDA(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	\$722.	\$828.	\$1,119.
	30"	48"	<b>RMDA(A/B/C/D/E/F/G)F4830-( )(1/2/3)</b>	781.	894.	1,207.
	30"	54"	<b>RMDA(A/B/C/D/E/F/G)F5430-( )(1/2/3)</b>	834.	960.	1,296.
	30"	60"	<b>RMDA(A/B/C/D/E/F/G)F6030-( )(1/2/3)</b>	892.	1,025.	1,383.
	30"	66"	<b>RMDA(A/B/C/D/E/F/G)F6630-( )(1/2/3)</b>	952.	1,093.	1,476.
	30"	72"	<b>RMDA(A/B/C/D/E/F/G)F7230-( )(1/2/3)</b>	1,010.	1,159.	1,565.
	30"	78"	<b>RMDA(A/B/C/D/E/F/G)F7830-( )(1/2/3)</b>	1,141.	1,311.	1,771.
	30"	84"	<b>RMDA(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	1,274.	1,464.	1,977.
	30"	90"	<b>RMDA(A/B/C/D/E/F/G)F9030-( )(1/2/3)</b>	1,423.	1,636.	2,207.
	30"	96"	<b>RMDA(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	1,569.	1,804.	2,436.
	36"	42"	<b>RMDA(A/B/C/D/E/F/G)F4236-( )(1/2/3)</b>	794.	914.	1,233.
	36"	48"	<b>RMDA(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	868.	999.	1,349.
	36"	54"	<b>RMDA(A/B/C/D/E/F/G)F5436-( )(1/2/3)</b>	993.	1,144.	1,543.
	36"	60"	<b>RMDA(A/B/C/D/E/F/G)F6036-( )(1/2/3)</b>	1,114.	1,282.	1,731.
	36"	66"	<b>RMDA(A/B/C/D/E/F/G)F6636-( )(1/2/3)</b>	1,134.	1,306.	1,763.
	36"	72"	<b>RMDA(A/B/C/D/E/F/G)F7236-( )(1/2/3)</b>	1,155.	1,328.	1,792.
	36"	78"	<b>RMDA(A/B/C/D/E/F/G)F7836-( )(1/2/3)</b>	1,299.	1,492.	2,015.
	36"	84"	<b>RMDA(A/B/C/D/E/F/G)F8436-( )(1/2/3)</b>	1,445.	1,663.	2,245.
	36"	90"	<b>RMDA(A/B/C/D/E/F/G)F9036-( )(1/2/3)</b>	1,522.	1,751.	2,363.
	36"	96"	<b>RMDA(A/B/C/D/E/F/G)F9636-( )(1/2/3)</b>	1,668.	1,915.	2,586.
Wrap-around panel top	21 1/4"	42 1/2"	<b>RMDA(A/B/C/D/E/F/G)F4221-( )(1/2/3)( )</b>	928.	1,067.	1,439.
*No Grommet option	25 1/4"	50 1/2"	<b>RMDA(A/B/C/D/E/F/G)F5025-( )(1/2/3)( )</b>	1,017.	1,170.	1,579.



Please specify mating end trim profile option.

Order Code	Specification Information	Application Notes
Example: <b>RMDAGF4230F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.</p>
<b>R</b> Reff	<ol style="list-style-type: none"> <li>Edge profile</li> <li>Width</li> <li>Depth</li> <li>Grommet option</li> <li>Top finish type</li> <li>Top finish</li> <li>Grommet finish</li> <li>Applicable "wrap around panel tops" only specify mating panel end trim profile</li> </ol>	
<b>MD</b> Peninsula D-shaped top	<ol style="list-style-type: none"> <li>Edge profile options:</li> </ol>	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
<b>A</b> 1 1/4" thick	<p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p>	
<b>G</b> Gamma	<ol style="list-style-type: none"> <li>Finish type:</li> </ol>	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
<b>F</b> Edge front only	<p>M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3</p>	
<b>42</b> 42" wide	<ol style="list-style-type: none"> <li>Additional specification option required for wrap around panel tops only, specify mating trim profile</li> </ol>	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
<b>30</b> 30" deep	<p>A = Flat B = Square C = Bullnose E = Extruded Aluminum</p>	
<b>C</b> Centered grommet		
<b>2</b> V2 finish		
<b>V319</b> Medium cherry		
<b>111</b> Jet Black (grommet)		

# Optional edge 1 1/4" meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Worksurface P-top 	30"	84"	<b>RMPA(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	\$2,016.	\$2,322.	\$3,133.
	30"	96"	<b>RMPA(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	2,102.	2,417.	3,263.
Worksurface 9-top 	30"	84"	<b>RM9A(A/B/C/D/E/F/G)F8430-( )(1/2/3)</b>	2,016.	2,322.	3,133.
	30"	96"	<b>RM9A(A/B/C/D/E/F/G)F9630-( )(1/2/3)</b>	2,102.	2,417.	3,263.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support) <b>*No Grommet option</b> 	30"	42"	<b>RM9A(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	992.	1,140.	1,537.
	36"	48"	<b>RM9A(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	1,102.	1,267.	1,712.
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) <b>*No Grommet option</b> 	30"	42"	<b>RMPA(A/B/C/D/E/F/G)F4230-( )(1/2/3)</b>	992.	1,140.	1,537.
	36"	48"	<b>RMPA(A/B/C/D/E/F/G)F4836-( )(1/2/3)</b>	1,102.	1,267.	1,712.

Order Code	Specification Information	Application Notes
Example: <b>RMPAGF4230F2</b> <b>R</b> Reff <b>MP</b> Peninsula P-shaped top <b>A</b> 1 1/4" thick <b>G</b> Gamma <b>F</b> Edge front only <b>42</b> 42" wide <b>30</b> 30" deep <b>C</b> Centered grommet <b>2</b> V2 finish <b>V319</b> Medium cherry <b>111</b> Jet Black (grommet)	To order please specify pattern number including: 1. Edge profile 2. Width 3. Depth 4. Grommet option 5. Top finish type 6. Top finish 7. Grommet finish 8. Applicable "wrap around panel tops" only specify mating panel end trim profile  1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)  5. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3  Applicable finishes are listed on page 5 and 6.  Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak


**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**


Products on this page are shipped without hardware which must be ordered separately from the support components section.


Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.

# Optional edge 1 1/4"

## Bow front tops

description	w	d	pattern no.	V1	V2	V3
 Profile edge on front and back (30"d)	72"	30"	<b>RMBA(A/B/C/D/E/F/G)A7230-( )(1/2/3)</b>	\$1,203.	\$1,381.	\$1,866.
	84"	30"	<b>RMBA(A/B/C/D/E/F/G)A8430( )(1/2/3)</b>	1,325.	1,524.	2,058.
	96"	30"	<b>RMBA(A/B/C/D/E/F/G)A9630( )(1/2/3)</b>	1,468.	1,686.	2,277.





 Profile edge on front and back (36"d)	72"	36"	<b>RMBA(A/B/C/D/E/F/G)A7236( )(1/2/3)</b>	1,277.	1,467.	1,983.
	84"	36"	<b>RMBA(A/B/C/D/E/F/G)A8436( )(1/2/3)</b>	1,400.	1,611.	2,175.
	96"	36"	<b>RMBA(A/B/C/D/E/F/G)A9636-( )(1/2/3)</b>	1,551.	1,785.	2,408.

 Profile elliptical tops	60"	30"	<b>REBA(A/B/C/D/E/F/G)A6030</b>	1,411.	1,623.	2,191.
	72"	42"	<b>REBA(A/B/C/D/E/F/G)A7242</b>	2,012.	2,310.	3,119.
	78"	48"	<b>REBA(A/B/C/D/E/F/G)A7848</b>	2,204.	2,535.	3,422.

grommet options for elliptical tops, N or R

Order Code	Specification Information	Application Notes
Example: <b>RMBAGA7230F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Edge profile	
<b>MB</b> Bow front top	2. Width	
<b>A</b> 1 1/4" thick	3. Depth	
<b>G</b> Gamma	4. Grommet option	
<b>A</b> Edge front and back	5. Top finish type	
<b>72</b> 72" wide	6. Top finish	
<b>30</b> 30" deep	7. Grommet finish	
<b>F</b> Flush grommet	<i>1. Edge profile options:</i>	
<b>2</b> V2 finish	A = Alpha	
<b>V319</b> Medium cherry	B = Beta	
<b>111</b> Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	4. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	A = Alternate location (only for 36" deep bow front tops)	
	5. Finish type:	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

# Optional edge 1 1/4" round and racetrack conference tops

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72"	30"	<b>RTA(A/B/C/D/E/F/G)7230-(1/2/3)</b>	\$1,411.	\$1,623.	\$2,191.
	72"	36"	<b>RTA(A/B/C/D/E/F/G)7236-(1/2/3)</b>	1,611.	1,849.	2,497.
	84"	30"	<b>RTA(A/B/C/D/E/F/G)8430-(1/2/3)</b>	1,571.	1,810.	2,442.
	84"	36"	<b>RTA(A/B/C/D/E/F/G)8436-(1/2/3)</b>	1,813.	2,079.	2,809.
	84"	42"	<b>RTA(A/B/C/D/E/F/G)8442-(1/2/3)</b>	2,204.	2,535.	3,422.
	96"	30"	<b>RTA(A/B/C/D/E/F/G)9630-(1/2/3)</b>	1,751.	2,014.	2,717.
	96"	36"	<b>RTA(A/B/C/D/E/F/G)9636-(1/2/3)</b>	2,012.	2,310.	3,119.
	96"	42"	<b>RTA(A/B/C/D/E/F/G)9642-(1/2/3)</b>	2,467.	2,837.	3,830.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	<b>RTA(A/B/C/D/E/F/G)12036-(1/2/3)</b>	2,597.	2,985.	4,029.
	120"	42"	<b>RTA(A/B/C/D/E/F/G)12042-(1/2/3)</b>	2,800.	3,218.	4,345.
	120"	48"	<b>RTA(A/B/C/D/E/F/G)12048-(1/2/3)</b>	2,976.	3,421.	4,617.
	144"	42"	<b>RTA(A/B/C/D/E/F/G)14442-(1/2/3)</b>	3,085.	3,549.	4,790.
	144"	48"	<b>RTA(A/B/C/D/E/F/G)14448-(1/2/3)</b>	3,164.	3,636.	4,910.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	<b>RTA(A/B/C/D/E/F/G)16842-(1/2/3)</b>	3,869.	4,450.	6,007.
	168"	48"	<b>RTA(A/B/C/D/E/F/G)16848-(1/2/3)</b>	4,138.	4,759.	6,423.
	192"	42"	<b>RTA(A/B/C/D/E/F/G)19242-(1/2/3)</b>	4,159.	4,781.	6,455.
	192"	48"	<b>RTA(A/B/C/D/E/F/G)19248-(1/2/3)</b>	4,327.	4,977.	6,717.
Round tops Profile edge on all sides except on parting lines. 	*	60"	<b>RTA(A/B/C/D/E/F/G)6060-(1/2/3)</b>	2,378.	2,735.	3,690.
	*	72"	<b>RTA(A/B/C/D/E/F/G)7272-(1/2/3)</b>	2,943.	3,385.	4,570.
	-	36"	<b>RTA(A/B/C/D/E/F/G)3636-(1/2/3)</b>	794.	914.	1,233.
	-	42"	<b>RTA(A/B/C/D/E/F/G)4242-(1/2/3)</b>	921.	1,058.	1,430.
	-	48"	<b>RTA(A/B/C/D/E/F/G)4848-(1/2/3)</b>	1,516.	1,743.	2,353.

Worksurfaces

### Order Code

Example: <b>RTAG72302</b>
<b>R</b> Reff
<b>T</b> Racetrack top
<b>A</b> 1 1/4" thick
<b>G</b> Gamma
<b>72</b> 22" wide
<b>30</b> 30" deep
<b>2</b> V2 finish
<b>V319</b> Medium cherry

### Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- M = Mixed (laminated surface / wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

\*Round tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak

### Application Notes





**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.



# Optional edge 1 1/4" square and rectangular conference tops

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	<b>RRA(A/B/C/D/E/F/G)7230-(1/2/3)</b>	\$747.	\$858.	\$1,159.
	72"	36"	<b>RRA(A/B/C/D/E/F/G)7236-(1/2/3)</b>	812.	931.	1,258.
	84"	30"	<b>RRA(A/B/C/D/E/F/G)8430-(1/2/3)</b>	825.	952.	1,285.
	84"	36"	<b>RRA(A/B/C/D/E/F/G)8436-(1/2/3)</b>	886.	1,018.	1,375.
	84"	42"	<b>RRA(A/B/C/D/E/F/G)8442-(1/2/3)</b>	1,311.	1,507.	2,034.
	96"	30"	<b>RRA(A/B/C/D/E/F/G)9630-(1/2/3)</b>	927.	1,065.	1,438.
	96"	36"	<b>RRA(A/B/C/D/E/F/G)9636-(1/2/3)</b>	1,024.	1,177.	1,591.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	<b>RRA(A/B/C/D/E/F/G)12036-(1/2/3)</b>	1,642.	1,888.	2,549.
	120"	42"	<b>RRA(A/B/C/D/E/F/G)12042-(1/2/3)</b>	2,265.	2,604.	3,512.
	120"	48"	<b>RRA(A/B/C/D/E/F/G)12048-(1/2/3)</b>	2,461.	2,830.	3,822.
	144"	42"	<b>RRA(A/B/C/D/E/F/G)14442-(1/2/3)</b>	2,542.	2,928.	3,953.
	144"	48"	<b>RRA(A/B/C/D/E/F/G)14448-(1/2/3)</b>	2,727.	3,134.	4,232.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	<b>RRA(A/B/C/D/E/F/G)16842-(1/2/3)</b>	3,336.	3,837.	5,179.
	168"	48"	<b>RRA(A/B/C/D/E/F/G)16848-(1/2/3)</b>	3,623.	4,169.	5,629.
	192"	42"	<b>RRA(A/B/C/D/E/F/G)19242-(1/2/3)</b>	3,613.	4,158.	5,612.
	192"	48"	<b>RRA(A/B/C/D/E/F/G)19248-(1/2/3)</b>	3,890.	4,474.	6,038.
Square top Profile edge on all sides except on parting lines 	*	60"	<b>RRA(A/B/C/D/E/F/G)6060-(1/2/3)</b>	1,530.	1,759.	2,376.
	*	72"	<b>RRA(A/B/C/D/E/F/G)7272-(1/2/3)</b>	1,804.	2,074.	2,801.
	-	36"	<b>RRA(A/B/C/D/E/F/G)3636-(1/2/3)</b>	577.	662.	894.
	-	42"	<b>RRA(A/B/C/D/E/F/G)4242-(1/2/3)</b>	747.	858.	1,159.
	-	48"	<b>RRA(A/B/C/D/E/F/G)4848-(1/2/3)</b>	982.	1,127.	1,521.

Order Code	Specification Information
Example: <b>RRAG72302</b>	
<b>R</b> Reff	
<b>R</b> Conference Room top	
<b>A</b> 1 1/4" thick	
<b>G</b> Gamma	
<b>72</b> 72" wide	
<b>30</b> 30" deep	
<b>2</b> V2 finish	
<b>V319</b> Medium cherry	

**Specification Information**

To order please specify pattern number including:

- Edge option
- Width
- Depth
- Finish type
- Finish

1. Edge profile options:  
 A = Alpha  
 B = Beta  
 C = Chi  
 D = Delta  
 E = Epsilon  
 F = Phi  
 G = Gamma

4. Finish type:  
 M = Mixed ( laminate surface / wood edge)  
 1 = V1  
 2 = V2  
 3 = V3

\* Square tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak


**Application Notes**

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

Products on this page are shipped without hardware which must be ordered separately from the support components section.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front only  
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	20"	24"	<b>RSAWF241-</b> ( )(1/2/3)	\$758.	\$873.	\$1,178.	
		30"	<b>RSAWF301-</b> ( )(1/2/3)	834.	961.	1,299.	
		36"	<b>RSAWF361-</b> ( )(1/2/3)	883.	1,012.	1,366.	
		42"	<b>RSAWF421-</b> ( )(1/2/3)	921.	1,056.	1,426.	
		48"	<b>RSAWF481-</b> ( )(1/2/3)	957.	1,101.	1,486.	
		54"	<b>RSAWF541-</b> ( )(1/2/3)	999.	1,151.	1,553.	
		60"	<b>RSAWF601-</b> ( )(1/2/3)	1,076.	1,236.	1,670.	
		66"	<b>RSAWF661-</b> ( )(1/2/3)	1,109.	1,277.	1,723.	
		72"	<b>RSAWF721-</b> ( )(1/2/3)	1,164.	1,338.	1,810.	
		78"	<b>RSAWF781-</b> ( )(1/2/3)	1,183.	1,359.	1,833.	
		84"	<b>RSAWF841-</b> ( )(1/2/3)	1,259.	1,447.	1,953.	
		90"	<b>RSAWF901-</b> ( )(1/2/3)	1,308.	1,505.	2,032.	
		96"	<b>RSAWF961-</b> ( )(1/2/3)	1,359.	1,559.	2,105.	
		24"	24"	<b>RSAWF242-</b> ( )(1/2/3)	798.	921.	1,243.
			30"	<b>RSAWF302-</b> ( )(1/2/3)	903.	1,040.	1,403.
			36"	<b>RSAWF362-</b> ( )(1/2/3)	940.	1,078.	1,457.
42"	<b>RSAWF422-</b> ( )(1/2/3)		968.	1,112.	1,502.		
48"	<b>RSAWF482-</b> ( )(1/2/3)		1,040.	1,195.	1,613.		
54"	<b>RSAWF542-</b> ( )(1/2/3)		1,109.	1,277.	1,723.		
60"	<b>RSAWF602-</b> ( )(1/2/3)		1,188.	1,365.	1,842.		
66"	<b>RSAWF662-</b> ( )(1/2/3)		1,229.	1,410.	1,906.		
72"	<b>RSAWF722-</b> ( )(1/2/3)		1,284.	1,477.	1,992.		
78"	<b>RSAWF782-</b> ( )(1/2/3)		1,346.	1,547.	2,089.		
84"	<b>RSAWF842-</b> ( )(1/2/3)		1,398.	1,607.	2,169.		
90"	<b>RSAWF902-</b> ( )(1/2/3)		1,464.	1,683.	2,273.		
96"	<b>RSAWF962-</b> ( )(1/2/3)	1,521.	1,748.	2,362.			

Order Code	Specification Information	Application Notes
Example: <b>RSAWF241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WF</b> Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	
<b>1</b> 20" deep	N = No grommet	Applicable finishes are listed on page 5 and 6.
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>V319</b> Medium cherry	(not recommended on 20"D and 24"D tops)	
<b>111</b> Jet Black (grommet)	<i>2. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"  
with 2" Waterfall edge front only  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	30"	24"	<b>RSAWF243-</b> ( )(1/2/3)	\$869.	\$1,002.	\$1,353.	
		30"	<b>RSAWF303-</b> ( )(1/2/3)	976.	1,125.	1,518.	
		36"	<b>RSAWF363-</b> ( )(1/2/3)	1,054.	1,210.	1,635.	
		42"	<b>RSAWF423-</b> ( )(1/2/3)	1,098.	1,261.	1,703.	
		48"	<b>RSAWF483-</b> ( )(1/2/3)	1,171.	1,349.	1,821.	
		54"	<b>RSAWF543-</b> ( )(1/2/3)	1,266.	1,458.	1,968.	
		60"	<b>RSAWF603-</b> ( )(1/2/3)	1,314.	1,510.	2,039.	
		66"	<b>RSAWF663-</b> ( )(1/2/3)	1,343.	1,543.	2,086.	
		72"	<b>RSAWF723-</b> ( )(1/2/3)	1,376.	1,581.	2,133.	
		78"	<b>RSAWF783-</b> ( )(1/2/3)	1,440.	1,655.	2,233.	
		84"	<b>RSAWF843-</b> ( )(1/2/3)	1,497.	1,723.	2,326.	
		90"	<b>RSAWF903-</b> ( )(1/2/3)	1,568.	1,798.	2,428.	
		96"	<b>RSAWF963-</b> ( )(1/2/3)	1,624.	1,867.	2,520.	
		36"	60"	<b>RSAWF604-</b> ( )(1/2/3)	1,517.	1,741.	2,349.
			66"	<b>RSAWF664-</b> ( )(1/2/3)	1,570.	1,804.	2,436.
72"	<b>RSAWF724-</b> ( )(1/2/3)		1,621.	1,863.	2,514.		

Order Code	Specification Information	Application Notes
Example: <b>RSAWF243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WF</b> Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>111</b> Jet black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

# Waterfall Edge 1 1/4" with 2" Waterfall edge front and back 20" and 24" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	<b>RSAWA241-</b> ( )(1/2/3)	\$948.	\$1,094.	\$1,477.	
		30"	<b>RSAWA301-</b> ( )(1/2/3)	1,045.	1,201.	1,619.	
		36"	<b>RSAWA361-</b> ( )(1/2/3)	1,102.	1,264.	1,709.	
		42"	<b>RSAWA421-</b> ( )(1/2/3)	1,152.	1,323.	1,786.	
		48"	<b>RSAWA481-</b> ( )(1/2/3)	1,195.	1,376.	1,857.	
		54"	<b>RSAWA541-</b> ( )(1/2/3)	1,248.	1,437.	1,941.	
		60"	<b>RSAWA601-</b> ( )(1/2/3)	1,347.	1,545.	2,087.	
		66"	<b>RSAWA661-</b> ( )(1/2/3)	1,387.	1,595.	2,155.	
		72"	<b>RSAWA721-</b> ( )(1/2/3)	1,458.	1,678.	2,265.	
		78"	<b>RSAWA781-</b> ( )(1/2/3)	1,480.	1,696.	2,292.	
		84"	<b>RSAWA841-</b> ( )(1/2/3)	1,573.	1,809.	2,441.	
		90"	<b>RSAWA901-</b> ( )(1/2/3)	1,638.	1,883.	2,540.	
		96"	<b>RSAWA961-</b> ( )(1/2/3)	1,696.	1,953.	2,636.	
		24"	24"	<b>RSAWA242-</b> ( )(1/2/3)	999.	1,152.	1,554.
			30"	<b>RSAWA302-</b> ( )(1/2/3)	1,129.	1,300.	1,755.
			36"	<b>RSAWA362-</b> ( )(1/2/3)	1,175.	1,352.	1,825.
			42"	<b>RSAWA422-</b> ( )(1/2/3)	1,210.	1,391.	1,880.
			48"	<b>RSAWA482-</b> ( )(1/2/3)	1,300.	1,496.	2,018.
			54"	<b>RSAWA542-</b> ( )(1/2/3)	1,387.	1,595.	2,155.
60"	<b>RSAWA602-</b> ( )(1/2/3)		1,486.	1,710.	2,307.		
66"	<b>RSAWA662-</b> ( )(1/2/3)		1,537.	1,764.	2,381.		
72"	<b>RSAWA722-</b> ( )(1/2/3)		1,604.	1,845.	2,493.		
78"	<b>RSAWA782-</b> ( )(1/2/3)		1,683.	1,937.	2,613.		
84"	<b>RSAWA842-</b> ( )(1/2/3)		1,748.	2,013.	2,715.		
90"	<b>RSAWA902-</b> ( )(1/2/3)		1,831.	2,104.	2,841.		
96"	<b>RSAWA962-</b> ( )(1/2/3)		1,900.	2,184.	2,948.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAWA241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall tops cannot be specified with open pore finish.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WA</b> Waterfall front/back	4. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	
<b>1</b> 20" deep	N = No grommet	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>V319</b> Medium cherry		
<b>111</b> Jet Black (grommet)	<i>2. Finish type:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	1 = V1	Applicable finishes are listed on page 5 and 6.
	2 = V2	Products on this page do not accept the following finishes:
	3 = V3	Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak


Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and back  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	<b>RSAWA243-( ) (1/2/3)</b>	\$1,090.	\$1,252.	\$1,690.	
		30"	<b>RSAWA303-( ) (1/2/3)</b>	1,223.	1,408.	1,901.	
		36"	<b>RSAWA363-( ) (1/2/3)</b>	1,318.	1,516.	2,047.	
		42"	<b>RSAWA423-( ) (1/2/3)</b>	1,374.	1,578.	2,129.	
		48"	<b>RSAWA483-( ) (1/2/3)</b>	1,465.	1,685.	2,275.	
		54"	<b>RSAWA543-( ) (1/2/3)</b>	1,584.	1,822.	2,460.	
		60"	<b>RSAWA603-( ) (1/2/3)</b>	1,642.	1,889.	2,551.	
		66"	<b>RSAWA663-( ) (1/2/3)</b>	1,680.	1,932.	2,608.	
		72"	<b>RSAWA723-( ) (1/2/3)</b>	1,720.	1,977.	2,669.	
		78"	<b>RSAWA783-( ) (1/2/3)</b>	1,798.	2,071.	2,794.	
		84"	<b>RSAWA843-( ) (1/2/3)</b>	1,872.	2,155.	2,909.	
		90"	<b>RSAWA903-( ) (1/2/3)</b>	1,957.	2,251.	3,040.	
		96"	<b>RSAWA963-( ) (1/2/3)</b>	2,028.	2,333.	3,150.	
		36"	60"	<b>RSAWA604-( ) (1/2/3)</b>	1,896.	2,176.	2,939.
			66"	<b>RSAWA664-( ) (1/2/3)</b>	1,961.	2,257.	3,046.
			72"	<b>RSAWA724-( ) (1/2/3)</b>	2,025.	2,329.	3,144.

Order Code	Specification Information	Application Notes
Example: <b>RSAWA243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WA</b> Waterfall front/back	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	2. <i>Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

# Waterfall Edge 1 1/4" with 2" Waterfall edge front and two sides 20" and 24" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-( )(1/2/3)	\$1,142.	\$1,310.	\$1,769.	
		30"	RSAWB301-( )(1/2/3)	1,252.	1,438.	1,942.	
		36"	RSAWB361-( )(1/2/3)	1,320.	1,518.	2,050.	
		42"	RSAWB421-( )(1/2/3)	1,380.	1,585.	2,140.	
		48"	RSAWB481-( )(1/2/3)	1,434.	1,651.	2,228.	
		54"	RSAWB541-( )(1/2/3)	1,498.	1,724.	2,329.	
		60"	RSAWB601-( )(1/2/3)	1,618.	1,858.	2,508.	
		66"	RSAWB661-( )(1/2/3)	1,666.	1,914.	2,585.	
		72"	RSAWB721-( )(1/2/3)	1,748.	2,012.	2,714.	
		78"	RSAWB781-( )(1/2/3)	1,770.	2,036.	2,749.	
		84"	RSAWB841-( )(1/2/3)	1,886.	2,171.	2,930.	
		90"	RSAWB901-( )(1/2/3)	1,965.	2,259.	3,049.	
		96"	RSAWB961-( )(1/2/3)	2,036.	2,343.	3,163.	
		24"	24"	RSAWB242-( )(1/2/3)	1,200.	1,380.	1,863.
			30"	RSAWB302-( )(1/2/3)	1,357.	1,555.	2,101.
			36"	RSAWB362-( )(1/2/3)	1,409.	1,621.	2,190.
			42"	RSAWB422-( )(1/2/3)	1,453.	1,672.	2,259.
			48"	RSAWB482-( )(1/2/3)	1,555.	1,793.	2,422.
			54"	RSAWB542-( )(1/2/3)	1,666.	1,914.	2,585.
			60"	RSAWB602-( )(1/2/3)	1,785.	2,049.	2,767.
66"	RSAWB662-( )(1/2/3)		1,842.	2,118.	2,858.		
72"	RSAWB722-( )(1/2/3)		1,925.	2,217.	2,990.		
78"	RSAWB782-( )(1/2/3)		2,018.	2,324.	3,136.		
84"	RSAWB842-( )(1/2/3)		2,098.	2,410.	3,256.		
90"	RSAWB902-( )(1/2/3)		2,195.	2,525.	3,407.		
96"	RSAWB962-( )(1/2/3)	2,277.	2,623.	3,542.			

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAWB241F2</b>	<i>To order please specify pattern number including:</i>	<p><b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b></p> <p><b>Waterfall tops cannot be specified with semi-open pore finish.</b></p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	<p>Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.</p> <p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WB</b> Waterfall front and 2 sides	4. Grommet finish	
<b>24</b> 24" wide	<i>1. Grommet options:</i>	
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	


Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and two sides  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-( )(1/2/3)	\$1,306.	\$1,503.	\$2,028.	
		30"	RSAWB303-( )(1/2/3)	1,468.	1,689.	2,279.	
		36"	RSAWB363-( )(1/2/3)	1,581.	1,818.	2,454.	
		42"	RSAWB423-( )(1/2/3)	1,647.	1,891.	2,553.	
		48"	RSAWB483-( )(1/2/3)	1,759.	2,021.	2,730.	
		54"	RSAWB543-( )(1/2/3)	1,901.	2,184.	2,948.	
		60"	RSAWB603-( )(1/2/3)	1,969.	2,265.	3,058.	
		66"	RSAWB663-( )(1/2/3)	2,015.	2,318.	3,127.	
		72"	RSAWB723-( )(1/2/3)	2,062.	2,372.	3,201.	
		78"	RSAWB783-( )(1/2/3)	2,162.	2,487.	3,357.	
		84"	RSAWB843-( )(1/2/3)	2,243.	2,582.	3,486.	
		90"	RSAWB903-( )(1/2/3)	2,347.	2,702.	3,648.	
		96"	RSAWB963-( )(1/2/3)	2,437.	2,800.	3,779.	
		36"	60"	RSAWB604-( )(1/2/3)	2,273.	2,613.	3,529.
			66"	RSAWB664-( )(1/2/3)	2,350.	2,706.	3,652.
			72"	RSAWB724-( )(1/2/3)	2,434.	2,794.	3,774.

Order Code	Specification Information	Application Notes
Example: <b>RSAWB243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WB</b> Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>111</b> Jet Black (grommet)	1 = V1 2 = V2 3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.




# Waterfall Edge 1 1/4" with 2" Waterfall edge front and left side 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-( )(1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWL301-( )(1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWL361-( )(1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWL421-( )(1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWL481-( )(1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWL541-( )(1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWL601-( )(1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWL661-( )(1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWL721-( )(1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWL781-( )(1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWL841-( )(1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWL901-( )(1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWL961-( )(1/2/3)	1,868.	2,149.	2,899.
			24"	24"	RSAWL242-( )(1/2/3)	1,099.
		30"	RSAWL302-( )(1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWL362-( )(1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWL422-( )(1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWL482-( )(1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWL542-( )(1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWL602-( )(1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWL662-( )(1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWL722-( )(1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWL782-( )(1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWL842-( )(1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWL902-( )(1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWL962-( )(1/2/3)	2,089.	2,404.	3,246.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAWL241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WL</b> Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and left side  
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-( )(1/2/3)	\$1,200.	\$1,378.	\$1,860.
		30"	RSAWL303-( )(1/2/3)	1,346.	1,547.	2,089.
		36"	RSAWL363-( )(1/2/3)	1,449.	1,667.	2,251.
		42"	RSAWL423-( )(1/2/3)	1,508.	1,735.	2,340.
		48"	RSAWL483-( )(1/2/3)	1,612.	1,857.	2,507.
		54"	RSAWL543-( )(1/2/3)	1,741.	2,005.	2,708.
		60"	RSAWL603-( )(1/2/3)	1,807.	2,075.	2,803.
		66"	RSAWL663-( )(1/2/3)	1,844.	2,125.	2,870.
		72"	RSAWL723-( )(1/2/3)	1,891.	2,173.	2,933.
		78"	RSAWL783-( )(1/2/3)	1,980.	2,277.	3,075.
		84"	RSAWL843-( )(1/2/3)	2,058.	2,369.	3,198.
		90"	RSAWL903-( )(1/2/3)	2,155.	2,478.	3,345.
		96"	RSAWL963-( )(1/2/3)	2,232.	2,565.	3,464.
	36"	60"	RSAWL604-( )(1/2/3)	2,085.	2,396.	3,235.
		66"	RSAWL664-( )(1/2/3)	2,158.	2,480.	3,348.
		72"	RSAWL724-( )(1/2/3)	2,229.	2,562.	3,459.

Order Code	Specification Information	Application Notes
Example: <b>RSAWL243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WL</b> Waterfall front and left	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.  Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2 3 = V3	

# Waterfall Edge 1 1/4" with 2" Waterfall edge front and right side 20" and 24" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-( )(1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWR301-( )(1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWR361-( )(1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWR421-( )(1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWR481-( )(1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWR541-( )(1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWR601-( )(1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWR661-( )(1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWR721-( )(1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWR781-( )(1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWR841-( )(1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWR901-( )(1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWR961-( )(1/2/3)	1,868.	2,149.	2,899.
	24"	24"	RSAWR242-( )(1/2/3)	1,099.	1,264.	1,709.
		30"	RSAWR302-( )(1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWR362-( )(1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWR422-( )(1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWR482-( )(1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWR542-( )(1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWR602-( )(1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWR662-( )(1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWR722-( )(1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWR782-( )(1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWR842-( )(1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWR902-( )(1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWR962-( )(1/2/3)	2,089.	2,404.	3,246.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSAWR241F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	
<b>S</b> Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>A</b> 1 1/4" thick	3. Top finish	
<b>WR</b> Waterfall front and right	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>24</b> 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
<b>1</b> 20" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
	3 = V3	

Waterfall Edge 1 1/4"  
with 2" Waterfall edge front and right side  
30" and 36" deep






description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-( )(1/2/3)	\$1,200.	\$1,378.	\$1,860.	
		30"	RSAWR303-( )(1/2/3)	1,346.	1,547.	2,089.	
		36"	RSAWR363-( )(1/2/3)	1,449.	1,667.	2,251.	
		42"	RSAWR423-( )(1/2/3)	1,508.	1,735.	2,340.	
		48"	RSAWR483-( )(1/2/3)	1,612.	1,857.	2,507.	
		54"	RSAWR543-( )(1/2/3)	1,741.	2,005.	2,708.	
		60"	RSAWR603-( )(1/2/3)	1,807.	2,075.	2,803.	
		66"	RSAWR663-( )(1/2/3)	1,844.	2,125.	2,870.	
		72"	RSAWR723-( )(1/2/3)	1,891.	2,173.	2,933.	
		78"	RSAWR783-( )(1/2/3)	1,980.	2,277.	3,075.	
		84"	RSAWR843-( )(1/2/3)	2,058.	2,369.	3,198.	
		90"	RSAWR903-( )(1/2/3)	2,155.	2,478.	3,345.	
		96"	RSAWR963-( )(1/2/3)	2,232.	2,565.	3,464.	
		36"	60"	RSAWR604-( )(1/2/3)	2,085.	2,396.	3,235.
			66"	RSAWR664-( )(1/2/3)	2,158.	2,480.	3,348.
			72"	RSAWR724-( )(1/2/3)	2,229.	2,562.	3,459.

Order Code	Specification Information	Application Notes
Example: <b>RSAWR243F2</b>	<i>To order please specify pattern number including:</i>	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>R</b> Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>S</b> Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>A</b> 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
<b>WR</b> Waterfall front and right	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>24</b> 24" wide	<i>1. Grommet options:</i>	
<b>3</b> 30" deep	N = No grommet	
<b>F</b> Flush grommet	F = Flush front grommet location	
<b>2</b> V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>V319</b> Medium cherry	<i>2. Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

# Waterfall Edge 1 1/4"

Reff Profiles

## 2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	<b>RWAWF4223-</b> ( )(1/2/3)	\$1,101.	\$1,264.	\$1,709.
	24"	48"	30"	<b>RWAWF4823-</b> ( )(1/2/3)	1,146.	1,317.	1,778.
	24"	54"	30"	<b>RWAWF5423-</b> ( )(1/2/3)	1,234.	1,423.	1,920.
	24"	60"	30"	<b>RWAWF6023-</b> ( )(1/2/3)	1,320.	1,522.	2,055.
	24"	66"	30"	<b>RWAWF6623-</b> ( )(1/2/3)	1,370.	1,575.	2,125.
	24"	72"	30"	<b>RWAWF7223-</b> ( )(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	<b>RWAWF4232-</b> ( )(1/2/3)	1,101.	1,264.	1,709.
	30"	48"	24"	<b>RWAWF4832-</b> ( )(1/2/3)	1,146.	1,317.	1,778.
	30"	54"	24"	<b>RWAWF5432-</b> ( )(1/2/3)	1,234.	1,423.	1,920.
	30"	60"	24"	<b>RWAWF6032-</b> ( )(1/2/3)	1,320.	1,522.	2,055.
	30"	66"	24"	<b>RWAWF6632-</b> ( )(1/2/3)	1,370.	1,575.	2,125.
	30"	72"	24"	<b>RWAWF7232-</b> ( )(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	<b>RWAWF4212-</b> ( )(1/2/3)	1,020.	1,175.	1,587.
	20"	48"	24"	<b>RWAWF4812-</b> ( )(1/2/3)	1,073.	1,234.	1,667.
	20"	54"	24"	<b>RWAWF5412-</b> ( )(1/2/3)	1,149.	1,320.	1,783.
	20"	60"	24"	<b>RWAWF6012-</b> ( )(1/2/3)	1,228.	1,411.	1,908.
	20"	66"	24"	<b>RWAWF6612-</b> ( )(1/2/3)	1,264.	1,453.	1,962.
	20"	72"	24"	<b>RWAWF7212-</b> ( )(1/2/3)	1,325.	1,524.	2,058.
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	<b>RWAWF4221-</b> ( )(1/2/3)	1,020.	1,175.	1,587.
	24"	48"	20"	<b>RWAWF4821-</b> ( )(1/2/3)	1,073.	1,234.	1,667.
	24"	54"	20"	<b>RWAWF5421-</b> ( )(1/2/3)	1,149.	1,320.	1,783.
	24"	60"	20"	<b>RWAWF6021-</b> ( )(1/2/3)	1,228.	1,411.	1,908.
	24"	66"	20"	<b>RWAWF6621-</b> ( )(1/2/3)	1,264.	1,453.	1,962.
	24"	72"	20"	<b>RWAWF7221-</b> ( )(1/2/3)	1,325.	1,524.	2,058.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	<b>RWEAWF3631-</b> ( )(1/2/3)	1,357.	1,555.	2,101.
	32"	42"	20"	<b>RWEAWF4231-</b> ( )(1/2/3)	1,409.	1,623.	2,191.
	32"	48"	20"	<b>RWEAWF4831-</b> ( )(1/2/3)	1,486.	1,711.	2,308.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RWAWF4221F2</b>	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
<b>R</b> Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
<b>W</b> Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>A</b> 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>WF</b> Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
<b>42</b> 42" wide	1. <i>Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
<b>2</b> 24" deep on left side	N = No grommet	
<b>1</b> 20" deep on left side	F = Flush front grommet location	
<b>F</b> Flush grommet location	2. <i>Finish type:</i>	
<b>2</b> V2 finish	1 = V1	
<b>V319</b> Medium cherry	2 = V2	
<b>111</b> Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**




Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

# Waterfall Edge 1 1/4"

## 2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave end top with waterfall edge front (right 24") 	36"	36"	24"	<b>RWEAWF3662-( )(1/2/3)</b>	\$1,401.	\$1,611.	\$2,175.
	36"	42"	24"	<b>RWEAWF4262-( )(1/2/3)</b>	1,446.	1,664.	2,246.
	36"	48"	24"	<b>RWEAWF4862-( )(1/2/3)</b>	1,536.	1,764.	2,381.
Wave end top with waterfall edge front (left 20") 	20"	36"	32"	<b>RWEAWF3613-( )(1/2/3)</b>	1,357.	1,555.	2,101.
	20"	42"	32"	<b>RWEAWF4213-( )(1/2/3)</b>	1,409.	1,623.	2,191.
	20"	48"	32"	<b>RWEAWF4813-( )(1/2/3)</b>	1,486.	1,711.	2,308.
Wave end top with waterfall edge front (left 24") 	24"	36"	36"	<b>RWEAWF3626-( )(1/2/3)</b>	1,401.	1,611.	2,175.
	24"	42"	36"	<b>RWEAWF4226-( )(1/2/3)</b>	1,446.	1,664.	2,246.
	24"	48"	36"	<b>RWEAWF4826-( )(1/2/3)</b>	1,536.	1,764.	2,381.

Order Code	Specification Information	Application Notes
Example: <b>RWAWF4221F2</b>	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
<b>R</b> Reff		
<b>W</b> Wave top transition	1. Grommet option	36"D wave end top requires 24"D end panel for support.
<b>A</b> 1 1/4" thick	2. Top finish type	
<b>WF</b> Waterfall front	3. Top finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>42</b> 42" wide	4. Grommet finish	
<b>2</b> 24" deep on left side	<i>1. Grommet options:</i>	Curvilinear worksurfaces only available in 1 1/4" thick.
<b>1</b> 20" deep on left side	N = No grommet	See Planning Guide for grommet locations.
<b>F</b> Flush grommet location	F = Flush front grommet location	Waterfall tops cannot be specified with semi-open pore finish.
<b>2</b> V2 finish		
<b>V319</b> Medium cherry	2. <i>Finish type:</i>	
<b>111</b> Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**


Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

# Waterfall Edge 1 1/4"

## 2" Waterfall edge front only curvilinear corner tops

description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	<b>RCAWF363611-( )(1/2/3)</b>	\$1,611.	\$1,855.	\$2,503.
	36"	42"	<b>RCAWF364211-( )(1/2/3)</b>	1,706.	1,961.	2,649.
	36"	48"	<b>RCAWF364811-( )(1/2/3)</b>	1,810.	2,082.	2,812.
	42"	36"	<b>RCAWF423611-( )(1/2/3)</b>	1,706.	1,961.	2,649.
	42"	42"	<b>RCAWF424211-( )(1/2/3)</b>	1,810.	2,082.	2,812.
	42"	48"	<b>RCAWF424811-( )(1/2/3)</b>	1,977.	2,274.	3,070.
	48"	36"	<b>RCAWF483611-( )(1/2/3)</b>	1,810.	2,082.	2,812.
	48"	42"	<b>RCAWF484211-( )(1/2/3)</b>	1,977.	2,274.	3,070.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	<b>RCAWF363622-( )(1/2/3)</b>	1,825.	2,103.	2,840.
	36"	42"	<b>RCAWF364222-( )(1/2/3)</b>	1,919.	2,212.	2,986.
	36"	48"	<b>RCAWF364822-( )(1/2/3)</b>	2,025.	2,331.	3,147.
	42"	36"	<b>RCAWF423622-( )(1/2/3)</b>	1,919.	2,212.	2,986.
	42"	42"	<b>RCAWF424222-( )(1/2/3)</b>	2,025.	2,331.	3,147.
	42"	48"	<b>RCAWF424822-( )(1/2/3)</b>	2,193.	2,525.	3,407.
	48"	36"	<b>RCAWF483622-( )(1/2/3)</b>	2,025.	2,331.	3,147.
	48"	42"	<b>RCAWF484222-( )(1/2/3)</b>	2,193.	2,525.	3,407.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	<b>RCAWF363612-( )(1/2/3)</b>	1,683.	1,935.	2,612.
	36"	42"	<b>RCAWF364212-( )(1/2/3)</b>	1,781.	2,045.	2,760.
	36"	48"	<b>RCAWF364812-( )(1/2/3)</b>	1,883.	2,165.	2,923.
	42"	36"	<b>RCAWF423612-( )(1/2/3)</b>	1,781.	2,045.	2,760.
	42"	42"	<b>RCAWF424212-( )(1/2/3)</b>	1,883.	2,165.	2,923.
	42"	48"	<b>RCAWF424812-( )(1/2/3)</b>	2,050.	2,356.	3,180.
	48"	36"	<b>RCAWF483612-( )(1/2/3)</b>	1,883.	2,165.	2,923.
	48"	42"	<b>RCAWF484212-( )(1/2/3)</b>	2,050.	2,356.	3,180.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	<b>RCAWF363621-( )(1/2/3)</b>	1,683.	1,935.	2,612.
	36"	42"	<b>RCAWF364221-( )(1/2/3)</b>	1,781.	2,045.	2,760.
	36"	48"	<b>RCAWF364821-( )(1/2/3)</b>	1,883.	2,165.	2,923.
	42"	36"	<b>RCAWF423621-( )(1/2/3)</b>	1,781.	2,045.	2,760.
	42"	42"	<b>RCAWF424221-( )(1/2/3)</b>	1,883.	2,165.	2,923.
	42"	48"	<b>RCAWF424821-( )(1/2/3)</b>	2,050.	2,356.	3,180.
	48"	36"	<b>RCAWF483621-( )(1/2/3)</b>	1,883.	2,165.	2,923.
	48"	42"	<b>RCAWF484221-( )(1/2/3)</b>	2,050.	2,356.	3,180.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RCAWF363611F2</b> <b>R</b> Reff <b>C</b> Curved front corner <b>A</b> 1 1/4" thick <b>WF</b> Waterfall front <b>36</b> 36" wide on left back <b>36</b> 36" wide on right back <b>1</b> 20" deep on left side <b>1</b> 20" deep on right side <b>F</b> Standard grommet <b>2</b> V2 finish <b>V319</b> Medium cherry <b>111</b> Jet Black (grommet)	To order please specify pattern number including: 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish  1. Grommet options: N = No grommet F = Standard corner location or Flush  2. Finish type: 1 = V1 2 = V2 3 = V3	Radius of curved front changes with overall top size. See Planning Guide.  Products on this page are shipped without hardware which must be ordered separately from the support components section.  Curvilinear worksurfaces only available in 1 1/4" thick.  See Planning Guide for grommet locations.

Waterfall tops cannot be specified with semi-open pore finish.

**Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.**

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.



Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak



# Waterfall Edge 1 1/4"

## 2" Waterfall edge meeting tops

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	<b>RMDAWF4230-( )(1/2/3)</b>	\$2,058.	\$2,368.	\$3,195.
		48"	<b>RMDAWF4830-( )(1/2/3)</b>	2,220.	2,552.	3,445.
		54"	<b>RMDAWF5430-( )(1/2/3)</b>	2,382.	2,740.	3,700.
		60"	<b>RMDAWF6030-( )(1/2/3)</b>	2,546.	2,927.	3,950.
		66"	<b>RMDAWF6630-( )(1/2/3)</b>	2,711.	3,119.	4,211.
		72"	<b>RMDAWF7230-( )(1/2/3)</b>	2,878.	3,311.	4,469.
		78"	<b>RMDAWF7830-( )(1/2/3)</b>	3,259.	3,742.	5,054.
		84"	<b>RMDAWF8430-( )(1/2/3)</b>	3,636.	4,180.	5,643.
		90"	<b>RMDAWF9030-( )(1/2/3)</b>	4,058.	4,667.	6,301.
	96"	<b>RMDAWF9630-( )(1/2/3)</b>	4,481.	5,151.	6,954.	
	36"	42"	<b>RMDAWF4236-( )(1/2/3)</b>	2,270.	2,608.	3,520.
		48"	<b>RMDAWF4836-( )(1/2/3)</b>	2,480.	2,852.	3,851.
		54"	<b>RMDAWF5436-( )(1/2/3)</b>	2,834.	3,263.	4,404.
		60"	<b>RMDAWF6036-( )(1/2/3)</b>	3,181.	3,658.	4,939.
		66"	<b>RMDAWF6636-( )(1/2/3)</b>	3,236.	3,723.	5,026.
		72"	<b>RMDAWF7236-( )(1/2/3)</b>	3,290.	3,784.	5,109.
		78"	<b>RMDAWF7836-( )(1/2/3)</b>	3,703.	4,259.	5,746.
		84"	<b>RMDAWF8436-( )(1/2/3)</b>	4,121.	4,738.	6,396.
90"		<b>RMDAWF9036-( )(1/2/3)</b>	4,341.	4,998.	6,744.	
Wrap around panel top 	21 1/2"	42 1/2"	<b>RMDAWF4221-( )(1/2/3)( )</b>	2,649.	3,044.	4,109.
	25 1/2"	50 1/2"	<b>RMDAWF5025-( )(1/2/3)( )</b>	2,903.	3,338.	4,506.





\*specify mating end trim profile

Order Code	Specification Information	Application Notes
Example: <b>RMDAWF4230N2</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
<b>R</b> Reff	1. Top thickness	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>MD</b> Meeting D-shaped top	2. Grommet option	
<b>A</b> 1 1/4" thick	3. Top finish type	Refer to Planning Guide for modesty panel size requirements and all other support options.
<b>WF</b> Waterfall all except flat side	4. Top finish	
<b>42</b> 42" wide	5. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
<b>30</b> 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	
<b>N</b> No grommet	2. <i>Grommet options:</i> N = No grommet	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
<b>2</b> V2 finish	F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
<b>V319</b> Medium cherry	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	Note wrap around panel tops only, require specification of mating trim profile.	
	A = Flat B = Square C = Bullnose E = Extruded Aluminum	Applicable finishes are listed on page 5 and 6.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

# Waterfall Edge 1 1/4"

## 2" Waterfall edge meeting tops P and 9

Reff Profiles


description	d	w	pattern no.	V1	V2	V3
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	<b>RMPAWF4230-( )(1/2/3)</b>	\$2,829.	\$3,252.	\$4,390.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	<b>RM9AWF4230-( )(1/2/3)</b>	2,829.	3,252.	4,390.
						
Worksurface 9-top	30"	84"	<b>RM9AWF8430-( )(1/2/3)</b>	5,756.	6,620.	8,936.
	30"	96"	<b>RM9AWF9630-( )(1/2/3)</b>	5,998.	6,893.	9,306.
Worksurface P-top	30"	84"	<b>RMPAWF8430-( )(1/2/3)</b>	5,756.	6,620.	8,936.
	30"	96"	<b>RMPAWF9630-( )(1/2/3)</b>	5,998.	6,893.	9,306.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RM9AWF8430N2</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
<b>R</b> Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>M9</b> Meeting 9-shaped top	2. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
<b>A</b> 1 1/4" thick	3. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>WF</b> Waterfall all except flat side	4. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>84</b> 84" wide	5. Grommet finish	Applicable finishes are listed on page 5 and 6.
<b>30</b> 30" deep	1. <i>Thickness option:</i> A = 1 1/4"	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>N</b> No grommet	2. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
<b>2</b> V2 finish	3. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	
<b>V319</b> Medium cherry	Note wrap around panel tops only, require specification of mating trim profile.	

# Waterfall Edge 1 1/4"


## 2" Waterfall edge bow front tops

description	w	d	h	pattern no.	L	V1	V2	V3
 30"D	72"	30"		<b>RMBAWA7230-( )(1/2/3)</b>		\$2,854.	\$3,287.	\$4,437.
	84"	30"		<b>RMBAWA8430-( )(1/2/3)</b>		3,151.	3,625.	4,891.
	96"	30"		<b>RMBAWA9630-( )(1/2/3)</b>		3,496.	4,019.	5,427.

Use 29" deep pedestals or end panels.  
**Do not** use 23" deep pedestals if using recessed modesty.

 36"D	72"	36"		<b>RMBAWA7236-( )(1/2/3)</b>		3,036.	3,492.	4,712.
	84"	36"		<b>RMBAWA8436-( )(1/2/3)</b>		3,332.	3,832.	5,172.
	96"	36"		<b>RMBAWA9636-( )(1/2/3)</b>		3,696.	4,245.	5,731.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).  
 Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	w	d	h	pattern no.	L	V1	V2	V3
	40"	1"	26 1/2"	<b>RB40MR-( )</b>	332.	427.	489.	661.
	52"	1"	26 1/2"	<b>RB52MR-( )</b>	390.	503.	578.	781.
	64"	1"	26 1/2"	<b>RB64MR-( )</b>	422.	541.	625.	845.

### Use of short modesty panel

Pedestals must be ordered separately with individual back panels.  
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.  
 Order:  
 40" modesty for 72" bow top  
 52" modesty for 84" bow top  
 64" modesty for 96" bow top  
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.  
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.



Order Code	Specification Information	Application Notes
Example: <b>RMBAWA7230(F)2</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
<b>R</b> Reff	1. Grommet option	Shipped with hardware. Refer to page 0 of planning guide for application details.
<b>MB</b> Bow front with Waterfall edge	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
<b>A</b> 1 1/4" thick	3. Top finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>WA</b> Waterfall front/back	4. Grommet finish	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>72</b> 72" wide	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
<b>30</b> 30" deep	N = No grommet	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
<b>F</b> Flush front grommet position	F = Flush front grommet location	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>2</b> V2 finish	R = Recessed front	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>V319</b> Medium cherry	A = Alternate location (for 36"D tops only)	
<b>111</b> Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak

# Waterfall Edge 1 1/4"

## *Waterfall elliptical tops and bulkhead*

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall elliptical tops 	60"	30"		<b>REBAWA6030( )</b>		\$4,033.	\$4,636.	\$6,260.
	72"	42"		<b>REBAWA7242( )</b>		5,733.	6,597.	8,906.
	78"	48"		<b>REBAWA7848( )</b>		6,291.	7,237.	9,771.
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	<b>REBH24</b>	468.	707.	819.	1,105.
	16"	30"	26 1/2"	<b>REBH30</b>	484.	720.	839.	1,132.

Order Code	Specification Information	Application Notes
Example: <b>REBAWA6030</b>	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
<b>R</b> Reff	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
<b>EB</b> Elliptical Waterfall	2. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>A</b> 1 1/4" thick	3. Top finish	<b>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>WA</b> Waterfall front/back	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
<b>60</b> 60" wide	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 0 of planning guide for application details.
<b>30</b> 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
<b>F</b> Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
<b>2</b> V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
<b>V319</b> Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>111</b> Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	





Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:  
 Y341 Wenge  
 Y342 Medium Teak  
 Y343 Dark Grey Oak

# Waterfall Edge 1 1/4"

## 2" Waterfall edge conference room tops round and racetrack






Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	<b>RTAW7230-(1/2/3)</b>	\$4,033.	\$4,636.	\$6,260.
	72"	36"	<b>RTAW7236-(1/2/3)</b>	4,597.	5,284.	7,133.
	84"	30"	<b>RTAW8430-(1/2/3)</b>	4,489.	5,162.	6,970.
	84"	36"	<b>RTAW8436-(1/2/3)</b>	5,168.	5,943.	8,021.
	84"	42"	<b>RTAW8442-(1/2/3)</b>	6,291.	7,237.	9,771.
	96"	30"	<b>RTAW9630-(1/2/3)</b>	4,998.	5,745.	7,758.
	96"	42"	<b>RTAW9642-(1/2/3)</b>	7,044.	8,099.	10,932.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	<b>RTAW12036-(1/2/3)</b>	7,407.	8,515.	11,497.
	120"	42"	<b>RTAW12042-(1/2/3)</b>	7,987.	9,182.	12,398.
	144"	42"	<b>RTAW14442-(1/2/3)</b>	8,807.	10,127.	13,672.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	<b>RTAW16842-(1/2/3)</b>	11,043.	12,701.	17,146.
	192"	42"	<b>RTAW19242-(1/2/3)</b>	11,864.	13,645.	18,423.
			RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center			
Round tops, Waterfall edge on all sides except on parting lines 	*	60"	<b>RTAW6060-(1/2/3)</b>	6,788.	7,801.	10,533.
	*	72"	<b>RTAW7272-(1/2/3)</b>	8,401.	9,659.	13,040.
	-	36"	<b>RTAW3636-(1/2/3)</b>	2,270.	3,043.	4,108.
	-	42"	<b>RTAW4242-(1/2/3)</b>	2,628.	3,526.	4,761.

Order Code	Specification Information	Application Notes
Example: <b>RTAW72302</b>	<i>To order please specify pattern number including:</i>	Top to top brackets included.
<b>R</b> Reff	1. Top thickness	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>T</b> Rounded top	2. Finish type	Applicable finishes are listed on page 5 and 6.
<b>A</b> 1 1/4" thick	3. Finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
<b>W</b> Waterfall all sides	1. <i>Thickness option:</i> A = 1 1/4"	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>72</b> 72" wide	2. <i>Finish type:</i> 1 = V1 2 = V2 3 = V3	Tops have no radius on edges that adjoin.
<b>30</b> 30" deep		All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
<b>2</b> V2 finish		Waterfall tops cannot be specified with semi-open pore finish.
<b>V319</b> Medium cherry	*Round tops in two pieces.	

# Waterfall Edge 1 1/4"



## 2" Waterfall edge conference room tops square and rectangular

description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	<b>RRAW7230-(1/2/3)</b>	\$2,129.	\$2,451.	\$3,310.
	72"	36"	<b>RRAW7236-(1/2/3)</b>	2,314.	2,662.	3,593.
	84"	30"	<b>RRAW8430-(1/2/3)</b>	2,356.	2,711.	3,660.
	84"	36"	<b>RRAW8436-(1/2/3)</b>	2,532.	2,908.	3,926.
	84"	42"	<b>RRAW8442-(1/2/3)</b>	3,742.	4,301.	5,808.
	96"	30"	<b>RRAW9630-(1/2/3)</b>	2,643.	3,041.	4,105.
	96"	42"	<b>RRAW9642-(1/2/3)</b>	4,291.	4,935.	6,662.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	<b>RRAW12036-(1/2/3)</b>	4,681.	5,389.	7,275.
	120"	42"	<b>RRAW12042-(1/2/3)</b>	6,462.	7,432.	10,034.
	144"	42"	<b>RRAW14442-(1/2/3)</b>	7,259.	8,349.	11,270.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	<b>RRAW16842-(1/2/3)</b>	9,518.	10,949.	14,784.
	192"	42"	<b>RRAW19242-(1/2/3)</b>	10,314.	11,859.	16,011.
RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center						
Square top - one piece 	-	36"	<b>RRAW3636-(1/2/3)</b>	1,647.	2,206.	2,981.
	-	42"	<b>RRAW4242-(1/2/3)</b>	2,129.	2,857.	3,857.
Square top - two piece, Waterfall edge not on parting lines 	-	60"	<b>RRAW6060-(1/2/3)</b>	4,362.	5,014.	6,769.
	-	72"	<b>RRAW7272-(1/2/3)</b>	5,151.	5,925.	7,997.

Order Code	Specification Information	Application Notes
Example: <b>RRAW72302</b> <b>R</b> Reff <b>R</b> Rectangular <b>A</b> 1 1/4" thick <b>W</b> Waterfall all sides <b>72</b> 72" wide <b>30</b> 30" deep <b>2</b> V2 finish <b>V319</b> Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish  1. Thickness option: A = 1 1/4"  2. Finish type: 1 = V1 2 = V2 3 = V3  Applicable finishes are listed on page 5 and 6.  Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.  Top to top brackets included.  Tops have no radius on edges that adjoin.  See table base matrix in Planning Guide for base supports recommended.  Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.  Waterfall tops cannot be specified with semi-open pore finish.

# Cascade Edge 1 1/4" Rectilinear 24" and 30" deep


Reff Profiles

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  shown with grommet	24"	24"	<b>RCE1R2424N</b>	\$245.	\$213.
	24"	30"	<b>RCE1R3024N</b>	282.	245.
	24"	36"	<b>RCE1R3624N</b>	312.	270.
	24"	42"	<b>RCE1R4224N</b>	359.	312.
	24"	48"	<b>RCE1R4824N</b>	403.	350.
	24"	54"	<b>RCE1R5424N</b>	432.	376.
	24"	60"	<b>RCE1R6024N</b>	469.	408.
	24"	66"	<b>RCE1R6624N</b>	506.	441.
	24"	72"	<b>RCE1R7224N</b>	530.	461.
	24"	78"	<b>RCE1R7824N</b>	568.	495.
	24"	84"	<b>RCE1R8424N</b>	601.	523.
	24"	90"	<b>RCE1R9024N</b>	677.	590.
24"	96"	<b>RCE1R9624N</b>	740.	644.	
30"D Rectangular  shown with grommet	30"	24"	<b>RCE1R2430N</b>	313.	271.
	30"	30"	<b>RCE1R3030N</b>	350.	305.
	30"	36"	<b>RCE1R3630N</b>	390.	339.
	30"	42"	<b>RCE1R4230N</b>	422.	368.
	30"	48"	<b>RCE1R4830N</b>	469.	408.
	30"	54"	<b>RCE1R5430N</b>	531.	462.
	30"	60"	<b>RCE1R6030N</b>	583.	508.
	30"	66"	<b>RCE1R6630N</b>	651.	566.
	30"	72"	<b>RCE1R7230N</b>	677.	590.
	30"	78"	<b>RCE1R7830N</b>	723.	629.
	30"	84"	<b>RCE1R8430N</b>	769.	669.
	30"	90"	<b>RCE1R9030N</b>	827.	719.
30"	96"	<b>RCE1R9630N</b>	884.	769.	

Order Code	Specification Information	Application Notes
Example: <b>RCE1R3024N 118</b>	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
<b>R</b> Reff	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
<b>CE1</b> Cascade edge	<i>Solid:</i>	All support hardware ordered separately.
<b>R</b> Rectangular	114 Folkstone Grey	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>30</b> Width	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
<b>24</b> Depth	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
<b>N</b> No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
<b>118</b> Finish	<i>Woodgrain:</i>	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	




# Cascade Edge 1 1/4" Blended "D"

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	48"	24"	66"	<b>RCE1BD6648S(L/R)</b>	\$992.	\$863.
	48"	24"	72"	<b>RCE1BD7248S(L/R)</b>	1,016.	882.
	48"	24"	78"	<b>RCE1BD7848S(L/R)</b>	1,172.	1,019.
	48"	24"	84"	<b>RCE1BD8448S(L/R)</b>	1,204.	1,047.
	48"	30"	66"	<b>RCE1BD6648D(L/R)</b>	1,044.	907.
	48"	30"	72"	<b>RCE1BD7248D(L/R)</b>	1,082.	940.
	48"	30"	78"	<b>RCE1BD7848D(L/R)</b>	1,211.	1,054.
	48"	30"	84"	<b>RCE1BD8448D(L/R)</b>	1,279.	1,113.

Order Code	Specification Information	Application Notes
Example: <b>RCE1BD6648SR 118</b>	<i>To order please specify pattern number including:</i>	All support hardware ordered separately.
<b>R</b> Reff	1. Return depth (dimension C on line art, hard coded in pattern number )	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
<b>CE1</b> Cascade edge	S = 24" return	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
<b>BD</b> Blended "D"	D = 30" return	Cascade edge worksurfaces are not recommended for free-standing applications.
<b>66</b> Width	2. Hand ( left or right )	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
<b>48</b> Depth	3. Finish	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
<b>S</b> 24" return	<i>Solid:</i>	
<b>R</b> right hand	114 Folkstone Grey	
<b>118</b> Finish	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

# Cascade Edge 1 1/4"

## Curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
Curvilinear corner	24"	24"	36"	<b>RCE1L3636SSN</b>	\$614.	\$533.
 <p>shown with grommets</p>	24"	24"	42"	<b>RCE1L4242SSN</b>	740.	644.
	24"	24"	48"	<b>RCE1L4848SSN</b>	832.	723.
	24"	30"	42"	<b>RCE1L4242DSN</b>	878.	765.
	24"	30"	48"	<b>RCE1L4848DSN</b>	996.	866.
	30"	24"	42"	<b>RCE1L4242SDN</b>	878.	765.
	30"	24"	48"	<b>RCE1L4848SDN</b>	996.	866.
	30"	30"	48"	<b>RCE1L4848DDN</b>	894.	777.

### Order Code

Example: <b>RCE1L3636SSN 114</b>
<b>RCE1</b> Reff Cascade Edge worksurface
<b>L</b> Curvilinear Corner top
<b>36</b> Width
<b>36</b> Depth
<b>S</b> 24" d, left side
<b>S</b> 24" d, right side
<b>N</b> No grommet
<b>114</b> Folkstone Grey finish
Grain Direction

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.

### Specification Information

To order please specify pattern number including:

1. Return depths (hard coded in pattern number)  
 SS = 24" d left and right  
 SD = 24" d left, 30" d right  
 DS = 30" d left, 24" d right  
 DD = 30" d left and right

2. Grommets ( hard coded in pattern number )  
 N= no grommets  
 G= grommets

To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.

3. Finish  
**Solid:**  
 114 Folkstone Grey  
 117 Soft Grey  
 118 Bright White  
 119 Pumice

Woodgrain:  
 124 Medium Cherry  
 125 Natural Maple  
 126 Natural Cherry  
 127 Walnut

Graing Direction:  
 D = Diagonal  
 L = Left hand  
 N = Not required  
 R = Right hand

### Application Notes

Center-located edge grommets, located on center of sides marked A.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.  
 Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

# Cascade Edge 1 1/4" Blended "L"

description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	<b>RCE1L4260SSN</b>	\$1,017.	\$884.
	42"	66"	24"	24"	<b>RCE1L4266SSN</b>	1,044.	907.
	42"	72"	24"	24"	<b>RCE1L4272SSN</b>	1,084.	941.
	42"	78"	24"	24"	<b>RCE1L4278SSN</b>	1,094.	953.
	48"	60"	24"	24"	<b>RCE1L4860SSN</b>	1,029.	896.
	48"	60"	24"	30"	<b>RCE1L4860SDN</b>	1,012.	878.
	48"	60"	30"	24"	<b>RCE1L4860DSN</b>	1,012.	878.
	48"	66"	24"	24"	<b>RCE1L4866SSN</b>	1,066.	928.
	48"	66"	24"	30"	<b>RCE1L4866SDN</b>	1,063.	924.
	48"	66"	30"	24"	<b>RCE1L4866DSN</b>	1,063.	924.
	48"	72"	24"	24"	<b>RCE1L4872SSN</b>	1,106.	962.
	48"	72"	24"	30"	<b>RCE1L4872SDN</b>	1,113.	967.
	48"	72"	30"	24"	<b>RCE1L4872DSN</b>	1,113.	967.
	48"	78"	24"	24"	<b>RCE1L4878SSN</b>	1,219.	1,060.
	48"	84"	24"	24"	<b>RCE1L4884SSN</b>	1,371.	1,191.
	60"	42"	24"	24"	<b>RCE1L6042SSN</b>	1,017.	884.
	60"	48"	24"	24"	<b>RCE1L6048SSN</b>	1,029.	896.
	60"	48"	24"	30"	<b>RCE1L6048SDN</b>	1,012.	878.
	60"	48"	30"	24"	<b>RCE1L6048DSN</b>	1,012.	878.
	66"	42"	24"	24"	<b>RCE1L6642SSN</b>	1,044.	907.
	66"	48"	24"	24"	<b>RCE1L6648SSN</b>	1,066.	928.
	66"	48"	24"	30"	<b>RCE1L6648SDN</b>	1,063.	924.
	66"	48"	30"	24"	<b>RCE1L6648DSN</b>	1,063.	924.
	72"	42"	24"	24"	<b>RCE1L7242SSN</b>	1,084.	941.
	72"	48"	24"	24"	<b>RCE1L7248SSN</b>	1,106.	962.
	72"	48"	24"	30"	<b>RCE1L7248SDN</b>	1,113.	967.
	72"	48"	30"	24"	<b>RCE1L7248DSN</b>	1,113.	967.
	78"	42"	24"	24"	<b>RCE1L7842SSN</b>	1,094.	953.
	78"	48"	24"	24"	<b>RCE1L7848SSN</b>	1,219.	1,060.
	84"	48"	24"	24"	<b>RCE1L8448SSN</b>	1,371.	1,191.





Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: <b>RCE1L4260SSG 114</b></p> <p><b>RCE1</b> Cascade edge worksurface</p> <p><b>L</b> Blended "L" top</p> <p><b>42</b> Width</p> <p><b>60</b> Depth</p> <p><b>S</b> 24"d, left side</p> <p><b>S</b> 24"d, right side</p> <p><b>G</b> Grommets</p> <p><b>114</b> Top finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number):            SS = 24"d left and right            SD = 24"d left, 30"d right            DS = 30"d left, 24"d right</p> <p>2. Grommets ( hard coded in pattern number):            N= no grommets            G= grommets</p> <p>3. Finishes:  <b>Solid:</b>            114 Folkstone Grey            117 Soft Grey            118 Bright White            119 Pumice</p> <p>Woodgrain:            124 Medium Cherry            125 Natural Maple            126 Natural Cherry            127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked B and C.</p> <p>All support hardware ordered separately.</p> <p>Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal.            Actual depth 3/8" less nominal for cord drop.</p>
<p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p>		<p>Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p>

# Cascade Edge 1 1/4"

## Half round and corner round

Reff Profiles

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	<b>RCE1H4818</b>	\$530.	\$461.
	50 1/2"	18"	<b>RCE1H4818P</b>	530.	461.
	60"	24"	<b>RCE1H6024</b>	731.	634.
	62 1/2"	24"	<b>RCE1H6024P</b>	731.	634.
 LH Corner Round	24"	24"	<b>RCE1CR24L</b>	282.	245.
 RH Corner Round	24"	24"	<b>RCE1CR24R</b>	282.	245.
 Notched Corner Round	24"	24"	<b>RCE1CR24N</b>	282.	245.

### Order Code

Example:	<b>RCE1H4818P 118</b>
<b>R</b>	Reff
<b>CE1</b>	Cascade edge
<b>H</b>	Half round
<b>48</b>	Width
<b>18</b>	Depth
<b>P</b>	Notch for panel trim
<b>118</b>	Finish

### Specification Information

To order please specify pattern number including finish:  
Available finishes:

#### Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

#### Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

### Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Specify cantilever bracket from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Half round tops with suffix P, notched for panel end trim profile B square only.

Cascade edge worksurfaces are not recommended for free-standing applications.


Actual width 1/16" less nominal.  
Actual depth 3/8" less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

# Cascade Edge 1 1/4" Wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	3"	15"	<b>RCE1W363024N</b>	\$659.	\$573.
	42"	24"	30"	9"	15"	<b>RCE1W423024N</b>	693.	602.
	48"	24"	30"	15"	15"	<b>RCE1W483024N</b>	742.	645.
	72"	24"	30"	30 1/2"	23 1/2"	<b>RCE1W723024N</b>	942.	821.

shown with grommet

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, RH 	36"	30"	24"	15"	3"	<b>RCE1W362430N</b>	659.	573.
	42"	30"	24"	15"	9"	<b>RCE1W422430N</b>	693.	602.
	48"	30"	24"	15"	15"	<b>RCE1W482430N</b>	742.	645.
	72"	30"	24"	23 1/2"	30 1/2"	<b>RCE1W722430N</b>	942.	821.

shown with grommet

Worksurfaces

Order Code	Specification Information
Example: <b>RCE1W483024N 118</b>	<i>To order please specify pattern number including finish:</i>
<b>RCE1</b> Cascade edge worksurface	Available finishes:
<b>W</b> Wave end	<i>Solid:</i>
<b>48</b> Width	114 Folkstone Grey
<b>30</b> Depth, left side	117 Soft Grey
<b>24</b> Depth, right side	118 Bright White
<b>N</b> No grommet	119 Pumice
<b>118</b> Top finish	<i>Woodgrain:</i>
	124 Medium Cherry
	125 Natural Maple
	126 Natural Cherry
	127 Walnut

**Application Notes**

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.


Specify cantilever bracket ( ASBC18( L/R ) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.  
Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Worksurface 1 1/2"  
 rectilinear  
 20" and 24" deep


description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSD241-()()()	\$346.	\$377.	\$434.	\$584.
		30"	RSD301-()()()	378.	414.	475.	642.
		36"	RSD361-()()()	401.	437.	502.	679.
		42"	RSD421-()()()	415.	457.	525.	709.
		48"	RSD481-()()()	437.	474.	545.	734.
		54"	RSD541-()()()	454.	492.	570.	770.
		60"	RSD601-()()()	513.	534.	614.	830.
		66"	RSD661-()()()	502.	549.	633.	854.
		72"	RSD721-()()()	530.	579.	663.	896.
		78"	RSD781-()()()	538.	584.	674.	911.
		84"	RSD841-()()()	570.	625.	717.	967.
		90"	RSD901-()()()	596.	650.	745.	1,008.
		96"	RSD961-()()()	618.	674.	774.	1,044.
		102"	RSD1021-()()()	680.	742.	852.	1,148.
	108"	RSD1081-()()()	748.	816.	936.	1,263.	
	24"	24"	RSD242-()()()	364.	396.	457.	617.
		30"	RSD302-()()()	411.	447.	517.	696.
		36"	RSD362-()()()	424.	468.	536.	723.
		42"	RSD422-()()()	442.	481.	553.	745.
		48"	RSD482-()()()	469.	517.	593.	799.
		54"	RSD542-()()()	502.	549.	633.	854.
		60"	RSD602-()()()	541.	591.	678.	915.
		66"	RSD662-()()()	555.	619.	701.	947.
		72"	RSD722-()()()	583.	636.	733.	991.
78"		RSD782-()()()	612.	665.	769.	1,037.	
84"		RSD842-()()()	634.	693.	797.	1,076.	
90"		RSD902-()()()	665.	724.	832.	1,122.	
96"		RSD962-()()()	689.	752.	866.	1,169.	
102"		RSD1022-()()()	758.	827.	953.	1,285.	
108"	RSD1082-()()()	833.	909.	1,048.	1,414.		

Order Code	Specification Information	Application Notes
Example: <b>RSD241RL</b>	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
<b>R</b> Reff	1. Grommet option: F=Flush front grommet location N=No grommet R=Recessed front (not recommended for 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>S</b> Straight top	2. Grommet finish: Painted, Plated	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>D</b> 1 1/2" thick	3. Top finish: L, V1, V2, V3	Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.
<b>24</b> 24" wide		
<b>1</b> 20" deep		
<b>R</b> Recessed grommet location		
<b>111</b> Jet Black (grommet)		
<b>V316</b> Top finish		

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

**Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.**

Worksurface 1 1/2"  
rectilinear  
30" and 36" deep


description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSD243-()()()	\$397.	\$431.	\$493.	\$666.
		30"	RSD303-()()()	446.	485.	558.	755.
		36"	RSD363-()()()	478.	524.	600.	810.
		42"	RSD423-()()()	499.	544.	626.	847.
		48"	RSD483-()()()	534.	581.	666.	901.
		54"	RSD543-()()()	576.	628.	720.	972.
		60"	RSD603-()()()	597.	651.	747.	1,010.
		66"	RSD663-()()()	608.	664.	768.	1,036.
		72"	RSD723-()()()	625.	681.	783.	1,057.
		78"	RSD783-()()()	653.	714.	821.	1,107.
		84"	RSD843-()()()	679.	742.	853.	1,153.
		90"	RSD903-()()()	711.	776.	894.	1,207.
		96"	RSD963-()()()	735.	804.	925.	1,248.
	102"	RSD1023-()()()	810.	885.	1,018.	1,374.	
	108"	RSD1083-()()()	890.	973.	1,120.	1,511.	
	36"	60"	RSD604-()()()	688.	751.	861.	1,153.
		66"	RSD664-()()()	711.	777.	895.	1,208.
		72"	RSD724-()()()	734.	803.	924.	1,247.

Order Code	Specification Information	Application Notes
Example: <b>RSD243RL</b>	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
<b>R</b> Reff	1. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops) A = Alternate location (for 36"D tops only)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
<b>S</b> Straight top	2. Grommet finish: Painted, Plated	These worksurfaces are predrilled with pilot holes for use with wood screws.
<b>D</b> 1 1/2" thick	3. Finish: L, V1, V2, V3	Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.
<b>36</b> 36" wide		<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</b>
<b>3</b> 30" deep		<b>Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.</b>
<b>R</b> Recessed grommet location		
<b>111</b> Jet Black (grommet)		
<b>V316</b> Top finish		



# Worksurface 1 1/2" Bridge rectilinear

Reff Profiles

description	d	w	pattern no.	L	V1	V2	V3
Worksurface, bridge rectilinear 	20"	36"	<b>RBD361H</b> ( ) ( ) ( )	\$401.	\$437.	\$502.	\$679.
		36"	<b>RBD361V</b> ( ) ( ) ( )	401.	437.	502.	679.
		42"	<b>RBD421H</b> ( ) ( ) ( )	415.	457.	525.	709.
		42"	<b>RBD421V</b> ( ) ( ) ( )	415.	457.	525.	709.
		48"	<b>RBD481H</b> ( ) ( ) ( )	437.	474.	545.	734.
		48"	<b>RBD481V</b> ( ) ( ) ( )	437.	474.	545.	734.
		54"	<b>RBD541V</b> ( ) ( ) ( )	454.	492.	570.	770.
		54"	<b>RBD541H</b> ( ) ( ) ( )	454.	492.	570.	770.
	24"	36"	<b>RBD362H</b> ( ) ( ) ( )	424.	468.	536.	723.
		36"	<b>RBD362V</b> ( ) ( ) ( )	424.	468.	536.	723.
		42"	<b>RBD422H</b> ( ) ( ) ( )	442.	481.	553.	745.
		42"	<b>RBD422V</b> ( ) ( ) ( )	442.	481.	553.	745.
		48"	<b>RBD482H</b> ( ) ( ) ( )	469.	517.	593.	799.
		48"	<b>RBD482V</b> ( ) ( ) ( )	469.	517.	593.	799.
54"		<b>RBD542H</b> ( ) ( ) ( )	502.	549.	633.	854.	
54"		<b>RBD542V</b> ( ) ( ) ( )	502.	549.	633.	854.	

## Order Code

Example: <b>RBD361H</b>	
<b>R</b>	Reff
<b>B</b>	Bridge
<b>D</b>	1 1/2"
<b>36</b>	36" wide
<b>H/V</b>	
<b>F</b>	Grommet type
<b>115</b>	Grommet finish
<b>114</b>	Laminate

## Specification Information

- To order please specify pattern number including:*
- Options for grain direction  
H=Horizontal grain direction  
V=Vertical grain direction
  - Grommet type:  
N=No grommet  
F=Flush front grommet locaton
  - Grommet finish:  
Painted, Plated
  - Finish  
L, V1, V2, V3


## Application Notes

- Modesty sold separately
  - Stiffener sold separately
  - Assembly required.
  - Worksurface stiffeners recommended to provide additional support for open spans greater than 54" w.
  - Hardware not included.
- J-Bracket sold separately.  
Above dimensions are all nominal.

# Worksurface Credenza

## 1" No grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	<b>RCE601()</b>	\$472.	\$472.	\$543.	\$734.
		66"	<b>RCE661()</b>	486.	486.	560.	756.
		72"	<b>RCE721()</b>	512.	512.	587.	793.
		78"	<b>RCE781()</b>	517.	517.	596.	805.
		84"	<b>RCE841()</b>	553.	553.	634.	856.
		90"	<b>RCE901()</b>	575.	575.	659.	892.
		96"	<b>RCE961()</b>	596.	596.	685.	924.
		102"	<b>RCE1021()</b>	656.	656.	754.	1,017.
	108"	<b>RCE1081()</b>	722.	722.	829.	1,118.	
	24"	60"	<b>RCE602()</b>	523.	523.	599.	810.
		66"	<b>RCE662()</b>	539.	539.	621.	837.
		72"	<b>RCE722()</b>	562.	562.	649.	877.
		78"	<b>RCE782()</b>	589.	589.	681.	918.
		84"	<b>RCE842()</b>	614.	614.	706.	953.
		90"	<b>RCE902()</b>	641.	641.	736.	993.
		96"	<b>RCE962()</b>	665.	665.	766.	1,034.
102"		<b>RCE1022()</b>	732.	732.	843.	1,137.	
108"	<b>RCE1082()</b>	805.	805.	927.	1,251.		


Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RCE601</b>	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	No grommet options  Credenza tops are drilled to accept pedestals and end panels.  Credenza tops are predrilled with pilot holes for use with wood screws.  1" Credenza tops are recommended to work with the Task Panel application.  Credenza tops are intended to be supported by full lower storage.
<b>R</b> Reff		
<b>C</b> Credenza Top		
<b>E</b> 1"		
<b>60</b> width		
<b>1</b> 20"		
<b>V316</b> Finish		

# Worksurface Credenza

## 1" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20"	60"	<b>RCEEG601()</b>	\$660.	\$660.	\$760.	\$1,028.
		66"	<b>RCEEG661()</b>	681.	681.	785.	1,059.
		72"	<b>RCEEG721()</b>	717.	717.	822.	1,110.
		78"	<b>RCEEG781()</b>	724.	724.	835.	1,128.
		84"	<b>RCEEG841()</b>	775.	775.	888.	1,198.
		90"	<b>RCEEG901()</b>	804.	804.	923.	1,248.
		96"	<b>RCEEG961()</b>	835.	835.	959.	1,294.
		102"	<b>RCEEG1021()</b>	919.	919.	1,055.	1,422.
	108"	<b>RCEEG1081()</b>	1,010.	1,010.	1,161.	1,566.	
	24"	60"	<b>RCEEG602()</b>	732.	732.	839.	1,133.
		66"	<b>RCEEG662()</b>	754.	754.	869.	1,172.
		72"	<b>RCEEG722()</b>	787.	787.	908.	1,227.
		78"	<b>RCEEG782()</b>	825.	825.	953.	1,284.
		84"	<b>RCEEG842()</b>	859.	859.	988.	1,334.
		90"	<b>RCEEG902()</b>	897.	897.	1,031.	1,391.
		96"	<b>RCEEG962()</b>	931.	931.	1,073.	1,448.
102"		<b>RCEEG1022()</b>	1,025.	1,025.	1,180.	1,592.	
108"	<b>RCEEG1082()</b>	1,127.	1,127.	1,298.	1,752.		

### Order Code

Example: <b>RCEEG601</b>
<b>R</b> Reff
<b>C</b> Credenza Top
<b>E</b> 1"
<b>EG</b> Edge Grommet
<b>60</b> Width
<b>1</b> 20"
<b>V316</b> Finish

### Specification Information

To order please specify pattern number including:  
 1. Top finish  
 L,V1,V2,V3

### Application Notes


These tops will always come with a cut out (notch) at the back of top.  
 No grommet option.

Credenza tops are drilled to accept pedestals.  
 Credenza tops are predrilled with pilot holes for use with wood screws.  
 1" Credenza tops are recommended to work with the Task Panel application.  
 Credenza tops are intended to be supported by full lower storage.  
 Edge grommet: 35mm deep, 6" in from back corner.

# Worksurface Credenza

## 1 1/2" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	<b>RCD601()</b>	\$726.	\$726.	\$836.	\$1,131.
		66"	<b>RCD661()</b>	749.	749.	863.	1,164.
		72"	<b>RCD721()</b>	788.	579.	904.	1,222.
		78"	<b>RCD781()</b>	796.	796.	919.	1,240.
		84"	<b>RCD841()</b>	852.	852.	977.	1,318.
		90"	<b>RCD901()</b>	885.	885.	1,016.	1,374.
		96"	<b>RCD961()</b>	919.	919.	1,055.	1,422.
		102"	<b>RCD1021()</b>	1,010.	1,010.	1,161.	1,566.
	108"	<b>RCD1081()</b>	1,111.	1,111.	1,276.	1,721.	
	24"	60"	<b>RCD602()</b>	805.	805.	923.	1,246.
		66"	<b>RCD662()</b>	829.	829.	957.	1,290.
		72"	<b>RCD722()</b>	866.	866.	999.	1,350.
		78"	<b>RCD782()</b>	907.	907.	1,049.	1,413.
		84"	<b>RCD842()</b>	946.	946.	1,087.	1,468.
		90"	<b>RCD902()</b>	987.	987.	1,134.	1,530.
		96"	<b>RCD962()</b>	1,025.	1,025.	1,180.	1,592.
102"		<b>RCD1022()</b>	1,127.	1,127.	1,298.	1,752.	
108"	<b>RCD1082()</b>	1,240.	1,240.	1,428.	1,927.		

Worksurfaces

### Order Code

Example: <b>RCEEG601</b>
<b>R</b> Reff
<b>C</b> Credenza
<b>D</b> 1 1/2" top
<b>60</b> Width
<b>1</b> 20"
<b>V316</b> Finish

### Specification Information

To order please specify pattern number including:  
 1. Finish  
 L,V1,V2,V3

### Application Notes

These tops will always come with a cut out (notch) at the back of top.  
 No grommet option.

Credenza tops are drilled to accept pedestals.  
 Credenza tops are predrilled with pilot holes for use with wood screws.  
 1" Credenza tops are recommended to work with the Task Panel application.  
 Credenza tops are intended to be supported by full lower storage.  
 Edge grommet: 35mm deep, 6" in from back corner.

# Peninsula 1 1/2


## Planning Guidelines and Specifications

### Peninsulas

Peninsulas for Reff Profiles are a central element in private office planning. Peninsulas are available in two styles; flush mounted and over-sailing. The flush mounted style is intended to connect tops which use full height pedestals for support, creating a flush transition

between the peninsula and the adjoining top. The over-sailing style of peninsula is designed to overlap low storage made up of  $\frac{3}{4}$  height cabinets with 1" credenza tops or Progressive low credenzas by using a stand-off to support the peninsula top and create a space between the top and the low storage element.

See diagrams below and page following for descriptions. Peninsulas are offered as complete assemblies including worksurface, leg(s), credenza support, and grommet options.



# Peninsula 1 1/2

## Planning Guidelines and Specifications

### Specification Options

Peninsulas are available with a variety of worksurface shapes including rectilinear, asymmetrical and symmetrical bullet, P, 9 and D shapes.

Peninsula tops are available in any Reff Profiles core laminate or veneer finish; see Reff Profiles finish options pages for further information.

Laminate tops are offered with color-matched edges or wood veneer edges as a mixed finish option. Edge material for veneer tops is wood.


Flush mounted peninsulas, previous page below right, come with Flush Mounting kit including two flush plates and connection hardware.

Over-sailing peninsulas are offered with two stand-off options; Power Center, previous page middle, and Simple stand-off, previous page left.


The Power Center kit is supplied with power center grommet, stand-off, round cable grommet and connection hardware. When specified with a Power Center, the peninsula

top is pre-drilled to accept the Power Center grommet. The Power Center stand-off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.


In the recommended mounting location, the peninsula top will be 2 1/2" from the wall or the back edge of the 1" credenza top (over 3/4 height pedestals). Refer to elevation diagrams below for details.



**Over-Sailing Style**  
Peninsula with Power Center



**Flush Mounted Style**  
Peninsula with Flush Mount



**Over-Sailing Style**  
Peninsula with Simple Stand-Off

# Peninsula 1 1/2

## Planning Guidelines and Specifications

The Simple Stand-Off kit is supplied with a simple stand-off, stand-off mount, round cable grommet and connection hardware. When specified, the peninsula top is pre-drilled to accept the 2 x 3 grommet. The Simple Stand-Off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.

Power center and 2 x 3 grommets are offered in three plated finishes; Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU) and all core paint finishes.

Stand-Off's are offered in all Reff Profiles core paint finishes.

### Rectilinear Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount



# Peninsula 1 1/2

## Planning Guidelines and Specifications

Leg options for Peninsulas include L-leg, reverse L-leg, soft rectangular leg, open frame leg and cylindrical column leg. L, reverse L, soft rectangular and open frame legs are offered with anodized finishes: Black (AN), Polished (AP) and Satin (AU).








Cylindrical column leg is offered with plated finishes: Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU).

All legs are available in all Reff Profiles core paint finishes.

Rectilinear peninsula tops are offered with L, reverse L, soft rectangular, and open frame leg options. All other peninsula tops are offered with cylindrical column leg.

Refer to figures on previous page and following for grommet locations and order codes.

### Asymmetric Bullet Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>N</p>		<p>Flush Plates</p>  <p>N</p>
<p>Grommet</p>  <p>S</p>	<p>Power Center</p>  <p>P</p>	
 <p>E</p>		 <p>E</p>
 <p>SE</p>		

# Peninsula 1 1/2

## Planning Guidelines and Specifications

### Construction

Reff Profiles peninsula tops are nominal 1 1/2" thick, consisting of 1 7/16" thick substrate with a laminate or veneer surface finish.

Laminate tops have a laminate top surface with an FSC-certified particle board core and a paper backer sheet for balanced construction. Edges can match the top or are available in a selection

of veneers. Matching edges are in 2.0mm ABS with 2.0mm radius top and bottom edges. End edges overlap the front and back edges with the outside corners minimally radiused.


Edges on veneer tops are 2.4mm thick wood with 2.4mm radius top and bottom edges. Ends overlap front and back edges

with 2.4mm radius on outside corners.

All tops are supplied with pilot holes for hardware inserts for attachment of specified leg options.

Legs are shipped separately, fully assembled with connection hardware included.

### Symmetric Bullet Tops Right Hand Shown



# Peninsula 1 1/2

## Planning Guidelines and Specifications

### Planning Notes

1. Partial height modesty is available, sold separately and field installed.
2. J-wire manager is available, sold separately and field installed.
3. Peninsula tops require additional stiffening for spans greater than 54".
4. Peninsula top is right handed when the leg is on the right hand side (from the users perspective) and vice versa.
5. Power center electrical components are not included with the Peninsula and are ordered separately.

### P and 9 Tops

Flush Mount Options:

P-Shaped













9-Shaped

<p>No Grommet</p>		
<p>Single Grommet</p>		
<p>Double Grommet</p>		


# Peninsula 1 1/2

## Planning Guidelines and Specifications

### D Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>Leg</p> <p>N</p>	<p>Power Center</p>  <p>Leg</p> <p>P</p>	<p>Flush Plates</p>  <p>Leg</p> <p>N</p>
<p>9 1/2"</p> <p>Depth / 2</p>  <p>Grommet</p> <p>S</p>	<p>Power Center</p>  <p>Leg</p> <p>P</p>	<p>Flush Plates</p>  <p>Leg</p> <p>N</p>
<p>Straight / 2</p>  <p>9 1/2"</p> <p>Straight</p> <p>M</p>	<p>Power Center</p>  <p>Leg</p> <p>P</p>	<p>Flush Plates</p>  <p>9 1/2"</p> <p>Straight</p> <p>M</p>
<p>9 1/2"</p> <p>Straight / 2</p> <p>Depth / 2</p>  <p>9 1/2"</p> <p>Depth</p> <p>Straight</p> <p>SM</p>	<p>Power Center</p>  <p>Straight / 2</p> <p>9 1/2"</p> <p>Straight</p> <p>PM</p>	<p>Flush Plates</p>  <p>9 1/2"</p> <p>Straight</p> <p>M</p>


Peninsula 1 1/2  
 Worksurface with L-leg  
 Stand-Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top  <i>Left hand shown</i>	20"	60"	1 1/2"	RPTDLPC(L/R)6020( ) ( ) ( ) ( )	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDLPC(L/R)6620( ) ( ) ( ) ( )	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDLPC(L/R)7220( ) ( ) ( ) ( )	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDLPC(L/R)7820( ) ( ) ( ) ( )	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDLPC(L/R)8420( ) ( ) ( ) ( )	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDLPC(L/R)6024( ) ( ) ( ) ( )	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDLPC(L/R)6624( ) ( ) ( ) ( )	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDLPC(L/R)7224( ) ( ) ( ) ( )	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDLPC(L/R)7824( ) ( ) ( ) ( )	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDLPC(L/R)8424( ) ( ) ( ) ( )	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDLPC(L/R)6030( ) ( ) ( ) ( )	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDLPC(L/R)6630( ) ( ) ( ) ( )	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDLPC(L/R)7230( ) ( ) ( ) ( )	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDLPC(L/R)7830( ) ( ) ( ) ( )	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDLPC(L/R)8430( ) ( ) ( ) ( )	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDLPC(L/R)6036( ) ( ) ( ) ( )	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDLPC(L/R)6636( ) ( ) ( ) ( )	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDLPC(L/R)7236( ) ( ) ( ) ( )	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDLPC(L/R)7836( ) ( ) ( ) ( )	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDLPC(L/R)8436( ) ( ) ( ) ( )	1,754.	1,823.	1,956.	2,302.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RPTDLPC(L/R)6030( ) ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option P=Power Center, PE= Power center grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. Grommet option Painted or plated	Refer to grommet page for location option.
<b>L</b> L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>PC</b> Power Center	5. Leg finish Painted or Anodized	
<b>L</b> Left hand/ Right hand	6. Stand-off finish Painted	
<b>60</b> Width		
<b>30</b> Depth		
<b>P</b> Grommet option		
<b>115</b> Grommet Finish		
<b>114</b> Worksurface Finish		
<b>115</b> Leg Finish		
<b>115</b> Stand-Off Finish		

Peninsula 1 1/2  
 Worksurface with L-leg  
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top  <i>Left hand shown</i>	20"	60"	1 1/2"	RPTDLST(L/R)6020( ) ( ) ( ) ( )	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDLST(L/R)6620( ) ( ) ( ) ( )	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDLST(L/R)7220( ) ( ) ( ) ( )	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDLST(L/R)7820( ) ( ) ( ) ( )	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDLST(L/R)8420( ) ( ) ( ) ( )	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDLST(L/R)6024( ) ( ) ( ) ( )	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDLST(L/R)6624( ) ( ) ( ) ( )	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDLST(L/R)7224( ) ( ) ( ) ( )	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDLST(L/R)7824( ) ( ) ( ) ( )	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDLST(L/R)8424( ) ( ) ( ) ( )	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDLST(L/R)6030( ) ( ) ( ) ( )	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDLST(L/R)6630( ) ( ) ( ) ( )	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDLST(L/R)7230( ) ( ) ( ) ( )	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDLST(L/R)7830( ) ( ) ( ) ( )	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDLST(L/R)8430( ) ( ) ( ) ( )	1,580.	1,643.	1,754.	2,054.
	36"	60"	1 1/2"	RPTDLST(L/R)6036( ) ( ) ( ) ( )	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDLST(L/R)6636( ) ( ) ( ) ( )	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDLST(L/R)7236( ) ( ) ( ) ( )	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDLST(L/R)7836( ) ( ) ( ) ( )	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDLST(L/R)8436( ) ( ) ( ) ( )	1,682.	1,751.	1,884.	2,230.

Order Code	Specification Information	Application Notes
Example: <b>RPTDLST(L/R)6030( ) ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	S=Stand-off	Refer to grommet page for location option.
<b>L</b> L-Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>ST</b> Stand-Off	E=End grommet	
<b>L</b> Left hand/ Right hand	SE=Stand-off grommet with end grommet	
<b>60</b> Width	SD=Stand-off with drop in box	
<b>30</b> Depth	SDR=Right hand stand-off with drop in box	
<b>E</b> Grommet Type	SDL=Left hand stand-off with drop in box	
<b>115</b> Grommet Finish	3. Grommet option	
<b>114</b> Worksurface Finish	Painted or plated	
<b>115</b> Leg Finish	4. Worksurface finish	
<b>115</b> Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

Peninsula 1 1/2  
 Worksurface with L-leg  
 Flush Mount Attachment, Rectilinear top


description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Rectilinear Top  Left hand shown	20"	48"	1 1/2"	RPTDLFM(L/R)4820( ) ( ) ( ) ( )	\$1,173.	\$1,210.	\$1,281.	\$1,471.
		54"	1 1/2"	RPTDLFM(L/R)5420( ) ( ) ( ) ( )	1,191.	1,229.	1,306.	1,507.
		60"	1 1/2"	RPTDLFM(L/R)6020( ) ( ) ( ) ( )	1,227.	1,270.	1,350.	1,567.
		66"	1 1/2"	RPTDLFM(L/R)6620( ) ( ) ( ) ( )	1,238.	1,285.	1,370.	1,590.
		72"	1 1/2"	RPTDLFM(L/R)7220( ) ( ) ( ) ( )	1,267.	1,315.	1,400.	1,633.
		78"	1 1/2"	RPTDLFM(L/R)7820( ) ( ) ( ) ( )	1,274.	1,320.	1,410.	1,647.
		84"	1 1/2"	RPTDLFM(L/R)8420( ) ( ) ( ) ( )	1,306.	1,362.	1,453.	1,704.
		24"	48"	1 1/2"	RPTDLFM(L/R)4824( ) ( ) ( ) ( )	1,205.	1,254.	1,330.
	54"		1 1/2"	RPTDLFM(L/R)5424( ) ( ) ( ) ( )	1,238.	1,285.	1,370.	1,590.
	60"		1 1/2"	RPTDLFM(L/R)6024( ) ( ) ( ) ( )	1,277.	1,328.	1,414.	1,651.
	66"		1 1/2"	RPTDLFM(L/R)6624( ) ( ) ( ) ( )	1,292.	1,345.	1,438.	1,683.
	72"		1 1/2"	RPTDLFM(L/R)7224( ) ( ) ( ) ( )	1,319.	1,372.	1,470.	1,727.
	78"		1 1/2"	RPTDLFM(L/R)7824( ) ( ) ( ) ( )	1,345.	1,402.	1,506.	1,774.
	84"		1 1/2"	RPTDLFM(L/R)8424( ) ( ) ( ) ( )	1,371.	1,430.	1,534.	1,813.
	36"		48"	1 1/2"	RPTDLFM(L/R)4836( ) ( ) ( ) ( )	1,378.	1,441.	1,540.
		54"	1 1/2"	RPTDLFM(L/R)5436( ) ( ) ( ) ( )	1,401.	1,464.	1,569.	1,848.
		60"	1 1/2"	RPTDLFM(L/R)6036( ) ( ) ( ) ( )	1,424.	1,487.	1,598.	1,889.
		66"	1 1/2"	RPTDLFM(L/R)6636( ) ( ) ( ) ( )	1,447.	1,513.	1,632.	1,945.
		72"	1 1/2"	RPTDLFM(L/R)7236( ) ( ) ( ) ( )	1,471.	1,540.	1,660.	1,984.
		78"	1 1/2"	RPTDLFM(L/R)7836( ) ( ) ( ) ( )	1,495.	1,563.	1,689.	2,025.
		84"	1 1/2"	RPTDLFM(L/R)8436( ) ( ) ( ) ( )	1,517.	1,586.	1,719.	2,065.
		30"	48"	1 1/2"	RPTDLFM(L/R)4830( ) ( ) ( ) ( )	1,286.	1,340.	1,426.
	54"		1 1/2"	RPTDLFM(L/R)5430( ) ( ) ( ) ( )	1,310.	1,364.	1,454.	1,706.
	60"		1 1/2"	RPTDLFM(L/R)6030( ) ( ) ( ) ( )	1,334.	1,387.	1,483.	1,747.
66"	1 1/2"		RPTDLFM(L/R)6630( ) ( ) ( ) ( )	1,344.	1,401.	1,505.	1,773.	
72"	1 1/2"		RPTDLFM(L/R)7230( ) ( ) ( ) ( )	1,362.	1,417.	1,519.	1,793.	
78"	1 1/2"		RPTDLFM(L/R)7830( ) ( ) ( ) ( )	1,389.	1,450.	1,557.	1,844.	
84"	1 1/2"		RPTDLFM(L/R)8430( ) ( ) ( ) ( )	1,415.	1,478.	1,589.	1,889.	

Order Code	Specification Information	Application Notes
Example: <b>RPTDLFM(L/R)4830( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
<b>IL</b> L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>FM</b> Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
<b>L</b> Left hand/ Right hand		
<b>48</b> Width		
<b>30</b> Depth		
<b>M</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>114</b> Worksurface Finish		
<b>115</b> Leg Finish		




*Worksurface with Reverse L-leg*

*Stand Off with Power Center, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRPC(L/R)6020( ) ( ) ( ) ( )	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDRPC(L/R)6620( ) ( ) ( ) ( )	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDRPC(L/R)7220( ) ( ) ( ) ( )	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDRPC(L/R)7820( ) ( ) ( ) ( )	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDRPC(L/R)8420( ) ( ) ( ) ( )	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDRPC(L/R)6024( ) ( ) ( ) ( )	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDRPC(L/R)6624( ) ( ) ( ) ( )	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDRPC(L/R)7224( ) ( ) ( ) ( )	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDRPC(L/R)7824( ) ( ) ( ) ( )	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDRPC(L/R)8424( ) ( ) ( ) ( )	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDRPC(L/R)6030( ) ( ) ( ) ( )	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDRPC(L/R)6630( ) ( ) ( ) ( )	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDRPC(L/R)7230( ) ( ) ( ) ( )	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDRPC(L/R)7830( ) ( ) ( ) ( )	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDRPC(L/R)8430( ) ( ) ( ) ( )	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDRPC(L/R)6036( ) ( ) ( ) ( )	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDRPC(L/R)6636( ) ( ) ( ) ( )	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDRPC(L/R)7236( ) ( ) ( ) ( )	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDRPC(L/R)7836( ) ( ) ( ) ( )	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDRPC(L/R)8436( ) ( ) ( ) ( )	1,754.	1,823.	1,956.	2,302.

Order Code	Specification Information	Application Notes
Example: <b>RPTDRPC(L/R)6030( ) ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option P=Power Center, PE=Power center plus end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
<b>R</b> Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>PC</b> Power Center	5. Leg finish Painted or Anodized	
<b>L</b> Left hand/ Right hand	6. Stand-off finish Painted	
<b>30</b> Depth		
<b>40</b> Width		
<b>P</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>114</b> Worksurface Finish		
<b>115</b> Leg Finish		
<b>115</b> Stand-off finish		


Peninsula 1 1/2  
 Worksurface with Reverse L-leg  
 Simple Stand Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRST(L/R)6020( )( )( )	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDRST(L/R)6620( )( )( )	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDRST(L/R)7220( )( )( )	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDRST(L/R)7820( )( )( )	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDRST(L/R)8420( )( )( )	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDRST(L/R)6024( )( )( )	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDRST(L/R)6624( )( )( )	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDRST(L/R)7224( )( )( )	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDRST(L/R)7824( )( )( )	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDRST(L/R)8424( )( )( )	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDRST(L/R)6030( )( )( )	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDRST(L/R)6630( )( )( )	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDRST(L/R)7230( )( )( )	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDRST(L/R)7830( )( )( )	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDRST(L/R)8430( )( )( )	1,580.	1,643.	1,105.	2,054.
	36"	60"	1 1/2"	RPTDRST(L/R)6036( )( )( )	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDRST(L/R)6636( )( )( )	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDRST(L/R)7236( )( )( )	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDRST(L/R)7836( )( )( )	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDRST(L/R)8436( )( )( )	1,682.	1,751.	1,884.	2,230.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RPTDRST(L/R)6030( )( )( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	S=Stand-off	Refer to grommet page for location option.
<b>R</b> Reverse L-leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>ST</b> Stand off	E=End grommet	
<b>L</b> Left hand/ Right hand	SE=Stand-off and end grommet	
<b>60</b> Width	SD=Stand-off with drop in box	
<b>30</b> Depth	SDR=Right hand stand-off with drop in box	
<b>SE</b> Grommet Option	SDL=Left hand stand-off with drop in box	
<b>115</b> Grommet Finish	3. Grommet finish	
<b>114</b> Worksurface Finish	Painted or plated	
<b>115</b> Leg Finish	4. Worksurface finish	
<b>115</b> Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

*Worksurface with Reverse L-leg  
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	48"	1 1/2"	RPTDRFM(L/R)4820( ) ( ) ( ) ( )	\$1,173.	\$1,210.	\$1,281.	\$1,471.
		54"	1 1/2"	RPTDRFM(L/R)5420( ) ( ) ( ) ( )	1,191.	1,229.	1,306.	1,507.
		60"	1 1/2"	RPTDRFM(L/R)6020( ) ( ) ( ) ( )	1,227.	1,270.	1,350.	1,567.
		66"	1 1/2"	RPTDRFM(L/R)6620( ) ( ) ( ) ( )	1,238.	1,285.	1,370.	1,590.
		72"	1 1/2"	RPTDRFM(L/R)7220( ) ( ) ( ) ( )	1,267.	1,315.	1,400.	1,633.
		78"	1 1/2"	RPTDRFM(L/R)7820( ) ( ) ( ) ( )	1,274.	1,320.	1,410.	1,647.
		84"	1 1/2"	RPTDRFM(L/R)8420( ) ( ) ( ) ( )	1,306.	1,362.	1,453.	1,704.
		24"	48"	1 1/2"	RPTDRFM(L/R)4824( ) ( ) ( ) ( )	1,205.	1,254.	1,330.
54"	1 1/2"		RPTDRFM(L/R)5424( ) ( ) ( ) ( )	1,238.	1,285.	1,370.	1,590.	
60"	1 1/2"		RPTDRFM(L/R)6024( ) ( ) ( ) ( )	1,277.	1,328.	1,414.	1,651.	
66"	1 1/2"		RPTDRFM(L/R)6624( ) ( ) ( ) ( )	1,292.	1,345.	1,438.	1,683.	
72"	1 1/2"		RPTDRFM(L/R)7224( ) ( ) ( ) ( )	1,319.	1,372.	1,470.	1,727.	
78"	1 1/2"		RPTDRFM(L/R)7824( ) ( ) ( ) ( )	1,345.	1,402.	1,506.	1,774.	
84"	1 1/2"		RPTDRFM(L/R)8424( ) ( ) ( ) ( )	1,371.	1,430.	1,534.	1,813.	
30"	48"		1 1/2"	RPTDRFM(L/R)4830( ) ( ) ( ) ( )	1,286.	1,340.	1,426.	1,666.
	54"	1 1/2"	RPTDRFM(L/R)5430( ) ( ) ( ) ( )	1,310.	1,364.	1,454.	1,706.	
	60"	1 1/2"	RPTDRFM(L/R)6030( ) ( ) ( ) ( )	1,334.	1,387.	1,483.	1,747.	
	66"	1 1/2"	RPTDRFM(L/R)6630( ) ( ) ( ) ( )	1,344.	1,401.	1,505.	1,773.	
	72"	1 1/2"	RPTDRFM(L/R)7230( ) ( ) ( ) ( )	1,362.	1,417.	1,519.	1,793.	
	78"	1 1/2"	RPTDRFM(L/R)7830( ) ( ) ( ) ( )	1,389.	1,450.	1,557.	1,844.	
	84"	1 1/2"	RPTDRFM(L/R)8430( ) ( ) ( ) ( )	1,415.	1,478.	1,589.	1,889.	
	36"	48"	1 1/2"	RPTDRFM(L/R)4836( ) ( ) ( ) ( )	1,378.	1,441.	1,540.	1,808.
54"		1 1/2"	RPTDRFM(L/R)5436( ) ( ) ( ) ( )	1,401.	1,464.	1,569.	1,848.	
60"		1 1/2"	RPTDRFM(L/R)6036( ) ( ) ( ) ( )	1,424.	1,487.	1,598.	1,889.	
66"		1 1/2"	RPTDRFM(L/R)6636( ) ( ) ( ) ( )	1,447.	1,513.	1,632.	1,945.	
72"		1 1/2"	RPTDRFM(L/R)7236( ) ( ) ( ) ( )	1,471.	1,540.	1,660.	1,984.	
78"		1 1/2"	RPTDRFM(L/R)7836( ) ( ) ( ) ( )	1,495.	1,563.	1,689.	2,025.	
84"		1 1/2"	RPTDRFM(L/R)8436( ) ( ) ( ) ( )	1,517.	1,586.	1,719.	2,065.	

Order Code	Specification Information	Application Notes
Example: <b>RPTDRFM(L/R)4830( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option E=End, N=No grommet, M=Mid.	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
<b>R</b> Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>FM</b> Flush Mount Attachment Leg	5. Leg finish Painted or Anodized	
<b>L</b> Left hand/ Right hand		
<b>48</b> Width		
<b>30</b> Depth		
<b>M</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>114</b> Worksurface Finish		
<b>115</b> Leg Finish		


*Worksurface with Soft Rectangular Leg  
Stand Off with Power Center, Rectilinear top*

description	d	w	th	pattern number	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDSPC(L/R)6020( ) ( ) ( ) ( )	\$1,510.	\$1,553.	\$1,634.	\$1,850.
		66"	1 1/2"	RPTDSPC(L/R)6620( ) ( ) ( ) ( )	1,521.	1,569.	1,653.	1,874.
		72"	1 1/2"	RPTDSPC(L/R)7220( ) ( ) ( ) ( )	1,550.	1,599.	1,683.	1,916.
		78"	1 1/2"	RPTDSPC(L/R)7820( ) ( ) ( ) ( )	1,557.	1,604.	1,693.	1,930.
		84"	1 1/2"	RPTDSPC(L/R)8420( ) ( ) ( ) ( )	1,589.	1,645.	1,737.	1,987.
	24"	60"	1 1/2"	RPTDSPC(L/R)6024( ) ( ) ( ) ( )	1,560.	1,611.	1,697.	1,934.
		66"	1 1/2"	RPTDSPC(L/R)6624( ) ( ) ( ) ( )	1,575.	1,628.	1,721.	1,966.
		72"	1 1/2"	RPTDSPC(L/R)7224( ) ( ) ( ) ( )	1,603.	1,655.	1,753.	2,011.
		78"	1 1/2"	RPTDSPC(L/R)7824( ) ( ) ( ) ( )	1,628.	1,685.	1,789.	2,057.
		84"	1 1/2"	RPTDSPC(L/R)8424( ) ( ) ( ) ( )	1,654.	1,713.	1,817.	2,096.
	30"	60"	1 1/2"	RPTDSPC(L/R)6030( ) ( ) ( ) ( )	1,617.	1,671.	1,766.	2,030.
		66"	1 1/2"	RPTDSPC(L/R)6630( ) ( ) ( ) ( )	1,627.	1,684.	1,788.	2,056.
		72"	1 1/2"	RPTDSPC(L/R)7230( ) ( ) ( ) ( )	1,645.	1,701.	1,803.	2,076.
		78"	1 1/2"	RPTDSPC(L/R)7830( ) ( ) ( ) ( )	1,673.	1,733.	1,841.	2,127.
		84"	1 1/2"	RPTDSPC(L/R)8430( ) ( ) ( ) ( )	1,698.	1,761.	1,873.	2,172.
	36"	60"	1 1/2"	RPTDSPC(L/R)6036( ) ( ) ( ) ( )	1,708.	1,771.	1,881.	2,172.
		66"	1 1/2"	RPTDSPC(L/R)6636( ) ( ) ( ) ( )	1,730.	1,796.	1,915.	2,228.
		72"	1 1/2"	RPTDSPC(L/R)7236( ) ( ) ( ) ( )	1,754.	1,823.	1,944.	2,267.
		78"	1 1/2"	RPTDSPC(L/R)7836( ) ( ) ( ) ( )	1,778.	1,846.	1,972.	2,308.
		84"	1 1/2"	RPTDSPC(L/R)8436( ) ( ) ( ) ( )	1,800.	1,869.	2,002.	2,348.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RPTDSPC(L/R)6030( ) ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
<b>PC</b> Power Center	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>L</b> Left hand/ Right hand	5. Leg finish Painted or Anodized	
<b>60</b> Width	6. Stand-off finish Painted	
<b>30</b> Depth		
<b>P</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>114</b> Worksurface Finish		
<b>115</b> Leg Finish		
<b>115</b> Stand-Off Finish		


Peninsula 1 1/2  
 Worksurface with Soft Rectangular Leg  
 Simple Stand Off, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDSST(L/R)6020( ) ( ) ( ) ( )	\$1,438.	\$1,481.	\$1,561.	\$1,778.
		66"	1 1/2"	RPTDSST(L/R)6620( ) ( ) ( ) ( )	1,449.	1,497.	1,581.	1,801.
		72"	1 1/2"	RPTDSST(L/R)7220( ) ( ) ( ) ( )	1,478.	1,526.	1,611.	1,844.
		78"	1 1/2"	RPTDSST(L/R)7820( ) ( ) ( ) ( )	1,485.	1,532.	1,621.	1,858.
		84"	1 1/2"	RPTDSST(L/R)8420( ) ( ) ( ) ( )	1,517.	1,573.	1,664.	1,915.
	24"	60"	1 1/2"	RPTDSST(L/R)6024( ) ( ) ( ) ( )	1,488.	1,539.	1,625.	1,862.
		66"	1 1/2"	RPTDSST(L/R)6624( ) ( ) ( ) ( )	1,503.	1,556.	1,649.	1,894.
		72"	1 1/2"	RPTDSST(L/R)7224( ) ( ) ( ) ( )	1,531.	1,583.	1,681.	1,938.
		78"	1 1/2"	RPTDSST(L/R)7824( ) ( ) ( ) ( )	1,556.	1,613.	1,717.	1,985.
		84"	1 1/2"	RPTDSST(L/R)8424( ) ( ) ( ) ( )	1,582.	1,641.	1,745.	2,024.
	30"	60"	1 1/2"	RPTDSST(L/R)6030( ) ( ) ( ) ( )	1,545.	1,599.	1,694.	1,958.
		66"	1 1/2"	RPTDSST(L/R)6630( ) ( ) ( ) ( )	1,555.	1,612.	1,716.	1,984.
		72"	1 1/2"	RPTDSST(L/R)7230( ) ( ) ( ) ( )	1,573.	1,628.	1,730.	2,004.
		78"	1 1/2"	RPTDSST(L/R)7830( ) ( ) ( ) ( )	1,601.	1,661.	1,769.	2,055.
		84"	1 1/2"	RPTDSST(L/R)8430( ) ( ) ( ) ( )	1,626.	1,689.	1,800.	2,100.
	36"	60"	1 1/2"	RPTDSST(L/R)6036( ) ( ) ( ) ( )	1,636.	1,698.	1,809.	2,100.
		66"	1 1/2"	RPTDSST(L/R)6636( ) ( ) ( ) ( )	1,658.	1,724.	1,843.	2,156.
		72"	1 1/2"	RPTDSST(L/R)7236( ) ( ) ( ) ( )	1,682.	1,751.	1,872.	2,195.
		78"	1 1/2"	RPTDSST(L/R)7836( ) ( ) ( ) ( )	1,706.	1,774.	1,900.	2,236.
		84"	1 1/2"	RPTDSST(L/R)8436( ) ( ) ( ) ( )	1,728.	1,797.	1,930.	2,276.

Order Code	Specification Information	Application Notes
Example: <b>RPTDSST(L/R)6030( ) ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	S=Stand-off	Refer to grommet page for location option.
<b>S</b> Soft Rectangular Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>ST</b> Stand Off	E=End grommet	
<b>L</b> Left hand/ Right hand	SE=Stand-off and end grommet	
<b>60</b> Width	SD=Stand-off with drop in box	
<b>30</b> Depth	SDR=Right hand stand-off with drop in box	
<b>E</b> Grommet Option	SDL=Left hand stand-off with drop in box	
<b>115</b> Grommet Finish	3. Grommet finish	
<b>114</b> Worksurface Finish	Painted or plated	
<b>115</b> Leg Finish	4. Worksurface finish	
<b>115</b> Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

# Peninsula 1 1/2

## Worksurface with Soft Rectangular Leg Flush Mount Attachment, Rectilinear top


description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	48"	1 1/2"	RPTDSFM(L/R)4820( ) ( ) ( ) ( )	\$1,220.	\$1,257.	\$1,328.	\$1,517.
		54"	1 1/2"	RPTDSFM(L/R)5420( ) ( ) ( ) ( )	1,237.	1,275.	1,352.	1,553.
		60"	1 1/2"	RPTDSFM(L/R)6020( ) ( ) ( ) ( )	1,273.	1,316.	1,397.	1,613.
		66"	1 1/2"	RPTDSFM(L/R)6620( ) ( ) ( ) ( )	1,284.	1,332.	1,416.	1,637.
		72"	1 1/2"	RPTDSFM(L/R)7220( ) ( ) ( ) ( )	1,313.	1,362.	1,446.	1,679.
		78"	1 1/2"	RPTDSFM(L/R)7820( ) ( ) ( ) ( )	1,320.	1,367.	1,456.	1,693.
		84"	1 1/2"	RPTDSFM(L/R)8420( ) ( ) ( ) ( )	1,352.	1,408.	1,500.	1,750.
		24"	48"	1 1/2"	RPTDSFM(L/R)4824( ) ( ) ( ) ( )	1,251.	1,300.	1,376.
54"	1 1/2"		RPTDSFM(L/R)5424( ) ( ) ( ) ( )	1,284.	1,332.	1,416.	1,637.	
60"	1 1/2"		RPTDSFM(L/R)6024( ) ( ) ( ) ( )	1,324.	1,374.	1,461.	1,697.	
66"	1 1/2"		RPTDSFM(L/R)6624( ) ( ) ( ) ( )	1,338.	1,392.	1,484.	1,729.	
72"	1 1/2"		RPTDSFM(L/R)7224( ) ( ) ( ) ( )	1,366.	1,418.	1,516.	1,774.	
78"	1 1/2"		RPTDSFM(L/R)7824( ) ( ) ( ) ( )	1,392.	1,448.	1,552.	1,820.	
84"	1 1/2"		RPTDSFM(L/R)8424( ) ( ) ( ) ( )	1,417.	1,476.	1,580.	1,859.	
30"	48"		1 1/2"	RPTDSFM(L/R)4830( ) ( ) ( ) ( )	1,333.	1,386.	1,472.	1,712.
	54"	1 1/2"	RPTDSFM(L/R)5430( ) ( ) ( ) ( )	1,357.	1,410.	1,501.	1,752.	
	60"	1 1/2"	RPTDSFM(L/R)6030( ) ( ) ( ) ( )	1,380.	1,434.	1,530.	1,793.	
	66"	1 1/2"	RPTDSFM(L/R)6630( ) ( ) ( ) ( )	1,391.	1,447.	1,551.	1,819.	
	72"	1 1/2"	RPTDSFM(L/R)7230( ) ( ) ( ) ( )	1,408.	1,464.	1,566.	1,840.	
	78"	1 1/2"	RPTDSFM(L/R)7830( ) ( ) ( ) ( )	1,436.	1,497.	1,604.	1,890.	
	84"	1 1/2"	RPTDSFM(L/R)8430( ) ( ) ( ) ( )	1,462.	1,524.	1,636.	1,935.	
	36"	48"	1 1/2"	RPTDSFM(L/R)4836( ) ( ) ( ) ( )	1,424.	1,487.	1,586.	1,854.
54"		1 1/2"	RPTDSFM(L/R)5436( ) ( ) ( ) ( )	1,447.	1,510.	1,615.	1,894.	
60"		1 1/2"	RPTDSFM(L/R)6036( ) ( ) ( ) ( )	1,471.	1,534.	1,644.	1,935.	
66"		1 1/2"	RPTDSFM(L/R)6636( ) ( ) ( ) ( )	1,494.	1,559.	1,678.	1,991.	
72"		1 1/2"	RPTDSFM(L/R)7236( ) ( ) ( ) ( )	1,517.	1,586.	1,707.	2,030.	
78"		1 1/2"	RPTDSFM(L/R)7836( ) ( ) ( ) ( )	1,541.	1,609.	1,736.	2,071.	
84"		1 1/2"	RPTDSFM(L/R)8436( ) ( ) ( ) ( )	1,564.	1,633.	1,765.	2,112.	

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RPTDSFM(L/R)4830( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option E=End N=No grommet M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
<b>S</b> Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>FM</b> Flush Mount Attachment Platef	5. Leg finish Painted or Anodized	
<b>L</b> Left hand/ Right hand		
<b>48</b> Width		
<b>30</b> Depth		
<b>E</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>114</b> Worksurface Finish		
<b>115</b> Leg Finish		

# Peninsula 1 1/2


## Worksurface with Open Frame Leg Stand-Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula, Rectilinear Top  Left hand shown	20"	60"	1 1/2"	RPTDOPC(L/R)6020( ) ( ) ( ) ( )	\$1,536.	\$1,579.	\$1,659.	\$1,876.
		66"	1 1/2"	RPTDOPC(L/R)6620( ) ( ) ( ) ( )	1,547.	1,594.	1,679.	1,899.
		72"	1 1/2"	RPTDOPC(L/R)7220( ) ( ) ( ) ( )	1,576.	1,624.	1,709.	1,942.
		78"	1 1/2"	RPTDOPC(L/R)7820( ) ( ) ( ) ( )	1,583.	1,629.	1,719.	1,956.
		84"	1 1/2"	RPTDOPC(L/R)8420( ) ( ) ( ) ( )	1,615.	1,671.	1,762.	2,013.
	24"	60"	1 1/2"	RPTDOPC(L/R)6024( ) ( ) ( ) ( )	1,586.	1,637.	1,723.	1,960.
		66"	1 1/2"	RPTDOPC(L/R)6624( ) ( ) ( ) ( )	1,601.	1,654.	1,747.	1,992.
		72"	1 1/2"	RPTDOPC(L/R)7224( ) ( ) ( ) ( )	1,628.	1,681.	1,779.	2,036.
		78"	1 1/2"	RPTDOPC(L/R)7824( ) ( ) ( ) ( )	1,654.	1,711.	1,815.	2,083.
		84"	1 1/2"	RPTDOPC(L/R)8424( ) ( ) ( ) ( )	1,680.	1,739.	1,843.	2,122.
	30"	60"	1 1/2"	RPTDOPC(L/R)6030( ) ( ) ( ) ( )	1,643.	1,696.	1,792.	2,056.
		66"	1 1/2"	RPTDOPC(L/R)6630( ) ( ) ( ) ( )	1,653.	1,710.	1,814.	2,082.
		72"	1 1/2"	RPTDOPC(L/R)7230( ) ( ) ( ) ( )	1,671.	1,726.	1,828.	2,102.
		78"	1 1/2"	RPTDOPC(L/R)7830( ) ( ) ( ) ( )	1,698.	1,759.	1,866.	2,153.
		84"	1 1/2"	RPTDOPC(L/R)8430( ) ( ) ( ) ( )	1,724.	1,787.	1,898.	2,198.
	36"	60"	1 1/2"	RPTDOPC(L/R)6036( ) ( ) ( ) ( )	1,733.	1,796.	1,907.	2,198.
		66"	1 1/2"	RPTDOPC(L/R)6636( ) ( ) ( ) ( )	1,756.	1,822.	1,941.	2,254.
		72"	1 1/2"	RPTDOPC(L/R)7236( ) ( ) ( ) ( )	1,780.	1,849.	1,969.	2,293.
		78"	1 1/2"	RPTDOPC(L/R)7836( ) ( ) ( ) ( )	1,804.	1,872.	1,998.	2,334.
		84"	1 1/2"	RPTDOPC(L/R)8436( ) ( ) ( ) ( )	1,826.	1,895.	2,028.	2,374.

Order Code	Specification Information	Application Notes
Example: <b>RPTDOPC(L/R)6030( ) ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
<b>O</b> Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>PC</b> Power Center	5. Leg finish Painted or Anodized	
<b>L</b> Left hand/ Right hand	6. Stand-off finish Painted	
<b>60</b> Width		
<b>30</b> Depth		
<b>P</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>114</b> Worksurface Finish		
<b>115</b> Leg Finish		
<b>115</b> Stand-Off Finish		



Peninsula 1 1/2  
 Worksurface with Open Frame Leg  
 Simple Stand-Off, Rectilinear top


description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	60"	1 1/2"	RPTDOST(L/R)6020( ) ( ) ( ) ( )	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDOST(L/R)6620( ) ( ) ( ) ( )	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDOST(L/R)7220( ) ( ) ( ) ( )	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDOST(L/R)7820( ) ( ) ( ) ( )	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDOST(L/R)8420( ) ( ) ( ) ( )	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDOST(L/R)6024( ) ( ) ( ) ( )	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDOST(L/R)6624( ) ( ) ( ) ( )	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDOST(L/R)7224( ) ( ) ( ) ( )	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDOST(L/R)7824( ) ( ) ( ) ( )	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDOST(L/R)8424( ) ( ) ( ) ( )	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDOST(L/R)6030( ) ( ) ( ) ( )	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDOST(L/R)6630( ) ( ) ( ) ( )	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDOST(L/R)7230( ) ( ) ( ) ( )	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDOST(L/R)7830( ) ( ) ( ) ( )	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDOST(L/R)8430( ) ( ) ( ) ( )	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDOST(L/R)6036( ) ( ) ( ) ( )	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDOST(L/R)6636( ) ( ) ( ) ( )	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDOST(L/R)7236( ) ( ) ( ) ( )	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDOST(L/R)7836( ) ( ) ( ) ( )	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDOST(L/R)8436( ) ( ) ( ) ( )	1,754.	1,823.	1,956.	2,302.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RPTDOST(L/R)6030( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	M=Mid. grommet	Refer to grommet page for location option.
<b>O</b> Open Frame Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>ST</b> Stand-Off	S=Stand-off	
<b>L</b> Left hand/ Right hand	SE=Stand-off and end location	
<b>60</b> Width	SD=Stand-off with drop in box	
<b>30</b> Depth	SDR=Right hand stand-off with drop in box	
<b>S</b> Grommet Option	SDL=Left hand stand-off with drop in box	
<b>115</b> Grommet Finish	3. Grommet finish	
<b>114</b> Worksurface Finish	Painted or plated	
<b>115</b> Leg Finish	4. Worksurface finish	
<b>115</b> Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	






*Worksurface with Open Frame Leg  
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	48"	1 1/2"	RPTDOFM(L/R)4820( ) ( ) ( ) ( )	\$1,245.	\$1,282.	\$1,353.	\$1,543.
		54"	1 1/2"	RPTDOFM(L/R)5420( ) ( ) ( ) ( )	1,263.	1,301.	1,378.	1,579.
		60"	1 1/2"	RPTDOFM(L/R)6020( ) ( ) ( ) ( )	1,299.	1,342.	1,422.	1,639.
		66"	1 1/2"	RPTDOFM(L/R)6620( ) ( ) ( ) ( )	1,310.	1,358.	1,442.	1,662.
		72"	1 1/2"	RPTDOFM(L/R)7220( ) ( ) ( ) ( )	1,339.	1,387.	1,472.	1,705.
		78"	1 1/2"	RPTDOFM(L/R)7820( ) ( ) ( ) ( )	1,346.	1,393.	1,482.	1,719.
		84"	1 1/2"	RPTDOFM(L/R)8420( ) ( ) ( ) ( )	1,378.	1,434.	1,525.	1,776.
		24"	48"	1 1/2"	RPTDOFM(L/R)4824( ) ( ) ( ) ( )	1,277.	1,326.	1,402.
54"	1 1/2"		RPTDOFM(L/R)5424( ) ( ) ( ) ( )	1,310.	1,358.	1,442.	1,662.	
60"	1 1/2"		RPTDOFM(L/R)6024( ) ( ) ( ) ( )	1,349.	1,400.	1,486.	1,723.	
66"	1 1/2"		RPTDOFM(L/R)6624( ) ( ) ( ) ( )	1,364.	1,417.	1,510.	1,755.	
72"	1 1/2"		RPTDOFM(L/R)7224( ) ( ) ( ) ( )	1,392.	1,444.	1,542.	1,799.	
78"	1 1/2"		RPTDOFM(L/R)7824( ) ( ) ( ) ( )	1,417.	1,474.	1,578.	1,846.	
84"	1 1/2"		RPTDOFM(L/R)8424( ) ( ) ( ) ( )	1,443.	1,502.	1,606.	1,885.	
30"	48"		1 1/2"	RPTDOFM(L/R)4830( ) ( ) ( ) ( )	1,359.	1,412.	1,498.	1,738.
	54"	1 1/2"	RPTDOFM(L/R)5430( ) ( ) ( ) ( )	1,382.	1,436.	1,526.	1,778.	
	60"	1 1/2"	RPTDOFM(L/R)6030( ) ( ) ( ) ( )	1,406.	1,460.	1,555.	1,819.	
	66"	1 1/2"	RPTDOFM(L/R)6630( ) ( ) ( ) ( )	1,416.	1,473.	1,577.	1,845.	
	72"	1 1/2"	RPTDOFM(L/R)7230( ) ( ) ( ) ( )	1,434.	1,489.	1,591.	1,865.	
	78"	1 1/2"	RPTDOFM(L/R)7830( ) ( ) ( ) ( )	1,462.	1,522.	1,629.	1,916.	
	84"	1 1/2"	RPTDOFM(L/R)8430( ) ( ) ( ) ( )	1,487.	1,550.	1,661.	1,961.	
	36"	48"	1 1/2"	RPTDOFM(L/R)4836( ) ( ) ( ) ( )	1,450.	1,513.	1,612.	1,880.
54"		1 1/2"	RPTDOFM(L/R)5436( ) ( ) ( ) ( )	1,473.	1,536.	1,641.	1,920.	
60"		1 1/2"	RPTDOFM(L/R)6036( ) ( ) ( ) ( )	1,507.	1,559.	1,670.	1,961.	
66"		1 1/2"	RPTDOFM(L/R)6636( ) ( ) ( ) ( )	1,519.	1,585.	1,704.	2,017.	
72"		1 1/2"	RPTDOFM(L/R)7236( ) ( ) ( ) ( )	1,543.	1,612.	1,732.	2,056.	
78"		1 1/2"	RPTDOFM(L/R)7836( ) ( ) ( ) ( )	1,567.	1,635.	1,761.	2,097.	
84"		1 1/2"	RPTDOFM(L/R)8436( ) ( ) ( ) ( )	1,589.	1,658.	1,791.	2,137.	

Order Code	Specification Information	Application Notes
Example: <b>RPTDOFM(L/R)4830( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Left or Right hand	Wire chase sold separately.
<b>PT</b> Peninsula	2. Grommet option E=End M=Mid. grommet N=No grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
<b>O</b> Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>FM</b> Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
<b>L</b> Left hand/ Right hand		
<b>48</b> Width		
<b>30</b> Depth		
<b>E</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>114</b> Worksurface Finish		
<b>115</b> Leg Finish		


Peninsula 1 1/2  
 Open Frame Leg Infill Options  
 Infills for Peninsulas only

description	th	w	h	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 	1"	20"	28 3/8"	<b>RIPPEI202( )</b>	\$296.	\$376.	\$433.	\$563.	
	1"	24"	28 3/8"	<b>RIPPEI242( )</b>	304.	386.	444.	578.	
	1"	30"	28 3/8"	<b>RIPPEI302( )</b>	320.	406.	467.	608.	
	1"	36"	28 3/8"	<b>RIPPEI362( )</b>	339.	431.	495.	644.	
Outside Infill Options for Open Frame Legs 	1"	20"	28 3/8"	<b>RIPPEO202( )</b>	297.	378.	434.	565.	
	1"	24"	28 3/8"	<b>RIPPEO242( )</b>	305.	388.	446.	579.	
	1"	30"	28 3/8"	<b>RIPPEO302( )</b>	322.	409.	470.	611.	
	1"	36"	28 3/8"	<b>RIPPEO362( )</b>	340.	432.	497.	646.	
Outside Glass Infill Options for Open Frame Legs 	1"	20"	28 3/8"	<b>RIPPEOG202( )</b>					750.
	1"	24"	28 3/8"	<b>RIPPEOG242( )</b>					846.
	1"	30"	28 3/8"	<b>RIPPEOG302( )</b>					995.
	1"	36"	28 3/8"	<b>RIPPEOG362( )</b>					1,148.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RIPPEI202</b>	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill must be ordered separately.
<b>R</b> Reff Profiles	1. Finish: L, V1,V2,V3,Glass	
<b>IP</b> Infill Panel	I=Inside	Infills; fill entire opening of open frame legs.
<b>PE</b> Peninsula End	O=Outside	
<b>I</b> Inside	OG=Outside Glass	Infills connect to each other. Can be removed without any damage to the frame legs.
<b>20</b> Width	Glass options:	
<b>2</b> 28 3/8" h: Desk Height	GL11, GL14, GL15, GL18	Glass Option is only available for outside infill.
<b>( )</b> Finish		
		Black inside infill recommended when Glass option is used.

*Worksurface with Thick End Panel  
Stand-Off with Power Center, Rectilinear top*

description	d	w	th	pattern no.	L	V1	V2	V3	M/V1	M/V2	M/V3
 Peninsula, Rectilinear Top	20"	60"	1 1/2"	RPTDEPC(L/R)6020( ) ( ) ( ) ( )	\$1,369.	\$1,805.	\$2,076.	\$2,698.	\$2,203.	\$2,288.	\$2,387.
		66"	1 1/2"	RPTDEPC(L/R)6620( ) ( ) ( ) ( )	1,379.	1,823.	2,096.	2,725.	2,218.	2,303.	2,402.
		72"	1 1/2"	RPTDEPC(L/R)7220( ) ( ) ( ) ( )	1,389.	1,850.	2,128.	2,766.	2,243.	2,329.	2,427.
		78"	1 1/2"	RPTDEPC(L/R)7820( ) ( ) ( ) ( )	1,400.	1,868.	2,148.	2,793.	2,258.	2,343.	2,442.
		84"	1 1/2"	RPTDEPC(L/R)8420( ) ( ) ( ) ( )	1,410.	1,903.	2,189.	2,845.	2,293.	2,379.	2,478.
	24"	60"	1 1/2"	RPTDEPC(L/R)6024( ) ( ) ( ) ( )	1,403.	1,851.	2,129.	2,768.	2,243.	2,328.	2,427.
		66"	1 1/2"	RPTDEPC(L/R)6624( ) ( ) ( ) ( )	1,415.	1,873.	2,154.	2,800.	2,261.	2,346.	2,445.
		72"	1 1/2"	RPTDEPC(L/R)7224( ) ( ) ( ) ( )	1,455.	1,894.	2,178.	2,831.	2,278.	2,364.	2,462.
		78"	1 1/2"	RPTDEPC(L/R)7824( ) ( ) ( ) ( )	1,467.	1,924.	2,212.	2,876.	2,305.	2,391.	2,489.
		84"	1 1/2"	RPTDEPC(L/R)8424( ) ( ) ( ) ( )	1,479.	1,961.	2,255.	2,932.	2,342.	2,428.	2,526.
	30"	60"	1 1/2"	RPTDEPC(L/R)6030( ) ( ) ( ) ( )	1,569.	1,908.	2,194.	2,852.	2,291.	2,377.	2,476.
		66"	1 1/2"	RPTDEPC(L/R)6630( ) ( ) ( ) ( )	1,582.	1,933.	2,223.	2,890.	2,312.	2,397.	2,496.
		72"	1 1/2"	RPTDEPC(L/R)7230( ) ( ) ( ) ( )	1,597.	1,967.	2,263.	2,941.	2,343.	2,429.	2,527.
		78"	1 1/2"	RPTDEPC(L/R)7830( ) ( ) ( ) ( )	1,611.	1,994.	2,293.	2,981.	2,365.	2,451.	2,549.
		84"	1 1/2"	RPTDEPC(L/R)8430( ) ( ) ( ) ( )	1,625.	2,044.	2,350.	3,056.	2,414.	2,500.	2,599.
	36"	60"	1 1/2"	RPTDEPC(L/R)6036( ) ( ) ( ) ( )	1,634.	1,964.	2,258.	2,936.	2,340.	2,425.	2,524.
		66"	1 1/2"	RPTDEPC(L/R)6636( ) ( ) ( ) ( )	1,650.	1,994.	2,293.	2,982.	2,365.	2,450.	2,549.
		72"	1 1/2"	RPTDEPC(L/R)7236( ) ( ) ( ) ( )	1,667.	2,032.	2,337.	3,038.	2,399.	2,484.	2,583.
		78"	1 1/2"	RPTDEPC(L/R)7836( ) ( ) ( ) ( )	1,686.	2,063.	2,372.	3,084.	2,424.	2,509.	2,608.
		84"	1 1/2"	RPTDEPC(L/R)8436( ) ( ) ( ) ( )	1,701.	2,109.	2,426.	3,154.	2,468.	2,553.	2,652.

Order Code	Specification Information	Application Notes
Example: <b>RPTDEPC(L/R)6030( ) ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. <i>Left or Right hand</i>	Wire chase sold separately.
<b>PT</b> Peninsula	2. <i>Grommet option:</i> P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. <i>Grommet finish:</i> Painted or plated	Refer to grommet page for location option.
<b>E</b> Thick End Panel Leg	4. <i>Worksurface finish:</i> L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>PC</b> Power Center	5. <i>Leg finish:</i> Wood or Laminate	
<b>L</b> Left hand/ Right hand	6. <i>Stand-off finish:</i> Painted	
<b>60</b> Width		
<b>20</b> Depth		
<b>P</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>V316</b> Worksurface Finish		
<b>V316</b> Leg Finish		
<b>115</b> Stand-Off Finish		


Peninsula 1 1/2  
 Worksurface with Thick End Panel  
 Simple Stand-Off, Rectilinear top

description	d	w	th	pattern no.	L	V1	V2	V3	M/V1	M/V2	M/V3
 Peninsula, Rectilinear Top	20"	60"	1 1/2"	RPTDEST(L/R)6020( ) ( ) ( ) ( )	\$1,213.	\$1,659.	\$1,908.	\$2,480.	\$2,035.	\$2,120.	\$2,219.
		66"	1 1/2"	RPTDEST(L/R)6620( ) ( ) ( ) ( )	1,223.	1,677.	1,928.	2,507.	2,050.	2,135.	2,234.
		72"	1 1/2"	RPTDEST(L/R)7220( ) ( ) ( ) ( )	1,233.	1,704.	1,960.	2,547.	2,075.	2,161.	2,259.
		78"	1 1/2"	RPTDEST(L/R)7820( ) ( ) ( ) ( )	1,243.	1,722.	1,980.	2,575.	2,090.	2,175.	2,274.
		84"	1 1/2"	RPTDEST(L/R)8420( ) ( ) ( ) ( )	1,253.	1,758.	2,022.	2,628.	2,125.	2,211.	2,310.
	24"	60"	1 1/2"	RPTDEST(L/R)6024( ) ( ) ( ) ( )	1,247.	1,705.	1,961.	2,549.	2,075.	2,160.	2,259.
		66"	1 1/2"	RPTDEST(L/R)6624( ) ( ) ( ) ( )	1,259.	1,727.	1,986.	2,582.	2,093.	2,178.	2,277.
		72"	1 1/2"	RPTDEST(L/R)7224( ) ( ) ( ) ( )	1,299.	1,748.	2,010.	2,613.	2,110.	2,196.	2,294.
		78"	1 1/2"	RPTDEST(L/R)7824( ) ( ) ( ) ( )	1,311.	1,778.	2,044.	2,657.	2,137.	2,223.	2,321.
		84"	1 1/2"	RPTDEST(L/R)8424( ) ( ) ( ) ( )	1,323.	1,815.	2,087.	2,714.	2,174.	2,260.	2,358.
	30"	60"	1 1/2"	RPTDEST(L/R)6030( ) ( ) ( ) ( )	1,412.	1,762.	2,026.	2,634.	2,123.	2,209.	2,308.
		66"	1 1/2"	RPTDEST(L/R)6630( ) ( ) ( ) ( )	1,426.	1,787.	2,055.	2,672.	2,144.	2,229.	2,328.
		72"	1 1/2"	RPTDEST(L/R)7230( ) ( ) ( ) ( )	1,441.	1,821.	2,095.	2,723.	2,175.	2,261.	2,359.
		78"	1 1/2"	RPTDEST(L/R)7830( ) ( ) ( ) ( )	1,455.	1,848.	2,125.	2,752.	2,197.	2,283.	2,381.
		84"	1 1/2"	RPTDEST(L/R)8430( ) ( ) ( ) ( )	1,469.	1,898.	2,182.	2,837.	2,246.	2,332.	2,431.
	36"	60"	1 1/2"	RPTDEST(L/R)6036( ) ( ) ( ) ( )	1,477.	1,818.	2,090.	2,717.	2,172.	2,257.	2,356.
		66"	1 1/2"	RPTDEST(L/R)6636( ) ( ) ( ) ( )	1,494.	1,848.	2,125.	2,763.	2,197.	2,582.	2,381.
		72"	1 1/2"	RPTDEST(L/R)7236( ) ( ) ( ) ( )	1,511.	1,886.	2,169.	2,820.	2,231.	2,316.	2,415.
		78"	1 1/2"	RPTDEST(L/R)7836( ) ( ) ( ) ( )	1,529.	1,917.	2,204.	2,866.	2,256.	2,341.	2,440.
		84"	1 1/2"	RPTDEST(L/R)8436( ) ( ) ( ) ( )	1,544.	1,963.	2,258.	2,935.	2,300.	2,385.	2,484.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RPTDEST(L/R)6030( ) ( ) ( )</b>	To order please specify pattern number including:	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. <i>Left or Right hand</i>	Wire chase sold separately.
<b>PT</b> Peninsula	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	M = Mid. grommet	Refer to grommet page for location option.
<b>E</b> Thick End Panel Leg	N = No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>ST</b> Stand-Off	S = Stand-off	
<b>L</b> Left hand/ Right hand	SE = Stand-off and end location	
<b>60</b> Width	SD = Stand-off with drop in box	
<b>20</b> Depth	SDR = Right hand stand-off with drop in box	
<b>S</b> Grommet Option	SDL = Left hand stand-off with drop in box	
<b>115</b> Grommet Finish	3. <i>Grommet finish:</i>	
<b>V316</b> Worksurface Finish	Painted or plated	
<b>V316</b> Leg Finish	4. <i>Worksurface finish:</i>	
<b>115</b> Stand-Off Finish	L, V1, V2, V3	
	5. <i>Leg finish:</i>	
	Wood or Laminate	
	6. <i>Stand-off finish:</i>	
	Painted	

*Worksurface with Thick End Panel  
Flush Mount Attachment, Rectilinear top*

description	d	w	th	pattern no.	L	V1	V2	V3	M/V1	M/V2	M/V3
 Peninsula, Rectilinear Top	20"	36"	1 1/2"	RPTDEFM(L/R)3620( ) ( ) ( ) ( )	\$988.	\$1,378.	\$1,585.	\$2,060.	\$1,734.	\$1,820.	\$1,919.
		42"	1 1/2"	RPTDEFM(L/R)4220( ) ( ) ( ) ( )	1,002.	1,402.	1,613.	2,096.	1,757.	1,842.	1,941.
		48"	1 1/2"	RPTDEFM(L/R)4820( ) ( ) ( ) ( )	1,025.	1,425.	1,638.	2,130.	1,776.	1,862.	1,960.
		54"	1 1/2"	RPTDEFM(L/R)5420( ) ( ) ( ) ( )	1,028.	1,443.	1,659.	2,157.	1,791.	1,876.	1,975.
		60"	1 1/2"	RPTDEFM(L/R)6020( ) ( ) ( ) ( )	1,085.	1,538.	1,768.	2,299.	1,895.	1,981.	2,080.
		66"	1 1/2"	RPTDEFM(L/R)6620( ) ( ) ( ) ( )	1,096.	1,556.	1,789.	2,326.	1,910.	1,996.	2,094.
		72"	1 1/2"	RPTDEFM(L/R)7220( ) ( ) ( ) ( )	1,106.	1,583.	1,820.	2,366.	1,936.	2,021.	2,120.
		78"	1 1/2"	RPTDEFM(L/R)7820( ) ( ) ( ) ( )	1,116.	1,601.	1,841.	2,393.	1,951.	2,036.	2,135.
		84"	1 1/2"	RPTDEFM(L/R)8420( ) ( ) ( ) ( )	1,126.	1,636.	1,881.	2,446.	1,986.	2,072.	2,170.
		24"	36"	1 1/2"	RPTDEFM(L/R)3624( ) ( ) ( ) ( )	1,020.	1,410.	1,622.	2,108.	1,761.	1,847.
		42"	1 1/2"	RPTDEFM(L/R)4224( ) ( ) ( ) ( )	1,042.	1,435.	1,650.	2,145.	1,784.	1,869.	1,968.
		48"	1 1/2"	RPTDEFM(L/R)4824( ) ( ) ( ) ( )	1,064.	1,456.	1,674.	2,176.	1,801.	1,887.	1,985.
		54"	1 1/2"	RPTDEFM(L/R)5424( ) ( ) ( ) ( )	1,076.	1,478.	1,700.	2,210.	1,820.	1,906.	2,005.
		60"	1 1/2"	RPTDEFM(L/R)6024( ) ( ) ( ) ( )	1,120.	1,584.	1,822.	2,368.	1,936.	2,021.	2,120.
		66"	1 1/2"	RPTDEFM(L/R)6624( ) ( ) ( ) ( )	1,132.	1,606.	1,847.	2,401.	1,953.	2,039.	2,137.
		72"	1 1/2"	RPTDEFM(L/R)7224( ) ( ) ( ) ( )	1,172.	1,627.	1,871.	2,432.	1,971.	2,057.	2,155.
		78"	1 1/2"	RPTDEFM(L/R)7824( ) ( ) ( ) ( )	1,183.	1,656.	1,905.	2,476.	1,998.	2,083.	2,182.
		84"	1 1/2"	RPTDEFM(L/R)8424( ) ( ) ( ) ( )	1,195.	1,694.	1,948.	2,533.	2,035.	2,121.	2,219.

Order Code	Specification Information	Application Notes
Example: <b>RPTDEFM(L/R)4830( ) ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. <i>Left or Right hand:</i>	Wire chase sold separately.
<b>PT</b> Peninsula	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	E = End	Refer to grommet page for location option.
<b>E</b> Thick End Panel Leg	M = Mid. grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>FM</b> Flush Mount Attachment Plate	N = No grommet	
<b>L</b> Left hand/ Right hand	3. <i>Grommet finish:</i>	
<b>60</b> Width	Painted or plated	
<b>20</b> Depth	4. <i>Worksurface finish:</i>	
<b>E</b> Grommet Option	L, V1, V2, V3	
<b>115</b> Grommet Finish	5. <i>Leg finish:</i>	
<b>V316</b> Worksurface Finish	Wood or Laminate	
<b>V316</b> Leg Finish	6. <i>Stand Off finish:</i>	
<b>115</b> Stand-Off Finish	Painted	

*Worksurface with Thick End Panel  
Flush Mount Attachment, Rectilinear top*



description	d	w	th	pattern no.	L	V1	V2	V3	M/V1	M/V2	M/V3	
 Peninsula, Rectilinear Top	30"	36"	1 1/2"	RPTDEFM(L/R)3630( ) ( ) ( ) ( )	\$1,100.	\$1,444.	\$1,661.	\$2,159.	\$1,791.	\$1,876.	\$1,975.	
		42"	1 1/2"	RPTDEFM(L/R)4230( ) ( ) ( ) ( )	1,114.	1,470.	1,691.	2,198.	1,813.	1,898.	1,997.	
		48"	1 1/2"	RPTDEFM(L/R)4830( ) ( ) ( ) ( )	1,145.	1,504.	1,730.	2,249.	1,844.	1,929.	2,028.	
		54"	1 1/2"	RPTDEFM(L/R)5430( ) ( ) ( ) ( )	1,159.	1,530.	1,759.	2,287.	1,864.	1,950.	2,049.	
		60"	1 1/2"	RPTDEFM(L/R)6030( ) ( ) ( ) ( )	1,284.	1,641.	1,887.	2,453.	1,984.	2,070.	2,168.	
		66"	1 1/2"	RPTDEFM(L/R)6630( ) ( ) ( ) ( )	1,299.	1,666.	1,916.	2,491.	2,005.	2,090.	2,189.	
		72"	1 1/2"	RPTDEFM(L/R)7230( ) ( ) ( ) ( )	1,313.	1,700.	1,955.	2,542.	2,036.	2,121.	2,220.	
		78"	1 1/2"	RPTDEFM(L/R)7830( ) ( ) ( ) ( )	1,327.	1,726.	1,985.	2,581.	2,058.	2,143.	2,242.	
		84"	1 1/2"	RPTDEFM(L/R)8430( ) ( ) ( ) ( )	1,342.	1,777.	2,043.	2,656.	2,107.	2,193.	2,291.	
		36"	36"	1 1/2"	RPTDEFM(L/R)3636( ) ( ) ( ) ( )	1,170.	1,475.	1,697.	2,206.	1,817.	1,903.	2,001.
		42"	42"	1 1/2"	RPTDEFM(L/R)4236( ) ( ) ( ) ( )	1,204.	1,513.	1,740.	2,262.	1,851.	1,937.	2,035.
		48"	48"	1 1/2"	RPTDEFM(L/R)4836( ) ( ) ( ) ( )	1,206.	1,551.	1,784.	2,319.	1,885.	1,971.	2,069.
		54"	54"	1 1/2"	RPTDEFM(L/R)5436( ) ( ) ( ) ( )	1,222.	1,582.	1,819.	2,365.	1,910.	1,996.	2,094.
		60"	60"	1 1/2"	RPTDEFM(L/R)6036( ) ( ) ( ) ( )	1,350.	1,696.	1,951.	2,536.	2,033.	2,118.	2,217.
		66"	66"	1 1/2"	RPTDEFM(L/R)6636( ) ( ) ( ) ( )	1,367.	1,727.	1,986.	2,582.	2,057.	2,143.	2,242.
		72"	72"	1 1/2"	RPTDEFM(L/R)7236( ) ( ) ( ) ( )	1,383.	1,765.	2,030.	2,639.	2,092.	2,177.	2,276.
78"	78"	1 1/2"	RPTDEFM(L/R)7836( ) ( ) ( ) ( )	1,402.	1,796.	2,065.	2,684.	2,116.	2,202.	2,301.		
84"	84"	1 1/2"	RPTDEFM(L/R)8436( ) ( ) ( ) ( )	1,417.	1,842.	2,119.	2,754.	2,161.	2,246.	2,345.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RPTDEFM(L/R)4830( ) ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. <i>Left or Right hand:</i>	Wire chase sold separately.
<b>PT</b> Peninsula	2. <i>Grommet option:</i>	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	E = End	Refer to grommet page for location option.
<b>E</b> Thick End Panel Leg	M = Mid. grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>FM</b> Flush Mount Attachment Plate	N = No grommet	
<b>L</b> Left hand/ Right hand	3. <i>Grommet finish:</i>	
<b>60</b> Width	Painted or plated	
<b>20</b> Depth	4. <i>Worksurface finish:</i>	
<b>E</b> Grommet Option	L, V1, V2, V3	
<b>115</b> Grommet Finish	5. <i>Leg finish:</i>	
<b>V316</b> Worksurface Finish	Wood or Laminate	
<b>V316</b> Leg Finish	6. <i>Stand Off finish:</i>	
<b>115</b> Stand-Off Finish	Painted	

*Worksurface with Column Leg*

*Stand-Off with Power Center, Asymmetrical and Symmetrical Bullet top*

description	d	w	th	pattern no.	L	V1	V2	V3
Peninsula, Asymmetrical Bullet Top 	30"	60"	1 1/2"	RATDCPC(L/R)6030( ) ( ) ( ) ( )	\$1,690.	\$1,781.	\$1,863.	\$2,186.
		66"	1 1/2"	RATDCPC(L/R)6630( ) ( ) ( ) ( )	1,711.	1,803.	1,891.	2,240.
		66"	1 1/2"	RATDCPC(L/R)7230( ) ( ) ( ) ( )	1,739.	1,831.	1,927.	2,304.
		78"	1 1/2"	RATDCPC(L/R)7830( ) ( ) ( ) ( )	1,758.	1,853.	1,956.	2,361.
		84"	1 1/2"	RATDCPC(L/R)8430( ) ( ) ( ) ( )	1,785.	1,881.	1,991.	2,424.
<i>Left handed peninsula shown</i>	36"	60"	1 1/2"	RATDCPC(L/R)6036( ) ( ) ( ) ( )	1,737.	1,827.	1,923.	2,292.
		66"	1 1/2"	RATDCPC(L/R)6636( ) ( ) ( ) ( )	1,760.	1,852.	1,956.	2,358.
		72"	1 1/2"	RATDCPC(L/R)7236( ) ( ) ( ) ( )	1,791.	1,884.	1,996.	2,429.
		78"	1 1/2"	RATDCPC(L/R)7836( ) ( ) ( ) ( )	1,814.	1,909.	2,030.	2,495.
		84"	1 1/2"	RATDCPC(L/R)8436( ) ( ) ( ) ( )	1,838.	1,933.	2,062.	2,557.
Peninsula, Symmetrical Bullet Top 	30"	60"	1 1/2"	RSTDCPC(L/R)6030( ) ( ) ( ) ( )	1,907.	2,028.	2,109.	2,432.
		66"	1 1/2"	RSTDCPC(L/R)6630( ) ( ) ( ) ( )	1,932.	2,056.	2,145.	2,495.
		72"	1 1/2"	RSTDCPC(L/R)7230( ) ( ) ( ) ( )	1,953.	2,078.	2,173.	2,551.
		78"	1 1/2"	RSTDCPC(L/R)7830( ) ( ) ( ) ( )	1,973.	2,099.	2,202.	2,607.
		84"	1 1/2"	RSTDCPC(L/R)8430( ) ( ) ( ) ( )	2,000.	2,128.	2,237.	2,670.
<i>Left hand shown</i>	36"	60"	1 1/2"	RSTDCPC(L/R)6036( ) ( ) ( ) ( )	1,949.	2,073.	2,169.	2,538.
		66"	1 1/2"	RSTDCPC(L/R)6636( ) ( ) ( ) ( )	1,973.	2,099.	2,203.	2,604.
		72"	1 1/2"	RSTDCPC(L/R)7236( ) ( ) ( ) ( )	2,003.	2,131.	2,243.	2,675.
		78"	1 1/2"	RSTDCPC(L/R)7836( ) ( ) ( ) ( )	2,026.	2,156.	2,276.	2,741.
		84"	1 1/2"	RSTDCPC(L/R)8436( ) ( ) ( ) ( )	2,050.	2,181.	2,309.	2,805.

**Order Code**

Example:	<b>RATDCPC(L/R)6030( ) ( ) ( ) ( )</b>
<b>R</b>	Reff
<b>AT</b>	Asymmetrical Top
<b>D</b>	1 1/2"
<b>C</b>	Column Leg
<b>PC</b>	Power Center
<b>L</b>	Left hand/ Right hand
<b>60</b>	Width
<b>30</b>	Depth
<b>115</b>	Grommet Finish
<b>114</b>	Worksurface Finish
<b>115</b>	Leg Finish
<b>115</b>	Stand-off Finish

**Specification Information**

*To order please specify pattern number including:*

- Grommet finish: Painted or Plated
- Top finish: L, V1, V2, V3
- Leg finish: Painted or Plated
- Stand-off finish: Painted

Grommet type: P only

**Application Notes**

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.



For electrical components please refer to page 437.

Products on this page work with 28 3/8" height planning.



Worksurface with Column Leg

Simple Stand-Off, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula, Asymmetrical Bullet Top  <i>Left handed peninsula shown</i>	30"	60"	1 1/2"	RATDCST(L/R)6030 ( ) ( ) ( ) ( )	\$1,499.	\$1,589.	\$1,672.	\$1,994.
		66"	1 1/2"	RATDCST(L/R)6630 ( ) ( ) ( ) ( )	1,519.	1,611.	1,700.	2,049.
		72"	1 1/2"	RATDCST(L/R)7230 ( ) ( ) ( ) ( )	1,547.	1,640.	1,736.	2,113.
		78"	1 1/2"	RATDCST(L/R)7830 ( ) ( ) ( ) ( )	1,567.	1,661.	1,764.	2,169.
		84"	1 1/2"	RATDCST(L/R)8430 ( ) ( ) ( ) ( )	1,593.	1,689.	1,799.	2,232.
	36"	60"	1 1/2"	RATDCST(L/R)6036 ( ) ( ) ( ) ( )	1,545.	1,636.	1,731.	2,100.
		66"	1 1/2"	RATDCST(L/R)6636 ( ) ( ) ( ) ( )	1,569.	1,660.	1,764.	2,166.
		72"	1 1/2"	RATDCST(L/R)7236 ( ) ( ) ( ) ( )	1,600.	1,692.	1,805.	2,237.
		78"	1 1/2"	RATDCST(L/R)7836 ( ) ( ) ( ) ( )	1,622.	1,717.	1,839.	2,303.
		84"	1 1/2"	RATDCST(L/R)8436 ( ) ( ) ( ) ( )	1,646.	1,742.	1,870.	2,366.
 Peninsula, Symmetrical Bullet Top  <i>Left hand shown</i>	30"	60"	1 1/2"	RSTDCST(L/R)6030 ( ) ( ) ( ) ( )	1,781.	1,894.	1,977.	2,298.
		66"	1 1/2"	RSTDCST(L/R)6630 ( ) ( ) ( ) ( )	1,799.	1,915.	2,004.	2,354.
		72"	1 1/2"	RSTDCST(L/R)7230 ( ) ( ) ( ) ( )	1,827.	1,944.	2,040.	2,417.
		78"	1 1/2"	RSTDCST(L/R)7830 ( ) ( ) ( ) ( )	1,848.	1,966.	2,069.	2,474.
		84"	1 1/2"	RSTDCST(L/R)8430 ( ) ( ) ( ) ( )	1,875.	1,994.	2,104.	2,537.
	36"	60"	1 1/2"	RSTDCST(L/R)6036 ( ) ( ) ( ) ( )	1,824.	1,941.	2,035.	2,405.
		66"	1 1/2"	RSTDCST(L/R)6636 ( ) ( ) ( ) ( )	1,848.	1,965.	2,069.	2,471.
		72"	1 1/2"	RSTDCST(L/R)7236 ( ) ( ) ( ) ( )	1,878.	1,997.	2,109.	2,541.
		78"	1 1/2"	RSTDCST(L/R)7836 ( ) ( ) ( ) ( )	1,900.	1,994.	2,142.	2,608.
		84"	1 1/2"	RSTDCST(L/R)8436 ( ) ( ) ( ) ( )	1,924.	2,047.	2,175.	2,671.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RATDCST (L/R)6030</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff		
<b>AT</b> Asymmetrical Top	1. Grommet option: N=No grommet E=End grommet S=Grommet over Stand-Off SE=Grommet over Stand-off plus end grommet SD=Stand-off with drop in box SDR=Right hand stand-off with drop in box SDL=Left hand stand-off with drop in box	Wire chase sold separately.
<b>D</b> 1 1/2"		Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>C</b> Column Leg		Refer to grommet page for location option.
<b>ST</b> Stand-Off		From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>L/R</b> Left/Right Hand		Peninsula worksurfaces with power center do not come with Electrical Components.
<b>60</b> Width		For electrical components please refer to page 437.
<b>30</b> Depth		Products on this page work with 28 3/8" height planning.
<b>N</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>V316</b> Worksurface Finish		
<b>115</b> Leg Finish	2. Grommet finish: Painted or Plated	
<b>115</b> Stand-Off Finish	3. Top finish: L, V1, V2, V3 4. Leg finish: Painted or Plated 5. Stand-off finish: Painted	
	Finish: L,V1,V2,V3 Leg Finish: Painted or plated Stand-off Finish: Painted	





Worksurface with Column Leg

Flush Mount Attachment, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	V1	V2	V3
 <p>Left handed peninsula shown</p>	30"	48"	1 1/2"	RATDCFM(L/R)4830( ) ( ) ( )	\$1,341.	\$1,427.	\$1,495.	\$1,761.
		54"	1 1/2"	RATDCFM(L/R)5430( ) ( ) ( )	1,361.	1,447.	1,522.	1,817.
		60"	1 1/2"	RATDCFM(L/R)6030( ) ( ) ( )	1,412.	1,503.	1,585.	1,908.
		66"	1 1/2"	RATDCFM(L/R)6630( ) ( ) ( )	1,433.	1,524.	1,613.	1,962.
		72"	1 1/2"	RATDCFM(L/R)7230( ) ( ) ( )	1,461.	1,553.	1,649.	2,026.
		78"	1 1/2"	RATDCFM(L/R)7830( ) ( ) ( )	1,480.	1,575.	1,678.	2,083.
		84"	1 1/2"	RATDCFM(L/R)8430( ) ( ) ( )	1,507.	1,603.	1,713.	2,145.
	36"	48"	1 1/2"	RATDCFM(L/R)4836( ) ( ) ( )	1,378.	1,466.	1,544.	1,850.
		54"	1 1/2"	RATDCFM(L/R)5436( ) ( ) ( )	1,401.	1,490.	1,578.	1,916.
		60"	1 1/2"	RATDCFM(L/R)6036( ) ( ) ( )	1,456.	1,549.	1,645.	2,014.
		66"	1 1/2"	RATDCFM(L/R)6636( ) ( ) ( )	1,479.	1,574.	1,678.	2,080.
		72"	1 1/2"	RATDCFM(L/R)7236( ) ( ) ( )	1,509.	1,606.	1,718.	2,151.
		78"	1 1/2"	RATDCFM(L/R)7836( ) ( ) ( )	1,533.	1,630.	1,752.	2,217.
		84"	1 1/2"	RATDCFM(L/R)8436( ) ( ) ( )	1,556.	1,655.	1,784.	2,280.
 <p>Left hand shown</p>	30"	48"	1 1/2"	RSTDCFM(L/R)4830( ) ( ) ( )	1,593.	1,695.	1,763.	2,030.
		54"	1 1/2"	RSTDCFM(L/R)5430( ) ( ) ( )	1,613.	1,716.	1,791.	2,085.
		60"	1 1/2"	RSTDCFM(L/R)6030( ) ( ) ( )	1,666.	1,772.	1,854.	2,175.
		66"	1 1/2"	RSTDCFM(L/R)6630( ) ( ) ( )	1,685.	1,792.	1,881.	2,231.
		72"	1 1/2"	RSTDCFM(L/R)7230( ) ( ) ( )	1,712.	1,821.	1,918.	2,295.
		78"	1 1/2"	RSTDCFM(L/R)7830( ) ( ) ( )	1,732.	1,843.	1,946.	2,350.
		84"	1 1/2"	RSTDCFM(L/R)8430( ) ( ) ( )	1,759.	1,872.	1,982.	2,413.
	36"	48"	1 1/2"	RSTDCFM(L/R)4836( ) ( ) ( )	1,629.	1,733.	1,813.	2,119.
		54"	1 1/2"	RSTDCFM(L/R)5436( ) ( ) ( )	1,654.	1,759.	1,847.	2,185.
		60"	1 1/2"	RSTDCFM(L/R)6036( ) ( ) ( )	1,708.	1,817.	1,913.	2,281.
		66"	1 1/2"	RSTDCFM(L/R)6636( ) ( ) ( )	1,732.	1,843.	1,947.	2,347.
		72"	1 1/2"	RSTDCFM(L/R)7236( ) ( ) ( )	1,762.	1,875.	1,987.	2,418.
		78"	1 1/2"	RSTDCFM(L/R)7836( ) ( ) ( )	1,785.	1,899.	2,020.	2,484.
		84"	1 1/2"	RSTDCFM(L/R)8436( ) ( ) ( )	1,809.	1,924.	2,053.	2,548.


Order Code	Specification Information	Application Notes
Example: <b>RATDCFM (L/R)4830</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Grommet option: E=End grommet N=No grommet	Wire chase sold separately.
<b>AT</b> Asymmetrical Top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
<b>C</b> Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>FM</b> Flush Mount Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
<b>L/R</b> Left/Right Hand		For electrical components please refer to page 437.
<b>48</b> Width		Products on this page work with 28 3/8" height planning.
<b>30</b> Depth		
<b>N</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>V316</b> Worksurface Finish		
<b>115</b> Leg Finish		

Peninsula 1 1/2  
*Worksurface with Column Leg*  
*Flush Mount Attachment, P and 9 tops*

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, P Shaped Top 	30"	84"	1 1/2"	<b>RPTDCFM8430</b> ( ) ( ) ( )	\$2,026.	\$2,177.	\$2,464.	\$3,231.
	30"	96"	1 1/2"	<b>RPTDCFM9630</b> ( ) ( ) ( )	2,098.	2,261.	2,554.	3,352.
Peninsula, 9 Shaped Top 	30"	84"	1 1/2"	<b>R9TDCFM8430</b> ( ) ( ) ( )	2,026.	2,177.	2,464.	3,231.
	30"	96"	1 1/2"	<b>R9TDCFM9630</b> ( ) ( ) ( )	2,098.	2,261.	2,554.	3,352.


Order Code	Specification Information	Application Notes
Example: <b>RPTDCFM8430</b> ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Grommet option: F=Flush	Wire chase sold separately.
<b>PT</b> P-Shaped top	M=Mid. Grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	N=No grommet	Refer to grommet page for location option.
<b>C</b> Column Leg	2. Grommet finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>FM</b> Flush Mount Attachment Plate	3. Top finish: L, V1, V2, V3	
<b>84</b> Width	4. Leg finish: Painted or Plated	
<b>30</b> Depth		
<b>N</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>114</b> Worksurface Finish		
<b>115</b> Leg Finish		

Peninsula 1 1/2  
 Worksurface with Column Leg  
 Stand-Off with Power Center, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula, D-Shaped Top  <i>Left hand shown</i>	30"	66"	1 1/2"	RDTDCPC(L/R)6630( ) ( ) ( ) ( )	\$1,688.	\$1,876.	\$1,958.	\$2,282.
		72"	1 1/2"	RDTDCPC(L/R)7230( ) ( ) ( ) ( )	1,712.	1,902.	1,992.	2,342.
		78"	1 1/2"	RDTDCPC(L/R)7830( ) ( ) ( ) ( )	1,730.	1,923.	2,019.	2,395.
		84"	1 1/2"	RDTDCPC(L/R)8430( ) ( ) ( ) ( )	1,754.	1,949.	2,051.	2,453.
		90"	1 1/2"	RDTDCPC(L/R)9030( ) ( ) ( ) ( )	1,773.	1,969.	2,078.	2,505.
		96"	1 1/2"	RDTDCPC(L/R)9630( ) ( ) ( ) ( )	1,789.	1,988.	2,102.	2,554.
	36"	66"	1 1/2"	RDTDCPC(L/R)6636( ) ( ) ( ) ( )	1,729.	1,922.	2,019.	2,392.
		72"	1 1/2"	RDTDCPC(L/R)7236( ) ( ) ( ) ( )	1,757.	1,952.	2,056.	2,458.
		78"	1 1/2"	RDTDCPC(L/R)7836( ) ( ) ( ) ( )	1,777.	1,975.	2,087.	2,519.
		84"	1 1/2"	RDTDCPC(L/R)8436( ) ( ) ( ) ( )	1,797.	1,997.	2,118.	2,578.
		90"	1 1/2"	RDTDCPC(L/R)9036( ) ( ) ( ) ( )	1,819.	2,021.	2,149.	2,638.
		96"	1 1/2"	RDTDCPC(L/R)9636( ) ( ) ( ) ( )	1,841.	2,045.	2,179.	2,699.


Order Code	Specification Information	Application Notes
Example: <b>RDTDCPCL6630</b> ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Grommet option: P=Power center PM=Power center and middle grommet	Wire chase sold separately.
<b>DT</b> P-Shaped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
<b>C</b> Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>PC</b> Power Center	5. Stand-off finish: Painted	
<b>L</b>		
<b>66</b> Width		
<b>30</b> Depth		
<b>P</b> Grommet option		
<b>115</b> Grommet finish		
<b>V316</b> Top finish		
<b>115</b> Leg Finish		
<b>115</b> Stand-Off Finish		

Peninsula 1 1/2  
 Worksurface with Column Leg  
 Stand-Off, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	30"	66"	1 1/2"	RDTDCST(L/R)6630( ) ( ) ( ) ( )	\$1,544.	\$1,715.	\$1,797.	\$2,122.
		72"	1 1/2"	RDTDCST(L/R)7230( ) ( ) ( ) ( )	1,568.	1,742.	1,831.	2,182.
		78"	1 1/2"	RDTDCST(L/R)7830( ) ( ) ( ) ( )	1,586.	1,762.	1,858.	2,234.
		84"	1 1/2"	RDTDCST(L/R)8430( ) ( ) ( ) ( )	1,609.	1,788.	1,890.	2,293.
		90"	1 1/2"	RDTDCST(L/R)9030( ) ( ) ( ) ( )	1,627.	1,809.	1,917.	2,344.
		96"	1 1/2"	RDTDCST(L/R)9630( ) ( ) ( ) ( )	1,645.	1,827.	1,942.	2,394.
	36"	66"	1 1/2"	RDTDCST(L/R)6636( ) ( ) ( ) ( )	1,585.	1,761.	1,858.	2,231.
		72"	1 1/2"	RDTDCST(L/R)7236( ) ( ) ( ) ( )	1,612.	1,791.	1,895.	2,297.
		78"	1 1/2"	RDTDCST(L/R)7836( ) ( ) ( ) ( )	1,633.	1,814.	1,926.	2,359.
		84"	1 1/2"	RDTDCST(L/R)8436( ) ( ) ( ) ( )	1,653.	1,836.	1,957.	2,417.
		90"	1 1/2"	RDTDCST(L/R)9036( ) ( ) ( ) ( )	1,674.	1,860.	1,988.	2,477.
		96"	1 1/2"	RDTDCST(L/R)9636( ) ( ) ( ) ( )	1,695.	1,884.	2,019.	2,538.

Order Code	Specification Information	Application Notes
Example: <b>RDTDCST6630 ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff		
<b>DT</b> D-Shaped top	1. Grommet option: S=Stand-off SM=Stand-off plus grommet M=Mid. Grommet N=No grommet	Wire chase sold separately.
<b>D</b> 1 1/2"		Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>C</b> Column Leg	2. Grommet finish: Painted or Plated	Refer to grommet page for location option.
<b>ST</b> Stand-Off	3. Top finish: L, V1, V2, V3	
<b>66</b> Width	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>30</b> Depth	5. Stand-off finish: Painted	
<b>N</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>V316</b> Worksurface Finish		
<b>115</b> Leg Finish		
<b>115</b> Stand-Off Finish		

Peninsula 1 1/2  
*Worksurface with Column Leg  
 Flush Mount Attachment, D top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p><i>Left hand shown</i></p>	30"	54"	1 1/2"	RDTDCFM(L/R)5430( ) ( ) ( )	\$1,369.	\$1,521.	\$1,591.	\$1,864.
		60"	1 1/2"	RDTDCFM(L/R)6030( ) ( ) ( )	1,423.	1,581.	1,657.	1,957.
		66"	1 1/2"	RDTDCFM(L/R)6630( ) ( ) ( )	1,441.	1,601.	1,683.	2,009.
		72"	1 1/2"	RDTDCFM(L/R)7230( ) ( ) ( )	1,465.	1,627.	1,717.	2,067.
		78"	1 1/2"	RDTDCFM(L/R)7830( ) ( ) ( )	1,483.	1,648.	1,744.	2,120.
		84"	1 1/2"	RDTDCFM(L/R)8430( ) ( ) ( )	1,507.	1,674.	1,777.	2,178.
	36"	54"	1 1/2"	RDTDCFM(L/R)5436( ) ( ) ( )	1,405.	1,561.	1,643.	1,957.
		60"	1 1/2"	RDTDCFM(L/R)6036( ) ( ) ( )	1,462.	1,624.	1,713.	2,056.
		66"	1 1/2"	RDTDCFM(L/R)6636( ) ( ) ( )	1,482.	1,647.	1,744.	2,117.
		72"	1 1/2"	RDTDCFM(L/R)7236( ) ( ) ( )	1,509.	1,677.	1,781.	2,183.
		78"	1 1/2"	RDTDCFM(L/R)7836( ) ( ) ( )	1,531.	1,701.	1,813.	2,244.
		84"	1 1/2"	RDTDCFM(L/R)8436( ) ( ) ( )	1,551.	1,723.	1,843.	2,303.

Order Code	Specification Information	Application Notes
Example: <b>RDTDCFM5430</b> ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
<b>R</b> Reff	1. Grommet option: N=None M=Middle	Wire chase sold separately.
<b>DT</b> P-Shapped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
<b>D</b> 1 1/2"	3. Worksurface finish: L, V1, V2, V3	Refer to grommet page for location option.
<b>C</b> Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
<b>FM</b> Flush Mount Attachment Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
<b>54</b> Width		For electrical components please refer to page 437.
<b>30</b> Depth		Products on this page work with 28 3/8" height planning.
<b>M</b> Grommet Option		
<b>115</b> Grommet Finish		
<b>V316</b> Worksurface Finish		
<b>115</b> Leg Finish		

Tables, 1 1/2"  
 Rectangle with Open Frame Leg  
 24", 30" and 36" deep - 26 1/2" High

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 26 1/2" height leg	1 1/2"	24"	60"	RTRDOF60241( ) ( )	\$1,750.	\$1,895.	\$1,962.	\$2,208.
	1 1/2"	24"	66"	RTRDOF66241( ) ( )	1,762.	1,914.	1,987.	2,254.
	1 1/2"	24"	72"	RTRDOF72241( ) ( )	1,775.	1,928.	2,009.	2,272.
	1 1/2"	24"	78"	RTRDOF78241( ) ( )	1,793.	1,970.	2,054.	2,363.
	1 1/2"	24"	84"	RTRDOF84241( ) ( )	1,805.	2,008.	2,096.	2,426.




Table Top Rectangle 30" Deep with 26 1/2" height leg	1 1/2"	30"	60"	RTRDOF60301( ) ( )	1,845.	1,964.	2,044.	2,331.
	1 1/2"	30"	66"	RTRDOF66301( ) ( )	1,858.	1,986.	2,074.	2,384.
	1 1/2"	30"	72"	RTRDOF72301( ) ( )	1,875.	2,002.	2,115.	2,450.
	1 1/2"	30"	78"	RTRDOF78301( ) ( )	1,895.	2,051.	2,152.	2,511.
	1 1/2"	30"	84"	RTRDOF84301( ) ( )	1,909.	2,101.	2,209.	2,592.





Table Top Rectangle 36" Deep with 26 1/2" height leg	1 1/2"	36"	60"	RTRDOF60361( ) ( )	1,871.	2,015.	2,108.	2,435.
	1 1/2"	36"	66"	RTRDOF66361( ) ( )	1,887.	2,042.	2,144.	2,498.
	1 1/2"	36"	72"	RTRDOF72361( ) ( )	1,906.	2,080.	2,190.	2,570.
	1 1/2"	36"	78"	RTRDOF78361( ) ( )	1,929.	2,113.	2,232.	2,640.
	1 1/2"	36"	84"	RTRDOF84361( ) ( )	1,945.	2,158.	2,284.	2,719.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>R</b> TSDRL42421 ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
<b>R</b> Reff		
<b>TR</b> Table Rectangular	1. Worksurface finish L, V1, V2, V3	Modesty sold separately.
<b>D</b> 1 1/2"		
<b>OF</b> Open Frame Leg	2. Open Frame Leg finish Painted and Anodized	1 1/2" top will come with appropriate stiffener support.
<b>60</b> Width		
<b>30</b> Depth		Grommets are NOT optional for these tables.
<b>1</b> 26 1/2" height leg		
<b>V316</b> Finish		
<b>111</b> Leg Finish		

Tables, 1 1/2"  
 Rectangle with Open Frame Leg  
 24", 30" and 36" deep - 28 3/8" High


description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 28 3/8" height leg 	1 1/2"	24"	60"	RTRDOF60242( ) ( )	\$1,750.	\$1,895.	\$1,962.	\$2,208.
	1 1/2"	24"	66"	RTRDOF66242( ) ( )	1,762.	1,914.	1,987.	2,254.
	1 1/2"	24"	72"	RTRDOF72242( ) ( )	1,775.	1,928.	2,009.	2,272.
	1 1/2"	24"	78"	RTRDOF78242( ) ( )	1,793.	1,970.	2,054.	2,363.
	1 1/2"	24"	84"	RTRDOF84242( ) ( )	1,805.	2,008.	2,096.	2,426.

Table Top Rectangle 30" Deep with 28 3/8" height leg 	1 1/2"	30"	60"	RTRDOF60302( ) ( )	1,845.	1,964.	2,044.	2,331.
	1 1/2"	30"	66"	RTRDOF66302( ) ( )	1,858.	1,986.	2,074.	2,384.
	1 1/2"	30"	72"	RTRDOF72302( ) ( )	1,875.	2,002.	2,115.	2,450.
	1 1/2"	30"	78"	RTRDOF78302( ) ( )	1,895.	2,051.	2,152.	2,511.
	1 1/2"	30"	84"	RTRDOF84302( ) ( )	1,909.	2,101.	2,209.	2,592.




Table Top Rectangle 36" Deep with 28 3/8" height leg 	1 1/2"	36"	60"	RTRDOF60362( ) ( )	1,871.	2,015.	2,108.	2,435.
	1 1/2"	36"	66"	RTRDOF66362( ) ( )	1,887.	2,042.	2,144.	2,498.
	1 1/2"	36"	72"	RTRDOF72362( ) ( )	1,906.	2,080.	2,190.	2,570.
	1 1/2"	36"	78"	RTRDOF78362( ) ( )	1,929.	2,113.	2,232.	2,640.
	1 1/2"	36"	84"	RTRDOF84362( ) ( )	1,945.	2,158.	2,284.	2,719.

Order Code	
Example: <b>R</b>	Reff
<b>TR</b>	Table Rectangular
<b>D</b>	1 1/2"
<b>OF</b>	Open Frame Leg
<b>60</b>	Width
<b>30</b>	Depth
<b>2</b>	28 3/8" height leg
<b>V316</b>	Finish
<b>111</b>	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Open Frame Leg finish Painted Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
1 1/2" top will come with appropriate stiffener support.
Grommets are NOT optional for these tables.

*Open Frame Leg Infill Options - 26 1/2" High  
Infills for Tables only*

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 26 1/2" h 	24"	20"	<b>RIPI201()</b>	\$296.	\$376.	\$433.	\$563.	
	24"	24"	<b>RIPI241()</b>	304.	386.	444.	578.	
	24"	30"	<b>RIPI301()</b>	320.	406.	467.	608.	
	24"	36"	<b>RIPI361()</b>	339.	431.	495.	644.	
Outside Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	<b>RIPO201()</b>	297.	378.	434.	565.	
	25"	24"	<b>RIPO241()</b>	305.	388.	446.	579.	
	25"	30"	<b>RIPO301()</b>	322.	409.	470.	611.	
	25"	36"	<b>RIPO361()</b>	340.	432.	497.	646.	
Outside Glass Infill Options for Open Frame Legs 26 1/2" h 	25"	20"	<b>RIPOG201()</b>					750.
	25"	24"	<b>RIPOG241()</b>					846.
	25"	30"	<b>RIPOG301()</b>					995.
	25"	36"	<b>RIPOG361()</b>					1,148.


Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>RIPPEI202</b> <b>R</b> Reff Profiles <b>IP</b> Infill Panel <b>PE</b> Peninsula End <b>I</b> Inside <b>20</b> Width <b>2</b> 23 3/8" h: Desk Height <b>()</b> Finish	To order please specify pattern number including: 1. Finish: L, V1,V2,V3, Glass I=Inside O=Outside OG=Outside Glass Glass options: GL11, GL14, GL15, GL18	Both Inside and Outside infill must be ordered separately. Infills; fill entire opening of open frame legs. Infills connect to each other. Can be removed without any damage to the frame legs. Glass Option is only available for outside infill. Black inside infill recommended when Glass option is used.


Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.



*Open Frame Leg Infill Options - 28<sup>3/8</sup>" High  
Infills for Tables only*

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 28 <sup>3/8</sup> " h 	26"	20"	<b>RIPI202( )</b>	\$296.	\$376.	\$433.	\$563.	
	26"	24"	<b>RIPI242( )</b>	304.	386.	444.	578.	
	26"	30"	<b>RIPI302( )</b>	320.	406.	467.	608.	
	26"	36"	<b>RIPI362( )</b>	339.	431.	495.	644.	

Outside Infill Options for Open Frame Legs 28 <sup>3/8</sup> " h 	27"	20"	<b>RIPO202( )</b>	297.	378.	434.	565.	
	27"	24"	<b>RIPO242( )</b>	305.	388.	446.	579.	
	27"	30"	<b>RIPO302( )</b>	322.	409.	470.	611.	
	27"	36"	<b>RIPO362( )</b>	340.	432.	497.	646.	

Outside Glass Infill Options for Open Frame Legs 28 <sup>3/8</sup> " h 	27"	20"	<b>RIPOG202( )</b>					750.
	27"	24"	<b>RIPOG242( )</b>					846.
	27"	30"	<b>RIPOG302( )</b>					995.
	27"	36"	<b>RIPOG362( )</b>					1,148.

Order Code	Specification Information	Application Notes
Example: <b>RIPPEI202</b>	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill must be ordered separately.
<b>R</b> Reff Profiles	1. Finish: L, V1,V2,V3, Glass	Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.
<b>IP</b> Infill Panel	I=Inside	Infills; fill entire opening of open frame legs.
<b>PE</b> Peninsula End	O=Outside	Infills connect to each other. Can be removed without any damage to the frame legs.
<b>I</b> Inside	OG=Outside Glass	Glass Option is only available for outside infill.
<b>20</b> Width	Glass options: GL11, GL14, GL15, GL18	Black inside infill recommended when Glass option is used.
<b>2</b> 28 <sup>3/8</sup> "h: Desk Height		
<b>( )</b> Finish		

Tables, 1 1/2"  
 Rectangle with L-Leg  
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	<b>RTRDL48301</b> ( ) ( )	\$1,484.	\$1,575.	\$1,643.	\$1,910.
	30"	60"	1 1/2"	<b>RTRDL60301</b> ( ) ( )	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	<b>RTRDL72301</b> ( ) ( )	1,603.	1,702.	1,798.	2,174.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	<b>RTRDL72361</b> ( ) ( )	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	<b>RTRDL48302</b> ( ) ( )	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	<b>RTRDL60302</b> ( ) ( )	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	<b>RTRDL72302</b> ( ) ( )	1,603.	1,702.	1,798.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	<b>RTRDL72362</b> ( ) ( )	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	---------------------------	--------	--------	--------	--------



Order Code	
Example: <b>RTRDL48301</b> ( ) ( )	
<b>R</b>	Reff
<b>TR</b>	Table Rectangular
<b>D</b>	1 1/2"
<b>L</b>	L-Leg
<b>48</b>	Width
<b>30</b>	Depth
<b>1</b>	26 1/2" height leg
<b>V316</b>	Finish
<b>111</b>	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
Grommets are NOT optional for these tables.

Tables, 1 1/2"  
*Rectangle with Reverse L-Leg*  
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	<b>RTRDRL48301</b> ( ) ( ) ( )	\$1,484.	\$1,575.	\$1,643.	\$1,910.
	30"	60"	1 1/2"	<b>RTRDRL60301</b> ( ) ( ) ( )	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	<b>RTRDRL72301</b> ( ) ( ) ( )	1,603.	1,702.	1,797.	2,174.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	<b>RTRDRL72361</b> ( ) ( ) ( )	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	<b>RTRDRL48302</b> ( ) ( ) ( )	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	<b>RTRDRL60302</b> ( ) ( ) ( )	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	<b>RTRDRL72302</b> ( ) ( ) ( )	1,603.	1,702.	1,797.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	<b>RTRDRL72362</b> ( ) ( ) ( )	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------



**Order Code**

Example: <b>RTRDRL48301</b> ( ) ( ) ( )	
<b>R</b>	Reff
<b>TR</b>	Table Rectangular
<b>D</b>	1 1/2"
<b>RL</b>	Reverse L-Leg
<b>48</b>	Width
<b>30</b>	Depth
<b>1</b>	26 1/2" height leg
<b>V316</b>	Finish
<b>111</b>	Leg Finish

**Specification Information**

To order please specify pattern number including:

1. Worksurface finish  
L, V1, V2, V3
2. Leg finish  
Painted / Anodized

**Application Notes**

Assembly required, ships knock down.  
 Modesty sold separately.  
 Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.  
 Grommets are NOT optional for these tables.

Tables, 1 1/2"  
*Rectangle with Soft Rectangular Leg*  
 30" and 36" deep

description	depth	width	thickness	pattern number	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	<b>RTRDS48301</b> ( ) ( ) ( )	\$1,377.	\$1,462.	\$1,530.	\$1,796.
	30"	60"	1 1/2"	<b>RTRDS60301</b> ( ) ( ) ( )	1,450.	1,539.	1,620.	1,943.
	30"	72"	1 1/2"	<b>RTRDS72301</b> ( ) ( ) ( )	1,497.	1,588.	1,684.	2,062.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	<b>RTRDS72361</b> ( ) ( ) ( )	1,546.	1,641.	1,753.	2,186.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	<b>RTRDS48302</b> ( ) ( ) ( )	1,377.	1,462.	1,530.	1,796.
	30"	60"	1 1/2"	<b>RTRDS60302</b> ( ) ( ) ( )	1,450.	1,539.	1,620.	1,943.
	30"	72"	1 1/2"	<b>RTRDS72302</b> ( ) ( ) ( )	1,497.	1,588.	1,684.	2,062.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	<b>RTRDS72362</b> ( ) ( ) ( )	1,546.	1,641.	1,753.	2,186.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------



**Order Code**

Example:	<b>RTRDS48301</b> ( ) ( ) ( )
<b>R</b>	Reff
<b>TR</b>	Table Rectangular
<b>D</b>	1 1/2"
<b>S</b>	Soft Rectangular Leg
<b>48</b>	Width
<b>30</b>	Depth
<b>1</b>	26 1/2" height leg
<b>V316</b>	Finish
<b>111</b>	Leg Finish

**Specification Information**


To order please specify pattern number including:  
 1. Worksurface finish  
 L, V1, V2, V3  
 2. Leg finish  
 Painted / Anodized

**Application Notes**


Assembly required, ships knock down.  
 Modesty sold separately.  
 Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.  
 Grommets are NOT optional for these tables.

Tables, 1 1/2"  
 Square with L-Leg  
 42" and 48" deep

description	w	d	th	pattern no.	L	V1	V2	V3
Table Square with 26 1/2" height legs	42"	42"	1 1/2"	<b>RTSDL42421</b> ( ) ( ) ( )	\$1,520.	\$1,617.	\$1,697.	\$2,009.
	48"	48"	1 1/2"	<b>RTSDL48481</b> ( ) ( ) ( )	1,584.	1,685.	1,787.	2,173.



description	w	d	th	pattern no.	L	V1	V2	V3
Table Top Square with 28 3/8" height legs	42"	42"	1 1/2"	<b>RTSDL42422</b> ( ) ( ) ( )	1,520.	1,617.	1,697.	2,009.
	48"	48"	1 1/2"	<b>RTSDL48482</b> ( ) ( ) ( )	1,584.	1,685.	1,787.	2,173.




Order Code	
Example: <b>RTSDL42421</b> ( ) ( ) ( )	
<b>R</b>	Reff
<b>TS</b>	Table Square
<b>D</b>	1 1/2"
<b>L</b>	L-Leg
<b>42</b>	Width
<b>42</b>	Depth
<b>1</b>	26 1/2" height leg
<b>V316</b>	Finish
<b>111</b>	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized


Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"  
 Square with Reverse L-Leg  
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDRL42421()()()	\$1,520.	\$1,617.	\$1,697.	\$2,009.
	1 1/2"	48"	48"	RTSDRL48481()()()	1,584.	1,685.	1,787.	2,173.



description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDRL42422()()()	1,520.	1,617.	1,697.	2,009.
	1 1/2"	48"	48"	RTSDRL48482()()()	1,584.	1,685.	1,787.	2,173.




Order Code	
Example: <b>RTSDRL42421</b> ()()()	
<b>R</b>	Reff
<b>TS</b>	Table Square
<b>D</b>	1 1/2"
<b>RL</b>	Reverse L-Leg
<b>42</b>	Width
<b>42</b>	Depth
<b>1</b>	26 1/2" height leg
<b>V316</b>	Finish
<b>111</b>	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized


Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"  
 Square with Soft Rectangular Leg  
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Square with 26 1/2" height legs	1 1/2"	42"	42"	<b>RTSDS42421</b> ( ) ( ) ( )	\$1,557.	\$1,657.	\$1,738.	\$2,048.
	1 1/2"	48"	48"	<b>RTSDS48481</b> ( ) ( ) ( )	1,622.	1,725.	1,826.	2,213.



description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	<b>RTSDS42422</b> ( ) ( ) ( )	1,557.	1,657.	1,738.	2,048.
	1 1/2"	48"	48"	<b>RTSDS48482</b> ( ) ( ) ( )	1,622.	1,725.	1,826.	2,213.





Order Code	
Example:	<b>RTSDS42421</b> ( ) ( ) ( )
<b>R</b>	Reff
<b>TS</b>	Table Square
<b>D</b>	1 1/2"
<b>S</b>	Soft Rectangular-Leg
<b>42</b>	Width
<b>42</b>	Depth
<b>1</b>	26 1/2" height leg
<b>V316</b>	Finish
<b>111</b>	Leg Finish

Specification Information
To order please specify pattern number including:
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Anodized

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.

Tables, 1 1/2"  
 Round with Column Leg  
 36", 42" and 48" diameter

description	th	dia.	pattern no.	L	V1	V2	V3
 Table Top Round with 26 1/2" height legs	1 1/2"	36"	<b>RTNDC361</b> ( ) ( ) ( )	\$2,498.	\$2,657.	\$2,718.	\$2,937.
	1 1/2"	42"	<b>RTNDC421</b> ( ) ( ) ( )	2,560.	2,723.	2,803.	3,084.
	1 1/2"	48"	<b>RTNDC481</b> ( ) ( ) ( )	2,622.	2,789.	2,889.	3,242.

 Table Top Round with 28 3/8" height legs	1 1/2"	36"	<b>RTNDC362</b> ( ) ( ) ( )	2,498.	2,657.	2,718.	2,937.
	1 1/2"	42"	<b>RTNDC422</b> ( ) ( ) ( )	2,560.	2,723.	2,803.	3,084.
	1 1/2"	48"	<b>RTNDC482</b> ( ) ( ) ( )	2,622.	2,789.	2,889.	3,242.

Order Code	
Example: <b>RTNDC361</b> ( ) ( ) ( )	
<b>R</b>	Reff
<b>TN</b>	Table Round
<b>D</b>	1 1/2"
<b>C</b>	Column Leg
<b>36</b>	Diameter
<b>1</b>	26 1/2" height leg
<b>V316</b>	Finish
<b>111</b>	Leg Finish







Specification Information
<i>To order please specify pattern number including:</i>
1. Worksurface finish L, V1, V2, V3
2. Leg finish Painted / Plated

Application Notes
Assembly required, ships knock down.
Modesty sold separately.
Grommets are NOT optional for these tables.



# Tables, 1" Laminate

Reff Profiles

description	d	w	th	pattern no.	L
Round Table with 26 1/2" height legs 	36"		1"	<b>RSTRLE361</b> ( ) ( )	\$3,006.
	42"		1"	<b>RSTRLE421</b> ( ) ( )	3,065.
Round Table with 28 3/8" height legs 	36"		1"	<b>RSTRLE362</b> ( ) ( )	3,063.
	42"		1"	<b>RSTRLE422</b> ( ) ( )	3,123.
Soft Square Table with 26 1/2" height legs 	36"		1"	<b>RSTSLE361</b> ( ) ( )	2,979.
	42"		1"	<b>RSTSLE421</b> ( ) ( )	3,043.
Soft Square Table with 28 3/8" height legs 	36"		1"	<b>RSTSLE362</b> ( ) ( )	3,037.
	42"		1"	<b>RSTSLE422</b> ( ) ( )	3,101.
Soft Rectangle Table with 26 1/2" height legs 	30"	48"	1"	<b>RSTTLE30481</b> ( ) ( )	2,807.
	36"	54"	1"	<b>RSTTLE36541</b> ( ) ( )	2,881.
Soft Rectangle Table with 28 3/8" height legs 	30"	48"	1"	<b>RSTTLE30482</b> ( ) ( )	2,864.
	36"	54"	1"	<b>RSTTLE36542</b> ( ) ( )	2,939.

## Order Code

Example: <b>RSTRLE361</b> ( ) ( )	
<b>R</b>	Reff
<b>ST</b>	Slider Table
<b>R</b>	Round
<b>L</b>	Laminate surface
<b>E</b>	1" thick
<b>42</b>	42" diameter
<b>1</b>	26 1/2" height leg
<b>114</b>	Finish
<b>118T</b>	Leg Finish

## Specification Information







To order please specify pattern number including:  
 1. Worksurface finish:  
     Laminate only  
 2. Leg Textured finish:  
     111T, 115T, 118T

## Application Notes

Assembly required.  
 Ships knocked down.  
 Grommets are not an option for these tables.  
 Column and base are color matched  
 Column = smooth  
 Base = textured

# Tables, 1" Wood

Reff Profiles







description	d	w	th	pattern no.	V1	V2	V3
 Round Table with 26 1/2" height legs	36"		1"	<b>RSTRWE361</b> ( ) ( )	\$3,197.	\$3,247.	\$3,498.
	42"		1"	<b>RSTRWE421</b> ( ) ( )	3,261.	3,327.	3,639.
 Round Table with 28 3/8" height legs	36"		1"	<b>RSTRWE362</b> ( ) ( )	3,259.	3,308.	3,560.
	42"		1"	<b>RSTRWE422</b> ( ) ( )	3,323.	3,389.	3,701.
 Soft Square Table with 26 1/2" height legs	36"		1"	<b>RSTSWE361</b> ( ) ( )	3,169.	3,219.	3,492.
	42"		1"	<b>RSTSWE421</b> ( ) ( )	3,237.	3,302.	3,639.
 Soft Square Table with 28 3/8" height legs	36"		1"	<b>RSTSWE362</b> ( ) ( )	3,231.	3,281.	3,554.
	42"		1"	<b>RSTSWE422</b> ( ) ( )	3,299.	3,364.	3,701.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	<b>RSTTWE30481</b> ( ) ( )	2,986.	3,040.	3,335.
	36"	54"	1"	<b>RSTTWE36541</b> ( ) ( )	3,064.	3,135.	3,499.
 Soft Rectangle Table with 28 3/8" height legs	30"	48"	1"	<b>RSTTWE30482</b> ( ) ( )	3,048.	3,101.	3,397.
	36"	54"	1"	<b>RSTTWE36542</b> ( ) ( )	3,126.	3,197.	3,561.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>RSTRWE361</b> ( ) ( )	To order please specify pattern number including:	Column and base are color matched.
<b>R</b> Reff	1. Worksurface finish	Assembly required, ships knock down.
<b>ST</b> Slider Table	V1, V2, V3 wood only	Grommets are not an option for these tables.
<b>R</b> Round	2. Leg Textured finish:	
<b>W</b> Wood surface	111T, 115T, 118T	
<b>E</b> 1" thick		
<b>42</b> 42" diameter		
<b>1</b> 26 1/2" height leg		
<b>V316</b> Finish		
<b>111T</b> Leg Finish		

# Tables, 1" Solid

Reff Profiles


description	d	w	th	pattern no.	Solid
 Round Table with 26 1/2" height legs	36"		1"	<b>RSTRSE361</b> ( ) ( )	\$8,198.
	42"		1"	<b>RSTRSE421</b> ( ) ( )	9,393.
 Round Table with 28 3/8" height legs	36"		1"	<b>RSTRSE362</b> ( ) ( )	8,198.
	42"		1"	<b>RSTRSE422</b> ( ) ( )	9,393.
 Soft Square Table with 26 1/2" height legs	36"		1"	<b>RSTSSE361</b> ( ) ( )	7,329.
	42"		1"	<b>RSTSSE421</b> ( ) ( )	8,645.
 Soft Square Table with 28 3/8" height legs	36"		1"	<b>RSTSSE362</b> ( ) ( )	7,329.
	36"		1"	<b>RSTSSE362</b> ( ) ( )	7,329.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	<b>RSTTSE30481</b> ( ) ( )	9,032.
	36"	54"	1"	<b>RSTTSE36541</b> ( ) ( )	10,016.
 Soft Rectangle Table with 28 3/8" height legs	30"	48"	1"	<b>RSTTSE30482</b> ( ) ( )	9,032.
	36"	54"	1"	<b>RSTTSE36542</b> ( ) ( )	10,016.

Order Code	Specification Information	Application Notes
Example: <b>RSTRSE361</b> ( ) ( )	To order please specify pattern number including:	Assembly required.
<b>R</b> Reff	1. Worksurface finish: AW=Artic White, only	Ships knocked down.
<b>ST</b> Slider Table	2. Leg finish Textured: 111T, 115T, 118T	Grommets are <u>not</u> an option for these tables.
<b>R</b> Round		Artic White finish available for solid tops.
<b>S</b> Solid		Column and base are color matched.
<b>E</b> 1" thick		Column=smooth
<b>42</b> 42" diameter		Base=textured
<b>1</b> 26 1/2" height leg		
<b>AW</b> Worksurface finish		
<b>111T</b> Leg Finish		

# Top support components


## Bracketry

description	d	pattern no.	P1& black only	P2	P3
Cantilever bracket, panel hung	18"	<b>RBC18 (L/R)</b>	\$93.	\$97.	\$101.
	24"	<b>RBC24 (L/R)</b>	101.	107.	113.




Specify paint finish  
 18" for 20" and 24"d tops  
 24" for 30" and 36"d tops  
 Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	<b>ASBC18 (L/R) ( )</b>	93.	98.	102.
	24"	<b>ASBC24 (L/R) ( )</b>	102.	110.	115.



Specify paint finish  
 18" for 24"d tops  
 24" for 30" d tops  
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)






Mid-span cantilever bracket, free standing	17"	<b>RMSCB ( )</b>	74.	79.	83.
--	-----	------------------	-----	-----	-----



Order Code	Specification Information	Application Notes
Example: <b>RBC18L</b>	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
<b>R</b> Reff	1. Left or right-hand, where applicable.	Refer to page 435 for replacement hardware.
<b>B</b> Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
<b>C</b> Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
<b>18</b> 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
<b>L</b> Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	<b>Knoll takes no responsibility for the installation or security of tops to the wall.</b>
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

# Top support components




## Bracketry

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		<b>RBCC</b>	\$19.		
	Black only				
Side hung support bracket 		<b>RBCCP (Pair)</b>	40.	42.	43.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		<b>RBPP (L/R)</b>	8.		
	Black only				
Top to top bracket 	6" x 1"	<b>RBF (Pair)</b>	5.		
	Black only				
Wall hung support bracket 	20" 24" 30" 36" 42" 48"	<b>RSBWH20</b> <b>RSBWH24</b> <b>RSBWH30</b> <b>RSBWH36</b> <b>RSBWH42</b> <b>RSBWH48</b>	42. 44. 48. 53. 56. 68.	44. 48. 50. 56. 59. 71.	46. 50. 53. 59. 62. 74.
	Specify paint finish				
Z-bracket for bridge applications 		<b>RBZ (A/B) (Pair)</b>	35.		
	Black only				

Order Code	Specification Information	Application Notes
Example: <b>RBC18L</b>	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
<b>R</b> Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
<b>B</b> Bracket	2. Top thickness, where applicable.	<b>Knoll takes no responsibility for the installation or security of tops to the wall.</b>
<b>C</b> Cantilever	3. Finish type	
<b>18</b> 18" deep	4. Finish, where applicable	Refer to page 435 for replacement hardware.
<b>L</b> Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Cantilever should be specified with top to top brackets.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

# Top support components


## Bracketry

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		<b>RBPR (Pair)</b>	\$7.	\$7.	\$8.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		<b>RBPS (L/R)</b>	11.	13.	13.
		Specify paint finish			
Utility bracket		<b>RUTB</b>	11.		
		Black only			
L Bracket for off-module applications		<b>R113B</b>	5.		
		One by one by three bracket			
Worksurface to cabinet bracket for 24" worksurface		<b>RBWC24</b>	54.	0.	0.
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		<b>RBWC30</b>	59.	0.	0.
		bracket can be used with 30" and 36" worksurfaces			


Order Code	Specification Information	Application Notes
Example: <b>RBC18L</b>	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
<b>R</b> Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
<b>B</b> Bracket	2. Top thickness, where applicable.	
<b>C</b> Cantilever	3. Finish type	
<b>18</b> 18" deep	4. Finish, where applicable	
<b>L</b> Left hand		
	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	<b>Knoll takes no responsibility for the installation or security of tops to the wall.</b>
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 435 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components  
 26 1/2" high planning  
 Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. <sup>15</sup> / <sub>16</sub> " actual thickness	24"	1"	26 1/2"	<b>RB24(M/H)(F/R)-()</b>	\$155.	\$219.	\$250.	\$339.
	30"	1"	26 1/2"	<b>RB30(M/H)(F/R)-()</b>	279.	391.	451.	609.
	36"	1"	26 1/2"	<b>RB36(M/H)(F/R)-()</b>	308.	430.	494.	666.
	42"	1"	26 1/2"	<b>RB42(M/H)(F/R)-()</b>	332.	467.	536.	724.
	48"	1"	26 1/2"	<b>RB48(M/H)(F/R)-()</b>	373.	525.	604.	815.
	54"	1"	26 1/2"	<b>RB54(M/H)(F/R)-()</b>	390.	551.	632.	854.
	60"	1"	26 1/2"	<b>RB60(M/H)(F/R)-()</b>	406.	568.	653.	880.
	66"	1"	26 1/2"	<b>RB66(M/H)(F/R)-()</b>	422.	592.	684.	925.
	72"	1"	26 1/2"	<b>RB72(M/H)(F/R)-()</b>	464.	653.	750.	1,014.
	78"	1"	26 1/2"	<b>RB78(M/H)(F/R)-()</b>	495.	694.	801.	1,083.
	84"	1"	26 1/2"	<b>RB84(M/H)(F/R)-()</b>	523.	737.	846.	1,142.
	90"	1"	26 1/2"	<b>RB90(M/H)(F/R)-()</b>	555.	781.	895.	1,209.
	96"	1"	26 1/2"	<b>RB96(M/H)(F/R)-()</b>	569.	799.	918.	1,238.



description	d	w	h	pattern no.	L	V1	V2	V3
Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	<b>RB3636-()</b>	1,005.	1,491.	1,716.	2,318.
	36"	42"	26 1/2"	<b>RB3642-()</b>	1,028.	1,531.	1,761.	2,377.
	36"	48"	26 1/2"	<b>RB3648-()</b>	1,072.	1,589.	1,822.	2,461.
	42"	36"	26 1/2"	<b>RB4236-()</b>	1,028.	1,531.	1,761.	2,377.
	42"	42"	26 1/2"	<b>RB4242-()</b>	1,055.	1,568.	1,807.	2,439.
	42"	48"	26 1/2"	<b>RB4248-()</b>	1,096.	1,624.	1,869.	2,524.
	48"	36"	26 1/2"	<b>RB4836-()</b>	1,072.	1,589.	1,822.	2,461.
	48"	42"	26 1/2"	<b>RB4842-()</b>	1,096.	1,624.	1,869.	2,524.
	48"	48"	26 1/2"	<b>RB4848-()</b>	1,138.	1,684.	1,949.	2,631.



Order Code

Example:	<b>RB24MFL</b>
<b>R</b>	Reff
<b>B</b>	Back panel
<b>24</b>	48" panel dimension
<b>M</b>	Full height modesty
<b>F</b>	Flush modesty placement
<b>L</b>	Laminate
<b>114</b>	Folkstone grey

Specification Information

To order please specify pattern number including:

1. Modesty type
2. Modesty placement
3. Finish type
4. Finish

1. Modesty type:  
 M = Standard height (26 1/2"H)  
 H = Half height

2. Modesty placement:  
 F = Flush, cantilevered  
 R = Recessed

3. Finish type:  
 L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3

Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.

Glides ship with all supports on this page except the recessed modesty panel.


Please see Planning Guide for freestanding planning instruction.

# Top support components


## 26 1/2" high planning

### End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	<b>RE30-( )</b>	\$476.	\$773.	\$890.	\$1,201.
	36"	1"	26 1/2"	<b>RE36-( )</b>	503.	810.	931.	1,257.




Panel end panels. All hardware included.	13"	1"	26 1/2"	<b>RSE1(L/R)-( )</b>	182.	315.	363.	490.
	16"	1"	26 1/2"	<b>RSE2(L/R)-( )</b>	196.	336.	386.	521.
	20"	1"	26 1/2"	<b>RSE3(L/R)-( )</b>	211.	353.	405.	546.
	24"	1"	26 1/2"	<b>RSE4(L/R)-( )</b>	222.	368.	425.	573.
	30"	1"	26 1/2"	<b>RSE5(L/R)-( )</b>	236.	388.	446.	604.
	36"	1"	26 1/2"	<b>RSE6(L/R)-( )</b>	250.	405.	467.	631.



left hand shown


Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	<b>RE12F-( ) Half depth end panel</b>	182.	315.	363.	490.
	15"	1"	26 1/2"	<b>RE15F-( ) Half depth end panel</b>	196.	336.	386.	521.
	19"	1"	26 1/2"	<b>RE19F-( )</b>	211.	353.	405.	546.
	23"	1"	26 1/2"	<b>RE23F-( )</b>	222.	368.	425.	573.
	29"	1"	26 1/2"	<b>RE29F-( )</b>	236.	388.	446.	604.




Order Code	Specification Information	Application Notes
Example: <b>RSE1(L)114</b>	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
<b>R</b> Reff		Modesty panel lengths are nominal - length changes on option selected.
<b>SE</b> End panel	<i>1. Finish type:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>1</b> 13" deep	L = Laminate	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>L</b> Left hand	1 = V1	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
<b>L</b> Laminate	2 = V2	
<b>L</b> Laminate	3 = V3	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
<b>114</b> Folkstone grey	<i>2. Finish</i>	Please see Planning Guide for freestanding planning instruction.



Top support components  
28<sup>3</sup>/<sub>8</sub>" high planning  
Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
	1"	24"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH24M(F/R) ( )( )</b>	\$162.	\$231.	\$263.	\$354.
	1"	30"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH30M(F/R) ( )( )</b>	291.	413.	475.	640.
	1"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH36M(F/R) ( )( )</b>	324.	451.	517.	698.
	1"	42"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH42M(F/R) ( )( )</b>	348.	489.	564.	761.
	1"	48"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH48M(F/R) ( )( )</b>	391.	551.	633.	855.
	1"	54"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH54M(F/R) ( )( )</b>	410.	578.	662.	894.
	1"	60"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH60M(F/R) ( )( )</b>	426.	593.	684.	925.
	1"	66"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH66M(F/R) ( )( )</b>	441.	622.	719.	970.
	1"	72"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH72M(F/R) ( )( )</b>	487.	684.	787.	1,062.
	1"	78"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH78M(F/R) ( )( )</b>	520.	727.	843.	1,138.
	1"	84"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH84M(F/R) ( )( )</b>	551.	773.	888.	1,199.
	1"	90"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH90M(F/R) ( )( )</b>	583.	818.	941.	1,270.
	1"	96"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH96M(F/R) ( )( )</b>	594.	840.	963.	1,301.

description	d	w	h	pattern no.	L	V1	V2	V3
	36"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH3636 ( )( )</b>	1,056.	1,567.	1,805.	2,435.
	36"	42"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH3642 ( )( )</b>	1,079.	1,608.	1,849.	2,497.
	36"	48"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH3648 ( )( )</b>	1,125.	1,668.	1,915.	2,586.
	42"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4236 ( )( )</b>	1,079.	1,608.	1,849.	2,497.
	42"	42"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4242 ( )( )</b>	1,106.	1,646.	1,894.	2,557.
	42"	48"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4248 ( )( )</b>	1,151.	1,704.	1,965.	2,654.
	48"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4836 ( )( )</b>	1,125.	1,668.	1,915.	2,586.
	48"	42"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4842 ( )( )</b>	1,151.	1,704.	1,965.	2,654.
	48"	48"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH4848 ( )( )</b>	1,194.	1,769.	2,048.	2,765.

depth = left return, width = right return

Order Code

Example: <b>RBDH24MFL114</b>
<b>R</b> Reff
<b>B</b> Back panel/modesty
<b>DH</b> Desk height (28 <sup>3</sup> / <sub>8</sub> " )
<b>24</b> 24"
<b>M</b> Full height modesty
<b>F</b> Modesty placement, flush
<b>L</b> Finish type, laminate
<b>114</b> Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Modesty placement*  
F = Flush, cantilevered  
R = Recessed
2. *Finish type*  
L = laminate  
1 = V1  
2 = V2  
3 = V3
3. *Finish*

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

**Products on this page are 28-3/8" high.** 28<sup>3</sup>/<sub>8</sub>"h "desk height" products should not be mixed with 26 1/2"h components. 28<sup>3</sup>/<sub>8</sub>"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.


\* Half depth end panels

Glides ship with all supports on this page except the recessed modesty panel.


Please see Reff Planning Guide for freestanding planning instructions.

Top support components  
28<sup>3</sup>/<sub>8</sub>" high planning  
End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)	1"	30"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH30</b> ( ) ( )	\$500.	\$813.	\$934.	\$1,261.
	1"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH36</b> ( ) ( )	527.	851.	976.	1,319.




Desk height end panel for panel (hardware included)	1"	13"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH1(L/R)</b> ( ) ( )	190.	335.	381.	515.
	1"	16"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH2(L/R)</b> ( ) ( )	205.	352.	408.	551.
	1"	20"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH3(L/R)</b> ( ) ( )	221.	369.	425.	573.
	1"	24"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH4(L/R)</b> ( ) ( )	234.	386.	446.	604.
	1"	30"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH5(L/R)</b> ( ) ( )	248.	410.	468.	632.
	1"	36"	28 <sup>3</sup> / <sub>8</sub> "	<b>RSEDH6(L/R)</b> ( ) ( )	264.	425.	489.	661.



left hand shown

Desk height end panels with hardware for building flush or cantilevered worksurfaces	1"	12"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH12F</b> ( ) ( ) *	190.	335.	381.	515.
	1"	15"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH15F</b> ( ) ( ) *	205.	352.	408.	551.
	1"	19"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH19F</b> ( ) ( )	221.	369.	425.	573.
	1"	23"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH23F</b> ( ) ( )	234.	386.	446.	604.
	1"	29"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDH29F</b> ( ) ( )	248.	410.	468.	632.




Order Code	Specification Information	Application Notes
Example: <b>REDH30</b>	<i>To order please specify pattern number including:</i>	<b>Products on this page are 28-3/8" high.</b> 28 <sup>3</sup> / <sub>8</sub> "h "desk height" products should not be mixed with 26 <sup>1</sup> / <sub>2</sub> "h components. 28 <sup>3</sup> / <sub>8</sub> "h components when used with 1 <sup>1</sup> / <sub>4</sub> " worksurfaces achieve overall desk height of 29 <sup>3</sup> / <sub>8</sub> "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
<b>R</b> Reff	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
<b>E</b> End panel	2. <i>Finish</i>	Modesty panel lengths are nominal, length changes on option selected.
<b>DH</b> Desk height (28 <sup>3</sup> / <sub>8</sub> ")	Applicable finishes are listed on page 5 and 6.	* Half depth end panels
<b>30</b> 30"	Product on this page will accept woodgrain laminate where laminate is currently an option.	Glides ship with all supports on this page except the recessed modesty panel.
<b>L</b> Left hand	List price for woodgrain laminate options will be current published laminate list price plus 10%.	Please see Reff Planning Guide for freestanding planning instructions.
<b>L</b> Finish type, laminate		
<b>114</b> Finish, Folkstone grey		

# Top support components

## 28<sup>3</sup>/<sub>8</sub>" high planning

### Modesty and Bulkhead

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bow top front, short modesty (pedestals ordered separately)	1"	40"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH40MR ( ) ( )</b>	\$348.	\$489.	\$564.	\$761.
	1"	52"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH52MR ( ) ( )</b>	410.	578.	662.	894.
	1"	64"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBDH64MR ( ) ( )</b>	441.	622.	719.	970.



**Use of short modesty panel**

Pedestals and finished back for pedestal must each be ordered separately  
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

Desk height bulkhead (false pedestal)	24"	16"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDHBH124 ( ) ( )</b>	491.	811.	941.	1,270.
	30"	16"	28 <sup>3</sup> / <sub>8</sub> "	<b>REDHBH130 ( ) ( )</b>	509.	827.	963.	1,301.








Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application

Order Code	Specification Information	Application Notes
Example: <b>RBDH24MFL114</b>	<i>To order please specify pattern number including:</i>	<p><b>Products on this page are 28-3/8" high.</b> 28<sup>3</sup>/<sub>8</sub>"h "desk height" products should not be mixed with 26 1/2"h components. 28<sup>3</sup>/<sub>8</sub>"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.</p> <p>Modesty panel lengths are nominal, length changes on option selected.</p> <p>* Half depth end panels</p> <p>Glides ship with all supports on this page except the recessed modesty panel.</p> <p>Please see Reff Planning Guide for freestanding planning instructions.</p>
<b>R</b> Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed	
<b>B</b> Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>DH</b> Desk height (28 <sup>3</sup> / <sub>8</sub> ")	3. <i>Finish</i>	
<b>24</b> 24"	Applicable finishes are listed on page 5 and 6.	
<b>M</b> Full height modesty	Product on this page will accept woodgrain laminate where laminate is currently an option.	
<b>F</b> Modesty placement, flush	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
<b>L</b> Finish type, laminate		
<b>114</b> Finish, Folkstone grey		

# Top support components

## *Painted or Plated Legs 26 1/2" high planning*

Reff Profiles

description	dia.	w	h	d	pattern no.	P1	P2	P3
Column leg, Interaction style (rectangular plate) 	4"	-	26 1/2"	-	<b>RSC</b>	\$250.	\$264.	\$277.
Ships with wood screws for fasening to underside of worksurface into pilot hole location. Painted finish only.								
4" Plain Cylinder (26 1/2" high) 	4"	-	26 1/2"	-	<b>RCB</b>	263.	276.	288.
Painted and plated finishes.								
Set of four column legs (4" dia.), Interaction style (triangular plate) 	4"	-	26 1/2"	-	<b>RSC4-( )</b>	976.	1,024.	1,077.
Painted finishes only.								
T-leg, Interaction style 	-		26 1/2"	24"	<b>RIB24T</b>	358.	376.	396.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted options only								
T-Leg, plain tube style 	-		26 1/2"	20"	<b>RCB20T-( )</b>	387.	407.	426.
	-		26 1/2"	24"	<b>RCB24T-( )</b>	393.	416.	436.
	-		26 1/2"	30"	<b>RCB30T-( )</b>	436.	456.	481.
	-		26 1/2"	40"	<b>RCB40T-( )</b>	458.	483.	508.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finish options.								




Support components

Order Code	Specification Information	Application Notes
Example: <b>RSC</b>	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
<b>R</b> Reff	1. Finish type, where applicable	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
<b>S</b> Support	2. Finish	Interaction style legs are only available in painted finishes.
<b>C</b> Cylinder	<i>Finish type options:</i> P = Paint (P1, P2, P3)	Applicable finishes are listed on page 5 and 6.
		Refer to Planning Guide for top-base matrix, pages 140 and 141.
		All bases include 1 1/2" leveller.

# Top support components

## *Painted or Plated Bases 26<sup>1</sup>/<sub>2</sub>" high planning*

Reff Profiles




description	h	dia.	pattern no.	P1	P2	P3
 X-base	26 <sup>1</sup> / <sub>2</sub> "	28"	<b>RIB28X-( )</b>	\$591.	\$622.	\$654.
	26 <sup>1</sup> / <sub>2</sub> "	32"	<b>RIB32X-( )</b>	801.	844.	886.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.						
 Spider base, plain tube style	26 <sup>1</sup> / <sub>2</sub> "	24"	<b>RCB24X</b>	606.	637.	667.
	26 <sup>1</sup> / <sub>2</sub> "	28"	<b>RCB28X</b>	634.	665.	698.
	26 <sup>1</sup> / <sub>2</sub> "	36"	<b>RCB36X</b>	687.	723.	758.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finishes.						
 Drum base	26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD1427-( )</b>	1,143.	1,201.	1,260.
	26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD1827-( )</b>	1,242.	1,305.	1,369.
	26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD2027-( )</b>	1,281.	1,345.	1,411.
	26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD2427-( )</b>	1,534.	1,612.	1,691.
	26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD3027-( )</b>	1,715.	1,799.	1,889.
Painted finishes only.						

Order Code	Specification Information	Application Notes
Example: <b>RIB28X</b>	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
<b>R</b> Reff	1. Finish type, where applicable	
<b>I</b> Interaction	2. Finish	Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.
<b>B</b> Base	<i>Finish type options:</i>	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
<b>28</b> Diameter	P = Paint (P1, P2, P3)	Interaction style legs are only available in painted finishes.
<b>X</b> X-base		Applicable finishes are listed on page 5 and 6.
		Refer to Planning Guide for top-base matrix, pages 140 and 141.
		All bases include 1 <sup>1</sup> / <sub>2</sub> " leveller.

# Top support components

## Laminate or Wood Bases 26<sup>1</sup>/<sub>2</sub>" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum base	14"		26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD1427-()</b>	n/a	\$1,336.	\$1,538.	\$2,076.
	18"		26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD1827-()</b>	n/a	1,451.	1,670.	2,256.
	20"		26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD2027-()</b>	n/a	1,499.	1,723.	2,326.
	24"		26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD2427-()</b>	n/a	1,796.	2,066.	2,789.
	30"		26 <sup>1</sup> / <sub>2</sub> "	–	<b>RSD3027-()</b>	n/a	2,007.	2,305.	3,112.
 T-base (hardware included)*	20"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST1-()</b>	427.	484.	565.	765.
	24"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST2-()</b>	457.	521.	598.	809.
	30"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST3-()</b>	538.	604.	699.	945.
	36"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST4-()</b>	611.	693.	795.	1,074.
	42"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST5-()</b>	678.	771.	889.	1,202.
	48"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RST6-()</b>	756.	851.	983.	1,327.
 L-base (hardware included), non-handed*	12"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL12-()</b>	427.	484.	565.	765.
	15"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL15-()</b>	437.	495.	571.	770.
	20"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL20-()</b>	457.	512.	591.	798.
	24"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL24-()</b>	465.	521.	598.	809.
	30"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL30-()</b>	538.	604.	699.	945.
	36"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL36-()</b>	611.	693.	795.	1,074.
	42"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL42-()</b>	678.	771.	889.	1,202.
	48"	26 <sup>1</sup> / <sub>2</sub> "	12"		<b>RSL48-()</b>	756.	851.	983.	1,327.

Support components

### Order Code

Example: <b>RSD1427</b>	
<b>R</b>	Reff
<b>S</b>	Support
<b>D</b>	Drum base
<b>14</b>	Diameter
<b>27</b>	Height
<b>2</b>	Finish type
<b>R319</b>	V2- Med. Cherry

### Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:

- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3

### Application Notes

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1<sup>1</sup>/<sub>2</sub>" leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.






T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 5 and 6.

# Top support components

## *Painted or Plated Legs 28<sup>3</sup>/<sub>8</sub>" high planning*

Reff Profiles

description	dia.	w	he	d	pattern no.	P1	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	–	28 <sup>3</sup> / <sub>8</sub> "		<b>RSDHC ( ) ( )</b>	\$264.	\$277.	\$289.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								
4" Plain Cylinder (desk height) 	4" dia	–	28 <sup>3</sup> / <sub>8</sub> "		<b>RCDHB ( ) ( )</b>	276.	288.	304.
Painted and plated finishes.								
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	–	28 <sup>3</sup> / <sub>8</sub> "		<b>RSDHC4 ( ) ( )</b>	1,026.	1,076.	1,131.
Painted finishes only.								
T-Leg, plain tube style (desk height) 	–		28 <sup>3</sup> / <sub>8</sub> "	20"	<b>RCDHB20T ( ) ( )</b>	407.	427.	448.
	–		28 <sup>3</sup> / <sub>8</sub> "	24"	<b>RCDHB24T ( ) ( )</b>	415.	436.	457.
	–		28 <sup>3</sup> / <sub>8</sub> "	30"	<b>RCDHB30T ( ) ( )</b>	457.	481.	505.
	–		28 <sup>3</sup> / <sub>8</sub> "	40"	<b>RCDHB40T ( ) ( )</b>	483.	508.	533.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finishes.								
T-Leg, Interaction style (desk height) 	–		28 <sup>3</sup> / <sub>8</sub> "	24"	<b>RIBDH24T ( ) ( )</b>	376.	396.	416.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								

Order Code	Specification Information	Application Notes
Example: <b>RSDHCP111</b>	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
<b>R</b> Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Interaction style legs and bases are not available in plated finishes.
<b>S</b> Support	2. <i>Finish</i> see matrix on page 5	Only the plain cylinder and the tube legs can be ordered in plated and painted finishes.
<b>DH</b> Desk Height	Applicable finishes are listed on page 5 and 6.	All bases include 1 1/2" leveller.
<b>C</b> Column Leg		
<b>P</b> Finish type, paint		
<b>111</b> Finish, Jet Black		

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

**Products on this page are 28-3/8" high.** 28<sup>3</sup>/<sub>8</sub>"h "desk height" products should not be mixed with 26 1/2"h components. 28<sup>3</sup>/<sub>8</sub>"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29<sup>3</sup>/<sub>8</sub>"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

# Top support components

## *Painted or Plated Bases 28<sup>3</sup>/<sub>8</sub>" high planning*

description	dia.	w	h	d	pattern no.	P1	P2	P3
X-base (desk height)		–	28 <sup>3</sup> / <sub>8</sub> "	28"	<b>RIBDH28X ( ) ( )</b>	\$622.	\$653.	\$686.
		–	28 <sup>3</sup> / <sub>8</sub> "	32"	<b>RIBDH32X ( ) ( )</b>	844.	885.	928.



Ships with wood screws for fastening to underside of worksurface into pilot hole location.  
Painted finishes only.

Spider base, plain tube style (desk height)		–	28 <sup>3</sup> / <sub>8</sub> "	24"	<b>RCBDH24X ( ) ( )</b>	637.	667.	700.
		–	28 <sup>3</sup> / <sub>8</sub> "	28"	<b>RCBDH28X ( ) ( )</b>	665.	698.	734.
		–	28 <sup>3</sup> / <sub>8</sub> "	36"	<b>RCBDH36X ( ) ( )</b>	723.	759.	795.




Ships with wood screws for fastening to underside of worksurface into pilot hole location.  
Painted and plated finishes.

Drum Base (desk height)	14"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD1428 ( ) ( )</b>	1,201.	1,260.	1,325.
	18"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD1828 ( ) ( )</b>	1,305.	1,369.	1,437.
	20"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD2028 ( ) ( )</b>	1,345.	1,411.	1,481.
	24"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD2428 ( ) ( )</b>	1,612.	1,691.	1,777.
	30"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD3028 ( ) ( )</b>	1,799.	1,890.	1,984.



Painted finishes only.

Base Support Column, 3" dia.			28 <sup>3</sup> / <sub>8</sub> "		<b>RSDHC3 ( ) ( )</b>	319.	319.	447.
------------------------------	--	--	----------------------------------	--	-----------------------	------	------	------



Painted and plated finishes.




Order Code	Specification Information	Application Notes
Example: <b>RCBDH24X</b>	<i>To order please specify pattern number including:</i>	Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.
<b>R</b> Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	<b>Products on this page are 28-3/8" high.</b> 28 <sup>3</sup> / <sub>8</sub> "h "desk height" products should not be mixed with 26 <sup>1</sup> / <sub>2</sub> "h components. 28 <sup>3</sup> / <sub>8</sub> "h components when used with 1 <sup>1</sup> / <sub>4</sub> " worksurfaces achieve overall desk height of 29 <sup>3</sup> / <sub>8</sub> "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
<b>I</b> Interaction	2. <i>Finish</i> see matrix on page 5	
<b>B</b> Base	Applicable finishes are listed on page 5 and 6.	Interaction style legs and bases are only available in painted finishes. Only plain cylinder and tube style legs can be ordered in plated and painted finishes.
<b>DH</b> Desk height		
<b>28</b> Diameter		
<b>X</b> X-base		
<b>P</b> Finish type, paint		
<b>111</b> Finish, Jet Black		



# Top support components

## Laminate or Wood Bases 28<sup>3</sup>/<sub>8</sub>" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
Drum Base (desk height) 	14"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD1428 ( )( )</b>	N/A	\$1,404.	\$1,614.	\$2,178.
	18"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD1828 ( )( )</b>	N/A	1,525.	1,753.	2,368.
	20"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD2028 ( )( )</b>	N/A	1,573.	1,808.	2,442.
	24"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD2428 ( )( )</b>	N/A	1,885.	2,170.	2,930.
	30"	–	28 <sup>3</sup> / <sub>8</sub> "	–	<b>RSDHD3028 ( )( )</b>	N/A	2,107.	2,421.	3,268.
T-base, desk height (hardware included) 	20"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT1 ( )( )</b>	449.	510.	592.	801.	
	24"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT2 ( )( )</b>	482.	547.	629.	849.	
	30"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT3 ( )( )</b>	564.	637.	734.	992.	
	36"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT4 ( )( )</b>	642.	729.	836.	1,128.	
	42"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT5 ( )( )</b>	712.	810.	934.	1,261.	
	48"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHT6 ( )( )</b>	793.	895.	1,032.	1,395.	
L-base, desk height (hardware included, non-handed) 	12"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL12 ( )( )</b>	449.	510.	592.	801.	
	15"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL15 ( )( )</b>	458.	517.	598.	809.	
	20"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL20 ( )( )</b>	482.	537.	623.	842.	
	24"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL24 ( )( )</b>	488.	547.	629.	849.	
	30"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL30 ( )( )</b>	564.	637.	734.	992.	
	36"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL36 ( )( )</b>	642.	729.	836.	1,128.	
	42"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL42 ( )( )</b>	712.	810.	934.	1,261.	
	48"	28 <sup>3</sup> / <sub>8</sub> "	12"	<b>RSDHL48 ( )( )</b>	793.	895.	1,032.	1,395.	

### Order Code

Example:	<b>RSDHD1428</b>
<b>R</b>	Reff
<b>S</b>	Support
<b>DH</b>	Desk Height
<b>D</b>	Drum base
<b>14</b>	Diameter
<b>28</b>	Height
<b>2</b>	Finish type, V2
<b>V316</b>	Finish, Maple

### Specification Information

To order please specify pattern number including:

1. *Finish Type, where applicable*  
 L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3
2. *Finish*  
 see matrix on page 5

Applicable finishes are listed on page 5 and 6.

### Application Notes


odT and L bases are not recommended for supporting conference tops.

All bases include 1/2" leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

**Products on this page are 28-3/8" high.** 28<sup>3</sup>/<sub>8</sub>"h "desk height" products should not be mixed with 26 1/2"h components. 28<sup>3</sup>/<sub>8</sub>"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29<sup>3</sup>/<sub>8</sub>"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.


Modesty  
Removable  
28<sup>3</sup>/<sub>8</sub>" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for End panel and Storage Unit 	72" wide assembly - 36" storage	1"	72"	25"	<b>RDHMR7240</b>	\$320.	\$401.	\$460.	\$599.
	72" wide assembly - 30" storage	1"	72"	25"	<b>RDHMR7230</b>	332.	414.	476.	619.
	72" wide assembly - 19" storage	1"	72"	25"	<b>RDHMR7220</b>	356.	445.	512.	665.
	72" wide assembly - 16" storage	1"	72"	25"	<b>RDHMR7210</b>	362.	452.	520.	676.
	78" wide assembly - 36" storage	1"	78"	25"	<b>RDHMR7840</b>	332.	414.	476.	619.
	78" wide assembly - 30" storage	1"	78"	25"	<b>RDHMR7830</b>	342.	427.	491.	639.
	78" wide assembly - 19" storage	1"	78"	25"	<b>RDHMR7820</b>	367.	458.	526.	685.
	78" wide assembly - 16" storage	1"	78"	25"	<b>RDHMR7810</b>	372.	465.	535.	694.
	84" wide assembly - 36" storage	1"	84"	25"	<b>RDHMR8440</b>	342.	427.	491.	639.
	84" wide assembly - 30" storage	1"	84"	25"	<b>RDHMR8430</b>	357.	446.	513.	667.
	84" wide assembly - 19" storage	1"	84"	25"	<b>RDHMR8420</b>	377.	472.	542.	705.
	84" wide assembly - 16" storage	1"	84"	25"	<b>RDHMR8410</b>	387.	484.	557.	724.
	90" wide assembly - 36" storage	1"	90"	25"	<b>RDHMR9040</b>	357.	446.	513.	667.
	90" wide assembly - 30" storage	1"	90"	25"	<b>RDHMR9030</b>	368.	459.	528.	687.
	90" wide assembly - 19" storage	1"	90"	25"	<b>RDHMR9020</b>	392.	490.	563.	733.
	90" wide assembly - 16" storage	1"	90"	25"	<b>RDHMR9010</b>	398.	497.	572.	744.
	96" wide assembly - 36" storage	1"	96"	25"	<b>RDHMR9640</b>	368.	459.	528.	687.
	96" wide assembly - 30" storage	1"	96"	25"	<b>RDHMR9630</b>	378.	473.	544.	707.
	96" wide assembly - 19" storage	1"	96"	25"	<b>RDHMR9620</b>	403.	504.	579.	753.
	96" wide assembly - 16" storage	1"	96"	25"	<b>RDHMR9610</b>	413.	516.	594.	773.
102" wide assembly - 36" storage	1"	102"	25"	<b>RDHMR10240</b>	393.	485.	554.	713.	
102" wide assembly - 30" storage	1"	102"	25"	<b>RDHMR10230</b>	404.	499.	570.	732.	
102" wide assembly - 19" storage	1"	102"	25"	<b>RDHMR10220</b>	428.	529.	605.	779.	
102" wide assembly - 16" storage	1"	102"	25"	<b>RDHMR10210</b>	439.	542.	620.	798.	
108" wide assembly - 36" storage	1"	108"	25"	<b>RDHMR10840</b>	419.	511.	580.	739.	
108" wide assembly - 30" storage	1"	108"	25"	<b>RDHMR10830</b>	430.	524.	595.	758.	
108" wide assembly - 19" storage	1"	108"	25"	<b>RDHMR10820</b>	454.	555.	630.	804.	
108" wide assembly - 16" storage	1"	108"	25"	<b>RDHMR10810</b>	465.	568.	646.	824.	

Support components


Order Code	Specification Information	Application Notes
Example: <b>RDHMR720</b>	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
<b>R</b> Reff	1. <i>Finish Type</i> L, V1, V2, V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>DH</b> Desk height	2. <i>Finish</i> V316	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>M</b> Modesty	Installation instruction sheets available on line.	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
<b>R</b> Removable	For removable modesty refer to part number 6TP00084.	Modesty panel lengths are nominal - length changes on option selected.
<b>72</b> Width		Please see Planning Guide for freestanding planning instruction.
<b>10</b> 16" storage		Modesty End panel and storage unit.
<b>V2</b> Finish type		10= 16" storage
<b>V316</b> Light Maple		20= 19" storage
		30= 30" storage
		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/16" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage

# Modesty Removable 28<sup>3</sup>/<sub>8</sub>" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	72" wide assembly - 16"/19" storage	1"	72"	25"	<b>RDHMR7212</b>	\$320.	\$410.	\$460.	\$599.
	72" wide assembly - 19"/19" storage	1"	72"	25"	<b>RDHMR7222</b>	325.	407.	468.	609.
	72" wide assembly - 16"/16" storage	1"	72"	25"	<b>RDHMR7211</b>	331.	414.	476.	619.
	78" wide assembly - 19"/19" storage	1"	78"	25"	<b>RDHMR7822</b>	331.	414.	476.	619.
	78" wide assembly - 16"/19" storage	1"	78"	25"	<b>RDHMR7812</b>	336.	420.	483.	628.
	78" wide assembly - 16"/16" storage	1"	78"	25"	<b>RDHMR7811</b>	341.	426.	490.	638.
	84" wide assembly - 19"/30" storage	1"	84"	25"	<b>RDHMR8423</b>	321.	402.	462.	600.
	84" wide assembly - 16"/30" storage	1"	84"	25"	<b>RDHMR8414</b>	328.	409.	471.	612.
	84" wide assembly - 19"/19" storage	1"	84"	25"	<b>RDHMR8422</b>	341.	426.	490.	638.
	84" wide assembly - 16"/19" storage	1"	84"	25"	<b>RDHMR8412</b>	347.	434.	499.	648.
	84" wide assembly - 16"/16" storage	1"	84"	25"	<b>RDHMR8411</b>	356.	446.	513.	666.
	90" wide assembly - 19"/36" storage	1"	90"	25"	<b>RDHMR9024</b>	321.	402.	462.	600.
	90" wide assembly - 16"/36" storage	1"	90"	25"	<b>RDHMR9013</b>	328.	409.	471.	612.
	90" wide assembly - 19"/30" storage	1"	90"	25"	<b>RDHMR9023</b>	332.	415.	478.	621.
	90" wide assembly - 16"/30" storage	1"	90"	25"	<b>RDHMR9014</b>	337.	421.	484.	629.
	90" wide assembly - 19"/19" storage	1"	90"	25"	<b>RDHMR9022</b>	356.	446.	513.	666.
	90" wide assembly - 16"/19" storage	1"	90"	25"	<b>RDHMR9012</b>	363.	453.	521.	678.
	90" wide assembly - 16"/16" storage	1"	90"	25"	<b>RDHMR9011</b>	368.	459.	528.	687.
	96" wide assembly - 30"/30" storage	1"	96"	25"	<b>RDHMR9633</b>	322.	403.	464.	603.
	96" wide assembly - 19"/36" storage	1"	96"	25"	<b>RDHMR9624</b>	332.	415.	478.	621.
	96" wide assembly - 16"/36" storage	1"	96"	25"	<b>RDHMR9613</b>	337.	421.	484.	629.
	96" wide assembly - 19"/30" storage	1"	96"	25"	<b>RDHMR9623</b>	343.	428.	493.	641.
	96" wide assembly - 16"/30" storage	1"	96"	25"	<b>RDHMR9614</b>	353.	441.	508.	659.
	96" wide assembly - 19"/19" storage	1"	96"	25"	<b>RDHMR9622</b>	368.	459.	528.	687.
	96" wide assembly - 16"/19" storage	1"	96"	25"	<b>RDHMR9612</b>	372.	466.	536.	696.
	96" wide assembly - 16"/16" storage	1"	96"	25"	<b>RDHMR9611</b>	378.	473.	544.	707.
	102" wide assembly - 30"/30" storage	1"	102"	25"	<b>RDHMR10233</b>	348.	428.	489.	628.
	102" wide assembly - 19"/36" storage	1"	102"	25"	<b>RDHMR10224</b>	357.	441.	504.	647.
	102" wide assembly - 16"/36" storage	1"	102"	25"	<b>RDHMR10213</b>	363.	447.	510.	655.
	102" wide assembly - 19"/30" storage	1"	102"	25"	<b>RDHMR10223</b>	369.	454.	519.	666.
	102" wide assembly - 16"/30" storage	1"	102"	25"	<b>RDHMR10214</b>	379.	467.	534.	685.
	102" wide assembly - 19"/19" storage	1"	102"	25"	<b>RDHMR10222</b>	393.	485.	554.	713.
	102" wide assembly - 16"/19" storage	1"	102"	25"	<b>RDHMR10212</b>	398.	491.	561.	722.
102" wide assembly - 16"/16" storage	1"	102"	25"	<b>RDHMR10211</b>	404.	499.	570.	732.	
108" wide assembly - 30"/30" storage	1"	108"	25"	<b>RDHMR10833</b>	374.	454.	515.	654.	


Order Code	Specification Information	Application Notes
Example: <b>RDHMR720</b>	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
<b>R</b> Reff	1. <i>Finish Type</i> L, V1, V2, V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>DH</b> Desk height	2. <i>Finish</i> V316	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>M</b> Modesty	Installation instruction sheets available on line.	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
<b>R</b> Removable	For removable modesty refer to part number 6TP00084.	Modesty panel lengths are nominal - length changes on option selected.
<b>72</b> Width		Please see Planning Guide for freestanding planning instruction.
<b>10</b> 16" storage		Modesty End panel and storage unit.
<b>V2</b> Finish type		10= 16" storage
<b>V316</b> Light Maple		20= 19" storage
		30= 30" storage
		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/16" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage

Modesty  
Removable  
28<sup>3</sup>/<sub>8</sub>" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	108" wide assembly - 19"/36" storage	1"	108"	25"	<b>RDHMR10824</b>	\$383.	\$467.	\$529.	\$673.
	108" wide assembly - 16"/36" storage	1"	108"	25"	<b>RDHMR10813</b>	388.	473.	536.	681.
	108" wide assembly - 19"/30" storage	1"	108"	25"	<b>RDHMR10823</b>	394.	480.	545.	692.
	108" wide assembly - 16"/30" storage	1"	108"	25"	<b>RDHMR10814</b>	405.	492.	559.	711.
	108" wide assembly - 19"/19" storage	1"	108"	25"	<b>RDHMR10822</b>	419.	511.	580.	739.
	108" wide assembly - 16"/19" storage	1"	108"	25"	<b>RDHMR10812</b>	423.	517.	587.	748.
	108" wide assembly - 16"/16" storage	1"	108"	25"	<b>RDHMR10811</b>	430.	524.	595.	758.


Order Code	Specification Information	Application Notes
Example: <b>RDHMR720</b>	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
<b>R</b> Reff	1. <i>Finish Type</i> L, V1, V2, V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>DH</b> Desk height	2. <i>Finish</i> V316	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>M</b> Modesty	Installation instruction sheets available on line.	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
<b>R</b> Removable	For removable modesty refer to part number 6TP00084.	Modesty panel lengths are nominal - length changes on option selected.
<b>72</b> Width		Please see Planning Guide for freestanding planning instruction.
<b>10</b> 16" storage		Modesty End panel and storage unit.
<b>V2</b> Finish type		10= 16" storage
<b>V316</b> Light Maple		20= 19" storage
		30= 30" storage
		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/16" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage

Modesty  
 Hinged  
 28<sup>3</sup>/<sub>8</sub>" planning - Between Two Storage Elements

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for Between Two Storage Elements 	72" wide assembly - 16"/16" storage	1"	72"	25"	<b>RDHMH7211</b>	\$629.	\$801.	\$844.	\$1,012.
	72" wide assembly - 16"/19" storage	1"	72"	25"	<b>RDHMH7222</b>	619.	791.	828.	994.
	72" wide assembly - 19"/19" storage	1"	72"	25"	<b>RDHMH7212</b>	623.	796.	835.	1,002.
	78" wide assembly - 16"/16" storage	1"	78"	25"	<b>RDHMH7811</b>	641.	817.	859.	1,031.
	78" wide assembly - 16"/19" storage	1"	78"	25"	<b>RDHMH7812</b>	634.	812.	852.	1,022.
	78" wide assembly - 16"/30" storage	1"	78"	25"	<b>RDHMH7813</b>	614.	787.	817.	981.
	78" wide assembly - 19"/19" storage	1"	78"	25"	<b>RDHMH7822</b>	629.	801.	844.	1,012.
	78" wide assembly - 19"/30" storage	1"	78"	25"	<b>RDHMH7823</b>	609.	782.	804.	965.
	84" wide assembly - 16"/16" storage	1"	84"	25"	<b>RDHMH8411</b>	784.	960.	1,007.	1,209.
	84" wide assembly - 16"/19" storage	1"	84"	25"	<b>RDHMH8412</b>	778.	955.	999.	1,199.
	84" wide assembly - 16"/30" storage	1"	84"	25"	<b>RDHMH8414</b>	614.	787.	817.	981.
	84" wide assembly - 16"/36" storage	1"	84"	25"	<b>RDHMH8413</b>	625.	797.	837.	1,005.
	84" wide assembly - 19"/19" storage	1"	84"	25"	<b>RDHMH8422</b>	641.	817.	859.	1,031.
	84" wide assembly - 19"/30" storage	1"	84"	25"	<b>RDHMH8423</b>	619.	791.	830.	996.
	84" wide assembly - 19"/36" storage	1"	84"	25"	<b>RDHMH8424</b>	609.	782.	804.	965.
	90" wide assembly - 16"/16" storage	1"	90"	25"	<b>RDHMH9011</b>	795.	970.	1,022.	1,226.
	90" wide assembly - 16"/19" storage	1"	90"	25"	<b>RDHMH9012</b>	789.	965.	1,015.	1,217.
	90" wide assembly - 16"/30" storage	1"	90"	25"	<b>RDHMH9014</b>	625.	797.	837.	1,005.
	90" wide assembly - 16"/36" storage	1"	90"	25"	<b>RDHMH9013</b>	636.	813.	853.	1,024.
	90" wide assembly - 19"/19" storage	1"	90"	25"	<b>RDHMH9022</b>	784.	960.	1,007.	1,209.
	90" wide assembly - 19"/30" storage	1"	90"	25"	<b>RDHMH9023</b>	630.	802.	845.	1,014.
	90" wide assembly - 19"/36" storage	1"	90"	25"	<b>RDHMH9024</b>	619.	791.	830.	996.
	90" wide assembly - 30"/30" storage	1"	90"	25"	<b>RDHMH9033</b>	610.	783.	806.	968.
	96" wide assembly - 16"/16" storage	1"	96"	25"	<b>RDHMH9611</b>	810.	980.	1,043.	1,252.
	96" wide assembly - 16"/19" storage	1"	96"	25"	<b>RDHMH9612</b>	804.	975.	1,030.	1,236.
	96" wide assembly - 16"/30" storage	1"	96"	25"	<b>RDHMH9614</b>	636.	813.	853.	1,024.
	96" wide assembly - 16"/36" storage	1"	96"	25"	<b>RDHMH9613</b>	780.	956.	1,000.	1,200.
	96" wide assembly - 19"/19" storage	1"	96"	25"	<b>RDHMH9622</b>	795.	970.	1,022.	1,226.
	96" wide assembly - 19"/30" storage	1"	96"	25"	<b>RDHMH9623</b>	682.	818.	860.	1,032.
	96" wide assembly - 19"/36" storage	1"	96"	25"	<b>RDHMH9624</b>	641.	802.	845.	1,014.
	96" wide assembly - 30"/30" storage	1"	96"	25"	<b>RDHMH9633</b>	621.	793.	831.	997.

Order Code	Specification Information	Application Notes
Example: <b>RDHMH7222</b>	<i>To order please specify pattern number including:</i>	Modesty may prohibit the adjacent drawer from opening.
<b>R</b> Reff	1. <i>Finish Type</i> L, V1, V2, V3	Modesty End panel and storage unit.
<b>DH</b> Desk height	2. <i>Finish</i> V316	Recommended that when using a modesty the adjacent ped is an open configuration.
<b>M</b> Modesty		Hardware shipped with modesty to attach to worksurface.
<b>H</b> Hinged		J-Extrusion Wire Trough sold separately.
<b>72</b> Width		10= 16" storage
<b>22</b> 19"/19" storage		20= 19" storage
<b>V2</b> Finish type		30= 30" storage
<b>V316</b> Light Maple		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/19" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage


Modesty  
 Hinged  
 28<sup>3</sup>/<sub>8</sub>" planning - End Panel and Storage Unit

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for End panel and Storage Unit 	72" wide assembly - 16" storage	1"	72"	25"	<b>RDHMH7210</b>	\$789.	\$964.	\$1,014.	\$1,216.
	72" wide assembly - 19" storage	1"	72"	25"	<b>RDHMH7220</b>	783.	960.	1,006.	1,207.
	72" wide assembly - 30" storage	1"	72"	25"	<b>RDHMH7230</b>	629.	801.	845.	1,014.
	72" wide assembly - 36" storage	1"	72"	25"	<b>RDHMH7240</b>	619.	791.	828.	994.
	78" wide assembly - 16" storage	1"	78"	25"	<b>RDHMH7810</b>	803.	974.	1,029.	1,235.
	78" wide assembly - 19" storage	1"	78"	25"	<b>RDHMH7820</b>	793.	969.	1,021.	1,225.
	78" wide assembly - 30" storage	1"	78"	25"	<b>RDHMH7830</b>	641.	817.	859.	1,031.
	78" wide assembly - 36" storage	1"	78"	25"	<b>RDHMH7840</b>	629.	801.	845.	1,014.
	84" wide assembly - 16" storage	1"	84"	25"	<b>RDHMH8410</b>	818.	992.	1,050.	1,260.
	84" wide assembly - 19" storage	1"	84"	25"	<b>RDHMH8420</b>	809.	979.	1,042.	1,250.
	84" wide assembly - 30" storage	1"	84"	25"	<b>RDHMH8430</b>	784.	960.	1,007.	1,209.
	84" wide assembly - 36" storage	1"	84"	25"	<b>RDHMH8440</b>	641.	817.	859.	1,031.
	90" wide assembly - 16" storage	1"	90"	25"	<b>RDHMH9010</b>	828.	1,001.	1,065.	1,278.
	90" wide assembly - 19" storage	1"	90"	25"	<b>RDHMH9020</b>	822.	996.	1,058.	1,269.
	90" wide assembly - 30" storage	1"	90"	25"	<b>RDHMH9030</b>	795.	970.	1,022.	1,226.
	90" wide assembly - 36" storage	1"	90"	25"	<b>RDHMH9040</b>	784.	960.	1,007.	1,209.
96" wide assembly - 16" storage	1"	96"	25"	<b>RDHMH9610</b>	839.	1,011.	1,080.	1,297.	
96" wide assembly - 19" storage	1"	96"	25"	<b>RDHMH9620</b>	833.	1,006.	1,072.	1,286.	
96" wide assembly - 30" storage	1"	96"	25"	<b>RDHMH9630</b>	810.	981.	1,044.	1,254.	
96" wide assembly - 36" storage	1"	96"	25"	<b>RDHMH9640</b>	795.	970.	1,022.	1,226.	

Support components

Order Code	Specification Information	Application Notes	
Example: <b>RDHMH7222</b>	To order please specify pattern number including: 1. <i>Finish Type</i> L, V1, V2, V3 2. <i>Finish</i> V316	Modesty may prohibit the adjacent drawer from opening.  Recommended that when using a modesty the adjacent ped is an open configuration.  Hardware shipped with modesty to attach to worksurface.  J-Extrusion Wire Trough sold separately.	
<b>R</b> Reff			Modesty End panel and storage unit.  10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units. 11= 16"/16" storage 12= 16"/19" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
<b>DH</b> Desk height			
<b>M</b> Modesty			
<b>H</b> Hinged			
<b>72</b> Width			
<b>22</b> 19"/19" storage			
<b>V2</b> Finish type			
<b>V316</b> Light Maple			

Modesty  
*Partial*  
*28<sup>3</sup>/<sub>8</sub>" planning*

description	th	w	h	pattern no.	L	V1	V2	V3
Partial / Half Height Modesty	1"	26"	12"	<b>RDHPM26 ( )</b>	\$288.	\$403.	\$464.	\$603.
	1"	32"	12"	<b>RDHPM32 ( )</b>	298.	416.	479.	622.
	1"	38"	12"	<b>RDHPM38 ( )</b>	313.	439.	505.	655.
	1"	44"	12"	<b>RDHPM44 ( )</b>	330.	461.	530.	690.
	1"	50"	12"	<b>RDHPM50 ( )</b>	353.	494.	569.	740.
	1"	56"	12"	<b>RDHPM56 ( )</b>	363.	508.	584.	760.
	1"	62"	12"	<b>RDHPM62 ( )</b>	389.	545.	627.	815.
	1"	68"	12"	<b>RDHPM68 ( )</b>	411.	576.	662.	860.
	1"	74"	12"	<b>RDHPM74 ( )</b>	420.	589.	677.	880.

**Order Code**

Example: <b>RDHPM26 ( )</b>	
<b>R</b>	Reff
<b>DH</b>	Desk height
<b>PM</b>	Partial Modesty
<b>26</b>	Width
<b>V316</b>	Light Maple

**Specification Information**

*To order please specify pattern number including:*

1. Finish  
L, V1, V2, V3

**Application Notes**

Modesty may prohibit the adjacent drawer from opening.

Recommended that when using a modesty the adjacent ped is an open configuration.

Hardware shipped with modesty to attach to worksurface.


J-Extrusion Wire Trough sold separately.

# Pedestals, 26 1/2" planning

## BBF/FF

### Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16"	19"	26 1/2"	<b>RP211J-( ) ( ) L</b>	\$1,165.	\$1,246.	\$1,430.	\$1,923.
	16"	23"	26 1/2"	<b>RP212J-( ) ( ) L</b>	1,216.	1,303.	1,497.	2,013.
	16"	29"	26 1/2"	<b>RP213J-( ) ( ) L</b>	1,268.	1,357.	1,558.	2,097.




\*Pencil tray not included

\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

\*3 Counter weights required per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with file file configuration	16"	19"	26 1/2"	<b>RP211K-( ) ( ) L</b>	1,067.	1,144.	1,315.	1,777.
	16"	23"	26 1/2"	<b>RP212K-( ) ( ) L</b>	1,144.	1,226.	1,409.	1,902.
	16"	29"	26 1/2"	<b>RP213K-( ) ( ) L</b>	1,217.	1,302.	1,500.	2,023.
	30"	19"	26 1/2"	<b>RP231K-( ) ( ) L</b>	1,220.	1,309.	1,505.	2,032.
	30"	23"	26 1/2"	<b>RP232K-( ) ( ) L</b>	1,285.	1,380.	1,584.	2,138.
	36"	19"	26 1/2"	<b>RP261K-( ) ( ) L</b>	1,301.	1,395.	1,605.	2,166.
	36"	23"	26 1/2"	<b>RP262K-( ) ( ) L</b>	1,364.	1,462.	1,682.	2,271.



\*Pencil tray not included

\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

\*3 Counter weights required per pedestal.

Cabinetry

Order Code	Specification Information	Application Notes
Example: <b>RP211JLMDL</b>	<i>To order please specify pattern number including:</i>	<p><b>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Mobile pedestals are always equipped with finished backs.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Random locks are factory installed.</p> <p>Keyalike are field installed using the KnollKey order form.</p> <p>Each locking pedestal on this page counts for one lock core.</p> <p>Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding).</p> <p>1 counterweight = 10 lbs.</p> <p>Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p>
<b>R</b> Reff	1. Finish type	
<b>P</b> Pedestal	2. Interior option	
<b>2</b> 26 1/2"H	3. Pull option	
<b>1</b> 16" wide	4. Lock option, Files	
<b>1</b> 19" deep	5. Cabinet Finish	
<b>J</b> Box box file config.	6. Pull Finish Painted or Plated	
<b>L</b> Laminate finish type	<b>*After specifying product code, provide keying instructions.</b>	
<b>M</b> Metal interior option	1. <i>Finish type:</i>	
<b>D</b> Metal D-pull	L = Laminate	
<b>L</b> Lock option files	1 = V1	
<b>114</b> Cabinet Finish, Folkstone Grey	2 = V2	
<b>612</b> Pull Finish, Folkstone Grey	3 = V3	
	2. <i>Interior options:</i>	
	M = Metal interior	
	3. <i>Pull options:</i>	
	B = No pull, No drilling, Customer's Own Pull	
	C = Nickel C-pull (nickel finish only)	
	D = D-pull (PT, PZ only)	
	F = Bar Pull	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-pull (stainless steel finish only)	
	T = Tab pull	
	4. <i>Lock options:</i>	
	L = Drilled to accept lock	
	5. Refer to page 566 for keying instructions.	
	Pencil trays not included in pedestals with metal interiors.	
	Pencil tray to be ordered separately; see page 439.	
	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.	

Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.




# Pedestals, 26 1/2" planning

## BBF/FF


### Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	<b>RPB211J</b> ( ) ( ) L	\$1,296.	\$1,386.	\$1,597.	\$2,147.
	16"	24"	26 1/2"	<b>RPB212J</b> ( ) ( ) L	1,347.	1,444.	1,659.	2,232.
	16"	30"	26 1/2"	<b>RPB213J</b> ( ) ( ) L	1,400.	1,500.	1,723.	2,321.



\*Pencil Tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	<b>RPB211K</b> ( ) ( ) L	1,199.	1,284.	1,480.	1,999.
	16"	24"	26 1/2"	<b>RPB212K</b> ( ) ( ) L	1,275.	1,366.	1,576.	2,126.
	16"	30"	26 1/2"	<b>RPB213K</b> ( ) ( ) L	1,351.	1,446.	1,663.	2,246.
	30"	20"	26 1/2"	<b>RPB231K</b> ( ) ( ) L	1,483.	1,591.	1,826.	2,467.
	30"	24"	26 1/2"	<b>RPB232K</b> ( ) ( ) L	1,549.	1,661.	1,906.	2,572.
	36"	20"	26 1/2"	<b>RPB261K</b> ( ) ( ) L	1,611.	1,731.	1,988.	2,684.
	36"	24"	26 1/2"	<b>RPB262K</b> ( ) ( ) L	1,678.	1,797.	2,066.	2,788.




\*Pencil Tray not included  
 \*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal.


Order Code	Specification Information	Application Notes
Example: <b>RPB211JLMDL</b>	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
<b>R</b> Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
<b>PB</b> Pedestal with back	2. Finish type	Customer's Own Pull
<b>2</b> 26 1/2"H	3. Interior option	C = C-Pull,
<b>1</b> 16" wide	4. Pull option	(Nickel finish only)
<b>1</b> 20" deep	5. Lock option, files	D = D-Pull (PT, PZ only)
<b>J</b> Box box file config.	6. Cabinet finish	F = Bar pull
<b>L</b> Laminate finish type	7. Pull Finish	H = Outline Pull
<b>M</b> Metal interior option	Painted or Plated	J = J (Routed) Pull
<b>D</b> Metal D-pull	<b>*After specifying product code, provide keying instructions.</b>	R = Cylinder Pull
<b>L</b> Lock hole drilled		S = S-Pull,
<b>114</b> Cabint finish	<i>1. Finish type:</i>	(stainless steel finish only)
<b>612</b> Pull finish	L = Laminate	T = Tab Pull
	1 = V1	
	2 = V2	<i>4. Lock options:</i>
	3 = V3	Pedestals with drawers always lock drilled.
	<i>2. Interior options:</i>	L = Drilled to accept lock
	M = Metal interior	Lock default is Black
		<i>5. Refer to page 566 for keying instructions.</i>
		Pencil trays not included in pedestals with metal interiors.
		Pencil tray to be ordered separately; see page 439.
		<b>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Pedestals must be ordered with back-panel to achieve full depth, without a modesty panel.
		1 counterweight = 10 lbs.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 0 and 0.

Pedestals, 26 1/2" planning  
BBF/FF  
Metal interiors legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J()()()	\$1,222.	\$1,307.	\$1,501.	\$2,019.
	19"	23"	26 1/2"	RP222J()()()	1,276.	1,368.	1,571.	2,113.
	19"	29"	26 1/2"	RP223J()()()	1,330.	1,423.	1,636.	2,222.

\*Pencil tray not included  
\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K()()()	1,121.	1,201.	1,381.	1,865.
	19"	23"	26 1/2"	RP222K()()()	1,201.	1,286.	1,480.	1,998.
	19"	29"	26 1/2"	RP223K()()()	1,278.	1,368.	1,575.	2,124.

\*Pencil tray not included  
\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: <b>RP221JLMDL</b>	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
<b>R</b> Reff	1. Finish type	B = No Pull, No Drilling,
<b>P</b> Pedestal	2. Interior option	Customer's Own Pull
<b>2</b> 26 1/2"H	3. Pull option	C = C-Pull,
<b>2</b> 19" wide	4. Lock option, Files	(Nickel finish only)
<b>1</b> 19" deep	5. Cabinet finish	D = D-Pull (PT, PZ only)
<b>J</b> Box box file config.	6. Pull Finish	F = Bar pull
<b>L</b> Laminate finish type	Painted or Plated	H = Outline Pull
<b>M</b> Metal interior option	<b>*After specifying product code, provide keying instructions.</b>	J = J (Routed) Pull
<b>D</b> Metal D-pull	1. <i>Finish type:</i>	R = Cylinder Pull
<b>L</b> Lock option	L = Laminate	S = S-Pull,
<b>114</b> Cabinet Finish, Folkstone grey	1 = V1	(stainless steel finish only)
<b>612</b> Pull Finish, Med. grey	2 = V2	T = Tab Pull
	3 = V3	<i>4. Lock options:</i>
	2. <i>Interior options:</i>	L = Drilled to accept lock
	M = Metal interior	<i>5. Cabinet Finish</i>
		<i>6. Pull Finish</i>
		7. Refer to page 566 for keying instructions.
		Pencil trays not included in pedestals with metal interiors.
		Pencil tray to be ordered separately; see page 439.
		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)


1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


# Pedestals, 26 1/2" planning

## BBF/FF

### Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with box box file configuration	16"	19"	26 1/2"	<b>RP211J-()()L</b>	\$1,235.	\$1,319.	\$1,517.	\$2,039.
	16"	23"	26 1/2"	<b>RP212J-()()L</b>	1,372.	1,470.	1,686.	2,270.
	16"	29"	26 1/2"	<b>RP213J-()()L</b>	1,492.	1,599.	1,835.	2,470.

\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with file file configuration	16"	19"	26 1/2"	<b>RP211K-()()L</b>	1,130.	1,211.	1,391.	1,879.
	16"	23"	26 1/2"	<b>RP212K-()()L</b>	1,333.	1,429.	1,640.	2,213.
	16"	29"	26 1/2"	<b>RP213K-()()L</b>	1,453.	1,559.	1,792.	2,421.
	30"	19"	26 1/2"	<b>RP231K-()()L</b>	1,461.	1,566.	1,800.	2,430.
	30"	23"	26 1/2"	<b>RP232K-()()L</b>	1,718.	1,840.	2,112.	2,851.
	36"	19"	26 1/2"	<b>RP261K-()()L</b>	1,807.	1,935.	2,227.	3,006.
	36"	23"	26 1/2"	<b>RP262K-()()L</b>	2,104.	2,257.	2,596.	3,503.

\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: <b>RP211JLWDL</b> <b>R</b> Reff <b>P</b> Pedestal <b>2</b> 26 1/2"H <b>1</b> 16" wide <b>1</b> 19" deep <b>J</b> Box box file config. <b>L</b> Laminate finish <b>W</b> Wood interior <b>D</b> Metal D-pull <b>L</b> Lock hole drilled <b>114</b> Cabinet finish <b>612</b> Pull finish	To order please specify pattern number including: 1. Finish type 2. Interior option 3. Pull option 4. Lock option, file 5. Cabinet finish 6. Pull finish  <b>*After specifying product code, provide keying instructions.</b> 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> W = Wood interior	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull  4. <i>Lock options:</i> Pedestals with drawers always lock drilled. L = Drilled to accept lock  5. Refer to page 566 for keying instructions.  Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.  Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 0 and 0.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

# Pedestals, 26 1/2" planning

## BBF/FF


### Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	<b>RPB211J</b> ( ) ( ) L	\$1,370.	\$1,463.	\$1,681.	\$2,263.
	16"	24"	26 1/2"	<b>RPB212J</b> ( ) ( ) L	1,503.	1,611.	1,853.	2,495.
	16"	30"	26 1/2"	<b>RPB213J</b> ( ) ( ) L	1,625.	1,739.	1,997.	2,689.



\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with file file configuration	16"	20"	26 1/2"	<b>RPB211K</b> ( ) ( ) L	1,261.	1,351.	1,555.	2,100.
	16"	24"	26 1/2"	<b>RPB212K</b> ( ) ( ) L	1,464.	1,569.	1,807.	2,439.
	16"	30"	26 1/2"	<b>RPB213K</b> ( ) ( ) L	1,587.	1,701.	1,959.	2,643.
	30"	20"	26 1/2"	<b>RPB231K</b> ( ) ( ) L	1,724.	1,849.	2,125.	2,870.
	30"	24"	26 1/2"	<b>RPB232K</b> ( ) ( ) L	1,921.	2,124.	2,435.	3,288.
	36"	20"	26 1/2"	<b>RPB261K</b> ( ) ( ) L	2,120.	2,271.	2,611.	3,527.
	36"	24"	26 1/2"	<b>RPB262K</b> ( ) ( ) L	2,419.	2,595.	2,982.	4,026.



\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
\*3 counterweights per pedestal.

Order Code	Specification Information
Example: <b>RPB211JLWDL</b>	
<b>R</b>	Reff
<b>PB</b>	Pedestal with back
<b>2</b>	26 1/2"H
<b>1</b>	16" wide
<b>1</b>	20" deep
<b>J</b>	Box box file config.
<b>L</b>	Laminate finish
<b>W</b>	Wood interior
<b>D</b>	Metal D-pull
<b>L</b>	Lock option
<b>114</b>	Cabinet finish
<b>612</b>	Pull finish

**Specification Information**

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, applicable hinged doors only
5. Cabinet finish
6. Pull finish  
Painted or Plated

**\*After specifying product code, provide keying instructions.**

1. *Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

2. *Interior options:*  
W = Wood interiors

**Application Notes**

3. *Pull options:*  
B = No Pull, No Drilling,  
Customer's Own Pull  
C = C-Pull,  
(Nickel finish only)  
D = D-Pull (PT, PZ only)  
F = Bar pull  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S-Pull,  
(stainless steel finish only)  
T = Tab Pull

4. *Lock options:*  
Pedestals with drawers always lock drilled  
L = Drilled to accept lock

5. Refer to page 566 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 0 and 0.


# Pedestals, 26 1/2" planning

## BBF/FF

### Wood interiors legal width

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J( ) ( ) ( )	\$1,296.	\$1,384.	\$1,591.	\$2,140.
	19"	23"	26 1/2"	RP222J( ) ( ) ( )	1,440.	1,543.	1,770.	2,382.
	19"	29"	26 1/2"	RP223J( ) ( ) ( )	1,566.	1,678.	1,927.	2,593.

\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K( ) ( ) ( )	1,187.	1,272.	1,461.	1,972.
	19"	23"	26 1/2"	RP222K( ) ( ) ( )	1,400.	1,501.	1,721.	2,324.
	19"	29"	26 1/2"	RP223K( ) ( ) ( )	1,526.	1,638.	1,883.	2,541.

\*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).  
 \*3 counterweights per pedestal.

Order Code	
Example: <b>RP221JLWDL</b>	
<b>R</b>	Reff
<b>P</b>	Pedestal
<b>2</b>	26 1/2"H
<b>2</b>	19" wide
<b>1</b>	19" deep
<b>J</b>	Box box file config.
<b>L</b>	Laminate finish
<b>W</b>	Wood interior
<b>D</b>	Metal D-pull
<b>L</b>	Lock option
<b>114</b>	Cabinet finish, Folkstone grey
<b>612</b>	Pull finish

**Specification Information**

*To order please specify pattern number including:*

1. Finish type
2. Interior option
3. Pull option
4. Lock option, files
5. Keying instructions
6. Cabinet finish
7. Pull finish  
Painted or Plated

**\*After specifying product code, provide keying instructions.**

*1. Finish type:*  
 L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3

*2. Interior options:*  
 W = Wood interior

**Application Notes**

*3. Pull options:*  
 B = No Pull, No Drilling  
 C = C-Pull, (Nickel finish only)  
 D = D-Pull (PT, PZ only)  
 F = Bar pull  
 H = Outline Pull  
 J = J (Routed) Pull  
 R = Cylinder Pull  
 S = S-Pull, (stainless steel finish only)  
 T = Tab Pull

*4. Lock options:*  
 Pedestals with drawers always lock drilled.  
 L = Drilled to accept lock

*5. Cabinet finish*

*6. Pull finish*

*7. Refer to page 566 for keying instructions.*

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


# Pedestals, 26 1/2" planning

## Open / Hinge Door

### Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	<b>RP211L(L/R)-( ) ( ) ( )</b>	\$936.	\$1,002.	\$1,154.	\$1,556.
	16"	23"	26 1/2"	<b>RP212L(L/R)-( ) ( ) ( )</b>	1,138.	1,217.	1,402.	1,892.
	16"	29"	26 1/2"	<b>RP213L(L/R)-( ) ( ) ( )</b>	1,301.	1,395.	1,605.	2,166.
	30"	19"	26 1/2"	<b>RP231L-( ) ( ) ( )</b>	1,210.	1,296.	1,489.	2,012.
	30"	23"	26 1/2"	<b>RP232L-( ) ( ) ( )</b>	1,413.	1,516.	1,743.	2,353.
	36"	19"	26 1/2"	<b>RP261L-( ) ( ) ( )</b>	1,534.	1,643.	1,891.	2,553.
	36"	23"	26 1/2"	<b>RP262L-( ) ( ) ( )</b>	1,792.	1,921.	2,209.	2,984.

\*Pencil tray not included  
 \*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
 Metal interior means shelf is metal

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	<b>RP211M-( ) ( )</b>	713.	765.	878.	1,185.
	16"	23"	26 1/2"	<b>RP212M-( ) ( )</b>	828.	891.	1,024.	1,382.
	16"	29"	26 1/2"	<b>RP213M-( ) ( )</b>	981.	1,051.	1,210.	1,635.
	30"	19"	26 1/2"	<b>RP231M-( ) ( )</b>	826.	889.	1,021.	1,378.
	30"	23"	26 1/2"	<b>RP232M-( ) ( )</b>	1,006.	1,080.	1,240.	1,675.
	36"	19"	26 1/2"	<b>RP261M-( ) ( )</b>	1,057.	1,136.	1,306.	1,763.
	36"	23"	26 1/2"	<b>RP262M-( ) ( )</b>	1,280.	1,373.	1,578.	2,129.

\*Pencil tray not included  
 \*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
 Metal interior means metal shelf.

Order Code	Specification Information	Application Notes
Example: <b>RP211LLMDL</b>	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
<b>R</b> Reff	1. Hinge location, where applicable	B = No Pull, No Drilling, Customer's Own Pull
<b>P</b> Pedestal	2. Finish type	C = C-Pull, (Nickel finish only)
<b>2</b> 26 1/2"H	3. Interior option	D = D-Pull (PT, PZ only)
<b>1</b> 16" wide	4. Pull option	F = Bar pull
<b>1</b> 19" deep	5. Lock option, applicable hinged doors only	H = Outline Pull
<b>L</b> Hinge door config.	6. Cabinet finish	J = J (Routed) Pull
<b>L</b> Laminate finish	7. Pull Finish	R = Cylinder Pull
<b>M</b> Metal interior	Painted or Plated	S = S-Pull, (stainless steel finish only)
<b>D</b> Metal D-pull	<b>*After specifying product code, provide keying instructions.</b>	T = Tab Pul
<b>L</b> Lock option	<i>1. Hinge location:</i>	<i>5. Lock options:</i>
<b>114</b> Cabinet Finish	L = Left hand	L = Drilled to accept lock
<b>612</b> Pull Finish	R = Right hand	N = No drilling
	<i>2. Finish type:</i>	6. Refer to page 566 for keying instructions.
	L = Laminate	Pencil trays not included in pedestals with metal interiors.
	1 = V1	Pencil tray to be ordered separately; see page 439.
	2 = V2	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal interior	

Applicable finishes are listed on page 0 and 0.  
 Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.  
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

**For Open Pedestals;**


1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning  
 Open / Hinge Door  
 Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	<b>RPB211L(L/R)</b> ( ) ( ) ( )	\$1,069.	\$1,143.	\$1,319.	\$1,782.
	16"	24"	26 1/2"	<b>RPB212L(L/R)</b> ( ) ( ) ( )	1,272.	1,361.	1,566.	2,113.
	16"	30"	26 1/2"	<b>RPB213L(L/R)</b> ( ) ( ) ( )	1,434.	1,536.	1,770.	2,391.
	30"	20"	26 1/2"	<b>RPB231L</b> ( ) ( ) ( )	1,474.	1,578.	1,813.	2,447.
	30"	24"	26 1/2"	<b>RPB232L</b> ( ) ( ) ( )	1,678.	1,797.	2,065.	2,787.
	36"	20"	26 1/2"	<b>RPB261L</b> ( ) ( ) ( )	1,844.	1,977.	2,273.	3,069.
	36"	24"	26 1/2"	<b>RPB262L</b> ( ) ( ) ( )	2,103.	2,256.	2,595.	3,502.

\*Pencil Tray not included  
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
 Metal interior means shelf metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	<b>RPB211M</b> ( ) ( ) ( )	846.	902.	1,042.	1,408.
	16"	24"	26 1/2"	<b>RPB212M</b> ( ) ( ) ( )	966.	1,031.	1,190.	1,606.
	16"	30"	26 1/2"	<b>RPB213M</b> ( ) ( ) ( )	1,112.	1,193.	1,373.	1,854.
	30"	20"	26 1/2"	<b>RPB231M</b> ( ) ( ) ( )	1,092.	1,171.	1,345.	1,816.
	30"	24"	26 1/2"	<b>RPB232M</b> ( ) ( ) ( )	1,270.	1,361.	1,560.	2,107.
	36"	20"	26 1/2"	<b>RPB261M</b> ( ) ( ) ( )	1,373.	1,469.	1,690.	2,281.
	36"	24"	26 1/2"	<b>RPB262M</b> ( ) ( ) ( )	1,592.	1,708.	1,962.	2,648.

\*Pencil Tray not included  
 Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.  
 Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: <b>RPB211LL</b>	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
<b>R</b> Reff	1. Hinge location, where applicable	B = No Pull, No Drilling,
<b>PB</b> Pedestal with back	2. Finish type	Customer's Own Pull
<b>2</b> 26 1/2"H	3. Interior option	C = C-Pull,
<b>1</b> 16" wide	4. Pull option	(Nickel finish only)
<b>1</b> 20" deep	5. Lock option, applicable hinged doors only	D = D-Pull (PT, PZ only)
<b>L</b> Hinge door	6. Cabinet finish	F = Bar pull
<b>L</b> Hinge Left	7. Pull finish	H = Outline Pull
<b>L</b> Laminate finish		J = J (Routed) Pull
<b>M</b> Metal interior		R = Cylinder Pull
<b>D</b> Metal D-pull		S = S-Pull,
<b>L</b> Lock option		(stainless steel finish only)
<b>118</b> Cabinet finish		T = Tab Pull
<b>118</b> Pull finish		

**\*After specifying product code, provide keying instructions.**

*1. Hinge location:*  
 L = Left hand  
 R = Right hand

*2. Finish type:*  
 L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3

*3. Interior options:*  
 M = Metal interior

*5. Lock options:*  
 Optional hinge door configuration only.  
 L = Drilled to accept lock  
 N = No drilling

*6. Refer to page 566 for keying instructions.*

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 439.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

**For Open Pedestals;**

1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.


Applicable finishes are listed on page 0 and 0.




# Pedestals, 26 1/2" planning

## Open / Hinge Door

### Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-( ) ( ) ( )	\$1,024.	\$1,096.	\$1,264.	\$1,709.
	16"	23"	26 1/2"	RP212L(L/R)-( ) ( ) ( )	1,230.	1,319.	1,515.	2,046.
	16"	29"	26 1/2"	RP213L(L/R)-( ) ( ) ( )	1,392.	1,491.	1,714.	2,314.
	30"	19"	26 1/2"	RP231L-( ) ( ) ( )	1,298.	1,391.	1,603.	2,163.
	30"	23"	26 1/2"	RP232L-( ) ( ) ( )	1,504.	1,616.	1,858.	2,507.
	36"	19"	26 1/2"	RP261L-( ) ( ) ( )	1,623.	1,739.	2,000.	2,700.
	36"	23"	26 1/2"	RP262L-( ) ( ) ( )	1,883.	2,018.	2,320.	3,131.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position  
 N=No Lock option

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-( ) ( ) ( )	801.	857.	986.	1,329.
	16"	23"	26 1/2"	RP212M-( ) ( ) ( )	923.	990.	1,139.	1,536.
	16"	29"	26 1/2"	RP213M-( ) ( ) ( )	1,072.	1,147.	1,321.	1,785.
	30"	19"	26 1/2"	RP231M-( ) ( ) ( )	921.	985.	1,131.	1,527.
	30"	23"	26 1/2"	RP232M-( ) ( ) ( )	1,095.	1,174.	1,351.	1,822.
	36"	19"	26 1/2"	RP261M-( ) ( ) ( )	1,147.	1,233.	1,419.	1,915.
	36"	23"	26 1/2"	RP262M-( ) ( ) ( )	1,372.	1,466.	1,687.	2,277.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: <b>RP211LLWDL</b> <b>R</b> Reff <b>P</b> Pedestal <b>2</b> 26 1/2"H <b>1</b> 16" wide <b>1</b> 19" deep <b>L</b> Hinge door <b>L</b> Laminate finish <b>W</b> Wood interior <b>D</b> Metal D-pull <b>L</b> Lock hole drilled <b>118</b> Cabinet finish <b>118</b> Pull finish	To order please specify pattern number including: 1. Hinge location, where applicable 2. Finish type 3. Interior option 4. Pull option 5. Lock option, applicable hinged doors only 6. Cabinet finish 7. Pull finish  <b>*After specifying product code, provide keying instructions.</b>  1. Hinge location: L = Left hand R = Right hand  2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3  3. Interior options: W = Wood interior	4. Pull options: B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull  5. Lock options: Optional hinge door configuration only. L = Drilled to accept lock N = No drilling  6. Refer to page 566 for keying instructions.  Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.  Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.  
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


**For Open Pedestals;**

1. Finish type
2. Interior Option
3. Cabinet Finish


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.



Pedestals, 26 1/2" planning  
 Open / Hinge Door  
 Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	<b>RPB211L(L/R)( ) ( ) ( )</b>	\$1,158.	\$1,240.	\$1,429.	\$1,928.
	16"	24"	26 1/2"	<b>RPB212L(L/R)( ) ( ) ( )</b>	1,361.	1,457.	1,679.	2,266.
	16"	30"	26 1/2"	<b>RPB213L(L/R)( ) ( ) ( )</b>	1,524.	1,632.	1,877.	2,534.
	30"	20"	26 1/2"	<b>RPB231L( ) ( ) ( )</b>	1,560.	1,672.	1,926.	2,601.
	30"	24"	26 1/2"	<b>RPB232L( ) ( ) ( )</b>	1,766.	1,895.	2,177.	2,940.
	36"	20"	26 1/2"	<b>RPB261L( ) ( ) ( )</b>	1,935.	2,073.	2,381.	3,216.
	36"	24"	26 1/2"	<b>RPB262L( ) ( ) ( )</b>	2,196.	2,351.	2,705.	3,651.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf 	16"	20"	26 1/2"	<b>RPB211M( ) ( )</b>	934.	999.	1,153.	1,555.
	16"	24"	26 1/2"	<b>RPB212M( ) ( )</b>	1,054.	1,130.	1,302.	1,757.
	16"	30"	26 1/2"	<b>RPB213M( ) ( )</b>	1,204.	1,286.	1,484.	2,004.
	30"	20"	26 1/2"	<b>RPB231M( ) ( )</b>	1,181.	1,266.	1,453.	1,963.
	30"	24"	26 1/2"	<b>RPB232M( ) ( )</b>	1,360.	1,456.	1,672.	2,256.
	36"	20"	26 1/2"	<b>RPB261M( ) ( )</b>	1,461.	1,568.	1,800.	2,430.
	36"	24"	26 1/2"	<b>RPB262M( ) ( )</b>	1,682.	1,800.	2,070.	2,793.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: <b>RPB211LLWDL</b> <b>R</b> Reff <b>PB</b> Pedestal with back <b>2</b> 26 1/2"H <b>1</b> 16" wide <b>1</b> 20" deep <b>L</b> Hinged door <b>L</b> Laminate finish <b>W</b> Wood interior <b>D</b> Metal D-pull <b>L</b> Lock option <b>118</b> Cabinet finish <b>118</b> Pull finish	To order please specify pattern number including: 1. Hinge location, where applicable 2. Finish type 3. Interior option 4. Pull option 5. Lock option, applicable hinged doors only 6. Cabinet finish 7. Pull finish Painted or Plated  <b>*After specifying product code, provide keying instructions.</b> 1. <i>Hinge location:</i> L = Left hand R = Right hand  2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3  3. <i>Interior options:</i> W = Wood interior	4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull  5. <i>Lock options:</i> Optional hinge door configuration L = Drilled to accept lock N = No drilling  6. Refer to page 566 for keying instructions.  Pedestals must be ordered with back panels to achieve full depth without a modesty panel.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

For Open Pedestals;  
 1. Finish Type  
 2. Interior Option  
 3. Cabinet Finish

Applicable finishes are listed on page 0 and 0.

# Pedestals, 26 1/2" planning

## Mobile Pedestal

### Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors L	interiors V1	interiors V2	interiors V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-( ) ( ) L ( ) ( )	\$1,144.	\$1,226.	\$1,409.	\$1,902.	
	16"	23"	21"	RM112J-( ) ( ) L ( ) ( )	1,196.	1,282.	1,476.	1,992.	
	16"	23"	26 1/2"	RM212J-( ) ( ) L ( ) ( )	1,606.	1,723.	1,979.	2,673.	
	16"	23"	26 1/2"	RM212K-( ) ( ) L ( ) ( )	1,606.	1,723.	1,979.	2,673.	



\*Pencil tray not included  
\*Glue and dowel construction

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT					100.
---	---	---	---	----------	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: <b>RM111J</b>	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
<b>R</b> Reff	1. Finish type	B = No Pull, No Drilling,
<b>M</b> Mobile Pedestal	2. Interior option	Customer's Own Pull
<b>1</b> 21"H	3. Pull option	C = C-Pull,
<b>1</b> 16" wide	4. Lock option, files	(Nickel finish only)
<b>1</b> 19" deep	5. Cabinet Finish	D = D-Pull (PT, PZ only)
<b>J</b> Box box file config.	6. Pull Finish	F = Bar pull
<b>L</b> Laminate finish	Painted or Plated	H = Outline Pull
<b>M</b> Metal interior	<b>*After specifying product code, provide keying instructions.</b>	J = J (Routed) Pull
<b>D</b> Metal D-pull		R = Cylinder Pull
<b>L</b> Lock option		S = S-Pull,
<b>114</b> Cabinet Finish		(stainless steel finish only)
<b>612</b> Pull Finish		T = Tab Pull

Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

*2. Interior options:*  
M = Metal interior

*1. Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3

*4. Lock options:*  
L = Drilled to accept lock

*5. Case Finish:* Laminate, V1,V2,V3

*6. Pull Finish:* Painted or Plated

Refer to page 566 for keying instructions.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pencil trays not included in mobile pedestals with metal interiors.

Pencil tray to be ordered separately.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Mobile pedestals are glue and dowel construction.

Casters on Mobile Pedestals are non locking.

# Pedestals, 26 1/2" planning

## Mobile Pedestal


### Wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood	list
					interiors L	interiors V1	interiors V2	interiors V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-( ) ( ) L ( ) ( )	\$1,353.	\$1,452.	\$1,671.	\$2,255.	
	16"	23"	21"	RM112J-( ) ( ) L ( ) ( )	1,429.	1,531.	1,760.	2,376.	
	16"	23"	26 1/2"	RM212K-( ) ( ) L ( ) ( )	1,933.	2,071.	2,381.	3,216.	
	16"	23"	26 1/2"	RM212J-( ) ( ) L ( ) ( )	1,933.	2,071.	2,381.	3,216.	



Glue and dowel construction

Pedestal backs	w	d	h	pattern no.	wood	wood	wood	wood
Pedestal backs for pedestals with metal or wood interiors.	16"	1"	26 1/2"	RPAB16-( ) ( )	123.	127.	147.	199.
	19"	1"	26 1/2"	RPAB19-( ) ( )	129.	133.	155.	210.
	30"	1"	26 1/2"	RPAB30-( ) ( )	245.	251.	287.	388.
	36"	1"	26 1/2"	RPAB36-( ) ( )	288.	299.	343.	464.



Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT				100.
---	---	---	---	----------	--	--	--	------

Order Code	Specification Information	Application Notes
Example: <b>RM111J</b>	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
<b>R</b> Reff	1. Finish type	B = No Pull, No Drilling, Customer's Own Pull
<b>M</b> Mobile Pedestal	2. Interior option	C = C-Pull, (Nickel finish only)
<b>1</b> 21"H	3. Pull option	D = D-Pull (PT, PZ only)
<b>1</b> 16" wide	4. Lock option, files	F = Bar pull
<b>1</b> 19" deep	5. Cabinet Finish	H = Outline Pull
<b>J</b> Box box file config.	6. Pull Finish	J = J (Routed) Pull
<b>L</b> Laminate finish	Painted or Plated	R = Cylinder Pull
<b>W</b> Wood interior	<b>After specifying product code, provide keying instructions.</b>	S = S-Pull, (stainless steel finish only)
<b>D</b> Metal D-pull	<i>1. Finish type:</i>	T = Tab Pull
<b>L</b> Lock option	L = Laminate	<i>4. Lock options:</i>
<b>114</b> Cabinet Finish	1 = V1	L = Drilled to accept lock
<b>612</b> Pull Finish	2 = V2	<i>5. Case Finish: Wood or Laminate</i>
	3 = V3	<i>6. Pull Finish: Painted or Plated</i>
	<i>2. Interior options:</i>	Refer to page 566 for keying instructions.
	M = Metal interior	<b>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</b>

Applicable finishes are listed on page 0 and 0.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.**


Random locks are factory installed. Keyalike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

# Pedestals, 28 3/8 planning

## BBF/FF

### Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) box/box/file configuration	16"	19"	28 3/8"	RP161J ( ) ( ) L ( ) ( )	\$1,220.	\$1,305.	\$1,501.	\$2,020.
	16"	23"	28 3/8"	RP162J ( ) ( ) L ( ) ( )	1,276.	1,368.	1,572.	2,115.
	16"	29"	28 3/8"	RP163J ( ) ( ) L ( ) ( )	1,330.	1,424.	1,638.	2,203.




\*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) file/file configuration	16"	19"	28 3/8"	RP161K ( ) ( ) L ( ) ( )	1,120.	1,201.	1,381.	1,866.
	16"	23"	28 3/8"	RP162K ( ) ( ) L ( ) ( )	1,199.	1,284.	1,480.	1,999.
	16"	29"	28 3/8"	RP163K ( ) ( ) L ( ) ( )	1,279.	1,368.	1,576.	2,126.
	30"	19"	28 3/8"	RP301K ( ) ( ) L ( ) ( )	1,281.	1,375.	1,579.	2,130.
	30"	23"	28 3/8"	RP302K ( ) ( ) L ( ) ( )	1,351.	1,448.	1,663.	2,246.
	36"	19"	28 3/8"	RP361K ( ) ( ) L ( ) ( )	1,364.	1,466.	1,685.	2,276.
	36"	23"	28 3/8"	RP362K ( ) ( ) L ( ) ( )	1,434.	1,535.	1,766.	2,385.



\*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

#### Order Code

Example:	RP161J(L)(M)(J)L(118)
R	Reff
P	Pedestal
16	16" wide (nominal)
1	19" deep (nominal)
J	Box/Box/File config.
L	Finish type, laminate
M	Interior option, metal
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

#### Specification Information

To order please specify pattern number including:

- Finish type**  
L = laminate  
1 = V1  
2 = V2  
3 = V3
- Interior option**  
M = metal interior
- Pull option**  
B = No pull, No drilling  
Customer's own pull  
C = nickel finish C-pull (nickel finish only)  
D = metal D-pull (finish optional)  
F = Bar  
H = Out Line  
J = routed J-pull (finish matches case)  
R = Cylinder  
S = S-pull (stainless steel finish only)  
T = Tab

- Lock option**  
Lock default is black.  
Pedestals with drawers always lock drilled  
L = drilled to accept lock
- Cabinet finish**
- Pull finish**  
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Keying instructions must accompany all orders, refer to page 566. Pedestals do not come with lock included.** Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 439.

Finished back must be ordered separately to achieve full depth without a modesty. (page 282)

#### Application Notes

**Products on this page are 28-3/8" high.** 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 0 and 0.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

# Pedestals, 28 3/8 planning

## BBF/FF

### Metal interior legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191J( ) ( ) L ( ) ( )	\$1,279.	\$1,370.	\$1,575.	\$2,120.
box/box/file configuration	19"	23"	28 3/8"	RP192J( ) ( ) L ( ) ( )	1,340.	1,401.	1,649.	2,220.
	19"	29"	28 3/8"	RP193J( ) ( ) L ( ) ( )	1,396.	1,495.	1,718.	2,313.




Pencil tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191K( ) ( ) L ( ) ( )	1,175.	1,261.	1,450.	1,960.
file/file configuration	19"	23"	28 3/8"	RP192K( ) ( ) L ( ) ( )	1,259.	1,349.	1,554.	2,099.
	19"	29"	28 3/8"	RP193K( ) ( ) L ( ) ( )	1,344.	1,436.	1,654.	2,232.



Pencil tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

#### Order Code

Example:	RP191J(L)(M)(J)L(118)
<b>R</b>	Reff
<b>P</b>	Pedestal
<b>19</b>	19" wide (nominal)
<b>1</b>	19" deep (nominal)
<b>J</b>	Box/Box/File configuration
<b>L</b>	Finish type, laminate
<b>M</b>	Interior option, metal
<b>J</b>	Pull option, J
<b>L</b>	Lock option
<b>118</b>	Cabinet finish
<b>118</b>	Pull finish

#### Specification Information

To order please specify pattern number including:

- Finish type**  
L = laminate  
1 = V1  
2 = V2  
3 = V3
- Interior option**  
M = metal interior
- Pull option**  
B = No pull, No drilling  
Customer's own pull  
C = nickel finish C-pull (nickel finish only)  
D = metal D-pull (finish optional)  
F = Bar  
H = Out Line  
J = routed J-pull (finish matches case)  
R = Cylinder  
S = S-pull (stainless steel finish only)  
T = Tab

- Lock option**  
Lock default is Black  
Pedestals with drawers always lock drilled  
L = drilled to accept lock
- Cabinet finish**
- Pull finish**  
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Keying instructions must accompany all orders, refer to page 566 . Pedestals do not come with lock included.** Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 439.

Finished back must be ordered separately to achieve full depth without a modesty. (page0)

#### Application Notes

**Products on this page are 28-3/8" high.** 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 0 and 0.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)


1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


# Pedestals, 28 3/8 planning

## BBF/FF

### Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	16"	19"	28 3/8"	RP161J ( ) ( ) L ( ) ( )	\$1,296.	\$1,384.	\$1,589.	\$2,138.
	16"	23"	28 3/8"	RP162J ( ) ( ) L ( ) ( )	1,438.	1,543.	1,772.	2,383.
	16"	29"	28 3/8"	RP163J ( ) ( ) L ( ) ( )	1,565.	1,679.	1,925.	2,590.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)  
\*3 counterweights per pedestal

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	16"	19"	28 3/8"	RP161K ( ) ( ) L ( ) ( )	1,188.	1,272.	1,462.	1,973.
	16"	23"	28 3/8"	RP162K ( ) ( ) L ( ) ( )	1,399.	1,500.	1,723.	2,326.
	16"	29"	28 3/8"	RP163K ( ) ( ) L ( ) ( )	1,525.	1,638.	1,883.	2,541.
	30"	19"	28 3/8"	RP301K ( ) ( ) L ( ) ( )	1,535.	1,644.	1,892.	2,554.
	30"	23"	28 3/8"	RP302K ( ) ( ) L ( ) ( )	1,803.	1,933.	2,218.	2,993.
	36"	19"	28 3/8"	RP361K ( ) ( ) L ( ) ( )	1,895.	2,030.	2,339.	3,158.
	36"	23"	28 3/8"	RP362K ( ) ( ) L ( ) ( )	2,209.	2,372.	2,726.	3,679.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)  
\*3 counterweights per pedestal

#### Order Code

Example:	RP161J(L)(W)(J)L(118)
<b>R</b>	Reff
<b>P</b>	Pedestal
<b>16</b>	16" wide (nominal)
<b>1</b>	19" deep (nominal)
<b>J</b>	Box/Box/File configuration
<b>L</b>	Finish type, laminate
<b>W</b>	Interior option, wood
<b>D</b>	Pull option
<b>L</b>	Lock option
<b>118</b>	Cabinet finish
<b>118</b>	Pull finish

#### Specification Information

- To order please specify pattern number including:
- Finish type**  
L = laminate  
1 = V1  
2 = V2  
3 = V3
  - Interior option**  
W = wood interior
  - Pull option**  
B = No pull, No drilling  
Customer's own pull  
C = nickel finish C-pull (nickel finish only)  
D = metal D-pull (finish optional)  
F = Bar  
H = Out Line  
J = routed J-pull (finish matches case)  
R = Cylinder  
S = S-pull (stainless steel finish only)  
T = Tab
  - Lock option**  
Pedestals with drawers always lock drilled  
Lock default is Black  
L = drilled for lock

- Cabinet finish**
- Pull finish**  
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Keying instructions must accompany all orders, refer to page 566. Pedestals do not come with lock included.** Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty.(page0)

#### Application Notes

**Products on this page are 28-3/8" high.** 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 0 and 0.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

# Pedestals, 28 3/8 planning

## BBF/FF


### Wood interior legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height)	19"	19"	28 3/8"	RP191J(J)(J)L(J)(J)	\$1,359.	\$1,453.	\$1,668.	\$2,244.
box/box/file configuration	19"	23"	28 3/8"	RP192J(J)(J)L(J)(J)	1,509.	1,619.	1,859.	2,502.
	19"	29"	28 3/8"	RP193J(J)(J)L(J)(J)	1,642.	1,761.	2,020.	2,719.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)  
\*3 counterweights per pedestal

Pedestal, (desk height)	19"	19"	28 3/8"	RP191K(J)(J)L(J)(J)	1,319.	1,335.	1,535.	2,072.
file/file configuration	19"	23"	28 3/8"	RP192K(J)(J)L(J)(J)	1,468.	1,575.	1,810.	2,442.
	19"	29"	28 3/8"	RP193K(J)(J)L(J)(J)	1,602.	1,719.	1,977.	2,668.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)  
\*3 counterweights per pedestal

#### Order Code

Example: <b>RP191J(L)(W)(J)L(118)</b>	
<b>R</b>	Reff
<b>P</b>	Pedestal
<b>19</b>	19" wide (nominal)
<b>1</b>	19" deep (nominal)
<b>J</b>	Box/Box/File configuration
<b>L</b>	Finish type, laminate
<b>W</b>	Interior option, wood
<b>J</b>	Pull option, J
<b>L</b>	Lock option
<b>118</b>	Cabinet finish
<b>118</b>	Pull finish

#### Specification Information

To order please specify pattern number including:

- Finish type**  
L = laminate  
1 = V1  
2 = V2  
3 = V3
- Interior option**  
W = wood interior
- Pull option**  
B = No pull, No drilling  
Customer's own pull  
C = nickel finish C-pull (nickel finish only)  
D = metal D-pull (finish optional)  
F = Bar  
H = Out Line  
J = routed J-pull (finish matches case)  
R = Cylinder  
S = S-pull (stainless steel finish only)  
T = Tab
- Lock option**  
Pedestals with drawers always lock drilled  
Lock default is Black  
L = drilled to accept lock  
N = no drilling

5. **Cabinet finish**  
6. **Pull finish**  
Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.  
List price for woodgrain laminate options will be current published laminate list price plus 10%.

**Keying instructions must accompany all orders, refer to page 566. Pedestals do not come with lock included.** Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty.(page0)

#### Application Notes

**Products on this page are 28-3/8" high.** 28 3/8" "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 7/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 0 and 0.


Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding )

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.



Pedestals, 28 3/8 planning  
Open / Hinge Door  
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height) hinge door configuration adjustable shelf	16"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP161L(L/R) ( ) ( ) ( ) ( ) ( )	\$983.	\$1,052.	\$1,211.	\$1,636.
	16"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP162L(L/R) ( ) ( ) ( ) ( ) ( )	1,194.	1,280.	1,471.	1,986.
	16"	29"	28 <sup>3</sup> / <sub>8</sub> "	RP163L(L/R) ( ) ( ) ( ) ( ) ( )	1,364.	1,466.	1,685.	2,276.
	30"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP301L ( ) ( ) ( ) ( ) ( )	1,270.	1,361.	1,565.	2,112.
	30"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP302L ( ) ( ) ( ) ( ) ( )	1,483.	1,592.	1,828.	2,469.
	36"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP361L ( ) ( ) ( ) ( ) ( )	1,609.	1,724.	1,985.	2,680.
	36"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP362L ( ) ( ) ( ) ( ) ( )	1,881.	2,018.	2,321.	3,133.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.  
Metal interior means shelf metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height) open shelf configuration adjustable shelf	16"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP161M ( ) ( ) ( ) ( )	746.	803.	922.	1,244.
	16"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP162M ( ) ( ) ( ) ( )	872.	935.	1,075.	1,451.
	16"	29"	28 <sup>3</sup> / <sub>8</sub> "	RP163M ( ) ( ) ( ) ( )	1,028.	1,103.	1,270.	1,715.
	30"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP301M ( ) ( ) ( ) ( )	869.	932.	1,072.	1,447.
	30"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP302M ( ) ( ) ( ) ( )	1,056.	1,132.	1,302.	1,757.
	36"	19"	28 <sup>3</sup> / <sub>8</sub> "	RP361M ( ) ( ) ( ) ( )	1,110.	1,194.	1,370.	1,848.
	36"	23"	28 <sup>3</sup> / <sub>8</sub> "	RP362M ( ) ( ) ( ) ( )	1,345.	1,442.	1,658.	2,238.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.  
Metal interior means shelf metal.


N=No lock option

Order Code	Specification Information	Application Notes
Example: <b>RP161LL(L)(M)(J)L(118)</b>	<i>To order please specify pattern number including:</i>	<p><b>Products on this page are 28-3/8" high.</b> 28<sup>3</sup>/<sub>8</sub>"h "desk height" products should not be mixed with 26<sup>1</sup>/<sub>2</sub>"h components. 28<sup>3</sup>/<sub>8</sub>"h components when used with 1<sup>1</sup>/<sub>4</sub>" worksurfaces achieve overall desk height of 29<sup>3</sup>/<sub>8</sub>"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>Applicable finishes are listed on page 0 and 0.</p> <p>Finished back must be ordered separately to achieve full depth without a modesty. (page 282)</p> <p><b>For Open pedestals;</b></p> <ol style="list-style-type: none"> <li>1. Finish type</li> <li>2. Interior option</li> <li>3. Cabinet finish</li> </ol> <p>Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p>
<b>R</b> Reff		
<b>P</b> Pedestal		
<b>16</b> 16" wide (nominal)		
<b>1</b> 19" deep (nominal)		
<b>L</b> Hinge door config.		
<b>L</b> Left hand hinge location		
<b>L</b> Finish type, laminate		
<b>M</b> Interior option, metal		
<b>J</b> Pull option, J		
<b>L</b> Lock option		
<b>118</b> Cabinet finish		
<b>118</b> Pull finish		
	<ol style="list-style-type: none"> <li>1. Hinge location, where applicable L = left hand R = right hand</li> <li>2. Finish type L = laminate 1 = V1 2 = V2 3 = V3</li> <li>3. Interior option M = metal interior</li> <li>4. Pull option B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Out Line J = routed J-pull (finish matches case) R = Cylinder S = S-pull (stainless steel finish only) T = Tab</li> <li>5. Lock option Optional for hinged door configurations only L = drilled to accept lock N = no drilling</li> <li>6. Cabinet finish</li> <li>7. Pull finish Painted or Plated</li> </ol> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p><b>Keying instructions must accompany all orders, refer to page 566. Pedestals do not come with lock included.</b> Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.</p>	



Pedestals, 28 3/8 planning  
 Open / Hinge Door  
 Wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 3/8"	RP161L(L/R) ( ) ( ) ( ) ( )	\$1,075.	\$1,153.	\$1,326.	\$1,790.
	16"	23"	28 3/8"	RP162L(L/R) ( ) ( ) ( ) ( )	1,292.	1,382.	1,591.	2,149.
	16"	29"	28 3/8"	RP163L(L/R) ( ) ( ) ( ) ( )	1,462.	1,566.	1,798.	2,428.
	30"	19"	28 3/8"	RP301L ( ) ( ) ( ) ( )	1,361.	1,462.	1,682.	2,271.
	30"	23"	28 3/8"	RP302L ( ) ( ) ( ) ( )	1,579.	1,695.	1,948.	2,630.
	36"	19"	28 3/8"	RP361L ( ) ( ) ( ) ( )	1,706.	1,825.	2,098.	2,833.
	36"	23"	28 3/8"	RP362L ( ) ( ) ( ) ( )	1,977.	2,119.	2,434.	3,286.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height) open shelf configuration adjustable shelf 	16"	19"	28 3/8"	RP161M ( ) ( )	845.	899.	1,037.	1,400.
	16"	23"	28 3/8"	RP162M ( ) ( )	968.	1,040.	1,197.	1,616.
	16"	29"	28 3/8"	RP163M ( ) ( )	1,125.	1,203.	1,388.	1,875.
	30"	19"	28 3/8"	RP301M ( ) ( )	966.	1,034.	1,188.	1,604.
	30"	23"	28 3/8"	RP302M ( ) ( )	1,151.	1,234.	1,421.	1,916.
	36"	19"	28 3/8"	RP361M ( ) ( )	1,204.	1,296.	1,487.	2,011.
	36"	23"	28 3/8"	RP362M ( ) ( )	1,439.	1,538.	1,771.	2,392.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

N=No Lock option

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height) finished back 	16"	1"	28 3/8"	RPDHB16 ( ) ( )	130.	132.	153.	207.
	19"	1"	28 3/8"	RPDHB19 ( ) ( )	136.	138.	161.	218.
	30"	1"	28 3/8"	RPDHB30 ( ) ( )	256.	265.	303.	409.
	36"	1"	28 3/8"	RPDHB36 ( ) ( )	305.	314.	361.	487.

pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information	Application Notes
Example: <b>RP161LL(L)(W)(J)L(118)</b> <b>R</b> Reff <b>P</b> Pedestal <b>16</b> 16" wide (nominal) <b>1</b> 19" deep (nominal) <b>L</b> Hinge door config. <b>L</b> Left hand hinge location <b>L</b> Finish type, laminate <b>W</b> Interior option, wood <b>J</b> Pull option, J <b>L</b> Lock option <b>118</b> Cabinet finish <b>118</b> Pull finish	To order please specify pattern number including: 1. Hinge location, were applicable L = left hand R = right hand 2. Finish type L = laminate 1 = V1 2 = V2 3 = V3 3. Interior option W = wood interior 4. Pull option B = No pull, No drilling Customer's own pull C = nickel finish C-pull D = metal D-pull F = Bar H = Out Line J = routed J-pull R = Cylinder S = S-pull T = Tab	5. Lock option Optional for hinged door configurations only Lock default is Black L = drilled to accept lock N = no drilling 6. Cabinet finish 7. Pull finish Painted or Plated Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Keying instructions must accompany all orders, refer to page 566. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Products on this page are 28-3/8" high. 28 3/8" h "desk height" products should not be mixed with 26 1/2" h components. 28 3/8" h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications. Applicable finishes are listed on page 0 and 0. For Open pedestals; 1. Finish type 2. Interior option 3. Cabinet finish Finished back must be ordered separately to achieve full depth without a modesty.(page 282) Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning  
*Removable Back*  
*Wood interiors*

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height) hinge door configuration	30"	19"	28 3/8"	<b>RPDHH301A</b> ( ) ( ) ( ) ( )	\$1,541.	\$1,722.	\$2,134.	\$2,957.
Access with removable back	30"	23"	28 3/8"	<b>RPDHH302A</b> ( ) ( ) ( ) ( )	1,579.	1,997.	2,452.	3,383.
(wood interior only)	36"	19"	28 3/8"	<b>RPDHH361A</b> ( ) ( ) ( ) ( )	1,587.	2,082.	2,550.	3,517.
	36"	23"	28 3/8"	<b>RPDHH362A</b> ( ) ( ) ( ) ( )	1,624.	2,418.	2,938.	4,041.



Pedestal, (desk height) open book case	30"	20"	28 3/8"	<b>RPDH301A</b> ( ) ( )	1,183.	1,264.	1,453.	1,962.
Access with removable back	30"	24"	28 3/8"	<b>RPDH302A</b> ( ) ( )	1,406.	1,508.	1,735.	2,340.
(wood interior only)	36"	20"	28 3/8"	<b>RPDH362A</b> ( ) ( )	1,474.	1,584.	1,823.	2,459.
	36"	24"	28 3/8"	<b>RPDH361A</b> ( ) ( )	1,762.	1,883.	2,167.	2,926.



Cabinetry

Order Code	Specification Information	Application Notes
Example: <b>RPDHH301A</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. <i>Lock Option:</i> L/N	4. <i>Pull Finish:</i> Painted Plated
<b>P</b> Pedestal	2. <i>Lock Finish:</i> B = Black S = Matte Silver	5. <i>Pedestal Finish:</i> L, V1, V2, V3
<b>DH</b> Desk Height	3. <i>Pull option:</i> B = no pull, no drilling Customer's own pull C = nickel finish C-pull D = metal D-pull F = Bar pull H = Outline pull J = routed J-pull R = Cylinder pull S = S-pull T = Tab pull	Hinge doors only One adjustable shelf Wood shelf only No metal interior Removable back is above adjustable shelf Key hole construction 30" and 36" wide x 19" deep Always comes with applied pull No touch latch option Works the same way as the 3/4" access ped Inside height clearance top shelf = 10.9" Inside height clearance bottom shelf = 11.6" Use with 28 3/8" high planning
<b>H</b> Hinge doors		
<b>30</b> 30" wide ( <i>nominal</i> )		
<b>1</b> 19" deep ( <i>nominal</i> )		
<b>A</b> Access		
<b>L</b> Lock option		
<b>B</b> Lock finish		
<b>B</b> Pull option, B		
<b>( )</b> Pull finish		
<b>118</b> Cabinet finish		

Pedestals, 28 3/8 planning  
*Equipment Pedestal, 28 3/4" high*  
*Wood interior*




description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height)	30"	19"	28 3/8"	<b>RPDH301E(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( )	\$2,238.	\$2,945.	\$3,256.	\$3,884.
Equipment configuration	30"	23"	28 3/8"	<b>RPDH302E(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( )	2,279.	2,999.	3,308.	4,066.
(wood interior only)	36"	19"	28 3/8"	<b>RPDH361E(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( )	2,293.	3,006.	3,324.	3,998.
	36"	23"	28 3/8"	<b>RPDH362E(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( )	2,332.	3,052.	3,392.	4,120.



Order Code	Specification Information	Application Notes
Example: <b>RPDH301E(L/R)</b>	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
<b>R</b> Reff	1. <i>Finish type:</i> L = laminate	Applied back ordered separately for finish back.
<b>P</b> Pedestal	1 = V1	
<b>DH</b> Desk height	2 = V2	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
<b>30</b> 30" wide	3 = V3	
<b>1</b> 19" deep ( <i>nominal</i> )	2. <i>Interior option: W (wood)</i>	
<b>E</b> Equipment Ped.	3. <i>Pull option</i>	
<b>L</b> Left hand	B = No pull, No drilling	
<b>V2</b> Case finish type	Customer's own pull	
<b>V2</b> Front finish type	F = Bar pull	
<b>W</b> Interior option, wood	H = Outline pull	
<b>H</b> Pull option	R = Cylinder pull	
<b>V316</b> Case finish	T = Tab pull	
<b>111</b> Pull finish	4. Case finish	
<b>L</b> Lock option	5. Pull finish:	
<b>B</b> Lock finish	Painted or Plated	
	6. <i>Lock option</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	7. Lock finish:	
	B = Black	
	S = Silver	


# Pedestals, 28 3/8 planning

## *Metal accessories for pedestals*


description	w	d	h	pattern no.	list
Metal box divider, for desk height products 				<b>RDHMBD</b>	\$29.
	for 16" w desk height metal box drawer				
Metal file drawer divider, for desk height products 				<b>RDHMFD</b>	29.
	for 16" w desk height metal file drawer				
Metal lateral drawer divider, for desk height products 				<b>RDHMLD</b>	23.
	for 20" and 24" deep metal lateral drawers				
Counter weight (for file/file configuration pedestals when used in freestanding applications)	–	–	–	<b>RCOUNTWT</b>	100.

Order Code	Specification Information	Application Notes
Example: <b>RDHMBD</b>		
<b>R</b>	Reff	
<b>DH</b>	Desk height	
<b>M</b>	Metal	
<b>B</b>	Box	
<b>D</b>	Divider	


Pedestals, 28 3/8 planning  
Hinge door, 22 3/8" high  
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal, (desk height planning) box/file configuration	16"	19"	22 3/8"	<b>RP161R</b> ( ) ( ) ( L ) ( ) ( )	\$1,119.	\$1,197.	\$1,373.	\$1,847.
	16"	23"	22 3/8"	<b>RP162R</b> ( ) ( ) ( L ) ( ) ( )	1,168.	1,251.	1,437.	1,932.
	19"	19"	22 3/8"	<b>RP191R</b> ( ) ( ) ( L ) ( ) ( )	1,173.	1,256.	1,441.	1,938.
	19"	23"	22 3/8"	<b>RP192R</b> ( ) ( ) ( L ) ( ) ( )	1,226.	1,313.	1,508.	2,028.
	30"	19"	22 3/8"	<b>RP301R</b> ( ) ( ) ( L ) ( ) ( )	1,191.	1,277.	1,465.	1,970.
	30"	23"	22 3/8"	<b>RP302R</b> ( ) ( ) ( L ) ( ) ( )	1,255.	1,345.	1,541.	2,072.
	36"	19"	22 3/8"	<b>RP361R</b> ( ) ( ) ( L ) ( ) ( )	1,269.	1,359.	1,560.	2,099.
	36"	23"	22 3/8"	<b>RP362R</b> ( ) ( ) ( L ) ( ) ( )	1,330.	1,423.	1,635.	2,200.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)  
\*3 counterweights per pedestal  
Pencil tray not included.


 Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf	30"	19"	22 3/8"	<b>RP301S</b> ( ) ( ) ( )	793.	853.	980.	1,323.
	30"	23"	22 3/8"	<b>RP302S</b> ( ) ( ) ( )	966.	1,037.	1,190.	1,607.
	36"	19"	22 3/8"	<b>RP361S</b> ( ) ( ) ( )	1,015.	1,091.	1,254.	1,692.
	36"	23"	22 3/8"	<b>RP362S</b> ( ) ( ) ( )	1,229.	1,317.	1,514.	2,044.

Supplied with hardware kit includes wood screws for attachment to underside of worksurface

 Pedestal, (desk height planning) open file configuration	30"	19"	22 3/8"	<b>RP301T</b> ( ) ( ) ( L ) ( ) ( )	853.	913.	1,039.	1,382.
	30"	23"	22 3/8"	<b>RP302T</b> ( ) ( ) ( L ) ( ) ( )	1,026.	1,097.	1,249.	1,667.
	36"	19"	22 3/8"	<b>RP361T</b> ( ) ( ) ( L ) ( ) ( )	1,074.	1,151.	1,313.	1,752.
	36"	23"	22 3/8"	<b>RP362T</b> ( ) ( ) ( L ) ( ) ( )	1,289.	1,377.	1,574.	2,103.


Order Code	Specification Information	Application Notes
Example: <b>RP161R</b> ( ) ( ) ( L ) ( ) ( )	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff		4. <i>Lock option</i> Pedestals with drawers always lock drilled
<b>P</b> Pedestal	1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	Use 28 3/8" desk height planning. Applied back ordered separately for finished back.
<b>16</b> 16" wide (nominal)		5. <i>Lock finish</i> B = Black S = Matt silver
<b>1</b> 19" deep (nominal)		6. <i>Cabinet finish:</i> L, V1, V2, V3
<b>R</b> Box/File configuration	2. Interior option: M= Metal interior	7. <i>Pull finish</i> Painted or Plated
<b>2</b> Finish type	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = Metal C-pull D = Metal D-pull F = Bar H = Outline J = Routed J-pull S = Metal S-pull R = Cylinder T = Tab	File drawer support bottom loading File drawers include bars for front to back and side to side filing. Pencil trays not included in pedestals with metal interiors. Pencil tray to be ordered separately; see page 439. Open book case: 1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. Interior option 3. Cabinet finish
<b>M</b> Interior option		
<b>H</b> Finish Pull option		
<b>L</b> Lock option		
<b>B</b> Lock finish		
<b>V316</b> Cabinet finish		
<b>PU</b> Satin Nickel		

Pedestals, 28 3/8 planning  
Hinge door, 22 3/8" high  
Wood interiors


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal, (desk height planning) box/file configuration	16"	19"	22 3/8"	<b>RP161R</b> ( ) ( ) L ( ) ( )	\$1,186.	\$1,267.	\$1,456.	\$1,958.
	16"	23"	22 3/8"	<b>RP162R</b> ( ) ( ) L ( ) ( )	1,317.	1,411.	1,619.	2,179.
	19"	19"	22 3/8"	<b>RP191R</b> ( ) ( ) L ( ) ( )	1,244.	1,330.	1,529.	2,055.
	19"	23"	22 3/8"	<b>RP192R</b> ( ) ( ) L ( ) ( )	1,382.	1,481.	1,700.	2,288.
	30"	19"	22 3/8"	<b>RP301R</b> ( ) ( ) L ( ) ( )	1,422.	1,523.	1,749.	2,353.
	30"	23"	22 3/8"	<b>RP302R</b> ( ) ( ) L ( ) ( )	1,670.	1,786.	2,047.	2,756.
	36"	19"	22 3/8"	<b>RP361R</b> ( ) ( ) L ( ) ( )	1,754.	1,878.	2,158.	2,905.
	36"	23"	22 3/8"	<b>RP362R</b> ( ) ( ) L ( ) ( )	2,040.	2,187.	2,508.	3,383.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

 Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf	30"	19"	22 3/8"	<b>RP301S</b> ( ) ( )	884.	945.	1,086.	1,466.
	30"	23"	22 3/8"	<b>RP302S</b> ( ) ( )	1,051.	1,127.	1,297.	1,749.
	36"	19"	22 3/8"	<b>RP361S</b> ( ) ( )	1,101.	1,183.	1,362.	1,838.
	36"	23"	22 3/8"	<b>RP362S</b> ( ) ( )	1,316.	1,407.	1,619.	2,186.

Pedestals are supplied with hardware kit including wood screws for attachments to underside of worksurface.

 Pedestal, (desk height planning) open file configuration	30"	19"	22 3/8"	<b>RP301T</b> ( ) ( ) L ( ) ( )	943.	1,004.	1,145.	1,525.
	30"	23"	22 3/8"	<b>RP302T</b> ( ) ( ) L ( ) ( )	1,110.	1,187.	1,357.	1,809.
	36"	19"	22 3/8"	<b>RP361T</b> ( ) ( ) L ( ) ( )	1,161.	1,243.	1,421.	1,897.
	36"	23"	22 3/8"	<b>RP362T</b> ( ) ( ) L ( ) ( )	1,376.	1,467.	1,679.	2,245.

Order Code	Specification Information	Application Notes
Example: <b>RPH301A</b> ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Use 28 3/8" desk height planning.
<b>R</b> Reff		Applied back ordered separately for finished back.
<b>P</b> Pedestal	1. <i>Lock option</i> L = Drilled for lock N = No lock drilling	One adjustable shelf.
<b>H</b> Hinge doors	2. <i>Lock finish:</i> B = Black S = Matte Silver	Wood shelf only, no metal interior.
<b>30</b> 30" wide	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull C = Metal C-pull D = Metal D-pull	Removable back is above adjustable shelf.
<b>1</b> 19" deep	F = Bar H = Outline	Keyhole construction.
<b>A</b> Access	J = Routed J-pull S = Metal S-pull R = Cylinder T = Tab	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>L</b> Lock option	4. <i>Pull finish:</i> Painted or Plated	
<b>B</b> Lock finish	5. <i>Finish:</i> Wood or Laminate	
<b>B</b> Pull option		
<b>111</b> Pull finish		
<b>118</b> Finish		

Pedestals, 28 3/8 planning  
*Hinge door, 22 3/8" high*  
*Wood interiors*

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Desk Height (22 3/8") Access Pedestal, Hinge doors	30"	19"	22 3/8"	<b>RPH301A</b> ( ) ( ) ( ) ( )	\$1,464.	\$1,636.	\$2,027.	\$2,809.
	30"	23"	22 3/8"	<b>RPH302A</b> ( ) ( ) ( ) ( )	1,500.	1,897.	2,329.	3,214.
	36"	19"	22 3/8"	<b>RPH361A</b> ( ) ( ) ( ) ( )	1,508.	1,978.	2,423.	3,341.
	36"	23"	22 3/8"	<b>RPH362A</b> ( ) ( ) ( ) ( )	1,543.	2,297.	2,791.	3,839.



**Order Code**

Example:	<b>RPH301A</b> ( ) ( ) ( ) ( )
<b>R</b>	Reff
<b>P</b>	Pedestal
<b>H</b>	Hinge doors
<b>30</b>	30" wide
<b>1</b>	19" deep
<b>A</b>	Access
<b>L</b>	Lock option
<b>B</b>	Lock finish
<b>B</b>	Pull option
<b>111</b>	Pull finish
<b>118</b>	Finish

**Specification Information**

*To order please specify pattern number including:*

- Lock option*  
 L = Drilled for lock  
 N = No lock drilling
- Lock finish:*  
 B = Black  
 S = Matte Silver
- Pull option*  
 B = No pull, No drilling  
 Customer's own pull  
 C = Metal C-pull  
 D = Metal D-pull  
 F = Bar  
 H = Outline  
 J = Routed J-pull  
 S = Metal S-pull  
 R = Cylinder  
 T = Tab
- Pull finish:*  
 Painted or Plated
- Finish:* Wood or Laminate

**Application Notes**

Use 28 3/8" desk height planning.  
 Applied back ordered separately for finished back.  
 One adjustable shelf.  
 Wood shelf only, no metal interior.  
 Removable back is above adjustable shelf.  
 Keyhole construction.  
 Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28 3/8 planning  
*Removable Back, 22 3/8" high*  
*Wood interiors*

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 3/8"	<b>RP301A ( )()</b>	\$986.	\$1,053.	\$1,211.	\$1,635.
cabinet access bookcase	30"	23"	22 3/8"	<b>RP302A ( )()</b>	1,172.	1,257.	1,446.	1,950.
* with removable back	36"	19"	22 3/8"	<b>RP361A ( )()</b>	1,228.	1,320.	1,519.	2,049.
	36"	23"	22 3/8"	<b>RP362A ( )()</b>	1,468.	1,569.	1,806.	2,438.



\*available in wood interior only.

Cabinetry

Order Code	Specification Information	Application Notes
Example: <b>RP301A</b>	<i>To order the bookcase, please specify pattern number including:</i>	Bookcase
<b>R</b> Reff	1. <i>Finish type</i>	Always open configuration.
<b>P</b> Pedestal	L = Laminate	One adjustable Shelf.
<b>30</b> 30" wide	1 = V1	Bottom shelf fixed.
<b>1</b> 19" deep ( <i>nominal</i> )	2 = V2	Removable back.
<b>A</b> Access pedestal	3 = V3	
<b>2</b> Finish type	2. <i>Cabinet finish:</i>	
<b>V316</b> Cabinet finish	Laminate, V1, V2, V3	

Use 28 3/8" desk height planning.  
 Applied back ordered separately for finished back.  
 File drawer support bottom loading  
 Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.



Pedestals, 28 3/8 planning  
*Equipment Pedestal, 22 3/8" high*  
*Wood interiors*

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 3/8"	<b>RP301E(L/R)</b> ( ) ( ) ( ) ( ) ( )	\$1,865.	\$2,454.	\$2,713.	\$3,237.
equipment configuration	30"	23"	22 3/8"	<b>RP302E(L/R)</b> ( ) ( ) ( ) ( ) ( )	1,899.	2,499.	2,757.	3,338.
(wood interior only)	36"	19"	22 3/8"	<b>RP361E(L/R)</b> ( ) ( ) ( ) ( ) ( )	1,911.	2,505.	2,770.	3,332.
	36"	23"	22 3/8"	<b>RP362E(L/R)</b> ( ) ( ) ( ) ( ) ( )	1,943.	2,543.	2,827.	3,433.



Left hand shown




Order Code	Specification Information	Application Notes
Example: <b>RP301E(L/R)</b>	<i>To order please specify pattern number including:</i>	Lock default is black
<b>R</b> Reff	1. <i>Finish type:</i> L = laminate 1 = V1 2 = V2 3 = V3	Use 28 3/8" desk height planning.
<b>P</b> Pedestal	2. <i>Interior option: W (wood)</i>	Applied back ordered separately for finish back.
<b>30</b> 30" wide	3. <i>Pull option</i> B = No pull, No drilling Customer's own pull F = Bar pull H = Outline pull R = Cylinder pull T = Tab pull	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
<b>1</b> 19" deep (nominal)	4. Case finish	
<b>E</b> Equipment Ped.	5. Pull finish: Painted or Plated	
<b>L</b> Left hand	6. <i>Lock option</i> L = Lock hole drilled N = No lock drilling	
<b>V2</b> Case finish type	7. Lock finish: B = Black S = Silver	
<b>V2</b> Front finish type		
<b>W</b> Interior option, wood		
<b>H</b> Pull option		
<b>V316</b> Case finish		
<b>V316</b> Front finish		
<b>111</b> Pull finish		
<b>L</b> Lock option		
<b>B</b> Lock finish		

Equipment Pedestal's Clearance:

**Enclosed Area:**  
 For 30" w X 19" d 22.5" w X 16.5" d X 14.25" h  
 For 30" w X 23" d 22.5" w X 20.5" d X 14.25" h  
 For 36" w X 19" d 26.5" w X 16.5" d X 14.25" h  
 For 36" w X 23" d 26.5" w X 20.5" d X 14.25" h

**Open Area:**  
 For 30" w X 19" d 8" w X 17" d X 17.5" h  
 For 30" w X 23" d 8" w X 21" d X 17.5" h  
 For 36" w X 19" d 8" w X 17" d X 17.5" h  
 For 36" w X 23" d 8" w X 21" d X 17.5" h

Pedestals, 28 3/8" planning  
 22 3/8" high  
 Pedestal back, filler and flush modesty

description	w	th	h	pattern no.	L	V1	V2	V3
Pedestal Back 	16"		22 3/8"	<b>RPCB16</b> ( ) ( )	\$236.	\$283.	\$325.	\$423.
	19"		22 3/8"	<b>RPCB19</b> ( ) ( )	241.	289.	333.	433.
	30"		22 3/8"	<b>RPCB30</b> ( ) ( )	265.	317.	365.	475.
	36"		22 3/8"	<b>RPCB36</b> ( ) ( )	278.	333.	383.	499.
Pedestal Filler 	6"		22 3/8"	<b>RPFC6</b> ( ) ( )	165.	198.	216.	258.
	6"		28 3/8"	<b>RPDHF6</b> ( ) ( )	199.	233.	252.	296.
Flush Modesty Panel 	42"	1"	22 3/8"	<b>RPDHC42MF</b> ( ) ( )	342.	410.	472.	613.
	48"	1"	22 3/8"	<b>RPDHC48MF</b> ( ) ( )	357.	428.	493.	642.
	54"	1"	22 3/8"	<b>RPDHC54MF</b> ( ) ( )	373.	447.	515.	668.
	60"	1"	22 3/8"	<b>RPDHC60MF</b> ( ) ( )	411.	493.	568.	737.
	66"	1"	22 3/8"	<b>RPDHC66MF</b> ( ) ( )	426.	511.	588.	764.
	72"	1"	22 3/8"	<b>RPDHC72MF</b> ( ) ( )	441.	529.	609.	792.
	78"	1"	22 3/8"	<b>RPDHC78MF</b> ( ) ( )	462.	554.	638.	829.
	84"	1"	22 3/8"	<b>RPDHC84MF</b> ( ) ( )	478.	573.	659.	857.
	90"	1"	22 3/8"	<b>RPDHC90MF</b> ( ) ( )	513.	615.	708.	920.
	96"	1"	22 3/8"	<b>RPDHC96MF</b> ( ) ( )	527.	632.	727.	946.

Order Code	Specification Information	Application Notes
Example: <b>RPCB16</b> ( ) ( )	1. <i>Finish type</i>	Lock default is black.
<b>R</b> Reff	L = Laminate	Use 28 3/8" desk height planning.
<b>P</b> Pedestal	1 = V1	
<b>C</b> For use with 22 3/8" pedestal	2 = V2	Applied back ordered separately for finished back.
<b>B</b> Back	3 = V3	
<b>16</b> Width	2. <i>Finish:</i>	
<b>2</b> Finish type	Laminate or V1, V2, V3	
<b>V316</b> Finish		

Pedestals, 28 3/8 planning  
*Mobile Pedestal, 23" high*  
*Wood interiors*


description	w	d	h	pattern no.	L/V1	L/V2	L/V3	L/L	V1	V2	V3
Mobile Pedestal	16"	19"	23"	<b>RMPU</b> ( ) ( ) ( ) ( ) ( ) ( )	\$2,251.	\$2,297.	\$2,354.	\$2,197.	\$2,346.	\$2,685.	\$3,458.



Order Code	Specification Information	Application Notes
Example: <b>RMPU</b> ( ) ( ) ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff		
<b>M</b> Mobile	1. Lock option Pedestals with drawers always lock drilled.	Always comes with lock.
<b>P</b> Pedestal	2. Lock finish B = Black S = Matt silver	Always comes with finished back Grommet pull only.
<b>U</b> Cubby above with drawer/box/file	3. Pull option G = Grommet pull only	Actual width = 15.94"
<b>L</b> Lock Option	4. Pull finish: Painted or Plated	Actual depth = 19.06"
<b>B</b> Lock Finish	5. Case finish	Actual total height = 23.37"
<b>G</b> Pull Finish	6. Front finish	
<b>V316</b> Case Finish	7. Pencil tray finish Painted / Anodized	
<b>V316</b> Front Drawer Finish		
<b>111</b> Pencil Tray Finish		


# Credenzas, 28<sup>3</sup>/<sub>8</sub>" planning 23<sup>3</sup>/<sub>8</sub>" high, file drawer

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	list
Low credenza, file drawer left and right and cubby	90"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCFDC2090</b>	\$3,436.	\$3,780.	\$3,952.	\$4,124.	\$5,154.	\$5,928.	\$7,706.	
	108"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCFDC20108</b>	3,592.	3,951.	4,130.	4,311.	5,388.	6,196.	8,055.	




\*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, file drawer center with cubby	90"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCFDCC2090</b>	3,062.	3,368.	3,522.	3,674.	4,593.	5,282.	6,866.	
	108"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCFDCC20108</b>	3,228.	3,551.	3,712.	3,874.	4,938.	5,569.	7,240.	



\*90" and 108"w credenzas with file drawer require 4 counter weights


Low credenza, left	60"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCFDCL2060</b>	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.	
	72"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCFDCL2072</b>	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.	



\*60" and 72"w credenzas with file drawer require 3 counter weights  
\*Left hand credenza; File drawer is on left.

Left hand credenza shown

Low credenza, right	60"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCFDCR2060</b>	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.	
	72"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCFDCR2072</b>	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.	




\*60" and 72"w credenzas with file drawer require 3 counter weights  
\*Right hand credenza; File drawer is on right.

Right hand credenza shown

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	<b>RCOUNTWT</b>								100.
---	---	---	---	-----------------	--	--	--	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: <b>RRLCFDC2090</b>	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
<b>RR</b> Reff		Nominal depth 20"
<b>LC</b> Low Credenza		Actual depth 19"
<b>FDC</b> File Drawer with cubby		All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).
<b>20</b> 20" deep		If file drawer on right side, credenza is right handed.
<b>90</b> 90" wide		
<b>L</b> Lock option	1. Lock option: Drawers are always lock drilled. L=drilled to accept lock	Grommet Pull option for these products.
<b>S</b> Lock finish	2. Lock finish: B=Black S=Matte Silver	Locks on wood and Laminate doors. No locks on glass doors.
<b>G</b> Pull option	3. Pull option Grommet pull, only	Legs shipped with credenza.
<b>115</b> Pull finish	4. Pull finish Painted / Plated	Legs available in painted finish.
<b>115</b> Leg finish	5. Leg finish Painted only	Shelves are fixed.
<b>V316</b> Case option	6. Case finish: V316	Glass top and cushion sold separately.
<b>V316</b> Case finish	7. Front finish: V316	

# Credenzas, 28<sup>3</sup>/<sub>8</sub>" planning 23<sup>3</sup>/<sub>8</sub>" high, open

description	w	d	h	pattern no.	L	V1	V2	V3
	60"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCO2060</b> ( ) ( )	\$2,105.	\$2,989.	\$3,438.	\$4,470.
	72"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCO2072</b> ( ) ( )	2,109.	3,122.	3,591.	4,668.
	90"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCO2090</b> ( ) ( )	2,574.	3,886.	4,469.	5,809.
	108"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCO20108</b> ( ) ( )	2,734.	4,128.	4,747.	6,172.

### Order Code

Example:	<b>RRLCO2060</b> ( ) ( )
<b>RR</b>	Reffresh
<b>LC</b>	Low Credenza
<b>O</b>	Open
<b>20</b>	20" deep
<b>60</b>	60" wide
<b>115</b>	Leg finish
<b>2</b>	Finish type
<b>V316</b>	Case finish

### Specification Information

*To order please specify pattern number including:*

1. Leg finish  
Painted only
2. Case finish type:  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
3. Case finish:  
V316

### Application Notes

These products are Glue and Dowel Construction

Legs shipped with credenza.

Legs available in painted and plated finish.

Shelves are fixed.


Glass top and cushion sold separately.

Nominal depth 20"  
Actual depth 19"


All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).

Credenzas, 28<sup>3</sup>/<sub>8</sub>" planning  
23<sup>3</sup>/<sub>8</sub>" high sliding door  
Glass door

description	w	d	h	pattern no.	L/GL	V1/GL	V2/GL	V3/GL
Low credenza, sliding glass door	90"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSGD2090</b> ( ) ( ) ( ) ( )	\$4,709.	\$5,652.	\$6,499.	\$8,449.
	108"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSGD20108</b> ( ) ( ) ( ) ( )	5,244.	6,292.	7,236.	9,407.




Low credenza, sliding glass door left	60"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSGDL2060</b> ( ) ( ) ( ) ( )	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSGDL2072</b> ( ) ( ) ( ) ( )	3,315.	3,978.	4,574.	5,947.



Left hand shown

Low credenza, sliding glass door right	60"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSGDR2060</b> ( ) ( ) ( ) ( )	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSGDR2072</b> ( ) ( ) ( ) ( )	3,315.	3,978.	4,574.	5,947.




right hand shown

Order Code	Specification Information	Application Notes
Example: <b>RRLCSGD2090</b> ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
<b>RR</b> Reff	1. Pull option	Nominal depth 20"
<b>LC</b> Low Credenza	Grommet pull	Actual depth 19"
<b>SGD</b> Sliding Glass Door	2. Pull finish	
<b>20</b> 20" deep	Painted / Plated	
<b>90</b> 90" wide	3. Leg finish	
<b>G</b> Pull tpe	Painted only	No locks on glass doors.
<b>PN</b> Pull finish	4. Case finish	Legs shipped with credenza.
<b>115</b> Leg finish	L, V1, V2, V3	Shelves are fixed.
<b>V316</b> Case finish	5. Glass frame finish:	Glass top and cushion sold separately.
<b>AN</b> Glass frame finish, Anodized black	Anodized or Painted	
<b>GL11</b> Door / front glass finish	6. Glass finish:	All sliding doors including wood, laminate and glass are non-locking.
	GL11, GL14, GL15, GL18	


Credenzas, 28<sup>3</sup>/<sub>8</sub>" planning  
 23<sup>3</sup>/<sub>8</sub>" high sliding door  
 Wood / Laminate door

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, sliding wood/ laminate door	90"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSWD2090</b> ( ) ( ) ( ) ( )	\$3,660.	\$4,026.	\$4,209.	\$4,392.	\$5,307.	\$6,103.	\$7,934.
	108"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSWD20108</b> ( ) ( ) ( ) ( )	4,044.	4,449.	4,650.	4,852.	5,864.	6,743.	8,766.




Low credenza, sliding wood/ laminate door left	60"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSWDL2060</b> ( ) ( ) ( ) ( )	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSWDL2072</b> ( ) ( ) ( ) ( )	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.



Left hand shown

Low credenza, sliding wood/ laminate door right	60"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSWDR2060</b> ( ) ( ) ( ) ( )	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 <sup>3</sup> / <sub>8</sub> "	<b>RRLCSWDR2072</b> ( ) ( ) ( ) ( )	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.




right hand shown

Order Code	Specification Information	Application Notes
Example: <b>RRLCSWD2090</b> ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
<b>RR</b> Reff	1. Pull option	Grommet Pull option for these products.
<b>LC</b> Low Credenza	2. Pull finish Painted / Plated	
<b>SWD</b> Sliding Wood Door	3. Leg finish Painted only	Legs shipped with credenza.
<b>20</b> 20" deep	4. Case finish	Legs available in painted finishes.
<b>90</b> 90" wide	5. Door finish L, V1, V2, V3	Shelves are fixed.
<b>G</b> Pull option		Glass top and cushion sold separately.
<b>115</b> Pull finish		
<b>115</b> Leg finish		
<b>V316</b> Case finish		All sliding doors including wood, laminate and glass are non-locking.
<b>V316</b> Door / front glass finish		

# Credenzas, 28<sup>3/8</sup>" planning

## *Glass top*

Reff Profiles


description	d	w	pattern no.	list
Lower Credenza Glass Top 	20"	30"	<b>RLCGT301()</b>	\$397.
	20"	36"	<b>RLCGT361()</b>	474.
	20"	60"	<b>RLCGT601()</b>	762.
	20"	72"	<b>RLCGT721()</b>	901.

Cabinetry


Order Code	Specification Information	Application Notes
<i>Example:</i> <b>RLCGT301()</b>	<i>To order please specify pattern number including:</i> 1. Glass finish GL35 Grey GL85 Star Clear	Grommet not an option.
<b>R</b> Reff		
<b>LC</b> Lower Credenza		
<b>GT</b> Glass Top		
<b>30</b> Width		
<b>1</b> 20" deep		
<b>GL35</b> Glass finish		



Cabinets, 26 1/2" planning  
49" high, metal interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Open bookcase with two adjustable shelves	30"	15"	49"	<b>RC431B-</b> ( ) ( )	\$1,197.	\$1,568.	\$1,817.	\$2,439.
	30"	20"	49"	<b>RC432B-</b> ( ) ( )	1,350.	1,771.	2,035.	2,748.
	30"	24"	49"	<b>RC433B-</b> ( ) ( )	1,524.	1,995.	2,296.	3,098.
	36"	15"	49"	<b>RC461B-</b> ( ) ( )	1,328.	1,743.	2,003.	2,705.
	36"	20"	49"	<b>RC462B-</b> ( ) ( )	1,500.	1,965.	2,260.	3,051.
	36"	24"	49"	<b>RC463B-</b> ( ) ( )	1,686.	2,215.	2,545.	3,434.

Open cabinets require no keying instructions.  
Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	<b>RC412C(L/R)-</b> ( ) ( ) ( ) ( )	1,205.	1,579.	1,817.	2,452.
	16"	24"	49"	<b>RC413C(L/R)-</b> ( ) ( ) ( ) ( )	1,326.	1,735.	1,996.	2,694.
	30"	20"	49"	<b>RC432C-</b> ( ) ( ) ( ) ( )	1,764.	2,314.	2,662.	3,593.
	30"	24"	49"	<b>RC433C-</b> ( ) ( ) ( ) ( )	1,952.	2,559.	2,944.	3,975.
	36"	20"	49"	<b>RC462C-</b> ( ) ( ) ( ) ( )	1,956.	2,565.	2,949.	3,982.
	36"	24"	49"	<b>RC463C-</b> ( ) ( ) ( ) ( )	2,156.	2,835.	3,259.	4,398.


Metal interiors mean shelves metal.

Order Code	Specification Information	Application Notes
Example: <b>RC431B</b> ( ) ( )		
<b>R</b> Reff	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>
<b>C</b> Cabinets	1. <i>Finish type</i>	1. <i>Hinge location where applicable:</i>
<b>4</b> 49" high	L=Laminate	L = Left hand
<b>3</b> 30" wide	1=V1	R = Right hand
<b>1</b> 15" deep	2=V2	
<b>B</b> Open Bookcase	3=V3	2. <i>Finish type:</i>
<b>2</b> V2 finish Type	2. <i>Interior option</i>	L = Laminate
<b>M</b> Metal interior	M=Metal interior	1 = V1
<b>V316</b> Cabinet finish: Maple	(If laminate case finish-shelves painted to match. If V1, V2 or V3 case finish- shelves are painted black)	2 = V2
	3. <i>Cabinet finish</i>	3 = V3
	Wood or Laminate	3. <i>Interior options:</i>
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	M=Metal Interior
		4. <i>Pull options:</i>
		B=No pull, No Drilling, Customer's own Pull
		C= C-Pull (nickel finish only)
		D = D-Pull (PT or PZ only)
		F = Bar Pull
		H = Outline Pull
		J = J (Routed ) Pull
		R = Cylinder Pull
		S = S Pull (Stainless Steel Finish only)
		T = Tab Pull
		5. <i>Lock options Doors:</i>
		L = Lock hole drilled
		N = No lock drilling
		6. <i>Cabinet Finish:</i>
		Laminate or Wood
		7. <i>Pull Finish:</i>
		Painted / Plated

After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.

Cabinets, 26 1/2" planning  
49" high, metal interior  
4 Lateral files

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L()()	\$2,056.	\$2,694.	\$3,101.	\$4,188.
	30"	24"	49"	RC433F-()()L()()	2,269.	2,975.	3,421.	4,619.
	36"	20"	49"	RC462F-()()L()()	2,608.	3,418.	3,929.	5,305.
	36"	24"	49"	RC463F-()()L()()	2,879.	3,776.	4,342.	5,862.



Order Code

Example:	RC432F()()L()()
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>4</b>	49" high
<b>3</b>	30" wide
<b>2</b>	20" deep
<b>F</b>	4 drawer lateral file
<b>2</b>	V2 finish type
<b>M</b>	Metal interior option
<b>T</b>	Tab pull option
<b>L</b>	Lock option
<b>V316</b>	Cabinet finish
<b>118</b>	Pull finish

Specification Information

To order please specify pattern number including:

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
M = Metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black)
- Pull options:**  
B = No pull, No Drilling, Customer's own pull.  
C = Nickel C-pull (nickel finish only)  
D = Metal D-pull  
F = Bar pull  
H = Outline pull  
J = Routed pull  
R = Cylinder pull  
S = S-pull (stainless steel finish only)  
T = Tab pull
- Lock options:**  
*Drawers are always lock drilled*  
L = Lock hole drilled
- Cabinet finish:**  
Wood or Laminate
- Pull finish:**  
Painted or Plated

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

**\*After specifying product code, provide keying instructions.**

Refer to page 566 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.


Application Notes

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning  
49" high, wood interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Open bookcase with two adjustable shelves	30"	15"	49"	<b>RC431B-</b> ( ) ( ) ( ) ( )	\$1,342.	\$1,757.	\$2,020.	\$2,727.
	30"	20"	49"	<b>RC432B-</b> ( ) ( ) ( ) ( )	1,496.	1,961.	2,253.	3,042.
	30"	24"	49"	<b>RC433B-</b> ( ) ( ) ( ) ( )	1,666.	2,183.	2,512.	3,392.
	36"	15"	49"	<b>RC461B-</b> ( ) ( ) ( ) ( )	1,474.	1,932.	2,222.	2,998.
	36"	20"	49"	<b>RC462B-</b> ( ) ( ) ( ) ( )	1,644.	2,157.	2,477.	3,343.
	36"	24"	49"	<b>RC463B-</b> ( ) ( ) ( ) ( )	1,833.	2,404.	2,762.	3,729.

Open cabinets require no keying instructions


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	<b>RC412C(L/R)-</b> ( ) ( ) ( ) ( ) ( )	1,349.	1,769.	2,032.	2,743.
	16"	24"	49"	<b>RC413C(L/R)-</b> ( ) ( ) ( ) ( ) ( )	1,472.	1,928.	2,218.	2,993.
	30"	20"	49"	<b>RC432C-</b> ( ) ( ) ( ) ( ) ( )	1,908.	2,501.	2,877.	3,883.
	30"	24"	49"	<b>RC433C-</b> ( ) ( ) ( ) ( ) ( )	2,096.	2,750.	3,160.	4,265.
	36"	20"	49"	<b>RC462C-</b> ( ) ( ) ( ) ( ) ( )	2,101.	2,753.	3,169.	4,278.
	36"	24"	49"	<b>RC463C-</b> ( ) ( ) ( ) ( ) ( )	2,305.	3,023.	3,478.	4,696.

Order Code	Specification Information	Application Notes
Example: <b>RC431B</b> <b>R</b> Reff <b>C</b> Cabinets <b>4</b> 49" high <b>3</b> 30" wide <b>1</b> 15" deep <b>B</b> Open Bookcase <b>2</b> Finish Type: V2 <b>W</b> Wood interior <b>V316</b> Cabinet Finish: Maple	<p>To order the Open Bookcase, please specify pattern number including:</p> <ol style="list-style-type: none"> <li>1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li>2. <i>Interior options:</i> W = Wood Interior</li> <li>3. <i>Cabinet Finish:</i> Laminate or Wood</li> </ol> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p>	<p>To order the Cabinet with Hinge Doors, please specify pattern number including:</p> <ol style="list-style-type: none"> <li>1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand</li> <li>2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</li> <li>3. <i>Interior options:</i> W = Wood Interior</li> <li>4. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PT or PZ only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull</li> <li>5. <i>Lock Options Doors:</i> <i>Drawers are always lock drilled</i> L = Lock hole drilled</li> <li>6. <i>Cabinet finish:</i> Laminate or Wood</li> <li>7. <i>Pull finish:</i> Painted or Plated</li> </ol>

After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.

Cabinets, 26 1/2" planning  
49" high, wood interior  
Wardrobe cabinet

description	w	d	height	pattern number	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-( )W( ) ( ) ( )	\$1,742.	\$2,281.	\$2,624.	\$3,544.
	30"	24"	49"	RC433D-( )W( ) ( ) ( )	1,901.	2,495.	2,871.	3,875.
	36"	20"	49"	RC462D-( )W( ) ( ) ( )	1,914.	2,511.	2,887.	3,898.
	36"	24"	49"	RC463D-( )W( ) ( ) ( )	2,093.	2,746.	3,157.	4,262.




Available with wood interior only.

Order Code	Specification Information	Application Notes
Example: <b>RC432D</b>	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>R</b> Reff	1. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>C</b> Cabinets	2. <i>Interior options:</i> W = Wood Interior	After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.
<b>4</b> 49" high	3. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PZ and PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull	<b>Note:</b> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433.
<b>3</b> 30" wide	4. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	20" deep wardrobe cabinets provide only 18" of clear storage space.
<b>2</b> 20" deep, 3-24" deep	5. <i>Cabinet finish:</i> Wood or Laminate	
<b>D</b> Wardrobe Cabinet	6. <i>Pull finish:</i> Painted or Plated	
<b>2</b> Finish Type: V2		
<b>W</b> Wood interior		
<b>V316</b> Cabinet Finish: Maple		

Cabinets, 26 1/2" planning  
 49" high, wood interior  
 4 Lateral files

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	<b>RC432F-()()L()()</b>	\$2,200.	\$2,885.	\$3,318.	\$4,478.
	30"	24"	49"	<b>RC433F-()()L()()</b>	2,416.	3,171.	3,640.	4,914.
	36"	20"	49"	<b>RC462F-()()L()()</b>	2,752.	3,605.	4,145.	5,597.
	36"	24"	49"	<b>RC463F-()()L()()</b>	3,023.	3,961.	4,556.	6,151.



**Order Code**

Example:	<b>RC432F()()L()()</b>
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>4</b>	49" high
<b>3</b>	30" wide
<b>2</b>	20" deep
<b>F</b>	Cabinet w/ 4 File Open bookcase
<b>2</b>	Finish Type: V2
<b>W</b>	Wood Interior
<b>D</b>	D-pull Option
<b>L</b>	Drilled for Lock (Not Optional)
<b>V316</b>	Cabinet finish: Maple
<b>PT</b>	Pull finish

To order please specify pattern number including:

1. *Finish Type:*  
 L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3
2. *Interior Option*  
 W = Wood Interior
3. *Pull options:*  
 B = No Pull, No Drilling, Customer's own Pull  
 C = C-Pull (Nickel Finish Only)  
 D = D-Pull (PT or PZ only)  
 F = Bar Pull  
 H = Outline Pull  
 J = J (Routed) Pull  
 R = Cylinder Pull  
 S = S-pull (Stainless Steel Finish Only)  
 T = Tab Pull
4. Lock option doors  
 L = Drilled for Lock  
 Drawers are always drilled for locks
5. Cabinet Finish:  
 Laminate or Wood
6. Pull Finish:  
 Painted / Plated

**Application Notes**

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Please refer to page 566 for keying instructions.


Key alike are field installed using the KnollKey order form. Random locks are factory installed.

File drawers are always drilled for lock.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Cabinets, 26 1/2" planning  
64" high, metal interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	<b>RC631B-</b> ( ) ( )	\$1,536.	\$2,016.	\$2,320.	\$3,131.
	30"	20"	64"	<b>RC632B-</b> ( ) ( )	1,729.	2,267.	2,607.	3,518.
	30"	24"	64"	<b>RC633B-</b> ( ) ( )	1,922.	2,521.	2,902.	3,915.
	36"	15"	64"	<b>RC661B-</b> ( ) ( )	1,763.	2,310.	2,658.	3,587.
	36"	20"	64"	<b>RC662B-</b> ( ) ( )	1,961.	2,567.	2,956.	3,988.
	36"	24"	64"	<b>RC663B-</b> ( ) ( )	2,160.	2,831.	3,255.	4,395.

Open cabinets require no keying instructions.  
Metal interiors mean shelves metal.

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	<b>RC632H-</b> ( ) ( ) ( ) ( )	2,125.	2,788.	3,205.	4,327.
	30"	24"	64"	<b>RC633H-</b> ( ) ( ) ( ) ( )	2,349.	3,076.	3,540.	4,779.
	36"	20"	64"	<b>RC662H-</b> ( ) ( ) ( ) ( )	2,349.	3,076.	3,540.	4,779.
	36"	24"	64"	<b>RC663H-</b> ( ) ( ) ( ) ( )	2,572.	3,371.	3,877.	5,234.

Requires one lock core per cabinet  
Shelves painted metal

Order Code

Example:	<b>RC631B</b>
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>6</b>	64" high
<b>3</b>	30" wide
<b>1</b>	15" deep
<b>B</b>	Open Bookcase
<b>2</b>	V2 finish type
<b>M</b>	Metal interior option
<b>V316</b>	Cabinet finish

- To order the Open Bookcase, specify pattern number including:*
- Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
  - Interior options:*  
M = Metal Interior  
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves are painted black)
  - Cabinet finish:*  
Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

- To order the Cabinet with Hinge Doors, specify pattern number including:*
- Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
  - Interior options:*  
M = Metal Interior
  - Pull options:*  
B = No pull, No Drilling,  
Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = Metal D-pull  
(PZ or PT only)  
F = Bar Pull  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull  
(Stainless Steel Finish only)  
T = Tab pull
  - Lock Option Doors:*  
L = Lock hole drilled  
N = No lock drilling
  - Cabinet finish:*  
Wood or Laminate
  - Pull finish:*  
Painted or Plated

Application Notes


**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.

Applicable finishes are listed on pages 5 and 6 .

Cabinets, 26 1/2" planning  
64" high, metal interior  
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	<b>RC632F</b> -( ) ( ) ( ) ( ) ( )	\$2,856.	\$3,747.	\$4,307.	\$5,816.
	30"	24"	64"	<b>RC633F</b> -( ) ( ) ( ) ( ) ( )	3,157.	4,136.	4,759.	6,422.
	36"	20"	64"	<b>RC662F</b> -( ) ( ) ( ) ( ) ( )	3,157.	4,136.	4,759.	6,422.
	36"	24"	64"	<b>RC663F</b> -( ) ( ) ( ) ( ) ( )	3,487.	4,569.	5,253.	7,093.

Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"

Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers 	16"	20"	64"	<b>RC612G(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,168.	2,838.	3,265.	4,407.
	16"	24"	64"	<b>RC613G(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,394.	3,137.	3,606.	4,869.
	30"	20"	64"	<b>RC632G</b> -( ) ( ) ( ) ( ) ( )	2,745.	3,598.	4,136.	5,585.
	30"	24"	64"	<b>RC633G</b> -( ) ( ) ( ) ( ) ( )	3,055.	4,001.	4,601.	6,212.
	36"	20"	64"	<b>RC662G</b> -( ) ( ) ( ) ( ) ( )	3,033.	3,973.	4,570.	6,170.
	36"	24"	64"	<b>RC663G</b> -( ) ( ) ( ) ( ) ( )	3,373.	4,421.	5,083.	6,860.


Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal

Cabinet with BBF below and hinged doors above 	16"	20"	64"	<b>RC612P(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,234.	2,927.	3,366.	4,544.
	16"	24"	64"	<b>RC613P(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,480.	3,253.	3,736.	5,044.
	30"	20"	64"	<b>RC632P</b> -( ) ( ) ( ) ( ) ( )	2,631.	3,447.	3,964.	5,352.
	30"	24"	64"	<b>RC633P</b> -( ) ( ) ( ) ( ) ( )	2,903.	3,806.	4,375.	5,907.
	36"	20"	64"	<b>RC662P</b> -( ) ( ) ( ) ( ) ( )	2,910.	3,813.	4,386.	5,921.
	36"	24"	64"	<b>RC663P</b> -( ) ( ) ( ) ( ) ( )	3,208.	4,202.	4,837.	6,530.


Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: <b>RC632F</b> ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>After specifying product code, provide keying instructions. Refer to page for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.</p>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>C</b> Cabinets	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves painted balck)	
<b>6</b> 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
<b>3</b> 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
<b>2</b> 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>F</b> Hinge door with 4 file drawers	6. <i>Cabinet Finish:</i> Wood or Laminate	
<b>L</b> Finish Type: Laminate	7. <i>Pull Finish:</i> Painted or Plated	
<b>M</b> Metal interior	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
<b>T</b> Tab pull option		
<b>L</b> Lock option, files		
<b>N</b> Lock Optino, Doors		
<b>118</b> Cabinet finish		
<b>111</b> Pull finish		
F = Hinge door cabinet with 4 File drawers		
G = Hinge door cabinet with FF		
P = Hinge door cabinet with BBF		

Cabinets, 26 1/2" planning  
64" high, metal interior  
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-( ) ( ) ( ) ( )	\$1,799.	\$2,354.	\$2,709.	\$3,657.
	16"	24"	64"	RC613C(L/R)-( ) ( ) ( ) ( )	2,005.	2,630.	3,023.	4,082.
	30"	20"	64"	RC632C-( ) ( ) ( ) ( )	2,385.	3,127.	3,596.	4,854.
	30"	24"	64"	RC633C-( ) ( ) ( ) ( )	2,635.	3,456.	3,969.	5,358.
	36"	20"	64"	RC662C-( ) ( ) ( ) ( )	2,608.	3,418.	3,929.	5,305.
	36"	24"	64"	RC663C-( ) ( ) ( ) ( )	2,856.	3,747.	4,307.	5,816.

Open cabinets require no keying instructions.  
Metal interiors mean shelves metal.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-( ) ( ) ( ) ( )	2,771.	3,631.	4,174.	5,636.
	30"	24"	64"	RC633E(L/R)-( ) ( ) ( ) ( )	3,074.	4,028.	4,633.	6,254.
	36"	20"	64"	RC662E(L/R)-( ) ( ) ( ) ( )	3,062.	4,012.	4,619.	6,234.
	36"	24"	64"	RC663E(L/R)-( ) ( ) ( ) ( )	3,396.	4,452.	5,118.	6,909.


Requires one lock core per cabinet  
Shelves painted metal

Left hand shown


Order Code	Specification Information	Application Notes
Example: <b>RC612C(L/R)</b>	<i>To order, please specify pattern number including:</i>	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>R</b> Reff	5. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
<b>C</b> Cabinets	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>6</b> 64" high	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>1</b> 15" wide	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves painted balck)	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>2</b> 20" deep	4. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
<b>C</b> Hinge Door Cab. w/ adjustable shelves		* <i>Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433.
<b>L</b> Finish Type: Laminate		20" deep Wardrobe Cabinets provide only 18" of clear storage space.
<b>M</b> Metal Interior		
<b>D</b> Pull option; D		
<b>N</b> Lock option; No		
<b>118</b> Cabinet Finish		
<b>PZ</b> Pull finish		
<b>C</b> = Hinge door cabinet with full height doors and 3 adjustable shelves		
<b>E</b> = Hinge door cabinet with full height doors, half wardrobe and half shelves		



Cabinets, 26 1/2" planning  
64" high, wood interior  
Bookcase and hinge doors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	<b>RC631B-</b> ( ) ( )	\$1,681.	\$2,202.	\$2,535.	\$3,423.
	30"	20"	64"	<b>RC632B-</b> ( ) ( )	1,874.	2,457.	2,826.	3,816.
	30"	24"	64"	<b>RC633B-</b> ( ) ( )	2,067.	2,709.	3,116.	4,207.
	36"	15"	64"	<b>RC661B-</b> ( ) ( )	1,907.	2,499.	2,876.	3,880.
	36"	20"	64"	<b>RC662B-</b> ( ) ( )	2,103.	2,756.	3,172.	4,283.
	36"	24"	64"	<b>RC663B-</b> ( ) ( )	2,303.	3,020.	3,471.	4,687.

Open cabinets require no keying instructions

 Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	<b>RC632H-</b> ( ) ( ) ( ) ( )	2,270.	2,979.	3,425.	4,624.
	30"	24"	64"	<b>RC633H-</b> ( ) ( ) ( ) ( )	2,493.	3,267.	3,758.	5,074.
	36"	20"	64"	<b>RC662H-</b> ( ) ( ) ( ) ( )	2,493.	3,267.	3,758.	5,074.
	36"	24"	64"	<b>RC663H-</b> ( ) ( ) ( ) ( )	2,714.	3,560.	4,091.	5,523.

Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: <b>RC631B</b>	<i>To order Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
<b>C</b> Cabinets	2. <i>Interior option:</i> W = Wood Interior	2. <i>Interior option:</i> W = Wood
<b>6</b> 64" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull
<b>3</b> 30" wide		4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
<b>1</b> 15" deep		5. <i>Cabinet Finish:</i> Wood or Laminate
<b>B</b> Open Bookcase		6. <i>Pull Finish:</i> Painted or Plated
<b>2</b> Finish Type: V2	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	
<b>W</b> Wood Interior		
<b>W316</b> Cabinet finish: Maple		


Application Notes

**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**


Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.


Cabinets, 26 1/2" planning  
64" high, wood interior  
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	<b>RC632F</b> -( ) ( ) ( ) ( ) ( )	\$3,001.	\$3,935.	\$4,525.	\$6,108.
	30"	24"	64"	<b>RC633F</b> -( ) ( ) ( ) ( ) ( )	3,300.	4,324.	4,973.	6,713.
	36"	20"	64"	<b>RC662F</b> -( ) ( ) ( ) ( ) ( )	3,300.	4,324.	4,973.	6,713.
	36"	24"	64"	<b>RC663F</b> -( ) ( ) ( ) ( ) ( )	3,631.	4,761.	5,472.	7,388.

Requires two lock cores per cabinet  
Interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	<b>RC612G(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,309.	3,027.	3,481.	4,700.
	16"	24"	64"	<b>RC613G(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,539.	3,325.	3,826.	5,164.
	30"	20"	64"	<b>RC632G</b> -( ) ( ) ( ) ( ) ( )	2,889.	3,786.	4,353.	5,876.
	30"	24"	64"	<b>RC633G</b> -( ) ( ) ( ) ( ) ( )	3,196.	4,189.	4,818.	6,505.
	36"	20"	64"	<b>RC662G</b> -( ) ( ) ( ) ( ) ( )	3,178.	4,163.	4,788.	6,465.
	36"	24"	64"	<b>RC663G</b> -( ) ( ) ( ) ( ) ( )	3,516.	4,608.	5,301.	7,159.


Requires two lock cores per cabinet


 Cabinet with BBF below and hinged doors above	16"	20"	64"	<b>RC612P(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,379.	3,116.	3,582.	4,837.
	16"	24"	64"	<b>RC613P(L/R)</b> -( ) ( ) ( ) ( ) ( )	2,624.	3,439.	3,956.	5,342.
	30"	20"	64"	<b>RC632P</b> -( ) ( ) ( ) ( ) ( )	2,776.	3,638.	4,185.	5,649.
	30"	24"	64"	<b>RC633P</b> -( ) ( ) ( ) ( ) ( )	3,049.	3,995.	4,592.	6,199.
	36"	20"	64"	<b>RC662P</b> -( ) ( ) ( ) ( ) ( )	3,056.	4,002.	4,603.	6,215.
	36"	24"	64"	<b>RC663P</b> -( ) ( ) ( ) ( ) ( )	3,350.	4,396.	5,053.	6,821.

Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: <b>RC632F</b> ( ) ( ) ( ) ( ) ( )	<i>To order the Cabinet with Hinge Doors and File Drawers, please specify pattern number including:</i>	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>R</b> Reff	1. <i>Hinge location where applicable:</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>C</b> Cabinets	2. <i>Finish type:</i>	File drawers are always drilled for locks.
<b>6</b> 64" high	L = Laminate	After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.
<b>3</b> 30" wide	1 = V1	File drawers include file bars for front to back and side to side filing.
<b>2</b> 20" deep	2 = V2	File drawers do not support bottom loading. Applicable finishes are listed on page and .
<b>F</b> Hinge door with 4 file drawers	3 = V3	Applicable finishes are listed on page 5 and 6.
<b>L</b> Finish Type: Laminate	3. <i>Interior option:</i>	
<b>W</b> Wood Interior	W = Wood Interior	
<b>T</b> Tab pull option	4. <i>Pull options:</i>	
<b>L</b> Lock option, files	B = No Pull, No Drilling,	
<b>N</b> Lock option, doors	Customer's own Pull	
<b>118</b> Cabinet finish	C = C-Pull, (Nickel finish only)	
<b>118</b> Pull finish	D = D-pull (PZ or PT only)	
<b>F</b> = Hinge door cabinet with 4 File drawers	F = Bar Pull	
<b>G</b> = Hinge door cabinet with FF	H = Outline Pull	
<b>P</b> = Hinge door cabinet with BBF	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S Pull (Stainless Steel Finish only)	
	T = Tab Pull	
	5. <i>Lock Option Files:</i>	
	L = Lock hole drilled	
	Drawers are always drilled for locks	
	6. <i>Lock Option Doors:</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	7. <i>Cabinet Finish:</i>	
	Wood or Laminate	
	8. <i>Pull Finish:</i>	
	Painted or Plated	


Cabinets, 26 1/2" planning  
64" high, wood interior  
Hinge door with shelves and wardrobe

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-( ) ( ) ( ) ( )	\$1,942.	\$2,545.	\$2,927.	\$3,951.
	16"	24"	64"	RC613C(L/R)-( ) ( ) ( ) ( )	2,152.	2,818.	3,239.	4,372.
	30"	20"	64"	RC632C-( ) ( ) ( ) ( )	2,529.	3,315.	3,813.	5,146.
	30"	24"	64"	RC633C-( ) ( ) ( ) ( )	2,779.	3,644.	4,189.	5,655.
	36"	20"	64"	RC662C-( ) ( ) ( ) ( )	2,752.	3,605.	4,145.	5,597.
	36"	24"	64"	RC663C-( ) ( ) ( ) ( )	3,001.	3,935.	4,525.	6,108.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-( ) ( ) ( ) ( )	2,916.	3,821.	4,393.	5,931.
	30"	24"	64"	RC633E(L/R)-( ) ( ) ( ) ( )	3,217.	4,218.	4,849.	6,546.
	36"	20"	64"	RC662E(L/R)-( ) ( ) ( ) ( )	3,206.	4,200.	4,836.	6,528.
	36"	24"	64"	RC663E(L/R)-( ) ( ) ( ) ( )	3,538.	4,641.	5,336.	7,205.

Requires one lock core per cabinet

Left hand shown


Cabinet with hinged doors for coat rod and boot tray* 	16"	20"	64"	RC612D(L/R)-( ) ( ) ( ) ( )	1,701.	2,227.	2,560.	3,457.
	16"	24"	64"	RC613D(L/R)-( ) ( ) ( ) ( )	1,862.	2,441.	2,808.	3,789.
	30"	20"	64"	RC632D-( ) ( ) ( ) ( )	2,076.	2,720.	3,131.	4,227.
	30"	24"	64"	RC633D-( ) ( ) ( ) ( )	2,139.	2,808.	3,226.	4,355.
	36"	20"	64"	RC662D-( ) ( ) ( ) ( )	2,299.	3,015.	3,468.	4,680.
	36"	24"	64"	RC663D-( ) ( ) ( ) ( )	2,349.	3,100.	3,563.	4,809.

Requires one lock core per cabinet  
Wood interior only

Order Code	Specification Information	Application Notes
Example: <b>RC612C(L/R)</b>	<i>To order, please specify pattern number including:</i>	<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
<b>R</b> Reff	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>C</b> Cabinets	6. <i>Cabinet Finish:</i> Wood or Laminate	
<b>6</b> 64" high	7. <i>Pull Finish:</i> Painted or Plated	
<b>1</b> 15" wide	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
<b>2</b> 20" deep	2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>C</b> Hinge Door Cab. w/ adjustable shelves	3. <i>Interior Option:</i> W = Wood Interior	
<b>L</b> Finish Type: Laminate	4. <i>Pull Options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
<b>W</b> Wood Interior		
<b>D</b> Pull option; D		
<b>N</b> Lock option; No		
<b>118</b> Cabinet Finish		
<b>PZ</b> Pull finish		
<b>C</b> = Hinge door cabinet with full height doors and 3 adjustable shelves		
<b>E</b> = Hinge door cabinet with full height doors, half wardrobe and half shelves		
<b>D</b> = Hinge door cabinet with full height wardrobe. Available only with wood interior.		

Cabinets, 26 1/2" planning  
64" high, wood interior  
Audio Visual Cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC6321-()()()()()	\$3,183.	\$4,169.	\$4,796.	\$6,474.
	30"	24"	64"	RC6331-()()()()()	3,502.	4,590.	5,282.	7,129.
	36"	20"	64"	RC6621-()()()()()	3,403.	4,463.	5,131.	6,927.
	36"	24"	64"	RC6631-()()()()()	3,724.	4,883.	5,612.	7,578.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes	Application Notes
Example: <b>RC6321</b> ()()()()()	<i>To order, please specify pattern number including:</i>		<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>C</b> Cabinets	2. <i>Interior option:</i> W = Wood Interior		* Audio Visual cabinets require two lock cores per cabinet.
<b>6</b> 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull		
<b>3</b> 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling		
<b>2</b> 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate		
<b>I</b> Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated		
<b>2</b> Finish Type: V2			
<b>W</b> Wood Interior			
<b>D</b> Pull option; D			
<b>N</b> Lock option; No			
<b>N</b> Lock option, doors			
<b>V316</b> Cabinet finish			
<b>PZ</b> Pull finish			


Cabinets, 26 1/2" planning  
72" high, metal interiors  
Bookcase and hinge doors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with open shelving	30"	20"	72"	<b>RC732B-</b> ( ) ( ) ( ) ( )	\$1,921.	\$2,520.	\$2,898.	\$3,914.
	30"	24"	72"	<b>RC733B-</b> ( ) ( ) ( ) ( )	2,130.	2,790.	3,212.	4,336.
	36"	20"	72"	<b>RC762B-</b> ( ) ( ) ( ) ( )	2,174.	2,850.	3,277.	4,425.
	36"	24"	72"	<b>RC763B-</b> ( ) ( ) ( ) ( )	2,383.	3,122.	3,592.	4,850.



Open cabinets require no keying instructions  
Shelves painted metal

Cabinet with hinged doors below and open shelf above.	30"	20"	72"	<b>RC732H-</b> ( ) ( ) ( ) ( ) ( ) ( )	2,539.	3,324.	3,824.	5,162.
	30"	24"	72"	<b>RC733H-</b> ( ) ( ) ( ) ( ) ( ) ( )	2,807.	3,674.	4,225.	5,705.
	36"	20"	72"	<b>RC762H-</b> ( ) ( ) ( ) ( ) ( ) ( )	2,789.	3,653.	4,199.	5,670.
	36"	24"	72"	<b>RC763H-</b> ( ) ( ) ( ) ( ) ( ) ( )	3,059.	4,003.	4,604.	6,216.



Requires one lock core per cabinet  
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: <b>RC732B</b> ( ) ( ) ( ) ( )	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hinge Doors, specify pattern number including:</i>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
<b>C</b> Cabinets	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)	2. <i>Interior options:</i> M = Metal Interior
<b>7</b> 72" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull
<b>3</b> 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
<b>2</b> 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above	5. <i>Cabinet finish:</i> Wood or Laminate
<b>B</b> Open Bookcase		6. <i>Pull finish:</i> Painted or Plated
<b>2</b> Finish Type: V2		7. <i>Left hand drill:</i>
<b>M</b> Metal Interior		8. <i>Right hand drill:</i>
<b>V316</b> Cabinet Finish: Maple		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		


**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning  
72" high, metal interiors  
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	<b>RC732F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	\$3,157.	\$4,136.	\$4,759.	\$6,422.
	30"	24"	72"	<b>RC733F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,507.	4,595.	5,285.	7,134.
	36"	20"	72"	<b>RC762F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,487.	4,569.	5,253.	7,093.
	36"	24"	72"	<b>RC763F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,870.	5,075.	5,834.	7,875.

Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"  
Shelves painted metal

 Cabinet with two files and hinged doors above	16"	20"	72"	<b>RC712G(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,294.	3,003.	3,457.	4,666.
	16"	24"	72"	<b>RC713G(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,513.	3,333.	3,834.	5,174.
	30"	20"	72"	<b>RC732G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,911.	3,817.	4,388.	5,925.
	30"	24"	72"	<b>RC733G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,201.	4,195.	4,822.	6,512.
	36"	20"	72"	<b>RC762G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,162.	4,143.	4,767.	6,434.
	36"	24"	72"	<b>RC763G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,453.	4,526.	5,205.	7,026.


Requires two lock cores per cabinet  
Shelves painted metal

 Cabinet with BBF below and hinged doors above	16"	20"	72"	<b>RC712P(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,381.	3,118.	3,586.	4,843.
	16"	24"	72"	<b>RC713P(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,624.	3,439.	3,956.	5,342.
	30"	20"	72"	<b>RC732P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,810.	3,681.	4,235.	5,719.
	30"	24"	72"	<b>RC733P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,099.	4,063.	4,672.	6,307.
	36"	20"	72"	<b>RC762P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,105.	4,069.	4,677.	6,315.
	36"	24"	72"	<b>RC763P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,426.	4,486.	5,160.	6,967.


Requires two lock cores per cabinet  
Shelves and drawer interiors metal

Order Code	Specification Information	Application Notes
Example: <b>RC732F</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	To order, please specify pattern number including:	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>R</b> Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>C</b> Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	After specifying product code, provide keying instructions. Refer to page for keying instructions.
<b>7</b> 72" high	3. <i>Interior options:</i> M = Metal Interior	File drawers include file bars for front to back and side to side filing.
<b>3</b> 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.
<b>2</b> 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	Applicable finishes are listed on pages 5 and 6.
<b>F</b> Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>L</b> Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
<b>M</b> Metal Interior	8. <i>Pull finish:</i> Painted or Plated	
<b>T</b> Tab Pull option	9. <i>Left hand drill:</i> 10. <i>Right hand drill:</i>	
<b>L</b> Lock option, files	F = Hinge door cabinet with 4 File drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF	
<b>N</b> Lock option, doors		
<b>118</b> Cabinet Finish		
<b>118</b> Pull Finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		

Cabinets, 26 1/2" planning  
72" high, metal interiors  
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	<b>RC712C(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	\$2,025.	\$2,653.	\$3,053.	\$4,122.
	16"	24"	72"	<b>RC713C(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,248.	2,947.	3,389.	4,573.
	30"	20"	72"	<b>RC732C</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,643.	3,467.	3,986.	5,383.
	30"	24"	72"	<b>RC733C</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,933.	3,843.	4,421.	5,968.
	36"	20"	72"	<b>RC762C</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,922.	3,833.	4,406.	5,948.
	36"	24"	72"	<b>RC763C</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,243.	4,247.	4,886.	6,597.

Requires one lock core per cabinet  
Shelves painted metal

 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	<b>RC732E(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,109.	4,072.	4,687.	6,326.
	30"	24"	72"	<b>RC733E(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,476.	4,555.	5,241.	7,074.
	36"	20"	72"	<b>RC762E(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,407.	4,465.	5,135.	6,930.
	36"	24"	72"	<b>RC763E(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,803.	4,990.	5,734.	7,743.


Requires one lock core per cabinet  
Shelves painted metal

Left hand shown


Order Code	Specification Information	Application Notes
Example: <b>RC712C(L/R)</b>	<i>To order, please specify pattern number including:</i>	<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p><i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433.</p> <p>20" deep Wardrobe Cabinets provide only 18" of clear storage space.</p>
<b>R</b> Reff	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>C</b> Cabinets	6. <i>Cabinet finish:</i> Wood or Laminate	
<b>7</b> 72" high	7. <i>Pull finish:</i> Painted or Plated	
<b>1</b> 15" wide	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall	
<b>2</b> 20" deep	9. <i>Right hand drill:</i> Same as above	
<b>C</b> Hinge Door Cab. w/ adjustable shelves	3. <i>Interior options:</i> M = Metal Interior	
<b>L</b> Finish Type: Laminate	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	
<b>M</b> Metal Interior		
<b>D</b> Pull option; D		
<b>N</b> Lock option; No		
<b>118</b> Cabinet Finish		
<b>PZ</b> Pull finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		
<b>C</b> = Hinge door cabinet with full height doors and 3 adjustable shelves		
<b>E</b> = Hinge door cabinet with full height doors, half wardrobe and half shelves		



Cabinets, 26 1/2" planning  
72" high, wood interiors  
Bookcase and hinge doors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with open shelving 	30"	20"	72"	RC732B-( ) ( ) ( ) ( )	\$2,065.	\$2,708.	\$3,114.	\$4,202.
	30"	24"	72"	RC733B-( ) ( ) ( ) ( )	2,273.	2,982.	3,427.	4,627.
	36"	20"	72"	RC762B-( ) ( ) ( ) ( )	2,320.	3,040.	3,495.	4,717.
	36"	24"	72"	RC763B-( ) ( ) ( ) ( )	2,527.	3,312.	3,808.	5,142.

Open cabinets require no keying instructions

Cabinet with hinged doors below and open shelf above. 	30"	20"	72"	RC732H-( ) ( ) ( ) ( ) ( ) ( )	2,677.	3,510.	4,039.	5,451.
	30"	24"	72"	RC733H-( ) ( ) ( ) ( ) ( ) ( )	2,944.	3,861.	4,440.	5,995.
	36"	20"	72"	RC762H-( ) ( ) ( ) ( ) ( ) ( )	2,930.	3,838.	4,415.	5,960.
	36"	24"	72"	RC763H-( ) ( ) ( ) ( ) ( ) ( )	3,196.	4,189.	4,818.	6,505.

Requires one lock core per cabinet

Order Code

Example:	RC732B ( ) ( ) ( ) ( )
R	Reff
C	Cabinets
7	72" high
3	30" wide
2	20" deep, 3 = 24" deep
B	Open Bookcase
2	Finish Type: V2
W	Wood Interior
V316	Cabinet Finish: Maple
N	Left hand drilled
N	Right hand drilled

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
2. *Interior options:*  
W = Wood
3. *Cabinet Finish:*  
Wood or Laminate
4. *Left hand drill:*  
N = No drilling  
SO = Drilling 19h / 15d workwall  
S1 = Drilling 19h / 20d workwall  
TO = Drilling 23h / 15d workwall  
T1 = Drilling 23h / 20d workwall
5. *Right hand drill:*  
Same as above

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

To order the Cabinet with Hnge Doors, specify pattern number including:

1. *Finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
2. *Interior options:*  
W = Wood Interior
3. *Pull options:*  
B = No pull, No Drilling,  
Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = Metal D-pull  
(PZ or PT only)  
F = Bar Pull  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull  
(Stainless Steel Finish only)  
T = Tab pull
4. *Lock Option Doors:*  
L = Lock hole drilled  
N = No lock drilling
5. *Cabinet finish:*  
Wood or Laminate
6. *Pull finish:*  
Painted or Plated
7. *Left hand drill:*
8. *Right hand drill:*

Application Notes


**Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.



Cabinets, 26 1/2" planning  
72" high, wood interiors  
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with four files and hinged doors above.	30"	20"	72"	<b>RC732F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	\$3,300.	\$4,324.	\$4,973.	\$6,713.
	30"	24"	72"	<b>RC733F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,651.	4,784.	5,500.	7,425.
	36"	20"	72"	<b>RC762F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,631.	4,761.	5,487.	7,407.
	36"	24"	72"	<b>RC763F</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	4,013.	5,261.	6,053.	8,173.

Requires two lock cores per cabinet  
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with two files and hinged doors above	16"	20"	72"	<b>RC712G(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,438.	3,195.	3,674.	4,958.
	16"	24"	72"	<b>RC713G(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,687.	3,522.	4,049.	5,466.
	30"	20"	72"	<b>RC732G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,057.	4,003.	4,604.	6,216.
	30"	24"	72"	<b>RC733G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,344.	4,385.	5,040.	6,805.
	36"	20"	72"	<b>RC762G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,306.	4,333.	4,983.	6,727.
	36"	24"	72"	<b>RC763G</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,599.	4,716.	5,423.	7,320.


Requires two lock cores per cabinet

 Cabinet with BBF below and hinged doors above	16"	20"	72"	<b>RC712P(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,524.	3,307.	3,804.	5,137.
	16"	24"	72"	<b>RC713P(L/R)</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,769.	3,630.	4,173.	5,635.
	30"	20"	72"	<b>RC732P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	2,956.	3,874.	4,454.	6,013.
	30"	24"	72"	<b>RC733P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,245.	4,251.	4,887.	6,599.
	36"	20"	72"	<b>RC762P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,249.	4,257.	4,896.	6,610.
	36"	24"	72"	<b>RC763P</b> -( ) ( ) ( ) ( ) ( ) ( ) ( )	3,569.	4,676.	5,378.	7,262.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: <b>RC732F</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	<p><b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b></p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on pages 5 and 6.</p> <p>Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.</p> <p>F = Hinge door cabinet with 4 file drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF</p>
<b>R</b> Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
<b>C</b> Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>7</b> 72" high	3. <i>Interior options:</i> W = Wood Interior	
<b>3</b> 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	
<b>2</b> 20" deep	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
<b>F</b> Hinge Door with 4 file drawers	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>L</b> Finish Type: Laminate	7. <i>Cabinet finish:</i> Wood or Laminate	
<b>W</b> Wood Interior	8. <i>Pull finish:</i> Painted or Plated	
<b>T</b> Tab Pull option	9. <i>Left hand drill:</i> N = No drilling S0 = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
<b>N</b> Lock option, files	10. <i>Right hand drill:</i> Same as above	
<b>N</b> Lock option, doors		
<b>118</b> Cabinet Finish		
<b>111</b> Pull Finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		


Cabinets, 26 1/2" planning  
72" high, wood interiors  
Hinge doors and wardrobe

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with hinged doors and shelves	16"	20"	72"	<b>RC712C(L/R)-()</b> ( ) ( ) ( ) ( ) ( ) ( )	\$2,171.	\$2,843.	\$3,269.	\$4,414.
	16"	24"	72"	<b>RC713C(L/R)-()</b> ( ) ( ) ( ) ( ) ( ) ( )	2,392.	3,136.	3,605.	4,866.
	30"	20"	72"	<b>RC732C-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,788.	3,653.	4,199.	5,670.
	30"	24"	72"	<b>RC733C-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,078.	4,035.	4,640.	6,263.
	36"	20"	72"	<b>RC762C-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,065.	4,019.	4,623.	6,240.
	36"	24"	72"	<b>RC763C-</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,388.	4,439.	5,104.	6,891.

Requires one lock core per cabinet

 Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	<b>RC732E(L/R)-()</b> ( ) ( ) ( ) ( ) ( ) ( )	3,251.	4,262.	4,901.	6,616.
	30"	24"	72"	<b>RC733E(L/R)-()</b> ( ) ( ) ( ) ( ) ( ) ( )	3,619.	4,745.	5,457.	7,366.
	36"	20"	72"	<b>RC762E(L/R)-()</b> ( ) ( ) ( ) ( ) ( ) ( )	3,551.	4,654.	5,353.	7,228.
	36"	24"	72"	<b>RC763E(L/R)-()</b> ( ) ( ) ( ) ( ) ( ) ( )	3,950.	5,177.	5,954.	8,038.

Requires one lock core per cabinet

 Wardrobe cabinet	16"	20"	72"	<b>RC712D(L/R)-()</b> ( ) ( ) ( )	1,823.	2,392.	2,750.	3,712.
	16"	24"	72"	<b>RC713D(L/R)-()</b> ( ) ( ) ( )	2,007.	2,631.	3,024.	4,083.
	30"	20"	72"	<b>RC732D-</b> ( ) ( ) ( )	2,297.	3,011.	3,460.	4,671.
	30"	24"	72"	<b>RC733D-</b> ( ) ( ) ( )	2,524.	3,307.	3,804.	5,137.
	36"	20"	72"	<b>RC762D-</b> ( ) ( ) ( )	2,525.	3,310.	3,807.	5,141.
	36"	24"	72"	<b>RC763D-</b> ( ) ( ) ( )	2,776.	3,638.	4,185.	5,649.

Requires one lock core per cabinet.  
Order coat rod and boot tray from accessories.

Left hand shown

Wood interior only

Order Code	Specification Information	Application Notes
Example: <b>RC712C(L/R)</b> <b>( ) ( ) ( ) ( ) ( ) ( )</b>	<i>To order, please specify pattern number including:</i>	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.  <i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433.  20" deep Wardrobe Cabinets provide only 18" of clear storage space.  <b>C</b> = Hinge door cabinet with full height doors and 3 adjustable shelves. <b>E</b> = Hinge door cabinet with full height doors, half wardrobe and half shelves. <b>D</b> = Hinge door cabinet with full height wardrobe. Available only with wood interior.
<b>R</b> Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
<b>C</b> Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>7</b> 72" high	3. <i>Interior options:</i> W = Wood Interior	
<b>1</b> 15" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) PZ = Bar Pull F = Outline Pull H = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	
<b>2</b> 20" deep	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>C</b> Hinge Door Cab. w/ adjustable shelves	6. <i>Cabinet finish:</i> Wood or Laminate	
<b>L</b> Finish Type: Laminate	7. <i>Pull finish:</i> Painted or Plated	
<b>W</b> Wood Interior	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
<b>D</b> Pull option; D	9. <i>Right hand drill:</i> Same as above	
<b>N</b> Lock option; No	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>	
<b>118</b> Cabinet Finish	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.	
<b>PZ</b> Pull finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		

Cabinets, 26 1/2" planning  
72" high, wood interiors  
Audio Visual Cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	<b>RC732I-</b> ( ) ( ) ( ) ( ) ( ) ( )	\$3,527.	\$4,621.	\$5,313.	\$7,173.
	30"	24"	72"	<b>RC733I-</b> ( ) ( ) ( ) ( ) ( ) ( )	3,891.	5,102.	5,869.	7,922.
	36"	20"	72"	<b>RC762I-</b> ( ) ( ) ( ) ( ) ( ) ( )	3,825.	5,014.	5,768.	7,787.
	36"	24"	72"	<b>RC763I-</b> ( ) ( ) ( ) ( ) ( ) ( )	4,223.	5,537.	6,368.	8,596.



Requires two lock cores per cabinet  
Hinge opening 110°  
Wood interior only

Order Code	Specification Information	Application Notes
Example: <b>RC732I</b> ( ) ( ) ( ) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>C</b> Cabinets	2. <i>Interior option:</i> W = Wood Interior	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>7</b> 72" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
<b>3</b> 30" wide		* Audio Visual cabinets require two lock cores per cabinet.
<b>2</b> 20" deep		
<b>I</b> Audio Visual Cabinet		
<b>2</b> Finish Type: V2		
<b>W</b> Wood Interior		
<b>D</b> Pull option; D		
<b>N</b> Lock option; No		
<b>V316</b> Cabinet finish		
<b>PZ</b> Pull finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		
	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
	5. <i>Cabinet Finish:</i> Wood or Laminate	
	6. <i>Pull Finish:</i> Painted or Plated	


# Cabinets, 26 1/2" planning

## 49", 64" and 72" high metal interior


### Freestanding Multifunction Cabinets

Reff Profiles

description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	<b>RC423M(L/R)( ) ( ) ( ) ( ) ( )</b>	\$2,804.	\$3,891.	\$4,508.	\$5,411.
	Box/Box/File	24"	24"	49"	<b>RC423N(L/R)( ) ( ) ( ) ( ) ( )</b>	3,000.	4,097.	4,741.	5,689.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	<b>RC623M(L/R)( ) ( ) ( ) ( ) ( )</b>	3,020.	4,230.	5,019.	6,023.
	Box/Box/File	24"	24"	64"	<b>RC623N(L/R)( ) ( ) ( ) ( ) ( )</b>	3,219.	4,436.	5,222.	6,267.



#### Order Code

Example:	<b>RC423ML</b> <b>( ) ( ) ( ) ( ) ( )</b>
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>4</b>	49" high
<b>2</b>	24" wide
<b>3</b>	24" deep
<b>M</b>	Multifunction Cabinet
<b>L</b>	Finish Type: Laminate
<b>M</b>	Metal Interior
<b>D</b>	Pull option: D
<b>L</b>	Lock option files
<b>N</b>	Lock options Doors
<b>118</b>	Cabinet Finish: Maple
<b>PT</b>	Pull Finish

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

#### Specification Information

- To order, please specify pattern number including:*
- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
  - Interior options:**  
M = Metal Interior  
(If Laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves are painted black)
  - Pull options:**  
B = No pull, No Drilling, Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = Metal D-pull (PZ or PT only)  
F = Bar Pull  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull (Stainless Steel Finish only)  
T = Tab pull
  - Lock Option Files:**  
L = Lock hole drilled  
Drawers are always drilled for locks
  - Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
  - Cabinet finish:**  
Wood or Laminate
  - Pull Finish:**  
Painted or Plated

#### Application Notes


- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
- Refer to page 566 for keying instructions.
- Drawers are always drilled for locks.
- File drawers include file bars for front to back and side to side filing.
- File drawers do not support bottom loading.
- Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433
- Applicable finishes are listed on page and .

# Cabinets, 26 1/2" planning

## 49", 64" and 72" high metal interior

### Freestanding Multifunction Cabinets

description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	<b>RC723M(L/R)()()()()()</b>	\$3,173.	\$4,444.	\$5,309.	\$6,370.
	Box/Box/File	24"	24"	72"	<b>RC723N()()()</b>	3,371.	4,651.	5,519.	6,622.



#### Order Code

Example:	<b>RC423ML</b> <b>()()()()</b>
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>4</b>	49" high
<b>2</b>	24" wide
<b>3</b>	24" deep
<b>M</b>	Multifunction Cabinet
<b>L</b>	Finish Type: Laminate
<b>M</b>	Metal Interior
<b>D</b>	Pull option: D
<b>L</b>	Lock option files
<b>N</b>	Lock options Doors
<b>118</b>	Cabinet Finish: Maple
<b>PT</b>	Pull Finish

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

#### Specification Information

- To order, please specify pattern number including:*
- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
  - Interior options:**  
M = Metal Interior  
(If Laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves are painted black)
  - Pull options:**  
B = No pull, No Drilling, Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = Metal D-pull (PZ or PT only)  
F = Bar Pull  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull (Stainless Steel Finish only)  
T = Tab pull
  - Lock Option Files:**  
L = Lock hole drilled  
Drawers are always drilled for locks
  - Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
  - Cabinet finish:**  
Wood or Laminate
  - Pull Finish:**  
Painted or Plated


#### Application Notes

- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.**
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
- Refer to page 566 for keying instructions.
- Drawers are always drilled for locks.
- File drawers include file bars for front to back and side to side filing.
- File drawers do not support bottom loading.
- Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433
- Applicable finishes are listed on page and .


# Cabinets, 26 1/2" planning 49", 64" and 72" high wood interior Freestanding Multifunction Cabinet

Reff Profiles


description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	<b>RC423M(L/R)( ) ( ) ( ) ( ) ( )</b>	\$3,226.	\$4,316.	\$4,933.	\$5,919.
	Box/Box/File	24"	24"	49"	<b>RC423N(L/R)( ) ( ) ( ) ( ) ( )</b>	3,618.	4,715.	5,358.	6,429.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	<b>RC623M(L/R)( ) ( ) ( ) ( ) ( )</b>	3,444.	4,654.	5,444.	6,532.
	Box/Box/File	24"	24"	64"	<b>RC623N(L/R)( ) ( ) ( ) ( ) ( )</b>	3,835.	5,053.	5,840.	7,007.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	<b>RC723M(L/R)( ) ( ) ( ) ( ) ( )</b>	3,597.	4,869.	5,731.	6,877.
	Box/Box/File	24"	24"	72"	<b>RC723N( ) ( ) ( )</b>	3,988.	5,268.	6,136.	7,362.




Order Code	Specification Information	Application Notes
Example: <b>RC423ML</b> <b>( ) ( ) ( ) ( ) ( )</b>	<i>To order, please specify pattern number including:</i>	<b>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</b>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
<b>C</b> Cabinets	1 = V1	Refer to page 566 for keying instructions.
<b>4</b> 49" high	2 = V2	Drawers are always drilled for locks.
<b>2</b> 24" wide	3 = V3	File drawers include file bars for front to back and side to side filing.
<b>3</b> 24" deep	2. <i>Interior options:</i> W = Wood Interior	File drawers do not support bottom loading.
<b>M</b> Multifunction Cabinet	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433.
<b>L</b> Finish Type: Laminate	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	Applicable finishes are listed on page and .
<b>W</b> Wood Interior	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>D</b> Pull option: D	6. <i>Cabinet finish:</i> Wood or Laminate	
<b>L</b> Lock option files	7. <i>Pull Finish:</i> Painted or Plated	
<b>N</b> Lock options Doors		
<b>118</b> Cabinet Finish: Maple		
<b>PT</b> Pull Finish		

# Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning 53" high, metal interiors


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	<b>RC531DHB</b> ( ) ( ) ( )	\$1,206.	\$1,580.	\$1,819.	\$2,456.
	30"	20"	53"	<b>RC532DHB</b> ( ) ( ) ( )	1,361.	1,785.	2,052.	2,771.
	30"	24"	53"	<b>RC533DHB</b> ( ) ( ) ( )	1,535.	2,010.	2,311.	3,121.
	36"	15"	53"	<b>RC561DHB</b> ( ) ( ) ( )	1,339.	1,754.	2,020.	2,726.
	36"	20"	53"	<b>RC562DHB</b> ( ) ( ) ( )	1,510.	1,980.	2,278.	3,076.
	36"	24"	53"	<b>RC563DHB</b> ( ) ( ) ( )	1,700.	2,231.	2,565.	3,462.



Interior shelves painted metal

4 drawer lateral file (for desk height planning)	30"	20"	53"	<b>RC532DHF</b> ( ) ( ) L ( ) ( )	2,073.	2,718.	3,125.	4,219.
	30"	24"	53"	<b>RC533DHF</b> ( ) ( ) L ( ) ( )	2,288.	2,996.	3,446.	4,655.
	36"	20"	53"	<b>RC562DHF</b> ( ) ( ) L ( ) ( )	2,629.	3,443.	3,961.	5,348.
	36"	24"	53"	<b>RC563DHF</b> ( ) ( ) L ( ) ( )	2,902.	3,805.	4,375.	5,908.




Drawer interiors painted metal


Order Code	Specification Information	Application Notes
Example: <b>RC531DHB</b>	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the cabinet with 4 Lateral files, please specify pattern number including:</i>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate	1. <i>Finish type:</i> L = Laminate
<b>C</b> Cabinet	1 = V1	1 = V1
<b>5</b> 53" high	2 = V2	2 = V2
<b>3</b> 30" wide	3 = V3	3 = V3
<b>1</b> 15" deep	2. <i>Interior options:</i> M = Metal	2. <i>Interior options:</i> M = Metal Interior
<b>DH</b> Desk height	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull
<b>B</b> Open Bookcase	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull
<b>2</b> Finish Type, V2		4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks
<b>M</b> Metal Interior		5. <i>Cabinet finish:</i> Wood or Laminate
<b>V316</b> Cabinet Finish: Maple		6. <i>Pull Finish:</i> Painted or Plated
<b>B</b> = Open Bookcase		Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> "h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26<sup>1</sup>/<sub>2</sub>"h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>"h (desk height) planning model in any one configuration.</b>
<b>F</b> = 4 Drawer Lateral File		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. <b>53" nominal height - actual height 52.625"</b> File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
53" high, wood interiors  
Bookcase and Lateral File

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	<b>RC531DHB</b> ( ) ( ) ( )	\$1,352.	\$1,774.	\$2,034.	\$2,745.
	30"	20"	53"	<b>RC532DHB</b> ( ) ( ) ( )	1,505.	1,975.	2,271.	3,065.
	30"	24"	53"	<b>RC533DHB</b> ( ) ( ) ( )	1,679.	2,202.	2,531.	3,417.
	36"	15"	53"	<b>RC561DHB</b> ( ) ( ) ( )	1,485.	1,946.	2,239.	3,022.
	36"	20"	53"	<b>RC562DHB</b> ( ) ( ) ( )	1,656.	2,172.	2,498.	3,371.
	36"	24"	53"	<b>RC563DHB</b> ( ) ( ) ( )	1,846.	2,421.	2,784.	3,757.



4 drawer lateral file (for desk height planning)	30"	20"	53"	<b>RC532DHF</b> ( ) ( ) ( ) L ( ) ( )	2,217.	2,907.	3,342.	4,512.
	30"	24"	53"	<b>RC533DHF</b> ( ) ( ) ( ) L ( ) ( )	2,435.	3,193.	3,667.	4,950.
	36"	20"	53"	<b>RC562DHF</b> ( ) ( ) ( ) L ( ) ( )	2,772.	3,633.	4,178.	5,639.
	36"	24"	53"	<b>RC563DHF</b> ( ) ( ) ( ) L ( ) ( )	3,047.	3,991.	4,592.	6,199.




Order Code	Specification Information	Application Notes
Example: <b>RC531DHB</b>	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the cabinet with 4 Lateral files, please specify pattern number including:</i>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
<b>C</b> Cabinet	2. <i>Interior options:</i> W = Wood	2. <i>Interior options:</i> W = Wood Interior
<b>5</b> 53" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull
<b>3</b> 30" wide	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks
<b>1</b> 15" deep		5. <i>Cabinet finish:</i> Wood or Laminate
<b>DH</b> Desk height		6. <i>Pull Finish:</i> Painted or Plated
<b>B</b> Open Bookcase		
<b>2</b> Finish Type, V2		
<b>W</b> Wood Interior		
<b>V316</b> Cabinet Finish: Maple		
<b>B</b> = Open Bookcase		
<b>F</b> = 4 Drawer Lateral File		
		Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> " pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b>
		Cabinets do not come with lock included.
		<b>53" nominal height - actual height 52.625"</b>
		File drawers include file bars for front to back and side to side filing.
		File drawers support bottom loading.
		After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.



Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
53" high, wood interiors  
Wardrobe

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet with hinged doors with coat rod (wood interior only)	30"	15"	53"	<b>RC531DHH</b> ( ) ( ) ( ) ( )	\$1,622.	\$2,129.	\$2,441.	\$3,294.
	30"	20"	53"	<b>RC532DHH</b> ( ) ( ) ( ) ( )	1,768.	2,317.	2,668.	3,599.
	30"	24"	53"	<b>RC533DHH</b> ( ) ( ) ( ) ( )	1,942.	2,544.	2,928.	3,951.
	36"	15"	53"	<b>RC561DHH</b> ( ) ( ) ( ) ( )	1,782.	2,335.	2,687.	3,626.
	36"	20"	53"	<b>RC562DHH</b> ( ) ( ) ( ) ( )	1,936.	2,534.	2,908.	3,912.
	36"	24"	53"	<b>RC563DHH</b> ( ) ( ) ( ) ( )	2,126.	2,783.	3,194.	4,298.



Requires one lock core per cabinet

**Order Code**

Example: <b>RC531DHH</b>
<b>R</b> Reff
<b>C</b> Cabinet
<b>5</b> 53" high
<b>3</b> 30" wide
<b>1</b> 15" deep
<b>DH</b> Desk height
<b>H</b> Hinge Door Cabinet
<b>2</b> Finish Type, V2
<b>W</b> Wood Interior
<b>V316</b> Cabinet Finish: Maple

To order the Cabinet with hinge Doors, please specify pattern number including:

- Lock Option:**  
L = Lock hole drilled  
N = No lock drilled
- Lock Finish:**  
B = Black  
S = Matte Silver
- Pull options:**  
B = No pull, No Drilling, Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = Metal D-pull (PZ or PT only)  
F = Bar Pull  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull  
(Stainless Steel Finish only)  
T = Tab pull
- Pull Finish:**  
Painted or Plated
- Cabinet finish:**  
Wood or Laminate

Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

**53" nominal height - actual height 52.625"**

After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.

15" wardrobe cabinets come with 2 coat hooks.


20" and 24" deep wardrobe cabinet comes with a coat rod.

20" deep Wardrobe Cabinets provides only 18" of clear storage space.

Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 433.

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
72" high, metal interiors  
Bookcase


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Open bookcase (for desk height planning)	30"	20"	72"	<b>RC7232DHB</b> ( ) ( ) ( ) ( )	\$1,844.	\$2,418.	\$2,782.	\$3,756.
	30"	24"	72"	<b>RC7233DHB</b> ( ) ( ) ( ) ( )	2,045.	2,678.	3,082.	4,161.
	36"	20"	72"	<b>RC7262DHB</b> ( ) ( ) ( ) ( )	2,087.	2,735.	3,146.	4,247.
	36"	24"	72"	<b>RC7263DHB</b> ( ) ( ) ( ) ( )	2,288.	2,996.	3,446.	4,655.




Order Code	Specification Information	Application Notes
Example: <b>RC732B</b> ( ) ( ) ( ) ( )	<i>To order the Open Bookcase, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> "h pedestals and are intended for "desk height" planning application. <b>Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff		
<b>C</b> Cabinets		Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>72</b> 72" high		
<b>3</b> 30" wide		
<b>2</b> 20" deep, 3 = 24" deep		
<b>DH</b> Desk height		
<b>B</b> Open Bookcase		
<b>2</b> Finish Type: V2		
<b>M</b> Metal Interior		
<b>V316</b> Cabinet Finish: Maple		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		
	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match, if V1,V2 or V3 case finish-shelves painted black)	
	3. <i>Cabinet Finish:</i> Wood or Laminate	
	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
	5. <i>Right hand drill:</i> Same as above	

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
72" high, metal interiors  
Hinge doors and file drawers

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwr& hinged doors above (for desk height planning)	30"	20"	72"	<b>RC7232DHFH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$3,029.	\$3,970.	\$4,567.	\$6,164.
	30"	24"	72"	<b>RC7233DHFH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,366.	4,345.	5,072.	6,846.
	36"	20"	72"	<b>RC7262DHFH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,346.	4,385.	5,041.	6,806.
	36"	24"	72"	<b>RC7263DHFH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,714.	4,870.	5,627.	7,558.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	<b>RC7212DHGH(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,201.	2,882.	3,318.	4,477.
	16"	24"	72"	<b>RC7213DHGH(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,412.	3,199.	3,679.	4,966.
	30"	20"	72"	<b>RC7232DHGH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,793.	3,664.	4,211.	5,686.
	30"	24"	72"	<b>RC7233DHGH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,072.	4,026.	4,628.	6,249.
	36"	20"	72"	<b>RC7262DHGH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,034.	3,976.	4,574.	6,175.
	36"	24"	72"	<b>RC7263DHGH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,314.	4,344.	4,994.	6,742.



Order Code

Example: <b>RC723DHF</b>
<b>R</b> Reff
<b>C</b> Cabinet
<b>7</b> 72" high
<b>3</b> 30" wide
<b>2</b> 20" deep
<b>DH</b> Desk Height
<b>F</b> Storage with Hinge Door with 4 file drawers
<b>H</b> Wood hinge doors
<b>L</b> Finish Type: Laminate
<b>M</b> Metal Interior
<b>T</b> Tab pull option
<b>L</b> Lock option, files
<b>N</b> Lock option, doors
<b>118</b> Cabinet Finish
<b>111</b> Pull Finish

<b>F</b>	=Hinge door cabinet with 4 file drawers
<b>G</b>	= Hinge door cabinet with FF
<b>P</b>	= Hinge door cabinet with BBF

Specification Information


- To order, please specify pattern number including:
- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
  - Interior options:**  
M = Metal
  - Pull Options:**  
B = No pull, No Drilling, Customer's own Pull  
F = Bar Pull  
H = Outline Pull  
JN = J (Routed) Pull on Drawers and Touch latch on hinge doors  
R = Cylinder Pull  
S = S Pull (Stainless Steel Finish only)  
T = Tab Pull
  - Lock options Files:**  
L = Lock hole drilled (not optional)
  - Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
  - Lock Finish:**  
B = Black  
S = Matte Silver
  - Cabinet Finish:**  
Wood or Laminate
  - Pull Finish:**  
Painted or Plated

Application Notes

- Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
- After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.
- Drawers are always drilled for locks.
- File drawers include file bars for front to back and side to side filing.
- File drawers do not support bottom loading.
- Applicable finishes are listed on page and .
- Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
- Applicable finishes are listed on page 5 and 6.

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
72" high, metal interiors  
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) ( ) ( ) ( ) ( ) ( )	\$2,983.	\$3,908.	\$4,498.	\$6,071.
	30"	24"	72"	RC7233DHEH(L/R) ( ) ( ) ( ) ( ) ( )	3,336.	4,371.	5,029.	6,789.
	36"	20"	72"	RC7262DHEH(L/R) ( ) ( ) ( ) ( ) ( )	3,270.	4,285.	4,928.	6,651.
	36"	24"	72"	RC7263DHEH(L/R) ( ) ( ) ( ) ( ) ( )	3,649.	4,790.	5,503.	7,430.



Left hand shown

Requires one lock core per cabinet  
Shelves painted metal

Order Code

Example: <b>RC7232DHEH (L/R)</b>	
<b>R</b>	Reff
<b>C</b>	Cabinet
<b>72</b>	72" high
<b>3</b>	30" wide
<b>2</b>	20" deep
<b>DH</b>	Desk Height
<b>E</b>	Wardrobe / Bookcase combo
<b>H</b>	Wood hinge doors
<b>L</b>	Finish Type: Laminate
<b>M</b>	Metal Interior
<b>T</b>	Tab pull option
<b>N</b>	Lock option, doors
<b>118</b>	Cabinet Finish
<b>111</b>	Pull Finish

E = Hinge door cabinet with full height doors, half wardrobe and shelves

Specification Information

To order, please specify pattern number including:

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
M = Metal Interior
- Pull Options:**  
B = No pull, No Drilling, Customer's own Pull  
F = Bar Pull  
H = Outline Pull  
R = Cylinder Pull  
S = S Pull  
(Stainless Steel Finish only)  
T = Tab Pull
- Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
- Lock Finish:**  
B = Black  
S = Matte Silver
- Cabinet Finish:**  
Wood or Laminate
- Pull Finish:**  
Painted or Plated

Application Notes

Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26<sup>1</sup>/<sub>2</sub>"h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>"h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders. Refer to page 566 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


\* Note: 16" wide Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.

Coat rod is only included in 30" and 36" wide wardrobe cabinets.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
72" high, wood interiors  
Bookcase

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Open bookcase (for desk height planning)	30"	20"	72"	<b>RC7232DHB</b> ( ) ( ) ( ) ( )	\$1,982.	\$2,599.	\$2,988.	\$4,033.
	30"	24"	72"	<b>RC7233DHB</b> ( ) ( ) ( ) ( )	2,182.	2,861.	3,289.	4,440.
	36"	20"	72"	<b>RC7262DHB</b> ( ) ( ) ( ) ( )	2,226.	2,917.	3,354.	4,527.
	36"	24"	72"	<b>RC7263DHB</b> ( ) ( ) ( ) ( )	2,425.	3,179.	3,654.	4,935.



**Order Code**

Example:	<b>RC7232DHB</b> ( ) ( ) ( ) ( )
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>72</b>	72" high
<b>3</b>	30" wide
<b>2</b>	20" deep, 3 = 24" deep
<b>DH</b>	Desk Height
<b>B</b>	Open Bookcase
<b>2</b>	Finish Type: V2
<b>W</b>	Wood Interior
<b>V316</b>	Cabinet Finish: Maple
<b>N</b>	Left hand drill
<b>N</b>	Right hand drill

**Specification Information**

To order the Open Bookcase, please specify pattern number including:

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
W = Wood Interior
- Cabinet Finish:**  
Wood or Laminate
- Left hand drill:**  
N = No drilling  
SO = Drilling 19h / 15d workwall  
S1 = Drilling 19h / 20d workwall  
TO = Drilling 23h / 15d workwall  
T1 = Drilling 23h / 20d workwall
- Right hand drill:**  
Same as above


**Application Notes**

Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.**


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
72" high, wood interiors  
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	<b>RC7232DHFH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$3,167.	\$4,150.	\$4,772.	\$6,442.
	30"	24"	72"	<b>RC7233DHFH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,504.	4,592.	5,279.	7,126.
	36"	20"	72"	<b>RC7262DHFH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,484.	4,569.	5,265.	7,108.
	36"	24"	72"	<b>RC7263DHFH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,851.	5,049.	5,809.	7,843.




Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	<b>RC7212DHGH(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,340.	3,066.	3,526.	4,759.
	16"	24"	72"	<b>RC7213DHGH(L/R)</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,579.	3,379.	3,886.	5,246.
	30"	20"	72"	<b>RC7232DHGH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,933.	3,841.	4,419.	5,966.
	30"	24"	72"	<b>RC7233DHGH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,209.	4,208.	4,837.	6,531.
	36"	20"	72"	<b>RC7262DHGH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,173.	4,158.	4,782.	6,456.
	36"	24"	72"	<b>RC7263DHGH</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,454.	4,526.	5,205.	7,026.



Order Code	Specification Information	Application Notes
Example: <b>RC7232DHF</b>	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> "h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
<b>C</b> Cabinet	2. <i>Interior options:</i> W = Wood Interior	Drawers are always drilled for locks.
<b>72</b> 72" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull JN = J (Routed) Pull on Drawers and Touch latch on hinge doors R = Cylinder Pull T = Tab Pull	After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.
<b>3</b> 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
<b>2</b> 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	Applicable finishes are listed on page 5 and 6.
<b>DH</b> Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	
<b>F</b> Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	
<b>H</b> Wood hinge doors		
<b>L</b> Finish Type: Laminate		
<b>W</b> Wood Interior		
<b>T</b> Tab pull option		
<b>L</b> Lock option, files		
<b>N</b> Lock option, doors		
<b>118</b> Cabinet Finish		
<b>111</b> Pull Finish		
<b>F</b> =Hinge door cabinet with 4 file drawers		
<b>G</b> = Hinge door cabinet with FF		

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
72" high, wood interiors  
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) ( ) ( ) ( ) ( ) ( )	\$3,120.	\$4,090.	\$4,703.	\$6,349.
	30"	24"	72"	RC7233DHEH(L/R) ( ) ( ) ( ) ( ) ( )	3,473.	4,554.	5,237.	7,069.
	36"	20"	72"	RC7262DHEH(L/R) ( ) ( ) ( ) ( ) ( )	3,408.	4,466.	5,138.	6,936.
	36"	24"	72"	RC7263DHEH(L/R) ( ) ( ) ( ) ( ) ( )	3,790.	4,968.	5,714.	7,714.



Left hand shown

Requires one lock core per cabinet.  
Shelves painted metal

Wardrobe cabinet (for desk height planning)	16"	20"	72"	RC7212DHDH(L/R) ( ) ( ) ( ) ( ) ( )	1,750.	2,295.	2,639.	3,563.
	16"	24"	72"	RC7213DHDH(L/R) ( ) ( ) ( ) ( ) ( )	1,926.	2,525.	2,903.	3,918.
	30"	20"	72"	RC7232DHDH ( ) ( ) ( ) ( ) ( )	2,204.	2,889.	3,321.	4,483.
	30"	24"	72"	RC7233DHDH ( ) ( ) ( ) ( ) ( )	2,422.	3,174.	3,650.	4,930.
	36"	20"	72"	RC7262DHDH ( ) ( ) ( ) ( ) ( )	2,423.	3,177.	3,653.	4,934.
	36"	24"	72"	RC7263DHDH ( ) ( ) ( ) ( ) ( )	2,664.	3,492.	4,016.	5,421.



Wood interior only

Requires one lock core per cabinet.  
Wood interior only

Order Code	Specification Information	Application Notes
Example: <b>RC7232DHEH (L/R)</b>	To order, please specify pattern number including:	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> "h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26<sup>1</sup>/<sub>2</sub>"h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>"h (desk height) planning model in any one configuration.</b>  Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.  Drawers are always drilled for locks.  After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.  Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.  * Note: 16" wide Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.  Coat rod is only included in 30" and 36" wide wardrobe cabinets.  Applicable finishes are listed on page 5 and 6.
<b>R</b> Reff	1. <i>Hinge Location, where applicable:</i> L = Left hand R = Right hand	
<b>C</b> Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
<b>7</b> 72" high	3. <i>Interior options:</i> W = Wood Interior	
<b>3</b> 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	
<b>2</b> 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
<b>DH</b> Desk Height	6. <i>Lock Finish:</i> B = Black S = Matte Silver	
<b>E</b> Wardrobe / Bookcase combo	7. <i>Cabinet Finish:</i> Wood or Laminate	
<b>H</b> Wood hinge doors	8. <i>Pull Finish:</i> Painted or Plated	
<b>L</b> Left hand		
<b>L</b> Finish Type: Laminate		
<b>W</b> Wood Interior		
<b>T</b> Tab pull option		
<b>N</b> Lock option, doors		
<b>118</b> Cabinet Finish		
<b>111</b> Pull Finish		


**E** = Hinge door cabinet with full height doors, half wardrobe and shelves.

**D** = Wardrobe cabinet

# Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning 75" high, metal interiors Bookcase

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Open bookcase (for desk height planning)	30"	20"	75"	<b>RC732DHB</b> ( ) ( ) ( ) ( )	\$2,019.	\$2,644.	\$3,042.	\$4,108.
	30"	24"	75"	<b>RC733DHB</b> ( ) ( ) ( ) ( )	2,237.	2,930.	3,370.	4,551.
	36"	20"	75"	<b>RC762DHB</b> ( ) ( ) ( ) ( )	2,284.	2,992.	3,441.	4,645.
	36"	24"	75"	<b>RC763DHB</b> ( ) ( ) ( ) ( )	2,502.	3,281.	3,772.	5,091.



Shelves painted metal

Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	<b>RC732DHK</b> ( ) ( ) ( ) ( ) ( ) ( )	2,961.	3,886.	4,486.	6,054.
	30"	24"	75"	<b>RC733DHK</b> ( ) ( ) ( ) ( ) ( ) ( )	3,266.	4,282.	4,943.	6,673.
	36"	20"	75"	<b>RC762DHK</b> ( ) ( ) ( ) ( ) ( ) ( )	3,222.	4,227.	4,883.	6,592.
	36"	24"	75"	<b>RC763DHK</b> ( ) ( ) ( ) ( ) ( ) ( )	3,529.	4,630.	5,344.	7,213.



Requires one lock core per cabinet  
Shelves painted metal, drawer interiors painted black metal

## Order Code

Example:	<b>RC732DHB</b> ( ) ( ) ( ) ( )
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>7</b>	75" high
<b>3</b>	30" wide
<b>2</b>	20" deep, 3 = 24" deep
<b>DH</b>	Desk Height
<b>B</b>	Open Bookcase
<b>2</b>	Finish Type: V2
<b>M</b>	Metal Interior
<b>V316</b>	Cabinet Finish: Maple
<b>N</b>	Left hand drill
<b>N</b>	Right hand drill
<b>B</b>	=Bookcase
<b>K</b>	= Bookcase with FF

## Specification Information

To order the Open Bookcase, please specify pattern number including:

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior Options:**  
M = Metal  
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
- Cabinet Finish:**  
Wood or Laminate
- Left hand drill:**  
N = No drilling  
SO = Drilling 19h / 15d workwall  
S1 = Drilling 19h / 20d workwall  
TO = Drilling 23h / 15d workwall  
T1 = Drilling 23h / 20d workwall
- Right hand drill:**  
Same as above

To order the Open Bookcase with 2 file drawers, please specify pattern number including:

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
M = Metal  
(If laminate case finish-shelves painted to match, if V1, V2 or V3 case finish-shelves painted black)
- Pull Options:**  
B = No pull, No Drilling, Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = D - Pull ( PZ or PT)  
F = Bar Pull  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull  
(Stainless Steel Finish only)  
T = Tab Pull.
- Lock options Files:**  
L = Lock hole drilled (not optional)
- Cabinet Finish:**  
Wood or Laminate
- Pull Finish:**  
Painted or Plated
- Left hand drill:**  
N = No drilling  
SO = Drilling 19h / 15d workwall  
S1 = Drilling 19h / 20d workwall  
TO = Drilling 23h / 15d workwall  
T1 = Drilling 23h / 20d workwall
- Right hand drill:**  
Same as above

## Application Notes

Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

\* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.


**These 75" cabinets are intended to be used with the overdesk units only.**

75" nominal height = 75.125" actual height




# Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning 75" high, metal interiors Hinge doors and file drawers

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF ( ) ( ) ( L ) ( ) ( ) ( )	\$3,315.	\$4,342.	\$4,997.	\$6,744.
	30"	24"	75"	RC733DHF ( ) ( ) ( L ) ( ) ( ) ( )	3,681.	4,823.	5,549.	7,491.
	36"	20"	75"	RC762DHF ( ) ( ) ( L ) ( ) ( ) ( )	3,661.	4,799.	5,518.	7,450.
	36"	24"	75"	RC763DHF ( ) ( ) ( L ) ( ) ( ) ( )	4,065.	5,326.	6,126.	8,271.



Requires two lock cores per cabinet  
Drawer interiors painted black metal

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) ( ) ( ) ( L ) ( ) ( ) ( )	2,408.	3,155.	3,630.	4,901.
	16"	24"	75"	RC713DHG(L/R) ( ) ( ) ( L ) ( ) ( ) ( )	2,639.	3,498.	4,023.	5,433.
	30"	20"	75"	RC732DHG ( ) ( ) ( L ) ( ) ( ) ( )	3,058.	4,008.	4,606.	6,219.
	30"	24"	75"	RC733DHG ( ) ( ) ( L ) ( ) ( ) ( )	3,363.	4,404.	5,067.	6,839.
	36"	20"	75"	RC762DHG ( ) ( ) ( L ) ( ) ( ) ( )	3,319.	4,350.	5,005.	6,757.
	36"	24"	75"	RC763DHG ( ) ( ) ( L ) ( ) ( ) ( )	3,626.	4,751.	5,465.	7,379.




Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: <b>RC732DHF</b>	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> "h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	File drawers include file bars for front to back and side to side.
<b>C</b> Cabinet	2. <i>Interior options:</i> M = Metal Interior	File drawers to not support bottom loading.
<b>7</b> 75" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
<b>3</b> 30" wide	4. <i>Lock Options Files:</i> L = Lock hole drilled (not optional)	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>2</b> 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	<b>These 75" cabinets are intended to be used with the overdesk units only.</b>
<b>DH</b> Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	75" nominal height = 75.125" actual height
<b>F</b> Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	
<b>L</b> Finish Type: Laminate	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
<b>M</b> Metal Interior	9. <i>Right hand drill:</i> Same as above	
<b>T</b> Tab pull option		
<b>L</b> Lock option, files		
<b>N</b> Lock option, doors		
<b>B</b> Lock Finish		
<b>118</b> Cabinet Finish		
<b>111</b> Pull Finish		

**E** = Hinge door cabinet with full height doors, half wardrobe and shelves  
**G** = Hinge door cabinet with FF

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
75" high, metal interiors  
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) ( ) ( ) ( ) ( ) ( ) ( )	\$3,264.	\$4,272.	\$4,920.	\$6,640.
	30"	24"	75"	RC733DHE(L/R) ( ) ( ) ( ) ( ) ( ) ( )	3,648.	4,782.	5,503.	7,429.
	36"	20"	75"	RC762DHE(L/R) ( ) ( ) ( ) ( ) ( ) ( )	3,578.	4,691.	5,391.	7,278.
	36"	24"	75"	RC763DHE(L/R) ( ) ( ) ( ) ( ) ( ) ( )	3,991.	5,240.	6,020.	8,127.



Left hand shown

Requires one lock core per cabinet  
Shelves painted metal

Order Code

Example:	RC732DHE (L/R)
<b>R</b>	Reff
<b>C</b>	Cabinets
<b>7</b>	75" high
<b>3</b>	30" wide
<b>2</b>	20" deep, 3 = 24" deep
<b>DH</b>	Desk Height
<b>E</b>	Wardrobe / Bookcase Combo
<b>L/R</b>	Left / Right hand
<b>L</b>	Finish type; Laminate
<b>M</b>	Metal Interior
<b>T</b>	Tab pull
<b>N</b>	Lock option, doors
<b>B</b>	Lock finish
<b>118</b>	Cabinet Finish
<b>111</b>	Pull Finish

Specification Information

To order, please specify pattern number including:

- Hinge Location where applicable:**  
L = Left hand  
R = Right hand
- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
M = Metal
- Pull Options:**  
B = No pull, No Drilling, Customer's own Pull  
F = Bar Pull  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull (Stainless Steel Finish only)  
T = Tab Pull
- Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
- Cabinet Finish:**  
Wood or Laminate
- Pull Finish:**  
Painted or Plated
- Left hand drill:**  
N = No drilling  
SO = Drilling 19h / 15d workwall  
S1 = Drilling 19h / 20d workwall  
TO = Drilling 23h / 15d workwall  
T1 = Drilling 23h / 20d workwall
- Right hand drill:**  
Same as above

Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Drawers are always drilled for locks.

\* Note: 16" wide Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.


Coat rod is only included in 30" and 36" wide wardrobe cabinets.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
75" high, wood interiors  
Bookcase

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB ( ) ( ) ( ) ( )	\$2,169.	\$2,841.	\$3,268.	\$4,413.
	30"	24"	75"	RC733DHB ( ) ( ) ( ) ( )	2,388.	3,129.	3,599.	4,856.
	36"	20"	75"	RC762DHB ( ) ( ) ( ) ( )	2,436.	3,192.	3,671.	4,954.
	36"	24"	75"	RC763DHB ( ) ( ) ( ) ( )	2,653.	3,479.	4,001.	5,400.
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK ( ) ( ) L ( ) ( ) ( )	3,113.	4,081.	4,711.	6,360.
	30"	24"	75"	RC733DHK ( ) ( ) L ( ) ( ) ( )	3,417.	4,479.	5,172.	6,981.
	36"	20"	75"	RC762DHK ( ) ( ) L ( ) ( ) ( )	3,374.	4,427.	5,111.	6,901.
	36"	24"	75"	RC763DHK ( ) ( ) L ( ) ( ) ( )	3,680.	4,829.	5,571.	7,521.




Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal  
Wood interior only

Order Code	Specification Information	Application Notes
Example: <b>RC732DHB ( ) ( ) ( ) ( )</b>	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Open Bookcase with 2 file drawers, please specify pattern number including:</i>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
<b>C</b> Cabinets	2. <i>Interior options:</i> W = Wood Interior	2. <i>Interior options:</i> W = Wood Interior
<b>7</b> 75" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.
<b>3</b> 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)
<b>2</b> 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above	5. <i>Cabinet Finish:</i> Wood or Laminate 6. <i>Pull Finish:</i> Painted or Plated 7. <i>Left hand drill:</i> 8. <i>Right hand drill:</i>
<b>DH</b> Desk Height		Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>B</b> Open Bookcase		Applicable finishes are listed on page 5 and 6.
<b>2</b> Finish Type: V2		<b>These 75" cabinets are intended to be used with the overdesk units only.</b>
<b>W</b> Wood Interior		75" nominal height = 75.125" actual height
<b>V316</b> Cabinet Finish: Maple		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
75" high, wood interiors  
Hinge doors and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) ( ) ( ) ( ) ( ) ( ) ( )	\$3,414.	\$4,473.	\$5,145.	\$6,946.
	30"	24"	75"	RC733DHE(L/R) ( ) ( ) ( ) ( ) ( ) ( )	3,801.	4,983.	5,730.	7,736.
	36"	20"	75"	RC762DHE(L/R) ( ) ( ) ( ) ( ) ( ) ( )	3,730.	4,886.	5,621.	7,588.
	36"	24"	75"	RC763DHE(L/R) ( ) ( ) ( ) ( ) ( ) ( )	4,147.	5,438.	6,252.	8,440.



Left hand shown

Requires one lock core per cabinet

Cabinet with hinged doors for coat rod and boot tray	30"	20"	75"	RC732DHD ( ) W ( ) ( ) ( ) ( ) ( ) ( )	2,411.	3,161.	3,633.	4,905.
	30"	24"	75"	RC733DHD ( ) W ( ) ( ) ( ) ( ) ( ) ( )	2,650.	3,473.	3,993.	5,393.
	36"	20"	75"	RC762DHD ( ) W ( ) ( ) ( ) ( ) ( ) ( )	2,651.	3,475.	3,996.	5,398.
	36"	24"	75"	RC763DHD ( ) W ( ) ( ) ( ) ( ) ( ) ( )	2,914.	3,821.	4,394.	5,931.



Wood interior only


Requires one lock core per cabinet  
Wood interior only

Order Code	Specification Information	Application Notes
Example: <b>RC732DHE(L/R)</b>	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> " pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	* Note: 16" wide Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 433. 20" deep Wardrobe Cabinets provide only 18" of clear storage space.
<b>C</b> Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Coat rod is only included in 30" and 36" wide wardrobe cabinets.
<b>7</b> 75" h (nominal)	3. <i>Interior options:</i> W = Wood Interior	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>3</b> 30" w (nominal)	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Applicable finishes are listed on page 5 and 6.
<b>2</b> 20" d (nominal)	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	<b>These 75" cabinets are intended to be used with the overdesk units only.</b> 75" nominal height = 75.125" actual height
<b>DH</b> Desk height	6. <i>Cabinet Finish:</i> Wood or Laminate	
<b>E</b> Wardrobe / Bookcase	7. <i>Pull Finish:</i> Painted or Plated	
<b>L</b> Left hand	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
<b>2</b> Finish type, V2	9. <i>Right hand drill:</i> Same as above	
<b>W</b> Interior option, wood		
<b>F</b> Pull option; Bar		
<b>N</b> Lock option, doors		
<b>B</b> Lock Finish		
<b>V316</b> Cabinet finish		
<b>111</b> Pull finish		
<b>N</b> Left hand drill		
<b>N</b> Right hand drill		

Applicable finishes are listed on page 0 and 0.


# Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning 75" high, wood interiors Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/4 file drwr& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF ( ) ( ) (L) ( ) ( ) ( ) ( )	\$3,467.	\$4,540.	\$5,223.	\$7,051.
	30"	24"	75"	RC733DHF ( ) ( ) (L) ( ) ( ) ( ) ( )	3,835.	5,025.	5,777.	7,798.
	36"	20"	75"	RC762DHF ( ) ( ) (L) ( ) ( ) ( ) ( )	3,813.	4,998.	5,764.	7,782.
	36"	24"	75"	RC763DHF ( ) ( ) (L) ( ) ( ) ( ) ( )	4,215.	5,522.	6,357.	8,582.



Requires two lock cores per cabinet  
Drawer interiors painted black metal

Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) ( ) ( ) (L) ( ) ( ) ( ) ( )	2,560.	3,353.	3,856.	5,207.
	16"	24"	75"	RC713DHG(L/R) ( ) ( ) (L) ( ) ( ) ( ) ( )	2,822.	3,697.	4,252.	5,741.
	30"	20"	75"	RC732DHG ( ) ( ) (L) ( ) ( ) ( ) ( )	3,209.	4,201.	4,835.	6,526.
	30"	24"	75"	RC733DHG ( ) ( ) (L) ( ) ( ) ( ) ( )	3,512.	4,603.	5,293.	7,145.
	36"	20"	75"	RC762DHG ( ) ( ) (L) ( ) ( ) ( ) ( )	3,471.	4,550.	5,231.	7,062.
	36"	24"	75"	RC763DHG ( ) ( ) (L) ( ) ( ) ( ) ( )	3,777.	4,951.	5,694.	7,688.



Requires two lock cores per cabinet  
Shelves painted metal, drawer interiors painted black metal

## Order Code

## Specification Information

Example: <b>RC723DHF ( ) ( ) (L) ( ) ( ) ( ) ( )</b>	
<b>R</b>	Reff
<b>C</b>	Cabinet
<b>7</b>	75" high
<b>3</b>	30" wide
<b>2</b>	20" deep
<b>DH</b>	Desk Height
<b>F</b>	Storage with Hinge Door with 4 file drawers
<b>L</b>	Finish Type: Laminate
<b>W</b>	Wood Interior
<b>T</b>	Tab pull option
<b>L</b>	Lock option, files
<b>N</b>	Lock option, doors
<b>118</b>	Cabinet Finish
<b>111</b>	Pull Finish
<b>N</b>	Left hand drilling
<b>N</b>	Right hand drilling

**F** = Hinge door cabinet with 4 file drawers  
**G** = Hinge door cabinet with FF

To order, please specify pattern number including:

- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
W = Wood Interior
- Pull Options:**  
B = No pull, No Drilling, Customer's own Pull  
C = C-Pull, (Nickel finish only)  
D = D - Pull (PZ or PT)  
F = Bar Pull  
H = Outline Pull  
J = J (Routed) Pull  
R = Cylinder Pull  
S = S Pull (Stainless Steel Finish only)  
T = Tab Pull.
- Lock options Files:**  
L = Lock hole drilled (not optional)
- Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
- Cabinet Finish:** Wood or Laminate
- Pull Finish:** Painted or Plated
- Left hand drill:**  
N = No drilling  
SO = Drilling 19h / 15d workwall  
S1 = Drilling 19h / 20d workwall  
TO = Drilling 23h / 15d workwall  
T1 = Drilling 23h / 20d workwall
- Right hand drill:**  
Same as above

Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.

Drawers are always drilled for locks.

File drawers include file bars for front to back and side to side.

File drawers do not support bottom loading.

**These 75" cabinets are intended to be used with the overdesk units only.**


75" nominal height = 75.125" actual height

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
86" high, metal interiors  
Bookcase and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK( ) ( ) ( ) ( ) ( )	\$3,257.	\$4,275.	\$4,934.	\$6,660.
	30"	24"	86"	RC833DHK( ) ( ) ( ) ( ) ( )	3,593.	4,709.	5,438.	7,341.
	36"	20"	86"	RC862DHK( ) ( ) ( ) ( ) ( )	3,544.	4,650.	5,371.	7,251.
	36"	24"	86"	RC863DHK( ) ( ) ( ) ( ) ( )	3,882.	5,092.	5,878.	7,935.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO( ) ( ) ( ) ( ) ( )	3,469.	4,600.	5,319.	7,241.
	30"	24"	86"	RC833DHO( ) ( ) ( ) ( ) ( )	3,873.	5,128.	5,927.	8,064.
	36"	20"	86"	RC862DHO( ) ( ) ( ) ( ) ( )	3,850.	5,102.	5,893.	8,018.
	36"	24"	86"	RC863DHO( ) ( ) ( ) ( ) ( )	4,295.	5,681.	6,562.	8,921.




Order Code	Specification Information	Application Notes
Example: <b>RC832DHK( ) ( ) ( ) ( ) ( )</b>	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> "h pedestals and are intended for "desk height" planning application. <b>Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>C</b> Cabinet	2. <i>Interior options:</i> M = Metal Interior	* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
<b>8</b> 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>3</b> 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Applicable finishes are listed on page 5 and 6.
<b>2</b> 20" deep, 3 = 24" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	<b>86" Nominal Height = 85.500" Actual Height</b>
<b>DH</b> Desk Height	6. <i>Pull Finish:</i> Painted or Plated	
<b>K</b> Open Shelves with 2 File drawers		
<b>2</b> Finish Type: 2		
<b>M</b> Metal Interior		
<b>T</b> Pull Option		
<b>L</b> Lock Option, files		
<b>V316</b> Cabinet Finish: Maple		
<b>111</b> Pull Finish		


**K** = Open shelves and 2 file drawers  
**O** = Open shelves and 4 file drawers

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
86" high, metal interiors  
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	<b>RC832DHF</b> ( ) ( ) (L) ( ) ( ) ( )	\$3,646.	\$4,777.	\$5,496.	\$7,418.
	30"	24"	86"	<b>RC833DHF</b> ( ) ( ) (L) ( ) ( ) ( )	4,049.	5,306.	6,104.	8,240.
	36"	20"	86"	<b>RC862DHF</b> ( ) ( ) (L) ( ) ( ) ( )	4,027.	5,279.	6,070.	8,195.



Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	<b>RC832DHG</b> ( ) ( ) (L) ( ) ( ) ( )	3,364.	4,407.	5,067.	6,842.
	30"	24"	86"	<b>RC833DHG</b> ( ) ( ) (L) ( ) ( ) ( )	3,699.	4,845.	5,573.	7,522.
	36"	20"	86"	<b>RC862DHG</b> ( ) ( ) (L) ( ) ( ) ( )	3,650.	4,784.	5,504.	7,434.
	36"	24"	86"	<b>RC863DHG</b> ( ) ( ) (L) ( ) ( ) ( )	3,988.	5,227.	6,011.	8,117.




Order Code	Specification Information	Application Notes
Example: <b>RC862DHF</b> ( ) ( ) (L) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> "h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26<sup>1</sup>/<sub>2</sub>"h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>"h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>C</b> Cabinet	2. <i>Interior options:</i> M = Metal Interior	Applicable finishes are listed on page and .
<b>8</b> 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>3</b> 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Applicable finishes are listed on page 5 and 6.
<b>2</b> 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	<b>86" Nominal Height = 85.500" Actual Height</b>
<b>DH</b> Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	
<b>F</b> Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	
<b>L</b> Finish Type: Laminate		
<b>M</b> Metal Interior		
<b>T</b> Tab pull option		
<b>L</b> Lock option, files		
<b>N</b> Lock option, doors		
<b>B</b> Lock Finish		
<b>118</b> Cabinet Finish		
<b>111</b> Pull Finish		
<b>F</b> = Hinge door cabinet with 4 file drawers		
<b>G</b> = Hinge door cabinet with FF		



Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
86" high, metal interiors  
Hinge doors with shelves and wardrobe

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)( ) ( ) ( ) ( )	\$3,394.	\$4,452.	\$5,114.	\$6,905.
	30"	24"	86"	RC833DHEH(L/R)( ) ( ) ( ) ( )	3,762.	4,935.	5,670.	7,656.
	36"	20"	86"	RC862DHEH(L/R)( ) ( ) ( ) ( )	3,695.	4,844.	5,567.	7,517.
	36"	24"	86"	RC863DHEH(L/R)( ) ( ) ( ) ( )	4,092.	5,366.	6,168.	8,328.



Left hand shown

Shelves; painted metal.

Order Code

Example:	RC832DHEH (L/R)
<b>R</b>	Reff
<b>C</b>	Cabinet
<b>8</b>	86" high
<b>3</b>	30" wide
<b>2</b>	20" deep
<b>DH</b>	Desk Height
<b>E</b>	Wardrobe / Bookcase combo
<b>H</b>	Wood hinge doors
<b>(L/R)</b>	Left hand or Right hand
<b>L</b>	Finish Type: Laminate
<b>M</b>	Metal Interior
<b>T</b>	Tab pull option
<b>N</b>	Lock option, doors
<b>8</b>	Lock Finish
<b>118</b>	Cabinet Finish
<b>111</b>	Pull Finish

E = Hinge door cabinet with full height doors, half wardrobe and shelves

Specification Information

To order, please specify pattern number including:

- Hinge Location where applicable:**  
L = Left hand  
R = Right hand
- Finish type:**  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Interior options:**  
M = Metal Interior
- Pull Options:**  
B = No pull, No Drilling, Customer's own Pull  
F = Bar Pull  
H = Outline Pull  
N = No pull, Touch Latch  
R = Cylinder Pull  
T = Tab Pull
- Lock Option Doors:**  
L = Lock hole drilled  
N = No lock drilling
- Cabinet Finish:**  
Wood or Laminate
- Pull Finish:**  
Painted or Plated

Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26<sup>1</sup>/<sub>2</sub>"h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>"h (desk height) planning model in any one configuration.**

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 566 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Applicable finishes are listed on page and .

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.


Applicable finishes are listed on page 5 and 6.

**86" Nominal Height = 85.500" Actual Height**

\*Note:  
86" high wardrobe cabinets come equipped with a coat rod.



Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
86" high, wood interiors  
Bookcase

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	30"	20"	86"	RC832DHB( ) ( )	\$2,373.	\$3,125.	\$3,596.	\$5,294.
	30"	24"	86"	RC833DHB( ) ( )	2,628.	3,443.	3,958.	5,828.
	36"	20"	86"	RC862DHB( ) ( )	2,680.	3,510.	4,038.	5,945.
	36"	24"	86"	RC863DHB( ) ( )	2,918.	3,827.	4,400.	6,481.

**Order Code**

Example:	RC832DHB( ) ( )
<b>R</b>	Reff
<b>C</b>	Cabinet
<b>8</b>	86" high
<b>3</b>	30" wide
<b>2</b>	20" deep, 3 = 24" deep
<b>DH</b>	Desk Height
<b>B</b>	Open Bookcase
<b>2</b>	Finish Type: V2
<b>W</b>	Wood Interior
<b>V316</b>	Cabinet Finish: Maple

**Specification Information**

To order, please specify pattern number including:

1. *Finish Type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
2. *Interior Options:*  
W = Wood Interior (not optional)
3. *Cabinet Finish:* Wood or Laminate

**Application Notes**

Cabinets on this page are engineered to align with front sets of 28<sup>3</sup>/<sub>8</sub>"h pedestals and are intended for "desk height" planning application. **Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.


86" Nominal Height = 85.500"  
Actual Height

# Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning 86" high, wood interiors Bookcase and File drawers

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK( ) ( ) ( ) ( ) ( )	\$3,424.	\$4,489.	\$5,183.	\$6,997.
	30"	24"	86"	RC833DHK( ) ( ) ( ) ( ) ( )	3,757.	4,928.	5,690.	7,681.
	36"	20"	86"	RC862DHK( ) ( ) ( ) ( ) ( )	3,711.	4,871.	5,622.	7,591.
	36"	24"	86"	RC863DHK( ) ( ) ( ) ( ) ( )	4,048.	5,312.	6,129.	8,274.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO( ) ( ) ( ) ( ) ( )	3,652.	4,833.	5,586.	7,595.
	30"	24"	86"	RC833DHO( ) ( ) ( ) ( ) ( )	4,057.	5,366.	6,193.	8,417.
	36"	20"	86"	RC862DHO( ) ( ) ( ) ( ) ( )	4,033.	5,336.	6,179.	8,399.
	36"	24"	86"	RC863DHO( ) ( ) ( ) ( ) ( )	4,475.	5,913.	6,831.	9,279.




Order Code	Specification Information	Application Notes
Example: <b>RC832DHK( ) ( ) ( ) ( ) ( )</b>	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> "h pedestals and are intended for "desk height" planning application. <b>Do not mix products from 26 1/2"h (standard ht.) planning model with 28 3/8"h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>C</b> Cabinet	2. <i>Interior options:</i> W = Wood Interior	* File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.
<b>8</b> 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull.	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>3</b> 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Applicable finishes are listed on page 5 and 6.
<b>2</b> 20" deep, 3 = 24" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	<b>86" Nominal Height = 85.500" Actual Height</b>
<b>DH</b> Desk Height	6. <i>Pull Finish:</i> Painted or Plated	
<b>K</b> Open Shelves with 2 File drawers		
<b>2</b> Finish Type: 2		
<b>W</b> Wood Interior		
<b>T</b> Tab pull option		
<b>L</b> Lock option, files		
<b>V316</b> Cabinet Finish		
<b>111</b> Pull Finish		


**K** = Open shelves and 2 file drawers  
**O** = Open shelves and 4 file drawers

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
86" high, wood interiors  
Hinge doors and file drawers

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	<b>RC832DHF</b> ( ) ( ) (L) ( ) ( ) ( )	\$3,813.	\$4,993.	\$5,746.	\$7,757.
	30"	24"	86"	<b>RC833DHF</b> ( ) ( ) (L) ( ) ( ) ( )	4,218.	5,527.	6,355.	8,579.
	36"	20"	86"	<b>RC862DHF</b> ( ) ( ) (L) ( ) ( ) ( )	4,194.	5,497.	6,340.	8,559.




Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	<b>RC832DHG</b> ( ) ( ) (L) ( ) ( ) ( )	3,530.	4,623.	5,319.	7,179.
	30"	24"	86"	<b>RC833DHG</b> ( ) ( ) (L) ( ) ( ) ( )	3,864.	5,063.	5,823.	7,860.
	36"	20"	86"	<b>RC862DHG</b> ( ) ( ) (L) ( ) ( ) ( )	3,817.	5,005.	5,754.	7,768.
	36"	24"	86"	<b>RC863DHG</b> ( ) ( ) (L) ( ) ( ) ( )	4,155.	5,446.	6,263.	8,456.



Order Code	Specification Information	Application Notes
Example: <b>RC862DHF</b> ( ) ( ) (L) ( ) ( ) ( )	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> "h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>C</b> Cabinet	2. <i>Interior options:</i> W = Wood Interior	Applicable finishes are listed on page and .
<b>8</b> 86" high	3. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>3</b> 30" wide	4. <i>Lock options Files:</i> L = Lock hole drilled (not optional)	Applicable finishes are listed on page 5 and 6.
<b>2</b> 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	<b>86" Nominal Height = 85.500" Actual Height</b>
<b>DH</b> Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	File drawers include file bars for front to back and side to side filing.
<b>F</b> Storage with Hinge Door with 4 file drawers	7. <i>Pull Finish:</i> Painted or Plated	File drawers do not support bottom loading.
<b>H</b> Wood hinge doors		
<b>L</b> Finish Type: Laminate		
<b>W</b> Wood Interior		
<b>T</b> Tab pull option		
<b>L</b> Lock option, files		
<b>N</b> Lock option, doors		
<b>B</b> Lock Finish		
<b>118</b> Cabinet Finish		
<b>111</b> Pull Finish		
<b>F</b> =Hinge door cabinet with 4 file drawers		
<b>G</b> = Hinge door cabinet with FF		

Cabinets, 28<sup>3</sup>/<sub>8</sub>" planning  
86" high, wood interiors  
Hinge doors with shelves and wardrobe


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)( ) ( ) ( ) ( ) ( )	\$3,576.	\$4,688.	\$5,391.	\$7,277.
	30"	24"	86"	RC833DHEH(L/R)( ) ( ) ( ) ( ) ( )	3,981.	5,219.	6,002.	8,102.
	36"	20"	86"	RC862DHEH(L/R)( ) ( ) ( ) ( ) ( )	3,907.	5,119.	5,889.	7,950.
	36"	24"	86"	RC863DHEH(L/R)( ) ( ) ( ) ( ) ( )	4,345.	5,694.	6,550.	8,842.



Left hand shown

Requires one lock core per cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Cabinet, wardrobe (for desk height planning)	16"	20"	86"	RC812DHDH(L/R)( ) ( ) ( ) ( ) ( )	2,361.	3,541.	4,073.	5,294.
	16"	24"	86"	RC813DHDH(L/R)( ) ( ) ( ) ( ) ( )	2,447.	3,671.	4,221.	5,488.
	19"	20"	86"	RC822DHDH(L/R)( ) ( ) ( ) ( ) ( )	2,453.	3,681.	4,233.	5,503.
	19"	24"	86"	RC823DHDH(L/R)( ) ( ) ( ) ( ) ( )	2,542.	3,813.	4,385.	5,700.
	30"	20"	86"	RC832DHDH( ) ( ) ( ) ( ) ( )	2,804.	4,205.	4,837.	6,288.
	30"	24"	86"	RC833DHDH( ) ( ) ( ) ( ) ( )	2,900.	4,350.	5,003.	6,503.
	36"	20"	86"	RC862DHDH( ) ( ) ( ) ( ) ( )	3,023.	4,534.	5,214.	6,778.
	36"	24"	86"	RC863DHDH( ) ( ) ( ) ( ) ( )	3,127.	4,692.	5,395.	7,013.







Wood interior only

Requires one lock core per cabinet.  
Coat rod included. Order boot tray from accessories

Order Code	Specification Information	Application Notes
Example: <b>RC832DHEH (L/R)</b>	<i>To order, please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 <sup>3</sup> / <sub>8</sub> "h pedestals and are intended for "desk height" planning applications. <b>Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</b>
<b>R</b> Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
<b>C</b> Cabinet	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Applicable finishes are listed on page and .
<b>8</b> 86" high	3. <i>Interior options:</i> W = Wood Interior	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>3</b> 30" wide	4. <i>Pull Options:</i> B = No pull, No Drilling, Customer's own Pull F = Bar Pull H = Outline Pull N = No pull, Touch Latch R = Cylinder Pull T = Tab Pull	Applicable finishes are listed on page 5 and 6.
<b>2</b> 20" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	<b>86" Nominal Height = 85.500" Actual Height</b>
<b>DH</b> Desk Height	6. <i>Cabinet Finish:</i> Wood or Laminate	*Note: 86" high wardrobe cabinets come equipped with a coat rod.
<b>E</b> Wardrobe / Bookcase combo	7. <i>Pull Finish:</i> Painted or Plated	20" deep cabinets provide 18" clear storage space.
<b>H</b> Wood hinge doors		
<b>(L/R)</b> Left hand or Right hand		
<b>L</b> Finish Type: Laminate		
<b>W</b> Wood Interior		
<b>T</b> Tab pull option		
<b>N</b> Lock option, doors		
<b>8</b> Lock Finish		
<b>118</b> Cabinet Finish		
<b>111</b> Pull Finish		
<b>E</b> = Hinge door cabinet with full height doors, half wardrobe and shelves		
<b>D</b> = Wardrobe Cabinet		

Cabinets Progressive  
 49" high, metal interior  
 28<sup>3</sup>/<sub>8</sub>" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	<b>RCFS4912C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	\$1,790.	\$1,968.	\$2,058.	\$2,148.	\$2,719.	\$3,127.	\$4,064.
	24"	18"	49"	<b>RCFS4913C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	1,844.	2,028.	2,120.	2,212.	2,812.	3,234.	4,204.
Cabinets, hinge door with shelves&File/File 	20"	18"	49"	<b>RCFS4912Y(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,306.	2,537.	2,651.	2,767.	3,459.	3,978.	5,171.
	24"	18"	49"	<b>RCFS4913Y(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,379.	2,617.	2,737.	2,855.	3,569.	4,105.	5,336.
Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	<b>RCFS4912Z(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,382.	2,620.	2,740.	2,859.	3,574.	4,110.	5,343.
	24"	18"	49"	<b>RCFS4913Z(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,460.	2,706.	2,829.	2,952.	3,690.	4,336.	5,517.
Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	<b>RCFS4932V(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,141.	2,356.	2,463.	2,570.	3,324.	3,822.	4,970.
	24"	24"	49"	<b>RCFS4933V(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,208.	2,429.	2,539.	2,650.	3,449.	3,968.	5,157.

Order Code	Specification Information	Application Notes
Example: <b>RCFS4912C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
<b>49</b> Height	2. Lock finish	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
<b>L/R</b> Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
<b>M</b> Metal interior	4. Pull finish	
<b>N</b> Lock	Paint / Plated	
<b>S</b> Lock finish	5. Case finish	
<b>G</b> Pull option	L, V1, V2, V3	
<b>115</b> Pull finish option	6. Door finish	
<b>114</b> Case finish	L, V1, V2, V3	
<b>115</b> Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive  
 49" high, metal interior  
 28<sup>3</sup>/<sub>8</sub>" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	<b>RCFS4932W(L/R)M</b> ( ) ( ) ( ) ( ) ( )	\$2,475.	\$2,722.	\$2,846.	\$2,969.	\$3,834.	\$4,409.	\$5,732.
	24"	24"	49"	<b>RCFS4933W(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,547.	2,802.	2,929.	3,057.	3,969.	4,564.	5,933.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	<b>RCFS4932X(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,631.	2,894.	3,025.	3,157.	3,998.	4,598.	5,977.
	24"	24"	49"	<b>RCFS4933X(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,709.	2,980.	3,115.	3,251.	4,139.	4,759.	6,186.





Order Code	Specification Information	Application Notes
Example: <b>RCFS4912C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
<b>49</b> Height	S=Silver B=Black	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves	5. Case finish L, V1, V2, V3	The images on this page are shown as a right hand cabinets.
<b>L/R</b> Left/Right hinge	6. Door finish L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
<b>M</b> Metal interior		These products are Glue and Dowel Construction
<b>N</b> Lock		Grommet pulls only
<b>S</b> Lock finish		Shelves and File Front will default to the case finish
<b>G</b> Pull option		49" h cabinets are compatible with panel height.
<b>115</b> Pull finish option		When case finish is Laminate, shelves are painted to match.
<b>114</b> Case finish		When case finish is wood, shelves are painted black.
<b>115</b> Door finish		Drawer interiors always painted black.
		Cabinets with wardrobe come with a coat rod.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive  
 64" high, metal interior  
 28<sup>3/8</sup>" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	64"	<b>RCFS6412C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	\$1,944.	\$2,137.	\$2,235.	\$2,332.	\$2,976.	\$3,423.	\$4,449.
	24"	18"	64"	<b>RCFS6413C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,011.	2,211.	2,312.	2,412.	3,108.	3,574.	4,646.

Cabinets, hinge door with shelves&File/File 	20"	18"	64"	<b>RCFS6412Y(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,483.	2,732.	2,856.	2,980.	3,726.	4,284.	5,569.
	24"	18"	64"	<b>RCFS6413Y(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,621.	2,884.	3,015.	3,147.	3,933.	4,523.	5,879.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	64"	<b>RCFS6412Z(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,561.	2,817.	2,945.	3,072.	3,841.	4,417.	5,742.
	24"	18"	64"	<b>RCFS6413Z(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,703.	2,973.	3,108.	3,243.	4,054.	4,662.	6,061.

Order Code	Specification Information	Application Notes
Example: <b>RCFS6412C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
<b>64</b> Height	2. Lock finish	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
<b>L/R</b> Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
<b>M</b> Metal interior	4. Pull finish	
<b>N</b> Lock	Paint / Plated	
<b>S</b> Lock finish	5. Case finish	
<b>G</b> Pull option	L, V1, V2, V3	
<b>115</b> Pull finish option	6. Door finish	
<b>114</b> Case finish	L, V1, V2, V3	
<b>115</b> Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive  
64" high, metal interior  
28<sup>3</sup>/<sub>8</sub>" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	<b>RCFS6432V(L/R)M</b> ( ) ( ) ( ) ( ) ( )	\$2,312.	\$2,544.	\$2,659.	\$2,776.	\$3,648.	\$4,196.	\$5,455.
	24"	24"	64"	<b>RCFS6433V(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,396.	2,636.	2,755.	2,875.	3,826.	4,401.	5,721.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	<b>RCFS6432W(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,646.	2,911.	3,043.	3,175.	4,158.	4,782.	6,217.
	24"	24"	64"	<b>RCFS6433W(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,806.	3,086.	3,227.	3,367.	4,411.	5,074.	6,596.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	<b>RCFS6432X(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,803.	3,083.	3,223.	3,363.	4,323.	4,971.	6,462.
	24"	24"	64"	<b>RCFS6433X(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,967.	3,264.	3,412.	3,561.	4,581.	5,268.	6,848.





Order Code	Specification Information	Application Notes
Example: <b>RCFS6412C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
<b>64</b> Height	2. Lock finish	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
<b>L/R</b> Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
<b>M</b> Metal interior	4. Pull finish	
<b>N</b> Lock	Paint / Plated	
<b>S</b> Lock finish	5. Case finish	
<b>G</b> Pull option	L, V1, V2, V3	
<b>115</b> Pull finish option	6. Door finish	
<b>114</b> Case finish	L, V1, V2, V3	
<b>115</b> Door finish		


Applicable finishes are listed on page 5 and 6.



Cabinets Progressive  
68" high, metal interior  
28<sup>3/8</sup>" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	68"	<b>RCFS6812C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	\$1,965.	\$2,162.	\$2,261.	\$2,359.	\$3,046.	\$3,503.	\$4,554.
	24"	18"	68"	<b>RCFS6813C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,034.	2,238.	2,340.	2,441.	3,170.	3,646.	4,740.

Cabinets, hinge door with shelves&File/File 	20"	18"	68"	<b>RCFS6812Y(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,536.	2,790.	2,917.	3,044.	3,805.	4,375.	5,688.
	24"	18"	68"	<b>RCFS6813Y(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,670.	2,938.	3,070.	3,204.	4,005.	4,606.	5,987.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	68"	<b>RCFS6812Z(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,613.	2,875.	3,006.	3,136.	3,920.	4,508.	5,861.
	24"	18"	68"	<b>RCFS6813Z(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,751.	3,026.	3,163.	3,301.	4,126.	4,745.	6,169.

Order Code	Specification Information	Application Notes
Example: <b>RCFS6812C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
<b>68</b> Height	S=Silver	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	B=Black	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	3. Pull options Grommet	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves	4. Pull finish Paint / Plated	The images on this page are shown as a right hand cabinets.
<b>L/R</b> Left/Right hinge	5. Case finish L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
<b>M</b> Metal interior	6. Door finish L, V1, V2, V3	
<b>L</b> Lock		
<b>S</b> Lock finish		
<b>G</b> Pull option		
<b>115</b> Pull finish option		
<b>114</b> Case finish		
<b>115</b> Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive  
68" high, metal interior  
28<sup>3/8</sup>" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	<b>RCFS6832V(L/R)M</b> ( ) ( ) ( ) ( ) ( )	\$2,342.	\$2,576.	\$2,693.	\$2,810.	\$3,739.	\$4,300.	\$5,590.
	24"	24"	68"	<b>RCFS6833V(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,427.	2,670.	2,791.	2,912.	3,914.	4,501.	5,851.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	<b>RCFS6832W(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,685.	2,954.	3,088.	3,222.	4,275.	4,916.	6,391.
	24"	24"	68"	<b>RCFS6833W(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,847.	3,131.	3,274.	3,417.	4,508.	5,185.	6,740.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	<b>RCFS6832X(L/R)M</b> ( ) ( ) ( ) ( ) ( )	2,841.	3,125.	3,267.	3,409.	4,423.	5,086.	6,612.
	24"	24"	68"	<b>RCFS6833X(L/R)M</b> ( ) ( ) ( ) ( ) ( )	3,009.	3,309.	3,460.	3,610.	4,678.	5,380.	6,994.




Order Code	Specification Information	Application Notes
Example: <b>RCFS6812C(L/R)M</b> ( ) ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
<b>68</b> Height	2. Lock finish	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
<b>L/R</b> Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
<b>M</b> Metal interior	4. Pull finish	
<b>L</b> Lock	Paint / Plated	
<b>S</b> Lock finish	5. Case finish	
<b>G</b> Pull option	L, V1, V2, V3	
<b>115</b> Pull finish option	6. Door finish	
<b>114</b> Case finish	L, V1, V2, V3	
<b>115</b> Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive  
 49" high, wood interior  
 28<sup>3/8</sup>" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20"	18"	49"	<b>RCFS4912C(L/R)W</b> ( ) ( ) ( ) ( ) ( )	\$1,927.	\$2,120.	\$2,216.	\$2,312.	\$3,213.	\$3,695.	\$4,804.
	24"	18"	49"	<b>RCFS4913C(L/R)W</b> ( ) ( ) ( ) ( ) ( )	1,971.	2,168.	2,267.	2,365.	3,314.	3,811.	4,954.




Cabinets, hinge door with shelves&File/File	20"	18"	49"	<b>RCFS4912Y(L/R)W</b> ( ) ( ) ( ) ( ) ( )	2,765.	3,042.	3,180.	3,318.	4,147.	4,769.	6,200.
	24"	18"	49"	<b>RCFS4913Y(L/R)W</b> ( ) ( ) ( ) ( ) ( )	2,806.	3,086.	3,226.	3,366.	4,208.	4,839.	6,291.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	49"	<b>RCFS4912Z(L/R)W</b> ( ) ( ) ( ) ( ) ( )	3,205.	3,526.	3,686.	3,846.	4,488.	5,160.	6,708.
	24"	18"	49"	<b>RCFS4913Z(L/R)W</b> ( ) ( ) ( ) ( ) ( )	3,277.	3,605.	3,769.	3,933.	4,588.	5,276.	6,859.



Cabinets, hinge door with shelves&wardrobe	20"	24"	49"	<b>RCFS4932V(L/R)W</b> ( ) ( ) ( ) ( ) ( )	2,272.	2,500.	2,613.	2,726.	3,803.	4,372.	5,685.
	24"	24"	49"	<b>RCFS4933V(L/R)W</b> ( ) ( ) ( ) ( ) ( )	2,331.	2,564.	2,680.	2,796.	3,936.	4,527.	5,884.




Order Code	Specification Information	Application Notes
Example: <b>RCFS4912C(L/R)W</b> ( ) ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
<b>49</b> Height	2. Lock finish	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
<b>L/R</b> Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
<b>W</b> Wood interior	4. Pull finish	
<b>L</b> Lock	Paint / Plated	
<b>S</b> Lock finish	5. Case finish	
<b>G</b> Pull option	L, V1, V2, V3	
<b>115</b> Pull finish option	6. Door finish	
<b>114</b> Case finish	L, V1, V2, V3	
<b>115</b> Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive  
 49" high, wood interior  
 28<sup>3</sup>/<sub>8</sub>" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	<b>RCFS4932W(L/R)W()</b> ( ) ( ) ( ) ( ) ( )	\$3,079.	\$3,387.	\$3,540.	\$3,695.	\$4,518.	\$5,195.	\$6,754.
	24"	24"	49"	<b>RCFS4933W(L/R)W()</b> ( ) ( ) ( ) ( ) ( )	3,086.	3,394.	3,548.	3,703.	4,596.	5,285.	6,871.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	<b>RCFS4932X(L/R)W()</b> ( ) ( ) ( ) ( ) ( )	3,476.	3,823.	3,997.	4,170.	4,908.	5,643.	7,337.
	24"	24"	49"	<b>RCFS4933X(L/R)W()</b> ( ) ( ) ( ) ( ) ( )	3,524.	3,876.	4,052.	4,228.	5,024.	5,778.	7,512.




Order Code	Specification Information	Application Notes
Example: <b>RCFS4912C(L/R)W</b> <b>( ) ( ) ( ) ( ) ( )</b>	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
<b>49</b> Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves		The images on this page are shown as a right hand cabinets.
<b>L/R</b> Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
<b>W</b> Wood interior		
<b>L</b> Lock		
<b>S</b> Lock finish		
<b>G</b> Pull option		
<b>115</b> Pull finish option		
<b>114</b> Case finish		
<b>115</b> Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive  
 64" high, wood interior  
 28<sup>3/8</sup>" high planning


description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20"	18"	64"	<b>RCFS6412C(L/R)W</b> (X)(X)(X)(X)(X)	\$2,126.	\$2,338.	\$2,445.	\$2,551.	\$3,635.	\$4,180.	\$5,434.
	24"	18"	64"	<b>RCFS6413C(L/R)W</b> (X)(X)(X)(X)(X)	2,181.	2,399.	2,508.	2,617.	3,776.	4,342.	5,645.



Cabinets, hinge door with shelves&File/File	20"	18"	64"	<b>RCFS6412Y(L/R)W</b> (X)(X)(X)(X)(X)	3,052.	3,357.	3,509.	3,662.	4,577.	5,264.	6,843.
	24"	18"	64"	<b>RCFS6413Y(L/R)W</b> (X)(X)(X)(X)(X)	3,163.	3,479.	3,638.	3,796.	4,745.	5,457.	7,094.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	64"	<b>RCFS6412Z(L/R)W</b> (X)(X)(X)(X)(X)	3,513.	3,865.	4,041.	4,216.	4,918.	5,657.	7,353.
	24"	18"	64"	<b>RCFS6413Z(L/R)W</b> (X)(X)(X)(X)(X)	3,661.	4,026.	4,210.	4,393.	5,125.	5,894.	7,662.




Order Code	Specification Information	Application Notes
Example: <b>RCFS6412C(L/R)W</b> <b>(X)(X)(X)(X)(X)</b>	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
<b>64</b> Height	S=Silver B=Black	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves	5. Case finish L, V1, V2, V3	The images on this page are shown as a right hand cabinets.
<b>L/R</b> Left/Right hinge	6. Door finish L, V1, V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
<b>W</b> Wood interior		
<b>L</b> Lock		
<b>S</b> Lock finish		
<b>G</b> Pull option		
<b>115</b> Pull finish option		
<b>114</b> Case finish		
<b>115</b> Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive  
 64" high, wood interior  
 28<sup>3/8</sup>" high planning


description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	<b>RCFS6432V(L/R)W</b> ( ) ( ) ( ) ( ) ( )	\$2,487.	\$2,736.	\$2,860.	\$2,985.	\$4,287.	\$4,930.	\$6,409.
	24"	24"	64"	<b>RCFS6433V(L/R)W</b> ( ) ( ) ( ) ( ) ( )	2,559.	2,815.	2,943.	3,070.	4,475.	5,146.	6,690.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	<b>RCFS6432W(L/R)W</b> ( ) ( ) ( ) ( ) ( )	3,294.	3,623.	3,787.	3,952.	5,002.	5,752.	7,478.
	24"	24"	64"	<b>RCFS6433W(L/R)W</b> ( ) ( ) ( ) ( ) ( )	3,385.	3,723.	3,892.	4,061.	5,202.	5,981.	7,775.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	<b>RCFS6432X(L/R)W</b> ( ) ( ) ( ) ( ) ( )	3,690.	4,060.	4,245.	4,429.	5,392.	6,201.	8,061.
	24"	24"	64"	<b>RCFS6433X(L/R)W</b> ( ) ( ) ( ) ( ) ( )	3,823.	4,205.	4,396.	4,588.	5,630.	6,475.	8,416.





Order Code	Specification Information	Application Notes
Example: <b>RCFS6412C(L/R)W</b> ( ) ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
<b>64</b> Height	2. Lock finish	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves	3. Pull options	
<b>L/R</b> Left/Right hinge	Grommet	
<b>W</b> Wood interior	4. Pull finish	
<b>L</b> Lock	Paint / Plated	
<b>S</b> Lock finish	5. Case finish	
<b>G</b> Pull option	L, V1, V2, V3	
<b>115</b> Pull finish option	6. Door finish	
<b>114</b> Case finish	L, V1, V2, V3	
<b>115</b> Door finish		


These products are Glue and Dowel Construction  
 Grommet pulls only.  
 Shelves and files front will default to the case finish.  
 64" h Cabinets are compatible with panel height.  
 No wardrobe option for 18" w cabinets.  
 Cabinets with wardrobe come with a coat rod.

The images on this page are shown as a right hand cabinets.  
 From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.

Cabinets Progressive  
68" high wood interior  
28<sup>3/8</sup>" high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	68"	<b>RCFS6812C(L/R)W</b> (X)(X)(X)(X)(X)	\$2,149.	\$2,363.	\$2,471.	\$2,578.	\$3,705.	\$4,260.	\$5,538.
	24"	18"	68"	<b>RCFS6813C(L/R)W</b> (X)(X)(X)(X)(X)	2,205.	2,426.	2,536.	2,646.	3,839.	4,415.	5,739.

Cabinets, hinge door with shelves&File/File 	20"	18"	68"	<b>RCFS6812Y(L/R)W</b> (X)(X)(X)(X)(X)	3,104.	3,414.	3,570.	3,726.	4,657.	5,355.	6,962.
	24"	18"	68"	<b>RCFS6813Y(L/R)W</b> (X)(X)(X)(X)(X)	3,212.	3,533.	3,694.	3,854.	4,817.	5,540.	7,202.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	68"	<b>RCFS6812Z(L/R)W</b> (X)(X)(X)(X)(X)	3,570.	3,927.	4,106.	4,284.	4,998.	5,747.	7,472.
	24"	18"	68"	<b>RCFS6813Z(L/R)W</b> (X)(X)(X)(X)(X)	3,712.	4,084.	4,269.	4,455.	5,197.	5,977.	7,770.

Order Code	Specification Information	Application Notes
Example: <b>RCFS6812C(L/R)W</b> <b>(X)(X)(X)(X)(X)</b>	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
<b>68</b> Height	2. Lock finish	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
<b>L/R</b> Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
<b>W</b> Wood interior	4. Pull finish	
<b>L</b> Lock	Paint / Plated	
<b>S</b> Lock finish	5. Case finish	
<b>G</b> Pull option	L, V1, V2, V3	
<b>115</b> Pull finish option	6. Door finish	
<b>114</b> Case finish	L, V1, V2, V3	
<b>115</b> Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive  
68" high wood interior  
28<sup>3</sup>/<sub>8</sub>" high planning


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	<b>RCFS6832V(L/R)W</b> ( ) ( ) ( ) ( ) ( )	\$2,516.	\$2,768.	\$2,893.	\$3,019.	\$4,376.	\$5,034.	\$6,544.
	24"	24"	68"	<b>RCFS6833V(L/R)W</b> ( ) ( ) ( ) ( ) ( )	2,589.	2,849.	2,979.	3,108.	4,562.	5,247.	6,821.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	<b>RCFS6832W(L/R)W</b> ( ) ( ) ( ) ( ) ( )	3,333.	3,666.	3,833.	3,999.	5,102.	5,867.	7,627.
	24"	24"	68"	<b>RCFS6833W(L/R)W</b> ( ) ( ) ( ) ( ) ( )	3,426.	3,769.	3,940.	4,111.	5,297.	6,092.	7,921.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	<b>RCFS6832X(L/R)W</b> ( ) ( ) ( ) ( ) ( )	3,730.	4,102.	4,289.	4,475.	5,492.	6,315.	8,210.
	24"	24"	68"	<b>RCFS6833X(L/R)W</b> ( ) ( ) ( ) ( ) ( )	3,865.	4,251.	4,443.	4,637.	5,727.	6,586.	8,561.



Order Code	Specification Information	Application Notes
Example: <b>RCFS6812C(L/R)W</b> ( ) ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Configurations;
<b>R</b> Reff	1. Lock	C = all shelves for 18" w cabinets
<b>C</b> Cabinet	L=Drill for lock N=No lock	Y = hinge door with shelves and FF -18" w
<b>FS</b> Free Standing	2. Lock finish	Z = hinge door with shelves BB for 18" w
<b>68</b> Height	S=Silver B=Black	V = all shelves for 24" w cabinets
<b>1</b> 18" Wide	3. Pull options Grommet	W = hinge door with shelves and FF and wardrobe for 24" w
<b>2</b> 20" d (nominal)	4. Pull finish Paint / Plated	X = hinge door with shelves and BB and wardrobe for 24" w
<b>C</b> Hinge door with shelves	5. Case finish L, V1, V2, V3	The images on this page are shown as a right hand cabinets.
<b>L/R</b> Left/Right hinge	6. Door finish L, V1,V2, V3	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
<b>W</b> Wood interior		These products are Glue and Dowel Construction
<b>L</b> Lock		Grommet pulls only.
<b>S</b> Lock finish		Shelves and files front will default to the case finish.
<b>G</b> Pull option		68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
<b>115</b> Pull finish option		No wardrobe option in the 18" w cabinets.
<b>114</b> Case finish		Cabinets with wardrobe come with a coat rod.
<b>115</b> Door finish		

Applicable finishes are listed on page 5 and 6.



# Desktop Towers

## *28<sup>3</sup>/<sub>8</sub>" high planning*

### *Single Wide, 42" and 56" High*

#### *Bookcase*

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	<b>RDTSBWT142</b> ( ) ( )	\$1,190.	\$2,040.	\$2,346.	\$3,050.
	19"	15"	42"	<b>RDTSBWG142</b> ( ) ( )	1,221.	2,092.	2,405.	3,127.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	<b>RDTSBWT156</b> ( ) ( )	1,376.	2,360.	2,714.	3,528.
	19"	15"	56"	<b>RDTSBWG156</b> ( ) ( )	1,411.	2,418.	2,781.	3,615.



**Order Code**

Example:	<b>RDTSBWT142</b> ( ) ( )
<b>R</b>	Reff
<b>DT</b>	Reff Desktop Tower
<b>S</b>	Single width
<b>B</b>	Bookcase
<b>W</b>	Wood Shelves
<b>T</b>	Letter width 16" nominal
<b>1</b>	Letter depth 15" nominal
<b>42</b>	42" high nominal
<b>V2</b>	Case finish type
<b>V316</b>	Case finish

**Specification Information**

*To order please specify pattern number including:*  
Left or right hand as applicable and embedded in the pattern number.

- Case finish type:*  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
- Case finish:*  
Wood or Laminate

**Application Notes**

Heights to work with 28<sup>3</sup>/<sub>8</sub>" desk height planning and 1<sup>1</sup>/<sub>2</sub>" worksurface.

Shelves to match case finish.

Shelves on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

# Desktop Towers

## 28<sup>3</sup>/<sub>8</sub>" high planning

### Single Wide, 42" and 56" High

#### Wood Hinge Door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, single width	16"	15"	42"	<b>RDTSHWT142(L/R)</b> ( ) ( ) ( ) ( ) ( )	\$1,548.	\$1,703.	\$1,780.	\$1,935.	\$2,653.	\$3,052.	\$3,968.
wood shelves behind wood hinge door	19"	15"	42"	<b>RDTSHWG142(L/R)</b> ( ) ( ) ( ) ( ) ( )	1,591.	1,751.	1,830.	1,990.	2,728.	3,138.	4,079.



56" h Desk top tower, single width	16"	15"	56"	<b>RDTSHWT156(L/R)</b> ( ) ( ) ( ) ( ) ( )	1,764.	1,941.	2,135.	2,348.	3,025.	3,478.	4,523.
wood shelves behind wood hinge door	19"	15"	56"	<b>RDTSHWG156(L/R)</b> ( ) ( ) ( ) ( ) ( )	1,814.	1,995.	2,194.	2,413.	3,109.	3,575.	4,647.



#### Order Code

Example: <b>RDTSHWT142</b> ( ) ( )
<b>R</b> Reff
<b>DT</b> Reff Desktop Tower
<b>S</b> Single width
<b>H</b> Hinge Door
<b>W</b> Wood Shelves
<b>T</b> Letter width 16" nominal
<b>1</b> Letter depth 15" nominal
<b>42</b> 42" high nominal
<b>2</b> Finish type
<b>T</b> Pull option
<b>L</b> Lock option
<b>B</b> Lock finish
<b>V316</b> Case finish
<b>V316</b> Front finish
<b>111</b> Pull finish

#### Specification Information

- To order please specify pattern number including:*  
Left or right hand as applicable and embedded in the pattern number.
- Case finish type  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
  - Front finish type  
L = Laminate  
1 = V1  
2 = V2  
3 = V3
  - Pull option:  
B=No pull, No drilling  
Customer's own pull.  
F=Bar pull  
H=Outline pull  
N=No pull, touch latch  
R=Cylinder pull  
T=Tab pull
  - Lock option L or N
  - Lock finish  
B=Black  
S=Matte Silver
  - Case finish= \*V316
  - Front finish=V316
  - Pull finish=111

#### Application Notes

- Heights to work with 28<sup>3</sup>/<sub>8</sub>" desk height planning and 1 1/2" worksurface.
- Shelves to match case finish.
- Shelves on single wide available with 2 adjustable shelves.
- Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
- 42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
- 56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
- These products are Glue and Dowel Construction

Desktop Towers  
 28<sup>3/8</sup>" high planning  
 Single Wide, 42" and 56" High  
 Glass hinge door

description	w	d	h	pattern no.	L	V1	V2	V3
42"h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	<b>RDTSJWT142(L/R)( ) ( ) ( )</b>	\$2,211.	\$2,875.	\$3,306.	\$4,298.
	19"	15"	42"	<b>RDTSJWT142(L/R)( ) ( ) ( )</b>	2,304.	2,995.	3,444.	4,516.



56"h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	<b>RDTSJWT156(L/R)( ) ( ) ( )</b>	2,560.	3,327.	3,826.	4,975.
	19"	15"	56"	<b>RDTSJWT156(L/R)( ) ( ) ( )</b>	2,673.	3,474.	3,995.	5,194.




Order Code	Specification Information	Application Notes
Example: <b>RDTSJWT142 ( ) ( ) ( )</b>	<p>To order please specify pattern number including:            Left or right hand as applicable and embedded in the pattern number.</p> <p>1. <i>Case finish type:</i>            L = Laminate            1 = V1            2 = V2            3 = V3</p> <p>2. <i>Case finish:</i>            V316</p> <p>3. <i>Door frame type:</i>            Anodized or Painted</p> <p>4. <i>Door glass finish:</i>            GL11, GL14, GL15, GL18</p>	<p>Heights to work with 28<sup>3/8</sup>" desk height planning and 1 1/2" worksurface.</p> <p>Shelves to match case finish.</p> <p>Shelves on single height available with 2 adjustable shelves.</p> <p>Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.</p> <p>42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.</p> <p>56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.</p> <p>Glass hinge doors available only with touch latch.</p> <p>These products are Glue and Dowel Construction</p>
<b>R</b> Reff		
<b>DT</b> Reff Desktop Tower		
<b>S</b> Single width		
<b>G</b> Hinge glass door		
<b>W</b> Wood Shelves		
<b>T</b> Letter width 16" nominal		
<b>1</b> Letter depth 15" nominal		
<b>42</b> 42" high nominal		
<b>L</b> Left / Right hand		
<b>2</b> Case finish type		
<b>V316</b> Case finish		
<b>AU</b> Door frame finish		
<b>GL11</b> Door glass finish		

# Desktop Towers

## 28<sup>3</sup>/<sub>8</sub>" high planning

### Double Wide, 42" and 56" High Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, double width bookcase / open shelves	30"	15"	42"	<b>RDTDBW3142()</b> ( )	\$1,810.	\$2,895.	\$3,329.	\$4,328.
	36"	15"	42"	<b>RDTDBW6142()</b> ( )	1,861.	2,979.	3,425.	4,453.




56" h Desk top tower, double width bookcase / open shelves	30"	15"	56"	<b>RDTDBW3156()</b> ( )	2,160.	3,455.	3,974.	5,165.
	36"	15"	56"	<b>RDTDBW6156()</b> ( )	2,219.	3,549.	4,082.	5,307.

Desktop towers


Order Code	Specification Information	Application Notes
Example: <b>RDTDBW3142()</b> ( )	<i>To order please specify pattern number including:</i>	Heights to work with 28 <sup>3</sup> / <sub>8</sub> " desk height planning and 1 1/2" worksurface.
<b>R</b> Reff	Left or right hand as applicable and embedded in the pattern number.	Shelves to match case finish.
<b>DT</b> Reff Desktop Tower		Shelves with door option on single height available with 2 adjustable shelves.
<b>D</b> Double width	1. Case finish type	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
<b>B</b> Bookcase	L = Laminate	
<b>W</b> Wood Shelves	1 = V1	
<b>3</b> 30" wide	2 = V2	
<b>1</b> Letter depth 15" nominal	3 = V3	
<b>42</b> 42" high nominal	2. Case finish V316	
<b>2</b> Case finish type	3. Pull option Plated / Painted	
<b>V316</b> Case finish	4. Lock option L, N	
	5. Lock finish	
	S=Matte Silver	
	B=Black	
	6. Case finish V316	
	7. Front finish V313	
	8. Pull finish 111	

Desktop Towers  
 28<sup>3</sup>/<sub>8</sub>" high planning  
 Double Wide, 42" and 56" High  
 Wood shelves behind doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, double width	30"	15"	42"	RDTDHW3142()	\$2,125.	\$2,444.	\$2,550.	\$2,763.	\$3,400.	\$3,910.	\$5,083.
wood shelves behind wood hinge door	36"	15"	42"	RDTDHW6142()	2,206.	2,537.	2,647.	2,869.	3,530.	4,059.	5,278.



56" h Desk top tower, double width	30"	15"	56"	RDTDHW3156()	2,458.	2,704.	2,975.	3,271.	3,933.	4,523.	5,879.
wood shelves behind wood hinge door	36"	15"	56"	RDTDHW6156()	2,571.	2,827.	3,111.	3,422.	4,113.	4,730.	6,149.



Order Code

Example: <b>RDTDHW3142()</b>
<b>RDT</b> Reff Desktop Tower
<b>D</b> Double width
<b>H</b> Hinge door wood
<b>W</b> Wood Shelves
<b>3</b> 30" wide
<b>1</b> Letter depth 15" nominal
<b>42</b> 42" high nominal
<b>L</b> Left/ Right hand option
<b>V2</b> Case finish type
<b>V2</b> Font finish type
<b>F</b> Pull option
<b>L</b> Lock option doors
<b>B</b> Lock finish
<b>V316</b> Case finish
<b>V316</b> Front finish
<b>111</b> Pull finish

Specification Information

To order please specify pattern number including:  
 Left or right hand as applicable and embedded in the pattern number.

- Case finish type  
 L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3
- Case finish V316
- Pull option:  
 B=No pull  
 (Customer's own pull)  
 F=Bar pull  
 H=Outline pull  
 R=Cylinder pull  
 T=Tab pull
- Lock option L, N
- Lock finish  
 S=Matte Silver  
 B=Black
- Case finish V316
- Front finish V313
- Pull finish 111

Application Notes

Heights to work with 28<sup>3</sup>/<sub>8</sub>" desk height planning and 1<sup>1</sup>/<sub>2</sub>" worksurface.

Shelves to match case finish.

Shelves with door option on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction


# Desktop Towers

## 28<sup>3</sup>/<sub>8</sub>" high planning

### Double Wide, 42" and 56" High


### Asymmetrical, with Glass door

description	w	d	h	pattern no.	L	V1	V2	V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	<b>RDTAGW3142(L/R)( ) ( ) ( )</b>	\$2,951.	\$3,836.	\$4,411.	\$5,735.
Split glass hinged door / open shelves all wood	30"	15"	56"	<b>RDTAGW3156(L/R)( ) ( ) ( )</b>	3,501.	4,552.	5,234.	6,805.
	36"	15"	42"	<b>RDTAGW6142(L/R)( ) ( ) ( )</b>	3,144.	4,086.	4,699.	6,109.
	36"	15"	56"	<b>RDTAGW6156(L/R)( ) ( ) ( )</b>	3,750.	4,875.	5,606.	7,288.




Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical	30"	15"	42"	<b>RDTAGG3142(L/R)( ) ( ) ( )</b>	2,829.	3,678.	4,230.	5,499.
Split glass hinged door / open shelves all glass	30"	15"	56"	<b>RDTAGG3156(L/R)( ) ( ) ( )</b>	3,320.	4,316.	4,964.	6,452.
	36"	15"	42"	<b>RDTAGG6142(L/R)( ) ( ) ( )</b>	3,022.	3,928.	4,519.	5,873.
	36"	15"	56"	<b>RDTAGG6156(L/R)( ) ( ) ( )</b>	3,569.	4,639.	5,335.	6,936.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width	30"	15"	42"	<b>RDTDGW3142( ) ( ) ( )</b>	3,712.	4,455.	5,123.	6,660.
wood shelves behind glass hinge door	30"	15"	56"	<b>RDTDGW3156( ) ( ) ( )</b>	4,282.	5,138.	5,908.	7,681.
	36"	15"	42"	<b>RDTDGW6142( ) ( ) ( )</b>	3,873.	4,647.	5,345.	6,948.
	36"	15"	56"	<b>RDTDGW6156( ) ( ) ( )</b>	4,560.	5,471.	6,292.	8,180.



Order Code	Specification Information	Application Notes
Example: <b>RDTAGW3142</b>	<i>To order please specify pattern number including:</i>	Heights to work with 28 <sup>3</sup> / <sub>8</sub> " desk height planning and 1 <sup>1</sup> / <sub>2</sub> " worksurface.
<b>RDT</b> Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
<b>A</b> Asymmetrical split		
<b>G</b> Hinge door glass	1. <i>Case finish type:</i>	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
<b>W</b> Wood Shelves	L = Laminate	
<b>3</b> 30" wide nominal	1 = V1	
<b>1</b> Letter depth 15" nominal	2 = V2	
<b>42</b> 42" high nominal	3 = V3	
<b>(L)</b> Left / Right hand option	2. <i>Case finish:</i>	
<b>V2</b> Case finish type	Wood or Laminate	
<b>V316</b> Case finish	3. <i>Door frame finish:</i>	
<b>AU</b> Door frame finish	Anodized or Painted	
<b>GL11</b> Door glass finish	4. <i>Door glass finish:</i>	
	GL11, GL14, GL15, GL18	
		Shelves to match case finish.
		Shelves on single height available with 2 adjustable shelves.
		Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
		Hinge glass doors feature <u>no</u> pulls only touch latch.
		Desk top tower backs.
		These products are Glue and Dowel Construction.
		From users perspective, the open shelves' location determines handedness. ie. Right hand - open shelves on right hand


# Desktop Towers

## 28<sup>3</sup>/<sub>8</sub>" high planning

### Double Wide, 42" and 56" High


### Asymmetrical with mix casing

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	<b>RDTAHW3142(L/R)</b> ( ) ( ) ( ) ( ) ( )	\$2,254.	\$2,478.	\$2,591.	\$2,704.	\$3,447.	\$3,964.	\$5,154.
Split hinged door / open shelves all wood	30"	15"	56"	<b>RDTAHW3156(L/R)</b> ( ) ( ) ( ) ( ) ( )	2,631.	2,893.	3,025.	3,157.	4,024.	4,628.	6,017.
	36"	15"	42"	<b>RDTAHW6142(L/R)</b> ( ) ( ) ( ) ( ) ( )	2,341.	2,575.	2,691.	2,809.	3,581.	4,118.	5,354.
	36"	15"	56"	<b>RDTAHW6156(L/R)</b> ( ) ( ) ( ) ( ) ( )	2,748.	3,023.	3,161.	3,298.	4,205.	4,836.	6,287.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical	30"	15"	42"	<b>RDTAHG3142(L/R)</b> ( ) ( ) ( ) ( ) ( )	2,439.	2,664.	2,777.	2,889.	3,633.	4,150.	5,340.
Split hinged door / open shelves all glass	30"	15"	56"	<b>RDTAHG3156(L/R)</b> ( ) ( ) ( ) ( ) ( )	2,909.	3,171.	3,303.	3,435.	4,302.	4,906.	6,295.
	36"	15"	42"	<b>RDTAHG6142(L/R)</b> ( ) ( ) ( ) ( ) ( )	2,527.	2,760.	2,877.	2,994.	3,767.	4,303.	5,539.
	36"	15"	56"	<b>RDTAHG6156(L/R)</b> ( ) ( ) ( ) ( ) ( )	3,026.	3,301.	3,439.	3,576.	4,484.	5,114.	6,565.



Left hand Desktop Tower shown. Hinged off of the center gable.


Order Code	Specification Information	Application Notes
Example: <b>RDTAHW3142(L/R)</b> ( ) ( ) ( ) ( ) ( )	<i>To order please specify pattern number including:</i>	Heights to work with 28 <sup>3</sup> / <sub>8</sub> " desk height planning and 1 1/2" worksurface.
<b>RDT</b> Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
<b>A</b> Asymmetrical split	1. Case finish type: L, V1, V2, V3	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
<b>H</b> Hinge door wood	2. Front finish type: L, V1, V2, V3	Hinge doors feature <u>no</u> pulls only touch latch.
<b>W</b> Wood Shelves	3. Pull option: B=No pull (Customer's own pull) F=Bar pull H=Outline pull N=No pull, touch latch R=Cylinder pull T=Tab pull	These products are Glue and Dowel Construction.
<b>3</b> 30" wide nominal	4. Lock option: L, N	From users perspective, the open shelves' location determines handedness. ie. Right hand - open shelves on right hand
<b>1</b> Letter depth 15" nominal	5. Lock finish: B=Black S=Matte Silver	
<b>42</b> 42" high nominal	6. Case finish: V316	
<b>L</b> Left / Right hand option	7. Front finish: V316	
<b>V2</b> Case finish type	8. Pull finish: Painted or Plated	
<b>V2</b> Front finish type		
<b>F</b> Pull option		
<b>L</b> Lock option		
<b>B</b> Lock finish		
<b>V316</b> Case finish		
<b>V316</b> Front finish		
<b>111</b> Pull finish		
<b>GL35</b> Glass finish		

# Overhead, 26 1/2" planning


## Wall hung, Single high

Reff Profiles

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back	30"	15"	19"			<b>ROMO30S0(-)(-)(-)</b>	\$1,782.	\$1,845.	\$2,120.	\$2,860.
	36"	15"	19"			<b>ROMO36S0(-)(-)(-)</b>	1,828.	1,892.	2,174.	2,934.
	42"	15"	19"			<b>ROMO42S0(-)(-)(-)</b>	1,875.	1,941.	2,230.	3,011.
	48"	15"	19"			<b>ROMO48S0(-)(-)(-)</b>	1,927.	1,988.	2,292.	3,093.
	60"	15"	19"			<b>ROMO60S0(-)(-)(-)</b>	2,127.	2,197.	2,529.	3,413.
	72"	15"	19"			<b>ROMO72S0(-)(-)(-)</b>	2,245.	2,326.	2,673.	3,607.



Wall-hung overhead cabinet (hinged door) with back	30"	15"	19"	1	2	<b>ROMH30S0(-)(-)(-)</b>	2,591.	2,678.	3,076.	4,154.
	36"	15"	19"	1	2	<b>ROMH36S0(-)(-)(-)</b>	2,758.	2,854.	3,281.	4,429.
	60"	15"	19"	2	4	<b>ROMH60S0(-)(-)(-)</b>	3,098.	3,201.	3,683.	4,973.
	72"	15"	19"	2	4	<b>ROMH72S0(-)(-)(-)</b>	3,278.	3,389.	3,899.	5,262.



Wall-hung overhead cabinet (flip door) with back	30"	15"	19"	1	1	<b>ROMF30S0(-)(-)(-)</b>	1,898.	1,963.	2,256.	3,047.
	36"	15"	19"	1	1	<b>ROMF36S0(-)(-)(-)</b>	2,021.	2,090.	2,404.	3,246.
	42"	15"	19"	1	1	<b>ROMF42S0(-)(-)(-)</b>	2,139.	2,217.	2,548.	3,440.
	48"	15"	19"	1	1	<b>ROMF48S0(-)(-)(-)</b>	2,265.	2,341.	2,692.	3,635.
	60"	15"	19"	2	2	<b>ROMF60S0(-)(-)(-)</b>	2,497.	2,583.	2,969.	4,010.
	72"	15"	19"	2	2	<b>ROMF72S0(-)(-)(-)</b>	2,642.	2,732.	3,142.	4,242.

### Order Code

Example:	<b>ROMO30S0</b>
<b>R</b>	Reff
<b>O</b>	Overhead
<b>M</b>	Wall hung
<b>O</b>	Open
<b>30</b>	30" wide
<b>S</b>	Standard height, 19"h
<b>0</b>	15" deep

### Specification Information

To order please specify pattern number including:

- Configuration option (*embedded in pattern no.*)  
H = Hinged door  
O = Open  
F = Flip door
- Storage option (*embedded in pattern no.*)  
S0 = 19"h x 14" d open/15" d hinged door
- Finish type
- Pull option *applicable hinged doors only*
- Lock option
- Finish, case
- Finish, pull when applicable
- Keying instructions

**\*After specifying product code, provide keying instructions.**

**Dimensions are nominal.**

Product not available where prices do not appear.

3. *Finish type options:*  
L = Laminate  
1 = V1 techwood  
2 = V2 conventional veneer  
3 = V3 exotic veneer

### Application Notes

4. *Pull Options:*  
D = Metal D-pull for hinged door only  
J = Routed pull  
C = Nickel finish C-pull for hinged door only (nickel finish only)  
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*  
L = Lock hole drilled  
N = No lockdrilling

8. Refer to page 566 for keying instructions.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 0.

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

**The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.**

**\*Keying instructions must accompany all cabinet orders.**

Random keys are factory installed.

Order overheads with a KnollKey order form.



Overhead storage



# Overhead, 26 1/2" planning

## Panel hung, Single high

Reff Profiles



description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	30"	14"	19"			<b>ROPO30S0(-)(-)(-)</b>	\$1,278.	\$1,319.	\$1,517.	\$2,049.
	36"	14"	19"			<b>ROPO36S0(-)(-)(-)</b>	1,564.	1,616.	1,859.	2,510.
	42"	14"	19"			<b>ROPO42S0(-)(-)(-)</b>	1,718.	1,777.	2,045.	2,760.
	48"	14"	19"			<b>ROPO48S0(-)(-)(-)</b>	1,782.	1,840.	2,118.	2,858.
	60"	14"	19"			<b>ROPO60S0(-)(-)(-)</b>	1,820.	1,883.	2,168.	2,927.
	60"	14"	23"			<b>ROPO60T0(-)(-)(-)</b>	1,945.	2,013.	2,314.	3,123.
	72"	14"	19"			<b>ROPO72S0(-)(-)(-)</b>	2,232.	2,305.	2,652.	3,579.
	72"	14"	23"			<b>ROPO72T0(-)(-)(-)</b>	2,652.	2,745.	3,155.	4,261.
	90"	14"	19"			<b>ROPO90S0(-)(-)(-)</b>	2,456.	2,537.	2,917.	3,939.
	90"	14"	23"			<b>ROPO90T0(-)(-)(-)</b>	3,011.	3,110.	3,577.	4,831.
96"	14"	19"			<b>ROPO96S0(-)(-)(-)</b>	2,545.	2,631.	3,024.	4,083.	
96"	14"	23"			<b>ROPO96T0(-)(-)(-)</b>	3,120.	3,225.	3,710.	5,009.	
Panel-hung overhead cabinet (hinged door) no back 	30"	14"	19"	1	2	<b>ROPH30S0(-)(-)(-)</b>	1,419.	1,464.	1,682.	2,271.
	36"	14"	19"	1	2	<b>ROPH36S0(-)(-)(-)</b>	1,733.	1,793.	2,065.	2,787.
	60"	14"	19"	2	4	<b>ROPH60S0(-)(-)(-)</b>	2,023.	2,091.	2,405.	3,248.
	60"	14"	23"	2	4	<b>ROPH60T0(-)(-)(-)</b>	2,165.	2,237.	2,574.	3,476.
	72"	14"	19"	2	4	<b>ROPH72S0(-)(-)(-)</b>	2,479.	2,565.	2,949.	3,982.
	72"	14"	23"	2	4	<b>ROPH72T0(-)(-)(-)</b>	2,947.	3,049.	3,504.	4,731.
	90"	14"	19"	3	6	<b>ROPH90S0(-)(-)(-)</b>	2,730.	2,819.	3,242.	4,375.
	90"	14"	23"	3	6	<b>ROPH90T0(-)(-)(-)</b>	3,342.	3,457.	3,971.	5,361.
	96"	14"	19"	3	6	<b>ROPH96S0(-)(-)(-)</b>	2,826.	2,920.	3,362.	4,538.
	96"	14"	23"	3	6	<b>ROPH96T0(-)(-)(-)</b>	3,468.	3,583.	4,120.	5,563.

Order Code	Specification Information	Application Notes
Example: <b>ROPH60S0DLL</b>	<i>To order please specify pattern number including:</i>	
<b>R</b> Reff	1. Configuration option ( <i>embedded in pattern no.</i> ) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i>	Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.
<b>O</b> Overhead	2. Storage option ( <i>embedded in pattern no.</i> ) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i>	Open cabinets require no locks.
<b>P</b> Panel hung	3. Finish type	Tasklights are not included.
<b>H</b> Hinge door	4. Pull option <i>applicable hinged doors only</i>	D-Pulls are not available for flip door units.
<b>60</b> 60" wide	5. Lock option	Hardware included for overhead cabinets.
<b>S</b> Standard height, 19"h	6. Finish, case	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
<b>O</b> 15" deep	7. Finish, pull when applicable	A certified building contractor should be consulted.
<b>D</b> D-pull	8. Keying instructions	Please refer to wall mounting information on page 535.
<b>L</b> Lock hole drilled	<b>*After specifying product code, provide keying instructions.</b>	<b>*Keying instructions must accompany all cabinet orders.</b>
<b>L</b> Laminate finish	<b>Dimensions are nominal.</b>	Panel hung overheads come with no backs.
	Product not available where prices do not appear.	Random keys are factory installed.
	3. <i>Finish type options:</i> L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer	Order overheads with a KnollKey order form.
	4. <i>Pull Options:</i> D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lockdrilling	
	8. Refer to page 566 for keying instructions.	
	Woodgrain Laminate is not available on any flip door units.	
	Applicable finishes are listed on page 5 and 6.	
	Sliding rails order separately on page 0.	

# Overhead, 26 1/2" planning

## Panel hung, Single high

Reff Profiles


description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
 Panel-hung overhead flip door cabinet (no back)	30"	14"	18"	1	1	ROPF30S0J-( )()	\$1,066.	\$1,400.	\$1,608.	\$2,171.
	36"	14"	18"	1	1	ROPF36S0J-( )()	1,084.	1,424.	1,640.	2,213.
	42"	14"	18"	1	1	ROPF42S0J-( )()	1,160.	1,527.	1,757.	2,373.
	48"	14"	18"	1	1	ROPF48S0J-( )()	1,203.	1,588.	1,825.	2,465.
	60"	14"	18"	2	2	ROPF60S0J-( )()	1,397.	1,836.	2,114.	2,854.
	72"	14"	18"	2	2	ROPF72S0J-( )()	1,651.	2,173.	2,497.	3,370.
	84"	14"	18"	2	2	ROPF84S0J-( )()	1,845.	2,427.	2,790.	3,768.
	96"	14"	18"	2	2	ROPF96S0J-( )()	1,967.	2,589.	2,980.	4,021.
 Panel-hung shelves	30"	13"	9"			ROPS30S0NN-( )	286.	590.	678.	916.
	36"	13"	9"			ROPS36S0NN-( )	309.	613.	705.	951.
	42"	13"	9"			ROPS42S0NN-( )	335.	633.	730.	986.
	48"	13"	9"			ROPS48S0NN-( )	357.	656.	752.	1,016.
	54"	13"	9"			ROPS54S0NN-( )	382.	705.	809.	1,092.
	60"	13"	9"			ROPS60S0NN-( )	408.	758.	871.	1,176.
	66"	13"	9"			ROPS66S0NN-( )	432.	806.	927.	1,251.
	72"	13"	9"			ROPS72S0NN-( )	456.	859.	985.	1,328.
	78"	13"	9"			ROPS78S0NN-( )	481.	930.	1,069.	1,442.
	84"	13"	9"			ROPS84S0NN-( )	504.	1,001.	1,153.	1,556.
	90"	13"	9"			ROPS90S0NN-( )	529.	1,074.	1,234.	1,667.
	96"	13"	9"			ROPS96S0NN-( )	537.	1,129.	1,301.	1,756.


Order Code	Specification Information	Application Notes	
Example: <b>ROPH60S0DLL</b> <b>R</b> Reff <b>O</b> Overhead <b>P</b> Panel hung <b>H</b> Hinge door <b>60</b> 60" wide <b>S</b> Standard height, 19"h <b>0</b> 15" deep <b>D</b> D-pull <b>L</b> Lock hole drilled <b>L</b> Laminate finish	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>Configuration option (embedded in pattern no.)  <i>H = Hinged door</i>  <i>O = Open</i>  <i>F = Flip door</i></li> <li>Storage option (embedded in pattern no.)  <i>S0 = 19"h x 14"d open/15"d hinged door</i>  <i>T0 = 23"h x 14"d open/15"d hinged door</i></li> <li>Finish type</li> <li>Pull option applicable hinged doors only</li> <li>Lock option</li> <li>Finish, case</li> <li>Finish, pull when applicable</li> <li>Keying instructions</li> </ol> <p><b>*After specifying product code, provide keying instructions.</b></p> <p><b>Dimensions are nominal.</b></p> <p>Product not available where prices do not appear.</p> <ol style="list-style-type: none"> <li>Finish type options:            L = Laminate            1 = V1 techwood            2 = V2 conventional veneer            3 = V3 exotic veneer</li> </ol>	<p><b>4. Pull Options:</b>            D = Metal D-pull for hinged door only            J = Routed pull            C = Nickel finish C-pull for hinged door only (nickel finish only)            S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)</p> <p><b>5. Lock options:</b>            L = Lock hole drilled            N = No lockdrilling</p> <p><b>8. Refer to page 566 for keying instructions.</b></p> <p>Woodgrain Laminate is not available on any flip door units.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Sliding rails order separately on page 0.</p>	<p>Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.</p> <p>Open cabinets require no locks.</p> <p>Tasklights are not included.</p> <p>D-Pulls are not available for flip door units.</p> <p>Hardware included for overhead cabinets.</p> <p>Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 535.</p> <p><b>*Keying instructions must accompany all cabinet orders.</b></p> <p>Panel hung overheads come with no backs.</p> <p>Random keys are factory installed.</p> <p>Order overheads with a KnollKey order form.</p>

Overhead storage

# Overhead, 26 1/2" planning Workwalls

Reff Profiles

description	w	d	h	y	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open) 	60"	15"	19"	1.8	ROWO60S0(-)(X)(X)	\$2,033.	\$2,123.	\$2,488.	\$3,361.
	60"	15"	23"	1.8	ROWO60T0(-)(X)(X)	2,208.	2,305.	2,703.	3,649.
	60"	20"	19"	1.8	ROWO60S1(-)(X)(X)	2,186.	2,282.	2,675.	3,610.
	60"	20"	23"	1.8	ROWO60T1(-)(X)(X)	2,362.	2,464.	2,886.	3,894.
	72"	15"	19"	2.1	ROWO72S0(-)(X)(X)	2,613.	2,730.	3,192.	4,308.
	72"	15"	23"	2.1	ROWO72T0(-)(X)(X)	2,967.	3,095.	3,615.	4,880.
	72"	20"	19"	2.1	ROWO72S1(-)(X)(X)	2,807.	2,927.	3,421.	4,619.
	72"	20"	23"	2.1	ROWO72T1(-)(X)(X)	3,270.	3,409.	3,975.	5,365.
	90"	15"	19"	2.6	ROWO90S0(-)(X)(X)	2,880.	3,012.	3,544.	4,783.
	90"	15"	23"	2.6	ROWO90T0(-)(X)(X)	3,328.	3,478.	4,075.	5,502.
	90"	20"	19"	2.1	ROWO90S1(-)(X)(X)	3,199.	3,345.	3,927.	5,301.
	90"	20"	23"	2.6	ROWO90T1(-)(X)(X)	3,536.	3,695.	4,326.	5,840.
	96"	15"	19"	2.8	ROWO96S0(-)(X)(X)	2,949.	3,091.	3,639.	4,913.
	96"	15"	23"	2.8	ROWO96T0(-)(X)(X)	3,397.	3,554.	4,172.	5,633.
96"	20"	19"	2.8	ROWO96S1(-)(X)(X)	3,273.	3,424.	4,023.	5,433.	
96"	20"	23"	2.8	ROWO96T1(-)(X)(X)	3,610.	3,770.	4,421.	5,968.	

72" h workwall overhead cabinet (hinged door) 	60"	15"	19"	1.8	ROWH60S0(-)(X)(X)	2,623.	2,734.	3,193.	4,310.
	60"	15"	23"	1.8	ROWH60T0(-)(X)(X)	2,844.	2,963.	3,459.	4,669.
	60"	20"	19"	1.8	ROWH60S1(-)(X)(X)	2,816.	2,933.	3,424.	4,623.
	60"	20"	23"	1.8	ROWH60T1(-)(X)(X)	3,039.	3,164.	3,686.	4,977.
	72"	15"	19"	2.1	ROWH72S0(-)(X)(X)	3,362.	3,499.	4,081.	5,509.
	72"	15"	23"	2.1	ROWH72T0(-)(X)(X)	3,806.	3,960.	4,607.	6,221.
	72"	20"	19"	2.1	ROWH72S1(-)(X)(X)	3,603.	3,750.	4,366.	5,894.
	72"	20"	23"	2.1	ROWH72T1(-)(X)(X)	4,184.	4,351.	5,057.	6,828.
	90"	15"	19"	2.6	ROWH90S0(-)(X)(X)	3,732.	3,899.	4,562.	6,157.
	90"	15"	23"	2.6	ROWH90T0(-)(X)(X)	4,294.	4,475.	5,227.	7,056.
	90"	20"	19"	2.6	ROWH90S1(-)(X)(X)	4,136.	4,315.	5,038.	6,802.
	90"	20"	23"	2.6	ROWH90T1(-)(X)(X)	4,558.	4,748.	5,538.	7,478.
	96"	15"	19"	2.8	ROWH96S0(-)(X)(X)	3,836.	4,006.	4,695.	6,337.
	96"	15"	23"	2.8	ROWH96T0(-)(X)(X)	4,396.	4,586.	5,360.	7,236.
96"	20"	19"	2.8	ROWH96S1(-)(X)(X)	4,239.	4,422.	5,173.	6,983.	
96"	20"	23"	2.8	ROWH96T1(-)(X)(X)	4,658.	4,855.	5,671.	7,656.	

60" w and 72" w units have four hinged doors, two lock cores required.  
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0L</b>	To order please specify pattern number including:	Shipped knocked-down.
<b>R</b> Reff	1. Configuration option	Open cabinets require no locks.
<b>O</b> Overhead	2. Storage option (embedded in pattern no.)	Tasklights not included.
<b>W</b> Workwall	S0 = 19" h x 15" d	Tackboard included, fabric railroaded.
<b>O</b> Open	S1 = 19" h x 20" d	Locks are not factory installed.
<b>60</b> 60" wide	T0 = 23" h x 15" d	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
<b>S</b> Standard height	T1 = 23" h x 20" d	Applicable finishes are listed on page 5 and 6.
<b>0</b> 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
<b>L</b> Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>(W250)</b> Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	<b>*After specifying product code, provide keying instructions. I.</b>	
	Configuration options:	
	O = Open	
	H = Hinged door	
	3. Finish type:	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. Pull Options:	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options:	
	L = Lockhole drilled	
	N = No lock drilling	
	Keying instructions *	
	See Planning Guide for keying examples.	

# Overhead, 26 1/2" planning Shoulders

description	w	d	h	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	-	15"	19"	<b>RWEA7220(L/R)-()</b>	\$379.	\$390.	\$448.	\$605.
	-	15"	23"	<b>RWEB7220(L/R)-()</b>	379.	390.	448.	605.
	-	20"	19"	<b>RWEC7220(L/R)-()</b>	379.	390.	448.	605.
	-	20"	23"	<b>RWED7220(L/R)-()</b>	379.	390.	448.	605.




Workwall support endpanels for 72"H x 24"D workwall cabinets	-	15"	19"	<b>RWEA7224(L/R)-()</b>	412.	427.	490.	662.
	-	15"	23"	<b>RWEB7224(L/R)-()</b>	412.	427.	490.	662.
	-	20"	19"	<b>RWEC7224(L/R)-()</b>	412.	427.	490.	662.
	-	20"	23"	<b>RWED7224(L/R)-()</b>	412.	427.	490.	662.



Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0L</b>	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
<b>R</b> Reff	1. Configuration option	Open cabinets require no locks.
<b>O</b> Overhead	2. Storage option ( <i>embedded in pattern no.</i> )	Tasklights not included.
<b>W</b> Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
<b>O</b> Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
<b>60</b> 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
<b>S</b> Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
<b>0</b> 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
<b>L</b> Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>(W250)</b> Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	<b>*After specifying product code, provide keying instructions.1.</b>	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	<b>See Planning Guide for keying examples.</b>	


Overhead, 26 1/2" planning  
Overdesk Unit  
Use with 1 1/4" worksurfaces

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	60"	15"	44 1/4"	1.7	2	4	ROAH60T0(-)(-)(-)	\$2,567.	\$3,222.	\$3,765.	\$5,083.
	60"	20"	44 1/4"	1.7	2	4	ROAH60T1(-)(-)(-)	2,716.	3,407.	3,973.	5,362.
	72"	15"	44 1/4"	2.0	2	4	ROAH72T0(-)(-)(-)	3,253.	4,075.	4,753.	6,418.
	72"	20"	44 1/4"	2.0	2	4	ROAH72T1(-)(-)(-)	3,434.	4,301.	5,012.	6,766.
	90"	15"	44 1/4"	2.5	3	6	ROAH90T0(-)(-)(-)	3,617.	4,535.	5,312.	7,171.
	90"	20"	44 1/4"	2.5	3	6	ROAH90T1(-)(-)(-)	3,826.	4,799.	5,612.	7,578.
	96"	15"	44 1/4"	2.7	3	6	ROAH96T0(-)(-)(-)	3,767.	4,731.	5,546.	7,486.
	96"	20"	44 1/4"	2.7	3	6	ROAH96T1(-)(-)(-)	3,988.	5,006.	5,859.	7,910.



For 1 1/4" worksurfaces (open)	60"	15"	44 1/4"	1.7			ROAO60T0(-)(-)(-)	1,697.	2,136.	2,518.	3,399.
	60"	20"	44 1/4"	1.7			ROAO60T1(-)(-)(-)	1,804.	2,266.	2,665.	3,599.
	72"	15"	44 1/4"	2.0			ROAO72T0(-)(-)(-)	2,166.	2,720.	3,196.	4,315.
	72"	20"	44 1/4"	2.0			ROAO72T1(-)(-)(-)	2,293.	2,880.	3,378.	4,562.
	90"	15"	44 1/4"	2.5			ROAO90T0(-)(-)(-)	2,370.	2,988.	3,534.	4,771.
	90"	20"	44 1/4"	2.5			ROAO90T1(-)(-)(-)	2,515.	3,172.	3,737.	5,046.
	96"	15"	44 1/4"	2.7			ROAO96T0(-)(-)(-)	2,460.	3,105.	3,674.	4,958.
	96"	20"	44 1/4"	2.7			ROAO96T1(-)(-)(-)	2,612.	3,298.	3,892.	5,254.


For 1 1/4" worksurfaces (flip door)	60"	15"	44 1/4"	1.7	2	2	ROAF60S0(-)(-)(-)	2,197.	2,993.	3,499.	4,725.
	60"	20"	44 1/4"	1.7	2	2	ROAF60S1(-)(-)(-)	2,326.	3,169.	3,702.	4,999.
	72"	15"	44 1/4"	2.0	2	2	ROAF72S0(-)(-)(-)	2,609.	3,793.	4,428.	5,978.
	72"	20"	44 1/4"	2.0	2	2	ROAF72S1(-)(-)(-)	2,756.	4,006.	4,673.	6,309.
	84"	15"	44 1/4"	2.5	2	2	ROAF84S0(-)(-)(-)	3,380.	4,324.	5,056.	6,825.
	84"	20"	44 1/4"	2.5	2	2	ROAF84S1(-)(-)(-)	3,574.	4,573.	5,344.	7,213.
	96"	15"	44 1/4"	2.7	2	2	ROAF96S0(-)(-)(-)	3,462.	4,441.	5,211.	7,034.
	96"	20"	44 1/4"	2.7	2	2	ROAF96S1(-)(-)(-)	3,666.	4,704.	5,513.	7,441.



Order Code	Specification Information	Application Notes
Example: <b>ROAF60S0LJLBF118(-)</b>	To order please specify pattern number including:	Shipped knocked-down.
<b>R</b> Reff	1. Configuration option O = Open H = Hinged door F = Flip door	Open cabinets require no locks.
<b>O</b> Overhead	2. Width	Tasklights not included.
<b>A</b> For 1 1/4" top mounting	3. Storage option S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Tackboard included, fabric railroded.
<b>F</b> Flip door	4. Finish type L = Laminate 1 = V1 2 = V2 3 = V3	C, D and S pulls are not available for flip door units.
<b>60</b> 60" wide	5. Pull option for hinged door only D = Metal D-pull (for hinged doors only) J = Routed pull C = Nickel C-pull (nickel finish only, for hinged doors only) S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	All flip door cabinets on this page are nominal 19"H not 23"H.
<b>S</b> Standard height		Open/hinge doors are nominal 23"H, actual 22 3/8".
<b>0</b> 15" deep		Locks are not factory installed.
<b>L</b> Finish type, laminate		Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
<b>J</b> J-pull		Wire manager is included and mounts adjacent to tackboard. Specify color.
<b>L</b> Locks included		
<b>BF</b> Cord escape, back feed		
<b>118</b> Finish, Bright White		
<b>(W250)</b> Fabric		
	6. Lock option L = Lockhole drilled N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Woodgrain Laminate is not available on any flip door units.	
	<b>*After specifying product code, provide keying instructions.</b>	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on page 5 and 6.	


Overhead, 26 1/2" planning  
Overdesk Unit  
Use with 1 3/4" worksurfaces

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 3/4" worksurfaces (hinged door)	60"	15"	43 3/4"	1.7	2	4	ROBH60T0(-)(-)(-)	\$2,597.	\$3,256.	\$3,804.	\$5,137.
	60"	20"	43 3/4"	1.7	2	4	ROBH60T1(-)(-)(-)	2,749.	3,441.	4,019.	5,427.
	72"	15"	43 3/4"	2.1	2	4	ROBH72T0(-)(-)(-)	3,291.	4,120.	4,806.	6,489.
	72"	20"	43 3/4"	2.1	2	4	ROBH72T1(-)(-)(-)	3,474.	4,350.	5,069.	6,842.
	90"	15"	43 3/4"	2.5	3	6	ROBH90T0(-)(-)(-)	3,657.	4,589.	5,370.	7,250.
	90"	20"	43 3/4"	2.5	3	6	ROBH90T1(-)(-)(-)	3,869.	4,855.	5,674.	7,660.
	96"	15"	43 3/4"	2.7	3	6	ROBH96T0(-)(-)(-)	3,813.	4,785.	5,607.	7,571.
	96"	20"	43 3/4"	2.7	3	6	ROBH96T1(-)(-)(-)	4,033.	5,062.	5,928.	8,001.



For 1 3/4" worksurfaces (open)	60"	15"	43 3/4"	1.7			ROBO60T0(-)(-)(-)	1,716.	2,165.	2,545.	3,434.
	60"	20"	43 3/4"	1.7			ROBO60T1(-)(-)(-)	1,821.	2,295.	2,694.	3,638.
	72"	15"	43 3/4"	2.1			ROBO72T0(-)(-)(-)	2,175.	2,753.	3,233.	4,363.
	72"	20"	43 3/4"	2.1			ROBO72T1(-)(-)(-)	2,320.	2,913.	3,415.	4,609.
	90"	15"	43 3/4"	2.5			ROBO90T0(-)(-)(-)	2,397.	3,024.	3,574.	4,825.
	90"	20"	43 3/4"	2.5			ROBO90T1(-)(-)(-)	2,491.	3,146.	3,723.	5,026.
	96"	15"	43 3/4"	2.7			ROBO96T0(-)(-)(-)	2,487.	3,143.	3,716.	5,017.
	96"	20"	43 3/4"	2.7			ROBO96T1(-)(-)(-)	2,549.	3,212.	3,786.	5,111.

For 1 3/4" worksurfaces (flip door)	60"	15"	43 3/4"	1.7	2	2	ROBF60S0(-)(-)(-)	2,222.	3,029.	3,541.	4,780.
	60"	20"	43 3/4"	1.7	2	2	ROBF60S1(-)(-)(-)	2,354.	3,201.	3,742.	5,052.
	72"	15"	43 3/4"	2.1	2	2	ROBF72S0(-)(-)(-)	2,639.	3,837.	4,478.	6,046.
	72"	20"	43 3/4"	2.1	2	2	ROBF72S1(-)(-)(-)	2,788.	4,051.	4,726.	6,380.
	84"	15"	43 3/4"	2.5	2	2	ROBF84S0(-)(-)(-)	3,420.	4,369.	5,111.	6,901.
	84"	20"	43 3/4"	2.5	2	2	ROBF84S1(-)(-)(-)	3,618.	4,628.	5,409.	7,303.
	96"	15"	43 3/4"	2.7	2	2	ROBF96S0(-)(-)(-)	3,503.	4,496.	5,272.	7,117.
	96"	20"	43 3/4"	2.7	2	2	ROBF96S1(-)(-)(-)	3,710.	4,758.	5,571.	7,521.






Order Code	Specification Information	Application Notes
Example: <b>ROBF60S0LJLBF118(-)</b>	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
<b>R</b> Reff	1. <i>Configuration option</i> O = Open H = Hinged door F = Flip door	Open cabinets require no locks.
<b>O</b> Overhead	2. <i>Width</i>	Tasklights not included.
<b>B</b> For 1 3/4" top mounting	3. <i>Storage option</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Tackboard included, fabric railroaded.
<b>F</b> Flip door	4. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	C, D and S pulls are not available for flip door units.
<b>60</b> 60" wide	5. <i>Pull option for hinged door only</i> D = Metal D-pull (for hinged doors only) J = Routed pull C = Nickel C-pull (nickel finish only, for hinged doors only) S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	All flip door cabinets on this page are nominal 19"H not 23"H.
<b>S</b> Standard height		Open/hinge doors are nominal 23"H, actual 22 3/8".
<b>0</b> 15" deep		Locks are not factory installed.
<b>L</b> Finish type, laminate		Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
<b>J</b> J-pull		Wire manager is included and mounts adjacent to tackboard. Specify color.
<b>L</b> Locks included		
<b>BF</b> Cord escape, back feed		
<b>118</b> Finish, Bright White		
<b>(W250)</b> Fabric		
	6. <i>Lock option</i> L = Lockhole drilled N = No lock drilling	
	7. <i>Cord escape option</i>	
	8. <i>Finish</i>	
	9. <i>Pull finish where applicable</i>	
	10. <i>Fabric for tackboard</i>	
	<b>*After specifying product code, provide keying instructions.</b>	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 20 3/4".	
	Applicable finishes are listed on page 5 and 6.	
	Woodgrain Laminate is not available on any flip door units.	



## Workwall units

## Rectilinear worksurfaces - 1 1/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	<b>RSWWA601( )</b>	\$592.	\$611.	\$700.	\$947.
	60"	24"	<b>RSWWA602( )</b>	637.	656.	756.	1,020.
	72"	20"	<b>RSWWA721( )</b>	644.	665.	764.	1,030.
	72"	24"	<b>RSWWA722( )</b>	688.	713.	816.	1,102.
	90"	20"	<b>RSWWA901( )</b>	746.	771.	887.	1,197.
	90"	24"	<b>RSWWA902( )</b>	791.	816.	941.	1,270.
	96"	20"	<b>RSWWA961( )</b>	847.	874.	1,005.	1,358.
	96"	24"	<b>RSWWA962( )</b>	893.	923.	1,060.	1,431.
Waterfall edge workwall tops 	60"	20"	<b>RSWWAWF601( )</b>	n/a	1,834.	2,110.	2,848.
	60"	24"	<b>RSWWAWF602( )</b>	n/a	1,969.	2,266.	3,059.
	72"	20"	<b>RSWWAWF721( )</b>	n/a	1,994.	2,294.	3,095.
	72"	24"	<b>RSWWAWF722( )</b>	n/a	2,132.	2,454.	3,315.
	90"	20"	<b>RSWWAWF901( )</b>	n/a	2,315.	2,663.	3,596.
	90"	24"	<b>RSWWAWF902( )</b>	n/a	2,454.	2,824.	3,811.
	96"	20"	<b>RSWWAWF961( )</b>	n/a	2,699.	3,017.	4,073.
	96"	24"	<b>RSWWAWF962( )</b>	n/a	2,767.	3,183.	4,295.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	<b>RSWWA(A/B/C/D/E/F/G)601( )</b>	n/a	700.	809.	1,092.
	60"	24"	<b>RSWWA(A/B/C/D/E/F/G)602( )</b>	n/a	755.	870.	1,175.
	72"	20"	<b>RSWWA(A/B/C/D/E/F/G)721( )</b>	n/a	764.	879.	1,187.
	72"	24"	<b>RSWWA(A/B/C/D/E/F/G)722( )</b>	n/a	817.	941.	1,270.
	90"	20"	<b>RSWWA(A/B/C/D/E/F/G)901( )</b>	n/a	887.	1,020.	1,377.
	90"	24"	<b>RSWWA(A/B/C/D/E/F/G)902( )</b>	n/a	940.	1,082.	1,460.
	96"	20"	<b>RSWWA(A/B/C/D/E/F/G)961( )</b>	n/a	1,005.	1,158.	1,563.
	96"	24"	<b>RSWWA(A/B/C/D/E/F/G)962( )</b>	n/a	1,060.	1,220.	1,646.

## Order Code

Example: <b>RSWWA60100L</b>	
<b>R</b>	Reff
<b>S</b>	Straight top
<b>WW</b>	Workwall top
<b>A</b>	1 1/4" thick
<b>60</b>	60" wide
<b>1</b>	20" deep
<b>(L)</b>	Laminate finish

## Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:  
A = 1 1/4"

2. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

3. Specify edge detail where applicable, for RSWWA( ). See page0 for available profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

## Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.


1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.

Applicable finishes are listed on page 5 and 6.

**Hardware included.**

## Workwall units

## Rectilinear worksurfaces - 1 3/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	<b>RSWWB601()</b>	\$740.	\$768.	\$881.	\$1,190.
	60"	24"	<b>RSWWB602()</b>	793.	825.	949.	1,281.
	72"	20"	<b>RSWWB721()</b>	805.	837.	963.	1,300.
	72"	24"	<b>RSWWB722()</b>	859.	894.	1,028.	1,388.
	90"	20"	<b>RSWWB901()</b>	931.	969.	1,114.	1,506.
	90"	24"	<b>RSWWB902()</b>	991.	1,029.	1,182.	1,597.
	96"	20"	<b>RSWWB961()</b>	1,057.	1,098.	1,261.	1,703.
	96"	24"	<b>RSWWB962()</b>	1,115.	1,159.	1,332.	1,798.

## Order Code

Example:	<b>RSWWB60100L</b>
<b>R</b>	Reff
<b>S</b>	Straight top
<b>WW</b>	Workwall top
<b>B</b>	1 3/4" thick
<b>60</b>	60" wide
<b>1</b>	20" deep
<b>(L)</b>	Laminate finish

## Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:  
B = 1 3/4"

2. Finish type:  
L = Laminate  
M = Wood/laminate mixed  
1 = V1  
2 = V2  
3 = V3

3. Specify edge detail where applicable, for RSWWA(). See page 0 for available profiles.

## Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.


Applicable finishes are listed on page 5 and 6.


**Hardware included.**



# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning Workwalls

Reff Profiles

description	w	d	h	y	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (open) 	60"	15"	19"	1.8	75"	ROWO60S0DH ( ) ( ) ( ) ( )	\$2,133.	\$2,229.	\$2,613.	\$3,530.
	60"	20"	19"	1.8	75"	ROWO60S1DH ( ) ( ) ( ) ( )	2,296.	2,396.	2,808.	3,789.
	72"	15"	19"	2.1	75"	ROWO72S0DH ( ) ( ) ( ) ( )	2,745.	2,865.	3,352.	4,525.
	72"	20"	19"	2.1	75"	ROWO72S1DH ( ) ( ) ( ) ( )	2,947.	3,071.	3,589.	4,847.
	90"	15"	19"	2.6	75"	ROWO90S0DH ( ) ( ) ( ) ( )	3,026.	3,163.	3,719.	5,020.
	90"	20"	19"	2.6	75"	ROWO90S1DH ( ) ( ) ( ) ( )	3,359.	3,512.	4,124.	5,568.
	96"	15"	19"	2.8	75"	ROWO96S0DH ( ) ( ) ( ) ( )	3,098.	3,247.	3,821.	5,158.
	96"	20"	19"	2.8	75"	ROWO96S1DH ( ) ( ) ( ) ( )	3,439.	3,596.	4,225.	5,705.


Workwall, (for "desk height") 23"h storage (open) 	60"	15"	23"	1.8	75"	ROWO60T0DH ( ) ( ) ( ) ( )	2,321.	2,422.	2,839.	3,833.
	60"	20"	23"	1.8	75"	ROWO60T1DH ( ) ( ) ( ) ( )	2,481.	2,587.	3,031.	4,090.
	72"	15"	23"	2.1	75"	ROWO72T0DH ( ) ( ) ( ) ( )	3,118.	3,250.	3,797.	5,125.
	72"	20"	23"	2.1	75"	ROWO72T1DH ( ) ( ) ( ) ( )	3,434.	3,580.	4,172.	5,633.
	90"	15"	23"	2.6	75"	ROWO90T0DH ( ) ( ) ( ) ( )	3,495.	3,652.	4,280.	5,778.
	90"	20"	23"	2.6	75"	ROWO90T1DH ( ) ( ) ( ) ( )	3,712.	3,879.	4,544.	6,134.
	96"	15"	23"	2.8	75"	ROWO96T0DH ( ) ( ) ( ) ( )	3,568.	3,732.	4,382.	5,914.
	96"	20"	23"	2.8	75"	ROWO96T1DH ( ) ( ) ( ) ( )	3,789.	3,957.	4,642.	6,265.

Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0DHL118( )</b>	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28<sup>3</sup>/<sub>8</sub>" h products on page 0 ; <b>do not mix products from 26<sup>1</sup>/<sub>2</sub>" h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>" h (desk height) planning model in any one configuration.</b></p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
<b>R</b> Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
<b>O</b> Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
<b>W</b> Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>O</b> Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>60</b> 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
<b>S</b> 19" storage height	6. <i>Finish</i>	
<b>0</b> 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
<b>DH</b> desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
<b>L</b> Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.  Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 566. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.  Products on this page, shipped knocked-down.  Applicable finishes are listed on page 5 and 6.	
<b>118</b> Finish, Bright White		
<b>( )</b> Fabric selection		

dimensions noted nominal


# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning Workwalls

description	w	d	h	y	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (hinged door)	60"	15"	19"	1.8	75"	<b>ROWH60S0DH</b> ( ) ( ) ( ) ( )	\$2,754.	\$2,871.	\$3,353.	\$4,527.
	60"	20"	19"	1.8	75"	<b>ROWH60S1DH</b> ( ) ( ) ( ) ( )	2,958.	3,082.	3,596.	4,854.
	72"	15"	19"	2.1	75"	<b>ROWH72S0DH</b> ( ) ( ) ( ) ( )	3,530.	3,676.	4,286.	5,786.
	72"	20"	19"	2.1	75"	<b>ROWH72S1DH</b> ( ) ( ) ( ) ( )	3,782.	3,938.	4,585.	6,189.
	90"	15"	19"	2.6	75"	<b>ROWH90S0DH</b> ( ) ( ) ( ) ( )	3,919.	4,092.	4,788.	6,465.
	90"	20"	19"	2.6	75"	<b>ROWH90S1DH</b> ( ) ( ) ( ) ( )	4,344.	4,529.	5,290.	7,141.
	96"	15"	19"	2.8	75"	<b>ROWH96S0DH</b> ( ) ( ) ( ) ( )	4,028.	4,207.	4,930.	6,655.
	96"	20"	19"	2.8	75"	<b>ROWH96S1DH</b> ( ) ( ) ( ) ( )	4,451.	4,643.	5,431.	7,332.



60" w and 72" w units have four hinged doors, two lock cores required  
90" w and 96" w units have 6 hinged doors, three lock cores required

Workwall, (for "desk height") 23"h storage (hinged door)	60"	15"	23"	1.8	75"	<b>ROWH60T0DH</b> ( ) ( ) ( ) ( )	2,987.	3,111.	3,633.	4,905.
	60"	20"	23"	1.8	75"	<b>ROWH60T1DH</b> ( ) ( ) ( ) ( )	3,192.	3,323.	3,870.	5,225.
	72"	15"	23"	2.1	75"	<b>ROWH72T0DH</b> ( ) ( ) ( ) ( )	3,995.	4,157.	4,838.	6,532.
	72"	20"	23"	2.1	75"	<b>ROWH72T1DH</b> ( ) ( ) ( ) ( )	4,392.	4,570.	5,311.	7,170.
	90"	15"	23"	2.6	75"	<b>ROWH90T0DH</b> ( ) ( ) ( ) ( )	4,508.	4,699.	5,487.	7,407.
	90"	20"	23"	2.6	75"	<b>ROWH90T1DH</b> ( ) ( ) ( ) ( )	4,786.	4,985.	5,816.	7,852.
	96"	15"	23"	2.8	75"	<b>ROWH96T0DH</b> ( ) ( ) ( ) ( )	4,616.	4,815.	5,627.	7,598.
	96"	20"	23"	2.8	75"	<b>ROWH96T1DH</b> ( ) ( ) ( ) ( )	4,890.	5,099.	5,954.	8,038.



60" w and 72" w units have four hinged doors, two lock cores required  
90" w and 96" w units have 6 hinged doors, three lock cores required

# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning Shoulders and End Panels for Workwalls

description	w	d	h	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 20"d workwall cabinets	15"	1"	19"	75"	RWEA7520(L/R) ( ) ( )	\$398.	\$411.	\$470.	\$637.
	15"	1"	23"	75"	RWEB7520(L/R) ( ) ( )	398.	411.	470.	637.
	20"	1"	19"	75"	RWEC7520(L/R) ( ) ( )	398.	411.	470.	637.
	20"	1"	23"	75"	RWED7520(L/R) ( ) ( )	398.	411.	470.	637.



depth and width indicate drilled to support workwall with corresponding storage dimensions

description	w	d	h	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 24"d workwall cabinets	15"	1"	19"	75"	RWEA7524(L/R) ( ) ( )	432.	449.	515.	695.
	15"	1"	23"	75"	RWEB7524(L/R) ( ) ( )	432.	449.	515.	695.
	20"	1"	19"	75"	RWEC7524(L/R) ( ) ( )	432.	449.	515.	695.
	20"	1"	23"	75"	RWED7524(L/R) ( ) ( )	432.	449.	515.	695.



depth and width indicate drilled to support workwall with corresponding storage dimensions

Order Code	Specification Information	Application Notes
Example: <b>ROWO60S0DHL118( )</b>	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28<sup>3</sup>/<sub>8</sub>" h products on page 0 ; <b>do not mix products from 26<sup>1</sup>/<sub>2</sub>" (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>" (desk height) planning model in any one configuration.</b></p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
<b>R</b> Reff	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
<b>O</b> Overhead	6. <i>Finish</i>	
<b>W</b> Workwall	7. <i>Optional pull finish, where applicable</i>	
<b>O</b> Open	8. <i>Fabric for tackboard</i>	
<b>60</b> 60" wide	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
<b>S</b> 19" storage height	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
<b>0</b> 15" storage depth	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 566. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
<b>DH</b> desk height, 75" height overall	Products on this page, shipped knocked-down.	
<b>L</b> Finish type, laminate	Applicable finishes are listed on page 5 and 6.	
<b>118</b> Finish, Bright White		
<b>( )</b> Fabric selection		
<i>dimensions noted nominal</i>		

# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

## Overdesk unit

### Use with 1<sup>1</sup>/<sub>4</sub>" worksurfaces

description	w	d	h	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45 1/2"	1.7	ROAO60T0DH (X)(X)(X)(X)	\$1,784.	\$2,243.	\$2,643.	\$3,570.
(for 1 1/4" worksurface at "desk height")	60"	20"	45 1/2"	1.7	ROAO60T1DH (X)(X)(X)(X)	1,893.	2,379.	2,800.	3,778.
O=Open	72"	15"	45 1/2"	2.0	ROAO72T0DH (X)(X)(X)(X)	2,273.	2,858.	3,354.	4,528.
	72"	20"	45 1/2"	2.0	ROAO72T1DH (X)(X)(X)(X)	2,408.	3,026.	3,548.	4,788.
	90"	15"	45 1/2"	2.5	ROAO90T0DH (X)(X)(X)(X)	2,486.	3,138.	3,710.	5,009.
	90"	20"	45 1/2"	2.5	ROAO90T1DH (X)(X)(X)(X)	2,640.	3,330.	3,926.	5,299.
	96"	15"	45 1/2"	2.7	ROAO96T0DH (X)(X)(X)(X)	2,583.	3,260.	3,856.	5,207.
	96"	20"	45 1/2"	2.7	ROAO96T1DH (X)(X)(X)(X)	2,744.	3,462.	4,087.	5,518.
Overdesk unit	60"	15"	45 1/2"	1.7	ROAH60T0DH (X)(X)(X)(X)	2,693.	3,384.	3,951.	5,334.
(for 1 1/4" worksurface at "desk height")	60"	20"	45 1/2"	1.7	ROAH60T1DH (X)(X)(X)(X)	2,853.	3,577.	4,173.	5,635.
H=Hinged Door	72"	15"	45 1/2"	2.0	ROAH72T0DH (X)(X)(X)(X)	3,417.	4,280.	4,992.	6,740.
	72"	20"	45 1/2"	2.0	ROAH72T1DH (X)(X)(X)(X)	3,607.	4,518.	5,263.	7,106.
	90"	15"	45 1/2"	2.5	ROAH90T0DH (X)(X)(X)(X)	3,798.	4,763.	5,578.	7,531.
	90"	20"	45 1/2"	2.5	ROAH90T1DH (X)(X)(X)(X)	4,015.	5,038.	5,893.	7,956.
	96"	15"	45 1/2"	2.7	ROAH96T0DH (X)(X)(X)(X)	3,956.	4,967.	5,822.	7,859.
	96"	20"	45 1/2"	2.7	ROAH96T1DH (X)(X)(X)(X)	4,188.	5,254.	6,154.	8,306.

60" w and 72" w hinged door units have four hinged doors, two lock cores required  
 90" w and 96" w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: <b>ROAO60T0DHLBF118()</b>	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28<sup>3</sup>/<sub>8</sub>" h products on page 0 ; <b>do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</b></p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
<b>R</b> Reff	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
<b>O</b> Overhead	7. <i>Finish</i>	
<b>A</b> For mounting on 1 1/4" thick top	8. <i>Optional pull finish, where applicable</i>	
<b>O</b> Open	9. <i>Fabric for tackboard</i>	
<b>60</b> 60" wide	<b>Woodgrain Laminate is not available on any flip door units.</b>	
<b>T</b> 23" h storage	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 566. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
<b>0</b> 15" d storage		
<b>DH</b> desk height, 75" height overall		
<b>L</b> Finish type, laminate		
<b>BF</b> Cord escape, back feed		
<b>118</b> Finish, Bright White		
<b>()</b> Fabric selection		
<i>dimensions noted nominal</i>	<ol style="list-style-type: none"> <li><i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors</li> <li><i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d</li> <li><i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</li> <li><i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)</li> <li><i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling</li> </ol>	

Overhead storage

# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

## Overdesk unit

### Use with 1<sup>1</sup>/<sub>4</sub>" worksurfaces

description	w	d	h	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45 <sup>1</sup> / <sub>2</sub> "	1.7	ROAF60S0DH ( ) ( ) ( ) ( )	\$2,306.	\$3,143.	\$3,676.	\$4,962.
(for 1 <sup>1</sup> / <sub>4</sub> " worksurface at "desk height")	60"	20"	45 <sup>1</sup> / <sub>2</sub> "	1.7	ROAF60S1DH ( ) ( ) ( ) ( )	2,444.	3,325.	3,887.	5,247.
F=Flip door	72"	15"	45 <sup>1</sup> / <sub>2</sub> "	2.0	ROAF72S0DH ( ) ( ) ( ) ( )	2,739.	3,984.	4,650.	6,278.
	72"	20"	45 <sup>1</sup> / <sub>2</sub> "	2.0	ROAF72S1DH ( ) ( ) ( ) ( )	2,895.	4,205.	4,907.	6,623.
	84"	15"	45 <sup>1</sup> / <sub>2</sub> "	2.4	ROAF84S0DH ( ) ( ) ( ) ( )	3,549.	4,540.	5,311.	7,170.
	84"	20"	45 <sup>1</sup> / <sub>2</sub> "	2.4	ROAF84S1DH ( ) ( ) ( ) ( )	3,752.	4,802.	5,608.	7,572.
	96"	15"	45 <sup>1</sup> / <sub>2</sub> "	2.7	ROAF96S0DH ( ) ( ) ( ) ( )	3,636.	4,663.	5,471.	7,387.
	96"	20"	45 <sup>1</sup> / <sub>2</sub> "	2.7	ROAF96S1DH ( ) ( ) ( ) ( )	3,850.	4,940.	5,789.	7,815.

all flip door units have two flip doors, two lock cores required  
 J-pull only, C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: <b>ROAO60T0DHLBF118( )</b>	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28<sup>3</sup>/<sub>8</sub>" h products on page 0 ; <b>do not mix products from 26<sup>1</sup>/<sub>2</sub>" h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>" h (desk height) planning model in any one configuration.</b></p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23<sup>1</sup>/<sub>8</sub>" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
<b>R</b> Reff	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
<b>O</b> Overhead	7. <i>Finish</i>	
<b>A</b> For mounting on 1 <sup>1</sup> / <sub>4</sub> " thick top	8. <i>Optional pull finish, where applicable</i>	
<b>O</b> Open	9. <i>Fabric for tackboard</i>	
<b>60</b> 60" wide	<b>Woodgrain Laminate is not available on any flip door units.</b>	
<b>T</b> 23" h storage	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 566. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
<b>0</b> 15" d storage		
<b>DH</b> desk height, 75" height overall		
<b>L</b> Finish type, laminate	Products on this page shipped knocked-down.	
<b>BF</b> Cord escape, back feed	Tasklights not included.	
<b>118</b> Finish, Bright White	Taskboard included, fabric orientation applied railroaded.	
<b>( )</b> Fabric selection	Wire manager included and mounts adjacent to tackboard. Specify color.	
	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	


dimensions noted nominal

# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

## Overdesk unit

### Use with 1<sup>3</sup>/<sub>4</sub>" worksurfaces

description	w	d	h	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45"	1.7	<b>ROBH60T0DH</b> ( ) ( ) ( ) ( ) ( )	\$2,730.	\$3,420.	\$3,995.	\$5,393.
(for 1 <sup>3</sup> / <sub>4</sub> " worksurface at "desk height")	60"	20"	45"	1.7	<b>ROBH60T1DH</b> ( ) ( ) ( ) ( ) ( )	2,886.	3,612.	4,218.	5,695.
H=Hinged Door	72"	15"	45"	2.0	<b>ROBH72T0DH</b> ( ) ( ) ( ) ( ) ( )	3,456.	4,329.	5,049.	6,816.
	72"	20"	45"	2.0	<b>ROBH72T1DH</b> ( ) ( ) ( ) ( ) ( )	3,647.	4,567.	5,321.	7,183.
	90"	15"	45"	2.5	<b>ROBH90T0DH</b> ( ) ( ) ( ) ( ) ( )	3,841.	4,818.	5,639.	7,612.
	90"	20"	45"	2.5	<b>ROBH90T1DH</b> ( ) ( ) ( ) ( ) ( )	4,063.	5,094.	5,960.	8,046.
	96"	15"	45"	2.7	<b>ROBH96T0DH</b> ( ) ( ) ( ) ( ) ( )	4,004.	5,027.	5,889.	7,950.
	96"	20"	45"	2.7	<b>ROBH96T1DH</b> ( ) ( ) ( ) ( ) ( )	4,234.	5,316.	6,224.	8,402.



60" w and 72" w hinged door units have four hinged doors, two lock cores required  
 90" w and 96" w hinged door units have six hinged doors, three lock cores required

Overdesk unit	60"	15"	45"	1.7	<b>ROBO60T0DH</b> ( ) ( ) ( ) ( ) ( )	1,803.	2,272.	2,673.	3,607.
(for 1 <sup>3</sup> / <sub>4</sub> " worksurface at "desk height")	60"	20"	45"	1.7	<b>ROBO60T1DH</b> ( ) ( ) ( ) ( ) ( )	1,913.	2,407.	2,833.	3,823.
O=Open	72"	15"	45"	2.0	<b>ROBO72T0DH</b> ( ) ( ) ( ) ( ) ( )	2,284.	2,892.	3,394.	4,581.
	72"	20"	45"	2.0	<b>ROBO72T1DH</b> ( ) ( ) ( ) ( ) ( )	2,434.	3,057.	3,586.	4,843.
	90"	15"	45"	2.5	<b>ROBO90T0DH</b> ( ) ( ) ( ) ( ) ( )	2,518.	3,174.	3,752.	5,066.
	90"	20"	45"	2.5	<b>ROBO90T1DH</b> ( ) ( ) ( ) ( ) ( )	2,617.	3,302.	3,908.	5,276.
	96"	15"	45"	2.7	<b>ROBO96T0DH</b> ( ) ( ) ( ) ( ) ( )	2,612.	3,299.	3,905.	5,271.
	96"	20"	45"	2.7	<b>ROBO96T1DH</b> ( ) ( ) ( ) ( ) ( )	2,677.	3,370.	3,975.	5,365.

Order Code	Specification Information	Application Notes
Example: <b>ROBO60T0DHLBF118( )</b>	To order please specify pattern number including:	6. Tasklight cord escape BF = back feed FF = front feed
<b>R</b> Reff		7. Finish
<b>O</b> Overhead	1. Configuration option (embedded in pattern number) O = Open H = Hinged doors F = Flip doors	8. Optional pull finish, where applicable
<b>B</b> For mounting on 1 <sup>3</sup> / <sub>4</sub> " thick top	2. Storage option (embedded in pattern number) S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	9. Fabric for tackboard
<b>O</b> Open	3. Finish type L = laminate 1 = V1 2 = V2 3 = V3	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 566. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
<b>60</b> 60" wide	4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page shipped knocked-down.
<b>T</b> 23"h storage	5. Lock option (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Tasklights not included.
<b>0</b> 15"d storage		Tackboard included, fabric orientation applied railroaded.
<b>DH</b> desk height, 75" height overall		Wire manager included and mounts adjacent to tackboard. Specify color.
<b>L</b> Finish type, laminate		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".
<b>BF</b> Cord escape, back feed		Woodgrain Laminate is not available on any flip door units.
<b>118</b> Finish, Bright White		
<b>( )</b> Fabric selection		

dimensions noted nominal

Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28<sup>3</sup>/<sub>8</sub>" h products on page 0 ; **do not mix products from 26<sup>1</sup>/<sub>2</sub>" h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>" h (desk height) planning model in any one configuration.**

Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.

Clearance below overhead storage to top of worksurface is approximately 22<sup>3</sup>/<sub>8</sub>" h.

Applicable finishes are listed on page 5 and 6.

Overhead storage




# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

## Overdesk unit

Use with 1<sup>3</sup>/<sub>4</sub>" worksurfaces

description	w	d	h	y	pattern no.	L	V1	V2	V3
Overdesk unit	60"	15"	45"	1.7	<b>ROBF60S0DH</b> ( ) ( ) ( ) ( )	\$2,333.	\$3,181.	\$3,717.	\$5,019.
(for 1 <sup>3</sup> / <sub>4</sub> " worksurface at "desk height")	60"	20"	45"	1.7	<b>ROBF60S1DH</b> ( ) ( ) ( ) ( )	2,471.	3,363.	3,929.	5,305.
F=Flip door	72"	15"	45"	2.0	<b>ROBF72S0DH</b> ( ) ( ) ( ) ( )	2,770.	4,029.	4,702.	6,348.
	72"	20"	45"	2.0	<b>ROBF72S1DH</b> ( ) ( ) ( ) ( )	2,929.	4,256.	4,960.	6,697.
	84"	15"	45"	2.4	<b>ROBF84S0DH</b> ( ) ( ) ( ) ( )	3,587.	4,588.	5,366.	7,245.
	84"	20"	45"	2.4	<b>ROBF84S1DH</b> ( ) ( ) ( ) ( )	3,799.	4,860.	5,676.	7,664.
	96"	15"	45"	2.7	<b>ROBF96S0DH</b> ( ) ( ) ( ) ( )	3,678.	4,720.	5,537.	7,477.
	96"	20"	45"	2.7	<b>ROBF96S1DH</b> ( ) ( ) ( ) ( )	3,898.	4,993.	5,849.	7,895.



all flip door units have two flip doors, two lock cores required  
J-pull only; C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: <b>ROBO60T0DHLBF118( )</b>	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28<sup>3</sup>/<sub>8</sub>" h products on page 0 ; <b>do not mix products from 26<sup>1</sup>/<sub>2</sub>" h (standard height) planning model with 28<sup>3</sup>/<sub>8</sub>" h (desk height) planning model in any one configuration.</b></p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 22<sup>3</sup>/<sub>8</sub>" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
<b>R</b> Reff		
<b>O</b> Overhead		
<b>B</b> For mounting on 1 <sup>3</sup> / <sub>4</sub> " thick top	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
<b>O</b> Open	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
<b>60</b> 60" wide	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
<b>T</b> 23" h storage	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
<b>0</b> 15" d storage	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
<b>DH</b> desk height, 75" height overall	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
<b>L</b> Finish type, laminate	7. <i>Finish</i>	
<b>BF</b> Cord escape, back feed	8. <i>Optional pull finish, where applicable</i>	
<b>118</b> Finish, Bright White	9. <i>Fabric for tackboard</i>	
<b>( )</b> Fabric selection	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 566. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
	Products on this page shipped knocked-down.	
	Tasklights not included.	
	Tackboard included, fabric orientation applied railroaded.	
	Wire manager included and mounts adjacent to tackboard. Specify color.	
	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".	
	Woodgrain Laminate is not available on any flip door units.	

dimensions noted nominal



# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

Reff Profiles

## Overdesk unit

Use with 1<sup>1</sup>/<sub>4</sub>" and 1<sup>1</sup>/<sub>2</sub>" worksurfaces

### L and U Configuration

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 <sup>1</sup> / <sub>4</sub> " thick 	20"	36"	<b>RSAR361(H/V)( ) ( )</b>	\$369.	\$403.	\$462.	\$625.
	20"	42"	<b>RSAR421(H/V)( ) ( )</b>	383.	422.	484.	654.
	20"	48"	<b>RSAR481(H/V)( ) ( )</b>	403.	437.	503.	678.
	20"	54"	<b>RSAR541(H/V)( ) ( )</b>	418.	454.	525.	711.
	20"	60"	<b>RSAR601(H/V)( ) ( )</b>	452.	491.	565.	765.
	20"	66"	<b>RSAR661(H/V)( ) ( )</b>	462.	507.	584.	788.
	20"	72"	<b>RSAR721(H/V)( ) ( )</b>	489.	534.	612.	826.
	24"	36"	<b>RSAR362(H/V)( ) ( )</b>	391.	432.	493.	666.
	24"	42"	<b>RSAR422(H/V)( ) ( )</b>	408.	443.	510.	687.
	24"	48"	<b>RSAR482(H/V)( ) ( )</b>	433.	477.	547.	737.
	24"	54"	<b>RSAR542(H/V)( ) ( )</b>	462.	507.	584.	788.
	24"	60"	<b>RSAR602(H/V)( ) ( )</b>	500.	545.	624.	844.
	24"	66"	<b>RSAR662(H/V)( ) ( )</b>	512.	561.	647.	872.
	24"	72"	<b>RSAR722(H/V)( ) ( )</b>	538.	586.	676.	914.
	Return / Bridge 1 <sup>1</sup> / <sub>2</sub> " thick 	20"	36"	<b>RSDR361(H/V)( ) ( )</b>	401.	437.	502.
20"		36"	<b>RSDR362(H/V)( ) ( )</b>	424.	468.	536.	723.
20"		42"	<b>RSDR421(H/V)( ) ( )</b>	415.	457.	525.	709.
20"		48"	<b>RSDR481(H/V)( ) ( )</b>	437.	474.	545.	734.
20"		54"	<b>RSDR541(H/V)( ) ( )</b>	454.	492.	570.	770.
20"		60"	<b>RSDR601(H/V)( ) ( )</b>	513.	534.	614.	830.
20"		66"	<b>RSDR661(H/V)( ) ( )</b>	502.	549.	633.	854.
24"		42"	<b>RSDR422(H/V)( ) ( )</b>	442.	481.	553.	745.
24"		48"	<b>RSDR482(H/V)( ) ( )</b>	469.	517.	593.	799.
24"		54"	<b>RSDR542(H/V)( ) ( )</b>	502.	549.	633.	854.
24"		60"	<b>RSDR602(H/V)( ) ( )</b>	541.	591.	678.	915.
24"		66"	<b>RSDR662(H/V)( ) ( )</b>	555.	619.	701.	947.
24"		72"	<b>RSDR721(H/V)( ) ( )</b>	530.	579.	663.	896.
24"		72"	<b>RSDR722(H/V)( ) ( )</b>	583.	636.	733.	991.

#### Order Code

Example:	<b>RSAR361(H/V)( ) ( )</b>
<b>R</b>	Reff
<b>S</b>	Straight top
<b>A</b>	1 <sup>1</sup> / <sub>4</sub> " top
<b>R</b>	Return
<b>36</b>	36" wide
<b>1</b>	20" deep
<b>H/V</b>	Horizontal or Vertical grain
<b>( )</b>	Grommet type
<b>( )</b>	Grommet finish
<b>( )</b>	Worksurface finish

#### Specification Information


To order please specify pattern number including:

- Grommet type:  
F = Flush  
N = No Grommet
- Grommet finish:  
Painted or Plated
- Worksurface finish:  
L, V1, V2, V3


#### Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



Products on this page shipped knocked-down.

Tasklights not included.

Tackboard included, fabric orientation applied railroaded.

Wire manager included and mounts adjacent to tackboard. Specify color.

Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"






# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

## Overdesk unit

Use with 1<sup>1</sup>/<sub>4</sub>" and 1<sup>1</sup>/<sub>2</sub>" worksurfaces

Modesty Panels for L and U Configuration, both 26<sup>1</sup>/<sub>2</sub>" and 28<sup>3</sup>/<sub>8</sub>"

description	d	w	h	pattern no.	L	V1	V2	V3
Half Height Modesty, 26 <sup>1</sup> / <sub>2</sub> "h 	36"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR36H()</b>	\$283.	\$405.	\$469.	\$641.
	42"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR42H()</b>	307.	442.	511.	699.
	48"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR48H()</b>	348.	500.	579.	790.
	54"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR54H()</b>	365.	526.	607.	829.
	60"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR60H()</b>	381.	543.	628.	855.
	66"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR66H()</b>	397.	567.	659.	900.
	72"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR72H()</b>	439.	628.	725.	989.
Full Height Modesty, 26 <sup>1</sup> / <sub>2</sub> "h 	36"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR36M()</b>	308.	430.	494.	666.
	42"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR42M()</b>	332.	467.	536.	724.
	48"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR48M()</b>	373.	525.	604.	815.
	54"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR54M()</b>	390.	551.	632.	854.
	60"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR60M()</b>	406.	568.	653.	880.
	66"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR66M()</b>	422.	592.	684.	925.
	72"	1"	26 <sup>1</sup> / <sub>2</sub> "	<b>RBR72M()</b>	464.	653.	750.	1,014.
Full Height Modesty, 28 <sup>3</sup> / <sub>8</sub> "h 	36"	1"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBR36MS()</b>	324.	451.	517.	698.
	42"	1"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBR42MS()</b>	348.	489.	564.	761.
	48"	1"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBR48MS()</b>	391.	551.	633.	855.
	54"	1"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBR54MS()</b>	410.	578.	662.	894.
	60"	1"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBR60MS()</b>	426.	593.	684.	925.
	66"	1"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBR66MS()</b>	441.	622.	719.	970.
	72"	1"	28 <sup>3</sup> / <sub>8</sub> "	<b>RBR72MS()</b>	487.	684.	787.	1,062.

### Order Code

Example: <b>RBR36</b>	
<b>R</b>	Reff
<b>B</b>	Bridge
<b>R</b>	Return
<b>M</b>	Full Height Modesty Placement for 26 <sup>1</sup> / <sub>2</sub> "
<b>()</b>	Finish

### Specification Information


To order please specify pattern number including:

- Modesty Finish:  
L, V1, V2, V3


### Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



Products on this page shipped knocked-down.

Tasklights not included.

Tackboard included, fabric orientation applied railroaded.


Wire manager included and mounts adjacent to tackboard. Specify color.


Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"

# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

## Single high

### Wall hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		<b>ROMCGSHP301</b> ( ) ( )	\$1,213.	\$1,698.	\$1,953.	\$2,539.
	36"	15"	20"	1		<b>ROMCGSHP361</b> ( ) ( )	1,251.	1,752.	2,015.	2,619.
	42"	15"	20"	2		<b>ROMCGSHP421</b> ( ) ( )	1,360.	1,903.	2,190.	2,846.
	48"	15"	20"	2		<b>ROMCGSHP481</b> ( ) ( )	1,414.	1,980.	2,276.	2,959.
	54"	15"	20"	2		<b>ROMCGSHP541</b> ( ) ( )	1,658.	2,322.	2,671.	3,471.
	60"	15"	20"	2	1	<b>ROMCGSHP601</b> ( ) ( )	1,924.	2,694.	3,098.	4,027.
	66"	15"	20"	2	1	<b>ROMCGSHP661</b> ( ) ( )	1,960.	2,744.	3,155.	4,102.
	72"	15"	20"	2	1	<b>ROMCGSHP721</b> ( ) ( )	1,998.	2,797.	3,218.	4,183.
	78"	15"	20"	2	1	<b>ROMCGSHP781</b> ( ) ( )	2,098.	2,938.	3,378.	4,392.
	84"	15"	20"	3	2	<b>ROMCGSHP841</b> ( ) ( )	2,440.	3,417.	3,928.	5,107.
90"	15"	20"	3	2	<b>ROMCGSHP901</b> ( ) ( )	2,481.	3,474.	3,995.	5,193.	
96"	15"	20"	3	2	<b>ROMCGSHP961</b> ( ) ( )	2,520.	3,529.	4,058.	5,276.	

Wall-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			<b>ROMCSHP301</b> ( ) ( )	1,092.	1,529.	1,757.	2,286.
	36"	15"	20"			<b>ROMCSHP361</b> ( ) ( )	1,127.	1,577.	1,813.	2,358.
	42"	15"	20"	1		<b>ROMCSHP421</b> ( ) ( )	1,224.	1,713.	1,970.	2,562.
	48"	15"	20"	1		<b>ROMCSHP481</b> ( ) ( )	1,273.	1,782.	2,049.	2,664.
	54"	15"	20"	1		<b>ROMCSHP541</b> ( ) ( )	1,492.	2,090.	2,404.	3,124.
	60"	15"	20"		1	<b>ROMCSHP601</b> ( ) ( )	1,731.	2,425.	2,788.	3,625.
	66"	15"	20"		1	<b>ROMCSHP661</b> ( ) ( )	1,764.	2,470.	2,840.	3,693.
	72"	15"	20"		1	<b>ROMCSHP721</b> ( ) ( )	1,798.	2,517.	2,896.	3,765.
	78"	15"	20"		1	<b>ROMCSHP781</b> ( ) ( )	1,888.	2,644.	3,041.	3,953.
	84"	15"	20"		2	<b>ROMCSHP841</b> ( ) ( )	2,196.	3,075.	3,536.	4,596.
	90"	15"	20"		2	<b>ROMCSHP901</b> ( ) ( )	2,233.	3,127.	3,596.	4,674.
	96"	15"	20"		2	<b>ROMCSHP961</b> ( ) ( )	2,268.	3,175.	3,652.	4,748.

Without center gable

Order Code	Specification Information	Application Notes
Example: <b>ROMCGSHP301</b>	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. Finish type:	Letter depth is 15" nominal.
<b>O</b> Overhead	L = Laminate	Fascias ordered separately
<b>M</b> Wall mount	1 = V1	Tasklights ordered separately
<b>CG</b> Center Gable	2 = V2	Tack/Task panel order separately
<b>SH</b> Single high	3 = V3	Wall hung cabinets come with wall hung cleates
<b>P</b> Planning	2. Case finish	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>30</b> 30" width		
<b>1</b> Letter depth		
<b>2</b> Case finish type		
<b>V316</b> V2 finish		


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 535.  
Cubby Dividers: 3"h x 12"d  
Interior Gable: 18"h x 13"d


dimensions noted nominal

# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

## Single high

### Wall hung with doors



description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed 	30"	15"	20"	<b>ROMHSHP301</b> (X)(X)(X)(X)(X)	\$1,872.	\$2,058.	\$2,152.	\$2,245.	\$2,619.	\$3,013.	\$3,916.
	36"	15"	20"	<b>ROMHSHP361</b> (X)(X)(X)(X)(X)	1,920.	2,112.	2,207.	2,303.	2,687.	3,090.	4,018.
	42"	15"	20"	<b>ROMHSHP421</b> (X)(X)(X)(X)(X)	2,464.	2,710.	2,834.	2,956.	3,449.	3,967.	5,156.
	48"	15"	20"	<b>ROMHSHP481</b> (X)(X)(X)(X)(X)	2,529.	2,782.	2,909.	3,034.	3,541.	4,072.	5,293.
	54"	15"	20"	<b>ROMHSHP541</b> (X)(X)(X)(X)(X)	2,687.	2,956.	3,090.	3,224.	3,762.	4,326.	5,624.
	60"	15"	20"	<b>ROMHSHP601</b> (X)(X)(X)(X)(X)	3,033.	3,337.	3,489.	3,641.	4,248.	4,884.	6,350.
	66"	15"	20"	<b>ROMHSHP661</b> (X)(X)(X)(X)(X)	3,084.	3,392.	3,546.	3,701.	4,317.	4,965.	6,454.
	72"	15"	20"	<b>ROMHSHP721</b> (X)(X)(X)(X)(X)	3,135.	3,449.	3,606.	3,763.	4,390.	5,049.	6,563.
	78"	15"	20"	<b>ROMHSHP781</b> (X)(X)(X)(X)(X)	3,249.	3,574.	3,736.	3,899.	4,548.	5,230.	6,800.
	84"	15"	20"	<b>ROMHSHP841</b> (X)(X)(X)(X)(X)	4,091.	4,500.	4,704.	4,909.	5,727.	6,586.	8,561.
	90"	15"	20"	<b>ROMHSHP901</b> (X)(X)(X)(X)(X)	4,141.	4,555.	4,762.	4,969.	5,797.	6,667.	8,666.
96"	15"	20"	<b>ROMHSHP961</b> (X)(X)(X)(X)(X)	4,195.	4,614.	4,825.	5,035.	5,873.	6,755.	8,781.	

Wall-hung overhead cabinet hinge door, cubby exposed 	30"	15"	20"	<b>ROMHCSHP301</b> (X)(X)(X)(X)(X)	1,775.	1,953.	2,041.	2,130.	2,485.	2,858.	3,715.
	36"	15"	20"	<b>ROMHCSHP361</b> (X)(X)(X)(X)(X)	1,822.	2,004.	2,096.	2,187.	2,551.	2,934.	3,814.
	42"	15"	20"	<b>ROMHCSHP421</b> (X)(X)(X)(X)(X)	2,405.	2,645.	2,766.	2,886.	3,367.	3,872.	5,033.
	48"	15"	20"	<b>ROMHCSHP481</b> (X)(X)(X)(X)(X)	2,500.	2,750.	2,876.	3,000.	3,500.	4,025.	5,233.
	54"	15"	20"	<b>ROMHCSHP541</b> (X)(X)(X)(X)(X)	2,555.	2,811.	2,939.	3,066.	3,577.	4,114.	5,348.
	60"	15"	20"	<b>ROMHCSHP601</b> (X)(X)(X)(X)(X)	2,837.	3,121.	3,262.	3,404.	3,972.	4,567.	5,937.
	66"	15"	20"	<b>ROMHCSHP661</b> (X)(X)(X)(X)(X)	2,881.	3,169.	3,312.	3,457.	4,033.	4,638.	6,030.
	72"	15"	20"	<b>ROMHCSHP721</b> (X)(X)(X)(X)(X)	2,931.	3,224.	3,370.	3,517.	4,104.	4,718.	6,135.
	78"	15"	20"	<b>ROMHCSHP781</b> (X)(X)(X)(X)(X)	2,994.	3,294.	3,443.	3,593.	4,192.	4,820.	6,267.
	84"	15"	20"	<b>ROMHCSHP841</b> (X)(X)(X)(X)(X)	3,781.	4,159.	4,349.	4,537.	5,293.	6,087.	7,913.
	90"	15"	20"	<b>ROMHCSHP901</b> (X)(X)(X)(X)(X)	3,846.	4,230.	4,423.	4,614.	5,384.	6,191.	8,049.
96"	15"	20"	<b>ROMHCSHP961</b> (X)(X)(X)(X)(X)	3,895.	4,285.	4,479.	4,674.	5,454.	6,272.	8,152.	

Order Code	Specification Information	Application Notes
Example: <b>ROMHSHP301</b> (X)(X)(X)(X)(X)	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. <i>Case finish type:</i> L = Laminate	Letter depth is 15" nominal.
<b>O</b> Overhead	1 = V1	Fascias ordered separately
<b>M</b> Wall mount	2 = V2	Tasklights not included
<b>H</b> Hinge door	3 = V3	Tack/Task panel order separately
<b>SH</b> Single High	2. <i>Front finish type:</i> L = Laminate	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>P</b> Planning	1 = V1	Wall hung cabinets come with wall hung cleats
<b>30</b> Width	2 = V2	
<b>1</b> Depth (letter)	3 = V3	
<b>2</b> Case finish type	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull	
<b>2</b> Front finish type	C = nickel finish C-pull (nickel finish only)	
<b>H</b> Pull option	D = metal D-pull (PZ or PT)	
<b>L</b> Lock option	F = Bar	
<b>B</b> Lock finish	H = Outline	
<b>V316</b> Case finish	R = Cylinder	
<b>V316</b> Front finish	S = S-pull (stainless steel finish only)	
<b>PU</b> Pull finish	T = Tab	
	4. <i>Lock option:</i> N=no drilling L=locking	
	5. <i>Lock finish:</i> B=Black S=Matte silver	
	6. <i>Case finish:</i> V316	
	7. <i>Front finish:</i> V316	
	8. <i>Pull finish:</i> Painted or plated	

dimensions noted nominal

Overhead, 28<sup>3</sup>/<sub>8</sub>" planning  
Single high  
Wall hung with glass doors

description	w	d	h	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, <i>cubby exposed</i> 	30"	15"	20"	<b>ROMGHCSHP301</b> (X)(X)(X)	\$2,544.	\$2,773.	\$3,189.	\$4,146.
	36"	15"	20"	<b>ROMGHCSHP361</b> (X)(X)(X)	2,662.	2,902.	3,336.	4,337.
	42"	15"	20"	<b>ROMGHCSHP421</b> (X)(X)(X)	3,413.	3,721.	4,280.	5,563.
	48"	15"	20"	<b>ROMGHCSHP481</b> (X)(X)(X)	3,529.	3,847.	4,424.	5,750.
	54"	15"	20"	<b>ROMGHCSHP541</b> (X)(X)(X)	3,780.	4,120.	4,738.	6,159.
	60"	15"	20"	<b>ROMGHCSHP601</b> (X)(X)(X)	4,201.	4,579.	5,266.	6,846.
	66"	15"	20"	<b>ROMGHCSHP661</b> (X)(X)(X)	4,328.	4,717.	5,425.	7,052.
	72"	15"	20"	<b>ROMGHCSHP721</b> (X)(X)(X)	4,436.	4,835.	5,560.	7,229.
	78"	15"	20"	<b>ROMGHCSHP781</b> (X)(X)(X)	4,622.	5,038.	5,794.	7,531.
	84"	15"	20"	<b>ROMGHCSHP841</b> (X)(X)(X)	5,696.	6,208.	7,139.	9,281.
	90"	15"	20"	<b>ROMGHCSHP901</b> (X)(X)(X)	5,765.	6,283.	7,225.	9,394.
96"	15"	20"	<b>ROMGHCSHP961</b> (X)(X)(X)	5,892.	6,422.	7,386.	9,602.	
Wall-hung overhead cabinet glass hinge door, <i>cubby concealed</i> 	30"	15"	20"	<b>ROMGHSHP301</b> (X)(X)(X)	2,865.	3,380.	3,887.	5,053.
	36"	15"	20"	<b>ROMGHSHP361</b> (X)(X)(X)	3,005.	3,546.	4,078.	5,302.
	42"	15"	20"	<b>ROMGHSHP421</b> (X)(X)(X)	3,842.	4,533.	5,213.	6,777.
	48"	15"	20"	<b>ROMGHSHP481</b> (X)(X)(X)	3,958.	4,671.	5,371.	6,983.
	54"	15"	20"	<b>ROMGHSHP541</b> (X)(X)(X)	4,238.	5,001.	5,751.	7,476.
	60"	15"	20"	<b>ROMGHSHP601</b> (X)(X)(X)	4,544.	5,362.	6,167.	8,017.
	66"	15"	20"	<b>ROMGHSHP661</b> (X)(X)(X)	4,669.	5,510.	6,336.	8,237.
	72"	15"	20"	<b>ROMGHSHP721</b> (X)(X)(X)	4,802.	5,666.	6,516.	8,471.
	78"	15"	20"	<b>ROMGHSHP781</b> (X)(X)(X)	5,043.	5,951.	6,844.	8,897.
	84"	15"	20"	<b>ROMGHSHP841</b> (X)(X)(X)	5,992.	7,071.	8,131.	10,571.
	90"	15"	20"	<b>ROMGHSHP901</b> (X)(X)(X)	6,132.	7,236.	8,322.	10,818.
96"	15"	20"	<b>ROMGHSHP961</b> (X)(X)(X)	6,251.	7,376.	8,483.	11,027.	

Order Code	Specification Information	Application Notes
Example: <b>ROMGHCSHP301</b> <b>(X)(X)(X)</b>	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. Case Finish type: L = Laminate	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
<b>O</b> Overhead	1 = V1	A certified building contractor should be consulted.
<b>M</b> Wall mount	2 = V2	Please refer to wall mounting information on page 535.
<b>GHC</b> Glass hinge door/ cubby	3 = V3	
<b>SH</b> Single High	2. Case finish: Laminate, V1, V2, V3	Tasklights not included
<b>P</b> Planning	3. Door frame finish: Anodized or painted	Tack/Task panel order separately
<b>30</b> Width	4. Glass door finish: GL11	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>1</b> Depth (letter)	GL14	Wall hung cabinets come with wall hung cleats
<b>2</b> Case finish type	GL15	
<b>V316</b> Case finish	GL18	No pull option on Glass doors. Glass doors project below shelf for opening.
<b>AU</b> Door frame finish		
<b>GL11</b> Door glass finish		


dimensions noted nominal

# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

## Single high

### Wall hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet	60"	15"	20"	<b>ROMHOC</b> <b>SHP601</b> ( ) ( ) ( ) ( ) ( ) ( )	\$2,560.	\$2,816.	\$2,944.	\$3,071.	\$3,712.	\$4,268.	\$5,549.
hinge door / open /	66"	15"	20"	<b>ROMHOC</b> <b>SHP661</b> ( ) ( ) ( ) ( ) ( ) ( )	2,598.	2,857.	2,988.	3,118.	3,767.	4,332.	5,632.
cubby exposed	72"	15"	20"	<b>ROMHOC</b> <b>SHP721</b> ( ) ( ) ( ) ( ) ( ) ( )	2,640.	2,905.	3,036.	3,168.	3,829.	4,402.	5,724.
	78"	15"	20"	<b>ROMHOC</b> <b>SHP781</b> ( ) ( ) ( ) ( ) ( ) ( )	2,706.	2,977.	3,113.	3,248.	3,924.	4,512.	5,867.
	84"	15"	20"	<b>ROMHOC</b> <b>SHP841</b> ( ) ( ) ( ) ( ) ( ) ( )	3,145.	3,459.	3,615.	3,773.	4,559.	5,243.	6,816.
	90"	15"	20"	<b>ROMHOC</b> <b>SHP901</b> ( ) ( ) ( ) ( ) ( ) ( )	3,193.	3,512.	3,672.	3,832.	4,630.	5,324.	6,921.
	96"	15"	20"	<b>ROMHOC</b> <b>SHP961</b> ( ) ( ) ( ) ( ) ( ) ( )	3,233.	3,557.	3,718.	3,880.	4,689.	5,391.	7,009.




Order Code	Specification Information	Application Notes
Example: <b>ROMHOC</b> <b>SHP601</b> ( ) ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. <i>Case finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
<b>O</b> Overhead	2. <i>Front finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
<b>M</b> Wall mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Tasklights not included
<b>HOC</b> Hinge door/Open/Cubby	4. <i>Lock Option:</i> N = no lock drilling L = locking	Tack/Task panel order separately
<b>SH</b> Single high	5. <i>Lock finish:</i> B=Black S=Matte silver	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>P</b> Planning	6. <i>Case Finish:</i>	Wall hung cabinets come with wall hung cleats
<b>60</b> Width	7. <i>Front Finish:</i>	Doors project below shelf for openings
<b>1</b> Letter depth	8. <i>Pull Finish:</i> Painted or plated	
<b>2</b> Case finish type		
<b>2</b> Front finish type		
<b>L</b> Locked		
<b>B</b> Black lock		
<b>V316</b> Case finish		
<b>V316</b> Front finish		

dimensions noted nominal

Overhead, 28<sup>3</sup>/<sub>8</sub>" planning  
 Single high  
 Wall hung with glass doors, open

description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	20"	ROMGHOC <del>SHP</del> 601( <del>)</del> ( <del>)</del> ( <del>)</del>	\$3,142.	\$3,927.	\$4,516.	\$5,871.
glass hinge door / open / cubby exposed	66"	15"	20"	ROMGHOC <del>SHP</del> 661( <del>)</del> ( <del>)</del> ( <del>)</del>	3,216.	4,020.	4,623.	6,010.
	72"	15"	20"	ROMGHOC <del>SHP</del> 721( <del>)</del> ( <del>)</del> ( <del>)</del>	3,283.	4,104.	4,718.	6,135.
	78"	15"	20"	ROMGHOC <del>SHP</del> 781( <del>)</del> ( <del>)</del> ( <del>)</del>	3,374.	4,218.	4,851.	6,307.
	84"	15"	20"	ROMGHOC <del>SHP</del> 841( <del>)</del> ( <del>)</del> ( <del>)</del>	4,135.	4,963.	5,706.	7,419.
	90"	15"	20"	ROMGHOC <del>SHP</del> 901( <del>)</del> ( <del>)</del> ( <del>)</del>	4,186.	5,023.	5,777.	7,510.
	96"	15"	20"	ROMGHOC <del>SHP</del> 961( <del>)</del> ( <del>)</del> ( <del>)</del>	4,273.	5,127.	5,897.	7,666.



Wall Hung overhead cabinet	60"	15"	20"	ROMGHOSH <del>P</del> 601( <del>)</del> ( <del>)</del> ( <del>)</del>	3,822.	4,778.	5,494.	7,143.
glass hinge door / open / cubby concealed	66"	15"	20"	ROMGHOSH <del>P</del> 661( <del>)</del> ( <del>)</del> ( <del>)</del>	3,903.	4,878.	5,610.	7,293.
	72"	15"	20"	ROMGHOSH <del>P</del> 721( <del>)</del> ( <del>)</del> ( <del>)</del>	4,001.	5,001.	5,751.	7,476.
	78"	15"	20"	ROMGHOSH <del>P</del> 781( <del>)</del> ( <del>)</del> ( <del>)</del>	4,114.	5,143.	5,914.	7,689.
	84"	15"	20"	ROMGHOSH <del>P</del> 841( <del>)</del> ( <del>)</del> ( <del>)</del>	4,825.	6,032.	6,937.	9,018.
	90"	15"	20"	ROMGHOSH <del>P</del> 901( <del>)</del> ( <del>)</del> ( <del>)</del>	4,928.	6,161.	7,085.	9,210.
	96"	15"	20"	ROMGHOSH <del>P</del> 961( <del>)</del> ( <del>)</del> ( <del>)</del>	5,008.	6,260.	7,199.	9,358.

Order Code	Specification Information	Application Notes
Example: ROMGHOC <del>SHP</del> 601 ( <del>)</del> ( <del>)</del> ( <del>)</del> ( <del>)</del>	To order please specify:	These products are Glue and Dowel Construction
<b>R</b> Reff	1. Case finish type: L = Laminate	Letter depth is 15" nominal.
<b>O</b> Overhead	1 = V1	Fascias ordered separately
<b>M</b> Wall mount	2 = V2	Tasklights not included
<b>GHOC</b> Glass hinge door/Open/Cubby	3 = V3	Tack/Task panel order separately
<b>SH</b> Single high	2. Case finish: Laminate, V1, V2, V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>P</b> Planning	3. Door Frame finish: Painted or Anodized	Wall hung cabinets come with wall hung cleats
<b>60</b> Width	4. Door Glass finish: GL11, GL14, GL15, GL18	Doors project below shelf for openings
<b>1</b> Depth, Letter		No pull options on glass doors.
<b>2</b> Case finish type, V2		Glass doors project below shelf for opening.
<b>V316</b> Case finish		
<b>AA</b> Door frame finish		
<b>GL11</b> Back painted glass door finish		


dimensions noted nominal


# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

Reff Profiles

## Single high

### Cabinet hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable 	30"	15"	20"	1		<b>ROCCGSH301</b> ( )( )	\$1,286.	\$1,801.	\$2,071.	\$2,692.
	36"	15"	20"	1		<b>ROCCGSH361</b> ( )( )	1,323.	1,852.	2,129.	2,769.
	42"	15"	20"	2		<b>ROCCGSH421</b> ( )( )	1,430.	2,002.	2,302.	2,993.
	48"	15"	20"	2		<b>ROCCGSH481</b> ( )( )	1,470.	2,057.	2,366.	3,076.
	54"	15"	20"	2		<b>ROCCGSH541</b> ( )( )	1,712.	2,397.	2,756.	3,583.
	60"	15"	20"	2	1	<b>ROCCGSH601</b> ( )( )	1,977.	2,768.	3,183.	4,138.
	66"	15"	20"	2	1	<b>ROCCGSH661</b> ( )( )	2,011.	2,814.	3,236.	4,208.
	72"	15"	20"	2	1	<b>ROCCGSH721</b> ( )( )	2,050.	2,870.	3,299.	4,289.
	78"	15"	20"	2	1	<b>ROCCGSH781</b> ( )( )	2,133.	2,986.	3,434.	4,464.
	84"	15"	20"	3	2	<b>ROCCGSH841</b> ( )( )	2,472.	3,462.	3,981.	5,175.
	90"	15"	20"	3	2	<b>ROCCGSH901</b> ( )( )	2,512.	3,516.	4,044.	5,257.
96"	15"	20"	3	2	<b>ROCCGSH961</b> ( )( )	2,550.	3,570.	4,106.	5,337.	

Cabinet-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			<b>ROCOSH301</b> ( )( )	1,158.	1,621.	1,864.	2,424.
	36"	15"	20"			<b>ROCOSH361</b> ( )( )	1,191.	1,667.	1,916.	2,492.
	42"	15"	20"	1		<b>ROCOSH421</b> ( )( )	1,286.	1,803.	2,072.	2,693.
	48"	15"	20"	1		<b>ROCOSH481</b> ( )( )	1,323.	1,851.	2,129.	2,768.
	54"	15"	20"	1		<b>ROCOSH541</b> ( )( )	1,541.	2,157.	2,480.	3,225.
	60"	15"	20"		1	<b>ROCOSH601</b> ( )( )	1,779.	2,491.	2,864.	3,723.
	66"	15"	20"		1	<b>ROCOSH661</b> ( )( )	1,810.	2,533.	2,913.	3,787.
	72"	15"	20"		1	<b>ROCOSH721</b> ( )( )	1,845.	2,582.	2,969.	3,860.
	78"	15"	20"		1	<b>ROCOSH781</b> ( )( )	1,920.	2,687.	3,091.	4,018.
	84"	15"	20"		2	<b>ROCOSH841</b> ( )( )	2,225.	3,116.	3,583.	4,658.
	90"	15"	20"		2	<b>ROCOSH901</b> ( )( )	2,261.	3,165.	3,639.	4,732.
96"	15"	20"		2	<b>ROCOSH961</b> ( )( )	2,295.	3,213.	3,695.	4,804.	

Without center gable

Order Code	Specification Information	Application Notes
Example: <b>ROCCGSH301S0</b> ( )( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. Case Finish type:	Cubby Dividers: 3"h x 12"d
<b>O</b> Overhead	L = Laminate	Interior Gable: 18"h x 13"d
<b>C</b> Cabinet hung	1 = V1	Letter depth is 15" nominal.
<b>CG</b> Center Gable	2 = V2	Place holder for legal depth if required (20").
<b>SH</b> Single high	3 = V3	Fascias ordered separately
<b>30</b> 30" width	2. Case finish:	Tasklights ordered separately
<b>P</b> Planning	Laminate, V1, V2, V3	Tack/Task panel order separately
<b>1</b> Depth (letter)		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>2</b> Case finish		Installation instruction sheets available on line.
<b>V316</b> Case finish		For Cabinet hung overheads, refer to part number 6TP00080.


dimensions noted nominal




# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

## Single high

### Cabinet hung with doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
 Cabinet-hung overhead cabinet hinge door, cubby concealed	30"	15"	20"	<b>ROCHSHP301</b> ( ) ( ) ( ) ( ) ( ) ( )	\$1,933.	\$2,126.	\$2,223.	\$2,320.	\$2,706.	\$3,112.	\$4,046.
	36"	15"	20"	<b>ROCHSHP361</b> ( ) ( ) ( ) ( ) ( ) ( )	1,979.	2,177.	2,276.	2,375.	2,771.	3,187.	4,143.
	42"	15"	20"	<b>ROCHSHP421</b> ( ) ( ) ( ) ( ) ( ) ( )	2,522.	2,774.	2,900.	3,026.	3,531.	4,060.	5,279.
	48"	15"	20"	<b>ROCHSHP481</b> ( ) ( ) ( ) ( ) ( ) ( )	2,573.	2,830.	2,959.	3,088.	3,602.	4,143.	5,385.
	54"	15"	20"	<b>ROCHSHP541</b> ( ) ( ) ( ) ( ) ( ) ( )	2,728.	3,001.	3,138.	3,274.	3,820.	4,393.	5,711.
	60"	15"	20"	<b>ROCHSHP601</b> ( ) ( ) ( ) ( ) ( ) ( )	3,075.	3,381.	3,536.	3,689.	4,304.	4,950.	6,434.
	66"	15"	20"	<b>ROCHSHP661</b> ( ) ( ) ( ) ( ) ( ) ( )	3,122.	3,434.	3,591.	3,747.	4,371.	5,026.	6,535.
	72"	15"	20"	<b>ROCHSHP721</b> ( ) ( ) ( ) ( ) ( ) ( )	3,173.	3,491.	3,649.	3,808.	4,442.	5,109.	6,641.
	78"	15"	20"	<b>ROCHSHP781</b> ( ) ( ) ( ) ( ) ( ) ( )	3,271.	3,599.	3,763.	3,926.	4,580.	5,267.	6,641.
	84"	15"	20"	<b>ROCHSHP841</b> ( ) ( ) ( ) ( ) ( ) ( )	4,113.	4,524.	4,729.	4,935.	5,758.	6,621.	8,607.
90"	15"	20"	<b>ROCHSHP901</b> ( ) ( ) ( ) ( ) ( ) ( )	4,160.	4,576.	4,784.	4,992.	5,825.	6,698.	8,708.	
96"	15"	20"	<b>ROCHSHP961</b> ( ) ( ) ( ) ( ) ( ) ( )	4,213.	4,634.	4,845.	5,055.	5,898.	6,783.	8,817.	



 Cabinet-hung overhead cabinet hinge door, cubby exposed	30"	15"	20"	<b>ROCHCSHP301</b> ( ) ( ) ( ) ( ) ( ) ( )	1,836.	2,021.	2,113.	2,204.	2,572.	2,957.	3,844.
	36"	15"	20"	<b>ROCHCSHP361</b> ( ) ( ) ( ) ( ) ( ) ( )	1,882.	2,070.	2,164.	2,259.	2,635.	3,030.	3,939.
	42"	15"	20"	<b>ROCHCSHP421</b> ( ) ( ) ( ) ( ) ( ) ( )	2,463.	2,710.	2,833.	2,956.	3,448.	3,966.	5,155.
	48"	15"	20"	<b>ROCHCSHP481</b> ( ) ( ) ( ) ( ) ( ) ( )	2,544.	2,799.	2,925.	3,053.	3,562.	4,096.	5,325.
	54"	15"	20"	<b>ROCHCSHP541</b> ( ) ( ) ( ) ( ) ( ) ( )	2,597.	2,856.	2,986.	3,116.	3,636.	4,181.	5,435.
	60"	15"	20"	<b>ROCHCSHP601</b> ( ) ( ) ( ) ( ) ( ) ( )	2,878.	3,165.	3,309.	3,453.	4,028.	4,633.	6,022.
	66"	15"	20"	<b>ROCHCSHP661</b> ( ) ( ) ( ) ( ) ( ) ( )	2,919.	3,212.	3,357.	3,503.	4,087.	4,700.	6,110.
	72"	15"	20"	<b>ROCHCSHP721</b> ( ) ( ) ( ) ( ) ( ) ( )	2,968.	3,265.	3,413.	3,562.	4,156.	4,779.	6,213.
	78"	15"	20"	<b>ROCHCSHP781</b> ( ) ( ) ( ) ( ) ( ) ( )	3,017.	3,319.	3,469.	3,620.	4,224.	4,857.	6,315.
	84"	15"	20"	<b>ROCHCSHP841</b> ( ) ( ) ( ) ( ) ( ) ( )	3,803.	4,183.	4,373.	4,563.	5,324.	6,122.	7,959.
90"	15"	20"	<b>ROCHCSHP901</b> ( ) ( ) ( ) ( ) ( ) ( )	3,866.	4,252.	4,445.	4,638.	5,412.	6,223.	8,090.	
96"	15"	20"	<b>ROCHCSHP961</b> ( ) ( ) ( ) ( ) ( ) ( )	3,913.	4,304.	4,500.	4,696.	5,478.	6,299.	8,190.	

Order Code	Specification Information	Application Notes
Example: <b>ROCHSHP30</b> ( ) ( ) ( ) ( ) ( ) ( ) <b>R</b> Reff <b>O</b> Overhead <b>C</b> Cabinet mount <b>H</b> Hinge door <b>SH</b> Single High <b>P</b> Planning <b>30</b> Width <b>1</b> Depth (letter) <b>2</b> Case finish type <b>2</b> Front finish type <b>H</b> Pull option <b>L</b> Lock option <b>B</b> Lock finish <b>PU</b> Pull finish	<i>To order please specify:</i> 1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (PZ or PT) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab 4. Lock option: N = no drilling, L = locking (wood or laminate doors only) 5. Lock finish: B=Black, S=Matte silver 6. Case finish: Laminate or Wood 7. Front finish: Laminate or Wood 8. Pull finish: Painted or Plated	These products are Glue and Dowel Construction Letter depth is 15" nominal. Fascias ordered separately Tasklights not included Tack/Task panel order separately Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Installation instruction sheets available on line. For Cabinet hung overheads, refer to part number 6TP00080.

dimensions noted nominal



Overhead, 28<sup>3</sup>/<sub>8</sub>" planning  
 Single high  
 Cabinet hung with glass doors


description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, <i>cubby exposed</i> 	30"	15"	20"	<b>ROCGHCSHP301</b> ( ) ( ) ( )	\$2,622.	\$2,858.	\$3,288.	\$4,273.
	36"	15"	20"	<b>ROCGHCSHP361</b> ( ) ( ) ( )	2,738.	2,984.	3,432.	4,461.
	42"	15"	20"	<b>ROCGHCSHP421</b> ( ) ( ) ( )	3,489.	3,803.	4,372.	5,685.
	48"	15"	20"	<b>ROCGHCSHP481</b> ( ) ( ) ( )	3,585.	3,908.	4,494.	5,842.
	54"	15"	20"	<b>ROCGHCSHP541</b> ( ) ( ) ( )	3,834.	4,179.	4,805.	6,247.
	60"	15"	20"	<b>ROCGHCSHP601</b> ( ) ( ) ( )	4,253.	4,636.	5,331.	6,931.
	66"	15"	20"	<b>ROCGHCSHP661</b> ( ) ( ) ( )	4,378.	4,771.	5,487.	7,133.
	72"	15"	20"	<b>ROCGHCSHP721</b> ( ) ( ) ( )	4,484.	4,887.	5,621.	7,307.
	78"	15"	20"	<b>ROCGHCSHP781</b> ( ) ( ) ( )	4,651.	5,070.	5,830.	7,579.
	84"	15"	20"	<b>ROCGHCSHP841</b> ( ) ( ) ( )	5,723.	6,238.	7,174.	9,326.
90"	15"	20"	<b>ROCGHCSHP901</b> ( ) ( ) ( )	5,790.	6,311.	7,257.	9,434.	
96"	15"	20"	<b>ROCGHCSHP961</b> ( ) ( ) ( )	5,914.	6,447.	7,414.	9,638.	
Cabinet-hung overhead cabinet glass hinge door, <i>cubby concealed</i> 	30"	15"	20"	<b>ROCGHCSHP301</b> ( ) ( ) ( )	2,833.	3,343.	3,844.	4,997.
	36"	15"	20"	<b>ROCGHCSHP361</b> ( ) ( ) ( )	2,971.	3,505.	4,031.	5,240.
	42"	15"	20"	<b>ROCGHCSHP421</b> ( ) ( ) ( )	3,805.	4,490.	5,164.	6,713.
	48"	15"	20"	<b>ROCGHCSHP481</b> ( ) ( ) ( )	3,928.	4,635.	5,330.	6,930.
	54"	15"	20"	<b>ROCGHCSHP541</b> ( ) ( ) ( )	4,179.	4,931.	5,671.	7,372.
	60"	15"	20"	<b>ROCGHCSHP601</b> ( ) ( ) ( )	4,484.	5,291.	6,085.	7,910.
	66"	15"	20"	<b>ROCGHCSHP661</b> ( ) ( ) ( )	4,606.	5,435.	6,250.	8,125.
	72"	15"	20"	<b>ROCGHCSHP721</b> ( ) ( ) ( )	4,737.	5,590.	6,428.	8,356.
	78"	15"	20"	<b>ROCGHCSHP781</b> ( ) ( ) ( )	4,959.	5,852.	6,729.	8,748.
	84"	15"	20"	<b>ROCGHCSHP841</b> ( ) ( ) ( )	5,906.	6,969.	8,015.	10,419.
90"	15"	20"	<b>ROCGHCSHP901</b> ( ) ( ) ( )	6,039.	7,126.	8,195.	10,653.	
96"	15"	20"	<b>ROCGHCSHP961</b> ( ) ( ) ( )	6,135.	7,239.	8,325.	10,823.	

Order Code	Specification Information	Application Notes
Example: <b>ROCGHCSHP301</b> ( ) ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. Case Finish type: L = Laminate	Letter depth is 15" nominal.
<b>O</b> Overhead	1 = V1	Fascias ordered separately
<b>C</b> Cabinet mount	2 = V2	Tasklights not included
<b>GHC</b> Glas hinge door/ cubby	3 = V3	Tack/Task panel order separately
<b>SH</b> Single High	2. Case finish: Laminate, V1, V2, V3	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>P</b> Planning	3. Door frame finish: Anodized or Painted	No pull option for glass doors. Doors project below shelf for opening.
<b>30</b> Width	4. Glass door finish: GL11, GL14, GL15, GL18	Installation instruction sheets available on line.
<b>1</b> Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
<b>2</b> Case finish type		
<b>V316</b> Case finish		
<b>AU</b> Door frame finish		
<b>GL11</b> Door glass finish		

dimensions noted nominal

Overhead, 28<sup>3</sup>/<sub>8</sub>" planning  
 Single high  
 Cabinet hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	20"	<b>ROCHOCSHP601</b> ( ) ( ) ( ) ( ) ( ) ( )	\$2,539.	\$2,793.	\$2,920.	\$3,047.	\$3,682.	\$4,234.	\$5,504.
hinge door / open /	66"	15"	20"	<b>ROCHOCSHP661</b> ( ) ( ) ( ) ( ) ( ) ( )	2,575.	2,834.	2,962.	3,091.	3,735.	4,295.	5,583.
cubby exposed	72"	15"	20"	<b>ROCHOCSHP721</b> ( ) ( ) ( ) ( ) ( ) ( )	2,617.	2,879.	3,010.	3,140.	3,795.	4,364.	5,673.
	78"	15"	20"	<b>ROCHOCSHP781</b> ( ) ( ) ( ) ( ) ( ) ( )	2,669.	2,936.	3,069.	3,202.	3,870.	4,451.	5,786.
	84"	15"	20"	<b>ROCHOCSHP841</b> ( ) ( ) ( ) ( ) ( ) ( )	3,105.	3,417.	3,572.	3,727.	4,503.	5,179.	6,733.
	90"	15"	20"	<b>ROCHOCSHP901</b> ( ) ( ) ( ) ( ) ( ) ( )	3,153.	3,468.	3,626.	3,783.	4,571.	5,257.	6,834.
	96"	15"	20"	<b>ROCHOCSHP961</b> ( ) ( ) ( ) ( ) ( ) ( )	3,191.	3,510.	3,670.	3,830.	4,627.	5,321.	6,917.




Order Code	Specification Information	Application Notes
Example: <b>ROCHOCSHP601</b> ( ) ( ) ( ) ( ) ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. <i>Case finish type:</i> L = Laminate	Letter depth is 15" nominal.
<b>O</b> Overhead	1 = V1	Fascias ordered separately
<b>C</b> Cabinet mount	2 = V2	Tasklights not included
<b>HOC</b> Hinge door / Open / Cubby	3 = V3	Tack/Task panel order separately
<b>SH</b> Single High	2. <i>Front finish type:</i> L = Laminate	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>P</b> Planning	1 = V1	Doors project below shelf for opening
<b>60</b> Width	2 = V2	Installation instruction sheets available on line.
<b>1</b> Depth (letter)	3 = V3	For Cabinet hung overheads, refer to part number 6TP00080.
<b>2</b> Case finish type	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull	
<b>2</b> Front finish type	C = nickel finish C-pull (nickel finish only)	
<b>T</b> Tab pull option	D = metal D-pull (PZ or PT)	
<b>L</b> Lock option	F = Bar	
<b>B</b> Lock finish	H = Outline	
<b>V316</b> Case finish	R = Cylinder	
<b>V316</b> Front finish	S = S-pull (stainless steel finish only)	
	T = Tab	
	4. <i>Lock option:</i> N=no drilling, L=locking (wood or laminate doors only)	
	5. <i>Lock finish:</i> B=Black, S=Matte silver	
	6. <i>Case finish:</i> Wood or Laminate	
	7. <i>Front finish:</i> Wood or Laminate	
	8. <i>Pull finish:</i> Painted or Plated	

dimensions noted nominal

Overhead, 28<sup>3</sup>/<sub>8</sub>" planning  
 Single high  
 Cabinet hung with glass doors, open

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	20"	ROCGHOCSH601( ) ( ) ( )	\$3,118.	\$3,898.	\$4,482.	\$5,827.
	66"	15"	20"	ROCGHOCSH661( ) ( ) ( )	3,190.	3,987.	4,586.	5,962.
	72"	15"	20"	ROCGHOCSH721( ) ( ) ( )	3,256.	4,070.	4,680.	6,084.
	78"	15"	20"	ROCGHOCSH781( ) ( ) ( )	3,331.	4,164.	4,788.	6,225.
	84"	15"	20"	ROCGHOCSH841( ) ( ) ( )	4,089.	4,907.	5,642.	7,336.
	90"	15"	20"	ROCGHOCSH901( ) ( ) ( )	4,138.	4,965.	5,710.	7,423.
	96"	15"	20"	ROCGHOCSH961( ) ( ) ( )	4,222.	5,067.	5,827.	7,575.



Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	20"	ROCGHOSH601( ) ( ) ( )	3,767.	4,709.	5,415.	7,039.
	66"	15"	20"	ROCGHOSH661( ) ( ) ( )	3,845.	4,806.	5,527.	7,185.
	72"	15"	20"	ROCGHOSH721( ) ( ) ( )	3,942.	4,927.	5,666.	7,366.
	78"	15"	20"	ROCGHOSH781( ) ( ) ( )	4,037.	5,046.	5,803.	7,543.
	84"	15"	20"	ROCGHOSH841( ) ( ) ( )	4,746.	5,933.	6,823.	8,870.
	90"	15"	20"	ROCGHOSH901( ) ( ) ( )	4,847.	6,059.	6,968.	9,058.
	96"	15"	20"	ROCGHOSH961( ) ( ) ( )	4,924.	6,155.	7,078.	9,202.

Order Code	Specification Information	Application Notes
Example: <b>ROCGHOCSH601</b> ( ) ( ) ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
<b>O</b> Overhead		Fascias ordered separately
<b>C</b> Cabinet mount		Tasklights not included
<b>GHOC</b> Glass hinge door / Open / Cubby	2. Case finish: Laminate, V1, V2, V3	Tack/Task panel order separately
<b>SH</b> Single High	3. Door Frame finish: Painted or Anodized	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>P</b> Planning	4. Door Glass finish: GL11, GL14, GL15, GL18	No pull option on glass doors.
<b>60</b> Width		Doors project below shelf for opening
<b>1</b> Depth (letter)		Installation instruction sheets available on line.
<b>2</b> Case finish type; V2		
<b>V316</b> Case finish		
<b>AA</b> Door frame finish		
<b>GL11</b> Back painted glass door		

dimensions noted nominal


For Cabinet hung overheads, refer to part number 6TP00080.


# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

Reff Profiles

## Double high

## Wall hung

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
 Wall-hung overhead cabinet hinge door, cubby concealed	30"	15"	33"	<b>ROMHDHP301</b> (X)(X)(X)(X)(X)	\$2,197.	\$2,416.	\$2,527.	\$2,637.	\$3,076.	\$3,537.	\$4,598.
	36"	15"	33"	<b>ROMHDHP361</b> (X)(X)(X)(X)(X)	2,271.	2,499.	2,612.	2,725.	3,180.	3,657.	4,753.
	42"	15"	33"	<b>ROMHDHP421</b> (X)(X)(X)(X)(X)	3,043.	3,346.	3,499.	3,651.	4,260.	4,899.	6,368.
	48"	15"	33"	<b>ROMHDHP481</b> (X)(X)(X)(X)(X)	3,131.	3,443.	3,600.	3,756.	4,383.	5,041.	6,553.
	54"	15"	33"	<b>ROMHDHP541</b> (X)(X)(X)(X)(X)	3,321.	3,653.	3,819.	3,985.	4,649.	5,347.	6,951.
	60"	15"	33"	<b>ROMHDHP601</b> (X)(X)(X)(X)(X)	3,657.	4,022.	4,204.	4,387.	5,118.	5,886.	7,652.
	66"	15"	33"	<b>ROMHDHP661</b> (X)(X)(X)(X)(X)	3,772.	4,149.	4,338.	4,527.	5,281.	6,073.	7,895.
	72"	15"	33"	<b>ROMHDHP721</b> (X)(X)(X)(X)(X)	3,849.	4,234.	4,427.	4,620.	5,389.	6,198.	8,057.
	78"	15"	33"	<b>ROMHDHP781</b> (X)(X)(X)(X)(X)	3,977.	4,374.	4,573.	4,772.	5,567.	6,401.	8,322.
	84"	15"	33"	<b>ROMHDHP841</b> (X)(X)(X)(X)(X)	5,024.	5,527.	5,778.	6,030.	7,034.	8,090.	10,516.
	90"	15"	33"	<b>ROMHDHP901</b> (X)(X)(X)(X)(X)	5,114.	5,626.	5,881.	6,137.	7,160.	8,234.	10,704.
96"	15"	33"	<b>ROMHDHP961</b> (X)(X)(X)(X)(X)	5,181.	5,699.	5,959.	6,217.	7,253.	8,342.	10,844.	


 Wall-hung overhead cabinet hinge door, cubby exposed	30"	15"	33"	<b>ROMHCDHP301</b> (X)(X)(X)(X)(X)	2,103.	2,313.	2,418.	3,554.	2,944.	3,386.	4,401.
	36"	15"	33"	<b>ROMHCDHP361</b> (X)(X)(X)(X)(X)	2,173.	2,391.	2,499.	2,608.	3,043.	3,499.	4,548.
	42"	15"	33"	<b>ROMHCDHP421</b> (X)(X)(X)(X)(X)	2,952.	3,248.	3,395.	3,543.	4,133.	4,753.	6,179.
	48"	15"	33"	<b>ROMHCDHP481</b> (X)(X)(X)(X)(X)	3,063.	3,370.	3,523.	3,676.	4,289.	4,932.	6,412.
	54"	15"	33"	<b>ROMHCDHP541</b> (X)(X)(X)(X)(X)	3,150.	3,465.	3,623.	3,780.	4,409.	5,071.	6,592.
	60"	15"	33"	<b>ROMHCDHP601</b> (X)(X)(X)(X)(X)	3,458.	3,803.	3,976.	4,149.	4,840.	5,566.	7,237.
	66"	15"	33"	<b>ROMHCDHP661</b> (X)(X)(X)(X)(X)	3,569.	3,926.	4,105.	4,283.	4,997.	5,746.	7,471.
	72"	15"	33"	<b>ROMHCDHP721</b> (X)(X)(X)(X)(X)	3,643.	4,008.	4,189.	4,371.	5,101.	5,865.	7,625.
	78"	15"	33"	<b>ROMHCDHP781</b> (X)(X)(X)(X)(X)	3,722.	4,095.	4,281.	4,467.	5,212.	5,994.	7,792.
	84"	15"	33"	<b>ROMHCDHP841</b> (X)(X)(X)(X)(X)	4,729.	5,202.	5,438.	5,675.	6,621.	7,614.	9,897.
	90"	15"	33"	<b>ROMHCDHP901</b> (X)(X)(X)(X)(X)	4,816.	5,298.	5,539.	5,780.	6,743.	7,755.	10,082.
96"	15"	33"	<b>ROMHCDHP961</b> (X)(X)(X)(X)(X)	4,881.	5,369.	5,612.	5,857.	6,833.	7,858.	10,216.	

Order Code	Specification Information	Application Notes
Example: <b>ROMHDHP30</b> <b>(X)(X)(X)(X)(X)</b> <b>R</b> Reff <b>O</b> Overhead <b>M</b> Wall mount <b>H</b> Hinge door <b>DH</b> Double High <b>P</b> Planning <b>30</b> Width <b>1</b> Depth (letter) <b>2</b> Case finish type <b>2</b> Front finish type <b>H</b> Pull option <b>L</b> Lock option <b>B</b> Lock finish <b>PU</b> Pull finish	<i>To order please specify:</i> 1. <i>Case Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Front Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab 4. <i>Lock option:</i> N=no drilling, L=locking (wood or laminate doors only) 5. Lock finish: B=Black, S=Matte silver 6. <i>Case finish:</i> 7. <i>Front finish:</i> 8. <i>Pull finish:</i> Painted or Plated	These products are Glue and Dowel Construction Letter depth is 15" nominal. Fascias ordered separately Tasklights not included Tack/Task panel order separately Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 535.


dimensions noted nominal

Overhead, 28<sup>3</sup>/<sub>8</sub>" planning  
 Double high  
 Wall hung with glass door

description	w	d	h	pattern n	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, cubby exposed	30"	15"	33"	ROMGHCDHP301(X)(X)(X)	\$3,158.	\$3,473.	\$3,994.	\$5,193.
	36"	15"	33"	ROMGHCDHP361(X)(X)(X)	3,328.	3,661.	4,210.	5,472.
	42"	15"	33"	ROMGHCDHP421(X)(X)(X)	4,372.	4,809.	5,530.	7,189.
	48"	15"	33"	ROMGHCDHP481(X)(X)(X)	4,529.	4,981.	5,729.	7,447.
	54"	15"	33"	ROMGHCDHP541(X)(X)(X)	4,842.	5,326.	6,125.	7,963.
	60"	15"	33"	ROMGHCDHP601(X)(X)(X)	5,408.	5,948.	6,840.	8,893.
	66"	15"	33"	ROMGHCDHP661(X)(X)(X)	5,639.	6,204.	7,134.	9,274.
	72"	15"	33"	ROMGHCDHP721(X)(X)(X)	5,794.	6,373.	7,328.	9,526.
	78"	15"	33"	ROMGHCDHP781(X)(X)(X)	6,034.	6,637.	7,633.	9,923.
	84"	15"	33"	ROMGHCDHP841(X)(X)(X)	7,488.	8,237.	9,473.	12,315.
	90"	15"	33"	ROMGHCDHP901(X)(X)(X)	7,608.	8,369.	9,623.	12,510.
	96"	15"	33"	ROMGHCDHP961(X)(X)(X)	7,778.	8,556.	9,839.	12,791.



Wall-hung overhead cabinet glass hinge door, cubby concealed	30"	15"	33"	ROMGHDHP301(X)(X)(X)	3,452.	4,073.	4,684.	6,089.
	36"	15"	33"	ROMGHDHP361(X)(X)(X)	3,649.	4,306.	4,953.	6,438.
	42"	15"	33"	ROMGHDHP421(X)(X)(X)	4,799.	5,662.	6,512.	8,465.
	48"	15"	33"	ROMGHDHP481(X)(X)(X)	4,976.	5,872.	6,752.	8,778.
	54"	15"	33"	ROMGHDHP541(X)(X)(X)	5,312.	6,268.	7,208.	9,371.
	60"	15"	33"	ROMGHDHP601(X)(X)(X)	5,778.	6,818.	7,841.	10,193.
	66"	15"	33"	ROMGHDHP661(X)(X)(X)	5,967.	7,041.	8,097.	10,526.
	72"	15"	33"	ROMGHDHP721(X)(X)(X)	6,152.	7,259.	8,348.	10,852.
	78"	15"	33"	ROMGHDHP781(X)(X)(X)	6,466.	7,630.	8,774.	11,407.
	84"	15"	33"	ROMGHDHP841(X)(X)(X)	7,754.	9,149.	10,522.	13,687.
	90"	15"	33"	ROMGHDHP901(X)(X)(X)	7,942.	9,371.	10,777.	14,010.
	96"	15"	33"	ROMGHDHP961(X)(X)(X)	8,095.	9,552.	10,985.	14,281.




Order Code	Specification Information	Application Notes
Example: <b>ROMGHCDHP301</b> <b>(X)(X)(X)</b>	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. <i>Case finish type:</i> L = Laminate	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
<b>O</b> Overhead	1 = V1	A certified building contractor should be consulted.
<b>M</b> Wall mount	2 = V2	Please refer to wall mounting information on page 535.
<b>GHC</b> Glass hinge door / cubby	3 = V3	
<b>DH</b> Double High	2. <i>Case finish:</i> Laminate or Wood	
<b>P</b> Planning	3. <i>Door frame finish:</i> Anodized / Painted	
<b>30</b> Width	4. <i>Door glass finish:</i> GL11	
<b>1</b> Depth (letter)	GL14	
<b>2</b> Case finish type	GL15	
<b>V316</b> Case finish	GL18	
<b>AN</b> Door frame finish		Tasklights not included
<b>GL11</b> Door glass finish		Tack/Task panel order separately
		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
		No pull option for glass doors. Doors project below shelf for opening.


dimensions noted nominal

# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

## Double high

### Wall hung with and without center gable

description	w	h	d	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby <b>with</b> center gable 	30"	33"	15"		1	<b>ROMCGDHP301</b> ( ) ( )	\$1,830.	\$2,562.	\$2,946.	\$3,831.
	36"	33"	15"		1	<b>ROMCGDHP361</b> ( ) ( )	1,879.	2,630.	3,024.	3,932.
	42"	33"	15"		2	<b>ROMCGDHP421</b> ( ) ( )	2,309.	3,233.	3,718.	4,834.
	48"	33"	15"		2	<b>ROMCGDHP481</b> ( ) ( )	2,369.	3,316.	3,813.	4,957.
	54"	33"	15"		2	<b>ROMCGDHP541</b> ( ) ( )	2,629.	3,680.	4,232.	5,502.
	60"	33"	15"		3	<b>ROMCGDHP601</b> ( ) ( )	3,122.	4,371.	5,027.	6,535.
	66"	33"	15"		3	<b>ROMCGDHP661</b> ( ) ( )	3,217.	4,504.	5,180.	6,733.
	72"	33"	15"		3	<b>ROMCGDHP721</b> ( ) ( )	3,266.	4,573.	5,259.	6,837.
	78"	33"	15"		3	<b>ROMCGDHP781</b> ( ) ( )	3,380.	4,732.	5,443.	7,075.
	84"	33"	15"		5	<b>ROMCGDHP841</b> ( ) ( )	4,259.	5,963.	6,857.	8,914.
90"	33"	15"		5	<b>ROMCGDHP901</b> ( ) ( )	4,312.	6,036.	6,941.	9,024.	
96"	33"	15"		5	<b>ROMCGDHP961</b> ( ) ( )	4,358.	6,101.	7,016.	9,121.	

Wall-hung overhead cabinet open /cubby <b>without</b> center gable 	30"	33"	15"			<b>ROMOCDHP301</b> ( ) ( )	1,647.	2,305.	2,651.	3,447.
	36"	33"	15"			<b>ROMOCDHP361</b> ( ) ( )	1,691.	2,367.	2,721.	3,538.
	42"	33"	15"		1	<b>ROMOCDHP421</b> ( ) ( )	2,079.	2,910.	3,346.	4,351.
	48"	33"	15"		1	<b>ROMOCDHP481</b> ( ) ( )	2,132.	2,984.	3,432.	4,462.
	54"	33"	15"		1	<b>ROMOCDHP541</b> ( ) ( )	2,366.	3,312.	3,809.	4,952.
	60"	33"	15"		1	<b>ROMOCDHP601</b> ( ) ( )	2,810.	3,935.	4,525.	5,882.
	66"	33"	15"		1	<b>ROMOCDHP661</b> ( ) ( )	2,895.	4,054.	4,662.	6,059.
	72"	33"	15"		1	<b>ROMOCDHP721</b> ( ) ( )	2,940.	4,116.	4,733.	6,153.
	78"	33"	15"		1	<b>ROMOCDHP781</b> ( ) ( )	3,043.	4,259.	4,899.	6,367.
	84"	33"	15"		2	<b>ROMOCDHP841</b> ( ) ( )	3,834.	5,366.	6,171.	8,023.
	90"	33"	15"		2	<b>ROMOCDHP901</b> ( ) ( )	3,880.	5,432.	6,247.	8,122.
	96"	33"	15"		2	<b>ROMOCDHP961</b> ( ) ( )	3,922.	5,491.	6,315.	8,209.


Without center gable

Order Code	Specification Information	Application Notes
Example: <b>ROMCGDHP301</b> ( ) ( ) ( ) ( ) ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. <i>Case finish type:</i>	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
<b>O</b> Overhead	L = Laminate	A certified building contractor should be consulted.
<b>M</b> Wall mount	1 = V1	Please refer to wall mounting information on page 535.
<b>CG</b> Center Gable	2 = V2	Cubby Dividers: 3"h x 12"d
<b>DH</b> Double High	3 = V3	Interior Gable: 30"h x 13"d.
<b>P</b> Planning	2. <i>Case finish:</i>	Fascias ordered separately
<b>30</b> Width	Wood or Laminate	Tasklights not included
<b>1</b> Depth (letter)		Tack/Task panel order separately
<b>2</b> Case finish type		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>V316</b> Case finish		

dimensions noted nominal

Overhead, 28<sup>3</sup>/<sub>8</sub>" planning  
*Double high*  
*Wall hung with doors, open*

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	
Wall Hung overhead cabinet	60"	15"	33"	ROMHOC DHP601	( ) ( ) ( ) ( ) ( ) ( )	\$3,269.	\$3,597.	\$3,760.	\$3,923.	\$4,740.	\$5,452.	\$7,087.
hinge door / open /	66"	15"	33"	ROMHOC DHP661	( ) ( ) ( ) ( ) ( ) ( )	3,324.	3,657.	3,822.	3,988.	4,819.	5,542.	7,205.
cubby exposed	72"	15"	33"	ROMHOC DHP721	( ) ( ) ( ) ( ) ( ) ( )	3,387.	3,726.	3,894.	4,064.	4,911.	5,647.	7,342.
	78"	15"	33"	ROMHOC DHP781	( ) ( ) ( ) ( ) ( ) ( )	3,453.	3,798.	3,971.	4,144.	5,007.	5,758.	7,485.
	84"	15"	33"	ROMHOC DHP841	( ) ( ) ( ) ( ) ( ) ( )	3,977.	4,374.	4,573.	4,772.	5,766.	6,631.	8,621.
	90"	15"	33"	ROMHOC DHP901	( ) ( ) ( ) ( ) ( ) ( )	4,044.	4,448.	4,650.	4,852.	5,863.	6,742.	8,765.
	96"	15"	33"	ROMHOC DHP961	( ) ( ) ( ) ( ) ( ) ( )	4,102.	4,512.	4,717.	4,923.	5,948.	6,841.	8,893.




Order Code	Specification Information	Application Notes
Example: <b>ROMHOC DHP601</b> ( ) ( ) ( ) ( ) ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. <i>Case Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
<b>O</b> Overhead	2. <i>Front Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
<b>M</b> Wall mount	3. <i>Pull option:</i> B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Doors project below shelf for opening
<b>HOC</b> Hinge door / open / cubby	4. <i>Lock Option:</i> N=no drilling, L=locking (wood or laminate doors only)	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 535.
<b>DH</b> Double High	5. <i>Lock finish:</i> B=Black, S=Matte silver	
<b>P</b> Planning	6. <i>Case Finish</i>	
<b>60</b> Width	7. <i>Front Finish</i>	
<b>1</b> Depth (letter)	8. <i>Pull finish:</i> Painted or Plated	
<b>2</b> Case finish type		
<b>2</b> Front finish type		
<b>L</b> Lock option		
<b>B</b> Lock finish		
<b>V316</b> Case finish		
<b>V316</b> Front finish		

dimensions noted nominal

Overhead, 28<sup>3</sup>/<sub>8</sub>" planning  
 Double high  
 Wall hung with glass doors, open

description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	33"	<b>ROMGHODHP601</b> ( ) ( ) ( )	\$4,883.	\$6,104.	\$7,019.	\$9,125.
	66"	15"	33"	<b>ROMGHODHP661</b> ( ) ( ) ( )	5,015.	6,269.	7,210.	9,373.
	72"	15"	33"	<b>ROMGHODHP721</b> ( ) ( ) ( )	5,138.	6,422.	7,386.	9,601.
	78"	15"	33"	<b>ROMGHODHP781</b> ( ) ( ) ( )	5,296.	6,619.	7,612.	9,896.
	84"	15"	33"	<b>ROMGHODHP841</b> ( ) ( ) ( )	6,202.	7,753.	8,916.	11,590.
	90"	15"	33"	<b>ROMGHODHP901</b> ( ) ( ) ( )	6,337.	7,922.	9,110.	11,843.
	96"	15"	33"	<b>ROMGHODHP961</b> ( ) ( ) ( )	6,462.	8,078.	9,289.	12,076.
Wall Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	33"	<b>ROMGHODHP601</b> ( ) ( ) ( )	4,156.	5,194.	5,974.	7,766.
	66"	15"	33"	<b>ROMGHODHP661</b> ( ) ( ) ( )	4,264.	5,331.	6,131.	7,969.
	72"	15"	33"	<b>ROMGHODHP721</b> ( ) ( ) ( )	4,363.	5,454.	6,272.	8,152.
	78"	15"	33"	<b>ROMGHODHP781</b> ( ) ( ) ( )	4,495.	5,595.	6,434.	8,365.
	84"	15"	33"	<b>ROMGHODHP841</b> ( ) ( ) ( )	5,397.	6,638.	7,634.	9,924.
	90"	15"	33"	<b>ROMGHODHP901</b> ( ) ( ) ( )	5,481.	6,741.	7,753.	10,079.
	96"	15"	33"	<b>ROMGHODHP961</b> ( ) ( ) ( )	5,602.	6,891.	7,924.	10,301.



Order Code	Specification Information	Application Notes
Example: <b>ROMGHODHP601</b> ( ) ( ) ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. Case Finish type: L = Laminate	Letter depth is 15" nominal.
<b>O</b> Overhead	1 = V1	Fascias ordered separately
<b>M</b> Wall mount	2 = V2	Tasklights not included
<b>GHOC</b> Glass hinge door / open / cubby	3 = V3	Tack/Task panel order separately
<b>DH</b> Double High	2. Case finish: Laminate or Wood	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>P</b> Planning	3. Door Frame finish: Anodized or Painted	Doors project below shelf for opening
<b>60</b> Width	4. Door Glass finish: GL11, GL14, GL15, GL18	No pull option on glass doors.
<b>1</b> Depth (letter)		


dimensions noted nominal




# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning

Reff Profiles

## Double high Cabinet hung



description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
 Cabinet-hung overhead cabinet hinge door, cubby concealed	30"	15"	33"	<b>ROCHDHP301</b> ( ) ( ) ( ) ( ) ( ) ( )	\$2,270.	\$2,498.	\$2,611.	\$2,724.	\$3,179.	\$3,655.	\$4,751.
	36"	15"	33"	<b>ROCHDHP361</b> ( ) ( ) ( ) ( ) ( ) ( )	2,342.	2,577.	2,693.	2,811.	3,280.	3,772.	4,903.
	42"	15"	33"	<b>ROCHDHP421</b> ( ) ( ) ( ) ( ) ( ) ( )	3,113.	3,424.	3,579.	3,736.	4,358.	5,012.	6,515.
	48"	15"	33"	<b>ROCHDHP481</b> ( ) ( ) ( ) ( ) ( ) ( )	3,186.	3,505.	3,664.	3,823.	4,461.	5,129.	6,668.
	54"	15"	33"	<b>ROCHDHP541</b> ( ) ( ) ( ) ( ) ( ) ( )	3,374.	3,712.	3,881.	4,049.	4,725.	5,433.	7,063.
	60"	15"	33"	<b>ROCHDHP601</b> ( ) ( ) ( ) ( ) ( ) ( )	3,708.	4,079.	4,264.	4,450.	5,192.	5,971.	7,762.
	66"	15"	33"	<b>ROCHDHP661</b> ( ) ( ) ( ) ( ) ( ) ( )	3,822.	4,204.	4,396.	4,587.	5,351.	6,154.	8,000.
	72"	15"	33"	<b>ROCHDHP721</b> ( ) ( ) ( ) ( ) ( ) ( )	3,901.	4,290.	4,486.	4,680.	5,460.	6,280.	8,164.
	78"	15"	33"	<b>ROCHDHP781</b> ( ) ( ) ( ) ( ) ( ) ( )	4,011.	4,411.	4,612.	4,813.	5,616.	6,457.	8,395.
	84"	15"	33"	<b>ROCHDHP841</b> ( ) ( ) ( ) ( ) ( ) ( )	5,057.	5,563.	5,815.	6,069.	7,079.	8,141.	10,584.
	90"	15"	33"	<b>ROCHDHP901</b> ( ) ( ) ( ) ( ) ( ) ( )	5,145.	5,659.	5,916.	6,174.	7,203.	8,282.	10,768.
96"	15"	33"	<b>ROCHDHP961</b> ( ) ( ) ( ) ( ) ( ) ( )	5,211.	5,731.	5,992.	6,252.	7,294.	8,388.	10,906.	

 Cabinet-hung overhead cabinet hinge door, cubby exposed	30"	15"	33"	<b>ROCHCDHP301</b> ( ) ( ) ( ) ( ) ( ) ( )	2,175.	2,393.	2,501.	2,610.	3,045.	3,502.	4,552.
	36"	15"	33"	<b>ROCHCDHP361</b> ( ) ( ) ( ) ( ) ( ) ( )	2,243.	2,468.	2,579.	2,691.	3,140.	3,611.	4,695.
	42"	15"	33"	<b>ROCHCDHP421</b> ( ) ( ) ( ) ( ) ( ) ( )	3,044.	3,349.	3,500.	3,652.	4,261.	4,901.	6,371.
	48"	15"	33"	<b>ROCHCDHP481</b> ( ) ( ) ( ) ( ) ( ) ( )	3,117.	3,429.	3,584.	3,741.	4,364.	5,019.	6,524.
	54"	15"	33"	<b>ROCHCDHP541</b> ( ) ( ) ( ) ( ) ( ) ( )	3,201.	3,522.	3,681.	3,842.	4,483.	5,154.	6,701.
	60"	15"	33"	<b>ROCHCDHP601</b> ( ) ( ) ( ) ( ) ( ) ( )	3,507.	3,857.	4,033.	4,209.	4,910.	5,646.	7,340.
	66"	15"	33"	<b>ROCHCDHP661</b> ( ) ( ) ( ) ( ) ( ) ( )	3,616.	3,979.	4,159.	4,340.	5,063.	5,823.	7,569.
	72"	15"	33"	<b>ROCHCDHP721</b> ( ) ( ) ( ) ( ) ( ) ( )	3,692.	4,060.	4,245.	4,429.	5,168.	5,943.	7,725.
	78"	15"	33"	<b>ROCHCDHP781</b> ( ) ( ) ( ) ( ) ( ) ( )	3,754.	4,129.	4,318.	4,505.	5,256.	6,044.	7,858.
	84"	15"	33"	<b>ROCHCDHP841</b> ( ) ( ) ( ) ( ) ( ) ( )	4,758.	5,233.	5,471.	5,709.	6,660.	7,659.	9,957.
	90"	15"	33"	<b>ROCHCDHP901</b> ( ) ( ) ( ) ( ) ( ) ( )	4,843.	5,327.	5,569.	5,811.	6,780.	7,797.	10,136.
96"	15"	33"	<b>ROCHCDHP961</b> ( ) ( ) ( ) ( ) ( ) ( )	4,906.	5,396.	5,641.	5,887.	6,868.	7,898.	10,268.	

Order Code	Specification Information	Application Notes
Example: <b>ROCH-DHP301</b> ( ) ( ) ( ) ( ) ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
<b>O</b> Overhead	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
<b>C</b> Cabinet Hung	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside. Installation instruction sheets available on line. For Cabinet hung overheads, refer to part number 6TP00080.
<b>H</b> Hinge door	4. Lock option: N=no drilling, L=locking (wood or laminate doors only)	
<b>DH</b> Double High	5. Lock finish: B=Black, S=Matte silver	
<b>P</b> Planning	6. Case finish: Wood or Laminate	
<b>30</b> Width	7. Front finish: Wood or Laminate	
<b>1</b> Depth (letter)	8. Pull finish: Painted or Plated	
<b>2</b> Case finish type		
<b>2</b> Front finish type		
<b>H</b> Pull option		
<b>L</b> Lock option		
<b>B</b> Lock finish		
<b>V316</b> Case finish		
<b>V316</b> Front finish		
<b>PN</b> Pull finish		

dimensions noted nominal

Overhead, 28<sup>3</sup>/<sub>8</sub>" planning  
 Double high  
 Cabinet hung with glass door

description	w	d	h	pattern n	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, cubby exposed 	30"	15"	33"	<b>ROCGHCDHP301</b> ( ) ( ) ( )	\$3,201.	\$3,489.	\$4,012.	\$5,216.
	36"	15"	33"	<b>ROCGHCDHP361</b> ( ) ( ) ( )	3,370.	3,673.	4,224.	5,492.
	42"	15"	33"	<b>ROCGHCDHP421</b> ( ) ( ) ( )	4,422.	4,820.	5,543.	7,206.
	48"	15"	33"	<b>ROCGHCDHP481</b> ( ) ( ) ( )	4,562.	4,972.	5,718.	7,432.
	54"	15"	33"	<b>ROCGHCDHP541</b> ( ) ( ) ( )	4,875.	5,314.	6,111.	7,944.
	60"	15"	33"	<b>ROCGHCDHP601</b> ( ) ( ) ( )	5,235.	5,707.	6,563.	8,533.
	66"	15"	33"	<b>ROCGHCDHP661</b> ( ) ( ) ( )	5,459.	5,950.	6,843.	8,896.
	72"	15"	33"	<b>ROCGHCDHP721</b> ( ) ( ) ( )	5,635.	6,143.	7,064.	9,183.
	78"	15"	33"	<b>ROCGHCDHP781</b> ( ) ( ) ( )	5,860.	6,387.	7,345.	9,548.
	84"	15"	33"	<b>ROCGHCDHP841</b> ( ) ( ) ( )	7,132.	7,773.	8,939.	11,621.
90"	15"	33"	<b>ROCGHCDHP901</b> ( ) ( ) ( )	7,249.	7,902.	9,088.	11,813.	
96"	15"	33"	<b>ROCGHCDHP961</b> ( ) ( ) ( )	7,419.	8,087.	9,299.	12,089.	
Cabinet-hung overhead cabinet glass hinge door, cubby concealed 	30"	15"	33"	<b>ROCGHDHP301</b> ( ) ( ) ( )	3,437.	4,056.	4,664.	6,063.
	36"	15"	33"	<b>ROCGHDHP421</b> ( ) ( ) ( )	3,632.	4,285.	4,928.	6,406.
	42"	15"	33"	<b>ROCGHDHP361</b> ( ) ( ) ( )	4,779.	5,640.	6,486.	8,431.
	48"	15"	33"	<b>ROCGHDHP481</b> ( ) ( ) ( )	4,952.	5,843.	6,719.	8,734.
	54"	15"	33"	<b>ROCGHDHP541</b> ( ) ( ) ( )	5,270.	6,219.	7,152.	9,297.
	60"	15"	33"	<b>ROCGHDHP601</b> ( ) ( ) ( )	5,719.	6,749.	7,761.	10,089.
	66"	15"	33"	<b>ROCGHDHP661</b> ( ) ( ) ( )	5,899.	6,960.	8,004.	10,406.
	72"	15"	33"	<b>ROCGHDHP721</b> ( ) ( ) ( )	6,104.	7,203.	8,283.	10,768.
	78"	15"	33"	<b>ROCGHDHP781</b> ( ) ( ) ( )	6,398.	7,550.	8,683.	11,288.
	84"	15"	33"	<b>ROCGHDHP841</b> ( ) ( ) ( )	7,685.	9,068.	10,428.	13,557.
90"	15"	33"	<b>ROCGHDHP901</b> ( ) ( ) ( )	7,870.	9,287.	10,680.	13,884.	
96"	15"	33"	<b>ROCGHDHP961</b> ( ) ( ) ( )	8,021.	9,464.	10,884.	14,149.	

Order Code	Specification Information	Application Notes
Example: <b>ROCGHCDHP301</b> ( ) ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. Case Finish Type: L = Laminate	Letter depth is 15" nominal.
<b>O</b> Overhead	1 = V1	No glass shelves
<b>C</b> Cabinet Hung	2 = V2	Fascias ordered separately
<b>GHC</b> Glass hinge door / cubby	3 = V3	Tasklights not included
<b>DH</b> Double High	2. Case Finish: V316	Tack/Task panel order separately
<b>P</b> Planning	3. Door frame finish: Anotized or Painted	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>30</b> Width	4. Door Glass finish: GL11, GL14, GL15, GL18	No pull option for glass doors. Doors project below shelf for opening.
<b>1</b> Depth (letter)		Installation instruction sheets available on line.
<b>2</b> Case finish type		For Cabinet hung overheads, refer to part number 6TP00080.
<b>2</b> Caese finish		
<b>AN</b> Door frame finish		
<b>GL11</b> Door glass finish		


dimensions noted nominal

# Overhead, 28<sup>3</sup>/<sub>8</sub>" planning


## Double high

### Cabinet hung with and without center gable

description	w	d	h	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby <b>with</b> center gable	30"	15"	33"	1	<b>ROCCGDHP301</b> ( ) ( )	\$1,904.	\$2,666.	\$3,065.	\$3,985.
	36"	15"	33"	1	<b>ROCCGDHP361</b> ( ) ( )	1,951.	2,731.	3,140.	4,082.
	42"	15"	33"	2	<b>ROCCGDHP421</b> ( ) ( )	2,380.	3,332.	3,833.	4,982.
	48"	15"	33"	2	<b>ROCCGDHP481</b> ( ) ( )	2,425.	3,394.	3,904.	5,075.
	54"	15"	33"	2	<b>ROCCGDHP541</b> ( ) ( )	2,683.	3,755.	4,319.	5,615.
	60"	15"	33"	3	<b>ROCCGDHP601</b> ( ) ( )	3,175.	4,445.	5,112.	6,646.
	66"	15"	33"	3	<b>ROCCGDHP661</b> ( ) ( )	3,268.	4,575.	5,261.	6,839.
	72"	15"	33"	3	<b>ROCCGDHP721</b> ( ) ( )	3,318.	4,645.	5,342.	6,944.
	78"	15"	33"	3	<b>ROCCGDHP781</b> ( ) ( )	3,415.	4,781.	5,498.	7,147.
	84"	15"	33"	5	<b>ROCCGDHP841</b> ( ) ( )	4,291.	6,008.	6,909.	8,982.
	90"	15"	33"	5	<b>ROCCGDHP901</b> ( ) ( )	4,341.	6,078.	6,991.	9,088.
96"	15"	33"	5	<b>ROCCGDHP961</b> ( ) ( )	4,388.	6,142.	7,064.	9,182.	



Cabinet-hung overhead cabinet open /cubby <b>without</b> center gable	30"	15"	33"		<b>ROCOCDHP301</b> ( ) ( )	1,714.	2,399.	2,758.	3,586.
	36"	15"	33"		<b>ROCOCDHP361</b> ( ) ( )	1,756.	2,458.	2,826.	3,674.
	42"	15"	33"	1	<b>ROCOCDHP421</b> ( ) ( )	2,142.	2,999.	3,449.	4,484.
	48"	15"	33"	1	<b>ROCOCDHP481</b> ( ) ( )	2,183.	3,055.	3,513.	4,567.
	54"	15"	33"	1	<b>ROCOCDHP541</b> ( ) ( )	2,415.	3,379.	3,887.	5,053.
	60"	15"	33"	1	<b>ROCOCDHP601</b> ( ) ( )	2,858.	4,001.	4,601.	5,981.
	66"	15"	33"	1	<b>ROCOCDHP661</b> ( ) ( )	2,942.	4,118.	4,735.	6,155.
	72"	15"	33"	1	<b>ROCOCDHP721</b> ( ) ( )	2,986.	4,181.	4,807.	6,250.
	78"	15"	33"	1	<b>ROCOCDHP781</b> ( ) ( )	3,074.	4,303.	4,948.	6,432.
	84"	15"	33"	2	<b>ROCOCDHP841</b> ( ) ( )	3,861.	5,408.	6,218.	8,083.
	90"	15"	33"	2	<b>ROCOCDHP901</b> ( ) ( )	3,908.	5,470.	6,291.	8,179.
	96"	15"	33"	2	<b>ROCOCDHP961</b> ( ) ( )	3,949.	5,528.	6,357.	8,265.




Without center gable

Order Code	Specification Information	Application Notes
Example: <b>ROCCGDHP301</b> ( ) ( )	<i>To order please specify:</i>	<p>These products are Glue and Dowel Construction</p> <p>Letter depth is 15" nominal.</p> <p>Place holder for legal depth if required.</p> <p>Fascias ordered separately</p> <p>Tasklights not included</p> <p>Tack/Task panel order separately</p> <p>Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.</p> <p>Installation instruction sheets available on line.</p> <p>For Cabinet hung overheads, refer to part number 6TP00080.</p>
<b>R</b> Reff	1. Case finish type:	
<b>O</b> Overhead	L = Laminate	
<b>C</b> Cabinet hung	1 = V1	
<b>CG</b> Center gable	2 = V2	
<b>DH</b> Double High	3 = V3	
<b>P</b> Planning	2. Case finish: Wood or Laminate	
<b>30</b> Width		
<b>1</b> Depth (letter)		
<b>2</b> Case finish type		
<b>V316</b> Case finish		

dimensions noted nominal

Overhead, 28<sup>3</sup>/<sub>8</sub>" planning  
 Double high  
 Cabinet hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	33"	<b>ROCH OCDHP601</b> ( ) ( ) ( ) ( ) ( ) ( )	\$3,260.	\$3,585.	\$3,748.	\$3,912.	\$4,727.	\$5,435.	\$7,066.
hinge door / open /	66"	15"	33"	<b>ROCH OCDHP661</b> ( ) ( ) ( ) ( ) ( ) ( )	3,312.	3,643.	3,809.	3,975.	4,803.	5,523.	7,180.
cubby exposed	72"	15"	33"	<b>ROCH OCDHP721</b> ( ) ( ) ( ) ( ) ( ) ( )	3,374.	3,711.	3,880.	4,049.	4,893.	5,627.	7,314.
	78"	15"	33"	<b>ROCH OCDHP781</b> ( ) ( ) ( ) ( ) ( ) ( )	3,426.	3,769.	3,940.	4,111.	4,968.	5,712.	7,426.
	84"	15"	33"	<b>ROCH OCDHP841</b> ( ) ( ) ( ) ( ) ( ) ( )	3,949.	4,344.	4,541.	4,739.	5,726.	5,555.	8,560.
	90"	15"	33"	<b>ROCH OCDHP901</b> ( ) ( ) ( ) ( ) ( ) ( )	4,014.	4,415.	4,615.	4,816.	5,820.	6,693.	8,700.
	96"	15"	33"	<b>ROCH OCDHP961</b> ( ) ( ) ( ) ( ) ( ) ( )	4,071.	4,477.	4,681.	4,884.	5,902.	6,788.	8,824.




Order Code	Specification Information	Application Notes
Example: <b>ROCH-OCDHP601</b> ( ) ( ) ( ) ( ) ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
<b>O</b> Overhead		Fascias ordered separately
<b>C</b> Cabinet Hung	2. Front Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included
<b>HOC</b> Hinge door / open / cubby	3. Pull option: B = Blank, no drilling, Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional) F = Bar H = Outline R = Cylinder S = S-pull (stainless steel finish only) T = Tab	Tack/Task panel order separately
<b>DH</b> Double High		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>P</b> Planning		Doors project below shelf for opening
<b>30</b> Width		Installation instruction sheets available on line.
<b>1</b> Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
<b>2</b> Case finish type		
<b>2</b> Front finish type		
<b>L</b> Lock option		
<b>B</b> Lock finish		
<b>V316</b> Case finish		
<b>V316</b> Front finish		
	4. Lock option: N=no drilling, L=locking (wood or laminate doors only)	
	5. Lock finish: B=Black, S=Matte silver	
	6. Case finish: Wood or Laminate	
	7. Front finish: Wood or Laminate	
	8. Pull finish: Painted or Plated	

dimensions noted nominal

Overhead, 28<sup>3</sup>/<sub>8</sub>" planning  
 Double high  
 Cabinet hung with glass doors, open

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet glass hinge door / open / cubby exposed	60"	15"	33"	<b>ROCGHODHP601</b> ( ) ( ) ( )	\$4,145.	\$5,181.	\$5,958.	\$7,746.
	66"	15"	33"	<b>ROCGHODHP661</b> ( ) ( ) ( )	4,251.	5,314.	6,111.	7,944.
	72"	15"	33"	<b>ROCGHODHP721</b> ( ) ( ) ( )	4,348.	5,435.	6,250.	8,126.
	78"	15"	33"	<b>ROCGHODHP781</b> ( ) ( ) ( )	4,445.	5,559.	6,390.	8,307.
	84"	15"	33"	<b>ROCGHODHP841</b> ( ) ( ) ( )	5,364.	6,598.	7,587.	9,863.
	90"	15"	33"	<b>ROCGHODHP901</b> ( ) ( ) ( )	5,446.	6,698.	7,702.	10,014.
	96"	15"	33"	<b>ROCGHODHP961</b> ( ) ( ) ( )	5,564.	6,844.	7,871.	10,232.



Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed	60"	15"	33"	<b>ROCGHODHP601</b> ( ) ( ) ( )	4,842.	6,052.	6,960.	9,048.
	66"	15"	33"	<b>ROCGHODHP661</b> ( ) ( ) ( )	4,972.	6,215.	7,147.	9,291.
	72"	15"	33"	<b>ROCGHODHP721</b> ( ) ( ) ( )	5,093.	6,366.	7,321.	9,517.
	78"	15"	33"	<b>ROCGHODHP781</b> ( ) ( ) ( )	5,232.	6,540.	7,521.	9,777.
	84"	15"	33"	<b>ROCGHODHP841</b> ( ) ( ) ( )	6,137.	7,671.	8,822.	11,469.
	90"	15"	33"	<b>ROCGHODHP901</b> ( ) ( ) ( )	6,279.	7,849.	9,026.	11,734.
	96"	15"	33"	<b>ROCGHODHP961</b> ( ) ( ) ( )	6,393.	7,991.	9,190.	11,947.

Overhead shoulder	2"	15"	68"	<b>ROSSH681</b> ( ) ( )	379.	390.	448.	605.
	2"	15"	82"	<b>ROSDH821</b> ( ) ( )	412.	427.	490.	662.




To be used with Single and Double high overheads

Order Code	Specification Information	Application Notes
Example: <b>ROCG-HOCDHP601</b> ( ) ( ) ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction
<b>R</b> Reff	1. Case Finish type: L = Laminate	Letter depth is 15" nominal.
<b>O</b> Overhead	1 = V1	Fascias ordered separately
<b>C</b> Cabinet Hung	2 = V2	Tasklights not included
<b>GHOC</b> Glass hinge door / open / cubby	3 = V3	Tack/Task panel order separately
<b>DH</b> Double High	2. Case finish: Laminate or Wood	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>P</b> Planning	3. Door Frame finish: Anodized or Painted	Doors project below shelf for opening
<b>60</b> Width	4. Door Glass finish: GL11, GL14, GL15, GL18	Installation instruction sheets available on line.
<b>1</b> Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.


dimensions noted nominal

Reuter overhead cabinet  
*Morrison panel mounted*  
*Designed by Robert Reuter*


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	<b>RO3-M24( ) ( )L</b>		\$699.	\$699.	\$733.	\$1,050.
		30"	14 1/4"	14 3/4"	<b>RO3-M30( ) ( )L</b>		782.	782.	818.	1,130.
		36"	14 1/4"	14 3/4"	<b>RO3-M36( ) ( )L</b>		901.	901.	945.	1,265.
		42"	14 1/4"	14 3/4"	<b>RO3-M42( ) ( )L</b>		1,041.	1,041.	1,091.	1,404.
		48"	14 1/4"	14 3/4"	<b>RO3-M48( ) ( )L</b>		1,158.	1,158.	1,216.	1,538.



Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-M60( ) ( )L</b>		1,469.	1,469.	1,539.	2,115.
		66"	14 1/4"	14 3/4"	<b>RO3-M66( ) ( )L</b>		1,598.	1,598.	1,681.	2,266.
		72"	14 1/4"	14 3/4"	<b>RO3-M72( ) ( )L</b>		1,711.	1,711.	1,796.	2,390.



Enclosed cabinet, no lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	<b>RO3-M24( ) ( )N</b>		632.	632.	663.	
		30"	14 1/4"	14 3/4"	<b>RO3-M30( ) ( )N</b>		715.	715.	751.	
		36"	14 1/4"	14 3/4"	<b>RO3-M36( ) ( )N</b>		835.	835.	874.	
		42"	14 1/4"	14 3/4"	<b>RO3-M42( ) ( )N</b>		973.	973.	1,021.	
		48"	14 1/4"	14 3/4"	<b>RO3-M48( ) ( )N</b>		1,090.	1,090.	1,145.	



**Order Code**

Example: <b>RO3-M48-612-M-L</b>	
<b>RO3</b>	Reuter overhead cabinet
<b>M</b>	Morrison panel mounted
<b>48</b>	Width
<b>612</b>	Case finish
<b>M</b>	Front finish
<b>L</b>	With lock

**Specification Information**

First suffix is for case, second is door finish.  
*Specify finish for case and door:*  
 Interior partitions are black painted steel finish.

**Application Notes**

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 405) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.

Insert may be removed to retrofit a lock later.

Reuter overhead cabinet  
*Morrison panel mounted*  
*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-M60( ) (JN)</b>		\$1,331.	\$1,331.	\$1,397.	n/a
		66"	14 1/4"	14 3/4"	<b>RO3-M66( ) (JN)</b>		1,466.	1,466.	1,535.	n/a
		72"	14 1/4"	14 3/4"	<b>RO3-M72( ) (JN)</b>		1,572.	1,572.	1,653.	n/a



description	type	w	d	h	pattern no.	black
Interior partitions	Horizontal, set of 10	6"	11"	-	<b>RO1-HP6</b>	134.
	Horizontal, set of 10	9"	11"	-	<b>RO1-HP9</b>	169.
	Horizontal, set of 10	12"	11"	-	<b>RO1-HP12</b>	201.
	Horizontal, set of 10	15"	11"	-	<b>RO1-HP15</b>	234.
	Vertical, set of 5	-	11"	12"	<b>RO3-VP</b>	87.



**Order Code**

Example:	<b>RO3-M48-612-M-L</b>
<b>RO3</b>	Reuter overhead cabinet
<b>M</b>	Morrison panel mounted
<b>48</b>	Width
<b>612</b>	Case finish
<b>M</b>	Front finish
<b>L</b>	With lock

**Specification Information**

First suffix is for case, second is door finish.  
*Specify finish for case and door:*  
 Interior partitions are black painted steel finish.

**Application Notes**

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Ganging bracket (page 405) joins adjacent overheads or shelves for additional stiffness and alignment.


Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.


Insert may be removed to retrofit a lock later.

Reuter overhead cabinet  
*desk, wall, or other Knoll system mounted*  
*Designed by Robert Reuter*


description	type	w	d	h	pattern no.	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	<b>RO3-N24( ) ( )L</b>	\$686.	\$686.	\$719.	\$1,032.
		30"	14 1/4"	14 3/4"	<b>RO3-N30( ) ( )L</b>	763.	763.	804.	1,114.
		36"	14 1/4"	14 3/4"	<b>RO3-N36( ) ( )L</b>	883.	883.	928.	1,249.
		42"	14 1/4"	14 3/4"	<b>RO3-N42( ) ( )L</b>	1,024.	1,024.	1,077.	1,389.
		48"	14 1/4"	14 3/4"	<b>RO3-N48( ) ( )L</b>	1,145.	1,145.	1,200.	1,525.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-N60( ) ( )L</b>	1,448.	1,448.	1,523.	2,101.
		66"	14 1/4"	14 3/4"	<b>RO3-N66( ) ( )L</b>	1,586.	1,586.	1,661.	2,252.
		72"	14 1/4"	14 3/4"	<b>RO3-N72( ) ( )L</b>	1,693.	1,693.	1,778.	2,376.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	<b>RO3-N24( ) ( )N</b>	616.	616.	646.	n/a
		30"	14 1/4"	14 3/4"	<b>RO3-N30( ) ( )N</b>	698.	698.	732.	n/a
		36"	14 1/4"	14 3/4"	<b>RO3-N36( ) ( )N</b>	816.	816.	857.	n/a
		42"	14 1/4"	14 3/4"	<b>RO3-N42( ) ( )N</b>	958.	958.	1,006.	n/a
		48"	14 1/4"	14 3/4"	<b>RO3-N48( ) ( )N</b>	1,075.	1,075.	1,130.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	<b>RO3-N60( ) ( )N</b>	1,313.	1,313.	1,380.	n/a
		66"	14 1/4"	14 3/4"	<b>RO3-N66( ) ( )N</b>	1,447.	1,447.	1,520.	n/a
		72"	14 1/4"	14 3/4"	<b>RO3-N72( ) ( )N</b>	1,561.	1,561.	1,639.	n/a



**Order Code**

Example:	<b>RO3-N48-613-613-L</b>
<b>RO3</b>	Reuter overhead cabinet
<b>N</b>	No brackets
<b>48</b>	Width
<b>613</b>	Case finish
<b>613</b>	Front finish
<b>L</b>	With lock

**Specification Information**

*Specify finish for case and door.*

**Application Notes**

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.



Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.



# Reuter open shelf

*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf no mounting hardware		30"	13"	8"	<b>RS1-N30( )</b>		\$328.	\$328.	\$343.
		36"	13"	8"	<b>RS1-N36( )</b>		371.	371.	389.
		42"	13"	8"	<b>RS1-N42( )</b>		400.	400.	419.
		48"	13"	8"	<b>RS1-N48( )</b>		430.	430.	451.
		60"	13"	8"	<b>RS1-N60( )</b>		504.	504.	530.
 Interior partitions	Vertical, set of 5	–	12"	6"	<b>RS1-VP</b>	81.			
	Horizontal, set of 10	6"	12"	–	<b>RO1-HP6</b>	134.			
		9"	12"	–	<b>RO1-HP9</b>	169.			
		12"	12"	–	<b>RO1-HP12</b>	201.			
		15"	12"	–	<b>RO1-HP15</b>	234.			

## Order Code

Example:	<b>RS1-N48-612</b>
<b>RS1</b>	Reuter shelf
<b>N</b>	No mounting hardware
<b>48</b>	Width
<b>612</b>	Finish

## Specification Information

*Specify paint finishes for shelf.*

## Application Notes

Interior partitions are black painted steel finish.



Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

# Reuter open overhead

*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open overhead no mounting hardware		30"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON30()</b>		\$490.	\$490.	\$513.
		36"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON36()</b>		562.	562.	590.
		42"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON42()</b>		638.	638.	670.
		48"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON48()</b>		713.	713.	747.
		60"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON60()</b>		829.	829.	872.
		72"	13"	14 <sup>3</sup> / <sub>4</sub> "	<b>RO3-ON72()</b>		977.	977.	1,025.
 Interior partitions	Vertical, set of 5	–	11"	12"	<b>RO3-VP</b>		87.		
	Horizontal, set of 10	6"	11"	–	<b>RO1-HP6</b>		134.		
		9"	11"	–	<b>RO1-HP9</b>		169.		
		12"	11"	–	<b>RO1-HP12</b>		201.		
		15"	11"	–	<b>RO1-HP15</b>		234.		

## Order Code

Example:	<b>RO3-ON30-612</b>
<b>RO3-O</b>	Reuter open overhead
<b>N</b>	No mounting hardware
<b>30</b>	Width
<b>612</b>	Finish

## Specification Information

*Specify finish for case and door.*

## Application Notes

Interior partitions are black painted steel finish.

Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.

Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.




Reuter overhead storage  
*desk and panel mounting options*  
*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				<b>RO1-RPB</b>	\$45.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				<b>RS1-RPB</b>	37.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Reff / AutoStrada panels				<b>RO1-RCB( )</b>		96.



Order Code	Specification Information	Application Notes
Example: <b>RO2-NS21-612</b>	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
<b>RO2</b> Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
<b>NS</b> Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
<b>21</b> Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
<b>612</b> Paint finish		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage  
*wall-mounting options and ADA pull*  
*Designed by Robert Reuter*

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	<b>RO1-WMF2</b>	\$84.
	36" or 42"W overheads	35"	1/2"	13"	<b>RO1-WMF3</b>	91.
	48" or 60"W overheads	47"	1/2"	13"	<b>RO1-WMF4</b>	96.
Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	<b>RS1-WMF24</b>	84.
	30"W shelf	29"	1 1/2"	6"	<b>RS1-WMF30</b>	89.
	36"W shelf	35"	1 1/2"	6"	<b>RS1-WMF36</b>	91.
	42"W shelf	41"	1 1/2"	6"	<b>RS1-WMF42</b>	94.
	48"W shelf	47"	1 1/2"	6"	<b>RS1-WMF48</b>	96.
	60"W shelf	59"	1 1/2"	6"	<b>RS1-WMF60</b>	102.
Wall mount wire manager, set of 10					<b>MWM-J</b>	150.
						
	Ganging bracket				<b>RO1-GB</b>	12.
ADA pull					<b>RO1-PULL</b>	49.
						

**Order Code**

Example:	<b>RO1-GB</b>
<b>RO1</b>	Reuter overhead
<b>GB</b>	Ganging bracket




**Specification Information**

Wall mount frames are painted black finish.  
 ADA pull is stainless steel.

**Application Notes**

Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads.  
 Reuter open shelves 66" and 72"W are for stanchion support only.  
 Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).  
 Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.

ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".  
 ADA pull cannot be mounted on wood front Reuter doors.

description	type	w	d	h	pattern no.	list
 <p>T5 Standard Task Light</p>	Use with 24" and wider overhead	19"	4"	1 1/2"	<b>RTAT5E19S</b>	\$225.
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTAT5E25S</b>	242.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTAT5E37S</b>	261.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTAT5E49S</b>	283.
	Use with 66" and wider overhead	61"	4"	1 1/2"	<b>RTAT5E61S</b>	301.
 <p>T5 Advanced Task Light</p>	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTAT5E25A</b>	417.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTAT5E37A</b>	439.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTAT5E49A</b>	456.
	Use with 66" and wider overhead	61"	4"	1 1/2"	<b>RTAT5E61A</b>	475.
 <p>LED Task Light</p>	Use with 24" and wider overhead (3 LED's)	19"	2"	5/8"	<b>ML3L193M</b>	301.
	Use with 24" and wider overhead (6 LED's)	19"	2"	5/8"	<b>ML3L196M</b>	380.
	Use with 24" and wider overhead (9 LED's)	19"	2"	5/8"	<b>ML3L199M</b>	517.
	Use with 42" and wider overhead (6 LED's)	37"	2"	5/8"	<b>ML3L376M</b>	607.
	Use with 42" and wider overhead (12 LED's)	37"	2"	5/8"	<b>ML3L3712M</b>	686.
	Use with 42" and wider overhead (18 LED's)	37"	2"	5/8"	<b>ML3L3718M</b>	850.


Order Code	
<b>T5 Standard Task Light</b>	
Example:	<b>RTAT5E25S</b>
<b>RTA</b>	Task Light
<b>T5</b>	T5 lamp
<b>E</b>	Electronic ballast
<b>25</b>	Width
<b>S</b>	Standard
<b>LED Task Light</b>	
Example:	<b>ML3L193M</b>
<b>ML3</b>	Task Light
<b>L</b>	LED
<b>19</b>	Width
<b>3</b>	# of LED's
<b>M</b>	Metal Overhead Attachment

Specification Information
<b>T5 Task Lights:</b> 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.
<b>LED Task Lights:</b> Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.


Application Notes
<b>T5 Task Lights:</b> Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH  Cordset is center exit. On smaller units cord exit is off-center, but still not handed.  T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.
<b>LED Task Lights:</b> Power cord is able to attach to either end of fixture.
<b>Notes:</b> All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.  All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Progressive Overheads  
 28<sup>3</sup>/<sub>8</sub>" planning  
 Cabinet Hung with glass door


description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Shelf	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCGSD90GB()</b> ( ) ( ) ( )	\$3,023.	\$3,628.	\$4,172.	\$5,424.
Glass Sliding Doors Closed Ends	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCGSD108GB()</b> ( ) ( ) ( )	3,307.	3,969.	4,564.	5,933.




Cabinet Hung Shelf with 2 Glass Sliding Doors	90"	15"	14 <sup>7</sup> / <sub>8</sub> "	<b>RROC2GSD90()</b> ( ) ( ) ( )	4,160.	4,701.	5,119.	6,654.
	108"	15"	14 <sup>7</sup> / <sub>8</sub> "	<b>RROC2GSD108()</b> ( ) ( ) ( )	4,696.	5,307.	5,710.	7,423.



Cabinet Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCGSDL60GB()</b> ( ) ( ) ( )	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCGSDL72GB()</b> ( ) ( ) ( )	2,754.	3,167.	3,643.	4,736.



Cabinet Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCGSDR60GB()</b> ( ) ( ) ( )	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCGSDR72GB()</b> ( ) ( ) ( )	2,754.	3,167.	3,643.	4,736.



Order Code	Specification Information	Application Notes
Example: <b>RROCGSD90GB()</b> ( ) ( )	<i>To order please specify:</i>	These products are Glue and Dowel Construction.
<b>RR</b> Reffresh	1. Pull option=C Grommet pull	Above sizes are nominal.
<b>O</b> Overhead	2. Pull finish = Painted/plated	All sliding doors including wood, laminate and glass are non-locking.
<b>C</b> Cabinet Hung	3. Case finish = V316	Installation instruction sheets available on line.
<b>GSD</b> Glass Sliding Door	4. Door frame finish = Anodized / painted	For Cabinet hung overheads, refer to part number 6TP00080.
<b>90</b> 90" wide	5. Door Glass finish	For overhead with sliding doors, refer to part number 6TP00088.
<b>GB</b> Gable Both	GL11 = Black	
<b>G</b> Pull option	GL14 = Folkstone Grey	
<b>111</b> Pull finish	GL15 = Med. Grey	
<b>V316</b> Case finish	GL18 = White	
<b>AN</b> Door frame finish		
<b>GL11</b> Glass finish		


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 535.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.


Progressive Overheads  
 28<sup>3</sup>/<sub>8</sub>" planning  
 Cabinet Hung with wood door

Reff Profiles


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung Shelf	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCWSD90GB</b> ( ) ( ) ( )	\$2,597.	\$2,857.	\$2,987.	\$3,117.	\$3,376.	\$3,882.	\$5,047.
Sliding Doors Closed Ends	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCWSD108GB</b> ( ) ( ) ( )	2,816.	3,097.	3,238.	3,379.	3,661.	4,210.	5,472.




Cabinet Hung Shelf with 2 Wood/Laminate Sliding Doors	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROC2WSD90</b> ( ) ( ) ( )	3,136.	3,450.	3,606.	3,763.	4,077.	4,584.	5,959.
	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROC2WSD108</b> ( ) ( ) ( )	3,501.	3,851.	4,026.	4,201.	4,551.	5,053.	6,569.



Cabinet Hung Shelf with Wood/Laminate Sliding Door Right Hand	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCWSDR60GB</b> ( ) ( ) ( )	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCWSDR72GB</b> ( ) ( ) ( )	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.




Cabinet Hung Shelf with Wood/Laminate Sliding Door Left Hand	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCWSDL60GB</b> ( ) ( ) ( )	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCWSDL72GB</b> ( ) ( ) ( )	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.



Order Code	Specification Information	Application Notes
Example: <b>RROCWSDR60GB</b>	To order please specify	These products are Glue and Dowel Construction.
<b>RR</b> Reff	1. Pull option: Grommet pull only	Above sizes are nominal.
<b>O</b> Overhead	2. Pull finish: Painted or Plated	All sliding doors including wood, laminate and glass are non-locking.
<b>C</b> Cabinet Hung	3. Case finish: L, V1, V2, V3	Installation instruction sheets available on line.
<b>WSDR</b> Wood/Lam. Sliding Door	4. Front finish: L, V1, V2, V3	For Cabinet hung overheads, refer to part number 6TP00080.
<b>60</b> 60" wide		For overhead with sliding doors, refer to part number 6TP00088.
<b>GB</b> Gable Both		All sliding doors including wood, laminate and glass are non-locking.
<b>G</b> Pull Option		Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
<b>115</b> Pull Finish		A certified building contractor should be consulted.
<b>V316</b> Case Finish		Please refer to wall mounting information on page 535.
<b>V316</b> Front Finish		Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Progressive Overheads  
 28<sup>3</sup>/<sub>8</sub>" planning  
 Cabinet Hung with open shelf

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung <b>Open Shelf</b> Closed Ends 	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCOS60GB</b> ( ) ( )	\$1,568.	\$2,037.	\$2,343.	\$3,046.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCOS72GB</b> ( ) ( )	1,671.	2,172.	2,498.	3,248.
	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCOS90GB</b> ( ) ( )	1,821.	2,368.	2,723.	3,540.
	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROCOS108GB</b> ( ) ( )	2,071.	2,693.	3,097.	4,026.

**Order Code**

Example:	<b>RROCOS60GB</b> ( ) ( )
<b>RR</b>	Reff
<b>O</b>	Overhead
<b>C</b>	Cabinet Hung
<b>OS</b>	Open shelf
<b>60</b>	60" wide
<b>2</b>	Finish type
<b>V316</b>	Case Finish

**Specification Information**

To order please specify

- Finish type:  
 L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3
- Finish

**Application Notes**

These products are Glue and Dowel Construction.

Above sizes are nominal.

Installation instruction sheets available on line.


For Cabinet hung overheads, refer to part number 6TP00080.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.




Progressive Overheads  
 28<sup>3</sup>/<sub>8</sub>" planning  
 Wall Hung with glass door


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSD90GN</b> ( ) ( ) ( ) ( ) ( )	\$2,861.	\$3,434.	\$3,949.	\$5,134.
	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSD108GN</b> ( ) ( ) ( ) ( ) ( )	3,246.	3,894.	4,479.	5,823.



Wall Hung Shelf with Glass Sliding Door Gable Right	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSD60GR</b> ( ) ( ) ( ) ( ) ( )	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSD72GR</b> ( ) ( ) ( ) ( ) ( )	2,726.	3,271.	3,763.	4,890.



Wall Hung Shelf with Glass Sliding Door Gable Left	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSD60GL</b> ( ) ( ) ( ) ( ) ( )	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSD72GL</b> ( ) ( ) ( ) ( ) ( )	2,726.	3,271.	3,763.	4,890.




Order Code	Specification Information	Application Notes
Example: <b>RROMGSD90GN</b> ( )	To order please specify	These products are Glue and Dowel Construction.
<b>RR</b> Reff	1. Pull option: Grommet	Above sizes are nominal.
<b>O</b> Overhead	2. Pull finish: 115	Task lights and Fascias sold separately.
<b>M</b> Wall hung	3. Case finish: V319	All sliding doors including wood, laminate and glass are non-locking.
<b>GSD</b> Glass sliding door	4. Door frame: Anodized / painted	Installation instruction sheets available on line.
<b>90</b> 90" wide	5. Glass finish:	For overheads with sliding doors, refer to part number 6TP00038.
<b>GN</b> No gable	GL11 = Black	
<b>G</b> Pull Option	GL14 = Folkstone Grey	
<b>115</b> Pull Finish	GL15 = Med. Grey	
<b>V319</b> Case Finish	GL18 = White	
<b>AP</b> Door Frame Finish		
<b>GL11</b> Glass Finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 535. Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.


28<sup>3</sup>/<sub>8</sub>" planning

Wall Hung with glass door closed ends


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSD90GB</b> ( ) ( ) ( ) ( )	\$3,203.	\$3,684.	\$4,236.	\$5,507.
	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSD108GB</b> ( ) ( ) ( ) ( )	3,598.	4,138.	4,758.	6,185.




Wall Hung Shelf with 2 Glass Sliding Doors	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROM2GSD90</b> ( ) ( ) ( ) ( ) ( )	4,450.	4,895.	5,313.	6,907.
	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROM2GSD108</b> ( ) ( ) ( ) ( ) ( )	5,046.	5,550.	5,953.	7,739.



Wall Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSDR60GB</b> ( ) ( ) ( ) ( )	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSDR72GB</b> ( ) ( ) ( ) ( )	2,834.	3,259.	3,747.	4,872.



Wall Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSDL60GB</b> ( ) ( ) ( ) ( )	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMGSDL72GB</b> ( ) ( ) ( ) ( )	2,834.	3,259.	3,747.	4,872.



Order Code	Specification Information	Application Notes
Example: <b>RROMGSD90GN</b> ( )	To order please specify	These products are Glue and Dowel Construction.
<b>RR</b> Reff	1. Pull option: Grommet	Above sizes are nominal.
<b>O</b> Overhead	2. Pull finish: 115	Task lights and Fascias sold separately.
<b>M</b> Wall hung	3. Case finish: V319	All sliding doors including wood, laminate and glass are non-locking.
<b>GSD</b> Glass sliding door	4. Door frame: Anodized / painted	Installation instruction sheets available on line.
<b>90</b> 90" wide	5. Glass finish:	For overheads with sliding doors, refer to part number 6TP00088.
<b>GN</b> No gable	GL11 = Black	Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.
<b>G</b> Pull Option	GL14 = Folkstone Grey	
<b>115</b> Pull Finish	GL15 = Med. Grey	
<b>V319</b> Case Finish	GL18 = White	
<b>AP</b> Door Frame Finish		
<b>GL11</b> Glass Finish		

Specification Information

Application Notes

- To order please specify
- 1. Pull option: Grommet
- 2. Pull finish: 115
- 3. Case finish: V319
- 4. Door frame: Anodized / painted
- 5. Glass finish:
  - GL11 = Black
  - GL14 = Folkstone Grey
  - GL15 = Med. Grey
  - GL18 = White

These products are Glue and Dowel Construction.

Above sizes are nominal.

Task lights and Fascias sold separately.

All sliding doors including wood, laminate and glass are non-locking.


Installation instruction sheets available on line.

For overheads with sliding doors, refer to part number 6TP00088.


Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Progressive Overheads  
 28<sup>3</sup>/<sub>8</sub>" planning  
 Wall Hung with wood door


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood / Laminate Sliding Door	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSD90GN</b> ( ) ( ) ( ) ( ) ( ) ( )	\$2,651.	\$2,917.	\$3,050.	\$3,182.	\$3,182.	\$3,660.	\$4,758.
	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSD108GN</b> ( ) ( ) ( ) ( ) ( ) ( )	2,989.	3,288.	3,437.	3,586.	3,586.	4,126.	5,362.




Wall Hung Shelf with Wood/Laminate Sliding Door Gable Right	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSD60GR</b> ( ) ( ) ( ) ( ) ( ) ( )	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSD72GR</b> ( ) ( ) ( ) ( ) ( ) ( )	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.



Wall Hung Shelf with Wood/Laminate Sliding Door Gable Left	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSD60GL</b> ( ) ( ) ( ) ( ) ( ) ( )	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSD72GL</b> ( ) ( ) ( ) ( ) ( ) ( )	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.




Wall Hung Shelf with Wood/Laminate Sliding Door Closed Ends	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSD90GB</b> ( ) ( ) ( ) ( ) ( ) ( )	2,746.	3,021.	3,158.	3,295.	3,433.	3,947.	5,131.
	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSD108GB</b> ( ) ( ) ( ) ( ) ( ) ( )	3,063.	3,370.	3,523.	3,676.	3,830.	4,403.	5,725.




Order Code	Specification Information	Application Notes
Example: <b>RROMWSD90GB</b> ( ) ( ) ( ) ( ) ( ) ( )	To order please specify	These products are Glue and Dowel Construction.
<b>RR</b> Reff	1. Pull option: Grommet only	Above sizes are nominal.
<b>O</b> Overhead	2. Pull finish: Painted and Plated	Task lights and Fascias sold separately.
<b>M</b> Wall mount	3. Case finish: L, V1, V2, V3	No lock option at this time.
<b>WSD</b> Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
<b>90</b> 90" wide		Installation instruction sheets available on line.
<b>GB</b> Gable both		For overheads with sliding doors, refer to part number 6TP00088.
<b>G</b> Pull Option		
<b>115</b> Pull Finish		
<b>V319</b> Case Finish		
<b>V319</b> Door Finish		

Progressive Overheads  
 28<sup>3</sup>/<sub>8</sub>" planning  
 Wall Hung with wood door


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSDR60GB</b> ( ) ( ) ( ) ( )	\$2,213.	\$2,435.	\$2,546.	\$2,656.	\$2,767.	\$3,182.	\$4,136.
Wood/Laminate Sliding Door right	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSDR72GB</b> ( ) ( ) ( ) ( )	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.
Closed Ends											



Wall Hung Shelf with	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSDL60GB</b> ( ) ( ) ( ) ( )	2,213.	2,435.	2,546.	2,656.	2,767.	3,182.	4,136.
Wood/Laminate Sliding Door left	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMWSDL72GB</b> ( ) ( ) ( ) ( )	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.
Closed Ends											



Wall Hung Shelf with 2	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROM2WSD90</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,390.	3,729.	3,898.	4,068.	4,271.	4,778.	6,212.
Wood/Laminate Sliding Doors	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROM2WSD108</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	3,805.	4,186.	4,376.	4,567.	4,795.	5,297.	6,886.




Order Code	Specification Information	Application Notes
Example: <b>RROMWSD90GB</b> ( ) ( ) ( ) ( ) ( )	To order please specify	These products are Glue and Dowel Construction.
<b>RR</b> Reff	1. Pull option: Grommet only	Above sizes are nominal.
<b>O</b> Overhead	2. Pull finish: Painted and Plated	Task lights and Fascias sold separately.
<b>M</b> Wall mount	3. Case finish: L, V1, V2, V3	No lock option at this time.
<b>WSD</b> Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
<b>90</b> 90" wide		Installation instruction sheets available on line.
<b>GB</b> Gable both		For overheads with sliding doors, refer to part number 6TP00088.
<b>G</b> Pull Option		
<b>115</b> Pull Finish		
<b>V319</b> Case Finish		
<b>V319</b> Door Finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 535.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.


Progressive Overheads  
 28<sup>3</sup>/<sub>8</sub>" planning  
 Wall Hung L-Shelf

description	w	d	h	pattern no.	L	V1	V2	V3
L-Shelf	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RRML60()</b> ( )	\$850.	\$1,020.	\$1,173.	\$1,525.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RRML72()</b> ( )	945.	1,143.	1,303.	1,694.
	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RRML90()</b> ( )	1,068.	1,282.	1,474.	1,917.
	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RRML108()</b> ( )	1,223.	1,468.	1,688.	2,194.


Order Code	Specification Information	Application Notes
Example: <b>RRML60()</b> ( )	<i>To order please specify pattern number including:</i> 1. Finish type: L, V1, V2, V3 2. Finish = 114	These products are Glue and Dowel Construction  Shipped knocked down.  Hardware kit included.  Fascia sold separately.  Task light sold separately.  Installation instruction sheets available on line.  Installation instruction sheet, refer to part number 6TP00083
<b>RR</b> Reff Refresh		
<b>M</b> Wall Hung		
<b>L</b> L-Shelf		
<b>60</b> 60" Wide		
<b>L</b> Finish Type	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 535.  The woodgrain on the L-Shelves, run perpendicular to the length.  Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.	
<b>114</b> Finish		

Progressive Overheads  
 28<sup>3</sup>/<sub>8</sub>" planning  
 Wall Hung Open Shelf


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Open Shelf Left Gable	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMOS60GL( )</b>	\$1,689.	\$1,943.	\$2,234.	\$2,904.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMOS72GL( )</b>	1,879.	2,161.	2,485.	3,231.




Wall Hung Open Shelf Right Gable	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMOS60GR( )</b>	1,689.	1,943.	2,234.	2,904.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMOS72GR( )</b>	1,879.	2,161.	2,485.	3,231.



Wall Hung Open Shelf Closed Ends Left&Right Gable	60"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMOS60GB( )( )</b>	1,609.	2,091.	2,405.	3,126.
	72"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMOS72GB( )( )</b>	1,748.	2,273.	2,614.	3,398.
	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMOS90GB( )( )</b>	2,058.	2,675.	3,077.	3,999.
	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMOS108GB( )( )</b>	2,212.	2,876.	3,307.	4,299.



Wall Hung Open Shelf No Gable	90"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMOS90GN( )</b>	2,138.	2,459.	2,827.	3,676.
	108"	15"	14 <sup>3</sup> / <sub>4</sub> "	<b>RROMOS108GN( )</b>	2,364.	2,718.	3,126.	4,063.



Example: <b>RROMOS60GL( )( )</b>
<b>RR</b> Reff
<b>O</b> Overhead
<b>M</b> Wall Hung
<b>OS</b> Open shelf
<b>60</b> 60" wide
<b>GL</b> Gable Left
<b>V316</b> Case Finish

To order please specify *pattern number including:*

1. Case finish:

These products are Glue and Dowel Construction.

Above sizes are nominal.



Sliding door is non-locking.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 535.

# Transaction tops for use with 42" H panel heights

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	<b>RTTA24( )-( )</b>	\$333.	\$344.	\$344.	\$396.	\$535.
	30"	15"	1 1/4"	<b>RTTA30( )-( )</b>	364.	374.	374.	433.	584.
	36"	15"	1 1/4"	<b>RTTA36( )-( )</b>	396.	410.	410.	470.	637.
	42"	15"	1 1/4"	<b>RTTA42( )-( )</b>	428.	441.	441.	507.	683.
	48"	15"	1 1/4"	<b>RTTA48( )-( )</b>	456.	475.	475.	545.	735.
	54"	15"	1 1/4"	<b>RTTA54( )-( )</b>	488.	506.	506.	580.	783.
	60"	15"	1 1/4"	<b>RTTA60( )-( )</b>	520.	537.	537.	620.	837.
	66"	15"	1 1/4"	<b>RTTA66( )-( )</b>	552.	569.	569.	654.	883.
	72"	15"	1 1/4"	<b>RTTA72( )-( )</b>	581.	602.	602.	692.	934.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	<b>RTTAWF24( )-( )</b>		687.	790.	1,067.
	30"	15"	1 1/4"	<b>RTTAWF30( )-( )</b>		753.	867.	1,171.
	36"	15"	1 1/4"	<b>RTTAWF36( )-( )</b>		816.	941.	1,270.
	42"	15"	1 1/4"	<b>RTTAWF42( )-( )</b>		880.	1,012.	1,366.
	48"	15"	1 1/4"	<b>RTTAWF48( )-( )</b>		948.	1,090.	1,471.
	54"	15"	1 1/4"	<b>RTTAWF54( )-( )</b>		1,010.	1,160.	1,566.
	60"	15"	1 1/4"	<b>RTTAWF60( )-( )</b>		1,076.	1,237.	1,671.
	66"	15"	1 1/4"	<b>RTTAWF66( )-( )</b>		1,138.	1,310.	1,769.
	72"	15"	1 1/4"	<b>RTTAWF72( )-( )</b>		1,204.	1,383.	1,867.



Not available in laminate or mixed finishes

Order Code	Specification Information	Application Notes
Example: <b>QRCAVE422 F 2 V316 111</b>	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
<b>QR</b> Reff Standard Special	4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
<b>CAVE</b> 1 1/4" Concave	1. Width	<b>Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.</b>
<b>42</b> 42" wide	2. Depth	
<b>2</b> 24" deep	3. Grommet option	
<b>2</b> V2 finish	4. Top finish type	Please call Custom Product Development for special grommet locations.
<b>F</b> Flush grommet	5. Top finish	
<b>2</b> V2 finish	6. Grommet finish	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>V316</b> Light Maple finish	3. <i>Grommet options:</i> N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
<b>111</b> Black grommet finish		Applicable finishes are listed on page 0 and 0.

# Transaction tops Brackets for Alternative Material

description	w	h	pattern no.	list
Attachment Bracketry			<b>RAMTB</b>	\$59.
* Each panel need 2 brackets				
Foam Tape			<b>RAMTT</b>	23.
Transaction Top Bracket			<b>RAMTC24()</b>	43.
Cover			<b>RAMTC30()</b>	46.
			<b>RAMTC36()</b>	49.
			<b>RAMTC42()</b>	53.
			<b>RAMTC48()</b>	56.
			<b>RAMTC54()</b>	59.
			<b>RAMTC60()</b>	62.
			<b>RAMTC66()</b>	66.
			<b>RAMTC72()</b>	68.
Transaction Top Bracket			<b>RAMTCH24()</b>	59.
Cover Hilo			<b>RAMTCH30()</b>	62.
			<b>RAMTCH36()</b>	66.
			<b>RAMTCH42()</b>	69.
			<b>RAMTCH48()</b>	72.
			<b>RAMTCH54()</b>	75.
			<b>RAMTCH60()</b>	78.
			<b>RAMTCH66()</b>	81.
			<b>RAMTCH72()</b>	83.

### Order Code

Example: <b>RAMTC</b>	
<b>R</b>	Reff
<b>A</b>	Alternative
<b>M</b>	Material
<b>T</b>	Transaction Top
<b>C</b>	Cover
<b>24</b>	Width
<b>L/R/M</b>	Left/Right/Mitered

### Specification Information

*To order please specify pattern number including:*

1. End treatment option
2. Finish type: Core paint finishes

### Application Notes

Spline piece included in the right "R" hand pattern number.

When a solid material is installed the "RAMTB" is required.

When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.




# Gallery desk surrounds

## 1 1/4" worksurface


Reff Profiles

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	<b>RGAF622-()</b>	\$1,369.	\$1,630.	\$1,630.	\$1,792.	\$1,877.	\$2,421.	\$2,534.
	68"	25"	42"	<b>RGAF682-()</b>	1,416.	1,689.	1,689.	1,856.	1,945.	2,504.	2,625.
	74"	25"	42"	<b>RGAF742-()</b>	1,469.	1,754.	1,754.	1,926.	2,016.	2,601.	2,719.
	80"	25"	42"	<b>RGAF802-()</b>	1,522.	1,811.	1,811.	1,987.	2,086.	2,683.	2,815.
	86"	25"	42"	<b>RGAF862-()</b>	1,569.	1,874.	1,874.	2,052.	2,155.	2,770.	2,909.
	92"	25"	42"	<b>RGAF922-()</b>	1,621.	1,935.	1,935.	2,118.	2,225.	2,858.	3,001.
	98"	25"	42"	<b>RGAF982-()</b>	1,673.	1,995.	1,995.	2,186.	2,297.	2,950.	3,100.
	62"	31"	42"	<b>RGAF623-()</b>	1,455.	1,735.	1,735.	1,901.	1,996.	2,567.	2,694.
	68"	31"	42"	<b>RGAF683-()</b>	1,511.	1,805.	1,805.	1,977.	2,075.	2,669.	2,803.
	74"	31"	42"	<b>RGAF743-()</b>	1,568.	1,873.	1,873.	2,052.	2,153.	2,770.	2,906.
	80"	31"	42"	<b>RGAF803-()</b>	1,625.	1,935.	1,935.	2,124.	2,229.	2,868.	3,009.
	86"	31"	42"	<b>RGAF863-()</b>	1,684.	2,007.	2,007.	2,199.	2,309.	2,969.	3,119.
	92"	31"	42"	<b>RGAF923-()</b>	1,740.	2,076.	2,076.	2,271.	2,387.	3,066.	3,222.
	98"	31"	42"	<b>RGAF983-()</b>	1,797.	2,143.	2,143.	2,349.	2,463.	3,172.	3,325.




If shelf is not ordered and no drillings are required, you must order through specials.

Shelf for above (uses keyhole attachment hardware)	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
60"	12"	1"		<b>RGS60-()</b>	331.	n/a	394.	n/a	456.	n/a	616.
66"	12"	1"		<b>RGS66-()</b>	343.	n/a	409.	n/a	470.	n/a	637.
72"	12"	1"		<b>RGS72-()</b>	354.	n/a	423.	n/a	485.	n/a	655.
78"	12"	1"		<b>RGS78-()</b>	365.	n/a	435.	n/a	502.	n/a	676.
84"	12"	1"		<b>RGS84-()</b>	373.	n/a	449.	n/a	515.	n/a	695.
90"	12"	1"		<b>RGS90-()</b>	386.	n/a	459.	n/a	528.	n/a	713.
96"	12"	1"		<b>RGS96-()</b>	396.	n/a	471.	n/a	542.	n/a	733.



Bridge top assembly	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
42"	21"	42"		<b>RGAB421-()</b>	781.	929.	929.	1,003.	1,068.	1,355.	1,441.
48"	21"	42"		<b>RGAB481-()</b>	836.	994.	994.	1,071.	1,143.	1,446.	1,542.
54"	21"	42"		<b>RGAB541-()</b>	890.	1,059.	1,059.	1,145.	1,218.	1,545.	1,645.
60"	21"	42"		<b>RGAB601-()</b>	943.	1,124.	1,124.	1,218.	1,297.	1,645.	1,749.
66"	21"	42"		<b>RGAB661-()</b>	999.	1,191.	1,191.	1,286.	1,370.	1,737.	1,848.
72"	21"	42"		<b>RGAB721-()</b>	1,052.	1,254.	1,254.	1,359.	1,441.	1,834.	1,946.
78"	21"	42"		<b>RGAB781-()</b>	1,103.	1,318.	1,318.	1,431.	1,516.	1,932.	2,047.
84"	21"	42"		<b>RGAB841-()</b>	1,158.	1,379.	1,379.	1,494.	1,587.	2,016.	2,143.
90"	21"	42"		<b>RGAB901-()</b>	1,209.	1,442.	1,442.	1,566.	1,659.	2,113.	2,241.
96"	21"	42"		<b>RGAB961-()</b>	1,259.	1,502.	1,502.	1,629.	1,729.	2,200.	2,334.



Order Code	Specification Information	Application Notes
Example: <b>RGAF622NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, components: (surround components)</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type, top	1 = V1
<b>A</b> 1 1/4" top thickness	3. Finish type, components	2 = V2
<b>F</b> Freestanding	4. Finish, top	3 = V3
<b>62</b> 62" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
<b>2</b> 25" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>N</b> No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>L</b> Finish type top, laminate	F = Flush front grommet	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
<b>L</b> Finish type components	<i>2. Finish type, top:</i>	Hardware included.
<b>114</b> Folkstone grey (top)	L = Laminate	Shipped knocked-down.
<b>114</b> Folkstone grey (components)	M = Mixed (laminate top w/wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.


**Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.**

Applicable finishes are listed on page 5 and 6.

# Gallery desk surrounds

## right hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	<b>RGAR431-</b> ( ) ( )	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	<b>RGAR491-</b> ( ) ( )	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	<b>RGAR551-</b> ( ) ( )	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	<b>RGAR611-</b> ( ) ( )	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	<b>RGAR671-</b> ( ) ( )	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	<b>RGAR731-</b> ( ) ( )	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	<b>RGAR791-</b> ( ) ( )	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	<b>RGAR851-</b> ( ) ( )	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	<b>RGAR911-</b> ( ) ( )	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	<b>RGAR971-</b> ( ) ( )	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
25"	43"	42"	<b>RGAR432-</b> ( ) ( )	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.	
		49"	42"	<b>RGAR492-</b> ( ) ( )	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.
		55"	42"	<b>RGAR552-</b> ( ) ( )	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.
		61"	42"	<b>RGAR612-</b> ( ) ( )	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.
		67"	42"	<b>RGAR672-</b> ( ) ( )	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.
		73"	42"	<b>RGAR732-</b> ( ) ( )	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.
		79"	42"	<b>RGAR792-</b> ( ) ( )	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.
		85"	42"	<b>RGAR852-</b> ( ) ( )	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.
		91"	42"	<b>RGAR912-</b> ( ) ( )	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.
		97"	42"	<b>RGAR972-</b> ( ) ( )	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.
31"	43"	42"	<b>RGAR433-</b> ( ) ( )	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.	
		49"	42"	<b>RGAR493-</b> ( ) ( )	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.
		55"	42"	<b>RGAR553-</b> ( ) ( )	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.
		61"	42"	<b>RGAR613-</b> ( ) ( )	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.
		67"	42"	<b>RGAR673-</b> ( ) ( )	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.
		73"	42"	<b>RGAR733-</b> ( ) ( )	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.
		79"	42"	<b>RGAR793-</b> ( ) ( )	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.
		85"	42"	<b>RGAR853-</b> ( ) ( )	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.
		91"	42"	<b>RGAR913-</b> ( ) ( )	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.
		97"	42"	<b>RGAR973-</b> ( ) ( )	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.



Order Code	Specification Information	Application Notes
Example: <b>RGAR431NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type top	1 = V1
<b>A</b> 1 1/4" top thickness	3. Finish type components	2 = V2
<b>R</b> Right hand return	4. Finish, top	3 = V3
<b>43</b> 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
<b>1</b> 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>N</b> No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>L</b> Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>L</b> Finish type, components	<i>2. Finish type top:</i>	<b>Hardware included.</b>
	L = Laminate	Gallery desk surrounds are available with waterfall edge as a standard special.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

**Application Notes**

**All requests for special grommet locations must be approved through custom product development.**

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

**Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.**

Applicable finishes are listed on page 5 and 6.

**Order Code**

**Specification Information**


**Application Notes**

# Gallery desk surrounds

## left hand end assembly, 1 1/4" worksurface

Reff Profiles

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	<b>RGAL431-</b> ( ) ( )	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	<b>RGAL491-</b> ( ) ( )	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	<b>RGAL551-</b> ( ) ( )	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	<b>RGAL611-</b> ( ) ( )	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	<b>RGAL671-</b> ( ) ( )	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	<b>RGAL731-</b> ( ) ( )	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	<b>RGAL791-</b> ( ) ( )	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	<b>RGAL851-</b> ( ) ( )	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	<b>RGAL911-</b> ( ) ( )	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	<b>RGAL971-</b> ( ) ( )	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
25"	43"	42"	<b>RGAL432-</b> ( ) ( )	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.	
	49"	42"	<b>RGAL492-</b> ( ) ( )	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.	
	55"	42"	<b>RGAL552-</b> ( ) ( )	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.	
	61"	42"	<b>RGAL612-</b> ( ) ( )	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.	
	67"	42"	<b>RGAL672-</b> ( ) ( )	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.	
	73"	42"	<b>RGAL732-</b> ( ) ( )	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.	
	79"	42"	<b>RGAL792-</b> ( ) ( )	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.	
	85"	42"	<b>RGAL852-</b> ( ) ( )	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.	
	91"	42"	<b>RGAL912-</b> ( ) ( )	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.	
	97"	42"	<b>RGAL972-</b> ( ) ( )	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.	
31"	43"	42"	<b>RGAL433-</b> ( ) ( )	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.	
	49"	42"	<b>RGAL493-</b> ( ) ( )	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.	
	55"	42"	<b>RGAL553-</b> ( ) ( )	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.	
	61"	42"	<b>RGAL613-</b> ( ) ( )	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.	
	67"	42"	<b>RGAL673-</b> ( ) ( )	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.	
	73"	42"	<b>RGAL733-</b> ( ) ( )	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.	
	79"	42"	<b>RGAL793-</b> ( ) ( )	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.	
	85"	42"	<b>RGAL853-</b> ( ) ( )	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.	
	91"	42"	<b>RGAL913-</b> ( ) ( )	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.	
	97"	42"	<b>RGAL973-</b> ( ) ( )	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.	




Order Code	Specification Information	Application Notes
Example: <b>RGAL431NLL</b>	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
<b>R</b> Reff	1. Grommet option	L = Laminate
<b>G</b> Gallery surround	2. Finish type top	1 = V1
<b>A</b> 1 1/4" top thickness	3. Finish type components	2 = V2
<b>L</b> Left hand return	4. Finish, top	3 = V3
<b>43</b> 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
<b>1</b> 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
<b>N</b> No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
<b>L</b> Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
<b>L</b> Finish type, components	2. <i>Finish type top:</i>	<b>Hardware included.</b>
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		Gallery desk surrounds are available with waterfall edge as a standard special.
		<b>All requests for special grommet locations must be approved through custom product development.</b>
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		<b>Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.</b>
		Applicable finishes are listed on page 5 and 6.

# Gallery desk surrounds

## gallery towers

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	<b>RGTL4636()</b> ( ) ( ) ( )	\$2,545.	\$3,143.	\$3,612.	\$4,877.



Actual depth of Gallery Tower is 32"

Gallery Tower, right hand	32"	12"	46"	<b>RGTR4636()</b> ( ) ( ) ( )	2,545.	3,143.	3,612.	4,877.
---------------------------	-----	-----	-----	-------------------------------	--------	--------	--------	--------

Actual depth of Gallery Tower is 32"

### Order Code

Example:	<b>RGTL46362V319CL</b>
<b>R</b>	Reff
<b>GT</b>	Gallery Tower
<b>L</b>	Left hand
<b>46</b>	46" h
<b>36</b>	36" d
<b>2</b>	V2 finish type
<b>V319</b>	Medium Cherry
<b>C</b>	C-pull
<b>L</b>	Lock

### Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. Pull option
4. Pull finish (if applicable)
5. Lock option

1. *Finish type:*  
 L = Laminate  
 1 = V1  
 2 = V2  
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

### 3. Pull options:

- D = Metal D-pull
- J = Routed J-pull
- C = Nickel finish C-pull (nickel finish only)
- S = Stainless steel finish S-pull (stainless steel finish only)

**Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 3/8" desk height products.**

### Application Notes

Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .


Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d

Overall depth includes top overhang, accommodates 30" d worksurfaces.

Gallery towers are to be used with panel applications.

# Classic Desks, 26½" h and 28⅜" h With Full Recessed Modesty

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26½"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>60301</b> ( ) ( ) ( )	\$1,616.	\$2,667.	\$3,067.	\$3,987.
	30"	72"	26½"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>72301</b> ( ) ( ) ( )	1,696.	2,799.	3,219.	4,184.
	30"	84"	26½"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>84301</b> ( ) ( ) ( )	1,771.	2,922.	3,360.	4,369.
	30"	96"	26½"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>96301</b> ( ) ( ) ( )	1,840.	3,036.	3,492.	4,539.
	36"	60"	26½"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>60361</b> ( ) ( ) ( )	1,711.	2,823.	3,246.	4,220.
	36"	72"	26½"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>72361</b> ( ) ( ) ( )	1,795.	2,962.	3,407.	4,429.
	36"	84"	26½"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>84361</b> ( ) ( ) ( )	1,875.	3,094.	3,558.	4,626.
	36"	96"	26½"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>96361</b> ( ) ( ) ( )	1,951.	3,218.	3,701.	4,811.
Classic Desk Full Modesty Recessed 28⅜"	30"	60"	28⅜"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>60302</b> ( ) ( ) ( )	1,641.	2,708.	3,114.	4,048.
	30"	72"	28⅜"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>72302</b> ( ) ( ) ( )	1,723.	2,843.	3,269.	4,250.
	30"	84"	28⅜"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>84302</b> ( ) ( ) ( )	1,799.	2,969.	3,414.	4,438.
	30"	96"	28⅜"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>96302</b> ( ) ( ) ( )	1,870.	3,086.	3,549.	4,614.
	36"	60"	28⅜"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>60362</b> ( ) ( ) ( )	1,738.	2,868.	3,298.	4,287.
	36"	72"	28⅜"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>72362</b> ( ) ( ) ( )	1,825.	3,011.	3,467.	4,501.
	36"	84"	28⅜"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>84362</b> ( ) ( ) ( )	1,906.	3,145.	3,417.	4,702.
	36"	96"	28⅜"	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>96362</b> ( ) ( ) ( )	1,983.	3,273.	3,763.	4,893.

## Order Code

Example:	<b>R</b> <b>C</b> <b>D</b> <b>F</b> <b>M</b> <b>R</b> <b>60301</b>
<b>R</b>	Reff
<b>CD</b>	Classic Desk
<b>FMR</b>	Full Modesty Recessed
<b>60</b>	Width
<b>30</b>	Depth
( )	Grommet Option
( )	Grommet Finish
( )	Finish

## Specification Information

To order please specify pattern number including:

- Grommet Option  
F=Flush or Standard Corner location  
N=No Grommet  
R=Recessed Grommet
- Grommet Finish:  
Painted or Plated
- Finish: L,V1,V2,V3

Classic Desks ship knocked down, with all hardware.

Worksurface is 1½" thick.

Grommets are located 20" in from the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Lower storage sold separately.

26½" high desk will only work with 26½" high lower storage.

28⅜" high desk will only work with 28⅜" high lower storage.


30" deep desk with recessed modesty will accept 20" and 24" deep pedestals.

36" deep desk with recessed modesty will accept 20", 24" and 30" deep pedestals.

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

# Classic Desks, 26 1/2" h and 28 3/8" h With Half Recessed Modesty

Reff Profiles

description	depth	width	height	pattern number	L	V1	V2	V3	
	Classic Desk Half Modesty Recessed 26 1/2"								
	30"	60"	26 1/2"	RCDHMR60301()()()	\$1,567.	\$2,586.	\$2,973.	\$3,865.	
	30"	72"	26 1/2"	RCDHMR72301()()()	1,634.	2,696.	3,100.	4,030.	
	30"	84"	26 1/2"	RCDHMR84301()()()	1,700.	2,804.	3,225.	4,192.	
	30"	96"	26 1/2"	RCDHMR96301()()()	1,756.	2,897.	3,332.	4,331.	
	36"	60"	26 1/2"	RCDHMR60361()()()	1,661.	2,741.	3,152.	4,098.	
	36"	72"	26 1/2"	RCDHMR72361()()()	1,733.	2,859.	3,288.	4,275.	
	36"	84"	26 1/2"	RCDHMR84361()()()	1,804.	2,976.	3,423.	4,450.	
	36"	96"	26 1/2"	RCDHMR96361()()()	1,866.	3,079.	3,541.	4,603.	
Classic Desk Half Modesty Recessed 28 3/8"									
30"	60"	28 3/8"	RCDHMR60302()()()	1,583.	2,612.	3,003.	3,904.		
30"	72"	28 3/8"	RCDHMR72302()()()	1,650.	2,722.	3,130.	4,069.		
30"	84"	28 3/8"	RCDHMR84302()()()	1,715.	2,830.	3,255.	4,231.		
30"	96"	28 3/8"	RCDHMR96302()()()	1,772.	2,923.	3,362.	4,370.		
36"	60"	28 3/8"	RCDHMR60362()()()	1,680.	2,771.	3,187.	4,143.		
36"	72"	28 3/8"	RCDHMR72362()()()	1,751.	2,890.	3,323.	4,320.		
36"	84"	28 3/8"	RCDHMR84362()()()	1,822.	3,007.	3,458.	4,495.		
36"	96"	28 3/8"	RCDHMR96362()()()	1,885.	3,109.	3,576.	4,649.		


Classic Desks

Order Code	Specification Information	Application Notes
Example: <b>RCDFMR60301</b>	<i>To order please specify pattern number including:</i>	<p>Classic Desks ship knocked down, with all hardware.</p> <p>Worksurface is 1 1/2" thick.</p> <p>Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.</p> <p>Lower storage sold separately.</p> <p>26 1/2" high desk will only work with 26 1/2" high lower storage.</p> <p>28 3/8" high desk will only work with 28 3/8" high lower storage.</p> <p>Classic desks with quarter recessed modesty, accepts <u>NO</u> lower storage.</p>
<b>R</b> Reff	1. Grommet Option	
<b>CD</b> Classic Desk	F=Flush or Standard Corner location	
<b>FMR</b> Full Modesty Recessed	N=No Grommet	
<b>60</b> Width	R=Recessed Grommet	
<b>30</b> Depth	2. Grommet Finish:	
<b>()</b> Grommet Option	Painted or Plated	
<b>()</b> Grommet Finish	3. Finish: L,V1,V2,V3	
<b>()</b> Finish		

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**

# Classic Desks, 26½"h and 28¾"h With Quarter Recessed Modesty

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
	30"	60"	26½"	<b>RCDQMR60301</b> ( ) ( ) ( )	\$1,497.	\$2,470.	\$2,841.	\$3,693.
	30"	72"	26½"	<b>RCDQMR72301</b> ( ) ( ) ( )	1,554.	2,565.	2,949.	3,824.
	30"	84"	26½"	<b>RCDQMR84301</b> ( ) ( ) ( )	1,608.	2,654.	3,052.	3,967.
	30"	96"	26½"	<b>RCDQMR96301</b> ( ) ( ) ( )	1,655.	2,731.	3,141.	4,083.
	36"	60"	26½"	<b>RCDQMR60361</b> ( ) ( ) ( )	1,591.	2,626.	3,020.	3,925.
	36"	72"	26½"	<b>RCDQMR72361</b> ( ) ( ) ( )	1,654.	2,728.	3,138.	4,079.
	36"	84"	26½"	<b>RCDQMR84361</b> ( ) ( ) ( )	1,712.	2,826.	3,249.	4,224.
	36"	96"	26½"	<b>RCDQMR96361</b> ( ) ( ) ( )	1,766.	2,913.	3,350.	4,355.
Classic Desk Quarter Modesty Recessed 28¾"	30"	60"	28¾"	<b>RCDQMR60302</b> ( ) ( ) ( )	1,513.	2,496.	2,871.	3,732.
	30"	72"	28¾"	<b>RCDQMR72302</b> ( ) ( ) ( )	1,570.	2,591.	2,979.	3,873.
	30"	84"	28¾"	<b>RCDQMR84302</b> ( ) ( ) ( )	1,624.	2,680.	3,082.	4,006.
	30"	96"	28¾"	<b>RCDQMR96302</b> ( ) ( ) ( )	1,671.	2,757.	3,171.	4,122.
	36"	60"	28¾"	<b>RCDQMR72362</b> ( ) ( ) ( )	1,610.	2,656.	3,054.	3,971.
	36"	72"	28¾"	<b>RCDQMR60362</b> ( ) ( ) ( )	1,672.	2,759.	3,172.	4,124.
	36"	84"	28¾"	<b>RCDQMR84362</b> ( ) ( ) ( )	1,731.	2,856.	3,284.	4,270.
	36"	96"	28¾"	<b>RCDQMR96362</b> ( ) ( ) ( )	1,784.	2,944.	3,385.	4,401.


Order Code	Specification Information	Application Notes
Example: <b>RCDFMR60301</b>	<i>To order please specify pattern number including:</i>	<p>Classic Desks ship knocked down, with all hardware.</p> <p>Worksurface is 1½" thick.</p> <p>Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.</p> <p>Lower storage sold separately.</p> <p>26½" high desk will only work with 26½" high lower storage.</p> <p>28¾" high desk will only work with 28¾" high lower storage.</p> <p>Classic desks with quarter recessed modesty accepts <u>NO</u> lower storage.</p>
<b>R</b> Reff	1. Grommet Option	
<b>CD</b> Classic Desk	F=Flush or Standard Corner location	
<b>FMR</b> Full Modesty Recessed	N=No Grommet	
<b>60</b> Width	R=Recessed Grommet	
<b>30</b> Depth	2. Grommet Finish:	
( ) Grommet Option	Painted or Plated	
( ) Grommet Finish	3. Finish: L,V1,V2,V3	
( ) Finish		

**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**



# Classic Desks, 26 1/2" h and 28 3/8" h With Full Flush Modesty

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3	
	Classic Desk Full Modesty Flush 26 1/2"								
	30"	60"	26 1/2"	<b>RCDFMF60301</b> ( ) ( )	\$1,616.	\$2,667.	\$3,067.	\$3,987.	
	30"	60"	26 1/2"	<b>RCDFMF60361</b> ( ) ( )					
	30"	72"	26 1/2"	<b>RCDFMF72301</b> ( ) ( )	1,696.	2,799.	3,219.	4,184.	
	30"	84"	26 1/2"	<b>RCDFMF84301</b> ( ) ( )	1,771.	2,922.	3,360.	4,369.	
	30"	96"	26 1/2"	<b>RCDFMF96301</b> ( ) ( )	1,840.	3,036.	3,492.	4,539.	
	36"	72"	26 1/2"	<b>RCDFMF72361</b> ( ) ( )					
	36"	84"	26 1/2"	<b>RCDFMF84361</b> ( ) ( )					
	36"	96"	26 1/2"	<b>RCDFMF96361</b> ( ) ( )					
Classic Desk Full Modesty Flush 28 3/8"									
30"	60"	28 3/8"	<b>RCDFMF60302</b> ( ) ( )	1,641.	2,708.	3,114.	4,048.		
30"	72"	28 3/8"	<b>RCDFMF72302</b> ( ) ( )	1,723.	2,843.	3,269.	4,250.		
30"	84"	28 3/8"	<b>RCDFMF84302</b> ( ) ( )	1,799.	2,969.	3,414.	4,438.		
30"	96"	28 3/8"	<b>RCDFMF96302</b> ( ) ( )	1,870.	3,086.	3,549.	4,614.		
36"	60"	28 3/8"	<b>RCDFMF60362</b> ( ) ( )						
36"	72"	28 3/8"	<b>RCDFMF72362</b> ( ) ( )						
36"	84"	28 3/8"	<b>RCDFMF84362</b> ( ) ( )						
36"	96"	28 3/8"	<b>RCDFMF96362</b> ( ) ( )						

Classic Desks

## Order Code

Example:	<b>RCDFMR60301</b>
<b>R</b>	Reff
<b>CD</b>	Classic Desk
<b>FMR</b>	Full Modesty Recessed
<b>60</b>	Width
<b>30</b>	Depth
( )	Grommet Option
( )	Grommet Finish
( )	Finish

## Specification Information

To order please specify pattern number including:

- Grommet Option  
F=Flush or Standard Corner location  
N=No Grommet  
R=Recessed Grommet
- Grommet Finish:  
Painted or Plated
- Finish: L,V1,V2,V3

## Application Notes

Classic Desks ship knocked down, with all hardware.

Worksurface is 1 1/2" thick.

Grommets are located 20" in from the sides and 3.5" in from the back. Grommets ship separately in a kit.

Lower storage sold separately.

26 1/2" high desk will only work with 26 1/2" high lower storage.

28 3/8" high desk will only work with 28 3/8" high lower storage.


30" deep desk with flush modesty can accept up to 29" deep pedestals.


36" deep desk with flush modesty can accept up to 30" deep pedestals.


**Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.**



Single pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
available V2 finish options only


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	<b>RDSP6030J(A,B,W)( ) ( ) 2</b>	\$2,911.	\$3,331.	\$3,947.	\$3,077.	\$3,496.	\$4,110.
	72"	30"	<b>RDSP7230J(A,B,W)( ) ( ) 2</b>	3,027.	3,501.	4,110.	3,192.	3,666.	4,277.
	84"	30"	<b>RDSP8430J(A,B,W)( ) ( ) 2</b>	3,174.	3,698.	4,356.	3,340.	3,861.	4,520.
	96"	30"	<b>RDSP9630J(A,B,W)( ) ( ) 2</b>	3,303.	3,873.	4,582.	3,468.	4,038.	4,746.

Single pedestal cantilevered desk, 36"d 	60"	36"	<b>RDSP6036J(A,B,W)( ) ( ) 2</b>	3,088.	3,533.	4,283.	3,327.	3,771.	4,521.
	72"	36"	<b>RDSP7236J(A,B,W)( ) ( ) 2</b>	3,230.	3,751.	4,506.	3,468.	3,989.	4,744.
	84"	36"	<b>RDSP8436J(A,B,W)( ) ( ) 2</b>	3,374.	3,983.	4,738.	3,612.	4,220.	4,975.
	96"	36"	<b>RDSP9636J(A,B,W)( ) ( ) 2</b>	3,503.	4,210.	4,958.	3,741.	4,447.	5,197.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	<b>RBSP6030J(A,B,W)( ) ( ) 2</b>	3,810.	4,082.	5,437.	4,048.	4,320.	5,674.
	72"	30"	<b>RBSP7230J(A,B,W)( ) ( ) 2</b>	3,941.	4,242.	5,740.	4,180.	4,478.	5,977.
	84"	30"	<b>RBSP8430J(A,B,W)( ) ( ) 2</b>	4,147.	4,474.	6,131.	4,385.	4,713.	6,367.
	96"	30"	<b>RBSP9630J(A,B,W)( ) ( ) 2</b>	4,335.	4,703.	6,539.	4,573.	4,943.	6,777.

Order Code	Specification Information	Application Notes
Example: <b>RDSP6030JAR2WJL</b>	To order, please specify pattern number including:	5. Grommet Options: R = Recessed grommets N = No grommets
<b>RD</b> Reff desk	1. Width	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>SP</b> Single pedestal	2. Depth	36"D rectilinear desk pedestals are 30"D including modesty panel.
<b>60</b> 60" wide	3. File option <i>J default = BBF</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>30</b> 30" deep	4. Top thickness	Bowed front desk pedestals are 30"D with finished backs.
<b>J</b> Box/box/file	5. Grommet option	All desks are non-handed.
<b>A</b> 1 1/4" regular edge top	6. Finish type	All hardware included.
<b>R</b> Recessed grommets	7. Interior option	All waterfall desks have waterfall detail on front and back.
<b>2</b> Finish type	8. Pull option	All components on this page available in V2 only.
<b>W</b> Wood interiors	9. Locking <i>L default</i>	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>J</b> Routed pulls	10. Veneer finish	
<b>L</b> Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	

Double pedestal desks  
27<sup>3</sup>/<sub>4</sub>" high overall  
available V2 finish options only

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	<b>RDDP6030JK(A,B,W)( ) ( ) 2</b>	\$3,757.	\$4,178.	\$4,793.	\$4,120.	\$4,540.	\$5,156.
	72"	30"	<b>RDDP7230JK(A,B,W)( ) ( ) 2</b>	3,875.	4,348.	4,957.	4,237.	4,711.	5,320.
	84"	30"	<b>RDDP8430JK(A,B,W)( ) ( ) 2</b>	4,022.	4,543.	5,202.	4,385.	4,905.	5,564.
	96"	30"	<b>RDDP9630JK(A,B,W)( ) ( ) 2</b>	4,151.	4,720.	5,428.	4,513.	5,083.	5,791.





	60"	36"	<b>RDDP6036JK(A,B,W)( ) ( ) 2</b>	3,995.	4,438.	5,186.	4,484.	4,928.	5,677.
	72"	36"	<b>RDDP7236JK(A,B,W)( ) ( ) 2</b>	4,136.	4,657.	5,410.	4,625.	5,147.	5,901.
	84"	36"	<b>RDDP8436JK(A,B,W)( ) ( ) 2</b>	4,280.	4,886.	5,640.	4,769.	5,378.	6,131.
	96"	36"	<b>RDDP9636JK(A,B,W)( ) ( ) 2</b>	4,407.	5,113.	5,863.	4,898.	5,603.	6,353.

	60"	30"	<b>RBDP6030JK(A,B,W)( ) ( ) 2</b>	4,447.	4,719.	6,073.	4,938.	5,208.	6,563.
	72"	30"	<b>RBDP7230JK(A,B,W)( ) ( ) 2</b>	4,577.	4,877.	6,377.	5,066.	5,367.	6,865.
	84"	30"	<b>RBDP8430JK(A,B,W)( ) ( ) 2</b>	4,783.	5,111.	6,766.	5,273.	5,601.	7,256.
	96"	30"	<b>RBDP9630JK(A,B,W)( ) ( ) 2</b>	4,972.	5,341.	7,175.	5,462.	5,829.	7,664.

Preconfigured Ref  
Desking


Order Code	Specification Information	Application Notes
Example: <b>RDDP7236JKAR2WJL</b>		
<b>RD</b> Reff desk	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
<b>DP</b> Double pedestal	1. Width	36"D rectilinear desk pedestals are 30"D including modesty panel.
<b>72</b> 72" wide	2. Depth	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>36</b> 36" deep	3. File option <i>JK default = BBF and FF</i>	Bowed front desk pedestals are 30"D with finished backs. Bow front modesty sits in between the pedestals and is recessed in 6".
<b>J</b> Box/box/file pedestal	4. Top thickness	All hardware included.
<b>K</b> File/file	5. Grommet option	All waterfall desks have waterfall detail on front and back.
<b>A</b> 1 1/4" Thick worksurface	6. Finish type	All components on this page available in V2 only.
<b>R</b> Recessed grommets	7. Interior option	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>2</b> Finish type, V2	8. Pull option	
<b>W</b> Wood interiors	9. Locking <i>L default</i>	
<b>J</b> Routed pull	10. Veneer finish	
<b>L</b> Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: R = Recessed grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	


Desk returns  
 27<sup>3</sup>/<sub>4</sub>" high overall  
 available V2 finish options only


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
 Single pedestal return, 24" d	36"	24"	<b>RRSP3624K(A,B,W)( ) ( ) 2</b>	\$2,141.	\$2,477.	\$3,127.	\$2,340.	\$2,675.	\$3,326.
	42"	24"	<b>RRSP4224K(A,B,W)( ) ( ) 2</b>	2,196.	2,574.	3,211.	2,395.	2,771.	3,408.
	48"	24"	<b>RRSP4824K(A,B,W)( ) ( ) 2</b>	2,289.	2,693.	3,379.	2,485.	2,890.	3,577.
	54"	24"	<b>RRSP5424K(A,B,W)( ) ( ) 2</b>	2,349.	2,760.	3,514.	2,548.	2,958.	3,711.
	60"	24"	<b>RRSP6024K(A,B,W)( ) ( ) 2</b>	2,408.	2,821.	3,655.	2,607.	3,020.	3,854.
 Single pedestal return, 30" d	36"	30"	<b>RRSP3630K(A,B,W)( ) ( ) 2</b>	2,278.	2,652.	3,387.	2,531.	2,903.	3,636.
	42"	30"	<b>RRSP4230K(A,B,W)( ) ( ) 2</b>	2,340.	2,739.	3,489.	2,589.	2,989.	3,741.
	48"	30"	<b>RRSP4830K(A,B,W)( ) ( ) 2</b>	2,436.	2,843.	3,664.	2,687.	3,095.	3,917.
	54"	30"	<b>RRSP5430K(A,B,W)( ) ( ) 2</b>	2,509.	2,910.	3,837.	2,759.	3,162.	4,088.
	60"	30"	<b>RRSP6030K(A,B,W)( ) ( ) 2</b>	2,552.	2,969.	3,928.	2,804.	3,222.	4,182.
 End panel return	36"	24"	<b>RREP3624(A,B,W)(F,N)2</b>				1,296.	1,629.	2,281.
	42"	24"	<b>RREP4224(A,B,W)(F,N)2</b>				1,349.	1,727.	2,365.
	48"	24"	<b>RREP4824(A,B,W)(F,N)2</b>				1,441.	1,845.	2,533.
	54"	24"	<b>RREP5424(A,B,W)(F,N)2</b>				1,504.	1,914.	2,667.
	60"	24"	<b>RREP6024(A,B,W)(F,N)2</b>				1,563.	1,975.	2,809.
 End panel return	36"	30"	<b>RREP3630(A,B,W)(F,N)2</b>				1,376.	1,746.	2,480.
	42"	30"	<b>RREP4230(A,B,W)(F,N)2</b>				1,435.	1,833.	2,584.
	48"	30"	<b>RREP4830(A,B,W)(F,N)2</b>				1,532.	1,938.	2,760.
	54"	30"	<b>RREP5430(A,B,W)(F,N)2</b>				1,604.	2,004.	2,933.
	60"	30"	<b>RREP6030(A,B,W)(F,N)2</b>				1,646.	2,065.	3,024.

Order Code	Specification Information	Application Notes
Example: <b>RREP4830AF2</b>	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>RREP</b> Reff desk return	1. Width	All desks are non-handed.
<b>48</b> 48" wide	2. Depth	All hardware included.
<b>30</b> 30" deep	3. File option where applicable <i>K default = FF</i>	Desk returns with waterfall have waterfall edge 3 sides.
<b>A</b> 1 1/4" thick worksurface	4. Top thickness	All components on this page available in V2 only.
<b>F</b> Flush grommets	5. Grommet option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
<b>2</b> Finish type, V2	6. Finish type	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
	7. Interior option where applicable	
	8. Pull option where applicable	
	9. Locking where applicable <i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: F = Flush grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	

Single pedestal credenzas  
27<sup>3</sup>/<sub>4</sub>" high overall  
available V2 finish options only


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCSP6024K(A,B,W)( ) ( ) 2</b>	\$2,769.	\$3,181.	\$3,392.	\$2,966.	\$3,379.	\$3,589.
	72"	24"	<b>RCSP7224K(A,B,W)( ) ( ) 2</b>	2,906.	3,353.	3,578.	3,103.	3,550.	3,777.
	84"	24"	<b>RCSP8424K(A,B,W)( ) ( ) 2</b>	3,047.	3,548.	3,778.	3,246.	3,747.	3,977.
	96"	24"	<b>RCSP9624K(A,B,W)( ) ( ) 2</b>	3,173.	3,726.	3,971.	3,370.	3,924.	4,167.

	60"	24"	<b>RCS3L6024K(A,B,W)( ) ( ) 2</b>	2,919.	3,331.	3,542.	3,373.	3,785.	3,995.
	72"	24"	<b>RCS3L7224K(A,B,W)( ) ( ) 2</b>	3,056.	3,503.	3,729.	3,508.	3,957.	4,184.
	84"	24"	<b>RCS3L8424K(A,B,W)( ) ( ) 2</b>	3,197.	3,700.	3,928.	3,650.	4,152.	4,382.
	96"	24"	<b>RCS3L9624K(A,B,W)( ) ( ) 2</b>	3,323.	3,876.	4,122.	3,777.	4,329.	4,576.

	60"	24"	<b>RCS6L6024K(A,B,W)( ) ( ) 2</b>	3,001.	3,417.	3,626.	3,788.	4,201.	4,413.
	72"	24"	<b>RCS6L7224K(A,B,W)( ) ( ) 2</b>	3,139.	3,586.	3,814.	3,926.	4,373.	4,599.
	84"	24"	<b>RCS6L8424K(A,B,W)( ) ( ) 2</b>	3,281.	3,783.	4,012.	4,067.	4,569.	4,799.
	96"	24"	<b>RCS6L9624K(A,B,W)( ) ( ) 2</b>	3,406.	3,960.	4,204.	4,194.	4,746.	4,990.

Order Code	Specification Information	Application Notes
Example: <b>RC</b>	<i>To order, please specify pattern number including:</i>	<p>Pedestals are 16"W when calculating knee space subtract 16" per pedestal.</p> <p>Credenzas with lateral files or pedestals are non-handed.</p> <p>All hardware included.</p> <p>All waterfall credenzas have waterfall detail on front only.</p> <p>All components on this page available in V2 only.</p> <p>Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Random locks are factory installed. Keyalike are field installed with the KnollKey order form.</p>
<b>S6L</b>	1. Width	
<b>96</b>	2. Depth	
<b>24</b>	3. File option	
<b>K</b>	<i>K default = FF</i>	
<b>A</b>	4. Top thickness	
<b>F</b>	5. Grommet option	
<b>2</b>	6. Finish type	
<b>M</b>	7. Interior option	
<b>D</b>	8. Pull option	
<b>L</b>	9. Locking	
	<i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 <sup>1</sup> / <sub>4</sub> " B = 1 <sup>3</sup> / <sub>4</sub> " W = 1 <sup>1</sup> / <sub>4</sub> " waterfall	
	5. Grommet Options: F = Flush grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	

Bridge assemblies  
 27<sup>3</sup>/<sub>4</sub>" high overall  
 available V2 finish options only

description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	<b>RBR3624(A,B,W)(F,N)2</b>	\$927.	\$1,262.	\$1,915.
	42"	24"	<b>RBR4224(A,B,W)(F,N)2</b>	982.	1,360.	1,998.
	48"	24"	<b>RBR4824(A,B,W)(F,N)2</b>	1,074.	1,478.	2,165.
	36"	30"	<b>RBR3630(A,B,W)(F,N)2</b>	989.	1,360.	2,094.
	42"	30"	<b>RBR4230(A,B,W)(F,N)2</b>	1,046.	1,446.	2,198.
	48"	30"	<b>RBR4830(A,B,W)(F,N)2</b>	1,144.	1,552.	2,375.

**Order Code**

Example: <b>RBR4830WF2</b>
<b>RBR</b> Reff bridge assembly
<b>48</b> 48" wide
<b>30</b> 30" deep
<b>W</b> Waterfall edge 1 1/4"
<b>F</b> Flush grommets
<b>2</b> Conventional veneer

**Specification Information**

To order, please specify pattern number including:

1. Top thickness
2. Grommet option
3. Finish type
4. Veneer finish
5. Grommet color

1. Thickness options:  
 A = 1 1/4" straight edge  
 B = 1 3/4" straight edge  
 W = 1 1/4" waterfall edge

2. Grommet Options:  
 F = Flush grommets  
 N = No grommets

3. 2 = V2 Veneer Finish

4. Grommet Color

Applicable finishes are listed on page 5 and 6.

**Application Notes**

Bridge assemblies are non-handed.

All hardware included.


Waterfall option on all 3 sides.


Available in conventional veneer only.

All components on this page are available in V2 only.


Shipped with full height modesty.

Double pedestal credenzas  
27<sup>3</sup>/<sub>4</sub>" high overall  
available V2 finish options only

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCDP6024K(A,B,W)( ) ( ) 2</b>	\$3,617.	\$4,027.	\$4,238.	\$4,011.	\$4,424.	\$4,635.
	72"	24"	<b>RCDP7224K(A,B,W)( ) ( ) 2</b>	3,751.	4,199.	4,425.	4,147.	4,596.	4,821.
	84"	24"	<b>RCDP8424K(A,B,W)( ) ( ) 2</b>	3,893.	4,396.	4,625.	4,289.	4,791.	5,020.
	96"	24"	<b>RCDP9624K(A,B,W)( ) ( ) 2</b>	4,019.	4,571.	4,818.	4,417.	4,967.	5,213.

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	<b>RCD3L6024K(A,B,W)( ) ( ) 2</b>	3,916.	4,328.	4,540.	4,823.	5,237.	5,446.
	84"	24"	<b>RCD3L8424K(A,B,W)( ) ( ) 2</b>	4,195.	4,698.	4,926.	5,102.	5,603.	5,832.
	96"	24"	<b>RCD3L9624K(A,B,W)( ) ( ) 2</b>	4,322.	4,872.	5,118.	5,228.	5,779.	6,027.

96" w shown; 60" w has no knee space

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	72"	24"	<b>RCD6L7224K(A,B,W)( ) ( ) 2</b>	4,220.	4,668.	4,895.	5,794.	6,240.	6,465.
	96"	24"	<b>RCD6L9624K(A,B,W)( ) ( ) 2</b>	4,488.	5,040.	5,286.	6,059.	6,612.	6,858.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: <b>RCD6L9624KBF2WDL</b>	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
<b>RC</b> Reff credenza	1. Width	All credenzas are non-handed.
<b>D6L</b> Double 36" w lateral file	2. Depth	All hardware included.
<b>96</b> 96" wide	3. File option	All waterfall credenzas have waterfall detail on front only.
<b>24</b> 24" wide	<i>K default = FF</i>	All components on this page available in V2 only.
<b>K</b> File file	4. Top thickness	Shipped with full height modesty.
<b>B</b> 1 <sup>3</sup> / <sub>4</sub> " thick worksurface	5. Grommet option	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
<b>F</b> Flush grommets	6. Finish type	Random locks are factory installed.
<b>2</b> Finish type	7. Interior option	Keyalike are field installed with the KnollKey order form.
<b>W</b> wood drawer interior	8. Pull option	
<b>D</b> D-metal pull	9. Locking	
<b>L</b> Lock	<i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options:	
	A = 1 <sup>1</sup> / <sub>4</sub> "	
	B = 1 <sup>3</sup> / <sub>4</sub> "	
	W = 1 <sup>1</sup> / <sub>4</sub> " waterfall	
	5. Grommet Options:	
	F = Flush grommets	
	N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options:	
	M = Metal	
	W = Wood	
	8. Pull Options:	
	D = Metal D-pull	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only)	
	S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	

# Accessories

## *hookstrips and top caps*

Reff Profiles

description	w	pattern no.	list price
Panel hookstrips	8"	<b>R2HK0008</b>	\$43.
	15"	<b>R2HK0015</b>	70.
	34"	<b>R2HK0034</b>	95.
	42"	<b>R2HK0042</b>	101.
	49"	<b>R2HK0049</b>	109.
	64"	<b>R2HK0064</b>	118.
	79"	<b>R2HK0079</b>	124.
Beltway hookstrips	42"	<b>R2HKB042</b>	109.
	49"	<b>R2HKB049</b>	118.
	64"	<b>R2HKB064</b>	124.
	79"	<b>R2HKB079</b>	130.








Order Code	Specification Information	Application Notes
Example: <b>KRR3CAPL-2A</b>	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
<b>KRR3</b> Reff generation 3		
<b>CAP</b> Top cap	<ol style="list-style-type: none"> <li>1. L = Laminate paint finish</li> <li>2. 1 = V1 Techwood</li> <li>3. 2 = V2 Conventional veneer</li> </ol>	An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.
<b>L</b> Finished 2 adjacent sides		
<b>2</b> Conventional veneer		
<b>A</b> Flat profile	<i>Top cap profile:</i> A = Flat B = Square C = Bullnose	Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.
<b>V319</b> Medium cherry		

New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

# Accessories

## *cabinet extras and undermount accessories*

Reff Profiles

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		<b>RCABT1417</b>						\$73.
	29"	17"		<b>RCABT2917</b>						122.
Cabinet coat rod 	Half of 30" cabinets			<b>RCACR30H</b>						71.
	Half of 36" cabinets			<b>RCACR36H</b>						77.
	16" cabinets			<b>RCACR16</b>						73.
	30" cabinets			<b>RCACR30</b>						97.
	36" cabinets			<b>RCACR36</b>						109.
Articulated keyboard arm 	10" x 22 1/4" keyboard tray			<b>RKBA1022( )</b>						865.
	10" x 20" keyboard tray			<b>RKBA1020( )</b>						865.
Available in laminate, techwood (V1), or veneer (V2)										
CRT turntable 	31" diameter			<b>RKT31</b>						534.
Pencil drawer used under worktop 	16"	17"	1"	<b>RPAD-( )</b>		296.	526.	526.	682.	
	Specify wood or laminate finish									
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		<b>RCAS1620-( )</b>	74.	139.	148.	171.	230.	
	16"	24"		<b>RCAS1624-( )</b>	82.	156.	168.	195.	262.	
	30"	15"		<b>RCAS3015-( )</b>	91.	182.	196.	224.	302.	
	30"	20"		<b>RCAS3020-( )</b>	88.	156.	168.	195.	262.	
	30"	24"		<b>RCAS3024-( )</b>	98.	182.	196.	224.	302.	
	36"	15"		<b>RCAS3615-( )</b>	100.	194.	205.	232.	313.	
	36"	20"		<b>RCAS3620-( )</b>	100.	167.	178.	205.	277.	
	36"	24"		<b>RCAS3624-( )</b>	105.	196.	209.	239.	323.	

Accessories and Client Samples

### Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

### Specification Information

Pencil drawer includes slides.

Applicable finishes are listed on page 5 and 6.




### Application Notes

See Reff Planning Guide for more information.



# Accessories

## *presentation samples*

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only) 	-	-	8 <sup>7</sup> / <sub>8</sub> "	<b>RWHRA-()</b>					\$37.
	-	-	17 <sup>5</sup> / <sub>8</sub> "	<b>RWHRB-()</b>					40.
	-	-	18 <sup>1</sup> / <sub>4</sub> "	<b>RWHRC-()</b>					40.
	-	-	21 <sup>1</sup> / <sub>16</sub> "	<b>RWHRD-()</b>					42.
	-	-	22"	<b>RWHRE-()</b>					42.
	-	-	59 <sup>1</sup> / <sub>2</sub> "	<b>RWHRF-()</b>					95.
	-	-	67"	<b>RWHRG-()</b>					95.
Striplight (black only) for transaction tops 	26"	2"	2"	<b>RCASL</b>					338.
Presentation wood sample, 16" x 16" Optional edge details available	16"	16"	-	<b>RSAMP1616-()()</b>	134.	187.	241.	279.	
Presentation stackable/tiled mini panel (for demonstrations) Specify trim profile, base height, base type and applicable finishes	24"	-	34"	<b>R3SMP ()()</b>					1,078.
Presentation monolithic mini panel Specify trim profile and applicable finishes	4"H base			<b>RR3MP4 ()</b>					590.
	6"H base			<b>RR3MP6 ()</b>					631.
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				<b>R917762 ()</b>					432.
Presentation worksurface cutaway sample	12"	12"	1 <sup>1</sup> / <sub>4</sub> "	<b>RTOP2 ()</b>	110.	165.	220.	259.	
	12"	12"	1 <sup>3</sup> / <sub>4</sub> "	<b>RTOP1 ()</b>	110.	165.	220.	259.	
Presentation waterfall edge sample	11"	8 <sup>1</sup> / <sub>2</sub> "		<b>R921655 ()</b>					328.
Sample, cascade edge worksurface 	12"	12"		<b>RCE1R1212G</b>	127.				
Rangeboard Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)	27"	12"	1 <sup>1</sup> / <sub>4</sub> "	<b>RRBRD2712 ()</b>					296.

### Order Code

### Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = Laminate

1 = V1

2 = V2

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.







List price for woodgrain laminate options will be current published laminate list price plus 10%.

Striplights come with brackets, and will work with all transaction tops.

# Accessories

## wire management

Reff Profiles

description	w	d	h	pattern no.	list price
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	<b>RWMWT24</b>	\$42.
	30"	4 1/2"	5 3/4"	<b>RWMWT30</b>	48.
	36"	4 1/2"	5 3/4"	<b>RWMWT36</b>	53.
	Available black only				
 Hinged vertical wire	24"	1"	3/8"	<b>RWMV24 ( )</b>	34.
	Ships with overdesk unit. Specify paint finish.				
 Multi-purpose manager*	24"	2 1/2"	1 1/4"	<b>RWMMP24</b>	37.
	30"	2 1/2"	1 1/4"	<b>RWMMP30</b>	42.
	36"	2 1/2"	1 1/4"	<b>RWMMP36</b>	43.
	Available black only				
 Panel-hung vertical wire	24"	–	–	<b>RWMVP24</b>	34.
	not available in finish codes: 112,116,117,611, 612, 613				
 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	<b>RWMVH24</b>	40.
	30"	1 1/2"	3/4"	<b>RWMVH30</b>	44.
	36"	1 1/2"	3/4"	<b>RWMVH36</b>	48.
	Available black only				
 Power bar, fits into wire manager				<b>RWMPB</b>	146.
Replacement hardware	Top to endpanel disk			<b>RBDD</b>	5.
	Top to workwall endpanel disk			<b>RBDW</b>	5.
	Panel to endpanel bracket			<b>RBPE(L/R)( )</b>	20.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				

Accessories and Client Samples

Order Code	Specification Information	Application Notes	Application Notes
Example: <b>RJBW24</b>	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 5.	*Installation instruction sheets available on line.
<b>R</b> Reff	1. Pattern number		
<b>JB</b> J-Bracket	2. Finish: painted finishes		
<b>W</b> Wall and Modesty mount			
<b>24</b>			


# Accessories

## wire management

Reff Profiles

description	w	d	h	pattern no.	list price
Tree wire manager 2 shipped with panel	2"			<b>RBWM</b>	\$11.

used in Beltway

				<b>RJBW24( )</b>	63.
				<b>RJBW30( )</b>	65.
				<b>RJBW36( )</b>	71.
				<b>RJBW42( )</b>	83.
				<b>RJBW48( )</b>	88.
				<b>RJBW54( )</b>	90.
				<b>RJBW60( )</b>	91.
				<b>RJBW66( )</b>	103.
				<b>RJBW72( )</b>	104.


\*Installation Instruction Sheet: 6TP00078

				<b>RJBU24( )</b>	76.
				<b>RJBU30( )</b>	78.
				<b>RJBU36( )</b>	85.
				<b>RJBU42( )</b>	98.
				<b>RJBU48( )</b>	105.
				<b>RJBU54( )</b>	107.
				<b>RJBU60( )</b>	109.
				<b>RJBU66( )</b>	121.
				<b>RJBU72( )</b>	123.

\*Installation Instruction Sheet: 6TP00079

\*Available in painted colors.

Wire manager for credenza top				<b>RWMCT24</b>	125.
-------------------------------	--	--	--	----------------	------









Order Code	Specification Information	Application Notes	Application Notes
Example: <b>RJBW24</b>	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 5.	*Installation instruction sheets available on line.
<b>R</b> Reff	1. Pattern number		
<b>JB</b> J-Bracket	2. Finish: painted finishes		
<b>W</b> Wall and Modesty mount			
<b>24</b>			

# Accessories

## Power and Data

Reff Profiles

description	type	w	d	h	pattern no.	list
Simple Stand Off		12"	5"	5"	<b>RST</b>	\$105.
						
Stand Off for Power Center (Electrical component not included)		8"	5"	5"	<b>RPCST()</b>	134.
						
Power Center Grommet (Electrical component not included)		8"	5"	1 1/2"	<b>RPCG</b>	153.
						
Desktop Grommet	For 1 1/2" thick top			1 1/2"	<b>RDTEGA</b>	33.
	For 1 1/4" thick top			1 1/4"	<b>RDTEGB</b>	33.
	For 1" thick top			1"	<b>RDTEGC</b>	33.
						
Desktop Outlet - Power Center stand off					<b>RDTE2272</b>	321.
					<b>RDTE22120</b>	345.
					<b>RDTE22H</b>	353.
						
Electrical component Clamp on	2 x 2				<b>RDTE2272</b>	400.
	2 x 2				<b>RDTE22120</b>	416.
	2 x 2				<b>RDTE22H</b>	475.
	3 x 3				<b>RDTE3372</b>	510.
	3 x 3				<b>RDTE33120</b>	526.
	3 x 3				<b>RDTE33H</b>	585.
						

3 x 3 shown

Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: <b>RDTE2272</b>		H = Hard wire
<b>R</b> Reff		Installation instruction sheet available on line.
<b>DT</b> Desktop Outlet		
<b>E</b> Electrical component		
<b>2</b> 2 Electrical		For Power Center stand off, refer to part number 6TP00081.
<b>2</b> 2 Data		
<b>72</b> 72" cord		

# Accessories

## *Power and Data*

Reff Profiles

description	type	w	d	h	pattern no.	list
Electrical component for Simple Stand-Off	3 x 3				<b>RDSTE3372</b>	\$679.
Drop-In	3 x 3				<b>RDSTE33120</b>	695.
	3 x 3				<b>RDSTE33H</b>	754.



### Order Code

### Specification Information



### Application Notes

Example: <b>RDTE2272</b>	
<b>R</b>	Reff
<b>DT</b>	Desktop Outlet
<b>E</b>	Electrical component
<b>2</b>	2 Electrical
<b>2</b>	2 Data
<b>72</b>	72" cord

H = Hard wire  
 Installation instruction sheet available on line.  
 For Power Center stand off, refer to part number 6TP00081.

# Accessories

## *interior components*

description	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)				<b>RPCHH</b>	\$34.
Not intended to work with (AA) Aluminum top trim					
Panel-hung coat hook (panel top)				<b>RPCHT</b>	34.
Panel-hung tackboard		30"	24"	<b>RPHTB3024</b>	286.
Note: Fabric railroaded		42"	24"	<b>RPHTB4224</b>	352.
All standard grades of fabric					
					
Panel-hung whiteboard		30"	24"	<b>RPHWB3024</b>	444.
		42"	24"	<b>RPHWB4224</b>	543.
Wall-hung tackboard		30"	24"	<b>RWHTB3024</b>	317.
Note: Fabric railroaded Velero supplied		36"	24"	<b>RWHTB3624</b>	352.
		42"	24"	<b>RWHTB4224</b>	386.
		48"	24"	<b>RWHTB4824</b>	420.
for use with 26 1/2" h support planning module					
Wall-hung tackboard for desk height (28 3/8" h) planning		30"	26"	<b>RWDHTB3026</b>	334.
Note: Fabric railroaded Velero supplied		36"	26"	<b>RWDHTB3626</b>	369.
		42"	26"	<b>RWDHTB4226</b>	407.
		48"	26"	<b>RWDHTB4826</b>	441.
for use with 28 3/8" h support planning module					
					
Box drawer dividers, wood box drawers (Acrylic)		16"	–	<b>RPADSS</b>	50.
File bars, wood file drawers (replacement)		16"	–	<b>RPAHFB16</b>	28.
		30"	–	<b>RPAHFB30</b>	54.
		36"	–	<b>RPAHFB36</b>	83.

### Order Code

To order please specify:  
 1. Pattern number  
 2. Finish: Anodized and painted

### Application Notes

See Reff Planning Guide for more information.  
 Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.  
 Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

# Accessories

## *interior components*

Reff Profiles

description	type	w	h	pattern no.	list price
File bars, metal file drawers (replacement)		16"	–	<b>RPAHFM162 *</b>	\$20.
		30"	–	<b>RPAHFM30</b>	28.
		36"	–	<b>RPAHFM36</b>	28.

Sold as individuals


Plate divider				<b>RPD11</b>	22.
				<b>RPD14</b>	22.



RPD11 to be used with 15" D open cabinet/bookcase with metal shelves.  
RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.


Pencil tray, wood (ordered separately)		12"	–	<b>RPAPT</b>	97.
--	--	-----	---	--------------	-----

Pencil tray, plastic	black	13 1/4"	–	<b>RPETRAY3N</b>	37.
	clear	12"	–	<b>RPETRAY3C</b>	44.




Recommended for use with metal drawer interiors on 16" w peds.  
Letter width pedestal.

Pencil tray adapter				<b>RPETAD</b>	80.
---------------------	--	--	--	---------------	-----



Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals.  
Available in painted and anodized finishes.

Task Panel shelf		14"		<b>RTST14</b>	163.
------------------	--	-----	--	---------------	------



### Order Code

To order please specify:

1. Pattern number
2. Finish: Anodized and painted

### Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.


Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

# Accessories

## *interior components*

Reff Profiles

description	type	w	h	pattern no.	list price
Task Panel flat tray		14"		<b>RTSF14</b>	\$163.
		28"		<b>RTSF28</b>	194.



### Order Code

*To order please specify:*

1. Pattern number
2. Finish: Anodized and painted

### Application Notes




See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.




Accessories  
Fascias  
Metal

description	w	pattern no.	P1/P2	P3
Metal Fascia - Both left and right recess 	30"	<b>ROMDHMTF130RB</b>	\$141.	\$169.
	36"	<b>ROMDHMTF136RB</b>	144.	173.
	42"	<b>ROMDHMTF142RB</b>	145.	174.
	48"	<b>ROMDHMTF148RB</b>	147.	177.
	54"	<b>ROMDHMTF154RB</b>	150.	180.
	60"	<b>ROMDHMTF160RB</b>	152.	183.
	66"	<b>ROMDHMTF166RB</b>	161.	193.
	72"	<b>ROMDHMTF172RB</b>	163.	196.
	78"	<b>ROMDHMTF178RB</b>	165.	198.
	84"	<b>ROMDHMTF184RB</b>	167.	200.
	90"	<b>ROMDHMTF190RB</b>	169.	203.
96"	<b>ROMDHMTF196RB</b>	171.	205.	
Metal Fascia - Left recess 	30"	<b>ROMDHMTF130RL</b>	141.	169.
	36"	<b>ROMDHMTF136RL</b>	144.	173.
	42"	<b>ROMDHMTF142RL</b>	145.	174.
	48"	<b>ROMDHMTF148RL</b>	147.	177.
	54"	<b>ROMDHMTF154RL</b>	150.	180.
	60"	<b>ROMDHMTF160RL</b>	152.	183.
	66"	<b>ROMDHMTF166RL</b>	161.	193.
	72"	<b>ROMDHMTF172RL</b>	163.	196.
	78"	<b>ROMDHMTF178RL</b>	165.	198.
	84"	<b>ROMDHMTF184RL</b>	167.	200.
	90"	<b>ROMDHMTF190RL</b>	169.	203.
96"	<b>ROMDHMTF196RL</b>	171.	205.	
Metal Fascia - No recess 	30"	<b>ROMDHMTF130RN</b>	141.	169.
	36"	<b>ROMDHMTF136RN</b>	144.	173.
	42"	<b>ROMDHMTF142RN</b>	145.	174.
	48"	<b>ROMDHMTF148RN</b>	147.	177.
	54"	<b>ROMDHMTF154RN</b>	150.	180.
	60"	<b>ROMDHMTF160RN</b>	152.	183.
	66"	<b>ROMDHMTF166RN</b>	161.	193.
	72"	<b>ROMDHMTF172RN</b>	163.	196.
	78"	<b>ROMDHMTF178RN</b>	165.	198.
	84"	<b>ROMDHMTF184RN</b>	167.	200.
	90"	<b>ROMDHMTF190RN</b>	169.	203.
96"	<b>ROMDHMTF196RN</b>	171.	205.	

Order Code	Specification Information	Application Notes
Example: <b>ROMDHMTF130RB</b>	<i>To order please specify pattern number including:</i> 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
<b>R</b> Recess		
<b>O</b> Overhead		
<b>M</b> Wall hung		
<b>DH</b> Desk height		
<b>M</b> Metal		
<b>T</b> Task light		
<b>F</b> Fascia		
<b>1</b> Letter depth		
<b>30</b> 30"		
<b>R</b> Recess		
<b>B</b> Recess location		
<b>118</b> Finish		

Accessories  
*Fascias*  
*Metal*




description	w	pattern no.	P1/P2	P3
Metal Fascia - Right recess 	30"	<b>ROMDHMTF130RR</b>	\$141.	\$169.
	36"	<b>ROMDHMTF136RR</b>	144.	173.
	42"	<b>ROMDHMTF142RR</b>	145.	174.
	48"	<b>ROMDHMTF148RR</b>	147.	177.
	54"	<b>ROMDHMTF154RR</b>	150.	180.
	60"	<b>ROMDHMTF160RR</b>	152.	183.
	66"	<b>ROMDHMTF166RR</b>	161.	193.
	72"	<b>ROMDHMTF172RR</b>	163.	196.
	78"	<b>ROMDHMTF178RR</b>	165.	198.
	84"	<b>ROMDHMTF184RR</b>	167.	200.
	90"	<b>ROMDHMTF190RR</b>	169.	203.
	96"	<b>ROMDHMTF196RR</b>	171.	205.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: <b>ROMDHMTF130RB</b>	<i>To order please specify pattern number including:</i> 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
<b>R</b> Recess		
<b>O</b> Overhead		
<b>M</b> Wall hung		
<b>DH</b> Desk height		
<b>M</b> Metal		
<b>T</b> Task light		
<b>F</b> Fascia		
<b>1</b> Letter depth		
<b>30</b> 30"		
<b>R</b> Recess		
<b>B</b> Recess location		
<b>118</b> Finish		


Accessories  
Fascias  
Wood

Reff Profiles

description	w	pattern no.	V1	V2	V3
Wood Fascia - Both left and right recess 	30"	<b>ROMDHWTF130RB</b>	\$260.	\$281.	\$351.
	36"	<b>ROMDHWTF136RB</b>	262.	284.	355.
	42"	<b>ROMDHWTF142RB</b>	264.	287.	359.
	48"	<b>ROMDHWTF148RB</b>	266.	290.	364.
	54"	<b>ROMDHWTF154RB</b>	268.	294.	368.
	60"	<b>ROMDHWTF160RB</b>	386.	408.	510.
	66"	<b>ROMDHWTF166RB</b>	388.	411.	514.
	72"	<b>ROMDHWTF172RB</b>	390.	414.	518.
	78"	<b>ROMDHWTF178RB</b>	392.	417.	522.
	84"	<b>ROMDHWTF184RB</b>	394.	420.	526.
	90"	<b>ROMDHWTF190RB</b>	397.	423.	530.
96"	<b>ROMDHWTF196RB</b>	542.	564.	706.	
Wood Fascia - Left recess 	30"	<b>ROMDHWTF130RL</b>	260.	281.	351.
	36"	<b>ROMDHWTF136RL</b>	262.	284.	355.
	42"	<b>ROMDHWTF142RL</b>	264.	287.	359.
	48"	<b>ROMDHWTF148RL</b>	266.	290.	364.
	54"	<b>ROMDHWTF154RL</b>	268.	294.	368.
	60"	<b>ROMDHWTF160RL</b>	386.	408.	510.
	66"	<b>ROMDHWTF166RL</b>	388.	411.	514.
	72"	<b>ROMDHWTF172RL</b>	390.	414.	518.
	78"	<b>ROMDHWTF178RL</b>	392.	417.	522.
	84"	<b>ROMDHWTF184RL</b>	394.	420.	526.
	90"	<b>ROMDHWTF190RL</b>	397.	423.	530.
96"	<b>ROMDHWTF196RL</b>	542.	564.	706.	
Wood Fascia - No recess 	30"	<b>ROMDHWTF130RN</b>	260.	281.	351.
	36"	<b>ROMDHWTF136RN</b>	262.	284.	355.
	42"	<b>ROMDHWTF142RN</b>	264.	287.	359.
	48"	<b>ROMDHWTF148RN</b>	266.	290.	364.
	54"	<b>ROMDHWTF154RN</b>	268.	294.	368.
	60"	<b>ROMDHWTF160RN</b>	386.	408.	510.
	66"	<b>ROMDHWTF166RN</b>	388.	411.	514.
	72"	<b>ROMDHWTF172RN</b>	390.	414.	518.
	78"	<b>ROMDHWTF178RN</b>	392.	417.	522.
	84"	<b>ROMDHWTF184RN</b>	394.	420.	526.
	90"	<b>ROMDHWTF190RN</b>	397.	423.	530.
96"	<b>ROMDHWTF196RN</b>	542.	564.	706.	

Order Code	Specification Information	Application Notes
Example: <b>ROMDHWTF130RB</b>	<i>To order please specify pattern number including:</i> 1. Finish Type: 1 = V1 2 = V2 3 = V3 2. Finish V1, V2, V3	For single and double high overheads.  Wood and metal options.  Letter depth only.
<b>R</b> Reff		
<b>O</b> Overhead		
<b>M</b> Wall hung		
<b>DH</b> Desk height		
<b>W</b> Wood		
<b>T</b> Task light		
<b>F</b> Fascia		
<b>1</b> Letter depth		
<b>30</b> 30"		
<b>R</b> Recess		
<b>B</b> Recess location		
<b>V316</b> Finish		





Accessories  
Fascias  
Wood

description	w	pattern no.	V1	V2	V3
Wood Fascia - Right recess 	30"	<b>ROMDHWTF130RR</b>	\$260.	\$281.	\$351.
	36"	<b>ROMDHWTF136RR</b>	262.	284.	355.
	42"	<b>ROMDHWTF142RR</b>	264.	287.	359.
	48"	<b>ROMDHWTF148RR</b>	266.	290.	364.
	54"	<b>ROMDHWTF154RR</b>	268.	294.	368.
	60"	<b>ROMDHWTF160RR</b>	386.	408.	510.
	66"	<b>ROMDHWTF166RR</b>	388.	411.	514.
	72"	<b>ROMDHWTF172RR</b>	390.	414.	518.
	78"	<b>ROMDHWTF178RR</b>	392.	417.	522.
	84"	<b>ROMDHWTF184RR</b>	394.	420.	526.
	90"	<b>ROMDHWTF190RR</b>	397.	423.	530.
	96"	<b>ROMDHWTF196RR</b>	542.	564.	706.

Order Code	Specification Information	Application Notes
Example: <b>ROMDHWTF130RB</b>	<i>To order please specify pattern number including:</i>	For single and double high overheads.
<b>R</b> Reff	1. Finish Type:	Wood and metal options.
<b>O</b> Overhead	1 = V1	Letter depth only.
<b>M</b> Wall hung	2 = V2	
<b>DH</b> Desk height	3 = V3	
<b>W</b> Wood	2. Finish	
<b>T</b> Task light	V1, V2, V3	
<b>F</b> Fascia		
<b>1</b> Letter depth		
<b>30</b> 30"		
<b>R</b> Recess		
<b>B</b> Recess location		
<b>V316</b> Finish		

# Accessories

## Sliding Rails

description	width	pattern no.	list price	
Sliding rail for open shelves 	30"	<b>RSDR30</b>	\$53.	
	36"	<b>RSDR36</b>	53.	
	42"	<b>RSDR42</b>	53.	
	48"	<b>RSDR48</b>	53.	
	54"	<b>RSDR54</b>	53.	
	60"	<b>RSDR60</b>	83.	
	66"	<b>RSDR66</b>	83.	
	72"	<b>RSDR72</b>	83.	
	78"	<b>RSDR78</b>	83.	
	84"	<b>RSDR84</b>	93.	
Sliding rail for open or hinged door overhead cabinets 	30"	<b>ROHDR30</b>	53.	
	36"	<b>ROHDR36</b>	53.	
	42"	<b>ROHDR42</b>	53.	
	48"	<b>ROHDR48</b>	53.	
	60"	<b>ROHDR60</b>	93.	
	72"	<b>ROHDR72</b>	93.	
	90"	<b>ROHDR90</b>	126.	
	96"	<b>ROHDR96</b>	126.	
	Sliding rail for flip door overhead cabinets 	30"	<b>RFDR30</b>	53.
		36"	<b>RFDR36</b>	53.
42"		<b>RFDR42</b>	53.	
48"		<b>RFDR48</b>	53.	
60"		<b>RFDR60</b>	93.	
72"		<b>RFDR72</b>	93.	
84"		<b>RFDR84</b>	93.	
Sliding rail divider 		<b>R5ZNNE (3 dividers)</b>	22.	

### Order Code

Example:	<b>RSDR30</b>
<b>R</b>	Reff
<b>SDR</b>	Sliding rail for open shelves
<b>30</b>	For 30" shelf

### Specification Information

*To order please specify pattern number.*

### Application Notes

Match cabinet width to rail width.




Parts come in black only.

These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

# Accessories

## Task Light

### Reff

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	<b>RTL5E19S</b>	\$270.
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTL5E25S</b>	276.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTL5E37S</b>	281.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTL5E49S</b>	286.
	Use with 72" and wider overhead	61"	4"	1 1/2"	<b>RTL5E61S</b>	303.
	Use with 84" and wider overhead	73"	4"	1 1/2"	<b>RTL5E73S</b>	330.
	Use with 96" and wider overhead	85"	4"	1 1/2"	<b>RTL5E85S</b>	412.
	Use with 30" and wider overhead	25"	4"	1 1/2"	<b>RTL5E25A</b>	396.
	Use with 42" and wider overhead	37"	4"	1 1/2"	<b>RTL5E37A</b>	417.
	Use with 60" and wider overhead	49"	4"	1 1/2"	<b>RTL5E49A</b>	434.
	Use with 72" and wider overhead	61"	4"	1 1/2"	<b>RTL5E61A</b>	451.
	Use with 84" and wider overhead	73"	4"	1 1/2"	<b>RTL5E73A</b>	467.
	Use with 96" and wider overhead	85"	4"	1 1/2"	<b>RTL5E85A</b>	484.
	Use with 24" and wider overhead (3 LED's)	19"	2"	3/16"	<b>RTL193W</b>	306.
	Use with 24" and wider overhead (6 LED's)	19"	2"	3/16"	<b>RTL196W</b>	386.
	Use with 24" and wider overhead (9 LED's)	19"	2"	3/16"	<b>RTL199W</b>	526.
	Use with 42" and wider overhead (6 LED's)	37"	2"	3/16"	<b>RTL376W</b>	617.
	Use with 42" and wider overhead (12 LED's)	37"	2"	3/16"	<b>RTL3712W</b>	697.
	Use with 42" and wider overhead (18 LED's)	37"	2"	3/16"	<b>RTL3718W</b>	864.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
<b>T5 Standard Task Light</b> Example: <b>RTL5E19S</b> <b>RTL</b> Task Light <b>T5</b> T5 lamp <b>E</b> Electronic ballast <b>19</b> Width <b>S</b> Standard <b>LED Task Light</b> Example: <b>RTL193W</b> <b>RTL</b> Task Light <b>L</b> LED <b>19</b> Width <b>3</b> # of LED's <b>W</b> Wood Overhead Attachment	<b>T5 Task Lights:</b> 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.  <b>LED Task Lights:</b> Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.	<b>T5 Task Lights:</b> Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH  Cordset is center exit. On smaller units cord exit is off-center, but still not handed.  T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.  <b>LED Task Lights:</b> Power cord is able to attach to either end of fixture.  <b>Notes:</b> All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.  All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

# Task Panels

## Planning Guidelines and Specifications

### Task Panels

The high performance Task Panel is designed to augment the utility of the zone immediately above the credenza in a Private Office setting, by offering tool rail capability and cable management features in addition to tackable and decorative inserts. All Task Panels have a cable curtain along the full length of the bottom edge which, when used in conjunction with notched back credenza tops, provides access to in-wall power sources and for cable concealment. See figure on following page for cable management details. The optional tool rail is designed to accept slatwall accessories and the Reff Profiles Task Panel Shelf. Slatwall accessories are available from KnollExtra. Insert panels may be conveniently removed, exposing a  $7/8$ " wire clearance space which allows cable drops at any point along the entire width of the Task Panel. Check local electrical codes for suitability.

Task Panels are configured in eight heights (H1 – H8) to correspond to their application. See application diagrams on the following pages. H1 and H2 are designed for focused work applications whereas H3 through H8 are designed for collaborative or team work applications.


### Construction

The Task Panel consists of a framework and optional tool rail, with decorative trims and a variety of functional and decorative inserts. See figures below for breakdown of components. Bottom right; The frame assembly consists of two vertical members, a bottom and top frame member and an optional tool rail. These are connected together and supported by mounting brackets. Edges have decorative trims; a top cover and two end covers.

Connected to the bottom frame member is a nylon brush which forms the cable curtain. Frames are clad with either one or two inserts depending upon the use of the tool rail. Bottom left (upper); single monolithic insert with spacers. Bottom left (lower); top segmented insert and bottom segmented insert and spacers.

Task Panels are shipped with frame and trim components, cable curtain and hardware in one container and inserts and spacers in a separate container.

The unit is field-assembled; fastened together using brackets and screws in pre-punched holes. See part #6TP00085 for assembly and installations instructions.



# Task Panels

## Planning Guidelines and Specifications

### Specification Options

Task Panels are offered in widths from 30" to 96" in 6" increments; and in eight application heights, H1 to H8. Overall thickness of the Task Panel is 1 1/2".

Task Panels are available in two basic configurations; monolithic (with a single insert) and segmented (with two inserts divided by the horizontal tool rail). See diagrams, previous page, for description.


The Task Panel cover trims and optional tool rail are offered in three anodized metallic finishes; Black (AN), Polished (AP) and Satin (AU) as well as all core paint colors. Refer to Reff Profiles finish options page for more information.

Task Panel inserts are available in a variety of finishes including fabric (tackable), Forbo™ (tackable linoleum), laminate, veneer, glass and marker board.

Note that segmented Task Panels with fabric lower inserts are available up to 72" wide.

### Planning Notes

1. H1, H3, H5 and H7 Task Panels are intended for use with 1 1/2" thick credenza tops. H2, H4, H6 and H8 Task Panels are intended for use with 1" credenza tops.
2. Fabric is applied to inserts railroad style only
3. Forbo™ is available on lower segmented inserts only
4. Grain direction for veneer inserts is vertical
5. Glass is not available for lower segmented inserts.





Accessories and Client Samples



# Task Panels

## Planning Guidelines and Specifications





### Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H1 Task Panel is intended for use with 1 1/2" thick tops.
- H2 Task Panel is intended for use with 1" thick credenza tops.

# Task Panels

## Planning Guidelines and Specifications





### Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H3 Task Panel is intended for use with 1 1/2" thick tops.
- H4 Task Panel is intended for use with 1" thick credenza tops.

# Task Panels

## Planning Guidelines and Specifications





### Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H5 Task Panel is intended for use with 1 1/2" thick tops.
- H6 Task Panel is intended for use with 1" thick credenza tops.

# Task Panels


## Planning Guidelines and Specifications



### Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H7 Task Panel is intended for use with 1 1/2" thick tops.
- H8 Task Panel is intended for use with 1" thick credenza tops.

Task Panels  
*H1 23 1/8" high*  
*Monolithic, Without Tool rail*  
*Fabric*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	23 1/8"	30"	0.9	<b>RTPNM30H1()</b> ( )	\$727.	\$742.	\$757.	\$771.	\$794.	\$809.	\$827.
Without tool rail	1 1/2"	23 1/8"	36"	1.1	<b>RTPNM36H1()</b> ( )	781.	799.	818.	836.	861.	877.	896.
	1 1/2"	23 1/8"	42"	1.3	<b>RTPNM42H1()</b> ( )	1,024.	1,045.	1,067.	1,089.	1,122.	1,141.	1,167.
	1 1/2"	23 1/8"	48"	1.4	<b>RTPNM48H1()</b> ( )	1,036.	1,060.	1,084.	1,107.	1,140.	1,160.	1,187.
	1 1/2"	23 1/8"	54"	1.6	<b>RTPNM54H1()</b> ( )	1,054.	1,080.	1,107.	1,134.	1,168.	1,189.	1,215.
	1 1/2"	23 1/8"	60"	1.8	<b>RTPNM60H1()</b> ( )	1,117.	1,146.	1,176.	1,206.	1,242.	1,264.	1,293.
	1 1/2"	23 1/8"	66"	1.9	<b>RTPNM66H1()</b> ( )	1,351.	1,383.	1,414.	1,446.	1,489.	1,515.	1,550.
	1 1/2"	23 1/8"	72"	2.1	<b>RTPNM72H1()</b> ( )	1,371.	1,406.	1,441.	1,476.	1,520.	1,547.	1,582.
	1 1/2"	23 1/8"	78"	2.3	<b>RTPNM78H1()</b> ( )	1,541.	1,579.	1,617.	1,655.	1,705.	1,735.	1,774.
	1 1/2"	23 1/8"	84"	2.4	<b>RTPNM84H1()</b> ( )	1,550.	1,590.	1,630.	1,671.	1,721.	1,751.	1,791.
	1 1/2"	23 1/8"	90"	2.6	<b>RTPNM90H1()</b> ( )	1,613.	1,656.	1,701.	1,744.	1,796.	1,827.	1,869.
	1 1/2"	23 1/8"	96"	2.8	<b>RTPNM96H1()</b> ( )	1,632.	1,679.	1,725.	1,773.	1,826.	1,857.	1,900.


Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H1()</b> ( )	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		
<b>M</b> Monolithic		
<b>30</b> Width		Always supplied including all trim pieces.
<b>H1</b> 23 1/8" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>W281</b> Fabric selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

# Task Panels

*H1 23 1/8" high*


*Monolithic, Without Tool rail*

*Wood, Laminate, Marker board or Glass Inserts*

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	23 1/8"	30"	<b>RTPNM30H1()</b>	\$972.	\$781.	\$774.	\$873.	\$935.	\$1,077.
Without tool rail	1 1/2"	23 1/8"	36"	<b>RTPNM36H1()</b>	1,088.	828.	819.	921.	991.	1,159.
	1 1/2"	23 1/8"	42"	<b>RTPNM42H1()</b>	1,327.	1,018.	1,006.	1,111.	1,186.	1,380.
	1 1/2"	23 1/8"	48"	<b>RTPNM48H1()</b>	1,421.	1,030.	1,018.	1,125.	1,207.	1,430.
	1 1/2"	23 1/8"	54"	<b>RTPNM54H1()</b>	1,500.	1,039.	1,026.	1,134.	1,226.	1,476.
	1 1/2"	23 1/8"	60"	<b>RTPNM60H1()</b>	1,623.	1,094.	1,079.	1,189.	1,291.	1,568.
	1 1/2"	23 1/8"	66"	<b>RTPNM66H1()</b>	1,927.	1,360.	1,343.	1,455.	1,571.	1,876.
	1 1/2"	23 1/8"	72"	<b>RTPNM72H1()</b>	2,007.	1,371.	1,353.	1,468.	1,597.	1,936.
	1 1/2"	23 1/8"	78"	<b>RTPNM78H1()</b>	2,239.	1,534.	1,514.	1,630.	1,762.	2,122.
	1 1/2"	23 1/8"	84"	<b>RTPNM84H1()</b>	2,319.	1,550.	1,529.	1,652.	1,788.	2,174.
	1 1/2"	23 1/8"	90"	<b>RTPNM90H1()</b>	2,442.	1,604.	1,581.	1,700.	1,852.	2,266.
	1 1/2"	23 1/8"	96"	<b>RTPNM96H1()</b>	2,522.	1,622.	1,599.	1,721.	1,876.	2,316.

Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H1()</b>	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: Veneer	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		Always supplied including cable curtain.
<b>M</b> Monolithic		Always supplied including all trim pieces.
<b>30</b> Width		LH & RH side full height trims. ( no hi-lo trims )
<b>H1</b> 23 1/8" high		All trims supplied with the same finish specification.
<b>111</b> Trim finish		Tool rails are not supplied to this Task Panel.
<b>V319</b> Veneer selection		All Fabric to be applied railroded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels  
*H1 23 1/8" high*  
*Segmented With Tool rail*  
*Fabric Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	23 1/8"	30"	0.9	RTPRS30H1()()	\$1,128.	\$1,158.	\$1,189.	\$1,218.	\$1,247.	\$1,277.	\$1,306.
	1 1/2"	23 1/8"	36"	1.1	RTPRS36H1()()	1,214.	1,251.	1,288.	1,325.	1,357.	1,388.	1,419.
	1 1/2"	23 1/8"	42"	1.3	RTPRS42H1()()	1,466.	1,509.	1,552.	1,595.	1,634.	1,672.	1,710.
	1 1/2"	23 1/8"	48"	1.4	RTPRS48H1()()	1,486.	1,533.	1,580.	1,626.	1,666.	1,705.	1,743.
	1 1/2"	23 1/8"	54"	1.6	RTPRS54H1()()	1,517.	1,571.	1,624.	1,678.	1,718.	1,758.	1,798.
	1 1/2"	23 1/8"	60"	1.8	RTPRS60H1()()	1,548.	1,608.	1,669.	1,728.	1,770.	1,811.	1,853.
	1 1/2"	23 1/8"	66"	1.9	RTPRS66H1()()	1,894.	1,958.	2,021.	2,085.	2,134.	2,185.	2,234.
	1 1/2"	23 1/8"	72"	2.1	RTPRS72H1()()	1,927.	1,997.	2,068.	2,138.	2,190.	2,240.	2,292.

Order Code	Specification Information	Application Notes	
Example: <b>RTPRS30H1()()</b>	To order please specify pattern number including: 1. Trim Finish: Painted or Anodized 2. Top insert finish: Fabric 3. Bottom insert finish: Fabric	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.  Always supplied including cable curtain.  Always supplied including all trim pieces.  LH & RH side full height trims. ( no hi-lo trims )  All trims supplied with the same finish specification.  All Fabric to be applied railroaded as current tackboard  When ordering 54" or wider Task Panel, please check width of fabric specified.	
<b>R</b> Reff			*Installation instruction sheets available on-line.
<b>TP</b> Task Panel			For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail			<b>Note:</b> Need to "double the yardage", for this task panel; Fabric above, Fabric below.
<b>S</b> Segmented			
<b>30</b> Width			
<b>H1</b> 23 1/8" high			
<b>111</b> Trim finish			
<b>W281</b> Fabric selection top			
<b>W281</b> Fabric selection bottom			


# Task Panels

Reff Profiles

*H1 23 1/8" high*

*Segmented With Tool rail*

*Marker board Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade							
						LW10	LW15	LW20	LW30	LW35	LW40	LW45	
Task Panel, segmented With tool rail 	1 1/2"	23 1/8"	30"	0.9	<b>RTPRS30H1</b> ( ) ( )	\$1,189.	\$1,204.	\$1,218.	\$1,234.	\$1,271.	\$1,293.	\$1,323.	
	1 1/2"	23 1/8"	36"	1.1	<b>RTPRS36H1</b> ( ) ( )	1,266.	1,284.	1,302.	1,320.	1,360.	1,383.	1,415.	
	1 1/2"	23 1/8"	42"	1.3	<b>RTPRS42H1</b> ( ) ( )	1,450.	1,472.	1,494.	1,515.	1,560.	1,587.	1,624.	
	1 1/2"	23 1/8"	48"	1.4	<b>RTPRS48H1</b> ( ) ( )	1,468.	1,491.	1,514.	1,538.	1,584.	1,612.	1,648.	
	1 1/2"	23 1/8"	54"	1.6	<b>RTPRS54H1</b> ( ) ( )	1,495.	1,521.	1,548.	1,575.	1,622.	1,650.	1,688.	
	1 1/2"	23 1/8"	60"	1.8	<b>RTPRS60H1</b> ( ) ( )	1,519.	1,549.	1,579.	1,609.	1,657.	1,686.	1,724.	
	1 1/2"	23 1/8"	66"	1.9	<b>RTPRS66H1</b> ( ) ( )	1,888.	1,920.	1,952.	1,984.	2,044.	2,079.	2,126.	
	1 1/2"	23 1/8"	72"	2.1	<b>RTPRS72H1</b> ( ) ( )	1,913.	1,948.	1,984.	2,019.	2,080.	2,116.	2,164.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H1</b> ( ) ( )	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	Installation instruction sheets available on line.
<b>TP</b> Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085.
<b>R</b> Tool rail	3. Bottom insert finish: Fabric	
<b>S</b> Segmented		Always supplied including cable curtain.
<b>30</b> Width		Always supplied including all trim pieces.
<b>H1</b> 23 1/8" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>LW</b> Marker board top insert		All Fabric to be applied railroded as current tackboard
<b>W281</b> Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.




# Task Panels

*H1 23 1/8" high*


*Segmented With Tool rail*

*Glass or Fabric Insert Above / Forbo, Laminate or Wood Below*

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	23 1/8"	30"	0.9	<b>RTPRS30H1()</b> ( )()	\$1,262.	\$1,134.	\$1,227.	\$1,271.	\$1,286.	\$1,319.
With tool rail	1 1/2"	23 1/8"	36"	1.1	<b>RTPRS36H1()</b> ( )()	1,387.	1,272.	1,354.	1,354.	1,372.	1,412.
	1 1/2"	23 1/8"	42"	1.3	<b>RTPRS42H1()</b> ( )()	1,620.	1,426.	1,503.	1,547.	1,567.	1,614.
	1 1/2"	23 1/8"	48"	1.4	<b>RTPRS48H1()</b> ( )()	1,694.	1,454.	1,521.	1,604.	1,624.	1,678.
	1 1/2"	23 1/8"	54"	1.6	<b>RTPRS54H1()</b> ( )()	1,765.	1,490.	1,550.	1,633.	1,654.	1,713.
	1 1/2"	23 1/8"	60"	1.8	<b>RTPRS60H1()</b> ( )()	1,835.	1,527.	1,579.	1,661.	1,685.	1,750.
	1 1/2"	23 1/8"	66"	1.9	<b>RTPRS66H1()</b> ( )()	2,236.	1,883.	1,959.	2,041.	2,068.	2,139.
	1 1/2"	23 1/8"	72"	2.1	<b>RTPRS72H1()</b> ( )()	2,309.	1,922.	1,990.	2,073.	2,101.	2,179.
	1 1/2"	23 1/8"	78"	2.3	<b>RTPRS78H1()</b> ( )()	2,487.	2,067.	2,126.	2,210.	2,240.	2,325.
	1 1/2"	23 1/8"	84"	2.4	<b>RTPRS84H1()</b> ( )()	2,557.	2,092.	2,143.	2,228.	2,260.	2,351.
	1 1/2"	23 1/8"	90"	2.6	<b>RTPRS90H1()</b> ( )()	2,629.	2,129.	2,172.	2,257.	2,291.	2,390.
	1 1/2"	23 1/8"	96"	2.8	<b>RTPRS96H1()</b> ( )()	2,702.	2,167.	2,202.	2,288.	2,324.	2,429.


Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H1()</b> ( )()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
<b>S</b> Segmented		Always supplied including all trim pieces.
<b>30</b> Width		LH & RH side full height trims. ( no hi-lo trims )
<b>H1</b> 23 1/8" high		All trims supplied with the same finish specification.
<b>111</b> Trim finish		All Fabric to be applied railroaded as current tackboard
<b>W281</b> Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
<b>V319</b> Veneer selection bottom insert		

Task Panels  
*H2 29<sup>3</sup>/<sub>4</sub>" high*  
*Monolithic, Without Tool Rail*  
*Fabric*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	29 3/4"	30"	0.9	RTPNM30H2( )()	\$801.	\$817.	\$831.	\$847.	\$872.	\$887.	\$907.
Without tool rail	1 1/2"	29 3/4"	36"	1.1	RTPNM36H2( )()	857.	876.	894.	913.	940.	956.	979.
	1 1/2"	29 3/4"	42"	1.3	RTPNM42H2( )()	1,048.	1,069.	1,092.	1,113.	1,146.	1,167.	1,194.
	1 1/2"	29 3/4"	48"	1.4	RTPNM48H2( )()	1,062.	1,086.	1,108.	1,132.	1,166.	1,187.	1,213.
	1 1/2"	29 3/4"	54"	1.6	RTPNM54H2( )()	1,080.	1,107.	1,133.	1,160.	1,195.	1,215.	1,243.
	1 1/2"	29 3/4"	60"	1.8	RTPNM60H2( )()	1,143.	1,173.	1,204.	1,234.	1,271.	1,293.	1,323.
	1 1/2"	29 3/4"	66"	1.9	RTPNM66H2( )()	1,379.	1,411.	1,443.	1,475.	1,519.	1,546.	1,581.
	1 1/2"	29 3/4"	72"	2.1	RTPNM72H2( )()	1,400.	1,435.	1,470.	1,505.	1,550.	1,577.	1,613.
	1 1/2"	29 3/4"	78"	2.3	RTPNM78H2( )()	1,571.	1,609.	1,648.	1,686.	1,737.	1,766.	1,808.
	1 1/2"	29 3/4"	84"	2.4	RTPNM84H2( )()	1,582.	1,622.	1,662.	1,703.	1,753.	1,784.	1,825.
	1 1/2"	29 3/4"	90"	2.6	RTPNM90H2( )()	1,645.	1,688.	1,732.	1,776.	1,829.	1,861.	1,903.
	1 1/2"	29 3/4"	96"	2.8	RTPNM96H2( )()	1,666.	1,712.	1,759.	1,806.	1,859.	1,892.	1,935.

Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H2( )()</b>	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail	3. Insert Finish: Fabric	
<b>M</b> Monolithic		Always supplied including cable curtain.
<b>30</b> Width		Always supplied including all trim pieces.
<b>H2</b> 29 3/4" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>W281</b> Fabric selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels  
*H2 29<sup>3</sup>/<sub>4</sub>" high*  
*Monolithic, Without Tool Rail*  
*Wood, Laminate, Marker board or Glass Inserts*


description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	30"	<b>RTPNM30H2</b> ( ) ( )	\$1,121.	\$817.	\$806.	\$911.	\$981.	\$1,163.
Without tool rail	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	36"	<b>RTPNM36H2</b> ( ) ( )	1,263.	870.	858.	964.	1,045.	1,263.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	42"	<b>RTPNM42H2</b> ( ) ( )	1,540.	1,054.	1,040.	1,149.	1,243.	1,497.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	48"	<b>RTPNM48H2</b> ( ) ( )	1,648.	1,076.	1,061.	1,172.	1,282.	1,571.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	54"	<b>RTPNM54H2</b> ( ) ( )	1,753.	1,088.	1,070.	1,185.	1,306.	1,630.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	60"	<b>RTPNM60H2</b> ( ) ( )	1,903.	1,145.	1,127.	1,242.	1,376.	1,737.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	66"	<b>RTPNM66H2</b> ( ) ( )	2,233.	1,414.	1,393.	1,512.	1,657.	2,053.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	72"	<b>RTPNM72H2</b> ( ) ( )	2,340.	1,429.	1,406.	1,526.	1,683.	2,114.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	78"	<b>RTPNM78H2</b> ( ) ( )	2,598.	1,600.	1,575.	1,698.	1,862.	2,328.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	84"	<b>RTPNM84H2</b> ( ) ( )	2,703.	1,612.	1,585.	1,712.	1,887.	2,389.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	90"	<b>RTPNM90H2</b> ( ) ( )	2,852.	1,676.	1,647.	1,805.	1,968.	2,505.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	96"	<b>RTPNM96H2</b> ( ) ( )	2,959.	1,690.	1,660.	1,791.	1,994.	2,566.

Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H2</b> ( ) ( )	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
<b>TP</b> Task Panel	2. Top Insert Finish: Fabric	Always supplied including all trim pieces.
<b>N</b> No tool rail	3. Bottom Insert Finish: G, LW, L, V1, V2, V3	LH & RH side full height trims. ( no hi-lo trims )
<b>M</b> Monolithic		All trims supplied with the same finish specification.
<b>30</b> Width		Tool rails are not supplied to this Task Panel.
<b>H2</b> 29 <sup>3</sup> / <sub>4</sub> " high		All Fabric to be applied railroded as current tackboard.
<b>111</b> Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
<b>V319</b> Veneer selection		

\*Installation instruction sheets available on-line.


For Task Panels refer to part number 6TP00085

Task Panels  
*H2 29<sup>3</sup>/<sub>4</sub>" high*  
*Segmented With Tool Rail*  
*Fabric Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	0.9	RTPRS30H2( ) ( )	\$1,260.	\$1,270.	\$1,281.	\$1,570.	\$1,331.	\$1,353.	\$1,384.
	1 1/2"	29 3/4"	36"	1.1	RTPRS36H2( ) ( )	1,292.	1,329.	1,365.	1,402.	1,444.	1,469.	1,503.
	1 1/2"	29 3/4"	42"	1.3	RTPRS42H2( ) ( )	1,485.	1,529.	1,573.	1,616.	1,664.	1,693.	1,732.
	1 1/2"	29 3/4"	48"	1.4	RTPRS48H2( ) ( )	1,508.	1,554.	1,602.	1,648.	1,697.	1,727.	1,766.
	1 1/2"	29 3/4"	54"	1.6	RTPRS54H2( ) ( )	1,539.	1,592.	1,646.	1,700.	1,750.	1,781.	1,822.
	1 1/2"	29 3/4"	60"	1.8	RTPRS60H2( ) ( )	1,571.	1,630.	1,691.	1,751.	1,804.	1,834.	1,877.
	1 1/2"	29 3/4"	66"	1.9	RTPRS66H2( ) ( )	1,919.	1,982.	2,046.	2,108.	2,171.	2,209.	2,260.
	1 1/2"	29 3/4"	72"	2.1	RTPRS72H2( ) ( )	2,019.	2,069.	2,120.	2,170.	2,235.	2,274.	2,326.

Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H2( ) ( )</b>	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	Installation instruction sheets available on line.
<b>TP</b> Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085.
<b>R</b> Tool rail	3. Bottom Insert Finish: Fabric	<b>Note:</b> Need to "double the yardage", for this task panel; Fabric above, Fabric below.
<b>S</b> Segmented		
<b>30</b> Width		Always supplied including cable curtain.
<b>H2</b> 29 3/4" high		Always supplied including all trim pieces.
<b>111</b> Trim finish		LH & RH side full height trims. ( no hi-lo trims )
<b>W281</b> Fabric selection top insert		All trims supplied with the same finish specification.
<b>W281</b> Fabric selection bottom insert		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels  
*H2 29<sup>3</sup>/<sub>4</sub>" high*  
*Segmented With Tool Rail*  
*Marker board Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade							
						LW10	LW15	LW20	LW30	LW35	LW40	LW45	
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	0.9	<b>RTPRS30H2()</b> ( )	\$1,207.	\$1,223.	\$1,237.	\$1,252.	\$1,290.	\$1,312.	\$1,342.	
	1 1/2"	29 3/4"	36"	1.1	<b>RTPRS36H2()</b> ( )	1,289.	1,307.	1,326.	1,344.	1,384.	1,409.	1,441.	
	1 1/2"	29 3/4"	42"	1.3	<b>RTPRS42H2()</b> ( )	1,474.	1,496.	1,518.	1,540.	1,586.	1,614.	1,650.	
	1 1/2"	29 3/4"	48"	1.4	<b>RTPRS48H2()</b> ( )	1,494.	1,517.	1,540.	1,564.	1,610.	1,639.	1,676.	
	1 1/2"	29 3/4"	54"	1.6	<b>RTPRS54H2()</b> ( )	1,520.	1,547.	1,574.	1,601.	1,649.	1,677.	1,716.	
	1 1/2"	29 3/4"	60"	1.8	<b>RTPRS60H2()</b> ( )	1,546.	1,576.	1,607.	1,637.	1,686.	1,715.	1,754.	
	1 1/2"	29 3/4"	66"	1.9	<b>RTPRS66H2()</b> ( )	1,917.	1,949.	1,980.	2,012.	2,071.	2,108.	2,156.	
	1 1/2"	29 3/4"	72"	2.1	<b>RTPRS72H2()</b> ( )	1,744.	1,848.	1,951.	2,055.	2,117.	2,154.	2,202.	


Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H2()</b> ( )	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom Insert Finish: Fabric	
<b>S</b> Segmented		Always supplied including cable curtain.
<b>30</b> Width		Always supplied including all trim pieces.
<b>H2</b> 29 3/4" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>LW</b> Marker board top insert		All Fabric to be applied railroaded as current tackboard.
<b>W281</b> Fabric selectin bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

# Task Panels

H2 29<sup>3</sup>/<sub>4</sub>" high

Segmented With Tool Rail


Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	30"	0.9	RTPRS30H2()()	\$1,369.	\$1,155.	\$1,236.	\$1,304.	\$1,343.	\$1,418.
With tool rail	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	36"	1.1	RTPRS36H2()()	1,517.	1,355.	1,326.	1,394.	1,439.	1,529.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	42"	1.3	RTPRS42H2()()	1,769.	1,573.	1,523.	1,592.	1,642.	1,746.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	48"	1.4	RTPRS48H2()()	1,861.	1,621.	1,545.	1,645.	1,698.	1,819.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	54"	1.6	RTPRS54H2()()	1,951.	1,676.	1,576.	1,676.	1,735.	1,868.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	60"	1.8	RTPRS60H2()()	2,039.	1,732.	1,607.	1,708.	1,771.	1,919.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	66"	1.9	RTPRS66H2()()	2,459.	2,105.	1,980.	2,083.	2,150.	2,313.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	72"	2.1	RTPRS72H2()()	2,557.	2,254.	2,024.	2,129.	2,196.	2,373.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	78"	2.3	RTPRS78H2()()	2,748.	2,327.	2,156.	2,261.	2,332.	2,524.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	84"	2.4	RTPRS84H2()()	2,837.	2,370.	2,177.	2,284.	2,360.	2,568.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	90"	2.6	RTPRS90H2()()	2,926.	2,426.	2,208.	2,315.	2,397.	2,618.
	1 1/2"	29 <sup>3</sup> / <sub>4</sub> "	96"	2.8	RTPRS96H2()()	3,017.	2,483.	2,240.	2,349.	2,434.	2,670.

Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H2()()</b>	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
<b>S</b> Segmented		Always supplied including all trim pieces.
<b>30</b> Width		LH & RH side full height trims. ( no hi-lo trims )
<b>H2</b> 29 <sup>3</sup> / <sub>4</sub> " high		All trims supplied with the same finish specification.
<b>111</b> Trim finish		All Fabric to be applied railroaded as current tackboard.
<b>W281</b> Fabric selectin top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
<b>V319</b> Veneer selection bottom insert		

Task Panels  
*H3 37<sup>7</sup>/<sub>8</sub>" high*  
*Monolithic, Without Tool rail*  
*Fabric*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	37 7/8"	30"	0.9	RTPNM30H3( )()	\$839.	\$854.	\$869.	\$884.	\$911.	\$926.	\$948.
Without tool rail	1 1/2"	37 7/8"	36"	1.1	RTPNM36H3( )()	896.	915.	932.	951.	980.	996.	1,019.
	1 1/2"	37 7/8"	42"	1.3	RTPNM42H3( )()	1,088.	1,109.	1,131.	1,153.	1,188.	1,208.	1,236.
	1 1/2"	37 7/8"	48"	1.4	RTPNM48H3( )()	1,103.	1,127.	1,149.	1,173.	1,208.	1,230.	1,258.
	1 1/2"	37 7/8"	54"	1.6	RTPNM54H3( )()	1,123.	1,149.	1,176.	1,203.	1,239.	1,261.	1,290.
	1 1/2"	37 7/8"	60"	1.8	RTPNM60H3( )()	1,187.	1,216.	1,247.	1,277.	1,315.	1,339.	1,369.
	1 1/2"	37 7/8"	66"	1.9	RTPNM66H3( )()	1,424.	1,456.	1,487.	1,519.	1,565.	1,592.	1,628.
	1 1/2"	37 7/8"	72"	2.1	RTPNM72H3( )()	1,445.	1,480.	1,516.	1,551.	1,598.	1,625.	1,662.
	1 1/2"	37 7/8"	78"	2.3	RTPNM78H3( )()	1,618.	1,656.	1,695.	1,733.	1,785.	1,817.	1,858.
	1 1/2"	37 7/8"	84"	2.4	RTPNM84H3( )()	1,630.	1,671.	1,711.	1,751.	1,804.	1,835.	1,877.
	1 1/2"	37 7/8"	90"	2.6	RTPNM90H3( )()	1,695.	1,739.	1,782.	1,825.	1,880.	1,913.	1,957.
	1 1/2"	37 7/8"	96"	2.8	RTPNM96H3( )()	1,716.	1,762.	1,810.	1,856.	1,912.	1,945.	1,990.

Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H3( )()</b>	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		
<b>M</b> Monolithic		
<b>30</b> Width		Always supplied including cable curtain.
<b>H3</b> 37 7/8" high		Always supplied including all trim pieces.
<b>111</b> Trim finish		LH & RH side full height trims. ( no hi-lo trims )
<b>W281</b> Fabric selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

**Task Panels**  
*H3 37<sup>7</sup>/<sub>8</sub>" high*  
*Monolithic, Without Tool rail*  
*Wood, Laminate, Marker board or Glass Inserts*

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	30"	<b>RTPNM30H3( )</b>	\$1,299.	\$867.	\$854.	\$962.	\$1,049.	\$1,284.
Without tool rail	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	36"	<b>RTPNM36H3( )</b>	1,471.	920.	904.	1,015.	1,118.	1,399.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	42"	<b>RTPNM42H3( )</b>	1,756.	1,114.	1,097.	1,210.	1,333.	1,659.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	48"	<b>RTPNM48H3( )</b>	1,916.	1,139.	1,120.	1,237.	1,374.	1,747.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	54"	<b>RTPNM54H3( )</b>	2,051.	1,155.	1,133.	1,252.	1,405.	1,823.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	60"	<b>RTPNM60H3( )</b>	2,231.	1,223.	1,198.	1,321.	1,484.	1,949.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	66"	<b>RTPNM66H3( )</b>	2,590.	1,487.	1,461.	1,587.	1,765.	2,275.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	72"	<b>RTPNM72H3( )</b>	2,727.	1,697.	1,482.	1,612.	1,811.	2,366.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	78"	<b>RTPNM78H3( )</b>	3,016.	1,680.	1,649.	1,781.	1,995.	2,596.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	84"	<b>RTPNM84H3( )</b>	3,150.	1,695.	1,661.	1,797.	2,026.	2,673.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	90"	<b>RTPNM90H3( )</b>	3,330.	1,756.	1,720.	1,859.	2,108.	2,811.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	96"	<b>RTPNM96H3( )</b>	3,467.	1,774.	1,735.	1,878.	2,135.	2,873.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H3( )</b>	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		
<b>M</b> Monolithic		
<b>30</b> Width		Always supplied including all trim pieces.
<b>H3</b> 37 <sup>7</sup> / <sub>8</sub> " high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>V319</b> Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.




# Task Panels

*H3 37<sup>7</sup>/<sub>8</sub>" high*


*Segmented With Tool rail*

*Fabric Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	37 7/8"	30"	0.9	RTPRS30H3( )()	\$1,242.	\$1,272.	\$1,303.	\$1,333.	\$1,373.	\$1,397.	\$1,429.
With tool rail	1 1/2"	37 7/8"	36"	1.1	RTPRS36H3( )()	1,330.	1,367.	1,403.	1,440.	1,483.	1,509.	1,543.
	1 1/2"	37 7/8"	42"	1.3	RTPRS42H3( )()	1,525.	1,569.	1,613.	1,656.	1,706.	1,736.	1,776.
	1 1/2"	37 7/8"	48"	1.4	RTPRS48H3( )()	1,548.	1,594.	1,642.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	37 7/8"	54"	1.6	RTPRS54H3( )()	1,581.	1,635.	1,688.	1,742.	1,794.	1,825.	1,867.
	1 1/2"	37 7/8"	60"	1.8	RTPRS60H3( )()	1,614.	1,675.	1,735.	1,795.	1,849.	1,881.	1,924.
	1 1/2"	37 7/8"	66"	1.9	RTPRS66H3( )()	1,963.	2,027.	2,090.	2,154.	2,219.	2,257.	2,308.
	1 1/2"	37 7/8"	72"	2.1	RTPRS72H3( )()	1,999.	2,069.	2,139.	2,209.	2,275.	2,315.	2,368.

Order Code	Specification Information	Application Notes	
Example: <b>RTPRS30H3( )()</b>	To order please specify pattern number including: 1. Trim Finish: Painted or Anodized 2. Top Insert Finish: Fabric 3. Bottom Insert Finish: Fabric	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.  Always supplied including cable curtain.  Always supplied including all trim pieces.  LH & RH side full height trims. ( no hi-lo trims )  All trims supplied with the same finish specification.  All Fabric to be applied railroaded as current tackboard.  When ordering 54" or wider Task Panel, please check width of fabric specified.	
<b>R</b> Reff			*Installation instruction sheets available on-line.
<b>TP</b> Task Panel			For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail			<b>Note:</b> Need to "double the yardage", for this task panel; Fabric above, Fabric below.
<b>S</b> Segmented			
<b>30</b> Width			
<b>H3</b> 37 7/8" high			
<b>111</b> Trim finish			
<b>W281</b> Fabric selection top insert			
<b>W281</b> Fabric selection bottom insert			

Task Panels  
*H3 37<sup>7</sup>/<sub>8</sub>" high*  
*Segmented With Tool rail*  
*Marker Board Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail	1 1/2"	37 7/8"	30"	0.9	<b>RTPRS30H3()</b> ( )	\$1,275.	\$1,290.	\$1,305.	\$1,319.	\$1,359.	\$1,382.	\$1,414.
	1 1/2"	37 7/8"	36"	1.1	<b>RTPRS36H3()</b> ( )	1,358.	1,376.	1,395.	1,413.	1,455.	1,481.	1,515.
	1 1/2"	37 7/8"	42"	1.3	<b>RTPRS42H3()</b> ( )	1,554.	1,576.	1,599.	1,620.	1,669.	1,697.	1,737.
	1 1/2"	37 7/8"	48"	1.4	<b>RTPRS48H3()</b> ( )	1,578.	1,602.	1,625.	1,649.	1,698.	1,728.	1,767.
	1 1/2"	37 7/8"	54"	1.6	<b>RTPRS54H3()</b> ( )	1,613.	1,640.	1,667.	1,693.	1,744.	1,775.	1,815.
	1 1/2"	37 7/8"	60"	1.8	<b>RTPRS60H3()</b> ( )	1,641.	1,671.	1,702.	1,731.	1,783.	1,815.	1,856.
	1 1/2"	37 7/8"	66"	1.9	<b>RTPRS66H3()</b> ( )	2,017.	2,049.	2,080.	2,112.	2,174.	2,212.	2,263.
	1 1/2"	37 7/8"	72"	2.1	<b>RTPRS72H3()</b> ( )	2,053.	2,088.	2,123.	2,158.	2,223.	2,261.	2,313.


Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H3()</b> ( )	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom Insert Finish: Fabric	
<b>S</b> Segmented		Always supplied including cable curtain.
<b>30</b> Width		Always supplied including all trim pieces.
<b>H3</b> 37 7/8" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>LW</b> Marker board top insert		All Fabric to be applied railroaded as current tackboard.
<b>W281</b> Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

# Task Panels

*H3 37<sup>7</sup>/<sub>8</sub>" high*

*Segmented With Tool rail*

*Glass or Fabric Insert Above / Forbo, Laminate or Wood Below*

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	30"	0.9	<b>RTPRS30H3()</b> ( )	\$1,589.	\$1,194.	\$1,286.	\$1,331.	\$1,345.	\$1,379.
With tool rail	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	36"	1.1	<b>RTPRS36H3()</b> ( )	1,771.	1,288.	1,372.	1,416.	1,434.	1,474.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	42"	1.3	<b>RTPRS42H3()</b> ( )	2,059.	1,489.	1,567.	1,612.	1,630.	1,678.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	48"	1.4	<b>RTPRS48H3()</b> ( )	2,190.	1,520.	1,588.	1,670.	1,690.	1,744.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	54"	1.6	<b>RTPRS54H3()</b> ( )	2,316.	1,559.	1,618.	1,701.	1,722.	1,781.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	60"	1.8	<b>RTPRS60H3()</b> ( )	2,443.	1,599.	1,649.	1,731.	1,756.	1,821.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	66"	1.9	<b>RTPRS66H3()</b> ( )	2,899.	1,955.	2,032.	2,115.	2,140.	2,212.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	72"	2.1	<b>RTPRS72H3()</b> ( )	3,029.	1,997.	2,065.	2,149.	2,176.	2,255.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	78"	2.3	<b>RTPRS78H3()</b> ( )	3,263.	2,144.	2,203.	2,288.	2,318.	2,403.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	84"	2.4	<b>RTPRS84H3()</b> ( )	3,390.	2,068.	2,223.	2,308.	2,339.	2,431.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	90"	2.6	<b>RTPRS90H3()</b> ( )	3,516.	2,210.	2,254.	2,339.	2,373.	2,471.
	1 1/2"	37 <sup>7</sup> / <sub>8</sub> "	96"	2.8	<b>RTPRS96H3()</b> ( )	3,645.	2,252.	2,287.	2,372.	2,408.	2,512.

**Order Code**

Example:	<b>RTPRS30H3()</b> ( )
<b>R</b>	Reff
<b>TP</b>	Task Panel
<b>R</b>	Tool rail
<b>S</b>	Segmented
<b>30</b>	Width
<b>H3</b>	37 <sup>7</sup> / <sub>8</sub> " high
<b>111</b>	Trim finish
<b>W281</b>	Fabric selection top
<b>V319</b>	Veneer selection bottom

**Specification Information**

To order please specify pattern number including:

1. Trim Finish: Painted or Anodized
2. Top Insert Finish: Glass or Fabric
3. Bottom Insert Finish: Forbo, L, V1, V2, V3

**Application Notes**

H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height work surface.

\*Installation instruction sheets available on-line.

Always supplied including cable curtain.

For Task Panels refer to part number 6TP00085

Always supplied including all trim pieces.

LH & RH side full height trims. ( no hi-lo trims )


All trims supplied with the same finish specification.

All Fabric to be applied railroded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels  
*H4 44 1/2" high*  
*Monolithic, Without Tool rail*  
*Fabric*

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	0.9	RTPNM30H4 ( )	\$907.	\$922.	\$937.	\$952.	\$981.	\$997.	\$1,021.
	1 1/2"	44 1/2"	36"	1.1	RTPNM36H4 ( )	965.	984.	1,001.	1,020.	1,051.	1,069.	1,093.
	1 1/2"	44 1/2"	42"	1.3	RTPNM42H4 ( )	1,158.	1,179.	1,201.	1,223.	1,260.	1,281.	1,310.
	1 1/2"	44 1/2"	48"	1.4	RTPNM48H4 ( )	1,174.	1,198.	1,221.	1,244.	1,281.	1,304.	1,334.
	1 1/2"	44 1/2"	54"	1.6	RTPNM54H4 ( )	1,195.	1,222.	1,248.	1,275.	1,313.	1,336.	1,367.
	1 1/2"	44 1/2"	60"	1.8	RTPNM60H4 ( )	1,260.	1,290.	1,320.	1,350.	1,391.	1,415.	1,447.
	1 1/2"	44 1/2"	66"	1.9	RTPNM66H4 ( )	1,499.	1,531.	1,561.	1,593.	1,641.	1,670.	1,708.
	1 1/2"	44 1/2"	72"	2.1	RTPNM72H4 ( )	1,521.	1,556.	1,591.	1,626.	1,675.	1,705.	1,744.
	1 1/2"	44 1/2"	78"	2.3	RTPNM78H4 ( )	1,694.	1,671.	1,646.	1,622.	1,671.	1,701.	1,739.
	1 1/2"	44 1/2"	84"	2.4	RTPNM84H4 ( )	1,708.	1,748.	1,788.	1,828.	1,883.	1,916.	1,960.
	1 1/2"	44 1/2"	90"	2.6	RTPNM90H4 ( )	1,773.	1,816.	1,860.	1,903.	1,960.	1,995.	2,040.
	1 1/2"	44 1/2"	96"	2.8	RTPNM96H4 ( )	1,795.	1,842.	1,889.	1,935.	1,993.	2,028.	2,074.

Accessories and Client  
Samples


Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H4 ( )</b>	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		
<b>M</b> Monolithic		
<b>30</b> Width		Always supplied including cable curtain.
<b>H4</b> 44 1/2" high		Always supplied including all trim pieces.
<b>111</b> Trim finish		LH & RH side full height trims. ( no hi-lo trims )
<b>W281</b> Fabric selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

# Task Panels

*H4 44 1/2" high*

*Monolithic, Without Tool rail*

*Wood, Laminate, Marker board or Glass Inserts*

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3	
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	<b>RTPNM30H4 ( )</b>		\$1,474.	\$945.	\$929.	\$1,039.	\$1,141.	\$1,419.
	1 1/2"	44 1/2"	36"	<b>RTPNM36H4 ( )</b>		1,669.	1,006.	989.	1,102.	1,227.	1,419.
	1 1/2"	44 1/2"	42"	<b>RTPNM42H4 ( )</b>		1,972.	1,205.	1,185.	1,301.	1,444.	1,829.
	1 1/2"	44 1/2"	48"	<b>RTPNM48H4 ( )</b>		2,159.	1,225.	1,202.	1,324.	1,483.	1,922.
	1 1/2"	44 1/2"	54"	<b>RTPNM54H4 ( )</b>		2,316.	1,250.	1,225.	1,349.	1,522.	2,016.
	1 1/2"	44 1/2"	60"	<b>RTPNM60H4 ( )</b>		2,519.	1,313.	1,284.	1,413.	1,604.	2,150.
	1 1/2"	44 1/2"	66"	<b>RTPNM66H4 ( )</b>		2,902.	1,588.	1,556.	1,689.	1,902.	2,503.
	1 1/2"	44 1/2"	72"	<b>RTPNM72H4 ( )</b>		3,060.	1,609.	1,574.	1,710.	1,942.	2,597.
	1 1/2"	44 1/2"	78"	<b>RTPNM78H4 ( )</b>		3,371.	1,779.	1,742.	1,882.	2,131.	2,839.
	1 1/2"	44 1/2"	84"	<b>RTPNM84H4 ( )</b>		3,528.	1,797.	1,757.	1,901.	2,168.	2,930.
	1 1/2"	44 1/2"	90"	<b>RTPNM90H4 ( )</b>		3,731.	1,860.	1,818.	1,965.	2,250.	3,065.
	1 1/2"	44 1/2"	96"	<b>RTPNM96H4 ( )</b>		3,889.	1,880.	1,834.	1,987.	2,289.	3,159.


Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H4 ( )</b>	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		
<b>M</b> Monolithic		Always supplied including cable curtain.
<b>30</b> Width		Always supplied including all trim pieces.
<b>H4</b> 44 1/2" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>V319</b> Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

# Task Panels

*H4 44 1/2" high*

*Segmented With Tool rail*

*Fabric Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail 	1 1/2"	44 1/2"	30"	0.9	<b>RTPRS30H4</b> ( ) ( )	\$1,310.	\$1,340.	\$1,371.	\$1,401.	\$1,443.	\$1,468.	\$1,502.
	1 1/2"	44 1/2"	36"	1.1	<b>RTPRS36H4</b> ( ) ( )	1,400.	1,437.	1,473.	1,510.	1,555.	1,582.	1,618.
	1 1/2"	44 1/2"	42"	1.3	<b>RTPRS42H4</b> ( ) ( )	1,595.	1,639.	1,683.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	44 1/2"	48"	1.4	<b>RTPRS48H4</b> ( ) ( )	1,619.	1,667.	1,713.	1,760.	1,813.	1,845.	1,887.
	1 1/2"	44 1/2"	54"	1.6	<b>RTPRS54H4</b> ( ) ( )	1,653.	1,707.	1,760.	1,814.	1,868.	1,900.	1,945.
	1 1/2"	44 1/2"	60"	1.8	<b>RTPRS60H4</b> ( ) ( )	1,687.	1,748.	1,808.	1,868.	1,924.	1,958.	2,002.
	1 1/2"	44 1/2"	66"	1.9	<b>RTPRS66H4</b> ( ) ( )	2,037.	2,101.	2,164.	2,228.	2,295.	2,335.	2,388.
	1 1/2"	44 1/2"	72"	2.1	<b>RTPRS72H4</b> ( ) ( )	2,073.	2,143.	2,215.	2,285.	2,353.	2,394.	2,448.

Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H4</b> ( ) ( )	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom Insert Finish: Fabric	<b>Note:</b> Need to "double the yardage", for this task panel; Fabric above, Fabric below.
<b>S</b> Segmented		
<b>30</b> Width		
<b>H4</b> 44 1/2" high		
<b>111</b> Trim finish		
<b>W281</b> Fabric selection top		
<b>W281</b> Fabric selection bottom		

# Task Panels

*H4 44 1/2" high*


*Segmented With Tool rail*

*Marker Board Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	44 1/2"	30"	0.9	<b>RTPRS30H4</b> ( ) ( )	\$1,343.	\$1,359.	\$1,373.	\$1,388.	\$1,430.	\$1,455.	\$1,488.
With tool rail	1 1/2"	44 1/2"	36"	1.1	<b>RTPRS36H4</b> ( ) ( )	1,427.	1,445.	1,464.	1,482.	1,526.	1,553.	1,588.
	1 1/2"	44 1/2"	42"	1.3	<b>RTPRS42H4</b> ( ) ( )	1,625.	1,647.	1,669.	1,690.	1,741.	1,772.	1,812.
	1 1/2"	44 1/2"	48"	1.4	<b>RTPRS48H4</b> ( ) ( )	1,650.	1,674.	1,696.	1,720.	1,772.	1,803.	1,844.
	1 1/2"	44 1/2"	54"	1.6	<b>RTPRS54H4</b> ( ) ( )	1,685.	1,712.	1,739.	1,765.	1,818.	1,850.	1,892.
	1 1/2"	44 1/2"	60"	1.8	<b>RTPRS60H4</b> ( ) ( )	1,714.	1,744.	1,775.	1,805.	1,858.	1,891.	1,934.
	1 1/2"	44 1/2"	66"	1.9	<b>RTPRS66H4</b> ( ) ( )	2,091.	2,123.	2,154.	2,186.	2,252.	2,291.	2,342.
	1 1/2"	44 1/2"	72"	2.1	<b>RTPRS72H4</b> ( ) ( )	2,128.	2,163.	2,198.	2,233.	2,300.	2,340.	2,394.

Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H4</b> ( ) ( )	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom Insert Finish: Fabric	
<b>S</b> Segmented		Always supplied including cable curtain.
<b>30</b> Width		Always supplied including all trim pieces.
<b>H4</b> 44 1/2" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>LW</b> Marker Board top insert		All Fabric to be applied railroaded as current tackboard.
<b>W281</b> Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

**Task Panels**  
*H4 44 1/2" high*  
*Segmented With Tool rail*  
*Glass or Fabric Insert Above / Forbo, Laminate or Wood Below*


description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	44 1/2"	30"	0.9	<b>RTPRS30H4()</b> ( )	\$1,746.	\$1,350.	\$1,346.	\$1,413.	\$1,452.	\$1,527.
With tool rail	1 1/2"	44 1/2"	36"	1.1	<b>RTPRS36H4()</b> ( )	1,946.	1,463.	1,434.	1,502.	1,546.	1,637.
	1 1/2"	44 1/2"	42"	1.3	<b>RTPRS42H4()</b> ( )	2,254.	1,683.	1,634.	1,703.	1,752.	1,856.
	1 1/2"	44 1/2"	48"	1.4	<b>RTPRS48H4()</b> ( )	2,403.	1,732.	1,657.	1,757.	1,811.	1,930.
	1 1/2"	44 1/2"	54"	1.6	<b>RTPRS54H4()</b> ( )	2,548.	1,791.	1,690.	1,791.	1,849.	1,984.
	1 1/2"	44 1/2"	60"	1.8	<b>RTPRS60H4()</b> ( )	2,693.	1,849.	1,723.	1,825.	1,888.	2,035.
	1 1/2"	44 1/2"	66"	1.9	<b>RTPRS66H4()</b> ( )	3,168.	2,224.	2,098.	2,196.	2,269.	2,433.
	1 1/2"	44 1/2"	72"	2.1	<b>RTPRS72H4()</b> ( )	3,317.	2,285.	2,133.	2,238.	2,309.	2,487.
	1 1/2"	44 1/2"	78"	2.3	<b>RTPRS78H4()</b> ( )	3,569.	2,450.	2,279.	2,384.	2,456.	2,647.
	1 1/2"	44 1/2"	84"	2.4	<b>RTPRS84H4()</b> ( )	3,715.	2,496.	2,303.	2,409.	2,485.	2,693.
	1 1/2"	44 1/2"	90"	2.6	<b>RTPRS90H4()</b> ( )	3,860.	2,554.	2,336.	2,443.	2,525.	2,746.
	1 1/2"	44 1/2"	96"	2.8	<b>RTPRS96H4()</b> ( )	4,008.	2,614.	2,370.	2,479.	2,565.	2,800.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H4()</b> ( )	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
<b>S</b> Segmented		Always supplied including all trim pieces.
<b>30</b> Width		LH & RH side full height trims. ( no hi-lo trims )
<b>H4</b> 44 1/2" high		All trims supplied with the same finish specification.
<b>111</b> Trim finish		All Fabric to be applied railroaged as current tackboard.
<b>W281</b> Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
<b>V319</b> Veneer selection bottom insert		



Task Panels  
*H5 42<sup>5</sup>/<sub>8</sub>" high*  
*Monolithic, Without Tool rail*  
*Fabric*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono without tool rail	1 1/2"	42 5/8"	30"	0.9	RTPNM30H5( )	\$897.	\$913.	\$927.	\$942.	\$970.	\$988.	\$1,010.
	1 1/2"	42 5/8"	36"	1.1	RTPNM36H5( )	955.	973.	992.	1,010.	1,040.	1,059.	1,084.
	1 1/2"	42 5/8"	42"	1.3	RTPNM42H5( )	1,147.	1,169.	1,191.	1,212.	1,248.	1,270.	1,300.
	1 1/2"	42 5/8"	48"	1.4	RTPNM48H5( )	1,164.	1,188.	1,210.	1,234.	1,271.	1,294.	1,323.
	1 1/2"	42 5/8"	54"	1.6	RTPNM54H5( )	1,183.	1,210.	1,237.	1,264.	1,302.	1,325.	1,354.
	1 1/2"	42 5/8"	60"	1.8	RTPNM60H5( )	1,248.	1,278.	1,309.	1,339.	1,379.	1,403.	1,436.
	1 1/2"	42 5/8"	66"	1.9	RTPNM66H5( )	1,487.	1,519.	1,550.	1,582.	1,629.	1,658.	1,696.
	1 1/2"	42 5/8"	72"	2.1	RTPNM72H5( )	1,509.	1,544.	1,579.	1,614.	1,662.	1,691.	1,730.
	1 1/2"	42 5/8"	78"	2.3	RTPNM78H5( )	1,682.	1,720.	1,759.	1,797.	1,851.	1,884.	1,927.
	1 1/2"	42 5/8"	84"	2.4	RTPNM84H5( )	1,695.	1,736.	1,776.	1,816.	1,870.	1,903.	1,947.
	1 1/2"	42 5/8"	90"	2.6	RTPNM90H5( )	1,760.	1,804.	1,848.	1,891.	1,948.	1,982.	2,027.
	1 1/2"	42 5/8"	96"	2.8	RTPNM96H5( )	1,783.	1,828.	1,875.	1,920.	1,978.	2,012.	2,058.


Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H5( )</b>	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		Always supplied including cable curtain.
<b>M</b> Monolithic		Always supplied including all trim pieces.
<b>30</b> Width		LH & RH side full height trims. ( no hi-lo trims )
<b>H5</b> 42 5/8" high		All trims supplied with the same finish specification.
<b>111</b> Trim finish		Tool rails are not supplied to this Task Panel.
<b>W281</b> Fabric selection		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

# Task Panels

*H5 42<sup>5</sup>/<sub>8</sub>" high*


*Monolithic, Without Tool rail*

*Wood, Laminate, Marker board or Glass Inserts*

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3	
Task Panel, mono without tool rail 	1 1/2"	42 5/8"	30"	<b>RTPNM30H5( )</b>		\$1,447.	\$932.	\$918.	\$1,027.	\$1,125.	\$1,391.
	1 1/2"	42 5/8"	36"	<b>RTPNM36H5( )</b>		1,638.	993.	976.	1,090.	1,209.	1,526.
	1 1/2"	42 5/8"	42"	<b>RTPNM42H5( )</b>		1,938.	1,191.	1,170.	1,288.	1,423.	1,793.
	1 1/2"	42 5/8"	48"	<b>RTPNM48H5( )</b>		2,121.	1,210.	1,189.	1,308.	1,463.	1,883.
	1 1/2"	42 5/8"	54"	<b>RTPNM54H5( )</b>		2,274.	1,235.	1,210.	1,334.	1,500.	1,971.
	1 1/2"	42 5/8"	60"	<b>RTPNM60H5( )</b>		2,473.	1,298.	1,270.	1,397.	1,580.	2,103.
	1 1/2"	42 5/8"	66"	<b>RTPNM66H5( )</b>		2,852.	1,572.	1,541.	1,672.	1,878.	2,454.
	1 1/2"	42 5/8"	72"	<b>RTPNM72H5( )</b>		3,008.	1,591.	1,558.	1,692.	1,915.	2,543.
	1 1/2"	42 5/8"	78"	<b>RTPNM78H5( )</b>		3,314.	1,761.	1,725.	1,863.	2,103.	2,782.
	1 1/2"	42 5/8"	84"	<b>RTPNM84H5( )</b>		3,467.	1,779.	1,741.	1,882.	2,138.	2,870.
	1 1/2"	42 5/8"	90"	<b>RTPNM90H5( )</b>		3,666.	1,841.	1,799.	1,945.	2,219.	3,000.
	1 1/2"	42 5/8"	96"	<b>RTPNM96H5( )</b>		3,821.	1,859.	1,816.	1,965.	2,256.	3,109.


Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H5( )</b>	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		
<b>M</b> Monolithic		
<b>30</b> Width		Always supplied including all trim pieces.
<b>H5</b> 42 5/8" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>V319</b> Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

**Task Panels**  
*H5 42<sup>5</sup>/<sub>8</sub>" high*  
*Segmented With Tool rail*  
*Fabric Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	42 5/8"	30"	0.9	<b>RTPRS30H5()</b> ( )	\$1,301.	\$1,331.	\$1,361.	\$1,391.	\$1,432.	\$1,457.	\$1,490.
With tool rail	1 1/2"	42 5/8"	36"	1.1	<b>RTPRS36H5()</b> ( )	1,389.	1,427.	1,463.	1,500.	1,545.	1,572.	1,608.
	1 1/2"	42 5/8"	42"	1.3	<b>RTPRS42H5()</b> ( )	1,585.	1,628.	1,673.	1,716.	1,767.	1,798.	1,840.
	1 1/2"	42 5/8"	48"	1.4	<b>RTPRS48H5()</b> ( )	1,609.	1,655.	1,703.	1,749.	1,801.	1,832.	1,875.
	1 1/2"	42 5/8"	54"	1.6	<b>RTPRS54H5()</b> ( )	1,643.	1,696.	1,750.	1,804.	1,857.	1,890.	1,933.
	1 1/2"	42 5/8"	60"	1.8	<b>RTPRS60H5()</b> ( )	1,676.	1,737.	1,796.	1,857.	1,913.	1,946.	1,991.
	1 1/2"	42 5/8"	66"	1.9	<b>RTPRS66H5()</b> ( )	2,026.	2,090.	2,153.	2,217.	2,282.	2,323.	2,376.
	1 1/2"	42 5/8"	72"	2.1	<b>RTPRS72H5()</b> ( )	2,063.	2,133.	2,203.	2,273.	2,341.	2,382.	2,437.

Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H5()</b> ( )	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom insert finish: Fabric	<b>Note:</b> Need to "double the yardage", for this task panel; Fabric above, Fabric below.
<b>S</b> Segmented		
<b>30</b> Width		Always supplied including all trim pieces.
<b>H5</b> 42 5/8" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>W281</b> Fabric selection top insert		All Fabric to be applied railroaded as current tackboard
<b>W281</b> Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels  
*H5 42<sup>5</sup>/<sub>8</sub>" high*  
*Segmented With Tool rail*  
*Marker board Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade						
						LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	42 5/8"	30"	0.9	<b>RTPRS30H5()</b> ( )	\$1,340.	\$1,355.	\$1,370.	\$1,385.	\$1,427.	\$1,451.	\$1,485.
With tool rail	1 1/2"	42 5/8"	36"	1.1	<b>RTPRS36H5()</b> ( )	1,424.	1,443.	1,462.	1,480.	1,524.	1,551.	1,586.
	1 1/2"	42 5/8"	42"	1.3	<b>RTPRS42H5()</b> ( )	1,623.	1,645.	1,667.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	42 5/8"	48"	1.4	<b>RTPRS48H5()</b> ( )	1,656.	1,680.	1,703.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	42 5/8"	54"	1.6	<b>RTPRS54H5()</b> ( )	1,686.	1,713.	1,740.	1,766.	1,819.	1,851.	1,893.
	1 1/2"	42 5/8"	60"	1.8	<b>RTPRS60H5()</b> ( )	1,723.	1,753.	1,783.	1,813.	1,867.	1,899.	1,943.
	1 1/2"	42 5/8"	66"	1.9	<b>RTPRS66H5()</b> ( )	2,099.	2,131.	2,163.	2,195.	2,261.	2,300.	2,353.
	1 1/2"	42 5/8"	72"	2.1	<b>RTPRS72H5()</b> ( )	2,139.	2,174.	2,209.	2,244.	2,311.	2,351.	2,406.


Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H5()</b> ( )	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work surface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom insert finish: Fabric	
<b>S</b> Segmented		
<b>30</b> Width		Always supplied including all trim pieces.
<b>H5</b> 42 5/8" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>LW</b> Marker board top insert		All Fabric to be applied railroaded as current tackboard.
<b>W281</b> Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

# Task Panels

*H5 42<sup>5</sup>/<sub>8</sub>" high*

*Segmented With Tool rail*

*Glass or Fabric Insert Above / Forbo, Laminate or Wood Below*

description	th	h	w	y	pattern no.	FAB/L	G/FORB	FAB/FORB	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	42 5/8"	30"	0.9	<b>RTPRS30H5()</b> ( )	\$1,345.	\$1,738.	\$1,252.	\$1,389.	\$1,404.	\$1,438.
With tool rail	1 1/2"	42 5/8"	36"	1.1	<b>RTPRS36H5()</b> ( )	1,431.	1,937.	1,347.	1,476.	1,492.	1,534.
	1 1/2"	42 5/8"	42"	1.3	<b>RTPRS42H5()</b> ( )	1,626.	2,245.	1,549.	1,672.	1,691.	1,738.
	1 1/2"	42 5/8"	48"	1.4	<b>RTPRS48H5()</b> ( )	1,649.	2,395.	1,581.	1,730.	1,751.	1,619.
	1 1/2"	42 5/8"	54"	1.6	<b>RTPRS54H5()</b> ( )	1,680.	2,540.	1,621.	1,762.	1,784.	1,843.
	1 1/2"	42 5/8"	60"	1.8	<b>RTPRS60H5()</b> ( )	1,711.	2,685.	1,660.	1,793.	1,818.	1,883.
	1 1/2"	42 5/8"	66"	1.9	<b>RTPRS66H5()</b> ( )	2,095.	3,160.	2,018.	2,177.	2,204.	2,275.
	1 1/2"	42 5/8"	72"	2.1	<b>RTPRS72H5()</b> ( )	2,129.	3,308.	2,061.	2,212.	2,240.	2,319.
	1 1/2"	42 5/8"	78"	2.3	<b>RTPRS78H5()</b> ( )	2,267.	2,532.	2,208.	2,351.	2,381.	2,467.
	1 1/2"	42 5/8"	84"	2.4	<b>RTPRS84H5()</b> ( )	2,288.	3,707.	2,236.	2,373.	2,405.	2,497.
	1 1/2"	42 5/8"	90"	2.6	<b>RTPRS90H5()</b> ( )	2,320.	3,852.	2,276.	2,405.	2,438.	2,537.
	1 1/2"	42 5/8"	96"	2.8	<b>RTPRS96H5()</b> ( )	2,353.	3,999.	2,319.	2,439.	2,474.	2,579.

**Order Code**

**Specification Information**

**Application Notes**


Example:	<b>RTPRS30H5()</b> ( )
<b>R</b>	Reff
<b>TP</b>	Task Panel
<b>R</b>	Tool rail
<b>S</b>	Segmentated
<b>30</b>	Width
<b>H5</b>	42 5/8" high
<b>111</b>	Trim finish
<b>W281</b>	Fabric selection top insert
<b>V319</b>	Veneer selection bottom insert

To order please specify pattern number including:  
 1. Trim Finish: Painted or Anodized  
 2. Top insert finish: Glass or Fabric  
 3. Bottom insert finish: Forbo, L, V1, V2, V3

H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work surface.  
 Always supplied including cable curtain.  
 Always supplied including all trim pieces.  
 LH & RH side full height trims. ( no hi-lo trims )  
 All trims supplied with the same finish specification.  
 All Fabric to be applied railroded as current tackboard  
 When ordering 54" or wider Task Panel, please check width of fabric specified.

\*Installation instruction sheets available on-line.  
 For Task Panels refer to part number 6TP00085

Task Panels  
*H6 49 1/4" high*  
*Monolithic, Without Tool rail*  
*Fabric*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	49 1/4"	30"	0.9	<b>RTPNM30H6( )()</b>	\$945.	\$959.	\$974.	\$989.	\$1,019.	\$1,036.	\$1,060.
Without tool rail	1 1/2"	49 1/4"	36"	1.1	<b>RTPNM36H6( )()</b>	1,003.	1,022.	1,039.	1,058.	1,090.	1,108.	1,134.
	1 1/2"	49 1/4"	42"	1.3	<b>RTPNM42H6( )()</b>	1,196.	1,217.	1,240.	1,262.	1,300.	1,323.	1,352.
	1 1/2"	49 1/4"	48"	1.4	<b>RTPNM48H6( )()</b>	1,213.	1,237.	1,260.	1,283.	1,321.	1,345.	1,376.
	1 1/2"	49 1/4"	54"	1.6	<b>RTPNM54H6( )()</b>	1,234.	1,261.	1,288.	1,314.	1,353.	1,377.	1,409.
	1 1/2"	49 1/4"	60"	1.8	<b>RTPNM60H6( )()</b>	1,301.	1,331.	1,362.	1,392.	1,434.	1,458.	1,491.
	1 1/2"	49 1/4"	66"	1.9	<b>RTPNM66H6( )()</b>	1,540.	1,572.	1,603.	1,635.	1,684.	1,713.	1,752.
	1 1/2"	49 1/4"	72"	2.1	<b>RTPNM72H6( )()</b>	1,563.	1,598.	1,633.	1,668.	1,718.	1,748.	1,788.
	1 1/2"	49 1/4"	78"	2.3	<b>RTPNM78H6( )()</b>	1,737.	1,775.	1,814.	1,852.	1,908.	1,941.	1,985.
	1 1/2"	49 1/4"	84"	2.4	<b>RTPNM84H6( )()</b>	1,751.	1,791.	1,831.	1,872.	1,928.	1,961.	2,006.
	1 1/2"	49 1/4"	90"	2.6	<b>RTPNM90H6( )()</b>	1,817.	1,860.	1,904.	1,948.	2,006.	2,041.	2,088.
	1 1/2"	49 1/4"	96"	2.8	<b>RTPNM96H6( )()</b>	1,841.	1,887.	1,934.	1,981.	2,040.	2,075.	2,123.

Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H6( )()</b>	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		
<b>M</b> Monolithic		
<b>30</b> Width		Always supplied including cable curtain.
<b>H6</b> 49 1/4" high		Always supplied including all trim pieces.
<b>111</b> Trim finish		LH & RH side full height trims. ( no hi-lo trims )
<b>W281</b> Fabric selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

# Task Panels

*H6 49 1/4" high*

*Monolithic, Without Tool rail*


*Wood, Laminate, Marker board or Glass Inserts*

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	49 1/4"	30"	<b>RTPNM30H6( )</b>	\$1,602.	\$995.	\$979.	\$1,091.	\$1,207.	\$1,516.
Without tool rail	1 1/2"	49 1/4"	36"	<b>RTPNM36H6( )</b>	1,815.	1,060.	1,039.	1,156.	1,293.	1,660.
	1 1/2"	49 1/4"	42"	<b>RTPNM42H6( )</b>	2,134.	1,229.	1,251.	1,349.	1,506.	1,934.
	1 1/2"	49 1/4"	48"	<b>RTPNM48H6( )</b>	2,342.	1,281.	1,256.	1,380.	1,551.	2,038.



Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H6( )</b>	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		Always supplied including cable curtain.
<b>M</b> Monolithic		Always supplied including all trim pieces.
<b>30</b> Width		LH & RH side full height trims. ( no hi-lo trims )
<b>H6</b> 49 1/4" high		All trims supplied with the same finish specification.
<b>111</b> Trim finish		Tool rails are not supplied to this Task Panel.
<b>V319</b> Veneer selection		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

**Task Panels**  
*H6 49 1/4" high*  
*Segmented With Tool rail*  
*Fabric Insert Above / Fabric Insert Below*


description	th	h	w	y	pattern no.	10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	<b>RTPRS30H6</b> ( ) ( )	\$1,348.	\$1,378.	\$1,408.	\$1,438.	\$1,472.	\$1,507.	\$1,541.
With tool rail	1 1/2"	49 1/4"	36"	1.1	<b>RTPRS36H6</b> ( ) ( )	1,437.	1,474.	1,510.	1,547.	1,584.	1,621.	1,658.
	1 1/2"	49 1/4"	42"	1.3	<b>RTPRS42H6</b> ( ) ( )	1,635.	1,678.	1,721.	1,764.	1,807.	1,849.	1,891.
	1 1/2"	49 1/4"	48"	1.4	<b>RTPRS48H6</b> ( ) ( )	1,659.	1,706.	1,753.	1,799.	1,935.	1,886.	1,929.
	1 1/2"	49 1/4"	54"	1.6	<b>RTPRS54H6</b> ( ) ( )	1,693.	1,747.	1,800.	1,854.	1,898.	1,943.	1,987.
	1 1/2"	49 1/4"	60"	1.8	<b>RTPRS60H6</b> ( ) ( )	1,728.	1,788.	1,849.	1,909.	1,954.	2,000.	2,046.
	1 1/2"	49 1/4"	66"	1.9	<b>RTPRS66H6</b> ( ) ( )	2,079.	2,142.	2,205.	2,269.	2,324.	2,378.	2,432.
	1 1/2"	49 1/4"	72"	2.1	<b>RTPRS72H6</b> ( ) ( )	2,116.	2,186.	2,257.	2,327.	2,397.	2,438.	2,494.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H6</b> ( ) ( )	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail	3. Bottom insert finish: Fabric	<b>Note:</b> Need to "double the yardage", for this task panel; Fabric above, Fabric below.
<b>S</b> Segmented		
<b>30</b> Width		
<b>H6</b> 49 1/4" high		
<b>111</b> Trim finish		
<b>W281</b> Fabric selection top		
<b>W281</b> Fabric selection bottom		



**Task Panels**  
*H6 49 1/4" high*  
*Segmented With Tool rail*  
*Marker board Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	<b>RTPRS30H6</b> ( ) ( )	\$1,387.	\$1,402.	\$1,417.	\$1,432.	\$1,475.	\$1,501.	\$1,535.
With tool rail	1 1/2"	49 1/4"	36"	1.1	<b>RTPRS36H6</b> ( ) ( )	1,473.	1,491.	1,509.	1,527.	1,573.	1,601.	1,638.
	1 1/2"	49 1/4"	42"	1.3	<b>RTPRS42H6</b> ( ) ( )	1,672.	1,693.	1,715.	1,737.	1,788.	1,820.	1,861.
	1 1/2"	49 1/4"	48"	1.4	<b>RTPRS48H6</b> ( ) ( )	1,707.	1,730.	1,753.	1,777.	1,830.	1,862.	1,904.
	1 1/2"	49 1/4"	54"	1.6	<b>RTPRS54H6</b> ( ) ( )	1,737.	1,763.	1,790.	1,817.	1,872.	1,904.	1,948.
	1 1/2"	49 1/4"	60"	1.8	<b>RTPRS60H6</b> ( ) ( )	1,775.	1,805.	1,835.	1,865.	1,921.	1,955.	1,999.
	1 1/2"	49 1/4"	66"	1.9	<b>RTPRS66H6</b> ( ) ( )	2,152.	2,184.	2,216.	2,247.	2,314.	2,356.	2,409.


Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H6</b> ( ) ( )	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom insert finish: Fabric	
<b>S</b> Segmentated		Always supplied including cable curtain.
<b>30</b> Width		Always supplied including all trim pieces.
<b>H6</b> 49 1/4" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>LW</b> Marker board top insert		All Fabric to be applied railroaded as current tackboard.
<b>W281</b> Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

# Task Panels

H6 49 1/4" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	49 1/4"	30"	0.9	RTPRS30H6( ) ( )	\$1,873.	\$1,387.	\$1,383.	\$1,450.	\$1,489.	\$1,565.
With tool rail	1 1/2"	49 1/4"	36"	1.1	RTPRS36H6( ) ( )	2,092.	1,501.	1,471.	1,539.	1,584.	1,675.
	1 1/2"	49 1/4"	42"	1.3	RTPRS42H6( ) ( )	2,418.	1,722.	1,672.	1,742.	1,790.	1,894.
	1 1/2"	49 1/4"	48"	1.4	RTPRS48H6( ) ( )	2,585.	1,772.	1,696.	1,796.	1,850.	1,970.
	1 1/2"	49 1/4"	54"	1.6	RTPRS54H6( ) ( )	2,750.	1,830.	1,730.	1,830.	1,889.	2,023.
	1 1/2"	49 1/4"	60"	1.8	RTPRS60H6( ) ( )	2,914.	1,889.	1,763.	1,865.	1,928.	2,075.
	1 1/2"	49 1/4"	66"	1.9	RTPRS66H6( ) ( )	3,407.	2,265.	2,140.	2,242.	2,310.	2,474.
	1 1/2"	49 1/4"	72"	2.1	RTPRS72H6( ) ( )	3,574.	2,327.	2,175.	2,280.	2,351.	2,530.
	1 1/2"	49 1/4"	78"	2.3	RTPRS78H6( ) ( )	3,846.	2,493.	2,322.	2,427.	2,498.	2,689.
	1 1/2"	49 1/4"	84"	2.4	RTPRS84H6( ) ( )	4,010.	2,540.	2,346.	2,452.	2,530.	2,737.
	1 1/2"	49 1/4"	90"	2.6	RTPRS90H6( ) ( )	4,175.	2,598.	2,380.	2,487.	2,568.	2,789.
	1 1/2"	49 1/4"	96"	2.8	RTPRS96H6( ) ( )	4,340.	2,658.	2,415.	2,525.	2,609.	2,845.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H6 ( ) ( )</b>	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
<b>S</b> Segmented		Always supplied including all trim pieces.
<b>30</b> Width		LH & RH side full height trims. ( no hi-lo trims )
<b>H6</b> 49 1/4" high		All trims supplied with the same finish specification.
<b>111</b> Trim finish		All Fabric to be applied railroded as current tackboard.
<b>W281</b> Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
<b>V319</b> Veneer selection bottom insert		


Task Panels  
*H7 56 1/8" high*  
*Monolithic, Without Tool rail*  
*Wood, Laminate, Marker board or Glass Inserts*

description	th	h	w	pattern n	glass	LW10	L	V1	V2	V3	
Task Panel, mono	1 1/2"	56 1/8"	30"	<b>RTPNM30H7()</b>		\$1,733.	\$1,011.	\$993.	\$1,099.	\$1,239.	\$1,604.
Without tool rail	1 1/2"	56 1/8"	36"	<b>RTPNM36H7()</b>		1,973.	1,078.	1,056.	1,176.	1,330.	1,762.
	1 1/2"	56 1/8"	42"	<b>RTPNM42H7()</b>		2,314.	1,281.	1,256.	1,380.	1,564.	2,066.
	1 1/2"	56 1/8"	48"	<b>RTPNM48H7()</b>		2,553.	1,313.	1,284.	1,414.	1,613.	2,186.



Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H7()</b>	To order please specify pattern number including;	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: Veneer	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		
<b>M</b> Monolithic		
<b>30</b> Width		Always supplied including cable curtain.
<b>H7</b> 56 1/8" high		Always supplied including all trim pieces.
<b>111</b> Trim finish		LH & RH side full height trims. ( no hi-lo trims )
<b>V319</b> Veneer selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels  
*H7 56 1/8" high*  
*Segmented With Tool rail*  
*Fabric Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented With tool rail	1 1/2"	56 1/8"	30"	0.9	<b>RTPRS30H7</b> ( ) ( )	\$1,354.	\$1,384.	\$1,414.	\$1,444.	\$1,479.	\$1,513.	\$1,548.
	1 1/2"	56 1/8"	36"	1.1	<b>RTPRS36H7</b> ( ) ( )	1,445.	1,482.	1,518.	1,555.	1,592.	1,629.	1,668.
	1 1/2"	56 1/8"	42"	1.3	<b>RTPRS42H7</b> ( ) ( )	1,643.	1,686.	1,730.	1,774.	1,816.	1,859.	1,901.
	1 1/2"	56 1/8"	48"	1.4	<b>RTPRS48H7</b> ( ) ( )	1,669.	1,715.	1,762.	1,809.	1,852.	1,895.	1,938.
	1 1/2"	56 1/8"	54"	1.6	<b>RTPRS54H7</b> ( ) ( )	1,705.	1,758.	1,811.	1,864.	1,909.	1,954.	1,998.
	1 1/2"	56 1/8"	60"	1.8	<b>RTPRS60H7</b> ( ) ( )	1,740.	1,799.	1,860.	1,920.	1,966.	2,012.	2,058.

Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H7</b> ( ) ( )	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom insert finish: Fabric	<b>Note:</b> Need to "double the yardage", for this task panel; Fabric above, Fabric below.
<b>S</b> Segmented		
<b>30</b> Width		Always supplied including all trim pieces.
<b>H7</b> 56 1/8" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>W281</b> Fabric selection top		All Fabric to be applied railroaded as current tackboard
<b>W281</b> Fabric selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.


**Task Panels**  
*H7 56 1/8" high*  
*Segmented With Tool rail*  
*Marker board Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	<b>RTPRS30H7</b> ( ) ( )	\$1,419.	\$1,435.	\$1,449.	\$1,465.	\$1,500.	\$1,535.	\$1,570.
With tool rail	1 1/2"	56 1/8"	36"	1.1	<b>RTPRS36H7</b> ( ) ( )	1,516.	1,535.	1,552.	1,571.	1,609.	1,646.	1,684.
	1 1/2"	56 1/8"	42"	1.3	<b>RTPRS42H7</b> ( ) ( )	1,720.	1,742.	1,764.	1,786.	1,829.	1,872.	1,915.
	1 1/2"	56 1/8"	48"	1.4	<b>RTPRS48H7</b> ( ) ( )	1,752.	1,776.	1,798.	1,822.	1,865.	1,910.	1,953.



Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H7</b> ( ) ( )	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom insert finish: Fabric	
<b>S</b> Segmented		Always supplied including cable curtain.
<b>30</b> Width		Always supplied including all trim pieces.
<b>H7</b> 56 1/8" high		LH & RH side full height trims. ( no hi-lo trims )
<b>111</b> Trim finish		All trims supplied with the same finish specification.
<b>LW</b> Marker board top insert		All Fabric to be applied railroaded as current tackboard
<b>W281</b> Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

**Task Panels**  
*H7 56 1/8" high*  
*Segmented With Tool rail*  
*Glass or Fabric Insert Above / Forbo, Laminate or Wood Below*

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	56 1/8"	30"	0.9	<b>RTPRS30H7()</b> ( ) ( )	\$2,024.	\$1,305.	\$1,398.	\$1,442.	\$1,457.	\$1,491.
With tool rail	1 1/2"	56 1/8"	36"	1.1	<b>RTPRS36H7()</b> ( ) ( )	2,273.	1,402.	1,486.	1,531.	1,548.	1,588.
	1 1/2"	56 1/8"	42"	1.3	<b>RTPRS42H7()</b> ( ) ( )	2,630.	1,607.	1,746.	1,729.	1,748.	1,795.
	1 1/2"	56 1/8"	48"	1.4	<b>RTPRS48H7()</b> ( ) ( )	2,827.	1,640.	1,708.	1,790.	1,811.	1,864.
	1 1/2"	56 1/8"	54"	1.6	<b>RTPRS54H7()</b> ( ) ( )	n/a	n/a	1,742.	1,823.	1,846.	1,904.
	1 1/2"	56 1/8"	60"	1.8	<b>RTPRS60H7()</b> ( ) ( )	n/a	n/a	1,775.	1,857.	1,881.	1,947.

Accessories and Client Samples


Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H7()</b> ( ) ( )	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
<b>S</b> Segmented		Always supplied including all trim pieces.
<b>30</b> Width		LH & RH side full height trims. ( no hi-lo trims )
<b>H7</b> 56 1/8" high		All trims supplied with the same finish specification.
<b>111</b> Trim finish		All Fabric to be applied railroaded as current tackboard
<b>W281</b> Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
<b>V319</b> Veneer selection bottom insert		

# Task Panels

*H8 62<sup>3</sup>/<sub>4</sub>" high*


*Monolithic, Without Tool rail*

*Wood, Laminate, Marker board or Glass Inserts*

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	62 3/4"	30"	<b>RTPNM30H8</b> ( ) ( )	\$2,028.	\$1,220.	\$1,199.	\$1,317.	\$1,463.	\$1,858.
Without tool rail	1 1/2"	62 3/4"	36"	<b>RTPNM36H8</b> ( ) ( )	2,294.	1,291.	1,266.	1,388.	1,554.	2,025.
	1 1/2"	62 3/4"	42"	<b>RTPNM42H8</b> ( ) ( )	2,656.	1,496.	1,467.	1,595.	1,791.	2,338.
	1 1/2"	62 3/4"	48"	<b>RTPNM48H8</b> ( ) ( )	2,926.	1,523.	1,490.	1,625.	1,847.	2,471.

Order Code	Specification Information	Application Notes
Example: <b>RTPNM30H8</b> ( ) ( )	To order please specify pattern number including;	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail		Always supplied including cable curtain.
<b>M</b> Monolithic		Always supplied including all trim pieces.
<b>30</b> Width		LH & RH side full height trims. ( no hi-lo trims )
<b>H8</b> 62 <sup>3</sup> / <sub>4</sub> " high		All trims supplied with the same finish specification.
<b>111</b> Trim finish		Tool rails are not supplied to this Task Panel.
<b>V319</b> Veneer selection		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels  
*H8 62<sup>3</sup>/<sub>4</sub>" high*  
*Segmented With Tool rail*  
*Fabric Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	62 3/4"	30"	0.9	RTPRS30H8( ) ( )	\$1,522.	\$1,552.	\$1,583.	\$1,613.	\$1,661.	\$1,690.	\$1,729.
With tool rail	1 1/2"	62 3/4"	36"	1.1	RTPRS36H8( ) ( )	1,614.	1,651.	1,687.	1,724.	1,776.	1,807.	1,849.
	1 1/2"	62 3/4"	42"	1.3	RTPRS42H8( ) ( )	1,813.	1,856.	1,900.	1,944.	2,002.	2,037.	2,084.
	1 1/2"	62 3/4"	48"	1.4	RTPRS48H8( ) ( )	1,840.	1,886.	1,933.	1,980.	2,039.	2,074.	2,122.
	1 1/2"	62 3/4"	54"	1.6	RTPRS54H8( ) ( )	1,877.	1,930.	1,983.	2,036.	2,097.	2,134.	2,183.
	1 1/2"	62 3/4"	60"	1.8	RTPRS60H8( ) ( )	1,913.	1,972.	2,033.	2,093.	2,156.	2,194.	2,243.
	1 1/2"	62 3/4"	66"	1.9	RTPRS66H8( ) ( )	2,266.	2,330.	2,393.	2,457.	2,531.	2,574.	2,634.
	1 1/2"	62 3/4"	72"	2.1	RTPRS72H8( ) ( )	2,307.	3,298.	2,434.	2,498.	2,573.	2,617.	2,678.

Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H8( ) ( )</b>	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
<b>N</b> No tool rail	3. Bottom insert finish: Fabric	<b>Note:</b> Need to "double the yardage", for this task panel; Fabric above, Fabric below.
<b>M</b> Monolithic		
<b>30</b> Width		Always supplied including cable curtain.
<b>H8</b> 62 3/4" high		Always supplied including all trim pieces.
<b>111</b> Trim finish		LH & RH side full height trims. ( no hi-lo trims )
<b>W281</b> Fabric selection top		All trims supplied with the same finish specification.
<b>W281</b> Fabric selection bottom		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.



# Task Panels

*H8 62<sup>3</sup>/<sub>4</sub>" high*

*Segmented With Tool rail*

*Marker board Insert Above / Fabric Insert Below*

description	th	h	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	62 3/4"	30"	0.9	<b>RTPRS30H8</b> ( ) ( )	\$1,587.	\$1,603.	\$1,617.	\$1,633.	\$1,672.	\$1,711.	\$1,750.
With tool rail	1 1/2"	62 3/4"	36"	1.1	<b>RTPRS36H8</b> ( ) ( )	1,685.	1,704.	1,721.	1,740.	1,782.	1,823.	1,865.
	1 1/2"	62 3/4"	42"	1.3	<b>RTPRS42H8</b> ( ) ( )	1,891.	1,913.	1,934.	1,956.	2,003.	2,050.	2,097.
	1 1/2"	62 3/4"	48"	1.4	<b>RTPRS48H8</b> ( ) ( )	1,923.	1,947.	1,969.	1,993.	2,040.	2,089.	2,136.



## Order Code

Example:	<b>RTPRS30H8</b> ( ) ( )
<b>R</b>	Reff
<b>TP</b>	Task Panel
<b>R</b>	Tool rail
<b>S</b>	Segmentated
<b>30</b>	Width
<b>H8</b>	62 <sup>3</sup> / <sub>4</sub> " high
<b>111</b>	Trim finish
<b>LW</b>	Marker board top insert
<b>W281</b>	Fabric selection bottom insert

## Specification Information

To order please specify pattern number including:  
 1. Trim Finish: Painted or Anodized  
 2. Top insert finish: Marker board  
 3. Bottom insert finish: Fabric

## Application Notes


H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.  
 \*Installation instruction sheets available on-line.  
 For Task Panels refer to part number 6TP00085  
 Always supplied including cable curtain.  
 Always supplied including all trim pieces.  
 LH & RH side full height trims. ( no hi-lo trims )  
 All trims supplied with the same finish specification.  
 All Fabric to be applied railroaded as current tackboard  
 When ordering 54" or wider Task Panel, please check width of fabric specified.

# Task Panels

*H8 62<sup>3</sup>/<sub>4</sub>" high*

*Segmented With Tool rail*


*Glass or Fabric Insert Above / Forbo, Laminate or Wood Below*

description	th	h	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	62 <sup>3</sup> / <sub>4</sub> "	30"	0.9	<b>RTPRS30H8</b> ( ) ( )	\$2,280.	\$1,563.	\$1,557.	\$1,625.	\$1,664.	\$1,739.
With tool rail	1 1/2"	62 <sup>3</sup> / <sub>4</sub> "	36"	1.1	<b>RTPRS36H8</b> ( ) ( )	2,548.	1,677.	1,648.	1,716.	1,760.	1,851.
	1 1/2"	62 <sup>3</sup> / <sub>4</sub> "	42"	1.3	<b>RTPRS42H8</b> ( ) ( )	2,923.	1,900.	1,851.	1,920.	1,968.	2,073.
	1 1/2"	62 <sup>3</sup> / <sub>4</sub> "	48"	1.4	<b>RTPRS48H8</b> ( ) ( )	3,139.	1,953.	1,878.	1,977.	2,031.	2,151.
	1 1/2"	62 <sup>3</sup> / <sub>4</sub> "	54"	1.6	<b>RTPRS54H8</b> ( ) ( )	3,353.	2,014.	1,942.	2,014.	2,072.	2,206.
	1 1/2"	62 <sup>3</sup> / <sub>4</sub> "	60"	1.8	<b>RTPRS60H8</b> ( ) ( )	3,565.	2,073.	1,949.	2,050.	2,113.	2,261.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: <b>RTPRS30H8</b> ( ) ( )	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
<b>R</b> Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
<b>TP</b> Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
<b>R</b> Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
<b>S</b> Segmented		Always supplied including all trim pieces.
<b>30</b> Width		LH & RH side full height trims. ( no hi-lo trims )
<b>H8</b> 62 <sup>3</sup> / <sub>4</sub> " high		All trims supplied with the same finish specification.
<b>111</b> Trim finish		All Fabric to be applied railroaded as current tackboard
<b>W281</b> Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
<b>V319</b> Veneer selection bottom insert		

Tackboards  
*H1 23 1/8" high*  
*Wall hung, fabric*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard, wall hung	1"	23 1/8"	30"	1.0	<b>RWDHTB30H1()</b>	\$262.	\$287.	\$314.	\$340.	\$345.	\$350.	\$355.
	1"	23 1/8"	36"	1.1	<b>RWDHTB36H1()</b>	279.	308.	336.	365.	371.	376.	382.
	1"	23 1/8"	42"	1.3	<b>RWDHTB42H1()</b>	307.	341.	374.	408.	415.	421.	428.
	1"	23 1/8"	48"	1.5	<b>RWDHTB48H1()</b>	334.	373.	411.	450.	458.	466.	474.
	1"	23 1/8"	54"	1.6	<b>RWDHTB54H1()</b>	352.	393.	435.	476.	484.	493.	502.
	1"	23 1/8"	60"	1.8	<b>RWDHTB60H1()</b>	379.	425.	473.	519.	528.	538.	547.
	1"	23 1/8"	66"	1.9	<b>RWDHTB66H1()</b>	398.	447.	495.	545.	555.	564.	575.
	1"	23 1/8"	72"	2.1	<b>RWDHTB72H1()</b>	425.	480.	534.	588.	599.	610.	621.
	1"	23 1/8"	78"	2.3	<b>RWDHTB78H1()</b>	452.	512.	571.	630.	643.	654.	666.
	1"	23 1/8"	84"	2.5	<b>RWDHTB84H1()</b>	480.	545.	609.	674.	687.	699.	713.
	1"	23 1/8"	90"	2.6	<b>RWDHTB90H1()</b>	497.	564.	631.	698.	712.	726.	740.
	1"	23 1/8"	96"	2.8	<b>RWDHTB96H1()</b>	525.	597.	671.	743.	757.	771.	786.

**Order Code**

Example: <b>RWDHTB30H1()</b>
<b>R</b> Reff
<b>WH</b> Wall hung
<b>DH</b> Desk height planning
<b>TB</b> Tackboard
<b>30</b> Width
<b>H1</b> 23 1/8" high
<b>W281</b> Fabric selection

**Specification Information**


To order please specify pattern number including;  
 1. Finish: Fabric

**Application Notes**

H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.

Tackboards  
*H2 29<sup>3</sup>/<sub>4</sub>" high*  
*Wall hung, fabric*

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	29 <sup>3</sup> / <sub>4</sub> "	30"	1.0	<b>RWHDHTB30H2( )</b>	\$277.	\$302.	\$327.	\$351.	\$356.	\$362.	\$367.
	1"	29 <sup>3</sup> / <sub>4</sub> "	36"	1.1	<b>RWHDHTB36H2( )</b>	298.	325.	352.	380.	386.	391.	398.
	1"	29 <sup>3</sup> / <sub>4</sub> "	42"	1.3	<b>RWHDHTB42H2( )</b>	328.	361.	392.	425.	432.	439.	445.
	1"	29 <sup>3</sup> / <sub>4</sub> "	48"	1.5	<b>RWHDHTB48H2( )</b>	358.	396.	433.	470.	478.	485.	493.
	1"	29 <sup>3</sup> / <sub>4</sub> "	54"	1.6	<b>RWHDHTB54H2( )</b>	379.	419.	458.	499.	507.	515.	523.
	1"	29 <sup>3</sup> / <sub>4</sub> "	60"	1.8	<b>RWHDHTB60H2( )</b>	409.	454.	499.	544.	553.	562.	572.
	1"	29 <sup>3</sup> / <sub>4</sub> "	66"	1.9	<b>RWHDHTB66H2( )</b>	430.	477.	524.	572.	582.	591.	602.
	1"	29 <sup>3</sup> / <sub>4</sub> "	72"	2.1	<b>RWHDHTB72H2( )</b>	460.	513.	564.	617.	628.	639.	650.
	1"	29 <sup>3</sup> / <sub>4</sub> "	78"	2.3	<b>RWHDHTB78H2( )</b>	490.	548.	605.	662.	675.	686.	698.
	1"	29 <sup>3</sup> / <sub>4</sub> "	84"	2.5	<b>RWHDHTB84H2( )</b>	520.	583.	645.	708.	721.	733.	747.
	1"	29 <sup>3</sup> / <sub>4</sub> "	90"	2.6	<b>RWHDHTB90H2( )</b>	542.	607.	671.	735.	749.	763.	777.
	1"	29 <sup>3</sup> / <sub>4</sub> "	96"	2.8	<b>RWHDHTB96H2( )</b>	572.	642.	711.	781.	795.	811.	825.

Accessories and Client Samples

**Order Code**

Example: <b>RWHDHTB30H2( )</b>
<b>R</b> Reff
<b>WH</b> Wall hung
<b>DH</b> Desk height planning
<b>TB</b> Tackboard
<b>30</b> Width
<b>H2</b> 29 <sup>3</sup> / <sub>4</sub> " high
<b>W281</b> Fabric selection


**Specification Information**

To order please specify pattern number including;  
 1. Finish: Fabric

**Application Notes**

H2 Height = Underside of overhead to top of 1" thick credenza top for 3/4 height cabinets.

Tackboards  
*H3 37<sup>7</sup>/<sub>8</sub>" high*  
*Wall hung, fabric*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	37 <sup>7</sup> / <sub>8</sub> "	30"	1.0	<b>RWHDHTB30H3()</b>	\$291.	\$316.	\$342.	\$367.	\$372.	\$377.	\$382.
	1"	37 <sup>7</sup> / <sub>8</sub> "	36"	1.1	<b>RWHDHTB36H3()</b>	315.	343.	370.	398.	404.	409.	415.
	1"	37 <sup>7</sup> / <sub>8</sub> "	42"	1.3	<b>RWHDHTB42H3()</b>	348.	380.	413.	445.	452.	458.	466.
	1"	37 <sup>7</sup> / <sub>8</sub> "	48"	1.5	<b>RWHDHTB48H3()</b>	382.	419.	456.	493.	502.	509.	517.
	1"	37 <sup>7</sup> / <sub>8</sub> "	54"	1.6	<b>RWHDHTB54H3()</b>	405.	445.	484.	524.	533.	542.	550.
	1"	37 <sup>7</sup> / <sub>8</sub> "	60"	1.8	<b>RWHDHTB60H3()</b>	439.	483.	528.	573.	582.	592.	602.
	1"	37 <sup>7</sup> / <sub>8</sub> "	66"	1.9	<b>RWHDHTB66H3()</b>	461.	509.	556.	604.	614.	623.	633.
	1"	37 <sup>7</sup> / <sub>8</sub> "	72"	2.1	<b>RWHDHTB72H3()</b>	495.	548.	599.	652.	663.	674.	685.
	1"	37 <sup>7</sup> / <sub>8</sub> "	78"	2.3	<b>RWHDHTB78H3()</b>	528.	586.	643.	700.	713.	724.	736.
	1"	37 <sup>7</sup> / <sub>8</sub> "	84"	2.5	<b>RWHDHTB84H3()</b>	562.	624.	687.	749.	762.	775.	788.
	1"	37 <sup>7</sup> / <sub>8</sub> "	90"	2.6	<b>RWHDHTB90H3()</b>	585.	650.	714.	779.	792.	806.	820.
	1"	37 <sup>7</sup> / <sub>8</sub> "	96"	2.8	<b>RWHDHTB96H3()</b>	619.	688.	758.	827.	842.	857.	871.

**Order Code**

Example: <b>RWHDHTB30H3()</b>
<b>R</b> Reff
<b>WH</b> Wall hung
<b>DH</b> Desk height planning
<b>TB</b> Tackboard
<b>30</b> Width
<b>H3</b> 37 <sup>7</sup> / <sub>8</sub> " high
<b>W281</b> Fabric selection


**Specification Information**

To order please specify pattern number including;  
 1. Finish: Fabric

**Application Notes**

H3 Height = Top of U-shelf or L-shelf overhead to top of 1 1/2" thick desk height worksurface.

Tackboards  
*H4 44 1/2" high*  
*Wall hung, fabric*

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	44 1/2"	30"	1.0	<b>RWHDHTB30H4( )</b>	\$304.	\$329.	\$354.	\$379.	\$384.	\$389.	\$394.
	1"	44 1/2"	36"	1.1	<b>RWHDHTB36H4( )</b>	330.	357.	384.	412.	418.	423.	430.
	1"	44 1/2"	42"	1.3	<b>RWHDHTB42H4( )</b>	366.	398.	431.	462.	470.	476.	483.
	1"	44 1/2"	48"	1.5	<b>RWHDHTB48H4( )</b>	401.	438.	476.	513.	521.	528.	537.
	1"	44 1/2"	54"	1.6	<b>RWHDHTB54H4( )</b>	427.	468.	507.	547.	555.	563.	572.
	1"	44 1/2"	60"	1.8	<b>RWHDHTB60H4( )</b>	462.	507.	552.	596.	606.	616.	625.
	1"	44 1/2"	66"	1.9	<b>RWHDHTB66H4( )</b>	488.	536.	583.	630.	641.	650.	660.
	1"	44 1/2"	72"	2.1	<b>RWHDHTB72H4( )</b>	524.	577.	628.	681.	692.	702.	714.
	1"	44 1/2"	78"	2.3	<b>RWHDHTB78H4( )</b>	560.	617.	675.	731.	744.	756.	768.
	1"	44 1/2"	84"	2.5	<b>RWHDHTB84H4( )</b>	595.	657.	720.	782.	795.	808.	821.
	1"	44 1/2"	90"	2.6	<b>RWHDHTB90H4( )</b>	621.	686.	751.	816.	829.	844.	857.
	1 1/2"	44 1/2"	96"	2.8	<b>RWHDHTB96H4( )</b>	656.	726.	795.	865.	880.	895.	909.

**Order Code**

Example: <b>RWHDHTB30H4 ( )</b>
<b>R</b> Reff
<b>WH</b> Wall hung
<b>DH</b> Desk height planning
<b>TB</b> Tackboard
<b>30</b> Width
<b>H4</b> 44 1/2" high
<b>W281</b> Fabric selection

**Specification Information**


To order please specify pattern number including;  
 1. Finish: Fabric

**Application Notes**

H4 Height = Top of U-shelf or L-shelf overhead to top of 1" thick credenza top for 3/4" height cabinet.

Tackboards  
*H5 42<sup>5</sup>/<sub>8</sub>" high*  
*Wall hung, fabric*

Reff Profiles

description	th	h	w	y	pattern no.	grade						
						10	15	20	30	35	40	45
Tackboard , wall hung	1"	42 <sup>5</sup> / <sub>8</sub> "	30"	1.0	<b>RWHDHTB30H5()</b>	\$301.	\$325.	\$350.	\$375.	\$380.	\$386.	\$391.
	1"	42 <sup>5</sup> / <sub>8</sub> "	36"	1.1	<b>RWHDHTB36H5()</b>	327.	353.	381.	408.	414.	419.	425.
	1"	42 <sup>5</sup> / <sub>8</sub> "	42"	1.3	<b>RWHDHTB42H5()</b>	361.	392.	425.	457.	465.	471.	478.
	1"	42 <sup>5</sup> / <sub>8</sub> "	48"	1.5	<b>RWHDHTB48H5()</b>	396.	433.	471.	508.	516.	523.	531.
	1"	42 <sup>5</sup> / <sub>8</sub> "	54"	1.6	<b>RWHDHTB54H5()</b>	421.	461.	501.	541.	549.	557.	565.
	1"	42 <sup>5</sup> / <sub>8</sub> "	60"	1.8	<b>RWHDHTB60H5()</b>	455.	501.	545.	590.	599.	609.	618.
	1"	42 <sup>5</sup> / <sub>8</sub> "	66"	1.9	<b>RWHDHTB66H5()</b>	481.	528.	575.	622.	632.	643.	653.
	1"	42 <sup>5</sup> / <sub>8</sub> "	72"	2.1	<b>RWHDHTB72H5()</b>	516.	569.	620.	673.	684.	694.	706.
	1"	42 <sup>5</sup> / <sub>8</sub> "	78"	2.3	<b>RWHDHTB78H5()</b>	551.	608.	665.	722.	734.	746.	758.
	1"	42 <sup>5</sup> / <sub>8</sub> "	84"	2.5	<b>RWHDHTB84H5()</b>	586.	658.	711.	773.	786.	798.	812.
	1"	42 <sup>5</sup> / <sub>8</sub> "	90"	2.6	<b>RWHDHTB90H5()</b>	611.	676.	741.	805.	819.	832.	846.
	1"	42 <sup>5</sup> / <sub>8</sub> "	96"	2.8	<b>RWHDHTB96H5()</b>	647.	716.	786.	855.	869.	885.	899.

**Order Code**

Example:	<b>RWHDHTB30H5()</b>
<b>R</b>	Reff
<b>WH</b>	Wall hung
<b>DH</b>	Desk height planning
<b>TB</b>	Tackboard
<b>30</b>	Width
<b>H5</b>	42 <sup>5</sup> / <sub>8</sub> " high
<b>W281</b>	Fabric selection

**Specification Information**

To order please specify pattern number including;  
 1. Finish: Fabric

**Application Notes**

H5 Height = Top of Single high overhead to top of 1 1/2" thick desk height worksurface.

# Desk Screens

## Planning Guidelines and Specifications

### Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

### Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

### Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

### Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".


Bracket and frame paint finish codes with suffix "T" indicate textured.

### Construction


Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.


Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.



Screen always at back





For applications with work surface 26 1/2" off the floor



For applications with work surface 28 3/8" off the floor



Desk Screens  
*Fabric*  
 For 42" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon 	24"	1 1/4"	20"	<b>YPSB2024F</b>	\$556.	\$584.	\$612.	\$640.	\$667.
	27"	1 1/4"	20"	<b>YPSB2027F</b>	572.	600.	629.	657.	686.
	30"	1 1/4"	20"	<b>YPSB2030F</b>	587.	617.	646.	676.	705.
	36"	1 1/4"	20"	<b>YPSB2036F</b>	654.	687.	720.	752.	785.
	42"	1 1/4"	20"	<b>YPSB2042F</b>	680.	714.	748.	782.	816.
	48"	1 1/4"	20"	<b>YPSB2048F</b>	700.	735.	770.	805.	840.
	54"	1 1/4"	20"	<b>YPSB2054F</b>	752.	790.	827.	865.	902.
	60"	1 1/4"	20"	<b>YPSB2060F</b>	798.	838.	879.	918.	958.
	66"	1 1/4"	20"	<b>YPSB2066FRR</b>	834.	877.	918.	960.	1,001.
	72"	1 1/4"	20"	<b>YPSB2072FRR</b>	860.	903.	947.	989.	1,032.
Fabric Screens with Half Modesty For Desks, 42" High Horizon 	24"	1 1/4"	32"	<b>YPSB3224F</b>	644.	676.	709.	741.	773.
	27"	1 1/4"	32"	<b>YPSB3227F</b>	690.	725.	759.	794.	828.
	30"	1 1/4"	32"	<b>YPSB3230F</b>	711.	747.	782.	818.	853.
	36"	1 1/4"	32"	<b>YPSB3236F</b>	803.	844.	884.	924.	964.
	42"	1 1/4"	32"	<b>YPSB3242F</b>	850.	892.	935.	977.	1,020.
	48"	1 1/4"	32"	<b>YPSB3248F</b>	855.	898.	940.	984.	1,026.
	54"	1 1/4"	32"	<b>YPSB3254F</b>	927.	973.	1,020.	1,066.	1,112.
	60"	1 1/4"	32"	<b>YPSB3260F</b>	1,004.	1,055.	1,105.	1,155.	1,205.
	66"	1 1/4"	32"	<b>YPSB3266FRR</b>	1,143.	1,201.	1,258.	1,315.	1,372.
	72"	1 1/4"	32"	<b>YPSB3272FRR</b>	1,205.	1,266.	1,326.	1,386.	1,446.

**Ordering Information**

**Desk Screens**

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

**Order Code**

**Desk Screens**

*Example:* **YPSB2048F, W351, W351, 118T, 118T**

<b>YPSB</b>	Desk Screen
<b>20</b>	Height
<b>48</b>	Width
<b>F</b>	Fabric
<b>W351</b>	Foundation
<b>W351</b>	Foundation
<b>118T</b>	Bright White Paint
<b>118T</b>	Bright White Paint

**Included With**

**Desk Screens**  
 Brackets  
 Hardware

**Options**

**Desk Screens**

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.



# Desk Screens

## Fabric

### For 49" High Horizon

Reff Profiles

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon	24"	1 1/4"	26"	<b>YPSB2624F</b>	\$608.	\$639.	\$668.	\$699.	\$729.
	27"	1 1/4"	26"	<b>YPSB2627F</b>	633.	665.	697.	728.	760.
	30"	1 1/4"	26"	<b>YPSB2630F</b>	649.	682.	714.	747.	779.
	36"	1 1/4"	26"	<b>YPSB2636F</b>	726.	762.	799.	835.	871.
	42"	1 1/4"	26"	<b>YPSB2642F</b>	762.	800.	838.	877.	915.
	48"	1 1/4"	26"	<b>YPSB2648F</b>	819.	860.	901.	941.	983.
	54"	1 1/4"	26"	<b>YPSB2654F</b>	876.	920.	963.	1,007.	1,051.
	60"	1 1/4"	26"	<b>YPSB2660F</b>	912.	957.	1,003.	1,049.	1,094.
	66"	1 1/4"	26"	<b>YPSB2666FRR</b>	953.	1,000.	1,049.	1,096.	1,143.
	72"	1 1/4"	26"	<b>YPSB2672FRR</b>	994.	1,043.	1,094.	1,143.	1,193.
Fabric Screens with Half Modesty For Desks, 49" High Horizon	24"	1 1/4"	38"	<b>YPSB3824F</b>	695.	730.	765.	799.	834.
	27"	1 1/4"	38"	<b>YPSB3827F</b>	747.	784.	822.	859.	896.
	30"	1 1/4"	38"	<b>YPSB3830F</b>	767.	805.	845.	883.	921.
	36"	1 1/4"	38"	<b>YPSB3836F</b>	876.	920.	963.	1,007.	1,051.
	42"	1 1/4"	38"	<b>YPSB3842F</b>	927.	973.	1,020.	1,066.	1,112.
	48"	1 1/4"	38"	<b>YPSB3848F</b>	999.	1,050.	1,099.	1,149.	1,199.
	54"	1 1/4"	38"	<b>YPSB3854F</b>	1,051.	1,103.	1,156.	1,208.	1,261.
	60"	1 1/4"	38"	<b>YPSB3860F</b>	1,107.	1,163.	1,218.	1,273.	1,329.
	66"	1 1/4"	38"	<b>YPSB3866FRR</b>	1,241.	1,303.	1,366.	1,428.	1,489.
	72"	1 1/4"	38"	<b>YPSB3872FRR</b>	1,308.	1,374.	1,439.	1,505.	1,570.



Accessories and Client  
Samples

#### Ordering Information

##### Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

#### Order Code

##### Desk Screens

*Example:* **YPSB2648F, W351, W351, 118T, 118T**

<b>YPSB</b>	Desk Screen
<b>26</b>	Height
<b>48</b>	Width
<b>F</b>	Fabric
<b>W351</b>	Foundation
<b>W351</b>	Foundation
<b>118T</b>	Bright White Paint
<b>118T</b>	Bright White Paint

#### Included With

**Desk Screens**  
Brackets  
Hardware



#### Options

##### Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens  
Laminate, Markerboard or Veneer  
For 42" High Horizon

Reff Profiles

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42" High Horizon 	24"	3/4"	20"	<b>YPSB2024( )</b>	\$228.	\$393.	\$436.	\$502.	\$652.
	27"	3/4"	20"	<b>YPSB2027( )</b>	231.	397.	445.	512.	666.
	30"	3/4"	20"	<b>YPSB2030( )</b>	233.	399.	455.	524.	681.
	36"	3/4"	20"	<b>YPSB2036( )</b>	262.	504.	475.	546.	711.
	42"	3/4"	20"	<b>YPSB2042( )</b>	268.	509.	510.	586.	762.
	48"	3/4"	20"	<b>YPSB2048( )</b>	346.	815.	533.	613.	796.
	54"	3/4"	20"	<b>YPSB2054( )</b>	352.	821.	553.	637.	827.
	60"	3/4"	20"	<b>YPSB2060( )</b>	357.	826.	598.	688.	895.
	66"	3/4"	20"	<b>YPSB2066( )</b>	364.	831.	625.	719.	934.
	72"	3/4"	20"	<b>YPSB2072( )</b>	369.	837.	645.	742.	963.
Screens with Half Modesty For Desks, 42" High Horizon 	24"	3/4"	32"	<b>YPSB3224( )</b>	255.	604.	507.	583.	758.
	27"	3/4"	32"	<b>YPSB3227( )</b>	260.	608.	529.	609.	792.
	30"	3/4"	32"	<b>YPSB3230( )</b>	296.	612.	545.	627.	815.
	36"	3/4"	32"	<b>YPSB3236( )</b>	349.	818.	577.	663.	862.
	42"	3/4"	32"	<b>YPSB3242( )</b>	357.	826.	632.	727.	946.
	48"	3/4"	32"	<b>YPSB3248( )</b>	376.	1,431.	663.	762.	992.
	54"	3/4"	32"	<b>YPSB3254( )</b>	384.	1,439.	700.	805.	1,048.
	60"	3/4"	32"	<b>YPSB3260( )</b>	524.	1,445.	773.	888.	1,155.
	66"	3/4"	32"	<b>YPSB3266( )</b>	533.	1,453.	810.	931.	1,210.
	72"	3/4"	32"	<b>YPSB3272( )</b>	541.	1,463.	840.	966.	1,257.

Ordering Information

Desk Screens

1. Pattern Number
2. Surface Finish
3. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2048V, V316, 118T**

**YPSB** Desk Screen

**20** Height

**48** Width

**V** Veneer

**V316** Maple

**118T** Bright White Paint

Included With

Desk Screens

Brackets  
Hardware

Options

Desk Screens

Finish Options:

(L)= Laminate  
(LM)= Markerboard  
(V)= Veneer



# Desk Screens

## Laminate, Markerboard or Veneer

### For 49" High Horizon

Reff Profiles

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 49" High Horizon	24"	3/4"	26"	<b>YPSB2624( )</b>	\$249.	\$597.	\$484.	\$557.	\$724.
	27"	3/4"	26"	<b>YPSB2627( )</b>	252.	602.	496.	571.	743.
	30"	3/4"	26"	<b>YPSB2630( )</b>	256.	605.	517.	595.	774.
	36"	3/4"	26"	<b>YPSB2636( )</b>	263.	612.	543.	624.	812.
	42"	3/4"	26"	<b>YPSB2642( )</b>	302.	619.	588.	676.	879.
	48"	3/4"	26"	<b>YPSB2648( )</b>	330.	1,420.	620.	714.	928.
	54"	3/4"	26"	<b>YPSB2654( )</b>	337.	1,428.	646.	742.	965.
	60"	3/4"	26"	<b>YPSB2660( )</b>	355.	1,432.	719.	827.	1,074.
	66"	3/4"	26"	<b>YPSB2666( )</b>	363.	1,441.	745.	856.	1,113.
	72"	3/4"	26"	<b>YPSB2672( )</b>	465.	1,446.	770.	886.	1,152.
Screens with Half Modesty For Desks, 49" High Horizon	24"	3/4"	38"	<b>YPSB3824( )</b>	295.	612.	541.	622.	809.
	27"	3/4"	38"	<b>YPSB3827( )</b>	300.	616.	559.	644.	836.
	30"	3/4"	38"	<b>YPSB3830( )</b>	304.	621.	578.	664.	863.
	36"	3/4"	38"	<b>YPSB3836( )</b>	359.	827.	622.	715.	930.
	42"	3/4"	38"	<b>YPSB3842( )</b>	370.	837.	684.	787.	1,023.
	48"	3/4"	38"	<b>YPSB3848( )</b>	460.	1,442.	721.	829.	1,077.
	54"	3/4"	38"	<b>YPSB3854( )</b>	471.	1,452.	764.	879.	1,142.
	60"	3/4"	38"	<b>YPSB3860( )</b>	541.	1,463.	862.	991.	1,289.
	66"	3/4"	38"	<b>YPSB3866( )</b>	550.	1,473.	905.	1,041.	1,353.
	72"	3/4"	38"	<b>YPSB3872( )</b>	560.	1,483.	942.	1,084.	1,409.



#### Ordering Information

##### Desk Screens

1. Pattern Number
2. Surface Finish
3. Bracket Paint Finish

#### Order Code

##### Desk Screens

*Example:* **YPSB2648V, V316, 118T**

**YPSB** Desk Screen

**26** Height

**48** Width

**V** Veneer

**V316** Maple

**118T** Bright White Paint

#### Included With

##### Desk Screens

Brackets  
Hardware

#### Options

##### Desk Screens

##### Finish Options:

(L)= Laminate  
(LM)= Markerboard  
(V)= Veneer


description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies 30" and 36"	30"	10"	<b>RDTC3010( )</b>	\$854.	\$1,067.	\$1,227.	\$1,594.
	36"	10"	<b>RDTC3610( )</b>	864.	1,076.	1,238.	1,609.



Desk Top Cubbies 60" and 72"	60"	10"	<b>RDTC6010( )</b>	1,048.	1,310.	1,506.	1,958.
	72"	10"	<b>RDTC7210( )</b>	1,069.	1,337.	1,537.	1,998.



Desk Top Cubbies Open	60"	10"	<b>RDTCO6010( )</b>	1,158.	1,448.	1,664.	2,164.
	72"	10"	<b>RDTCO7210( )</b>	1,174.	1,467.	1,687.	2,193.



Wall Mounted Cubbies 30" and 36"	30"	10"	<b>RRMC3010( )</b>	936.	1,170.	1,345.	1,749.
	36"	10"	<b>RRMC3610( )</b>	945.	1,180.	1,358.	1,764.



Wall Mounted Cubbies 60" and 72"	60"	10"	<b>RRMC6010( )</b>	1,077.	1,345.	1,549.	2,014.
	72"	10"	<b>RRMC7210( )</b>	1,099.	1,374.	1,580.	2,055.



Under Mounted Cubbies 30" and 36"	30"	10"	<b>RUMC3010( )</b>	905.	1,132.	1,302.	1,692.
	36"	10"	<b>RUMC3610( )</b>	916.	1,145.	1,317.	1,712.



### Order Code

Example: <b>RDTC3010( ) ( )</b>	
<b>R</b>	Reff
<b>DT</b>	Desk Top
<b>C</b>	Cubby
<b>30</b>	Width
<b>10</b>	Depth
	Finish

### Specification Information


### Application Notes

Installation instruction sheets available on line.

For Wall Mounted cubbies, please refer to part number 6TP00086.

For Under Mounted cubbies, please refer to part number 6TP00087.

description	w	d	pattern no.	L	V1	V2	V3
Under Mounted Cubbies 60" and 72"	60"	10"	<b>RUMC6010()</b>	\$1,028.	\$1,284.	\$1,477.	\$1,921.
	72"	10"	<b>RUMC7210()</b>	1,054.	1,316.	1,514.	1,968.



**Order Code**

Example: <b>RDTC3010()</b>	
<b>R</b>	Reff
<b>DT</b>	Desk Top
<b>C</b>	Cubby
<b>30</b>	Width
<b>10</b>	Depth
	Finish

**Specification Information**

**Application Notes**


Installation instruction sheets available on line.

For Wall Mounted cubbies, please refer to part number 6TP00086.

For Under Mounted cubbies, please refer to part number 6TP00087.

# Single Wide Desk

## Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Single Wide Desk 	66"	30"	42"	<b>RASW6630</b> ( )( )	\$1,201.	\$1,381.	\$1,588.	\$2,065.
	72"	30"	42"	<b>RASW7230</b> ( )( )	1,254.	1,442.	1,658.	2,156.
	78"	30"	42"	<b>RASW7830</b> ( )( )	1,293.	1,487.	1,710.	2,223.
	84"	30"	42"	<b>RASW8430</b> ( )( )	1,366.	1,571.	1,807.	2,349.
	90"	30"	42"	<b>RASW9030</b> ( )( )	1,405.	1,616.	1,859.	2,416.
	96"	30"	42"	<b>RASW9630</b> ( )( )	1,450.	1,668.	1,918.	2,494.

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>SW</b>	Single Wide with worksurface
<b>66</b>	66" wide, Nominal
<b>30</b>	30" deep, Nominal
<b>( )</b>	Modesty finish
<b>( )</b>	Worksurface finish

### Nominal vs Actual sizes

N=66/A=62 - Top = 61.8 x 27.9  
 N=72/A=68 - Top = 67.8 x 27.9  
 N=78/A=74 - Top = 73.8 x 27.9  
 N=84/A= 80 - Top = 79.8 x 27.9  
 N=90/A=86 - Top = 85.8 x 27.9  
 N=96/A=92 - Top = 91.8 x 27.9  
 above dimension allow for 2 end supports

### Specification Information

To order please specify pattern number including:

1. Modesty Finish: Wood or Laminate
2. Worksurface Finish: Wood or Laminate

66" to 96" wide Nominal.  
 No Drilling Options.  
 No Grommet Options.

To be used with end support, return, or bridge.  
 Includes front modesty and worksurface.  
 Stations up to 96" wide.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

### Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28<sup>3/8</sup>" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal.


Comes with hardware kit, including attachment kit.

Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.

Pencil Lip will be assembled to the top.  
 Pencil Lip dimension: 1/4"H above worksurface.  
 Pencil Lip is located along the back edge.  
 Pencil Lip is available in black only.


Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with an additional infill panel.



# Single Wide Desk

## Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Single Wide Desk 	66"	30"	42"	<b>RASW6630</b> ( ) ( )	\$1,292.	\$1,363.	\$1,623.	\$1,344.	\$1,458.	\$1,687.
	72"	30"	42"	<b>RASW7230</b> ( ) ( )	1,337.	1,414.	1,696.	1,382.	1,505.	1,756.
	78"	30"	42"	<b>RASW7830</b> ( ) ( )	1,373.	1,456.	1,759.	1,410.	1,542.	1,815.
	84"	30"	42"	<b>RASW8430</b> ( ) ( )	1,454.	1,543.	1,867.	1,457.	1,598.	1,893.
	90"	30"	42"	<b>RASW9030</b> ( ) ( )	1,490.	1,585.	1,930.	1,486.	1,636.	1,953.
	96"	30"	42"	<b>RASW9630</b> ( ) ( )	1,534.	1,634.	2,001.	1,514.	1,673.	2,012.

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>SW</b>	Single Wide with worksurface
<b>66</b>	66" wide, Nominal
<b>30</b>	30" deep, Nominal
<b>( )</b>	Modesty finish
<b>( )</b>	Worksurface finish

### Nominal vs Actual sizes

N=66/A=62 - Top = 61.8 x 27.9  
 N=72/A=68 - Top = 67.8 x 27.9  
 N=78/A=74 - Top = 73.8 x 27.9  
 N=84/A= 80 - Top = 79.8 x 27.9  
 N=90/A=86 - Top = 85.8 x 27.9  
 N=96/A=92 - Top = 91.8 x 27.9  
 above dimension allow for 2 end supports

### Specification Information

To order please specify pattern number including:  
 1. Modesty Finish: Wood or Laminate  
 2. Worksurface Finish: Wood or Laminate

66" to 96" wide Nominal.  
 No Drilling Options.  
 No Grommet Options.

To be used with end support, return, or bridge.  
 Includes front modesty and worksurface.  
 Stations up to 96" wide.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

### Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28<sup>3/8</sup>" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal.


Comes with hardware kit, including attachment kit.

Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.

Pencil Lip will be assembled to the top.  
 Pencil Lip dimension: 1/4"H above worksurface.  
 Pencil Lip is located along the back edge.  
 Pencil Lip is available in black only.

Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with an additional infill panel.






# Double Wide Desk

## Single Finishes

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Double Wide Desk	51"	30"	42"	<b>RADW(L/R)5130( ) ( )</b>	\$1,162.	\$1,336.	\$1,536.	\$1,997.
	54"	30"	42"	<b>RADW(L/R)5430( ) ( )</b>	1,188.	1,366.	1,571.	2,042.
	57"	30"	42"	<b>RADW(L/R)5730( ) ( )</b>	1,214.	1,396.	1,605.	2,087.
	60"	30"	42"	<b>RADW(L/R)6030( ) ( )</b>	1,295.	1,489.	1,713.	2,227.
	63"	30"	42"	<b>RADW(L/R)6330( ) ( )</b>	1,316.	1,514.	1,741.	2,263.
	66"	30"	42"	<b>RADW(L/R)6630( ) ( )</b>	1,345.	1,547.	1,779.	2,313.
	69"	30"	42"	<b>RADW(L/R)6930( ) ( )</b>	1,371.	1,576.	1,813.	2,356.
	72"	30"	42"	<b>RADW(L/R)7230( ) ( )</b>	1,391.	1,600.	1,840.	2,392.
	75"	30"	42"	<b>RADW(L/R)7530( ) ( )</b>	1,410.	1,621.	1,864.	2,424.
	78"	30"	42"	<b>RADW(L/R)7830( ) ( )</b>	1,429.	1,644.	1,890.	2,458.
	81"	30"	42"	<b>RADW(L/R)8130( ) ( )</b>	1,455.	1,673.	1,924.	2,501.
	84"	30"	42"	<b>RADW(L/R)8430( ) ( )</b>	1,504.	1,729.	1,989.	2,586.
	87"	30"	42"	<b>RADW(L/R)8730( ) ( )</b>	1,522.	1,750.	2,013.	2,617.
	90"	30"	42"	<b>RADW(L/R)9030( ) ( )</b>	1,542.	1,774.	2,040.	2,651.
	93"	30"	42"	<b>RADW(L/R)9330( ) ( )</b>	1,568.	1,803.	2,074.	2,696.
	96"	30"	42"	<b>RADW(L/R)9630( ) ( )</b>	1,587.	1,825.	2,099.	2,729.




Left hand shown

Order Code	Specification Information	Application Notes
Example: <b>R2APT3418 AA</b>	<i>To order specify pattern number including height and width as applicable.</i>	<b>For Single Wide Desk.</b>  <i>Nominal single vs Actual single sizes</i> N=66/ A=62 N=72/ A=68 N=78/ A=74 N=84/ A=80 N=90/ A=86 N=96/ A=92
<b>RA</b> Reff Administrative <b>WH</b> Wall hung <b>DH</b> Desk high planning <b>TB</b> Tack board <b>S</b> Single desk <b>66</b> width Fabric		

# Double Wide Desk

## Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 <p>right hand shown</p>	51"	30"	42"	<b>RADW(L/R)5130()</b> ( )	\$1,240.	\$1,299.	\$1,514.	\$1,351.	\$1,445.	\$1,653.
	54"	30"	42"	<b>RADW(L/R)5430()</b> ( )	1,266.	1,328.	1,553.	1,366.	1,464.	1,683.
	57"	30"	42"	<b>RADW(L/R)5730()</b> ( )	1,283.	1,348.	1,585.	1,389.	1,491.	1,721.
	60"	30"	42"	<b>RADW(L/R)6030()</b> ( )	1,383.	1,451.	1,698.	1,443.	1,550.	1,791.
	63"	30"	42"	<b>RADW(L/R)6330()</b> ( )	1,403.	1,474.	1,732.	1,472.	1,583.	1,835.
	66"	30"	42"	<b>RADW(L/R)6630()</b> ( )	1,424.	1,498.	1,766.	1,499.	1,615.	1,878.
	69"	30"	42"	<b>RADW(L/R)6930()</b> ( )	1,450.	1,526.	1,805.	1,513.	1,634.	1,907.
	72"	30"	42"	<b>RADW(L/R)7230()</b> ( )	1,470.	1,549.	1,838.	1,528.	1,653.	1,938.
	75"	30"	42"	<b>RADW(L/R)7530()</b> ( )	1,487.	1,568.	1,868.	1,570.	1,699.	1,994.
	78"	30"	42"	<b>RADW(L/R)7830()</b> ( )	1,504.	1,589.	1,900.	1,584.	1,718.	2,025.
	81"	30"	42"	<b>RADW(L/R)8130()</b> ( )	1,531.	1,618.	1,939.	1,598.	1,737.	2,054.
	84"	30"	42"	<b>RADW(L/R)8430()</b> ( )	1,587.	1,677.	2,010.	1,632.	1,775.	2,103.
	87"	30"	42"	<b>RADW(L/R)8730()</b> ( )	1,604.	1,697.	2,039.	1,646.	1,793.	2,132.
	90"	30"	42"	<b>RADW(L/R)9030()</b> ( )	1,622.	1,718.	2,072.	1,660.	1,812.	2,163.
	93"	30"	42"	<b>RADW(L/R)9330()</b> ( )	1,649.	1,748.	2,112.	1,674.	1,830.	2,191.
	96"	30"	42"	<b>RADW(L/R)9630()</b> ( )	1,666.	1,767.	2,141.	1,688.	1,849.	2,222.

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>DW</b>	Double Wide with worksurface
<b>L</b>	Left hand
<b>51</b>	51" wide, Nominal
<b>30</b>	30" deep (only) worksurface
<b>()</b>	Modesty finish
<b>()</b>	Worksurface finish

### To complete your double wide unit, you must order 2 pieces.

Nominal double vs Actual double sizes

- Actual is 2" less than Nominal.
- N=102/ A=98 (2x49) - Top = 49
  - N=108/ A=104 (2x52) - Top = 52
  - N=114/ A=110 (2x55) - Top = 55
  - N=120/ A=116 (2x58) - Top = 58
  - N=126/ A=122 (2x61) - Top = 61
  - N=132/ A=128 (2x64) - Top = 64
  - N=138/ A=134 (2x67) - Top = 67
  - N=144/ A=140 (2x70) - Top = 70
  - N=150/ A=146 (2x73) - Top = 73
  - N=156/ A=152 (2x76) - Top = 76
  - N=162/ A=158 (2x79) - Top = 79
  - N=168/ A=164 (2x82) - Top = 82
  - N=174/ A=170 (2x85) - Top = 85
  - N=180/ A=176 (2x88) - Top = 88
  - N=186/ A=182 (2x91) - Top = 91
  - N=192/ A=188 (2x94) - Top = 94

### Specification Information

To order please specify pattern number including:

- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

51" to 96" wide, Nominal.  
30" deep worksurface, Nominal.  
No Drilling Options.  
No Grommet Options.

Product on this page do not include infill panels, returns or supports. Supports need to be ordered separately.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for spans greater than 54" wide.

### Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28<sup>3/8</sup>" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All Installation instructions are available on the Knoll Exchange.

42" height, Nominal.

Left hand and Right hand units are sold separately (not as set), therefore the veneer side will not match.


Left hand unit includes 2 kits;  
Kit #1: Joinery hardware to connect 2 units together.  
Kit #2: Multi clips.

Products on this page do not include infill panels, returns and supports, need to be order separately.

Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).


The approach side needs to be completed with an additional infill panel.

Worksurfaces include a 2" gap along the back edge to accommodate full length wire access and Pencil Lip. Pencil lip will be assembled to the top. Pencil Lip dimensions: 1/4"H above worksurface. Pencil Lip is available in black only.



# Bridge

## Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
	72"	20"	42"	<b>RABR(L/R)7220</b> ( ) ( ) ( )	\$1,090.	\$1,744.	\$2,006.	\$2,608.
	78"	20"	42"	<b>RABR(L/R)7820</b> ( ) ( ) ( )	1,183.	1,892.	2,176.	2,829.
	84"	20"	42"	<b>RABR(L/R)8420</b> ( ) ( ) ( )	1,236.	1,977.	2,274.	2,956.
	90"	20"	42"	<b>RABR(L/R)9020</b> ( ) ( ) ( )	1,286.	2,058.	2,366.	3,076.
	96"	20"	42"	<b>RABR(L/R)9620</b> ( ) ( ) ( )	1,336.	2,137.	2,458.	3,195.

Left hand shown

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>BR</b>	Bridge Return
<b>R</b>	Right hand
<b>72</b>	72" wide
<b>20</b>	20" deep
<b>( )</b>	Grommet option
<b>( )</b>	Grommet finish
<b>( )</b>	Modesty finish
<b>( )</b>	Worksurface finish

### Specification Information

- To order please specify pattern number including:
- Grommet Option:  
F = Flush  
N = No Grommet
  - Grommet Finish: Painted or Plated
  - Modesty Finish: Wood or Laminate
  - Worksurface Finish: Wood or Laminate

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28<sup>3/8</sup>" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".


Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal


### Application Notes

Includes a 20" d nominal work surface.  
Includes thick modesty panel. Use in conjunction with end cabinets.  
Bridge + Cabinet + End Panel = Nominals.


Cabinet to be ordered separately.



Bridge with Cabinet Support



Bridge with "end support" - 28<sup>3/8</sup>"h



Bridge with "gable support" - 42" h

### left hand / right hand

Nominal vs Actual sizes

N=72/A=54.5 - top 24.5

N=78/A=60.5 - top 30.5


N=84/A=66.5 - top 36.5

N=90/A=72.5 - top 42.5

N=96/A=78.5 - top 48.5

# Bridge

## Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
	72"	20"	42"	<b>RABR(L/R)7220</b> ( ) ( ) ( )	\$1,198.	\$1,231.	\$1,338.	\$1,603.	\$1,834.	\$2,228.
	78"	20"	42"	<b>RABR(L/R)7820</b> ( ) ( ) ( )	1,320.	1,357.	1,482.	1,749.	2,001.	2,438.
	84"	20"	42"	<b>RABR(L/R)8420</b> ( ) ( ) ( )	1,378.	1,420.	1,563.	1,808.	2,081.	2,562.
	90"	20"	42"	<b>RABR(L/R)9020</b> ( ) ( ) ( )	1,431.	1,477.	1,638.	1,870.	2,163.	2,690.
	96"	20"	42"	<b>RABR(L/R)9620</b> ( ) ( ) ( )	1,479.	1,528.	1,707.	1,927.	2,241.	2,811.

Left hand shown

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>BR</b>	Bridge Return
<b>R</b>	Right hand
<b>72</b>	72" wide
<b>20</b>	20" deep
<b>( )</b>	Grommet option
<b>( )</b>	Grommet finish
<b>( )</b>	Modesty finish
<b>( )</b>	Worksurface finish

### Specification Information

- To order please specify pattern number including:
- Grommet Option:  
F = Flush  
N = No Grommet
  - Grommet Finish: Painted or Plated
  - Modesty Finish: Wood or Laminate
  - Worksurface Finish: Wood or Laminate

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28<sup>3/8</sup>" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".


Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal


### Application Notes

Includes a 20" d nominal work surface.  
Includes thick modesty panel. Use in conjunction with end cabinets.  
Bridge + Cabinet + End Panel = Nominals.


Cabinet to be ordered separately.



Bridge with Cabinet Support



Bridge with "end support" - 28<sup>3/8</sup>"h



Bridge with "gable support" - 42" h

### left hand / right hand

Nominal vs Actual sizes

N=72/A=54.5 - top 24.5

N=78/A=60.5 - top 30.5


N=84/A=66.5 - top 36.5

N=90/A=72.5 - top 42.5

N=96/A=78.5 - top 48.5

# Return


## Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
 <p>Left hand shown</p>	54"	20"	42"	<b>RAFR(L/R)5420</b> ( ) ( ) ( ) ( )	\$1,201.	\$1,825.	\$2,099.	\$2,728.
	60"	20"	42"	<b>RAFR(L/R)6020</b> ( ) ( ) ( ) ( )	1,250.	1,900.	2,186.	2,841.
	66"	20"	42"	<b>RAFR(L/R)6620</b> ( ) ( ) ( ) ( )	1,351.	2,054.	2,362.	3,070.
	72"	20"	42"	<b>RAFR(L/R)7220</b> ( ) ( ) ( ) ( )	1,402.	2,131.	2,451.	3,186.
	78"	20"	42"	<b>RAFR(L/R)7820</b> ( ) ( ) ( ) ( )	1,461.	2,221.	2,554.	3,321.
	84"	20"	42"	<b>RAFR(L/R)8420</b> ( ) ( ) ( ) ( )	1,529.	2,325.	2,673.	3,475.
	90"	20"	42"	<b>RAFR(L/R)9020</b> ( ) ( ) ( ) ( )	1,591.	2,418.	2,780.	3,614.
	96"	20"	42"	<b>RAFR(L/R)9620</b> ( ) ( ) ( ) ( )	1,657.	2,518.	2,896.	3,764.


Order Code	Specification Information	Application Notes
<p>Example:</p> <p><b>RA</b> Reff Administrative</p> <p><b>FR</b> Full Return</p> <p><b>L</b> Left hand</p> <p><b>54</b> 54" wide, Nominal</p> <p><b>20</b> 20" deep, Nominal</p> <p><b>( )</b> Grommet option</p> <p><b>( )</b> Grommet finish</p> <p><b>( )</b> Modesty finish</p> <p><b>( )</b> Worksurface finish</p> <p><b>G</b> Drilling options</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>Grommet Option: F = Flush N = No Grommet</li> <li>Grommet Finish: Painted or Plated</li> <li>Modesty Finish: Laminate or Wood</li> <li>Worksurface Finish: Laminate or Wood</li> <li>Drilling Options: E = End Support drilling 28<sup>3</sup>/<sub>8</sub>" G = Cable Support drilling 42"</li> </ol>	<p>Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.</p> <p>Products on this page are engineered to work with 28<sup>3</sup>/<sub>8</sub>" planning.</p> <p>All worksurfaces are 1 1/2" thick.</p> <p>Products on this page will accept all Laminates except "wood grain laminates".</p> <p>Note: All installation instructions available on the Knoll Exchange.</p> <p>42" height is Nominal</p>

*Nominal vs Actual sizes*


- N=54/A=52, Top = 22" w x 19" d
- N=60/A=58, Top = 28" w x 19" d
- N=66/A=64, Top = 34" w x 19" d
- N=72/A=70, Top = 40" w x 19" d
- N=78/A=76, Top = 46" w x 19" d
- N=84/A=82, Top = 52" w x 19" d
- N=90/A=88, Top = 58" w x 19" d
- N=96/A=94, Top = 64" w x 19" d



Return with Cabinet support (TG)




Return with "end support" - 28<sup>3</sup>/<sub>8</sub>"h



Return with Cable support - 42" h

# Return

## Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 <p>Left hand shown</p>	54"	20"	42"	<b>RAFR(L/R)5420</b> ( ) ( ) ( ) ( )	\$1,308.	\$1,339.	\$1,438.	\$1,729.	\$1,952.	\$2,328.
	60"	20"	42"	<b>RAFR(L/R)6020</b> ( ) ( ) ( ) ( )	1,355.	1,390.	1,509.	1,788.	2,031.	2,451.
	66"	20"	42"	<b>RAFR(L/R)6620</b> ( ) ( ) ( ) ( )	1,484.	1,523.	1,658.	1,935.	2,199.	2,663.
	72"	20"	42"	<b>RAFR(L/R)7220</b> ( ) ( ) ( ) ( )	1,534.	1,578.	1,732.	1,996.	2,280.	2,788.
	78"	20"	42"	<b>RAFR(L/R)7820</b> ( ) ( ) ( ) ( )	1,599.	1,646.	1,819.	2,061.	2,366.	2,917.
	84"	20"	42"	<b>RAFR(L/R)8420</b> ( ) ( ) ( ) ( )	1,678.	1,730.	1,920.	2,119.	2,445.	3,041.
	90"	20"	42"	<b>RAFR(L/R)9020</b> ( ) ( ) ( ) ( )	1,745.	1,802.	2,011.	2,195.	2,542.	3,181.
	96"	20"	42"	<b>RAFR(L/R)9620</b> ( ) ( ) ( ) ( )	1,822.	1,883.	2,109.	2,268.	2,636.	3,319.

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>FR</b>	Full Return
<b>L</b>	Left hand
<b>54</b>	54" wide, Nominal
<b>20</b>	20" deep, Nominal
<b>( )</b>	Grommet option
<b>( )</b>	Grommet finish
<b>( )</b>	Modesty finish
<b>( )</b>	Worksurface finish
<b>G</b>	Drilling options

### Specification Information

- To order please specify pattern number including:
- Grommet Option:  
F = Flush  
N = No Grommet
  - Grommet Finish: Painted or Plated
  - Modesty Finish: Laminate or Wood
  - Worksurface Finish: Laminate or Wood
  - Drilling Options:  
E = End Support drilling 28<sup>3</sup>/<sub>8</sub>"  
G = Cable Support drilling 42"

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28<sup>3</sup>/<sub>8</sub>" planning.

All worksurfaces are 1 1/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.  
42" height is Nominal

### Application Notes


- Includes a 20" (nominal) worksurface.  
Includes thick modesty.  
End support to be ordered separately.
- Return with Cabinet support. (TG)
- Return with "end support" - 28<sup>3</sup>/<sub>8</sub>"h
- Return with Cable support - 42"h

### Nominal vs Actual sizes


- N=54/A=52, Top = 22" w x 19" d
- N=60/A=58, Top = 28" w x 19" d
- N=66/A=64, Top = 34" w x 19" d
- N=72/A=70, Top = 40" w x 19" d
- N=78/A=76, Top = 46" w x 19" d
- N=84/A=82, Top = 52" w x 19" d
- N=90/A=88, Top = 58" w x 19" d
- N=96/A=94, Top = 64" w x 19" d

# Shared Return One Sided

## Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
	66"	20"	42"	<b>RASRS(L/R)6620</b> ( ) ( ) ( )	\$954.	\$1,527.	\$1,756.	\$2,282.
	72"	20"	42"	<b>RASRS(L/R)7220</b> ( ) ( ) ( )	1,024.	1,638.	1,884.	2,449.
	78"	20"	42"	<b>RASRS(L/R)7820</b> ( ) ( ) ( )	1,076.	1,722.	1,980.	2,574.
	84"	20"	42"	<b>RASRS(L/R)8420</b> ( ) ( ) ( )	1,159.	1,855.	2,133.	2,773.
	90"	20"	42"	<b>RASRS(L/R)9020</b> ( ) ( ) ( )	1,206.	1,930.	2,219.	2,885.
	96"	20"	42"	<b>RASRS(L/R)9620</b> ( ) ( ) ( )	1,313.	2,101.	2,416.	3,141.

Left hand shown

Order Code	Specification Information	Application Notes
<p>Example:</p> <p><b>RA</b> Reff Administrative</p> <p><b>SR</b> Shared Return</p> <p><b>S</b> Single</p> <p><b>R</b> Right hand</p> <p><b>66</b> 66" wide</p> <p>( ) Grommet option</p> <p>( ) Grommet finish</p> <p>( ) Modesty finish</p> <p>( ) Worksurface finish</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>Grommet Option: F = Flush N = No Grommet</li> <li>Grommet Finish: Painted or Plated</li> <li>Modesty Finish: Wood or Laminate</li> <li>Worksurface Finish: Wood or Laminate</li> </ol>	<p>Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.</p> <p>Products on this page are engineered to work with 28<sup>3/8</sup>" planning.</p> <p>All worksurfaces are 1 1/2" thick.</p> <p>Products on this page will accept all Laminates except "wood grain laminates".</p> <p>Must be used with end support. Always comes with drilling to accept 28<sup>3/8</sup>"H, only, end support component. End support must be ordered separately. 42" high Gable cannot be used in this application. Hardware for attachment included.</p> 

### Nominal vs Actual sizes


N=66/A=64, Top = 34" actual  
 N=72/A=70, Top = 40" actual  
 N=78/A=76, Top = 46" actual  
 N=84/A=82, Top = 52" actual  
 N=90/A=88, Top = 58" actual  
 N=96/A=94, Top = 64" actual

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

# Shared Return One Sided

## Mixed Finishes


description	w	d	h	pattern no.	L/V1 *	L/V2	L/V3	V1/L	V2/L	V3/L
 Shared Return One Side	66"	20"	42"	<b>RASRS(L/R)6620()</b> ( ) ( ) ( )	\$1,078.	\$1,117.	\$1,253.	\$1,413.	\$1,574.	\$1,819.
	72"	20"	42"	<b>RASRS(L/R)7220()</b> ( ) ( ) ( )	1,158.	1,201.	1,356.	1,510.	1,691.	1,980.
	78"	20"	42"	<b>RASRS(L/R)7820()</b> ( ) ( ) ( )	1,215.	1,263.	1,435.	1,564.	1,766.	2,099.
	84"	20"	42"	<b>RASRS(L/R)8420()</b> ( ) ( ) ( )	1,318.	1,370.	1,560.	1,688.	1,911.	2,288.
	90"	20"	42"	<b>RASRS(L/R)9020()</b> ( ) ( ) ( )	1,366.	1,423.	1,631.	1,742.	1,985.	2,407.
	96"	20"	42"	<b>RASRS(L/R)9620()</b> ( ) ( ) ( )	1,515.	1,576.	1,802.	1,901.	2,166.	2,631.

Left hand shown

Order Code	Specification Information	Application Notes
Example: <b>RA</b> Reff Administrative <b>SR</b> Shared Return <b>S</b> Single <b>R</b> Right hand <b>66</b> 66" wide ( ) Grommet option ( ) Grommet finish ( ) Modesty finish ( ) Worksurface finish	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Wood or Laminate 4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 <sup>3/8</sup> " planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal

*Nominal vs Actual sizes*


- N=66/A=64, Top = 34" actual
- N=72/A=70, Top = 40" actual
- N=78/A=76, Top = 46" actual
- N=84/A=82, Top = 52" actual
- N=90/A=88, Top = 58" actual
- N=96/A=94, Top = 64" actual





# Shared Return Two Sided

## Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
 Shared Return Two Sided	66"	20"	42"	<b>RASRD6620</b> ( ) ( ) ( ) ( )	\$1,269.	\$1,967.	\$2,262.	\$2,940.
	72"	20"	42"	<b>RASRD7220</b> ( ) ( ) ( ) ( )	1,353.	2,097.	2,411.	3,135.
	78"	20"	42"	<b>RASRD7820</b> ( ) ( ) ( ) ( )	1,424.	2,207.	2,538.	3,299.
	84"	20"	42"	<b>RASRD8420</b> ( ) ( ) ( ) ( )	1,516.	2,350.	2,703.	3,514.
	90"	20"	42"	<b>RASRD9020</b> ( ) ( ) ( ) ( )	1,577.	2,444.	2,811.	3,654.
	96"	20"	42"	<b>RASRD9620</b> ( ) ( ) ( ) ( )	1,709.	2,650.	3,047.	3,961.

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>SR</b>	Shared Return
<b>D</b>	Double
<b>66</b>	66" wide
( )	Grommet option
( )	Grommet finish
( )	Modesty finish
( )	Worksurface finish

### Specification Information

To order please specify pattern number including:

- Grommet Option:  
F = Flush  
N = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28<sup>3/8</sup>" planning.

All worksurfaces are 1 1/2" thick.


Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

### Application Notes

Must be used with end support. Always comes with drilling to accept 28<sup>3/8</sup>"H, only, end support component. End support must be ordered separately. 42" high Gable cannot be used in this application. Hardware for attachment included.




### Nominal vs Actual sizes


N=66/A=64, Top = 34" actual  
 N=72/A=70, Top = 40" actual  
 N=78/A=76, Top = 46" actual  
 N=84/A=82, Top = 52" actual  
 N=90/A=88, Top = 58" actual  
 N=96/A=94, Top = 64" actual

# Shared Return Two Sided

## Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 Shared Return Two Sided	66"	20"	42"	RASRD6620()()()()	\$1,545.	\$1,623.	\$1,895.	\$1,738.	\$1,898.	\$2,144.
	72"	20"	42"	RASRD7220()()()()	1,641.	1,729.	2,038.	1,844.	2,025.	2,314.
	78"	20"	42"	RASRD7820()()()()	1,725.	1,821.	2,165.	1,907.	2,109.	2,442.
	84"	20"	42"	RASRD8420()()()()	1,837.	1,941.	2,320.	2,036.	2,259.	2,636.
	90"	20"	42"	RASRD9020()()()()	1,900.	2,014.	2,431.	2,099.	2,343.	2,764.
	96"	20"	42"	RASRD9620()()()()	2,085.	2,206.	2,659.	2,281.	2,546.	3,011.

Order Code	Specification Information	Application Notes
Example: <b>RA</b> Reff Administrative <b>SR</b> Shared Return <b>R</b> Right hand <b>S</b> Single <b>66</b> 66" wide <b>20</b> 20" deep <b>()</b> Grommet option <b>()</b> Grommet finish <b>()</b> Modesty finish <b>()</b> Worksurface finish	To order please specify pattern number including: 1. Grommet Option: F = Flush N = No Grommet 2. Grommet Finish: Painted or Plated 3. Modesty Finish: Wood or Laminate 4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately. Products on this page are engineered to work with 28 3/8" planning. All worksurfaces are 1 1/2" thick. Products on this page will accept all Laminates except "wood grain laminates". Note: All installation instructions available on the Knoll Exchange. 42" height is Nominal




*Nominal vs Actual sizes*  
 N=66/A=64, Top = 34" actual  
 N=72/A=70, Top = 40" actual  
 N=78/A=76, Top = 46" actual  
 N=84/A=82, Top = 52" actual  
 N=90/A=88, Top = 58" actual  
 N=96/A=94, Top = 64" actual

# Technology Island Peninsula

## Single Finish

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Peninsula 	62"	40"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE6240</b> ( ) ( )	\$1,106.	\$1,603.	\$1,844.	\$2,397.
	68"	40"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE6840</b> ( ) ( )	1,128.	1,636.	1,882.	2,446.
	74"	40"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE7440</b> ( ) ( )	1,146.	1,661.	1,910.	2,483.
	62"	48"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE6248</b> ( ) ( )	1,193.	1,729.	1,989.	2,585.
	68"	48"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE6848</b> ( ) ( )	1,212.	1,758.	2,022.	2,628.
	74"	48"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE7448</b> ( ) ( )	1,233.	1,788.	2,056.	2,673.

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>I</b>	Island Peninsula
<b>E</b>	1" thick top
<b>62</b>	Width
<b>40</b>	Depth
( )	Grommet Finish
( )	Top Finish
( )	End Panel Finish

### Specification Information

To order please specify pattern number including:

1. Grommet Finish:  
Painted or plated
2. Worksurface finish:  
Wood or Laminate
3. End panel finish:

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

### Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28<sup>3</sup>/<sub>8</sub>" planning.

All worksurfaces are 1" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Always comes with standard grommet. 12" inset from back edge, center or depth.


Drilled to accept 30" and 36" wide x 22<sup>3</sup>/<sub>8</sub>" high storage units.

Intended to have full storage under tops.

(30 x 30, 30 x 36, 36 x 36)

Lower storage to be used with this product is 22<sup>3</sup>/<sub>8</sub>"H.


Intended to be freestanding and slide or sit under the primary worksurface.



# Technology Island Peninsula

## Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Peninsula 	62"	40"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE6240</b> ( ) ( )	\$1,194.	\$1,295.	\$1,642.	\$1,532.	\$1,647.	\$1,800.
	68"	40"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE6840</b> ( ) ( )	1,223.	1,333.	1,708.	1,552.	1,688.	1,820.
	74"	40"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE7440</b> ( ) ( )	1,243.	1,361.	1,764.	1,573.	1,689.	1,841.
	62"	48"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE6248</b> ( ) ( )	1,283.	1,402.	1,803.	1,686.	1,818.	2,001.
	68"	48"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE6848</b> ( ) ( )	1,306.	1,435.	1,868.	1,711.	1,843.	2,025.
	74"	48"	22 <sup>3</sup> / <sub>8</sub> "	<b>RAIE7448</b> ( ) ( )	1,330.	1,470.	1,936.	1,735.	1,867.	2,050.

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>I</b>	Island Peninsula
<b>E</b>	1" thick top
<b>62</b>	Width
<b>40</b>	Depth
( )	Grommet Finish
( )	Top Finish
( )	End Panel Finish

### Specification Information

To order please specify pattern number including:

1. Grommet Finish:  
Painted or plated
2. Worksurface finish:  
Wood or Laminate
3. End panel finish:

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

### Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page are engineered to work with 28<sup>3</sup>/<sub>8</sub>" planning.

All worksurfaces are 1" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.


42" height is Nominal

Always comes with standard grommet. 12" inset from back edge, center or depth.

Drilled to accept 30" and 36" wide x 22<sup>3</sup>/<sub>8</sub>" high storage units.

Intended to have full storage under tops.  
(30 x 30, 30 x 36, 36 x 36)  
Lower storage to be used with this product is 22<sup>3</sup>/<sub>8</sub>"H.



Intended to be freestanding and slide or sit under the primary worksurface.



# Infill Panel

## Flush Single / Double

### Type A

description	w	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece 	66"	39"	2 1/2"	<b>RAIPFAWS66( )</b>	\$834.	\$959.	\$1,103.	\$1,434.
	72"	39"	2 1/2"	<b>RAIPFAWS72( )</b>	869.	999.	1,149.	1,494.
	78"	39"	2 1/2"	<b>RAIPFAWS78( )</b>	941.	1,082.	1,244.	1,617.
	84"	39"	2 1/2"	<b>RAIPFAWS84( )</b>	968.	1,113.	1,280.	1,664.
	90"	39"	2 1/2"	<b>RAIPFAWS90( )</b>	1,007.	1,158.	1,332.	1,732.
	96"	39"	2 1/2"	<b>RAIPFAWS96( )</b>	1,035.	1,190.	1,369.	1,779.
Flush Infill Panel, 2 pieces 	102"	39"	2 1/2"	<b>RAIPFAWD102( )</b>	1,670.	1,921.	2,209.	2,872.
	108"	39"	2 1/2"	<b>RAIPFAWD108( )</b>	1,706.	1,962.	2,257.	2,934.
	114"	39"	2 1/2"	<b>RAIPFAWD114( )</b>	1,756.	2,020.	2,323.	3,019.
	120"	39"	2 1/2"	<b>RAIPFAWD120( )</b>	1,792.	2,061.	2,370.	3,081.
	126"	39"	2 1/2"	<b>RAIPFAWD126( )</b>	1,902.	2,187.	2,515.	3,270.
	132"	39"	2 1/2"	<b>RAIPFAWD132( )</b>	1,937.	2,228.	2,562.	3,331.
	138"	39"	2 1/2"	<b>RAIPFAWD138( )</b>	1,987.	2,285.	2,628.	3,417.
	144"	39"	2 1/2"	<b>RAIPFAWD144( )</b>	2,111.	2,427.	2,791.	3,629.
	150"	39"	2 1/2"	<b>RAIPFAWD150( )</b>	2,147.	2,469.	2,840.	3,692.
	156"	39"	2 1/2"	<b>RAIPFAWD156( )</b>	2,183.	2,510.	2,887.	3,753.
	162"	39"	2 1/2"	<b>RAIPFAWD162( )</b>	2,219.	2,551.	2,934.	3,814.
	168"	39"	2 1/2"	<b>RAIPFAWD168( )</b>	2,254.	2,593.	2,981.	3,876.
	174"	39"	2 1/2"	<b>RAIPFAWD174( )</b>	2,311.	2,658.	3,056.	3,973.
	180"	39"	2 1/2"	<b>RAIPFAWD180( )</b>	2,346.	2,698.	3,103.	4,034.
	186"	39"	2 1/2"	<b>RAIPFAWD186( )</b>	2,382.	2,740.	3,151.	4,096.
	192"	39"	2 1/2"	<b>RAIPFAWD192( )</b>	2,418.	2,781.	3,158.	4,157.



Order Code	Specification Information	Application Notes
Example: <b>RA</b> Reff Administrative <b>IP</b> Infill Panel <b>FA</b> Flush Type A <b>WS</b> Wood, single (1pc) <b>66</b> Width <b>( )</b> Finish	To order please specify pattern number including: 1. Infill Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.  Products on this page will accept all Laminates except "wood grain laminates".  Note: All installation instructions available on the Knoll Exchange.  42" height is Nominal
		Type A = recessed on top only.  These infill panels sit flush to both end supports with a reveal at the top of the infill.  Double wide = Two equal width pieces  Veneer finishes come matched.

**To complete your double wide unit, you must order 2 pieces.** *Nominal double vs Actual double sizes*  
*Actual is 2" less than Nominal.*  
 N=102/ A=98 (2x49)  
 N=108/ A=104 (2x52)  
 N=114/ A=110 (2x55)  
 N=120/ A=116 (2x58)  
 N=126/ A=122 (2x61)  
 N=132/ A=128 (2x64)  
 N=138/ A=134 (2x67)  
 N=144/ A=140 (2x70)  
 N=150/ A=164 (2x73)  
 N=156/ A=152 (2x76)  
 N=162/ A=158 (2x79)  
 N=168/ A=164 (2x82)  
 N=174/ A=170 (2x85)  
 N=180/ A=176 (2x88)  
 N=186/ A=182 (2x91)  
 N=192/ A=188 (2x94)

# Infill Panel

## Flush Single / Double

### Type B

description	w	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece 	66"	39"	2 1/2"	<b>RAIPFBWS66( )</b>	\$918.	\$1,056.	\$1,215.	\$1,579.
	72"	39"	2 1/2"	<b>RAIPFBWS72( )</b>	947.	1,088.	1,252.	1,627.
	78"	39"	2 1/2"	<b>RAIPFBWS78( )</b>	1,026.	1,180.	1,357.	1,764.
	84"	39"	2 1/2"	<b>RAIPFBWS84( )</b>	1,053.	1,211.	1,393.	1,811.
	90"	39"	2 1/2"	<b>RAIPFBWS90( )</b>	1,093.	1,257.	1,446.	1,880.
	96"	39"	2 1/2"	<b>RAIPFBWS96( )</b>	1,121.	1,290.	1,483.	1,928.
Flush Infill Panel, 2 pieces 	102"	39"	2 1/2"	<b>RAIPFBWD102( )</b>	1,843.	2,119.	2,437.	3,169.
	108"	39"	2 1/2"	<b>RAIPFBWD114( )</b>	1,880.	2,162.	2,487.	3,233.
	114"	39"	2 1/2"	<b>RAIPFBWD114( )</b>	1,933.	2,223.	2,557.	3,324.
	120"	39"	2 1/2"	<b>RAIPFBWD120( )</b>	1,968.	2,263.	2,603.	3,384.
	126"	39"	2 1/2"	<b>RAIPFBWD126( )</b>	2,080.	2,392.	2,751.	3,576.
	132"	39"	2 1/2"	<b>RAIPFBWD132( )</b>	2,115.	2,432.	2,797.	3,637.
	138"	39"	2 1/2"	<b>RAIPFBWD138( )</b>	2,167.	2,493.	2,865.	3,725.
	144"	39"	2 1/2"	<b>RAIPFBWD144( )</b>	2,289.	2,632.	3,027.	3,935.
	150"	39"	2 1/2"	<b>RAIPFBWD150( )</b>	2,328.	2,677.	3,079.	4,002.
	156"	39"	2 1/2"	<b>RAIPFBWD156( )</b>	2,362.	2,716.	3,123.	4,060.
	162"	39"	2 1/2"	<b>RAIPFBWD162( )</b>	2,399.	2,759.	3,173.	4,125.
	168"	39"	2 1/2"	<b>RAIPFBWD168( )</b>	2,436.	2,801.	3,221.	4,187.
	174"	39"	2 1/2"	<b>RAIPFBWD174( )</b>	2,491.	2,865.	3,295.	4,283.
	180"	39"	2 1/2"	<b>RAIPFBWD180( )</b>	2,525.	2,904.	3,340.	4,341.
	186"	39"	2 1/2"	<b>RAIPFBWD186( )</b>	2,564.	2,949.	3,391.	4,408.
	192"	39"	2 1/2"	<b>RAIPFBWD192( )</b>	2,599.	2,989.	3,437.	4,468.

Order Code	Specification Information	Application Notes
Example: <b>RA</b> Reff Administrative <b>IP</b> Infill Panel <b>FB</b> Flush Type B <b>WS</b> Wood <b>66</b> Width <b>( )</b> Finish	<i>To order please specify pattern number including:</i> 1. Infill Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.  Products on this page will accept all Laminates except "wood grain laminates".  Note: All installation instructions available on the Knoll Exchange.  42" height is Nominal
		Type B = recessed on top and bottom.  Does not extend to the floor.  Type B infill panels, sit flush between both end supports and has a reveal at the top and bottom of the infill panel.  Double wide = two equal width pieces.  Veneer finishes come matched.



**To complete your double wide unit, you must order 2 pieces.** *Nominal double vs Actual double sizes*  
*Actual is 2" less than Nominal.*  
 N=102/ A=98 (2x49)  
 N=108/ A=104 (2x52)  
 N=114/ A=110 (2x55)  
 N=120/ A=116 (2x58)  
 N=126/ A=122 (2x61)  
 N=132/ A=128 (2x64)  
 N=138/ A=134 (2x67)  
 N=144/ A=140 (2x70)  
 N=150/ A=164 (2x73)  
 N=156/ A=152 (2x76)  
 N=162/ A=158 (2x79)  
 N=168/ A=164 (2x82)  
 N=174/ A=170 (2x85)  
 N=180/ A=176 (2x88)  
 N=186/ A=182 (2x91)  
 N=192/ A=188 (2x94)

# Infill Panel

## Recessed Single / Double

### Wood

Reff Profiles

description	w	h	th	pattern no.	L	V1	V2	V3
Recessed Infill Panel, 1 piece 	66"	39"	1"	<b>RAIPRWS66( )</b>	\$621.	\$714.	\$821.	\$1,067.
	72"	39"	1"	<b>RAIPRWS72( )</b>	648.	745.	857.	1,114.
	78"	39"	1"	<b>RAIPRWS78( )</b>	705.	811.	933.	1,212.
	84"	39"	1"	<b>RAIPRWS84( )</b>	725.	833.	958.	1,246.
	90"	39"	1"	<b>RAIPRWS90( )</b>	759.	872.	1,003.	1,304.
	96"	39"	1"	<b>RAIPRWS96( )</b>	778.	895.	1,029.	1,338.
Recessed Infill Panel, 2 pieces 	102"	39"	1"	<b>RAIPRWD102( )</b>	1,302.	1,497.	1,721.	2,238.
	108"	39"	1"	<b>RAIPRWD108( )</b>	1,328.	1,527.	1,756.	2,282.
	114"	39"	1"	<b>RAIPRWD114( )</b>	1,371.	1,576.	1,813.	2,356.
	120"	39"	1"	<b>RAIPRWD120( )</b>	1,396.	1,606.	1,847.	2,401.
	126"	39"	1"	<b>RAIPRWD126( )</b>	1,470.	1,690.	1,944.	2,527.
	132"	39"	1"	<b>RAIPRWD132( )</b>	1,510.	1,736.	1,996.	2,595.
	138"	39"	1"	<b>RAIPRWD138( )</b>	1,539.	1,769.	2,035.	2,645.
	144"	39"	1"	<b>RAIPRWD144( )</b>	1,639.	1,885.	2,168.	2,818.
	150"	39"	1"	<b>RAIPRWD150( )</b>	1,665.	1,915.	2,202.	2,863.
	156"	39"	1"	<b>RAIPRWD156( )</b>	1,694.	1,948.	2,240.	2,913.
	162"	39"	1"	<b>RAIPRWD162( )</b>	1,720.	1,978.	2,275.	2,957.
	168"	39"	1"	<b>RAIPRWD168( )</b>	1,748.	2,010.	2,312.	3,006.
	174"	39"	1"	<b>RAIPRWD174( )</b>	1,802.	2,072.	2,383.	3,098.
	180"	39"	1"	<b>RAIPRWD180( )</b>	1,831.	2,106.	2,422.	3,148.
	186"	39"	1"	<b>RAIPRWD186( )</b>	1,857.	2,136.	2,456.	3,193.
	192"	39"	1"	<b>RAIPRWD192( )</b>	1,885.	2,168.	2,493.	3,241.

Pattern number includes 2 pieces

#### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>IP</b>	Infill Panel
<b>R</b>	Recessed
<b>W</b>	Wood
<b>S</b>	Single (1 pc)
<b>66</b>	Width
<b>( )</b>	Finish

#### Specification Information

To order please specify pattern number including:  
 1. Finish:  
 Wood or Laminate

#### Application Notes

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

42" height is Nominal

Double wide = Two equal width pieces  
 Natural Veneer finishes come matched.

This product sits recessed between both end supports. This product has no reveal.

#### To complete your double wide unit, you must order 2 pieces.


Nominal double vs Actual double sizes

Actual is 2" less than Nominal.


- N=102/ A=98 (2x49)
- N=108/ A=104 (2x52)
- N=114/ A=110 (2x55)
- N=120/ A=116 (2x58)
- N=126/ A=122 (2x61)
- N=132/ A=128 (2x64)
- N=138/ A=134 (2x67)
- N=144/ A=140 (2x70)
- N=150/ A=164 (2x73)
- N=156/ A=152 (2x76)
- N=162/ A=158 (2x79)
- N=168/ A=164 (2x82)
- N=174/ A=170 (2x85)
- N=180/ A=176 (2x88)
- N=186/ A=182 (2x91)
- N=192/ A=188 (2x94)

# Infill Panel

## Recessed Single / Double Glass

description	w	h	th	pattern no.	glass
 Recessed Infill Panel, 1 piece	66"	39"	1"	<b>RAIPRGS66()</b>	\$2,577.
	72"	39"	1"	<b>RAIPRGS72()</b>	2,761.
	78"	39"	1"	<b>RAIPRGS78()</b>	3,048.
	84"	39"	1"	<b>RAIPRGS84()</b>	3,234.
	90"	39"	1"	<b>RAIPRGS90()</b>	3,400.
	96"	39"	1"	<b>RAIPRGS96()</b>	3,565.

pattern number includes 1 piece

 Recessed Infill Panel, 2 pieces	102"	39"	1"	<b>RAIPRGD51()</b>	2,219.
	108"	39"	1"	<b>RAIPRGD54()</b>	2,301.
	114"	39"	1"	<b>RAIPRGD57()</b>	2,385.
	120"	39"	1"	<b>RAIPRGD60()</b>	2,467.
	126"	39"	1"	<b>RAIPRGD63()</b>	2,549.
	132"	39"	1"	<b>RAIPRGD66()</b>	2,632.
	138"	39"	1"	<b>RAIPRGD69()</b>	2,733.
	144"	39"	1"	<b>RAIPRGD72()</b>	2,937.
	150"	39"	1"	<b>RAIPRGD75()</b>	3,020.
	156"	39"	1"	<b>RAIPRGD78()</b>	3,102.
	162"	39"	1"	<b>RAIPRGD81()</b>	3,206.
	168"	39"	1"	<b>RAIPRGD84()</b>	3,289.
	174"	39"	1"	<b>RAIPRGD87()</b>	3,372.
	180"	39"	1"	<b>RAIPRGD90()</b>	3,454.
	186"	39"	1"	<b>RAIPRGD93()</b>	3,537.
	192"	39"	1"	<b>RAIPRGD96()</b>	3,619.

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>IP</b>	Infill Panel
<b>R</b>	Recessed
<b>G</b>	Glass
<b>S</b>	Single
<b>66</b>	Width
<b>()</b>	Frame Finish
<b>()</b>	Glass Finish

### Specification Information

To order please specify pattern number including:

1. Frame Finish:  
Painted and Anodized
2. Glass Finish:  
GL11, GL14, GL15, GL18

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Note: All installation instructions available on the Knoll Exchange.  
42" height is Nominal

### Application Notes

**To complete your double wide unit, you must order 2 pieces.**

Glass Infill thickness, including frame = <sup>13</sup>/<sub>16</sub>" overall.

Same hardware as the wood infill.

Glass infill panels are available in inset flush type, only.

This product sits recessed between both end supports with no reveal at top or bottom.

### To complete your double wide unit, you must order 2 pieces.


*Nominal double vs Actual double sizes*

*Actual is 2" less than Nominal.*

- N=102/ A=98 (2x49)
- N=108/ A=104 (2x52)
- N=114/ A=110 (2x55)
- N=120/ A=116 (2x58)
- N=126/ A=122 (2x61)
- N=132/ A=128 (2x64)
- N=138/ A=134 (2x67)
- N=144/ A=140 (2x70)
- N=150/ A=164 (2x73)
- N=156/ A=152 (2x76)
- N=162/ A=158 (2x79)
- N=168/ A=164 (2x82)
- N=174/ A=170 (2x85)
- N=180/ A=176 (2x88)
- N=186/ A=182 (2x91)
- N=192/ A=188 (2x94)



# Transaction Tops Bridge

description	w	d	th	pattern no.	L	V1	V2	V3
Bridge 	72"	8"	1 1/2"	<b>RATTBR72( )</b>	\$385.	\$398.	\$458.	\$596.
	78"	8"	1 1/2"	<b>RATTBR78( )</b>	403.	414.	476.	618.
	84"	8"	1 1/2"	<b>RATTBR84( )</b>	414.	425.	489.	635.
	90"	8"	1 1/2"	<b>RATTBR90( )</b>	433.	462.	531.	690.
	96"	8"	1 1/2"	<b>RATTBR96( )</b>	444.	473.	544.	707.

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>TT</b>	Transaction Tops
<b>BR</b>	Bridge Return
<b>72</b>	72" wide
<b>( )</b>	Finish

### Specification Information

To order please specify pattern number including:  
 1. Transaction Top Finish: Wood and Laminate

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

### Application Notes

Between front shelf and end support.  
 Used on full Bridge Return Units Only.  
 This unit is not intended to be used on its own.  
 Retro fit kit included to attach to the accompanying unit.  
 Hardware kit included.


All transaction tops are manufactured to fit within the end supports components.

### Nominal double vs Actual sizes

- N=72/A = 44.5
- N=78/A = 50.5
- N=84/A = 56.5
- N=90/A = 62.5
- N=96/A = 68.5

# Transaction Tops

## Return

description	w	d	th	pattern no.	L	V1	V2	V3
Full Return 	54"	8"	1 1/2"	<b>RATTFR54()</b>	\$381.	\$394.	\$453.	\$589.
	60"	8"	1 1/2"	<b>RATTFR60()</b>	398.	408.	469.	609.
	66"	8"	1 1/2"	<b>RATTFR66()</b>	409.	420.	483.	628.
	72"	8"	1 1/2"	<b>RATTFR72()</b>	425.	458.	526.	684.
	78"	8"	1 1/2"	<b>RATTFR78()</b>	440.	469.	539.	701.
	84"	8"	1 1/2"	<b>RATTFR84()</b>	460.	479.	551.	716.
	90"	8"	1 1/2"	<b>RATTFR90()</b>	470.	494.	568.	739.
	96"	8"	1 1/2"	<b>RATTFR96()</b>	481.	521.	599.	779.

Order Code	Specification Information	Application Notes
Example:	<i>To order please specify pattern number including:</i>	Note: All transaction tops are manufactured to fit within the end supports components.
<b>RA</b> Reff Administrative	1. Transaction Top Finish: Wood or Laminate	Between front shelf and end support Used on full Return Units Only
<b>TT</b> Transaction Tops		This unit is not intended to be used on its own
<b>FR</b> Full Return		Retro fit kit included to attach to the accompanying unit
<b>54</b> 54" wide, Nominal		Hardware kit included
<b>()</b> Finish		

Nominal double vs Actual sizes



- N=54/A=42
- N=60/A=48
- N=66/A=54
- N=72/A=60
- N=78/A=66
- N=84/A=72
- N=90/A=78
- N=96/A=84

# Transaction Tops

## Single and Double

### Wood / Laminate

Reff Profiles

description	w	d	th	pattern no.	L	V1	V2	V3
Front Single 	66"	10"	1 1/2"	<b>RATTDS66( )</b>	\$475.	\$493.	\$567.	\$737.
	72"	10"	1 1/2"	<b>RATTDS72( )</b>	482.	506.	582.	757.
	78"	10"	1 1/2"	<b>RATTDS78( )</b>	489.	520.	597.	777.
	84"	10"	1 1/2"	<b>RATTDS84( )</b>	496.	542.	623.	810.
	90"	10"	1 1/2"	<b>RATTDS90( )</b>	503.	571.	657.	854.
	96"	10"	1 1/2"	<b>RATTDS96( )</b>	509.	584.	672.	874.
Front Double 	102"	10"	1 1/2"	<b>RATTDD102( )</b>	832.	933.	1,072.	1,394.
	108"	10"	1 1/2"	<b>RATTDD108( )</b>	839.	950.	1,092.	1,420.
	114"	10"	1 1/2"	<b>RATTDD114( )</b>	846.	968.	1,113.	1,447.
	120"	10"	1 1/2"	<b>RATTDD120( )</b>	853.	986.	1,134.	1,475.
	126"	10"	1 1/2"	<b>RATTDD126( )</b>	893.	1,056.	1,215.	1,579.
	132"	10"	1 1/2"	<b>RATTDD132( )</b>	900.	1,074.	1,235.	1,605.
	138"	10"	1 1/2"	<b>RATTDD138( )</b>	907.	1,092.	1,256.	1,632.
	144"	10"	1 1/2"	<b>RATTDD144( )</b>	914.	1,110.	1,277.	1,660.
	150"	10"	1 1/2"	<b>RATTDD150( )</b>	927.	1,128.	1,298.	1,687.
	156"	10"	1 1/2"	<b>RATTDD156( )</b>	934.	1,154.	1,327.	1,725.
	162"	10"	1 1/2"	<b>RATTDD162( )</b>	941.	1,182.	1,360.	1,767.
	168"	10"	1 1/2"	<b>RATTDD168( )</b>	948.	1,200.	1,381.	1,795.
	174"	10"	1 1/2"	<b>RATTDD174( )</b>	955.	1,251.	1,439.	1,870.
	180"	10"	1 1/2"	<b>RATTDD180( )</b>	962.	1,266.	1,456.	1,893.
	186"	10"	1 1/2"	<b>RATTDD186( )</b>	968.	1,285.	1,477.	1,921.
	192"	10"	1 1/2"	<b>RATTDD192( )</b>	975.	1,305.	1,500.	1,951.

Order Code	Specification Information	Application Notes
Example: <b>RA</b> Reff Administrative <b>TT</b> Transaction Tops <b>DS</b> Desk Single <b>66</b> 66" wide <b>( )</b> Finish	To order please specify pattern number including: 1. Transaction Top Finish: Wood and Laminate	No grommet options. Double comes in two pieces, Veneer matched. Hardware kit included for each unit. All transaction tops are manufactured to fit within the end supports.

Nominal double (two pieces) vs

Actual sizes

- 102 = N=51/A=49
- 108 = N=54/A=52
- 114 = N=57/A=55
- 120 = N=60/A=58
- 126 = N=63/A=61
- 132 = N=66/A=64
- 138 = N=69/A=67
- 144 = N=72/A=70
- 150 = N=75/A=73
- 156 = N=78/A=76
- 162 = N=81/A=79
- 168 = N=84/A=82
- 174 = N=87/A=85
- 180 = N=90/A=88
- 186 = N=93/A=91
- 192 = N=96/A=94

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.




Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

# Accent Tops

## Glass Finish

Reff Profiles

description	w	d	th	pattern no.	glass
Accent top for Desk 	51"	10"	1/2"	RAATDG51( )	\$452.
	54"	10"	1/2"	RAATDG54( )	477.
	57"	10"	1/2"	RAATDG57( )	501.
	60"	10"	1/2"	RAATDG60( )	526.
	63"	10"	1/2"	RAATDG63( )	551.
	66"	10"	1/2"	RAATDG66( )	576.
	69"	10"	1/2"	RAATDG69( )	601.
	72"	10"	1/2"	RAATDG72( )	625.
	75"	10"	1/2"	RAATDG75( )	650.
	78"	10"	1/2"	RAATDG78( )	675.
	81"	10"	1/2"	RAATDG81( )	699.
	84"	10"	1/2"	RAATDG84( )	724.
	87"	10"	1/2"	RAATDG87( )	749.
	90"	10"	1/2"	RAATDG90( )	773.
	93"	10"	1/2"	RAATDG93( )	797.
96"	10"	1/2"	RAATDG96( )	822.	
Accent top for Return Full 	54"	10"	1/2"	RAATFRG54( )	395.
	60"	10"	1/2"	RAATFRG60( )	444.
	66"	10"	1/2"	RAATFRG66( )	493.
	72"	10"	1/2"	RAATFRG72( )	543.
	78"	10"	1/2"	RAATFRG78( )	592.
	84"	10"	1/2"	RAATFRG84( )	641.
	90"	10"	1/2"	RAATFRG90( )	691.
Accent top for Bridge Return 	72"	10"	1/2"	RAATBRG72( )	403.
	78"	10"	1/2"	RAATBRG78( )	452.
	84"	10"	1/2"	RAATBRG84( )	501.
	90"	10"	1/2"	RAATBRG90( )	551.
	96"	10"	1/2"	RAATBRG96( )	601.




Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
<b>RA</b> Reff Administrative	1. Glass Finish: GL35, GL85	Note: All installation instructions available on the Knoll Exchange.
<b>AT</b> Accent for Transaction Tops	D=Desk RF=Return Full BR=Bridge Return	All accent tops are manufactured to fit over the end supports and are intended to be placed on top of transaction top.
<b>D</b> Desk		Comes with anti-skid bumper; 1/4" thick.
<b>G</b> Glass		Glass has a "Polished and beveled" (chamfered) edge, 1/2" thick.
<b>51</b> Width		Overall thickness = 3/4" thick.
<b>( )</b> Glass finish		

# Accent Tops

## Solid Finish

Reff Profiles

description	w	d	th	pattern no.	Solid
Accent top for Desk 	51"	10"	1/2"	RAATDS51( )	\$2,018.
	54"	10"	1/2"	RAATDS54( )	2,075.
	57"	10"	1/2"	RAATDS57( )	2,246.
	60"	10"	1/2"	RAATDS60( )	2,304.
	63"	10"	1/2"	RAATDS63( )	2,476.
	66"	10"	1/2"	RAATDS66( )	2,533.
	69"	10"	1/2"	RAATDS69( )	2,704.
	72"	10"	1/2"	RAATDS72( )	2,762.
	75"	10"	1/2"	RAATDS75( )	3,137.
	78"	10"	1/2"	RAATDS78( )	3,198.
	81"	10"	1/2"	RAATDS81( )	3,321.
	84"	10"	1/2"	RAATDS84( )	3,383.
	87"	10"	1/2"	RAATDS87( )	3,506.
	90"	10"	1/2"	RAATDS90( )	3,567.
	93"	10"	1/2"	RAATDS93( )	3,629.
96"	10"	1/2"	RAATDS96( )	3,690.	
Accent top for Return Full 	54"	10"	1/2"	RAATFRS54( )	1,563.
	60"	10"	1/2"	RAATFRS60( )	1,904.
	66"	10"	1/2"	RAATFRS66( )	2,132.
	72"	10"	1/2"	RAATFRS72( )	2,362.
	78"	10"	1/2"	RAATFRS78( )	2,590.
	84"	10"	1/2"	RAATFRS84( )	3,075.
	90"	10"	1/2"	RAATFRS90( )	3,260.
	96"	10"	1/2"	RAATFRS96( )	3,444.
Accent top for Bridge Return 	72"	10"	1/2"	RAATBRS72( )	1,610.
	78"	10"	1/2"	RAATBRS78( )	1,961.
	84"	10"	1/2"	RAATBRS84( )	2,189.
	90"	10"	1/2"	RAATBRS90( )	2,419.
	96"	10"	1/2"	RAATBRS96( )	2,647.

### Order Code

Example:	
<b>RA</b>	Reff Administrative
<b>AT</b>	Accent Transaction Tops
<b>D</b>	Desk
<b>S</b>	Solid Formica
<b>51</b>	Width

### Specification Information

To order please specify pattern number including:  
 1. Transaction Top Finish:  
     Solid Option: AW = Artic White  
 D=Desk  
 RF=Return Full  
 BR=Bridge Return

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange.

### Application Notes

All accent tops are manufactured to fit over the end supports components.


1. Comes with "Anti Skid" bottoms; 1/4" thick.
2. Solid formica; AW = 1/2" thick.
3. Overall Accent top thickness is 3/4" thick.

# Cabinets

## 16" Wide, Hinge Door - Both Sides

### Single Finishes

description	w	d	h	pattern no.	L	V1	V2	V3
Transaction Cabinet with Trays	16"	18"	42"	<b>RAC(L/R)HT4212()</b> ( ) ( ) ( ) ( ) ( )	\$2,882.	\$4,034.	\$4,639.	\$6,031.



*Left hand shown*

Transaction Cabinet with Cubby	16"	18"	42"	<b>RAC(L/R)HC4212()</b> ( ) ( ) ( ) ( ) ( )	2,882.	4,034.	4,639.	6,031.
--------------------------------	-----	-----	-----	---	--------	--------	--------	--------



*Left hand shown*

Gable for Transaction Cabinet	2"	22"	42"	<b>RACG4220()</b>	617.	853.	1,080.	1,403.
-------------------------------	----	-----	-----	-------------------	------	------	--------	--------



Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
<b>RA</b> Reff Administrative	1. Lock option:	Wood interior only, no metal shelves.
<b>C</b> Cabinet	2. Lock finish:	When choose lock, it will lock both hinge doors.
<b>R</b> Right Hand	3. Pull option:	Adjustable shelf above.
<b>HT</b> Hinge Door with Trays	B = No pull, No drilling	Fixed shelves below Hinged doors.
<b>42</b> Height, Nominal	Customer's own pull	HT = Hinge Door with Trays
<b>1</b> 16" wide, Nominal	C = C Pull (Nickel finish only)	HC = Hinge door with Cubby
<b>2</b> 18" deep, Nominal	D = D Pull (Metal Finishes only)	On the approach side, the doors only have the Touch Latch option.
<b>()</b> Lock option	F = Bar Pull	Base board only on the user's side.
<b>()</b> Lock finish	H = Outline Pull	On the User's side, the door has lock and pull options.
<b>()</b> Pull option	N = Touch Latch, No pull	"T" Drilling option:
<b>()</b> Pull finish	R = Cylinder Pull	Left hand units are drilled on the right hand side, and right hand units are drilled on left side for worksurface attachments.
<b>()</b> Case finish	S = S Pull (Stainless Steel finish only)	From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed.
<b>()</b> Top finish	T = Tab Pull	
<b>()</b> Drilling options	4. Pull Finish: Core Paint Finishes and Plated	
	5. Case Finish: Wood or Laminate	
	6. Top Finish: Wood or Laminate	
	7. Drilling Options:	
	N = None, Stand alone unit	
	T = Drilled to accept worksurface	
	TT = Drill to accept worksurface on both sides	
	TG = Worksurface and Gable drilling.	
	Gable ordered separately	




*shown with gable*

# Cabinets

## 16" Wide, Hinge Door - Both Sides

### Mixed Finishes

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Transaction Cabinet with Trays	16"	18"	42"	<b>RAC(L/R)HT4212</b> ( ) ( ) ( ) ( ) ( ) ( )	\$3,013.	\$3,063.	\$3,136.	\$4,041.	\$4,472.	\$5,187.



*right hand shown*

Transaction Cabinet with Cubby	16"	18"	42"	<b>RAC(L/R)HC4212</b> ( ) ( ) ( ) ( ) ( ) ( )	3,013.	3,063.	3,136.	4,041.	4,472.	5,187.
--------------------------------	-----	-----	-----	---	--------	--------	--------	--------	--------	--------



*right hand shown*


Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Wood interior only, no metal shelves.
<b>RA</b>	Reff Administrative	
<b>C</b>	Cabinet	When choose lock, it will lock both hinge doors.
<b>R</b>	Right Hand	Adjustable shelf above.
<b>HT</b>	Hinge Door with Trays	Fixed shelves below Hinge doors.
<b>42</b>	Height, Nominal	Mixed Finishes: Case = wood, Top = laminate Case = laminate, Top = wood
<b>1</b>	16" wide, Nominal	HT = Hinge Door with Trays HC = Hinge door with Cubby
<b>2</b>	18" deep, Nominal	On the approach side, the doors only have the Touch Latch option.
( )	Lock option	Base board only on the user's side.
( )	Lock finish	On the User's side, the door has lock and pull options.
( )	Pull option	"T" Drilling option: Left hand units are drilled on the right hand side, and right hand units are drilled on left side for worksurface attachments.
( )	Pull finish	
( )	Case finish	
( )	Top finish	
( )	Drilling options	From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed
	1. Lock option:	
	2. Lock finish:	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.
	3. Pull option:	Products on this page are engineered to work with 28 <sup>3/8</sup> " planning.
	B = No pull, No drilling	Products on this page will accept all Laminates except "wood grain laminates".
	Customer's own pull	Note: All Installation instructions are available on the Knoll Exchange.
	C = C Pull (Nickel finish only)	42" height is Nominal.
	D = D Pull (Metal Finishes only)	These products are glue and dowel construction.
	F = Bar Pull	
	H = Outline Pull	
	N = Touch Latch, No pull	
	R = Cylinder Pull	
	S = S Pull (Stainless Steel finish only)	
	T = Tab Pull	
	4. Pull Finish: Core Paint Finishes and Plated	
	5. Case Finish: Wood or Laminate	
	6. Top Finish: Wood or Laminate	
	7. Drilling Options:	
	N = None, Stand alone unit	
	T = Drilled to accept worksurface	
	TT = Drill to accept worksurface on both sides	
	TG = Work surface and Gable drilling.	
	Gable ordered separately	




*shown with gable*

# Cabinets

## Shelves and Coat Rod

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h 	24"	20"	72"	<b>RAC7242DH(L/R)H( ) ( )</b>	\$2,599.	\$4,158.	\$4,781.	\$6,216.
	24"	24"	72"	<b>RAC7243DH(L/R)H( ) ( )</b>	2,704.	4,326.	4,975.	6,467.
	33"	20"	72"	<b>RAC7232DH(L/R)H( ) ( )</b>	2,839.	4,542.	5,223.	6,790.
	33"	24"	72"	<b>RAC7233DH(L/R)H( ) ( )</b>	2,969.	4,751.	5,463.	7,102.

Left hand shown

Storage Cabinet 86"h 	24"	20"	86"	<b>RAC8642DH(L/R)H( ) ( )</b>	2,868.	4,589.	6,277.	6,860.
	24"	24"	86"	<b>RAC8643DH(L/R)H( ) ( )</b>	2,992.	4,788.	5,506.	7,157.
	33"	20"	86"	<b>RAC8632DH(L/R)H( ) ( )</b>	3,150.	5,040.	5,796.	7,535.
	33"	24"	86"	<b>RAC8633DH(L/R)H( ) ( )</b>	3,300.	5,280.	6,072.	7,894.

Left hand shown

Order Code	Specification Information	Application Notes
<p>Example:</p> <p><b>RA</b> Reff Administrative</p> <p><b>C</b> Cabinet</p> <p><b>72</b> Height nominal</p> <p><b>4</b> Width nominal</p> <p><b>2</b> Depth nominal</p> <p><b>DH</b> Desk Height</p> <p><b>R</b> Right handed</p> <p><b>H</b> Hinged door</p> <p><b>( )</b> Lock Option</p> <p><b>( )</b> Lock Finish</p> <p><b>( )</b> Cabinet Finish</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <li>Lock option: L=Lock hold drill N=No drilling</li> <li>Lock finish: B=Black S=Silver</li> <li>Cabinet Finish: Laminate or Wood</li> </ol>	<p>Inset doors.</p> <p>Inset face - same as 42" cabinet.</p> <p>Hinge door with touch latch.</p> <p>Note: Side access cabinet only.</p> <p>No pulls.</p> <p>No visible base board, Full length door.</p> <p>Left/right hand.</p> <p>Comes with coat rod and hat rack (shelf) 72"h Cabinet comes with 3 adjustable shelves.</p> <p>86"h Cabinet comes with 4 adjustable shelves.</p> <p>No mixed finishes.</p> <p>Available with Wood interior only.</p>
	<p>Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.</p> <p>Products on this page will accept all Laminates except "wood grain laminates".</p> <p>Note: All installation instructions are available on the Knoll Exchange.</p> <p>These products are glue and dowel construction.</p> <p>If hinges are on left gable, the cabinet is left handed.</p>	




# Cabinets

## Coat Rod Only


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h	24"	20"	72"	<b>RAC7242WDH(L/R)H( ) ( )</b>	\$2,030.	\$3,247.	\$3,735.	\$4,855.
Without shelves	24"	24"	72"	<b>RAC7243WDH(L/R)H( ) ( )</b>	2,135.	3,415.	3,928.	5,106.
	33"	20"	72"	<b>RAC7232WDH(L/R)H( ) ( )</b>	2,270.	3,631.	4,176.	5,429.
	33"	24"	72"	<b>RAC7233WDH(L/R)H( ) ( )</b>	2,400.	3,840.	4,416.	5,741.



Left hand shown

Storage Cabinet 86"h	24"	20"	86"	<b>RAC8642WDH(L/R)H( ) ( )</b>	2,474.	3,958.	4,552.	5,918.
Without shelves	24"	24"	86"	<b>RAC8643WDH(L/R)H( ) ( )</b>	2,608.	4,172.	4,798.	6,238.
	33"	20"	86"	<b>RAC8632WDH(L/R)H( ) ( )</b>	2,778.	4,444.	5,111.	6,644.
	33"	24"	86"	<b>RAC8633WDH(L/R)H( ) ( )</b>	2,939.	4,703.	5,408.	7,030.



Left hand shown

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Inset doors.
<b>RA</b> Reff Administrative	1. Lock option: L=Lock hold drill N=No drilling	Inset face - same as 42" cabinet.
<b>C</b> Cabinet	2. Lock finish: B=Black S=Silver	Hinge door with touch latch.
<b>72</b> Height nominal	3. Cabinet Finish: Laminate or Wood	Note: Side access cabinet only.
<b>4</b> Width nominal		No pulls.
<b>2</b> Depth nominal		No visible base board, Full length door.
<b>W</b> Wardrobe		Left/right hand.
<b>DH</b> Desk Height		72"H cabinet comes with coat road.
<b>R</b> Right handed		86"h Cabinet comes with a hat rack (shelf).
<b>H</b> Hinged door		No mixed finishes.
<b>( )</b> Lock Option		Available with Wood interior only.
<b>( )</b> Lock Finish		
<b>( )</b> Cabinet Finish		

# Supports

## Gables / End Panels

description	w	d	h	pattern no.	L	V1	V2	V3
End Support for Return	2"	20"	42"	<b>RAGS(L/R)20( )</b>	\$524.	\$891.	\$1,024.	\$1,332.



*Left hand shown*

End Support for Desks	2"	30"	42"	<b>RAGS(L/R)30( )</b>	579.	985.	1,132.	1,472.
-----------------------	----	-----	-----	-----------------------	------	------	--------	--------



*Left hand shown*

Desk height End Support	2"	20	28 <sup>3</sup> / <sub>8</sub> "	<b>RAESDH(L/R)20( )</b>	461.	784.	901.	1,171.
-------------------------	----	----	----------------------------------	-------------------------	------	------	------	--------








*Left hand shown*

Order Code	Specification Information	Application Notes
Example: <b>RA</b> Reff Administrative <b>GS</b> Gable Support <b>R</b> Right hand <b>20</b> 20" deep <b>( )</b> Finish	To order please specify pattern number including: 1. Finish: Wood or Laminate	Solid Finishes only: L, V1, V2, V3 Always drilled to attach to returns or desks. 20" = for Returns 30" = for Desks  Hardware kit includes brackets.
	Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.  Products on this page are engineered to work with 28 <sup>3</sup> / <sub>8</sub> " planning.  Products on this page will accept all Laminates except "wood grain laminates".  Note: All installation instructions are available on the Knoll Exchange.	

# Accessories

## Electrical




Reff Profiles

description	type	d	h	pattern no.	list
Electrical Duplex Kit - Cir 1				<b>RPEDK1</b>	\$92.
					
Electrical Duplex Kit - Cir 2				<b>RPEDK2</b>	92.
					
Electrical "H" Connector				<b>RPEHC</b>	45.
					
Electrical Power Entry	10 Feet			<b>RPEPE10</b>	211.
	5 Feet			<b>RPEPE5</b>	156.
					
Electrical Jumper	12"			<b>RPEJ12</b>	87.
	24"			<b>RPEJ24</b>	97.
	36"			<b>RPEJ36</b>	106.
	48"			<b>RPEJ48</b>	120.
	60"			<b>RPEJ60</b>	132.
	72"			<b>RPEJ72</b>	143.
	84"			<b>RPEJ84</b>	154.
	96"			<b>RPEJ96</b>	165.
					

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	No finish options for the Utility hook.
<b>RP</b> Reff Profiles		
<b>E</b> Electrical	Note: All installation instructions are available on the Knoll Exchange.	Features 4 wire, 2 circuit, 20 amps each.
<b>DK</b> Duplex Kit Cir 1		UL listed as a manufactured wiring system.

# Accessories

## Electrical

description	type	d	h	pattern no.	list
Electrical, Rec - 2 and Rec Connector				<b>RPER2RC</b>	\$36.
					
Electrical Cable clips, 10 per pack				<b>RPECC10</b>	27.
					
Utility Hook				<b>RAUH</b>	19.
					



Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Note: All installation instructions are available on the Knoll Exchange.
<b>RP</b> Reff Profiles		
<b>E</b> Electrical		
<b>DK</b> Duplex Kit Cir 1		
		No finish options for the Utility hook.
		Features 4 wire, 2 circuit, 20 amps each.
		UL listed as a manufactured wiring system.

# Tackboards

## 11" high

### Wall hung , fabric

Reff Profiles

description	th	w	h	y	pattern no.	grade									
						10	15	20	30	35	40	45	50	55	
Wall Hung Tackboard For a Single Wide desk 	3/4"	66"	11"	1.8	<b>RAWHDHTBS66()</b>	\$275.	\$302.	\$330.	\$357.	\$363.	\$369.	\$375.	\$381.	\$387.	
	3/4"	72"	11"	2	<b>RAWHDHTBS72()</b>	292.	322.	353.	383.	389.	396.	402.	408.	415.	
	3/4"	78"	11"	2.2	<b>RAWHDHTBS78()</b>	311.	344.	378.	411.	418.	425.	432.	439.	446.	
	3/4"	84"	11"	2.3	<b>RAWHDHTBS84()</b>	321.	356.	391.	426.	433.	441.	448.	455.	463.	
	3/4"	90"	11"	2.5	<b>RAWHDHTBS90()</b>	337.	375.	413.	451.	459.	467.	475.	483.	491.	
	3/4"	96"	11"	2.7	<b>RAWHDHTBS96()</b>	353.	394.	435.	476.	485.	493.	502.	511.	519.	
Wall Hung Tackboard For a Double Wide desk 	3/4"	51"	11"	1.4	<b>RAWHDHTBD51()</b>	239.	260.	282.	303.	308.	312.	317.	322.	326.	
	3/4"	54"	11"	1.5	<b>RAWHDHTBD54()</b>	250.	273.	296.	319.	324.	328.	333.	338.	342.	
	3/4"	57"	11"	1.6	<b>RAWHDHTBD57()</b>	258.	282.	307.	331.	336.	341.	346.	351.	356.	
	3/4"	60"	11"	1.7	<b>RAWHDHTBD60()</b>	266.	292.	317.	343.	349.	354.	360.	366.	371.	
	3/4"	63"	11"	1.8	<b>RAWHDHTBD63()</b>	275.	302.	330.	357.	363.	368.	374.	380.	385.	
	3/4"	66"	11"	1.8	<b>RAWHDHTBD66()</b>	282.	311.	340.	369.	375.	381.	387.	393.	399.	
	3/4"	69"	11"	1.9	<b>RAWHDHTBD69()</b>	284.	313.	342.	371.	377.	383.	389.	395.	401.	
	3/4"	72"	11"	2	<b>RAWHDHTBD72()</b>	296.	326.	357.	387.	393.	400.	406.	412.	419.	
	3/4"	75"	11"	2.1	<b>RAWHDHTBD75()</b>	307.	339.	371.	403.	410.	416.	423.	430.	436.	
	3/4"	78"	11"	2.2	<b>RAWHDHTBD78()</b>	315.	349.	382.	416.	423.	430.	437.	444.	451.	
	3/4"	81"	11"	2.3	<b>RAWHDHTBD81()</b>	323.	358.	393.	428.	435.	443.	450.	457.	465.	
	3/4"	84"	11"	2.3	<b>RAWHDHTBD84()</b>	325.	360.	395.	430.	437.	445.	452.	459.	467.	
	3/4"	87"	11"	2.4	<b>RAWHDHTBD87()</b>	333.	369.	406.	442.	450.	457.	465.	473.	480.	
	3/4"	90"	11"	2.5	<b>RAWHDHTBD90()</b>	341.	379.	417.	455.	463.	471.	479.	487.	495.	
	3/4"	93"	11"	2.6	<b>RAWHDHTBD93()</b>	349.	389.	428.	468.	476.	485.	493.	501.	510.	
3/4"	96"	11"	2.7	<b>RAWHDHTBD96()</b>	357.	398.	439.	480.	489.	497.	506.	515.	523.		

Order Code	Specification Information	Application Notes
Example: <b>RA</b> Reff Administrative <b>WH</b> Wall hung <b>DH</b> Desk Height <b>TB</b> Tackboard <b>S</b> Single <b>66</b> Width <b>()</b> Fabric Grade	To order please specify pattern number including: 1. Finish: Fabric	<b>To complete your double wide unit, you must order 2 pieces.</b> <i>Nominal double vs Actual double sizes</i> <i>Actual is 2" less than Nominal.</i> N=51/ A=49 N=54/ A=52 N=57/ A=55 N=60/ A=58 N=63/ A=61 N=66/ A=64 N=69/ A=67 N=72/ A=70 N=75/ A=73 N=78/ A=76 N=81/ A=79 N=84/ A=82 N=87/ A=85 N=90/ A=88 N=93/ A=91 N=96/ A=94

N=66/ A=62  
 N=72/ A=68  
 N=78/ A=74  
 N=84/ A=80  
 N=90/ A=86  
 N=96/ A=92

**Wall Mounting Suggestions**

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

**NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.**


It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

	EXISTING CONSTRUCTION					
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
<b>Stud Specification</b>	Wood studs, grade #2 or better, 3 1/2" minimum width, <b>OR</b> Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
<b>Stud Centers</b>	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
<b>Stud Height</b>	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above  Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above  Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
<b>Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*</b>	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, <b>and beyond to the next stud.</b>  Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer)  Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, <b>and beyond to the next stud.</b>  Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
<b>*Graham Wall Hung Shelf</b>	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket  This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
<b>Fasten the Knoll supplied wall cleat with...</b>	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking


# Horizons - 28<sup>3</sup>/<sub>8</sub>" Planning

## Planning Guidelines and Specifications

Nominal  
Planning Horizons



Nominal  
Planning Horizons



**Notes**


- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.




# Horizons - 28<sup>3</sup>/<sub>8</sub>" Planning

## Planning Guidelines and Specifications

Nominal  
Planning Horizons



Nominal  
Planning Horizons




**Notes**

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

# Horizons - 28<sup>3</sup>/<sub>8</sub>" Planning

## Planning Guidelines and Specifications



### Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

# Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	245	R2APT3448	77	R2ES79(A/B/C/E)(4/6)(E/N)	110	R3120Y64	109
ASBC24 (L/R)	245	R2APT4218	77	R2HK0008	432	R3120Y79	109
ML3L193M	406	R2APT4220	77	R2HK0015	432	R3135V34F	108
ML3L196M	406	R2APT4224	77	R2HK0034	432	R3135V34T	108
ML3L199M	406	R2APT4230	77	R2HK0042	432	R3135V42F	108
ML3L3712M	406	R2APT4236	77	R2HK0049	432	R3135V42T	108
ML3L3718M	406	R2APT4242	77	R2HK0064	432	R3135V49F	108
ML3L376M	406	R2APT4248	77	R2HK0079	432	R3135V49T	108
MWM-J	405	R2APT4918	78	R2HKB042	432	R3135V64F	108
R113B	247	R2APT4920	78	R2HKB049	432	R3135V64T	108
R234PKIT	117	R2APT4924	78	R2HKB064	432	R3135V79F	108
R2AETK34	80	R2APT4930	78	R2HKB079	432	R3135V79T	108
R2AETK42	80	R2APT4936	78	R2HL3442ES(A/B/C/E)	110	R334PKIT	117
R2AETK49	80	R2APT4942	78	R2HL3442(F)CS	111	R3AK	117
R2AETK64	80	R2APT4948	78	R2HL3449ES(A/B/C/E)	110	R3BOPAA42 18	16
R2AETK79	80	R2APT6418	78	R2HL3449(F)CS	111	R3BOPAA42 20	16
R2AHBW18	82	R2APT6420	78	R2HL3464ES(A/B/C/E)	110	R3BOPAA42 24	16
R2AHBW20	82	R2APT6424	78	R2HL3464(F/T)CS	111	R3BOPAA42 30	16
R2AHBW24	82	R2APT6430	78	R2HL3479ES(A/B/C/E)	110	R3BOPAA42 36	16
R2AHBW30	82	R2APT6436	78	R2HL3479(F/T)CS	111	R3BOPAA42 42	16
R2AHBW36	82	R2APT6442	78	R2HL4249ES(A/B/C/E)	110	R3BOPAA42 48	16
R2AHBW42	82	R2APT6448	78	R2HL4249ETS(A/B/C/E)	111	R3BOPAA42 60	16
R2AHBW48	82	R2APT7918	79	R2HL4249(F)CS	111	R3BOPAA42 66	16
R2AHCR34	81	R2APT7920	79	R2HL4264ES(A/B/C/E)	110	R3BOPAA42 72	16
R2AHCR42	81	R2APT7924	79	R2HL4264ETS(A/B/C/E)	111	R3BOPAA49 18	23
R2AHCR49	81	R2APT7930	79	R2HL4264(F/T)CS	111	R3BOPAA49 20	23
R2AHCR64	81	R2APT7936	79	R2HL4279ES(A/B/C/E)	110	R3BOPAA49 24	23
R2AHCR79	81	R2APT7942	79	R2HL4279ETS(A/B/C/E)	111	R3BOPAA49 30	23
R2AHSR18	83	R2APT7948	79	R2HL4279(F/T)CS	111	R3BOPAA49 36	23
R2AHSR20	83	R2ATPK34	79	R2HL4964ES(A/B/C/E)	110	R3BOPAA49 42	23
R2AHSR24	83	R2ATPK42	79	R2HL4964(F)CS	111	R3BOPAA49 48	23
R2AHSR30	83	R2ATPK49	79	R2HL4979ES(A/B/C/E)	110	R3BOPAA49 60	23
R2AHSR36	83	R2ATPK64	79	R2HL4979(F/T)CS	111	R3BOPAA49 66	23
R2AHSR42	83	R2ATPK79	79	R2HL6479ES(A/B/C/E)	110	R3BOPAA49 72	23
R2AHSR48	83	R2BOTWA34 18	45	R2HL6479(F)CS	111	R3BOPAA64 18	30
R2AHTR18	81	R2BOTWA34 20	45	R2L42C(F/T)(F/T)-(4/6)	112	R3BOPAA64 20	30
R2AHTR20	81	R2BOTWA34 24	45	R2L49C(F/T)(F/T)-(4/6)	112	R3BOPAA64 24	30
R2AHTR24	81	R2BOTWA34 30	45	R2L64C(F/T)(F/T)-(4/6)	112	R3BOPAA64 30	30
R2AHTR30	81	R2BOTWA34 36	45	R2L79C(F/T)(F/T)-(4/6)	112	R3BOPAA64 36	30
R2AHTR36	81	R2BOTWA34 42	45	R2S42C(F/T)(F/T)-(4/6)	112	R3BOPAA64 42	30
R2AHTR42	81	R2BOTWA34 48	45	R2S49C(F/T)(F/T)-(4/6)	112	R3BOPAA64 48	30
R2AHTR48	81	R2BOTWB34 30	45	R2S64C(F/T)(F/T)-(4/6)	112	R3BOPAA64 60	30
R2AHWR18	82	R2BOTWB34 36	45	R2S79C(F/T)(F/T)-(4/6)	112	R3BOPAA64 66	30
R2AHWR20	82	R2BOTWB34 42	45	R2SWS0008	114	R3BOPAA64 72	30
R2AHWR24	82	R2BOTWB34 48	45	R2SWS0015	114	R3BOPAA79 18	37
R2AHWR30	82	R2BOTWC34 18	45	R2SWS0034	114	R3BOPAA79 20	37
R2AHWR36	82	R2BOTWC34 20	45	R2SWS0042	114	R3BOPAA79 24	37
R2AHWR42	82	R2BOTWC34 24	45	R2SWS0049	114	R3BOPAA79 30	37
R2AHWR48	82	R2BOTWC34 30	45	R2SWS0064	114	R3BOPAA79 36	37
R2AK	117	R2BOTWC34 36	45	R2SWS0079	114	R3BOPAA79 42	37
R2ALPK34	80	R2BOTWC34 42	45	R2T42C(F/T)-(4/6)	112	R3BOPAA79 48	37
R2ALPK42	80	R2BOTWC34 48	45	R2T49C(F/T)-(4/6)	112	R3BOPAA79 60	37
R2ALPK49	80	R2CCG	117	R2T64C(F/T)-(4/6)	112	R3BOPAA79 66	37
R2ALPK64	80	R2DLS7936	116	R2T79C(F/T)-(4/6)	112	R3BOPAA79 72	37
R2ALPK79	80	R2DLS7942	116	R2X42C	112	R3BOPF13418	12
R2APT3418	77	R2DRS7936	116	R2X49C	112	R3BOPF13420	12
R2APT3420	77	R2DRS7942	116	R2X64C	112	R3BOPF13424	12
R2APT3424	77	R2ES34(A/B/C/E)(4/6)(E/N)	110	R2X79C	112	R3BOPF13430	12
R2APT3430	77	R2ES42(A/B/C/E)(4/6)(E/N)	110	R3120Y34	109	R3BOPF13436	12
R2APT3436	77	R2ES49(A/B/C/E)(4/6)(E/N)	110	R3120Y42	109	R3BOPF13442	12
R2APT3442	77	R2ES64(A/B/C/E)(4/6)(E/N)	110	R3120Y49	109	R3BOPF13448	12

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPF142 18	19	R3BOPF249 66	27	R3BOPF379 48	42	R3BOPFL42 60	18
R3BOPF142 20	19	R3BOPF249 72	27	R3BOPF379 60	42	R3BOPFL42 66	18
R3BOPF142 24	19	R3BOPF264 18	34	R3BOPF379 66	42	R3BOPFL42 72	18
R3BOPF142 30	19	R3BOPF264 20	34	R3BOPF379 72	42	R3BOPFL49 18	25
R3BOPF142 36	19	R3BOPF264 24	34	R3BOPFF3418	10	R3BOPFL49 20	25
R3BOPF142 42	19	R3BOPF264 30	34	R3BOPFF3420	10	R3BOPFL49 24	25
R3BOPF142 48	19	R3BOPF264 36	34	R3BOPFF3424	10	R3BOPFL49 30	25
R3BOPF142 60	19	R3BOPF264 42	34	R3BOPFF3430	10	R3BOPFL49 36	25
R3BOPF142 66	19	R3BOPF264 48	34	R3BOPFF3436	10	R3BOPFL49 42	25
R3BOPF142 72	19	R3BOPF264 60	34	R3BOPFF3442	10	R3BOPFL49 48	25
R3BOPF149 18	26	R3BOPF264 66	34	R3BOPFF3448	10	R3BOPFL49 60	25
R3BOPF149 20	26	R3BOPF264 72	34	R3BOPFF42 18	16	R3BOPFL49 66	25
R3BOPF149 24	26	R3BOPF279 18	41	R3BOPFF42 20	16	R3BOPFL49 72	25
R3BOPF149 30	26	R3BOPF279 20	41	R3BOPFF42 24	16	R3BOPFL64 18	32
R3BOPF149 36	26	R3BOPF279 24	41	R3BOPFF42 30	16	R3BOPFL64 20	32
R3BOPF149 42	26	R3BOPF279 30	41	R3BOPFF42 36	16	R3BOPFL64 24	32
R3BOPF149 48	26	R3BOPF279 36	41	R3BOPFF42 42	16	R3BOPFL64 30	32
R3BOPF149 60	26	R3BOPF279 42	41	R3BOPFF42 48	16	R3BOPFL64 36	32
R3BOPF149 66	26	R3BOPF279 48	41	R3BOPFF42 60	16	R3BOPFL64 42	32
R3BOPF149 72	26	R3BOPF279 60	41	R3BOPFF42 66	16	R3BOPFL64 48	32
R3BOPF164 18	33	R3BOPF279 66	41	R3BOPFF42 72	16	R3BOPFL64 60	32
R3BOPF164 20	33	R3BOPF279 72	41	R3BOPFF49 18	23	R3BOPFL64 66	32
R3BOPF164 24	33	R3BOPF334 18	14	R3BOPFF49 20	23	R3BOPFL64 72	32
R3BOPF164 30	33	R3BOPF334 20	14	R3BOPFF49 24	23	R3BOPFL79 18	39
R3BOPF164 36	33	R3BOPF334 24	14	R3BOPFF49 30	23	R3BOPFL79 20	39
R3BOPF164 42	33	R3BOPF334 30	14	R3BOPFF49 36	23	R3BOPFL79 24	39
R3BOPF164 48	33	R3BOPF334 36	14	R3BOPFF49 42	23	R3BOPFL79 30	39
R3BOPF164 60	33	R3BOPF334 42	14	R3BOPFF49 48	23	R3BOPFL79 36	39
R3BOPF164 66	33	R3BOPF334 48	14	R3BOPFF49 60	23	R3BOPFL79 42	39
R3BOPF164 72	33	R3BOPF342 18	21	R3BOPFF49 66	23	R3BOPFL79 48	39
R3BOPF179 18	40	R3BOPF342 20	21	R3BOPFF49 72	23	R3BOPFL79 60	39
R3BOPF179 20	40	R3BOPF342 24	21	R3BOPFF64 18	30	R3BOPFL79 66	39
R3BOPF179 24	40	R3BOPF342 30	21	R3BOPFF64 20	30	R3BOPFL79 72	39
R3BOPF179 30	40	R3BOPF342 36	21	R3BOPFF64 24	30	R3BOPLL3418	15
R3BOPF179 36	40	R3BOPF342 42	21	R3BOPFF64 30	30	R3BOPLL3420	15
R3BOPF179 42	40	R3BOPF342 48	21	R3BOPFF64 36	30	R3BOPLL3424	15
R3BOPF179 48	40	R3BOPF342 60	21	R3BOPFF64 42	30	R3BOPLL3430	15
R3BOPF179 60	40	R3BOPF342 66	21	R3BOPFF64 48	30	R3BOPLL3436	15
R3BOPF179 66	40	R3BOPF342 72	21	R3BOPFF64 60	30	R3BOPLL3442	15
R3BOPF179 72	40	R3BOPF349 18	28	R3BOPFF64 66	30	R3BOPLL3448	15
R3BOPF234 18	13	R3BOPF349 20	28	R3BOPFF64 72	30	R3BOPLL4218	22
R3BOPF234 20	13	R3BOPF349 24	28	R3BOPFF79 18	37	R3BOPLL4220	22
R3BOPF234 24	13	R3BOPF349 30	28	R3BOPFF79 20	37	R3BOPLL4224	22
R3BOPF234 30	13	R3BOPF349 36	28	R3BOPFF79 24	37	R3BOPLL4230	22
R3BOPF234 36	13	R3BOPF349 42	28	R3BOPFF79 30	37	R3BOPLL4236	22
R3BOPF234 42	13	R3BOPF349 48	28	R3BOPFF79 36	37	R3BOPLL4242	22
R3BOPF234 48	13	R3BOPF349 60	28	R3BOPFF79 42	37	R3BOPLL4248	22
R3BOPF242 18	20	R3BOPF349 66	28	R3BOPFF79 48	37	R3BOPLL4260	22
R3BOPF242 20	20	R3BOPF349 72	28	R3BOPFF79 60	37	R3BOPLL4266	22
R3BOPF242 24	20	R3BOPF364 18	35	R3BOPFF79 66	37	R3BOPLL4272	22
R3BOPF242 30	20	R3BOPF364 20	35	R3BOPFF79 72	37	R3BOPLL4918	29
R3BOPF242 36	20	R3BOPF364 24	35	R3BOPFL3418	11	R3BOPLL4920	29
R3BOPF242 42	20	R3BOPF364 30	35	R3BOPFL3420	11	R3BOPLL4924	29
R3BOPF242 48	20	R3BOPF364 36	35	R3BOPFL3424	11	R3BOPLL4930	29
R3BOPF242 60	20	R3BOPF364 42	35	R3BOPFL3430	11	R3BOPLL4936	29
R3BOPF242 66	20	R3BOPF364 48	35	R3BOPFL3436	11	R3BOPLL4942	29
R3BOPF242 72	20	R3BOPF364 60	35	R3BOPFL3442	11	R3BOPLL4948	29
R3BOPF249 18	27	R3BOPF364 66	35	R3BOPFL3448	11	R3BOPLL4960	29
R3BOPF249 20	27	R3BOPF364 72	35	R3BOPFL42 18	18	R3BOPLL4966	29
R3BOPF249 24	27	R3BOPF379 18	42	R3BOPFL42 20	18	R3BOPLL4972	29
R3BOPF249 30	27	R3BOPF379 20	42	R3BOPFL42 24	18	R3BOPLL6418	36
R3BOPF249 36	27	R3BOPF379 24	42	R3BOPFL42 30	18	R3BOPLL6420	36
R3BOPF249 42	27	R3BOPF379 30	42	R3BOPFL42 36	18	R3BOPLL6424	36
R3BOPF249 48	27	R3BOPF379 36	42	R3BOPFL42 42	18	R3BOPLL6430	36
R3BOPF249 60	27	R3BOPF379 42	42	R3BOPFL42 48	18	R3BOPLL6436	36

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPLL6442	36	R3BOTF164 20	66	R3BOTF349 30	61	R3BOTFL42 42	51
R3BOPLL6448	36	R3BOTF164 24	66	R3BOTF349 36	61	R3BOTFL42 48	51
R3BOPLL6460	36	R3BOTF164 30	66	R3BOTF349 42	61	R3BOTFL49 18	58
R3BOPLL6466	36	R3BOTF164 36	66	R3BOTF349 48	61	R3BOTFL49 20	58
R3BOPLL6472	36	R3BOTF164 42	66	R3BOTF364 18	68	R3BOTFL49 24	58
R3BOPLL7918	43	R3BOTF164 48	66	R3BOTF364 20	68	R3BOTFL49 30	58
R3BOPLL7920	43	R3BOTF179 18	73	R3BOTF364 24	68	R3BOTFL49 36	58
R3BOPLL7924	43	R3BOTF179 20	73	R3BOTF364 30	68	R3BOTFL49 42	58
R3BOPLL7930	43	R3BOTF179 24	73	R3BOTF364 36	68	R3BOTFL49 48	58
R3BOPLL7936	43	R3BOTF179 30	73	R3BOTF364 42	68	R3BOTFL64 18	65
R3BOPLL7942	43	R3BOTF179 36	73	R3BOTF364 48	68	R3BOTFL64 20	65
R3BOPLL7948	43	R3BOTF179 42	73	R3BOTF379 18	75	R3BOTFL64 24	65
R3BOPLL7960	43	R3BOTF179 48	73	R3BOTF379 20	75	R3BOTFL64 30	65
R3BOPLL7966	43	R3BOTF234 18	47	R3BOTF379 24	75	R3BOTFL64 36	65
R3BOPLL7972	43	R3BOTF234 20	47	R3BOTF379 30	75	R3BOTFL64 42	65
R3BOTAA42 18	49	R3BOTF234 24	47	R3BOTF379 36	75	R3BOTFL64 48	65
R3BOTAA42 20	49	R3BOTF234 30	47	R3BOTF379 42	75	R3BOTFL79 18	72
R3BOTAA42 24	49	R3BOTF234 36	47	R3BOTF379 48	75	R3BOTFL79 20	72
R3BOTAA42 30	49	R3BOTF234 42	47	R3BOTFF34 18	44	R3BOTFL79 24	72
R3BOTAA42 36	49	R3BOTF234 48	47	R3BOTFF34 20	44	R3BOTFL79 30	72
R3BOTAA42 42	49	R3BOTF242 18	53	R3BOTFF34 24	44	R3BOTFL79 36	72
R3BOTAA42 48	49	R3BOTF242 20	53	R3BOTFF34 30	44	R3BOTFL79 42	72
R3BOTAA49 18	56	R3BOTF242 24	53	R3BOTFF34 36	44	R3BOTFL79 48	72
R3BOTAA49 20	56	R3BOTF242 30	53	R3BOTFF34 42	44	R3BOTLL3418	48
R3BOTAA49 24	56	R3BOTF242 36	53	R3BOTFF34 48	44	R3BOTLL3420	48
R3BOTAA49 30	56	R3BOTF242 42	53	R3BOTFF42 18	49	R3BOTLL3424	48
R3BOTAA49 36	56	R3BOTF242 48	53	R3BOTFF42 20	49	R3BOTLL3430	48
R3BOTAA49 42	56	R3BOTF249 18	60	R3BOTFF42 24	49	R3BOTLL3436	48
R3BOTAA49 48	56	R3BOTF249 20	60	R3BOTFF42 30	49	R3BOTLL3442	48
R3BOTAA64 18	63	R3BOTF249 24	60	R3BOTFF42 36	49	R3BOTLL3448	48
R3BOTAA64 20	63	R3BOTF249 30	60	R3BOTFF42 42	49	R3BOTLL4218	55
R3BOTAA64 24	63	R3BOTF249 36	60	R3BOTFF42 48	49	R3BOTLL4220	55
R3BOTAA64 30	63	R3BOTF249 42	60	R3BOTFF49 18	56	R3BOTLL4224	55
R3BOTAA64 36	63	R3BOTF249 48	60	R3BOTFF49 20	56	R3BOTLL4230	55
R3BOTAA64 42	63	R3BOTF264 18	67	R3BOTFF49 24	56	R3BOTLL4236	55
R3BOTAA64 48	63	R3BOTF264 20	67	R3BOTFF49 30	56	R3BOTLL4242	55
R3BOTAA79 18	70	R3BOTF264 24	67	R3BOTFF49 36	56	R3BOTLL4248	55
R3BOTAA79 20	70	R3BOTF264 30	67	R3BOTFF49 42	56	R3BOTLL4918	62
R3BOTAA79 24	70	R3BOTF264 36	67	R3BOTFF49 48	56	R3BOTLL4920	62
R3BOTAA79 30	70	R3BOTF264 42	67	R3BOTFF64 18	63	R3BOTLL4924	62
R3BOTAA79 36	70	R3BOTF264 48	67	R3BOTFF64 20	63	R3BOTLL4930	62
R3BOTAA79 42	70	R3BOTF279 18	74	R3BOTFF64 24	63	R3BOTLL4936	62
R3BOTAA79 48	70	R3BOTF279 20	74	R3BOTFF64 30	63	R3BOTLL4942	62
R3BOTF134 18	46	R3BOTF279 24	74	R3BOTFF64 36	63	R3BOTLL4948	62
R3BOTF134 20	46	R3BOTF279 30	74	R3BOTFF64 42	63	R3BOTLL6418	69
R3BOTF134 24	46	R3BOTF279 36	74	R3BOTFF64 48	63	R3BOTLL6420	69
R3BOTF134 30	46	R3BOTF279 42	74	R3BOTFF79 18	70	R3BOTLL6424	69
R3BOTF134 36	46	R3BOTF279 48	74	R3BOTFF79 20	70	R3BOTLL6430	69
R3BOTF134 42	46	R3BOTF334 18	47	R3BOTFF79 24	70	R3BOTLL6436	69
R3BOTF134 48	46	R3BOTF334 20	47	R3BOTFF79 30	70	R3BOTLL6442	69
R3BOTF142 18	52	R3BOTF334 24	47	R3BOTFF79 36	70	R3BOTLL6448	69
R3BOTF142 20	52	R3BOTF334 30	47	R3BOTFF79 42	70	R3BOTLL7918	76
R3BOTF142 24	52	R3BOTF334 36	47	R3BOTFF79 48	70	R3BOTLL7920	76
R3BOTF142 30	52	R3BOTF334 42	47	R3BOTFL34 18	46	R3BOTLL7924	76
R3BOTF142 36	52	R3BOTF334 48	47	R3BOTFL34 20	46	R3BOTLL7930	76
R3BOTF142 42	52	R3BOTF342 18	54	R3BOTFL34 24	46	R3BOTLL7936	76
R3BOTF142 48	52	R3BOTF342 20	54	R3BOTFL34 30	46	R3BOTLL7942	76
R3BOTF149 18	59	R3BOTF342 24	54	R3BOTFL34 36	46	R3BOTLL7948	76
R3BOTF149 20	59	R3BOTF342 30	54	R3BOTFL34 42	46	R3B1PF142 18	19
R3BOTF149 24	59	R3BOTF342 36	54	R3BOTFL34 48	46	R3B1PF142 20	19
R3BOTF149 30	59	R3BOTF342 42	54	R3BOTFL42 18	51	R3B1PF142 24	19
R3BOTF149 36	59	R3BOTF342 48	54	R3BOTFL42 20	51	R3B1PF142 30	19
R3BOTF149 42	59	R3BOTF349 18	61	R3BOTFL42 24	51	R3B1PF142 36	19
R3BOTF149 48	59	R3BOTF349 20	61	R3BOTFL42 30	51	R3B1PF142 42	19
R3BOTF164 18	66	R3BOTF349 24	61	R3BOTFL42 36	51	R3B1PF142 48	19

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1PF149 18	26	R3B1PF2A49 42	95	R3B1PFF64 48	31	R3B1TF149 18	59
R3B1PF149 20	26	R3B1PF2A49 48	95	R3B1PFF79 18	38	R3B1TF149 20	59
R3B1PF149 24	26	R3B1PF2B49 30	95	R3B1PFF79 20	38	R3B1TF149 24	59
R3B1PF149 30	26	R3B1PF2B49 36	95	R3B1PFF79 24	38	R3B1TF149 30	59
R3B1PF149 36	26	R3B1PF2B49 42	95	R3B1PFF79 30	38	R3B1TF149 36	59
R3B1PF149 42	26	R3B1PF2B49 48	95	R3B1PFF79 36	38	R3B1TF149 42	59
R3B1PF149 48	26	R3B1PF342 18	21	R3B1PFF79 42	38	R3B1TF149 48	59
R3B1PF164 18	33	R3B1PF342 20	21	R3B1PFF79 48	38	R3B1TF164 18	66
R3B1PF164 20	33	R3B1PF342 24	21	R3B1PFFA49 18	86	R3B1TF164 20	66
R3B1PF164 24	33	R3B1PF342 30	21	R3B1PFFA49 20	86	R3B1TF164 24	66
R3B1PF164 30	33	R3B1PF342 36	21	R3B1PFFA49 24	86	R3B1TF164 30	66
R3B1PF164 36	33	R3B1PF342 42	21	R3B1PFFA49 30	86	R3B1TF164 36	66
R3B1PF164 42	33	R3B1PF342 48	21	R3B1PFFA49 36	86	R3B1TF164 42	66
R3B1PF164 48	33	R3B1PF349 18	28	R3B1PFFA49 42	86	R3B1TF164 48	66
R3B1PF179 18	40	R3B1PF349 20	28	R3B1PFFA49 48	86	R3B1TF179 18	73
R3B1PF179 20	40	R3B1PF349 24	28	R3B1PFFB49 30	86	R3B1TF179 20	73
R3B1PF179 24	40	R3B1PF349 30	28	R3B1PFFB49 36	86	R3B1TF179 24	73
R3B1PF179 30	40	R3B1PF349 36	28	R3B1PFFB49 42	86	R3B1TF179 30	73
R3B1PF179 36	40	R3B1PF349 42	28	R3B1PFFB49 48	86	R3B1TF179 36	73
R3B1PF179 42	40	R3B1PF349 48	28	R3B1PFL42 18	18	R3B1TF179 42	73
R3B1PF179 48	40	R3B1PF364 18	35	R3B1PFL42 20	18	R3B1TF179 48	73
R3B1PFA49 18	92	R3B1PF364 20	35	R3B1PFL42 24	18	R3B1TF1A49 18	90
R3B1PFA49 20	92	R3B1PF364 24	35	R3B1PFL42 30	18	R3B1TF1A49 20	90
R3B1PFA49 24	92	R3B1PF364 30	35	R3B1PFL42 36	18	R3B1TF1A49 24	90
R3B1PFA49 30	92	R3B1PF364 36	35	R3B1PFL42 42	18	R3B1TF1A49 30	90
R3B1PFA49 36	92	R3B1PF364 42	35	R3B1PFL42 48	18	R3B1TF1A49 36	90
R3B1PFA49 42	92	R3B1PF364 48	35	R3B1PFL49 18	25	R3B1TF1A49 42	90
R3B1PFA49 48	92	R3B1PF379 18	42	R3B1PFL49 20	25	R3B1TF1A49 48	90
R3B1PFB49 30	92	R3B1PF379 20	42	R3B1PFL49 24	25	R3B1TF1B49 30	91
R3B1PFB49 36	92	R3B1PF379 24	42	R3B1PFL49 30	25	R3B1TF1B49 36	91
R3B1PFB49 42	92	R3B1PF379 30	42	R3B1PFL49 36	25	R3B1TF1B49 42	91
R3B1PFB49 48	92	R3B1PF379 36	42	R3B1PFL49 42	25	R3B1TF1B49 48	91
R3B1PF242 18	20	R3B1PF379 42	42	R3B1PFL49 48	25	R3B1TF242 18	53
R3B1PF242 20	20	R3B1PF379 48	42	R3B1PFL64 18	32	R3B1TF242 20	53
R3B1PF242 24	20	R3B1PF3A49 18	97	R3B1PFL64 20	32	R3B1TF242 24	53
R3B1PF242 30	20	R3B1PF3A49 20	97	R3B1PFL64 24	32	R3B1TF242 30	53
R3B1PF242 36	20	R3B1PF3A49 24	97	R3B1PFL64 30	32	R3B1TF242 36	53
R3B1PF242 42	20	R3B1PF3A49 30	97	R3B1PFL64 36	32	R3B1TF242 42	53
R3B1PF242 48	20	R3B1PF3A49 36	97	R3B1PFL64 42	32	R3B1TF242 48	53
R3B1PF249 18	27	R3B1PF3A49 42	97	R3B1PFL64 48	32	R3B1TF249 18	60
R3B1PF249 20	27	R3B1PF3A49 48	97	R3B1PFL79 18	39	R3B1TF249 20	60
R3B1PF249 24	27	R3B1PF3B49 30	97	R3B1PFL79 20	39	R3B1TF249 24	60
R3B1PF249 30	27	R3B1PF3B49 36	97	R3B1PFL79 24	39	R3B1TF249 30	60
R3B1PF249 36	27	R3B1PF3B49 42	97	R3B1PFL79 30	39	R3B1TF249 36	60
R3B1PF249 42	27	R3B1PF3B49 48	97	R3B1PFL79 36	39	R3B1TF249 42	60
R3B1PF249 48	27	R3B1PFF42 18	17	R3B1PFL79 42	39	R3B1TF249 48	60
R3B1PF264 18	34	R3B1PFF42 20	17	R3B1PFL79 48	39	R3B1TF264 18	67
R3B1PF264 20	34	R3B1PFF42 24	17	R3B1PFLA49 18	89	R3B1TF264 20	67
R3B1PF264 24	34	R3B1PFF42 30	17	R3B1PFLA49 20	89	R3B1TF264 24	67
R3B1PF264 30	34	R3B1PFF42 36	17	R3B1PFLA49 24	89	R3B1TF264 30	67
R3B1PF264 36	34	R3B1PFF42 42	17	R3B1PFLA49 30	89	R3B1TF264 36	67
R3B1PF264 42	34	R3B1PFF42 48	17	R3B1PFLA49 36	89	R3B1TF264 42	67
R3B1PF264 48	34	R3B1PFF49 18	24	R3B1PFLA49 42	89	R3B1TF264 48	67
R3B1PF279 18	41	R3B1PFF49 20	24	R3B1PFLA49 48	89	R3B1TF279 18	74
R3B1PF279 20	41	R3B1PFF49 24	24	R3B1PFLB49 30	89	R3B1TF279 20	74
R3B1PF279 24	41	R3B1PFF49 30	24	R3B1PFLB49 36	89	R3B1TF279 24	74
R3B1PF279 30	41	R3B1PFF49 36	24	R3B1PFLB49 42	89	R3B1TF279 30	74
R3B1PF279 36	41	R3B1PFF49 42	24	R3B1PFLB49 48	89	R3B1TF279 36	74
R3B1PF279 42	41	R3B1PFF49 48	24	R3B1TF142 18	52	R3B1TF279 42	74
R3B1PF279 48	41	R3B1PFF64 18	31	R3B1TF142 20	52	R3B1TF279 48	74
R3B1PF2A49 18	95	R3B1PFF64 20	31	R3B1TF142 24	52	R3B1TF2A49 18	93
R3B1PF2A49 20	95	R3B1PFF64 24	31	R3B1TF142 30	52	R3B1TF2A49 20	93
R3B1PF2A49 24	95	R3B1PFF64 30	31	R3B1TF142 36	52	R3B1TF2A49 24	93
R3B1PF2A49 30	95	R3B1PFF64 36	31	R3B1TF142 42	52	R3B1TF2A49 30	93
R3B1PF2A49 36	95	R3B1PFF64 42	31	R3B1TF142 48	52	R3B1TF2A49 36	93

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BITF2A49 42	93	R3BITFF64 48	64	R3B2PFF49 18	24	R3B2TFFA49 42	98
R3BITF2A49 48	93	R3BITFF79 18	71	R3B2PFF49 20	24	R3B2TFFA49 48	98
R3BITF2B49 30	94	R3BITFF79 20	71	R3B2PFF49 24	24	R3B2TFFB49 30	98
R3BITF2B49 36	94	R3BITFF79 24	71	R3B2PFF49 30	24	R3B2TFFB49 36	98
R3BITF2B49 42	94	R3BITFF79 30	71	R3B2PFF49 36	24	R3B2TFFB49 42	98
R3BITF2B49 48	94	R3BITFF79 36	71	R3B2PFF49 42	24	R3B2TFFB49 48	98
R3BITF342 18	54	R3BITFF79 42	71	R3B2PFF49 48	24	R3CRTT60	102
R3BITF342 20	54	R3BITFF79 48	71	R3B2PFF64 18	31	R3CRTT72	102
R3BITF342 24	54	R3BITFFA49 18	84	R3B2PFF64 20	31	R3CRTT84	102
R3BITF342 30	54	R3BITFFA49 20	84	R3B2PFF64 24	31	R3CRTT96	102
R3BITF342 36	54	R3BITFFA49 24	84	R3B2PFF64 30	31	R3FTCE104(F/T)(F/T)(F/T)	124
R3BITF342 42	54	R3BITFFA49 30	84	R3B2PFF64 36	31	R3FTCE108(F/T)(F/T)(F/T)	124
R3BITF342 48	54	R3BITFFA49 36	84	R3B2PFF64 42	31	R3FTCE120(F/T)(F/T)(F/T)	124
R3BITF349 18	61	R3BITFFA49 42	84	R3B2PFF64 48	31	R3FTCE21	124
R3BITF349 20	61	R3BITFFA49 48	84	R3B2PFF79 18	38	R3FTCE25	124
R3BITF349 24	61	R3BITFFB49 30	85	R3B2PFF79 20	38	R3FTCE37	124
R3BITF349 30	61	R3BITFFB49 36	85	R3B2PFF79 24	38	R3FTCF12118	121
R3BITF349 36	61	R3BITFFB49 42	85	R3B2PFF79 30	38	R3FTCF12120	121
R3BITF349 42	61	R3BITFFB49 48	85	R3B2PFF79 36	38	R3FTCF12124	121
R3BITF349 48	61	R3BITFL42 18	51	R3B2PFF79 42	38	R3FTCF12130	121
R3BITF364 18	68	R3BITFL42 20	51	R3B2PFF79 48	38	R3FTCF12136	121
R3BITF364 20	68	R3BITFL42 24	51	R3B2PFFA49 18	99	R3FTCF12142	121
R3BITF364 24	68	R3BITFL42 30	51	R3B2PFFA49 20	99	R3FTCF12148	121
R3BITF364 30	68	R3BITFL42 36	51	R3B2PFFA49 24	99	R3FTCF12518	122
R3BITF364 36	68	R3BITFL42 42	51	R3B2PFFA49 30	99	R3FTCF12520	122
R3BITF364 42	68	R3BITFL42 48	51	R3B2PFFA49 36	99	R3FTCF12524	122
R3BITF364 48	68	R3BITFL49 18	58	R3B2PFFA49 42	99	R3FTCF12530	122
R3BITF379 18	75	R3BITFL49 20	58	R3B2PFFA49 48	99	R3FTCF12536	122
R3BITF379 20	75	R3BITFL49 24	58	R3B2PFFB49 30	99	R3FTCF12542	122
R3BITF379 24	75	R3BITFL49 30	58	R3B2PFFB49 36	99	R3FTCF12548	122
R3BITF379 30	75	R3BITFL49 36	58	R3B2PFFB49 42	99	R3FTCF13718	123
R3BITF379 36	75	R3BITFL49 42	58	R3B2PFFB49 48	99	R3FTCF13720	123
R3BITF379 42	75	R3BITFL49 48	58	R3B2TFF42 18	50	R3FTCF13724	123
R3BITF379 48	75	R3BITFL64 18	65	R3B2TFF42 20	50	R3FTCF13730	123
R3BITF3A49 18	96	R3BITFL64 20	65	R3B2TFF42 24	50	R3FTCF13736	123
R3BITF3A49 20	96	R3BITFL64 24	65	R3B2TFF42 30	50	R3FTCF13742	123
R3BITF3A49 24	96	R3BITFL64 30	65	R3B2TFF42 36	50	R3FTCF13748	123
R3BITF3A49 30	96	R3BITFL64 36	65	R3B2TFF42 42	50	R3FTCF2118	121
R3BITF3A49 36	96	R3BITFL64 42	65	R3B2TFF42 48	50	R3FTCF22120	121
R3BITF3A49 42	96	R3BITFL64 48	65	R3B2TFF49 18	57	R3FTCF22124	121
R3BITF3A49 48	96	R3BITFL79 18	72	R3B2TFF49 20	57	R3FTCF22130	121
R3BITF3B49 30	96	R3BITFL79 20	72	R3B2TFF49 24	57	R3FTCF22136	121
R3BITF3B49 36	96	R3BITFL79 24	72	R3B2TFF49 30	57	R3FTCF22142	121
R3BITF3B49 42	96	R3BITFL79 30	72	R3B2TFF49 36	57	R3FTCF22148	121
R3BITF3B49 48	96	R3BITFL79 36	72	R3B2TFF49 42	57	R3FTCF22518	122
R3BITFF42 18	50	R3BITFL79 42	72	R3B2TFF49 48	57	R3FTCF22520	122
R3BITFF42 20	50	R3BITFL79 48	72	R3B2TFF64 18	64	R3FTCF22524	122
R3BITFF42 24	50	R3BITFLA49 18	87	R3B2TFF64 20	64	R3FTCF22530	122
R3BITFF42 30	50	R3BITFLA49 20	87	R3B2TFF64 24	64	R3FTCF22536	122
R3BITFF42 36	50	R3BITFLA49 24	87	R3B2TFF64 30	64	R3FTCF22542	122
R3BITFF42 42	50	R3BITFLA49 30	87	R3B2TFF64 36	64	R3FTCF22548	122
R3BITFF42 48	50	R3BITFLA49 36	87	R3B2TFF64 42	64	R3FTCF23718	123
R3BITFF49 18	57	R3BITFLA49 42	87	R3B2TFF64 48	64	R3FTCF23720	123
R3BITFF49 20	57	R3BITFLA49 48	87	R3B2TFF79 18	71	R3FTCF23724	123
R3BITFF49 24	57	R3BITFLB49 30	88	R3B2TFF79 20	71	R3FTCF23730	123
R3BITFF49 30	57	R3BITFLB49 36	88	R3B2TFF79 24	71	R3FTCF23736	123
R3BITFF49 36	57	R3BITFLB49 42	88	R3B2TFF79 30	71	R3FTCF23742	123
R3BITFF49 42	57	R3BITFLB49 48	88	R3B2TFF79 36	71	R3FTCF23748	123
R3BITFF49 48	57	R3B2PFF42 18	17	R3B2TFF79 42	71	R3FTCF321 18	121
R3BITFF64 18	64	R3B2PFF42 20	17	R3B2TFF79 48	71	R3FTCF321 20	121
R3BITFF64 20	64	R3B2PFF42 24	17	R3B2TFFA49 18	98	R3FTCF321 24	121
R3BITFF64 24	64	R3B2PFF42 30	17	R3B2TFFA49 20	98	R3FTCF321 30	121
R3BITFF64 30	64	R3B2PFF42 36	17	R3B2TFFA49 24	98	R3FTCF321 36	121
R3BITFF64 36	64	R3B2PFF42 42	17	R3B2TFFA49 30	98	R3FTCF321 42	121
R3BITFF64 42	64	R3B2PFF42 48	17	R3B2TFFA49 36	98	R3FTCF321 48	121

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF325 18	122	R3FTCS21	124	R3SF30848	103	R3X42(B)	106
R3FTCF325 20	122	R3FTCS25	124	R3SF315 18	104	R3X49(B)	106
R3FTCF325 24	122	R3FTCS37	124	R3SF315 20	104	R3X64(B)	106
R3FTCF325 30	122	R3FTCSM (Pair) for G3 only	125	R3SF315 24	104	R3X79(B)	106
R3FTCF325 36	122	R3FTCT104(F/T)	124	R3SF315 30	104	R5ZNN (3 dividers)	446
R3FTCF325 42	122	R3FTCT108(F/T)	124	R3SF315 36	104	R917762	434
R3FTCF325 48	122	R3FTCT120(F/T)	124	R3SF315 42	104	R921655	434
R3FTCF337 18	123	R3FTCT21	124	R3SF315 48	104	R9TDCFM8430	227
R3FTCF337 20	123	R3FTCT25	124	R3SFF08 18	100	R9TDCFM9630	227
R3FTCF337 24	123	R3FTCT37	124	R3SFF08 20	100	RAATBRC72	525
R3FTCF337 30	123	R3FTCX104	124	R3SFF08 24	100	RAATBRC78	525
R3FTCF337 36	123	R3FTCX108	124	R3SFF08 30	100	RAATBRC84	525
R3FTCF337 42	123	R3FTCX120	124	R3SFF08 36	100	RAATBRC90	525
R3FTCF337 48	123	R3FTCX21	124	R3SFF08 42	100	RAATBRC96	525
R3FTCF2118	118	R3FTCX25	124	R3SFF08 48	100	RAATBRS72	526
R3FTCF2120	118	R3FTCX37	124	R3SFF15 18	100	RAATBRS78	526
R3FTCF2124	118	R3L08TT	105	R3SFF15 20	100	RAATBRS84	526
R3FTCF2130	118	R3L15TT	105	R3SFF15 24	100	RAATBRS90	526
R3FTCF2136	118	R3L34(F/T)(F/T)	105	R3SFF15 30	100	RAATBRS96	526
R3FTCF2142	118	R3L42(B)(F/T)(F/T)	105	R3SFF15 36	100	RAATDCG51	525
R3FTCF2148	118	R3L49(B)(F/T)(F/T)	105	R3SFF15 42	100	RAATDCG54	525
R3FTCF2518	119	R3L64(B)(F/T)(F/T)	105	R3SFF15 48	100	RAATDCG57	525
R3FTCF2520	119	R3L79(B)(F/T)(F/T)	105	R3SFL0818	103	RAATDCG60	525
R3FTCF2524	119	R3R2SLV	107, 117	R3SFL0820	103	RAATDCG63	525
R3FTCF2530	119	R3S08TT	106	R3SFL0824	103	RAATDCG66	525
R3FTCF2536	119	R3S15TT	106	R3SFL0830	103	RAATDCG69	525
R3FTCF2542	119	R3S34(F/T)(F/T)	106	R3SFL0836	103	RAATDCG72	525
R3FTCF2548	119	R3S42(B)(F/T)(F/T)	106	R3SFL0842	103	RAATDCG75	525
R3FTCF3718	120	R3S49(B)(F/T)(F/T)	106	R3SFL0848	103	RAATDCG78	525
R3FTCF3720	120	R3S64(B)(F/T)(F/T)	106	R3SFL1518	104	RAATDCG81	525
R3FTCF3724	120	R3S79(B)(F/T)(F/T)	106	R3SFL1520	104	RAATDCG84	525
R3FTCF3730	120	R3SF10818	103	R3SFL1524	104	RAATDCG87	525
R3FTCF3736	120	R3SF10820	103	R3SFL1530	104	RAATDCG90	525
R3FTCF3742	120	R3SF10824	103	R3SFL1536	104	RAATDCG93	525
R3FTCF3748	120	R3SF10830	103	R3SFL1542	104	RAATDCG96	525
R3FTCFL2118	121	R3SF10836	103	R3SFL1548	104	RAATDS51	526
R3FTCFL2120	121	R3SF10842	103	R3SLL0818	103	RAATDS54	526
R3FTCFL2124	121	R3SF10848	103	R3SLL0820	103	RAATDS57	526
R3FTCFL2130	121	R3SF11518	104	R3SLL0824	103	RAATDS60	526
R3FTCFL2136	121	R3SF11520	104	R3SLL0830	103	RAATDS63	526
R3FTCFL2142	121	R3SF11524	104	R3SLL0836	103	RAATDS66	526
R3FTCFL2148	121	R3SF11530	104	R3SLL0842	103	RAATDS69	526
R3FTCFL2518	122	R3SF11536	104	R3SLL0848	103	RAATDS72	526
R3FTCFL2520	122	R3SF11542	104	R3SLL1518	104	RAATDS75	526
R3FTCFL2524	122	R3SF11548	104	R3SLL1520	104	RAATDS78	526
R3FTCFL2530	122	R3SF20818	103	R3SLL1524	104	RAATDS81	526
R3FTCFL2536	122	R3SF20820	103	R3SLL1530	104	RAATDS84	526
R3FTCFL2542	122	R3SF20824	103	R3SLL1536	104	RAATDS87	526
R3FTCFL2548	122	R3SF20830	103	R3SLL1542	104	RAATDS90	526
R3FTCFL3718	123	R3SF20836	103	R3SLL1548	104	RAATDS93	526
R3FTCFL3720	123	R3SF20842	103	R3SMP	434	RAATDS96	526
R3FTCFL3724	123	R3SF20848	103	R3SPABPT	115	RAATFRG54	525
R3FTCFL3730	123	R3SF21518	104	R3SPABTD	115	RAATFRG60	525
R3FTCFL3736	123	R3SF21520	104	R3SPABTT	115	RAATFRG66	525
R3FTCFL3742	123	R3SF21524	104	R3SPABTW	115	RAATFRG72	525
R3FTCFL3748	123	R3SF21530	104	R3T08T	105	RAATFRG78	525
R3FTCL104(F/T)(F/T)	124	R3SF21536	104	R3T15T	105	RAATFRG84	525
R3FTCL108(F/T)(F/T)	124	R3SF21542	104	R3T34(F/T)	105	RAATFRG90	525
R3FTCL120(F/T)(F/T)	124	R3SF21548	104	R3T42(B)(F/T)	105	RAATFRG96	525
R3FTCL21	124	R3SF30818	103	R3T49(B)(F/T)	105	RAATFRS54	526
R3FTCL25	124	R3SF30820	103	R3T64(B)(F/T)	105	RAATFRS60	526
R3FTCL37	124	R3SF30824	103	R3T79(B)(F/T)	105	RAATFRS66	526
R3FTCS104(F/T)(F/T)	124	R3SF30830	103	R3X08	106	RAATFRS72	526
R3FTCS108(F/T)(F/T)	124	R3SF30836	103	R3X15	106	RAATFRS78	526
R3FTCS120(F/T)(F/T)	124	R3SF30842	103	R3X34	106	RAATFRS84	526



<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RAATFRS90	526	RAIPFAWD138	518	RAIPRWD138	520	RATDCFM(L/R)7836	226
RAATFRS96	526	RAIPFAWD144	518	RAIPRWD144	520	RATDCFM(L/R)8430	226
RABR(L/R)7220	508, 509	RAIPFAWD150	518	RAIPRWD150	520	RATDCFM(L/R)8436	226
RABR(L/R)7820	508, 509	RAIPFAWD156	518	RAIPRWD156	520	RATDCPC(L/R)6030	224
RABR(L/R)8420	508, 509	RAIPFAWD162	518	RAIPRWD162	520	RATDCPC(L/R)6036	224
RABR(L/R)9020	508, 509	RAIPFAWD168	518	RAIPRWD168	520	RATDCPC(L/R)6630	224
RABR(L/R)9620	508, 509	RAIPFAWD174	518	RAIPRWD174	520	RATDCPC(L/R)6636	224
RAC7232DH(L/R)H	529	RAIPFAWD180	518	RAIPRWD180	520	RATDCPC(L/R)7230	224
RAC7232WDH(L/R)H	530	RAIPFAWD186	518	RAIPRWD186	520	RATDCPC(L/R)7236	224
RAC7233DH(L/R)H	529	RAIPFAWD192	518	RAIPRWD192	520	RATDCPC(L/R)7830	224
RAC7233WDH(L/R)H	530	RAIPFAWS66	518	RAIPRWS66	520	RATDCPC(L/R)7836	224
RAC7242DH(L/R)H	529	RAIPFAWS72	518	RAIPRWS72	520	RATDCPC(L/R)8430	224
RAC7242WDH(L/R)H	530	RAIPFAWS78	518	RAIPRWS78	520	RATDCPC(L/R)8436	224
RAC7243DH(L/R)H	529	RAIPFAWS84	518	RAIPRWS84	520	RATDCST(L/R)6030	225
RAC7243WDH(L/R)H	530	RAIPFAWS90	518	RAIPRWS90	520	RATDCST(L/R)6036	225
RAC8632DH(L/R)H	529	RAIPFAWS96	518	RAIPRWS96	520	RATDCST(L/R)6630	225
RAC8632WDH(L/R)H	530	RAIPFBWD102	519	RAMTB	417	RATDCST(L/R)6636	225
RAC8633DH(L/R)H	529	RAIPFBWD114	519	RAMTC24	417	RATDCST(L/R)7230	225
RAC8633WDH(L/R)H	530	RAIPFBWD120	519	RAMTC30	417	RATDCST(L/R)7236	225
RAC8642DH(L/R)H	529	RAIPFBWD126	519	RAMTC36	417	RATDCST(L/R)7830	225
RAC8642WDH(L/R)H	530	RAIPFBWD132	519	RAMTC42	417	RATDCST(L/R)7836	225
RAC8643DH(L/R)H	529	RAIPFBWD138	519	RAMTC48	417	RATDCST(L/R)8430	225
RAC8643WDH(L/R)H	530	RAIPFBWD144	519	RAMTC54	417	RATDCST(L/R)8436	225
RACG4220	527	RAIPFBWD150	519	RAMTC60	417	RATTBR72	522
RAC(L/R)HC4212	527, 528	RAIPFBWD156	519	RAMTC66	417	RATTBR78	522
RAC(L/R)HT4212	527, 528	RAIPFBWD162	519	RAMTC72	417	RATTBR84	522
RADW(L/R)5130	506, 507	RAIPFBWD168	519	RAMTCH24	417	RATTBR90	522
RADW(L/R)5430	506, 507	RAIPFBWD174	519	RAMTCH30	417	RATTBR96	522
RADW(L/R)5730	506, 507	RAIPFBWD180	519	RAMTCH36	417	RATDDD102	524
RADW(L/R)6030	506, 507	RAIPFBWD186	519	RAMTCH42	417	RATDDD108	524
RADW(L/R)6330	506, 507	RAIPFBWD192	519	RAMTCH48	417	RATDDD114	524
RADW(L/R)6630	506, 507	RAIPFBWS66	519	RAMTCH54	417	RATDDD120	524
RADW(L/R)6930	506, 507	RAIPFBWS72	519	RAMTCH60	417	RATDDD126	524
RADW(L/R)7230	506, 507	RAIPFBWS78	519	RAMTCH66	417	RATDDD132	524
RADW(L/R)7530	506, 507	RAIPFBWS84	519	RAMTCH72	417	RATDDD138	524
RADW(L/R)7830	506, 507	RAIPFBWS90	519	RAMTT	417	RATDDD144	524
RADW(L/R)8130	506, 507	RAIPFBWS96	519	RASRD6620	514, 515	RATDDD150	524
RADW(L/R)8430	506, 507	RAIPRGD51	521	RASRD7220	514, 515	RATDDD156	524
RADW(L/R)8730	506, 507	RAIPRGD54	521	RASRD7820	514, 515	RATDDD162	524
RADW(L/R)9030	506, 507	RAIPRGD57	521	RASRD8420	514, 515	RATDDD168	524
RADW(L/R)9330	506, 507	RAIPRGD60	521	RASRD9020	514, 515	RATDDD174	524
RADW(L/R)9630	506, 507	RAIPRGD63	521	RASRD9620	514, 515	RATDDD180	524
RAESDH(L/R)20	531	RAIPRGD66	521	RASRS(L/R)6620	512, 513	RATDDD186	524
RAFR(L/R)5420	510, 511	RAIPRGD69	521	RASRS(L/R)7220	512, 513	RATDDD192	524
RAFR(L/R)6020	510, 511	RAIPRGD72	521	RASRS(L/R)7820	512, 513	RATDTS66	524
RAFR(L/R)6620	510, 511	RAIPRGD75	521	RASRS(L/R)8420	512, 513	RATDTS72	524
RAFR(L/R)7220	510, 511	RAIPRGD78	521	RASRS(L/R)9020	512, 513	RATDTS78	524
RAFR(L/R)7820	510, 511	RAIPRGD81	521	RASRS(L/R)9620	512, 513	RATDTS84	524
RAFR(L/R)8420	510, 511	RAIPRGD84	521	RASW6630	504, 505	RATDTS90	524
RAFR(L/R)9020	510, 511	RAIPRGD87	521	RASW7230	504, 505	RATDTS96	524
RAFR(L/R)9620	510, 511	RAIPRGD90	521	RASW7830	504, 505	RATTFR54	523
RAGS(L/R)20	531	RAIPRGD93	521	RASW8430	504, 505	RATTFR60	523
RAGS(L/R)30	531	RAIPRGD96	521	RASW9030	504, 505	RATTFR66	523
RAIE6240	516, 517	RAIPRGS66	521	RASW9630	504, 505	RATTFR72	523
RAIE6248	516, 517	RAIPRGS72	521	RATDCFM(L/R)4830	226	RATTFR78	523
RAIE6840	516, 517	RAIPRGS78	521	RATDCFM(L/R)4836	226	RATTFR84	523
RAIE6848	516, 517	RAIPRGS84	521	RATDCFM(L/R)5430	226	RATTFR90	523
RAIE7440	516, 517	RAIPRGS90	521	RATDCFM(L/R)5436	226	RATTFR96	523
RAIE7448	516, 517	RAIPRGS96	521	RATDCFM(L/R)6030	226	RAUH	533
RAIPFAWD102	518	RAIPRWD102	520	RATDCFM(L/R)6036	226	RAWHDHTBD51	534
RAIPFAWD108	518	RAIPRWD108	520	RATDCFM(L/R)6630	226	RAWHDHTBD54	534
RAIPFAWD114	518	RAIPRWD114	520	RATDCFM(L/R)6636	226	RAWHDHTBD57	534
RAIPFAWD120	518	RAIPRWD120	520	RATDCFM(L/R)7230	226	RAWHDHTBD60	534
RAIPFAWD126	518	RAIPRWD126	520	RATDCFM(L/R)7236	226	RAWHDHTBD63	534
RAIPFAWD132	518	RAIPRWD132	520	RATDCFM(L/R)7830	226	RAWHDHTBD66	534

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RAWHDHTBD69	534	RBDH3642	250	RBWM	436	RC633C	304, 307
RAWHDHTBD72	534	RBDH3648	250	RBZ (A/B) (Pair)	246	RC633H	303, 306
RAWHDHTBD75	534	RBDH36M(F/R)	250	RC412C(L/R)	298, 300	RC633I	309
RAWHDHTBD78	534	RBDH40MR	252	RC413C(L/R)	298, 300	RC633P	304, 307
RAWHDHTBD81	534	RBDH4236	250	RC423M(L/R)	317, 319	RC661B	303, 306
RAWHDHTBD84	534	RBDH4242	250	RC423N(L/R)	317, 319	RC662B	303, 306
RAWHDHTBD87	534	RBDH4248	250	RC431B	298, 300	RC662C	305, 308
RAWHDHTBD90	534	RBDH42M(F/R)	250	RC432B	298, 300	RC662D	308
RAWHDHTBD93	534	RBDH4836	250	RC432C	298, 300	RC662E(L/R)	305, 308
RAWHDHTBD96	534	RBDH4842	250	RC432D	301	RC662F	304, 307
RAWHDHTBS66	534	RBDH4848	250	RC432F	299, 302	RC662G	304, 307
RAWHDHTBS72	534	RBDH48M(F/R)	250	RC433B	298, 300	RC662H	303, 306
RAWHDHTBS78	534	RBDH52MR	252	RC433C	298, 300	RC662I	309
RAWHDHTBS84	534	RBDH54M(F/R)	250	RC433D	301	RC662P	304, 307
RAWHDHTBS90	534	RBDH60M(F/R)	250	RC433F	299, 302	RC663B	303, 306
RAWHDHTBS96	534	RBDH64MR	252	RC461B	298, 300	RC663C	305, 308
RB24(M/H)(F/R)	248	RBDH66M(F/R)	250	RC462B	298, 300	RC663D	308
RB30(M/H)(F/R)	248	RBDH72M(F/R)	250	RC462C	298, 300	RC663E(L/R)	305, 308
RB3636	248	RBDH78M(F/R)	250	RC462D	301	RC663F	304, 307
RB3642	248	RBDH84M(F/R)	250	RC462F	299, 302	RC663G	304, 307
RB3648	248	RBDH90M(F/R)	250	RC463B	298, 300	RC663H	303, 306
RB36(M/H)(F/R)	248	RBDH96M(F/R)	250	RC463C	298, 300	RC663I	309
RB40MR	184	RBDP6030JK(A,B,W)	427	RC463D	301	RC663P	304, 307
RB4236	248	RBDP7230JK(A,B,W)	427	RC463F	299, 302	RC712C(L/R)	312, 315
RB4242	248	RBDP8430JK(A,B,W)	427	RC531DHB	320, 321	RC712DHG(L/R)	330, 334
RB4248	248	RBDP9630JK(A,B,W)	427	RC531DHH	322	RC712D(L/R)	315
RB42(M/H)(F/R)	248	RBDW	435	RC532DHB	320, 321	RC712G(L/R)	311, 314
RB4836	248	RBF (Pair)	246	RC532DHF	320, 321	RC712P(L/R)	311, 314
RB4842	248	RBPE(L/R)	435	RC532DHH	322	RC713C(L/R)	312, 315
RB4848	248	RBPP (L/R)	246	RC533DHB	320, 321	RC713DHG(L/R)	330, 334
RB48(M/H)(F/R)	248	RBPR (Pair)	247	RC533DHF	320, 321	RC713D(L/R)	315
RB52MR	184	RBPS (L/R)	247	RC533DHH	322	RC713G(L/R)	311, 314
RB54(M/H)(F/R)	248	RBR3624(A,B,W)(F,N)2	430	RC561DHB	320, 321	RC713P(L/R)	311, 314
RB60(M/H)(F/R)	248	RBR3630(A,B,W)(F,N)2	430	RC561DHH	322	RC7212DHDH(L/R)	328
RB64MR	184	RBR36H	378	RC562DHB	320, 321	RC7212DHGH(L/R)	324, 327
RB66(M/H)(F/R)	248	RBR36M	378	RC562DHF	320, 321	RC7213DHDH(L/R)	328
RB72(M/H)(F/R)	248	RBR36MS	378	RC562DHH	322	RC7213DHGH(L/R)	324, 327
RB78(M/H)(F/R)	248	RBR4224(A,B,W)(F,N)2	430	RC563DHB	320, 321	RC7232DHB	323, 326
RB84(M/H)(F/R)	248	RBR4230(A,B,W)(F,N)2	430	RC563DHF	320, 321	RC7232DHDH	328
RB90(M/H)(F/R)	248	RBR42H	378	RC563DHH	322	RC7232DHEH(L/R)	325, 328
RB96(M/H)(F/R)	248	RBR42M	378	RC612C(L/R)	305, 308	RC7232DHFH	324, 327
RBC18 (L/R)	245	RBR42MS	378	RC612D(L/R)	308	RC7232DHGH	324, 327
RBC24 (L/R)	245	RBR4824(A,B,W)(F,N)2	430	RC612G(L/R)	304, 307	RC7233DHB	323, 326
RBCC	246	RBR4830(A,B,W)(F,N)2	430	RC612P(L/R)	304, 307	RC7233DHDH	328
RBCCP (Pair)	246	RBR48H	378	RC613C(L/R)	305, 308	RC7233DHEH(L/R)	325, 328
RBD361H	196	RBR48M	378	RC613D(L/R)	308	RC7233DHFH	324, 327
RBD361V	196	RBR48MS	378	RC613G(L/R)	304, 307	RC7233DHGH	324, 327
RBD362H	196	RBR54H	378	RC613P(L/R)	304, 307	RC723M(L/R)	318, 319
RBD362V	196	RBR54M	378	RC623M(L/R)	317, 319	RC723N	318, 319
RBD421H	196	RBR54MS	378	RC623N(L/R)	317, 319	RC7262DHB	323, 326
RBD421V	196	RBR60H	378	RC631B	303, 306	RC7262DHDH	328
RBD422H	196	RBR60M	378	RC632B	303, 306	RC7262DHEH(L/R)	325, 328
RBD422V	196	RBR60MS	378	RC632C	305, 308	RC7262DHFH	324, 327
RBD481H	196	RBR66H	378	RC632D	308	RC7262DHGH	324, 327
RBD481V	196	RBR66M	378	RC632E(L/R)	305, 308	RC7263DHB	323, 326
RBD482H	196	RBR66MS	378	RC632F	304, 307	RC7263DHDH	328
RBD482V	196	RBR72H	378	RC632G	304, 307	RC7263DHEH(L/R)	325, 328
RBD541H	196	RBR72M	378	RC632H	303, 306	RC7263DHFH	324, 327
RBD541V	196	RBR72MS	378	RC632I	309	RC7263DHGH	324, 327
RBD542H	196	RBSP6030J(A,B,W)	426	RC632P	304, 307	RC732B	310, 313
RBD542V	196	RBSP7230J(A,B,W)	426	RC633B	303, 306	RC732C	312, 315
RBDD	435	RBSP8430J(A,B,W)	426	RC633C	305, 308	RC732D	315
RBDH24M(F/R)	250	RBSP9630J(A,B,W)	426	RC633D	308	RC732DHB	329, 332
RBDH30M(F/R)	250	RBWC24	247	RC633E(L/R)	305, 308	RC732DHD	333
RBDH3636	250	RBWC30	247	RC633F	304, 307	RC732DHE(L/R)	331, 333

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RC732DHF	330, 334	RC833DHB	338	RCA(A/B/C/D/E/F/G)F364812	160	RCAWF424821	181
RC732DHG	330, 334	RC833DHDH	341	RCA(A/B/C/D/E/F/G)F364821	160	RCAWF424822	181
RC732DHK	329, 332	RC833DHEH(L/R)	337, 341	RCA(A/B/C/D/E/F/G)F364822	161	RCAWF483611	181
RC732E(L/R)	312, 315	RC833DHF	336, 340	RCA(A/B/C/D/E/F/G)F423611	160	RCAWF483612	181
RC732F	311, 314	RC833DHC	336, 340	RCA(A/B/C/D/E/F/G)F423612	160	RCAWF483621	181
RC732G	311, 314	RC833DHK	335, 339	RCA(A/B/C/D/E/F/G)F423621	160	RCAWF483622	181
RC732H	310, 313	RC833DHO	335, 339	RCA(A/B/C/D/E/F/G)F423622	160	RCAWF484211	181
RC732I	316	RC862DHB	338	RCA(A/B/C/D/E/F/G)F424211	160	RCAWF484212	181
RC732P	311, 314	RC862DHDH	341	RCA(A/B/C/D/E/F/G)F424212	160	RCAWF484221	181
RC733B	310, 313	RC862DHEH(L/R)	337, 341	RCA(A/B/C/D/E/F/G)F424221	160	RCAWF484222	181
RC733C	312, 315	RC862DHF	336, 340	RCA(A/B/C/D/E/F/G)F424222	160	RCB	253
RC733D	315	RC862DHG	336, 340	RCA(A/B/C/D/E/F/G)F424811	160	RCB20T	253
RC733DHB	329, 332	RC862DHC	335, 339	RCA(A/B/C/D/E/F/G)F424812	160	RCB24T	253
RC733DHD	333	RC862DHO	335, 339	RCA(A/B/C/D/E/F/G)F424821	160	RCB24X	254
RC733DHE(L/R)	331, 333	RC863DHB	338	RCA(A/B/C/D/E/F/G)F424822	161	RCB28X	254
RC733DHF	330, 334	RC863DHDH	341	RCA(A/B/C/D/E/F/G)F483611	160	RCB30T	253
RC733DHG	330, 334	RC863DHEH(L/R)	337, 341	RCA(A/B/C/D/E/F/G)F483612	160	RCB36X	254
RC733DHK	329, 332	RC863DHC	336, 340	RCA(A/B/C/D/E/F/G)F483621	160	RCB40T	253
RC733E(L/R)	312, 315	RC863DHK	335, 339	RCA(A/B/C/D/E/F/G)F483622	160	RCBDH24X	257
RC733F	311, 314	RC863DHO	335, 339	RCA(A/B/C/D/E/F/G)F484211	160	RCBDH28X	257
RC733G	311, 314	RCA363611	143	RCA(A/B/C/D/E/F/G)F484212	160	RCBDH36X	257
RC733H	310, 313	RCA363612	144	RCA(A/B/C/D/E/F/G)F484221	160	RCCDLA23672	145
RC733I	316	RCA363621	143	RCA(A/B/C/D/E/F/G)F484222	161	RCCDLA23678	145
RC733P	311, 314	RCA363622	144	RCA(A/B/C/D/E/F/G)F484811	160	RCCDLA23684	145
RC762B	310, 313	RCA364211	143	RCA(A/B/C/D/E/F/G)F484812	160	RCCDLA23696	145
RC762C	312, 315	RCA364212	144	RCA(A/B/C/D/E/F/G)F484821	160	RCCDLA33672	145
RC762D	315	RCA364221	143	RCA(A/B/C/D/E/F/G)F484822	161	RCCDLA33678	145
RC762DHB	329, 332	RCA364222	144	RCABT1417	433	RCCDLA33684	145
RC762DHD	333	RCA364811	143	RCABT2917	433	RCCDLA33696	145
RC762DHE(L/R)	331, 333	RCA364812	144	RCACR16	433	RCCDRA23672	145
RC762DHF	330, 334	RCA364821	143	RCACR30	433	RCCDRA23678	145
RC762DHG	330, 334	RCA364822	144	RCACR30H	433	RCCDRA23684	145
RC762DHC	329, 332	RCA423611	143	RCACR36	433	RCCDRA23696	145
RC762DHK	329, 332	RCA423612	144	RCACR36H	433	RCCDRA33672	145
RC762E(L/R)	312, 315	RCA423621	143	RCAS1620	433	RCCDRA33678	145
RC762F	311, 314	RCA423622	144	RCAS1624	433	RCCDRA33684	145
RC762G	311, 314	RCA424211	143	RCAS3015	433	RCCDRA33696	145
RC762H	310, 313	RCA424212	144	RCAS3020	433	RCD1021	199
RC762I	316	RCA424221	143	RCAS3024	433	RCD1022	199
RC762P	311, 314	RCA424222	144	RCAS3615	433	RCD1081	199
RC763B	310, 313	RCA424811	143	RCAS3620	433	RCD1082	199
RC763C	312, 315	RCA424812	144	RCAS3624	433	RCD3L6024K(A,B,W)	431
RC763D	315	RCA424821	143	RCASL	434	RCD3L8424K(A,B,W)	431
RC763DHB	329, 332	RCA424822	144	RCAWF363611	181	RCD3L9624K(A,B,W)	431
RC763DHD	333	RCA483611	143	RCAWF363612	181	RCD601	199
RC763DHE(L/R)	331, 333	RCA483612	144	RCAWF363621	181	RCD602	199
RC763DHF	330, 334	RCA483621	143	RCAWF363622	181	RCD661	199
RC763DHG	330, 334	RCA483622	144	RCAWF364211	181	RCD662	199
RC763DHC	329, 332	RCA484211	143	RCAWF364212	181	RCD6L7224K(A,B,W)	431
RC763DHK	329, 332	RCA484212	144	RCAWF364221	181	RCD6L9624K(A,B,W)	431
RC763E(L/R)	312, 315	RCA484221	143	RCAWF364222	181	RCD721	199
RC763F	311, 314	RCA484222	144	RCAWF364811	181	RCD722	199
RC763G	311, 314	RCA484811	143	RCAWF364812	181	RCD781	199
RC763H	310, 313	RCA484812	144	RCAWF364821	181	RCD782	199
RC763I	316	RCA484821	143	RCAWF364822	181	RCD841	199
RC763P	311, 314	RCA484822	144	RCAWF423611	181	RCD842	199
RC812DHDH(L/R)	341	RCA(A/B/C/D/E/F/G)F363611	160	RCAWF423612	181	RCD901	199
RC813DHDH(L/R)	341	RCA(A/B/C/D/E/F/G)F363612	160	RCAWF423621	181	RCD902	199
RC822DHDH(L/R)	341	RCA(A/B/C/D/E/F/G)F363621	160	RCAWF423622	181	RCD961	199
RC823DHDH(L/R)	341	RCA(A/B/C/D/E/F/G)F363622	160	RCAWF424211	181	RCD962	199
RC832DHB	338	RCA(A/B/C/D/E/F/G)F364211	160	RCAWF424212	181	RCDFMF60301	425
RC832DHDH	341	RCA(A/B/C/D/E/F/G)F364212	160	RCAWF424221	181	RCDFMF60302	425
RC832DHEH(L/R)	337, 341	RCA(A/B/C/D/E/F/G)F364221	160	RCAWF424222	181	RCDFMF60361	425
RC832DHF	336, 340	RCA(A/B/C/D/E/F/G)F364222	160	RCAWF424811	181	RCDFMF60362	425
RC832DHG	336, 340	RCA(A/B/C/D/E/F/G)F364811	160	RCAWF424812	181	RCDFMF72301	425
RC832DHC	336, 340						
RC832DHK	335, 339						
RC832DHO	335, 339						

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCDFMF72302	425	RCDQMR96302	424	RCE1R3624N	188	RCEEG662	198
RCDFMF72361	425	RCDQMR96361	424	RCE1R3630N	188	RCEEG721	198
RCDFMF72362	425	RCDQMR96362	424	RCE1R4224N	188	RCEEG722	198
RCDFMF84301	425	RCE1021	197	RCE1R4230N	188	RCEEG781	198
RCDFMF84302	425	RCE1022	197	RCE1R4824N	188	RCEEG782	198
RCDFMF84361	425	RCE1081	197	RCE1R4830N	188	RCEEG841	198
RCDFMF84362	425	RCE1082	197	RCE1R5424N	188	RCEEG842	198
RCDFMF96301	425	RCE1BD6648D(L/R)	189	RCE1R5430N	188	RCEEG901	198
RCDFMF96302	425	RCE1BD6648S(L/R)	189	RCE1R6024N	188	RCEEG902	198
RCDFMF96361	425	RCE1BD7248D(L/R)	189	RCE1R6030N	188	RCEEG961	198
RCDFMF96362	425	RCE1BD7248S(L/R)	189	RCE1R6624N	188	RCEEG962	198
RCDFMR60301	422	RCE1BD7848D(L/R)	189	RCE1R6630N	188	RCFS4912C(L/R)M	342
RCDFMR60302	422	RCE1BD7848S(L/R)	189	RCE1R7224N	188	RCFS4912C(L/R)W	348
RCDFMR60361	422	RCE1BD8448D(L/R)	189	RCE1R7230N	188	RCFS4912Y(L/R)M	342
RCDFMR60362	422	RCE1BD8448S(L/R)	189	RCE1R7824N	188	RCFS4912Y(L/R)W	348
RCDFMR72301	422	RCE1CR24L	192	RCE1R7830N	188	RCFS4912Z(L/R)M	342
RCDFMR72302	422	RCE1CR24N	192	RCE1R8424N	188	RCFS4912Z(L/R)W	348
RCDFMR72361	422	RCE1CR24R	192	RCE1R8430N	188	RCFS4913C(L/R)M	342
RCDFMR72362	422	RCE1H4818	192	RCE1R9024N	188	RCFS4913C(L/R)W	348
RCDFMR84301	422	RCE1H4818P	192	RCE1R9030N	188	RCFS4913Y(L/R)M	342
RCDFMR84302	422	RCE1H6024	192	RCE1R9624N	188	RCFS4913Y(L/R)W	348
RCDFMR84361	422	RCE1H6024P	192	RCE1R9630N	188	RCFS4913Z(L/R)M	342
RCDFMR84362	422	RCE1L3636SSN	190	RCE1W362430N	193	RCFS4913Z(L/R)W	348
RCDFMR96301	422	RCE1L4242DSN	190	RCE1W363024N	193	RCFS4932V(L/R)M	342
RCDFMR96302	422	RCE1L4242SDN	190	RCE1W422430N	193	RCFS4932V(L/R)W	348
RCDFMR96361	422	RCE1L4242SSN	190	RCE1W423024N	193	RCFS4932W(L/R)M	343
RCDFMR96362	422	RCE1L4260SSN	191	RCE1W482430N	193	RCFS4932W(L/R)W	349
RCDHB	256	RCE1L4266SSN	191	RCE1W483024N	193	RCFS4932X(L/R)M	343
RCDHB20T	256	RCE1L4272SSN	191	RCE1W722430N	193	RCFS4932X(L/R)W	349
RCDHB24T	256	RCE1L4278SSN	191	RCE1W723024N	193	RCFS4933V(L/R)M	342
RCDHB30T	256	RCE1L4848DDN	190	RCE601	197	RCFS4933V(L/R)W	348
RCDHB40T	256	RCE1L4848DSN	190	RCE602	197	RCFS4933W(L/R)M	343
RCDHMR60301	423	RCE1L4848SDN	190	RCE661	197	RCFS4933W(L/R)W	349
RCDHMR60302	423	RCE1L4848SSN	190	RCE662	197	RCFS4933X(L/R)M	343
RCDHMR60361	423	RCE1L4860DSN	191	RCE721	197	RCFS4933X(L/R)W	349
RCDHMR60362	423	RCE1L4860SDN	191	RCE722	197	RCFS6412C(L/R)M	344
RCDHMR72301	423	RCE1L4860SSN	191	RCE781	197	RCFS6412C(L/R)W	350
RCDHMR72302	423	RCE1L4866DSN	191	RCE782	197	RCFS6412Y(L/R)M	344
RCDHMR72361	423	RCE1L4866SDN	191	RCE841	197	RCFS6412Y(L/R)W	350
RCDHMR72362	423	RCE1L4866SSN	191	RCE842	197	RCFS6412Z(L/R)M	344
RCDHMR84301	423	RCE1L4872DSN	191	RCE901	197	RCFS6412Z(L/R)W	350
RCDHMR84302	423	RCE1L4872SDN	191	RCE902	197	RCFS6413C(L/R)M	344
RCDHMR84361	423	RCE1L4872SSN	191	RCE961	197	RCFS6413C(L/R)W	350
RCDHMR84362	423	RCE1L4878SSN	191	RCE962	197	RCFS6413Y(L/R)M	344
RCDHMR96301	423	RCE1L4884SSN	191	RCEAL223660	146	RCFS6413Y(L/R)W	350
RCDHMR96302	423	RCE1L6042SSN	191	RCEAL223672	146	RCFS6413Z(L/R)M	344
RCDHMR96361	423	RCE1L6048DSN	191	RCEAL224260	146	RCFS6413Z(L/R)W	350
RCDHMR96362	423	RCE1L6048SDN	191	RCEAL224272	146	RCFS6432V(L/R)M	345
RCDP6024K(A,B,W)	431	RCE1L6048SSN	191	RCEAL224872	146	RCFS6432V(L/R)W	351
RCDP7224K(A,B,W)	431	RCE1L6642SSN	191	RCEAL224884	146	RCFS6432W(L/R)M	345
RCDP8424K(A,B,W)	431	RCE1L6648DSN	191	RCEAL224896	146	RCFS6432W(L/R)W	351
RCDP9624K(A,B,W)	431	RCE1L6648SDN	191	RCEAR223660	146	RCFS6432X(L/R)M	345
RCDQMR60301	424	RCE1L6648SSN	191	RCEAR223672	146	RCFS6432X(L/R)W	351
RCDQMR60302	424	RCE1L7242SSN	191	RCEAR224260	146	RCFS6433V(L/R)M	345
RCDQMR60361	424	RCE1L7248DSN	191	RCEAR224272	146	RCFS6433V(L/R)W	351
RCDQMR60362	424	RCE1L7248SDN	191	RCEAR224872	146	RCFS6433W(L/R)M	345
RCDQMR72301	424	RCE1L7248SSN	191	RCEAR224884	146	RCFS6433W(L/R)W	351
RCDQMR72302	424	RCE1L7842SSN	191	RCEAR224896	146	RCFS6433X(L/R)M	345
RCDQMR72361	424	RCE1L7848SSN	191	RCEEG1021	198	RCFS6433X(L/R)W	351
RCDQMR72362	424	RCE1L8448SSN	191	RCEEG1022	198	RCFS6812C(L/R)M	346
RCDQMR84301	424	RCE1R1212G	434	RCEEG1081	198	RCFS6812C(L/R)W	352
RCDQMR84302	424	RCE1R2424N	188	RCEEG1082	198	RCFS6812Y(L/R)M	346
RCDQMR84361	424	RCE1R2430N	188	RCEEG601	198	RCFS6812Y(L/R)W	352
RCDQMR84362	424	RCE1R3024N	188	RCEEG602	198	RCFS6812Z(L/R)M	346
RCDQMR96301	424	RCE1R3030N	188	RCEEG661	198	RCFS6812Z(L/R)W	352

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCFS6813C(L/R)M	346	RDHMH8414	262	RDHMR7812	260	RDTAHG6156(L/R)	360
RCFS6813C(L/R)W	352	RDHMH8420	263	RDHMR7820	259	RDTAHW3142(L/R)	360
RCFS6813Y(L/R)M	346	RDHMH8422	262	RDHMR7822	260	RDTAHW3156(L/R)	360
RCFS6813Y(L/R)W	352	RDHMH8423	262	RDHMR7830	259	RDTAHW6142(L/R)	360
RCFS6813Z(L/R)M	346	RDHMH8424	262	RDHMR7840	259	RDTAHW6156(L/R)	360
RCFS6813Z(L/R)W	352	RDHMH8430	263	RDHMR8410	259	RDTCE3010	502
RCFS6832V(L/R)M	347	RDHMH8440	263	RDHMR8411	260	RDTCE3610	502
RCFS6832V(L/R)W	353	RDHMH9010	263	RDHMR8412	260	RDTCE6010	502
RCFS6832W(L/R)M	347	RDHMH9011	262	RDHMR8414	260	RDTCE7210	502
RCFS6832W(L/R)W	353	RDHMH9012	262	RDHMR8420	259	RDTCE22120	437
RCFS6832X(L/R)M	347	RDHMH9013	262	RDHMR8422	260	RDTCE2272	437
RCFS6832X(L/R)W	353	RDHMH9014	262	RDHMR8423	260	RDTCE22H	437
RCFS6833V(L/R)M	347	RDHMH9020	263	RDHMR8430	259	RDTCE33120	437
RCFS6833V(L/R)W	353	RDHMH9022	262	RDHMR8440	259	RDTCE3372	437
RCFS6833W(L/R)M	347	RDHMH9023	262	RDHMR9010	259	RDTCE33H	437
RCFS6833W(L/R)W	353	RDHMH9024	262	RDHMR9011	260	RDTCE6010	502
RCFS6833X(L/R)M	347	RDHMH9030	263	RDHMR9012	260	RDTCE7210	502
RCFS6833X(L/R)W	353	RDHMH9033	262	RDHMR9013	260	RDTDBW3142	357
RCOUNTWT	275, 276, 285, 293	RDHMH9040	263	RDHMR9014	260	RDTDBW3156	357
RCP41-(F/L1/2/3)*	113	RDHMH9610	263	RDHMR9020	259	RDTDBW6142	357
RCP56-(F/L1/2/3)*	113	RDHMH9611	262	RDHMR9022	260	RDTDBW6156	357
RCP71-(F/L1/2/3)*	113	RDHMH9612	262	RDHMR9023	260	RDTDCFM(L/R)5430	230
RCP78-(F/L1/2/3)*	113	RDHMH9613	262	RDHMR9024	260	RDTDCFM(L/R)5436	230
RCS3L6024K(A,B,W)	429	RDHMH9614	262	RDHMR9030	259	RDTDCFM(L/R)6030	230
RCS3L7224K(A,B,W)	429	RDHMH9620	263	RDHMR9040	259	RDTDCFM(L/R)6036	230
RCS3L8424K(A,B,W)	429	RDHMH9622	262	RDHMR9610	259	RDTDCFM(L/R)6630	230
RCS3L9624K(A,B,W)	429	RDHMH9623	262	RDHMR9611	260	RDTDCFM(L/R)6636	230
RCS6L6024K(A,B,W)	429	RDHMH9624	262	RDHMR9612	260	RDTDCFM(L/R)7230	230
RCS6L7224K(A,B,W)	429	RDHMH9630	263	RDHMR9613	260	RDTDCFM(L/R)7236	230
RCS6L8424K(A,B,W)	429	RDHMH9633	262	RDHMR9614	260	RDTDCFM(L/R)7830	230
RCS6L9624K(A,B,W)	429	RDHMH9640	263	RDHMR9620	259	RDTDCFM(L/R)7836	230
RCSF6024K(A,B,W)	429	RDHMLD	285	RDHMR9622	260	RDTDCFM(L/R)8430	230
RCSP7224K(A,B,W)	429	RDHMR10210	259	RDHMR9623	260	RDTDCFM(L/R)8436	230
RCSP8424K(A,B,W)	429	RDHMR10211	260	RDHMR9624	260	RDTDCPC(L/R)6630	228
RCSP9624K(A,B,W)	429	RDHMR10212	260	RDHMR9630	259	RDTDCPC(L/R)6636	228
RDDP6030JK(A,B,W)	427	RDHMR10213	260	RDHMR9633	260	RDTDCPC(L/R)7230	228
RDDP6036JK(A,B,W)	427	RDHMR10214	260	RDHMR9640	259	RDTDCPC(L/R)7236	228
RDDP7230JK(A,B,W)	427	RDHMR10220	259	RDHPM26	264	RDTDCPC(L/R)7830	228
RDDP7236JK(A,B,W)	427	RDHMR10222	260	RDHPM32	264	RDTDCPC(L/R)7836	228
RDDP8430JK(A,B,W)	427	RDHMR10223	260	RDHPM38	264	RDTDCPC(L/R)8430	228
RDDP8436JK(A,B,W)	427	RDHMR10224	260	RDHPM44	264	RDTDCPC(L/R)8436	228
RDDP9630JK(A,B,W)	427	RDHMR10230	259	RDHPM50	264	RDTDCPC(L/R)9030	228
RDDP9636JK(A,B,W)	427	RDHMR10233	260	RDHPM56	264	RDTDCPC(L/R)9036	228
RDHMBD	285	RDHMR10240	259	RDHPM62	264	RDTDCPC(L/R)9630	228
RDHMGD	285	RDHMR10810	259	RDHPM68	264	RDTDCPC(L/R)9636	228
RDHMH7210	263	RDHMR10811	261	RDHPM74	264	RDTDCST(L/R)6630	229
RDHMH7211	262	RDHMR10812	261	RDSP6030J(A,B,W)	426	RDTDCST(L/R)6636	229
RDHMH7212	262	RDHMR10813	261	RDSP6036J(A,B,W)	426	RDTDCST(L/R)7230	229
RDHMH7220	263	RDHMR10814	261	RDSP7230J(A,B,W)	426	RDTDCST(L/R)7236	229
RDHMH7222	262	RDHMR10820	259	RDSP7236J(A,B,W)	426	RDTDCST(L/R)7830	229
RDHMH7230	263	RDHMR10822	261	RDSP8430J(A,B,W)	426	RDTDCST(L/R)7836	229
RDHMH7240	263	RDHMR10823	261	RDSP8436J(A,B,W)	426	RDTDCST(L/R)8430	229
RDHMH7810	263	RDHMR10824	261	RDSP9630J(A,B,W)	426	RDTDCST(L/R)8436	229
RDHMH7811	262	RDHMR10830	259	RDSP9636J(A,B,W)	426	RDTDCST(L/R)9030	229
RDHMH7812	262	RDHMR10833	260	RDTAGG3142(L/R)	359	RDTDCST(L/R)9036	229
RDHMH7813	262	RDHMR10840	259	RDTAGG3156(L/R)	359	RDTDCST(L/R)9630	229
RDHMH7820	263	RDHMR7210	259	RDTAGG6142(L/R)	359	RDTDCST(L/R)9636	229
RDHMH7822	262	RDHMR7211	260	RDTAGG6156(L/R)	359	RDTDCW3142	359
RDHMH7823	262	RDHMR7212	260	RDTAGW3142(L/R)	359	RDTDCW3156	359
RDHMH7830	263	RDHMR7220	259	RDTAGW3156(L/R)	359	RDTDCW6142	359
RDHMH7840	263	RDHMR7222	260	RDTAGW6142(L/R)	359	RDTDCW6156	359
RDHMH8410	263	RDHMR7230	259	RDTAGW6156(L/R)	359	RDTDHW3142	358
RDHMH8411	262	RDHMR7240	259	RDTAHC3142(L/R)	360	RDTDHW3156	358
RDHMH8412	262	RDHMR7810	259	RDTAHC3156(L/R)	360	RDTDHW6142	358
RDHMH8413	262	RDHMR7811	260	RDTAHC6142(L/R)	360	RDTDHW6156	358

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RDTE22120	437	RFTCWA2130	118	RGAL552	420	RHSCN15	117
RDTE2272	437	RFTCWA2136	118	RGAL553	420	RHSCN250	117
RDTE22H	437	RFTCWA2142	118	RGAL611	420	RHSCN70	117
RDTGA	437	RFTCWA2148	118	RGAL612	420	RIB24T	253
RDTGB	437	RFTCWA2518	119	RGAL613	420	RIB28X	254
RDTGC	437	RFTCWA2520	119	RGAL671	420	RIB32X	254
RDTSBWG142	354	RFTCWA2524	119	RGAL672	420	RIBDH24T	256
RDTSBWG156	354	RFTCWA2530	119	RGAL673	420	RIBDH28X	257
RDTSBWT142	354	RFTCWA2536	119	RGAL731	420	RIBDH32X	257
RDTSBWT156	354	RFTCWA2542	119	RGAL732	420	RIP1201	233
RDTSCWG142(L/R)	356	RFTCWA2548	119	RGAL733	420	RIP1202	234
RDTSCWG156(L/R)	356	RFTCWA3718	120	RGAL791	420	RIP1241	233
RDTSCWT142(L/R)	356	RFTCWA3720	120	RGAL792	420	RIP1242	234
RDTSCWT156(L/R)	356	RFTCWA3724	120	RGAL793	420	RIP1301	233
RDTSHWG142(L/R)	355	RFTCWA3730	120	RGAL851	420	RIP1302	234
RDTSHWG156(L/R)	355	RFTCWA3736	120	RGAL852	420	RIP1361	233
RDTSHWT142(L/R)	355	RFTCWA3742	120	RGAL853	420	RIP1362	234
RDTSHWT156(L/R)	355	RFTCWA3748	120	RGAL911	420	RIP0201	233
RDTSTE33120	438	RFTCWB2130	118	RGAL912	420	RIP0202	234
RDTSTE3372	438	RFTCWB2136	118	RGAL913	420	RIP0241	233
RDTSTE33H	438	RFTCWB2142	118	RGAL971	420	RIP0242	234
RE12F	249	RFTCWB2148	118	RGAL972	420	RIP0301	233
RE15F	249	RFTCWB2530	119	RGAL973	420	RIP0302	234
RE19F	249	RFTCWB2536	119	RGAR431	419	RIP0361	233
RE23F	249	RFTCWB2542	119	RGAR432	419	RIP0362	234
RE29F	249	RFTCWB2548	119	RGAR433	419	RIP0C201	233
RE30	249	RFTCWB3730	120	RGAR491	419	RIP0C202	234
RE36	249	RFTCWB3736	120	RGAR492	419	RIP0C241	233
REBA6030	149	RFTCWB3742	120	RGAR493	419	RIP0C242	234
REBA7242	149	RFTCWB3748	120	RGAR551	419	RIP0C301	233
REBA7848	149	RFTCWS21S	125	RGAR552	419	RIP0C302	234
REBA(A/B/C/D/E/F/G)A6030	166	RFTCWS25S	125	RGAR553	419	RIP0C361	233
REBA(A/B/C/D/E/F/G)A7242	166	RFTCWS37S	125	RGAR611	419	RIP0C362	234
REBA(A/B/C/D/E/F/G)A7848	166	RFTCWT (Pair)	125	RGAR612	419	RIPPEI202	219
REBAWA6030	185	RGAB421	418	RGAR613	419	RIPPEI242	219
REBAWA7242	185	RGAB481	418	RGAR671	419	RIPPEI302	219
REBAWA7848	185	RGAB541	418	RGAR672	419	RIPPEI362	219
REBH24	185	RGAB601	418	RGAR673	419	RIPPEO202	219
REBH30	185	RGAB661	418	RGAR731	419	RIPPEO242	219
REDH12F	251	RGAB721	418	RGAR732	419	RIPPEO302	219
REDH15F	251	RGAB781	418	RGAR733	419	RIPPEO362	219
REDH19F	251	RGAB841	418	RGAR791	419	RIPPEOC202	219
REDH23F	251	RGAB901	418	RGAR792	419	RIPPEOC242	219
REDH29F	251	RGAB961	418	RGAR793	419	RIPPEOC302	219
REDH30	251	RGAF622	418	RGAR851	419	RIPPEOC362	219
REDH36	251	RGAF623	418	RGAR852	419	RJB24	436
REDHBH124	252	RGAF682	418	RGAR853	419	RJB30	436
REDHBH130	252	RGAF683	418	RGAR911	419	RJB36	436
RFDR30	446	RGAF742	418	RGAR912	419	RJB42	436
RFDR36	446	RGAF743	418	RGAR913	419	RJB48	436
RFDR42	446	RGAF802	418	RGAR971	419	RJB54	436
RFDR48	446	RGAF803	418	RGAR972	419	RJB60	436
RFDR60	446	RGAF862	418	RGAR973	419	RJB66	436
RFDR72	446	RGAF863	418	RGMD6	133	RJB72	436
RFDR84	446	RGAF922	418	RGMD8	133	RJBW24	436
RFDR96	446	RGAF923	418	RGMDE	133	RJBW30	436
RFTCC108	125	RGAF982	418	RCS60	418	RJBW36	436
RFTCCLIPS	125	RGAF983	418	RGS66	418	RJBW42	436
RFTCDR (Pair)	125	RGAL431	420	RGS72	418	RJBW48	436
RFTCG1 (Pair)	125	RGAL432	420	RGS78	418	RJBW54	436
RFTCSM (Pair) for G2 only	125	RGAL433	420	RGS84	418	RJBW60	436
RFTCSPACE	125	RGAL491	420	RGS90	418	RJBW66	436
RFTCWA2118	118	RGAL492	420	RGS96	418	RJBW72	436
RFTCWA2120	118	RGAL493	420	RCTL4636	421	RKA 363611	139
RFTCWA2124	118	RGAL551	420	RCTR4636	421	RKA 363612	139



<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RKA 363621	140	RMBA(A/B/C/D/E/F/G)A8436	166	RMDAWF7230	182	ROAF84S0DH	374
RKA 363622	139	RMBA(A/B/C/D/E/F/G)A9630	166	RMDAWF7236	182	ROAF84S0()	366
RKA 364211	139	RMBA(A/B/C/D/E/F/G)A9636	166	RMDAWF7830	182	ROAF84S1DH	374
RKA 364212	139	RMBAWA7230	184	RMDAWF7836	182	ROAF84S1()	366
RKA 364221	140	RMBAWA7236	184	RMDAWF8430	182	ROAF96S0DH	374
RKA 364222	139	RMBAWA8430	184	RMDAWF8436	182	ROAF96S0()	366
RKA 364811	139	RMBAWA8436	184	RMDAWF9030	182	ROAF96S1DH	374
RKA 364812	139	RMBAWA9630	184	RMDAWF9036	182	ROAF96S1()	366
RKA 364821	140	RMBAWA9636	184	RMDAWF9630	182	ROAH60T0DH	373
RKA 364822	139	RMDA4221	147	RMDAWF9636	182	ROAH60T0()	366
RKA 423611	139	RMDA4230	147	RMPA4230	148	ROAH60T1DH	373
RKA 423612	139	RMDA4236	147	RMPA4836	148	ROAH60T1()	366
RKA 423621	140	RMDA4830	147	RMPA8430	149	ROAH72T0DH	373
RKA 423622	139	RMDA4836	147	RMPA9630	149	ROAH72T0()	366
RKA 424211	139	RMDA5025	147	RMPA(A/B/C/D/E/F/G)F4230	165	ROAH72T1DH	373
RKA 424212	139	RMDA5430	147	RMPA(A/B/C/D/E/F/G)F4836	165	ROAH72T1()	366
RKA 424221	140	RMDA5436	147	RMPA(A/B/C/D/E/F/G)F8430	165	ROAH90T0DH	373
RKA 424222	139	RMDA6030	147	RMPA(A/B/C/D/E/F/G)F9630	165	ROAH90T0()	366
RKA 424811	139	RMDA6036	147	RMPAWF4230	183	ROAH90T1DH	373
RKA 424812	139	RMDA6630	147	RMPAWF8430	183	ROAH90T1()	366
RKA 424821	140	RMDA6636	147	RMPAWF9630	183	ROAH96T0DH	373
RKA 424822	139	RMDA7230	147	RMPU	292	ROAH96T0()	366
RKA 483611	139	RMDA7236	147	RMSCB	245	ROAH96T1DH	373
RKA 483612	139	RMDA7830	147	RO1-CB	405	ROAH96T1()	366
RKA 483621	140	RMDA7836	147	RO1-HP12	400, 402, 403	ROAO60T0DH	373
RKA 483622	139	RMDA8430	147	RO1-HP15	400, 402, 403	ROAO60T0()	366
RKA 484211	139	RMDA8436	147	RO1-HP6	400, 402, 403	ROAO60T1DH	373
RKA 484212	139	RMDA9030	147	RO1-HP9	400, 402, 403	ROAO60T1()	366
RKA 484221	140	RMDA9036	147	RO1-PULL	405	ROAO72T0DH	373
RKA 484222	139	RMDA9630	147	RO1-RCB	404	ROAO72T0()	366
RKA 484811	139	RMDA9636	147	RO1-RPB	404	ROAO72T1DH	373
RKA 484812	139	RMDA(A/B/C/D/E/F/G)F4221	164	RO1-WMF2	405	ROAO72T1()	366
RKA 484821	140	RMDA(A/B/C/D/E/F/G)F4230	164	RO1-WMF3	405	ROAO90T0DH	373
RKA 484822	139	RMDA(A/B/C/D/E/F/G)F4236	164	RO1-WMF4	405	ROAO90T0()	366
RKBA1020	433	RMDA(A/B/C/D/E/F/G)F4830	164	RO3-M24	399	ROAO90T1DH	373
RKBA1022	433	RMDA(A/B/C/D/E/F/G)F4836	164	RO3-M30	399	ROAO90T1()	366
RKT31	433	RMDA(A/B/C/D/E/F/G)F5025	164	RO3-M36	399	ROAO96T0DH	373
RLCCT301	297	RMDA(A/B/C/D/E/F/G)F5430	164	RO3-M42	399	ROAO96T0()	366
RLCCT361	297	RMDA(A/B/C/D/E/F/G)F5436	164	RO3-M48	399	ROAO96T1DH	373
RLCCT601	297	RMDA(A/B/C/D/E/F/G)F6030	164	RO3-M60	399, 400	ROAO96T1()	366
RLCCT721	297	RMDA(A/B/C/D/E/F/G)F6036	164	RO3-M66	399, 400	ROBF60S0DH	376
RM111J	275, 276	RMDA(A/B/C/D/E/F/G)F6630	164	RO3-M72	399, 400	ROBF60S0()	367
RM112J	275, 276	RMDA(A/B/C/D/E/F/G)F6636	164	RO3-N24	401	ROBF60S1DH	376
RM212J	275, 276	RMDA(A/B/C/D/E/F/G)F7230	164	RO3-N30	401	ROBF60S1()	367
RM212K	275, 276	RMDA(A/B/C/D/E/F/G)F7236	164	RO3-N36	401	ROBF72S0DH	376
RM9A4230	148	RMDA(A/B/C/D/E/F/G)F7830	164	RO3-N42	401	ROBF72S0()	367
RM9A4836	148	RMDA(A/B/C/D/E/F/G)F7836	164	RO3-N48	401	ROBF72S1DH	376
RM9A8430	148	RMDA(A/B/C/D/E/F/G)F8430	164	RO3-N60	401	ROBF72S1()	367
RM9A9630	148	RMDA(A/B/C/D/E/F/G)F8436	164	RO3-N66	401	ROBF84S0DH	376
RM9A(A/B/C/D/E/F/G)F4230	165	RMDA(A/B/C/D/E/F/G)F9030	164	RO3-N72	401	ROBF84S0()	367
RM9A(A/B/C/D/E/F/G)F4836	165	RMDA(A/B/C/D/E/F/G)F9036	164	RO3-ON30	403	ROBF84S1DH	376
RM9A(A/B/C/D/E/F/G)F8430	165	RMDA(A/B/C/D/E/F/G)F9630	164	RO3-ON36	403	ROBF84S1()	367
RM9A(A/B/C/D/E/F/G)F9630	165	RMDA(A/B/C/D/E/F/G)F9636	164	RO3-ON42	403	ROBF96S0DH	376
RM9AWF4230	183	RMDAWF4221	182	RO3-ON48	403	ROBF96S0()	367
RM9AWF8430	183	RMDAWF4230	182	RO3-ON60	403	ROBF96S1DH	376
RM9AWF9630	183	RMDAWF4236	182	RO3-ON72	403	ROBF96S1()	367
RMB(A)7230	150	RMDAWF4830	182	RO3-VP	400, 403	ROBH60T0DH	375
RMB(A)7236	150	RMDAWF4836	182	ROAF60S0DH	374	ROBH60T0()	367
RMB(A)8430	150	RMDAWF5025	182	ROAF60S0()	366	ROBH60T1DH	375
RMB(A)8436	150	RMDAWF5430	182	ROAF60S1DH	374	ROBH60T1()	367
RMB(A)9630	150	RMDAWF5436	182	ROAF60S1()	366	ROBH72T0DH	375
RMB(A)9636	150	RMDAWF6030	182	ROAF72S0DH	374	ROBH72T0()	367
RMBA(A/B/C/D/E/F/G)A7230	166	RMDAWF6036	182	ROAF72S0()	366	ROBH72T1DH	375
RMBA(A/B/C/D/E/F/G)A7236	166	RMDAWF6630	182	ROAF72S1DH	374	ROBH72T1()	367
RMBA(A/B/C/D/E/F/G)A8430	166	RMDAWF6636	182	ROAF72S1()	366	ROBH90T0DH	375

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROBH90T0()	367	ROCGHCSHP661	386	ROCHCDHP721	394	ROCOCDHP901	396
ROBH90T1DH	375	ROCGHCSHP721	386	ROCHCDHP781	394	ROCOCDHP961	396
ROBH90T1()	367	ROCGHCSHP781	386	ROCHCDHP841	394	ROCOCSHP301	384
ROBH96T0DH	375	ROCGHCSHP841	386	ROCHCDHP901	394	ROCOCSHP361	384
ROBH96T0()	367	ROCGHCSHP901	386	ROCHCDHP961	394	ROCOCSHP421	384
ROBH96T1DH	375	ROCGHCSHP961	386	ROCHCSHP301	385	ROCOCSHP481	384
ROBH96T1()	367	ROCGHDHP301	395	ROCHCSHP361	385	ROCOCSHP541	384
ROBO60T0DH	375	ROCGHDHP361	395	ROCHCSHP421	385	ROCOCSHP601	384
ROBO60T0()	367	ROCGHDHP421	395	ROCHCSHP481	385	ROCOCSHP661	384
ROBO60T1DH	375	ROCGHDHP481	395	ROCHCSHP541	385	ROCOCSHP721	384
ROBO60T1()	367	ROCGHDHP541	395	ROCHCSHP601	385	ROCOCSHP781	384
ROBO72T0DH	375	ROCGHDHP601	395	ROCHCSHP661	385	ROCOCSHP841	384
ROBO72T0()	367	ROCGHDHP661	395	ROCHCSHP721	385	ROCOCSHP901	384
ROBO72T1DH	375	ROCGHDHP721	395	ROCHCSHP781	385	ROCOCSHP961	384
ROBO72T1()	367	ROCGHDHP781	395	ROCHCSHP841	385	ROHDR30	446
ROBO90T0DH	375	ROCGHDHP841	395	ROCHCSHP901	385	ROHDR36	446
ROBO90T0()	367	ROCGHDHP901	395	ROCHCSHP961	385	ROHDR42	446
ROBO90T1DH	375	ROCGHDHP961	395	ROCHDHP301	394	ROHDR48	446
ROBO90T1()	367	ROCGHOCDHP601	398	ROCHDHP361	394	ROHDR60	446
ROBO96T0DH	375	ROCGHOCDHP661	398	ROCHDHP421	394	ROHDR72	446
ROBO96T0()	367	ROCGHOCDHP721	398	ROCHDHP481	394	ROHDR90	446
ROBO96T1DH	375	ROCGHOCDHP781	398	ROCHDHP541	394	ROHDR96	446
ROBO96T1()	367	ROCGHOCDHP841	398	ROCHDHP601	394	ROMCCDHP301	391
ROCCGDHP301	396	ROCGHOCDHP901	398	ROCHDHP661	394	ROMCCDHP361	391
ROCCGDHP361	396	ROCGHOCDHP961	398	ROCHDHP721	394	ROMCCDHP421	391
ROCCGDHP421	396	ROCGHOCSHHP601	388	ROCHDHP781	394	ROMCCDHP481	391
ROCCGDHP481	396	ROCGHOCSHHP661	388	ROCHDHP841	394	ROMCCDHP541	391
ROCCGDHP541	396	ROCGHOCSHHP721	388	ROCHDHP901	394	ROMCCDHP601	391
ROCCGDHP601	396	ROCGHOCSHHP781	388	ROCHDHP961	394	ROMCCDHP661	391
ROCCGDHP661	396	ROCGHOCSHHP841	388	ROCHODHP601	397	ROMCCDHP721	391
ROCCGDHP721	396	ROCGHOCSHHP901	388	ROCHODHP661	397	ROMCCDHP781	391
ROCCGDHP781	396	ROCGHOCSHHP961	388	ROCHODHP721	397	ROMCCDHP841	391
ROCCGDHP841	396	ROCGHODHP601	398	ROCHODHP781	397	ROMCCDHP901	391
ROCCGDHP901	396	ROCGHODHP661	398	ROCHODHP841	397	ROMCCDHP961	391
ROCCGDHP961	396	ROCGHODHP721	398	ROCHODHP901	397	ROMCGSHHP301	379
ROCCGSHHP301	384	ROCGHODHP781	398	ROCHODHP961	397	ROMCGSHHP361	379
ROCCGSHHP361	384	ROCGHODHP841	398	ROCHOCSHHP601	387	ROMCGSHHP421	379
ROCCGSHHP421	384	ROCGHODHP901	398	ROCHOCSHHP661	387	ROMCGSHHP481	379
ROCCGSHHP481	384	ROCGHODHP961	398	ROCHOCSHHP721	387	ROMCGSHHP541	379
ROCCGSHHP541	384	ROCGHOSHHP601	388	ROCHOCSHHP781	387	ROMCGSHHP601	379
ROCCGSHHP601	384	ROCGHOSHHP661	388	ROCHOCSHHP841	387	ROMCGSHHP661	379
ROCCGSHHP661	384	ROCGHOSHHP721	388	ROCHOCSHHP901	387	ROMCGSHHP721	379
ROCCGSHHP721	384	ROCGHOSHHP781	388	ROCHOCSHHP961	387	ROMCGSHHP781	379
ROCCGSHHP781	384	ROCGHOSHHP841	388	ROCHSHP301	385	ROMCGSHHP841	379
ROCCGSHHP841	384	ROCGHOSHHP901	388	ROCHSHP361	385	ROMCGSHHP901	379
ROCCGSHHP901	384	ROCGHOSHHP961	388	ROCHSHP421	385	ROMCGSHHP961	379
ROCCGSHHP961	384	ROCGHSHHP301	386	ROCHSHP481	385	ROMDHMTF130RB	442
ROCGHCDHP301	395	ROCGHSHHP361	386	ROCHSHP541	385	ROMDHMTF130RL	442
ROCGHCDHP361	395	ROCGHSHHP421	386	ROCHSHP601	385	ROMDHMTF130RN	442
ROCGHCDHP421	395	ROCGHSHHP481	386	ROCHSHP661	385	ROMDHMTF130RR	443
ROCGHCDHP481	395	ROCGHSHHP541	386	ROCHSHP721	385	ROMDHMTF136RB	442
ROCGHCDHP541	395	ROCGHSHHP601	386	ROCHSHP781	385	ROMDHMTF136RL	442
ROCGHCDHP601	395	ROCGHSHHP661	386	ROCHSHP841	385	ROMDHMTF136RN	442
ROCGHCDHP661	395	ROCGHSHHP721	386	ROCHSHP901	385	ROMDHMTF136RR	443
ROCGHCDHP721	395	ROCGHSHHP781	386	ROCHSHP961	385	ROMDHMTF142RB	442
ROCGHCDHP781	395	ROCGHSHHP841	386	ROCOCDHP301	396	ROMDHMTF142RL	442
ROCGHCDHP841	395	ROCGHSHHP901	386	ROCOCDHP361	396	ROMDHMTF142RN	442
ROCGHCDHP901	395	ROCGHSHHP961	386	ROCOCDHP421	396	ROMDHMTF142RR	443
ROCGHCDHP961	395	ROCHCDHP301	394	ROCOCDHP481	396	ROMDHMTF148RB	442
ROCGHCSHP301	386	ROCHCDHP361	394	ROCOCDHP541	396	ROMDHMTF148RL	442
ROCGHCSHP361	386	ROCHCDHP421	394	ROCOCDHP601	396	ROMDHMTF148RN	442
ROCGHCSHP421	386	ROCHCDHP481	394	ROCOCDHP661	396	ROMDHMTF148RR	443
ROCGHCSHP481	386	ROCHCDHP541	394	ROCOCDHP721	396	ROMDHMTF154RB	442
ROCGHCSHP541	386	ROCHCDHP601	394	ROCOCDHP781	396	ROMDHMTF154RL	442
ROCGHCSHP601	386	ROCHCDHP661	394	ROCOCDHP841	396	ROMDHMTF154RN	442



<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROMDHMTF154RR	443	ROMDHWTF184RB	444	ROMGHOCSDHP841	383	ROMHDHP781	389
ROMDHMTF160RB	442	ROMDHWTF184RL	444	ROMGHOCSDHP901	383	ROMHDHP841	389
ROMDHMTF160RL	442	ROMDHWTF184RN	444	ROMGHOCSDHP961	383	ROMHDHP901	389
ROMDHMTF160RN	442	ROMDHWTF184RR	445	ROMGHODHP601	393	ROMHDHP961	389
ROMDHMTF160RR	443	ROMDHWTF190RB	444	ROMGHODHP661	393	ROMHOCSDHP601	392
ROMDHMTF166RB	442	ROMDHWTF190RL	444	ROMGHODHP721	393	ROMHOCSDHP661	392
ROMDHMTF166RL	442	ROMDHWTF190RN	444	ROMGHODHP781	393	ROMHOCSDHP721	392
ROMDHMTF166RN	442	ROMDHWTF190RR	445	ROMGHODHP841	393	ROMHOCSDHP781	392
ROMDHMTF166RR	443	ROMDHWTF196RB	444	ROMGHODHP901	393	ROMHOCSDHP841	392
ROMDHMTF172RB	442	ROMDHWTF196RL	444	ROMGHODHP961	393	ROMHOCSDHP901	392
ROMDHMTF172RL	442	ROMDHWTF196RN	444	ROMGHOSHHP601	383	ROMHOCSDHP961	392
ROMDHMTF172RN	442	ROMDHWTF196RR	445	ROMGHOSHHP661	383	ROMHOCSDHP601	382
ROMDHMTF172RR	443	ROMF30S0()	361	ROMGHOSHHP721	383	ROMHOCSDHP661	382
ROMDHMTF178RB	442	ROMF36S0()	361	ROMGHOSHHP781	383	ROMHOCSDHP721	382
ROMDHMTF178RL	442	ROMF42S0()	361	ROMGHOSHHP841	383	ROMHOCSDHP781	382
ROMDHMTF178RN	442	ROMF48S0()	361	ROMGHOSHHP901	383	ROMHOCSDHP841	382
ROMDHMTF178RR	443	ROMF60S0()	361	ROMGHOSHHP961	383	ROMHOCSDHP901	382
ROMDHMTF184RB	442	ROMF72S0()	361	ROMGHSHP301	381	ROMHOCSDHP961	382
ROMDHMTF184RL	442	ROMGHCDHP301	390	ROMGHSHP361	381	ROMHSHP301	380
ROMDHMTF184RN	442	ROMGHCDHP361	390	ROMGHSHP421	381	ROMHSHP361	380
ROMDHMTF184RR	443	ROMGHCDHP421	390	ROMGHSHP481	381	ROMHSHP421	380
ROMDHMTF190RB	442	ROMGHCDHP481	390	ROMGHSHP541	381	ROMHSHP481	380
ROMDHMTF190RL	442	ROMGHCDHP541	390	ROMGHSHP601	381	ROMHSHP541	380
ROMDHMTF190RN	442	ROMGHCDHP601	390	ROMGHSHP661	381	ROMHSHP601	380
ROMDHMTF190RR	443	ROMGHCDHP661	390	ROMGHSHP721	381	ROMHSHP661	380
ROMDHMTF196RB	442	ROMGHCDHP721	390	ROMGHSHP781	381	ROMHSHP721	380
ROMDHMTF196RL	442	ROMGHCDHP781	390	ROMGHSHP841	381	ROMHSHP781	380
ROMDHMTF196RN	442	ROMGHCDHP841	390	ROMGHSHP901	381	ROMHSHP841	380
ROMDHMTF196RR	443	ROMGHCDHP901	390	ROMGHSHP961	381	ROMHSHP901	380
ROMDHWTF130RB	444	ROMGHCDHP961	390	ROMH30S0()	361	ROMHSHP961	380
ROMDHWTF130RL	444	ROMGHCSHP301	381	ROMH36S0()	361	ROMO30S0()	361
ROMDHWTF130RN	444	ROMGHCSHP361	381	ROMH60S0()	361	ROMO36S0()	361
ROMDHWTF130RR	445	ROMGHCSHP421	381	ROMH72S0()	361	ROMO42S0()	361
ROMDHWTF136RB	444	ROMGHCSHP481	381	ROMHCDHP301	389	ROMO48S0()	361
ROMDHWTF136RL	444	ROMGHCSHP541	381	ROMHCDHP361	389	ROMO60S0()	361
ROMDHWTF136RN	444	ROMGHCSHP601	381	ROMHCDHP421	389	ROMO72S0()	361
ROMDHWTF136RR	445	ROMGHCSHP661	381	ROMHCDHP481	389	ROMOCDHP301	391
ROMDHWTF142RB	444	ROMGHCSHP721	381	ROMHCDHP541	389	ROMOCDHP361	391
ROMDHWTF142RL	444	ROMGHCSHP781	381	ROMHCDHP601	389	ROMOCDHP421	391
ROMDHWTF142RN	444	ROMGHCSHP841	381	ROMHCDHP661	389	ROMOCDHP481	391
ROMDHWTF142RR	445	ROMGHCSHP901	381	ROMHCDHP721	389	ROMOCDHP541	391
ROMDHWTF148RB	444	ROMGHCSHP961	381	ROMHCDHP781	389	ROMOCDHP601	391
ROMDHWTF148RL	444	ROMGHDHP301	390	ROMHCDHP841	389	ROMOCDHP661	391
ROMDHWTF148RN	444	ROMGHDHP361	390	ROMHCDHP901	389	ROMOCDHP721	391
ROMDHWTF148RR	445	ROMGHDHP421	390	ROMHCDHP961	389	ROMOCDHP781	391
ROMDHWTF154RB	444	ROMGHDHP481	390	ROMHCSHP301	380	ROMOCDHP841	391
ROMDHWTF154RL	444	ROMGHDHP541	390	ROMHCSHP361	380	ROMOCDHP901	391
ROMDHWTF154RN	444	ROMGHDHP601	390	ROMHCSHP421	380	ROMOCDHP961	391
ROMDHWTF154RR	445	ROMGHDHP661	390	ROMHCSHP481	380	ROMOCSHP301	379
ROMDHWTF160RB	444	ROMGHDHP721	390	ROMHCSHP541	380	ROMOCSHP361	379
ROMDHWTF160RL	444	ROMGHDHP781	390	ROMHCSHP601	380	ROMOCSHP421	379
ROMDHWTF160RN	444	ROMGHDHP841	390	ROMHCSHP661	380	ROMOCSHP481	379
ROMDHWTF160RR	445	ROMGHDHP901	390	ROMHCSHP721	380	ROMOCSHP541	379
ROMDHWTF166RB	444	ROMGHDHP961	390	ROMHCSHP781	380	ROMOCSHP601	379
ROMDHWTF166RL	444	ROMGHOCSDHP601	393	ROMHCSHP841	380	ROMOCSHP661	379
ROMDHWTF166RN	444	ROMGHOCSDHP661	393	ROMHCSHP901	380	ROMOCSHP721	379
ROMDHWTF166RR	445	ROMGHOCSDHP721	393	ROMHCSHP961	380	ROMOCSHP781	379
ROMDHWTF172RB	444	ROMGHOCSDHP781	393	ROMHDHP301	389	ROMOCSHP841	379
ROMDHWTF172RL	444	ROMGHOCSDHP841	393	ROMHDHP361	389	ROMOCSHP901	379
ROMDHWTF172RN	444	ROMGHOCSDHP901	393	ROMHDHP421	389	ROMOCSHP961	379
ROMDHWTF172RR	445	ROMGHOCSDHP961	393	ROMHDHP481	389	ROPF30SOJ	363
ROMDHWTF178RB	444	ROMGHOCSDHP601	383	ROMHDHP541	389	ROPF36SOJ	363
ROMDHWTF178RL	444	ROMGHOCSDHP661	383	ROMHDHP601	389	ROPF42SOJ	363
ROMDHWTF178RN	444	ROMGHOCSDHP721	383	ROMHDHP661	389	ROPF48SOJ	363
ROMDHWTF178RR	445	ROMGHOCSDHP781	383	ROMHDHP721	389	ROPF60SOJ	363

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROPF72S0J	363	ROWH96S1DH	371	RP212K	265, 268	RPAHFB36	439
ROPF84S0J	363	ROWH96S1( )	364	RP212L(L/R)	271, 273	RPAHFM162	440
ROPF96S0J	363	ROWH96T0DH	371	RP212M	271, 273	RPAHFM30	440
ROPH30S0( )	362	ROWH96T0( )	364	RP213J	265, 268	RPAHFM36	440
ROPH36S0( )	362	ROWH96T1DH	371	RP213K	265, 268	RPAPT	440
ROPH60S0( )	362	ROWH96T1( )	364	RP213L(L/R)	271, 273	RPB211J	266, 269
ROPH60T0( )	362	ROWO60S0DH	370	RP213M	271, 273	RPB211K	266, 269
ROPH72S0( )	362	ROWO60S0( )	364	RP221J	267, 270	RPB211L(L/R)	272, 274
ROPH72T0( )	362	ROWO60S1DH	370	RP221K	267, 270	RPB211M	272, 274
ROPH90S0( )	362	ROWO60S1( )	364	RP222J	267, 270	RPB212J	266, 269
ROPH90T0( )	362	ROWO60T0DH	370	RP222K	267, 270	RPB212K	266, 269
ROPH96S0( )	362	ROWO60T0( )	364	RP223J	267, 270	RPB212L(L/R)	272, 274
ROPH96T0( )	362	ROWO60T1DH	370	RP223K	267, 270	RPB212M	272, 274
ROPO30S0( )	362	ROWO60T1( )	364	RP231K	265, 268	RPB213J	266, 269
ROPO36S0( )	362	ROWO72S0DH	370	RP231L	271, 273	RPB213K	266, 269
ROPO42S0( )	362	ROWO72S0( )	364	RP231M	271, 273	RPB213L(L/R)	272, 274
ROPO48S0( )	362	ROWO72S1DH	370	RP232K	265, 268	RPB213M	272, 274
ROPO60S0( )	362	ROWO72S1( )	364	RP232L	271, 273	RPB231K	266, 269
ROPO60T0( )	362	ROWO72T0DH	370	RP232M	271, 273	RPB231L	272, 274
ROPO72S0( )	362	ROWO72T0( )	364	RP261K	265, 268	RPB231M	272, 274
ROPO72T0( )	362	ROWO72T1DH	370	RP261L	271, 273	RPB232K	266, 269
ROPO90S0( )	362	ROWO72T1( )	364	RP261M	271, 273	RPB232L	272, 274
ROPO90T0( )	362	ROWO90S0DH	370	RP262K	265, 268	RPB232M	272, 274
ROPO96S0( )	362	ROWO90S0( )	364	RP262L	271, 273	RPB261K	266, 269
ROPO96T0( )	362	ROWO90S1DH	370	RP262M	271, 273	RPB261L	272, 274
ROPS30S0NN	363	ROWO90S1( )	364	RP301A	289	RPB261M	272, 274
ROPS36S0NN	363	ROWO90T0DH	370	RP301E(L/R)	290	RPB262K	266, 269
ROPS42S0NN	363	ROWO90T0( )	364	RP301K	277, 279	RPB262L	272, 274
ROPS48S0NN	363	ROWO90T1DH	370	RP301L	281, 282	RPB262M	272, 274
ROPS54S0NN	363	ROWO90T1( )	364	RP301M	281, 282	RPCB16	291
ROPS60S0NN	363	ROWO96S0DH	370	RP301R	286, 287	RPCB19	291
ROPS66S0NN	363	ROWO96S0( )	364	RP301S	286, 287	RPCB30	291
ROPS72S0NN	363	ROWO96S1DH	370	RP301T	286, 287	RPCB36	291
ROPS78S0NN	363	ROWO96S1( )	364	RP302A	289	RPCG	437
ROPS84S0NN	363	ROWO96T0DH	370	RP302E(L/R)	290	RPCST	437
ROPS90S0NN	363	ROWO96T0( )	364	RP302K	277, 279	RPD11	440
ROPS96S0NN	363	ROWO96T1DH	370	RP302L	281, 282	RPD14	440
ROSDH821	398	ROWO96T1( )	364	RP302M	281, 282	RPDH301A	283
ROSSH681	398	RP161J	277, 279	RP302R	286, 287	RPDH301E(L/R )	284
ROWH60S0DH	371	RP161K	277, 279	RP302S	286, 287	RPDH302A	283
ROWH60S0( )	364	RP161L(L/R)	281, 282	RP302T	286, 287	RPDH302E(L/R )	284
ROWH60S1DH	371	RP161M	281, 282	RP361A	289	RPDH361A	283
ROWH60S1( )	364	RP161R	286, 287	RP361E(L/R)	290	RPDH361E(L/R )	284
ROWH60T0DH	371	RP162J	277, 279	RP361K	277, 279	RPDH362A	283
ROWH60T0( )	364	RP162K	277, 279	RP361L	281, 282	RPDH362E(L/R )	284
ROWH60T1DH	371	RP162L(L/R)	281, 282	RP361M	281, 282	RPDHB16	282
ROWH60T1( )	364	RP162M	281, 282	RP361R	286, 287	RPDHB19	282
ROWH72S0DH	371	RP162R	286, 287	RP361S	286, 287	RPDHB30	282
ROWH72S0( )	364	RP163J	277, 279	RP361T	286, 287	RPDHB36	282
ROWH72S1DH	371	RP163K	277, 279	RP362A	289	RPDHBFB6	291
ROWH72S1( )	364	RP163L(L/R)	281, 282	RP362E(L/R)	290	RPDHC42MF	291
ROWH72T0DH	371	RP163M	281, 282	RP362K	277, 279	RPDHC48MF	291
ROWH72T0( )	364	RP191J	278, 280	RP362L	281, 282	RPDHC54MF	291
ROWH72T1DH	371	RP191K	278, 280	RP362M	281, 282	RPDHC60MF	291
ROWH72T1( )	364	RP191R	286, 287	RP362R	286, 287	RPDHC66MF	291
ROWH90S0DH	371	RP192J	278, 280	RP362S	286, 287	RPDHC72MF	291
ROWH90S0( )	364	RP192K	278, 280	RP362T	286, 287	RPDHC78MF	291
ROWH90S1DH	371	RP192R	286, 287	RPAB16	276	RPDHC84MF	291
ROWH90S1( )	364	RP193J	278, 280	RPAB19	276	RPDHC90MF	291
ROWH90T0DH	371	RP193K	278, 280	RPAB30	276	RPDHC96MF	291
ROWH90T0( )	364	RP211J	265, 268	RPAB36	276	RPDHH301A	283
ROWH90T1DH	371	RP211K	265, 268	RPAD	433	RPDHH302A	283
ROWH90T1( )	364	RP211L(L/R)	271, 273	RPADSS	439	RPDHH361A	283
ROWH96S0DH	371	RP211M	271, 273	RPAHFB16	439	RPDHH362A	283
ROWH96S0( )	364	RP212J	265, 268	RPAHFB30	439	RPECC10	533

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPEDK1	532	RPTDEFM(L/R)6036	223	RPTDLFM(L/R)6020	209	RPTDOFM(L/R)5424	218
RPEDK2	532	RPTDEFM(L/R)6620	222	RPTDLFM(L/R)6024	209	RPTDOFM(L/R)5430	218
RPEHC	532	RPTDEFM(L/R)6624	222	RPTDLFM(L/R)6030	209	RPTDOFM(L/R)5436	218
RPEJ12	532	RPTDEFM(L/R)6630	223	RPTDLFM(L/R)6036	209	RPTDOFM(L/R)6020	218
RPEJ24	532	RPTDEFM(L/R)6636	223	RPTDLFM(L/R)6620	209	RPTDOFM(L/R)6024	218
RPEJ36	532	RPTDEFM(L/R)7220	222	RPTDLFM(L/R)6624	209	RPTDOFM(L/R)6030	218
RPEJ48	532	RPTDEFM(L/R)7224	222	RPTDLFM(L/R)6630	209	RPTDOFM(L/R)6036	218
RPEJ60	532	RPTDEFM(L/R)7230	223	RPTDLFM(L/R)6636	209	RPTDOFM(L/R)6620	218
RPEJ72	532	RPTDEFM(L/R)7236	223	RPTDLFM(L/R)7220	209	RPTDOFM(L/R)6624	218
RPEJ84	532	RPTDEFM(L/R)7820	222	RPTDLFM(L/R)7224	209	RPTDOFM(L/R)6630	218
RPEJ96	532	RPTDEFM(L/R)7824	222	RPTDLFM(L/R)7230	209	RPTDOFM(L/R)6636	218
RPEPE10	532	RPTDEFM(L/R)7830	223	RPTDLFM(L/R)7236	209	RPTDOFM(L/R)7220	218
RPEPE5	532	RPTDEFM(L/R)7836	223	RPTDLFM(L/R)7820	209	RPTDOFM(L/R)7224	218
RPER2RC	533	RPTDEFM(L/R)8420	222	RPTDLFM(L/R)7824	209	RPTDOFM(L/R)7230	218
RPETAD	440	RPTDEFM(L/R)8424	222	RPTDLFM(L/R)7830	209	RPTDOFM(L/R)7236	218
RPETRAY3C	440	RPTDEFM(L/R)8430	223	RPTDLFM(L/R)7836	209	RPTDOFM(L/R)7820	218
RPETRAY3N	440	RPTDEFM(L/R)8436	223	RPTDLFM(L/R)8420	209	RPTDOFM(L/R)7824	218
RPF6	291	RPTDEPC(L/R)6020	220	RPTDLFM(L/R)8424	209	RPTDOFM(L/R)7830	218
RPH301A	288	RPTDEPC(L/R)6024	220	RPTDLFM(L/R)8430	209	RPTDOFM(L/R)7836	218
RPH302A	288	RPTDEPC(L/R)6030	220	RPTDLFM(L/R)8436	209	RPTDOFM(L/R)8420	218
RPH361A	288	RPTDEPC(L/R)6036	220	RPTDLPC(L/R)6020	207	RPTDOFM(L/R)8424	218
RPH362A	288	RPTDEPC(L/R)6620	220	RPTDLPC(L/R)6024	207	RPTDOFM(L/R)8430	218
RPHCHH	439	RPTDEPC(L/R)6624	220	RPTDLPC(L/R)6030	207	RPTDOFM(L/R)8436	218
RPHCHT	439	RPTDEPC(L/R)6630	220	RPTDLPC(L/R)6036	207	RPTDOPC(L/R)6020	216
RPHL3442(F/T)	114	RPTDEPC(L/R)6636	220	RPTDLPC(L/R)6620	207	RPTDOPC(L/R)6024	216
RPHL3449(F/T)	114	RPTDEPC(L/R)7220	220	RPTDLPC(L/R)6624	207	RPTDOPC(L/R)6030	216
RPHL3464(F/T)	114	RPTDEPC(L/R)7224	220	RPTDLPC(L/R)6630	207	RPTDOPC(L/R)6036	216
RPHL3479(F/T)	114	RPTDEPC(L/R)7230	220	RPTDLPC(L/R)6636	207	RPTDOPC(L/R)6620	216
RPHL4249(F/T)	114	RPTDEPC(L/R)7236	220	RPTDLPC(L/R)7220	207	RPTDOPC(L/R)6624	216
RPHL4249S	114	RPTDEPC(L/R)7820	220	RPTDLPC(L/R)7224	207	RPTDOPC(L/R)6630	216
RPHL4264(F/T)	114	RPTDEPC(L/R)7824	220	RPTDLPC(L/R)7230	207	RPTDOPC(L/R)6636	216
RPHL4264S	114	RPTDEPC(L/R)7830	220	RPTDLPC(L/R)7236	207	RPTDOPC(L/R)7220	216
RPHL4279(F/T)	114	RPTDEPC(L/R)7836	220	RPTDLPC(L/R)7820	207	RPTDOPC(L/R)7224	216
RPHL4279S	114	RPTDEPC(L/R)8420	220	RPTDLPC(L/R)7824	207	RPTDOPC(L/R)7230	216
RPHL4964(F/T)	114	RPTDEPC(L/R)8424	220	RPTDLPC(L/R)7830	207	RPTDOPC(L/R)7236	216
RPHL4964S	114	RPTDEPC(L/R)8430	220	RPTDLPC(L/R)7836	207	RPTDOPC(L/R)7820	216
RPHL4979(F/T)	114	RPTDEPC(L/R)8436	220	RPTDLPC(L/R)8420	207	RPTDOPC(L/R)7824	216
RPHL4979S	114	RPTDEST(L/R)6020	221	RPTDLPC(L/R)8424	207	RPTDOPC(L/R)7830	216
RPHL6479(F/T)	114	RPTDEST(L/R)6024	221	RPTDLPC(L/R)8430	207	RPTDOPC(L/R)7836	216
RPHL6479S	114	RPTDEST(L/R)6030	221	RPTDLPC(L/R)8436	207	RPTDOPC(L/R)8420	216
RPHTB3024	439	RPTDEST(L/R)6036	221	RPTDLST(L/R)6020	208	RPTDOPC(L/R)8424	216
RPHTB4224	439	RPTDEST(L/R)6620	221	RPTDLST(L/R)6024	208	RPTDOPC(L/R)8430	216
RPHWB3024	439	RPTDEST(L/R)6624	221	RPTDLST(L/R)6030	208	RPTDOPC(L/R)8436	216
RPHWB4224	439	RPTDEST(L/R)6630	221	RPTDLST(L/R)6036	208	RPTDOST(L/R)6020	217
RPTDCF8430	227	RPTDEST(L/R)6636	221	RPTDLST(L/R)6620	208	RPTDOST(L/R)6024	217
RPTDCF9630	227	RPTDEST(L/R)7220	221	RPTDLST(L/R)6624	208	RPTDOST(L/R)6030	217
RPTDEFM(L/R)3620	222	RPTDEST(L/R)7224	221	RPTDLST(L/R)6630	208	RPTDOST(L/R)6036	217
RPTDEFM(L/R)3624	222	RPTDEST(L/R)7230	221	RPTDLST(L/R)6636	208	RPTDOST(L/R)6620	217
RPTDEFM(L/R)3630	223	RPTDEST(L/R)7236	221	RPTDLST(L/R)7220	208	RPTDOST(L/R)6624	217
RPTDEFM(L/R)3636	223	RPTDEST(L/R)7820	221	RPTDLST(L/R)7224	208	RPTDOST(L/R)6630	217
RPTDEFM(L/R)4220	222	RPTDEST(L/R)7824	221	RPTDLST(L/R)7230	208	RPTDOST(L/R)6636	217
RPTDEFM(L/R)4224	222	RPTDEST(L/R)7830	221	RPTDLST(L/R)7236	208	RPTDOST(L/R)7220	217
RPTDEFM(L/R)4230	223	RPTDEST(L/R)7836	221	RPTDLST(L/R)7820	208	RPTDOST(L/R)7224	217
RPTDEFM(L/R)4236	223	RPTDEST(L/R)8420	221	RPTDLST(L/R)7824	208	RPTDOST(L/R)7230	217
RPTDEFM(L/R)4820	222	RPTDEST(L/R)8424	221	RPTDLST(L/R)7830	208	RPTDOST(L/R)7236	217
RPTDEFM(L/R)4824	222	RPTDEST(L/R)8430	221	RPTDLST(L/R)7836	208	RPTDOST(L/R)7820	217
RPTDEFM(L/R)4830	223	RPTDEST(L/R)8436	221	RPTDLST(L/R)8420	208	RPTDOST(L/R)7824	217
RPTDEFM(L/R)4836	223	RPTDLFM(L/R)4820	209	RPTDLST(L/R)8424	208	RPTDOST(L/R)7830	217
RPTDEFM(L/R)5420	222	RPTDLFM(L/R)4824	209	RPTDLST(L/R)8430	208	RPTDOST(L/R)7836	217
RPTDEFM(L/R)5424	222	RPTDLFM(L/R)4830	209	RPTDLST(L/R)8436	208	RPTDOST(L/R)8420	217
RPTDEFM(L/R)5430	223	RPTDLFM(L/R)4836	209	RPTDOFM(L/R)4820	218	RPTDOST(L/R)8424	217
RPTDEFM(L/R)5436	223	RPTDLFM(L/R)5420	209	RPTDOFM(L/R)4824	218	RPTDOST(L/R)8430	217
RPTDEFM(L/R)6020	222	RPTDLFM(L/R)5424	209	RPTDOFM(L/R)4830	218	RPTDOST(L/R)8436	217
RPTDEFM(L/R)6024	222	RPTDLFM(L/R)5430	209	RPTDOFM(L/R)4836	218	RPTDRFM(L/R)4820	212
RPTDEFM(L/R)6030	223	RPTDLFM(L/R)5436	209	RPTDOFM(L/R)5420	218	RPTDRFM(L/R)4824	212

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPTDRFM(L/R)4830	212	RPTDRST(L/R)8436	211	RPTDSST(L/R)8420	214	RR3-EJ42P	127
RPTDRFM(L/R)4836	212	RPTDSFM(L/R)4820	215	RPTDSST(L/R)8424	214	RR3-EJ48	127
RPTDRFM(L/R)5420	212	RPTDSFM(L/R)4824	215	RPTDSST(L/R)8430	214	RR3EJ48	132
RPTDRFM(L/R)5424	212	RPTDSFM(L/R)4830	215	RPTDSST(L/R)8436	214	RR3-EJ48P	127
RPTDRFM(L/R)5430	212	RPTDSFM(L/R)4836	215	RR3-2PF	133	RR3-EJ54P	127
RPTDRFM(L/R)5436	212	RPTDSFM(L/R)5420	215	RR3-3PF	133	RR3-EJ60P	127
RPTDRFM(L/R)6020	212	RPTDSFM(L/R)5424	215	RR3-BNC	133	RR3EJ60P	132
RPTDRFM(L/R)6024	212	RPTDSFM(L/R)5430	215	RR3-C3C	133	RR3-EJ66P	127
RPTDRFM(L/R)6030	212	RPTDSFM(L/R)5436	215	RR3-C5C	133	RR3EJ66P	132
RPTDRFM(L/R)6036	212	RPTDSFM(L/R)6020	215	RR3-C5C4A	133	RR3-EJ72P	127
RPTDRFM(L/R)6620	212	RPTDSFM(L/R)6024	215	RR3-C5C4B	133	RR3EJ72P	132
RPTDRFM(L/R)6624	212	RPTDSFM(L/R)6030	215	RR3-C6C	133	RR3-EJ78P	127
RPTDRFM(L/R)6630	212	RPTDSFM(L/R)6036	215	RR3CHI241	130	RR3-EJ84P	127
RPTDRFM(L/R)6636	212	RPTDSFM(L/R)6620	215	RR3CHI242	130	RR3-EJ90P	127
RPTDRFM(L/R)7220	212	RPTDSFM(L/R)6624	215	RR3CHI301	130	RR3-EJ96P	127
RPTDRFM(L/R)7224	212	RPTDSFM(L/R)6630	215	RR3CHI302	130	RR3-EPC	126
RPTDRFM(L/R)7230	212	RPTDSFM(L/R)6636	215	RR3CHI361	130	RR3-EPC24	126
RPTDRFM(L/R)7236	212	RPTDSFM(L/R)7220	215	RR3CHI362	130	RR3-EPCP	126
RPTDRFM(L/R)7820	212	RPTDSFM(L/R)7224	215	RR3CHI421	130	RR3-EPCP24	126
RPTDRFM(L/R)7824	212	RPTDSFM(L/R)7230	215	RR3CHI422	130	RR3-EPCPS	126
RPTDRFM(L/R)7830	212	RPTDSFM(L/R)7236	215	RR3CHI481	130	RR3-EPCS	126
RPTDRFM(L/R)7836	212	RPTDSFM(L/R)7820	215	RR3CHI482	130	RR3-EPI	127
RPTDRFM(L/R)8420	212	RPTDSFM(L/R)7824	215	RR3-DA	126, 128	RR3-EPNY1	127
RPTDRFM(L/R)8424	212	RPTDSFM(L/R)7830	215	RR3-DATSHD	126, 128	RR3-EPNY2	127
RPTDRFM(L/R)8430	212	RPTDSFM(L/R)7836	215	RR3-DB	126, 128	RR3-EPVR	113, 127
RPTDRFM(L/R)8436	212	RPTDSFM(L/R)8420	215	RR3-DC	128	RR3EVJ	136
RPTDRPC(L/R)6020	210	RPTDSFM(L/R)8424	215	RR3-DICON	133	RR3EVJ110	136
RPTDRPC(L/R)6024	210	RPTDSFM(L/R)8430	215	RR3-DX	126, 128	RR3EVJ82	136
RPTDRPC(L/R)6030	210	RPTDSFM(L/R)8436	215	RR3-DXO	126, 128	RR3EVJ96	136
RPTDRPC(L/R)6036	210	RPTDSPC(L/R)6020	213	RR3-DY	126, 128	RR3-FB	133
RPTDRPC(L/R)6620	210	RPTDSPC(L/R)6024	213	RR3-DYO	126, 128	RR3FDP	135
RPTDRPC(L/R)6624	210	RPTDSPC(L/R)6030	213	RR3-DZ	128	RR3-FE	133
RPTDRPC(L/R)6630	210	RPTDSPC(L/R)6036	213	RR3-DZO	128	RR3-FOSC	133
RPTDRPC(L/R)6636	210	RPTDSPC(L/R)6620	213	RR3-E24	126	RR3-FOST	133
RPTDRPC(L/R)7220	210	RPTDSPC(L/R)6624	213	RR3-E24S	131	RR3-FV	133
RPTDRPC(L/R)7224	210	RPTDSPC(L/R)6630	213	RR3-E30NS	126	RR3-LTPC	131
RPTDRPC(L/R)7230	210	RPTDSPC(L/R)6636	213	RR3-E30S	131	RR3-LTPC24	131
RPTDRPC(L/R)7236	210	RPTDSPC(L/R)7220	213	RR3-E36NS	126	RR3-LTPCP	131
RPTDRPC(L/R)7820	210	RPTDSPC(L/R)7224	213	RR3-E36S	131	RR3-MICON	133
RPTDRPC(L/R)7824	210	RPTDSPC(L/R)7230	213	RR3-E42NS	126	RR3MP4	434
RPTDRPC(L/R)7830	210	RPTDSPC(L/R)7236	213	RR3-E42S	131	RR3MP6	434
RPTDRPC(L/R)7836	210	RPTDSPC(L/R)7820	213	RR3-E48NS	126	RR3PICON	133
RPTDRPC(L/R)8420	210	RPTDSPC(L/R)7824	213	RR3-E48S	131	RR3-REPI	127
RPTDRPC(L/R)8424	210	RPTDSPC(L/R)7830	213	RR3-E60-4	126	RR3-RTPI	129
RPTDRPC(L/R)8430	210	RPTDSPC(L/R)7836	213	RR3-E66-4	126	RR3-SP-(A, B, C, X, Y, Z)	129
RPTDRPC(L/R)8436	210	RPTDSPC(L/R)8420	213	RR3-E72-4	126	RR3-SP-(A,B,X,Y)	127
RPTDRST(L/R)6020	211	RPTDSPC(L/R)8424	213	RR3-EBBCL	131	RR3-ST	133
RPTDRST(L/R)6024	211	RPTDSPC(L/R)8430	213	RR3-EBBCS	131	RR3-T24	128
RPTDRST(L/R)6030	211	RPTDSPC(L/R)8436	213	RR3EBVC50	135	RR3-T24S	131
RPTDRST(L/R)6036	211	RPTDSST(L/R)6020	214	RR3EBVC62	135	RR3-T30NS	128
RPTDRST(L/R)6620	211	RPTDSST(L/R)6024	214	RR3EBVC64	135	RR3-T30S	131
RPTDRST(L/R)6624	211	RPTDSST(L/R)6030	214	RR3EBVC76	135	RR3-T36NS	128
RPTDRST(L/R)6630	211	RPTDSST(L/R)6036	214	RR3EBVC78	135	RR3-T36S	131
RPTDRST(L/R)6636	211	RPTDSST(L/R)6620	214	RR3EBVC90	135	RR3-T42NS	128
RPTDRST(L/R)7220	211	RPTDSST(L/R)6624	214	RR3-EJ18	127	RR3-T42S	131
RPTDRST(L/R)7224	211	RPTDSST(L/R)6630	214	RR3-EJ18P	127	RR3-T48NS	128
RPTDRST(L/R)7230	211	RPTDSST(L/R)6636	214	RR3-EJ20	127	RR3-T48S	131
RPTDRST(L/R)7236	211	RPTDSST(L/R)7220	214	RR3-EJ20P	127	RR3-T60-4	128
RPTDRST(L/R)7820	211	RPTDSST(L/R)7224	214	RR3-EJ24	127	RR3-T66-4	128
RPTDRST(L/R)7824	211	RPTDSST(L/R)7230	214	RR3-EJ24P	127	RR3-T72-4	128
RPTDRST(L/R)7830	211	RPTDSST(L/R)7236	214	RR3-EJ30	127	RR3-TBBCL	131
RPTDRST(L/R)7836	211	RPTDSST(L/R)7820	214	RR3-EJ30P	127	RR3-TBBCS	131
RPTDRST(L/R)8420	211	RPTDSST(L/R)7824	214	RR3-EJ36	127	RR3TBVC50	135
RPTDRST(L/R)8424	211	RPTDSST(L/R)7830	214	RR3-EJ36P	127	RR3TBVC62	135
RPTDRST(L/R)8430	211	RPTDSST(L/R)7836	214	RR3-EJ42	127	RR3TBVC64	135

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3TBVC76	135	RRA6060	151	RREP5424(A,B,W)(F,N)2	428	RROMGSD72GR	410
RR3TBVC78	135	RRA7230	151	RREP5430(A,B,W)(F,N)2	428	RROMGSD90GB	411
RR3TBVC90	135	RRA7236	151	RREP6024(A,B,W)(F,N)2	428	RROMGSD90GN	410
RR3-TJ18	129	RRA7272	151	RREP6030(A,B,W)(F,N)2	428	RROMGSDL60GB	411
RR3-TJ18P	129	RRA8430	151	RRLCFDC20108	293	RROMGSDL72GB	411
RR3-TJ20	129	RRA8436	151	RRLCFDC2090	293	RROMGSDR60GB	411
RR3-TJ20P	129	RRA8442	151	RRLCFDC20108	293	RROMGSDR72GB	411
RR3-TJ24	129	RRA9630	151	RRLCFDCC2090	293	RROMOS108GB	415
RR3-TJ24P	129	RRA9636	151	RRLCFDCL2060	293	RROMOS108GN	415
RR3-TJ30	129	RRA9642	151	RRLCFDCL2072	293	RROMOS60GB	415
RR3-TJ30P	129	RRA9648	151	RRLCFDCR2060	293	RROMOS60GL	415
RR3-TJ36	129	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	168	RRLCFDCR2072	293	RROMOS60GR	415
RR3-TJ36P	129	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	168	RRLCO20108	294	RROMOS72GB	415
RR3-TJ42	129	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	168	RRLCO2060	294	RROMOS72GL	415
RR3-TJ42P	129	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	168	RRLCO2072	294	RROMOS72GR	415
RR3-TJ48	129	RRA(A/B/C/D/E/F/G)14448-(1/2/3)	168	RRLCO2090	294	RROMOS90GB	415
RR3TJ48	132	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	168	RRLCSGD20108	295	RROMOS90GN	415
RR3-TJ48P	129	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	168	RRLCSGD2090	295	RROMWSD108GB	412
RR3-TJ54P	129	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	168	RRLCSGDL2060	295	RROMWSD108GN	412
RR3-TJ60P	129	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	168	RRLCSGDL2072	295	RROMWSD60GL	412
RR3TJ60P	132	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	168	RRLCSGDR2060	295	RROMWSD60GR	412
RR3-TJ66P	129	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	168	RRLCSGDR2072	295	RROMWSD72GL	412
RR3TJ66P	132	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	168	RRLCSWD20108	296	RROMWSD72GR	412
RR3-TJ72P	129	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	168	RRLCSWD2090	296	RROMWSD90GB	412
RR3TJ72P	132	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	168	RRLCSWDL2060	296	RROMWSD90GN	412
RR3-TJ78P	129	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	168	RRLCSWDL2072	296	RROMWSDL60GB	413
RR3-TJ84P	129	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	168	RRLCSWDR2060	296	RROMWSDL72GB	413
RR3-TJ90P	129	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	168	RRLCSWDR2072	296	RROMWSDR60GB	413
RR3-TJ96P	129	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	168	RRLCM3010	502	RROMWSDR72GB	413
RR3-TPC	128	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	168	RRLCM3610	502	RRSP3624K(A,B,W)	428
RR3-TPC24	128	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	168	RRLCM6010	502	RRSP3630K(A,B,W)	428
RR3-TPCP	128	RRA(A/B/C/D/E/F/G)9636-(1/2/3)	168	RRLCM7210	502	RRSP4224K(A,B,W)	428
RR3-TPCP24	128	RRA(A/B/C/D/E/F/G)9642-(1/2/3)	168	RRML108	414	RRSP4230K(A,B,W)	428
RR3-TPCPS	128	RRAW12036-(1/2/3)	187	RRML60	414	RRSP4824K(A,B,W)	428
RR3-TPCS	128	RRAW12042-(1/2/3)	187	RRML72	414	RRSP4830K(A,B,W)	428
RR3-TPI	129	RRAW14442-(1/2/3)	187	RRML90	414	RRSP5424K(A,B,W)	428
RR3-TPNY1	129	RRAW16842-(1/2/3)	187	RROC2GSD108	407	RRSP5430K(A,B,W)	428
RR3-TPNY2	129	RRAW19242-(1/2/3)	187	RROC2GSD90	407	RRSP6024K(A,B,W)	428
RR3-TPVR	113, 129	RRAW3636-(1/2/3)	187	RROC2WSD108	408	RRSP6030K(A,B,W)	428
RR3TVJ	136	RRAW4242-(1/2/3)	187	RROC2WSD90	408	RS1-N30	402
RR3TVJ110	136	RRAW6060-(1/2/3)	187	RROCGSD108GB	407	RS1-N36	402
RR3TVJ82	136	RRAW7230-(1/2/3)	187	RROCGSD90GB	407	RS1-N42	402
RR3TVJ96	136	RRAW7236-(1/2/3)	187	RROCGSDL60GB	407	RS1-N48	402
RR3VDA	135	RRAW7272-(1/2/3)	187	RROCGSDL72GB	407	RS1-N60	402
RR3VDB	135	RRAW8430-(1/2/3)	187	RROCGSDR60GB	407	RS1-RPB	404
RR3VDC	135	RRAW8436-(1/2/3)	187	RROCGSDR72GB	407	RS1-VP	402
RR3VDX	135	RRAW8442-(1/2/3)	187	RROCOS108GB	409	RS1-WMF24	405
RR3VDXO	135	RRAW9630-(1/2/3)	187	RROCOS60GB	409	RS1-WMF30	405
RR3VDY	135	RRAW9636-(1/2/3)	187	RROCOS72GB	409	RS1-WMF36	405
RR3VDYO	135	RRAW9642-(1/2/3)	187	RROCOS90GB	409	RS1-WMF42	405
RR3VDZ	135	RRBRD2712	434	RROCOS108GB	408	RS1-WMF48	405
RR3VDZO	135	RRD3FTCPPL(L/R)7936	116	RROCOS108GB	408	RS1-WMF60	405
RR3VPBK	135	RRD3FTCPPL(L/R)7942	116	RROCOSDL60GB	408	RSA241	137
RRA12036	151	RRD3PPL(L/R)7936	116	RROCOSDL72GB	408	RSA242	137
RRA12042	151	RRD3PPL(L/R)7942	116	RROCOSDL60GB	408	RSA243	138
RRA12048	151	RRDPPL(L/R)6436	116	RROCOSDR72GB	408	RSA301	137
RRA14442	151	RRDPPL(L/R)6442	116	RROM2GSD108	411	RSA302	137
RRA14448	151	RRDTH	116	RROM2GSD90	411	RSA303	138
RRA16842	151	RRDTH(L/R)	116	RROM2WSD108	413	RSA361	137
RRA16848	151	RREP3624(A,B,W)(F,N)2	428	RROM2WSD90	413	RSA362	137
RRA19242	151	RREP3630(A,B,W)(F,N)2	428	RROMGSD108GB	411	RSA363	138
RRA19248	151	RREP4224(A,B,W)(F,N)2	428	RROMGSD108GN	410	RSA421	137
RRA3636	151	RREP4230(A,B,W)(F,N)2	428	RROMGSD60GL	410	RSA422	137
RRA4242	151	RREP4824(A,B,W)(F,N)2	428	RROMGSD60GR	410	RSA423	138
RRA4848	151	RREP4830(A,B,W)(F,N)2	428	RROMGSD72GL	410	RSA481	137

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA482	137	RSA(A/B/C/D/E/F/G)A901	156	RSA(A/B/C/D/E/F/G)LA22	158	RSAAWA902	171
RSA483	138	RSA(A/B/C/D/E/F/G)A902	156	RSA(A/B/C/D/E/F/G)LA81	158	RSAAWA903	172
RSA541	137	RSA(A/B/C/D/E/F/G)A903	157	RSA(A/B/C/D/E/F/G)LA82	158	RSAAWA961	171
RSA542	137	RSA(A/B/C/D/E/F/G)A961	156	RSA(A/B/C/D/E/F/G)R241	159	RSAAWA962	171
RSA543	138	RSA(A/B/C/D/E/F/G)A962	156	RSA(A/B/C/D/E/F/G)R242	159	RSAAWA963	172
RSA601	137	RSA(A/B/C/D/E/F/G)A963	157	RSA(A/B/C/D/E/F/G)R301	159	RSAAWB241	173
RSA602	137	RSA(A/B/C/D/E/F/G)B241	158	RSA(A/B/C/D/E/F/G)R302	159	RSAAWB242	173
RSA603	138	RSA(A/B/C/D/E/F/G)B242	158	RSA(A/B/C/D/E/F/G)R361	159	RSAAWB243	174
RSA604	138	RSA(A/B/C/D/E/F/G)B301	158	RSA(A/B/C/D/E/F/G)R362	159	RSAAWB301	173
RSA661	137	RSA(A/B/C/D/E/F/G)B302	158	RSA(A/B/C/D/E/F/G)R421	159	RSAAWB302	173
RSA662	137	RSA(A/B/C/D/E/F/G)B361	158	RSA(A/B/C/D/E/F/G)R422	159	RSAAWB303	174
RSA663	138	RSA(A/B/C/D/E/F/G)B362	158	RSA(A/B/C/D/E/F/G)R481	159	RSAAWB361	173
RSA664	138	RSA(A/B/C/D/E/F/G)B421	158	RSA(A/B/C/D/E/F/G)R482	159	RSAAWB362	173
RSA721	137	RSA(A/B/C/D/E/F/G)B422	158	RSAMP1616	434	RSAAWB363	174
RSA722	137	RSA(A/B/C/D/E/F/G)B481	158	RSAR361(H/V)	377	RSAAWB421	173
RSA723	138	RSA(A/B/C/D/E/F/G)B482	158	RSAR362(H/V)	377	RSAAWB422	173
RSA724	138	RSA(A/B/C/D/E/F/G)F241	154	RSAR421(H/V)	377	RSAAWB423	174
RSA781	137	RSA(A/B/C/D/E/F/G)F242	154	RSAR422(H/V)	377	RSAAWB481	173
RSA782	137	RSA(A/B/C/D/E/F/G)F243	155	RSAR481(H/V)	377	RSAAWB482	173
RSA783	138	RSA(A/B/C/D/E/F/G)F301	154	RSAR482(H/V)	377	RSAAWB483	174
RSA841	137	RSA(A/B/C/D/E/F/G)F302	154	RSAR541(H/V)	377	RSAAWB541	173
RSA842	137	RSA(A/B/C/D/E/F/G)F303	155	RSAR542(H/V)	377	RSAAWB542	173
RSA843	138	RSA(A/B/C/D/E/F/G)F361	154	RSAR601(H/V)	377	RSAAWB543	174
RSA901	137	RSA(A/B/C/D/E/F/G)F362	154	RSAR602(H/V)	377	RSAAWB601	173
RSA902	137	RSA(A/B/C/D/E/F/G)F363	155	RSAR661(H/V)	377	RSAAWB602	173
RSA903	138	RSA(A/B/C/D/E/F/G)F421	154	RSAR662(H/V)	377	RSAAWB603	174
RSA961	137	RSA(A/B/C/D/E/F/G)F422	154	RSAR721(H/V)	377	RSAAWB604	174
RSA962	137	RSA(A/B/C/D/E/F/G)F423	155	RSAR722(H/V)	377	RSAAWB661	173
RSA963	138	RSA(A/B/C/D/E/F/G)F481	154	RSAAWA241	171	RSAAWB662	173
RSA(A/B/C/D/E/F/G)A241	156	RSA(A/B/C/D/E/F/G)F482	154	RSAAWA242	171	RSAAWB663	174
RSA(A/B/C/D/E/F/G)A242	156	RSA(A/B/C/D/E/F/G)F483	155	RSAAWA243	172	RSAAWB664	174
RSA(A/B/C/D/E/F/G)A243	157	RSA(A/B/C/D/E/F/G)F541	154	RSAAWA301	171	RSAAWB721	173
RSA(A/B/C/D/E/F/G)A301	156	RSA(A/B/C/D/E/F/G)F542	154	RSAAWA302	171	RSAAWB722	173
RSA(A/B/C/D/E/F/G)A302	156	RSA(A/B/C/D/E/F/G)F543	155	RSAAWA303	172	RSAAWB723	174
RSA(A/B/C/D/E/F/G)A303	157	RSA(A/B/C/D/E/F/G)F601	154	RSAAWA361	171	RSAAWB724	174
RSA(A/B/C/D/E/F/G)A361	156	RSA(A/B/C/D/E/F/G)F602	154	RSAAWA362	171	RSAAWB781	173
RSA(A/B/C/D/E/F/G)A362	156	RSA(A/B/C/D/E/F/G)F603	155	RSAAWA363	172	RSAAWB782	173
RSA(A/B/C/D/E/F/G)A363	157	RSA(A/B/C/D/E/F/G)F604	155	RSAAWA421	171	RSAAWB783	174
RSA(A/B/C/D/E/F/G)A421	156	RSA(A/B/C/D/E/F/G)F661	154	RSAAWA422	171	RSAAWB841	173
RSA(A/B/C/D/E/F/G)A422	156	RSA(A/B/C/D/E/F/G)F662	154	RSAAWA423	172	RSAAWB842	173
RSA(A/B/C/D/E/F/G)A423	157	RSA(A/B/C/D/E/F/G)F663	155	RSAAWA481	171	RSAAWB843	174
RSA(A/B/C/D/E/F/G)A481	156	RSA(A/B/C/D/E/F/G)F664	155	RSAAWA482	171	RSAAWB901	173
RSA(A/B/C/D/E/F/G)A482	156	RSA(A/B/C/D/E/F/G)F721	154	RSAAWA483	172	RSAAWB902	173
RSA(A/B/C/D/E/F/G)A483	157	RSA(A/B/C/D/E/F/G)F722	154	RSAAWA541	171	RSAAWB903	174
RSA(A/B/C/D/E/F/G)A541	156	RSA(A/B/C/D/E/F/G)F723	155	RSAAWA542	171	RSAAWB961	173
RSA(A/B/C/D/E/F/G)A542	156	RSA(A/B/C/D/E/F/G)F724	155	RSAAWA543	172	RSAAWB962	173
RSA(A/B/C/D/E/F/G)A543	157	RSA(A/B/C/D/E/F/G)F781	154	RSAAWA601	171	RSAAWB963	174
RSA(A/B/C/D/E/F/G)A601	156	RSA(A/B/C/D/E/F/G)F782	154	RSAAWA602	171	RSAAWF241	169
RSA(A/B/C/D/E/F/G)A602	156	RSA(A/B/C/D/E/F/G)F783	155	RSAAWA603	172	RSAAWF242	169
RSA(A/B/C/D/E/F/G)A603	157	RSA(A/B/C/D/E/F/G)F841	154	RSAAWA604	172	RSAAWF243	170
RSA(A/B/C/D/E/F/G)A604	157	RSA(A/B/C/D/E/F/G)F842	154	RSAAWA661	171	RSAAWF301	169
RSA(A/B/C/D/E/F/G)A661	156	RSA(A/B/C/D/E/F/G)F843	155	RSAAWA662	171	RSAAWF302	169
RSA(A/B/C/D/E/F/G)A662	156	RSA(A/B/C/D/E/F/G)F901	154	RSAAWA663	172	RSAAWF303	170
RSA(A/B/C/D/E/F/G)A663	157	RSA(A/B/C/D/E/F/G)F902	154	RSAAWA664	172	RSAAWF361	169
RSA(A/B/C/D/E/F/G)A664	157	RSA(A/B/C/D/E/F/G)F903	155	RSAAWA721	171	RSAAWF362	169
RSA(A/B/C/D/E/F/G)A721	156	RSA(A/B/C/D/E/F/G)F961	154	RSAAWA722	171	RSAAWF363	170
RSA(A/B/C/D/E/F/G)A722	156	RSA(A/B/C/D/E/F/G)F962	154	RSAAWA723	172	RSAAWF421	169
RSA(A/B/C/D/E/F/G)A723	157	RSA(A/B/C/D/E/F/G)F963	155	RSAAWA724	172	RSAAWF422	169
RSA(A/B/C/D/E/F/G)A724	157	RSA(A/B/C/D/E/F/G)L241	158	RSAAWA781	171	RSAAWF423	170
RSA(A/B/C/D/E/F/G)A781	156	RSA(A/B/C/D/E/F/G)L242	158	RSAAWA782	171	RSAAWF481	169
RSA(A/B/C/D/E/F/G)A782	156	RSA(A/B/C/D/E/F/G)L301	158	RSAAWA783	172	RSAAWF482	169
RSA(A/B/C/D/E/F/G)A783	157	RSA(A/B/C/D/E/F/G)L302	158	RSAAWA841	171	RSAAWF483	170
RSA(A/B/C/D/E/F/G)A841	156	RSA(A/B/C/D/E/F/G)L361	158	RSAAWA842	171	RSAAWF541	169
RSA(A/B/C/D/E/F/G)A842	156	RSA(A/B/C/D/E/F/G)L362	158	RSAAWA843	172	RSAAWF542	169
RSA(A/B/C/D/E/F/G)A843	157	RSA(A/B/C/D/E/F/G)L421	158	RSAAWA901	171	RSAAWF543	170



<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWF601	169	RSAWL963	176	RSD302	194	RSDR42	446
RSAWF602	169	RSAWR241	177	RSD3027	254, 255	RSDR421(H/V)	377
RSAWF603	170	RSAWR242	177	RSD303	195	RSDR422(H/V)	377
RSAWF604	170	RSAWR243	178	RSD361	194	RSDR48	446
RSAWF661	169	RSAWR301	177	RSD362	194	RSDR481(H/V)	377
RSAWF662	169	RSAWR302	177	RSD363	195	RSDR482(H/V)	377
RSAWF663	170	RSAWR303	178	RSD421	194	RSDR54	446
RSAWF664	170	RSAWR361	177	RSD422	194	RSDR541(H/V)	377
RSAWF721	169	RSAWR362	177	RSD423	195	RSDR542(H/V)	377
RSAWF722	169	RSAWR363	178	RSD481	194	RSDR60	446
RSAWF723	170	RSAWR421	177	RSD482	194	RSDR601(H/V)	377
RSAWF724	170	RSAWR422	177	RSD483	195	RSDR602(H/V)	377
RSAWF781	169	RSAWR423	178	RSD541	194	RSDR66	446
RSAWF782	169	RSAWR481	177	RSD542	194	RSDR661(H/V)	377
RSAWF783	170	RSAWR482	177	RSD543	195	RSDR662(H/V)	377
RSAWF841	169	RSAWR483	178	RSD601	194	RSDR72	446
RSAWF842	169	RSAWR541	177	RSD602	194	RSDR721(H/V)	377
RSAWF843	170	RSAWR542	177	RSD603	195	RSDR722(H/V)	377
RSAWF901	169	RSAWR543	178	RSD604	195	RSDR78	446
RSAWF902	169	RSAWR601	177	RSD661	194	RSDR84	446
RSAWF903	170	RSAWR602	177	RSD662	194	RSDR90	446
RSAWF961	169	RSAWR603	178	RSD663	195	RSDR96	446
RSAWF962	169	RSAWR604	178	RSD664	195	RSE1(L/R)	249
RSAWF963	170	RSAWR661	177	RSD721	194	RSE2(L/R)	249
RSAWL241	175	RSAWR662	177	RSD722	194	RSE3(L/R)	249
RSAWL242	175	RSAWR663	178	RSD723	195	RSE4(L/R)	249
RSAWL243	176	RSAWR664	178	RSD724	195	RSE5(L/R)	249
RSAWL301	175	RSAWR721	177	RSD781	194	RSE6(L/R)	249
RSAWL302	175	RSAWR722	177	RSD782	194	RSEDH1(L/R)	251
RSAWL303	176	RSAWR723	178	RSD783	195	RSEDH2(L/R)	251
RSAWL361	175	RSAWR724	178	RSD841	194	RSEDH3(L/R)	251
RSAWL362	175	RSAWR781	177	RSD842	194	RSEDH4(L/R)	251
RSAWL363	176	RSAWR782	177	RSD843	195	RSEDH5(L/R)	251
RSAWL421	175	RSAWR783	178	RSD901	194	RSEDH6(L/R)	251
RSAWL422	175	RSAWR841	177	RSD902	194	RSL12	255
RSAWL423	176	RSAWR842	177	RSD903	195	RSL15	255
RSAWL481	175	RSAWR843	178	RSD961	194	RSL20	255
RSAWL482	175	RSAWR901	177	RSD962	194	RSL24	255
RSAWL483	176	RSAWR902	177	RSD963	195	RSL30	255
RSAWL541	175	RSAWR903	178	RSDHC	256	RSL36	255
RSAWL542	175	RSAWR961	177	RSDHC3	257	RSL42	255
RSAWL543	176	RSAWR962	177	RSDHC4	256	RSL48	255
RSAWL601	175	RSAWR963	178	RSDHD1428	257, 258	RSNTT18(A/B/C/E)	110
RSAWL602	175	RSBWH20	246	RSDHD1828	257, 258	RSNTT20(A/B/C/E)	110
RSAWL603	176	RSBWH24	246	RSDHD2028	257, 258	RSNTT24(A/B/C/E)	110
RSAWL604	176	RSBWH30	246	RSDHD2428	257, 258	RSNTT30(A/B/C/E)	110
RSAWL661	175	RSBWH36	246	RSDHD3028	257, 258	RSNTT33(A/B/C/E) (66" wide panels one only)	110
RSAWL662	175	RSBWH42	246	RSDHL12	258	RSNTT36(A/B/C/E)	110
RSAWL663	176	RSBWH48	246	RSDHL15	258	RSNTT42(A/B/C/E)	110
RSAWL664	176	RSC	253	RSDHL20	258	RSNTT48(A/B/C/E)	110
RSAWL721	175	RSC4	253	RSDHL24	258	RSPABPD	115
RSAWL722	175	RSD1021	194	RSDHL30	258	RSPABPP	115
RSAWL723	176	RSD1022	194	RSDHL36	258	RSPABPT	115
RSAWL724	176	RSD1023	195	RSDHL42	258	RSPABPW	115
RSAWL781	175	RSD1081	194	RSDHL48	258	RSPABTD	115
RSAWL782	175	RSD1082	194	RSDHT1	258	RSPABTT	115
RSAWL783	176	RSD1083	195	RSDHT2	258	RSPABTW	115
RSAWL841	175	RSD1427	254, 255	RSDHT3	258	RSPABWD	115
RSAWL842	175	RSD1827	254, 255	RSDHT4	258	RSPABWW	115
RSAWL843	176	RSD2027	254, 255	RSDHT5	258	RST	437
RSAWL901	175	RSD241	194	RSDHT6	258	RST1	255
RSAWL902	175	RSD242	194	RSDR30	446	RST2	255
RSAWL903	176	RSD2427	254, 255	RSDR36	446	RST3	255
RSAWL961	175	RSD243	195	RSDR361(H/V)	377	RST4	255
RSAWL962	175	RSD301	194	RSDR362(H/V)	377	RST5	255

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RST6	255	RSTTSE36542	244	RTA12048	152	RTAW8442-(1/2/3)	186
RSTDCFM(L/R)4830	226	RSTTWE30481	243	RTA14442	152	RTAW9630-(1/2/3)	186
RSTDCFM(L/R)4836	226	RSTTWE30482	243	RTA14448	152	RTAW9636-(1/2/3)	186
RSTDCFM(L/R)5430	226	RSTTWE36541	243	RTA16842	152	RTAW9642-(1/2/3)	186
RSTDCFM(L/R)5436	226	RSTTWE36542	243	RTA16848	152	RTLL193W	447
RSTDCFM(L/R)6030	226	RSWA15 18	101	RTA19242	152	RTLL196W	447
RSTDCFM(L/R)6036	226	RSWA15 20	101	RTA19248	152	RTLL199W	447
RSTDCFM(L/R)6630	226	RSWA15 24	101	RTA3636	152	RTLL3712W	447
RSTDCFM(L/R)6636	226	RSWA15 30	101	RTA4242	152	RTLL3718W	447
RSTDCFM(L/R)7230	226	RSWA15 36	101	RTA4848	152	RTLL376W	447
RSTDCFM(L/R)7236	226	RSWA15 42	101	RTA6060	152	RTLT5E19S	447
RSTDCFM(L/R)7830	226	RSWA15 48	101	RTA7230	152	RTLT5E25A	447
RSTDCFM(L/R)7836	226	RSWAD1560	102	RTA7236	152	RTLT5E25S	447
RSTDCFM(L/R)8430	226	RSWAD1572	102	RTA7272	152	RTLT5E37A	447
RSTDCFM(L/R)8436	226	RSWAD1584	102	RTA8430	152	RTLT5E37S	447
RSTDCPC(L/R)6030	224	RSWAD1596	102	RTA8436	152	RTLT5E49A	447
RSTDCPC(L/R)6036	224	RSWAD2260	102	RTA8442	152	RTLT5E49S	447
RSTDCPC(L/R)6630	224	RSWAD2272	102	RTA9630	152	RTLT5E61A	447
RSTDCPC(L/R)6636	224	RSWAD2284	102	RTA9636	152	RTLT5E61S	447
RSTDCPC(L/R)7230	224	RSWAD2296	102	RTA9642	152	RTLT5E73A	447
RSTDCPC(L/R)7236	224	RSWB15 30	101	RTA9648	152	RTLT5E73S	447
RSTDCPC(L/R)7830	224	RSWB15 36	101	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	167	RTLT5E85A	447
RSTDCPC(L/R)7836	224	RSWB15 42	101	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	167	RTLT5E85S	447
RSTDCPC(L/R)8430	224	RSWB15 48	101	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	167	RTNDC361	241
RSTDCPC(L/R)8436	224	RSWC30 18	101	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	167	RTNDC362	241
RSTDCST(L/R)6030	225	RSWC30 20	101	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	167	RTNDC421	241
RSTDCST(L/R)6036	225	RSWC30 24	101	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	167	RTNDC422	241
RSTDCST(L/R)6630	225	RSWC30 30	101	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	167	RTNDC481	241
RSTDCST(L/R)6636	225	RSWC30 36	101	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	167	RTNDC482	241
RSTDCST(L/R)7230	225	RSWC30 42	101	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	167	RTOPI	434
RSTDCST(L/R)7236	225	RSWC30 48	101	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	167	RTOP2	434
RSTDCST(L/R)7830	225	RSWWA601	368	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	167	RTPNM30H1	454, 455
RSTDCST(L/R)7836	225	RSWWA602	368	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	167	RTPNM30H2	459, 460
RSTDCST(L/R)8430	225	RSWWA721	368	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	167	RTPNM30H3	464, 465
RSTDCST(L/R)8436	225	RSWWA722	368	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	167	RTPNM30H4	469, 470
RSTRLE361	242	RSWWA901	368	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	167	RTPNM30H5	474, 475
RSTRLE362	242	RSWWA902	368	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	167	RTPNM30H6	479, 480
RSTRLE421	242	RSWWA961	368	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	167	RTPNM30H7	484
RSTRLE422	242	RSWWA962	368	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	167	RTPNM30H8	488
RSTRSE361	244	RSWWA(A/B/C/D/E/F/G)601	368	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	167	RTPNM36H1	454, 455
RSTRSE362	244	RSWWA(A/B/C/D/E/F/G)602	368	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	167	RTPNM36H2	459, 460
RSTRSE421	244	RSWWA(A/B/C/D/E/F/G)721	368	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	167	RTPNM36H3	464, 465
RSTRSE422	244	RSWWA(A/B/C/D/E/F/G)722	368	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	167	RTPNM36H4	469, 470
RSTRWE361	243	RSWWA(A/B/C/D/E/F/G)901	368	RTAT5E19S	406	RTPNM36H5	474, 475
RSTRWE362	243	RSWWA(A/B/C/D/E/F/G)902	368	RTAT5E25A	406	RTPNM36H6	479, 480
RSTRWE421	243	RSWWA(A/B/C/D/E/F/G)961	368	RTAT5E25S	406	RTPNM36H7	484
RSTRWE422	243	RSWWA(A/B/C/D/E/F/G)962	368	RTAT5E37A	406	RTPNM36H8	488
RSTSLE361	242	RSWWAF601	368	RTAT5E37S	406	RTPNM42H1	454, 455
RSTSLE362	242	RSWWAF602	368	RTAT5E49A	406	RTPNM42H2	459, 460
RSTSLE421	242	RSWWAF721	368	RTAT5E49S	406	RTPNM42H3	464, 465
RSTSLE422	242	RSWWAF722	368	RTAT5E61A	406	RTPNM42H4	469, 470
RSTSSE361	244	RSWWAF901	368	RTAT5E61S	406	RTPNM42H5	474, 475
RSTSSE362	244	RSWWAF902	368	RTAW12036-(1/2/3)	186	RTPNM42H6	479, 480
RSTSSE421	244	RSWWAF961	368	RTAW12042-(1/2/3)	186	RTPNM42H7	484
RSTSWE361	243	RSWWAF962	368	RTAW14442-(1/2/3)	186	RTPNM42H8	488
RSTSWE362	243	RSWWB601	369	RTAW16842-(1/2/3)	186	RTPNM48H1	454, 455
RSTSWE421	243	RSWWB602	369	RTAW19242-(1/2/3)	186	RTPNM48H2	459, 460
RSTSWE422	243	RSWWB721	369	RTAW3636-(1/2/3)	186	RTPNM48H3	464, 465
RSTTLE30481	242	RSWWB722	369	RTAW4242-(1/2/3)	186	RTPNM48H4	469, 470
RSTTLE30482	242	RSWWB901	369	RTAW6060-(1/2/3)	186	RTPNM48H5	474, 475
RSTTLE36541	242	RSWWB902	369	RTAW7230-(1/2/3)	186	RTPNM48H6	479, 480
RSTTLE36542	242	RSWWB961	369	RTAW7236-(1/2/3)	186	RTPNM48H7	484
RSTTSE30481	244	RSWWB962	369	RTAW7272-(1/2/3)	186	RTPNM48H8	488
RSTTSE30482	244	RTA12036	152	RTAW8430-(1/2/3)	186	RTPNM54H1	454, 455
RSTTSE36541	244	RTA12042	152	RTAW8436-(1/2/3)	186	RTPNM54H2	459, 460



<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTPNM54H3	464, 465	RTPRS42H4	471, 472, 473	RTPRS96H5	478	RTSDS42422	240
RTPNM54H4	469, 470	RTPRS42H5	476, 477, 478	RTPRS96H6	483	RTSDS48481	240
RTPNM54H5	474, 475	RTPRS42H6	481, 482, 483	RTRDL48301	235	RTSDS48482	240
RTPNM54H6	479	RTPRS42H7	485, 486, 487	RTRDL48302	235	RTSF14	441
RTPNM60H1	454, 455	RTPRS42H8	489, 490, 491	RTRDL60301	235	RTSF28	441
RTPNM60H2	459, 460	RTPRS48H1	456, 457, 458	RTRDL60302	235	RTST14	440
RTPNM60H3	464, 465	RTPRS48H2	461, 462, 463	RTRDL72301	235	RTTA24()	416
RTPNM60H4	469, 470	RTPRS48H3	466, 467, 468	RTRDL72302	235	RTTA30()	416
RTPNM60H5	474, 475	RTPRS48H4	471, 472, 473	RTRDL72361	235	RTTA36()	416
RTPNM60H6	479	RTPRS48H5	476, 477, 478	RTRDL72362	235	RTTA42()	416
RTPNM66H1	454, 455	RTPRS48H6	481, 482, 483	RTRDOF60241	231	RTTA48()	416
RTPNM66H2	459, 460	RTPRS48H7	485, 486, 487	RTRDOF60242	232	RTTA54()	416
RTPNM66H3	464, 465	RTPRS48H8	489, 490, 491	RTRDOF60301	231	RTTA60()	416
RTPNM66H4	469, 470	RTPRS54H1	456, 457, 458	RTRDOF60302	232	RTTA66()	416
RTPNM66H5	474, 475	RTPRS54H2	461, 462, 463	RTRDOF60361	231	RTTA72()	416
RTPNM66H6	479	RTPRS54H3	466, 467, 468	RTRDOF60362	232	RTTAWF24()	416
RTPNM72H1	454, 455	RTPRS54H4	471, 472, 473	RTRDOF66241	231	RTTAWF30()	416
RTPNM72H2	459, 460	RTPRS54H5	476, 477, 478	RTRDOF66242	232	RTTAWF36()	416
RTPNM72H3	464, 465	RTPRS54H6	481, 482, 483	RTRDOF66301	231	RTTAWF42()	416
RTPNM72H4	469, 470	RTPRS54H7	485, 487	RTRDOF66302	232	RTTAWF48()	416
RTPNM72H5	474, 475	RTPRS54H8	489, 491	RTRDOF66361	231	RTTAWF54()	416
RTPNM72H6	479	RTPRS60H1	456, 457, 458	RTRDOF66362	232	RTTAWF60()	416
RTPNM78H1	454, 455	RTPRS60H2	461, 462, 463	RTRDOF72241	231	RTTAWF66()	416
RTPNM78H2	459, 460	RTPRS60H3	466, 467, 468	RTRDOF72242	232	RTTAWF72()	416
RTPNM78H3	464, 465	RTPRS60H4	471, 472, 473	RTRDOF72301	231	RUMC3010	502
RTPNM78H4	469, 470	RTPRS60H5	476, 477, 478	RTRDOF72302	232	RUMC3610	502
RTPNM78H5	474, 475	RTPRS60H6	481, 482, 483	RTRDOF72361	231	RUMC6010	503
RTPNM78H6	479	RTPRS60H7	485, 487	RTRDOF72362	232	RUMC7210	503
RTPNM84H1	454, 455	RTPRS60H8	489, 491	RTRDOF78241	231	RUTB	247
RTPNM84H2	459, 460	RTPRS66H1	456, 457, 458	RTRDOF78242	232	RWA3623	141
RTPNM84H3	464, 465	RTPRS66H2	461, 462, 463	RTRDOF78301	231	RWA3632	141
RTPNM84H4	469, 470	RTPRS66H3	466, 467, 468	RTRDOF78302	232	RWA4212	141
RTPNM84H5	474, 475	RTPRS66H4	471, 472, 473	RTRDOF78361	231	RWA4221	141
RTPNM84H6	479	RTPRS66H5	476, 477, 478	RTRDOF78362	232	RWA4223	141
RTPNM90H1	454, 455	RTPRS66H6	481, 482, 483	RTRDOF84241	231	RWA4232	141
RTPNM90H2	459, 460	RTPRS66H8	489	RTRDOF84242	232	RWA4812	141
RTPNM90H3	464, 465	RTPRS72H1	456, 457, 458	RTRDOF84301	231	RWA4821	141
RTPNM90H4	469, 470	RTPRS72H2	461, 462, 463	RTRDOF84302	232	RWA4823	141
RTPNM90H5	474, 475	RTPRS72H3	466, 467, 468	RTRDOF84361	231	RWA4832	141
RTPNM90H6	479	RTPRS72H4	471, 472, 473	RTRDOF84362	232	RWA5412	141
RTPNM96H1	454, 455	RTPRS72H5	476, 477, 478	RTRDRL48301	236	RWA5421	141
RTPNM96H2	459, 460	RTPRS72H6	481, 483	RTRDRL48302	236	RWA5423	141
RTPNM96H3	464, 465	RTPRS72H8	489	RTRDRL60301	236	RWA5432	141
RTPNM96H4	469, 470	RTPRS78H1	458	RTRDRL60302	236	RWA6012	141
RTPNM96H5	474, 475	RTPRS78H2	463	RTRDRL72301	236	RWA6021	141
RTPNM96H6	479	RTPRS78H3	468	RTRDRL72302	236	RWA6023	141
RTPRS30H1	456, 457, 458	RTPRS78H4	473	RTRDRL72361	236	RWA6032	141
RTPRS30H2	461, 462, 463	RTPRS78H5	478	RTRDRL72362	236	RWA6612	141
RTPRS30H3	466, 467, 468	RTPRS78H6	483	RTRDS48301	237	RWA6621	141
RTPRS30H4	471, 472, 473	RTPRS84H1	458	RTRDS48302	237	RWA6623	141
RTPRS30H5	476, 477, 478	RTPRS84H2	463	RTRDS60301	237	RWA6632	141
RTPRS30H6	481, 482, 483	RTPRS84H3	468	RTRDS60302	237	RWA7212	141
RTPRS30H7	485, 486, 487	RTPRS84H4	473	RTRDS72301	237	RWA7221	141
RTPRS30H8	489, 490, 491	RTPRS84H5	478	RTRDS72302	237	RWA7223	141
RTPRS36H1	456, 457, 458	RTPRS84H6	483	RTRDS72361	237	RWA7232	141
RTPRS36H2	461, 462, 463	RTPRS90H1	458	RTRDS72362	237	RWA(A/B/C/D/E/F/G)F4212	162
RTPRS36H3	466, 467, 468	RTPRS90H2	463	RTSDL42421	238	RWA(A/B/C/D/E/F/G)F4221	162
RTPRS36H4	471, 472, 473	RTPRS90H3	468	RTSDL42422	238	RWA(A/B/C/D/E/F/G)F4223	162
RTPRS36H5	476, 477, 478	RTPRS90H4	473	RTSDL48481	238	RWA(A/B/C/D/E/F/G)F4232	162
RTPRS36H6	481, 482, 483	RTPRS90H5	478	RTSDL48482	238	RWA(A/B/C/D/E/F/G)F4812	162
RTPRS36H7	485, 486, 487	RTPRS90H6	483	RTSDRL42421	239	RWA(A/B/C/D/E/F/G)F4821	162
RTPRS36H8	489, 490, 491	RTPRS96H1	458	RTSDRL42422	239	RWA(A/B/C/D/E/F/G)F4823	162
RTPRS42H1	456, 457, 458	RTPRS96H2	463	RTSDRL48481	239	RWA(A/B/C/D/E/F/G)F4832	162
RTPRS42H2	461, 462, 463	RTPRS96H3	468	RTSDRL48482	239	RWA(A/B/C/D/E/F/G)F5412	162
RTPRS42H3	466, 467, 468	RTPRS96H4	473	RTSDS42421	240	RWA(A/B/C/D/E/F/G)F5421	162

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RWA(A/B/C/D/E/F/G)F5423	162	RWEA(A/B/C/D/E/F/G)F4862	163	RWHDHTB72H2	493	YPSB2066FRR	498
RWA(A/B/C/D/E/F/G)F5432	162	RWEAWF3613	180	RWHDHTB72H3	494	YPSB2072	500
RWA(A/B/C/D/E/F/G)F6012	162	RWEAWF3626	180	RWHDHTB72H4	495	YPSB2072FRR	498
RWA(A/B/C/D/E/F/G)F6021	162	RWEAWF3631	179	RWHDHTB72H5	496	YPSB2624	501
RWA(A/B/C/D/E/F/G)F6023	162	RWEAWF3662	180	RWHDHTB78H1	492	YPSB2624F	499
RWA(A/B/C/D/E/F/G)F6032	162	RWEAWF4213	180	RWHDHTB78H2	493	YPSB2627	501
RWA(A/B/C/D/E/F/G)F6612	162	RWEAWF4226	180	RWHDHTB78H3	494	YPSB2627F	499
RWA(A/B/C/D/E/F/G)F6621	162	RWEAWF4231	179	RWHDHTB78H4	495	YPSB2630	501
RWA(A/B/C/D/E/F/G)F6623	162	RWEAWF4262	180	RWHDHTB78H5	496	YPSB2630F	499
RWA(A/B/C/D/E/F/G)F6632	162	RWEAWF4813	180	RWHDHTB84H1	492	YPSB2636	501
RWA(A/B/C/D/E/F/G)F7212	162	RWEAWF4826	180	RWHDHTB84H2	493	YPSB2636F	499
RWA(A/B/C/D/E/F/G)F7221	162	RWEAWF4831	179	RWHDHTB84H3	494	YPSB2642	501
RWA(A/B/C/D/E/F/G)F7223	162	RWEAWF4862	180	RWHDHTB84H4	495	YPSB2642F	499
RWA(A/B/C/D/E/F/G)F7232	162	RWEB7220(L/R)	365	RWHDHTB84H5	496	YPSB2648	501
RWAWF4212	179	RWEB7224(L/R)	365	RWHDHTB90H1	492	YPSB2648F	499
RWAWF4221	179	RWEB7520(L/R)	372	RWHDHTB90H2	493	YPSB2654	501
RWAWF4223	179	RWEB7524(L/R)	372	RWHDHTB90H3	494	YPSB2654F	499
RWAWF4232	179	RWEC7220(L/R)	365	RWHDHTB90H4	495	YPSB2660	501
RWAWF4812	179	RWEC7224(L/R)	365	RWHDHTB90H5	496	YPSB2660F	499
RWAWF4821	179	RWEC7520(L/R)	372	RWHDHTB96H1	492	YPSB2666	501
RWAWF4823	179	RWEC7524(L/R)	372	RWHDHTB96H2	493	YPSB2666FRR	499
RWAWF4832	179	RWED7220(L/R)	365	RWHDHTB96H3	494	YPSB2672	501
RWAWF5412	179	RWED7224(L/R)	365	RWHDHTB96H4	495	YPSB2672FRR	499
RWAWF5421	179	RWED7520(L/R)	372	RWHDHTB96H5	496	YPSB3224	500
RWAWF5423	179	RWED7524(L/R)	372	RWHRA	434	YPSB3224F	498
RWAWF5432	179	RWHDHTB3026	439	RWHRB	434	YPSB3227	500
RWAWF6012	179	RWHDHTB30H1	492	RWHRC	434	YPSB3227F	498
RWAWF6021	179	RWHDHTB30H2	493	RWHRD	434	YPSB3230	500
RWAWF6023	179	RWHDHTB30H3	494	RWHRE	434	YPSB3230F	498
RWAWF6032	179	RWHDHTB30H4	495	RWHRF	434	YPSB3236	500
RWAWF6612	179	RWHDHTB30H5	496	RWHRC	434	YPSB3236F	498
RWAWF6621	179	RWHDHTB3626	439	RWHTB3024	439	YPSB3242	500
RWAWF6623	179	RWHDHTB36H1	492	RWHTB3624	439	YPSB3242F	498
RWAWF6632	179	RWHDHTB36H2	493	RWHTB4224	439	YPSB3248	500
RWAWF7212	179	RWHDHTB36H3	494	RWHTB4824	439	YPSB3248F	498
RWAWF7221	179	RWHDHTB36H4	495	RWMCT24	436	YPSB3254	500
RWAWF7223	179	RWHDHTB36H5	496	RWMMP24	435	YPSB3254F	498
RWAWF7232	179	RWHDHTB4226	439	RWMMP30	435	YPSB3260	500
RWEA3613	142	RWHDHTB42H1	492	RWMMP36	435	YPSB3260F	498
RWEA3626	142	RWHDHTB42H2	493	RWMPB	435	YPSB3266	500
RWEA3631	142	RWHDHTB42H3	494	RWMV24	435	YPSB3266FRR	498
RWEA3662	142	RWHDHTB42H4	495	RWMVH24	435	YPSB3272	500
RWEA4213	142	RWHDHTB42H5	496	RWMVH30	435	YPSB3272FRR	498
RWEA4226	142	RWHDHTB4826	439	RWMVH36	435	YPSB3824	501
RWEA4231	142	RWHDHTB48H1	492	RWMVP24	435	YPSB3824F	499
RWEA4262	142	RWHDHTB48H2	493	RWMWT24	435	YPSB3827	501
RWEA4813	142	RWHDHTB48H3	494	RWMWT30	435	YPSB3827F	499
RWEA4826	142	RWHDHTB48H4	495	RWMWT36	435	YPSB3830	501
RWEA4831	142	RWHDHTB48H5	496	YPSB2024	500	YPSB3830F	499
RWEA4862	142	RWHDHTB54H1	492	YPSB2024F	498	YPSB3836	501
RWEA7220(L/R)	365	RWHDHTB54H2	493	YPSB2027	500	YPSB3836F	499
RWEA7224(L/R)	365	RWHDHTB54H3	494	YPSB2027F	498	YPSB3842	501
RWEA7520(L/R)	372	RWHDHTB54H4	495	YPSB2030	500	YPSB3842F	499
RWEA7524(L/R)	372	RWHDHTB54H5	496	YPSB2030F	498	YPSB3848	501
RWEA(A/B/C/D/E/F/G)F3613	163	RWHDHTB60H1	492	YPSB2036	500	YPSB3848F	499
RWEA(A/B/C/D/E/F/G)F3626	163	RWHDHTB60H2	493	YPSB2036F	498	YPSB3854	501
RWEA(A/B/C/D/E/F/G)F3631	162	RWHDHTB60H3	494	YPSB2042	500	YPSB3854F	499
RWEA(A/B/C/D/E/F/G)F3662	163	RWHDHTB60H4	495	YPSB2042F	498	YPSB3860	501
RWEA(A/B/C/D/E/F/G)F4213	163	RWHDHTB60H5	496	YPSB2048	500	YPSB3860F	499
RWEA(A/B/C/D/E/F/G)F4226	163	RWHDHTB66H1	492	YPSB2048F	498	YPSB3866	501
RWEA(A/B/C/D/E/F/G)F4231	162	RWHDHTB66H2	493	YPSB2054	500	YPSB3866FRR	499
RWEA(A/B/C/D/E/F/G)F4262	163	RWHDHTB66H3	494	YPSB2054F	498	YPSB3872	501
RWEA(A/B/C/D/E/F/G)F4813	163	RWHDHTB66H4	495	YPSB2060	500	YPSB3872FRR	499
RWEA(A/B/C/D/E/F/G)F4826	163	RWHDHTB66H5	496	YPSB2060F	498		
RWEA(A/B/C/D/E/F/G)F4831	162	RWHDHTB72H1	492	YPSB2066	500		

# Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
<b>Terms &amp; Conditions of Sales</b>	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
<b>Ordering Information</b>	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
<b>Order Confirmation</b>	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
<b>Pricing Policies</b>	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
<b>Taxes</b>	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
<b>Terms of Payment</b>	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
<b>Changes and Cancellation</b>	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
<b>Freight Prepaid</b>	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
<b>Delivery/Freight Charges</b>	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
<b>Claims</b>	<p>All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.</p>
<b>Seller's Security Interest</b>	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
<b>Returns</b>	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
<b>Held Orders/Storage</b>	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

# Selling Policy

<b>Customer's Own Material</b>	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
<b>Warranty</b>	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template, Antenna Workspaces and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, RPM and Sapper seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Antenna Workspaces, AutoStrada, Crinion Open Table, Reff Profiles wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (Magnusson, The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, CPU storage and all universal storage drawers.</i></p> <p><i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i></p> <p><i>2 Years: All other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none"><li>• Damage caused by a carrier other than the Seller.</li><li>• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).</li><li>• COM or other third party materials applied to Products.</li><li>• Products not installed by or under the auspices of a Knoll Dealer.</li><li>• Dramatic temperature variations or exposure to unusual conditions.</li><li>• Changes in surface finishes, including colorfastness due to aging or exposure to light.</li><li>• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty).</li></ul> <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
<b>Delay/Force Majeure</b>	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
<b>Compliance with Law</b>	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
<b>Patents</b>	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none"><li>• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.</li><li>• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.</li><li>• Any settlements of a suit or proceeding made without Seller's written consent.</li></ul>
<b>Limitations of Liability</b>	<p><b>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</b></p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

# KnollKey Lock Program

## KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

### Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

**IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.**

**If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.**

### Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

### Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

### Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

### Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


### Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

## How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

**Step 1** - Using the project floorplan, count the number of locks in each workstation.



**Step 2** - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station  
3 workstations with 4 locks per station  
2 workstations with 5 locks per station

**Step 3** - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

**Step 4** - Then enter the pattern number "KSPEC\_ \_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

**Step 5** - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

## Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$5
HLKRKMASTER*	Master Key	\$7

\*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

# General Ordering Information

---

## **The Products**

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

## **Pricing**

All prices shown are list.

## **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

## **Mail all orders to:**

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

## Sustainability Statement

---

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to [knoll.com](http://knoll.com), click on "About Knoll" and then "Environmental Focus."